

**NSA/CSS EVALUATED PRODUCTS LIST  
for  
HIGH SECURITY CROSSCUT PAPER SHREDDERS**

The Evaluated Products List (EPL) contains a listing of high security crosscut paper shredders that have been evaluated by the National Security Agency (NSA) or its designee and meet the performance requirements of NSA/CSS Specification 02-01, High Security Crosscut Paper Shredders. Inclusion of a product in the EPL is not an endorsement by NSA or the U.S. Government.

The EPL provides the shredder device name and/or model number, the manufacturer, and appropriate contact data for the distributor and/or marketing agent. Shredders are listed alphabetically by distributor name. The EPL also describes the shredder feed throat width and quantity of paper shredded in a one hour durability test.<sup>1</sup>

This EPL captures all high security crosscut shredders evaluated to NSA/CSS 02-01 since August, 2002. Models are not removed from the EPL, even though they may no longer be in production. The EPL shall be updated on an as-needed basis (as new models are successfully evaluated). Users are encouraged to contact shredder manufacturers /distributors for assistance in selecting unit(s) best suited to their requirements, and to determine if a specific model not listed meets the security and performance requirements of NSA/CSS 02-01. ONLY shredders that meet NSA/CSS 02-01 requirements are to be used for classified applications.

The procedures for administration and distribution of the EPL are subject to change without notice. Inquiries from U.S. Government users should be forwarded through designated customer support channels to the NSA Information Assurance Directorate. All other inquiries should be directed to the NSA Public Affairs Office.

---

<sup>1</sup> All tests were performed using uncoated, sheet cut (8.5 x 11 inch) twenty (20) pound weight copy paper, 500 sheets per ream

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>AMA/ 125.2HS Level 6</b>	Adams Marketing Associates/ HSM GMBH	Adams Marketing Associates 306A Ashcake Road Ashland, VA 23005  Bonnie Whitaker E-mail: Bonnie@adamsmarketing.com Tel: 800-322-6082, Fax: 804-752-6324	10 ½ inches	9 reams when feeding 3 sheets
<b>AMA/ 225.2HS Level 6</b>	Adams Marketing Associates/ HSM GMBH	Adams Marketing Associates	12 inches	11 reams when feeding 5 sheets
<b>AMA/ 390.2HS Level 6</b>	Adams Marketing Associates/ HSM GMBH	Adams Marketing Associates	16 inches	11 reams when feeding 4 sheets
<b>AMA/ 411.2HS Level 6</b>	Adams Marketing Associates/ HSM GMBH	Adams Marketing Associates	16 inches	15 reams when feeding 8 sheets
<b>Capital Shredder Corp./ K-9</b>	Capital Shredder Corp./ Elcoman / Kobra	Capital Shredder Corp. 5550 Wilkins Court Rockville, MD 20852 URL: www.papershredders.com  Gregory V. Di Gioia H. Kim Jones Tel: 301-770-3900, Fax: 301-770-4286	9 ½ inches	4 reams when feeding 3 sheets
<b>Capital Shredder Corp./ K-10</b>	Capital Shredder Corp./ Elcoman / Kobra	Capital Shredder Corp.	10 ¼ inches	8 reams when feeding 4 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Capital Shredder Corp./ K-10E</b>	Capital Shredder Corp./ Elcoman / Kobra	Capital Shredder Corp.	10 ¼ inches	4 reams when feeding 3 sheets
<b>Capital Shredder Corp./ K-12</b>	Capital Shredder Corp./ Elcoman / Kobra	Capital Shredder Corp.	12 inches	8 reams when feeding 4 sheets
<b>Capital Shredder Corp./ K-16</b>	Capital Shredder Corp./ Elcoman / Kobra	Capital Shredder Corp.	16 inches	17 reams when feeding 8 sheets
<b>Capital Shredder Corp./ K-16 Destroyer</b>	Capital Shredder Corp./ Elcoman / Kobra	Capital Shredder Corp.	9.5	10 ream when feeding 6 sheets
<b>Capital Shredder Corp./ M-9</b>	Capital Shredder Corp. / Dahle North America, Inc.	Capital Shredder Corp.	9 inches	4 reams when feeding 3 sheets
<b>Capital Shredder Corp./ M-9D</b>	Capital Shredder Corp. / Dahle North America, Inc.	Capital Shredder Corp.	9 inches	4 reams when feeding 3 sheets
<b>Capital Shredder Corp./ M-10</b>	Capital Shredder Corp. / Dahle North America, Inc.	Capital Shredder Corp.	10 inches	10 reams when feeding 3 sheets
<b>Capital Shredder Corp./ M-10CT</b>	Capital Shredder Corp./ Dahle North America, Inc.	Capital Shredder Corp.	10.25 inches	7 reams when feeding 3 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Capital Shredder Corp./ M-11CT</b>	Capital Shredder Corp./ Dahle North America, Inc.	Capital Shredder Corp.	10.25 inches	11 reams when feeding 5 sheets
<b>Capital Shredder Corp./ M-12</b>	Capital Shredder Corp./ Dahle North America, Inc.	Capital Shredder Corp.	12 inches	10 reams when feeding 4 sheets
<b>Capital Shredder Corp./ M-16</b>	Capital Shredder Corp./ Dahle North America, Inc.	Capital Shredder Corp.	16 inches	11 reams when feeding 5 sheets
<b>Capital Shredder Corp./ M-16 HC</b>	Capital Shredder Corp./ Dahle North America, Inc.	Capital Shredder Corp.	16 inches	15 reams when feeding 8 sheets
<b>Capital Shredder Corp./ M-16 TS</b>	Capital Shredder Corp./ Dahle North America, Inc.	Capital Shredder Corp.	16 inches	15 reams when feeding 8 sheets
<b>Capital Shredder Corp./ T-12</b>	Meiko Shokai Co., Ltd	Capital Shredder Corp.	11 <sup>3</sup> / <sub>4</sub> inches	18 reams when feeding 6 sheets
<b>Capital Shredder Corp./ T-12AF</b>	Capital Shredder Corp./ Meiko Shokai Co. Ltd.	Capital Shredder Corp.	11 <sup>3</sup> / <sub>4</sub> inches	20 reams when feeding 9 sheets
<b>ICGS/ 525-L6</b>	HSM GMBH	Laura McAllester  Tel: 410-567-2730	10 <sup>1</sup> / <sub>2</sub> inches	9 reams when feeding 3 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>ICGS/ 535-L6</b>	HSM GMBH		12 inches	11 reams when feeding 5 sheets
<b>ICGS/ 590-L6</b>	HSM GMBH		16 inches	11 reams when feeding 4 sheets
<b>ICGS/ 611-L6</b>	/ HSM GMBH		16 inches	15 reams when feeding 8 sheets
<b>Cummins- Allison/ 539</b>	Cummins-Allison Corp./ HSM GMBH	Cummins-Allison Corp. 201 Davis Drive, Unit O Sterling, VA 20164-4418  Lyle Berlin E- mail: berlinl@cumminsallison.com Tel: 800-875-4238, Fax: 703-444-8843	9 ½ inches	4 reams when feeding 3 sheets
<b>Cummins- Allison/ 549</b>	Cummins-Allison Corp./ HSM GMBH	Cummins-Allison Corp.	12 inches	11 reams when feeding 5 sheets
<b>Cummins- Allison/ 559</b>	Cummins-Allison Corp./ HSM GMBH	Cummins-Allison Corp.	16 inches	11 reams when feeding 4 sheets
<b>Cummins- Allison/ 569</b>	Cummins-Allison Corp./ HSM GMBH	Cummins-Allison Corp.	16 inches	15 reams when feeding 8 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Dahle/ 20434 DXC</b>	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc. 49 Vose Farm Road Peterborough, NH 03458 URL: www.dahleusa.com  Gregory C. Rillings Scott A. Prokop Tel: 800-995-1379, Fax: 603-924-1616	9 inches	4 reams when feeding 3 sheets
<b>Dahle/ 20434 DS</b>	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	9 inches	4 reams when feeding 3 sheets
<b>Dahle/ 20634 EC</b>	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	10 inches	10 reams when feeding 3 sheets
<b>Dahle/ 20834 EC</b>	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	16 inches	15 reams when feeding 8 sheets
<b>Dahle/ 20835 EC</b>	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	16 inches	11 reams when feeding 5 sheets
<b>Dahle/ 20394</b>	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	16 inches	15 reams when feeding 8 sheets
<b>Dahle/ 30434</b>	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	12 inches	10 reams when feeding 4 sheets
<b>Dahle/ 33134</b>	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	12 inches	10 reams when feeding 4 sheets
<b>Dahle/ 40334</b>	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	10.25 inches	7 reams when feeding 3 sheets
<b>Dahle/ 41334</b>	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	10.25 inches	7 reams when feeding 3 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Dahle/ 40434</b>	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	10.25 inches	11 reams when feeding 5 sheets
<b>Dahle/ 41434</b>	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	10.25 inches	11 reams when feeding 5 sheets
<b>Dynamo 160 Level 6</b>	Dynamo Shredders / NewMarket Enterprises, Ltd.	Dynamo Shredders P.O.Box 72333 Thorndale, PA 19372 URL:www.dynamoshredders.com  J.O'Mahony e-mail:Government@DynamoShredders.com Tel: 484-341-8004, Fax: 484-872-0089	9.5 inches	6 reams when feeding 3 sheets
<b>Dynamo 260 Level 6</b>	Dynamo Shredders / NewMarket Enterprises, Ltd.	Dynamo Shredders	10.25 inches	5 reams when feeding 3 sheets
<b>Dynamo 360 Level 6</b>	Dynamo Shredders / NewMarket Enterprises, Ltd.	Dynamo Shredders	11.25 inches	8 reams when feeding 5 sheets
<b>Dynamo 460 Level 6</b>	Dynamo Shredders / NewMarket Enterprises, Ltd.	Dynamo Shredders	12.25 inches	11 reams when feeding 8 sheets
<b>Dynamo 560 Level 6</b>	Dynamo Shredders / NewMarket Enterprises, Ltd.	Dynamo Shredders	16.125 inches	11 reams when feeding 8 sheets
<b>Dynamo 662 HSAL DUAL</b>	Dynamo Shredders / NewMarket Enterprises, Ltd.	Dynamo Shredders	10.25 inches	10 reams when feeding 9 sheets
<b>Rexel/ 1250-S6</b>	/HSM GMBH		10.5 inches	9 reams when feeding 3 sheets
<b>Rexel/ 2250-S6</b>	/HSM GMBH		12 inches	11 reams when feeding 5 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Rexel/ 3150-S6</b>	/HSM GMBH		16 inches	11 reams when feeding 4 sheets
<b>Rexel/ 4550-S6</b>	/HSM GMBH		16 inches	15 reams when feeding 8 sheets
<b>Fellowes/ C-320HS</b>  (formerly 320-2 HS) Discontinued	Fellowes Business Machines	Fellowes Business Machines 1789 Norwood Avenue Itasca, IL 60143-1095 URL: www.fellowes.com  Paul Kossack E-mail: pkossack@fellowes.com Tel: 630-671-8408, Fax: 630-893-1683	10.5 inches	9 reams when feeding 3 sheets
<b>Fellowes Powershred 300HS</b>	Fellowes Business Machines	Fellowes Business Machines	9 inches	5 reams when feeding 3 sheets
<b>Fellowes / HS-400</b>	Fellowes Business Machines/ Dahle North America, Inc.	Fellowes Business Machines	9 inches	4 reams when feeding 3 sheets
<b>Fellowes/ C-420HS</b> (formerly 420-2 HS) Discontinued	Fellowes Business Machines	Fellowes Business Machines	12 inches	11 reams when feeding 5 sheets
<b>Fellowes Powershred 440-HS</b>	Fellowes Business Machines	Fellowes Business Machines	9 inches	5 reams when feeding 3 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Fellowes/ C-480HS</b>  (formerly 480-2 HS)	Fellowes Business Machines	Fellowes Business Machines	16 inches	11 reams when feeding 4 sheets
<b>Fellowes Powershred 660-HS</b>	Fellowes Business Machines	Fellowes Business Machines	10 ¼ inches	15 reams when feeding 6 sheets
<b>Fellowes Powershred 700HS</b>	Fellowes Business Machines	Fellowes Business Machines	10 ¼ inches	15 reams when feeding 7 sheets
<b>Fellowes / HS-800</b>	Fellowes Business Machines/ Dahle North America, Inc.	Fellowes Business Machines	16 inches	15 reams when feeding 8 sheets
<b>Fellowes Powershred HS-880</b>	Fellowes Business Machines	Fellowes Business Machines	15.25	14 reams when feeding 6 sheets
<b>Fellowes Powershred 1000HS</b>	Fellowes Business Machines	Fellowes Business Machines	11 ¾ inches	21 reams when feeding 10 sheets
<b>Fellowes Powershred 1010-HS</b>	Fellowes Business Machines	Fellowes Business Machines	11 ¾ inches	21 reams when feeding 10 sheets

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
<b>Formax / FD8400HS</b>	Formax	Formax 44 Venture Drive Dover, NH 03820 URL: www.formax.com  T. Ryan Lindsay E-mail: ryanlindsay@formax.com Tel: 800-232-5535 ext 11	12 inches	8 reams when feeding 3 sheets
<b>Formax / FD8400HS Effective 9/20/2011</b>	Formax	Formax	12 inches	10 reams when feeding 5 sheets
<b>Formax / FD8500HS</b>	Formax	Formax	16 inches	10 reams when feeding 4 sheets
<b>Formax / FD8300HS</b>	Formax	Formax	9.5 inches	6 reams when feeding 3 sheets
<b>Formax / FD8650HS</b>	Formax	Formax	16 inches	18 reams when feeding 8 sheets
<b>Formax / FD8730HS</b>	Formax	Formax	10.25 inches	19 reams when feeding 8 sheets
<b>GBC/ 3890D</b>	ACCO Brands/	ACCO Brands 300 Tower Parkway Lincolnshire, IL 60069-3640 URL: www.gbconnect.com  Customer Service 1-800-723-4000	9 inches	5 reams when feeding 3 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Geha Primo/ 2600 HS Level 6</b>	HSM of America, Inc. / HSM GMBH	HSM of America, Inc. 419 Boot Road Downingtown, PA 19335 URL:www.hsmofamerica.com  Marshall Eubanks E-mail: marshall.eubanks@hsmofamerica.com Tel: 800-613-2110, Fax: 484-237-2340	10 ½ inches	9 reams when feeding 3 sheets
<b>Geha Primo/ 2700 HS Level 6</b>	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	12 inches	11 reams when feeding 5 sheets
<b>Geha Primo/ 3900 HS Level 6</b>	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	16 inches	11 reams when feeding 4 sheets
<b>Geha Primo/ 4001 HS Level 6</b>	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	16 inches	15 reams when feeding 8 sheets
<b>HSM/ 125.2HS Level 6</b>	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	10 ½ inches	9 reams when feeding 3 sheets
<b>HSM/ 125.2 HS L6 FD</b>	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	10 ½ inches	9 reams when feeding 3 sheets
<b>HSM/ 225.2HS Level 6</b>	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	12 inches	11 reams when feeding 5 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>HSM/ 390.3 HS Level 6</b>  (formerly 390.2 HS Level 6 )	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	16 inches	11 reams when feeding 4 sheets
<b>HSM/ 411.2HS Level 6</b>	HSM of America, Inc. / HSM GMBH Models prior to June 1, 2010	HSM of America, Inc.	16 inches	15 reams when feeding 8 sheets
<b>HSM/ 411.2HS Level 6</b>	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	15.8 inches	25 reams when feeding 10 sheets
<b>HSM Securio P36L6 HS</b>	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	13 inches	15 reams when feeding 7 sheets
<b>HSM Securio B24L6</b>	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	9.5 inches	5 reams when feeding 3 sheets
<b>HSM Securio B34L6</b>	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	12.2 inches	8 reams when feeding 5 sheets
<b>INFINIT HS-30C</b>	INTEK America Inc.	INTEK America Inc. 18528 S. Dominguez Hills Dr. Rancho Dominguez, CA 90220-6415 www.infinitshredder.com  Samuel Lee, VP of Marketing <a href="mailto:Sam.lee@intekus.com">Sam.lee@intekus.com</a> 1-866-397-9073	9.5 inches	6 reams when feeding 3 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>INFINIT HS-40C</b>	INTEK America Inc.	INTEK America Inc.	12 inches	8 reams when feeding 3 sheets
<b>INFINIT HS-40C Effective 9/20/2011</b>	INTEK America Inc.	INTEK America Inc.	12 inches	10 reams when feeding 5 sheets
<b>INFINIT HS-50C</b>	INTEK America Inc.	INTEK America Inc.	16 inches	10 reams when feeding 4 sheets
<b>INFINIT HS-60C</b>	INTEK America Inc.	INTEK America Inc.	16 inches	18 reams when feeding 8 sheets
<b>INFINIT HS-70CD</b>	INTEK America Inc.	INTEK America Inc.	10.25 inches	19 reams when feeding 8 sheets
<b>Kobra 240 HS6</b>	Marquis Business Systems, L.L.C. / Elcoman / Kobra	Rockville Office Machines 12264 Wilkins Avenue Rockville, MD 20852 www.rockvilleofficemachines.com  Michael C. Patrick Tel: 301-468-1973, Fax: 301-468-9566	9 ½ inches	4 reams when feeding 3 sheets
<b>Kobra 260 HS6</b>	Marquis Business Systems, L.L.C. / Elcoman / Kobra	Rockville Office Machines	10 ¼ inches	4 reams when feeding 3 sheets
<b>Kobra 260 HS2/6</b>	Marquis Business Systems, L.L.C. / Elcoman / Kobra	Rockville Office Machines	10 ¼ inches	8 reams when feeding 4 sheets
<b>Kobra 260 TS HS-6</b>	Marquis Business Systems, L.L.C. / Elcoman / Kobra	Rockville Office Machines	9 ½ inches	4 reams when feeding 3 sheets
<b>Kobra 270 TS HS-6</b>	Marquis Business Systems, L.L.C. / Elcoman / Kobra	Rockville Office Machines	10 ¼ inches	4 reams when feeding 3 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Kobra 300 HS6</b>	Marquis Business Systems, L.L.C. / Elcoman / Kobra	Rockville Office Machines	12 inches	8 reams when feeding 4 sheets
<b>Kobra 310 TS HS-6</b>	Marquis Business Systems, L.L.C. / Elcoman / Kobra	Rockville Office Machines	12 inches	8 reams when feeding 4 sheets
<b>Kobra 400 HS6</b>	Marquis Business Systems, L.L.C. / Elcoman / Kobra	Rockville Office Machines	16 inches	17 reams when feeding 8 sheets
<b>Kobra 400HS6 Combi</b>	Marquis Business Systems, L.L.C. / Elcoman / Kobra	Rockville Office Machines	9.5	10 ream when feeding 6 sheets
<b>ID431MC</b>	MS SecureShred, Inc./ Meiko Shokai Co., Ltd	MS SecureShred, Inc. 46571 Fremont Blvd. Fremont, CA. 94538 URL: www.mssecureshred.com  Gordon Woo gordon@mssecureshred.com Tel:510-252-1366 , Fax: 510-252-9320	11 ¾ inches	18 reams when feeding 6 sheets
<b>ID431MC-FK</b>	MS SecureShred, Inc./ Meiko Shokai Co., Ltd	MS SecureShred, Inc.	11 ¾ inches	20 reams when feeding 9 sheets
<b>Intimus 45CC6</b>	Martin Yale Industries, Inc.	Peter Dempsey  Martin Yale Industries, Inc.  251 Wedcor Avenue  Wabash, IN 46992	10 ¼ inches	9 reams when feeding 4 sheets
<b>Intimus 60CC6</b>	Martin Yale Industries, Inc.	Martin Yale Industries, Inc.	10 ¼ inches	9 reams when feeding 4 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Intimus 90CC6</b>	Martin Yale Industries, Inc.	Martin Yale Industries, Inc.	10 ¼ inches	9 reams when feeding 4 sheets
<b>Intimus 120CC6</b>	Martin Yale Industries, Inc.	Martin Yale Industries, Inc.	12 ¼ inches	17 reams when feeding 6 sheets
<b>Intimus 175CC6</b>	Martin Yale Industries, Inc.	Martin Yale Industries, Inc.	16 inches	29 reams when feeding 11 sheets
<b>Niche / 204</b>	/Dahle North America, Inc.		9 inches	4 reams when feeding 3 sheets
<b>Niche / 206</b>	/Dahle North America, Inc.		10 inches	10 reams when feeding 3 sheets
<b>Niche / 208</b>	Dahle North America, Inc.		16 inches	11 reams when feeding 5 sheets
<b>Niche / 209</b>	Dahle North America, Inc.		16 inches	15 reams when feeding 8 sheets
<b>Ativa/ 260 HS</b>	HSM GMBH		10 ½ inches	9 reams when feeding 3 sheets
<b>Ativa/ 270 HS</b>	HSM GMBH		12 inches	11 reams when feeding 5 sheets
<b>Ativa/ 391 HS</b>	HSM GMBH		16 inches	11 reams when feeding 4 sheets
<b>Ativa/ 401 HS</b>	HSM GMBH		16 inches	15 reams when feeding 8 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Olympia/ 1300.1C</b>	Olympia Business Systems, Inc. / Martin Yale Industries, Inc. <sup>2</sup>  2. Formerly Schleicher and Company of America, Inc.	Olympia Business Systems, Inc. 251 Wedcor Avenue Wabash, IN 46992 URL: <a href="http://www.olympia.to/GSA">www.olympia.to/GSA</a>  E-mail: <a href="mailto:dawn.dials@martinyale.com">dawn.dials@martinyale.com</a> Tel: 800-225-5644, Option 4 Fax: 260-563-4575	9 ½ inches	8 reams when feeding 3 sheets
<b>Olympia/ D1300.1C (Deployment Shredder)</b>	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	9 ¼ inches	8 reams when feeding 3 sheets
<b>Olympia/ 1500.1C</b>	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	10 ¼ inches	15 reams when feeding 5 sheets
<b>Olympia/ D1500.1C (Deployment Shredder)</b>	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	10 ¼ inches	15 reams when feeding 5 sheets
<b>Olympia/ 1650.1C</b>	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	16 inches	11 reams when feeding 5 sheets
<b>Olympia/ 1702.1C</b>	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	16 inches	19 reams when feeding 8 sheets
<b>Olympia/ 1750.1C</b>	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	9 ¼ inches	23 reams when feeding 8 sheets
<b>Olympia/ 1800.1C</b>	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	12 inches	15 reams when feeding 8 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>ProSource AB90</b>	ProSource Packaging, Inc / Elcoman	ProSource Packaging, Inc. 14911 Stuebner Airline Road, Suite A Houston, TX 77069 URL: www.machine-solution.com  Paul Baumgarten Phone: 281-453-8801 Fax: 281-453-8806	9 ½ inches	4 reams when feeding 3 sheets
<b>ProSource AB95</b>	ProSource Packaging, Inc / Elcoman	ProSource Packaging, Inc.	9 ½ inches	4 reams when feeding 3 sheets
<b>ProSource AB102</b>	ProSource Packaging, Inc / Elcoman	ProSource Packaging, Inc.	9 ½ inches	4 reams when feeding 3 sheets
<b>ProSource AB 102M</b>	ProSource Packaging, Inc / Elcoman	ProSource Packaging, Inc.	10 ¼ inches	8 reams when feeding 4 sheets
<b>ProSource AB 105</b>	ProSource Packaging, Inc / Elcoman	ProSource Packaging, Inc.	10 ¼ inches	4 reams when feeding 3 sheets
<b>ProSource 120</b>	ProSource Packaging, Inc / Elcoman	ProSource Packaging, Inc.	12 inches	8 reams when feeding 4 sheets
<b>ProSource 125</b>	ProSource Packaging, Inc / Elcoman	ProSource Packaging, Inc.	12 inches	8 reams when feeding 4 sheets
<b>ProSource 160</b>	ProSource Packaging, Inc / Elcoman	ProSource Packaging, Inc.	16 inches	17 reams when feeding 8 sheets
<b>ProSource AB950OMP</b>	ProSource Packaging, Inc / Elcoman	ProSource Packaging, Inc.	9 ½ inches	10 reams when feeding 6 sheets
<b>ProSource AABES Pro 45CC6</b>	ProSource Packaging, Inc / Elcoman	ProSource Packaging, Inc.	10 ¼ inches	9reams when feeding 4 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>ProSource</b> AABES Pro 60CC6	ProSource Packaging, Inc / Elcoman	ProSource Packaging, Inc.	10 ¼ inches	9reams when feeding 4 sheets
<b>ProSource</b> AABES Pro 90CC6	ProSource Packaging, Inc / Elcoman	ProSource Packaging, Inc.	10 ¼ inches	9reams when feeding 4 sheets
<b>ProSource</b> AABES Pro 302SF	ProSource Packaging, Inc / Elcoman	ProSource Packaging, Inc.	9 ¼ inches	8 reams when feeding 3 sheets
<b>ProSource</b> AABES Pro 502SF	ProSource Packaging, Inc / Elcoman	ProSource Packaging, Inc.	10 ¼ inches	15 reams when feeding 5sheets
<b>ProSource</b> AABES Pro 702SF	ProSource Packaging, Inc / Elcoman	ProSource Packaging, Inc.	16 inches	19 reams when feeding 8 sheets
<b>SEM/ 126C/2</b>	Security Engineered Machinery / HSM GMBH	Security Engineered Machinery 5 Walkup Drive Westboro, MA 01581 URL: www.fedshred.com  Terry Creek E-mail: t.creek@semshred.com Tel: 800-225-9293, Fax: 508-836-4154	10 ½ inches	9 reams when feeding 3 sheets
<b>SEM/ 226C/2</b>	Security Engineered Machinery HSM GMBH	Security Engineered Machinery	12 inches	11 reams when feeding 5 sheets
<b>SEM/ 244/3</b>	Security Engineered Machinery	Security Engineered Machinery	10 ¼ inches	8 reams when feeding 4 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>SEM/ 244/4</b>	Security Engineered Machinery	Security Engineered Machinery	10 ¼ inches	15 reams when feeding 7 sheets
<b>SEM/ 266/3</b> (formerly 266)	Security Engineered Machinery	Security Engineered Machinery	12 ½ inches	21 reams when feeding 8 sheets
<b>SEM/ 266/4</b>	Security Engineered Machinery	Security Engineered Machinery	11 ¾ inches	21 reams when feeding 10 sheets
<b>SEM/ 266/4 effective 8/17/2011</b>	Security Engineered Machinery	Security Engineered Machinery	11 ¾ inches	28 reams when feeding 10 sheets
<b>SEM/ 391C/2</b>	Security Engineered Machinery / HSM GMBH	Security Engineered Machinery	16 inches	11 reams when feeding 4 sheets
<b>SEM/ 412C/2</b> (formerly 455/2)	Security Engineered Machinery / HSM GMBH	Security Engineered Machinery	16 inches	15 reams when feeding 8 sheets
<b>SEM 1201CC</b>	Security Engineered Machinery / Meiko Shokai Co. Ltd.	Security Engineered Machinery	11 ¾ inches	18 reams when feeding 6 sheets
<b>SEM 1201 CCAF</b>	Security Engineered Machinery / Meiko Shokai Co. Ltd.	Security Engineered Machinery	11 ¾ inches	20 reams when feeding 9 sheets
<b>SEM/ 1324C/3</b> (formerly 1124C/3)	Security Engineered Machinery	Security Engineered Machinery	9 inches	5 reams when feeding 3 sheets
<b>SEM/ 2226CC/3</b> (formerly 2226CC)	Security Engineered Machinery	Security Engineered Machinery	10 ¼ inches	15 reams when feeding 6 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>SEM/ 3140C/3</b>	Security Engineered Machinery  Models sold prior to July 31, 2007	Security Engineered Machinery	16 inches	14 reams when feeding 5 sheets
<b>SEM/ 3140C/3</b>	Security Engineered Machinery / HSM GMBH Models sold after August 1, 2007	Security Engineered Machinery	16 inches	11 reams when feeding 4 sheets
<b>SEM / 4140C/4</b>	Security Engineered Machinery	Security Engineered Machinery	15.25	14 reams when feeding 6 sheets
<b>SEM/ 5140C/4</b> (formerly 5140C/3)	Security Engineered Machinery	Security Engineered Machinery	16 inches	23 reams when feeding 8 sheets
<b>Destroyit / 2350 SMC</b>	Whitaker Brothers, Inc.	Whitaker Brothers, Inc. 3 Taft Court Rockville, MD 20850 URL: <a href="http://www.whitakerbrothers.com">www.whitakerbrothers.com</a>  Joseph Mitchell E-mail: <a href="mailto:gsa@whitakerbrothers.com">gsa@whitakerbrothers.com</a> Tel: 800-243-9226, Fax: 301-354-3003	9 inches	5 reams when feeding 3 sheets
<b>Destroyit / 2360 SMC</b>	Whitaker Brothers, Inc.	Whitaker Brothers, Inc	9 inches	5 reams when feeding 3 sheets
<b>Destroyit/ 2600 SMC</b>	Whitaker Brothers, Inc.	Whitaker Brothers, Inc.	10 ¼ inches	11 reams when feeding 5 sheets
<b>Destroyit/ 2602 SMC</b>	Whitaker Brothers, Inc.	Whitaker Brothers, Inc.	10 ¼ inches	11 reams when feeding 5 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Destroyit/ 2603 SMC</b>	Whitaker Brothers, Inc.	Whitaker Brothers, Inc.	10 ¼ inches	11 reams when feeding 5 sheets
<b>Whitaker Brothers/ 2603/2 SMC</b>	Whitaker Brothers, Inc.	Whitaker Brothers, Inc.	10 ¼ inches	15 reams when feeding 6 sheets
<b>Whitaker Brothers/ 2605 SMC</b>	Whitaker Brothers, Inc.	Whitaker Brothers, Inc.	10 ¼ inches	15 reams when feeding 7 sheets
<b>Whitaker Brothers/ 3014 SMC</b>	Whitaker Brothers, Inc.	Whitaker Brothers, Inc.	11 ¾ inches	21 reams when feeding 10 sheets
<b>Whitaker Brothers/ 4002 SMC</b>	Whitaker Brothers, Inc.	Whitaker Brothers, Inc.	16 inches	14 reams when feeding 5 sheets
<b>Whitaker Brothers/ 4014/2 SMC</b> (formerly 4014 SMC)	Whitaker Brothers, Inc.	Whitaker Brothers, Inc.	16 inches	23 reams when feeding 8 sheets
<b>Intimus/ 007SF</b>	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	12 inches	26 reams when feeding 10 sheets
<b>Intimus/ 007SF Retro-fit</b>	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	12 inches	25 reams when feeding 9 sheets
<b>Intimus/ 0077SF</b>	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	9 ¼ inches	23 reams when feeding 8 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Intimus/ 0077SL</b>	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	12 inches	15 reams when feeding 8 sheets
<b>Intimus/ 302SF</b>	Whitaker Brothers, Inc. / Martin Yale Industries, Inc. Models prior to June 17, 2011	Whitaker Brothers, Inc.	9 ¼ inches	8 reams when feeding 3 sheets
<b>Intimus/ 502SF</b>	Whitaker Brothers, Inc. / Martin Yale Industries, Inc. Models prior to June 17, 2011	Whitaker Brothers, Inc.	10 ¼ inches	15 reams when feeding 5 sheets
<b>Intimus/ 602SF</b>	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	16 inches	11 reams when feeding 5 sheets
<b>Intimus/ 702SF</b>	Whitaker Brothers, Inc. / Martin Yale Industries, Inc. Models prior to June 17, 2011	Whitaker Brothers, Inc.	16 inches	19 reams when feeding 8 sheets
Whitaker Brothers / <b>202SF</b>	Whitaker Brothers, Inc.	Whitaker Brothers, Inc.	10¼ inches	9 reams when feeding 4 sheets
Whitaker Brothers / <b>302SF</b>	Whitaker Brothers, Inc.	Whitaker Brothers, Inc.	10 ¼ inches	9 reams when feeding 4 sheets
Whitaker Brothers / <b>402SF</b>	Whitaker Brothers, Inc.	Whitaker Brothers, Inc.	10 ¼ inches	9 reams when feeding 4 sheets
Whitaker Brothers / <b>502SF</b>	Whitaker Brothers, Inc.	Whitaker Brothers, Inc.	12 ¼ inches	17 reams when feeding 6 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
Whitaker Brothers / <b>702SF</b>	Whitaker Brothers, Inc.	Whitaker Brothers, Inc.	16 inches	29 reams when feeding 11 sheets
<b>Whitaker Brothers / Datastroyer 1010 MS</b>	Whitaker Brothers, Inc. / HSM GMBH	Whitaker Brothers, Inc.	10 ½ inches	9 reams when feeding 3 sheets
<b>Whitaker Brothers / Datastroyer 1215 MS</b>	Whitaker Brothers, Inc. / HSM GMBH	Whitaker Brothers, Inc.	12 inches	11 reams when feeding 5 sheets
<b>Whitaker Brothers / Datastroyer 1615 MS</b>	Whitaker Brothers, Inc. / HSM GMBH	Whitaker Brothers, Inc.	16 inches	11 reams when feeding 4 sheets
<b>Whitaker Brothers / Datastroyer 1628 MS</b>	Whitaker Brothers, Inc. / HSM GMBH Models prior to June 1, 2010	Whitaker Brothers, Inc.	16 inches	15 reams when feeding 8 sheets
<b>Whitaker Brothers / Datastroyer 1628 MS</b>	Whitaker Brothers, Inc. / HSM GMBH	Whitaker Brothers, Inc.	15.8 inches	25 reams when feeding 10 sheets
<b>Whitaker Brothers / DS-3 (Deployment Shredder)</b>	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	9 inches	5 reams when feeding 3 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Whitaker Brothers / DS-4 (Deployment Shredder)</b>	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	9 inches	5 reams when feeding 3 sheets
<b>Whitaker Brothers/ DS-5 (Deployment Shredder)</b>	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	10 ¼ inches	11 reams when feeding 5 sheets
<b>Whitaker Brothers/ DS-6 (Deployment Shredder)</b>	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	10 ¼ inches	11 reams when feeding 5 sheets
<b>Whitaker Brothers/ DS-7 (Deployment Shredder)</b>	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	12 inches	26 reams when feeding 10 sheets