

Genome Technology Program Bibliography

Publications and Patents

NHGRI launched an ambitious program in 2004 to reduce the cost of full genome sequencing initially by 100-fold and subsequently by an additional 100-fold. Below, listed by Principal Investigator, are citations and links to many of the articles and patents resulting from this and closely related programs.

Fuller CW, Middendorf LR, Benner SA, Church GM, Harris T, Huang X, Jovanovich SB, Nelson JR, Schloss JA, Schwartz DC, Vezenov DV. The challenges of sequencing by synthesis. *Nat Biotechnol.* 2009 Nov;27(11):1013-23. Review. <http://www.ncbi.nlm.nih.gov/pubmed/19898456>

Branton D, Deamer DW, Marziali A, Bayley H, Benner SA, Butler T, Di Ventra M, Garaj S, Hibbs A, Huang X, Jovanovich SB, Krstic PS, Lindsay S, Ling XS, Mastrangelo CH, Meller A, Oliver JS, Pershin YV, Ramsey JM, Riehn R, Soni GV, Tabard-Cossa V, Wanunu M, Wiggin M, Schloss JA. The potential and challenges of nanopore sequencing. *Nat Biotechnol.* 2008 Oct;26(10):1146-53. Review. <http://www.ncbi.nlm.nih.gov/pubmed/18846088>

Schloss JA. How to get genomes at one ten-thousandth the cost. *Nat Biotechnol.* 2008 Oct; 26(10): 1113-5. <http://www.ncbi.nlm.nih.gov/pubmed/18846084>

Benner, Steven A.

Chen F, Gaucher EA, Leal NA, Hutter D, Havemann SA, Govindarajan S, Ortlund EA, Benner SA. Reconstructed evolutionary adaptive paths give polymerases accepting reversible terminators for sequencing and SNP detection. *Proc Natl Acad Sci USA.* 2010 Feb 2;107(5):1948-53. <http://www.ncbi.nlm.nih.gov/pubmed/20080675>

Yang Z, Chen F, Chamberlin SG, Benner SA. Expanded genetic alphabets in the polymerase chain reaction. *Angew Chem Int Ed Engl.* 2010;49(1):177-80. <http://www.ncbi.nlm.nih.gov/pubmed/19946925>

Kim HJ, Leal NA, Benner SA. 2'-deoxy-1-methylpseudocytidine, a stable analog of 2'-deoxy-5-methylisocytidine. *Bioorg Med Chem.* 2009 May 15;17(10):3728-32. <http://www.ncbi.nlm.nih.gov/pubmed/19394831>

Wellington KW, Ooi HC, Benner SA. A convenient synthesis of N,N'-dibenzyl-2,4-diaminopyrimidine-2'-deoxyribonucleoside and 1-methyl-2'-deoxypseudoisocytidine. *Nucleosides Nucleotides Nucleic Acids.* 2009 Apr;28(4):275-91. <http://www.ncbi.nlm.nih.gov/pubmed/20183581>

- Sheng P, Yang Z, Kim Y, Wu Y, Tan W, Benner SA. Design of a novel molecular beacon: modification of the stem with artificially genetic alphabet. *Schem Commun (Camb)*. 2008 Nov 7;(41):5128-30.
<http://www.ncbi.nlm.nih.gov/pubmed/18956044>
- Havemann SA, Hoshika S, Hutter D, Benner SA. Incorporation of multiple sequential pseudothymidines by DNA polymerases and their impact on DNA duplex structure. *Nucleosides Nucleotides Nucleic Acids*. 2008 Mar;27(3):261-78.
<http://www.ncbi.nlm.nih.gov/pubmed/18260010>
- Wharton JE, Jin P, Sexton LT, Horne LP, Sherrill SA, Mino WK, Martin CR. A method for reproducibly preparing synthetic nanopores for resistive-pulse biosensors. *Small*. 2007 Aug;3(8):1424-30. <http://www.ncbi.nlm.nih.gov/pubmed/17615589>
- Yang Z, Sismour AM, Sheng P, Puskar NL, Benner SA. Enzymatic incorporation of a third nucleobase pair. *Nucleic Acids Res*. 2007;35(13):4238-49. Epub 2007 Jun 18. <http://www.ncbi.nlm.nih.gov/pubmed/17576683>
- Yang Z, Sismour AM, Benner SA. Nucleoside alpha-thiotriphosphates, polymerases and the exonuclease III analysis of oligonucleotides containing phosphorothioate linkages. *Nucleic Acids Res*. 2007;35(9):3118-27. Epub 2007 Apr 22.
<http://www.ncbi.nlm.nih.gov/pubmed/17452363>
- Harrell CC, Choi Y, Horne LP, Baker LA, Siwy ZS, Martin CR. Resistive-pulse DNA detection with a conical nanopore sensor. *Langmuir*. 2006 Dec 5;22(25):10837-43. <http://www.ncbi.nlm.nih.gov/pubmed/17129068>
- Wellington KW, Benner SA. Synthesis of aryl C-glycosides via the heck coupling reaction. *Nucleosides Nucleotides Nucleic Acids*. 2006;25(12):1309-33. Review.
<http://www.ncbi.nlm.nih.gov/pubmed/17067955>
-
- Church, George** (http://arep.med.harvard.edu/gmc_pub.html)
- Varley KE, Mitra RD. Nested Patch PCR Enables Highly Multiplex Mutation Discovery in Candidate Genes. *Genome Res*. 2008 Nov;18(11):1844-50.
<http://www.ncbi.nlm.nih.gov/pubmed/18849522>
- Lunshof JE, Chadwick R, Vorhaus DB, Church GM. From genetic privacy to open consent. *Nat Rev Genet*. 2008 May;9(5):406-11.
<http://www.ncbi.nlm.nih.gov/pubmed/18379574>
- Dantas G, Sommer MOA, Oluwasegun RD, Church GM. Functional Microbiomics: bacteria subsisting on antibiotics in soil. *Science*. 2008 Apr 4 ;320(5872) :100-3.
<http://www.ncbi.nlm.nih.gov/pubmed/18388292>
- Sherley JL. All good cells come from cells. *Nat Cell Biol*. 2008 Mar;10(3):248.
<http://www.ncbi.nlm.nih.gov/pubmed/18311176>
- Shendure JA, Porreca GJ, Church GM. Overview of DNA sequencing strategies. *Curr Protoc Mol Biol*. 2008 Jan;Chapter 7:Unit 7.1.
<http://www.ncbi.nlm.nih.gov/pubmed/18231983>

- Nardi V, Raz T, Cao X, Wu CJ, Stone, RM, Cortes J, Deininger MW, Church G, Zhu J, Daley GQ. Quantitative monitoring by polymerase colony assay of known mutations resistant to ABL kinase inhibitors. *Oncogene*. 2008 Jan 31;27(6):775-82. <http://www.ncbi.nlm.nih.gov/pubmed/17684485>
- Kim DS, Ross SE, Trimarchi JM, Aach J, Greenberg ME, Cepko CL. Identification of molecular markers of bipolar cells in the murine retina. *J Comp Neurol*. 2008 Apr 10;507(5):1795-810. <http://www.ncbi.nlm.nih.gov/pubmed/18260140>
- Rieger C, Poppino R, Sheridan R, Moley K, Mitra R, Gottlieb D. Polony analysis of gene expression in ES cells and blastocysts. *Nucleic Acids Res*. 2007;35(22):e151. Epub 2007 Dec 10. <http://www.ncbi.nlm.nih.gov/pubmed/18073198>
- Leparc GG, Mitra RD. A sensitive procedure to detect alternatively spliced mRNA in pooled-tissue samples. *Nucleic Acids Res*. 2007;35(21):e146. Epub 2007 Nov 13. <http://www.ncbi.nlm.nih.gov/pubmed/18000005>
- Wang H, Johnston M, Mitra RD. Calling cards for DNA-binding proteins. *Genome Res*. 2007 Aug;17(8):1202-9. Epub 2007 Jul 10. <http://www.ncbi.nlm.nih.gov/pubmed/17623806>
- Leparc GG, Mitra RD. Non-EST-based prediction of novel alternatively spliced cassette exons with cell signaling function in *Caenorhabditis elegans* and human. *Nucleic Acids Res*. 2007;35(10):3192-202. Epub 2007 Apr 22. <http://www.ncbi.nlm.nih.gov/pubmed/17452356>
- Willerth SM, Fixel TE, Gottlieb DI, Sakiyama-Elbert SE. The effects of soluble growth factors on embryonic stem cell differentiation inside of fibrin scaffolds. *Stem Cells* 25, 2235-44 (2007). <http://www.ncbi.nlm.nih.gov/pubmed/17585170>
- Sherley JL. Commentary: Facing up to the feasibility of ANT-OAR. *Stem Cell Rev* 3, 66-7 (2007). <http://www.ncbi.nlm.nih.gov/pubmed/17873383>
- Porreca GJ, Zhang K, Li JB, Xie B, Austin D, Vassallo SL, LeProust EM, Peck BJ, Emig CJ, Dahl F, Gao Y, Church GM, Shendure J. Multiplex amplification of large sets of human exons. *Nat Methods* 4, 931-6 (2007). <http://www.ncbi.nlm.nih.gov/pubmed/17934468>
- Kim JB, Porreca GJ, Song L, Greenway SC, Gorham JM, Church GM, Seidman CE, Seidman JG. Polony multiplex analysis of gene expression (PMAGE) in mouse hypertrophic cardiomyopathy. *Science* 316, 1481-4 (2007). <http://www.ncbi.nlm.nih.gov/pubmed/17556586>
- Conrad C, Zhu J, Conrad C, Schoenfeld D, Fang Z, Ingelsson M, Stamm S, Church G, Hyman BT. Single molecule profiling of tau gene expression in Alzheimer's disease. *J Neurochem* 103, 1228-36 (2007). <http://www.ncbi.nlm.nih.gov/pubmed/17727636>

- Bakal C, Aach J, Church G, Perrimon N. Quantitative morphological signatures define local signaling networks regulating cell morphology. *Science* 316, 1753-6 (2007). <http://www.ncbi.nlm.nih.gov/pubmed/17588932>
- Zhang K, Zhu J, Shendure J, Porreca GJ, Aach JD, Mitra RD, Church GM. Long-range polony haplotyping of individual human chromosome molecules. *Nat Genet* 38, 382-7 (2006). <http://www.ncbi.nlm.nih.gov/pubmed/16493423>
- Zhang K, Martiny AC, Reppas NB, Barry KW, Malek J, Chisholm SW, Church GM. Sequencing genomes from single cells by polymerase cloning. *Nat Biotechnol* 24, 680-6 (2006). <http://www.ncbi.nlm.nih.gov/pubmed/16732271>
- Willerth SM, Arendas KJ, Gottlieb DI, Sakiyama-Elbert SE. Optimization of fibrin scaffolds for differentiation of murine embryonic stem cells into neural lineage cells. *Biomaterials* 27, 5990-6003 (2006). <http://www.ncbi.nlm.nih.gov/pubmed/16919326>
- Turner DJ, Shendure J, Porreca G, Church G, Green P, Tyler-Smith C, Hurles ME. Assaying chromosomal inversions by single-molecule haplotyping. *Nat Methods* 3, 439-45 (2006). <http://www.ncbi.nlm.nih.gov/pubmed/16721377>
- Tannenbaum E, Sherley JL, Shakhnovich EI. Semiconservative quasispecies equations for polysomic genomes: the haploid case. *J Theor Biol* 241, 791-805 (2006). <http://www.ncbi.nlm.nih.gov/pubmed/16527313>
- Porreca GJ, Shendure J, Church GM. Polony DNA sequencing. *Curr Protoc Mol Biol* Chapter 7, Unit 7 8 (2006). <http://www.ncbi.nlm.nih.gov/pubmed/18265387>
- Pare JF, Sherley JL. Biological principles for ex vivo adult stem cell expansion. *Curr Top Dev Biol* 73, 141-71 (2006). <http://www.ncbi.nlm.nih.gov/pubmed/16782458>
- Lee SI, Pe'er D, Dudley AM, Church GM, Koller D. Identifying regulatory mechanisms using individual variation reveals key role for chromatin modification. *Proc Natl Acad Sci U S A* 103, 14062-7 (2006). <http://www.ncbi.nlm.nih.gov/pubmed/16968785>
- Church GM. Genomes for all. *Sci Am* 294, 46-54 (2006). <http://www.ncbi.nlm.nih.gov/pubmed/16468433>
- Xian HQ, Werth K, Gottlieb DI. Promoter analysis in ES cell-derived neural cells. *Biochem Biophys Res Commun* 327, 155-62 (2005). <http://www.ncbi.nlm.nih.gov/pubmed/15629444>
- Wei L, Cui L, Snider BJ, Rivkin M, Yu SS, Lee CS, Adams LD, Gottlieb DI, Johnson EM Jr., Yu SP, Choi DW. Transplantation of embryonic stem cells overexpressing Bcl-2 promotes functional recovery after transient cerebral ischemia. *Neurobiol Dis* 19, 183-93 (2005). <http://www.ncbi.nlm.nih.gov/pubmed/15837573>
- Tannenbaum E, Sherley JL, Shakhnovich EI. Evolutionary dynamics of adult stem cells: comparison of random and immortal-strand segregation mechanisms. *Phys Rev*

- E Stat Nonlin Soft Matter Phys 71, 041914 (2005).
<http://www.ncbi.nlm.nih.gov/pubmed/15903708>
- Shendure J, Porreca GJ, Reppas NB, Lin X, McCutcheon JP, Rosenbaum AM, Wang MD, Zhang K, Mitra RD, Church GM. Accurate multiplex polony sequencing of an evolved bacterial genome. *Science* 309, 1728-32 (2005).
<http://www.ncbi.nlm.nih.gov/pubmed/16081699>
- Rambhatla L, Ram-Mohan S, Cheng JJ, Sherley JL. Immortal DNA strand cosegregation requires p53/IMPDH-dependent asymmetric self-renewal associated with adult stem cells. *Cancer Res* 65, 3155-61 (2005).
<http://www.ncbi.nlm.nih.gov/pubmed/15833845>
- Lee HS, Sherley JL, Chen JJ, Chiu CC, Chiou LL, Liang JD, Yang PC, Huang GT, Sheu JC. EMP-1 is a junctional protein in a liver stem cell line and in the liver. *Biochem Biophys Res Commun* 334, 996-1003 (2005).
<http://www.ncbi.nlm.nih.gov/pubmed/16036215>
- Lee CS, Tee LY, Dusenbery S, Takata T, Golden JP, Pierchala BA, Gottlieb DI, Johnson EM Jr., Choi DW, Snider BJ. Neurotrophin and GDNF family ligands promote survival and alter excitotoxic vulnerability of neurons derived from murine embryonic stem cells. *Exp Neurol* 191, 65-76 (2005).
<http://www.ncbi.nlm.nih.gov/pubmed/15589513>
- Church GM. The personal genome project. *Mol Syst Biol* 1, 2005 0030 (2005).
<http://www.ncbi.nlm.nih.gov/pubmed/16729065>
- Xian H, Gottlieb DI. Dividing Olig2-expressing progenitor cells derived from ES cells. *Glia* 47, 88-101 (2004). <http://www.ncbi.nlm.nih.gov/pubmed/15139016>
- Tannenbaum E, Sherley JL, Shakhnovich EI. Imperfect DNA lesion repair in the semiconservative quasispecies model: derivation of the Hamming class equations and solution of the single-fitness peak landscape. *Phys Rev E Stat Nonlin Soft Matter Phys* 70, 061915 (2004).
<http://www.ncbi.nlm.nih.gov/pubmed/15697410>
- Shendure J, Mitra RD, Varma C, Church GM. Advanced sequencing technologies: methods and goals. *Nat Rev Genet* 5, 335-44 (2004).
<http://www.ncbi.nlm.nih.gov/pubmed/15143316>
- Mikkilineni V, Mitra RD, Merritt J, DiTonno JR, Church GM, Ogunnaike B, Edwards JS. Digital quantitative measurements of gene expression. *Biotechnol Bioeng* 86, 117-24 (2004). <http://www.ncbi.nlm.nih.gov/pubmed/15052631>
- Aach J, Church GM. Mathematical models of diffusion-constrained polymerase chain reactions: basis of high-throughput nucleic acid assays and simple self-organizing systems. *J Theor Biol* 228, 31-46 (2004).
<http://www.ncbi.nlm.nih.gov/pubmed/15064081>

- Zhu J, Shendure J, Mitra RD, Church GM. Single molecule profiling of alternative pre-mRNA splicing. *Science* 301, 836-8 (2003).
<http://www.ncbi.nlm.nih.gov/pubmed/12907803>
- Xian HQ, McNichols E, St Clair A, Gottlieb DI. A subset of ES-cell-derived neural cells marked by gene targeting. *Stem Cells* 21, 41-9 (2003).
<http://www.ncbi.nlm.nih.gov/pubmed/12529550>
- Qu Y, Vadivelu S, Choi L, Liu S, Lu A, Lewis B, Girgis R, Lee CS, Snider BJ, Gottlieb DI, McDonald JW. Neurons derived from embryonic stem (ES) cells resemble normal neurons in their vulnerability to excitotoxic death. *Exp Neurol* 184, 326-36 (2003). <http://www.ncbi.nlm.nih.gov/pubmed/14637103>
- Mitra RD, Shendure J, Olejnik J, Edyta Krzymanska O, Church GM. Fluorescent in situ sequencing on polymerase colonies. *Anal Biochem* 320, 55-65 (2003).
<http://www.ncbi.nlm.nih.gov/pubmed/12895469>
- Mitra RD, Butty VL, Shendure J, Williams BR, Housman DE, Church GM. Digital genotyping and haplotyping with polymerase colonies. *Proc Natl Acad Sci U S A* 100, 5926-31 (2003). <http://www.ncbi.nlm.nih.gov/pubmed/12730373>
- Merritt J, DiTonno JR, Mitra RD, Church GM, Edwards JS. Parallel competition analysis of *Saccharomyces cerevisiae* strains differing by a single base using polymerase colonies. *Nucleic Acids Res* 31, e84 (2003).
<http://www.ncbi.nlm.nih.gov/pubmed/12888536>
- Lee HS, Crane GG, Merok JR, Tunstead JR, Hatch NL, Panchalingam K, Powers MJ, Griffith LG, Sherley JL. Clonal expansion of adult rat hepatic stem cell lines by suppression of asymmetric cell kinetics (SACK). *Biotechnol Bioeng* 83, 760-71 (2003). <http://www.ncbi.nlm.nih.gov/pubmed/12889016>

Collins, Scott D.

- Spinney PS, Howitt DG, Smith RL, Collins SD. Nanopore formation by low-energy focused electron beam machining. *Nanotechnology*. 2010 Sep 17;21(37):375301. Epub 2010 Aug 17.
<http://www.ncbi.nlm.nih.gov/pubmed/20714050>
- Chen SJ, Howitt DG, Gierhart BC, Smith RL, Collins SD. The applications of in situ electron energy loss spectroscopy to the study of electron beam nanofabrication. *Microsc Microanal* 15:201-212 (2009).
<http://www.ncbi.nlm.nih.gov/pubmed/19460176>
- Tondare VN, Gierhart BC, Howitt DG, Smith RL, Chen SJ, Collins SD. An electron microscopy investigation of the structure of porous silicon by oxide replication. *Nanotechnology* 2008 Jun; 19(22):225301 (4pp).
http://www.iop.org/EJ/article/-search=58939455.1/0957-4484/19/22/225301/nano8_22_225301.pdf?request-id=0f93f6ca-11f5-429a-a290-5e9dd8330b74

Gierhart BC, Howitt DG, Chen SJ, Zhu Z, Kotecki DE, Smith RL, Collins SD. Nanopore with transverse nanoelectrodes for electrical characterization and sequencing of DNA. *Sensors and Actuators B: Chemical*, Volume 132, Issue 2, 16 June 2008, Pages 593-600.

http://www.sciencedirect.com/science?_ob=MIimg&_imagekey=B6THH-4R8WJV2-2-11&_cdi=5283&_user=5755111&_orig=search&_coverDate=06%2F16%2F2008&_sk=998679997&_view=c&_wchp=dGLbVtz-zSkWA&_md5=ee83f4584972f76c16bf4605b5de8c4e&_ie=/sdarticle.pdf

Gierhart BC, Howitt DG, Chen SJ, Smith RL, Collins SD. Frequency dependence of gold nanoparticle superassembly by dielectrophoresis. *Langmuir*. 2007 Nov 20;23(24):12450-6. Epub 2007 Oct 27.

<http://www.ncbi.nlm.nih.gov/pubmed/17963407>

Spinney PS, Collins SD, Smith RL. Solid-phase direct write (SPDW) of carbon via scanning force microscopy. *Nano Lett*. 2007 Jun;7(6):1512-5. Epub 2007 May 9.

<http://www.ncbi.nlm.nih.gov/pubmed/17488134>

Davis, Ronald W.

Umehara S, Pourmand N, Webb CD, Davis RW, Yasuda K, Karhanek M. Current rectification with poly-L-lysine-coated quartz nanopipettes. *Nano Lett*. 2006 Nov;6(11):2486-92. <http://www.ncbi.nlm.nih.gov/pubmed/17090078>

Karhanek M, Kemp JT, Pourmand N, Davis RW, Webb CD. Single DNA molecule detection using nanopipettes and nanoparticles. *Nano Lett*. 2005 Feb;5(2):403-7

<http://www.ncbi.nlm.nih.gov/pubmed/15794633>

Drndic, Marija

Merchant CA, Healy K, Wanunu M, Ray V, Peterman N, Bartel J, Fischbein MD, Venta K, Luo Z, Johnson ATC, Drndic M. DNA Translocation through Graphene Nanopores. *Nano Lett*. 2010 10(8): 2915–2921.

<http://pubs.acs.org/doi/abs/10.1021/nl101046t>

Fischbein MD, Drndic M. Electron beam nanosculpting of suspended grapheme sheets. *Appl Phys Lett*. 2008 Sept; 93(11): 113107.

<http://link.aip.org/link/?APPLAB/93/113107/1>

Fischbein MD, Drndic M. Sub-10nm device fabrication in a transmission electron microscope. *Nano Lett*. 2007 May; 7(5): 1329-37.

<http://www.ncbi.nlm.nih.gov/pubmed/17439186>

Healy K, Schiedt B, Morrison AP. Solid-state nanopore technologies for nanopore-based DNA analysis. *Nanomed*. 2007 Dec; 2(6): 875-97.

<http://www.ncbi.nlm.nih.gov/pubmed/18095852>

Healy K. Nanopore-based single molecule DNA analysis. *Nanomed*. 2007 Aug; 2(4): 459-81. <http://www.ncbi.nlm.nih.gov/pubmed/17716132>

Edwards, Jeremy S.

Zhou YE, O'Rourke JP, Edwards JS, Ness SA. Single molecule analysis of c-myc alternative splicing reveals novel classifiers for precursor B-ALL. *PLoS One*. 2011;6(8):e22880. Epub 2011 Aug 11.

<http://www.ncbi.nlm.nih.gov/pubmed/21853052>

Xu MY, Aragon AD, Mascarenas MR, Torrez-Martinez N, Edwards JS. Dual primer emulsion PCR for next-generation DNA sequencing. *Biotechniques*. 2010 May;48(5):409-12. <http://www.ncbi.nlm.nih.gov/pubmed/20569215>

Egholm, Michael

Leamon JH, Rothberg JM. Cramming more sequencing reactions onto microreactor chips. *Chem Rev*. 2007 Aug;107(8):3367-76. Epub 2007 Jul 10. Review. No abstract available. <http://www.ncbi.nlm.nih.gov/pubmed/17622174>

Pinard R, de Winter A, Sarkis GJ, Gerstein MB, Tartaro KR, Plant RN, Egholm M, Rothberg JM, Leamon JH. Assessment of whole genome amplification-induced bias through high-throughput, massively parallel whole genome sequencing. *BMC Genomics*. 2006 Aug 23;7:216.

<http://www.ncbi.nlm.nih.gov/pubmed/16928277>

Margulies M, Egholm M, Altman WE, Attiya S, Bader JS, Bemben LA, Berka J, Braverman MS, Chen YJ, Chen Z, Dewell SB, Du L, Fierro JM, Gomes XV, Godwin BC, He W, Helgesen S, Ho CH, Irzyk GP, Jando SC, Alenquer ML, Jarvie TP, Jirage KB, Kim JB, Knight JR, Lanza JR, Leamon JH, Lefkowitz SM, Lei M, Li J, Lohman KL, Lu H, Makhijani VB, McDade KE, McKenna MP, Myers EW, Nickerson E, Nobile JR, Plant R, Puc BP, Ronan MT, Roth GT, Sarkis GJ, Simons JF, Simpson JW, Srinivasan M, Tartaro KR, Tomasz A, Vogt KA, Volkmer GA, Wang SH, Wang Y, Weiner MP, Yu P, Begley RF, Rothberg JM. Genome sequencing in microfabricated high-density picolitre reactors. *Nature*. 2005 Sep 15;437(7057):376-80. Epub 2005 Jul 31. Erratum in: *Nature*. 2006 May 4;441(7089):120. Ho, Chun He [corrected to Ho, Chun Heen].

<http://www.ncbi.nlm.nih.gov/pubmed/16056220>

Fair, Richard

Fair, RB. Digital Microfluidic Chips for Chemical and Biological Applications. *Conf Proc IEEE Eng Med Biol Soc*. 2009;2009:6560-4.

<http://www.ncbi.nlm.nih.gov/pubmed/19964905>

Fair RB. "Digital Microfluidics: is a true lab-on-a-chip possible?" *J. Microfluidics and Nanofluidics*, vol. 3, 245-281 (2007).

<http://www.springerlink.com/content/hm52823378710385/fulltext.pdf>

Fair RB, Khylstov A, Tailor TD, Ivanov I, Evans RD, Srinivasan V, Pamula VK, Pollack MG, Griffin RB, Zhou J. Chemical and Biological Applications of Digital Microfluidic Devices. *IEEE Design and Test of Computers*, 24, No. 1, pp.10-24, Jan-Feb (2007).

<http://ieeexplore.ieee.org/iel5/54/4212055/04212064.pdf?isnumber=4212055&pr od=JNL&arnumber=4212064&arSt=10&ared=24&arAuthor=Fair%2C+R.B.%3B+Khlystov%2C+A.%3B+Tailor%2C+T.D.%3B+Ivanov%2C+V.%3B+Evans%2C+R.D.%3B+Griffin%2C+P.B.%3B+Vijay+Srinivasan%3B+Pamula%2C+V.K.%3B+Pollack%2C+M.G.%3B+Zhou%2C+J>

Patents

Pollack MG, Pamula VK, Allen DJ, Fair RB, Griffin PB. Droplet-Based Pyrosequencing. US Patent [7,727,723](#). Issued on 1 Jun 2010.

Ghadiri, M. Reza and Hagan Bayley

Stoddart D, Maglia G, Mikhailova E, Heron AJ, Bayley H. Multiple base-recognition sites in a biological nanopore: two heards are better than one. *Angew Chem Int Ed Engl.* 2010;49(3):556-9. <http://www.ncbi.nlm.nih.gov/pubmed/20014084>

Maglia G, Henricus M, Wyss R, Li Q, Cheley S, Bayley H. DNA strands from denatured duplexes are translocated through engineered protein nanopores at alkaline pH. *Nano Lett.* 2009 Nov;9(11):3831-6. <http://www.ncbi.nlm.nih.gov/pubmed/19645477>

Stoddart D, Heron AJ, Mikhailova E, Maglia G, Bayley H. Single-nucleotide discrimination in immobilized DNA oligonucleotides with a biological nanopore. *Proc Natl Acad Sci USA.* 2009 May 12;106(19):7702-7. <http://www.ncbi.nlm.nih.gov/pubmed/19380741>

Clarke J, Wu HC, Jayasinghe L, Patel A, Reid S, Bayley H. Sonctinueous base identification for single-molecule nanopore DNA sequencing. *Nat Nanotechnol.* 2009 Apr;4(4):265-70. <http://www.ncbi.nlm.nih.gov/pubmed/19350039>

Heron AJ, Thompson JR, Cronin B, Bayley H, Wallace MI. Simultaneous measurement of ionic current and flurescence from single protein pores. *J A, Chem Soc.* 2009 Feb 11;131(5):1652-3. <http://www.ncbi.nlm.nih.gov/pubmed/19146373>

Stoddart D, Heron A, Mikhailova E, Maglia G, Bayley H. Single nucleotide discrimination in immobilized DNA oligonucleotides with a biological nanopore. *Proc Natl Acad Sci U S A.* 2009 May 12; 106(19): 7702-7. <http://www.ncbi.nlm.nih.gov/pubmed/19380741>

Clarke J, Wu H, Jayasinghe L, Patel A, Reid S, Bayley H. Continuous base identification for single molecule nanopore DNA sequencing. *Nat Nanotechnol.* 2009 Apr; 4(4): 265-70. <http://www.ncbi.nlm.nih.gov/pubmed/19350039>

Maglia G, Restrepo MR, Mikhailova E, Bayley H. Enhanced translocation of single DNA molecules through alpha-hemolysin nanopores by manipulation of internal charge. *Proc Natl Acad Sci U S A.* 2008 Dec 16;105(50):19720-5. Epub 2008 Dec 5. <http://www.ncbi.nlm.nih.gov/pubmed/19060213>

Cockroft SL, Chu J, Amarin M, Ghadiri MR. A single-molecule nanopore device detects DNA polymerase activity with single-nucleotide resolution. *J Am Chem Soc.*

2008 Jan 23;130(3):818-20. Epub 2008 Jan 1.
<http://www.ncbi.nlm.nih.gov/pubmed/18166054>

Wu HC, Astier Y, Maglia G, Mikhailova E, Bayley H. Protein nanopores with covalently attached molecular adapters. *J Am Chem Soc.* 2007 Dec 26;129(51):16142-8. Epub 2007 Nov 30. <http://www.ncbi.nlm.nih.gov/pubmed/18047341>

Astier Y, Kainov DE, Bayley H, Tuma R, Howorka S. Stochastic detection of motor protein-RNA complexes by single-channel current recording. *Chemphyschem.* 2007 Oct 22;8(15):2189-94. <http://www.ncbi.nlm.nih.gov/pubmed/17886244>

Ashkenasy N, Sánchez-Quesada J, Bayley H, Ghadiri MR. Recognizing a single base in an individual DNA strand: a step toward DNA sequencing in nanopores. *Angew Chem Int Ed Engl.* 2005 Feb 18;44(9):1401-4. <http://www.ncbi.nlm.nih.gov/pubmed/15666419>

Sánchez-Quesada J, Saghatelian A, Cheley S, Bayley H, Ghadiri MR. Single DNA rotaxanes of a transmembrane pore protein. *Angew Chem Int Ed Engl.* 2004 Jun 7;43(23):3063-7. <http://www.ncbi.nlm.nih.gov/pubmed/15188482>

Patents

Bayley H, et al. Formation of bilayers of amphipathic molecules. US Patent Number [20,100,032,627](http://www.uspto.gov/patents/2010032627).

Golovchenko, Jene A., Daniel Branton, Mark Akeson and David Deamer
(<http://www.mcb.harvard.edu/branton/>)

Hoogerheide DP, George HB, Golovchenko JA, Aziz MJ. Thermal activation and saturation of ion beam sculpting. *J Appl Phys.* 2011 Apr 1;109(7):74312-743124. Epub 2011 Apr 7. <http://www.ncbi.nlm.nih.gov/pubmed/21544213>

Han A, Vlassrev D, Wang J, Golovchenko JA, Branton D. Ice lithography for nanodevices. *Nano Lett.* 2010 Nov 10;10:5056-59. <http://www.ncbi.nlm.nih.gov/pubmed/21038857>

Garaj S, Hubbard W, Golovchenko JA. Graphene synthesis by ion implantation. *Appl Phys Lett.* 2010 Nov 1;97(18):183103. Epub 2010 Nov 2. <http://www.ncbi.nlm.nih.gov/pubmed/21124725>

Garaj S, Hubbard W, Reina A, Kong J, Branton D, Golovchenko JA. Graphene as a subnanometre trans-electrode membrane. *Nature* 2010 Sep 9;467(7312):190-3. Epub 2010 Aug 18. <http://www.ncbi.nlm.nih.gov/pubmed/20720538>

Bell DC, Russo CJ, Benner G. Sub-angstrom low-voltage performance of a monochromated, aberration-corrected transmission electron microscope. *Microsc Microanal.* 2010 Aug;16(4):386-92. Epub 2010 Jul 2. <http://www.ncbi.nlm.nih.gov/pubmed/20598206>

George HB, Tang Y, Chen X, Li J, Hutchinson JW, Golovchenko JA, Aziz MJ. Nanopore fabrication in amorphous Si: Viscous flow model and comparison to experiment.

- J Appl Phys. 2010 Jul 1;108(1):14310. Epub 2010 Jul 7.
<http://www.ncbi.nlm.nih.gov/pubmed/20680096>
- Goodsell A, Ristroph T, Golovchenko JA, Hau LV. Field ionization of cold atoms near the wall of a single carbon nanotube. Phys Rev Lett. 2010 Apr 2;104(13):133002. Epub 2010 Mar 31. <http://www.ncbi.nlm.nih.gov/pubmed/20481881>
- Albertorio F, Huges ME, Golovchenko JA, Branton D. Base dependent DNA-carbon nanotube interaction: activation enthalpies and assembly-disassembly control. Nanotechnology. 2009 Sep 30;20(29):395101. <http://www.ncbi.nlm.nih.gov/pubmed/19724110>
- Hoogerheide DP, Garaj S, Golovchenko JA. Probing surface charge fluctuations with solid-state nanopores. Phys Rev Lett. 2009 Jun 26;102(25):256804. <http://www.ncbi.nlm.nih.gov/pubmed/19659110>
- Benner S, Chen RJ, Wilson NA, Abu-Shumays R, Hurt N, Lieberman KR, Deamer DW, Dunbar WB, Akeson M. Sequence-specific detection of individual DNA polymerase complexes in real time using a nanopore. Nat Nanotechnol. 2007 Nov;2(11):718-24. Epub 2007 Oct 28. <http://www.ncbi.nlm.nih.gov/pubmed/18654412>
- Hornblower B, Coombs A, Whitaker RD, Kolomeisky A, Picone SJ, Meller A, Akeson M. Single-molecule analysis of DNA-protein complexes using nanopores. Nat Methods. 2007 Apr;4(4):315-7. Epub 2007 Mar 4. <http://www.ncbi.nlm.nih.gov/pubmed/17339846>
- Gershow M, Golovchenko JA. Recapturing and trapping single molecules with a solid-state nanopore. Nature Nanotechnology 2: 775-779 (2007). <http://www.ncbi.nlm.nih.gov/pubmed/18654430>
- Fologea D, Brandin E, Uplinger J, Branton D, Li J. DNA conformation and base number simultaneously determined in a nanopore. Electrophoresis. 2007 Sep;28(18):3186-92. <http://www.ncbi.nlm.nih.gov/pubmed/17854121>
- Hoogerheide DP, Golovchenko JA. Dynamics of ion beam stimulated surface mass transport to nanopores. *in* Ion-Beam-Based Nanofabrication, edited by D. Ila, J. Baglin, N. Kishimoto, P.K. Chu (Mater. Res. Soc. Symp. Proc. Volume 1020, Warrendale, PA, 2007), paper number 1020-GG-02-01. http://www.mrs.org/s_mrs/sec_subscribe.asp?CID=8753&DID=198276&action=detail
- Hughes ME, Brandin E, Golovchenko JA. Optical absorption of DNA-carbon nanotube structures. Nano Lett. 2007 May;7(5):1191-4. <http://www.ncbi.nlm.nih.gov/pubmed/17419658>
- DeGuzman VS, Lee CC, Deamer DW, Vercoutere WA. Sequence-dependent gating of an ion channel by DNA hairpin molecules. Nucleic Acids Res. 2006;34(22):6425-37. Epub 2006 Nov 27. <http://www.ncbi.nlm.nih.gov/pubmed/17130164>

- Peng HB, Hughes ME, Golovchenko JA. Room-temperature single-charge sensitivity in carbon nanotube field-effect transistors. *Appl. Phys. Lett.* 89: 243502-1 – 243502-3 (2006). <http://link.aip.org/link/APPLAB/v89/i24/p243502/s1>
- Kim Y-R, Chen P, Aziz MJ, Branton D, Vlassak JJ. Focused ion beam induced deflections of freestanding thin films. *J. Appl. Phys.* 100: 104322-1 - 104322-9 (2006). <http://link.aip.org/link/JAPIAU/v100/i10/p104322/s1>
- Park SY, Russo CJ, Branton D, Stone HA. Eddies in a bottleneck: An arbitrary Debye length theory for capillary electroosmosis. *J. Colloid Interface Sci.* 2006 May 15;297(2): 832-9. <http://www.ncbi.nlm.nih.gov/pubmed/16376361>
- Mitsui T, Stein D, Kim Y-R, Hoogerheide D, Golovchenko JA. Nanoscale volcanoes: Accretion of matter at ion-sculpted nanopores. *Phys. Rev. Lett.* 2006 Jan 27;96: 036102-1 - 036102-4. <http://www.ncbi.nlm.nih.gov/pubmed/16486735>
- King GM, Golovchenko JA. Probing nanotube-nanopore interactions. *Phys. Rev. Lett.* 2005 Nov 18;95: 216103-1 - 216103-42005. <http://www.ncbi.nlm.nih.gov/pubmed/16384162>
- Fologea D, Gershow M, Ledden B, McNabb DS, Golovchenko JA, Li J. Detecting single stranded DNA with a solid state nanopore. *Nano Letters.* 2005 Oct;5: 1905-1909. <http://www.ncbi.nlm.nih.gov/pubmed/16218707>
- King GM, Schürmann G, Branton D, Golovchenko JA. Nanometer patterning with ice. *Nano Letters.* 2005 Jun;5: 1157-1160 (2005). <http://www.ncbi.nlm.nih.gov/pubmed/15943460>
- Ristroph T, Goodsell A, Golovchenko JA, Hau LV. Detection and quantized conductance of neutral atoms near a charged carbon nanotube. *Phys. Rev. Lett.* 2005 Feb 18;94: 066102. <http://www.ncbi.nlm.nih.gov/pubmed/15783752>
- Chen P, Gu J, Brandin E, Kim Y-R, Wang Q, Branton D. Probing single DNA molecule transport using fabricated nanopores. *Nano Letters* 4: 2293-2298 (2004). <http://pubs.acs.org/cgi-bin/abstract.cgi/nalefd/2004/4/i11/abs/nl048654j.html>
- Wang H, Dunning JE, Huang AP, Nyamwanda JA, Branton D. DNA heterogeneity and phosphorylation unveiled by single-molecule electrophoresis. *Proc. Natl. Acad. Sci. USA* 2004 Sep 14;101: 13472-7. <http://www.ncbi.nlm.nih.gov/pubmed/15342914>
- Peng HB, Golovchenko JA. Coulomb blockade in suspended Si₃N₄-coated single-walled carbon nanotubes. *App. Phys. Lett.* 84: 5428-5430 (2004). <http://link.aip.org/link/APPLAB/v84/i26/p5428/s1>
- Chen P, Mitsui T, Farmer DB, Golovchenko JA, Gordon RG, Branton D. Atomic layer deposition to fine-tune the surface properties and diameters of fabricated nanopores. *Nano Letters* 4:1333-1337 (2004). <http://pubs.acs.org/cgi-bin/abstract.cgi/nalefd/2004/4/i07/abs/nl0494001.html>

Patents

Akeson M, Branton D, Deamer DW, Sampson JR, inventors. Methods and apparatus for characterizing polynucleotides. U.S. Patent Number [7,947,454](#), issued 24 May 2011.

Branton, D, Golovchenko JA, inventors. Molecular characterization with carbon nanotube control. U.S. Patent Number [7,803,607](#), issued 28 September 2010.

Akeson M, Branton D, Deamer DW, Sampson JR, inventors. Methods and apparatus of characterizing polynucleotides. U.S. Patent Number [7,625,706](#), issued 1 December 2009.

Golovchenko J, Schurmann G, King G, Branton D, inventors. Controlled fabrication of gaps in electrically conducting structures. U.S. Patent Number [7,582,490](#), issued 1 September 2009.

Branton D, Golovchenko JA, King GM, MoberleyChan WJ, Schurmann GM, inventors. Lift-off patterning processing employing energetically-stimulated local removal of solid-condensed-gas layers. U.S. Patent Number [7,524,431](#), issued 28 April 2009.

Golovchenko JA, Branton D, inventors. Molecular characterization with carbon nanotube control. U.S. Patent Number [7,468,271](#), issued 23 December 2008.

Golovchenko JA, Peng H, inventors. Carbon nanotube device fabrication. U.S. Patent Number [7,466,069](#), issued 16 December 2008.

Golovchenko JA, King GM, Schurmann GM, Branton D, inventors. Patterning by energetically-stimulated local removal of solid-condensed-gas layers and solid state chemical reactions produced with such layers. U.S. Patent Number [7,435,353](#), issued 14 October 2008.

Golovchenko JA, Branton D, Aziz MJ, Li J, Stein DM, McMullan CJ, inventors. Control of solid state dimensional features. U.S. Patent Number [6,783,643](#), issued 31 August 2004.

Akeson,MA, Deamer DW, Branton D, inventors. Miniature support for thin films containing single channels or nanopores and methods for using the same. U.S. Patent Number [6,746,594](#), issued 8 June 2004.

Denison TJ, Sauer A, Golovchenko J, Meller A, Brandin E, Branton D, inventors. Characterization of individual polymer molecules based on monomer-interface interactions. U.S. Patent Number [6,673,615](#), issued 6 January 2004.

Li J, Stein D, Schurmann G, King G, Golovchenko J, Branton D, Aziz M, inventors. Ion beam sculpting of multiple distinct materials. U.S. Patent Number [7,258,838](#), issued 21 August 2007.

Golovchenko J, Peng H, inventors. Suspended carbon nanotube field effect transistor. U.S. Patent Number [7,253,434](#), issued 7 August 2007.

Akeson M, Branton D, Deamer DW, Sampson JR, inventors. Methods and apparatus for characterizing polynucleotides. U.S. Patent Number [7,238,485](#), issued 3 July 2007.

Akeson M, Branton D, Church G, Deamer D, inventors. Characterization of individual polymer molecules based on monomer-interface interactions. U.S. Patent Number [7,189,503](#), issued 13 March 2007.

Golovchenko J, Stein D, Li J, inventors. Pulsed ion beam control of solid state features. U.S. Patent Number [7,118,657](#), issued 10 October 2006.

Golovchenko J, Chopra N, Basile D, inventors. System with nano-scale conductor and nano-opening. U.S. Patent Number [6,870,361](#), issued 22 March 2005.

Gorfinkel, Vera

Tsupryk A, Tovkach I, Gavrillov D, Kosobokova O, Gudkov G, Tyshko G, Gorbovitski B, Gorfinkel V. Ultra sensitive sensor with enhanced dynamic range for high speed detection of multi-color fluorescence radiation. Biosens Bioelectron. 2008 May 15;23(10):1512-8. Epub 2008 Jan 19.
<http://www.ncbi.nlm.nih.gov/pubmed/18304800>

Stepukhovich A, Tsupryk A, Kosobokova O, Gavrillov DN, Gorbovitski B, Gudkov G, Tyshko G, Tcherevishnik M, Gorfinkel V. Analysis of DNA Sequencing Systems Based on Capillary Electrophoresis. Technical Physics, Vol. 78, Issue 6 pp.90-102, 2008. <http://springerlink.com/content/t74v645425252212/>

Dhulla V, Gudkov G, Gavrillov D, Stepukhovich A, Tsupryk A, Kosobokova O, Borodin A, Gorbovitski B, Gorfinkel V. Single Photon Counting Module Based On Large Area APD And Novel Logic Circuit For Quench And Reset Pulse Generation. Journal of Selected Topics in Quantum Electronics, v.13,NO 4, 926-933, (2007).
<http://ieeexplore.ieee.org/stamp/stamp.jsp?arnumber=04305212>

Kosobokova O, Gavrillov DN, Khozikov V, Stepukhovich A, Tsupryk A, Pan'kov S, Somova O, Abanshin N, Gudkov G, Tcherevishnik M, Gorfinkel V. Electrokinetic injection of DNA from gel micropads: basis for coupling polony technology with CE separation. Electrophoresis. 2007 Nov;28(21):3890-900.
<http://www.ncbi.nlm.nih.gov/pubmed/17922519>

Khozikov V, Kosobokova O, Citver G, Tyshko G, Gavrillov DN, Gudkov G, Gorfinkel V. Experimental study of the formation of high resistivity zones at the gel/buffer interface in capillary electrophoresis. Accepted to Electrophoresis, Volume 28, Issue 3, Date: No. 3 February 317-321, 2007.
<http://www.ncbi.nlm.nih.gov/pubmed/17154326>

Gavrillov D, Gorbovitski B, Gudkov G, Stepukhovich A, Tcherevishnik M, Tyshko G, Tsupryk A, Gorfinkel V. Highly sensitive single photon detection system for multi-lane DNA sequencer. Proc.of SPIE vol.6372, 63720C, Boston, Massachusetts, USA Oct 1-4, 2006.
<http://spiedigitallibrary.aip.org/getabs/servlet/GetabsServlet?prog=normal&id=PSI>

[SDG00637200000163720B000001&idtype=cvips&gifs=Yes&bproc=year&scode=2006](http://spiedigitallibrary.aip.org/getabs/servlet/GetabsServlet?prog=normal&id=PSI SDG00637200000163720B000001&idtype=cvips&gifs=Yes&bproc=year&scode=2006)

Gudkov G, Dhulla V, Borodin A, Gavrillov D, Stepoukhovitch A, Tsupryk A, Gorbovitski B, Gorfinkel V. 32-channel single-photon counting module for ultrasensitive detection of DNA sequences. Conference on Advanced Photon Counting Techniques, Proc.of SPIE vol.6372, 63720C, Boston, Massachusetts, USA Oct 1-4, 2006.

<http://spiedigitallibrary.aip.org/getabs/servlet/GetabsServlet?prog=normal&id=PSI SDG00637200000163720C000001&idtype=cvips&gifs=Yes&bproc=year&scode=2006>

Tsupryk M, Gorbovitski B, Kabotyanski E, Gorfinkel V. Novel design of multi-capillary arrays for high throughput DNA sequencing. Electrophoresis, 27, Issue 14, 2869-2879, 2005. <http://www.ncbi.nlm.nih.gov/pubmed/16800025>

Gavrillov DN, Kosobokova O, Khozikov V, Stepuhovitch A, Gorfinkel V. Electrophoresis in capillary cells with detection gap. Electrophoresis, Vol. 26, 2005, 3430-3437. <http://www.ncbi.nlm.nih.gov/pubmed/16167363>

Gundlach, Jens and Michael Niederweis

Langford KW, Penkov B, Derrington IM, Gundlach JH. Unsupported planar lipid membranes formed from mycolic acids of Mycobacterium tuberculosis. J Lipid Res. 2011 Feb;52(2):272-7. <http://www.ncbi.nlm.nih.gov/pubmed/21076119>

Derrington IM, Butler TZ, Collins MD, Manrao E, Pavlenok M, Niederweis M, Gundlach JH. Nanopore DNA sequencing with MspA. Proc Natl Acad Sci USA. 2010 Sep 14;107(37):16060-5. <http://www.ncbi.nlm.nih.gov/pubmed/20798343>

Huff J, Pavlenok M, Sukumaran S, Niederweis M. Functions of the periplasmic loop of the porin MspA from Mycobacterium smegmatis. J Biol Chem. 2009 Apr 10;284(15):10223-31. <http://www.ncbi.nlm.nih.gov/pubmed/19208627?dopt=Citation>

Butler TZ, Pavlenok M, Derrington IM, Niederweis M, Gundlach JH. Single-molecule DNA detection with an engineered MspA protein nanopore. Proc Natl Acad Sci U S A. 2008 Dec 30; 105:20647-20652. <http://www.ncbi.nlm.nih.gov/pubmed/19098105>

Huang, Xiaohua

Chen YJ, Roller EE, Huang X. DNA sequencing by denaturation: experimental proof of concept with an integrated fluidic device. Lab Chip. 2010 May 7;10(9):1153-9. <http://www.ncbi.nlm.nih.gov/pubmed/20390134>

Barbee KD, Hsiao AP, Heller MJ, Huang X. Electric field directed assembly of high-density microbead arrays. Lab Chip. 2009 Nov 21;9(22):3268-74. <http://www.ncbi.nlm.nih.gov/pubmed/19865735>

Joneja A, Huang X. A device for automated hydrodynamic shearing of genomic DNA. *Biotechniques*. 2009 June;46(7):553-6.

<http://www.ncbi.nlm.nih.gov/pubmed/19594456>

Chaisson MJ, Brinza D, Pevzner PA. *De novo* fragment assembly with short mate-paired reads: Does the read length matter? *Genome Res*. 2009 Feb; 19(2): 336-46. <http://www.ncbi.nlm.nih.gov/pubmed/19056694>

Chen YJ, Huang X. DNA sequencing by denaturation: principle and thermodynamic simulations. *Anal Biochem*. 2009 Jan 1;384(1):170-9. Epub 2008 Oct 7. <http://www.ncbi.nlm.nih.gov/pubmed/18930015>

Barbee KD, Huang X. Magnetic assembly of high-density DNA arrays for genomic analyses. *Anal Chem*. 2008 Mar 15;80(6):2149-54. Epub 2008 Feb 9. <http://www.ncbi.nlm.nih.gov/pubmed/18260655>

Chaisson MJ, Pevzner PA. Short read fragment assembly of bacterial genomes. *Genome Res*. 2008 Feb;18(2):324-30. Epub 2007 Dec 14. <http://www.ncbi.nlm.nih.gov/pubmed/18083777>

Patents

Huang X, Roller E. Mostly natural DNA sequencing by synthesis. USPTO Patent Application, filed on March 21, 2009.

Huang X. Methods and systems for direct real-time sequencing of single DNA molecules. USPTO Patent Application, #61/121,809, filed on December 11, 2008.

Huang X, Barbee KD. Novel techniques for fabricating biomolecular nano-arrays. USPTO Patent Application, #60/887244, filed in 2007,

Jovanovich, Stevan B., Annelise E. Barron and Richard A. Mathies

Thaitrong N, Toriello NM, Del Bueno N, Mathies RA. Polymerase chain reaction-capillary electrophoresis genetic analysis microdevice with in-line affinity capture sample injection. *Anal Chem*. 2009 Feb 15;81(4):1371-7.

<http://www.ncbi.nlm.nih.gov/pubmed/19140739>

Hert DG, Fredlake CP, Barron AE. DNA sequencing by microchip electrophoresis using mixtures of high- and low-molar mass poly(N,N-dimethylacrylamide) matrices. *Electrophoresis*. 2008 Dec;29(23):4663-8.

<http://www.ncbi.nlm.nih.gov/pubmed/19053157>

Forster RE, Chiesl TN, Fredlake CP, White CV, Barron AE. Hydrophobically modified polyacrylamide block copolymers for fast, high-resolution DNA sequencing in microfluidic chips. *Electrophoresis*. 2008 Dec;29(23):4669-76.

<http://www.ncbi.nlm.nih.gov/pubmed/19053064>

Root BE, Hammock ML, Barron AE. Thermoresponsive N-alkoxyalkylacrylamide polymers as a sieving matrix for high-resolution DNA separations on a

- microfluidic chip. *Electrophoresis*. 2008 Dec;29(23):4677-83.
<http://www.ncbi.nlm.nih.gov/pubmed/19053065>
- Kumaresan P, Yang CJ, Cronier SA, Blazej RG, Mathies RA. High-throughput single copy DNA amplification and cell analysis in engineered nanoliter droplets. *Anal Chem*. 2008 May 15;80(10):3522-9. Epub 2008 Apr 15.
<http://www.ncbi.nlm.nih.gov/pubmed/18410131>
- Blazej RG, Kumaresan P, Cronier SA, Mathies RA. Inline injection microdevice for attomole-scale Sanger DNA sequencing. *Anal Chem*. 2007 Jun 15;79(12):4499-506. Epub 2007 May 12. <http://www.ncbi.nlm.nih.gov/pubmed/17497827>
- Emrich CA, Medintz IL, Chu WK, Mathies RA. Microfabricated Two-Dimensional Electrophoresis Device for Differential Protein Expression Profiling. *Analytical Chemistry* 79, 7360-7366 (2007).
<http://www.ncbi.nlm.nih.gov/pubmed/17822308>
- Toriello NM, Liu CN, Blazej RG, Thaitrong N, Mathies RA. Integrated Affinity Capture, Purification and Capillary Electrophoresis Microdevice for Quantitative Double-Stranded DNA Analysis. *Anal. Chem.*, 79, 8549-8556 (2007).
<http://www.ncbi.nlm.nih.gov/pubmed/17929900>
- Toriello NM, Liu CN, Mathies RA. Multichannel Reverse Transcription-PCR Microdevice for Rapid Multiplex Gene Expression Analysis. *Micro TAS 2006, Vol. II*, November 5-9, 2006, Tokyo, Japan, eds. T. Kitamori, H. Fujita, S. Hasebe, pp. 1453-1455. <http://www.ncbi.nlm.nih.gov/pubmed/17134132>
- Blazej RG, Kumaresan P, Mathies RA. Microfabricated bioprocessor for integrated nanoliter-scale Sanger DNA sequencing. *Proc Natl Acad Sci U S A*. 2006 May 9;103(19):7240-5. Epub 2006 Apr 28.
<http://www.ncbi.nlm.nih.gov/pubmed/16648246>
- Liu CN, Toriello NM, Mathies RA. Multichannel PCR-CE Microdevice for Genetic Analysis. *Anal. Chem.*, 78, 5474-5479 (2006).
<http://www.ncbi.nlm.nih.gov/pubmed/16878885>
- Tian H, Emrich CA, Scherer JR, Mathies RA, Andersen PS, Larsen LA, Christiansen M. High Throughput Single-Strand Conformation Polymorphism Analysis on a Microfabricated Capillary Array Device. *Electrophoresis*, 26, 1834-1842 (2005).
<http://www.ncbi.nlm.nih.gov/pubmed/15706574>
- Kamei T, Toriello NM, Lagally ET, Blazej RG, Scherer JR, Street RA, Mathies RA. Microfluidic Genetic Analysis with an Integrated a-Si:H Detector. *Biomedical Microdevices*, 7, 147-152 (2005). <http://www.ncbi.nlm.nih.gov/pubmed/15940430>
- Toriello NM, Douglas ES, Mathies RA. Microfluidic Device for Electric-Field Driven Single-Cell Capture and Activation. *Analytical Chemistry*, 77, 6935-6941 (2005).
<http://www.ncbi.nlm.nih.gov/pubmed/16255592>

Patents

Stevan Jovanovich, Iuliu Blaga, David Rank. Microfluidic Devices. US Patent Application. [20080014576 Microfluidic Devices](#)

Mattias Vangbo, William Nielsen, Iuliu Blaga, Joanne Horn, Michael Nguyen, Stevan Jovanovich. Universal sample preparation system and use in an integrated analysis system. US Patent Application.

Ju, Jingyue

Guo J, Yu L, Turro NJ, Ju J. An integrated system for DNA sequencing by synthesis using novel nucleotide analogues. *Acc Chem Res.* 2010 Apr 20;43(4):551-63. <http://www.ncbi.nlm.nih.gov/pubmed/20121268>

Chen L, Rengifo HR, Grigoras C, Li X, Li Z, Ju J, Koberstein JT. Spin-on end-functional diblock copolymers for quantitative DNA immobilization. *Biomacromolecules.* 2008 Sep;9(9):2345-52. Epub 2008 Aug 5. <http://www.ncbi.nlm.nih.gov/pubmed/18680342>

Guo J, Xu N, Li Z, Zhang S, Wu J, Kim DH, Sano Marma M, Meng Q, Cao H, Li X, Shi S, Yu L, Kalachikov S, Russo JJ, Turro NJ, Ju J. Four-color DNA sequencing with 3'-O-modified nucleotide reversible terminators and chemically cleavable fluorescent dideoxynucleotides. *Proc Natl Acad Sci U S A.* 2008 Jul 8;105(27):9145-50. Epub 2008 Jun 30. <http://www.ncbi.nlm.nih.gov/pubmed/18591653>

Rengifo HR, Chen L, Grigoras C, Ju J, Koberstein JT. "Click-functional" block copolymers provide precise surface functionality via spin coating. *Langmuir.* 2008 Jul 15;24(14):7450-6. Epub 2008 Jun 18. <http://www.ncbi.nlm.nih.gov/pubmed/18558782>

Wu J, Zhang S, Meng Q, Cao H, Li Z, Li X, Shi S, Kim DH, Bi L, Turro NJ, Ju J. 3'-O-modified nucleotides as reversible terminators for pyrosequencing. *Proc Natl Acad Sci U S A.* 2007 Oct 16;104(42):16462-7. Epub 2007 Oct 8. <http://www.ncbi.nlm.nih.gov/pubmed/17923668>

Ju J, Kim DH, Bi L, Meng Q, Bai X, Li Z, Li X, Marma MS, Shi S, Wu J, Edwards JR, Romu A, Turro NJ. Four-color DNA sequencing by synthesis using cleavable fluorescent nucleotide reversible terminators. *Proc Natl Acad Sci U S A.* 2006 Dec 26;103(52):19635-40. Epub 2006 Dec 14. <http://www.ncbi.nlm.nih.gov/pubmed/17170132>

Meng Q, Kim DH, Bai X, Bi L, Turro NJ, Ju J. Design and synthesis of a photocleavable fluorescent nucleotide 3'-O-allyl-dGTP-PC-Bodipy-FL-510 as a reversible terminator for DNA sequencing by synthesis. *J Org Chem.* 2006 Apr 14;71(8):3248-52. <http://www.ncbi.nlm.nih.gov/pubmed/16599623>

Bi L, Kim DH, Ju J. Design and synthesis of a chemically cleavable fluorescent nucleotide, 3'-O-allyl-dGTP-allyl-bodipy-FL-510, as a reversible terminator for DNA sequencing by synthesis. *J Am Chem Soc.* 2006 Mar 1;128(8):2542-3. <http://www.ncbi.nlm.nih.gov/pubmed/16492031>

Bai X, Edwards J, Ju J. Molecular engineering approaches for DNA sequencing and analysis. *Expert Rev Mol Diagn.* 2005 Sep;5(5):797-808. Review.
<http://www.ncbi.nlm.nih.gov/pubmed/16149881>

Ruparel H, Bi L, Li Z, Bai X, Kim DH, Turro NJ, Ju J. Design and synthesis of a 3'-O-allyl photocleavable fluorescent nucleotide as a reversible terminator for DNA sequencing by synthesis. *Proc Natl Acad Sci U S A.* 2005 Apr 26;102(17):5932-7. Epub 2005 Apr 13. <http://www.ncbi.nlm.nih.gov/pubmed/15829589>

Seo TS, Bai X, Kim DH, Meng Q, Shi S, Ruparel H, Li Z, Turro NJ, Ju J. Four-color DNA sequencing by synthesis on a chip using photocleavable fluorescent nucleotides. *Proc Natl Acad Sci U S A.* 2005 Apr 26;102(17):5926-31. Epub 2005 Apr 13.
<http://www.ncbi.nlm.nih.gov/pubmed/15829588>

Lakowicz, Joseph

Chowdhury MH, Ray K, Johnson ML, Gray SK, Pond J, Lakowicz JR. On the Feasibility of Using the Intrinsic Fluorescence of Nucleotides for DNA Sequencing. *J Phys Chem C.* 2010 114(16), 7448-7461.
<http://www.ncbi.nlm.nih.gov/pubmed/20436924>

Lee, James W., Peter T. Cummings and Predrag S. Krstić

Joseph S, Guan W, Reed MA, Krstic PS. A long DNA segment in a linear nanoscale Paul trap. *Nanotechnology.* 2010 Jan 8;21(1):015103.
<http://www.ncbi.nlm.nih.gov/pubmed/19946172>

Lu JQ, Zhang XG. Nucleotide capacitance calculation for DNA sequencing. *Biophys J.* 2008 Nov 1;95(9):L60-2. <http://www.ncbi.nlm.nih.gov/pubmed/18708466>

Payne CM, Zhao X, Cummings PT. Electrophoresis of ssDNA through nanoelectrode gaps from molecular dynamics: impact of gap width and chain length. *J Phys Chem B.* 2008 Oct 9;112(40):12851-8. Epub 2008 Sep 11.
<http://www.ncbi.nlm.nih.gov/pubmed/18783267>

Lu JQ, Zhang XG. Nucleotide capacitance calculation for DNA sequencing. *Biophys J.* 2008 Nov 1;95(9):L60-2. Epub 2008 Aug 15.
<http://www.ncbi.nlm.nih.gov/pubmed/18708466>

Payne CM, Zhao X, Vlcek L, Cummings PT. Molecular dynamics simulation of ss-DNA translocation between copper nanoelectrodes incorporating electrode charge dynamics. *J Phys Chem B.* 2008 Feb 14;112(6):1712-7. Epub 2008 Jan 23.
<http://www.ncbi.nlm.nih.gov/pubmed/18211061>

Meunier V, Krstić PS. Enhancement of the transverse conductance in DNA nucleotides. *J Chem Phys.* 2008 Jan 28;128(4):041103.
<http://www.ncbi.nlm.nih.gov/pubmed/18247922>

- Zhao X, Payne CM, Cummings P. Controlled Transport of DNA segments through nano gaps. *J. Phys. Chem. C*, volume 112, 8-12, 2008. <http://pubs.acs.org/cgi-bin/abstract.cgi/jpccck/2008/112/i01/abs/jp709652y.html>
- Zhao X, Krstic PS. Molecular dynamics simulation study on trapping ions in a nanoscale Paul trap. *Nanotechnology*, volume 19, 195702, 2008. <http://www.iop.org/EJ/abstract/0957-4484/19/19/195702/>
- Zikic R, Krstić PS, Zhang XG, Fuentes-Cabrera M, Wells J, Zhao X. Reply to "Comment on 'Characterization of the tunneling conductance across DNA bases' ". *Phys Rev E Stat Nonlin Soft Matter Phys*. 2007 Jul;76(1 Pt 1):013902. Epub 2007 Jul 9. <http://www.ncbi.nlm.nih.gov/pubmed/17677521>
- Payne CM, Zhao X, Cummings, PT. Molecular simulations of DNA transport in solution. *Molecular Simulation*, volume 33, 399-403, 2007. <http://www.informaworld.com/smpp/content?content=10.1080/08927020601154355>
- Zhao X, Payne CM, Cummings PT, Lee JW. Single stranded DNA molecules translocation through nanoelectrode gaps. *Nanotechnology*, volume 18, 424018, 2007. <http://www.iop.org/EJ/abstract/0957-4484/18/42/424018/>
- Lee JW, Meller A. Rapid DNA Sequencing by Direct Nanoscale Reading of Nucleotide Bases on Individual DNA chains, in "Perspectives in BioPhysics, Vol. 2: New High Throughput Technologies for DNA Sequencing and Genomics." ed. K. Mitchelson, Elsevier Scientific Publishing, New York, p. 245-263 (2007). http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B8GX0-4PT86Y3-B&_user=10843&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000000150&_version=1&_urlVersion=0&_userid=10843&md5=097f822c6de0d25ea95e94d7f23f7135
- Lee JW. Nanoelectrode-gated detection of individual molecules with potential for rapid DNA sequencing. *Solid state Phenomena* 121-123, 1379 (2007). <http://www.scientific.net/3-908451-30-2/1379/>
- Krstić PS, Wells JC, Fuentes-Cabrera M, Xu D, and Lee JW. Toward Electronic Conductance Characterization of DNA Nucleotide Bases. *Solid State Phenomena* 121-123, 1387 (2007). <http://www.scientific.net/3-908451-30-2/1387/>
- Fuentes-Cabrera M, Meunier V, Sumpter BG. Benzo-homologated nucleobases in a nanotube-electrode set-up for DNA sequencing. *Nanotechnology* 18 424019 (2007). <http://www.iop.org/EJ/abstract/0957-4484/18/42/424019/>
- Zikic R, Krstić PS, Zhang XG, Fuentes-Cabrera M, Wells J, Zhao X. Characterization of the tunneling conductance across DNA bases. *Phys Rev E Stat Nonlin Soft Matter Phys*. 2006 Jul;74(1 Pt 1):011919. Epub 2006 Jul 28. <http://www.ncbi.nlm.nih.gov/pubmed/16907139>

Zhang XG, Krstić PS, Zikić R, Wells JC, Fuentes-Cabrera M. First-principles transversal DNA conductance deconstructed. *Biophys J*. 2006 Jul 1;91(1):L04-6. Epub 2006 May 5. Erratum in: *Biophys J*. 2006 Jul 15;91(2):777.
<http://www.ncbi.nlm.nih.gov/pubmed/16679371>

Patents

Krstic P, et al. Nanoscopic electrode molecular probes. US Patent Number [20,090,295,372](http://www.uspto.gov/patent/publications/20090295372).

Li, Jiali

Rollings R, Li J. Emerging technologies: nanopore sequencing for mutation detection. *The Handbook of Plant Mutation Screening*, Meksem K and Kahl G, Editors. 2010, p. 339-354. <http://www.wiley-vch.de/publish/en/books/ISBN978-3-527-32604-4>

Li J, Golovchenko JA. Solid-state nanopore for detecting individual biopolymers. *Methods Mol Biol*. 2009;544:81-93.
<http://www.ncbi.nlm.nih.gov/pubmed/19488695>

Lindsay, Stuart M.

Cao D, Pang P, He J, Luo T, Park JH, Krstic P, Nuckolls C, Tang J, Lindsay S. Electronic sensitivity of carbon nanotubes to internal water wetting. *ACS Nano*. 2011 Apr 26;5(4):3113-9. Epub 2011 Mar 31.
<http://www.ncbi.nlm.nih.gov/pubmed/21452854>

Huang S, Chang S, He J, Zhang P, Liang F, Tuchband M, Li S, Lindsay S. Recognition tunneling measurement of the conductance of DNA bases embedded in self-assembled monolayers. *J Phys Chem C Nanomater Interfaces*. 2010 Dec 9;114(48):20443-20448. <http://www.ncbi.nlm.nih.gov/pubmed/21197382>

Huang S, He J, Chang S, Zhang P, Liang F, Li S, Tuchband M, Fuhrmann A, Ros R, Lindsay S. Identifying single bases in a DNA oligomer with electron tunnelling. *Nat Nanotechnol*. 2010 Dec;5(12):868-73. Epub 2010 Nov 14.
<http://www.ncbi.nlm.nih.gov/pubmed/21076404>

He J, Liu H, Pang P, Cao D, Lindsay S. Translocation events in a single walled carbon nanotube. *J Phys Condens Matter*. 2010 Nov 17;22(45):454112.
<http://www.ncbi.nlm.nih.gov/pubmed/21179393>

Lindsay S, He J, Sankey O, Hapala P, Jelinek P, Zhang P, Chang S, Huang S. Recognition tunneling. *Nanotechnology*. 2010 Jul 2;21(26):262001. Epub 2010 Jun 4. Review. <http://www.ncbi.nlm.nih.gov/pubmed/20522930>

Chang S, Huang S, He J, Liang F, Zhang P, Li S, Chen X, Sankey O, Lindsay S. Electronic signatures of all four DNA nucleosides in a tunneling gap. *Nano Lett*. 2010 Mar 10;10(3):1070-5. <http://www.ncbi.nlm.nih.gov/pubmed/20141183>

- Liu H, He J, Tang J, Liu H, Pang P, Cao D, Krstic P, Joseph S, Lindsay S, Nuckolls C. Translocation of single-stranded DNA through single-walled carbon nanotubes. *Science*. 2010 Jan 1;327(5961):64-7. <http://www.ncbi.nlm.nih.gov/pubmed/20044570>
- Chang S, He J, Lin L, Zhang P, Liang F, Young M, Huang S, Lindsay S. Tunnel conductance of Watson-Crick nucleoside-base pairs from telegraph noise. *Nanotechnology*. 2009 May 6; 20(18): 185102. Epub 2009 Apr 14. <http://www.ncbi.nlm.nih.gov/pubmed/19420603>
- Chang S, He J, Kibel A, Lee M, Sankey O, Shang P, Lindsay S. Tunnelling readout of hydrogen-bonding-based recognition. *Nat Nanotechnol*. 2009 May; 4(5): 297-301. Epub 2009 Mar 22. <http://www.ncbi.nlm.nih.gov/pubmed/19421214>
- He J, Lin L, Liu H, Zhang P, Lee M, Sankey OF, Lindsay SM. A hydrogen-bonded electron-tunneling circuit reads the base composition of unmodified DNA. *Nanotechnology*. 2009 Feb 18; 20(7): 75102. Epub 2009 Jan 23. <http://www.ncbi.nlm.nih.gov/pubmed/19417406>
- Lee MH, Sankey OF. Insights into electron tunneling across hydrogen-bonded base-pairs in complete molecular circuits for single-stranded DNA sequencing. *J. Phys.: Condens. Matter*. 2009 Jan 21;21(3):035110 (11pp) published online 2008 Dec 11. doi: [10.1088/0953-8984/21/3/035110](https://doi.org/10.1088/0953-8984/21/3/035110)
- Gu J, Xiao X, Tkulapalli BR, Morrison ME, Zhang P, Zenhausern F. A new approach to fabricating high-density nanoarrays by nanocontact printing. *J Vac Sci Technol B Microelectron Nanometer Struct Process Meas Phenom*. 2008 Nov 3;26(6):1860-1865. <http://www.ncbi.nlm.nih.gov/pubmed/19169421>
- Ashcroft BA, Spadola Q, Qamar S, Zhang P, Kada G, Bension R, Lindsay S. An AFM/rotaxane molecular reading head for sequence-dependent DNA structures. *Small*. 2008 Sep;4(9):1468-75. <http://www.ncbi.nlm.nih.gov/pubmed/18680093>
- He J, Lin L, Zhang P, Spadola Q, Xi Z, Fu Q, Lindsay S. Transverse tunneling through DNA hydrogen bonded to an electrode. *Nano Lett*. 2008 Aug;8(8):2530-4. Epub 2008 Jul 29. <http://www.ncbi.nlm.nih.gov/pubmed/18662039>
- Qamar S, Williams PM, Lindsay SM. Can an atomic force microscope sequence DNA using a nanopore? *Biophys J*. 2008 Feb 15;94(4):1233-40. Epub 2007 Oct 26. <http://www.ncbi.nlm.nih.gov/pubmed/17965134>
- He J, Lin L, Zhang P, Lindsay S. Identification of DNA basepairing via tunnel-current decay. *Nano Lett*. 2007 Dec;7(12):3854-8. Epub 2007 Nov 28. <http://www.ncbi.nlm.nih.gov/pubmed/18041859>

Patents

- Lindsay S, He J, Zhang P, Reinhart K. Nanopore and carbon nanotube based DNA sequencer and a serial recognition sequencer. European Patent Office Number WO2009117522 (A2), 24 Sept 2009. http://v3.espacenet.com/publicationDetails/biblio?DB=EPODOC&adjacent=true&ocale=en_EP&FT=D&date=20090924&CC=WO&NR=2009117522A2&KC=A2

Nuckolls C, Tang J, Lindsay S, He J, Zhang P, Reinhart K. Nanopore and carbon nanotube based DNA sequencer. European Patent Office Number WO2009117517 (A2), 24 Sept 2009.
http://v3.espacenet.com/publicationDetails/biblio?DB=EPODOC&adjacent=true&ocale=en_EP&FT=D&date=20090924&CC=WO&NR=2009117517A2&KC=A2

Lindsay S, Zhang P. Devices and methods for target molecule characterization. European Patent Office Number WO2008124706 (A2), 16 October 2008.
http://v3.espacenet.com/publicationDetails/biblio?DB=EPODOC&adjacent=true&ocale=en_EP&FT=D&date=20081016&CC=WO&NR=2008124706A2&KC=A2

Ling, Xinsheng Sean

Balagurusamy VS, Weinger P, Ling XS. Detection of DNA hybridizations using solid-state nanopores. Nanotechnology. 2010 Aug 20;21(33):335102.
<http://www.ncbi.nlm.nih.gov/pubmed/20657045>

Peng H, Ling XS. Reverse DNA translocation through a solid-state nanopore by magnetic tweezers. Nanotechnology. 2009 May 6; 20(18): 185101.
<http://www.ncbi.nlm.nih.gov/pubmed/19420602>

Patents

Ling XS, Bready B, Pertsinidis. Hybridization-assisted nanopore sequencing of nucleic acids. US Patent Number [20,070,190,542](#).

Ling XS. Nanopores, methods for using same, methods for making same and methods for characterizing biomolecules using same. US Patent Number [20,070,042,366](#).

Ling XS. Addressable nanopores and micropores including methods for making and using same. US Patent Number [20,050,127,035](#).

Mandecki, Wlodek

(http://njmsmicro.umdj.edu/index.php?option=com_content&task=view&id=96&Itemid=73)

Perla-Kajan J, Lin X, Cooperman BS, Goldman E, Jakubowski H, Knudsen CR, Mandecki W. Properties of Escherichia coli EF-Tu mutants designed for fluorescence resonance energy transfer from tRNA molecules. Protein Eng Des Sel. 2010 Mar;23(3):129-36. <http://www.ncbi.nlm.nih.gov/pubmed/20083494>

Luchowski R, Gryczynski I, Borejdo J, Gryczynski Z. Enhanced single-molecule detection on plasmonic nanostructures. Proc. SPIE, 10.1117/2.1200912.002514 (Dec. 22, 2009). <http://spie.org/x38204.xml?ArticleID=x38204>

Sorensen TJ, Laursen BW, Luchowski R, Shtoyko T, Akopova I, Gryczynski Z, Gryczynski I. Enhanced fluorescence emission of Me-ADOTA by self-assembled silver nanoparticles on a gold film. Chem Phys Lett. 2009 Jul 1;476(1):46-54.
<http://www.ncbi.nlm.nih.gov/pubmed/20161182>

- Pan D, Qin H, Cooperman BS. Synthesis and functional activity of tRNAs labeled with fluorescent hydrazides in the D-loop. *RNA*. 2009 Feb;15(2):346-54.
<http://www.ncbi.nlm.nih.gov/pubmed/19118261>
- Gryczynski I, Matveeva EG, Sarkar P, Bharill S, Borejdo J, Mandecki W, Akopova I, Gryczynski Z. Metal enhanced fluorescence on silicon wafer substrates. *Chem Phys Lett*. 2008 Oct;462(4-6):327-330.
<http://www.ncbi.nlm.nih.gov/pubmed/19137060>
- Luchowski R, Matveeva EG, Gryczynski I, Terpetschnig EA, Patsenker L, Laczko G, Borejdo J, Gryczynski Z. Single molecule studies of multiple-fluorophore labeled antibodies. Effect of homo-FRET on the number of photons available before photobleaching. *Curr Opin Biotechnol*. 2008 Oct;9(5):411-20.
<http://www.ncbi.nlm.nih.gov/pubmed/18855695>
- Shtoyko T, Matveeva EG, Chang IF, Cyczynski Z, Goldys E, Gryczynski I. Enhanced fluorescent immunoassays on silver fractal-like structures. *Anal Chem*. 2008 Mar 15;80(6):1962-6. <http://www.ncbi.nlm.nih.gov/pubmed/18288816>
- Matveeva EG, Shtoyko T, Gryczynski I, Akopova I, Gryczynski Z. Fluorescence quenching/enhancement surface assays: single manipulation using silver-coated gold nanoparticles. *Chem Phys Lett*. 2008 Mar 10;454(1-3):85-90.
<http://www.ncbi.nlm.nih.gov/pubmed/19279673>
- Mandecki W, Bharill S, Borejdo J, Cabral D, Cooperman BS, Farrell I, Fetter L, Goldman E, Gryczynski Z, Jakubowski H, Liu H, Luchowski R, Matveeva E, Pan D, Qin H, Tennant D, Gryczynski I. Fluorescence enhancement on silver nanostructures: studies of components of ribosomal translation in vitro. *Proc. SPIE Vol. 6862, 68620T* (Feb. 15, 2008).
<http://spiedigitallibrary.aip.org/getabs/servlet/GetabsServlet?prog=normal&id=PSI%2FSDG00686200000168620T000001&idtype=cvips&gifs=Yes&bproc=year&scod=2008>

Patents

- Wlodek Mandecki, Single molecule fluorescence assay, USPO Application Number [20050282173](http://www.uspto.gov/patents/applications/ipr/20050282173).

Margulies, Marcel

- Leamon JH, Rothberg JM. Cramming more sequencing reactions onto microreactor chips. *Chem Rev*. 2007 Aug;107(8):3367-76. Epub 2007 Jul 10. Review. No abstract available. <http://www.ncbi.nlm.nih.gov/pubmed/17622174>
- Margulies M, Jarvie TP, Knight JR, Simons JF. The 454 Life Sciences PicoLiter Sequencing System, in *New High Throughput Technologies for DNA Sequencing and Genomics*, edited by Keith R. Mitchelson, Chapter 5, p. 153-186 (2007).
<http://www.science-direct.com/science/bookseries/18710069>
- Pinard R, de Winter A, Sarkis GJ, Gerstein MB, Tartaro KR, Plant RN, Egholm M, Rothberg JM, Leamon JH. Assessment of whole genome amplification-induced bias through high-throughput, massively parallel whole genome sequencing.

BMC Genomics. 2006 Aug 23;7:216.
<http://www.ncbi.nlm.nih.gov/pubmed/16928277>

Margulies M, Egholm M, Altman WE, Attiya S, Bader JS, Bemben LA, Berka J, Braverman MS, Chen YJ, Chen Z, Dewell SB, Du L, Fierro JM, Gomes XV, Godwin BC, He W, Helgesen S, Ho CH, Irzyk GP, Jando SC, Alenquer ML, Jarvie TP, Jirage KB, Kim JB, Knight JR, Lanza JR, Leamon JH, Lefkowitz SM, Lei M, Li J, Lohman KL, Lu H, Makhijani VB, McDade KE, McKenna MP, Myers EW, Nickerson E, Nobile JR, Plant R, Puc BP, Ronan MT, Roth GT, Sarkis GJ, Simons JF, Simpson JW, Srinivasan M, Tartaro KR, Tomasz A, Vogt KA, Volkmer GA, Wang SH, Wang Y, Weiner MP, Yu P, Begley RF, Rothberg JM. Genome sequencing in microfabricated high-density picolitre reactors. *Nature*. 2005 Sep 15;437(7057):376-80. Epub 2005 Jul 31. Erratum in: *Nature*. 2006 May 4;441(7089):120. Ho, Chun He [corrected to Ho, Chun Heen].
<http://www.ncbi.nlm.nih.gov/pubmed/16056220>

Patents

Berka J, Paired End Sequencing, United States Patent 11/448,462, filed on 06/06/06.
[20060292611 Paired end sequencing](#)

Kim JB, et al., Thin-Film Coated Microwell Arrays and Methods of Making Same, United States Patent 11/215,458, filed on 08/30/05. [20060228722 Thin film coated microwell arrays and methods of making same](#)

Leahmon JH, et al., Methods for Determining Sequence Variants Using Ultra-Deep Sequencing, United States Patent 11/104,781, filed on 04/12/05. [20060228721 Methods for determining sequence variants using ultra-deep sequencing](#)

Nobile J, et al., Thin-Film Coated Microwell Arrays and Methods of Making Same, United States Patent 11/102,075, filed on 04/07/05. [20060228716 Thin film coated microwell arrays and methods of making same](#)

Marziali, Andre

Tabard-Cossa V, Wiggin M, Trivedi D, Jetha NN, Dwyer JR, Marziali A. Single-molecule bonds characterized by solid-state nanopore force spectroscopy. *ACS Nano*. 2009 Oct 27;3(10):3009-14. <http://www.ncbi.nlm.nih.gov/pubmed/19751064>

Jetha NN, Wiggin M, Marziali A. Nanopore force spectroscopy on DNA duplexes, in *Micro and Nano Technologies in Bioanalysis* (Lee JW, and Foote RS, ed.), Humana Press, Totowa, NJ, 2009.
<http://www.ncbi.nlm.nih.gov/pubmed/19488698>

Jetha NN, Wiggin M, Marziali A. Forming an α -hemolysin nanopore for single molecule analysis, in *Micro and Nano Technologies in Bioanalysis* (Lee JW, and Foote RS, ed.), Humana Press, Totowa, NJ, 2009.
<http://www.ncbi.nlm.nih.gov/pubmed/19488697>

Wiggin M, Tropini C, Tabard-Cossa V, Jetha NN, Marziali A. Nonexponential kinetics of DNA escape from alpha-hemolysin nanopores. *Biophys J*. 2008

Dec;95(11):5317-23. Epub 2008 Sep 5.
<http://www.biophysj.org/cgi/content/abstract/95/11/5317>

Tropini C, Marziali A. Multi-nanopore force spectroscopy for DNA analysis. *Biophys J*. 2007 Mar 1;92(5):1632-7. Epub 2006 Dec 8.
<http://www.ncbi.nlm.nih.gov/pubmed/17158571>

Tabard-Cossa V, Trivedi D, Wiggin M, Jetha NN, Marziali A. Noise analysis and reduction in solid-state nanopores. *Nanotechnology*, 18 (2007) 305505.
<http://www.iop.org/EJ/abstract/0957-4484/18/30/305505/>

Nakane J, Wiggin M, Marziali A. A nano-sensor for trans-membrane capture and identification of single nucleic acid molecules. *Biophysical Journal*, 87: 615-621 July 2004. <http://www.ncbi.nlm.nih.gov/pubmed/15240494>

Nakane J, Akeson M, and Marziali A. Nanopore sensors for macromolecule analysis. *Journal of Physics: Condensed Matter*, 2003, 15: R1365–R1393.
<http://www.iop.org/EJ/abstract/0953-8984/15/32/203/>

Vercoutere WA, Winters-Hilt S, DeGuzman VS, Deamer D, Ridino S, Rodgers JT, Olsen HE, Marziali A, Akeson M. Discrimination Among Individual Watson-Crick Base-Pairs at the Termini of Single DNA Hairpin Molecules. *Nucleic Acids Research*, 2003, Vol. 31, 4, 1311-1318. <http://www.ncbi.nlm.nih.gov/pubmed/12582251>

Nakane J, Akeson M, Marziali A. Evaluation of nanopores as candidates for electronic analyte detection. *Electrophoresis* 2002, 23, 2592–2601.
<http://www.ncbi.nlm.nih.gov/pubmed/12210162>

Mastrangelo, Carlos

Chen L, Wang Y, Mastrangelo C. Microfabrication of nanopore devices without nanolithography. 21st IEEE International Conference on Micro Electro Mechanical Systems 2008 Jan: 701-704.
http://www.ieeexplore.ieee.org/xpl/freeabs_all.jsp?isnumber=4443570&arnumber=4443753&count=276&index=182

Meller, Amit

Singer A, Wanunu M, Morrison W, Kuhn H, Frank-Kamenetskii M, Meller A. Nanopore based sequence specific detection of duplex DNA for genomic profiling. *Nano Lett*. 2010 Feb 10;10(2):738-42. <http://www.ncbi.nlm.nih.gov/pubmed/20088590>

Wanunu M, Morrison W, Rabin Y, Grosberg AY, Meller A. Electrostatic focusing of unlabelled DNA into nanoscale pores using a salt gradient. *Nat Nanotechnol*. 2010 Feb;5(2):160-5. <http://www.ncbi.nlm.nih.gov/pubmed/20023645>

Soni GV, Singer A, Yu Z, Sun Y, McNally B, Meller A. Synchronous optical and electrical detection of biomolecules traversing through solid-state nanopores. *Rev Sci Instrum*. 2010 Jan;81(1):014301.
<http://www.ncbi.nlm.nih.gov/pubmed/20113116>

- Wanunu M, Sutin J, Meller A. DNA profiling using solid-state nanopores: detection of DNA binding molecules. *Nano Lett.* 2009 Oct;9(10):3498-502. <http://www.ncbi.nlm.nih.gov/pubmed/19585985>
- Dudko O & Meller A. Probing biomolecular interactions using nanopore force spectroscopy. *Encyclopedia of Analytical Chemistry*, ed Meyers RA, John Wiley & Sons Ltd (2009).
- Wanunu M, Sutin J, McNally B, Chow A, Meller A. DNA translocation governed by interactions with solid-state nanopores. *Biophys J.* 2008 Nov 15;95(10):4716-25. Epub 2008 Aug 15. <http://www.ncbi.nlm.nih.gov/pubmed/18708467>
- McNally B, Wanunu M, Meller A. Electromechanical unzipping of individual DNA molecules using synthetic sub-2 nm pores. *Nano Lett.* 2008 Oct;8(10):3418-22. Epub 2008 Aug 30. <http://www.ncbi.nlm.nih.gov/pubmed/18759490>
- Wanunu M, Meller A. Single Molecule Analysis of Nucleic Acids and DNA-protein Interactions using Nanopores, *Laboratory Manual on Single Molecules*, Eds. T. Ha and P. Selvin, Cold Spring Harbor Press (2008). http://www.scionpublishing.com/shop/product_display.asp?currencyid=2&productid=9780879697754
- Soni GV, Meller A. Progress toward ultrafast DNA sequencing using solid-state nanopores. *Clin Chem.* 2007 Nov;53(11):1996-2001. Epub 2007 Sep 21. <http://www.ncbi.nlm.nih.gov/pubmed/17890440>
- Wanunu M, Meller A. Chemically modified solid-state nanopores. *Nano Lett.* 2007 Jun;7(6):1580-5. Epub 2007 May 16. <http://www.ncbi.nlm.nih.gov/pubmed/17503868>
- Dudko O, Mathé J, Szabo A, Meller A, Hummer G. Extracting kinetics from single-molecule force spectroscopy: Nanopore unzipping of DNA hairpins. *Biophys. J.*, 92, 4188-4195 (2007). <http://www.ncbi.nlm.nih.gov/pubmed/17384066>
- Kim M-J, McNally B, Murata K, Meller A. Characteristics of solid-state nanometer pores fabricated using transmission electron microscope (TEM). *Nanotechnology*, 18, 205302 (2007). <http://www.iop.org/EJ/abstract/0957-4484/18/20/205302>
- Kim M-J, Wanunu M, Bell CD, Meller A. Rapid Fabrication of Uniform Size Nanopores and Nanopore Arrays for Parallel DNA Analysis. *Adv. Mater.* 18, 3149-3153 (2006). <http://www3.interscience.wiley.com/journal/113489218/abstract>
- Lee JW, Meller A. Rapid DNA Sequencing by Direct Nanoscale Reading of Nucleotide Bases on Individual DNA chains. In: *Perspectives in Bioanalysis*. K. Mitchelson (Ed.), Elsevier (2006). [http://www.science-direct.com/science?_ob=ArticleURL&_udi=B8GX0-4PT86Y3-B&_user=10843&_coverDate=12%2F31%2F2007&_rdoc=10&_fmt=high&_orig=browse&_srch=doc-info\(%23toc%2342424%232007%23999979999%23670011%23FLA%23display%23Volume\)&_cdi=42424&_sort=d&_docanchor=&_ct=15&_acct=C000000150&](http://www.science-direct.com/science?_ob=ArticleURL&_udi=B8GX0-4PT86Y3-B&_user=10843&_coverDate=12%2F31%2F2007&_rdoc=10&_fmt=high&_orig=browse&_srch=doc-info(%23toc%2342424%232007%23999979999%23670011%23FLA%23display%23Volume)&_cdi=42424&_sort=d&_docanchor=&_ct=15&_acct=C000000150&)

Metzker, Michael L

Wu W, Stupi BP, Litosh VA, Mansouri D, Farley D, Morris S, Metzker S, Metzker ML. Termination of DNA synthesis by N6-alkylated, not 3'-O-alkylated, photocleavable 2'-deoxyadenosine triphosphates. *Nucleic Acids Res.* 2007;35(19):6339-49. Epub 2007 Sep 18.
<http://www.ncbi.nlm.nih.gov/pubmed/17881370>

Jiao GS, Thoresen LH, Kim TG, Haaland WC, Gao F, Topp MR, Hochstrasser RM, Metzker ML, Burgess K. Syntheses, photophysical properties, and application of through-bond energy-transfer cassettes for biotechnology. *Chemistry.* 2006 Oct 16;12(30):7816-26. <http://www.ncbi.nlm.nih.gov/pubmed/16888738>

Lu G, Burgess K. A diversity oriented synthesis of 3'-O-modified nucleoside triphosphates for DNA 'sequencing by synthesis'. *Bioorg Med Chem Lett.* 2006 Aug 1;16(15):3902-5. Epub 2006 Jun 6.
<http://www.ncbi.nlm.nih.gov/pubmed/16757167>

Metzker ML. Emerging technologies in DNA sequencing. *Genome Res.* 2005 Dec;15(12):1767-76. Review. <http://www.ncbi.nlm.nih.gov/pubmed/16339375>

Lewis EK, Haaland WC, Nguyen F, Heller DA, Allen MJ, MacGregor RR, Berger CS, Willingham B, Burns LA, Scott GB, Kittrell C, Johnson BR, Curl RF, Metzker ML. Color-blind fluorescence detection for four-color DNA sequencing. *Proc Natl Acad Sci U S A.* 2005 Apr 12;102(15):5346-51. Epub 2005 Mar 30.
<http://www.ncbi.nlm.nih.gov/pubmed/15800037>

Mishra, Bud

Reed J, Hsueh C, Mishra B, Gimzewski JK. Atomic force microscope observation of branching in single transcript molecules derived from human cardiac muscle. *Nanotechnology.* 2008 Sept; 19(38): 384021. <http://www.iop.org/EJ/abstract/-search=63665510.1/0957-4484/19/38/384021>

Reed J, Mishra B, Pittenger B, Magonov S, Troke J, Teitell M, Gimzewski JK. Single molecule transcription profiling with AFM. *Nanotechnology.* 2007 Jan; 18(4): 044032. <http://www.iop.org/EJ/abstract/-search=63665578.1/0957-4484/18/4/044032>

Muthukumar, Murugappan

Muthukumar M. Theory of capture rate in polymer translocation. *J Chem Phys.* 2010 May 21;132(19):195101. <http://www.ncbi.nlm.nih.gov/pubmed/20499989>

Muthukumar M, Hua J, Kundagrami A. Charge regularization in phase separating polyelectrolyte solutions. *J Chem Phys.* 2010 Feb 28;132(8):084901.
<http://www.ncbi.nlm.nih.gov/pubmed/20192314>

- Saltzman EJ, Muthukumar M. Conformation and dynamics of model polymer in connected chamber-pore system. *J Chem Phys.* 2009 Dec 7;131(21):214903. <http://www.ncbi.nlm.nih.gov/pubmed/19968365>
- Panwar AS, Muthukumar M. Enzyme-modulated DNA translocation through a nanopore. *J Am Chem Soc.* 2009 Dec 30;131(51):18563-70. <http://www.ncbi.nlm.nih.gov/pubmed/19958025>
- Kumar R, Muthukumar M. Origin of translocation barriers for polyelectrolyte chains. *J Chem Phys.* 2009 Nov 21;131(19):194903. <http://www.ncbi.nlm.nih.gov/pubmed/19929072>
- Ashok B, Muthukumar M. Crossover behavior of the viscosity of dilute and semidilute polyelectrolyte solutions. *J Phys Chem B.* 2009 Apr 30;113(17):5736-45. <http://www.ncbi.nlm.nih.gov/pubmed/19344142>
- Zhang J, Muthukumar M. Simulations of nucleation and elongation of amyloid fibrils. *J Chem Phys.* 2009 Jan 21;130(3):035102. <http://www.ncbi.nlm.nih.gov/pubmed/19173542>
- Wong CT, Muthukumar M. Scaling theory of polymer translocation into confined regions. *Biophys J.* 2008 Oct;95(8):3619-27. Epub 2008 Jul 11. <http://www.ncbi.nlm.nih.gov/pubmed/18621833>
- Kundagrami A, Muthukumar M. Theory of competitive counterion adsorption on flexible polyelectrolytes: divalent salts. *J Chem Phys.* 2008 Jun 28;128(24):244 901. <http://www.ncbi.nlm.nih.gov/pubmed/18601377>
- Kumar R, Muthukumar M. Confinement free energy of flexible polyelectrolytes in spherical cavities. *J Chem Phys.* 2008 May 14;128(18):184902. <http://www.ncbi.nlm.nih.gov/pubmed/18532843>
- Wong CT, Muthukumar M. Polymer translocation through a cylindrical channel. *J Chem Phys.* 2008 Apr 21;128(15):154903. <http://www.ncbi.nlm.nih.gov/pubmed/18433273>
- Forrey C, Muthukumar M. Langevin dynamics simulations of ds-DNA translocation through synthetic nanopores. *J Chem Phys.* 2007 Jul 7;127(1):015102. <http://www.ncbi.nlm.nih.gov/pubmed/17627369>
- Wong CT, Muthukumar M. Polymer capture by electro-osmotic flow of oppositely charged nanopores. *J Chem Phys.* 2007 Apr 28;126(16):164903. <http://www.ncbi.nlm.nih.gov/pubmed/17477630>
- Muthukumar M. Mechanism of DNA transport through pores. *Annu Rev Biophys Biomol Struct.* 2007;36:435-50. Review. <http://www.ncbi.nlm.nih.gov/pubmed/17311526>
- Ou Z, Muthukumar M. Entropy and enthalpy of polyelectrolyte complexation: Langevin dynamics simulations. *J Chem Phys.* 2006 Apr 21;124(15):154902. <http://www.ncbi.nlm.nih.gov/pubmed/16674260>

Muthukumar M, Kong CY. Simulation of polymer translocation through protein channels. Proc Natl Acad Sci U S A. 2006 Apr 4;103(14):5273-8. Epub 2006 Mar 27. <http://www.ncbi.nlm.nih.gov/pubmed/16567657>

Ou Z, Muthukumar M. Langevin dynamics of semiflexible polyelectrolytes: rod-toroid-globule-coil structures and counterion distribution. J Chem Phys. 2005 Aug 15;123(7):074905. <http://www.ncbi.nlm.nih.gov/pubmed/16229618>

Kong CY, Muthukumar M. Polymer translocation through a nanopore. II. Excluded volume effect. J Chem Phys. 2004 Feb 15;120(7):3460-6. <http://www.ncbi.nlm.nih.gov/pubmed/15268503>

Muthukumar M. Theory of counter-ion condensation on flexible polyelectrolytes: adsorption mechanism. J Chem Phys. 2004 May 15;120(19):9343-50. <http://www.ncbi.nlm.nih.gov/pubmed/15267872>

Oliver, John S.

Preparata FP, Oliver JS. DNA sequencing by hybridization using semi-degenerate bases. J Comput Biol. 2004;11(4):753-65. <http://www.ncbi.nlm.nih.gov/pubmed/15579243>

Quake, Stephen

Harris TD, Buzby PR, Babcock H, Beer E, Bowers J, Braslavskiy I, Causey M, Colonell J, DiMeo J, Efcavitch JW, Giladi E, Gill J, Healy J, Jarosz M, Lapen D, Moulton K, Quake SR, Steinmann K, Thayer E, Tyurina A, Ward R, Weiss H, and Xie Z (2008) Single-Molecule DNA Sequencing of a Viral Genome Science 320, 106-109. <http://www.ncbi.nlm.nih.gov/pubmed/18388294>

Marcy Y, Ishoey T, Lasken RS, Stockwell TB, Walenz BP, Halpern AL, Beeson KY, Goldberg SM, Quake SR. Nanoliter reactors improve multiple displacement amplification of genomes from single cells. PLoS Genet. 2007 Sep;3(9):1702-8. <http://www.ncbi.nlm.nih.gov/pubmed/17892324>

Marcy Y, Ouverney C, Bik EM, Lösekann T, Ivanova N, Martin HG, Szeto E, Platt D, Hugenholtz P, Relman DA, Quake SR. Dissecting biological "dark matter" with single-cell genetic analysis of rare and uncultivated TM7 microbes from the human mouth. Proc Natl Acad Sci U S A. 2007 Jul 17;104(29):11889-94. Epub 2007 Jul 9. <http://www.ncbi.nlm.nih.gov/pubmed/17620602>

Zhong JF, Weiner LP, Burke K, Taylor CR. Viral RNA extraction for in-the-field analysis. J Virol Methods. 2007 Sep;144(1-2):98-102. Epub 2007 Jun 4. <http://www.ncbi.nlm.nih.gov/pubmed/17548117>

Melin J, Quake SR. Microfluidic large-scale integration: the evolution of design rules for biological automation. Annu Rev Biophys Biomol Struct. 2007;36:213-31. Review. <http://www.ncbi.nlm.nih.gov/pubmed/17269901>

- Zhong JF, Song Y, Du J, Gamache C, Burke KA, Lund BT, Weiner LP. Gene regulation networks related to neural differentiation of hESC. *Gene Expr.* 2007;14(1):23-34. <http://www.ncbi.nlm.nih.gov/pubmed/17933216>
- Ottosen EA, Hong JW, Quake SR, Leadbetter JR. Microfluidic digital PCR enables multigene analysis of individual environmental bacteria. *Science.* 2006 Dec 1;314(5804):1464-7. <http://www.ncbi.nlm.nih.gov/pubmed/17138901>
- Kartalov EP, Walker C, Taylor CR, Anderson WF, Scherer A. Microfluidic vias enable nested bioarrays and autoregulatory devices in Newtonian fluids. *Proc Natl Acad Sci U S A.* 2006 Aug 15;103(33):12280-4. Epub 2006 Aug 3. <http://www.ncbi.nlm.nih.gov/pubmed/16888040>
- Kartalov EP, Anderson WF, Scherer A. The analytical approach to polydimethylsiloxane microfluidic technology and its biological applications. *J Nanosci Nanotechnol.* 2006 Aug;6(8):2265-77. Review. <http://www.ncbi.nlm.nih.gov/pubmed/17037833>
- Barbic M, Scherer A. Stray field magnetic resonance tomography using ferromagnetic spheres. *J Magn Reson.* 2006 Aug;181(2):223-8. Epub 2006 Jun 5. <http://www.ncbi.nlm.nih.gov/pubmed/16750406>
- Liu J, Williams BA, Gwartz RM, Wold BJ, Quake S. Enhanced signals and fast nucleic acid hybridization by microfluidic chaotic mixing. *Angew Chem Int Ed Engl.* 2006 May 26;45(22):3618-23. No abstract available. <http://www.ncbi.nlm.nih.gov/pubmed/16639763>
- Marcus JS, Anderson WF, Quake SR. Microfluidic single-cell mRNA isolation and analysis. *Anal Chem.* 2006 May 1;78(9):3084-9. <http://www.ncbi.nlm.nih.gov/pubmed/16642997>
- Hansen CL, Classen S, Berger JM, Quake SR. A microfluidic device for kinetic optimization of protein crystallization and in situ structure determination. *J Am Chem Soc.* 2006 Mar 15;128(10):3142-3. <http://www.ncbi.nlm.nih.gov/pubmed/16522084>
- Marcus JS, Anderson WF, Quake SR. Parallel picoliter rt-PCR assays using microfluidics. *Anal Chem.* 2006 Feb 1;78(3):956-8. <http://www.ncbi.nlm.nih.gov/pubmed/16448074>
- Kartalov EP, Zhong JF, Scherer A, Quake SR, Taylor CR, Anderson WF. High-throughput multi-antigen microfluidic fluorescence immunoassays. *Biotechniques.* 2006 Jan;40(1):85-90. <http://www.ncbi.nlm.nih.gov/pubmed/16454045>
- Garg NK, Woodroffe CC, Lacenere CJ, Quake SR, Stoltz BM. A ligand-free solid-supported system for Sonogashira couplings: applications in nucleoside chemistry. *Chem Commun (Camb).* 2005 Sep 28;(36):4551-3. Epub 2005 Aug 12. <http://www.ncbi.nlm.nih.gov/pubmed/16158111>

Kartalov EP, Quake SR. Microfluidic device reads up to four consecutive base pairs in DNA sequencing-by-synthesis. *Nucleic Acids Res.* 2004 May 20;32(9):2873-9. Print 2004. <http://www.ncbi.nlm.nih.gov/pubmed/15155856>

Kartalov EP, Unger MA, Quake SR. Polyelectrolyte surface interface for single-molecule fluorescence studies of DNA polymerase. *Biotechniques.* 2003 Mar;34(3):505-10. <http://www.ncbi.nlm.nih.gov/pubmed/12661156>

Fu AY, Chou HP, Spence C, Arnold FH, Quake SR. An integrated microfabricated cell sorter. *Anal Chem.* 2002 Jun 1;74(11):2451-7. <http://www.ncbi.nlm.nih.gov/pubmed/12069222>

Ramsey, J. Michael, Arthur Baddorf, Shengting Cui, Hanno Weitering and Massimiliano Di Ventra

Menard LD, Ramsey JM. Fabrication of sub-5 nm nanochannels in insulating substrates using focused ion beam milling. *Nano Lett.* 2011 Feb;11;512-517. <http://www.ncbi.nlm.nih.gov/pubmed/21171628>

Cui S. Current blockade in nanopores in the presence of double-stranded DNA and the microscopic mechanisms. *J Phys Chem B.* 2010 Feb 11;114(5):2015-22. <http://www.ncbi.nlm.nih.gov/pubmed/20070089>

Krems M, Zwolak M, Pershin YV, Di Ventra M. Effect of noise on DNA sequencing via transverse electronic transport. *Biophys J.* 2009 Oct 7;97(7):1990-6. <http://www.ncbi.nlm.nih.gov/pubmed/19804730>

Zwolak M, Lagerqvist J, Di Ventra M. Quantized ionic conductance in nanopores. *Phys Rev Lett.* 2009 Sep 18;103(12):128102. <http://www.ncbi.nlm.nih.gov/pubmed/19792463>

Iancu V, Kent PR, Zeng CG, Weitering HH. Structure of YSi(2) nanowires from scanning tunneling spectroscopy and first principles. *Appl Phys Lett.* 2009 Sep 21;95(12):123107. <http://www.ncbi.nlm.nih.gov/pubmed/19859579>

Zeng C, Kent PR, Kim TH, Li AP, Weitering HH. Charge-order fluctuations in one-dimensional silicides. *Nat Mater.* 2008 Jul;7(7):539-42. <http://www.ncbi.nlm.nih.gov/pubmed/18552849>

Zwolak M, Di Ventra M. Physical approaches to DNA sequencing and detection. *Rev. Mod. Phys.* 80, 141 (2008). <http://scitation.aip.org/getabs/servlet/GetabsServlet?prog=normal&id=RMPHAT00080000001000141000001&idtype=cvips&gifs=yes>

Lagerqvist J, Zwolak M, Di Ventra M. Comment on "Characterization of the tunneling conductance across DNA bases". *Phys Rev E Stat Nonlin Soft Matter Phys.* 2007 Jul;76(1 Pt 1):013901; author reply 013902. Epub 2007 Jul 9. <http://www.ncbi.nlm.nih.gov/pubmed/17677520>

Cui ST. Counterion-hopping along the backbone of single-stranded DNA in nanometer pores: a mechanism for current conduction. *Phys Rev Lett.* 2007 Mar

30;98(13):138101. Epub 2007 Mar 26.
<http://www.ncbi.nlm.nih.gov/pubmed/17501241>

Lagerqvist J, Zwolak M, Di Ventra M. Influence of the environment and probes on rapid DNA sequencing via transverse electronic transport. *Biophys. J.* 93, 2384 (2007). <http://www.ncbi.nlm.nih.gov/pubmed/17526560>

Lagerqvist J, Zwolak M, Di Ventra M. Comment on "Characterization of tunneling conductance across DNA bases", *Phys. Rev. E* 76, 013901 (2007).
<http://www.ncbi.nlm.nih.gov/pubmed/17677520>

McEvoy AL, Stevens F, Langford SC, Dickinson JT. Scanning-induced growth on single crystal calcite with an atomic force microscope. *Langmuir.* 2006 Aug 1;22(16):6931-8. <http://www.ncbi.nlm.nih.gov/pubmed/16863241>

Rodriguez BJ, Jesse S, Baddorf AP, Kalinin SV. High resolution electromechanical imaging of ferroelectric materials in a liquid environment by piezoresponse force microscopy. *Phys Rev Lett.* 2006 Jun 16;96(23):237602. Epub 2006 Jun 16.
<http://www.ncbi.nlm.nih.gov/pubmed/16803404>

Lagerqvist J, Zwolak M, Di Ventra M. Fast DNA sequencing via transverse electronic transport, *6*, 779 (2006). <http://www.ncbi.nlm.nih.gov/pubmed/16608283>

Cui, ST. Electrostatic potential in cylindrical dielectric media using the image charge method. *Mol. Phys.* 2006, 104, 2993-3001.

Cui ST. Molecular self-diffusion in nanoscale cylindrical pores and classical Fick's law predictions. *J Chem Phys.* 2005 Aug 1;123(5):054706.
<http://www.ncbi.nlm.nih.gov/pubmed/16108684>

Zwolak M, Di Ventra M, Electronic signature of DNA nucleotides via transverse transport, *Nano Lett.* 5, 421 (2005).
<http://www.ncbi.nlm.nih.gov/pubmed/15755087>

Patents

Ramsey JM, Menard LD, Gorbounov V. Methods, Systems and Devices for Forming Nanochannels, provisional patent application filed September 2010.

Riehn, Robert

Streng DE, Lim SF, Pan J, Karpusenka A, Riehn R. Stretching chromatin through confinement. *Lab Chip.* 2009 Oct 7;9(19):2772-4.
<http://www.ncbi.nlm.nih.gov/pubmed/19967112>

Ronaghi, Mostafa

Doostzadeh J, Shokralla S, Absalan F, Jalili R, Mohandessi S, Langston JW, Davis RW, Ronaghi M, Gharizadeh B. High throughput automated allele frequency estimation by pyrosequencing. *PLoS ONE.* 2008 Jul 16;3(7):e2693.
<http://www.ncbi.nlm.nih.gov/pubmed/18628978>

- Sundquist A, Bigdeli S, Jalili R, Druzin ML, Waller S, Pullen KM, El-Sayed YY, Taslimi MM, Batzoglou S, Ronaghi M. Bacterial flora-typing with targeted, chip-based Pyrosequencing. *BMC Microbiol.* 2007 Nov 30;7:108. <http://www.ncbi.nlm.nih.gov/pubmed/18047683>
- Ronaghi M, Shokralla S, Gharizadeh B. Pyrosequencing for discovery and analysis of DNA sequence variations. *Pharmacogenomics.* 2007 Oct;8(10):1437-41. <http://www.ncbi.nlm.nih.gov/pubmed/17979516>
- Parameswaran P, Jalili R, Tao L, Shokralla S, Gharizadeh B, Ronaghi M, Fire AZ. A pyrosequencing-tailored nucleotide barcode design unveils opportunities for large-scale sample multiplexing. *Nucleic Acids Res.* 2007;35(19):e130. Epub 2007 Oct 11. <http://www.ncbi.nlm.nih.gov/pubmed/17932070>
- Sundquist A, Ronaghi M, Tang H, Pevzner P, Batzoglou S. Whole-genome sequencing and assembly with high-throughput, short-read technologies. *PLoS ONE.* 2007 May 30;2(5):e484. <http://www.ncbi.nlm.nih.gov/pubmed/17534434>
- Mashayekhi F, Ronaghi M. Analysis of read length limiting factors in Pyrosequencing chemistry. *Anal Biochem.* 2007 Apr 15;363(2):275-87. Epub 2007 Feb 13. <http://www.ncbi.nlm.nih.gov/pubmed/17343818>
- Agah A, Aghajan M, Mashayekhi F, Amini S, Davis RW, Plummer JD, Ronaghi M, Griffin PB. A multi-enzyme model for Pyrosequencing. *Nucleic Acids Res.* 2004 Dec 2;32(21):e166. <http://www.ncbi.nlm.nih.gov/pubmed/15576673>
-
- Schwartz, David C.** (<http://www.lmcg.wisc.edu>)
- Teague B, Waterman MS, et al. High-resolution human genome structure by single molecule analysis. *Proc Natl Acad Sci USA.* 2010 Jun 15;107(24):10848-53. <http://www.ncbi.nlm.nih.gov/pubmed/20534489>
- Ma LJ, Van Der Does HC, et al. Comparative genomics reveals mobile pathogenicity chromosomes in *Fusarium*. *Nature.* 2010 Mar 18;464(7287):367-73. <http://www.ncbi.nlm.nih.gov/pubmed/20237561>
- Zhang P, Too PH, et al. Engineering BspQI nicking enzymes and application of N.BspQI in DNA labeling and production of single-strand DNA. *Protein Expr Purif.* 2010 Feb;69(2):226-34. <http://www.ncbi.nlm.nih.gov/pubmed/19747545>
- Schnable PS, Ware D, et al. The B73 maize genome: complexity, diversity, and dynamics. *Science.* 2009 Nov 20;326(5956):1112-5. <http://www.ncbi.nlm.nih.gov/pubmed/19965430>
- Zhou S, Wei F, et al. A single molecule scaffold for the maize genome. *PLoS Genet.* 2009 Nov;5(11):e1000711. <http://www.ncbi.nlm.nih.gov/pubmed/19936062>
- Sambriski EJ, Schwartz DC, de Pablo JJ. Uncovering pathways in DNA oligonucleotide hybridization via transition state analysis. *Proc Natl Acad Sci USA.* 2009 Oct 27;106(43):18125-30. <http://www.ncbi.nlm.nih.gov/pubmed/19815517>

- Haas BJ, Kamoun S, et al. Genome sequence and analysis of the Irish potato famine pathogen *Phytophthora infestans*. *Nature*. 2009 Sep 17;461(7262):393-8.
<http://www.ncbi.nlm.nih.gov/pubmed/19741609>
- Coleman JJ, Rounsley SD, et al. The genome of *Nectria haematococca*: contribution of supernumerary chromosomes to gene expansion. *PLoS Genet*. 2009 Aug;5(8):e1000618. <http://www.ncbi.nlm.nih.gov/pubmed/19714214>
- Jo K, Chen YL, de Pablo JJ, Schwartz DC. Elongation and migration of single DNA molecules in microchannels using oscillatory shear flows. *Lab Chip*. 2009 Aug 21;9(16):2348-55. <http://www.ncbi.nlm.nih.gov/pubmed/19636466>
- Church DM, Goodstadt L, et al. Lineage-specific biology revealed by a finished genome assembly of the mouse. *PLoS Biol*. 2009 May 5;7(5):e1000112.
<http://www.ncbi.nlm.nih.gov/pubmed/19468303>
- Sambriski EJ, Schwartz DC, de Pablo JJ. A mesoscale model of DNA and its renaturation. *Biophys J*. 2009 Mar 4;96(5):1675-90.
<http://www.ncbi.nlm.nih.gov/pubmed/19254530>
- Sidorova JM, Li N, Schwartz DC, Folch A, Monnat RJ. Microfluidic-assisted analysis of replicating DNA molecules. *Microfluidic-assisted analysis of replicating DNA molecules. Nat Protoc*. 2009;4(6):849-61.
<http://www.ncbi.nlm.nih.gov/pubmed/19444242>
- Jo K, Schramm TM, Schwartz DC. A single-molecule barcoding system using nanoslits for DNA analysis: nanocoding. *Methods Mol Biol*. 2009;544:29-42.
<http://www.ncbi.nlm.nih.gov/pubmed/19488691>
- Yu H, Schwartz DC. Imaging and analysis of transcription on large, surface-mounted single template DNA molecules. *Anal Biochem*. 2008 Sep 1;380(1):111-21.
<http://www.ncbi.nlm.nih.gov/pubmed/18570883>
- Ananiev GE, Goldstein S, et al. Optical mapping discerns genome wide DNA methylation profiles. *BMC Mol Biol*. 2008 Jul 30;9:68.
<http://www.ncbi.nlm.nih.gov/pubmed/18667073>
- Izmitli A, Schwartz DC, et al. The effect of hydrodynamic interactions on the dynamics of DNA translocation through pores. *J Chem Phys*. 2008 Feb 28;128(8):085102.
<http://www.ncbi.nlm.nih.gov/pubmed/18315085>
- Zhou S, Pape L, Schwartz DC. Optical sequencing: acquisition from mapped single-molecule templates. *Next-generation genome sequencing: towards personalized medicine* (Ed., Michal Janitz) Wiley VCH (2008).
- Kidd JM, Cooper GM, Donahue WF, Hayden HS, Sampas N, Graves T, Hansen N, Teague B, Alkan C, Antonacci F, Haugen E, Zerr T, Yamada NA, Tsang P, Newman TL, Tüzün E, Cheng Z, Ebling HM, Tusneem N, David R, Gillett W, Phelps KA, Saranga D, Brand A, Tao W, Gustafson E, McKernan K, Chen L, Malig M, Smith JD, McCarroll SA, Altshuler DA, Peiffer DA, Dorschner M, Stamatoyannopoulos J, Schwartz D, Nickerson DA, Mullikin JC, Wilson RK,

- Bruhn L, Olson MV, Kaul R, Smith DR, Eichler EE. Fine-scale mapping and sequencing of structural variation from eight human genomes. *Nature* 453(7191): 56-64 (2008). <http://www.ncbi.nlm.nih.gov/pubmed/18451855>
- Wu T, Schwartz DC. Transchip: single-molecule detection of transcriptional elongation complexes. *Anal Biochem.* 2007 Feb 1;361(1):31-46. <http://www.ncbi.nlm.nih.gov/pubmed/17187751>
- Jo K, Dhingra DM, Odijk T, de Pablo JJ, Graham MD, Runnheim R, Forrest D, Schwartz DC. A single-molecule barcoding system using nanoslits for DNA analysis. *Proceedings of the National Academy of Sciences of the United States of America* 104(8): 2673-2678 (2007). <http://www.ncbi.nlm.nih.gov/pubmed/17296933>
- Knotts TA, Rathore N, Schwartz DC, de Pablo JJ. A coarse grain model for DNA. *J Chem Phys* 126(8): 084901 (2007). <http://www.ncbi.nlm.nih.gov/pubmed/17343470>
- Li H, Valouev A, Schwartz DC, Waterman MS, Li LM. A quantile method for sizing optical maps. *J Comput Biol* 14(3): 255-66 (2007). <http://www.ncbi.nlm.nih.gov/pubmed/17563310>
- Zhou S, Bechner MC, Place M, Churas CP, Pape L, Leong SA, Runnheim R, Forrest DK, Goldstein S, Livny M, Schwartz DC. Validation of rice genome sequence by optical mapping. *BMC Genomics* 8: 278 (2007). <http://www.ncbi.nlm.nih.gov/pubmed/17697381>
- Zhou S, Herschleb J, Schwartz DC. A Single Molecule System for Whole Genome Analysis. Amsterdam, Elsevier (2007). [http://www.science-direct.com/science?_ob=ArticleURL&_udi=B8GX0-4PT86Y3-C&_user=10843&_coverDate=12%2F31%2F2007&_rdoc=11&_fmt=high&_orig=browse&_srch=doc-info\(%23toc%2342424%232007%23999979999%23670011%23FLA%23display%23Volume\)&_cdi=42424&_sort=d&_docanchor=&_ct=15&_acct=C00000150&_version=1&_urlVersion=0&_userid=10843&md5=c53b8f56f66b77e82a2b136c1b1f9e1a](http://www.science-direct.com/science?_ob=ArticleURL&_udi=B8GX0-4PT86Y3-C&_user=10843&_coverDate=12%2F31%2F2007&_rdoc=11&_fmt=high&_orig=browse&_srch=doc-info(%23toc%2342424%232007%23999979999%23670011%23FLA%23display%23Volume)&_cdi=42424&_sort=d&_docanchor=&_ct=15&_acct=C00000150&_version=1&_urlVersion=0&_userid=10843&md5=c53b8f56f66b77e82a2b136c1b1f9e1a)
- Valouev A, Zhang Y, Schwartz DC, Waterman MS. Refinement of optical map assemblies. *Bioinformatics.* 2006 May 15;22(10):1217-24. <http://www.ncbi.nlm.nih.gov/pubmed/16500933>
- Valouev A, Li L, et al. Alignment of optical maps. *J Comput Biol.* 2006 Mar; 13(2):442-62. <http://www.ncbi.nlm.nih.gov/pubmed/16597251>
- Zody MC, Garber M, Adams DJ, Sharpe T, Harrow J, Lupski JR, Nicholson C, Searle SM, Wilming L, Young SK, Abouelleil A, Allen NR, Bi W, Bloom T, Borowsky ML, Bugalter BE, Butler J, Chang JL, Chen CK, Cook A, Corum B, Cuomo CA, de Jong PJ, DeCaprio D, Dewar K, FitzGerald M, Gilbert J, Gibson R, Gnerre S, Goldstein S, Grafham DV, Grocock R, Hafez N, Hagopian DS, Hart E, Norman CH, Humphray S, Jaffe DB, Jones M, Kamal M, Khodiyar VK, LaButti K, Laird G, Lehoczky J, Liu X, Lokyitsang T, Loveland J, Lui A, Macdonald P, Major JE,

- Matthews L, Mauceli E, McCarroll SA, Mihalev AH, Mudge J, Nguyen C, Nicol R, O'Leary SB, Osoegawa K, Schwartz DC, Shaw-Smith C, Stankiewicz P, Steward C, Swarbreck D, Venkataraman V, Whittaker CA, Yang X, Zimmer AR, Bradley A, Hubbard T, Birren BW, Rogers J, Lander ES, Nusbaum C. DNA sequence of human chromosome 17 and analysis of rearrangement in the human lineage. *Nature* 440(7087): 1045-9 (2006).
<http://www.ncbi.nlm.nih.gov/pubmed/16625196>
- Valouev A, Schwartz DC, Zhou S, Waterman MS. An algorithm for assembly of ordered restriction maps from single DNA molecules. *Proc Natl Acad Sci U S A* 103(43): 15770-5 (2006). <http://www.ncbi.nlm.nih.gov/pubmed/17043225>
- Reslewic S, Zhou S, et al. Whole-genome shotgun optical mapping of *Rhodospirillum rubrum*. *Appl Environ Microbiol.* 2005 Sep;71(9):5511-22.
<http://www.ncbi.nlm.nih.gov/pubmed/16151144>
- Chen YL, Graham MD, de Pablo JJ, Jo K, Schwartz DC. DNA molecules in microfluidic oscillatory flow. *Macromolecules.* 2005;38(15):6680-6687.
<http://www.ncbi.nlm.nih.gov/pubmed/19057656>
- Ramanathan A, Pape L, Schwartz DC. High Density Polymerase-Mediated Incorporation of Fluorochrome Labeled Nucleotides. *Anal. Biochem.* 337: 1 – 11 (2005).
<http://www.ncbi.nlm.nih.gov/pubmed/15649370>
- Zhou S, Kile A, et al. Shotgun optical mapping of the entire *Leishmania major* Friedlin genome. *Mol Biochem Parasitol.* 2004 Nov;138(1):97-106.
<http://www.ncbi.nlm.nih.gov/pubmed/15500921>
- Zhou S, Kile A, et al. Single-molecule approach to bacterial genomic comparisons via optical mapping. *J Bacteriol.* 2004 Nov;186(22):7773-82.
<http://www.ncbi.nlm.nih.gov/pubmed/15516592>
- Armbrust EV, Berges JA, et al. The genome of the diatom *Thalassiosira pseudonana*: ecology, evolution, and metabolism. *Science.* 2004 Oct 1;306(5693):79-86.
<http://www.ncbi.nlm.nih.gov/pubmed/15459382>
- Jendrejack RM, Schwartz DC, et al. Shear-induced migration in flowing polymer solutions: simulation of long-chain DNA in microchannels. *J Chem Phys.* 2004 Feb 1;120(5):2513-29. <http://www.ncbi.nlm.nih.gov/pubmed/15268395>
- Zhou S, Schwartz DC. The optical mapping of microbial genomes. *ASM News* 70:323-330 (2004).
- Ramanathan A, Huff EJ, Lamers CC, Potamouisis KD, Forrest DK, Schwartz DC. An integrative approach for the optical sequencing of single DNA molecules. *Analytical Biochemistry* 330(2): 227-241 (2004).
<http://www.ncbi.nlm.nih.gov/pubmed/15203328>
- Dimalanta ET, Lim A, Runnheim R, Lamers C, Churas C, Forrest DK, de Pablo JJ, Graham MD, Coppersmith SN, Goldstein S, Schwartz DC. A microfluidic system

for large DNA molecule arrays. Anal Chem 76(18): 5293-301 (2004).
<http://www.ncbi.nlm.nih.gov/pubmed/15362885>

Patents

Schwartz DC, et al. Methods of whole genome analysis. US Patent Application Number [20090104611](#). April 23, 2009.

Schwartz DC, Potamouisis KD, et al. Flash sequencing. Provisional patent application files, October 2007.

Schwartz DC, et al. Method of DNA analysis using micro/nanochannel. US Patent Application Number [20070161028](#). July 12, 2007.

Schwartz DC, et al. Whole genome methylation profiles via single molecule analysis. US Patent Application Number [20060275806](#). December 6, 2006.

Antoniotti M, et al. System and process for validating, aligning and reordering one or more genetic sequence maps using at least one ordered restriction map. US Patent Application Number [20060155483](#). July 13, 2006.

Schwartz DC. Methods and compositions of the manipulation and characterization of individual nucleic acid molecules. US Patent Number [7,049,074](#). May 23, 2006.

Schwartz DC, et al. Micro fluidic system for single molecule imaging. US Patent Application Number [20060088944](#). April 27, 2006.

Schwartz DC, et al. Automated imaging system for single molecules. US Patent Application Number [20050234656](#). October 20, 2005.

Schwartz DC, et al. Micro-channel long molecule manipulation system. US Patent Application Number [20050082204](#). April 21, 2005.

Schwartz DC. Method for mapping a nucleic acid. US Patent Number [6,716,263](#). March 30, 2004.

Stolovitzky, Gustavo

Luan B, Peng H, Polonsky S, Rossnagel S, Stolovitzky G, Martyna G. Base-by-base ratcheting of single-stranded DNA through a solid-state nanopore. Phys Rev Lett. 2010 Jun 11;104(23):238103.
<http://www.ncbi.nlm.nih.gov/pubmed/20867275>

Luan B, Harrer S, Afzali A, Peng H, Waggoner P, Polonsky S, Stolovitzky G, Martyna G. Tribological effects on DNA translocation in a SAM-coated nanochannel. J Phys Chem B. 2010 Dec 30;114(51):17172-6.
<http://www.ncbi.nlm.nih.gov/pubmed/21128651>

Harrer S, Ahmed S, Afzali-Ardakani A, Luan B, Waggoner PS, Shao X, Peng H, Goldfarb DL, Martyna GJ, Rossnagel SM, Deligianni L, Stolovitzky GA. Electrochemical characterization of thin film electrodes towards developing a

DNA-transistor. *Langmuir*. 2010 Dec 21;26(24):19191-8.
<http://www.ncbi.nlm.nih.gov/pubmed/21090688>

Harrer S, Waggoner PS, Luan B, Afzali A, Goldfarb DL, Peng H, Martyna GJ, Rossnagel SM, Stolovitzky GA. Electrochemical protection of thin film electrodes in solid state nanopores. *Nanotechnology*. 2011 Jul 8;22(27):275304.
<http://www.ncbi.nlm.nih.gov/pubmed/21597142>

Thompson, John F. & Harris, Timothy D.

Raz T, Kapranov P, Lipson D, Letovsky S, Milos PM, Thompson JF. Protocol dependence of sequencing-based gene expression measurements. *PLoS One*. 2011 May 6; 6(5):e19287. <http://www.ncbi.nlm.nih.gov/pubmed/21573114>

Thompson JF, Milos PM. The properties and applications of single-molecule DNA sequencing. *Genome Biol*. 2011 Feb 24; 12(2):217.
<http://www.ncbi.nlm.nih.gov/pubmed/21349208>

Kapranov P, St Laurent G, Raz T, Ozsolak F, Reynolds CP, Sorensen PH, Reaman G, Milos P, Arceci RJ, Thompson JF, Triche TJ. The majority of total nuclear-encoded non-ribosomal RNA in a human cell is 'dark matter' un-annotated RNA. *BMC Biol*. 2010 Dec 21; 8:149. <http://www.ncbi.nlm.nih.gov/pubmed/21176148>

Thompson JF, Steinmann KE. Single molecule sequencing with a HeliScope genetic analysis system. *Curr Protoc Mol Biol*. 2010 Oct; Chapter 7:Unit 7.10.
<http://www.ncbi.nlm.nih.gov/pubmed/20890904>

Leconte AM, Patel MP, Sass LE, McInerney P, Jarosz M, Kung L, Bowers JL, Buzby PR, Efcavitch JW, Romesberg FE. Directed Evolution of DNA Polymerases for Next-Generation Sequencing. *Angew Chem Int Ed Engl*. 2010 Aug 9; 49(34):5921-4
<http://www.ncbi.nlm.nih.gov/pubmed/20629059>

Leconte AM, Patel MP, Sass LE, McInerney P, Jarosz M, Kung L, Bowers JL, Buzby PR, Efcavitch JW, Romesberg FE. Directed Evolution of DNA Polymerases for Next-Generation Sequencing. *Angew Chem Int Ed Engl*. 2010 Jul 13. [Epub ahead of print] <http://www.ncbi.nlm.nih.gov/pubmed/20629059>

Milos PM. Emergence of single-molecule sequencing and potential for molecular diagnostic applications. *Expert Rev Mol Diagn*. 2009 Oct; 9(7):659-66.
<http://www.ncbi.nlm.nih.gov/pubmed/19817551>

Bowers J, Mitchell J, Beer E, Buzby PR, Causey M, Efcavitch JW, Jarosz M, Krzymanska-Olejnik E, Kung L, Lipson D, Lowman GM, Marappan S, McInerney P, Platt A, Roy A, Siddiqi SM, Steinmann K, Thompson JF. Virtual terminator nucleotides for next-generation DNA sequencing. *Nat Methods*. 2009 Aug;6(8):593-5. <http://www.ncbi.nlm.nih.gov/pubmed/19620973>

Harris TD, Buzby PR, Babcock H, Beer E, Bowers J, Braslavskiy I, Causey M, Colonell J, DiMeo J, Efcavitch JW, Giladi E, Gill J, Healy J, Jarosz M, Lapen D, Moulton K, Quake SR, Steinmann K, Thayer E, Tyurina A, Ward R, Weiss H, and Xie Z.

Single-Molecule DNA Sequencing of a Viral Genome. *Science*. 2008 Apr 4;320(5872):106-9. <http://www.ncbi.nlm.nih.gov/pubmed/18388294>

Patents

Harris TD. Paired-end reads in sequencing by synthesis. US Patent 7,767,400.

Timp, Gregory L., Aleksei Aksimentiev, Jean Pierre Leburton, Klaus Schulten and Stephen Sligar

Venkatesan BM, Polans J, Comer J, Sridhar S, Wendell D, Aksimentiev A, Bashir R. Lipid bilayer coated Al(2)O(3) nanopore sensors: towards a hybrid biological solid-state nanopore. *Biomed Microdevices*. 2011 Aug;13(4):671-82. <http://www.ncbi.nlm.nih.gov/pubmed/21487665>

Luan B, Aksimentiev A. Control and reversal of the electrophoretic force on DNA in a charged nanopore. *J Phys Condens Matter*. 2010 Nov 17;22(45):454123. <http://www.ncbi.nlm.nih.gov/pubmed/21339610>

Maffeo C, Schopflin R, Brutzer H, Stehr R, Aksimentiev A, Wedermann G, Seidel R. DNA-DNA interactions in tight supercoils are described by a small effective charge density. *Phys Rev Lett*. 2010 Oct 8;105(15):158101. <http://www.ncbi.nlm.nih.gov/pubmed/21230940>

Mirsaidov U, Comer J, Dimitrov V, Aksimentiev A, Timp G. Slowing the translocation of double-stranded DNA using a nanopore smaller than the double helix. *Nanotechnology*. 2010 Oct 1;21(39):395501. <http://www.ncbi.nlm.nih.gov/pubmed/20808032>

Timp W, Mirsaidov UM, Wang D, Comer J, Aksimentiev A, Timp G. Nanopore sequencing: electrical measurements of the code of life. *IEEE Trans Nanotechnol*. 2010 May 1;9(3):281-94. <http://www.ncbi.nlm.nih.gov/pubmed/21572978>

Aksimentiev A. Deciphering ionic current signatures of DNA transport through a nanopore. *Nanoscale*. 2010 Apr;2(4):468-83. <http://www.ncbi.nlm.nih.gov/pubmed/20644747>

Luan B, Aksimentiev A. Electric and electrophoretic inversion of the DNA charge in multivalent electrolytes. *Soft Matter*. 2010 Jan 1;6:243-6. <http://www.ncbi.nlm.nih.gov/pubmed/20563230>

Maffeo C, Aksimentiev A. Structure, dynamics, and ion conductance of the phospholamban pentamer. *Biophys J*. 2009 Jun 17;96(12):4853-65. <http://www.ncbi.nlm.nih.gov/pubmed/19527644>

Dorvel B, Sigalov G, Zhao Q, Dimitrov V, Mirsaidov U, Aksimentiev A, Timp G. Analyzing the forces binding a restriction endonuclease to DNA using a synthetic nanopore. *Nucleic Acids Res*. 2009 May 11 [Epub ahead of print]. <http://www.ncbi.nlm.nih.gov/pubmed/19433506?dopt=Abstract>

- Aksimentiev A, Brunner RK, Cruz-Chu E, Comer J, Schulten K. Modeling transport through synthetic nanopores. *IEEE Nanotechnology Magazine*. 2009 Mar; 3(1): 20-28.
http://ieeexplore.ieee.org/xpls/abs_all.jsp?isnumber=4815088&arnumber=4815096&count=8&index=5
- Mirsiadov U, Timp W, Zou X, Dimitrov V, Schulten K, Feinberg A, Timp G. Nanoelectromechanics of methylated DNA in a synthetic nanopore. *Biophys J*. 2009 Feb 18; 96(4): L32-4.
<http://www.ncbi.nlm.nih.gov/pubmed/19217843>
- Comer J, Dimitrov V, Zhao Q, Timp G, Aksimentiev A. Microscopic mechanics of hairpin DNA translocation through synthetic nanopores. *Biophys J*. 2009 Jan;96(2):593-608. <http://www.ncbi.nlm.nih.gov/pubmed/19167307>
- Cruz-Chu ER, Aksimentiev A, Schulten K. Ionic current rectification through silica nanopores. *J Phys Chem C*. 2009 Jan; 113(5): 1850-62.
<http://pubs.acs.org/doi/abs/10.1021/jp804724p>
- Comer J, Dimitrov V, Timp G, Aksimentiev A. Microscopic mechanics of hairpin DNA translocation through synthetic nanopores. *Biophys J*. 2009 Jan; 96(2): 593-608.
<http://www.ncbi.nlm.nih.gov/pubmed/19167307>
- Timp G. Electronic nanopores. *McGraw-Hill Encyclopedia Yearbook of Science and Technology* 96-99 (2009).
- Luan B, Aksimentiev A. DNA Attraction in Monovalent and Divalent Electrolytes. *J Am Chem Soc*. 2008 Nov 26;130(47):15754-5.
<http://www.ncbi.nlm.nih.gov/pubmed/18975864>
- Gracheva ME, Melnikov DV, Leburton JP. Multilayered semiconductor membranes for nanopore ionic conductance modulation. *ACS Nano*. 2008 Nov 25;2(11):2349-55. <http://www.ncbi.nlm.nih.gov/pubmed/19206402>
- Aksimentiev A, Brunner R, Cohen J, Comer J, Cruz-Chu E, Hardy H, Rajan, Shih A, Sigalov G, Yin Y, Schulten K. Computer modeling in biotechnology, a partner in development. In *Protocols in Nanostructure Design*, *Methods in Molecular Biology*. 2008 Sept; 474: 181-234.
http://www.springerprotocols.com/Abstract/doi/10.1007/978-1-59745-480-3_11
- Luan B, Aksimentiev A. Strain softening in stretched DNA. *Phys Rev Lett*. 2008 Sep 12;101(11):118101. Epub 2008 Sep 10.
<http://www.ncbi.nlm.nih.gov/pubmed/18851334>
- Luan B, Aksimentiev A. Electro-osmotic screening of the DNA charge in a nanopore. *Phys Rev E Stat Nonlin Soft Matter Phys*. 2008 Aug;78(2 Pt 1):021912. Epub 2008 Aug 26. <http://www.ncbi.nlm.nih.gov/pubmed/18850870>
- Zhao Q, Comer J, Dimitrov V, Yemenicioglu S, Aksimentiev A, Timp G. Stretching and unzipping nucleic acid hairpins using a synthetic nanopore. *Nucleic Acids Res*.

2008 Mar;36(5):1532-41. Epub 2008 Jan 21.
<http://www.ncbi.nlm.nih.gov/pubmed/18208842>

Sigalov G, Comer J, Timp G, Aksimentiev A. Detection of DNA sequences using an alternating electric field in a nanopore capacitor. *Nano Lett.* 2008 Jan;8(1):56-63. Epub 2007 Dec 11. <http://www.ncbi.nlm.nih.gov/pubmed/18069865>

Wells DB, Abramkina V, Aksimentiev A. Exploring transmembrane transport through alpha-hemolysin with grid-steered molecular dynamics. *J Chem Phys.* 2007 Sep 28;127(12):125101. <http://www.ncbi.nlm.nih.gov/pubmed/17902937>

Gracheva ME, Vidal J, Leburton JP. p-n Semiconductor membrane for electrically tunable ion current rectification and filtering. *Nano Lett.* 2007 Jun;7(6):1717-22. Epub 2007 May 22. <http://www.ncbi.nlm.nih.gov/pubmed/17516680>

Zhao Q, Sigalov G, Dimitrov V, Dorvel B, Mirsaidov U, Sligar S, Aksimentiev A, Timp G. Detecting SNPs using a synthetic nanopore. *Nano Lett.* 2007 Jun;7(6):1680-5. Epub 2007 May 15. <http://www.ncbi.nlm.nih.gov/pubmed/17500578>

Cruz-Chu ER, Aksimentiev A, Schulten K. Water-silica force field for simulating nanodevices. *J Phys Chem B.* 2006 Nov 2;110(43):21497-508. <http://www.ncbi.nlm.nih.gov/pubmed/17064100>

Lu D, Aksimentiev A, Shih AY, Cruz-Chu E, Freddolino PL, Arkhipov A, Schulten K. The role of molecular modeling in bionanotechnology. *Phys Biol.* 2006 Feb 2;3(1):S40-53. Review. <http://www.ncbi.nlm.nih.gov/pubmed/16582464>

Heng JB, Aksimentiev A, Ho C, Marks P, Grinkova YV, Sligar S, Schulten K, Timp G. The electromechanics of DNA in a synthetic nanopore. *Biophys J.* 2006 Feb 1;90(3):1098-106. Epub 2005 Nov 11. <http://www.ncbi.nlm.nih.gov/pubmed/16284270>

Heng JB, Aksimentiev A, Ho C, Marks P, Grinkova YV, Sligar S, Schulten K, Timp G. Stretching DNA using the electric field in a synthetic nanopore. *Nano Lett.* 2005 Oct;5(10):1883-8. <http://www.ncbi.nlm.nih.gov/pubmed/16218703>

Patents

Leburton JP, Timp G, Vidal J, Gracheva M. Solid State Devices. US Patent Application Number [60,975,774](#).

Timp W, Timp G, Feinberg A, Mirsaidov U. Sorting of unmodified methylated DNA from unmethylated DNA using a nanometer-diameter pore. US Patent Application Number 61,139,056.

Turner, Stephen W.

Korlach J, Bjornson KP, Chaudhuri BP, Cicero RL, Flusberg BA, Gray JJ, Holden D, Saxena R, Wegener J, Turner SW. Real-time DNA sequencing from single polymerase molecules. *Methods Enzymol.* 2010;472:431-55. <http://www.ncbi.nlm.nih.gov/pubmed/20580975>

- Travers KJ, Chin CS, Rank DR, Eid JS, Turner SW. A flexible and efficient template format for circular consensus sequencing and SNP detection. *Nucleic Acids Res.* 2010 Jun 22. [Epub ahead of print] <http://www.ncbi.nlm.nih.gov/pubmed/20571086>
- Flusberg BA, Webster DR, Lee JH, Travers KJ, Olivares EC, Clark TA, Korlach J, Turner SW. Direct detection of DNA methylation during single-molecule, real-time sequencing. *Nat Methods.* 2010 Jun;7(6):461-5. Epub 2010 May 9. <http://www.ncbi.nlm.nih.gov/pubmed/20453866>
- Eid J, Fehr A, Gray J, Luong K, Lyle J, Otto G, Peluso P, Rank D, Baybayan P, Bettman B, Bibillo A, Bjornson K, Chaudhuri B, Christians F, Cicero R, Clark S, Dalal R, Dewinter A, Dixon J, Foquet M, Gaertner A, Hardenbol P, Heiner C, Hester K, Holden D, Kearns G, Kong X, Kuse R, Lacroix Y, Lin S, Lundquist P, Ma C, Marks P, Maxham M, Murphy D, Park I, Pham T, Phillips M, Roy J, Sebra R, Shen G, Sorenson J, Tomaney A, Travers K, Trulson M, Veceli J, Wegener J, Wu D, Yang A, Zaccarin D, Zhao P, Zhong F, Korlach J, Turner S. Real-Time DNA Sequencing from Single Polymerase Molecules. *Science.* 2009 Jan 2; 323(1):133-138. <http://www.ncbi.nlm.nih.gov/pubmed/19023044>
- Korlach J, Bibillo A, Wegener J, Peluso P, Pham TT, Park I, Clark S, Otto GA, Turner SW. Long, processive enzymatic DNA synthesis using 100% dye-labeled terminal phosphate-linked nucleotides. *Nucleosides Nucleotides Nucleic Acids.* 2008 Sep;27(9):1072-83. <http://www.ncbi.nlm.nih.gov/pubmed/18711669>
- Korlach J, Marks PJ, Cicero RL, Gray JJ, Murphy DL, Roitman DB, Pham TT, Otto GA, Foquet M, Turner SW. Selective aluminum passivation for targeted immobilization of single DNA polymerase molecules in zero-mode waveguide nanostructures. *Proc Natl Acad Sci U S A.* 2008 Jan 29;105(4):1176-81. Epub 2008 Jan 23. <http://www.ncbi.nlm.nih.gov/pubmed/18216253>
-
- Vezenov, Dmitri**
Oliver PM, Park JS, Vezenov D. Quantitative high-resolution sensing of DNA hybridization using magnetic tweezers with evanescent illumination. *Nanoscale.* 2011 Feb;3(2):581-91. <http://www.ncbi.nlm.nih.gov/pubmed/21103547>
- Bijamov A, Shubitidze F, Oliver PM, Vezenov DV. Quantitative modeling of forces in electromagnetic tweezers. *J Appl Phys.* 2010 Nov 15;108(10):104701. <http://www.ncbi.nlm.nih.gov/pubmed/21258580>
- Bijamov A, Shubitidze F, Oliver PM, Vezenov DV. Optical response of magnetic fluorescent microspheres used for force spectroscopy in the evanescent field. *Langmuir.* 2010 Jul 20;26(14):12003-11. <http://www.ncbi.nlm.nih.gov/pubmed/20486724>
- Lim HI, Oliver PM, Marzillier J, Vezenov DV. Heterobifunctional modification of DNA for conjugation to solid surfaces. *Anal Bioanal Chem.* 2010 Jul;397(5):1861-72. Epub 2010 Apr 28. <http://www.ncbi.nlm.nih.gov/pubmed/20422158>

Manohar S, Mantz AR, Bancroft KE, Hui CY, Jagota A, Vezenov DV. Peeling single-stranded DNA from graphite surface to determine oligonucleotide binding energy by force spectroscopy. Nano Lett. 2008 Dec; 8(12): 4365-72.
<http://www.ncbi.nlm.nih.gov/pubmed/19368004>

Patents

Vezenov DV. Systems, Compositions and Methods for Nucleic Acid Detection. US Patent Number [7,892,739](#). Granted on 22 Feb 2011.

Williams, John G.K., Jon P. Anderson, Greg Bashford and Lyle Middendorf

Anderson JP, Reynolds BL, Baum K, Williams JG. Fluorescent Structural DNA Nanoballs Functionalized with Phosphate-Linked Nucleotide Triphosphates. Nano Lett. 2010 Feb 16. <http://www.ncbi.nlm.nih.gov/pubmed/20158249>

Williams JG, Steffens DL, Anderson JP, Urlacher TM, Lamb DT, Grone DL, Egelhoff JC. An artificial processivity clamp made with streptavidin facilitates oriented attachment of polymerase-DNA complexes to surfaces. Nucleic Acids Res. 2008 Oct; 36(18):e121. Epub 2008 Aug 22.
<http://www.ncbi.nlm.nih.gov/pubmed/18723573>

Reynolds B, Miller R, Williams JG, Anderson JP. Synthesis and stability of novel terminal phosphate-labeled nucleotides. Nucleosides Nucleotides Nucleic Acids. 2008 Jan;27(1):18-30. <http://www.ncbi.nlm.nih.gov/pubmed/18188766>

Bashford G, Lamb D, Grone D, Eckles B, Kornelsen K, Middendorf L, Williams J. Automated bead-trapping apparatus and control system for single-molecule DNA sequencing. Opt. Express 16, 3445-3455 (2008).
<http://www.opticsinfobase.org/abstract.cfm?URI=oe-16-5-3445>

Steffens DL, Williams JG. Efficient site-directed saturation mutagenesis using degenerate oligonucleotides. J Biomol Tech. 2007 Jul;18(3):147-9.
<http://www.ncbi.nlm.nih.gov/pubmed/17595310>

Patents

Williams JG, et al., Composition and method for nucleic acid sequencing, United States Patent 7,745,116 June 29, 2010. [7,745,116 Composition and method for nucleic acid sequencing](#)

Williams JG, et al., System and methods for nucleic acid sequencing of single molecules by polymerase synthesis, 20100093068 filed on April 15, 2010. [20100093068 System and methods for nucleic acid sequencing of single molecules by polymerase synthesis](#)

Williams JG, et al., Composition and method for nucleic acid sequencing, 20100035254 filed on 11 Feb. 2010. [20100035254 Composition and method for nucleic acid sequencing](#)

Williams JG, et al., Charge switch nucleotides, United States Patent 7,659,070, 9 February 2010. [7,659,070 Charge switch nucleotides](#)

- Williams JG, et al., Charge switch nucleotides, United States Patent 7,625,701, 1 December 2009. [7,625,701 Charge switch nucleotides](#)
- Williams JG, et al., System and method for nucleic acid sequencing by polymerase synthesis, 20090170074 filed on 2 July 2009. [20090170074 System and method for nucleic acid sequencing by polymerase synthesis](#)
- Williams JG, et al., Composition and method for nucleic acid sequencing, 20090092970 filed on 9 April 2009. [20090092970 Composition and method for nucleic acid sequencing](#)
- Williams JG, et al., System and methods for nucleic acid sequencing of single molecules by polymerase synthesis, 20090082212 filed on 26 March 2009. [20090082212 System and methods for nucleic acid sequencing of single molecules by polymerase synthesis](#)
- Williams JG, et al., Composition and method for nucleic acid sequencing, 20090068655 filed on 12 March 2009. [20090068655 Composition and method for nucleic acid sequencing](#)
- Williams JG, et al., DNA intercalating agents and methods of use, United States Patent 7,462,468, 9 December 2008. [7,462,468 DNA intercalating agents and methods of use](#)
- Williams JG, et al., Field-switch sequencing, United States Patent 7,462,452, 9 December 2008. [7,462,452 Field-switch sequencing](#)
- Williams JG, et al., System and method for nucleic acid sequencing by polymerase synthesis, 20080241833 filed on 2 Oct. 2008. [20080241833 System and method for nucleic acid sequencing by polymerase synthesis](#)
- Williams JG, et al., Flowcell system for single molecule detection, 20080206764 filed on 26 Oct. 2007. [20080206764 Flowcell system for single molecule detection](#)
- Williams JG, et al., Charge Switch Nucleotides, 20080153095 filed on 26 Oct. 2007. [20080153095 Charge Switch Nucleotides](#)
- Williams JG, et al., System and method for nucleic acid sequencing by polymerase synthesis, United States Patent 7,229,799, 12 June 2007. [7,229,799 System and method for nucleic acid sequencing by polymerase synthesis](#)
- Williams JG, et al., Mutant polymerases for sequencing and genotyping, 20070048748 filed on 1 Mar. 2007. [20070048748 Mutant polymerases for sequencing and genotyping](#)
- Williams JG, et al., Single molecule detection systems and methods, United States Patent 7,118,907, 10 Oct. 2006. [7,118,907 Single molecule detection systems and methods](#)

- Williams JG, et al., Charge switch nucleotides, 20060063173 filed on 23 Mar. 2006. [20060063173 Charge switch nucleotides](#)
- Williams JG, et al., Field-switch sequencing, 20050266456 filed on 1 Dec. 2005. [20050266456 Field-switch sequencing](#)
- Williams JG, et al., Charge-switch nucleotides, United States Patent 6,936,702, 30, Aug. 2005. [6,936,702 Charge-switch nucleotides](#)
- Williams JG, et al., Nucleic acid sequencing using charge-switch nucleotides, United States Patent 6,869,764, 22 Mar. 2005. [6,869,764 Nucleic acid sequencing using charge-switch nucleotides](#)
- Williams JG, Composition and method for nucleic acid sequencing, 20050042633 filed on 24 Feb. 2005. [20050042633 Composition and method for nucleic acid sequencing](#)
- Williams JG, Polymerases with charge-switch activity and methods of generating such polymers, 20040259082 filed on 23 Dec. 2004. [20040259082 Polymerases with charge-switch activity and methods of generating such polymers](#)
- Williams JG, System and apparatus for nucleic acid sequencing on single molecules by polymerase synthesis, United States Patent 6,762,048, 13 July 2004. [6,762,048 System and apparatus for nucleic acid sequencing of single molecules by polymerase synthesis](#)
- Williams JG, System and method for nucleic acid sequencing by polymerase synthesis, 20030194740 filed on 16 Oct. 2003. [20030194740 System and method for nucleic acid sequencing by polymerase synthesis](#)
- Williams JG, et al., Single molecule detection systems and methods, 20030186255 filed on 2 Oct. 2003. [20030186255 Single molecule detection systems and methods](#)
- Williams JG, Microfluidics system for single molecule DNA sequencing, 20030064400 filed on 3 Apr. 2003. [20030064400 Microfluidics system for single molecule DNA sequencing](#)
- Williams JG, et al., Flowcell system for nucleic acid sequencing, 20020168678 filed on 14 Nov. 2002. [20020168678 Flowcell system for nucleic acid sequencing](#)
- Williams JG, System and apparatus for nucleic acid sequencing of single molecules by polymerase synthesis, 20020115076 filed on 22 Aug. 2002. [20020115076 System and apparatus for nucleic acid sequencing of single molecules by polymerase synthesis](#)
- Williams JG, et al., Charge-switch nucleotides, 20020042071 filed on 11 Apr. 2002. [20020042071 Charge-switch nucleotides](#)
- Williams JG, et al., *Nucleic acid sequencing using charge-switch nucleotides*, 20020039738 filed on 4 Apr. 2002. [20020039738 Nucleic acid sequencing using charge-switch nucleotides](#)

Williams JG, Heterogeneous assay for pyrophosphate, United States Patent 6,306,607, 23 Oct. 2001. [6,306,607 Heterogeneous assay for pyrophosphate](#)

Williams JG, System and methods for nucleic acid sequencing of single molecules by polymerase synthesis, United States Patent 6,255, 083, 3 July 2001. [6,255,083 System and methods for nucleic acid sequencing of single molecules by polymerase synthesis](#)

Williams JG, Heterogeneous assay for pyrophosphate detection, United States Patent 6,232,075, 15 May 2001. [6,232,075 Heterogeneous assay for pyrophosphate detection](#)

Williams, Peter

Aksyonov SA, Bittner M, Bloom LB, Reha-Krantz LJ, Gould IR, Hayes MA, Kiernan UA, Niederkofler EE, Pizziconi V, Rivera RS, Williams DJ, Williams P. Multiplexed DNA sequencing-by-synthesis. Anal Biochem. 2006 Jan 1;348(1):127-38. Epub 2005 Oct 21. <http://www.ncbi.nlm.nih.gov/pubmed/16289447>

Aksyonov SA, Williams P. Impact desolvation of electrosprayed microdroplets--a new ionization method for mass spectrometry of large biomolecules. Rapid Commun Mass Spectrom. 2001;15(21):2001-6. <http://www.ncbi.nlm.nih.gov/pubmed/11675666>

Aksyonov S, Williams P. Electrospray ionization using disposable plastic pipette tips. Rapid Commun Mass Spectrom. 2001;15(19):1890-1. No abstract available. <http://www.ncbi.nlm.nih.gov/pubmed/11565109>

Last update October 2011