Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress	B/Bmsy or B/Bmsy proxy	Official FSSI Score
CFMC	Queen Conch Resources of Puerto Rico and the United States Virgin Islands	Queen conch - Caribbean	Yes	Yes	NA	Reduce Mortality, Continue Rebuilding	Year 7 of 15- year plan	<<1	1
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Grouper Unit 1 *	Yes	Yes	NA	Reduce Mortality, Continue Rebuilding	Year 7 of 25- year plan	<<1	1
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Grouper Unit 2*	No	Yes	NA	Continue Rebuilding	Year 7 of 30- year plan	<<1	2
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Grouper Unit 4 *	Yes	Yes	NA	Reduce Mortality, Continue Rebuilding	Year 7 of 10- year plan	0.75 (default estimate)	1
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Snapper Unit 1 *	Yes	No	Yes	Reduce Mortality	N/A	0.75 (default estimate)	2
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Snapper Unit 3 *	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Snapper Unit 4 *	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
CFMC	Spiny Lobster Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean spiny lobster - Caribbean	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
GMFMC	Red Drum Fishery of the Gulf of Mexico	Red drum - Gulf of Mexico	No	Undefined	Unknown	NA	N/A	not estimated	1.5
GMFMC	Reef Fish Resources of the Gulf of Mexico	Black grouper - Gulf of Mexico *	No	No	No	NA	N/A	1.4	4
GMFMC	Reef Fish Resources of the Gulf of Mexico	Gag - Gulf of Mexico	Yes	Yes	NA	Reduce Mortality, Rebuilding Program	Year 1 of 10- year plan	0.399	1
GMFMC	Reef Fish Resources of the Gulf of Mexico	Gray triggerfish - Gulf of Mexico	Yes	Yes	NA	Reduce Mortality, Continue Rebuilding	Year 5 of 6-year plan	0.388	1

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress	B/Bmsy or B/Bmsy proxy	Official FSSI Score
GMFMC	Reef Fish Resources of the Gulf of Mexico	Greater amberjack - Gulf of Mexico	Yes	Yes	NA	Reduce Mortality, Continue Rebuilding	Year 10 of 10- year plan	0.311	1
GMFMC	Reef Fish Resources of the Gulf of Mexico	Hogfish - Gulf of Mexico	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
GMFMC	Reef Fish Resources of the Gulf of Mexico	Red grouper - Gulf of Mexico	No	No	No	NA	N/A	0.864	4
GMFMC	Reef Fish Resources of the Gulf of Mexico	Red snapper - Gulf of Mexico	No	Yes	NA	Continue Rebuilding	Year 12 of 32- year plan	0.175	2
GMFMC	Reef Fish Resources of the Gulf of Mexico	Snowy grouper - Gulf of Mexico	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
GMFMC	Reef Fish Resources of the Gulf of Mexico	Vermilion snapper - Gulf of Mexico	No	No	No	NA	N/A	1.159	4
GMFMC	Reef Fish Resources of the Gulf of Mexico	Yellowedge grouper - Gulf of Mexico *	No	No	No	NA	N/A	1.106	4
GMFMC	Shrimp Fishery of the Gulf of Mexico	Brown shrimp - Gulf of Mexico *	No	No	No	NA	N/A	4.908	4
GMFMC	Shrimp Fishery of the Gulf of Mexico	Pink shrimp - Gulf of Mexico	No	No	No	NA	N/A	0.779	3
GMFMC	Shrimp Fishery of the Gulf of Mexico	Royal red shrimp - Gulf of Mexico	No	Unknown	Unknown	NA	N/A	not estimated	1.5
GMFMC	Shrimp Fishery of the Gulf of Mexico	White shrimp - Gulf of Mexico	No	No	No	NA	N/A	6.537	4
GMFMC	Stone Crab Fishery of the Gulf of Mexico	Stone crabs (Menippe spp.) - Gulf of Mexico *	No	Undefined	Unknown	NA	N/A	not estimated	1.5
HMS	Consolidated Atlantic Highly Migratory Species	Albacore - North Atlantic	Yes	Yes	NA	Reduce Mortality, Continue Rebuilding	Year 6 of plan	0.62	1
HMS	Consolidated Atlantic Highly Migratory Species	Atlantic Large Coastal Shark Complex *	Unknown	Unknown	Unknown	NA	N/A	1.353	0
HMS	Consolidated Atlantic Highly Migratory Species	Atlantic Small Coastal Shark Complex *	No	No	No	NA	N/A	1.69	4
HMS	Consolidated Atlantic Highly Migratory Species	Atlantic sharpnose shark - Atlantic *	No	No	No	NA	N/A	1.35	4
HMS	Consolidated Atlantic Highly Migratory Species	Bigeye tuna - Atlantic *	No	No - Rebuilding	No	Continue Rebuilding	Year 14 of plan	1.01	3

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress	B/Bmsy or B/Bmsy proxy	Official FSSI Score
HMS	Consolidated Atlantic Highly Migratory Species	Blacknose shark - Atlantic *	Yes	Yes	NA	Reduce Mortality, Continue Rebuilding	Year 3 of 18- year plan	0.43-0.64	1
HMS	Consolidated Atlantic Highly Migratory Species	Blacktip shark - Gulf of Mexico *	No	No	No	NA	N/A	2.56	4
HMS	Consolidated Atlantic Highly Migratory Species	Blacktip shark - South Atlantic *	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
HMS	Consolidated Atlantic Highly Migratory Species	Blue marlin - Atlantic *	Yes	Yes	NA	Reduce Mortality, Continue Rebuilding	Year 11 of plan	0.67	1
HMS	Consolidated Atlantic Highly Migratory Species	Blue shark - Atlantic *	No	No	No	NA	N/A	1.87-2.74	4
HMS	Consolidated Atlantic Highly Migratory Species	Bluefin tuna - Western Atlantic	Yes	Yes	NA	Reduce Mortality, Continue Rebuilding	Year 14 of 19- year plan	1.1 (0.89- 1.35-LRS) 0.15 (0.10- 0.22-HRS)	1
HMS	Consolidated Atlantic Highly Migratory Species	Bonnethead - Atlantic *	No	No	No	NA	N/A	0.83	4
HMS	Consolidated Atlantic Highly Migratory Species	Dusky shark - Atlantic *	Yes	Yes	NA	Reduce Mortality, Continue Rebuilding	Year 4 of 100- year plan	0.41-0.50	1
HMS	Consolidated Atlantic Highly Migratory Species	Finetooth shark - Atlantic *	No	No	No	NA	N/A	1.8	4
HMS	Consolidated Atlantic Highly Migratory Species	Porbeagle - Atlantic *	No	Yes	NA	Continue Rebuilding	Year 4 of 100- year plan	0.15-0.32	2
HMS	Consolidated Atlantic Highly Migratory Species	Sailfish - Western Atlantic *	Yes	No - Rebuilding	No	Reduce Mortality, Continue Rebuilding	Year 14 of plan	> 75%Bmsy	2
HMS	Consolidated Atlantic Highly Migratory Species	Sandbar shark - Atlantic *	No	Yes	NA	Continue Rebuilding	Year 4 of 66- year plan	0.51-0.72	2
HMS	Consolidated Atlantic Highly Migratory Species	Shortfin mako - Atlantic *	Yes	No	Yes	Reduce Mortality	N/A	0.95-1.65	3
HMS	Consolidated Atlantic Highly Migratory Species	Swordfish - North Atlantic	No	No	No	NA	N/A	1.048	4

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress	B/Bmsy or B/Bmsy proxy	Official FSSI Score
HMS	Consolidated Atlantic Highly Migratory Species	White marlin - Atlantic *	Yes	Yes	NA	Reduce Mortality, Continue Rebuilding	Year 11 of plan	not estimated	1
HMS	Consolidated Atlantic Highly Migratory Species	Yellowfin tuna - Western Atlantic	No	No	Yes	NA	N/A	0.96	4
MAFMC	Atlantic Mackerel, Squid and Butterfish	Atlantic mackerel - Gulf of Maine / Cape Hatteras *	No	No	No	NA	N/A	3.57	4
MAFMC	Atlantic Mackerel, Squid and Butterfish	Butterfish - Gulf of Maine / Cape Hatteras *	No	Unknown	Unknown	Continue Rebuilding	Year 3 of 4-year plan	not estimated	1.5
MAFMC	Atlantic Mackerel, Squid and Butterfish	Longfin inshore squid - Georges Bank / Cape Hatteras *	Unknown	No	No	NA	N/A	1.284	2.5
MAFMC	Atlantic Mackerel, Squid and Butterfish	Northern shortfin squid - Northwestern Atlantic Coast *	No	Unknown	Unknown	NA	N/A	not estimated	1.5
MAFMC	Atlantic Surfclam and Ocean Quahog	Atlantic surfclam - Mid-Atlantic Coast	No	No	No	NA	N/A	1.617	4
MAFMC	Atlantic Surfclam and Ocean Quahog	Ocean quahog - Atlantic Coast	No	No	No	NA	N/A	1.623	4
MAFMC	Bluefish	Bluefish - Atlantic Coast	No	No	No	NA	N/A	0.954	4
MAFMC	Summer Flounder, Scup and Black Sea Bass	Black sea bass - Mid-Atlantic Coast	No	No	No	NA	N/A	1.111	4
MAFMC	Summer Flounder, Scup and Black Sea Bass	Scup - Atlantic Coast	No	No	No	NA	N/A	2.024	4
MAFMC	Summer Flounder, Scup and Black Sea Bass	Summer flounder - Mid-Atlantic Coast	No	No	No	NA	N/A	1.003	4
MAFMC	Tilefish	Tilefish - Mid-Atlantic Coast *	No	No - Rebuilding	No	Continue Rebuilding	Year 11 of 10- year plan	1.045	3
NEFMC	Atlantic Herring	Atlantic herring - Northwestern Atlantic Coast *	No	No	No	NA	N/A	0.972	4
NEFMC	Atlantic Sea Scallop	Sea scallop - Northwestern Atlantic Coast	No	No	No	NA	N/A	1.035	4
NEFMC	Deep-Sea Red Crab	Red deepsea crab - Northwestern Atlantic *	No	Unknown	Unknown	NA	N/A	not estimated	1.5
NEFMC	Northeast Multispecies	Acadian redfish - Gulf of Maine / Georges Bank *	No	Rebuilt	No	NA	N/A	1.323	4

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress	B/Bmsy or B/Bmsy proxy	Official FSSI Score
NEFMC	Northeast Multispecies	American plaice - Gulf of Maine / Georges Bank	No	No - Rebuilding	No	Continue Rebuilding	Year 9 of 10- year plan	0.506	3
NEFMC	Northeast Multispecies	Atlantic cod - Georges Bank *	Yes	Yes	NA	Reduce Mortality, Continue Rebuilding	Year 9 of 22- year plan	0.08	1
NEFMC	Northeast Multispecies	Atlantic cod - Gulf of Maine *	Yes	Yes	NA	Reduce Mortality, Continue Rebuilding	Year 9 of 10- year plan	0.194	1
NEFMC	Northeast Multispecies	Atlantic halibut - Northwestern Atlantic Coast	No	Yes	NA	Continue Rebuilding	Year 9 of 52- year plan	0.034	2
NEFMC	Northeast Multispecies	Haddock - Georges Bank *	No	No	No	NA	N/A	1.339	4
NEFMC	Northeast Multispecies	Haddock - Gulf of Maine *	Yes	No	Yes	Reduce Mortality	N/A	0.585	3
NEFMC	Northeast Multispecies	Ocean pout - Northwestern Atlantic Coast	No	Yes	NA	Continue Rebuilding	Year 9 of 10- year plan	0.083	2
NEFMC	Northeast Multispecies	Offshore hake - Northwestern Atlantic Coast *	Undefined	Undefined	Unknown	NA	N/A	not estimated	0
NEFMC	Northeast Multispecies	Pollock - Gulf of Maine / Georges Bank	No	No	No	NA	N/A	2.154	4
NEFMC	Northeast Multispecies	Red hake - Gulf of Maine / Northern Georges Bank	No	No	No	NA	N/A	1.94	4
NEFMC	Northeast Multispecies	Red hake - Southern Georges Bank / Mid-Atlantic	Undefined	No	Unknown	NA	N/A	0.93	2.5
NEFMC	Northeast Multispecies	Silver hake - Gulf of Maine / Northern Georges Bank	No	No	No	NA	N/A	1.02	4
NEFMC	Northeast Multispecies	Silver hake - Southern Georges Bank / Mid-Atlantic	No	No	No	NA	N/A	0.78	3
NEFMC	Northeast Multispecies	White hake - Gulf of Maine / Georges Bank	Yes	Yes	NA	Reduce Mortality, Continue Rebuilding	Year 9 of 10- year plan	0.352	1
NEFMC	Northeast Multispecies	Windowpane - Gulf of Maine / Georges Bank *	Yes	Yes	No	Reduce Mortality, Continue Rebuilding	Year 3 of 7-year plan	0.288	1

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress	B/Bmsy or B/Bmsy proxy	Official FSSI Score
NEFMC	Northeast Multispecies	Windowpane - Southern New England / Mid-Atlantic *	No	Rebuilt	No	NA	N/A	1.458	4
NEFMC	Northeast Multispecies	Winter flounder - Georges Bank	No	No - Rebuilding	No	Continue Rebuilding	Year 3 of 7-year plan	0.822	3
NEFMC	Northeast Multispecies	Winter flounder - Gulf of Maine	No	Unknown	Unknown	NA	N/A	0.29	1.5
NEFMC	Northeast Multispecies	Winter flounder - Southern New England / Mid-Atlantic	No	Yes	NA	Continue Rebuilding	Year 9 of 10- year plan	0.162	2
NEFMC	Northeast Multispecies	Witch flounder - Northwestern Atlantic Coast *	Yes	Yes	No	Reduce Mortality, Continue Rebuilding	Year 3 of 7-year plan	0.408	1
NEFMC	Northeast Multispecies	Yellowtail flounder - Cape Cod / Gulf of Maine *	Yes	Yes	NA	Reduce Mortality, Continue Rebuilding	Year 9 of 19- year plan	0.237	1
NEFMC	Northeast Multispecies	Yellowtail flounder - Georges Bank *	No	Yes	NA	Continue Rebuilding	Year 6 of 10- year plan	0.204	2
NEFMC	Northeast Multispecies	Yellowtail flounder - Southern New England / Mid-Atlantic	Yes	Yes	NA	Reduce Mortality, Continue Rebuilding	Year 9 of 10- year plan	0.128	1
NEFMC	Northeast Skate Complex	Barndoor skate - Georges Bank / Southern New England *	No	No - Rebuilding	No	Continue Rebuilding	Year 9 of plan	0.685	3
NEFMC	Northeast Skate Complex	Clearnose skate - Southern New England / Mid-Atlantic	No	No	No	NA	N/A	1.429	4
NEFMC	Northeast Skate Complex	Little skate - Georges Bank / Southern New England	No	No	No	NA	N/A	1.159	4
NEFMC	Northeast Skate Complex	Rosette skate - Southern New England / Mid-Atlantic	No	No	No	NA	N/A	0.833	4
NEFMC	Northeast Skate Complex	Smooth skate - Gulf of Maine	No	No - Rebuilding	No	Continue Rebuilding	Year 2 of 10- year plan	0.552	3
NEFMC	Northeast Skate Complex	Thorny skate - Gulf of Maine	No	Yes	NA	Continue Rebuilding	Year 9 of 25- year plan	0.06	2
NEFMC	Northeast Skate Complex	Winter skate - Georges Bank / Southern New England	No	No	No	NA	N/A	1.721	4

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress	B/Bmsy or B/Bmsy proxy	Official FSSI Score
NEFMC / MAFMC	Monkfish	Goosefish - Gulf of Maine / Northern Georges Bank	No	No	No	NA	N/A	1.29	4
NEFMC / MAFMC	Monkfish	Goosefish - Southern Georges Bank / Mid-Atlantic	No	No	No	NA	N/A	1.11	4
NEFMC / MAFMC	Spiny Dogfish	Spiny dogfish - Atlantic Coast	No	No	No	NA	N/A	1.025	4
NPFMC	Bering Sea/Aleutian Islands King and Tanner Crabs	Blue king crab - Pribilof Islands *	No	Yes	NA	Rebuilding Program	Year 9 of 10- year plan	0.065	2
NPFMC	Bering Sea/Aleutian Islands King and Tanner Crabs	Blue king crab - Saint Matthews Island *	No	No	No	NA	N/A	2.204	4
NPFMC	Bering Sea/Aleutian Islands King and Tanner Crabs	Golden king crab - Aleutian Islands	No	Undefined	Unknown	NA	N/A	not estimated	1.5
NPFMC	Bering Sea/Aleutian Islands King and Tanner Crabs	Red king crab - Bristol Bay	No	No	No	NA	N/A	1.197	4
NPFMC	Bering Sea/Aleutian Islands King and Tanner Crabs	Red king crab - Norton Sound	No	No	No	NA	N/A	1.739	4
NPFMC	Bering Sea/Aleutian Islands King and Tanner Crabs	Red king crab - Pribilof Islands *	No	No	Unknown	NA	N/A	0.535	3
NPFMC	Bering Sea/Aleutian Islands King and Tanner Crabs	Red king crab - Western Aleutian Islands	No	Undefined	Unknown	NA	N/A	not estimated	1.5
NPFMC	Bering Sea/Aleutian Islands King and Tanner Crabs	Snow crab - Bering Sea *	No	No	No	NA	N/A	1.333	4
NPFMC	Bering Sea/Aleutian Islands King and Tanner Crabs	Southern Tanner crab - Bering Sea *	No	Yes	NA	Rebuilding Program	N/A	0.321	2
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Alaska plaice - Bering Sea / Aleutian Islands	No	No	No	NA	N/A	2.04	4
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Atka mackerel - Bering Sea / Aleutian Islands	No	No	No	NA	N/A	1.692	4
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Bering Sea / Aleutian Islands Arrowtooth Flounder Complex *	No	No	No	NA	N/A	3.156	4
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Bering Sea / Aleutian Islands Blackspotted and Rougheye Rockfish Complex *	No	No	No	NA	N/A	1.328	4
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Bering Sea / Aleutian Islands Flathead Sole Complex *	No	No	No	NA	N/A	2.122	4

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress	B/Bmsy or B/Bmsy proxy	Official FSSI Score
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Bering Sea / Aleutian Islands Rock Sole Complex *	No	No	No	NA	N/A	2.057	4
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Greenland halibut - Bering Sea / Aleutian Islands	No	No	No	NA	N/A	2.714	4
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Northern rockfish - Bering Sea / Aleutian Islands	No	No	No	NA	N/A	1.615	4
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Pacific cod - Bering Sea / Aleutian Islands	No	No	No	NA	N/A	1.141	4
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Pacific ocean perch - Bering Sea / Aleutian Islands	No	No	No	NA	N/A	1.627	4
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Walleye pollock - Aleutian Islands	No	No	No	NA	N/A	0.846	4
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Walleye pollock - Eastern Bering Sea	No	No	No	NA	N/A	1.034	4
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Yellowfin sole - Bering Sea / Aleutian Islands	No	No	No	NA	N/A	1.639	4
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area / Groundfish of the Gulf of Alaska	Sablefish - Eastern Bering Sea / Aleutian Islands / Gulf of Alaska *	No	No	No	NA	N/A	1.09	4
NPFMC	Groundfish of the Gulf of Alaska	Arrowtooth flounder - Gulf of Alaska	No	No	No	NA	N/A	2.94	4
NPFMC	Groundfish of the Gulf of Alaska	Dusky rockfish - Gulf of Alaska *	No	No	No	NA	N/A	1.677	4
NPFMC	Groundfish of the Gulf of Alaska	Flathead sole - Gulf of Alaska	No	No	No	NA	N/A	2.809	4
NPFMC	Groundfish of the Gulf of Alaska	Gulf of Alaska Blackspotted and Rougheye Rockfish Complex *	No	No	No	NA	N/A	1.492	4

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress	B/Bmsy or B/Bmsy proxy	Official FSSI Score
NPFMC	Groundfish of the Gulf of Alaska	Gulf of Alaska Deepwater Flatfish Complex *	No	Undefined	Unknown	NA	N/A	not estimated	1.5
NPFMC	Groundfish of the Gulf of Alaska	Gulf of Alaska Demersal Shelf Rockfish Complex *	No	Undefined	Unknown	NA	N/A	not estimated	1.5
NPFMC	Groundfish of the Gulf of Alaska	Gulf of Alaska Thornyhead Rockfish Complex *	No	Undefined	Unknown	NA	N/A	not estimated	1.5
NPFMC	Groundfish of the Gulf of Alaska	Northern rockfish - Western / Central Gulf of Alaska	No	No	No	NA	N/A	1.851	4
NPFMC	Groundfish of the Gulf of Alaska	Pacific cod - Gulf of Alaska	No	No	No	NA	N/A	1.198	4
NPFMC	Groundfish of the Gulf of Alaska	Pacific ocean perch - Gulf of Alaska	No	No	No	NA	N/A	1.302	4
NPFMC	Groundfish of the Gulf of Alaska	Rex sole - Gulf of Alaska	No	No	No	NA	N/A	2.713	4
NPFMC	Groundfish of the Gulf of Alaska	Walleye pollock - Western / Central Gulf of Alaska	No	No	No	NA	N/A	1.004	4
PFMC	Coastal Pelagic Species	Jack mackerel - Pacific Coast	No	Undefined	Unknown	NA	N/A	not estimated	1.5
PFMC	Coastal Pelagic Species	Northern anchovy - Northern Pacific Coast	Undefined	Undefined	Unknown	NA	N/A	not estimated	0
PFMC	Coastal Pelagic Species	Northern anchovy - Southern Pacific Coast	No	Undefined	Unknown	NA	N/A	not estimated	1.5
PFMC	Coastal Pelagic Species	Opalescent inshore squid - Pacific Coast	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
PFMC	Coastal Pelagic Species	Pacific chub mackerel - Pacific Coast	No	No	No	NA	N/A	5.11	4
PFMC	Coastal Pelagic Species	Pacific sardine - Pacific Coast	No	No	No	NA	N/A	0.34	4
PFMC	Pacific Coast Groundfish	Arrowtooth flounder - Pacific Coast	No	No	No	NA	N/A	1.97	4
PFMC	Pacific Coast Groundfish	Bank rockfish - California	Unknown	No	No	NA	N/A	0.65-0.78	1.5
PFMC	Pacific Coast Groundfish	Black rockfish - Northern Pacific Coast	No	No	No	NA	N/A	1.38	4
PFMC	Pacific Coast Groundfish	Blackgill rockfish - Southern California	Unknown	No	No	NA	N/A	0.756	1.5
PFMC	Pacific Coast Groundfish	Blue rockfish - California	Unknown	No	No	NA	N/A	0.749	1.5
PFMC	Pacific Coast Groundfish	Bocaccio - Southern Pacific Coast	No	No - Rebuilding	No	Continue Rebuilding	Year 13 of 22- year plan	0.649	3

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress	B/Bmsy or B/Bmsy proxy	Official FSSI Score
PFMC	Pacific Coast Groundfish	Brown rockfish - Pacific Coast	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
PFMC	Pacific Coast Groundfish	Cabezon - California	No	No	No	NA	N/A	1.169	4
PFMC	Pacific Coast Groundfish	California scorpionfish - Southern California	No	No	Unknown	NA	N/A	2	4
PFMC	Pacific Coast Groundfish	Canary rockfish - Pacific Coast	No	Yes	NA	Continue Rebuilding	Year 12 of 26- year plan	0.576	2
PFMC	Pacific Coast Groundfish	Chilipepper - Southern Pacific Coast	No	No	No	NA	N/A	1.784	4
PFMC	Pacific Coast Groundfish	Cowcod - Southern California	No	Yes	NA	Continue Rebuilding	Year 12 of 67- year plan	0.112	2
PFMC	Pacific Coast Groundfish	Darkblotched rockfish - Pacific Coast	No	No - Rebuilding	No	Continue Rebuilding	Year 11 of 23- year plan	0.755	3
PFMC	Pacific Coast Groundfish	Dover sole - Pacific Coast	No	No	No	NA	N/A	3.35	4
PFMC	Pacific Coast Groundfish	English sole - Pacific Coast	No	No	No	NA	N/A	2.909	4
PFMC	Pacific Coast Groundfish	Gopher rockfish - Northern California	Unknown	No	Unknown	NA	N/A	2.42	2.5
PFMC	Pacific Coast Groundfish	Kelp greenling - Oregon	Unknown	No	Unknown	NA	N/A	1.23	2.5
PFMC	Pacific Coast Groundfish	Lingcod - Pacific Coast	No	No	No	NA	N/A	1.676	4
PFMC	Pacific Coast Groundfish	Longnose skate - Pacific Coast	No	No	No	NA	N/A	1.647	4
PFMC	Pacific Coast Groundfish	Longspine thornyhead - Pacific Coast	No	No	No	NA	N/A	1.78	4
PFMC	Pacific Coast Groundfish	Pacific cod - Pacific Coast	No	Unknown	Unknown	NA	N/A	not estimated	1.5
PFMC	Pacific Coast Groundfish	Pacific grenadier - Pacific Coast	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
PFMC	Pacific Coast Groundfish	Pacific hake - Pacific Coast	No	No	No	NA	N/A	0.816	4
PFMC	Pacific Coast Groundfish	Pacific ocean perch - Pacific Coast	No	Yes	No	Continue Rebuilding	Year 13 of 20- year plan	0.478	2
PFMC	Pacific Coast Groundfish	Pacific sanddab - Pacific Coast	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
PFMC	Pacific Coast Groundfish	Petrale sole - Pacific Coast	No	No - Rebuilding	NA	Rebuilding Program	Year 1 of 4-year plan	0.718	3
PFMC	Pacific Coast Groundfish	Rex sole - Pacific Coast	Unknown	Unknown	Unknown	NA	N/A	not estimated	0

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress	B/Bmsy or B/Bmsy proxy	Official FSSI Score
PFMC	Pacific Coast Groundfish	Rougheye rockfish - Pacific Coast	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
PFMC	Pacific Coast Groundfish	Sablefish - Pacific Coast	No	No	No	NA	N/A	0.837	4
PFMC	Pacific Coast Groundfish	Sand sole - Pacific Coast	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
PFMC	Pacific Coast Groundfish	Shortbelly rockfish - Pacific Coast	No	No	No	NA	N/A	1.667	4
PFMC	Pacific Coast Groundfish	Shortspine thornyhead - Pacific Coast	No	No	No	NA	N/A	1.57	4
PFMC	Pacific Coast Groundfish	Spiny dogfish - Pacific Coast	Unknown	No	No	NA	N/A	1.579	2.5
PFMC	Pacific Coast Groundfish	Splitnose rockfish - Pacific Coast	No	No	No	NA	N/A	1.6	4
PFMC	Pacific Coast Groundfish	Starry flounder - Pacific Coast	No	No	Unknown	NA	N/A	1.25	4
PFMC	Pacific Coast Groundfish	Vermilion rockfish - California	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
PFMC	Pacific Coast Groundfish	Widow rockfish - Pacific Coast	No	No	No	NA	N/A	1.277	4
PFMC	Pacific Coast Groundfish	Yelloweye rockfish - Pacific Coast	No	Yes	NA	Continue Rebuilding	Year 10 of 71- year plan	0.534	2
PFMC	Pacific Coast Groundfish	Yellowtail rockfish - Northern Pacific Coast	No	No	No	NA	N/A	1.36	4
PFMC	U.S. West Coast Fisheries for Highly Migratory Species	Skipjack tuna - Eastern Tropical Pacific *	No	No	No	NA	N/A	>1	4
PFMC	U.S. West Coast Fisheries for Highly Migratory Species	Striped marlin - Eastern Tropical Pacific *	No	No	No	NA	N/A	>1	4
PFMC	U.S. West Coast Fisheries for Highly Migratory Species	Yellowfin tuna - Eastern Tropical Pacific	No	No	No	NA	N/A	0.96	4
PFMC / WPFMC	U.S. West Coast Fisheries for Highly Migratory Species / Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Albacore - North Pacific *	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
PFMC / WPFMC	U.S. West Coast Fisheries for Highly Migratory Species / Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Bigeye tuna - Pacific	Yes	No	No	Reduce Mortality	N/A	1.04 - ETP stock 1.25 - CWP stock	3

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress	B/Bmsy or B/Bmsy proxy	Official FSSI Score
PFMC / WPFMC	U.S. West Coast Fisheries for Highly Migratory Species / Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Blue shark - Pacific	No	No	Unknown	NA	N/A	1.08	4
PFMC / WPFMC	U.S. West Coast Fisheries for Highly Migratory Species / Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Dolphinfish - Pacific	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
PFMC / WPFMC	U.S. West Coast Fisheries for Highly Migratory Species / Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Pacific bluefin tuna - Pacific	Yes	No	No	Reduce Mortality	N/A	0.88	3
PFMC / WPFMC	U.S. West Coast Fisheries for Highly Migratory Species / Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Swordfish - North Pacific *	No	No	No	NA	N/A	1.31-CWP stock and 2.44 - ETP stock	4
SAFMC	Dolphin and Wahoo Fishery of the Atlantic	Dolphinfish - Southern Atlantic Coast	No	No	No	NA	N/A	1.56	4
SAFMC	Shrimp Fishery of the South Atlantic Region	Brown rock shrimp - Southern Atlantic Coast	No	No	No	NA	N/A	not estimated	3
SAFMC	Shrimp Fishery of the South Atlantic Region	Brown shrimp - Southern Atlantic Coast	No	No	No	NA	N/A	4.073	4
SAFMC	Shrimp Fishery of the South Atlantic Region	Pink shrimp - Southern Atlantic Coast *	No	Yes	NA	NA	N/A	0.194	2
SAFMC	Shrimp Fishery of the South Atlantic Region	White shrimp - Southern Atlantic Coast	No	No	No	NA	N/A	3.971	4
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Black grouper - Southern Atlantic Coast*	No	No	No	NA	N/A	1.4	4
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Black sea bass - Southern Atlantic Coast	Yes	No - Rebuilding	No	Reduce Mortality, Continue Rebuilding	Year 7 of 10- year plan	0.7	2
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Gag - Southern Atlantic Coast	Yes	No	Yes	Reduce Mortality	N/A	0.942	3

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress	B/Bmsy or B/Bmsy proxy	Official FSSI Score
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Gray triggerfish - Southern Atlantic Coast	No	Unknown	Unknown	NA	N/A	not estimated	1.5
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Greater amberjack - Southern Atlantic Coast	No	No	No	NA	N/A	1.096	4
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Hogfish - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Nassau grouper - Gulf of Mexico	No	Undefined	Unknown	NA	N/A	not estimated	1.5
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Red grouper - Southern Atlantic Coast *	Yes	Yes	NA	Reduce Mortality, Rebuilding Program	N/A	0.791	1
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Red porgy - Southern Atlantic Coast	No	Yes	NA	Continue Rebuilding	Year 12 of 18- year plan	0.661	2
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Red snapper - Southern Atlantic Coast	Yes	Yes	NA	Reduce Mortality, Continue Rebuilding	Year 2 of 35- year plan	0.125	1
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Scamp - Southern Atlantic Coast	No	Unknown	Unknown	NA	N/A	not estimated	1.5
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Snowy grouper - Southern Atlantic Coast	Yes	Yes	NA	Reduce Mortality, Continue Rebuilding	Year 7 of 34- year plan	0.18	1
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Speckled hind - Southern Atlantic Coast	Yes	Unknown	Unknown	Reduce Mortality	N/A	not estimated	0.5
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Tilefish - Southern Atlantic Coast	No	No	No	NA	N/A	2.167	4
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Vermilion snapper - Southern Atlantic Coast	Yes	No	No	Reduce Mortality	N/A	0.861	3
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Warsaw grouper - Southern Atlantic Coast	Yes	Unknown	Unknown	Reduce Mortality	N/A	not estimated	0.5
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	White grunt - Southern Atlantic Coast	No	Unknown	Unknown	NA	N/A	not estimated	1.5
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Wreckfish - Southern Atlantic Coast *	No	Unknown	Unknown	NA	N/A	not estimated	1.5
SAFMC / GMFMC	Coastal Migratory Pelagic Resources of the Gulf of Mexico and South Atlantic	Cobia - Gulf of Mexico	No	No	No	NA	N/A	1.33	4

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress	B/Bmsy or B/Bmsy proxy	Official FSSI Score
SAFMC / GMFMC	Coastal Migratory Pelagic Resources of the Gulf of Mexico and South Atlantic	King mackerel - Gulf of Mexico	No	No	No	NA	N/A	1.238	4
SAFMC / GMFMC	Coastal Migratory Pelagic Resources of the Gulf of Mexico and South Atlantic	King mackerel - Southern Atlantic Coast	No	No	No	NA	N/A	1.123	4
SAFMC / GMFMC	Coastal Migratory Pelagic Resources of the Gulf of Mexico and South Atlantic	Little tunny - Gulf of Mexico *	No	Undefined	Unknown	NA	N/A	not estimated	1.5
SAFMC / GMFMC	Coastal Migratory Pelagic Resources of the Gulf of Mexico and South Atlantic	Spanish mackerel - Gulf of Mexico	No	No	No	NA	N/A	1.34	4
SAFMC / GMFMC	Coastal Migratory Pelagic Resources of the Gulf of Mexico and South Atlantic	Spanish mackerel - Southern Atlantic Coast *	No	No	No	NA	N/A	1.78	4
SAFMC / GMFMC	Snapper-Grouper Fishery of the South Atlantic Region / Reef Fish Resources of the Gulf of Mexico	Goliath grouper - Southern Atlantic Coast / Gulf of Mexico *	No	Unknown	Unknown	NA	N/A	not estimated	1.5
SAFMC / GMFMC	Snapper-Grouper Fishery of the South Atlantic Region / Reef Fish Resources of the Gulf of Mexico	Yellowtail snapper - Southern Atlantic Coast / Gulf of Mexico	No	No	No	NA	N/A	1.21	4
SAFMC / GMFMC	Spiny Lobster in the Gulf of Mexico and South Atlantic	Caribbean spiny lobster - Southern Atlantic Coast / Gulf of Mexico	No	Unknown	Unknown	NA	N/A	not estimated	1.5
WPFMC	American Samoa Archipelago Ecosystem	American Samoa Bottomfish Multi- species Complex *	No	No	No	NA	N/A	1.75	4
WPFMC	Hawaii Archipelago Ecosystem	Bigeye scad - Hawaiian Archipelago	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
WPFMC	Hawaii Archipelago Ecosystem	Hancock Seamount Groundfish Complex *	Unknown	Yes	NA	Continue Rebuilding	Year 27 of plan	not estimated	0.5
WPFMC	Hawaii Archipelago Ecosystem	Hawaiian Archipelago Coral Reef Ecosystem Multi-species Complex *	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
WPFMC	Hawaii Archipelago Ecosystem	Mackerel scad - Hawaiian Archipelago	Unknown	Unknown	Unknown	NA	N/A	not estimated	0

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress	B/Bmsy or B/Bmsy proxy	Official FSSI Score
WPFMC	Hawaii Archipelago Ecosystem	Main Hawaiian Islands Deep 7 Bottomfish Multi-species Complex	No	No	No	NA	N/A	0.95	4
WPFMC	Mariana Archipelago Ecosystem	Guam Bottomfish Multi-species Complex *	No	No	No	NA	N/A	1.56	4
WPFMC	Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Albacore - South Pacific	No	No	No	NA	N/A	1.26	4
WPFMC	Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Indo-Pacific blue marlin - Pacific	No	No	No	NA	N/A	1.4	4
WPFMC	Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Kawakawa - Tropical Pacific	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
WPFMC	Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Opah - Pacific	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
WPFMC	Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Shortbill spearfish - Pacific	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
WPFMC	Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Skipjack tuna - Central Western Pacific *	No	No	No	NA	N/A	2.684	4
WPFMC	Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Striped marlin - Central Western Pacific *	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
WPFMC	Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Wahoo - Pacific	Unknown	Unknown	Unknown	NA	N/A	not estimated	0
WPFMC	Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Yellowfin tuna - Central Western Pacific *	No	No	No	NA	N/A	1.33	4

600

CFMC Carbbean Grouper Unit 2  Carbbean Grouper Unit 2  Carbbean Grouper Unit 2  Carbbean Grouper Unit 4  Carbbean Snapper Unit 5  Carbbean Snapper Unit 1  This sock complex consists of silk, black, verminol, and blackfin snapper, and wenchman adwar most executily assessed in 2009 (Carbbean Fisheres) as subject to overfishing, but not overfished. A more recent assessment, using best experin judgment, determined that this stock cample is subject to overfishing, but not overfished. A more recent assessment was finalized in 2012 that found silk snapper is not subject to overfishing, but not overfished. A more recent assessment was finalized in 2012 that found silk snapper is not subject to overfishing, but not overfished. A more recent assessment was finalized in 2012 that found silk snapper is not subject to overfishing, but not overfished. A more recent assessment was finalized in 2012 that found silk snapper is not subject to overfishing, but not overfished. A more recent assessment was finalized in 2012 that found silk snapper is not subject to overfishing, but not overfished. A more recent assessment was finalized in 2012 that found silk snapper is not subject to overfishing, but not overfished.  CEMIC  Carbbean Snapper Unit 5  Carbbean Snapper Unit 5  Carbbean Snapper Unit 6  Carbbean Snapper Unit 7  Carbbean Snapper Unit 8  Carbbean Snapper Unit 8  Carbbean Snapper Unit 9  Carbbean Snapper Unit 9  Carbbean Snapper Unit 4  Carbbean Snapper Unit 4  Carbbean Snapper Unit 6  Carbbean Snapper Unit 7  Carbbean Snapper Unit 8  Carbbean Snapper Unit 9  Carbbean Snapper Unit	Jurisdiction	Stock	Footnote
CFMC Carbbean Grouper Unit 4  Carbbean Grouper Unit 4  Carbbean Grouper Unit 4  Carbbean Snapper Unit 1  This stock complex consists of silk, black, vermilion, and blackfin snapper, and wenchman and was most recently assessed in 2009 (Carbbean Fisheries) and the Carbbean Snapper Unit 1  This stock complex consists of silk, black, vermilion, and blackfin snapper, and wenchman and was most recently assessed in 2009 (Carbbean Fisheries) as subject to overfishing, but not overfished. A more recent assessment using best expert indigeneed, determined that this stock complex for the complex	CFMC	Caribbean Grouper Unit 1	Caribbean Grouper Unit 1 is part of the Caribbean Reef Fish FMU and is composed of Nassau grouper. The fishery in the EEZ is closed. The fishery is now closed in the territorial waters of the USVI and Puerto Rico, therefore fishing mortality is very low.
CEMC Caribbean Snapper Unit 1 This stock complex consists of silk, black, vermilion, and blackfin snapper, and wenchman and was most recently assessed in 2009 (Caribbean Fisheries Data Evaluations, SEDAR Procedures S Workshop) analyze 2c. 29 2009). This assessment, using base espert judgment, determined that this stock complex is ablect to overfishing, Since the sacressment of the other stocks contained in the Snapper Unit 1 complex, nor does silk snappers soon subject to overfishing. Since the assessment and don included the other stocks contained in the Snapper Unit 1 complex, nor does silk snappers serve as an indicator for the complex, a status of the complex females unchanged.  Caribbean Snapper Unit 3 Caribbean Snapper Unit 3 Caribbean Snapper Unit 4 is part of the Caribbean Reef Fish FMU and is composed of gray, lane, mutron, dog, schoolmaster, and mahogany snapper, and present, there are more data for mutron snapper than for the other species contained in the snat, but no indicator species has been identified.  CEMENC Caribbean Snapper Unit 4 is part of the Caribbean Reef Fish FMU and is composed of gray, lane, mutron, dog, schoolmaster, and mahogany snapper, and contained in the snapper snapper.  Black grouper - Gulf of Mesico FMFs. Beginning in FY13, it will no longer be listed as 2 separate society, but as a single stock.  The overfished status of this stock is based on the best escendiar in domain and adalbea, as determined in the most recent stock assessment (August 2011) and the following status are not defined in the fishery management plan, but will be adopted and implemented in the FMP under the recommendation of the Scientific and Statistical Committee (SNC).  GMFMC  Both of Mesico  Weefishing determination is pre-SFA.  Effective November 11, 2011, stone crabs are no longer managed under a federal fishery management plan, but will be adopted and implemented in the FMP under the recommendation of the Scientific and Statistical Committee (SNC).  The addition to Snadbar Shark, Gulf of Mesico Blac	CFMC	Caribbean Grouper Unit 2	Caribbean Grouper Unit 2 is part of the Caribbean Reef Fish FMU and is composed of Goliath grouper. Fishery in the EEZ and territorial waters of the USVI is closed; therefore, fishing mortality is very low.
CEMC Caribbean Snapper Unit 1  Data Evaluation, SEDAR Procedures 3 Workshop January 26-22 2009). This assessment, using best expert pidgment, determined that this stock complex subject to overfishing, but no overfishing, but no overfishing, but no overfishing of the complex necessarians unchanged.  CEMC Caribbean Snapper Unit 3  Caribbean Snapper Unit 3  Caribbean Snapper Unit 4  Caribbean Snapper Unit 4 is part of the Caribbean Reef Fish FMU and is composed of gray, lane, mutton, dog, schoolmaster, and malogany snapper; at present, there are more data for mutton snapper than for the other species contained in this onit, but no indicator species has been identified.  CEMPMC  Black grouper - Gulf of Mexico  Shaper Unit 4 is part of the Caribbean Reef Fish FMU and is composed of yellowtail snapper.  Black grouper is now managed as a single Gulf of Mexico/South Atlantic stock under both the Snapper-Grouper and Reef Fish of the Gulf of Mexico PMM. Regimening in FY13, it will no longer be fasted as 2 separate stock as a sengle stock.  CARIFAIC  Brown shrimp - Gulf of Mexico  Overfishing determination is pre-SFA.  Stone crabs (Menippe spp.) - Gulf of Mexico  Overfishing determination is pre-SFA.  Ifficitive November 11, 2011, stone crabs are no longer managed under a federal fishery management plan. The stone crab fishery takes place primarily stance waters of the coast of Florida, and the Florida Fish and Willlife Conservation (Gwr) is extending its management of the fishery into extending the management of the fishery into extending the management of the fishery into extending shares. The status of this stock will continue to be reported until it is officially removed from the FSSI stock his management of the fishery into extending sh	CFMC	Caribbean Grouper Unit 4	
CEMIC Caribbean Snapper Unit 3  present, there are more data for mutton snapper than for the other species contained in this unit, but no indicator species has been identified.  CEMIC Caribbean Snapper Unit 4  Caribbean Snapper Unit 4  Caribbean Snapper Unit 4  Caribbean Snapper Unit 4  Caribbean Snapper Unit 4 is part of the Caribbean Reef Fish FMU and is composed of yellowtail snapper.  Black grouper - Gulf of Mexico  FMPs. Beginning in FY13, it will no longer be listed as 2 separate stocks, but as a single stock.  CEMIFMC  Vellowedge grouper - Gulf of Mexico  The overfished status of this stock is based on the best scientific information available, as determined in the most recent stock assessment (August 2011)  Currently, the criteria for determining the overfished status are not defined in the fishery management plan, but will be adopted and implemented in the FMP under the recomendation of the Scientific and Statistical Committee (SSC).  GMFMC  Brown shrimp - Gulf of Mexico  Overfishing determination is pre-SFA.  Effective November 11, 2011, stone crabs are no longer managed under a federal fishery management plan. The stone crab fishery tates waters off the coast of Florida, and the Florida Fish and Wildlife Conservation Commission (FWC) is extending its management of the fishery into Federal waters. The status of this stock will continue to be reported until it is officially removed from the FSSI stock list in FY13.  Adantic Large Coastal Shark Complex  In addition to Sandbars Shark, Gulf of Mexico Blacktip Shark, Athantic Blacktip Shark, and Scalloped Hammerhead (which are assessed individually), the Large Coastal Shark Complex also consists of additional stocks including Spinner Shark, Silky Shark, Bull Shark, Figer Shark, Lurse Shark, Shar	CFMC	Caribbean Snapper Unit 1	Data Evaluation, SEDAR Procedures 3 Workshop January 26-29 2009). This assessment, using best expert judgment, determined that this stock complex is subject to overfishing, but not overfished. A more recent assessment was finalized in 2012 that found silk snapper is not subject to overfishing. Since this assessment did not include the other stocks contained in the Snapper Unit 1 complex, nor does silk snapper serve as an indicator for the complex, the
Black grouper - Gulf of Mexico  Black grouper - Gulf of Mexico  Black grouper is now managed as a single Gulf of Mexico/South Atlantic stock under both the Snapper-Grouper and Reef Fish of the Gulf of Mexico  PMPs. Beginning in FY13, it will no longer be listed as 2 separate stocks, but as a single stock.  The overfished status of this stock is based on the best scientific information available, as determined in the most recent stock assessment (August 2011). Currently, the criteria for determining the overfished status are not defined in the fishery management plan, but will be adopted and implemented in the FMP under the recomendation of the Scientific and Statistical Committee (SSC).  GMFMC  Brown shrimp - Gulf of Mexico  Overfishing determination is pre-SFA.  Effective November 11, 2011, stone crabs are no longer managed under a federal fishery management plan. The stone crab fishery takes place primarily state waters off the coast of Florida, and the Florida Fish and Wildlife Conservation Commission (FWC) is extending its management of the fishery into Federal waters. The status of this stock will continue to be reported until it is officially removed from the FSSI stock list in FY13.  In addition to Sandbar Shark, Gulf of Mexico Blacktip Shark, Atlantic Blacktip Shark, and Scalloped Hammerhead (which are assessed individually), the Large Coastal Shark Complex also consists of additional stocks including Spinner Shark, Siley Shark, Bull Shark, Tiger Shark, Lemon Shark, Nurse Shark Great Hammerhead Shark, and Smooth Hammerhead Shark, In addition, several LCS species cannot be retained in commercial recreational fisheries, including Bignose Shark, Calapages Shark, Night Shark, Caribbean Reef Shark, Narrowooth Shark, White Shark, Basking Shark, White Shark.  In addition to Finetooth Shark, Atlantic Sharpnose Shark, Backnose Shark, and Bonnethead Shark (which are assessed individually), the Sharl Coastal Shark Complex shock consists of: Atlantic Angel Shark, Caribbean Sharpnose Shark, and Smalltail Shark; thes	CFMC	Caribbean Snapper Unit 3	Caribbean Snapper Unit 3 is part of the Caribbean Reef Fish FMU and is composed of gray, lane, mutton, dog, schoolmaster, and mahogany snapper; at present, there are more data for mutton snapper than for the other species contained in this unit, but no indicator species has been identified.
FMPs. Beginning in FY13, it will no longer be listed as 2 separate stocks, but as a single stock.  The overfished status of this stock is based on the best scientific information available, as determined in the most recent stock assessment (August 2011; Currently, the criteria for determining the overfished status are not defined in the fishery management plan, but will be adopted and implemented in the FMP under the recomendation of the Scientific and Statistical Committee (SSC).  GMFMC  Brown shrimp - Gulf of Mexico  Overfishing determination is pre-SFA.  Effective November 11, 2011, stone crabs are no longer managed under a federal fishery management plan. The stone crab fishery takes place primarily state waters off the coast of Florida, and the Florida Fish and Widdlife Conservation Commission (FWC) is extending its management of the fishery inte Federal waters. The status of this stock will continue to be reported until it is officially removed from the FSSI stock list in FY13.  In addition to Sandbar Shark, Gulf of Mexico Blacktip Shark, Atlantic Blacktip Shark, and Scalloped Hammerhead (which are assessed individually), the Large Coastal Shark Complex also consists of additional stocks including Spinore Shark, Bull Shark, Tiger Shark, Lemon Shark, Nurse Shark Gerat Hammerhead Shark, and Smooth Hammerhead Shark, Caribbean Reef Shark, Narrowtooth Shark, Sand Tiger Shark, Bagey Sand Tiger Shark, Whale Shark, Basking Shark, White Shark  Atlantic Small Coastal Shark Complex  In addition to Finetooth Shark, Atlantic Shappose Shark, and Bonnethead Shark, (which are assessed individually), the Small Coastal Shark Complex also consists of: Atlantic Angel Shark, Caribbean Sharpnose Shark, and Smalltail Shark; these 3 species cannot be retained in recreational commercial fisheries.  HMS  Atlantic Shappose shark - Atlantic  This stock is part of the Small Coastal Shark Complex, but is assessed separately.  The 2010 stock assessment estimated the range of B/Bmsy=0.72-1.34, while the median estimate was 1.01. Due to	CFMC	Caribbean Snapper Unit 4	Caribbean Snapper Unit 4 is part of the Caribbean Reef Fish FMU and is composed of yellowtail snapper.
Yellowedge grouper - Gulf of Mexico  Gurently, the criteria for determining the overfished status are not defined in the fishery management plan, but will be adopted and implemented in the FMP under the recomendation of the Scientific and Statistical Committee (SSC).  GMFMC  Brown shrimp - Gulf of Mexico  Overfishing determination is pre-SFA.  Effective November 11, 2011, stone crabs are no longer managed under a federal fishery management plan. The stone crab fishery takes place primarily state waters off the coast of Florida, and the Florida Fish and Wildlife Conservation Commission (FWC) is extending its management of the fishery into Federal waters. The status of this stock will continue to be reported until it is officially removed from the FSSI stock list in FY13.  In addition to Sandbar Shark, Gulf of Mexico Blacktip Shark, Atlantic Blacktip Shark, and Scalloped Hammerhead (which are assessed individually), the Large Coastal Shark Complex also consists of additional stocks including Spinner Shark, Salky Shark, Bull Shark, Tiger Shark, Lemon Shark, Oreal Fammerhead Shark, In addition, several LCS species cannot be retained in commercial or recreational fisheries, including Bignose Shark, Galapagos Shark, Night Shark, Caribbean Reef Shark, Narrowtooth Shark, Sand Tiger Shark, Bigeye Sand Tiger Shark, Whale Shark, Basking Shark, Whale Shark, Malantic Sharpnose Shark, Atlantic Sharpnose Shark, and Bonnethead Shark (which are assessed individually), the Small Coastal Shark Complex also consists of: Atlantic Angel Shark, Caribbean Sharpnose Shark, and Smalltail Shark; these 3 species cannot be retained in recreational commercial fisheries.  HMS  Atlantic sharpnose shark - Atlantic  This stock is part of the Small Coastal Shark Complex, but is assessed separately.  The 2010 stock assessment estimated the range of B/Bmsy=0.72-1.34, while the median estimate was 1.01. Due to the uncertainty in the 2010 bigeye assessment, the Agency has not declared this stock rebuilt. Rather, it is considered as rebuilding, and t	GMFMC	Black grouper - Gulf of Mexico	
Stone crabs (Menippe spp.) - Gulf of Mexico  Stone crabs (Menippe spp.) - Gulf of Mexico  Stone crabs (Menippe spp.) - Gulf of Mexico  Effective November 11, 2011, stone crabs are no longer managed under a federal fishery management plan. The stone crab fishery takes place primarily state waters off the coast of Florida, and the Florida Fish and Wildlife Conservation Commission (FWC) is extending its management of the fishery into Federal waters. The status of this stock will continue to be reported until it is officially removed from the FSSI stock list in FY13.  In addition to Sandbar Shark, Gulf of Mexico Blacktip Shark, Atlantic Blacktip Shark, and Scalloped Hammerhead (which are assessed individually), the Large Coastal Shark Complex also consists of additional stocks including Spinner Shark, Bull Shark, Bull Shark, Lemon Shark, Nurse Shark and Smooth Hammerhead Shark. In addition, several LCS species cannot be retained in commercial or recreational fisheries, including Bignose Shark, Galapagos Shark, Night Shark, Caribbean Reef Shark, Narrowtooth Shark, Sand Tiger Shark, Bigeye Sand Tiger Shark, Whale Shark Complex Shark Complex also consists of: Atlantic Sharpnose Shark, and Bonnethead Shark (which are assessed individually), the Small Coastal Shark Complex also consists of: Atlantic Angel Shark, Caribbean Sharpnose Shark, and Smalltail Shark; these 3 species cannot be retained in recreational commercial fisheries.  HMS  Atlantic sharpnose shark - Atlantic  This stock is part of the Small Coastal Shark Complex, but is assessed separately.  The 2010 stock assessment estimated the range of B/Bmsy=0.72-1.34, while the median estimate was 1.01. Due to the uncertainty in the 2010 bigeye assessment, the Agency has not declared this stock rebuilt. Rather, it is considered as rebuilding, and this determination also mirrors the language in the SCRS bigeye stock assessment report from 2010 that discusses the higher odds of rebuilding to levels that could produce MSY if there are lower catches	GMFMC	Yellowedge grouper - Gulf of Mexico	The overfished status of this stock is based on the best scientific information available, as determined in the most recent stock assessment (August 2011). Currently, the criteria for determining the overfished status are not defined in the fishery management plan, but will be adopted and implemented in the FMP under the recomendation of the Scientific and Statistical Committee (SSC).
Stone crabs (Menippe spp.) - Gulf of Mexico  Stone crabs (Menippe spp.) - Gulf of Mexico  State waters off the coast of Florida, and the Florida Fish and Wildlife Conservation Commission (FWC) is extending its management of the fishery into Federal waters. The status of this stock will continue to be reported until it is officially removed from the FSSI stock list in FY13.  In addition to Sandbar Shark, Gulf of Mexico Blacktip Shark, Atlantic Blacktip Shark, and Scalloped Hammerhead (which are assessed individually), the Large Coastal Shark Complex also consists of additional stocks including Spinner Shark, Silky Shark, Bull Shark, Tiger Shark, Lemon Shark, Nurse Shark Great Hammerhead Shark, and Smooth Hammerhead Shark. In addition, several LCS species cannot be retained in commercial or recreational fisheries, including Bignose Shark, Basking Shark, Night Shark, Caribbean Reef Shark, Narrowtooth Shark, Sand Tiger Shark, Bigeye Sand Tiger Shark, Whale Shark, Basking Shark, White Shark.  Atlantic Small Coastal Shark Complex  Atlantic Small Coastal Shark Complex  Atlantic sharpnose shark - Atlantic  This stock is part of the Small Coastal Shark Complex, but is assessed separately.  The 2010 stock assessment estimated the range of B/Bmsy=0.72-1.34, while the median estimate was 1.01. Due to the uncertainty in the 2010 bigeye assessment, the Agency has not declared this stock rebuilt. Rather, it is considered as rebuilding, and this determination also mirrors the language in the SCRS bigeye stock assessment report from 2010 that discusses the higher odds of rebuilding to levels that could produce MSY if there are lower catches	GMFMC	Brown shrimp - Gulf of Mexico	Overfishing determination is pre-SFA.
Atlantic Large Coastal Shark Complex also consists of additional stocks including Spinner Shark, Silky Shark, Bull Shark, Tiger Shark, Lemon Shark, Nurse Shark Atlantic Large Coastal Shark Complex also consists of additional stocks including Spinner Shark, Silky Shark, Bull Shark, Tiger Shark, Lemon Shark, Nurse Shark Atlantic Large Coastal Shark Complex also consists of additional stocks including Spinner Shark, Silky Shark, Bull Shark, Tiger Shark, Lemon Shark, Nurse Shark and Smark Loss species cannot be retained in commercial or recreational fisheries, including Bignose Shark, Galapagos Shark, Night Shark, Caribbean Reef Shark, Narrowtooth Shark, Sand Tiger Shark, Bigeye Sand Tiger Shark, Whale Shark Shark Complex Shark, Atlantic Shark Complex Shark, Atlantic Shark Shark Complex Shark, Atlantic Shark Complex Shark, Caribbean Sharpnose Shark, and Bonnethead Shark (which are assessed individually), the Small Coastal Shark Complex Shark Complex Shark, Caribbean Sharpnose Shark, and Smalltail Shark; these 3 species cannot be retained in recreational commercial fisheries.  HMS  Atlantic sharpnose shark - Atlantic  This stock is part of the Small Coastal Shark Complex, but is assessed separately.  The 2010 stock assessment estimated the range of B/Bmsy=0.72-1.34, while the median estimate was 1.01. Due to the uncertainty in the 2010 bigeye assessment, the Agency has not declared this stock rebuilt. Rather, it is considered as rebuilding, and this determination also mirrors the language in the SCRS bigeye stock assessment report from 2010 that discusses the higher odds of rebuilding to levels that could produce MSY if there are lower catches	GMFMC		Effective November 11, 2011, stone crabs are no longer managed under a federal fishery management plan. The stone crab fishery takes place primarily in state waters off the coast of Florida, and the Florida Fish and Wildlife Conservation Commission (FWC) is extending its management of the fishery into Federal waters. The status of this stock will continue to be reported until it is officially removed from the FSSI stock list in FY13.
Atlantic Small Coastal Shark Complex also consists of: Atlantic Angel Shark, Caribbean Sharpnose Shark, and Smalltail Shark; these 3 species cannot be retained in recreational commercial fisheries.  HMS Atlantic sharpnose shark - Atlantic This stock is part of the Small Coastal Shark Complex, but is assessed separately.  The 2010 stock assessment estimated the range of B/Bmsy=0.72-1.34, while the median estimate was 1.01. Due to the uncertainty in the 2010 bigeye assessment, the Agency has not declared this stock rebuilt. Rather, it is considered as rebuilding, and this determination also mirrors the language in the SCRS bigeye stock assessment report from 2010 that discusses the higher odds of rebuilding to levels that could produce MSY if there are lower catches	HMS	Atlantic Large Coastal Shark Complex	including Bignose Shark, Galapagos Shark, Night Shark, Caribbean Reef Shark, Narrowtooth Shark, Sand Tiger Shark, Bigeye Sand Tiger Shark, Whale
The 2010 stock assessment estimated the range of B/Bmsy=0.72-1.34, while the median estimate was 1.01. Due to the uncertainty in the 2010 bigeye assessment, the Agency has not declared this stock rebuilt. Rather, it is considered as rebuilding, and this determination also mirrors the language in the SCRS bigeye stock assessment report from 2010 that discusses the higher odds of rebuilding to levels that could produce MSY if there are lower catches	HMS	Atlantic Small Coastal Shark Complex	Shark Complex also consists of: Atlantic Angel Shark, Caribbean Sharpnose Shark, and Smalltail Shark; these 3 species cannot be retained in recreational or
HMS Bigeye tuna - Atlantic assessment, the Agency has not declared this stock rebuilt. Rather, it is considered as rebuilding, and this determination also mirrors the language in the SCRS bigeye stock assessment report from 2010 that discusses the higher odds of rebuilding to levels that could produce MSY if there are lower catches	HMS	Atlantic sharpnose shark - Atlantic	This stock is part of the Small Coastal Shark Complex, but is assessed separately.
HMS Blacknose shark - Atlantic This stock is part of the Small Coastal Shark Complex, but is assessed separately.	HMS	Bigeye tuna - Atlantic	
	HMS	Blacknose shark - Atlantic	This stock is part of the Small Coastal Shark Complex, but is assessed separately.

Jurisdiction	Stock	Footnote
HMS	Blacktip shark - Gulf of Mexico	This stock is part of the Large Coastal Shark Complex, but is assessed separately.
HMS	Blacktip shark - South Atlantic	This stock is part of the Large Coastal Shark Complex, but is assessed separately.
HMS	Blue marlin - Atlantic	For the overfished North Atlantic blue and white marlins, Amendment One to the Atlantic Billfish FMP established a foundation to develop an international rebuilding plan. An international rebuilding plan with a two-phase approach was adopted in 2000 by ICCAT; Phase I was implemented on 6/1/2001, while the United States continues to work toward its full implementation. It should be noted that the ICCAT rebuilding program does not satisfy all the requirements of the Magnuson-Stevens Act. NMFS is continuing to work domestically to monitor its fisheries and promote conservation. The SCRS conducted assessments of blue and white marlin in 2006.
HMS	Blue shark - Atlantic	This stock is part of the Pelagic Shark Complex, but is assessed separately.
HMS	Bonnethead - Atlantic	This stock is part of the Small Coastal Shark Complex, but is assessed separately.
HMS	Dusky shark - Atlantic	The first species-specific dusky shark assessment occurred in 2006 and indicates that dusky shark stocks have been depleted 62-80 percent with respect to virgin biomass. Assessment scientists recommend that the rebuilding timeframe for dusky sharks could last anywhere from 100 to 400 years.
HMS	Finetooth shark - Atlantic	This stock is part of the Small Coastal Shark Complex, but is assessed separately.
HMS	Porbeagle - Atlantic	This stock is part of the Pelagic Shark Complex, but is assessed separately. According to the 2005 recovery assessment report conducted by Canada, the North Atlantic porbeagle stock has a 70 percent probability of recovery in approximately 100 years if F is less than or equal to 0.04. There is no U.S. domestic rebuilding plan in place for this species. A rebuilding plan will be implemented in an upcoming Amendment estimated to be finalized in 2008. Until this new Amendment is in place, porbeagle sharks will be managed according to the 1999 HMS FMP. A range of 0.15-0.32 is reported for the B/Bmsy estimate.
HMS	Sailfish - Western Atlantic	For overfished sailfish, Amendment One to the Atlantic Billfish FMP established the foundation to develop an international 10-year rebuilding program. While steps have been taken internationally to pursue recovery of the overfished west Atlantic sailfish stock, an international rebuilding program has not yet been adopted. NMFS is continuing to work through ICCAT to establish an international rebuilding program and is working domestically to monitor its fisheries and promote conservation. The B/Bmsy is estimated to be > 75%Bmsy.
HMS	Sandbar shark - Atlantic	This stock is part of the Large Coastal Shark Complex, but is assessed separately.
HMS	Shortfin mako - Atlantic	This stock is part of the Pelagic Shark Complex, but is assessed separately. A range of 0.48-3.77 is estimated for B/Bmsy.
HMS	White marlin - Atlantic	For the overfished North Atlantic blue and white marlins, Amendment One to the Atlantic Billfish FMP established a foundation to develop an international rebuilding plan. An international rebuilding plan with a two-phase approach was adopted in 2000 by ICCAT; Phase I was implemented on 6/1/2001, while the United States continues to work toward its full implementation. It should be noted that the ICCAT rebuilding program does not satisfy all the requirements of the Magnuson-Stevens Act. NMFS is continuing to work domestically to monitor its fisheries and promote conservation. The SCRS conducted assessments of blue and white marlin in 2006.
MAFMC	Atlantic mackerel - Gulf of Maine / Cape Hatteras	Although this stock is currently listed as not subject to overfishing and not overfished, the most recent stock assessment conducted for Atlantic mackerel (2010) could not determine the overfishing or overfished status. Stock status is based on the assessment conducted in 2005.
MAFMC	Butterfish - Gulf of Maine / Cape Hatteras	The overfished status of butterfish is unknown, based on the fact that the last assessment was unable to estimate stock size with reasonable confidence. In addition, the previous assessment conducted in 2004, was found to have significant problems in retrospect, such that stock size estimates are highly uncertain. In order to maintain a precautionary approach, this stock will remain in a rebuilding plan until it can be confirmed with reasonable confidence that stock size has reached an appropriate rebuilding target.

Jurisdiction	Stock	Footnote
MAFMC	Longfin inshore squid - Georges Bank / Cape Hatteras	The most recent stock assessment conducted in 2011 found that the current fishing mortality reference points are inappropriate for assessing the overfishing status of longfin inshore squid. Thus, the previous assessment's overfishing determination has been invalidated and the overfishing status is unknown.
MAFMC	Northern shortfin squid - Northwestern Atlantic Coast	Although Northern shortfin squid is currently listed as not subject to overfishing, the most recent stock assessment (2006) was not able to precisely determine current exploitation rates or stock biomass. Nevertheless, the overfishing status of this stock remains unchanged, based on the results of an earlier assessment (2005).
MAFMC	Tilefish - Mid-Atlantic Coast	Although the most recent B/Bmsy = 1.04, this stock has not been declared rebuilt. SARC 48 (2009) notes the following: The biomass estimates for recent years from the ASPIC model are likely over-optimistic because trends in commercial VTR CPUE declined recently in a manner consistent with the passage of the strong 1999 cohort through the population (an interpretation further supported by the length frequency data). The current assessment model (ASPIC) does not account for those factors. Much of the confidence interval around the 2008 biomass estimate falls below the updated BMSY listed above. Based on these considerations there is no convincing evidence that the stock has rebuilt to levels above BTARGET. The rebuilt status will be re-evaluated when the stock is assessed next.
NEFMC	Atlantic herring - Northwestern Atlantic Coast	Although this stock is currently listed as not subject to overfishing and not overfished, the most recent stock assessment conducted for Atlantic herring (2010) could not determine the overfishing or overfished status. Stock status is based on a stock assessment conducted in 2009 (TRAC).
NEFMC	Red deepsea crab - Northwestern Atlantic	In the most recent stock assessments (NEFSC 2006) the current MSY and BMSY estimates for red crabs were criticized and judged unreliable due to uncertainty about biological parameters and the model used to calculate MSY. New estimates were not developed due to lack of information about growth, longevity and trends in abundance (from the 2009 Data Poor Working Group Report).
NEFMC	Acadian redfish - Gulf of Maine / Georges Bank	Based on the current FMP GARM III (2008) reference points, the stock was considered not subject to overfishing and not overfished. Based on the 2012 Assessment/Updates new reference points for the stock were developed, and the stock remains not subject to overfishing, and not overfished. The stock biomass has now exceeded the level needed to attain rebuilt status. The final results of the 2012 Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the 2012 Assessments/Updates.
NEFMC	Atlantic cod - Georges Bank	Based on the current FMP GARM III (2008) reference points, the stock was considered subject to overfishing and overfished. Based on the March, 2012, Assessment or Data Updates of 13 Northeast Groundfish Stocks through 2010 (2012 Assessments/Updates) new reference points for the stock were developed, and the stock was determined to continue to be subject to overfishing and overfished. The final results of the 2012 Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the 2012 Assessments/Updates.
NEFMC	Atlantic cod - Gulf of Maine	Based on the current FMP GARM III (2008) reference points, the stock was considered subject to ?overfishing? and not "overfished". However, based on the, 2012, Assessment/Updates new reference points for the stock were developed, and the stock was determined to remain subject to overfishing, and overfished. The final results of the Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the Assessments/Updates.
NEFMC	Haddock - Georges Bank	Based on the current FMP GARM III (2008) reference points, the stock was considered not subject to overfishing and not overfished. Based on the 2012 Assessment/Updates new reference points for the stock were developed, and the stock remains not subject to overfishing and not overfished. The final results of the Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the 2012 Assessments/Updates.

Jurisdiction	Stock	Footnote
NEFMC	Haddock - Gulf of Maine	Based on the current FMP GARM III (2008) reference points, the stock was not subject to overfishing and not overfished. However, based on the, 2012, Assessment/Updates new reference points for the stock were developed, and the stock was determined to be subject to overfishing, not overfished, but is approaching an overfish condition. The final results of the Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the Assessments/Updates.
NEFMC	Offshore hake - Northwestern Atlantic Coast	The most recent stock assessment for offshore hake finalized in 2011, found that the biological reference points used to make the status determination in 2003 was invalid; as a result, the overfished status has been changed to undefined.
NEFMC	Windowpane - Gulf of Maine / Georges Bank	Based on the current FMP GARM III (2008) reference points, the stock was considered subject to overfishing and overfished. Based on the March, 2012, Assessment or Data Updates of 13 Northeast Groundfish Stocks through 2010 (2012 Assessments/Updates) new reference points for the stock were developed, and the stock was determined to continue to be subject to overfishing and overfished. The final results of the 2012 Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the 2012 Assessments/Updates.
NEFMC	Windowpane - Southern New England / Mid-Atlantic	Based on the current FMP GARM III (2008) reference points, the stock was considered subject to overfishing and not overfished. Based on the 2012 Assessment/Updates new reference points for the stock were developed, and the stock remains not overfished and is no longer subject to overfishing. The stock biomass has now exceeded the level needed to attain rebuilt status. The final results of the 2012 Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the 2012 Assessments/Updates.
NEFMC	Witch flounder - Northwestern Atlantic Coast	Based on the current FMP GARM III (2008) reference points, the stock was considered subject to overfishing and overfished. Based on the March, 2012, Assessment or Data Updates of 13 Northeast Groundfish Stocks through 2010 (2012 Assessments/Updates) new reference points for the stock were developed, and the stock was determined to continue to be subject to overfishing and overfished. The final results of the 2012 Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the 2012 Assessments/Updates.
NEFMC	Yellowtail flounder - Cape Cod / Gulf of Maine	Based on the current FMP GARM III (2008) reference points, the stock was considered subject to overfishing and overfished. Based on the March, 2012, Assessment or Data Updates of 13 Northeast Groundfish Stocks through 2010 (2012 Assessments/Updates) new reference points for the stock were developed, and the stock was determined to continue to be subject to overfishing and overfished. The final results of the 2012 Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the 2012 Assessments/Updates.
NEFMC	Yellowtail flounder - Georges Bank	Effective May 1, 2011, the rebuilding plan for yellowtail flounder - Georges Bank was extended an additional 3 years, so it is now a 10-year rebuilding plan instead of a 7-year plan.
NEFMC	Barndoor skate - Georges Bank / Southern New England	Exact rebuilding time period unspecified in the FMP. Rebuilding may take decades, based on the long-lived, late maturing, and low fecundity nature of this species.
NPFMC	Blue king crab - Pribilof Islands	Fishery in the EEZ is closed; therefore, fishing mortality is very low.
NPFMC	Blue king crab - Saint Matthews Island	Fishery in the EEZ is closed; therefore, fishing mortality is very low.
NPFMC	Red king crab - Pribilof Islands	Fishery in the EEZ is closed; therefore, fishing mortality is very low.
NPFMC	Snow crab - Bering Sea	The North Pacific Fishery Management Council is revising the rebuilding plan for snow crab, which will extend the rebuilding target date . In the meantime, there is no directed fishing for snow crab and the majority of blue king crab habitat is closed to bottom trawling
NPFMC	Southern Tanner crab - Bering Sea	The North Pacific Fishery Management Council was notified by the Alaska Regional Office on October 1, 2010 that Southern tanner crab is overfished.  The NPFMC has 2 years from this date to implement a rebuilding plan for Southern Tanner crab - Bering Sea.

Jurisdiction	Stock	Footnote
NPFMC	Bering Sea / Aleutian Islands Arrowtooth Flounder Complex	The Arrowtooth Flounder Complex consists of Arrowotooth flounder only. Beginning in 2010, Kamchatka flounder was separated into its own assessment, so the arrowtooth flounder assessment now represents arrowtooth flounder only, but management will continue to be based on the "arrowtooth flounder" assemblage.
NPFMC	Bering Sea / Aleutian Islands Blackspotted and Rougheye Rockfish Complex	Blackspotted and Rougheye Rockfish consists of Blackspotted Rockfish and Rougheye Rockfish. An assessment of the combined species provides the overfished determination, and the OFL is based on the combined-species assessment.
NPFMC	Bering Sea / Aleutian Islands Flathead Sole Complex	Flathead Sole consists of Flathead Sole and Bering Flounder. Flathead Sole accounts for the overwhelming majority of the biomass and is regarded as the indicator species for the complex. The overfished determination is based on the combined abundance estimates for the two species; the overfishing determination is based on the OFL, which is computed from the combined abundance estimates for the two species.
NPFMC	Bering Sea / Aleutian Islands Rock Sole Complex	Rock Sole consists of Northern Rock Sole and Southern Rock Sole (NOTE: These are two distinct species, not two separate stocks of the same species). Northern Rock Sole accounts for the overwhelming majority of the biomass and is regarded as the indicator species for the complex. The overfished determination is based on the combined abundance estimates for the two species; the overfishing determination is based on the OFL, which is computed from the combined abundance estimates for the two species.
NPFMC		Although Sablefish is managed separately in the Gulf of Alaska, Bering Sea, and Aleutian Islands, with separate overfishing levels, ABCs, and TACs based on the proportion of biomass in each respective region, separate assessments are not conducted for each of these three regions; the assessment is based on aggregated data from the Gulf of Alaska, Bering Sea, and Aleutian Islands regions. Therefore, it is not appropriate to list separate status determinations for these three regions.
NPFMC	Dusky rockfish - Gulf of Alaska	Prior to 2011, dusky rockfrish was the indicator species for the "pelatic shelf rockfish" complex. Now, however, dusky rockfish is assessed as a single stock and the remaining two members of the former "pelagic shelf rockfish" assemblage (yellowtail and widow rockfish) have been combined with the former "other slope rockfish" assemblage to create a new "other rockfish" assemblage. Overfishing was not defined in 2010 for the dusky rockfish stock per se, but the former pelagic shelf rockfish complex was not subject to overfishing.
NPFMC	Gulf of Alaska Blackspotted and Rougheye Rockfish Complex	Blackspotted and Rougheye Rockfish consists of Blackspotted Rockfish and Rougheye Rockfish. An assessment of the combined species provides the overfished determination, and the OFL is based on the combined-species assessment.
NPFMC		The Deep Water Flatfish Complex consists of the following stocks: Deepsea Sole, Dover Sole, and Greenland Turbot. Prior to 2011, Dover sole was the indicator stock for the deep-water flatfish assemblage. However, the 2011 assessment contained a recommendation that the existing age-structured model be rejected., including using Dover sole as an indicator species. The deep-water flatfish complex therefore no longer has an indicator species and an overfished determination can no longer be made. The complex was not subject to overfishing in 2010.
NPFMC	Gulf of Alaska Demersal Shelf Rockfish Complex	The Demersal Shelf Rockfish Complex consists of the following stocks: Canary Rockfish, China Rockfish, Copper Rockfish, Quillback Rockfish, Rosethorn Rockfish, Tiger Rockfish, and Yelloweye Rockfish. The overfishing determination is based on the OFL, which is computed by using estimates of Yelloweye Rockfish and then increased by 10% to account for the remaining members of the complex.
NPFMC	Gulf of Alaska Thornyhead Rockfish Complex	The Thornyhead Rockfish Complex consists of the following stocks: Longspine Thornyhead and Shortspine Thornyhead. The overfishing determination is based on the OFL, which is computed using abundance estimates of Shortspine Thornyhead.
PFMC		Even though this stock is shown to be under the jurisdiction of a single Council and under the management of a single FMP, it is acknowledged that both the Pacific Fishery Management Council have jurisdiction over this stock, and it is managed under both the West Coast Highly Migratory Species FMP and the Western Pacific Pelagics FMP. The Council indicated here is the lead Council for the purposes of this report.

Jurisdiction	Stock	Footnote
PFMC		Even though this stock is shown to be under the jurisdiction of a single Council and under the management of a single FMP, it is acknowledged that both the Pacific Fishery Management Council and the Western Pacific Fishery Management Council have jurisdiction over this stock, and it is managed under both the West Coast Highly Migratory Species FMP and the Western Pacific Pelagics FMP. The Council indicated here is the lead Council for the purposes of this report. An assessment was conducted on the North Pacific striped marlin stock (ISC 2007, Report of 7th meeting of the ISC) and concluded that CPUE and other indicator trends have significantly declined from historical highs at the beginning of the fisheries to 2006. Although there is uncertainty associated with this assessment owing to data limitations, the results suggest that the stock in the North Pacific Ocean is experiencing intense exploitation. The responsible RFMO (IATTC and WCPFC) are scheduled to address this issue and provide justification for change in status. The previous status of not subject to overfishing and overfished will remain until/if the results of the ISC report are accepted.
PFMC / WPFMC	Albacore - North Pacific	The status of Albacore - North Pacific is based on a suite of FMSY proxies (F40%, F30% and F0.1), two estimated levels of recent fishing pressure (F=0.43 and F=0.68), and two scenarios of productivity (low R and high R). The resulting ratios of F/FMSY range from 1.02 to 2.26. However, the PFMC has not adopted a proxy for FMSY and thus status is listed as "unknown." The ratios of B/BMSY range from 0.67 to 1.07 against an overfished criteria of < 0.7 (see Appendix 2 of this report, 2005 PFMC HMS SAFE document, PFMC HMS FMP and 19th NPALPW Report for details).
PFMC / WPFMC	Swordfish - North Pacific	The status of Swordfish - North Pacific is based on the assessments of the Central Western Pacific and Eastern Tropical Pacific stocks of swordfish.
SAFMC	Pink shrimp - Southern Atlantic Coast	The Shrimp Review Advisory Panel concluded that the apparent decline in pink shrimp abundance does not appear to be due to overfishing. Based on both the SEAMAP data, and the effort and landings data from the North Carolina and eastern Florida pink shrimp fishery, the Shrimp Review Panel recommended that no management actions are necessary at this time. The Shrimp Review Panel concludes that the pink shrimp stocks in some areas along the Southeast coast are depleted due to factors other than fishing such as environmental and climatic factors. Since shrimp are essentially an "annual crop", it would not be appropriate to develop a rebuilding plan for this stock.
SAFMC	Black grouper - Southern Atlantic Coast	Black grouper is now managed as a single Gulf of Mexico/South Atlantic stock under both the Snapper-Grouper and Reef Fish of the Gulf of Mexico FMPs. Beginning in FY13, it will no longer be listed as 2 separate stocks, but as a single stock.
SAFMC	Red grouper - Southern Atlantic Coast	The South Atlantic Fishery Management Council (SAFMC) was notified by the Southeast Regional Office on June 9, 2010 that red grouper is overfished. The SAFMC has 2 years from this date to implement a rebuilding plan for red grouper.
SAFMC	Wreckfish - Southern Atlantic Coast	Although the overfished determination is not known, landings are at extremely low levels and there are only two participants in the fishery.
SAFMC / GMFMC	Little tunny - Gulf of Mexico	This stock was removed from the Coastal Migratory Pelagic Resources of the Gulf of Mexico and South Atlantic FMP in 2011, but will continue to be listed as an FSSI stock until FY13.
SAFMC / GMFMC	Spanish mackerel - Southern Atlantic Coast	The most recent Spanish mackerel assessment (2008) concluded the species was not subject to overfishing but overfished status was unknown. The most recent known determination of not overfished is based on the 2003 stock assessment.
SAFMC / GMFMC	Goliath grouper - Southern Atlantic Coast / Gulf of Mexico	Fishery in the EEZ and state waters is closed; therefore, fishing mortality is approaching zero.
WPFMC	American Samoa Bottomfish Multi- species Complex	This complex contains up to 19 species including Seabass - hapuu'upu, Squirrelfish Snapper - ehu, Longtail Snapper - onaga, Silver Jaw Jobfish - lehi, Gray Jobfish - uku, Blueline Snapper, Yellowtail Snapper - yellow tail kalekale, Crimson jobfish - opakapaka, Yelloweye Snapper - yelloweye opakapaka, Von Siebolds Snapper - kalekale, Oblique-Banded Snapper - gindai, Giant Trevally - white ulua, Black Jack - black ulua, Thick Lipped Trevally - pig ulua, Amberjack - kahala, Blacktip Grouper, Lunartail Grouper, Ambon Emperor, and Redgill Emperor.

Jurisdiction	Stock	Footnote
WPFMC	Hancock Seamount Groundfish Complex	Overfished determination is pre-SFA. This stock complex uses pelagic armorhead as the indicator species of a three-species seamount groundfish complex that includes raftfish and alfonsin. Post-SFA overfishing/overfished definitions were approved in 2003 for the seamount groundfish stock complex, for which pelagic armorhead is assessed as the indicator species, but determinations have not yet been made relative to those new definitions. This stock complex does not have a formal rebuilding plan or time period for rebuilding. The fishery in the U.S. EEZ has been closed under sequential 6-year moratoria since the inception of the FMP in 1986. Effective Dec 2010, fishing for bottomfish and seamount groundfish at the Hancock Seamounts is prohibited until the stock is rebuilt - these measures are considered as a de facto rebuilding plan. The area around the Hancock Seamounts is classified as an ecosystem management area.
WPFMC	Hawaiian Archipelago Coral Reef Ecosystem Multi-species Complex	This complex contains up to 146 "currently harvested coral reef taxa" and innumerable "potentially harvested coral reef taxa."
WPFMC	Guam Bottomfish Multi-species Complex	This complex contains up to 19 species including Seabass - hapuu'upu, Squirrelfish Snapper - ehu, Longtail Snapper - onaga, Silver Jaw Jobfish - lehi, Gray Jobfish - uku, Blueline Snapper, Yellowtail Snapper - yellow tail kalekale, Crimson jobfish - opakapaka, Yelloweye Snapper - yelloweye opakapaka, Von Siebolds Snapper - kalekale, Oblique-Banded Snapper - gindai, Giant Trevally - white ulua, Black Jack - black ulua, Thick Lipped Trevally - pig ulua, Amberjack - kahala, Blacktip Grouper, Lunartail Grouper, Ambon Emperor, and Redgill Emperor.
WPFMC	Skipjack tuna - Central Western Pacific	Even though this stock is shown to be under the jurisdiction of a single Council and under the management of a single FMP, it is acknowledged that both the Pacific Fishery Management Council have jurisdiction over this stock, and it is managed under both the West Coast Highly Migratory Species FMP and the Western Pacific Pelagics FMP. The Council indicated here is the lead Council for the purposes of this report.
WPFMC	Striped marlin - Central Western Pacific	Even though this stock is shown to be under the jurisdiction of a single Council and under the management of a single FMP, it is acknowledged that both the Pacific Fishery Management Council have jurisdiction over this stock, and it is managed under both the West Coast Highly Migratory Species FMP and the Western Pacific Pelagics FMP. The Council indicated here is the lead Council for the purposes of this report. An assessment was conducted on the North Pacific striped marlin stock (ISC 2007, Report of 7th meeting of the ISC) and concluded that CPUE and other indicator trends have significantly declined from historical highs at the beginning of the fisheries to 2006. Although there is uncertainty associated with this assessment owing to data limitations, the results suggest that the stock in the North Pacific Ocean is experiencing intense exploitation.
WPFMC	Yellowfin tuna - Central Western Pacific	The yellowfin tuna resource is managed by both the Pacific Fishery Management Council and the Western Pacific Fishery Management Council. The PFMC manages the EPO stock under the West Coast Highly Migratory Species FMP and the WPFMC manages the WCPO stock under the Western Pacific Pelagics FMP.

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Angelfishes Complex *	Unknown	Unknown	Unknown	NA	N/A
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Aquarium Trade Species Complex *	Undefined	Undefined	NA	NA	N/A
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Boxfishes Complex *	Unknown	Unknown	Unknown	NA	N/A
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Goatfishes Complex *	Unknown	Unknown	Unknown	NA	N/A
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Grouper Unit 3 *	Unknown	Unknown	Unknown	NA	N/A
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Grouper Unit 5*	Unknown	Unknown	Unknown	NA	N/A
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Grunts Complex *	Unknown	Unknown	Unknown	NA	N/A
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Hogfish/ Wrasses Complex *	Unknown	Unknown	Unknown	NA	N/A
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Jacks Complex *	Unknown	Unknown	Unknown	NA	N/A
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Parrotfishes Complex *	Yes	No	Yes	Reduce Mortality	N/A
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Porgies Complex *	Unknown	Unknown	Unknown	NA	N/A
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Snapper Unit 2 *	Unknown	Unknown	Unknown	NA	N/A
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Squirrelfishes Complex *	Unknown	Unknown	Unknown	NA	N/A
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Surgeonfishes Complex *	Unknown	Unknown	Unknown	NA	N/A
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Tilefishes Complex *	Unknown	Unknown	Unknown	NA	N/A
CFMC	Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands	Caribbean Triggerfishes and Filefishes Complex *	Unknown	Unknown	Unknown	NA	N/A
GMFMC	Coral and Coral Reefs of the Gulf of Mexico	Black corals (Antipatharia) - Gulf of Mexico *	No	Undefined	Unknown	NA	N/A
GMFMC	Coral and Coral Reefs of the Gulf of Mexico	Fire corals (Milleporidae) - Gulf of Mexico	No	Undefined	Unknown	NA	N/A
GMFMC	Coral and Coral Reefs of the Gulf of Mexico	Hydrocorals (Stylasteridae) - Gulf of Mexico *	No	Undefined	Unknown	NA	N/A
GMFMC	Coral and Coral Reefs of the Gulf of Mexico	Stony corals (Scleractinia) - Gulf of Mexico *	No	Undefined	Unknown	NA	N/A

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress
GMFMC	Reef Fish Resources of the Gulf of Mexico	Almaco jack - Gulf of Mexico	Unknown	Undefined	Unknown	NA	N/A
GMFMC	Reef Fish Resources of the Gulf of Mexico	Banded rudderfish - Gulf of Mexico	Unknown	Undefined	Unknown	NA	N/A
GMFMC	Reef Fish Resources of the Gulf of Mexico	Blackfin snapper - Gulf of Mexico	Unknown	Undefined	Unknown	NA	N/A
GMFMC	Reef Fish Resources of the Gulf of Mexico	Blueline tilefish - Gulf of Mexico	Unknown	Undefined	Unknown	NA	N/A
GMFMC	Reef Fish Resources of the Gulf of Mexico	Cubera snapper - Gulf of Mexico	Unknown	Undefined	Unknown	NA	N/A
GMFMC	Reef Fish Resources of the Gulf of Mexico	Goldface tilefish - Gulf of Mexico	Unknown	Undefined	Unknown	NA	N/A
GMFMC	Reef Fish Resources of the Gulf of Mexico	Gray snapper - Gulf of Mexico	Unknown	Undefined	Unknown	NA	N/A
GMFMC	Reef Fish Resources of the Gulf of Mexico	Lane snapper - Gulf of Mexico	Unknown	Undefined	Unknown	NA	N/A
GMFMC	Reef Fish Resources of the Gulf of Mexico	Lesser amberjack - Gulf of Mexico	Unknown	Undefined	Unknown	NA	N/A
GMFMC	Reef Fish Resources of the Gulf of Mexico	Queen snapper - Gulf of Mexico	Unknown	Undefined	Unknown	NA	N/A
GMFMC	Reef Fish Resources of the Gulf of Mexico	Scamp - Gulf of Mexico	Unknown	Undefined	Unknown	NA	N/A
GMFMC	Reef Fish Resources of the Gulf of Mexico	Silk snapper - Gulf of Mexico	Unknown	Undefined	Unknown	NA	N/A
GMFMC	Reef Fish Resources of the Gulf of Mexico	Speckled hind - Gulf of Mexico	Unknown	Undefined	Unknown	NA	N/A
GMFMC	Reef Fish Resources of the Gulf of Mexico	Tilefish - Gulf of Mexico *	No	No	Unknown	NA	N/A
GMFMC	Reef Fish Resources of the Gulf of Mexico	Warsaw grouper - Gulf of Mexico	Unknown	Undefined	Unknown	NA	N/A
GMFMC	Reef Fish Resources of the Gulf of Mexico	Wenchman - Gulf of Mexico	Unknown	Undefined	Unknown	NA	N/A
GMFMC	Reef Fish Resources of the Gulf of Mexico	Yellowfin grouper - Gulf of Mexico	Unknown	Undefined	Unknown	NA	N/A
GMFMC	Reef Fish Resources of the Gulf of Mexico	Yellowmouth grouper - Gulf of Mexico	Unknown	Undefined	Unknown	NA	N/A
HMS	Consolidated Atlantic Highly Migratory Species	Atlantic Pelagic Shark Complex *	Unknown	Unknown	Unknown	NA	N/A
HMS	Consolidated Atlantic Highly Migratory Species	Blacknose shark - Gulf of Mexico	Unknown	Unknown	Unknown	NA	NA
HMS	Consolidated Atlantic Highly Migratory Species	Longbill spearfish - Western Atlantic	Unknown	Unknown	Unknown	NA	N/A
HMS	Consolidated Atlantic Highly Migratory Species	Roundscale spearfish - Atlantic	Unknown	Unknown	Unknown	NA	N/A
HMS	Consolidated Atlantic Highly Migratory Species	Scalloped hammerhead - Atlantic *	Yes	Yes	NA	Reduce Mortality, Rebuilding Program	N/A
HMS	Consolidated Atlantic Highly Migratory Species	Skipjack tuna - Western Atlantic	No	No	No	NA	N/A
NEFMC	Atlantic Salmon	Atlantic salmon - Gulf of Maine *	No	Yes	NA	Rebuild - ESA listed	N/A

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress
NEFMC	Northeast Multispecies	Atlantic wolffish - Gulf of Maine / Georges Bank *	No	Yes	NA	Continue Rebuilding	Year 3 of plan
NPFMC	Bering Sea/Aleutian Islands King and Tanner Crabs	Golden king crab - Pribilof Islands	No	Undefined	Unknown	NA	N/A
NPFMC	Fish Resources of the Arctic Management Area	Arctic cod - Arctic Management Area *	No	Unknown	Unknown	NA	N/A
NPFMC	Fish Resources of the Arctic Management Area	Saffron cod - Arctic Management Area *	No	Unknown	Unknown	NA	N/A
NPFMC	Fish Resources of the Arctic Management Area	Snow crab - Arctic Management Area *	No	Unknown	Unknown	NA	N/A
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Bering Sea / Aleutian Islands Octopus Complex *	Unknown	Undefined	Unknown	NA	N/A
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Bering Sea / Aleutian Islands Other Flatfish Complex *	No	Undefined	Unknown	NA	N/A
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Bering Sea / Aleutian Islands Other Rockfish Complex *	No	Undefined	Unknown	NA	N/A
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Bering Sea / Aleutian Islands Sculpin Complex *	Unknown	Undefined	Unknown	NA	N/A
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Bering Sea / Aleutian Islands Shark Complex *	Unknown	Undefined	Unknown	NA	N/A
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Bering Sea / Aleutian Islands Skate Complex *	No	No	No	NA	N/A
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Bering Sea / Aleutian Islands Squid Complex *	No	Undefined	Unknown	NA	N/A
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Kamchatka flounder - Bering Sea / Aleutian Islands	Undefined	Undefined	Unknown	NA	N/A
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Shortraker rockfish - Bering Sea / Aleutian Islands	No	Undefined	Unknown	NA	N/A
NPFMC	Groundfish of the Bering Sea and Aleutian Islands Management Area	Walleye pollock - Bogoslof	No	Undefined	Unknown	NA	N/A
NPFMC	Groundfish of the Gulf of Alaska	Atka mackerel - Gulf of Alaska	No	Undefined	Unknown	NA	N/A
NPFMC	Groundfish of the Gulf of Alaska	Big skate - Gulf of Alaska	No	Undefined	Unknown	NA	N/A
NPFMC	Groundfish of the Gulf of Alaska	Gulf of Alaska Octopus Complex *	Unknown	Undefined	Unknown	NA	N/A
NPFMC	Groundfish of the Gulf of Alaska	Gulf of Alaska Other Rockfish Complex *	No	Unknown	Undefined	NA	N/A
NPFMC	Groundfish of the Gulf of Alaska	Gulf of Alaska Sculpin Complex *	Unknown	Undefined	Unknown	NA	N/A
NPFMC	Groundfish of the Gulf of Alaska	Gulf of Alaska Shallow Water Flatfish Complex *	No	No	No	NA	N/A

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress
NPFMC	Groundfish of the Gulf of Alaska	Gulf of Alaska Shark Complex *	Unknown	Undefined	Unknown	NA	N/A
NPFMC	Groundfish of the Gulf of Alaska	Gulf of Alaska Skate Complex *	No	Undefined	Unknown	NA	N/A
NPFMC	Groundfish of the Gulf of Alaska	Gulf of Alaska Squid Complex *	Unknown	Undefined	Unknown	NA	N/A
NPFMC	Groundfish of the Gulf of Alaska	Longnose skate - Gulf of Alaska	No	Undefined	Unknown	NA	N/A
NPFMC	Groundfish of the Gulf of Alaska	Shortraker rockfish - Gulf of Alaska	No	Undefined	Unknown	NA	N/A
NPFMC	Groundfish of the Gulf of Alaska	Walleye pollock - Eastern Gulf of Alaska	No	Undefined	Unknown	NA	N/A
NPFMC	Salmon Fisheries in the EEZ off the Coast of Alaska	Alaska Coho Salmon Assemblage *	No	No	No	NA	N/A
NPFMC	Salmon Fisheries in the EEZ off the Coast of Alaska	Chinook salmon - Eastern North Pacific Far North Migrating	No	No	No	NA	N/A
NPFMC	Scallop Fishery off Alaska	Weathervane scallop - Alaska	No	Undefined	Unknown	NA	N/A
PFMC	Coastal Pelagic Species	Krill (Euphausiacea) - Pacific Coast	Undefined	Undefined	Unknown	NA	N/A
PFMC	Pacific Coast Groundfish	Black rockfish - Southern Pacific Coast	No	No	No	NA	N/A
PFMC	Pacific Coast Groundfish	Greenspotted rockfish - Pacific Coast	Unknown	No	No	NA	N/A
PFMC	Pacific Coast Groundfish	Greenstriped rockfish - Pacific Coast	Unknown	No	No	NA	N/A
PFMC	Pacific Coast Groundfish	Northern Pacific Coast Minor Nearshore Rockfish Complex *	Unknown	Unknown	Unknown	NA	N/A
PFMC	Pacific Coast Groundfish	Northern Pacific Coast Minor Shelf Rockfish Complex *	Unknown	Unknown	Unknown	NA	N/A
PFMC	Pacific Coast Groundfish	Northern Pacific Coast Minor Slope Rockfish Complex *	Unknown	Unknown	Unknown	NA	N/A
PFMC	Pacific Coast Groundfish	Pacific Coast Other Flatfish Complex *	Unknown	Unknown	Unknown	NA	N/A
PFMC	Pacific Coast Groundfish	Pacific Coast Other Groundfish Complex *	Unknown	Unknown	Unknown	NA	N/A
PFMC	Pacific Coast Groundfish	Southern Pacific Coast Minor Nearshore Rockfish Complex *	Unknown	Unknown	Unknown	NA	N/A
PFMC	Pacific Coast Groundfish	Southern Pacific Coast Minor Shelf Rockfish Complex *	Unknown	Unknown	Unknown	NA	N/A
PFMC	Pacific Coast Groundfish	Southern Pacific Coast Minor Slope Rockfish Complex *	Unknown	Unknown	Unknown	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - California Central Valley: Sacramento (fall) *	No	Yes	NA	Rebuilding Program	N/A

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress
PFMC	Pacific Coast Salmon	Chinook salmon - California Central Valley: Sacramento (spring)	NA Exception 2**	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - California Central Valley: Sacramento (winter)	NA Exception 2**	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Columbia River Basin: Lower River Hatchery (fall)	NA Exception 1	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Columbia River Basin: Lower River Hatchery (spring)	NA Exception 1	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Columbia River Basin: Mid-River Bright Hatchery (fall)	NA Exception 1	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Columbia River Basin: North Lewis (fall)	NA Exception 3	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Columbia River Basin: Snake (fall)	NA Exception 3	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Columbia River Basin: Snake (spring/summer)	NA Exception 2 & 3	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Columbia River Basin: Spring Creek Hatchery (fall)	NA Exception 1 **	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Columbia River Basin: Upper River (spring)	NA Exception 2**	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Columbia River Basin: Upper River (summer)	No	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Columbia River Basin: Upper River Bright (fall)	No	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Columbia River Basin: Upper Willamette (spring)	NA Exception 2**	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Northern California Coast: Eel, Mattole, and Mad (fall/spring)	NA Exception 2	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Northern California Coast: Klamath (fall)	No	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Northern California Coast: Klamath (spring)	Undefined	Undefined	Unknown	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Northern California Coast: Smith (fall/spring)	Undefined	Undefined	Unknown	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Oregon Coast: Central and Northern	Undefined	No	No	NA	N/A

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress
PFMC	Pacific Coast Salmon	Chinook salmon - Oregon Coast: Southern	Undefined	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Puget Sound: Cedar (summer/fall)	NA Exception 2 **	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Puget Sound: Eastern Strait of Juan de Fuca (summer/fall)	NA Exception 2	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Puget Sound: Green (summer/fall)	NA Exception 2	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Puget Sound: Mid Hood Canal (summer/fall)	NA Exception 2 **	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Puget Sound: Nisqually (summer/fall)	NA Exception 2 **	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Puget Sound: Nooksack (spring early)	NA Exception 2 **	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Puget Sound: Puyallup (summer/fall)	NA Exception 2  **	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Puget Sound: Skagit (spring)	NA Exception 2**	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Puget Sound: Skagit (summer/fall)	NA Exception 2**	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Puget Sound: Skokomish (summer/fall)	NA Exception 2**	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Puget Sound: Snohomish (summer/fall)	NA Exception 2**	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Puget Sound: Stillaguamish (summer/fall)	NA Exception 2**	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Puget Sound: White (spring)	NA Exception 2**	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Washington Coast: Grays Harbor (fall)	No	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Washington Coast: Grays Harbor (spring)	No	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Washington Coast: Hoh (fall)	No	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Washington Coast: Hoh (spring/summer)	No	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Washington Coast: Hoko (summer/fall)	No	No	No	NA	N/A

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress
PFMC	Pacific Coast Salmon	Chinook salmon - Washington Coast: Queets (fall)	No	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Washington Coast: Queets (spring/summer)	No	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Washington Coast: Quillayute (fall)	No	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Washington Coast: Quillayute (spring/summer)	Undefined	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Washington Coast: Quinault Fall (hatchery)	NA Exception 1	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Washington Coast: Willapa Bay Fall (hatchery)	NA Exception 1	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Chinook salmon - Washington Coast: Willapa Bay Fall (natural)	No	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Coho salmon - Oregon Production Index Area: Central California Coast	NA Exception 2**	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Coho salmon - Oregon Production Index Area: Columbia (early hatchery)	NA Exception 1	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Coho salmon - Oregon Production Index Area: Columbia (late hatchery)	NA Exception 1	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Coho salmon - Oregon Production Index Area: Columbia (natural) *	NA Exception 2**	NA	Unknown	NA	N/A
PFMC	Pacific Coast Salmon	Coho salmon - Oregon Production Index Area: Northern California	NA Exception 2**	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Coho salmon - Oregon Production Index Area: Oregon Coastal (hatchery)	NA Exception 1	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Coho salmon - Oregon Production Index Area: Oregon Coastal (natural) *	NA Exception 2**	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Coho salmon - Puget Sound: Hood Canal	No	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Coho salmon - Puget Sound: Skagit	No	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Coho salmon - Puget Sound: Snohomish	No	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Coho salmon - Puget Sound: South Puget Sound (hatchery)	NA Exception 1	NA	NA	NA	N/A

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress
PFMC	Pacific Coast Salmon	Coho salmon - Puget Sound: Stillaguamish	No	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Coho salmon - Washington Coast: Grays Harbor	No	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Coho salmon - Washington Coast: Hoh	No	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Coho salmon - Washington Coast: Queets	No	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Coho salmon - Washington Coast: Quillayute (fall)	Undefined	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Coho salmon - Washington Coast: Quillayute (summer)	NA Exception 1	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Coho salmon - Washington Coast: Quinault	NA Exception 1	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Coho salmon - Washington Coast: Strait of Juan de Fuca	No	No	No	NA	N/A
PFMC	Pacific Coast Salmon	Coho salmon - Washington Coast: Willapa Bay	NA Exception 1 **	NA	NA	NA	N/A
PFMC	Pacific Coast Salmon	Coho salmon - Washington Coast: Willapa Bay (natural)	Undefined	Undefined	Unknown	NA	N/A
PFMC	Pacific Coast Salmon	Pink salmon - Puget Sound (odd- numbered years) *	Undefined	No	NA	NA	N/A
PFMC / WPFMC	U.S. West Coast Fisheries for Highly Migratory Species / Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Shortfin mako - North Pacific	Unknown	Unknown	Unknown	NA	N/A
PFMC / WPFMC	U.S. West Coast Fisheries for Highly Migratory Species / Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Thresher shark - North Pacific	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Coral, Coral Reefs and Live/Hard Bottom Habitats of the South Atlantic Region	Black corals (Antipatharia) - Southern Atlantic Coast *	No	Undefined	Unknown	NA	N/A
SAFMC	Coral, Coral Reefs and Live/Hard Bottom Habitats of the South Atlantic Region	Fire corals (Milleporidae) - Southern Atlantic Coast *	No	Undefined	Unknown	NA	N/A
SAFMC	Coral, Coral Reefs and Live/Hard Bottom Habitats of the South Atlantic Region	Hydrocorals (Stylasteridae) - Southern Atlantic Coast *	No	Undefined	Unknown	NA	N/A
SAFMC	Coral, Coral Reefs and Live/Hard Bottom Habitats of the South Atlantic Region	Soft corals (Octocorallia) - Southern Atlantic Coast *	No	Undefined	Unknown	NA	N/A
SAFMC	Coral, Coral Reefs and Live/Hard Bottom Habitats of the South Atlantic Region	Stony corals (Scleractinia) - Southern Atlantic Coast *	No	Undefined	Unknown	NA	N/A
SAFMC	Dolphin and Wahoo Fishery of the Atlantic	Wahoo - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress
SAFMC	Golden Crab Fishery of the South Atlantic Region	Golden deepsea crab - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Pelagic Sargassum Habitat of the South Atlantic Region	Sargassum - Southern Atlantic Coast *	No	No	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Almaco jack - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Atlantic spadefish - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Banded rudderfish - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Bar jack - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Black snapper - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Blackfin snapper - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Blue runner - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Blueline tilefish - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Coney - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Cubera snapper - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Dog snapper - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Gray snapper - Southern Atlantic Coast	No	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Graysby - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Jolthead porgy - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Knobbed porgy - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Lane snapper - Southern Atlantic Coast	No	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Lesser amberjack - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Mahogany snapper - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Margate - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Misty grouper - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Queen snapper - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Red hind - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Rock hind - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Sailors choice - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Sand tilefish - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Saucereye porgy - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Scup - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Silk snapper - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Tomtate - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Whitebone porgy - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Yellowedge grouper - Southern Atlantic Coast	No	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Yellowfin grouper - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Yellowmouth grouper - Southern Atlantic Coast	Unknown	Unknown	Unknown	NA	N/A
SAFMC / GMFMC	Snapper-Grouper Fishery of the South Atlantic Region / Reef Fish Resources of the Gulf of Mexico	Mutton snapper - Southern Atlantic Coast / Gulf of Mexico	No	No	No	NA	N/A
WPFMC	American Samoa Archipelago Ecosystem	American Samoa Black Precious Coral Complex*	Undefined	Undefined	Unknown	NA	N/A
WPFMC	American Samoa Archipelago Ecosystem	American Samoa Coral Reef Ecosystem Multi-species Complex *	Undefined	Undefined	Unknown	NA	N/A
WPFMC	American Samoa Archipelago Ecosystem	American Samoa Exploratory Area Precious Coral Complex*	Undefined	Undefined	Unknown	NA	N/A

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress
WPFMC	American Samoa Archipelago Ecosystem	Deepwater shrimps (Heterocarpus spp.) - American Samoa	Undefined	Undefined	Unknown	NA	N/A
WPFMC	American Samoa Archipelago Ecosystem	Kona crab - American Samoa	Undefined	Undefined	Unknown	NA	NA
WPFMC	American Samoa Archipelago Ecosystem	Slipper lobsters (Scyllaridae) - American Samoa	Undefined	Undefined	Unknown	NA	N/A
WPFMC	American Samoa Archipelago Ecosystem	Spiny lobsters (Panulirus spp.) - American Samoa	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Hawaii Archipelago Ecosystem	180 Fathom Bank Precious Coral Complex*	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Hawaii Archipelago Ecosystem	Au'Au Bed Black Coral Complex *	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Hawaii Archipelago Ecosystem	Brooks Bank Precious Coral Complex*	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Hawaii Archipelago Ecosystem	Deepwater shrimps (Heterocarpus spp.) - Main Hawaiian Islands	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Hawaii Archipelago Ecosystem	Hawaiian Archipelago Exploratory Area Precious Coral Complex*	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Hawaii Archipelago Ecosystem	Kaena Point Bed Precious Coral Complex*	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Hawaii Archipelago Ecosystem	Keahole Bed Precious Coral Complex*	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Hawaii Archipelago Ecosystem	Kona crab - Main Hawaiian Islands	Undefined	Undefined	Unknown	NA	NA
WPFMC	Hawaii Archipelago Ecosystem	Main Hawaiian Islands Non-Deep 7 Bottomfish Multi-species Complex*	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Hawaii Archipelago Ecosystem	Makapu'u Bed Precious Corals Multi- species Complex *	No	Unknown	Unknown	NA	N/A
WPFMC	Hawaii Archipelago Ecosystem	Northwest Hawaiian Islands Bottomfish Multi-species Complex*	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Hawaii Archipelago Ecosystem	Northwestern Hawaiian Islands Crustacean Complex *	No	Unknown	Unknown	NA	N/A
WPFMC	Hawaii Archipelago Ecosystem	Slipper lobsters (Scyllaridae) - Main Hawaiian Islands	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Hawaii Archipelago Ecosystem	Spiny lobsters (Panulirus spp.) - Main Hawaiian Islands	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Mariana Archipelago Ecosystem	Deepwater shrimps (Heterocarpus spp.) - Guam	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Mariana Archipelago Ecosystem	Deepwater shrimps (Heterocarpus spp.) - Northern Mariana Islands	Undefined	Undefined	Unknown	NA	N/A

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress
WPFMC	Mariana Archipelago Ecosystem	Guam Black Precious Coral Complex*	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Mariana Archipelago Ecosystem	Guam Coral Reef Ecosystem Multi-species Complex *	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Mariana Archipelago Ecosystem	Guam Exploratory Area Precious Coral Complex*	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Mariana Archipelago Ecosystem	Kona crab - Guam	Undefined	Undefined	Unknown	NA	NA
WPFMC	Mariana Archipelago Ecosystem	Kona crab - Northern Mariana Islands	Undefined	Undefined	Unknown	NA	NA
WPFMC	Mariana Archipelago Ecosystem	Northern Mariana Islands Black Precious Coral Complex*	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Mariana Archipelago Ecosystem	Northern Mariana Islands Bottomfish Multi-species Complex *	No	No	No	NA	N/A
WPFMC	Mariana Archipelago Ecosystem	Northern Mariana Islands Coral Reef Ecosystem Multi-species Complex *	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Mariana Archipelago Ecosystem	Northern Mariana Islands Exploratory Area Precious Coral Complex*	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Mariana Archipelago Ecosystem	Slipper lobsters (Scyllaridae) - Guam	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Mariana Archipelago Ecosystem	Slipper lobsters (Scyllaridae) - Northern Mariana Islands	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Mariana Archipelago Ecosystem	Spiny lobsters (Panulirus spp.) - Guam	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Mariana Archipelago Ecosystem	Spiny lobsters (Panulirus spp.) - Northern Mariana Islands	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Black marlin - Pacific	Unknown	Unknown	Unknown	NA	N/A
WPFMC	Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Longfin mako - North Pacific	Unknown	Unknown	Unknown	NA	N/A
WPFMC	Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Oceanic whitetip shark - Tropical Pacific	Unknown	Unknown	Unknown	NA	N/A
WPFMC	Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Pomfrets (Bramidae) - Western Pacific	Unknown	Unknown	Unknown	NA	N/A
WPFMC	Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Sailfish - Pacific	Unknown	Unknown	Unknown	NA	N/A

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)	Approaching Overfished Condition?	Management Action Required	Rebuilding Program Progress
WPFMC	Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Salmon shark - North Pacific	Unknown	Unknown	Unknown	NA	N/A
WPFMC	Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Silky shark - Tropical Pacific	Unknown	Unknown	Unknown	NA	N/A
WPFMC	Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Snake mackerels (Gempylidae) - Pacific	Unknown	Unknown	Unknown	NA	N/A
WPFMC	Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Tropical Pacific Other Tuna Relatives Complex *	Unknown	Unknown	Unknown	NA	N/A
WPFMC	Pacific Remote Island Areas Ecosystem	Pacific Island Remote Areas Coral Reef Ecosystem Multi-species Complex *	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Pacific Remote Island Areas Ecosystem	Pacific Remote Island Areas Black Precious Coral Complex	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Pacific Remote Island Areas Ecosystem	Pacific Remote Island Areas Bottomfish Complex	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Pacific Remote Island Areas Ecosystem	Pacific Remote Island Areas Crustacean Complex *	Undefined	Undefined	Unknown	NA	N/A
WPFMC	Pacific Remote Island Areas Ecosystem	Pacific Remote Island Areas Exploratory Area Precious Coral Complex	Undefined	Undefined	Unknown	NA	N/A

Jurisdiction	Stock	Footnote
CFMC	Caribbean Angelfishes Complex	Caribbean Angelfishes Complex is part of the Caribbean Reef Fish FMU and is composed of queen, gray, and French angelfishes. There is no indicator species for this unit.
CFMC	Caribbean Aquarium Trade Species Complex	Caribbean Aquarium Trade Species Complex contains the following species: Creole wrasse, yellowhead wrasse, yellowcheek wrasse, clown wrasse, bluehead wrasse, peppermint basslet, fairy basslet, yellowtail damselfish, dusky damselfish, bicolor damselfish, threespot damselfish, beaugregory, foureye butterflyfish, longsnout butterflyfish, spotfin butterflyfish, banded butterflyfish, lantern bass, orangeback bass, tobaccofish, harlequin bass, chalk bass, yellowhead jawfish, dusky jawfish, pearly razorfish, green razorfish, chain moray, green moray, goldentail moray, neon goby, rusty goby, jackknife-fish, spotted drum, blue chromis, sunshinefish, sergeant major, conchfish, flamefish, redspotted hawkfish, frogfish, peacock flounder, Atlantic spadefish, sharpnose puffer, cherubfish, porcupinefish, flying gurnard, glasseye snapper, butter hamlet, rock beauty, goldspotted eel, redlip blenny, high-hat, greater soapfish, sand diver, Caribbean tonguefish, Seahorses, Pipefishes, Batfish, and Scorpionfish.
CFMC	Caribbean Boxfishes Complex	Caribbean Boxfishes Complex is part of the Caribbean Reef Fish FMU and is composed of honeycombed and scrawled cowfishes; trunkfish, spotted trunkfish, and smooth trunkfish. There is no indicator species for this unit.
CFMC	Caribbean Goatfishes Complex	Caribbean Goatfishes Complex is part of the Caribbean Reef Fish FMU and is composed of spotted and yellow goatfishes.
CFMC	Caribbean Grouper Unit 3	Caribbean Grouper Unit 3 is part of the Caribbean Reef Fish FMU and is composed of red hind, coney, rock hind, graysby, and creole fish.
CFMC	Caribbean Grouper Unit 5	Caribbean Grouper Unit 5 is part of the Caribbean Reef Fish FMU and is composed of misty and yellowedge grouper. There is no indicator species for this unit.
CFMC	Caribbean Grunts Complex	Caribbean Grunts Complex is part of the Caribbean Reef Fish FMU and is composed of white grunt, tomtate, blue striped grunt, French grunt, margate, and porkfish. There is no indicator species for this unit.
CFMC	Caribbean Jacks Complex	Caribbean Jacks Complex is part of the Caribbean Reef Fish FMU and is composed of blue runner, greater amberjack, horseye, black, almaco, bar, and yellow jacks. There is no indicator species for this unit.
CFMC	Caribbean Parrotfishes Complex	This stock complex consists of blue, midnight, princess, queen, rainbow, striped, redband, redtail, redfin, and stoplight parrotfishes and was most recently assessed in 2009 (Caribbean Fisheries Data Evaluation, SEDAR Procedures 3 Workshop January 26-29 2009). This assessment, using best expert judgment, determined that this stock complex is subject to overfishing, but not overfished. A more recent assessment was finalized in 2012 that found redtail parrotfish is not subject to overfishing. Since this assessment did not include the other stocks contained in the Caribbean Parrotfishes Complex, nor does redtail parrotfish serve as an indicator for the complex, the status of the complex remains unchanged.
CFMC	Caribbean Porgies Complex	Caribbean Porgies Complex is part of the Caribbean Reef Fish FMU and is composed of jolthead porgy, sea bream, sheepshead porgy, and pluma. There is no indicator species for this unit.
CFMC	Caribbean Snapper Unit 2	This stock complex consists of cardinal and Queen snapper and has never been assessed. A recent assessment finalized in 2012 found that Queen snapper is not subject to overfishing. Since this assessment did not include the other stocks contained in the Snapper Unit 2 complex, nor does Queen snapper serve as an indicator for the complex, the status of the complex remains unchanged.
CFMC	Caribbean Squirrelfishes Complex	Caribbean Squirrelfishes Complex is part of the Caribbean Reef Fish FMU and is composed of black bar squirrelfish, longspine squirrelfish, bigeye (Priacanthus arenatus), and squirrelfish. There is no indicator species for this unit.
CFMC	Caribbean Surgeonfishes Complex	Caribbean Surgeonfish Complex is part of the Caribbean Reef Fish FMU and is composed of doctorfish, bluetang, and ocean surgeonfish. There is no indicator species for this unit.
CFMC	Caribbean Tilefishes Complex	Caribbean Tilefishes Complex is part of the Caribbean Reef Fish FMU and is composed of blackline and sand tilefishes. There is no indicator species for this unit.

Jurisdiction Stock		Footnote			
CFMC	Caribbean Triggerfishes and Filefishes Complex	Caribbean Triggerfishes and Filefishes Complex is part of the Caribbean Reef Fish FMU and is composed of ocean, queen, and Sargassum triggerfishes; scrawled and whitespotted filefishes.			
CFMC	CaribbeanHogfish/ Wrasses Complex	Caribbean Wrasses Complex is part of the Caribbean Reef Fish FMU and is composed of hogfish, Spanish hogfish, and puddingwife; hogfish is the indicator species for the unit.			
GMFMC	Black corals (Antipatharia) - Gulf of Mexico	Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.			
GMFMC	Fire corals (Milleporidae) - Gulf of Mexico	Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.			
GMFMC	Hydrocorals (Stylasteridae) - Gulf of Mexico	Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.			
GMFMC	Stony corals (Scleractinia) - Gulf of Mexico	Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.			
GMFMC	Tilefish - Gulf of Mexico	The most recent assessment for tilefish - Gulf of Mexico used overfished criteria that have been determined to be the Best Scientific Information Available (BSIA) by the SSC, but have not yet been implemented in the fishery management plan. These criteria will be implemented in the next FMP amendment.			
HMS	Atlantic Pelagic Shark Complex	In addition to Shortfin Mako Shark, Blue Shark, and Porbeagle Shark, the Pelagic Shark Complex also consists of Oceanic Whitetip Shark and Thresher Shark. This complex also consists of stocks that cannot be retained in recreational or commercial fisheries, which include Bigeye Thresher Shark, Bigeye Sixgill Shark, Longfin Mako Shark, Sevengill Shark, and Sixgill Shark.			
HMS	Scalloped hammerhead - Atlantic	This stock is part of the Large Coastal Shark Complex, but is assessed separately. On April 28, 2011, this stock was determined to be overfished and subject to overfishing. The Highly Migratory Species Division has 2 years to implement a rebuilding plan.			
NEFMC	Atlantic salmon - Gulf of Maine	Rebuilding of Atlantic salmon is being pursued under the Endangered Species Act. Atlantic salmon was listed as endangered under the ESA in December 2000.			
NEFMC	Atlantic wolffish - Gulf of Maine / Georges Bank	Because the life history of Atlantic wolffish is not well understood, there is considerable uncertainty in the evaluation of stock projection and a rebuilding period or a rebuilding F for this species at this time.			
NPFMC	Arctic cod - Arctic Management Area	There is no commercial fishing for this stock, including Alaska state waters and international fishing, so fishing mortality is expected to be zero.			
NPFMC	Saffron cod - Arctic Management Area	There is no commercial fishing for this stock, including Alaska state waters and international fishing, so fishing mortality is expected to be zero.			
NPFMC	Snow crab - Arctic Management Area	There is no commercial fishing for this stock, including Alaska state waters and international fishing, so fishing mortality is expected to be zero.			
NPFMC	Bering Sea / Aleutian Islands Octopus Complex	The Octopus Complex consists of Giant Pacific Octopus, Flapjack Devilfish, Pelagic Octopus, Smoothskin Octopus, Octopus Benthoctopus oregonensis, Octopus Graneledone boreopacifica, and Octopus Bathypolypus arcticus.			
NPFMC	Bering Sea / Aleutian Islands Other Flatfish Complex	The Other Flatfish Complex consists of the following stocks: Arctic Flounder, Butter Sole, Curlfin Sole, Deepsea Sole, Dover Sole, English Sole, Longhead Dab, Pacific Sanddab, Petrale Sole, Rex Sole, Roughscale Sole, Sakhalin Sole, Sand Sole, Slender Sole, and Starry Flounder. The overfishing determination is based on the OFL, which is computed by using abundance estimates of the complex.			
NPFMC	Bering Sea / Aleutian Islands Other Rockfish Complex	The Other Rockfish Complex consists of the following stocks: Dark Rockfish, Dusky Rockfish, Harlequin Rockfish, Redbanded Rockfish, Redstripe Rockfish, Sharpchin Rockfish, Shortspine Thornyhead, and Yelloweye Rockfish. The overfishing determination is based on the OFL, which is computed by using abundance estimates of the complex.			

Jurisdiction	Stock	Footnote		
NPFMC	Bering Sea / Aleutian Islands Sculpin Complex	The Sculpin Complex consists of Antlered Sculpin, Arctic Staghorn Sculpin, Armorhead Sculpin, Banded Irish Lord, Bigmouth Sculpin, Blackfin Sculpin, Blackfin Sculpin, Blob Sculpin, Bride Sculpin, Broadfin Sculpin, Butterfly Sculpin, Crescent-tail Sculpin, Crested Sculpin, Darkfin Sculpin, Eyeshade Sculpin, Flabby Sculpin, Fourhorn Sculpin, Great Sculpin, Grunt Sculpin, Leister Sculpin, Longfin Irish Lord, Longfin Sculpin, Northern Sculpin, Pacific Hookear Sculpin, Pacific Staghorn Sculpin, Plain Sculpin, Purplegray Sculpin, Red Irish Lord, Ribbed Sculpin, Sculpin, Sculpin, Sculpin, Sculpin, Sculpin, Scissortail Sculpin, Slim Sculpin, Smoothcheek Sculpin, Spatulate Sculpin, Spectacled Sculpin, Spinyhead Sculpin, Sponge Sculpin, Tadpole Sculpin, Thorny Sculpin, Threaded Sculpin, Uncinate Sculpin, Warty Sculpin, Wide-eye Sculpin, and Yellow Irish Lord.		
NPFMC	Bering Sea / Aleutian Islands Shark Complex	The Shark Complex consists of Pacific Sleeper Shark, Salmon Shark, and Spiny Dogfish.		
NPFMC	Bering Sea / Aleutian Islands Skate Complex	The Skate Complex consists of Alaska Skate, Aleutian Skate, Bering Skate, Big Skate, Butterfly Skate, Commander Skate, Deepsea Skate, Mud Skate, Okhotsk Skate, Roughshoulder Skate, Roughtail Skate, Whiteblotched Skate, and Whitebrow Skate. Alaska skate is assessed and is the indicator species for this complex.		
NPFMC	Bering Sea / Aleutian Islands Squid Complex	The Squid Complex consists of the following stocks: Squid Belonella borealis, Squid Berryteuthis anonychus, Squid Berryteuthis magister, Squid Chiroteuthis calyx, Squid Cranchia scabra, Squid Eogonatus tinro, Squid Galiteuthis phyllura, Squid Gonatopsis borealis, Squid Gonatopsis makko, Squid Gonatus berryi, Squid Gonatus kamtschaticus, Squid Gonatus madokai, Squid Gonatus onyx, Squid Gonatus pyros, Squid Histioteuthis hoylei, Squid Moroteuthis robusta, and Squid Rossia pacifica. The overfishing determination is based on the OFL, which is equal to average historical catch.		
NPFMC	Gulf of Alaska Octopus Complex	The Octopus Complex consists of Flapjack Devilfish, Giant Pacific Octopus, Pelagic Octopus, Red Octopus, Smoothskin Octopus, Vampire Squid, North Pacific Bigeye Octopus, Squid Berryteuthis anonychus, Squid Berryteuthis magister, Squid Chiroteuthis calyx, Squid Cranchia scabra, Squid Eogonatus tinro, Squid Galiteuthis phyllura, Squid Gonatopsis makko, Squid Gonatus berryi, Squid Gonatus kamtschaticus, Squid Gonatus madokai, Squid Gonatus onyx, Squid Gonatus pyros, Squid Histioteuthis hoylei, Squid Loligo opalescens, Squid Moroteuthis robusta, Squid Octopoteuthis deletron, and Squid Onychoteuthis borealijaponicus. There is no OFL specified for this complex. The TAC is set at an amount less than or equal to 5 percent of the combined TACs for the remainder of the groundfish fishery.		
NPFMC	Gulf of Alaska Other Rockfish Complex	The other rockfish complex is a new assessment in 2011 and a new management category in 2012. It consists of the former other slope rockfish complex and the non-dusky species from the former pelagic shelf rockfish complex (yelloweye and widow rockfish). The new Other Rockfish Complex consists of the following stocks: Blackgill Rockfish, Bocaccio, Chilipepper, Darkblotched Rockfish, Greenstriped Rockfish, Harlequin Rockfish, Northern Rockfish (Eastern GOA only), Pygmy Rockfish, Redbanded Rockfish, Redstripe Rockfish, Sharpchin Rockfish, Silvergray Rockfish, Splitnose Rockfish, Stripetail Rockfish, Vermilion Rockfish, Widow Rockfish, Yelloweye Rockfish, and Yellowmouth Rockfish. The former "other slope rockfish" assemblage was not subjected to overfishing in 2010.		
NPFMC	Gulf of Alaska Sculpin Complex	The Sculpin Complex consists of Antlered Sculpin, Armorhead Sculpin, Bigmouth Sculpin, Blackfin Sculpin, Blob Sculpin, Brightbelly Sculpin, Brown Irish Lord, Buffalo Sculpin, Crested Sculpin, Darkfin Sculpin, Dusky Sculpin, Eyeshade Sculpin, Fourhorn Sculpin, Frog Sculpin, Frogmouth Sculpin, Great Sculpin, Grunt Sculpin, Longfin Sculpin, Northern Sculpin, Pacific Staghorn Sculpin, Plain Sculpin, Red Irish Lord, Ribbed Sculpin, Roughspine Sculpin, Roughskin Sculpin, Sailfin Sculpin, Scissortail Sculpin, Silverspotted Sculpin, Slim Sculpin, Smoothcheek Sculpin, Smoothhead Sculpin, Spatulate Sculpin, Spectacled Sculpin, Spinyhead Sculpin, Sponge Sculpin, Spotfin Sculpin, Tadpole Sculpin, Thorny Sculpin, Threaded Sculpin, Threadfin Sculpin, Warty Sculpin, Yellow Irish Lord, Sculpin Artediellus sp., and Sculpin Icelus euryops.		

Jurisdiction Stock Footno		otnote		
NPFMC	Gulf of Alaska Shallow Water Flatfish Complex	The Shallow Water Flatfish Complex consists of the following stocks: Alaska Plaice, Butter Sole, C-O Sole, Curlfin Sole, English Sole, Northern Rock Sole, Pacific Sanddab, Petrale Sole, Sand Sole, Slender Sole, Southern Rock Sole, Speckled Sanddab, Starry Flounder, and Yellowfin Sole. The overfishing determination is based on the OFL, which is computed by using abundance estimates of the complex. A single, assemblage-wide OFL is specified, but overfishing was not defined for the "other" shallow-water flatfish stocks per se in 2010, because they are part of the overall shallow-water flatfish assemblage. SAFE report indicates that the shallow water flatfish complex was not subjected to overfishing in 2010 and that neither of the indicator species (northern and southern rock sole) is overfished or approaching a condition of being overfished in 2011.		
NPFMC	Gulf of Alaska Shark Complex	The Shark Complex consists of Pacific Sleeper Shark, Salmon Shark, and Spiny Dogfish.		
NPFMC	Gulf of Alaska Skate Complex	The Skate Complex consists of the following stocks: Alaska Skate, Aleutian Skate, Bering Skate, Deepsea Skate, Roughshoulder Skate, Routhtail Skate, and Whiteblotched Skate. The overfishing determination is based on the combined abundance estimates of these species.		
NPFMC	Gulf of Alaska Squid Complex	The Squid Complex consists of Squid Berryteuthis anonychus, Squid Berryteuthis magister, Squid Chiroteuthis calyx, Squid Cranchia scabra, Squid Eogonatus tinro, Squid Galiteuthis phyllura, Squid Gonatopsis makko, Squid Gonatus berryi, Squid Gonatus kamtschaticus, Squid Gonatus madokai, Squid Gonatus onyx, Squid Gonatus pyros, Squid Histioteuthis hoylei, Squid Loligo opalescens, Squid Moroteuthis robusta, Squid Octopoteuthis deletron, and Squid Onychoteuthis borealijaponicus. Managed as part of "other species" complex through 2010 (beginning in 2011, squids are managed as a new assemblage). Best F, Flimit, FMSY, and Ftarget represent "other species" complex. SAFE report indicates that the "other species" complex was not subjected to overfishing in 2010. Data are insufficient to determine whether the squid assemblage is overfished or approaching a condition of being overfished.		
NPFMC	Alaska Coho Salmon Assemblage	The Alaska Coho Salmon Assemblage consists of coho, sockeye, pink, and chum salmon throughout southeast Alaska. There are 4 indicator stocks of coho salmon that are used to determine the status of the assemblage; these indicator stocks are Auke Creek, Berners River, Ford Arm Lake, and Hugh Smith Lake.		
PFMC	Northern Pacific Coast Minor Nearshore Rockfish Complex	The Northern Pacific Coast Minor Nearshore Rockfish Complex contains the following stocks: black-and-yellow, blue, brown, calico, China copper, gopher, grass, kelp, olive, quillback, and treefish.		
PFMC	Northern Pacific Coast Minor Shelf Rockfish Complex	The Northern Pacific Coast Minor Shelf Rockfish Complex contains the following stocks: bronzespotted, chameleon, chilipepper, dusk dwarf-red, flag, freckled, greenslotched, greenspotted, greenstriped, halfbanded, harlequin, honeycomb, Mexican, pink, pinkrose, pygmy redstripe, rosethorn, rosy, silvergray, speckled, squarespot, starry, stripetail, swordspine, tiger, and vermilion rockfish; and bocaccio and cowcod.		
PFMC	Northern Pacific Coast Minor Slope Rockfish Complex	The Northern Pacific Coast Minor Slope Rockfish Complex contains the following stocks: Aurora, bank, blackgill, redbanded, rougheye, sharpchin, shortraker, splitnose, and yellowmouth rockfish.		
PFMC	Pacific Coast Other Flatfish Complex	The Pacific Coast Other Flatfish Complex contains the following stocks: Butter, curlfin, flathead, rex, rock, and sand sole; and Pacific sanddab.		
PFMC	Pacific Coast Other Groundfish Complex	The Pacific Coast Other Groundfish Complex contains the following stocks: Big skate, cabezon, California skate, finescale codling, kelp greenling, leopard shark, Pacific rattail, ratfish, soupfin shark, and spiny dogfish.		
PFMC	Southern Pacific Coast Minor Nearshore Rockfish Complex	The Southern Pacific Coast Minor Nearshore Rockfish Complex contains the following stocks: Black-and-yellow, China, gopher, grass, kelp, blue, brown, calico, copper, olive, and quillback rockfish; and treefish.		
PFMC	Southern Pacific Coast Minor Shelf Rockfish Complex	The Southern Pacific Coast Minor Shelf Rockfish Complex contains the following stocks: Bronzespotted, chameleon, dusky, dwarf-red, flag, freckled, greenblotched, greenspotted, greenstriped, halfbanded, harlequin, honeycomb, Mexican, pink, pinkrose, pygmy, redstripe, rosethorn, rosy, silvergray, speckled, squarespot, starry, stripetail, swordspine, tiger, vermilion, and yellowtail rockfish.		
PFMC	Southern Pacific Coast Minor Slope Rockfish Complex	The Southern Pacific Coast Minor Slope Rockfish Complex contains the following stocks: Aurora, bank, blackgill, redbanded, rougheye, sharpchin, shortraker, and yellowmouth rockfish; and Pacific ocean perch.		

2008, and 2009. The PFMC was nonefued on March 2, 2010 that they are required to develop a rebuilding plan for this stock and have 2 was from this date to implement a plan.	Jurisdiction	Stock	Footnote		
Columbia (natural)  Countbia (natural)  Countbia (natural)  Coho salmon - Oregon Production Index Area  Oregon Cosstal (natural)  PFMC  Coho salmon - Oregon Production Index Area  Oregon Cosstal (natural)  PFMC  Prink salmon - Puger Sound (odd-numbered year)  Drawn and the northern components, Oregon Cosst coho, are also listed as threatened. The OCN stocks have met their management objectives in recent years.  PFMC  Prink salmon - Puger Sound (odd-numbered year)  Drawn and the northern components, Oregon Cosst coho, are also listed as threatened. The OCN stocks have met their management objectives in recent years.  The PFMC manages these fisheries consistent with provisions of the Pacific Salmon Treaty. These stocks originate from either U.S. or Canada (Antipatharia) - Southern Atlantic Cosst  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC  Soft corals (Octoooralia) - Southern Atlantic Cosst  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC  Soft corals (Octoooralia) - Southern Atlantic Cosst  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC  Soft corals (Octoooralia) - Southern Atlantic Cosst  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC  Soft corals (Octoooralia) - Southern Atlantic Cosst  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC  Sagassum - Southern Atlantic Cosst  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC  Sagassum - Southern Atlantic Cosst  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  Therefore, it is unlikely that t	PFMC	· ·	2008, and 2009. The PFMC was notified on March 2, 2010 that they are required to develop a rebuilding plan for this stock and have 2		
Oregon Coastal (natural)  Complex is listed as a threatened species under the ESA as part of the Southern Oregon / Northern California Coasts Coho ESU (May 6, 197), and the northern components, Oregon Coast ocho, are also listed as threatened. The OCN stocks have met their management objectives in recent years.  PEMC  Pink salmon - Puget Sound (odd-numbered years)  Eher PEMC manages these fisheries consistent with provisions of the Pacific Salmon Treaty. These stocks originate from either U.S. or Canadian waters and are managed as mised stock fisheries.  APPENC  Fire corals (Milleporidae) - Southern Atlantic Coast  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  Fishery in the EEZ and state waters is closed; therefore, fishing mortali	PFMC		complex is listed as a threatened species under the ESA as part of the Southern Oregon / Northern California Coasts Coho ESU (May 6, 1997), and the northern components, Oregon Coast coho, are also listed as threatened. The OCN stocks have met their management		
Canadian waters and are managed as mixed stock fisheries.  SAFMC Black corals (Antipatharia) - Southern Atlantic Coast Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC Hydrocorals (Stylasteridae) - Southern Atlantic Coast Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC Soft corals (Octocorallia) - Southern Atlantic Coast Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC Soft corals (Octocorallia) - Southern Atlantic Coast Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC Stony corals (Scleractinia) - Southern Atlantic Coast Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC Sargassum - Southern Atlantic Coast On July 11, 2003, NMFs partially approved the FMP for this stock. Although one of the disapproved provisions included the MFMT, a component of the overfishing is not occurring. In addition, no directed fishery for this stock currently exists. This species has the capacity to increase its biomass through vegetative growth by as much as 10 percent per day, thus doubling its biomass every two weeks. Therefore, it is unlikely that this stock is overfishing in on officered fishery for this stock currently exists. This species has the capacity to increase its biomass through vegetative growth by as much as 10 percent per day, thus doubling its biomass every two weeks. Therefore, it is unlikely that this stock is overfishing.  WPFMC American Samoa Eaploratory Area Precious Coral Complex of the American Samoa Coral Reef Ecosystem Multi-species Complex contains black coral.  MPFMC American Samoa Exploratory Area Precious Coral Complex contains precious corals.  The American Samoa Exploratory Area Precious Coral Complex contains pink and bamboo coral.  The American Samoa Exploratory Area Precious Coral Complex contains pink and bamboo coral.  The Hawaiian Archipelago Exploratory Area Prec	PFMC	~	complex is listed as a threatened species under the ESA as part of the Southern Oregon / Northern California Coasts Coho ESU (May 6, 1997), and the northern components, Oregon Coast coho, are also listed as threatened. The OCN stocks have met their management		
SAFMC Fire corals (Millepondae) - Southern Atlantic Coast Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC Hydrocorals (Stylasteridae) - Southern Atlantic Coast Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC Soft corals (Octocorallia) - Southern Atlantic Coast Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC Stony corals (Scleractinia) - Southern Atlantic Coast Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC Sargassum - Southern Atlantic Coast Opluy 11, 2003, NMFS partially approved the FMP for this stock. Although one of the disapproved provisions included the MFMT, a component of the overfishing definition, an examination of the rate of harvest (currently zero), relative to the approved MSY level (100,000 mt), indicates that overfishing, and standination of the rate of harvest (currently zero), relative to the approved MSY level (100,000 mt), indicates that overfishing, and standination of the rate of harvest (currently zero), relative to the approved MSY level (100,000 mt), indicates that overfishing, and carnination of the rate of harvest (currently zero), relative to the approved MSY level (100,000 mt), indicates that overfishing, and standination of the rate of harvest (currently zero), relative to the approved MSY level (100,000 mt), indicates that overfishing, is not occurring. In addition, no directed fishery for this stock currently exists. This species has the capacity to increase its biomass through vegetative growth by as much as 10 percent per day, thus doubling its biomass every two weeks. Therefore, its unlikely that this stock is overfished.  WPFMC American Samoa Exploratory Area Precious Coral Complex contains black coral.  WPFMC American Samoa Exploratory Area Precious Coral Complex contains precious corals.  The American Samoa Exploratory Area Precious Coral Complex contains precious coral.  The American	PFMC	Pink salmon - Puget Sound (odd-numbered years)	· · · · · · · · · · · · · · · · · · ·		
SAFMC Ilydrocorals (Stylasteridae) - Southern Atlantic Coast Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC Soft corals (Octocorallia) - Southern Atlantic Coast Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC Scony corals (Scleractinia) - Southern Atlantic Coast Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC Sargassum - Southern Atlantic Coast On July 11, 2003, NMFS partially approved the FMP for this stock. Although one of the disapproved provisions included the MFMT, a component of the overfishing definition, an examination of the rate of harvest (currently zero), relative to the approved MSY level (100,000 mg), indicates that overfishing is that overfishing to cocuring, In addition, no directed fishery for this stock currently exists. This species has the capacity to increase its biomass through vegetative growth by as much as 10 percent per day, thus doubling its biomass every two weeks. Therefore, it is unlikely that this stock is overfished.  WPFMC American Samoa Black Precious Coral Complex  WPFMC American Samoa Coral Reef Ecosystem Multi-species Complex contains black coral.  WPFMC American Samoa Exploratory Area Precious Coral Complex (potentially harvested coral reef taxa").  The American Samoa Exploratory Area Precious Coral Complex contains precious corals.  WPFMC Antipolago Exploratory Area Precious Coral Complex contains pink and bamboo coral.  WPFMC Brooks Bank Coral Complex  The Auvain Bank Coral Complex  The Brooks Bank Precious Coral Complex contains precious corals.  The Hawaiian Archipelago Exploratory Area Precious Coral Complex contains precious corals.  The Hawaiian Archipelago Exploratory Area Precious Coral Complex contains precious corals.	SAFMC	Black corals (Antipatharia) - Southern Atlantic Coast	Overfishing determination is pre-SFA. Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.		
SAFMC Soft corals (Octocorallia) - Southern Atlantic Coast Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC Story corals (Scleractinia) - Southern Atlantic Coast Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC Story corals (Scleractinia) - Southern Atlantic Coast Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC Sargassum - Southern Atlantic Coast On July 11, 2003, NMFS partially approved the FMP for this stock. Although one of the disapproved provisions included the MFMT, a component of the overfishing definition, an examination of the rate of harvest (currently zero), relative to the approved MSY level (100,000 mt), indicates that overfishing is not occurring. In addition, no directed fishery for this stock currently exists. This species has the capacity to increase its biomass through vegetative growth by as much as 10 percent per day, thus doubling its biomass every two weeks. Therefore, it is unlikely that this stock is overfished.  WPFMC American Samoa Black Precious Coral Complex  American Samoa Black Precious Coral Complex contains black coral.  WPFMC American Samoa Coral Reef Ecosystem Multi-species American Samoa Exploratory Area Precious Coral Complex contains 104 "currently harvested coral reef taxa" and innumerable "potentially harvested coral reef taxa" and innumerable Complex  WPFMC American Samoa Exploratory Area Precious Coral Complex contains precious corals.  WPFMC American Samoa Exploratory Area Precious Coral Complex contains pricious corals.  WPFMC And Bed Black Coral Complex  The Anaerican Samoa Exploratory Area Precious Coral Complex contains pricious corals.  The Anaerican Samoa Exploratory Area Precious Coral Complex contains pricious coral.  The Anaerican Samoa Exploratory Area Precious Coral Complex contains pricious corals.  The Anaerican Samoa Exploratory Area Precious Coral Complex contains pricious corals.  The Havaiian Archipelago Explorato	SAFMC	Fire corals (Milleporidae) - Southern Atlantic Coast	Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.		
SAFMC Stony corals (Scleractinia) - Southern Atlantic Coast Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  SAFMC Sargassum - Southern Atlantic Coast On July 11, 2003, NMFS partially approved the FMP for this stock. Although one of the disapproved provisions included the MFMT, a component of the overfishing definition, an examination of the rate of harvest (currently zero), relative to the approved MSY level (100,000 mt), indicates that overfishing is not occurring. In addition, no directed fishery for this stock currently exists. This species has the capacity to increase its biomass they wegetative growth by as much as 10 percent per day, thus doubling its biomass every two weeks. Therefore, it is unlikely that this stock is overfished.  WPFMC American Samoa Black Precious Coral Complex The American Samoa Black Precious Coral Complex contains black coral.  WPFMC American Samoa Coral Reef Ecosystem Multi-species Complex Complex Complex Contains 104 "currently harvested coral reef taxa" and innumerable potentially harvested coral reef taxa" and innumerable Complex Complex Contains Samoa Exploratory Area Precious Coral Complex contains pricious corals.  WPFMC American Samoa Exploratory Area Precious Coral Complex contains pricious corals.  WPFMC Alberton Bank Coral Complex The American Samoa Exploratory Area Precious Coral Complex contains pricious corals.  WPFMC Alberton Bank Coral Complex The Au'au Bed contains up to 3 species of black coral including Antipathes grandis, Antipathes dichotoma, and Myriopathes ulex.  WPFMC Brooks Bank Coral Complex The Brooks Bank Precious Coral Complex contains pricious corals.  WPFMC Hawaiian Archipelago Exploratory Area Precious Coral Complex contains precious corals.	SAFMC	Hydrocorals (Stylasteridae) - Southern Atlantic Coast	Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.		
SAFMC Sargassum - Southern Atlantic Coast On July 11, 2003, NMFS partially approved the FMP for this stock. Although one of the disapproved provisions included the MFMT, a component of the overfishing definition, an examination of the rate of harvest (currently zero), relative to the approved MSY level (100,000 mt), indicates that overfishing is not occurring. In addition, no directed fishery for this stock currently exists. This species has the capacity to increase its biomass through vegetative growth by as much as 10 percent per day, thus doubling its biomass every two weeks. Therefore, it is unlikely that this stock is overfished.  SAFMC Nassau grouper - Southern Atlantic Coast Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  WPFMC American Samoa Black Precious Coral Complex  The American Samoa Black Precious Coral Complex contains black coral.  American Samoa Coral Reef Ecosystem Multi-species Complex contains 104 "currently harvested coral reef taxa" and innumerable potentially harvested coral reef taxa".  WPFMC American Samoa Exploratory Area Precious Coral Complex Coral Complex contains precious corals.  WPFMC 180 Fathom Bank Coral Complex  The American Samoa Exploratory Area Precious Coral Complex contains precious corals.  WPFMC Brooks Bank Coral Complex  The Ava'au Bed contains up to 3 species of black coral including Antipathes grandis, Antipathes dichotoma, and Myriopathes ulex.  WPFMC Brooks Bank Coral Complex  The Brooks Bank Precious Coral Complex contains pink and bamboo coral.  WPFMC Hawaiian Archipelago Exploratory Area Precious Coral Complex contains precious corals.  The Hawaiian Archipelago Exploratory Area Precious Coral Complex contains precious corals.	SAFMC	Soft corals (Octocorallia) - Southern Atlantic Coast	Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.		
On July 11, 2003, NMI'S partially approved the FMP for this stock. Although one of the disapproved provisions included the MFMT, a component of the overfishing definition, an examination of the rate of harvest (currently zero), relative to the approved MSY level (100,000 mt), indicates that overfishing is not occurring. In addition, no directed fishery for this stock currently exists. This species has the capacity to increase its biomass through vegetative growth by as much as 10 percent per day, thus doubling its biomass every two weeks. Therefore, it is unlikely that this stock is overfished.  SAFMC Nassau grouper - Southern Atlantic Coast Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  WPFMC American Samoa Black Precious Coral Complex The American Samoa Black Precious Coral Complex contains black coral.  WPFMC American Samoa Coral Reef Ecosystem Multi-species Complex Complex contains 104 "currently harvested coral reef taxa" and innumerable "potentially harvested coral reef taxa"  American Samoa Exploratory Area Precious Coral Complex Oral Complex contains precious corals.  WPFMC American Samoa Exploratory Area Precious Coral Complex Coral Complex contains precious corals.  WPFMC Brooks Bank Coral Complex The Au'au Bed contains up to 3 species of black coral including Antipathes grandis, Antipathes dichotoma, and Myriopathes ulex.  WPFMC Brooks Bank Coral Complex The Brooks Bank Precious Coral Complex contains pink and bamboo coral.  The Hawaiian Archipelago Exploratory Area Precious Coral Complex contains precious corals.	SAFMC	Stony corals (Scleractinia) - Southern Atlantic Coast	Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.		
WPFMC American Samoa Black Precious Coral Complex The American Samoa Black Precious Coral Complex contains black coral.  WPFMC American Samoa Coral Reef Ecosystem Multi-species Complex Complex Complex Complex Complex Complex "potentially harvested coral reef taxa".  WPFMC American Samoa Exploratory Area Precious Coral Complex The American Samoa Exploratory Area Precious Coral Complex Complex Complex Complex Complex The American Samoa Exploratory Area Precious Coral Complex contains precious corals.  WPFMC 180 Fathom Bank Coral Complex The 180 Fathom Bank Precious Coral Complex contains pink and bamboo coral.  WPFMC Brooks Bank Coral Complex The Brooks Bank Precious Coral Complex contains pink and bamboo coral.  WPFMC Brooks Bank Coral Complex The Brooks Bank Precious Coral Complex contains pink and bamboo coral.  WPFMC Hawaiian Archipelago Exploratory Area Precious Coral Complex contains pink and bamboo coral.  The Hawaiian Archipelago Exploratory Area Precious Coral Complex contains pink and bamboo coral.  The Hawaiian Archipelago Exploratory Area Precious Coral Complex contains precious corals.	SAFMC	Sargassum - Southern Atlantic Coast	component of the overfishing definition, an examination of the rate of harvest (currently zero), relative to the approved MSY level (100,000 mt), indicates that overfishing is not occurring. In addition, no directed fishery for this stock currently exists. This species has the capacity to increase its biomass through vegetative growth by as much as 10 percent per day, thus doubling its biomass every two weeks.		
WPFMC American Samoa Coral Reef Ecosystem Multi-species Complex Complex "potentially harvested coral reef taxa".  WPFMC American Samoa Exploratory Area Precious Coral Complex The American Samoa Exploratory Area Precious Coral Complex Coral	SAFMC	Nassau grouper - Southern Atlantic Coast	Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.		
Complex "potentially harvested coral reef taxa".  WPFMC American Samoa Exploratory Area Precious Coral Complex The American Samoa Exploratory Area Precious Coral Complex contains precious corals.  WPFMC 180 Fathom Bank Coral Complex The 180 Fathom Bank Precious Coral Complex contains pink and bamboo coral.  WPFMC Au'Au Bed Black Coral Complex The Au'au Bed contains up to 3 species of black coral including Antipathes grandis, Antipathes dichotoma, and Myriopathes ulex.  WPFMC Brooks Bank Coral Complex The Brooks Bank Precious Coral Complex contains pink and bamboo coral.  WPFMC Hawaiian Archipelago Exploratory Area Precious Coral Complex contains precious Coral Complex contains precious corals.	WPFMC	American Samoa Black Precious Coral Complex	The American Samoa Black Precious Coral Complex contains black coral.		
Complex  Ine American Samoa Exploratory Area Precious Coral Complex contains precious corals.  WPFMC  180 Fathom Bank Coral Complex  The 180 Fathom Bank Precious Coral Complex contains pink and bamboo coral.  WPFMC  Au'Au Bed Black Coral Complex  The Au'au Bed contains up to 3 species of black coral including Antipathes grandis, Antipathes dichotoma, and Myriopathes ulex.  WPFMC  Brooks Bank Coral Complex  The Brooks Bank Precious Coral Complex contains pink and bamboo coral.  WPFMC  Hawaiian Archipelago Exploratory Area Precious  Coral Complex  The Hawaiian Archipelago Exploratory Area Precious Coral Complex contains precious corals.	WPFMC	*			
WPFMC Au'Au Bed Black Coral Complex The Au'au Bed contains up to 3 species of black coral including Antipathes grandis, Antipathes dichotoma, and Myriopathes ulex.  WPFMC Brooks Bank Coral Complex The Brooks Bank Precious Coral Complex contains pink and bamboo coral.  WPFMC Hawaiian Archipelago Exploratory Area Precious Coral Complex Coral Complex contains precious Coral Complex contains precious corals.	WPFMC	* *	The American Samoa Exploratory Area Precious Coral Complex contains precious corals.		
WPFMC Brooks Bank Coral Complex The Brooks Bank Precious Coral Complex contains pink and bamboo coral.  WPFMC Hawaiian Archipelago Exploratory Area Precious Coral Complex Coral Complex contains precious corals.	WPFMC	180 Fathom Bank Coral Complex	The 180 Fathom Bank Precious Coral Complex contains pink and bamboo coral.		
WPFMC Hawaiian Archipelago Exploratory Area Precious Coral Complex Contains pairs and Damiboo Cotal.  The Hawaiian Archipelago Exploratory Area Precious Coral Complex contains precious Coral Complex contains precious corals.	WPFMC	Au'Au Bed Black Coral Complex	The Au'au Bed contains up to 3 species of black coral including Antipathes grandis, Antipathes dichotoma, and Myriopathes ulex.		
Coral Complex  The Hawaiian Archipelago Exploratory Area Precious Coral Complex contains precious corals.	WPFMC	Brooks Bank Coral Complex	The Brooks Bank Precious Coral Complex contains pink and bamboo coral.		
WPFMC Kaena Point Bed Precious Coral Complex The Kaena Point Bed Precious Coral Complex contains pink and bamboo coral.	WPFMC	1 0 1	The Hawaiian Archipelago Exploratory Area Precious Coral Complex contains precious corals.		
	WPFMC	Kaena Point Bed Precious Coral Complex	The Kaena Point Bed Precious Coral Complex contains pink and bamboo coral.		

Jurisdiction Stock		Footnote		
WPFMC	Keahole Bed Precious Coral Complex	The Keahole Bed Precious Coral Complex contains pink and bamboo coral.		
WPFMC	Main Hawaiian Islands Non-Deep 7 Bottomfish Multi-species Complex*	The Main Hawaiian Islands Non-Deep 7 Bottomfish Multi-species Complex contains: uku, white ulua, black ulua, taape, yellowtail kalekale, butaguchi, and kahala.		
WPFMC	Makapu'u Bed Precious Corals Multi-species Complex	Moratorium on gold coral (Gerardia spp) through June 30, 2013 to prevent overfishing. The coral bed contains up to 12 taxa including Corallium secundum, Corallium regale, Corallium laauense, Gerardia spp., Callogorgia gilberti, Narella spp., Callytrophora spp., Lepidisis olapa, Acanella spp., Antipathes grandis, Antipathes griggi, and Myriopathes ulex. There has been virtually no fishing for this stock since 2001 and fishing mortality has been virtually zero since then.		
WPFMC	Northwest Hawaiian Islands Bottomfish Multi- species Complex	The Northwest Hawaiian Islands Bottomfish Multi-species Complex contains onaga, ehu, gindai, kalekale, opakapaka, lehi, hapuupuu, uku, white ulua, black ulua, taape, yellowtail kalekale, butaguchi, and kahala.		
WPFMC	Northwestern Hawaiian Islands Crustacean Complex	The Northwestern Hawaiian Islands Crustacean Complex include Panulirus marginatus (spiny lobster), Panulirus penicillatus (spiny lobster), Family Scyllaridae (slipper lobster), Ranina ranina (Kona crab), and Heterocarpus spp. (deepwater shrimp). Harvest quota for lobster is set at zero for the commercial lobster fishery in Northwest Hawaiian Islands Marine National Monument.		
WPFMC	Guam Black Precious Coral Complex	The Guam Black Precious Coral Complex contains black coral.		
WPFMC	Guam Coral Reef Ecosystem Multi-species Complex	The Guam Coral Reef Ecosystem Multi-species Complex contains 117 "currently harvested coral reef taxa" and innumerable "potentially harvested coral reef taxa."		
WPFMC	Guam Exploratory Area Precious Coral Complex	The Guam Exploratory Area Precious Coral Complex contains precious corals.		
WPFMC	Northern Mariana Islands Black Precious Coral Complex	The Northern Mariana Islands Black Precious Coral Complex contains precious coral.		
WPFMC	Northern Mariana Islands Bottomfish Multi-species Complex	Northern Mariana Islands Bottomfish Multi-species Complex contains 16 species. Stock assessments are currently made for the multi-species complex. MSY is estimated for deep-water complex only, no MSY for the shallow-water complex.		
WPFMC	Northern Mariana Islands Coral Reef Ecosystem Multi-species Complex	The Northern Mariana Islands Coral Reef Ecosystem Multi-species Complex contains 117 "currently harvested coral reef taxa" and innumerable "potentially harvested coral reef taxa."		
WPFMC	Northern Mariana Islands Exploratory Area Precious Coral Complex	The Northern Mariana Islands Exploratory Area Precious Coral Complex containes precious corals.		
WPFMC	Tropical Pacific Other Tuna Relatives Complex	The management unit includes Auxis spp. (frigate mackerels), Allothunnus spp. (slender tunas), and Scomber spp. (mackerels).		
WPFMC	Western Pacific Squid Complex	The Squid Complex contains Ommastrephes bartamii (neon flying squid), Thysanoteuthis rhombus (diamondback squid), and Sthenoteuthis oualaniensis (purple flying squid.)		
WPFMC	Pacific Island Remote Areas Coral Reef Ecosystem Multi-species Complex	The Pacific Island Remote Areas Coral Reef Ecosystem Multi-species Complex contains 54 "currently harvested coral reef taxa" and innumerable "potentially harvested coral reef taxa." The Pacific remote island areas (PRIA) are U.S. island possessions in the Pacific Ocean that include Palmyra Atoll, Kingman Reef, Jarvis Island, Baker Island, Howland Island, Johnston Atoll, Wake Island, and Midway Atoll. All reefs of the PRIA except Wake Island, which is under the jurisdiction of the Department of Defense, are National Wildlife Refuges. Fishing for coral reef-associated species is prohibited in all these areas except Palmyra Atoll, Johnston Atoll, Wake Island, and Midway Atoll.		
WPFMC	Pacific Remote Island Areas Crustacean Complex	The Pacific Remote Island Areas Crustaceans include Panulirus marginatus (spiny lobster), Panulirus penicillatus (spiny lobster), Family Scyllaridae (slipper lobster), Ranina ranina (Kona crab), and Heterocarpus spp. (deepwater shrimp).		

#### National Marine Fisheries Service - 2nd Quarter 2012 Tables E-G. Other Stocks

### **Table E. Ecosystem Component Species**

Jurisdiction	FMP	Stock	Species contained in Ecosystem Component Group	
PFMC	Coastal Pelagic Species	Ecosystem Component Species	Pacific herring and jacksmelt	
NPFMC	Fish Resources of the Arctic Management Area	Ecosystem Component Species	Alaska plaice, Alaska lyre crab, Arctic staghorn sculpin, Bering flounder, blue king crab, Canadian eelpout, capelin, eelpouts, Greenland halibut, marbled eelpout, notched brittlestar, Pacific cod, Pacific herring, pricklebacks, red king crab, sculpins, snailfishes, Walleye pollock, warty sculpin, and yellowfin sole.	
PFMC / WPFMC	U.S. West Coast Fisheries for Highly Migratory Species / Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Pacific HMS Ecosystem Component Species Complex	Bigeye thresher and pelagic thresher	
NPFMC	Scallop Fishery off Alaska	Ecosystem Component Species	Bering scallop, giant rock scallop, reddish scallop, spiny scallop, and white scallop	
SAFMC	11 1	Bank sea bass - Southern Atlantic Coast	Not applicable; single species.	
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Cottonwick - Southern Atlantic Coast	Not applicable; single species.	
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Longspine porgy - Southern Atlantic Coast	Not applicable; single species.	
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Ocean triggerfish - Southern Atlantic Coast	Not applicable; single species.	
SAFMC	11 1	Rock sea bass - Southern Atlantic Coast	Not applicable; single species.	
SAFMC	Snapper-Grouper Fishery of the South Atlantic Region	Schoolmaster - Southern Atlantic Coast	Not applicable; single species.	

### **Table F. Data Collection Only Species**

Jurisdiction	FMP	Stock	Species contained in Data Collection Only Complex
HMS	Consolidated Atlantic Highly Migratory Species	Atlantic Deepwater Shark Data Collection Species Complex	Arrowhead dogfish, Bahamas sawshark, blotched catshark, bramble shark, broadband lanternshark, broadgill catshark, Caribbean lanternshark, chain dogfish, cookiecutter shark, Cuban dogfish, deepwater catshark, dwarf catshark, Florida smoothhound, fringefin lanternshark, green lanternshark, Greenland shark, gulper shark, Iceland catshark, kitefin shark, largetooth cookiecutter shark, lined lanternshark, little gulper shark, marbled catshark, needle dogfish, Portuguese shark, pygmy shark, roughskin dogfish, shortspine dogfish, smallfin catshark, smallmouth velvet dogfish, smooth dogfish, and smooth lanternshark.
CFMC	Puerto Rico and the United States	Caribbean Conch Data Collection Species Complex	Atlantic trition's trumpet, cameo helmet, green star shell, hawkwing conch, milk conch, roostertail conch, true tulip, and West Indian fighting conch.

#### National Marine Fisheries Service - 2nd Quarter 2012 Tables E-G. Other Stocks

Jurisdiction	FMP	Stock	Species contained in Data Collection Only Complex
CFMC	Corals and Reef Associated Plants and Invertebrates of Puerto Rico and the United States Virgin Islands	Data Collection Species Complex	Sponges: Erect rope sponge, chicken liver sponge, Cynachirella alloclada, potato sponge, finger sponge, Myriastra spp., pink vase sponge, lavender rope sponge, Spinosella policifera, S. vaginalis, Tethya crypta; Coelenterates: Pale anemone, corkscrew anemone, giant pink-tipped anemone, knobby anemone, staghorn anemone, sun anemone, sea mat, false coral, Florida false coral; Annelid Worms: Feather duster worms, tube worms, magnificent duster, Christmas tree worm; Mollusks: Lettuce sea slug, netted olive, flamingo tongue, fileclams, rough fileclam, Atlantic thorny oyster, Octopus spp. (except the Common octopus, O. vulgaris); Arthropods: Snapping shrimp, hermit crabs, red reef hermit, nimble spray crab, peppermint shrimp, anemone shrimp, coral crabs, clinging crabs, banded clinging crabs, green clinging crabs, yellowline arrow crabs, cleaner shrimp, mantis crabs, Gonodactylus spp., Lysiosquilla spp., coral shrimp, banded shrimp, golden shrimp; Echinoderms: Swimming crinoid, Davidaster spp., Crinoids, and Nemaster spp., Crinoids.
WPFMC	Pacific Pelagic Fisheries of the Western Pacific Region Ecosystem	Western Pacific Squid Complex	Neon flying squid, diamondback squid, and purple flying squid

### Table G. Stocks managed under an International Agreement

Jurisdiction	FMP	Stock	Overfishing? (Is Fishing Mortality above Threshold?)	Overfished? (Is Biomass below Threshold?)
HPH(	1 0	Pacific halibut - Pacific Coast / Alaska	Undefined	No