Table C. Species managed under International Agreement.

| Stock (Species in Bold are Major Stocks) | Jurisdiction | Overfishing? (Is Fishing Mortality above Threshold?) | Overfished? (Is Biomass below Threshold?) | Approaching Overfished Condition? |
|---|-----------------------------|--|---|-----------------------------------|
| PACIFIC HALIBUT | PFMC and NPFMC ¹ | No | Undefined | Unknown |

^{1.} The resource is managed by treaty between the United States and Canada through recommendations of the International Pacific Halibut Commission. Pacific halibut is managed under the jurisdiction of the PFMC for WA, OR, and CA and under the jurisdiction of the NPFMC for Alaska.

Table D. Summary of stock status for species not contained in federal fishery management plans.

NOTE: These stocks are not counted toward the total of overfished stocks.

| Stock (Species in Bold are Major Stocks) | Jurisdiction | Overfishing? (Is Fishing Mortality above Threshold?) | Overfished? (Is Biomass below Threshold?) | Approaching Overfished Condition? |
|---|--------------|--|---|-----------------------------------|
| AMERICAN EEL | ASMFC | Unknown | Unknown | Unknown |
| AMERICAN LOBSTER | ASMFC | Yes | Undefined ¹ | Unknown |
| ATLANTIC CROAKER - Mid-Atlantic | ASMFC | No | No | No |
| ATLANTIC CROAKER - South Atlantic | ASMFC | Unknown | Unknown | Unknown |
| ATLANTIC MENHADEN | ASMFC | No | No | Unknown ² |
| HORSESHOE CRAB | ASMFC | Unknown | Unknown | Unknown |
| NORTHERN SHRIMP | ASMFC | No | No | Unknown ² |
| SPOT | ASMFC | Unknown | Unknown | Unknown |
| SPOTTED SEATROUT | ASMFC | Unknown | Unknown | Unknown |
| STRIPED BASS | ASMFC | No | No | Unknown ² |
| TAUTOG | ASMFC | Yes | Undefined | Unknown |
| WEAKFISH | ASMFC | Unknown | Unknown | Unknown |
| AMERICAN SHAD | ASMFC | Unknown | Unknown | Unknown |
| Hickory Shad | ASMFC | Unknown | Unknown | Unknown |
| RIVER HERRING | ASMFC | Unknown | Unknown | Unknown |
| Atlantic Sturgeon | ASMFC | No ³ | Yes | N/A |

- 1. Although there is no clear biomass target in the ASMFC FMP, the 2005 ASMFC Assessment for American Lobster found that, based on current reference points, overfishing is occurring in the Gulf of Maine and South of Cape Cod to Long Island Sound. Overfishing is not occurring in the Georges Bank and south stock area.
- 2. Although the biomass level is known, determining whether the stock is approaching an overfished condition requires an additional level of analysis which has not been done.
- 3. Fishing for Atlantic Sturgeon is prohibited, therefore, there is no fishing mortality.