# **Behavioral Health eMeasures Depression Meeting 2**

**Technical Expert Panel • May 29, 2012** 



Health in the 21st Century



#### **Agenda**

- Welcome and Meeting Schedule Review (10 minutes)
- TEP Goals, Outcomes, and Timeline (10 minutes)
- Today's Domain Discussions Depression (60 minutes)
  - Depression Measures and MU work to date
  - Review AHRQ Results for recommendations
  - Develop Literature Search Questions
- Next Steps and Questions (5 minutes)

# **Roll Call**



#### **Core Team**

#### SAMHSA

- Westley Clark, MD
- Maureen Boyle, PhD (TEP Co-lead)
- Ken Salyards
- Bob Stephenson

#### 

- Jesse James, MD
- Kevin Larsen, MD
- Lauren Richie (TEP Co-lead)
- Anca Tabakova
- Kate Tipping

#### CMS

Carrie Feher

#### MITRE

- Beth Halley
- Nicole Kemper
- Saul Kravitz
- Maggie Lohnes
- Denise Sun
- Jocelyn Tafalla

### **Technical Expert Panel- Community**

Gavin	Bart	University of Minnesota- Hennepin County Medical Center
Rhonda	Beale	Chief Medical Officer @ OptumHealth Behavioral Solutions
Lyndra	Bills	Associate Medical Director for the Northeast Pennsylvania
Gregory	Brown	UPenn
Mady	Chalk	Treatment Research Institute (TRI)
Kate	Comtois	Harborview Medical Center
Geri	Dawson	Autism Speaks
Vincent	Felitte	Kaiser Permanente
Deborah	Garnick	Brandeis U Heller School
Frank	Ghinassi	UPMC
Eric	Goplerud	NORC
Rob	Gore-Langton	EMMES
Constance	Horgan	Brandeis U Heller School
Anna Mabe	Jones	Oxford House, Inc.
Rachel	Kimerling	Veterans Administration

(Continued)



## **Technical Expert Panel - Community (Cont.)**

Alex	Krist	Community Physician
Robert	Linblad	EMMES
Cathy	Lord	Institute for Brain Development, NY-Presbyterian Hosp
A Thomas	McLellan	Treatment Research Institute
LaVerne	Miller	Policy Research Associates, Delmar, New York
Daniel	Mullin	UMass MHC
Keris	Myrick	Project Return Peer Support Network
Harold	Pincus	Columbia University
Charlie	Reznikoff	University of Minnesota- Hennepin County Medical Center
Lucy	Savitz	Intermountain Healthcare
Robert	Schwartz	Friends Research Institute
Cheryl	Sharp	National Council for Community Behavioral Healthcare
Morton	Silverman	EDC
Piper	Svensson- Ranallo	University of Minnesota Institute for Health Informatics
Thomas	Swales	MetroHealth System/ Case Western Reserve University
Amy	Wetherby	Florida State University
Charles	Willis	Statewide Peer Wellness Initiative/GA Mental Health Consumer Network



### **Subgroup Members – Federal Staff**

	ALCOHOL (3)		
Last Name	First Name	Agency	
Boyle	Maureen	SAMHSA	
Corbridge	lan	HRSA	
Cotter	Frances	SAMHSA	
Dowling	Gaya	NIH/NIDA	
Faden	Vivian	NIH/NIAAA	
Forman	Reed	SAMHSA	
Harris	Alex	VA	
Lide	BJ	NIST	
Lowman	Cheryl	NIH	
McKnight-Eily	Lela	CDC	
Tai	Betty	NIH/NIDA	

AUTISM (2)			
First Name	Agency		
Alex	NIH		
Maureen	SAMHSA		
Lisa	NIH		
Alice	NIH/NICHD		
Laura	HRSA		
Camille	CDC/ONDIEH/NCBDDD		
Catherine	CDC/ONDIEH/NCBDDD		
Rebecca	CDC/ONDIEH/NCBDDD		
	First Name Alex Maureen Lisa Alice Laura Camille Catherine		

DEPRESSION (6)				
Last Name	First Name	Agency		
Alemu	Girma	HRSA		
Azrin	Susan	NIH/NIMH		
Boyle	Maureen	SAMHSA		
Cotter	Fran	SAMHSA		
Feher	Carrie	CMS		
Harris	Yael	HRSA		
LeFauve	Charlene	SAMHSA		
Ross	Alex	HRSA		

SUBSTANCE ABUSE (2)			
Last Name	First Name	Agency	
Boyle	Maureen	SAMHSA	
Dowling	Gaya	NIH/NIDA	
Ghitza	Udi	NIH/NIDA	
Lee	Jinhee	SAMHSA	
Reuter	Nick	SAMHSA	
Sivilli	June	ONDCP	
Tai	Betty	NIH/NIDA	

SUICIDE (2)				
Last Name	First Name	Agency		
Boyle	Maureen	SAMHSA		
Crosby	Alex	CDC		
Grenier	Denise	IHS		
Lysell	Katy	VA		
McKeon	Richard	SAMHSA		
Mullen	Mariquita	HRSA		
Weglicki	Linda	NIH/NINR		

Bold = Lead (#) = High Priority Measures

TRAUMA (0)				
Last Name	First Name	Agency		
Boyle	Maureen	SAMHSA		
Cotton	Beverly	IHS		
DeVoursney	David	SAMHSA		
Harvell	Jennie	ASPE		
Herne	Mose	IHS		
Huang	Larke	SAMHSA		
Ross	Alex	HRSA		
Salyards	Ken	SAMHSA		
Young	Elise	HRSA		

#### **FULL MEETING SCHEDULE and TOPICS**

WEEK#	MEETING DAYS	ТОРІС
1	OPTION 1: 4/9: 1:00pm-3:00pm OPTION 2: 4/12: 12:30pm-2:30pm	KICK-OFF
2	4/16 3-4:30pm Eastern	Suicide/Trauma – Meeting 1
3	4/23 3-4:30pm Eastern	Autism – Meeting 1
4	4/30 3-4:30pm Eastern	Depression – Meeting 1
5	5/7 3-4:30pm Eastern	Drugs/Alcohol – Meeting 1
6	5/14 3-4:30pm Eastern	Suicide/Trauma – Meeting 2
7	5/22 2:30-4:00pm Eastern TUESDAY	Autism – Meeting 2
8	5/29 3-4:30pm Eastern TUESDAY	Depression – Meeting 2
9	6/4 3-4:30pm Eastern	Drugs/Alcohol – Meeting 2
10	6/11 3-4:30pm Eastern	Suicide/Trauma – Meeting 3
11	6/18 3-4:30pm Eastern *NOTE: Date may be moved to 6/19	Autism – Meeting 3



#### **FOCUS MEETING SCHEDULE and TOPICS**

WEEK#	MEETING DAYS	TOPIC
12	6/25 3-4:30pm Eastern	Depression - Meeting 3
13	7/2 3-4:30pm Eastern	Drugs/Alcohol–Meeting 3
14	7/9 3-4:30pm Eastern	Depression
15	7/16 3-4:30pm Eastern	Drugs/Prescription Drug Misuse
16	7/23 3-4:30pm Eastern	Depression
17	7/30 3-4:30pm Eastern	Drugs/Prescription Drug Misuse
18	8/6 3-4:30pm Eastern	Depression
19	8/13 3-4:30pm Eastern	Drugs/Prescription Drug Misuse
20	8/20 3-4:30pm Eastern	Depression
21	8/27 3-4:30pm Eastern	Drugs/Prescription Drug Misuse
22	9/3 3-4:30pm Eastern	Depression
23	9/10 3-4:30pm Eastern	Drugs/Prescription Drug Misuse
24	9/17 3-4:30pm Eastern	Depression
25	9/24 3-4:30pm Eastern	Drugs/Prescription Drug Misuse



## **Goals and Outcomes**



### **Project Goal**

Develop a portfolio of behavioral health (BH) clinical quality measures (CQMs) suitable for inclusion in the EHR incentive program for Meaningful Use (MU) of Health Information Technology (IT)





#### What constitutes a good measure for this project?

#### NQF uses four criteria to assess a measure for endorsement:

- Important to measure and report to keep our focus on priority areas, where the evidence is highest that measurement can have a positive impact on healthcare quality.
- Scientifically acceptable, so that the measure when implemented will produce consistent (reliable) and credible (valid) results about the quality of care.
- Useable and relevant to ensure that intended users consumers, purchasers, providers, and policy makers — can understand the results of the measure and are likely to find them useful for quality improvement and decision making.
- Feasible to collect with data that can be readily available for measurement and retrievable without undue burden
- eMeasure Specifications REQUIRED for EHRs

#### **Project Phase 2 – Outcomes**

- Broad review of 6 domain areas with report of findings
  - Perform Environmental Scan for non-NQFendorsed measures Perform Clinical Literature Search for available evidence (Meeting 1)
  - TEP Review of Environmental Scan results (Meeting 2 and 3)
  - Measure Development Recommendations Report (Meeting 3 and postmeetings)

 Research Drug Use/ Prescription Drug Misuse (DU/PDM) Clinical Evidence

(Meeting 4-9)

- Document clinical evidence to support NQF-endorsement of effective DU/PDM care approaches
- Document clinical evidence to support NQF-endorsement of effective SBIRT DU/PDM care approach
- Fund clinical research of patient-entered SISQ
- Support development of a trended Depression Outcome Clinical Quality Measure

(Meeting 4-9)

#### **TEP Domain Meetings 1-3 Goals**

#### Meeting 1

- Meeting Goal: Familiarity with Current Measures
- Review Recommended NQF-Endorsed High Priority Measures
- Introduce High-level Scan Non-Endorsed Measures (AHRQ Database)
- Homework: Review AHRQ results

#### Meeting 2

- Meeting GOAL: Non-Endorsed Measures Recommendations/Lit Search Question Formation
- Review Depression Measures and MU work to date
- Review AHRQ measures and discuss recommendations
- Determine questions for literature scan
- Homework: Receive/read Clinical Literature Search results and develop recommendations

#### Meeting 3

- Meeting Goal: Select Promising Clinical Research
- Discuss Clinical Literature Search Results
- Gain Consensus Is there any promising Clinical Research that can be used
- Develop outline for final recommendations
- Homework: Approval final recommendations



### **Technical Expert Panel (TEP) Schedule**


**MITRE** 

**TEP** 

Subcontractor: Literature Search

Subcontractor: R. Saitz, MD

----- = Today






# Today's Domain Discussions

Depression



#### **Review of TEP Domain success metrics**

Depression - Meetings #1-9



#### **Today's Discussion – Depression Domain**

- Review Depressions Measures in MU to date (5 minutes)
  - Stage 1 Measures
  - Stage 2 NPRM MU proposed measures
  - Prioritized measures for eSpecification
- Review AHRQ Results (30 minutes)
  - Are there questions about any of the AHRQ results?
  - Are there any outcome measures that TEP members would like to recommend for prioritization?
  - Are there any potential comprehensive measures for recommendation?
- Develop additional Literature Search Questions (25 minutes)
  - Introduce The Cloudburst Group
  - Discuss gaps in research/literature for development of outcome and comprehensive set measures
  - Identify questions for additional searches

# Depression Measures and Meaningful Use



### **MU Stage 1 - Final Rule Measures - Core Set**

Measure	Title and Description	Domain
Number		
	NONE	

### **MU Stage 1 - Final Rule Measures - Menu Set**

Me	asure	Title and Description	Domain
Nu	mber		
010	05	Patients more than 18 years old who were diagnosed with a new episode of major depression and treated with antidepressant medication, and who remain on antidepressant medication treatment	Miscellaneous

### **MU Stage 2 NPRM Proposed BH Measures**

Measure Number	Title and Description	Domain
NQF 0004	Title: Initiation and Engagement of Alcohol and Other Drug Dependence Treatment: (a) Initiation, (b) Engagement	Clinical Process/ Effectiveness
NQF 0028	Title: Preventive Care and Screening Measure Pair: a. Tobacco Use Assessment, b. Tobacco Cessation Intervention	Population/ Public Health
NQF 0103	Title: Major Depressive Disorder (MDD): Diagnostic Evaluation	Clinical Process/ Effectiveness
NQF 0104	Title: Major Depressive Disorder (MDD): Suicide Risk Assessment	Clinical Process/ Effectiveness
NQF 0105	Title: Anti-depressant Medication Management: (a) Effective Acute Phase Treatment, (b)Effective Continuation Phase Treatment	Clinical Process/ Effectiveness
NQF 0106	Title: Diagnosis of attention deficit hyperactivity disorder (ADHD) in primary care for school age children and adolescents	Care Coordination
NQF 0107	Title: Management of attention deficit hyperactivity disorder (ADHD) in primary care for school age children and adolescents	Clinical Process/ Effectiveness
NQF 0108	Title: ADHD: Follow-Up Care for Children Prescribed Attention- Deficit/Hyperactivity Disorder (ADHD) Medication	Clinical Process/ Effectiveness
NQF 0110	Title: Bipolar Disorder and Major Depression: Appraisal for alcohol or chemical substance use	Clinical Process/ Effectiveness
NQF 0112	Title: Bipolar Disorder: Monitoring change in level-of-functioning	Clinical Process/ Effectiveness

(Continued)



# **MU Stage 2 NPRM Proposed BH Measures** (cont.)

Measure Number	Title and Description	Domain
NQF 0710	Title: Depression Remission at Twelve Months	Clinical Process/ Effectiveness
NQF 0711	Title: Depression Remission at Six Months	Clinical Process/ Effectiveness
NQF 0712	Title: Depression Utilization of the PHQ-9 Tool	Clinical Process/ Effectiveness
NQF 1365	Title: Child and Adolescent Major Depressive Disorder: Suicide Risk Assessment	Patient Safety
NQF 1401	Title: Maternal depression Screening	Population/ Public Health
TBD	Title: Depression screening and follow-up assessment using patient self-reported process	Patient and Family Engagement
TBD	Title: Closing the referral loop: receipt of specialist report	Care Coordination
NQF 0024	Title: Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents Description	Population/ Public Health
NQF 0421	Title: Adult Weight Screening and Follow-Up Description	Population/Public Health



# Prioritized NQF Endorsed Measures for eSpecification (not included in MU Stage 2 NPRM)

NQF Number	Measure Concept	Measure Title	Sub-group	Sub- Group Priority	Setting
580	Bipolar antimanic agent	Bipolar antimanic agent	Depression	2	EP
410	Depression Screening (PHQ-2 and PHQ-9) for primary care > age 13	Depression Screening (PHQ-2 and PHQ-9) for primary care > age 13	Depression	1	EP

## **Review AHRQ results**

Depression



# Domain: Depression (Keyword: Depression Screening) – Environmental Scan

# Search Criteria: Depression Screening

- 60 results initially identified
  - 19 removed (NQF endorsed)
- Final pool = 41 results for review

#### Full List of Original Results\*

(\*includes NQF endorsed measures)

**Click Here** 

# **Search Criteria: Depression Screening and Hospitals**

- 17 results initially identified
  - 0 removed (NQF endorsed)
- Final pool = 17 results for review

#### Full List of Original Results\*

(\*includes NQF endorsed measures)

**Click Here** 

# Domain: Depression (Keyword: Depression Screening) - Top Results

	Measure Review (M= Maybe, X=No, Y = yes)	Prioritized Result Summary
1		Depression: percent of Veterans with a positive score on the PHQ-2, PHQ-9 or affirmative answer to Question 9 of the PHQ-9 during their annual depression screening, who have a disposition that is timely. 2010 Oct. NQMC:006059 Veterans Health Administration - Federal Government Agency [U.S.]
2		Behavioral health: percent of eligible patients screened annually for depression. 2010 Oct. NQMC:006011 Veterans Health Administration - Federal Government Agency
3		Depression: the percentage of patients on the diabetes register and/or coronary heart disease (CHD) register for whom case finding for depression has been undertaken on one occasion during the previous 15 months using two standard screening questions. 2009 Mar. [NQMC Update Pending] NQMC:005108 British Medical Association - Medical Specialty Society; National Health Service (NHS) Confederation - National Government Agency [Non-U.S.]
4		Depression: percent of Veterans with a positive score on the PHQ-2, PHQ-9 or affirmative answer to Question 9 of the PHQ-9 during their annual depression screening, who have a disposition. 2010 Oct. NQMC:006058 Veterans Health Administration - Federal Government Agency [U.S.].
5		Major depression in adults in primary care: percentage of patients with diabetes with documentation of screening for depression. 2010 May. [NQMC Update Pending] NQMC:006171 Institute for Clinical Systems Improvement - Nonprofit Organization
6		Cardiac rehabilitation: percentage of patients in the healthcare system's cardiac rehabilitation program(s) who meet the specified performance measure criteria for depression. 2007 Sep. NQMC:003782  American Association of Cardiovascular and Pulmonary Rehabilitation/American College of Cardiology Foundation/American Heart Association.



# Domain: Depression (Keyword: Depression Screening and Hospitals) – Top Results

	Measure Review (M= Maybe, X=No, Y = yes)	Prioritized Result Summary
1		Depression: percent of Veterans with a positive score on the PHQ-2, PHQ-9 or affirmative answer to Question 9 of the PHQ-9 during their annual depression screening, who have a disposition that is timely. 2010 Oct. NQMC:006059 Veterans Health Administration - Federal Government Agency [U.S.].
2		Behavioral health: percent of eligible patients screened annually for depression. 2010 Oct. NQMC:006011  Veterans Health Administration - Federal Government Agency [U.S.]
3		Behavioral health: percent of eligible patients screened annually for depression AND if positive PHQ-2 or PHQ-9 result or affirmative response to Q9 of the PHQ-9 and percent of eligible patients screened at required intervals for PTSD AND if positive PC-PTSD result, have suicide risk evaluation completed within 24 hours. 2010 Oct. NQMC:006013 Veterans Health Administration - Federal Government Agency [U.S.].
4		Cardiac rehabilitation: percentage of patients in the healthcare system's cardiac rehabilitation program(s) who meet the specified performance measure criteria for depression. 2007 Sep. NQMC:003782  American Association of Cardiovascular and Pulmonary Rehabilitation/American College of Cardiology Foundation/American Heart Association.

\*Note: Results are duplicative. Abstracts state also appropriate for care setting of hospitals.

# Domain: Depression (Keyword: Depression Risk Assessment and Ambulatory) – Environmental Scan

# Search Criteria: Depression Risk Assessment and Ambulatory

- 58 results initially identified
  - 32 removed (NQF endorsed)
- Final pool = 26 results for review

#### Full List of Original Results\*

(\*includes NQF endorsed measures)

**Click Here** 

# **Search Criteria: Depression Risk Assessment and Hospitals**

- 10 results initially identified
  - 0 removed (NQF endorsed)
- Final pool = 10 results for review

#### Full List of Original Results\*

(\*includes NQF endorsed measures)

Click Here

# Domain: Depression (Keyword: Depression Risk Assessment and Ambulatory) – Top Results

	Measure Review (M= Maybe, X=No, Y = yes)	Prioritized Result Summary
1		Major depression in adults in primary care: percentage of patients whose symptoms are reassessed by the use of a quantitative symptom assessment tool (such as Patient Health Questionnaire [PHQ-9]) within three months of initiating treatment. 2010 May. [NQMC Update Pending] NQMC:006168 Institute for Clinical Systems Improvement - Nonprofit Organization.
2		Major depression in adults in primary care: percentage of patients who have had a response to treatment at six months (+/- 30 days) after initiating treatment, e.g., have had a Patient Health Questionnaire (PHQ-9) score decreased by 50% from initial score at six months (+/- 30 days). 2010 May. [NQMC Update Pending] NQMC:006169 Institute for Clinical Systems Improvement - Nonprofit Organization.
3		Major depression in adults in primary care: percentage of patients who have reached remission at six months (+/- 30 days) after initiating treatment, e.g., have any PHQ-9 score less than five after six months (+/- 30 days). 2010 May. [NQMC Update Pending] NQMC:006170 Institute for Clinical Systems Improvement - Nonprofit Organization.
4		Major depression in adults in primary care: percentage of patients who have a depression follow-up contact within three months of initiating treatment. 2010 May. [NQMC Update Pending] NQMC:006167 Institute for Clinical Systems Improvement - Nonprofit Organization.
5		Preventive screening and counseling on emotional health and relationship issues: average proportion saying "yes" to six items about whether provider(s) discussed/screened for feeling sad or depressed, school performance, friends, suicide and sexual orientation. 2002 Jan. NQMC:000227 Child and Adolescent Health Measurement Initiative - Nonprofit Organization.



# Domain: Depression (Keyword: Depression Risk Assessment and Hospitals) – Top Results

	Measure Review (M= Maybe, X=No, Y = yes)	Prioritized Result Summary
1		Cardiac rehabilitation: percentage of patients in the healthcare system's cardiac rehabilitation program(s) who meet the specified performance measure criteria for depression. 2007 Sep. NQMC:003782  American Association of Cardiovascular and Pulmonary Rehabilitation/American College of Cardiology  Foundation/American Heart Association
2		Depression: percent of eligible patients screened annually for depression and if positive PHQ-2 or PHQ-9 result or affirmative response to Question 9 of the PHQ-9, who have suicide risk evaluation completed within 24 hours. 2010 Oct. NQMC:006053  Veterans Health Administration - Federal Government Agency [U.S.].

\*Note: Results are duplicative of results from previous searches. Abstracts state also appropriate for care setting of hospitals.

# **Develop Literature Search Questions**

The Cloudburst Group

Jamie Taylor and Steve Sullivan



#### Clinical Literature Search

- Excited today to introduce The Cloudburst Group
  - Introductions
- Discussed in our first meeting that we would be engaging experts in clinical literature searches to support the TEPs
- Goal of engagement:
  - Complete targeted literature searches
  - Present output of this search to TEP
  - Collaborate on creation of final recommendations
- What will The Cloudburst Group need from TEP members?
  - 1. Help in forming the clinical literature search questions to target their work to priority areas in this domain
    - E.g., TEP insights into current research projects or principal investigators
  - 2. Feedback and interpretation of outcomes of search

#### **Discussion Questions for Literature Search**

- 1. What areas of depression are not represented by available measures at this time?
- What other specific measures/outcomes research would be helpful in the field of depression and primary care?
- 3. Are there any specific organizations with guidelines or practice statements that we should be focused on?
- 4. Besides the PHQ-2 and PHQ-9, are there any other specific screening or assessment measures for which a lit review should be completed?
- 5. The AHRQ results cover topics such as:
  - 1. veterans & depression,
  - diabetes and/or CHD and depression, and
  - 3. depression and suicide risk.
  - Should we focus on any of these subdomains?

# **Next Steps/Questions**



#### **Next Steps and Questions**

- Weekly Workshops
  - Wednesdays at 2pm-3pm
- Next Meeting of TEP (Topic: Alcohol/Drug Use Meeting #2):
  - Monday, 6/4, 3-4:30pm Eastern
- Questions?

## **Addenda**



#### **eMeasure Titles and Descriptions**

NQF	Title	Description
0109 CQAIMH	Bipolar Disorder and Major Depression: Assessment for Manic or Hypomanic Behaviors	Percentage of patients treated for depression who were assessed, prior to treatment, for the presence of current and/or prior manic or hypomanic behaviors.
0110 CQAIMH	Bipolar Disorder and Major Depression: Appraisal for Alcohol or Chemical Substance Use	Percentage of patients with depression or bipolar disorder with evidence of an initial assessment that includes an appraisal for alcohol or chemical substance use
0111 CQAIMH	Bipolar Disorder: Appraisal for Risk of Suicide	Percentage of patients with bipolar disorder with evidence of an initial assessment that includes an appraisal for risk of suicide.
1385 HRSA/ OHSU	Developmental Screening Using a Parent Completed Screening Tool (Parent report, Children 0-5)	The measure assesses whether the parent or caregiver completed a developmental screening tool meant to identify children at-risk for developmental, behavioral and social delays.
0576 NCQA	Follow-Up After Hospitalization for Mental Illness	percentage of discharges for members 6 years of age and older who were hospitalized for treatment of selected mental health disorders and who had an outpatient visit, an Intensive outpatient encounter or partial hospitalization with a mental health practitioner.

(Continued)

#### **eMeasure Titles and Descriptions (cont.)**

NQF	Title	Description
1401 NCQA	Maternal Depression Screening	The percentage of children who turned 6 months of age during the measurement year who had documentation of a maternal depression screening for the mother.
1406 NCQA	Risky Behavior Assessment or Counseling by Age 13	Percentage of children with documentation of a risk assessment or counseling for risky behaviors by the age of 13 Years. Four rates are reported: Risk Assessment or Counseling for Alcohol Use, Risk Assessment or Counseling for Tobacco Use, Risk Assessment or Counseling for Other Substance Abuse, Risk Assessment or Counseling for Sexual Activity
1507 NCQA	Risky Behavior Assessment or Counseling by Age 18	Percentage of children with documentation of assessment or counseling for risky behavior. Four rates are reported: assessment or counseling for alcohol use, tobacco use, other substance use, and sexual activity.
0580	Bipolar Antimanic Agent	Percentage of patients with newly diagnosed bipolar disorder who have received at least 1 prescription for a moodstabilizing agent during the measurement year.

(Continued)



#### **eMeasure Titles and Descriptions (cont.)**

NQF	Title	Description
TBD TJC 1661	SUB-1 Alcohol Use Screening	Hospitalized patients 18 years of age and older who are screened during the hospital stay using a validated screening questionnaire for unhealthy alcohol use.
TBD TJC 1663	SUB-2 Alcohol Use Brief Intervention Provided or Offered and SUB-2a Alcohol Use Brief Intervention	The measure is reported as an overall rate which includes all hospitalized patients 18 years of age and older to whom a brief intervention was provided, or offered and refused, and a second rate, a subset of the first, which includes only those patients who received a brief intervention.



### **MU Stage 2 NPRM Proposed BH Measures**

Measure Number	Title and Description	Domain
NQF 0004	Title: Initiation and Engagement of Alcohol and Other Drug Dependence Treatment: (a) Initiation, (b) Engagement	Clinical Process/ Effectiveness
NQF 0028	Title: Preventive Care and Screening Measure Pair: a. Tobacco Use Assessment, b. Tobacco Cessation Intervention	Population/ Public Health
NQF 0103	Title: Major Depressive Disorder (MDD): Diagnostic Evaluation	Clinical Process/ Effectiveness
NQF 0104	Title: Major Depressive Disorder (MDD): Suicide Risk Assessment	Clinical Process/ Effectiveness
NQF 0105	Title: Anti-depressant Medication Management: (a) Effective Acute Phase Treatment, (b)Effective Continuation Phase Treatment	Clinical Process/ Effectiveness
NQF 0106	Title: Diagnosis of attention deficit hyperactivity disorder (ADHD) in primary care for school age children and adolescents	Care Coordination
NQF 0107	Title: Management of attention deficit hyperactivity disorder (ADHD) in primary care for school age children and adolescents	Clinical Process/ Effectiveness
NQF 0108	Title: ADHD: Follow-Up Care for Children Prescribed Attention- Deficit/Hyperactivity Disorder (ADHD) Medication	Clinical Process/ Effectiveness
NQF 0110	Title: Bipolar Disorder and Major Depression: Appraisal for alcohol or chemical substance use	Clinical Process/ Effectiveness
NQF 0112	Title: Bipolar Disorder: Monitoring change in level-of-functioning	Clinical Process/ Effectiveness

(Continued)



# **MU Stage 2 NPRM Proposed BH Measures** (cont.)

Measure Number	Title and Description	Domain
NQF 0710	Title: Depression Remission at Twelve Months	Clinical Process/ Effectiveness
NQF 0711	Title: Depression Remission at Six Months	Clinical Process/ Effectiveness
NQF 0712	Title: Depression Utilization of the PHQ-9 Tool	Clinical Process/ Effectiveness
NQF 1365	Title: Child and Adolescent Major Depressive Disorder: Suicide Risk Assessment	Patient Safety
NQF 1401	Title: Maternal depression Screening	Population/ Public Health
TBD	Title: Depression screening and follow-up assessment using patient self-reported process	Patient and Family Engagement
TBD	Title: Closing the referral loop: receipt of specialist report	Care Coordination
NQF 0024	Title: Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents Description	Population/ Public Health
NQF 0421	Title: Adult Weight Screening and Follow-Up Description	Population/Public Health




#### **Definitions**

- Call for Measures: A public announcement to the healthcare measures development community soliciting specific measures
- Environmental Scan: An examination of publically available information to identify references and resources; may be broad or focused
- Gap Analysis: Identification of focus areas requiring attention
- Clinical Research: Identification of best practice through clinical science
- Measure Logic Documentation: Narrative and/or human-readable definitions
- Measure Testing: A formal methodology to assure the feasibility, reliability and validity of measures
- eMeasure Specifications: Standardized electronic measures that are compatible with or 'readable' by electronic health record (EHR) systems
- eMeasure Testing: Process of assuring that the eMeasures Specifications can be optimally utilized by an EHR
- National Quality Forum (NQF) Endorsement: Currently the only consensusbased process for assuring standardized clinical measure quality
- Technical Expert Panel: Subject Matter Experts engaged to assure the clinical validity of measures
- Publication: Making available for public use



#### **CQM Marketplace: Meaningful Use Stage 1 Example**



#### **Healthcare Measure Developers**

- Agency for Healthcare Research and Quality (AHRQ)
- American Heart Association/ American College of Cardiology (AHA/ACC)
- American Medical Association/Physician Consortium for Quality Improvement (AMA/PCPI)
- Centers for Medicare and Medicaid Services (CMS)
- National Committee for Quality Assurance (NCQA) Healthcare Effectiveness Data and Information Set (HEDIS)
- Oklahoma Foundation for Medical Quality (OFMQ)
- Physician Consortium for Performance Improvement (PCPI) convened by the American Medical Association (AMA)
- The Joint Commission
- Others, including professional medical specialty organizations

## **Quality Measure Overview**



#### **Clinical Quality Measures**

"A standard for measuring the performance and improvement of population health or of health plans, providers of services, and other clinicians in the delivery of health care services."

Patient Protection and Affordable Care Act of 2010, Title III, Part II of the Act (Sec. 3013)

#### **CMS Measure Management System**

#### **END PRODUCT**

"The end product of measure development is a precisely specified, high-caliber measure to aid CMS in achieving its quality goals.

The precisely specified measure must be documented in a Measure Information Form (MIF) and Measure Justification form to allow others to understand the details and rationale of the measure, and allow for consistent interpretation and implementation."

A Blueprint for the CMS Measures Management System, Version 8-Volume 1 Page 3-3

#### **CQM** Types

- Access: Attainment of timely and appropriate health care.
- Efficiency: Cost of care associated with a specified level of quality of care
- Outcome: A resulting particular state of health, e.g., controlled diabetes
- **Process:** Actions which increase the probability of achieving a desired outcome, e.g., controlling blood pressure reduces stroke
- Resource use: Comparable measures of health services counts (in terms of units or dollars) applied to a population or event
- Structural: Measure that focuses on a feature of a health care organization or clinician relevant to its capacity to provide health care
- Patient Experience: Patient report concerning observations of and participation in health care


#### What is a Measure Specification

- The logic required to calculate the quality measure
- Contains
  - The population criteria and measure logic for the numerator, denominator and exclusion categories.
  - The algorithm used to calculate performance.

#### Format:

- Typically human readable PDF with narrative concepts and measure logic
- Excel spreadsheet with codes
- An electronic specification (or e-measure) is a means to report clinical quality measures (CQMs) from an electronic health record (EHR)
  - Includes the data elements, logic and definitions for that measure in a format that can be captured or stored in the EHR so that the data can be sent or shared electronically with other entities in a structured, standardized format, and unaltered.


#### **Measure Development Process**



MITRE depiction of combined CMS Blueprint v8 and NQF processes

\* Developing industry standard


#### **Measure Evolution**



Insulin"



Clinical Research: "Diabetes respond positively to insulin"



Cherl version="1.0" excelling="VIF-80" pro-orary 2005 / DNI Schema-instance" considerated with the constance of the constance

eSpecification: Xml format of Quality Measure

#### **AHRQ Database Review Summary**

- Methodology for AHRQ Search:
  - 10 discrete searches done for each domain
  - Summary results reviewed for most valuable search criteria
  - NQF endorsed measures removed
  - Most relevant results shown on summary slides
  - Notes provided on results that were omitted



#### **AHRQ – Criteria for Measure Inclusion**

For information on the AHRQ criteria for measure inclusion, please visit:

http://www.qualitymeasures.ahrq.gov/about/inclusioncriteria.aspx