

May 3, 2010

Dr. Jane Lubchenco Under Secretary of Commerce for Oceans and Atmosphere, and **NOAA Administrator** Department of Commerce 1401 Constitution Avenue, NW, Rm 5810 Washington, DC 20230

Mr. Thomas Strickland Assistant Secretary for Fish and Wildlife and Parks Department of the Interior 1849 C Street, NW, MIB-3156 Washington, DC 20240

Recommendations of Marine Protected Areas Federal Advisory Committee on Re:

- Climate Change in the Oceans
- 2) Cultural Heritage Vision for the National System of Marine Protected Areas

Dear Under Secretary Lubchenco and Assistant Secretary Strickland:

As the newly elected Chair of the Marine Protected Areas Federal Advisory Committee (Committee), I am pleased to transmit these recommendations from the Committee, approved at our recent meeting of April 20-22 in Charleston, South Carolina. I am honored to lead this diverse Committee, made up of representatives from many different stakeholder groups across the country, along with my Vice Chair, Ms. Lori Arguelles.

At our Charleston meeting, the Committee completed its work on "Climate Change in the Ocean: Implications and Recommendations for the National System of Marine Protected Areas." These recommendations describe how the National System of Marine Protected Areas (MPAs) can help foster ecological resilience to climate change impacts. They focus on: 1) designing MPA sites, MPA networks and the national system of MPAs to be ecologically resilient to the impacts of climate change; and 2) evaluating and adaptively managing MPA sites, MPA networks and the national system in response to climate change. The Committee concludes that the National System of MPAs is a valuable tool with considerable potential to reduce climate change impacts to marine resources.

I am also pleased to enclose the Committee's recommendations on a "Vision for the Cultural Heritage Resources Goal of the National System of MPAs." The conservation and management of cultural heritage resources is one of the three goals of the national

Eugenio Piñeiro Soler Caribbean Fishery Management Council

VICE CHAIR

Lori Arguelle SeaWeb

Indiana University

David Benton

Anthony Chatwin

National Fish and Wildlife Association

Rick Gaffney

Pacific Boats and Yachts

University of California, Santa Barbara

Ellen Goethel

Ocean Educator, Commercial Fishing Vessel Co-Owner

Dennis Heinemann

Oregon State University

Maine Department of Marine Resources

MA. Board of Underwater

Melissa Miller-Henson

University of California, San Diego

Marine Conservation Biology Institute

John Ogden

University of South Florida

Terry O'Halloran

Change Strategies and Innovation

Alvin Osterback

Port of Dutch Harbor

Walter Pereyra

Atlantic Storm Management Group, Inc.

Robert Pomerov

University of Connecticut at Avery Point

Gilbert Radonski

Fisheries Consultant

Oceanic Environmental Solutions, LLC

Philip Renaud

Living Oceans Foundation

Jesús Ruiz

California Divers

Joe Schumacker

Quinault Department of Fisheries

ExxonMobil Exploration Company

David Wallace

Wallace and Associates

Robert Wargo

AT&T

Robert Zales, II

Bob Zales Charters

DESIGNATED FEDERAL OFFICIAL

Lauren Wenzel

National Marine Protected Areas Center

National MPA Center 1305 East-West Highway

Silver Spring, MD 20910-3281 (301) 713-3100 ext 136 Lauren.Wenzel@noaa.gov

www.mpa.gov



system, but has not been well developed due to a lack of expertise on the Committee. This situation has now been remedied by the recent formation of the Committee's Cultural Heritage Resources Workgroup, made up of 17 members representing federal, state, tribal and private organizations with expertise on marine archeology, cultural resource management, and perspectives from tribes and other indigenous people.

As you know, the Committee is currently undergoing a transition, bidding farewell to 14 members who have served since 2003, and welcoming 14 new members who will be appointed soon. I wish to acknowledge the Committee's deep appreciation for the service of its outgoing members, and in particular for the leadership of Dr. Mark Hixon and Robert Zales II, the outgoing Chair and Vice Chair. I look forward to working with you as the Committee begins work on its new charge, addressing timely and critical issues, such as the role of MPAs within coastal and marine spatial planning, how MPAs can help foster healthy communities, effective management of land/sea interactions within MPAs, and strengthening the cultural resource management role of the national system.

Sincerely,

Eugenio Piñeiro-Soler

Chair

Marine Protected Areas Federal Advisory Committee April 2010

CLIMATE CHANGE IN THE OCEAN: IMPLICATIONS AND RECOMMENDATIONS FOR THE NATIONAL SYSTEM OF MARINE PROTECTED AREAS

There is abundant scientific evidence that marine ecosystems¹ are undergoing substantial changes -- physically, chemically and biologically -- due to the direct and indirect effects of changes in climate and atmospheric composition.² These changes, which we will refer to as *climate change in the ocean*,³ will have local, regional and national implications, including warming water, sea level rise, altered weather patterns, changes in ocean chemistry, altered currents, melting sea ice, and ocean acidification.⁴ Climate change in the ocean is, therefore, a growing challenge to the management of MPAs, networks of MPAs, ⁵ and the National System of MPAs.

As the U.S. Departments of Commerce and Interior undertake the development of both the National System of MPAs and the government's response to climate change, we offer two primary recommendations to be implemented by the appropriate managing authorities:

- I. design MPAs, MPA networks and the National System of MPAs to be as ecologically resilient as practicable to the impacts of climate change; and
- II. evaluate and adaptively manage MPAs, MPA networks and the National System of MPAs in response to climate change.

Implementing these recommendations will better position the nation to meet the important need of managing the National System of MPAs in the context of present and future impacts of climate change in the ocean. Furthermore, following these recommendations in a manner that balances the types and levels of MPA protections and is science-based and stakeholder-informed, will help to meet the nation's goals for conserving natural heritage and cultural heritage and achieving sustainable production.⁶

¹ The use here of the broad term 'marine ecosystems' is intended to refer to ocean, marine and coastal ecosystems (including the Great Lakes) and their components (e.g., habitats, species, populations, and other living resources such as fish stocks).

² Barnett et al. 2005, IPCC 2007, Orr et al. 2005.

³ The phrase 'climate change in the ocean' is intended to refer to all of the primary, secondary and tertiary effects of climate change in and on the ocean (e.g., warming, melting ice, sea-level rise, altered upwelling and currents, coastal erosion, changing weather patterns, salinity changes) and ocean acidification.

⁴ Harley et al. 2006, Hays et al. 2005, Perry et al. 2005, Roessig et al. 2004.

⁵ Graham et al. 2008, Hoffman 2004, McLeod et al. 2009.

⁶ National MPA Center 2008, pg 7.

I. Designing MPAs and Networks of MPAs for Ecological Resilience

Ecological Resilience⁷

MPAs, networks of MPAs and the National System of MPAs have an important role in addressing the increased uncertainty regarding the responses of organisms and changes to ecosystems resulting from the effects of climate change in the ocean. In the face of climate change. MPAs can help to maintain and restore ecological resilience and the capacity to provide ecological goods and services.⁸ Degraded marine ecosystems have a compromised capacity to provide the ecological goods and services we require and desire, and they may have reduced resilience to climate change in the ocean. When MPAs are judged by the relevant management authorities to be appropriate management measures, they can be used alone or as part of an integrated suite of measures to achieve one or more of the following objectives:9

- **Reducing non-climate stresses** To increase ecosystem integrity and resilience, reduce those human-caused stresses on marine ecosystems that exacerbate or interact negatively with climate change, which should improve the capacity of ecosystems to resist and recover from the impacts of climate change in the ocean.
- **Protecting the least exposed** Protect those ecosystems that are least exposed to climate change in the ocean by siting MPAs where the effects of climate change are expected to be less severe due to local conditions.
- **Protecting the most resistant**¹⁰ and adaptable Protect ecosystems affected by climate change by selectively siting MPAs where organisms are expected to be naturally more resistant or adaptable to climate change impacts.
- **Protecting the most valuable** Protect those resources at risk from climate change that are especially valuable by siting MPAs to contain those resources. Such resources include those that are unique or rare, or those that are ecologically, culturally, historically, socially or economically important.
- **Protecting resilient populations** Ensure replenishment, viability and genetic diversity of populations by designing MPAs and MPA networks to protect sufficiently large effective population sizes to achieve these goals and, thereby, increase the chance of population persistence.
- Making MPAs dynamic Site, design, and modify MPAs and MPA networks to maintain protection of populations in anticipation of potential habitat or species range shifts in response to climate change.

⁸ Babcock et al. 2010, Lafferty 2003, Mumby et al. 2010.

⁷ MPA FAC 2009.

⁹ Based on McLeod et al. 2009.

¹⁰ Ecological resilience represents the ability of an ecosystem to recover from change; resistance in this sense refers to the ability of an ecosystem to withstand change.

- Maintaining connectivity Site and design MPAs to create ecologically connected and functional networks that take into account the range shifts of populations and the movements of individuals and genes in response to climate change.
- Spreading risk Site and design MPA networks to spread the risk of catastrophic loss due to the more extreme impacts of climate change by protecting a range of habitats and replicating sites that include those habitat types.

In light of climate-change impacts that have the potential to drive large numbers of species to extinction, reshuffle biological communities, significantly alter habitats, and degrade ecosystems, application of the approaches above will create MPAs and networks of MPAs that have the potential to become climate-change refugia and ecological buffers to uncertainty in a rapidly changing ocean.¹¹

II. Evaluating and Adaptively Managing the National System of MPAs

Time is of the essence in developing the capacity of MPA managers to anticipate, detect and respond to the impacts of climate change on marine ecosystems. Impacts of climate change in the ocean are occurring now and are expected to become increasingly severe in the coming decades, and climate change is necessarily altering the nature of our approach to environmental and natural resource management. Climate change is increasing environmental variability, pushing environmental patterns into unexplored realms, creating new situations and patterns, increasing gaps in scientific understanding, and exacerbating limitations on our capacity to predict future environmental conditions, all of which will affect the manner in which we manage individual MPAs, networks of MPAs, and the National System of MPAs.

The following recommendations are focused on building capacity in MPA monitoring, evaluation, scientific knowledge, ecosystem characterization, and flexible governance to provide MPA managers with the capacity to modify MPAs adaptively in the physical and governance realms to address climate change impacts that have already occurred or are predicted to occur:¹²

 Monitoring and Evaluation – Build and enhance capacity to monitor and evaluate the physical and chemical effects of climate change on MPAs and their impacts on the biological systems protected by those MPAs.

^{Biswas et al. 2009, Brander 2010, Brander et al. 2007, Chan et al. 2008, Cheung et al. 2010, Cheung et al. 2009, Cooley and Doney 2009, Cooley et al. 2009, Doney et al. 2009, Edwards et al. 2004, Elsner et al. 2008, Fabry et al. 2008, Greene et al. 2007, Harley et al. 2006, Harvell et al. 1999, Hays et al. 2005, Helmuth et al. 2006, Keeling et al. 2010, Kuffner et al. 2007, Learmonth et al. 2006, Lehodey et al. 2006, MacLeod et al. 2009, McLeod et al. 2009, Miles 2009, Mueter et al. 2008, Muller et al. 2009, CDISSOAMRIA 2010, O'Shea et al. 2009, Perovich et al. 2009, Pratchett et al. 2008, Ranasinghe et al. 2009, Roessig et al. 2004, Scavia et al. 2002, Smith et al. 2008, Stachowicz et al. 2002, Veit et al. 1997, Veit et al. 1996, Vermeer et al. 2009, Whitehead et al. 2008, Wiig 2008, Wootton et al. 2008.}

¹² These recommendations are in no particular order of importance.

- **Predictive Capabilities** Foster the development of new ecosystem models that interface with climate change models to predict the impacts of climate change in the ocean on the National System of MPAs at appropriate regional and sub-regional scales.
- Agency Coordination and Governance Promote a higher level of coordination among resource and environmental agencies, including consultation with interested stakeholders, to expedite the design and implementation of MPAs, in a way that meets the complex challenges that are likely to result from climate change in the ocean.
- **Education and Public Engagement** Facilitate education and engagement with decision makers, managers, stakeholders, and the public in order to expand overall awareness and understanding of the relationships between climate change in the ocean and the National System of MPAs.
- **Policy Action Thresholds** Identify ecological thresholds related to the effects and impacts of climate change that would trigger the implementation of MPA management actions to ensure timely and appropriate responses.
- **Ecosystem Characterization** Support the ecological characterization of the National System of MPAs in order to promote the improved understanding of the impact of climate change on the structure, diversity and function of MPA ecosystems. The development and use of ocean observing systems, sensors, geospatial tools, marine spatial planning, and other predictive capabilities will all contribute to effective ecosystem characterization.
- **Targeted Scientific Research** Support adaptive management of the National System of MPAs and networks of MPAs by closing critical gaps in scientific knowledge of climate change in the ocean. In particular, research should target understanding ecosystem structure and functioning.

SUMMARY

Integration of the National System of MPAs with other climate change management efforts has considerable potential to reduce some of the impacts of climate change on our marine resources. With the proper management tools in place, MPA managers will be able to design and adaptively manage MPAs and networks of MPAs to promote ecological resilience as climate change impacts continue to grow. In addition to meeting the conservation goals of the National System of MPAs, implementation of these recommendations should not preclude "opportunities for appropriate access to and/or compatible use of marine resources consistent with conservation goals and objectives." ¹³

These recommendations are relevant to prioritization, funding and implementation of approaches for maximizing the effectiveness of our National System of MPAs.

_

¹³ National MPA Center 2008, pg 17.

References

- Babcock, R.C., N.T. Shears, A.C. Alcala, N.S. Barrett, G.J. Edgar, K.D. Lafferty, T.R. McClanahan, and G.R. Russ. 2010. Decadal trends in marine reserves reveal differential rates of change in direct and indirect effects. *Proceedings of the National Academy of Sciences [USA], Early Addition.*
- Barnett, T., D. Pierce, K. AchutaRao, P. Gleckler, B. Santer, J. Gregory, and W. Washington. 2005. Penetration of human-induced warming into the World's oceans. *Science* 309:284-287.
- Biswas, B.K., Y.M. Svirezhev, B.K. Bala, and M.A. Wahab. 2009. Climate change impacts on fish catch in the world fishing grounds. *Climatic Change* 93:117-136.
- Brander, K.M. 2010. Impacts of climate change on fisheries. *Journal of Marine Systems* 79:389-402.
- Brander, K.M. 2007. Global fish production and climate change. *Proceedings of the National Academy of Sciences* 104:19709-19714.
- CDISSOAMRIA (Committee on the Development of an Integrated Science Strategy for Ocean Acidification Monitoring, Research, and Impacts Assessment, National Research Council). 2010. Ocean Acidification: A National Strategy to Meet the Challenges of a Changing Ocean. *The National Academies Press. Washington, D.C.* 175 pp.
- Chan, F., J.A. Barth, J. Lubchenco, A. Kirincich, H. Weeks, W.T. Peterson, and B.A. Menge. 2008. Emergence of anoxia in the California Current Large Marine Ecosystem. *Science* 319:920.
- Cheung, W.L., V.W. Lam, J.L. Sarmiento, K. Kearney, R. Watson, D. Zeller, and D. Pauly. 2010. Large-scale redistribution of maximum fisheries catch potential in the global ocean under climate change. *Global Change Biology* 16:24-35.
- Cheung, W.L., V.W. Lam, J.L. Sarmiento, K. Kearney, R. Watson, and D. Pauly. 2009. Projecting global marine biodiversity impacts under climate change scenarios. *Fish and Fisheries* 10:235-251.
- Cooley, S.R., and S.C. Doney. 2009. Anticipating ocean acidification's economic consequences for commercial fisheries. *Environmental Research Letters* 4:1-8.
- Cooley, S.R., H.L. Kite-Powell, and S.C. Doney. 2009. Ocean acidification's potential to alter global marine ecosystem services. *Oceanography* 22:172-181.
- Doney, S. C., V.J. Fabry, R.A. Feely, and J. Kleypas. 2009. Ocean acidification: the other CO2 problem. *Annual Review of Marine Science* 1:169-192.
- Edwards, M., and A. Richardson. 2004. Impact of climate change on marine pelagic phenology and trophic mismatch. *Nature* 430:881-884.

- Elsner, J.B., J.P. Kossin, and T.H. Jagger. 2008. The increasing intensity of the strongest tropical cyclones. *Nature* 455:92-95.
- Fabry, V.J., B.A. Seibel, R.A. Feely, and J.C. Orr. 2008. Impacts of ocean acidification on marine fauna and ecosystem processes. *ICES Journal of Marine Science* 65:414-432.
- Greene, C.H., and A.J. Pershing. 2007. Climate drives sea change. *Science* 315:1084-1085.
- Harley, C.D.G., A.R. Hughes, K.M. Hultgren, B.G. Miner, C.J.B. Sorte, C.S. Thornber, L.F. Rodriguez, L. Tomanek, and S.L. Williams. 2006. The impacts of climate change in coastal marine systems. *Ecology Letters* 9:228-241.
- Harvell, C.D., K. Kim, J.M. Burkholder, R.R. Colwell, P.R. Epstein, D.J. Grimes, E.E. Hofmann, E.K. Lipp, A.D.M.E. Osterhaus, R.M. Overstreet, J.W. Porter, G.W. Smith, and G.R. Vasta. 1999. Emerging marine diseases climate links and anthropogenic factors. *Science* 285:1505-1510.
- Hays, G.C., A.J. Richardson, and C. Robinson. 2005. Climate change and marine plankton. *Trends in Ecology and Evolution* 20:337-344.
- Helmuth, B., N. Mieszkowska, P. Moore, and S.J. Hawkins. 2006. Living on the edge of two changing worlds: forecasting the responses of rocky intertidal ecosystems to climate change. *Annual Review of Ecology, Evolution, and Systematics* 37:373-404.
- Intergovernmental Panel on Climate Change (IPCC). 2007. Summary for Policymakers. *In*: Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Solomon, S, D Qin, M Manning and several others, Eds. *Cambridge University Press, Cambridge, United Kingdom and New York, NY.* 18 pp.
- Keeling, R.F., A. Kortzinger, and N. Gruber. 2010. Ocean deoxygenation in a warming world. *Annual Review of Marine Science* 2:199-229.
- Kuffner, I.B., A.J. Andersson, P.J. Jokiel, K.S. Rodgers, and F.T. Mackenzie. 2007. Decreased abundance of crustose coralline algae due to ocean acidification. *Nature Geoscience* 1:114-117.
- Lafferty, K.D., and M.D. Behrens. 2005. Temporal variation in the state of rocky reefs: Does fishing increase the vulnerability of kelp forests to disturbance? *In:* Proceedings of the Sixth California Islands Symposium. D.K Garcelon and C.A. Schwemm (editors). National Park Service Technical Publication CHIS-05-01. Institute for Wildlife Studies, Arcata, CA. 520 pp.
- Learmonth, J.A., C.D. Macleod, M.B. Santos, G.J. Pierce, H.Q.P. Crick, and R.A. Robinson. 2006. Potential effects of climate change on marine mammals. *Oceanography and Marine Biology: An Annual Review* 44:431-464.

- Lehodey, P., J. Alheit, M. Barange, T. Baumgartner, G. Beaugrand, K. Drinkwater, J.M. Fromentin, S.R. Hare, G. Ottersen, R.I. Perry, C. Roy, C.D. van der Lingen, and F. Werner. 2006. Climate variability, fish and fisheries. *Journal of Climate* 19:5009-5030.
- MacLeod, C.D. 2009. Global climate change, range changes and potential implications for the conservation of marine cetaceans: a review and synthesis. *Endangered Species Research* 7:125-136.
- McLeod, E., R. Salm, A. Green, and J. Almany. 2009. Designing marine protected area networks to address the impacts of climate change. *Frontiers in Ecology and the Environment* 7:362-370.
- Miles, E. 2009. On the increasing vulnerability of the world ocean to multiple stresses. *Annual Review of Environment and Resources* 34:17-41.
- MPA FAC (Marine Protected Areas Federal Advisory Committee). 2009. Ecological Resilience and Gap Analysis of the National System of Marine Protected Areas. *National Oceanic and Atmospheric Administration, Washington, D.C.* 10 pp.
- Mueter, F.J., and M.A. Litzow. 2008. Sea ice retreat alters the biogeography of the Bering Sea continental shelf. *Ecological Applications* 18:309-320.
- Muller, R., T. Laepple, I. Bartsch, and C. Wiencke. 2009. Impact of oceanic warming on the distribution of seaweeds in polar and cold-temperate waters. *Botanica Marina* 52:617-638.
- Mumby, P.J., and A.R. Harborne. 2010. Marine reserves enhance the recovery of corals on Caribbean reefs. *PLoS one* 5(1), e8657. 7 pp.
- Nation Marine Protected Areas Center (MPA Center). 2008. Framework for the National System Of Marine Protected Areas of the United States Of America. National MPA Center, Office of Ocean and Coastal Resource Management, National Oceanic and Atmospheric Administration, Washington, D.C. 92pp.
- Orr, J., V.J. Fabry, O. Aumont, *et al.* 2005. Anthropogenic ocean acidification over the twenty-first century and its impact on calcifying organisms. *Nature* 437:681-686.
- O'Shea, T.J., and D.K. Odell. 2009. Large-scale marine ecosystem change and the conservation of marine mammals. *Journal of Mammalogy* 89: 529-533.
- Perovich, D.K., and J.A. Richter-Menge. 2009. Loss of sea ice in the Arctic. *Annual Review of Marine Science* 1:417-41.
- Perry, A.L., P.J. Low, J.R. Ellis, and J.D. Reynolds. 2005. Climate change and distribution shifts in marine fishes. *Science* 308:1912-1915.

- Pratchett, M.S., P.L. Munday, S.K. Wilson, N.A.J. Graham, J.E. Cinner, D.R. Bellwood, G.P. Jones, N.V.C. Polunin, and T.R. McClanahan. 2008. Effects of climate-induced coral bleaching on coral-reef fishes ecological and economic consequences. *Oceanography and Marine Biology: An Annual Review* 46:251-296.
- Ranasinghe, R., and M.J.F. Stive. 2009. Rising seas and retreating coastlines. *Climatic Change* 97:465-468.
- Roessig, J.M., C.M. Woodley, J.J. Cech, and L.J. Hansen. 2004. Effects of global climate change on marine and estuarine fishes and fisheries. *Reviews in Fish Biology and Fisheries* 14:251-275.
- Scavia, D., J.C. Field, D.F. Boesch, R.W. Buddemeier, V. Burkett, D.R. Cayan, M. Fogarty, M.A. Harwell, R.W. Howarth, C. Mason, D.J. Reed, T.C. Royer, A.H. Sallenger, and J.G. Titus. 2002. Climate change impacts on U. S. coastal and marine ecosystems. *Estuaries* 25:149-164.
- Smith, C.R., F.C. De Leo, A.F. Bernardino, A.K. Sweetman, and P.M. Arbizu. 2008. Abyssal food limitation, ecosystem structure and climate change. *Trends in Ecology and Evolution* 23:518-528.
- Stachowicz, J.J., J.R. Terwin, R.B. Whitlatch, and R.W. Osman. 2002. Linking climate change and biological invasions: Ocean warming facilitates nonindigenous species invasions. *Proceedings of the National Academy of Science [USA]* 99:15497-15500.
- Veit, R, J. McGowan, D. Ainley, T. Wahl, and P. Pyle. 1997. Apex marine predator declines ninety percent in association with changing oceanic climate. *Global Change Biology* 3:23-28.
- Veit, R.R., P. Pyle, and J.A. McGowan. 1996. Ocean warming and long-term change in pelagic bird abundance within the California current system. *Marine Ecology Progress Series* 139:11-18.
- Vermeer, M., and S. Rahmstorf. 2009. Global sea level linked to global temperature. *Proceedings of the National Academy of Sciences [USA]* 106:21527-21532.
- Whitehead, H., B. McGill, and B. Worm. 2008. Diversity of deep-water cetaceans in relation to temperature: implications for ocean warming. *Ecology Letters* 11:1198-1207.
- Wiig, Ø., J. Aars, and E.W. Born. 2008. Effects of climate change on polar bears. *Science Progress* 91:151-173.
- Wootton, J.T., C.A. Pfister, and J.D. Forester. 2008. Dynamical patterns and ecological impacts of changing ocean pH in a high-resolution multiyear dataset. *Proceedings of the National Academy of Science [USA]* 105:18848-18853.

Marine Protected Areas Federal Advisory Committee April 2010

CULTURAL HERITAGE RESOURCES IN THE NATIONAL SYSTEM OF MARINE PROTECTED AREAS

The following vision statement was developed by the Marine Protected Areas Federal Advisory Committee to guide the development of the National System of Marine Protected Areas with respect to its focus on cultural heritage resources. The vision represents the Committee's conception of what the national system should include and emphasize, and how the national system can benefit these resources.

Vision for Cultural Heritage Resources Goal of National System of MPAs:

Achieving and maintaining healthy coastal and marine ecosystems requires a fundamental understanding of the relationships between people and the environment. Cultural heritage, which belongs to all people, emphasizes these connections, whether that heritage takes the material form of, for example, maritime resources (such as shipwrecks), natural resources (such as marine species and habitats), or sacred places. Through the national MPA system, cultural relationships among people and historic, natural, and place-based heritage resources are preserved and perpetuated in ways that recognize and share multiple cultural voices and knowledge systems for the benefit of all.

Recommended Technical Corrections to Cultural Heritage Resources References in the Framework for the National System of Marine Protected Areas of the United States of America

The Committee also recommended the following technical corrections to the <u>Framework for the National System of Marine Protected Areas of the United States of America</u> to reflect the broad scope of cultural heritage resources. Additions are show as underlined.

Modify National System Planning and Implementation Principles (Framework, p. 16):

National scope, ecosystem and regional scale – Embraces regional, <u>tribal</u>, and ecosystem approaches to planning, participation, and implementation. Provides a mechanism for coordinating across regions, nationally, and where appropriate, internationally.

Modify MPA Eligibility Criteria for the National System (Framework, p. 17)

- 2. Have a management plan that includes cultural and natural resources, as appropriate.
- 4. Cultural heritage MPAs must conform to criteria included in the National Register of Historic Places, <u>or be considered important by Indian Tribes, Native Alaskans, Native Hawaiians, and Pacific Islanders, or have the potential to provide information important to understanding cultural and natural heritage.</u>