

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 45

National Average: 56

2x National Average: 112

National Median: 25

Average for Selected Dockets: 45

Facility Name: Indian Point 3 Docket (050- 00286)

Details	Department	Work Type	Docket/Report
Oversight / IR			
130 - Inadequate supervision / command and control	B - Management	A - Administrative	050-00286/2005-002
130 - Inadequate supervision / command and control	O - Operations	M - Maintenance / Repair	050-00286/2005-003
Number of Items for this Docket: 2			
Percent of Total for this Docket: 4			
<hr/>			
Problem Identification & Resolution / IR			
142 - Operating experience (OE) review LTA	O - Operations	O - Control Room Ops	050-00286/2005-003
147 - Individual corrective action LTA	O - Operations	O - Control Room Ops	050-00286/2005-003
Number of Items for this Docket: 2			
Percent of Total for this Docket: 4			
<hr/>			
Training / IR			
101 - Training process problem	O - Operations	O - Control Room Ops	050-00286/2005-003
Number of Items for this Docket: 1			
Percent of Total for this Docket: 2			
<hr/>			
Work Planning & Practices / IR			
182 - Work package quality LTA	G - Engineering	G - Design	050-00286/2005-004
182 - Work package quality LTA	M - Mechanical	M - Maintenance / Repair	050-00286/2005-002
182 - Work package quality LTA	M - Mechanical	M - Maintenance / Repair	050-00286/2005-004
183 - Pre-job activities LTA	M - Mechanical	M - Maintenance / Repair	050-00286/2005-002
183 - Pre-job activities LTA	T - Training	V - Troubleshooting	050-00286/2005-003
188 - Work practice or craft skill LTA	G - Engineering	F - Modification	050-00286/2004-009
188 - Work practice or craft skill LTA	H - Health Physics	H - Health Physics	050-00286/2005-002
188 - Work practice or craft skill LTA	M - Mechanical	M - Maintenance / Repair	050-00286/2005-002
193 - Non-conservative action	F - Fuel Handling	H - Health Physics	050-00286/2005-002
196 - Independent verification / plant tours LTA	Q - Quality assurance / oversight	B - Bal of Plant Ops	050-00286/2005-002
198 - Worker distracted / interrupted	F - Fuel Handling	H - Health Physics	050-00286/2005-002
Number of Items for this Docket: 11			
Percent of Total for this Docket: 24			
<hr/>			
Communication / LER			
160 - No communication / information not communicated	I - Instrumentation & Control	V - Troubleshooting	050-00286/2005-002-00
160 - No communication / information not communicated	I - Instrumentation & Control	V - Troubleshooting	050-00286/2005-002-00
161 - Communication LTA	I - Instrumentation & Control	V - Troubleshooting	050-00286/2005-002-00

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 45

National Average: 56

2x National Average: 112

National Median: 25

Average for Selected Dockets: 45

Facility Name: Indian Point 3 Docket (050- 00286)

Details	Department	Work Type	Docket/Report
Communication / LER			
161 - Communication LTA	O - Operations	V - Troubleshooting	050-00286/2005-002-00
Number of Items for this Docket: 4			
Percent of Total for this Docket: 9			
<hr/>			
Procedures & Reference Document / LER			
111 - Procedure / reference document technical content	I - Instrumentation & Control	V - Troubleshooting	050-00286/2005-002-00
111 - Procedure / reference document technical content	M - Mechanical	M - Maintenance / Repair	050-00286/2005-004-00
111 - Procedure / reference document technical content	O - Operations	O - Control Room Ops	050-00286/2005-005-00
111 - Procedure / reference document technical content	O - Operations	V - Troubleshooting	050-00286/2005-002-00
112 - Procedure / reference document contains human factors deficienc	I - Instrumentation & Control	T - Testing	050-00286/2005-003-00
Number of Items for this Docket: 5			
Percent of Total for this Docket: 11			
<hr/>			
Training / LER			
100 - Training LTA	M - Mechanical	M - Maintenance / Repair	050-00286/2005-004-00
100 - Training LTA	O - Operations	V - Troubleshooting	050-00286/2005-002-00
Number of Items for this Docket: 2			
Percent of Total for this Docket: 4			
<hr/>			
Work Planning & Practices / LER			
182 - Work package quality LTA	I - Instrumentation & Control	V - Troubleshooting	050-00286/2005-002-00
183 - Pre-job activities LTA	I - Instrumentation & Control	V - Troubleshooting	050-00286/2005-002-00
183 - Pre-job activities LTA	O - Operations	V - Troubleshooting	050-00286/2005-002-00
188 - Work practice or craft skill LTA	I - Instrumentation & Control	T - Testing	050-00286/2005-003-00
188 - Work practice or craft skill LTA	M - Mechanical	M - Maintenance / Repair	050-00286/2005-004-00
190 - Failure to stop work / non-conservative decision making	G - Engineering	M - Maintenance / Repair	050-00286/2005-004-00
190 - Failure to stop work / non-conservative decision making	G - Engineering	V - Troubleshooting	050-00286/2005-005-00
190 - Failure to stop work / non-conservative decision making	G - Engineering	V - Troubleshooting	050-00286/2005-005-00
190 - Failure to stop work / non-conservative decision making	I - Instrumentation & Control	V - Troubleshooting	050-00286/2005-002-00
190 - Failure to stop work / non-conservative decision making	M - Mechanical	M - Maintenance / Repair	050-00286/2005-004-00
190 - Failure to stop work / non-conservative decision making	O - Operations	V - Troubleshooting	050-00286/2005-002-00
190 - Failure to stop work / non-conservative decision making	O - Operations	V - Troubleshooting	050-00286/2005-005-00
190 - Failure to stop work / non-conservative decision making	O - Operations	V - Troubleshooting	050-00286/2005-005-00
190 - Failure to stop work / non-conservative decision making	W - Work Control / Scheduling Outage Pla	V - Troubleshooting	050-00286/2005-005-00
197 - Self-check LTA	E - Electrical	M - Maintenance / Repair	050-00286/2005-005-00

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 45
National Average: 56
2x National Average: 112
National Median: 25
Average for Selected Dockets: 45

Facility Name: Indian Point 3 Docket (050- 00286)

Details	Department	Work Type	Docket/Report
Work Planning & Practices / LER			
197 - Self-check LTA	I - Instrumentation & Control	T - Testing	050-00286/2005-003-00
198 - Worker distracted / interrupted	I - Instrumentation & Control	T - Testing	050-00286/2005-003-00
198 - Worker distracted / interrupted	O - Operations	V - Troubleshooting	050-00286/2005-005-00
Number of Items for this Docket: 18			
Percent of Total for this Docket: 40			

Total Items for this Docket: 45