

**U.S. Nuclear Regulatory Commission  
Human Factors Information System (HFIS)  
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 15

National Average: 56

2x National Average: 112

National Median: 25

Average for Selected Dockets: 15

---

**Facility Name: Vogtle 2 Docket (050- 00425)**

Details	Department	Work Type	Docket/Report
<b>Oversight / IR</b>			
130 - Inadequate supervision / command and control	O - Operations	O - Control Room Ops	050-00425/2005-002
<b>Number of Items for this Docket: 1</b>			
<b>Percent of Total for this Docket: 7</b>			
<hr/>			
<b>Work Planning &amp; Practices / IR</b>			
184 - Tag outs LTA	M - Mechanical	B - Bal of Plant Ops	050-00425/2005-002
188 - Work practice or craft skill LTA	I - Instrumentation & Control	C - Calibration	050-00425/2005-003
188 - Work practice or craft skill LTA	O - Operations	O - Control Room Ops	050-00425/2005-002
188 - Work practice or craft skill LTA	O - Operations	S - Surveillance	050-00425/2004-006
190 - Failure to stop work / non-conservative decision making	I - Instrumentation & Control	C - Calibration	050-00425/2005-003
<b>Number of Items for this Docket: 5</b>			
<b>Percent of Total for this Docket: 33</b>			
<hr/>			
<b>Procedures &amp; Reference Document / LER</b>			
111 - Procedure / reference document technical content	I - Instrumentation & Control	T - Testing	050-00425/2005-002-00
111 - Procedure / reference document technical content	I - Instrumentation & Control	T - Testing	050-00425/2005-002-00
111 - Procedure / reference document technical content	O - Operations	O - Control Room Ops	050-00425/2005-001-00
<b>Number of Items for this Docket: 3</b>			
<b>Percent of Total for this Docket: 20</b>			
<hr/>			
<b>Work Planning &amp; Practices / LER</b>			
188 - Work practice or craft skill LTA	M - Mechanical	F - Modification	050-00425/2005-003-00
190 - Failure to stop work / non-conservative decision making	I - Instrumentation & Control	V - Troubleshooting	050-00425/2005-002-00
190 - Failure to stop work / non-conservative decision making	I - Instrumentation & Control	V - Troubleshooting	050-00425/2005-002-00
190 - Failure to stop work / non-conservative decision making	O - Operations	O - Control Room Ops	050-00425/2005-001-00
190 - Failure to stop work / non-conservative decision making	O - Operations	V - Troubleshooting	050-00425/2005-002-00
192 - Work untimely	G - Engineering	V - Troubleshooting	050-00425/2005-002-00
<b>Number of Items for this Docket: 6</b>			
<b>Percent of Total for this Docket: 40</b>			
<hr/>			
<b>Total Items for this Docket: 15</b>			

---