


The Water Footprint of Electricity



Presentation by Wendy Wilson, Sept 27, 2012 River Network



Water- Energy Nexus



Nexus Positive



Nexus Negative

Actions that "break bonds" between energy and water use.

- Public education
- Green Infra-structure
- Net metering
- Reporting
- Water Monitoring
- Conservation cost recovery




Actions and inactions that strengthen bonds:

- Professional siloes.
- Water supply leakage
- De-sal and transbasin water pipelines
- Old building codes
- Free water
- No price on carbon






Energy Intensity of Water Supplies






Carbon Footprint of Water is more than 13% of U.S. electric use












Thermoelectric uses...


- As much as all agricultural water
- 53% of all fresh surface water withdrawals (USGS, 2010)








Renewables save water



Source: U.S. Department of Energy, 20% Wind Energy by 2030 http://www.20percentwind.org/20p.aspx?page=Report



The Water Footprint of Electricity





Energy-related Water Stress is here

Freshwater Use by U.S. Power Plants: Electricity's Thirst for a Precious Resource

Water-Supply Stress from Power Plants No meninarable Litre attenue FIGURE 10. Where Power Plants Drive Water-Supply Stress Calculating the Water Supply Stress Index both with and without power plant water use shows the contributions of plants in each basin, including where power plants were the primary driver of water-supply stress.

Source: Union of Concerned Scientists: 2011




Water Footprint of Hydropower

- Dams and reservoirs have largest water use and consumption of all electric technologies
- Estimated average consumption of 9,000 gallons per MWh
- Highest evaporation rates are in warm & dry climates






Water Footprint of Thermoelectricity





Water Footprint of Coal





40% of coal plants use once-through

- U. S. grid was 44.5% coal in 2009
- Total water use of 16,052 gallons per
 MWh Consumption = 692 gallons/MWh
- Causes acid rain, mercury, coal ash disposal problems.
- Carbon sequestration increases water use





Water Footprint of Natural Gas

 On average in 2009, producing electricity from Natural gas used 6,484 gallons per MWh





Combined cycle technology uses less than single cycle

Report does not include "fracking" water withdrawals or consumption


"Methane emissions are at least 30% more than conventional gas. Compared to coal, the footprint of shale gas is at least 20% greater and perhaps more than twice as great on the 20-year horizon."

Climatic Change, Robert Howrath, et al., DOI 10.1007/s10584-011-0061-5





Water Footprint of Nuclear Energy






38% of plants in 2009 were "Once through"

- Nuclear was 20% of grid in 2009
- Direct consumption is greater than coal
- Average need 14,811 gallons per MWh
- Water impacts of waste disposal unknown








PV Solar and Wind

- Wind has lowest water use (less than 61 gall per MWh)
- 2. WF of PV solar is next lowest at 231 gallons per MWh
- 3. "Upstream" water use is larger than on-site use.




Concentrated Solar Thermal can have a relatively high water footprint








Comparing energy options





Water consumption for 1 kWh





Water needed to make 1 MWh

Table 2: Water Footprint of Electricity

(gals/MWh weighted national average)


(gais/ www. weightea national average)				
Fuel	Percent of 2009 U.S. grid	"Blue Water" Consumption	"Gray Water" (Additional Non- consumptive)	Total Water Footprint
Coal	45%	308	6,835	7,143
Hydroelectric	7%	612	29,308	29,920
Natural Gas	23%	40	1,472	1,512
Nuclear	20%	116	2,880	2,995
Geothermal	0%	2	-	2
Solar	1%	0.01	2	2
Wind	2%	0.02	1	1
Other	2%	-	-	-
Total U.S. gal/MWh		1,078	40,498	41,575
Total U.S. gal/kWh		1.1	40	41.58





Indirect household water

Five times as much as direct water use







Policy Discussion:

How do we get more water?

- Save energy.
- Review management of existing dams to help meet changing needs
- Increasing wind & solar to 40% of grid would reduce U.S. thermoelectric WFE by 60% (& reduce consumptive use by 11%)
- Eliminating once-through cooling -- by itself -- could reduce thermoelectric portion of WFE by 68%, but may increase thermoelectric consumptive use by 20%.
- Eliminating "once-through" cooling AND increasing lowwater renewables to 40% of the grid could reduce thermoelectric water use by 83% and consumption by 27%.




Potential for Change?

Thermoelectric water use:

201 Bgal/day

<u>X.83</u>

Potential savings: 166 Bgal/day







Nexus Positive: "What Ifs"

- What if an energy company's "Energy-Return-on-Water-Invested" had to be reported to state energy regulators?
- What if water wasn't free –
 but had a societal or
 "opportunity cost" which
 was considered in energy
 regulation and "least-cost"
 planning?

 What if energy companies had to pay for carbon and could get credit for strategies that save water as well?






"Nexus Positive" Monitoring

- Water Supply and instream impacts
- Gauging / Water use reporting?
- > CWA --316(a) and 316(b) requirements?
- > FERC/ State Instream flow requirements
- ➤ Temperature (NPDES and TMDL requirements)
- Mixing zone conditions
- Dissolved Oxygen TMDLs
- > Heavy metals & toxic substances
- > What else?



Recommendations

- Conservation first Saving energy saves water
- 2. Improve water use reporting and monitoring at existing power plants
- 3. Help dam-affected rivers respond to change Improve cooling technologies/ phase out "once-through"
- 4. Incentivize low-water energy sources
- 5. Look at future water needs of CCS
- 6. "Energy-Return-on-Water-Invested" protocol
- 9. Level playing field -- close oil and gas exemptions to environmental laws
- Increase public involvement and collaboration between energy and water sectors



Full report:

http://www.rivernetwork.org/bur ning-rivers

Contact:

wwilson@rivernetwork.org