

NATIONAL WEATHER SERVICE INSTRUCTION 10-932

DECEMBER 1, 2011

Operations and Services

Hydrologic Services Program, NWSPD 10-9

NATIONAL HYDROLOGIC WEB PRODUCTS SPECIFICATION

NOTICE: This publication is available at: <http://www.nws.noaa.gov/directives/>

OPR: W/OS31 (D. Matusiewicz)

Certified by: W/OS3 (T. Graziano)

Type of Issuance: Initial.

SUMMARY OF REVISIONS: None.

(Signed)

November 17, 2011

David B. Caldwell

Date

Director, Office of Climate,
Water, and Weather Services

National Hydrologic Web Products Specification

| <u>Table of Contents:</u> | <u>Page</u> |
|--|-------------|
| 1. Introduction | 2 |
| 2. NWS Hydrologic Services Program Web Presence | 3 |
| 2.1 Mission Connection..... | 3 |
| 2.2 Provision Guidelines | 3 |
| 2.2.1 Home Page..... | 3 |
| 2.2.2 Hydrographs | 3 |
| 2.2.3 Inundation Maps..... | 4 |
| 2.3 Partner Attribution..... | 4 |
| 3. National Hydrologic Assessment | 4 |
| 3.1 Mission Connection..... | 4 |
| 3.2 Provision Guidelines | 4 |
| 3.3 Content | 5 |
| 4. National Significant River Flood Outlook | 5 |
| 4.1 Mission Connection..... | 5 |
| 4.2 Provision Guidelines | 5 |
| 4.2.1 Colors | 5 |
| 5. Precipitation Frequency Data Server | 6 |
| 5.1 Mission Connection..... | 6 |
| 5.2 Provision Guidelines | 6 |
| 6. National Snow Analysis | 6 |
| 6.1 Mission Connection..... | 6 |
| 6.2 Provision Guidelines | 6 |
| 7. Hydrometeorological Prediction Center Probabilistic Quantitative Precipitation | |
| Forecasts | 6 |
| 7.1 Mission Connection..... | 7 |
| 7.2 Provision Guidelines | 7 |
| 7.3 Content | 7 |

1. Introduction. This directive describes the national standards for National Weather Service (NWS) hydrologic products and services on the web. Where necessary, links are provided to online user guides or other documentation for more detailed information.

All hydrologic products and services provided through the web, including those from weather forecast offices (WFO), river forecast centers (RFC), NWS headquarters, and the National Centers for Environmental Prediction (NCEP), will comply with [NWS Policy Directive 60-1, Technical and Content Requirements for Internet Servers](#), [NWS Instruction 60-101, Standard Web Page Layout](#), and [NWS Instruction 60-102, Content Requirements](#).

2. NWS Hydrologic Services Program Web Presence. The NWS Hydrologic Services Program web presence, also known as Advanced Hydrologic Prediction Services (AHPS) web pages, is a suite of web pages providing access to a wide variety of hydrologic/hydrometeorologic forecasts and information from WFOs, RFCs, NWS headquarters, and NCEP. More detailed information on specific features and capabilities of NWS hydrologic products available on the Web can be found in the online document “Hydrologic Information on the Web – A Manual for Users” at:

http://www.weather.gov/os/water/ahps/resources/Hydrologic_Web_Products_Manual.pdf

2.1 Mission Connection. The NWS Hydrologic Services Program web presence helps the NWS meet its mission by providing hydrologic warning and forecast information in a variety of formats and time scales which meet the needs of a range of partners and other users from the layman to the technically advanced water manager. With access to graphical, text, and numerical products through the web, anyone concerned with current and future hydrologic conditions can make informed decisions on a timely basis to protect life and property and enhance the Nation’s economy.

2.2 Provision Guidelines.

2.2.1 Home Page. The home page for the NWS Hydrologic Services Program web presence at <http://water.weather.gov> serves as the national portal to these forecasts and information. This portal can also be accessed through the NWS home page (<http://www.weather.gov>) by clicking on the Water tab.

The home page for the NWS Hydrologic Services Program web presence will prominently feature a national map of river/stream locations and other hydrologic information as new capabilities are added. Tabs or an equivalent capability will be provided on the home page to give users control over whether observed or forecast conditions for individual river/stream locations are displayed on the national map. Other tabs will provide access to other hydro-meteorological information. Observed and forecast conditions for individual locations on the map will be color coded according to their current status in reference to flood stage – no flooding, near flood stage, minor flooding, moderate flooding, or major flooding. The national map will provide access to more localized maps from which information on individual forecast locations can be obtained.

2.2.2 Hydrographs. Hydrographs provided through the Hydrologic Services Program web presence will display observed and forecast (if available) stage information for each river/stream location shown on map displays. At least five days of forecast information should be shown on the hydrograph, unless a limiting policy exists such as an agreement with a partner to provide fewer days of forecast information. The number of days shown on the forecast hydrograph for a stream in a given WFO area should be consistent with the number of days provided for comparable streams in adjacent WFO areas if their hydro-climatological characteristics are the same or very similar.

On the hydrograph display, users will be able to interactively access other types of information for the river/stream location through tabs or an equivalent capability. This capability to select

other types of information will not necessarily have the same number of options for each river/stream location, since some types of forecast information, such as inundation maps and long-term probabilistic products, may not be available for all forecast points.

2.2.3 Inundation Maps. Inundation maps for river/stream reaches are a web-based product that is highly desired by partners and other users. However, development of the data libraries needed to generate this product is an expensive process, which explains why they are available for comparatively few river/stream locations. As part of their outreach efforts, WFO hydrology program managers, RFC service coordination hydrologists, and other NWS staff can help make more inundation maps available for their area of responsibility by demonstrating the benefits of this product to Federal, state, and/or local agencies and encouraging them to support the funding of collaborative efforts to develop the required data sets. These data sets are known as inundation map libraries.

Additional information on the inundation mapping interface is available at the following URL:

http://newweb.erh.noaa.gov/ahps2/inundation/inundation_mapping_user_guide.pdf

Currently, only a limited number of NWS forecast locations have a flood inundation mapping interface. These locations can be found at the following URL:

<http://water.weather.gov/ahps/inundation.php>

2.3 Partner Attribution. Because of the importance of the NWS's strategic relationship with the U. S. Geological Survey (USGS), all National Hydrologic Services web presence graphics involving stream gaging stations supported by the USGS will include attribution to the USGS. In many cases, other organizations are involved in cooperative arrangements with the USGS to support stream gaging stations. To the maximum degree possible, attribution should also be provided to these organizations, along with the USGS.

In cases where the USGS is not involved in supporting the stream gaging station, attribution may be provided to the other supporting organization(s) as appropriate.

On inundation maps, attribution should also be provided for technical partners who cooperate with NWS to develop inundation map libraries.

3. National Hydrologic Assessment. Many parts of the U.S. experience late winter and spring flooding. Snow melt and ice jams can be important contributors to this flooding in northern areas. In early spring the Hydrologic Information Center integrates information from both WFOs and RFCs and prepares a National Hydrologic Assessment which summarizes potential for such flooding.

3.1 Mission Connection. The National Hydrologic Assessment helps the NWS meet its mission by highlighting areas of possible flooding during the late winter and spring months, thus providing an integrated assessment which can be used to initiate mitigation activities.

3.2 Provision Guidelines. The National Hydrologic Assessment is typically issued in mid-March on a date coordinated with RFCs and WFOs to accommodate schedule requirements at the local and national levels and ensure consistency of flood potential information disseminated at all

levels. If conditions warrant (e.g., existence of a significant snowpack), additional issuances of the National Hydrologic Assessment may occur on earlier or later dates. The URL for the National Hydrologic Assessment is:

<http://www.nws.noaa.gov/oh/hic/nho>

3.3 **Content.** The National Hydrologic Assessment is based on Hydrologic Outlooks issued by WFOs (See [NWS Instruction 10-922, WFO Hydrologic Products Specification](#), which in turn are based on Extended-Range Streamflow Prediction Products issued by RFCs (see [NWS Instruction 10-912, River Forecast Center Products Specification](#)). CPC's Climate Outlooks are a key input to the extended-range streamflow modeling process at RFCs.

The main page of the National Hydrologic Assessment includes a map of expected hydrologic conditions along with a text summary. It also includes links to information on factors affecting the current potential for late winter and spring flooding (e.g., snow cover, soil moisture, stream flow conditions, etc.).

4. **National Significant River Flood Outlook.** This graphical product broadly identifies areas where potential exists for significant river flooding over a 5-day period. The term "significant" refers to river/stream flooding within the moderate and major categories as defined in [NWS Manual 10-950 - Definitions and General Terminology](#). The product is assembled by the NCEP Hydrometeorological Prediction Center as a mosaic of individual graphical outlooks from the CONUS RFCs (see section 10 of [NWS Instruction 10-912](#)). A separate outlook is provided for Alaska by the Alaska-Pacific River Forecast Center. Details on content of the National Significant River Flood Outlook can be found in the manual [Hydrologic Information on the Web – A Manual for Users](#).

4.1 **Mission Connection.** This information helps the NWS to meet its mission by graphically depicting areas of river flood potential over the entire Nation. This helps partners and other users focus and optimize their flood mitigation activities, thus protecting lives and property and enhancing the national economy.

4.2 **Provision Guidelines.** The National Significant River Flood Outlook will be issued daily at approximately 4 p.m., Eastern Time. The national product can be found at the following URL:

<http://www.hpc.ncep.noaa.gov/nationalfloodoutlook/index.html>

The National Significant River Flood Outlook is also issued under the WMO Header **PENJ88 KWNH** and AWIPS identifier **GPHWNH**.

4.2.1 **Colors.** Colors and/or patterns will be used to characterize flood potential according to the following criteria:

- a. **Possible:** Hydrometeorological conditions indicate that significant flooding could occur. Such flooding is neither certain nor imminent.
- b. **Likely:** Hydrometeorological conditions indicate that significant flooding can be expected during the outlook period.

- c. Occurring/Imminent: Significant flooding is already occurring or is imminent during the outlook period.

5. Precipitation Frequency Estimates. NWS precipitation frequency estimates and associated information, formerly provided through hard copy Weather Bureau Technical Papers, Weather Bureau Memoranda, and NOAA Atlases, are now made available via the Web through the Precipitation Frequency Data Server. Details on the Precipitation Frequency Data Server can be found in the manual "[Hydrologic Information on the Web – A Manual for Users.](#)"

5.1 Mission Connection. NWS precipitation frequency estimates are de-facto National standards. They are provided in accordance with NOAA's Strategic Plan Mission Goal 2; "Understand climate variability and change to enhance society's ability to plan and respond."

5.2 Provision Guidelines. Precipitation frequency estimates, probable maximum precipitation documents, and related information will be provided on the web through a map-based interface at the following URL:

<http://hdsc.nws.noaa.gov/hdsc/pfds/>.

As time and resources permit, the Hydrometeorological Design Studies Center in the Office of Hydrologic Development will update precipitation frequency estimates by conducting reanalysis studies using more recent precipitation data and statistical procedures. Updated precipitation frequency estimates, accompanied by additional relevant information, will be published online in new volumes of NOAA Atlas 14.

6. National Snow Analysis. The National Snow Analysis (NSA) is a web-based suite of products from the National Operational Hydrologic Remote Sensing Center (NOHRSC) which provides comprehensive information on snow conditions in the CONUS and adjacent portions of Canada. Details on the National Snow Analysis can be found in the manual "[Hydrologic Information on the Web – A Manual for Users.](#)"

6.1 Mission Connection. The NSA helps the NWS meet its mission making available analyses of snow pack conditions and data sets that are used by NWS field offices; other federal, state, and local agencies; and the private sector in a variety of applications including operational and research hydrologic modeling for snowmelt and water supply forecasting. This allows for better forecasting and management of increasingly scarce water resources, thus helping to protect life and property and enhance the national economy.

6.2 Provision Guidelines. Analyses of snow pack conditions provided through the National Snow Analysis are available at the following URL:

<http://www.nohrsc.noaa.gov/nsa/>

Snowpack summaries from the NSA are available daily. Interactive, time series data plots and user-selected alphanumeric snow pack summaries are available on demand through the web.

7. Hydrometeorological Prediction Center Probabilistic Quantitative Precipitation Forecasts. Precipitation is a primary driver of operational hydrologic models; therefore, the

certainty (or uncertainty) of forecast precipitation directly affects the certainty (or uncertainty) of NWS hydrologic forecasts. NCEP's Hydrometeorological Prediction Center (HPC) produces a web-based interface to probabilistic quantitative precipitation forecast (PQPF) information covering the first 72-hour forecast period.

7.1 Mission Connection. PQPF information helps the NWS meet its mission by supporting probabilistic river forecasting operations at RFCs and helping WFOs issue flood/flash flood watches with more specificity on potential precipitation events, thus enabling emergency managers to concentrate their flood mitigation activities on areas of highest threat and providing water managers with forecast uncertainty information needed to optimize the allocation of scarce water resources. Probabilistic QPFs may also be useful to commercial weather service companies, the academic community, and the agricultural community. All of these beneficial uses help to protect life and property and enhance the national economy.

7.2 Provision Guidelines. The HPC probabilistic QPF product is generated twice every day at 0600 and 1800 UTC. The URL for the product is:

http://www.hpc.ncep.noaa.gov/pqpf_6hr/conus_hpc_pqpf_6hr.php

7.3 Content. Probabilistic QPFs are provided on the HPC webpage in six-hour time increments through 72 hours. A more detailed description of this product can be found on the HPC web site at:

http://www.hpc.ncep.noaa.gov/pqpf_6hr/about_pqpf_products.shtml