

Department of Defense Legacy Resource Management Program

PROJECT NUMBER (03-144)

Enhancement of Reference Collections for Birdstrike Identification – Phase II

Carla J. Dove, Ph.D. Smithsonian Institution Division of Birds

January 2005

Final Report

January 2005

Smithsonian Institution – DoD Legacy Expeditions Legacy Resource Management Program

"Enhancement of Reference Collections for Birdstrike Identification – Phase II"

DACA87-03-H-0006

Report Prepared by:

Carla J. Dove, Ph.D.
Smithsonian Institution
Division of Birds
NHB E-600, MRC 116
PO Box 37012
Washington, D.C. 20013-7012
(202) 633-0787
dovec@si.edu

10 January 2005

Introduction:

This is the final report for the Legacy Resource Management Program Grant awarded to the Smithsonian Institution (May 2003). The grant was awarded to enhance and improve the research collections in the Division of Birds for the identification of foreign

military birdstrike cases. Phase I of this project was completed in September 2001 and concentrated on improving the research collections for North American bird species. Due to the increased number of birdstrike cases received from overseas bases, Phase II of the project focused on the accession of new bird material into the research collections from foreign air bases that are now encountering increased birdstrike activity.

The collections at the Smithsonian Institution have been used for more than forty years to provide positive identifications of species of birds that cause millions of dollars of damage to military aircraft worldwide. If "problem" bird species are accurately identified, measures can be taken to avoid future strikes of those species (e.g. habitat management, aircraft design, bird avoidance models, etc.) The reference collections that are used for these identifications have been suffering from lack of species diversity, plumage variations, age, wear, and the specimens are not prepared in a way that facilitates the feather identification method. The primary intent of this grant is to initiate refurbishing of these collections for more efficient use in birdstrike identifications, especially those received from foreign air bases. Secondarily, species lists and dietary habits of the birds obtained from each expedition are provided to the Safety Office and/or Natural Resources Division of each participating military base. These goals are accomplished by the judicious collecting of bird specimens, and the recording of scientific data of birds that are commonly involved in birdstrikes on multiple Air Force bases.

Although the short-term benefits of this grant greatly facilitate the bird strike identification program, the broader implications of this project provide vast amounts of scientific data and new materials for long-term research projects. Tissue samples from all

specimens are stored cryogenically and will be used for future DNA identification studies. New projects have been initiated to study bird viruses that affect human populations. This "store-housing" of data and information provides the fundamental resources needed for long-term future studies of birds. We hope to continue these projects as we request continued support from the Legacy Program for an additional foreign expedition in 2006. A Phase III project is also planned for 2006 to conduct genetic 'barcoding' of the species of birds collected in Phase I (North America) and Phase II (Foreign) and will be used to aid in the identification of blood and tissue samples that are increasingly becoming the primary type of remains received from birdstrike events.

Summary of Activities

For this phase of the project, expeditions were conducted at two (2) foreign military bases in the Fall of 2004 and included Osan and Kunsan Air Bases in the Republic of Korea. Locations were selected based on bird migration routes and habitat diversity to produce maximum species diversity, travel logistics between bases, and underlying birdstrike problems. Due to the complications and expenses of organizing expeditions in foreign countries, we selected two different bases in the same country (South Korea). Field teams consisted of personnel from the Smithsonian Institution, U.S. Geological Survey - Patuxent Wildlife Research Center, and U.S. Air Force. In addition to specimen collecting/acquisition, military personnel traveling with the Smithsonian Team conducted BASH presentations and provided consultation to Safety Offices upon request

at each base (see Appendix I). This combined visit was beneficial to all parties and greatly raised awareness of BASH (Bird Aircraft Strike Hazard) issues and the importance of birdstrike identification.

This project was very successful in many ways. A total of 294 specimens of 58 species were collected on this expeditions (Appendix II) and represent different age classes, plumages, and geographic locations of many of the species involved in birdstrikes. These specimens will serve as the primary comparative samples for bird strike identifications far into the future. The specimens collected on this expedition have been specifically prepared with spread wings and as flattened skins to better facilitate feather identification. Each specimen has complete scientific data (sex, age, soft part colors, stomach contents, habitat, and location coordinates) for future research needs and will be used for ornithological research by scientists and artists worldwide. Some of the duplicate specimens may be used in permanent exhibits and for educational outreach at the Smithsonian Institution. All specimens have been prepared and are ready for cataloguing and installation into the Smithsonian collections. A subset of the tissue specimens collected on this expedition were submitted to the Department of Virology, Erasums MC University Medical Center, Rotterdam, The Netherlands, for Influenza A virus testing (results pending). All of the tissue samples obtained on this expedition will be screened by Smithsonian researchers as part of a worldwide study on the spread of avian viruses.

A new product for dna tissue storage was also tested on this expedition. In addition to maintaining the traditional storage method (liquid nitrogen), we also began testing Whatman® FTA (Fast Technology Analysis) dna collecting cards. These cards have

potential benefits for field use because they are less cumbersome, lightweight, space efficient, and do not require permanent freezer storage space. Future studies will compare the results of dna extractions from FTA cards to those of frozen tissue to determine if this type of storage is suitable for natural history specimens. Also, the cards may be included in dna collecting kits that will be used for birdstrike sample collection.

Major Findings:

The following points represent major findings for this project:

- addition of 294 specimens of 58 species to the scientific research collections
- addition of *many* new species to the frozen tissue cryogenic collection
- a total of eight unique species added to the Smithsonian alcohol or skeletal collections: Grey Heron (*Ardea cinerea*), Intermediate Egret (*Egretta intermedia*), Spot-billed Duck (*Anas poecilorhyncha*), Far Eastern Curlew (*Numenius madagascariensis*), Black-tailed Gull (*Larus crassirostris*), Bull-headed Shrike (*Lanius bucephalus*), Mugimaki Flycatcher (*Ficedula mugimaki*).
- established on-going research projects with: 1) Erasmus University Rotterdam, The
 Netherlands (Dr. Ron Fouchier) 2) Smithsonian Institution, National Zoological
 Park, Washington, DC (Dr. Rob Fleischer)

Acknowledgements

Thanks to Mr. Peter Windler, Mr. Eugene LeBoeuf, Lt. Melanie Presuto (U.S. Air Force BASH Team) for logistical support and assistance with this expedition. Chris Milensky and Storrs Olson (Smithsonian Institution) and Claudia Angle (U.S. Geological Survey) provided expert field assistance and specimen collecting and preparation.

Thanks to Marcy Heacker (Smithsonian Institution) for managing the feather lab and keeping up with the work-load during my absence. A special thanks to the Legacy Resource Management Program for continued support of these important research expeditions.

| Air Force Base | Date | Genus | Species | Common Name | Weight (g) | Sex | Country/Province | Location | Stomach Contents |
|-------------------|-----------|-------------|----------------|---------------------------|------------|-----|------------------------------|---|----------------------------------|
| Kunsan | 3-Oct-04 | | canus | Gray-headed Woodpecker | 116 | F | S. Korea, Jeollabuk Province | W of Rwy18, fence line, 2000' Marker | ants, beetle wing, insect parts |
| Kunsan | 3-Oct-04 | Picus | canus | Gray-headed Woodpecker | 128 | F | S. Korea, Jeollabuk Province | W of Rwy18, fence line, 2000' Marker | ants, insect parts |
| Kunsan | 3-Oct-04 | Picus | canus | Gray-headed Woodpecker | 128 | М | S. Korea, Jeollabuk Province | W of Rwy18, fence line, 2000' Marker | grit |
| Kunsan | 3-Oct-04 | Picus | canus | Gray-headed Woodpecker | 142 | М | S. Korea, Jeollabuk Province | W of Rwy18, fence line, midfield | ants, earwig, many beetle larvae |
| Kunsan | 3-Oct-04 | Picus | canus | Gray-headed Woodpecker | 146 | М | S. Korea, Jeollabuk Province | W of Rwy18, fence line, midfield | not recorded |
| Kunsan | 3-Oct-04 | Picus | canus | Gray-headed Woodpecker | 128 | F | S. Korea, Jeollabuk Province | W of Rwy18, fence line, 2000' Marker | not recorded |
| Kunsan | 3-Oct-04 | Garrulus | glandarius | Jay | 146 | М | S. Korea, Jeollabuk Province | W of Rwy18, outside perimeter rd, 2000' Mkr | nuts, grit |
| Kunsan | 3-Oct-04 | Garrulus | glandarius | Jay | 144 | F | S. Korea, Jeollabuk Province | W of Rwy18, outside perimeter rd, 2000' Mkr | grit, seed pulp |
| Kunsan | 3-Oct-04 | Gallinago | gallinago | Common Snipe | 108 | F | S. Korea, Jeollabuk Province | Btwn Rwy 18/perim rd, midfield | grit |
| Kunsan | 3-Oct-04 | Anas | platyrhynchos | Mallard | 1240 | М | S. Korea, Jeollabuk Province | W of Rwy18, outside perimeter rd, 2000' Mkr | grit, small black seeds |
| Kunsan | 3-Oct-04 | Phasianus | colchicus | Ring-necked Pheasant | 1126 | М | S. Korea, Jeollabuk Province | App end Rwy36, east side | |
| Kunsan | 3-Oct-04 | Picus | canus | Gray-headed Woodpecker | 124 | F | S. Korea, Jeollabuk Province | south end of airstrip | female by plumage |
| Kunsan | 3-Oct-04 | Ficedula | mugimaki | Mugimaki Flycatcher | 10.5 | F | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 3-Oct-04 | Egretta | intermedia | Intermediate Egret | 514 | ? | S. Korea, Jeollabuk Province | | |
| Kunsan | 3-Oct-04 | Anas | poecilorhyncha | Spot-billed Duck | 1134 | ? | S. Korea, Jeollabuk Province | | |
| Kunsan | 10-Aug-04 | Charadrius | alexandrinus | Kentish Plover | 42 | М | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 4-Aug-04 | Ardea | cinerea | Gray Heron | 920 | F | S. Korea, Jeollabuk Province | | |
| Kunsan | 4-Oct-04 | Gallinago | gallinago | Common Snipe | 110 | F | S. Korea, Jeollabuk Province | Infield, W of Rwy 18, btwn 2000'/3000' markers | grit, black mush |
| Kunsan | 4-Oct-04 | Gallinago | gallinago | Common Snipe | 92 | М | S. Korea, Jeollabuk Province | Infield, W of Rwy 18, btwn 2000'/3000' markers | grit |
| Kunsan | 4-Oct-04 | Gallinago | gallinago | Common Snipe | 136 | F | S. Korea, Jeollabuk Province | Infield, W of Rwy 18, btwn 2000'/3000' markers | grit, black mush |
| Kunsan | 4-Oct-04 | Phasianus | colchicus | Ring-necked Pheasant | 748 | F | S. Korea, Jeollabuk Province | Infield, W of Rwy 18, btwn 2000'/3000' markers | grass seeds |
| Kunsan | 4-Oct-04 | Phasianus | colchicus | Ring-necked Pheasant | 1094 | М | S. Korea, Jeollabuk Province | Infield, W of Rwy 18, dept end | grit and mashed seeds |
| Kunsan | 4-Oct-04 | Phoenicurus | auroreus | Daurian Redstart | 15 | F | S. Korea, Jeollabuk Province | south end of airstrip | not recorded |
| Kunsan | 4-Oct-04 | Cyanoptila | cyanomelana | Blue and White Flycatcher | 23.5 | F | S. Korea, Jeollabuk Province | south end of airstrip | seeds, vegetation |

| Air Force Base | Date | Genus | Species | Common Name | Weight (g) | Sex | Country/Province | Location | Stomach Contents |
|-------------------|----------|--------------|---------------|----------------------------|------------|-----|------------------------------|------------------------|---------------------------------------|
| Kunsan | 4-Oct-04 | Lanius | bucephalus | Bull-headed Shrike | 42 | М | S. Korea, Jeollabuk Province | south end of airstrip | beetle fragments |
| Kunsan | 4-Oct-04 | Phylloscopus | inornatus | Yellow-browed Warbler | 5.5 | F | S. Korea, Jeollabuk Province | south end of airstrip | not recorded |
| Kunsan | 4-Oct-04 | Emberiza | spodocephala | Black-faced Bunting | 16.6 | М | S. Korea, Jeollabuk Province | south end of airstrip | grit, plant |
| Kunsan | 4-Oct-04 | Emberiza | spodocephala | Black-faced Bunting | 14.5 | F | S. Korea, Jeollabuk Province | south end of airstrip | not recorded |
| Kunsan | 4-Oct-04 | Parus | varius | Varied Tit | 15.7 | М | S. Korea, Jeollabuk Province | south end of airstrip | plant material |
| Kunsan | 4-Oct-04 | Parus | varius | Varied Tit | 15.5 | ? | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 4-Oct-04 | Lanius | bucephalus | Bull-headed Shrike | 40 | F | S. Korea, Jeollabuk Province | south end of airstrip | beetle fragments |
| Kunsan | 4-Oct-04 | Parus | major | Great Tit | 12.5 | F | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 4-Oct-04 | Larus | crassirostris | Black-tailed Gull | 482 | ? | S. Korea, Jeollabuk Province | beach west of airstrip | |
| Kunsan | 4-Oct-04 | Carpodacus | erythrinus | Common Rose Finch | 25 | М | S. Korea, Jeollabuk Province | south end of airstrip | grit, white matter |
| Kunsan | 4-Oct-04 | Paradoxornis | webbianus | Vinous-throated Parrotbill | 9.8 | F | S. Korea, Jeollabuk Province | south end of airstrip | vegetation, seeds |
| Kunsan | 4-Oct-04 | Paradoxornis | webbianus | Vinous-throated Parrotbill | 9.2 | F | S. Korea, Jeollabuk Province | south end of airstrip | not recorded |
| Kunsan | 4-Oct-04 | Paradoxornis | webbianus | Vinous-throated Parrotbill | 10.2 | | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 4-Oct-04 | Paradoxornis | webbianus | Vinous-throated Parrotbill | 10.1 | М | S. Korea, Jeollabuk Province | south end of airstrip | grit |
| Kunsan | 4-Oct-04 | Paradoxornis | webbianus | Vinous-throated Parrotbill | 10 | М | S. Korea, Jeollabuk Province | south end of airstrip | grit and green mush |
| Kunsan | 4-Oct-04 | Paradoxornis | webbianus | Vinous-throated Parrotbill | 9.4 | М | S. Korea, Jeollabuk Province | south end of airstrip | not recorded |
| Kunsan | 4-Oct-04 | Paradoxornis | webbianus | Vinous-throated Parrotbill | 9.6 | ? | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 4-Oct-04 | Paradoxornis | webbianus | Vinous-throated Parrotbill | 9 | М | S. Korea, Jeollabuk Province | south end of airstrip | seeds, green matter |
| Kunsan | 4-Oct-04 | Paradoxornis | webbianus | Vinous-throated Parrotbill | 9.4 | F | S. Korea, Jeollabuk Province | south end of airstrip | grit, plant matter |
| Kunsan | 4-Oct-04 | Parus | major | Great Tit | 13.2 | М | S. Korea, Jeollabuk Province | south end of airstrip | green mush |
| Kunsan | 4-Oct-04 | Phylloscopus | sp. | Warbler | 11 | М | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 5-Oct-04 | Larus | crassirostris | Black-tailed Gull | 534 | F | S. Korea, Jeollabuk Province | west shoreline | fish bones bits of shell |
| Kunsan | 5-Oct-04 | Larus | crassirostris | Black-tailed Gull | 566 | | S. Korea, Jeollabuk Province | west shoreline | |
| Kunsan | 5-Oct-04 | Larus | crassirostris | Black-tailed Gull | 760 | F | S. Korea, Jeollabuk Province | west shoreline | fish bones, ants, insect parts, shell |

| Air Force Base | Date | Genus | Species | Common Name | Weight (g) | Sex | Country/Province | Location | Stomach Contents |
|-------------------|----------|--------------|---------------|----------------------------|------------|-----|------------------------------|------------------------|------------------------------------|
| Kunsan | 5-Oct-04 | Parus | major | Great Tit | none | F | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 5-Oct-04 | Egretta | intermedia | Intermediate Egret | 510 | F | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | 5-Oct-04 | Anas | platyrhynchos | Mallard | 1004 | F | S. Korea, Jeollabuk Province | midfield of infield | grass seed |
| Kunsan | 5-Oct-04 | Phylloscopus | sp. | Warbler | 8.2 | М | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 5-Oct-04 | Emberiza | spodocephala | Black-faced Bunting | 15.8 | ? | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 5-Oct-04 | Emberiza | spodocephala | Black-faced Bunting | 15 | М | S. Korea, Jeollabuk Province | south end of airstrip | small black, yellow seeds |
| Kunsan | 5-Oct-04 | Emberiza | spodocephala | Black-faced Bunting | 16.2 | ? | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 5-Oct-04 | Emberiza | spodocephala | Black-faced Bunting | 15.4 | F | S. Korea, Jeollabuk Province | south end of airstrip | empty |
| Kunsan | 5-Oct-04 | Emberiza | spodocephala | Black-faced Bunting | 15.3 | М | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 5-Oct-04 | Lanius | bucephalus | Bull-headed Shrike | 40 | М | S. Korea, Jeollabuk Province | south end of airstrip | empty |
| Kunsan | 5-Oct-04 | Emberiza | spodocephala | Black-faced Bunting | 14.4 | F | S. Korea, Jeollabuk Province | south end of airstrip | empty |
| Kunsan | 5-Oct-04 | Phylloscopus | sp. | Warbler | 8.2 | М | S. Korea, Jeollabuk Province | south end of airstrip | small seeds |
| Kunsan | 4-Oct-04 | Paradoxornis | webbianus | Vinous-throated Parrotbill | none | F | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 5-Oct-04 | Phylloscopus | borealis(?) | Arctic Warbler | 8 | М | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 5-Oct-04 | Lanius | bucephalus | Bull-headed Shrike | 38 | F | S. Korea, Jeollabuk Province | south end of airstrip | insect parts |
| Kunsan | 5-Oct-04 | Parus | major | Great Tit | 13.4 | F | S. Korea, Jeollabuk Province | south end of airstrip | insect parts |
| Kunsan | 6-Oct-04 | Pica | pica | Black-billed Magpie | 224 | F | S. Korea, Jeollabuk Province | North end of runway | rice / small crab fragments |
| Kunsan | 6-Oct-04 | Pluvialis | squatarola | Black-belied Plover | 224 | F | S. Korea, Jeollabuk Province | beach west of airstrip | small crab parts |
| Kunsan | 6-Oct-04 | Larus | crassirostris | Black-tailed Gull | 442 | F | S. Korea, Jeollabuk Province | beach west of airstrip | small bits of marine invertebrates |
| Kunsan | 6-Oct-04 | Phylloscopus | inornatus | Yellow-browed Warbler | 6.5 | F | S. Korea, Jeollabuk Province | south end of airstrip | black mush |
| Kunsan | 6-Oct-04 | Larus | crassirostris | Black-tailed Gull | 486 | М | S. Korea, Jeollabuk Province | beach west of airstrip | |
| Kunsan | 6-Oct-04 | Larus | cachinans | Yellow-legged Gull | 988 | F | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | 6-Oct-04 | Larus | crassirostris | Black-tailed Gull | 508 | F | S. Korea, Jeollabuk Province | beach west of airstrip | lovely little shells |
| Kunsan | 6-Oct-04 | Emberiza | sp. | Black-faced Bunting | 13.4 | F | S. Korea, Jeollabuk Province | south end of airstrip | empty |

| Air Force Base | Date | Genus | Species | Common Name | Weight (g) | Sex | Country/Province | Location | Stomach Contents |
|-------------------|----------|--------------|----------------|---------------------|------------|-----|------------------------------|------------------------|-----------------------------|
| Kunsan | 6-Oct-04 | Emberiza | rutila | Chestnut Bunting | 15.2 | М | S. Korea, Jeollabuk Province | south end of airstrip | insect parts |
| Kunsan | 6-Oct-04 | Parus | varius | Varied Tit | 17.2 | М | S. Korea, Jeollabuk Province | south end of airstrip | very small hard particles |
| Kunsan | 6-Oct-04 | Emberiza | rutila | Chestnut Bunting | 15.4 | F | S. Korea, Jeollabuk Province | south end of airstrip | empty |
| Kunsan | 6-Oct-04 | Emberiza | spodocephala | Black-faced Bunting | 16.2 | М | S. Korea, Jeollabuk Province | south end of airstrip | mash |
| Kunsan | 6-Oct-04 | Parus | major | Great Tit | 12.8 | | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 6-Oct-04 | Emberiza | rutila | Chestnut Bunting | 16 | F | S. Korea, Jeollabuk Province | south end of airstrip | grit |
| Kunsan | 6-Oct-04 | Turdus | cardis | Grey Thrush | 64 | F | S. Korea, Jeollabuk Province | south end of airstrip | purple seeds / cf pokeberry |
| Kunsan | 6-Oct-04 | Parus | varius | Varied Tit | 13.4 | F | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 6-Oct-04 | Parus | major | Great Tit | 14.4 | М | S. Korea, Jeollabuk Province | south end of airstrip | insect parts |
| Kunsan | 6-Oct-04 | Parus | major | Great Tit | 13.8 | М | S. Korea, Jeollabuk Province | south end of airstrip | small seeds |
| Kunsan | 6-Oct-04 | Larus | crassirostris | Black-tailed Gull | 598 | F | S. Korea, Jeollabuk Province | beach west of airstrip | mud, crabs/invertebrates |
| Kunsan | 6-Oct-04 | Anas | poecilorhyncha | Spot-billed Duck | 1342 | М | S. Korea, Jeollabuk Province | west of airstrip | marine invert, grass seeds |
| Kunsan | 7-Oct-04 | Parus | varius | Varied Tit | 15.2 | F | S. Korea, Jeollabuk Province | south end of airstrip | black bits (insect parts ?) |
| Kunsan | 7-Oct-04 | Phylloscopus | sp. | Warbler | 8.2 | М | S. Korea, Jeollabuk Province | south end of airstrip | insect parts |
| Kunsan | 7-Oct-04 | Parus | major | Great Tit | 12.4 | F | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 7-Oct-04 | Emberiza | rutila | Chestnut Bunting | 16 | М | S. Korea, Jeollabuk Province | south end of airstrip | grit |
| Kunsan | 7-Oct-04 | Parus | varius | Varied Tit | 15.2 | М | S. Korea, Jeollabuk Province | south end of airstrip | black triangular seeds |
| Kunsan | 7-Oct-04 | Carduelis | sinica | Oriental Greenfinch | 18.4 | ? | S. Korea, Jeollabuk Province | west of airstrip | |
| Kunsan | 7-Oct-04 | Carduelis | sinica | Oriental Greenfinch | 18.2 | ? | S. Korea, Jeollabuk Province | west of airstrip | |
| Kunsan | 7-Oct-04 | Emberiza | spodocephala | Black-faced Bunting | 17.4 | М | S. Korea, Jeollabuk Province | south end of airstrip | grit,vegetative matter |
| Kunsan | 7-Oct-04 | Streptopelia | orientalis | Rufus Turtle Dove | 266 | М | S. Korea, Jeollabuk Province | west of airstrip | small black seeds, grit |
| Kunsan | 7-Oct-04 | Carduelis | sinica | Oriental Greenfinch | 17.4 | F | S. Korea, Jeollabuk Province | west of airstrip | grit |
| Kunsan | 7-Oct-04 | Carduelis | sinica | Oriental Greenfinch | 19.2 | М | S. Korea, Jeollabuk Province | west of airstrip | seed pulp |
| Kunsan | 7-Oct-04 | Carduelis | sinica | Oriental Greenfinch | 18.4 | F | S. Korea, Jeollabuk Province | west of airstrip | seed pulp |

| Air Force Base | Date | Genus | Species | Common Name | Weight (g) | Sex | Country/Province | Location | Stomach Contents |
|-------------------|----------|--------------|---------------|--------------------------|------------|-----|------------------------------|-----------------------|--|
| Kunsan | 7-Oct-04 | Carduelis | sinica | Oriental Greenfinch | 18.2 | М | S. Korea, Jeollabuk Province | west of airstrip | grit,seed husk/pulp |
| Kunsan | 7-Oct-04 | Carduelis | sinica | Oriental Greenfinch | 19 | М | S. Korea, Jeollabuk Province | west of airstrip | green and yellow seeds |
| Kunsan | 7-Oct-04 | Carduelis | sinica | Oriental Greenfinch | 17.4 | F | S. Korea, Jeollabuk Province | west of airstrip | black and yellow seeds |
| Kunsan | 7-Oct-04 | Carduelis | sinica | Oriental Greenfinch | 19.2 | М | S. Korea, Jeollabuk Province | west of airstrip | seeds |
| Kunsan | 7-Oct-04 | Gallinago | gallinago | Common Snipe | 110 | F | S. Korea, Jeollabuk Province | west of airstrip | |
| Kunsan | 7-Oct-04 | Phasianus | colchicus | Ring-necked Pheasant | 1240 | М | S. Korea, Jeollabuk Province | west of airstrip | small black seeds |
| Kunsan | 8-Oct-04 | Dendrocopos | major | Great Spotted Woodpecker | 72 | F | S. Korea, Jeollabuk Province | west of airstrip | seeds |
| Kunsan | 7-Oct-04 | Larus | crassirostris | Black-tailed Gull | 488 | F | S. Korea, Jeollabuk Province | west of airstrip | empty |
| Kunsan | 7-Oct-04 | Lanius | bucephalus | Bull-headed Shrike | 40 | F | S. Korea, Jeollabuk Province | south end of airstrip | insect parts |
| Kunsan | 7-Oct-04 | Lanius | bucephalus | Bull-headed Shrike | 34 | F | S. Korea, Jeollabuk Province | south end of airstrip | beetle parts |
| Kunsan | 7-Oct-04 | Garrulus | glandarius | Jay | 130 | F | S. Korea, Jeollabuk Province | south end of airstrip | grit,acorn bits |
| Kunsan | 7-Oct-04 | Parus | major | Great Tit | 13 | F | S. Korea, Jeollabuk Province | south end of airstrip | insect parts |
| Kunsan | 7-Oct-04 | Anthus | cervinus | Red-throated Pipit | 20.8 | F | S. Korea, Jeollabuk Province | south end of airstrip | seeds |
| Kunsan | 7-Oct-04 | Anthus | cervinus | Red-throated Pipit | 22.4 | F | S. Korea, Jeollabuk Province | south end of airstrip | seeds |
| Kunsan | 8-Oct-04 | Motacilla | alba | White Wagtail | 22.5 | F | S. Korea, Jeollabuk Province | south end of airstrip | insect parts |
| Kunsan | 8-Oct-04 | Emberiza | spodocephala | Black-faced Bunting | 15.5 | М | S. Korea, Jeollabuk Province | south end of airstrip | grit, plant matter, nearly empty |
| Kunsan | 8-Oct-04 | Egretta | intermedia | Intermediate Egret | 492 | М | S. Korea, Jeollabuk Province | west of airstrip | 50mm loach-like fish, 3-4 mole crickets |
| Kunsan | 8-Oct-04 | Egretta | garzetta | Little Egret | 456 | F | S. Korea, Jeollabuk Province | west of airstrip | small to med clupeid or atherind fish,shrimp |
| Kunsan | 8-Oct-04 | Parus | major | Great Tit | 14.2 | М | S. Korea, Jeollabuk Province | south end of airstrip | insect parts |
| Kunsan | 8-Oct-04 | Parus | varius | Varied Tit | 16.8 | М | S. Korea, Jeollabuk Province | south end of airstrip | insect parts |
| Kunsan | 8-Oct-04 | Parus | ater | Coal Tit | 7.8 | F | S. Korea, Jeollabuk Province | south end of airstrip | not recorded |
| Kunsan | 8-Oct-04 | Parus | ater | Coal Tit | 8.5 | М | S. Korea, Jeollabuk Province | south end of airstrip | insect parts |
| Kunsan | 8-Oct-04 | Phylloscopus | sp | Warbler | 8 | F | S. Korea, Jeollabuk Province | south end of airstrip | insect parts |
| Kunsan | 8-Oct-04 | Phylloscopus | sp | Warbler | 9.5 | М | S. Korea, Jeollabuk Province | south end of airstrip | insect parts |

| Air Force Base | Date | Genus | Species | Common Name | Weight (g) | Sex | Country/Province | Location | Stomach Contents |
|-------------------|----------|--------------|----------------|-----------------------------|------------|-----|------------------------------|-----------------------|---|
| Kunsan | 8-Oct-04 | Dendrocopos | major | Great Spotted Woodpecker | 70 | М | S. Korea, Jeollabuk Province | south end of airstrip | insect grit, seed meat |
| Kunsan | 8-Oct-04 | Alauda | arvensis | Eurasian Skylark | 32 | F | S. Korea, Jeollabuk Province | on airstrip | seeds |
| Kunsan | 8-Oct-04 | Alauda | arvensis | Eurasian Skylark | 34 | F | S. Korea, Jeollabuk Province | on airstrip | seeds, green mush |
| Kunsan | 8-Oct-04 | Ficedula | mugimaki | Mugimaki Flycatcher | 10.8 | М | S. Korea, Jeollabuk Province | south end of airstrip | not recorded |
| Kunsan | 8-Oct-04 | Acrocephalus | orientalis | Oriental Great Reed Warbler | 18.5 | М | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 8-Oct-04 | Cyanoptila | cyanomelana | Blue and White Flycatcher | 23.5 | F | S. Korea, Jeollabuk Province | south end of airstrip | not recorded |
| Kunsan | 8-Oct-04 | Garrulus | glandarius | Jay | 152 | F | S. Korea, Jeollabuk Province | south end of airstrip | grit and acorn bitss |
| Kunsan | 9-Oct-04 | Phasianus | colchicus | Ring-necked Pheasant | 482 | F | S. Korea, Jeollabuk Province | west of airstrip | seeds, grasshoppers |
| Kunsan | 9-Oct-04 | Phasianus | colchicus | Ring-necked Pheasant | 449 | F | S. Korea, Jeollabuk Province | west of airstrip | seeds |
| Kunsan | 9-Oct-04 | Streptopelia | orientalis | Rufus Turtle Dove | 172 | F | S. Korea, Jeollabuk Province | west of airstrip | not recorded |
| Kunsan | 9-Oct-04 | Anas | poecilorhyncha | Spot-billed Duck | 1232 | М | S. Korea, Jeollabuk Province | west of airstrip | grit, green plant matter |
| Kunsan | 9-Oct-04 | Anas | poecilorhyncha | Spot-billed Duck | 1316 | М | S. Korea, Jeollabuk Province | west of airstrip | grit, green plant matter |
| Kunsan | 9-Oct-04 | Emberiza | spodocephala | Black-faced Bunting | 17 | ? | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 9-Oct-04 | Emberiza | spodocephala | Black-faced Bunting | 18 | ? | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 9-Oct-04 | Emberiza | spodocephala | Black-faced Bunting | 17 | М | S. Korea, Jeollabuk Province | south end of airstrip | small amt of grit, black seed fragments, insect leg |
| Kunsan | 9-Oct-04 | Emberiza | spodocephala | Black-faced Bunting | 18.2 | ? | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 9-Oct-04 | Emberiza | spodocephala | Black-faced Bunting | 15.8 | F | S. Korea, Jeollabuk Province | south end of airstrip | empty |
| Kunsan | 9-Oct-04 | Emberiza | spodocephala | Black-faced Bunting | 15.5 | М | S. Korea, Jeollabuk Province | south end of airstrip | yellowish seeds |
| Kunsan | 9-Oct-04 | Phylloscopus | sp | Warbler | 9.2 | М | S. Korea, Jeollabuk Province | south end of airstrip | insect parts |
| Kunsan | 9-Oct-04 | Phylloscopus | inornatus | Yellow-browed Warbler | 5 | М | S. Korea, Jeollabuk Province | south end of airstrip | insect parts |
| Kunsan | 9-Oct-04 | Parus | major | Great Tit | 12.5 | F | S. Korea, Jeollabuk Province | south end of airstrip | insect parts |
| Kunsan | 9-Oct-04 | Parus | major | Great Tit | 12.7 | М | S. Korea, Jeollabuk Province | south end of airstrip | very little black bits, insect parts |
| Kunsan | 9-Oct-04 | Parus | major | Great Tit | 12.3 | М | S. Korea, Jeollabuk Province | south end of airstrip | green plant matter |
| Kunsan | 9-Oct-04 | Parus | major | Great Tit | 12.2 | М | S. Korea, Jeollabuk Province | south end of airstrip | insect parts |

| Air Force Base | Date | Genus | Species | Common Name | Weight (g) | Sex | Country/Province | Location | Stomach Contents |
|-------------------|-----------|--------------|---------------|---------------------|------------|-----|------------------------------|------------------------|-----------------------------|
| Kunsan | 9-Oct-04 | Emberiza | spodocephala | Black-faced Bunting | 16.2 | М | S. Korea, Jeollabuk Province | south end of airstrip | seeds, green mush |
| Kunsan | 9-Oct-04 | Lanius | bucephalus | Bull-headed Shrike | 38 | F | S. Korea, Jeollabuk Province | south end of airstrip | black insect parts |
| Kunsan | 9-Oct-04 | Parus | major | Great Tit | 12 | М | S. Korea, Jeollabuk Province | south end of airstrip | green mush |
| Kunsan | 9-Oct-04 | Anthus | sp. | Pipit | 18 | F | S. Korea, Jeollabuk Province | west of airstrip | seeds |
| Kunsan | 9-Oct-04 | Garrulus | glandarius | Jay | 150 | ? | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 9-Oct-04 | Garrulus | glandarius | Jay | 148 | М | S. Korea, Jeollabuk Province | south end of airstrip | beetle parts, acorn meats |
| Kunsan | 9-Oct-04 | Garrulus | glandarius | Jay | 140 | М | S. Korea, Jeollabuk Province | south end of airstrip | acorns, beetles |
| Kunsan | 10-Oct-04 | Phylloscopus | sp | Warbler | 9 | М | S. Korea, Jeollabuk Province | North end of runway | insect parts |
| Kunsan | 10-Oct-04 | Charadrius | mongolus | Mongolian Plover | 76 | М | S. Korea, Jeollabuk Province | beach west of airstrip | brown mush |
| Kunsan | 10-Oct-04 | Pica | pica | Black-billed Magpie | 238 | М | S. Korea, Jeollabuk Province | west of airstrip | acorns, caterpillar |
| Kunsan | 10-Oct-04 | Pica | pica | Black-billed Magpie | 240 | М | S. Korea, Jeollabuk Province | west of airstrip | nut meat, caterpillar |
| Kunsan | 10-Oct-04 | Lanius | bucephalus | Bull-headed Shrike | 38 | F | S. Korea, Jeollabuk Province | North end of runway | insect parts |
| Kunsan | 10-Oct-04 | Garrulus | glandarius | Jay | 142 | М | S. Korea, Jeollabuk Province | south end of airstrip | acorn meat, insect parts |
| Kunsan | 10-Oct-04 | Garrulus | glandarius | Jay | 140 | М | S. Korea, Jeollabuk Province | south end of airstrip | acorns, beetles |
| Kunsan | 10-Oct-04 | Garrulus | glandarius | Jay | 136 | F | S. Korea, Jeollabuk Province | south end of airstrip | acron meat |
| Kunsan | 10-Oct-04 | Garrulus | glandarius | Jay | 142 | F | S. Korea, Jeollabuk Province | south end of airstrip | acorns |
| Kunsan | 10-Oct-04 | Egretta | intermedia | Intermediate Egret | none | F | S. Korea, Jeollabuk Province | west of airstrip | insect parts, mole cricket? |
| Kunsan | 10-Oct-04 | Lanius | bucephalus | Bull-headed Shrike | 44 | М | S. Korea, Jeollabuk Province | west of airstrip | |
| Kunsan | 10-Oct-04 | Egretta | intermedia(?) | Intermediate Egret | 550 | М | S. Korea, Jeollabuk Province | beach west of airstrip | |
| Kunsan | 11-Oct-04 | Heteroscelus | brevipes | Grey-tailed Tattler | 110 | ? | S. Korea, Jeollabuk Province | beach west of airstrip | |
| Kunsan | 11-Oct-04 | Xenus | cinereus | Terek Sandpiper | 104 | F | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | 11-Oct-04 | Tringa | nebularia | Greenshank | 176 | М | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | 11-Oct-04 | Calidris | alpina | Dunlin | 58 | F | S. Korea, Jeollabuk Province | beach west of airstrip | shell fragments, green mush |
| Kunsan | 11-Oct-04 | Calidris | alpina | Dunlin | 54 | М | S. Korea, Jeollabuk Province | beach west of airstrip | sm amt shell and sand |

| Air Force Base | Date | Genus | Species | Common Name | Weight (g) | Sex | Country/Province | Location | Stomach Contents |
|-------------------|-----------|--------------|--------------|--------------------|------------|-----|------------------------------|------------------------|-------------------------------|
| Kunsan | 11-Oct-04 | Calidris | alpina | Dunlin | 50 | М | S. Korea, Jeollabuk Province | beach west of airstrip | grit |
| Kunsan | 11-Oct-04 | Calidris | alpina | Dunlin | 48 | М | S. Korea, Jeollabuk Province | beach west of airstrip | muddy grit |
| Kunsan | 11-Oct-04 | Calidris | alpina | Dunlin | 56 | F | S. Korea, Jeollabuk Province | beach west of airstrip | green mush |
| Kunsan | 11-Oct-04 | Calidris | alpina | Dunlin | 58 | М | S. Korea, Jeollabuk Province | beach west of airstrip | grit |
| Kunsan | 11-Oct-04 | Calidris | alpina | Dunlin | 54 | М | S. Korea, Jeollabuk Province | beach west of airstrip | grit |
| Kunsan | 11-Oct-04 | Lanius | bucephalus | Bull-headed Shrike | 40 | М | S. Korea, Jeollabuk Province | North end of runway | not recorded |
| Kunsan | 11-Oct-04 | Calidris | alpina | Dunlin | 58 | ? | S. Korea, Jeollabuk Province | beach west of airstrip | |
| Kunsan | 11-Oct-04 | Calidris | alpina | Dunlin | 54 | ? | S. Korea, Jeollabuk Province | beach west of airstrip | |
| Kunsan | 11-Oct-04 | Calidris | alpina | Dunlin | 48 | М | S. Korea, Jeollabuk Province | beach west of airstrip | |
| Kunsan | 11-Oct-04 | Calidris | ruficollis | Red-necked Stint | 34 | F | S. Korea, Jeollabuk Province | beach west of airstrip | bits of inverts. |
| Kunsan | 11-Oct-04 | Calidris | ruficollis | Red-necked Stint | 36 | F | S. Korea, Jeollabuk Province | beach west of airstrip | invert parts |
| Kunsan | 11-Oct-04 | Calidris | ruficollis | Red-necked Stint | 32 | F | S. Korea, Jeollabuk Province | beach west of airstrip | small amt mud and shell |
| Kunsan | 12-Oct-04 | Xenus | cinereus | Terek Sandpiper | 98 | F | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | 12-Oct-04 | Xenus | cinereus | Terek Sandpiper | 82 | F | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | 12-Oct-04 | Charadrius | alexandrinus | Kentish Plover | 46 | F | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | 12-Oct-04 | Parus | major | Great Tit | 12.7 | ? | S. Korea, Jeollabuk Province | south end of airstrip | |
| Kunsan | 12-Oct-04 | Phylloscopus | sp. | Warbler | 7.8 | М | S. Korea, Jeollabuk Province | south end of airstrip | insects |
| Kunsan | 12-Oct-04 | Calidris | ruficollis | Red-necked Stint | 28 | М | S. Korea, Jeollabuk Province | beach west of airstrip | green mush, bits of shell |
| Kunsan | 12-Oct-04 | Calidris | ruficollis | Red-necked Stint | 28 | F | S. Korea, Jeollabuk Province | beach west of airstrip | sand, mud |
| Kunsan | 12-Oct-04 | Calidris | ruficollis | Red-necked Stint | 34 | F | S. Korea, Jeollabuk Province | beach west of airstrip | sand, mud |
| Kunsan | 12-Oct-04 | Xenus | cinereus | Terek Sandpiper | 98 | F | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | 12-Oct-04 | Coturnix | japonica | Japanese Quail | 100 | F | S. Korea, Jeollabuk Province | west of airstrip | full of grass seed |
| Kunsan | 13-Oct-04 | Saxicola | torquata | Common Stonechat | 16 | М | S. Korea, Jeollabuk Province | west of airstrip | beetle and other insect parts |
| Kunsan | 13-Oct-04 | Gallinago | gallinago | Common Snipe | 94 | F | S. Korea, Jeollabuk Province | west of airstrip | insect parts and grit |

| Air Force Base | Date | Genus | Species | Common Name | Weight (g) | Sex | Country/Province | Location | Stomach Contents |
|-------------------|-----------|--------------|----------------|--------------------|------------|-----|------------------------------|------------------------|---|
| Kunsan | 13-Oct-04 | | hodsoni | Olive-backed Pipit | 22 | M | S. Korea, Jeollabuk Province | south end of airstrip | seeds |
| | | | | | | | · | · | |
| Kunsan | 13-Oct-04 | | cervinus | Red-throated Pipit | 29 | F | S. Korea, Jeollabuk Province | midfield of airstrip | grass seeds |
| Kunsan | 13-Oct-04 | Gallinago | gallinago | Common Snipe | 96 | ? | S. Korea, Jeollabuk Province | North end of runway | |
| Kunsan | 13-Oct-04 | Gallinago | gallinago | Common Snipe | 94 | ? | S. Korea, Jeollabuk Province | North end of runway | |
| Kunsan | 13-Oct-04 | Gallinago | gallinago | Common Snipe | 110 | F | S. Korea, Jeollabuk Province | North end of runway | grit |
| Kunsan | 14-Oct-04 | Anthus | hodsoni | Olive-backed Pipit | 17.5 | М | S. Korea, Jeollabuk Province | North end of runway | insect parts, grit |
| Kunsan | 14-Oct-04 | Hypsipetes | amaurotis | Brown-eared Bulbul | 68 | М | S. Korea, Jeollabuk Province | south end of airstrip | wild cherry, purple |
| Kunsan | 14-Oct-04 | Hypsipetes | amaurotis | Brown-eared Bulbul | 66 | F | S. Korea, Jeollabuk Province | south end of airstrip | 12mm reddish purple fruit with two pits |
| Kunsan | 14-Oct-04 | Streptopelia | orientalis | Rufus Turtle Dove | 200 | М | S. Korea, Jeollabuk Province | south end of airstrip | grain, grit, gullet rice |
| Kunsan | 14-Oct-04 | Anas | poecilorhyncha | Spot-billed Duck | 1095 | F | S. Korea, Jeollabuk Province | beach west of airstrip | not recorded |
| Kunsan | 14-Oct-04 | | | Pipit | 28 | F | S. Korea, Jeollabuk Province | midfield of airstrip | seeds |
| | | | sp. | · | | | · | · | |
| Kunsan | 14-Oct-04 | Emberiza | rutila | Chestnut Bunting | 14.2 | М | S. Korea, Jeollabuk Province | midfield of airstrip | seeds |
| Kunsan | 14-Oct-04 | Alauda | arvensis | Eurasian Skylark | 38 | М | S. Korea, Jeollabuk Province | beach west of airstrip | full of seeds, vegetation |
| Kunsan | 14-Oct-04 | Charadrius | mongolus | Mongolian Plover | 78 | F | S. Korea, Jeollabuk Province | beach west of airstrip | tiny dark snails |
| Kunsan | 14-Oct-04 | Calidris | ruficollis | Red-necked Stint | 36 | ? | S. Korea, Jeollabuk Province | beach west of airstrip | not recorded |
| Kunsan | 14-Oct-04 | Calidris | ruficollis | Red-necked Stint | 24 | М | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | 14-Oct-04 | Charadrius | alexandrinus | Kentish Plover | 46 | ? | S. Korea, Jeollabuk Province | beach west of airstrip | not recorded |
| Kunsan | 14-Oct-04 | Charadrius | alexandrinus | Kentish Plover | 48 | М | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | 14-Oct-04 | Charadrius | alexandrinus | Kentish Plover | 44 | ? | S. Korea, Jeollabuk Province | beach west of airstrip | not recorded |
| Kunsan | 14-Oct-04 | Charadrius | alexandrinus | Kentish Plover | 46 | М | S. Korea, Jeollabuk Province | beach west of airstrip | not recorded |
| Kunsan | 14-Oct-04 | Charadrius | alexandrinus | Kentish Plover | 48 | F | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | | Charadrius | alexandrinus | Kentish Plover | 50 | F | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| | | | | | | | , | · | |
| Kunsan | | Charadrius | alexandrinus | Kentish Plover | 50 | F | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | 14-Oct-04 | Charadrius | alexandrinus | Kentish Plover | 48 | М | S. Korea, Jeollabuk Province | beach west of airstrip | empty |

| Air Force Base | Date | Genus | Species | Common Name | Weight (g) | Sex | Country/Province | Location | Stomach Contents |
|-------------------|-----------|------------|-----------------|--------------------|------------|-----|------------------------------|------------------------|-------------------|
| Kunsan | 14-Oct-04 | Charadrius | alexandrinus | Kentish Plover | 42 | F | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | 14-Oct-04 | Calidris | alpina | Dunlin | 58 | М | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | 14-Oct-04 | Calidris | alpina | Dunlin | 48 | М | S. Korea, Jeollabuk Province | beach west of airstrip | green mush, grit |
| Kunsan | 14-Oct-04 | Calidris | alpina | Dunlin | 58 | М | S. Korea, Jeollabuk Province | beach west of airstrip | grit |
| Kunsan | 14-Oct-04 | Calidris | alpina | Dunlin | 50 | F | S. Korea, Jeollabuk Province | beach west of airstrip | grit |
| Kunsan | 14-Oct-04 | Gallinago | gallinago | Common Snipe | 102 | М | S. Korea, Jeollabuk Province | North end of runway | not recorded |
| Kunsan | 15-Oct-04 | Alauda | arvensis | Eurasian Skylark | 38 | М | S. Korea, Jeollabuk Province | midfield of airstrip | seeds |
| Kunsan | 15-Oct-04 | Numenius | madagascarensis | Far Eastern Curlew | 934 | ? | S. Korea, Jeollabuk Province | beach west of airstrip | |
| Kunsan | 15-Oct-04 | Numenius | madagascarensis | Far Eastern Curlew | 1106 | ? | S. Korea, Jeollabuk Province | beach west of airstrip | |
| Kunsan | 15-Oct-04 | Larus | crassirostris | Black-tailed Gull | 512 | ? | S. Korea, Jeollabuk Province | beach west of airstrip | |
| Kunsan | 15-Oct-04 | Larus | crassirostris | Black-tailed Gull | 586 | ? | S. Korea, Jeollabuk Province | beach west of airstrip | |
| Kunsan | 15-Oct-04 | Numenius | madagascarensis | Far Eastern Curlew | 844 | М | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | 15-Oct-04 | Numenius | madagascarensis | Far Eastern Curlew | 958 | F | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | 15-Oct-04 | Numenius | madagascarensis | Far Eastern Curlew | 1036 | М | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | 15-Oct-04 | Numenius | madagascarensis | Far Eastern Curlew | 1098 | F | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | 15-Oct-04 | Numenius | madagascarensis | Far Eastern Curlew | 1048 | F | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | 15-Oct-04 | Numenius | madagascarensis | Far Eastern Curlew | 974 | F | S. Korea, Jeollabuk Province | beach west of airstrip | crustacean bits |
| Kunsan | 15-Oct-04 | Numenius | madagascarensis | Far Eastern Curlew | 998 | М | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | 15-Oct-04 | Numenius | madagascarensis | Far Eastern Curlew | 852 | М | S. Korea, Jeollabuk Province | beach west of airstrip | empty |
| Kunsan | 15-Oct-04 | Numenius | madagascarensis | Far Eastern Curlew | 836 | М | S. Korea, Jeollabuk Province | beach west of airstrip | |
| Kunsan | 15-Oct-04 | Larus | crassirostris | Black-tailed Gull | 662 | М | S. Korea, Jeollabuk Province | beach west of airstrip | small fish bones |
| Kunsan | 15-Oct-04 | Larus | crassirostris | Black-tailed Gull | 500 | F | S. Korea, Jeollabuk Province | beach west of airstrip | fish bones |
| Kunsan | 15-Oct-04 | Larus | crassirostris | Black-tailed Gull | 588 | М | S. Korea, Jeollabuk Province | beach west of airstrip | 8 + cm fish |
| Kunsan | 15-Oct-04 | Larus | crassirostris | Black-tailed Gull | 442 | F | S. Korea, Jeollabuk Province | beach west of airstrip | sm amt fish bones |

| Air Force Base | Date | Genus | Species | Common Name | Weight (g) | Sex | Country/Province | Location | Stomach Contents |
|-------------------|-----------|--------------|----------------|---------------------------|------------|-----|------------------------------|-------------------------|---|
| Kunsan | 15-Oct-04 | Larus | crassirostris | Black-tailed Gull | 526 | F | S. Korea, Jeollabuk Province | beach west of airstrip | |
| Kunsan | 15-Oct-04 | Larus | crassirostris | Black-tailed Gull | 614 | М | S. Korea, Jeollabuk Province | beach west of airstrip | goby-like fish, small fish bones |
| Kunsan | 15-Oct-04 | Larus | crassirostris | Black-tailed Gull | 654 | F | S. Korea, Jeollabuk Province | beach west of airstrip | fish bones |
| Osan | 0 Sep 04 | Calidris | alpina | Dunlin | 40 | М | S. Korea, Kyonggi Province | | green mash |
| Osan | 0 Jul 04 | Anas | poecilorhyncha | Spot-billed Duck | 1048 | М | S. Korea, Kyonggi Province | | grit, vegetable mash, very sm tan seeds |
| Osan | 0 Sep 04 | Charadrius | mongolus | Mongolian Plover | 52 | М | S. Korea, Kyonggi Province | | |
| Osan | 18-Oct-04 | Hypsipetes | amaurotis | Brown-eared Bulbul | 64 | М | S. Korea, Kyonggi Province | alpha ammo storage site | |
| Osan | 18-Oct-04 | Phoenicurus | auroreus | Daurian Redstart | 17.8 | М | S. Korea, Kyonggi Province | alpha ammo storage site | seeds |
| Osan | 18-Oct-04 | Picoides | kizuki | Japanese Pygmy Woodpecker | 21 | F | S. Korea, Kyonggi Province | alpha ammo storage site | beetles |
| Osan | 18-Oct-04 | Parus | palustris | Marsh Tit | 11.4 | М | S. Korea, Kyonggi Province | alpha ammo storage site | insects, seeds |
| Osan | 18-Oct-04 | Aegithalos | caudatus | Long-tailed Tit | 8.4 | F | S. Korea, Kyonggi Province | alpha ammo storage site | caterpillar, insect parts |
| Osan | 18-Oct-04 | Phoenicurus | auroreus | Daurian Redstart | 17.1 | М | S. Korea, Kyonggi Province | alpha ammo storage site | pokeberry |
| Osan | 18-Oct-04 | Aegithalos | caudatus | Long-tailed Tit | 8.6 | М | S. Korea, Kyonggi Province | alpha ammo storage site | caterpillar, insect parts |
| Osan | 19-Oct-04 | Emberiza | rustica | Rustic Bunting | 18.4 | М | S. Korea, Kyonggi Province | alpha ammo storage site | seeds |
| Osan | 19-Oct-04 | Phylloscopus | inornatus | Yellow-browed Warbler | 6 | М | S. Korea, Kyonggi Province | alpha ammo storage site | small insect parts |
| Osan | 19-Oct-04 | Phoenicurus | auroreus | Daurian Redstart | 15.7 | F | S. Korea, Kyonggi Province | alpha ammo storage site | pokeberry |
| Osan | 19-Oct-04 | Lanius | bucephalus | Bull-headed Shrike | 38 | М | S. Korea, Kyonggi Province | alpha ammo storage site | beetle & outer insect parts |
| Osan | 19-Oct-04 | Anthus | hodsoni | Olive-backed Pipit | 26 | М | S. Korea, Kyonggi Province | alpha ammo storage site | seeds |
| Osan | 19-Oct-04 | Parus | major | Great Tit | 16 | ? | S. Korea, Kyonggi Province | alpha ammo storage site | |
| Osan | 19-Oct-04 | Emberiza | tristrami | Tistram's Bunting | 18 | М | S. Korea, Kyonggi Province | alpha ammo storage site | seeds |
| Osan | 19-Oct-04 | Emberiza | tristrami | Tristram's Bunting | 22 | М | S. Korea, Kyonggi Province | alpha ammo storage site | grass seeds |
| Osan | 19-Oct-04 | Emberiza | spodocephala | Black-faced Bunting | 20 | М | S. Korea, Kyonggi Province | alpha ammo storage site | large yellow seeds, small black seeds |
| Osan | 19-Oct-04 | Emberiza | spodocephala | Black-faced Bunting | 20 | F | S. Korea, Kyonggi Province | alpha ammo storage site | seeds |
| Osan | 19-Oct-04 | Emberiza | rutila | Chestnut Bunting | 22 | М | S. Korea, Kyonggi Province | alpha ammo storage site | seeds |

| Air Force Base | Date | Genus | Species | Common Name | Weight (g) | Sex | Country/Province | Location | Stomach Contents |
|-------------------|-----------|--------------|----------------|---------------------------|------------|-----|----------------------------|-------------------------|-------------------------------------|
| Osan | 19-Oct-04 | Aegithalos | caudatus | Long-tailed Tit | 7.7 | М | S. Korea, Kyonggi Province | alpha ammo storage site | caterpillar |
| Osan | 19-Oct-04 | Phylloscopus | inornatus | Yellow-browed Warbler | 6.1 | М | S. Korea, Kyonggi Province | alpha ammo storage site | insect parts |
| Osan | 19-Oct-04 | Hypsipetes | amaurotis | Brown-eared Bulbul | 74 | М | S. Korea, Kyonggi Province | alpha ammo storage site | empty (stained purple from berries) |
| Osan | 19-Oct-04 | Aegithalos | caudatus | Long-tailed Tit | 8 | F | S. Korea, Kyonggi Province | alpha ammo storage site | insect parts |
| Osan | 19-Oct-04 | Emberiza | rutila | Chestnut Bunting | 20 | F | S. Korea, Kyonggi Province | alpha ammo storage site | seeds |
| Osan | 19-Oct-04 | Dendrocopos | kizuki | Japanese Pygmy Woodpecker | 19.8 | М | S. Korea, Kyonggi Province | alpha ammo storage site | caterpillar, insect parts |
| Osan | 19-Oct-04 | Parus | palustris | Marsh Tit | 10.5 | М | S. Korea, Kyonggi Province | alpha ammo storage site | seeds |
| Osan | 19-Oct-04 | Emberiza | rustica | Rustic Bunting | 18 | М | S. Korea, Kyonggi Province | alpha ammo storage site | small seeds |
| | 19-Oct-04 | Phasianus | colchicus | Ring-necked Pheasant | 1272 | М | S. Korea, Kyonggi Province | Chinwi River | grit, seed meats |
| | 19-Oct-04 | Streptopelia | orientalis | Rufus Turtle Dove | 210 | М | S. Korea, Kyonggi Province | Chinwi River | rice, round black seeds |
| | 19-Oct-04 | Nycticorax | nycticorax | Black-crowned Nightheron | 684 | М | S. Korea, Kyonggi Province | Chinwi River | tiny shrimp, fish |
| | 19-Oct-04 | Ardea | cinerea | Grey Heron | 1665 | ? | S. Korea, Kyonggi Province | Chinwi River | |
| | 19-Oct-04 | Egretta | garzetta | Little Egret | 352 | ? | S. Korea, Kyonggi Province | Chinwi River | |
| | 19-Oct-04 | Pica | pica | Black-billed Magpie | 248 | ? | S. Korea, Kyonggi Province | Chinwi River | |
| | 19-Oct-04 | Pica | pica | Black-billed Magpie | 200 | ? | S. Korea, Kyonggi Province | Chinwi River | |
| | 19-Oct-04 | Lanius | bucephalus | Bull-headed Shrike | 38 | М | S. Korea, Kyonggi Province | Chinwi River | insects |
| | 19-Oct-04 | Anas | poecilorhyncha | Spot-billed Duck | 1302 | М | S. Korea, Kyonggi Province | Chinwi River | grit, veg mash |
| | 19-Oct-04 | Phasianus | colchicus | Ring-necked Pheasant | 1260 | М | S. Korea, Kyonggi Province | Chinwi River | rice, veg matter |
| | 19-Oct-04 | Phasianus | colchicus | Ring-necked Pheasant | 1308 | М | S. Korea, Kyonggi Province | Chinwi River | rice |
| | 19-Oct-04 | Phasianus | colchicus | Ring-necked Pheasant | 836 | F | S. Korea, Kyonggi Province | Chinwi River | |
| Osan | 20-Oct-04 | Emberiza | elegans | Yellow-throated Bunting | 16.2 | М | S. Korea, Kyonggi Province | alpha ammo storage site | seeds, vegetation |
| Osan | 20-Oct-04 | Emberiza | elegans | Yellow-throated Bunting | 16.2 | F | S. Korea, Kyonggi Province | alpha ammo storage site | seeds |
| Osan | 20-Oct-04 | Emberiza | elegans | Yellow-throated Bunting | 16 | F | S. Korea, Kyonggi Province | alpha ammo storage site | seeds |
| Osan | 20-Oct-04 | Emberiza | tristrami | Tristram's Bunting | 22 | М | S. Korea, Kyonggi Province | alpha ammo storage site | seeds |

| Air Force Base | Date | Genus | Species | Common Name | Weight (g) | Sex | Country/Province | Location | Stomach Contents |
|-------------------|-----------|------------|----------------|--------------------------|------------|-----|----------------------------|--|-------------------------|
| | | | | | | | | | |
| Osan | 20-Oct-04 | Eurystomus | orientalis | Broad-billed Roller | | ? | S. Korea, Kyonggi Province | alpha ammo storage site | |
| | 20-Oct-04 | Tringa | glareola | Wood Sandpiper | 94 | F | S. Korea, Kyonggi Province | Chinwi River | invertebrate parts |
| | 20-Oct-04 | Nycticorax | nycticorax | Black-crowned Nightheron | 518 | М | S. Korea, Kyonggi Province | Chinwi River | dragon fly and insects |
| | 20-Oct-04 | Anas | poecilorhyncha | Spot-billed Duck | 910 | F | S. Korea, Kyonggi Province | Chinwi River | grit, seeds, veg matter |
| Osan | 20-Oct-04 | Passer | montanus | Tree Sparrow | 22.4 | М | S. Korea, Kyonggi Province | near west end of runway at golf course | seeds |
| Osan | 20-Oct-04 | Passer | montanus | Tree Sparrow | 22.5 | М | S. Korea, Kyonggi Province | near west end of runway at golf course | rice, seeds |