
E



National Synchrotron Light Source

Activity Report

For the period October 1, 1999 through September 30, 2000

Mary Anne Corwin

Managing Editor

Steven N. Ehrlich

Science Editor

Lydia Rogers and Nancye Wright

Production Assistants

National Synchrotron Light Source

Brookhaven National Laboratory

Brookhaven Science Associates, Inc.

Upton, New York 11973

The National Synchrotron Light Source is supported by the


Office of Basic Energy Sciences

United States Department of Energy

Washington, D.C.

Under Contract No. DE-AC02-98CH10886

Cover images



To download a larger gif image

of the Activity Report cover,

click here

1. Professor Janos Hajdu, Uppsala University, Sweden. Professor Hajdu presented the Scientific Highlight at the 2000 NSLS Users' Meeting, "Femtosecond Imaging of Biomoleculars with X-Rays."

2. Elaine DiMasi of the BNL Physics Department aligns a sample chamber at Beamline X22A for x-ray scattering from clays to study changes in structure during a hydration process that is controlled by temperature and water vapor pressure.

3. Jianzhong Zhang of SUNY at Stony Brook and Heather Goss of Haverford College examine a high-pressure sample prior to X-ray diffraction at Beamline X17B1.

4. Giovanni Gigante, Health & Medical Physics, University of Rome, performing energy dispersive x-ray fluorescence analyses of paper samples treated for deacidification at Beamline X26A in collaboration with BNL's Department of Advanced Technology. Dr. Gigante was also the 7000th user to perform research at the NSLS.

5. Mark Chance, Albert Einstein College of Medicine, during the 2000 NSLS Users' Meeting. Mark is also a member of the NSLS Users' Executive Committee and has served as its Chair for the 2000-2001 year.

6. Robert Sweet, of the BNL Biology Department, is part of an international collaboration that used freeze-trapping and protein crystallography to discover transition states in catalysis by a molecule that is "the biological equivalent of a blow-torch."

7. Michael Vaughan of SUNY at Stony Brook and Jeremy Smith of Earlhan College examine large volume high-pressure apparatus at Beamline X17B1.

Photos taken by Roger Stoutenburgh, BNL

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trade-mark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency, contractor, or subcontractor thereof. The views and opinions of authors express herein do not necessarily state or reflect those of the United States Government or any agency, contractor, or subcontractor thereof.