

# Behavioral Health eMeasures Drugs/Alcohol – Meeting 1

## Technical Expert Panel • May 7, 2012



*Health in the 21<sup>st</sup> Century*

**MITRE**

# Agenda

- **Welcome (10 minutes)**
  - Roll Call – Private Sector/Federal Staff
- **Quality Measure Topic (15 minutes)**
- **Review Work to Date (15 minutes)**
  - Last Week’s Domain Focus Measures: Depression
  - Workshop Feedback
- **Today’s Domain Focus (20 minutes)**
  - Substance Use
- **Next Steps and Questions (10 minutes)**
  - “Office Hours” Wednesdays 3pm-4pm



# Roll Call

# Core Team

## ■ SAMHSA

- Westley Clark, MD
- Maureen Boyle, PhD (TEP Co-lead)
- Ken Salyards
- Bob Stephenson

## ■ ONC

- Jesse James, MD
- Kevin Larsen, MD
- Lauren Richie (TEP Co-lead)
- Anca Tabakova
- Kate Tipping

## ■ CMS

- Carrie Feher

## ■ MITRE

- Beth Halley
- Nicole Kemper
- Saul Kravitz
- Maggie Lohnes
- Denise Sun
- Jocelyn Tafalla

# Technical Expert Panel- Community

Gavin	Bart	University of Minnesota- Hennepin County Medical Center
Rhonda	Beale	Chief Medical Officer @ OptumHealth Behavioral Solutions
Lyndra	Bills	Associate Medical Director for the Northeast Pennsylvania
Gregory	Brown	UPenn
Mady	Chalk	Treatment Research Institute (TRI)
Kate	Comtois	Harborview Medical Center
Geri	Dawson	Autism Speaks
Vincent	Felitte	Kaiser Permanente
Deborah	Garnick	Brandeis U Heller School
Frank	Ghinassi	UPMC
Eric	Goplerud	NORC
Rob	Gore-Langton	EMMES
Constance	Horgan	Brandeis U Heller School
Anna Mabel	Jones	Oxford House, Inc.
Rachel	Kimerling	Veterans Administration

**(Continued)**

# Technical Expert Panel - Community (Cont.)

Alex	Krist	Community Physician
Robert	Linblad	EMMES
Cathy	Lord	Institute for Brain Development, NY-Presbyterian Hosp
A Thomas	McLellan	Treatment Research Institute
LaVerne	Miller	Policy Research Associates, Delmar, New York
Daniel	Mullin	UMass MHC
Keris	Myrick	Project Return Peer Support Network
Harold	Pincus	Columbia University
Charlie	Reznikoff	University of Minnesota- Hennepin County Medical Center
Lucy	Savitz	Intermountain Healthcare
Robert	Schwartz	Friends Research Institute
Cheryl	Sharp	National Council for Community Behavioral Healthcare
Morton	Silverman	EDC
Piper	Svensson-Ranallo	University of Minnesota Institute for Health Informatics
Thomas	Swales	MetroHealth System/ Case Western Reserve University
Amy	Wetherby	Florida State University
Charles	Willis	Statewide Peer Wellness Initiative/GA Mental Health Consumer Network

# Subgroup Members – Federal Staff

ALCOHOL (3)		
Last Name	First Name	Agency
Boyle	Maureen	SAMHSA
Corbridge	Ian	HRSA
<b>Cotter</b>	<b>Frances</b>	<b>SAMHSA</b>
Dowling	Gaya	NIH/NIDA
Faden	Vivian	NIH/NIAAA
Forman	Reed	SAMHSA
Harris	Alex	VA
Lide	BJ	NIST
Lowman	Cheryl	NIH
McKnight-Eily	Lela	CDC
Tai	Betty	NIH/NIDA

AUTISM (2)		
Last Name	First Name	Agency
Blum	Alex	NIH
<b>Boyle</b>	<b>Maureen</b>	<b>SAMHSA</b>
Gilotty	Lisa	NIH
Kau	Alice	NIH/NICHD
Kavanagh	Laura	HRSA
Smith	Camille	CDC/ONDIEH/NCBDDD
Rice	Catherine	CDC/ONDIEH/NCBDDD
Wolf	Rebecca	CDC/ONDIEH/NCBDDD

DEPRESSION (6)		
Last Name	First Name	Agency
Alemu	Girma	HRSA
Azrin	Susan	NIH/NIMH
Boyle	Maureen	SAMHSA
Cotter	Fran	SAMHSA
Feher	Carrie	CMS
Harris	Yael	HRSA
LeFauve	Charlene	SAMHSA
<b>Ross</b>	<b>Alex</b>	<b>HRSA</b>

SUBSTANCE ABUSE (2)		
Last Name	First Name	Agency
Boyle	Maureen	SAMHSA
Dowling	Gaya	NIH/NIDA
<b>Ghitza</b>	<b>Udi</b>	<b>NIH/NIDA</b>
Lee	Jinhee	SAMHSA
Reuter	Nick	SAMHSA
Sivilli	June	ONDCP
Tai	Betty	NIH/NIDA

SUICIDE (2)		
Last Name	First Name	Agency
Boyle	Maureen	SAMHSA
Crosby	Alex	CDC
<b>Grenier</b>	<b>Denise</b>	<b>IHS</b>
Lysell	Katy	VA
McKeon	Richard	SAMHSA
Mullen	Mariquita	HRSA
Weglicki	Linda	NIH/NINR

TRAUMA (0)		
Last Name	First Name	Agency
Boyle	Maureen	SAMHSA
Cotton	Beverly	IHS
DeVoursney	David	SAMHSA
Harvell	Jennie	ASPE
Herne	Mose	IHS
Huang	Larke	SAMHSA
Ross	Alex	HRSA
<b>Salyards</b>	<b>Ken</b>	<b>SAMHSA</b>
Young	Elise	HRSA

**Bold = Lead**  
**(#) = High Priority Measures**


# Technical Expert Panel (TEP) Schedule

MITRE

TEP

Subcontractor:  
Literature Search

Subcontractor:  
R. Saitz, MD





# FULL MEETING SCHEDULE and TOPICS


WEEK #	MEETING DAYS	TOPIC
1	OPTION 1: 4/9: 1:00pm-3:00pm OPTION 2: 4/12: 12:30pm–2:30pm	KICK-OFF
2	4/16 3-4:30pm Eastern	Suicide/Trauma – Meeting 1
3	4/23 3-4:30pm Eastern	Autism – Meeting 1
4	4/30 3-4:30pm Eastern	Depression – Meeting 1
5	<b>5/7 3-4:30pm Eastern</b>	<b>Drugs/Alcohol – Meeting 1</b>
6	5/14 3-4:30pm Eastern	Suicide/Trauma – Meeting 2
7	5/22 2:30-4:00pm Eastern <b>TUESDAY</b>	Autism – Meeting 2
8	5/29 3-4:30pm Eastern <b>TUESDAY</b>	Depression – Meeting 2
9	6/4 3-4:30pm Eastern	Drugs/Alcohol – Meeting 2
10	6/11 3-4:30pm Eastern	Suicide/Trauma – Meeting 3
11	6/18 3-4:30pm Eastern <i>*NOTE: Date may be moved to 6/19</i>	Autism – Meeting 3







# FOCUS MEETING SCHEDULE and TOPICS

WEEK #	MEETING DAYS	TOPIC
12	6/25 3-4:30pm Eastern	Depression - Meeting 3
13	7/2 3-4:30pm Eastern	Drugs/Alcohol–Meeting 3
14	7/9 3-4:30pm Eastern	Depression
15	7/16 3-4:30pm Eastern	Drugs/Prescription Drug Misuse
16	7/23 3-4:30pm Eastern	Depression
17	7/30 3-4:30pm Eastern	Drugs/Prescription Drug Misuse
18	8/6 3-4:30pm Eastern	Depression
19	8/13 3-4:30pm Eastern	Drugs/Prescription Drug Misuse
20	8/20 3-4:30pm Eastern	Depression
21	8/27 3-4:30pm Eastern	Drugs/Prescription Drug Misuse
22	9/3 3-4:30pm Eastern	Depression
23	9/10 3-4:30pm Eastern	Drugs/Prescription Drug Misuse
24	9/17 3-4:30pm Eastern	Depression
25	9/24 3-4:30pm Eastern	Drugs/Prescription Drug Misuse

# TEP Specialty Selections

1. Please select all Behavioral Health specialties for your areas of expertise or interest - choose as many as you wish

 Create Chart  Download

		Response Percent	Response Count
Autism		16.7%	2
Depression		58.3%	7
<b>Substance Abuse: Drugs</b>		<b>75.0%</b>	<b>9</b>
Substance Abuse: Alcohol		66.7%	8
Suicide		41.7%	5
Trauma		25.0%	3
		Name	10
		<a href="#">Show Responses</a>	
		<b>answered question</b>	<b>12</b>
		<b>skipped question</b>	<b>0</b>



# **Substance Use: Alcohol and Drugs**

AHRQ Environmental Scan Results

# Environmental Scan - Domain: Substance Use

- **Overview of TEP Alcohol and Drug Use/Prescription Drug Misuse Sub-Group Goals:**
  - **Alcohol Use Domain**
    - **Short term (Meetings 1-3)**
      - Review environmental scans for available measures and clinical literature search for state of the science related to screening for alcohol use
    - **Long term (Meetings 4-9)**
      - Development of a screening and brief intervention measure
  - **Drug Abuse/Prescription Drug Misuse**
    - **Short term (Meetings 1-3)**
      - Review environmental/literature scan and evidence base gaps and develop an action plan to advance DA/PDM measures
    - **Long term (Meetings 4-9)**
      - Make recommendations towards the development of SBIRT measures

# MU Stage 1 - Final Rule Measures – Core Set

Measure Number	Title and Description	Domain
0028	Patients more than 18 years old who were seen at least twice and asked at least once about tobacco use in 24 months, and who received cessation intervention if they are users	Core Clinical Quality Measure

# MU Stage 1 - Final Rule Measures – Menu Set

Measure Number	Title and Description	Domain
0105	Patients more than 18 years old who were diagnosed with a new episode of major depression and treated with antidepressant medication, and who remain on antidepressant medication treatment	Misc. Menu Set Clinical Quality Measures
0027	Smokers or tobacco users more than 18 years old who were advised to quit or use cessation medications or methods	Misc. Menu Set Clinical Quality Measures
0004	Adolescent or adult patients with alcohol or drug dependency who initiate treatment within 14 days of diagnosis and who have two or more service visits within 30 days of initiating treatment	Misc. Menu Set Clinical Quality Measures

# MU Stage 2 NPRM Proposed BH Measures

Measure Number	Title and Description	Domain
NQF 0004	Title: Initiation and Engagement of Alcohol and Other Drug Dependence Treatment: (a) Initiation, (b) Engagement	Clinical Process/ Effectiveness
NQF 0028	Title: Preventive Care and Screening Measure Pair: a. Tobacco Use Assessment, b. Tobacco Cessation Intervention	Population/ Public Health
NQF 0103	Title: Major Depressive Disorder (MDD): Diagnostic Evaluation	Clinical Process/ Effectiveness
NQF 0104	Title: Major Depressive Disorder (MDD): Suicide Risk Assessment	Clinical Process/ Effectiveness
NQF 0105	Title: Anti-depressant Medication Management: (a) Effective Acute Phase Treatment, (b) Effective Continuation Phase Treatment	Clinical Process/ Effectiveness
NQF 0106	Title: Diagnosis of attention deficit hyperactivity disorder (ADHD) in primary care for school age children and adolescents	Care Coordination
NQF 0107	Title: Management of attention deficit hyperactivity disorder (ADHD) in primary care for school age children and adolescents	Clinical Process/ Effectiveness
NQF 0108	Title: ADHD: Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication	Clinical Process/ Effectiveness
NQF 0110	Title: Bipolar Disorder and Major Depression: Appraisal for alcohol or chemical substance use	Clinical Process/ Effectiveness
NQF 0112	Title: Bipolar Disorder: Monitoring change in level-of-functioning	Clinical Process/ Effectiveness

**(Continued)**

# MU Stage 2 NPRM Proposed BH Measures (cont.)

Measure Number	Title and Description	Domain
<b>NQF 0710</b>	Title: Depression Remission at Twelve Months	Clinical Process/ Effectiveness
<b>NQF 0711</b>	Title: Depression Remission at Six Months	Clinical Process/ Effectiveness
<b>NQF 0712</b>	Title: Depression Utilization of the PHQ-9 Tool	Clinical Process/ Effectiveness
<b>NQF 1365</b>	Title: Child and Adolescent Major Depressive Disorder: Suicide Risk Assessment	Patient Safety
<b>NQF 1401</b>	Title: Maternal depression Screening	Population/ Public Health
<b>TBD</b>	Title: Depression screening and follow-up assessment using patient self-reported process	Patient and Family Engagement
<b>TBD</b>	Title: Closing the referral loop: receipt of specialist report	Care Coordination
<b>NQF 0024</b>	Title: Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents Description	Population/ Public Health
<b>NQF 0421</b>	Title: Adult Weight Screening and Follow-Up Description	Population/Public Health



# Prioritized NQF Endorsed Measures for eSpecification

NQF Number	Measure Concept	Measure Title	Sub-group	Sub-Group Priority	Setting
110	Bipolar Disorder (BD and Major Depression (MD): Appraisal for alcohol or chemical substance use	Bipolar Disorder and Major Depression: Appraisal for alcohol or chemical substance use	Alcohol	1	EP
1661 (not endorsed)	Alcohol Screening (Adult)	SUB-1 Alcohol Use Screening	Alcohol	1	EH
1663 (not endorsed)	Alcohol Brief Intervention (Adult)	SUB-2 Alcohol Use Brief Intervention Provided or Offered and SUB-2a Alcohol Use Brief Intervention	Alcohol	1	EH
1406	Risky behavior assessment or counseling by age 13 – Alcohol, Tobacco, Substance Abuse, Sexual Activity	Risky Behavior Assessment or Counseling by Age	Substance Use Disorder (SUD)	1	EP
1507	Risky behavior assessment or counseling by age 18– Alcohol, Tobacco, Substance Abuse, Sexual Activity	Risky Behavior Assessment or Counseling by Age 18 Years	SUD	1	EP

# AHRQ Database Review Summary

## ■ Methodology for AHRQ Search:

- 10 discrete searches done for each domain
- Summary results reviewed for most valuable search criteria
- NQF endorsed measures removed
- Most relevant results shown on summary slides
- Notes provided on results that were omitted



# Environmental Scan - Domain: Substance Use

## ■ Keyword searches

- Alcohol Abuse, Ambulatory and Hospital
- Substance Abuse, Ambulatory and Hospital
- Prescription Drug Misuse

# Domain: Substance Use (Keyword: Alcohol Abuse ) – Environmental Scan

## Search Criteria: Alcohol Abuse and Ambulatory Setting

- 36 results initially identified
  - 18 removed (NQF endorsed)
- Final pool = 18 results for review

## Full List of Original Results\*

(\*includes NQF endorsed measures)

[Click Here](#)

## Search Criteria: Alcohol Abuse and Hospitals Setting

- 15 results initially identified
  - 4 removed (NQF endorsed)
- Final pool = 11 results for review

## Full List of Original Results\*

(\*includes NQF endorsed measures)

[Click Here](#)

# Domain: Substance Use (Keyword: Alcohol Abuse, Ambulatory) – Top Results

## Prioritized Result Summary

- 1** [Behavioral health: percent of patients screened for alcohol misuse with AUDIT-C who meet or exceed a threshold score of 5 who have timely brief alcohol counseling.](#) 2010 Oct. NQMC:006015  
Veterans Health Administration - Federal Government Agency [U.S.].
- 2** [Preventive care and screening: percentage of patients aged 18 years and older who were screened for unhealthy alcohol use at least once during the two-year measurement period using a systematic screening method AND who received brief counseling if identified as an unhealthy alcohol user.](#) 2008 Sep. NQMC:004458  
Physician Consortium for Performance Improvement® - Clinical Specialty Collaboration.
- 3** [Preventive care and screening: percentage of patients aged 18 years and older who were screened for unhealthy alcohol use at least once during the two-year measurement period using a systematic screening method.](#) 2008 Sep. NQMC:004463  
Physician Consortium for Performance Improvement® - Clinical Specialty Collaboration.
- 4** [Substance use disorders: percentage of patients aged 18 years and older with a diagnosis of current alcohol dependence who were counseled regarding psychosocial AND pharmacologic treatment options for alcohol dependence within the 12 month reporting period.](#) 2008 Jul. NQMC:004007  
American Psychiatric Association - Medical Specialty Society; National Committee for Quality Assurance - Health Care Accreditation Organization; Physician Consortium for Performance Improvement® - Clinical Specialty Collaboration.

# Domain: Substance Use (Keyword: Alcohol Abuse, Hospitals) – Top Results

Prioritized Result Summary	
1	<a href="#"><u>Behavioral health: percent of patients screened for alcohol misuse with AUDIT-C who meet or exceed a threshold score of 5 who have timely brief alcohol counseling.</u></a> 2010 Oct. NQMC:006015 Veterans Health Administration - Federal Government Agency [U.S.].
2	<a href="#"><u>Behavioral health: percent of eligible patients screened annually for alcohol misuse with AUDIT-C.</u></a> 2010 Oct. NQMC:006014 Veterans Health Administration - Federal Government Agency [U.S.].

# Domain: Substance Use (Keyword: Substance Abuse) – Environmental Scan

## Search Criteria: Substance Abuse and Ambulatory

- 45 results initially identified
  - 13 removed (NQF endorsed)
- Final pool = 32 results for review

## Full List of Original Results\*

(\*includes NQF endorsed measures)

[Click Here](#)

## Search Criteria: Substance Abuse and Hospitals

- 29 results initially identified
  - 6 removed (NQF endorsed)
- Final pool = 19 results for review

## Full List of Original Results\*

(\*includes NQF endorsed measures)

[Click Here](#)

# Domain: Substance Use (Keyword: Substance Abuse, Ambulatory) – Top Results

## Prioritized Result Summary

- Mental health/substance abuse: mean of patients' change scores on the "Substance Abuse" subscale of the BASIS-24® survey.** 2004 Oct. NQMC:002660Eisen, Susan V., PhD - Independent Author(s).
- Mental health/substance abuse: mean of patients' overall change scores on the BASIS-24® survey.** 2004 Oct. NQMC:002656Eisen, Susan V., PhD - Independent Author(s).
- Mental health/substance abuse: mean of patients' change scores on the "Depression/Functioning" subscale of the BASIS-24® survey.** 2004 Oct. NQMC:002657 Eisen, Susan V., PhD - Independent Author(s).
- Substance use disorders: percentage of patients aged 18 years and older with a diagnosis of current alcohol dependence who were counseled regarding psychosocial AND pharmacologic treatment options for alcohol dependence within the 12 month reporting period.** 2008 Jul. NQMC:004007American Psychiatric Association - Medical Specialty Society; National Committee for Quality Assurance - Health Care Accreditation Organization; Physician Consortium for Performance Improvement® - Clinical Specialty Collaboration.
- Substance use disorders: percentage of patients aged 18 years and older with a diagnosis of current substance abuse or dependence who were screened for depression within the 12 month reporting period.** 2008 Jul. NQMC:004006 American Psychiatric Association - Medical Specialty Society; National Committee for Quality Assurance - Health Care Accreditation Organization; Physician Consortium for Performance Improvement® - Clinical Specialty Collaboration.
- Substance use disorders: percentage of patients aged 18 years and older with a diagnosis of current opioid addiction who were counseled regarding psychosocial AND pharmacologic treatment options for opioid addiction within the 12 month reporting period.** 2008 Jul. NQMC:004208 American Psychiatric Association - Medical Specialty Society; National Committee for Quality Assurance - Health Care Accreditation Organization; Physician Consortium for Performance Improvement® - Clinical Specialty Collaboration.



# Domain: Substance Use (Keyword: Substance Abuse, Hospitals) – Top Results

## Prioritized Result Summary

- 1** [Hospital-based inpatient psychiatric services: the percentage of patients admitted to a hospital-based inpatient psychiatric setting who are screened within the first three days of admission for all of the following: risk of violence to self or others, substance use, psychological trauma history and patient strengths.](#) 2010 Dec. [NQMC Update Pending] NQMC:006322 The Joint Commission - Health Care Accreditation Organization.
- 2** [Mental health/substance abuse: mean of patients' change scores on the "Substance Abuse" subscale of the BASIS-24® survey.](#) 2004 Oct. NQMC:002660  
Eisen, Susan V., PhD - Independent Author(s).
- 3** [Mental health/substance abuse: mean of patients' overall change scores on the BASIS-24® survey.](#) 2004 Oct. NQMC:002656  
Eisen, Susan V., PhD - Independent Author(s).
- 4** [Mental health/substance abuse: mean of patients' change scores on the "Depression/Functioning" subscale of the BASIS-24® survey.](#) 2004 Oct. NQMC:002657  
Eisen, Susan V., PhD - Independent Author(s).

# Domain: Substance Use (Keyword: Prescription Drug Misuse ) – Environmental Scan

## Search Criteria: Prescription Drug Misuse

- 6 results initially identified
  - 5 removed (NQF endorsed)
- Final pool = 1 result for review

## Full List of Original Results\*

(\*includes NQF endorsed measures)

[Click Here](#)

# Domain: Substance Use (Keyword: Prescription Drug Misuse ) – Top Result

## Prioritized Result Summary


- [Substance use disorders: percentage of patients aged 18 years and older with a diagnosis of current opioid addiction who were counseled regarding psychosocial AND pharmacologic treatment options for opioid addiction within the 12 month reporting period.](#) 2008 Jul. NQMC:004208  
American Psychiatric Association - Medical Specialty Society; National Committee for Quality Assurance - Health Care Accreditation Organization; Physician Consortium for Performance Improvement® - Clinical Specialty Collaboration.

# Potential questions for TEP discussion

- Numerous results in AHRQ referencing changes in BASIS-24 survey, are these relevant to this work?
- What is the most pressing need for measure development in the arena of alcohol screening? Are there any existing measures that address this gap?
- What evidence base gaps are currently known in the domain of drug abuse/prescription drug misuse? Are there existing measures that begin to address these gaps?

# Addenda

# Measure Development Process



MITRE depiction of combined CMS Blueprint v8 and NQF processes  
\* Developing industry standard

# eMeasure Titles and Descriptions

NQF	Title	Description
0109 CQAIMH	Bipolar Disorder and Major Depression: Assessment for Manic or Hypomanic Behaviors	Percentage of patients treated for depression who were assessed, prior to treatment, for the presence of current and/or prior manic or hypomanic behaviors.
0110 CQAIMH	Bipolar Disorder and Major Depression: Appraisal for Alcohol or Chemical Substance Use	Percentage of patients with depression or bipolar disorder with evidence of an initial assessment that includes an appraisal for alcohol or chemical substance use
0111 CQAIMH	Bipolar Disorder: Appraisal for Risk of Suicide	Percentage of patients with bipolar disorder with evidence of an initial assessment that includes an appraisal for risk of suicide.
1385 HRSA/ OHSU	Developmental Screening Using a Parent Completed Screening Tool (Parent report, Children 0-5)	The measure assesses whether the parent or caregiver completed a developmental screening tool meant to identify children at-risk for developmental, behavioral and social delays.
0576 NCQA	Follow-Up After Hospitalization for Mental Illness	percentage of discharges for members 6 years of age and older who were hospitalized for treatment of selected mental health disorders and who had an outpatient visit, an Intensive outpatient encounter or partial hospitalization with a mental health practitioner.

**(Continued)**

# eMeasure Titles and Descriptions (cont.)

NQF	Title	Description
1401 NCQA	Maternal Depression Screening	The percentage of children who turned 6 months of age during the measurement year who had documentation of a maternal depression screening for the mother.
1406 NCQA	Risky Behavior Assessment or Counseling by Age 13	Percentage of children with documentation of a risk assessment or counseling for risky behaviors by the age of 13 Years. Four rates are reported: Risk Assessment or Counseling for Alcohol Use, Risk Assessment or Counseling for Tobacco Use, Risk Assessment or Counseling for Other Substance Abuse, Risk Assessment or Counseling for Sexual Activity
1507 NCQA	Risky Behavior Assessment or Counseling by Age 18	Percentage of children with documentation of assessment or counseling for risky behavior. Four rates are reported: assessment or counseling for alcohol use, tobacco use, other substance use, and sexual activity.
0580	Bipolar Antimanic Agent	Percentage of patients with newly diagnosed bipolar disorder who have received at least 1 prescription for a mood-stabilizing agent during the measurement year.

**(Continued)**



# eMeasure Titles and Descriptions (cont.)

NQF	Title	Description
TBD TJC 1661	SUB-1 Alcohol Use Screening	Hospitalized patients 18 years of age and older who are screened during the hospital stay using a validated screening questionnaire for unhealthy alcohol use.
TBD TJC 1663	SUB-2 Alcohol Use Brief Intervention Provided or Offered and SUB-2a Alcohol Use Brief Intervention	The measure is reported as an overall rate which includes all hospitalized patients 18 years of age and older to whom a brief intervention was provided, or offered and refused, and a second rate, a subset of the first, which includes only those patients who received a brief intervention.

# MU Stage 2 NPRM Proposed BH Measures

Measure Number	Title and Description	Domain
NQF 0004	Title: Initiation and Engagement of Alcohol and Other Drug Dependence Treatment: (a) Initiation, (b) Engagement	Clinical Process/ Effectiveness
NQF 0028	Title: Preventive Care and Screening Measure Pair: a. Tobacco Use Assessment, b. Tobacco Cessation Intervention	Population/ Public Health
NQF 0103	Title: Major Depressive Disorder (MDD): Diagnostic Evaluation	Clinical Process/ Effectiveness
NQF 0104	Title: Major Depressive Disorder (MDD): Suicide Risk Assessment	Clinical Process/ Effectiveness
NQF 0105	Title: Anti-depressant Medication Management: (a) Effective Acute Phase Treatment, (b) Effective Continuation Phase Treatment	Clinical Process/ Effectiveness
NQF 0106	Title: Diagnosis of attention deficit hyperactivity disorder (ADHD) in primary care for school age children and adolescents	Care Coordination
NQF 0107	Title: Management of attention deficit hyperactivity disorder (ADHD) in primary care for school age children and adolescents	Clinical Process/ Effectiveness
NQF 0108	Title: ADHD: Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication	Clinical Process/ Effectiveness
NQF 0110	Title: Bipolar Disorder and Major Depression: Appraisal for alcohol or chemical substance use	Clinical Process/ Effectiveness
NQF 0112	Title: Bipolar Disorder: Monitoring change in level-of-functioning	Clinical Process/ Effectiveness

**(Continued)**


# MU Stage 2 NPRM Proposed BH Measures (cont.)

Measure Number	Title and Description	Domain
NQF 0710	Title: Depression Remission at Twelve Months	Clinical Process/ Effectiveness
NQF 0711	Title: Depression Remission at Six Months	Clinical Process/ Effectiveness
NQF 0712	Title: Depression Utilization of the PHQ-9 Tool	Clinical Process/ Effectiveness
NQF 1365	Title: Child and Adolescent Major Depressive Disorder: Suicide Risk Assessment	Patient Safety
NQF 1401	Title: Maternal depression Screening	Population/ Public Health
TBD	Title: Depression screening and follow-up assessment using patient self-reported process	Patient and Family Engagement
TBD	Title: Closing the referral loop: receipt of specialist report	Care Coordination
NQF 0024	Title: Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents Description	Population/ Public Health
NQF 0421	Title: Adult Weight Screening and Follow-Up Description	Population/Public Health

# Definitions

- **Call for Measures:** A public announcement to the healthcare measures development community soliciting specific measures
- **Environmental Scan:** An examination of publically available information to identify references and resources; may be broad or focused
- **Gap Analysis:** Identification of focus areas requiring attention
- **Clinical Research:** Identification of best practice through clinical science
- **Measure Logic Documentation:** Narrative and/or human-readable definitions
- **Measure Testing:** A formal methodology to assure the feasibility, reliability and validity of measures
- **eMeasure Specifications:** Standardized electronic measures that are compatible with or 'readable' by electronic health record (EHR) systems
- **eMeasure Testing:** Process of assuring that the eMeasures Specifications can be optimally utilized by an EHR
- **National Quality Forum (NQF) Endorsement:** Currently the only consensus-based process for assuring standardized clinical measure quality
- **Technical Expert Panel:** Subject Matter Experts engaged to assure the clinical validity of measures
- **Publication:** Making available for public use

# CQM Marketplace: Meaningful Use Stage 1 Example



# Healthcare Measure Developers

- Agency for Healthcare Research and Quality (AHRQ)
- American Heart Association/ American College of Cardiology (AHA/ACC)
- American Medical Association/Physician Consortium for Quality Improvement (AMA/PCPI)
- Centers for Medicare and Medicaid Services (CMS)
- National Committee for Quality Assurance (NCQA) *Healthcare Effectiveness Data and Information Set (HEDIS)*
- Oklahoma Foundation for Medical Quality (OFMQ)
- Physician Consortium for Performance Improvement (PCPI) convened by the American Medical Association (AMA)
- The Joint Commission
- Others, including professional medical specialty organizations