# **Behavioral Health eMeasures Alcohol and Drug Use Meeting 2**

**Technical Expert Panel • June 4, 2012** 



Health in the 21st Century



### **Agenda**

- Welcome and Meeting Schedule Review (10 minutes)
- TEP Goals, Outcomes, and Timeline (10 minutes)
- Today's Domain Discussions Substance Use: Alcohol and Drugs (60 minutes)
  - Substance Use Measures and MU work to date
  - Review AHRQ Results for recommendations
  - Develop Literature Search Questions
- Next Steps and Questions (5 minutes)

# **Roll Call**



### **Core Team**

#### SAMHSA

- Westley Clark, MD
- Maureen Boyle, PhD (TEP Co-lead)
- Ken Salyards
- Bob Stephenson

#### 

- Jesse James, MD
- Kevin Larsen, MD
- Lauren Richie (TEP Co-lead)
- Anca Tabakova
- Kate Tipping

#### CMS

Carrie Feher

#### MITRE

- Beth Halley
- Nicole Kemper
- Saul Kravitz
- Maggie Lohnes
- Denise Sun
- Jocelyn Tafalla

### **Technical Expert Panel- Community**

Gavin	Bart	University of Minnesota- Hennepin County Medical Center
Rhonda	Beale	Chief Medical Officer @ OptumHealth Behavioral Solutions
Lyndra	Bills	Associate Medical Director for the Northeast Pennsylvania
Gregory	Brown	UPenn
Mady	Chalk	Treatment Research Institute (TRI)
Kate	Comtois	Harborview Medical Center
Geri	Dawson	Autism Speaks
Vincent	Felitte	Kaiser Permanente
Deborah	Garnick	Brandeis U Heller School
Frank	Ghinassi	UPMC
Eric	Goplerud	NORC
Rob	Gore-Langton	EMMES
Constance	Horgan	Brandeis U Heller School
Anna Mabe	Jones	Oxford House, Inc.
Rachel	Kimerling	Veterans Administration

(Continued)



### **Technical Expert Panel - Community (Cont.)**

Alex	Krist	Community Physician
Robert	Linblad	EMMES
Cathy	Lord	Institute for Brain Development, NY-Presbyterian Hosp
A Thomas	McLellan	Treatment Research Institute
LaVerne	Miller	Policy Research Associates, Delmar, New York
Daniel	Mullin	UMass MHC
Keris	Myrick	Project Return Peer Support Network
Harold	Pincus	Columbia University
Charlie	Reznikoff	University of Minnesota- Hennepin County Medical Center
Lucy	Savitz	Intermountain Healthcare
Robert	Schwartz	Friends Research Institute
Cheryl	Sharp	National Council for Community Behavioral Healthcare
Morton	Silverman	EDC
Piper	Svensson- Ranallo	University of Minnesota Institute for Health Informatics
Thomas	Swales	MetroHealth System/ Case Western Reserve University
Amy	Wetherby	Florida State University
Charles	Willis	Statewide Peer Wellness Initiative/GA Mental Health Consumer Network



### **Subgroup Members – Federal Staff**

	ALCOHOL (3)		
Last Name	First Name	Agency	
Boyle	Maureen	SAMHSA	
Corbridge	lan	HRSA	
Cotter	Frances	SAMHSA	
Dowling	Gaya	NIH/NIDA	
Faden	Vivian	NIH/NIAAA	
Forman	Reed	SAMHSA	
Harris	Alex	VA	
Lide	BJ	NIST	
Lowman	Cheryl	NIH	
McKnight-Eily	Lela	CDC	
Tai	Betty	NIH/NIDA	

AUTISM (2)			
Last Name	First Name	Agency	
Blum	Alex	NIH	
Boyle	Maureen	SAMHSA	
Gilotty	Lisa	NIH	
Kau	Alice	NIH/NICHD	
Kavanagh	Laura	HRSA	
Smith	Camille	CDC/ONDIEH/NCBDDD	
Rice	Catherine	CDC/ONDIEH/NCBDDD	
Wolf	Rebecca	CDC/ONDIEH/NCBDDD	

DEPRESSION (6)			
Last Name	First Name	Agency	
Alemu	Girma	HRSA	
Azrin	Susan	NIH/NIMH	
Boyle	Maureen	SAMHSA	
Cotter	Fran	SAMHSA	
Feher	Carrie	CMS	
Harris	Yael	HRSA	
LeFauve	Charlene	SAMHSA	
Ross	Alex	HRSA	

SUBSTANCE ABUSE (2)			
Last Name	First Name	Agency	
Boyle	Maureen	SAMHSA	
Dowling	Gaya	NIH/NIDA	
Ghitza	Udi	NIH/NIDA	
Lee	Jinhee	SAMHSA	
Reuter	Nick	SAMHSA	
Sivilli	June	ONDCP	
Tai	Betty	NIH/NIDA	

SUICIDE (2)			
Last Name	First Name	Agency	
Boyle	Maureen	SAMHSA	
Crosby	Alex	CDC	
Grenier	Denise	IHS	
Lysell	Katy	VA	
McKeon	Richard	SAMHSA	
Mullen	Mariquita	HRSA	
Weglicki	Linda	NIH/NINR	

	TRAUMA (0)	
Last Name	First Name	Agency
Boyle	Maureen	SAMHSA
Cotton	Beverly	IHS
DeVoursney	David	SAMHSA
Harvell	Jennie	ASPE
Herne	Mose	IHS
Huang	Larke	SAMHSA
Ross	Alex	HRSA
Salyards	Ken	SAMHSA
Young	Elise	HRSA

Bold = Lead (#) = High Priority Measures



### **FULL MEETING SCHEDULE and TOPICS**

WEEK #	MEETING DAYS	TOPIC
1	OPTION 1: 4/9: 1:00pm-3:00pm OPTION 2: 4/12: 12:30pm-2:30pm	KICK-OFF
2	4/16 3-4:30pm Eastern	Suicide/Trauma – Meeting 1
3	4/23 3-4:30pm Eastern	Autism – Meeting 1
4	4/30 3-4:30pm Eastern	Depression – Meeting 1
5	5/7 3-4:30pm Eastern	Drugs/Alcohol – Meeting 1
6	5/14 3-4:30pm Eastern	Suicide/Trauma – Meeting 2
7	5/22 2:30-4:00pm Eastern TUESDAY	Autism – Meeting 2
8	5/29 3-4:30pm Eastern TUESDAY	Depression – Meeting 2
9	6/4 3-4:30pm Eastern	Drugs/Alcohol – Meeting 2
10	6/11 3-4:30pm Eastern	Suicide/Trauma – Meeting 3
11	6/18 3-4:30pm Eastern *NOTE: Date may be moved to 6/19	Autism – Meeting 3



### **FOCUS MEETING SCHEDULE and TOPICS**

WEEK#	MEETING DAYS	TOPIC
12	6/25 3-4:30pm Eastern	Depression - Meeting 3
13	7/2 3-4:30pm Eastern	Drugs/Alcohol–Meeting 3
14	7/9 3-4:30pm Eastern	Depression
15	7/16 3-4:30pm Eastern	Drugs/Prescription Drug Misuse
16	7/23 3-4:30pm Eastern	Depression
17	7/30 3-4:30pm Eastern	Drugs/Prescription Drug Misuse
18	8/6 3-4:30pm Eastern	Depression
19	8/13 3-4:30pm Eastern	Drugs/Prescription Drug Misuse
20	8/20 3-4:30pm Eastern	Depression
21	8/27 3-4:30pm Eastern	Drugs/Prescription Drug Misuse
22	9/3 3-4:30pm Eastern	Depression
23	9/10 3-4:30pm Eastern	Drugs/Prescription Drug Misuse
24	9/17 3-4:30pm Eastern	Depression
25	9/24 3-4:30pm Eastern	Drugs/Prescription Drug Misuse

Begin new focus discussions



# **Goals and Outcomes**



### **Project Goal**

Develop a portfolio of behavioral health (BH) clinical quality measures (CQMs) suitable for inclusion in the EHR incentive program for Meaningful Use (MU) of Health Information Technology (IT)





### What constitutes a good measure for this project?

#### NQF uses four criteria to assess a measure for endorsement:

- Important to measure and report to keep our focus on priority areas, where the evidence is highest that measurement can have a positive impact on healthcare quality.
- Scientifically acceptable, so that the measure when implemented will produce consistent (reliable) and credible (valid) results about the quality of care.
- Useable and relevant to ensure that intended users consumers, purchasers, providers, and policy makers — can understand the results of the measure and are likely to find them useful for quality improvement and decision making.
- Feasible to collect with data that can be readily available for measurement and retrievable without undue burden
- eMeasure Specifications REQUIRED for EHRs

### **Project Phase 2 – Outcomes**

- Broad review of 6 domain areas with report of findings
  - Perform Environmental Scan for non-NQFendorsed measures Perform Clinical Literature Search for available evidence (Meeting 1)
  - TEP Review of Environmental Scan results (Meeting 2 and 3)
  - Measure Development Recommendations Report (Meeting 3 and postmeetings)

 Research Drug Use/ Prescription Drug Misuse (DU/PDM) Clinical Evidence

(Meeting 4-9)

- Document clinical evidence to support NQF-endorsement of effective DU/PDM care approaches
- Document clinical evidence to support NQF-endorsement of effective SBIRT DU/PDM care approach
- Fund clinical research of patient-entered SISQ
- Support development of a trended Depression Outcome Clinical Quality Measure

(Meeting 4-9)

### **TEP Domain Meetings 1-3 Goals**

#### Meeting 1

- Meeting Goal: Familiarity with Current Measures
- Review Recommended NQF-Endorsed High Priority Measures
- Introduce High-level Scan Non-Endorsed Measures (AHRQ Database)
- Homework: Review AHRQ results

#### Meeting 2

- Meeting GOAL: Non-Endorsed Measures Recommendations/Lit Search Question Formation
- Review Substance Use Measures and MU work to date
- Review AHRQ measures and discuss recommendations
- Determine questions for literature scan
- Homework: Receive/read Clinical Literature Search results and develop recommendations

#### Meeting 3

- Meeting Goal: Select Promising Clinical Research
- Discuss Clinical Literature Search Results
- Gain Consensus Is there any promising Clinical Research that can be used
- Develop outline for final recommendations
- Homework: Approval final recommendations



### **Technical Expert Panel (TEP) Schedule**


**MITRE** 

**TEP** 

Subcontractor: Literature Search

Subcontractor: R. Saitz, MD

----- = Today






# Today's Domain Discussions

Substance Use: Alcohol and Drugs



### **Review of TEP Domain success metrics**


Substance Use: Alcohol Use Meetings #1-3



### **Review of TEP Domain success metrics**

Substance Use: Drug Use/Prescription Drug Misuse
 Meetings #1-9

MITRE



# Today's Discussion – Substance Use: Alcohol and Drugs Domain

- Review Alcohol and Drug Use Measures in MU to date (5 minutes)
  - Stage 1 Measures
  - Stage 2 NPRM MU proposed measures
  - Prioritized measures for eSpecification
- Review AHRQ Results (30 minutes)
  - Are there questions about any of the AHRQ results?
  - Are there any measures that TEP members would like to recommend for prioritization?
- Develop additional Literature Search Questions (25 minutes)
  - Introduce The Cloudburst Group
  - Identify questions for additional searches

# Substance Use (Alcohol and Drugs) and Meaningful Use



### MU Stage 1 - Final Rule Measures - Core Set

Measure	Title and Description	Domain
Number		
0028	Patients more than 18 years old who were seen at least twice and	Core Clinical Quality Measure
	asked at least once about tobacco use in 24 months, and who	
	received cessation intervention if they are users	

### **MU Stage 1 - Final Rule Measures - Menu Set**

Measure Number	Title and Description	Domain
0027	Smokers or tobacco users more than 18 years old who were advised to quit or use cessation medications or methods	Misc. Menu Set Clinical Quality Measures
0004	Adolescent or adult patients with alcohol or drug dependency who initiate treatment within 14 days of diagnosis and who have two or more service visits within 30 days of initiating treatment	Misc. Menu Set Clinical Quality Measures

### **MU Stage 2 NPRM Proposed BH Measures**

Measure Number	Title and Description	Domain
NQF 0004	Title: Initiation and Engagement of Alcohol and Other Drug Dependence Treatment: (a) Initiation, (b) Engagement	Clinical Process/ Effectiveness
NQF 0028	Title: Preventive Care and Screening Measure Pair: a. Tobacco Use Assessment, b. Tobacco Cessation Intervention	Population/ Public Health
NQF 0103	Title: Major Depressive Disorder (MDD): Diagnostic Evaluation	Clinical Process/ Effectiveness
NQF 0104	Title: Major Depressive Disorder (MDD): Suicide Risk Assessment	Clinical Process/ Effectiveness
NQF 0105	Title: Anti-depressant Medication Management: (a) Effective Acute Phase Treatment, (b)Effective Continuation Phase Treatment	Clinical Process/ Effectiveness
NQF 0106	Title: Diagnosis of attention deficit hyperactivity disorder (ADHD) in primary care for school age children and adolescents	Care Coordination
NQF 0107	Title: Management of attention deficit hyperactivity disorder (ADHD) in primary care for school age children and adolescents	Clinical Process/ Effectiveness
NQF 0108	Title: ADHD: Follow-Up Care for Children Prescribed Attention- Deficit/Hyperactivity Disorder (ADHD) Medication	Clinical Process/ Effectiveness
NQF 0110*	Title: Bipolar Disorder and Major Depression: Appraisal for alcohol or chemical substance use	Clinical Process/ Effectiveness
NQF 0112	Title: Bipolar Disorder: Monitoring change in level-of-functioning	Clinical Process/ Effectiveness

(Continued)



<sup>\* =</sup> Recommended in Phase 1 of this project

# MU Stage 2 NPRM Proposed BH Measures (cont.)

Measure Number	Title and Description	Domain
NQF 0710	Title: Depression Remission at Twelve Months	Clinical Process/ Effectiveness
NQF 0711	Title: Depression Remission at Six Months	Clinical Process/ Effectiveness
NQF 0712	Title: Depression Utilization of the PHQ-9 Tool	Clinical Process/ Effectiveness
NQF 1365	Title: Child and Adolescent Major Depressive Disorder: Suicide Risk Assessment	Patient Safety
NQF 1401	Title: Maternal depression Screening	Population/ Public Health
TBD	Title: Depression screening and follow-up assessment using patient self-reported process	Patient and Family Engagement
TBD	Title: Closing the referral loop: receipt of specialist report	Care Coordination
NQF 0024	Title: Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents Description	Population/ Public Health
NQF 0418	Depression Screening (PHQ-2 and PHQ-9) for primary care > age 13	Population/ Public Health
NQF 0421	Title: Adult Weight Screening and Follow-Up Description	Population/Public Health



### Prioritized NQF Endorsed Measures for eSpecification

NQF Number	Measure Concept	Measure Title	Sub-group	Sub- Group Priority	Setting
1661* (not endorsed)	Alcohol Screening (Adult)	SUB-1 Alcohol Use Screening	Alcohol	1	EH
1663* (not endorsed)	Alcohol Brief Intervention (Adult)	SUB-2 Alcohol Use Brief Intervention Provided or Offered and SUB-2a Alcohol Use Brief Intervention	Alcohol	1	EH
1406	Risky behavior assessment or counseling by age 13 – Alcohol, Tobacco, Substance Abuse, Sexual Activity	Risky Behavior Assessment or Counseling by Age	Substance Use Disorder (SUD)	1	EP
1507	Risky behavior assessment or counseling by age 18– Alcohol, Tobacco, Substance Abuse, Sexual Activity	Risky Behavior Assessment or Counseling by Age 18 Years	SUD	1	EP



<sup>\*=</sup> eSpecification has been completed as of June 1, 2012

# **Review AHRQ results**

Substance Use: Alcohol and Drugs



### **Environmental Scan - Domain: Substance Use**

### Keyword searches

- Alcohol Abuse, Ambulatory and Hospital
- Substance Abuse, Ambulatory and Hospital
- Prescription Drug Misuse

#### Non-NQF endorsed AHRQ results discussion:

- QUESTION:
  - Are there any measures in the AHRQ scan that fill a critical gap in the Alcohol or Drug Use domains?
- Review results and document recommendations, either:
  - Not appropriate (X),
  - Maybe (M)/keep as potential for further discussion, OR
  - Yes (Y)

# Domain: Substance Use (Keyword: Alcohol Abuse) – Environmental Scan

# Search Criteria: Alcohol Abuse and Ambulatory Setting

- 36 results initially identified
  - 18 removed (NQF endorsed)
- Final pool = 18 results for review

#### Full List of Original Results\*

(\*includes NQF endorsed measures)

**Click Here** 

# Search Criteria: Alcohol Abuse and Hospitals Setting

- 15 results initially identified
  - 4 removed (NQF endorsed)
- Final pool = 11 results for review

#### Full List of Original Results\*

(\*includes NQF endorsed measures)

**Click Here** 

**MITRE** 

# Domain: Substance Use (Keyword: Alcohol Abuse, Ambulatory) – Top Results

	Measure Review (M= Maybe, X=No, Y = yes)	Prioritized Result Summary
1	M	Behavioral health: percent of patients screened for alcohol misuse with AUDIT-C who meet or exceed a threshold score of 5 who have timely brief alcohol counseling. 2010 Oct. NQMC:006015 Veterans Health Administration - Federal Government Agency [U.S.].
2	<b>Y</b>	Preventive care and screening: percentage of patients aged 18 years and older who were screened for unhealthy alcohol use at least once during the two-year measurement period using a systematic screening method AND who received brief counseling if identified as an unhealthy alcohol user. 2008 Sep. NQMC:004458  Physician Consortium for Performance Improvement® - Clinical Specialty Collaboration.
3	M	Preventive care and screening: percentage of patients aged 18 years and older who were screened for unhealthy alcohol use at least once during the two-year measurement period using a systematic screening method. 2008 Sep. NQMC:004463  Physician Consortium for Performance Improvement® - Clinical Specialty Collaboration.
4	<b>M</b>	Substance use disorders: percentage of patients aged 18 years and older with a diagnosis of current alcohol dependence who were counseled regarding psychosocial AND pharmacologic treatment options for alcohol dependence within the 12 month reporting period. 2008 Jul. NQMC:004007  American Psychiatric Association - Medical Specialty Society; National Committee for Quality Assurance - Health Care Accreditation Organization; Physician Consortium for Performance Improvement® - Clinical Specialty Collaboration.



# Domain: Substance Use (Keyword: Alcohol Abuse, Hospitals) – Top Results

	Measure Review (M= Maybe, X=No, Y = yes)	Prioritized Result Summary
1	M	Behavioral health: percent of patients screened for alcohol misuse with AUDIT-C who meet or exceed a threshold score of 5 who have timely brief alcohol counseling. 2010 Oct. NQMC:006015 Veterans Health Administration - Federal Government Agency [U.S.].
2	X	Behavioral health: percent of eligible patients screened annually for alcohol misuse with AUDIT-C. 2010 Oct. NQMC:006014  Veterans Health Administration - Federal Government Agency [U.S.].

# Domain: Substance Use (Keyword: Substance Abuse) – Environmental Scan

# **Search Criteria: Substance Abuse and Ambulatory**

- 45 results initially identified
  - 13 removed (NQF endorsed)
- Final pool = 32 results for review

### Full List of Original Results\*

(\*includes NQF endorsed measures)

**Click Here** 

# Search Criteria: Substance Abuse and Hospitals

- 29 results initially identified
  - 6 removed (NQF endorsed)
- Final pool = 19 results for review

#### Full List of Original Results\*

(\*includes NQF endorsed measures)

**Click Here** 

# Domain: Substance Use (Keyword: Substance Abuse, Ambulatory ) – Top Results

	Measure Review (M= Maybe, X=No, Y = yes)	Prioritized Result Summary
1	X	Mental health/substance abuse: mean of patients' change scores on the "Substance Abuse" subscale of the BASIS-24® survey. 2004 Oct. NQMC:002660Eisen, Susan V., PhD - Independent Author(s).
2	X	Mental health/substance abuse: mean of patients' overall change scores on the BASIS-24® survey. 2004 Oct. NQMC:002656Eisen, Susan V., PhD - Independent Author(s).
3	X	Mental health/substance abuse: mean of patients' change scores on the "Depression/Functioning" subscale of the BASIS-24® survey. 2004 Oct. NQMC:002657 Eisen, Susan V., PhD - Independent Author(s).
4	<b>IVI</b>	Substance use disorders: percentage of patients aged 18 years and older with a diagnosis of current alcohol dependence who were counseled regarding psychosocial AND pharmacologic treatment options for alcohol dependence within the 12 month reporting period. 2008 Jul. NQMC:004007American Psychiatric Association - Medical Specialty Society; National Committee for Quality Assurance - Health Care Accreditation Organization; Physician Consortium for Performance Improvement® - Clinical Specialty Collaboration.
5	Y	Substance use disorders: percentage of patients aged 18 years and older with a diagnosis of current substance abuse or dependence who were screened for depression within the 12 month reporting period. 2008 Jul. NQMC:004006 American Psychiatric Association - Medical Specialty Society; National Committee for Quality Assurance - Health Care Accreditation Organization; Physician Consortium for Performance Improvement® - Clinical Specialty Collaboration.
6	Y	Substance use disorders: percentage of patients aged 18 years and older with a diagnosis of current opioid addiction who were counseled regarding psychosocial AND pharmacologic treatment options for opioid addiction within the 12 month reporting period. 2008 Jul. NQMC:004208 American Psychiatric Association - Medical Specialty Society; National Committee for Quality Assurance - Health Care Accreditation Organization; Physician Consortium for Performance Improvement® - Clinical Specialty Collaboration.

# Domain: Substance Use (Keyword: Substance Abuse, Hospitals) – Top Results

	Measure Review (M= Maybe, X=No, Y = yes)	Prioritized Result Summary
1	Y	Hospital-based inpatient psychiatric services: the percentage of patients admitted to a hospital-based inpatient psychiatric setting who are screened within the first three days of admission for all of the following: risk of violence to self or others, substance use, psychological trauma history and patient strengths. 2010 Dec. [NQMC Update Pending] NQMC:006322 The Joint Commission - Health Care Accreditation Organization.
2	X	Mental health/substance abuse: mean of patients' change scores on the "Substance Abuse" subscale of the BASIS-24® survey. 2004 Oct. NQMC:002660 Eisen, Susan V., PhD - Independent Author(s).
3	X	Mental health/substance abuse: mean of patients' overall change scores on the BASIS-24® survey. 2004 Oct. NQMC:002656 Eisen, Susan V., PhD - Independent Author(s).
4	X	Mental health/substance abuse: mean of patients' change scores on the "Depression/Functioning" subscale of the BASIS-24® survey. 2004 Oct. NQMC:002657 Eisen, Susan V., PhD - Independent Author(s).

# Domain: Substance Use (Keyword: Prescription Drug Misuse) – Environmental Scan

# Search Criteria: Prescription Drug Misuse

- 6 results initially identified
  - 5 removed (NQF endorsed)
- Final pool = 1 result for review

#### **Full List of Original Results\***

(\*includes NQF endorsed measures)

**Click Here** 

# Domain: Substance Use (Keyword: Prescription Drug Misuse) – Top Result

	Measure Review (M= Maybe, X=No, Y = yes)	Prioritized Result Summary	
1	Y	Substance use disorders: percentage of patients aged 18 years and older with a diagnosis of current opioid addiction who were counseled regarding psychosocial AND pharmacologic treatment options for opioid addiction within the 12 month reporting period. 2008 Jul. NQMC:004208  American Psychiatric Association - Medical Specialty Society; National Committee for Quality Assurance - Health Care Accreditation Organization; Physician Consortium for Performance Improvement® - Clinical Specialty Collaboration.	

# **Develop Literature Search Questions**

The Cloudburst Group

Jamie Taylor and Steve Sullivan



### Clinical Literature Search

- Excited today to introduce The Cloudburst Group
  - Introductions
- Discussed in our first meeting that we would be engaging experts in clinical literature searches to support the TEPs
- Goal of engagement:
  - Complete targeted literature searches
  - Present output of this search to TEP
  - Collaborate on creation of final recommendations
- What will The Cloudburst Group need from TEP members?
  - 1. Help in forming the clinical literature search questions to target their work to priority areas in this domain
    - E.g., TEP insights into current research projects or principal investigators
  - 2. Feedback and interpretation of outcomes of search

#### **Clinical Literature Search**

#### **Alcohol Probes / Questions**

- Although we know that a specific screening tool is not the goal for this work, which tools, e.g. AUDIT-C, would the TEP members recommend for researching the types of and efficacy of screening in the Primary Care setting?
- Should we be looking deeper into the literature for responses to screens that would identify patients who would benefit from brief screenings vs. referral for specialty care?
  - An example is the Brief Motivational Interviewing model
- Is the TEP seeing the need for a separate screening tool/process for youth versus adults?
- Is the TEP interested in looking at research around the next steps for adults, including trended progress tracking (outcome measures)? If so, what research are TEP members aware of in this arena.
- Are there cultural differences and risks in particular subpopulations that we should be looking for in relation to the use of screening tools?
- Are there differences in screening tools for specific co-morbidities that are related to alcohol abuse?

#### **Discussion Questions for Literature Search**

#### **Drug Use Probes / Questions**

- Do the TEP members want to focus on specific screenings studies, e.g. evaluating the Single – Question Drug-Use Screening / Two-Item Screening as well as the DAST (Drug Abuse Screening Test)? What other screeners would TEP members recommend researching?
- Are the TEP members interested in exploring literature that would support a clinical qualitative measure focused on screening for a specific subpopulation, e.g. drug use in the elderly?
- Should we be exploring Brief Motivational Interviewing as effective treatment for alcohol/drug use? Should we only include findings that link treatment with a specific screening assessment process or effective treatment (e.g. SBIRT research studies) in primary care settings as separate lit scan category?
- What other key questions might the TEP want the literature scan to focus on?

# **Next Steps/Questions**



### **Next Steps and Questions**

- Weekly Workshops "Office Hours"
  - Wednesdays at 3pm-4pm
- Next Meeting of TEP (Topic: Trauma/Suicide Meeting #3)
  - Monday, 6/11, 3-4:30pm Eastern
- Questions?

# **Addenda**



# **eMeasure Titles and Descriptions**

NQF	Title	Description
0109 CQAIMH	Bipolar Disorder and Major Depression: Assessment for Manic or Hypomanic Behaviors	Percentage of patients treated for depression who were assessed, prior to treatment, for the presence of current and/or prior manic or hypomanic behaviors.
0110 CQAIMH	Bipolar Disorder and Major Depression: Appraisal for Alcohol or Chemical Substance Use	Percentage of patients with depression or bipolar disorder with evidence of an initial assessment that includes an appraisal for alcohol or chemical substance use
0111 CQAIMH	Bipolar Disorder: Appraisal for Risk of Suicide	Percentage of patients with bipolar disorder with evidence of an initial assessment that includes an appraisal for risk of suicide.
1385 HRSA/ OHSU	Developmental Screening Using a Parent Completed Screening Tool (Parent report, Children 0-5)	The measure assesses whether the parent or caregiver completed a developmental screening tool meant to identify children at-risk for developmental, behavioral and social delays.
0576 NCQA	Follow-Up After Hospitalization for Mental Illness	percentage of discharges for members 6 years of age and older who were hospitalized for treatment of selected mental health disorders and who had an outpatient visit, an Intensive outpatient encounter or partial hospitalization with a mental health practitioner.

(Continued)

# **eMeasure Titles and Descriptions (cont.)**

NQF	Title	Description
1401 NCQA	Maternal Depression Screening	The percentage of children who turned 6 months of age during the measurement year who had documentation of a maternal depression screening for the mother.
1406 NCQA	Risky Behavior Assessment or Counseling by Age 13	Percentage of children with documentation of a risk assessment or counseling for risky behaviors by the age of 13 Years. Four rates are reported: Risk Assessment or Counseling for Alcohol Use, Risk Assessment or Counseling for Tobacco Use, Risk Assessment or Counseling for Other Substance Abuse, Risk Assessment or Counseling for Sexual Activity
1507 NCQA	Risky Behavior Assessment or Counseling by Age 18	Percentage of children with documentation of assessment or counseling for risky behavior. Four rates are reported: assessment or counseling for alcohol use, tobacco use, other substance use, and sexual activity.
0580	Bipolar Antimanic Agent	Percentage of patients with newly diagnosed bipolar disorder who have received at least 1 prescription for a moodstabilizing agent during the measurement year.

(Continued)



# **eMeasure Titles and Descriptions (cont.)**

NQF	Title	Description
TBD TJC 1661	SUB-1 Alcohol Use Screening	Hospitalized patients 18 years of age and older who are screened during the hospital stay using a validated screening questionnaire for unhealthy alcohol use.
TBD TJC 1663	SUB-2 Alcohol Use Brief Intervention Provided or Offered and SUB-2a Alcohol Use Brief Intervention	The measure is reported as an overall rate which includes all hospitalized patients 18 years of age and older to whom a brief intervention was provided, or offered and refused, and a second rate, a subset of the first, which includes only those patients who received a brief intervention.



# **MU Stage 2 NPRM Proposed BH Measures**

Measure Number	Title and Description	Domain
NQF 0004	Title: Initiation and Engagement of Alcohol and Other Drug Dependence Treatment: (a) Initiation, (b) Engagement	Clinical Process/ Effectiveness
NQF 0028	Title: Preventive Care and Screening Measure Pair: a. Tobacco Use Assessment, b. Tobacco Cessation Intervention	Population/ Public Health
NQF 0103	Title: Major Depressive Disorder (MDD): Diagnostic Evaluation	Clinical Process/ Effectiveness
NQF 0104	Title: Major Depressive Disorder (MDD): Suicide Risk Assessment	Clinical Process/ Effectiveness
NQF 0105	Title: Anti-depressant Medication Management: (a) Effective Acute Phase Treatment, (b)Effective Continuation Phase Treatment	Clinical Process/ Effectiveness
NQF 0106	Title: Diagnosis of attention deficit hyperactivity disorder (ADHD) in primary care for school age children and adolescents	Care Coordination
NQF 0107	Title: Management of attention deficit hyperactivity disorder (ADHD) in primary care for school age children and adolescents	Clinical Process/ Effectiveness
NQF 0108	Title: ADHD: Follow-Up Care for Children Prescribed Attention- Deficit/Hyperactivity Disorder (ADHD) Medication	Clinical Process/ Effectiveness
NQF 0110	Title: Bipolar Disorder and Major Depression: Appraisal for alcohol or chemical substance use	Clinical Process/ Effectiveness
NQF 0112	Title: Bipolar Disorder: Monitoring change in level-of-functioning	Clinical Process/ Effectiveness

(Continued)



# **MU Stage 2 NPRM Proposed BH Measures** (cont.)

Measure Number	Title and Description	Domain
NQF 0710	Title: Depression Remission at Twelve Months	Clinical Process/ Effectiveness
NQF 0711	Title: Depression Remission at Six Months	Clinical Process/ Effectiveness
NQF 0712	Title: Depression Utilization of the PHQ-9 Tool	Clinical Process/ Effectiveness
NQF 1365	Title: Child and Adolescent Major Depressive Disorder: Suicide Risk Assessment	Patient Safety
NQF 1401	Title: Maternal depression Screening	Population/ Public Health
TBD	Title: Depression screening and follow-up assessment using patient self-reported process	Patient and Family Engagement
TBD	Title: Closing the referral loop: receipt of specialist report	Care Coordination
NQF 0024	Title: Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents Description	Population/ Public Health
NQF 0421	Title: Adult Weight Screening and Follow-Up Description	Population/Public Health




#### **Definitions**

- Call for Measures: A public announcement to the healthcare measures development community soliciting specific measures
- Environmental Scan: An examination of publically available information to identify references and resources; may be broad or focused
- Gap Analysis: Identification of focus areas requiring attention
- Clinical Research: Identification of best practice through clinical science
- Measure Logic Documentation: Narrative and/or human-readable definitions
- Measure Testing: A formal methodology to assure the feasibility, reliability and validity of measures
- eMeasure Specifications: Standardized electronic measures that are compatible with or 'readable' by electronic health record (EHR) systems
- eMeasure Testing: Process of assuring that the eMeasures Specifications can be optimally utilized by an EHR
- National Quality Forum (NQF) Endorsement: Currently the only consensusbased process for assuring standardized clinical measure quality
- Technical Expert Panel: Subject Matter Experts engaged to assure the clinical validity of measures
- Publication: Making available for public use



## **CQM Marketplace: Meaningful Use Stage 1 Example**



### **Healthcare Measure Developers**

- Agency for Healthcare Research and Quality (AHRQ)
- American Heart Association/ American College of Cardiology (AHA/ACC)
- American Medical Association/Physician Consortium for Quality Improvement (AMA/PCPI)
- Centers for Medicare and Medicaid Services (CMS)
- National Committee for Quality Assurance (NCQA) Healthcare Effectiveness Data and Information Set (HEDIS)
- Oklahoma Foundation for Medical Quality (OFMQ)
- Physician Consortium for Performance Improvement (PCPI) convened by the American Medical Association (AMA)
- The Joint Commission
- Others, including professional medical specialty organizations

# **Quality Measure Overview**



## **Clinical Quality Measures**

"A standard for measuring the performance and improvement of population health or of health plans, providers of services, and other clinicians in the delivery of health care services."

Patient Protection and Affordable Care Act of 2010, Title III, Part II of the Act (Sec. 3013)

### **CMS Measure Management System**

#### **END PRODUCT**

"The end product of measure development is a precisely specified, high-caliber measure to aid CMS in achieving its quality goals.

The precisely specified measure must be documented in a Measure Information Form (MIF) and Measure Justification form to allow others to understand the details and rationale of the measure, and allow for consistent interpretation and implementation."

A Blueprint for the CMS Measures Management System, Version 8-Volume 1 Page 3-3

## **CQM Types**

- Access: Attainment of timely and appropriate health care.
- Efficiency: Cost of care associated with a specified level of quality of care
- Outcome: A resulting particular state of health, e.g., controlled diabetes
- **Process:** Actions which increase the probability of achieving a desired outcome, e.g., controlling blood pressure reduces stroke
- Resource use: Comparable measures of health services counts (in terms of units or dollars) applied to a population or event
- Structural: Measure that focuses on a feature of a health care organization or clinician relevant to its capacity to provide health care
- Patient Experience: Patient report concerning observations of and participation in health care


### What is a Measure Specification

- The logic required to calculate the quality measure
- Contains
  - The population criteria and measure logic for the numerator, denominator and exclusion categories.
  - The algorithm used to calculate performance.

#### Format:

- Typically human readable PDF with narrative concepts and measure logic
- Excel spreadsheet with codes
- An electronic specification (or e-measure) is a means to report clinical quality measures (CQMs) from an electronic health record (EHR)
  - Includes the data elements, logic and definitions for that measure in a format that can be captured or stored in the EHR so that the data can be sent or shared electronically with other entities in a structured, standardized format, and unaltered.

### **Measure Development Process**



MITRE depiction of combined CMS Blueprint v8 and NQF processes

\* Developing industry standard

#### **Measure Evolution**



Clinical Research: "Diabetes respond positively to insulin"





### **AHRQ Database Review Summary**

- Methodology for AHRQ Search:
  - 10 discrete searches done for each domain
  - Summary results reviewed for most valuable search criteria
  - NQF endorsed measures removed
  - Most relevant results shown on summary slides
  - Notes provided on results that were omitted



#### **AHRQ – Criteria for Measure Inclusion**

For information on the AHRQ criteria for measure inclusion, please visit:

http://www.qualitymeasures.ahrq.gov/about/inclusioncriteria.aspx