

Federal and State Endangered and Threatened Species Expenditures



Fiscal Year 2011

TABLE OF CONTENTS

ENDANGERED SPECIES EXPENDITURES FISCAL YEAR 2011

PURPOSE	1
BACKGROUND	1
SECTION 18(1), FEDERAL EXPENDITURES	2
SECTION 18(2), STATE EXPENDITURES	2
SUMMARY OF DATA	3
COMPARISON TO PREVIOUS REPORTS	3
Table 1. FY 2011 Reported Expenditures for Endangered and Threatened Species	4
Table 2. Species Ranked in Descending Order of Total FY 2011 Reported Expenditures	71
Table 3. FY 2011 Reported Land Acquisition Expenditures for Endangered and Threatened Species	96
Table 4. FY 2011 Expenditures Reported by Individual Federal Agencies and the States	107
Appendix A. Supplemental Guidance for Reporting Expenditures for the Conservation of Endangered and Threatened Species	109
Appendix B. Reports Provided by Other Federal Agencies	113
Appendix C. Expenditures Reported by the States	267

ENDANGERED SPECIES EXPENDITURES FISCAL YEAR 2011

PURPOSE

The Endangered Species Act of 1973 (16 U.S.C. 1531 *et seq.*) was reauthorized and amended on October 7, 1988, under Public Law 100-478. A new section 18 was added to the Act that requires the Fish and Wildlife Service (Service) on behalf of the Secretary of the Interior to report on certain expenditures on a species-by-species basis. The section reads:

SEC. 18. On or before January 15, 1990, and each January 15 thereafter, the Secretary of the Interior, acting through the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain

(1) the accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act; and

(2) an accounting on a species-by-species basis of all reasonably identifiable expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act by States receiving grants under section 6.

This document constitutes the 22nd report by the Service pursuant to the requirements of section 18 of the Act. The report covers fiscal year 2011 (October 1, 2010 - September 30, 2011), although some States may be reporting for a different fiscal year period (without duplicating a previous year's reported data). To return to the original intent of Congress when amending the Endangered Species Act in 1988, we eliminated the reporting of data into the category previously known as "Other ESA Expenses," beginning with the 2008 report.

The term "State" as used in this report is defined in section 3(17) of the Act to mean any of the several States, the District of Columbia, the Commonwealth of Puerto Rico, American Samoa, the Virgin Islands, Guam, and the Trust Territory of the Pacific Islands.

The term "conservation," as defined in section 3(3) of the Act, means the use of all methods and procedures necessary to bring any endangered or threatened species to the point where the measures provided for by the Act are no longer necessary--including, but not limited to, research, census, law enforcement, habitat acquisition and maintenance, propagation, live trapping, and translocation. For the purposes of this report, the definition of conservation is further expanded to include any and all actions taken by Federal and State agencies on behalf of threatened or endangered species listed pursuant to the Act.

BACKGROUND

At the time the reporting requirement was enacted by Congress, the Service determined that a good faith effort was expected to develop methods to track and obtain data that are "reasonably identifiable." No extensive or extraordinary measures to develop exceptionally precise data were sought, nor were the reporting agencies expected to prorate staff salaries and other normal operational and maintenance costs not directed toward a particular species. The expenditures reported in this and the preceding reports do not necessarily constitute all expenditures made for each species.

This report represents a compilation of reasonably identifiable expenditures for the conservation of listed species reported independently by Federal and State agencies. Expenditures for FY 2011 are reported for 1352 threatened and endangered species of the 1382 species that were listed under United States jurisdiction in 50 CFR Part 17 as of September 30, 2011 (Tables 1 and 3).

Expenditures are identified by listed entity, which may be a species¹, subspecies², Distinct Population Segment (DPS)³, or Evolutionarily Significant Unit (ESU)⁴, as identified in 50 CFR 17.11 and 17.12. They are reported separately for the Service and in aggregate for all other Federal agencies and the States (Tables 1 and 3).

For these annual reports, the Service requests that all reporting agencies submit their data directly into a Web-based data entry system to ensure accuracy, consistency, and efficiency. At the time of submission, the reporting agencies certify that their information is accurate. The information provided in this report, pursuant to section 18 of the Endangered Species Act, is presented as it was submitted by these agencies.

Expenditures for candidate species or other species not listed in 50 CFR Part 17 as of the end of each fiscal year are not included in this report. In addition, other types of expenses, such as those for litigation, generally are not reported and are not included.

SECTION 18(1), FEDERAL EXPENDITURES

Expenditures Reported by the Fish and Wildlife Service

The Service's operational categories of expenditures include fisheries, refuges, land acquisition, law enforcement, research, and regional and field office operations for listing, recovery, consultation, migratory birds, and grants. All reasonably identifiable expenditures that could be attributed to individual species within these activities have been included.

The Federal assistance portion under section 6 of the Act for each species is included in the FWS Total in Table 1. The State share for each species for which a Federal contribution was made is included in the States Total column of Table 1.

A portion of the Service's funds for consultations, listing, and recovery are incorporated into salaries, operations, and maintenance costs. If these costs contributed to the conservation of listed species and are reasonably identifiable to specific species, they are included in this report.

Expenditures Reported by other Federal Agencies

The Director of the Service sends a request to other Federal agencies identified as likely to have species-specific expenditures under the Act to report for each fiscal year. The Service provides guidance identifying what constitutes reasonably identifiable expenditures and how these are to be reported (Appendix A). For FY 2011, the Service and 29 other Federal agencies identified expenditures for the conservation of individual threatened and endangered species. Three additional Federal agencies responded that their expenditures were not reasonably identifiable. Results from all responding Federal agencies are included in Appendix B. The data identified by those responding Federal agencies for individual species have been tabulated in the "Other Fed" columns of this report (Tables 1 and 3).

SECTION 18(2), STATE EXPENDITURES

The assistance of the Association of Fish and Wildlife Agencies is sought by the Service to help coordinate the reporting of reasonably identifiable expenditures made by the States. States report their data by species directly to the Service. Collective results from all responding State agencies are included in Appendix C.

¹ **Species** For purposes of the ESA, this term includes any species or subspecies of fish or wildlife or plants, and any Distinct Population Segment of any species of vertebrate fish or wildlife that interbreeds when mature.

² **Subspecies** A taxonomic rank below that of species, usually recognizing individuals that have certain heritable characteristics distinct from other subspecies of a species.

³ **Distinct Population Segment** A subdivision of a vertebrate species that is treated as a species for purposes of listing under the Endangered Species Act.

⁴ **Evolutionarily Significant Unit** A Pacific salmonid stock that is substantially reproductively isolated from other stocks of the same species and which represents an important part of the evolutionary legacy of the species; functionally equivalent to DPS for the purpose of listing under ESA.

SUMMARY OF DATA

Table 1 reports the activity-related expenditures that are reasonably identifiable to specific individual species by the Service, other Federal agencies collectively, and the States collectively. Expenditures for land acquisitions are not included in this tabulation or used in the ranking. Species are grouped in the same general order as they appear in 50 CFR Part 17. Table 1 also provides the rank for each species from Table 2.

Table 2 ranks each species in descending order by the species total from Table 1. A cumulative total of the activity-related, species-specific expenditures is also provided.

Table 3 displays land acquisition expenditures, reasonably identifiable to specific individual species, by the Service, other Federal agencies collectively, and the States collectively. Table 3 also provides the rank for land expenditures by species.

Tables 4 shows total expenditures for species and land acquisition by reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species are included.

Total expenditures reported for **FY 2011** were **\$1,590,513,332** of which **\$1,532,067,066** were reported by Federal agencies and **\$58,446,266** were reported by the States. (Table 4)

COMPARISON TO PREVIOUS REPORTS

Over the years, these reports have been refined as our experience in planning and coordinating with the reporting agencies to track such expenditures has improved. A good faith effort is made to develop species-by-species expenditures for these reports, but due to differences in reporting methods, this report cannot be easily compared to prior expenditures reports. These year-to-year differences include changes in the number of Federal and State agencies reporting data, changes in how expenditures are calculated, changes in the agencies' abilities to track expenditures, and changes in the number of listed species. Therefore, real dollar increases or decreases cannot accurately be calculated or inferred from the overall or individual totals.

TABLE 1. FY 2011 REPORTED EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES

The list of species in Table 1 essentially follows the taxonomic and nomenclatural conventions used in 50 CFR Part 17 for the identification and sequence of species' names. For ease of reference, the alphabetized, inverted common name is provided within each group (usually Class) of animals and plants. Thus, the gray bat is found with other bats under "Bat, gray" within mammals, and Tar River spiny mussel is found under "Spiny mussel, Tar River" within the clams. Groups of animals follow the sequence: Mammals, Birds, Reptiles, Amphibians, Fishes, and Invertebrates, which include Clams, Snails, Insects, Arachnids, and Crustaceans. Groups of plants follow the sequence: Flowering Plants, Conifers, Ferns, and Lichens.

For additional information about the names, historical range, or status of an endangered or threatened species, the species can be found in 50 CFR 17.11 (wildlife) or 17.12 (plants), or through our Web site at <http://www.fws.gov/endangered>. The STATUS column indicates whether the species is endangered (E), threatened (T), experimental (EXPN), or threatened by similarity of appearance (SAT).

Fish and Wildlife Service expenditures (FWS Total) and other Federal agency expenditures (Other Fed) are totaled in the "Fed Total" column. The States Total is the amount reported to the Service directly by the States. None of these reported totals includes costs for land acquisition. (See Table 3 for reported land acquisition expenditures.)

The RANK is from Table 2 and indicates each species' rank by identifiable expenditures, where #1 is the highest expenditure.

**TABLE 1. FY 2011 REPORTED EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES,
NOT INCLUDING LAND ACQUISITION COSTS**

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
Mammals	126	Bat, gray (<i>Myotis grisescens</i>)	E	\$357,570	\$928,211	\$1,285,781	\$50,900	\$1,336,681
	146	Bat, Hawaiian hoary (<i>Lasiurus cinereus semotus</i>)	E	\$498,697	\$486,093	\$984,790	\$0	\$984,790
	17	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$3,442,718	\$11,882,711	\$15,325,429	\$418,036	\$15,743,465
	292	Bat, lesser long-nosed (<i>Leptonycteris curasoae yerbabuena</i>)	E	\$37,115	\$135,316	\$172,431	\$71,600	\$244,031
	1182	Bat, little Mariana fruit (<i>Pteropus tokudae</i>)	E	\$0	\$800	\$800	\$0	\$800
	163	Bat, Mariana fruit (=Mariana flying fox) (<i>Pteropus mariannus mariannus</i>) - entire	T	\$435,304	\$371,656	\$806,960	\$0	\$806,960
	469	Bat, Mexican long-nosed (<i>Leptonycteris nivalis</i>)	E	\$60,500	\$42,500	\$103,000	\$1,500	\$104,500
	383	Bat, Ozark big-eared (<i>Corynorhinus</i> (=Plecotus) <i>townsendii ingens</i>)	E	\$79,900	\$65,500	\$145,400	\$12,550	\$157,950
	273	Bat, Virginia big-eared (<i>Corynorhinus</i> (=Plecotus) <i>townsendii virginianus</i>)	E	\$144,500	\$117,981	\$262,481	\$8,800	\$271,281
	338	Bear, American black (<i>Ursus americanus</i>)	SAT	\$122,000	\$80,436	\$202,436	\$0	\$202,436
	40	Bear, grizzly (<i>Ursus arctos horribilis</i>) - lower 48 States, except where EXPN or delisted	T	\$2,925,878	\$4,150,023	\$7,075,901	\$510,662	\$7,586,563
	478	Bear, grizzly (<i>Ursus arctos horribilis</i>) - experimental, non-essential, portions of ID and MT	EXPN	\$0	\$94,600	\$94,600	\$5,000	\$99,600
	60	Bear, LA black (<i>Ursus americanus luteolus</i>)	T	\$336,000	\$4,345,456	\$4,681,456	\$0	\$4,681,456
	70	Bear, polar (<i>Ursus maritimus</i>)	T	\$1,293,820	\$2,599,065	\$3,892,885	\$20,128	\$3,913,013
	445	Bison, wood (<i>Bison bison athabasca</i>) -	E	\$82,093	\$0	\$82,093	\$30,656	\$112,749
	207	Caribou, woodland (<i>Rangifer tarandus caribou</i>) - Selkirk Mountain pop.	E	\$399,255	\$57,635	\$456,890	\$21,028	\$477,918
	276	Deer, Columbian white-tailed (<i>Odocoileus virginianus leucurus</i>) - Columbia R. DPS	E	\$128,700	\$116,134	\$244,834	\$20,400	\$265,234
	304	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$238,000	\$1,192	\$239,192	\$0	\$239,192

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	93	Ferret, black-footed (<i>Mustela nigripes</i>) – entire; except EXPN	E	\$1,473,709	\$784,899	\$2,258,608	\$26,356	\$2,284,964
	266	Ferret, black-footed (<i>Mustela nigripes</i>) - portions of AZ, CO, MT, SD, UT, WY	EXPN	\$2,415	\$67,333	\$69,748	\$214,000	\$283,748
	125	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>)	E	\$515,500	\$825,890	\$1,341,390	\$0	\$1,341,390
	354	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>)	E	\$49,000	\$139,170	\$188,170	\$0	\$188,170
	925	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>)	E	\$16,000	\$170	\$16,170	\$0	\$16,170
	617	Fox, Santa Cruz Island (<i>Urocyon littoralis santacruzae</i>)	E	\$38,500	\$15,000	\$53,500	\$0	\$53,500
	242	Fox, Santa Rosa Island (<i>Urocyon littoralis santarosae</i>)	E	\$38,500	\$325,170	\$363,670	\$0	\$363,670
	288	Jaguar (<i>Panthera onca</i>)	E	\$247,735	\$5,720	\$253,455	\$1,600	\$255,055
	150	Jaguarundi, Gulf Coast (<i>Herpailurus (=Felis) yagouaroundi cacomilti</i>)	E	\$40,500	\$867,175	\$907,675	\$0	\$907,675
	1178	Jaguarundi, Sinaloa (<i>Herpailurus (=Felis) yagouaroundi tolteca</i>)	E	\$0	\$0	\$0	\$1,000	\$1,000
	672	Kangaroo rat, Fresno (<i>Dipodomys nitratoides exilis</i>)	E	\$40,500	\$800	\$41,300	\$0	\$41,300
	246	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$121,500	\$230,670	\$352,170	\$0	\$352,170
	410	Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>)	E	\$136,500	\$170	\$136,670	\$0	\$136,670
	296	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>)	E	\$10,000	\$231,682	\$241,682	\$0	\$241,682
	204	Kangaroo rat, Stephens' (<i>Dipodomys stephensi (incl. D. cascus)</i>)	E	\$11,000	\$477,544	\$488,544	\$0	\$488,544
	233	Kangaroo rat, Tipton (<i>Dipodomys nitratoides nitratoides</i>)	E	\$297,500	\$121,730	\$419,230	\$0	\$419,230
	61	Lynx, Canada (<i>Lynx canadensis</i>) – Contig. US DPS	T	\$1,181,309	\$3,100,065	\$4,281,374	\$369,460	\$4,650,834
	52	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$2,106,500	\$3,720,111	\$5,826,611	\$25,348	\$5,851,959
	374	Mountain beaver, Point Arena (<i>Aplodontia rufa nigra</i>)	E	\$143,000	\$20,490	\$163,490	\$0	\$163,490

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	379	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	\$154,000	\$5,384	\$159,384	\$0	\$159,384
	403	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>)	E	\$123,500	\$18,836	\$142,336	\$0	\$142,336
	344	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus allophrys</i>)	E	\$169,500	\$28,431	\$197,931	\$0	\$197,931
	798	Mouse, Key Largo cotton (<i>Peromyscus gossypinus allapaticola</i>)	E	\$19,000	\$6,395	\$25,395	\$0	\$25,395
	194	Mouse, Pacific pocket (<i>Perognathus longimembris pacificus</i>)	E	\$350,500	\$201,662	\$552,162	\$0	\$552,162
	80	Mouse, Perdido Key beach (<i>Peromyscus polionotus trissyllepsis</i>)	E	\$3,069,500	\$87,228	\$3,156,728	\$0	\$3,156,728
	231	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>) - CO	T	\$143,321	\$269,277	\$412,598	\$7,444	\$420,042
	123	Mouse, salt marsh harvest (<i>Reithrodontomys raviventris</i>)	E	\$554,000	\$812,130	\$1,366,130	\$0	\$1,366,130
	280	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventris</i>)	T	\$109,500	\$151,098	\$260,598	\$0	\$260,598
	345	Mouse, St. Andrew beach (<i>Peromyscus polionotus peninsularis</i>)	E	\$172,000	\$24,323	\$196,323	\$0	\$196,323
	180	Ocelot (<i>Leopardus (=Felis) pardalis</i>)	E	\$65,170	\$609,299	\$674,469	\$15,000	\$689,469
	197	Otter, Northern Sea (<i>Enhydra lutris kenyoni</i>) - AK DPS	T	\$143,000	\$392,869	\$535,869	\$0	\$535,869
	128	Otter, southern sea (<i>Enhydra lutris nereis</i>)except EXPN	T	\$179,000	\$1,062,943	\$1,241,943	\$0	\$1,241,943
	702	Otter, southern sea (<i>Enhydra lutris nereis</i>) - south of Pt. Conception, CA	EXPN	\$6,000	\$29,920	\$35,920	\$0	\$35,920
	92	Panther, Florida (<i>Puma (=Felis) concolor coryi</i>)	E	\$897,500	\$1,391,799	\$2,289,299	\$0	\$2,289,299
	100	Prairie dog, Utah (<i>Cynomys parvidens</i>)	T	\$391,189	\$1,667,320	\$2,058,509	\$100,000	\$2,158,509
	137	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>)	E	\$11,620	\$820,150	\$831,770	\$225,000	\$1,056,770
	775	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>) - AZ, Mexico	EXPN	\$1,960	\$0	\$1,960	\$25,000	\$26,960
	1010	Puma (=cougar), eastern (<i>Puma (=Felis) concolor cougar</i>)	E	\$8,830	\$365	\$9,195	\$1,364	\$10,559

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	605	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>)	E	\$12,000	\$45,071	\$57,071	\$0	\$57,071
	181	Rabbit, pygmy (<i>Brachylagus idahoensis</i>) – Columbia Basin DPS	E	\$262,896	\$158,704	\$421,600	\$250,800	\$672,400
	158	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>)	E	\$340,000	\$528,130	\$868,130	\$0	\$868,130
	921	Rice rat (<i>Oryzomys palustris natator</i>) - lower FL Keys	E	\$14,000	\$2,379	\$16,379	\$0	\$16,379
	393	Seal, Caribbean monk (<i>Monachus tropicalis</i>)	E	\$0	\$149,293	\$149,293	\$0	\$149,293
	307	Seal, Guadalupe fur (<i>Arctocephalus townsendi</i>)	T	\$0	\$238,131	\$238,131	\$0	\$238,131
	71	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$0	\$3,791,999	\$3,791,999	\$0	\$3,791,999
	48	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - eastern	T	\$0	\$6,493,740	\$6,493,740	\$21,476	\$6,515,216
	41	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - western	E	\$14,000	\$6,653,744	\$6,667,744	\$488,960	\$7,156,704
	265	Sheep, Peninsular bighorn (<i>Ovis canadensis nelsoni</i>) - Peninsular CA	E	\$183,500	\$105,500	\$289,000	\$0	\$289,000
	235	Sheep, Sierra Nevada bighorn (<i>Ovis canadensis sierrae</i>)	E	\$292,500	\$118,600	\$411,100	\$0	\$411,100
	375	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>)	E	\$153,000	\$8,300	\$161,300	\$0	\$161,300
	413	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus coloratus</i>)	E	\$69,767	\$47,670	\$117,437	\$17,662	\$135,099
	385	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - except Sussex Co., DE	E	\$156,764	\$660	\$157,424	\$0	\$157,424
	370	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - Sussex Co., DE	EXPN	\$7,556	\$158,430	\$165,986	\$0	\$165,986
	546	Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus grahamensis</i>)	E	\$23,730	\$8,220	\$31,950	\$40,000	\$71,950
	214	Squirrel, northern Idaho ground (<i>Spermophilus brunneus brunneus</i>)	T	\$337,630	\$109,827	\$447,457	\$10,478	\$457,935
	358	Squirrel, Virginia northern flying (<i>Glaucomys sabrinus fuscus</i>)	E	\$24,767	\$157,000	\$181,767	\$2,000	\$183,767
	497	Vole, Amargosa (<i>Microtus californicus scirpensis</i>)	E	\$15,000	\$75,170	\$90,170	\$0	\$90,170

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1100	Vole, Florida salt marsh (<i>Microtus pennsylvanicus dukecampbelli</i>)	E	\$5,500	\$420	\$5,920	\$0	\$5,920
	1112	Vole, Hualapai Mexican (<i>Microtus mexicanus hualpaiensis</i>)	E	\$3,990	\$1,220	\$5,210	\$0	\$5,210
	78	Whale, Beluga (<i>Delphinapterus leucas</i>) - Cook Inlet DPS	E	\$0	\$3,280,880	\$3,280,880	\$0	\$3,280,880
	75	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$0	\$3,400,703	\$3,400,703	\$0	\$3,400,703
	74	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$0	\$3,481,326	\$3,481,326	\$0	\$3,481,326
	81	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$0	\$2,975,945	\$2,975,945	\$18,700	\$2,994,645
	200	Whale, gray (<i>Eschrichtius robustus</i>) - W Pacific Ocean	E	\$0	\$516,483	\$516,483	\$0	\$516,483
	49	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$664	\$6,006,281	\$6,006,945	\$18,700	\$6,025,645
	103	Whale, killer (<i>Orcinus orca</i>) - Southern Resident DPS	E	\$0	\$1,943,150	\$1,943,150	\$12,000	\$1,955,150
	26	Whale, North Atlantic Right (<i>Eubalaena glacialis</i>)	E	\$0	\$10,913,008	\$10,913,008	\$45,100	\$10,958,108
	85	Whale, North Pacific Right (<i>Eubalaena japonica</i>) - Entire	E	\$0	\$2,762,940	\$2,762,940	\$0	\$2,762,940
	79	Whale, Sei (<i>Balaenoptera borealis</i>)	E	\$0	\$3,170,385	\$3,170,385	\$0	\$3,170,385
	1190	Whale, Southern Right (<i>Eubalaena australis</i>)	E	\$0	\$400	\$400	\$0	\$400
	67	Whale, sperm (<i>Physeter catodon</i>) (=macrocephalus)	E	\$0	\$4,262,227	\$4,262,227	\$0	\$4,262,227
	72	Wolf, gray (<i>Canis lupus</i>) - All of AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT WV; portions of AZ, NM, TX not in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico	E	\$2,661,143	\$332,363	\$2,993,506	\$798,286	\$3,791,792
	99	Wolf, gray (<i>Canis lupus</i>) - MN	T	\$276,471	\$1,710,629	\$1,987,100	\$173,000	\$2,160,100
	97	Wolf, gray (<i>Canis lupus</i>) -WY, ID, MT	EXPN	\$1,426,196	\$449,176	\$1,875,372	\$292,433	\$2,167,805

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	101	Wolf, gray (<i>Canis lupus</i>) - Mexican gray wolf, EXPN	EXPN	\$1,916,578	\$166,021	\$2,082,599	\$61,500	\$2,144,099
	580	Wolf, gray (<i>Canis lupus</i>) - Western Great Lakes DPS	DM	\$0	\$0	\$0	\$65,000	\$65,000
	250	Wolf, gray (<i>Canis lupus</i>) - WY, EXPN	EXPN	\$0	\$342,134	\$342,134	\$0	\$342,134
	221	Wolf, Mexican gray (<i>Canis lupus baileyi</i>) - portions of AZ, NM and TX	EXPN	\$2,800	\$139,049	\$141,849	\$300,000	\$441,849
	224	Wolf, red (<i>Canis rufus</i>) except EXPN	E	\$359,000	\$80,100	\$439,100	\$0	\$439,100
	151	Wolf, red (<i>Canis rufus</i>) - portions of NC and TN	EXPN	\$823,000	\$2,450	\$825,450	\$81,000	\$906,450
	436	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>)	E	\$94,500	\$22,665	\$117,165	\$0	\$117,165
	589	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	\$63,000	\$0	\$63,000	\$0	\$63,000
Mammals subtotal				\$33,160,760	\$108,799,050	\$141,959,810	\$4,879,927	\$146,839,737
Birds	1183	Adjutant, greater (<i>Leptotilos dubius</i>)	E	\$794	\$0	\$794	\$0	\$794
	499	Akekee (<i>Loxops caeruleirostris</i>)	E	\$89,800	\$0	\$89,800	\$0	\$89,800
	571	Akepa, Hawaii (honeycreeper) (<i>Loxops coccineus coccineus</i>)	E	\$56,944	\$10,000	\$66,944	\$0	\$66,944
	382	Akepa, Maui (honeycreeper) (<i>Loxops coccineus ochraceus</i>)	E	\$158,943	\$0	\$158,943	\$0	\$158,943
	1115	Akialoa, Kauai (honeycreeper) (<i>Hemignathus procerus</i>)	E	\$5,000	\$0	\$5,000	\$0	\$5,000
	597	Akiapola`au (honeycreeper) (<i>Hemignathus munroi</i>)	E	\$50,944	\$10,000	\$60,944	\$0	\$60,944
	492	Akikiki (<i>Oreomystis bairdi</i>)	E	\$92,800	\$0	\$92,800	\$0	\$92,800
	216	Albatross, short-tailed (<i>Phoebastria (=Diomedea) albatrus</i>)	E	\$283,590	\$169,567	\$453,157	\$0	\$453,157
	1191	Antwren, black hooded (black-headed) (<i>Formicivora erythronotos</i>)	E	\$390	\$0	\$390	\$0	\$390
	381	Blackbird, yellow-shouldered (<i>Agelaius xanthomus</i>)	E	\$159,000	\$0	\$159,000	\$0	\$159,000
	1150	Bobwhite, masked (quail) (<i>Colinus virginianus ridgwayi</i>)	E	\$2,100	\$0	\$2,100	\$1,000	\$3,100
	1183	Capercaillie, Cantabrian (<i>Tetrao urogallus cantabricus</i>)	E	\$794	\$0	\$794	\$0	\$794

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	169	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) - FL pop.	T	\$160,500	\$598,509	\$759,009	\$0	\$759,009
	945	Cockatoo, salmon-crested (<i>Cacatua moluccensis</i>) -	T	\$14,966	\$0	\$14,966	\$0	\$14,966
	104	Condor, California (<i>Gymnogyps californianus</i>) - Entire, except where EXPN	E	\$1,247,613	\$683,306	\$1,930,919	\$0	\$1,930,919
	202	Condor, California (<i>Gymnogyps californianus</i>) - specific portions of AZ, NV and UT	EXPN	\$23,385	\$250,400	\$273,785	\$223,000	\$496,785
	253	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$227,912	\$91,406	\$319,318	\$0	\$319,318
	1183	Courser, Jerdon's (<i>Rhinoptilus bitorquatus</i>) -	E	\$794	\$0	\$794	\$0	\$794
	217	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>)	E	\$448,500	\$1,846	\$450,346	\$0	\$450,346
	102	Crane, whooping (<i>Grus americana</i>) - except where EXPN	E	\$469,360	\$1,533,189	\$2,002,549	\$16,448	\$2,018,997
	1079	Crane, whooping (<i>Grus americana</i>) - CO, ID, FL, NM, UT, western WY	EXPN	\$0	\$7,232	\$7,232	\$0	\$7,232
	166	Crane, whooping (<i>Grus americana</i>) - AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	EXPN	\$758,828	\$38,955	\$797,783	\$0	\$797,783
	747	Crane, whooping (<i>Grus americana</i>) - Southwestern LA	EXPN	\$26,000	\$3,500	\$29,500	\$1,000	\$30,500
	577	Creeper, Hawaii (<i>Oreomytis mana</i>)	E	\$55,444	\$10,000	\$65,444	\$0	\$65,444
	1125	Creeper, Molokai (<i>Paroreomyza flammea</i>)	E	\$4,500	\$0	\$4,500	\$0	\$4,500
	1125	Creeper, Oahu (<i>Paroreomyza maculata</i>)	E	\$4,500	\$0	\$4,500	\$0	\$4,500
	159	Crow, Hawaiian (=alala) (<i>Corvus hawaiiensis</i>)	E	\$844,053	\$2,400	\$846,453	\$0	\$846,453
	154	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>)	E	\$711,915	\$183,280	\$895,195	\$0	\$895,195
	1063	Crow, white-necked (<i>Corvus leucognaphalus</i>)	E	\$8,000	\$0	\$8,000	\$0	\$8,000
	804	Curlew, Eskimo (<i>Numenius borealis</i>)	E	\$8,000	\$16,760	\$24,760	\$0	\$24,760
	1183	Curlew, slender-billed (<i>Numenius tenuirostris</i>)	E	\$794	\$0	\$794	\$0	\$794
	213	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$340,212	\$119,597	\$459,809	\$0	\$459,809

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	494	Megapode, Micronesian (<i>Megapodius laperouse</i>)	E	\$73,500	\$17,744	\$91,244	\$0	\$91,244
	595	Millerbird, Nihoa (old world warbler) (<i>Acrocephalus familiaris kingi</i>)	E	\$61,500	\$0	\$61,500	\$0	\$61,500
	243	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$226,046	\$133,415	\$359,461	\$0	\$359,461
	526	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>)	E	\$60,500	\$18,244	\$78,744	\$0	\$78,744
	43	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) - CA, OR, WA	T	\$1,970,805	\$3,886,414	\$5,857,219	\$996,794	\$6,854,013
	994	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>)	E	\$10,500	\$900	\$11,400	\$0	\$11,400
	411	Nukupu`u (honeycreeper) (<i>Hemignathus lucidus</i>)	E	\$136,443	\$0	\$136,443	\$0	\$136,443
	1161	`O'o, Kauai (honeyeater) (<i>Moho braccatus</i>)	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	1165	`O'u (honeycreeper) (<i>Psittirostra psittacea</i>)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	47	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>)	T	\$185,124	\$6,334,654	\$6,519,778	\$60,000	\$6,579,778
	19	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$4,507,584	\$9,861,016	\$14,368,600	\$1,132,247	\$15,500,847
	95	Palila (honeycreeper) (<i>Loxioides bailleui</i>)	E	\$1,881,873	\$322,114	\$2,203,987	\$0	\$2,203,987
	366	Parrotbill, Maui (honeycreeper) (<i>Pseudonestor xanthophrys</i>)	E	\$166,604	\$1,000	\$167,604	\$0	\$167,604
	111	Parrot, Puerto Rican (<i>Amazona vittata</i>)	E	\$1,525,500	\$104,000	\$1,629,500	\$0	\$1,629,500
	813	Penguin, African (<i>Spheniscus demersus</i>)	E	\$24,000	\$0	\$24,000	\$0	\$24,000
	1123	Penguin, southern rockhopper (<i>Eudyptes chrysocome</i>) - New Zealand-Australia DPS	T	\$4,793	\$0	\$4,793	\$0	\$4,793
	178	Petrel, Hawaiian dark-rumped (<i>Pterodroma phaeopygia sandwichensis</i>)	E	\$487,082	\$209,176	\$696,258	\$0	\$696,258
	293	Pigeon, Puerto Rican plain (<i>Columba inornata wetmorei</i>)	E	\$244,000	\$0	\$244,000	\$0	\$244,000
	176	Plover, piping (<i>Charadrius melodus</i>) - Great Lakes watershed	E	\$319,290	\$369,926	\$689,216	\$15,687	\$704,903

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	15	Plover, piping (<i>Charadrius melodus</i>) - except Great Lakes watershed	T	\$1,454,882	\$16,398,193	\$17,853,075	\$255,060	\$18,108,135
	66	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) - Pacific coastal pop.	T	\$1,438,142	\$2,901,609	\$4,339,751	\$109,800	\$4,449,551
	416	Po`ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>)	E	\$132,043	\$0	\$132,043	\$0	\$132,043
	439	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>)	E	\$19,200	\$96,130	\$115,330	\$0	\$115,330
	143	Rail, California clapper (<i>Rallus longirostris obsoletus</i>)	E	\$752,500	\$259,390	\$1,011,890	\$0	\$1,011,890
	241	Rail, Guam (<i>Rallus owstoni</i>) - except Rota	E	\$186,877	\$185,700	\$372,577	\$0	\$372,577
	1025	Rail, Guam (<i>Rallus owstoni</i>) - Rota	EXPN	\$10,000	\$0	\$10,000	\$0	\$10,000
	108	Rail, light-footed clapper (<i>Rallus longirostris levipes</i>) - U.S.A. only	E	\$149,500	\$1,662,536	\$1,812,036	\$0	\$1,812,036
	83	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) - USA	E	\$25,165	\$2,804,651	\$2,829,816	\$500	\$2,830,316
	87	Scrub-jay, Florida (<i>Aphelocoma coerulescens</i>)	T	\$946,500	\$1,642,113	\$2,588,613	\$0	\$2,588,613
	177	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>)	T	\$621,998	\$75,618	\$697,616	\$0	\$697,616
	90	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>)	E	\$200	\$2,527,258	\$2,527,458	\$0	\$2,527,458
	227	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>)	E	\$89,000	\$346,595	\$435,595	\$0	\$435,595
	211	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	\$61,500	\$408,630	\$470,130	\$0	\$470,130
	283	Sparrow, San Clemente sage (<i>Amphispiza belli clementeae</i>)	T	\$0	\$257,667	\$257,667	\$0	\$257,667
	219	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$209,912	\$235,538	\$445,450	\$0	\$445,450
	98	Stork, wood (<i>Mycteria americana</i>) - AL, FL, GA, SC	E	\$501,000	\$1,649,206	\$2,150,206	\$13,500	\$2,163,706

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	268	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>)	E	\$63,500	\$215,725	\$279,225	\$0	\$279,225
	91	Tern, California least (<i>Sterna antillarum browni</i>)	E	\$580,000	\$1,790,053	\$2,370,053	\$500	\$2,370,553
	32	Tern, least (<i>Sterna antillarum</i>) - interior pop.	E	\$524,613	\$8,783,103	\$9,307,716	\$88,418	\$9,396,134
	237	Tern, roseate (<i>Sterna dougallii dougallii</i>) - NE U.S. nesting pop.	E	\$111,755	\$283,182	\$394,937	\$0	\$394,937
	736	Tern, roseate (<i>Sterna dougallii dougallii</i>) - Western Hemisphere except NE U.S.	T	\$20,500	\$11,450	\$31,950	\$0	\$31,950
	1151	Thrush, large Kauai (=kamao) (<i>Myadestes myadestinus</i>)	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	1187	Thrush, Molokai (<i>Myadestes lanaiensis rutha</i>)	E	\$600	\$0	\$600	\$0	\$600
	352	Thrush, small Kauai (=puaiohi) (<i>Myadestes palmeri</i>)	E	\$190,729	\$0	\$190,729	\$0	\$190,729
	210	Towhee, Inyo CA (<i>Pipilo crissalis eremophilus</i>)	T	\$1,200	\$470,933	\$472,133	\$0	\$472,133
	164	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$34,000	\$771,760	\$805,760	\$300	\$806,060
	68	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$225,000	\$3,902,989	\$4,127,989	\$0	\$4,127,989
	1183	Warbler, Eiao Polynesian (<i>Acrocephalus percernis aquilonis</i>)	E	\$794	\$0	\$794	\$0	\$794
	117	Warbler, Kirtland's (<i>Dendroica kirtlandii</i>)	E	\$297,089	\$812,525	\$1,109,614	\$387,000	\$1,496,614
	323	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscini</i>)	E	\$220,249	\$1,300	\$221,549	\$0	\$221,549
	950	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>)	E	\$13,000	\$1,650	\$14,650	\$0	\$14,650
	64	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$305,000	\$4,166,850	\$4,471,850	\$0	\$4,471,850
	1166	White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>)	E	\$1,100	\$800	\$1,900	\$0	\$1,900
	724	White-eye, Rota bridled (<i>Zosterops rotensis</i>)	E	\$32,993	\$0	\$32,993	\$0	\$32,993
	630	Woodpecker, ivory-billed (<i>Campephilus principalis</i>) - entire	E	\$500	\$49,600	\$50,100	\$0	\$50,100
	10	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$1,899,613	\$24,550,857	\$26,450,470	\$314,862	\$26,765,332

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
Birds subtotal				\$33,804,387	\$122,946,329	\$156,750,716	\$4,016,503	\$160,767,219
Reptiles	212	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$378,156	\$81,792	\$459,948	\$2,640	\$462,588
	1023	Anole, Culebra Island giant (<i>Anolis roosevelti</i>)	E	\$9,000	\$1,090	\$10,090	\$0	\$10,090
	970	Boa, Mona (<i>Epicrates monensis monensis</i>)	T	\$13,000	\$0	\$13,000	\$0	\$13,000
	648	Boa, Puerto Rican (<i>Epicrates inornatus</i>)	E	\$20,500	\$25,180	\$45,680	\$0	\$45,680
	898	Boa, Virgin Islands tree (<i>Epicrates monensis granti</i>)	E	\$15,500	\$2,180	\$17,680	\$0	\$17,680
	245	Crocodile, American (<i>Crocodylus acutus</i>) - FL pop.	T	\$23,000	\$331,086	\$354,086	\$0	\$354,086
	1037	Gecko, Monito (<i>Sphaerodactylus micropithecus</i>)	E	\$9,500	\$0	\$9,500	\$0	\$9,500
	665	Iguana, Mona ground (<i>Cyclura cornuta stejnegeri</i>)	T	\$42,500	\$0	\$42,500	\$0	\$42,500
	193	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$297,000	\$286,596	\$583,596	\$0	\$583,596
	720	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>)	T	\$13,500	\$19,806	\$33,306	\$0	\$33,306
	442	Lizard, Island night (<i>Xantusia riversiana</i>)	T	\$83,000	\$30,284	\$113,284	\$0	\$113,284
	626	Lizard, St. Croix ground (<i>Ameiva polops</i>)	E	\$47,500	\$3,600	\$51,100	\$0	\$51,100
	1167	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$1,858	\$0	\$1,858	\$0	\$1,858
	498	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>)	T	\$79,700	\$9,050	\$88,750	\$1,200	\$89,950
	106	Sea turtle, green (<i>Chelonia mydas</i>) - FL, Mexico nesting pops.	E	\$600,500	\$1,320,217	\$1,920,717	\$0	\$1,920,717
	56	Sea turtle, green (<i>Chelonia mydas</i>) - except where endangered	T	\$442,418	\$4,749,867	\$5,192,285	\$117,677	\$5,309,962
	50	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$774,352	\$5,113,503	\$5,887,855	\$111,677	\$5,999,532
	45	Sea turtle, Kemp's ridley (<i>Lepidochelys kempi</i>)	E	\$534,500	\$6,016,457	\$6,550,957	\$113,477	\$6,664,434
	39	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$1,447,500	\$6,027,597	\$7,475,097	\$112,677	\$7,587,774
	34	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	\$1,538,499	\$7,365,090	\$8,903,589	\$200,677	\$9,104,266

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	109	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - except where endangered	T	\$145,800	\$1,619,697	\$1,765,497	\$0	\$1,765,497
	170	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - Mexican nesting pop.	E	\$200	\$752,254	\$752,454	\$0	\$752,454
	599	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	\$47,000	\$13,035	\$60,035	\$0	\$60,035
	421	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$110,000	\$16,529	\$126,529	\$0	\$126,529
	854	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>)	T	\$19,000	\$1,987	\$20,987	\$0	\$20,987
	1082	Snake, Concho water (<i>Nerodia paucimaculata</i>) -	T	\$0	\$7,000	\$7,000	\$0	\$7,000
	458	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) - IN north of 40 degrees north latitude, MI, OH	T	\$104,500	\$3,476	\$107,976	\$500	\$108,476
	122	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$472,000	\$868,891	\$1,340,891	\$27,450	\$1,368,341
	107	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$857,000	\$1,003,390	\$1,860,390	\$0	\$1,860,390
	613	Snake, Lake Erie water (<i>Nerodia sipedon insularum</i>)	T	\$18,700	\$658	\$19,358	\$35,400	\$54,758
	327	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>)	E	\$156,500	\$58,502	\$215,002	\$0	\$215,002
	481	Tortoise, desert (<i>Gopherus agassizii</i>) - outside/taken from Sonoran Desert	SAT	\$1,900	\$96,620	\$98,520	\$0	\$98,520
	16	Tortoise, desert (<i>Gopherus agassizii</i>) - U.S.A., except in Sonoran Desert	T	\$4,914,420	\$12,285,963	\$17,200,383	\$398,500	\$17,598,883
	130	Tortoise, gopher (<i>Gopherus polyphemus</i>) - W of Mobile/Tombigbee Rs.	T	\$102,500	\$1,047,155	\$1,149,655	\$0	\$1,149,655
	426	Turtle, AL red-belly (<i>Pseudemys alabamensis</i>)	E	\$105,000	\$19,759	\$124,759	\$0	\$124,759
	89	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - northern	T	\$514,041	\$2,004,893	\$2,518,934	\$27,054	\$2,545,988
	206	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - southern	SAT	\$109,678	\$359,847	\$469,525	\$11,048	\$480,573
	764	Turtle, flattened musk (<i>Sternotherus depressus</i>)	T	\$26,000	\$1,891	\$27,891	\$0	\$27,891

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	785	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	\$17,000	\$9,473	\$26,473	\$0	\$26,473
	778	Turtle, yellow-blotched map (<i>Graptemys flavimaculata</i>)	T	\$18,000	\$8,791	\$26,791	\$0	\$26,791
	157	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>)	T	\$244,000	\$631,360	\$875,360	\$0	\$875,360
Reptiles subtotal				\$14,354,722	\$52,194,566	\$66,549,288	\$1,159,977	\$67,709,265
Amphibians	1090	Coqui, golden (<i>Eleutherodactylus jasperii</i>)	T	\$6,500	\$0	\$6,500	\$0	\$6,500
	62	Frog, California red-legged (<i>Rana draytonii</i>) - Entire	T	\$1,450,500	\$3,036,846	\$4,487,346	\$0	\$4,487,346
	173	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>)	T	\$202,760	\$315,075	\$517,835	\$206,400	\$724,235
	275	Frog, dusky gopher (<i>Rana sevosia</i>) - Entire	E	\$125,000	\$144,382	\$269,382	\$0	\$269,382
	142	Frog, mountain yellow-legged (<i>Rana muscosa</i>) - southern CA DPS	E	\$65,000	\$958,848	\$1,023,848	\$0	\$1,023,848
	1037	Guajon (<i>Eleutherodactylus cookii</i>)	T	\$9,500	\$0	\$9,500	\$0	\$9,500
	386	Salamander, Barton Springs (<i>Eurycea sosorum</i>)	E	\$142,302	\$14,000	\$156,302	\$0	\$156,302
	195	Salamander, California tiger (<i>Ambystoma californiense</i>) - CA - Santa Barbara Co.	E	\$259,000	\$288,202	\$547,202	\$0	\$547,202
	152	Salamander, California tiger (<i>Ambystoma californiense</i>) - CA - Sonoma County	E	\$559,500	\$339,600	\$899,100	\$0	\$899,100
	73	Salamander, California tiger (<i>Ambystoma californiense</i>) - Central CA DPS	T	\$1,176,500	\$2,579,872	\$3,756,372	\$0	\$3,756,372
	544	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$54,000	\$16,700	\$70,700	\$1,500	\$72,200
	1195	Salamander, desert slender (<i>Batrachoseps aridus</i>)	E	\$0	\$170	\$170	\$0	\$170
	316	Salamander, frosted flatwoods (<i>Ambystoma cingulatum</i>)	T	\$71,500	\$153,667	\$225,167	\$5,000	\$230,167
	737	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>)	T	\$29,500	\$2,396	\$31,896	\$0	\$31,896
	256	Salamander, Reticulated flatwoods (<i>Ambystoma bishopi</i>)	E	\$20,000	\$288,972	\$308,972	\$5,000	\$313,972

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1196	Chub, slender (<i>Erimystax cahni</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$100	\$100	\$0	\$100
	661	Chub, Sonora (<i>Gila ditaenia</i>)	T	\$4,340	\$3,050	\$7,390	\$36,500	\$43,890
	278	Chub, spotfin (<i>Erimonax monachus</i>) - Entire	T	\$205,333	\$50,261	\$255,594	\$6,183	\$261,777
	1004	Chub, spotfin (<i>Erimonax monachus</i>) - Tellico River, TN	EXPN	\$6,500	\$0	\$6,500	\$4,200	\$10,700
	1090	Chub, spotfin (<i>Erimonax monachus</i>) - Shoal Creek	EXPN	\$6,500	\$0	\$6,500	\$0	\$6,500
	1188	Chub, spotfin (<i>Erimonax monachus</i>) -TN- portions of the French Broad and Holston Rivers	EXPN	\$500	\$0	\$500	\$0	\$500
	168	Chub, Virgin River (<i>Gila seminuda</i> (=robusta))	E	\$50,395	\$438,122	\$488,517	\$290,000	\$778,517
	666	Chub, Yaqui (<i>Gila purpurea</i>)	E	\$1,750	\$4,050	\$5,800	\$36,500	\$42,300
	140	Cui-ui (<i>Chasmistes cujus</i>)	E	\$89,000	\$936,614	\$1,025,614	\$0	\$1,025,614
	328	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$207,500	\$4,926	\$212,426	\$1,800	\$214,226
	267	Dace, blackside (<i>Phoxinus cumberlandensis</i>)	T	\$273,767	\$6,261	\$280,028	\$1,000	\$281,028
	689	Dace, Clover Valley speckled (<i>Rhinichthys osculus oligoporus</i>)	E	\$36,500	\$0	\$36,500	\$800	\$37,300
	388	Dace, desert (<i>Eremichthys acros</i>)	T	\$152,000	\$0	\$152,000	\$1,600	\$153,600
	614	Dace, Fosskett speckled (<i>Rhinichthys osculus ssp.</i>) -	T	\$28,000	\$25,500	\$53,500	\$1,000	\$54,500
	1139	Dace, Independence Valley speckled (<i>Rhinichthys osculus lethoporus</i>)	E	\$3,500	\$0	\$3,500	\$100	\$3,600
	992	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>)	E	\$9,028	\$2,476	\$11,504	\$0	\$11,504
	1157	Dace, Laurel (<i>Chrosomus saylori</i>)	E	\$2,000	\$661	\$2,661	\$0	\$2,661
	145	Dace, Moapa (<i>Moapa coriacea</i>)	E	\$895,500	\$86,671	\$982,171	\$9,500	\$991,671
	618	Darter, amber (<i>Percina antesella</i>)	E	\$42,000	\$4,200	\$46,200	\$7,000	\$53,200
	1115	Darter, bayou (<i>Etheostoma rubrum</i>)	T	\$5,000	\$0	\$5,000	\$0	\$5,000
	387	Darter, bluemask (=jewel) (<i>Etheostoma</i> sp.)	E	\$10,000	\$144,200	\$154,200	\$0	\$154,200
	167	Darter, boulder (<i>Etheostoma wapiti</i>)	E	\$33,000	\$755,000	\$788,000	\$4,200	\$792,200
	236	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	\$381,000	\$19,450	\$400,450	\$7,500	\$407,950

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1157	Darter, Cumberland (<i>Etheostoma susanae</i>)	E	\$2,000	\$661	\$2,661	\$0	\$2,661
	508	Darter, duskytail (<i>Etheostoma percunurum</i>) - Entire	E	\$62,666	\$23,761	\$86,427	\$0	\$86,427
	915	Darter, duskytail (<i>Etheostoma percunurum</i>) - Tellico River, TN	EXPN	\$12,500	\$0	\$12,500	\$4,200	\$16,700
	228	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$423,500	\$3,300	\$426,800	\$7,500	\$434,300
	185	Darter, fountain (<i>Etheostoma fonticola</i>)	E	\$625,926	\$12,000	\$637,926	\$0	\$637,926
	793	Darter, goldline (<i>Percina aurolineata</i>)	T	\$13,000	\$2,696	\$15,696	\$10,000	\$25,696
	363	Darter, leopard (<i>Percina pantherina</i>)	T	\$137,310	\$34,510	\$171,820	\$750	\$172,570
	957	Darter, Maryland (<i>Etheostoma sellare</i>)	E	\$14,141	\$0	\$14,141	\$0	\$14,141
	220	Darter, Niangua (<i>Etheostoma nianguae</i>)	T	\$254,800	\$0	\$254,800	\$187,500	\$442,300
	186	Darter, Okaloosa (<i>Etheostoma okaloosae</i>)	E	\$116,500	\$516,500	\$633,000	\$0	\$633,000
	658	Darter, relict (<i>Etheostoma chienense</i>)	E	\$44,000	\$0	\$44,000	\$0	\$44,000
	1185	Darter, rush (<i>Etheostoma phytophilum</i>)	E	\$100	\$661	\$761	\$0	\$761
	1091	Darter, slackwater (<i>Etheostoma boschungii</i>)	T	\$5,000	\$1,400	\$6,400	\$0	\$6,400
	868	Darter, snail (<i>Percina tanasi</i>)	T	\$10,000	\$7,075	\$17,075	\$2,500	\$19,575
	1124	Darter, vermilion (<i>Etheostoma chermocki</i>)	E	\$4,000	\$700	\$4,700	\$0	\$4,700
	831	Darter, watercress (<i>Etheostoma nuchale</i>)	E	\$20,500	\$2,246	\$22,746	\$0	\$22,746
	806	Darter, yellowcheek (<i>Etheostoma moorei</i>)	E	\$24,000	\$661	\$24,661	\$0	\$24,661
	144	Eulachon, Pacific (<i>Thaleichthys pacificus</i>) - Southern DPS	T	\$2,400	\$966,559	\$968,959	\$38,461	\$1,007,420
	642	Gambusia, Big Bend (<i>Gambusia gaigei</i>)	E	\$42,100	\$5,000	\$47,100	\$0	\$47,100
	633	Gambusia, Clear Creek (<i>Gambusia heterochir</i>)	E	\$49,071	\$0	\$49,071	\$0	\$49,071
	771	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$3,700	\$21,000	\$24,700	\$2,700	\$27,400
	1188	Gambusia, San Marcos (<i>Gambusia georgei</i>)	E	\$0	\$500	\$500	\$0	\$500
	165	Goby, tidewater (<i>Eucyclogobius newberryi</i>) - Entire	E	\$446,500	\$352,822	\$799,322	\$0	\$799,322

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	947	Logperch, Conasauga (<i>Percina jenkinsi</i>)	E	\$10,000	\$1,850	\$11,850	\$3,000	\$14,850
	188	Logperch, Roanoke (<i>Percina rex</i>)	E	\$188,157	\$430,503	\$618,660	\$1,558	\$620,218
	1164	Madtom, chucky (<i>Noturus crypticus</i>)	E	\$1,500	\$661	\$2,161	\$0	\$2,161
	261	Madtom, Neosho (<i>Noturus placidus</i>)	T	\$68,732	\$216,100	\$284,832	\$13,500	\$298,332
	1108	Madtom, pygmy (<i>Noturus stanauli</i>) - Entire	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	1059	Madtom, pygmy (<i>Noturus stanauli</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$8,200	\$8,200	\$0	\$8,200
	1168	Madtom, Scioto (<i>Noturus trautmani</i>)	E	\$1,200	\$600	\$1,800	\$0	\$1,800
	730	Madtom, smoky (<i>Noturus baileyi</i>) - Entire	E	\$24,500	\$8,000	\$32,500	\$0	\$32,500
	816	Madtom, smoky (<i>Noturus baileyi</i>) - Tellico River, TN	EXPN	\$12,500	\$7,000	\$19,500	\$4,200	\$23,700
	664	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - except EXPN	T	\$41,666	\$1,000	\$42,666	\$0	\$42,666
	864	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Holston River, VA, TN	EXPN	\$20,000	\$0	\$20,000	\$0	\$20,000
	915	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Tellico River, TN	EXPN	\$12,500	\$0	\$12,500	\$4,200	\$16,700
	347	Minnow, Devils River (<i>Dionda diaboli</i>)	T	\$194,351	\$500	\$194,851	\$0	\$194,851
	192	Minnow, loach (<i>Tiaroga cobitis</i>)	T	\$77,465	\$373,993	\$451,458	\$138,000	\$589,458
	28	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - Entire, except where EXPN	E	\$1,077,470	\$9,472,193	\$10,549,663	\$64,200	\$10,613,863
	262	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - Rio Grande, from Little Box Canyon to Amistad Dam	EXPN	\$244,000	\$46,435	\$290,435	\$0	\$290,435
	51	Pikeminnow (=squawfish), CO (<i>Ptychocheilus lucius</i>) - except Salt and Verde R. drainages, AZ	E	\$765,751	\$5,026,483	\$5,792,234	\$150,490	\$5,942,724
	587	Pikeminnow (=squawfish), CO (<i>Ptychocheilus lucius</i>) - Salt and Verde R. drainages, AZ	EXPN	\$1,435	\$61,843	\$63,278	\$0	\$63,278
	539	Poolfish, Pahrump (<i>Empetrichthys latos</i>)	E	\$59,500	\$11,326	\$70,826	\$3,000	\$73,826

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	350	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$180,000	\$8,119	\$188,119	\$3,500	\$191,619
	440	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$94,070	\$20,000	\$114,070	\$0	\$114,070
	223	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	\$139,375	\$230,400	\$369,775	\$69,500	\$439,275
	196	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$145,500	\$389,926	\$535,426	\$3,500	\$538,926
	636	Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>)	E	\$48,570	\$0	\$48,570	\$0	\$48,570
	493	Pupfish, Owens (<i>Cyprinodon radiosus</i>)	E	\$91,500	\$0	\$91,500	\$0	\$91,500
	321	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$211,500	\$8,119	\$219,619	\$2,500	\$222,119
	254	Rockfish, Canary (<i>Sebastes pinniger</i>) - Puget Sound-Georgia Basin DPS	T	\$0	\$189,784	\$189,784	\$128,735	\$318,519
	254	Rockfish, Yelloweye (<i>Sebastes ruberrimus</i>) - Puget Sound-Georgia Basin DPS	T	\$0	\$189,784	\$189,784	\$128,735	\$318,519
	24	Salmon, Atlantic (<i>Salmo salar</i>) - Expanded Gulf of Maine DPS	E	\$3,324,247	\$8,835,751	\$12,159,998	\$499,400	\$12,659,398
	7	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Snake River fall-run ESU	T	\$340,500	\$34,977,173	\$35,317,673	\$655,161	\$35,972,834
	4	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Snake River spring/summer-run ESU	T	\$223,700	\$49,151,587	\$49,375,287	\$858,807	\$50,234,094
	1	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Sacramento River winter-run ESU	E	\$283,000	\$79,721,247	\$80,004,247	\$0	\$80,004,247
	18	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Puget Sound ESU	T	\$672,400	\$8,568,034	\$9,240,434	\$6,350,663	\$15,591,097
	12	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Lower Columbia River ESU	T	\$731,400	\$19,934,358	\$20,665,758	\$1,272,186	\$21,937,944

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	14	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Upper Willamette River ESU	T	\$70,400	\$18,098,101	\$18,168,501	\$274,340	\$18,442,841
	8	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Upper Columbia spring-run ESU	E	\$1,020,833	\$30,063,092	\$31,083,925	\$1,103,634	\$32,187,559
	30	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Central Valley spring-run ESU	T	\$83,500	\$9,910,781	\$9,994,281	\$0	\$9,994,281
	58	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - CA coastal	T	\$0	\$4,988,639	\$4,988,639	\$0	\$4,988,639
	31	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) - Columbia R.	T	\$12,000	\$8,973,450	\$8,985,450	\$587,668	\$9,573,118
	54	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) - summer-run Hood Canal	T	\$15,000	\$5,087,331	\$5,102,331	\$568,329	\$5,670,660
	38	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Central California Coast ESU	E	\$0	\$8,009,617	\$8,009,617	\$0	\$8,009,617
	20	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Southern Oregon-Northern California Coast ESU	T	\$914,500	\$14,097,159	\$15,011,659	\$98,500	\$15,110,159
	44	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Oregon Coast ESU	T	\$258,150	\$6,006,845	\$6,264,995	\$555,500	\$6,820,495
	25	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Lower Columbia River ESU	T	\$297,000	\$10,040,304	\$10,337,304	\$1,107,579	\$11,444,883
	13	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) - Snake River, ID stock	E	\$0	\$21,239,247	\$21,239,247	\$498,720	\$21,737,967
	53	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) - Ozette Lake, WA	T	\$14,500	\$5,517,135	\$5,531,635	\$233,611	\$5,765,246
	121	Sawfish, smalltooth (<i>Pristis pectinata</i>)	E	\$200	\$1,423,633	\$1,423,833	\$0	\$1,423,833
	706	Sculpin, pygmy (<i>Cottus paulus</i> (=pygmaeus))	T	\$35,000	\$473	\$35,473	\$0	\$35,473
	367	Shiner, AR River (<i>Notropis girardi</i>) - Arkansas R. Basin	T	\$77,214	\$84,500	\$161,714	\$5,700	\$167,414

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	510	Shiner, beautiful (<i>Cyprinella formosa</i>)	T	\$49,320	\$50	\$49,370	\$36,500	\$85,870
	786	Shiner, blue (<i>Cyprinella caerulea</i>)	T	\$12,000	\$9,773	\$21,773	\$4,500	\$26,273
	1170	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	\$100	\$1,418	\$1,518	\$0	\$1,518
	591	Shiner, Cape Fear (<i>Notropis mekistocholas</i>)	E	\$48,500	\$9,210	\$57,710	\$4,850	\$62,560
	906	Shiner, palezone (<i>Notropis albizonatus</i>)	E	\$16,500	\$661	\$17,161	\$0	\$17,161
	138	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	\$51,800	\$991,962	\$1,043,762	\$10,500	\$1,054,262
	147	Shiner, Topeka (<i>Notropis topeka</i> (=tristis))	E	\$442,271	\$425,339	\$867,610	\$115,500	\$983,110
	817	Silverside, Waccamaw (<i>Menidia extensa</i>)	T	\$21,500	\$1,250	\$22,750	\$896	\$23,646
	37	Smelt, delta (<i>Hypomesus transpacificus</i>)	T	\$2,862,000	\$5,939,018	\$8,801,018	\$0	\$8,801,018
	191	Spinedace (<i>Meda fulgida</i>)	T	\$85,530	\$374,605	\$460,135	\$131,000	\$591,135
	608	Spinedace, Big Spring (<i>Lepidomeda mollispinis pratensis</i>)	T	\$24,000	\$29,774	\$53,774	\$2,500	\$56,274
	450	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>)	T	\$56,385	\$9,807	\$66,192	\$45,000	\$111,192
	641	Spinedace, White River (<i>Lepidomeda albivallis</i>)	E	\$38,500	\$3,243	\$41,743	\$5,500	\$47,243
	623	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>)	E	\$43,500	\$5,193	\$48,693	\$3,000	\$51,693
	348	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>)	T	\$133,500	\$5,943	\$139,443	\$54,500	\$193,943
	607	Springfish, White River (<i>Crenichthys baileyi baileyi</i>)	E	\$49,000	\$4,993	\$53,993	\$3,000	\$56,993
	33	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - Central Valley CA	T	\$775,000	\$8,455,579	\$9,230,579	\$0	\$9,230,579
	3	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - Snake R. Basin	T	\$85,800	\$52,318,437	\$52,404,237	\$886,985	\$53,291,222
	42	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - central CA coast	T	\$0	\$6,856,803	\$6,856,803	\$0	\$6,856,803
	23	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - lower Columbia R.	T	\$232,000	\$12,400,542	\$12,632,542	\$714,409	\$13,346,951
	63	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - so. central CA coast	T	\$0	\$4,472,609	\$4,472,609	\$0	\$4,472,609

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	59	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - southern CA coast	E	\$64,000	\$4,815,067	\$4,879,067	\$0	\$4,879,067
	9	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - upper Columbia R. Basin	T	\$742,333	\$29,619,730	\$30,362,063	\$472,993	\$30,835,056
	11	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - upper Willamette R.	T	\$65,500	\$21,992,405	\$22,057,905	\$49,855	\$22,107,760
	2	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - middle Columbia R.	T	\$572,500	\$54,850,536	\$55,423,036	\$460,751	\$55,883,787
	57	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - northern CA	T	\$0	\$5,071,909	\$5,071,909	\$0	\$5,071,909
	35	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Puget Sound DPS	T	\$64,000	\$7,690,474	\$7,754,474	\$1,285,681	\$9,040,155
	272	Stickleback, unarmored threespine (<i>Gasterosteus</i> <i>aculeatus</i> <i>williamsoni</i>)	E	\$89,000	\$184,117	\$273,117	\$0	\$273,117
	791	Sturgeon, Alabama (<i>Scaphirhynchus</i> <i>suttkusi</i>)	E	\$18,500	\$3,062	\$21,562	\$4,500	\$26,062
	105	Sturgeon, gulf (<i>Acipenser</i> <i>oxyrinchus desotoi</i>)	T	\$601,500	\$1,321,361	\$1,922,861	\$0	\$1,922,861
	65	Sturgeon, North American green (<i>Acipenser</i> <i>medirostris</i>) – CA- Southern DPS	T	\$3,000	\$4,402,266	\$4,405,266	\$47,879	\$4,453,145
	5	Sturgeon, pallid (<i>Scaphirhynchus</i> <i>albus</i>)	E	\$1,470,279	\$40,654,823	\$42,125,102	\$236,745	\$42,361,847
	22	Sturgeon, shortnose (<i>Acipenser</i> <i>brevirostrum</i>)	E	\$484,460	\$12,916,583	\$13,401,043	\$68,750	\$13,469,793
	882	Sturgeon, Shovelnose (<i>Scaphirhynchus</i> <i>platyrinchus</i>)	SAT	\$18,500	\$0	\$18,500	\$0	\$18,500
	27	Sturgeon, white (<i>Acipenser</i> <i>transmontanus</i>) - ID, MT, Canada (B.C.), Kootenai R. system	E	\$463,143	\$10,183,913	\$10,647,056	\$7,823	\$10,654,879
	131	Sucker, June (<i>Chasmistes</i> <i>liorus</i>)	E	\$131,000	\$743,000	\$874,000	\$275,000	\$1,149,000
	76	Sucker, Lost River (<i>Deltistes</i> <i>luxatus</i>)	E	\$802,000	\$2,481,315	\$3,283,315	\$7,786	\$3,291,101
	536	Sucker, Modoc (<i>Catostomus</i> <i>microps</i>)	E	\$62,000	\$12,000	\$74,000	\$1,286	\$75,286
	29	Sucker, razorback (<i>Xyrauchen</i> <i>texanus</i>) – entire	E	\$1,466,531	\$8,850,146	\$10,316,677	\$278,890	\$10,595,567

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1193	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Co., AL	EXPN	\$0	\$0	\$0	\$250	\$250
	325	Bean, purple (<i>Villosa perpurpurea</i>)	E	\$211,699	\$1,267	\$212,966	\$4,200	\$217,166
	1159	Blossom, green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>)	E	\$2,500	\$100	\$2,600	\$0	\$2,600
	959	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - Except where EXPN	E	\$10,250	\$3,861	\$14,111	\$0	\$14,111
	1151	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) - Except where EXPN	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	1149	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) - Except where EXPN	E	\$2,500	\$661	\$3,161	\$0	\$3,161
	905	Catspaw, white (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>)	E	\$5,850	\$11,313	\$17,163	\$0	\$17,163
	274	Clubshell (<i>Pleurobema clava</i>) - Entire; Except where EXPN	E	\$83,550	\$178,044	\$261,594	\$9,600	\$271,194
	1192	Clubshell (<i>Pleurobema clava</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Co., AL	EXPN	\$0	\$300	\$300	\$0	\$300
	632	Clubshell, ovate (<i>Pleurobema perovatum</i>) -	E	\$7,000	\$38,309	\$45,309	\$4,500	\$49,809
	563	Clubshell, southern (<i>Pleurobema decisum</i>)	E	\$18,500	\$45,081	\$63,581	\$4,500	\$68,081
	391	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - Except EXPN	E	\$75,484	\$76,034	\$151,518	\$0	\$151,518
	1151	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - TN River below Wilson Dam, Colbert and Lauderdale Co., AL	EXPN	\$3,000	\$0	\$3,000	\$0	\$3,000
	937	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - TN - specified portions of the French Broad and Holston Rivers	EXPN	\$0	\$10,800	\$10,800	\$4,775	\$15,575

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1140	Combsshell, southern (<i>Epioblasma penita</i>)	E	\$2,000	\$1,596	\$3,596	\$0	\$3,596
	960	Combsshell, upland (<i>Epioblasma metastriata</i>) -	E	\$6,500	\$3,096	\$9,596	\$4,500	\$14,096
	198	Elktoe, Appalachian (<i>Alasmidonta raveneliana</i>)	E	\$376,000	\$94,700	\$470,700	\$63,308	\$534,008
	369	Elktoe, Cumberland (<i>Alasmidonta atropurpurea</i>)	E	\$157,000	\$5,761	\$162,761	\$4,000	\$166,761
	199	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$438,634	\$85,106	\$523,740	\$2,500	\$526,240
	1196	Fanshell (<i>Cyprogenia stegaria</i>) - TN - specified portions of the French Broad and Holston Rivers	EXPN	\$0	\$100	\$100	\$0	\$100
	535	Fatmucket, AR (<i>Lampsilis powellii</i>)	T	\$75,500	\$200	\$75,700	\$0	\$75,700
	920	Heelsplitter, AL (=inflated) (<i>Potamilus inflatus</i>)	T	\$11,500	\$4,905	\$16,405	\$0	\$16,405
	260	Heelsplitter, Carolina (<i>Lasmigona decorata</i>)	E	\$211,000	\$75,800	\$286,800	\$13,496	\$300,296
	149	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$193,150	\$705,965	\$899,115	\$41,000	\$940,115
	800	Kidneyshell, triangular (<i>Ptychobranthus greenii</i>)	E	\$15,000	\$5,681	\$20,681	\$4,500	\$25,181
	813	Lampmussel, Alabama (<i>Lampsilis virescens</i>) – Entire; Except where EXPN	E	\$24,000	\$0	\$24,000	\$0	\$24,000
	1151	Lampmussel, Alabama (<i>Lampsilis virescens</i>) - TN River below Wilson Dam, Colbert and Lauderdale Co., AL	EXPN	\$3,000	\$0	\$3,000	\$0	\$3,000
	1037	Lilliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>)	E	\$9,500	\$0	\$9,500	\$0	\$9,500
	153	Mapleleaf, winged (<i>Quadrula fragosa</i>) except where EXPN	E	\$622,150	\$258,433	\$880,583	\$15,400	\$895,983
	590	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>)	T	\$16,000	\$42,614	\$58,614	\$4,000	\$62,614
	619	Moccasinshell, Coosa (<i>Medionidus parvulus</i>)	E	\$19,000	\$31,173	\$50,173	\$3,000	\$53,173
	471	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	\$62,000	\$36,283	\$98,283	\$5,000	\$103,283
	604	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	\$42,000	\$11,300	\$53,300	\$4,500	\$57,800
	773	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>)	E	\$26,500	\$661	\$27,161	\$0	\$27,161

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1069	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>) - TN - specified portions of the French Broad and Holston Rivers	EXPN	\$7,666	\$100	\$7,766	\$0	\$7,766
	179	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - Except where EXPN	E	\$45,666	\$644,000	\$689,666	\$3,275	\$692,941
	1172	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - TN - specified portions of the French Broad and Holston Rivers	EXPN	\$0	\$1,400	\$1,400	\$0	\$1,400
	651	Mucket, orangenacre (<i>Lampsilis perovalis</i>)	T	\$36,000	\$9,141	\$45,141	\$0	\$45,141
	129	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$685,150	\$469,866	\$1,155,016	\$25,900	\$1,180,916
	475	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - Entire; Except where EXPN	E	\$74,666	\$22,913	\$97,579	\$4,775	\$102,354
	1155	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$0	\$0	\$2,700	\$2,700
	748	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$15,000	\$12,100	\$27,100	\$3,275	\$30,375
	406	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$79,650	\$46,421	\$126,071	\$14,100	\$140,171
	417	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>)	T	\$122,000	\$9,400	\$131,400	\$0	\$131,400
	172	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - Except where EXPN	E	\$57,666	\$674,267	\$731,933	\$0	\$731,933
	1186	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - TN River below Wilson Dam, Colbert, and Lauderdale Co., AL	EXPN	\$0	\$0	\$0	\$700	\$700
	781	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - TN - specified portions of the French Broad and Holston Rivers	EXPN	\$14,500	\$12,100	\$26,600	\$0	\$26,600

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	174	Pearl mussel, cracking (<i>Hemistena lata</i>) – Except EXPN	E	\$47,000	\$668,813	\$715,813	\$0	\$715,813
	976	Pearl mussel, cracking (<i>Hemistena lata</i>) - TN River below the Wilson Dam, Colbert and Lauderdale Co., AL	EXPN	\$12,550	\$0	\$12,550	\$0	\$12,550
	1121	Pearl mussel, cracking (<i>Hemistena lata</i>) - TN - specified portions of the French Broad and Holston Rivers	EXPN	\$0	\$120	\$120	\$4,775	\$4,895
	933	Pearl mussel, Curtis (<i>Epioblasma florentina curtisii</i>)	E	\$4,650	\$2,097	\$6,747	\$9,000	\$15,747
	474	Pearl mussel, dromedary (<i>Dromus dromas</i>) - Except where EXPN	E	\$54,666	\$43,035	\$97,701	\$4,775	\$102,476
	1146	Pearl mussel, dromedary (<i>Dromus dromas</i>) - TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$690	\$690	\$2,700	\$3,390
	1180	Pearl mussel, dromedary (<i>Dromus dromas</i>) - TN - specified portions of the French Broad and Holston Rivers	EXPN	\$0	\$890	\$890	\$0	\$890
	524	Pearl mussel, littlewing (<i>Pegias fabula</i>)	E	\$56,666	\$22,661	\$79,327	\$1,000	\$80,327
	1113	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>)	E	\$4,500	\$661	\$5,161	\$0	\$5,161
	1125	Pigtoe, dark (<i>Pleurobema furvum</i>)	E	\$4,500	\$0	\$4,500	\$0	\$4,500
	699	Pigtoe, finereyed (<i>Fusconaia cuneolus</i>) – Entire; Except where EXPN	E	\$36,166	\$267	\$36,433	\$0	\$36,433
	183	Pigtoe, finereyed (<i>Fusconaia cuneolus</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Co., AL	EXPN	\$0	\$657,000	\$657,000	\$0	\$657,000
	1196	Pigtoe, finereyed (<i>Fusconaia cuneolus</i>) - TN - specified portions of the French Broad and Holston Rivers	EXPN	\$0	\$100	\$100	\$0	\$100
	1007	Pigtoe, Georgia (<i>Pleurobema hanleyianum</i>)	E	\$10,000	\$650	\$10,650	\$0	\$10,650
	1002	Pigtoe, heavy (<i>Pleurobema taitianum</i>)	E	\$9,000	\$1,891	\$10,891	\$0	\$10,891

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	399	Pigtoe, oval (<i>Pleurobema pyriforme</i>)	E	\$100,500	\$38,173	\$138,673	\$5,000	\$143,673
	570	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	\$54,716	\$12,281	\$66,997	\$500	\$67,497
	1190	Pigtoe, rough (<i>Pleurobema plenum</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$400	\$400	\$0	\$400
	686	Pigtoe, shiny (<i>Fusconaia cor</i>) – Except where EXPN	E	\$37,699	\$267	\$37,966	\$0	\$37,966
	184	Pigtoe, shiny (<i>Fusconaia cor</i>) - TN River below Wilson Dam, Colbert and Lauderdale Co., AL	EXPN	\$0	\$638,000	\$638,000	\$0	\$638,000
	1196	Pigtoe, shiny (<i>Fusconaia cor</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$100	\$100	\$0	\$100
	765	Pigtoe, southern (<i>Pleurobema georgianum</i>)	E	\$20,000	\$3,846	\$23,846	\$4,000	\$27,846
	431	Pimpleback, orange-foot (pearlymussel) (<i>Plethobasus cooperianus</i>)	E	\$27,050	\$95,222	\$122,272	\$250	\$122,522
	1049	Pimpleback, orange-foot (pearlymussel) (<i>Plethobasus cooperianus</i>) - TN - specified portions of the French Broad and Holston Rivers	EXPN	\$8,000	\$800	\$8,800	\$0	\$8,800
	360	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$91,550	\$78,932	\$170,482	\$9,100	\$179,582
	455	Pocketbook, finelined (<i>Lampsilis altilis</i>)	T	\$68,500	\$37,862	\$106,362	\$3,500	\$109,862
	96	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>)	E	\$43,500	\$2,127,060	\$2,170,560	\$400	\$2,170,960
	342	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$156,000	\$38,083	\$194,083	\$5,500	\$199,583
	751	Pocketbook, speckled (<i>Lampsilis streckeri</i>)	E	\$30,000	\$0	\$30,000	\$0	\$30,000
	509	Purple cat's paw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) – Except EXPN	E	\$39,950	\$46,181	\$86,131	\$0	\$86,131
	1165	Purple cat's paw (pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - TN River below Wilson Dam, Colbert and Lauderdale Co., AL	EXPN	\$0	\$2,000	\$2,000	\$0	\$2,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	662	Rabbitsfoot, rough (<i>Quadrula cylindrica strigillata</i>)	E	\$36,199	\$7,628	\$43,827	\$0	\$43,827
	356	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>)	E	\$92,950	\$65,268	\$158,218	\$27,200	\$185,418
	407	Riffleshell, tan (<i>Epioblasma florentina walkeri</i> (=E. walkeri))	E	\$125,666	\$13,861	\$139,527	\$0	\$139,527
	501	Ring pink (mussel) (<i>Obovaria retusa</i>)	E	\$34,750	\$54,022	\$88,772	\$0	\$88,772
	473	Slabshell, Chipola (<i>Elliptio chipolaensis</i>)	T	\$42,000	\$60,709	\$102,709	\$0	\$102,709
	248	Spinymussel, James (<i>Pleurobema collina</i>)	E	\$287,557	\$51,800	\$339,357	\$5,496	\$344,853
	401	Spinymussel, Tar River (<i>Elliptio steinstansana</i>)	E	\$116,000	\$9,700	\$125,700	\$17,090	\$142,790
	317	Three-ridge, fat (mussel) (<i>Amblema neislerii</i>)	E	\$148,500	\$78,639	\$227,139	\$2,000	\$229,139
	988	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>)	E	\$8,050	\$3,546	\$11,596	\$0	\$11,596
	1176	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$1,150	\$1,150	\$0	\$1,150
	187	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	\$132,157	\$476,838	\$608,995	\$23,350	\$632,345
Clams subtotal				\$5,917,723	\$9,062,214	\$14,979,937	\$382,390	\$15,362,327
Snails	133	Abalone, Black (<i>Haliotis cracherodii</i>)	E	\$0	\$1,112,864	\$1,112,864	\$0	\$1,112,864
	141	Abalone, White (<i>Haliotis sorenseni</i>) - Point Conception, CA, to Punta Abreojos, Baja California, Mexico	E	\$200	\$1,024,851	\$1,025,051	\$0	\$1,025,051
	503	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>)	E	\$31,645	\$26,322	\$57,967	\$30,000	\$87,967
	1090	Campeloma, slender (<i>Campeloma decampi</i>)	E	\$6,500	\$0	\$6,500	\$0	\$6,500
	818	Cavesnail, Tumbling Creek (<i>Antrobia culveri</i>)	E	\$18,300	\$4,250	\$22,550	\$1,000	\$23,550
	1001	Elimia, lacy (snail) (<i>Elimia crenatella</i>) -	T	\$11,000	\$0	\$11,000	\$0	\$11,000
	1131	Hornsnail, rough (<i>Pleurocera foremani</i>)	E	\$3,500	\$650	\$4,150	\$0	\$4,150
	335	Limpet, Banbury Springs (<i>Lanx sp.</i>)	E	\$134,541	\$68,633	\$203,174	\$0	\$203,174
	1106	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	\$4,500	\$1,146	\$5,646	\$0	\$5,646

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	684	Marstonia, royal (snail) (<i>Pyrgulopsis ogmorhappe</i>)	E	\$39,000	\$0	\$39,000	\$0	\$39,000
	1189	Pebblesnail, flat (<i>Lepyrium showalteri</i>)	E	\$0	\$473	\$473	\$0	\$473
	815	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) - Except where EXPN	E	\$21,000	\$2,885	\$23,885	\$0	\$23,885
	1117	Rocksnaail, interrupted (=Georgia) (<i>Leptoxis foremani</i>)	E	\$3,000	\$1,950	\$4,950	\$0	\$4,950
	939	Rocksnaail, painted (<i>Leptoxis taeniata</i>) -	T	\$14,500	\$1,002	\$15,502	\$0	\$15,502
	836	Rocksnaail, plicate (<i>Leptoxis plicata</i>) -	E	\$22,000	\$473	\$22,473	\$0	\$22,473
	1118	Rocksnaail, round (<i>Leptoxis ampla</i>) -	T	\$4,000	\$946	\$4,946	\$0	\$4,946
	1063	Shagreen, Magazine Mountain (<i>Mesodon magazinensis</i>)	T	\$8,000	\$0	\$8,000	\$0	\$8,000
	1090	Snail, armored (<i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i>)	E	\$6,500	\$0	\$6,500	\$0	\$6,500
	249	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>)	T	\$257,689	\$85,451	\$343,140	\$0	\$343,140
	1045	Snail, Chittenango ovate amber (<i>Succinea chittenangoensis</i>)	T	\$5,500	\$3,443	\$8,943	\$0	\$8,943
	647	Snail, flat-spired three-toothed (<i>Triodopsis platysayoides</i>)	T	\$41,000	\$3,200	\$44,200	\$1,500	\$45,700
	1003	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	\$9,200	\$164	\$9,364	\$1,500	\$10,864
	477	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>)	E	\$94,000	\$6,000	\$100,000	\$0	\$100,000
	918	Snail, Newcomb's (<i>Erinna newcombi</i>)	T	\$16,500	\$0	\$16,500	\$0	\$16,500
	1171	Snail, noonday (<i>Mesodon clarki nantahala</i>)	T	\$1,500	\$0	\$1,500	\$0	\$1,500
	1165	Snail, painted snake coiled forest (<i>Anguispira picta</i>)	T	\$2,000	\$0	\$2,000	\$0	\$2,000
	1115	Snail, Pecos assiminea (<i>Assiminea pecos</i>)	E	\$2,500	\$1,200	\$3,700	\$1,300	\$5,000
	264	Snail, Snake River physa (<i>Physa natricina</i>)	E	\$57,446	\$231,878	\$289,324	\$0	\$289,324
	135	Snails, Oahu tree (<i>Achatinella spp.</i>)	E	\$509,770	\$571,752	\$1,081,522	\$0	\$1,081,522
	789	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>))	T	\$21,500	\$4,629	\$26,129	\$0	\$26,129
	1029	Snail, tulotoma (<i>Tulotoma magnifica</i>)	E	\$7,500	\$2,325	\$9,825	\$0	\$9,825

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1184	Snail, Virginia fringed mountain (<i>Polygyriscus virginianus</i>)	E	\$767	\$0	\$767	\$0	\$767
	1129	Springsnail, Alamosa (<i>Tryonia alamosae</i>)	E	\$0	\$3,000	\$3,000	\$1,300	\$4,300
	298	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>)	E	\$165,101	\$74,750	\$239,851	\$727	\$240,578
	1145	Springsnail, Koster's (<i>Juturnia kosteri</i>)	E	\$2,400	\$0	\$2,400	\$1,000	\$3,400
	1143	Springsnail, Roswell (<i>Pyrgulopsis roswellensis</i>)	E	\$2,400	\$0	\$2,400	\$1,100	\$3,500
	1174	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>)	E	\$0	\$0	\$0	\$1,300	\$1,300
Snails subtotal				\$1,524,959	\$3,234,237	\$4,759,196	\$40,727	\$4,799,923
Insects	118	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$347,942	\$957,324	\$1,305,266	\$183,900	\$1,489,166
	441	Beetle, Coffin Cave mold (<i>Batrisodes texanus</i>)	E	\$100,000	\$13,500	\$113,500	\$0	\$113,500
	468	Beetle, Comal Springs dryopid (<i>Stygoparnus comalensis</i>)	E	\$104,150	\$700	\$104,850	\$0	\$104,850
	404	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>)	E	\$141,499	\$700	\$142,199	\$0	\$142,199
	1194	Beetle, delta green ground (<i>Elaphrus viridis</i>)	T	\$100	\$100	\$200	\$0	\$200
	337	Beetle, Helotes mold (<i>Batrisodes venyivi</i>)	E	\$200,000	\$2,600	\$202,600	\$0	\$202,600
	394	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>)	E	\$147,700	\$164	\$147,864	\$1,000	\$148,864
	747	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>)	E	\$30,000	\$500	\$30,500	\$0	\$30,500
	527	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>)	E	\$78,500	\$100	\$78,600	\$0	\$78,600
	747	Beetle, Tooth Cave ground (<i>Rhadine persephone</i>)	E	\$30,000	\$500	\$30,500	\$0	\$30,500
	86	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$1,087,000	\$1,560,174	\$2,647,174	\$0	\$2,647,174
	513	Butterfly, bay checkerspot (<i>Euphydryas editha bayensis</i>)	T	\$35,500	\$49,100	\$84,600	\$0	\$84,600
	749	Butterfly, Behren's silverspot (<i>Speyeria zerene behrensii</i>)	E	\$22,500	\$7,840	\$30,340	\$0	\$30,340

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	842	Butterfly, callippe silverspot (<i>Speyeria callippe callippe</i>)	E	\$22,000	\$100	\$22,100	\$0	\$22,100
	239	Butterfly, El Segundo blue (<i>Euphilotes battoides allyni</i>)	E	\$36,500	\$338,740	\$375,240	\$0	\$375,240
	161	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>)	E	\$675,532	\$161,250	\$836,782	\$0	\$836,782
	116	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	\$396,530	\$875,248	\$1,271,778	\$262,700	\$1,534,478
	343	Butterfly, Lange's metalmark (<i>Apodemia mormo langei</i>)	E	\$199,000	\$250	\$199,250	\$0	\$199,250
	998	Butterfly, lotis blue (<i>Lycaeides argyrognomon lotis</i>)	E	\$11,000	\$100	\$11,100	\$0	\$11,100
	390	Butterfly, mission blue (<i>Icaricia icarioides missionensis</i>)	E	\$40,000	\$112,100	\$152,100	\$0	\$152,100
	405	Butterfly, Mitchell's satyr (<i>Neonympha mitchellii mitchellii</i>)	E	\$82,717	\$7,443	\$90,160	\$51,110	\$141,270
	769	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtilae</i>)	E	\$21,000	\$6,500	\$27,500	\$0	\$27,500
	189	Butterfly, Oregon silverspot (<i>Speyeria zerene hippolyta</i>)	T	\$521,500	\$74,235	\$595,735	\$5,000	\$600,735
	324	Butterfly, Palos Verdes blue (<i>Glaucopsyche lygdamus palosverdesensis</i>)	E	\$100	\$220,100	\$220,200	\$0	\$220,200
	365	Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (=E. e. wrightii))	E	\$27,500	\$140,142	\$167,642	\$0	\$167,642
	412	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>)	E	\$15,000	\$120,710	\$135,710	\$500	\$136,210
	879	Butterfly, San Bruno elfin (<i>Callophrys mossii bayensis</i>)	E	\$15,500	\$3,100	\$18,600	\$0	\$18,600
	652	Butterfly, Schaus swallowtail (<i>Heracles aristodemus ponceanus</i>)	E	\$41,500	\$3,640	\$45,140	\$0	\$45,140
	514	Butterfly, Smith's blue (<i>Euphilotes enoptes smithi</i>)	E	\$46,000	\$38,000	\$84,000	\$0	\$84,000
	705	Butterfly, Uncompahgre fritillary (<i>Boloria acrocneema</i>)	E	\$3,475	\$32,300	\$35,775	\$0	\$35,775
	726	Damselfly, flying earwig Hawaiian (<i>Megalagrion nesiotis</i>)	E	\$32,773	\$0	\$32,773	\$0	\$32,773
	696	Damselfly, Pacific Hawaiian (<i>Megalagrion pacificum</i>)	E	\$11,773	\$25,000	\$36,773	\$0	\$36,773

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	222	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	\$295,708	\$103,430	\$399,138	\$42,600	\$441,738
	701	Fly, Delhi Sands flower-loving (<i>Rhaphiomidas terminatus abdominalis</i>)	E	\$36,000	\$250	\$36,250	\$0	\$36,250
	882	Fly, Hawaiian picture-wing (<i>Drosophila sharpi</i>)	E	\$18,500	\$0	\$18,500	\$0	\$18,500
	942	Grasshopper, Zayante band-winged (<i>Trimerotropis infantilis</i>)	E	\$15,000	\$100	\$15,100	\$0	\$15,100
	277	Ground beetle, [unnamed] (<i>Rhadine exilis</i>)	E	\$200,000	\$62,600	\$262,600	\$0	\$262,600
	277	Ground beetle, [unnamed] (<i>Rhadine infernalis</i>)	E	\$200,000	\$62,600	\$262,600	\$0	\$262,600
	286	Moth, Blackburn's sphinx (<i>Manduca blackburni</i>)	E	\$212,112	\$43,749	\$255,861	\$0	\$255,861
	653	Moth, Kern primrose sphinx (<i>Euproserpinus euterpe</i>)	T	\$25,500	\$19,250	\$44,750	\$0	\$44,750
	946	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$10,000	\$4,926	\$14,926	\$0	\$14,926
	1108	Pomace fly, [unnamed] (<i>Drosophila aglaia</i>)	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	1143	Pomace fly, [unnamed] (<i>Drosophila differens</i>)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	1143	Pomace fly, [unnamed] (<i>Drosophila hemipeza</i>)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	1143	Pomace fly, [unnamed] (<i>Drosophila heteroneura</i>)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	592	Pomace fly, [unnamed] (<i>Drosophila montgomeryi</i>)	E	\$3,500	\$58,920	\$62,420	\$0	\$62,420
	1143	Pomace fly, [unnamed] (<i>Drosophila mulli</i>)	T	\$3,500	\$0	\$3,500	\$0	\$3,500
	858	Pomace fly, [unnamed] (<i>Drosophila musaphila</i>)	E	\$11,500	\$9,000	\$20,500	\$0	\$20,500
	1143	Pomace fly, [unnamed] (<i>Drosophila neoclavisetae</i>)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	1143	Pomace fly, [unnamed] (<i>Drosophila obatai</i>)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	1143	Pomace fly, [unnamed] (<i>Drosophila ochrobasis</i>)	E	\$3,500	\$0	\$3,500	\$0	\$3,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	582	Pomace fly, [unnamed] (<i>Drosophila substenoptera</i>)	E	\$5,500	\$58,920	\$64,420	\$0	\$64,420
	1143	Pomace fly, [unnamed] (<i>Drosophila tarphytrichia</i>)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	484	Skipper, Carson wandering (<i>Pseudocopaeodes eumus obscurus</i>)	E	\$81,500	\$15,850	\$97,350	\$0	\$97,350
	593	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>)	E	\$42,500	\$19,513	\$62,013	\$0	\$62,013
	784	Skipper, Pawnee montane (<i>Hesperia leonardus montana</i>)	T	\$6,735	\$19,755	\$26,490	\$0	\$26,490
	160	Tiger beetle, northeastern beach (<i>Cicindela dorsalis dorsalis</i>)	T	\$659,473	\$182,768	\$842,241	\$0	\$842,241
	790	Tiger beetle, Ohlone (<i>Cicindela ohlone</i>)	E	\$26,000	\$100	\$26,100	\$0	\$26,100
	94	Tiger beetle, Puritan (<i>Cicindela puritana</i>)	T	\$2,219,716	\$9,915	\$2,229,631	\$0	\$2,229,631
	284	Tiger beetle, Salt Creek (<i>Cicindela nevadica lincolniana</i>)	E	\$237,046	\$6,200	\$243,246	\$14,000	\$257,246
Insects subtotal				\$8,864,081	\$5,430,106	\$14,294,187	\$560,810	\$14,854,997
Arachnids	747	Harvestman, Bee Creek Cave (<i>Texella reddelli</i>)	E	\$30,000	\$500	\$30,500	\$0	\$30,500
	601	Harvestman, Bone Cave (<i>Texella reyesi</i>)	E	\$30,000	\$29,500	\$59,500	\$0	\$59,500
	333	Harvestman, Coken-dolpher Cave (<i>Texella cokendolpheri</i>)	E	\$200,000	\$4,900	\$204,900	\$0	\$204,900
	340	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>)	E	\$200,000	\$900	\$200,900	\$0	\$200,900
	334	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>)	E	\$200,000	\$4,700	\$204,700	\$0	\$204,700
	315	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	\$200,000	\$31,100	\$231,100	\$0	\$231,100
	336	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>)	E	\$200,000	\$3,100	\$203,100	\$0	\$203,100
	1108	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>)	E	\$5,000	\$500	\$5,500	\$0	\$5,500
	334	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>)	E	\$200,000	\$4,700	\$204,700	\$0	\$204,700
	869	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (<i>Adelocosa anops</i>)	E	\$19,500	\$0	\$19,500	\$0	\$19,500
	924	Spider, spruce-fir moss (<i>Microhexura montivaga</i>)	E	\$3,267	\$13,000	\$16,267	\$0	\$16,267

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1108	Spider, Tooth Cave (<i>Leptoneta myopica</i>)	E	\$5,000	\$500	\$5,500	\$0	\$5,500
Arachnids subtotal				\$1,292,767	\$93,400	\$1,386,167	\$0	\$1,386,167
Crustaceans	1181	Amphipod, Hay's Spring (<i>Stygobromus hayi</i>)	E	\$828	\$0	\$828	\$0	\$828
	1053	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>)	E	\$6,800	\$164	\$6,964	\$1,500	\$8,464
	978	Amphipod, Kauai cave (<i>Spelaeorchestia koloana</i>)	E	\$12,500	\$0	\$12,500	\$0	\$12,500
	1132	Amphipod, Noel's (<i>Gammarus desperatus</i>)	E	\$2,500	\$0	\$2,500	\$1,600	\$4,100
	443	Amphipod, Peck's cave (<i>Stygobromus (=Stygonectes) pecki</i>)	E	\$112,450	\$700	\$113,150	\$0	\$113,150
	1120	Crayfish, cave (<i>Cambarus aculabrum</i>)	E	\$4,900	\$0	\$4,900	\$0	\$4,900
	1165	Crayfish, cave (<i>Cambarus zophonastes</i>)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	620	Crayfish, Nashville (<i>Orconectes shoupi</i>)	E	\$51,000	\$2,161	\$53,161	\$0	\$53,161
	519	Crayfish, Shasta (<i>Pacifastacus fortis</i>)	E	\$73,000	\$9,730	\$82,730	\$0	\$82,730
	349	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	\$122,000	\$70,762	\$192,762	\$0	\$192,762
	541	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	\$58,500	\$13,940	\$72,440	\$0	\$72,440
	240	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$195,000	\$179,799	\$374,799	\$0	\$374,799
	234	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$40,000	\$375,542	\$415,542	\$0	\$415,542
	69	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$820,273	\$3,276,071	\$4,096,344	\$0	\$4,096,344
	629	Isopod, Lee County cave (<i>Lirceus usdagalun</i>)	E	\$50,267	\$0	\$50,267	\$0	\$50,267
	435	Isopod, Madison Cave (<i>Antrolana lira</i>)	T	\$81,657	\$38,200	\$119,857	\$0	\$119,857
	1158	Isopod, Socorro (<i>Thermosphaeroma thermophilus</i>)	E	\$0	\$1,000	\$1,000	\$1,650	\$2,650
	759	Shrimp, Alabama cave (<i>Palaemonias alabamae</i>)	E	\$4,500	\$24,466	\$28,966	\$0	\$28,966
	449	Shrimp, California freshwater (<i>Syncaris pacifica</i>)	E	\$45,000	\$66,800	\$111,800	\$0	\$111,800
	807	Shrimp, KY cave (<i>Palaemonias ganteri</i>)	E	\$3,500	\$21,000	\$24,500	\$0	\$24,500
	84	Tadpole shrimp, vernal pool (<i>Lepidurus packardi</i>)	E	\$663,000	\$2,105,590	\$2,768,590	\$0	\$2,768,590

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
Crustaceans subtotal				\$2,349,675	\$6,185,925	\$8,535,600	\$4,750	\$8,540,350
Corals	113	Coral, elkhorn (<i>Acropora palmata</i>)	T	\$0	\$1,620,149	\$1,620,149	\$0	\$1,620,149
	110	Coral, staghorn (<i>Acropora cervicornis</i>)	T	\$0	\$1,687,873	\$1,687,873	\$0	\$1,687,873
Corals subtotal				\$0	\$3,308,022	\$3,308,022	\$0	\$3,308,022
Flowering Plants	811	A'e (<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>)	E	\$22,644	\$165	\$22,809	\$1,344	\$24,153
	302	A'e (<i>Zanthoxylum hawaiiense</i>)	E	\$7,431	\$231,654	\$239,085	\$592	\$239,677
	715	^Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>)	T	\$15,431	\$19,200	\$34,631	\$0	\$34,631
	883	^Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>)	E	\$15,922	\$165	\$16,087	\$2,328	\$18,415
	847	^Aiakeakua, popolo (<i>Solanum sandwicense</i>)	E	\$20,043	\$165	\$20,208	\$1,344	\$21,552
	540	^Aiea (<i>Nothocestrum breviflorum</i>)	E	\$15,242	\$56,190	\$71,432	\$2,328	\$73,760
	681	^Aiea (<i>Nothocestrum peltatum</i>)	E	\$38,279	\$165	\$38,444	\$1,344	\$39,788
	457	^Akoko (<i>Chamaesyce celastroides</i> var. <i>kaenana</i>)	E	\$6,641	\$102,557	\$109,198	\$0	\$109,198
	1092	^Akoko (<i>Chamaesyce deppeana</i>)	E	\$5,641	\$165	\$5,806	\$592	\$6,398
	1109	^Akoko (<i>Chamaesyce eleanoriae</i>)	E	\$5,270	\$165	\$5,435	\$0	\$5,435
	462	^Akoko (<i>Chamaesyce herbstii</i>)	E	\$6,141	\$100,557	\$106,698	\$592	\$107,290
	1141	^Akoko (<i>Chamaesyce kuwaleana</i>)	E	\$3,371	\$165	\$3,536	\$0	\$3,536
	1014	^Akoko (<i>Chamaesyce remyi</i> var. <i>kauaiensis</i>)	E	\$10,270	\$165	\$10,435	\$0	\$10,435
	1076	^Akoko (<i>Chamaesyce remyi</i> var. <i>remyi</i>)	E	\$7,270	\$165	\$7,435	\$0	\$7,435
	914	^Akoko (<i>Chamaesyce rockii</i>)	E	\$6,641	\$10,200	\$16,841	\$0	\$16,841
	1016	^Akoko (<i>Euphorbia haeleleana</i>)	E	\$9,641	\$165	\$9,806	\$592	\$10,398
	1095	^Akoko, Ewa Plains (<i>Chamaesyce skottsbergii</i> var. <i>kalaeloana</i>)	E	\$5,871	\$165	\$6,036	\$0	\$6,036
	885	Alani (<i>Melicope adscendens</i>)	E	\$17,333	\$165	\$17,498	\$752	\$18,250
	753	Alani (<i>Melicope balloui</i>)	E	\$29,431	\$311	\$29,742	\$0	\$29,742
	770	Alani (<i>Melicope degeneri</i>)	E	\$26,672	\$165	\$26,837	\$592	\$27,429

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	913	Alani (<i>Melicope haupuensis</i>)	E	\$16,172	\$165	\$16,337	\$520	\$16,857
	865	Alani (<i>Melicope knudsenii</i>)	E	\$18,833	\$165	\$18,998	\$752	\$19,750
	578	Alani (<i>Melicope lydgatei</i>)	E	\$6,141	\$59,085	\$65,226	\$0	\$65,226
	894	Alani (<i>Melicope mucronulata</i>)	E	\$16,833	\$165	\$16,998	\$752	\$17,750
	1081	Alani (<i>Melicope munroi</i>)	E	\$6,931	\$165	\$7,096	\$0	\$7,096
	949	Alani (<i>Melicope ovalis</i>)	E	\$6,431	\$7,486	\$13,917	\$752	\$14,669
	1024	Alani (<i>Melicope pallida</i>)	E	\$6,641	\$3,383	\$10,024	\$0	\$10,024
	962	Alani (<i>Melicope paniculata</i>)	E	\$13,770	\$165	\$13,935	\$0	\$13,935
	929	Alani (<i>Melicope puberula</i>)	E	\$15,770	\$165	\$15,935	\$0	\$15,935
	1066	Alani (<i>Melicope quadrangularis</i>)	E	\$7,672	\$165	\$7,837	\$0	\$7,837
	1088	Alani (<i>Melicope reflexa</i>)	E	\$6,431	\$165	\$6,596	\$0	\$6,596
	1103	Alani (<i>Melicope saint-johnii</i>)	E	\$5,641	\$165	\$5,806	\$0	\$5,806
	567	Alani (<i>Melicope zahlbruckneri</i>)	E	\$15,172	\$51,165	\$66,337	\$1,344	\$67,681
	978	Allocarya, Calistoga (<i>Plagiobothrys strictus</i>)	E	\$12,500	\$0	\$12,500	\$0	\$12,500
	723	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>)	E	\$31,500	\$1,500	\$33,000	\$0	\$33,000
	244	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	\$75,363	\$281,929	\$357,292	\$248	\$357,540
	928	Ambrosia, San Diego (<i>Ambrosia pumila</i>)	E	\$15,500	\$542	\$16,042	\$0	\$16,042
	622	Ambrosia, south Texas (<i>Ambrosia cheiranthifolia</i>)	E	\$42,500	\$9,491	\$51,991	\$0	\$51,991
	453	Amole, purple (<i>Chlorogalum purpureum</i>)	T	\$24,000	\$86,000	\$110,000	\$0	\$110,000
	843	Amphianthus, little (<i>Amphianthus pusillus</i>)	T	\$2,000	\$16,583	\$18,583	\$3,500	\$22,083
	896	^Anaunau (<i>Lepidium arbuscula</i>)	E	\$16,925	\$165	\$17,090	\$592	\$17,682
	911	^Anunu (<i>Sicyos alba</i>)	E	\$16,144	\$165	\$16,309	\$592	\$16,901
	677	Arrowhead, bunched (<i>Sagittaria fasciculata</i>)	E	\$37,000	\$500	\$37,500	\$2,831	\$40,331
	543	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	\$37,200	\$34,164	\$71,364	\$900	\$72,264
	639	Aster, Florida golden (<i>Chrysopsis floridana</i>)	E	\$32,000	\$1,250	\$33,250	\$15,000	\$48,250
	392	Aster, Ruth's golden (<i>Pityopsis ruthii</i>)	E	\$70,000	\$79,500	\$149,500	\$0	\$149,500
	306	Aupaka (<i>Isodendrion hosakae</i>)	E	\$6,270	\$231,654	\$237,924	\$592	\$238,516
	983	Aupaka (<i>Isodendrion laurifolium</i>)	E	\$10,641	\$165	\$10,806	\$1,344	\$12,150

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	958	Aupaka (<i>Isodendrion longifolium</i>)	T	\$10,141	\$3,383	\$13,524	\$592	\$14,116
	1102	Avens, spreading (<i>Geum radiatum</i>)	E	\$2,500	\$3,320	\$5,820	\$0	\$5,820
	1088	Awikiwiki (<i>Canavalia molokaiensis</i>)	E	\$6,431	\$165	\$6,596	\$0	\$6,596
	1130	Awikiwiki (<i>Canavalia napaliensis</i>)	E	\$4,000	\$165	\$4,165	\$0	\$4,165
	969	Awivi (<i>Centaurium sebaeoides</i>)	E	\$10,302	\$2,165	\$12,467	\$752	\$13,219
	1156	Awivi (<i>Hedyotis cookiana</i>)	E	\$2,500	\$165	\$2,665	\$0	\$2,665
	621	Ayenia, Texas (<i>Ayenia limitaris</i>)	E	\$45,000	\$7,791	\$52,791	\$0	\$52,791
	801	Baccharis, Encinitas (<i>Baccharis vanessae</i>)	T	\$23,000	\$2,166	\$25,166	\$0	\$25,166
	1162	Barberry, island (<i>Berberis pinnata ssp. insularis</i>)	E	\$0	\$2,425	\$2,425	\$0	\$2,425
	1143	Barberry, Nevin's (<i>Berberis nevinii</i>)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	1013	Bariaco (<i>Trichilia triacantha</i>)	E	\$10,500	\$0	\$10,500	\$0	\$10,500
	357	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>)	T	\$12,773	\$171,583	\$184,356	\$0	\$184,356
	572	Beardtongue, Parachute (<i>Penstemon debilis</i>)	T	\$59,650	\$7,080	\$66,730	\$0	\$66,730
	934	Beardtongue, Penland (<i>Penstemon penlandii</i>)	E	\$3,805	\$11,880	\$15,685	\$0	\$15,685
	774	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$9,000	\$16,050	\$25,050	\$2,000	\$27,050
	115	Bear-poppy, Dwarf (<i>Arctomecon humilis</i>)	E	\$21,000	\$1,529,000	\$1,550,000	\$1,000	\$1,551,000
	675	Beauty, Harper's (<i>Harperocallis flava</i>)	E	\$25,500	\$14,895	\$40,395	\$400	\$40,795
	676	Bedstraw, El Dorado (<i>Galium californicum ssp. sierrae</i>)	E	\$40,500	\$0	\$40,500	\$0	\$40,500
	1104	Bedstraw, island (<i>Galium buxifolium</i>)	E	\$900	\$4,851	\$5,751	\$0	\$5,751
	596	Bellflower, Brooksville (<i>Campanula robinsiae</i>)	E	\$54,000	\$1,250	\$55,250	\$6,000	\$61,250
	999	Birch, Virginia round-leaf (<i>Betula uber</i>)	T	\$11,099	\$0	\$11,099	\$0	\$11,099
	954	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$11,500	\$2,830	\$14,330	\$0	\$14,330
	637	Bird's-beak, Pennell's (<i>Cordylanthus tenuis ssp. capillaris</i>)	E	\$48,500	\$0	\$48,500	\$0	\$48,500
	565	Bird's-beak, salt marsh (<i>Cordylanthus maritimus ssp. maritimus</i>)	E	\$64,000	\$3,900	\$67,900	\$0	\$67,900

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	353	Bird's-beak, soft (<i>Cordylanthus mollis ssp. mollis</i>)	E	\$185,500	\$3,900	\$189,400	\$0	\$189,400
	835	Birds-in-a-nest, white (<i>Macbridea alba</i>)	T	\$16,500	\$5,095	\$21,595	\$1,000	\$22,595
	1153	Bittercress, small-anthered (<i>Cardamine micranthera</i>)	E	\$767	\$1,000	\$1,767	\$1,000	\$2,767
	1030	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>)	T	\$6,139	\$3,680	\$9,819	\$0	\$9,819
	1178	Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	638	Bladderpod, Missouri (<i>Physaria filiformis</i>)	T	\$14,200	\$32,730	\$46,930	\$1,500	\$48,430
	1051	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii ssp. bernardina</i>)	E	\$500	\$8,241	\$8,741	\$0	\$8,741
	974	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>)	E	\$11,500	\$1,161	\$12,661	\$0	\$12,661
	542	Bladderpod, white (<i>Lesquerella pallida</i>)	E	\$10,000	\$62,400	\$72,400	\$0	\$72,400
	839	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>)	E	\$4,000	\$18,200	\$22,200	\$0	\$22,200
	670	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$37,000	\$4,578	\$41,578	\$0	\$41,578
	1067	Blazingstar, Heller's (<i>Liatris helleri</i>)	T	\$2,500	\$4,320	\$6,820	\$1,000	\$7,820
	758	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$11,500	\$500	\$12,000	\$17,000	\$29,000
	951	Bluecurls, Hidden Lake (<i>Trichostema austromontanum ssp. compactum</i>)	T	\$14,500	\$0	\$14,500	\$0	\$14,500
	1107	Bluegrass, Hawaiian (<i>Poa sandvicensis</i>)	E	\$4,770	\$165	\$4,935	\$592	\$5,527
	1046	Bluegrass, Mann's (<i>Poa mannii</i>)	E	\$8,770	\$165	\$8,935	\$0	\$8,935
	978	Bluegrass, Napa (<i>Poa napensis</i>)	E	\$12,500	\$0	\$12,500	\$0	\$12,500
	762	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>)	E	\$1,200	\$27,241	\$28,441	\$0	\$28,441
	1133	Blue-star, Kearney's (<i>Amsonia kearneyana</i>)	E	\$3,045	\$50	\$3,095	\$1,000	\$4,095
	1137	Bluet, Roan Mountain (<i>Hedyotis purpurea var. montana</i>)	E	\$1,500	\$1,000	\$2,500	\$1,248	\$3,748
	561	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$9,000	\$56,050	\$65,050	\$3,500	\$68,550
	875	Boxwood, Vahl's (<i>Buxus vahlia</i>)	E	\$19,000	\$0	\$19,000	\$0	\$19,000
	671	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>)	T	\$40,500	\$830	\$41,330	\$0	\$41,330

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	320	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	\$21,000	\$202,806	\$223,806	\$0	\$223,806
	409	Broom, San Clemente Island (<i>Lotus dendroideus ssp. traskiae</i>)	E	\$20,500	\$118,565	\$139,065	\$0	\$139,065
	476	Buckwheat, cushenbury (<i>Eriogonum ovalifolium var. vineum</i>)	E	\$1,800	\$100,400	\$102,200	\$0	\$102,200
	504	Buckwheat, scrub (<i>Eriogonum longifolium var. gnaphalifolium</i>)	T	\$13,500	\$67,250	\$80,750	\$7,000	\$87,750
	751	Buckwheat, steamboat (<i>Eriogonum ovalifolium var. williamsiae</i>)	E	\$20,000	\$10,000	\$30,000	\$0	\$30,000
	486	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	\$52,806	\$17,200	\$70,006	\$26,420	\$96,426
	528	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$69,500	\$2,041	\$71,541	\$6,200	\$77,741
	409	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>)	E	\$20,500	\$118,565	\$139,065	\$0	\$139,065
	537	Bush-mallow, Santa Cruz Island (<i>Malacothamnus fasciculatus var. nesioticus</i>)	E	\$67,500	\$7,277	\$74,777	\$0	\$74,777
	1001	Buttercup, autumn (<i>Ranunculus aestivalis (=acriformis)</i>)	E	\$11,000	\$0	\$11,000	\$0	\$11,000
	396	Butterfly plant, Colorado (<i>Gaura neomexicana var. coloradensis</i>)	T	\$30,855	\$117,574	\$148,429	\$0	\$148,429
	667	Butterweed, Layne's (<i>Senecio layneae</i>)	T	\$41,000	\$1,200	\$42,200	\$0	\$42,200
	226	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>)	T	\$419,500	\$15,095	\$434,595	\$3,000	\$437,595
	713	Button-celery, San Diego (<i>Eryngium aristulatum var. parishii</i>)	E	\$25,500	\$9,256	\$34,756	\$0	\$34,756
	834	Button, Mohr's Barbara (<i>Marshallia mohrii</i>)	T	\$20,500	\$100	\$20,600	\$2,000	\$22,600
	483	Cactus, AZ hedgehog (<i>Echinocereus triglochidiatus var. arizonicus</i>)	E	\$245	\$94,850	\$95,095	\$3,000	\$98,095
	606	Cactus, Bakersfield (<i>Opuntia treleasei</i>)	E	\$54,000	\$3,000	\$57,000	\$0	\$57,000
	872	Cactus, black lace (<i>Echinocereus reichenbachii var. albertii</i>)	E	\$11,500	\$7,791	\$19,291	\$0	\$19,291

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	902	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>)	E	\$7,445	\$9,050	\$16,495	\$1,000	\$17,495
	1143	Cactus, Chisos Mountain hedgehog (<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>)	T	\$500	\$3,000	\$3,500	\$0	\$3,500
	1175	Cactus, Cochise pincushion (<i>Coryphantha robbinsorum</i>)	T	\$245	\$50	\$295	\$1,000	\$1,295
	376	Cactus, Colorado hookless (<i>Sclerocactus glaucus</i>)	T	\$10,507	\$150,700	\$161,207	\$0	\$161,207
	371	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$153,500	\$1,190	\$154,690	\$10,000	\$164,690
	900	Cactus, Knowlton's (<i>Pediocactus knowltonii</i>)	E	\$7,805	\$9,780	\$17,585	\$0	\$17,585
	489	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>)	E	\$3,500	\$90,500	\$94,000	\$0	\$94,000
	1151	Cactus, Lee pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>)	T	\$3,000	\$0	\$3,000	\$0	\$3,000
	1143	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>)	T	\$500	\$3,000	\$3,500	\$0	\$3,500
	479	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>)	T	\$17,152	\$82,380	\$99,532	\$0	\$99,532
	1063	Cactus, Nellie cory (<i>Coryphantha minima</i>)	E	\$8,000	\$0	\$8,000	\$0	\$8,000
	1175	Cactus, Nichol's Turk's head (<i>Echinocactus horizontalonius</i> var. <i>nicholii</i>)	E	\$245	\$50	\$295	\$1,000	\$1,295
	600	Cactus, Pariette (<i>Sclerocactus brevispinus</i>)	T	\$5,000	\$55,000	\$60,000	\$0	\$60,000
	901	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>)	E	\$1,295	\$15,221	\$16,516	\$1,000	\$17,516
	515	Cactus, Pima pineapple (<i>Coryphantha scheeri</i> var. <i>robustispina</i>)	E	\$2,520	\$78,250	\$80,770	\$3,000	\$83,770
	538	Cactus, San Rafael (<i>Pediocactus despainii</i>)	E	\$14,632	\$59,500	\$74,132	\$0	\$74,132
	967	Cactus, Siler pincushion (<i>Pediocactus</i> (= <i>Echinocactus</i> , = <i>Utahia</i>) <i>sileri</i>)	T	\$8,945	\$3,550	\$12,495	\$1,000	\$13,495
	693	Cactus, Sneed pincushion (<i>Coryphantha sneedii</i> var. <i>sneedii</i>)	E	\$5,000	\$32,000	\$37,000	\$0	\$37,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	583	Cactus, star (<i>Astrophytum asterias</i>)	E	\$57,500	\$6,800	\$64,300	\$0	\$64,300
	1035	Cactus, Tobusch fishhook (<i>Ancistrocactus tobuschii</i>)	E	\$2,000	\$7,600	\$9,600	\$0	\$9,600
	695	Cactus, Uinta Basin hookless (<i>Sclerocactus wetlandicus</i>)	T	\$3,365	\$33,560	\$36,925	\$0	\$36,925
	761	Cactus, Winkler (<i>Pediocactus winkleri</i>)	T	\$12,000	\$16,500	\$28,500	\$0	\$28,500
	395	Cactus, Wright fishhook (<i>Sclerocactus wrightiae</i>)	E	\$15,000	\$133,600	\$148,600	\$0	\$148,600
	971	Campion, fringed (<i>Silene polypetala</i>)	E	\$6,500	\$400	\$6,900	\$6,000	\$12,900
	1075	Capa rosa (<i>Callicarpa ampla</i>)	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	208	Catchfly, Spalding's (<i>Silene spaldingii</i>)	T	\$262,312	\$212,344	\$474,656	\$178	\$474,834
	1188	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>)	E	\$500	\$0	\$500	\$0	\$500
	795	Ceanothus, coyote (<i>Ceanothus ferrisae</i>)	E	\$25,500	\$0	\$25,500	\$0	\$25,500
	676	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>)	E	\$40,500	\$0	\$40,500	\$0	\$40,500
	1161	Ceanothus, Vail Lake (<i>Ceanothus ophiochilus</i>)	T	\$2,500	\$0	\$2,500	\$0	\$2,500
	331	Centauray, spring-loving (<i>Centaureum namophilum</i>)	T	\$207,500	\$4,578	\$212,078	\$0	\$212,078
	912	Chaff-flower, round-leaved (<i>Achyranthes splendens</i> var. <i>rotundata</i>)	E	\$14,141	\$2,165	\$16,306	\$592	\$16,898
	454	Chaffseed, American (<i>Schwalbea americana</i>)	E	\$57,998	\$39,164	\$97,162	\$12,738	\$109,900
	844	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	\$22,000	\$0	\$22,000	\$0	\$22,000
	1044	Checker-mallow, Kenwood Marsh (<i>Sidalcea oregana</i> ssp. <i>valida</i>)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	238	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$340,115	\$36,534	\$376,649	\$0	\$376,649
	690	Checker-mallow, pedate (<i>Sidalcea pedata</i>)	E	\$29,000	\$8,241	\$37,241	\$0	\$37,241
	707	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var. <i>calva</i>)	E	\$19,400	\$16,035	\$35,435	\$0	\$35,435
	978	Chumbo, Higo (<i>Harrisia portoricensis</i>)	T	\$12,500	\$0	\$12,500	\$0	\$12,500
	869	Chupacallos (<i>Pleodendron macranthum</i>)	E	\$19,500	\$0	\$19,500	\$0	\$19,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	803	Clarkia, Presidio (<i>Clarkia franciscana</i>)	E	\$23,000	\$2,000	\$25,000	\$0	\$25,000
	851	Clarkia, Springville (<i>Clarkia springvillensis</i>)	T	\$10,000	\$11,300	\$21,300	\$0	\$21,300
	742	Clarkia, Vine Hill (<i>Clarkia imbricata</i>)	E	\$31,500	\$0	\$31,500	\$0	\$31,500
	895	Cliff-rose, Arizona (<i>Purshia</i> (= <i>Cowania</i>) <i>subintegra</i>)	E	\$4,645	\$12,050	\$16,695	\$1,000	\$17,695
	282	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$125,900	\$127,700	\$253,600	\$5,500	\$259,100
	124	Clover, showy Indian (<i>Trifolium amoenum</i>)	E	\$38,500	\$1,307,600	\$1,346,100	\$0	\$1,346,100
	1001	Cobana negra (<i>Stahliia monosperma</i>)	T	\$11,000	\$0	\$11,000	\$0	\$11,000
	339	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$77,650	\$115,575	\$193,225	\$9,010	\$202,235
	685	Coneflower, TN purple (<i>Echinacea tennesseensis</i>)	E	\$33,500	\$5,011	\$38,511	\$0	\$38,511
	1178	Cory cactus, bunched (<i>Coryphantha ramillosa</i>)	T	\$500	\$500	\$1,000	\$0	\$1,000
	1165	Crownbeard, big-leaved (<i>Verbesina dissita</i>)	T	\$2,000	\$0	\$2,000	\$0	\$2,000
	453	Crownscale, San Jacinto Valley (<i>Atriplex coronata</i> var. <i>notatior</i>)	E	\$110,000	\$0	\$110,000	\$0	\$110,000
	634	Cycladenia, Jones (<i>Cycladenia jonesii</i> (= <i>humilis</i>))	T	\$1,245	\$46,750	\$47,995	\$1,000	\$48,995
	850	Daisy, lakeside (<i>Hymenoxys herbacea</i>)	T	\$4,300	\$17,001	\$21,301	\$0	\$21,301
	716	Daisy, Maguire (<i>Erigeron maguirei</i>)	T	\$0	\$34,000	\$34,000	\$0	\$34,000
	703	Daisy, Parish's (<i>Erigeron parishii</i>)	T	\$1,900	\$34,000	\$35,900	\$0	\$35,900
	303	Daisy, Willamette (<i>Erigeron decumbens</i> var. <i>decumbens</i>)	E	\$173,109	\$66,550	\$239,659	\$0	\$239,659
	424	Dawn-flower, Texas prairie (<i>Hymenoxys texana</i>)	E	\$10,000	\$115,898	\$125,898	\$0	\$125,898
	355	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>)	E	\$128,579	\$59,409	\$187,988	\$0	\$187,988
	721	Dogweed, ashy (<i>Thymophylla tephroleuca</i>)	E	\$25,500	\$7,800	\$33,300	\$0	\$33,300
	419	Dropwort, Canby's (<i>Oxyopolis canbyi</i>)	E	\$53,000	\$61,800	\$114,800	\$14,000	\$128,800
	1178	Dudleya, Conejo (<i>Dudleya abramsii</i> ssp. <i>parva</i>)	T	\$0	\$1,000	\$1,000	\$0	\$1,000
	1178	Dudleya, marcescent (<i>Dudleya cymosa</i> ssp. <i>marcescens</i>)	T	\$0	\$1,000	\$1,000	\$0	\$1,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	312	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>)	E	\$20,000	\$213,500	\$233,500	\$0	\$233,500
	1178	Dudleya, Verity's (<i>Dudleya verityi</i>)	T	\$0	\$1,000	\$1,000	\$0	\$1,000
	1163	Dudleyea, Santa Monica Mountains (<i>Dudleyea cymosa</i> ssp. <i>ovatifolia</i>)	T	\$1,400	\$1,000	\$2,400	\$0	\$2,400
	555	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>)	T	\$67,500	\$2,000	\$69,500	\$0	\$69,500
	985	Erubia (<i>Solanum drymophilum</i>)	E	\$12,000	\$0	\$12,000	\$0	\$12,000
	418	Evening-primrose, Antioch Dunes (<i>Oenothera deltooides</i> ssp. <i>howellii</i>)	E	\$131,000	\$0	\$131,000	\$0	\$131,000
	529	Evening-primrose, Eureka Valley (<i>Oenothera avita</i> ssp. <i>eurekaensis</i>)	E	\$61,500	\$16,000	\$77,500	\$0	\$77,500
	517	Evening-primrose, San Benito (<i>Camissonia benitensis</i>)	T	\$3,000	\$80,000	\$83,000	\$0	\$83,000
	779	Fiddleneck, large-flowered (<i>Amsinckia grandiflora</i>)	E	\$26,500	\$200	\$26,700	\$0	\$26,700
	1075	Flannelbush, Mexican (<i>Fremontodendron mexicanum</i>)	E	\$2,500	\$5,000	\$7,500	\$0	\$7,500
	676	Flannelbush, Pine Hill (<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>)	E	\$40,500	\$0	\$40,500	\$0	\$40,500
	1020	Fleabane, Zuni (<i>Erigeron rhizomatus</i>)	T	\$3,245	\$6,021	\$9,266	\$1,000	\$10,266
	346	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	\$154,000	\$42,000	\$196,000	\$132	\$196,132
	944	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	\$14,000	\$1,000	\$15,000	\$0	\$15,000
	940	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$11,500	\$1,500	\$13,000	\$2,500	\$15,500
	218	Fritillary, Gentner's (<i>Fritillaria gentneri</i>)	E	\$103,306	\$346,700	\$450,006	\$0	\$450,006
	808	Gardenia (=Na`u), Hawaiian (<i>Gardenia brighamii</i>)	E	\$22,922	\$165	\$23,087	\$1,344	\$24,431
	550	Geranium, Hawaiian red-flowered (<i>Geranium arboreum</i>)	E	\$47,333	\$22,128	\$69,461	\$1,344	\$70,805
	372	Gerardia, sandplain (<i>Agalinis acuta</i>)	E	\$14,500	\$149,939	\$164,439	\$200	\$164,639
	1122	Gilia, Hoffmann's slender-flowered (<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>)	E	\$0	\$4,851	\$4,851	\$0	\$4,851
	819	Gilia, Monterey (<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>)	E	\$14,500	\$8,900	\$23,400	\$0	\$23,400

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1025	Goetzea, beautiful (<i>Goetzea elegans</i>)	E	\$10,000	\$0	\$10,000	\$0	\$10,000
	1165	Goldenrod, Blue Ridge (<i>Solidago spithamea</i>)	T	\$2,000	\$0	\$2,000	\$0	\$2,000
	709	Goldenrod, Houghton's (<i>Solidago houghtonii</i>)	T	\$15,400	\$19,551	\$34,951	\$100	\$35,051
	977	Goldenrod, Short's (<i>Solidago shortii</i>)	E	\$12,300	\$0	\$12,300	\$218	\$12,518
	1075	Goldenrod, white-haired (<i>Solidago albopilosa</i>)	T	\$7,500	\$0	\$7,500	\$0	\$7,500
	624	Goldfields, Burke's (<i>Lasthenia burkei</i>)	E	\$44,500	\$7,050	\$51,550	\$0	\$51,550
	408	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>)	E	\$113,000	\$26,236	\$139,236	\$0	\$139,236
	814	Gooseberry, Miccosukee (<i>Ribes echinellum</i>)	T	\$16,500	\$7,000	\$23,500	\$400	\$23,900
	1061	Gourd, Okeechobee (<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>)	E	\$4,000	\$2,045	\$6,045	\$2,000	\$8,045
	972	Grass, Colusa (<i>Neostapfia colusana</i>)	T	\$10,500	\$2,200	\$12,700	\$0	\$12,700
	533	Grass, Eureka Dune (<i>Swallenia alexandrae</i>)	E	\$60,500	\$16,000	\$76,500	\$0	\$76,500
	940	Grass, Solano (<i>Tuctoria mucronata</i>)	E	\$15,500	\$0	\$15,500	\$0	\$15,500
	785	Grass, Tennessee yellow-eyed (<i>Xyris tennesseensis</i>)	E	\$16,500	\$2,473	\$18,973	\$7,500	\$26,473
	744	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus bibullatus</i>)	E	\$26,000	\$5,011	\$31,011	\$0	\$31,011
	1042	Groundsel, San Francisco Peaks (<i>Senecio franciscanus</i>)	T	\$5,100	\$3,050	\$8,150	\$1,000	\$9,150
	397	Gumplant, Ash Meadows (<i>Grindelia fraxinopratenensis</i>)	T	\$143,500	\$4,578	\$148,078	\$0	\$148,078
	573	Haha (<i>Cyanea acuminata</i>)	E	\$7,141	\$59,085	\$66,226	\$0	\$66,226
	897	Haha (<i>Cyanea asarifolia</i>)	E	\$16,172	\$165	\$16,337	\$1,344	\$17,681
	1119	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>)	E	\$4,770	\$165	\$4,935	\$0	\$4,935
	717	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>)	E	\$29,431	\$4,558	\$33,989	\$0	\$33,989
	1099	Haha (<i>Cyanea dolichopoda</i>)	E	\$5,770	\$165	\$5,935	\$0	\$5,935
	877	Haha (<i>Cyanea dunbarii</i>)	E	\$17,333	\$165	\$17,498	\$1,344	\$18,842
	1119	Haha (<i>Cyanea eleeleensis</i>)	E	\$4,770	\$165	\$4,935	\$0	\$4,935
	688	Haha (<i>Cyanea glabra</i>)	E	\$32,931	\$4,558	\$37,489	\$0	\$37,489

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	650	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>)	E	\$43,704	\$311	\$44,015	\$1,344	\$45,359
	462	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>)	E	\$6,141	\$100,557	\$106,698	\$592	\$107,290
	655	Haha (<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>)	E	\$39,144	\$165	\$39,309	\$5,207	\$44,516
	615	Haha (<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>)	E	\$49,931	\$4,558	\$54,489	\$0	\$54,489
	1103	Haha (<i>Cyanea humboldtiana</i>)	E	\$5,641	\$165	\$5,806	\$0	\$5,806
	952	Haha (<i>Cyanea kolekoleensis</i>)	E	\$14,270	\$165	\$14,435	\$0	\$14,435
	554	Haha (<i>Cyanea koolauensis</i>)	E	\$11,141	\$59,085	\$70,226	\$0	\$70,226
	1066	Haha (<i>Cyanea kuhihewa</i>)	E	\$7,672	\$165	\$7,837	\$0	\$7,837
	827	Haha (<i>Cyanea lobata</i>)	E	\$21,333	\$165	\$21,498	\$1,344	\$22,842
	462	Haha (<i>Cyanea longiflora</i>)	E	\$6,141	\$100,557	\$106,698	\$592	\$107,290
	894	Haha (<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>)	E	\$16,833	\$165	\$16,998	\$752	\$17,750
	1088	Haha (<i>Cyanea mannii</i>)	E	\$6,431	\$165	\$6,596	\$0	\$6,596
	757	Haha (<i>Cyanea mceldowneyi</i>)	E	\$28,931	\$165	\$29,096	\$0	\$29,096
	935	Haha (<i>Cyanea pinnatifida</i>)	E	\$14,141	\$165	\$14,306	\$1,344	\$15,650
	886	Haha (<i>Cyanea platyphylla</i>)	E	\$12,742	\$165	\$12,907	\$5,207	\$18,114
	838	Haha (<i>Cyanea procera</i>)	E	\$21,333	\$165	\$21,498	\$752	\$22,250
	729	Haha (<i>Cyanea recta</i>)	T	\$32,377	\$165	\$32,542	\$0	\$32,542
	1105	Haha (<i>Cyanea remyi</i>)	E	\$4,770	\$165	\$4,935	\$752	\$5,687
	635	Haha (<i>Cyanea shipmanii</i>)	E	\$40,644	\$5,165	\$45,809	\$3,080	\$48,889
	734	Haha (<i>Cyanea stictophylla</i>)	E	\$25,644	\$4,165	\$29,809	\$2,328	\$32,137
	557	Haha (<i>Cyanea</i> st.- <i>johnii</i>)	E	\$9,543	\$59,085	\$68,628	\$752	\$69,380
	461	Haha (<i>Cyanea superba</i>)	E	\$7,141	\$100,557	\$107,698	\$0	\$107,698
	892	Haha (<i>Cyanea truncata</i>)	E	\$17,043	\$165	\$17,208	\$752	\$17,960
	916	Haha (<i>Cyanea undulata</i>)	E	\$15,672	\$165	\$15,837	\$752	\$16,589
	776	Haiwale (<i>Cyrtandra paliku</i>)	E	\$16,172	\$10,165	\$26,337	\$592	\$26,929
	1135	Ha`iwale (<i>Cyrtandra crenata</i>)	E	\$3,770	\$165	\$3,935	\$0	\$3,935
	460	Ha`iwale (<i>Cyrtandra dentata</i>)	E	\$6,641	\$100,557	\$107,198	\$592	\$107,790
	891	Ha`iwale (<i>Cyrtandra giffardii</i>)	E	\$13,242	\$4,165	\$17,407	\$592	\$17,999
	1006	Ha`iwale (<i>Cyrtandra limahuliensis</i>)	T	\$7,270	\$3,383	\$10,653	\$0	\$10,653
	943	Ha`iwale (<i>Cyrtandra munroi</i>)	E	\$14,931	\$165	\$15,096	\$0	\$15,096
	1072	Ha`iwale (<i>Cyrtandra oenobarba</i>)	E	\$7,500	\$165	\$7,665	\$0	\$7,665

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	892	Ha`iwale (<i>Cyrtandra polyantha</i>)	E	\$17,043	\$165	\$17,208	\$752	\$17,960
	578	Ha`iwale (<i>Cyrtandra subumbellata</i>)	E	\$6,141	\$59,085	\$65,226	\$0	\$65,226
	966	Ha`iwale (<i>Cyrtandra tintinnabula</i>)	E	\$12,742	\$165	\$12,907	\$592	\$13,499
	578	Ha`iwale (<i>Cyrtandra viridiflora</i>)	E	\$6,141	\$59,085	\$65,226	\$0	\$65,226
	485	Hala pepe (<i>Pleomele hawaiiensis</i>)	E	\$14,242	\$78,507	\$92,749	\$4,455	\$97,204
	714	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	\$13,000	\$750	\$13,750	\$21,000	\$34,750
	490	Harperella (<i>Prilimum nodosum</i>)	E	\$78,833	\$10,595	\$89,428	\$4,198	\$93,626
	989	Hau kuahiwi (<i>Hibiscadelphus giffardianus</i>)	E	\$6,872	\$4,665	\$11,537	\$0	\$11,537
	849	Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>)	E	\$11,842	\$5,165	\$17,007	\$4,455	\$21,462
	1048	Hau kuahiwi (<i>Hibiscadelphus woodii</i>)	E	\$8,672	\$165	\$8,837	\$0	\$8,837
	263	Heartleaf, dwarf-flowered (<i>Hexastylis naniflora</i>)	T	\$71,000	\$117,885	\$188,885	\$100,560	\$289,445
	1186	Heather, mountain golden (<i>Hudsonia montana</i>)	T	\$700	\$0	\$700	\$0	\$700
	654	Heau (<i>Exocarpos luteolus</i>)	E	\$44,377	\$165	\$44,542	\$0	\$44,542
	1119	Hedyotis, Na Pali beach (<i>Hedyotis st.-johnii</i>)	E	\$4,770	\$165	\$4,935	\$0	\$4,935
	1055	Hibiscus, Clay's (<i>Hibiscus clayi</i>)	E	\$7,672	\$165	\$7,837	\$592	\$8,429
	1044	Higuero de sierra (<i>Crescentia portoricensis</i>)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	1054	Ho`awa (<i>Pittosporum napaliense</i>)	E	\$8,270	\$165	\$8,435	\$0	\$8,435
	1127	Holei (<i>Ochrosia kilaueaensis</i>)	E	\$4,170	\$165	\$4,335	\$0	\$4,335
	1063	Holly, Cook's (<i>Ilex cookii</i>)	E	\$8,000	\$0	\$8,000	\$0	\$8,000
	301	Honohono (<i>Haplostachys haplostachya</i>)	E	\$7,492	\$231,654	\$239,146	\$592	\$239,738
	229	Howellia, water (<i>Howellia aquatilis</i>)	T	\$324,092	\$101,185	\$425,277	\$221	\$425,498
	948	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$7,000	\$750	\$7,750	\$7,000	\$14,750
	1161	Iagu, Hayun (=Guam), Tronkon guafi (Rota) (<i>Serianthes nelsonii</i>)	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	1096	Iliau, dwarf (<i>Wilkesia hobdyi</i>)	E	\$5,270	\$165	\$5,435	\$592	\$6,027
	409	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>)	E	\$20,500	\$118,565	\$139,065	\$0	\$139,065
	1063	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>)	E	\$5,000	\$3,000	\$8,000	\$0	\$8,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	480	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$53,700	\$42,636	\$96,336	\$2,200	\$98,536
	1160	Irisette, white (<i>Sisyrinchium dichotomum</i>)	E	\$100	\$1,000	\$1,100	\$1,496	\$2,596
	991	Ischaemum, Hilo (<i>Ischaemum byrone</i>)	E	\$8,431	\$3,093	\$11,524	\$0	\$11,524
	825	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	\$18,500	\$4,578	\$23,078	\$0	\$23,078
	984	Jacquemontia, beach (<i>Jacquemontia reclinata</i>)	E	\$0	\$1,550	\$1,550	\$10,500	\$12,050
	562	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$61,500	\$7,000	\$68,500	\$0	\$68,500
	909	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> ssp. <i>albidus</i>)	E	\$17,000	\$0	\$17,000	\$0	\$17,000
	1013	Jewelflower, Tiburon (<i>Streptanthus niger</i>)	E	\$10,500	\$0	\$10,500	\$0	\$10,500
	687	Joint-vetch, sensitive (<i>Aeschynomene virginica</i>)	T	\$30,349	\$7,380	\$37,729	\$70	\$37,799
	520	Kamakahala (<i>Labordia cyrtandrae</i>)	E	\$21,043	\$59,085	\$80,128	\$1,344	\$81,472
	1109	Kamakahala (<i>Labordia helleri</i>)	E	\$5,270	\$165	\$5,435	\$0	\$5,435
	797	Kamakahala (<i>Labordia lydgatei</i>)	E	\$20,672	\$3,383	\$24,055	\$1,344	\$25,399
	1060	Kamakahala (<i>Labordia pumila</i>)	E	\$8,000	\$165	\$8,165	\$0	\$8,165
	1081	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>)	E	\$6,931	\$165	\$7,096	\$0	\$7,096
	845	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>)	E	\$20,672	\$165	\$20,837	\$752	\$21,589
	870	Kamakahala (<i>Labordia triflora</i>)	E	\$19,333	\$165	\$19,498	\$0	\$19,498
	452	Kamanomano (<i>Cenchrus agrimonioides</i>)	E	\$8,802	\$100,557	\$109,359	\$752	\$110,111
	1055	Kauai hau kuahwi (<i>Hibiscadelphus distans</i>)	E	\$7,672	\$165	\$7,837	\$592	\$8,429
	588	Kauila (<i>Colubrina oppositifolia</i>)	E	\$19,774	\$40,165	\$59,939	\$3,081	\$63,020
	1064	Kaulu (<i>Pteralyxia kauaiensis</i>)	E	\$7,770	\$165	\$7,935	\$0	\$7,935
	305	Kio`ele (<i>Hedyotis coriacea</i>)	E	\$7,302	\$231,654	\$238,956	\$0	\$238,956
	854	Kiponapona (<i>Phyllostegia racemosa</i>)	E	\$12,742	\$5,165	\$17,907	\$3,080	\$20,987
	986	Kohe malama malama o kanaloa (<i>Kanaloa kahoowawensis</i>)	E	\$11,833	\$165	\$11,998	\$0	\$11,998
	518	Koki`o (<i>Kokia drynarioides</i>)	E	\$18,265	\$61,507	\$79,772	\$3,080	\$82,852
	1018	Koki`o (<i>Kokia kauaiensis</i>)	E	\$8,770	\$165	\$8,935	\$1,344	\$10,279
	1071	Koki`o, Cooke's (<i>Kokia cooki</i>)	E	\$6,931	\$165	\$7,096	\$592	\$7,688

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1043	Koki`o ke`oke`o (<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>)	E	\$6,431	\$2,665	\$9,096	\$0	\$9,096
	1050	Koki`o ke`oke`o (<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>)	E	\$4,770	\$3,383	\$8,153	\$592	\$8,745
	581	Kolea (<i>Myrsine juddii</i>)	E	\$5,641	\$59,085	\$64,726	\$0	\$64,726
	919	Kolea (<i>Myrsine knudsenii</i>)	E	\$15,672	\$165	\$15,837	\$592	\$16,429
	712	Kolea (<i>Myrsine linearifolia</i>)	T	\$31,377	\$3,383	\$34,760	\$0	\$34,760
	931	Kolea (<i>Myrsine mezii</i>)	E	\$15,672	\$165	\$15,837	\$0	\$15,837
	837	Ko`oko`olau (<i>Bidens micrantha</i> ssp. <i>kalealaha</i>)	E	\$14,931	\$6,022	\$20,953	\$1,344	\$22,297
	1088	Ko`oko`olau (<i>Bidens wiebkei</i>)	E	\$6,431	\$165	\$6,596	\$0	\$6,596
	616	Ko`oloa`ula (<i>Abutilon menziesii</i>)	E	\$18,492	\$33,507	\$51,999	\$2,328	\$54,327
	960	Kopa (<i>Hedyotis schlechtendahlana</i> var. <i>remyi</i>)	E	\$13,931	\$165	\$14,096	\$0	\$14,096
	1015	Kopiko (<i>Psychotria grandiflora</i>)	E	\$9,672	\$165	\$9,837	\$592	\$10,429
	964	Kopiko (<i>Psychotria hobdyi</i>)	E	\$12,770	\$165	\$12,935	\$592	\$13,527
	980	Kuahiwi laukahi (<i>Plantago hawaiiensis</i>)	E	\$9,894	\$165	\$10,059	\$2,328	\$12,387
	384	Kuahiwi laukahi (<i>Plantago princeps</i>)	E	\$33,704	\$122,520	\$156,224	\$1,504	\$157,728
	719	Kuawawaenohu (<i>Alsinidendron lychnoides</i>)	E	\$33,377	\$165	\$33,542	\$0	\$33,542
	760	Kula wahine noho (<i>Isodendron pyriformium</i>)	E	\$23,426	\$3,165	\$26,591	\$2,328	\$28,919
	446	Kulu`i (<i>Nototrichium humile</i>)	E	\$9,466	\$102,557	\$112,023	\$592	\$112,615
	981	Ladies'-tresses, Canelo Hills (<i>Spiranthes delitescens</i>)	E	\$4,095	\$7,150	\$11,245	\$1,000	\$12,245
	290	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>)	E	\$15,000	\$235,680	\$250,680	\$0	\$250,680
	215	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$149,130	\$305,740	\$454,870	\$1,908	\$456,778
	645	Larkspur, Baker's (<i>Delphinium bakeri</i>)	E	\$46,500	\$0	\$46,500	\$0	\$46,500
	432	Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. <i>kinkiense</i>)	E	\$3,500	\$118,565	\$122,065	\$0	\$122,065
	742	Larkspur, yellow (<i>Delphinium luteum</i>)	E	\$31,500	\$0	\$31,500	\$0	\$31,500
	873	Lau`ehu (<i>Panicum niuhauense</i>)	E	\$17,672	\$165	\$17,837	\$1,344	\$19,181
	1087	Laulihilihi (<i>Schiedea stellarioides</i>)	E	\$5,770	\$165	\$5,935	\$752	\$6,687
	378	Layia, beach (<i>Layia carnosa</i>)	E	\$26,000	\$134,240	\$160,240	\$0	\$160,240

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1075	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>)	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	522	Lupine, scrub (<i>Lupinus aridorum</i>)	E	\$64,000	\$750	\$64,750	\$16,000	\$80,750
	427	Mahoe (<i>Alectryon macrococcus</i>)	E	\$23,204	\$100,557	\$123,761	\$752	\$124,513
	961	Makou (<i>Peucedanum sandwicense</i>)	T	\$13,802	\$165	\$13,967	\$0	\$13,967
	1179	Malacothrix, island (<i>Malacothrix squalida</i>)	E	\$900	\$0	\$900	\$0	\$900
	1147	Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>)	E	\$900	\$2,425	\$3,325	\$0	\$3,325
	649	Mallow, Kern (<i>Eremalche kernensis</i>)	E	\$26,500	\$19,130	\$45,630	\$0	\$45,630
	1062	Mallow, Peter's Mountain (<i>Iliamna corei</i>)	E	\$8,030	\$0	\$8,030	\$0	\$8,030
	682	Manaca, palma de (<i>Calyptronoma rivalis</i>)	T	\$39,500	\$0	\$39,500	\$0	\$39,500
	803	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$18,000	\$7,000	\$25,000	\$0	\$25,000
	609	Manzanita, Del Mar (<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>)	E	\$6,000	\$49,918	\$55,918	\$0	\$55,918
	1013	Manzanita, Ione (<i>Arctostaphylos myrtifolia</i>)	T	\$10,500	\$0	\$10,500	\$0	\$10,500
	807	Manzanita, Morro (<i>Arctostaphylos morroensis</i>)	T	\$22,000	\$2,500	\$24,500	\$0	\$24,500
	755	Manzanita, pallid (<i>Arctostaphylos pallida</i>)	T	\$29,500	\$0	\$29,500	\$0	\$29,500
	1085	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>)	E	\$0	\$6,851	\$6,851	\$0	\$6,851
	368	Ma`o hau hele, (=native yellow hibiscus) (<i>Hibiscus brackenridgei</i>)	E	\$33,176	\$128,899	\$162,075	\$5,207	\$167,282
	1119	Ma`oli`oli (<i>Schiedea apokremnos</i>)	E	\$4,770	\$165	\$4,935	\$0	\$4,935
	415	Ma`oli`oli (<i>Schiedea kealiae</i>)	E	\$5,641	\$127,557	\$133,198	\$0	\$133,198
	740	Mapele (<i>Cyrtandra cyaneoides</i>)	E	\$31,377	\$165	\$31,542	\$0	\$31,542
	742	Mariposa lily, Tiburon (<i>Calochortus tiburonensis</i>)	T	\$31,500	\$0	\$31,500	\$0	\$31,500
	611	Meadowfoam, Butte County (<i>Limnanthes floccosa</i> ssp. <i>californica</i>)	E	\$55,000	\$0	\$55,000	\$0	\$55,000
	532	Meadowfoam, large-flowered woolly (<i>Limnanthes floccosa</i> ssp. <i>grandiflora</i>)	E	\$69,773	\$6,900	\$76,673	\$0	\$76,673
	656	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>)	E	\$44,500	\$0	\$44,500	\$0	\$44,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	917	Meadowrue, Cooley's (<i>Thalictrum cooleyi</i>)	E	\$5,000	\$6,750	\$11,750	\$4,810	\$16,560
	420	Mehamehame (<i>Flueggea neowawraea</i>)	E	\$21,774	\$103,775	\$125,549	\$3,080	\$128,629
	1187	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$600	\$0	\$600	\$0	\$600
	1077	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$4,000	\$3,353	\$7,353	\$0	\$7,353
	987	Milkpea, Small's (<i>Galactia smallii</i>)	E	\$10,500	\$450	\$10,950	\$1,000	\$11,950
	610	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	E	\$46,000	\$9,350	\$55,350	\$0	\$55,350
	698	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$32,000	\$4,578	\$36,578	\$0	\$36,578
	985	Milk-vetch, Branton's (<i>Astragalus brantonii</i>)	E	\$12,000	\$0	\$12,000	\$0	\$12,000
	1166	Milk-vetch, Clara Hunt's (<i>Astragalus clarianus</i>)	E	\$1,900	\$0	\$1,900	\$0	\$1,900
	738	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. <i>coachellae</i>)	E	\$24,000	\$7,700	\$31,700	\$0	\$31,700
	1084	Milk-vetch, coastal dunes (<i>Astragalus tener</i> var. <i>titi</i>)	E	\$3,000	\$3,900	\$6,900	\$0	\$6,900
	742	Milk-vetch, Cushenbury (<i>Astragalus albens</i>)	E	\$2,500	\$29,000	\$31,500	\$0	\$31,500
	1075	Milk-vetch, Deseret (<i>Astragalus desereticus</i>)	T	\$6,000	\$1,500	\$7,500	\$0	\$7,500
	1161	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>)	T	\$0	\$2,500	\$2,500	\$0	\$2,500
	1151	Milk-vetch, heliotrope (<i>Astragalus montii</i>)	T	\$3,000	\$0	\$3,000	\$0	\$3,000
	114	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>)	E	\$9,245	\$1,546,830	\$1,556,075	\$1,000	\$1,557,075
	678	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>)	E	\$37,845	\$0	\$37,845	\$2,300	\$40,145
	723	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>)	E	\$28,000	\$5,000	\$33,000	\$0	\$33,000
	820	Milk-vetch, Mancos (<i>Astragalus humillimus</i>)	E	\$10,805	\$12,560	\$23,365	\$0	\$23,365
	823	Milk-vetch, Osterhout (<i>Astragalus osterhoutii</i>)	E	\$3,305	\$19,860	\$23,165	\$0	\$23,165
	866	Milk-vetch, Peirson's (<i>Astragalus magdalenae</i> var. <i>peirsonii</i>)	T	\$2,000	\$16,700	\$18,700	\$1,000	\$19,700

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1050	Milk-vetch, Sentry (<i>Astragalus crennophylax</i> var. <i>crennophylax</i>)	E	\$7,745	\$0	\$7,745	\$1,000	\$8,745
	1025	Milk-vetch, Shivwits (<i>Astragalus ampullarioides</i>)	E	\$10,000	\$0	\$10,000	\$0	\$10,000
	965	Milk-vetch, triple-ribbed (<i>Astragalus tricarinatus</i>)	E	\$3,500	\$10,000	\$13,500	\$0	\$13,500
	941	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>)	E	\$15,000	\$309	\$15,309	\$0	\$15,309
	433	Milkweed, Mead's (<i>Asclepias meadii</i>)	T	\$46,994	\$42,617	\$89,611	\$30,500	\$120,111
	673	Milkweed, Welsh's (<i>Asclepias welshii</i>)	T	\$1,245	\$38,250	\$39,495	\$1,500	\$40,995
	852	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$13,000	\$250	\$13,250	\$8,000	\$21,250
	755	Mint, Lakela's (<i>Dicerandra immaculata</i>)	E	\$18,500	\$3,000	\$21,500	\$8,000	\$29,500
	1101	Mint, longspurred (<i>Dicerandra cornutissima</i>)	E	\$3,000	\$1,250	\$4,250	\$1,600	\$5,850
	818	Mint, scrub (<i>Dicerandra frutescens</i>)	E	\$3,500	\$15,050	\$18,550	\$5,000	\$23,550
	205	Monardella, willowy (<i>Monardella viminea</i>)	E	\$332,000	\$155,334	\$487,334	\$0	\$487,334
	507	monkey-flower, Michigan (<i>Mimulus michiganensis</i>)	E	\$82,300	\$2,164	\$84,464	\$2,000	\$86,464
	708	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$19,500	\$15,074	\$34,574	\$500	\$35,074
	668	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>)	E	\$41,000	\$1,000	\$42,000	\$0	\$42,000
	1177	Mountain balm, Indian Knob (<i>Eriodictyon altissimum</i>)	E	\$900	\$200	\$1,100	\$0	\$1,100
	1011	Mustard, Carter's (<i>Warea carteri</i>)	E	\$7,000	\$1,950	\$8,950	\$1,600	\$10,550
	585	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>)	T	\$15,698	\$48,280	\$63,978	\$0	\$63,978
	697	Mustard, slender-petaled (<i>Thelypodium stenopetalum</i>)	E	\$16,500	\$20,241	\$36,741	\$0	\$36,741
	903	Naenae (<i>Dubautia kalalauensis</i>)	E	\$16,672	\$165	\$16,837	\$592	\$17,429
	1138	Naenae (<i>Dubautia kenwoodii</i>)	E	\$3,500	\$165	\$3,665	\$0	\$3,665
	464	Na`ena`e (<i>Dubautia herbstobatae</i>)	E	\$6,641	\$100,557	\$107,198	\$0	\$107,198
	1046	Na`ena`e (<i>Dubautia imbricata imbricata</i>)	E	\$8,770	\$165	\$8,935	\$0	\$8,935
	1094	Na`ena`e (<i>Dubautia latifolia</i>)	E	\$5,270	\$165	\$5,435	\$752	\$6,187

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	824	Na`ena`e (<i>Dubautia pauciflora</i>)	E	\$22,172	\$165	\$22,337	\$752	\$23,089
	1156	Na`ena`e (<i>Dubautia plantaginea magnifolia</i>)	E	\$2,500	\$165	\$2,665	\$0	\$2,665
	1032	Na`ena`e (<i>Dubautia plantaginea ssp. humilis</i>)	E	\$8,833	\$165	\$8,998	\$752	\$9,750
	979	Na`ena`e (<i>Dubautia waialealae</i>)	E	\$12,270	\$165	\$12,435	\$0	\$12,435
	821	Nani wai`ale`ale (<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>)	E	\$21,672	\$165	\$21,837	\$1,344	\$23,181
	545	Nanu (<i>Gardenia mannii</i>)	E	\$11,641	\$59,085	\$70,726	\$1,344	\$72,070
	1012	Naupaka, dwarf (<i>Scaevola coriacea</i>)	E	\$4,770	\$5,165	\$9,935	\$592	\$10,527
	203	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$14,000	\$477,803	\$491,803	\$0	\$491,803
	1109	Nehe (<i>Lipochaeta fauriei</i>)	E	\$5,270	\$165	\$5,435	\$0	\$5,435
	1136	Nehe (<i>Lipochaeta kamolensis</i>)	E	\$3,661	\$165	\$3,826	\$0	\$3,826
	1103	Nehe (<i>Lipochaeta lobata</i> var. <i>leptophylla</i>)	E	\$5,641	\$165	\$5,806	\$0	\$5,806
	1064	Nehe (<i>Lipochaeta micrantha</i>)	E	\$7,770	\$165	\$7,935	\$0	\$7,935
	465	Nehe (<i>Lipochaeta tenuifolia</i>)	E	\$5,641	\$100,557	\$106,198	\$0	\$106,198
	1083	Nehe (<i>Lipochaeta waimaeensis</i>)	E	\$6,770	\$165	\$6,935	\$0	\$6,935
	564	Nioi (<i>Eugenia koolauensis</i>)	E	\$8,302	\$59,085	\$67,387	\$592	\$67,979
	603	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$8,500	\$49,578	\$58,078	\$0	\$58,078
	888	<i>Abutilon eremitopetalum</i>	E	\$17,333	\$0	\$17,333	\$752	\$18,085
	547	<i>Abutilon sandwicense</i>	E	\$10,641	\$61,085	\$71,726	\$0	\$71,726
	812	<i>Achyranthes mutica</i>	E	\$18,742	\$165	\$18,907	\$5,207	\$24,114
	457	<i>Alsindendron obovatum</i>	E	\$8,641	\$100,557	\$109,198	\$0	\$109,198
	566	<i>Alsindendron trinerve</i>	E	\$8,641	\$59,085	\$67,726	\$0	\$67,726
	973	<i>Alsindendron viscosum</i>	E	\$12,500	\$165	\$12,665	\$0	\$12,665
	1054	<i>Amaranthus brownii</i>	E	\$8,270	\$165	\$8,435	\$0	\$8,435
	1037	<i>Aristida chaseae</i>	E	\$9,500	\$0	\$9,500	\$0	\$9,500
	1013	<i>Auerodendron pauciflorum</i>	E	\$10,500	\$0	\$10,500	\$0	\$10,500
	796	<i>Bonamia menziesii</i>	E	\$14,024	\$8,383	\$22,407	\$3,080	\$25,487
	993	<i>Calyptranthes thomasiana</i>	E	\$11,500	\$0	\$11,500	\$0	\$11,500
	890	<i>Catesbaea melanocarpa</i>	E	\$18,000	\$0	\$18,000	\$0	\$18,000
	1037	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i>	E	\$9,500	\$0	\$9,500	\$0	\$9,500
	1109	<i>Chamaesyce halemanui</i>	E	\$5,270	\$165	\$5,435	\$0	\$5,435
	1052	<i>Cordia bellonis</i>	E	\$8,500	\$0	\$8,500	\$0	\$8,500
	1090	<i>Cranichis ricartii</i>	E	\$6,500	\$0	\$6,500	\$0	\$6,500
	574	<i>Cyanea</i> (= <i>Rollandia</i>) <i>crispa</i>	E	\$7,141	\$58,920	\$66,061	\$0	\$66,061

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1044	<i>Daphnopsis hellerana</i>	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	938	<i>Delissea rhytidosperra</i>	E	\$14,770	\$165	\$14,935	\$592	\$15,527
	853	<i>Delissea undulata</i>	E	\$15,394	\$3,383	\$18,777	\$2,328	\$21,105
	1013	<i>Eugenia woodburyana</i>	E	\$10,500	\$0	\$10,500	\$0	\$10,500
	1109	<i>Gahnia lanaiensis</i>	E	\$5,270	\$165	\$5,435	\$0	\$5,435
	809	<i>Geocarpon minimum</i>	T	\$19,300	\$4,400	\$23,700	\$600	\$24,300
	1090	<i>Gesneria pauciflora</i>	T	\$6,500	\$0	\$6,500	\$0	\$6,500
	1088	<i>Gouania hillebrandii</i>	E	\$6,431	\$165	\$6,596	\$0	\$6,596
	862	<i>Gouania meyenii</i>	E	\$18,543	\$165	\$18,708	\$1,344	\$20,052
	430	<i>Gouania vitifolia</i>	E	\$20,176	\$100,557	\$120,733	\$2,328	\$123,061
	461	<i>Hedyotis degeneri</i>	E	\$7,141	\$100,557	\$107,698	\$0	\$107,698
	462	<i>Hedyotis parvula</i>	E	\$6,141	\$100,557	\$106,698	\$592	\$107,290
	521	<i>Hesperomannia arborescens</i>	E	\$21,802	\$59,085	\$80,887	\$0	\$80,887
	447	<i>Hesperomannia arbuscula</i>	E	\$11,204	\$100,557	\$111,761	\$752	\$112,513
	1046	<i>Hesperomannia lydgatei</i>	E	\$8,770	\$165	\$8,935	\$0	\$8,935
	1082	<i>Ilex sintenisii</i>	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	1019	<i>Keysseria (=Lagenifera) erici</i>	E	\$10,270	\$0	\$10,270	\$0	\$10,270
	1019	<i>Keysseria (=Lagenifera) helenae</i>	E	\$10,270	\$0	\$10,270	\$0	\$10,270
	1082	<i>Lepanthes eltoroensis</i>	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	1009	<i>Leptocereus grantianus</i>	E	\$9,500	\$1,090	\$10,590	\$0	\$10,590
	299	<i>Lipochaeta venosa</i>	E	\$8,492	\$231,654	\$240,146	\$0	\$240,146
	578	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i>	E	\$6,141	\$59,085	\$65,226	\$0	\$65,226
	881	<i>Lobelia monostachya</i>	E	\$17,043	\$165	\$17,208	\$1,344	\$18,552
	1068	<i>Lobelia niuhauensis</i>	E	\$7,641	\$165	\$7,806	\$0	\$7,806
	465	<i>Lobelia oahuensis</i>	E	\$5,641	\$100,557	\$106,198	\$0	\$106,198
	1044	<i>Lyonia truncata</i> var. <i>proctorii</i>	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	1065	<i>Lysimachia filifolia</i>	E	\$7,141	\$165	\$7,306	\$592	\$7,898
	922	<i>Lysimachia iniki</i>	E	\$16,172	\$165	\$16,337	\$0	\$16,337
	1008	<i>Lysimachia lydgatei</i>	E	\$10,431	\$165	\$10,596	\$0	\$10,596
	1017	<i>Lysimachia maxima</i>	E	\$8,833	\$165	\$8,998	\$1,344	\$10,342
	903	<i>Lysimachia pendens</i>	E	\$16,672	\$165	\$16,837	\$592	\$17,429
	1066	<i>Lysimachia scopulensis</i>	E	\$7,672	\$165	\$7,837	\$0	\$7,837
	1099	<i>Lysimachia venosa</i>	E	\$5,770	\$165	\$5,935	\$0	\$5,935
	1074	<i>Mariscus fauriei</i>	E	\$7,431	\$165	\$7,596	\$0	\$7,596
	1036	<i>Mariscus pennatiformis</i>	E	\$9,431	\$165	\$9,596	\$0	\$9,596
	1025	<i>Mitracarpus maxwelliae</i>	E	\$10,000	\$0	\$10,000	\$0	\$10,000
	1025	<i>Mitracarpus polycladus</i>	E	\$10,000	\$0	\$10,000	\$0	\$10,000
	907	<i>Munroidendron racemosum</i>	E	\$13,770	\$3,383	\$17,153	\$0	\$17,153
	1034	<i>Myrcia paganii</i>	E	\$9,500	\$165	\$9,665	\$0	\$9,665
	457	<i>Neraudia angulata</i>	E	\$8,641	\$100,557	\$109,198	\$0	\$109,198
	287	<i>Neraudia ovata</i>	E	\$20,644	\$232,654	\$253,298	\$2,328	\$255,626
	927	<i>Neraudia sericea</i>	E	\$15,333	\$165	\$15,498	\$592	\$16,090
	1165	<i>Nesogenes rotensis</i>	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	1165	<i>Osmoxylon mariannense</i>	E	\$2,000	\$0	\$2,000	\$0	\$2,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	309	<i>Tetramolopium arenarium</i>	E	\$5,270	\$231,654	\$236,924	\$0	\$236,924
	461	<i>Tetramolopium filiforme</i>	E	\$7,141	\$100,557	\$107,698	\$0	\$107,698
	861	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>	E	\$19,204	\$165	\$19,369	\$752	\$20,121
	885	<i>Tetramolopium remyi</i>	E	\$17,333	\$165	\$17,498	\$752	\$18,250
	963	<i>Tetramolopium rockii</i>	T	\$6,931	\$6,929	\$13,860	\$0	\$13,860
	1039	<i>Tetraplasandra bisattenuata</i>	E	\$8,500	\$165	\$8,665	\$592	\$9,257
	821	<i>Tetraplasandra flynnii</i>	E	\$21,672	\$165	\$21,837	\$1,344	\$23,181
	1103	<i>Trematolobelia singularis</i>	E	\$5,641	\$165	\$5,806	\$0	\$5,806
	1001	<i>Vernonia proctorii</i>	E	\$11,000	\$0	\$11,000	\$0	\$11,000
	271	<i>Vigna o-wahuensis</i>	E	\$10,024	\$263,031	\$273,055	\$592	\$273,647
	840	<i>Viola helenae</i>	E	\$20,672	\$165	\$20,837	\$1,344	\$22,181
	860	<i>Viola lanaiensis</i>	E	\$19,333	\$165	\$19,498	\$752	\$20,250
	576	<i>Viola oahuensis</i>	E	\$6,641	\$59,085	\$65,726	\$0	\$65,726
	899	<i>Xylosma crenatum</i>	E	\$16,672	\$165	\$16,837	\$752	\$17,589
	1021	Nohoanu (<i>Geranium kauaiense</i>)	E	\$10,000	\$165	\$10,165	\$0	\$10,165
	660	Nohoanu (<i>Geranium multiflorum</i>)	E	\$31,431	\$11,879	\$43,310	\$592	\$43,902
	1188	Oak, Hinckley (<i>Quercus hinckleyi</i>)	T	\$500	\$0	\$500	\$0	\$500
	710	Oha (<i>Delissea rivularis</i>)	E	\$34,877	\$165	\$35,042	\$0	\$35,042
	448	Oha (<i>Delissea subcordata</i>)	E	\$11,543	\$100,557	\$112,100	\$0	\$112,100
	756	Ohai (<i>Sesbania tomentosa</i>)	E	\$17,552	\$10,232	\$27,784	\$1,344	\$29,128
	1005	`Oha wai (<i>Clermontia drepanomorpha</i>)	E	\$10,520	\$165	\$10,685	\$0	\$10,685
	644	`Oha wai (<i>Clermontia lindseyana</i>)	E	\$36,403	\$5,311	\$41,714	\$5,207	\$46,921
	968	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>)	E	\$11,833	\$165	\$11,998	\$1,344	\$13,342
	746	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>)	E	\$30,431	\$311	\$30,742	\$0	\$30,742
	425	`Oha wai (<i>Clermontia peleana</i>)	E	\$60,805	\$61,311	\$122,116	\$3,081	\$125,197
	704	`Oha wai (<i>Clermontia pyrularia</i>)	E	\$27,644	\$5,165	\$32,809	\$3,081	\$35,890
	884	`Oha wai (<i>Clermontia samuelii</i>)	E	\$6,431	\$11,879	\$18,310	\$0	\$18,310
	578	`Ohe`ohe (<i>Tetraplasandra gymnocarpa</i>)	E	\$6,141	\$59,085	\$65,226	\$0	\$65,226
	1056	Olulu (<i>Brighamia insignis</i>)	E	\$8,172	\$165	\$8,337	\$0	\$8,337
	438	Onion, Munz's (<i>Allium munzii</i>)	E	\$110,500	\$5,000	\$115,500	\$0	\$115,500
	530	Opuhe (<i>Urera kaalae</i>)	E	\$16,543	\$59,085	\$75,628	\$1,344	\$76,972
	362	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$143,901	\$28,247	\$172,148	\$5,600	\$177,748

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	247	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	\$251,062	\$69,697	\$320,759	\$25,300	\$346,059
	659	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$36,000	\$7,936	\$43,936	\$0	\$43,936
	377	Orcutt grass, hairy (<i>Orcuttia pilosa</i>)	E	\$5,500	\$155,600	\$161,100	\$0	\$161,100
	772	Orcutt grass, Sacramento (<i>Orcuttia viscida</i>)	E	\$26,000	\$1,360	\$27,360	\$0	\$27,360
	351	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>)	T	\$33,000	\$157,900	\$190,900	\$0	\$190,900
	472	Orcutt grass, slender (<i>Orcuttia tenuis</i>)	T	\$52,500	\$50,555	\$103,055	\$0	\$103,055
	300	Owl's-clover, fleshy (<i>Castilleja campetris ssp. succulenta</i>)	T	\$73,000	\$167,100	\$240,100	\$0	\$240,100
	792	Oxytheca, cushenbury (<i>Oxytheca parishii</i> var. <i>goodmaniana</i>)	E	\$1,700	\$24,000	\$25,700	\$0	\$25,700
	841	Pa'iniu (<i>Astelia waialealae</i>)	E	\$21,402	\$165	\$21,567	\$592	\$22,159
	752	Paintbrush, ash-grey (<i>Castilleja cinerea</i>)	T	\$600	\$29,241	\$29,841	\$0	\$29,841
	182	Paintbrush, golden (<i>Castilleja levisecta</i>)	T	\$613,200	\$47,554	\$660,754	\$0	\$660,754
	856	Paintbrush, soft-leaved (<i>Castilleja mollis</i>)	E	\$9,500	\$11,277	\$20,777	\$0	\$20,777
	783	Paintbrush, Tiburon (<i>Castilleja affinis ssp. neglecta</i>)	E	\$26,500	\$0	\$26,500	\$0	\$26,500
	1075	Palo de jazmin (<i>Styrax portoricensis</i>)	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	1044	Palo de nigua (<i>Cornutia obovata</i>)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	1044	Palo de ramon (<i>Banara vanderbiltii</i>)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	864	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>)	E	\$20,000	\$0	\$20,000	\$0	\$20,000
	1074	Pamakani (<i>Tetramolopium capillare</i>)	E	\$7,431	\$165	\$7,596	\$0	\$7,596
	464	Pamakani (<i>Viola chamissoniana ssp. chamissoniana</i>)	E	\$6,641	\$100,557	\$107,198	\$0	\$107,198
	1086	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>)	E	\$3,870	\$2,165	\$6,035	\$752	\$6,787
	1109	Papala (<i>Charpentiera densiflora</i>)	E	\$5,270	\$165	\$5,435	\$0	\$5,435
	1148	Pawpaw, beautiful (<i>Deeringothammus pulchellus</i>)	E	\$2,500	\$500	\$3,000	\$200	\$3,200
	887	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	\$2,000	\$14,100	\$16,100	\$2,000	\$18,100
	1169	Pawpaw, Rugel's (<i>Deeringothammus rugelii</i>)	E	\$1,000	\$250	\$1,250	\$500	\$1,750
	1044	Pelos del diablo (<i>Aristida portoricensis</i>)	E	\$9,000	\$0	\$9,000	\$0	\$9,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	643	Pennyroyal, Todsen's (<i>Hedeoma todsenii</i>)	E	\$8,000	\$39,000	\$47,000	\$0	\$47,000
	523	Penstemon, blowout (<i>Penstemon haydenii</i>)	E	\$42,551	\$37,195	\$79,746	\$700	\$80,446
	529	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>)	E	\$77,500	\$0	\$77,500	\$0	\$77,500
	1196	Pentachaeta, white-rayed (<i>Pentachaeta bellidiflora</i>)	E	\$0	\$100	\$100	\$0	\$100
	975	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>)	E	\$11,500	\$1,090	\$12,590	\$0	\$12,590
	139	Peppergrass, Slickspot (<i>Lepidium papilliferum</i>)	T	\$538,572	\$491,698	\$1,030,270	\$15,217	\$1,045,487
	627	Phacelia, clay (<i>Phacelia argillacea</i>)	E	\$5,000	\$46,000	\$51,000	\$0	\$51,000
	414	Phacelia, DeBeque (<i>Phacelia submutica</i>)	T	\$74,086	\$60,280	\$134,366	\$0	\$134,366
	1078	Phacelia, island (<i>Phacelia insularis ssp. insularis</i>)	E	\$0	\$7,277	\$7,277	\$0	\$7,277
	822	Phacelia, North Park (<i>Phacelia formosula</i>)	E	\$8,898	\$14,280	\$23,178	\$0	\$23,178
	269	Phlox, Texas trailing (<i>Phlox nivalis ssp. texensis</i>)	E	\$8,000	\$270,015	\$278,015	\$0	\$278,015
	531	Phlox, Yreka (<i>Phlox hirsuta</i>)	E	\$76,500	\$300	\$76,800	\$0	\$76,800
	725	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$9,000	\$19,900	\$28,900	\$4,000	\$32,900
	936	Pilo (<i>Hedyotis mannii</i>)	E	\$15,431	\$165	\$15,596	\$0	\$15,596
	1038	Pilo kea lau li'i (<i>Platydesma rostrata</i>)	E	\$9,270	\$165	\$9,435	\$0	\$9,435
	780	Pinkroot, gentian (<i>Spigelia gentianoides</i>)	E	\$16,500	\$9,173	\$25,673	\$1,000	\$26,673
	285	Pink, swamp (<i>Helonias bullata</i>)	T	\$81,130	\$167,293	\$248,423	\$7,762	\$256,185
	511	Piperia, Yadon's (<i>Piperia yadonii</i>)	E	\$65,500	\$19,800	\$85,300	\$0	\$85,300
	1063	Pitaya, Davis' green (<i>Echinocereus viridiflorus</i> var. <i>davisii</i>)	E	\$8,000	\$0	\$8,000	\$0	\$8,000
	889	Pitcher-plant, Alabama canebrake (<i>Sarracenia rubra alabamensis</i>)	E	\$18,000	\$48	\$18,048	\$0	\$18,048
	859	Pitcher-plant, green (<i>Sarracenia oreophila</i>)	E	\$8,000	\$10,761	\$18,761	\$1,500	\$20,261
	728	Pitcher-plant, mountain sweet (<i>Sarracenia rubra ssp. jonesii</i>)	E	\$27,500	\$2,190	\$29,690	\$2,979	\$32,669
	743	Plum, scrub (<i>Prunus geniculata</i>)	E	\$7,000	\$16,050	\$23,050	\$8,000	\$31,050
	281	Po'è (<i>Portulaca sclerocarpa</i>)	E	\$19,833	\$238,654	\$258,487	\$1,344	\$259,831

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	318	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$64,352	\$145,689	\$210,041	\$18,262	\$228,303
	429	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	\$23,000	\$82,750	\$105,750	\$17,500	\$123,250
	1154	Polygala, tiny (<i>Polygala smallii</i>)	E	\$1,000	\$1,550	\$2,550	\$200	\$2,750
	1044	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	252	Pondberry (<i>Lindera melissifolia</i>)	E	\$40,800	\$280,830	\$321,630	\$18,115	\$339,745
	1151	Pondweed, Little Aguja (=Creek) (<i>Potamogeton clystocarpus</i>)	E	\$3,000	\$0	\$3,000	\$0	\$3,000
	496	Popcornflower, rough (<i>Plagiobothrys hirtus</i>)	E	\$66,000	\$24,850	\$90,850	\$0	\$90,850
	302	Popolo ku mai (<i>Solanum incompletum</i>)	E	\$7,431	\$231,654	\$239,085	\$592	\$239,677
	1187	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>)	E	\$500	\$100	\$600	\$0	\$600
	456	Poppy, Sacramento prickly (<i>Argemone pleiakantha</i> ssp. <i>pinnatisecta</i>)	E	\$25,670	\$84,000	\$109,670	\$0	\$109,670
	646	Potato-bean, Price's (<i>Apios priceana</i>)	T	\$34,800	\$11,325	\$46,125	\$0	\$46,125
	1075	Potentilla, Hickman's (<i>Potentilla hickmanii</i>)	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	437	Prairie-clover, leafy (<i>Dalea foliosa</i>)	E	\$70,800	\$46,316	\$117,116	\$0	\$117,116
	1152	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	\$1,000	\$250	\$1,250	\$1,700	\$2,950
	970	Prickly-ash, St. Thomas (<i>Zanthoxylum thomsonianum</i>)	E	\$13,000	\$0	\$13,000	\$0	\$13,000
	735	Primrose, Maguire (<i>Primula maguirei</i>)	T	\$22,000	\$10,000	\$32,000	\$0	\$32,000
	860	Pua`ala (<i>Brighamia rockii</i>)	E	\$16,833	\$2,665	\$19,498	\$752	\$20,250
	502	Pussypaws, Mari- posa (<i>Calyptidium pulchellum</i>)	T	\$86,500	\$2,000	\$88,500	\$0	\$88,500
	694	Pu`uka`a (<i>Cyperus trachysanthos</i>)	E	\$9,802	\$27,165	\$36,967	\$0	\$36,967
	944	Rattleweed, hairy (<i>Baptisia arachnifera</i>)	E	\$3,500	\$0	\$3,500	\$11,500	\$15,000
	711	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>)	E	\$35,000	\$0	\$35,000	\$0	\$35,000
	723	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>)	T	\$24,000	\$9,000	\$33,000	\$0	\$33,000
	799	Reed-mustard, shrubby (<i>Schoenocrambe suffrutescens</i>)	E	\$25,000	\$300	\$25,300	\$0	\$25,300

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1022	Remya, Maui (<i>Remya mauensis</i>)	E	\$9,931	\$165	\$10,096	\$0	\$10,096
	225	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>)	E	\$419,500	\$14,500	\$434,000	\$4,500	\$438,500
	844	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>)	E	\$22,000	\$0	\$22,000	\$0	\$22,000
	733	Rock-cress, Braun's (<i>Arabis perstellata</i>)	E	\$28,000	\$4,311	\$32,311	\$0	\$32,311
	829	Rock-cress, Hoffmann's (<i>Arabis hoffmannii</i>)	E	\$15,500	\$7,277	\$22,777	\$0	\$22,777
	459	Rock-cress, McDonald's (<i>Arabis macdonaldiana</i>)	E	\$40,306	\$68,000	\$108,306	\$0	\$108,306
	398	Rockcress, Santa Cruz Island (<i>Sibara filifolia</i>)	E	\$28,000	\$118,565	\$146,565	\$0	\$146,565
	506	Rock cress, shale barren (<i>Arabis serotina</i>)	E	\$66,299	\$19,700	\$85,999	\$550	\$86,549
	750	Rosemary, Apalachicola (<i>Conradina glabra</i>)	E	\$16,500	\$7,700	\$24,200	\$6,000	\$30,200
	380	Rosemary, Cumberland (<i>Conradina verticillata</i>)	T	\$153,500	\$5,761	\$159,261	\$0	\$159,261
	1057	Rosemary, Etonia (<i>Conradina etonia</i>)	E	\$5,000	\$250	\$5,250	\$3,000	\$8,250
	727	Rosemary, short-leaved (<i>Conradina brevifolia</i>)	E	\$22,000	\$750	\$22,750	\$10,000	\$32,750
	1114	Roseroot, Leedy's (<i>Rhodiola integrifolia</i> ssp. <i>leedyi</i>)	T	\$4,200	\$887	\$5,087	\$0	\$5,087
	810	Rush-pea, slender (<i>Hoffmannseggia tenella</i>)	E	\$16,500	\$7,791	\$24,291	\$0	\$24,291
	805	Rush-rose, island (<i>Helianthemum greenei</i>)	T	\$19,500	\$5,251	\$24,751	\$0	\$24,751
	1036	Sandalwood, Lanai (= 'iliahi) (<i>Santalum freycinetianum</i> var. <i>lanaiense</i>)	E	\$9,431	\$165	\$9,596	\$0	\$9,596
	739	Sandlace (<i>Polygonella myriophylla</i>)	E	\$12,500	\$16,050	\$28,550	\$3,000	\$31,550
	1080	Sand-verbena, large-fruited (<i>Abronia macrocarpa</i>)	E	\$6,600	\$580	\$7,180	\$0	\$7,180
	745	Sandwort, Bear Valley (<i>Arenaria ursina</i>)	T	\$600	\$30,241	\$30,841	\$0	\$30,841
	932	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>)	E	\$9,000	\$6,761	\$15,761	\$0	\$15,761
	505	Sandwort, Marsh (<i>Arenaria paludicola</i>)	E	\$68,500	\$18,895	\$87,395	\$0	\$87,395
	832	Schiedea, Diamond Head (<i>Schiedea adamantis</i>)	E	\$21,172	\$165	\$21,337	\$1,344	\$22,681
	631	Seablite, California (<i>Suaeda californica</i>)	E	\$46,000	\$3,900	\$49,900	\$0	\$49,900

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	156	Seagrass, Johnson's (<i>Halophila johnsonii</i>)	T	\$100	\$872,496	\$872,596	\$4,000	\$876,596
	923	Sedge, golden (<i>Carex lutea</i>)	E	\$9,000	\$6,500	\$15,500	\$780	\$16,280
	1116	Sedge, Navajo (<i>Carex specuicola</i>)	T	\$2,945	\$1,021	\$3,966	\$1,000	\$4,966
	1134	Sedge, white (<i>Carex albida</i>)	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	657	Silversword, Mauna Loa (=Ka'u) (<i>Argyroxiphium kauense</i>)	E	\$9,492	\$32,635	\$42,127	\$2,328	\$44,455
	732	Skullcap, Florida (<i>Scutellaria floridana</i>)	T	\$16,500	\$15,095	\$31,595	\$800	\$32,395
	640	Skullcap, large-flowered (<i>Scutellaria montana</i>)	T	\$26,000	\$20,500	\$46,500	\$1,500	\$48,000
	584	Skyrocket, Pagosa (<i>Ipomopsis polyantha</i>)	E	\$63,720	\$280	\$64,000	\$0	\$64,000
	679	Snakeroot (<i>Eryngium cuneifolium</i>)	E	\$20,000	\$14,550	\$34,550	\$5,500	\$40,050
	802	Sneezeweed, Virginia (<i>Helenium virginicum</i>)	T	\$13,633	\$10,000	\$23,633	\$1,500	\$25,133
	1165	Snowbells, Texas (<i>Styrax texanus</i>)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	742	Spineflower, Ben Lomond (<i>Chorizanthe pungens</i> var. <i>hartwegiana</i>)	E	\$31,500	\$0	\$31,500	\$0	\$31,500
	1026	Spineflower, Howell's (<i>Chorizanthe howellii</i>)	E	\$6,000	\$3,900	\$9,900	\$0	\$9,900
	674	Spineflower, Monterey (<i>Chorizanthe pungens</i> var. <i>pungens</i>)	T	\$28,500	\$12,400	\$40,900	\$0	\$40,900
	1166	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>)	E	\$1,900	\$0	\$1,900	\$0	\$1,900
	1168	Spineflower, Robust (incl. Scotts Valley) (<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i>))	E	\$1,800	\$0	\$1,800	\$0	\$1,800
	330	Spineflower, slender-horned (<i>Dodecahema leptoceras</i>)	E	\$5,000	\$207,715	\$212,715	\$0	\$212,715
	768	Spineflower, Sonoma (<i>Chorizanthe valida</i>)	E	\$0	\$27,722	\$27,722	\$0	\$27,722
	311	Spiraea, Virginia (<i>Spiraea virginiana</i>)	T	\$176,966	\$56,461	\$233,427	\$2,098	\$235,525
	996	Spurge, deltoid (<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>)	E	\$9,500	\$650	\$10,150	\$1,200	\$11,350
	1047	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$7,000	\$1,150	\$8,150	\$700	\$8,850

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1070	Spurge, Hoover's (<i>Chamaesyce hooveri</i>)	T	\$5,500	\$2,200	\$7,700	\$0	\$7,700
	230	Spurge, telephus (<i>Euphorbia telephioides</i>)	T	\$419,500	\$2,082	\$421,582	\$200	\$421,782
	525	Stickseed, showy (<i>Hackelia venusta</i>)	E	\$56,618	\$22,534	\$79,152	\$0	\$79,152
	279	Sumac, Michaux's (<i>Rhus michauxii</i>)	E	\$33,166	\$220,700	\$253,866	\$7,280	\$261,146
	839	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$22,000	\$200	\$22,200	\$0	\$22,200
	628	Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>)	T	\$25,000	\$25,634	\$50,634	\$0	\$50,634
	556	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	\$38,500	\$30,900	\$69,400	\$0	\$69,400
	826	Sunflower, San Mateo woolly (<i>Eriophyllum latilobum</i>)	E	\$23,000	\$0	\$23,000	\$0	\$23,000
	434	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	\$36,500	\$75,564	\$112,064	\$8,038	\$120,102
	488	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$90,000	\$4,578	\$94,578	\$0	\$94,578
	656	Sunshine, Sonoma (<i>Blennosperma bakeri</i>)	E	\$44,500	\$0	\$44,500	\$0	\$44,500
	722	Taraxacum, California (<i>Taraxacum californicum</i>)	E	\$7,000	\$26,241	\$33,241	\$0	\$33,241
	332	Tarplant, Gaviota (<i>Deinandra increscens</i> ssp. <i>villosa</i>)	E	\$92,000	\$117,095	\$209,095	\$0	\$209,095
	663	Tarplant, Otay (<i>Deinandra</i> (= <i>Hemizonia</i>) <i>conjugens</i>)	T	\$12,000	\$31,254	\$43,254	\$0	\$43,254
	858	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>)	T	\$20,500	\$0	\$20,500	\$0	\$20,500
	482	Thelypody, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>)	T	\$92,250	\$6,150	\$98,400	\$0	\$98,400
	1173	Thistle, Chorro Creek bog (<i>Cirsium fontinale</i> var. <i>obispoense</i>)	E	\$900	\$480	\$1,380	\$0	\$1,380
	1001	Thistle, fountain (<i>Cirsium fontinale</i> var. <i>fontinale</i>)	E	\$11,000	\$0	\$11,000	\$0	\$11,000
	552	Thistle, La Graciosa (<i>Cirsium loncholepis</i>)	E	\$38,500	\$32,071	\$70,571	\$0	\$70,571
	361	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	\$74,100	\$103,436	\$177,536	\$500	\$178,036

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	692	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>)	T	\$21,083	\$16,000	\$37,083	\$0	\$37,083
	500	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>)	E	\$85,500	\$3,900	\$89,400	\$0	\$89,400
	1058	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>)	T	\$1,700	\$6,542	\$8,242	\$0	\$8,242
	589	Townsendia, Last Chance (<i>Townsendia aprica</i>)	T	\$3,000	\$60,000	\$63,000	\$0	\$63,000
	1111	Trillium, persistent (<i>Trillium persistens</i>)	E	\$300	\$500	\$800	\$4,500	\$5,300
	683	Trillium, relict (<i>Trillium reliquum</i>)	E	\$27,000	\$7,815	\$34,815	\$4,300	\$39,115
	341	Tuctoria, Greene's (<i>Tuctoria greenei</i>)	E	\$39,000	\$161,600	\$200,600	\$0	\$200,600
	956	Twinpod, Dudley Bluffs (<i>Physaria obcordata</i>)	T	\$9,684	\$4,580	\$14,264	\$0	\$14,264
	495	Uhiuhi (<i>Caesalpinia kavaense</i>)	E	\$28,492	\$59,507	\$87,999	\$3,080	\$91,079
	1075	Uvillo (<i>Eugenia haematocarpa</i>)	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	1194	Vervain, Red Hills (<i>Verbena californica</i>)	T	\$0	\$200	\$200	\$0	\$200
	794	Vetch, Hawaiian (<i>Vicia menziesii</i>)	E	\$24,144	\$165	\$24,309	\$1,344	\$25,653
	1126	Wahane (<i>Pritchardia aylmer-robinsonii</i>)	E	\$3,670	\$165	\$3,835	\$592	\$4,427
	470	Wallflower, Ben Lomond (<i>Erysimum teretifolium</i>)	E	\$104,000	\$0	\$104,000	\$0	\$104,000
	314	Wallflower, Contra Costa (<i>Erysimum capitatum</i> var. <i>angustatum</i>)	E	\$231,500	\$0	\$231,500	\$0	\$231,500
	516	Wallflower, Menzies' (<i>Erysimum menziesii</i>)	E	\$1,800	\$81,900	\$83,700	\$0	\$83,700
	1025	Walnut (=Nogal), West Indian (<i>Juglans jamaicensis</i>)	E	\$10,000	\$0	\$10,000	\$0	\$10,000
	766	Warea, wide-leaf (<i>Warea amplexifolia</i>)	E	\$17,000	\$1,750	\$18,750	\$9,000	\$27,750
	463	Watercress, Gambel's (<i>Rorippa gambellii</i>)	E	\$85,500	\$21,761	\$107,261	\$0	\$107,261
	1159	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>)	T	\$0	\$1,100	\$1,100	\$1,500	\$2,600
	534	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>)	E	\$13,475	\$61,350	\$74,825	\$1,000	\$75,825
	1144	Water-willow, Cooley's (<i>Justicia cooleyi</i>)	E	\$2,000	\$1,250	\$3,250	\$200	\$3,450
	953	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$10,000	\$1,345	\$11,345	\$3,000	\$14,345

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	846	Fern, American hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>)	T	\$4,600	\$16,887	\$21,487	\$100	\$21,587
	1082	Fern, Elfin tree (<i>Cyathea dryopteroides</i>)	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	594	Fern, pendant kihi (<i>Adenophorus periens</i>)	E	\$58,400	\$3,218	\$61,618	\$0	\$61,618
	1000	Ihi`ihi (<i>Marsilea villosa</i>)	E	\$7,802	\$3,263	\$11,065	\$0	\$11,065
	1090	<i>Adiantum vivesii</i>	E	\$6,500	\$0	\$6,500	\$0	\$6,500
	259	<i>Asplenium fragile</i> var. <i>insulare</i>	E	\$70,681	\$231,800	\$302,481	\$0	\$302,481
	1141	<i>Diellia falcata</i>	E	\$3,371	\$165	\$3,536	\$0	\$3,536
	876	<i>Diellia mannii</i>	E	\$17,402	\$165	\$17,567	\$1,344	\$18,911
	1028	<i>Diellia pallida</i>	E	\$9,672	\$165	\$9,837	\$0	\$9,837
	1089	<i>Diellia unisora</i>	E	\$5,641	\$165	\$5,806	\$752	\$6,558
	669	<i>Diplazium molokaiense</i>	E	\$39,543	\$1,629	\$41,172	\$752	\$41,924
	1041	<i>Doryopteris angelica</i>	E	\$8,402	\$165	\$8,567	\$592	\$9,159
	1097	<i>Elaphoglossum serpens</i>	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	1082	<i>Polystichum calderonense</i>	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	559	<i>Pteris lidgatei</i>	E	\$10,204	\$58,920	\$69,124	\$0	\$69,124
	1075	<i>Tectaria estremarana</i>	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	1075	<i>Thelypteris inabonensis</i>	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	1075	<i>Thelypteris verecunda</i>	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	1082	<i>Thelypteris yaucoensis</i>	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	830	Pauoa (<i>Ctenitis squamigera</i>)	E	\$21,141	\$1,629	\$22,770	\$0	\$22,770
	1040	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	\$2,000	\$4,730	\$6,730	\$2,500	\$9,230
	466	Quillwort, LA (<i>Isoetes louisianensis</i>)	E	\$0	\$105,501	\$105,501	\$0	\$105,501
	1052	Quillwort, mat-forming (<i>Isoetes tegetiformans</i>)	E	\$5,500	\$500	\$6,000	\$2,500	\$8,500
	848	Wawae`iole (<i>Huperzia mannii</i>)	E	\$11,931	\$8,950	\$20,881	\$592	\$21,473
	566	Wawae`iole (<i>Lycopodium</i> (= <i>Phlegmariurus</i>) <i>nutans</i>)	E	\$8,641	\$59,085	\$67,726	\$0	\$67,726
Ferns and Allies subtotal				\$404,087	\$496,937	\$901,024	\$11,228	\$912,252
Lichens	487	Cladonia, Florida perforate (<i>Cladonia perforata</i>)	E	\$24,500	\$61,240	\$85,740	\$9,000	\$94,740
	1027	Lichen, rock gnome (<i>Gymmoderma lineare</i>)	E	\$7,267	\$600	\$7,867	\$2,000	\$9,867
Lichens subtotal				\$31,767	\$61,840	\$93,607	\$11,000	\$104,607
Total Species Expenditures				\$175,449,080	\$1,061,032,423	\$1,236,481,503	\$36,325,031	\$1,272,806,534

TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2011 REPORTED EXPENDITURES

Species are arranged in descending rank order by total identifiable expenditures (Table 1). Cumulative totals of the expenditures totals are provided. The cumulative total column is the sum of all higher ranked Species Totals (from Table 1) and the selected species entry. This table does not include costs for land acquisition.

The species list in the report follows the same breakdown as in 50 CFR 17.11 and 17.12. All populations are itemized separately, not just Evolutionarily Significant Units (ESUs). Thus, it appears as if there are more listed species. Populations of the same species may be ranked differently.

TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY2011 REPORTED EXPENDITURES, NOT INCLUDING LAND ACQUISITION COSTS

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Sacramento River winter-run ESU	E	\$80,004,247	\$80,004,247
2	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - middle Columbia R.	T	\$55,883,787	\$135,888,034
3	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Snake R. Basin	T	\$53,291,222	\$189,179,256
4	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Snake River spring/summer-run ESU	T	\$50,234,094	\$239,413,350
5	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$42,361,847	\$281,775,197
6	Trout, bull (<i>Salvelinus confluentus</i>) - conterminous, lower 48 states	T	\$37,283,635	\$319,058,832
7	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Snake River fall-run ESU	T	\$35,972,834	\$355,031,666
8	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Upper Columbia spring-run ESU	E	\$32,187,559	\$387,219,225
9	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - upper Columbia R. Basin	T	\$30,835,056	\$418,054,281
10	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$26,765,332	\$444,819,613
11	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - upper Willamette R.	T	\$22,107,760	\$466,927,373
12	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Lower Columbia River ESU	T	\$21,937,944	\$488,865,317
13	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) - U.S.A. (Snake River, ID stock wherever found.)	E	\$21,737,967	\$510,603,284
14	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Upper Willamette River ESU	T	\$18,442,841	\$529,046,125
15	Plover, piping (<i>Charadrius melodus</i>) - except Great Lakes watershed	T	\$18,108,135	\$547,154,260
16	Tortoise, desert (<i>Gopherus agassizii</i>) - U.S.A., except in Sonoran Desert	T	\$17,598,883	\$564,753,143
17	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$15,743,465	\$580,496,608
18	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Puget Sound ESU	T	\$15,591,097	\$596,087,705
19	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$15,500,847	\$611,588,552
20	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Southern Oregon-Northern California Coast ESU	T	\$15,110,159	\$626,698,711
21	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$13,709,647	\$640,408,358
22	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>)	E	\$13,469,793	\$653,878,151
23	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - lower Columbia R.	T	\$13,346,951	\$667,225,102
24	Salmon, Atlantic (<i>Salmo salar</i>) - Expanded Gulf of Maine DPS	E	\$12,659,398	\$679,884,500
25	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Lower Columbia River ESU	T	\$11,444,883	\$691,329,383
26	Whale, North Atlantic Right (<i>Eubalaena glacialis</i>)	E	\$10,958,108	\$702,287,491
27	Sturgeon, white (<i>Acipenser transmontanus</i>) -ID, MT, Canada (B.C.), Kootenai R. system	E	\$10,654,879	\$712,942,370
28	Minnnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - Entire, except where EXPN	E	\$10,613,863	\$723,556,233
29	Sucker, razorback (<i>Xyrauchen texanus</i>) - Entire	E	\$10,595,567	\$734,151,800
30	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Central Valley spring-run ESU	T	\$9,994,281	\$744,146,081
31	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) - Columbia R.	T	\$9,573,118	\$753,719,199
32	Tern, least (<i>Sterna antillarum</i>) - interior pop.	E	\$9,396,134	\$763,115,333
33	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Central Valley CA	T	\$9,230,579	\$772,345,912
34	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	\$9,104,266	\$781,450,178
35	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Puget Sound DPS	T	\$9,040,155	\$790,490,333
36	Chub, humpback (<i>Gila cypha</i>) - Entire	E	\$9,036,639	\$799,526,972
37	Smelt, delta (<i>Hypomesus transpacificus</i>)	T	\$8,801,018	\$808,327,990
38	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Central CA Coast ESU	E	\$8,009,617	\$816,337,607
39	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$7,587,774	\$823,925,381
40	Bear, grizzly (<i>Ursus arctos horribilis</i>) - lower 48, except where EXPN or delisted	T	\$7,586,563	\$831,511,944
41	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - western pop.	E	\$7,156,704	\$838,668,648
42	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - central CA coast	T	\$6,856,803	\$845,525,451
43	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) - CA, OR, WA	T	\$6,854,013	\$852,379,464
44	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Oregon Coast ESU	T	\$6,820,495	\$859,199,959
45	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>)	E	\$6,664,434	\$865,864,393
46	Chub, bonytail (<i>Gila elegans</i>) - Entire	E	\$6,589,126	\$872,453,519
47	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>)	T	\$6,579,778	\$879,033,297
48	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - eastern pop.	T	\$6,515,216	\$885,548,513
49	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$6,025,645	\$891,574,158
50	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$5,999,532	\$897,573,690
51	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - except Salt and Verde R. drainages, AZ	E	\$5,942,724	\$903,516,414
52	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$5,851,959	\$909,368,373

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
53	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) - Ozette Lake, WA	T	\$5,765,246	\$915,133,619
54	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) - summer-run Hood Canal	T	\$5,670,660	\$920,804,279
55	Trout, Lahontan cutthroat (<i>Oncorhynchus clarki henshawi</i>)	T	\$5,635,926	\$926,440,205
56	Sea turtle, green (<i>Chelonia mydas</i>) - except where endangered	T	\$5,309,962	\$931,750,167
57	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - northern CA	T	\$5,071,909	\$936,822,076
58	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - CA coastal	T	\$4,988,639	\$941,810,715
59	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - southern CA coast	E	\$4,879,067	\$946,689,782
60	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$4,681,456	\$951,371,238
61	Lynx, Canada (<i>Lynx canadensis</i>) - Contiguous U.S. DPS	T	\$4,650,834	\$956,022,072
62	Frog, California red-legged (<i>Rana draytonii</i>) - Entire	T	\$4,487,346	\$960,509,418
63	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - south central CA coast	T	\$4,472,609	\$964,982,027
64	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$4,471,850	\$969,453,877
65	Sturgeon, North American green (<i>Acipenser medirostris</i>) - CA Southern Distinct Population Segment	T	\$4,453,145	\$973,907,022
66	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) - Pacific coastal pop.	T	\$4,449,551	\$978,356,573
67	Whale, sperm (<i>Physeter catodon</i> (=macrocephalus))	E	\$4,262,227	\$982,618,800
68	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$4,127,989	\$986,746,789
69	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$4,096,344	\$990,843,133
70	Bear, polar (<i>Ursus maritimus</i>)	T	\$3,913,013	\$994,756,146
71	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$3,791,999	\$998,548,145
72	Wolf, gray (<i>Canis lupus</i>) - All of AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT and WV; those portions of AZ, NM, and TX not included in EXPN; and portions of IA, IN, IL, ND, OH, OR, SD, UT, and WA. Mexico.	E	\$3,791,792	\$1,002,339,937
73	Salamander, California tiger (<i>Ambystoma californiense</i>) - Central CA DPS	T	\$3,756,372	\$1,006,096,309
74	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$3,481,326	\$1,009,577,635
75	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$3,400,703	\$1,012,978,338
76	Sucker, Lost River (<i>Deltistes luxatus</i>)	E	\$3,291,101	\$1,016,269,439
77	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	E	\$3,281,897	\$1,019,551,336
78	Whale, Beluga (<i>Delphinapterus leucas</i>) - Cook Inlet DPS	E	\$3,280,880	\$1,022,832,216
79	Whale, Sei (<i>Balaenoptera borealis</i>)	E	\$3,170,385	\$1,026,002,601
80	Mouse, Perdido Key beach (<i>Peromyscus polionotus trissyllepsis</i>)	E	\$3,156,728	\$1,029,159,329
81	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$2,994,645	\$1,032,153,974
82	Gnatcatcher, coastal California (<i>Poliotilta californica californica</i>)	T	\$2,930,214	\$1,035,084,188
83	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) - U.S.A. only	E	\$2,830,316	\$1,037,914,504
84	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	\$2,768,590	\$1,040,683,094
85	Whale, North Pacific Right (<i>Eubalaena japonica</i>) - Entire	E	\$2,762,940	\$1,043,446,034
86	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$2,647,174	\$1,046,093,208
87	scrub-jay, Florida (<i>Aphelocoma coerulescens</i>)	T	\$2,588,613	\$1,048,681,821
88	Sucker, Santa Ana (<i>Catostomus santaanae</i>) - 3 CA river basins	T	\$2,574,476	\$1,051,256,297
89	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - northern	T	\$2,545,988	\$1,053,802,285
90	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>)	E	\$2,527,458	\$1,056,329,743
91	Tern, California least (<i>Sterna antillarum browni</i>)	E	\$2,370,553	\$1,058,700,296
92	Panther, Florida (Puma (=Felis) concolor coryi)	E	\$2,289,299	\$1,060,989,595
93	Ferret, black-footed (<i>Mustela nigripes</i>) - entire, except where EXPN	E	\$2,284,964	\$1,063,274,559
94	Tiger beetle, Puritan (<i>Cicindela puritana</i>)	T	\$2,229,631	\$1,065,504,190
95	Palila (honeycreeper) (<i>Loxioides bailleui</i>)	E	\$2,203,987	\$1,067,708,177
96	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>)	E	\$2,170,960	\$1,069,879,137
97	Wolf, gray (<i>Canis lupus</i>) - WY, ID, MT	EXPN	\$2,167,805	\$1,072,046,942
98	Stork, wood (<i>Mycteria americana</i>) - AL, FL, GA, SC	E	\$2,163,706	\$1,074,210,648
99	Wolf, gray (<i>Canis lupus</i>) - MN	T	\$2,160,100	\$1,076,370,748
100	Prairie dog, Utah (<i>Cynomys parvidens</i>)	T	\$2,158,509	\$1,078,529,257
101	Wolf, gray (<i>Canis lupus</i>) - Mexican gray wolf, EXPN population	EXPN	\$2,144,099	\$1,080,673,356
102	Crane, whooping (<i>Grus americana</i>) - except where EXPN	E	\$2,018,997	\$1,082,692,353
103	Whale, killer (<i>Orcinus orca</i>) - Southern Resident DPS	E	\$1,955,150	\$1,084,647,503
104	Condor, California (<i>Gymnogyps californianus</i>) - Entire, except where EXPN	E	\$1,930,919	\$1,086,578,422
105	Sturgeon, gulf (<i>Acipenser oxyrinchus desotoi</i>)	T	\$1,922,861	\$1,088,501,283
106	Sea turtle, green (<i>Chelonia mydas</i>) - FL, Mexico nesting pops.	E	\$1,920,717	\$1,090,422,000
107	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$1,860,390	\$1,092,282,390
108	Rail, light-footed clapper (<i>Rallus longirostris levipes</i>) - U.S.A. only	E	\$1,812,036	\$1,094,094,426
109	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - except where endangered	T	\$1,765,497	\$1,095,859,923
110	Coral, staghorn (<i>Acropora cervicornis</i>)	T	\$1,687,873	\$1,097,547,796
111	Parrot, Puerto Rican (<i>Amazona vittata</i>)	E	\$1,629,500	\$1,099,177,296
112	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$1,624,543	\$1,100,801,839

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
113	Coral, elkhorn (<i>Acropora palmata</i>)	T	\$1,620,149	\$1,102,421,988
114	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>)	E	\$1,557,075	\$1,103,979,063
115	Bear-poppy, Dwarf (<i>Arctomecon humilis</i>)	E	\$1,551,000	\$1,105,530,063
116	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	\$1,534,478	\$1,107,064,541
117	Warbler, Kirtland's (<i>Dendroica kirtlandii</i>)	E	\$1,496,614	\$1,108,561,155
118	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$1,489,166	\$1,110,050,321
119	Eider, Steller's (<i>Polysticta stelleri</i>) - AK breeding pop.	T	\$1,467,593	\$1,111,517,914
120	Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>) - FL pop.	E	\$1,437,717	\$1,112,955,631
121	Sawfish, smalltooth (<i>Pristis pectinata</i>)	E	\$1,423,833	\$1,114,379,464
122	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$1,368,341	\$1,115,747,805
123	Mouse, salt marsh harvest (<i>Reithrodontomys raviventris</i>)	E	\$1,366,130	\$1,117,113,935
124	Clover, showy Indian (<i>Trifolium amoenum</i>)	E	\$1,346,100	\$1,118,460,035
125	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>)	E	\$1,341,390	\$1,119,801,425
126	Bat, gray (<i>Myotis grisescens</i>)	E	\$1,336,681	\$1,121,138,106
127	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - except where EXPN	E	\$1,295,229	\$1,122,433,335
128	Otter, southern sea (<i>Enhydra lutris nereis</i>) - except where EXPN	T	\$1,241,943	\$1,123,675,278
129	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$1,180,916	\$1,124,856,194
130	Tortoise, gopher (<i>Gopherus polyphemus</i>) - W of of Mobile/Tombigbee Rs.	T	\$1,149,655	\$1,126,005,849
131	Sucker, June (<i>Chasmistes liorus</i>)	E	\$1,149,000	\$1,127,154,849
132	Trout, Apache (<i>Oncorhynchus apache</i>)	T	\$1,146,436	\$1,128,301,285
133	Abalone, Black (<i>Haliotis cracherodii</i>)	E	\$1,112,864	\$1,129,414,149
134	Goose, Hawaiian (<i>Branta (=Nesochen) sandvicensis</i>)	E	\$1,103,876	\$1,130,518,025
135	Snails, Oahu tree (<i>Achatinella</i> spp.)	E	\$1,081,522	\$1,131,599,547
136	Trout, Gila (<i>Oncorhynchus gilae</i>)	T	\$1,073,130	\$1,132,672,677
137	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>) - Entire	E	\$1,056,770	\$1,133,729,447
138	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	\$1,054,262	\$1,134,783,709
139	Peppergrass, Slickspot (<i>Lepidium papilliferum</i>)	T	\$1,045,487	\$1,135,829,196
140	Cui-ui (<i>Chasmistes cujus</i>)	E	\$1,025,614	\$1,136,854,810
141	Abalone, white (<i>Haliotis sorenseni</i>) - North America (West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico)	E	\$1,025,051	\$1,137,879,861
142	Frog, mountain yellow-legged (<i>Rana muscosa</i>) - southern California DPS	E	\$1,023,848	\$1,138,903,709
143	Rail, California clapper (<i>Rallus longirostris obsoletus</i>)	E	\$1,011,890	\$1,139,915,599
144	Eulachon, Pacific (<i>Thaleichthys pacificus</i>) - Southern DPS	T	\$1,007,420	\$1,140,923,019
145	Dace, Moapa (<i>Moapa coriacea</i>)	E	\$991,671	\$1,141,914,690
146	Bat, Hawaiian hoary (<i>Lasiurus cinereus semotus</i>)	E	\$984,790	\$1,142,899,480
147	Shiner, Topeka (<i>Notropis topeka (=tristis)</i>)	E	\$983,110	\$1,143,882,590
148	Eagle, bald (<i>Haliaeetus leucocephalus</i>) - Sonoran Desert DPS	T	\$975,279	\$1,144,857,869
149	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$940,115	\$1,145,797,984
150	Jaguarundi, Gulf Coast (<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>)	E	\$907,675	\$1,146,705,659
151	Wolf, red (<i>Canis rufus</i>) - portions of NC and TN	EXPN	\$906,450	\$1,147,612,109
152	Salamander, California tiger (<i>Ambystoma californiense</i>) - CA - Sonoma County	E	\$899,100	\$1,148,511,209
153	Mapleleaf, winged (<i>Quadrula fragosa</i>) - Entire; except where EXPN	E	\$895,983	\$1,149,407,192
154	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>)	E	\$895,195	\$1,150,302,387
155	Toad, arroyo (=arroyo southwestern) (<i>Bufo californicus (=microscaphus)</i>)	E	\$877,448	\$1,151,179,835
156	Seagrass, Johnson's (<i>Halophila johnsonii</i>)	T	\$876,596	\$1,152,056,431
157	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>)	T	\$875,360	\$1,152,931,791
158	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>)	E	\$868,130	\$1,153,799,921
159	Crow, Hawaiian (=alala) (<i>Corvus hawaiiensis</i>)	E	\$846,453	\$1,154,646,374
160	Tiger beetle, northeastern beach (<i>Cicindela dorsalis dorsalis</i>)	T	\$842,241	\$1,155,488,615
161	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>)	E	\$836,782	\$1,156,325,397
162	Lupine, Kincaid's (<i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i>)	T	\$824,176	\$1,157,149,573
163	Bat, Mariana fruit (=Mariana flying fox) (<i>Pteropus mariannus mariannus</i>) - Entire	T	\$806,960	\$1,157,956,533
164	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$806,060	\$1,158,762,593
165	Goby, tidewater (<i>Eucyclogobius newberryi</i>) - Entire	E	\$799,322	\$1,159,561,915
166	Crane, whooping (<i>Grus americana</i>) - AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	EXPN	\$797,783	\$1,160,359,698
167	Darter, boulder (<i>Etheostoma wapiti</i>)	E	\$792,200	\$1,161,151,898
168	Chub, Virgin River (<i>Gila seminuda (=robusta)</i>)	E	\$778,517	\$1,161,930,415
169	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) - FL pop.	T	\$759,009	\$1,162,689,424
170	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - Mexican nesting pop.	E	\$752,454	\$1,163,441,878
171	Trout, Little Kern golden (<i>Oncorhynchus aguabonita whitei</i>)	T	\$734,500	\$1,164,176,378
172	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - Entire; Except where EXPN	E	\$731,933	\$1,164,908,311
173	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>)	T	\$724,235	\$1,165,632,546
174	Pearlymussel, cracking (<i>Hemistena lata</i>) - Entire; Except where EXPN	E	\$715,813	\$1,166,348,359

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
175	Woundfin (<i>Plagopterus argentissimus</i>) - except Gila R. drainage, AZ, NM	E	\$706,625	\$1,167,054,984
176	Plover, piping (<i>Charadrius melodus</i>) - Great Lakes watershed	E	\$704,903	\$1,167,759,887
177	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>)	T	\$697,616	\$1,168,457,503
178	Petrel, Hawaiian dark-rumped (<i>Pterodroma phaeopygia sandwichensis</i>)	E	\$696,258	\$1,169,153,761
179	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - Entire; Except where EXPN	E	\$692,941	\$1,169,846,702
180	Ocelot (<i>Leopardus (=Felis) pardalis</i>)	E	\$689,469	\$1,170,536,171
181	Rabbit, pygmy (<i>Brachylagus idahoensis</i>) - Columbia Basin DPS	E	\$672,400	\$1,171,208,571
182	Paintbrush, golden (<i>Castilleja levisecta</i>)	T	\$660,754	\$1,171,869,325
183	Pigtoe, finereyed (<i>Fusconaia cuneolus</i>) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$657,000	\$1,172,526,325
184	Pigtoe, shiny (<i>Fusconaia cor</i>) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$638,000	\$1,173,164,325
185	Darter, fountain (<i>Etheostoma fonticola</i>)	E	\$637,926	\$1,173,802,251
186	Darter, Okaloosa (<i>Etheostoma okaloosae</i>)	E	\$633,000	\$1,174,435,251
187	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	\$632,345	\$1,175,067,596
188	Logperch, Roanoke (<i>Percina rex</i>)	E	\$620,218	\$1,175,687,814
189	Butterfly, Oregon silverspot (<i>Speyeria zerene hippolyta</i>)	T	\$600,735	\$1,176,288,549
190	Chub, Oregon (<i>Oregonichthys crameri</i>)	T	\$596,044	\$1,176,884,593
191	Spikedace (<i>Meda fulgida</i>)	T	\$591,135	\$1,177,475,728
192	Minnnow, loach (<i>Tiaroga cobitis</i>)	T	\$589,458	\$1,178,065,186
193	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$583,596	\$1,178,648,782
194	Mouse, Pacific pocket (<i>Perognathus longimembris pacificus</i>)	E	\$552,162	\$1,179,200,944
195	Salamander, California tiger (<i>Ambystoma californiense</i>) - CA - Santa Barbara County	E	\$547,202	\$1,179,748,146
196	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$538,926	\$1,180,287,072
197	Otter, Northern Sea (<i>Enhydra lutris kenyoni</i>) - southwest Alaska DPS	T	\$535,869	\$1,180,822,941
198	Elktoe, Appalachian (<i>Alasmidonta raveneliana</i>)	E	\$534,008	\$1,181,356,949
199	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$526,240	\$1,181,883,189
200	Whale, gray (<i>Eschrichtius robustus</i>) - W Pacific Ocean	E	\$516,483	\$1,182,399,672
201	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) - U.S.A. only	E	\$513,789	\$1,182,913,461
202	Condor, California (<i>Gymnogyps californianus</i>) - specific portions of AZ, NV and UT	EXPN	\$496,785	\$1,183,410,246
203	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$491,803	\$1,183,902,049
204	Kangaroo rat, Stephens' (<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>))	E	\$488,544	\$1,184,390,593
205	Monardella, willow (<i>Monardella viminea</i>)	E	\$487,334	\$1,184,877,927
206	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - southern	SAT	\$480,573	\$1,185,358,500
207	Caribou, woodland (<i>Rangifer tarandus caribou</i>) - Selkirk Mountain population	E	\$477,918	\$1,185,836,418
208	Catchfly, Spalding's (<i>Silene spaldingii</i>)	T	\$474,834	\$1,186,311,252
209	Chub, Gila (<i>Gila intermedia</i>)	E	\$472,264	\$1,186,783,516
210	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>)	T	\$472,133	\$1,187,255,649
211	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	\$470,130	\$1,187,725,779
212	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$462,588	\$1,188,188,367
213	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$459,809	\$1,188,648,176
214	Squirrel, northern Idaho ground (<i>Spermophilus brunneus brunneus</i>)	T	\$457,935	\$1,189,106,111
215	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$456,778	\$1,189,562,889
216	Albatross, short-tailed (<i>Phoebastria (=Diomedea) albatrus</i>)	E	\$453,157	\$1,190,016,046
217	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>)	E	\$450,346	\$1,190,466,392
218	Fritillary, Gentner's (<i>Fritillaria gentneri</i>)	E	\$450,006	\$1,190,916,398
219	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$445,450	\$1,191,361,848
220	Darter, Niangua (<i>Etheostoma nianguae</i>)	T	\$442,300	\$1,191,804,148
221	Wolf, Mexican gray (<i>Canis lupus baileyi</i>) - portions of AZ, NM and TX	EXPN	\$441,849	\$1,192,245,997
222	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	\$441,738	\$1,192,687,735
223	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	\$439,275	\$1,193,127,010
224	Wolf, red (<i>Canis rufus</i>) - except where EXPN	E	\$439,100	\$1,193,566,110
225	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>)	E	\$438,500	\$1,194,004,610
226	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>)	T	\$437,595	\$1,194,442,205
227	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>)	E	\$435,595	\$1,194,877,800
228	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$434,300	\$1,195,312,100
229	Howellia, water (<i>Howellia aquatilis</i>)	T	\$425,498	\$1,195,737,598
230	Spurge, telephus (<i>Euphorbia telephioides</i>)	T	\$421,782	\$1,196,159,380
231	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>) - U.S.A., north-central CO	T	\$420,042	\$1,196,579,422
232	Toad, Houston (<i>Bufo houstonensis</i>)	E	\$420,041	\$1,196,999,463
233	Kangaroo rat, Tipton (<i>Dipodomys nitratoides nitratoides</i>)	E	\$419,230	\$1,197,418,693
234	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$415,542	\$1,197,834,235

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
235	Sheep, Sierra Nevada bighorn (<i>Ovis canadensis sierrae</i>) - Sierra Nevada	E	\$411,100	\$1,198,245,335
236	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	\$407,950	\$1,198,653,285
237	Tern, roseate (<i>Sterna dougallii dougallii</i>) - northeast U.S. nesting pop.	E	\$394,937	\$1,199,048,222
238	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$376,649	\$1,199,424,871
239	Butterfly, El Segundo blue (<i>Euphilotes battoides allyni</i>)	E	\$375,240	\$1,199,800,111
240	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$374,799	\$1,200,174,910
241	Rail, Guam (<i>Rallus owstoni</i>) - except Rota	E	\$372,577	\$1,200,547,487
242	Fox, Santa Rosa Island (<i>Urocyon littoralis santarosae</i>)	E	\$363,670	\$1,200,911,157
243	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$359,461	\$1,201,270,618
244	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	\$357,540	\$1,201,628,158
245	Crocodile, American (<i>Crocodylus acutus</i>) - FL pop.	T	\$354,086	\$1,201,982,244
246	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$352,170	\$1,202,334,414
247	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	\$346,059	\$1,202,680,473
248	Spiny mussel, James (<i>Pleurobema collina</i>)	E	\$344,853	\$1,203,025,326
249	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>)	T	\$343,140	\$1,203,368,466
250	Wolf, gray (<i>Canis lupus</i>) - WY, EXPN population	EXPN	\$342,134	\$1,203,710,600
251	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$341,865	\$1,204,052,465
252	Pondberry (<i>Lindera melissifolia</i>)	E	\$339,745	\$1,204,392,210
253	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$319,318	\$1,204,711,528
254	Rockfish, Canary (<i>Sebastes pinniger</i>) - Puget Sound–Georgia Basin DPS	T	\$318,519	\$1,205,030,047
254	Rockfish, Yelloweye (<i>Sebastes ruberrimus</i>) - Puget Sound–Georgia Basin DPS	T	\$318,519	\$1,205,348,566
255	Bocaccio (<i>Sebastes paucispinis</i>) - Puget Sound–Georgia Basin DPS	E	\$315,613	\$1,205,664,179
256	Salamander, Reticulated flatwoods (<i>Ambystoma bishopi</i>)	E	\$313,972	\$1,205,978,151
257	Trout, Greenback Cutthroat (<i>Oncorhynchus clarki stomias</i>)	T	\$313,165	\$1,206,291,316
258	Wild-rice, Texas (<i>Zizania texana</i>)	E	\$306,970	\$1,206,598,286
259	<i>Asplenium fragile</i> var. <i>insulare</i>	E	\$302,481	\$1,206,900,767
260	Heelsplitter, Carolina (<i>Lasmigona decorata</i>)	E	\$300,296	\$1,207,201,063
261	Madtom, Neosho (<i>Noturus placidus</i>)	T	\$298,332	\$1,207,499,395
262	Minnnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - Rio Grande, from Little Box Canyon to Amistad Dam	EXPN	\$290,435	\$1,207,789,830
263	Heartleaf, dwarf-flowered (<i>Hexastylis naniflora</i>)	T	\$289,445	\$1,208,079,275
264	Snail, Snake River physa (<i>Physa natricina</i>)	E	\$289,324	\$1,208,368,599
265	Sheep, Peninsular bighorn (<i>Ovis canadensis nelsoni</i>) - Peninsular CA pop.	E	\$289,000	\$1,208,657,599
266	Ferret, black-footed (<i>Mustela nigripes</i>) - portions of AZ, CO, MT, SD, UT, WY	EXPN	\$283,748	\$1,208,941,347
267	Dace, blackside (<i>Phoxinus cumberlandensis</i>)	T	\$281,028	\$1,209,222,375
268	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>)	E	\$279,225	\$1,209,501,600
269	Phlox, Texas trailing (<i>Phlox nivalis</i> ssp. <i>texensis</i>)	E	\$278,015	\$1,209,779,615
270	Sucker, Warner (<i>Catostomus warnerensis</i>)	T	\$277,149	\$1,210,056,764
271	<i>Vigna o-wahuensis</i>	E	\$273,647	\$1,210,330,411
272	Stickleback, unarmored threespine (<i>Gasterosteus aculeatus williamsoni</i>)	E	\$273,117	\$1,210,603,528
273	Bat, Virginia big-eared (<i>Corynorhinus (=Plecotus) townsendii virginianus</i>)	E	\$271,281	\$1,210,874,809
274	Clubshell (<i>Pleurobema clava</i>) - Entire; Except where EXPN	E	\$271,194	\$1,211,146,003
275	Frog, dusky gopher (<i>Rana sevosa</i>) - Entire	E	\$269,382	\$1,211,415,385
276	Deer, Columbian white-tailed (<i>Odocoileus virginianus leucurus</i>) - Columbia River DPS	E	\$265,234	\$1,211,680,619
277	Ground beetle, [unnamed] (<i>Rhadine infernalis</i>)	E	\$262,600	\$1,211,943,219
277	Ground beetle, [unnamed] (<i>Rhadine exilis</i>)	E	\$262,600	\$1,212,205,819
278	Chub, spotfin (<i>Erimonax monachus</i>) - Entire	T	\$261,777	\$1,212,467,596
279	Sumac, Michaux's (<i>Rhus michauxii</i>)	E	\$261,146	\$1,212,728,742
280	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventris</i>)	T	\$260,598	\$1,212,989,340
281	Po'e (<i>Portulaca sclerocarpa</i>)	E	\$259,831	\$1,213,249,171
282	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$259,100	\$1,213,508,271
283	Sparrow, San Clemente sage (<i>Amphispiza belli clementeae</i>)	T	\$257,667	\$1,213,765,938
284	Tiger beetle, Salt Creek (<i>Cicindela nevadica lincolniiana</i>)	E	\$257,246	\$1,214,023,184
285	Pink, swamp (<i>Helonias bullata</i>)	T	\$256,185	\$1,214,279,369
286	Moth, Blackburn's sphinx (<i>Manduca blackburni</i>)	E	\$255,861	\$1,214,535,230
287	<i>Nerodia ovata</i>	E	\$255,626	\$1,214,790,856
288	Jaguar (<i>Panthera onca</i>) -	E	\$255,055	\$1,215,045,911
289	Salamander, Shenandoah (<i>Plethodon shenandoah</i>)	E	\$254,431	\$1,215,300,342
290	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>)	E	\$250,680	\$1,215,551,022
291	Lily, Western (<i>Lilium occidentale</i>)	E	\$248,900	\$1,215,799,922
292	Bat, lesser long-nosed (<i>Leptonycteris curasoae yerbabuenae</i>)	E	\$244,031	\$1,216,043,953
293	Pigeon, Puerto Rican plain (<i>Columba inornata wetmorei</i>)	E	\$244,000	\$1,216,287,953
294	Chub, Mohave tui (<i>Gila bicolor mohavensis</i>)	E	\$242,840	\$1,216,530,793

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
295	<i>Spermolepis hawaiiensis</i>	E	\$242,548	\$1,216,773,341
296	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>)	E	\$241,682	\$1,217,015,023
297	<i>Silene lanceolata</i>	E	\$240,887	\$1,217,255,910
298	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>)	E	\$240,578	\$1,217,496,488
299	<i>Lipochaeta venosa</i>	E	\$240,146	\$1,217,736,634
300	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	\$240,100	\$1,217,976,734
301	Honohono (<i>Haplostachys haplostachya</i>)	E	\$239,738	\$1,218,216,472
301	<i>Stenogyne angustifolia angustifolia</i>	E	\$239,738	\$1,218,456,210
302	Popolo ku mai (<i>Solanum incompletum</i>)	E	\$239,677	\$1,218,695,887
302	A'e (<i>Zanthoxylum hawaiiense</i>)	E	\$239,677	\$1,218,935,564
303	Daisy, Willamette (<i>Erigeron decumbens</i> var. <i>decumbens</i>)	E	\$239,659	\$1,219,175,223
304	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$239,192	\$1,219,414,415
305	Kio'ele (<i>Hedyotis coriacea</i>)	E	\$238,956	\$1,219,653,371
306	Aupaka (<i>Isodendron hosakae</i>)	E	\$238,516	\$1,219,891,887
307	Seal, Guadalupe fur (<i>Arctocephalus townsendi</i>)	T	\$238,131	\$1,220,130,018
308	Toad, Wyoming (<i>Bufo baxteri</i> (=hemiophrys))	E	\$237,785	\$1,220,367,803
309	<i>Tetramolopium arenarium</i>	E	\$236,924	\$1,220,604,727
310	<i>Silene hawaiiensis</i>	T	\$235,824	\$1,220,840,551
311	Spiraea, Virginia (<i>Spiraea virginiana</i>)	T	\$235,525	\$1,221,076,076
312	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>)	E	\$233,500	\$1,221,309,576
313	Salamander, San Marcos (<i>Eurycea nana</i>)	T	\$232,499	\$1,221,542,075
314	Wallflower, Contra Costa (<i>Erysimum capitatum</i> var. <i>angustatum</i>)	E	\$231,500	\$1,221,773,575
315	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	\$231,100	\$1,222,004,675
316	Salamander, frosted flatwoods (<i>Ambystoma cingulatum</i>)	T	\$230,167	\$1,222,234,842
317	Three-ridge, fat (mussel) (<i>Amblyma neislerii</i>)	E	\$229,139	\$1,222,463,981
318	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$228,303	\$1,222,692,284
319	Kingfisher, Guam Micronesian (<i>Halcyon cinnamomina cinnamomina</i>)	E	\$225,477	\$1,222,917,761
320	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	\$223,806	\$1,223,141,567
321	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$222,119	\$1,223,363,686
322	Woolly-star, Santa Ana River (<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>)	E	\$221,966	\$1,223,585,652
323	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscini</i>)	E	\$221,549	\$1,223,807,201
324	Butterfly, Palos Verdes blue (<i>Glaucopsyche lygdamus palosverdesensis</i>)	E	\$220,200	\$1,224,027,401
325	Bean, purple (<i>Villosa perpurpurea</i>)	E	\$217,166	\$1,224,244,567
326	Elepaio, Oahu (<i>Chasiempis sandwichensis ibidis</i>)	E	\$215,960	\$1,224,460,527
327	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>)	E	\$215,002	\$1,224,675,529
328	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$214,226	\$1,224,889,755
329	Lomatium, Cook's (<i>Lomatium cookii</i>)	E	\$212,879	\$1,225,102,634
330	Spineflower, slender-horned (<i>Dodecahema leptoceras</i>)	E	\$212,715	\$1,225,315,349
331	Centaury, spring-loving (<i>Centaureum namophilum</i>)	T	\$212,078	\$1,225,527,427
332	Tarplant, Gaviota (<i>Deinandra increscens</i> ssp. <i>villosa</i>)	E	\$209,095	\$1,225,736,522
333	Harvestman, Cokendolpher Cave (<i>Texella cokendolpheri</i>)	E	\$204,900	\$1,225,941,422
334	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>)	E	\$204,700	\$1,226,146,122
334	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>)	E	\$204,700	\$1,226,350,822
335	Limpet, Banbury Springs (<i>Lanx</i> sp.)	E	\$203,174	\$1,226,553,996
336	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>)	E	\$203,100	\$1,226,757,096
337	Beetle, Helotes mold (<i>Batrissodes venyivi</i>)	E	\$202,600	\$1,226,959,696
338	Bear, American black (<i>Ursus americanus</i>) - County range of LA b.bear	SAT	\$202,436	\$1,227,162,132
339	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$202,235	\$1,227,364,367
340	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>)	E	\$200,900	\$1,227,565,267
341	Tuctoria, Greene's (<i>Tuctoria greenei</i>)	E	\$200,600	\$1,227,765,867
342	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$199,583	\$1,227,965,450
343	Butterfly, Lange's metalmark (<i>Apodemia mormo langei</i>)	E	\$199,250	\$1,228,164,700
344	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus allophrys</i>)	E	\$197,931	\$1,228,362,631
345	Mouse, St. Andrew beach (<i>Peromyscus polionotus peninsularis</i>)	E	\$196,323	\$1,228,558,954
346	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	\$196,132	\$1,228,755,086
347	Minnnow, Devils River (<i>Dionda diaboli</i>)	T	\$194,851	\$1,228,949,937
348	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>)	T	\$193,943	\$1,229,143,880
349	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	\$192,762	\$1,229,336,642
350	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$191,619	\$1,229,528,261
351	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>)	T	\$190,900	\$1,229,719,161
352	Thrush, small Kauai (=puaiohi) (<i>Myadestes palmeri</i>)	E	\$190,729	\$1,229,909,890
353	Bird's-beak, soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>)	E	\$189,400	\$1,230,099,290
354	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>)	E	\$188,170	\$1,230,287,460

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
355	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>)	E	\$187,988	\$1,230,475,448
356	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>)	E	\$185,418	\$1,230,660,866
357	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>)	T	\$184,356	\$1,230,845,222
358	Squirrel, Virginia northern flying (<i>Glaucomys sabrinus fuscus</i>)	E	\$183,767	\$1,231,028,989
359	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$180,850	\$1,231,209,839
360	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$179,582	\$1,231,389,421
361	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	\$178,036	\$1,231,567,457
362	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$177,748	\$1,231,745,205
363	Darter, leopard (<i>Percina pantherina</i>)	T	\$172,570	\$1,231,917,775
364	Hawk, Hawaiian (=lo) (<i>Buteo solitarius</i>)	E	\$168,682	\$1,232,086,457
365	Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (=E. e. wrightii))	E	\$167,642	\$1,232,254,099
366	Parrotbill, Maui (honeycreeper) (<i>Pseudonestor xanthophrys</i>)	E	\$167,604	\$1,232,421,703
367	Shiner, Arkansas River (<i>Notropis girardi</i>) - Arkansas R. Basin	T	\$167,414	\$1,232,589,117
368	Ma'o hau hele, (=native yellow hibiscus) (<i>Hibiscus brackenridgei</i>)	E	\$167,282	\$1,232,756,399
369	Elktoe, Cumberland (<i>Alasmidonta atropurpurea</i>)	E	\$166,761	\$1,232,923,160
370	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - DE-Sussex Co.	EXPN	\$165,986	\$1,233,089,146
371	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$164,690	\$1,233,253,836
372	Gerardia, sandplain (<i>Agalinis acuta</i>)	E	\$164,639	\$1,233,418,475
373	Bankclimber, purple (mussel) (<i>Elliptioideus sloatianus</i>)	T	\$163,572	\$1,233,582,047
374	Mountain beaver, Point Arena (<i>Aplodontia rufa nigra</i>)	E	\$163,490	\$1,233,745,537
375	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>)	E	\$161,300	\$1,233,906,837
376	Cactus, Colorado hookless (<i>Sclerocactus glaucus</i>)	T	\$161,207	\$1,234,068,044
377	Orcutt grass, hairy (<i>Orcuttia pilosa</i>)	E	\$161,100	\$1,234,229,144
378	Layia, beach (<i>Layia carnosa</i>)	E	\$160,240	\$1,234,389,384
379	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	\$159,384	\$1,234,548,768
380	Rosemary, Cumberland (<i>Conradina verticillata</i>)	T	\$159,261	\$1,234,708,029
381	Blackbird, yellow-shouldered (<i>Agelaius xanthomus</i>)	E	\$159,000	\$1,234,867,029
382	Akepa, Maui (honeycreeper) (<i>Loxops coccineus ochraceus</i>)	E	\$158,943	\$1,235,025,972
383	Bat, Ozark big-eared (<i>Corynorhinus</i> (=Plecotus) townsendii ingens)	E	\$157,950	\$1,235,183,922
384	Kuahiwi laukahi (<i>Plantago princeps</i>)	E	\$157,728	\$1,235,341,650
385	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - Entire, except Sussex Co., DE	E	\$157,424	\$1,235,499,074
386	Salamander, Barton Springs (<i>Eurycea sosorum</i>)	E	\$156,302	\$1,235,655,376
387	Darter, bluemask (=jewel) (<i>Etheostoma</i> sp.)	E	\$154,200	\$1,235,809,576
388	Dace, desert (<i>Eremichthys acros</i>)	T	\$153,600	\$1,235,963,176
389	Chub, Pahrnagat roundtail (<i>Gila robusta jordani</i>)	E	\$152,734	\$1,236,115,910
390	Butterfly, mission blue (<i>Icaricia icarioides missionensis</i>)	E	\$152,100	\$1,236,268,010
391	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - Entire; Except where EXPN	E	\$151,518	\$1,236,419,528
392	Aster, Ruth's golden (<i>Pityopsis ruthii</i>)	E	\$149,500	\$1,236,569,028
393	Seal, Caribbean monk (<i>Monachus tropicalis</i>)	E	\$149,293	\$1,236,718,321
394	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>)	E	\$148,864	\$1,236,867,185
395	Cactus, Wright fishhook (<i>Sclerocactus wrightiae</i>)	E	\$148,600	\$1,237,015,785
396	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>)	T	\$148,429	\$1,237,164,214
397	Gumplant, Ash Meadows (<i>Grindelia fraxino-pratensis</i>)	T	\$148,078	\$1,237,312,292
398	Rockcress, Santa Cruz Island (<i>Sibara filifolia</i>)	E	\$146,565	\$1,237,458,857
399	Pigtoe, oval (<i>Pleurobema pyriforme</i>)	E	\$143,673	\$1,237,602,530
400	Torreya, Florida (<i>Torreya taxifolia</i>)	E	\$143,200	\$1,237,745,730
401	Spinymussel, Tar River (<i>Elliptio steinstansana</i>) -	E	\$142,790	\$1,237,888,520
402	Salamander, Texas blind (<i>Typhlomolge rathbuni</i>)	E	\$142,499	\$1,238,031,019
403	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>)	E	\$142,336	\$1,238,173,355
404	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>)	E	\$142,199	\$1,238,315,554
405	Butterfly, Mitchell's satyr (<i>Neonympha mitchellii mitchellii</i>)	E	\$141,270	\$1,238,456,824
406	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$140,171	\$1,238,596,995
407	Riffleshell, tan (<i>Epioblasma florentina walkeri</i> (=E. walkeri))	E	\$139,527	\$1,238,736,522
408	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>)	E	\$139,236	\$1,238,875,758
409	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>)	E	\$139,065	\$1,239,014,823
409	Broom, San Clemente Island (<i>Lotus dendroideus</i> ssp. <i>traskiae</i>)	E	\$139,065	\$1,239,153,888
409	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>)	E	\$139,065	\$1,239,292,953
410	Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>)	E	\$136,670	\$1,239,429,623
411	Nukupu'u (honeycreeper) (<i>Hemignathus lucidus</i>)	E	\$136,443	\$1,239,566,066
412	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>)	E	\$136,210	\$1,239,702,276
413	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus coloratus</i>)	E	\$135,099	\$1,239,837,375
414	Phacelia, DeBeque (<i>Phacelia submutica</i>)	T	\$134,366	\$1,239,971,741

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
415	Ma`oli`oli (<i>Schiedea kealiae</i>)	E	\$133,198	\$1,240,104,939
416	Po`ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>)	E	\$132,043	\$1,240,236,982
417	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>)	T	\$131,400	\$1,240,368,382
418	Evening-primrose, Antioch Dunes (<i>Oenothera deltooides</i> ssp. <i>howellii</i>)	E	\$131,000	\$1,240,499,382
419	Dropwort, Canby's (<i>Oxypolis canbyi</i>)	E	\$128,800	\$1,240,628,182
420	Mehamehame (<i>Flueggea neowawraea</i>)	E	\$128,629	\$1,240,756,811
421	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$126,529	\$1,240,883,340
422	Hawk, Puerto Rican sharp-shinned (<i>Accipiter striatus venator</i>)	E	\$126,500	\$1,241,009,840
423	<i>Schiedea nuttallii</i>	E	\$126,042	\$1,241,135,882
424	Dawn-flower, Texas prairie (<i>Hymenoxys texana</i>)	E	\$125,898	\$1,241,261,780
425	`Oha wai (<i>Clermontia peleana</i>)	E	\$125,197	\$1,241,386,977
426	Turtle, Alabama red-belly (<i>Pseudemys alabamensis</i>)	E	\$124,759	\$1,241,511,736
427	Mahoe (<i>Alectryon macrococcus</i>)	E	\$124,513	\$1,241,636,249
428	Trout, Paiute cutthroat (<i>Oncorhynchus clarki seleniris</i>)	T	\$123,500	\$1,241,759,749
429	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	\$123,250	\$1,241,882,999
430	<i>Gouania vitifolia</i>	E	\$123,061	\$1,242,006,060
431	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>)	E	\$122,522	\$1,242,128,582
432	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>)	E	\$122,065	\$1,242,250,647
432	Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. <i>kinkiense</i>)	E	\$122,065	\$1,242,372,712
433	Milkweed, Mead's (<i>Asclepias meadii</i>)	T	\$120,111	\$1,242,492,823
434	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	\$120,102	\$1,242,612,925
435	Isopod, Madison Cave (<i>Antrolana lira</i>)	T	\$119,857	\$1,242,732,782
436	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>)	E	\$117,165	\$1,242,849,947
437	Prairie-clover, leafy (<i>Dalea foliosa</i>)	E	\$117,116	\$1,242,967,063
438	Onion, Munz's (<i>Allium munzii</i>)	E	\$115,500	\$1,243,082,563
439	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>)	E	\$115,330	\$1,243,197,893
440	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$114,070	\$1,243,311,963
441	Beetle, Coffin Cave mold (<i>Batrissodes texanus</i>)	E	\$113,500	\$1,243,425,463
442	Lizard, Island night (<i>Xantusia riversiana</i>)	T	\$113,284	\$1,243,538,747
443	Amphipod, Peck's cave (<i>Stygobromus (=Stygonectes) pecki</i>)	E	\$113,150	\$1,243,651,897
444	Duck, Laysan (<i>Anas laysanensis</i>)	E	\$112,817	\$1,243,764,714
445	Bison, wood (<i>Bison bison athabascaae</i>)	E	\$112,749	\$1,243,877,463
446	Kulu`i (<i>Nototrichium humile</i>)	E	\$112,615	\$1,243,990,078
447	<i>Hesperomannia arbuscula</i>	E	\$112,513	\$1,244,102,591
448	Oha (<i>Delissea subcordata</i>)	E	\$112,100	\$1,244,214,691
449	Shrimp, California freshwater (<i>Syncaris pacifica</i>)	E	\$111,800	\$1,244,326,491
450	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>)	T	\$111,192	\$1,244,437,683
451	<i>Phyllostegia kaalaensis</i>	E	\$110,192	\$1,244,547,875
452	Kamanomano (<i>Cenchrus agrimonoides</i>)	E	\$110,111	\$1,244,657,986
453	Amole, purple (<i>Chlorogalum purpureum</i>)	T	\$110,000	\$1,244,767,986
453	Crownscale, San Jacinto Valley (<i>Atriplex coronata</i> var. <i>notatior</i>)	E	\$110,000	\$1,244,877,986
454	Chaffseed, American (<i>Schwalbea americana</i>)	E	\$109,900	\$1,244,987,886
455	Pocketbook, finelined (<i>Lampsilis altilis</i>)	T	\$109,862	\$1,245,097,748
456	Poppy, Sacramento prickly (<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>)	E	\$109,670	\$1,245,207,418
457	<i>Alsiniidendron obovatum</i>	E	\$109,198	\$1,245,316,616
457	`Akoko (<i>Chamaesyce celastroides</i> var. <i>kaenana</i>)	E	\$109,198	\$1,245,425,814
457	<i>Neraudia angulata</i>	E	\$109,198	\$1,245,535,012
458	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) - IN, MI, OH	T	\$108,476	\$1,245,643,488
459	Rock-cress, McDonald's (<i>Arabis macdonaldiana</i>)	E	\$108,306	\$1,245,751,794
460	Ha`iwale (<i>Cyrtandra dentata</i>)	E	\$107,790	\$1,245,859,584
461	Haha (<i>Cyanea superba</i>)	E	\$107,698	\$1,245,967,282
461	<i>Hedyotis degeneri</i>	E	\$107,698	\$1,246,074,980
461	<i>Tetramolopium filiforme</i>	E	\$107,698	\$1,246,182,678
462	<i>Hedyotis parvula</i>	E	\$107,290	\$1,246,289,968
462	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>)	E	\$107,290	\$1,246,397,258
462	`Akoko (<i>Chamaesyce herbstii</i>)	E	\$107,290	\$1,246,504,548
462	Haha (<i>Cyanea longiflora</i>)	E	\$107,290	\$1,246,611,838
463	Watercress, Gambel's (<i>Rorippa gambellii</i>)	E	\$107,261	\$1,246,719,099
464	Pamakani (<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>)	E	\$107,198	\$1,246,826,297
464	Na`ena`e (<i>Dubautia herbstobatae</i>)	E	\$107,198	\$1,246,933,495
465	<i>Lobelia oahuensis</i>	E	\$106,198	\$1,247,039,693
465	Nehe (<i>Lipochaeta tenuifolia</i>)	E	\$106,198	\$1,247,145,891
465	<i>Sanicula mariversa</i>	E	\$106,198	\$1,247,252,089

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
466	Quillwort, Louisiana (<i>Isoetes louisianensis</i>)	E	\$105,501	\$1,247,357,590
467	Lo`ulu (<i>Pritchardia kaalae</i>)	E	\$105,327	\$1,247,462,917
468	Beetle, Comal Springs dryopid (<i>Stygoparnus comalensis</i>)	E	\$104,850	\$1,247,567,767
469	Bat, Mexican long-nosed (<i>Leptonycteris nivalis</i>)	E	\$104,500	\$1,247,672,267
470	Wallflower, Ben Lomond (<i>Erysimum teretifolium</i>)	E	\$104,000	\$1,247,776,267
471	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	\$103,283	\$1,247,879,550
472	Orcutt grass, slender (<i>Orcuttia tenuis</i>)	T	\$103,055	\$1,247,982,605
473	Slabshell, Chipola (<i>Elliptio chipolaensis</i>)	T	\$102,709	\$1,248,085,314
474	Pearlymussel, dromedary (<i>Dromus dromas</i>) – Entire; Except where EXPN	E	\$102,476	\$1,248,187,790
475	Mussel, oyster (<i>Epioblasma capsaeformis</i>) – Entire; Except where EXPN	E	\$102,354	\$1,248,290,144
476	Buckwheat, cushenbury (<i>Eriogonum ovalifolium</i> var. <i>vineum</i>)	E	\$102,200	\$1,248,392,344
477	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>)	E	\$100,000	\$1,248,492,344
478	Bear, grizzly (<i>Ursus arctos horribilis</i>) – EXPN portions of ID and MT	EXPN	\$99,600	\$1,248,591,944
479	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>)	T	\$99,532	\$1,248,691,476
480	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$98,536	\$1,248,790,012
481	Tortoise, desert (<i>Gopherus agassizii</i>) - outside/taken from Sonoran Desert	SAT	\$98,520	\$1,248,888,532
482	Thelypody, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>)	T	\$98,400	\$1,248,986,932
483	Cactus, Arizona hedgehog (<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>)	E	\$98,095	\$1,249,085,027
484	Skipper, Carson wandering (<i>Pseudocopa eodius obscurus</i>)	E	\$97,350	\$1,249,182,377
485	Hala pepe (<i>Pleomele hawaiiensis</i>)	E	\$97,204	\$1,249,279,581
486	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	\$96,426	\$1,249,376,007
487	Cladonia, Florida perforate (<i>Cladonia perforata</i>)	E	\$94,740	\$1,249,470,747
488	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$94,578	\$1,249,565,325
489	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>)	E	\$94,000	\$1,249,659,325
490	Harperella (<i>Ptilimnium nodosum</i>)	E	\$93,626	\$1,249,752,951
491	Honeycreeper, crested (<i>Palmeria dolei</i>)	E	\$93,175	\$1,249,846,126
492	Akikiki (<i>Oreomystis bairdi</i>)	E	\$92,800	\$1,249,938,926
493	Pupfish, Owens (<i>Cyprinodon radiosus</i>)	E	\$91,500	\$1,250,030,426
494	Megapode, Micronesian (<i>Megapodius laperouse</i>)	E	\$91,244	\$1,250,121,670
495	Uhiuhi (<i>Caesalpinia kavaense</i>)	E	\$91,079	\$1,250,212,749
496	popcornflower, rough (<i>Plagiobothrys hirtus</i>)	E	\$90,850	\$1,250,303,599
497	Vole, Amargosa (<i>Microtus californicus scirpensis</i>)	E	\$90,170	\$1,250,393,769
498	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>)	T	\$89,950	\$1,250,483,719
499	Akekee (<i>Loxops caeruleirostris</i>)	E	\$89,800	\$1,250,573,519
500	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>)	E	\$89,400	\$1,250,662,919
501	Ring pink (mussel) (<i>Obovaria retusa</i>)	E	\$88,772	\$1,250,751,691
502	Pussypaws, Mariposa (<i>Calyptridium pulchellum</i>)	T	\$88,500	\$1,250,840,191
503	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>)	E	\$87,967	\$1,250,928,158
504	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$87,750	\$1,251,015,908
505	Sandwort, Marsh (<i>Arenaria paludicola</i>)	E	\$87,395	\$1,251,103,303
506	Rock cress, shale barren (<i>Arabis serotina</i>)	E	\$86,549	\$1,251,189,852
507	Monkey-flower, Michigan (<i>Mimulus michiganensis</i>)	E	\$86,464	\$1,251,276,316
508	Darter, duskytail (<i>Etheostoma percnurium</i>) - Entire	E	\$86,427	\$1,251,362,743
509	Purple cat's paw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) – Entire; Except where EXPN	E	\$86,131	\$1,251,448,874
510	Shiner, beautiful (<i>Cyprinella formosa</i>)	T	\$85,870	\$1,251,534,744
511	Piperia, Yador's (<i>Piperia yadonii</i>)	E	\$85,300	\$1,251,620,044
512	Ziziphus, Florida (<i>Ziziphus celata</i>)	E	\$85,250	\$1,251,705,294
513	Butterfly, bay checkerspot (<i>Euphydryas editha bayensis</i>)	T	\$84,600	\$1,251,789,894
514	Butterfly, Smith's blue (<i>Euphilotes ooptes smithi</i>)	E	\$84,000	\$1,251,873,894
515	Cactus, Pima pineapple (<i>Coryphantha scheeri</i> var. <i>robustispina</i>)	E	\$83,770	\$1,251,957,664
516	Wallflower, Menzies' (<i>Erysimum menziesii</i>)	E	\$83,700	\$1,252,041,364
517	Evening-primrose, San Benito (<i>Camissonia benitensis</i>)	T	\$83,000	\$1,252,124,364
518	Koki`o (<i>Kokia drynarioides</i>)	E	\$82,852	\$1,252,207,216
519	Crayfish, Shasta (<i>Pacifastacus fortis</i>)	E	\$82,730	\$1,252,289,946
520	Kamakahala (<i>Labordia cyrtandrae</i>)	E	\$81,472	\$1,252,371,418
521	<i>Hesperomannia arborescens</i>	E	\$80,887	\$1,252,452,305
522	Lupine, scrub (<i>Lupinus aridorum</i>)	E	\$80,750	\$1,252,533,055
523	Penstemon, blowout (<i>Penstemon haydenii</i>)	E	\$80,446	\$1,252,613,501
524	Pearlymussel, littlewing (<i>Pegias fabula</i>)	E	\$80,327	\$1,252,693,828
525	Stickseed, showy (<i>Hackelia venusta</i>)	E	\$79,152	\$1,252,772,980
526	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>)	E	\$78,744	\$1,252,851,724
527	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>)	E	\$78,600	\$1,252,930,324

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
528	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$77,741	\$1,253,008,065
529	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>)	E	\$77,500	\$1,253,085,565
529	Evening-primrose, Eureka Valley (<i>Oenothera avita</i> ssp. <i>eurekensis</i>)	E	\$77,500	\$1,253,163,065
530	Opuhe (<i>Urera kaalae</i>)	E	\$76,972	\$1,253,240,037
531	Phlox, Yreka (<i>Phlox hirsuta</i>)	E	\$76,800	\$1,253,316,837
532	Meadowfoam, large-flowered woolly (<i>Limnanthes floccosa</i> ssp. <i>grandiflora</i>)	E	\$76,673	\$1,253,393,510
533	Grass, Eureka Dune (<i>Swallenia alexandrae</i>)	E	\$76,500	\$1,253,470,010
534	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>)	E	\$75,825	\$1,253,545,835
535	Fatmucket, Arkansas (<i>Lampsilis powellii</i>)	T	\$75,700	\$1,253,621,535
536	Sucker, Modoc (<i>Catostomus microps</i>)	E	\$75,286	\$1,253,696,821
537	Bush-mallow, Santa Cruz Island (<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>)	E	\$74,777	\$1,253,771,598
538	Cactus, San Rafael (<i>Pediocactus despainii</i>)	E	\$74,132	\$1,253,845,730
539	Poolfish, Pahrump (<i>Empetrichthys latos</i>)	E	\$73,826	\$1,253,919,556
540	^Aiea (<i>Nothoestrum breviflorum</i>)	E	\$73,760	\$1,253,993,316
541	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	\$72,440	\$1,254,065,756
542	Bladderpod, white (<i>Lesquerella pallida</i>)	E	\$72,400	\$1,254,138,156
543	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	\$72,264	\$1,254,210,420
544	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$72,200	\$1,254,282,620
545	Nanu (<i>Gardenia mannii</i>)	E	\$72,070	\$1,254,354,690
546	Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus grahamensis</i>)	E	\$71,950	\$1,254,426,640
547	<i>Abutilon sandwicense</i>	E	\$71,726	\$1,254,498,366
548	<i>Phyllostegia hirsuta</i>	E	\$71,472	\$1,254,569,838
549	<i>Sanicula purpurea</i>	E	\$71,387	\$1,254,641,225
550	Geranium, Hawaiian red-flowered (<i>Geranium arboreum</i>)	E	\$70,805	\$1,254,712,030
551	Lousewort, Furbish (<i>Pedicularis furbishiae</i>)	E	\$70,602	\$1,254,782,632
552	Thistle, La Graciosa (<i>Cirsium loncholepis</i>)	E	\$70,571	\$1,254,853,203
553	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - SW population	EXPN	\$70,460	\$1,254,923,663
554	Haha (<i>Cyanea koolauensis</i>)	E	\$70,226	\$1,254,993,889
555	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>)	T	\$69,500	\$1,255,063,389
556	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	\$69,400	\$1,255,132,789
557	Haha (<i>Cyanea st.-johnii</i>)	E	\$69,380	\$1,255,202,169
558	<i>Stenogyne kanehoana</i>	E	\$69,128	\$1,255,271,297
559	<i>Pteris lidgatei</i>	E	\$69,124	\$1,255,340,421
560	<i>Phyllostegia mollis</i>	E	\$68,818	\$1,255,409,239
561	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$68,550	\$1,255,477,789
562	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$68,500	\$1,255,546,289
563	Clubshell, southern (<i>Pleurobema decisum</i>)	E	\$68,081	\$1,255,614,370
564	Nioi (<i>Eugenia koolauensis</i>)	E	\$67,979	\$1,255,682,349
565	Bird's-beak, salt marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>)	E	\$67,900	\$1,255,750,249
566	<i>Alsimidendron trinerve</i>	E	\$67,726	\$1,255,817,975
566	Wawae`iole (<i>Lycopodium</i> (=Phlegmariurus) <i>nutans</i>)	E	\$67,726	\$1,255,885,701
567	Alani (<i>Melicope zahlbruckneri</i>)	E	\$67,681	\$1,255,953,382
568	tui chub, Owens (<i>Gila bicolor</i> ssp. <i>snyderi</i>)	E	\$67,500	\$1,256,020,882
569	<i>Phyllostegia hispida</i>	E	\$67,498	\$1,256,088,380
570	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	\$67,497	\$1,256,155,877
571	Akepa, Hawaii (honeycreeper) (<i>Loxops coccineus coccineus</i>)	E	\$66,944	\$1,256,222,821
572	beardtongue, Parachute (<i>Penstemon debilis</i>)	T	\$66,730	\$1,256,289,551
573	Haha (<i>Cyanea acuminata</i>)	E	\$66,226	\$1,256,355,777
574	<i>Cyanea</i> (=Rollandia) <i>crispa</i>	E	\$66,061	\$1,256,421,838
575	Wire-lettuce, Malheur (<i>Stephanomeria malheurenensis</i>)	E	\$65,750	\$1,256,487,588
576	<i>Viola oahuensis</i>	E	\$65,726	\$1,256,553,314
577	Creeper, Hawaii (<i>Oreomystis mana</i>)	E	\$65,444	\$1,256,618,758
578	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i>	E	\$65,226	\$1,256,683,984
578	Ha`iwale (<i>Cyrtandra subumbellata</i>)	E	\$65,226	\$1,256,749,210
578	Alani (<i>Melicope lydgatei</i>)	E	\$65,226	\$1,256,814,436
578	^Ohe`ohe (<i>Tetraplasandra gymnocarpa</i>)	E	\$65,226	\$1,256,879,662
578	Ha`iwale (<i>Cyrtandra viridiflora</i>)	E	\$65,226	\$1,256,944,888
579	Woolly-threads, San Joaquin (<i>Monolopia</i> (=Lembertia) <i>congdonii</i>)	E	\$65,130	\$1,257,010,018
580	Wolf, gray (<i>Canis lupus</i>) - Western Great Lakes DPS	DM	\$65,000	\$1,257,075,018
581	Kolea (<i>Myrsine juddii</i>)	E	\$64,726	\$1,257,139,744
582	Pomace fly, [unnamed] (<i>Drosophila substenoptera</i>)	E	\$64,420	\$1,257,204,164
583	Cactus, star (<i>Astrophytum asterias</i>)	E	\$64,300	\$1,257,268,464
584	Skyrocket, Pagosa (<i>Ipomopsis polyantha</i>)	E	\$64,000	\$1,257,332,464

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
585	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>)	T	\$63,978	\$1,257,396,442
586	Chub, Borax Lake (<i>Gila boraxobius</i>)	E	\$63,624	\$1,257,460,066
587	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - Salt and Verde R. drainages, AZ	EXPN	\$63,278	\$1,257,523,344
588	Kauila (<i>Colubrina oppositifolia</i>)	E	\$63,020	\$1,257,586,364
589	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	\$63,000	\$1,257,649,364
589	Townsendia, Last Chance (<i>Townsendia aprica</i>)	T	\$63,000	\$1,257,712,364
590	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>)	T	\$62,614	\$1,257,774,978
591	Shiner, Cape Fear (<i>Notropis mekistocholas</i>)	E	\$62,560	\$1,257,837,538
592	Pomace fly, [unnamed] (<i>Drosophila montgomeryi</i>)	E	\$62,420	\$1,257,899,958
593	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>)	E	\$62,013	\$1,257,961,971
594	Fern, pendant kihi (<i>Adenophorus periens</i>)	E	\$61,618	\$1,258,023,589
595	Millerbird, Nihoa (old world warbler) (<i>Acrocephalus familiaris kingi</i>)	E	\$61,500	\$1,258,085,089
596	Bellflower, Brooksville (<i>Campanula robinsiae</i>)	E	\$61,250	\$1,258,146,339
597	Akiapola'au (honeycreeper) (<i>Hemignathus munroi</i>)	E	\$60,944	\$1,258,207,283
598	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum croceum</i>)	E	\$60,170	\$1,258,267,453
599	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	\$60,035	\$1,258,327,488
600	cactus, Pariette (<i>Sclerocactus brevispinus</i>)	T	\$60,000	\$1,258,387,488
601	Harvestman, Bone Cave (<i>Texella reyesi</i>)	E	\$59,500	\$1,258,446,988
602	Chub, Chihuahua (<i>Gila nigrescens</i>)	T	\$58,670	\$1,258,505,658
603	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$58,078	\$1,258,563,736
604	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	\$57,800	\$1,258,621,536
605	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>)	E	\$57,071	\$1,258,678,607
606	Cactus, Bakersfield (<i>Opuntia treleasei</i>)	E	\$57,000	\$1,258,735,607
607	Springfish, White River (<i>Crenichthys baileyi baileyi</i>)	E	\$56,993	\$1,258,792,600
608	Spinedace, Big Spring (<i>Lepidomeda mollispinis pratensis</i>)	T	\$56,274	\$1,258,848,874
609	Manzanita, Del Mar (<i>Arctostaphylos glandulosa ssp. crassifolia</i>)	E	\$55,918	\$1,258,904,792
610	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	E	\$55,350	\$1,258,960,142
611	Meadowfoam, Butte County (<i>Limnanthes floccosa ssp. californica</i>)	E	\$55,000	\$1,259,015,142
612	wild buckwheat, clay-loving (<i>Eriogonum pelinophilum</i>)	E	\$54,799	\$1,259,069,941
613	Snake, Lake Erie water (<i>Nerodia sipedon insularum</i>) - subspecies range clarified	T	\$54,758	\$1,259,124,699
614	Dace, Foskett speckled (<i>Rhinichthys osculus ssp.</i>)	T	\$54,500	\$1,259,179,199
615	Haha (<i>Cyanea hamatiflora ssp. hamatiflora</i>)	E	\$54,489	\$1,259,233,688
616	Ko'oloa'ula (<i>Abutilon menziesii</i>)	E	\$54,327	\$1,259,288,015
617	Fox, Santa Cruz Island (<i>Urocyon littoralis santacruzae</i>)	E	\$53,500	\$1,259,341,515
617	Hawk, Puerto Rican broad-winged (<i>Buteo platypterus brunnescens</i>)	E	\$53,500	\$1,259,395,015
618	Darter, amber (<i>Percina antesella</i>)	E	\$53,200	\$1,259,448,215
619	Moccasinshell, Coosa (<i>Medionidus parvulus</i>)	E	\$53,173	\$1,259,501,388
620	Crayfish, Nashville (<i>Orconectes shoupi</i>)	E	\$53,161	\$1,259,554,549
621	Ayenia, Texas (<i>Ayenia limitaris</i>)	E	\$52,791	\$1,259,607,340
622	Ambrosia, south Texas (<i>Ambrosia cheiranthifolia</i>)	E	\$51,991	\$1,259,659,331
623	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>)	E	\$51,693	\$1,259,711,024
624	Goldfields, Burke's (<i>Lasthenia burkei</i>)	E	\$51,550	\$1,259,762,574
625	Catfish, Yaqui (<i>Ictalurus pricei</i>)	T	\$51,300	\$1,259,813,874
626	Lizard, St. Croix ground (<i>Ameiva polops</i>)	E	\$51,100	\$1,259,864,974
627	Phacelia, clay (<i>Phacelia argillacea</i>)	E	\$51,000	\$1,259,915,974
628	Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>)	T	\$50,634	\$1,259,966,608
629	Isopod, Lee County cave (<i>Lirceus usdagalun</i>)	E	\$50,267	\$1,260,016,875
630	Woodpecker, ivory-billed (<i>Campephilus principalis</i>) - entire	E	\$50,100	\$1,260,066,975
631	Seablite, California (<i>Suaeda californica</i>)	E	\$49,900	\$1,260,116,875
632	Clubshell, ovate (<i>Pleurobema perovatum</i>)	E	\$49,809	\$1,260,166,684
633	Gambusia, Clear Creek (<i>Gambusia heterochir</i>)	E	\$49,071	\$1,260,215,755
634	Cycladenia, Jones (<i>Cycladenia jonesii (=humilis)</i>)	T	\$48,995	\$1,260,264,750
635	Haha (<i>Cyanea shipmanii</i>)	E	\$48,889	\$1,260,313,639
636	Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>)	E	\$48,570	\$1,260,362,209
637	Bird's-beak, Pennell's (<i>Cordylanthus tenuis ssp. capillaris</i>)	E	\$48,500	\$1,260,410,709
638	Bladderpod, Missouri (<i>Physaria filiformis</i>)	T	\$48,430	\$1,260,459,139
639	Aster, Florida golden (<i>Chrysopsis floridana</i>)	E	\$48,250	\$1,260,507,389
640	Skullcap, large-flowered (<i>Scutellaria montana</i>)	T	\$48,000	\$1,260,555,389
641	Spinedace, White River (<i>Lepidomeda albivallis</i>)	E	\$47,243	\$1,260,602,632
642	Gambusia, Big Bend (<i>Gambusia gaigei</i>)	E	\$47,100	\$1,260,649,732
643	Pennyroyal, Todsen's (<i>Hedeoma todsenii</i>)	E	\$47,000	\$1,260,696,732
644	^Oha wai (<i>Clermontia lindseyana</i>)	E	\$46,921	\$1,260,743,653

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
645	Larkspur, Baker's (<i>Delphinium bakeri</i>)	E	\$46,500	\$1,260,790,153
646	Potato-bean, Price's (<i>Apios priceana</i>)	T	\$46,125	\$1,260,836,278
647	Snail, flat-spined three-toothed (<i>Triodopsis platysayoides</i>)	T	\$45,700	\$1,260,881,978
648	Boa, Puerto Rican (<i>Epicrates inornatus</i>)	E	\$45,680	\$1,260,927,658
649	Mallow, Kern (<i>Eremalche kernensis</i>)	E	\$45,630	\$1,260,973,288
650	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>)	E	\$45,359	\$1,261,018,647
651	Mucket, orangenacre (<i>Lampsilis perovalis</i>)	T	\$45,141	\$1,261,063,788
652	Butterfly, Schaus swallowtail (<i>Heraclides aristodemus ponceanus</i>)	E	\$45,140	\$1,261,108,928
653	Moth, Kern primrose sphinx (<i>Euproserpinus euterpe</i>)	T	\$44,750	\$1,261,153,678
654	Heau (<i>Exocarpos luteolus</i>)	E	\$44,542	\$1,261,198,220
655	Haha (<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>)	E	\$44,516	\$1,261,242,736
656	Sunshine, Sonoma (<i>Blennosperma bakeri</i>)	E	\$44,500	\$1,261,287,236
656	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>)	E	\$44,500	\$1,261,331,736
657	Silversword, Mauna Loa (=Ka'u) (<i>Argyroxiphium kauense</i>)	E	\$44,455	\$1,261,376,191
658	Darter, relict (<i>Etheostoma chienense</i>)	E	\$44,000	\$1,261,420,191
659	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$43,936	\$1,261,464,127
660	Nohoanu (<i>Geranium multiflorum</i>)	E	\$43,902	\$1,261,508,029
661	Chub, Sonora (<i>Gila ditaenia</i>)	T	\$43,890	\$1,261,551,919
662	Rabbitsfoot, rough (<i>Quadrula cylindrica strigillata</i>)	E	\$43,827	\$1,261,595,746
663	Tarplant, Otay (<i>Deinandra</i> (= <i>Hemizonia</i>) <i>conjugens</i>)	T	\$43,254	\$1,261,639,000
664	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - except where EXPN	T	\$42,666	\$1,261,681,666
665	Iguana, Mona ground (<i>Cyclura cornuta stejnegeri</i>)	T	\$42,500	\$1,261,724,166
666	Chub, Yaqui (<i>Gila purpurea</i>)	E	\$42,300	\$1,261,766,466
667	Butterweed, Layne's (<i>Senecio layneae</i>)	T	\$42,200	\$1,261,808,666
668	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>)	E	\$42,000	\$1,261,850,666
669	<i>Diplazium molokaiense</i>	E	\$41,924	\$1,261,892,590
670	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$41,578	\$1,261,934,168
671	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>)	T	\$41,330	\$1,261,975,498
672	Kangaroo rat, Fresno (<i>Dipodomys nitratoides exilis</i>)	E	\$41,300	\$1,262,016,798
673	Milkweed, Welsh's (<i>Asclepias welshii</i>)	T	\$40,995	\$1,262,057,793
674	Spineflower, Monterey (<i>Chorizanthe pungens</i> var. <i>pungens</i>)	T	\$40,900	\$1,262,098,693
675	Beauty, Harper's (<i>Harperocallis flava</i>)	E	\$40,795	\$1,262,139,488
676	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>)	E	\$40,500	\$1,262,179,988
676	Flannelbush, Pine Hill (<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>)	E	\$40,500	\$1,262,220,488
676	Bedstraw, El Dorado (<i>Galium californicum</i> ssp. <i>sierrae</i>)	E	\$40,500	\$1,262,260,988
677	Arrowhead, bunched (<i>Sagittaria fasciculata</i>)	E	\$40,331	\$1,262,301,319
678	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>)	E	\$40,145	\$1,262,341,464
679	Snakeroot (<i>Eryngium cuneifolium</i>)	E	\$40,050	\$1,262,381,514
679	Diellia, asplenium-leaved (<i>Diellia erecta</i>)	E	\$40,050	\$1,262,421,564
680	Wild-buckwheat, gypsum (<i>Eriogonum gypsophilum</i>)	T	\$40,000	\$1,262,461,564
681	^Aiea (<i>Nothoestrum peltatum</i>)	E	\$39,788	\$1,262,501,352
682	Manaca, palma de (<i>Calyptronoma rivalis</i>)	T	\$39,500	\$1,262,540,852
683	Trillium, relict (<i>Trillium reliquum</i>)	E	\$39,115	\$1,262,579,967
684	Marstonia, royal (snail) (<i>Pyrgulopsis ogmorhapse</i>)	E	\$39,000	\$1,262,618,967
685	Coneflower, Tennessee purple (<i>Echinacea tennesseensis</i>)	E	\$38,511	\$1,262,657,478
686	Pigtoe, shiny (<i>Fusconaia cor</i>) - Entire; Except where EXPN	E	\$37,966	\$1,262,695,444
687	Joint-vetch, sensitive (<i>Aeschynomene virginica</i>)	T	\$37,799	\$1,262,733,243
688	Haha (<i>Cyanea glabra</i>)	E	\$37,489	\$1,262,770,732
689	Dace, Clover Valley speckled (<i>Rhinichthys osculus oligoporus</i>)	E	\$37,300	\$1,262,808,032
690	Checker-mallow, pedate (<i>Sidalcea pedata</i>)	E	\$37,241	\$1,262,845,273
691	Wireweed (<i>Polygonella basiramia</i>)	E	\$37,200	\$1,262,882,473
692	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>)	T	\$37,083	\$1,262,919,556
693	Cactus, Sneed pincushion (<i>Coryphantha sneedii</i> var. <i>sneedii</i>)	E	\$37,000	\$1,262,956,556
694	Pu`uka`a (<i>Cyperus trachysanthos</i>)	E	\$36,967	\$1,262,993,523
695	Cactus, Uinta Basin hookless (<i>Sclerocactus wetlandicus</i>)	T	\$36,925	\$1,263,030,448
696	Damselfly, Pacific Hawaiian (<i>Megalagrion pacificum</i>)	E	\$36,773	\$1,263,067,221
697	Mustard, slender-petaled (<i>Thelypodium stenopetalum</i>)	E	\$36,741	\$1,263,103,962
698	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$36,578	\$1,263,140,540
699	Pigtoe, finerayed (<i>Fusconaia cuneolus</i>) - Entire; Except where EXPN	E	\$36,433	\$1,263,176,973
700	<i>Schiedea haleakalensis</i>	E	\$36,413	\$1,263,213,386
701	Fly, Delhi Sands flower-loving (<i>Rhaphiomidas terminatus abdominalis</i>)	E	\$36,250	\$1,263,249,636
702	Otter, southern sea (<i>Enhydra lutris nereis</i>) - south of Pt. Conception, CA	EXPN	\$35,920	\$1,263,285,556
703	Daisy, Parish's (<i>Erigeron parishii</i>)	T	\$35,900	\$1,263,321,456

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
704	ʻOha wai (<i>Clermontia pyrrularia</i>)	E	\$35,890	\$1,263,357,346
705	Butterfly, Uncompahgre fritillary (<i>Boloria acrocneoma</i>)	E	\$35,775	\$1,263,393,121
706	Sculpin, pygmy (<i>Cottus paulus</i> (=pygmaeus))	T	\$35,473	\$1,263,428,594
707	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var. <i>calva</i>)	E	\$35,435	\$1,263,464,029
708	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$35,074	\$1,263,499,103
709	Goldenrod, Houghton's (<i>Solidago houghtonii</i>)	T	\$35,051	\$1,263,534,154
710	Oha (<i>Delissea rivularis</i>)	E	\$35,042	\$1,263,569,196
711	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>)	E	\$35,000	\$1,263,604,196
712	Kolea (<i>Myrsine linearifolia</i>)	T	\$34,760	\$1,263,638,956
713	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>)	E	\$34,756	\$1,263,673,712
714	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	\$34,750	\$1,263,708,462
715	ʻAhinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>)	T	\$34,631	\$1,263,743,093
716	Daisy, Maguire (<i>Erigeron maguirei</i>)	T	\$34,000	\$1,263,777,093
717	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>)	E	\$33,989	\$1,263,811,082
718	Wild-buckwheat, southern mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>)	T	\$33,741	\$1,263,844,823
719	Kuawawaenohu (<i>Alsinidendron lychnoides</i>)	E	\$33,542	\$1,263,878,365
720	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>)	T	\$33,306	\$1,263,911,671
721	Dogweed, ashy (<i>Thymophylla tephroleuca</i>)	E	\$33,300	\$1,263,944,971
722	Taraxacum, California (<i>Taraxacum californicum</i>)	E	\$33,241	\$1,263,978,212
723	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>)	E	\$33,000	\$1,264,011,212
723	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>)	E	\$33,000	\$1,264,044,212
723	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>)	T	\$33,000	\$1,264,077,212
724	White-eye, Rota bridled (<i>Zosterops rotensis</i>)	E	\$32,993	\$1,264,110,205
725	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$32,900	\$1,264,143,105
726	Damselfly, flying earwig Hawaiian (<i>Megalagrion nesiotese</i>)	E	\$32,773	\$1,264,175,878
727	Rosemary, short-leaved (<i>Conradina brevifolia</i>)	E	\$32,750	\$1,264,208,628
728	Pitcher-plant, mountain sweet (<i>Sarracenia rubra</i> ssp. <i>jonesii</i>)	E	\$32,669	\$1,264,241,297
729	Haha (<i>Cyanea recta</i>)	T	\$32,542	\$1,264,273,839
730	Madtom, smoky (<i>Noturus baileyi</i>) - Entire	E	\$32,500	\$1,264,306,339
731	<i>Platanthera holochila</i>	E	\$32,451	\$1,264,338,790
732	Skullcap, Florida (<i>Scutellaria floridana</i>)	T	\$32,395	\$1,264,371,185
733	Rock-cress, Braun's (<i>Arabis perstellata</i>)	E	\$32,311	\$1,264,403,496
734	Haha (<i>Cyanea stictophylla</i>)	E	\$32,137	\$1,264,435,633
735	Primrose, Maguire (<i>Primula maguirei</i>)	T	\$32,000	\$1,264,467,633
736	Tern, roseate (<i>Sterna dougallii dougallii</i>) - Western Hemisphere except NE U.S.	T	\$31,950	\$1,264,499,583
737	Salamander, Red Hills (<i>Phaeognathus hubrichtii</i>)	T	\$31,896	\$1,264,531,479
738	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. <i>coachellae</i>)	E	\$31,700	\$1,264,563,179
739	Sandlance (<i>Polygonella myriophylla</i>)	E	\$31,550	\$1,264,594,729
740	Mapele (<i>Cyrtandra cyaneoides</i>)	E	\$31,542	\$1,264,626,271
741	Yerba santa, Lompoc (<i>Eriodictyon capitatum</i>)	E	\$31,540	\$1,264,657,811
742	Clarkia, Vine Hill (<i>Clarkia imbricata</i>)	E	\$31,500	\$1,264,689,311
742	Larkspur, yellow (<i>Delphinium luteum</i>)	E	\$31,500	\$1,264,720,811
742	Mariposa lily, Tiburon (<i>Calochortus tiburonensis</i>)	T	\$31,500	\$1,264,752,311
742	Milk-vetch, Cushenbury (<i>Astragalus albens</i>)	E	\$31,500	\$1,264,783,811
742	Spineflower, Ben Lomond (<i>Chorizanthe pungens</i> var. <i>hartwegiana</i>)	E	\$31,500	\$1,264,815,311
743	Plum, scrub (<i>Prunus geniculata</i>)	E	\$31,050	\$1,264,846,361
744	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus bibullatus</i>)	E	\$31,011	\$1,264,877,372
745	Sandwort, Bear Valley (<i>Arenaria ursina</i>)	T	\$30,841	\$1,264,908,213
746	ʻOha wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>)	E	\$30,742	\$1,264,938,955
747	Crane, whooping (<i>Grus americana</i>) - Southwestern Louisiana	EXPN	\$30,500	\$1,264,969,455
747	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>)	E	\$30,500	\$1,264,999,955
747	Beetle, Tooth Cave ground (<i>Rhadine persephone</i>)	E	\$30,500	\$1,265,030,455
747	Harvestman, Bee Creek Cave (<i>Texella reddelli</i>)	E	\$30,500	\$1,265,060,955
748	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - TN - specified portions of the French Broad and Holston Rivers	EXPN	\$30,375	\$1,265,091,330
749	Butterfly, Behren's silverspot (<i>Speyeria zerene behrensii</i>)	E	\$30,340	\$1,265,121,670
750	Rosemary, Apalachicola (<i>Conradina glabra</i>)	E	\$30,200	\$1,265,151,870
751	Pocketbook, speckled (<i>Lampsilis streckeri</i>)	E	\$30,000	\$1,265,181,870
751	Buckwheat, steamboat (<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>)	E	\$30,000	\$1,265,211,870
752	Paintbrush, ash-grey (<i>Castilleja cinerea</i>)	T	\$29,841	\$1,265,241,711
753	Alani (<i>Melicope ballouii</i>)	E	\$29,742	\$1,265,271,453
754	Liliwai (<i>Acaena exigua</i>)	E	\$29,703	\$1,265,301,156
755	Manzanita, pallid (<i>Arctostaphylos pallida</i>)	T	\$29,500	\$1,265,330,656

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
755	Mint, Lakela's (<i>Dicerandra immaculata</i>)	E	\$29,500	\$1,265,360,156
756	Ohai (<i>Sesbania tomentosa</i>)	E	\$29,128	\$1,265,389,284
757	Haha (<i>Cyanea mceldowneyi</i>)	E	\$29,096	\$1,265,418,380
758	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$29,000	\$1,265,447,380
759	Shrimp, Alabama cave (<i>Palaemonias alabamiae</i>)	E	\$28,966	\$1,265,476,346
760	Kula wahine noho (<i>Isodendron pyrifolium</i>)	E	\$28,919	\$1,265,505,265
761	Cactus, Winkler (<i>Pediocactus winkleri</i>)	T	\$28,500	\$1,265,533,765
762	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>)	E	\$28,441	\$1,265,562,206
763	Toad, Puerto Rican crested (<i>Peltophryne lemur</i>)	T	\$28,000	\$1,265,590,206
764	Turtle, flattened musk (<i>Sternotherus depressus</i>) - species range clarified	T	\$27,891	\$1,265,618,097
765	Pigtoe, southern (<i>Pleurobema georgianum</i>)	E	\$27,846	\$1,265,645,943
766	Warea, wide-leaf (<i>Warea amplexifolia</i>)	E	\$27,750	\$1,265,673,693
767	Yellowhead, desert (<i>Yermo xanthocephalus</i>)	T	\$27,735	\$1,265,701,428
768	Spineflower, Sonoma (<i>Chorizanthe valida</i>)	E	\$27,722	\$1,265,729,150
769	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtilae</i>)	E	\$27,500	\$1,265,756,650
770	Alani (<i>Melicope degeneri</i>)	E	\$27,429	\$1,265,784,079
771	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$27,400	\$1,265,811,479
772	Orcutt grass, Sacramento (<i>Orcuttia viscida</i>)	E	\$27,360	\$1,265,838,839
773	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>)	E	\$27,161	\$1,265,866,000
774	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$27,050	\$1,265,893,050
775	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>) - AZ, Mexico	EXPN	\$26,960	\$1,265,920,010
776	Haiwale (<i>Cyrtandra paliku</i>)	E	\$26,929	\$1,265,946,939
777	Salamander, Sonora tiger (<i>Ambystoma tigrinum stebbinsi</i>)	E	\$26,830	\$1,265,973,769
778	Turtle, yellow-blotched map (<i>Graptemys flavimaculata</i>)	T	\$26,791	\$1,266,000,560
779	Fiddleneck, large-flowered (<i>Amsinckia grandiflora</i>)	E	\$26,700	\$1,266,027,260
780	Pinkroot, gentian (<i>Spigelia gentianoides</i>)	E	\$26,673	\$1,266,053,933
781	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - TN - specified portions of the French Broad and Holston Rivers	EXPN	\$26,600	\$1,266,080,533
782	<i>Phyllostegia parviflora</i>	E	\$26,552	\$1,266,107,085
783	Paintbrush, Tiburon (<i>Castilleja affinis</i> ssp. <i>neglecta</i>)	E	\$26,500	\$1,266,133,585
784	Skipper, Pawnee montane (<i>Hesperia leonardus montana</i>)	T	\$26,490	\$1,266,160,075
785	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	\$26,473	\$1,266,186,548
785	Grass, Tennessee yellow-eyed (<i>Xyris tennesseensis</i>)	E	\$26,473	\$1,266,213,021
786	Shiner, blue (<i>Cyprinella caerulea</i>)	T	\$26,273	\$1,266,239,294
787	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) – Entire; Except where EXPN	E	\$26,261	\$1,266,265,555
788	Lead-plant, Crenulate (<i>Amorpha crenulata</i>)	E	\$26,250	\$1,266,291,805
789	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>))	T	\$26,129	\$1,266,317,934
790	Tiger beetle, Ohlone (<i>Cicindela ohlone</i>)	E	\$26,100	\$1,266,344,034
791	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>)	E	\$26,062	\$1,266,370,096
792	Oxytheca, cushenbury (<i>Oxytheca parishii</i> var. <i>goodmaniana</i>)	E	\$25,700	\$1,266,395,796
793	Darter, goldline (<i>Percina aurolineata</i>)	T	\$25,696	\$1,266,421,492
794	Vetch, Hawaiian (<i>Vicia menziesii</i>)	E	\$25,653	\$1,266,447,145
795	Ceanothus, coyote (<i>Ceanothus ferrisae</i>)	E	\$25,500	\$1,266,472,645
796	<i>Bonamia menziesii</i>	E	\$25,487	\$1,266,498,132
797	Kamakahala (<i>Labordia lydgatei</i>)	E	\$25,399	\$1,266,523,531
798	Mouse, Key Largo cotton (<i>Peromyscus gossypinus allapaticola</i>)	E	\$25,395	\$1,266,548,926
799	Reed-mustard, shrubby (<i>Schoenocrambe suffrutescens</i>)	E	\$25,300	\$1,266,574,226
800	Kidneyshell, triangular (<i>Ptychobranthus greenii</i>)	E	\$25,181	\$1,266,599,407
801	Baccharis, Encinitas (<i>Baccharis vanessae</i>)	T	\$25,166	\$1,266,624,573
802	Sneezeweed, Virginia (<i>Helenium virginicum</i>)	T	\$25,133	\$1,266,649,706
803	Clarkia, Presidio (<i>Clarkia franciscana</i>)	E	\$25,000	\$1,266,674,706
803	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$25,000	\$1,266,699,706
804	Curlew, Eskimo (<i>Numenius borealis</i>)	E	\$24,760	\$1,266,724,466
805	Rush-rose, island (<i>Helianthemum greenii</i>)	T	\$24,751	\$1,266,749,217
806	Darter, yellowcheek (<i>Etheostoma moorei</i>)	E	\$24,661	\$1,266,773,878
807	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>)	E	\$24,500	\$1,266,798,378
807	Manzanita, Morro (<i>Arctostaphylos morroensis</i>)	T	\$24,500	\$1,266,822,878
808	Gardenia (=Na`u), Hawaiian (<i>Gardenia brighamii</i>)	E	\$24,431	\$1,266,847,309
809	<i>Geocarpon minimum</i>	T	\$24,300	\$1,266,871,609
810	Rush-pea, slender (<i>Hoffmannseggia tenella</i>)	E	\$24,291	\$1,266,895,900
811	A`e (<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>)	E	\$24,153	\$1,266,920,053
812	<i>Achyranthes mutica</i>	E	\$24,114	\$1,266,944,167
813	Penguin, African (<i>Spheniscus demersus</i>)	E	\$24,000	\$1,266,968,167

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
813	Lampmussel, Alabama (<i>Lampsilis virescens</i>) – Entire; Except where EXPN	E	\$24,000	\$1,266,992,167
814	Gooseberry, Miccosukee (<i>Ribes echinellum</i>)	T	\$23,900	\$1,267,016,067
815	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) – Entire; Except where EXPN	E	\$23,885	\$1,267,039,952
816	Madtom, smoky (<i>Noturus baileyi</i>) - Tellico River, TN	EXPN	\$23,700	\$1,267,063,652
817	Silverside, Waccamaw (<i>Menidia extensa</i>)	T	\$23,646	\$1,267,087,298
818	Cavesnail, Tumbling Creek (<i>Antrobia culveri</i>)	E	\$23,550	\$1,267,110,848
818	Mint, scrub (<i>Dicerandra frutescens</i>)	E	\$23,550	\$1,267,134,398
819	Gilia, Monterey (<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>)	E	\$23,400	\$1,267,157,798
820	Milk-vetch, Mancos (<i>Astragalus humilimus</i>)	E	\$23,365	\$1,267,181,163
821	Nani wai`ale`ale (<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>)	E	\$23,181	\$1,267,204,344
821	<i>Tetraplasandra flynnii</i>	E	\$23,181	\$1,267,227,525
822	Phacelia, North Park (<i>Phacelia formosula</i>)	E	\$23,178	\$1,267,250,703
823	milkvetch, Osterhout (<i>Astragalus osterhoutii</i>)	E	\$23,165	\$1,267,273,868
824	Na`ena`e (<i>Dubautia pauciflora</i>)	E	\$23,089	\$1,267,296,957
825	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	\$23,078	\$1,267,320,035
826	Sunflower, San Mateo woolly (<i>Eriophyllum latilobum</i>)	E	\$23,000	\$1,267,343,035
827	Haha (<i>Cyanea lobata</i>)	E	\$22,842	\$1,267,365,877
828	<i>Schiedea kauaiensis</i>	E	\$22,807	\$1,267,388,684
829	Rock-cress, Hoffmann's (<i>Arabis hoffmannii</i>)	E	\$22,777	\$1,267,411,461
830	Pauoa (<i>Ctenitis squamigera</i>)	E	\$22,770	\$1,267,434,231
831	Darter, watercress (<i>Etheostoma nuchale</i>)	E	\$22,746	\$1,267,456,977
832	Schiedea, Diamond Head (<i>Schiedea adamantis</i>)	E	\$22,681	\$1,267,479,658
833	Chub, slender (<i>Erimystax cahni</i>)	T	\$22,666	\$1,267,502,324
834	Button, Mohr's Barbara (<i>Marshallia mohrii</i>)	T	\$22,600	\$1,267,524,924
835	Birds-in-a-nest, white (<i>Macbridea alba</i>)	T	\$22,595	\$1,267,547,519
836	Rocksnaail, plicate (<i>Leptoxis plicata</i>)	E	\$22,473	\$1,267,569,992
837	Ko`oko`olau (<i>Bidens micrantha</i> ssp. <i>kalealaha</i>)	E	\$22,297	\$1,267,592,289
838	Haha (<i>Cyanea procera</i>)	E	\$22,250	\$1,267,614,539
839	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>)	E	\$22,200	\$1,267,636,739
839	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$22,200	\$1,267,658,939
840	<i>Viola helenae</i>	E	\$22,181	\$1,267,681,120
841	Pa`iniu (<i>Astelia waialealae</i>)	E	\$22,159	\$1,267,703,279
842	Butterfly, callippe silverspot (<i>Speyeria callippe callippe</i>)	E	\$22,100	\$1,267,725,379
843	Amphianthus, little (<i>Amphianthus pusillus</i>)	T	\$22,083	\$1,267,747,462
844	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	\$22,000	\$1,267,769,462
844	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>)	E	\$22,000	\$1,267,791,462
845	<i>Phyllostegia waimeae</i>	E	\$21,589	\$1,267,813,051
845	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>)	E	\$21,589	\$1,267,834,640
846	Fern, American hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>)	T	\$21,587	\$1,267,856,227
847	`Aiakeakua, popolo (<i>Solanum sandwicense</i>)	E	\$21,552	\$1,267,877,779
848	Wawae`iole (<i>Huperzia mannii</i>)	E	\$21,473	\$1,267,899,252
849	Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>)	E	\$21,462	\$1,267,920,714
850	Daisy, lakeside (<i>Hymenoxys herbacea</i>)	T	\$21,301	\$1,267,942,015
851	Clarkia, Springville (<i>Clarkia springvillensis</i>)	T	\$21,300	\$1,267,963,315
852	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$21,250	\$1,267,984,565
853	<i>Delissea undulata</i>	E	\$21,105	\$1,268,005,670
854	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>)	T	\$20,987	\$1,268,026,657
854	Kiponapona (<i>Phyllostegia racemosa</i>)	E	\$20,987	\$1,268,047,644
855	<i>Silene alexandri</i>	E	\$20,842	\$1,268,068,486
856	Paintbrush, soft-leaved (<i>Castilleja mollis</i>)	E	\$20,777	\$1,268,089,263
857	<i>Phyllostegia mannii</i>	E	\$20,750	\$1,268,110,013
858	Pomace fly, [unnamed] (<i>Drosophila musaphila</i>)	E	\$20,500	\$1,268,130,513
858	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>)	T	\$20,500	\$1,268,151,013
859	Pitcher-plant, green (<i>Sarracenia oreophila</i>)	E	\$20,261	\$1,268,171,274
860	Pua`ala (<i>Brighamia rockii</i>)	E	\$20,250	\$1,268,191,524
860	<i>Viola lanaiensis</i>	E	\$20,250	\$1,268,211,774
860	<i>Stenogyne bifida</i>	E	\$20,250	\$1,268,232,024
861	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>	E	\$20,121	\$1,268,252,145
862	<i>Gouania meyenii</i>	E	\$20,052	\$1,268,272,197
863	Woundfin (<i>Plagopterus argentissimus</i>) - Gila R. drainage, AZ, NM	EXPN	\$20,012	\$1,268,292,209
864	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Holston River, VA, TN	EXPN	\$20,000	\$1,268,312,209
864	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>)	E	\$20,000	\$1,268,332,209
865	Alani (<i>Melicope knudsenii</i>)	E	\$19,750	\$1,268,351,959

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
866	Milk-vetch, Peirson's (<i>Astragalus magdalenae</i> var. <i>peirsonii</i>)	T	\$19,700	\$1,268,371,659
867	<i>Schiedea membranacea</i>	E	\$19,589	\$1,268,391,248
868	Darter, snail (<i>Percina tanasi</i>)	T	\$19,575	\$1,268,410,823
869	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (<i>Adelocosa anops</i>)	E	\$19,500	\$1,268,430,323
869	Chupacallos (<i>Pleodendron macranthum</i>)	E	\$19,500	\$1,268,449,823
870	Kamakahala (<i>Labordia triflora</i>)	E	\$19,498	\$1,268,469,321
871	Lo`ulu (<i>Pritchardia schattaueri</i>)	E	\$19,364	\$1,268,488,685
872	Cactus, black lace (<i>Echinocereus reichenbachii</i> var. <i>albertii</i>)	E	\$19,291	\$1,268,507,976
873	Lau `ehu (<i>Panicum niuhauense</i>)	E	\$19,181	\$1,268,527,157
874	<i>Schiedea kaalae</i>	E	\$19,052	\$1,268,546,209
875	Boxwood, Vahl's (<i>Buxus vahlii</i>)	E	\$19,000	\$1,268,565,209
876	<i>Diellia mannii</i>	E	\$18,911	\$1,268,584,120
877	Haha (<i>Cyanea dunbarii</i>)	E	\$18,842	\$1,268,602,962
878	<i>Phyllostegia warshaueri</i>	E	\$18,637	\$1,268,621,599
879	Butterfly, San Bruno elfin (<i>Callophrys mossii bayensis</i>)	E	\$18,600	\$1,268,640,199
880	<i>Remya montgomeryi</i>	E	\$18,589	\$1,268,658,788
881	<i>Lobelia monostachya</i>	E	\$18,552	\$1,268,677,340
882	Sturgeon, Shovelnose (<i>Scaphirhynchus platyrhynchus</i>)	SAT	\$18,500	\$1,268,695,840
882	Fly, Hawaiian picture-wing (<i>Drosophila sharpi</i>)	E	\$18,500	\$1,268,714,340
882	Cypress, Gowen (<i>Cupressus goveniana</i> ssp. <i>goveniana</i>)	T	\$18,500	\$1,268,732,840
883	`Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>)	E	\$18,415	\$1,268,751,255
884	`Oha wai (<i>Clermontia samuelii</i>)	E	\$18,310	\$1,268,769,565
885	<i>Tetramolopium remyi</i>	E	\$18,250	\$1,268,787,815
885	Alani (<i>Melicope adscendens</i>)	E	\$18,250	\$1,268,806,065
886	Haha (<i>Cyanea platyphylla</i>)	E	\$18,114	\$1,268,824,179
887	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	\$18,100	\$1,268,842,279
888	<i>Abutilon eremitopetalum</i>	E	\$18,085	\$1,268,860,364
889	Pitcher-plant, Alabama canebrake (<i>Sarracenia rubra alabamensis</i>)	E	\$18,048	\$1,268,878,412
890	<i>Catesbaea melanocarpa</i>	E	\$18,000	\$1,268,896,412
891	Ha`iwale (<i>Cyrtandra giffardii</i>)	E	\$17,999	\$1,268,914,411
892	Ha`iwale (<i>Cyrtandra polyantha</i>)	E	\$17,960	\$1,268,932,371
892	Haha (<i>Cyanea truncata</i>)	E	\$17,960	\$1,268,950,331
893	Lehua makanoe (<i>Lysimachia daphnoides</i>)	E	\$17,935	\$1,268,968,266
894	Alani (<i>Melicope mucronulata</i>)	E	\$17,750	\$1,268,986,016
894	Haha (<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>)	E	\$17,750	\$1,269,003,766
895	Cliff-rose, Arizona (<i>Purshia</i> (= <i>Cowania</i>) <i>subintegra</i>)	E	\$17,695	\$1,269,021,461
896	`Anaunau (<i>Lepidium arbuscula</i>)	E	\$17,682	\$1,269,039,143
897	Haha (<i>Cyanea asarifolia</i>)	E	\$17,681	\$1,269,056,824
898	Boa, Virgin Islands tree (<i>Epicrates monensis grantii</i>)	E	\$17,680	\$1,269,074,504
899	Lo`ulu (<i>Pritchardia munroi</i>)	E	\$17,589	\$1,269,092,093
899	<i>Xylosma crenatum</i>	E	\$17,589	\$1,269,109,682
900	Cactus, Knowlton's (<i>Pediocactus knowltonii</i>)	E	\$17,585	\$1,269,127,267
901	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>)	E	\$17,516	\$1,269,144,783
902	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>)	E	\$17,495	\$1,269,162,278
903	Naenae (<i>Dubautia kalalauensis</i>)	E	\$17,429	\$1,269,179,707
903	<i>Lysimachia pendens</i>	E	\$17,429	\$1,269,197,136
904	Lo`ulu (<i>Pritchardia viscosa</i>)	E	\$17,181	\$1,269,214,317
905	Catspaw, white (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>)	E	\$17,163	\$1,269,231,480
906	Shiner, palezone (<i>Notropis albizonatus</i>)	E	\$17,161	\$1,269,248,641
907	<i>Munroidendron racemosum</i>	E	\$17,153	\$1,269,265,794
908	Leather flower, Alabama (<i>Clematis socialis</i>)	E	\$17,073	\$1,269,282,867
909	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> ssp. <i>albidus</i>)	E	\$17,000	\$1,269,299,867
910	Aumakua, Palapalai (<i>Dryopteris crinalis</i> var. <i>podosorus</i>)	E	\$16,902	\$1,269,316,769
911	`Anunu (<i>Sicyos alba</i>)	E	\$16,901	\$1,269,333,670
912	Chaff-flower, round-leaved (<i>Achyranthes splendens</i> var. <i>rotundata</i>)	E	\$16,898	\$1,269,350,568
913	Alani (<i>Melicope haupuensis</i>)	E	\$16,857	\$1,269,367,425
914	`Akoko (<i>Chamaesyce rockii</i>)	E	\$16,841	\$1,269,384,266
915	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Tellico River, TN	EXPN	\$16,700	\$1,269,400,966
915	Darter, duskytail (<i>Etheostoma percnurum</i>) - Tellico River, TN	EXPN	\$16,700	\$1,269,417,666
916	Haha (<i>Cyanea undulata</i>)	E	\$16,589	\$1,269,434,255
917	Meadowrue, Cooley's (<i>Thalictrum cooleyi</i>)	E	\$16,560	\$1,269,450,815
918	Snail, Newcomb's (<i>Erinna newcombi</i>)	T	\$16,500	\$1,269,467,315
919	Kolea (<i>Myrsine knudsenii</i>)	E	\$16,429	\$1,269,483,744

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
920	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>)	T	\$16,405	\$1,269,500,149
921	Rice rat (<i>Oryzomys palustris natator</i>) - lower FL Keys	E	\$16,379	\$1,269,516,528
922	<i>Lysimachia iniki</i>	E	\$16,337	\$1,269,532,865
923	Sedge, golden (<i>Carex lutea</i>)	E	\$16,280	\$1,269,549,145
924	Spider, spruce-fir moss (<i>Microhexura montivaga</i>)	E	\$16,267	\$1,269,565,412
925	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>)	E	\$16,170	\$1,269,581,582
926	Lessingia, San Francisco (<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>))	E	\$16,100	\$1,269,597,682
927	<i>Neraudia sericea</i>	E	\$16,090	\$1,269,613,772
928	Ambrosia, San Diego (<i>Ambrosia pumila</i>)	E	\$16,042	\$1,269,629,814
929	Alani (<i>Melicope puberula</i>)	E	\$15,935	\$1,269,645,749
930	<i>Phyllostegia renovans</i>	E	\$15,929	\$1,269,661,678
931	Kolea (<i>Myrsine mezii</i>)	E	\$15,837	\$1,269,677,515
932	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>)	E	\$15,761	\$1,269,693,276
933	Pearlymussel, Curtis (<i>Epioblasma florentina curtisii</i>)	E	\$15,747	\$1,269,709,023
934	Beardtongue, Penland (<i>Penstemon penlandii</i>)	E	\$15,685	\$1,269,724,708
935	Haha (<i>Cyanea pinnatifida</i>)	E	\$15,650	\$1,269,740,358
935	<i>Silene perlmanii</i>	E	\$15,650	\$1,269,756,008
936	Pilo (<i>Hedyotis mannii</i>)	E	\$15,596	\$1,269,771,604
937	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - TN - specified portions of the French Broad and Holston Rivers	EXPN	\$15,575	\$1,269,787,179
938	<i>Delissea rhytidosperra</i>	E	\$15,527	\$1,269,802,706
939	Rocksnail, painted (<i>Leptoxis taeniata</i>)	T	\$15,502	\$1,269,818,208
940	Grass, Solano (<i>Tuctoria mucronata</i>)	E	\$15,500	\$1,269,833,708
940	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$15,500	\$1,269,849,208
941	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>)	E	\$15,309	\$1,269,864,517
942	Grasshopper, Zayante band-winged (<i>Trimerotropis infantilis</i>)	E	\$15,100	\$1,269,879,617
943	Ha`iwale (<i>Cyrtandra munroi</i>)	E	\$15,096	\$1,269,894,713
944	Rattleweed, hairy (<i>Baptisia arachnifera</i>)	E	\$15,000	\$1,269,909,713
944	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	\$15,000	\$1,269,924,713
945	Cockatoo, salmon-crested (<i>Cacatua moluccensis</i>)	T	\$14,966	\$1,269,939,679
946	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$14,926	\$1,269,954,605
947	Logperch, Conasauga (<i>Percina jenkinsi</i>)	E	\$14,850	\$1,269,969,455
948	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$14,750	\$1,269,984,205
949	Alani (<i>Melicope ovalis</i>)	E	\$14,669	\$1,269,998,874
950	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>)	E	\$14,650	\$1,270,013,524
951	Bluecurls, Hidden Lake (<i>Trichostema austromontanum</i> ssp. <i>compactum</i>)	T	\$14,500	\$1,270,028,024
952	Haha (<i>Cyanea kolekoleensis</i>)	E	\$14,435	\$1,270,042,459
953	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$14,345	\$1,270,056,804
954	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$14,330	\$1,270,071,134
955	Acornshell, southern (<i>Epioblasma othcaloogensis</i>)	E	\$14,286	\$1,270,085,420
956	Twinpod, Dudley Bluffs (<i>Physaria obcordata</i>)	T	\$14,264	\$1,270,099,684
957	Darter, Maryland (<i>Etheostoma sellare</i>)	E	\$14,141	\$1,270,113,825
958	Aupaka (<i>Isodendron longifolium</i>)	T	\$14,116	\$1,270,127,941
959	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - Except where EXPN	E	\$14,111	\$1,270,142,052
960	Combshell, upland (<i>Epioblasma metastrata</i>)	E	\$14,096	\$1,270,156,148
960	Kopa (<i>Hedyotis schlehtendahlana</i> var. <i>remyi</i>)	E	\$14,096	\$1,270,170,244
961	Makou (<i>Peucedanum sandwicense</i>)	T	\$13,967	\$1,270,184,211
962	Alani (<i>Melicope paniculata</i>)	E	\$13,935	\$1,270,198,146
963	<i>Tetramolopium rockii</i>	T	\$13,860	\$1,270,212,006
964	Kopiko (<i>Psychotria hobdyi</i>)	E	\$13,527	\$1,270,225,533
965	Milk-vetch, triple-ribbed (<i>Astragalus tricarinatus</i>)	E	\$13,500	\$1,270,239,033
966	Ha`iwale (<i>Cyrtandra tintinnabula</i>)	E	\$13,499	\$1,270,252,532
967	Cactus, Siler pincushion (<i>Pediocactus</i> (=Echinocactus, =Utahia) <i>sileri</i>)	T	\$13,495	\$1,270,266,027
968	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>)	E	\$13,342	\$1,270,279,369
969	Awii (<i>Centaurium sebaeoides</i>)	E	\$13,219	\$1,270,292,588
970	Boa, Mona (<i>Epicrates monensis monensis</i>)	T	\$13,000	\$1,270,305,588
970	Liveforever, Santa Barbara Island (<i>Dudleya traskiae</i>)	E	\$13,000	\$1,270,318,588
970	Prickly-ash, St. Thomas (<i>Zanthoxylum thomsonianum</i>)	E	\$13,000	\$1,270,331,588
971	Campion, fringed (<i>Silene polypetala</i>)	E	\$12,900	\$1,270,344,488
972	Grass, Colusa (<i>Neostapfia colusana</i>)	T	\$12,700	\$1,270,357,188
973	<i>Alsimidendron viscosum</i>	E	\$12,665	\$1,270,369,853
974	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>)	E	\$12,661	\$1,270,382,514
975	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>)	E	\$12,590	\$1,270,395,104

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
976	Pearlymussel, cracking (<i>Hemistena lata</i>) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$12,550	\$1,270,407,654
977	Goldenrod, Short's (<i>Solidago shortii</i>)	E	\$12,518	\$1,270,420,172
978	Amphipod, Kauai cave (<i>Spelaeorchestia koloana</i>)	E	\$12,500	\$1,270,432,672
978	Allocarya, Calistoga (<i>Plagiobothrys strictus</i>)	E	\$12,500	\$1,270,445,172
978	Bluegrass, Napa (<i>Poa napensis</i>)	E	\$12,500	\$1,270,457,672
978	Chumbo, Higo (<i>Harrisia portoricensis</i>)	T	\$12,500	\$1,270,470,172
979	Na`ena`e (<i>Dubautia waialealae</i>)	E	\$12,435	\$1,270,482,607
980	Kuahiwi laukahi (<i>Plantago hawaiiensis</i>)	E	\$12,387	\$1,270,494,994
981	Ladies'-tresses, Canelo Hills (<i>Spiranthes delitescens</i>)	E	\$12,245	\$1,270,507,239
982	Lily, Minnesota dwarf trout (<i>Erythronium propullans</i>)	E	\$12,164	\$1,270,519,403
983	Aupaka (<i>Isodendron laurifolium</i>)	E	\$12,150	\$1,270,531,553
984	Jacquemontia, beach (<i>Jacquemontia reclinata</i>)	E	\$12,050	\$1,270,543,603
985	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>)	E	\$12,000	\$1,270,555,603
985	Erubia (<i>Solanum drymophilum</i>)	E	\$12,000	\$1,270,567,603
986	Kohe malama malama o kanalao (<i>Kanaloa kahoowawensis</i>)	E	\$11,998	\$1,270,579,601
987	Milkpea, Small's (<i>Galactia smallii</i>)	E	\$11,950	\$1,270,591,551
988	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>)	E	\$11,596	\$1,270,603,147
989	Hau kuahiwi (<i>Hibiscadelphus giffardianus</i>)	E	\$11,537	\$1,270,614,684
990	<i>Stenogyne kealiae</i>	E	\$11,527	\$1,270,626,211
991	Ischaemum, Hilo (<i>Ischaemum byrone</i>)	E	\$11,524	\$1,270,637,735
992	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>)	E	\$11,504	\$1,270,649,239
993	<i>Calyptanthes thomasiana</i>	E	\$11,500	\$1,270,660,739
994	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>)	E	\$11,400	\$1,270,672,139
995	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>)	T	\$11,354	\$1,270,683,493
996	Spurge, deltoid (<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>)	E	\$11,350	\$1,270,694,843
997	<i>Phyllostegia velutina</i>	E	\$11,277	\$1,270,706,120
998	Butterfly, lotis blue (<i>Lycaeides argyrognomon lotis</i>)	E	\$11,100	\$1,270,717,220
999	Birch, Virginia round-leaf (<i>Betula uber</i>)	T	\$11,099	\$1,270,728,319
1000	Ihi`ihi (<i>Marsilea villosa</i>)	E	\$11,065	\$1,270,739,384
1001	Finch, Nihoa (honeycreeper) (<i>Telespyza ultima</i>)	E	\$11,000	\$1,270,750,384
1001	Elimia, lacy (snail) (<i>Elimia crenatella</i>)	T	\$11,000	\$1,270,761,384
1001	Thistle, fountain (<i>Cirsium fontinale</i> var. <i>fontinale</i>)	E	\$11,000	\$1,270,772,384
1001	Buttercup, autumn (<i>Ranunculus aestivalis</i> (= <i>acriformis</i>))	E	\$11,000	\$1,270,783,384
1001	Cobana negra (<i>Stahlia monosperma</i>)	T	\$11,000	\$1,270,794,384
1001	<i>Vernonia proctorii</i>	E	\$11,000	\$1,270,805,384
1002	Pigtoe, heavy (<i>Pleurobema taitianum</i>)	E	\$10,891	\$1,270,816,275
1003	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	\$10,864	\$1,270,827,139
1004	Chub, spotfin (<i>Erimonax monachus</i>) - Tellico River, TN	EXPN	\$10,700	\$1,270,837,839
1005	`Oha wai (<i>Clermontia drepanomorpha</i>)	E	\$10,685	\$1,270,848,524
1006	Ha`iwale (<i>Cyrtandra limahuliensis</i>)	T	\$10,653	\$1,270,859,177
1007	Pigtoe, Georgia (<i>Pleurobema hanleyianum</i>) -	E	\$10,650	\$1,270,869,827
1008	<i>Lysimachia lydgatei</i>	E	\$10,596	\$1,270,880,423
1009	<i>Leptocereus grantianus</i>	E	\$10,590	\$1,270,891,013
1010	Puma (=cougar), eastern (<i>Puma</i> (= <i>Felis</i>) <i>concolor cougar</i>)	E	\$10,559	\$1,270,901,572
1011	Mustard, Carter's (<i>Warea carteri</i>)	E	\$10,550	\$1,270,912,122
1012	Naupaka, dwarf (<i>Scaevola coriacea</i>)	E	\$10,527	\$1,270,922,649
1013	Manzanita, Ione (<i>Arctostaphylos myrtifolia</i>)	T	\$10,500	\$1,270,933,149
1013	Jewelflower, Tiburon (<i>Streptanthus niger</i>)	E	\$10,500	\$1,270,943,649
1013	Bariaco (<i>Trichilia triacantha</i>)	E	\$10,500	\$1,270,954,149
1013	<i>Auerodendron pauciflorum</i>	E	\$10,500	\$1,270,964,649
1013	<i>Eugenia woodburyana</i>	E	\$10,500	\$1,270,975,149
1014	`Akoko (<i>Chamaesyce remyi</i> var. <i>kauaiensis</i>)	E	\$10,435	\$1,270,985,584
1015	Kopiko (<i>Psychotria grandiflora</i>)	E	\$10,429	\$1,270,996,013
1016	`Akoko (<i>Euphorbia haeleleana</i>)	E	\$10,398	\$1,271,006,411
1017	<i>Lysimachia maxima</i>	E	\$10,342	\$1,271,016,753
1018	Koki`o (<i>Kokia kauaiensis</i>)	E	\$10,279	\$1,271,027,032
1019	<i>Keysseria</i> (= <i>Lagenifera</i>) <i>erici</i>	E	\$10,270	\$1,271,037,302
1019	<i>Keysseria</i> (= <i>Lagenifera</i>) <i>helenae</i>	E	\$10,270	\$1,271,047,572
1020	Fleabane, Zuni (<i>Erigeron rhizomatus</i>)	T	\$10,266	\$1,271,057,838
1021	Nohoanu (<i>Geranium kauaiense</i>)	E	\$10,165	\$1,271,068,003
1022	Remya, Maui (<i>Remya mauiensis</i>)	E	\$10,096	\$1,271,078,099
1023	Anole, Culebra Island giant (<i>Anolis roosevelti</i>)	E	\$10,090	\$1,271,088,189

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1024	Alani (<i>Melicope pallida</i>)	E	\$10,024	\$1,271,098,213
1025	Rail, Guam (<i>Rallus owstoni</i>) - Rota	EXPN	\$10,000	\$1,271,108,213
1025	Goetzea, beautiful (<i>Goetzea elegans</i>)	E	\$10,000	\$1,271,118,213
1025	<i>Mitracarpus maxwelliae</i>	E	\$10,000	\$1,271,128,213
1025	<i>Mitracarpus polycladus</i>	E	\$10,000	\$1,271,138,213
1025	Milk-vetch, Shivwits (<i>Astragalus ampullarioides</i>)	E	\$10,000	\$1,271,148,213
1025	Walnut (=Nogal), West Indian (<i>Juglans jamaicensis</i>)	E	\$10,000	\$1,271,158,213
1026	Spineflower, Howell's (<i>Chorizanthe howellii</i>)	E	\$9,900	\$1,271,168,113
1027	Lichen, rock gnome (<i>Gymmoderma lineare</i>)	E	\$9,867	\$1,271,177,980
1028	<i>Diellia pallida</i>	E	\$9,837	\$1,271,187,817
1029	Snail, tulotoma (<i>Tulotoma magnifica</i>)	E	\$9,825	\$1,271,197,642
1030	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>)	T	\$9,819	\$1,271,207,461
1031	<i>Remya kauaiensis</i>	E	\$9,779	\$1,271,217,240
1032	Na'ena'e (<i>Dubautia plantaginea</i> ssp. <i>humilis</i>)	E	\$9,750	\$1,271,226,990
1033	Lo`ulu (<i>Pritchardia affinis</i>)	E	\$9,679	\$1,271,236,669
1034	<i>Myrcia paganii</i>	E	\$9,665	\$1,271,246,334
1035	Cactus, Tobusch fishhook (<i>Ancistrocactus tobuschii</i>)	E	\$9,600	\$1,271,255,934
1036	Sandalwood, Lanai (=`iliahi) (<i>Santalum freycinetianum</i> var. <i>lanaiense</i>)	E	\$9,596	\$1,271,265,530
1036	<i>Mariscus pennatiformis</i>	E	\$9,596	\$1,271,275,126
1037	Gecko, Monito (<i>Sphaerodactylus micropithecus</i>)	E	\$9,500	\$1,271,284,626
1037	Guajon (<i>Eleutherodactylus cooki</i>)	T	\$9,500	\$1,271,294,126
1037	Lilliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>)	E	\$9,500	\$1,271,303,626
1037	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i>	E	\$9,500	\$1,271,313,126
1037	<i>Aristida chaseae</i>	E	\$9,500	\$1,271,322,626
1038	Pilo kea lau li`i (<i>Platydesma rostrata</i>)	E	\$9,435	\$1,271,332,061
1039	<i>Tetraplasandra bisattenuata</i>	E	\$9,257	\$1,271,341,318
1040	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	\$9,230	\$1,271,350,548
1041	<i>Doryopteris angelica</i>	E	\$9,159	\$1,271,359,707
1042	Groundsel, San Francisco Peaks (<i>Senecio franciscanus</i>)	T	\$9,150	\$1,271,368,857
1043	Koki`o ke`oke`o (<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>)	E	\$9,096	\$1,271,377,953
1044	Checker-mallow, Kenwood Marsh (<i>Sidalcea oregana</i> ssp. <i>valida</i>)	E	\$9,000	\$1,271,386,953
1044	Pelos del diablo (<i>Aristida portoricensis</i>)	E	\$9,000	\$1,271,395,953
1044	Palo de ramon (<i>Banara vanderbiltii</i>)	E	\$9,000	\$1,271,404,953
1044	Palo de nigua (<i>Cornutia obovata</i>)	E	\$9,000	\$1,271,413,953
1044	Higuero de sierra (<i>Crescentia portoricensis</i>)	E	\$9,000	\$1,271,422,953
1044	<i>Daphnopsis hellerana</i>	E	\$9,000	\$1,271,431,953
1044	<i>Lyonia truncata</i> var. <i>proctorii</i>	E	\$9,000	\$1,271,440,953
1044	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>)	E	\$9,000	\$1,271,449,953
1045	Snail, Chittenango ovate amber (<i>Succinea chittenangoensis</i>)	T	\$8,943	\$1,271,458,896
1046	<i>Hesperomannia lydgatei</i>	E	\$8,935	\$1,271,467,831
1046	Bluegrass, Mann's (<i>Poa mannii</i>)	E	\$8,935	\$1,271,476,766
1046	<i>Poa siphonoglossa</i>	E	\$8,935	\$1,271,485,701
1046	Na'ena'e (<i>Dubautia imbricata imbricata</i>)	E	\$8,935	\$1,271,494,636
1047	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$8,850	\$1,271,503,486
1048	Hau kuahiwi (<i>Hibiscadelphus woodii</i>)	E	\$8,837	\$1,271,512,323
1049	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$8,800	\$1,271,521,123
1050	Milk-vetch, Sentry (<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>)	E	\$8,745	\$1,271,529,868
1050	Koki`o ke`oke`o (<i>Hibiscus waimeae</i> ssp. <i>hammerae</i>)	E	\$8,745	\$1,271,538,613
1051	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>)	E	\$8,741	\$1,271,547,354
1052	<i>Cordia bellonis</i>	E	\$8,500	\$1,271,555,854
1052	<i>Schoepfia arenaria</i>	T	\$8,500	\$1,271,564,354
1052	Quillwort, mat-forming (<i>Isoetes tegetiformans</i>)	E	\$8,500	\$1,271,572,854
1053	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>)	E	\$8,464	\$1,271,581,318
1054	<i>Amaranthus brownii</i>	E	\$8,435	\$1,271,589,753
1054	Ho`awa (<i>Pittosporum napaliense</i>)	E	\$8,435	\$1,271,598,188
1055	Kauai hau kuahiwi (<i>Hibiscadelphus distans</i>)	E	\$8,429	\$1,271,606,617
1055	Hibiscus, Clay's (<i>Hibiscus clayi</i>)	E	\$8,429	\$1,271,615,046
1055	<i>Stenogyne campanulata</i>	E	\$8,429	\$1,271,623,475
1056	Olulu (<i>Brighamia insignis</i>)	E	\$8,337	\$1,271,631,812
1057	Rosemary, Etonia (<i>Conradina etonia</i>)	E	\$8,250	\$1,271,640,062
1058	Thormint, San Diego (<i>Acanthomintha ilicifolia</i>)	T	\$8,242	\$1,271,648,304
1059	Madtom, pygmy (<i>Noturus stanauli</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$8,200	\$1,271,656,504

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1060	Kamakahala (<i>Labordia pumila</i>)	E	\$8,165	\$1,271,664,669
1061	Gourd, Okeechobee (<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>)	E	\$8,045	\$1,271,672,714
1062	Mallow, Peter's Mountain (<i>Iliamna corei</i>)	E	\$8,030	\$1,271,680,744
1063	Crow, white-necked (<i>Corvus leucognaphalus</i>)	E	\$8,000	\$1,271,688,744
1063	Shagreen, Magazine Mountain (<i>Mesodon magazinensis</i>)	T	\$8,000	\$1,271,696,744
1063	Cactus, Nellie cory (<i>Coryphantha minima</i>)	E	\$8,000	\$1,271,704,744
1063	Pitaya, Davis' green (<i>Echinocereus viridiflorus</i> var. <i>davisii</i>)	E	\$8,000	\$1,271,712,744
1063	Holly, Cook's (<i>Ilex cookii</i>)	E	\$8,000	\$1,271,720,744
1063	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>)	E	\$8,000	\$1,271,728,744
1063	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$8,000	\$1,271,736,744
1064	Kaulu (<i>Pteralyxia kauaiensis</i>)	E	\$7,935	\$1,271,744,679
1064	Nehe (<i>Lipochaeta micrantha</i>)	E	\$7,935	\$1,271,752,614
1065	<i>Lysimachia filifolia</i>	E	\$7,898	\$1,271,760,512
1066	Alani (<i>Melicope quadrangularis</i>)	E	\$7,837	\$1,271,768,349
1066	<i>Phyllostegia wawrana</i>	E	\$7,837	\$1,271,776,186
1066	Haha (<i>Cyanea kuhihewa</i>)	E	\$7,837	\$1,271,784,023
1066	<i>Schiedea attenuata</i>	E	\$7,837	\$1,271,791,860
1066	<i>Lysimachia scopulensis</i>	E	\$7,837	\$1,271,799,697
1067	Blazingstar, Heller's (<i>Liatris helleri</i>)	T	\$7,820	\$1,271,807,517
1068	<i>Lobelia nihauensis</i>	E	\$7,806	\$1,271,815,323
1069	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>) - TN - specified portions of the French Broad and Holston Rivers	EXPN	\$7,766	\$1,271,823,089
1070	Spurge, Hoover's (<i>Chamaesyce hooveri</i>)	T	\$7,700	\$1,271,830,789
1071	Koki`o, Cooke's (<i>Kokia cookei</i>)	E	\$7,688	\$1,271,838,477
1072	Ha`iwale (<i>Cyrtandra oenobarba</i>)	E	\$7,665	\$1,271,846,142
1073	Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>)	E	\$7,600	\$1,271,853,742
1074	Pamakani (<i>Tetramolopium capillare</i>)	E	\$7,596	\$1,271,861,338
1074	<i>Mariscus fauriei</i>	E	\$7,596	\$1,271,868,934
1075	Milk-vetch, Deseret (<i>Astragalus desereticus</i>)	T	\$7,500	\$1,271,876,434
1075	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>)	E	\$7,500	\$1,271,883,934
1075	Potentilla, Hickman's (<i>Potentilla hickmanii</i>)	E	\$7,500	\$1,271,891,434
1075	Goldenrod, white-haired (<i>Solidago albopilosa</i>)	T	\$7,500	\$1,271,898,934
1075	Capa rosa (<i>Callicarpa ampla</i>)	E	\$7,500	\$1,271,906,434
1075	Uvillo (<i>Eugenia haematocarpa</i>)	E	\$7,500	\$1,271,913,934
1075	<i>Ternstroemia subsessilis</i>	E	\$7,500	\$1,271,921,434
1075	Flannelbush, Mexican (<i>Fremontodendron mexicanum</i>)	E	\$7,500	\$1,271,928,934
1075	Palo de jazmin (<i>Styrax portoricensis</i>)	E	\$7,500	\$1,271,936,434
1075	<i>Tectaria estremerana</i>	E	\$7,500	\$1,271,943,934
1075	<i>Thelypteris inabonensis</i>	E	\$7,500	\$1,271,951,434
1075	<i>Thelypteris verecunda</i>	E	\$7,500	\$1,271,958,934
1076	`Akoko (<i>Chamaesyce remyi</i> var. <i>remyi</i>)	E	\$7,435	\$1,271,966,369
1077	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$7,353	\$1,271,973,722
1078	Phacelia, island (<i>Phacelia insularis</i> ssp. <i>insularis</i>)	E	\$7,277	\$1,271,980,999
1079	Crane, whooping (<i>Grus americana</i>) - CO, ID, FL, NM, UT, and western WY	EXPN	\$7,232	\$1,271,988,231
1080	Sand-verbena, large-fruited (<i>Abronia macrocarpa</i>)	E	\$7,180	\$1,271,995,411
1081	Alani (<i>Melicope munroi</i>)	E	\$7,096	\$1,272,002,507
1081	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>)	E	\$7,096	\$1,272,009,603
1082	Snake, Concho water (<i>Nerodia paucimaculata</i>)	T	\$7,000	\$1,272,016,603
1082	<i>Lepanthes eltoroensis</i>	E	\$7,000	\$1,272,023,603
1082	<i>Ilex sintenisii</i>	E	\$7,000	\$1,272,030,603
1082	Fern, Elfin tree (<i>Cyathea dryopteroides</i>)	E	\$7,000	\$1,272,037,603
1082	<i>Polystichum calderonense</i>	E	\$7,000	\$1,272,044,603
1082	<i>Thelypteris yaucoensis</i>	E	\$7,000	\$1,272,051,603
1083	Nehe (<i>Lipochaeta waimeaensis</i>)	E	\$6,935	\$1,272,058,538
1083	<i>Schiedea spergulina</i> var. <i>spergulina</i>	T	\$6,935	\$1,272,065,473
1084	Milk-vetch, coastal dunes (<i>Astragalus tener</i> var. <i>titi</i>)	E	\$6,900	\$1,272,072,373
1085	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>)	E	\$6,851	\$1,272,079,224
1086	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>)	E	\$6,787	\$1,272,086,011
1087	Laulihilihi (<i>Schiedea stellarioides</i>)	E	\$6,687	\$1,272,092,698
1088	<i>Schiedea sarmentosa</i>	E	\$6,596	\$1,272,099,294
1088	Ko`oko`olau (<i>Bidens wiebkei</i>)	E	\$6,596	\$1,272,105,890
1088	`Awikiwiki (<i>Canavalia molokaiensis</i>)	E	\$6,596	\$1,272,112,486
1088	<i>Gouania hillebrandii</i>	E	\$6,596	\$1,272,119,082

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1088	Alani (<i>Melicope reflexa</i>)	E	\$6,596	\$1,272,125,678
1088	<i>Schiedea lydgatei</i>	E	\$6,596	\$1,272,132,274
1088	Haha (<i>Cyanea mannii</i>)	E	\$6,596	\$1,272,138,870
1089	<i>Diellia unisora</i>	E	\$6,558	\$1,272,145,428
1090	Coqui, golden (<i>Eleutherodactylus jasperi</i>)	T	\$6,500	\$1,272,151,928
1090	Chub, spotfin (<i>Erimonax monachus</i>) - Shoal Creek	EXPN	\$6,500	\$1,272,158,428
1090	Snail, armored (<i>Pyrgulopsis (=Marstonia) pachyta</i>)	E	\$6,500	\$1,272,164,928
1090	Campelema, slender (<i>Campelema decampi</i>)	E	\$6,500	\$1,272,171,428
1090	<i>Gesneria pauciflora</i>	T	\$6,500	\$1,272,177,928
1090	<i>Cranichis ricartii</i>	E	\$6,500	\$1,272,184,428
1090	<i>Adiantum vivesii</i>	E	\$6,500	\$1,272,190,928
1091	Darter, slackwater (<i>Etheostoma boschungii</i>)	T	\$6,400	\$1,272,197,328
1092	`Akoko (<i>Chamaesyce deppeana</i>)	E	\$6,398	\$1,272,203,726
1093	<i>Schiedea helleri</i>	E	\$6,279	\$1,272,210,005
1093	Lo`ulu (<i>Pritchardia napaliensis</i>)	E	\$6,279	\$1,272,216,284
1094	Na`ena`e (<i>Dubautia latifolia</i>)	E	\$6,187	\$1,272,222,471
1095	`Akoko, Ewa Plains (<i>Chamaesyce skottsbergii</i> var. <i>kalaeloana</i>)	E	\$6,036	\$1,272,228,507
1096	Iliau, dwarf (<i>Wilkesia hobdyi</i>)	E	\$6,027	\$1,272,234,534
1097	Chub, Hutton tui (<i>Gila bicolor</i> ssp.)	T	\$6,000	\$1,272,240,534
1097	<i>Elaphoglossum serpens</i>	E	\$6,000	\$1,272,246,534
1098	<i>Schiedea hookeri</i>	E	\$5,952	\$1,272,252,486
1099	<i>Schiedea spergulina</i> var. <i>leiopoda</i>	E	\$5,935	\$1,272,258,421
1099	<i>Lysimachia venosa</i>	E	\$5,935	\$1,272,264,356
1099	Haha (<i>Cyanea dolichopoda</i>)	E	\$5,935	\$1,272,270,291
1100	Vole, Florida salt marsh (<i>Microtus pennsylvanicus dukecampbelli</i>)	E	\$5,920	\$1,272,276,211
1101	Mint, longspurred (<i>Dicerandra cornutissima</i>)	E	\$5,850	\$1,272,282,061
1102	Avens, spreading (<i>Geum radiatum</i>)	E	\$5,820	\$1,272,287,881
1103	Haha (<i>Cyanea humboldtiana</i>)	E	\$5,806	\$1,272,293,687
1103	Alani (<i>Melicope saint-johnii</i>)	E	\$5,806	\$1,272,299,493
1103	Nehe (<i>Lipochaeta lobata</i> var. <i>leptophylla</i>)	E	\$5,806	\$1,272,305,299
1103	<i>Trematolobelia singularis</i>	E	\$5,806	\$1,272,311,105
1104	Bedstraw, island (<i>Galium buxifolium</i>)	E	\$5,751	\$1,272,316,856
1105	Haha (<i>Cyanea remyi</i>)	E	\$5,687	\$1,272,322,543
1106	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	\$5,646	\$1,272,328,189
1107	Bluegrass, Hawaiian (<i>Poa sandvicensis</i>)	E	\$5,527	\$1,272,333,716
1107	Lo`ulu, (=Na`ena`e) (<i>Pritchardia hardyi</i>)	E	\$5,527	\$1,272,339,243
1108	Madtom, pygmy (<i>Noturus stanauli</i>) - Entire	E	\$5,500	\$1,272,344,743
1108	Pomace fly, [unnamed] (<i>Drosophila aglaia</i>)	E	\$5,500	\$1,272,350,243
1108	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>)	E	\$5,500	\$1,272,355,743
1108	Spider, Tooth Cave (<i>Leptoneta myopica</i>)	E	\$5,500	\$1,272,361,243
1108	Lily, Pitkin Marsh (<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>)	E	\$5,500	\$1,272,366,743
1109	Papala (<i>Charpentiera densiflora</i>)	E	\$5,435	\$1,272,372,178
1109	<i>Chamaesyce halemanui</i>	E	\$5,435	\$1,272,377,613
1109	<i>Gahnia lanaiensis</i>	E	\$5,435	\$1,272,383,048
1109	Nehe (<i>Lipochaeta fauriei</i>)	E	\$5,435	\$1,272,388,483
1109	Kamakahala (<i>Labordia helleri</i>)	E	\$5,435	\$1,272,393,918
1109	`Akoko (<i>Chamaesyce eleanoriae</i>)	E	\$5,435	\$1,272,399,353
1110	Lupine, clover (<i>Lupinus tidestromii</i>)	E	\$5,400	\$1,272,404,753
1111	Trillium, persistent (<i>Trillium persistens</i>)	E	\$5,300	\$1,272,410,053
1112	Vole, Hualapai Mexican (<i>Microtus mexicanus hualpaiensis</i>)	E	\$5,210	\$1,272,415,263
1113	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>)	E	\$5,161	\$1,272,420,424
1114	roseroot, Leedy's (<i>Rhodiola integrifolia</i> ssp. <i>leedyi</i>)	T	\$5,087	\$1,272,425,511
1115	Akialoa, Kauai (honeycreeper) (<i>Hemignathus procerus</i>)	E	\$5,000	\$1,272,430,511
1115	Darter, bayou (<i>Etheostoma rubrum</i>)	T	\$5,000	\$1,272,435,511
1115	Snail, Pecos assiminea (<i>Assiminea pecos</i>)	E	\$5,000	\$1,272,440,511
1116	Sedge, Navajo (<i>Carex specuicola</i>)	T	\$4,966	\$1,272,445,477
1117	Rocksnail, interrupted (=Georgia) (<i>Leptoxis foremani</i>)	E	\$4,950	\$1,272,450,427
1118	Rocksnail, round (<i>Leptoxis ampla</i>)	T	\$4,946	\$1,272,455,373
1119	<i>Phyllostegia knudsenii</i>	E	\$4,935	\$1,272,460,308
1119	Lo`ulu (<i>Pritchardia remota</i>)	E	\$4,935	\$1,272,465,243
1119	Hedyotis, Na Pali beach (<i>Hedyotis st.-johnii</i>)	E	\$4,935	\$1,272,470,178
1119	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i>	E	\$4,935	\$1,272,475,113
1119	Ma`oli`oli (<i>Schiedea apokremnos</i>)	E	\$4,935	\$1,272,480,048

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1119	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>)	E	\$4,935	\$1,272,484,983
1119	Haha (<i>Cyanea eleeleensis</i>)	E	\$4,935	\$1,272,489,918
1120	Crayfish, cave (<i>Cambarus aculabrum</i>)	E	\$4,900	\$1,272,494,818
1121	Pearlymussel, cracking (<i>Hemistena lata</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$4,895	\$1,272,499,713
1122	Gilia, Hoffmann's slender-flowered (<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>)	E	\$4,851	\$1,272,504,564
1123	Penguin, southern rockhopper (<i>Eudyptes chrysocome</i>) - New Zealand-Australia DPS	T	\$4,793	\$1,272,509,357
1124	Darter, vermilion (<i>Etheostoma chermocki</i>)	E	\$4,700	\$1,272,514,057
1125	Creeper, Oahu (<i>Paroreomyza maculata</i>)	E	\$4,500	\$1,272,518,557
1125	Creeper, Molokai (<i>Paroreomyza flammea</i>)	E	\$4,500	\$1,272,523,057
1125	Pigtoe, dark (<i>Pleurobema furvum</i>)	E	\$4,500	\$1,272,527,557
1125	Leather flower, Morefield's (<i>Clematis morefieldii</i>)	E	\$4,500	\$1,272,532,057
1126	Wahane (<i>Pritchardia aylmer-robinsonii</i>)	E	\$4,427	\$1,272,536,484
1127	Holei (<i>Ochrosia kilaueensis</i>)	E	\$4,335	\$1,272,540,819
1128	Love grass, Fosberg's (<i>Eragrostis fosbergii</i>)	E	\$4,306	\$1,272,545,125
1129	Springsnail, Alamosa (<i>Tryonia alamosae</i>)	E	\$4,300	\$1,272,549,425
1130	Awikiwiki (<i>Canavalia napaliensis</i>)	E	\$4,165	\$1,272,553,590
1131	Hornsnail, rough (<i>Pleurocera foremani</i>) -	E	\$4,150	\$1,272,557,740
1132	Amphipod, Noel's (<i>Gammarus desperatus</i>)	E	\$4,100	\$1,272,561,840
1133	Blue-star, Kearney's (<i>Amsonia kearneyana</i>)	E	\$4,095	\$1,272,565,935
1134	Sedge, white (<i>Carex albida</i>)	E	\$4,000	\$1,272,569,935
1135	Ha'iwale (<i>Cyrtandra crenata</i>)	E	\$3,935	\$1,272,573,870
1136	Nehe (<i>Lipochaeta kamolensis</i>)	E	\$3,826	\$1,272,577,696
1137	Bluet, Roan Mountain (<i>Hedyotis purpurea</i> var. <i>montana</i>)	E	\$3,748	\$1,272,581,444
1138	Naenae (<i>Dubautia kenwoodii</i>)	E	\$3,665	\$1,272,585,109
1139	Dace, Independence Valley speckled (<i>Rhinichthys osculus lethoporus</i>)	E	\$3,600	\$1,272,588,709
1140	Combshell, southern (<i>Epioblasma penita</i>)	E	\$3,596	\$1,272,592,305
1141	Akoko (<i>Chamaesyce kuwaleana</i>)	E	\$3,536	\$1,272,595,841
1141	<i>Diellia falcata</i>	E	\$3,536	\$1,272,599,377
1142	<i>Schiedea verticillata</i>	E	\$3,535	\$1,272,602,912
1143	Springsnail, Roswell (<i>Pyrgulopsis roswellensis</i>)	E	\$3,500	\$1,272,606,412
1143	Pomace fly, [unnamed] (<i>Drosophila heteroneura</i>)	E	\$3,500	\$1,272,609,912
1143	Pomace fly, [unnamed] (<i>Drosophila mulli</i>)	T	\$3,500	\$1,272,613,412
1143	Pomace fly, [unnamed] (<i>Drosophila neoclavisetae</i>)	E	\$3,500	\$1,272,616,912
1143	Pomace fly, [unnamed] (<i>Drosophila obatai</i>)	E	\$3,500	\$1,272,620,412
1143	Pomace fly, [unnamed] (<i>Drosophila tarphytrichia</i>)	E	\$3,500	\$1,272,623,912
1143	Pomace fly, [unnamed] (<i>Drosophila hemipeza</i>)	E	\$3,500	\$1,272,627,412
1143	Pomace fly, [unnamed] (<i>Drosophila ochrobasis</i>)	E	\$3,500	\$1,272,630,912
1143	Pomace fly, [unnamed] (<i>Drosophila differens</i>)	E	\$3,500	\$1,272,634,412
1143	Barberry, Nevin's (<i>Berberis nevinii</i>)	E	\$3,500	\$1,272,637,912
1143	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>)	T	\$3,500	\$1,272,641,412
1143	Cactus, Chisos Mountain hedgehog (<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>)	T	\$3,500	\$1,272,644,912
1144	Water-willow, Cooley's (<i>Justicia cooleyi</i>)	E	\$3,450	\$1,272,648,362
1145	Springsnail, Koster's (<i>Juturnia kosteri</i>)	E	\$3,400	\$1,272,651,762
1146	Pearlymussel, dromedary (<i>Dromus dromas</i>) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$3,390	\$1,272,655,152
1147	Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>)	E	\$3,325	\$1,272,658,477
1148	Pawpaw, beautiful (<i>Deeringothamnus pulchellus</i>)	E	\$3,200	\$1,272,661,677
1149	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) - Entire; Except where EXPN	E	\$3,161	\$1,272,664,838
1150	Bobwhite, masked (quail) (<i>Colinus virginianus ridgwayi</i>)	E	\$3,100	\$1,272,667,938
1151	Thrush, large Kauai (=kamao) (<i>Myadestes myadestinus</i>)	E	\$3,000	\$1,272,670,938
1151	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) - Entire; Except where listed as EXPN	E	\$3,000	\$1,272,673,938
1151	Lampmussel, Alabama (<i>Lampsilis virescens</i>) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$3,000	\$1,272,676,938
1151	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$3,000	\$1,272,679,938
1151	Cactus, Lee pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>)	T	\$3,000	\$1,272,682,938
1151	Pondweed, Little Aguja (=Creek) (<i>Potamogeton clystocarpus</i>)	E	\$3,000	\$1,272,685,938
1151	Milk-vetch, heliotrope (<i>Astragalus montii</i>)	T	\$3,000	\$1,272,688,938
1152	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	\$2,950	\$1,272,691,888
1153	Bittercress, small-anthered (<i>Cardamine micranthera</i>)	E	\$2,767	\$1,272,694,655
1154	Polygala, tiny (<i>Polygala smallii</i>)	E	\$2,750	\$1,272,697,405

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1155	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$2,700	\$1,272,700,105
1156	Awiwi (<i>Hedyotis cookiana</i>)	E	\$2,665	\$1,272,702,770
1156	Na`ena`e (<i>Dubautia plantaginea magnifolia</i>)	E	\$2,665	\$1,272,705,435
1157	Darter, Cumberland (<i>Etheostoma susanae</i>)	E	\$2,661	\$1,272,708,096
1157	Dace, Laurel (<i>Chrosomus saylori</i>)	E	\$2,661	\$1,272,710,757
1158	Isopod, Socorro (<i>Thermosphaeroma thermophilus</i>)	E	\$2,650	\$1,272,713,407
1159	Blossom, green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>)	E	\$2,600	\$1,272,716,007
1159	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>)	T	\$2,600	\$1,272,718,607
1160	Irisette, white (<i>Sisyrinchium dichotomum</i>)	E	\$2,596	\$1,272,721,203
1161	`O`o, Kauai (honeyeater) (<i>Moho braccatus</i>)	E	\$2,500	\$1,272,723,703
1161	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>)	T	\$2,500	\$1,272,726,203
1161	Iagu, Hayun (=Guam), Tronkon guafi (Rota) (<i>Serianthes nelsonii</i>)	E	\$2,500	\$1,272,728,703
1161	Ceanothus, Vail Lake (<i>Ceanothus ophiochilus</i>)	T	\$2,500	\$1,272,731,203
1162	Barberry, island (<i>Berberis pinnata</i> ssp. <i>insularis</i>)	E	\$2,425	\$1,272,733,628
1163	Dudleya, Santa Monica Mountains (<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>)	T	\$2,400	\$1,272,736,028
1164	Madtom, chunky (<i>Noturus crypticus</i>)	E	\$2,161	\$1,272,738,189
1165	`O`u (honeycreeper) (<i>Psittirostra psittacea</i>)	E	\$2,000	\$1,272,740,189
1165	Purple cat's paw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$2,000	\$1,272,742,189
1165	Snail, painted snake coiled forest (<i>Anguispira picta</i>)	T	\$2,000	\$1,272,744,189
1165	Crayfish, cave (<i>Cambarus zophonastes</i>)	E	\$2,000	\$1,272,746,189
1165	Snowbells, Texas (<i>Styrax texanus</i>)	E	\$2,000	\$1,272,748,189
1165	Goldenrod, Blue Ridge (<i>Solidago spithamea</i>)	T	\$2,000	\$1,272,750,189
1165	Crownbeard, big-leaved (<i>Verbesina dissita</i>)	T	\$2,000	\$1,272,752,189
1165	<i>Nesogenes rotensis</i>	E	\$2,000	\$1,272,754,189
1165	<i>Osmoxylon mariannense</i>	E	\$2,000	\$1,272,756,189
1166	White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>)	E	\$1,900	\$1,272,758,089
1166	Milk-vetch, Clara Hunt's (<i>Astragalus clarianus</i>)	E	\$1,900	\$1,272,759,989
1166	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>)	E	\$1,900	\$1,272,761,889
1167	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$1,858	\$1,272,763,747
1168	Madtom, Scioto (<i>Noturus trautmani</i>)	E	\$1,800	\$1,272,765,547
1168	Spineflower, Robust (incl. Scotts Valley) (<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i>))	E	\$1,800	\$1,272,767,347
1169	Pawpaw, Rugel's (<i>Deeringothamnus rugelii</i>)	E	\$1,750	\$1,272,769,097
1170	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	\$1,518	\$1,272,770,615
1171	Snail, noonday (<i>Mesodon clarki nantahala</i>)	T	\$1,500	\$1,272,772,115
1172	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$1,400	\$1,272,773,515
1173	Thistle, Chorro Creek bog (<i>Cirsium fontinale</i> var. <i>obispoense</i>)	E	\$1,380	\$1,272,774,895
1174	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>)	E	\$1,300	\$1,272,776,195
1175	Cactus, Nichol's Turk's head (<i>Echinocactus horizionthalonius</i> var. <i>nicholii</i>)	E	\$1,295	\$1,272,777,490
1175	Cactus, Cochise pincushion (<i>Coryphantha robbinsorum</i>)	T	\$1,295	\$1,272,778,785
1176	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$1,150	\$1,272,779,935
1177	Mountain balm, Indian Knob (<i>Eriodictyon altissimum</i>)	E	\$1,100	\$1,272,781,035
1178	Jaguarundi, Sinaloa (<i>Herpailurus</i> (=Felis) <i>yagouaroundi tolteca</i>)	E	\$1,000	\$1,272,782,035
1178	Dudleya, Conejo (<i>Dudleya abramsii</i> ssp. <i>parva</i>)	T	\$1,000	\$1,272,783,035
1178	Dudleya, marcescent (<i>Dudleya cymosa</i> ssp. <i>marcescens</i>)	T	\$1,000	\$1,272,784,035
1178	Cory cactus, bunched (<i>Coryphantha ramillosa</i>)	T	\$1,000	\$1,272,785,035
1178	Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>)	E	\$1,000	\$1,272,786,035
1178	Dudleya, Verity's (<i>Dudleya verityi</i>)	T	\$1,000	\$1,272,787,035
1179	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>)	E	\$900	\$1,272,787,935
1179	Malacothrix, island (<i>Malacothrix squalida</i>)	E	\$900	\$1,272,788,835
1179	Cypress, Santa Cruz (<i>Cupressus abramsiana</i>)	E	\$900	\$1,272,789,735
1180	Pearlymussel, dromedary (<i>Dromus dromas</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$890	\$1,272,790,625
1181	Amphipod, Hay's Spring (<i>Stygobromus hayi</i>)	E	\$828	\$1,272,791,453
1182	Bat, little Mariana fruit (<i>Pteropus tokudae</i>)	E	\$800	\$1,272,792,253
1183	Curlew, slender-billed (<i>Numenius tenuirostris</i>)	E	\$794	\$1,272,793,047
1183	Courser, Jerdon's (<i>Rhinoptilus bitorquatus</i>)	E	\$794	\$1,272,793,841
1183	Adjutant, greater (<i>Leptoptilos dubius</i>)	E	\$794	\$1,272,794,635
1183	Capercaillie, Cantabrian (<i>Tetrao urogallus cantabricus</i>)	E	\$794	\$1,272,795,429
1183	Warbler, Eiao Polynesian (<i>Acrocephalus percernis aquilonis</i>)	E	\$794	\$1,272,796,223

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1184	Snail, Virginia fringed mountain (<i>Polygyriscus virginianus</i>)	E	\$767	\$1,272,796,990
1185	Darter, rush (<i>Etheostoma phytophilum</i>)	E	\$761	\$1,272,797,751
1186	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - Tennessee River below Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$700	\$1,272,798,451
1186	Heather, mountain golden (<i>Hudsonia montana</i>)	T	\$700	\$1,272,799,151
1187	Thrush, Molokai (<i>Myadestes lanaiensis rutha</i>)	E	\$600	\$1,272,799,751
1187	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>)	E	\$600	\$1,272,800,351
1187	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$600	\$1,272,800,951
1188	Chub, spotfin (<i>Erimonax monachus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$500	\$1,272,801,451
1188	Gambusia, San Marcos (<i>Gambusia georgei</i>)	E	\$500	\$1,272,801,951
1188	Oak, Hinckley (<i>Quercus hinckleyi</i>)	T	\$500	\$1,272,802,451
1188	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>)	E	\$500	\$1,272,802,951
1189	Pebblesnail, flat (<i>Lepyrium showalteri</i>) -	E	\$473	\$1,272,803,424
1190	Whale, Southern Right (<i>Eubalaena australis</i>)	E	\$400	\$1,272,803,824
1190	Pigtoe, rough (<i>Pleurobema plenum</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$400	\$1,272,804,224
1191	Antwren, black hooded (black-headed) (<i>Formicivora erythronotos</i>)	E	\$390	\$1,272,804,614
1192	Clubshell (<i>Pleurobema clava</i>) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$300	\$1,272,804,914
1192	Fern, Alabama streak-sorus (<i>Thelypteris pilosa</i> var. <i>alabamensis</i>)	T	\$300	\$1,272,805,214
1193	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$250	\$1,272,805,464
1194	Beetle, delta green ground (<i>Elaphrus viridis</i>)	T	\$200	\$1,272,805,664
1194	Vervain, Red Hills (<i>Verbena californica</i>)	T	\$200	\$1,272,805,864
1195	Salamander, desert slender (<i>Batrachoseps aridus</i>)	E	\$170	\$1,272,806,034
1196	Chub, slender (<i>Erimystax cahni</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$100	\$1,272,806,134
1196	Pigtoe, finerayed (<i>Fusconaia cuneolus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$100	\$1,272,806,234
1196	Pigtoe, shiny (<i>Fusconaia cor</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$100	\$1,272,806,334
1196	Fanshell (<i>Cyprogenia stegaria</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$100	\$1,272,806,434
1196	Pentachaeta, white-rayed (<i>Pentachaeta bellidiflora</i>)	E	\$100	\$1,272,806,534

TABLE 3. FY 2011 REPORTED LAND ACQUISITION EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES

Species are arranged in the same sequence as Table 1. These costs are not included in the expenditures displayed in Tables 1 and 2. Only those species that had land acquisition costs reported for FY 2010 are included here. Land rank is included to show the relative order of the species for which land expenditures are reported.

TABLE 3. FY 2011 REPORTED LAND ACQUISITION EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES

Group Name	Rank	Species (50 CFR 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
Mammals	89	Bat, gray (<i>Myotis grisescens</i>)	E	\$79,360	\$42,000	\$121,360	\$71,500	\$192,860
	7	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$796,442	\$8,051,500	\$8,847,942	\$0	\$8,847,942
	106	Bat, Ozark big-eared (<i>Corynorhinus (=Plecotus) townsendii ingens</i>)	E	\$0	\$0	\$0	\$71,100	\$71,100
	76	Bear, grizzly (<i>Ursus arctos horribilis</i>) - lower 48 States, except where EXPNor delisted	T	\$0	\$300,000	\$300,000	\$0	\$300,000
	11	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$0	\$5,971,437	\$5,971,437	\$0	\$5,971,437
	123	Bear, polar (<i>Ursus maritimus</i>)	T	\$8,400	\$0	\$8,400	\$0	\$8,400
	119	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$18,714	\$0	\$18,714	\$0	\$18,714
	28	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>)	E	\$0	\$2,578,400	\$2,578,400	\$0	\$2,578,400
	101	Jaguar (<i>Panthera onca</i>)	E	\$114,521	\$0	\$114,521	\$0	\$114,521
	85	Jaguarundi, Sinaloan (<i>Herpailurus (=Felis) yagouaroundi tolteca</i>)	E	\$207,683	\$0	\$207,683	\$0	\$207,683
	58	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$0	\$649,000	\$649,000	\$0	\$649,000
	28	Kangaroo rat, Tipton (<i>Dipodomys nitratooides nitratooides</i>)	E	\$0	\$2,578,400	\$2,578,400	\$0	\$2,578,400
	22	Lynx, Canada (<i>Lynx canadensis</i>) - Contiguous U.S. DPS	T	\$0	\$200,000	\$200,000	\$2,913,225	\$3,113,225
	78	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$50,000	\$0	\$50,000	\$236,000	\$286,000
	133	Mountain beaver, Point Arena (<i>Aplodontia rufa nigra</i>)	E	\$0	\$1,280	\$1,280	\$0	\$1,280
	108	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	\$66,000	\$0	\$66,000	\$0	\$66,000
	85	Ocelot (<i>Leopardus (=Felis) pardalis</i>)	E	\$207,683	\$0	\$207,683	\$0	\$207,683
	123	Otter, Northern Sea (<i>Enhydra lutris kenyoni</i>) - southwest Alaska DPS	T	\$8,400	\$0	\$8,400	\$0	\$8,400
	6	Panther, Florida (<i>Puma (=Felis) concolor coryi</i>)	E	\$0	\$13,000,000	\$13,000,000	\$0	\$13,000,000
	119	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>)	E	\$18,714	\$0	\$18,714	\$0	\$18,714
	99	Rabbit, pygmy (<i>Brachylagus idahoensis</i>) - Columbia Basin DPS	E	\$0	\$0	\$0	\$120,000	\$120,000
	119	Rice rat (<i>Oryzomys palustris natator</i>) - lower FL Keys	E	\$18,714	\$0	\$18,714	\$0	\$18,714
	130	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$0	\$2,158	\$2,158	\$0	\$2,158
	93	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - eastern pop.	T	\$163,067	\$0	\$163,067	\$0	\$163,067

Group Name	Rank	Species (50 CFR 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	138	Sheep, Peninsular bighorn (<i>Ovis canadensis nelsoni</i>) - Peninsular CA pop.	E	\$0	\$120	\$120	\$0	\$120
	33	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - Entire, except Sussex Co., DE	E	\$1,990,000	\$0	\$1,990,000	\$0	\$1,990,000
	95	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) Sussex Co. DE	EXPN	\$0	\$157,000	\$157,000	\$0	\$157,000
	123	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$8,400	\$0	\$8,400	\$0	\$8,400
	123	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$8,400	\$0	\$8,400	\$0	\$8,400
	123	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$8,400	\$0	\$8,400	\$0	\$8,400
	123	Whale, gray (<i>Eschrichtius robustus</i>) - W Pacific Ocean	E	\$8,400	\$0	\$8,400	\$0	\$8,400
	123	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$8,400	\$0	\$8,400	\$0	\$8,400
	73	Whale, killer (<i>Orcinus orca</i>) - Southern Resident DPS	E	\$0	\$357,312	\$357,312	\$0	\$357,312
	122	Whale, North Atlantic Right (<i>Eubalaena glacialis</i>)	E	\$8,400	\$2,158	\$10,558	\$0	\$10,558
	125	Whale, North Pacific Right (<i>Eubalaena japonica</i>) - Entire	E	\$0	\$4,980	\$4,980	\$0	\$4,980
	123	Whale, Sei (<i>Balaenoptera borealis</i>)	E	\$8,400	\$0	\$8,400	\$0	\$8,400
	123	Whale, sperm (<i>Physeter catodon</i>) (=macrocephalus)	E	\$8,400	\$0	\$8,400	\$0	\$8,400
	24	Wolf, gray (<i>Canis lupus</i>) - AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA, Mexico.	E	\$0	\$0	\$0	\$2,912,225	\$2,912,225
	90	Wolf, gray (<i>Canis lupus</i>) - MN	T	\$190,000	\$0	\$190,000	\$0	\$190,000
Mammals subtotal				\$4,004,898	\$33,895,745	\$37,900,643	\$6,324,050	\$44,224,693
Birds	123	Albatross, short-tailed (<i>Phoebastria</i>) (=Diomedea) albatrus)	E	\$8,400	\$0	\$8,400	\$0	\$8,400
	3	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) - FL pop.	T	\$0	\$15,000,000	\$15,000,000	\$0	\$15,000,000
	27	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$2,607,165	\$0	\$2,607,165	\$0	\$2,607,165
	37	Crane, whooping (<i>Grus americana</i>) - except where EXPN	E	\$0	\$1,603,500	\$1,603,500	\$0	\$1,603,500
	77	Curlew, Eskimo (<i>Numenius borealis</i>)	E	\$290,194	\$0	\$290,194	\$0	\$290,194

Group Name	Rank	Species (50 CFR 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	27	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$2,607,165	\$0	\$2,607,165	\$0	\$2,607,165
	47	Eagle, bald (<i>Haliaeetus leucocephalus</i>) - Sonoran Desert DPS	T	\$0	\$1,200,000	\$1,200,000	\$0	\$1,200,000
	80	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$280,567	\$0	\$280,567	\$0	\$280,567
	69	Eider, Steller's (<i>Polysticta stelleri</i>) - AK breeding pop.	T	\$414,567	\$0	\$414,567	\$0	\$414,567
	85	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - SW population	EXPN	\$207,683	\$0	\$207,683	\$0	\$207,683
	41	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$34,117	\$1,365,000	\$1,399,117	\$0	\$1,399,117
	26	Gnatcatcher, coastal California (<i>Poliopitila californica californica</i>)	T	\$34,117	\$2,604,834	\$2,638,951	\$0	\$2,638,951
	32	Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>) - FL pop.	E	\$0	\$2,000,000	\$2,000,000	\$0	\$2,000,000
	27	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$2,607,165	\$0	\$2,607,165	\$0	\$2,607,165
	35	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$0	\$1,732,000	\$1,732,000	\$0	\$1,732,000
	12	Plover, piping (<i>Charadrius melodus</i>) - except Great Lakes watershed	T	\$3,669,458	\$1,604,200	\$5,273,658	\$0	\$5,273,658
	45	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) - Pacific coastal pop.	T	\$1,238,240	\$0	\$1,238,240	\$0	\$1,238,240
	113	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>)	E	\$31,500	\$0	\$31,500	\$0	\$31,500
	64	Rail, light-footed clapper (<i>Rallus longirostris levipes</i>)	E	\$0	\$464,000	\$464,000	\$0	\$464,000
	107	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>)	E	\$0	\$70,500	\$70,500	\$0	\$70,500
	49	scrub-jay, Florida (<i>Aphelocoma coerulescens</i>)	T	\$15,067	\$1,000,000	\$1,015,067	\$0	\$1,015,067
	3	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	\$0	\$15,000,000	\$15,000,000	\$0	\$15,000,000
	27	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$2,607,165	\$0	\$2,607,165	\$0	\$2,607,165
	1	Stork, wood (<i>Mycteria americana</i>) - AL, FL, GA, SC	E	\$1,369,031	\$53,000,000	\$54,369,031	\$0	\$54,369,031
	16	Tern, least (<i>Sterna antillarum</i>) - interior pop.	E	\$2,398,835	\$1,603,500	\$4,002,335	\$0	\$4,002,335
	63	Tern, roseate (<i>Sterna dougallii</i>) - NE U.S. nesting pop.	E	\$466,000	\$0	\$466,000	\$0	\$466,000
	53	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$750,000	\$0	\$750,000	\$0	\$750,000

Group Name	Rank	Species (50 CFR 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	97	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$34,117	\$104,000	\$138,117	\$0	\$138,117
	51	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$877,767	\$0	\$877,767	\$0	\$877,767
	38	Woodpecker, ivory-billed (<i>Campephilus principalis</i>) - entire	E	\$1,435,500	\$0	\$1,435,500	\$0	\$1,435,500
	18	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$1,527,100	\$1,000,950	\$2,528,050	\$1,214,700	\$3,742,750
Birds subtotal				\$25,510,920	\$99,352,484	\$124,863,404	\$1,214,700	\$126,078,104
Reptiles	13	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$0	\$5,000,000	\$5,000,000	\$0	\$5,000,000
	103	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$0	\$100,000	\$100,000	\$0	\$100,000
	121	Sea turtle, green (<i>Chelonia mydas</i>) - FL, Mexico nesting pops.	E	\$13,000	\$0	\$13,000	\$0	\$13,000
	98	Sea turtle, green (<i>Chelonia mydas</i>) - except where endangered	T	\$127,767	\$0	\$127,767	\$0	\$127,767
	83	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$220,683	\$0	\$220,683	\$0	\$220,683
	98	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>)	E	\$127,767	\$0	\$127,767	\$0	\$127,767
	83	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$220,683	\$0	\$220,683	\$0	\$220,683
	75	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	\$336,683	\$0	\$336,683	\$0	\$336,683
	131	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$2,067	\$0	\$2,067	\$0	\$2,067
	30	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) - IN, MI, OH	T	\$4,325	\$2,321,186	\$2,325,511	\$0	\$2,325,511
	120	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$15,067	\$0	\$15,067	\$0	\$15,067
	61	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$225,000	\$290,700	\$515,700	\$0	\$515,700
	86	Tortoise, desert (<i>Gopherus agassizii</i>) - except in Sonoran Desert	T	\$0	\$65,000	\$65,000	\$140,000	\$205,000
	60	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - northern	T	\$558,250	\$0	\$558,250	\$0	\$558,250
	21	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - southern	SAT	\$0	\$3,521,000	\$3,521,000	\$0	\$3,521,000
Reptiles subtotal				\$1,851,292	\$11,297,886	\$13,149,178	\$140,000	\$13,289,178
Amphibians	112	Frog, California red-legged (<i>Rana draytonii</i>) - Entire	T	\$34,117	\$0	\$34,117	\$0	\$34,117
	88	Salamander, California tiger (<i>Ambystoma californiense</i>) - Central CA DPS	T	\$0	\$200,000	\$200,000	\$0	\$200,000

Group Name	Rank	Species (50 CFR 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	17	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$3,777,345	\$0	\$3,777,345	\$0	\$3,777,345
	102	Toad, arroyo (=arroyo southwestern) (<i>Bufo californicus</i> (=microscaphus))	E	\$34,117	\$75,000	\$109,117	\$0	\$109,117
Amphibians subtotal				\$3,845,579	\$275,000	\$4,120,579	\$0	\$4,120,579
Fishes	110	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$0	\$40,000	\$40,000	\$0	\$40,000
	82	Chub, bonytail (<i>Gila elegans</i>) - entire	E	\$0	\$223,000	\$223,000	\$0	\$223,000
	52	Chub, Gila (<i>Gila intermedia</i>)	E	\$0	\$0	\$0	\$767,000	\$767,000
	8	Chub, Oregon (<i>Oregonichthys crameri</i>)	T	\$0	\$7,200,337	\$7,200,337	\$0	\$7,200,337
	101	Chub, Yaqui (<i>Gila purpurea</i>)	E	\$114,521	\$0	\$114,521	\$0	\$114,521
	104	Darter, goldline (<i>Percina aurolineata</i>)	T	\$85,167	\$0	\$85,167	\$0	\$85,167
	118	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$0	\$22,000	\$22,000	\$0	\$22,000
	55	Goby, tidewater (<i>Eucyclogobius newberryi</i>)	E	\$0	\$704,000	\$704,000	\$0	\$704,000
	19	Minnnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - Entire, except where EXPN	E	\$0	\$3,576,000	\$3,576,000	\$0	\$3,576,000
	72	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - except Salt and Verde R. drainages, AZ	E	\$0	\$367,500	\$367,500	\$0	\$367,500
	118	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$0	\$22,000	\$22,000	\$0	\$22,000
	52	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	\$0	\$0	\$0	\$767,000	\$767,000
	68	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Snake River fall-run ESU	T	\$0	\$425,500	\$425,500	\$0	\$425,500
	39	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Snake River spring/summer-run ESU	T	\$0	\$1,434,951	\$1,434,951	\$0	\$1,434,951
	25	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Sacramento River winter-run ESU	E	\$0	\$2,664,000	\$2,664,000	\$0	\$2,664,000
	91	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Puget Sound ESU	T	\$0	\$0	\$0	\$189,000	\$189,000
	40	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Lower Columbia River ESU	T	\$0	\$1,256,247	\$1,256,247	\$148,333	\$1,404,580
	10	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Upper Willamette River ESU	T	\$0	\$6,963,104	\$6,963,104	\$0	\$6,963,104

Group Name	Rank	Species (50 CFR 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	23	Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - Upper Columbia spring-run ESU	E	\$0	\$1,850,255	\$1,850,255	\$1,222,891	\$3,073,146
	34	Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - Central Valley spring- run ESU	T	\$25,000	\$1,844,500	\$1,869,500	\$0	\$1,869,500
	62	Salmon, chum (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>keta</i>) - Columbia R.	T	\$0	\$0	\$0	\$511,315	\$511,315
	84	Salmon, coho (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>) - Lower Columbia River ESU	T	\$0	\$23,391	\$23,391	\$188,333	\$211,724
	67	Salmon, sockeye (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>) - Snake River, ID stock	E	\$0	\$438,767	\$438,767	\$0	\$438,767
	134	Salmon, sockeye (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>) - Ozette Lake, WA	T	\$0	\$1,000	\$1,000	\$0	\$1,000
	104	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	\$85,167	\$0	\$85,167	\$0	\$85,167
	43	Shiner, Pecos bluntnose (<i>Notropis simus</i> <i>pecosensis</i>)	T	\$0	\$1,300,000	\$1,300,000	\$0	\$1,300,000
	94	Shiner, Topeka (<i>Notropis topeka</i> (= <i>tristis</i>))	E	\$162,428	\$0	\$162,428	\$0	\$162,428
	31	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Central Valley CA	T	\$0	\$2,009,000	\$2,009,000	\$0	\$2,009,000
	48	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Snake R. Basin	T	\$0	\$1,067,103	\$1,067,103	\$0	\$1,067,103
	36	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - lower Columbia R.	T	\$0	\$1,029,027	\$1,029,027	\$660,649	\$1,689,676
	29	Steelhead (<i>Oncorhyn- chus</i> (= <i>Salmo</i>) <i>mykiss</i>) - upper Columbia R. Basin	T	\$0	\$466,372	\$466,372	\$1,962,891	\$2,429,263
	9	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - upper Willamette R.	T	\$0	\$6,969,890	\$6,969,890	\$0	\$6,969,890
	4	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - middle Columbia R.	T	\$0	\$13,077,051	\$13,077,051	\$125,000	\$13,202,051
	57	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Puget Sound DPS	T	\$0	\$0	\$0	\$672,750	\$672,750
	44	Sturgeon, North American green (<i>Acipenser medirostris</i>) - CA- Southern DPS	T	\$0	\$1,264,000	\$1,264,000	\$0	\$1,264,000
	5	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$241,788	\$12,867,181	\$13,108,969	\$0	\$13,108,969

Group Name	Rank	Species (50 CFR 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	112	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$34,117	\$0	\$34,117	\$0	\$34,117
	92	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$34,117	\$140,834	\$174,951	\$0	\$174,951
	15	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$0	\$4,682,800	\$4,682,800	\$0	\$4,682,800
	14	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	\$0	\$4,732,800	\$4,732,800	\$0	\$4,732,800
Crustaceans subtotal				\$68,234	\$9,806,434	\$9,874,668	\$0	\$9,874,668
Corals	132	Coral, elkhorn (<i>Acropora palmata</i>)	T	\$0	\$2,000	\$2,000	\$0	\$2,000
	132	Coral, staghorn (<i>Acropora cervicornis</i>)	T	\$0	\$2,000	\$2,000	\$0	\$2,000
Corals subtotal				\$0	\$4,000	\$4,000	\$0	\$4,000
Flowering Plants	65	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	\$450,078	\$0	\$450,078	\$0	\$450,078
	105	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	\$79,360	\$0	\$79,360	\$0	\$79,360
	114	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$2,067	\$0	\$2,067	\$25,000	\$27,067
	116	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$25,000	\$0	\$25,000	\$0	\$25,000
	129	Blazingstar, scrub (<i>Liatris ohlingeriae</i>)	E	\$2,067	\$0	\$2,067	\$150	\$2,217
	115	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$2,067	\$0	\$2,067	\$24,500	\$26,567
	131	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$2,067	\$0	\$2,067	\$0	\$2,067
	112	Button-celery, San Diego (<i>Eryngium aris-tulatum</i> var. <i>parishii</i>)	E	\$34,117	\$0	\$34,117	\$0	\$34,117
	119	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$18,714	\$0	\$18,714	\$0	\$18,714
	87	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$0	\$0	\$0	\$201,273	\$201,273
	98	Dogweed, ashy (<i>Thymophylla tephroleuca</i>)	E	\$127,767	\$0	\$127,767	\$0	\$127,767
	98	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	\$127,767	\$0	\$127,767	\$0	\$127,767
	131	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$2,067	\$0	\$2,067	\$0	\$2,067
	56	Howellia, water (<i>Howellia aquatilis</i>)	T	\$677,000	\$0	\$677,000	\$0	\$677,000
	135	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$0	\$0	\$0	\$700	\$700
	66	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$446,000	\$0	\$446,000	\$0	\$446,000
	46	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$0	\$1,201,000	\$1,201,000	\$0	\$1,201,000
	128	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$0	\$0	\$0	\$2,500	\$2,500
	81	Lupine, Kincaid's (<i>Lupinus sulphureus</i> (= <i>oreganus</i>) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i>))	T	\$0	\$250,000	\$250,000	\$0	\$250,000

Group Name	Rank	Species (50 CFR 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	131	Lupine, scrub (<i>Lupinus aridorum</i>)	E	\$2,067	\$0	\$2,067	\$0	\$2,067
	98	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$127,767	\$0	\$127,767	\$0	\$127,767
	112	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$34,117	\$0	\$34,117	\$0	\$34,117
	112	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$34,117	\$0	\$34,117	\$0	\$34,117
	42	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>)	E	\$1,300,500	\$0	\$1,300,500	\$0	\$1,300,500
	131	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$2,067	\$0	\$2,067	\$0	\$2,067
	111	Mint, scrub (<i>Dicerandra frutescens</i>)	E	\$0	\$0	\$0	\$37,000	\$37,000
	117	Mustard, Carter's (<i>Warea carteri</i>)	E	\$0	\$0	\$0	\$24,500	\$24,500
	96	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$0	\$140,800	\$140,800	\$0	\$140,800
	54	<i>Geocarpon minimum</i>	T	\$0	\$0	\$0	\$735,500	\$735,500
	136	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	\$0	\$500	\$500	\$0	\$500
	112	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$34,117	\$0	\$34,117	\$0	\$34,117
	88	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	\$0	\$200,000	\$200,000	\$0	\$200,000
	121	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	\$13,000	\$0	\$13,000	\$0	\$13,000
	131	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$2,067	\$0	\$2,067	\$0	\$2,067
	71	Pink, swamp (<i>Helonias bullata</i>)	T	\$400,078	\$0	\$400,078	\$0	\$400,078
	124	Plum, scrub (<i>Prunus geniculata</i>)	E	\$2,067	\$0	\$2,067	\$3,500	\$5,567
	128	Sandlance (<i>Polygonella myriophylla</i>)	E	\$0	\$0	\$0	\$2,500	\$2,500
	134	Snakeroot (<i>Eryngium cuneifolium</i>)	E	\$0	\$0	\$0	\$1,000	\$1,000
	119	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$18,714	\$0	\$18,714	\$0	\$18,714
	88	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$0	\$200,000	\$200,000	\$0	\$200,000
	101	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>)	E	\$114,521	\$0	\$114,521	\$0	\$114,521
	114	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$2,067	\$0	\$2,067	\$25,000	\$27,067
	127	Wireweed (<i>Polygonella basiramia</i>)	E	\$2,067	\$0	\$2,067	\$2,000	\$4,067
Flowering Plants subtotal				\$4,085,471	\$1,992,300	\$6,077,771	\$1,085,123	\$7,162,894
Conifers and Cycads	20	Torreya, Florida (<i>Torreya taxifolia</i>)	E	\$0	\$0	\$0	\$3,557,000	\$3,557,000
Conifers and Cycads subtotal				\$0	\$0	\$0	\$3,557,000	\$3,557,000
Ferns and Allies	123	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$8,400	\$0	\$8,400	\$0	\$8,400
Ferns and Allies subtotal				\$8,400	\$0	\$8,400	\$0	\$8,400

TABLE 4. FY 2011 EXPENDITURES REPORTED BY INDIVIDUAL FEDERAL AGENCIES AND THE STATES

This table displays species expenditures and land acquisition costs by each reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species are included.


**TABLE 4. FY2011 EXPENDITURES REPORTED BY INDIVIDUAL FEDERAL AGENCIES
AND THE STATES**

Expense Type	Agency	Species Total	Land Total	Cumulative Total
Federal Domestic Expenditures	DHS Coast Guard	\$21,089,994	\$372,608	\$21,462,602
	DHS Customs and Border Protection	\$2,111,400	\$0	\$2,111,400
	DOC National Oceanic and Atmospheric Administration	\$199,064,359	\$0	\$199,064,359
	DOD Air Force	\$16,882,708	\$0	\$16,882,708
	DOD Army	\$30,427,611	\$0	\$30,427,611
	DOD Army Corps of Engineers	\$234,022,737	\$12,867,181	\$246,889,918
	DOD Defense Logistics Agency	\$220,000	\$0	\$220,000
	DOD Marine Corps	\$5,121,835	\$0	\$5,121,835
	DOD Navy	\$12,930,797	\$0	\$12,930,797
	DOE Bonneville Power Administration	\$199,149,895	\$52,771,908	\$251,921,803
	DOE Southwestern Power Administration	\$457,373	\$0	\$457,373
	DOE Western Area Power Administration	\$1,019,000	\$0	\$1,019,000
	DOI Bureau of Indian Affairs	\$1,015,100	\$0	\$1,015,100
	DOI Bureau of Land Management	\$20,321,658	\$3,160,280	\$23,481,938
	DOI Bureau of Ocean Energy Management, Regulation and Enforcement	\$6,148,000	\$0	\$6,148,000
	DOI Bureau of Reclamation	\$170,861,500	\$24,565,500	\$195,427,000
	DOI National Park Service	\$12,340,382	\$0	\$12,340,382
	DOI Office of Surface Mining	\$5,147	\$0	\$5,147
	DOI US Geological Survey	\$13,880,073	\$0	\$13,880,073
	DOT Federal Aviation Administration	\$738,040	\$0	\$738,040
	DOT Federal Highway Administration	\$41,287,714	\$10,869,668	\$52,157,382
	Environmental Protection Agency	\$2,760,287	\$0	\$2,760,287
	Federal Energy Regulatory Commission	\$230,900	\$0	\$230,900
	Nuclear Regulatory Commission	\$451,892	\$0	\$451,892
	Smithsonian Institution	\$384,600	\$0	\$384,600
	Tennessee Valley Authority	\$4,464,200	\$0	\$4,464,200
	USDA Animal and Plant Health Inspection Service	\$5,898,870	\$0	\$5,898,870
	USDA Forest Service	\$42,764,300	\$800,000	\$43,564,300
	USDA Natural Resources Conservation Service	\$14,982,051	\$136,164,173	\$151,146,224
	US Fish and Wildlife Service	\$175,449,080	\$42,490,299	\$217,939,379
Federal Domestic Expenditures Total		\$1,236,481,503	\$284,061,617	\$1,520,543,120
Federal Foreign Expenditures	DOI US Geological Survey	\$300	\$0	\$300
	Smithsonian Institution	\$552,600	\$0	\$552,600
	US Fish and Wildlife Service	\$10,971,046	\$0	\$10,971,046
Federal Foreign Expenditures Total		\$11,523,946	\$0	\$11,523,946
Federal Domestic and Foreign Expenditures Subtotal		\$1,248,005,449	\$284,061,617	\$1,532,067,066
State Expenditures	State Governments	\$36,325,031	\$22,121,235	\$58,446,266
Grand Total		\$1,284,330,480	\$306,182,852	\$1,590,513,332

Appendix A. Supplemental Guidance for Reporting Expenditures for the Conservation of Endangered and Threatened Species for FY 2011

To return to the original intent of Congress when amending the Endangered Species Act in 1988, we have eliminated the reporting of data into the category previously known as “Other ESA Expenses.” The Congress requested information for this report on a species-by-species basis to the extent this information is reasonably available. This reporting guidance provides information on how to report expenditures attributable to individual species.

Each agency must enter the data directly into our Web-based system and will need to designate a contact person (more than one person is permissible) to enter the data for the agency. The contact person(s) will need to obtain a username and password before entering the data. Credentials can be obtained by accessing the Environmental Conservation Online System at <http://ecos.fws.gov> and clicking on “Contact ECOS” located at the bottom of the page.



Select the “Show the form” link located at the bottom of page.

For questions about *specific* websites please check:

Environmental Conservation Online System: <http://ecos.fws.gov>

Critical Habitat Portal: <http://criticalhabitat.fws.gov>

Fish Passage Decision Support System: <http://fpdss.fws.gov>

or fill out this form:

[Show the form](#)

Fill in the requested information along with your affiliated agency and request access to the “Expenditures” application.

Required.

Name:*

Email:*

Phone:*

Issue Title:*

Issue Description:*

about the FWS or
" 1 800 244 1414 "

Please allow 2 to 3 working days for access approval (email confirmation will be sent). When you receive login credentials and your access approval email, log in at <https://ecos.fws.gov> to begin entering expenditures data. Contact the Help Desk (1-970-226-9468) if you experience any problems.

The following information should be used to gather the data.

BACKGROUND

- Section 18 of the Endangered Species Act of 1973 (16 U.S. 1531 *et seq.*) reads, in part, “...the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain--
 - (1) an accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered and threatened species pursuant to this Act; and
 - (2) an accounting on a species-by-species basis for all reasonably identifiable expenditures made primarily for the conservation of endangered and threatened species pursuant to this Act by States receiving grants under section 6."
- The conference report for the 1988 amendments made some of the following points concerning section 18 of the Act:
 - Provision should not become unduly burdensome or result in diversion of funds from the operation of the program.
 - The Secretary of the Interior is to make a good faith effort to develop and obtain data but is not to undertake extensive or extraordinary measures.
 - Generalized dollar estimates will suffice.
 - Amendment does not apply to expenditures for delisted, proposed, and candidate species.
 - Amendment is not to require new species-specific time sheets for the Service or other reporting agency.
 - Listing, consultation, and law enforcement are to be included to the extent they are "reasonably identifiable."

- Submission of data from any agency is not to be a precondition to receiving any contracts or grants or establishing other arrangements with the Fish and Wildlife Service.
- Only one data set per agency should be submitted for any given fiscal year.

DATA FORMAT

- Species should be identified by the same scientific name as found in the most current list of endangered and threatened species.
- Amounts should be reported in whole dollars. Amounts above \$2,000 may be rounded to the nearest \$500 or \$1,000; smaller amounts may be rounded to the nearest \$100. **Do not report amounts lower than \$100.**

EXPENDITURES TO BE REPORTED

- Only species on the Federal list of Endangered and Threatened Wildlife and Plants (50 CFR Part 17) at the end of the fiscal year (October 1, 2010 to September 30, 2011) are to be reported. Expenditures made prior to the actual listing date of a species, but still within the same year, may be reported (e.g., costs of public meetings, notices, surveys, initial recovery efforts). Funds expended for unlisted, separate populations of listed vertebrates cannot be included in the report (e.g., Atlantic coast least terns, Alaska gray wolves). Expenditures for State-listed species are not reportable unless they are also federally listed. Amounts for foreign species on the list (e.g., grants or contracts carried out in another country) are reportable in the same manner as domestic species, but again, to the extent they are reasonably identifiable.
- Only reasonably identifiable expenditures for listed species will be compiled for this report. Extraordinary accounting to track funds expended on listed species is not expected. **Funds reported should be those actually expended, not obligated.**
- All habitat (land or water) acquisition costs are to be reported separately from all other identifiable expenditures. Such acquisitions must be primarily for the purpose of conserving federally listed species. As with other projects, those portions of habitat acquisition costs that are specifically for a listed species may be prorated out of the total acquisition costs when the other habitat is being acquired for other purposes (e.g., 25 acres of a 250-acre purchase will be set aside).
- Expenditures associated with consultations pursuant to section 7 of the Act should be reported as for the benefit of a specific species to the extent they are readily identifiable to that particular species. Thus, a formal consultation dealing with a single species, or up to several species where the relative costs are easily divisible, would be subject to reporting under that or those species.
- Monitoring and survey costs should be reported when: (1) the cost of the monitoring or survey was incurred during the period the species was under a proposed listing and the species was actually listed in the same fiscal year that the monitoring and surveys were conducted; (2) the monitoring or survey covered both candidates and listed species, and the costs can be prorated to include only the listed species; or (3) the cost was readily identifiable to individual species (and should be reported for those species).

- Salary and benefits of an employee working full-time on a single species or whose time is devoted to particular species that can be readily identified should be reported for those species. Travel costs should be treated similarly.
- Any State or Federal project that incurs increased costs related directly to mitigation or other conservation efforts on behalf of federally listed species should report that added cost, by species, if readily identifiable as such.
- All State agencies (e.g., fish and wildlife, parks, heritage programs, forests, highways) should report their expenditures, but only a single, collective report from each State should be submitted. For ESA section 6 grants or other Federal grants, States should report **only the State cost-share portion** of each grant. States should not include other sources of non-Federal cost share, e.g., third-party contributions, unless those contributions are donated to the State as a general donation.
- Examples of reportable expenditures include status surveys, habitat management or acquisition, research, propagation (including surrogate species), recovery plan development or implementation, and mitigation. The project must primarily benefit listed species, not other conservation goals, although if a readily identifiable portion of the expenditure is for the benefit of listed species (either individually or collectively), that portion of the expenditure may be reported.
- Expenditures in a single project devoted to a number of listed species should be prorated by species, if possible. General surveys or projects that cover a large number of species, some of which may not be listed, are reportable only to extent that the agency can reasonably identify the proportion of the costs that benefit listed species.
- For reimbursable funds, the paying or disbursing agency should report the expenditure.
- Litigation costs should not be reported.

Appendix B. Reports Provided by Other Federal Agencies for Fiscal Year 2011

Department of Agriculture:

- Animal and Plant Health Inspection Service
- Farm Service Agency*
- Forest Service
- Natural Resources Conservation Service

Department of Commerce:

- National Oceanic and Atmospheric Administration

Department of Defense:

- Office of the Under Secretary
(representing Air Force, Army, Defense Logistics Agency, Marine Corps and Navy)
- Army Corps of Engineers

Department of Energy:

- Bonneville Power Administration
- Southeastern Power Administration*
- Southwestern Power Administration
- Western Area Power Administration

Department of Homeland Security

- Coast Guard
- Customs and Border Protection

Department of the Interior:

- Bureau of Indian Affairs
- Bureau of Land Management
- Bureau of Ocean Energy Management
- Bureau of Reclamation
- National Park Service
- Office of Surface Mining
- U.S. Geological Survey

Department of Transportation:

- Federal Aviation Administration
- Federal Highway Administration

Independent Agencies:

- Environmental Protection Agency
- Federal Communications Commission*
- Federal Energy Regulatory Commission
- Nuclear Regulatory Commission
- Smithsonian Institution
- Tennessee Valley Authority

* Agencies reporting no expenditures for FY 2011

USDA Animal and Plant Health Inspection Service -- FY2011

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, Indiana	<i>Myotis sodalis</i>		\$19,500	\$0	\$19,500
		Bat, little Mariana fruit	<i>Pteropus tokudae</i>		\$800	\$0	\$800
		Bat, Mariana fruit (=Mariana flying fox)	<i>Pteropus mariannus mariannus</i>	entire	\$46,000	\$0	\$46,000
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$35,600	\$0	\$35,600
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$15,000	\$0	\$15,000
		Bear, polar	<i>Ursus maritimus</i>		\$1,000	\$0	\$1,000
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$1,300	\$0	\$1,300
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$23,900	\$0	\$23,900
		Deer, key	<i>Odocoileus virginianus clavium</i>		\$100	\$0	\$100
		Ferret, black-footed	<i>Mustela nigripes</i>	entire population, except where EXPN	\$35,000	\$0	\$35,000
		Jaguar	<i>Panthera onca</i>		\$500	\$0	\$500
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>		\$3,100	\$0	\$3,100
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$19,700	\$0	\$19,700
		Manatee, West Indian	<i>Trichechus manatus</i>		\$500	\$0	\$500
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>		\$2,300	\$0	\$2,300
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>		\$20,000	\$0	\$20,000
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>		\$20,000	\$0	\$20,000
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>		\$164,600	\$0	\$164,600
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$19,800	\$0	\$19,800
		Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>		\$15,000	\$0	\$15,000
		Ocelot	<i>Leopardus (=Felis) pardalis</i>		\$11,400	\$0	\$11,400
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	southwest Alaska DPS	\$400	\$0	\$400
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$200	\$0	\$200
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$2,000	\$0	\$2,000
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Entire	\$100	\$0	\$100
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>		\$8,600	\$0	\$8,600

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$250	\$0	\$250
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$2,600	\$0	\$2,600
		Sheep, Peninsular bighorn	<i>Ovis canadensis nelsoni</i>	Peninsular CA pop.	\$100,000	\$0	\$100,000
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$100	\$0	\$100
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>		\$1,000	\$0	\$1,000
		Wolf, gray	<i>Canis lupus</i>	MN	\$924,000	\$0	\$924,000
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$35,700	\$0	\$35,700
		Wolf, gray	<i>Canis lupus</i>	WY, EXPN population	\$140,000	\$0	\$140,000
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$361,000	\$0	\$361,000
		Wolf, Mexican gray	<i>Canis lupus baileyi</i>	portions of AZ, NM and TX	\$110,000	\$0	\$110,000
	Mammals Total				\$2,141,050	\$0	\$2,141,050
	Birds						
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$750	\$0	\$750
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$51,500	\$0	\$51,500
		Crane, whooping	<i>Grus americana</i>	AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	\$500	\$0	\$500
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$6,000	\$0	\$6,000
		Crow, Mariana (=aga)	<i>Corvus kubaryi</i>		\$177,000	\$0	\$177,000
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$51,500	\$0	\$51,500
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$65,100	\$0	\$65,100
		falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Entire; except where EXPN	\$3,600	\$0	\$3,600
		Flycatcher, southwestern willow	<i>Empidonax traillii eximius</i>		\$1,400	\$0	\$1,400
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>		\$7,100	\$0	\$7,100
		Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>		\$800	\$0	\$800
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$2,400	\$0	\$2,400

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Megapode, Micronesian	<i>Megapodius laperouse</i>		\$800	\$0	\$800
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$41,400	\$0	\$41,400
		Moorhen, Mariana common	<i>Gallinula chloropus guami</i>		\$800	\$0	\$800
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$10,000	\$0	\$10,000
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$50,300	\$0	\$50,300
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$155,200	\$0	\$155,200
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$475,500	\$0	\$475,500
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>		\$7,500	\$0	\$7,500
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$170,000	\$0	\$170,000
		Rail, Guam	<i>Rallus owstoni</i>	except Rota	\$177,000	\$0	\$177,000
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$91,400	\$0	\$91,400
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$400	\$0	\$400
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$200	\$0	\$200
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>		\$200	\$0	\$200
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$105,200	\$0	\$105,200
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$111,000	\$0	\$111,000
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$700	\$0	\$700
		Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>		\$126,800	\$0	\$126,800
		Tern, California least	<i>Sterna antillarum browni</i>		\$356,000	\$0	\$356,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$30,300	\$0	\$30,300
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$11,200	\$0	\$11,200
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$9,600	\$0	\$9,600
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$1,700	\$0	\$1,700
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$29,600	\$0	\$29,600
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$2,000	\$0	\$2,000
		Warbler, Kirtland's	<i>Dendroica kirtlandii</i>		\$13,400	\$0	\$13,400
		Warbler, nightingale reed	<i>Acrocephalus luscini</i>		\$800	\$0	\$800

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		White-eye, bridled	<i>Zosterops conspicillatus conspicillatus</i>		\$800	\$0	\$800
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$200	\$0	\$200
	Birds Total				\$2,347,650	\$0	\$2,347,650
	Reptiles						
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$700	\$0	\$700
		Lizard, St. Croix ground	<i>Ameiva polops</i>		\$2,100	\$0	\$2,100
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico pops.	\$34,300	\$0	\$34,300
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$19,000	\$0	\$19,000
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$15,600	\$0	\$15,600
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$35,300	\$0	\$35,300
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$45,600	\$0	\$45,600
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$68,600	\$0	\$68,600
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$2,400	\$0	\$2,400
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$16,500	\$0	\$16,500
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$100	\$0	\$100
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$2,000	\$0	\$2,000
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>		\$100	\$0	\$100
	Reptiles Total				\$242,300	\$0	\$242,300
	Amphibians						
		Frog, CA red-legged	<i>Rana draytonii</i>	Entire	\$400	\$0	\$400
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$1,400	\$0	\$1,400
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$34,400	\$0	\$34,400
		Salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>		\$1,000	\$0	\$1,000
		Toad, arroyo (southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$200	\$0	\$200
	Amphibians Total				\$37,400	\$0	\$37,400
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	entire	\$1,000	\$0	\$1,000
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>		\$7,700	\$0	\$7,700
		Darter, vermilion	<i>Etheostoma chermocki</i>		\$700	\$0	\$700
		Darter, watercress	<i>Etheostoma nuchale</i>		\$1,300	\$0	\$1,300
		Minnow, loach	<i>Tiaroga cobitis</i>		\$1,100	\$0	\$1,100
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$500	\$0	\$500
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$650	\$0	\$650

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Central Valley spring-run ESU	\$650	\$0	\$650
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Sacramento River winter-run ESU	\$650	\$0	\$650
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River fall-run ESU	\$154,800	\$0	\$154,800
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River spring/summer-run ESU	\$154,800	\$0	\$154,800
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Upper Columbia spring-run ESU	\$15,400	\$0	\$15,400
		Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>	Ozette Lake, WA	\$462,000	\$0	\$462,000
		Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>	Snake River, ID stock	\$1,500	\$0	\$1,500
		Spikedace	<i>Meda fulgida</i>		\$1,100	\$0	\$1,100
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Central Valley CA	\$650	\$0	\$650
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Snake R. Basin	\$15,540	\$0	\$15,540
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	middle Columbia R.	\$15,540	\$0	\$15,540
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	northern CA	\$650	\$0	\$650
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	south central CA coast	\$650	\$0	\$650
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	upper Columbia R. Basin	\$15,540	\$0	\$15,540
		Sturgeon, Alabama	<i>Scaphirhynchus</i> <i>suttkusi</i>		\$650	\$0	\$650
		Sturgeon, white	<i>Acipenser</i> <i>transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$700	\$0	\$700
		Sucker, razorback	<i>Xyrauchen</i> <i>texanus</i>	entire	\$1,000	\$0	\$1,000
		Trout, Apache	<i>Oncorhynchus</i> <i>apache</i>		\$2,300	\$0	\$2,300
		Trout, bull	<i>Salvelinus</i> <i>confluentus</i>	conterminous, lower 48 states	\$3,500	\$0	\$3,500
	Fishes Total				\$860,570	\$0	\$860,570
	Clams						
		Fanshell	<i>Cyprogenia</i> <i>stegaria</i>		\$2,400	\$0	\$2,400
		Higgins eye (pearlymussel)	<i>Lampsilis</i> <i>higginsii</i>		\$850	\$0	\$850
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$2,400	\$0	\$2,400
		Pearlshell, Louisiana	<i>Margaritifera</i> <i>hembeli</i>		\$9,400	\$0	\$9,400
		Pigtoe, Georgia	<i>Pleurobema</i> <i>hanleyianum</i>		\$650	\$0	\$650
	Clams Total				\$15,700	\$0	\$15,700
	Snails						
		Hornsnail, rough	<i>Pleurocera</i> <i>foremani</i>		\$650	\$0	\$650
		Limpet, Banbury Springs	<i>Lanx sp.</i>		\$650	\$0	\$650
		Rocksnail, interrupted (=Georgia)	<i>Leptoxis foremani</i>		\$650	\$0	\$650

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>		\$650	\$0	\$650
		Snail, Morro shoulderband (=Banded dune)	<i>Helminthoglypta walkeriana</i>		\$100	\$0	\$100
		Snail, Pecos assimineia	<i>Assimineia pecos</i>		\$1,200	\$0	\$1,200
		Snail, Snake River physa	<i>Physa natricina</i>		\$650	\$0	\$650
		Snail, Stock Island tree	<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>)		\$2,000	\$0	\$2,000
		Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>		\$650	\$0	\$650
	Snails Total				\$7,200	\$0	\$7,200
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$6,000	\$0	\$6,000
		Beetle, delta green ground	<i>Elaphrus viridis</i>		\$100	\$0	\$100
		Beetle, Helotes mold	<i>Batrisodes venyivi</i>		\$2,100	\$0	\$2,100
		Beetle, Mount Hermon June	<i>Polyphylla barbata</i>		\$100	\$0	\$100
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$250	\$0	\$250
		Butterfly, bay checkerspot	<i>Euphydryas editha bayensis</i>		\$100	\$0	\$100
		Butterfly, Behren's silverspot	<i>Speyeria zerene behrensii</i>		\$100	\$0	\$100
		Butterfly, callippe silverspot	<i>Speyeria callippe callippe</i>		\$100	\$0	\$100
		Butterfly, El Segundo blue	<i>Euphilotes battoides allyni</i>		\$100	\$0	\$100
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$3,300	\$0	\$3,300
		Butterfly, Lange's metalmark	<i>Apodemia mormo langei</i>		\$250	\$0	\$250
		Butterfly, lotis blue	<i>Lycaeides argyrognomon lotis</i>		\$100	\$0	\$100
		Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>		\$100	\$0	\$100
		Butterfly, Myrtle's silverspot	<i>Speyeria zerene myrtleae</i>		\$100	\$0	\$100
		Butterfly, Palos Verdes blue	<i>Glaucopsyche lygdamus palosverdesensis</i>		\$100	\$0	\$100
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (=E. e. <i>wrighti</i>)		\$250	\$0	\$250
		Butterfly, San Bruno elfin	<i>Callophrys mossii bayensis</i>		\$100	\$0	\$100
		Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>		\$200	\$0	\$200
		Butterfly, Smith's blue	<i>Euphilotes enoptes smithi</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Fly, Delhi Sands flower-loving	<i>Rhaphiomidas terminatus abdominalis</i>		\$250	\$0	\$250
		Grasshopper, Zayante band-winged	<i>Trimerotropis infantilis</i>		\$100	\$0	\$100
		Ground beetle	<i>Rhadine exilis</i>		\$2,100	\$0	\$2,100
		Ground beetle	<i>Rhadine infernalis</i>		\$2,100	\$0	\$2,100
		Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>		\$250	\$0	\$250
		Skipper, Carson wandering	<i>Pseudocopaeodes eunus obscurus</i>		\$100	\$0	\$100
		Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>		\$100	\$0	\$100
		Tiger beetle, Ohlone	<i>Cicindela ohlone</i>		\$100	\$0	\$100
	Insects Total				\$18,650	\$0	\$18,650
	Arachnids						
		Harvestman, Cokendolpher Cave	<i>Texella cokendolpheri</i>		\$400	\$0	\$400
		Meshweaver, Braken Bat Cave	<i>Cicurina venii</i>		\$400	\$0	\$400
		Meshweaver, Government Canyon Bat Cave	<i>Cicurina vespera</i>		\$4,000	\$0	\$4,000
		Meshweaver, Madla's Cave	<i>Cicurina madla</i>		\$400	\$0	\$400
		Meshweaver, Robber Baron Cave	<i>Cicurina baronia</i>		\$2,100	\$0	\$2,100
		Spider, Government Canyon Bat Cave	<i>Neoleptoneta microps</i>		\$4,000	\$0	\$4,000
	Arachnids Total				\$11,300	\$0	\$11,300
	Crustaceans						
		Crayfish, Shasta	<i>Pacifastacus fortis</i>		\$100	\$0	\$100
		Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>		\$350	\$0	\$350
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>		\$250	\$0	\$250
		Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>		\$250	\$0	\$250
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$100	\$0	\$100
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$250	\$0	\$250
		Shrimp, California freshwater	<i>Syncaris pacifica</i>		\$100	\$0	\$100
		Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>		\$250	\$0	\$250
	Crustaceans Total				\$1,650	\$0	\$1,650
	Flowering Plants						
		Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>		\$1,700	\$0	\$1,700

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Awiwi	<i>Centaurium sebaeoides</i>		\$2,000	\$0	\$2,000
		Beargrass, Britton's	<i>Nolina brittoniana</i>		\$14,300	\$0	\$14,300
		Beauty, Harper's	<i>Harperocallis flava</i>		\$14,300	\$0	\$14,300
		Bonamia, Florida	<i>Bonamia grandiflora</i>		\$14,300	\$0	\$14,300
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$650	\$0	\$650
		Chaff-flower, round-leaved	<i>Achyranthes splendens</i> var. <i>rotundata</i>		\$2,000	\$0	\$2,000
		Chaffseed, American	<i>Schwalbea americana</i>		\$100	\$0	\$100
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$2,500	\$0	\$2,500
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$100	\$0	\$100
		Daisy, Willamette	<i>Erigeron decumbens</i> var. <i>decumbens</i>		\$3,300	\$0	\$3,300
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$3,300	\$0	\$3,300
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$650	\$0	\$650
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$200	\$0	\$200
		Gourd, Okeechobee	<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>		\$200	\$0	\$200
		Howellia, water	<i>Howellia aquatilis</i>		\$650	\$0	\$650
		Jacquemontia, beach	<i>Jacquemontia reclinata</i>		\$200	\$0	\$200
		Joint-vetch, sensitive	<i>Aeschynomene virginica</i>		\$800	\$0	\$800
		Ko`oloa`ula	<i>Abutilon menziesii</i>		\$2,000	\$0	\$2,000
		Kulu`i	<i>Nototrichium humile</i>		\$2,000	\$0	\$2,000
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$650	\$0	\$650
		Lead-plant, Crenulate	<i>Amorpha crenulata</i>		\$14,500	\$0	\$14,500
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$2,000	\$0	\$2,000
		Ma`oli`oli	<i>Schiedea kealiae</i>		\$2,000	\$0	\$2,000
		Milkpea, Small's	<i>Galactia smallii</i>		\$200	\$0	\$200
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$150	\$0	\$150
		Mint, scrub	<i>Dicerandra frutescens</i>		\$14,300	\$0	\$14,300
		Mustard, Carter's	<i>Warea carteri</i>		\$200	\$0	\$200
		Naupaka, dwarf	<i>Scaevola coriacea</i>		\$2,000	\$0	\$2,000
		Ohai	<i>Sesbania tomentosa</i>		\$2,000	\$0	\$2,000
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$200	\$0	\$200
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Panicgrass, Carter's	<i>Panicum fauriei</i> <i>var. carteri</i>		\$2,000	\$0	\$2,000
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>		\$2,700	\$0	\$2,700
		Pinkroot, gentian	<i>Spigelia gentianoides</i>		\$7,700	\$0	\$7,700
		Plum, scrub	<i>Prunus geniculata</i>		\$14,300	\$0	\$14,300
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$2,150	\$0	\$2,150
		Polygala, tiny	<i>Polygala smallii</i>		\$200	\$0	\$200
		Pondberry	<i>Lindera melissifolia</i>		\$100	\$0	\$100
		Rhododendron, Chapman	<i>Rhododendron chapmanii</i>		\$14,300	\$0	\$14,300
		Rosemary, Apalachicola	<i>Conradina glabra</i>		\$7,700	\$0	\$7,700
		Sandlace	<i>Polygonella myriophylla</i>		\$14,300	\$0	\$14,300
		Snakeroot	<i>Eryngium cuneifolium</i>		\$14,300	\$0	\$14,300
		Spurge, deltoid	<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>		\$200	\$0	\$200
		Spurge, Garber's	<i>Chamaesyce garberi</i>		\$200	\$0	\$200
		Wireweed	<i>Polygonella basiramia</i>		\$14,300	\$0	\$14,300
		`Akoko	<i>Chamaesyce celastroides</i> var. <i>kaenana</i>		\$2,000	\$0	\$2,000
	Flowering Plants Total				\$200,000	\$0	\$200,000
	Conifers and Cycads						
		Torreya, Florida	<i>Torreya taxifolia</i>		\$7,700	\$0	\$7,700
	Lichens						
		Cladonia, Florida perforate	<i>Cladonia perforata</i>		\$7,700	\$0	\$7,700
	Domestic Total				\$5,898,870	\$0	\$5,898,870
	Grand Total				\$5,898,870	\$0	\$5,898,870

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico	\$77,000	\$0	\$77,000
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$53,000	\$0	\$53,000
	Mammals Total				\$7,597,000	\$500,000	\$8,097,000
	Birds						
		Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>		\$5,000	\$0	\$5,000
		Akiapola`au (honeycreeper)	<i>Hemignathus munroi</i>		\$5,000	\$0	\$5,000
		Condor, California	<i>Gymnogyps californianus</i>	Entire, except where EXPN	\$50,000	\$0	\$50,000
		Creepers, Hawaii	<i>Oreomystis mana</i>		\$5,000	\$0	\$5,000
		falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Southwestern population	\$3,000	\$0	\$3,000
		Gnatcatcher, coastal California	<i>Polioptila californica californica</i>		\$88,000	\$0	\$88,000
		Hawk, Hawaiian (=lo)	<i>Buteo solitarius</i>		\$5,000	\$0	\$5,000
		Hawk, Puerto Rican broad-winged	<i>Buteo platypterus brunescens</i>		\$38,000	\$0	\$38,000
		Hawk, Puerto Rican sharp-shinned	<i>Accipiter striatus venator</i>		\$38,000	\$0	\$38,000
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$1,459,000	\$0	\$1,459,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$5,749,000	\$0	\$5,749,000
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$4,952,000	\$0	\$4,952,000
		Parrot, Puerto Rican	<i>Amazona vittata</i>		\$104,000	\$0	\$104,000
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$344,000	\$0	\$344,000
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$3,000	\$0	\$3,000
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$292,000	\$0	\$292,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$3,000	\$0	\$3,000
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$10,000	\$0	\$10,000
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$90,000	\$0	\$90,000
		Warbler, Kirtland's	<i>Dendroica kirtlandii</i>		\$791,000	\$0	\$791,000
		Woodpecker, ivory-billed	<i>Campephilus principalis</i>	entire	\$25,000	\$0	\$25,000
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$10,256,000	\$0	\$10,256,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Birds Total				\$24,315,000	\$0	\$24,315,000
	Reptiles						
		Boa, Puerto Rican	<i>Epicrates inornatus</i>		\$23,000	\$0	\$23,000
		Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>		\$3,000	\$0	\$3,000
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$95,000	\$0	\$95,000
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$543,000	\$0	\$543,000
	Reptiles Total				\$664,000	\$0	\$664,000
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$110,000	\$0	\$110,000
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$116,000	\$0	\$116,000
		Frog, dusky gopher	<i>Rana sevosia</i>	Entire	\$72,000	\$0	\$72,000
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern California DPS	\$54,000	\$0	\$54,000
		Salamander, Cheat Mountain	<i>Plethodon nettingi</i>		\$11,000	\$0	\$11,000
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$52,000	\$0	\$52,000
		Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>		\$17,000	\$0	\$17,000
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$102,000	\$0	\$102,000
	Amphibians Total				\$534,000	\$0	\$534,000
	Fishes						
		Catfish, Yaqui	<i>Ictalurus pricei</i>		\$3,000	\$0	\$3,000
		Chub, Chihuahua	<i>Gila nigrescens</i>		\$4,000	\$0	\$4,000
		Chub, Gila	<i>Gila intermedia</i>		\$3,000	\$0	\$3,000
		Chub, Sonora	<i>Gila ditaenia</i>		\$3,000	\$0	\$3,000
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$11,000	\$0	\$11,000
		Chub, Yaqui	<i>Gila purpurea</i>		\$4,000	\$0	\$4,000
		Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>		\$2,000	\$0	\$2,000
		Darter, amber	<i>Percina antesella</i>		\$4,000	\$0	\$4,000
		Darter, duskytail	<i>Etheostoma percnum</i>	Entire	\$17,000	\$0	\$17,000
		Darter, Etowah	<i>Etheostoma etowahae</i>		\$3,000	\$0	\$3,000
		Darter, leopard	<i>Percina pantherina</i>		\$13,000	\$0	\$13,000
		Darter, snail	<i>Percina tanasi</i>		\$1,000	\$0	\$1,000
		Logperch, Conasauga	<i>Percina jenkinsi</i>		\$1,000	\$0	\$1,000
		Madtom, smoky	<i>Noturus baileyi</i>	Entire	\$7,000	\$0	\$7,000
		Madtom, smoky	<i>Noturus baileyi</i>	Tellico River, TN	\$7,000	\$0	\$7,000
		Minnow, loach	<i>Tiaroga cobitis</i>		\$12,000	\$0	\$12,000
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire, except where EXPN	\$3,000	\$0	\$3,000
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	Salt and Verde R. drainages, AZ	\$22,000	\$0	\$22,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$3,000	\$0	\$3,000
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$20,000	\$0	\$20,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Central Valley spring-run ESU	\$283,000	\$0	\$283,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Lower Columbia River ESU	\$5,000	\$0	\$5,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Sacramento River winter-run ESU	\$17,000	\$0	\$17,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River fall-run ESU	\$17,000	\$0	\$17,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River spring/summer-run ESU	\$399,000	\$0	\$399,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Upper Columbia spring-run ESU	\$34,000	\$0	\$34,000
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	Columbia R.	\$1,000	\$0	\$1,000
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Lower Columbia River ESU	\$5,000	\$0	\$5,000
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Oregon Coast ESU	\$32,000	\$0	\$32,000
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Southern Oregon–Northern California Coast ESU	\$1,803,000	\$0	\$1,803,000
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$3,000	\$0	\$3,000
		Shiner, blue	<i>Cyprinella caerulea</i>		\$8,000	\$0	\$8,000
		Spikedace	<i>Meda fulgida</i>		\$13,000	\$0	\$13,000
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>		\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Central Valley CA	\$272,000	\$0	\$272,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Puget Sound DPS	\$6,000	\$0	\$6,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Snake R. Basin	\$287,000	\$0	\$287,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	lower Columbia R.	\$78,000	\$0	\$78,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	middle Columbia R.	\$211,000	\$0	\$211,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	northern CA	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	southern CA coast	\$15,000	\$0	\$15,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	upper Columbia R. Basin	\$9,000	\$0	\$9,000
		Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>		\$51,000	\$0	\$51,000
		Sucker, Lost River	<i>Deltistes luxatus</i>		\$32,000	\$0	\$32,000
		Sucker, Modoc	<i>Catostomus microps</i>		\$12,000	\$0	\$12,000
		Sucker, razorback	<i>Xyrauchen texanus</i>	entire	\$31,000	\$0	\$31,000
		Sucker, Santa Ana	<i>Catostomus santaanae</i>	3 CA river basins	\$50,000	\$0	\$50,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sucker, shortnose	<i>Chasmistes brevirostris</i>		\$32,000	\$0	\$32,000
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$14,000	\$0	\$14,000
		Trout, Apache	<i>Oncorhynchus apache</i>		\$4,000	\$0	\$4,000
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$1,587,000	\$300,000	\$1,887,000
		Trout, Gila	<i>Oncorhynchus gilae</i>		\$8,000	\$0	\$8,000
		trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>		\$104,000	\$0	\$104,000
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$125,000	\$0	\$125,000
		Trout, Little Kern golden	<i>Oncorhynchus aguabonita whitei</i>		\$675,000	\$0	\$675,000
		Trout, Paiute cutthroat	<i>Oncorhynchus clarki seleniris</i>		\$21,000	\$0	\$21,000
	Fishes Total				\$6,392,000	\$300,000	\$6,692,000
	Clams						
		Clubshell, ovate	<i>Pleurobema perovatium</i>		\$34,000	\$0	\$34,000
		Clubshell, southern	<i>Pleurobema decisum</i>		\$37,000	\$0	\$37,000
		Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>		\$9,000	\$0	\$9,000
		Fanshell	<i>Cyprogenia stegaria</i>		\$100	\$0	\$100
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>		\$12,000	\$0	\$12,000
		Moccasinshell, Alabama	<i>Medionidus acutissimus</i>		\$37,000	\$0	\$37,000
		Moccasinshell, Coosa	<i>Medionidus parvulus</i>		\$29,000	\$0	\$29,000
		Mucket, orangenacre	<i>Lampsilis perovalis</i>		\$5,000	\$0	\$5,000
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$1,000	\$0	\$1,000
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$1,000	\$0	\$1,000
		Pearlymussel, littlewing	<i>Pegias fabula</i>		\$9,000	\$0	\$9,000
		Pocketbook, finelined	<i>Lampsilis altilis</i>		\$29,000	\$0	\$29,000
		purple cat's paw (=purple cat's paw pearlymussel)	<i>Epioblasma obliquata obliquata</i>	Tennessee River below Wilson Dam, Colbert and Lauderdale Co. AL	\$2,000	\$0	\$2,000
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$2,000	\$0	\$2,000
	Clams Total				\$207,100	\$0	\$207,100
	Snails						
		Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>		\$1,000	\$0	\$1,000
		Springsnail, Alamosa	<i>Tryonia alamosae</i>		\$3,000	\$0	\$3,000
	Snails Total				\$4,000	\$0	\$4,000
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$209,000	\$0	\$209,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$49,000	\$0	\$49,000
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$257,000	\$0	\$257,000
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$33,000	\$0	\$33,000
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (= <i>E. e. wrighti</i>)		\$32,000	\$0	\$32,000
		Butterfly, Smith's blue	<i>Euphilotes enoptes smithi</i>		\$34,000	\$0	\$34,000
		Butterfly, Uncompahgre fritillary	<i>Boloria acrocne</i>		\$22,000	\$0	\$22,000
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$69,000	\$0	\$69,000
		Moth, Blackburn's sphinx	<i>Manduca blackburni</i>		\$5,000	\$0	\$5,000
		Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>		\$2,000	\$0	\$2,000
		Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>		\$10,000	\$0	\$10,000
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>		\$19,000	\$0	\$19,000
	Insects Total				\$741,000	\$0	\$741,000
	Flowering Plants						
		Amole, purple	<i>Chlorogalum purpureum</i>		\$16,000	\$0	\$16,000
		Aster, Ruth's golden	<i>Pityopsis ruthii</i>		\$1,000	\$0	\$1,000
		Bladderpod, San Bernardino Mountains	<i>Lesquerella kingii ssp. bernardina</i>		\$8,000	\$0	\$8,000
		Bluegrass, San Bernardino	<i>Poa atropurpurea</i>		\$27,000	\$0	\$27,000
		Bonamia, Florida	<i>Bonamia grandiflora</i>		\$40,000	\$0	\$40,000
		Buckwheat, cushenbury	<i>Eriogonum ovalifolium var. vineum</i>		\$99,000	\$0	\$99,000
		Buckwheat, scrub	<i>Eriogonum longifolium var. gnaphalifolium</i>		\$66,000	\$0	\$66,000
		Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>		\$11,000	\$0	\$11,000
		Butterweed, Layne's	<i>Senecio layneae</i>		\$1,000	\$0	\$1,000
		Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus var. arizonicus</i>		\$3,000	\$0	\$3,000
		Cactus, Colorado hookless	<i>Sclerocactus glaucus</i>		\$36,000	\$0	\$36,000
		Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri var. kuenzleri</i>		\$40,000	\$0	\$40,000
		Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>		\$3,000	\$0	\$3,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Cactus, Sneed pincushion	<i>Coryphantha sneedii</i> var. <i>sneedii</i>		\$2,000	\$0	\$2,000
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$23,000	\$0	\$23,000
		Chaffseed, American	<i>Schwalbea americana</i>		\$16,000	\$0	\$16,000
		Checker-mallow, pedate	<i>Sidalcea pedata</i>		\$8,000	\$0	\$8,000
		Checkermallow, Wenatchee Mts.	<i>Sidalcea oregana</i> var. <i>calva</i>		\$1,000	\$0	\$1,000
		Clarkia, Springville	<i>Clarkia springvillensis</i>		\$6,000	\$0	\$6,000
		Cliff-rose, Arizona	<i>Purshia</i> (= <i>Cowania</i>) <i>subintegra</i>		\$10,000	\$0	\$10,000
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$29,000	\$0	\$29,000
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$81,000	\$0	\$81,000
		Daisy, lakeside	<i>Hymenoxys herbacea</i>		\$15,000	\$0	\$15,000
		Daisy, Parish's	<i>Erigeron parishii</i>		\$24,000	\$0	\$24,000
		Dropwort, Canby's	<i>Oxypolis canbyi</i>		\$30,000	\$0	\$30,000
		Fleabane, Zuni	<i>Erigeron rhizomatus</i>		\$3,000	\$0	\$3,000
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$12,000	\$0	\$12,000
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$23,000	\$0	\$23,000
		Goldenrod, Houghton's	<i>Solidago houghtonii</i>		\$16,000	\$0	\$16,000
		Gooseberry, Miccosukee	<i>Ribes echinellum</i>		\$7,000	\$0	\$7,000
		Groundsel, San Francisco Peaks	<i>Senecio franciscanus</i>		\$3,000	\$0	\$3,000
		Haha	<i>Cyanea shipmanii</i>		\$5,000	\$0	\$5,000
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$40,000	\$0	\$40,000
		Harperella	<i>Ptilimnium nodosum</i>		\$1,000	\$0	\$1,000
		Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>		\$5,000	\$0	\$5,000
		Howellia, water	<i>Howellia aquatilis</i>		\$10,000	\$0	\$10,000
		Ipomopsis, Holy Ghost	<i>Ipomopsis sancti-spiritus</i>		\$3,000	\$0	\$3,000
		Iris, dwarf lake	<i>Iris lacustris</i>		\$40,000	\$0	\$40,000
		Kauila	<i>Colubrina oppositifolia</i>		\$40,000	\$0	\$40,000
		Kiponapona	<i>Phyllostegia racemosa</i>		\$5,000	\$0	\$5,000
		Koki`o	<i>Kokia drynarioides</i>		\$40,000	\$0	\$40,000
		Ko`oloa`ula	<i>Abutilon menziesii</i>		\$5,000	\$0	\$5,000
		Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>		\$3,000	\$0	\$3,000
		Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>		\$90,000	\$0	\$90,000
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$41,000	\$0	\$41,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Locoweed, Fassett's	<i>Oxytropis campestris</i> var. <i>chartacea</i>		\$1,000	\$0	\$1,000
		Lomatium, Cook's	<i>Lomatium cookii</i>		\$45,000	\$0	\$45,000
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> (=oreganus) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i>)		\$4,000	\$0	\$4,000
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$5,000	\$0	\$5,000
		Milk-vetch, Cushenbury	<i>Astragalus albens</i>		\$29,000	\$0	\$29,000
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$35,000	\$0	\$35,000
		Monkshood, northern wild	<i>Aconitum noveboracense</i>		\$100	\$0	\$100
		Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>		\$1,000	\$0	\$1,000
		Mustard, Penland alpine fen	<i>Eutrema penlandii</i>		\$39,000	\$0	\$39,000
		Mustard, slender-petaled	<i>Thelypodium stenopetalum</i>		\$20,000	\$0	\$20,000
		No common name	<i>Bonamia menziesii</i>		\$5,000	\$0	\$5,000
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$8,000	\$0	\$8,000
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$43,000	\$0	\$43,000
		Oxytheca, cushenbury	<i>Oxytheca parishii</i> var. <i>goodmaniana</i>		\$24,000	\$0	\$24,000
		Paintbrush, ash-grey	<i>Castilleja cinerea</i>		\$29,000	\$0	\$29,000
		Pennyroyal, Todsens	<i>Hedeoma todsenii</i>		\$15,000	\$0	\$15,000
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$6,000	\$0	\$6,000
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>		\$1,000	\$0	\$1,000
		Phacelia, clay	<i>Phacelia argillacea</i>		\$46,000	\$0	\$46,000
		Phacelia, DeBeque	<i>Phacelia submutica</i>		\$60,000	\$0	\$60,000
		Phlox, Yreka	<i>Phlox hirsuta</i>		\$300	\$0	\$300
		Pink, swamp	<i>Helonias bullata</i>		\$14,000	\$0	\$14,000
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$23,000	\$0	\$23,000
		Polygala, Lewton's	<i>Polygala lewtonii</i>		\$81,000	\$0	\$81,000
		Pondberry	<i>Lindera melissifolia</i>		\$251,000	\$0	\$251,000
		Poppy, Sacramento prickly	<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>		\$23,000	\$0	\$23,000
		Potato-bean, Price's	<i>Apios priceana</i>		\$6,000	\$0	\$6,000
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$40,000	\$0	\$40,000
		Primrose, Maguire	<i>Primula maguirei</i>		\$10,000	\$0	\$10,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pussypaws, Mariposa	<i>Calyptridium pulchellum</i>		\$2,000	\$0	\$2,000
		rock cress, shale barren	<i>Arabis serotina</i>		\$1,000	\$0	\$1,000
		Rock-cress, McDonald's	<i>Arabis macdonaldiana</i>		\$46,000	\$0	\$46,000
		Sandwort, Bear Valley	<i>Arenaria ursina</i>		\$30,000	\$0	\$30,000
		Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>		\$1,000	\$0	\$1,000
		Sneezeweed, Virginia	<i>Helenium virginicum</i>		\$10,000	\$0	\$10,000
		Spineflower, slender-horned	<i>Dodecahema leptoceras</i>		\$700	\$0	\$700
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$100	\$0	\$100
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$45,000	\$0	\$45,000
		Taraxacum, California	<i>Taraxacum californicum</i>		\$26,000	\$0	\$26,000
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$65,000	\$0	\$65,000
		Thistle, Sacramento Mountains	<i>Cirsium vinaceum</i>		\$16,000	\$0	\$16,000
		Thormmint, San Diego	<i>Acanthomintha ilicifolia</i>		\$1,000	\$0	\$1,000
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$20,000	\$0	\$20,000
		Tuctoria, Greene's	<i>Tuctoria greenei</i>		\$4,000	\$0	\$4,000
		Uhiuhi	<i>Caesalpinia kavaiense</i>		\$25,000	\$0	\$25,000
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> <i>var. recurva</i>		\$3,000	\$0	\$3,000
		Wild-buckwheat, southern mountain	<i>Eriogonum kennedyi</i> <i>var. austromontanum</i>		\$33,000	\$0	\$33,000
		`Aiea	<i>Nothoctrum breviflorum</i>		\$40,000	\$0	\$40,000
		`Oha wai	<i>Clermontia lindseyana</i>		\$5,000	\$0	\$5,000
		`Oha wai	<i>Clermontia pyrularia</i>		\$5,000	\$0	\$5,000
	Flowering Plants Total				\$2,231,200	\$0	\$2,231,200
	Conifers and Cycads						
		Torreya, Florida	<i>Torreya taxifolia</i>		\$63,000	\$0	\$63,000
	Ferns and Allies						
		Fern, American hart's-tongue	<i>Asplenium scolopendrium</i> <i>var. americanum</i>		\$16,000	\$0	\$16,000
Domestic Total					\$42,764,300	\$800,000	\$43,564,300
Grand Total					\$42,764,300	\$800,000	\$43,564,300

USDA Natural Resources Conservation Service -- FY2011							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$80,000	\$42,000	\$122,000
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		\$1,323	\$0	\$1,323
		Bat, Indiana	<i>Myotis sodalis</i>		\$9,319	\$0	\$9,319
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$50	\$0	\$50
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>		\$30,000	\$0	\$30,000
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$3,200	\$0	\$3,200
		Bear, grizzly	<i>Ursus arctos horribilis</i>	experimental, non-essential, portions of ID and MT	\$100	\$0	\$100
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$10,476	\$0	\$10,476
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$3,953,587	\$5,971,437	\$9,925,024
		Bear, polar	<i>Ursus maritimus</i>		\$1,000	\$0	\$1,000
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mts. population	\$9,000	\$0	\$9,000
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$100	\$0	\$100
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, and WY	\$3,568	\$0	\$3,568
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$4,368	\$0	\$4,368
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$10,000	\$2,578,400	\$2,588,400
		Jaguar	<i>Panthera onca</i>		\$50	\$0	\$50
		Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>		\$8,800	\$2,578,400	\$2,587,200
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$74,576	\$0	\$74,576
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	CO, WY	\$2,478	\$0	\$2,478
		Ocelot	<i>Leopardus (=Felis) pardalis</i>		\$50	\$0	\$50
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$10,000	\$13,000,000	\$13,010,000
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$38,400	\$0	\$38,400
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Entire	\$50	\$0	\$50
		Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	DE, Sussex Co.	\$200	\$157,000	\$157,200
		Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>		\$50	\$0	\$50

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Squirrel, northern ID ground	<i>Spermophilus brunneus brunneus</i>		\$100	\$0	\$100
		Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>		\$50	\$0	\$50
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$50	\$0	\$50
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico	\$9,000	\$0	\$9,000
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$476	\$0	\$476
	Mammals Total				\$4,260,421	\$24,327,237	\$28,587,658
	Birds						
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$80,000	\$15,000,000	\$15,080,000
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, and western WY	\$1,052	\$0	\$1,052
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$32,903	\$0	\$32,903
		Curlew, Eskimo	<i>Numenius borealis</i>		\$500	\$0	\$500
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$31,573	\$0	\$31,573
		Duck, Laysan	<i>Anas laysanensis</i>		\$16,817	\$0	\$16,817
		Eider, spectacled	<i>Somateria fischeri</i>		\$2,500	\$0	\$2,500
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$2,500	\$0	\$2,500
		falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Southwestern population	\$50	\$0	\$50
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$41,067	\$0	\$41,067
		Gnatcatcher, coastal California	<i>Poliptila californica californica</i>		\$205,000	\$360,000	\$565,000
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>		\$30,038	\$0	\$30,038
		Hawk, Hawaiian (=‘lo)	<i>Buteo solitarius</i>		\$59,582	\$0	\$59,582
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$10,000	\$2,000,000	\$2,010,000
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$57,203	\$0	\$57,203

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$1,000	\$0	\$1,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$813	\$0	\$813
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$616,000	\$1,731,000	\$2,347,000
		Palila (honeycreeper)	<i>Loxioides bailleui</i>		\$50,625	\$0	\$50,625
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>		\$3,218	\$0	\$3,218
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$6,889	\$700	\$7,589
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$585,000	\$360,000	\$945,000
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$2,450	\$0	\$2,450
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$40,000	\$1,000,000	\$1,040,000
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>		\$3,218	\$0	\$3,218
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$30,000	\$15,000,000	\$15,030,000
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$57,518	\$0	\$57,518
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$800,000	\$53,000,000	\$53,800,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$14,043	\$0	\$14,043
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$546	\$0	\$546
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$8,000	\$0	\$8,000
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$56,500	\$0	\$56,500
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$2,315,413	\$1,000,950	\$3,316,363
		Birds Total			\$5,162,018	\$89,452,650	\$94,614,668
		Reptiles					
		Alligator, American	<i>Alligator mississippiensis</i>		\$2,400	\$5,000,000	\$5,002,400
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>		\$3,000	\$0	\$3,000
		Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>		\$50	\$0	\$50
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>		\$5,000	\$0	\$5,000
		Skink, sand	<i>Neoseps reynoldsi</i>		\$5,000	\$0	\$5,000
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	Indiana, Michigan, Ohio	\$1,500	\$2,321,186	\$2,322,686
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$25,000	\$0	\$25,000
		Snake, giant garter	<i>Thamnophis gigas</i>		\$213,900	\$282,000	\$495,900
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$1,512	\$0	\$1,512
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/Tombigbee Rs.	\$131,980	\$0	\$131,980

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$179,500	\$3,521,000	\$3,700,500
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>		\$3,900	\$0	\$3,900
	Reptiles Total				\$572,742	\$11,124,186	\$11,696,928
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$142,000	\$0	\$142,000
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$50	\$0	\$50
		Frog, dusky gopher	<i>Rana sevosia</i>	Entire	\$2,618	\$0	\$2,618
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern California DPS	\$200	\$0	\$200
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$57,000	\$0	\$57,000
		Salamander, Cheat Mountain	<i>Plethodon nettingi</i>		\$3,200	\$0	\$3,200
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$35,000	\$0	\$35,000
		Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>		\$50	\$0	\$50
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$69,000	\$0	\$69,000
		Toad, Wyoming	<i>Bufo baxteri (=hemiophrys)</i>		\$3,330	\$0	\$3,330
	Amphibians Total				\$312,448	\$0	\$312,448
	Fishes						
		Catfish, Yaqui	<i>Ictalurus pricei</i>		\$50	\$0	\$50
		Cavefish, Ozark	<i>Amblyopsis rosae</i>		\$12,000	\$40,000	\$52,000
		Chub, bonetail	<i>Gila elegans</i>	entire	\$5,903	\$0	\$5,903
		Chub, Gila	<i>Gila intermedia</i>		\$50	\$0	\$50
		Chub, humpback	<i>Gila cypha</i>	entire	\$5,903	\$0	\$5,903
		Chub, Oregon	<i>Oregonichthys crameri</i>		\$8,000	\$250,000	\$258,000
		Chub, Sonora	<i>Gila ditaenia</i>		\$50	\$0	\$50
		Chub, Virgin River	<i>Gila seminuda (=robusta)</i>		\$512	\$0	\$512
		Chub, Yaqui	<i>Gila purpurea</i>		\$50	\$0	\$50
		Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>		\$476	\$0	\$476
		Darter, leopard	<i>Percina pantherina</i>		\$18,000	\$0	\$18,000
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>		\$2,000	\$0	\$2,000
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$1,000	\$704,000	\$705,000
		Minnow, loach	<i>Tiaroga cobitis</i>		\$50	\$0	\$50
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	Salt and Verde R. drainages, AZ	\$1,093	\$0	\$1,093
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$4,000	\$0	\$4,000
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$37,400	\$0	\$37,400
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$650,000	\$0	\$650,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	CA coastal	\$200,000	\$0	\$200,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Sacramento River winter-run ESU	\$399,600	\$400,000	\$799,600
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River fall-run ESU	\$1,100	\$0	\$1,100
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River spring/summer-run ESU	\$100	\$0	\$100
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Upper Willamette River ESU	\$150,000	\$0	\$150,000
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Lower Columbia River ESU	\$1,000	\$0	\$1,000
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Oregon Coast ESU	\$500	\$0	\$500
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	So. OR–No. CA Coast ESU	\$203,200	\$0	\$203,200
		Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>	Snake River, ID stock	\$100	\$0	\$100
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$16,000	\$0	\$16,000
		Shiner, beautiful	<i>Cyprinella formosa</i>		\$50	\$0	\$50
		Shiner, Topeka	<i>Notropis topeka</i> (=tristis)		\$9,364	\$0	\$9,364
		Spikedace	<i>Meda fulgida</i>		\$50	\$0	\$50
		Spinedace, White River	<i>Lepidomeda albivallis</i>		\$50	\$0	\$50
		Springfish, Railroad Valley	<i>Crenichthys nevadae</i>		\$750	\$0	\$750
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Central Valley CA	\$399,600	\$400,000	\$799,600
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Snake R. Basin	\$1,000	\$0	\$1,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	central CA coast	\$44,600	\$0	\$44,600
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	lower Columbia R.	\$1,000	\$0	\$1,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	middle Columbia R.	\$35,375	\$0	\$35,375
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	northern CA	\$1,200	\$0	\$1,200
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	upper Willamette R.	\$150,000	\$0	\$150,000
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$2,000	\$0	\$2,000
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$3,703	\$0	\$3,703
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$12,000	\$0	\$12,000
		Sucker, razorback	<i>Xyrauchen texanus</i>	entire	\$5,903	\$0	\$5,903
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$50	\$0	\$50
		Trout, Apache	<i>Oncorhynchus apache</i>		\$50	\$0	\$50
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$512,875	\$0	\$512,875

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Trout, Gila	<i>Oncorhynchus gilae</i>		\$50	\$0	\$50
		trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>		\$100	\$0	\$100
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$250	\$0	\$250
		Woundfin	<i>Plagopterus argentissimus</i>	Gila R. drainage, AZ, NM	\$512	\$0	\$512
		Woundfin	<i>Plagopterus argentissimus</i>	except Gila R. drainage, AZ, NM	\$50	\$0	\$50
	Fishes Total				\$2,898,719	\$1,794,000	\$4,692,719
	Clams						
		Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>		\$10,000	\$0	\$10,000
		Blossom, tubercled (pearlymussel)	<i>Epioblasma torulosa torulosa</i>	Entire; Except where EXPN	\$3,200	\$0	\$3,200
		Clubshell	<i>Pleurobema clava</i>	Entire; Except where EXPN	\$3,200	\$0	\$3,200
		Fanshell	<i>Cyprogenia stegaria</i>		\$3,200	\$0	\$3,200
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>		\$8,000	\$0	\$8,000
		Moccasinshell, Gulf	<i>Medionidus penicillatus</i>		\$10,000	\$0	\$10,000
		Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>		\$10,000	\$0	\$10,000
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$3,200	\$0	\$3,200
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$1,000	\$0	\$1,000
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$10,000	\$0	\$10,000
		Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>		\$9,000	\$0	\$9,000
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$10,000	\$0	\$10,000
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$3,200	\$0	\$3,200
		Slabshell, Chipola	<i>Elliptio chipolaensis</i>		\$10,000	\$0	\$10,000
		Spinymussel, James	<i>Pleurobema collina</i>		\$3,200	\$0	\$3,200
		Three-ridge, fat (mussel)	<i>Amblema neislerii</i>		\$10,000	\$0	\$10,000
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$400	\$0	\$400
	Clams Total				\$107,600	\$0	\$107,600
	Snails						
		Limpet, Banbury Springs	<i>Lanx sp.</i>		\$100	\$0	\$100
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>		\$100	\$0	\$100
		Snail, flat-spined three-toothed	<i>Triodopsis platysayoides</i>		\$3,200	\$0	\$3,200
		Snail, Snake River physa	<i>Physa natricina</i>		\$100	\$0	\$100
		Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>		\$500	\$0	\$500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Snails Total				\$4,000	\$0	\$4,000
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$33,087	\$0	\$33,087
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$103,800	\$0	\$103,800
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$76,000	\$250,000	\$326,000
		Butterfly, Myrtle's silverspot	<i>Speyeria zerene myrtleae</i>		\$2,000	\$0	\$2,000
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$5,000	\$0	\$5,000
		Moth, Blackburn's sphinx	<i>Manduca blackburni</i>		\$38,749	\$0	\$38,749
		Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>		\$1,000	\$0	\$1,000
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>		\$100	\$0	\$100
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>		\$200	\$0	\$200
		Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniana</i>		\$6,200	\$0	\$6,200
	Insects Total				\$266,136	\$250,000	\$516,136
	Crustaceans						
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$417,900	\$4,482,800	\$4,900,700
		Isopod, Madison Cave	<i>Antrolana lira</i>		\$3,200	\$0	\$3,200
		Shrimp, California freshwater	<i>Syncaris pacifica</i>		\$45,700	\$0	\$45,700
		Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>		\$417,900	\$4,482,800	\$4,900,700
	Crustaceans Total				\$884,700	\$8,965,600	\$9,850,300
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$1,500	\$0	\$1,500
		Coral, staghorn	<i>Acropora cervicornis</i>		\$1,500	\$0	\$1,500
	Corals Total				\$3,000	\$0	\$3,000
	Flowering Plants						
		Alani	<i>Melicope pallida</i>		\$3,218	\$0	\$3,218
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$200	\$0	\$200
		Aupaka	<i>Isodendron longifolium</i>		\$3,218	\$0	\$3,218
		Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>		\$200	\$0	\$200
		beardtongue, Parachute	<i>Penstemon debilis</i>		\$280	\$0	\$280
		Beardtongue, Penland	<i>Penstemon penlandii</i>		\$280	\$0	\$280
		Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>		\$280	\$0	\$280

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Blue-star, Kearney's	<i>Amsonia kearneyana</i>		\$50	\$0	\$50
		Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>		\$3,200	\$0	\$3,200
		Butterfly plant, Colorado	<i>Gaura neomexicana</i> var. <i>coloradensis</i>		\$5,886	\$0	\$5,886
		Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>		\$50	\$0	\$50
		Cactus, Brady pincushion	<i>Pediocactus bradyi</i>		\$50	\$0	\$50
		Cactus, Cochise pincushion	<i>Coryphantha robbinsorum</i>		\$50	\$0	\$50
		Cactus, Knowlton's	<i>Pediocactus knowltonii</i>		\$280	\$0	\$280
		Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$280	\$0	\$280
		Cactus, Nichol's Turk's head	<i>Echinocactus horzonthalonius</i> var. <i>nicholii</i>		\$50	\$0	\$50
		Cactus, Peebles Navajo	<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>		\$50	\$0	\$50
		Cactus, Pima pineapple	<i>Coryphantha scheeri</i> var. <i>robustispina</i>		\$150	\$0	\$150
		Cactus, Siler pincushion	<i>Pediocactus</i> (= <i>Echinocactus</i> , = <i>Utahia</i>) <i>sileri</i>		\$350	\$0	\$350
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$150	\$0	\$150
		Chaffseed, American	<i>Schwalbea americana</i>		\$200	\$0	\$200
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$12,000	\$0	\$12,000
		Cliff-rose, Arizona	<i>Purshia</i> (= <i>Cowania</i>) <i>subintegra</i>		\$50	\$0	\$50
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$3,200	\$0	\$3,200
		Cycladenia, Jones	<i>Cycladenia jonesii</i> (= <i>humilis</i>)		\$50	\$0	\$50
		Daisy, Willamette	<i>Erigeron decumbens</i> var. <i>decumbens</i>		\$5,000	\$0	\$5,000
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$400	\$0	\$400
		Dropwort, Canby's	<i>Oxypolis canbyi</i>		\$23,000	\$0	\$23,000
		Fleabane, Zuni	<i>Erigeron rhizomatus</i>		\$50	\$0	\$50
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$150	\$0	\$150
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$400	\$0	\$400
		Gerardia, sandplain	<i>Agalinis acuta</i>		\$446	\$0	\$446
		Groundsel, San Francisco Peaks	<i>Senecio franciscanus</i>		\$50	\$0	\$50
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$21,342	\$0	\$21,342
		Harperella	<i>Ptilimnium nodosum</i>		\$3,200	\$0	\$3,200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Ha`iwale	<i>Cyrtandra limahuliensis</i>		\$3,218	\$0	\$3,218
		Howellia, water	<i>Howellia aquatilis</i>		\$200	\$0	\$200
		Joint-vetch, sensitive	<i>Aeschynomene virginica</i>		\$200	\$0	\$200
		Kamakahala	<i>Labordia lydgatei</i>		\$3,218	\$0	\$3,218
		Koki`o	<i>Kokia drynarioides</i>		\$21,342	\$0	\$21,342
		Koki`o ke`oke`o	<i>Hibiscus waimeae ssp. hannerae</i>		\$3,218	\$0	\$3,218
		Kolea	<i>Myrsine linearifolia</i>		\$3,218	\$0	\$3,218
		Ko`oloa`ula	<i>Abutilon menziesii</i>		\$21,342	\$0	\$21,342
		Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>		\$50	\$0	\$50
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$9,316	\$0	\$9,316
		Lily, Western	<i>Lilium occidentale</i>		\$4,000	\$0	\$4,000
		Lomatium, Cook's	<i>Lomatium cookii</i>		\$2,000	\$0	\$2,000
		Lupine, Kincaid's	<i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i>		\$137,000	\$250,000	\$387,000
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$21,342	\$0	\$21,342
		Meadowfoam, large-flowered woolly	<i>Limnanthes floccosa ssp. grandiflora</i>		\$2,000	\$0	\$2,000
		Mehamehame	<i>Flueggea neowawraea</i>		\$3,218	\$0	\$3,218
		Milk-vetch, Applegate's	<i>Astragalus applegatei</i>		\$50	\$0	\$50
		Milk-vetch, Mancos	<i>Astragalus humillimus</i>		\$1,560	\$0	\$1,560
		milkvetch, Osterhout	<i>Astragalus osterhoutii</i>		\$1,560	\$0	\$1,560
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$790	\$0	\$790
		Milkweed, Welsh's	<i>Asclepias welshii</i>		\$50	\$0	\$50
		Mustard, Penland alpine fen	<i>Eutrema penlandii</i>		\$280	\$0	\$280
		No common name	<i>Bonamia menziesii</i>		\$3,218	\$0	\$3,218
		No common name	<i>Delissea undulata</i>		\$3,218	\$0	\$3,218
		No common name	<i>Munroidendron racemosum</i>		\$3,218	\$0	\$3,218
		No common name	<i>Schiedea kauaiensis</i>		\$3,218	\$0	\$3,218
		No common name	<i>Tetramolopium rockii</i>		\$6,764	\$0	\$6,764
		No common name	<i>Vigna o-wahuensis</i>		\$31,377	\$0	\$31,377
		Ohai	<i>Sesbania tomentosa</i>		\$3,382	\$0	\$3,382
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$37,903	\$500	\$38,403
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$4,320	\$0	\$4,320
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$5,130	\$0	\$5,130

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Phacelia, DeBeque	<i>Phacelia submutica</i>		\$280	\$0	\$280
		Phacelia, North Park	<i>Phacelia formosula</i>		\$280	\$0	\$280
		Pink, swamp	<i>Helonias bullata</i>		\$200	\$0	\$200
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$20,184	\$0	\$20,184
		Popcornflower, rough	<i>Plagiobothrys hirtus</i>		\$50	\$0	\$50
		Rock cress, shale barren	<i>Arabis serotina</i>		\$3,200	\$0	\$3,200
		Sedge, Navajo	<i>Carex specuicola</i>		\$50	\$0	\$50
		Skyrocket, Pagosa	<i>Ipomopsis polyantha</i>		\$280	\$0	\$280
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$3,200	\$0	\$3,200
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$9,349	\$0	\$9,349
		Thelypody, Howell's spectacular	<i>Thelypodium howellii spectabilis</i>		\$50	\$0	\$50
		Thistle, Chorro Creek bog	<i>Cirsium fontinale var. obispoense</i>		\$280	\$0	\$280
		Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>		\$280	\$0	\$280
		Uhiuhi	<i>Caesalpinia kavaiense</i>		\$21,342	\$0	\$21,342
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>		\$50	\$0	\$50
		wild buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>		\$1,560	\$0	\$1,560
		Wire-lettuce, Malheur	<i>Stephanomeria malheurensis</i>		\$50	\$0	\$50
		Yellowhead, desert	<i>Yermo xanthocephalus</i>		\$476	\$0	\$476
		`Aiea	<i>Nothoctrum breviflorum</i>		\$6,025	\$0	\$6,025
		`Akoko	<i>Chamaesyce rockii</i>		\$10,035	\$0	\$10,035
	Flowering Plants Total				\$505,951	\$250,500	\$756,451
	Ferns and Allies						
		Fern, pendant kihi	<i>Adenophorus periens</i>		\$3,218	\$0	\$3,218
		Ihi`ihi	<i>Marsilea villosa</i>		\$1,098	\$0	\$1,098
	Ferns and Allies Total				\$4,316	\$0	\$4,316
Domestic Total					\$14,982,051	\$136,164,173	\$151,146,224
Grand Total					\$14,982,051	\$136,164,173	\$151,146,224

DOC National Oceanic and Atmospheric Administration -- FY2011							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$6,318,722	\$0	\$6,318,722
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$6,357,798	\$0	\$6,357,798
		Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>		\$86,858	\$0	\$86,858
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$3,473,361	\$0	\$3,473,361
		Whale, Beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$1,614,916	\$0	\$1,614,916
		Whale, blue	<i>Balaenoptera musculus</i>		\$2,446,139	\$0	\$2,446,139
		Whale, bowhead	<i>Balaena mysticetus</i>		\$989,226	\$0	\$989,226
		Whale, finback	<i>Balaenoptera physalus</i>		\$1,811,854	\$0	\$1,811,854
		Whale, gray	<i>Eschrichtius robustus</i>	W Pacific Ocean	\$18,862	\$0	\$18,862
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$2,465,001	\$0	\$2,465,001
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$1,345,502	\$0	\$1,345,502
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>		\$9,127,865	\$0	\$9,127,865
		Whale, North Pacific Right	<i>Eubalaena japonica</i>	Entire	\$381,448	\$0	\$381,448
		Whale, Sei	<i>Balaenoptera borealis</i>		\$2,409,353	\$0	\$2,409,353
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$2,446,139	\$0	\$2,446,139
	Mammals Total				\$41,293,044	\$0	\$41,293,044
	Reptiles						
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$2,911,251	\$0	\$2,911,251
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$2,911,251	\$0	\$2,911,251
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$2,107,916	\$0	\$2,107,916
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$3,148,769	\$0	\$3,148,769
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$4,078,948	\$0	\$4,078,948
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$762,355	\$0	\$762,355
	Reptiles Total				\$15,920,490	\$0	\$15,920,490
	Fishes						
		Bocaccio	<i>Sebastes paucispinis</i>	Puget Sound–Georgia Basin DPS	\$169,151	\$0	\$169,151
		Eulachon, Pacific	<i>Thaleichthys pacificus</i>	Southern DPS	\$781,788	\$0	\$781,788
		Rockfish, Canary	<i>Sebastes pinniger</i>	Puget Sound–Georgia Basin DPS	\$169,151	\$0	\$169,151

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Rockfish, Yelloweye	<i>Sebastes ruberrimus</i>	Puget Sound–Georgia Basin DPS	\$169,151	\$0	\$169,151
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$7,657,373	\$0	\$7,657,373
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$4,718,972	\$0	\$4,718,972
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$2,616,855	\$0	\$2,616,855
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$4,771,633	\$0	\$4,771,633
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound ESU	\$4,888,248	\$0	\$4,888,248
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Sacramento River winter-run ESU	\$2,616,855	\$0	\$2,616,855
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$3,230,010	\$0	\$3,230,010
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/summer-run ESU	\$3,230,010	\$0	\$3,230,010
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Columbia spring-run ESU	\$4,146,113	\$0	\$4,146,113
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$3,855,530	\$0	\$3,855,530
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$4,771,633	\$0	\$4,771,633
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	summer-run Hood Canal	\$4,888,248	\$0	\$4,888,248
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Central California Coast ESU	\$4,718,972	\$0	\$4,718,972
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River ESU	\$4,771,633	\$0	\$4,771,633
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Oregon Coast ESU	\$5,592,835	\$0	\$5,592,835
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Southern Oregon–Northern California Coast ESU	\$9,356,505	\$0	\$9,356,505
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Ozette Lake, WA	\$4,888,248	\$0	\$4,888,248
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River, ID	\$3,230,010	\$0	\$3,230,010
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$1,073,748	\$0	\$1,073,748
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$2,616,855	\$0	\$2,616,855
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Puget Sound DPS	\$4,888,248	\$0	\$4,888,248
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake R. Basin	\$3,230,010	\$0	\$3,230,010
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	central CA coast	\$4,718,972	\$0	\$4,718,972
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	lower Columbia R.	\$4,771,633	\$0	\$4,771,633
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	middle Columbia R.	\$4,146,113	\$0	\$4,146,113
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	northern CA	\$4,718,972	\$0	\$4,718,972

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	south central CA coast	\$4,443,817	\$0	\$4,443,817
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	southern CA coast	\$4,443,817	\$0	\$4,443,817
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Columbia R. Basin	\$4,146,113	\$0	\$4,146,113
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Willamette R.	\$3,855,530	\$0	\$3,855,530
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$744,669	\$0	\$744,669
		Sturgeon, North American green	<i>Acipenser medirostris</i>	CA- Southern DPS	\$1,314,953	\$0	\$1,314,953
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$3,013,211	\$0	\$3,013,211
	Fishes Total				\$137,365,585	\$0	\$137,365,585
	Snails						
		Abalone, Black	<i>Haliotis cracherodii</i>		\$772,943	\$0	\$772,943
		Abalone, White	<i>Haliotis sorenseni</i>	West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico	\$1,018,510	\$0	\$1,018,510
	Snails Total				\$1,791,453	\$0	\$1,791,453
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$1,059,440	\$0	\$1,059,440
		Coral, staghorn	<i>Acropora cervicornis</i>		\$1,059,440	\$0	\$1,059,440
	Corals Total				\$2,118,880	\$0	\$2,118,880
	Flowering Plants						
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$574,907	\$0	\$574,907
	Domestic Total				\$199,064,359	\$0	\$199,064,359
	Grand Total				\$199,064,359	\$0	\$199,064,359

DOD Air Force -- FY2011							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$32,000	\$0	\$32,000
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		\$5,000	\$0	\$5,000
		Bat, Indiana	<i>Myotis sodalis</i>		\$85,000	\$0	\$85,000
		Bear, polar	<i>Ursus maritimus</i>		\$5,000	\$0	\$5,000
		Manatee, West Indian	<i>Trichechus manatus</i>		\$5,270	\$0	\$5,270
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>		\$3,500	\$0	\$3,500
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	CO, WY	\$107,000	\$0	\$107,000
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$93,025	\$0	\$93,025
		Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>		\$3,500	\$0	\$3,500
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$45,190	\$0	\$45,190
		Otter, southern sea	<i>Enhydra lutris nereis</i>	south of Pt. Conception, CA	\$5,920	\$0	\$5,920
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$800	\$0	\$800
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Entire	\$210,000	\$0	\$210,000
		Whale, Beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$551,000	\$0	\$551,000
	Mammals Total				\$1,152,205	\$0	\$1,152,205
	Birds						
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$7,350	\$0	\$7,350
		Condor, California	<i>Gymnogyps californianus</i>	Entire, except where EXPN	\$104,650	\$0	\$104,650
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$17,500	\$0	\$17,500
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, western WY	\$500	\$0	\$500
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$17,500	\$0	\$17,500
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$5,000	\$0	\$5,000
		falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Southwestern population	\$40,000	\$0	\$40,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$62,881	\$0	\$62,881
		Gnatcatcher, coastal California	<i>Poliopitila californica californica</i>		\$30,000	\$0	\$30,000
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$500	\$0	\$500
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$17,500	\$0	\$17,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>		\$10,000	\$0	\$10,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$1,748,000	\$0	\$1,748,000
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$802,528	\$0	\$802,528
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$1,063,600	\$0	\$1,063,600
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>		\$70,000	\$0	\$70,000
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$268,980	\$0	\$268,980
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$17,500	\$0	\$17,500
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$96,100	\$0	\$96,100
		Tern, California least	<i>Sterna antillarum browni</i>		\$387,794	\$0	\$387,794
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$49,756	\$0	\$49,756
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$15,000	\$0	\$15,000
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$2,100,000	\$0	\$2,100,000
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$1,826,806	\$0	\$1,826,806
	Birds Total				\$8,759,445	\$0	\$8,759,445
	Reptiles						
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$39,120	\$0	\$39,120
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$25,043	\$0	\$25,043
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$13,877	\$0	\$13,877
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$105,358	\$0	\$105,358
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$278,465	\$0	\$278,465
		Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>		\$5,432	\$0	\$5,432
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$1,136,000	\$0	\$1,136,000
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$25,000	\$0	\$25,000
	Reptiles Total				\$1,628,295	\$0	\$1,628,295
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$248,271	\$0	\$248,271
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara Co.	\$53,399	\$0	\$53,399
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$1,645,752	\$0	\$1,645,752
		Salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>		\$286,702	\$0	\$286,702

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Amphibians Total				\$2,234,124	\$0	\$2,234,124
	Fishes						
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>		\$475,000	\$0	\$475,000
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$9,130	\$0	\$9,130
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$15,000	\$0	\$15,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	southern CA coast	\$27,470	\$0	\$27,470
		Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>		\$67,759	\$0	\$67,759
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$20,500	\$0	\$20,500
	Fishes Total				\$614,859	\$0	\$614,859
	Snails						
		Abalone, Black	<i>Haliotis cracherodii</i>		\$2,920	\$0	\$2,920
	Insects						
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$10,000	\$0	\$10,000
		Butterfly, El Segundo blue	<i>Euphilotes battoides allyni</i>		\$334,740	\$0	\$334,740
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$30,000	\$0	\$30,000
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>		\$30,000	\$0	\$30,000
		Ground beetle, [unnamed]	<i>Rhadine exilis</i>		\$60,000	\$0	\$60,000
		Ground beetle, [unnamed]	<i>Rhadine infernalis</i>		\$60,000	\$0	\$60,000
	Insects Total				\$524,740	\$0	\$524,740
	Arachnids						
		Meshweaver, Madla's Cave	<i>Cicurina madla</i>		\$30,000	\$0	\$30,000
	Crustaceans						
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$60,000	\$0	\$60,000
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$1,046,599	\$0	\$1,046,599
		Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>		\$260,000	\$0	\$260,000
	Crustaceans Total				\$1,366,599	\$0	\$1,366,599
	Flowering Plants						
		Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>		\$20,000	\$0	\$20,000
		Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>		\$100,000	\$0	\$100,000
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$15,000	\$0	\$15,000
		Gerardia, sandplain	<i>Agalinis acuta</i>		\$200	\$0	\$200
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$25,000	\$0	\$25,000
		Layia, beach	<i>Layia carnosa</i>		\$50,840	\$0	\$50,840
		Milk-vetch, Applegate's	<i>Astragalus applegatei</i>		\$5,000	\$0	\$5,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>		\$49,146	\$0	\$49,146
		Pigeon wings	<i>Clitoria fragrans</i>		\$19,150	\$0	\$19,150
		Tarplant, Gaviota	<i>Deinandra increscens ssp. villosa</i>		\$117,095	\$0	\$117,095
		Tarplant, Otay	<i>Deinandra (=Hemizonia) conjugens</i>		\$30,000	\$0	\$30,000
		Thistle, La Graciosa	<i>Cirsium loncholepis</i>		\$31,710	\$0	\$31,710
		Watercress, Gambel's	<i>Rorippa gambellii</i>		\$21,400	\$0	\$21,400
		Wireweed	<i>Polygonella basiramia</i>		\$7,150	\$0	\$7,150
		Yerba santa, Lompoc	<i>Eriodictyon capitatum</i>		\$24,540	\$0	\$24,540
	Flowering Plants Total				\$516,231	\$0	\$516,231
	Lichens						
		Cladonia, Florida perforate	<i>Cladonia perforata</i>		\$53,290	\$0	\$53,290
Domestic Total					\$16,882,708	\$0	\$16,882,708
Grand Total					\$16,882,708	\$0	\$16,882,708

DOD Army -- FY2011							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$543,198	\$0	\$543,198
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		\$234,489	\$0	\$234,489
		Bat, Indiana	<i>Myotis sodalis</i>		\$1,363,618	\$0	\$1,363,618
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$60,100	\$0	\$60,100
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$36,000	\$0	\$36,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$3,000	\$0	\$3,000
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$2,000	\$0	\$2,000
		Wolf, gray	<i>Canis lupus</i>	MN	\$70,000	\$0	\$70,000
		Wolf, Mexican gray	<i>Canis lupus baileyi</i>	portions of AZ, NM and TX	\$18,000	\$0	\$18,000
	Mammals Total				\$2,330,405	\$0	\$2,330,405
	Birds						
		Elepaio, Oahu	<i>Chasiempis sandwichensis ibidis</i>		\$190,960	\$0	\$190,960
		falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Entire, except where EXPN	\$231,000	\$0	\$231,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$6,500	\$0	\$6,500
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>		\$242,989	\$0	\$242,989
		Hawk, Hawaiian (=Io)	<i>Buteo solitarius</i>		\$35,000	\$0	\$35,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$205,930	\$0	\$205,930
		Palila (honeycreeper)	<i>Loxioides bailleui</i>		\$231,489	\$0	\$231,489
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>		\$35,000	\$0	\$35,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$38,000	\$0	\$38,000
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$2,000	\$0	\$2,000
		Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>		\$8,000	\$0	\$8,000
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$14,500	\$0	\$14,500
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$1,618	\$0	\$1,618
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$609,500	\$0	\$609,500
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$4,000	\$0	\$4,000
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$665,500	\$0	\$665,500
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$8,683,634	\$0	\$8,683,634

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Birds Total				\$11,205,620	\$0	\$11,205,620
	Reptiles						
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$48,538	\$0	\$48,538
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$5,956,215	\$0	\$5,956,215
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$94,000	\$0	\$94,000
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$30,000	\$0	\$30,000
	Reptiles Total				\$6,128,753	\$0	\$6,128,753
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$2,000	\$0	\$2,000
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$13,800	\$0	\$13,800
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$5,000	\$0	\$5,000
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$16,179	\$0	\$16,179
		Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>		\$4,465	\$0	\$4,465
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$72,000	\$0	\$72,000
	Amphibians Total				\$113,444	\$0	\$113,444
	Fishes						
		Logperch, Roanoke	<i>Percina rex</i>		\$50,000	\$0	\$50,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound ESU	\$91,262	\$0	\$91,262
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>		\$290,000	\$0	\$290,000
		Smelt, delta	<i>Hypomesus transpacificus</i>		\$4,000	\$0	\$4,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Columbia R. Basin	\$40,000	\$0	\$40,000
		Sturgeon, North American green	<i>Acipenser medirostris</i>	CA- Southern DPS	\$4,000	\$0	\$4,000
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$6,505	\$0	\$6,505
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$31,000	\$0	\$31,000
	Fishes Total				\$516,767	\$0	\$516,767
	Snails						
		Snails, Oahu tree	<i>Achatinella spp.</i>		\$571,752	\$0	\$571,752
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$391,179	\$0	\$391,179
		Butterfly, Karner blue	<i>Lycæides melissa samuelis</i>		\$173,700	\$0	\$173,700
		Butterfly, OR silverspot	<i>Speyeria zerene hippolyta</i>		\$15,000	\$0	\$15,000
		Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>		\$111,700	\$0	\$111,700
		Damselfly, Pacific Hawaiian	<i>Megalagrion pacificum</i>		\$25,000	\$0	\$25,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pomace fly, [unnamed]	<i>Drosophila montgomeryi</i>		\$58,920	\$0	\$58,920
		Pomace fly, [unnamed]	<i>Drosophila substenoptera</i>		\$58,920	\$0	\$58,920
	Insects Total				\$834,419	\$0	\$834,419
	Crustaceans						
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$28,000	\$0	\$28,000
		Shrimp, Alabama cave	<i>Palaemonias alabamae</i>		\$24,466	\$0	\$24,466
	Crustaceans Total				\$52,466	\$0	\$52,466
	Flowering Plants						
		Alani	<i>Melicope lydgatei</i>		\$58,920	\$0	\$58,920
		Amole, purple	<i>Chlorogalum purpureum</i>		\$70,000	\$0	\$70,000
		Aupaka	<i>Isodendron hosakae</i>		\$231,489	\$0	\$231,489
		A`e	<i>Zanthoxylum hawaiiense</i>		\$231,489	\$0	\$231,489
		Bear-poppy, Dwarf	<i>Arctomecon humilis</i>		\$1,000	\$0	\$1,000
		Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>		\$15,000	\$0	\$15,000
		Cactus, Sneed pincushion	<i>Coryphantha sneedii</i> var. <i>sneedii</i>		\$30,000	\$0	\$30,000
		Chaffseed, American	<i>Schwalbea americana</i>		\$20,000	\$0	\$20,000
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$5,000	\$0	\$5,000
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$5,650	\$0	\$5,650
		Gilia, Monterey	<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>		\$5,000	\$0	\$5,000
		Haha	<i>Cyanea acuminata</i>		\$58,920	\$0	\$58,920
		Haha	<i>Cyanea grimesiana</i> ssp. <i>obatae</i>		\$100,392	\$0	\$100,392
		Haha	<i>Cyanea koolauensis</i>		\$58,920	\$0	\$58,920
		Haha	<i>Cyanea longiflora</i>		\$100,392	\$0	\$100,392
		Haha	<i>Cyanea st.-johnii</i>		\$58,920	\$0	\$58,920
		Haha	<i>Cyanea superba</i>		\$100,392	\$0	\$100,392
		Ha`iwale	<i>Cyrtandra dentata</i>		\$100,392	\$0	\$100,392
		Ha`iwale	<i>Cyrtandra subumbellata</i>		\$58,920	\$0	\$58,920
		Ha`iwale	<i>Cyrtandra viridiflora</i>		\$58,920	\$0	\$58,920
		Honohono	<i>Haplostachys haplostachya</i>		\$231,489	\$0	\$231,489
		Howellia, water	<i>Howellia aquatilis</i>		\$65,000	\$0	\$65,000
		Kamakahala	<i>Labordia cyrtandrae</i>		\$58,920	\$0	\$58,920
		Kamanomano	<i>Cenchrus agrimonioides</i>		\$100,392	\$0	\$100,392
		Kio`ele	<i>Hedyotis coriacea</i>		\$231,489	\$0	\$231,489
		Kolea	<i>Myrsine juddii</i>		\$58,920	\$0	\$58,920
		Kuahiwi laukahi	<i>Plantago princeps</i>		\$100,392	\$0	\$100,392
		Kulu`i	<i>Nototrichium humile</i>		\$100,392	\$0	\$100,392
		Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$125,200	\$0	\$125,200
		Lo`ulu	<i>Pritchardia kaalae</i>		\$100,392	\$0	\$100,392

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Mahoe	<i>Alectryon macrococcus</i>		\$100,392	\$0	\$100,392
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$100,392	\$0	\$100,392
		Ma`oli`oli	<i>Schiedea kealiae</i>		\$125,392	\$0	\$125,392
		Mehamehame	<i>Flueggea neowawraea</i>		\$100,392	\$0	\$100,392
		Nanu	<i>Gardenia mannii</i>		\$58,920	\$0	\$58,920
		Na`ena`e	<i>Dubautia herbstobatae</i>		\$100,392	\$0	\$100,392
		Nehe	<i>Lipochaeta tenuifolia</i>		\$100,392	\$0	\$100,392
		Nioi	<i>Eugenia koolauensis</i>		\$58,920	\$0	\$58,920
		No common name	<i>Abutilon sandwicense</i>		\$58,920	\$0	\$58,920
		No common name	<i>Alsiniidendron obovatum</i>		\$100,392	\$0	\$100,392
		No common name	<i>Alsiniidendron trinerve</i>		\$58,920	\$0	\$58,920
		No common name	<i>Cyanea</i> (= <i>Rollandia</i>) <i>crispa</i>		\$58,920	\$0	\$58,920
		No common name	<i>Gouania vitifolia</i>		\$100,392	\$0	\$100,392
		No common name	<i>Hedyotis degeneri</i>		\$100,392	\$0	\$100,392
		No common name	<i>Hedyotis parvula</i>		\$100,392	\$0	\$100,392
		No common name	<i>Hesperomannia arborescens</i>		\$58,920	\$0	\$58,920
		No common name	<i>Hesperomannia arbuscula</i>		\$100,392	\$0	\$100,392
		No common name	<i>Lipochaeta venosa</i>		\$231,489	\$0	\$231,489
		No common name	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i>		\$58,920	\$0	\$58,920
		No common name	<i>Lobelia oahuensis</i>		\$100,392	\$0	\$100,392
		No common name	<i>Neraudia angulata</i>		\$100,392	\$0	\$100,392
		No common name	<i>Neraudia ovata</i>		\$231,489	\$0	\$231,489
		No common name	<i>Phyllostegia hirsuta</i>		\$58,920	\$0	\$58,920
		No common name	<i>Phyllostegia kaalaensis</i>		\$100,392	\$0	\$100,392
		No common name	<i>Phyllostegia mollis</i>		\$58,920	\$0	\$58,920
		No common name	<i>Sanicula mariversa</i>		\$100,392	\$0	\$100,392
		No common name	<i>Sanicula purpurea</i>		\$58,920	\$0	\$58,920
		No common name	<i>Schiedea nuttallii</i>		\$100,392	\$0	\$100,392
		No common name	<i>Silene hawaiiensis</i>		\$231,489	\$0	\$231,489
		No common name	<i>Silene lanceolata</i>		\$231,489	\$0	\$231,489
		No common name	<i>Spermolepis hawaiiensis</i>		\$231,489	\$0	\$231,489
		No common name	<i>Stenogyne angustifolia</i> <i>angustifolia</i>		\$231,489	\$0	\$231,489

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Stenogyne kanehoana</i>		\$58,920	\$0	\$58,920
		No common name	<i>Tetramolopium arenarium</i>		\$231,489	\$0	\$231,489
		No common name	<i>Tetramolopium filiforme</i>		\$100,392	\$0	\$100,392
		No common name	<i>Vigna o-wahuensis</i>		\$231,489	\$0	\$231,489
		No common name	<i>Viola oahuensis</i>		\$58,920	\$0	\$58,920
		Oha	<i>Delissea subcordata</i>		\$100,392	\$0	\$100,392
		Opuhe	<i>Urera kaalae</i>		\$58,920	\$0	\$58,920
		Pamakani	<i>Viola chamissoniana ssp. chamissoniana</i>		\$100,392	\$0	\$100,392
		Pennyroyal, Todsens's	<i>Hedeoma todsenii</i>		\$19,000	\$0	\$19,000
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>		\$71,352	\$0	\$71,352
		Piperia, Yadon's	<i>Piperia yadonii</i>		\$19,800	\$0	\$19,800
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$4,000	\$0	\$4,000
		Popolo ku mai	<i>Solanum incompletum</i>		\$231,489	\$0	\$231,489
		Poppy, Sacramento prickly	<i>Argemone pleiacantha ssp. pinnatisecta</i>		\$15,000	\$0	\$15,000
		Po'e	<i>Portulaca sclerocarpa</i>		\$231,489	\$0	\$231,489
		Pu'uka'a	<i>Cyperus trachysanthos</i>		\$25,000	\$0	\$25,000
		Skullcap, large-flowered	<i>Scutellaria montana</i>		\$1,500	\$0	\$1,500
		Spineflower, Monterey	<i>Chorizanthe pungens var. pungens</i>		\$8,500	\$0	\$8,500
		Sumac, Michaux's	<i>Rhus michauxii</i>		\$217,000	\$0	\$217,000
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>		\$34,200	\$0	\$34,200
		`Akoko	<i>Chamaesyce celastroides var. kaenana</i>		\$100,392	\$0	\$100,392
		`Akoko	<i>Chamaesyce herbstii</i>		\$100,392	\$0	\$100,392
		`Ohe`ohe	<i>Tetraplasandra gymnocarpa</i>		\$58,920	\$0	\$58,920
	Flowering Plants Total				\$8,230,656	\$0	\$8,230,656
	Ferns and Allies						
		No common name	<i>Asplenium fragile var. insulare</i>		\$231,489	\$0	\$231,489
		No common name	<i>Pteris lidgatei</i>		\$58,920	\$0	\$58,920
		Quillwort, Louisiana	<i>Isoetes louisianensis</i>		\$94,000	\$0	\$94,000
		Wawae'iole	<i>Lycopodium (=Phlegmariurus) nutans</i>		\$58,920	\$0	\$58,920
	Ferns and Allies Total				\$443,329	\$0	\$443,329

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic Total					\$30,427,611	\$0	\$30,427,611
Grand Total					\$30,427,611	\$0	\$30,427,611

DOD Defense Logistics Agency -- FY2011							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Insects						
		Butterfly, Palos Verdes blue	<i>Glaucopsyche lygdamus palosverdesensis</i>		\$220,000	\$0	\$220,000
Grand Total					\$220,000	\$0	\$220,000

DOD Marine Corps -- FY2011							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>)		\$223,025	\$0	\$223,025
		Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>		\$192,592	\$0	\$192,592
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Entire	\$70,000	\$0	\$70,000
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$2,745	\$0	\$2,745
	Mammals Total				\$488,362	\$0	\$488,362
	Birds						
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$9,306	\$0	\$9,306
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$8,924	\$0	\$8,924
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$16,264	\$0	\$16,264
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$436,100	\$0	\$436,100
		Gnatcatcher, coastal CA	<i>Poliptila californica californica</i>		\$414,111	\$0	\$414,111
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$9,012	\$0	\$9,012
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$10,438	\$0	\$10,438
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$329,327	\$0	\$329,327
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$16,250	\$0	\$16,250
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$20,520	\$0	\$20,520
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$1,500	\$0	\$1,500
		Tern, California least	<i>Sterna antillarum browni</i>		\$334,890	\$0	\$334,890
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$436,100	\$0	\$436,100
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$366,292	\$0	\$366,292
	Birds Total				\$2,409,034	\$0	\$2,409,034
	Reptiles						
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$37,058	\$0	\$37,058
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$36,907	\$0	\$36,907
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$451,198	\$0	\$451,198
	Reptiles Total				\$525,163	\$0	\$525,163
	Amphibians						
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$6,400	\$0	\$6,400

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus</i> (=microscaphus)		\$391,171	\$0	\$391,171
	Amphibians Total				\$397,571	\$0	\$397,571
	Fishes						
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$180,856	\$0	\$180,856
	Crustaceans						
		Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>		\$168,690	\$0	\$168,690
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$169,107	\$0	\$169,107
	Crustaceans Total				\$337,797	\$0	\$337,797
	Flowering Plants						
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$8,946	\$0	\$8,946
		Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>		\$195,640	\$0	\$195,640
		Button-celery, San Diego	<i>Eryngium aristulatum</i> var. <i>parishii</i>		\$3,353	\$0	\$3,353
		Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$22,829	\$0	\$22,829
		Manzanita, Del Mar	<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>		\$49,918	\$0	\$49,918
		Mesa-mint, San Diego	<i>Pogogyne abramsii</i>		\$3,353	\$0	\$3,353
		Monardella, willow	<i>Monardella viminea</i>		\$150,334	\$0	\$150,334
		Navarretia, spreading	<i>Navarretia fossalis</i>		\$332,003	\$0	\$332,003
		Ohai	<i>Sesbania tomentosa</i>		\$1,285	\$0	\$1,285
		Orcutt grass, California	<i>Orcuttia californica</i>		\$2,936	\$0	\$2,936
		Pondberry	<i>Lindera melissifolia</i>		\$12,455	\$0	\$12,455
	Flowering Plants Total				\$783,052	\$0	\$783,052
	Domestic Total				\$5,121,835	\$0	\$5,121,835
	Grand Total				\$5,121,835	\$0	\$5,121,835

DOD Navy -- FY2011

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, Mariana fruit (Mariana flying fox)	<i>Pteropus mariannus mariannus</i>	entire	\$307,704	\$0	\$307,704
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>		\$186,872	\$0	\$186,872
		Manatee, West Indian	<i>Trichechus manatus</i>		\$167,083	\$0	\$167,083
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	southwest Alaska DPS	\$8,799	\$0	\$8,799
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$17,540	\$0	\$17,540
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>		\$35,579	\$0	\$35,579
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$35,199	\$0	\$35,199
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$150,000	\$0	\$150,000
		Whale, Beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$285,164	\$0	\$285,164
		Whale, blue	<i>Balaenoptera musculus</i>		\$650,679	\$0	\$650,679
		Whale, bowhead	<i>Balaena mysticetus</i>		\$32,500	\$0	\$32,500
		Whale, finback	<i>Balaenoptera physalus</i>		\$802,492	\$0	\$802,492
		Whale, gray	<i>Eschrichtius robustus</i>	W Pacific Ocean	\$211,921	\$0	\$211,921
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$1,080,847	\$0	\$1,080,847
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$189,524	\$0	\$189,524
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>		\$898,426	\$0	\$898,426
		Whale, North Pacific Right	<i>Eubalaena japonica</i>	Entire	\$35,199	\$0	\$35,199
		Whale, Sei	<i>Balaenoptera borealis</i>		\$245,501	\$0	\$245,501
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$659,296	\$0	\$659,296
	Mammals Total				\$6,000,325	\$0	\$6,000,325
	Birds						
		Gnatcatcher, coastal California	<i>Polioptila californica californica</i>		\$35,000	\$0	\$35,000
		Megapode, Micronesian	<i>Megapodius laperouse</i>		\$16,944	\$0	\$16,944
		Moorhen, Mariana common	<i>Gallinula chloropus guami</i>		\$16,944	\$0	\$16,944
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$173,971	\$0	\$173,971
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$406,137	\$0	\$406,137
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$28,210	\$0	\$28,210
		Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>		\$2,512,124	\$0	\$2,512,124

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sparrow, San Clemente sage	<i>Amphispiza belli clementeae</i>		\$250,533	\$0	\$250,533
		Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>		\$85,000	\$0	\$85,000
		Tern, California least	<i>Sterna antillarum browni</i>		\$425,918	\$0	\$425,918
		Towhee, Inyo California	<i>Pipilo crissalis eremophilus</i>		\$25,933	\$0	\$25,933
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$46,624	\$0	\$46,624
	Birds Total				\$4,023,338	\$0	\$4,023,338
	Reptiles						
		Lizard, Island night	<i>Xantusia riversiana</i>		\$17,714	\$0	\$17,714
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$2,344	\$0	\$2,344
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$291,375	\$0	\$291,375
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$147,690	\$0	\$147,690
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$144,636	\$0	\$144,636
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$143,445	\$0	\$143,445
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$143,619	\$0	\$143,619
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$93,302	\$0	\$93,302
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$53,834	\$0	\$53,834
	Reptiles Total				\$1,037,959	\$0	\$1,037,959
	Amphibians						
		Frog, CA red-legged	<i>Rana draytonii</i>	Entire	\$27,000	\$0	\$27,000
	Fishes						
		Bocaccio	<i>Sebastes paucispinis</i>	Puget Sound–GA Basin DPS	\$8,799	\$0	\$8,799
		Chub, Mohave tui	<i>Gila bicolor mohavensis</i>		\$55,340	\$0	\$55,340
		Eulachon, Pacific	<i>Thaleichthys pacificus</i>	Southern DPS	\$17,599	\$0	\$17,599
		Rockfish, Canary	<i>Sebastes pinniger</i>	Puget Sound–GA Basin DPS	\$8,799	\$0	\$8,799
		Rockfish, Yelloweye	<i>Sebastes ruberrimus</i>	Puget Sound–GA Basin DPS	\$8,799	\$0	\$8,799
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$6,814	\$0	\$6,814
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound ESU	\$26,399	\$0	\$26,399
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$8,799	\$0	\$8,799
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/summer-run ESU	\$8,799	\$0	\$8,799
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$8,799	\$0	\$8,799
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$8,799	\$0	\$8,799

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>keta</i>	summer-run Hood Canal	\$26,399	\$0	\$26,399
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Lower Columbia River ESU	\$8,799	\$0	\$8,799
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	Ozette Lake, WA	\$8,799	\$0	\$8,799
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	Snake River, ID stock	\$8,799	\$0	\$8,799
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$10,664	\$0	\$10,664
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Puget Sound DPS	\$8,799	\$0	\$8,799
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Snake R. Basin	\$8,799	\$0	\$8,799
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	lower Columbia R.	\$8,799	\$0	\$8,799
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	middle Columbia R.	\$8,799	\$0	\$8,799
		Sturgeon, gulf	<i>Acipenser</i> <i>oxyrinchus desotoi</i>		\$6,814	\$0	\$6,814
		Sturgeon, North American green	<i>Acipenser</i> <i>medirostris</i>	CA- Southern DPS	\$17,599	\$0	\$17,599
		Sturgeon, shortnose	<i>Acipenser</i> <i>brevirostrum</i>		\$22,964	\$0	\$22,964
		Trout, bull	<i>Salvelinus</i> <i>confluentus</i>	conterminous, lower 48 states	\$17,599	\$0	\$17,599
	Fishes Total				\$331,377	\$0	\$331,377
	Snails						
		Abalone, Black	<i>Haliotis</i> <i>cracherodii</i>		\$264,660	\$0	\$264,660
	Insects						
		Pomace fly, [unnamed]	<i>Drosophila</i> <i>musaphila</i>		\$9,000	\$0	\$9,000
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$257,874	\$0	\$257,874
		Coral, staghorn	<i>Acropora</i> <i>cervicornis</i>		\$257,874	\$0	\$257,874
	Corals Total				\$515,748	\$0	\$515,748
	Flowering Plants						
		Beaked-rush, Knieskern's	<i>Rhynchospora</i> <i>knieskernii</i>		\$2,000	\$0	\$2,000
		Broom, San Clemente Island	<i>Lotus dendroideus</i> <i>ssp. traskiae</i>		\$118,565	\$0	\$118,565
		Bush-mallow, San Clemente Island	<i>Malacothamnus</i> <i>clementinus</i>		\$118,565	\$0	\$118,565
		Indian paintbrush, San Clemente Island	<i>Castilleja grisea</i>		\$118,565	\$0	\$118,565
		Ko'oloa'ula	<i>Abutilon menziesii</i>		\$2,000	\$0	\$2,000
		Larkspur, San Clemente Island	<i>Delphinium</i> <i>variegatum ssp.</i> <i>kinkiense</i>		\$118,565	\$0	\$118,565
		No common name	<i>Abutilon</i> <i>sandwicense</i>		\$2,000	\$0	\$2,000
		Pu'uka'a	<i>Cyperus</i> <i>trachysanthos</i>		\$2,000	\$0	\$2,000
		Rockcress, Santa Cruz Is.	<i>Sibara filifolia</i>		\$118,565	\$0	\$118,565

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Woodland-star, San Clemente Island	<i>Lithophragma maximum</i>		\$118,565	\$0	\$118,565
	Flowering Plants Total				\$719,390	\$0	\$719,390
	Ferns and Allies						
		Ihī ihī	<i>Marsilea villosa</i>		\$2,000	\$0	\$2,000
Domestic Total					\$12,930,797	\$0	\$12,930,797
Grand Total					\$12,930,797	\$0	\$12,930,797

DOD Army Corps of Engineers -- FY2011

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$45,101	\$0	\$45,101
		Bat, Indiana	<i>Myotis sodalis</i>		\$249,502	\$0	\$249,502
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$2,166	\$0	\$2,166
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$661	\$0	\$661
		Bear, American black	<i>Ursus americanus</i>	County range of LA b.bear	\$7,791	\$0	\$7,791
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$2,134	\$0	\$2,134
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$194,019	\$0	\$194,019
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$2,235	\$0	\$2,235
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$2,134	\$0	\$2,134
		Deer, key	<i>Odocoileus virginianus clavium</i>		\$892	\$0	\$892
		Ferret, black-footed	<i>Mustela nigripes</i>	entire population, except where EXPN	\$971	\$0	\$971
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$21,420	\$0	\$21,420
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>		\$11,195	\$0	\$11,195
		Kangaroo rat, Fresno	<i>Dipodomys nitratoides exilis</i>		\$630	\$0	\$630
		Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>		\$216,512	\$0	\$216,512
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>		\$7,277	\$0	\$7,277
		Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>		\$1,260	\$0	\$1,260
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$73,317	\$0	\$73,317
		Manatee, West Indian	<i>Trichechus manatus</i>		\$2,314,261	\$0	\$2,314,261
		Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>		\$48	\$0	\$48
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>		\$10,000	\$0	\$10,000
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>		\$595	\$0	\$595
		Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>		\$595	\$0	\$595
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>		\$25,892	\$0	\$25,892

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Wolf, gray	<i>Canis lupus</i>	All of AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, and TX not included in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$62,700	\$0	\$62,700
		Wolf, gray	<i>Canis lupus</i>	WY, EXPN	\$2,134	\$0	\$2,134
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>		\$595	\$0	\$595
	Mammals Total				\$4,198,610	\$0	\$4,198,610
	Birds						
		Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>		\$2,134	\$0	\$2,134
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$221,766	\$0	\$221,766
		Condor, California	<i>Gymnogyps californianus</i>	Entire, except where EXPN	\$1,956	\$0	\$1,956
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$8,000	\$0	\$8,000
		Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>		\$946	\$0	\$946
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, western WY	\$680	\$0	\$680
		Crane, whooping	<i>Grus americana</i>	AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	\$300	\$0	\$300
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$163,374	\$0	\$163,374
		Curlew, Eskimo	<i>Numenius borealis</i>		\$15,895	\$0	\$15,895
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$8,000	\$0	\$8,000
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$1,640	\$0	\$1,640
		Eider, spectacled	<i>Somateria fischeri</i>		\$51,150	\$0	\$51,150
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$99,900	\$0	\$99,900
		falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Entire, except where EXPN	\$13,529	\$0	\$13,529
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$2,916,694	\$0	\$2,916,694
		Gnatcatcher, coastal CA	<i>Polioptila californica californica</i>		\$54,644	\$0	\$54,644
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$885,467	\$0	\$885,467

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$8,000	\$0	\$8,000
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$14,600	\$0	\$14,600
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$11,411	\$0	\$11,411
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$7,414	\$0	\$7,414
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$35,986	\$0	\$35,986
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$11,837,964	\$0	\$11,837,964
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$82,777	\$0	\$82,777
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>		\$87,785	\$0	\$87,785
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$35,490	\$0	\$35,490
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$5,776	\$0	\$5,776
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$42,558	\$0	\$42,558
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$8,030	\$0	\$8,030
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>		\$56,145	\$0	\$56,145
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$10,000	\$0	\$10,000
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$506,055	\$0	\$506,055
		Tern, California least	<i>Sterna antillarum browni</i>		\$120,944	\$0	\$120,944
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$6,537,964	\$0	\$6,537,964
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$892	\$0	\$892
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$6,300	\$0	\$6,300
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$2,235,700	\$0	\$2,235,700
		Warbler, golden-cheeked	<i>Dendroica chrysoparia</i>		\$603,990	\$0	\$603,990
		Warbler, Kirtland's	<i>Dendroica kirtlandii</i>		\$200	\$0	\$200
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$719,624	\$0	\$719,624
	Birds Total				\$27,421,680	\$0	\$27,421,680
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$6,667	\$0	\$6,667
		Anole, Culebra Island giant	<i>Anolis roosevelti</i>		\$1,090	\$0	\$1,090
		Boa, Puerto Rican	<i>Epicrates inornatus</i>		\$2,180	\$0	\$2,180
		Boa, Virgin Islands tree	<i>Epicrates monensis granti</i>		\$2,180	\$0	\$2,180
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$6,246	\$0	\$6,246
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>		\$3,426	\$0	\$3,426

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Lizard, Coa-chella Valley fringe-toed	<i>Uma inornata</i>		\$3,050	\$0	\$3,050
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$387,917	\$0	\$387,917
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$152,524	\$0	\$152,524
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$264,426	\$0	\$264,426
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$770,561	\$0	\$770,561
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$1,060,301	\$0	\$1,060,301
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$776,996	\$0	\$776,996
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$11,076	\$0	\$11,076
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>		\$1,785	\$0	\$1,785
		Skink, sand	<i>Neoseps reynoldsi</i>		\$2,379	\$0	\$2,379
		Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>		\$1,487	\$0	\$1,487
		Snake, Concho water	<i>Nerodia paucimaculata</i>		\$5,300	\$0	\$5,300
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$194,365	\$0	\$194,365
		Snake, giant garter	<i>Thamnophis gigas</i>		\$86,520	\$0	\$86,520
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$7,312	\$0	\$7,312
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$320	\$0	\$320
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$56,305	\$0	\$56,305
		Turtle, Alabama red-belly	<i>Pseudemys alabamensis</i>		\$19,759	\$0	\$19,759
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$99,963	\$0	\$99,963
		Turtle, flattened musk	<i>Sternotherus depressus</i>	species range clarified	\$1,891	\$0	\$1,891
		Turtle, ringed map	<i>Graptemys oculifera</i>		\$9,473	\$0	\$9,473
		Turtle, yellow-blotched map	<i>Graptemys flavimaculata</i>		\$8,791	\$0	\$8,791
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>		\$10,710	\$0	\$10,710
	Reptiles Total				\$3,955,000	\$0	\$3,955,000
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$137,958	\$0	\$137,958
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$5,859	\$0	\$5,859
		Frog, dusky gopher	<i>Rana sevosa</i>	Entire	\$2,364	\$0	\$2,364
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern California DPS	\$2,166	\$0	\$2,166
		Salamander, Barton Springs	<i>Eurycea sosorum</i>		\$6,000	\$0	\$6,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara County	\$1,083	\$0	\$1,083

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Sonoma County	\$4,880	\$0	\$4,880
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$29,400	\$0	\$29,400
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$4,888	\$0	\$4,888
		Salamander, Red Hills	<i>Phaeognathus hubrichti</i>		\$2,396	\$0	\$2,396
		Salamander, San Marcos	<i>Eurycea nana</i>		\$5,000	\$0	\$5,000
		Salamander, Texas blind	<i>Typhlomolge rathbuni</i>		\$1,000	\$0	\$1,000
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$29,307	\$0	\$29,307
		Toad, Houston	<i>Bufo houstonensis</i>		\$9,891	\$0	\$9,891
	Amphibians Total				\$242,192	\$0	\$242,192
	Fishes						
		Bocaccio	<i>Sebastes paucispinis</i>	Puget Sound–Georgia Basin DPS	\$7,713	\$0	\$7,713
		Chub, bonytail	<i>Gila elegans</i>	Entire	\$15,435	\$0	\$15,435
		Chub, humpback	<i>Gila cypha</i>	Entire	\$11,110	\$0	\$11,110
		Chub, Oregon	<i>Oregonichthys crameri</i>		\$43,000	\$0	\$43,000
		Chub, Pahrangat roundtail	<i>Gila robusta jordani</i>		\$971	\$0	\$971
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$7,161	\$0	\$7,161
		Chub, Virgin River	<i>Gila seminuda (=robusta)</i>		\$630	\$0	\$630
		Cui-ui	<i>Chasmistes cujus</i>		\$1,260	\$0	\$1,260
		Dace, blackside	<i>Phoxinus cumberlandensis</i>		\$661	\$0	\$661
		dace, Laurel	<i>Chrosomus saylori</i>		\$661	\$0	\$661
		Darter, Cherokee	<i>Etheostoma scotti</i>		\$17,150	\$0	\$17,150
		Darter, Cumberland	<i>Etheostoma susanae</i>		\$661	\$0	\$661
		Darter, duskytail	<i>Etheostoma percnurum</i>	Entire	\$661	\$0	\$661
		Darter, fountain	<i>Etheostoma fonticola</i>		\$5,300	\$0	\$5,300
		Darter, goldline	<i>Percina aurolineata</i>		\$1,596	\$0	\$1,596
		Darter, leopard	<i>Percina pantherina</i>		\$910	\$0	\$910
		Darter, rush	<i>Etheostoma phytophilum</i>		\$661	\$0	\$661
		Darter, snail	<i>Percina tanasi</i>		\$2,885	\$0	\$2,885
		Darter, watercress	<i>Etheostoma nuchale</i>		\$946	\$0	\$946
		Darter, yellowcheek	<i>Etheostoma moorei</i>		\$661	\$0	\$661
		Eulachon, Pacific	<i>Thaleichthys pacificus</i>	Southern DPS	\$40,619	\$0	\$40,619
		Gambusia, San Marcos	<i>Gambusia georgei</i>		\$500	\$0	\$500
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$108,215	\$0	\$108,215

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Logperch, Conasauga	<i>Percina jenkinsi</i>		\$650	\$0	\$650
		Logperch, Roanoke	<i>Percina rex</i>		\$366,903	\$0	\$366,903
		Madtom, chucky	<i>Noturus crypticus</i>		\$661	\$0	\$661
		Minnnow, Devils River	<i>Dionda diaboli</i>		\$500	\$0	\$500
		Minnnow, loach	<i>Tiaroga cobitis</i>		\$3,243	\$0	\$3,243
		Minnnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire, except where EXPN	\$2,862,082	\$0	\$2,862,082
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	Salt and Verde R. drainages, AZ	\$9,450	\$0	\$9,450
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$383	\$0	\$383
		Rockfish, Canary	<i>Sebastes pinniger</i>	Puget Sound–GA Basin DPS	\$7,213	\$0	\$7,213
		Rockfish, Yelloweye	<i>Sebastes ruberrimus</i>	Puget Sound–GA Basin DPS	\$7,213	\$0	\$7,213
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$14,000	\$0	\$14,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	CA coastal	\$3,475	\$0	\$3,475
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Central Valley spring-run ESU	\$2,105,884	\$0	\$2,105,884
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Lower Columbia River ESU	\$4,738,004	\$0	\$4,738,004
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Puget Sound ESU	\$3,049,733	\$0	\$3,049,733
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Sacramento River winter-run ESU	\$1,659,613	\$0	\$1,659,613
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River fall-run ESU	\$16,925,928	\$0	\$16,925,928
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River spring/summer-run ESU	\$15,611,087	\$0	\$15,611,087
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Upper Columbia spring-run ESU	\$6,423,494	\$0	\$6,423,494
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Upper Willamette River ESU	\$8,422,156	\$0	\$8,422,156
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	Columbia R.	\$1,684,705	\$0	\$1,684,705
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	summer-run Hood Canal	\$4,181	\$0	\$4,181
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Central California Coast ESU	\$511,546	\$0	\$511,546
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Lower Columbia River ESU	\$1,619,371	\$0	\$1,619,371
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Oregon Coast ESU	\$154,000	\$0	\$154,000
		Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>	Ozette Lake, WA	\$2,235	\$0	\$2,235
		Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>	Snake River, ID stock	\$10,446,148	\$0	\$10,446,148

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$182,363	\$0	\$182,363
		Sculpin, pygmy	<i>Cottus paulus</i> (= <i>pygmaeus</i>)		\$473	\$0	\$473
		Shiner, blue	<i>Cyprinella caerulea</i>		\$473	\$0	\$473
		Shiner, Cahaba	<i>Notropis cahabae</i>		\$1,418	\$0	\$1,418
		Shiner, Cape Fear	<i>Notropis mekistocholas</i>		\$7,500	\$0	\$7,500
		Shiner, palezone	<i>Notropis albizonatus</i>		\$661	\$0	\$661
		Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>		\$1,962	\$0	\$1,962
		Shiner, Topeka	<i>Notropis topeka</i> (= <i>tristis</i>)		\$9,255	\$0	\$9,255
		Silverside, Waccamaw	<i>Menidia extensa</i>		\$1,000	\$0	\$1,000
		Smelt, delta	<i>Hypomesus transpacificus</i>		\$469,797	\$0	\$469,797
		Spikedace	<i>Meda fulgida</i>		\$3,355	\$0	\$3,355
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>		\$1,807	\$0	\$1,807
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Central Valley CA	\$2,260,632	\$0	\$2,260,632
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Puget Sound DPS	\$2,469,185	\$0	\$2,469,185
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Snake R. Basin	\$18,034,621	\$0	\$18,034,621
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	central CA coast	\$2,035,689	\$0	\$2,035,689
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	lower Columbia R.	\$990,376	\$0	\$990,376
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	middle Columbia R.	\$9,623,164	\$0	\$9,623,164
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	northern CA	\$280,445	\$0	\$280,445
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	southern CA coast	\$194,438	\$0	\$194,438
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Columbia R. Basin	\$6,485,087	\$0	\$6,485,087
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Willamette R.	\$13,178,295	\$0	\$13,178,295
		Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>		\$358	\$0	\$358
		Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>		\$2,412	\$0	\$2,412
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$353,619	\$0	\$353,619
		Sturgeon, North American green	<i>Acipenser medirostris</i>	CA- Southern DPS	\$1,997,759	\$0	\$1,997,759
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$39,626,749	\$12,867,181	\$52,493,930
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$9,286,044	\$0	\$9,286,044
		Sturgeon, white	<i>Acipenser transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$906,453	\$0	\$906,453
		Sucker, razorback	<i>Xyrauchen texanus</i>	entire	\$23,100	\$0	\$23,100
		Sucker, Santa Ana	<i>Catostomus santaanae</i>	3 CA river basins	\$2,397,339	\$0	\$2,397,339
		Topminnow, Gila (Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$1,254	\$0	\$1,254

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Trout, Apache	<i>Oncorhynchus apache</i>		\$971	\$0	\$971
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$3,787,817	\$0	\$3,787,817
		trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>		\$970	\$0	\$970
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$8,435	\$0	\$8,435
		Woundfin	<i>Plagopterus argentissimus</i>	except Gila R. drainage, AZ, NM	\$630	\$0	\$630
	Fishes Total				\$191,529,131	\$12,867,181	\$204,396,312
	Clams						
		Acornshell, southern	<i>Epioblasma othcaloogensis</i>		\$3,786	\$0	\$3,786
		Bankclimber, purple (mussel)	<i>Elliptoides sloatianus</i>		\$48,032	\$0	\$48,032
		Bean, Cumberland (pearlymussel)	<i>Villosa trabalis</i>	Entire ; Except EXPN	\$661	\$0	\$661
		Bean, purple	<i>Villosa perpurpurea</i>		\$1,000	\$0	\$1,000
		Blossom, tubercled (pearlymussel)	<i>Epioblasma torulosa torulosa</i>	Entire; Except where EXPN	\$661	\$0	\$661
		Blossom, yellow (pearlymussel)	<i>Epioblasma florentina florentina</i>	Entire; Except where EXPN	\$661	\$0	\$661
		Clubshell	<i>Pleurobema clava</i>	Entire; Except where EXPN	\$18,988	\$0	\$18,988
		Clubshell, ovate	<i>Pleurobema perovatum</i>		\$3,309	\$0	\$3,309
		Clubshell, southern	<i>Pleurobema decisum</i>		\$5,281	\$0	\$5,281
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Entire; Except where EXPN	\$37,667	\$0	\$37,667
		Combshell, southern	<i>Epioblasma penita</i>		\$1,596	\$0	\$1,596
		Combshell, upland	<i>Epioblasma metastriata</i>		\$1,596	\$0	\$1,596
		Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>		\$21,000	\$0	\$21,000
		Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>		\$661	\$0	\$661
		Fanshell	<i>Cyprogenia stegaria</i>		\$67,077	\$0	\$67,077
		fatmucket, Arkansas	<i>Lampsilis powellii</i>		\$200	\$0	\$200
		Heelsplitter, Alabama	<i>Potamilus inflatus</i>		\$4,905	\$0	\$4,905
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>		\$20,670	\$0	\$20,670
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>		\$656,843	\$0	\$656,843
		Kidneyshell, triangular	<i>Ptychobranchus greenii</i>		\$3,014	\$0	\$3,014
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Entire; except where EXPN	\$203,661	\$0	\$203,661
		Moccasinshell, Alabama	<i>Medionidus acutissimus</i>		\$3,814	\$0	\$3,814
		Moccasinshell, Coosa	<i>Medionidus parvulus</i>		\$473	\$0	\$473
		Moccasinshell, Gulf	<i>Medionidus penicillatus</i>		\$7,743	\$0	\$7,743

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Monkeyface, Appalachian (pearlymussel)	<i>Quadrula sparsa</i>		\$661	\$0	\$661
		Mucket, orangenacre	<i>Lampsilis perovalis</i>		\$3,441	\$0	\$3,441
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$189,663	\$0	\$189,663
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	Entire; Except where EXPN	\$3,546	\$0	\$3,546
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$19,161	\$0	\$19,161
		Pearlymussel, cracking	<i>Hemistena lata</i>	Entire; Except where EXPN	\$3,546	\$0	\$3,546
		Pearlymussel, dromedary	<i>Dromus dromas</i>	Entire;; Except where EXPN	\$37,668	\$0	\$37,668
		Pearlymussel, littlewing	<i>Pegias fabula</i>		\$661	\$0	\$661
		Pigtoe, Cumberland	<i>Pleurobema gibberum</i>		\$661	\$0	\$661
		Pigtoe, heavy	<i>Pleurobema taitianum</i>		\$1,891	\$0	\$1,891
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$8,833	\$0	\$8,833
		Pigtoe, rough	<i>Pleurobema plenum</i>		\$8,564	\$0	\$8,564
		Pigtoe, southern	<i>Pleurobema georgianum</i>		\$2,046	\$0	\$2,046
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>		\$92,222	\$0	\$92,222
		Pocketbook, fat	<i>Potamilus capax</i>		\$66,934	\$0	\$66,934
		Pocketbook, finelined	<i>Lampsilis altilis</i>		\$6,062	\$0	\$6,062
		Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>		\$2,105,460	\$0	\$2,105,460
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$7,643	\$0	\$7,643
		purple cat's paw (=purple cat's paw pearlymussel)	<i>Epioblasma obliquata obliquata</i>	Entire; Except where EXPN	\$34,783	\$0	\$34,783
		Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>		\$661	\$0	\$661
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$6,324	\$0	\$6,324
		Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)		\$661	\$0	\$661
		Ring pink (mussel)	<i>Obovaria retusa</i>		\$53,722	\$0	\$53,722
		Slabshell, Chipola	<i>Elliptio chipolaensis</i>		\$50,709	\$0	\$50,709
		Spiny mussel, Tar River	<i>Elliptio steinstansana</i>		\$4,700	\$0	\$4,700
		Three-ridge, fat (mussel)	<i>Amblema neislerii</i>		\$51,899	\$0	\$51,899
		Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>		\$3,546	\$0	\$3,546
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$73,292	\$0	\$73,292
	Clams Total				\$3,952,259	\$0	\$3,952,259
	Snails						

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>		\$3,250	\$0	\$3,250
		Limpet, Banbury Springs	<i>Lanx sp.</i>		\$64,183	\$0	\$64,183
		Lioplax, cylindrical (snail)	<i>Lioplax cyclostomaformis</i>		\$946	\$0	\$946
		Pebblesnail, flat	<i>Lepyrium showalteri</i>		\$473	\$0	\$473
		Riversnail, Anthony's	<i>Athearnia anthonyi</i>	Entire; Except where EXPN	\$2,885	\$0	\$2,885
		Rocks nail, painted	<i>Leptoxis taeniata</i>		\$1,002	\$0	\$1,002
		Rocks nail, plicate	<i>Leptoxis plicata</i>		\$473	\$0	\$473
		Rocks nail, round	<i>Leptoxis ampla</i>		\$946	\$0	\$946
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>		\$68,201	\$0	\$68,201
		Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>		\$443	\$0	\$443
		Snail, Snake River physa	<i>Physa natricina</i>		\$65,628	\$0	\$65,628
		Snail, Stock Island tree	<i>Orthalicus reses (not incl. nesodryas)</i>		\$2,379	\$0	\$2,379
		Snail, tulotoma	<i>Tulotoma magnifica</i>		\$2,125	\$0	\$2,125
	Snails Total				\$212,934	\$0	\$212,934
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$15,300	\$0	\$15,300
		Beetle, Coffin Cave mold	<i>Batrisodes texanus</i>		\$500	\$0	\$500
		Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>		\$500	\$0	\$500
		Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>		\$500	\$0	\$500
		Beetle, Helotes mold	<i>Batrisodes venyivi</i>		\$500	\$0	\$500
		Beetle, Kretschmarr Cave mold	<i>Texamaurops reddelli</i>		\$500	\$0	\$500
		Beetle, Tooth Cave ground	<i>Rhadine persephone</i>		\$500	\$0	\$500
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$552,304	\$0	\$552,304
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$81,850	\$0	\$81,850
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$2,043	\$0	\$2,043
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>		\$643	\$0	\$643
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$2,235	\$0	\$2,235
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>		\$2,508	\$0	\$2,508

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>		\$1,190	\$0	\$1,190
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$800	\$0	\$800
		Ground beetle, [unnamed]	<i>Rhadine exilis</i>		\$500	\$0	\$500
		Ground beetle, [unnamed]	<i>Rhadine infernalis</i>		\$500	\$0	\$500
		Skipper, Carson wandering	<i>Pseudocopaeodes eunus obscurus</i>		\$750	\$0	\$750
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>		\$255	\$0	\$255
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>		\$22,630	\$0	\$22,630
	Insects Total				\$686,508	\$0	\$686,508
	Arachnids						
		Harvestman, Bee Creek Cave	<i>Texella reddelli</i>		\$500	\$0	\$500
		Harvestman, Bone Cave	<i>Texella reyesi</i>		\$500	\$0	\$500
		Harvestman, Cokendolpher Cave	<i>Texella cokendolpheri</i>		\$500	\$0	\$500
		Meshweaver, Braken Bat Cave	<i>Cicurina venii</i>		\$500	\$0	\$500
		Meshweaver, Government Canyon Bat Cave	<i>Cicurina vespera</i>		\$500	\$0	\$500
		Meshweaver, Madla's Cave	<i>Cicurina madla</i>		\$500	\$0	\$500
		Meshweaver, Robber Baron Cave	<i>Cicurina baronia</i>		\$1,000	\$0	\$1,000
		Pseudoscorpion, Tooth Cave	<i>Tartarocreagris texana</i>		\$500	\$0	\$500
		Spider, Government Canyon Bat Cave	<i>Neoleptoneta microps</i>		\$500	\$0	\$500
		Spider, Tooth Cave	<i>Leptoneta myopica</i>		\$500	\$0	\$500
	Arachnids Total				\$5,500	\$0	\$5,500
	Crustaceans						
		Amphipod, Peck's cave	<i>Stygobromus (=Stygonectes) pecki</i>		\$500	\$0	\$500
		Crayfish, Nashville	<i>Orconectes shoupi</i>		\$661	\$0	\$661
		Crayfish, Shasta	<i>Pacifastacus fortis</i>		\$630	\$0	\$630
		Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>		\$6,912	\$0	\$6,912
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>		\$1,260	\$0	\$1,260
		Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>		\$361	\$0	\$361
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$5,501	\$0	\$5,501

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$24,192	\$0	\$24,192
		Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>		\$21,000	\$0	\$21,000
		Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>		\$17,640	\$0	\$17,640
	Crustaceans Total				\$78,657	\$0	\$78,657
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$16,636	\$0	\$16,636
		Coral, staghorn	<i>Acropora cervicornis</i>		\$156,160	\$0	\$156,160
	Corals Total				\$172,796	\$0	\$172,796
	Flowering Plants						
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$46,340	\$0	\$46,340
		Ambrosia, San Diego	<i>Ambrosia pumila</i>		\$542	\$0	\$542
		Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>		\$7,791	\$0	\$7,791
		Amphianthus, little	<i>Amphianthus pusillus</i>		\$473	\$0	\$473
		Arrowhead, bunched	<i>Sagittaria fasciculata</i>		\$500	\$0	\$500
		Aster, decurrent false	<i>Boltonia decurrens</i>		\$33,000	\$0	\$33,000
		Ayenia, Texas	<i>Ayenia limitaris</i>		\$7,791	\$0	\$7,791
		Baccharis, Encinitas	<i>Baccharis vanessae</i>		\$2,166	\$0	\$2,166
		Beauty, Harper's	<i>Harperocallis flava</i>		\$595	\$0	\$595
		Bird's beak, palmate-bracted	<i>Cordylanthus palmatus</i>		\$630	\$0	\$630
		Birds-in-a-nest, white	<i>Macbridea alba</i>		\$595	\$0	\$595
		bladderpod, Missouri	<i>Physaria filiformis</i>		\$5,730	\$0	\$5,730
		Bladderpod, San Bernardino Mts.	<i>Lesquerella kingii ssp. bernardina</i>		\$241	\$0	\$241
		Bladderpod, Spring Creek	<i>Lesquerella perforata</i>		\$1,161	\$0	\$1,161
		Bladderpod, white	<i>Lesquerella pallida</i>		\$62,400	\$0	\$62,400
		Bluegrass, San Bernardino	<i>Poa atropurpurea</i>		\$241	\$0	\$241
		Brodiaea, Chinese Camp	<i>Brodiaea pallida</i>		\$630	\$0	\$630
		Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>		\$2,166	\$0	\$2,166
		Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>		\$988	\$0	\$988
		Butterwort, Godfrey's	<i>Pinguicula ionantha</i>		\$595	\$0	\$595
		Button-celery, San Diego	<i>Eryngium aristulatum var. parishii</i>		\$903	\$0	\$903
		Cactus, black lace	<i>Echinocereus reichenbachii var. albertii</i>		\$7,791	\$0	\$7,791
		Cactus, Key tree	<i>Pilosocereus robinii</i>		\$1,190	\$0	\$1,190

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Cactus, Peebles Navajo	<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>		\$971	\$0	\$971
		Cactus, San Rafael	<i>Pediocactus despainii</i>		\$500	\$0	\$500
		Cactus, Tobusch fishhook	<i>Ancistrocactus tobuschii</i>		\$500	\$0	\$500
		cactus, Uinta Basin hookless	<i>Sclerocactus wetlandicus</i>		\$1,260	\$0	\$1,260
		Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$500	\$0	\$500
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$70,034	\$0	\$70,034
		Chaffseed, American	<i>Schwalbea americana</i>		\$1,884	\$0	\$1,884
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$2,134	\$0	\$2,134
		Checker-mallow, pedate	<i>Sidalcea pedata</i>		\$241	\$0	\$241
		Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana</i> var. <i>calva</i>		\$2,235	\$0	\$2,235
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$13,000	\$0	\$13,000
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$1,000	\$0	\$1,000
		Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>		\$4,311	\$0	\$4,311
		Daisy, lakeside	<i>Hymenoxys herbacea</i>		\$1,443	\$0	\$1,443
		Daisy, Willamette	<i>Erigeron decumbens</i> var. <i>decumbens</i>		\$17,550	\$0	\$17,550
		Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>		\$114,218	\$0	\$114,218
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$18,509	\$0	\$18,509
		Dropwort, Canby's	<i>Oxypolis canbyi</i>		\$2,190	\$0	\$2,190
		Fleabane, Zuni	<i>Erigeron rhizomatus</i>		\$971	\$0	\$971
		Goldenrod, Houghton's	<i>Solidago houghtonii</i>		\$887	\$0	\$887
		Goldfields, Burke's	<i>Lasthenia burkei</i>		\$7,050	\$0	\$7,050
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$836	\$0	\$836
		Gourd, Okeechobee	<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>		\$595	\$0	\$595
		Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>		\$473	\$0	\$473
		Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>		\$4,311	\$0	\$4,311
		Harperella	<i>Ptilimnium nodosum</i>		\$195	\$0	\$195
		Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$4,385	\$0	\$4,385
		Howellia, water	<i>Howellia aquatilis</i>		\$2,235	\$0	\$2,235

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Joint-vetch, sensitive	<i>Aeschynomene virginica</i>		\$330	\$0	\$330
		Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>		\$2,000	\$0	\$2,000
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$77,074	\$0	\$77,074
		Leather flower, Alabama	<i>Clematis socialis</i>		\$473	\$0	\$473
		Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$13,402	\$0	\$13,402
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> (=oreganus) ssp. kincaidii (=var. kincaidii)		\$41,524	\$0	\$41,524
		Mallow, Kern	<i>Eremalche kernensis</i>		\$630	\$0	\$630
		Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>		\$6,000	\$0	\$6,000
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>		\$630	\$0	\$630
		Milk-vetch, Ventura Marsh	<i>Astragalus pycnostachyus</i> var. lanosissimus		\$309	\$0	\$309
		monkey-flower, Michigan	<i>Mimulus michiganensis</i>		\$500	\$0	\$500
		Monkshood, northern wild	<i>Aconitum noveboracense</i>		\$14,974	\$0	\$14,974
		Mustard, slender-petaled	<i>Thelypodium stenopetalum</i>		\$241	\$0	\$241
		No common name	<i>Geocarpon minimum</i>		\$4,400	\$0	\$4,400
		No common name	<i>Leptocereus grantianus</i>		\$1,090	\$0	\$1,090
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$2,187	\$0	\$2,187
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$980	\$0	\$980
		Orcutt grass, Sacramento	<i>Orcuttia viscida</i>		\$1,260	\$0	\$1,260
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$1,260	\$0	\$1,260
		Paintbrush, ash-grey	<i>Castilleja cinerea</i>		\$241	\$0	\$241
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$2,134	\$0	\$2,134
		Peperomia, Wheeler's	<i>Peperomia wheeleri</i>		\$1,090	\$0	\$1,090
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>		\$62,400	\$0	\$62,400
		Phlox, Texas trailing	<i>Phlox nivalis</i> ssp. texensis		\$268,815	\$0	\$268,815
		Pinkroot, gentian	<i>Spigelia gentianoides</i>		\$1,473	\$0	\$1,473
		Pitcher-plant, Alabama canebrake	<i>Sarracenia rubra alabamensis</i>		\$48	\$0	\$48
		Pitcher-plant, green	<i>Sarracenia oreophila</i>		\$661	\$0	\$661
		Pitcher-plant, mountain sweet	<i>Sarracenia rubra</i> ssp. jonesii		\$2,190	\$0	\$2,190
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$13,887	\$0	\$13,887
		Pondberry	<i>Lindera melissifolia</i>		\$9,250	\$0	\$9,250

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Poppy-mallow, Texas	<i>Callirhoe scabriuscula</i>		\$100	\$0	\$100
		Potato-bean, Price's	<i>Apios priceana</i>		\$5,025	\$0	\$5,025
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$5,111	\$0	\$5,111
		Rock-cress, Braun's	<i>Arabis perstellata</i>		\$4,311	\$0	\$4,311
		Rosemary, Cumberland	<i>Conradina verticillata</i>		\$661	\$0	\$661
		roseroot, Leedy's	<i>Rhodiola integrifolia</i> ssp. <i>leedyi</i>		\$887	\$0	\$887
		Rush-pea, slender	<i>Hoffmannseggia tenella</i>		\$7,791	\$0	\$7,791
		Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>		\$100	\$0	\$100
		Sandwort, Bear Valley	<i>Arenaria ursina</i>		\$241	\$0	\$241
		Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>		\$661	\$0	\$661
		Sandwort, Marsh	<i>Arenaria paludicola</i>		\$2,495	\$0	\$2,495
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$48,996	\$0	\$48,996
		Sedge, golden	<i>Carex lutea</i>		\$6,000	\$0	\$6,000
		Sedge, Navajo	<i>Carex specuicola</i>		\$971	\$0	\$971
		Skullcap, Florida	<i>Scutellaria floridana</i>		\$595	\$0	\$595
		Spineflower, slender-horned	<i>Dodecahema leptoceras</i>		\$202,015	\$0	\$202,015
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$661	\$0	\$661
		Spurge, telephus	<i>Euphorbia telephioides</i>		\$2,082	\$0	\$2,082
		Stickseed, showy	<i>Hackelia venusta</i>		\$2,134	\$0	\$2,134
		Sumac, Michaux's	<i>Rhus michauxii</i>		\$350	\$0	\$350
		Sunburst, San Joaquin adobe	<i>Pseudobahia peirsonii</i>		\$24,634	\$0	\$24,634
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>		\$22,000	\$0	\$22,000
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$2,190	\$0	\$2,190
		Taraxacum, California	<i>Taraxacum californicum</i>		\$241	\$0	\$241
		Tarplant, Otay	<i>Deinandra</i> (=Hemizonia) <i>conjugens</i>		\$1,254	\$0	\$1,254
		Thistle, La Graciosa	<i>Cirsium loncholepis</i>		\$361	\$0	\$361
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$5,835	\$0	\$5,835
		Thormmint, San Diego	<i>Acanthomintha ilicifolia</i>		\$542	\$0	\$542
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$500	\$0	\$500
		Trillium, relict	<i>Trillium reliquum</i>		\$2,415	\$0	\$2,415
		Watercress, Gabel's	<i>Rorippa gambellii</i>		\$361	\$0	\$361
		Whitlow-wort, papery	<i>Paronychia chartacea</i>		\$595	\$0	\$595

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Wild-buckwheat, southern mountain	<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>		\$241	\$0	\$241
		Wild-rice, Texas	<i>Zizania texana</i>		\$5,300	\$0	\$5,300
		Woolly-star, Santa Ana River	<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>		\$204,466	\$0	\$204,466
		Woolly-threads, San Joaquin	<i>Monolopia</i> (= <i>Lembertia</i>) <i>congdonii</i>		\$630	\$0	\$630
	Flowering Plants Total				\$1,553,082	\$0	\$1,553,082
	Conifers and Cycads						
		Torreya, Florida	<i>Torreya taxifolia</i>		\$2,000	\$0	\$2,000
	Ferns and Allies						
		Fern, American hart's-tongue	<i>Asplenium scolopendrium</i> var. <i>americanum</i>		\$887	\$0	\$887
		Quillwort, Louisiana	<i>Isoetes louisianensis</i>		\$11,501	\$0	\$11,501
	Ferns and Allies Total				\$12,388	\$0	\$12,388
	Domestic Total				\$234,022,737	\$12,867,181	\$246,889,918
	Grand Total				\$234,022,737	\$12,867,181	\$246,889,918

DOE Bonneville Power Administration -- FY2011							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Fishes						
		Chub, Oregon	<i>Oregonichthys crameri</i>		\$120,483	\$6,950,337	\$7,070,820
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Lower Columbia River ESU	\$9,759,799	\$831,247	\$10,591,046
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River fall-run ESU	\$13,083,969	\$0	\$13,083,969
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River spring/summer-run ESU	\$27,595,999	\$1,009,951	\$28,605,950
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Upper Columbia spring-run ESU	\$13,338,709	\$1,425,255	\$14,763,964
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Upper Willamette River ESU	\$5,625,224	\$6,963,104	\$12,588,328
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	Columbia R.	\$2,322,510	\$0	\$2,322,510
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Lower Columbia River ESU	\$3,486,432	\$23,391	\$3,509,823
		Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>	Snake River, ID stock	\$7,022,637	\$12,767	\$7,035,404
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Snake R. Basin	\$27,950,825	\$640,103	\$28,590,928
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	lower Columbia R.	\$5,920,317	\$604,027	\$6,524,344
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	middle Columbia R.	\$38,971,568	\$12,652,051	\$51,623,619
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	upper Columbia R. Basin	\$14,282,164	\$41,372	\$14,323,536
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	upper Willamette R.	\$2,975,062	\$6,969,390	\$9,944,452
		Sturgeon, white	<i>Acipenser transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$9,209,760	\$0	\$9,209,760
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$15,525,843	\$14,648,913	\$30,174,756
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$1,958,594	\$0	\$1,958,594
	Fishes Total				\$199,149,895	\$52,771,908	\$251,921,803
Domestic Total					\$199,149,895	\$52,771,908	\$251,921,803
Grand Total					\$199,149,895	\$52,771,908	\$251,921,803

DOE Southwestern Power Administration -- FY2011

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$1,338	\$0	\$1,338
	Birds						
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$445,000	\$0	\$445,000
	Clams						
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$2,097	\$0	\$2,097
		Pearlymussel, Curtis	<i>Epioblasma florentina curtisii</i>		\$2,097	\$0	\$2,097
		Pocketbook, fat	<i>Potamilus capax</i>		\$1,598	\$0	\$1,598
	Clams Total				\$5,792	\$0	\$5,792
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$1,548	\$0	\$1,548
	Flowering Plants						
		Pondberry	<i>Lindera melissifolia</i>		\$3,695	\$0	\$3,695
Domestic Total					\$457,373	\$0	\$457,373
Grand Total					\$457,373	\$0	\$457,373

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Central Valley CA	\$5,500	\$0	\$5,500
		Sturgeon, North American green	<i>Acipenser</i> <i>medirostris</i>	CA- Southern DPS	\$3,000	\$0	\$3,000
		Sturgeon, pallid	<i>Scaphirhynchus</i> <i>albus</i>		\$300,100	\$0	\$300,100
		Trout, Greenback Cutthroat	<i>Oncorhynchus</i> <i>clarki stomias</i>		\$1,000	\$0	\$1,000
	Fishes Total				\$347,100	\$0	\$347,100
	Insects						
		Beetle, valley elderberry longhorn	<i>Desmocerus</i> <i>californicus</i> <i>dimorphus</i>		\$131,000	\$0	\$131,000
		Butterfly, Uncompahgre fritillary	<i>Boloria</i> <i>acrocneema</i>		\$100	\$0	\$100
	Insects Total				\$131,100	\$0	\$131,100
	Crustaceans						
		Fairy shrimp, Conservancy	<i>Branchinecta</i> <i>conservatio</i>		\$4,500	\$0	\$4,500
		Fairy shrimp, longhorn	<i>Branchinecta</i> <i>longiantenna</i>		\$200	\$0	\$200
		Fairy shrimp, vernal pool	<i>Branchinecta</i> <i>lynchi</i>		\$44,000	\$0	\$44,000
		Tadpole shrimp, vernal pool	<i>Lepidurus</i> <i>packardi</i>		\$44,000	\$0	\$44,000
	Crustaceans Total				\$92,700	\$0	\$92,700
	Flowering Plants						
		Bird's beak, palmate-bracted	<i>Cordylanthus</i> <i>palmatus</i>		\$200	\$0	\$200
		Butterfly plant, Colorado	<i>Gaura</i> <i>neomexicana</i> var. <i>coloradensis</i>		\$6,000	\$0	\$6,000
		Cactus, Mesa Verde	<i>Sclerocactus</i> <i>mesae-verdae</i>		\$31,000	\$0	\$31,000
		Cactus, Pima pineapple	<i>Coryphantha</i> <i>scheeri</i> var. <i>robustispina</i>		\$10,000	\$0	\$10,000
		Fiddleneck, large-flowered	<i>Amsinckia</i> <i>grandiflora</i>		\$200	\$0	\$200
		Goldfields, Contra Costa	<i>Lasthenia</i> <i>conjugens</i>		\$200	\$0	\$200
		Jewelflower, California	<i>Caulanthus</i> <i>californicus</i>		\$7,000	\$0	\$7,000
		Ladies'-tresses, Ute	<i>Spiranthes</i> <i>diluvialis</i>		\$16,000	\$0	\$16,000
		Milk-vetch, Mancos	<i>Astragalus</i> <i>humillimus</i>		\$10,000	\$0	\$10,000
		Milkvetch, Osterhout	<i>Astragalus</i> <i>osterhoutii</i>		\$3,000	\$0	\$3,000
		Milkweed, Welsh's	<i>Asclepias</i> <i>welshii</i>		\$3,000	\$0	\$3,000
		Orchid, western prairie fringed	<i>Platanthera</i> <i>praeclara</i>		\$1,000	\$0	\$1,000
		Orcutt grass, Sacramento	<i>Orcuttia</i> <i>viscida</i>		\$100	\$0	\$100
		Orcutt grass, slender	<i>Orcuttia</i> <i>tenuis</i>		\$100	\$0	\$100
		Owl's-clover, fleshy	<i>Castilleja</i> <i>campestris</i> ssp. <i>succulenta</i>		\$7,000	\$0	\$7,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$2,000	\$0	\$2,000
		Phacelia, North Park	<i>Phacelia formosula</i>		\$2,000	\$0	\$2,000
		Yellowhead, desert	<i>Yermo xanthocephalus</i>		\$1,500	\$0	\$1,500
	Flowering Plants Total				\$100,300	\$0	\$100,300
Domestic Total					\$1,019,000	\$0	\$1,019,000
Grand Total					\$1,019,000	\$0	\$1,019,000

DHS Coast Guard -- FY2011							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bear, polar	<i>Ursus maritimus</i>		\$156,293	\$0	\$156,293
		Manatee, West Indian	<i>Trichechus manatus</i>		\$216,316	\$0	\$216,316
		Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>		\$3,900	\$0	\$3,900
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>		\$3,900	\$0	\$3,900
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	southwest Alaska DPS	\$8,670	\$0	\$8,670
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$165,023	\$0	\$165,023
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$95,886	\$0	\$95,886
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$95,886	\$0	\$95,886
		Seal, Caribbean monk	<i>Monachus tropicalis</i>		\$149,293	\$0	\$149,293
		Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>		\$151,273	\$0	\$151,273
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$150,193	\$2,158	\$152,351
		Whale, Beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$282,600	\$0	\$282,600
		Whale, blue	<i>Balaenoptera musculus</i>		\$285,580	\$0	\$285,580
		Whale, bowhead	<i>Balaena mysticetus</i>		\$282,600	\$0	\$282,600
		Whale, finback	<i>Balaenoptera physalus</i>		\$292,680	\$0	\$292,680
		Whale, gray	<i>Eschrichtius robustus</i>	W Pacific Ocean	\$281,700	\$0	\$281,700
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$221,147	\$0	\$221,147
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$281,811	\$357,312	\$639,123
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>		\$348,661	\$2,158	\$350,819
		Whale, North Pacific Right	<i>Eubalaena japonica</i>	Entire	\$2,226,293	\$4,980	\$2,231,273
		Whale, Sei	<i>Balaenoptera borealis</i>		\$299,499	\$0	\$299,499
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$291,000	\$0	\$291,000
	Mammals Total				\$6,290,204	\$366,608	\$6,656,812
	Birds						
		Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>		\$159,033	\$0	\$159,033
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$149,293	\$0	\$149,293
		Eider, spectacled	<i>Somateria fischeri</i>		\$156,293	\$0	\$156,293
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$156,293	\$0	\$156,293
		Gnatcatcher, coastal California	<i>Poliophtila californica californica</i>		\$3,900	\$0	\$3,900

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$156,993	\$0	\$156,993
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$151,273	\$0	\$151,273
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$163,293	\$0	\$163,293
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$3,900	\$0	\$3,900
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$3,900	\$0	\$3,900
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$3,900	\$0	\$3,900
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$149,293	\$0	\$149,293
		Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>		\$3,900	\$0	\$3,900
		Sparrow, San Clemente sage	<i>Amphispiza belli clementeae</i>		\$3,900	\$0	\$3,900
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$149,293	\$0	\$149,293
		Tern, California least	<i>Sterna antillarum browni</i>		\$161,273	\$0	\$161,273
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$149,293	\$0	\$149,293
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$149,293	\$0	\$149,293
	Birds Total				\$1,874,316	\$0	\$1,874,316
	Reptiles						
		Lizard, Island night	<i>Xantusia riverstiana</i>		\$3,900	\$0	\$3,900
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$761,749	\$0	\$761,749
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$761,749	\$0	\$761,749
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$1,502,688	\$0	\$1,502,688
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$1,731,738	\$0	\$1,731,738
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$1,521,668	\$0	\$1,521,668
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$1,518,675	\$0	\$1,518,675
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Mexican nesting pop.	\$752,154	\$0	\$752,154
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$752,154	\$0	\$752,154
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$149,293	\$0	\$149,293
		Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>		\$3,900	\$0	\$3,900
		Tortoise, desert	<i>Gopherus agassizii</i>	except in Sonoran Desert	\$31,921	\$0	\$31,921
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$74,646	\$0	\$74,646
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$74,646	\$0	\$74,646
		Whipsnake (striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>		\$6,921	\$0	\$6,921

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Reptiles Total				\$9,647,802	\$0	\$9,647,802
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$3,900	\$0	\$3,900
	Fishes						
		Bocaccio	<i>Sebastes paucispinis</i>	Puget Sound–Georgia Basin DPS	\$4,621	\$0	\$4,621
		Eulachon, Pacific	<i>Thaleichthys pacificus</i>	Southern DPS	\$29,621	\$0	\$29,621
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$4,621	\$0	\$4,621
		Rockfish, Canary	<i>Sebastes pinniger</i>	Puget Sound–Georgia Basin DPS	\$4,621	\$0	\$4,621
		Rockfish, Yelloweye	<i>Sebastes ruberrimus</i>	Puget Sound–Georgia Basin DPS	\$4,621	\$0	\$4,621
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$149,293	\$0	\$149,293
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	CA coastal	\$22,860	\$0	\$22,860
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Central Valley spring-run ESU	\$22,860	\$0	\$22,860
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Lower Columbia River ESU	\$22,860	\$0	\$22,860
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Puget Sound ESU	\$22,860	\$0	\$22,860
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Sacramento River winter-run ESU	\$22,860	\$0	\$22,860
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River fall-run ESU	\$22,860	\$0	\$22,860
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River spring/summer-run ESU	\$22,860	\$0	\$22,860
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Upper Columbia spring-run ESU	\$22,860	\$0	\$22,860
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Upper Willamette River ESU	\$22,860	\$0	\$22,860
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	Columbia R.	\$102,871	\$0	\$102,871
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	summer-run Hood Canal	\$102,871	\$0	\$102,871
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Central California Coast ESU	\$51,437	\$0	\$51,437
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Lower Columbia River ESU	\$51,437	\$0	\$51,437
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Oregon Coast ESU	\$51,437	\$0	\$51,437
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	So. OR/No.CA Coast ESU	\$51,437	\$0	\$51,437
		Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>	Ozette Lake, WA	\$100,521	\$1,000	\$101,521

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River, ID stock	\$100,521	\$1,000	\$101,521
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$149,743	\$0	\$149,743
		Smelt, delta	<i>Hypomesus transpacificus</i>		\$44,621	\$0	\$44,621
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$15,810	\$0	\$15,810
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Puget Sound DPS	\$15,810	\$0	\$15,810
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake R. Basin	\$15,810	\$0	\$15,810
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	central CA coast	\$15,810	\$0	\$15,810
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	lower Columbia R.	\$15,810	\$0	\$15,810
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	middle Columbia R.	\$15,810	\$0	\$15,810
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	northern CA	\$15,810	\$0	\$15,810
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	south central CA coast	\$15,810	\$0	\$15,810
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	southern CA coast	\$15,810	\$0	\$15,810
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Columbia R. Basin	\$15,810	\$0	\$15,810
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Willamette R.	\$15,810	\$0	\$15,810
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$149,293	\$0	\$149,293
		Sturgeon, No. American green	<i>Acipenser medirostris</i>	So. CA DPS	\$191,993	\$0	\$191,993
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$149,293	\$0	\$149,293
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$24,621	\$0	\$24,621
	Fishes Total				\$1,899,144	\$2,000	\$1,901,144
	Snails						
		Abalone, Black	<i>Haliotis cracherodii</i>		\$5,341	\$0	\$5,341
		Abalone, White	<i>Haliotis sorenseni</i>	West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico	\$5,341	\$0	\$5,341
		Snail, Morro shoulderband (=Banded dune)	<i>Helminthoglypta walkeriana</i>		\$3,900	\$0	\$3,900
	Snails Total				\$14,582	\$0	\$14,582
	Insects						
		Butterfly, Behren's silverspot	<i>Speyeria zerene behrensii</i>		\$3,900	\$0	\$3,900
		Butterfly, El Segundo blue	<i>Euphilotes battoides allyni</i>		\$3,900	\$0	\$3,900
		Butterfly, Myrtle's silverspot	<i>Speyeria zerene myrtleae</i>		\$3,900	\$0	\$3,900

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$3,900	\$0	\$3,900
		Butterfly, Smith's blue	<i>Euphilotes enoptes smithi</i>		\$3,900	\$0	\$3,900
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>		\$149,293	\$0	\$149,293
	Insects Total				\$168,793	\$0	\$168,793
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$197,044	\$2,000	\$199,044
		Coral, staghorn	<i>Acropora cervicornis</i>		\$197,044	\$2,000	\$199,044
	Corals Total				\$394,088	\$4,000	\$398,088
	Flowering Plants						
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$149,293	\$0	\$149,293
		Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>		\$149,293	\$0	\$149,293
		Bird's-beak, salt marsh	<i>Cordylanthus maritimus ssp. maritimus</i>		\$3,900	\$0	\$3,900
		Bird's-beak, soft	<i>Cordylanthus mollis ssp. mollis</i>		\$3,900	\$0	\$3,900
		Gerardia, sandplain	<i>Agalinis acuta</i>		\$149,293	\$0	\$149,293
		Gilia, Monterey	<i>Gilia tenuiflora ssp. arenaria</i>		\$3,900	\$0	\$3,900
		Layia, beach	<i>Layia carnosa</i>		\$3,900	\$0	\$3,900
		Lily, Western	<i>Lilium occidentale</i>		\$3,900	\$0	\$3,900
		Lupine, clover	<i>Lupinus tidestromii</i>		\$3,900	\$0	\$3,900
		Milk-vetch, coastal dunes	<i>Astragalus tener var. titi</i>		\$3,900	\$0	\$3,900
		Pink, swamp	<i>Helonias bullata</i>		\$149,293	\$0	\$149,293
		Seablite, California	<i>Suaeda californica</i>		\$3,900	\$0	\$3,900
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$149,293	\$0	\$149,293
		Spineflower, Howell's	<i>Chorizanthe howellii</i>		\$3,900	\$0	\$3,900
		Spineflower, Monterey	<i>Chorizanthe pungens var. pungens</i>		\$3,900	\$0	\$3,900
		Spineflower, Sonoma	<i>Chorizanthe valida</i>		\$3,900	\$0	\$3,900
		Thistle, Suisun	<i>Cirsium hydrophilum var. hydrophilum</i>		\$3,900	\$0	\$3,900
		Wallflower, Menzies'	<i>Erysimum menziesii</i>		\$3,900	\$0	\$3,900
	Flowering Plants Total				\$797,165	\$0	\$797,165
	Domestic Total				\$21,089,994	\$372,608	\$21,462,602
	Grand Total				\$21,089,994	\$372,608	\$21,462,602

DHS Customs and Border Protection -- FY2011

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$20,000	\$0	\$20,000
		Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>		\$7,500	\$0	\$7,500
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>		\$852,100	\$0	\$852,100
		Ocelot	<i>Leopardus (=Felis) pardalis</i>		\$555,000	\$0	\$555,000
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Entire	\$454,000	\$0	\$454,000
	Mammals Total				\$1,888,600	\$0	\$1,888,600
	Birds						
		Crane, whooping	<i>Grus americana</i>	Southwestern Louisiana	\$3,500	\$0	\$3,500
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Entire, except where EXPN	\$45,000	\$0	\$45,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$68,600	\$0	\$68,600
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$40,000	\$0	\$40,000
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$5,000	\$0	\$5,000
		Warbler, Kirtland's	<i>Dendroica kirtlandii</i>		\$1,000	\$0	\$1,000
	Birds Total				\$163,100	\$0	\$163,100
	Reptiles						
		Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>		\$3,000	\$0	\$3,000
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$5,000	\$0	\$5,000
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$5,000	\$0	\$5,000
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$5,000	\$0	\$5,000
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$5,000	\$0	\$5,000
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$5,000	\$0	\$5,000
	Reptiles Total				\$28,000	\$0	\$28,000
	Amphibians						
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$20,000	\$0	\$20,000
	Flowering Plants						
		Milk-vetch, Peirson's	<i>Astragalus magdalenae var. peirsonii</i>		\$11,700	\$0	\$11,700
Domestic Total					\$2,111,400	\$0	\$2,111,400
Grand Total					\$2,111,400	\$0	\$2,111,400

DOI Bureau of Indian Affairs -- FY2011

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$30,000	\$0	\$30,000
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$40,000	\$0	\$40,000
		Wolf, gray	<i>Canis lupus</i>	MN	\$70,000	\$0	\$70,000
	Mammals Total				\$140,000	\$0	\$140,000
	Birds						
		Condor, California	<i>Gymnogyps californianus</i>	Entire; except where EXPN	\$75,000	\$0	\$75,000
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$40,000	\$0	\$40,000
		Flycatcher, southwestern willow	<i>Empidonax traillii eximius</i>		\$12,000	\$0	\$12,000
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$55,000	\$0	\$55,000
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$430,000	\$0	\$430,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$10,000	\$0	\$10,000
	Birds Total				\$622,000	\$0	\$622,000
	Fishes						
		Madtom, Neosho	<i>Noturus placidus</i>		\$183,100	\$0	\$183,100
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>		\$20,000	\$0	\$20,000
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$50,000	\$0	\$50,000
	Fishes Total				\$253,100	\$0	\$253,100
Domestic Total					\$1,015,100	\$0	\$1,015,100
Grand Total					\$1,015,100	\$0	\$1,015,100

DOI Bureau of Land Management -- FY2011

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$50,000	\$0	\$50,000
		Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>		\$29,500	\$0	\$29,500
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$144,880	\$0	\$144,880
		Bear, polar	<i>Ursus maritimus</i>		\$54,000	\$0	\$54,000
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$3,000	\$0	\$3,000
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$79,000	\$0	\$79,000
		Ferret, black-footed	<i>Mustela nigripes</i>	entire population, except where EXPN	\$136,800	\$0	\$136,800
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$131,000	\$0	\$131,000
		Jaguar	<i>Panthera onca</i>		\$2,000	\$0	\$2,000
		Kangaroo rat, giant	<i>Dipodomys ingens</i>		\$223,000	\$649,000	\$872,000
		Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>		\$15,000	\$0	\$15,000
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>		\$35,000	\$0	\$35,000
		Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>		\$27,000	\$0	\$27,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$295,618	\$0	\$295,618
		Manatee, West Indian	<i>Trichechus manatus</i>		\$6,500	\$0	\$6,500
		Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>		\$320	\$1,280	\$1,600
		Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>		\$1,000	\$0	\$1,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	CO, WY	\$21,200	\$0	\$21,200
		Ocelot	<i>Leopardus (=Felis) pardalis</i>		\$2,000	\$0	\$2,000
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$200	\$0	\$200
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$227,500	\$0	\$227,500
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Entire	\$55,000	\$0	\$55,000
		Rabbit, pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$15,300	\$0	\$15,300
		Sheep, Peninsular bighorn	<i>Ovis canadensis nelsoni</i>	Peninsular CA pop.	\$1,500	\$120	\$1,620

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$13,500	\$0	\$13,500
		Shrew, Buena Vista Lake ornate	<i>Sorex ornatus relictus</i>		\$7,500	\$0	\$7,500
		Squirrel, northern ID ground	<i>Spermophilus brunneus brunneus</i>		\$3,100	\$0	\$3,100
		Vole, Amargosa	<i>Microtus californicus scirpensis</i>		\$75,000	\$0	\$75,000
		Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>		\$1,000	\$0	\$1,000
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$34,600	\$0	\$34,600
	Mammals Total				\$1,691,018	\$650,400	\$2,341,418
	Birds						
		Condor, California	<i>Gymnogyps californianus</i>	portions of AZ, NV and UT	\$125,400	\$0	\$125,400
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, western WY	\$2,800	\$0	\$2,800
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$341,200	\$1,200,000	\$1,541,200
		Eider, spectacled	<i>Somateria fischeri</i>		\$36,500	\$0	\$36,500
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$42,500	\$0	\$42,500
		falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Entire, except where EXPN	\$752,000	\$0	\$752,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$120	\$0	\$120
		Gnatcatcher, coastal California	<i>Poliophtila californica californica</i>		\$17,000	\$0	\$17,000
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$1,696,600	\$0	\$1,696,600
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$244,600	\$0	\$244,600
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$2,863,600	\$1,000	\$2,864,600
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$12,200	\$0	\$12,200
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$362,240	\$0	\$362,240
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$50,243	\$0	\$50,243
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$500	\$0	\$500
		Towhee, Inyo California	<i>Pipilo crissalis eremophilus</i>		\$445,000	\$0	\$445,000
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$19,750	\$0	\$19,750
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$30,500	\$0	\$30,500
	Birds Total				\$7,042,753	\$1,201,000	\$8,243,753
	Reptiles						
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>		\$176,000	\$100,000	\$276,000
		Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>		\$3,000	\$0	\$3,000
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$2,000	\$0	\$2,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$1,700,640	\$5,000	\$1,705,640
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/Tombigbee Rs.	\$1,000	\$0	\$1,000
	Reptiles Total				\$1,882,640	\$105,000	\$1,987,640
	Amphibians						
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$93,000	\$0	\$93,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Sonoma County	\$3,000	\$0	\$3,000
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus</i> (=microscaphus)		\$17,000	\$0	\$17,000
		Toad, Wyoming	<i>Bufo baxteri</i> (=hemiophrys)		\$1,505	\$0	\$1,505
	Amphibians Total				\$114,505	\$0	\$114,505
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	entire	\$45,280	\$0	\$45,280
		Chub, Borax Lake	<i>Gila boraxobius</i>		\$19,500	\$0	\$19,500
		Chub, Gila	<i>Gila intermedia</i>		\$25,000	\$0	\$25,000
		Chub, humpback	<i>Gila cypha</i>	entire	\$22,300	\$0	\$22,300
		Chub, Hutton tui	<i>Gila bicolor ssp.</i>		\$1,000	\$0	\$1,000
		Chub, Mohave tui	<i>Gila bicolor mohavensis</i>		\$2,000	\$0	\$2,000
		Chub, Pahrnagat roundtail	<i>Gila robusta jordani</i>		\$2,000	\$0	\$2,000
		Chub, Virgin River	<i>Gila seminuda</i> (=robusta)		\$63,980	\$0	\$63,980
		Cui-ui	<i>Chasmistes cujus</i>		\$2,000	\$0	\$2,000
		Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>		\$4,926	\$0	\$4,926
		Dace, Foscett speckled	<i>Rhinichthys osculus ssp.</i>		\$25,500	\$0	\$25,500
		Dace, Moapa	<i>Moapa coriacea</i>		\$63,309	\$0	\$63,309
		Minnow, loach	<i>Tiaroga cobitis</i>		\$34,500	\$0	\$34,500
		Pikeminnow (=squawfish), Colorado	<i>Prychocheilus lucius</i>	Salt and Verde R. drainages, AZ	\$29,300	\$0	\$29,300
		Poolfish, Pahrump	<i>Empetrichthys latos</i>		\$11,326	\$0	\$11,326
		Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>		\$4,926	\$0	\$4,926
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$21,000	\$0	\$21,000
		Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>		\$4,926	\$0	\$4,926
		Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i>		\$4,926	\$0	\$4,926
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River fall-run ESU	\$1,176,275	\$500	\$1,176,775
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	summer-run Hood Canal	\$1,100	\$0	\$1,100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Central California Coast ESU	\$2,426,800	\$0	\$2,426,800
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	Snake River, ID stock	\$21,700	\$0	\$21,700
		Shiner, Pecos bluntnose	<i>Notropis simus</i> <i>pecosensis</i>		\$14,000	\$0	\$14,000
		Spikedace	<i>Meda fulgida</i>		\$34,000	\$0	\$34,000
		Spinedace, Big Spring	<i>Lepidomeda</i> <i>mollispinis pratensis</i>		\$25,000	\$0	\$25,000
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>		\$5,000	\$0	\$5,000
		Springfish, Hiko White River	<i>Crenichthys baileyi</i> <i>grandis</i>		\$2,000	\$0	\$2,000
		Springfish, Railroad Valley	<i>Crenichthys nevadae</i>		\$2,000	\$0	\$2,000
		Springfish, White River	<i>Crenichthys baileyi</i> <i>baileyi</i>		\$1,800	\$0	\$1,800
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Willamette R.	\$1,724,676	\$500	\$1,725,176
		Sturgeon, North American green	<i>Acipenser</i> <i>medirostris</i>	CA- Southern DPS	\$500	\$0	\$500
		Sturgeon, white	<i>Acipenser</i> <i>transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$11,000	\$0	\$11,000
		Sucker, Lost River	<i>Deltistes luxatus</i>		\$20,600	\$300	\$20,900
		Sucker, razorback	<i>Xyrauchen texanus</i>	entire	\$71,280	\$0	\$71,280
		Sucker, shortnose	<i>Chasmistes</i> <i>brevirostris</i>		\$24,100	\$300	\$24,400
		Sucker, Warner	<i>Catostomus</i> <i>warnerensis</i>		\$56,967	\$0	\$56,967
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis</i> <i>occidentalis</i>	U.S.A. only	\$18,800	\$0	\$18,800
		Trout, bull	<i>Salvelinus</i> <i>confluentus</i>	conterminous, lower 48 states	\$551,428	\$0	\$551,428
		Trout, Greenback Cutthroat	<i>Oncorhynchus clarki</i> <i>stomias</i>		\$23,700	\$0	\$23,700
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki</i> <i>henshawi</i>		\$35,700	\$0	\$35,700
		Tui chub, Owens	<i>Gila bicolor</i> ssp. <i>snyderi</i>		\$4,500	\$0	\$4,500
		Woundfin	<i>Plagopterus</i> <i>argentissimus</i>	except Gila R. drainage, AZ, NM	\$40,980	\$0	\$40,980
		Fishes Total			\$6,681,605	\$1,600	\$6,683,205
		Snails					
		Limpet, Banbury Springs	<i>Lanx</i> sp.		\$2,000	\$0	\$2,000
		Snail, Bliss Rapids	<i>Taylorconcha</i> <i>serpenticola</i>		\$12,000	\$0	\$12,000
		Snail, Morro shoulderband (=Banded dune)	<i>Helminthoglypta</i> <i>walkeriana</i>		\$2,000	\$0	\$2,000
		Snail, Snake River physa	<i>Physa natricina</i>		\$18,500	\$0	\$18,500
		Springsnail, Bruneau Hot	<i>Pyrgulopsis</i> <i>bruneauensis</i>		\$73,000	\$0	\$73,000
		Snails Total			\$107,500	\$0	\$107,500
		Insects					

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Cactus, Colorado hookless	<i>Sclerocactus glaucus</i>		\$113,300	\$0	\$113,300
		Cactus, Knowlton's	<i>Pediocactus knowltonii</i>		\$8,000	\$0	\$8,000
		Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>		\$35,500	\$0	\$35,500
		Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$12,000	\$0	\$12,000
		cactus, Pariette	<i>Sclerocactus brevispinus</i>		\$55,000	\$0	\$55,000
		Cactus, Peebles Navajo	<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>		\$11,000	\$0	\$11,000
		Cactus, Pima pineapple	<i>Coryphantha scheeri</i> var. <i>robustispina</i>		\$1,000	\$0	\$1,000
		Cactus, San Rafael	<i>Pediocactus despainii</i>		\$59,000	\$0	\$59,000
		cactus, Uinta Basin hookless	<i>Sclerocactus wetlandicus</i>		\$32,000	\$0	\$32,000
		Cactus, Winkler	<i>Pediocactus winkleri</i>		\$16,500	\$0	\$16,500
		Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$132,600	\$0	\$132,600
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$79,010	\$0	\$79,010
		Centauray, spring-loving	<i>Centaurium namophilum</i>		\$4,578	\$0	\$4,578
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$1,200	\$0	\$1,200
		Clarkia, Springville	<i>Clarkia springvillensis</i>		\$5,000	\$0	\$5,000
		Cliff-rose, Arizona	<i>Purshia (=Cowania) subintegra</i>		\$2,000	\$0	\$2,000
		Cycladenia, Jones	<i>Cycladenia jonesii</i> (= <i>humilis</i>)		\$46,700	\$0	\$46,700
		Daisy, Maguire	<i>Erigeron maguirei</i>		\$34,000	\$0	\$34,000
		Daisy, Willamette	<i>Erigeron decumbens</i> var. <i>decumbens</i>		\$32,000	\$0	\$32,000
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$23,000	\$0	\$23,000
		Evening-primrose, San Benito	<i>Camissonia benitensis</i>		\$80,000	\$0	\$80,000
		Flannelbush, Mexican	<i>Fremontodendron mexicanum</i>		\$5,000	\$0	\$5,000
		Fleabane, Zuni	<i>Erigeron rhizomatus</i>		\$2,000	\$0	\$2,000
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$23,500	\$0	\$23,500
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$318,000	\$0	\$318,000
		Gumplant, Ash Meadows	<i>Grindelia fraxinoprattensis</i>		\$4,578	\$0	\$4,578
		Howellia, water	<i>Howellia aquatilis</i>		\$5,900	\$0	\$5,900
		Ivesia, Ash Meadows	<i>Ivesia kingii</i> var. <i>eremica</i>		\$4,578	\$0	\$4,578
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$98,600	\$1,201,000	\$1,299,600
		Layia, beach	<i>Layia carnosa</i>		\$78,000	\$0	\$78,000
		Lily, Western	<i>Lilium occidentale</i>		\$23,000	\$0	\$23,000
		Lomatium, Cook's	<i>Lomatium cookii</i>		\$96,000	\$0	\$96,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> (=oreganus) ssp. kincaidii (=var. kincaidii)		\$120,000	\$0	\$120,000
		Mallow, Kern	<i>Eremalche kernensis</i>		\$18,500	\$0	\$18,500
		Manzanita, Morro	<i>Arctostaphylos morroensis</i>		\$2,500	\$0	\$2,500
		Milk-vetch, Ash meadows	<i>Astragalus phoenix</i>		\$4,578	\$0	\$4,578
		Milk-vetch, Fish Slough	<i>Astragalus lentiginosus</i> var. piscinensis		\$2,500	\$0	\$2,500
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>		\$38,000	\$0	\$38,000
		Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>		\$5,000	\$0	\$5,000
		Milk-vetch, Mancos	<i>Astragalus humillimus</i>		\$1,000	\$0	\$1,000
		Milk-vetch, Peirson's	<i>Astragalus magdalenae</i> var. peirsonii		\$5,000	\$0	\$5,000
		milkvetch, Osterhout	<i>Astragalus osterhoutii</i>		\$15,300	\$0	\$15,300
		Milkweed, Welsh's	<i>Asclepias welshii</i>		\$32,000	\$0	\$32,000
		Monardella, willow	<i>Monardella viminea</i>		\$5,000	\$0	\$5,000
		Mountain balm, Indian Knob	<i>Eriodictyon altissimum</i>		\$200	\$0	\$200
		Mustard, Penland alpine fen	<i>Eutrema penlandii</i>		\$9,000	\$0	\$9,000
		Navarretia, spreading	<i>Navarretia fossalis</i>		\$5,000	\$0	\$5,000
		Niterwort, Amargosa	<i>Nitrophila mohavensis</i>		\$49,578	\$0	\$49,578
		Onion, Munz's	<i>Allium munzii</i>		\$5,000	\$0	\$5,000
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$1,000	\$0	\$1,000
		Orcutt grass, CA	<i>Orcuttia californica</i>		\$5,000	\$0	\$5,000
		Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>		\$2,500	\$0	\$2,500
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$6,195	\$0	\$6,195
		Owl's-clover, fleshy	<i>Castilleja campestris</i> ssp. succulenta		\$4,500	\$0	\$4,500
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$1,000	\$0	\$1,000
		Pawpaw, four-petal	<i>Asimina tetramera</i>		\$13,000	\$0	\$13,000
		Pennyroyal, Todsens	<i>Hedeoma todsenii</i>		\$5,000	\$0	\$5,000
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$23,900	\$0	\$23,900
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>		\$301,100	\$0	\$301,100
		Phacelia, North Park	<i>Phacelia formosula</i>		\$11,100	\$0	\$11,100
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$2,000	\$0	\$2,000
		Popcornflower, rough	<i>Plagiobothrys hirtus</i>		\$16,000	\$0	\$16,000
		Poppy, Sacramento prickly	<i>Argemone pleiacantha</i> ssp. pinnatisecta		\$26,000	\$0	\$26,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Reed-mustard, clay	<i>Schoenocrambe argillacea</i>		\$9,000	\$0	\$9,000
		Rock-cress, McDonald's	<i>Arabis macdonaldiana</i>		\$22,000	\$0	\$22,000
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$1,500	\$0	\$1,500
		Skullcap, Florida	<i>Scutellaria floridana</i>		\$11,500	\$0	\$11,500
		Spineflower, slender-horned	<i>Dodecahema leptoceras</i>		\$5,000	\$0	\$5,000
		Sunburst, San Joaquin adobe	<i>Pseudobahia peirsonii</i>		\$1,000	\$0	\$1,000
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>		\$3,500	\$0	\$3,500
		Sunray, Ash Meadows	<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>		\$4,578	\$0	\$4,578
		Thistle, Chorro Creek bog	<i>Cirsium fontinale</i> var. <i>obispoense</i>		\$200	\$0	\$200
		Thornmint, San Diego	<i>Acanthomintha ilicifolia</i>		\$5,000	\$0	\$5,000
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$39,500	\$0	\$39,500
		Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>		\$4,300	\$0	\$4,300
		Wallflower, Menzies'	<i>Erysimum menziesii</i>		\$78,000	\$0	\$78,000
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>		\$12,000	\$0	\$12,000
		wild buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>		\$46,100	\$0	\$46,100
		Wild-buckwheat, gypsum	<i>Eriogonum gypsophilum</i>		\$30,000	\$0	\$30,000
		Wire-lettuce, Malheur	<i>Stephanomeria malheurensis</i>		\$19,000	\$0	\$19,000
		Woolly-star, Santa Ana River	<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>		\$5,000	\$0	\$5,000
		Wooly-threads, San Joaquin	<i>Monolopia</i> (= <i>Lembertia</i>) <i>congdonii</i>		\$43,000	\$0	\$43,000
		Yellowhead, desert	<i>Yermo xanthocephalus</i>		\$22,000	\$0	\$22,000
	Flowering Plants Total				\$2,642,751	\$1,201,000	\$3,843,751
Domestic Total					\$20,321,658	\$3,160,280	\$23,481,938
Grand Total					\$20,321,658	\$3,160,280	\$23,481,938

DOI Bureau of Ocean Energy Management, Regulation and Enforcement -- FY2011							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bear, polar	<i>Ursus maritimus</i>		\$120,000	\$0	\$120,000
		Whale, bowhead	<i>Balaena mysticetus</i>		\$2,177,000	\$0	\$2,177,000
		Whale, finback	<i>Balaenoptera physalus</i>		\$50,000	\$0	\$50,000
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$1,625,000	\$0	\$1,625,000
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>		\$166,000	\$0	\$166,000
		Whale, North Pacific Right	<i>Eubalaena japonica</i>	Entire	\$120,000	\$0	\$120,000
		Whale, Sei	<i>Balaenoptera borealis</i>		\$200,000	\$0	\$200,000
		Whale, sperm (=macrocephalus)	<i>Physeter catodon</i>		\$850,000	\$0	\$850,000
	Mammals Total				\$5,308,000	\$0	\$5,308,000
	Birds						
		Eider, spectacled	<i>Somateria fischeri</i>		\$550,000	\$0	\$550,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$100,000	\$0	\$100,000
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$100,000	\$0	\$100,000
	Birds Total				\$750,000	\$0	\$750,000
	Fishes						
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$90,000	\$0	\$90,000
Domestic Total					\$6,148,000	\$0	\$6,148,000
Grand Total					\$6,148,000	\$0	\$6,148,000

DOI Bureau of Reclamation -- FY2011							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$166,500	\$0	\$166,500
		Kangaroo rat, giant	<i>Dipodomys ingens</i>		\$500	\$0	\$500
		Kangaroo rat, Tipton	<i>Dipodomys nitratooides nitratooides</i>		\$84,500	\$0	\$84,500
		Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>		\$527,000	\$0	\$527,000
		Wolf, gray	<i>Canis lupus</i>	MN	\$500	\$0	\$500
	Mammals Total				\$779,000	\$0	\$779,000
	Birds						
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$1,246,000	\$1,603,500	\$2,849,500
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$101,500	\$0	\$101,500
		Flycatcher, SW willow	<i>Empidonax traillii extimus</i>		\$8,188,000	\$1,365,000	\$9,553,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$1,246,000	\$1,603,500	\$2,849,500
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$2,674,000	\$70,500	\$2,744,500
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$1,254,500	\$1,603,500	\$2,858,000
	Birds Total				\$14,710,000	\$6,246,000	\$20,956,000
	Reptiles						
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>		\$97,000	\$0	\$97,000
		Snake, giant garter	<i>Thamnophis gigas</i>		\$479,500	\$0	\$479,500
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$6,000	\$60,000	\$66,000
	Reptiles Total				\$582,500	\$60,000	\$642,500
	Amphibians						
		Frog, CA red-legged	<i>Rana draytonii</i>	Entire	\$388,500	\$0	\$388,500
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$413,500	\$200,000	\$613,500
	Amphibians Total				\$802,000	\$200,000	\$1,002,000
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	entire	\$4,820,000	\$223,000	\$5,043,000
		Chub, Gila	<i>Gila intermedia</i>		\$311,000	\$0	\$311,000
		Chub, humpback	<i>Gila cypha</i>	entire	\$7,592,000	\$0	\$7,592,000
		Chub, Virgin River	<i>Gila seminuda (=robusta)</i>		\$35,000	\$0	\$35,000
		Cui-ui	<i>Chasmistes cujus</i>		\$815,000	\$0	\$815,000
		Eulachon, Pacific	<i>Thaleichthys pacificus</i>	Southern DPS	\$17,500	\$0	\$17,500
		Gambusia, Pecos	<i>Gambusia nobilis</i>		\$21,000	\$22,000	\$43,000
		Minnow, loach	<i>Tiaroga cobitis</i>		\$311,000	\$0	\$311,000
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire; except where EXPN	\$6,355,000	\$3,576,000	\$9,931,000
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$4,757,500	\$367,500	\$5,125,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>		\$20,000	\$22,000	\$42,000
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$3,500	\$0	\$3,500
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Central Valley spring-run ESU	\$4,854,500	\$1,844,500	\$6,699,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Lower Columbia River ESU	\$490,000	\$425,000	\$915,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Sacramento River winter-run ESU	\$74,969,500	\$2,264,000	\$77,233,500
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River fall-run ESU	\$319,500	\$425,000	\$744,500
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River spring/summer-run ESU	\$2,079,000	\$425,000	\$2,504,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Upper Columbia spring-run ESU	\$5,940,500	\$425,000	\$6,365,500
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	So. OR–No. CA Coast ESU	\$2,459,000	\$0	\$2,459,000
		Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>	Snake River, ID stock	\$344,500	\$425,000	\$769,500
		Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>		\$947,000	\$1,300,000	\$2,247,000
		Shiner, Topeka	<i>Notropis topeka</i> (=tristis)		\$5,500	\$0	\$5,500
		Smelt, delta	<i>Hypomesus transpacificus</i>		\$5,306,000	\$0	\$5,306,000
		Spikedace	<i>Meda fulgida</i>		\$311,000	\$0	\$311,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Central Valley CA	\$2,609,000	\$1,609,000	\$4,218,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Snake R. Basin	\$2,722,000	\$427,000	\$3,149,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	lower Columbia R.	\$490,000	\$425,000	\$915,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	middle Columbia R.	\$1,655,500	\$425,000	\$2,080,500
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	southern CA coast	\$107,000	\$0	\$107,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	upper Columbia R. Basin	\$4,471,000	\$425,000	\$4,896,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	upper Willamette R.	\$76,000	\$0	\$76,000
		Sturgeon, No. American green	<i>Acipenser medirostris</i>	CA- Southern DPS	\$781,000	\$1,264,000	\$2,045,000
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$252,500	\$0	\$252,500
		Sucker, June	<i>Chasmistes liorus</i>		\$718,000	\$0	\$718,000
		Sucker, Lost River	<i>Deltistes luxatus</i>		\$2,116,000	\$0	\$2,116,000
		Sucker, razorback	<i>Xyrauchen texanus</i>	entire	\$8,322,500	\$590,500	\$8,913,000
		Sucker, shortnose	<i>Chasmistes brevirostris</i>		\$2,116,000	\$0	\$2,116,000
		Topminnow, Gila (Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$314,500	\$0	\$314,500
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$2,345,000	\$50,000	\$2,395,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$675,000	\$0	\$675,000
		Woundfin	<i>Plagopterus argentissimus</i>	except Gila R. drainage, AZ, NM	\$35,000	\$0	\$35,000
	Fishes Total				\$152,890,500	\$16,959,500	\$169,850,000
	Snails						
		Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>		\$25,000	\$0	\$25,000
		Snail, Snake River physa	<i>Physa natricina</i>		\$124,000	\$0	\$124,000
	Snails Total				\$149,000	\$0	\$149,000
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$22,500	\$0	\$22,500
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$365,500	\$0	\$365,500
	Insects Total				\$388,000	\$0	\$388,000
	Crustaceans						
		Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>		\$59,000	\$250,000	\$309,000
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$156,000	\$200,000	\$356,000
		Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>		\$59,000	\$250,000	\$309,000
	Crustaceans Total				\$274,000	\$700,000	\$974,000
	Flowering Plants						
		Bird's beak, palmate-bracted	<i>Cordylanthus palmatus</i>		\$2,000	\$0	\$2,000
		Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$20,000	\$0	\$20,000
		Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>		\$21,000	\$0	\$21,000
		Dudleya, Santa Clara Valley	<i>Dudleya setchellii</i>		\$213,500	\$0	\$213,500
		Grass, Colusa	<i>Neostapfia colusana</i>		\$2,000	\$0	\$2,000
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$24,000	\$0	\$24,000
		Owl's-clover, fleshy	<i>Castilleja campestris ssp. succulenta</i>		\$0	\$200,000	\$200,000
		Spurge, Hoover's	<i>Chamaesyce hooveri</i>		\$2,000	\$0	\$2,000
		Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>		\$0	\$200,000	\$200,000
		Tuctoria, Greene's	<i>Tuctoria greenei</i>		\$2,000	\$0	\$2,000
	Flowering Plants Total				\$286,500	\$400,000	\$686,500
Domestic Total					\$170,861,500	\$24,565,500	\$195,427,000
Grand Total					\$170,861,500	\$24,565,500	\$195,427,000

DOI National Park Service -- FY2011

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$34,390	\$0	\$34,390
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		\$13,000	\$0	\$13,000
		Bat, Indiana	<i>Myotis sodalis</i>		\$297,090	\$0	\$297,090
		Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>		\$2,500	\$0	\$2,500
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>		\$1,000	\$0	\$1,000
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$1,600	\$0	\$1,600
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$452,000	\$0	\$452,000
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, and WY	\$62,700	\$0	\$62,700
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$65,000	\$0	\$65,000
		Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>		\$125,000	\$0	\$125,000
		Fox, Santa Cruz Island	<i>Urocyon littoralis santacruzae</i>		\$15,000	\$0	\$15,000
		Fox, Santa Rosa Island	<i>Urocyon littoralis santarosae</i>		\$325,000	\$0	\$325,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$23,600	\$0	\$23,600
		Manatee, West Indian	<i>Trichechus manatus</i>		\$15,050	\$0	\$15,050
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>		\$2,200	\$0	\$2,200
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>		\$25,000	\$0	\$25,000
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$32,200	\$0	\$32,200
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$385,100	\$0	\$385,100
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$1,500	\$0	\$1,500
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$4,500	\$0	\$4,500
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$78,000	\$0	\$78,000
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>		\$29,000	\$0	\$29,000
		Whale, Beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$5,000	\$0	\$5,000
		Whale, blue	<i>Balaenoptera musculus</i>		\$500	\$0	\$500
		Whale, finback	<i>Balaenoptera physalus</i>		\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$504,650	\$0	\$504,650
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>		\$200	\$0	\$200
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$102,000	\$0	\$102,000
		Wolf, gray	<i>Canis lupus</i>	WY, EXPN population	\$200,000	\$0	\$200,000
	Mammals Total				\$2,802,980	\$0	\$2,802,980
	Birds						
		Condor, California	<i>Gymnogyps californianus</i>	Entire, except where EXPN	\$424,000	\$0	\$424,000
		Condor, California	<i>Gymnogyps californianus</i>	portions of AZ, NV, and UT	\$125,000	\$0	\$125,000
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$3,000	\$0	\$3,000
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$14,000	\$0	\$14,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$25,000	\$0	\$25,000
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>		\$236,443	\$0	\$236,443
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$274,000	\$0	\$274,000
		Moorhen, Mariana common	<i>Gallinula chloropus guami</i>		\$500	\$0	\$500
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$87,000	\$0	\$87,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$63,000	\$0	\$63,000
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$439,400	\$0	\$439,400
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>		\$135,925	\$0	\$135,925
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$78,500	\$0	\$78,500
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$813,450	\$0	\$813,450
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$83,800	\$0	\$83,800
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$14,500	\$0	\$14,500
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>		\$290,000	\$0	\$290,000
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$3,000	\$0	\$3,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$6,800	\$0	\$6,800
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$57,400	\$0	\$57,400
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$250	\$0	\$250
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$19,500	\$0	\$19,500
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$2,500	\$0	\$2,500
		Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>		\$1,400	\$0	\$1,400
		Warbler, nightingale reed (old world warbler)	<i>Acrocephalus luscini</i>		\$500	\$0	\$500
		Woodpecker, ivory-billed	<i>Campephilus principalis</i>	entire	\$24,600	\$0	\$24,600
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$25,000	\$0	\$25,000
	Birds Total				\$3,248,468	\$0	\$3,248,468
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$62,200	\$0	\$62,200
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$30,000	\$0	\$30,000
		Lizard, Island night	<i>Xantusia riversiana</i>		\$500	\$0	\$500
		Lizard, St. Croix ground	<i>Ameiva polops</i>		\$1,500	\$0	\$1,500
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$75,310	\$0	\$75,310
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$482,560	\$0	\$482,560
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$214,129	\$0	\$214,129
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$1,167,560	\$0	\$1,167,560
		Sea turtle, leatherback	<i>Dermodochelys coriacea</i>		\$70,400	\$0	\$70,400
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$432,500	\$0	\$432,500
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$47,100	\$0	\$47,100
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$68,500	\$0	\$68,500
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$34,000	\$0	\$34,000
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$42,200	\$0	\$42,200
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$5,000	\$0	\$5,000
	Reptiles Total				\$2,733,459	\$0	\$2,733,459
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$98,000	\$0	\$98,000
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern CA DPS	\$65,982	\$0	\$65,982
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$1,000	\$0	\$1,000
		Salamander, Shenandoah	<i>Plethodon shenandoah</i>		\$239,000	\$0	\$239,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Amphibians Total				\$403,982	\$0	\$403,982
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	Entire	\$1,000	\$0	\$1,000
		Chub, humpback	<i>Gila cypha</i>	Entire	\$110,000	\$0	\$110,000
		Chub, Mohave tui	<i>Gila bicolor mohavensis</i>		\$22,500	\$0	\$22,500
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$1,000	\$0	\$1,000
		Dace, blackside	<i>Phoxinus cumberlandensis</i>		\$5,100	\$0	\$5,100
		Darter, duskytail	<i>Etheostoma percnurum</i>	Entire	\$6,100	\$0	\$6,100
		Gambusia, Big Bend	<i>Gambusia gaigei</i>		\$5,000	\$0	\$5,000
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$9,000	\$0	\$9,000
		Madtom, smoky	<i>Noturus baileyi</i>	Entire	\$1,000	\$0	\$1,000
		Madtom, yellowfin	<i>Noturus flavipinnis</i>	except where EXPN	\$1,000	\$0	\$1,000
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Rio Grande, from Little Box Canyon to Amistad Dam	\$1,500	\$0	\$1,500
		Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>		\$385,000	\$0	\$385,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$35,000	\$0	\$35,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$6,000	\$0	\$6,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$10,200	\$0	\$10,200
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound ESU	\$28,000	\$0	\$28,000
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$10,200	\$0	\$10,200
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Central California Coast ESU	\$295,000	\$0	\$295,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Southern Oregon–Northern California Coast ESU	\$45,200	\$0	\$45,200
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Ozette Lake, WA	\$10,000	\$0	\$10,000
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>		\$15,856	\$0	\$15,856
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$226,000	\$0	\$226,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	central CA coast	\$25,000	\$0	\$25,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	middle Columbia R.	\$75,600	\$0	\$75,600
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	northern CA	\$37,000	\$0	\$37,000
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$2,500	\$0	\$2,500
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$300	\$0	\$300
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$75,000	\$0	\$75,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$309,500	\$0	\$309,500
		Trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>		\$90,000	\$0	\$90,000
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$200	\$0	\$200
	Fishes Total				\$1,844,756	\$0	\$1,844,756
	Clams						
		Bean, Cumberland (pearlymussel)	<i>Villosa trabalis</i>	Entire; Except where EXPN	\$5,100	\$0	\$5,100
		Clubshell	<i>Pleurobema clava</i>	Entire; Except where EXPN	\$5,100	\$0	\$5,100
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Entire; Except where EXPN	\$5,100	\$0	\$5,100
		Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>		\$5,100	\$0	\$5,100
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>		\$14,012	\$0	\$14,012
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Entire; except where EXPN	\$20,412	\$0	\$20,412
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$17,600	\$0	\$17,600
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	Entire; Except where EXPN	\$5,100	\$0	\$5,100
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$12,500	\$0	\$12,500
		Pearlymussel, dromedary	<i>Dromus dromas</i>	Entire; Except where EXPN	\$5,100	\$0	\$5,100
		Pearlymussel, littlewing	<i>Pegias fabula</i>		\$5,100	\$0	\$5,100
		Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (= <i>E. walkeri</i>)		\$5,100	\$0	\$5,100
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$4,200	\$0	\$4,200
	Clams Total				\$109,524	\$0	\$109,524
	Snails						
		Abalone, Black	<i>Haliotis cracherodii</i>		\$67,000	\$0	\$67,000
		Abalone, White	<i>Haliotis sorenseni</i>	West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico	\$1,000	\$0	\$1,000
	Snails Total				\$68,000	\$0	\$68,000
	Insects						
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$290,000	\$0	\$290,000
		Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>		\$112,000	\$0	\$112,000
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>		\$100	\$0	\$100
		Butterfly, Myrtle's silverspot	<i>Speyeria zerene myrtleae</i>		\$500	\$0	\$500
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$1,700	\$0	\$1,700
		Butterfly, San Bruno elfin	<i>Callophrys mossii bayensis</i>		\$3,000	\$0	\$3,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Butterfly, Schaus swallowtail	<i>Heracles aristodemus ponceanus</i>		\$2,000	\$0	\$2,000
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$100	\$0	\$100
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>		\$1,200	\$0	\$1,200
	Insects Total				\$410,600	\$0	\$410,600
	Arachnids						
		Spider, spruce-fir moss	<i>Microhexura montivaga</i>		\$13,000	\$0	\$13,000
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$32,700	\$0	\$32,700
		Coral, staghorn	<i>Acropora cervicornis</i>		\$13,700	\$0	\$13,700
	Corals Total				\$46,400	\$0	\$46,400
	Flowering Plants						
		Alani	<i>Melicope balloui</i>		\$146	\$0	\$146
		Alani	<i>Melicope ovalis</i>		\$7,321	\$0	\$7,321
		Alani	<i>Melicope zahlbruckneri</i>		\$1,000	\$0	\$1,000
		Alopecurus, Sonoma	<i>Alopecurus aequalis var. sonomensis</i>		\$1,500	\$0	\$1,500
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$76,900	\$0	\$76,900
		Avens, spreading	<i>Geum radiatum</i>		\$3,320	\$0	\$3,320
		bladderpod, Missouri	<i>Physaria filiformis</i>		\$27,000	\$0	\$27,000
		Blazingstar, Heller's	<i>Liatis helleri</i>		\$3,320	\$0	\$3,320
		Cactus, Chisos Mountain hedgehog	<i>Echinocereus chisoensis var. chisoensis</i>		\$3,000	\$0	\$3,000
		Cactus, Lloyd's Mariposa	<i>Echinomastus mariposensis</i>		\$3,000	\$0	\$3,000
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$1,100	\$0	\$1,100
		Clarkia, Presidio	<i>Clarkia franciscana</i>		\$2,000	\$0	\$2,000
		Clover, showy Indian	<i>Trifolium amoenum</i>		\$7,600	\$0	\$7,600
		Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>		\$700	\$0	\$700
		Cory cactus, bunched	<i>Coryphantha ramillosa</i>		\$500	\$0	\$500
		Daisy, Parish's	<i>Erigeron parishii</i>		\$10,000	\$0	\$10,000
		Dudleya, Conejo	<i>Dudleya abramsii ssp. parva</i>		\$1,000	\$0	\$1,000
		Dudleya, marcescent	<i>Dudleya cymosa ssp. marcescens</i>		\$1,000	\$0	\$1,000
		Dudleya, Verity's	<i>Dudleya verityi</i>		\$1,000	\$0	\$1,000
		Dudleyea, Santa Monica Mountains	<i>Dudleyea cymosa ssp. ovatifolia</i>		\$1,000	\$0	\$1,000
		Dwarf-flax, Marin	<i>Hesperolinon congestum</i>		\$2,000	\$0	\$2,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Evening-primrose, Eureka Valley	<i>Oenothera avita ssp. eurekaensis</i>		\$16,000	\$0	\$16,000
		Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>		\$21,963	\$0	\$21,963
		Grass, Eureka Dune	<i>Swallenia alexandrae</i>		\$16,000	\$0	\$16,000
		Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>		\$1,000	\$0	\$1,000
		Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>		\$700	\$0	\$700
		Haha	<i>Cyanea copelandii ssp. haleakalaensis</i>		\$4,393	\$0	\$4,393
		Haha	<i>Cyanea glabra</i>		\$4,393	\$0	\$4,393
		Haha	<i>Cyanea grimesiana ssp. grimesiana</i>		\$146	\$0	\$146
		Haha	<i>Cyanea hamatiflora ssp. hamatiflora</i>		\$4,393	\$0	\$4,393
		Haha	<i>Cyanea stictophylla</i>		\$4,000	\$0	\$4,000
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$7,000	\$0	\$7,000
		Harperella	<i>Ptilimnium nodosum</i>		\$800	\$0	\$800
		Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>		\$4,500	\$0	\$4,500
		Ha'iwale	<i>Cyrtandra giffardii</i>		\$4,000	\$0	\$4,000
		Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$2,640	\$0	\$2,640
		Ischaemum, Hilo	<i>Ischaemum byrone</i>		\$2,928	\$0	\$2,928
		Joint-vetch, sensitive	<i>Aeschynomene virginica</i>		\$5,000	\$0	\$5,000
		Koki'o ke'oke'o	<i>Hibiscus arnottianus ssp. immaculatus</i>		\$2,500	\$0	\$2,500
		Ko'oko'olau	<i>Bidens micrantha ssp. kalealaha</i>		\$5,857	\$0	\$5,857
		Ko'oloa'ula	<i>Abutilon menziesii</i>		\$3,000	\$0	\$3,000
		Kuahiwi laukahi	<i>Plantago princeps</i>		\$21,963	\$0	\$21,963
		Kula wahine noho	<i>Isodendron pyrifolium</i>		\$3,000	\$0	\$3,000
		Layia, beach	<i>Layia carnosa</i>		\$1,500	\$0	\$1,500
		Lessingia, San Francisco	<i>Lessingia germanorum (=L.g. germanorum)</i>		\$16,100	\$0	\$16,100
		Liveforever, Santa Barbara Island	<i>Dudleya traskiae</i>		\$500	\$0	\$500
		Lo'ulu	<i>Pritchardia affinis</i>		\$3,900	\$0	\$3,900
		Lupine, clover	<i>Lupinus tidestromii</i>		\$1,500	\$0	\$1,500
		Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>		\$2,000	\$0	\$2,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus</i> var. <i>coachellae</i>		\$2,000	\$0	\$2,000
		Milk-vetch, triple-ribbed	<i>Astragalus tricarinatus</i>		\$10,000	\$0	\$10,000
		Monkey-flower, MI	<i>Mimulus michiganensis</i>		\$1,000	\$0	\$1,000
		Naupaka, dwarf	<i>Scaevola coriacea</i>		\$3,000	\$0	\$3,000
		No common name	<i>Neraudia ovata</i>		\$1,000	\$0	\$1,000
		No common name	<i>Platanthera holochila</i>		\$146	\$0	\$146
		No common name	<i>Schiedea haleakalensis</i>		\$17,571	\$0	\$17,571
		No common name	<i>Schiedea hookeri</i>		\$146	\$0	\$146
		Nohoanu	<i>Geranium multiflorum</i>		\$11,714	\$0	\$11,714
		Ohai	<i>Sesbania tomentosa</i>		\$3,400	\$0	\$3,400
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$8,550	\$0	\$8,550
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$5,000	\$0	\$5,000
		Paintbrush, soft-leaved	<i>Castilleja mollis</i>		\$4,000	\$0	\$4,000
		Pentachaeta, white-rayed	<i>Pentachaeta bellidiflora</i>		\$100	\$0	\$100
		Pink, swamp	<i>Helonias bullata</i>		\$2,500	\$0	\$2,500
		Pitcher-plant, green	<i>Sarracenia oreophila</i>		\$9,000	\$0	\$9,000
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$60,100	\$0	\$60,100
		Potato-bean, Price's	<i>Apios priceana</i>		\$200	\$0	\$200
		Po'e	<i>Portulaca sclerocarpa</i>		\$7,000	\$0	\$7,000
		Pua`ala	<i>Brighamia rockii</i>		\$2,500	\$0	\$2,500
		Rosemary, Cumberland	<i>Conradina verticillata</i>		\$5,100	\$0	\$5,100
		Rush-rose, island	<i>Helianthemum greenei</i>		\$400	\$0	\$400
		Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>		\$5,100	\$0	\$5,100
		Silversword, Mauna Loa	<i>Argyroxiphium kauense</i>		\$32,635	\$0	\$32,635
		Skullcap, large-flowered	<i>Scutellaria montana</i>		\$3,000	\$0	\$3,000
		Spineflower, Sonoma	<i>Chorizanthe valida</i>		\$23,822	\$0	\$23,822
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$5,100	\$0	\$5,100
		Spurge, Garber's	<i>Chamaesyce garberi</i>		\$500	\$0	\$500
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$11,500	\$0	\$11,500
		Uhiuhi	<i>Caesalpinia kavaense</i>		\$3,000	\$0	\$3,000
		`Ahinahina	<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>		\$19,035	\$0	\$19,035
		`Oha wai	<i>Clermontia lindseyana</i>		\$146	\$0	\$146

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		`Oha wai	<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>		\$146	\$0	\$146
		`Oha wai	<i>Clermontia peleana</i>		\$61,146	\$0	\$61,146
		`Oha wai	<i>Clermontia samuelii</i>		\$11,714	\$0	\$11,714
	Flowering Plants Total				\$647,354	\$0	\$647,354
	Ferns and Allies						
		No common name	<i>Asplenium fragile</i> var. <i>insulare</i>		\$146	\$0	\$146
		No common name	<i>Diplazium molokaiense</i>		\$1,464	\$0	\$1,464
		Pauoa	<i>Ctenitis squamigera</i>		\$1,464	\$0	\$1,464
		Wawae`iole	<i>Huperzia mannii</i>		\$8,785	\$0	\$8,785
	Ferns and Allies Total				\$11,859	\$0	\$11,859
Domestic Total					\$12,340,382	\$0	\$12,340,382
Grand Total					\$12,340,382	\$0	\$12,340,382

DOI Office of Surface Mining -- FY2011

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, Indiana	<i>Myotis sodalis</i>		\$1,710	\$0	\$1,710
	Fishes						
		Dace, blackside	<i>Phoxinus Cumberlandensis</i>		\$500	\$0	\$500
	Clams						
		Bean, purple	<i>Villosa perpurpurea</i>		\$267	\$0	\$267
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Entire; Except where EXPN	\$267	\$0	\$267
		Fanshell	<i>Cyprogenia stegaria</i>		\$267	\$0	\$267
		Kidneyshell, triangular	<i>Ptychobranthus greenii</i>		\$267	\$0	\$267
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	Entire; Except where EXPN	\$267	\$0	\$267
		Pearlymussel, birdwing	<i>Lemiox rimosus</i>	Entire; Except where EXPN	\$267	\$0	\$267
		Pearlymussel, cracking	<i>Hemistena lata</i>	Entire; Except where EXPN	\$267	\$0	\$267
		Pearlymussel, dromedary	<i>Dromus dromas</i>	Entire; Except where EXPN	\$267	\$0	\$267
		Pigtoe, finerayed	<i>Fusconaia cuneolus</i>	Entire; Except where EXPN	\$267	\$0	\$267
		Pigtoe, shiny	<i>Fusconaia cor</i>	Entire; Except where EXPN	\$267	\$0	\$267
		Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>		\$267	\$0	\$267
	Clams Total				\$2,937	\$0	\$2,937
Domestic Total					\$5,147	\$0	\$5,147
Grand Total					\$5,147	\$0	\$5,147

DOI US Geological Survey -- FY2011

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$600	\$0	\$600
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		\$225,781	\$0	\$225,781
		Bat, Indiana	<i>Myotis sodalis</i>		\$65,090	\$0	\$65,090
		Bat, Mariana fruit (=Mariana flying fox)	<i>Pteropus mariannus mariannus</i>	entire	\$17,452	\$0	\$17,452
		Bear, American black	<i>Ursus americanus</i>	County range of LA b.bear	\$71,645	\$0	\$71,645
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$799,633	\$0	\$799,633
		Bear, polar	<i>Ursus maritimus</i>		\$2,200,022	\$0	\$2,200,022
		Ferret, black-footed	<i>Mustela nigripes</i>	entire, except where EXPN	\$98,860	\$0	\$98,860
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$700	\$0	\$700
		Manatee, West Indian	<i>Trichechus manatus</i>		\$855,200	\$0	\$855,200
		Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>		\$4,166	\$0	\$4,166
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>		\$4,166	\$0	\$4,166
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>		\$4,166	\$0	\$4,166
		Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>		\$5,000	\$0	\$5,000
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>		\$4,166	\$0	\$4,166
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$4,166	\$0	\$4,166
		Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>		\$4,166	\$0	\$4,166
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	southwest Alaska DPS	\$36,000	\$0	\$36,000
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$734,990	\$0	\$734,990
		Otter, southern sea	<i>Enhydra lutris nereis</i>	south of Pt. Conception, CA	\$24,000	\$0	\$24,000
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	entire	\$31,000	\$0	\$31,000
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$5,011	\$0	\$5,011
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$600	\$0	\$600
		Wolf, gray	<i>Canis lupus</i>	MN	\$464,129	\$0	\$464,129
		Wolf, Mexican gray	<i>Canis lupus baileyi</i>	portions of AZ, NM and TX	\$10,649	\$0	\$10,649
		Wolf, red	<i>Canis rufus</i>	portions of NC and TN	\$2,350	\$0	\$2,350
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>		\$16,000	\$0	\$16,000
	Mammals Total				\$5,689,708	\$0	\$5,689,708

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Birds						
		Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>		\$5,000	\$0	\$5,000
		Akiapola`au (honeycreeper)	<i>Hemignathus munroi</i>		\$5,000	\$0	\$5,000
		Condor, California	<i>Gymnogyps californianus</i>	Entire, except where listed as EXPN	\$13,700	\$0	\$13,700
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$2,100	\$0	\$2,100
		Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>		\$700	\$0	\$700
		Crane, whooping	<i>Grus americana</i>	AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	\$4,240	\$0	\$4,240
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$67,412	\$0	\$67,412
		Creepers, Hawaii	<i>Oreomystis mana</i>		\$5,000	\$0	\$5,000
		Crow, Hawaiian (=alala)	<i>Corvus hawaiiensis</i>		\$1,000	\$0	\$1,000
		Crow, Mariana (=aga)	<i>Corvus kubaryi</i>		\$1,000	\$0	\$1,000
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$2,100	\$0	\$2,100
		Duck, Laysan	<i>Anas laysanensis</i>		\$70,000	\$0	\$70,000
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$38,705	\$0	\$38,705
		Eider, spectacled	<i>Somateria fischeri</i>		\$150,000	\$0	\$150,000
		Finch, Laysan (honeycreeper)	<i>Telespyza cantans</i>		\$600	\$0	\$600
		Flycatcher, SW willow	<i>Empidonax traillii extimus</i>		\$27,395	\$0	\$27,395
		Gnatcatcher, coastal California	<i>Polioptila californica californica</i>		\$2,659	\$0	\$2,659
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>		\$114,867	\$0	\$114,867
		Hawk, Hawaiian (=lo)	<i>Buteo solitarius</i>		\$600	\$0	\$600
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$78,900	\$0	\$78,900
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$300	\$0	\$300
		Nightjar, Puerto Rican	<i>Caprimulgus noctitherus</i>		\$900	\$0	\$900
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$189,629	\$0	\$189,629
		Palila (honeycreeper)	<i>Loxioides bailleui</i>		\$40,000	\$0	\$40,000
		Parrotbill, Maui (honeycreeper)	<i>Pseudonestor xanthophrys</i>		\$1,000	\$0	\$1,000
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>		\$16,533	\$0	\$16,533
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$397,870	\$0	\$397,870
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$600	\$0	\$600

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$39,800	\$0	\$39,800
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>		\$900	\$0	\$900
		Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>		\$3,234	\$0	\$3,234
		Sparrow, San Clemente sage	<i>Amphispiza belli clementeae</i>		\$3,234	\$0	\$3,234
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$1,500	\$0	\$1,500
		Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>		\$3,925	\$0	\$3,925
		Tern, California least	<i>Sterna antillarum browni</i>		\$3,234	\$0	\$3,234
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$299,926	\$0	\$299,926
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$92,415	\$0	\$92,415
	Birds Total				\$1,685,978	\$0	\$1,685,978
	Reptiles						
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$138,500	\$0	\$138,500
		Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>		\$11,586	\$0	\$11,586
		Lizard, Island night	<i>Xantusia riversiana</i>		\$8,000	\$0	\$8,000
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$15,800	\$0	\$15,800
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$63,960	\$0	\$63,960
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$43,900	\$0	\$43,900
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$5,200	\$0	\$5,200
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$177,000	\$0	\$177,000
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$810	\$0	\$810
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$371,131	\$0	\$371,131
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$55,000	\$0	\$55,000
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>		\$19,559	\$0	\$19,559
	Reptiles Total				\$910,446	\$0	\$910,446
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$127,347	\$0	\$127,347
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$63,966	\$0	\$63,966
		Frog, dusky gopher	<i>Rana sevosia</i>	Entire	\$67,230	\$0	\$67,230
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern California DPS	\$60,000	\$0	\$60,000
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$20,000	\$0	\$20,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Amphibians Total				\$338,543	\$0	\$338,543
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	Entire	\$17,814	\$0	\$17,814
		Chub, Gila	<i>Gila intermedia</i>		\$11,824	\$0	\$11,824
		Chub, humpback	<i>Gila cypha</i>	Entire	\$258,859	\$0	\$258,859
		Chub, Pahrn-agat roundtail	<i>Gila robusta jordani</i>		\$3,193	\$0	\$3,193
		Cui-ui	<i>Chasmistes cujus</i>		\$118,354	\$0	\$118,354
		Dace, Moapa	<i>Moapa coriacea</i>		\$23,362	\$0	\$23,362
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>		\$31,800	\$0	\$31,800
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$40,000	\$0	\$40,000
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire, except where EXPN	\$252,111	\$0	\$252,111
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Rio Grande, from Little Box Canyon to Amistad Dam	\$44,935	\$0	\$44,935
		Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>		\$3,193	\$0	\$3,193
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$165,000	\$0	\$165,000
		Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i>		\$3,193	\$0	\$3,193
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$315,650	\$0	\$315,650
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Central Valley spring-run ESU	\$5,000	\$0	\$5,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Lower Columbia River ESU	\$48,730	\$0	\$48,730
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Puget Sound ESU	\$80,000	\$0	\$80,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Sacramento River winter-run ESU	\$22,137	\$0	\$22,137
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River fall-run ESU	\$10,000	\$0	\$10,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River spring/summer-run ESU	\$10,000	\$0	\$10,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Upper Columbia spring-run ESU	\$71,684	\$0	\$71,684
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Upper Willamette River ESU	\$5,000	\$0	\$5,000
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	Columbia R.	\$5,000	\$0	\$5,000
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	summer-run Hood Canal	\$5,000	\$0	\$5,000
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Lower Columbia River ESU	\$10,000	\$0	\$10,000
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Oregon Coast ESU	\$10,791	\$0	\$10,791
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	So. OR–No. CA Coast ESU	\$172,785	\$0	\$172,785

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	Ozette Lake, WA	\$15,000	\$0	\$15,000
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	Snake River, ID stock	\$25,000	\$0	\$25,000
		Shiner, Pecos bluntnose	<i>Notropis simus</i> <i>pecosensis</i>		\$29,000	\$0	\$29,000
		Shiner, Topeka	<i>Notropis topeka</i> (= <i>tristis</i>)		\$52,000	\$0	\$52,000
		Spinedace, Big Spring	<i>Lepidomeda mol-</i> <i>lispinis pratensis</i>		\$4,774	\$0	\$4,774
		Spinedace, White River	<i>Lepidomeda</i> <i>albivallis</i>		\$3,193	\$0	\$3,193
		Springfish, Hiko White River	<i>Crenichthys baileyi</i> <i>grandis</i>		\$3,193	\$0	\$3,193
		Springfish, Railroad Valley	<i>Crenichthys</i> <i>nevadae</i>		\$3,193	\$0	\$3,193
		Springfish, White River	<i>Crenichthys baileyi</i> <i>baileyi</i>		\$3,193	\$0	\$3,193
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Central Valley CA	\$10,000	\$0	\$10,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Puget Sound DPS	\$15,000	\$0	\$15,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Snake R. Basin	\$25,000	\$0	\$25,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	central CA coast	\$10,000	\$0	\$10,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	lower Columbia R.	\$36,865	\$0	\$36,865
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	middle Columbia R.	\$42,435	\$0	\$42,435
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	northern CA	\$10,000	\$0	\$10,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	south central CA coast	\$5,000	\$0	\$5,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	southern CA coast	\$5,000	\$0	\$5,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Columbia R. Basin	\$86,684	\$0	\$86,684
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Willamette R.	\$10,000	\$0	\$10,000
		Stickleback, unarmored threespine	<i>Gasterosteus</i> <i>aculeatus</i> <i>williamsoni</i>		\$65,000	\$0	\$65,000
		Sturgeon, gulf	<i>Acipenser</i> <i>oxyrinchus desotoi</i>		\$28,300	\$0	\$28,300
		Sturgeon, pallid	<i>Scaphirhynchus</i> <i>albus</i>		\$461,337	\$0	\$461,337
		Sturgeon, shortnose	<i>Acipenser</i> <i>brevirostrum</i>		\$224,920	\$0	\$224,920
		Sturgeon, white	<i>Acipenser</i> <i>transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$55,000	\$0	\$55,000
		Sucker, Lost River	<i>Deltistes luxatus</i>		\$312,715	\$0	\$312,715
		Sucker, razorback	<i>Xyrauchen texanus</i>	entire	\$23,763	\$0	\$23,763
		Sucker, Santa Ana	<i>Catostomus</i> <i>santaanae</i>	3 CA river basins	\$75,637	\$0	\$75,637
		Sucker, shortnose	<i>Chasmistes</i> <i>brevirostris</i>		\$312,715	\$0	\$312,715
		Trout, Apache	<i>Oncorhynchus</i> <i>apache</i>		\$38,000	\$0	\$38,000
		Trout, bull	<i>Salvelinus</i> <i>confluentus</i>	conterminous, lower 48 states	\$325,211	\$0	\$325,211

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$255,741	\$0	\$255,741
	Fishes Total				\$4,318,284	\$0	\$4,318,284
	Clams						
		Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>		\$15,640	\$0	\$15,640
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Entire; Except where EXPN	\$33,000	\$0	\$33,000
		Moccasinshell, Gulf	<i>Medionidus penicillatus</i>		\$15,640	\$0	\$15,640
		Monkeyface, Cumberland	<i>Quadrula intermedia</i>	Entire; Except where EXPN	\$19,000	\$0	\$19,000
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$46,000	\$0	\$46,000
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	Entire; Except where EXPN	\$14,000	\$0	\$14,000
		Pearlymussel, birdwing	<i>Lemiox rimosus</i>	Entire; Except where EXPN	\$19,000	\$0	\$19,000
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$15,640	\$0	\$15,640
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$15,640	\$0	\$15,640
		Three-ridge, fat (mussel)	<i>Amblyma neislerii</i>		\$15,640	\$0	\$15,640
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$329,601	\$0	\$329,601
	Clams Total				\$538,801	\$0	\$538,801
	Snails						
		Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>		\$1,322	\$0	\$1,322
		Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>		\$3,000	\$0	\$3,000
	Snails Total				\$4,322	\$0	\$4,322
	Insects						
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$78,719	\$0	\$78,719
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (=E. e. wrighti)		\$13,584	\$0	\$13,584
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$7,360	\$0	\$7,360
		Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>		\$8,413	\$0	\$8,413
	Insects Total				\$108,076	\$0	\$108,076
	Crustaceans						
		Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>		\$10,498	\$0	\$10,498
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$10,000	\$0	\$10,000
	Crustaceans Total				\$20,498	\$0	\$20,498
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$52,800	\$0	\$52,800
	Flowering Plants						
		Alani	<i>Melicope adscendens</i>		\$165	\$0	\$165
		Alani	<i>Melicope balloui</i>		\$165	\$0	\$165
		Alani	<i>Melicope degeneri</i>		\$165	\$0	\$165

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Alani	<i>Melicope haupuensis</i>		\$165	\$0	\$165
		Alani	<i>Melicope knudsenii</i>		\$165	\$0	\$165
		Alani	<i>Melicope lydgatei</i>		\$165	\$0	\$165
		Alani	<i>Melicope mucronulata</i>		\$165	\$0	\$165
		Alani	<i>Melicope munroi</i>		\$165	\$0	\$165
		Alani	<i>Melicope ovalis</i>		\$165	\$0	\$165
		Alani	<i>Melicope pallida</i>		\$165	\$0	\$165
		Alani	<i>Melicope paniculata</i>		\$165	\$0	\$165
		Alani	<i>Melicope puberula</i>		\$165	\$0	\$165
		Alani	<i>Melicope quadrangularis</i>		\$165	\$0	\$165
		Alani	<i>Melicope reflexa</i>		\$165	\$0	\$165
		Alani	<i>Melicope saint-johnii</i>		\$165	\$0	\$165
		Alani	<i>Melicope zahlbruckneri</i>		\$50,165	\$0	\$50,165
		Aupaka	<i>Isodendron hosakae</i>		\$165	\$0	\$165
		Aupaka	<i>Isodendron laurifolium</i>		\$165	\$0	\$165
		Aupaka	<i>Isodendron longifolium</i>		\$165	\$0	\$165
		Awiwi	<i>Centaurium sebaeoides</i>		\$165	\$0	\$165
		Awiwi	<i>Hedyotis cookiana</i>		\$165	\$0	\$165
		A`e	<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>		\$165	\$0	\$165
		A`e	<i>Zanthoxylum hawaiiense</i>		\$165	\$0	\$165
		Barberry, island	<i>Berberis pinnata</i> ssp. <i>insularis</i>		\$2,425	\$0	\$2,425
		Bedstraw, island	<i>Galium buxifolium</i>		\$4,851	\$0	\$4,851
		Bluegrass, Hawaiian	<i>Poa sandvicensis</i>		\$165	\$0	\$165
		Bluegrass, Mann's	<i>Poa mannii</i>		\$165	\$0	\$165
		Bush-mallow, Santa Cruz Island	<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>		\$7,277	\$0	\$7,277
		Chaff-flower, round-leaved	<i>Achyranthes splendens</i> var. <i>rotundata</i>		\$165	\$0	\$165
		Gardenia (=Na`u), Hawaiian	<i>Gardenia brighamii</i>		\$165	\$0	\$165
		Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>		\$165	\$0	\$165
		Gilia, Hoffmann's slender-flowered	<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>		\$4,851	\$0	\$4,851
		Haha	<i>Cyanea acuminata</i>		\$165	\$0	\$165
		Haha	<i>Cyanea asarifolia</i>		\$165	\$0	\$165
		Haha	<i>Cyanea copelandii</i> ssp. <i>copelandii</i>		\$165	\$0	\$165
		Haha	<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>		\$165	\$0	\$165
		Haha	<i>Cyanea dolichopoda</i>		\$165	\$0	\$165
		Haha	<i>Cyanea dunbarii</i>		\$165	\$0	\$165

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Haha	<i>Cyanea eleeleensis</i>		\$165	\$0	\$165
		Haha	<i>Cyanea glabra</i>		\$165	\$0	\$165
		Haha	<i>Cyanea grimesiana</i> <i>ssp. grimesiana</i>		\$165	\$0	\$165
		Haha	<i>Cyanea grimesiana</i> <i>ssp. obatae</i>		\$165	\$0	\$165
		Haha	<i>Cyanea hamatiflora</i> <i>ssp. carlsonii</i>		\$165	\$0	\$165
		Haha	<i>Cyanea hamatiflora</i> <i>ssp. hamatiflora</i>		\$165	\$0	\$165
		Haha	<i>Cyanea humboldtiana</i>		\$165	\$0	\$165
		Haha	<i>Cyanea kolekoleensis</i>		\$165	\$0	\$165
		Haha	<i>Cyanea koolauensis</i>		\$165	\$0	\$165
		Haha	<i>Cyanea kuhihewa</i>		\$165	\$0	\$165
		Haha	<i>Cyanea lobata</i>		\$165	\$0	\$165
		Haha	<i>Cyanea longiflora</i>		\$165	\$0	\$165
		Haha	<i>Cyanea macrostegia</i> <i>ssp. gibsonii</i>		\$165	\$0	\$165
		Haha	<i>Cyanea mannii</i>		\$165	\$0	\$165
		Haha	<i>Cyanea mceldowneyi</i>		\$165	\$0	\$165
		Haha	<i>Cyanea pinnatifida</i>		\$165	\$0	\$165
		Haha	<i>Cyanea platyphylla</i>		\$165	\$0	\$165
		Haha	<i>Cyanea procera</i>		\$165	\$0	\$165
		Haha	<i>Cyanea recta</i>		\$165	\$0	\$165
		Haha	<i>Cyanea remyi</i>		\$165	\$0	\$165
		Haha	<i>Cyanea shipmanii</i>		\$165	\$0	\$165
		Haha	<i>Cyanea st.-johnii</i>		\$165	\$0	\$165
		Haha	<i>Cyanea stictophylla</i>		\$165	\$0	\$165
		Haha	<i>Cyanea superba</i>		\$165	\$0	\$165
		Haha	<i>Cyanea truncata</i>		\$165	\$0	\$165
		Haha	<i>Cyanea undulata</i>		\$165	\$0	\$165
		Haiwale	<i>Cyrtandra paliku</i>		\$10,165	\$0	\$10,165
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$165	\$0	\$165
		Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>		\$165	\$0	\$165
		Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>		\$165	\$0	\$165
		Hau kuahiwi	<i>Hibiscadelphus woodii</i>		\$165	\$0	\$165
		Ha`iwale	<i>Cyrtandra crenata</i>		\$165	\$0	\$165
		Ha`iwale	<i>Cyrtandra dentata</i>		\$165	\$0	\$165
		Ha`iwale	<i>Cyrtandra giffardii</i>		\$165	\$0	\$165
		Ha`iwale	<i>Cyrtandra limahuliensis</i>		\$165	\$0	\$165
		Ha`iwale	<i>Cyrtandra munroi</i>		\$165	\$0	\$165
		Ha`iwale	<i>Cyrtandra oenobarba</i>		\$165	\$0	\$165
		Ha`iwale	<i>Cyrtandra polyantha</i>		\$165	\$0	\$165
		Ha`iwale	<i>Cyrtandra subumbellata</i>		\$165	\$0	\$165
		Ha`iwale	<i>Cyrtandra tintinnabula</i>		\$165	\$0	\$165
		Ha`iwale	<i>Cyrtandra viridiflora</i>		\$165	\$0	\$165
		Heau	<i>Exocarpos luteolus</i>		\$165	\$0	\$165
		Hedyotis, Na Pali beach	<i>Hedyotis st.-johnii</i>		\$165	\$0	\$165

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Hibiscus, Clay's	<i>Hibiscus clayi</i>		\$165	\$0	\$165
		Holei	<i>Ochrosia kilaueaensis</i>		\$165	\$0	\$165
		Honohono	<i>Haplostachys haplostachya</i>		\$165	\$0	\$165
		Ho`awa	<i>Pittosporum napaliense</i>		\$165	\$0	\$165
		Iliau, dwarf	<i>Wilkesia hobdyi</i>		\$165	\$0	\$165
		Ischaemum, Hilo	<i>Ischaemum byrone</i>		\$165	\$0	\$165
		Kamakahala	<i>Labordia cyrtandrae</i>		\$165	\$0	\$165
		Kamakahala	<i>Labordia helleri</i>		\$165	\$0	\$165
		Kamakahala	<i>Labordia lydgatei</i>		\$165	\$0	\$165
		Kamakahala	<i>Labordia pumila</i>		\$165	\$0	\$165
		Kamakahala	<i>Labordia tinifolia</i> var. <i>lanaiensis</i>		\$165	\$0	\$165
		Kamakahala	<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>		\$165	\$0	\$165
		Kamakahala	<i>Labordia triflora</i>		\$165	\$0	\$165
		Kamanomano	<i>Cenchrus agrimonioides</i>		\$165	\$0	\$165
		Kauai hau kuahiwi	<i>Hibiscadelphus distans</i>		\$165	\$0	\$165
		Kauila	<i>Colubrina oppositifolia</i>		\$165	\$0	\$165
		Kaulu	<i>Pteralyxia kauaiensis</i>		\$165	\$0	\$165
		Kio`ele	<i>Hedyotis coriacea</i>		\$165	\$0	\$165
		Kiponapona	<i>Phyllostegia racemosa</i>		\$165	\$0	\$165
		Kohe malama malama o kanaloa	<i>Kanaloa kahoolawensis</i>		\$165	\$0	\$165
		Koki`o	<i>Kokia drynarioides</i>		\$165	\$0	\$165
		Koki`o	<i>Kokia kauaiensis</i>		\$165	\$0	\$165
		Koki`o ke`oke`o	<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>		\$165	\$0	\$165
		Koki`o ke`oke`o	<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>		\$165	\$0	\$165
		Koki`o, Cooke's	<i>Kokia cookei</i>		\$165	\$0	\$165
		Kolea	<i>Myrsine juddii</i>		\$165	\$0	\$165
		Kolea	<i>Myrsine knudsenii</i>		\$165	\$0	\$165
		Kolea	<i>Myrsine linearifolia</i>		\$165	\$0	\$165
		Kolea	<i>Myrsine mezii</i>		\$165	\$0	\$165
		Kopa	<i>Hedyotis schlechtendahliana</i> var. <i>remyi</i>		\$165	\$0	\$165
		Kopiko	<i>Psychotria grandiflora</i>		\$165	\$0	\$165
		Kopiko	<i>Psychotria hobdyi</i>		\$165	\$0	\$165
		Ko`oko`olau	<i>Bidens micrantha</i> ssp. <i>kalealaha</i>		\$165	\$0	\$165
		Ko`oko`olau	<i>Bidens wiebkei</i>		\$165	\$0	\$165
		Ko`oloa`ula	<i>Abutilon menziesii</i>		\$165	\$0	\$165
		Kuahiwi laukahi	<i>Plantago hawaiiensis</i>		\$165	\$0	\$165
		Kuahiwi laukahi	<i>Plantago princeps</i>		\$165	\$0	\$165
		Kuawawaenuhu	<i>Alsiniidendron lychnoides</i>		\$165	\$0	\$165
		Kula wahine noho	<i>Isodendron pyriformium</i>		\$165	\$0	\$165

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Kulu`i	<i>Nototrichium humile</i>		\$165	\$0	\$165
		Lau`ehu	<i>Panicum niuhauense</i>		\$165	\$0	\$165
		Laulihilihi	<i>Schiedea stellarioides</i>		\$165	\$0	\$165
		lehua makanoe	<i>Lysimachia daphnoides</i>		\$165	\$0	\$165
		Liliwai	<i>Acaena exigua</i>		\$165	\$0	\$165
		Love grass, Fosberg's	<i>Eragrostis fosbergii</i>		\$165	\$0	\$165
		Lo`ulu	<i>Pritchardia affinis</i>		\$165	\$0	\$165
		Lo`ulu	<i>Pritchardia kaalae</i>		\$165	\$0	\$165
		Lo`ulu	<i>Pritchardia munroi</i>		\$165	\$0	\$165
		Lo`ulu	<i>Pritchardia napaliensis</i>		\$165	\$0	\$165
		Lo`ulu	<i>Pritchardia remota</i>		\$165	\$0	\$165
		Lo`ulu	<i>Pritchardia schattaueri</i>		\$165	\$0	\$165
		Lo`ulu	<i>Pritchardia viscosa</i>		\$165	\$0	\$165
		Lo`ulu, (=Na`ena`e)	<i>Pritchardia hardyi</i>		\$165	\$0	\$165
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> (=oreganus) ssp. kincaidii (=var. kincaidii)		\$5,793	\$0	\$5,793
		Mahoe	<i>Alectryon macrococcus</i>		\$165	\$0	\$165
		Makou	<i>Peucedanum sandwicense</i>		\$165	\$0	\$165
		Malacothrix, Santa Cruz Island	<i>Malacothrix indecora</i>		\$2,425	\$0	\$2,425
		Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>		\$4,851	\$0	\$4,851
		Mapele	<i>Cyrtandra cyaneoides</i>		\$165	\$0	\$165
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$165	\$0	\$165
		Ma`oli`oli	<i>Schiedea apokremnos</i>		\$165	\$0	\$165
		Ma`oli`oli	<i>Schiedea kealiae</i>		\$165	\$0	\$165
		Mehamehame	<i>Flueggea neowawraea</i>		\$165	\$0	\$165
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>		\$6,000	\$0	\$6,000
		Naenae	<i>Dubautia kalalauensis</i>		\$165	\$0	\$165
		Naenae	<i>Dubautia kenwoodii</i>		\$165	\$0	\$165
		Nani wai`ale`ale	<i>Viola kauaiensis</i> var. wahiawaensis		\$165	\$0	\$165
		Nanu	<i>Gardenia mannii</i>		\$165	\$0	\$165
		Naupaka, dwarf	<i>Scaevola coriacea</i>		\$165	\$0	\$165
		Na`ena`e	<i>Dubautia herbstobatae</i>		\$165	\$0	\$165
		Na`ena`e	<i>Dubautia imbricata imbricata</i>		\$165	\$0	\$165
		Na`ena`e	<i>Dubautia latifolia</i>		\$165	\$0	\$165
		Na`ena`e	<i>Dubautia pauciflora</i>		\$165	\$0	\$165
		Na`ena`e	<i>Dubautia plantaginea magnifolia</i>		\$165	\$0	\$165

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Na`ena`e	<i>Dubautia plantaginea ssp. humilis</i>		\$165	\$0	\$165
		Na`ena`e	<i>Dubautia waialealae</i>		\$165	\$0	\$165
		Nehe	<i>Lipochaeta fauriei</i>		\$165	\$0	\$165
		Nehe	<i>Lipochaeta kamolensis</i>		\$165	\$0	\$165
		Nehe	<i>Lipochaeta lobata var. leptophylla</i>		\$165	\$0	\$165
		Nehe	<i>Lipochaeta micrantha</i>		\$165	\$0	\$165
		Nehe	<i>Lipochaeta tenuifolia</i>		\$165	\$0	\$165
		Nehe	<i>Lipochaeta waimeaensis</i>		\$165	\$0	\$165
		Nioi	<i>Eugenia koolauensis</i>		\$165	\$0	\$165
		No common name	<i>Abutilon sandwicense</i>		\$165	\$0	\$165
		No common name	<i>Achyranthes mutica</i>		\$165	\$0	\$165
		No common name	<i>Alsinidendron obovatum</i>		\$165	\$0	\$165
		No common name	<i>Alsinidendron trinerve</i>		\$165	\$0	\$165
		No common name	<i>Alsinidendron viscosum</i>		\$165	\$0	\$165
		No common name	<i>Amaranthus brownii</i>		\$165	\$0	\$165
		No common name	<i>Bonamia menziesii</i>		\$165	\$0	\$165
		No common name	<i>Chamaesyce halemanui</i>		\$165	\$0	\$165
		No common name	<i>Delissea rhytidosperra</i>		\$165	\$0	\$165
		No common name	<i>Delissea undulata</i>		\$165	\$0	\$165
		No common name	<i>Gahnia lanaiensis</i>		\$165	\$0	\$165
		No common name	<i>Gouania hillebrandii</i>		\$165	\$0	\$165
		No common name	<i>Gouania meyenii</i>		\$165	\$0	\$165
		No common name	<i>Gouania vittifolia</i>		\$165	\$0	\$165
		No common name	<i>Hedyotis degeneri</i>		\$165	\$0	\$165
		No common name	<i>Hedyotis parvula</i>		\$165	\$0	\$165
		No common name	<i>Hesperomannia arborescens</i>		\$165	\$0	\$165
		No common name	<i>Hesperomannia arbuscula</i>		\$165	\$0	\$165
		No common name	<i>Hesperomannia lydgatei</i>		\$165	\$0	\$165
		No common name	<i>Lipochaeta venosa</i>		\$165	\$0	\$165
		No common name	<i>Lobelia gaudichaudii ssp. koolauensis</i>		\$165	\$0	\$165
		No common name	<i>Lobelia monostachya</i>		\$165	\$0	\$165
		No common name	<i>Lobelia niihauensis</i>		\$165	\$0	\$165

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Lobelia oahuensis</i>		\$165	\$0	\$165
		No common name	<i>Lysimachia filifolia</i>		\$165	\$0	\$165
		No common name	<i>Lysimachia iniki</i>		\$165	\$0	\$165
		No common name	<i>Lysimachia lydgatei</i>		\$165	\$0	\$165
		No common name	<i>Lysimachia maxima</i>		\$165	\$0	\$165
		No common name	<i>Lysimachia pendens</i>		\$165	\$0	\$165
		No common name	<i>Lysimachia scopulensis</i>		\$165	\$0	\$165
		No common name	<i>Lysimachia venosa</i>		\$165	\$0	\$165
		No common name	<i>Mariscus fauriei</i>		\$165	\$0	\$165
		No common name	<i>Mariscus pennatiformis</i>		\$165	\$0	\$165
		No common name	<i>Munroidendron racemosum</i>		\$165	\$0	\$165
		No common name	<i>Myrcia paganii</i>		\$165	\$0	\$165
		No common name	<i>Neraudia angulata</i>		\$165	\$0	\$165
		No common name	<i>Neraudia ovata</i>		\$165	\$0	\$165
		No common name	<i>Neraudia sericea</i>		\$165	\$0	\$165
		No common name	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i>		\$165	\$0	\$165
		No common name	<i>Phyllostegia hirsuta</i>		\$165	\$0	\$165
		No common name	<i>Phyllostegia hispida</i>		\$165	\$0	\$165
		No common name	<i>Phyllostegia kaalaensis</i>		\$165	\$0	\$165
		No common name	<i>Phyllostegia knudsenii</i>		\$165	\$0	\$165
		No common name	<i>Phyllostegia mannii</i>		\$165	\$0	\$165
		No common name	<i>Phyllostegia mollis</i>		\$165	\$0	\$165
		No common name	<i>Phyllostegia parviflora</i>		\$165	\$0	\$165
		No common name	<i>Phyllostegia renovans</i>		\$165	\$0	\$165
		No common name	<i>Phyllostegia velutina</i>		\$165	\$0	\$165
		No common name	<i>Phyllostegia waimeae</i>		\$165	\$0	\$165
		No common name	<i>Phyllostegia warshaueri</i>		\$165	\$0	\$165
		No common name	<i>Phyllostegia wawrana</i>		\$165	\$0	\$165
		No common name	<i>Platanthera holochila</i>		\$165	\$0	\$165
		No common name	<i>Poa siphonoglossa</i>		\$165	\$0	\$165
		No common name	<i>Remya kauaiensis</i>		\$165	\$0	\$165
		No common name	<i>Remya montgomeryi</i>		\$165	\$0	\$165

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Sanicula marivera</i>		\$165	\$0	\$165
		No common name	<i>Sanicula purpurea</i>		\$165	\$0	\$165
		No common name	<i>Schiedea attenuata</i>		\$165	\$0	\$165
		No common name	<i>Schiedea haleakalensis</i>		\$165	\$0	\$165
		No common name	<i>Schiedea helleri</i>		\$165	\$0	\$165
		No common name	<i>Schiedea hookeri</i>		\$165	\$0	\$165
		No common name	<i>Schiedea kaalae</i>		\$165	\$0	\$165
		No common name	<i>Schiedea kauaiensis</i>		\$165	\$0	\$165
		No common name	<i>Schiedea lydgatei</i>		\$165	\$0	\$165
		No common name	<i>Schiedea membranacea</i>		\$165	\$0	\$165
		No common name	<i>Schiedea nuttallii</i>		\$165	\$0	\$165
		No common name	<i>Schiedea sarmentosa</i>		\$165	\$0	\$165
		No common name	<i>Schiedea spergulina</i> var. <i>leiopoda</i>		\$165	\$0	\$165
		No common name	<i>Schiedea spergulina</i> var. <i>spergulina</i>		\$165	\$0	\$165
		No common name	<i>Schiedea verticillata</i>		\$165	\$0	\$165
		No common name	<i>Silene alexandri</i>		\$165	\$0	\$165
		No common name	<i>Silene hawaiiensis</i>		\$165	\$0	\$165
		No common name	<i>Silene lanceolata</i>		\$165	\$0	\$165
		No common name	<i>Silene perlmanii</i>		\$165	\$0	\$165
		No common name	<i>Spermolepis hawaiiensis</i>		\$165	\$0	\$165
		No common name	<i>Stenogyne angustifolia</i> <i>angustifolia</i>		\$165	\$0	\$165
		No common name	<i>Stenogyne bifida</i>		\$165	\$0	\$165
		No common name	<i>Stenogyne campanulata</i>		\$165	\$0	\$165
		No common name	<i>Stenogyne kanehoana</i>		\$165	\$0	\$165
		No common name	<i>Stenogyne kealiae</i>		\$165	\$0	\$165
		No common name	<i>Tetramolopium arenarium</i>		\$165	\$0	\$165
		No common name	<i>Tetramolopium filiforme</i>		\$165	\$0	\$165
		No common name	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>		\$165	\$0	\$165
		No common name	<i>Tetramolopium remyi</i>		\$165	\$0	\$165
		No common name	<i>Tetramolopium rockii</i>		\$165	\$0	\$165
		No common name	<i>Tetraplasandra bisattenuata</i>		\$165	\$0	\$165

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Tetraplasandra flynnii</i>		\$165	\$0	\$165
		No common name	<i>Trematolobelia singularis</i>		\$165	\$0	\$165
		No common name	<i>Vigna o-wahuensis</i>		\$165	\$0	\$165
		No common name	<i>Viola helenae</i>		\$165	\$0	\$165
		No common name	<i>Viola lanaiensis</i>		\$165	\$0	\$165
		No common name	<i>Viola oahuensis</i>		\$165	\$0	\$165
		No common name	<i>Xylosma crenatum</i>		\$165	\$0	\$165
		Nohoanu	<i>Geranium kauaiense</i>		\$165	\$0	\$165
		Nohoanu	<i>Geranium multiflorum</i>		\$165	\$0	\$165
		Oha	<i>Delissea rivularis</i>		\$165	\$0	\$165
		Oha	<i>Delissea subcordata</i>		\$165	\$0	\$165
		Ohai	<i>Sesbania tomentosa</i>		\$165	\$0	\$165
		Olulu	<i>Brighamia insignis</i>		\$165	\$0	\$165
		Opuhe	<i>Urera kaalae</i>		\$165	\$0	\$165
		Paintbrush, soft-leaved	<i>Castilleja mollis</i>		\$7,277	\$0	\$7,277
		Pamakani	<i>Tetramolopium capillare</i>		\$165	\$0	\$165
		Pamakani	<i>Viola chamissoniana ssp. chamissoniana</i>		\$165	\$0	\$165
		Panicgrass, Carter's	<i>Panicum fairiei var. carteri</i>		\$165	\$0	\$165
		Papala	<i>Charpentiera densiflora</i>		\$165	\$0	\$165
		Pa`iniu	<i>Astelia waialealae</i>		\$165	\$0	\$165
		Phacelia, island	<i>Phacelia insularis ssp. insularis</i>		\$7,277	\$0	\$7,277
		Pilo	<i>Hedyotis mannii</i>		\$165	\$0	\$165
		Pilo kea lau li`i	<i>Platydesma rostrata</i>		\$165	\$0	\$165
		Popolo ku mai	<i>Solanum incompletum</i>		\$165	\$0	\$165
		Poppy, Sacramento prickly	<i>Argemone pleiacantha ssp. pinnatisecta</i>		\$20,000	\$0	\$20,000
		Po`e	<i>Portulaca sclerocarpa</i>		\$165	\$0	\$165
		Pua`ala	<i>Brighamia rockii</i>		\$165	\$0	\$165
		Pu`uka`a	<i>Cyperus trachysanthos</i>		\$165	\$0	\$165
		Remya, Maui	<i>Remya mauiensis</i>		\$165	\$0	\$165
		Rock-cress, Hoffmann's	<i>Arabis hoffmannii</i>		\$7,277	\$0	\$7,277
		Rush-rose, island	<i>Helianthemum greenei</i>		\$4,851	\$0	\$4,851
		Sandalwood, Lanai (=`iliahi)	<i>Santalum freycinetianum var. lanaiense</i>		\$165	\$0	\$165
		Schiedea, Diamond Head	<i>Schiedea adamantis</i>		\$165	\$0	\$165
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$16,147	\$0	\$16,147
		Uhiuhi	<i>Caesalpinia kavaiense</i>		\$165	\$0	\$165
		Vetch, Hawaiian	<i>Vicia menziesii</i>		\$165	\$0	\$165

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Wahane	<i>Pritchardia aylmer-robinsonii</i>		\$165	\$0	\$165
		`Ahinahina	<i>Argyroxiphium sandwicense ssp. macrocephalum</i>		\$165	\$0	\$165
		`Ahinahina	<i>Argyroxiphium sandwicense ssp. sandwicense</i>		\$165	\$0	\$165
		`Aiakeakua, popolo	<i>Solanum sandwicense</i>		\$165	\$0	\$165
		`Aiea	<i>Nothocestrum breviflorum</i>		\$165	\$0	\$165
		`Aiea	<i>Nothocestrum peltatum</i>		\$165	\$0	\$165
		`Akoko	<i>Chamaesyce celastroides var. kaenana</i>		\$165	\$0	\$165
		`Akoko	<i>Chamaesyce deppeana</i>		\$165	\$0	\$165
		`Akoko	<i>Chamaesyce eleanoriae</i>		\$165	\$0	\$165
		`Akoko	<i>Chamaesyce herbstii</i>		\$165	\$0	\$165
		`Akoko	<i>Chamaesyce kuwaleana</i>		\$165	\$0	\$165
		`Akoko	<i>Chamaesyce remyi var. kauaiensis</i>		\$165	\$0	\$165
		`Akoko	<i>Chamaesyce remyi var. remyi</i>		\$165	\$0	\$165
		`Akoko	<i>Chamaesyce rockii</i>		\$165	\$0	\$165
		`Akoko	<i>Euphorbia haeleleana</i>		\$165	\$0	\$165
		`Akoko, Ewa Plains	<i>Chamaesyce skottsbergii kалаeloana</i>		\$165	\$0	\$165
		`Anaunau	<i>Lepidium arbuscula</i>		\$165	\$0	\$165
		`Anunu	<i>Sicyos alba</i>		\$165	\$0	\$165
		`Awikiwiki	<i>Canavalia molokaiensis</i>		\$165	\$0	\$165
		`Awikiwiki	<i>Canavalia napaliensis</i>		\$165	\$0	\$165
		`Oha wai	<i>Clermontia drepanomorpha</i>		\$165	\$0	\$165
		`Oha wai	<i>Clermontia lindseyana</i>		\$165	\$0	\$165
		`Oha wai	<i>Clermontia oblongifolia ssp. brevipes</i>		\$165	\$0	\$165
		`Oha wai	<i>Clermontia oblongifolia ssp. mauiensis</i>		\$165	\$0	\$165
		`Oha wai	<i>Clermontia peleana</i>		\$165	\$0	\$165
		`Oha wai	<i>Clermontia pyrularia</i>		\$165	\$0	\$165
		`Oha wai	<i>Clermontia samuelii</i>		\$165	\$0	\$165
		`Ohe`ohe	<i>Tetraplasandra gymnocarpa</i>		\$165	\$0	\$165
	Flowering Plants Total				\$210,802	\$0	\$210,802
	Ferns and Allies						
		Ihi`ihi	<i>Marsilea villosa</i>		\$165	\$0	\$165
		No common name	<i>Asplenium fragile var. insulare</i>		\$165	\$0	\$165

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Diellia falcata</i>		\$165	\$0	\$165
		No common name	<i>Diellia mannii</i>		\$165	\$0	\$165
		No common name	<i>Diellia pallida</i>		\$165	\$0	\$165
		No common name	<i>Diellia unisora</i>		\$165	\$0	\$165
		No common name	<i>Diplazium molokaiense</i>		\$165	\$0	\$165
		No common name	<i>Doryopteris angelica</i>		\$165	\$0	\$165
		Pauoa	<i>Ctenitis squamigera</i>		\$165	\$0	\$165
		Wawae`iole	<i>Huperzia mannii</i>		\$165	\$0	\$165
		Wawae`iole	<i>Lycopodium (=Phlegmariurus) nutans</i>		\$165	\$0	\$165
	Ferns and Allies Total				\$1,815	\$0	\$1,815
Domestic Total					\$13,880,073	\$0	\$13,880,073
Foreign							
	Birds						
		Stilt, black	<i>Himantopus novaezelandiae</i>	Entire	\$300	\$0	\$300
Grand Total					\$13,880,373	\$0	\$13,880,373

DOT Federal Aviation Administration -- FY2011							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, Indiana	<i>Myotis sodalis</i>		\$51,000	\$0	\$51,000
		Bear, polar	<i>Ursus maritimus</i>		\$54,000	\$0	\$54,000
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>		\$1,000	\$0	\$1,000
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	southwest Alaska DPS	\$339,000	\$0	\$339,000
		Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	DE, Sussex Co.	\$157,500	\$0	\$157,500
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$76,000	\$0	\$76,000
	Mammals Total				\$678,500	\$0	\$678,500
	Birds						
		Eider, spectacled	<i>Somateria fischeri</i>		\$2,500	\$0	\$2,500
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$19,500	\$0	\$19,500
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$1,000	\$0	\$1,000
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$10,040	\$0	\$10,040
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$5,000	\$0	\$5,000
	Birds Total				\$38,040	\$0	\$38,040
	Reptiles						
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$6,500	\$0	\$6,500
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$15,000	\$0	\$15,000
Domestic Total					\$738,040	\$0	\$738,040
Grand Total					\$738,040	\$0	\$738,040

DOT Federal Highway Administration -- FY2011							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$10,500	\$0	\$10,500
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		\$1,500	\$0	\$1,500
		Bat, Indiana	<i>Myotis sodalis</i>		\$8,559,200	\$8,051,500	\$16,610,700
		Bat, Mariana fruit (=Mariana flying fox)	<i>Pteropus mariannus mariannus</i>	entire	\$500	\$0	\$500
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>		\$5,500	\$0	\$5,500
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$30,500	\$0	\$30,500
		Bear, grizzly	<i>Ursus arctos horribilis</i>	experimental, non-essential, portions of ID and MT	\$94,500	\$0	\$94,500
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$34,400	\$0	\$34,400
		Bear, polar	<i>Ursus maritimus</i>		\$7,750	\$0	\$7,750
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mts. population	\$13,500	\$0	\$13,500
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$11,000	\$0	\$11,000
		Deer, key	<i>Odocoileus virginianus clavium</i>		\$200	\$0	\$200
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, and WY	\$800	\$0	\$800
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$134,500	\$0	\$134,500
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>		\$300	\$0	\$300
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>		\$25,000	\$0	\$25,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$131,000	\$0	\$131,000
		Manatee, West Indian	<i>Trichechus manatus</i>		\$135,600	\$0	\$135,600
		Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>		\$5,800	\$0	\$5,800
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>		\$12,000	\$0	\$12,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	CO, WY	\$99,500	\$0	\$99,500
		Ocelot	<i>Leopardus (=Felis) pardalis</i>		\$22,300	\$0	\$22,300
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$955,700	\$0	\$955,700
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$1,345,500	\$0	\$1,345,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Rabbit, pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$16,300	\$0	\$16,300
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$25,000	\$0	\$25,000
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$101,100	\$0	\$101,100
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>		\$500	\$0	\$500
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>		\$2,000	\$0	\$2,000
		Squirrel, Virginia northern flying	<i>Glaucomys sabrinus fuscus</i>		\$85,000	\$0	\$85,000
		Whale, Beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$500,000	\$0	\$500,000
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$111,300	\$0	\$111,300
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$44,400	\$0	\$44,400
		Wolf, red	<i>Canis rufus</i>	except where EXPN	\$80,000	\$0	\$80,000
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>		\$5,900	\$0	\$5,900
	Mammals Total				\$12,608,550	\$8,051,500	\$20,660,050
	Birds						
		Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>		\$8,200	\$0	\$8,200
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$139,100	\$0	\$139,100
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, and western WY	\$2,200	\$0	\$2,200
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$15,500	\$0	\$15,500
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$3,800	\$0	\$3,800
		falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Southwestern population	\$9,100	\$0	\$9,100
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$1,098,400	\$0	\$1,098,400
		Gnatcatcher, coastal California	<i>Poliptila californica californica</i>		\$1,598,900	\$2,244,834	\$3,843,734

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Hawk, Hawaiian (=ʻIo)	<i>Buteo solitarius</i>		\$1,500	\$0	\$1,500
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$9,200	\$0	\$9,200
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$231,750	\$0	\$231,750
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$15,900	\$0	\$15,900
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$205,000	\$0	\$205,000
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>		\$1,500	\$0	\$1,500
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$1,000	\$0	\$1,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$24,900	\$0	\$24,900
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$8,700	\$0	\$8,700
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$932,000	\$104,000	\$1,036,000
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$32,000	\$0	\$32,000
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$22,900	\$0	\$22,900
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>		\$1,500	\$0	\$1,500
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$4,200	\$0	\$4,200
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$78,800	\$0	\$78,800
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$79,700	\$0	\$79,700
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$800	\$0	\$800
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$127,800	\$0	\$127,800
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$972,100	\$104,000	\$1,076,100
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$704,400	\$0	\$704,400
		Warbler, Kirtland's	<i>Dendroica kirtlandii</i>		\$1,000	\$0	\$1,000
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$155,100	\$0	\$155,100
	Birds Total				\$6,486,950	\$2,452,834	\$8,939,784
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$6,200	\$0	\$6,200
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$139,500	\$0	\$139,500
		Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>		\$5,000	\$0	\$5,000
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$2,500	\$0	\$2,500
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$5,600	\$0	\$5,600

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$2,600	\$0	\$2,600
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$200	\$0	\$200
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$2,700	\$0	\$2,700
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$5,900	\$0	\$5,900
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>		\$6,000	\$0	\$6,000
		Skink, sand	<i>Neoseps reynoldsi</i>		\$7,900	\$0	\$7,900
		Snake, Concho water	<i>Nerodia paucimaculata</i>		\$1,700	\$0	\$1,700
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	IN, MI, OH	\$500	\$0	\$500
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$24,550	\$0	\$24,550
		Snake, giant garter	<i>Thamnophis gigas</i>		\$187,300	\$8,700	\$196,000
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$2,298,100	\$0	\$2,298,100
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$7,100	\$0	\$7,100
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$176,200	\$0	\$176,200
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$1,852,500	\$0	\$1,852,500
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$100	\$0	\$100
	Reptiles Total				\$4,732,150	\$8,700	\$4,740,850
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$1,711,000	\$0	\$1,711,000
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$1,000	\$0	\$1,000
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern California DPS	\$776,000	\$0	\$776,000
		Salamander, Barton Springs	<i>Eurycea sosorum</i>		\$8,000	\$0	\$8,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Sonoma County	\$98,000	\$0	\$98,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$155,000	\$0	\$155,000
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$1,000	\$0	\$1,000
		salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>		\$1,100	\$0	\$1,100
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$75,000	\$75,000	\$150,000
		Toad, Houston	<i>Bufo houstonensis</i>		\$29,400	\$0	\$29,400
	Amphibians Total				\$2,855,500	\$75,000	\$2,930,500
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	entire	\$253,000	\$0	\$253,000
		Chub, Oregon	<i>Oregonichthys crameri</i>		\$8,400	\$0	\$8,400

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Chub, slender	<i>Erimystax cahni</i>	TN - portions of the French Broad and Holston Rivers	\$100	\$0	\$100
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$30,500	\$0	\$30,500
		Chub, Virgin River	<i>Gila seminuda</i> (=robusta)		\$338,000	\$0	\$338,000
		Darter, amber	<i>Percina antesella</i>		\$200	\$0	\$200
		Darter, bluemask (=jewel)	<i>Etheostoma sp.</i>		\$800	\$0	\$800
		Darter, Cherokee	<i>Etheostoma scotti</i>		\$2,300	\$0	\$2,300
		Darter, Etowah	<i>Etheostoma etowahae</i>		\$300	\$0	\$300
		Darter, fountain	<i>Etheostoma fonticola</i>		\$6,700	\$0	\$6,700
		Darter, goldline	<i>Percina aurolineata</i>		\$1,100	\$0	\$1,100
		Darter, leopard	<i>Percina pantherina</i>		\$2,500	\$0	\$2,500
		Darter, slackwater	<i>Etheostoma boschungii</i>		\$1,400	\$0	\$1,400
		Darter, snail	<i>Percina tanasi</i>		\$2,500	\$0	\$2,500
		Eulachon, Pacific	<i>Thaleichthys pacificus</i>	Southern DPS	\$76,900	\$0	\$76,900
		Logperch, Conasauga	<i>Percina jenkinsi</i>		\$200	\$0	\$200
		Logperch, Roanoke	<i>Percina rex</i>		\$13,600	\$0	\$13,600
		Madtom, Neosho	<i>Noturus placidus</i>		\$33,000	\$0	\$33,000
		Madtom, pygmy	<i>Noturus stanauli</i>	TN - portions of the French Broad and Holston Rivers	\$8,200	\$0	\$8,200
		Minnow, loach	<i>Tiaroga cobitis</i>		\$12,100	\$0	\$12,100
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$264,000	\$0	\$264,000
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$16,900	\$0	\$16,900
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Lower Columbia River ESU	\$78,600	\$0	\$78,600
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Puget Sound ESU	\$374,000	\$0	\$374,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River fall-run ESU	\$20,400	\$0	\$20,400
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River spring/summer-run ESU	\$33,400	\$0	\$33,400
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Upper Columbia spring-run ESU	\$57,800	\$0	\$57,800
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	Columbia R.	\$60,400	\$0	\$60,400
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	summer-run Hood Canal	\$53,600	\$0	\$53,600
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Lower Columbia River ESU	\$78,600	\$0	\$78,600

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Oregon Coast ESU	\$159,750	\$0	\$159,750
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	Ozette Lake, WA	\$24,800	\$0	\$24,800
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	Snake River, ID stock	\$32,400	\$0	\$32,400
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$6,000	\$0	\$6,000
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$65,500	\$0	\$65,500
		Shiner, blue	<i>Cyprinella</i> <i>caerulea</i>		\$1,100	\$0	\$1,100
		Shiner, Cape Fear	<i>Notropis</i> <i>mekistocholas</i>		\$1,000	\$0	\$1,000
		Shiner, Topeka	<i>Notropis topeka</i> (= <i>tristis</i>)		\$23,200	\$0	\$23,200
		Smelt, delta	<i>Hypomesus</i> <i>transpacificus</i>		\$88,100	\$0	\$88,100
		Spikedace	<i>Meda fulgida</i>		\$12,100	\$0	\$12,100
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Puget Sound DPS	\$281,000	\$0	\$281,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Snake R. Basin	\$21,000	\$0	\$21,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	lower Columbia R.	\$78,600	\$0	\$78,600
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	middle Columbia R.	\$43,100	\$0	\$43,100
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Columbia R. Basin	\$56,300	\$0	\$56,300
		Sturgeon, gulf	<i>Acipenser</i> <i>oxyrinchus desotoi</i>		\$1,000	\$0	\$1,000
		Sturgeon, North American green	<i>Acipenser</i> <i>medirostris</i>	CA- Southern DPS	\$86,700	\$0	\$86,700
		Sturgeon, pallid	<i>Scaphirhynchus</i> <i>albus</i>		\$2,500	\$0	\$2,500
		Sturgeon, shortnose	<i>Acipenser</i> <i>brevirostrum</i>		\$44,900	\$0	\$44,900
		Sturgeon, white	<i>Acipenser</i> <i>transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$1,000	\$0	\$1,000
		Sucker, June	<i>Chasmistes liorus</i>		\$25,000	\$0	\$25,000
		Sucker, razorback	<i>Xyrauchen texanus</i>	entire	\$296,000	\$0	\$296,000
		Trout, bull	<i>Salvelinus</i> <i>confluentus</i>	conterminous, lower 48 states	\$500,400	\$0	\$500,400
		trout, Greenback Cutthroat	<i>Oncorhynchus</i> <i>clarki stomias</i>		\$1,700	\$0	\$1,700
		Woundfin	<i>Plagopterus</i> <i>argentissimus</i>	except Gila R. drainage, AZ, NM	\$333,500	\$0	\$333,500
	Fishes Total				\$4,016,150	\$0	\$4,016,150
	Clams						
		Acornshell, southern	<i>Epioblasma</i> <i>othcaloogensis</i>		\$1,500	\$0	\$1,500
		Bankclimber, purple (mussel)	<i>Elliptioideus</i> <i>sloatianus</i>		\$4,800	\$0	\$4,800
		Blossom, green (pearlymussel)	<i>Epioblasma</i> <i>torulosa</i> <i>gubernaculum</i>		\$100	\$0	\$100
		Clubshell	<i>Pleurobema clava</i>	Entire; Except where EXPN	\$139,000	\$0	\$139,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pigtoe, finereyed	<i>Fusconaia cuneolus</i>	TN - portions of the French Broad and Holston Rivers	\$100	\$0	\$100
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$3,200	\$0	\$3,200
		Pigtoe, rough	<i>Pleurobema plenum</i>	TN - portions of the French Broad and Holston Rivers	\$100	\$0	\$100
		Pigtoe, shiny	<i>Fusconaia cor</i>	TN - portions of the French Broad and Holston Rivers	\$100	\$0	\$100
		Pigtoe, southern	<i>Pleurobema georgianum</i>		\$1,600	\$0	\$1,600
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	TN - portions of the French Broad and Holston Rivers	\$500	\$0	\$500
		Pocketbook, fat	<i>Potamilus capax</i>		\$7,100	\$0	\$7,100
		Pocketbook, finelined	<i>Lampsilis altilis</i>		\$2,600	\$0	\$2,600
		Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>		\$12,500	\$0	\$12,500
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$4,300	\$0	\$4,300
		Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>		\$6,200	\$0	\$6,200
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$32,800	\$0	\$32,800
		Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)		\$8,100	\$0	\$8,100
		Spinymussel, James	<i>Pleurobema collina</i>		\$48,100	\$0	\$48,100
		Spinymussel, Tar River	<i>Elliptio steinstansana</i>		\$5,000	\$0	\$5,000
		Three-ridge, fat (mussel)	<i>Amblema neislerii</i>		\$1,100	\$0	\$1,100
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$65,200	\$0	\$65,200
	Clams Total				\$673,180	\$0	\$673,180
	Snails						
		Lioplax, cylindrical (snail)	<i>Lioplax cyclostomaformis</i>		\$200	\$0	\$200
		Rocksnaail, interrupted (=Georgia)	<i>Leptoxis foremani</i>		\$1,300	\$0	\$1,300
		Snail, Bliss Rapids	<i>Taylorconcha serpticola</i>		\$500	\$0	\$500
		Snail, Snake River physa	<i>Physa natricina</i>		\$21,000	\$0	\$21,000
		Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>		\$500	\$0	\$500
	Snails Total				\$23,500	\$0	\$23,500
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$244,400	\$0	\$244,400
		Beetle, Coffin Cave mold	<i>Batrisodes texanus</i>		\$13,000	\$0	\$13,000
		Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>		\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>		\$200	\$0	\$200
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$288,000	\$0	\$288,000
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$34,000	\$0	\$34,000
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>		\$6,100	\$0	\$6,100
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$13,300	\$0	\$13,300
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (=E. e. <i>wrighti</i>)		\$10,000	\$0	\$10,000
		Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>		\$500	\$0	\$500
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$3,400	\$0	\$3,400
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>		\$400	\$0	\$400
	Insects Total				\$613,500	\$0	\$613,500
	Arachnids						
		Harvestman, Bone Cave	<i>Texella reyesi</i>		\$29,000	\$0	\$29,000
		Harvestman, Cokendolpher Cave	<i>Texella cokendolpheri</i>		\$4,000	\$0	\$4,000
		Meshweaver, Government Canyon Bat Cave	<i>Cicurina vespera</i>		\$200	\$0	\$200
		Meshweaver, Madla's Cave	<i>Cicurina madla</i>		\$200	\$0	\$200
		Spider, Government Canyon Bat Cave	<i>Neoleptoneta microps</i>		\$200	\$0	\$200
	Arachnids Total				\$33,600	\$0	\$33,600
	Crustaceans						
		Amphipod, Peck's cave	<i>Stygobromus</i> (=Stygonectes) <i>pecki</i>		\$200	\$0	\$200
		Crayfish, Nashville	<i>Orconectes shoupi</i>		\$1,500	\$0	\$1,500
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$140,834	\$140,834	\$281,668
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$1,525,700	\$0	\$1,525,700
		Isopod, Madison Cave	<i>Antrolana lira</i>		\$35,000	\$0	\$35,000
		Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>		\$1,305,000	\$0	\$1,305,000
	Crustaceans Total				\$3,008,234	\$140,834	\$3,149,068
	Flowering Plants						
		Amphianthus, little	<i>Amphianthus pusillus</i>		\$1,300	\$0	\$1,300
		Aster, decurrent false	<i>Boltonia decurrens</i>		\$1,000	\$0	\$1,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Bear-poppy, Dwarf	<i>Arctomecon humilis</i>		\$1,499,000	\$0	\$1,499,000
		Beargrass, Britton's	<i>Nolina brittoniana</i>		\$500	\$0	\$500
		Birds-in-a-nest, white	<i>Macbridea alba</i>		\$3,000	\$0	\$3,000
		Bittercress, small-anthered	<i>Cardamine micranthera</i>		\$1,000	\$0	\$1,000
		Bladderpod, Zapata	<i>Lesquerella thamnophila</i>		\$18,200	\$0	\$18,200
		Blazingstar, Heller's	<i>Liatris helleri</i>		\$1,000	\$0	\$1,000
		Blazingstar, scrub	<i>Liatris ohlingerae</i>		\$500	\$0	\$500
		Bluet, Roan Mountain	<i>Hedyotis purpurea</i> var. <i>montana</i>		\$1,000	\$0	\$1,000
		Bonamia, Florida	<i>Bonamia grandiflora</i>		\$500	\$0	\$500
		Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>		\$2,000	\$0	\$2,000
		Bush-clover, prairie	<i>Lespedeza leptostachya</i>		\$2,000	\$0	\$2,000
		Butterfly plant, Colorado	<i>Gaura neomexicana</i> var. <i>coloradensis</i>		\$3,500	\$0	\$3,500
		Butterwort, Godfrey's	<i>Pinguicula ionantha</i>		\$3,000	\$0	\$3,000
		Button, Mohr's Barbara	<i>Marshallia mohrii</i>		\$100	\$0	\$100
		Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>		\$91,800	\$0	\$91,800
		Cactus, CO hookless	<i>Sclerocactus glaucus</i>		\$1,400	\$0	\$1,400
		Cactus, Knowlton's	<i>Pediocactus knowltonii</i>		\$1,500	\$0	\$1,500
		Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$19,100	\$0	\$19,100
		Cactus, Peebles Navajo	<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>		\$3,200	\$0	\$3,200
		Cactus, Pima pineapple	<i>Coryphantha scheeri</i> var. <i>robustispina</i>		\$43,100	\$0	\$43,100
		Cactus, Siler pincushion	<i>Pediocactus</i> (= <i>Echinocactus</i> , = <i>Utahia</i>) <i>sileri</i>		\$3,200	\$0	\$3,200
		Cactus, star	<i>Astrophytum asterias</i>		\$6,800	\$0	\$6,800
		Cactus, Tobusch fishhook	<i>Ancistrocactus tobuschii</i>		\$7,100	\$0	\$7,100
		Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$500	\$0	\$500
		Campion, fringed	<i>Silene polypetala</i>		\$400	\$0	\$400
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$23,400	\$0	\$23,400
		Chaffseed, American	<i>Schwalbea americana</i>		\$500	\$0	\$500
		Checkermallow Nelson's	<i>Sidalcea nelsoniana</i>		\$21,100	\$0	\$21,100
		Checkermallow Wenatchee Mountains	<i>Sidalcea oregana</i> var. <i>calva</i>		\$12,800	\$0	\$12,800

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$75,000	\$0	\$75,000
		Clover, showy Indian	<i>Trifolium amoenum</i>		\$1,300,000	\$0	\$1,300,000
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$21,500	\$0	\$21,500
		Daisy, Willamette	<i>Erigeron decumbens</i> var. <i>decumbens</i>		\$8,600	\$0	\$8,600
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$13,800	\$0	\$13,800
		Dogweed, ashy	<i>Thymophylla tephroleuca</i>		\$7,800	\$0	\$7,800
		Dropwort, Canby's	<i>Oxypolis canbyi</i>		\$900	\$0	\$900
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$5,700	\$0	\$5,700
		Frankenia, Johnston's	<i>Frankenia johnstonii</i>		\$1,000	\$0	\$1,000
		Fringe-tree, pygmy	<i>Chionanthus pygmaeus</i>		\$500	\$0	\$500
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$5,300	\$0	\$5,300
		Goldenrod, Houghton's	<i>Solidago houghtonii</i>		\$2,500	\$0	\$2,500
		Gourd, Okeechobee	<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>		\$1,000	\$0	\$1,000
		Grass, TN yellow-eyed	<i>Xyris tennesseensis</i>		\$1,000	\$0	\$1,000
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$10,000	\$0	\$10,000
		Harebells, Avon Park	<i>Crotalaria avonensis</i>		\$500	\$0	\$500
		Harperella	<i>Ptilimnium nodosum</i>		\$1,900	\$0	\$1,900
		Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$100,000	\$0	\$100,000
		Howellia, water	<i>Howellia aquatilis</i>		\$17,200	\$0	\$17,200
		Hypericum, highlands scrub	<i>Hypericum cumulicola</i>		\$500	\$0	\$500
		Iris, dwarf lake	<i>Iris lacustris</i>		\$1,000	\$0	\$1,000
		Irisette, white	<i>Sisyrinchium dichotomum</i>		\$1,000	\$0	\$1,000
		Jacquemontia, beach	<i>Jacquemontia reclinata</i>		\$1,100	\$0	\$1,100
		Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>		\$4,100	\$0	\$4,100
		Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>		\$143,200	\$0	\$143,200
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$38,200	\$0	\$38,200
		Leather flower, Alabama	<i>Clematis socialis</i>		\$100	\$0	\$100
		Lily, Western	<i>Lilium occidentale</i>		\$6,000	\$0	\$6,000
		Lomatium, Cook's	<i>Lomatium cookii</i>		\$5,300	\$0	\$5,300
		Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$500	\$0	\$500
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> (= <i>oreganus</i>) ssp. <i>kincaidii</i> (= var. <i>kincaidii</i>)		\$27,900	\$0	\$27,900

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Lupine, scrub	<i>Lupinus aridorum</i>		\$500	\$0	\$500
		Manioc, Walker's	<i>Manihot walkerae</i>		\$7,000	\$0	\$7,000
		Meadowfoam, large-flowered woolly	<i>Limnanthes floccosa ssp. grandiflora</i>		\$4,900	\$0	\$4,900
		Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>		\$500	\$0	\$500
		Milk-vetch, Applegate's	<i>Astragalus applegatei</i>		\$4,300	\$0	\$4,300
		Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus var. coachellae</i>		\$5,000	\$0	\$5,000
		Milk-vetch, Deseret	<i>Astragalus desereticus</i>		\$1,500	\$0	\$1,500
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>		\$1,502,200	\$0	\$1,502,200
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$5,000	\$0	\$5,000
		Milkweed, Welsh's	<i>Asclepias welshii</i>		\$3,200	\$0	\$3,200
		Mint, Lakela's	<i>Dicerandra immaculata</i>		\$3,000	\$0	\$3,000
		Mint, scrub	<i>Dicerandra frutescens</i>		\$500	\$0	\$500
		monkey-flower, Michigan	<i>Mimulus michiganensis</i>		\$500	\$0	\$500
		Mustard, Carter's	<i>Warea carteri</i>		\$500	\$0	\$500
		Navarretia, spreading	<i>Navarretia fossalis</i>		\$140,800	\$140,800	\$281,600
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$8,700	\$0	\$8,700
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$7,000	\$0	\$7,000
		Orcutt grass, hairy	<i>Orcuttia pilosa</i>		\$155,400	\$0	\$155,400
		Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>		\$155,400	\$0	\$155,400
		Owl's-clover, fleshy	<i>Castilleja campestris ssp. succulenta</i>		\$155,400	\$0	\$155,400
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$35,100	\$0	\$35,100
		Pawpaw, beautiful	<i>Deeringothamnus pulchellus</i>		\$500	\$0	\$500
		Pawpaw, four-petal	<i>Asimina tetramera</i>		\$1,100	\$0	\$1,100
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>		\$4,000	\$0	\$4,000
		Phacelia, North Park	<i>Phacelia formosula</i>		\$900	\$0	\$900
		Pigeon wings	<i>Clitoria fragrans</i>		\$500	\$0	\$500
		Pink, swamp	<i>Helonias bullata</i>		\$200	\$0	\$200
		Pitcher-plant, green	<i>Sarracenia oreophila</i>		\$100	\$0	\$100
		Plum, scrub	<i>Prunus genticulata</i>		\$500	\$0	\$500
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$17,600	\$0	\$17,600
		Polygala, Lewton's	<i>Polygala lewtonii</i>		\$500	\$0	\$500
		Polygala, tiny	<i>Polygala smallii</i>		\$1,100	\$0	\$1,100
		Pondberry	<i>Lindera melissifolia</i>		\$600	\$0	\$600

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Popcornflower, rough	<i>Plagiobothrys hirtus</i>		\$8,800	\$0	\$8,800
		Rhododendron, Chapman	<i>Rhododendron chapmanii</i>		\$200	\$0	\$200
		rock cress, shale barren	<i>Arabis serotina</i>		\$15,000	\$0	\$15,000
		Rosemary, short-leaved	<i>Conradina brevifolia</i>		\$500	\$0	\$500
		Sandlace	<i>Polygonella myriophylla</i>		\$500	\$0	\$500
		Sandwort, Marsh	<i>Arenaria paludicola</i>		\$16,400	\$0	\$16,400
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$97,800	\$0	\$97,800
		Sedge, golden	<i>Carex lutea</i>		\$500	\$0	\$500
		Skullcap, Florida	<i>Scutellaria floridana</i>		\$3,000	\$0	\$3,000
		Skullcap, large-flowered	<i>Scutellaria montana</i>		\$1,000	\$0	\$1,000
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$45,000	\$0	\$45,000
		Spurge, deltoid	<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>		\$200	\$0	\$200
		Spurge, Garber's	<i>Chamaesyce garberi</i>		\$200	\$0	\$200
		Stickseed, showy	<i>Hackelia venusta</i>		\$20,400	\$0	\$20,400
		Sumac, Michaux's	<i>Rhus michauxii</i>		\$3,100	\$0	\$3,100
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>		\$5,400	\$0	\$5,400
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$5,000	\$0	\$5,000
		Thelypody, Howell's spectacular	<i>Thelypodium howellii spectabilis</i>		\$6,100	\$0	\$6,100
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$2,500	\$0	\$2,500
		Trillium, persistent	<i>Trillium persistens</i>		\$500	\$0	\$500
		Trillium, relict	<i>Trillium reliquum</i>		\$900	\$0	\$900
		Tuctoria, Greene's	<i>Tuctoria greenei</i>		\$155,400	\$0	\$155,400
		Uhiuhi	<i>Caesalpinia kavaiense</i>		\$10,000	\$0	\$10,000
		Warea, wide-leaf	<i>Warea amplexifolia</i>		\$500	\$0	\$500
		Water-plantain, Kral's	<i>Sagittaria secundifolia</i>		\$1,100	\$0	\$1,100
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>		\$12,100	\$0	\$12,100
		Whitlow-wort, papery	<i>Paronychia chartacea</i>		\$500	\$0	\$500
		Wild-rice, Texas	<i>Zizania texana</i>		\$6,500	\$0	\$6,500
		Wire-lettuce, Malheur	<i>Stephanomeria malheurensis</i>		\$3,700	\$0	\$3,700
		Wireweed	<i>Polygonella basiramia</i>		\$500	\$0	\$500
		Ziziphus, Florida	<i>Ziziphus celata</i>		\$500	\$0	\$500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Aiea	<i>Nothocestrum breviflorum</i>		\$10,000	\$0	\$10,000
	Flowering Plants Total				\$6,234,400	\$140,800	\$6,375,200
	Ferns and Allies						
		Quillwort, black spored	<i>Isoetes melanospora</i>		\$1,000	\$0	\$1,000
		Quillwort, mat-forming	<i>Isoetes tegetiformans</i>		\$500	\$0	\$500
	Ferns and Allies Total				\$1,500	\$0	\$1,500
	Lichens						
		Lichen, rock gnome	<i>Gymnoderma lineare</i>		\$500	\$0	\$500
	Domestic Total				\$41,287,714	\$10,869,668	\$52,157,382
	Grand Total				\$41,287,714	\$10,869,668	\$52,157,382

Environmental Protection Agency -- FY2011							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$324	\$0	\$324
		Bat, Indiana	<i>Myotis sodalis</i>		\$9,197	\$0	\$9,197
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$170	\$0	\$170
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$100	\$0	\$100
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$100	\$0	\$100
		Fox, San Joaquin kit	<i>Vulpes macrotis nutica</i>		\$245,170	\$0	\$245,170
		Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>		\$170	\$0	\$170
		Fox, Santa Catalina Island	<i>Urocyon littoralis catalinae</i>		\$170	\$0	\$170
		Fox, Santa Rosa Island	<i>Urocyon littoralis santarosae</i>		\$170	\$0	\$170
		Jaguar	<i>Panthera onca</i>		\$170	\$0	\$170
		Kangaroo rat, Fresno	<i>Dipodomys nitratoides exilis</i>		\$170	\$0	\$170
		Kangaroo rat, giant	<i>Dipodomys ingens</i>		\$170	\$0	\$170
		Kangaroo rat, Morro Bay	<i>Dipodomys heermanni morroensis</i>		\$170	\$0	\$170
		Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>		\$170	\$0	\$170
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>		\$170	\$0	\$170
		Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>		\$170	\$0	\$170
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$54	\$0	\$54
		Manatee, West Indian	<i>Trichechus manatus</i>		\$281	\$0	\$281
		Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>		\$170	\$0	\$170
		Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>		\$170	\$0	\$170
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>		\$170	\$0	\$170
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>		\$170	\$0	\$170
		Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>		\$170	\$0	\$170
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>		\$170	\$0	\$170
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>		\$611,000	\$0	\$611,000
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$170	\$0	\$170

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>		\$170	\$0	\$170
		Ocelot	<i>Leopardus (=Felis) pardalis</i>		\$170	\$0	\$170
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$170	\$0	\$170
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$170	\$0	\$170
		Rabbit, pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$170	\$0	\$170
		Shrew, Buena Vista Lake ornate	<i>Sorex ornatus relictus</i>		\$170	\$0	\$170
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>		\$170	\$0	\$170
		Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>		\$170	\$0	\$170
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>		\$170	\$0	\$170
		Vole, Amargosa	<i>Microtus californicus scirpensis</i>		\$170	\$0	\$170
		Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukecampbelli</i>		\$170	\$0	\$170
		Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>		\$170	\$0	\$170
		Whale, blue	<i>Balaenoptera musculus</i>		\$135	\$0	\$135
		Whale, finback	<i>Balaenoptera physalus</i>		\$362	\$0	\$362
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$362	\$0	\$362
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>		\$227	\$0	\$227
		Whale, Sei	<i>Balaenoptera borealis</i>		\$175	\$0	\$175
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$135	\$0	\$135
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico	\$1,363	\$0	\$1,363
		Wolf, red	<i>Canis rufus</i>	portions of NC and TN	\$100	\$0	\$100
		Wolf, red	<i>Canis rufus</i>	except where EXPN	\$100	\$0	\$100
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>		\$170	\$0	\$170
	Mammals Total				\$874,455	\$0	\$874,455

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Birds						
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$10,798	\$0	\$10,798
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$4,082	\$0	\$4,082
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$49,000	\$0	\$49,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$3,934	\$0	\$3,934
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$2,321	\$0	\$2,321
		Warbler, Kirtland's	<i>Dendroica kirtlandii</i>		\$5,617	\$0	\$5,617
	Birds Total				\$75,752	\$0	\$75,752
	Reptiles						
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>		\$170	\$0	\$170
		Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>		\$170	\$0	\$170
		Lizard, Island night	<i>Xantusia riversiana</i>		\$170	\$0	\$170
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$1,077	\$0	\$1,077
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$899	\$0	\$899
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$223	\$0	\$223
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$1,087	\$0	\$1,087
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$1,087	\$0	\$1,087
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	IN, MI, OH	\$1,476	\$0	\$1,476
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$170	\$0	\$170
		Snake, giant garter	<i>Thamnophis gigas</i>		\$170	\$0	\$170
		Snake, Lake Erie water	<i>Nerodia sipedon insularum</i>	subspecies range clarified	\$600	\$0	\$600
		Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>		\$49,170	\$0	\$49,170
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$100	\$0	\$100
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$100	\$0	\$100
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/Tombigbee Rs.	\$170	\$0	\$170
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$547	\$0	\$547
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$100	\$0	\$100
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>		\$590,170	\$0	\$590,170
	Reptiles Total				\$647,656	\$0	\$647,656
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$170	\$0	\$170
		Frog, dusky gopher	<i>Rana sevosa</i>	Entire	\$170	\$0	\$170
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara County	\$233,720	\$0	\$233,720

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Sonoma County	\$233,720	\$0	\$233,720
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$233,720	\$0	\$233,720
		Salamander, desert slender	<i>Batrachoseps aridus</i>		\$170	\$0	\$170
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$170	\$0	\$170
		Salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>		\$170	\$0	\$170
		Salamander, Santa Cruz long-toed	<i>Ambystoma macrodactylum croceum</i>		\$170	\$0	\$170
		Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>		\$170	\$0	\$170
		Toad, arroyo	<i>Bufo californicus (=microscaphus)</i>		\$170	\$0	\$170
		Toad, Houston	<i>Bufo houstonensis</i>		\$170	\$0	\$170
		Toad, Wyoming	<i>Bufo baxteri (=hemiophrys)</i>		\$170	\$0	\$170
	Amphibians Total				\$702,860	\$0	\$702,860
	Fishes						
		Eulachon, Pacific	<i>Thaleichthys pacificus</i>	Southern DPS	\$2,532	\$0	\$2,532
		Madtom, Scioto	<i>Noturus trautmani</i>		\$600	\$0	\$600
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$721	\$0	\$721
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$5,532	\$0	\$5,532
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$5,532	\$0	\$5,532
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$5,532	\$0	\$5,532
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound ESU	\$5,532	\$0	\$5,532
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Sacramento River winter-run ESU	\$5,532	\$0	\$5,532
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$5,532	\$0	\$5,532
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/summer-run ESU	\$5,532	\$0	\$5,532
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Columbia spring-run ESU	\$5,532	\$0	\$5,532
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$5,532	\$0	\$5,532
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$5,532	\$0	\$5,532
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	summer-run Hood Canal	\$5,532	\$0	\$5,532
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Central California Coast ESU	\$5,532	\$0	\$5,532
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River ESU	\$5,532	\$0	\$5,532

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Oregon Coast ESU	\$5,532	\$0	\$5,532
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	So.OR–No.CA Coast ESU	\$5,532	\$0	\$5,532
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	Ozette Lake, WA	\$5,532	\$0	\$5,532
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	Snake River, ID stock	\$5,532	\$0	\$5,532
		Shiner, Topeka	<i>Notropis topeka</i> (= <i>tristis</i>)		\$164	\$0	\$164
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Central Valley CA	\$5,532	\$0	\$5,532
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Puget Sound DPS	\$5,532	\$0	\$5,532
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Snake R. Basin	\$5,532	\$0	\$5,532
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	central CA coast	\$5,532	\$0	\$5,532
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	lower Columbia R.	\$5,532	\$0	\$5,532
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	middle Columbia R.	\$5,532	\$0	\$5,532
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	northern CA	\$5,532	\$0	\$5,532
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	south central CA coast	\$5,532	\$0	\$5,532
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	southern CA coast	\$5,532	\$0	\$5,532
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Columbia R. Basin	\$5,532	\$0	\$5,532
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Willamette R.	\$5,532	\$0	\$5,532
		Sturgeon, North American green	<i>Acipenser</i> <i>medirostris</i>	CA- Southern DPS	\$2,532	\$0	\$2,532
		Sturgeon, pallid	<i>Scaphirhynchus</i> <i>albus</i>		\$3,934	\$0	\$3,934
		Sturgeon, shortnose	<i>Acipenser</i> <i>brevirostrum</i>		\$11,736	\$0	\$11,736
	Fishes Total				\$177,115	\$0	\$177,115
	Clams						
		Catspaw, white (pearlymussel)	<i>Epioblasma obli-</i> <i>quata perobliqua</i>		\$10,853	\$0	\$10,853
		Clubshell	<i>Pleurobema clava</i>	Entire ; except where EXPN	\$11,756	\$0	\$11,756
		Fanshell	<i>Cyprogenia</i> <i>stegaria</i>		\$11,562	\$0	\$11,562
		Higgins eye (pearlymussel)	<i>Lampsilis</i> <i>higginsii</i>		\$22,960	\$0	\$22,960
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Entire; except where EXPN	\$21,760	\$0	\$21,760
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$11,286	\$0	\$11,286
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$160	\$0	\$160
		Pigtoe, rough	<i>Pleurobema</i> <i>plenum</i>		\$2,727	\$0	\$2,727
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus</i> <i>cooperianus</i>		\$3,000	\$0	\$3,000
		Pocketbook, fat	<i>Potamilus capax</i>		\$3,000	\$0	\$3,000
		Purple cat's paw (pearlymussel)	<i>Epioblasma obli-</i> <i>quata obliquata</i>	Entire; except where EXPN	\$11,398	\$0	\$11,398
		Riffleshell, northern	<i>Epioblasma</i> <i>torulosa rangiana</i>		\$11,398	\$0	\$11,398

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$495	\$0	\$495
	Clams Total				\$122,355	\$0	\$122,355
	Snails						
		Snail, Iowa Pleistocene	<i>Discus macclintocki</i>		\$164	\$0	\$164
	Insects						
		Beetle, Hungerford's crawling water	<i>Brychius hungerfordi</i>		\$164	\$0	\$164
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$49,000	\$0	\$49,000
		Butterfly, bay checkerspot	<i>Euphydryas editha bayensis</i>		\$49,000	\$0	\$49,000
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$1,218	\$0	\$1,218
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>		\$600	\$0	\$600
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$22,270	\$0	\$22,270
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>		\$90	\$0	\$90
	Insects Total				\$122,342	\$0	\$122,342
	Crustaceans						
		Amphipod, Illinois cave	<i>Gammarus acherondytes</i>		\$164	\$0	\$164
		Shrimp, California freshwater	<i>Syncaris pacifica</i>		\$21,000	\$0	\$21,000
	Crustaceans Total				\$21,164	\$0	\$21,164
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$1,905	\$0	\$1,905
		Coral, staghorn	<i>Acropora cervicornis</i>		\$1,905	\$0	\$1,905
	Corals Total				\$3,810	\$0	\$3,810
	Flowering Plants						
		Aster, decurrent false	<i>Boltonia decurrens</i>		\$164	\$0	\$164
		Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>		\$90	\$0	\$90
		Bush-clover, prairie	<i>Lespedeza leptostachya</i>		\$41	\$0	\$41
		Goldenrod, Houghton's	<i>Solidago houghtonii</i>		\$164	\$0	\$164
		Iris, dwarf lake	<i>Iris lacustris</i>		\$1,636	\$0	\$1,636
		Joint-vetch, sensitive	<i>Aeschynomene virginica</i>		\$90	\$0	\$90
		Lily, Minnesota dwarf trout	<i>Erythronium propullans</i>		\$164	\$0	\$164
		Locoweed, Fassett's	<i>Oxytropis campestris var. chartacea</i>		\$2,454	\$0	\$2,454
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$1,677	\$0	\$1,677
		monkey-flower, Michigan	<i>Mimulus michiganensis</i>		\$164	\$0	\$164
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$2,427	\$0	\$2,427

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$164	\$0	\$164
		Pink, swamp	<i>Helonias bullata</i>		\$120	\$0	\$120
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$205	\$0	\$205
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$600	\$0	\$600
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$2,454	\$0	\$2,454
	Flowering Plants Total				\$12,614	\$0	\$12,614
Domestic Total					\$2,760,287	\$0	\$2,760,287
Grand Total					\$2,760,287	\$0	\$2,760,287

Federal Energy Regulatory Commission -- FY2011							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$800	\$0	\$800
		Bat, Indiana	<i>Myotis sodalis</i>		\$11,500	\$0	\$11,500
		Bat, Virginia big-eared	<i>Corynorhinus (Plecotus) townsendii virginianus</i>		\$800	\$0	\$800
		Bear, American black	<i>Ursus americanus</i>	County range of LA b.bear	\$1,000	\$0	\$1,000
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$1,800	\$0	\$1,800
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$200	\$0	\$200
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$600	\$0	\$600
		Ferret, black-footed	<i>Mustela nigripes</i>	entire ; except where EXPN	\$300	\$0	\$300
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$300	\$0	\$300
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (D. cascus)</i>		\$200	\$0	\$200
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$1,500	\$0	\$1,500
		Manatee, West Indian	<i>Trichechus manatus</i>		\$500	\$0	\$500
		Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>		\$500	\$0	\$500
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$1,900	\$0	\$1,900
		Whale, blue	<i>Balaenoptera musculus</i>		\$300	\$0	\$300
		Whale, gray	<i>Eschrichtius robustus</i>	W Pacific Ocean	\$4,000	\$0	\$4,000
		Whale, killer	<i>Orcinus orca</i>	So. Resident DPS	\$1,000	\$0	\$1,000
		Whale, Sei	<i>Balaenoptera borealis</i>		\$400	\$0	\$400
		Whale, Southern Right	<i>Eubalaena australis</i>		\$400	\$0	\$400
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$200	\$0	\$200
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico	\$200	\$0	\$200
		Wolf, Mexican gray	<i>Canis lupus baileyi</i>	portions of AZ, NM and TX	\$400	\$0	\$400
	Mammals Total				\$28,800	\$0	\$28,800
	Birds						
		Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>		\$200	\$0	\$200
		Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>		\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$1,000	\$0	\$1,000
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$400	\$0	\$400
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$500	\$0	\$500
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$1,200	\$0	\$1,200
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$900	\$0	\$900
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$5,000	\$0	\$5,000
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$100	\$0	\$100
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$100	\$0	\$100
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$200	\$0	\$200
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$4,000	\$0	\$4,000
	Birds Total				\$13,800	\$0	\$13,800
	Reptiles						
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$100	\$0	\$100
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$700	\$0	\$700
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$600	\$0	\$600
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$600	\$0	\$600
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$1,200	\$0	\$1,200
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$1,000	\$0	\$1,000
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Mexican nesting pop.	\$100	\$0	\$100
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$9,000	\$0	\$9,000
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/Tombigbee Rs.	\$4,000	\$0	\$4,000
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$3,000	\$0	\$3,000
	Reptiles Total				\$20,300	\$0	\$20,300
	Amphibians						
		Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$1,800	\$0	\$1,800
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern California DPS	\$500	\$0	\$500
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$500	\$0	\$500
		Salamander, Cheat Mountain	<i>Plethodon nettingi</i>		\$2,500	\$0	\$2,500
		Salamander, Shenandoah	<i>Plethodon shenandoah</i>		\$100	\$0	\$100
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$1,100	\$0	\$1,100
	Amphibians Total				\$6,500	\$0	\$6,500
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	entire	\$600	\$0	\$600

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Chub, humpback	<i>Gila cypha</i>	entire	\$600	\$0	\$600
		Chub, spotfin	<i>Erimonax monachus</i>	entire	\$600	\$0	\$600
		Darter, leopard	<i>Percina pantherina</i>		\$100	\$0	\$100
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$600	\$0	\$600
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$5,000	\$0	\$5,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	CA coastal	\$1,000	\$0	\$1,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Central Valley spring-run ESU	\$5,000	\$0	\$5,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Lower Columbia River ESU	\$4,000	\$0	\$4,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Puget Sound ESU	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Sacramento River winter-run ESU	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River fall-run ESU	\$1,000	\$0	\$1,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River spring/summer-run ESU	\$1,000	\$0	\$1,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Upper Columbia spring-run ESU	\$7,000	\$0	\$7,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Upper Willamette River ESU	\$3,000	\$0	\$3,000
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	Columbia R.	\$800	\$0	\$800
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	summer-run Hood Canal	\$400	\$0	\$400
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Central California Coast ESU	\$100	\$0	\$100
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Lower Columbia River ESU	\$2,500	\$0	\$2,500
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	So.OR-No.CA Coast ESU	\$500	\$0	\$500
		Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>	Snake River, ID stock	\$400	\$0	\$400
		Shiner, blue	<i>Cyprinella caerulea</i>		\$200	\$0	\$200
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Central Valley CA	\$19,000	\$0	\$19,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Puget Sound DPS	\$900	\$0	\$900
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Snake R. Basin	\$1,300	\$0	\$1,300
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	central CA coast	\$1,200	\$0	\$1,200
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	lower Columbia R.	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	middle Columbia R.	\$1,000	\$0	\$1,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	northern CA	\$300	\$0	\$300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	south central CA coast	\$1,800	\$0	\$1,800
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	southern CA coast	\$1,000	\$0	\$1,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Columbia R. Basin	\$6,500	\$0	\$6,500
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Willamette R.	\$1,500	\$0	\$1,500
		Sturgeon, gulf	<i>Acipenser</i> <i>oxyrinchus desotoi</i>		\$1,400	\$0	\$1,400
		Sturgeon, No. American green	<i>Acipenser</i> <i>medirostris</i>	CA- So. DPS	\$2,000	\$0	\$2,000
		Sturgeon, pallid	<i>Scaphirhynchus</i> <i>albus</i>		\$4,000	\$0	\$4,000
		Sturgeon, shortnose	<i>Acipenser</i> <i>brevirostrum</i>		\$7,500	\$0	\$7,500
		Sucker, razorback	<i>Xyrauchen</i> <i>texanus</i>	entire	\$600	\$0	\$600
		Trout, bull	<i>Salvelinus</i> <i>confluentus</i>	conterminous, lower 48 states	\$21,500	\$0	\$21,500
	Fishes Total				\$111,900	\$0	\$111,900
	Clams						
		Bankclimber, purple (mussel)	<i>Elliptoideus</i> <i>sloatianus</i>		\$600	\$0	\$600
		Clubshell	<i>Pleurobema</i> <i>clava</i>	AL; Tennessee River below Wilson Dam, Colbert and Lauderdale Co., AL	\$300	\$0	\$300
		Elktoe, Appalachian	<i>Alasmidonta</i> <i>raveneliana</i>		\$500	\$0	\$500
		Fanshell	<i>Cyprogenia</i> <i>stegaria</i>		\$500	\$0	\$500
		Heelsplitter, Carolina	<i>Lasmigona</i> <i>decorata</i>		\$200	\$0	\$200
		Higgins eye (pearlymussel)	<i>Lampsilis</i> <i>higginsii</i>		\$500	\$0	\$500
		Mapleleaf, winged	<i>Quadrula</i> <i>fragosa</i>	Entire; except where EXPN	\$100	\$0	\$100
		Moccasinshell, Gulf	<i>Medionidus</i> <i>penicillatus</i>		\$500	\$0	\$500
		Mucket, orangenacre	<i>Lampsilis</i> <i>perovalis</i>		\$200	\$0	\$200
		Mucket, pink (pearlymussel)	<i>Lampsilis</i> <i>abrupta</i>		\$200	\$0	\$200
		Mussel, scaleshell	<i>Leptodea</i> <i>leptodon</i>		\$100	\$0	\$100
		Pigtoe, oval	<i>Pleurobema</i> <i>pyriforme</i>		\$500	\$0	\$500
		Pigtoe, rough	<i>Pleurobema</i> <i>plenum</i>	TN - portions of the French Broad and Holston Rivers	\$300	\$0	\$300
		Pigtoe, rough	<i>Pleurobema</i> <i>plenum</i>		\$300	\$0	\$300
		Pigtoe, southern	<i>Pleurobema</i> <i>georgianum</i>		\$200	\$0	\$200
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus</i> <i>cooperianus</i>	TN - portions of the French Broad and Holston Rivers	\$300	\$0	\$300
		Pocketbook, fat	<i>Potamilus</i> <i>capax</i>		\$300	\$0	\$300
		Pocketbook, finelined	<i>Lampsilis</i> <i>altilis</i>		\$200	\$0	\$200
		Pocketbook, Ouachita rock	<i>Arkansia</i> <i>wheeleri</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$500	\$0	\$500
		Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>		\$500	\$0	\$500
		Ring pink (mussel)	<i>Obovaria retusa</i>		\$300	\$0	\$300
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$2,000	\$0	\$2,000
	Clams Total				\$9,200	\$0	\$9,200
	Snails						
		Limpet, Banbury Springs	<i>Lanx sp.</i>		\$1,700	\$0	\$1,700
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>		\$4,000	\$0	\$4,000
		Snail, Snake River physa	<i>Physa natricina</i>		\$2,000	\$0	\$2,000
		Snail, tulotoma	<i>Tulotoma magnifica</i>		\$200	\$0	\$200
		Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>		\$100	\$0	\$100
	Snails Total				\$8,000	\$0	\$8,000
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$1,300	\$0	\$1,300
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$2,500	\$0	\$2,500
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$100	\$0	\$100
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$100	\$0	\$100
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$500	\$0	\$500
	Insects Total				\$4,500	\$0	\$4,500
	Crustaceans						
		Crayfish, Shasta	<i>Pacifastacus fortis</i>		\$9,000	\$0	\$9,000
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$200	\$0	\$200
	Crustaceans Total				\$9,200	\$0	\$9,200
	Flowering Plants						
		Amphianthus, little	<i>Amphianthus pusillus</i>		\$1,100	\$0	\$1,100
		Brodiaea, Chinese Camp	<i>Brodiaea pallida</i>		\$200	\$0	\$200
		Buckwheat, cushenbury	<i>Eriogonum ovalifolium var. vineum</i>		\$1,400	\$0	\$1,400
		Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>		\$1,000	\$0	\$1,000
		Butterweed, Layne's	<i>Senecio layneae</i>		\$200	\$0	\$200
		cactus, Uinta Basin hookless	<i>Sclerocactus wetlandicus</i>		\$300	\$0	\$300
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Clarkia, Springville	<i>Clarkia springvillensis</i>		\$300	\$0	\$300
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$500	\$0	\$500
		Daisy, lakeside	<i>Hymenoxys herbacea</i>		\$500	\$0	\$500
		Daisy, Willamette	<i>Erigeron decumbens</i> var. <i>decumbens</i>		\$100	\$0	\$100
		Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>		\$1,200	\$0	\$1,200
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$400	\$0	\$400
		Grass, Colusa	<i>Neostapfia colusana</i>		\$200	\$0	\$200
		Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$400	\$0	\$400
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$900	\$0	\$900
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> (=oreganus) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i>)		\$200	\$0	\$200
		Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus</i> var. <i>coachellae</i>		\$700	\$0	\$700
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$1,000	\$0	\$1,000
		Orcutt grass, hairy	<i>Orcuttia pilosa</i>		\$200	\$0	\$200
		Owl's-clover, fleshy	<i>Castilleja campestris</i> ssp. <i>succulenta</i>		\$200	\$0	\$200
		Phlox, Texas trailing	<i>Phlox nivalis</i> ssp. <i>texensis</i>		\$1,200	\$0	\$1,200
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$600	\$0	\$600
		Potato-bean, Price's	<i>Apios priceana</i>		\$100	\$0	\$100
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$1,000	\$0	\$1,000
		Reed-mustard, shrubby	<i>Schoenocrambe suffrutescens</i>		\$300	\$0	\$300
		rock cress, shale barren	<i>Arabis serotina</i>		\$500	\$0	\$500
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$1,800	\$0	\$1,800
		Spurge, Hoover's	<i>Chamaesyce hooveri</i>		\$200	\$0	\$200
		Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>		\$200	\$0	\$200
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$200	\$0	\$200
		Trillium, relict	<i>Trillium reliquum</i>		\$1,000	\$0	\$1,000
		Tuctoria, Greene's	<i>Tuctoria greenei</i>		\$200	\$0	\$200
		Vervain, Red Hills	<i>Verbena californica</i>		\$200	\$0	\$200
	Flowering Plants Total				\$18,600	\$0	\$18,600
	Lichens						
		Lichen, rock gnome	<i>Gymnoderma lineare</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic Total					\$230,900	\$0	\$230,900
Grand Total					\$230,900	\$0	\$230,900

Nuclear Regulatory Commission -- FY2011

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$460	\$0	\$460
		Bat, Indiana	<i>Myotis sodalis</i>		\$23,485	\$0	\$23,485
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$480	\$0	\$480
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, and WY	\$165	\$0	\$165
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>		\$480	\$0	\$480
		Manatee, West Indian	<i>Trichechus manatus</i>		\$3,550	\$0	\$3,550
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$250	\$0	\$250
		Ocelot	<i>Leopardus (=Felis) pardalis</i>		\$480	\$0	\$480
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$250	\$0	\$250
		Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>		\$365	\$0	\$365
		Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	DE, Sussex Co.	\$730	\$0	\$730
		Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukecampbelli</i>		\$250	\$0	\$250
		Whale, blue	<i>Balaenoptera musculus</i>		\$750	\$0	\$750
		Whale, finback	<i>Balaenoptera physalus</i>		\$3,050	\$0	\$3,050
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$3,050	\$0	\$3,050
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>		\$2,550	\$0	\$2,550
		Whale, Sei	<i>Balaenoptera borealis</i>		\$750	\$0	\$750
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$750	\$0	\$750
	Mammals Total				\$41,845	\$0	\$41,845
	Birds						
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$250	\$0	\$250
		Crane, whooping	<i>Grus americana</i>	AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	\$13,715	\$0	\$13,715
		Curlew, Eskimo	<i>Numenius borealis</i>		\$365	\$0	\$365
		falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Southwestern population	\$460	\$0	\$460
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$250	\$0	\$250
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$11,949	\$0	\$11,949
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>		\$845	\$0	\$845

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$1,250	\$0	\$1,250
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>		\$250	\$0	\$250
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$250	\$0	\$250
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$8,340	\$0	\$8,340
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$480	\$0	\$480
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$230	\$0	\$230
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$960	\$0	\$960
		Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>		\$250	\$0	\$250
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$960	\$0	\$960
		Warbler, Kirtland's	<i>Dendroica kirtlandii</i>		\$308	\$0	\$308
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$13,995	\$0	\$13,995
	Birds Total				\$55,107	\$0	\$55,107
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$4,325	\$0	\$4,325
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$16,140	\$0	\$16,140
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$19,090	\$0	\$19,090
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$4,720	\$0	\$4,720
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$22,480	\$0	\$22,480
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$13,550	\$0	\$13,550
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$11,500	\$0	\$11,500
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>		\$250	\$0	\$250
		Skink, sand	<i>Neoseps reynoldsi</i>		\$1,250	\$0	\$1,250
		Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>		\$500	\$0	\$500
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$4,010	\$0	\$4,010
		Snake, Lake Erie water	<i>Nerodia sipedon insularum</i>	subspecies range clarified	\$58	\$0	\$58
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$538	\$0	\$538
	Reptiles Total				\$98,411	\$0	\$98,411
	Amphibians						
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$3,630	\$0	\$3,630
		Toad, Houston	<i>Bufo houstonensis</i>		\$480	\$0	\$480
	Amphibians Total				\$4,110	\$0	\$4,110
	Fishes						
		Darter, snail	<i>Percina tanasi</i>		\$690	\$0	\$690
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$1,150	\$0	\$1,150

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Central California Coast ESU	\$230	\$0	\$230
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$1,115	\$0	\$1,115
		Shiner, Cape Fear	<i>Notropis</i> <i>mekistocholas</i>		\$710	\$0	\$710
		Silverside, Waccamaw	<i>Menidia extensa</i>		\$250	\$0	\$250
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	lower Columbia R.	\$1,610	\$0	\$1,610
		Sturgeon, gulf	<i>Acipenser</i> <i>oxyrinchus desotoi</i>		\$11,266	\$0	\$11,266
		Sturgeon, North American green	<i>Acipenser</i> <i>medirostris</i>	CA- Southern DPS	\$230	\$0	\$230
		Sturgeon, shortnose	<i>Acipenser</i> <i>brevirostrum</i>		\$47,210	\$0	\$47,210
		Trout, bull	<i>Salvelinus</i> <i>confluentus</i>	conterminous, lower 48 states	\$920	\$0	\$920
	Fishes Total				\$65,381	\$0	\$65,381
	Clams						
		Catspaw, white (pearlymussel)	<i>Epioblasma</i> <i>obliquata</i> <i>perobliqua</i>		\$460	\$0	\$460
		Heelsplitter, Carolina	<i>Lasmigona</i> <i>decorata</i>		\$19,930	\$0	\$19,930
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$460	\$0	\$460
		Pearlymussel, dromedary	<i>Dromus dromas</i>	AL; Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	\$690	\$0	\$690
		Pearlymussel, dromedary	<i>Dromus dromas</i>	TN - portions of the French Broad and Holston Rivers	\$690	\$0	\$690
		Pigtoe, rough	<i>Pleurobema plenum</i>		\$690	\$0	\$690
		Riffleshell, northern	<i>Epioblasma</i> <i>torulosa rangiana</i>		\$9,546	\$0	\$9,546
		Spinymussel, James	<i>Pleurobema collina</i>		\$500	\$0	\$500
		Wartyback, white (pearlymussel)	<i>Plethobasus</i> <i>cicatricosus</i>	TN - portions of the French Broad and Holston Rivers	\$1,150	\$0	\$1,150
		Wedgemussel, dwarf	<i>Alasmidonta</i> <i>heterodon</i>		\$1,650	\$0	\$1,650
	Clams Total				\$35,766	\$0	\$35,766
	Snails						
		Snail, Stock Island tree	<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>)		\$250	\$0	\$250
	Insects						
		Beetle, American burying	<i>Nicrophorus</i> <i>americanus</i>		\$8,510	\$0	\$8,510
		Butterfly, Karner blue	<i>Lycaeides melissa</i> <i>samuelis</i>		\$8,568	\$0	\$8,568
		Butterfly, Saint Francis' satyr	<i>Neonympha</i> <i>mitchellii francisci</i>		\$8,510	\$0	\$8,510
		Butterfly, Schaus swallowtail	<i>Heraclides</i> <i>aristodemus</i> <i>ponceanus</i>		\$250	\$0	\$250

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>		\$9,355	\$0	\$9,355
		Tiger beetle, Puritan	<i>Cicindela puritana</i>		\$9,915	\$0	\$9,915
	Insects Total				\$45,108	\$0	\$45,108
	Crustaceans						
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>		\$230	\$0	\$230
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$230	\$0	\$230
	Crustaceans Total				\$460	\$0	\$460
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$250	\$0	\$250
		Coral, staghorn	<i>Acropora cervicornis</i>		\$250	\$0	\$250
	Corals Total				\$500	\$0	\$500
	Flowering Plants						
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$250	\$0	\$250
		Amphianthus, little	<i>Amphianthus pusillus</i>		\$13,710	\$0	\$13,710
		Aster, Florida golden	<i>Chrysopsis floridana</i>		\$1,250	\$0	\$1,250
		Beargrass, Britton's	<i>Nolina brittoniana</i>		\$1,250	\$0	\$1,250
		Bellflower, Brooksville	<i>Campanula robinsiae</i>		\$1,250	\$0	\$1,250
		Bonamia, Florida	<i>Bonamia grandiflora</i>		\$1,250	\$0	\$1,250
		Buckwheat, scrub	<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>		\$1,250	\$0	\$1,250
		Chaffseed, American	<i>Schwalbea americana</i>		\$480	\$0	\$480
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$5,825	\$0	\$5,825
		Daisy, lakeside	<i>Hymenoxys herbacea</i>		\$58	\$0	\$58
		Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>		\$480	\$0	\$480
		Dropwort, Canby's	<i>Oxypolis canbyi</i>		\$5,710	\$0	\$5,710
		Fringe-tree, pygmy	<i>Chionanthus pygmaeus</i>		\$1,000	\$0	\$1,000
		Gourd, Okeechobee	<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>		\$250	\$0	\$250
		Harebells, Avon Park	<i>Crotalaria avonensis</i>		\$250	\$0	\$250
		Harperella	<i>Ptilimnium nodosum</i>		\$3,500	\$0	\$3,500
		Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$10,460	\$0	\$10,460
		Hypericum, highlands scrub	<i>Hypericum cumulicola</i>		\$250	\$0	\$250
		Jacquemontia, beach	<i>Jacquemontia reclinata</i>		\$250	\$0	\$250
		Joint-vetch, sensitive	<i>Aeschynomene virginica</i>		\$960	\$0	\$960
		Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>		\$480	\$0	\$480

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Lead-plant, Crenulate	<i>Amorpha crenulata</i>		\$250	\$0	\$250
		Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$3,730	\$0	\$3,730
		Lupine, scrub	<i>Lupinus aridorum</i>		\$250	\$0	\$250
		Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>		\$250	\$0	\$250
		Milkpea, Small's	<i>Galactia smallii</i>		\$250	\$0	\$250
		Mint, Garrett's	<i>Dicerandra christmanii</i>		\$250	\$0	\$250
		Mint, longspurred	<i>Dicerandra cornutissima</i>		\$1,250	\$0	\$1,250
		Mint, scrub	<i>Dicerandra frutescens</i>		\$250	\$0	\$250
		Mustard, Carter's	<i>Warea carteri</i>		\$1,250	\$0	\$1,250
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$8,733	\$0	\$8,733
		Pawpaw, Rugel's	<i>Deeringothamnus rugelii</i>		\$250	\$0	\$250
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$165	\$0	\$165
		Pigeon wings	<i>Clitoria fragrans</i>		\$250	\$0	\$250
		Pink, swamp	<i>Helonias bullata</i>		\$980	\$0	\$980
		Plum, scrub	<i>Prunus geniculata</i>		\$1,250	\$0	\$1,250
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$2,168	\$0	\$2,168
		Polygala, Lewton's	<i>Polygala lewtonii</i>		\$1,250	\$0	\$1,250
		Polygala, tiny	<i>Polygala smallii</i>		\$250	\$0	\$250
		Pondberry	<i>Lindera melissifolia</i>		\$3,730	\$0	\$3,730
		Prickly-apple, fragrant	<i>Cereus eriophorus var. fragrans</i>		\$250	\$0	\$250
		Rosemary, Etonia	<i>Conradina etonia</i>		\$250	\$0	\$250
		Rosemary, short-leaved	<i>Conradina brevifolia</i>		\$250	\$0	\$250
		Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>		\$480	\$0	\$480
		Sandlace	<i>Polygonella myriophylla</i>		\$1,250	\$0	\$1,250
		Snakeroot	<i>Eryngium cuneifolium</i>		\$250	\$0	\$250
		Spurge, deltoid	<i>Chamaesyce deltoidea ssp. deltoidea</i>		\$250	\$0	\$250
		Spurge, Garber's	<i>Chamaesyce garberi</i>		\$250	\$0	\$250
		Sumac, Michaux's	<i>Rhus michauxii</i>		\$250	\$0	\$250
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$13,825	\$0	\$13,825
		Trillium, relict	<i>Trillium reliquum</i>		\$3,500	\$0	\$3,500
		Warea, wide-leaf	<i>Warea amplexifolia</i>		\$1,250	\$0	\$1,250
		Water-willow, Cooley's	<i>Justicia cooleyi</i>		\$1,250	\$0	\$1,250
		Whitlow-wort, papery	<i>Paronychia chartacea</i>		\$250	\$0	\$250
		Wireweed	<i>Polygonella basiramia</i>		\$250	\$0	\$250
		Ziziphus, Florida	<i>Ziziphus celata</i>		\$250	\$0	\$250

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Flowering Plants Total				\$100,974	\$0	\$100,974
	Ferns and Allies						
		Quillwort, black spored	<i>Isoetes melanospora</i>		\$3,730	\$0	\$3,730
	Lichens						
		Cladonia, Florida perforate	<i>Cladonia perforata</i>		\$250	\$0	\$250
Domestic Total					\$451,892	\$0	\$451,892
Grand Total					\$451,892	\$0	\$451,892

Smithsonian Institution -- FY2011							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$44,220	\$0	\$44,220
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$129,500	\$0	\$129,500
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$70,000	\$0	\$70,000
		Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>		\$14,000	\$0	\$14,000
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$38,000	\$0	\$38,000
	Mammals Total				\$295,720	\$0	\$295,720
	Birds						
		Condor, California	<i>Gymnogyps californianus</i>	Entire; except where EXPN	\$14,000	\$0	\$14,000
		Crane, whooping	<i>Grus americana</i>	AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	\$20,200	\$0	\$20,200
		Crow, Hawaiian (=alala)	<i>Corvus hawaiiensis</i>		\$1,400	\$0	\$1,400
		Crow, Mariana (=aga)	<i>Corvus kubaryi</i>		\$5,280	\$0	\$5,280
		Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>		\$15,300	\$0	\$15,300
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>		\$7,000	\$0	\$7,000
		Rail, Guam	<i>Rallus owstoni</i>	except Rota	\$8,700	\$0	\$8,700
	Birds Total				\$71,880	\$0	\$71,880
	Reptiles						
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$7,000	\$0	\$7,000
	Flowering Plants						
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$5,000	\$0	\$5,000
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$5,000	\$0	\$5,000
	Flowering Plants Total				\$10,000	\$0	\$10,000
	Domestic Total				\$384,600	\$0	\$384,600
	Foreign						
	Mammals						
		Addax	<i>Addax nasomaculatus</i>		\$7,000	\$0	\$7,000
		Ass, Asian wild	<i>Equus hemionus</i>		\$21,500	\$0	\$21,500
		Cheetah	<i>Acinonyx jubatus</i>		\$9,800	\$0	\$9,800
		Deer, Eld's brow-antlered	<i>Cervus eldi</i>		\$28,000	\$0	\$28,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Dhole	<i>Cuon alpinus</i>		\$14,000	\$0	\$14,000
		Elephant, African	<i>Loxodonta africana</i>		\$1,400	\$0	\$1,400
		Elephant, Asian	<i>Elephas maximus</i>		\$133,000	\$0	\$133,000
		Horse, Przewalski's	<i>Equus przewalskii</i>		\$21,500	\$0	\$21,500
		Leopard, clouded	<i>Neofelis nebulosa</i>		\$35,000	\$0	\$35,000
		Panda, giant	<i>Ailuropoda melanoleuca</i>		\$47,600	\$0	\$47,600
		Tamarin, golden-rumped	<i>Leontopithecus spp.</i>		\$60,500	\$0	\$60,500
		Tapir, Central American	<i>Tapirus bairdii</i>		\$7,500	\$0	\$7,500
		Tiger	<i>Panthera tigris</i>		\$56,000	\$0	\$56,000
		Wolf, maned	<i>Chrysocyon brachyurus</i>		\$55,800	\$0	\$55,800
	Mammals Total				\$498,600	\$0	\$498,600
	Amphibians						
		Frog, Panamanian golden	<i>Atelopus varius zeteki</i>		\$54,000	\$0	\$54,000
Foreign Total					\$552,600	\$0	\$552,600
Grand Total					\$937,200	\$0	\$937,200

Tennessee Valley Authority -- FY2011							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$7,500	\$0	\$7,500
		Bat, Indiana	<i>Myotis sodalis</i>		\$176,500	\$0	\$176,500
	Mammals Total				\$184,000	\$0	\$184,000
	Birds						
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$300	\$0	\$300
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$5,000	\$0	\$5,000
	Birds Total				\$5,300	\$0	\$5,300
	Fishes						
		Darter, bluemask (=jewel)	<i>Etheostoma sp.</i>		\$143,400	\$0	\$143,400
		Darter, boulder	<i>Etheostoma wapiti</i>		\$755,000	\$0	\$755,000
	Fishes Total				\$898,400	\$0	\$898,400
	Clams						
		Monkeyface, Cumberland (pearlymussel)	<i>Quadrula intermedia</i>	Entire; Except where EXPN	\$625,000	\$0	\$625,000
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$42,000	\$0	\$42,000
		Pearlymussel, birdwing	<i>Lemiox rimosus</i>	Entire; Except where EXPN	\$655,000	\$0	\$655,000
		Pearlymussel, cracking	<i>Hemistena lata</i>	Entire; Except where EXPN	\$665,000	\$0	\$665,000
		Pigtoe, finerayed	<i>Fusconaia cuneolus</i>	Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	\$657,000	\$0	\$657,000
		Pigtoe, shiny	<i>Fusconaia cor</i>	Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	\$638,000	\$0	\$638,000
	Clams Total				\$3,282,000	\$0	\$3,282,000
	Flowering Plants						
		Aster, Ruth's golden	<i>Pityopsis ruthii</i>		\$78,500	\$0	\$78,500
		Pitcher-plant, green	<i>Sarracenia oreophila</i>		\$1,000	\$0	\$1,000
		Skullcap, large-flowered	<i>Scutellaria montana</i>		\$15,000	\$0	\$15,000
	Flowering Plants Total				\$94,500	\$0	\$94,500
Domestic Total					\$4,464,200	\$0	\$4,464,200
Grand Total					\$4,464,200	\$0	\$4,464,200

Appendix C. Expenditures Reported by the States for FY2011

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals	Bat, gray	<i>Myotis grisescens</i>	\$50,900	\$71,500
	Bat, Indiana	<i>Myotis sodalis</i>	\$418,036	\$0
	Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	\$71,600	\$0
	Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$1,500	\$0
	Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	\$12,550	\$71,100
	Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	\$8,800	\$0
	Bear, grizzly -- lower 48 States, except where EXPN or delisted	<i>Ursus arctos horribilis</i>	\$510,662	\$0
	Bear, grizzly -- experimental, non-essential, portions of ID and MT	<i>Ursus arctos horribilis</i>	\$5,000	\$0
	Bear, polar	<i>Ursus maritimus</i>	\$20,128	\$0
	Bison, wood -- Canada	<i>Bison bison athabasca</i>	\$30,656	\$0
	Caribou, woodland -- Selkirk Mountains pop.	<i>Rangifer tarandus caribou</i>	\$21,028	\$0
	Deer, Columbian white-tailed -- Columbia River DPS	<i>Odocoileus virginianus leucurus</i>	\$20,400	\$0
	Ferret, black-footed -- entire ; except where EXPN	<i>Mustela nigripes</i>	\$26,356	\$0
	Ferret, black-footed -- portions of AZ, CO, MT, SD, UT, and WY	<i>Mustela nigripes</i>	\$214,000	\$0
	Jaguar	<i>Panthera onca</i>	\$1,600	\$0
	Jaguarundi, Sinaloa	<i>Herpailurus (=Felis) yagouaroundi tolteca</i>	\$1,000	\$0
	Lynx, Canada --Contiguous U.S. DPS	<i>Lynx canadensis</i>	\$369,460	\$2,913,225
	Manatee, West Indian	<i>Trichechus manatus</i>	\$25,348	\$236,000
	Mouse, Preble's meadow jumping -- north-central CO	<i>Zapus hudsonius preblei</i>	\$7,444	\$0
	Ocelot	<i>Leopardus (=Felis) pardalis</i>	\$15,000	\$0
	Prairie dog, Utah	<i>Cynomys parvidens</i>	\$100,000	\$0
	Pronghorn, Sonoran -- Entire	<i>Antilocapra americana sonoriensis</i>	\$225,000	\$0
	Pronghorn, Sonoran -- AZ; Mexico	<i>Antilocapra americana sonoriensis</i>	\$25,000	\$0
	Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>	\$1,364	\$0
	Rabbit, pygmy -- Columbia Basin DPS	<i>Brachylagus idahoensis</i>	\$250,800	\$120,000
	Sea-lion, Steller -- eastern pop.	<i>Eumetopias jubatus</i>	\$21,476	\$0
	Sea-lion, Steller -- western pop.	<i>Eumetopias jubatus</i>	\$488,960	\$0
	Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	\$17,662	\$0
	Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	\$40,000	\$0
	Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$10,478	\$0
	Squirrel, Virginia northern flying	<i>Glaucomys sabrinus fuscus</i>	\$2,000	\$0
	Whale, finback	<i>Balaenoptera physalus</i>	\$18,700	\$0
	Whale, humpback	<i>Megaptera novaeangliae</i>	\$18,700	\$0
	Whale, killer -- Southern Resident DPS	<i>Orcinus orca</i>	\$12,000	\$0
	Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	\$45,100	\$0
	Wolf, gray -- AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	<i>Canis lupus</i>	\$798,286	\$2,912,225
	Wolf, gray -- MN	<i>Canis lupus</i>	\$173,000	\$0
	Wolf, gray -- WY, ID, MT	<i>Canis lupus</i>	\$292,433	\$0
	Wolf, gray -- Mexican gray wolf, EXPN pop.	<i>Canis lupus</i>	\$61,500	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Wolf, gray -- Western Great Lakes DPS	<i>Canis lupus</i>	\$65,000	\$0
	Wolf, Mexican gray -- portions of AZ, NM and TX	<i>Canis lupus baileyi</i>	\$300,000	\$0
	Wolf, red --portions of NC and TN	<i>Canis rufus</i>	\$81,000	\$0
Mammals subtotal			\$4,879,927	\$6,324,050
Birds	Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	\$1,000	\$0
	Condor, California -- portions of AZ, NV, UT	<i>Gymnogyps californianus</i>	\$223,000	\$0
	Crane, whooping -- except where EXPN	<i>Grus americana</i>	\$16,448	\$0
	Crane, whooping -- SW Louisiana	<i>Grus americana</i>	\$1,000	\$0
	Eagle, bald -- Sonoran Desert DPS	<i>Haliaeetus leucocephalus</i>	\$335,000	\$0
	Falcon, northern aplomado -- Entire, except where EXPN	<i>Falco femoralis septentrionalis</i>	\$1,000	\$0
	Flycatcher, southwestern willow	<i>Empidonax traillii eximus</i>	\$64,387	\$0
	Murrelet, marbled -- CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$996,794	\$0
	Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$60,000	\$0
	Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$1,132,247	\$0
	Plover, piping -- Great Lakes watershed	<i>Charadrius melodus</i>	\$15,687	\$0
	Plover, piping -- except Great Lakes watershed	<i>Charadrius melodus</i>	\$255,060	\$0
	Plover, western snowy -- Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$109,800	\$0
	Rail, Yuma clapper -- U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$500	\$0
	Stork, wood -- AL, FL, GA, SC	<i>Mycteria americana</i>	\$13,500	\$0
	Tern, California least	<i>Sterna antillarum browni</i>	\$500	\$0
	Tern, least -- interior pop.	<i>Sterna antillarum</i>	\$88,418	\$0
	Vireo, black-capped	<i>Vireo atricapilla</i>	\$300	\$0
	Warbler, Kirtland's	<i>Dendroica kirtlandii</i>	\$387,000	\$0
	Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$314,862	\$1,214,700
Birds subtotal			\$4,016,503	\$1,214,700
Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	\$2,640	\$0
	Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	\$1,200	\$0
	Sea turtle, green -- except where endangered	<i>Chelonia mydas</i>	\$117,677	\$0
	Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$111,677	\$0
	Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$113,477	\$0
	Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$112,677	\$0
	Sea turtle, loggerhead	<i>Caretta caretta</i>	\$200,677	\$0
	Snake, copperbelly water -- IN north of 40 degrees north latitude; MI, OH	<i>Nerodia erythrogaster neglecta</i>	\$500	\$0
	Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$27,450	\$0
	Snake, Lake Erie water	<i>Nerodia sipedon insularum</i>	\$35,400	\$0
	Tortoise, desert -- except in Sonoran Desert	<i>Gopherus agassizii</i>	\$398,500	\$140,000
	Turtle, bog (=Muhlenberg) -- northern	<i>Clemmys muhlenbergii</i>	\$27,054	\$0
	Turtle, bog (=Muhlenberg) -- southern	<i>Clemmys muhlenbergii</i>	\$11,048	\$0
Reptiles subtotal			\$1,159,977	\$140,000
Amphibians	Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$206,400	\$0
	Salamander, Cheat Mountain	<i>Plethodon nettingi</i>	\$1,500	\$0
	Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	\$5,000	\$0
	salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>	\$5,000	\$0
Amphibians subtotal			\$217,900	\$0
Fishes	Bocaccio -- Puget Sound--Georgia Basin DPS	<i>Sebastes paucispinis</i>	\$125,329	\$0
	Catfish, Yaqui	<i>Ictalurus pricei</i>	\$36,500	\$0
	Cavefish, Ozark	<i>Amblyopsis rosae</i>	\$90,250	\$0
	Chub, bonytail -- entire	<i>Gila elegans</i>	\$157,590	\$0
	Chub, Borax Lake	<i>Gila boraxobius</i>	\$1,124	\$0
	Chub, Chihuahua	<i>Gila nigrescens</i>	\$2,100	\$0
	Chub, Gila	<i>Gila intermedia</i>	\$86,100	\$767,000
	Chub, humpback -- entire	<i>Gila cypha</i>	\$352,790	\$0
	Chub, Oregon	<i>Oregonichthys crameri</i>	\$776	\$0
	Chub, Pahrangat roundtail	<i>Gila robusta jordani</i>	\$5,000	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Chub, Sonora	<i>Gila ditaenia</i>	\$36,500	\$0
	Chub, spotfin -- Entire	<i>Erimonax monachus</i>	\$6,183	\$0
	Chub, spotfin -- Tellico River, TN	<i>Erimonax monachus</i>	\$4,200	\$0
	Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	\$290,000	\$0
	Chub, Yaqui	<i>Gila purpurea</i>	\$36,500	\$0
	Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	\$1,800	\$0
	Dace, blackside	<i>Phoxinus cumberlandensis</i>	\$1,000	\$0
	Dace, Clover Valley speckled	<i>Rhinichthys osculus oligoporus</i>	\$800	\$0
	Dace, desert	<i>Eremichthys acros</i>	\$1,600	\$0
	Dace, Foscett speckled -- Foscett	<i>Rhinichthys osculus ssp.</i>	\$1,000	\$0
	Dace, Independence Valley speckled	<i>Rhinichthys osculus lethoporus</i>	\$100	\$0
	Dace, Moapa	<i>Moapa coriacea</i>	\$9,500	\$0
	Darter, amber	<i>Percina antesella</i>	\$7,000	\$0
	Darter, boulder	<i>Etheostoma wapiti</i>	\$4,200	\$0
	Darter, Cherokee	<i>Etheostoma scotti</i>	\$7,500	\$0
	Darter, duskytail -- Tellico River, TN	<i>Etheostoma percnurum</i>	\$4,200	\$0
	Darter, Etowah	<i>Etheostoma etowahae</i>	\$7,500	\$0
	Darter, goldline	<i>Percina aurolineata</i>	\$10,000	\$0
	Darter, leopard	<i>Percina pantherina</i>	\$750	\$0
	Darter, Niangua	<i>Etheostoma nianguae</i>	\$187,500	\$0
	Darter, snail	<i>Percina tanasi</i>	\$2,500	\$0
	Eulachon, Pacific -- Southern DPS	<i>Thaleichthys pacificus</i>	\$38,461	\$0
	Gambusia, Pecos	<i>Gambusia nobilis</i>	\$2,700	\$0
	Logperch, Conasauga	<i>Percina jenkinsi</i>	\$3,000	\$0
	Logperch, Roanoke	<i>Percina rex</i>	\$1,558	\$0
	Madtom, Neosho	<i>Noturus placidus</i>	\$13,500	\$0
	Madtom, smoky -- Tellico River, TN	<i>Noturus baileyi</i>	\$4,200	\$0
	Madtom, yellowfin -- Tellico River, TN	<i>Noturus flavipinnis</i>	\$4,200	\$0
	Minnow, loach	<i>Tiaroga cobitis</i>	\$138,000	\$0
	Minnow, Rio Grande silvery -- Entire; except where EXPN	<i>Hybognathus amarus</i>	\$64,200	\$0
	Pikeminnow (=squawfish), Colorado -- except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$150,490	\$0
	Poolfish, Pahrump	<i>Empetrichthys latos</i>	\$3,000	\$0
	Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>	\$3,500	\$0
	Pupfish, desert	<i>Cyprinodon macularius</i>	\$69,500	\$767,000
	Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	\$3,500	\$0
	Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i>	\$2,500	\$0
	Rockfish, Canary -- Puget Sound--Georgia Basin DPS	<i>Sebastes pinniger</i>	\$128,735	\$0
	Rockfish, Yelloweye -- Puget Sound--Georgia Basin DPS	<i>Sebastes ruberrimus</i>	\$128,735	\$0
	Salmon, Atlantic -- Expanded Gulf of ME DPS	<i>Salmo salar</i>	\$499,400	\$0
	Salmon, chinook -- Snake River fall-run ESU	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$655,161	\$0
	Salmon, chinook -- Snake River spring/summer-run ESU	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$858,807	\$0
	Salmon, chinook -- Puget Sound ESU	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$6,350,663	\$189,000
	Salmon, chinook -- Lower Columbia River ESU	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,272,186	\$148,333
	Salmon, chinook -- Upper Willamette River ESU	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$274,340	\$0
	Salmon, chinook -- Upper Columbia spring-run ESU	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,103,634	\$1,222,891
	Salmon, chum -- Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$587,668	\$511,315

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Salmon, chum -- summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$568,329	\$0
	Salmon, coho -- Southern Oregon--Northern California Coast ESU	<i>Oncorhynchus (=Salmo) kisutch</i>	\$98,500	\$0
	Salmon, coho -- Oregon Coast ESU	<i>Oncorhynchus (=Salmo) kisutch</i>	\$555,500	\$0
	Salmon, coho -- Lower Columbia River ESU	<i>Oncorhynchus (=Salmo) kisutch</i>	\$1,107,579	\$188,333
	Salmon, sockeye --Snake River, ID stock	<i>Oncorhynchus (=Salmo) nerka</i>	\$498,720	\$0
	Salmon, sockeye --Ozette Lake, WA	<i>Oncorhynchus (=Salmo) nerka</i>	\$233,611	\$0
	Shiner, Arkansas River -- Arkansas R. Basin	<i>Notropis girardi</i>	\$5,700	\$0
	Shiner, beautiful	<i>Cyprinella formosa</i>	\$36,500	\$0
	Shiner, blue	<i>Cyprinella caerulea</i>	\$4,500	\$0
	Shiner, Cape Fear	<i>Notropis mekistocholas</i>	\$4,850	\$0
	Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	\$10,500	\$0
	Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$115,500	\$0
	Silverside, Waccamaw	<i>Menidia extensa</i>	\$896	\$0
	Spikedace	<i>Meda fulgida</i>	\$131,000	\$0
	Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>	\$2,500	\$0
	Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	\$45,000	\$0
	Spinedace, White River	<i>Lepidomeda albivallis</i>	\$5,500	\$0
	Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	\$3,000	\$0
	Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	\$54,500	\$0
	Springfish, White River	<i>Crenichthys baileyi baileyi</i>	\$3,000	\$0
	Steelhead -- Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$886,985	\$0
	Steelhead -- lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$714,409	\$660,649
	Steelhead -- upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$472,993	\$1,962,891
	Steelhead -- upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$49,855	\$0
	Steelhead -- middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$460,751	\$125,000
	Steelhead -- Puget Sound DPS	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,285,681	\$672,750
	Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>	\$4,500	\$0
	Sturgeon, North American green --CA So. DPS	<i>Acipenser medirostris</i>	\$47,879	\$0
	Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$236,745	\$0
	Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$68,750	\$117,000
	Sturgeon, white -- ID, MT, Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$7,823	\$0
	Sucker, June	<i>Chasmistes liorus</i>	\$275,000	\$0
	Sucker, Lost River	<i>Deltistes luxatus</i>	\$7,786	\$0
	Sucker, Modoc	<i>Catostomus microps</i>	\$1,286	\$0
	Sucker, razorback -- entire	<i>Xyrauchen texanus</i>	\$278,890	\$0
	Sucker, shortnose	<i>Chasmistes brevirostris</i>	\$8,082	\$0
	Sucker, Warner	<i>Catostomus warnerensis</i>	\$9,682	\$0
	Topminnow, Gila (incl. Yaqui) -- U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$146,600	\$767,000
	Trout, Apache	<i>Oncorhynchus apache</i>	\$185,000	\$0
	Trout, bull -- conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$1,092,002	\$1,000,000
	Trout, Gila	<i>Oncorhynchus gilae</i>	\$186,000	\$0
	trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>	\$82,159	\$0
	Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$77,976	\$0
	Woundfin -- except Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$158,000	\$0
	Woundfin -- Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$5,000	\$0
Fishes subtotal			\$24,074,549	\$9,099,162

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
Clams	Acornshell, southern	<i>Epioblasma othcaloogensis</i>	\$4,000	\$0
	Bankclimber, purple (mussel)	<i>Elliptioideus sloatianus</i>	\$5,000	\$0
	Bean, Cumberland (pearlymussel) -- Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Villosa trabalis</i>	\$250	\$0
	Bean, purple	<i>Villosa perpurpurea</i>	\$4,200	\$0
	Clubshell -- Entire; Except where EXPN	<i>Pleurobema clava</i>	\$9,600	\$0
	Clubshell, ovate	<i>Pleurobema perovatum</i>	\$4,500	\$0
	Clubshell, southern	<i>Pleurobema decisum</i>	\$4,500	\$0
	Combshell, Cumberlandian -- TN - portions of the French Broad and Holston Rivers	<i>Epioblasma brevidens</i>	\$4,775	\$0
	Combshell, upland	<i>Epioblasma metastrata</i>	\$4,500	\$0
	Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	\$63,308	\$0
	Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	\$4,000	\$0
	Fanshell	<i>Cyrogenia stegaria</i>	\$2,500	\$0
	Heelsplitter, Carolina	<i>Lasmigona decorata</i>	\$13,496	\$0
	Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	\$41,000	\$0
	Kidneyshell, triangular	<i>Ptychobranchus greenii</i>	\$4,500	\$0
	Mapleleaf, winged -- Entire; except where EXPN	<i>Quadrula fragosa</i>	\$15,400	\$350,600
	Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	\$4,000	\$0
	Moccasinshell, Coosa	<i>Medionidus parvulus</i>	\$3,000	\$0
	Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	\$5,000	\$0
	Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	\$4,500	\$0
	Monkeyface, Cumberland (pearlymussel) -- Entire; Except where EXPN	<i>Quadrula intermedia</i>	\$3,275	\$0
	Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$25,900	\$350,600
	Mussel, oyster -- Entire; Except where EXPN	<i>Epioblasma capsaeformis</i>	\$4,775	\$0
	Mussel, oyster --Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Epioblasma capsaeformis</i>	\$2,700	\$0
	Mussel, oyster --TN - portions of the French Broad and Holston Rivers	<i>Epioblasma capsaeformis</i>	\$3,275	\$0
	Mussel, scaleshell	<i>Leptodea leptodon</i>	\$14,100	\$0
	Pearlymussel, birdwing -- Tennessee River below Wilson Dam, Colbert, and Lauderdale Counties, AL	<i>Conradilla caelata</i>	\$700	\$0
	Pearlymussel, cracking -- TN - portions of the French Broad and Holston Rivers	<i>Hemistena lata</i>	\$4,775	\$0
	Pearlymussel, Curtis	<i>Epioblasma florentina curtisii</i>	\$9,000	\$0
	Pearlymussel, dromedary -- Entire; Except where EXPN	<i>Dromus dromas</i>	\$4,775	\$0
	Pearlymussel, dromedary --Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Dromus dromas</i>	\$2,700	\$0
	Pearlymussel, littlewing	<i>Pegias fabula</i>	\$1,000	\$0
	Pigtoe, oval	<i>Pleurobema pyriforme</i>	\$5,000	\$0
	Pigtoe, rough	<i>Pleurobema plenum</i>	\$500	\$0
	Pigtoe, southern	<i>Pleurobema georgianum</i>	\$4,000	\$0
	Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	\$250	\$0
	Pocketbook, fat	<i>Potamilus capax</i>	\$9,100	\$0
	Pocketbook, finelined	<i>Lampsilis atilis</i>	\$3,500	\$0
	Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	\$400	\$0
	Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	\$5,500	\$0
	Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	\$27,200	\$0
	Spiny mussel, James	<i>Pleurobema collina</i>	\$5,496	\$0
	Spiny mussel, Tar River	<i>Elliptio steinstansana</i>	\$17,090	\$0
	Three-ridge, fat (mussel)	<i>Amblema neislerii</i>	\$2,000	\$0
	Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$23,350	\$0
Clams subtotal			\$382,390	\$701,200
Snails	Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$30,000	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>	\$1,000	\$0
	Snail, flat-spined three-toothed	<i>Triodopsis platysayoides</i>	\$1,500	\$0
	Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	\$1,500	\$0
	Snail, Pecos assiminea	<i>Assiminea pecos</i>	\$1,300	\$0
	Springsnail, Alamosa	<i>Tryonia alamosae</i>	\$1,300	\$0
	Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	\$727	\$0
	Springsnail, Koster's	<i>Juturnia kosteri</i>	\$1,000	\$0
	Springsnail, Roswell	<i>Pyrgulopsis roswellensis</i>	\$1,100	\$0
	Springsnail, Socorro	<i>Pyrgulopsis neomexicana</i>	\$1,300	\$0
Snails subtotal			\$40,727	\$0
Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	\$183,900	\$0
	Beetle, Hungerford's crawling water	<i>Brychius hungerfordi</i>	\$1,000	\$0
	Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$262,700	\$0
	Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	\$51,110	\$0
	Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	\$5,000	\$0
	Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	\$500	\$0
	Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$42,600	\$0
	Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniana</i>	\$14,000	\$0
Insects subtotal			\$560,810	\$0
Crustaceans	Amphipod, Illinois cave	<i>Gammarus acherondytes</i>	\$1,500	\$0
	Amphipod, Noel's	<i>Gammarus desperatus</i>	\$1,600	\$0
	Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	\$1,650	\$0
Crustaceans subtotal			\$4,750	\$0
Flowering Plants	A`e	<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>	\$1,344	\$0
	A`e	<i>Zanthoxylum hawaiiense</i>	\$592	\$0
	`Ahinahina	<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>	\$2,328	\$0
	`Aiakeakua, popolo	<i>Solanum sandwicense</i>	\$1,344	\$0
	`Aiea	<i>Nothocestrum breviflorum</i>	\$2,328	\$0
	`Aiea	<i>Nothocestrum peltatum</i>	\$1,344	\$0
	`Akoko	<i>Chamaesyce deppeana</i>	\$592	\$0
	`Akoko	<i>Chamaesyce herbstii</i>	\$592	\$0
	`Akoko	<i>Euphorbia haeleleana</i>	\$592	\$0
	Alani	<i>Melicope adscendens</i>	\$752	\$0
	Alani	<i>Melicope degeneri</i>	\$592	\$0
	Alani	<i>Melicope haupuensis</i>	\$520	\$0
	Alani	<i>Melicope knudsenii</i>	\$752	\$0
	Alani	<i>Melicope mucronulata</i>	\$752	\$0
	Alani	<i>Melicope ovalis</i>	\$752	\$0
	Alani	<i>Melicope zahlbruckneri</i>	\$1,344	\$0
	Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$248	\$0
	Amphianthus, little	<i>Amphianthus pusillus</i>	\$3,500	\$0
	`Anaunau	<i>Lepidium arbuscula</i>	\$592	\$0
	`Anunu	<i>Sicyos alba</i>	\$592	\$0
	Arrowhead, bunched	<i>Sagittaria fasciculata</i>	\$2,831	\$0
	Aster, decurrent false	<i>Boltonia decurrens</i>	\$900	\$0
	Aster, Florida golden	<i>Chrysopsis floridana</i>	\$15,000	\$0
	Aupaka	<i>Isodendron hosakae</i>	\$592	\$0
	Aupaka	<i>Isodendron laurifolium</i>	\$1,344	\$0
	Aupaka	<i>Isodendron longifolium</i>	\$592	\$0
	Awiwi	<i>Centaurium sebaeoides</i>	\$752	\$0
	Beargrass, Britton's	<i>Nolina brittoniana</i>	\$2,000	\$25,000
	Bear-poppy, Dwarf	<i>Arctomecon humilis</i>	\$1,000	\$0
	Beauty, Harper's	<i>Harperocallis flava</i>	\$400	\$0
	Bellflower, Brooksville	<i>Campanula robinsiae</i>	\$6,000	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Birds-in-a-nest, white	<i>Macbridea alba</i>	\$1,000	\$0
	Bittercress, small-anthered	<i>Cardamine micranthera</i>	\$1,000	\$0
	bladderpod, Missouri	<i>Physaria filiformis</i>	\$1,500	\$0
	Blazingstar, Heller's	<i>Liatris helleri</i>	\$1,000	\$0
	Blazingstar, scrub	<i>Liatris ohlingerae</i>	\$17,000	\$150
	Bluegrass, Hawaiian	<i>Poa sandvicensis</i>	\$592	\$0
	Blue-star, Kearney's	<i>Amsonia kearneyana</i>	\$1,000	\$0
	Bluet, Roan Mountain	<i>Hedyotis purpurea</i> var. <i>montana</i>	\$1,248	\$0
	Bonamia, Florida	<i>Bonamia grandiflora</i>	\$3,500	\$24,500
	Buckwheat, scrub	<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>	\$7,000	\$0
	Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	\$26,420	\$0
	Bush-clover, prairie	<i>Lespedeza leptostachya</i>	\$6,200	\$0
	Butterwort, Godfrey's	<i>Pinguicula ionantha</i>	\$3,000	\$0
	Button, Mohr's Barbara	<i>Marshallia mohrii</i>	\$2,000	\$0
	Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>	\$3,000	\$0
	Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	\$1,000	\$0
	Cactus, Cochise pincushion	<i>Coryphantha robbinsorum</i>	\$1,000	\$0
	Cactus, Key tree	<i>Pilosocereus robinii</i>	\$10,000	\$0
	Cactus, Nichol's Turk's head	<i>Echinocactus horizonthalonius</i> var. <i>nicholii</i>	\$1,000	\$0
	Cactus, Peebles Navajo	<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>	\$1,000	\$0
	Cactus, Pima pineapple	<i>Coryphantha scheeri</i> var. <i>robustispina</i>	\$3,000	\$0
	Cactus, Siler pincushion	<i>Pediocactus</i> (= <i>Echinocactus</i> , = <i>Utahia</i>) <i>sileri</i>	\$1,000	\$0
	Campion, fringed	<i>Silene polypetala</i>	\$6,000	\$0
	Catchfly, Spalding's	<i>Silene spaldingii</i>	\$178	\$0
	Chaff-flower, round-leaved	<i>Achyranthes splendens</i> var. <i>rotundata</i>	\$592	\$0
	Chaffseed, American	<i>Schwalbea americana</i>	\$12,738	\$0
	Cliff-rose, Arizona	<i>Purshia</i> (= <i>Cowania</i>) <i>subintegra</i>	\$1,000	\$0
	Clover, running buffalo	<i>Trifolium stoloniferum</i>	\$5,500	\$0
	Coneflower, smooth	<i>Echinacea laevigata</i>	\$9,010	\$201,273
	Cycladenia, Jones	<i>Cycladenia jonesii</i> (= <i>humilis</i>)	\$1,000	\$0
	Dropwort, Canby's	<i>Oxypolis canbyi</i>	\$14,000	\$0
	Fleabane, Zuni	<i>Erigeron rhizomatus</i>	\$1,000	\$0
	Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>	\$132	\$0
	Fringe-tree, pygmy	<i>Chionanthus pygmaeus</i>	\$2,500	\$0
	Gardenia (=Na'u), Hawaiian	<i>Gardenia brighamii</i>	\$1,344	\$0
	Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>	\$1,344	\$0
	Gerardia, sandplain	<i>Agalinis acuta</i>	\$200	\$0
	Goldenrod, Houghton's	<i>Solidago houghtonii</i>	\$100	\$0
	Goldenrod, Short's	<i>Solidago shortii</i>	\$218	\$0
	Gooseberry, Miccosukee	<i>Ribes echinellum</i>	\$400	\$0
	Gourd, Okeechobee	<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>	\$2,000	\$0
	Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	\$7,500	\$0
	Groundsel, San Francisco Peaks	<i>Senecio franciscanus</i>	\$1,000	\$0
	Haha	<i>Cyanea asarifolia</i>	\$1,344	\$0
	Haha	<i>Cyanea dumbarii</i>	\$1,344	\$0
	Haha	<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>	\$1,344	\$0
	Haha	<i>Cyanea grimesiana</i> ssp. <i>obatae</i>	\$592	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Haha	<i>Cyanea hamatiflora ssp. carlsonii</i>	\$5,207	\$0
	Haha	<i>Cyanea lobata</i>	\$1,344	\$0
	Haha	<i>Cyanea longiflora</i>	\$592	\$0
	Haha	<i>Cyanea macrostegia ssp. gibsonii</i>	\$752	\$0
	Haha	<i>Cyanea pinnatifida</i>	\$1,344	\$0
	Haha	<i>Cyanea platyphylla</i>	\$5,207	\$0
	Haha	<i>Cyanea procera</i>	\$752	\$0
	Haha	<i>Cyanea remyi</i>	\$752	\$0
	Haha	<i>Cyanea shipmanii</i>	\$3,080	\$0
	Haha	<i>Cyanea stictophylla</i>	\$2,328	\$0
	Haha	<i>Cyanea st.-johnii</i>	\$752	\$0
	Haha	<i>Cyanea truncata</i>	\$752	\$0
	Haha	<i>Cyanea undulata</i>	\$752	\$0
	Haiwale	<i>Cyrtandra paliku</i>	\$592	\$0
	Ha`iwale	<i>Cyrtandra dentata</i>	\$592	\$0
	Ha`iwale	<i>Cyrtandra giffardii</i>	\$592	\$0
	Ha`iwale	<i>Cyrtandra polyantha</i>	\$752	\$0
	Ha`iwale	<i>Cyrtandra tintinnabula</i>	\$592	\$0
	Hala pepe	<i>Pleomele hawaiiensis</i>	\$4,455	\$0
	Harebells, Avon Park	<i>Crotalaria avonensis</i>	\$21,000	\$0
	Harperella	<i>Ptilimum nodosum</i>	\$4,198	\$0
	Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>	\$4,455	\$0
	Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	\$100,560	\$0
	Hibiscus, Clay's	<i>Hibiscus clayi</i>	\$592	\$0
	Honohono	<i>Haplostachys haplostachya</i>	\$592	\$0
	Howellia, water	<i>Howellia aquatilis</i>	\$221	\$0
	Hypericum, highlands scrub	<i>Hypericum cumulicola</i>	\$7,000	\$700
	Iliau, dwarf	<i>Wilkesia hobydi</i>	\$592	\$0
	Iris, dwarf lake	<i>Iris lacustris</i>	\$2,200	\$0
	Irisette, white	<i>Sisyrinchium dichotomum</i>	\$1,496	\$0
	Jacquemontia, beach	<i>Jacquemontia reclinata</i>	\$10,500	\$0
	Joint-vetch, sensitive	<i>Aeschynomene virginica</i>	\$70	\$0
	Kamakahala	<i>Labordia cyrtandrae</i>	\$1,344	\$0
	Kamakahala	<i>Labordia lydgatei</i>	\$1,344	\$0
	Kamakahala	<i>Labordia tinifolia var. wahiawaensis</i>	\$752	\$0
	Kamanomano	<i>Cenchrus agrimonioides</i>	\$752	\$0
	Kauai hau kuahiwi	<i>Hibiscadelphus distans</i>	\$592	\$0
	Kauila	<i>Colubrina oppositifolia</i>	\$3,081	\$0
	Kiponapona	<i>Phyllostegia racemosa</i>	\$3,080	\$0
	Koki`o	<i>Kokia drynarioides</i>	\$3,080	\$0
	Koki`o	<i>Kokia kauaiensis</i>	\$1,344	\$0
	Koki`o, Cooke's	<i>Kokia cookei</i>	\$592	\$0
	Koki`o ke`oke`o	<i>Hibiscus waimeae ssp. hanneriae</i>	\$592	\$0
	Kolea	<i>Myrsine knudsenii</i>	\$592	\$0
	Ko`oko`olau	<i>Bidens micrantha ssp. kalealaha</i>	\$1,344	\$0
	Ko`oloa`ula	<i>Abutilon menziesii</i>	\$2,328	\$0
	Kopiko	<i>Psychotria grandiflora</i>	\$592	\$0
	Kopiko	<i>Psychotria hobydi</i>	\$592	\$0
	Kuahiwi laukahi	<i>Plantago hawaiiensis</i>	\$2,328	\$0
	Kuahiwi laukahi	<i>Plantago princeps</i>	\$1,504	\$0
	Kula wahine noho	<i>Isodendron pyriformum</i>	\$2,328	\$0
	Kulu`i	<i>Nototrichium humile</i>	\$592	\$0
	Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>	\$1,000	\$0
	Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$1,908	\$0
	Lau`ehu	<i>Panicum niuhauense</i>	\$1,344	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Laulihilihi	<i>Schiedea stellarioides</i>	\$752	\$0
	Lead-plant, Crenulate	<i>Amorpha crenulata</i>	\$10,000	\$0
	Leather flower, Alabama	<i>Clematis socialis</i>	\$3,000	\$0
	Lily, Minnesota dwarf trout	<i>Erythronium propullans</i>	\$1,700	\$0
	Locoweed, Fassett's	<i>Oxytropis campestris</i> var. <i>chartacea</i>	\$5,000	\$0
	Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	\$3,704	\$2,500
	Lo`ulu	<i>Pritchardia affinis</i>	\$1,344	\$0
	Lo`ulu	<i>Pritchardia munroi</i>	\$752	\$0
	Lo`ulu	<i>Pritchardia napaliensis</i>	\$1,344	\$0
	Lo`ulu	<i>Pritchardia schattaueri</i>	\$4,455	\$0
	Lo`ulu	<i>Pritchardia viscosa</i>	\$1,344	\$0
	Lo`ulu, (=Na`ena`e)	<i>Pritchardia hardyi</i>	\$592	\$0
	Lousewort, Furbish	<i>Pedicularis furbishiae</i>	\$15,000	\$0
	Lupine, scrub	<i>Lupinus aridorum</i>	\$16,000	\$0
	Mahoe	<i>Alectryon macrococcus</i>	\$752	\$0
	Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	\$5,207	\$0
	Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>	\$4,810	\$0
	Mehamehame	<i>Flueggea neowawraea</i>	\$3,080	\$0
	Milkpea, Small's	<i>Galactia smallii</i>	\$1,000	\$0
	Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	\$1,000	\$0
	Milk-vetch, Jesup's	<i>Astragalus robbinsii</i> var. <i>jesupi</i>	\$2,300	\$0
	Milk-vetch, Peirson's	<i>Astragalus magdalenae</i> var. <i>peirsonii</i>	\$1,000	\$0
	Milk-vetch, Sentry	<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>	\$1,000	\$0
	Milkweed, Mead's	<i>Asclepias meadii</i>	\$30,500	\$0
	Milkweed, Welsh's	<i>Asclepias welshii</i>	\$1,500	\$0
	Mint, Garrett's	<i>Dicerandra christmanii</i>	\$8,000	\$0
	Mint, Lakela's	<i>Dicerandra immaculata</i>	\$8,000	\$0
	Mint, longspurred	<i>Dicerandra comutissima</i>	\$1,600	\$0
	Mint, scrub	<i>Dicerandra frutescens</i>	\$5,000	\$37,000
	monkey-flower, Michigan	<i>Mimulus michiganensis</i>	\$2,000	\$0
	Monkshood, northern wild	<i>Aconitum noveboracense</i>	\$500	\$0
	Mustard, Carter's	<i>Warea carteri</i>	\$1,600	\$24,500
	Naenae	<i>Dubautia kalalauensis</i>	\$592	\$0
	Na`ena`e	<i>Dubautia latifolia</i>	\$752	\$0
	Na`ena`e	<i>Dubautia pauciflora</i>	\$752	\$0
	Na`ena`e	<i>Dubautia plantaginea</i> ssp. <i>humilis</i>	\$752	\$0
	Nani wai`ale`ale	<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>	\$1,344	\$0
	Nanu	<i>Gardenia mannii</i>	\$1,344	\$0
	Naupaka, dwarf	<i>Scaevola coriacea</i>	\$592	\$0
	Nioi	<i>Eugenia koolauensis</i>	\$592	\$0
	No common name	<i>Abutilon eremitopetalum</i>	\$752	\$0
	No common name	<i>Achyranthes mutica</i>	\$5,207	\$0
	No common name	<i>Bonamia menziesii</i>	\$3,080	\$0
	No common name	<i>Delissea rhytidosperma</i>	\$592	\$0
	No common name	<i>Delissea undulata</i>	\$2,328	\$0
	No common name	<i>Geocarpon minimum</i>	\$600	\$735,500
	No common name	<i>Gouania meyenii</i>	\$1,344	\$0
	No common name	<i>Gouania vitifolia</i>	\$2,328	\$0
	No common name	<i>Hedyotis parvula</i>	\$592	\$0
	No common name	<i>Hesperomannia arbuscula</i>	\$752	\$0
	No common name	<i>Lobelia monostachya</i>	\$1,344	\$0
	No common name	<i>Lysimachia filifolia</i>	\$592	\$0
	No common name	<i>Lysimachia maxima</i>	\$1,344	\$0
	No common name	<i>Lysimachia pendens</i>	\$592	\$0
	No common name	<i>Neraudia ovata</i>	\$2,328	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	No common name	<i>Neraudia sericea</i>	\$592	\$0
	No common name	<i>Phyllostegia hirsuta</i>	\$1,344	\$0
	No common name	<i>Phyllostegia kaalaensis</i>	\$592	\$0
	No common name	<i>Phyllostegia mannii</i>	\$752	\$0
	No common name	<i>Phyllostegia mollis</i>	\$592	\$0
	No common name	<i>Phyllostegia parviflora</i>	\$1,344	\$0
	No common name	<i>Phyllostegia renovans</i>	\$592	\$0
	No common name	<i>Phyllostegia velutina</i>	\$592	\$0
	No common name	<i>Phyllostegia waimeae</i>	\$752	\$0
	No common name	<i>Phyllostegia warshaueri</i>	\$2,328	\$0
	No common name	<i>Platanthera holochila</i>	\$1,936	\$0
	No common name	<i>Remya kauaiensis</i>	\$1,344	\$0
	No common name	<i>Remya montgomeryi</i>	\$752	\$0
	No common name	<i>Schiedea haleakalensis</i>	\$1,344	\$0
	No common name	<i>Schiedea helleri</i>	\$1,344	\$0
	No common name	<i>Schiedea kaalae</i>	\$1,344	\$0
	No common name	<i>Schiedea kauaiensis</i>	\$752	\$0
	No common name	<i>Schiedea membranacea</i>	\$752	\$0
	No common name	<i>Schiedea nuttallii</i>	\$1,344	\$0
	No common name	<i>Silene alexandri</i>	\$1,344	\$0
	No common name	<i>Silene lanceolata</i>	\$592	\$0
	No common name	<i>Silene perlmanii</i>	\$1,344	\$0
	No common name	<i>Spermolepis hawaiiensis</i>	\$592	\$0
	No common name	<i>Stenogyne angustifolia angustifolia</i>	\$592	\$0
	No common name	<i>Stenogyne bifida</i>	\$752	\$0
	No common name	<i>Stenogyne campanulata</i>	\$592	\$0
	No common name	<i>Stenogyne kealiae</i>	\$592	\$0
	No common name	<i>Tetramolopium lepidotum ssp. lepidotum</i>	\$752	\$0
	No common name	<i>Tetramolopium remyi</i>	\$752	\$0
	No common name	<i>Tetraplasandra bisattenuata</i>	\$592	\$0
	No common name	<i>Tetraplasandra flymii</i>	\$1,344	\$0
	No common name	<i>Vigna o-wahuensis</i>	\$592	\$0
	No common name	<i>Viola helenae</i>	\$1,344	\$0
	No common name	<i>Viola lanaiensis</i>	\$752	\$0
	No common name	<i>Xylosma crenatum</i>	\$752	\$0
	Nohoanu	<i>Geranium multiflorum</i>	\$592	\$0
	Ohai	<i>Sesbania tomentosa</i>	\$1,344	\$0
	`Oha wai	<i>Clermontia lindseyana</i>	\$5,207	\$0
	`Oha wai	<i>Clermontia oblongifolia ssp. brevipes</i>	\$1,344	\$0
	`Oha wai	<i>Clermontia peleana</i>	\$3,081	\$0
	`Oha wai	<i>Clermontia pyrularia</i>	\$3,081	\$0
	Opuhe	<i>Urera kaalae</i>	\$1,344	\$0
	Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$5,600	\$0
	Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$25,300	\$0
	Pa'iniu	<i>Astelia waialealae</i>	\$592	\$0
	Panicgrass, Carter's	<i>Panicum fauriei var. carteri</i>	\$752	\$0
	Pawpaw, beautiful	<i>Deeringothammus pulchellus</i>	\$200	\$0
	Pawpaw, four-petal	<i>Asimina tetramera</i>	\$2,000	\$0
	Pawpaw, Rugel's	<i>Deeringothammus rugelii</i>	\$500	\$0
	Penstemon, blowout	<i>Penstemon haydenii</i>	\$700	\$0
	Peppergrass, Slickspot	<i>Lepidium papilliferum</i>	\$15,217	\$0
	Pigeon wings	<i>Clitoria fragrans</i>	\$4,000	\$0
	Pinkroot, gentian	<i>Spigelia gentianoides</i>	\$1,000	\$0
	Pink, swamp	<i>Helonias bullata</i>	\$7,762	\$0
	Pitcher-plant, green	<i>Sarracenia oreophila</i>	\$1,500	\$0
	Pitcher-plant, mountain sweet	<i>Sarracenia rubra ssp. jonesii</i>	\$2,979	\$0
	Plum, scrub	<i>Prunus geniculata</i>	\$8,000	\$3,500
	Po'e	<i>Portulaca sclerocarpa</i>	\$1,344	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Pogonia, small whorled	<i>Isotria medeoloides</i>	\$18,262	\$0
	Polygala, Lewton's	<i>Polygala lewtonii</i>	\$17,500	\$0
	Polygala, tiny	<i>Polygala smallii</i>	\$200	\$0
	Pondberry	<i>Lindera melissifolia</i>	\$18,115	\$0
	Popolo ku mai	<i>Solanum incompletum</i>	\$592	\$0
	Prickly-apple, fragrant	<i>Cereus eriophorus var. fragrans</i>	\$1,700	\$0
	Pua `ala	<i>Brighamia rockii</i>	\$752	\$0
	Rattleweed, hairy	<i>Baptisia arachnifera</i>	\$11,500	\$0
	Rhododendron, Chapman	<i>Rhododendron chapmanii</i>	\$4,500	\$0
	rock cress, shale barren	<i>Arabis serotina</i>	\$550	\$0
	Rosemary, Apalachicola	<i>Conradina glabra</i>	\$6,000	\$0
	Rosemary, Etonia	<i>Conradina etonia</i>	\$3,000	\$0
	Rosemary, short-leaved	<i>Conradina brevifolia</i>	\$10,000	\$0
	Sandlace	<i>Polygonella myriophylla</i>	\$3,000	\$2,500
	Schiedea, Diamond Head	<i>Schiedea adamantis</i>	\$1,344	\$0
	Seagrass, Johnson's	<i>Halophila johnsonii</i>	\$4,000	\$0
	Sedge, golden	<i>Carex lutea</i>	\$780	\$0
	Sedge, Navajo	<i>Carex specuicola</i>	\$1,000	\$0
	Silversword, Mauna Loa (=Ka'u)	<i>Argyroxiphium kauense</i>	\$2,328	\$0
	Skullcap, Florida	<i>Scutellaria floridana</i>	\$800	\$0
	Skullcap, large-flowered	<i>Scutellaria montana</i>	\$1,500	\$0
	Snakeroot	<i>Eryngium cuneifolium</i>	\$5,500	\$1,000
	Sneezeweed, Virginia	<i>Helenium virginicum</i>	\$1,500	\$0
	Spiraea, Virginia	<i>Spiraea virginiana</i>	\$2,098	\$0
	Spurge, deltoid	<i>Chamaesyce deltoidea ssp. deltoidea</i>	\$1,200	\$0
	Spurge, Garber's	<i>Chamaesyce garberi</i>	\$700	\$0
	Spurge, telephus	<i>Euphorbia telephioides</i>	\$200	\$0
	Sumac, Michaux's	<i>Rhus michauxii</i>	\$7,280	\$0
	Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	\$8,038	\$0
	Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$500	\$0
	Trillium, persistent	<i>Trillium persistens</i>	\$4,500	\$0
	Trillium, relict	<i>Trillium reliquum</i>	\$4,300	\$0
	Uhiuhi	<i>Caesalpinia kavaiense</i>	\$3,080	\$0
	Vetch, Hawaiian	<i>Vicia menziesii</i>	\$1,344	\$0
	Wahane	<i>Pritchardia aylmer-robinsonii</i>	\$592	\$0
	Warea, wide-leaf	<i>Warea amplexifolia</i>	\$9,000	\$0
	Water-plantain, Kral's	<i>Sagittaria secundifolia</i>	\$1,500	\$0
	Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>	\$1,000	\$0
	Water-willow, Cooley's	<i>Justicia cooleyi</i>	\$200	\$0
	Whitlow-wort, papery	<i>Paronychia chartacea</i>	\$3,000	\$25,000
	Wireweed	<i>Polygonella basiramia</i>	\$3,500	\$2,000
	Ziziphus, Florida	<i>Ziziphus celata</i>	\$43,500	\$0
Flowering Plants subtotal			\$947,770	\$1,085,123
Conifers and Cycads	Torreya, Florida	<i>Torreya taxifolia</i>	\$17,500	\$3,557,000
Conifers and Cycads subtotal			\$17,500	\$3,557,000
Ferns and Allies	Diellia, asplenium-leaved	<i>Diellia erecta</i>	\$2,096	\$0
	Fern, American hart's-tongue	<i>Asplenium scolopendrium var. americanum</i>	\$100	\$0
	No common name	<i>Diellia mannii</i>	\$1,344	\$0
	No common name	<i>Diellia unisora</i>	\$752	\$0
	No common name	<i>Diplazium molokaiense</i>	\$752	\$0
	No common name	<i>Doryopteris angelica</i>	\$592	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Quillwort, black spored	<i>Isoetes melanospora</i>	\$2,500	\$0
	Quillwort, mat-forming	<i>Isoetes tegetiformans</i>	\$2,500	\$0
	Wawae`iole	<i>Huperzia mannii</i>	\$592	\$0
Ferns and Allies subtotal			\$11,228	\$0
Lichens	Cladonia, Florida perforate	<i>Cladonia perforata</i>	\$9,000	\$0
	Lichen, rock gnome	<i>Gymmoderma lineare</i>	\$2,000	\$0
Lichens subtotal			\$11,000	\$0
Totals			\$36,325,031	\$22,121,235
State Governments Grand Total			\$58,446,266	

**U. S. Fish and Wildlife Service
Endangered Species Program
1849 C Street, NW (MS-420-ARLSQ)
Washington, D. C. 20240
<http://www.fws.gov/endangered>**

Photo Credits

Desert tortoise (*Gopherus agassizii*) - Beth Jackson/USFWS

Polar bear (*Ursus maritimus*) - Lana Langlois

Mission blue butterfly (*Icaricia icarioides missionensis*) - Patrick Kobernus/USFWS

Green pitcher plant (*Sarracenia oreophila*) - USFWS

Piping plover (*Charadrius melodus*) - Gene Nieminen/USFWS

Bull trout (*Salvelinus confluentus*) - USFWS

Black-footed ferret (*Mustela nigripes*) - Ryan Hagerty/USFWS

Houston toad (*Bufo houstonensis*) – Paige Najvar/USFWS