

U.S. Fish & Wildlife Service

# FEDERAL AND STATE ENDANGERED AND THREATENED SPECIES EXPENDITURES *Fiscal Year 2007*



# TABLE OF CONTENTS

## **ENDANGERED SPECIES EXPENDITURES FISCAL YEAR 2007**

PURPOSE .....	1
BACKGROUND.....	1
SECTION 18(1), FEDERAL EXPENDITURES .....	2
SECTION 18(2), STATE EXPENDITURES .....	3
SUMMARY OF DATA.....	3
COMPARISON TO PREVIOUS REPORTS .....	3
<b>Table 1.</b> FY 2007 Reported Expenditures for Endangered and Threatened Species.....	4
<b>Table 2.</b> Species Ranked in Descending Order of Total FY 2007 Reported Expenditures.....	46
<b>Table 3.</b> FY 2007 Reported Land Acquisition Expenditures for Endangered and Threatened Species....	82
<b>Table 4.</b> FY 2007 Expenditures Reported by Individual Federal Agencies and the States.....	90
<b>Appendix A.</b> Supplemental Guidance for Reporting Expenditures for the Conservation of Endangered and Threatened Species.....	95
<b>Appendix B.</b> Reports Provided by Other Federal Agencies.....	98
<b>Appendix C.</b> Expenditures Reported by the States.....	189
<b>Appendix D.</b> Comments from Reporting Agencies on Species Expenditures.....	200
<b>Appendix E.</b> Comments from Reporting Agencies on Other ESA Expenses.....	201

## **ENDANGERED SPECIES EXPENDITURES FISCAL YEAR 2007**

### **PURPOSE**

The Endangered Species Act of 1973 (16 U.S.C. 1531 *et seq.*) was reauthorized and amended on October 7, 1988, under Public Law 100-478. A new section 18 was added to the Act that requires the Fish and Wildlife Service (Service) on behalf of the Secretary of the Interior to report on certain expenditures on a species-by-species basis. The section reads:

SEC. 18. On or before January 15, 1990, and each January 15 thereafter, the Secretary of the Interior, acting through the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain

- (1) the accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act; and
- (2) an accounting on a species-by-species basis of all reasonably identifiable expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act by States receiving grants under section 6.

This document constitutes the 18th report by the Service pursuant to the requirements of section 18 of the Act. The report covers fiscal year 2007 (October 2006 - September 2007), although some States may be reporting for a different fiscal year period (without duplicating a previous year's reported data).

The term "State" as used in this report is defined in section 3(17) of the Act to mean any of the several States, the District of Columbia, the Commonwealth of Puerto Rico, American Samoa, the Virgin Islands, Guam, and the Trust Territory of the Pacific Islands.

The term "conservation," as defined in section 3(3) of the Act, means the use of all methods and procedures necessary to bring any endangered or threatened species to the point where the measures provided for by the Act are no longer necessary--including, but not limited to, research, census, law enforcement, habitat acquisition and maintenance, propagation, live trapping, and transplantation. For the purposes of this report, the definition of conservation is further expanded to include any and all actions taken by Federal and State agencies on behalf of threatened or endangered species listed pursuant to the Act.

### **BACKGROUND**

At the time the reporting requirement was enacted by Congress, the Service determined that a good faith effort was expected to develop methods to track and obtain data that are "reasonably identifiable." No extensive or extraordinary measures to develop exceptionally precise data were sought, nor were the reporting agencies expected to prorate staff salaries and other normal operational and maintenance costs not directed toward a particular species. The expenditures reported in this and the preceding reports do not necessarily constitute all expenditures made for each species.

This report represents a compilation of reasonably identifiable expenditures for the conservation of listed species reported independently by the various Federal and State agencies. Expenditures for FY 2007 are reported for 1250 threatened and endangered species of the 1291 species that were listed under United States jurisdiction in 50 CFR Part 17 as of September 30, 2007 (Tables 1 and 3).

Expenditures are identified by listed entity, which may be a species<sup>1</sup>, subspecies<sup>2</sup>, Distinct Population Segment (DPS)<sup>3</sup>, or Evolutionarily Significant Unit (ESU)<sup>4</sup>, as identified in 50 CFR 17.11 and 17.12. They are reported separately for the Service and in aggregate for all other Federal agencies and the States (Tables 1 and 3).

For these annual reports, the Service requests that all reporting agencies submit their data directly into a Web-based data entry system to ensure accuracy, consistency, and efficiency. At the time of submission, the reporting agencies certify that their information is accurate and has been approved by the head of their agency. The information provided in this report, pursuant to section 18 of the Endangered Species Act, is presented as it was submitted by these agencies.

Expenditures for candidate species or other species not listed in 50 CFR Part 17 as of the end of each fiscal year are not included in this report. In addition, other types of expenses, such as those for litigation, generally are not reported and are not included.

## **SECTION 18(1), FEDERAL EXPENDITURES**

### **Expenditures Reported by the Fish and Wildlife Service**

The Service's operational categories of expenditures include fisheries, refuges, land acquisition, law enforcement, research, and regional and field office operations for listing, recovery, consultation, migratory birds, and grants. All reasonably identifiable expenditures that could be attributed to individual species within these activities have been included.

The Federal assistance portion under section 6 of the Act for each species is included in the FWS Total in Table 1. The State share for each species for which a Federal contribution was made is included in the States Total column of Table 1.

A significant portion of the Service's funds for consultations, listing, and recovery are incorporated into salaries, operations, and maintenance costs. As a result, they are not reasonably identifiable to specific species. Previously, only salary, operation, and maintenance costs toward individual species coordinators (e.g., whooping crane, red wolf, grizzly bear, sea turtle) were included in the reports. With the addition of the "Other ESA Expenses" category, salaries, operations, and maintenance costs are included if they contributed to the conservation of listed species, but cannot be attributed to an individual species.

### **Expenditures Reported by other Federal Agencies**

The Director of the Service sends a request to other Federal agencies identified as likely to have species-specific expenditures under the Act to report for each fiscal year. The Service provides guidance identifying what constitutes reasonably identifiable expenditures and how these are to be reported (Appendix A). Results from all responding Federal agencies are included in Appendix B. The data identified by those responding Federal agencies for individual species have been tabulated in the "Other Fed" columns of this report (Tables 1 and 3). Agency expenses that could not be reasonably assigned to a specific species are summarized in Appendix E.

---

<sup>1</sup> **Species** For purposes of the Endangered Species Act, this term includes any species or subspecies of fish or wildlife or plants, and any Distinct Population Segment of any species of vertebrate fish or wildlife that interbreeds when mature.

<sup>2</sup> **Subspecies** A taxonomic rank below that of species, usually recognizing individuals that have certain heritable characteristics distinct from other subspecies of a species.

<sup>3</sup> **Distinct Population Segment** A subdivision of a vertebrate species that is treated as a species for purposes of listing under the Endangered Species Act.

<sup>4</sup> **Evolutionarily Significant Unit** A Pacific salmonid stock that is substantially reproductively isolated from other stocks of the same species and which represents an important part of the evolutionary legacy of the species; functionally equivalent to DPS for the purpose of listing under ESA.

## **SECTION 18(2), STATE EXPENDITURES**

The assistance of the Association of Fish and Wildlife Agencies is sought by the Service to help coordinate the reporting of reasonably identifiable expenditures made by the States. States report their data by species directly to the Service. Collective results from all responding State agencies are included in Appendix C.

### **SUMMARY OF DATA**

**Table 1** reports the activity-related expenditures that are reasonably identifiable to specific individual species as well as "Other ESA Expenses" by the Service, other Federal agencies collectively, and the States collectively. Expenditures for land acquisitions are not included in this tabulation or used in the ranking. Species are grouped in the same general order as they appear in 50 CFR Part 17. Table 1 also provides the rank for each species from Table 2.

**Table 2** ranks each species in descending order by the species total from Table 1. A cumulative total of the activity-related, species-specific expenditures is also provided.

**Table 3** displays land acquisition expenditures, reasonably identifiable to specific individual species, by the Service, other Federal agencies collectively, and the States collectively. "Other ESA Expenses" in each category are shown at the end of the table. Table 3 also provides the rank for land expenditures by species.

**Tables 4A - E** show total expenditures for species and land acquisition by reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species and "Other ESA Expenses" are included.

**Total expenditures** reported for **FY 2007** were **\$1,663,370,090**, of which **\$1,568,067,030** was reported by Federal agencies and **\$95,303,060** was reported by the States. (Table 4A)

### **COMPARISON TO PREVIOUS REPORTS**

Over the years, these reports have been refined as our experience in planning and coordinating with the reporting agencies to track such expenditures has improved. A good faith effort is made to develop species-by-species expenditures for these reports, but due to differences in reporting methods, this report cannot be easily compared to prior expenditures reports. These year-to-year differences include changes in the number of Federal and State agencies reporting data, changes in how expenditures are calculated, changes in the agencies' abilities to track expenditures, and changes in the number of listed species. Therefore, real dollar increases or decreases cannot accurately be calculated or inferred from the overall or individual totals.

**TABLE 1. FY 2007 REPORTED EXPENDITURES FOR ENDANGERED  
AND THREATENED SPECIES**

The list of species in Table 1 essentially follows the taxonomic and nomenclatural conventions used in 50 CFR Part 17 for the identification and sequence of species' names. For ease of reference, the alphabetized, inverted common name is provided within each group (usually Class) of animals and plants. Thus, the gray bat is found with other bats under "Bat, gray" within mammals, and Tar River spiny mussel is found under "Spiny mussel, Tar River" within the clams. Groups of animals follow the sequence: Mammals, Birds, Reptiles, Amphibians, Fishes, and Invertebrates, which include Clams, Snails, Insects, Arachnids, and Crustaceans. Groups of plants follow the sequence: Flowering Plants, Conifers, Ferns, and Lichens.

For additional information about the names, historical range, or status of an endangered or threatened species, the species can be found in 50 CFR 17.11 (wildlife) or 17.12 (plants), or through our Web site at <http://www.fws.gov/endangered>. The STATUS column indicates whether the species is endangered (E), threatened (T), experimental (EXPN), or threatened by similarity of appearance (SAT).

Fish and Wildlife Service activity-related expenditures (FWS Total) and other Federal agency activity-related expenditures (Other Fed) are totaled in the "Fed Total" column. The States Total is the amount reported to the Service directly by the States. None of these reported totals includes costs for land acquisition. (See Table 3 for reported land acquisition expenditures.)

The RANK is from Table 2 and indicates each species' rank by identifiable expenditures, where #1 is the highest expenditure.

Activity-related expenditures that are not attributable to a species are tabulated at the end of Table 1 under "Other ESA Expenses."

**TABLE 1. REPORTED EXPENDITURES FOR FY 2007 FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<b>Mammals</b>						
97	Bat, gray ( <i>Myotis grisescens</i> )	E	\$239,641	\$830,790	\$1,070,431	\$38,460	\$1,108,891
136	Bat, Hawaiian hoary ( <i>Lasiurus cinereus semotus</i> )	E	\$427,763	\$229,702	\$657,465	\$0	\$657,465
39	Bat, Indiana ( <i>Myotis sodalis</i> )	E	\$1,192,778	\$4,859,885	\$6,052,663	\$238,456	\$6,291,119
199	Bat, lesser long-nosed ( <i>Leptonycteris curasoae yerbabuena</i> )	E	\$18,000	\$287,632	\$305,632	\$31,500	\$337,132
302	Bat, little Mariana fruit ( <i>Pteropus tokudae</i> )	E	\$900	\$170,000	\$170,900	\$0	\$170,900
359	Bat, Mariana fruit (=Mariana flying fox) ( <i>Pteropus mariannus mariannus</i> ) entire	T	\$49,500	\$73,201	\$122,701	\$0	\$122,701
539	Bat, Mexican long-nosed ( <i>Leptonycteris nivalis</i> )	E	\$2,000	\$48,482	\$50,482	\$1,200	\$51,682
343	Bat, Ozark big-eared ( <i>Corynorhinus (=Plecotus) townsendii ingens</i> )	E	\$113,000	\$18,070	\$131,070	\$2,900	\$133,970
473	Bat, Virginia big-eared ( <i>Corynorhinus (=Plecotus) townsendii virginianus</i> )	E	\$32,896	\$21,500	\$54,396	\$13,061	\$67,457
351	Bear, American black ( <i>Ursus americanus</i> ) County range of LA b.bear	SAT	\$13,000	\$61,065	\$74,065	\$53,000	\$127,065
120	Bear, grizzly ( <i>Ursus arctos horribilis</i> ) experimental, non-essential, portions of ID and MT	EXPN	\$0	\$853,700	\$853,700	\$0	\$853,700
47	Bear, grizzly ( <i>Ursus arctos horribilis</i> ) lower 48 States, except where listed as an experimental population or delisted	T	\$476,928	\$2,564,902	\$3,041,830	\$1,733,026	\$4,774,856
224	Bear, grizzly ( <i>Ursus arctos horribilis</i> ) Yellowstone DPS	DM	\$0	\$281,570	\$281,570	\$0	\$281,570
77	Bear, Louisiana black ( <i>Ursus americanus luteolus</i> )	T	\$255,000	\$1,381,360	\$1,636,360	\$126,622	\$1,762,982
274	Caribou, woodland ( <i>Rangifer tarandus caribou</i> ) Selkirk Mountain population	E	\$148,015	\$29,711	\$177,726	\$28,051	\$205,777
329	Deer, Columbian white-tailed ( <i>Odocoileus virginianus leucurus</i> ) Columbia River DPS	E	\$116,982	\$27,460	\$144,442	\$8,000	\$152,442
311	Deer, key ( <i>Odocoileus virginianus clavium</i> )	E	\$158,000	\$4,923	\$162,923	\$0	\$162,923
70	Ferret, black-footed ( <i>Mustela nigripes</i> ) U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	EXPN	\$1,477,585	\$685,689	\$2,163,274	\$343,599	\$2,506,873
115	Ferret, black-footed ( <i>Mustela nigripes</i> ) entire population, except where EXPN	E	\$2,000	\$584,108	\$586,108	\$290,655	\$876,763
60	Fox, San Joaquin kit ( <i>Vulpes macrotis mutica</i> )	E	\$1,107,100	\$2,949,646	\$4,056,746	\$0	\$4,056,746
181	Fox, San Miguel Island ( <i>Urocyon littoralis littoralis</i> )	E	\$32,730	\$351,975	\$384,705	\$0	\$384,705
563	Fox, Santa Catalina Island ( <i>Urocyon littoralis catalinae</i> )	E	\$32,731	\$13,022	\$45,753	\$0	\$45,753
184	Fox, Santa Cruz Island ( <i>Urocyon littoralis santacruzae</i> )	E	\$46,566	\$332,742	\$379,308	\$0	\$379,308
488	Fox, Santa Rosa Island ( <i>Urocyon littoralis santarosae</i> )	E	\$36,516	\$27,742	\$64,258	\$0	\$64,258
404	Jaguar ( <i>Panthera onca</i> )	E	\$32,107	\$55,050	\$87,157	\$10,000	\$97,157
553	Jaguarundi, Gulf Coast ( <i>Herpailurus (=Felis) yagouaroundi cacomitli</i> )	E	\$41,000	\$5,280	\$46,280	\$2,500	\$48,780
984	Jaguarundi, Sinaloan ( <i>Herpailurus (=Felis)</i> )	E	\$0	\$100	\$100	\$0	\$100

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>yagouaroundi tolteca</i>						
489	Kangaroo rat, Fresno ( <i>Dipodomys nitratooides exilis</i> )	E	\$19,000	\$45,111	\$64,111	\$0	\$64,111
133	Kangaroo rat, giant ( <i>Dipodomys ingens</i> )	E	\$130,256	\$538,666	\$668,922	\$0	\$668,922
656	Kangaroo rat, Morro Bay ( <i>Dipodomys heermanni morroensis</i> )	E	\$30,533	\$500	\$31,033	\$0	\$31,033
245	Kangaroo rat, San Bernardino Merriam's ( <i>Dipodomys merriami parvus</i> )	E	\$200,435	\$31,569	\$232,004	\$0	\$232,004
484	Kangaroo rat, Stephens' ( <i>Dipodomys stephensi</i> (incl. <i>D. cascus</i> ))	E	\$23,230	\$41,620	\$64,850	\$0	\$64,850
125	Kangaroo rat, Tipton ( <i>Dipodomys nitratooides nitratooides</i> )	E	\$24,568	\$757,000	\$781,568	\$0	\$781,568
58	Lynx, Canada ( <i>Lynx canadensis</i> ) lower 48 States DPS	T	\$561,502	\$2,128,386	\$2,689,888	\$624,678	\$3,314,566
16	Manatee, West Indian ( <i>Trichechus manatus</i> )	E	\$1,793,100	\$2,695,379	\$4,488,479	\$10,218,688	\$14,707,167
458	Mountain beaver, Point Arena ( <i>Aplodontia rufa nigra</i> )	E	\$49,000	\$23,000	\$72,000	\$0	\$72,000
196	Mouse, Alabama beach ( <i>Peromyscus polionotus ammobates</i> )	E	\$336,945	\$3,500	\$340,445	\$0	\$340,445
527	Mouse, Anastasia Island beach ( <i>Peromyscus polionotus phasma</i> )	E	\$42,000	\$11,727	\$53,727	\$0	\$53,727
332	Mouse, Choctawhatchee beach ( <i>Peromyscus polionotus allophrys</i> )	E	\$86,500	\$62,010	\$148,510	\$0	\$148,510
460	Mouse, Key Largo cotton ( <i>Peromyscus gossypinus allapaticola</i> )	E	\$17,500	\$53,890	\$71,390	\$0	\$71,390
589	Mouse, Pacific pocket ( <i>Perognathus longimembris pacificus</i> )	E	\$33,248	\$9,569	\$42,817	\$0	\$42,817
287	Mouse, Perdido Key beach ( <i>Peromyscus polionotus trissyllepsis</i> )	E	\$124,000	\$34,435	\$158,435	\$29,293	\$187,728
144	Mouse, Preble's meadow jumping ( <i>Zapus hudsonius preblei</i> ) Colorado	T	\$179,273	\$446,207	\$625,480	\$4,221	\$629,701
238	Mouse, salt marsh harvest ( <i>Reithrodontomys raviventris</i> )	E	\$149,572	\$102,065	\$251,637	\$0	\$251,637
453	Mouse, southeastern beach ( <i>Peromyscus polionotus niveiventris</i> )	T	\$32,000	\$42,252	\$74,252	\$0	\$74,252
406	Mouse, St. Andrew beach ( <i>Peromyscus polionotus peninsularis</i> )	E	\$47,000	\$48,330	\$95,330	\$0	\$95,330
256	Ocelot ( <i>Leopardus (=Felis) pardalis</i> )	E	\$160,007	\$7,780	\$167,787	\$53,500	\$221,287
189	Otter, Northern Sea ( <i>Enhydra lutris kenyoni</i> ) southwest Alaska DPS	T	\$322,000	\$30,317	\$352,317	\$0	\$352,317
140	Otter, southern sea ( <i>Enhydra lutris nereis</i> ) south of Pt. Conception, CA	EXPN	\$4,702	\$635,691	\$640,393	\$0	\$640,393
203	Otter, southern sea ( <i>Enhydra lutris nereis</i> ) except where EXPN	T	\$253,158	\$64,499	\$317,657	\$0	\$317,657
46	Panther, Florida ( <i>Puma (=Felis) concolor coryi</i> )	E	\$717,500	\$797,645	\$1,515,145	\$3,273,728	\$4,788,873
165	Prairie dog, Utah ( <i>Cynomys parvidens</i> )	T	\$110,243	\$255,280	\$365,523	\$103,000	\$468,523
91	Pronghorn, Sonoran ( <i>Antilocapra americana sonoriensis</i> )	E	\$1,000	\$1,047,207	\$1,048,207	\$225,000	\$1,273,207
822	Puma (=cougar), eastern ( <i>Puma (=Felis) concolor cougar</i> )	E	\$7,861	\$2,517	\$10,378	\$811	\$11,189
298	Rabbit, Lower Keys marsh ( <i>Sylvilagus palustris</i> )	E	\$135,500	\$40,100	\$175,600	\$0	\$175,600



Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>hefneri</i> )						
209	Rabbit, pygmy ( <i>Brachylagus idahoensis</i> ) Columbia Basin DPS	E	\$196,726	\$11,136	\$207,862	\$99,600	\$307,462
187	Rabbit, riparian brush ( <i>Sylvilagus bachmani riparius</i> )	E	\$118,700	\$240,740	\$359,440	\$0	\$359,440
565	Rice rat ( <i>Oryzomys palustris natator</i> ) lower FL Keys	E	\$20,000	\$25,287	\$45,287	\$0	\$45,287
40	Sea-lion, Steller ( <i>Eumetopias jubatus</i> ) eastern pop.	T	\$2,300	\$5,776,194	\$5,778,494	\$5,000	\$5,783,494
1	Sea-lion, Steller ( <i>Eumetopias jubatus</i> ) western pop.	E	\$11,300	\$53,213,988	\$53,225,288	\$7,500	\$53,232,788
63	Seal, Hawaiian monk ( <i>Monachus schauinslandi</i> )	E	\$222,800	\$2,849,361	\$3,072,161	\$0	\$3,072,161
246	Sheep, bighorn ( <i>Ovis canadensis</i> ) Peninsular CA pop.	E	\$351,875	\$203,476	\$555,351	\$0	\$555,351
148	Sheep, Sierra Nevada bighorn ( <i>Ovis canadensis sierrae</i> ) Sierra Nevada	E	\$550,976	\$31,140	\$582,116	\$0	\$582,116
971	Shrew, Buena Vista Lake ornate ( <i>Sorex ornatus relictus</i> )	E	\$1,000	\$0	\$1,000	\$0	\$1,000
462	Squirrel, Carolina northern flying ( <i>Glaucomys sabrinus coloratus</i> )	E	\$33,800	\$28,700	\$62,500	\$8,500	\$71,000
505	Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) Entire, except Sussex Co., DE	E	\$3,000	\$48,676	\$51,676	\$8,000	\$59,676
220	Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) U.S.A. (DE, Sussex Co.)	EXPN	\$226,500	\$0	\$226,500	\$63,000	\$289,500
240	Squirrel, Mount Graham red ( <i>Tamiasciurus hudsonicus grahamensis</i> )	E	\$137,000	\$94,100	\$231,100	\$15,000	\$246,100
179	Squirrel, northern Idaho ground ( <i>Spermophilus brunneus brunneus</i> )	T	\$296,779	\$39,487	\$336,266	\$60,238	\$396,504
297	Squirrel, Virginia northern flying ( <i>Glaucomys sabrinus fuscus</i> )	E	\$88,974	\$75,000	\$163,974	\$11,833	\$175,807
831	Vole, Amargosa ( <i>Microtus californicus scirpensis</i> )	E	\$62,956	\$8,200	\$71,156	\$0	\$71,156
954	Vole, Florida salt marsh ( <i>Microtus pennsylvanicus dukecampbelli</i> )	E	\$0	\$2,000	\$2,000	\$0	\$2,000
873	Vole, Hualapai Mexican ( <i>Microtus mexicanus hualpaiensis</i> )	E	\$0	\$7,100	\$7,100	\$0	\$7,100
230	Whale, blue ( <i>Balaenoptera musculus</i> )	E	\$0	\$265,613	\$265,613	\$0	\$265,613
73	Whale, bowhead ( <i>Balaena mysticetus</i> )	E	\$0	\$2,165,840	\$2,165,840	\$0	\$2,165,840
372	Whale, finback ( <i>Balaenoptera physalus</i> )	E	\$0	\$111,220	\$111,220	\$500	\$111,720
962	Whale, gray ( <i>Eschrichtius robustus</i> ) W Pacific Ocean	E	\$0	\$1,500	\$1,500	\$0	\$1,500
51	Whale, humpback ( <i>Megaptera novaeangliae</i> )	E	\$0	\$4,212,468	\$4,212,468	\$4,500	\$4,216,968
265	Whale, killer ( <i>Orcinus orca</i> ) Southern Resident DPS	E	\$0	\$216,375	\$216,375	\$0	\$216,375
15	Whale, right ( <i>Balaena glacialis (incl. australis)</i> )	E	\$1,000	\$16,550,580	\$16,551,580	\$1,134,913	\$17,686,493
375	Whale, Sei ( <i>Balaenoptera borealis</i> )	E	\$0	\$109,046	\$109,046	\$2,000	\$111,046
356	Whale, sperm ( <i>Physeter catodon (=macrocephalus)</i> )	E	\$7,000	\$115,926	\$122,926	\$0	\$122,926
75	Wolf, gray ( <i>Canis lupus</i> ) Mexican gray wolf, EXPN population	EXPN	\$1,236,000	\$445,370	\$1,681,370	\$197,741	\$1,879,111

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
90	Wolf, gray ( <i>Canis lupus</i> ) Lower 48 States, except where delisted and where EXPN. Mexico.	E	\$579,963	\$125,481	\$705,444	\$568,073	\$1,273,517
84	Wolf, gray ( <i>Canis lupus</i> ) WY, ID, MT	EXPN	\$0	\$1,429,434	\$1,429,434	\$46,065	\$1,475,499
142	Wolf, gray ( <i>Canis lupus</i> ) Western Great Lakes DPS	DM	\$0	\$554,995	\$554,995	\$82,500	\$637,495
110	Wolf, gray ( <i>Canis lupus</i> ) MN	DM	\$186,975	\$732,681	\$919,656	\$25,000	\$944,656
112	Wolf, red ( <i>Canis rufus</i> ) U.S.A. (portions of NC and TN)	EXPN	\$933,500	\$1,500	\$935,000	\$1,523	\$936,523
160	Wolf, red ( <i>Canis rufus</i> ) except where EXPN	E	\$505,600	\$2,754	\$508,354	\$0	\$508,354
276	Woodrat, Key Largo ( <i>Neotoma floridana smalli</i> )	E	\$52,000	\$150,891	\$202,891	\$0	\$202,891
978	Woodrat, riparian (=San Joaquin Valley) ( <i>Neotoma fuscipes riparia</i> )	E	\$0	\$600	\$600	\$0	\$600
	<b>Mammals Subtotal</b>		<b>\$17,471,095</b>	<b>\$116,552,418</b>	<b>\$134,023,513</b>	<b>\$19,795,435</b>	<b>\$153,818,948</b>
	<b>Birds</b>						
373	Akepa, Hawaii (honeycreeper) ( <i>Loxops coccineus coccineus</i> )	E	\$103,500	\$7,812	\$111,312	\$0	\$111,312
780	Akepa, Maui (honeycreeper) ( <i>Loxops coccineus ochraceus</i> )	E	\$13,400	\$2,812	\$16,212	\$0	\$16,212
663	Akialoa, Kauai (honeycreeper) ( <i>Hemignathus procerus</i> )	E	\$27,100	\$2,812	\$29,912	\$0	\$29,912
388	Akiapola'au (honeycreeper) ( <i>Hemignathus munroi</i> )	E	\$95,500	\$9,112	\$104,612	\$0	\$104,612
162	Albatross, short-tailed ( <i>Phoebastria (=Diomedea) albatrus</i> )	E	\$269,000	\$220,801	\$489,801	\$0	\$489,801
261	Blackbird, yellow-shouldered ( <i>Agelaius xanthomus</i> )	E	\$158,500	\$0	\$158,500	\$59,849	\$218,349
414	Bobwhite, masked (quail) ( <i>Colinus virginianus ridgwayi</i> )	E	\$91,000	\$1,000	\$92,000	\$750	\$92,750
225	Caracara, Audubon's crested ( <i>Polyborus plancus audubonii</i> ) FL pop.	T	\$90,000	\$186,401	\$276,401	\$0	\$276,401
497	Condor, California ( <i>Gymnogyps californianus</i> ) U.S.A. (specific portions of Arizona, Nevada, and Utah)	EXPN	\$0	\$52,200	\$52,200	\$10,000	\$62,200
79	Condor, California ( <i>Gymnogyps californianus</i> ) U.S.A. only	E	\$1,246,681	\$344,776	\$1,591,457	\$325,000	\$1,916,457
118	Coot, Hawaiian ( <i>Fulica americana alai</i> )	E	\$744,200	\$117,922	\$862,122	\$0	\$862,122
171	Crane, Mississippi sandhill ( <i>Grus canadensis pulla</i> )	E	\$425,000	\$2,400	\$427,400	\$700	\$428,100
86	Crane, whooping ( <i>Grus americana</i> ) U.S.A. (AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	EXPN	\$501,600	\$829,173	\$1,330,773	\$651	\$1,331,424
99	Crane, whooping ( <i>Grus americana</i> ) except where EXPN	E	\$215,000	\$843,532	\$1,058,532	\$13,500	\$1,072,032
161	Crane, whooping ( <i>Grus americana</i> ) U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	EXPN	\$218,706	\$20,950	\$239,656	\$253,621	\$493,277
394	Creepers, Hawaii ( <i>Oreomyza mana</i> )	E	\$95,500	\$6,300	\$101,800	\$0	\$101,800
966	Creepers, Molokai ( <i>Paroreomyza flammea</i> )	E	\$1,182	\$0	\$1,182	\$0	\$1,182

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
975	Creepers, Oahu ( <i>Paroreomyza maculata</i> )	E	\$800	\$0	\$800	\$0	\$800
127	Crow, Hawaiian (=ʻalala) ( <i>Corvus hawaiiensis</i> )	E	\$746,100	\$3,635	\$749,735	\$0	\$749,735
132	Crow, Mariana (=aga) ( <i>Corvus kubaryi</i> )	E	\$296,800	\$376,077	\$672,877	\$0	\$672,877
980	Crow, white-necked ( <i>Corvus leucognaphalus</i> )	E	\$500	\$0	\$500	\$0	\$500
851	Curlew, Eskimo ( <i>Numenius borealis</i> )	E	\$2,000	\$4,558	\$6,558	\$2,304	\$8,862
119	Duck, Hawaiian (=koloa) ( <i>Anas wyvilliana</i> )	E	\$660,700	\$199,946	\$860,646	\$0	\$860,646
170	Duck, Laysan ( <i>Anas laysanensis</i> )	E	\$369,000	\$67,200	\$436,200	\$0	\$436,200
27	Eagle, bald ( <i>Haliaeetus leucocephalus</i> ) lower 48 States	DM	\$1,268,404	\$7,210,744	\$8,479,148	\$977,170	\$9,456,318
183	Eider, spectacled ( <i>Somateria fischeri</i> )	T	\$274,000	\$105,750	\$379,750	\$0	\$379,750
111	Eider, Steller's ( <i>Polysticta stelleri</i> ) AK breeding pop.	T	\$613,000	\$319,979	\$932,979	\$8,064	\$941,043
232	Elepaio, Oahu ( <i>Chasiempis sandwichensis ibidis</i> )	E	\$17,500	\$245,545	\$263,045	\$0	\$263,045
434	Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> )	E	\$74,000	\$11,100	\$85,100	\$0	\$85,100
87	Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> ) Southwestern population	EXPN	\$298,000	\$1,020,100	\$1,318,100	\$2,200	\$1,320,300
911	Finch, Laysan (honeycreeper) ( <i>Telespyza cantans</i> )	E	\$4,000	\$300	\$4,300	\$0	\$4,300
946	Finch, Nihoa (honeycreeper) ( <i>Telespyza ultima</i> )	E	\$2,500	\$0	\$2,500	\$0	\$2,500
22	Flycatcher, southwestern willow ( <i>Empidonax traillii extimus</i> )	E	\$2,039,565	\$9,674,463	\$11,714,028	\$281,936	\$11,995,964
156	Gnatcatcher, coastal California ( <i>Polioptila californica californica</i> )	T	\$2,173,963	\$139,058	\$2,313,021	\$0	\$2,313,021
96	Goose, Hawaiian ( <i>Branta (=Nesochen) sandvicensis</i> )	E	\$667,071	\$447,502	\$1,114,573	\$0	\$1,114,573
335	Hawk, Hawaiian (=ʻlo) ( <i>Buteo solitarius</i> )	E	\$129,000	\$17,813	\$146,813	\$0	\$146,813
866	Hawk, Puerto Rican broad-winged ( <i>Buteo platypterus brunnescens</i> )	E	\$7,500	\$0	\$7,500	\$0	\$7,500
866	Hawk, Puerto Rican sharp-shinned ( <i>Accipiter striatus venator</i> )	E	\$7,500	\$0	\$7,500	\$0	\$7,500
444	Honeycreeper, crested ( <i>Palmeria dolei</i> )	E	\$78,100	\$0	\$78,100	\$0	\$78,100
72	Jay, Florida scrub ( <i>Aphelocoma coerulescens</i> )	T	\$555,500	\$1,458,760	\$2,014,260	\$161,383	\$2,175,643
402	Kingfisher, Guam Micronesian ( <i>Halcyon cinnamomina cinnamomina</i> )	E	\$75,500	\$22,650	\$98,150	\$0	\$98,150
102	Kite, Everglade snail ( <i>Rostrhamus sociabilis plumbeus</i> ) FL pop.	E	\$431,000	\$608,020	\$1,039,020	\$1,655	\$1,040,675
303	Megapode, Micronesian ( <i>Megapodius laperouse</i> )	E	\$60,600	\$107,000	\$167,600	\$0	\$167,600
569	Millerbird, Nihoa (old world warbler) ( <i>Acrocephalus familiaris kingi</i> )	E	\$44,500	\$0	\$44,500	\$0	\$44,500
124	Moorhen, Hawaiian common ( <i>Gallinula chloropus sandvicensis</i> )	E	\$688,200	\$100,968	\$789,168	\$0	\$789,168
774	Moorhen, Mariana common ( <i>Gallinula chloropus guami</i> )	E	\$14,000	\$2,877	\$16,877	\$0	\$16,877
59	Murrelet, marbled ( <i>Brachyramphus marmoratus</i> ) CA, OR, WA	T	\$1,073,271	\$1,829,056	\$2,902,327	\$390,301	\$3,292,628
658	Nightjar, Puerto Rican ( <i>Caprimulgus noctitherus</i> )	E	\$30,500	\$0	\$30,500	\$0	\$30,500
454	Nukupu`u (honeycreeper) ( <i>Hemignathus lucidus</i> )	E	\$71,300	\$2,812	\$74,112	\$0	\$74,112

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
57	Owl, Mexican spotted ( <i>Strix occidentalis lucida</i> )	T	\$187,379	\$3,119,226	\$3,306,605	\$115,000	\$3,421,605
26	Owl, northern spotted ( <i>Strix occidentalis caurina</i> )	T	\$2,562,063	\$6,727,782	\$9,289,845	\$221,159	\$9,511,004
185	Palila (honeycreeper) ( <i>Loxioides bailleui</i> )	E	\$100,700	\$270,915	\$371,615	\$0	\$371,615
76	Parrot, Puerto Rican ( <i>Amazona vittata</i> )	E	\$1,432,000	\$120,000	\$1,552,000	\$278,646	\$1,830,646
418	Parrotbill, Maui (honeycreeper) ( <i>Pseudonestor xanthophrys</i> )	E	\$91,500	\$0	\$91,500	\$0	\$91,500
131	Pelican, brown ( <i>Pelecanus occidentalis</i> ) except U.S. Atlantic coast, FL, AL	E	\$594,227	\$72,202	\$666,429	\$6,684	\$673,113
206	Petrel, Hawaiian dark-rumped ( <i>Pterodroma phaeopygia sandwichensis</i> )	E	\$197,300	\$114,840	\$312,140	\$0	\$312,140
803	Pigeon, Puerto Rican plain ( <i>Columba inornata wetmorei</i> )	E	\$14,000	\$0	\$14,000	\$0	\$14,000
141	Plover, piping ( <i>Charadrius melodus</i> ) Great Lakes watershed	E	\$431,167	\$153,112	\$584,279	\$55,438	\$639,717
18	Plover, piping ( <i>Charadrius melodus</i> ) except Great Lakes watershed	T	\$748,302	\$11,771,466	\$12,519,768	\$456,801	\$12,976,569
67	Plover, western snowy ( <i>Charadrius alexandrinus nivosus</i> ) Pacific coastal pop.	T	\$897,101	\$1,855,361	\$2,752,462	\$20,150	\$2,772,612
551	Po'ouli (honeycreeper) ( <i>Melamprosops phaeosoma</i> )	E	\$46,000	\$2,812	\$48,812	\$0	\$48,812
103	Prairie-chicken, Attwater's greater ( <i>Tympanuchus cupido attwateri</i> )	E	\$920,000	\$900	\$920,900	\$103,000	\$1,023,900
172	Rail, California clapper ( <i>Rallus longirostris obsoletus</i> )	E	\$302,350	\$117,985	\$420,335	\$0	\$420,335
163	Rail, Guam ( <i>Rallus owstoni</i> ) except Rota	E	\$195,600	\$283,063	\$478,663	\$0	\$478,663
916	Rail, Guam ( <i>Rallus owstoni</i> ) Rota	EXPN	\$4,000	\$0	\$4,000	\$0	\$4,000
307	Rail, light-footed clapper ( <i>Rallus longirostris levipes</i> ) U.S.A. only	E	\$69,458	\$97,337	\$166,795	\$0	\$166,795
81	Rail, Yuma clapper ( <i>Rallus longirostris yumanensis</i> ) U.S.A. only	E	\$42,500	\$1,584,400	\$1,626,900	\$50,000	\$1,676,900
149	Shearwater, Newell's Townsend's ( <i>Puffinus auricularis newelli</i> )	T	\$577,102	\$0	\$577,102	\$0	\$577,102
71	Shrike, San Clemente loggerhead ( <i>Lanius ludovicianus mearnsi</i> )	E	\$17,038	\$2,388,542	\$2,405,580	\$0	\$2,405,580
83	Sparrow, Cape Sable seaside ( <i>Ammodramus maritimus mirabilis</i> )	E	\$275,000	\$1,233,810	\$1,508,810	\$0	\$1,508,810
147	Sparrow, Florida grasshopper ( <i>Ammodramus savannarum floridanus</i> )	E	\$216,000	\$333,142	\$549,142	\$61,963	\$611,105
352	Sparrow, San Clemente sage ( <i>Amphispiza belli clementeae</i> )	T	\$0	\$126,822	\$126,822	\$0	\$126,822
114	Stilt, Hawaiian ( <i>Himantopus mexicanus knudseni</i> )	E	\$763,200	\$166,721	\$929,921	\$0	\$929,921
82	Stork, wood ( <i>Mycteria americana</i> ) AL, FL, GA, SC	E	\$433,000	\$1,159,302	\$1,592,302	\$30,070	\$1,622,372
202	Swiftlet, Mariana gray ( <i>Aerodramus vanikorensis bartschi</i> )	E	\$3,600	\$321,448	\$325,048	\$0	\$325,048
104	Tern, California least ( <i>Sterna antillarum browni</i> )	E	\$206,635	\$807,520	\$1,014,155	\$0	\$1,014,155
19	Tern, least ( <i>Sterna antillarum</i> ) interior pop.	E	\$379,679	\$11,594,580	\$11,974,259	\$91,859	\$12,066,118

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
221	Tern, roseate ( <i>Sterna dougallii dougallii</i> ) northeast U.S. nesting pop.	E	\$42,863	\$193,647	\$236,510	\$52,195	\$288,705
717	Tern, roseate ( <i>Sterna dougallii dougallii</i> ) Western Hemisphere except NE U.S.	T	\$9,000	\$13,751	\$22,751	\$200	\$22,951
681	Thrush, large Kauai (=kamao) ( <i>Myadestes myadestinus</i> )	E	\$27,100	\$0	\$27,100	\$0	\$27,100
966	Thrush, Molokai ( <i>Myadestes lanaiensis rutha</i> )	E	\$1,182	\$0	\$1,182	\$0	\$1,182
211	Thrush, small Kauai (=puaiohi) ( <i>Myadestes palmeri</i> )	E	\$304,282	\$1,100	\$305,382	\$0	\$305,382
784	Towhee, Inyo California ( <i>Pipilo crissalis eremophilus</i> )	T	\$13,180	\$2,600	\$15,780	\$0	\$15,780
108	Vireo, black-capped ( <i>Vireo atricapilla</i> )	E	\$37,763	\$931,959	\$969,722	\$5,900	\$975,622
164	Vireo, least Bell's ( <i>Vireo bellii pusillus</i> )	E	\$1,928,117	\$321,074	\$2,249,191	\$0	\$2,249,191
935	Warbler (=wood), Bachman's ( <i>Vermivora bachmanii</i> )	E	\$0	\$1,500	\$1,500	\$1,523	\$3,023
92	Warbler (=wood), golden-cheeked ( <i>Dendroica chrysoparia</i> )	E	\$157,000	\$1,029,652	\$1,186,652	\$73,700	\$1,260,352
107	Warbler (=wood), Kirtland's ( <i>Dendroica kirtlandii</i> )	E	\$189,700	\$615,393	\$805,093	\$185,500	\$990,593
443	Warbler, nightingale reed (old world warbler) ( <i>Acrocephalus luscini</i> a)	E	\$78,500	\$0	\$78,500	\$0	\$78,500
978	White-eye, bridled ( <i>Zosterops conspicillatus conspicillatus</i> )	E	\$600	\$0	\$600	\$0	\$600
392	White-eye, Rota bridled ( <i>Zosterops rotensis</i> )	E	\$99,149	\$4,235	\$103,384	\$0	\$103,384
80	Woodpecker, ivory-billed ( <i>Campephilus principalis</i> )	E	\$1,367,400	\$227,714	\$1,595,114	\$100,395	\$1,695,509
14	Woodpecker, red-cockaded ( <i>Picoides borealis</i> )	E	\$3,264,341	\$13,834,395	\$17,098,736	\$816,655	\$17,915,391
679	`O`o, Kauai (honeyeater) ( <i>Moho braccatus</i> )	E	\$27,482	\$0	\$27,482	\$0	\$27,482
648	`O`u (honeycreeper) ( <i>Psittirostra psittacea</i> )	E	\$30,700	\$2,812	\$33,512	\$0	\$33,512
	<b>Birds Subtotal</b>		<b>\$36,355,503</b>	<b>\$88,227,036</b>	<b>\$124,582,539</b>	<b>\$5,215,922</b>	<b>\$129,798,461</b>
	<b>Reptiles</b>						
176	Alligator, American ( <i>Alligator mississippiensis</i> )	SAT	\$131,644	\$218,184	\$349,828	\$52,523	\$402,351
815	Anole, Culebra Island giant ( <i>Anolis roosevelti</i> )	E	\$12,500	\$0	\$12,500	\$0	\$12,500
821	Boa, Mona ( <i>Epicrates monensis monensis</i> )	T	\$11,500	\$0	\$11,500	\$0	\$11,500
623	Boa, Puerto Rican ( <i>Epicrates inornatus</i> )	E	\$37,500	\$0	\$37,500	\$0	\$37,500
901	Boa, Virgin Islands tree ( <i>Epicrates monensis granti</i> )	E	\$5,000	\$0	\$5,000	\$0	\$5,000
355	Crocodile, American ( <i>Crocodylus acutus</i> ) FL pop.	T	\$21,500	\$85,339	\$106,839	\$18,319	\$125,158
962	Gecko, Monito ( <i>Sphaerodactylus micropithecus</i> )	E	\$1,500	\$0	\$1,500	\$0	\$1,500
572	Iguana, Mona ground ( <i>Cyclura cornuta stejnegeri</i> )	T	\$8,500	\$0	\$8,500	\$35,690	\$44,190
357	Lizard, blunt-nosed leopard ( <i>Gambelia silus</i> )	E	\$90,856	\$32,000	\$122,856	\$0	\$122,856
542	Lizard, Coachella Valley fringe-toed ( <i>Uma inornata</i> )	T	\$1,579,617	\$13,569	\$1,593,186	\$0	\$1,593,186
742	Lizard, Island night ( <i>Xantusia riversiana</i> )	T	\$2,627	\$17,069	\$19,696	\$0	\$19,696
479	Lizard, St. Croix ground ( <i>Ameiva polops</i> )	E	\$10,500	\$55,500	\$66,000	\$0	\$66,000
644	Plymouth Red-Bellied Turtle ( <i>Pseudemys rubriventris bangsi</i> )	E	\$25,600	\$1,432	\$27,032	\$7,000	\$34,032
676	Rattlesnake, New Mexican ridge-nosed ( <i>Crotalus willardi obscurus</i> )	T	\$4,000	\$19,150	\$23,150	\$4,500	\$27,650
95	Sea turtle, green ( <i>Chelonia mydas</i> )	E	\$447,286	\$357,474	\$804,760	\$319,378	\$1,124,138

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	FL, Mexico nesting pops.						
62	Sea turtle, green ( <i>Chelonia mydas</i> ) except where endangered	T	\$333,921	\$2,739,279	\$3,073,200	\$1,508	\$3,074,708
74	Sea turtle, hawksbill ( <i>Eretmochelys imbricata</i> )	E	\$683,363	\$1,037,286	\$1,720,649	\$353,986	\$2,074,635
55	Sea turtle, Kemp's ridley ( <i>Lepidochelys kempii</i> )	E	\$488,500	\$2,809,357	\$3,297,857	\$329,786	\$3,627,643
33	Sea turtle, leatherback ( <i>Dermochelys coriacea</i> )	E	\$727,000	\$5,841,182	\$6,568,182	\$332,786	\$6,900,968
37	Sea turtle, loggerhead ( <i>Caretta caretta</i> )	T	\$743,603	\$5,335,470	\$6,079,073	\$398,893	\$6,477,966
151	Sea turtle, olive ridley ( <i>Lepidochelys olivacea</i> ) except where endangered	T	\$23,000	\$546,508	\$569,508	\$0	\$569,508
696	Sea turtle, olive ridley ( <i>Lepidochelys olivacea</i> ) Mexican nesting pop.	E	\$10,000	\$15,307	\$25,307	\$0	\$25,307
641	Skink, bluetail mole ( <i>Eumeces egregius lividus</i> )	T	\$33,000	\$1,708	\$34,708	\$0	\$34,708
282	Skink, sand ( <i>Neoseps reynoldsi</i> )	T	\$63,500	\$135,215	\$198,715	\$0	\$198,715
899	Snake, Atlantic salt marsh ( <i>Nerodia clarkii taeniata</i> )	T	\$5,100	\$0	\$5,100	\$0	\$5,100
865	Snake, Concho water ( <i>Nerodia paucimaculata</i> )	T	\$4,500	\$3,020	\$7,520	\$0	\$7,520
253	Snake, copperbelly water ( <i>Nerodia erythrogaster neglecta</i> ) MI, OH, IN N of 400 N. Lat.	T	\$225,300	\$0	\$225,300	\$600	\$225,900
89	Snake, eastern indigo ( <i>Drymarchon corais couperi</i> )	T	\$225,000	\$1,037,175	\$1,262,175	\$29,000	\$1,291,175
93	Snake, giant garter ( <i>Thamnophis gigas</i> )	T	\$1,137,343	\$996,819	\$2,134,162	\$0	\$2,134,162
383	Snake, San Francisco garter ( <i>Thamnophis sirtalis tetrataenia</i> )	E	\$41,000	\$66,603	\$107,603	\$0	\$107,603
213	Tortoise, desert ( <i>Gopherus agassizii</i> ) outside/taken from Sonoran Desert	SAT	\$0	\$253,768	\$253,768	\$50,000	\$303,768
20	Tortoise, desert ( <i>Gopherus agassizii</i> ) U.S.A., except in Sonoran Desert	T	\$1,352,944	\$10,006,061	\$11,359,005	\$7,500	\$11,366,505
61	Tortoise, gopher ( <i>Gopherus polyphemus</i> ) W of of Mobile/Tombigbee Rs.	T	\$43,000	\$3,019,826	\$3,062,826	\$15,220	\$3,078,046
452	Turtle, Alabama red-belly ( <i>Pseudemys alabamensis</i> )	E	\$70,700	\$3,100	\$73,800	\$600	\$74,400
290	Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) southern	SAT	\$12,500	\$73,550	\$86,050	\$98,135	\$184,185
100	Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) northern	T	\$341,150	\$647,995	\$989,145	\$78,693	\$1,067,838
849	Turtle, flattened musk ( <i>Sternotherus depressus</i> ) species range clarified	T	\$9,000	\$0	\$9,000	\$0	\$9,000
735	Turtle, ringed map ( <i>Graptemys oculifera</i> )	T	\$14,000	\$1,225	\$15,225	\$5,000	\$20,225
613	Turtle, yellow-blotched map ( <i>Graptemys flavimaculata</i> )	T	\$31,000	\$7,500	\$38,500	\$800	\$39,300
486	Watersnake, Lake Erie ( <i>Nerodia sipedon insularum</i> ) subspecies range clarified	T	\$19,500	\$11,088	\$30,588	\$34,000	\$64,588
344	Whipsnake (=striped racer), Alameda ( <i>Masticophis lateralis euryxanthus</i> )	T	\$33,500	\$98,775	\$132,275	\$0	\$132,275
	Reptiles Subtotal		\$9,061,554	\$35,487,534	\$44,549,088	\$2,173,917	\$46,723,005
	Amphibians						
825	Coqui, golden ( <i>Eleutherodactylus jasperii</i> )	T	\$11,000	\$0	\$11,000	\$0	\$11,000
69	Frog, California red-legged ( <i>Rana aurora draytonii</i> ) subspecies range clarified	T	\$1,646,486	\$2,011,183	\$3,657,669	\$0	\$3,657,669
143	Frog, Chiricahua leopard ( <i>Rana chiricahuensis</i> )	T	\$252,700	\$309,811	\$562,511	\$71,000	\$633,511

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
437	Frog, Mississippi gopher ( <i>Rana capito sevosa</i> ) Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	E	\$50,000	\$14,500	\$64,500	\$17,000	\$81,500
186	Frog, mountain yellow-legged ( <i>Rana muscosa</i> ) southern California DPS	E	\$25,159	\$341,416	\$366,575	\$0	\$366,575
360	Guajon ( <i>Eleutherodactylus cooki</i> )	T	\$120,000	\$2,457	\$122,457	\$0	\$122,457
175	Salamander, Barton Springs ( <i>Eurycea sosorum</i> )	E	\$60,000	\$331,600	\$391,600	\$12,700	\$404,300
200	Salamander, California tiger ( <i>Ambystoma californiense</i> ) U.S.A. (CA - Santa Barbara County)	E	\$332,706	\$3,000	\$335,706	\$0	\$335,706
109	Salamander, California tiger ( <i>Ambystoma californiense</i> ) U.S.A. (Central CA DPS)	T	\$1,007,045	\$837,868	\$1,844,913	\$0	\$1,844,913
436	Salamander, California tiger ( <i>Ambystoma californiense</i> ) U.S.A. (CA - Sonoma County)	E	\$82,893	\$0	\$82,893	\$0	\$82,893
700	Salamander, Cheat Mountain ( <i>Plethodon nettingi</i> )	T	\$13,587	\$9,000	\$22,587	\$2,367	\$24,954
838	Salamander, desert slender ( <i>Batrachoseps aridus</i> )	E	\$10,000	\$0	\$10,000	\$0	\$10,000
212	Salamander, frosted flatwoods ( <i>Ambystoma cingulatum</i> )	T	\$73,000	\$201,034	\$274,034	\$30,984	\$305,018
425	Salamander, Red Hills ( <i>Phaeognathus hubrichti</i> )	T	\$13,500	\$1,500	\$15,000	\$73,000	\$88,000
398	Salamander, San Marcos ( <i>Eurycea nana</i> )	T	\$88,000	\$6,239	\$94,239	\$6,100	\$100,339
158	Salamander, Santa Cruz long-toed ( <i>Ambystoma macrodactylum croceum</i> )	E	\$515,511	\$665	\$516,176	\$0	\$516,176
568	Salamander, Shenandoah ( <i>Plethodon shenandoah</i> )	E	\$421	\$43,500	\$43,921	\$800	\$44,721
465	Salamander, Sonora tiger ( <i>Ambystoma tigrinum stebbinsi</i> )	E	\$24,000	\$30,100	\$54,100	\$15,000	\$69,100
387	Salamander, Texas blind ( <i>Typhlomolge rathbuni</i> )	E	\$64,000	\$4,039	\$68,039	\$36,700	\$104,739
122	Toad, arroyo (=arroyo southwestern) ( <i>Bufo californicus (=microscaphus)</i> )	E	\$1,915,917	\$686,040	\$2,601,957	\$0	\$2,601,957
217	Toad, Houston ( <i>Bufo houstonensis</i> )	E	\$221,146	\$5,610	\$226,756	\$69,500	\$296,256
692	Toad, Puerto Rican crested ( <i>Peltophryne lemur</i> )	T	\$10,500	\$0	\$10,500	\$15,386	\$25,886
469	Toad, Wyoming ( <i>Bufo baxteri (=hemiophrys)</i> )	E	\$64,155	\$3,930	\$68,085	\$56	\$68,141
	<b>Amphibians Subtotal</b>		\$6,601,726	\$4,843,492	\$11,445,218	\$350,593	\$11,795,811
	<b>Fishes</b>						
465	Catfish, Yaqui ( <i>Ictalurus pricei</i> )	T	\$60,000	\$1,100	\$61,100	\$8,000	\$69,100
849	Cavefish, Alabama ( <i>Speoplatyrhinus poulsoni</i> )	E	\$9,000	\$0	\$9,000	\$0	\$9,000
295	Cavefish, Ozark ( <i>Amblyopsis rosae</i> )	T	\$88,500	\$8,424	\$96,924	\$79,500	\$176,424
45	Chub, bonytail ( <i>Gila elegans</i> ) entire	E	\$770,872	\$3,836,923	\$4,607,795	\$190,845	\$4,798,640
704	Chub, Borax Lake ( <i>Gila boraxobius</i> )	E	\$14,382	\$9,000	\$23,382	\$1,200	\$24,582
503	Chub, Chihuahua ( <i>Gila nigrescens</i> )	T	\$53,000	\$0	\$53,000	\$7,500	\$60,500
496	Chub, Gila ( <i>Gila intermedia</i> )	E	\$25,000	\$30,100	\$55,100	\$7,500	\$62,600
38	Chub, humpback ( <i>Gila cypha</i> ) entire	E	\$471,944	\$5,429,420	\$5,901,364	\$457,845	\$6,359,209
708	Chub, Hutton tui ( <i>Gila bicolor ssp.</i> ) Hutton	T	\$10,000	\$6,000	\$16,000	\$8,000	\$24,000
210	Chub, Mohave tui ( <i>Gila bicolor mohavensis</i> )	E	\$212,168	\$94,000	\$306,168	\$0	\$306,168

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
198	Chub, Oregon ( <i>Oregonichthys crameri</i> )	E	\$160,182	\$177,380	\$337,562	\$0	\$337,562
655	Chub, Owens tui ( <i>Gila bicolor snyderi</i> )	E	\$5,935	\$25,500	\$31,435	\$0	\$31,435
494	Chub, Pahrnagat roundtail ( <i>Gila robusta jordanii</i> )	E	\$62,150	\$0	\$62,150	\$1,000	\$63,150
665	Chub, slender ( <i>Erimystax cahni</i> )	T	\$28,921	\$0	\$28,921	\$500	\$29,421
643	Chub, Sonora ( <i>Gila ditaenia</i> )	T	\$2,000	\$12,100	\$14,100	\$20,000	\$34,100
962	Chub, spotfin ( <i>Erimonax monachus</i> ) Tellico River, TN	EXPN	\$1,500	\$0	\$1,500	\$0	\$1,500
289	Chub, spotfin ( <i>Erimonax monachus</i> ) Entire	T	\$117,241	\$55,729	\$172,970	\$13,791	\$186,761
984	Chub, spotfin ( <i>Erimonax monachus</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.84(m)(1)(iii))	EXPN	\$100	\$0	\$100	\$0	\$100
721	Chub, spotfin ( <i>Erimonax monachus</i> ) Shoal Creek	EXPN	\$22,200	\$0	\$22,200	\$0	\$22,200
126	Chub, Virgin River ( <i>Gila seminuda (=robusta)</i> )	E	\$435,726	\$63,711	\$499,437	\$262,500	\$761,937
490	Chub, Yaqui ( <i>Gila purpurea</i> )	E	\$47,500	\$1,600	\$49,100	\$15,000	\$64,100
105	Cui-ui ( <i>Chasmistes cujus</i> )	E	\$150,700	\$858,645	\$1,009,345	\$0	\$1,009,345
169	Dace, Ash Meadows speckled ( <i>Rhinichthys osculus nevadensis</i> )	E	\$431,177	\$3,138	\$434,315	\$2,500	\$436,815
348	Dace, blackside ( <i>Phoxinus cumberlandensis</i> )	T	\$86,421	\$41,835	\$128,256	\$0	\$128,256
707	Dace, Clover Valley speckled ( <i>Rhinichthys osculus oligoporus</i> )	E	\$24,077	\$0	\$24,077	\$0	\$24,077
509	Dace, desert ( <i>Eremichthys acros</i> )	T	\$47,933	\$9,100	\$57,033	\$2,000	\$59,033
528	Dace, Foskett speckled ( <i>Rhinichthys osculus ssp.</i> ) Foskett	T	\$36,500	\$9,000	\$45,500	\$8,000	\$53,500
702	Dace, Independence Valley speckled ( <i>Rhinichthys osculus lethoporus</i> )	E	\$10,677	\$14,142	\$24,819	\$0	\$24,819
678	Dace, Kendall Warm Springs ( <i>Rhinichthys osculus thermalis</i> )	E	\$2,953	\$24,530	\$27,483	\$0	\$27,483
362	Dace, Moapa ( <i>Moapa coriacea</i> )	E	\$89,965	\$27,569	\$117,534	\$3,000	\$120,534
471	Darter, amber ( <i>Percina antesella</i> )	E	\$40,500	\$24,550	\$65,050	\$3,000	\$68,050
956	Darter, bayou ( <i>Etheostoma rubrum</i> )	T	\$0	\$1,325	\$1,325	\$500	\$1,825
616	Darter, bluemask (=jewel) ( <i>Etheostoma sp.</i> )	E	\$35,500	\$3,300	\$38,800	\$0	\$38,800
945	Darter, boulder ( <i>Etheostoma wapiti</i> ) Shoal Creek	EXPN	\$2,600	\$0	\$2,600	\$0	\$2,600
660	Darter, boulder ( <i>Etheostoma wapiti</i> )	E	\$29,400	\$800	\$30,200	\$283	\$30,483
150	Darter, Cherokee ( <i>Etheostoma scotti</i> )	T	\$547,000	\$24,650	\$571,650	\$2,500	\$574,150
915	Darter, duskytail ( <i>Etheostoma percnum</i> ) Tellico River, TN	EXPN	\$4,100	\$0	\$4,100	\$0	\$4,100
451	Darter, duskytail ( <i>Etheostoma percnum</i> ) Entire	E	\$57,500	\$17,002	\$74,502	\$783	\$75,285
154	Darter, Etowah ( <i>Etheostoma etowahae</i> )	E	\$524,000	\$21,950	\$545,950	\$2,500	\$548,450
194	Darter, fountain ( <i>Etheostoma fonticola</i> )	E	\$337,000	\$5,539	\$342,539	\$0	\$342,539
693	Darter, goldline ( <i>Percina aurolineata</i> )	T	\$24,000	\$1,200	\$25,200	\$500	\$25,700
301	Darter, leopard ( <i>Percina pantherina</i> )	T	\$139,000	\$32,054	\$171,054	\$0	\$171,054
935	Darter, Maryland ( <i>Etheostoma sellare</i> )	E	\$3,023	\$0	\$3,023	\$0	\$3,023
207	Darter, Niangua ( <i>Etheostoma nianguae</i> )	T	\$162,000	\$8,070	\$170,070	\$141,500	\$311,570
135	Darter, Okaloosa ( <i>Etheostoma okaloosae</i> )	E	\$68,000	\$590,189	\$658,189	\$0	\$658,189



Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
715	Darter, relict ( <i>Etheostoma chienense</i> )	E	\$23,200	\$0	\$23,200	\$0	\$23,200
524	Darter, slackwater ( <i>Etheostoma boschungii</i> )	T	\$40,200	\$5,900	\$46,100	\$8,500	\$54,600
594	Darter, snail ( <i>Percina tanasi</i> )	T	\$32,500	\$8,970	\$41,470	\$800	\$42,270
764	Darter, vermilion ( <i>Etheostoma chermockii</i> )	E	\$18,000	\$0	\$18,000	\$0	\$18,000
709	Darter, watercress ( <i>Etheostoma nuchale</i> )	E	\$15,200	\$231	\$15,431	\$8,500	\$23,931
708	Gambusia, Big Bend ( <i>Gambusia gaigei</i> )	E	\$19,000	\$5,000	\$24,000	\$0	\$24,000
523	Gambusia, Pecos ( <i>Gambusia nobilis</i> )	E	\$38,000	\$8,800	\$46,800	\$8,000	\$54,800
893	Gambusia, San Marcos ( <i>Gambusia georgei</i> )	E	\$1,000	\$4,629	\$5,629	\$0	\$5,629
146	Goby, tidewater ( <i>Eucyclogobius newberryi</i> ) Entire	E	\$584,984	\$40,525	\$625,509	\$0	\$625,509
670	Logperch, Conasauga ( <i>Percina jenkinsi</i> )	E	\$20,500	\$7,300	\$27,800	\$800	\$28,600
166	Logperch, Roanoke ( <i>Percina rex</i> )	E	\$74,550	\$360,603	\$435,153	\$24,000	\$459,153
463	Madtom, Neosho ( <i>Noturus placidus</i> )	T	\$52,233	\$10,576	\$62,809	\$7,100	\$69,909
984	Madtom, pygmy ( <i>Noturus stanauli</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.84(t)(1)(i))	EXPN	\$0	\$100	\$100	\$0	\$100
858	Madtom, pygmy ( <i>Noturus stanauli</i> )	E	\$8,100	\$0	\$8,100	\$0	\$8,100
984	Madtom, Scioto ( <i>Noturus trautmani</i> )	E	\$0	\$100	\$100	\$0	\$100
633	Madtom, smoky ( <i>Noturus baileyi</i> ) Entire	E	\$19,800	\$16,067	\$35,867	\$283	\$36,150
559	Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) except where EXPN	T	\$29,941	\$16,067	\$46,008	\$283	\$46,291
976	Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) Tellico River, TN	EXPN	\$700	\$0	\$700	\$0	\$700
810	Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) Holston River, VA, TN	EXPN	\$10,000	\$0	\$10,000	\$3,000	\$13,000
241	Minnow, Devils River ( <i>Dionda diaboli</i> )	T	\$195,000	\$0	\$195,000	\$50,000	\$245,000
145	Minnow, loach ( <i>Tiaroga cobitis</i> )	T	\$63,000	\$438,000	\$501,000	\$127,500	\$628,500
25	Minnow, Rio Grande silvery ( <i>Hybognathus amarus</i> )	E	\$1,439,000	\$8,205,928	\$9,644,928	\$36,000	\$9,680,928
78	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) Salt and Verde R. drainages, AZ	EXPN	\$0	\$1,727,600	\$1,727,600	\$26,000	\$1,753,600
42	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) except Salt and Verde R. drainages, AZ	E	\$1,605,270	\$3,495,318	\$5,100,588	\$189,845	\$5,290,433
578	Poolfish, Pahrump ( <i>Empetrichthys latos</i> )	E	\$27,027	\$13,500	\$40,527	\$3,000	\$43,527
470	Pupfish, Ash Meadows Amargosa ( <i>Cyprinodon nevadensis mionectes</i> )	E	\$62,501	\$3,139	\$65,640	\$2,500	\$68,140
254	Pupfish, Comanche Springs ( <i>Cyprinodon elegans</i> )	E	\$220,000	\$4,000	\$224,000	\$1,000	\$225,000
208	Pupfish, desert ( <i>Cyprinodon macularius</i> )	E	\$59,400	\$196,972	\$256,372	\$55,000	\$311,372
182	Pupfish, Devils Hole ( <i>Cyprinodon diabolis</i> )	E	\$207,220	\$171,995	\$379,215	\$4,500	\$383,715
438	Pupfish, Leon Springs ( <i>Cyprinodon bovinus</i> )	E	\$64,400	\$0	\$64,400	\$16,800	\$81,200
835	Pupfish, Owens ( <i>Cyprinodon radiosus</i> )	E	\$4,246	\$6,000	\$10,246	\$0	\$10,246
180	Pupfish, Warm Springs ( <i>Cyprinodon nevadensis pectoralis</i> )	E	\$381,077	\$3,138	\$384,215	\$2,000	\$386,215
30	Salmon, Atlantic ( <i>Salmo salar</i> ) Gulf of Maine Atlantic Salmon DPS	E	\$48,493	\$7,848,563	\$7,897,056	\$0	\$7,897,056
53	Salmon, chinook ( <i>Oncorhynchus (=Salmo)</i> )	T	\$0	\$3,736,537	\$3,736,537	\$0	\$3,736,537

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>tshawytscha</i> CA coastal						
36	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) winter Sacramento R.	E	\$47,563	\$6,588,912	\$6,636,475	\$0	\$6,636,475
3	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) spring/summer Snake R.	T	\$369,451	\$36,737,831	\$37,107,282	\$866,347	\$37,973,629
8	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) spring upper Columbia R.	E	\$45,700	\$26,738,801	\$26,784,501	\$847,587	\$27,632,088
32	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) CA Central Valley spring-run	T	\$21,530	\$6,885,533	\$6,907,063	\$0	\$6,907,063
9	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) Puget Sound	T	\$997,237	\$20,749,588	\$21,746,825	\$3,911,456	\$25,658,281
6	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) fall Snake R.	T	\$224,942	\$29,186,809	\$29,411,751	\$1,705,640	\$31,117,391
23	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) upper Willamette R.	T	\$75,500	\$9,673,730	\$9,749,230	\$85,197	\$9,834,427
13	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) lower Columbia R.	T	\$1,816,068	\$16,497,261	\$18,313,329	\$998,484	\$19,311,813
41	Salmon, chum ( <i>Oncorhynchus</i> (=Salmo) <i>keta</i> ) summer-run Hood Canal	T	\$100,700	\$4,833,980	\$4,934,680	\$680,333	\$5,615,013
24	Salmon, chum ( <i>Oncorhynchus</i> (=Salmo) <i>keta</i> ) Columbia R.	T	\$45,700	\$9,138,724	\$9,184,424	\$517,125	\$9,701,549
54	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) central CA coast	E	\$0	\$3,681,807	\$3,681,807	\$0	\$3,681,807
10	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) OR, CA pop.	T	\$1,319,222	\$22,505,468	\$23,824,690	\$0	\$23,824,690
21	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) Lower Columbia River	T	\$162,549	\$9,339,021	\$9,501,570	\$881,170	\$10,382,740
12	Salmon, sockeye ( <i>Oncorhynchus</i> (=Salmo) <i>nerka</i> ) U.S.A. (Snake River, ID stock wherever found.)	E	\$45,700	\$19,650,446	\$19,696,146	\$431,118	\$20,127,264
43	Salmon, sockeye ( <i>Oncorhynchus</i> (=Salmo) <i>nerka</i> ) U.S.A. (Ozette Lake, WA)	T	\$47,700	\$4,595,089	\$4,642,789	\$257,864	\$4,900,653
138	Sawfish, smalltooth ( <i>Pristis pectinata</i> )	E	\$100	\$648,860	\$648,960	\$0	\$648,960
849	Sculpin, pygmy ( <i>Cottus paulus</i> (=pygmaeus))	T	\$9,000	\$0	\$9,000	\$0	\$9,000
378	Shiner, Arkansas River ( <i>Notropis girardi</i> ) Arkansas R. Basin	T	\$82,320	\$27,962	\$110,282	\$0	\$110,282
442	Shiner, beautiful ( <i>Cyprinella formosa</i> )	T	\$70,000	\$1,000	\$71,000	\$8,000	\$79,000
447	Shiner, blue ( <i>Cyprinella caerulea</i> )	T	\$33,700	\$41,800	\$75,500	\$1,000	\$76,500
849	Shiner, Cahaba ( <i>Notropis cahabae</i> )	E	\$9,000	\$0	\$9,000	\$0	\$9,000
515	Shiner, Cape Fear ( <i>Notropis mekistocholas</i> )	E	\$12,500	\$20,957	\$33,457	\$23,881	\$57,338
576	Shiner, palezone ( <i>Notropis albizonatus</i> )	E	\$40,000	\$3,850	\$43,850	\$0	\$43,850
134	Shiner, Pecos bluntnose ( <i>Notropis simus pecosensis</i> )	T	\$181,000	\$480,166	\$661,166	\$0	\$661,166
152	Shiner, Topeka ( <i>Notropis topeka</i> (=tristis))	E	\$275,478	\$231,467	\$506,945	\$59,050	\$565,995

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
841	Silverside, Waccamaw ( <i>Menidia extensa</i> )	T	\$9,500	\$120	\$9,620	\$0	\$9,620
35	Smelt, delta ( <i>Hypomesus transpacificus</i> )	T	\$213,679	\$6,465,190	\$6,678,869	\$0	\$6,678,869
139	Spikedace ( <i>Meda fulgida</i> )	T	\$72,000	\$442,500	\$514,500	\$130,000	\$644,500
504	Spinedace, Big Spring ( <i>Lepidomeda mollispinis pratensis</i> )	T	\$36,952	\$19,900	\$56,852	\$3,000	\$59,852
342	Spinedace, Little Colorado ( <i>Lepidomeda vittata</i> )	T	\$115,000	\$5,700	\$120,700	\$15,000	\$135,700
502	Spinedace, White River ( <i>Lepidomeda albivallis</i> )	E	\$57,677	\$0	\$57,677	\$3,000	\$60,677
697	Springfish, Hiko White River ( <i>Crenichthys baileyi grandis</i> )	E	\$19,902	\$3,400	\$23,302	\$2,000	\$25,302
481	Springfish, Railroad Valley ( <i>Crenichthys nevadae</i> )	T	\$40,977	\$23,509	\$64,486	\$1,000	\$65,486
625	Springfish, White River ( <i>Crenichthys baileyi baileyi</i> )	E	\$24,902	\$11,400	\$36,302	\$1,000	\$37,302
56	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) Puget Sound DPS	T	\$104,700	\$2,618,468	\$2,723,168	\$735,799	\$3,458,967
64	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) south central CA coast	T	\$186,849	\$2,961,584	\$3,148,433	\$0	\$3,148,433
65	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) southern CA coast	E	\$0	\$2,939,259	\$2,939,259	\$0	\$2,939,259
48	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) Central Valley CA	T	\$26,280	\$4,479,505	\$4,505,785	\$0	\$4,505,785
7	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) Snake R. Basin	T	\$277,345	\$25,304,288	\$25,581,633	\$3,245,074	\$28,826,707
29	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) upper Willamette R.	T	\$68,000	\$7,818,745	\$7,886,745	\$121,728	\$8,008,473
52	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) central CA coast	T	\$20,182	\$3,863,636	\$3,883,818	\$0	\$3,883,818
17	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) lower Columbia R.	T	\$125,692	\$12,833,975	\$12,959,667	\$641,651	\$13,601,318
11	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) upper Columbia R. Basin	T	\$122,300	\$22,772,846	\$22,895,146	\$628,348	\$23,523,494
5	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) middle Columbia R.	T	\$358,387	\$32,797,795	\$33,156,182	\$399,961	\$33,556,143
66	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) northern CA	T	\$0	\$2,831,958	\$2,831,958	\$0	\$2,831,958
371	Stickleback, unarmored threespine ( <i>Gasterosteus aculeatus williamsoni</i> )	E	\$86,288	\$26,255	\$112,543	\$0	\$112,543
522	Sturgeon, Alabama ( <i>Scaphirhynchus suttkusi</i> )	E	\$12,000	\$4,000	\$16,000	\$39,200	\$55,200
98	Sturgeon, gulf ( <i>Acipenser oxyrinchus desotoi</i> )	T	\$89,500	\$950,995	\$1,040,495	\$52,000	\$1,092,495
204	Sturgeon, North American green ( <i>Acipenser medirostris</i> ) U.S.A. (CA) Southern Distinct Population Segment	T	\$0	\$317,257	\$317,257	\$0	\$317,257
2	Sturgeon, pallid ( <i>Scaphirhynchus albus</i> )	E	\$776,656	\$46,010,429	\$46,787,085	\$224,042	\$47,011,127
101	Sturgeon, shortnose ( <i>Acipenser brevirostrum</i> )	E	\$352,691	\$640,091	\$992,782	\$61,538	\$1,054,320
31	Sturgeon, white ( <i>Acipenser transmontanus</i> ) U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$215,648	\$6,863,357	\$7,079,005	\$341,658	\$7,420,663
128	Sucker, June ( <i>Chasmistes liorus</i> )	E	\$30,000	\$393,015	\$423,015	\$300,000	\$723,015
50	Sucker, Lost River ( <i>Deltistes luxatus</i> )	E	\$436,154	\$3,933,315	\$4,369,469	\$29,000	\$4,398,469
560	Sucker, Modoc ( <i>Catostomus microps</i> )	E	\$22,241	\$16,000	\$38,241	\$8,000	\$46,241
28	Sucker, razorback ( <i>Xyrauchen texanus</i> ) entire	E	\$2,034,241	\$7,148,721	\$9,182,962	\$134,000	\$9,316,962

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
608	Sucker, Santa Ana ( <i>Catostomus santaanae</i> ) 3 CA river basins	T	\$2,401	\$37,275	\$39,676	\$0	\$39,676
49	Sucker, shortnose ( <i>Chasmistes brevirostris</i> )	E	\$442,154	\$3,940,915	\$4,383,069	\$29,000	\$4,412,069
272	Sucker, Warner ( <i>Catostomus warnerensis</i> )	T	\$124,439	\$74,530	\$198,969	\$8,000	\$206,969
137	Topminnow, Gila (incl. Yaqui) ( <i>Poeciliopsis occidentalis</i> ) U.S.A. only	E	\$88,000	\$413,300	\$501,300	\$153,500	\$654,800
85	Trout, Apache ( <i>Oncorhynchus apache</i> )	T	\$1,119,420	\$14,000	\$1,133,420	\$250,000	\$1,383,420
4	Trout, bull ( <i>Salvelinus confluentus</i> ) U.S.A., conterminous, lower 48 states	T	\$6,312,879	\$24,023,667	\$30,336,546	\$3,335,412	\$33,671,958
117	Trout, Gila ( <i>Oncorhynchus gilae</i> )	T	\$699,000	\$68,000	\$767,000	\$97,000	\$864,000
231	Trout, greenback cutthroat ( <i>Oncorhynchus clarki stomias</i> )	T	\$6,437	\$87,983	\$94,420	\$170,052	\$264,472
44	Trout, Lahontan cutthroat ( <i>Oncorhynchus clarki henshawi</i> )	T	\$1,212,446	\$3,527,039	\$4,739,485	\$135,000	\$4,874,485
725	Trout, Little Kern golden ( <i>Oncorhynchus aguabonita whitei</i> )	T	\$0	\$22,000	\$22,000	\$0	\$22,000
552	Trout, Paiute cutthroat ( <i>Oncorhynchus clarki seleniris</i> )	T	\$19,800	\$29,000	\$48,800	\$0	\$48,800
130	Woundfin ( <i>Plagopterus argentissimus</i> ) except Gila R. drainage, AZ, NM	E	\$371,938	\$78,296	\$450,234	\$245,000	\$695,234
384	Woundfin ( <i>Plagopterus argentissimus</i> ) Gila R. drainage, AZ, NM	EXPN	\$98,399	\$15	\$98,414	\$8,000	\$106,414
	<b>Fishes Subtotal</b>		<b>\$33,282,605</b>	<b>\$492,877,428</b>	<b>\$526,160,033</b>	<b>\$24,637,873</b>	<b>\$550,797,906</b>
	<b>Clams</b>						
785	Acornshell, southern ( <i>Epioblasma othcaloogensis</i> )	E	\$12,500	\$3,200	\$15,700	\$0	\$15,700
316	Bankclimber, purple (mussel) ( <i>Elliptoideus sloatianus</i> )	T	\$81,400	\$75,115	\$156,515	\$2,500	\$159,015
926	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$3,500	\$0	\$3,500	\$0	\$3,500
338	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) Entire Range; Except where listed as Experimental Populations	E	\$80,921	\$44,447	\$125,368	\$20,350	\$145,718
381	Bean, purple ( <i>Villosa perpurpurea</i> )	E	\$94,815	\$12,841	\$107,656	\$1,200	\$108,856
783	Blossom, green (pearlymussel) ( <i>Epioblasma torulosa gubernaculum</i> )	E	\$15,400	\$0	\$15,400	\$500	\$15,900
880	Blossom, tubercled (pearlymussel) ( <i>Epioblasma torulosa torulosa</i> ) Entire Range; Except where listed as Experimental Populations	E	\$4,718	\$1,100	\$5,818	\$971	\$6,789
982	Blossom, tubercled (pearlymussel) ( <i>Epioblasma torulosa torulosa</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$300	\$300	\$0	\$300
945	Blossom, turgid (pearlymussel) ( <i>Epioblasma turgidula</i> ) Entire Range; Except where listed as Experimental Populations	E	\$2,600	\$0	\$2,600	\$0	\$2,600

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
849	Blossom, turgid (pearlymussel) ( <i>Epioblasma turgidula</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$9,000	\$0	\$9,000	\$0	\$9,000
792	Blossom, yellow (pearlymussel) ( <i>Epioblasma florentina florentina</i> ) Entire Range; Except where listed as Experimental Populations	E	\$13,600	\$1,400	\$15,000	\$0	\$15,000
382	Catspaw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata obliquata</i> ) Entire Range; Except where listed as Experimental Populations	E	\$75,600	\$32,682	\$108,282	\$0	\$108,282
730	Catspaw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata obliquata</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$1,400	\$19,482	\$20,882	\$0	\$20,882
919	Catspaw, white (pearlymussel) ( <i>Epioblasma obliquata perobliqua</i> )	E	\$3,800	\$0	\$3,800	\$100	\$3,900
973	Clubshell ( <i>Pleurobema clava</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$900	\$900	\$0	\$900
201	Clubshell ( <i>Pleurobema clava</i> ) Entire Range; Except where listed as Experimental Populations	E	\$58,018	\$256,767	\$314,785	\$14,305	\$329,090
978	Clubshell, black ( <i>Pleurobema curtum</i> )	E	\$0	\$200	\$200	\$400	\$600
574	Clubshell, ovate ( <i>Pleurobema perovatum</i> )	E	\$5,100	\$38,500	\$43,600	\$400	\$44,000
389	Clubshell, southern ( <i>Pleurobema decisum</i> )	E	\$21,100	\$82,600	\$103,700	\$900	\$104,600
361	Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) Entire Range; Except where listed as Experimental Populations	E	\$96,000	\$22,630	\$118,630	\$2,566	\$121,196
981	Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$0	\$0	\$400	\$400
842	Combshell, southern ( <i>Epioblasma penita</i> )	E	\$9,000	\$200	\$9,200	\$400	\$9,600
790	Combshell, upland ( <i>Epioblasma metastrata</i> )	E	\$13,000	\$2,200	\$15,200	\$0	\$15,200
273	Elktoe, Appalachian ( <i>Alasmidonta raveneliana</i> )	E	\$103,000	\$63,800	\$166,800	\$39,950	\$206,750
549	Elktoe, Cumberland ( <i>Alasmidonta atropurpurea</i> )	E	\$48,100	\$1,235	\$49,335	\$0	\$49,335
116	Fanshell ( <i>Cyprogenia stegaria</i> )	E	\$782,039	\$80,520	\$862,559	\$6,139	\$868,698
635	fatmucket, Arkansas ( <i>Lampsilis powellii</i> )	T	\$36,000	\$0	\$36,000	\$0	\$36,000
595	Heelsplitter, Alabama (=inflated) ( <i>Potamilus inflatus</i> )	T	\$14,200	\$15,700	\$29,900	\$12,260	\$42,160
188	Heelsplitter, Carolina ( <i>Lasmigona decorata</i> )	E	\$140,500	\$181,780	\$322,280	\$32,580	\$354,860
121	Higgins eye (pearlymussel) ( <i>Lampsilis higginsii</i> )	E	\$207,800	\$587,814	\$795,614	\$34,958	\$830,572
666	Kidneyshell, triangular ( <i>Ptychobranthus greenii</i> )	E	\$24,300	\$5,000	\$29,300	\$0	\$29,300
768	Lampmussel, Alabama ( <i>Lampsilis virescens</i> ) Entire Range; Except where listed as Experimental Populations	E	\$17,300	\$0	\$17,300	\$0	\$17,300
870	Lampmussel, Alabama ( <i>Lampsilis virescens</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale	EXPN	\$3,500	\$3,750	\$7,250	\$0	\$7,250

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	Counties, AL						
695	Lilliput, pale (pearlymussel) ( <i>Toxolasma cylindrellus</i> )	E	\$19,300	\$6,150	\$25,450	\$0	\$25,450
293	Mapleleaf, winged ( <i>Quadrula fragosa</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$178,300	\$0	\$178,300	\$0	\$178,300
304	Mapleleaf, winged ( <i>Quadrula fragosa</i> ) Entire; except where listed as experimental populations	E	\$23,100	\$137,228	\$160,328	\$7,000	\$167,328
630	Moccasinshell, Alabama ( <i>Medionidus acutissimus</i> )	T	\$20,200	\$15,500	\$35,700	\$1,200	\$36,900
698	Moccasinshell, Coosa ( <i>Medionidus parvulus</i> )	E	\$20,700	\$3,800	\$24,500	\$800	\$25,300
428	Moccasinshell, Gulf ( <i>Medionidus penicillatus</i> )	E	\$64,000	\$18,615	\$82,615	\$3,500	\$86,115
604	Moccasinshell, Ochlockonee ( <i>Medionidus simpsonianus</i> )	E	\$33,000	\$6,115	\$39,115	\$1,000	\$40,115
416	Monkeyface, Appalachian (pearlymussel) ( <i>Quadrula sparsa</i> )	E	\$91,170	\$200	\$91,370	\$800	\$92,170
982	Monkeyface, Cumberland (pearlymussel) ( <i>Quadrula intermedia</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$300	\$300	\$0	\$300
606	Monkeyface, Cumberland (pearlymussel) ( <i>Quadrula intermedia</i> ) Entire Range; Except where listed as Experimental Populations	E	\$35,021	\$4,225	\$39,246	\$800	\$40,046
680	Mucket, orangenacre ( <i>Lampsilis perovalis</i> )	T	\$14,300	\$12,700	\$27,000	\$400	\$27,400
216	Mucket, pink (pearlymussel) ( <i>Lampsilis abrupta</i> )	E	\$115,918	\$144,029	\$259,947	\$37,473	\$297,420
836	Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$5,000	\$5,000	\$5,075	\$10,075
400	Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) Entire Range; Except where listed as Experimental Populations	E	\$92,805	\$2,305	\$95,110	\$4,033	\$99,143
839	Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$9,600	\$9,600	\$300	\$9,900
340	Mussel, scaleshell ( <i>Leptodea leptodon</i> )	E	\$74,420	\$47,483	\$121,903	\$20,000	\$141,903
178	Pearlshell, Louisiana ( <i>Margaritifera hembeli</i> )	T	\$163,000	\$228,343	\$391,343	\$6,021	\$397,364
474	Pearlymussel, birdwing ( <i>Conradilla caelata</i> ) Entire Range; Except where listed as Experimental Populations	E	\$58,221	\$5,925	\$64,146	\$2,810	\$66,956
907	Pearlymussel, birdwing ( <i>Conradilla caelata</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$4,700	\$0	\$4,700	\$0	\$4,700
426	Pearlymussel, cracking ( <i>Hemistena lata</i> ) Entire Range; Except where listed as Experimental Populations	E	\$62,721	\$23,152	\$85,873	\$1,083	\$86,956
878	Pearlymussel, Curtis ( <i>Epioblasma florentina curtisii</i> )	E	\$6,800	\$70	\$6,870	\$0	\$6,870
493	Pearlymussel, dromedary ( <i>Dromus dromas</i> ) Entire Range; Except where listed as Experimental	E	\$58,621	\$1,770	\$60,391	\$3,017	\$63,408

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<b>Populations</b>						
901	Pearlymussel, dromedary ( <i>Dromus dromas</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,700	\$0	\$4,700	\$300	\$5,000
299	Pearlymussel, littlewing ( <i>Pegias fabula</i> )	E	\$128,615	\$32,735	\$161,350	\$12,027	\$173,377
913	Pigtoe, Cumberland ( <i>Pleurobema gibberum</i> )	E	\$4,100	\$100	\$4,200	\$0	\$4,200
787	Pigtoe, dark ( <i>Pleurobema furvum</i> )	E	\$14,300	\$1,000	\$15,300	\$0	\$15,300
513	Pigtoe, finerayed ( <i>Fusconaia cuneolus</i> ) Entire Range; Except where listed as Experimental Populations	E	\$36,221	\$20,150	\$56,371	\$1,500	\$57,871
686	Pigtoe, finerayed ( <i>Fusconaia cuneolus</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$26,500	\$26,500	\$0	\$26,500
907	Pigtoe, finerayed ( <i>Fusconaia cuneolus</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,700	\$0	\$4,700	\$0	\$4,700
845	Pigtoe, flat ( <i>Pleurobema marshalli</i> )	E	\$9,000	\$0	\$9,000	\$400	\$9,400
464	Pigtoe, heavy ( <i>Pleurobema taitianum</i> )	E	\$37,300	\$30,700	\$68,000	\$1,500	\$69,500
409	Pigtoe, oval ( <i>Pleurobema pyriforme</i> )	E	\$65,200	\$25,965	\$91,165	\$3,500	\$94,665
319	Pigtoe, rough ( <i>Pleurobema plenum</i> )	E	\$59,921	\$94,852	\$154,773	\$2,400	\$157,173
907	Pigtoe, shiny ( <i>Fusconaia cor</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,700	\$0	\$4,700	\$0	\$4,700
440	Pigtoe, shiny ( <i>Fusconaia cor</i> ) Entire Range; Except where listed as Experimental Populations	E	\$47,915	\$30,950	\$78,865	\$800	\$79,665
567	Pigtoe, southern ( <i>Pleurobema georgianum</i> )	E	\$20,200	\$23,600	\$43,800	\$1,000	\$44,800
228	Pimpleback, orangefoot (pearlymussel) ( <i>Plethobasus cooperianus</i> )	E	\$64,100	\$202,195	\$266,295	\$3,000	\$269,295
195	Pocketbook, fat ( <i>Potamilus capax</i> )	E	\$127,000	\$183,570	\$310,570	\$30,660	\$341,230
668	Pocketbook, finelined ( <i>Lampsilis altilis</i> )	T	\$20,200	\$7,800	\$28,000	\$1,000	\$29,000
525	Pocketbook, Ouachita rock ( <i>Arkansia wheeleri</i> )	E	\$30,500	\$20,844	\$51,344	\$3,000	\$54,344
423	Pocketbook, shinyrayed ( <i>Lampsilis subangulata</i> )	E	\$65,000	\$20,615	\$85,615	\$4,000	\$89,615
729	Pocketbook, speckled ( <i>Lampsilis streckeri</i> )	E	\$21,000	\$0	\$21,000	\$0	\$21,000
538	Rabbitsfoot, rough ( <i>Quadrula cylindrica strigillata</i> )	E	\$34,815	\$15,379	\$50,194	\$1,500	\$51,694
223	Riffleshell, northern ( <i>Epioblasma torulosa rangiana</i> )	E	\$40,418	\$242,399	\$282,817	\$1,839	\$284,656
327	Riffleshell, tan ( <i>Epioblasma florentina walkeri</i> (=E. <i>walkeri</i> ))	E	\$143,915	\$5,114	\$149,029	\$5,000	\$154,029
419	Ring pink (mussel) ( <i>Obovaria retusa</i> )	E	\$50,100	\$41,252	\$91,352	\$0	\$91,352
366	Slabshell, Chipola ( <i>Elliptio chipolaensis</i> )	T	\$47,000	\$68,365	\$115,365	\$500	\$115,865
236	Spinymussel, James ( <i>Pleurobema collina</i> )	E	\$60,195	\$158,741	\$218,936	\$35,396	\$254,332
386	Spinymussel, Tar River ( <i>Elliptio steinstansana</i> )	E	\$21,700	\$52,280	\$73,980	\$30,970	\$104,950
684	Stirrupshell ( <i>Quadrula stapes</i> )	E	\$0	\$26,500	\$26,500	\$400	\$26,900
341	Three-ridge, fat (mussel) ( <i>Amblema neislerii</i> )	E	\$72,300	\$68,215	\$140,515	\$0	\$140,515
153	Wartyback, white (pearlymussel) ( <i>Plethobasus cicatricosus</i> )	E	\$14,800	\$546,470	\$561,270	\$0	\$561,270

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
129	Wedgemussel, dwarf ( <i>Alasmidonta heterodon</i> )	E	\$82,580	\$517,993	\$600,573	\$115,367	\$715,940
	<b>Clams Subtotal</b>		\$4,447,003	\$4,670,957	\$9,117,960	\$522,250	\$9,640,210
	<b>Snails</b>						
214	Abalone, White ( <i>Haliotis sorenseni</i> ) North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	E	\$0	\$300,500	\$300,500	\$0	\$300,500
267	Ambersnail, Kanab ( <i>Oxyloma haydeni kanabensis</i> )	E	\$87,484	\$114,115	\$201,599	\$12,000	\$213,599
849	Campeloma, slender ( <i>Campeloma decampi</i> )	E	\$9,000	\$0	\$9,000	\$0	\$9,000
476	Cavesnail, Tumbling Creek ( <i>Antrobia culveri</i> )	E	\$46,100	\$18,070	\$64,170	\$2,500	\$66,670
785	Elimia, lacy (snail) ( <i>Elimia crenatella</i> )	T	\$15,700	\$0	\$15,700	\$0	\$15,700
533	Limpet, Banbury Springs ( <i>Lanx sp.</i> )	E	\$46,036	\$6,142	\$52,178	\$0	\$52,178
849	Lioplax, cylindrical (snail) ( <i>Lioplax cyclostomaformis</i> )	E	\$9,000	\$0	\$9,000	\$0	\$9,000
629	Marstonia, royal (snail) ( <i>Pyrgulopsis ogmorhappe</i> )	E	\$37,000	\$0	\$37,000	\$0	\$37,000
907	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,700	\$0	\$4,700	\$0	\$4,700
781	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) Entire Range; Except where listed as Experimental Populations	E	\$11,000	\$5,020	\$16,020	\$0	\$16,020
817	Rocksnailed, painted ( <i>Leptoxis taeniata</i> )	T	\$12,200	\$0	\$12,200	\$0	\$12,200
785	Rocksnailed, plicate ( <i>Leptoxis plicata</i> )	E	\$15,700	\$0	\$15,700	\$0	\$15,700
849	Rocksnailed, round ( <i>Leptoxis ampla</i> )	T	\$9,000	\$0	\$9,000	\$0	\$9,000
861	Shagreen, Magazine Mountain ( <i>Mesodon magazinensis</i> )	T	\$7,500	\$300	\$7,800	\$0	\$7,800
849	Snail, armored ( <i>Pyrgulopsis (=Marstonia) pachyta</i> )	E	\$9,000	\$0	\$9,000	\$0	\$9,000
243	Snail, Bliss Rapids ( <i>Taylorconcha serpenticola</i> )	T	\$196,582	\$47,963	\$244,545	\$0	\$244,545
782	Snail, Chittenango ovate amber ( <i>Succinea chittenangoensis</i> )	T	\$6,000	\$0	\$6,000	\$10,000	\$16,000
627	Snail, flat-spined three-toothed ( <i>Triodopsis platysayoides</i> )	T	\$10,305	\$0	\$10,305	\$26,731	\$37,036
512	Snail, Iowa Pleistocene ( <i>Discus macclintocki</i> )	E	\$56,000	\$0	\$56,000	\$2,000	\$58,000
364	Snail, Morro shoulderband (=Banded dune) ( <i>Helminthoglypta walkeriana</i> )	E	\$117,529	\$1,000	\$118,529	\$0	\$118,529
669	Snail, Newcomb's ( <i>Erinna newcombi</i> )	T	\$28,800	\$0	\$28,800	\$0	\$28,800
957	Snail, noonday ( <i>Mesodon clarki nantahala</i> )	T	\$1,800	\$0	\$1,800	\$0	\$1,800
792	Snail, painted snake coiled forest ( <i>Anguispira picta</i> )	T	\$15,000	\$0	\$15,000	\$0	\$15,000
907	Snail, Pecos assiminea ( <i>Assiminea pecos</i> )	E	\$500	\$1,600	\$2,100	\$2,600	\$4,700
339	Snail, Snake River physa ( <i>Physa natricina</i> )	E	\$26,827	\$115,463	\$142,290	\$0	\$142,290
849	Snail, Stock Island tree ( <i>Orthalicus reses (not incl. nesodryas)</i> )	T	\$9,000	\$0	\$9,000	\$0	\$9,000
741	Snail, tulotoma ( <i>Tulotoma magnifica</i> )	E	\$9,000	\$6,000	\$15,000	\$4,700	\$19,700
242	Snail, Utah valvata ( <i>Valvata utahensis</i> )	E	\$101,821	\$143,081	\$244,902	\$0	\$244,902
751	Snail, Virginia fringed mountain ( <i>Polygyriscus virginianus</i> )	E	\$18,410	\$0	\$18,410	\$500	\$18,910



Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
123	Snails, Oahu tree ( <i>Achatinella spp.</i> )	E*	\$116,900	\$698,101	\$815,001	\$0	\$815,001
980	Springsnail, Alamosa ( <i>Tryonia alamosae</i> )	E	\$500	\$0	\$500	\$0	\$500
602	Springsnail, Bruneau Hot ( <i>Pyrgulopsis bruneauensis</i> )	E	\$37,195	\$4,000	\$41,195	\$50	\$41,245
530	Springsnail, Idaho ( <i>Pyrgulopsis idahoensis</i> )	DO	\$763	\$52,449	\$53,212	\$0	\$53,212
941	Springsnail, Koster's ( <i>Juturnia kosteri</i> )	E	\$1,000	\$1,600	\$2,600	\$250	\$2,850
941	Springsnail, Roswell ( <i>Pyrgulopsis roswellensis</i> )	E	\$1,000	\$1,600	\$2,600	\$250	\$2,850
971	Springsnail, Socorro ( <i>Pyrgulopsis neomexicana</i> )	E	\$500	\$0	\$500	\$500	\$1,000
	<b>Snails Subtotal</b>		\$1,074,852	\$1,517,004	\$2,591,856	\$62,081	\$2,653,937
	<b>Insects</b>						
113	Beetle, American burying ( <i>Nicrophorus americanus</i> )	E	\$326,684	\$552,102	\$878,786	\$54,744	\$933,530
912	Beetle, Coffin Cave mold ( <i>Batrisodes texanus</i> )	E	\$4,000	\$240	\$4,240	\$0	\$4,240
743	Beetle, Comal Springs dryopid ( <i>Stygoparnus comalensis</i> )	E	\$10,000	\$3,959	\$13,959	\$5,700	\$19,659
619	Beetle, Comal Springs riffle ( <i>Heterelmis comalensis</i> )	E	\$21,000	\$3,959	\$24,959	\$13,400	\$38,359
88	Beetle, delta green ground ( <i>Elaphrus viridis</i> )	T	\$1,400	\$1,300,000	\$1,301,400	\$0	\$1,301,400
844	Beetle, Helotes mold ( <i>Batrisodes venyivi</i> )	E	\$4,000	\$240	\$4,240	\$5,200	\$9,440
667	Beetle, Hungerford's crawling water ( <i>Brychius hungerfordi</i> )	E	\$29,000	\$0	\$29,000	\$100	\$29,100
798	Beetle, Kretschmarr Cave mold ( <i>Texamaurops reddelli</i> )	E	\$9,000	\$240	\$9,240	\$5,100	\$14,340
932	Beetle, Mount Hermon June ( <i>Polyphylla barbata</i> )	E	\$3,171	\$0	\$3,171	\$0	\$3,171
798	Beetle, Tooth Cave ground ( <i>Rhadine persephone</i> )	E	\$9,000	\$240	\$9,240	\$5,100	\$14,340
34	Beetle, valley elderberry longhorn ( <i>Desmocerus californicus dimorphus</i> )	T	\$246,262	\$6,530,665	\$6,776,927	\$0	\$6,776,927
601	Butterfly, bay checkerspot ( <i>Euphydryas editha bayensis</i> )	T	\$41,295	\$0	\$41,295	\$0	\$41,295
651	Butterfly, Behren's silverspot ( <i>Speyeria zerene behrensii</i> )	E	\$27,900	\$4,500	\$32,400	\$0	\$32,400
233	Butterfly, El Segundo blue ( <i>Euphilotes battoides allyni</i> )	E	\$106,854	\$150,000	\$256,854	\$0	\$256,854
191	Butterfly, Fender's blue ( <i>Icaricia icarioides fenderi</i> )	E	\$318,300	\$29,960	\$348,260	\$0	\$348,260
106	Butterfly, Karner blue ( <i>Lycaeides melissa samuelis</i> )	E	\$374,000	\$357,542	\$731,542	\$276,690	\$1,008,232
226	Butterfly, Lange's metalmark ( <i>Apodemia mormo langei</i> )	E	\$107,649	\$165,600	\$273,249	\$0	\$273,249
916	Butterfly, lotis blue ( <i>Lycaeides argyrognomon lotis</i> )	E	\$4,000	\$0	\$4,000	\$0	\$4,000
205	Butterfly, mission blue ( <i>Icaricia icarioides missionensis</i> )	E	\$7,200	\$310,000	\$317,200	\$0	\$317,200
478	Butterfly, Mitchell's satyr ( <i>Neonympha mitchellii mitchellii</i> )	E	\$36,521	\$4,300	\$40,821	\$25,836	\$66,657
971	Butterfly, Myrtle's silverspot ( <i>Speyeria zerene myrtleae</i> )	E	\$0	\$1,000	\$1,000	\$0	\$1,000
227	Butterfly, Oregon silverspot ( <i>Speyeria zerene hippolyta</i> )	T	\$230,000	\$31,336	\$261,336	\$8,000	\$269,336
229	Butterfly, Palos Verdes blue ( <i>Glaucopsyche lygdamus palosverdesensis</i> )	E	\$95,654	\$171,000	\$266,654	\$0	\$266,654

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
177	Butterfly, Quino checkerspot ( <i>Euphydryas editha quino</i> (=E. e. <i>wrightii</i> ))	E	\$349,827	\$51,395	\$401,222	\$0	\$401,222
345	Butterfly, Saint Francis' satyr ( <i>Neonympha mitchellii francisci</i> )	E	\$375	\$129,909	\$130,284	\$508	\$130,792
897	Butterfly, San Bruno elfin ( <i>Callophrys mossii bayensis</i> )	E	\$5,200	\$0	\$5,200	\$0	\$5,200
545	Butterfly, Schaus swallowtail ( <i>Heraclides aristodemus ponceanus</i> )	E	\$49,000	\$1,904	\$50,904	\$0	\$50,904
374	Butterfly, Smith's blue ( <i>Euphilotes enoptes smithi</i> )	E	\$111,073	\$0	\$111,073	\$0	\$111,073
716	Butterfly, Uncompahgre fritillary ( <i>Boloria acrocneuma</i> )	E	\$2,219	\$20,915	\$23,134	\$0	\$23,134
222	Dragonfly, Hine's emerald ( <i>Somatochlora hineana</i> )	E	\$245,800	\$24,601	\$270,401	\$17,100	\$287,501
642	Fly, Delhi Sands flower-loving ( <i>Rhaphiomidas terminatus abdominalis</i> )	E	\$34,393	\$0	\$34,393	\$0	\$34,393
826	Grasshopper, Zayante band-winged ( <i>Trimerotropis infantilis</i> )	E	\$10,883	\$0	\$10,883	\$0	\$10,883
380	Ground beetle, [unnamed] ( <i>Rhadine exilis</i> )	E	\$4,500	\$100,080	\$104,580	\$5,100	\$109,680
380	Ground beetle, [unnamed] ( <i>Rhadine infernalis</i> )	E	\$4,500	\$100,080	\$104,580	\$5,100	\$109,680
457	Moth, Blackburn's sphinx ( <i>Manduca blackburni</i> )	E	\$67,100	\$5,000	\$72,100	\$0	\$72,100
582	Moth, Kern primrose sphinx ( <i>Euproserpinus euterpe</i> )	T	\$23,256	\$20,000	\$43,256	\$0	\$43,256
646	Naucorid, Ash Meadows ( <i>Ambrysus amargosus</i> )	T	\$33,800	\$0	\$33,800	\$0	\$33,800
809	Pomace fly, [unnamed] ( <i>Drosophila aglaia</i> )	E	\$13,367	\$0	\$13,367	\$0	\$13,367
809	Pomace fly, [unnamed] ( <i>Drosophila differens</i> )	E	\$13,367	\$0	\$13,367	\$0	\$13,367
809	Pomace fly, [unnamed] ( <i>Drosophila hemipeza</i> )	E	\$13,367	\$0	\$13,367	\$0	\$13,367
809	Pomace fly, [unnamed] ( <i>Drosophila heteroneura</i> )	E	\$13,367	\$0	\$13,367	\$0	\$13,367
809	Pomace fly, [unnamed] ( <i>Drosophila montgomeryi</i> )	E	\$13,367	\$0	\$13,367	\$0	\$13,367
809	Pomace fly, [unnamed] ( <i>Drosophila mulli</i> )	T	\$13,367	\$0	\$13,367	\$0	\$13,367
809	Pomace fly, [unnamed] ( <i>Drosophila musaphila</i> )	E	\$13,367	\$0	\$13,367	\$0	\$13,367
809	Pomace fly, [unnamed] ( <i>Drosophila neoclavisetae</i> )	E	\$13,367	\$0	\$13,367	\$0	\$13,367
809	Pomace fly, [unnamed] ( <i>Drosophila obatai</i> )	E	\$13,367	\$0	\$13,367	\$0	\$13,367
809	Pomace fly, [unnamed] ( <i>Drosophila ochrobasis</i> )	E	\$13,367	\$0	\$13,367	\$0	\$13,367
809	Pomace fly, [unnamed] ( <i>Drosophila substenoptera</i> )	E	\$13,367	\$0	\$13,367	\$0	\$13,367
809	Pomace fly, [unnamed] ( <i>Drosophila tarphytrichia</i> )	E	\$13,367	\$0	\$13,367	\$0	\$13,367
363	Skipper, Carson wandering ( <i>Pseudocopaeodes eunus obscurus</i> )	E	\$23,686	\$95,500	\$119,186	\$0	\$119,186
288	Skipper, Laguna Mountains ( <i>Pyrgus ruralis lagunae</i> )	E	\$873,210	\$140	\$873,350	\$0	\$873,350
914	Skipper, Pawnee montane ( <i>Hesperia leonardus montana</i> )	T	\$3,647	\$500	\$4,147	\$0	\$4,147
466	Tiger beetle, northeastern beach ( <i>Cicindela dorsalis dorsalis</i> )	T	\$60,670	\$4,801	\$65,471	\$3,500	\$68,971
892	Tiger beetle, Ohlone ( <i>Cicindela ohlone</i> )	E	\$5,671	\$0	\$5,671	\$0	\$5,671
313	Tiger beetle, Puritan ( <i>Cicindela puritana</i> )	T	\$151,790	\$4,287	\$156,077	\$4,198	\$160,275
487	Tiger beetle, Salt Creek ( <i>Cicindela nevadica lincolniana</i> )	E	\$30,795	\$8,500	\$39,295	\$25,000	\$64,295
	<b>Insects Subtotal</b>		\$4,264,689	\$10,184,495	\$14,449,184	\$460,376	\$14,909,560

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<b>Arachnids</b>						
961	Harvestman, Bee Creek Cave ( <i>Texella reddelli</i> )	E	\$1,300	\$240	\$1,540	\$0	\$1,540
744	Harvestman, Bone Cave ( <i>Texella reyesi</i> )	E	\$12,000	\$240	\$12,240	\$7,400	\$19,640
909	Harvestman, Cokendolpher Cave ( <i>Texella cokendolpheri</i> )	E	\$4,500	\$0	\$4,500	\$0	\$4,500
908	Meshweaver, Braken Bat Cave ( <i>Cicurina venii</i> )	E	\$4,500	\$160	\$4,660	\$0	\$4,660
908	Meshweaver, Government Canyon Bat Cave ( <i>Cicurina vespera</i> )	E	\$4,500	\$160	\$4,660	\$0	\$4,660
323	Meshweaver, Madla's Cave ( <i>Cicurina madla</i> )	E	\$4,500	\$150,160	\$154,660	\$1,800	\$156,460
883	Meshweaver, Robber Baron Cave ( <i>Cicurina baronia</i> )	E	\$4,500	\$160	\$4,660	\$1,800	\$6,460
847	Pseudoscorpion, Tooth Cave ( <i>Tartarocreagris texana</i> )	E	\$9,000	\$160	\$9,160	\$0	\$9,160
837	Spider, Government Canyon Bat Cave ( <i>Neoleptoneta microps</i> )	E	\$4,500	\$160	\$4,660	\$5,400	\$10,060
759	Spider, Kauai cave wolf or pe'e pe'e maka 'ole ( <i>Adelocosa anops</i> )	E	\$18,263	\$0	\$18,263	\$0	\$18,263
885	Spider, spruce-fir moss ( <i>Microhexura montivaga</i> )	E	\$6,300	\$0	\$6,300	\$0	\$6,300
791	Spider, Tooth Cave ( <i>Leptoneta myopica</i> )	E	\$9,500	\$160	\$9,660	\$5,400	\$15,060
	<b>Arachnids Subtotal</b>		\$83,363	\$151,600	\$234,963	\$21,800	\$256,763
	<b>Crustaceans</b>						
903	Amphipod, Illinois cave ( <i>Gammarus acherondytes</i> )	E	\$3,500	\$0	\$3,500	\$1,343	\$4,843
776	Amphipod, Kauai cave ( <i>Spelaeorchestia koloana</i> )	E	\$16,663	\$0	\$16,663	\$0	\$16,663
794	Amphipod, Noel's ( <i>Gammarus desperatus</i> )	E	\$1,000	\$1,600	\$2,600	\$12,000	\$14,600
840	Amphipod, Peck's cave ( <i>Stygobromus (=Stygonectes) pecki</i> )	E	\$535	\$3,879	\$4,414	\$5,400	\$9,814
638	Crayfish, cave ( <i>Cambarus aculabrum</i> )	E	\$35,300	\$0	\$35,300	\$0	\$35,300
792	Crayfish, cave ( <i>Cambarus zophonastes</i> )	E	\$14,500	\$0	\$14,500	\$500	\$15,000
537	Crayfish, Nashville ( <i>Orconectes shoupi</i> )	E	\$47,500	\$4,200	\$51,700	\$0	\$51,700
691	Crayfish, Shasta ( <i>Pacifastacus fortis</i> )	E	\$25,000	\$1,000	\$26,000	\$0	\$26,000
391	Fairy shrimp, Conservancy ( <i>Branchinecta conservatio</i> )	E	\$85,680	\$18,200	\$103,880	\$0	\$103,880
547	Fairy shrimp, longhorn ( <i>Branchinecta longiantenna</i> )	E	\$920,693	\$4,400	\$925,093	\$0	\$925,093
491	Fairy shrimp, Riverside ( <i>Streptocephalus woottoni</i> )	E	\$1,813,197	\$27,962	\$1,841,159	\$0	\$1,841,159
234	Fairy shrimp, San Diego ( <i>Branchinecta sandiegonensis</i> )	E	\$1,997,153	\$36,757	\$2,033,910	\$0	\$2,033,910
68	Fairy shrimp, vernal pool ( <i>Branchinecta lynchi</i> )	T	\$1,205,447	\$2,427,537	\$3,632,984	\$0	\$3,632,984
728	Isopod, Lee County cave ( <i>Lirceus usdagalun</i> )	E	\$20,500	\$0	\$20,500	\$750	\$21,250
455	Isopod, Madison Cave ( <i>Antrolana lira</i> )	T	\$42,865	\$16,000	\$58,865	\$15,097	\$73,962
972	Isopod, Socorro ( <i>Thermosphaeroma thermophilus</i> )	E	\$500	\$0	\$500	\$450	\$950
632	Shrimp, Alabama cave ( <i>Palaemonias alabamae</i> )	E	\$9,000	\$27,232	\$36,232	\$0	\$36,232
461	Shrimp, California freshwater ( <i>Syncaris pacifica</i> )	E	\$1,400	\$69,658	\$71,058	\$0	\$71,058
850	Shrimp, Kentucky cave ( <i>Palaemonias ganteri</i> )	E	\$4,000	\$4,928	\$8,928	\$0	\$8,928
197	Tadpole shrimp, vernal pool ( <i>Lepidurus packardi</i> )	E	\$992,708	\$220,900	\$1,213,608	\$0	\$1,213,608
	<b>Crustaceans Subtotal</b>		\$7,237,141	\$2,864,253	\$10,101,394	\$35,540	\$10,136,934

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<b>Corals</b>						
540	Coral, elkhorn ( <i>Acropora palmata</i> )	T	\$0	\$51,450	\$51,450	\$0	\$51,450
699	Coral, staghorn ( <i>Acropora cervicornis</i> )	T	\$0	\$25,251	\$25,251	\$0	\$25,251
	<b>Corals Subtotal</b>		\$0	\$76,701	\$76,701	\$0	\$76,701
	<b>Flowering Plants</b>						
686	Alani ( <i>Melicope adscendens</i> )	E	\$26,500	\$0	\$26,500	\$0	\$26,500
906	Alani ( <i>Melicope balloui</i> )	E	\$4,700	\$69	\$4,769	\$0	\$4,769
978	Alani ( <i>Melicope haupuensis</i> )	E	\$600	\$0	\$600	\$0	\$600
689	Alani ( <i>Melicope knudsenii</i> )	E	\$26,100	\$0	\$26,100	\$0	\$26,100
583	Alani ( <i>Melicope lydgatei</i> )	E	\$800	\$42,438	\$43,238	\$0	\$43,238
926	Alani ( <i>Melicope mucronulata</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
981	Alani ( <i>Melicope munroi</i> )	E	\$400	\$0	\$400	\$0	\$400
877	Alani ( <i>Melicope ovalis</i> )	E	\$400	\$6,555	\$6,955	\$0	\$6,955
833	Alani ( <i>Melicope pallida</i> )	E	\$500	\$10,000	\$10,500	\$0	\$10,500
981	Alani ( <i>Melicope quadrangularis</i> )	E	\$400	\$0	\$400	\$0	\$400
980	Alani ( <i>Melicope reflexa</i> )	E	\$500	\$0	\$500	\$0	\$500
980	Alani ( <i>Melicope saint-johnii</i> )	E	\$500	\$0	\$500	\$0	\$500
843	Alani ( <i>Melicope zahlbruckneri</i> )	E	\$1,000	\$8,500	\$9,500	\$0	\$9,500
757	Alopecurus, Sonoma ( <i>Alopecurus aequalis</i> var. <i>sonomensis</i> )	E	\$11,000	\$7,600	\$18,600	\$0	\$18,600
219	Amaranth, seabeach ( <i>Amaranthus pumilus</i> )	T	\$34,400	\$258,430	\$292,830	\$2,250	\$295,080
514	Ambrosia, San Diego ( <i>Ambrosia pumila</i> )	E	\$1,834,875	\$0	\$1,834,875	\$0	\$1,834,875
899	Ambrosia, south Texas ( <i>Ambrosia cheiranthifolia</i> )	E	\$1,500	\$100	\$1,600	\$3,500	\$5,100
326	Amole, purple ( <i>Chlorogalum purpureum</i> )	T	\$30,878	\$125,000	\$155,878	\$0	\$155,878
825	Amphianthus, little ( <i>Amphianthus pusillus</i> )	T	\$9,000	\$500	\$9,500	\$1,500	\$11,000
931	Arrowhead, bunched ( <i>Sagittaria fasciculata</i> )	E	\$3,200	\$0	\$3,200	\$0	\$3,200
376	Aster, decurrent false ( <i>Boltonia decurrens</i> )	T	\$31,800	\$47,113	\$78,913	\$31,690	\$110,603
680	Aster, Florida golden ( <i>Chrysopsis floridana</i> )	E	\$27,400	\$0	\$27,400	\$0	\$27,400
520	Aster, Ruth's golden ( <i>Pityopsis ruthii</i> )	E	\$51,500	\$4,000	\$55,500	\$0	\$55,500
264	Aupaka ( <i>Isodendrion hosakae</i> )	E	\$500	\$217,102	\$217,602	\$0	\$217,602
793	Aupaka ( <i>Isodendrion laurifolium</i> )	E	\$2,900	\$12,000	\$14,900	\$0	\$14,900
562	Aupaka ( <i>Isodendrion longifolium</i> )	T	\$3,400	\$42,438	\$45,838	\$0	\$45,838
828	Avens, spreading ( <i>Geum radiatum</i> )	E	\$5,500	\$5,160	\$10,660	\$0	\$10,660
874	Awiiwi ( <i>Centaurium sebaeoides</i> )	E	\$1,900	\$5,159	\$7,059	\$0	\$7,059
976	Awiiwi ( <i>Hedyotis cookiana</i> )	E	\$700	\$0	\$700	\$0	\$700
543	Ayenia, Texas ( <i>Ayenia limitaris</i> )	E	\$49,500	\$300	\$49,800	\$1,200	\$51,000
947	A`e ( <i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i> )	E	\$2,400	\$0	\$2,400	\$0	\$2,400
239	A`e ( <i>Zanthoxylum hawaiiense</i> )	E	\$32,200	\$217,102	\$249,302	\$0	\$249,302
687	Barberry, island ( <i>Berberis pinnata</i> ssp. <i>insularis</i> )	E	\$21,205	\$5,157	\$26,362	\$0	\$26,362
244	Barberry, Nevin's ( <i>Berberis nevinii</i> )	E	\$243,133	\$500	\$243,633	\$0	\$243,633
833	Bariaco ( <i>Trichilia triacantha</i> )	E	\$10,500	\$0	\$10,500	\$0	\$10,500
755	Beaked-rush, Knieskern's ( <i>Rhynchospora knieskernii</i> )	T	\$7,500	\$10,251	\$17,751	\$1,000	\$18,751

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
395	Bear-poppy, dwarf ( <i>Arcomecon humilis</i> )	E	\$9,000	\$92,000	\$101,000	\$500	\$101,500
896	Beardtongue, Penland ( <i>Penstemon penlandii</i> )	E	\$308	\$5,000	\$5,308	\$0	\$5,308
674	Beargrass, Britton's ( <i>Nolina brittoniana</i> )	E	\$0	\$28,000	\$28,000	\$0	\$28,000
482	Beauty, Harper's ( <i>Harperocallis flava</i> )	E	\$28,800	\$36,500	\$65,300	\$0	\$65,300
405	Bedstraw, El Dorado ( <i>Galium californicum</i> ssp. <i>sierrae</i> )	E	\$77,983	\$19,000	\$96,983	\$0	\$96,983
898	Bedstraw, island ( <i>Galium buxifolium</i> )	E	\$0	\$5,157	\$5,157	\$0	\$5,157
829	Birch, Virginia round-leaf ( <i>Betula uber</i> )	T	\$10,110	\$500	\$10,610	\$0	\$10,610
296	Bird's beak, palmate-bracted ( <i>Cordylanthus palmatus</i> )	E	\$175,299	\$1,000	\$176,299	\$0	\$176,299
467	Bird's-beak, salt marsh ( <i>Cordylanthus maritimus</i> ssp. <i>maritimus</i> )	E	\$24,400	\$44,273	\$68,673	\$0	\$68,673
647	Bird's-beak, soft ( <i>Cordylanthus mollis</i> ssp. <i>mollis</i> )	E	\$33,576	\$0	\$33,576	\$0	\$33,576
611	Birds-in-a-nest, white ( <i>Macbridea alba</i> )	T	\$21,000	\$18,500	\$39,500	\$0	\$39,500
958	Bittercress, small-anthered ( <i>Cardamine micranthera</i> )	E	\$841	\$450	\$1,291	\$500	\$1,791
723	Bladderpod, Dudley Bluffs ( <i>Lesquerella congesta</i> )	T	\$16,177	\$5,915	\$22,092	\$0	\$22,092
792	Bladderpod, kodachrome ( <i>Lesquerella tumulosa</i> )	E	\$2,000	\$13,000	\$15,000	\$0	\$15,000
849	Bladderpod, lyrate ( <i>Lesquerella lyrata</i> )	T	\$9,000	\$0	\$9,000	\$0	\$9,000
501	Bladderpod, Missouri ( <i>Lesquerella filiformis</i> )	T	\$35,000	\$19,500	\$54,500	\$6,500	\$61,000
639	Bladderpod, San Bernardino Mountains ( <i>Lesquerella kingii</i> ssp. <i>bernardina</i> )	E	\$35,223	\$0	\$35,223	\$0	\$35,223
863	Bladderpod, Spring Creek ( <i>Lesquerella perforata</i> )	E	\$6,000	\$1,700	\$7,700	\$0	\$7,700
661	Bladderpod, white ( <i>Lesquerella pallida</i> )	E	\$30,000	\$0	\$30,000	\$300	\$30,300
740	Bladderpod, Zapata ( <i>Lesquerella thamnophila</i> )	E	\$11,500	\$3,000	\$14,500	\$5,500	\$20,000
770	Blazingstar, Ash Meadows ( <i>Mentzelia leucophylla</i> )	T	\$17,100	\$0	\$17,100	\$0	\$17,100
938	Blazingstar, Heller's ( <i>Liatris helleri</i> )	T	\$400	\$2,560	\$2,960	\$0	\$2,960
904	Blazingstar, scrub ( <i>Liatris ohlingerae</i> )	E	\$4,800	\$0	\$4,800	\$0	\$4,800
918	Blue-star, Kearney's ( <i>Amsonia kearneyana</i> )	E	\$1,000	\$2,200	\$3,200	\$750	\$3,950
802	Bluecurls, Hidden Lake ( <i>Trichostema austromontanum</i> ssp. <i>compactum</i> )	T	\$14,076	\$0	\$14,076	\$0	\$14,076
960	Bluegrass, Hawaiian ( <i>Poa sandvicensis</i> )	E	\$500	\$1,100	\$1,600	\$0	\$1,600
960	Bluegrass, Mann's ( <i>Poa mannii</i> )	E	\$500	\$1,100	\$1,600	\$0	\$1,600
269	Bluegrass, San Bernardino ( <i>Poa atropurpurea</i> )	E	\$897,997	\$140	\$898,137	\$0	\$898,137
901	Bluet, Roan Mountain ( <i>Hedyotis purpurea</i> var. <i>montana</i> )	E	\$5,000	\$0	\$5,000	\$0	\$5,000
479	Bonamia, Florida ( <i>Bonamia grandiflora</i> )	T	\$16,500	\$49,500	\$66,000	\$0	\$66,000
833	Boxwood, Vahl's ( <i>Buxus vahlii</i> )	E	\$10,500	\$0	\$10,500	\$0	\$10,500
963	Brodiaea, Chinese Camp ( <i>Brodiaea pallida</i> )	T	\$1,400	\$0	\$1,400	\$0	\$1,400
417	Brodiaea, thread-leaved ( <i>Brodiaea filifolia</i> )	T	\$10,529	\$81,342	\$91,871	\$0	\$91,871
580	Broom, San Clemente Island ( <i>Lotus dendroideus</i> ssp. <i>traskiae</i> )	E	\$5,413	\$37,954	\$43,367	\$0	\$43,367
637	Buckwheat, cushenbury ( <i>Eriogonum ovalifolium</i> var. <i>vineum</i> )	E	\$35,523	\$0	\$35,523	\$0	\$35,523
954	Buckwheat, lone (incl. Irish Hill) ( <i>Eriogonum apricum</i> (incl. var. <i>prostratum</i> ))	E	\$2,000	\$0	\$2,000	\$0	\$2,000
611	Buckwheat, scrub ( <i>Eriogonum longifolium</i> var. <i>montanum</i> )	T	\$9,500	\$30,000	\$39,500	\$0	\$39,500

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>gnaphalifolium</i> )						
555	Buckwheat, steamboat ( <i>Eriogonum ovalifolium</i> var. <i>williamsiae</i> )	E	\$46,900	\$0	\$46,900	\$0	\$46,900
807	Bulrush, Northeastern ( <i>Scirpus ancistrochaetus</i> )	E	\$10,616	\$1,750	\$12,366	\$1,404	\$13,770
520	Bush-clover, prairie ( <i>Lespedeza leptostachya</i> )	T	\$50,900	\$200	\$51,100	\$4,400	\$55,500
612	Bush-mallow, San Clemente Island ( <i>Malacothamnus clementinus</i> )	E	\$1,400	\$37,954	\$39,354	\$0	\$39,354
853	Bush-mallow, Santa Cruz Island ( <i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i> )	E	\$3,756	\$4,757	\$8,513	\$0	\$8,513
734	Buttercup, autumn ( <i>Ranunculus aestivalis</i> (= <i>acriformis</i> ))	E	\$20,300	\$30	\$20,330	\$0	\$20,330
379	Butterfly plant, Colorado ( <i>Gaura neomexicana</i> var. <i>coloradensis</i> )	T	\$5,876	\$103,784	\$109,660	\$200	\$109,860
410	Butterweed, Layne's ( <i>Senecio layneae</i> )	T	\$77,983	\$16,000	\$93,983	\$0	\$93,983
691	Butterwort, Godfrey's ( <i>Pinguicula ionantha</i> )	T	\$7,500	\$18,500	\$26,000	\$0	\$26,000
843	Button, Mohr's Barbara ( <i>Marshallia mohrii</i> )	T	\$9,000	\$0	\$9,000	\$500	\$9,500
706	Button-celery, San Diego ( <i>Eryngium aristulatum</i> var. <i>parishii</i> )	E	\$1,777,199	\$24,212	\$1,801,411	\$0	\$1,801,411
972	Cactus, Arizona hedgehog ( <i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i> )	E	\$0	\$200	\$200	\$750	\$950
506	Cactus, Bakersfield ( <i>Opuntia treleasei</i> )	E	\$20,900	\$38,500	\$59,400	\$0	\$59,400
782	Cactus, black lace ( <i>Echinocereus reichenbachii</i> var. <i>albertii</i> )	E	\$11,000	\$1,500	\$12,500	\$3,500	\$16,000
726	Cactus, Brady pincushion ( <i>Pediocactus bradyi</i> )	E	\$15,000	\$6,100	\$21,100	\$750	\$21,850
936	Cactus, Chisos Mountain hedgehog ( <i>Echinocereus chisoensis</i> var. <i>chisoensis</i> )	T	\$500	\$2,200	\$2,700	\$300	\$3,000
765	Cactus, Cochise pincushion ( <i>Coryphantha robbinsorum</i> )	T	\$16,000	\$1,100	\$17,100	\$750	\$17,850
857	Cactus, Key tree ( <i>Pilosocereus robinii</i> )	E	\$8,200	\$0	\$8,200	\$0	\$8,200
804	Cactus, Knowlton ( <i>Pediocactus knowltonii</i> )	E	\$388	\$13,600	\$13,988	\$0	\$13,988
354	Cactus, Kuenzler hedgehog ( <i>Echinocereus fendleri</i> var. <i>kuenzleri</i> )	E	\$3,000	\$122,900	\$125,900	\$0	\$125,900
942	Cactus, Lee pincushion ( <i>Coryphantha sneedii</i> var. <i>leei</i> )	T	\$0	\$2,800	\$2,800	\$0	\$2,800
933	Cactus, Lloyd's Mariposa ( <i>Echinomastus mariposensis</i> )	T	\$500	\$2,000	\$2,500	\$600	\$3,100
724	Cactus, Mesa Verde ( <i>Sclerocactus mesae-verdae</i> )	T	\$4,691	\$17,400	\$22,091	\$0	\$22,091
965	Cactus, Nellie cory ( <i>Coryphantha minima</i> )	E	\$500	\$0	\$500	\$700	\$1,200
894	Cactus, Nichol's Turk's head ( <i>Echinocactus horizontalonius</i> var. <i>nicholii</i> )	E	\$0	\$4,100	\$4,100	\$1,500	\$5,600
910	Cactus, Peebles Navajo ( <i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i> )	E	\$1,500	\$2,100	\$3,600	\$750	\$4,350
499	Cactus, Pima pineapple ( <i>Coryphantha scheeri</i> var. <i>robustispina</i> )	E	\$7,500	\$53,500	\$61,000	\$750	\$61,750
813	Cactus, San Rafael ( <i>Pediocactus despainii</i> )	E	\$5,000	\$7,700	\$12,700	\$0	\$12,700
726	Cactus, Siler pincushion ( <i>Pediocactus</i> (= <i>Echinocactus</i> , = <i>Utahia</i> ) <i>sileri</i> )	T	\$2,500	\$18,600	\$21,100	\$750	\$21,850
421	Cactus, Sneed pincushion ( <i>Coryphantha sneedii</i> var. <i>sneedii</i> )	E	\$2,000	\$87,800	\$89,800	\$600	\$90,400

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
237	Cactus, star ( <i>Astrophytum asterias</i> )	E	\$178,000	\$0	\$178,000	\$76,200	\$254,200
640	Cactus, Tobusch fishhook ( <i>Ancistrocactus tobuschii</i> )	E	\$500	\$2,700	\$3,200	\$31,700	\$34,900
411	Cactus, Uinta Basin hookless ( <i>Sclerocactus glaucus</i> )	T	\$28,187	\$65,538	\$93,725	\$0	\$93,725
937	Cactus, Winkler ( <i>Pediocactus winkleri</i> )	T	\$0	\$2,993	\$2,993	\$0	\$2,993
439	Cactus, Wright fishhook ( <i>Sclerocactus wrightiae</i> )	E	\$50,000	\$29,830	\$79,830	\$0	\$79,830
543	Campion, fringed ( <i>Silene polypetala</i> )	E	\$36,000	\$12,500	\$48,500	\$2,500	\$51,000
980	Capa rosa ( <i>Callicarpa ampla</i> )	E	\$500	\$0	\$500	\$0	\$500
975	Cat's-eye, Terlingua Creek ( <i>Cryptantha crassipes</i> )	E	\$500	\$0	\$500	\$300	\$800
159	Catchfly, Spalding's ( <i>Silene spaldingii</i> )	T	\$378,312	\$103,936	\$482,248	\$28,529	\$510,777
736	Ceanothus, coyote ( <i>Ceanothus ferrisae</i> )	E	\$20,182	\$0	\$20,182	\$0	\$20,182
429	Ceanothus, Pine Hill ( <i>Ceanothus roderickii</i> )	E	\$77,983	\$8,000	\$85,983	\$0	\$85,983
802	Ceanothus, Vail Lake ( <i>Ceanothus ophiophilus</i> )	T	\$14,076	\$0	\$14,076	\$0	\$14,076
557	Centauray, spring-loving ( <i>Centaureum namophilum</i> )	T	\$46,600	\$0	\$46,600	\$0	\$46,600
920	Chaff-flower, round-leaved ( <i>Achyranthes splendens var. rotundata</i> )	E	\$3,600	\$159	\$3,759	\$0	\$3,759
308	Chaffseed, American ( <i>Schwalbea americana</i> )	E	\$26,000	\$133,562	\$159,562	\$5,300	\$164,862
747	Checker-mallow, Keck's ( <i>Sidalcea keckii</i> )	E	\$9,900	\$9,500	\$19,400	\$0	\$19,400
983	Checker-mallow, Kenwood Marsh ( <i>Sidalcea oregana ssp. valida</i> )	E	\$0	\$280	\$280	\$0	\$280
309	Checker-mallow, Nelson's ( <i>Sidalcea nelsoniana</i> )	T	\$151,950	\$12,351	\$164,301	\$0	\$164,301
659	Checkermallow, Wenatchee Mountains ( <i>Sidalcea oregana var. calva</i> )	E	\$24,650	\$5,836	\$30,486	\$0	\$30,486
946	Chumbo, Higo ( <i>Harrisia portoricensis</i> )	T	\$2,500	\$0	\$2,500	\$0	\$2,500
980	Chupacallos ( <i>Pleodendron macranthum</i> )	E	\$500	\$0	\$500	\$0	\$500
900	Clarkia, Pismo ( <i>Clarkia speciosa ssp. immaculata</i> )	E	\$4,934	\$100	\$5,034	\$0	\$5,034
671	Clarkia, Presidio ( <i>Clarkia franciscana</i> )	E	\$0	\$28,500	\$28,500	\$0	\$28,500
620	Clarkia, Springville ( <i>Clarkia springvillensis</i> )	T	\$16,500	\$21,500	\$38,000	\$0	\$38,000
884	Cliff-rose, Arizona ( <i>Purshia (=Cowania) subintegra</i> )	E	\$1,500	\$4,100	\$5,600	\$750	\$6,350
358	Clover, running buffalo ( <i>Trifolium stoloniferum</i> )	E	\$44,335	\$72,880	\$117,215	\$5,576	\$122,791
708	Clover, showy Indian ( <i>Trifolium amoenum</i> )	E	\$24,000	\$0	\$24,000	\$0	\$24,000
833	Cobana negra ( <i>Stahlia monosperma</i> )	T	\$10,500	\$0	\$10,500	\$0	\$10,500
328	Coneflower, smooth ( <i>Echinacea laevigata</i> )	E	\$48,705	\$101,507	\$150,212	\$3,500	\$153,712
767	Coneflower, Tennessee purple ( <i>Echinacea tennesseensis</i> )	E	\$16,000	\$1,325	\$17,325	\$0	\$17,325
959	Cory cactus, bunched ( <i>Coryphantha ramillosa</i> )	T	\$500	\$500	\$1,000	\$700	\$1,700
963	Crownscale, San Jacinto Valley ( <i>Atriplex coronata var. notatior</i> )	E	\$1,400	\$0	\$1,400	\$0	\$1,400
801	Cycladenia, Jones ( <i>Cycladenia jonesii (=humilis)</i> )	T	\$2,500	\$10,979	\$13,479	\$750	\$14,229
968	Daisy, lakeside ( <i>Hymenoxys herbacea</i> )	T	\$900	\$250	\$1,150	\$0	\$1,150
703	Daisy, Maguire ( <i>Erigeron maguirei</i> )	T	\$16,500	\$8,179	\$24,679	\$0	\$24,679
921	Daisy, Parish's ( <i>Erigeron parishii</i> )	T	\$0	\$3,671	\$3,671	\$0	\$3,671
270	Daisy, Willamette ( <i>Erigeron decumbens var. decumbens</i> )	E	\$155,100	\$52,115	\$207,215	\$0	\$207,215
456	Dawn-flower, Texas prairie ( <i>Hymenoxys texana</i> )	E	\$60,000	\$7,400	\$67,400	\$5,000	\$72,400

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
331	Desert-parsley, Bradshaw's ( <i>Lomatium bradshawii</i> )	E	\$109,800	\$40,736	\$150,536	\$0	\$150,536
843	Dogweed, ashy ( <i>Thymophylla tephroleuca</i> )	E	\$8,500	\$100	\$8,600	\$900	\$9,500
593	Dropwort, Canby's ( <i>Oxypolis canbyi</i> )	E	\$34,600	\$5,750	\$40,350	\$2,000	\$42,350
917	Dudleya, Conejo ( <i>Dudleya abramsii</i> ssp. <i>parva</i> )	T	\$2,967	\$1,000	\$3,967	\$0	\$3,967
917	Dudleya, marcescent ( <i>Dudleya cymosa</i> ssp. <i>marcescens</i> )	T	\$2,967	\$1,000	\$3,967	\$0	\$3,967
736	Dudleya, Santa Clara Valley ( <i>Dudleya setchellii</i> )	E	\$20,182	\$0	\$20,182	\$0	\$20,182
898	Dudleya, Santa Cruz Island ( <i>Dudleya nesiotica</i> )	T	\$0	\$5,157	\$5,157	\$0	\$5,157
971	Dudleya, Verity's ( <i>Dudleya verityi</i> )	T	\$0	\$1,000	\$1,000	\$0	\$1,000
917	Dudleya, Santa Monica Mountains ( <i>Dudleya cymosa</i> ssp. <i>ovatifolia</i> )	T	\$2,967	\$1,000	\$3,967	\$0	\$3,967
714	Dwarf-flax, Marin ( <i>Hesperolinon congestum</i> )	T	\$0	\$23,500	\$23,500	\$0	\$23,500
960	Erubia ( <i>Solanum drymophilum</i> )	E	\$1,600	\$0	\$1,600	\$0	\$1,600
769	Evening-primrose, Antioch Dunes ( <i>Oenothera deltoides</i> ssp. <i>howellii</i> )	E	\$16,540	\$600	\$17,140	\$0	\$17,140
875	Evening-primrose, Eureka Valley ( <i>Oenothera avita</i> ssp. <i>eurekensis</i> )	E	\$5,034	\$2,000	\$7,034	\$0	\$7,034
532	Evening-primrose, San Benito ( <i>Camissonia benitensis</i> )	T	\$2,356	\$50,000	\$52,356	\$0	\$52,356
852	Fiddleneck, large-flowered ( <i>Amsinckia grandiflora</i> )	E	\$875,000	\$8,727	\$883,727	\$0	\$883,727
346	Flannelbush, Mexican ( <i>Fremontodendron mexicanum</i> )	E	\$114,339	\$15,000	\$129,339	\$0	\$129,339
422	Flannelbush, Pine Hill ( <i>Fremontodendron californicum</i> ssp. <i>decumbens</i> )	E	\$77,983	\$12,000	\$89,983	\$0	\$89,983
890	Fleabane, Zuni ( <i>Erigeron rhizomatus</i> )	T	\$0	\$5,100	\$5,100	\$750	\$5,850
318	Four-o'clock, MacFarlane's ( <i>Mirabilis macfarlanei</i> )	T	\$71,536	\$57,500	\$129,036	\$28,798	\$157,834
694	Frankenia, Johnston's ( <i>Frankenia johnstonii</i> )	E	\$22,500	\$100	\$22,600	\$3,000	\$25,600
753	Fringepod, Santa Cruz Island ( <i>Thysanocarpus conchuliferus</i> )	E	\$14,137	\$4,657	\$18,794	\$0	\$18,794
190	Fritillary, Gentner's ( <i>Fritillaria gentneri</i> )	E	\$38,000	\$313,169	\$351,169	\$0	\$351,169
940	Gardenia (=Na`u), Hawaiian ( <i>Gardenia brighamii</i> )	E	\$2,900	\$0	\$2,900	\$0	\$2,900
877	Geranium, Hawaiian red-flowered ( <i>Geranium arboreum</i> )	E	\$400	\$6,555	\$6,955	\$0	\$6,955
786	Gerardia, sandplain ( <i>Agalinis acuta</i> )	E	\$2,500	\$0	\$2,500	\$12,917	\$15,417
862	Gilia, Hoffmann's slender-flowered ( <i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i> )	E	\$2,557	\$5,157	\$7,714	\$0	\$7,714
588	Gilia, Monterey ( <i>Gilia tenuiflora</i> ssp. <i>arenaria</i> )	E	\$26,971	\$15,951	\$42,922	\$0	\$42,922
718	Goetzea, beautiful ( <i>Goetzea elegans</i> )	E	\$22,500	\$0	\$22,500	\$0	\$22,500
901	Goldenrod, Blue Ridge ( <i>Solidago spithamaea</i> )	T	\$5,000	\$0	\$5,000	\$0	\$5,000
750	Goldenrod, Houghton's ( <i>Solidago houghtonii</i> )	T	\$5,500	\$12,850	\$18,350	\$600	\$18,950
718	Goldenrod, Short's ( <i>Solidago shortii</i> )	E	\$22,500	\$0	\$22,500	\$0	\$22,500
574	Goldenrod, white-haired ( <i>Solidago albopilosa</i> )	T	\$44,000	\$0	\$44,000	\$0	\$44,000
830	Goldfields, Burke's ( <i>Lasthenia burkei</i> )	E	\$10,600	\$0	\$10,600	\$0	\$10,600
631	Goldfields, Contra Costa ( <i>Lasthenia conjugens</i> )	E	\$29,060	\$7,414	\$36,474	\$0	\$36,474
654	Gooseberry, Miccosukee ( <i>Ribes echinellum</i> )	T	\$16,500	\$15,000	\$31,500	\$0	\$31,500
954	Gourd, Okeechobee ( <i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i> )	E	\$1,900	\$100	\$2,000	\$0	\$2,000



Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
448	Grass, Colusa ( <i>Neostaphia colusana</i> )	T	\$47,699	\$28,600	\$76,299	\$0	\$76,299
875	Grass, Eureka Dune ( <i>Swallenia alexandrae</i> )	E	\$5,034	\$2,000	\$7,034	\$0	\$7,034
622	Grass, Solano ( <i>Tuctoria mucronata</i> )	E	\$34,799	\$3,000	\$37,799	\$0	\$37,799
155	Grass, Tennessee yellow-eyed ( <i>Xyris tennesseensis</i> )	E	\$541,500	\$4,325	\$545,825	\$1,000	\$546,825
690	Ground-plum, Guthrie's (=Pyne's) ( <i>Astragalus bibullatus</i> )	E	\$20,500	\$5,539	\$26,039	\$0	\$26,039
950	Groundsel, San Francisco Peaks ( <i>Senecio franciscanus</i> )	T	\$1,500	\$0	\$1,500	\$750	\$2,250
534	Gumplant, Ash Meadows ( <i>Grindelia fraxinopratensis</i> )	T	\$52,067	\$0	\$52,067	\$0	\$52,067
427	Haha ( <i>Cyanea acuminata</i> )	E	\$1,300	\$84,876	\$86,176	\$0	\$86,176
834	Haha ( <i>Cyanea asarifolia</i> )	E	\$10,300	\$0	\$10,300	\$0	\$10,300
981	Haha ( <i>Cyanea copelandii</i> ssp. <i>copelandii</i> )	E	\$400	\$0	\$400	\$0	\$400
848	Haha ( <i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i> )	E	\$4,600	\$4,485	\$9,085	\$0	\$9,085
954	Haha ( <i>Cyanea dunbarii</i> )	E	\$2,000	\$0	\$2,000	\$0	\$2,000
848	Haha ( <i>Cyanea glabra</i> )	E	\$4,600	\$4,485	\$9,085	\$0	\$9,085
854	Haha ( <i>Cyanea grimesiana</i> ssp. <i>grimesiana</i> )	E	\$8,300	\$169	\$8,469	\$0	\$8,469
285	Haha ( <i>Cyanea grimesiana</i> ssp. <i>obatae</i> )	E	\$1,500	\$188,845	\$190,345	\$0	\$190,345
813	Haha ( <i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i> )	E	\$12,700	\$0	\$12,700	\$0	\$12,700
827	Haha ( <i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i> )	E	\$6,200	\$4,485	\$10,685	\$0	\$10,685
579	Haha ( <i>Cyanea humboldtiana</i> )	E	\$1,000	\$42,438	\$43,438	\$0	\$43,438
350	Haha ( <i>Cyanea koolauensis</i> )	E	\$400	\$127,314	\$127,714	\$0	\$127,714
859	Haha ( <i>Cyanea lobata</i> )	E	\$8,000	\$0	\$8,000	\$0	\$8,000
334	Haha ( <i>Cyanea longiflora</i> )	E	\$1,500	\$146,407	\$147,907	\$0	\$147,907
962	Haha ( <i>Cyanea macrostegia</i> ssp. <i>gibsonii</i> )	E	\$1,500	\$0	\$1,500	\$0	\$1,500
980	Haha ( <i>Cyanea manni</i> )	E	\$500	\$0	\$500	\$0	\$500
805	Haha ( <i>Cyanea mcelandowneyi</i> )	E	\$13,900	\$0	\$13,900	\$0	\$13,900
976	Haha ( <i>Cyanea pinnatifida</i> )	E	\$700	\$0	\$700	\$0	\$700
980	Haha ( <i>Cyanea platyphylla</i> )	E	\$500	\$0	\$500	\$0	\$500
975	Haha ( <i>Cyanea procera</i> )	E	\$800	\$0	\$800	\$0	\$800
980	Haha ( <i>Cyanea recta</i> )	T	\$500	\$0	\$500	\$0	\$500
981	Haha ( <i>Cyanea remyi</i> )	E	\$400	\$0	\$400	\$0	\$400
485	Haha ( <i>Cyanea shipmanii</i> )	E	\$59,800	\$5,000	\$64,800	\$0	\$64,800
431	Haha ( <i>Cyanea st.-johnii</i> )	E	\$600	\$84,876	\$85,476	\$0	\$85,476
976	Haha ( <i>Cyanea stictophylla</i> )	E	\$700	\$0	\$700	\$0	\$700
333	Haha ( <i>Cyanea superba</i> )	E	\$1,600	\$146,407	\$148,007	\$0	\$148,007
978	Haha ( <i>Cyanea truncata</i> )	E	\$600	\$0	\$600	\$0	\$600
954	Haha ( <i>Cyanea undulata</i> )	E	\$2,000	\$0	\$2,000	\$0	\$2,000
581	Hala pepe ( <i>Pleomele hawaiiensis</i> )	E	\$2,800	\$40,500	\$43,300	\$0	\$43,300
796	Harebells, Avon Park ( <i>Crotalaria avonensis</i> )	E	\$14,500	\$0	\$14,500	\$0	\$14,500
550	Harperella ( <i>Ptilimnium nodosum</i> )	E	\$39,364	\$6,333	\$45,697	\$3,526	\$49,223
846	Hau kuahiwi ( <i>Hibiscadelphus giffardianus</i> )	E	\$700	\$8,500	\$9,200	\$0	\$9,200
866	Hau kuahiwi ( <i>Hibiscadelphus hualalaiensis</i> )	E	\$2,500	\$5,000	\$7,500	\$0	\$7,500
978	Hau kuahiwi ( <i>Hibiscadelphus woodii</i> )	E	\$600	\$0	\$600	\$0	\$600

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
980	Ha`iwale ( <i>Cyrtandra crenata</i> )	E	\$500	\$0	\$500	\$0	\$500
286	Ha`iwale ( <i>Cyrtandra dentata</i> )	E	\$800	\$188,845	\$189,645	\$0	\$189,645
764	Ha`iwale ( <i>Cyrtandra giffardii</i> )	E	\$9,500	\$8,500	\$18,000	\$0	\$18,000
964	Ha`iwale ( <i>Cyrtandra limahuliensis</i> )	T	\$400	\$900	\$1,300	\$0	\$1,300
981	Ha`iwale ( <i>Cyrtandra munroi</i> )	E	\$400	\$0	\$400	\$0	\$400
973	Ha`iwale ( <i>Cyrtandra polyantha</i> )	E	\$900	\$0	\$900	\$0	\$900
573	Ha`iwale ( <i>Cyrtandra subumbellata</i> )	E	\$1,600	\$42,438	\$44,038	\$0	\$44,038
819	Ha`iwale ( <i>Cyrtandra tintinnabula</i> )	E	\$3,500	\$8,500	\$12,000	\$0	\$12,000
432	Ha`iwale ( <i>Cyrtandra viridiflora</i> )	E	\$513	\$84,876	\$85,389	\$0	\$85,389
650	Heartleaf, dwarf-flowered ( <i>Hexastylis naniflora</i> )	T	\$13,000	\$20,000	\$33,000	\$0	\$33,000
931	Heather, mountain golden ( <i>Hudsonia montana</i> )	T	\$3,200	\$0	\$3,200	\$0	\$3,200
951	Heau ( <i>Exocarpos luteolus</i> )	E	\$1,100	\$1,100	\$2,200	\$0	\$2,200
969	Hedyotis, Na Pali beach ( <i>Hedyotis st.-johnii</i> )	E	\$1,100	\$0	\$1,100	\$0	\$1,100
954	Hibiscus, Clay's ( <i>Hibiscus clayi</i> )	E	\$2,000	\$0	\$2,000	\$0	\$2,000
916	Higuero de sierra ( <i>Crescentia portoricensis</i> )	E	\$4,000	\$0	\$4,000	\$0	\$4,000
980	Holei ( <i>Ochrosia kilaeensis</i> )	E	\$500	\$0	\$500	\$0	\$500
980	Holly, Cook's ( <i>Ilex cookii</i> )	E	\$500	\$0	\$500	\$0	\$500
259	Honohono ( <i>Haplostachys haplostachya</i> )	E	\$1,800	\$217,102	\$218,902	\$0	\$218,902
353	Howellia, water ( <i>Howellia aquatilis</i> )	T	\$14,433	\$107,981	\$122,414	\$3,800	\$126,214
904	Hypericum, highlands scrub ( <i>Hypericum cumulicola</i> )	E	\$4,800	\$0	\$4,800	\$0	\$4,800
944	Iagu, Hayun (=Guam), Tronkon guafi (Rota) ( <i>Serianthes nelsonii</i> )	E	\$2,700	\$0	\$2,700	\$0	\$2,700
980	Iliau, dwarf ( <i>Wilkesia hobyi</i> )	E	\$500	\$0	\$500	\$0	\$500
603	Indian paintbrush, San Clemente Island ( <i>Castilleja grisea</i> )	E	\$3,164	\$37,954	\$41,118	\$0	\$41,118
711	Iris, dwarf lake ( <i>Iris lacustris</i> )	T	\$13,200	\$8,630	\$21,830	\$1,800	\$23,630
701	Irisette, white ( <i>Sisyrinchium dichotomum</i> )	E	\$24,900	\$0	\$24,900	\$0	\$24,900
905	Ischaemum, Hilo ( <i>Ischaemum byrone</i> )	E	\$300	\$4,485	\$4,785	\$0	\$4,785
738	Ivesia, Ash Meadows ( <i>Ivesia kingii</i> var. <i>eremica</i> )	T	\$20,100	\$0	\$20,100	\$0	\$20,100
915	Jacquemontia, beach ( <i>Jacquemontia reclinata</i> )	E	\$4,100	\$0	\$4,100	\$0	\$4,100
546	Jewelflower, California ( <i>Caulanthus californicus</i> )	E	\$28,000	\$22,500	\$50,500	\$0	\$50,500
407	Jewelflower, Metcalf Canyon ( <i>Streptanthus albidus</i> ssp. <i>albidus</i> )	E	\$20,182	\$75,000	\$95,182	\$0	\$95,182
789	Joint-vetch, sensitive ( <i>Aeschynomene virginica</i> )	T	\$12,205	\$1,250	\$13,455	\$1,800	\$15,255
571	Kamakahala ( <i>Labordia cyrtandrae</i> )	E	\$1,900	\$42,438	\$44,338	\$0	\$44,338
976	Kamakahala ( <i>Labordia lydgatei</i> )	E	\$700	\$0	\$700	\$0	\$700
981	Kamakahala ( <i>Labordia tinifolia</i> var. <i>lanaiensis</i> )	E	\$400	\$0	\$400	\$0	\$400
978	Kamakahala ( <i>Labordia tinifolia</i> var. <i>wahiawaensis</i> )	E	\$600	\$0	\$600	\$0	\$600
978	Kamakahala ( <i>Labordia triflora</i> )	E	\$600	\$0	\$600	\$0	\$600
215	Kamanomano ( <i>Cenchrus agrimonioides</i> )	E	\$110,400	\$188,845	\$299,245	\$0	\$299,245
959	Kauai hau kuahiwi ( <i>Hibiscadelphus distans</i> )	E	\$1,700	\$0	\$1,700	\$0	\$1,700
475	Kauila ( <i>Colubrina oppositifolia</i> )	E	\$16,800	\$50,000	\$66,800	\$0	\$66,800
981	Kaulu ( <i>Pteralyxia kauaiensis</i> )	E	\$400	\$0	\$400	\$0	\$400
260	Kio`ele ( <i>Hedyotis coriacea</i> )	E	\$1,500	\$217,102	\$218,602	\$0	\$218,602

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
500	Kiponapona ( <i>Phyllostegia racemosa</i> )	E	\$56,100	\$5,000	\$61,100	\$0	\$61,100
929	Kohe malama malama o kanaloa ( <i>Kanaloa kahoolawensis</i> )	E	\$3,300	\$0	\$3,300	\$0	\$3,300
518	Koki`o ( <i>Kokia drynarioides</i> )	E	\$15,700	\$40,000	\$55,700	\$0	\$55,700
963	Koki`o ( <i>Kokia kauaiensis</i> )	E	\$1,400	\$0	\$1,400	\$0	\$1,400
955	Koki`o ke`oke`o ( <i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i> )	E	\$400	\$1,500	\$1,900	\$0	\$1,900
980	Koki`o ke`oke`o ( <i>Hibiscus waimeae</i> ssp. <i>hannerae</i> )	E	\$500	\$0	\$500	\$0	\$500
976	Koki`o, Cooke's ( <i>Kokia cookei</i> )	E	\$700	\$0	\$700	\$0	\$700
566	Kolea ( <i>Myrsine juddii</i> )	E	\$2,600	\$42,438	\$45,038	\$0	\$45,038
980	Kolea ( <i>Myrsine linearifolia</i> )	T	\$500	\$0	\$500	\$0	\$500
936	Kopa ( <i>Hedyotis schlechtendahliana</i> var. <i>remyi</i> )	E	\$3,000	\$0	\$3,000	\$0	\$3,000
653	Ko`oko`olau ( <i>Bidens micrantha</i> ssp. <i>kalealaha</i> )	E	\$26,000	\$5,865	\$31,865	\$0	\$31,865
978	Ko`oko`olau ( <i>Bidens wiebkei</i> )	E	\$600	\$0	\$600	\$0	\$600
761	Ko`oloa`ula ( <i>Abutilon menziesii</i> )	E	\$3,100	\$15,003	\$18,103	\$0	\$18,103
977	Kuahiwi laukahi ( <i>Plantago hawaiiensis</i> )	E	\$600	\$50	\$650	\$0	\$650
268	Kuahiwi laukahi ( <i>Plantago princeps</i> )	E	\$18,100	\$194,710	\$212,810	\$0	\$212,810
981	Kuawawaenuhu ( <i>Alsiniidendron lychnoides</i> )	E	\$400	\$0	\$400	\$0	\$400
864	Kula wahine noho ( <i>Isodendron pyrifolium</i> )	E	\$7,100	\$500	\$7,600	\$0	\$7,600
315	Kulu`i ( <i>Nototrichium humile</i> )	E	\$12,900	\$146,566	\$159,466	\$0	\$159,466
948	Ladies'-tresses, Canelo Hills ( <i>Spiranthes delitescens</i> )	E	\$1,000	\$600	\$1,600	\$750	\$2,350
628	Ladies'-tresses, Navasota ( <i>Spiranthes parksii</i> )	E	\$18,000	\$7,920	\$25,920	\$11,100	\$37,020
192	Ladies'-tresses, Ute ( <i>Spiranthes diluvialis</i> )	T	\$76,006	\$264,511	\$340,517	\$7,122	\$347,639
612	Larkspur, San Clemente Island ( <i>Delphinium variegatum</i> ssp. <i>kinkiense</i> )	E	\$1,400	\$37,954	\$39,354	\$0	\$39,354
368	Lau`ehu ( <i>Panicum niihauense</i> )	E	\$114,000	\$0	\$114,000	\$0	\$114,000
981	Laulihilihi ( <i>Schiedea stellarioides</i> )	E	\$400	\$0	\$400	\$0	\$400
401	Layia, beach ( <i>Layia carnosa</i> )	E	\$17,178	\$81,257	\$98,435	\$0	\$98,435
763	Lead-plant, Crenulate ( <i>Amorpha crenulata</i> )	E	\$6,200	\$11,804	\$18,004	\$0	\$18,004
777	Leather flower, Alabama ( <i>Clematis socialis</i> )	E	\$13,500	\$0	\$13,500	\$3,000	\$16,500
749	Leather flower, Morefield's ( <i>Clematis morefieldii</i> )	E	\$15,500	\$3,750	\$19,250	\$0	\$19,250
782	Lessingia, San Francisco ( <i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i> ))	E	\$0	\$16,000	\$16,000	\$0	\$16,000
926	Liliwai ( <i>Acaena exigua</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
757	Lily, Minnesota dwarf trout ( <i>Erythronium propullans</i> )	E	\$17,600	\$0	\$17,600	\$1,000	\$18,600
369	Lily, Western ( <i>Lilium occidentale</i> )	E	\$104,263	\$9,515	\$113,778	\$0	\$113,778
947	Liveforever, Santa Barbara Island ( <i>Dudleya traskiae</i> )	E	\$1,400	\$1,000	\$2,400	\$0	\$2,400
901	Locoweed, Fassett's ( <i>Oxytropis campestris</i> var. <i>chartacea</i> )	T	\$1,700	\$0	\$1,700	\$3,300	\$5,000
370	Lomatium, Cook's ( <i>Lomatium cookii</i> )	E	\$47,318	\$65,582	\$112,900	\$0	\$112,900
277	Loosestrife, rough-leaved ( <i>Lysimachia asperulaefolia</i> )	E	\$16,000	\$185,747	\$201,747	\$0	\$201,747
673	Lousewort, Furbish ( <i>Pedicularis furbishiae</i> )	E	\$25,192	\$0	\$25,192	\$2,833	\$28,025

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
978	Love grass, Fosberg's ( <i>Eragrostis fosbergii</i> )	E	\$600	\$0	\$600	\$0	\$600
889	Lo`ulu ( <i>Pritchardia affinis</i> )	E	\$1,200	\$4,700	\$5,900	\$0	\$5,900
317	Lo`ulu ( <i>Pritchardia kaalae</i> )	E	\$11,500	\$146,407	\$157,907	\$0	\$157,907
978	Lo`ulu ( <i>Pritchardia munroi</i> )	E	\$600	\$0	\$600	\$0	\$600
960	Lo`ulu ( <i>Pritchardia napaliensis</i> )	E	\$1,600	\$0	\$1,600	\$0	\$1,600
926	Lo`ulu ( <i>Pritchardia remota</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
978	Lo`ulu ( <i>Pritchardia schattaueri</i> )	E	\$600	\$0	\$600	\$0	\$600
926	Lo`ulu ( <i>Pritchardia viscosa</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
823	Lupine, clover ( <i>Lupinus tidestromii</i> )	E	\$0	\$11,185	\$11,185	\$0	\$11,185
167	Lupine, Kincaid's ( <i>Lupinus sulphureus</i> (=oreganus) ssp. kincaidii (=var. kincaidii))	T	\$223,300	\$235,341	\$458,641	\$0	\$458,641
924	Lupine, Nipomo Mesa ( <i>Lupinus nipomensis</i> )	E	\$3,534	\$0	\$3,534	\$0	\$3,534
247	Mahoe ( <i>Alectryon macrococcus</i> )	E	\$39,800	\$188,845	\$228,645	\$0	\$228,645
408	Makou ( <i>Peucedanum sandwicense</i> )	T	\$92,400	\$2,600	\$95,000	\$0	\$95,000
882	Malacothrix, Santa Cruz Island ( <i>Malacothrix indecora</i> )	E	\$0	\$6,590	\$6,590	\$0	\$6,590
860	Mallow, Kern ( <i>Eremalche kernensis</i> )	E	\$4,856	\$3,000	\$7,856	\$0	\$7,856
902	Mallow, Peter's Mountain ( <i>Iliamna corei</i> )	E	\$2,103	\$0	\$2,103	\$2,800	\$4,903
923	Manaca, palma de ( <i>Calyptronoma rivalis</i> )	T	\$3,600	\$0	\$3,600	\$0	\$3,600
645	Manioc, Walker's ( <i>Manihot walkerae</i> )	E	\$32,500	\$0	\$32,500	\$1,500	\$34,000
635	Manzanita, lone ( <i>Arctostaphylos myrtifolia</i> )	T	\$0	\$36,000	\$36,000	\$0	\$36,000
871	Manzanita, Morro ( <i>Arctostaphylos morroensis</i> )	T	\$6,701	\$500	\$7,201	\$0	\$7,201
727	Manzanita, pallid ( <i>Arctostaphylos pallida</i> )	T	\$21,500	\$0	\$21,500	\$0	\$21,500
954	Manzanita, Presidio ( <i>Arctostaphylos hookeri</i> var. ravenii)	E	\$0	\$2,000	\$2,000	\$0	\$2,000
685	Manzanita, Santa Rosa Island ( <i>Arctostaphylos confertiflora</i> )	E	\$10,236	\$16,314	\$26,550	\$0	\$26,550
981	Mapele ( <i>Cyrtandra cyaneoides</i> )	E	\$400	\$0	\$400	\$0	\$400
300	Ma`o hau hele, (=native yellow hibiscus) ( <i>Hibiscus brackenridgei</i> )	E	\$19,200	\$152,066	\$171,266	\$0	\$171,266
981	Ma`oli`oli ( <i>Schiedea apokremnos</i> )	E	\$400	\$0	\$400	\$0	\$400
922	Ma`oli`oli ( <i>Schiedea kealiae</i> )	E	\$3,500	\$159	\$3,659	\$0	\$3,659
403	Meadowfoam, Butte County ( <i>Limnanthes floccosa</i> ssp. californica)	E	\$94,680	\$3,050	\$97,730	\$0	\$97,730
564	Meadowfoam, large-flowered woolly ( <i>Limnanthes floccosa</i> ssp. grandiflora)	E	\$44,318	\$1,000	\$45,318	\$0	\$45,318
830	Meadowfoam, Sebastopol ( <i>Limnanthes vinculans</i> )	E	\$10,600	\$0	\$10,600	\$0	\$10,600
720	Meadowrue, Cooley's ( <i>Thalictrum cooley</i> )	E	\$17,500	\$4,785	\$22,285	\$0	\$22,285
251	Mehamehame ( <i>Flueggea neowawraea</i> )	E	\$37,100	\$189,745	\$226,845	\$0	\$226,845
986	Mesa-mint, Otay ( <i>Pogogyne nudiuscula</i> )	E	\$1,777,199	\$0	\$1,777,199	\$0	\$1,777,199
706	Mesa-mint, San Diego ( <i>Pogogyne abramsii</i> )	E	\$0	\$24,212	\$24,212	\$0	\$24,212
737	Milk-vetch, Applegate's ( <i>Astragalus applegatei</i> )	E	\$20,115	\$0	\$20,115	\$0	\$20,115
738	Milk-vetch, Ash meadows ( <i>Astragalus phoenix</i> )	T	\$20,100	\$0	\$20,100	\$0	\$20,100
607	Milk-vetch, Braunton's ( <i>Astragalus brauntonii</i> )	E	\$39,798	\$0	\$39,798	\$0	\$39,798
756	Milk-vetch, Coachella Valley ( <i>Astragalus lentiginosus</i> var. coachellae)	E	\$14,728	\$4,000	\$18,728	\$0	\$18,728

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
637	Milk-vetch, Cushenbury ( <i>Astragalus albens</i> )	E	\$35,523	\$0	\$35,523	\$0	\$35,523
591	Milk-vetch, Deseret ( <i>Astragalus desereticus</i> )	T	\$42,500	\$0	\$42,500	\$0	\$42,500
778	Milk-vetch, Fish Slough ( <i>Astragalus lentiginosus</i> var. <i>piscinensis</i> )	T	\$10,393	\$6,000	\$16,393	\$0	\$16,393
985	Milk-vetch, heliotrope ( <i>Astragalus montii</i> )	T	\$0	\$45	\$45	\$0	\$45
266	Milk-vetch, Holmgren ( <i>Astragalus holmgreniorum</i> )	E	\$120,900	\$93,000	\$213,900	\$750	\$214,650
675	Milk-vetch, Jesup's ( <i>Astragalus robbinsii</i> var. <i>jesupi</i> )	E	\$24,750	\$537	\$25,287	\$2,418	\$27,705
396	Milk-vetch, Lane Mountain ( <i>Astragalus jaegerianus</i> )	E	\$13,181	\$87,960	\$101,141	\$0	\$101,141
788	Milk-vetch, Mancos ( <i>Astragalus humillimus</i> )	E	\$13,974	\$1,300	\$15,274	\$0	\$15,274
746	Milk-vetch, Osterhout ( <i>Astragalus osterhoutii</i> )	E	\$1,474	\$18,000	\$19,474	\$0	\$19,474
168	Milk-vetch, Peirson's ( <i>Astragalus magdalenae</i> var. <i>peirsonii</i> )	T	\$273,242	\$165,000	\$438,242	\$750	\$438,992
752	Milk-vetch, Sentry ( <i>Astragalus cremnophylax</i> var. <i>cremnophylax</i> )	E	\$8,000	\$10,100	\$18,100	\$750	\$18,850
275	Milk-vetch, Shivwits ( <i>Astragalus ampullarioides</i> )	E	\$113,400	\$91,300	\$204,700	\$0	\$204,700
887	Milk-vetch, triple-ribbed ( <i>Astragalus tricarinatus</i> )	E	\$324,162	\$6,000	\$330,162	\$0	\$330,162
596	Milk-vetch, Ventura Marsh ( <i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i> )	E	\$42,139	\$0	\$42,139	\$0	\$42,139
974	Milkpea, Small's ( <i>Galactia smallii</i> )	E	\$0	\$804	\$804	\$0	\$804
498	Milkweed, Mead's ( <i>Asclepias meadii</i> )	T	\$23,300	\$24,694	\$47,994	\$14,000	\$61,994
624	Milkweed, Welsh's ( <i>Asclepias welshii</i> )	T	\$1,500	\$34,100	\$35,600	\$1,850	\$37,450
975	Mint, Garrett's ( <i>Dicerandra christmanii</i> )	E	\$800	\$0	\$800	\$0	\$800
813	Mint, Lakela's ( <i>Dicerandra immaculata</i> )	E	\$9,000	\$3,700	\$12,700	\$0	\$12,700
947	Mint, longspurred ( <i>Dicerandra cornutissima</i> )	E	\$2,400	\$0	\$2,400	\$0	\$2,400
800	Mint, scrub ( <i>Dicerandra frutescens</i> )	E	\$800	\$13,500	\$14,300	\$0	\$14,300
507	Monardella, willow ( <i>Monardella linoides</i> ssp. <i>viminea</i> )	E	\$59,340	\$0	\$59,340	\$0	\$59,340
891	Monkey-flower, Michigan ( <i>Mimulus glabratus</i> var. <i>michiganensis</i> )	E	\$2,500	\$3,117	\$5,617	\$100	\$5,717
508	Monkshood, northern wild ( <i>Aconitum noveboracense</i> )	T	\$55,800	\$0	\$55,800	\$3,500	\$59,300
410	Morning-glory, Stebbins' ( <i>Calystegia stebbinsii</i> )	E	\$77,983	\$16,000	\$93,983	\$0	\$93,983
967	Mountain balm, Indian Knob ( <i>Eriodictyon altissimum</i> )	E	\$1,178	\$0	\$1,178	\$0	\$1,178
812	Mountain-mahogany, Catalina Island ( <i>Cercocarpus traskiae</i> )	E	\$12,644	\$140	\$12,784	\$0	\$12,784
869	Mustard, Carter's ( <i>Warea carteri</i> )	E	\$7,300	\$0	\$7,300	\$0	\$7,300
953	Mustard, Penland alpine fen ( <i>Eutrema penlandii</i> )	T	\$2,056	\$0	\$2,056	\$0	\$2,056
978	Nani wai'ale'ale ( <i>Viola kauaiensis</i> var. <i>wahiawaensis</i> )	E	\$600	\$0	\$600	\$0	\$600
347	Nanu ( <i>Gardenia manni</i> )	E	\$2,000	\$127,314	\$129,314	\$0	\$129,314
872	Naupaka, dwarf ( <i>Scaevola coriacea</i> )	E	\$7,000	\$159	\$7,159	\$0	\$7,159
815	Navarretia, few-flowered ( <i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (=N. <i>pauciflora</i> ))	E	\$12,500	\$0	\$12,500	\$0	\$12,500
976	Navarretia, many-flowered ( <i>Navarretia leucocephala</i> ssp. <i>pliantha</i> )	E	\$700	\$0	\$700	\$0	\$700
526	Navarretia, spreading ( <i>Navarretia fossalis</i> )	T	\$1,810,932	\$20,462	\$1,831,394	\$0	\$1,831,394

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
320	Na`ena`e ( <i>Dubautia herbstobatae</i> )	E	\$10,600	\$146,407	\$157,007	\$0	\$157,007
962	Na`ena`e ( <i>Dubautia latifolia</i> )	E	\$400	\$1,100	\$1,500	\$0	\$1,500
976	Na`ena`e ( <i>Dubautia pauciflora</i> )	E	\$700	\$0	\$700	\$0	\$700
859	Na`ena`e ( <i>Dubautia plantaginea ssp. humilis</i> )	E	\$8,000	\$0	\$8,000	\$0	\$8,000
981	Nehe ( <i>Lipochaeta fauriei</i> )	E	\$400	\$0	\$400	\$0	\$400
981	Nehe ( <i>Lipochaeta kamolensis</i> )	E	\$400	\$0	\$400	\$0	\$400
981	Nehe ( <i>Lipochaeta lobata var. leptophylla</i> )	E	\$400	\$0	\$400	\$0	\$400
981	Nehe ( <i>Lipochaeta micrantha</i> )	E	\$400	\$0	\$400	\$0	\$400
336	Nehe ( <i>Lipochaeta tenuifolia</i> )	E	\$400	\$146,407	\$146,807	\$0	\$146,807
981	Nehe ( <i>Lipochaeta waimeaensis</i> )	E	\$400	\$0	\$400	\$0	\$400
554	Nioi ( <i>Eugenia koolauensis</i> )	E	\$6,000	\$42,438	\$48,438	\$0	\$48,438
445	Niterwort, Amargosa ( <i>Nitrophila mohavensis</i> )	E	\$136,467	\$1,800	\$138,267	\$0	\$138,267
978	Abutilon eremitopetalum (=Sci name)	E	\$600	\$0	\$600	\$0	\$600
521	Abutilon sandwicense (=Sci name)	E	\$12,900	\$42,438	\$55,338	\$0	\$55,338
976	Achyranthes mutica (=Sci name)	E	\$700	\$0	\$700	\$0	\$700
336	Alsinidendron obovatum (=Sci name)	E	\$400	\$146,407	\$146,807	\$0	\$146,807
570	Alsinidendron trinerve (=Sci name)	E	\$2,000	\$42,438	\$44,438	\$0	\$44,438
962	Alsinidendron viscosum (=Sci name)	E	\$1,500	\$0	\$1,500	\$0	\$1,500
978	Amaranthus brownii (=Sci name)	E	\$600	\$0	\$600	\$0	\$600
901	Aristida chaseae (=Sci name)	E	\$5,000	\$0	\$5,000	\$0	\$5,000
962	Auerodendron pauciflorum (=Sci name)	E	\$1,500	\$0	\$1,500	\$0	\$1,500
365	Bonamia menziesii (=Sci name)	E	\$112,900	\$5,000	\$117,900	\$0	\$117,900
818	Calyptanthes thomasiana (=Sci name)	E	\$1,000	\$11,048	\$12,048	\$0	\$12,048
397	Catesbaea melanocarpa (=Sci name)	E	\$100,500	\$0	\$100,500	\$0	\$100,500
971	Chamaecrista glandulosa var. mirabilis (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
962	Chamaesyce halemanui (=Sci name)	E	\$400	\$1,100	\$1,500	\$0	\$1,500
803	Cordia bellonis (=Sci name)	E	\$14,000	\$0	\$14,000	\$0	\$14,000
962	Cranichis ricartii (=Sci name)	E	\$1,500	\$0	\$1,500	\$0	\$1,500
577	Cyanea (=Rollandia) crispa (=Sci name)	E	\$1,400	\$42,438	\$43,838	\$0	\$43,838
945	Daphnopsis hellerana (=Sci name)	E	\$2,600	\$0	\$2,600	\$0	\$2,600
909	Delissea rhytidosperra (=Sci name)	E	\$3,600	\$900	\$4,500	\$0	\$4,500
957	Delissea undulata (=Sci name)	E	\$1,800	\$0	\$1,800	\$0	\$1,800
859	Eugenia woodburyana (=Sci name)	E	\$8,000	\$0	\$8,000	\$0	\$8,000
980	Gahnia lanaiensis (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
677	Geocarpon minimum (=Sci name)	T	\$9,500	\$2,450	\$11,950	\$15,606	\$27,556
980	Gesneria pauciflora (=Sci name)	T	\$500	\$0	\$500	\$0	\$500
980	Gouania hillebrandii (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
980	Gouania meyenii (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
324	Gouania vitifolia (=Sci name)	E	\$9,700	\$146,407	\$156,107	\$0	\$156,107
325	Hedyotis degeneri (=Sci name)	E	\$9,600	\$146,407	\$156,007	\$0	\$156,007
321	Hedyotis parvula (=Sci name)	E	\$10,400	\$146,407	\$156,807	\$0	\$156,807
399	Hesperomannia arborescens (=Sci name)	E	\$15,400	\$84,876	\$100,276	\$0	\$100,276
314	Hesperomannia arbuscula (=Sci name)	E	\$13,500	\$146,407	\$159,907	\$0	\$159,907

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
978	<i>Hesperomannia lydgatei</i> (=Sci name)	E	\$600	\$0	\$600	\$0	\$600
980	<i>Ilex sintenisii</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
895	<i>Lepanthes eltoroensis</i> (=Sci name)	E	\$5,500	\$0	\$5,500	\$0	\$5,500
980	<i>Leptocereus grantianus</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
264	<i>Lipochaeta venosa</i> (=Sci name)	E	\$500	\$217,102	\$217,602	\$0	\$217,602
586	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i> (=Sci name)	E	\$600	\$42,438	\$43,038	\$0	\$43,038
976	<i>Lobelia monostachya</i> (=Sci name)	E	\$700	\$0	\$700	\$0	\$700
531	<i>Lobelia niihauensis</i> (=Sci name)	E	\$10,500	\$42,438	\$52,938	\$0	\$52,938
431	<i>Lobelia oahuensis</i> (=Sci name)	E	\$600	\$84,876	\$85,476	\$0	\$85,476
909	<i>Lyonia truncata</i> var. <i>proctorii</i> (=Sci name)	E	\$4,500	\$0	\$4,500	\$0	\$4,500
980	<i>Lysimachia filifolia</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
980	<i>Lysimachia lydgatei</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
933	<i>Lysimachia maxima</i> (=Sci name)	E	\$3,100	\$0	\$3,100	\$0	\$3,100
978	<i>Mariscus fauriei</i> (=Sci name)	E	\$600	\$0	\$600	\$0	\$600
377	<i>Mariscus pennatiformis</i> (=Sci name)	E	\$100,500	\$10,000	\$110,500	\$0	\$110,500
916	<i>Mitracarpus maxwelliae</i> (=Sci name)	E	\$4,000	\$0	\$4,000	\$0	\$4,000
916	<i>Mitracarpus polycladus</i> (=Sci name)	E	\$4,000	\$0	\$4,000	\$0	\$4,000
980	<i>Munroidendron racemosum</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
962	<i>Myrcia paganii</i> (=Sci name)	E	\$1,500	\$0	\$1,500	\$0	\$1,500
283	<i>Neraudia angulata</i> (=Sci name)	E	\$9,700	\$188,845	\$198,545	\$0	\$198,545
258	<i>Neraudia ovata</i> (=Sci name)	E	\$2,200	\$217,152	\$219,352	\$0	\$219,352
980	<i>Neraudia sericea</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
952	<i>Nesogenes rotensis</i> (=Sci name)	E	\$2,182	\$0	\$2,182	\$0	\$2,182
952	<i>Osmoxylon mariannense</i> (=Sci name)	E	\$2,182	\$0	\$2,182	\$0	\$2,182
981	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i> (=Sci name)	E	\$400	\$0	\$400	\$0	\$400
430	<i>Phyllostegia hirsuta</i> (=Sci name)	E	\$1,000	\$84,876	\$85,876	\$0	\$85,876
281	<i>Phyllostegia kaalaensis</i> (=Sci name)	E	\$10,300	\$188,845	\$199,145	\$0	\$199,145
980	<i>Phyllostegia knudsenii</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
904	<i>Phyllostegia mannii</i> (=Sci name)	E	\$4,800	\$0	\$4,800	\$0	\$4,800
894	<i>Phyllostegia mollis</i> (=Sci name)	E	\$5,600	\$0	\$5,600	\$0	\$5,600
570	<i>Phyllostegia parviflora</i> (=Sci name)	E	\$2,000	\$42,438	\$44,438	\$0	\$44,438
541	<i>Phyllostegia velutina</i> (=Sci name)	E	\$51,400	\$0	\$51,400	\$0	\$51,400
954	<i>Phyllostegia waimeae</i> (=Sci name)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
980	<i>Phyllostegia warshaueri</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
959	<i>Phyllostegia wawrana</i> (=Sci name)	E	\$600	\$1,100	\$1,700	\$0	\$1,700
888	<i>Platanthera holochila</i> (=Sci name)	E	\$5,900	\$69	\$5,969	\$0	\$5,969
962	<i>Poa siphonoglossa</i> (=Sci name)	E	\$400	\$1,100	\$1,500	\$0	\$1,500
962	<i>Remya kauaiensis</i> (=Sci name)	E	\$400	\$1,100	\$1,500	\$0	\$1,500
960	<i>Remya montgomeryi</i> (=Sci name)	E	\$500	\$1,100	\$1,600	\$0	\$1,600
322	<i>Sanicula mariversa</i> (=Sci name)	E	\$10,300	\$146,407	\$156,707	\$0	\$156,707
413	<i>Sanicula purpurea</i> (=Sci name)	E	\$8,000	\$84,876	\$92,876	\$0	\$92,876
886	<i>Schiedea haleakalensis</i> (=Sci name)	E	\$400	\$5,865	\$6,265	\$0	\$6,265
980	<i>Schiedea helleri</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
535	<i>Schiedea hookeri</i> (=Sci name)	E	\$9,400	\$42,507	\$51,907	\$0	\$51,907
280	<i>Schiedea kaalae</i> (=Sci name)	E	\$10,800	\$188,845	\$199,645	\$0	\$199,645
955	<i>Schiedea kauaiensis</i> (=Sci name)	E	\$800	\$1,100	\$1,900	\$0	\$1,900
981	<i>Schiedea lydgatei</i> (=Sci name)	E	\$400	\$0	\$400	\$0	\$400
962	<i>Schiedea membranacea</i> (=Sci name)	E	\$400	\$1,100	\$1,500	\$0	\$1,500
284	<i>Schiedea nuttallii</i> (=Sci name)	E	\$9,500	\$188,845	\$198,345	\$0	\$198,345
981	<i>Schiedea sarmentosa</i> (=Sci name)	E	\$400	\$0	\$400	\$0	\$400
981	<i>Schiedea spergulina</i> var. <i>leiopoda</i> (=Sci name)	E	\$400	\$0	\$400	\$0	\$400
981	<i>Schiedea spergulina</i> var. <i>spergulina</i> (=Sci name)	T	\$400	\$0	\$400	\$0	\$400
963	<i>Schiedea verticillata</i> (=Sci name)	E	\$1,400	\$0	\$1,400	\$0	\$1,400
881	<i>Schoepfia arenaria</i> (=Sci name)	T	\$6,600	\$0	\$6,600	\$0	\$6,600
946	<i>Silene alexandri</i> (=Sci name)	E	\$2,500	\$0	\$2,500	\$0	\$2,500
250	<i>Silene hawaiiensis</i> (=Sci name)	T	\$1,300	\$225,652	\$226,952	\$0	\$226,952
248	<i>Silene lanceolata</i> (=Sci name)	E	\$10,400	\$217,102	\$227,502	\$0	\$227,502
973	<i>Silene perlmanii</i> (=Sci name)	E	\$900	\$0	\$900	\$0	\$900
249	<i>Spermolepis hawaiiensis</i> (=Sci name)	E	\$10,000	\$217,102	\$227,102	\$0	\$227,102
257	<i>Stenogyne angustifolia</i> var. <i>angustifolia</i> (=Sci name)	E	\$2,600	\$217,102	\$219,702	\$0	\$219,702
978	<i>Stenogyne bifida</i> (=Sci name)	E	\$600	\$0	\$600	\$0	\$600
949	<i>Stenogyne campanulata</i> (=Sci name)	E	\$1,200	\$1,100	\$2,300	\$0	\$2,300
575	<i>Stenogyne kanehoana</i> (=Sci name)	E	\$1,500	\$42,438	\$43,938	\$0	\$43,938
980	<i>Ternstroemia subsessilis</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
263	<i>Tetramolopium arenarium</i> (=Sci name)	E	\$600	\$217,102	\$217,702	\$0	\$217,702
317	<i>Tetramolopium filiforme</i> (=Sci name)	E	\$11,500	\$146,407	\$157,907	\$0	\$157,907
980	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
978	<i>Tetramolopium remyi</i> (=Sci name)	E	\$600	\$0	\$600	\$0	\$600
936	<i>Tetramolopium rockii</i> (=Sci name)	T	\$500	\$2,500	\$3,000	\$0	\$3,000
969	<i>Trematolobelia singularis</i> (=Sci name)	E	\$1,100	\$0	\$1,100	\$0	\$1,100
916	<i>Vernonia proctorii</i> (=Sci name)	E	\$4,000	\$0	\$4,000	\$0	\$4,000
193	<i>Vigna o-wahuensis</i> (=Sci name)	E	\$129,400	\$217,102	\$346,502	\$0	\$346,502
964	<i>Viola helenae</i> (=Sci name)	E	\$1,300	\$0	\$1,300	\$0	\$1,300
980	<i>Viola lanaiensis</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
433	<i>Viola oahuensis</i> (=Sci name)	E	\$500	\$84,876	\$85,376	\$0	\$85,376
944	<i>Xylosma crenatum</i> (=Sci name)	E	\$1,600	\$1,100	\$2,700	\$0	\$2,700
824	<i>Nohoanu</i> ( <i>Geranium multiflorum</i> )	E	\$4,600	\$6,555	\$11,155	\$0	\$11,155
964	Oak, Hinckley ( <i>Quercus hinckleyi</i> )	T	\$1,000	\$0	\$1,000	\$300	\$1,300
978	Oha ( <i>Delissea rivularis</i> )	E	\$600	\$0	\$600	\$0	\$600
278	Oha ( <i>Delissea subcordata</i> )	E	\$12,500	\$188,845	\$201,345	\$0	\$201,345
235	Ohai ( <i>Sesbania tomentosa</i> )	E	\$214,200	\$40,659	\$254,859	\$0	\$254,859
936	Olulu ( <i>Brighamia insignis</i> )	E	\$3,000	\$0	\$3,000	\$0	\$3,000
609	Onion, Munz's ( <i>Allium munzii</i> )	E	\$39,619	\$0	\$39,619	\$0	\$39,619
585	Opuhe ( <i>Urera kaalae</i> )	E	\$700	\$42,438	\$43,138	\$0	\$43,138
449	Orchid, eastern prairie fringed ( <i>Platanthera</i>	T	\$40,100	\$21,104	\$61,204	\$14,320	\$75,524



Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>leucophaea</i> )						
291	Orchid, western prairie fringed ( <i>Platanthera praeclara</i> )	T	\$133,295	\$41,970	\$175,265	\$7,300	\$182,565
733	Orcutt grass, California ( <i>Orcuttia californica</i> )	E	\$0	\$20,462	\$20,462	\$0	\$20,462
468	Orcutt grass, hairy ( <i>Orcuttia pilosa</i> )	E	\$22,680	\$45,500	\$68,180	\$0	\$68,180
712	Orcutt grass, Sacramento ( <i>Orcuttia viscida</i> )	E	\$22,400	\$1,200	\$23,600	\$0	\$23,600
722	Orcutt grass, San Joaquin ( <i>Orcuttia inaequalis</i> )	T	\$0	\$22,100	\$22,100	\$0	\$22,100
615	Orcutt grass, slender ( <i>Orcuttia tenuis</i> )	T	\$28,339	\$10,700	\$39,039	\$0	\$39,039
732	Owl's-clover, fleshy ( <i>Castilleja campestris</i> ssp. <i>succulenta</i> )	T	\$0	\$20,500	\$20,500	\$0	\$20,500
637	Oxytheca, cushenbury ( <i>Oxytheca parishii</i> var. <i>goodmaniana</i> )	E	\$35,523	\$0	\$35,523	\$0	\$35,523
446	Paintbrush, ash-grey ( <i>Castilleja cinerea</i> )	T	\$76,827	\$0	\$76,827	\$0	\$76,827
94	Paintbrush, golden ( <i>Castilleja levisecta</i> )	T	\$1,198,226	\$44,482	\$1,242,708	\$0	\$1,242,708
762	Paintbrush, soft-leaved ( <i>Castilleja mollis</i> )	E	\$12,592	\$5,457	\$18,049	\$0	\$18,049
980	Palo colorado ( <i>Ternstroemia luquillensis</i> )	E	\$500	\$0	\$500	\$0	\$500
960	Palo de jazmin ( <i>Styrax portoricensis</i> )	E	\$1,600	\$0	\$1,600	\$0	\$1,600
945	Palo de nigua ( <i>Cornutia obovata</i> )	E	\$2,600	\$0	\$2,600	\$0	\$2,600
960	Palo de ramon ( <i>Banara vanderbiltii</i> )	E	\$1,600	\$0	\$1,600	\$0	\$1,600
895	Palo de rosa ( <i>Ottoschulzia rhodoxylon</i> )	E	\$5,500	\$0	\$5,500	\$0	\$5,500
978	Pamakani ( <i>Tetramolopium capillare</i> )	E	\$600	\$0	\$600	\$0	\$600
279	Pamakani ( <i>Viola chamissoniana</i> ssp. <i>chamissoniana</i> )	E	\$11,500	\$188,845	\$200,345	\$0	\$200,345
943	Panicgrass, Carter's ( <i>Panicum fauriei</i> var. <i>carteri</i> )	E	\$600	\$2,159	\$2,759	\$0	\$2,759
962	Pawpaw, beautiful ( <i>Deeringothamnus pulchellus</i> )	E	\$1,500	\$0	\$1,500	\$0	\$1,500
800	Pawpaw, four-petal ( <i>Asimina tetramera</i> )	E	\$4,500	\$9,800	\$14,300	\$0	\$14,300
810	Pawpaw, Rugel's ( <i>Deeringothamnus rugelii</i> )	E	\$13,000	\$0	\$13,000	\$0	\$13,000
916	Pelos del diablo ( <i>Aristida portoricensis</i> )	E	\$4,000	\$0	\$4,000	\$0	\$4,000
971	Penny-cress, Kneeland Prairie ( <i>Thlaspi californicum</i> )	E	\$1,000	\$0	\$1,000	\$0	\$1,000
649	Pennyroyal, Todsens's ( <i>Hedeoma todsenii</i> )	E	\$0	\$33,200	\$33,200	\$0	\$33,200
477	Penstemon, blowout ( <i>Penstemon haydenii</i> )	E	\$22,262	\$44,400	\$66,662	\$0	\$66,662
337	Pentachaeta, Lyon's ( <i>Pentachaeta lyonii</i> )	E	\$41,231	\$105,000	\$146,231	\$0	\$146,231
796	Peperomia, Wheeler's ( <i>Peperomia wheeleri</i> )	E	\$14,500	\$0	\$14,500	\$0	\$14,500
843	Phacelia, clay ( <i>Phacelia argillacea</i> )	E	\$1,000	\$8,500	\$9,500	\$0	\$9,500
799	Phacelia, island ( <i>Phacelia insularis</i> ssp. <i>insularis</i> )	E	\$8,247	\$6,090	\$14,337	\$0	\$14,337
867	Phacelia, North Park ( <i>Phacelia formosula</i> )	E	\$2,444	\$5,000	\$7,444	\$0	\$7,444
480	Phlox, Texas trailing ( <i>Phlox nivalis</i> ssp. <i>texensis</i> )	E	\$50,000	\$15,550	\$65,550	\$300	\$65,850
590	Phlox, Yreka ( <i>Phlox hirsuta</i> )	E	\$42,693	\$0	\$42,693	\$0	\$42,693
597	Pigeon wings ( <i>Clitoria fragrans</i> )	T	\$11,500	\$30,500	\$42,000	\$0	\$42,000
859	Pilo ( <i>Hedyotis manni</i> )	E	\$8,000	\$0	\$8,000	\$0	\$8,000
495	Pink, swamp ( <i>Helonias bullata</i> )	T	\$47,905	\$11,481	\$59,386	\$3,500	\$62,886
529	Pinkroot, gentian ( <i>Spigelia gentianoides</i> )	E	\$26,000	\$27,470	\$53,470	\$0	\$53,470
367	Piperia, Yadon's ( <i>Piperia yadonii</i> )	E	\$99,079	\$14,960	\$114,039	\$0	\$114,039
965	Pitaya, Davis' green ( <i>Echinocereus viridiflorus</i> var. <i>viridiflorus</i> )	E	\$500	\$0	\$500	\$700	\$1,200

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>davisii</i> )						
775	Pitcher-plant, Alabama canebrake ( <i>Sarracenia rubra alabamensis</i> )	E	\$12,000	\$4,700	\$16,700	\$0	\$16,700
494	Pitcher-plant, green ( <i>Sarracenia oreophila</i> )	E	\$33,400	\$29,750	\$63,150	\$0	\$63,150
957	Pitcher-plant, mountain sweet ( <i>Sarracenia rubra ssp. jonesii</i> )	E	\$1,800	\$0	\$1,800	\$0	\$1,800
686	Plum, scrub ( <i>Prunus geniculata</i> )	E	\$11,500	\$15,000	\$26,500	\$0	\$26,500
292	Pogonia, small whorled ( <i>Isotria medeoloides</i> )	T	\$47,028	\$127,916	\$174,944	\$7,588	\$182,532
657	Polygala, Lewton's ( <i>Polygala lewtonii</i> )	E	\$800	\$30,000	\$30,800	\$0	\$30,800
925	Polygala, tiny ( <i>Polygala smallii</i> )	E	\$2,500	\$1,004	\$3,504	\$0	\$3,504
967	Polygonum, Scotts Valley ( <i>Polygonum hickmanii</i> )	E	\$1,178	\$0	\$1,178	\$0	\$1,178
174	Pondberry ( <i>Lindera melissifolia</i> )	E	\$52,200	\$340,052	\$392,252	\$12,350	\$404,602
982	Pondweed, Little Aguja (=Creek) ( <i>Potamogeton clystocarpus</i> )	E	\$0	\$0	\$0	\$300	\$300
510	Popcornflower, rough ( <i>Plagiobothrys hirtus</i> )	E	\$36,000	\$23,000	\$59,000	\$0	\$59,000
262	Popolo ku mai ( <i>Solanum incompletum</i> )	E	\$1,000	\$217,102	\$218,102	\$0	\$218,102
777	Poppy, Sacramento prickly ( <i>Argemone pleiacantha ssp. pinnatisecta</i> )	E	\$11,500	\$5,000	\$16,500	\$0	\$16,500
930	Poppy-mallow, Texas ( <i>Callirhoe scabriuscula</i> )	E	\$500	\$280	\$780	\$2,500	\$3,280
271	Potato-bean, Price's ( <i>Apios priceana</i> )	T	\$12,500	\$193,575	\$206,075	\$1,000	\$207,075
924	Potentilla, Hickman's ( <i>Potentilla hickmanii</i> )	E	\$3,534	\$0	\$3,534	\$0	\$3,534
252	Po'e ( <i>Portulaca sclerocarpa</i> )	E	\$600	\$225,602	\$226,202	\$0	\$226,202
605	Prairie-clover, leafy ( <i>Dalea foliosa</i> )	E	\$38,000	\$2,075	\$40,075	\$0	\$40,075
962	Prickly-apple, fragrant ( <i>Cereus eriophorus var. fragrans</i> )	E	\$1,500	\$0	\$1,500	\$0	\$1,500
946	Prickly-ash, St. Thomas ( <i>Zanthoxylum thomsonianum</i> )	E	\$2,500	\$0	\$2,500	\$0	\$2,500
810	Primrose, Maguire ( <i>Primula maguirei</i> )	T	\$0	\$13,000	\$13,000	\$0	\$13,000
830	Pua`ala ( <i>Brighamia rockii</i> )	E	\$3,100	\$7,500	\$10,600	\$0	\$10,600
845	Pussypaws, Mariposa ( <i>Calyptidium pulchellum</i> )	T	\$9,400	\$0	\$9,400	\$0	\$9,400
832	Pu`uka`a ( <i>Cyperus trachysanthos</i> )	E	\$500	\$10,003	\$10,503	\$0	\$10,503
895	Rattleweed, hairy ( <i>Baptisia arachnifera</i> )	E	\$3,000	\$0	\$3,000	\$2,500	\$5,500
931	Reed-mustard, Barneby ( <i>Schoenocrambe barnebyi</i> )	E	\$3,000	\$200	\$3,200	\$0	\$3,200
879	Reed-mustard, clay ( <i>Schoenocrambe argillacea</i> )	T	\$4,000	\$2,852	\$6,852	\$0	\$6,852
811	Reed-mustard, shrubby ( <i>Schoenocrambe suffrutescens</i> )	E	\$5,000	\$7,866	\$12,866	\$0	\$12,866
980	Remya, Maui ( <i>Remya mauiensis</i> )	E	\$500	\$0	\$500	\$0	\$500
591	Rhododendron, Chapman ( <i>Rhododendron chapmanii</i> )	E	\$17,000	\$25,500	\$42,500	\$0	\$42,500
970	Ridge-cress, Barneby ( <i>Lepidium barnebyanum</i> )	E	\$1,000	\$45	\$1,045	\$0	\$1,045
766	Rock-cress, Braun's ( <i>Arabis perstellata</i> )	E	\$12,000	\$5,600	\$17,600	\$0	\$17,600
963	Rock-cress, Hoffmann's ( <i>Arabis hoffmannii</i> )	E	\$1,400	\$0	\$1,400	\$0	\$1,400
876	Rock-cress, McDonald's ( <i>Arabis mcdonaldiana</i> )	E	\$5,000	\$2,000	\$7,000	\$0	\$7,000
927	Rock-cress, shale barren ( <i>Arabis serotina</i> )	E	\$2,841	\$0	\$2,841	\$607	\$3,448
621	Rockcress, Santa Cruz Island ( <i>Sibara filifolia</i> )	E	\$0	\$37,954	\$37,954	\$0	\$37,954
691	Rosemary, Apalachicola ( <i>Conradina glabra</i> )	E	\$2,000	\$24,000	\$26,000	\$0	\$26,000

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
561	Rosemary, Cumberland ( <i>Conradina verticillata</i> )	T	\$36,000	\$9,860	\$45,860	\$0	\$45,860
492	Rosemary, Etonia ( <i>Conradina etonia</i> )	E	\$63,500	\$0	\$63,500	\$0	\$63,500
869	Rosemary, short-leaved ( <i>Conradina brevifolia</i> )	E	\$7,300	\$0	\$7,300	\$0	\$7,300
984	Roseroot, Leedy's ( <i>Sedum integrifolium ssp. leedyi</i> )	T	\$0	\$100	\$100	\$0	\$100
732	Rush-pea, slender ( <i>Hoffmannseggia tenella</i> )	E	\$19,000	\$0	\$19,000	\$1,500	\$20,500
898	Rush-rose, island ( <i>Helianthemum greenei</i> )	T	\$0	\$5,157	\$5,157	\$0	\$5,157
754	Sand-verbena, large-fruited ( <i>Abronia macrocarpa</i> )	E	\$0	\$80	\$80	\$18,700	\$18,780
691	Sandalwood, Lanai (=`iliahi) ( <i>Santalum freycinetianum var. lanaiense</i> )	E	\$26,000	\$0	\$26,000	\$0	\$26,000
705	Sandlace ( <i>Polygonella myriophylla</i> )	E	\$6,900	\$17,500	\$24,400	\$0	\$24,400
450	Sandwort, Bear Valley ( <i>Arenaria ursina</i> )	T	\$75,426	\$0	\$75,426	\$0	\$75,426
652	Sandwort, Cumberland ( <i>Arenaria cumberlandensis</i> )	E	\$31,400	\$935	\$32,335	\$0	\$32,335
435	Sandwort, Marsh ( <i>Arenaria paludicola</i> )	E	\$69,130	\$15,809	\$84,939	\$0	\$84,939
931	Schiedea, Diamond Head ( <i>Schiedea adamantis</i> )	E	\$2,200	\$1,000	\$3,200	\$0	\$3,200
592	Seablite, California ( <i>Suaeda californica</i> )	E	\$42,000	\$373	\$42,373	\$0	\$42,373
157	Seagrass, Johnson's ( <i>Halophila johnsonii</i> )	T	\$5,100	\$529,081	\$534,181	\$0	\$534,181
849	Sedge, golden ( <i>Carex lutea</i> )	E	\$9,000	\$0	\$9,000	\$0	\$9,000
928	Sedge, Navajo ( <i>Carex specuicola</i> )	T	\$2,600	\$15	\$2,615	\$750	\$3,365
472	Silversword, Mauna Loa (=Ka'u) ( <i>Argyroxiphium kauense</i> )	E	\$30,600	\$37,400	\$68,000	\$0	\$68,000
629	Skullcap, Florida ( <i>Scutellaria floridana</i> )	T	\$18,500	\$18,500	\$37,000	\$0	\$37,000
548	Skullcap, large-flowered ( <i>Scutellaria montana</i> )	T	\$7,000	\$42,465	\$49,465	\$0	\$49,465
682	Snakeroot ( <i>Eryngium cuneifolium</i> )	E	\$4,000	\$23,000	\$27,000	\$0	\$27,000
834	Sneezeweed, Virginia ( <i>Helenium virginicum</i> )	T	\$8,500	\$800	\$9,300	\$1,000	\$10,300
511	Snowbells, Texas ( <i>Styrax texanus</i> )	E	\$47,000	\$300	\$47,300	\$11,000	\$58,300
855	Spineflower, Ben Lomond ( <i>Chorizanthe pungens var. hartwegiana</i> )	E	\$8,468	\$0	\$8,468	\$0	\$8,468
889	Spineflower, Howell's ( <i>Chorizanthe howellii</i> )	E	\$5,900	\$0	\$5,900	\$0	\$5,900
306	Spineflower, Monterey ( <i>Chorizanthe pungens var. pungens</i> )	T	\$150,892	\$16,071	\$166,963	\$0	\$166,963
424	Spineflower, Orcutt's ( <i>Chorizanthe orcuttiana</i> )	E	\$0	\$89,161	\$89,161	\$0	\$89,161
748	Spineflower, Robust (incl. Scotts Valley) ( <i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i> ))	E	\$7,974	\$11,363	\$19,337	\$0	\$19,337
713	Spineflower, slender-horned ( <i>Dodecahema leptoceras</i> )	E	\$23,503	\$0	\$23,503	\$0	\$23,503
842	Spineflower, Sonoma ( <i>Chorizanthe valida</i> )	E	\$2,000	\$7,600	\$9,600	\$0	\$9,600
393	Spiraea, Virginia ( <i>Spiraea virginiana</i> )	T	\$86,583	\$15,960	\$102,543	\$731	\$103,274
939	Spurge, deltoid ( <i>Chamaesyce deltoidea ssp. deltoidea</i> )	E	\$1,500	\$1,404	\$2,904	\$0	\$2,904
821	Spurge, Garber's ( <i>Chamaesyce garberi</i> )	T	\$6,900	\$4,600	\$11,500	\$0	\$11,500
556	Spurge, Hoover's ( <i>Chamaesyce hooveri</i> )	T	\$46,780	\$0	\$46,780	\$0	\$46,780
719	Spurge, telephus ( <i>Euphorbia telephioides</i> )	T	\$22,000	\$300	\$22,300	\$0	\$22,300
626	Stickseed, showy ( <i>Hackelia venusta</i> )	E	\$32,821	\$4,236	\$37,057	\$0	\$37,057
976	Stonecrop, Lake County ( <i>Parvisedum leiocarpum</i> )	E	\$700	\$0	\$700	\$0	\$700
310	Sumac, Michaux's ( <i>Rhus michauxii</i> )	E	\$16,410	\$144,110	\$160,520	\$3,000	\$163,520

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
599	Sunburst, Hartweg's golden ( <i>Pseudobahia bahiifolia</i> )	E	\$13,400	\$28,266	\$41,666	\$0	\$41,666
739	Sunburst, San Joaquin adobe ( <i>Pseudobahia peirsonii</i> )	T	\$13,400	\$6,666	\$20,066	\$0	\$20,066
415	Sunflower, Pecos (=puzzle, =paradox) ( <i>Helianthus paradoxus</i> )	T	\$88,000	\$3,700	\$91,700	\$900	\$92,600
672	Sunflower, Schweinitz's ( <i>Helianthus schweinitzii</i> )	E	\$26,300	\$2,085	\$28,385	\$0	\$28,385
770	Sunray, Ash Meadows ( <i>Enceliopsis nudicaulis</i> var. <i>corrugata</i> )	T	\$17,100	\$0	\$17,100	\$0	\$17,100
830	Sunshine, Sonoma ( <i>Blennosperma bakeri</i> )	E	\$10,600	\$0	\$10,600	\$0	\$10,600
305	Taraxacum, California ( <i>Taraxacum californicum</i> )	E	\$151,255	\$16,000	\$167,255	\$0	\$167,255
420	Tarplant, Gaviota ( <i>Deinandra increscens</i> ssp. <i>villosa</i> )	E	\$60,865	\$30,000	\$90,865	\$0	\$90,865
459	Tarplant, Otay ( <i>Deinandra</i> (=Hemizonia) <i>conjugens</i> )	T	\$1,848,793	\$0	\$1,848,793	\$0	\$1,848,793
820	Tarplant, Santa Cruz ( <i>Holocarpha macradenia</i> )	T	\$11,903	\$0	\$11,903	\$0	\$11,903
725	Thelypody, Howell's spectacular ( <i>Thelypodium howellii spectabilis</i> )	T	\$22,000	\$0	\$22,000	\$0	\$22,000
797	Thistle, Chorro Creek bog ( <i>Cirsium fontinale</i> var. <i>obispoense</i> )	E	\$14,359	\$0	\$14,359	\$0	\$14,359
385	Thistle, La Graciosa ( <i>Cirsium loncholepis</i> )	E	\$106,357	\$0	\$106,357	\$0	\$106,357
978	Thistle, Loch Lomond coyote ( <i>Eryngium constancei</i> )	E	\$600	\$0	\$600	\$0	\$600
584	Thistle, Pitcher's ( <i>Cirsium pitcheri</i> )	T	\$20,600	\$21,364	\$41,964	\$1,200	\$43,164
771	Thistle, Sacramento Mountains ( <i>Cirsium vinaceum</i> )	T	\$6,000	\$11,000	\$17,000	\$0	\$17,000
745	Thistle, Suisun ( <i>Cirsium hydrophilum</i> var. <i>hydrophilum</i> )	E	\$19,500	\$0	\$19,500	\$0	\$19,500
294	Thornmint, San Diego ( <i>Acanthomintha ilicifolia</i> )	T	\$1,954,815	\$0	\$1,954,815	\$0	\$1,954,815
916	Thornmint, San Mateo ( <i>Acanthomintha obovata</i> ssp. <i>duttonii</i> )	E	\$4,000	\$0	\$4,000	\$0	\$4,000
683	Townsendia, Last Chance ( <i>Townsendia aprica</i> )	T	\$0	\$26,915	\$26,915	\$0	\$26,915
936	Trillium, persistent ( <i>Trillium persistens</i> )	E	\$0	\$0	\$0	\$3,000	\$3,000
558	Trillium, relict ( <i>Trillium reliquum</i> )	E	\$22,500	\$21,350	\$43,850	\$2,500	\$46,350
636	Tuctoria, Greene's ( <i>Tuctoria greenei</i> )	E	\$35,780	\$0	\$35,780	\$0	\$35,780
779	Twinpod, Dudley Bluffs ( <i>Physaria obcordata</i> )	T	\$10,486	\$5,815	\$16,301	\$0	\$16,301
600	Uhiuhi ( <i>Caesalpinia kavaiense</i> )	E	\$16,000	\$25,500	\$41,500	\$0	\$41,500
980	Uvillo ( <i>Eugenia haematocarpa</i> )	E	\$500	\$0	\$500	\$0	\$500
816	Vervain, Red Hills ( <i>Verbena californica</i> )	T	\$11,500	\$800	\$12,300	\$0	\$12,300
814	Vetch, Hawaiian ( <i>Vicia menziesii</i> )	E	\$12,600	\$0	\$12,600	\$0	\$12,600
981	Wahane ( <i>Pritchardia aylmer-robinsonii</i> )	E	\$400	\$0	\$400	\$0	\$400
610	Wallflower, Ben Lomond ( <i>Erysimum teretifolium</i> )	E	\$39,555	\$0	\$39,555	\$0	\$39,555
664	Wallflower, Contra Costa ( <i>Erysimum capitatum</i> var. <i>angustatum</i> )	E	\$29,080	\$600	\$29,680	\$0	\$29,680
441	Wallflower, Menzies' ( <i>Erysimum menziesii</i> )	E	\$16,420	\$63,000	\$79,420	\$0	\$79,420
954	Walnut (=Nogal), West Indian ( <i>Juglans jamaicensis</i> )	E	\$2,000	\$0	\$2,000	\$0	\$2,000
833	Warea, wide-leaf ( <i>Warea amplexifolia</i> )	E	\$10,500	\$0	\$10,500	\$0	\$10,500
795	Water-plantain, Kral's ( <i>Sagittaria secundifolia</i> )	T	\$9,000	\$5,550	\$14,550	\$0	\$14,550
173	Water-umbel, Huachuca ( <i>Lilaeopsis schaffneriana</i> )	E	\$71,000	\$339,250	\$410,250	\$750	\$411,000

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>var. recurva</i> )						
617	Watercress, Gambel's ( <i>Rorippa gambellii</i> )	E	\$37,271	\$1,500	\$38,771	\$0	\$38,771
747	Whitlow-wort, papery ( <i>Paronychia chartacea</i> )	T	\$19,400	\$0	\$19,400	\$0	\$19,400
760	Wild-buckwheat, clay-loving ( <i>Eriogonum pelinophilum</i> )	E	\$8,818	\$9,400	\$18,218	\$0	\$18,218
984	Wild-buckwheat, gypsum ( <i>Eriogonum gypsophilum</i> )	T	\$0	\$100	\$100	\$0	\$100
218	Wild-rice, Texas ( <i>Zizania texana</i> )	E	\$283,650	\$4,629	\$288,279	\$7,500	\$295,779
516	Wire-lettuce, Malheur ( <i>Stephanomeria malheurensis</i> )	E	\$34,500	\$21,500	\$56,000	\$0	\$56,000
517	Wireweed ( <i>Polygonella basiramia</i> )	E	\$11,400	\$44,500	\$55,900	\$0	\$55,900
618	Woodland-star, San Clemente Island ( <i>Lithophragma maximum</i> )	E	\$706	\$37,954	\$38,660	\$0	\$38,660
662	Woolly-threads, San Joaquin ( <i>Monolopia (=Lembertia) congdonii</i> )	E	\$0	\$30,266	\$30,266	\$0	\$30,266
731	Yellowhead, desert ( <i>Yermo xanthocephalus</i> )	T	\$371	\$20,200	\$20,571	\$0	\$20,571
926	Yerba santa, Lompoc ( <i>Eriodictyon capitatum</i> )	E	\$0	\$3,500	\$3,500	\$0	\$3,500
668	Ziziphus, Florida ( <i>Ziziphus celata</i> )	E	\$29,000	\$0	\$29,000	\$0	\$29,000
806	`Ahinahina ( <i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i> )	T	\$8,000	\$5,865	\$13,865	\$0	\$13,865
819	`Ahinahina ( <i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i> )	E	\$12,000	\$0	\$12,000	\$0	\$12,000
790	`Aiakeakua, popolo ( <i>Solanum sandwicense</i> )	E	\$4,100	\$11,100	\$15,200	\$0	\$15,200
957	`Aiea ( <i>Nothoestrum breviflorum</i> )	E	\$1,800	\$0	\$1,800	\$0	\$1,800
598	`Aiea ( <i>Nothoestrum peltatum</i> )	E	\$600	\$41,100	\$41,700	\$0	\$41,700
312	`Akoko ( <i>Chamaesyce celastroides</i> var. <i>kaenana</i> )	E	\$14,800	\$146,566	\$161,366	\$0	\$161,366
981	`Akoko ( <i>Chamaesyce deppeana</i> )	E	\$400	\$0	\$400	\$0	\$400
330	`Akoko ( <i>Chamaesyce herbstii</i> )	E	\$6,000	\$146,407	\$152,407	\$0	\$152,407
940	`Akoko ( <i>Chamaesyce kuwaleana</i> )	E	\$2,900	\$0	\$2,900	\$0	\$2,900
433	`Akoko ( <i>Chamaesyce rockii</i> )	E	\$500	\$84,876	\$85,376	\$0	\$85,376
805	`Akoko ( <i>Euphorbia haeleleana</i> )	E	\$13,900	\$0	\$13,900	\$0	\$13,900
876	`Akoko, Ewa Plains ( <i>Chamaesyce skottsbergii</i> var. <i>kalaeloana</i> )	E	\$7,000	\$0	\$7,000	\$0	\$7,000
544	`Anaunau ( <i>Lepidium arbuscula</i> )	E	\$8,500	\$42,438	\$50,938	\$0	\$50,938
846	`Anunu ( <i>Sicyos alba</i> )	E	\$700	\$8,500	\$9,200	\$0	\$9,200
895	`Awikiwiki ( <i>Canavalia molokaiensis</i> )	E	\$500	\$5,000	\$5,500	\$0	\$5,500
634	`Oha wai ( <i>Clermontia drepanomorpha</i> )	E	\$36,100	\$0	\$36,100	\$0	\$36,100
519	`Oha wai ( <i>Clermontia lindseyana</i> )	E	\$50,500	\$5,069	\$55,569	\$0	\$55,569
978	`Oha wai ( <i>Clermontia oblongifolia</i> ssp. <i>brevipes</i> )	E	\$600	\$0	\$600	\$0	\$600
979	`Oha wai ( <i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i> )	E	\$500	\$69	\$569	\$0	\$569
934	`Oha wai ( <i>Clermontia peleana</i> )	E	\$3,000	\$69	\$3,069	\$0	\$3,069
520	`Oha wai ( <i>Clermontia pyrularia</i> )	E	\$50,500	\$5,000	\$55,500	\$0	\$55,500
868	`Oha wai ( <i>Clermontia samuelii</i> )	E	\$4,600	\$2,760	\$7,360	\$0	\$7,360
349	`Ohe`ohe ( <i>Tetraplasandra gymnocarpa</i> )	E	\$600	\$127,314	\$127,914	\$0	\$127,914
	<b>Flowering Plants Subtotal</b>		\$26,627,766	\$18,043,207	\$44,670,973	\$474,765	\$45,145,738
	<b>Conifers and Cycads</b>						

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
483	Cypress, Gowen ( <i>Cupressus goveniana</i> ssp. <i>goveniana</i> )	T	\$62,587	\$2,500	\$65,087	\$0	\$65,087
710	Cypress, Santa Cruz ( <i>Cupressus abramsiana</i> )	E	\$23,678	\$0	\$23,678	\$0	\$23,678
614	Torreya, Florida ( <i>Torreya taxifolia</i> )	E	\$16,500	\$22,700	\$39,200	\$0	\$39,200
	<b>Conifers and Cycads Subtotal</b>		<b>\$102,765</b>	<b>\$25,200</b>	<b>\$127,965</b>	<b>\$0</b>	<b>\$127,965</b>
	<b>Ferns and Allies</b>						
856	Diellia, asplenium-leaved ( <i>Diellia erecta</i> )	E	\$8,400	\$0	\$8,400	\$0	\$8,400
815	Fern, Alabama streak-sorus ( <i>Thelypteris pilosa</i> var. <i>alabamensis</i> )	T	\$12,500	\$0	\$12,500	\$0	\$12,500
688	Fern, Aleutian shield ( <i>Polystichum aleuticum</i> )	E	\$25,700	\$500	\$26,200	\$0	\$26,200
772	Fern, American hart's-tongue ( <i>Asplenium scolopendrium</i> var. <i>americanum</i> )	T	\$13,000	\$3,750	\$16,750	\$200	\$16,950
895	Fern, Elfin tree ( <i>Cyathea dryopteroides</i> )	E	\$5,500	\$0	\$5,500	\$0	\$5,500
976	Fern, pendant kihi ( <i>Adenophorus periens</i> )	E	\$700	\$0	\$700	\$0	\$700
894	Ihī`ihi ( <i>Marsilea villosa</i> )	E	\$5,600	\$0	\$5,600	\$0	\$5,600
980	Adiantum vivesii (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
255	Asplenium fragile var. insulare (=Sci name)	E	\$4,800	\$217,221	\$222,021	\$0	\$222,021
536	Diellia falcata (=Sci name)	E	\$9,400	\$42,438	\$51,838	\$0	\$51,838
964	Diellia pallida (=Sci name)	E	\$1,300	\$0	\$1,300	\$0	\$1,300
978	Diellia unisora (=Sci name)	E	\$600	\$0	\$600	\$0	\$600
808	Diplazium molokaiense (=Sci name)	E	\$12,200	\$1,169	\$13,369	\$0	\$13,369
909	Elaphoglossum serpens (=Sci name)	E	\$4,500	\$0	\$4,500	\$0	\$4,500
909	Polystichum calderonense (=Sci name)	E	\$4,500	\$0	\$4,500	\$0	\$4,500
431	Pteris lidgatei (=Sci name)	E	\$600	\$84,876	\$85,476	\$0	\$85,476
901	Tectaria estremerana (=Sci name)	E	\$5,000	\$0	\$5,000	\$0	\$5,000
895	Thelypteris inabonensis (=Sci name)	E	\$5,500	\$0	\$5,500	\$0	\$5,500
909	Thelypteris verecunda (=Sci name)	E	\$4,500	\$0	\$4,500	\$0	\$4,500
909	Thelypteris yaucoensis (=Sci name)	E	\$4,500	\$0	\$4,500	\$0	\$4,500
535	Pauoa ( <i>Ctenitis squamigera</i> )	E	\$9,400	\$42,507	\$51,907	\$0	\$51,907
946	Quillwort, black spored ( <i>Isoetes melanospora</i> )	E	\$2,000	\$0	\$2,000	\$500	\$2,500
390	Quillwort, Louisiana ( <i>Isoetes louisianensis</i> )	E	\$9,000	\$94,038	\$103,038	\$1,000	\$104,038
946	Quillwort, mat-forming ( <i>Isoetes tegetiformans</i> )	E	\$2,000	\$0	\$2,000	\$500	\$2,500
773	Wawae`iole ( <i>Huperzia manni</i> )	E	\$12,400	\$4,485	\$16,885	\$0	\$16,885
587	Wawae`iole ( <i>Lycopodium</i> (=Phlegmariurus) <i>nutans</i> )	E	\$500	\$42,438	\$42,938	\$0	\$42,938
	<b>Ferns and Allies Subtotal</b>		<b>\$164,600</b>	<b>\$533,422</b>	<b>\$698,022</b>	<b>\$2,200</b>	<b>\$700,222</b>
	<b>Lichens</b>						
412	Cladonia, Florida perforate ( <i>Cladonia perforata</i> )	E	\$14,400	\$79,000	\$93,400	\$0	\$93,400
758	Lichen, rock gnome ( <i>Gymnoderma lineare</i> )	E	\$18,500	\$0	\$18,500	\$0	\$18,500
	<b>Lichens Subtotal</b>		<b>\$32,900</b>	<b>\$79,000</b>	<b>\$111,900</b>	<b>\$0</b>	<b>\$111,900</b>
	<b>Total Species Expenditures for FY2007</b>		<b>\$146,807,562</b>	<b>\$776,133,747</b>	<b>\$922,941,309</b>	<b>\$53,752,752</b>	<b>\$976,694,061</b>

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<b>Other ESA Expenses</b>		\$35,598,845	\$512,202,100	\$547,800,945	\$12,789,585	\$560,590,530
	<b>Total Species/Other ESA Species Expenditures for FY2007</b>		\$182,406,407	\$1,288,334,347	\$1,470,740,754	\$66,542,337	\$1,537,283,091

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2007 REPORTED SPECIES-SPECIFIC ACTIVITY-RELATED EXPENDITURES**

Species are arranged in descending rank order by total identifiable activity-related expenditures (Table 1). Cumulative totals of the activity-related expenditures totals are provided. The cumulative total column is the sum of all higher ranked Species Totals (from Table 1) and the selected species entry. This table does not include costs for land acquisition or "Other ESA Expenses."

The species list in the report follows the same breakdown as in 50 CFR 17.11 and 17.12. All populations are itemized separately, not just Evolutionarily Significant Units (ESUs). Thus, it appears as if there are more listed species. Populations of the same species may be ranked differently.



**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2007 REPORTED EXPENDITURES, NOT INCLUDING LAND ACQUISITION COSTS**

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1	Sea-lion, Steller ( <i>Eumetopias jubatus</i> ) western pop.	E	\$53,232,788	\$53,232,788
2	Sturgeon, pallid ( <i>Scaphirhynchus albus</i> )	E	\$47,011,127	\$100,243,915
3	Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) spring/summer Snake R.	T	\$37,973,629	\$138,217,544
4	Trout, bull ( <i>Salvelinus confluentus</i> ) U.S.A., conterminous, lower 48 states	T	\$33,671,958	\$171,889,502
5	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) middle Columbia R.	T	\$33,556,143	\$205,445,645
6	Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) fall Snake R.	T	\$31,117,391	\$236,563,036
7	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) Snake R. Basin	T	\$28,826,707	\$265,389,743
8	Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) spring upper Columbia R.	E	\$27,632,088	\$293,021,831
9	Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) Puget Sound	T	\$25,658,281	\$318,680,112
10	Salmon, coho ( <i>Oncorhynchus (=Salmo) kisutch</i> ) OR, CA pop.	T	\$23,824,690	\$342,504,802
11	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) upper Columbia R. Basin	T	\$23,523,494	\$366,028,296
12	Salmon, sockeye ( <i>Oncorhynchus (=Salmo) nerka</i> ) U.S.A. (Snake River, ID stock wherever found.)	E	\$20,127,264	\$386,155,560
13	Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) lower Columbia R.	T	\$19,311,813	\$405,467,373
14	Woodpecker, red-cockaded ( <i>Picoides borealis</i> )	E	\$17,915,391	\$423,382,764
15	Whale, right ( <i>Balaena glacialis (incl. australis)</i> )	E	\$17,686,493	\$441,069,257
16	Manatee, West Indian ( <i>Trichechus manatus</i> )	E	\$14,707,167	\$455,776,424
17	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) lower Columbia R.	T	\$13,601,318	\$469,377,742
18	Plover, piping ( <i>Charadrius melodus</i> ) except Great Lakes watershed	T	\$12,976,569	\$482,354,311
19	Tern, least ( <i>Sterna antillarum</i> ) interior pop.	E	\$12,066,118	\$494,420,429
20	Tortoise, desert ( <i>Gopherus agassizii</i> ) U.S.A., except in Sonoran Desert	T	\$11,042,343	\$505,462,772
21	Salmon, coho ( <i>Oncorhynchus (=Salmo) kisutch</i> ) Lower Columbia River	T	\$10,382,740	\$515,845,512
22	Flycatcher, southwestern willow ( <i>Empidonax traillii extimus</i> )	E	\$10,218,765	\$526,064,277
23	Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) upper Willamette R.	T	\$9,834,427	\$535,898,704
24	Salmon, chum ( <i>Oncorhynchus (=Salmo) keta</i> ) Columbia R.	T	\$9,701,549	\$545,600,253
25	Minnnow, Rio Grande silvery ( <i>Hybognathus amarus</i> )	E	\$9,680,928	\$555,281,181
26	Owl, northern spotted ( <i>Strix occidentalis caurina</i> )	T	\$9,511,004	\$564,792,185
27	Eagle, bald ( <i>Haliaeetus leucocephalus</i> ) lower 48 States	DM	\$9,456,318	\$574,248,503
28	Sucker, razorback ( <i>Xyrauchen texanus</i> ) entire	E	\$9,316,962	\$583,565,465

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
29	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) upper Willamette R.	T	\$8,008,473	\$591,573,938
30	Salmon, Atlantic ( <i>Salmo salar</i> ) Gulf of Maine Atlantic Salmon DPS	E	\$7,897,056	\$599,470,994
31	Sturgeon, white ( <i>Acipenser transmontanus</i> ) U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$7,420,663	\$606,891,657
32	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) CA Central Valley spring-run	T	\$6,907,063	\$613,798,720
33	Sea turtle, leatherback ( <i>Dermochelys coriacea</i> )	E	\$6,900,968	\$620,699,688
34	Beetle, valley elderberry longhorn ( <i>Desmoceus californicus dimorphus</i> )	T	\$6,712,927	\$627,412,615
35	Smelt, delta ( <i>Hypomesus transpacificus</i> )	T	\$6,678,869	\$634,091,484
36	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) winter Sacramento R.	E	\$6,636,475	\$640,727,959
37	Sea turtle, loggerhead ( <i>Caretta caretta</i> )	T	\$6,477,966	\$647,205,925
38	Chub, humpback ( <i>Gila cypha</i> ) entire	E	\$6,359,209	\$653,565,134
39	Bat, Indiana ( <i>Myotis sodalis</i> )	E	\$6,291,119	\$659,856,253
40	Sea-lion, Steller ( <i>Eumetopias jubatus</i> ) eastern pop.	T	\$5,783,494	\$665,639,747
41	Salmon, chum ( <i>Oncorhynchus</i> (=Salmo) <i>keta</i> ) summer-run Hood Canal	T	\$5,615,013	\$671,254,760
42	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) except Salt and Verde R. drainages, AZ	E	\$5,290,433	\$676,545,193
43	Salmon, sockeye ( <i>Oncorhynchus</i> (=Salmo) <i>nerka</i> ) U.S.A. (Ozette Lake, WA)	T	\$4,900,653	\$681,445,846
44	Trout, Lahontan cutthroat ( <i>Oncorhynchus clarki henshawi</i> )	T	\$4,874,485	\$686,320,331
45	Chub, bonytail ( <i>Gila elegans</i> ) entire	E	\$4,798,640	\$691,118,971
46	Panther, Florida ( <i>Puma</i> (=Felis) <i>concolor coryi</i> )	E	\$4,788,873	\$695,907,844
47	Bear, grizzly ( <i>Ursus arctos horribilis</i> ) lower 48 States, except where listed as an experimental population or delisted	T	\$4,774,856	\$700,682,700
48	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) Central Valley CA	T	\$4,505,785	\$705,188,485
49	Sucker, shortnose ( <i>Chasmistes brevirostris</i> )	E	\$4,412,069	\$709,600,554
50	Sucker, Lost River ( <i>Deltistes luxatus</i> )	E	\$4,398,469	\$713,999,023
51	Whale, humpback ( <i>Megaptera novaeangliae</i> )	E	\$4,216,968	\$718,215,991
52	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) central CA coast	T	\$3,883,818	\$722,099,809
53	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) CA coastal	T	\$3,736,537	\$725,836,346
54	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) central CA coast	E	\$3,681,807	\$729,518,153
55	Sea turtle, Kemp's ridley ( <i>Lepidochelys kempii</i> )	E	\$3,627,643	\$733,145,796
56	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) Puget Sound DPS	T	\$3,458,967	\$736,604,763
57	Owl, Mexican spotted ( <i>Strix occidentalis lucida</i> )	T	\$3,421,605	\$740,026,368
58	Lynx, Canada ( <i>Lynx canadensis</i> ) lower 48 States DPS	T	\$3,314,566	\$743,340,934
59	Murrelet, marbled ( <i>Brachyramphus marmoratus</i> ) CA, OR, WA	T	\$3,292,628	\$746,633,562

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
60	Fox, San Joaquin kit ( <i>Vulpes macrotis mutica</i> )	E	\$3,181,746	\$749,815,308
61	Tortoise, gopher ( <i>Gopherus polyphemus</i> ) W of of Mobile/Tombigbee Rs.	T	\$3,078,046	\$752,893,354
62	Sea turtle, green ( <i>Chelonia mydas</i> ) except where endangered	T	\$3,074,708	\$755,968,062
63	Seal, Hawaiian monk ( <i>Monachus schauinslandi</i> )	E	\$3,072,161	\$759,040,223
64	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) south central CA coast	T	\$2,981,766	\$762,021,989
65	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) southern CA coast	E	\$2,939,259	\$764,961,248
66	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) northern CA	T	\$2,831,958	\$767,793,206
67	Plover, western snowy ( <i>Charadrius alexandrinus nivosus</i> ) Pacific coastal pop.	T	\$2,772,612	\$770,565,818
68	Fairy shrimp, vernal pool ( <i>Branchinecta lynchi</i> )	T	\$2,757,984	\$773,323,802
69	Frog, California red-legged ( <i>Rana aurora draytonii</i> ) subspecies range clarified	T	\$2,616,002	\$775,939,804
70	Ferret, black-footed ( <i>Mustela nigripes</i> ) U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	EXPN	\$2,506,873	\$778,446,677
71	Shrike, San Clemente loggerhead ( <i>Lanius ludovicianus mearnsi</i> )	E	\$2,405,580	\$780,852,257
72	Jay, Florida scrub ( <i>Aphelocoma coerulescens</i> )	T	\$2,175,643	\$783,027,900
73	Whale, bowhead ( <i>Balaena mysticetus</i> )	E	\$2,165,840	\$785,193,740
74	Sea turtle, hawksbill ( <i>Eretmochelys imbricata</i> )	E	\$2,074,635	\$787,268,375
75	Wolf, gray ( <i>Canis lupus</i> ) Mexican gray wolf, EXPN population	EXPN	\$1,879,111	\$789,147,486
76	Parrot, Puerto Rican ( <i>Amazona vittata</i> )	E	\$1,830,646	\$790,978,132
77	Bear, Louisiana black ( <i>Ursus americanus luteolus</i> )	T	\$1,762,982	\$792,741,114
78	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) Salt and Verde R. drainages, AZ	EXPN	\$1,753,600	\$794,494,714
79	Condor, California ( <i>Gymnogyps californianus</i> ) U.S.A. only	E	\$1,749,790	\$796,244,504
80	Woodpecker, ivory-billed ( <i>Campephilus principalis</i> )	E	\$1,695,509	\$797,940,013
81	Rail, Yuma clapper ( <i>Rallus longirostris yumanensis</i> ) U.S.A. only	E	\$1,676,900	\$799,616,913
82	Stork, wood ( <i>Mycteria americana</i> ) AL, FL, GA, SC	E	\$1,622,372	\$801,239,285
83	Sparrow, Cape Sable seaside ( <i>Ammodramus maritimus mirabilis</i> )	E	\$1,508,810	\$802,748,095
84	Wolf, gray ( <i>Canis lupus</i> ) WY, ID, MT	EXPN	\$1,475,499	\$804,223,594
85	Trout, Apache ( <i>Oncorhynchus apache</i> )	T	\$1,383,420	\$805,607,014
86	Crane, whooping ( <i>Grus americana</i> ) U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	EXPN	\$1,331,424	\$806,938,438
87	Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> ) Southwestern population	EXPN	\$1,320,300	\$808,258,738
88	Beetle, delta green ground ( <i>Elaphrus viridis</i> )	T	\$1,301,400	\$809,560,138
89	Snake, eastern indigo ( <i>Drymarchon corais couperi</i> )	T	\$1,291,175	\$810,851,313
90	Wolf, gray ( <i>Canis lupus</i> ) Lower 48 States, except where delisted and where EXPN. Mexico.	E	\$1,273,517	\$812,124,830
91	Pronghorn, Sonoran ( <i>Antilocapra americana sonoriensis</i> )	E	\$1,273,207	\$813,398,037

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
92	Warbler (=wood), golden-cheeked ( <i>Dendroica chrysoparia</i> )	E	\$1,260,352	\$814,658,389
93	Snake, giant garter ( <i>Thamnophis gigas</i> )	T	\$1,259,162	\$815,917,551
94	Paintbrush, golden ( <i>Castilleja levisecta</i> )	T	\$1,242,708	\$817,160,259
95	Sea turtle, green ( <i>Chelonia mydas</i> ) FL, Mexico nesting pops.	E	\$1,124,138	\$818,284,397
96	Goose, Hawaiian ( <i>Branta (=Nesochen) sandvicensis</i> )	E	\$1,114,573	\$819,398,970
97	Bat, gray ( <i>Myotis grisescens</i> )	E	\$1,108,891	\$820,507,861
98	Sturgeon, gulf ( <i>Acipenser oxyrinchus desotoi</i> )	T	\$1,092,495	\$821,600,356
99	Crane, whooping ( <i>Grus americana</i> ) except where EXPN	E	\$1,072,032	\$822,672,388
100	Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) northern	T	\$1,067,838	\$823,740,226
101	Sturgeon, shortnose ( <i>Acipenser brevirostrum</i> )	E	\$1,054,320	\$824,794,546
102	Kite, Everglade snail ( <i>Rostrhamus sociabilis plumbeus</i> ) FL pop.	E	\$1,040,675	\$825,835,221
103	Prairie-chicken, Attwater's greater ( <i>Tympanuchus cupido attwateri</i> )	E	\$1,023,900	\$826,859,121
104	Tern, California least ( <i>Sterna antillarum browni</i> )	E	\$1,014,155	\$827,873,276
105	Cui-ui ( <i>Chasmistes cujus</i> )	E	\$1,009,345	\$828,882,621
106	Butterfly, Karner blue ( <i>Lycaeides melissa samuelis</i> )	E	\$1,008,232	\$829,890,853
107	Warbler (=wood), Kirtland's ( <i>Dendroica kirtlandii</i> )	E	\$990,593	\$830,881,446
108	Vireo, black-capped ( <i>Vireo atricapilla</i> )	E	\$975,622	\$831,857,068
109	Salamander, California tiger ( <i>Ambystoma californiense</i> ) U.S.A. (Central CA DPS)	T	\$969,913	\$832,826,981
110	Wolf, gray ( <i>Canis lupus</i> ) MN	DM	\$944,656	\$833,771,637
111	Eider, Steller's ( <i>Polysticta stelleri</i> ) AK breeding pop.	T	\$941,043	\$834,712,680
112	Wolf, red ( <i>Canis rufus</i> ) U.S.A. (portions of NC and TN)	EXPN	\$936,523	\$835,649,203
113	Beetle, American burying ( <i>Nicrophorus americanus</i> )	E	\$933,530	\$836,582,733
114	Stilt, Hawaiian ( <i>Himantopus mexicanus knudseni</i> )	E	\$929,921	\$837,512,654
115	Ferret, black-footed ( <i>Mustela nigripes</i> ) entire population, except where EXPN	E	\$876,763	\$838,389,417
116	Fanshell ( <i>Cyprogenia stegaria</i> )	E	\$868,698	\$839,258,115
117	Trout, Gila ( <i>Oncorhynchus gilae</i> )	T	\$864,000	\$840,122,115
118	Coot, Hawaiian ( <i>Fulica americana alai</i> )	E	\$862,122	\$840,984,237
119	Duck, Hawaiian (=koloa) ( <i>Anas wyvilliana</i> )	E	\$860,646	\$841,844,883
120	Bear, grizzly ( <i>Ursus arctos horribilis</i> ) experimental, non-essential, portions of ID and MT	EXPN	\$853,700	\$842,698,583
121	Higgins eye (pearlymussel) ( <i>Lampsilis higginsii</i> )	E	\$830,572	\$843,529,155
122	Toad, arroyo (=arroyo southwestern) ( <i>Bufo californicus (=microscaphus)</i> )	E	\$824,758	\$844,353,913
123	Snails, Oahu tree ( <i>Achatinella spp.</i> )	E*	\$815,001	\$845,168,914
124	Moorhen, Hawaiian common ( <i>Gallinula chloropus sandvicensis</i> )	E	\$789,168	\$845,958,082
125	Kangaroo rat, Tipton ( <i>Dipodomys nitratoides nitratoides</i> )	E	\$781,568	\$846,739,650
126	Chub, Virgin River ( <i>Gila seminuda (=robusta)</i> )	E	\$761,937	\$847,501,587
127	Crow, Hawaiian (=alala) ( <i>Corvus hawaiiensis</i> )	E	\$749,735	\$848,251,322
128	Sucker, June ( <i>Chasmistes liorus</i> )	E	\$723,015	\$848,974,337

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
129	Wedgemussel, dwarf ( <i>Alasmidonta heterodon</i> )	E	\$715,940	\$849,690,277
130	Woundfin ( <i>Plagopterus argentissimus</i> ) except Gila R. drainage, AZ, NM	E	\$695,234	\$850,385,511
131	Pelican, brown ( <i>Pelecanus occidentalis</i> ) except U.S. Atlantic coast, FL, AL	E	\$673,113	\$851,058,624
132	Crow, Mariana (=aga) ( <i>Corvus kubaryi</i> )	E	\$672,877	\$851,731,501
133	Kangaroo rat, giant ( <i>Dipodomys ingens</i> )	E	\$668,922	\$852,400,423
134	Shiner, Pecos bluntnose ( <i>Notropis simus pecosensis</i> )	T	\$661,166	\$853,061,589
135	Darter, Okaloosa ( <i>Etheostoma okaloosae</i> )	E	\$658,189	\$853,719,778
136	Bat, Hawaiian hoary ( <i>Lasiurus cinereus semotus</i> )	E	\$657,465	\$854,377,243
137	Topminnow, Gila (incl. Yaqui) ( <i>Poeciliopsis occidentalis</i> ) U.S.A. only	E	\$654,800	\$855,032,043
138	Sawfish, smalltooth ( <i>Pristis pectinata</i> )	E	\$648,960	\$855,681,003
139	Spikedace ( <i>Meda fulgida</i> )	T	\$644,500	\$856,325,503
140	Otter, southern sea ( <i>Enhydra lutris nereis</i> ) south of Pt. Conception, CA	EXPN	\$640,393	\$856,965,896
141	Plover, piping ( <i>Charadrius melodus</i> ) Great Lakes watershed	E	\$639,717	\$857,605,613
142	Wolf, gray ( <i>Canis lupus</i> ) Western Great Lakes DPS	DM	\$637,495	\$858,243,108
143	Frog, Chiricahua leopard ( <i>Rana chiricahuensis</i> )	T	\$633,511	\$858,876,619
144	Mouse, Preble's meadow jumping ( <i>Zapus hudsonius preblei</i> ) Colorado	T	\$629,701	\$859,506,320
145	Minnow, loach ( <i>Tiaroga cobitis</i> )	T	\$628,500	\$860,134,820
146	Goby, tidewater ( <i>Eucyclogobius newberryi</i> ) Entire	E	\$625,509	\$860,760,329
147	Sparrow, Florida grasshopper ( <i>Ammodramus savannarum floridanus</i> )	E	\$611,105	\$861,371,434
148	Sheep, Sierra Nevada bighorn ( <i>Ovis canadensis sierrae</i> ) Sierra Nevada	E	\$582,116	\$861,953,550
149	Shearwater, Newell's Townsend's ( <i>Puffinus auricularis newelli</i> )	T	\$577,102	\$862,530,652
150	Darter, Cherokee ( <i>Etheostoma scotti</i> )	T	\$574,150	\$863,104,802
151	Sea turtle, olive ridley ( <i>Lepidochelys olivacea</i> ) except where endangered	T	\$569,508	\$863,674,310
152	Shiner, Topeka ( <i>Notropis topeka</i> (=tristis))	E	\$565,995	\$864,240,305
153	Wartyback, white (pearlymussel) ( <i>Plethobasus cicatricosus</i> )	E	\$561,270	\$864,801,575
154	Darter, Etowah ( <i>Etheostoma etowahae</i> )	E	\$548,450	\$865,350,025
155	Grass, Tennessee yellow-eyed ( <i>Xyris tennesseensis</i> )	E	\$546,825	\$865,896,850
156	Gnatcatcher, coastal California ( <i>Poliophtila californica californica</i> )	T	\$535,822	\$866,432,672
157	Seagrass, Johnson's ( <i>Halophila johnsonii</i> )	T	\$534,181	\$866,966,853
158	Salamander, Santa Cruz long-toed ( <i>Ambystoma macrodactylum croceum</i> )	E	\$516,176	\$867,483,029
159	Catchfly, Spalding's ( <i>Silene spaldingii</i> )	T	\$510,777	\$867,993,806
160	Wolf, red ( <i>Canis rufus</i> ) except where EXPN	E	\$508,354	\$868,502,160
161	Crane, whooping ( <i>Grus americana</i> ) U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	EXPN	\$493,277	\$868,995,437
162	Albatross, short-tailed ( <i>Phoebastria</i> (=Diomedea) <i>albatrus</i> )	E	\$489,801	\$869,485,238
163	Rail, Guam ( <i>Rallus owstoni</i> ) except Rota	E	\$478,663	\$869,963,901

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
164	Vireo, least Bell's ( <i>Vireo bellii pusillus</i> )	E	\$471,992	\$870,435,893
165	Prairie dog, Utah ( <i>Cynomys parvidens</i> )	T	\$468,523	\$870,904,416
166	Logperch, Roanoke ( <i>Percina rex</i> )	E	\$459,153	\$871,363,569
167	Lupine, Kincaid's ( <i>Lupinus sulphureus</i> (=oreganus) ssp. kincaidii (=var. kincaidii))	T	\$458,641	\$871,822,210
168	Milk-vetch, Peirson's ( <i>Astragalus magdalenae</i> var. peirsonii)	T	\$438,992	\$872,261,202
169	Dace, Ash Meadows speckled ( <i>Rhinichthys osculus nevadensis</i> )	E	\$436,815	\$872,698,017
170	Duck, Laysan ( <i>Anas laysanensis</i> )	E	\$436,200	\$873,134,217
171	Crane, Mississippi sandhill ( <i>Grus canadensis pulla</i> )	E	\$428,100	\$873,562,317
172	Rail, California clapper ( <i>Rallus longirostris obsoletus</i> )	E	\$420,335	\$873,982,652
173	Water-umbel, Huachuca ( <i>Lilaeopsis schaffneriana</i> var. recurva)	E	\$411,000	\$874,393,652
174	Pondberry ( <i>Lindera melissifolia</i> )	E	\$404,602	\$874,798,254
175	Salamander, Barton Springs ( <i>Eurycea sosorum</i> )	E	\$404,300	\$875,202,554
176	Alligator, American ( <i>Alligator mississippiensis</i> )	SAT	\$402,351	\$875,604,905
177	Butterfly, Quino checkerspot ( <i>Euphydryas editha quino</i> (=E. e. wrighti))	E	\$401,222	\$876,006,127
178	Pearlshell, Louisiana ( <i>Margaritifera hembeli</i> )	T	\$397,364	\$876,403,491
179	Squirrel, northern Idaho ground ( <i>Spermophilus brunneus brunneus</i> )	T	\$396,504	\$876,799,995
180	Pupfish, Warm Springs ( <i>Cyprinodon nevadensis pectoralis</i> )	E	\$386,215	\$877,186,210
181	Fox, San Miguel Island ( <i>Urocyon littoralis littoralis</i> )	E	\$384,705	\$877,570,915
182	Pupfish, Devils Hole ( <i>Cyprinodon diabolis</i> )	E	\$383,715	\$877,954,630
183	Eider, spectacled ( <i>Somateria fischeri</i> )	T	\$379,750	\$878,334,380
184	Fox, Santa Cruz Island ( <i>Urocyon littoralis santacruzae</i> )	E	\$379,308	\$878,713,688
185	Palila (honeycreeper) ( <i>Loxioides bailleui</i> )	E	\$371,615	\$879,085,303
186	Frog, mountain yellow-legged ( <i>Rana muscosa</i> ) southern California DPS	E	\$366,575	\$879,451,878
187	Rabbit, riparian brush ( <i>Sylvilagus bachmani riparius</i> )	E	\$359,440	\$879,811,318
188	Heelsplitter, Carolina ( <i>Lasmigona decorata</i> )	E	\$354,860	\$880,166,178
189	Otter, Northern Sea ( <i>Enhydra lutris kenyoni</i> ) southwest Alaska DPS	T	\$352,317	\$880,518,495
190	Fritillary, Gentner's ( <i>Fritillaria gentneri</i> )	E	\$351,169	\$880,869,664
191	Butterfly, Fender's blue ( <i>Icaricia icarioides fenderi</i> )	E	\$348,260	\$881,217,924
192	Ladies'-tresses, Ute ( <i>Spiranthes diluvialis</i> )	T	\$347,639	\$881,565,563
193	Vigna o-wahuensis (=Sci name)	E	\$346,502	\$881,912,065
194	Darter, fountain ( <i>Etheostoma fonticola</i> )	E	\$342,539	\$882,254,604
195	Pocketbook, fat ( <i>Potamilus capax</i> )	E	\$341,230	\$882,595,834
196	Mouse, Alabama beach ( <i>Peromyscus polionotus ammobates</i> )	E	\$340,445	\$882,936,279
197	Tadpole shrimp, vernal pool ( <i>Lepidurus packardii</i> )	E	\$338,608	\$883,274,887
198	Chub, Oregon ( <i>Oregonichthys crameri</i> )	E	\$337,562	\$883,612,449
199	Bat, lesser long-nosed ( <i>Leptonycteris curasoae yerbabuena</i> )	E	\$337,132	\$883,949,581
200	Salamander, California tiger ( <i>Ambystoma californiense</i> ) U.S.A. (CA - Santa Barbara County)	E	\$335,706	\$884,285,287
201	Clubshell ( <i>Pleurobema clava</i> ) Entire Range; Except where listed as Experimental Populations	E	\$329,090	\$884,614,377
202	Swiftlet, Mariana gray ( <i>Aerodramus vanikorensis bartschi</i> )	E	\$325,048	\$884,939,425
203	Otter, southern sea ( <i>Enhydra lutris nereis</i> ) except where EXPN	T	\$317,657	\$885,257,082

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
204	Sturgeon, North American green ( <i>Acipenser medirostris</i> ) U.S.A. (CA) Southern Distinct Population Segment	T	\$317,257	\$885,574,339
205	Butterfly, mission blue ( <i>Icaricia icarioides missionensis</i> )	E	\$317,200	\$885,891,539
206	Petrel, Hawaiian dark-rumped ( <i>Pterodroma phaeopygia sandwichensis</i> )	E	\$312,140	\$886,203,679
207	Darter, Niangua ( <i>Etheostoma nianguae</i> )	T	\$311,570	\$886,515,249
208	Pupfish, desert ( <i>Cyprinodon macularius</i> )	E	\$311,372	\$886,826,621
209	Rabbit, pygmy ( <i>Brachylagus idahoensis</i> ) Columbia Basin DPS	E	\$307,462	\$887,134,083
210	Chub, Mohave tui ( <i>Gila bicolor mohavensis</i> )	E	\$306,168	\$887,440,251
211	Thrush, small Kauai (=puaiohi) ( <i>Myadestes palmeri</i> )	E	\$305,382	\$887,745,633
212	Salamander, frosted flatwoods ( <i>Ambystoma cingulatum</i> )	T	\$305,018	\$888,050,651
213	Tortoise, desert ( <i>Gopherus agassizii</i> ) outside/taken from Sonoran Desert	SAT	\$303,768	\$888,354,419
214	Abalone, White ( <i>Haliotis sorenseni</i> ) North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	E	\$300,500	\$888,654,919
215	Kamanomano ( <i>Cenchrus agrimonioides</i> )	E	\$299,245	\$888,954,164
216	Mucket, pink (pearlymussel) ( <i>Lampsilis abrupta</i> )	E	\$297,420	\$889,251,584
217	Toad, Houston ( <i>Bufo houstonensis</i> )	E	\$296,256	\$889,547,840
218	Wild-rice, Texas ( <i>Zizania texana</i> )	E	\$295,779	\$889,843,619
219	Amaranth, seabeach ( <i>Amaranthus pumilus</i> )	T	\$295,080	\$890,138,699
220	Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) U.S.A. (DE, Sussex Co.)	EXPN	\$289,500	\$890,428,199
221	Tern, roseate ( <i>Sterna dougallii dougallii</i> ) northeast U.S. nesting pop.	E	\$288,705	\$890,716,904
222	Dragonfly, Hine's emerald ( <i>Somatochlora hineana</i> )	E	\$287,501	\$891,004,405
223	Riffleshell, northern ( <i>Epioblasma torulosa rangiana</i> )	E	\$284,656	\$891,289,061
224	Bear, grizzly ( <i>Ursus arctos horribilis</i> ) Yellowstone DPS	DM	\$281,570	\$891,570,631
225	Caracara, Audubon's crested ( <i>Polyborus plancus audubonii</i> ) FL pop.	T	\$276,401	\$891,847,032
226	Butterfly, Lange's metalmark ( <i>Apodemia mormo langei</i> )	E	\$273,249	\$892,120,281
227	Butterfly, Oregon silverspot ( <i>Speyeria zerene hippolyta</i> )	T	\$269,336	\$892,389,617
228	Pimpleback, orangefoot (pearlymussel) ( <i>Plethobasus cooperianus</i> )	E	\$269,295	\$892,658,912
229	Butterfly, Palos Verdes blue ( <i>Glaucopsyche lygdamus palosverdesensis</i> )	E	\$266,654	\$892,925,566
230	Whale, blue ( <i>Balaenoptera musculus</i> )	E	\$265,613	\$893,191,179
231	Trout, greenback cutthroat ( <i>Oncorhynchus clarki stomias</i> )	T	\$264,472	\$893,455,651
232	Elepaio, Oahu ( <i>Chasiempis sandwichensis ibidis</i> )	E	\$263,045	\$893,718,696
233	Butterfly, El Segundo blue ( <i>Euphilotes battoides allyni</i> )	E	\$256,854	\$893,975,550
234	Fairy shrimp, San Diego ( <i>Branchinecta sandiegonensis</i> )	E	\$256,711	\$894,232,261
235	Ohai ( <i>Sesbania tomentosa</i> )	E	\$254,859	\$894,487,120
236	Spinymussel, James ( <i>Pleurobema collina</i> )	E	\$254,332	\$894,741,452
237	Cactus, star ( <i>Astrophytum asterias</i> )	E	\$254,200	\$894,995,652
238	Mouse, salt marsh harvest ( <i>Reithrodontomys raviventris</i> )	E	\$251,637	\$895,247,289
239	A`e ( <i>Zanthoxylum hawaiiense</i> )	E	\$249,302	\$895,496,591
240	Squirrel, Mount Graham red ( <i>Tamiasciurus hudsonicus grahamensis</i> )	E	\$246,100	\$895,742,691

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
241	Minnow, Devils River ( <i>Dionda diabolii</i> )	T	\$245,000	\$895,987,691
242	Snail, Utah valvata ( <i>Valvata utahensis</i> )	E	\$244,902	\$896,232,593
243	Snail, Bliss Rapids ( <i>Taylorconcha serpenticola</i> )	T	\$244,545	\$896,477,138
244	Barberry, Nevin's ( <i>Berberis nevinii</i> )	E	\$243,633	\$896,720,771
245	Kangaroo rat, San Bernardino Merriam's ( <i>Dipodomys merriami parvus</i> )	E	\$232,004	\$896,952,775
246	Sheep, bighorn ( <i>Ovis canadensis</i> ) Peninsular CA pop.	E	\$231,189	\$897,183,964
247	Mahoe ( <i>Alectryon macrococcus</i> )	E	\$228,645	\$897,412,609
248	Silene lanceolata (=Sci name)	E	\$227,502	\$897,640,111
249	Spermolepis hawaiiensis (=Sci name)	E	\$227,102	\$897,867,213
250	Silene hawaiiensis (=Sci name)	T	\$226,952	\$898,094,165
251	Mehamehame ( <i>Flueggea neowawraea</i> )	E	\$226,845	\$898,321,010
252	Po'e ( <i>Portulaca sclerocarpa</i> )	E	\$226,202	\$898,547,212
253	Snake, copperbelly water ( <i>Nerodia erythrogaster neglecta</i> ) MI, OH, IN N of 400 N. Lat.	T	\$225,900	\$898,773,112
254	Pupfish, Comanche Springs ( <i>Cyprinodon elegans</i> )	E	\$225,000	\$898,998,112
255	Asplenium fragile var. insulare (=Sci name)	E	\$222,021	\$899,220,133
256	Ocelot ( <i>Leopardus (=Felis) pardalis</i> )	E	\$221,287	\$899,441,420
257	Stenogyne angustifolia var. angustifolia (=Sci name)	E	\$219,702	\$899,661,122
258	Neraudia ovata (=Sci name)	E	\$219,352	\$899,880,474
259	Honohono ( <i>Haplostachys haplostachya</i> )	E	\$218,902	\$900,099,376
260	Kio`ele ( <i>Hedyotis coriacea</i> )	E	\$218,602	\$900,317,978
261	Blackbird, yellow-shouldered ( <i>Agelaius xanthomus</i> )	E	\$218,349	\$900,536,327
262	Popolo ku mai ( <i>Solanum incompletum</i> )	E	\$218,102	\$900,754,429
263	Tetramolopium arenarium (=Sci name)	E	\$217,702	\$900,972,131
264	Lipochaeta venosa (=Sci name)	E	\$217,602	\$901,189,733
264	Aupaka ( <i>Isodendrion hosakae</i> )	E	\$217,602	\$901,407,335
265	Whale, killer ( <i>Orcinus orca</i> ) Southern Resident DPS	E	\$216,375	\$901,623,710
266	Milk-vetch, Holmgren ( <i>Astragalus holmgreniorum</i> )	E	\$214,650	\$901,838,360
267	Ambersnail, Kanab ( <i>Oxyloma haydeni kanabensis</i> )	E	\$213,599	\$902,051,959
268	Kuahiwi laukahi ( <i>Plantago princeps</i> )	E	\$212,810	\$902,264,769
269	Bluegrass, San Bernardino ( <i>Poa atropurpurea</i> )	E	\$212,137	\$902,476,906
270	Daisy, Willamette ( <i>Erigeron decumbens var. decumbens</i> )	E	\$207,215	\$902,684,121
271	Potato-bean, Price's ( <i>Apios priceana</i> )	T	\$207,075	\$902,891,196
272	Sucker, Warner ( <i>Catostomus warnerensis</i> )	T	\$206,969	\$903,098,165
273	Elktoe, Appalachian ( <i>Alasmidonta raveneliana</i> )	E	\$206,750	\$903,304,915
274	Caribou, woodland ( <i>Rangifer tarandus caribou</i> ) Selkirk Mountain population	E	\$205,777	\$903,510,692
275	Milk-vetch, Shivwits ( <i>Astragalus ampullarioides</i> )	E	\$204,700	\$903,715,392
276	Woodrat, Key Largo ( <i>Neotoma floridana smalli</i> )	E	\$202,891	\$903,918,283
277	Loosestrife, rough-leaved ( <i>Lysimachia asperulaefolia</i> )	E	\$201,747	\$904,120,030
278	Oha ( <i>Delissea subcordata</i> )	E	\$201,345	\$904,321,375
279	Pamakani ( <i>Viola chamissoniana ssp. chamissoniana</i> )	E	\$200,345	\$904,521,720
280	Schiedea kaalae (=Sci name)	E	\$199,645	\$904,721,365



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
281	Phyllostegia kaalaensis (=Sci name)	E	\$199,145	\$904,920,510
282	Skink, sand ( <i>Neoseps reynoldsii</i> )	T	\$198,715	\$905,119,225
283	Neraudia angulata (=Sci name)	E	\$198,545	\$905,317,770
284	Schiedea nuttallii (=Sci name)	E	\$198,345	\$905,516,115
285	Haha ( <i>Cyanea grimesiana ssp. obatae</i> )	E	\$190,345	\$905,706,460
286	Ha`iwale ( <i>Cyrtandra dentata</i> )	E	\$189,645	\$905,896,105
287	Mouse, Perdido Key beach ( <i>Peromyscus polionotus trissyllepsis</i> )	E	\$187,728	\$906,083,833
288	Skipper, Laguna Mountains ( <i>Pyrgus ruralis lagunae</i> )	E	\$187,350	\$906,271,183
289	Chub, spotfin ( <i>Erimonax monachus</i> ) Entire	T	\$186,761	\$906,457,944
290	Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) southern	SAT	\$184,185	\$906,642,129
291	Orchid, western prairie fringed ( <i>Platanthera praeclara</i> )	T	\$182,565	\$906,824,694
292	Pogonia, small whorled ( <i>Isotria medeoloides</i> )	T	\$182,532	\$907,007,226
293	Mapleleaf, winged ( <i>Quadrula fragosa</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$178,300	\$907,185,526
294	Thornmint, San Diego ( <i>Acanthomintha ilicifolia</i> )	T	\$177,616	\$907,363,142
295	Cavefish, Ozark ( <i>Amblyopsis rosae</i> )	T	\$176,424	\$907,539,566
296	Bird's beak, palmate-bracted ( <i>Cordylanthus palmatus</i> )	E	\$176,299	\$907,715,865
297	Squirrel, Virginia northern flying ( <i>Glaucomys sabrinus fuscus</i> )	E	\$175,807	\$907,891,672
298	Rabbit, Lower Keys marsh ( <i>Sylvilagus palustris hefneri</i> )	E	\$175,600	\$908,067,272
299	Pearl mussel, littlewing ( <i>Pegias fabula</i> )	E	\$173,377	\$908,240,649
300	Ma`o hau hele, (=native yellow hibiscus) ( <i>Hibiscus brackenridgei</i> )	E	\$171,266	\$908,411,915
301	Darter, leopard ( <i>Percina pantherina</i> )	T	\$171,054	\$908,582,969
302	Bat, little Mariana fruit ( <i>Pteropus tokudae</i> )	E	\$170,900	\$908,753,869
303	Megapode, Micronesian ( <i>Megapodius laperousei</i> )	E	\$167,600	\$908,921,469
304	Mapleleaf, winged ( <i>Quadrula fragosa</i> ) Entire; except where listed as experimental populations	E	\$167,328	\$909,088,797
305	Taraxacum, California ( <i>Taraxacum californicum</i> )	E	\$167,255	\$909,256,052
306	Spineflower, Monterey ( <i>Chorizanthe pungens var. pungens</i> )	T	\$166,963	\$909,423,015
307	Rail, light-footed clapper ( <i>Rallus longirostris levipes</i> ) U.S.A. only	E	\$166,795	\$909,589,810
308	Chaffseed, American ( <i>Schwalbea americana</i> )	E	\$164,862	\$909,754,672
309	Checker-mallow, Nelson's ( <i>Sidalcea nelsoniana</i> )	T	\$164,301	\$909,918,973
310	Sumac, Michaux's ( <i>Rhus michauxii</i> )	E	\$163,520	\$910,082,493
311	Deer, key ( <i>Odocoileus virginianus clavium</i> )	E	\$162,923	\$910,245,416
312	`Akoko ( <i>Chamaesyce celastroides var. kaenana</i> )	E	\$161,366	\$910,406,782
313	Tiger beetle, Puritan ( <i>Cicindela puritana</i> )	T	\$160,275	\$910,567,057
314	Hesperomannia arbuscula (=Sci name)	E	\$159,907	\$910,726,964
315	Kulu`i ( <i>Nototrichium humile</i> )	E	\$159,466	\$910,886,430
316	Bankclimber, purple (mussel) ( <i>Elliptoideus sloatianus</i> )	T	\$159,015	\$911,045,445
317	Tetramolopium filiforme (=Sci name)	E	\$157,907	\$911,203,352
317	Lo`ulu ( <i>Pritchardia kaalae</i> )	E	\$157,907	\$911,361,259
318	Four-o'clock, MacFarlane's ( <i>Mirabilis macfarlanei</i> )	T	\$157,834	\$911,519,093

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
319	Pigtoe, rough ( <i>Pleurobema plenum</i> )	E	\$157,173	\$911,676,266
320	Na`ena`e ( <i>Dubautia herbstobatae</i> )	E	\$157,007	\$911,833,273
321	Hedyotis parvula (=Sci name)	E	\$156,807	\$911,990,080
322	Sanicula mariversa (=Sci name)	E	\$156,707	\$912,146,787
323	Meshweaver, Madla's Cave ( <i>Cicurina madla</i> )	E	\$156,460	\$912,303,247
324	Gouania vitifolia (=Sci name)	E	\$156,107	\$912,459,354
325	Hedyotis degeneri (=Sci name)	E	\$156,007	\$912,615,361
326	Amole, purple ( <i>Chlorogalum purpureum</i> )	T	\$155,878	\$912,771,239
327	Riffleshell, tan ( <i>Epioblasma florentina walkeri</i> (=E. walkeri))	E	\$154,029	\$912,925,268
328	Coneflower, smooth ( <i>Echinacea laevigata</i> )	E	\$153,712	\$913,078,980
329	Deer, Columbian white-tailed ( <i>Odocoileus virginianus leucurus</i> ) Columbia River DPS	E	\$152,442	\$913,231,422
330	`Akoko ( <i>Chamaesyce herbstii</i> )	E	\$152,407	\$913,383,829
331	Desert-parsley, Bradshaw's ( <i>Lomatium bradshawii</i> )	E	\$150,536	\$913,534,365
332	Mouse, Choctawhatchee beach ( <i>Peromyscus polionotus allophrys</i> )	E	\$148,510	\$913,682,875
333	Haha ( <i>Cyanea superba</i> )	E	\$148,007	\$913,830,882
334	Haha ( <i>Cyanea longiflora</i> )	E	\$147,907	\$913,978,789
335	Hawk, Hawaiian (=lo) ( <i>Buteo solitarius</i> )	E	\$146,813	\$914,125,602
336	Alsinidendron obovatum (=Sci name)	E	\$146,807	\$914,272,409
336	Nehe ( <i>Lipochaeta tenuifolia</i> )	E	\$146,807	\$914,419,216
337	Pentachaeta, Lyon's ( <i>Pentachaeta lyonii</i> )	E	\$146,231	\$914,565,447
338	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) Entire Range; Except where listed as Experimental Populations	E	\$145,718	\$914,711,165
339	Snail, Snake River physa ( <i>Physa natricina</i> )	E	\$142,290	\$914,853,455
340	Mussel, scaleshell ( <i>Leptodea leptodon</i> )	E	\$141,903	\$914,995,358
341	Three-ridge, fat (mussel) ( <i>Amblema neislerii</i> )	E	\$140,515	\$915,135,873
342	Spinedace, Little Colorado ( <i>Lepidomeda vittata</i> )	T	\$135,700	\$915,271,573
343	Bat, Ozark big-eared ( <i>Corynorhinus</i> (=Plecotus) <i>townsendii ingens</i> )	E	\$133,970	\$915,405,543
344	Whipsnake (=striped racer), Alameda ( <i>Masticophis lateralis euryxanthus</i> )	T	\$132,275	\$915,537,818
345	Butterfly, Saint Francis' satyr ( <i>Neonympha mitchellii francisci</i> )	E	\$130,792	\$915,668,610
346	Flannelbush, Mexican ( <i>Fremontodendron mexicanum</i> )	E	\$129,339	\$915,797,949
347	Nanu ( <i>Gardenia manni</i> )	E	\$129,314	\$915,927,263
348	Dace, blackside ( <i>Phoxinus cumberlandensis</i> )	T	\$128,256	\$916,055,519
349	`Ohe`ohe ( <i>Tetraplasandra gymnocarpa</i> )	E	\$127,914	\$916,183,433
350	Haha ( <i>Cyanea koolauensis</i> )	E	\$127,714	\$916,311,147
351	Bear, American black ( <i>Ursus americanus</i> ) County range of LA b.bear	SAT	\$127,065	\$916,438,212
352	Sparrow, San Clemente sage ( <i>Amphispiza belli clementeae</i> )	T	\$126,822	\$916,565,034
353	Howellia, water ( <i>Howellia aquatilis</i> )	T	\$126,214	\$916,691,248
354	Cactus, Kuenzler hedgehog ( <i>Echinocereus fendleri</i> var. <i>kuenzleri</i> )	E	\$125,900	\$916,817,148
355	Crocodile, American ( <i>Crocodylus acutus</i> ) FL pop.	T	\$125,158	\$916,942,306
356	Whale, sperm ( <i>Physeter catodon</i> (=macrocephalus))	E	\$122,926	\$917,065,232
357	Lizard, blunt-nosed leopard ( <i>Gambelia silus</i> )	E	\$122,856	\$917,188,088
358	Clover, running buffalo ( <i>Trifolium stoloniferum</i> )	E	\$122,791	\$917,310,879

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
359	Bat, Mariana fruit (=Mariana flying fox) ( <i>Pteropus mariannus mariannus</i> ) entire	T	\$122,701	\$917,433,580
360	Guajon ( <i>Eleutherodactylus cooki</i> )	T	\$122,457	\$917,556,037
361	Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) Entire Range; Except where listed as Experimental Populations	E	\$121,196	\$917,677,233
362	Dace, Moapa ( <i>Moapa coriacea</i> )	E	\$120,534	\$917,797,767
363	Skipper, Carson wandering ( <i>Pseudocopaesodes eunus obscurus</i> )	E	\$119,186	\$917,916,953
364	Snail, Morro shoulderband (=Banded dune) ( <i>Helminthoglypta walkeriana</i> )	E	\$118,529	\$918,035,482
365	Bonamia menziesii (=Sci name)	E	\$117,900	\$918,153,382
366	Slabshell, Chipola ( <i>Elliptio chipolaensis</i> )	T	\$115,865	\$918,269,247
367	Piperia, Yadon's ( <i>Piperia yadonii</i> )	E	\$114,039	\$918,383,286
368	Lau`ehu ( <i>Panicum niihauense</i> )	E	\$114,000	\$918,497,286
369	Lily, Western ( <i>Lilium occidentale</i> )	E	\$113,778	\$918,611,064
370	Lomatium, Cook's ( <i>Lomatium cookii</i> )	E	\$112,900	\$918,723,964
371	Stickleback, unarmored threespine ( <i>Gasterosteus aculeatus williamsoni</i> )	E	\$112,543	\$918,836,507
372	Whale, finback ( <i>Balaenoptera physalus</i> )	E	\$111,720	\$918,948,227
373	Akepa, Hawaii (honeycreeper) ( <i>Loxops coccineus coccineus</i> )	E	\$111,312	\$919,059,539
374	Butterfly, Smith's blue ( <i>Euphilotes enoptes smithi</i> )	E	\$111,073	\$919,170,612
375	Whale, Sei ( <i>Balaenoptera borealis</i> )	E	\$111,046	\$919,281,658
376	Aster, decurrent false ( <i>Boltonia decurrens</i> )	T	\$110,603	\$919,392,261
377	Mariscus pennatifomis (=Sci name)	E	\$110,500	\$919,502,761
378	Shiner, Arkansas River ( <i>Notropis girardi</i> ) Arkansas R. Basin	T	\$110,282	\$919,613,043
379	Butterfly plant, Colorado ( <i>Gaura neomexicana var. coloradensis</i> )	T	\$109,860	\$919,722,903
380	Ground beetle, [unnamed] ( <i>Rhadine infernalis</i> )	E	\$109,680	\$919,832,583
380	Ground beetle, [unnamed] ( <i>Rhadine exilis</i> )	E	\$109,680	\$919,942,263
381	Bean, purple ( <i>Villosa perpurpurea</i> )	E	\$108,856	\$920,051,119
382	Catspaw (=purple cat's paw pearl mussel) ( <i>Epioblasma obliquata obliquata</i> ) Entire Range; Except where listed as Experimental Populations	E	\$108,282	\$920,159,401
383	Snake, San Francisco garter ( <i>Thamnophis sirtalis tetrataenia</i> )	E	\$107,603	\$920,267,004
384	Woundfin ( <i>Plagopterus argentissimus</i> ) Gila R. drainage, AZ, NM	EXPN	\$106,414	\$920,373,418
385	Thistle, La Graciosa ( <i>Cirsium loncholepis</i> )	E	\$106,357	\$920,479,775
386	Spiny mussel, Tar River ( <i>Elliptio steinstansana</i> )	E	\$104,950	\$920,584,725
387	Salamander, Texas blind ( <i>Typhlomolge rathbuni</i> )	E	\$104,739	\$920,689,464
388	Akiapola`au (honeycreeper) ( <i>Hemignathus munroi</i> )	E	\$104,612	\$920,794,076
389	Clubshell, southern ( <i>Pleurobema decisum</i> )	E	\$104,600	\$920,898,676
390	Quillwort, Louisiana ( <i>Isoetes louisianensis</i> )	E	\$104,038	\$921,002,714
391	Fairy shrimp, Conservancy ( <i>Branchinecta conservatio</i> )	E	\$103,880	\$921,106,594
392	White-eye, Rota bridled ( <i>Zosterops rotensis</i> )	E	\$103,384	\$921,209,978
393	Spiraea, Virginia ( <i>Spiraea virginiana</i> )	T	\$103,274	\$921,313,252
394	Creeper, Hawaii ( <i>Oreomystis mana</i> )	E	\$101,800	\$921,415,052
395	Bear-poppy, dwarf ( <i>Arctomecon humilis</i> )	E	\$101,500	\$921,516,552
396	Milk-vetch, Lane Mountain ( <i>Astragalus jaegerianus</i> )	E	\$101,141	\$921,617,693
397	Catesbaea melanocarpa (=Sci name)	E	\$100,500	\$921,718,193

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
398	Salamander, San Marcos ( <i>Eurycea nana</i> )	T	\$100,339	\$921,818,532
399	Hesperomannia arborescens (=Sci name)	E	\$100,276	\$921,918,808
400	Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) Entire Range; Except where listed as Experimental Populations	E	\$99,143	\$922,017,951
401	Layia, beach ( <i>Layia carnosa</i> )	E	\$98,435	\$922,116,386
402	Kingfisher, Guam Micronesian ( <i>Halcyon cinnamomina cinnamomina</i> )	E	\$98,150	\$922,214,536
403	Meadowfoam, Butte County ( <i>Limnanthes floccosa ssp. californica</i> )	E	\$97,730	\$922,312,266
404	Jaguar ( <i>Panthera onca</i> )	E	\$97,157	\$922,409,423
405	Bedstraw, El Dorado ( <i>Galium californicum ssp. sierrae</i> )	E	\$96,983	\$922,506,406
406	Mouse, St. Andrew beach ( <i>Peromyscus polionotus peninsularis</i> )	E	\$95,330	\$922,601,736
407	Jewelflower, Metcalf Canyon ( <i>Streptanthus albidus ssp. albidus</i> )	E	\$95,182	\$922,696,918
408	Makou ( <i>Peucedanum sandwicense</i> )	T	\$95,000	\$922,791,918
409	Pigtoe, oval ( <i>Pleurobema pyriforme</i> )	E	\$94,665	\$922,886,583
410	Morning-glory, Stebbins' ( <i>Calystegia stebbinsi</i> )	E	\$93,983	\$922,980,566
410	Butterweed, Layne's ( <i>Senecio layneae</i> )	T	\$93,983	\$923,074,549
411	Cactus, Uinta Basin hookless ( <i>Sclerocactus glaucus</i> )	T	\$93,725	\$923,168,274
412	Cladonia, Florida perforate ( <i>Cladonia perforata</i> )	E	\$93,400	\$923,261,674
413	Sanicula purpurea (=Sci name)	E	\$92,876	\$923,354,550
414	Bobwhite, masked (quail) ( <i>Colinus virginianus ridgwayi</i> )	E	\$92,750	\$923,447,300
415	Sunflower, Pecos (=puzzle, =paradox) ( <i>Helianthus paradoxus</i> )	T	\$92,600	\$923,539,900
416	Monkeyface, Appalachian (pearlymussel) ( <i>Quadrula sparsa</i> )	E	\$92,170	\$923,632,070
417	Brodiaea, thread-leaved ( <i>Brodiaea filifolia</i> )	T	\$91,871	\$923,723,941
418	Parrotbill, Maui (honeycreeper) ( <i>Pseudonestor xanthophrys</i> )	E	\$91,500	\$923,815,441
419	Ring pink (mussel) ( <i>Obovaria retusa</i> )	E	\$91,352	\$923,906,793
420	Tarplant, Gaviota ( <i>Deinandra increscens ssp. villosa</i> )	E	\$90,865	\$923,997,658
421	Cactus, Sneed pincushion ( <i>Coryphantha sneedii var. sneedii</i> )	E	\$90,400	\$924,088,058
422	Flannelbush, Pine Hill ( <i>Fremontodendron californicum ssp. decumbens</i> )	E	\$89,983	\$924,178,041
423	Pocketbook, shinyrayed ( <i>Lampsilis subangulata</i> )	E	\$89,615	\$924,267,656
424	Spineflower, Orcutt's ( <i>Chorizanthe orcuttiana</i> )	E	\$89,161	\$924,356,817
425	Salamander, Red Hills ( <i>Phaeognathus hubrichti</i> )	T	\$88,000	\$924,444,817
426	Pearlymussel, cracking ( <i>Hemistena lata</i> ) Entire Range; Except where listed as Experimental Populations	E	\$86,956	\$924,531,773
427	Haha ( <i>Cyanea acuminata</i> )	E	\$86,176	\$924,617,949
428	Moccasinshell, Gulf ( <i>Medionidus penicillatus</i> )	E	\$86,115	\$924,704,064
429	Ceanothus, Pine Hill ( <i>Ceanothus roderickii</i> )	E	\$85,983	\$924,790,047
430	Phyllostegia hirsuta (=Sci name)	E	\$85,876	\$924,875,923
431	Haha ( <i>Cyanea st.-johnii</i> )	E	\$85,476	\$924,961,399
431	Lobelia oahuensis (=Sci name)	E	\$85,476	\$925,046,875
431	Pteris lidgatei (=Sci name)	E	\$85,476	\$925,132,351
432	Ha`iwale ( <i>Cyrtandra viridiflora</i> )	E	\$85,389	\$925,217,740
433	Viola oahuensis (=Sci name)	E	\$85,376	\$925,303,116
433	`Akoko ( <i>Chamaesyce rockii</i> )	E	\$85,376	\$925,388,492
434	Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> )	E	\$85,100	\$925,473,592
435	Sandwort, Marsh ( <i>Arenaria paludicola</i> )	E	\$84,939	\$925,558,531

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
436	Salamander, California tiger ( <i>Ambystoma californiense</i> ) U.S.A. (CA - Sonoma County)	E	\$82,893	\$925,641,424
437	Frog, Mississippi gopher ( <i>Rana capito sevosa</i> ) Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	E	\$81,500	\$925,722,924
438	Pupfish, Leon Springs ( <i>Cyprinodon bovinus</i> )	E	\$81,200	\$925,804,124
439	Cactus, Wright fishhook ( <i>Sclerocactus wrightiae</i> )	E	\$79,830	\$925,883,954
440	Pigtoe, shiny ( <i>Fusconaia cor</i> ) Entire Range; Except where listed as Experimental Populations	E	\$79,665	\$925,963,619
441	Wallflower, Menzies' ( <i>Erysimum menziesii</i> )	E	\$79,420	\$926,043,039
442	Shiner, beautiful ( <i>Cyprinella formosa</i> )	T	\$79,000	\$926,122,039
443	Warbler, nightingale reed (old world warbler) ( <i>Acrocephalus luscini</i> )	E	\$78,500	\$926,200,539
444	Honeycreeper, crested ( <i>Palmeria dolei</i> )	E	\$78,100	\$926,278,639
445	Niterwort, Amargosa ( <i>Nitrophila mohavensis</i> )	E	\$77,667	\$926,356,306
446	Paintbrush, ash-grey ( <i>Castilleja cinerea</i> )	T	\$76,827	\$926,433,133
447	Shiner, blue ( <i>Cyprinella caerulea</i> )	T	\$76,500	\$926,509,633
448	Grass, Colusa ( <i>Neostapfia colusana</i> )	T	\$76,299	\$926,585,932
449	Orchid, eastern prairie fringed ( <i>Platanthera leucophaea</i> )	T	\$75,524	\$926,661,456
450	Sandwort, Bear Valley ( <i>Arenaria ursina</i> )	T	\$75,426	\$926,736,882
451	Darter, duskytail ( <i>Etheostoma percnurum</i> ) Entire	E	\$75,285	\$926,812,167
452	Turtle, Alabama red-belly ( <i>Pseudemys alabamensis</i> )	E	\$74,400	\$926,886,567
453	Mouse, southeastern beach ( <i>Peromyscus polionotus niveiventris</i> )	T	\$74,252	\$926,960,819
454	Nukupū (honeycreeper) ( <i>Hemignathus lucidus</i> )	E	\$74,112	\$927,034,931
455	Isopod, Madison Cave ( <i>Antrolana lira</i> )	T	\$73,962	\$927,108,893
456	Dawn-flower, Texas prairie ( <i>Hymenoxys texana</i> )	E	\$72,400	\$927,181,293
457	Moth, Blackburn's sphinx ( <i>Manduca blackburni</i> )	E	\$72,100	\$927,253,393
458	Mountain beaver, Point Arena ( <i>Aplodontia rufa nigra</i> )	E	\$72,000	\$927,325,393
459	Tarplant, Otay ( <i>Deinandra (=Hemizonia) conjugens</i> )	T	\$71,594	\$927,396,987
460	Mouse, Key Largo cotton ( <i>Peromyscus gossypinus allapaticola</i> )	E	\$71,390	\$927,468,377
461	Shrimp, California freshwater ( <i>Syncaris pacifica</i> )	E	\$71,058	\$927,539,435
462	Squirrel, Carolina northern flying ( <i>Glaucomys sabrinus coloratus</i> )	E	\$71,000	\$927,610,435
463	Madtom, Neosho ( <i>Noturus placidus</i> )	T	\$69,909	\$927,680,344
464	Pigtoe, heavy ( <i>Pleurobema taitianum</i> )	E	\$69,500	\$927,749,844
465	Salamander, Sonora tiger ( <i>Ambystoma tigrinum stebbinsi</i> )	E	\$69,100	\$927,818,944
465	Catfish, Yaqui ( <i>Ictalurus pricei</i> )	T	\$69,100	\$927,888,044
466	Tiger beetle, northeastern beach ( <i>Cicindela dorsalis dorsalis</i> )	T	\$68,971	\$927,957,015
467	Bird's-beak, salt marsh ( <i>Cordylanthus maritimus ssp. maritimus</i> )	E	\$68,673	\$928,025,688
468	Orcutt grass, hairy ( <i>Orcuttia pilosa</i> )	E	\$68,180	\$928,093,868
469	Toad, Wyoming ( <i>Bufo baxteri (=hemiophrys)</i> )	E	\$68,141	\$928,162,009
470	Pupfish, Ash Meadows Amargosa ( <i>Cyprinodon nevadensis mionectes</i> )	E	\$68,140	\$928,230,149
471	Darter, amber ( <i>Percina antesella</i> )	E	\$68,050	\$928,298,199
472	Silversword, Mauna Loa (=Ka'u) ( <i>Argyroxiphium kauense</i> )	E	\$68,000	\$928,366,199
473	Bat, Virginia big-eared ( <i>Corynorhinus (=Plecotus) townsendii virginianus</i> )	E	\$67,457	\$928,433,656
474	Pearl mussel, birdwing ( <i>Conradilla caelata</i> ) Entire Range; Except where listed as Experimental Populations	E	\$66,956	\$928,500,612

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
475	Kauila ( <i>Colubrina oppositifolia</i> )	E	\$66,800	\$928,567,412
476	Cavesnail, Tumbling Creek ( <i>Antrobia culveri</i> )	E	\$66,670	\$928,634,082
477	Penstemon, blowout ( <i>Penstemon haydenii</i> )	E	\$66,662	\$928,700,744
478	Butterfly, Mitchell's satyr ( <i>Neonympha mitchellii mitchellii</i> )	E	\$66,657	\$928,767,401
479	Lizard, St. Croix ground ( <i>Ameiva polops</i> )	E	\$66,000	\$928,833,401
479	Bonamia, Florida ( <i>Bonamia grandiflora</i> )	T	\$66,000	\$928,899,401
480	Phlox, Texas trailing ( <i>Phlox nivalis ssp. texensis</i> )	E	\$65,850	\$928,965,251
481	Springfish, Railroad Valley ( <i>Crenichthys nevadae</i> )	T	\$65,486	\$929,030,737
482	Beauty, Harper's ( <i>Harperocallis flava</i> )	E	\$65,300	\$929,096,037
483	Cypress, Gowen ( <i>Cupressus goveniana ssp. goveniana</i> )	T	\$65,087	\$929,161,124
484	Kangaroo rat, Stephens' ( <i>Dipodomys stephensi (incl. D. cascus)</i> )	E	\$64,850	\$929,225,974
485	Haha ( <i>Cyanea shipmanii</i> )	E	\$64,800	\$929,290,774
486	Watersnake, Lake Erie ( <i>Nerodia sipedon insularum</i> ) subspecies range clarified	T	\$64,588	\$929,355,362
487	Tiger beetle, Salt Creek ( <i>Cicindela nevadica lincolniana</i> )	E	\$64,295	\$929,419,657
488	Fox, Santa Rosa Island ( <i>Urocyon littoralis santarosae</i> )	E	\$64,258	\$929,483,915
489	Kangaroo rat, Fresno ( <i>Dipodomys nitratoides exilis</i> )	E	\$64,111	\$929,548,026
490	Chub, Yaqui ( <i>Gila purpurea</i> )	E	\$64,100	\$929,612,126
491	Fairy shrimp, Riverside ( <i>Streptocephalus woottoni</i> )	E	\$63,960	\$929,676,086
492	Rosemary, Etonia ( <i>Conradina etonia</i> )	E	\$63,500	\$929,739,586
493	Pearlymussel, dromedary ( <i>Dromus dromas</i> ) Entire Range; Except where listed as Experimental Populations	E	\$63,408	\$929,802,994
494	Chub, Pahrnagat roundtail ( <i>Gila robusta jordani</i> )	E	\$63,150	\$929,866,144
494	Pitcher-plant, green ( <i>Sarracenia oreophila</i> )	E	\$63,150	\$929,929,294
495	Pink, swamp ( <i>Helonias bullata</i> )	T	\$62,886	\$929,992,180
496	Chub, Gila ( <i>Gila intermedia</i> )	E	\$62,600	\$930,054,780
497	Condor, California ( <i>Gymnogyps californianus</i> ) U.S.A. (specific portions of Arizona, Nevada, and Utah)	EXPN	\$62,200	\$930,116,980
498	Milkweed, Mead's ( <i>Asclepias meadii</i> )	T	\$61,994	\$930,178,974
499	Cactus, Pima pineapple ( <i>Coryphantha scheeri var. robustispina</i> )	E	\$61,750	\$930,240,724
500	Kiponapona ( <i>Phyllostegia racemosa</i> )	E	\$61,100	\$930,301,824
501	Bladderpod, Missouri ( <i>Lesquerella filiformis</i> )	T	\$61,000	\$930,362,824
502	Spinedace, White River ( <i>Lepidomeda albivallis</i> )	E	\$60,677	\$930,423,501
503	Chub, Chihuahua ( <i>Gila nigrescens</i> )	T	\$60,500	\$930,484,001
504	Spinedace, Big Spring ( <i>Lepidomeda mollispinis pratensis</i> )	T	\$59,852	\$930,543,853
505	Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) Entire, except Sussex Co., DE	E	\$59,676	\$930,603,529
506	Cactus, Bakersfield ( <i>Opuntia treleasei</i> )	E	\$59,400	\$930,662,929
507	Monardella, willow ( <i>Monardella linoides ssp. viminea</i> )	E	\$59,340	\$930,722,269
508	Monkshood, northern wild ( <i>Aconitum noveboracense</i> )	T	\$59,300	\$930,781,569
509	Dace, desert ( <i>Eremichthys acros</i> )	T	\$59,033	\$930,840,602
510	Popcornflower, rough ( <i>Plagiobothrys hirtus</i> )	E	\$59,000	\$930,899,602
511	Snowbells, Texas ( <i>Styrax texanus</i> )	E	\$58,300	\$930,957,902
512	Snail, Iowa Pleistocene ( <i>Discus macclintocki</i> )	E	\$58,000	\$931,015,902
513	Pigtoe, finerayed ( <i>Fusconaia cuneolus</i> )	E	\$57,871	\$931,073,773

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
	Entire Range; Except where listed as Experimental Populations			
514	Ambrosia, San Diego ( <i>Ambrosia pumila</i> )	E	\$57,676	\$931,131,449
515	Shiner, Cape Fear ( <i>Notropis mekistocholas</i> )	E	\$57,338	\$931,188,787
516	Wire-lettuce, Malheur ( <i>Stephanomeria malheurensis</i> )	E	\$56,000	\$931,244,787
517	Wireweed ( <i>Polygonella basiramia</i> )	E	\$55,900	\$931,300,687
518	Koki`o ( <i>Kokia drynarioides</i> )	E	\$55,700	\$931,356,387
519	`Oha wai ( <i>Clermontia lindseyana</i> )	E	\$55,569	\$931,411,956
520	`Oha wai ( <i>Clermontia pyrularia</i> )	E	\$55,500	\$931,467,456
520	Bush-clover, prairie ( <i>Lespedeza leptostachya</i> )	T	\$55,500	\$931,522,956
520	Aster, Ruth's golden ( <i>Pityopsis ruthii</i> )	E	\$55,500	\$931,578,456
521	Abutilon sandwicense (=Sci name)	E	\$55,338	\$931,633,794
522	Sturgeon, Alabama ( <i>Scaphirhynchus suttkusi</i> )	E	\$55,200	\$931,688,994
523	Gambusia, Pecos ( <i>Gambusia nobilis</i> )	E	\$54,800	\$931,743,794
524	Darter, slackwater ( <i>Etheostoma boschungii</i> )	T	\$54,600	\$931,798,394
525	Pocketbook, Ouachita rock ( <i>Arkansia wheeleri</i> )	E	\$54,344	\$931,852,738
526	Navarretia, spreading ( <i>Navarretia fossalis</i> )	T	\$54,195	\$931,906,933
527	Mouse, Anastasia Island beach ( <i>Peromyscus polionotus phasma</i> )	E	\$53,727	\$931,960,660
528	Dace, Foscett speckled ( <i>Rhinichthys osculus ssp.</i> )	T	\$53,500	\$932,014,160
529	Pinkroot, gentian ( <i>Spigelia gentianoides</i> )	E	\$53,470	\$932,067,630
530	Springsnail, Idaho ( <i>Pyrgulopsis idahoensis</i> )	DO	\$53,212	\$932,120,842
531	Lobelia niuhauensis (=Sci name)	E	\$52,938	\$932,173,780
532	Evening-primrose, San Benito ( <i>Camissonia benitensis</i> )	T	\$52,356	\$932,226,136
533	Limpet, Banbury Springs ( <i>Lanx sp.</i> )	E	\$52,178	\$932,278,314
534	Gumplant, Ash Meadows ( <i>Grindelia fraxino-pratensis</i> )	T	\$52,067	\$932,330,381
535	Schiedea hookeri (=Sci name)	E	\$51,907	\$932,382,288
535	Pauoa ( <i>Ctenitis squamigera</i> )	E	\$51,907	\$932,434,195
536	Diellia falcata (=Sci name)	E	\$51,838	\$932,486,033
537	Crayfish, Nashville ( <i>Orconectes shoupi</i> )	E	\$51,700	\$932,537,733
538	Rabbitsfoot, rough ( <i>Quadrula cylindrica strigillata</i> )	E	\$51,694	\$932,589,427
539	Bat, Mexican long-nosed ( <i>Leptonycteris nivalis</i> )	E	\$51,682	\$932,641,109
540	Coral, elkhorn ( <i>Acropora palmata</i> )	T	\$51,450	\$932,692,559
541	Phyllostegia velutina (=Sci name)	E	\$51,400	\$932,743,959
542	Lizard, Coachella Valley fringe-toed ( <i>Uma inornata</i> )	T	\$51,186	\$932,795,145
543	Campion, fringed ( <i>Silene polypetala</i> )	E	\$51,000	\$932,846,145
543	Ayenia, Texas ( <i>Ayenia limitaris</i> )	E	\$51,000	\$932,897,145
544	`Anaunau ( <i>Lepidium arbuscula</i> )	E	\$50,938	\$932,948,083
545	Butterfly, Schaus swallowtail ( <i>Heraclides aristodemus ponceanus</i> )	E	\$50,904	\$932,998,987
546	Jewelflower, California ( <i>Caulanthus californicus</i> )	E	\$50,500	\$933,049,487
547	Fairy shrimp, longhorn ( <i>Branchinecta longiantenna</i> )	E	\$50,093	\$933,099,580
548	Skullcap, large-flowered ( <i>Scutellaria montana</i> )	T	\$49,465	\$933,149,045
549	Elktoe, Cumberland ( <i>Alasmidonta atropurpurea</i> )	E	\$49,335	\$933,198,380
550	Harperella ( <i>Ptilimnium nodosum</i> )	E	\$49,223	\$933,247,603
551	Po`ouli (honeycreeper) ( <i>Melamprosops phaeosoma</i> )	E	\$48,812	\$933,296,415

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
552	Trout, Paiute cutthroat ( <i>Oncorhynchus clarki seleniris</i> )	T	\$48,800	\$933,345,215
553	Jaguarundi, Gulf Coast ( <i>Herpailurus (=Felis) yagouaroundi cacomitli</i> )	E	\$48,780	\$933,393,995
554	Nioi ( <i>Eugenia koolauensis</i> )	E	\$48,438	\$933,442,433
555	Buckwheat, steamboat ( <i>Eriogonum ovalifolium var. williamsiae</i> )	E	\$46,900	\$933,489,333
556	Spurge, Hoover's ( <i>Chamaesyce hooveri</i> )	T	\$46,780	\$933,536,113
557	Centauray, spring-loving ( <i>Centaurium namophilum</i> )	T	\$46,600	\$933,582,713
558	Trillium, relict ( <i>Trillium reliquum</i> )	E	\$46,350	\$933,629,063
559	Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) except where EXPN	T	\$46,291	\$933,675,354
560	Sucker, Modoc ( <i>Catostomus microps</i> )	E	\$46,241	\$933,721,595
561	Rosemary, Cumberland ( <i>Conradina verticillata</i> )	T	\$45,860	\$933,767,455
562	Aupaka ( <i>Isodendron longifolium</i> )	T	\$45,838	\$933,813,293
563	Fox, Santa Catalina Island ( <i>Urocyon littoralis catalinae</i> )	E	\$45,753	\$933,859,046
564	Meadowfoam, large-flowered woolly ( <i>Limnanthes floccosa ssp. grandiflora</i> )	E	\$45,318	\$933,904,364
565	Rice rat ( <i>Oryzomys palustris natator</i> ) lower FL Keys	E	\$45,287	\$933,949,651
566	Kolea ( <i>Myrsine juddii</i> )	E	\$45,038	\$933,994,689
567	Pigtoe, southern ( <i>Pleurobema georgianum</i> )	E	\$44,800	\$934,039,489
568	Salamander, Shenandoah ( <i>Plethodon shenandoah</i> )	E	\$44,721	\$934,084,210
569	Millerbird, Nihoa (old world warbler) ( <i>Acrocephalus familiaris kingi</i> )	E	\$44,500	\$934,128,710
570	Phyllostegia parviflora (=Sci name)	E	\$44,438	\$934,173,148
570	Alsinidendron trinerve (=Sci name)	E	\$44,438	\$934,217,586
571	Kamakahala ( <i>Labordia cyrtandrae</i> )	E	\$44,338	\$934,261,924
572	Iguana, Mona ground ( <i>Cyclura cornuta stejnegeri</i> )	T	\$44,190	\$934,306,114
573	Ha`iwale ( <i>Cyrtandra subumbellata</i> )	E	\$44,038	\$934,350,152
574	Clubshell, ovate ( <i>Pleurobema perovatum</i> )	E	\$44,000	\$934,394,152
574	Goldenrod, white-haired ( <i>Solidago albopilosa</i> )	T	\$44,000	\$934,438,152
575	Stenogyne kanehoana (=Sci name)	E	\$43,938	\$934,482,090
576	Shiner, palezone ( <i>Notropis albizonatus</i> )	E	\$43,850	\$934,525,940
577	Cyanea (=Rollandia) crispa (=Sci name)	E	\$43,838	\$934,569,778
578	Poolfish, Pahump ( <i>Empetrichthys latos</i> )	E	\$43,527	\$934,613,305
579	Haha ( <i>Cyanea humboldtiana</i> )	E	\$43,438	\$934,656,743
580	Broom, San Clemente Island ( <i>Lotus dendroideus ssp. traskiae</i> )	E	\$43,367	\$934,700,110
581	Hala pepe ( <i>Pleomele hawaiiensis</i> )	E	\$43,300	\$934,743,410
582	Moth, Kern primrose sphinx ( <i>Euproserpinus euterpe</i> )	T	\$43,256	\$934,786,666
583	Alani ( <i>Melicope lydgatei</i> )	E	\$43,238	\$934,829,904
584	Thistle, Pitcher's ( <i>Cirsium pitcheri</i> )	T	\$43,164	\$934,873,068
585	Opuhe ( <i>Urera kaalae</i> )	E	\$43,138	\$934,916,206
586	Lobelia gaudichaudii ssp. koolauensis (=Sci name)	E	\$43,038	\$934,959,244
587	Wawae`iole ( <i>Lycopodium (=Phlegmariurus) nutans</i> )	E	\$42,938	\$935,002,182
588	Gilia, Monterey ( <i>Gilia tenuiflora ssp. arenaria</i> )	E	\$42,922	\$935,045,104
589	Mouse, Pacific pocket ( <i>Perognathus longimembris pacificus</i> )	E	\$42,817	\$935,087,921
590	Phlox, Yreka ( <i>Phlox hirsuta</i> )	E	\$42,693	\$935,130,614
591	Milk-vetch, Deseret ( <i>Astragalus desereticus</i> )	T	\$42,500	\$935,173,114



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
591	Rhododendron, Chapman ( <i>Rhododendron chapmanii</i> )	E	\$42,500	\$935,215,614
592	Seablite, California ( <i>Suaeda californica</i> )	E	\$42,373	\$935,257,987
593	Dropwort, Canby's ( <i>Oxypolis canbyi</i> )	E	\$42,350	\$935,300,337
594	Darter, snail ( <i>Percina tanasi</i> )	T	\$42,270	\$935,342,607
595	Heelsplitter, Alabama (=inflated) ( <i>Potamilus inflatus</i> )	T	\$42,160	\$935,384,767
596	Milk-vetch, Ventura Marsh ( <i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i> )	E	\$42,139	\$935,426,906
597	Pigeon wings ( <i>Clitoria fragrans</i> )	T	\$42,000	\$935,468,906
598	Aiea ( <i>Nothocestrum peltatum</i> )	E	\$41,700	\$935,510,606
599	Sunburst, Hartweg's golden ( <i>Pseudobahia bahiifolia</i> )	E	\$41,666	\$935,552,272
600	Uhiuhi ( <i>Caesalpinia kavaense</i> )	E	\$41,500	\$935,593,772
601	Butterfly, bay checkerspot ( <i>Euphydryas editha bayensis</i> )	T	\$41,295	\$935,635,067
602	Springsnail, Bruneau Hot ( <i>Pyrgulopsis bruneauensis</i> )	E	\$41,245	\$935,676,312
603	Indian paintbrush, San Clemente Island ( <i>Castilleja grisea</i> )	E	\$41,118	\$935,717,430
604	Moccasinshell, Ochlockonee ( <i>Medionidus simpsonianus</i> )	E	\$40,115	\$935,757,545
605	Prairie-clover, leafy ( <i>Dalea foliosa</i> )	E	\$40,075	\$935,797,620
606	Monkeyface, Cumberland (pearlymussel) ( <i>Quadrula intermedia</i> ) Entire Range; Except where listed as Experimental Populations	E	\$40,046	\$935,837,666
607	Milk-vetch, Braunton's ( <i>Astragalus brauntonii</i> )	E	\$39,798	\$935,877,464
608	Sucker, Santa Ana ( <i>Catostomus santaanae</i> ) 3 CA river basins	T	\$39,676	\$935,917,140
609	Onion, Munz's ( <i>Allium munzii</i> )	E	\$39,619	\$935,956,759
610	Wallflower, Ben Lomond ( <i>Erysimum teretifolium</i> )	E	\$39,555	\$935,996,314
611	Birds-in-a-nest, white ( <i>Macbridea alba</i> )	T	\$39,500	\$936,035,814
611	Buckwheat, scrub ( <i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i> )	T	\$39,500	\$936,075,314
612	Larkspur, San Clemente Island ( <i>Delphinium variegatum</i> ssp. <i>kinkiense</i> )	E	\$39,354	\$936,114,668
612	Bush-mallow, San Clemente Island ( <i>Malacothamnus clementinus</i> )	E	\$39,354	\$936,154,022
613	Turtle, yellow-blotched map ( <i>Graptemys flavimaculata</i> )	T	\$39,300	\$936,193,322
614	Torreya, Florida ( <i>Torreya taxifolia</i> )	E	\$39,200	\$936,232,522
615	Orcutt grass, slender ( <i>Orcuttia tenuis</i> )	T	\$39,039	\$936,271,561
616	Darter, bluemask (=jewel) ( <i>Etheostoma</i> sp.)	E	\$38,800	\$936,310,361
617	Watercress, Gambel's ( <i>Rorippa gambellii</i> )	E	\$38,771	\$936,349,132
618	Woodland-star, San Clemente Island ( <i>Lithophragma maximum</i> )	E	\$38,660	\$936,387,792
619	Beetle, Comal Springs riffle ( <i>Heterelmis comalensis</i> )	E	\$38,359	\$936,426,151
620	Clarkia, Springville ( <i>Clarkia springvillensis</i> )	T	\$38,000	\$936,464,151
621	Rockcress, Santa Cruz Island ( <i>Sibara filifolia</i> )	E	\$37,954	\$936,502,105
622	Grass, Solano ( <i>Tuctoria mucronata</i> )	E	\$37,799	\$936,539,904
623	Boa, Puerto Rican ( <i>Epicrates inornatus</i> )	E	\$37,500	\$936,577,404
624	Milkweed, Welsh's ( <i>Asclepias welshii</i> )	T	\$37,450	\$936,614,854
625	Springfish, White River ( <i>Crenichthys baileyi baileyi</i> )	E	\$37,302	\$936,652,156
626	Stickseed, showy ( <i>Hackelia venusta</i> )	E	\$37,057	\$936,689,213
627	Snail, flat-spined three-toothed ( <i>Triodopsis platysayoides</i> )	T	\$37,036	\$936,726,249
628	Ladies'-tresses, Navasota ( <i>Spiranthes parksii</i> )	E	\$37,020	\$936,763,269
629	Marstonia, royal (snail) ( <i>Pyrgulopsis ogmorhapse</i> )	E	\$37,000	\$936,800,269
629	Skullcap, Florida ( <i>Scutellaria floridana</i> )	T	\$37,000	\$936,837,269

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
630	Moccasinshell, Alabama ( <i>Medionidus acutissimus</i> )	T	\$36,900	\$936,874,169
631	Goldfields, Contra Costa ( <i>Lasthenia conjugens</i> )	E	\$36,474	\$936,910,643
632	Shrimp, Alabama cave ( <i>Palaemonias alabamae</i> )	E	\$36,232	\$936,946,875
633	Madtom, smoky ( <i>Noturus baileyi</i> ) Entire	E	\$36,150	\$936,983,025
634	ʻOha wai ( <i>Clermontia drepanomorpha</i> )	E	\$36,100	\$937,019,125
635	fatmucket, Arkansas ( <i>Lampsilis powellii</i> )	T	\$36,000	\$937,055,125
635	Manzanita, lone ( <i>Arctostaphylos myrtifolia</i> )	T	\$36,000	\$937,091,125
636	Tuctoria, Greene's ( <i>Tuctoria greenei</i> )	E	\$35,780	\$937,126,905
637	Buckwheat, cushenbury ( <i>Eriogonum ovalifolium var. vineum</i> )	E	\$35,523	\$937,162,428
637	Milk-vetch, Cushenbury ( <i>Astragalus albens</i> )	E	\$35,523	\$937,197,951
637	Oxytheca, cushenbury ( <i>Oxytheca parishii var. goodmaniana</i> )	E	\$35,523	\$937,233,474
638	Crayfish, cave ( <i>Cambarus aculabrum</i> )	E	\$35,300	\$937,268,774
639	Bladderpod, San Bernardino Mountains ( <i>Lesquerella kingii ssp. bernardina</i> )	E	\$35,223	\$937,303,997
640	Cactus, Tobusch fishhook ( <i>Ancistrocactus tobuschii</i> )	E	\$34,900	\$937,338,897
641	Skink, bluetail mole ( <i>Eumeces egregius lividus</i> )	T	\$34,708	\$937,373,605
642	Fly, Delhi Sands flower-loving ( <i>Rhaphiomidas terminatus abdominalis</i> )	E	\$34,393	\$937,407,998
643	Chub, Sonora ( <i>Gila ditaenia</i> )	T	\$34,100	\$937,442,098
644	Plymouth Red-Bellied Turtle ( <i>Pseudemys rubriventris bangsi</i> )	E	\$34,032	\$937,476,130
645	Manioc, Walker's ( <i>Manihot walkerae</i> )	E	\$34,000	\$937,510,130
646	Naucorid, Ash Meadows ( <i>Ambrysus amargosus</i> )	T	\$33,800	\$937,543,930
647	Bird's-beak, soft ( <i>Cordylanthus mollis ssp. mollis</i> )	E	\$33,576	\$937,577,506
648	ʻOʻu (honeycreeper) ( <i>Psittirostra psittacea</i> )	E	\$33,512	\$937,611,018
649	Pennyroyal, Todsens's ( <i>Hedeoma todsenii</i> )	E	\$33,200	\$937,644,218
650	Heartleaf, dwarf-flowered ( <i>Hexastylis naniflora</i> )	T	\$33,000	\$937,677,218
651	Butterfly, Behren's silverspot ( <i>Speyeria zerene behrensi</i> )	E	\$32,400	\$937,709,618
652	Sandwort, Cumberland ( <i>Arenaria cumberlandensis</i> )	E	\$32,335	\$937,741,953
653	Koʻokoʻolau ( <i>Bidens micrantha ssp. kalealaha</i> )	E	\$31,865	\$937,773,818
654	Gooseberry, Miccosukee ( <i>Ribes echinellum</i> )	T	\$31,500	\$937,805,318
655	Chub, Owens tui ( <i>Gila bicolor snyderi</i> )	E	\$31,435	\$937,836,753
656	Kangaroo rat, Morro Bay ( <i>Dipodomys heermanni morroensis</i> )	E	\$31,033	\$937,867,786
657	Polygala, Lewton's ( <i>Polygala lewtonii</i> )	E	\$30,800	\$937,898,586
658	Nightjar, Puerto Rican ( <i>Caprimulgus noctitherus</i> )	E	\$30,500	\$937,929,086
659	Checkermallow, Wenatchee Mountains ( <i>Sidalcea oregana var. calva</i> )	E	\$30,486	\$937,959,572
660	Darter, boulder ( <i>Etheostoma wapiti</i> )	E	\$30,483	\$937,990,055
661	Bladderpod, white ( <i>Lesquerella pallida</i> )	E	\$30,300	\$938,020,355
662	Wooly-threads, San Joaquin ( <i>Monolopia (=Lembertia) congdonii</i> )	E	\$30,266	\$938,050,621
663	Akialoa, Kauai (honeycreeper) ( <i>Hemignathus procerus</i> )	E	\$29,912	\$938,080,533
664	Wallflower, Contra Costa ( <i>Erysimum capitatum var. angustatum</i> )	E	\$29,680	\$938,110,213
665	Chub, slender ( <i>Erimystax cahnii</i> )	T	\$29,421	\$938,139,634
666	Kidneyshell, triangular ( <i>Ptychobranthus greenii</i> )	E	\$29,300	\$938,168,934
667	Beetle, Hungerford's crawling water ( <i>Brychius hungerfordi</i> )	E	\$29,100	\$938,198,034
668	Pocketbook, finelined ( <i>Lampsilis altilis</i> )	T	\$29,000	\$938,227,034
668	Ziziphus, Florida ( <i>Ziziphus celata</i> )	E	\$29,000	\$938,256,034

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
669	Snail, Newcomb's ( <i>Erinna newcombi</i> )	T	\$28,800	\$938,284,834
670	Logperch, Conasauga ( <i>Percina jenkinsi</i> )	E	\$28,600	\$938,313,434
671	Clarkia, Presidio ( <i>Clarkia franciscana</i> )	E	\$28,500	\$938,341,934
672	Sunflower, Schweinitz's ( <i>Helianthus schweinitzii</i> )	E	\$28,385	\$938,370,319
673	Lousewort, Furbish ( <i>Pedicularis furbishiae</i> )	E	\$28,025	\$938,398,344
674	Beargrass, Britton's ( <i>Nolina brittoniana</i> )	E	\$28,000	\$938,426,344
675	Milk-vetch, Jesup's ( <i>Astragalus robbinsii</i> var. <i>jesupi</i> )	E	\$27,705	\$938,454,049
676	Rattlesnake, New Mexican ridge-nosed ( <i>Crotalus willardi obscurus</i> )	T	\$27,650	\$938,481,699
677	Geocarpon minimum (=Sci name)	T	\$27,556	\$938,509,255
678	Dace, Kendall Warm Springs ( <i>Rhinichthys osculus thermalis</i> )	E	\$27,483	\$938,536,738
679	ʻOʻo, Kauai (honeyeater) ( <i>Moho braccatus</i> )	E	\$27,482	\$938,564,220
680	Mucket, orangenacre ( <i>Lampsilis perovalis</i> )	T	\$27,400	\$938,591,620
680	Aster, Florida golden ( <i>Chrysopsis floridana</i> )	E	\$27,400	\$938,619,020
681	Thrush, large Kauai (=kamao) ( <i>Myadestes myadestinus</i> )	E	\$27,100	\$938,646,120
682	Snakeroot ( <i>Eryngium cuneifolium</i> )	E	\$27,000	\$938,673,120
683	Townsendia, Last Chance ( <i>Townsendia aprica</i> )	T	\$26,915	\$938,700,035
684	Stirrupshell ( <i>Quadrula stapes</i> )	E	\$26,900	\$938,726,935
685	Manzanita, Santa Rosa Island ( <i>Arctostaphylos confertiflora</i> )	E	\$26,550	\$938,753,485
686	Pigtoe, finerayed ( <i>Fusconaia cuneolus</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$26,500	\$938,779,985
686	Plum, scrub ( <i>Prunus geniculata</i> )	E	\$26,500	\$938,806,485
686	Alani ( <i>Melicope adscendens</i> )	E	\$26,500	\$938,832,985
687	Barberry, island ( <i>Berberis pinnata</i> ssp. <i>insularis</i> )	E	\$26,362	\$938,859,347
688	Fern, Aleutian shield ( <i>Polystichum aleuticum</i> )	E	\$26,200	\$938,885,547
689	Alani ( <i>Melicope knudsenii</i> )	E	\$26,100	\$938,911,647
690	Ground-plum, Guthrie's (=Pyne's) ( <i>Astragalus bibullatus</i> )	E	\$26,039	\$938,937,686
691	Crayfish, Shasta ( <i>Pacifastacus fortis</i> )	E	\$26,000	\$938,963,686
691	Rosemary, Apalachicola ( <i>Conradina glabra</i> )	E	\$26,000	\$938,989,686
691	Butterwort, Godfrey's ( <i>Pinguicula ionantha</i> )	T	\$26,000	\$939,015,686
691	Sandalwood, Lanai (=ʻiliahi) ( <i>Santalum freycinetianum</i> var. <i>lanaiense</i> )	E	\$26,000	\$939,041,686
692	Toad, Puerto Rican crested ( <i>Peltophryne lemur</i> )	T	\$25,886	\$939,067,572
693	Darter, goldline ( <i>Percina aurolineata</i> )	T	\$25,700	\$939,093,272
694	Frankenia, Johnston's ( <i>Frankenia johnstonii</i> )	E	\$25,600	\$939,118,872
695	Lilliput, pale (pearlymussel) ( <i>Toxolasma cylindrellus</i> )	E	\$25,450	\$939,144,322
696	Sea turtle, olive ridley ( <i>Lepidochelys olivacea</i> ) Mexican nesting pop.	E	\$25,307	\$939,169,629
697	Springfish, Hiko White River ( <i>Crenichthys baileyi grandis</i> )	E	\$25,302	\$939,194,931
698	Moccasinshell, Coosa ( <i>Medionidus parvulus</i> )	E	\$25,300	\$939,220,231
699	Coral, staghorn ( <i>Acropora cervicornis</i> )	T	\$25,251	\$939,245,482
700	Salamander, Cheat Mountain ( <i>Plethodon nettingi</i> )	T	\$24,954	\$939,270,436
701	Irisette, white ( <i>Sisyrinchium dichotomum</i> )	E	\$24,900	\$939,295,336
702	Dace, Independence Valley speckled ( <i>Rhinichthys osculus lethoporus</i> )	E	\$24,819	\$939,320,155
703	Daisy, Maguire ( <i>Erigeron maguirei</i> )	T	\$24,679	\$939,344,834

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
704	Chub, Borax Lake ( <i>Gila boraxobius</i> )	E	\$24,582	\$939,369,416
705	Sandlace ( <i>Polygonella myriophylla</i> )	E	\$24,400	\$939,393,816
706	Button-celery, San Diego ( <i>Eryngium aristulatum var. parishii</i> )	E	\$24,212	\$939,418,028
706	Mesa-mint, San Diego ( <i>Pogogyne abramsii</i> )	E	\$24,212	\$939,442,240
707	Dace, Clover Valley speckled ( <i>Rhinichthys osculus oligoporus</i> )	E	\$24,077	\$939,466,317
708	Gambusia, Big Bend ( <i>Gambusia gaigei</i> )	E	\$24,000	\$939,490,317
708	Chub, Hutton tui ( <i>Gila bicolor ssp.</i> ) Hutton	T	\$24,000	\$939,514,317
708	Clover, showy Indian ( <i>Trifolium amoenum</i> )	E	\$24,000	\$939,538,317
709	Darter, watercress ( <i>Etheostoma nuchale</i> )	E	\$23,931	\$939,562,248
710	Cypress, Santa Cruz ( <i>Cupressus abramsiana</i> )	E	\$23,678	\$939,585,926
711	Iris, dwarf lake ( <i>Iris lacustris</i> )	T	\$23,630	\$939,609,556
712	Orcutt grass, Sacramento ( <i>Orcuttia viscida</i> )	E	\$23,600	\$939,633,156
713	Spineflower, slender-horned ( <i>Dodecahema leptoceras</i> )	E	\$23,503	\$939,656,659
714	Dwarf-flax, Marin ( <i>Hesperolinon congestum</i> )	T	\$23,500	\$939,680,159
715	Darter, relict ( <i>Etheostoma chienense</i> )	E	\$23,200	\$939,703,359
716	Butterfly, Uncompahgre fritillary ( <i>Boloria acrocneuma</i> )	E	\$23,134	\$939,726,493
717	Tern, roseate ( <i>Sterna dougallii dougallii</i> ) Western Hemisphere except NE U.S.	T	\$22,951	\$939,749,444
718	Goldenrod, Short's ( <i>Solidago shortii</i> )	E	\$22,500	\$939,771,944
718	Goetzea, beautiful ( <i>Goetzea elegans</i> )	E	\$22,500	\$939,794,444
719	Spurge, telephus ( <i>Euphorbia telephoides</i> )	T	\$22,300	\$939,816,744
720	Meadowrue, Cooley's ( <i>Thalictrum cooleyi</i> )	E	\$22,285	\$939,839,029
721	Chub, spotfin ( <i>Erimonax monachus</i> ) Shoal Creek	EXPN	\$22,200	\$939,861,229
722	Orcutt grass, San Joaquin ( <i>Orcuttia inaequalis</i> )	T	\$22,100	\$939,883,329
723	Bladderpod, Dudley Bluffs ( <i>Lesquerella congesta</i> )	T	\$22,092	\$939,905,421
724	Cactus, Mesa Verde ( <i>Sclerocactus mesae-verdae</i> )	T	\$22,091	\$939,927,512
725	Trout, Little Kern golden ( <i>Oncorhynchus aguabonita whitei</i> )	T	\$22,000	\$939,949,512
725	Thelypody, Howell's spectacular ( <i>Thelypodium howellii spectabilis</i> )	T	\$22,000	\$939,971,512
726	Cactus, Brady pincushion ( <i>Pediocactus bradyi</i> )	E	\$21,850	\$939,993,362
726	Cactus, Siler pincushion ( <i>Pediocactus (=Echinocactus,=Utahia) sileri</i> )	T	\$21,850	\$940,015,212
727	Manzanita, pallid ( <i>Arctostaphylos pallida</i> )	T	\$21,500	\$940,036,712
728	Isopod, Lee County cave ( <i>Lirceus usdagalun</i> )	E	\$21,250	\$940,057,962
729	Pocketbook, speckled ( <i>Lampsilis streckeri</i> )	E	\$21,000	\$940,078,962
730	Catspaw (=purple cat's paw pearl mussel) ( <i>Epioblasma obliquata obliquata</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$20,882	\$940,099,844
731	Yellowhead, desert ( <i>Yermo xanthocephalus</i> )	T	\$20,571	\$940,120,415
732	Owl's-clover, fleshy ( <i>Castilleja campestris ssp. succulenta</i> )	T	\$20,500	\$940,140,915
732	Rush-pea, slender ( <i>Hoffmannseggia tenella</i> )	E	\$20,500	\$940,161,415
733	Orcutt grass, California ( <i>Orcuttia californica</i> )	E	\$20,462	\$940,181,877
734	Buttercup, autumn ( <i>Ranunculus aestivalis (=acriformis)</i> )	E	\$20,330	\$940,202,207
735	Turtle, ringed map ( <i>Graptemys oculifera</i> )	T	\$20,225	\$940,222,432
736	Ceanothus, coyote ( <i>Ceanothus ferrisae</i> )	E	\$20,182	\$940,242,614

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
736	Dudleya, Santa Clara Valley ( <i>Dudleya setchellii</i> )	E	\$20,182	\$940,262,796
737	Milk-vetch, Applegate's ( <i>Astragalus applegatei</i> )	E	\$20,115	\$940,282,911
738	Milk-vetch, Ash meadows ( <i>Astragalus phoenix</i> )	T	\$20,100	\$940,303,011
738	Ivesia, Ash Meadows ( <i>Ivesia kingii</i> var. <i>eremica</i> )	T	\$20,100	\$940,323,111
739	Sunburst, San Joaquin adobe ( <i>Pseudobahia peirsonii</i> )	T	\$20,066	\$940,343,177
740	Bladderpod, Zapata ( <i>Lesquerella thamnophila</i> )	E	\$20,000	\$940,363,177
741	Snail, tulotoma ( <i>Tulotoma magnifica</i> )	E	\$19,700	\$940,382,877
742	Lizard, Island night ( <i>Xantusia riversiana</i> )	T	\$19,696	\$940,402,573
743	Beetle, Comal Springs dryopid ( <i>Stygoparnus comalensis</i> )	E	\$19,659	\$940,422,232
744	Harvestman, Bone Cave ( <i>Texella reyesi</i> )	E	\$19,640	\$940,441,872
745	Thistle, Suisun ( <i>Cirsium hydrophilum</i> var. <i>hydrophilum</i> )	E	\$19,500	\$940,461,372
746	Milk-vetch, Osterhout ( <i>Astragalus osterhoutii</i> )	E	\$19,474	\$940,480,846
747	Checker-mallow, Keck's ( <i>Sidalcea keckii</i> )	E	\$19,400	\$940,500,246
747	Whitlow-wort, papery ( <i>Paronychia chartacea</i> )	T	\$19,400	\$940,519,646
748	Spineflower, Robust (incl. Scotts Valley) ( <i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i> ))	E	\$19,337	\$940,538,983
749	Leather flower, Morefield's ( <i>Clematis morefieldii</i> )	E	\$19,250	\$940,558,233
750	Goldenrod, Houghton's ( <i>Solidago houghtonii</i> )	T	\$18,950	\$940,577,183
751	Snail, Virginia fringed mountain ( <i>Polygyriscus virginianus</i> )	E	\$18,910	\$940,596,093
752	Milk-vetch, Sentry ( <i>Astragalus cremnophylax</i> var. <i>cremnophylax</i> )	E	\$18,850	\$940,614,943
753	Fringepod, Santa Cruz Island ( <i>Thysanocarpus conchuliferus</i> )	E	\$18,794	\$940,633,737
754	Sand-verbena, large-fruited ( <i>Abronia macrocarpa</i> )	E	\$18,780	\$940,652,517
755	Beaked-rush, Knieskern's ( <i>Rhynchospora knieskernii</i> )	T	\$18,751	\$940,671,268
756	Milk-vetch, Coachella Valley ( <i>Astragalus lentiginosus</i> var. <i>coachellae</i> )	E	\$18,728	\$940,689,996
757	Alopecurus, Sonoma ( <i>Alopecurus aequalis</i> var. <i>sonomensis</i> )	E	\$18,600	\$940,708,596
757	Lily, Minnesota dwarf trout ( <i>Erythronium propullans</i> )	E	\$18,600	\$940,727,196
758	Lichen, rock gnome ( <i>Gymnoderma lineare</i> )	E	\$18,500	\$940,745,696
759	Spider, Kauai cave wolf or pe'e pe'e maka 'ole ( <i>Adelocosa anops</i> )	E	\$18,263	\$940,763,959
760	Wild-buckwheat, clay-loving ( <i>Eriogonum pelinophilum</i> )	E	\$18,218	\$940,782,177
761	Ko'oloa'ula ( <i>Abutilon menziesii</i> )	E	\$18,103	\$940,800,280
762	Paintbrush, soft-leaved ( <i>Castilleja mollis</i> )	E	\$18,049	\$940,818,329
763	Lead-plant, Crenulate ( <i>Amorpha crenulata</i> )	E	\$18,004	\$940,836,333
764	Darter, vermilion ( <i>Etheostoma chermocki</i> )	E	\$18,000	\$940,854,333
764	Ha'iwale ( <i>Cyrtandra giffardii</i> )	E	\$18,000	\$940,872,333
765	Cactus, Cochise pincushion ( <i>Coryphantha robbinsorum</i> )	T	\$17,850	\$940,890,183
766	Rock-cress, Braun's ( <i>Arabis perstellata</i> )	E	\$17,600	\$940,907,783
767	Coneflower, Tennessee purple ( <i>Echinacea tennesseensis</i> )	E	\$17,325	\$940,925,108
768	Lampmussel, Alabama ( <i>Lampsilis virescens</i> ) Entire Range; Except where listed as Experimental Populations	E	\$17,300	\$940,942,408
769	Evening-primrose, Antioch Dunes ( <i>Oenothera deltoides</i> ssp. <i>howellii</i> )	E	\$17,140	\$940,959,548
770	Blazingstar, Ash Meadows ( <i>Mentzelia leucophylla</i> )	T	\$17,100	\$940,976,648
770	Sunray, Ash Meadows ( <i>Enceliopsis nudicaulis</i> var. <i>corrugata</i> )	T	\$17,100	\$940,993,748
771	Thistle, Sacramento Mountains ( <i>Cirsium vinaceum</i> )	T	\$17,000	\$941,010,748
772	Fern, American hart's-tongue ( <i>Asplenium scolopendrium</i> var. <i>americanum</i> )	T	\$16,950	\$941,027,698

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
773	Wawae`i ole ( <i>Huperzia manni</i> )	E	\$16,885	\$941,044,583
774	Moorhen, Mariana common ( <i>Gallinula chloropus guami</i> )	E	\$16,877	\$941,061,460
775	Pitcher-plant, Alabama canebrake ( <i>Sarracenia rubra alabamensis</i> )	E	\$16,700	\$941,078,160
776	Amphipod, Kauai cave ( <i>Spelaeorchestia koloana</i> )	E	\$16,663	\$941,094,823
777	Poppy, Sacramento prickly ( <i>Argemone pleiacantha ssp. pinnatisecta</i> )	E	\$16,500	\$941,111,323
777	Leather flower, Alabama ( <i>Clematis socialis</i> )	E	\$16,500	\$941,127,823
778	Milk-vetch, Fish Slough ( <i>Astragalus lentiginosus var. piscinensis</i> )	T	\$16,393	\$941,144,216
779	Twinpod, Dudley Bluffs ( <i>Physaria obcordata</i> )	T	\$16,301	\$941,160,517
780	Akepa, Maui (honeycreeper) ( <i>Loxops coccineus ochraceus</i> )	E	\$16,212	\$941,176,729
781	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) Entire Range; Except where listed as Experimental Populations	E	\$16,020	\$941,192,749
782	Snail, Chittenango ovate amber ( <i>Succinea chittenangoensis</i> )	T	\$16,000	\$941,208,749
782	Cactus, black lace ( <i>Echinocereus reichenbachii var. albertii</i> )	E	\$16,000	\$941,224,749
782	Lessingia, San Francisco ( <i>Lessingia germanorum (=L.g. var. germanorum)</i> )	E	\$16,000	\$941,240,749
783	Blossom, green (pearlymussel) ( <i>Epioblasma torulosa gubernaculum</i> )	E	\$15,900	\$941,256,649
784	Towhee, Inyo California ( <i>Pipilo crissalis eremophilus</i> )	T	\$15,780	\$941,272,429
785	Acornshell, southern ( <i>Epioblasma othcaloogensis</i> )	E	\$15,700	\$941,288,129
785	Elimia, lacy (snail) ( <i>Elimia crenatella</i> )	T	\$15,700	\$941,303,829
785	Rocksnailed, plicate ( <i>Leptoxis plicata</i> )	E	\$15,700	\$941,319,529
786	Gerardia, sandplain ( <i>Agalinis acuta</i> )	E	\$15,417	\$941,334,946
787	Pigtoe, dark ( <i>Pleurobema furvum</i> )	E	\$15,300	\$941,350,246
788	Milk-vetch, Mancos ( <i>Astragalus humillimus</i> )	E	\$15,274	\$941,365,520
789	Joint-vetch, sensitive ( <i>Aeschynomene virginica</i> )	T	\$15,255	\$941,380,775
790	Combshell, upland ( <i>Epioblasma metastrata</i> )	E	\$15,200	\$941,395,975
790	`Aiakeakua, popolo ( <i>Solanum sandwicense</i> )	E	\$15,200	\$941,411,175
791	Spider, Tooth Cave ( <i>Leptoneta myopica</i> )	E	\$15,060	\$941,426,235
792	Blossom, yellow (pearlymussel) ( <i>Epioblasma florentina florentina</i> ) Entire Range; Except where listed as Experimental Populations	E	\$15,000	\$941,441,235
792	Snail, painted snake coiled forest ( <i>Anguispira picta</i> )	T	\$15,000	\$941,456,235
792	Crayfish, cave ( <i>Cambarus zophonastes</i> )	E	\$15,000	\$941,471,235
792	Bladderpod, kodachrome ( <i>Lesquerella tumulosa</i> )	E	\$15,000	\$941,486,235
793	Aupaka ( <i>Isodendron laurifolium</i> )	E	\$14,900	\$941,501,135
794	Amphipod, Noel's ( <i>Gammarus desperatus</i> )	E	\$14,600	\$941,515,735
795	Water-plantain, Kral's ( <i>Sagittaria secundifolia</i> )	T	\$14,550	\$941,530,285
796	Peperomia, Wheeler's ( <i>Peperomia wheeleri</i> )	E	\$14,500	\$941,544,785
796	Harebells, Avon Park ( <i>Crotalaria avonensis</i> )	E	\$14,500	\$941,559,285
797	Thistle, Chorro Creek bog ( <i>Cirsium fontinale var. obispoense</i> )	E	\$14,359	\$941,573,644
798	Beetle, Kretschmarr Cave mold ( <i>Texamaurops reddelli</i> )	E	\$14,340	\$941,587,984
798	Beetle, Tooth Cave ground ( <i>Rhadine persephone</i> )	E	\$14,340	\$941,602,324
799	Phacelia, island ( <i>Phacelia insularis ssp. insularis</i> )	E	\$14,337	\$941,616,661
800	Pawpaw, four-petal ( <i>Asimina tetramera</i> )	E	\$14,300	\$941,630,961
800	Mint, scrub ( <i>Dicerandra frutescens</i> )	E	\$14,300	\$941,645,261
801	Cycladenia, Jones ( <i>Cycladenia jonesii (=humilis)</i> )	T	\$14,229	\$941,659,490
802	Bluecurls, Hidden Lake ( <i>Trichostema austromontanum ssp. compactum</i> )	T	\$14,076	\$941,673,566

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
802	Ceanothus, Vail Lake ( <i>Ceanothus ophiophilus</i> )	T	\$14,076	\$941,687,642
803	Pigeon, Puerto Rican plain ( <i>Columba inornata wetmorei</i> )	E	\$14,000	\$941,701,642
803	<i>Cordia bellonis</i> (=Sci name)	E	\$14,000	\$941,715,642
804	Cactus, Knowlton ( <i>Pediocactus knowltonii</i> )	E	\$13,988	\$941,729,630
805	`Akoko ( <i>Euphorbia haeleeleana</i> )	E	\$13,900	\$941,743,530
805	Haha ( <i>Cyanea mceldowneyi</i> )	E	\$13,900	\$941,757,430
806	`Ahinahina ( <i>Argyroxiphium sandwicense ssp. macrocephalum</i> )	T	\$13,865	\$941,771,295
807	Bulrush, Northeastern ( <i>Scirpus ancistrochaetus</i> )	E	\$13,770	\$941,785,065
808	<i>Diplazium molokaiense</i> (=Sci name)	E	\$13,369	\$941,798,434
809	Pomace fly, [unnamed] ( <i>Drosophila aglaia</i> )	E	\$13,367	\$941,811,801
809	Pomace fly, [unnamed] ( <i>Drosophila heteroneura</i> )	E	\$13,367	\$941,825,168
809	Pomace fly, [unnamed] ( <i>Drosophila montgomeryi</i> )	E	\$13,367	\$941,838,535
809	Pomace fly, [unnamed] ( <i>Drosophila mulli</i> )	T	\$13,367	\$941,851,902
809	Pomace fly, [unnamed] ( <i>Drosophila musaphila</i> )	E	\$13,367	\$941,865,269
809	Pomace fly, [unnamed] ( <i>Drosophila neoclavisetae</i> )	E	\$13,367	\$941,878,636
809	Pomace fly, [unnamed] ( <i>Drosophila obatai</i> )	E	\$13,367	\$941,892,003
809	Pomace fly, [unnamed] ( <i>Drosophila substenoptera</i> )	E	\$13,367	\$941,905,370
809	Pomace fly, [unnamed] ( <i>Drosophila tarphytrichia</i> )	E	\$13,367	\$941,918,737
809	Pomace fly, [unnamed] ( <i>Drosophila hemipeza</i> )	E	\$13,367	\$941,932,104
809	Pomace fly, [unnamed] ( <i>Drosophila ochrobasis</i> )	E	\$13,367	\$941,945,471
809	Pomace fly, [unnamed] ( <i>Drosophila differens</i> )	E	\$13,367	\$941,958,838
810	Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) Holston River, VA, TN	EXPN	\$13,000	\$941,971,838
810	Pawpaw, Rugel's ( <i>Deeringothamnus rugelii</i> )	E	\$13,000	\$941,984,838
810	Primrose, Maguire ( <i>Primula maguirei</i> )	T	\$13,000	\$941,997,838
811	Reed-mustard, shrubby ( <i>Schoenocrambe suffrutescens</i> )	E	\$12,866	\$942,010,704
812	Mountain-mahogany, Catalina Island ( <i>Cercocarpus traskiae</i> )	E	\$12,784	\$942,023,488
813	Mint, Lakela's ( <i>Dicerandra immaculata</i> )	E	\$12,700	\$942,036,188
813	Cactus, San Rafael ( <i>Pediocactus despainii</i> )	E	\$12,700	\$942,048,888
813	Haha ( <i>Cyanea hamatiflora ssp. carlsonii</i> )	E	\$12,700	\$942,061,588
814	Vetch, Hawaiian ( <i>Vicia menziesii</i> )	E	\$12,600	\$942,074,188
815	Anole, Culebra Island giant ( <i>Anolis roosevelti</i> )	E	\$12,500	\$942,086,688
815	Navarretia, few-flowered ( <i>Navarretia leucocephala ssp. pauciflora</i> (=N. pauciflora))	E	\$12,500	\$942,099,188
815	Fern, Alabama streak-sorus ( <i>Thelypteris pilosa var. alabamensis</i> )	T	\$12,500	\$942,111,688
816	Vervain, Red Hills ( <i>Verbena californica</i> )	T	\$12,300	\$942,123,988
817	Rocksnail, painted ( <i>Leptoxis taeniata</i> )	T	\$12,200	\$942,136,188
818	<i>Calypttranthes thomasiana</i> (=Sci name)	E	\$12,048	\$942,148,236
819	`Ahinahina ( <i>Argyroxiphium sandwicense ssp. sandwicense</i> )	E	\$12,000	\$942,160,236
819	Ha`iwale ( <i>Cyrtandra tintinnabula</i> )	E	\$12,000	\$942,172,236
820	Tarplant, Santa Cruz ( <i>Holocarpha macradenia</i> )	T	\$11,903	\$942,184,139
821	Boa, Mona ( <i>Epicrates monensis monensis</i> )	T	\$11,500	\$942,195,639
821	Spurge, Garber's ( <i>Chamaesyce garberi</i> )	T	\$11,500	\$942,207,139
822	Puma (=cougar), eastern ( <i>Puma</i> (=Felis) <i>concolor cougar</i> )	E	\$11,189	\$942,218,328
823	Lupine, clover ( <i>Lupinus tidestromii</i> )	E	\$11,185	\$942,229,513

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
824	Nohoanu ( <i>Geranium multiflorum</i> )	E	\$11,155	\$942,240,668
825	Coqui, golden ( <i>Eleutherodactylus jasperii</i> )	T	\$11,000	\$942,251,668
825	Amphianthus, little ( <i>Amphianthus pusillus</i> )	T	\$11,000	\$942,262,668
826	Grasshopper, Zayante band-winged ( <i>Trimerotropis infantilis</i> )	E	\$10,883	\$942,273,551
827	Haha ( <i>Cyanea hamatiflora ssp. hamatiflora</i> )	E	\$10,685	\$942,284,236
828	Avens, spreading ( <i>Geum radiatum</i> )	E	\$10,660	\$942,294,896
829	Birch, Virginia round-leaf ( <i>Betula uber</i> )	T	\$10,610	\$942,305,506
830	Sunshine, Sonoma ( <i>Blennosperma bakeri</i> )	E	\$10,600	\$942,316,106
830	Pua`ala ( <i>Brighamia rockii</i> )	E	\$10,600	\$942,326,706
830	Goldfields, Burke's ( <i>Lasthenia burkei</i> )	E	\$10,600	\$942,337,306
830	Meadowfoam, Sebastopol ( <i>Limnanthes vinculans</i> )	E	\$10,600	\$942,347,906
831	Vole, Amargosa ( <i>Microtus californicus scirpensis</i> )	E	\$10,556	\$942,358,462
832	Pu`uka`a ( <i>Cyperus trachysanthos</i> )	E	\$10,503	\$942,368,965
833	Alani ( <i>Melicope pallida</i> )	E	\$10,500	\$942,379,465
833	Boxwood, Vahl's ( <i>Buxus vahlii</i> )	E	\$10,500	\$942,389,965
833	Cobana negra ( <i>Stahlia monosperma</i> )	T	\$10,500	\$942,400,465
833	Bariaco ( <i>Trichilia triacantha</i> )	E	\$10,500	\$942,410,965
833	Warea, wide-leaf ( <i>Warea amplexifolia</i> )	E	\$10,500	\$942,421,465
834	Sneezeweed, Virginia ( <i>Helenium virginicum</i> )	T	\$10,300	\$942,431,765
834	Haha ( <i>Cyanea asarifolia</i> )	E	\$10,300	\$942,442,065
835	Pupfish, Owens ( <i>Cyprinodon radiosus</i> )	E	\$10,246	\$942,452,311
836	Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$10,075	\$942,462,386
837	Spider, Government Canyon Bat Cave ( <i>Neoleptoneta microps</i> )	E	\$10,060	\$942,472,446
838	Salamander, desert slender ( <i>Batrachoseps aridus</i> )	E	\$10,000	\$942,482,446
839	Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$9,900	\$942,492,346
840	Amphipod, Peck's cave ( <i>Stygobromus (=Stygonectes) pecki</i> )	E	\$9,814	\$942,502,160
841	Silverside, Waccamaw ( <i>Menidia extensa</i> )	T	\$9,620	\$942,511,780
842	Combshell, southern ( <i>Epioblasma penita</i> )	E	\$9,600	\$942,521,380
842	Spineflower, Sonoma ( <i>Chorizanthe valida</i> )	E	\$9,600	\$942,530,980
843	Dogweed, ashy ( <i>Thymophylla tephroleuca</i> )	E	\$9,500	\$942,540,480
843	Button, Mohr's Barbara ( <i>Marshallia mohrii</i> )	T	\$9,500	\$942,549,980
843	Alani ( <i>Melicope zahlbruckneri</i> )	E	\$9,500	\$942,559,480
843	Phacelia, clay ( <i>Phacelia argillacea</i> )	E	\$9,500	\$942,568,980
844	Beetle, Helotes mold ( <i>Batrisodes venyivi</i> )	E	\$9,440	\$942,578,420
845	Pigtoe, flat ( <i>Pleurobema marshalli</i> )	E	\$9,400	\$942,587,820
845	Pussypaws, Mariposa ( <i>Calyptridium pulchellum</i> )	T	\$9,400	\$942,597,220
846	Hau kuahiwi ( <i>Hibiscadelphus giffardianus</i> )	E	\$9,200	\$942,606,420
846	`Anunu ( <i>Sicyos alba</i> )	E	\$9,200	\$942,615,620
847	Pseudoscorpion, Tooth Cave ( <i>Tartarocreagris texana</i> )	E	\$9,160	\$942,624,780
848	Haha ( <i>Cyanea glabra</i> )	E	\$9,085	\$942,633,865
848	Haha ( <i>Cyanea copelandii ssp. haleakalaensis</i> )	E	\$9,085	\$942,642,950



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
849	Turtle, flattened musk ( <i>Sternotherus depressus</i> ) species range clarified	T	\$9,000	\$942,651,950
849	Cavefish, Alabama ( <i>Speoplatyrhinus poulsoni</i> )	E	\$9,000	\$942,660,950
849	Sculpin, pygmy ( <i>Cottus paulus</i> (=pygmaeus))	T	\$9,000	\$942,669,950
849	Shiner, Cahaba ( <i>Notropis cahabae</i> )	E	\$9,000	\$942,678,950
849	Blossom, turgid (pearlymussel) ( <i>Epioblasma turgidula</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$9,000	\$942,687,950
849	Snail, Stock Island tree ( <i>Orthalicus reses</i> (not incl. nesodryas))	T	\$9,000	\$942,696,950
849	Snail, armored ( <i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i> )	E	\$9,000	\$942,705,950
849	Lioplax, cylindrical (snail) ( <i>Lioplax cyclostomaformis</i> )	E	\$9,000	\$942,714,950
849	Rocksnailed, round ( <i>Leptoxis ampla</i> )	T	\$9,000	\$942,723,950
849	Campeloma, slender ( <i>Campeloma decampii</i> )	E	\$9,000	\$942,732,950
849	Bladderpod, lyrate ( <i>Lesquerella lyrata</i> )	T	\$9,000	\$942,741,950
849	Sedge, golden ( <i>Carex lutea</i> )	E	\$9,000	\$942,750,950
850	Shrimp, Kentucky cave ( <i>Palaemonias ganteri</i> )	E	\$8,928	\$942,759,878
851	Curlew, Eskimo ( <i>Numenius borealis</i> )	E	\$8,862	\$942,768,740
852	Fiddleneck, large-flowered ( <i>Amsinckia grandiflora</i> )	E	\$8,727	\$942,777,467
853	Bush-mallow, Santa Cruz Island ( <i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i> )	E	\$8,513	\$942,785,980
854	Haha ( <i>Cyanea grimesiana</i> ssp. <i>grimesiana</i> )	E	\$8,469	\$942,794,449
855	Spineflower, Ben Lomond ( <i>Chorizanthe pungens</i> var. <i>hartwegiana</i> )	E	\$8,468	\$942,802,917
856	Diellia, asplenium-leaved ( <i>Diellia erecta</i> )	E	\$8,400	\$942,811,317
857	Cactus, Key tree ( <i>Pilosocereus robinii</i> )	E	\$8,200	\$942,819,517
858	Madtom, pygmy ( <i>Noturus stanauli</i> )	E	\$8,100	\$942,827,617
859	Pilo ( <i>Hedyotis manni</i> )	E	\$8,000	\$942,835,617
859	Haha ( <i>Cyanea lobata</i> )	E	\$8,000	\$942,843,617
859	Na`ena`e ( <i>Dubautia plantaginea</i> ssp. <i>humilis</i> )	E	\$8,000	\$942,851,617
859	Eugenia woodburyana (=Sci name)	E	\$8,000	\$942,859,617
860	Mallow, Kern ( <i>Eremalche kernensis</i> )	E	\$7,856	\$942,867,473
861	Shagreen, Magazine Mountain ( <i>Mesodon magazinensis</i> )	T	\$7,800	\$942,875,273
862	Gilia, Hoffmann's slender-flowered ( <i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i> )	E	\$7,714	\$942,882,987
863	Bladderpod, Spring Creek ( <i>Lesquerella perforata</i> )	E	\$7,700	\$942,890,687
864	Kula wahine noho ( <i>Isodendrion pyriformium</i> )	E	\$7,600	\$942,898,287
865	Snake, Concho water ( <i>Nerodia paucimaculata</i> )	T	\$7,520	\$942,905,807
866	Hawk, Puerto Rican broad-winged ( <i>Buteo platypterus brunnescens</i> )	E	\$7,500	\$942,913,307
866	Hawk, Puerto Rican sharp-shinned ( <i>Accipiter striatus venator</i> )	E	\$7,500	\$942,920,807
866	Hau kuahiwi ( <i>Hibiscadelphus hualalaiensis</i> )	E	\$7,500	\$942,928,307
867	Phacelia, North Park ( <i>Phacelia formosula</i> )	E	\$7,444	\$942,935,751
868	`Oha wai ( <i>Clermontia samuelii</i> )	E	\$7,360	\$942,943,111
869	Rosemary, short-leaved ( <i>Conradina brevifolia</i> )	E	\$7,300	\$942,950,411
869	Mustard, Carter's ( <i>Warea carteri</i> )	E	\$7,300	\$942,957,711
870	Lampmussel, Alabama ( <i>Lampsilis virescens</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$7,250	\$942,964,961
871	Manzanita, Morro ( <i>Arctostaphylos morroensis</i> )	T	\$7,201	\$942,972,162

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
872	Naupaka, dwarf ( <i>Scaevola coriacea</i> )	E	\$7,159	\$942,979,321
873	Vole, Hualapai Mexican ( <i>Microtus mexicanus hualpaiensis</i> )	E	\$7,100	\$942,986,421
874	Awiwi ( <i>Centaurium sebaeoides</i> )	E	\$7,059	\$942,993,480
875	Evening-primrose, Eureka Valley ( <i>Oenothera avita ssp. eurekaensis</i> )	E	\$7,034	\$943,000,514
875	Grass, Eureka Dune ( <i>Swallenia alexandrae</i> )	E	\$7,034	\$943,007,548
876	Rock-cress, McDonald's ( <i>Arabis mcdonaldiana</i> )	E	\$7,000	\$943,014,548
876	ʻAkoko, Ewa Plains ( <i>Chamaesyce skottsbergii</i> var. <i>kalaeloana</i> )	E	\$7,000	\$943,021,548
877	Geranium, Hawaiian red-flowered ( <i>Geranium arboreum</i> )	E	\$6,955	\$943,028,503
877	Alani ( <i>Melicope ovalis</i> )	E	\$6,955	\$943,035,458
878	Pearlymussel, Curtis ( <i>Epioblasma florentina curtisii</i> )	E	\$6,870	\$943,042,328
879	Reed-mustard, clay ( <i>Schoenocrambe argillacea</i> )	T	\$6,852	\$943,049,180
880	Blossom, tubercled (pearlymussel) ( <i>Epioblasma torulosa torulosa</i> ) Entire Range; Except where listed as Experimental Populations	E	\$6,789	\$943,055,969
881	Schoepfia arenaria (=Sci name)	T	\$6,600	\$943,062,569
882	Malacothrix, Santa Cruz Island ( <i>Malacothrix indecora</i> )	E	\$6,590	\$943,069,159
883	Meshweaver, Robber Baron Cave ( <i>Cicurina baronia</i> )	E	\$6,460	\$943,075,619
884	Cliff-rose, Arizona ( <i>Purshia</i> (=Cowania) <i>subintegra</i> )	E	\$6,350	\$943,081,969
885	Spider, spruce-fir moss ( <i>Microhexura montivaga</i> )	E	\$6,300	\$943,088,269
886	Schiedea haleakalensis (=Sci name)	E	\$6,265	\$943,094,534
887	Milk-vetch, triple-ribbed ( <i>Astragalus tricarinatus</i> )	E	\$6,000	\$943,100,534
888	Platanthera holochila (=Sci name)	E	\$5,969	\$943,106,503
889	Spineflower, Howell's ( <i>Chorizanthe howellii</i> )	E	\$5,900	\$943,112,403
889	Lo`ulu ( <i>Pritchardia affinis</i> )	E	\$5,900	\$943,118,303
890	Fleabane, Zuni ( <i>Erigeron rhizomatus</i> )	T	\$5,850	\$943,124,153
891	Monkey-flower, Michigan ( <i>Mimulus glabratus</i> var. <i>michiganensis</i> )	E	\$5,717	\$943,129,870
892	Tiger beetle, Ohlone ( <i>Cicindela ohlone</i> )	E	\$5,671	\$943,135,541
893	Gambusia, San Marcos ( <i>Gambusia georgei</i> )	E	\$5,629	\$943,141,170
894	Cactus, Nichol's Turk's head ( <i>Echinocactus horizontalonius</i> var. <i>nicholii</i> )	E	\$5,600	\$943,146,770
894	Phyllostegia mollis (=Sci name)	E	\$5,600	\$943,152,370
894	Ihi`ihi ( <i>Marsilea villosa</i> )	E	\$5,600	\$943,157,970
895	Rattleweed, hairy ( <i>Baptisia arachnifera</i> )	E	\$5,500	\$943,163,470
895	ʻAwikiwiki ( <i>Canavalia molokaiensis</i> )	E	\$5,500	\$943,168,970
895	Lepanthes eltoroensis (=Sci name)	E	\$5,500	\$943,174,470
895	Palo de rosa ( <i>Ottoschulzia rhodoxylon</i> )	E	\$5,500	\$943,179,970
895	Fern, Elfin tree ( <i>Cyathea dryopteroides</i> )	E	\$5,500	\$943,185,470
895	Thelypteris inabonensis (=Sci name)	E	\$5,500	\$943,190,970
896	Beardtongue, Penland ( <i>Penstemon penlandii</i> )	E	\$5,308	\$943,196,278
897	Butterfly, San Bruno elfin ( <i>Callophrys mossii bayensis</i> )	E	\$5,200	\$943,201,478
898	Dudleya, Santa Cruz Island ( <i>Dudleya nesiotica</i> )	T	\$5,157	\$943,206,635
898	Bedstraw, island ( <i>Galium buxifolium</i> )	E	\$5,157	\$943,211,792
898	Rush-rose, island ( <i>Helianthemum greenei</i> )	T	\$5,157	\$943,216,949
899	Snake, Atlantic salt marsh ( <i>Nerodia clarkii taeniata</i> )	T	\$5,100	\$943,222,049
899	Ambrosia, south Texas ( <i>Ambrosia cheiranthifolia</i> )	E	\$5,100	\$943,227,149
900	Clarkia, Pismo ( <i>Clarkia speciosa ssp. immaculata</i> )	E	\$5,034	\$943,232,183

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
901	Boa, Virgin Islands tree ( <i>Epicrates monensis granti</i> )	E	\$5,000	\$943,237,183
901	Pearlymussel, dromedary ( <i>Dromus dromas</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$5,000	\$943,242,183
901	Bluet, Roan Mountain ( <i>Hedyotis purpurea var. montana</i> )	E	\$5,000	\$943,247,183
901	Locoweed, Fassett's ( <i>Oxytropis campestris var. chartacea</i> )	T	\$5,000	\$943,252,183
901	Goldenrod, Blue Ridge ( <i>Solidago spithamaea</i> )	T	\$5,000	\$943,257,183
901	<i>Aristida chaseae</i> (=Sci name)	E	\$5,000	\$943,262,183
901	<i>Tectaria estremerana</i> (=Sci name)	E	\$5,000	\$943,267,183
902	Mallow, Peter's Mountain ( <i>Iliamna corei</i> )	E	\$4,903	\$943,272,086
903	Amphipod, Illinois cave ( <i>Gammarus acherondytes</i> )	E	\$4,843	\$943,276,929
904	Hypericum, highlands scrub ( <i>Hypericum cumulicola</i> )	E	\$4,800	\$943,281,729
904	Blazingstar, scrub ( <i>Liatris ohlingerae</i> )	E	\$4,800	\$943,286,529
904	<i>Phyllostegia mannii</i> (=Sci name)	E	\$4,800	\$943,291,329
905	Ischaemum, Hilo ( <i>Ischaemum byrone</i> )	E	\$4,785	\$943,296,114
906	Alani ( <i>Melicope balloui</i> )	E	\$4,769	\$943,300,883
907	Pearlymussel, birdwing ( <i>Conradilla caelata</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$4,700	\$943,305,583
907	Pigtoe, finerayed ( <i>Fusconaia cuneolus</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,700	\$943,310,283
907	Pigtoe, shiny ( <i>Fusconaia cor</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,700	\$943,314,983
907	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,700	\$943,319,683
907	Snail, Pecos assiminea ( <i>Assiminea pecos</i> )	E	\$4,700	\$943,324,383
908	Meshweaver, Government Canyon Bat Cave ( <i>Cicurina vespera</i> )	E	\$4,660	\$943,329,043
908	Meshweaver, Braken Bat Cave ( <i>Cicurina venii</i> )	E	\$4,660	\$943,333,703
909	Harvestman, Cokendolpher Cave ( <i>Texella cokendolpheri</i> )	E	\$4,500	\$943,338,203
909	<i>Delissea rhytidosperra</i> (=Sci name)	E	\$4,500	\$943,342,703
909	<i>Lyonia truncata var. proctorii</i> (=Sci name)	E	\$4,500	\$943,347,203
909	<i>Elaphoglossum serpens</i> (=Sci name)	E	\$4,500	\$943,351,703
909	<i>Polystichum calderonense</i> (=Sci name)	E	\$4,500	\$943,356,203
909	<i>Thelypteris verecunda</i> (=Sci name)	E	\$4,500	\$943,360,703
909	<i>Thelypteris yaucoensis</i> (=Sci name)	E	\$4,500	\$943,365,203
910	Cactus, Peebles Navajo ( <i>Pediocactus peeblesianus peeblesianus</i> )	E	\$4,350	\$943,369,553
911	Finch, Laysan (honeycreeper) ( <i>Telespyza cantans</i> )	E	\$4,300	\$943,373,853
912	Beetle, Coffin Cave mold ( <i>Batrissodes texanus</i> )	E	\$4,240	\$943,378,093
913	Pigtoe, Cumberland ( <i>Pleurobema gibberum</i> )	E	\$4,200	\$943,382,293
914	Skipper, Pawnee montane ( <i>Hesperia leonardus montana</i> )	T	\$4,147	\$943,386,440
915	Darter, duskytail ( <i>Etheostoma percnurum</i> ) Tellico River, TN	EXPN	\$4,100	\$943,390,540
915	Jacquemontia, beach ( <i>Jacquemontia reclinata</i> )	E	\$4,100	\$943,394,640
916	Rail, Guam ( <i>Rallus owstoni</i> ) Rota	EXPN	\$4,000	\$943,398,640

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
916	Butterfly, lotis blue ( <i>Lycaeides argyrognomon lotis</i> )	E	\$4,000	\$943,402,640
916	Thornmint, San Mateo ( <i>Acanthomintha obovata ssp. duttonii</i> )	E	\$4,000	\$943,406,640
916	Pelos del diablo ( <i>Aristida portoricensis</i> )	E	\$4,000	\$943,410,640
916	Higuero de sierra ( <i>Crescentia portoricensis</i> )	E	\$4,000	\$943,414,640
916	Mitracarpus maxwelliae (=Sci name)	E	\$4,000	\$943,418,640
916	Mitracarpus polycladus (=Sci name)	E	\$4,000	\$943,422,640
916	Vernonia proctorii (=Sci name)	E	\$4,000	\$943,426,640
917	Dudleya, Conejo ( <i>Dudleya abramsii ssp. parva</i> )	T	\$3,967	\$943,430,607
917	Dudleya, marcescent ( <i>Dudleya cymosa ssp. marcescens</i> )	T	\$3,967	\$943,434,574
917	Dudleya, Santa Monica Mountains ( <i>Dudleya cymosa ssp. ovatifolia</i> )	T	\$3,967	\$943,438,541
918	Blue-star, Kearney's ( <i>Amsonia kearneyana</i> )	E	\$3,950	\$943,442,491
919	Catspaw, white (pearlymussel) ( <i>Epioblasma obliquata perobliqua</i> )	E	\$3,900	\$943,446,391
920	Chaff-flower, round-leaved ( <i>Achyranthes splendens var. rotundata</i> )	E	\$3,759	\$943,450,150
921	Daisy, Parish's ( <i>Erigeron parishii</i> )	T	\$3,671	\$943,453,821
922	Ma`oli`oli ( <i>Schiedea kealiae</i> )	E	\$3,659	\$943,457,480
923	Manaca, palma de ( <i>Calyptronoma rivalis</i> )	T	\$3,600	\$943,461,080
924	Lupine, Nipomo Mesa ( <i>Lupinus nipomensis</i> )	E	\$3,534	\$943,464,614
924	Potentilla, Hickman's ( <i>Potentilla hickmanii</i> )	E	\$3,534	\$943,468,148
925	Polygala, tiny ( <i>Polygala smallii</i> )	E	\$3,504	\$943,471,652
926	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$3,500	\$943,475,152
926	Yerba santa, Lompoc ( <i>Eriodictyon capitatum</i> )	E	\$3,500	\$943,478,652
926	Lo`ulu ( <i>Pritchardia remota</i> )	E	\$3,500	\$943,482,152
926	Liliwai ( <i>Acaena exigua</i> )	E	\$3,500	\$943,485,652
926	Alani ( <i>Melicope mucronulata</i> )	E	\$3,500	\$943,489,152
926	Lo`ulu ( <i>Pritchardia viscosa</i> )	E	\$3,500	\$943,492,652
927	Rock-cress, shale barren ( <i>Arabis serotina</i> )	E	\$3,448	\$943,496,100
928	Sedge, Navajo ( <i>Carex specuicola</i> )	T	\$3,365	\$943,499,465
929	Kohe malama malama o kanaloa ( <i>Kanaloa kahoolawensis</i> )	E	\$3,300	\$943,502,765
930	Poppy-mallow, Texas ( <i>Callirhoe scabriuscula</i> )	E	\$3,280	\$943,506,045
931	Arrowhead, bunched ( <i>Sagittaria fasciculata</i> )	E	\$3,200	\$943,509,245
931	Schiedea, Diamond Head ( <i>Schiedea adamantis</i> )	E	\$3,200	\$943,512,445
931	Reed-mustard, Barneby ( <i>Schoenocrambe barnebyi</i> )	E	\$3,200	\$943,515,645
931	Heather, mountain golden ( <i>Hudsonia montana</i> )	T	\$3,200	\$943,518,845
932	Beetle, Mount Hermon June ( <i>Polyphylla barbata</i> )	E	\$3,171	\$943,522,016
933	Cactus, Lloyd's Mariposa ( <i>Echinomastus mariposensis</i> )	T	\$3,100	\$943,525,116
933	Lysimachia maxima (=Sci name)	E	\$3,100	\$943,528,216
934	`Oha wai ( <i>Clermontia peleana</i> )	E	\$3,069	\$943,531,285
935	Warbler (=wood), Bachman's ( <i>Vermivora bachmanii</i> )	E	\$3,023	\$943,534,308
935	Darter, Maryland ( <i>Etheostoma sellare</i> )	E	\$3,023	\$943,537,331
936	Olulu ( <i>Brighamia insignis</i> )	E	\$3,000	\$943,540,331
936	Tetramolopium rockii (=Sci name)	T	\$3,000	\$943,543,331
936	Trillium, persistent ( <i>Trillium persistens</i> )	E	\$3,000	\$943,546,331

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
936	Cactus, Chisos Mountain hedgehog ( <i>Echinocereus chisoensis</i> var. <i>chisoensis</i> )	T	\$3,000	\$943,549,331
936	Kopa ( <i>Hedyotis schlechtendahlana</i> var. <i>remyi</i> )	E	\$3,000	\$943,552,331
937	Cactus, Winkler ( <i>Pediocactus winkleri</i> )	T	\$2,993	\$943,555,324
938	Blazingstar, Heller's ( <i>Liatris helleri</i> )	T	\$2,960	\$943,558,284
939	Spurge, deltoid ( <i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i> )	E	\$2,904	\$943,561,188
940	Gardenia (=Na`u), Hawaiian ( <i>Gardenia brighamii</i> )	E	\$2,900	\$943,564,088
940	Akoko ( <i>Chamaesyce kuwaleana</i> )	E	\$2,900	\$943,566,988
941	Springsnail, Roswell ( <i>Pyrgulopsis roswellensis</i> )	E	\$2,850	\$943,569,838
941	Springsnail, Koster's ( <i>Juturnia kosteri</i> )	E	\$2,850	\$943,572,688
942	Cactus, Lee pincushion ( <i>Coryphantha sneedii</i> var. <i>leei</i> )	T	\$2,800	\$943,575,488
943	Panicgrass, Carter's ( <i>Panicum fauriei</i> var. <i>carteri</i> )	E	\$2,759	\$943,578,247
944	Xylosma crenatum (=Sci name)	E	\$2,700	\$943,580,947
944	Iagu, Hayun (=Guam), Tronkon guafi (Rota) ( <i>Serianthes nelsonii</i> )	E	\$2,700	\$943,583,647
945	Darter, boulder ( <i>Etheostoma wapiti</i> ) Shoal Creek	EXPN	\$2,600	\$943,586,247
945	Blossom, turgid (pearlymussel) ( <i>Epioblasma turgidula</i> ) Entire Range; Except where listed as Experimental Populations	E	\$2,600	\$943,588,847
945	Palo de nigua ( <i>Cornutia obovata</i> )	E	\$2,600	\$943,591,447
945	Daphnopsis hellerana (=Sci name)	E	\$2,600	\$943,594,047
946	Finch, Nihoa (honeycreeper) ( <i>Telespyza ultima</i> )	E	\$2,500	\$943,596,547
946	Silene alexandri (=Sci name)	E	\$2,500	\$943,599,047
946	Chumbo, Higo ( <i>Harrisia portoricensis</i> )	T	\$2,500	\$943,601,547
946	Prickly-ash, St. Thomas ( <i>Zanthoxylum thomasianum</i> )	E	\$2,500	\$943,604,047
946	Quillwort, black spored ( <i>Isoetes melanospora</i> )	E	\$2,500	\$943,606,547
946	Quillwort, mat-forming ( <i>Isoetes tegetiformans</i> )	E	\$2,500	\$943,609,047
947	Liveforever, Santa Barbara Island ( <i>Dudleya traskiae</i> )	E	\$2,400	\$943,611,447
947	Mint, longspurred ( <i>Dicerandra cornutissima</i> )	E	\$2,400	\$943,613,847
947	A`e ( <i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i> )	E	\$2,400	\$943,616,247
948	Ladies'-tresses, Canelo Hills ( <i>Spiranthes delitescens</i> )	E	\$2,350	\$943,618,597
949	Stenogyne campanulata (=Sci name)	E	\$2,300	\$943,620,897
950	Groundsel, San Francisco Peaks ( <i>Senecio franciscanus</i> )	T	\$2,250	\$943,623,147
951	Heau ( <i>Exocarpos luteolus</i> )	E	\$2,200	\$943,625,347
952	Nesogenes rotensis (=Sci name)	E	\$2,182	\$943,627,529
952	Osmoxylon mariannense (=Sci name)	E	\$2,182	\$943,629,711
953	Mustard, Penland alpine fen ( <i>Eutrema penlandii</i> )	T	\$2,056	\$943,631,767
954	Vole, Florida salt marsh ( <i>Microtus pennsylvanicus dukecampbelli</i> )	E	\$2,000	\$943,633,767
954	Buckwheat, lone (incl. Irish Hill) ( <i>Eriogonum apricum</i> (incl. var. <i>prostratum</i> ))	E	\$2,000	\$943,635,767
954	Manzanita, Presidio ( <i>Arctostaphylos hookeri</i> var. <i>ravenii</i> )	E	\$2,000	\$943,637,767
954	Hibiscus, Clay's ( <i>Hibiscus clayi</i> )	E	\$2,000	\$943,639,767
954	Gourd, Okeechobee ( <i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i> )	E	\$2,000	\$943,641,767
954	Haha ( <i>Cyanea dunbarii</i> )	E	\$2,000	\$943,643,767
954	Haha ( <i>Cyanea undulata</i> )	E	\$2,000	\$943,645,767
954	Walnut (=Nogal), West Indian ( <i>Juglans jamaicensis</i> )	E	\$2,000	\$943,647,767
954	Phyllostegia waimeae (=Sci name)	E	\$2,000	\$943,649,767

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
955	Koki`o ke`oke`o ( <i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i> )	E	\$1,900	\$943,651,667
955	Schiedea kauaiensis (=Sci name)	E	\$1,900	\$943,653,567
956	Darter, bayou ( <i>Etheostoma rubrum</i> )	T	\$1,825	\$943,655,392
957	Snail, noonday ( <i>Mesodon clarki nantahala</i> )	T	\$1,800	\$943,657,192
957	Delissea undulata (=Sci name)	E	\$1,800	\$943,658,992
957	`Aiea ( <i>Nothoestrum breviflorum</i> )	E	\$1,800	\$943,660,792
957	Pitcher-plant, mountain sweet ( <i>Sarracenia rubra</i> ssp. <i>jonesii</i> )	E	\$1,800	\$943,662,592
958	Bittercress, small-anthered ( <i>Cardamine micranthera</i> )	E	\$1,791	\$943,664,383
959	Cory cactus, bunched ( <i>Coryphantha ramillosa</i> )	T	\$1,700	\$943,666,083
959	Kauai hau kuahiwi ( <i>Hibiscadelphus distans</i> )	E	\$1,700	\$943,667,783
959	Phyllostegia wawrana (=Sci name)	E	\$1,700	\$943,669,483
960	Bluegrass, Hawaiian ( <i>Poa sandvicensis</i> )	E	\$1,600	\$943,671,083
960	Palo de ramon ( <i>Banara vanderbiltii</i> )	E	\$1,600	\$943,672,683
960	Bluegrass, Mann's ( <i>Poa mannii</i> )	E	\$1,600	\$943,674,283
960	Erubia ( <i>Solanum drymophilum</i> )	E	\$1,600	\$943,675,883
960	Palo de jazmin ( <i>Styrax portoricensis</i> )	E	\$1,600	\$943,677,483
960	Remya montgomeryi (=Sci name)	E	\$1,600	\$943,679,083
960	Lo`ulu ( <i>Pritchardia napaliensis</i> )	E	\$1,600	\$943,680,683
961	Harvestman, Bee Creek Cave ( <i>Texella reddelli</i> )	E	\$1,540	\$943,682,223
962	Whale, gray ( <i>Eschrichtius robustus</i> ) W Pacific Ocean	E	\$1,500	\$943,683,723
962	Gecko, Monito ( <i>Sphaerodactylus micropithecus</i> )	E	\$1,500	\$943,685,223
962	Chub, spotfin ( <i>Erimonax monachus</i> ) Tellico River, TN	EXPN	\$1,500	\$943,686,723
962	Schiedea membranacea (=Sci name)	E	\$1,500	\$943,688,223
962	Prickly-apple, fragrant ( <i>Cereus eriophorus</i> var. <i>fragrans</i> )	E	\$1,500	\$943,689,723
962	Chamaesyce halemanui (=Sci name)	E	\$1,500	\$943,691,223
962	Na`ena`e ( <i>Dubautia latifolia</i> )	E	\$1,500	\$943,692,723
962	Remya kauaiensis (=Sci name)	E	\$1,500	\$943,694,223
962	Pawpaw, beautiful ( <i>Deeringothamnus pulchellus</i> )	E	\$1,500	\$943,695,723
962	Poa siphonoglossa (=Sci name)	E	\$1,500	\$943,697,223
962	Myrcia paganii (=Sci name)	E	\$1,500	\$943,698,723
962	Haha ( <i>Cyanea macrostegia</i> ssp. <i>gibsonii</i> )	E	\$1,500	\$943,700,223
962	Alsinidendron viscosum (=Sci name)	E	\$1,500	\$943,701,723
962	Auerodendron pauciflorum (=Sci name)	E	\$1,500	\$943,703,223
962	Cranichis ricartii (=Sci name)	E	\$1,500	\$943,704,723
963	Rock-cress, Hoffmann's ( <i>Arabis hoffmannii</i> )	E	\$1,400	\$943,706,123
963	Brodiaea, Chinese Camp ( <i>Brodiaea pallida</i> )	T	\$1,400	\$943,707,523
963	Schiedea verticillata (=Sci name)	E	\$1,400	\$943,708,923
963	Koki`o ( <i>Kokia kauaiensis</i> )	E	\$1,400	\$943,710,323
963	Crownscale, San Jacinto Valley ( <i>Atriplex coronata</i> var. <i>notatior</i> )	E	\$1,400	\$943,711,723
964	Oak, Hinckley ( <i>Quercus hinckleyi</i> )	T	\$1,300	\$943,713,023
964	Viola helenae (=Sci name)	E	\$1,300	\$943,714,323
964	Ha`iwale ( <i>Cyrtandra limahuliensis</i> )	T	\$1,300	\$943,715,623

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
964	<i>Diellia pallida</i> (=Sci name)	E	\$1,300	\$943,716,923
965	Cactus, Nellie cory ( <i>Coryphantha minima</i> )	E	\$1,200	\$943,718,123
965	Pitaya, Davis' green ( <i>Echinocereus viridiflorus</i> var. <i>davisii</i> )	E	\$1,200	\$943,719,323
966	Thrush, Molokai ( <i>Myadestes lanaiensis rutha</i> )	E	\$1,182	\$943,720,505
966	Creeper, Molokai ( <i>Paroreomyza flammea</i> )	E	\$1,182	\$943,721,687
967	Mountain balm, Indian Knob ( <i>Eriodictyon altissimum</i> )	E	\$1,178	\$943,722,865
967	Polygonum, Scotts Valley ( <i>Polygonum hickmanii</i> )	E	\$1,178	\$943,724,043
968	Daisy, lakeside ( <i>Hymenoxys herbacea</i> )	T	\$1,150	\$943,725,193
969	Hedyotis, Na Pali beach ( <i>Hedyotis st.-johnii</i> )	E	\$1,100	\$943,726,293
969	Trematolobelia singularis (=Sci name)	E	\$1,100	\$943,727,393
970	Ridge-cress, Barneby ( <i>Lepidium barnebyanum</i> )	E	\$1,045	\$943,728,438
971	Shrew, Buena Vista Lake ornate ( <i>Sorex ornatus relictus</i> )	E	\$1,000	\$943,729,438
971	Springsnail, Socorro ( <i>Pyrgulopsis neomexicana</i> )	E	\$1,000	\$943,730,438
971	Butterfly, Myrtle's silverspot ( <i>Speyeria zerene myrtleae</i> )	E	\$1,000	\$943,731,438
971	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i> (=Sci name)	E	\$1,000	\$943,732,438
971	Penny-cress, Kneeland Prairie ( <i>Thlaspi californicum</i> )	E	\$1,000	\$943,733,438
971	Dudleya, Verity's ( <i>Dudleya verityi</i> )	T	\$1,000	\$943,734,438
972	Isopod, Socorro ( <i>Thermosphaeroma thermophilus</i> )	E	\$950	\$943,735,388
972	Cactus, Arizona hedgehog ( <i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i> )	E	\$950	\$943,736,338
973	Clubshell ( <i>Pleurobema clava</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$900	\$943,737,238
973	Ha'iwale ( <i>Cyrtandra polyantha</i> )	E	\$900	\$943,738,138
973	<i>Silene perlmanii</i> (=Sci name)	E	\$900	\$943,739,038
974	Milkpea, Small's ( <i>Galactia smallii</i> )	E	\$804	\$943,739,842
975	Creeper, Oahu ( <i>Paroreomyza maculata</i> )	E	\$800	\$943,740,642
975	Cat's-eye, Terlingua Creek ( <i>Cryptantha crassipes</i> )	E	\$800	\$943,741,442
975	Mint, Garrett's ( <i>Dicerandra christmanii</i> )	E	\$800	\$943,742,242
975	Haha ( <i>Cyanea procera</i> )	E	\$800	\$943,743,042
976	Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) Tellico River, TN	EXPN	\$700	\$943,743,742
976	<i>Achyranthes mutica</i> (=Sci name)	E	\$700	\$943,744,442
976	Navarretia, many-flowered ( <i>Navarretia leucocephala</i> ssp. <i>pliantha</i> )	E	\$700	\$943,745,142
976	Stonecrop, Lake County ( <i>Parvisedum leiocarpum</i> )	E	\$700	\$943,745,842
976	Awiwi ( <i>Hedyotis cookiana</i> )	E	\$700	\$943,746,542
976	Koki'o, Cooke's ( <i>Kokia cookei</i> )	E	\$700	\$943,747,242
976	Haha ( <i>Cyanea pinnatifida</i> )	E	\$700	\$943,747,942
976	Haha ( <i>Cyanea stictophylla</i> )	E	\$700	\$943,748,642
976	Kamakahala ( <i>Labordia lydgatei</i> )	E	\$700	\$943,749,342
976	<i>Lobelia monostachya</i> (=Sci name)	E	\$700	\$943,750,042
976	Na'ena'e ( <i>Dubautia pauciflorula</i> )	E	\$700	\$943,750,742
976	Fern, pendant kihi ( <i>Adenophorus periens</i> )	E	\$700	\$943,751,442
977	Kuahiwi laukahi ( <i>Plantago hawaiiensis</i> )	E	\$650	\$943,752,092
978	Woodrat, riparian (=San Joaquin Valley) ( <i>Neotoma fuscipes riparia</i> )	E	\$600	\$943,752,692

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
978	White-eye, bridled ( <i>Zosterops conspicillatus conspicillatus</i> )	E	\$600	\$943,753,292
978	Clubshell, black ( <i>Pleurobema curtum</i> )	E	\$600	\$943,753,892
978	Amaranthus brownii (=Sci name)	E	\$600	\$943,754,492
978	Oha ( <i>Delissea rivularis</i> )	E	\$600	\$943,755,092
978	Love grass, Fosberg's ( <i>Eragrostis fosbergii</i> )	E	\$600	\$943,755,692
978	Kamakahala ( <i>Labordia triflora</i> )	E	\$600	\$943,756,292
978	Abutilon eremitopetalum (=Sci name)	E	\$600	\$943,756,892
978	Ko`oko`olau ( <i>Bidens wiebkei</i> )	E	\$600	\$943,757,492
978	Hesperomannia lydgatei (=Sci name)	E	\$600	\$943,758,092
978	Alani ( <i>Melicope haupuensis</i> )	E	\$600	\$943,758,692
978	Lo`ulu ( <i>Pritchardia munroi</i> )	E	\$600	\$943,759,292
978	Pamakani ( <i>Tetramolopium capillare</i> )	E	\$600	\$943,759,892
978	Tetramolopium remyi (=Sci name)	E	\$600	\$943,760,492
978	Nani wai`ale`ale ( <i>Viola kauaiensis var. wahiawaensis</i> )	E	\$600	\$943,761,092
978	Thistle, Loch Lomond coyote ( <i>Eryngium constancei</i> )	E	\$600	\$943,761,692
978	Lo`ulu ( <i>Pritchardia schattaueri</i> )	E	\$600	\$943,762,292
978	`Oha wai ( <i>Clermontia oblongifolia ssp. brevipes</i> )	E	\$600	\$943,762,892
978	Haha ( <i>Cyanea truncata</i> )	E	\$600	\$943,763,492
978	Mariscus fauriei (=Sci name)	E	\$600	\$943,764,092
978	Stenogyne bifida (=Sci name)	E	\$600	\$943,764,692
978	Hau kuahiwi ( <i>Hibiscadelphus woodii</i> )	E	\$600	\$943,765,292
978	Kamakahala ( <i>Labordia tinifolia var. wahiawaensis</i> )	E	\$600	\$943,765,892
978	Diellia unisora (=Sci name)	E	\$600	\$943,766,492
979	`Oha wai ( <i>Clermontia oblongifolia ssp. mauiensis</i> )	E	\$569	\$943,767,061
980	Crow, white-necked ( <i>Corvus leucognaphalus</i> )	E	\$500	\$943,767,561
980	Springsnail, Alamosa ( <i>Tryonia alamosae</i> )	E	\$500	\$943,768,061
980	Alani ( <i>Melicope saint-johnii</i> )	E	\$500	\$943,768,561
980	Kolea ( <i>Myrsine linearifolia</i> )	T	\$500	\$943,769,061
980	Phyllostegia knudsenii (=Sci name)	E	\$500	\$943,769,561
980	Gahnia lanaiensis (=Sci name)	E	\$500	\$943,770,061
980	Gouania hillebrandii (=Sci name)	E	\$500	\$943,770,561
980	Gouania meyenii (=Sci name)	E	\$500	\$943,771,061
980	Koki`o ke`oke`o ( <i>Hibiscus waimeae ssp. hannerae</i> )	E	\$500	\$943,771,561
980	Alani ( <i>Melicope reflexa</i> )	E	\$500	\$943,772,061
980	Munroidendron racemosum (=Sci name)	E	\$500	\$943,772,561
980	Neraudia sericea (=Sci name)	E	\$500	\$943,773,061
980	Remya, Maui ( <i>Remya mauiensis</i> )	E	\$500	\$943,773,561
980	Tetramolopium lepidotum ssp. lepidotum (=Sci name)	E	\$500	\$943,774,061
980	Viola lanaiensis (=Sci name)	E	\$500	\$943,774,561
980	Iliau, dwarf ( <i>Wilkesia hobyi</i> )	E	\$500	\$943,775,061
980	Capa rosa ( <i>Callicarpa ampla</i> )	E	\$500	\$943,775,561
980	Haha ( <i>Cyanea platyphylla</i> )	E	\$500	\$943,776,061
980	Ha`iwale ( <i>Cyrtandra crenata</i> )	E	\$500	\$943,776,561



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
980	Uvillo ( <i>Eugenia haematocarpa</i> )	E	\$500	\$943,777,061
980	Holly, Cook's ( <i>Ilex cookii</i> )	E	\$500	\$943,777,561
980	Lysimachia filifolia (=Sci name)	E	\$500	\$943,778,061
980	Chupacallos ( <i>Pleodendron macranthum</i> )	E	\$500	\$943,778,561
980	Palo colorado ( <i>Ternstroemia luquillensis</i> )	E	\$500	\$943,779,061
980	Ternstroemia subsessilis (=Sci name)	E	\$500	\$943,779,561
980	Gesneria pauciflora (=Sci name)	T	\$500	\$943,780,061
980	Holei ( <i>Ochrosia kilaeensis</i> )	E	\$500	\$943,780,561
980	Schiedea helleri (=Sci name)	E	\$500	\$943,781,061
980	Haha ( <i>Cyanea manni</i> )	E	\$500	\$943,781,561
980	Haha ( <i>Cyanea recta</i> )	T	\$500	\$943,782,061
980	Leptocereus grantianus (=Sci name)	E	\$500	\$943,782,561
980	Lysimachia lydgatei (=Sci name)	E	\$500	\$943,783,061
980	Phyllostegia warshaueri (=Sci name)	E	\$500	\$943,783,561
980	Ilex sintenisii (=Sci name)	E	\$500	\$943,784,061
980	Adiantum vivesii (=Sci name)	E	\$500	\$943,784,561
981	Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$400	\$943,784,961
981	Wahane ( <i>Pritchardia aylmer-robinsonii</i> )	E	\$400	\$943,785,361
981	Schiedea sarmentosa (=Sci name)	E	\$400	\$943,785,761
981	Akoko ( <i>Chamaesyce deppeana</i> )	E	\$400	\$943,786,161
981	Nehe ( <i>Lipochaeta fauriei</i> )	E	\$400	\$943,786,561
981	Nehe ( <i>Lipochaeta lobata</i> var. <i>leptophylla</i> )	E	\$400	\$943,786,961
981	Alani ( <i>Melicope munroi</i> )	E	\$400	\$943,787,361
981	Alani ( <i>Melicope quadrangularis</i> )	E	\$400	\$943,787,761
981	Phyllostegia glabra var. <i>lanaiensis</i> (=Sci name)	E	\$400	\$943,788,161
981	Kaulu ( <i>Pteralyxia kauaiensis</i> )	E	\$400	\$943,788,561
981	Ha'i wale ( <i>Cyrtandra munroi</i> )	E	\$400	\$943,788,961
981	Kamakahala ( <i>Labordia tinifolia</i> var. <i>lanaiensis</i> )	E	\$400	\$943,789,361
981	Nehe ( <i>Lipochaeta kamolensis</i> )	E	\$400	\$943,789,761
981	Nehe ( <i>Lipochaeta micrantha</i> )	E	\$400	\$943,790,161
981	Nehe ( <i>Lipochaeta waimeaensis</i> )	E	\$400	\$943,790,561
981	Ma'oli'oli ( <i>Schiedea apokremnos</i> )	E	\$400	\$943,790,961
981	Schiedea lydgatei (=Sci name)	E	\$400	\$943,791,361
981	Schiedea spergulina var. <i>leiopoda</i> (=Sci name)	E	\$400	\$943,791,761
981	Schiedea spergulina var. <i>spergulina</i> (=Sci name)	T	\$400	\$943,792,161
981	Lauhilihi ( <i>Schiedea stellarioides</i> )	E	\$400	\$943,792,561
981	Kuawawaenuhu ( <i>Alsinidendron lychnoides</i> )	E	\$400	\$943,792,961
981	Haha ( <i>Cyanea copelandii</i> ssp. <i>copelandii</i> )	E	\$400	\$943,793,361
981	Mapele ( <i>Cyrtandra cyaneoides</i> )	E	\$400	\$943,793,761
981	Haha ( <i>Cyanea remyi</i> )	E	\$400	\$943,794,161
982	Blossom, tubercled (pearlymussel) ( <i>Epioblasma torulosa torulosa</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$300	\$943,794,461

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
982	Monkeyface, Cumberland (pearlymussel) ( <i>Quadrula intermedia</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$300	\$943,794,761
982	Pondweed, Little Aguja (=Creek) ( <i>Potamogeton clystocarpus</i> )	E	\$300	\$943,795,061
983	Checker-mallow, Kenwood Marsh ( <i>Sidalcea oregana ssp. valida</i> )	E	\$280	\$943,795,341
984	Jaguarundi, Sinaloan ( <i>Herpailurus (=Felis) yagouaroundi tolteca</i> )	E	\$100	\$943,795,441
984	Chub, spotfin ( <i>Erimonax monachus</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.84(m)(1)(iii))	EXPN	\$100	\$943,795,541
984	Madtom, Scioto ( <i>Noturus trautmani</i> )	E	\$100	\$943,795,641
984	Madtom, pygmy ( <i>Noturus stanauli</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.84(t)(1)(i))	EXPN	\$100	\$943,795,741
984	Wild-buckwheat, gypsum ( <i>Eriogonum gypsophilum</i> )	T	\$100	\$943,795,841
984	Roseroot, Leedy's ( <i>Sedum integrifolium ssp. leedyi</i> )	T	\$100	\$943,795,941
985	Milk-vetch, heliotrope ( <i>Astragalus montii</i> )	T	\$45	\$943,795,986
986	Seal, Mediterranean monk ( <i>Monachus monachus</i> )	E	\$0	\$943,795,986
986	Seal, Saimaa ( <i>Phoca hispida saimensis</i> )	E	\$0	\$943,795,986
986	Chub, slender ( <i>Erimystax cahni</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.84(s)(1)(i))	EXPN	\$0	\$943,795,986
986	Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.84(e)(1)(iii))	EXPN	\$0	\$943,795,986
986	Darter, duskytail ( <i>Etheostoma percnum</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.84(q)(1)(ii))	EXPN	\$0	\$943,795,986
986	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Monkeyface, Appalachian (pearlymussel) ( <i>Quadrula sparsa</i> ) USA (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Monkeyface, Cumberland (pearlymussel) ( <i>Quadrula intermedia</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Pearlymussel, birdwing ( <i>Conradilla caelata</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Pearlymussel, dromedary ( <i>Dromus dromas</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Wartyback, white (pearlymussel) ( <i>Plethobasus cicatricosus</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Pigtoe, rough ( <i>Pleurobema plenum</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Pigtoe, shiny ( <i>Fusconaia cor</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Pimpleback, orangefoot (pearlymussel) ( <i>Plethobasus cooperianus</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
	17.85(b)(1))			
986	Ring pink (mussel) ( <i>Obovaria retusa</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Pearlymussel, cracking ( <i>Hemistena lata</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Fanshell ( <i>Cyprogenia stegaria</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Mesa-mint, Otay ( <i>Pogogyne nudiuscula</i> )	E	\$0	\$943,795,986

**TABLE 3. FY 2007 REPORTED LAND ACQUISITION EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES**

Species are arranged in the same sequence as Table 1. These costs are not included in the activity-related expenditures of Tables 1 and 2. Only those species that had land acquisition costs reported for FY 2007 are included here. Land rank is included to show the relative order of the species which had land expenditures.

**TABLE 3. REPORTED LAND ACQUISITION EXPENDITURES FOR FY 2007 FOR ENDANGERED AND THREATENED SPECIES**

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<b>Mammals</b>						
88	Bat, gray ( <i>Myotis grisescens</i> )	E	\$40,000	\$0	\$40,000	\$0	\$40,000
22	Bat, Indiana ( <i>Myotis sodalis</i> )	E	\$900,900	\$201,995	\$1,102,895	\$795,000	\$1,897,895
94	Bat, Ozark big-eared ( <i>Corynorhinus (=Plecotus) townsendii ingens</i> )	E	\$0	\$0	\$0	\$17,700	\$17,700
31	Bear, grizzly ( <i>Ursus arctos horribilis</i> ) lower 48 States, except where listed as an experimental population or delisted	T	\$0	\$0	\$0	\$1,000,000	\$1,000,000
5	Bear, Louisiana black ( <i>Ursus americanus luteolus</i> )	T	\$4,589,000	\$837,000	\$5,426,000	\$0	\$5,426,000
83	Deer, key ( <i>Odocoileus virginianus clavium</i> )	E	\$58,300	\$0	\$58,300	\$0	\$58,300
27	Fox, San Joaquin kit ( <i>Vulpes macrotis mutica</i> )	E	\$0	\$1,369,477	\$1,369,477	\$0	\$1,369,477
76	Jaguar ( <i>Panthera onca</i> )	E	\$103,200	\$0	\$103,200	\$0	\$103,200
76	Jaguarundi, Gulf Coast ( <i>Herpailurus (=Felis) yagouaroundi cacomitli</i> )	E	\$103,200	\$0	\$103,200	\$0	\$103,200
93	Kangaroo rat, Fresno ( <i>Dipodomys nitratoides exilis</i> )	E	\$0	\$20,000	\$20,000	\$0	\$20,000
32	Kangaroo rat, Tipton ( <i>Dipodomys nitratoides nitratoides</i> )	E	\$0	\$868,477	\$868,477	\$0	\$868,477
17	Lynx, Canada ( <i>Lynx canadensis</i> ) lower 48 States DPS	T	\$0	\$0	\$0	\$2,000,000	\$2,000,000
79	Mouse, Alabama beach ( <i>Peromyscus polionotus ammobates</i> )	E	\$87,400	\$0	\$87,400	\$0	\$87,400
68	Mouse, Preble's meadow jumping ( <i>Zapus hudsonius preblei</i> ) Colorado	T	\$0	\$0	\$0	\$147,142	\$147,142
76	Ocelot ( <i>Leopardus (=Felis) pardalis</i> )	E	\$103,200	\$0	\$103,200	\$0	\$103,200
83	Rabbit, Lower Keys marsh ( <i>Sylvilagus palustris hefneri</i> )	E	\$58,300	\$0	\$58,300	\$0	\$58,300
52	Rabbit, riparian brush ( <i>Sylvilagus bachmani riparius</i> )	E	\$0	\$300,000	\$300,000	\$0	\$300,000
67	Rice rat ( <i>Oryzomys palustris natator</i> ) lower FL Keys	E	\$173,300	\$0	\$173,300	\$0	\$173,300
41	Sea-lion, Steller ( <i>Eumetopias jubatus</i> ) eastern pop.	T	\$570,000	\$0	\$570,000	\$0	\$570,000
43	Shrew, Buena Vista Lake ornate ( <i>Sorex ornatus relictus</i> )	E	\$0	\$548,000	\$548,000	\$0	\$548,000
59	Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) Entire, except Sussex Co., DE	E	\$267,500	\$0	\$267,500	\$0	\$267,500
72	Squirrel, Virginia northern flying ( <i>Glaucomys sabrinus fuscus</i> )	E	\$120,000	\$0	\$120,000	\$0	\$120,000
89	Whale, bowhead ( <i>Balaena mysticetus</i> )	E	\$37,300	\$0	\$37,300	\$0	\$37,300
96	Whale, finback ( <i>Balaenoptera physalus</i> )	E	\$17,000	\$0	\$17,000	\$0	\$17,000
96	Whale, gray ( <i>Eschrichtius robustus</i> ) W Pacific Ocean	E	\$17,000	\$0	\$17,000	\$0	\$17,000
96	Whale, humpback ( <i>Megaptera novaeangliae</i> )	E	\$17,000	\$0	\$17,000	\$0	\$17,000
96	Whale, Sei ( <i>Balaenoptera borealis</i> )	E	\$17,000	\$0	\$17,000	\$0	\$17,000

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
15	Wolf, gray ( <i>Canis lupus</i> ), Lower 48 States, except where delisted and EXPN; Mexico.	E	\$200,000	\$0	\$200,000	\$2,000,000	\$2,200,000
81	Wolf, red ( <i>Canis rufus</i> ) except where EXPN	E	\$82,500	\$0	\$82,500	\$0	\$82,500
64	Woodrat, riparian (=San Joaquin Valley) ( <i>Neotoma fuscipes riparia</i> )	E	\$0	\$200,000	\$200,000	\$0	\$200,000
	<b>Mammals Subtotal</b>		\$7,562,100	\$4,344,949	\$11,907,049	\$5,959,842	\$17,866,891
	<b>Birds</b>						
95	Crane, whooping ( <i>Grus americana</i> ) U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	EXPN	\$0	\$17,300	\$17,300	\$0	\$17,300
9	Eagle, bald ( <i>Haliaeetus leucocephalus</i> ) lower 48 States	DM	\$0	\$1,153,912	\$1,153,912	\$2,112,000	\$3,265,912
38	Eider, spectacled ( <i>Somateria fischeri</i> )	T	\$610,300	\$0	\$610,300	\$0	\$610,300
37	Eider, Steller's ( <i>Polysticta stelleri</i> ) AK breeding pop.	T	\$627,300	\$0	\$627,300	\$0	\$627,300
76	Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> )	E	\$103,200	\$0	\$103,200	\$0	\$103,200
4	Flycatcher, southwestern willow ( <i>Empidonax traillii extimus</i> )	E	\$0	\$6,330,232	\$6,330,232	\$48,381	\$6,378,613
82	Gnatcatcher, coastal California ( <i>Polioptila californica californica</i> )	T	\$62,900	\$0	\$62,900	\$0	\$62,900
100	Jay, Florida scrub ( <i>Aphelocoma coerulescens</i> )	T	\$10,900	\$0	\$10,900	\$0	\$10,900
17	Owl, northern spotted ( <i>Strix occidentalis caurina</i> )	T	\$0	\$0	\$0	\$2,000,000	\$2,000,000
54	Pelican, brown ( <i>Pelecanus occidentalis</i> ) except U.S. Atlantic coast, FL, AL	E	\$284,700	\$0	\$284,700	\$0	\$284,700
14	Plover, piping ( <i>Charadrius melodus</i> ) except Great Lakes watershed	T	\$2,085,500	\$184,000	\$2,269,500	\$0	\$2,269,500
55	Stork, wood ( <i>Mycteria americana</i> ) AL, FL, GA, SC	E	\$80,200	\$197,323	\$277,523	\$0	\$277,523
20	Tern, least ( <i>Sterna antillarum</i> ) interior pop.	E	\$1,774,200	\$184,000	\$1,958,200	\$0	\$1,958,200
49	Tern, roseate ( <i>Sterna dougallii dougallii</i> ) northeast U.S. nesting pop.	E	\$440,000	\$0	\$440,000	\$0	\$440,000
72	Vireo, black-capped ( <i>Vireo atricapilla</i> )	E	\$0	\$120,000	\$120,000	\$0	\$120,000
60	Vireo, least Bell's ( <i>Vireo bellii pusillus</i> )	E	\$62,900	\$200,000	\$262,900	\$0	\$262,900
50	Warbler (=wood), golden-cheeked ( <i>Dendroica chrysoparia</i> )	E	\$103,200	\$250,000	\$353,200	\$0	\$353,200
42	Woodpecker, red-cockaded ( <i>Picoides borealis</i> )	E	\$319,000	\$31,000	\$350,000	\$200,000	\$550,000
	<b>Birds Subtotal</b>		\$6,564,300	\$8,667,767	\$15,232,067	\$4,360,381	\$19,592,448
	<b>Reptiles</b>						
77	Alligator, American ( <i>Alligator mississippiensis</i> )	SAT	\$0	\$100,000	\$100,000	\$0	\$100,000
28	Lizard, blunt-nosed leopard ( <i>Gambelia silus</i> )	E	\$0	\$1,290,477	\$1,290,477	\$0	\$1,290,477
21	Lizard, Coachella Valley fringe-toed ( <i>Uma</i> )	T	\$0	\$1,920,000	\$1,920,000	\$0	\$1,920,000

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>inornata</i> )						
73	Sea turtle, green ( <i>Chelonia mydas</i> ) FL, Mexico nesting pops.	E	\$114,100	\$0	\$114,100	\$0	\$114,100
76	Sea turtle, hawksbill ( <i>Eretmochelys imbricata</i> )	E	\$103,200	\$0	\$103,200	\$0	\$103,200
76	Sea turtle, Kemp's ridley ( <i>Lepidochelys kempi</i> )	E	\$103,200	\$0	\$103,200	\$0	\$103,200
73	Sea turtle, leatherback ( <i>Dermochelys coriacea</i> )	E	\$114,100	\$0	\$114,100	\$0	\$114,100
63	Sea turtle, loggerhead ( <i>Caretta caretta</i> )	T	\$201,500	\$0	\$201,500	\$0	\$201,500
58	Snake, copperbelly water ( <i>Nerodia erythrogaster neglecta</i> ) MI, OH, IN N of 400 N. Lat.	T	\$269,000	\$0	\$269,000	\$0	\$269,000
19	Snake, eastern indigo ( <i>Drymarchon corais couperi</i> )	T	\$69,200	\$0	\$69,200	\$1,890,000	\$1,959,200
53	Snake, giant garter ( <i>Thamnophis gigas</i> )	T	\$0	\$294,653	\$294,653	\$0	\$294,653
23	Tortoise, desert ( <i>Gopherus agassizii</i> ) outside/taken from Sonoran Desert	SAT	\$0	\$0	\$0	\$1,850,000	\$1,850,000
3	Tortoise, desert ( <i>Gopherus agassizii</i> ) U.S.A., except in Sonoran Desert	T	\$0	\$7,710,568	\$7,710,568	\$0	\$7,710,568
65	Tortoise, gopher ( <i>Gopherus polyphemus</i> ) W of of Mobile/Tombigbee Rs.	T	\$0	\$181,000	\$181,000	\$0	\$181,000
44	Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) northern	T	\$0	\$530,000	\$530,000	\$0	\$530,000
	<b>Reptiles Subtotal</b>		\$974,300	\$12,026,698	\$13,000,998	\$3,740,000	\$16,740,998
	<b>Amphibians</b>						
82	Frog, California red-legged ( <i>Rana aurora draytonii</i> ) subspecies range clarified	T	\$62,900	\$0	\$62,900	\$0	\$62,900
24	Salamander, California tiger ( <i>Ambystoma californiense</i> ) U.S.A. (Central CA DPS)	T	\$0	\$1,800,000	\$1,800,000	\$0	\$1,800,000
72	Salamander, Cheat Mountain ( <i>Plethodon nettingi</i> )	T	\$120,000	\$0	\$120,000	\$0	\$120,000
57	Toad, arroyo (=arroyo southwestern) ( <i>Bufo californicus (=microscaphus)</i> )	E	\$62,900	\$207,000	\$269,900	\$0	\$269,900
46	Toad, Houston ( <i>Bufo houstonensis</i> )	E	\$0	\$7,500	\$7,500	\$498,000	\$505,500
	<b>Amphibians Subtotal</b>		\$245,800	\$2,014,500	\$2,260,300	\$498,000	\$2,758,300
	<b>Fishes</b>						
80	Chub, Oregon ( <i>Oregonichthys crameri</i> )	E	\$42,000	\$0	\$42,000	\$0	\$42,000
90	Chub, Virgin River ( <i>Gila seminuda (=robusta)</i> )	E	\$0	\$27,000	\$27,000	\$0	\$27,000
78	Chub, Yaqui ( <i>Gila purpurea</i> )	E	\$99,000	\$0	\$99,000	\$0	\$99,000
87	Darter, goldline ( <i>Percina aurolineata</i> )	T	\$40,500	\$0	\$40,500	\$0	\$40,500
97	Gambusia, Pecos ( <i>Gambusia nobilis</i> )	E	\$0	\$16,500	\$16,500	\$0	\$16,500
10	Minnow, Rio Grande silvery ( <i>Hybognathus amarus</i> )	E	\$0	\$3,131,000	\$3,131,000	\$0	\$3,131,000

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
51	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) except Salt and Verde R. drainages, AZ	E	\$0	\$322,000	\$322,000	\$0	\$322,000
97	Pupfish, Comanche Springs ( <i>Cyprinodon elegans</i> )	E	\$0	\$16,500	\$16,500	\$0	\$16,500
29	Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) CA Central Valley spring-run	T	\$0	\$1,278,000	\$1,278,000	\$0	\$1,278,000
93	Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) CA coastal	T	\$0	\$20,000	\$20,000	\$0	\$20,000
16	Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) spring/summer Snake R.	T	\$0	\$1,827,326	\$1,827,326	\$200,000	\$2,027,326
62	Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) Puget Sound	T	\$0	\$15,650	\$15,650	\$200,000	\$215,650
61	Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) winter Sacramento R.	E	\$0	\$255,000	\$255,000	\$0	\$255,000
26	Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) fall Snake R.	T	\$0	\$1,510,448	\$1,510,448	\$200,000	\$1,710,448
34	Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) lower Columbia R.	T	\$0	\$494,317	\$494,317	\$200,000	\$694,317
7	Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) spring upper Columbia R.	E	\$0	\$3,302,260	\$3,302,260	\$200,000	\$3,502,260
40	Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) upper Willamette R.	T	\$49,000	\$497,666	\$546,666	\$0	\$546,666
101	Salmon, chum ( <i>Oncorhynchus (=Salmo) keta</i> ) summer-run Hood Canal	T	\$0	\$2,347	\$2,347	\$0	\$2,347
35	Salmon, chum ( <i>Oncorhynchus (=Salmo) keta</i> ) Columbia R.	T	\$0	\$180,089	\$180,089	\$500,000	\$680,089
66	Salmon, coho ( <i>Oncorhynchus (=Salmo) kisutch</i> ) Lower Columbia River	T	\$0	\$178,524	\$178,524	\$0	\$178,524
6	Salmon, coho ( <i>Oncorhynchus (=Salmo) kisutch</i> ) OR, CA pop.	T	\$3,500	\$4,666,000	\$4,669,500	\$0	\$4,669,500
25	Salmon, sockeye ( <i>Oncorhynchus (=Salmo) nerka</i> ) U.S.A. (Snake River, ID stock wherever found.)	E	\$0	\$1,711,070	\$1,711,070	\$0	\$1,711,070
87	Shiner, Cahaba ( <i>Notropis cahabae</i> )	E	\$40,500	\$0	\$40,500	\$0	\$40,500
39	Shiner, Pecos bluntnose ( <i>Notropis simus pecosensis</i> )	T	\$0	\$600,000	\$600,000	\$0	\$600,000
86	Springfish, Railroad Valley ( <i>Crenichthys nevadae</i> )	T	\$0	\$47,107	\$47,107	\$0	\$47,107
8	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) middle Columbia R.	T	\$0	\$2,969,102	\$2,969,102	\$500,000	\$3,469,102
47	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) lower Columbia R.	T	\$0	\$460,762	\$460,762	\$0	\$460,762



Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
30	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) Snake R. Basin	T	\$0	\$1,213,584	\$1,213,584	\$0	\$1,213,584
13	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) upper Columbia R. Basin	T	\$0	\$1,567,443	\$1,567,443	\$1,000,000	\$2,567,443
56	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) upper Willamette R.	T	\$49,000	\$178,524	\$227,524	\$0	\$227,524
61	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) Central Valley CA	T	\$0	\$255,000	\$255,000	\$0	\$255,000
45	Sturgeon, North American green ( <i>Acipenser medirostris</i> ) U.S.A. (CA) Southern DPS	T	\$0	\$512,500	\$512,500	\$0	\$512,500
1	Sturgeon, pallid ( <i>Scaphirhynchus albus</i> )	E	\$0	\$11,276,000	\$11,276,000	\$0	\$11,276,000
85	Sucker, June ( <i>Chasmistes liorus</i> )	E	\$0	\$50,000	\$50,000	\$0	\$50,000
11	Sucker, Lost River ( <i>Deltistes luxatus</i> )	E	\$2,815,000	\$0	\$2,815,000	\$0	\$2,815,000
51	Sucker, razorback ( <i>Xyrauchen texanus</i> ) entire	E	\$0	\$322,000	\$322,000	\$0	\$322,000
11	Sucker, shortnose ( <i>Chasmistes brevirostris</i> )	E	\$2,815,000	\$0	\$2,815,000	\$0	\$2,815,000
78	Topminnow, Gila (incl. Yaqui) ( <i>Poeciliopsis occidentalis</i> ) U.S.A. only	E	\$99,000	\$0	\$99,000	\$0	\$99,000
12	Trout, bull ( <i>Salvelinus confluentus</i> ) U.S.A., conterminous, lower 48 states	T	\$0	\$814,683	\$814,683	\$2,000,000	\$2,814,683
90	Woundfin ( <i>Plagopterus argentissimus</i> ) except Gila R. drainage, AZ, NM	E	\$0	\$27,000	\$27,000	\$0	\$27,000
	<b>Fishes Subtotal</b>		\$6,052,500	\$39,745,402	\$45,797,902	\$5,000,000	\$50,797,902
	<b>Clams</b>						
87	Combshell, upland ( <i>Epioblasma metastrata</i> )	E	\$40,500	\$0	\$40,500	\$0	\$40,500
99	Fanshell ( <i>Cyprogenia stegaria</i> )	E	\$13,900	\$0	\$13,900	\$0	\$13,900
87	Kidneyshell, triangular ( <i>Ptychobranthus greenii</i> )	E	\$40,500	\$0	\$40,500	\$0	\$40,500
71	Pocketbook, fat ( <i>Potamilus capax</i> )	E	\$124,000	\$0	\$124,000	\$0	\$124,000
87	Pocketbook, finelined ( <i>Lampsilis altilis</i> )	T	\$40,500	\$0	\$40,500	\$0	\$40,500
69	Spinymussel, Tar River ( <i>Elliptio steinstansana</i> )	E	\$0	\$145,500	\$145,500	\$0	\$145,500
	<b>Clams Subtotal</b>		\$259,400	\$145,500	\$404,900	\$0	\$404,900
	<b>Snails</b>						
87	Lioplax, cylindrical (snail) ( <i>Lioplax cyclostomaformis</i> )	E	\$40,500	\$0	\$40,500	\$0	\$40,500
87	Rocksnailed, round ( <i>Leptoxis ampla</i> )	T	\$40,500	\$0	\$40,500	\$0	\$40,500
83	Snail, Stock Island tree ( <i>Orthalicus reses</i> (not incl. nesodryas))	T	\$58,300	\$0	\$58,300	\$0	\$58,300
	<b>Snails Subtotal</b>		\$139,300	\$0	\$139,300	\$0	\$139,300
	<b>Insects</b>						
48	Beetle, valley elderberry longhorn ( <i>Desmocerus californicus dimorphus</i> )	T	\$0	\$458,500	\$458,500	\$0	\$458,500
70	Butterfly, Mitchell's satyr ( <i>Neonympha</i> )	E	\$0	\$0	\$0	\$139,000	\$139,000

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>mitchellii mitchellii</i> )						
82	Butterfly, Quino checkerspot ( <i>Euphydryas editha quino</i> (=E. e. <i>wrighti</i> ))	E	\$62,900	\$0	\$62,900	\$0	\$62,900
74	Tiger beetle, Salt Creek ( <i>Cicindela nevadica lincolniiana</i> )	E	\$0	\$0	\$0	\$112,000	\$112,000
	Insects Subtotal		\$62,900	\$458,500	\$521,400	\$251,000	\$772,400
	<b>Crustaceans</b>						
82	Fairy shrimp, Riverside ( <i>Streptocephalus woottoni</i> )	E	\$62,900	\$0	\$62,900	\$0	\$62,900
82	Fairy shrimp, San Diego ( <i>Branchinecta sandiegonensis</i> )	E	\$62,900	\$0	\$62,900	\$0	\$62,900
18	Fairy shrimp, vernal pool ( <i>Branchinecta lynchi</i> )	T	\$0	\$1,960,000	\$1,960,000	\$0	\$1,960,000
	Crustaceans Subtotal		\$125,800	\$1,960,000	\$2,085,800	\$0	\$2,085,800
	<b>Flowering Plants</b>						
36	Bear-poppy, dwarf ( <i>Arctomecon humilis</i> )	E	\$0	\$667,000	\$667,000	\$0	\$667,000
84	Bedstraw, El Dorado ( <i>Galium californicum ssp. sierrae</i> )	E	\$0	\$53,000	\$53,000	\$0	\$53,000
91	Bush-clover, prairie ( <i>Lespedeza leptostachya</i> )	T	\$0	\$0	\$0	\$25,000	\$25,000
84	Butterweed, Layne's ( <i>Senecio layneae</i> )	T	\$0	\$53,000	\$53,000	\$0	\$53,000
82	Button-celery, San Diego ( <i>Eryngium aristulatum var. parishii</i> )	E	\$62,900	\$0	\$62,900	\$0	\$62,900
83	Cactus, Key tree ( <i>Pilosocereus robinii</i> )	E	\$58,300	\$0	\$58,300	\$0	\$58,300
84	Checker-mallow, Keck's ( <i>Sidalcea keckii</i> )	E	\$0	\$53,000	\$53,000	\$0	\$53,000
88	Checker-mallow, Nelson's ( <i>Sidalcea nelsoniana</i> )	T	\$40,000	\$0	\$40,000	\$0	\$40,000
99	Clover, running buffalo ( <i>Trifolium stoloniferum</i> )	E	\$13,900	\$0	\$13,900	\$0	\$13,900
99	Daisy, lakeside ( <i>Hymenoxys herbacea</i> )	T	\$13,900	\$0	\$13,900	\$0	\$13,900
88	Desert-parsley, Bradshaw's ( <i>Lomatium bradshawii</i> )	E	\$40,000	\$0	\$40,000	\$0	\$40,000
84	Flannelbush, Pine Hill ( <i>Fremontodendron californicum ssp. decumbens</i> )	E	\$0	\$53,000	\$53,000	\$0	\$53,000
98	Grass, Colusa ( <i>Neostapfia colusana</i> )	T	\$0	\$15,000	\$15,000	\$0	\$15,000
31	Howellia, water ( <i>Howellia aquatilis</i> )	T	\$0	\$0	\$0	\$1,000,000	\$1,000,000
76	Manioc, Walker's ( <i>Manihot walkerae</i> )	E	\$103,200	\$0	\$103,200	\$0	\$103,200
82	Mesa-mint, Otay ( <i>Pogogyne nudiuscula</i> )	E	\$62,900	\$0	\$62,900	\$0	\$62,900
82	Mesa-mint, San Diego ( <i>Pogogyne abramsii</i> )	E	\$62,900	\$0	\$62,900	\$0	\$62,900
36	Milk-vetch, Holmgren ( <i>Astragalus holmgreniorum</i> )	E	\$0	\$667,000	\$667,000	\$0	\$667,000
75	Monkshood, northern wild ( <i>Aconitum noveboracense</i> )	T	\$0	\$0	\$0	\$110,000	\$110,000
84	Morning-glory, Stebbins' ( <i>Calystegia stebbinsii</i> )	E	\$0	\$53,000	\$53,000	\$0	\$53,000
99	Orchid, eastern prairie fringed ( <i>Platanthera leucophaea</i> )	T	\$13,900	\$0	\$13,900	\$0	\$13,900

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
92	Orchid, western prairie fringed ( <i>Platanthera praeclara</i> )	T	\$21,000	\$0	\$21,000	\$0	\$21,000
82	Orcutt grass, California ( <i>Orcuttia californica</i> )	E	\$62,900	\$0	\$62,900	\$0	\$62,900
98	Orcutt grass, hairy ( <i>Orcuttia pilosa</i> )	E	\$0	\$15,000	\$15,000	\$0	\$15,000
31	Paintbrush, golden ( <i>Castilleja levisecta</i> )	T	\$0	\$0	\$0	\$1,000,000	\$1,000,000
100	Pawpaw, four-petal ( <i>Asimina tetramera</i> )	E	\$10,900	\$0	\$10,900	\$0	\$10,900
33	Pink, swamp ( <i>Helonias bullata</i> )	T	\$723,000	\$0	\$723,000	\$0	\$723,000
97	Pondberry ( <i>Lindera melissifolia</i> )	E	\$0	\$0	\$0	\$16,500	\$16,500
88	Potato-bean, Price's ( <i>Apios priceana</i> )	T	\$40,000	\$0	\$40,000	\$0	\$40,000
83	Spurge, Garber's ( <i>Chamaesyce garberi</i> )	T	\$58,300	\$0	\$58,300	\$0	\$58,300
78	Water-umbel, Huachuca ( <i>Lilaeopsis schaffneriana</i> var. <i>recurva</i> )	E	\$99,000	\$0	\$99,000	\$0	\$99,000
93	Wooly-threads, San Joaquin ( <i>Monolopia</i> (= <i>Lembertia</i> ) <i>congdonii</i> )	E	\$0	\$20,000	\$20,000	\$0	\$20,000
	<b>Flowering Plants Subtotal</b>		\$1,487,000	\$1,649,000	\$3,136,000	\$2,151,500	\$5,287,500
	<b>Total Land Expenditures for FY2007</b>		\$23,473,400	\$71,012,316	\$94,485,716	\$21,960,723	\$116,446,439
	<b>Other ESA Expenses</b>		\$17,000	\$2,840,560	\$2,857,560	\$6,800,000	\$9,657,560
	<b>Total Land/Other ESA Land Expenditures for FY2007</b>		\$23,473,400	\$73,852,876	\$97,326,276	\$28,760,723	\$126,086,999

**TABLE 4. FY 2007 EXPENDITURES REPORTED BY INDIVIDUAL  
FEDERAL AGENCIES AND THE STATES**

This table displays species expenditures and land acquisition costs by each reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species and "Other ESA Expenditures" are included. The table is split into five sections for comparison:

- 4A. Species and Land Expenditures, including Other ESA and Foreign Species
- 4B. Species and Land Expenditures, not including Other ESA and Foreign Species
- 4C. Other ESA Expenses, not including Foreign Species
- 4D. Foreign Species Expenditures
- 4E. Other ESA Expenses, including Foreign Species

**TABLE 4A. SPECIES AND LAND EXPENDITURES, INCLUDING OTHER ESA EXPENSES AND FOREIGN SPECIES, BY REPORTING AGENCY FOR FY 2007**

Agency	Species Total	Land Total	Cumulative Total
DHS Coast Guard	\$76,974,235	\$0	\$76,974,235
DOC National Oceanic and Atmospheric Administration	\$173,418,316	\$0	\$173,418,316
DOD Air Force	\$13,040,446	\$0	\$13,040,446
DOD Army	\$45,093,322	\$0	\$45,093,322
DOD Army Corps of Engineers	\$199,312,638	\$12,663,732	\$211,976,370
DOD Defense Logistics Agency	\$171,000	\$0	\$171,000
DOD Marine Corps	\$1,798,599	\$0	\$1,798,599
DOD Navy	\$5,834,214	\$0	\$5,834,214
DOE Bonneville Power Administration	\$523,620,865	\$9,602,460	\$533,223,325
DOE Southwestern Power Administration	\$57,143	\$0	\$57,143
DOE Western Area Power Administration	\$8,756,861	\$0	\$8,756,861
DOI Bureau of Indian Affairs	\$75,000	\$0	\$75,000
DOI Bureau of Land Management	\$21,323,434	\$12,019,128	\$33,342,562
DOI Bureau of Reclamation	\$99,159,100	\$21,020,000	\$120,179,100
DOI Minerals Management Service	\$3,042,600	\$0	\$3,042,600
DOI National Park Service	\$12,266,157	\$0	\$12,266,157
DOI US Geological Survey	\$14,057,797	\$0	\$14,057,797
DOT Federal Aviation Administration	\$217,500	\$0	\$217,500
DOT Federal Highway Administration	\$21,307,711	\$13,670,000	\$34,977,711
Environmental Protection Agency	\$4,467,600	\$0	\$4,467,600
Federal Energy Regulatory Commission	\$191,710	\$0	\$191,710
Nuclear Regulatory Commission	\$368,642	\$0	\$368,642
Smithsonian Institution	\$1,405,586	\$0	\$1,405,586
Tennessee Valley Authority	\$632,200	\$0	\$632,200
USDA Animal and Plant Health Inspection Service	\$10,634,822	\$0	\$10,634,822
USDA Forest Service	\$34,581,400	\$0	\$34,581,400
USDA Natural Resources Conservation Service	\$16,525,449	\$4,877,556	\$21,403,005
US Fish and Wildlife Service	\$182,406,407	\$23,473,400	\$205,879,807
<b>Federal Total</b>	<b>\$1,470,740,754</b>	<b>\$97,326,276</b>	<b>\$1,568,067,030</b>
<b>State Governments</b>	<b>\$66,542,337</b>	<b>\$28,760,723</b>	<b>\$95,303,060</b>
<b>Grand Total</b>	<b>\$1,537,283,091</b>	<b>\$126,086,999</b>	<b>\$1,663,370,090</b>

**TABLE 4B. SPECIES AND LAND EXPENDITURES, NOT INCLUDING OTHER ESA EXPENSES AND FOREIGN SPECIES, BY REPORTING AGENCY FOR FY 2007**

Agency	Species Total	Land Total	Cumulative Total
DHS Coast Guard	\$58,395,195	\$0	\$58,395,195
DOC National Oceanic and Atmospheric Administration	\$139,229,732	\$0	\$139,229,732
DOD Air Force	\$11,707,511	\$0	\$11,707,511
DOD Army	\$35,829,148	\$0	\$35,829,148
DOD Army Corps of Engineers	\$195,279,472	\$12,663,732	\$207,943,204
DOD Defense Logistics Agency	\$171,000	\$0	\$171,000
DOD Marine Corps	\$1,798,599	\$0	\$1,798,599
DOD Navy	\$5,834,214	\$0	\$5,834,214
DOE Bonneville Power Administration	\$120,320,865	\$9,602,460	\$129,923,325
DOE Southwestern Power Administration	\$37,343	\$0	\$37,343
DOE Western Area Power Administration	\$8,439,861	\$0	\$8,439,861
DOI Bureau of Indian Affairs	\$20,000	\$0	\$20,000
DOI Bureau of Land Management	\$17,190,472	\$9,178,568	\$26,369,040
DOI Bureau of Reclamation	\$92,683,600	\$21,020,000	\$113,703,600
DOI Minerals Management Service	\$2,868,400	\$0	\$2,868,400
DOI National Park Service	\$11,730,438	\$0	\$11,730,438
DOI US Geological Survey	\$11,700,497	\$0	\$11,700,497
DOT Federal Aviation Administration	\$217,500	\$0	\$217,500
DOT Federal Highway Administration	\$21,095,711	\$13,670,000	\$34,765,711
Environmental Protection Agency	\$1,973,700	\$0	\$1,973,700
Federal Energy Regulatory Commission	\$191,710	\$0	\$191,710
Nuclear Regulatory Commission	\$365,642	\$0	\$365,642
Smithsonian Institution	\$348,338	\$0	\$348,338
Tennessee Valley Authority	\$632,200	\$0	\$632,200
USDA Animal and Plant Health Inspection Service	\$6,063,937	\$0	\$6,063,937
USDA Forest Service	\$20,174,400	\$0	\$20,174,400
USDA Natural Resources Conservation Service	\$11,834,262	\$4,877,556	\$16,711,818
US Fish and Wildlife Service	\$146,807,562	\$23,473,400	\$170,280,962
State Governments	\$53,752,752	\$21,960,723	\$75,713,475
<b>Total</b>	<b>\$976,694,061</b>	<b>\$116,446,439</b>	<b>\$1,093,140,500</b>

**TABLE 4C. OTHER ESA EXPENSES, NOT INCLUDING FOREIGN SPECIES, BY REPORTING AGENCY FOR FY 2007**

Agency	Species Total	Land Total	Cumulative Total
DHS Coast Guard	\$18,579,040	\$0	\$18,579,040
DOC National Oceanic and Atmospheric Administration	\$34,188,584	\$0	\$34,188,584
DOD Air Force	\$1,332,935	\$0	\$1,332,935
DOD Army	\$9,264,174	\$0	\$9,264,174
DOD Army Corps of Engineers	\$4,033,166	\$0	\$4,033,166
DOE Bonneville Power Administration	\$403,300,000	\$0	\$403,300,000
DOE Southwestern Power Administration	\$19,800	\$0	\$19,800
DOE Western Area Power Administration	\$317,000	\$0	\$317,000
DOI Bureau of Indian Affairs	\$55,000	\$0	\$55,000
DOI Bureau of Land Management	\$4,132,962	\$2,840,560	\$6,973,522
DOI Bureau of Reclamation	\$6,475,500	\$0	\$6,475,500
DOI Minerals Management Service	\$174,200	\$0	\$174,200
DOI National Park Service	\$535,719	\$0	\$535,719
DOI US Geological Survey	\$2,357,000	\$0	\$2,357,000
DOT Federal Highway Administration	\$212,000	\$0	\$212,000
Environmental Protection Agency	\$2,493,900	\$0	\$2,493,900
Nuclear Regulatory Commission	\$3,000	\$0	\$3,000
Smithsonian Institution	\$12,347	\$0	\$12,347
USDA Animal and Plant Health Inspection Service	\$4,558,885	\$0	\$4,558,885
USDA Forest Service	\$14,407,000	\$0	\$14,407,000
USDA Natural Resources Conservation Service	\$4,691,187	\$0	\$4,691,187
US Fish and Wildlife Service	\$34,984,377	\$0	\$34,984,377
State Governments	\$12,789,585	\$6,800,000	\$19,589,585
<b>Total</b>	<b>\$558,917,361</b>	<b>\$9,640,560</b>	<b>\$568,557,921</b>

TABLE 4D. FOREIGN SPECIES BY REPORTING AGENCY FOR FY 2007

Agency	Species Total	Land Total	Cumulative Total
DOI US Geological Survey	\$300	\$0	\$300
Smithsonian Institution	\$1,044,901	\$0	\$1,044,901
USDA Animal and Plant Health Inspection Service	\$12,000	\$0	\$12,000
US Fish and Wildlife Service	\$614,468	\$0	\$614,468
State Governments	\$0	\$0	\$0
<b>Total</b>	<b>\$1,671,669</b>	<b>\$0</b>	<b>\$1,671,669</b>

TABLE 4E. OTHER ESA EXPENSES, INCLUDING FOREIGN SPECIES, BY REPORTING AGENCY FOR FY 2007

Agency	Species Total	Land Total	Cumulative Total
DHS Coast Guard	\$18,579,040	\$0	\$18,579,040
DOC National Oceanic and Atmospheric Administration	\$34,188,584	\$0	\$34,188,584
DOD Air Force	\$1,332,935	\$0	\$1,332,935
DOD Army	\$9,264,174	\$0	\$9,264,174
DOD Army Corps of Engineers	\$4,033,166	\$0	\$4,033,166
DOE Bonneville Power Administration	\$403,300,000	\$0	\$403,300,000
DOE Southwestern Power Administration	\$19,800	\$0	\$19,800
DOE Western Area Power Administration	\$317,000	\$0	\$317,000
DOI Bureau of Indian Affairs	\$55,000	\$0	\$55,000
DOI Bureau of Land Management	\$4,132,962	\$2,840,560	\$6,973,522
DOI Bureau of Reclamation	\$6,475,500	\$0	\$6,475,500
DOI Minerals Management Service	\$174,200	\$0	\$174,200
DOI National Park Service	\$535,719	\$0	\$535,719
DOI US Geological Survey	\$2,357,300	\$0	\$2,357,300
DOT Federal Highway Administration	\$212,000	\$0	\$212,000
Environmental Protection Agency	\$2,493,900	\$0	\$2,493,900
Nuclear Regulatory Commission	\$3,000	\$0	\$3,000
Smithsonian Institution	\$1,057,248	\$0	\$1,057,248
USDA Animal and Plant Health Inspection Service	\$4,570,885	\$0	\$4,570,885
USDA Forest Service	\$14,407,000	\$0	\$14,407,000
USDA Natural Resources Conservation Service	\$4,691,187	\$0	\$4,691,187
US Fish and Wildlife Service	\$35,598,845	\$0	\$35,598,845
State Governments	\$12,789,585	\$6,800,000	\$19,589,585
<b>Total</b>	<b>\$560,589,030</b>	<b>\$9,640,560</b>	<b>\$570,229,590</b>



## Appendix A. Supplemental Guidance for Reporting Expenditures for the Conservation of Endangered and Threatened Species for FY 2007

To provide Congress with a more accurate report on expenditures for the conservation of species listed under the Endangered Species Act, please report both expenditures reasonably attributable to individual species and provide a lump sum figure for expenditures that are reasonably identifiable as primarily for the benefit of listed species, but not readily attributable to an individual species (Other ESA Expenses).

Please note that Congress requested the information on a species-by-species basis to the extent this information is reasonably available. We request that you avoid combining all your expenditures under "Other ESA Expenses," as the agency-by-agency reports on expenditures for individual species are an integral part of this report.

**Each agency must enter the data directly into a Web-based system. You will need to designate someone to enter the data (more than one person is permissible), and that person(s) will need to obtain a password before entering the data. This is done by accessing the Environmental Conservation Online System at <https://ecos.fws.gov/ecos/login.do> and clicking on "Register for access here." Fill in the requested information, then request access to the "Expenditures" application at the bottom of the page. Please allow 2 to 3 working days for access approval. Then follow the tutorial for instructions.**

The information below should be used to gather the data.

### BACKGROUND:

- Section 18 of the Endangered Species Act of 1973 (16 U.S. 1531 *et seq.*) reads, in part, "...the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain--
  - (1) an accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered and threatened species pursuant to this Act; and
  - (2) an accounting on a species-by-species basis for all reasonably identifiable expenditures made primarily for the conservation of endangered and threatened species pursuant to this Act by States receiving grants under section 6."
- The Conference report for the 1988 amendments made some of the following points concerning the new section 18 of the Act:
  - Provision should not become unduly burdensome or result in diversion of funds from the operation of the program.
  - The Secretary of the Interior is to make a good faith effort to develop and obtain data but is not to undertake extensive or extraordinary measures.
  - Generalized dollar estimates will suffice.
  - Amendment does not apply to monitoring and survey costs for delisted, proposed, and candidate species.
  - Amendment is not to require new species-specific time sheets for the Service or other reporting agency.

- Listing, consultation, and law enforcement are to be included to the extent they are "reasonably identifiable."
- Only salary costs that can be reasonably identified as applicable to listed species need be reported.
- For other Federal and State agencies, a good faith effort to collect information is expected.
- Submission of data from any agency is not to be a precondition to receiving any contracts or grants or establishing other arrangements with the Fish and Wildlife Service.
- Only one data set per agency should be submitted for any given fiscal year.

#### DATA FORMAT:

- Species should be identified by the same scientific name as found in the most current list of species.
- Amounts above \$2,000 need to be reported only to nearest \$500 or \$1,000; smaller amounts may be rounded to the nearest \$100. Amounts should be reported in actual dollars.
- Expenditures that fit the criteria below, but are not readily attributable to a single species, should be listed at the end of the agency report as "Other ESA Expenses."

#### EXPENDITURES TO BE REPORTED:

- Only species on the Federal list of Endangered and Threatened Wildlife and Plants (50 CFR Part 17) at the end of the fiscal year (October 1, 2006 to September 30, 2007) are to be reported. Expenditures made prior to the actual listing date of a species, but still within the same year, may be reported (e.g., costs of public meetings, notices, surveys, initial recovery efforts). Funds expended for unlisted, separate populations of listed vertebrates cannot be included in the report (e.g., southeastern brown pelicans, Atlantic and Gulf coast least terns, Alaska bald eagles or gray wolves). Expenditures for State-listed species are not reportable unless they are also federally listed. Amounts for foreign species on the list (e.g., grants or contracts carried out in another country) are reportable in the same manner as domestic species, but again, to the extent they are reasonably identifiable. **In 2003, we added the Distinct Population Segments for all species that have them. In the past, only Evolutionarily Significant Units were identified for those species that had them. We will continue to request data by taxonomic entities as they appear on the Federal list of threatened and endangered species.**
- Only reasonably identifiable expenditures for listed species will be totaled in this report. Extraordinary accounting to track funds expended on listed species is not expected.
- All habitat acquisition costs are to be reported separately from all other identifiable expenditures. Such acquisitions must be primarily for the purpose of conserving federally listed species. As with other projects, those portions of habitat acquisition costs that are specifically for a listed species may be prorated out of the total acquisition costs when the other habitat is being acquired for other purposes (e.g., 25 acres of a 250-acre purchase will be set aside).

- Expenditures associated with consultations pursuant to section 7 of the Act should be reported as for the benefit of a specific species to the extent they are readily identifiable to that particular species. Thus, a formal consultation dealing with a single species, or up to several species where the relative costs are easily divisible, would be subject to reporting under that or those species, while consultation costs known to have occurred but not readily attributable to a given species would be included in the “Other ESA Expenses” category.
- Monitoring and survey costs should be reported when: (1) the cost of the monitoring or survey was during the period the species was under a proposed listing and the species was actually listed in the same fiscal year that the monitoring and surveys were conducted; (2) the monitoring or survey covered both candidates and listed species, and the costs can be prorated to include only the listed species; (3) the cost was readily identifiable to a single species (should be reported for that species); or (4) costs meeting the criteria in (1) and (2), but not readily identifiable to a single species should be reported in the “Other ESA Expenses” category.
- Salary and benefits of an employee working full-time on a single species or whose time is devoted to a particular species that can be readily identified should be reported for that species, while staff costs that are not assigned to work on particular species should be reported in the “Other ESA Expenses” category. Travel costs should be treated similarly.
- Any State or Federal project that incurs increased costs related directly to mitigation or other conservation efforts on behalf of federally listed species should report that added cost, either by species (if readily identifiable as such) or as “Other ESA Expenses.”
- All State agencies (e.g., parks, heritage program, forests, highways) may report their expenditures, but only a single report from each State should be submitted.
- Examples of reportable expenditures include status surveys, habitat management or acquisition, research, propagation (including surrogate species), recovery plan development or implementation, and mitigation. The project must primarily benefit listed species and not other conservation goals, although if a readily identifiable portion of the expenditure is for the benefit of listed species (either individually or collectively), that portion of the expenditure may be reported in the appropriate category.
- Expenditures in a single project devoted to a number of listed species should either be prorated by the agency or reported as “Other ESA Expenses.” General surveys or projects that cover a large number of species, some of which may not be listed, are reportable only to extent that the agency can reasonably identify the proportion of the costs that benefit listed species.

**Appendix B. Reports Provided by Other Federal Agencies  
Fiscal Year 2007**

Department of Agriculture:

- Animal and Plant Health Inspection Service
- Farm Service Agency\*
- Forest Service
- Natural Resources Conservation Service

Department of Commerce:

- National Oceanic and Atmospheric Administration

Department of Defense:

- Office of the Under Secretary  
(representing Air Force, Army, Defense Logistics Agency, Marine Corps and Navy)
- Army Corps of Engineers

Department of Energy:

- Bonneville Power Administration
- Southeastern Power Administration\*
- Southwestern Power Administration
- Western Area Power Administration

Department of Homeland Security

- Coast Guard
- Customs and Border Protection\*

Department of the Interior:

- Bureau of Indian Affairs
- Bureau of Land Management
- Bureau of Reclamation
- Minerals Management Service
- National Park Service
- Office of Surface Mining\*
- U.S. Geological Survey

Department of Transportation:

- Federal Aviation Administration
- Federal Highway Administration

Independent Agencies:

- Environmental Protection Agency
- Federal Communications Commission\*
- Federal Energy Regulatory Commission
- Nuclear Regulatory Commission
- Smithsonian Institution
- Tennessee Valley Authority

\* Indicates agencies reporting no expenditures for FY 2007

USDA Animal and Plant Health Inspection Service FY2007

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Bat, Mariana fruit (=Mariana flying fox) entire	<i>Pteropus mariannus mariannus</i>	\$69,953	\$0
Bear, grizzly lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$21,029	\$0
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$14,945	\$0
Deer, Columbian white-tailed Columbia River DPS	<i>Odocoileus virginianus leucurus</i>	\$19,909	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$18,232	\$0
Jaguar	<i>Panthera onca</i>	\$9,750	\$0
Lynx, Canada lower 48 States DPS	<i>Lynx canadensis</i>	\$17,725	\$0
Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>	\$6,108	\$0
Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	\$8,430	\$0
Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>	\$45,590	\$0
Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	\$15,816	\$0
Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	\$98,165	\$0
Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	\$19,800	\$0
Prairie dog, Utah	<i>Cynomys parvidens</i>	\$10,100	\$0
Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>	\$40,000	\$0
Rice rat, lower FL Keys	<i>Oryzomys palustris natator</i>	\$25,287	\$0
Sheep, bighorn, Peninsular CA pop.	<i>Ovis canadensis</i>	\$189,476	\$0
Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$6,025	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$80,631	\$0
Wolf, gray, MN	<i>Canis lupus</i>	\$550,981	\$0
Wolf, gray, WY, ID, MT	<i>Canis lupus</i>	\$861,641	\$0
Wolf, gray Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$370,531	\$0
Wolf, gray Western Great Lakes DPS	<i>Canis lupus</i>	\$540,944	\$0
Woodrat, Key Largo	<i>Neotoma floridana smalli</i>	\$36,787	\$0
<b>Mammals Total</b>		<b>\$3,077,855</b>	<b>\$0</b>
<b>Birds</b>			
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$188	\$0
Coot, Hawaiian	<i>Fulica americana alai</i>	\$23,409	\$0
Crow, Mariana (=aga)	<i>Corvus kubaryi</i>	\$200,000	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$63,333	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$16,976	\$0
Eider, Steller's, AK breeding pop.	<i>Polysticta stelleri</i>	\$18,684	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$8,000	\$0
Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	\$2,800	\$0
Hawk, Hawaiian (=lo)	<i>Buteo solitarius</i>	\$1,813	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$21,596	\$0
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$15,000	\$0

Plover, piping Great Lakes watershed	<i>Charadrius melodus</i>	\$47,439	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$47,439	\$0
Plover, western snowy Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$371,347	\$0
Rail, California clapper	<i>Rallus longirostris obsoletus</i>	\$116,485	\$0
Rail, Guam, except Rota	<i>Rallus owstoni</i>	\$200,000	\$0
Rail, light-footed clapper, U.S.A. only	<i>Rallus longirostris levipes</i>	\$36,346	\$0
Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	\$90,511	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$90,208	\$0
Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>	\$121,000	\$0
Tern, California least	<i>Sterna antillarum browni</i>	\$257,514	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$5,150	\$0
Tern, roseate northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$13,151	\$0
Tern, roseate Western Hemisphere except NE U.S.	<i>Sterna dougallii dougallii</i>	\$13,151	\$0
Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>	\$4,793	\$0
<b>Birds Total</b>		\$1,786,333	\$0
<b>Reptiles</b>			
Iguana, Cuban ground	<i>Cyclura nubila nubila</i>	\$12,000	\$0
Sea turtle, green FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$4,437	\$0
Sea turtle, green except where endangered	<i>Chelonia mydas</i>	\$4,437	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$7,154	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$9,154	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$12,954	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$68,152	\$0
Tortoise, desert outside/taken from Sonoran Desert	<i>Gopherus agassizii</i>	\$28,000	\$0
<b>Reptiles Total</b>		\$146,288	\$0
<b>Amphibians</b>			
Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	\$35,412	\$0
<b>Amphibians Total</b>		\$35,412	\$0
<b>Fishes</b>			
Dace, blackside	<i>Phoxinus cumberlandensis</i>	\$10,000	\$0
Darter, Okaloosa	<i>Etheostoma okaloosae</i>	\$6,434	\$0
Darter, watercress	<i>Etheostoma nuchale</i>	\$231	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$75,267	\$0
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$75,226	\$0
Salmon, chinook, spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$75,267	\$0
Salmon, sockeye, U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$225,800	\$0
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$75,470	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$75,266	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$75,267	\$0

Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$134	\$0
<b>Fishes Total</b>		\$694,362	\$0
<b>Clams</b>			
Bean, purple	<i>Villosa perpurpurea</i>	\$179	\$0
Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	\$21,343	\$0
Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>	\$179	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. <i>walkeri</i> )	\$179	\$0
<b>Clams Total</b>		\$21,880	\$0
<b>Insects</b>			
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$1,810	\$0
<b>Insects Total</b>		\$1,810	\$0
<b>Flowering Plants</b>			
Awiwi	<i>Centaurium sebaeoides</i>	\$159	\$0
Beargrass, Britton's	<i>Nolina brittoniana</i>	\$28,000	\$0
Beauty, Harper's	<i>Harperocallis flava</i>	\$21,500	\$0
Bonamia, Florida	<i>Bonamia grandiflora</i>	\$19,500	\$0
Chaff-flower, round-leaved	<i>Achyranthes splendens var. rotundata</i>	\$159	\$0
Ko`oloa`ula	<i>Abutilon menziesii</i>	\$159	\$0
Kulu`i	<i>Nototrichium humile</i>	\$159	\$0
Lead-plant, Crenulate	<i>Amorpha crenulata</i>	\$11,000	\$0
Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	\$159	\$0
Ma`oli`oli	<i>Schiedea kealiae</i>	\$159	\$0
Mint, scrub	<i>Dicerandra frutescens</i>	\$13,500	\$0
Naupaka, dwarf	<i>Scaevola coriacea</i>	\$159	\$0
No common name	<i>Calyptanthes thomasiana</i>	\$11,048	\$0
Ohai	<i>Sesbania tomentosa</i>	\$159	\$0
Panicgrass, Carter's	<i>Panicum fauriei var. carteri</i>	\$159	\$0
Pinkroot, gentian	<i>Spigelia gentianoides</i>	\$20,000	\$0
Plum, scrub	<i>Prunus geniculata</i>	\$15,000	\$0
Pu`uka`a	<i>Cyperus trachysanthos</i>	\$159	\$0
Rhododendron, Chapman	<i>Rhododendron chapmanii</i>	\$25,500	\$0
Rosemary, Apalachicola	<i>Conradina glabra</i>	\$24,000	\$0
Sandlace	<i>Polygonella myriophylla</i>	\$17,500	\$0
Snakeroot	<i>Eryngium cuneifolium</i>	\$23,000	\$0
Wireweed	<i>Polygonella basiramia</i>	\$30,000	\$0
`Akoko	<i>Chamaesyce celastroides var. kaenana</i>	\$159	\$0
<b>Flowering Plants Total</b>		\$261,297	\$0
<b>Conifers and Cycads</b>			
Torreya, Florida	<i>Torreya taxifolia</i>	\$16,700	\$0
<b>Conifers and Cycads Total</b>		\$16,700	\$0
<b>Lichens</b>			
Cladonia, Florida perforate	<i>Cladonia perforata</i>	\$34,000	\$0

<b>Lichens Total</b>		\$34,000	\$0
<b>Other ESA Expenses not including Foreign Species</b>		\$4,558,885	\$0
<b>Expenses from Foreign Species</b>		\$0	\$0
<b>Total Other ESA Expenses</b>		\$4,558,885	\$0
<b>All Species Total</b>		\$10,634,822	\$0



USDA Forest Service FY2007

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Bat, gray	<i>Myotis grisescens</i>	\$101,000	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$463,000	\$0
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuenae</i>	\$28,000	\$0
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$100	\$0
Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	\$15,000	\$0
Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	\$11,000	\$0
Bear, grizzly, lower 48 States, except where listed as an EXPN or delisted	<i>Ursus arctos horribilis</i>	\$765,000	\$0
Bear, grizzly, Yellowstone DPS	<i>Ursus arctos horribilis</i>	\$114,000	\$0
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$422,000	\$0
Caribou, woodland Selkirk Mountain population	<i>Rangifer tarandus caribou</i>	\$24,000	\$0
Jaguar	<i>Panthera onca</i>	\$16,000	\$0
Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>	\$22,000	\$0
Lynx, Canada lower 48 States DPS	<i>Lynx canadensis</i>	\$1,160,000	\$0
Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>	\$20,000	\$0
Mouse, Preble's meadow jumping, CO	<i>Zapus hudsonius preblei</i>	\$1,000	\$0
Prairie dog, Utah	<i>Cynomys parvidens</i>	\$19,000	\$0
Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	\$12,000	\$0
Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	\$94,000	\$0
Squirrel, Virginia northern flying	<i>Glaucomys sabrinus fuscus</i>	\$75,000	\$0
Wolf, gray WY, ID, MT	<i>Canis lupus</i>	\$227,000	\$0
Wolf, gray Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$25,000	\$0
<b>Mammals Total</b>		<b>\$3,614,100</b>	<b>\$0</b>
<b>Birds</b>			
Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>	\$5,000	\$0
Akiapola`au (honeycreeper)	<i>Hemignathus munroi</i>	\$5,000	\$0
Creeper, Hawaii	<i>Oreomystis mana</i>	\$5,000	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$177,000	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$92,000	\$0
Gnatcatcher, coastal California	<i>Poliottila californica californica</i>	\$31,000	\$0
Hawk, Hawaiian (=Io)	<i>Buteo solitarius</i>	\$5,000	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$494,000	\$0
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$523,000	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$855,000	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$3,088,000	\$0
Parrot, Puerto Rican	<i>Amazona vittata</i>	\$120,000	\$0
Rail, Yuma clapper, U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$100	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$3,000	\$0
Vireo, black-capped	<i>Vireo atricapilla</i>	\$10,000	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$21,000	\$0

Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	\$69,000	\$0
Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>	\$607,000	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$3,334,000	\$0
<b>Birds Total</b>		<b>\$9,444,100</b>	<b>\$0</b>
<b>Reptiles</b>			
Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	\$17,000	\$0
Skink, sand	<i>Neoseps reynoldsi</i>	\$132,000	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$150,000	\$0
Tortoise, gopher W of of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$603,000	\$0
<b>Reptiles Total</b>		<b>\$902,000</b>	<b>\$0</b>
<b>Amphibians</b>			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$19,000	\$0
Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$194,000	\$0
Frog, mountain yellow-legged southern California DPS	<i>Rana muscosa</i>	\$49,000	\$0
Salamander, Cheat Mountain	<i>Plethodon nettingi</i>	\$9,000	\$0
Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	\$45,000	\$0
Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>	\$4,000	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$50,000	\$0
<b>Amphibians Total</b>		<b>\$370,000</b>	<b>\$0</b>
<b>Fishes</b>			
Chub, bonytail, entire	<i>Gila elegans</i>	\$1,200	\$0
Chub, Gila	<i>Gila intermedia</i>	\$3,000	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$1,200	\$0
Chub, Sonora	<i>Gila ditaenia</i>	\$12,000	\$0
Chub, Yaqui	<i>Gila purpurea</i>	\$500	\$0
Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>	\$17,000	\$0
Darter, leopard	<i>Percina pantherina</i>	\$10,000	\$0
Logperch, Conasauga	<i>Percina jenkinsi</i>	\$4,000	\$0
Minnnow, loach	<i>Tiaroga cobitis</i>	\$9,000	\$0
Minnnow, Rio Grande silvery	<i>Hybognathus amarus</i>	\$7,000	\$0
Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS	<i>Salmo salar</i>	\$90,000	\$0
Salmon, chinook spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$23,000	\$0
Salmon, chinook Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$14,000	\$0
Salmon, chinook lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$5,000	\$0
Salmon, chinook spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$13,000	\$0
Salmon, chinook CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$114,000	\$0
Salmon, chinook CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$350,000	\$0
Salmon, coho OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$885,000	\$0

Salmon, coho Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$5,000	\$0
Salmon, sockeye U.S.A. (Ozette Lake, WA)	<i>Oncorhynchus (=Salmo) nerka</i>	\$2,000	\$0
Shiner, blue	<i>Cyprinella caerulea</i>	\$4,000	\$0
Spikedace	<i>Meda fulgida</i>	\$13,000	\$0
Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	\$1,700	\$0
Springfish, White River	<i>Crenichthys baileyi baileyi</i>	\$11,000	\$0
Steelhead Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$114,000	\$0
Steelhead Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$47,000	\$0
Steelhead lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$5,000	\$0
Steelhead upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$13,000	\$0
Steelhead upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$15,000	\$0
Steelhead middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$64,000	\$0
Steelhead northern CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$13,000	\$0
Sucker, Modoc	<i>Catostomus microps</i>	\$15,000	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$12,000	\$0
Sucker, Santa Ana 3 CA river basins	<i>Catostomus santaanae</i>	\$31,000	\$0
Topminnow, Gila (incl. Yaqui) U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$3,000	\$0
Trout, Apache	<i>Oncorhynchus apache</i>	\$12,000	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$2,125,000	\$0
Trout, Gila	<i>Oncorhynchus gilae</i>	\$68,000	\$0
Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	\$5,000	\$0
Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$293,000	\$0
Trout, Little Kern golden	<i>Oncorhynchus aguabonita whitei</i>	\$22,000	\$0
Trout, Paiute cutthroat	<i>Oncorhynchus clarki seleniris</i>	\$29,000	\$0
Fishes Total		\$4,481,600	\$0
Clams			
Clubshell, ovate	<i>Pleurobema perovatum</i>	\$10,000	\$0
Clubshell, southern	<i>Pleurobema decisum</i>	\$52,000	\$0
Fanshell	<i>Cyprogenia stegaria</i>	\$61,000	\$0
Heelsplitter, Carolina	<i>Lasmigona decorata</i>	\$11,000	\$0
Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	\$10,000	\$0
Mucket, orangenacre	<i>Lampsilis perovalis</i>	\$10,000	\$0
Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	\$207,000	\$0
Pigtoe, rough	<i>Pleurobema plenum</i>	\$61,000	\$0
Pigtoe, southern	<i>Pleurobema georgianum</i>	\$4,000	\$0
Pocketbook, finelined	<i>Lampsilis altilis</i>	\$4,000	\$0
Clams Total		\$430,000	\$0
Snails			
Shagreen, Magazine Mountain	<i>Mesodon magazinensis</i>	\$300	\$0

Snails Total		\$300	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$5,000	\$0
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$3,000	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$84,000	\$0
Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	\$28,000	\$0
Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (=E. e. <i>wrighti</i> )	\$6,000	\$0
Butterfly, Uncompahgre fritillary	<i>Boloria acrocne</i>	\$13,000	\$0
Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$5,000	\$0
Moth, Blackburn's sphinx	<i>Manduca blackburni</i>	\$5,000	\$0
Insects Total		\$149,000	\$0
Flowering Plants			
Avens, spreading	<i>Geum radiatum</i>	\$2,000	\$0
Beauty, Harper's	<i>Harperocalis flava</i>	\$15,000	\$0
Birch, Virginia round-leaf	<i>Betula uber</i>	\$500	\$0
Birds-in-a-nest, white	<i>Macbridea alba</i>	\$15,000	\$0
Bonamia, Florida	<i>Bonamia grandiflora</i>	\$30,000	\$0
Buckwheat, scrub	<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>	\$30,000	\$0
Butterwort, Godfrey's	<i>Pinguicula ionantha</i>	\$15,000	\$0
Cactus, Pima pineapple	<i>Coryphantha scheeri</i> var. <i>robustispina</i>	\$16,000	\$0
Catchfly, Spalding's	<i>Silene spaldingii</i>	\$5,000	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$23,000	\$0
Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana</i> var. <i>calva</i>	\$2,000	\$0
Clarkia, Springville	<i>Clarkia springvillensis</i>	\$21,000	\$0
Clover, running buffalo	<i>Trifolium stoloniferum</i>	\$24,000	\$0
Coneflower, smooth	<i>Echinacea laevigata</i>	\$30,000	\$0
Daisy, Maguire	<i>Erigeron maguirei</i>	\$1,100	\$0
Fritillary, Gentner's	<i>Fritillaria gentneri</i>	\$500	\$0
Gooseberry, Miccosukee	<i>Ribes echinellum</i>	\$15,000	\$0
Haha	<i>Cyanea shipmanii</i>	\$5,000	\$0
Hala pepe	<i>Pleomele hawaiiensis</i>	\$40,000	\$0
Harperella	<i>Ptilimnium nodosum</i>	\$1,400	\$0
Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>	\$5,000	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$5,000	\$0
Kauila	<i>Colubrina oppositifolia</i>	\$40,000	\$0
Kiponapona	<i>Phyllostegia racemosa</i>	\$5,000	\$0
Koki`o	<i>Kokia drynarioides</i>	\$40,000	\$0
Ko`oloa`ula	<i>Abutilon menziesii</i>	\$5,000	\$0
Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>	\$500	\$0
Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>	\$2,000	\$0
Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	\$5,000	\$0
No common name	<i>Bonamia menziesii</i>	\$5,000	\$0
Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$1,200	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$18,000	\$0
Orcutt grass, slender	<i>Orcuttia tenuis</i>	\$8,000	\$0

Penstemon, blowout	<i>Penstemon haydenii</i>	\$1,500	\$0
Phacelia, clay	<i>Phacelia argillacea</i>	\$6,000	\$0
Pink, swamp	<i>Helonias bullata</i>	\$6,000	\$0
Pitcher-plant, green	<i>Sarracenia oreophila</i>	\$6,000	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$21,000	\$0
Polygala, Lewton's	<i>Polygala lewtonii</i>	\$30,000	\$0
Pondberry	<i>Lindera melissifolia</i>	\$79,000	\$0
Poppy, Sacramento prickly	<i>Argemone pleiacantha ssp. pinnatisecta</i>	\$4,000	\$0
Potato-bean, Price's	<i>Apios priceana</i>	\$46,000	\$0
Primrose, Maguire	<i>Primula maguirei</i>	\$13,000	\$0
Rock-cress, McDonald's	<i>Arabis mcdonaldiana</i>	\$500	\$0
Skullcap, Florida	<i>Scutellaria floridana</i>	\$15,000	\$0
Stickseed, showy	<i>Hackelia venusta</i>	\$2,000	\$0
Taraxacum, California	<i>Taraxacum californicum</i>	\$16,000	\$0
Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$1,100	\$0
Thistle, Sacramento Mountains	<i>Cirsium vinaceum</i>	\$11,000	\$0
Townsendia, Last Chance	<i>Townsendia aprica</i>	\$10,000	\$0
Trillium, relict	<i>Trillium reliquum</i>	\$5,000	\$0
Uhiuhi	<i>Caesalpinia kavaense</i>	\$25,000	\$0
Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>	\$4,000	\$0
`Aiea	<i>Nothoestrum peltatum</i>	\$40,000	\$0
`Oha wai	<i>Clermontia lindseyana</i>	\$5,000	\$0
`Oha wai	<i>Clermontia pyrularia</i>	\$5,000	\$0
Flowering Plants Total		\$783,300	\$0
Other ESA Expenses not including Foreign Species		\$14,407,000	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$14,407,000	\$0
All Species Total		\$34,581,400	\$0

USDA Natural Resources Conservation Service FY2007

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Bat, gray	<i>Myotis grisescens</i>	\$35,100	\$0
Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	\$1,300	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$64,050	\$495
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	\$2,000	\$0
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$150	\$0
Bear, grizzly, lower 48 States, except where listed as an EXPN or delisted	<i>Ursus arctos horribilis</i>	\$1,200	\$0
Bear, grizzly experimental, non-essential, portions of ID and MT	<i>Ursus arctos horribilis</i>	\$12,000	\$0
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$844,200	\$837,000
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$1,100	\$0
Ferret, black-footed U.S.A. (specific portions of AZ, CO, MT, SD, UT, WY)	<i>Mustela nigripes</i>	\$200	\$0
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$0	\$792,477
Fox, Santa Catalina Island	<i>Urocyon littoralis catalinae</i>	\$280	\$0
Jaguar	<i>Panthera onca</i>	\$300	\$0
Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	\$100	\$0
Jaguarundi, Sinaloan	<i>Herpailurus (=Felis) yagouaroundi tolteca</i>	\$100	\$0
Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>	\$280	\$0
Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>	\$0	\$792,477
Lynx, Canada lower 48 States DPS	<i>Lynx canadensis</i>	\$266,400	\$0
Mouse, Preble's meadow jumping, CO	<i>Zapus hudsonius preblei</i>	\$500	\$0
Ocelot	<i>Leopardus (=Felis) pardalis</i>	\$2,600	\$0
Prairie dog, Utah	<i>Cynomys parvidens</i>	\$101,000	\$0
Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$300	\$0
Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	\$140	\$0
Sheep, Sierra Nevada bighorn Sierra Nevada	<i>Ovis canadensis sierrae</i>	\$140	\$0
Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	\$2,500	\$0
Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	\$100	\$0
Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$7,000	\$0
Vole, Amargosa	<i>Microtus californicus scirpensis</i>	\$8,200	\$0
Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>	\$100	\$0
Wolf, gray Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$500	\$0
<b>Mammals Total</b>		<b>\$1,351,840</b>	<b>\$2,422,449</b>
<b>Birds</b>			
Akiapola`au (honeycreeper)	<i>Hemignathus munroi</i>	\$1,300	\$0
Caracara, Audubon's crested, FL pop.	<i>Polyborus plancus audubonii</i>	\$39,509	\$0
Coot, Hawaiian	<i>Fulica americana alai</i>	\$55,560	\$0
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$9,758	\$0
Crane, whooping, U.S.A. (CO, ID, FL, NM, UT, and western half of WY)	<i>Grus americana</i>	\$6,100	\$17,300

Creepers, Hawaii	<i>Oreomystis mana</i>	\$1,300	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$83,560	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$538,197	\$103,912
Eider, Steller's, AK breeding pop.	<i>Polysticta stelleri</i>	\$6,000	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$85,450	\$0
Gnatcatcher, coastal California	<i>Poliophtila californica californica</i>	\$31,150	\$0
Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	\$44,600	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$5,000	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$54,660	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$1,100	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$300	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$5,900	\$88,000
Plover, western snowy Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$3,640	\$0
Rail, Yuma clapper, U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$450	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$37,660	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$596,252	\$197,323
Tern, California least	<i>Sterna antillarum browni</i>	\$3,640	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$13,500	\$88,000
Thrush, small Kauai (=puaiohi)	<i>Myadestes palmeri</i>	\$1,100	\$0
Vireo, black-capped	<i>Vireo atricapilla</i>	\$37,900	\$120,000
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$16,190	\$0
Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	\$60,000	\$250,000
Woodpecker, ivory-billed	<i>Campephilus principalis</i>	\$3,400	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$314,024	\$31,000
Birds Total		\$2,057,200	\$895,535
<b>Reptiles</b>			
Alligator, American	<i>Alligator mississippiensis</i>	\$0	\$100,000
Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	\$0	\$792,477
Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	\$150	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$50,000	\$0
Snake, Concho water	<i>Nerodia paucimaculata</i>	\$1,200	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$474,172	\$0
Snake, giant garter	<i>Thamnophis gigas</i>	\$0	\$294,653
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$14,480	\$0
Tortoise, gopher W of of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$54,600	\$0
Turtle, bog (=Muhlenberg), northern	<i>Clemmys muhlenbergii</i>	\$18,250	\$10,000
Turtle, bog (=Muhlenberg), southern	<i>Clemmys muhlenbergii</i>	\$12,150	\$0
Reptiles Total		\$625,002	\$1,197,130
<b>Amphibians</b>			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$31,985	\$0
Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$3,500	\$0
Salamander, California tiger U.S.A. (Central CA DPS)	<i>Ambystoma californiense</i>	\$1,400	\$0
Salamander, Santa Cruz long-toed	<i>Ambystoma macrodactylum croceum</i>	\$665	\$0

Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>	\$100	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$2,450	\$0
Toad, Houston	<i>Bufo houstonensis</i>	\$3,700	\$7,500
<b>Amphibians Total</b>		<b>\$43,800</b>	<b>\$7,500</b>
<b>Fishes</b>			
Catfish, Yaqui	<i>Ictalurus pricei</i>	\$100	\$0
Chub, bonytail, entire	<i>Gila elegans</i>	\$2,700	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$2,700	\$0
Chub, Sonora	<i>Gila ditaenia</i>	\$100	\$0
Chub, spotfin, entire	<i>Erimonax monachus</i>	\$200	\$0
Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	\$5,400	\$0
Chub, Yaqui	<i>Gila purpurea</i>	\$100	\$0
Dace, blackside	<i>Phoxinus cumberlandensis</i>	\$30,000	\$0
Darter, boulder	<i>Etheostoma wapiti</i>	\$100	\$0
Darter, leopard	<i>Percina pantherina</i>	\$21,700	\$0
Darter, slackwater	<i>Etheostoma boschungii</i>	\$3,000	\$0
Darter, snail	<i>Percina tanasi</i>	\$100	\$0
Minnow, loach	<i>Tiaroga cobitis</i>	\$500	\$0
Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	\$200	\$0
Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$2,900	\$0
Pupfish, desert	<i>Cyprinodon macularius</i>	\$500	\$0
Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS	<i>Salmo salar</i>	\$950,000	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$215,747	\$1,956
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$508,421	\$5,869
Salmon, chinook, winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,085	\$0
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,171,790	\$15,650
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$585,895	\$7,825
Salmon, chinook, spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$585,895	\$7,825
Salmon, chinook, CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$3,500	\$0
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$117,179	\$1,565
Salmon, chum, summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$175,768	\$2,347
Salmon, coho, central CA coast	<i>Oncorhynchus (=Salmo) kisutch</i>	\$105	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$38,530	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$292,947	\$3,912
Shiner, Arkansas River, Arkansas R. Basin	<i>Notropis girardi</i>	\$15,000	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$4,516	\$0
Smelt, delta	<i>Hypomesus transpacificus</i>	\$525	\$0
Spikedace	<i>Meda fulgida</i>	\$900	\$0
Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>	\$600	\$0
Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	\$0	\$47,107
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,100	\$0
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$565,211	\$2,934
Steelhead, central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$65,569	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$146,474	\$1,956
Steelhead, south central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,725	\$0



Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$585,895	\$7,825
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$512,658	\$6,846
Steelhead, northern CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$30,650	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$5,100	\$88,000
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$2,000	\$0
Sucker, Lost River	<i>Deltistes luxatus</i>	\$8,775	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$4,900	\$0
Sucker, shortnose	<i>Chasmistes brevirostris</i>	\$8,775	\$0
Topminnow, Gila (incl. Yaqui) U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$2,700	\$0
Trout, Apache	<i>Oncorhynchus apache</i>	\$2,000	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$800,195	\$7,825
Woundfin except Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$5,000	\$0
Fishes Total		\$7,491,430	\$209,442
Clams			
Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>	\$96	\$0
Bean, Cumberland (pearlymussel) Entire Range; Except where listed as EXPN	<i>Villosa trabalis</i>	\$200	\$0
Catspaw (=purple cat's paw pearlymussel) Entire Range; Except where listed as EXPN	<i>Epioblasma obliquata obliquata</i>	\$100	\$0
Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>	\$100	\$0
Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	\$96	\$0
Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	\$96	\$0
Monkeyface, Appalachian (pearlymussel)	<i>Quadrula sparsa</i>	\$100	\$0
Monkeyface, Cumberland (pearlymussel) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Quadrula intermedia</i>	\$300	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$500	\$0
Mussel, oyster, AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Epioblasma capsaeformis</i>	\$100	\$0
Pearlymussel, birdwing Entire Range; Except where listed as EXPN	<i>Conradilla caelata</i>	\$300	\$0
Pearlymussel, dromedary Entire Range; Except where listed as EXPN	<i>Dromus dromas</i>	\$100	\$0
Pigtoe, Cumberland	<i>Pleurobema gibberum</i>	\$100	\$0
Pigtoe, oval	<i>Pleurobema pyriforme</i>	\$96	\$0
Pigtoe, shiny Entire Range; Except where listed as EXPN	<i>Fusconaia cor</i>	\$100	\$0
Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	\$100	\$0
Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	\$11,300	\$0
Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	\$96	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri (=E. walkeri)</i>	\$100	\$0
Ring pink (mussel)	<i>Obovaria retusa</i>	\$6,500	\$0
Slabshell, Chipola	<i>Elliptio chipolaensis</i>	\$96	\$0
Spinymussel, Tar River	<i>Elliptio steinstansana</i>	\$0	\$145,500
Three-ridge, fat (mussel)	<i>Amblema neislerii</i>	\$96	\$0
Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>	\$100	\$0

Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$44,100	\$0
<b>Clams Total</b>		\$64,872	\$145,500
<b>Snails</b>			
Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$100	\$0
<b>Snails Total</b>		\$100	\$0
<b>Insects</b>			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$36,600	\$0
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$31,613	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$59,000	\$0
Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>	\$140	\$0
Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>	\$1,000	\$0
Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>	\$140	\$0
Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>	\$500	\$0
Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniana</i>	\$8,500	\$0
<b>Insects Total</b>		\$137,493	\$0
<b>Crustaceans</b>			
Crayfish, Nashville	<i>Orconectes shoupi</i>	\$700	\$0
<b>Crustaceans Total</b>		\$700	\$0
<b>Flowering Plants</b>			
Aupaka	<i>Isodendrion laurifolium</i>	\$2,000	\$0
Ayenia, Texas	<i>Ayenia limitaris</i>	\$200	\$0
Bird's-beak, salt marsh	<i>Cordylanthus maritimus ssp. maritimus</i>	\$3,640	\$0
Bladderpod, Spring Creek	<i>Lesquerella perforata</i>	\$700	\$0
Blue-star, Kearney's	<i>Amsonia kearneyana</i>	\$200	\$0
Bluegrass, Hawaiian	<i>Poa sandvicensis</i>	\$1,100	\$0
Bluegrass, Mann's	<i>Poa mannii</i>	\$1,100	\$0
Bluegrass, San Bernardino	<i>Poa atropurpurea</i>	\$140	\$0
Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>	\$140	\$0
Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus var. arizonicus</i>	\$200	\$0
Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	\$100	\$0
Cactus, Chisos Mountain hedgehog	<i>Echinocereus chisoensis var. chisoensis</i>	\$200	\$0
Cactus, Cochise pincushion	<i>Coryphantha robbinsorum</i>	\$100	\$0
Cactus, Nichol's Turk's head	<i>Echinocactus horizontalonius var. nicholii</i>	\$100	\$0
Cactus, Peebles Navajo	<i>Pediocactus peeblesianus peeblesianus</i>	\$100	\$0
Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>	\$3,000	\$0
Cactus, San Rafael	<i>Pediocactus despainii</i>	\$700	\$0
Cactus, Siler pincushion	<i>Pediocactus (=Echinocactus,=Utahia) sileri</i>	\$100	\$0
Cactus, Tobusch fishhook	<i>Ancistrocactus tobuschii</i>	\$2,700	\$0
Cactus, Winkler	<i>Pediocactus winkleri</i>	\$200	\$0
Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>	\$700	\$0
Checker-mallow, Kenwood Marsh	<i>Sidalcea oregana ssp. valida</i>	\$280	\$0
Cliff-rose, Arizona	<i>Purshia (=Cowanina) subintegra</i>	\$100	\$0
Cycladenia, Jones	<i>Cycladenia jonesii (=humilis)</i>	\$300	\$0

Daisy, Maguire	<i>Erigeron maguirei</i>	\$200	\$0
Ha`iwale	<i>Cyrtandra limahuliensis</i>	\$900	\$0
Heau	<i>Exocarpos luteolus</i>	\$1,100	\$0
Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>	\$100	\$0
Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>	\$300	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$5,000	\$0
Lo`ulu	<i>Pritchardia affinis</i>	\$1,300	\$0
Mehamehame	<i>Flueggea neowawraea</i>	\$900	\$0
Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	\$4,000	\$0
Milk-vetch, Sentry	<i>Astragalus cremnophylax var. cremnophylax</i>	\$100	\$0
Milkweed, Mead's	<i>Asclepias meadii</i>	\$6,135	\$0
Milkweed, Welsh's	<i>Asclepias welshii</i>	\$100	\$0
Mountain-mahogany, Catalina Island	<i>Cercocarpus traskiae</i>	\$140	\$0
Na`ena`e	<i>Dubautia latifolia</i>	\$1,100	\$0
No common name	<i>Chamaesyce halemanui</i>	\$1,100	\$0
No common name	<i>Delissea rhytidosperra</i>	\$900	\$0
No common name	<i>Phyllostegia wawrana</i>	\$1,100	\$0
No common name	<i>Poa siphonoglossa</i>	\$1,100	\$0
No common name	<i>Remya kauaiensis</i>	\$1,100	\$0
No common name	<i>Remya montgomeryi</i>	\$1,100	\$0
No common name	<i>Schiedea kauaiensis</i>	\$1,100	\$0
No common name	<i>Schiedea membranacea</i>	\$1,100	\$0
No common name	<i>Stenogyne campanulata</i>	\$1,100	\$0
No common name	<i>Xylosma crenatum</i>	\$1,100	\$0
Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$5,200	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$400	\$0
Penstemon, blowout	<i>Penstemon haydenii</i>	\$100	\$0
Poppy-mallow, Texas	<i>Callirhoe scabriuscula</i>	\$200	\$0
Potato-bean, Price's	<i>Apios priceana</i>	\$400	\$0
Reed-mustard, Barneby	<i>Schoenocrambe barnebyi</i>	\$200	\$0
Snowbells, Texas	<i>Styrax texanus</i>	\$300	\$0
Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	\$500	\$0
Townsendia, Last Chance	<i>Townsendia aprica</i>	\$700	\$0
Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>	\$250	\$0
`Aiakeakua, popolo	<i>Solanum sandwicense</i>	\$1,100	\$0
`Aiea	<i>Nothocestrum peltatum</i>	\$1,100	\$0
Flowering Plants Total		\$60,725	\$0
Ferns and Allies			
No common name	<i>Diplazium molokaiense</i>	\$1,100	\$0
Ferns and Allies Total		\$1,100	\$0
Other ESA Expenses not including Foreign Species		\$4,691,187	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$4,691,187	\$0
All Species Total		\$16,525,449	\$4,877,556

## DOC National Oceanic and Atmospheric Administration FY07

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Sea-lion, Steller, eastern pop.	<i>Eumetopias jubatus</i>	\$5,695,541	\$0
Sea-lion, Steller, western pop.	<i>Eumetopias jubatus</i>	\$5,695,541	\$0
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	\$2,637,000	\$0
Whale, bowhead	<i>Balaena mysticetus</i>	\$394,496	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$500,000	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$7,780,416	\$0
<b>Mammals Total</b>		<b>\$22,702,994</b>	<b>\$0</b>
<b>Birds</b>			
Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>	\$212,000	\$0
<b>Birds Total</b>		<b>\$212,000</b>	<b>\$0</b>
<b>Reptiles</b>			
Sea turtle, green, except where endangered	<i>Chelonia mydas</i>	\$2,150,210	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$537,552	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$1,612,644	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$5,375,512	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$3,225,302	\$0
Sea turtle, olive ridley, except where endangered	<i>Lepidochelys olivacea</i>	\$537,552	\$0
<b>Reptiles Total</b>		<b>\$13,438,772</b>	<b>\$0</b>
<b>Fishes</b>			
Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS	<i>Salmo salar</i>	\$5,850,000	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,783,501	\$0
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,783,501	\$0
Salmon, chinook, winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,684,877	\$0
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,509,422	\$0
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,509,422	\$0
Salmon, chinook, upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,180,676	\$0
Salmon, chinook, spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,509,422	\$0
Salmon, chinook, CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,684,877	\$0
Salmon, chinook, CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,684,877	\$0
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$4,509,422	\$0
Salmon, chum, summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$4,509,422	\$0
Salmon, coho, central CA coast	<i>Oncorhynchus (=Salmo) kisutch</i>	\$2,684,877	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$4,821,732	\$0
Salmon, coho, Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$4,509,422	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$2,783,501	\$0

Salmon, sockeye, U.S.A. (Ozette Lake, WA)	<i>Oncorhynchus (=Salmo) nerka</i>	\$4,509,422	\$0
Sawfish, smalltooth	<i>Pristis pectinata</i>	\$568,000	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,043,821	\$0
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,783,501	\$0
Steelhead, central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,684,877	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,509,422	\$0
Steelhead, south central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,684,877	\$0
Steelhead, southern CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,684,877	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,509,422	\$0
Steelhead, upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,180,676	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,509,422	\$0
Steelhead, northern CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,684,877	\$0
Steelhead, Puget Sound DPS	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,043,821	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$335,000	\$0
Sturgeon, North American green U.S.A. (CA) Southern Distinct Population Segment	<i>Acipenser medirostris</i>	\$175,000	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$175,000	\$0
<b>Fishes Total</b>		<b>\$102,080,966</b>	<b>\$0</b>
<b>Snails</b>			
Abalone, White North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	<i>Haliotis sorenseni</i>	\$300,000	\$0
<b>Snails Total</b>		<b>\$300,000</b>	<b>\$0</b>
<b>Flowering Plants</b>			
Seagrass, Johnson's	<i>Halophila johnsonii</i>	\$495,000	\$0
<b>Flowering Plants Total</b>		<b>\$495,000</b>	<b>\$0</b>
<b>Other ESA Expenses not including Foreign Species</b>		<b>\$34,188,584</b>	<b>\$0</b>
<b>Expenses from Foreign Species</b>		<b>\$0</b>	<b>\$0</b>
<b>Total Other ESA Expenses</b>		<b>\$34,188,584</b>	<b>\$0</b>
<b>All Species Total</b>		<b>\$173,418,316</b>	<b>\$0</b>

DOD Air Force FY07

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Bat, gray	<i>Myotis grisescens</i>	\$34,000	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$135,766	\$0
Bat, little Mariana fruit	<i>Pteropus tokudae</i>	\$170,000	\$0
Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>	\$11,501	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$70,000	\$0
Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	\$44,311	\$0
Mouse, Preble's meadow jumping, Colorado	<i>Zapus hudsonius preblei</i>	\$357,911	\$0
Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	\$10,000	\$0
Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>	\$44,311	\$0
Otter, southern sea south of Pt. Conception, CA	<i>Enhydra lutris nereis</i>	\$2,000	\$0
Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$913,907	\$0
<b>Mammals Total</b>		<b>\$1,793,707</b>	<b>\$0</b>
<b>Birds</b>			
Caracara, Audubon's crested, FL pop.	<i>Polyborus plancus audubonii</i>	\$500	\$0
Crane, whooping, U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	<i>Grus americana</i>	\$13,500	\$0
Crow, Mariana (=aga)	<i>Corvus kubaryi</i>	\$170,000	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$267,000	\$0
Eider, spectacled	<i>Somateria fischeri</i>	\$21,400	\$0
Eider, Steller's, AK breeding pop.	<i>Polysticta stelleri</i>	\$21,400	\$0
Falcon, northern aplomado Southwestern population	<i>Falco femoralis septentrionalis</i>	\$95,000	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$230,000	\$0
Gnatcatcher, coastal California	<i>Poliophtila californica californica</i>	\$30,000	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$818,000	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$1,253,000	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$2,000	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$43,000	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$583,000	\$0
Rail, Guam, except Rota	<i>Rallus owstoni</i>	\$60,000	\$0
Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	\$236,000	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$131,000	\$0
Tern, California least	<i>Sterna antillarum browni</i>	\$150,000	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$25,000	\$0
Tern, roseate, northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$10,000	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$2,085,700	\$0
<b>Birds Total</b>		<b>\$6,245,500</b>	<b>\$0</b>
<b>Reptiles</b>			
Sea turtle, green, FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$187,500	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$124,000	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$179,500	\$0

Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$153,500	\$0
Snake, giant garter	<i>Thamnophis gigas</i>	\$1,500	\$0
Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	\$250	\$0
Tortoise, desert, U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$1,313,000	\$0
Reptiles Total		\$1,959,250	\$0
<b>Amphibians</b>			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$19,000	\$0
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$44,000	\$0
Salamander, San Marcos	<i>Eurycea nana</i>	\$3,719	\$0
Salamander, Texas blind	<i>Typhlomolge rathbuni</i>	\$3,719	\$0
Amphibians Total		\$70,438	\$0
<b>Fishes</b>			
Darter, fountain	<i>Etheostoma fonticola</i>	\$3,719	\$0
Darter, Okaloosa	<i>Etheostoma okaloosae</i>	\$536,000	\$0
Gambusia, San Marcos	<i>Gambusia georgei</i>	\$3,719	\$0
Goby, tidewater, Entire	<i>Eucyclogobius newberryi</i>	\$2,500	\$0
Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>	\$25,000	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$258,000	\$0
Fishes Total		\$828,938	\$0
<b>Insects</b>			
Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>	\$3,719	\$0
Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>	\$3,719	\$0
Butterfly, El Segundo blue	<i>Euphilotes battoides allyni</i>	\$150,000	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$28,500	\$0
Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (=E. e. wrighti)	\$30,000	\$0
Insects Total		\$215,938	\$0
<b>Crustaceans</b>			
Amphipod, Peck's cave	<i>Stygobromus</i> (=Stygonectes) <i>pecki</i>	\$3,719	\$0
Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>	\$7,500	\$0
Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>	\$7,500	\$0
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$224,504	\$0
Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>	\$135,000	\$0
Crustaceans Total		\$378,223	\$0
<b>Flowering Plants</b>			
Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>	\$10,000	\$0
Butterfly plant, Colorado	<i>Gaura neomexicana</i> var. <i>coloradensis</i>	\$59,884	\$0
Goldfields, Contra Costa	<i>Lasthenia conjugens</i>	\$7,414	\$0
Grass, Colusa	<i>Neostapfia colusana</i>	\$3,000	\$0
Grass, Solano	<i>Tuctoria mucronata</i>	\$3,000	\$0
Layia, beach	<i>Layia carnosa</i>	\$3,500	\$0
Pigeon wings	<i>Clitoria fragrans</i>	\$30,500	\$0
Tarplant, Gaviota	<i>Deinandra increscens</i> ssp. <i>villosa</i>	\$30,000	\$0

Watercress, Gambel's	<i>Rorippa gambellii</i>	\$1,500	\$0
Wild-rice, Texas	<i>Zizania texana</i>	\$3,719	\$0
Wireweed	<i>Polygonella basiramia</i>	\$14,500	\$0
Yerba santa, Lompoc	<i>Eriodictyon capitatum</i>	\$3,500	\$0
Flowering Plants Total		\$170,517	\$0
Lichens			
Cladonia, Florida perforate	<i>Cladonia perforata</i>	\$45,000	\$0
Lichens Total		\$45,000	\$0
Other ESA Expenses not including Foreign Species		\$1,332,935	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$1,332,935	\$0
All Species Total		\$13,040,446	\$0



## DOD Army FY07

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Bat, gray	<i>Myotis grisescens</i>	\$451,255	\$0
Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	\$225,102	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$1,706,233	\$0
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	\$200,500	\$0
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$93,171	\$0
Kangaroo rat, giant	<i>Dipodomys ingens</i>	\$6,666	\$0
Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>	\$9,569	\$0
Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>	\$9,569	\$0
Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>	\$9,569	\$0
Mouse, Preble's meadow jumping Colorado	<i>Zapus hudsonius preblei</i>	\$2,245	\$0
Otter, southern sea, except where EXPN	<i>Enhydra lutris nereis</i>	\$9,099	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$1,500	\$0
Wolf, gray, MN	<i>Canis lupus</i>	\$80,700	\$0
<b>Mammals Total</b>		<b>\$2,805,178</b>	<b>\$0</b>
<b>Birds</b>			
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$25,000	\$0
Coot, Hawaiian	<i>Fulica americana alai</i>	\$3,000	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$5,000	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$2,368,597	\$0
Elepaio, Oahu	<i>Chasiempis sandwichensis ibidis</i>	\$188,845	\$0
Falcon, northern aplomado Southwestern population	<i>Falco femoralis septentrionalis</i>	\$239,300	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$306,202	\$0
Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	\$227,102	\$0
Hawk, Hawaiian (=lo)	<i>Buteo solitarius</i>	\$5,000	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$2,000	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$452,489	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$50,000	\$0
Palila (honeycreeper)	<i>Loxioides bailleui</i>	\$217,102	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$10,248	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$17,743	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$9,099	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$2,000	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$10,299	\$0
Tern, California least	<i>Sterna antillarum browni</i>	\$8,727	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$1,500	\$0
Vireo, black-capped	<i>Vireo atricapilla</i>	\$863,719	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$50,000	\$0
Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	\$833,000	\$0

Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$6,908,837	\$0
Birds Total		\$12,804,809	\$0
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$2,000	\$0
Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>	\$9,569	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$20,747	\$0
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$4,814,322	\$0
Tortoise, gopher W of of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$1,288,335	\$0
Reptiles Total		\$6,134,973	\$0
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$58,727	\$0
Salamander, California tiger U.S.A. (Central CA DPS)	<i>Ambystoma californiense</i>	\$52,968	\$0
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$40,997	\$0
Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>	\$25,000	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$125,000	\$0
Amphibians Total		\$302,692	\$0
Fishes			
Logperch, Roanoke	<i>Percina rex</i>	\$12,590	\$0
Minnow, loach	<i>Tiaroga cobitis</i>	\$10,000	\$0
Salmon, chinook, winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$10,928	\$0
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$75,000	\$0
Salmon, chinook, spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$13,199	\$0
Salmon, chinook CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$10,928	\$0
Salmon, chum, summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$50,000	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$93,000	\$0
Smelt, delta	<i>Hypomesus transpacificus</i>	\$10,928	\$0
Spikedace	<i>Meda fulgida</i>	\$10,000	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$10,928	\$0
Steelhead, central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$10,928	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$40,000	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$13,199	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$13,199	\$0
Sturgeon, North American green U.S.A. (CA) Southern DPS	<i>Acipenser medirostris</i>	\$10,928	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$30,000	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$6,392	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$53,199	\$0
Fishes Total		\$485,346	\$0
Snails			

Snails, Oahu tree	<i>Achatinella spp.</i>	\$698,101	\$0
Snails Total		\$698,101	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$150,500	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$102,000	\$0
Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	\$129,909	\$0
Ground beetle, [unnamed]	<i>Rhadine exilis</i>	\$100,000	\$0
Ground beetle, [unnamed]	<i>Rhadine infernalis</i>	\$100,000	\$0
Insects Total		\$582,409	\$0
Arachnids			
Meshweaver, Madla's Cave	<i>Cicurina madla</i>	\$150,000	\$0
Arachnids Total		\$150,000	\$0
Crustaceans			
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$137,968	\$0
Shrimp, Alabama cave	<i>Palaemonias alabamae</i>	\$27,232	\$0
Crustaceans Total		\$165,200	\$0
Flowering Plants			
Alani	<i>Melicope lydgatei</i>	\$42,438	\$0
Alani	<i>Melicope pallida</i>	\$10,000	\$0
Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$8,121	\$0
Amole, purple	<i>Chlorogalum purpureum</i>	\$125,000	\$0
Aupaka	<i>Isodendrion hosakae</i>	\$217,102	\$0
Aupaka	<i>Isodendrion laurifolium</i>	\$10,000	\$0
Aupaka	<i>Isodendrion longifolium</i>	\$42,438	\$0
A`e	<i>Zanthoxylum hawaiiense</i>	\$217,102	\$0
Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>	\$6,202	\$0
Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri var. kuenzleri</i>	\$100,000	\$0
Cactus, Sneed pincushion	<i>Coryphantha sneedii var. sneedii</i>	\$85,000	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$101,176	\$0
Clover, running buffalo	<i>Trifolium stoloniferum</i>	\$40,000	\$0
Coneflower, smooth	<i>Echinacea laevigata</i>	\$47,687	\$0
Daisy, Parish's	<i>Erigeron parishii</i>	\$3,171	\$0
Fiddleneck, large-flowered	<i>Amsinckia grandiflora</i>	\$8,727	\$0
Gilia, Monterey	<i>Gilia tenuiflora ssp. arenaria</i>	\$11,991	\$0
Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	\$2,000	\$0
Haha	<i>Cyanea acuminata</i>	\$84,876	\$0
Haha	<i>Cyanea grimesiana ssp. obatae</i>	\$188,845	\$0
Haha	<i>Cyanea humboldtiana</i>	\$42,438	\$0
Haha	<i>Cyanea koolauensis</i>	\$127,314	\$0
Haha	<i>Cyanea longiflora</i>	\$146,407	\$0
Haha	<i>Cyanea st.-johnii</i>	\$84,876	\$0
Haha	<i>Cyanea superba</i>	\$146,407	\$0
Ha`iwale	<i>Cyrtandra dentata</i>	\$188,845	\$0
Ha`iwale	<i>Cyrtandra subumbellata</i>	\$42,438	\$0
Ha`iwale	<i>Cyrtandra viridiflora</i>	\$84,876	\$0

Honohono	<i>Haplostachys haplostachya</i>	\$217,102	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$60,000	\$0
Kamakahala	<i>Labordia cyrtandrae</i>	\$42,438	\$0
Kamanomano	<i>Cenchrus agrimonoides</i>	\$188,845	\$0
Kauila	<i>Colubrina oppositifolia</i>	\$10,000	\$0
Kio`ele	<i>Hedyotis coriacea</i>	\$217,102	\$0
Kolea	<i>Myrsine juddii</i>	\$42,438	\$0
Kuahwi lauahi	<i>Plantago princeps</i>	\$188,845	\$0
Kulu`i	<i>Nototrichium humile</i>	\$146,407	\$0
Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	\$153,863	\$0
Lo`ulu	<i>Pritchardia kaalae</i>	\$146,407	\$0
Mahoe	<i>Alectryon macrococcus</i>	\$188,845	\$0
Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	\$146,407	\$0
Mehamehame	<i>Flueggea neowawraea</i>	\$188,845	\$0
Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>	\$87,960	\$0
Nanu	<i>Gardenia mannii</i>	\$127,314	\$0
Na`ena`e	<i>Dubautia herbstobatae</i>	\$146,407	\$0
Nehe	<i>Lipochaeta tenuifolia</i>	\$146,407	\$0
Nioi	<i>Eugenia koolauensis</i>	\$42,438	\$0
No common name	<i>Abutilon sandwicense</i>	\$42,438	\$0
No common name	<i>Alsinidendron obovatum</i>	\$146,407	\$0
No common name	<i>Alsinidendron trinerve</i>	\$42,438	\$0
No common name	<i>Cyanea (=Rollandia) crispa</i>	\$42,438	\$0
No common name	<i>Gouania vitifolia</i>	\$146,407	\$0
No common name	<i>Hedyotis degeneri</i>	\$146,407	\$0
No common name	<i>Hedyotis parvula</i>	\$146,407	\$0
No common name	<i>Hesperomannia arborescens</i>	\$84,876	\$0
No common name	<i>Hesperomannia arbuscula</i>	\$146,407	\$0
No common name	<i>Lipochaeta venosa</i>	\$217,102	\$0
No common name	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i>	\$42,438	\$0
No common name	<i>Lobelia niihauensis</i>	\$42,438	\$0
No common name	<i>Lobelia oahuensis</i>	\$84,876	\$0
No common name	<i>Mariscus pennatifolius</i>	\$10,000	\$0
No common name	<i>Neraudia angulata</i>	\$188,845	\$0
No common name	<i>Neraudia ovata</i>	\$217,102	\$0
No common name	<i>Phyllostegia hirsuta</i>	\$84,876	\$0
No common name	<i>Phyllostegia kaalaensis</i>	\$188,845	\$0
No common name	<i>Phyllostegia parviflora</i>	\$42,438	\$0
No common name	<i>Sanicula mariversa</i>	\$146,407	\$0
No common name	<i>Sanicula purpurea</i>	\$84,876	\$0
No common name	<i>Schiedea hookeri</i>	\$42,438	\$0
No common name	<i>Schiedea kaalae</i>	\$188,845	\$0
No common name	<i>Schiedea nuttallii</i>	\$188,845	\$0
No common name	<i>Silene hawaiiensis</i>	\$217,102	\$0
No common name	<i>Silene lanceolata</i>	\$217,102	\$0
No common name	<i>Spermolepis hawaiiensis</i>	\$217,102	\$0
No common name	<i>Stenogyne angustifolia</i> var. <i>angustifolia</i>	\$217,102	\$0

No common name	<i>Stenogyne kanehoana</i>	\$42,438	\$0
No common name	<i>Tetramolopium arenarium</i>	\$217,102	\$0
No common name	<i>Tetramolopium filiforme</i>	\$146,407	\$0
No common name	<i>Vigna o-wahuensis</i>	\$217,102	\$0
No common name	<i>Viola oahuensis</i>	\$84,876	\$0
Oha	<i>Delissea subcordata</i>	\$188,845	\$0
Opuhe	<i>Urera kaalae</i>	\$42,438	\$0
Pamakani	<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>	\$188,845	\$0
Pennyroyal, Todsens's	<i>Hedeoma todsenii</i>	\$27,700	\$0
Piperia, Yadon's	<i>Piperia yadonii</i>	\$11,000	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$50,000	\$0
Popolo ku mai	<i>Solanum incompletum</i>	\$217,102	\$0
Potato-bean, Price's	<i>Apios priceana</i>	\$137,000	\$0
Po`e	<i>Portulaca sclerocarpa</i>	\$217,102	\$0
Schiedea, Diamond Head	<i>Schiedea adamantis</i>	\$1,000	\$0
Skullcap, large-flowered	<i>Scutellaria montana</i>	\$29,465	\$0
Spineflower, Monterey	<i>Chorizanthe pungens</i> var. <i>pungens</i>	\$11,991	\$0
Spineflower, Robust (incl. Scotts Valley)	<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i> )	\$11,363	\$0
Sumac, Michaux's	<i>Rhus michauxii</i>	\$138,943	\$0
Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>	\$6,666	\$0
Sunburst, San Joaquin adobe	<i>Pseudobahia peirsonii</i>	\$6,666	\$0
Trillium, relict	<i>Trillium reliquum</i>	\$5,000	\$0
Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>	\$330,000	\$0
Wooly-threads, San Joaquin	<i>Monolopia (=Lembertia) congdonii</i>	\$6,666	\$0
`Aiakeakua, popolo	<i>Solanum sandwicense</i>	\$10,000	\$0
`Akoko	<i>Chamaesyce celastroides</i> var. <i>kaenana</i>	\$146,407	\$0
`Akoko	<i>Chamaesyce herbstii</i>	\$146,407	\$0
`Akoko	<i>Chamaesyce rockii</i>	\$84,876	\$0
`Anaunau	<i>Lepidium arbuscula</i>	\$42,438	\$0
`Ohe`ohe	<i>Tetraplasandra gymnocarpa</i>	\$127,314	\$0
Flowering Plants Total		\$11,179,710	\$0
Ferns and Allies			
No common name	<i>Asplenium fragile</i> var. <i>insulare</i>	\$217,102	\$0
No common name	<i>Diellia falcata</i>	\$42,438	\$0
No common name	<i>Pteris lidgatei</i>	\$84,876	\$0
Pauoa	<i>Ctenitis squamigera</i>	\$42,438	\$0
Quillwort, Louisiana	<i>Isoetes louisianensis</i>	\$91,438	\$0
Wawae`iole	<i>Lycopodium (=Phlegmariurus) nutans</i>	\$42,438	\$0
Ferns and Allies Total		\$520,730	\$0
Other ESA Expenses not including Foreign Species			
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$9,264,174	\$0
All Species Total		\$45,093,322	\$0

**DOD Defense Logistics Agency FY07**

<b>Common Name</b>	<b>Scientific Name</b>	<b>General Expenditures</b>	<b>Land Expenditures</b>
<b>Insects</b>			
<b>Butterfly, Palos Verdes blue</b>	<i>Glaucopsyche lygdamus palosverdesensis</i>	\$171,000	\$0
<b>Insects Total</b>		\$171,000	\$0
<b>Expenses from Foreign Species</b>		\$0	\$0
<b>Total Other ESA Expenses</b>		\$0	\$0
<b>All Species Total</b>		\$171,000	\$0

DOD Marine Corps FY07

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$50,000	\$0
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	\$556	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$2,227	\$0
<b>Mammals Total</b>		<b>\$52,783</b>	<b>\$0</b>
<b>Birds</b>			
Coot, Hawaiian	<i>Fulica americana alai</i>	\$16,650	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$16,650	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$3,409	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$13,126	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$16,650	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$1,700	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$21,688	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$690,002	\$0
<b>Birds Total</b>		<b>\$779,875</b>	<b>\$0</b>
<b>Reptiles</b>			
Sea turtle, green except where endangered	<i>Chelonia mydas</i>	\$3,341	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$106,674	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$1,000	\$0
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$542,253	\$0
<b>Reptiles Total</b>		<b>\$653,268</b>	<b>\$0</b>
<b>Amphibians</b>			
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$22,600	\$0
<b>Amphibians Total</b>		<b>\$22,600</b>	<b>\$0</b>
<b>Crustaceans</b>			
Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>	\$20,462	\$0
Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>	\$20,462	\$0
<b>Crustaceans Total</b>		<b>\$40,924</b>	<b>\$0</b>
<b>Flowering Plants</b>			
Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$12,242	\$0
Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>	\$75,000	\$0
Button-celery, San Diego	<i>Eryngium aristulatum var. parishii</i>	\$20,462	\$0
Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	\$30,514	\$0
Mesa-mint, San Diego	<i>Pogogyne abramsii</i>	\$20,462	\$0
Navarretia, spreading	<i>Navarretia fossalis</i>	\$20,462	\$0
Orcutt grass, California	<i>Orcuttia californica</i>	\$20,462	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$32,086	\$0
Pondberry	<i>Lindera melissifolia</i>	\$17,459	\$0
<b>Flowering Plants Total</b>		<b>\$249,149</b>	<b>\$0</b>

<b>Expenses from Foreign Species</b>		\$0	\$0
<b>Total Other ESA Expenses</b>		\$0	\$0
<b>All Species Total</b>		\$1,798,599	\$0



## DOD Navy FY07

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Bat, Mariana fruit (=Mariana flying fox) entire	<i>Pteropus mariannus mariannus</i>	\$3,248	\$0
Kangaroo rat, Fresno	<i>Dipodomys nitratoides exilis</i>	\$45,111	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$28,444	\$0
Whale, blue	<i>Balaenoptera musculus</i>	\$259,012	\$0
Whale, bowhead	<i>Balaena mysticetus</i>	\$101,263	\$0
Whale, finback	<i>Balaenoptera physalus</i>	\$101,443	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$359,450	\$0
Whale, killer Southern Resident DPS	<i>Orcinus orca</i>	\$101,454	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$416,782	\$0
Whale, Sei	<i>Balaenoptera borealis</i>	\$101,443	\$0
Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>	\$110,423	\$0
<b>Mammals Total</b>		<b>\$1,628,073</b>	<b>\$0</b>
<b>Birds</b>			
Coot, Hawaiian	<i>Fulica americana alai</i>	\$9,903	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$9,903	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$1,179	\$0
Elepaio, Oahu	<i>Chasiempis sandwichensis ibidis</i>	\$52,700	\$0
Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	\$9,316	\$0
Megapode, Micronesian	<i>Megapodius laperouse</i>	\$107,000	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$9,903	\$0
Moorhen, Mariana common	<i>Gallinula chloropus guami</i>	\$2,877	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$15,000	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$4,830	\$0
Plover, western snowy Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$314,103	\$0
Rail, light-footed clapper, U.S.A. only	<i>Rallus longirostris levipes</i>	\$60,991	\$0
Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>	\$2,388,542	\$0
Sparrow, San Clemente sage	<i>Amphispiza belli clementeae</i>	\$126,822	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$9,903	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$3,809	\$0
Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>	\$200,448	\$0
Tern, California least	<i>Sterna antillarum browni</i>	\$382,439	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$9,316	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$29,041	\$0
<b>Birds Total</b>		<b>\$3,748,025</b>	<b>\$0</b>
<b>Reptiles</b>			
Alligator, American	<i>Alligator mississippiensis</i>	\$3,809	\$0
Lizard, Island night	<i>Xantusia riversiana</i>	\$17,069	\$0
Sea turtle, green except where endangered	<i>Chelonia mydas</i>	\$6,686	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$6,686	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$3,809	\$0

Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$3,809	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$4,987	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$3,809	\$0
Tortoise, gopher W of of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$10,968	\$0
Reptiles Total		\$61,632	\$0
Flowering Plants			
Bird's-beak, salt marsh	<i>Cordylanthus maritimus ssp. maritimus</i>	\$40,633	\$0
Broom, San Clemente Island	<i>Lotus dendroideus ssp. traskiae</i>	\$37,954	\$0
Bush-mallow, San Clemente Island	<i>Malacothamnus clementinus</i>	\$37,954	\$0
Button-celery, San Diego	<i>Eryngium aristulatum var. parishii</i>	\$3,750	\$0
Gilia, Monterey	<i>Gilia tenuiflora ssp. arenaria</i>	\$3,960	\$0
Indian paintbrush, San Clemente Island	<i>Castilleja grisea</i>	\$37,954	\$0
Ko'oloa'ula	<i>Abutilon menziesii</i>	\$9,844	\$0
Larkspur, San Clemente Island	<i>Delphinium variegatum ssp. kinkiense</i>	\$37,954	\$0
Mesa-mint, San Diego	<i>Pogogyne abramsii</i>	\$3,750	\$0
Piperia, Yadon's	<i>Piperia yadonii</i>	\$3,960	\$0
Pu'uka'a	<i>Cyperus trachysanthos</i>	\$9,844	\$0
Rockcross, Santa Cruz Island	<i>Sibara filifolia</i>	\$37,954	\$0
Spineflower, Monterey	<i>Chorizanthe pungens var. pungens</i>	\$4,080	\$0
Spineflower, Orcutt's	<i>Chorizanthe orcuttiana</i>	\$88,939	\$0
Woodland-star, San Clemente Island	<i>Lithophragma maximum</i>	\$37,954	\$0
Flowering Plants Total		\$396,484	\$0
Expenses from Foreign Species			
		\$0	\$0
Total Other ESA Expenses			
		\$0	\$0
All Species Total			
		\$5,834,214	\$0

## DOD Army Corps of Engineers FY07

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Bat, gray	<i>Myotis grisescens</i>	\$139,641	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$165,930	\$0
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$1,000	\$0
Bear, American black County range of LA b.bear	<i>Ursus americanus</i>	\$200	\$0
Bear, grizzly lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$9,386	\$0
Bear, grizzly experimental, non-essential, portions of ID and MT	<i>Ursus arctos horribilis</i>	\$8,900	\$0
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$94,140	\$0
Caribou, woodland Selkirk Mountain population	<i>Rangifer tarandus caribou</i>	\$4,586	\$0
Deer, Columbian white-tailed Columbia River DPS	<i>Odocoileus virginianus leucurus</i>	\$2,236	\$0
Deer, key	<i>Odocoileus virginianus clavium</i>	\$4,823	\$0
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$4,000	\$0
Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	\$1,080	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$17,580	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$485,209	\$0
Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>	\$1,500	\$0
Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>	\$5,219	\$0
Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	\$9,269	\$0
Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	\$11,019	\$0
Mouse, Preble's meadow jumping, Colorado	<i>Zapus hudsonius preblei</i>	\$42,236	\$0
Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	\$1,500	\$0
Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	\$4,019	\$0
Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>	\$4,019	\$0
Ocelot	<i>Leopardus (=Felis) pardalis</i>	\$1,080	\$0
Otter, southern sea, except where EXPN	<i>Enhydra lutris nereis</i>	\$30,400	\$0
Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$346,749	\$0
Rabbit, pygmy, Columbia Basin DPS	<i>Brachylagus idahoensis</i>	\$7,736	\$0
Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	\$600	\$0
Sea-lion, Steller, eastern pop.	<i>Eumetopias jubatus</i>	\$79,653	\$0
Sea-lion, Steller, western pop.	<i>Eumetopias jubatus</i>	\$125,985	\$0
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	\$33,000	\$0
Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$3,962	\$0
Whale, blue	<i>Balaenoptera musculus</i>	\$4,340	\$0
Whale, bowhead	<i>Balaena mysticetus</i>	\$1,600	\$0
Whale, finback	<i>Balaenoptera physalus</i>	\$4,340	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$6,649	\$0
Whale, killer, Southern Resident DPS	<i>Orcinus orca</i>	\$87,412	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$260,979	\$0

Whale, Sei	<i>Balaenoptera borealis</i>	\$4,340	\$0
Whale, sperm	<i>Physeter catodon</i> (= <i>macrocephalus</i> )	\$4,240	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$1,450	\$0
Wolf, gray, Western Great Lakes DPS	<i>Canis lupus</i>	\$13,851	\$0
Wolf, red, except where EXPN	<i>Canis rufus</i>	\$200	\$0
Woodrat, Key Largo	<i>Neotoma floridana smalli</i>	\$804	\$0
Woodrat, riparian (=San Joaquin Valley)	<i>Neotoma fuscipes riparia</i>	\$600	\$0
Mammals Total		\$2,037,462	\$0
Birds			
Albatross, short-tailed	<i>Phoebastria</i> (=Diomedea) <i>albatrus</i>	\$3,236	\$0
Caracara, Audubon's crested, FL pop.	<i>Polyborus plancus audubonii</i>	\$47,842	\$0
Coot, Hawaiian	<i>Fulica americana alai</i>	\$8,500	\$0
Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	\$2,000	\$0
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$300,270	\$0
Crane, whooping, U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	<i>Grus americana</i>	\$1,000	\$0
Curlew, Eskimo	<i>Numenius borealis</i>	\$100	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$8,500	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$1,585,621	\$0
Eider, spectacled	<i>Somateria fischeri</i>	\$57,400	\$0
Eider, Steller's, AK breeding pop.	<i>Polysticta stelleri</i>	\$181,590	\$0
Elepaio, Oahu	<i>Chasiempis sandwichensis ibidis</i>	\$4,000	\$0
Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	\$3,100	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$780,523	\$1,283,732
Gnatcatcher, coastal California	<i>Poliptila californica californica</i>	\$37,000	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$28,627	\$0
Kite, Everglade snail, FL pop.	<i>Rostrhamus sociabilis plumbeus</i>	\$592,020	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$8,500	\$0
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$18,656	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$4,756	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$19,463	\$0
Plover, piping, Great Lakes watershed	<i>Charadrius melodus</i>	\$60,569	\$0
Plover, piping, except Great Lakes watershed	<i>Charadrius melodus</i>	\$10,264,035	\$96,000
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$54,587	\$0
Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	\$800	\$0
Rail, California clapper	<i>Rallus longirostris obsoletus</i>	\$1,500	\$0
Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	\$971,422	\$0
Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	\$6,431	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$8,500	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$254,392	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$10,829,303	\$96,000
Tern, roseate, northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$8,000	\$0
Vireo, black-capped	<i>Vireo atricapilla</i>	\$3,840	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$149,680	\$0
Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	\$65,652	\$0

Woodpecker, ivory-billed	<i>Campephilus principalis</i>	\$125,894	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$68,310	\$0
<b>Birds Total</b>		<b>\$26,565,619</b>	<b>\$1,475,732</b>
<b>Reptiles</b>			
Alligator, American	<i>Alligator mississippiensis</i>	\$3,564	\$0
Crocodile, American, FL pop.	<i>Crocodylus acutus</i>	\$8,139	\$0
Sea turtle, green, FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$117,054	\$0
Sea turtle, green, except where endangered	<i>Chelonia mydas</i>	\$381,756	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$220,715	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$617,048	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$211,682	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$1,307,802	\$0
Sea turtle, olive ridley, except where endangered	<i>Lepidochelys olivacea</i>	\$3,696	\$0
Sea turtle, olive ridley, Mexican nesting pop.	<i>Lepidochelys olivacea</i>	\$804	\$0
Skink, bluetail mole	<i>Eumeces egregius lividus</i>	\$1,608	\$0
Skink, sand	<i>Neoseps reynoldsi</i>	\$3,215	\$0
Snake, Concho water	<i>Nerodia paucimaculata</i>	\$1,820	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$167,371	\$0
Snake, giant garter	<i>Thamnophis gigas</i>	\$5,427	\$0
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$3,000	\$0
Tortoise, gopher W of of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$14,223	\$0
Turtle, Alabama red-belly	<i>Pseudemys alabamensis</i>	\$2,600	\$0
Turtle, bog (=Muhlenberg), northern	<i>Clemmys muhlenbergii</i>	\$99,830	\$0
Turtle, bog (=Muhlenberg), southern	<i>Clemmys muhlenbergii</i>	\$300	\$0
Turtle, yellow-blotched map	<i>Graptemys flavimaculata</i>	\$7,200	\$0
Watersnake, Lake Erie subspecies range clarified	<i>Nerodia sipedon insularum</i>	\$11,088	\$0
<b>Reptiles Total</b>		<b>\$3,189,942</b>	<b>\$0</b>
<b>Amphibians</b>			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$6,250	\$0
Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$5,366	\$0
Frog, Mississippi gopher Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	<i>Rana capito sevosa</i>	\$14,500	\$0
Guajon	<i>Eleutherodactylus cooki</i>	\$2,457	\$0
Salamander, Barton Springs	<i>Eurycea sosorum</i>	\$1,600	\$0
Salamander, California tiger U.S.A. (CA - Santa Barbara County)	<i>Ambystoma californiense</i>	\$3,000	\$0
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$6,323	\$0
Salamander, Red Hills	<i>Phaeognathus hubrichti</i>	\$1,500	\$0
Salamander, San Marcos	<i>Eurycea nana</i>	\$320	\$0
Salamander, Texas blind	<i>Typhlomolge rathbuni</i>	\$320	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$6,000	\$0
Toad, Houston	<i>Bufo houstonensis</i>	\$1,910	\$0
<b>Amphibians Total</b>		<b>\$49,546</b>	<b>\$0</b>

Fishes			
Chub, bonytail, entire	<i>Gila elegans</i>	\$3,000	\$0
Chub, Oregon	<i>Oregonichthys crameri</i>	\$39,485	\$0
Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	\$600	\$0
Cui-ui	<i>Chasmistes cujus</i>	\$35,600	\$0
Dace, blackside	<i>Phoxinus cumberlandensis</i>	\$100	\$0
Darter, bluemask (=jewel)	<i>Etheostoma sp.</i>	\$300	\$0
Darter, Cherokee	<i>Etheostoma scotti</i>	\$200	\$0
Darter, Etowah	<i>Etheostoma etowahae</i>	\$200	\$0
Darter, fountain	<i>Etheostoma fonticola</i>	\$1,820	\$0
Darter, goldline	<i>Percina aurolineata</i>	\$200	\$0
Darter, slackwater	<i>Etheostoma boschungii</i>	\$400	\$0
Darter, snail	<i>Percina tanasi</i>	\$1,270	\$0
Gambusia, San Marcos	<i>Gambusia georgei</i>	\$910	\$0
Logperch, Roanoke	<i>Percina rex</i>	\$348,013	\$0
Madtom, pygmy, U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.84(t)(1)(i))	<i>Noturus stanauli</i>	\$100	\$0
Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	\$173,528	\$0
Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$16,098	\$0
Pikeminnow (=squawfish), Colorado Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$600	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$15,422,239	\$0
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$15,426,332	\$0
Salmon, chinook, winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$109,500	\$0
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$14,521,254	\$0
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,557,471	\$0
Salmon, chinook, upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$397,619	\$0
Salmon, chinook, spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$12,760,533	\$0
Salmon, chinook CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$220,356	\$0
Salmon, chinook, CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$15,207	\$0
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$309,835	\$0
Salmon, chum, summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$4,990	\$0
Salmon, coho, central CA coast	<i>Oncorhynchus (=Salmo) kisutch</i>	\$764,189	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$691,248	\$0
Salmon, coho, Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$397,822	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$9,631,419	\$0
Salmon, sockeye U.S.A. (Ozette Lake, WA)	<i>Oncorhynchus (=Salmo) nerka</i>	\$2,236	\$0
Sawfish, smalltooth	<i>Pristis pectinata</i>	\$74,240	\$0
Shiner, Cape Fear	<i>Notropis mekistocholas</i>	\$650	\$0
Shiner, palezone	<i>Notropis albizonatus</i>	\$100	\$0

Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	\$9,366	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$9,900	\$0
Silverside, Waccamaw	<i>Menidia extensa</i>	\$120	\$0
Smelt, delta	<i>Hypomesus transpacificus</i>	\$119,737	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$282,474	\$0
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$11,529,252	\$0
Steelhead, central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$994,744	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,547,177	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$10,695,360	\$0
Steelhead, upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$326,738	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$8,830,478	\$0
Steelhead, Puget Sound DPS	<i>Oncorhynchus (=Salmo) mykiss</i>	\$301,247	\$0
Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>	\$4,000	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$321,499	\$0
Sturgeon, North American green U.S.A. (CA) Southern Distinct Population Segment	<i>Acipenser medirostris</i>	\$82,529	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$43,775,608	\$11,188,000
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$241,554	\$0
Sturgeon, white U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$465,715	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$16,698	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$4,035,202	\$0
Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	\$2,683	\$0
Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$50,962	\$0
Woundfin except Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$600	\$0
Fishes Total		\$158,573,307	\$11,188,000
Clams			
Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>	\$66,519	\$0
Bean, Cumberland (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Villosa trabalis</i>	\$800	\$0
Blossom, tubercled (pearlymussel), AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Epioblasma torulosa torulosa</i>	\$300	\$0
Blossom, yellow (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Epioblasma florentina florentina</i>	\$300	\$0
Catspaw (=purple cat's paw pearlymussel) Entire Range; Except where listed as EXPN	<i>Epioblasma obliquata obliquata</i>	\$400	\$0
Clubshell, Entire Range; Except where listed as EXPN	<i>Pleurobema clava</i>	\$2,270	\$0
Clubshell, southern	<i>Pleurobema decium</i>	\$1,700	\$0
Combshell, Cumberlandian, Entire Range; Except where listed as EXPN	<i>Epioblasma brevidens</i>	\$15,670	\$0
Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	\$6,500	\$0
Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	\$100	\$0
Fanshell	<i>Cyprogenia stegaria</i>	\$16,870	\$0
Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>	\$1,000	\$0
Heelsplitter, Carolina	<i>Lasmigona decorata</i>	\$6,000	\$0
Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	\$582,414	\$0
Kidneyshell, triangular	<i>Ptychobranhus greenii</i>	\$200	\$0

Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>	\$300	\$0
Mapleleaf, winged, Entire; except where listed as EXPN	<i>Quadrula fragosa</i>	\$61,450	\$0
Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	\$1,500	\$0
Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	\$4,019	\$0
Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	\$4,019	\$0
Monkeyface, Appalachian (pearlymussel)	<i>Quadrula sparsa</i>	\$100	\$0
Mucket, orangenacre	<i>Lampsilis perovalis</i>	\$1,500	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$57,045	\$0
Mussel, oyster, Entire Range; Except where listed as EXPN	<i>Epioblasma capsaeformis</i>	\$1,370	\$0
Mussel, scaleshell	<i>Leptodea leptodon</i>	\$40,175	\$0
Pearlymussel, cracking, Entire Range; Except where listed as EXPN	<i>Hemistena lata</i>	\$1,670	\$0
Pearlymussel, dromedary Entire Range; Except where listed as EXPN	<i>Dromus dromas</i>	\$1,670	\$0
Pearlymussel, littlewing	<i>Pegias fabula</i>	\$400	\$0
Pigtoe, heavy	<i>Pleurobema taitianum</i>	\$4,000	\$0
Pigtoe, oval	<i>Pleurobema pyriforme</i>	\$4,019	\$0
Pigtoe, rough	<i>Pleurobema plenum</i>	\$1,670	\$0
Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	\$200,870	\$0
Pocketbook, fat	<i>Potamilus capax</i>	\$95,317	\$0
Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	\$8,436	\$0
Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	\$4,019	\$0
Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>	\$15,200	\$0
Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	\$4,420	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)	\$400	\$0
Ring pink (mussel)	<i>Obovaria retusa</i>	\$28,870	\$0
Slabshell, Chipola	<i>Elliptio chipolaensis</i>	\$66,519	\$0
Spinymussel, James	<i>Pleurobema collina</i>	\$450	\$0
Spinymussel, Tar River	<i>Elliptio steinstansana</i>	\$580	\$0
Three-ridge, fat (mussel)	<i>Amblema neislerii</i>	\$66,519	\$0
Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>	\$1,670	\$0
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$9,000	\$0
<b>Clams Total</b>		<b>\$1,388,220</b>	<b>\$0</b>
<b>Snails</b>			
Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>	\$14,000	\$0
Limpet, Banbury Springs	<i>Lanx sp.</i>	\$642	\$0
Riversnail, Anthony's, Entire Range; Except where listed as EXPN	<i>Athearnia anthonyi</i>	\$1,270	\$0
Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	\$1,963	\$0
Snail, Snake River physa	<i>Physa natricina</i>	\$1,963	\$0
Snail, tulotoma	<i>Tulotoma magnifica</i>	\$3,000	\$0
Snail, Utah valvata	<i>Valvata utahensis</i>	\$13,171	\$0
Springsnail, Idaho	<i>Pyrgulopsis idahoensis</i>	\$9,149	\$0
<b>Snails Total</b>		<b>\$45,158</b>	<b>\$0</b>
<b>Insects</b>			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$19,544	\$0



Beetle, Coffin Cave mold	<i>Batrisodes texanus</i>	\$240	\$0
Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>	\$240	\$0
Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>	\$240	\$0
Beetle, Helotes mold	<i>Batrisodes venyivi</i>	\$240	\$0
Beetle, Kretschmarr Cave mold	<i>Texamaurops reddelli</i>	\$240	\$0
Beetle, Tooth Cave ground	<i>Rhadine persephone</i>	\$240	\$0
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$2,676,927	\$0
Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>	\$13,960	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$600	\$0
Butterfly, Lange's metalmark	<i>Apodemia mormo langei</i>	\$600	\$0
Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	\$2,836	\$0
Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>	\$804	\$0
Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$5,710	\$0
Ground beetle, [unnamed]	<i>Rhadine exilis</i>	\$80	\$0
Ground beetle, [unnamed]	<i>Rhadine infernalis</i>	\$80	\$0
Insects Total		\$2,722,581	\$0
<b>Arachnids</b>			
Harvestman, Bee Creek Cave	<i>Texella reddelli</i>	\$240	\$0
Harvestman, Bone Cave	<i>Texella reyesi</i>	\$240	\$0
Meshweaver, Braken Bat Cave	<i>Cicurina venii</i>	\$160	\$0
Meshweaver, Government Canyon Bat Cave	<i>Cicurina vespera</i>	\$160	\$0
Meshweaver, Madla's Cave	<i>Cicurina madla</i>	\$160	\$0
Meshweaver, Robber Baron Cave	<i>Cicurina baronia</i>	\$160	\$0
Pseudoscorpion, Tooth Cave	<i>Tartarocreagris texana</i>	\$160	\$0
Spider, Government Canyon Bat Cave	<i>Neoleptoneta microps</i>	\$160	\$0
Spider, Tooth Cave	<i>Leptoneta myopica</i>	\$160	\$0
Arachnids Total		\$1,600	\$0
<b>Crustaceans</b>			
Amphipod, Peck's cave	<i>Stygobromus (=Stygonectes) pecki</i>	\$160	\$0
Crayfish, Nashville	<i>Orconectes shoupi</i>	\$400	\$0
Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	\$3,000	\$0
Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>	\$1,200	\$0
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$18,000	\$0
Shrimp, California freshwater	<i>Syncaris pacifica</i>	\$14,263	\$0
Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>	\$1,000	\$0
Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>	\$18,000	\$0
Crustaceans Total		\$56,023	\$0
<b>Flowering Plants</b>			
Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$141,516	\$0
Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>	\$100	\$0
Amphianthus, little	<i>Amphianthus pusillus</i>	\$500	\$0
Aster, decurrent false	<i>Boltonia decurrens</i>	\$40,913	\$0
Awiwi	<i>Centaurium sebaeoides</i>	\$4,000	\$0
Ayenia, Texas	<i>Ayenia limitaris</i>	\$100	\$0

Bittercress, small-anthered	<i>Cardamine micranthera</i>	\$450	\$0
Bladderpod, Missouri	<i>Lesquerella filiformis</i>	\$4,000	\$0
Bladderpod, Spring Creek	<i>Lesquerella perforata</i>	\$400	\$0
Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	\$500	\$0
Cactus, black lace	<i>Echinocereus reichenbachii</i> var. <i>albertii</i>	\$1,500	\$0
Catchfly, Spalding's	<i>Silene spaldingii</i>	\$9,236	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$1,100	\$0
Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	\$3,551	\$0
Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana</i> var. <i>calva</i>	\$2,236	\$0
Coneflower, smooth	<i>Echinacea laevigata</i>	\$9,270	\$0
Daisy, Willamette	<i>Erigeron decumbens</i> var. <i>decumbens</i>	\$13,615	\$0
Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>	\$7,400	\$0
Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>	\$20,236	\$0
Evening-primrose, Antioch Dunes	<i>Oenothera deltooides</i> ssp. <i>howellii</i>	\$600	\$0
Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>	\$4,500	\$0
Goldenrod, Houghton's	<i>Solidago houghtonii</i>	\$10,850	\$0
Gourd, Okeechobee	<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>	\$100	\$0
Grass, Colusa	<i>Neostapfia colusana</i>	\$600	\$0
Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>	\$400	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$2,751	\$0
Iris, dwarf lake	<i>Iris lacustris</i>	\$6,630	\$0
Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>	\$2,620	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$9,236	\$0
Lead-plant, Crenulate	<i>Amorpha crenulata</i>	\$804	\$0
Lily, Western	<i>Lilium occidentale</i>	\$515	\$0
Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	\$1,285	\$0
Lupine, Kincaid's	<i>Lupinus sulphureus</i> (=oreganus) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i> )	\$27,241	\$0
Meadowfoam, Butte County	<i>Limnanthes floccosa</i> ssp. <i>californica</i>	\$3,000	\$0
Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>	\$1,285	\$0
Milkpea, Small's	<i>Galactia smallii</i>	\$804	\$0
Mint, Lakela's	<i>Dicerandra immaculata</i>	\$3,700	\$0
No common name	<i>Geocarpon minimum</i>	\$2,450	\$0
Ohai	<i>Sesbania tomentosa</i>	\$4,000	\$0
Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$600	\$0
Orcutt grass, Sacramento	<i>Orcuttia viscida</i>	\$1,200	\$0
Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>	\$600	\$0
Orcutt grass, slender	<i>Orcuttia tenuis</i>	\$1,200	\$0
Paintbrush, golden	<i>Castilleja levisecta</i>	\$3,251	\$0
Pawpaw, four-petal	<i>Asimina tetramera</i>	\$9,800	\$0
Pinkroot, gentian	<i>Spigelia gentianoides</i>	\$2,970	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$150	\$0
Polygala, tiny	<i>Polygala smallii</i>	\$804	\$0
Pondberry	<i>Lindera melissifolia</i>	\$242,258	\$0
Poppy-mallow, Texas	<i>Callirhoe scabriuscula</i>	\$80	\$0
Potato-bean, Price's	<i>Apios priceana</i>	\$400	\$0

Prairie-clover, leafy	<i>Dalea foliosa</i>	\$400	\$0
Rock-cress, Braun's	<i>Arabis perstellata</i>	\$400	\$0
Rosemary, Cumberland	<i>Conradina verticillata</i>	\$400	\$0
Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>	\$80	\$0
Sandwort, Marsh	<i>Arenaria paludicola</i>	\$2,236	\$0
Seagrass, Johnson's	<i>Halophila johnsonii</i>	\$19,081	\$0
Spiraea, Virginia	<i>Spiraea virginiana</i>	\$7,400	\$0
Spurge, deltoid	<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	\$804	\$0
Spurge, Garber's	<i>Chamaesyce garberi</i>	\$100	\$0
Stickseed, showy	<i>Hackelia venusta</i>	\$2,236	\$0
Sumac, Michaux's	<i>Rhus michauxii</i>	\$1,060	\$0
Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>	\$600	\$0
Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	\$700	\$0
Trillium, relict	<i>Trillium reliquum</i>	\$500	\$0
Wallflower, Contra Costa	<i>Erysimum capitatum</i> var. <i>angustatum</i>	\$600	\$0
Wild-rice, Texas	<i>Zizania texana</i>	\$910	\$0
Woolly-threads, San Joaquin	<i>Monolopia (=Lembertia) congdonii</i>	\$600	\$0
Flowering Plants Total		\$645,414	\$0
Conifers and Cycads			
Torreya, Florida	<i>Torreya taxifolia</i>	\$1,500	\$0
Conifers and Cycads Total		\$1,500	\$0
Ferns and Allies			
Fern, Aleutian shield	<i>Polystichum aleuticum</i>	\$500	\$0
Quillwort, Louisiana	<i>Isoetes louisianensis</i>	\$2,600	\$0
Ferns and Allies Total		\$3,100	\$0
Other ESA Expenses not including Foreign Species		\$4,033,166	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$4,033,166	\$0
All Species Total		\$199,312,638	\$12,663,732

## DOE Bonneville Power Administration FY07

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Fishes</b>			
Chub, Oregon	<i>Oregonichthys crameri</i>	\$137,895	\$0
Salmon, chinook fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$10,395,333	\$486,492
Salmon, chinook spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$16,548,829	\$799,457
Salmon, chinook lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$8,525,258	\$486,492
Salmon, chinook upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$5,031,264	\$497,666
Salmon, chinook spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$5,857,763	\$2,272,435
Salmon, chum Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$4,034,057	\$178,524
Salmon, coho Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$3,925,612	\$178,524
Salmon, sockeye, U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$6,359,479	\$685,158
Steelhead Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$9,052,654	\$188,650
Steelhead lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$5,129,883	\$458,806
Steelhead upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,196,481	\$537,618
Steelhead upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,808,831	\$178,524
Steelhead middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$16,016,871	\$1,847,256
Sturgeon, white U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$6,370,117	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$14,254,285	\$806,858
Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$1,676,253	\$0
<b>Fishes Total</b>		\$120,320,865	\$9,602,460
<b>Other ESA Expenses not including Foreign Species</b>		\$403,300,000	\$0
<b>Expenses from Foreign Species</b>		\$0	\$0
<b>Total Other ESA Expenses</b>		\$403,300,000	\$0
<b>All Species Total</b>		\$523,620,865	\$9,602,460

## DOE Southwestern Power Administration FY07

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Bat, gray	<i>Myotis grisescens</i>	\$1,416	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$354	\$0
Wolf, red, except where EXPN	<i>Canis rufus</i>	\$354	\$0
<b>Mammals Total</b>		\$2,124	\$0
<b>Birds</b>			
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$354	\$0
Curlew, Eskimo	<i>Numenius borealis</i>	\$708	\$0
Plover, piping, except Great Lakes watershed	<i>Charadrius melodus</i>	\$2,831	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$23,185	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$354	\$0
<b>Birds Total</b>		\$27,432	\$0
<b>Reptiles</b>			
Alligator, American	<i>Alligator mississippiensis</i>	\$354	\$0
<b>Reptiles Total</b>		\$354	\$0
<b>Fishes</b>			
Cavefish, Ozark	<i>Amblyopsis rosae</i>	\$354	\$0
Darter, leopard	<i>Percina pantherina</i>	\$354	\$0
Shiner, Arkansas River, Arkansas R. Basin	<i>Notropis girardi</i>	\$1,062	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$354	\$0
<b>Fishes Total</b>		\$2,124	\$0
<b>Clams</b>			
Mapleleaf, winged Entire; except where listed as EXPN	<i>Quadrula fragosa</i>	\$708	\$0
Mussel, scaleshell	<i>Leptodea leptodon</i>	\$708	\$0
Pocketbook, fat	<i>Potamilus capax</i>	\$354	\$0
Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	\$708	\$0
<b>Clams Total</b>		\$2,478	\$0
<b>Insects</b>			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$2,477	\$0
<b>Insects Total</b>		\$2,477	\$0
<b>Flowering Plants</b>			
Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$354	\$0
<b>Flowering Plants Total</b>		\$354	\$0
<b>Other ESA Expenses not including Foreign Species</b>		\$19,800	\$0
<b>Expenses from Foreign Species</b>		\$0	\$0
<b>Total Other ESA Expenses</b>		\$19,800	\$0
<b>All Species Total</b>		\$57,143	\$0

## DOE Western Area Power Administration FY07

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$500	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$70,000	\$0
<b>Mammals Total</b>		\$70,500	\$0
<b>Birds</b>			
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$2,450	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$4,500	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$27,100	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$33,902	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$33,902	\$0
<b>Birds Total</b>		\$101,854	\$0
<b>Reptiles</b>			
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$197,552	\$0
<b>Reptiles Total</b>		\$197,552	\$0
<b>Fishes</b>			
Chub, bonytail, entire	<i>Gila elegans</i>	\$494,000	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$2,725,000	\$0
Pikeminnow (=squawfish), Colorado Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$1,727,000	\$0
Salmon, chinook winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,000	\$0
Salmon, chinook CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,050	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$2,000	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,000	\$0
Sturgeon, North American green, U.S.A. (CA) Southern Distinct Population Segment	<i>Acipenser medirostris</i>	\$1,000	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$342,930	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$1,973,000	\$0
<b>Fishes Total</b>		\$7,267,980	\$0
<b>Snails</b>			
Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$33,000	\$0
<b>Snails Total</b>		\$33,000	\$0
<b>Insects</b>			
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$755,625	\$0
<b>Insects Total</b>		\$755,625	\$0
<b>Flowering Plants</b>			
Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>	\$1,300	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$7,000	\$0

<b>Meadowfoam, Butte County</b>	<i>Limnanthes floccosa ssp. californica</i>	\$50	\$0
<b>Milk-vetch, Osterhout</b>	<i>Astragalus osterhoutii</i>	\$5,000	\$0
<b>Flowering Plants Total</b>		\$13,350	\$0
<b>Other ESA Expenses not including Foreign Species</b>		\$317,000	\$0
<b>Expenses from Foreign Species</b>		\$0	\$0
<b>Total Other ESA Expenses</b>		\$317,000	\$0
<b>All Species Total</b>		\$8,756,861	\$0

## DHS Coast Guard FY07

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Manatee, West Indian	<i>Trichechus manatus</i>	\$509,232	\$0
Sea-lion, Steller, western pop.	<i>Eumetopias jubatus</i>	\$47,305,152	\$0
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	\$171,705	\$0
Whale, blue	<i>Balaenoptera musculus</i>	\$861	\$0
Whale, bowhead	<i>Balaena mysticetus</i>	\$81	\$0
Whale, finback	<i>Balaenoptera physalus</i>	\$1,955	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$2,970,349	\$0
Whale, killer, Southern Resident DPS	<i>Orcinus orca</i>	\$1,509	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$7,085,571	\$0
Whale, Sei	<i>Balaenoptera borealis</i>	\$81	\$0
Whale, sperm	<i>Physeter catodon</i> (= <i>macrocephalus</i> )	\$81	\$0
<b>Mammals Total</b>		<b>\$58,046,577</b>	<b>\$0</b>
<b>Birds</b>			
Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>	\$1,134	\$0
<b>Birds Total</b>		<b>\$1,134</b>	<b>\$0</b>
<b>Reptiles</b>			
Sea turtle, green FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$76	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$76	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$1,098	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$76	\$0
Sea turtle, olive ridley Mexican nesting pop.	<i>Lepidochelys olivacea</i>	\$14,503	\$0
<b>Reptiles Total</b>		<b>\$15,829</b>	<b>\$0</b>
<b>Fishes</b>			
Salmon, Chinook, CA coastal	<i>Oncorhynchus (=Salmo)</i> <i>tshawytscha</i>	\$66,331	\$0
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$66,331	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$66,331	\$0
Salmon, sockeye, U.S.A. (Ozette Lake, WA)	<i>Oncorhynchus (=Salmo) nerka</i>	\$66,331	\$0
Steelhead, northern CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$66,331	\$0
<b>Fishes Total</b>		<b>\$331,655</b>	<b>\$0</b>
<b>Other ESA Expenses not including Foreign Species</b>		<b>\$18,579,040</b>	<b>\$0</b>
<b>Expenses from Foreign Species</b>		<b>\$0</b>	<b>\$0</b>
<b>Total Other ESA Expenses</b>		<b>\$18,579,040</b>	<b>\$0</b>
<b>All Species Total</b>		<b>\$76,974,235</b>	<b>\$0</b>



DOI Bureau of Indian Affairs FY07

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Bear, grizzly, lower 48 States, except where listed as EXPN or delisted	<i>Ursus arctos horribilis</i>	\$5,000	\$0
Wolf, gray Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$5,000	\$0
<b>Mammals Total</b>		\$10,000	\$0
<b>Fishes</b>			
Salmon, chinook lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$10,000	\$0
<b>Fishes Total</b>		\$10,000	\$0
<b>Other ESA Expenses not including Foreign Species</b>		\$55,000	\$0
<b>Expenses from Foreign Species</b>		\$0	\$0
<b>Total Other ESA Expenses</b>		\$55,000	\$0
<b>All Species Total</b>		\$75,000	\$0

## DOI Bureau of Land Management FY07

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Bat, gray	<i>Myotis grisescens</i>	\$1,000	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$1,000	\$0
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuenae</i>	\$46,000	\$0
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$41,000	\$0
Bear, grizzly, Yellowstone DPS	<i>Ursus arctos horribilis</i>	\$167,570	\$0
Ferret, black-footed U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$412,470	\$0
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$65,000	\$0
Jaguar	<i>Panthera onca</i>	\$29,000	\$0
Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	\$3,000	\$0
Kangaroo rat, giant	<i>Dipodomys ingens</i>	\$55,000	\$0
Kangaroo rat, Morro Bay	<i>Dipodomys heermanni morroensis</i>	\$500	\$0
Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>	\$15,250	\$0
Kangaroo rat, Tipton	<i>Dipodomys nitratooides nitratooides</i>	\$30,000	\$0
Lynx, Canada lower 48 States DPS	<i>Lynx canadensis</i>	\$339,101	\$0
Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>	\$3,000	\$0
Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>	\$2,000	\$0
Mouse, Preble's meadow jumping Colorado	<i>Zapus hudsonius preblei</i>	\$34,700	\$0
Ocelot	<i>Leopardus (=Felis) pardalis</i>	\$3,000	\$0
Prairie dog, Utah	<i>Cynomys parvidens</i>	\$104,650	\$0
Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$21,000	\$0
Rabbit, pygmy Columbia Basin DPS	<i>Brachylagus idahoensis</i>	\$2,000	\$0
Sea-lion, Steller, eastern pop.	<i>Eumetopias jubatus</i>	\$1,000	\$0
Sheep, bighorn, Peninsular CA pop.	<i>Ovis canadensis</i>	\$14,000	\$0
Sheep, Sierra Nevada bighorn Sierra Nevada	<i>Ovis canadensis sierrae</i>	\$4,500	\$0
Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$18,500	\$0
Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>	\$7,000	\$0
Wolf, gray, WY, ID, MT	<i>Canis lupus</i>	\$98,675	\$0
Wolf, gray Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$21,500	\$0
<b>Mammals Total</b>		<b>\$1,541,416</b>	<b>\$0</b>
<b>Birds</b>			
Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	\$1,000	\$0
Caracara, Audubon's crested FL pop.	<i>Polyborus plancus audubonii</i>	\$500	\$0
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$38,000	\$0
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$10,400	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$682,021	\$0
Eider, spectacled	<i>Somateria fischeri</i>	\$20,500	\$0
Eider, Steller's, AK breeding pop.	<i>Polysticta stelleri</i>	\$38,500	\$0

Falcon, northern aplomado Southwestern population	<i>Falco femoralis septentrionalis</i>	\$685,800	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$662,328	\$3,000,000
Jay, Florida scrub	<i>Apelocoma coerulescens</i>	\$10,000	\$0
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$998,200	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$335,085	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$2,526,432	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$2,600	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$29,150	\$0
Plover, western snowy Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$397,100	\$0
Rail, Yuma clapper, U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$63,250	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$1,500	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$29,750	\$0
Towhee, Inyo California	<i>Pipilo crissalis eremophilus</i>	\$2,600	\$0
Vireo, black-capped	<i>Vireo atricapilla</i>	\$6,000	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$3,200	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$22,500	\$0
<b>Birds Total</b>		\$6,566,416	\$3,000,000
<b>Reptiles</b>			
Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	\$32,000	\$0
Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>	\$4,000	\$1,920,000
Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	\$2,000	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$2,000	\$0
Snake, giant garter	<i>Thamnophis gigas</i>	\$4,700	\$0
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$2,285,598	\$4,258,568
<b>Reptiles Total</b>		\$2,330,298	\$6,178,568
<b>Amphibians</b>			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$14,500	\$0
Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$65,100	\$0
Salamander, California tiger U.S.A. (Central CA DPS)	<i>Ambystoma californiense</i>	\$16,000	\$0
Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>	\$1,000	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$5,500	\$0
Toad, Wyoming	<i>Bufo baxteri (=hemiophrys)</i>	\$3,400	\$0
<b>Amphibians Total</b>		\$105,500	\$0
<b>Fishes</b>			
Catfish, Yaqui	<i>Ictalurus pricei</i>	\$1,000	\$0
Chub, bonytail, entire	<i>Gila elegans</i>	\$33,445	\$0
Chub, Borax Lake	<i>Gila boraxobius</i>	\$9,000	\$0
Chub, Gila	<i>Gila intermedia</i>	\$27,000	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$21,445	\$0
Chub, Hutton tui	<i>Gila bicolor ssp.</i>	\$6,000	\$0
Chub, Owens tui	<i>Gila bicolor snyderi</i>	\$1,500	\$0

Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	\$26,696	\$0
Chub, Yaqui	<i>Gila purpurea</i>	\$1,000	\$0
Dace, desert	<i>Eremichthys acros</i>	\$9,100	\$0
Dace, Foskett speckled	<i>Rhinichthys osculus ssp.</i>	\$9,000	\$0
Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>	\$7,500	\$0
Dace, Moapa	<i>Moapa coriacea</i>	\$7,360	\$0
Gambusia, Pecos	<i>Gambusia nobilis</i>	\$4,800	\$0
Minnow, loach	<i>Tiaroga cobitis</i>	\$42,000	\$0
Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$33,245	\$0
Poolfish, Pahrump	<i>Empetrichthys latos</i>	\$13,500	\$0
Pupfish, desert	<i>Cyprinodon macularius</i>	\$111,250	\$0
Pupfish, Owens	<i>Cyprinodon radiosus</i>	\$6,000	\$0
Salmon, chinook fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$45,500	\$0
Salmon, chinook spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$217,500	\$0
Salmon, chinook winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$5,000	\$0
Salmon, chinook lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$5,000	\$0
Salmon, chinook upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$22,800	\$0
Salmon, chinook spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$40,000	\$0
Salmon, chinook CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$5,500	\$0
Salmon, chinook, CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$122,000	\$0
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$500	\$0
Salmon, coho, central CA coast	<i>Oncorhynchus (=Salmo) kisutch</i>	\$2,200	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$695,868	\$0
Salmon, coho Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$63,000	\$0
Salmon, sockeye,U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$12,500	\$0
Shiner, Arkansas River Arkansas R. Basin	<i>Notropis girardi</i>	\$9,000	\$0
Shiner, beautiful	<i>Cyprinella formosa</i>	\$1,000	\$0
Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	\$4,800	\$0
Spikedace	<i>Meda fulgida</i>	\$42,000	\$0
Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>	\$19,300	\$0
Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	\$4,000	\$0
Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	\$3,400	\$0
Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	\$3,300	\$0
Springfish, White River	<i>Crenichthys baileyi baileyi</i>	\$400	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,500	\$0
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$58,500	\$0
Steelhead, central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$19,600	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$62,000	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$10,000	\$0
Steelhead, upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$351,000	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$109,000	\$0

Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$1,000	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$43,984	\$0
Sturgeon, white, U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$1,000	\$0
Sucker, June	<i>Chasmistes liorus</i>	\$6,000	\$0
Sucker, Lost River	<i>Deltistes luxatus</i>	\$5,400	\$0
Sucker, Modoc	<i>Catostomus microps</i>	\$1,000	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$36,445	\$0
Sucker, shortnose	<i>Chasmistes brevirostris</i>	\$13,000	\$0
Sucker, Warner	<i>Catostomus warnerensis</i>	\$74,530	\$0
Topminnow, Gila (incl. Yaqui) U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$29,000	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$512,816	\$0
Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	\$5,800	\$0
Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$1,194,600	\$0
Woundfin except Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$25,696	\$0
<b>Fishes Total</b>		<b>\$4,258,280</b>	<b>\$0</b>
<b>Clams</b>			
Acornshell, southern	<i>Epioblasma othcaloogensis</i>	\$1,000	\$0
Clubshell, Entire Range; Except where listed as EXPN	<i>Pleurobema clava</i>	\$1,000	\$0
Kidneyshell, triangular	<i>Ptychobranthus greenii</i>	\$1,000	\$0
Mucket, orangenacre	<i>Lampsilis perovalis</i>	\$1,000	\$0
Pigtoe, dark	<i>Pleurobema furvum</i>	\$1,000	\$0
Pigtoe, southern	<i>Pleurobema georgianum</i>	\$1,000	\$0
Pocketbook, finelined	<i>Lampsilis altilis</i>	\$1,000	\$0
<b>Clams Total</b>		<b>\$7,000</b>	<b>\$0</b>
<b>Snails</b>			
Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$1,500	\$0
Limpet, Banbury Springs	<i>Lanx sp.</i>	\$5,500	\$0
Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	\$19,900	\$0
Snail, Morro shoulderband (=Banded dune)	<i>Helminthoglypta walkeriana</i>	\$1,000	\$0
Snail, Pecos assiminea	<i>Assiminea pecos</i>	\$1,600	\$0
Snail, Snake River physa	<i>Physa natricina</i>	\$14,400	\$0
Snail, Utah valvata	<i>Valvata utahensis</i>	\$41,400	\$0
Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	\$4,000	\$0
Springsnail, Idaho	<i>Pyrgulopsis idahoensis</i>	\$18,000	\$0
Springsnail, Koster's	<i>Juturnia kosteri</i>	\$1,600	\$0
Springsnail, Roswell	<i>Pyrgulopsis roswellensis</i>	\$1,600	\$0
<b>Snails Total</b>		<b>\$110,500</b>	<b>\$0</b>
<b>Insects</b>			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$30,600	\$0
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$32,500	\$0
Butterfly, Behren's silverspot	<i>Speyeria zerene behrensii</i>	\$4,500	\$0
Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>	\$16,000	\$0

Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (=E. e. wrighti)	\$14,000	\$0
Butterfly, Uncompahgre fritillary	<i>Boloria acrocne</i>	\$7,915	\$0
Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>	\$20,000	\$0
Skipper, Carson wandering	<i>Pseudocopaeodes eunus obscurus</i>	\$95,500	\$0
Insects Total		\$221,015	\$0
Crustaceans			
Amphipod, Noel's	<i>Gammarus desperatus</i>	\$1,600	\$0
Crayfish, Shasta	<i>Pacifastacus fortis</i>	\$1,000	\$0
Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	\$200	\$0
Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>	\$3,200	\$0
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$7,100	\$0
Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>	\$3,900	\$0
Crustaceans Total		\$17,000	\$0
Flowering Plants			
Barberry, Nevin's	<i>Berberis nevinii</i>	\$500	\$0
Bear-poppy, dwarf	<i>Arctomecon humilis</i>	\$22,000	\$0
Beardtongue, Penland	<i>Penstemon penlandii</i>	\$5,000	\$0
Bedstraw, El Dorado	<i>Galium californicum ssp. sierrae</i>	\$10,000	\$0
Birds-in-a-nest, white	<i>Macbridea alba</i>	\$3,500	\$0
Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>	\$5,900	\$0
Bladderpod, kodachrome	<i>Lesquerella tumulosa</i>	\$13,000	\$0
Bladderpod, Zapata	<i>Lesquerella thamnophila</i>	\$3,000	\$0
Blue-star, Kearney's	<i>Amsonia kearneyana</i>	\$2,000	\$0
Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>	\$42,900	\$0
Butterweed, Layne's	<i>Senecio layneae</i>	\$6,000	\$0
Butterwort, Godfrey's	<i>Pinguicula ionantha</i>	\$3,500	\$0
Cactus, Bakersfield	<i>Opuntia treleasei</i>	\$500	\$0
Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	\$6,000	\$0
Cactus, Cochise pincushion	<i>Coryphantha robbinsorum</i>	\$1,000	\$0
Cactus, Knowlton	<i>Pediocactus knowltonii</i>	\$13,600	\$0
Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri var. kuenzleri</i>	\$22,900	\$0
Cactus, Lee pincushion	<i>Coryphantha sneedii var. leei</i>	\$2,500	\$0
Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>	\$16,100	\$0
Cactus, Nichol's Turk's head	<i>Echinocactus horizontalionius var. nicholii</i>	\$4,000	\$0
Cactus, Peebles Navajo	<i>Pediocactus peeblesianus peeblesianus</i>	\$2,000	\$0
Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>	\$5,000	\$0
Cactus, San Rafael	<i>Pediocactus despainii</i>	\$7,000	\$0
Cactus, Siler pincushion	<i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i>	\$18,500	\$0
Cactus, Sneed pincushion	<i>Coryphantha sneedii var. sneedii</i>	\$2,500	\$0
Cactus, Uinta Basin hookless	<i>Sclerocactus glaucus</i>	\$64,493	\$0
Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>	\$26,600	\$0
Catchfly, Spalding's	<i>Silene spaldingii</i>	\$87,200	\$0
Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>	\$8,000	\$0
Checker-mallow, Keck's	<i>Sidalcea keckii</i>	\$500	\$0
Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	\$1,500	\$0
Clarkia, Springville	<i>Clarkia springvillensis</i>	\$500	\$0
Cliff-rose, Arizona	<i>Purshia</i> (=Cowania) <i>subintegra</i>	\$4,000	\$0

Cycladenia, Jones	<i>Cycladenia jonesii</i> (=humilis)	\$7,800	\$0
Daisy, Maguire	<i>Erigeron maguirei</i>	\$4,100	\$0
Daisy, Willamette	<i>Erigeron decumbens</i> var. <i>decumbens</i>	\$36,500	\$0
Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>	\$18,500	\$0
Evening-primrose, San Benito	<i>Camissonia benitensis</i>	\$50,000	\$0
Flannelbush, Mexican	<i>Fremontodendron mexicanum</i>	\$15,000	\$0
Flannelbush, Pine Hill	<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>	\$3,000	\$0
Fleabane, Zuni	<i>Erigeron rhizomatus</i>	\$5,100	\$0
Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>	\$53,000	\$0
Fritillary, Gentner's	<i>Fritillaria gentneri</i>	\$312,669	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$23,000	\$0
Jewelflower, California	<i>Caulanthus californicus</i>	\$22,500	\$0
Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>	\$3,000	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$175,975	\$0
Layia, beach	<i>Layia carnosa</i>	\$66,000	\$0
Lily, Western	<i>Lilium occidentale</i>	\$9,000	\$0
Lomatium, Cook's	<i>Lomatium cookii</i>	\$65,582	\$0
Lupine, Kincaid's	<i>Lupinus sulphureus</i> (=oreganus) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i> )	\$164,000	\$0
Mallow, Kern	<i>Eremalche kernensis</i>	\$3,000	\$0
Manzanita, lone	<i>Arctostaphylos myrtifolia</i>	\$36,000	\$0
Manzanita, Morro	<i>Arctostaphylos morroensis</i>	\$500	\$0
Meadowfoam, large-flowered woolly	<i>Limnanthes floccosa</i> ssp. <i>grandiflora</i>	\$1,000	\$0
Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus</i> var. <i>coachellae</i>	\$4,000	\$0
Milk-vetch, Fish Slough	<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>	\$6,000	\$0
Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	\$19,000	\$0
Milk-vetch, Mancos	<i>Astragalus humillimus</i>	\$1,300	\$0
Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>	\$13,000	\$0
Milk-vetch, Peirson's	<i>Astragalus magdalenae</i> var. <i>peirsonii</i>	\$165,000	\$0
Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>	\$23,000	\$0
Milk-vetch, triple-ribbed	<i>Astragalus tricarinatus</i>	\$5,000	\$0
Milkweed, Welsh's	<i>Asclepias welshii</i>	\$34,000	\$0
Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>	\$7,000	\$0
Niterwort, Amargosa	<i>Nitrophila mohavensis</i>	\$1,800	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$6,400	\$0
Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>	\$1,000	\$0
Orcutt grass, slender	<i>Orcuttia tenuis</i>	\$1,500	\$0
Pennyroyal, Todsen's	<i>Hedeoma todsenii</i>	\$5,500	\$0
Penstemon, blowout	<i>Penstemon haydenii</i>	\$42,800	\$0
Phacelia, North Park	<i>Phacelia formosula</i>	\$5,000	\$0
Popcornflower, rough	<i>Plagiobothrys hirtus</i>	\$23,000	\$0
Poppy, Sacramento prickly	<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>	\$1,000	\$0
Reed-mustard, clay	<i>Schoenocrambe argillacea</i>	\$2,807	\$0
Reed-mustard, shrubby	<i>Schoenocrambe suffrutescens</i>	\$7,821	\$0
Rock-cress, McDonald's	<i>Arabis mcdonaldiana</i>	\$1,500	\$0
Skullcap, Florida	<i>Scutellaria floridana</i>	\$3,500	\$0
Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>	\$500	\$0
Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>	\$3,700	\$0

Townsendia, Last Chance	<i>Townsendia aprica</i>	\$16,200	\$0
Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>	\$5,800	\$0
Vervain, Red Hills	<i>Verbena californica</i>	\$800	\$0
Wallflower, Menzies'	<i>Erysimum menziesii</i>	\$63,000	\$0
Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>	\$5,000	\$0
Wild-buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>	\$5,400	\$0
Wild-buckwheat, gypsum	<i>Eriogonum gypsophilum</i>	\$100	\$0
Wire-lettuce, Malheur	<i>Stephanomeria malheurensis</i>	\$21,500	\$0
Wooly-threads, San Joaquin	<i>Monolopia (=Lembertia) congdonii</i>	\$23,000	\$0
Yellowhead, desert	<i>Yermo xanthocephalus</i>	\$20,200	\$0
<b>Flowering Plants Total</b>		<b>\$2,033,047</b>	<b>\$0</b>
<b>Other ESA Expenses not including Foreign Species</b>		<b>\$4,132,962</b>	<b>\$2,840,560</b>
<b>Expenses from Foreign Species</b>		<b>\$0</b>	<b>\$0</b>
<b>Total Other ESA Expenses</b>		<b>\$4,132,962</b>	<b>\$2,840,560</b>
<b>All Species Total</b>		<b>\$21,323,434</b>	<b>\$12,019,128</b>



## DOI Bureau of Reclamation FY07

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$278,000	\$100,000
Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	\$1,000	\$0
Kangaroo rat, Fresno	<i>Dipodomys nitratoides exilis</i>	\$0	\$20,000
Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>	\$250,000	\$76,000
Mouse, Preble's meadow jumping Colorado	<i>Zapus hudsonius preblei</i>	\$4,500	\$0
Ocelot	<i>Leopardus (=Felis) pardalis</i>	\$1,000	\$0
Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	\$240,000	\$300,000
Shrew, Buena Vista Lake ornate	<i>Sorex ornatus relictus</i>	\$0	\$71,000
Woodrat, riparian (=San Joaquin Valley)	<i>Neotoma fuscipes riparia</i>	\$0	\$200,000
<b>Mammals Total</b>		<b>\$774,500</b>	<b>\$767,000</b>
<b>Birds</b>			
Crane, whooping except where EXPN	<i>Grus americana</i>	\$488,000	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$195,000	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$7,390,500	\$1,963,500
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$494,500	\$0
Rail, Yuma clapper, U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$1,519,500	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$529,000	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$50,000	\$200,000
<b>Birds Total</b>		<b>\$10,666,500</b>	<b>\$2,163,500</b>
<b>Reptiles</b>			
Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	\$0	\$21,000
Snake, giant garter	<i>Thamnophis gigas</i>	\$886,500	\$0
Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>	\$30,000	\$0
<b>Reptiles Total</b>		<b>\$916,500</b>	<b>\$21,000</b>
<b>Amphibians</b>			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$60,000	\$0
Salamander, California tiger U.S.A. (Central CA DPS)	<i>Ambystoma californiense</i>	\$451,500	\$0
<b>Amphibians Total</b>		<b>\$511,500</b>	<b>\$0</b>
<b>Fishes</b>			
Chub, bonytail, entire	<i>Gila elegans</i>	\$3,167,000	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$2,579,000	\$0
Cui-ui	<i>Chasmistes cujus</i>	\$770,500	\$0
Gambusia, Pecos	<i>Gambusia nobilis</i>	\$4,000	\$16,500
Minnow, loach	<i>Tiaroga cobitis</i>	\$374,500	\$0
Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	\$8,025,000	\$3,131,000
Pikeminnow (=squawfish), CO except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$3,443,000	\$322,000

Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	\$4,000	\$16,500
Pupfish, desert	<i>Cyprinodon macularius</i>	\$4,000	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$217,000	\$1,022,000
Salmon, chinook spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,070,500	\$1,022,000
Salmon, chinook winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$3,697,000	\$255,000
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$56,000	\$0
Salmon, chinook upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$17,000	\$0
Salmon, chinook spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,573,000	\$1,022,000
Salmon, chinook CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$3,279,000	\$255,000
Salmon, chum summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$56,000	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$15,231,000	\$4,666,000
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$216,000	\$1,022,000
Shiner, Arkansas River Arkansas R. Basin	<i>Notropis girardi</i>	\$2,000	\$0
Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	\$466,000	\$600,000
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$2,000	\$0
Smelt, delta	<i>Hypomesus transpacificus</i>	\$6,334,000	\$0
Spikedace	<i>Meda fulgida</i>	\$374,500	\$0
Steelhead Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,860,000	\$255,000
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,173,000	\$1,022,000
Steelhead south central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$270,000	\$0
Steelhead southern CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$45,000	\$0
Steelhead upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,578,000	\$1,022,000
Steelhead upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$116,000	\$0
Steelhead middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,623,500	\$1,115,000
Sturgeon, North American green U.S.A. (CA) Southern Distinct Population Segment	<i>Acipenser medirostris</i>	\$47,000	\$512,500
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$928,000	\$0
Sucker, June	<i>Chasmistes liorus</i>	\$344,000	\$0
Sucker, Lost River	<i>Deltistes luxatus</i>	\$3,597,000	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$4,959,500	\$322,000
Sucker, shortnose	<i>Chasmistes brevirostris</i>	\$3,597,000	\$0
Topminnow, Gila (incl. Yaqui) U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$378,500	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$1,294,000	\$0
Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$292,000	\$0
Fishes Total		\$76,064,500	\$17,598,500
Clams			

Mussel, scaleshell	<i>Leptodea leptodon</i>	\$200	\$0
Clams Total		\$200	\$0
Snails			
Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$79,000	\$0
Snail, Snake River physa	<i>Physa natricina</i>	\$99,000	\$0
Snail, Utah valvata	<i>Valvata utahensis</i>	\$80,000	\$0
Snails Total		\$258,000	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$2,500	\$0
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$2,808,000	\$155,000
Butterfly, Lange's metalmark	<i>Apodemia mormo langei</i>	\$165,000	\$0
Insects Total		\$2,975,500	\$155,000
Crustaceans			
Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	\$15,000	\$0
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$71,000	\$0
Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>	\$64,000	\$0
Crustaceans Total		\$150,000	\$0
Flowering Plants			
Bedstraw, El Dorado	<i>Galium californicum ssp. sierrae</i>	\$9,000	\$53,000
Bird's beak, palmate-bracted	<i>Cordylanthus palmatus</i>	\$1,000	\$0
Bush-clover, prairie	<i>Lespedeza leptostachya</i>	\$200	\$0
Butterweed, Layne's	<i>Senecio layneae</i>	\$10,000	\$53,000
Cactus, Bakersfield	<i>Opuntia treleasei</i>	\$38,000	\$0
Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>	\$29,500	\$0
Cactus, Uinta Basin hookless	<i>Sclerocactus glaucus</i>	\$1,000	\$0
Checker-mallow, Keck's	<i>Sidalcea keckii</i>	\$9,000	\$53,000
Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	\$2,000	\$0
Daisy, Willamette	<i>Erigeron decumbens var. decumbens</i>	\$2,000	\$0
Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>	\$2,000	\$0
Flannelbush, Pine Hill	<i>Fremontodendron californicum ssp. decumbens</i>	\$9,000	\$53,000
Grass, Colusa	<i>Neostapfia colusana</i>	\$25,000	\$15,000
Howellia, water	<i>Howellia aquatilis</i>	\$2,000	\$0
Jewelflower, Metcalf Canyon	<i>Streptanthus albidus ssp. albidus</i>	\$75,000	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$29,500	\$0
Lupine, Kincaid's	<i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i>	\$2,000	\$0
Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>	\$9,000	\$53,000
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$200	\$0
Orcutt grass, hairy	<i>Orcuttia pilosa</i>	\$45,500	\$15,000
Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>	\$20,500	\$0
Owl's-clover, fleshy	<i>Castilleja campestris ssp. succulenta</i>	\$20,500	\$0
Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>	\$20,500	\$0
Wild-buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>	\$4,000	\$0
Wooly-threads, San Joaquin	<i>Monolopia (=Lembertia) congdonii</i>	\$0	\$20,000

<b>Flowering Plants Total</b>		\$366,400	\$315,000
<b>Other ESA Expenses not including Foreign Species</b>		\$6,475,500	\$0
<b>Expenses from Foreign Species</b>		\$0	\$0
<b>Total Other ESA Expenses</b>		\$6,475,500	\$0
<b>All Species Total</b>		\$99,159,100	\$21,020,000

DOI Minerals Management Service FY07

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Whale, bowhead	<i>Balaena mysticetus</i>	\$1,668,400	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$200,000	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$1,000,000	\$0
<b>Mammals Total</b>		\$2,868,400	\$0
<b>Other ESA Expenses not including Foreign Species</b>		\$174,200	\$0
<b>Expenses from Foreign Species</b>		\$0	\$0
<b>Total Other ESA Expenses</b>		\$174,200	\$0
<b>All Species Total</b>		\$3,042,600	\$0

DOI National Park Service FY2007

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Bat, gray	<i>Myotis grisescens</i>	\$21,428	\$0
Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	\$3,000	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$66,749	\$0
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	\$5,000	\$0
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$200	\$0
Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	\$3,000	\$0
Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	\$7,000	\$0
Bear, grizzly, lower 48 States, except where listed as EXPN or delisted	<i>Ursus arctos horribilis</i>	\$795,000	\$0
Bear, grizzly experimental, non-essential, portions of ID and MT	<i>Ursus arctos horribilis</i>	\$832,800	\$0
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$3,075	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$112,100	\$0
Ferret, black-footed, U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$60,000	\$0
Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>	\$320,000	\$0
Fox, Santa Cruz Island	<i>Urocyon littoralis santacruzae</i>	\$320,000	\$0
Fox, Santa Rosa Island	<i>Urocyon littoralis santarosae</i>	\$15,000	\$0
Lynx, Canada lower 48 States DPS	<i>Lynx canadensis</i>	\$197,650	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$28,482	\$0
Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>	\$400	\$0
Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	\$7,000	\$0
Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	\$8,433	\$0
Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$333,650	\$0
Prairie dog, Utah	<i>Cynomys parvidens</i>	\$20,000	\$0
Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$62,000	\$0
Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>	\$2,517	\$0
Sea-lion, Steller, western pop.	<i>Eumetopias jubatus</i>	\$6,000	\$0
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	\$7,100	\$0
Sheep, Sierra Nevada bighorn Sierra Nevada	<i>Ovis canadensis sierrae</i>	\$2,500	\$0
Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	\$11,200	\$0
Whale, finback	<i>Balaenoptera physalus</i>	\$300	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$170,361	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$300	\$0
Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>	\$1,000	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$12,000	\$0
Wolf, gray, MN	<i>Canis lupus</i>	\$100,900	\$0
Wolf, gray, WY, ID, MT	<i>Canis lupus</i>	\$220,818	\$0

Mammals Total		\$3,756,963	\$0
Birds			
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$270,000	\$0
Condor, California, U.S.A. (specific portions of Arizona, Nevada, and Utah)	<i>Gymnogyps californianus</i>	\$52,200	\$0
Coot, Hawaiian	<i>Fulica americana alai</i>	\$200	\$0
Crane, whooping except where EXPN	<i>Grus americana</i>	\$18,000	\$0
Crane, whooping, U.S.A. (CO, ID, FL, NM, UT, and the western half of WY)	<i>Grus americana</i>	\$150	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$300,800	\$0
Eider, Steller's, AK breeding pop.	<i>Polysticta stelleri</i>	\$44,100	\$0
Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	\$8,000	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$25,000	\$0
Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	\$592	\$0
Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	\$168,200	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$8,820	\$0
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$36,000	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$194,882	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$605,894	\$0
Pelican, brown, except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$23,380	\$0
Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	\$111,840	\$0
Plover, piping Great Lakes watershed	<i>Charadrius melodus</i>	\$41,904	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$751,102	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$70,585	\$0
Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	\$260,000	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$900	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$6,100	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$57,944	\$0
Tern, roseate northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$7,700	\$0
Tern, roseate Western Hemisphere except NE U.S.	<i>Sterna dougallii dougallii</i>	\$600	\$0
Vireo, black-capped	<i>Vireo atricapilla</i>	\$8,500	\$0
Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>	\$100	\$0
Woodpecker, ivory-billed	<i>Campephilus principalis</i>	\$43,220	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$60,100	\$0
Birds Total		\$3,176,813	\$0
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$2,000	\$0
Crocodile, American, FL pop.	<i>Crocodylus acutus</i>	\$27,000	\$0
Lizard, St. Croix ground	<i>Ameiva polops</i>	\$55,500	\$0
Sea turtle, green, FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$39,784	\$0
Sea turtle, green except where endangered	<i>Chelonia mydas</i>	\$89,760	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$168,460	\$0

Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$470,639	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$16,954	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$294,165	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$14,526	\$0
Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	\$4,000	\$0
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$466,485	\$0
Tortoise, gopher W of of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$7,000	\$0
Turtle, bog (=Muhlenberg), northern	<i>Clemmys muhlenbergii</i>	\$13,300	\$0
Turtle, ringed map	<i>Graptemys oculifera</i>	\$1,025	\$0
Reptiles Total		\$1,670,598	\$0
<b>Amphibians</b>			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$75,771	\$0
Salamander, Shenandoah	<i>Plethodon shenandoah</i>	\$27,000	\$0
Amphibians Total		\$102,771	\$0
<b>Fishes</b>			
Chub, bonytail, entire	<i>Gila elegans</i>	\$5,000	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$100,000	\$0
Chub, Mohave tui	<i>Gila bicolor mohavensis</i>	\$94,000	\$0
Chub, spotfin, entire	<i>Erimonax monachus</i>	\$27,029	\$0
Dace, blackside	<i>Phoxinus cumberlandensis</i>	\$1,735	\$0
Darter, bayou	<i>Etheostoma rubrum</i>	\$1,025	\$0
Darter, duskytail, entire	<i>Etheostoma percnurum</i>	\$16,902	\$0
Darter, slackwater	<i>Etheostoma boschungii</i>	\$2,500	\$0
Gambusia, Big Bend	<i>Gambusia gaigei</i>	\$5,000	\$0
Goby, tidewater, entire	<i>Eucyclogobius newberryi</i>	\$36,770	\$0
Madtom, smoky, entire	<i>Noturus baileyi</i>	\$15,967	\$0
Madtom, yellowfin, except where EXPN	<i>Noturus flavipinnis</i>	\$15,967	\$0
Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	\$200	\$0
Pupfish, desert	<i>Cyprinodon macularius</i>	\$16,000	\$0
Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	\$171,995	\$0
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$10,500	\$0
Salmon, chinook, CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$35,000	\$0
Salmon, chum summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$500	\$0
Salmon, coho, central CA coast	<i>Oncorhynchus (=Salmo) kisutch</i>	\$230,336	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$35,000	\$0
Salmon, sockeye U.S.A. (Ozette Lake, WA)	<i>Oncorhynchus (=Salmo) nerka</i>	\$15,000	\$0
Sawfish, smalltooth	<i>Pristis pectinata</i>	\$3,000	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$26,445	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$150,000	\$0
Steelhead, central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$60,936	\$0
Steelhead, southern CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$200,000	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,000	\$0



Steelhead, northern CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$37,000	\$0
Steelhead, Puget Sound DPS	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,000	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$2,000	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$30,300	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$15,000	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$270,000	\$0
Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	\$74,500	\$0
Fishes Total		\$1,707,607	\$0
<b>Clams</b>			
Bean, Cumberland (pearlymussel) Entire Range; Except where listed as EXPN	<i>Villosa trabalis</i>	\$12,047	\$0
Bean, purple	<i>Villosa perpurpurea</i>	\$11,062	\$0
Catspaw (=purple cat's paw pearlymussel) Entire Range; Except where listed as EXPN	<i>Epioblasma obliquata obliquata</i>	\$5,682	\$0
Clubshell Entire Range; Except where listed as EXPN	<i>Pleurobema clava</i>	\$6,617	\$0
Combshell, Cumberlandian Entire Range; Except where listed as EXPN	<i>Epioblasma brevidens</i>	\$1,960	\$0
Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	\$935	\$0
Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	\$4,000	\$0
Mapleleaf, winged Entire; except where listed as EXPN	<i>Quadrula fragosa</i>	\$75,000	\$0
Monkeyface, Cumberland (pearlymussel) Entire Range; Except where listed as EXPN	<i>Quadrula intermedia</i>	\$1,025	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$5,682	\$0
Mussel, oyster Entire Range; Except where listed as EXPN	<i>Epioblasma capsaeformis</i>	\$935	\$0
Pearlymussel, birdwing Entire Range; Except where listed as EXPN	<i>Conradilla caelata</i>	\$1,025	\$0
Pearlymussel, cracking Entire Range; Except where listed as EXPN	<i>Hemistena lata</i>	\$5,682	\$0
Pearlymussel, littlewing	<i>Pegias fabula</i>	\$935	\$0
Pigtoe, rough	<i>Pleurobema plenum</i>	\$5,682	\$0
Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	\$1,025	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)	\$935	\$0
Ring pink (mussel)	<i>Obovaria retusa</i>	\$5,682	\$0
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$2,100	\$0
Clams Total		\$148,011	\$0
<b>Snails</b>			
Abalone, White North America (West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico)	<i>Haliotis sorenseni</i>	\$500	\$0
Snails Total		\$500	\$0
<b>Insects</b>			
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$1,000	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$70,632	\$0
Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>	\$310,000	\$0

Butterfly, Myrtle's silverspot	<i>Speyeria zerene myrtleae</i>	\$1,000	\$0
Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	\$500	\$0
Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$91	\$0
Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>	\$800	\$0
Insects Total		\$384,023	\$0
Crustaceans			
Shrimp, California freshwater	<i>Syncaris pacifica</i>	\$5,000	\$0
Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>	\$3,928	\$0
Crustaceans Total		\$8,928	\$0
Corals			
Coral, elkhorn	<i>Acropora palmata</i>	\$46,700	\$0
Coral, staghorn	<i>Acropora cervicornis</i>	\$20,500	\$0
Corals Total		\$67,200	\$0
Flowering Plants			
Alani	<i>Melicope balloui</i>	\$69	\$0
Alani	<i>Melicope ovalis</i>	\$6,555	\$0
Alopecurus, Sonoma	<i>Alopecurus aequalis var. sonomensis</i>	\$7,600	\$0
Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$96,300	\$0
Avens, spreading	<i>Geum radiatum</i>	\$3,160	\$0
Awiwi	<i>Centaurium sebaeoides</i>	\$1,000	\$0
Barberry, island	<i>Berberis pinnata ssp. insularis</i>	\$500	\$0
Bedstraw, island	<i>Galium buxifolium</i>	\$500	\$0
Bladderpod, Missouri	<i>Lesquerella filiformis</i>	\$15,500	\$0
Blazingstar, Heller's	<i>Liatris helleri</i>	\$2,560	\$0
Cactus, Chisos Mountain hedgehog	<i>Echinocereus chisoensis var. chisoensis</i>	\$2,000	\$0
Cactus, Lee pincushion	<i>Coryphantha sneedii var. leei</i>	\$300	\$0
Cactus, Lloyd's Mariposa	<i>Echinomastus mariposensis</i>	\$2,000	\$0
Cactus, Sneed pincushion	<i>Coryphantha sneedii var. sneedii</i>	\$300	\$0
Cactus, Winkler	<i>Pediocactus winkleri</i>	\$2,763	\$0
Catchfly, Spalding's	<i>Silene spaldingii</i>	\$2,500	\$0
Clarkia, Presidio	<i>Clarkia franciscana</i>	\$28,500	\$0
Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>	\$1,025	\$0
Cory cactus, bunched	<i>Coryphantha ramillosa</i>	\$500	\$0
Cycladenia, Jones	<i>Cycladenia jonesii (=humilis)</i>	\$2,864	\$0
Daisy, Maguire	<i>Erigeron maguirei</i>	\$2,764	\$0
Daisy, Parish's	<i>Erigeron parishii</i>	\$500	\$0
Dudleya, Conejo	<i>Dudleya abramsii ssp. parva</i>	\$1,000	\$0
Dudleya, marcescent	<i>Dudleya cymosa ssp. marcescens</i>	\$1,000	\$0
Dudleya, Santa Cruz Island	<i>Dudleya nesiotica</i>	\$500	\$0
Dudleya, Verity's	<i>Dudleya verityi</i>	\$1,000	\$0
Dudleyea, Santa Monica Mountains	<i>Dudleya cymosa ssp. ovatifolia</i>	\$1,000	\$0
Dwarf-flax, Marin	<i>Hesperolinon congestum</i>	\$23,500	\$0
Evening-primrose, Eureka Valley	<i>Oenothera avita ssp. eurekaensis</i>	\$2,000	\$0
Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>	\$6,555	\$0

Gilia, Hoffmann's slender-flowered	<i>Gilia tenuiflora ssp. hoffmannii</i>	\$500	\$0
Grass, Eureka Dune	<i>Swallenia alexandrae</i>	\$2,000	\$0
Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	\$1,025	\$0
Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>	\$139	\$0
Haha	<i>Cyanea copelandii ssp. haleakalaensis</i>	\$4,485	\$0
Haha	<i>Cyanea glabra</i>	\$4,485	\$0
Haha	<i>Cyanea grimesiana ssp. grimesiana</i>	\$169	\$0
Haha	<i>Cyanea hamatiflora ssp. hamatiflora</i>	\$4,485	\$0
Hala pepe	<i>Pleomele hawaiiensis</i>	\$500	\$0
Harperella	<i>Ptilimnium nodosum</i>	\$3,598	\$0
Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	\$19,000	\$0
Ischaemum, Hilo	<i>Ischaemum byrone</i>	\$4,485	\$0
Koki`o ke`oke`o	<i>Hibiscus arnottianus ssp. immaculatus</i>	\$1,500	\$0
Ko`oko`olau	<i>Bidens micrantha ssp. kalealaha</i>	\$5,865	\$0
Kuahiwi laukahi	<i>Plantago hawaiiensis</i>	\$50	\$0
Kuahiwi laukahi	<i>Plantago princeps</i>	\$5,865	\$0
Kula wahine noho	<i>Isodendrion pyriformium</i>	\$500	\$0
Layia, beach	<i>Layia carnosa</i>	\$11,757	\$0
Lessingia, San Francisco	<i>Lessingia germanorum (=L.g. var. germanorum)</i>	\$16,000	\$0
Liveforever, Santa Barbara Island	<i>Dudleya traskiae</i>	\$1,000	\$0
Lo`ulu	<i>Pritchardia affinis</i>	\$3,400	\$0
Lupine, clover	<i>Lupinus tidestromii</i>	\$11,185	\$0
Makou	<i>Peucedanum sandwicense</i>	\$2,600	\$0
Malacothrix, Santa Cruz Island	<i>Malacothrix indecora</i>	\$500	\$0
Manzanita, Presidio	<i>Arctostaphylos hookeri var. ravenii</i>	\$2,000	\$0
Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>	\$7,000	\$0
Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	\$500	\$0
Milk-vetch, Sentry	<i>Astragalus cremnophylax var. cremnophylax</i>	\$10,000	\$0
Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>	\$23,300	\$0
Milk-vetch, triple-ribbed	<i>Astragalus tricarinatus</i>	\$1,000	\$0
Monkey-flower, Michigan	<i>Mimulus glabratus var. michiganensis</i>	\$2,117	\$0
No common name	<i>Neraudia ovata</i>	\$50	\$0
No common name	<i>Platanthera holochila</i>	\$69	\$0
No common name	<i>Schiedea haleakalensis</i>	\$5,865	\$0
No common name	<i>Schiedea hookeri</i>	\$69	\$0
No common name	<i>Silene hawaiiensis</i>	\$50	\$0
No common name	<i>Tetramolopium rockii</i>	\$2,500	\$0
Nohoanu	<i>Geranium multiflorum</i>	\$6,555	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$16,500	\$0
Paintbrush, golden	<i>Castilleja levisecta</i>	\$37,000	\$0
Paintbrush, soft-leaved	<i>Castilleja mollis</i>	\$800	\$0
Panicgrass, Carter's	<i>Panicum fauriei var. carteri</i>	\$2,000	\$0
Pentachaeta, Lyon's	<i>Pentachaeta lyonii</i>	\$105,000	\$0

Phlox, Texas trailing	<i>Phlox nivalis ssp. texensis</i>	\$15,550	\$0
Pink, swamp	<i>Helonias bullata</i>	\$2,080	\$0
Pitcher-plant, green	<i>Sarracenia oreophila</i>	\$10,000	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$22,730	\$0
Potato-bean, Price's	<i>Apios priceana</i>	\$1,025	\$0
Prairie-clover, leafy	<i>Dalea foliosa</i>	\$1,025	\$0
Pua`ala	<i>Brighamia rockii</i>	\$7,500	\$0
Rosemary, Cumberland	<i>Conradina verticillata</i>	\$8,460	\$0
Rush-rose, island	<i>Helianthemum greenei</i>	\$500	\$0
Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>	\$935	\$0
Sandwort, Marsh	<i>Arenaria paludicola</i>	\$200	\$0
Seablite, California	<i>Suaeda californica</i>	\$373	\$0
Silversword, Mauna Loa (=Ka'u)	<i>Argyroxiphium kauense</i>	\$37,400	\$0
Skullcap, large-flowered	<i>Scutellaria montana</i>	\$3,000	\$0
Spineflower, Orcutt's	<i>Chorizanthe orcuttiana</i>	\$222	\$0
Spineflower, Sonoma	<i>Chorizanthe valida</i>	\$7,600	\$0
Spiraea, Virginia	<i>Spiraea virginiana</i>	\$8,460	\$0
Sumac, Michaux's	<i>Rhus michauxii</i>	\$50	\$0
Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$13,807	\$0
Uhiuhi	<i>Caesalpinia kawaiense</i>	\$500	\$0
Water-plantain, Kral's	<i>Sagittaria secundifolia</i>	\$750	\$0
`Ahinahina	<i>Argyroxiphium sandwicense ssp. macrocephalum</i>	\$5,865	\$0
`Awikiwiki	<i>Canavalia molokaiensis</i>	\$5,000	\$0
`Oha wai	<i>Clermontia lindseyana</i>	\$69	\$0
`Oha wai	<i>Clermontia oblongifolia ssp. mauiensis</i>	\$69	\$0
`Oha wai	<i>Clermontia peleana</i>	\$69	\$0
`Oha wai	<i>Clermontia samuelii</i>	\$2,760	\$0
Flowering Plants Total		\$699,782	\$0
<b>Conifers and Cycads</b>			
Cypress, Gowen	<i>Cupressus goveniana ssp. goveniana</i>	\$2,500	\$0
Conifers and Cycads Total		\$2,500	\$0
<b>Ferns and Allies</b>			
No common name	<i>Asplenium fragile var. insulare</i>	\$119	\$0
No common name	<i>Diplazium molokaiense</i>	\$69	\$0
Pauoa	<i>Ctenitis squamigera</i>	\$69	\$0
Wawae`iole	<i>Huperzia mannii</i>	\$4,485	\$0
Ferns and Allies Total		\$4,742	\$0
Other ESA Expenses not including Foreign Species		\$535,719	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$535,719	\$0
All Species Total		\$12,266,157	\$0

## DOI US Geological Survey FY07

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	\$300	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$39,633	\$0
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	\$6,032	\$0
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$6,032	\$0
Bear, American black County range of LA b.bear	<i>Ursus americanus</i>	\$60,865	\$0
Bear, grizzly lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$941,707	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$292,899	\$0
Ferret, black-footed, U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$197,899	\$0
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$12,742	\$0
Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>	\$12,742	\$0
Fox, Santa Catalina Island	<i>Urocyon littoralis catalinae</i>	\$12,742	\$0
Fox, Santa Cruz Island	<i>Urocyon littoralis santacruzae</i>	\$12,742	\$0
Fox, Santa Rosa Island	<i>Urocyon littoralis santarosae</i>	\$12,742	\$0
Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>	\$5,020	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$1,331,212	\$0
Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	\$600	\$0
Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	\$2,400	\$0
Otter, Northern Sea, southwest Alaska DPS	<i>Enhydra lutris kenyonii</i>	\$22,000	\$0
Otter, southern sea, except where EXPN	<i>Enhydra lutris nereis</i>	\$25,000	\$0
Otter, southern sea south of Pt. Conception, CA	<i>Enhydra lutris nereis</i>	\$600,425	\$0
Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$10,173	\$0
Squirrel, Delmarva Peninsula fox Entire, except Sussex Co., DE	<i>Sciurus niger cinereus</i>	\$48,676	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$100	\$0
Wolf, gray Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$2,400	\$0
Woodrat, Key Largo	<i>Neotoma floridana smalli</i>	\$105,000	\$0
<b>Mammals Total</b>		<b>\$3,762,083</b>	<b>\$0</b>
<b>Birds</b>			
Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>	\$2,812	\$0
Akepa, Maui (honeycreeper)	<i>Loxops coccineus ochraceus</i>	\$2,812	\$0
Akialoa, Kauai (honeycreeper)	<i>Hemignathus procerus</i>	\$2,812	\$0
Akiapola'au (honeycreeper)	<i>Hemignathus munroi</i>	\$2,812	\$0
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$100	\$0
Coot, Hawaiian	<i>Fulica americana alai</i>	\$700	\$0
Crane, Japanese	<i>Grus japonensis</i>	\$100	\$0
Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	\$300	\$0
Crane, white-naped	<i>Grus vipio</i>	\$200	\$0

Crane, whooping, except where EXPN	<i>Grus americana</i>	\$5,300	\$0
Crane, whooping U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	<i>Grus americana</i>	\$827,573	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$13,000	\$0
Duck, Laysan	<i>Anas laysanensis</i>	\$67,200	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$10,400	\$0
Eider, spectacled	<i>Somateria fischeri</i>	\$6,450	\$0
Eider, Steller's, AK breeding pop.	<i>Polysticta stelleri</i>	\$2,905	\$0
Finch, Laysan (honeycreeper)	<i>Telespyza cantans</i>	\$300	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii eximus</i>	\$28,775	\$0
Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	\$4,800	\$0
Hawk, Hawaiian (=ʻIo)	<i>Buteo solitarius</i>	\$6,000	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$12,763	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$900	\$0
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$300	\$0
Nukupū (honeycreeper)	<i>Hemignathus lucidus</i>	\$2,812	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$12,500	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$264,700	\$0
Palila (honeycreeper)	<i>Loxioides bailleui</i>	\$53,813	\$0
Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	\$3,000	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$24,229	\$0
Plover, western snowy Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$42,300	\$0
Pōʻouli (honeycreeper)	<i>Melamprosops phaeosoma</i>	\$2,812	\$0
Rail, Yuma clapper, U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$1,000	\$0
Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	\$2,388	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$900	\$0
Tern, California least	<i>Sterna antillarum browni</i>	\$5,200	\$0
Tern, roseate northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$151,713	\$0
Woodpecker, ivory-billed	<i>Campephilus principalis</i>	\$55,000	\$0
ʻOʻu (honeycreeper)	<i>Psittirostra psittacea</i>	\$2,812	\$0
Birds Total		\$1,624,493	\$0
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$190,822	\$0
Crocodile, American, FL pop.	<i>Crocodylus acutus</i>	\$50,000	\$0
Sea turtle, green except where endangered	<i>Chelonia mydas</i>	\$26,789	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$43,763	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$6,089	\$0
Sea turtle, olive ridley except where endangered	<i>Lepidochelys olivacea</i>	\$1,800	\$0
Snake, giant garter	<i>Thamnophis gigas</i>	\$98,692	\$0
Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	\$62,353	\$0
Tortoise, desert outside/taken from Sonoran Desert	<i>Gopherus agassizii</i>	\$217,451	\$0
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$226,371	\$0

Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>	\$6,275	\$0
Reptiles Total		\$930,405	\$0
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$300	\$0
Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$36,845	\$0
Frog, mountain yellow-legged southern California DPS	<i>Rana muscosa</i>	\$292,416	\$0
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$302	\$0
Salamander, San Marcos	<i>Eurycea nana</i>	\$2,200	\$0
Salamander, Shenandoah	<i>Plethodon shenandoah</i>	\$16,500	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$47,690	\$0
Amphibians Total		\$396,253	\$0
Fishes			
Chub, bonytail, entire	<i>Gila elegans</i>	\$130,503	\$0
Cui-ui	<i>Chasmistes cujus</i>	\$52,545	\$0
Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	\$3,138	\$0
Dace, Independence Valley speckled	<i>Rhinichthys osculus lethoporus</i>	\$14,142	\$0
Dace, Moapa	<i>Moapa coriacea</i>	\$20,209	\$0
Darter, Okaloosa	<i>Etheostoma okaloosae</i>	\$47,755	\$0
Goby, tidewater, Entire	<i>Eucyclogobius newberryi</i>	\$1,255	\$0
Madtom, Neosho	<i>Noturus placidus</i>	\$8,980	\$0
Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>	\$3,139	\$0
Pupfish, desert	<i>Cyprinodon macularius</i>	\$65,122	\$0
Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i>	\$3,138	\$0
Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS	<i>Salmo salar</i>	\$957,763	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$29,222	\$0
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$29,222	\$0
Salmon, chinook, winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$29,222	\$0
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$136,222	\$0
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$26,915	\$0
Salmon, chinook, upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$21,371	\$0
Salmon, chinook spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$29,222	\$0
Salmon, chinook CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$29,222	\$0
Salmon, chinook, CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$29,222	\$0
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$75,000	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$37,859	\$0
Salmon, coho, Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$65,865	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$75,000	\$0
Shiner, blue	<i>Cyprinella caerulea</i>	\$32,200	\$0

Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$8,980	\$0
Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	\$20,209	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,882	\$0
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$18,500	\$0
Steelhead, central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,882	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$20,919	\$0
Steelhead, south central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,882	\$0
Steelhead, southern CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,882	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$58,223	\$0
Steelhead, upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$18,500	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$18,500	\$0
Steelhead, Puget Sound DPS	<i>Oncorhynchus (=Salmo) mykiss</i>	\$18,500	\$0
Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>	\$1,255	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$25,346	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$830,653	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$145,300	\$0
Sturgeon, white, U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$26,000	\$0
Sucker, Lost River	<i>Deltistes luxatus</i>	\$322,140	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$130,503	\$0
Sucker, Santa Ana, 3 CA river basins	<i>Catostomus santaanae</i>	\$6,275	\$0
Sucker, shortnose	<i>Chasmistes brevirostris</i>	\$322,140	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$68,546	\$0
Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$20,209	\$0
Fishes Total		\$4,041,679	\$0
<b>Clams</b>			
Clubshell, Entire Range; Except where listed as EXPN	<i>Pleurobema clava</i>	\$127,000	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$5,000	\$0
Mussel, oyster, U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	<i>Epioblasma capsaeformis</i>	\$5,000	\$0
Mussel, scaleshell	<i>Leptodea leptodon</i>	\$5,000	\$0
Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	\$94,100	\$0
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$310,803	\$0
Clams Total		\$546,903	\$0
<b>Snails</b>			
Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	\$25,000	\$0
Springsnail, Idaho	<i>Pyrgulopsis idahoensis</i>	\$25,000	\$0
Snails Total		\$50,000	\$0
<b>Insects</b>			
Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>	\$1,255	\$0
Insects Total		\$1,255	\$0
<b>Crustaceans</b>			
Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>	\$8,795	\$0
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$8,965	\$0



Isopod, Madison Cave	<i>Antrolana lira</i>	\$16,000	\$0
Shrimp, California freshwater	<i>Syncaris pacifica</i>	\$50,395	\$0
<b>Crustaceans Total</b>		<b>\$84,155</b>	<b>\$0</b>
<b>Corals</b>			
Coral, elkhorn	<i>Acropora palmata</i>	\$4,750	\$0
Coral, staghorn	<i>Acropora cervicornis</i>	\$4,751	\$0
<b>Corals Total</b>		<b>\$9,501</b>	<b>\$0</b>
<b>Flowering Plants</b>			
Alani	<i>Melicope zahlbruckneri</i>	\$8,500	\$0
Barberry, island	<i>Berberis pinnata ssp. insularis</i>	\$4,657	\$0
Bedstraw, island	<i>Galium buxifolium</i>	\$4,657	\$0
Bush-mallow, Santa Cruz Island	<i>Malacothamnus fasciculatus var. nesioticus</i>	\$4,757	\$0
Dudleya, Santa Cruz Island	<i>Dudleya nesiotica</i>	\$4,657	\$0
Fringepod, Santa Cruz Island	<i>Thysanocarpus conchuliferus</i>	\$4,657	\$0
Gilia, Hoffmann's slender-flowered	<i>Gilia tenuiflora ssp. hoffmannii</i>	\$4,657	\$0
Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>	\$8,500	\$0
Ha`iwale	<i>Cyrtandra giffardii</i>	\$8,500	\$0
Ha`iwale	<i>Cyrtandra tintinnabula</i>	\$8,500	\$0
Lupine, Kincaid's	<i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i>	\$36,800	\$0
Malacothrix, Santa Cruz Island	<i>Malacothrix indecora</i>	\$6,090	\$0
Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>	\$9,314	\$0
Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>	\$45,000	\$0
Milkweed, Mead's	<i>Asclepias meadii</i>	\$12,763	\$0
No common name	<i>Silene hawaiiensis</i>	\$8,500	\$0
Ohai	<i>Sesbania tomentosa</i>	\$36,500	\$0
Paintbrush, soft-leaved	<i>Castilleja mollis</i>	\$4,657	\$0
Phacelia, island	<i>Phacelia insularis ssp. insularis</i>	\$6,090	\$0
Po`e	<i>Portulaca sclerocarpa</i>	\$8,500	\$0
Rush-rose, island	<i>Helianthemum greenei</i>	\$4,657	\$0
Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$4,657	\$0
`Anunu	<i>Sicyos alba</i>	\$8,500	\$0
<b>Flowering Plants Total</b>		<b>\$254,070</b>	<b>\$0</b>
<b>Other ESA Expenses not including Foreign Species</b>		<b>\$2,357,000</b>	<b>\$0</b>
<b>Expenses from Foreign Species</b>		<b>\$0</b>	<b>\$0</b>
<b>Total Other ESA Expenses</b>		<b>\$2,357,000</b>	<b>\$0</b>
<b>All Species Total</b>		<b>\$14,057,797</b>	<b>\$0</b>

DOT Federal Aviation Administration FY07

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Bat, Indiana	<i>Myotis sodalis</i>	\$30,000	\$0
Lynx, Canada lower 48 States DPS	<i>Lynx canadensis</i>	\$3,000	\$0
Sheep, Sierra Nevada bighorn Sierra Nevada	<i>Ovis canadensis sierrae</i>	\$24,000	\$0
<b>Mammals Total</b>		\$57,000	\$0
<b>Birds</b>			
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$24,000	\$0
Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>	\$2,500	\$0
<b>Birds Total</b>		\$26,500	\$0
<b>Reptiles</b>			
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$110,000	\$0
<b>Reptiles Total</b>		\$110,000	\$0
<b>Fishes</b>			
Chub, Owens tui	<i>Gila bicolor snyderi</i>	\$24,000	\$0
<b>Fishes Total</b>		\$24,000	\$0
<b>Expenses from Foreign Species</b>		\$0	\$0
<b>Total Other ESA Expenses</b>		\$0	\$0
<b>All Species Total</b>		\$217,500	\$0

DOT Federal Highway Administration FY07

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Bat, gray	<i>Myotis grisescens</i>	\$28,800	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$2,119,977	\$201,500
Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	\$3,500	\$0
Bear, grizzly, lower 48 States, except where listed as an EXPN or delisted	<i>Ursus arctos horribilis</i>	\$26,300	\$0
Caribou, woodland Selkirk Mountain population	<i>Rangifer tarandus caribou</i>	\$1,125	\$0
Deer, Columbian white-tailed Columbia River DPS	<i>Odocoileus virginianus leucurus</i>	\$5,015	\$0
Deer, key	<i>Odocoileus virginianus clavium</i>	\$100	\$0
Ferret, black-footed, U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$15,000	\$0
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$2,477,000	\$477,000
Kangaroo rat, giant	<i>Dipodomys ingens</i>	\$477,000	\$0
Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>	\$477,000	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$56,500	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$238,800	\$0
Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>	\$8,300	\$0
Mouse, Preble's meadow jumping, CO	<i>Zapus hudsonius preblei</i>	\$3,000	\$0
Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$104,400	\$0
Prairie dog, Utah	<i>Cynomys parvidens</i>	\$500	\$0
Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>	\$100	\$0
Rabbit, pygmy, Columbia Basin DPS	<i>Brachylagus idahoensis</i>	\$1,400	\$0
Sea-lion, Steller, western pop.	<i>Eumetopias jubatus</i>	\$80,000	\$0
Shrew, Buena Vista Lake ornate	<i>Sorex ornatus relictus</i>	\$0	\$477,000
Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	\$3,000	\$0
Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$4,000	\$0
Whale, killer, Southern Resident DPS	<i>Orcinus orca</i>	\$25,100	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$20,500	\$0
Wolf, gray, WY, ID, MT	<i>Canis lupus</i>	\$21,000	\$0
Wolf, red, U.S.A. (portions of NC and TN)	<i>Canis rufus</i>	\$1,500	\$0
Woodrat, Key Largo	<i>Neotoma floridana smalli</i>	\$8,300	\$0
<b>Mammals Total</b>		<b>\$6,207,217</b>	<b>\$1,155,500</b>
<b>Birds</b>			
Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>	\$4,131	\$0
Caracara, Audubon's crested, FL pop.	<i>Polyborus plancus audubonii</i>	\$97,750	\$0
Crane, whooping, U.S.A. (AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	<i>Grus americana</i>	\$1,000	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$1,008,600	\$1,050,000
Eider, Steller's, AK breeding pop.	<i>Polysticta stelleri</i>	\$6,800	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$61,000	\$83,000
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$79,350	\$0
Kite, Everglade snail, FL pop.	<i>Rostrhamus sociabilis plumbeus</i>	\$16,000	\$0

Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$232,400	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$158,400	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$4,131	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$12,800	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$9,100	\$0
Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	\$200	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$142,500	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$36,000	\$0
Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>	\$1,500	\$0
Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>	\$1,000	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$307,720	\$0
<b>Birds Total</b>		<b>\$2,180,382</b>	<b>\$1,133,000</b>
<b>Reptiles</b>			
Alligator, American	<i>Alligator mississippiensis</i>	\$9,300	\$0
Crocodile, American, FL pop.	<i>Crocodylus acutus</i>	\$200	\$0
Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	\$0	\$477,000
Sea turtle, green except where endangered	<i>Chelonia mydas</i>	\$48,500	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$48,000	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$57,300	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$56,800	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$49,000	\$0
Sea turtle, olive ridley except where endangered	<i>Lepidochelys olivacea</i>	\$500	\$0
Skink, bluetail mole	<i>Eumeces egregius lividus</i>	\$100	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$45,100	\$0
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$33,000	\$3,452,000
Tortoise, gopher W of of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$1,040,000	\$181,000
Turtle, bog (=Muhlenberg), northern	<i>Clemmys muhlenbergii</i>	\$503,875	\$520,000
Turtle, bog (=Muhlenberg), southern	<i>Clemmys muhlenbergii</i>	\$61,000	\$0
Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>	\$62,500	\$0
<b>Reptiles Total</b>		<b>\$2,015,175</b>	<b>\$4,630,000</b>
<b>Amphibians</b>			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$680,650	\$0
Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$5,000	\$0
Salamander, California tiger U.S.A. (Central CA DPS)	<i>Ambystoma californiense</i>	\$316,000	\$1,800,000
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$1,500	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$449,000	\$207,000
Toad, Wyoming	<i>Bufo baxteri (=hemiophrys)</i>	\$500	\$0
<b>Amphibians Total</b>		<b>\$1,452,650</b>	<b>\$2,007,000</b>
<b>Fishes</b>			
Cavefish, Ozark	<i>Amblyopsis rosae</i>	\$8,000	\$0

Chub, spotfin, Entire	<i>Erimonax monachus</i>	\$28,000	\$0
Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	\$31,000	\$27,000
Darter, amber	<i>Percina antesella</i>	\$20,600	\$0
Darter, Cherokee	<i>Etheostoma scotti</i>	\$20,700	\$0
Darter, Etowah	<i>Etheostoma etowahae</i>	\$18,000	\$0
Darter, goldline	<i>Percina aurolineata</i>	\$1,000	\$0
Darter, Niangua	<i>Etheostoma nianguae</i>	\$8,000	\$0
Darter, snail	<i>Percina tanasi</i>	\$2,600	\$0
Logperch, Conasauga	<i>Percina jenkinsi</i>	\$2,600	\$0
Madtom, Neosho	<i>Noturus placidus</i>	\$100	\$0
Minnow, loach	<i>Tiaroga cobitis</i>	\$2,000	\$0
Salmon, chinook spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$52,300	\$0
Salmon, chinook winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$50,000	\$0
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$255,000	\$0
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$270,300	\$0
Salmon, chinook spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$266,500	\$0
Salmon, chinook CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$540,000	\$1,023,000
Salmon, chinook, CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$430,000	\$20,000
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$25,100	\$0
Salmon, chum summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$37,200	\$0
Salmon, coho Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$371,300	\$0
Salmon, sockeye, U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$52,300	\$0
Shiner, blue	<i>Cyprinella caerulea</i>	\$5,600	\$0
Shiner, Cape Fear	<i>Notropis mekistocholas</i>	\$20,000	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$50,630	\$0
Spikedace	<i>Meda fulgida</i>	\$2,000	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$10,000	\$0
Steelhead, central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$25,000	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$371,300	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$23,000	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$23,000	\$0
Steelhead, Puget Sound DPS	<i>Oncorhynchus (=Salmo) mykiss</i>	\$253,500	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$1,500	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$13,500	\$0
Sucker, June	<i>Chasmistes liorus</i>	\$43,000	\$50,000
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$500	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$593,700	\$0
Woundfin except Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$47,000	\$27,000
Fishes Total		\$3,975,830	\$1,147,000
Clams			
Acornshell, southern	<i>Epioblasma othcaloogensis</i>	\$2,000	\$0
Bankclimber, purple (mussel)	<i>Elliptioideus sloatianus</i>	\$7,600	\$0

Bean, Cumberland (pearlymussel) Entire Range; Except where listed as EXPN	<i>Villosa trabalis</i>	\$31,400	\$0
Bean, purple	<i>Villosa perpurpurea</i>	\$100	\$0
Blossom, tubercled (pearlymussel) Entire Range; Except where listed as Experimental Populations	<i>Epioblasma torulosa torulosa</i>	\$1,100	\$0
Blossom, yellow (pearlymussel) Entire Range; Except where listed as Experimental Populations	<i>Epioblasma florentina florentina</i>	\$1,100	\$0
Catspaw (=purple cat's paw pearlymussel) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Epioblasma obliquata obliquata</i>	\$19,482	\$0
Clubshell Entire Range; Except where listed as Experimental Populations	<i>Pleurobema clava</i>	\$119,180	\$0
Clubshell, ovate	<i>Pleurobema perovatum</i>	\$1,600	\$0
Clubshell, southern	<i>Pleurobema decisum</i>	\$2,000	\$0
Combshell, upland	<i>Epioblasma metastrata</i>	\$2,000	\$0
Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	\$57,300	\$0
Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	\$100	\$0
Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>	\$14,500	\$0
Heelsplitter, Carolina	<i>Lasmigona decorata</i>	\$161,880	\$0
Kidneyshell, triangular	<i>Ptychobranchus greenii</i>	\$3,600	\$0
Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>	\$2,000	\$0
Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	\$3,600	\$0
Moccasinshell, Coosa	<i>Medionidus parvulus</i>	\$3,600	\$0
Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	\$10,000	\$0
Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	\$2,000	\$0
Monkeyface, Cumberland (pearlymussel) Entire Range; Except where listed as Experimental Populations	<i>Quadrula intermedia</i>	\$2,500	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$44,982	\$0
Mussel, oyster AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Epioblasma capsaeformis</i>	\$9,500	\$0
Pearlymussel, birdwing Entire Range; Except where listed as Experimental Populations	<i>Conradilla caelata</i>	\$4,000	\$0
Pearlymussel, cracking Entire Range; Except where listed as Experimental Populations	<i>Hemistena lata</i>	\$15,100	\$0
Pearlymussel, littlewing	<i>Pegias fabula</i>	\$31,400	\$0
Pigtoe, finerayed Entire Range; Except where listed as Experimental Populations	<i>Fusconaia cuneolus</i>	\$15,700	\$0
Pigtoe, oval	<i>Pleurobema pyriforme</i>	\$17,350	\$0
Pigtoe, southern	<i>Pleurobema georgianum</i>	\$18,600	\$0
Pocketbook, fat	<i>Potamilus capax</i>	\$59,879	\$0
Pocketbook, finelined	<i>Lampsilis altilis</i>	\$2,600	\$0
Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	\$12,000	\$0
Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	\$116,679	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. <i>walkeri</i> )	\$1,500	\$0
Slabshell, Chipola	<i>Elliptio chipolaensis</i>	\$1,750	\$0

Spiny mussel, James	<i>Pleurobema collina</i>	\$157,791	\$0
Spiny mussel, Tar River	<i>Elliptio steinstansana</i>	\$51,700	\$0
Three-ridge, fat (mussel)	<i>Amblema neislerii</i>	\$1,600	\$0
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$118,000	\$0
<b>Clams Total</b>		<b>\$1,128,773</b>	<b>\$0</b>
<b>Snails</b>			
Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$500	\$0
Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>	\$4,000	\$0
Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	\$500	\$0
Snail, Utah valvata	<i>Valvata utahensis</i>	\$8,500	\$0
<b>Snails Total</b>		<b>\$13,500</b>	<b>\$0</b>
<b>Insects</b>			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$303,500	\$0
Beetle, delta green ground	<i>Elaphrus viridis</i>	\$1,300,000	\$0
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$221,800	\$303,500
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$3,000	\$0
Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>	\$100	\$0
Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$9,000	\$0
<b>Insects Total</b>		<b>\$1,837,400</b>	<b>\$303,500</b>
<b>Crustaceans</b>			
Crayfish, Nashville	<i>Orconectes shoupi</i>	\$3,000	\$0
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$1,960,000	\$1,960,000
<b>Crustaceans Total</b>		<b>\$1,963,000</b>	<b>\$1,960,000</b>
<b>Flowering Plants</b>			
Aster, decurrent false	<i>Boltonia decurrens</i>	\$5,800	\$0
Bear-poppy, dwarf	<i>Arctomecon humilis</i>	\$70,000	\$667,000
Bladderpod, Spring Creek	<i>Lesquerella perforata</i>	\$600	\$0
Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>	\$1,000	\$0
Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>	\$2,500	\$0
Campion, fringed	<i>Silene polypetala</i>	\$8,000	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$2,200	\$0
Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	\$5,000	\$0
Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana var. calva</i>	\$1,600	\$0
Clover, running buffalo	<i>Trifolium stoloniferum</i>	\$6,480	\$0
Coneflower, smooth	<i>Echinacea laevigata</i>	\$8,800	\$0
Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>	\$300	\$0
Goldenrod, Houghton's	<i>Solidago houghtonii</i>	\$2,000	\$0
Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	\$1,300	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$15,000	\$0
Iris, dwarf lake	<i>Iris lacustris</i>	\$2,000	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$37,600	\$0
Lupine, Kincaid's	<i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i>	\$5,000	\$0
Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>	\$3,500	\$0
Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	\$70,000	\$667,000

Milkweed, Mead's	<i>Asclepias meadii</i>	\$4,500	\$0
Monkey-flower, Michigan	<i>Mimulus glabratus var. michiganensis</i>	\$1,000	\$0
Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$13,000	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$200	\$0
Paintbrush, golden	<i>Castilleja levisecta</i>	\$4,131	\$0
Phacelia, clay	<i>Phacelia argillacea</i>	\$2,500	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$500	\$0
Polygala, tiny	<i>Polygala smallii</i>	\$200	\$0
Potato-bean, Price's	<i>Apios priceana</i>	\$500	\$0
Prairie-clover, leafy	<i>Dalea foliosa</i>	\$400	\$0
Rock-cress, Braun's	<i>Arabis perstellata</i>	\$200	\$0
Rosemary, Cumberland	<i>Conradina verticillata</i>	\$1,000	\$0
Sandwort, Marsh	<i>Arenaria paludicola</i>	\$13,273	\$0
Seagrass, Johnson's	<i>Halophila johnsonii</i>	\$15,000	\$0
Skullcap, large-flowered	<i>Scutellaria montana</i>	\$4,000	\$0
Sneezeweed, Virginia	<i>Helenium virginicum</i>	\$800	\$0
Spiraea, Virginia	<i>Spiraea virginiana</i>	\$100	\$0
Spurge, deltoid	<i>Chamaesyce deltoidea ssp. deltoidea</i>	\$600	\$0
Spurge, Garber's	<i>Chamaesyce garberi</i>	\$4,500	\$0
Spurge, telephus	<i>Euphorbia telephioides</i>	\$300	\$0
Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$1,000	\$0
Trillium, relict	<i>Trillium reliquum</i>	\$5,100	\$0
Water-plantain, Kral's	<i>Sagittaria secundifolia</i>	\$300	\$0
Flowering Plants Total		\$321,784	\$1,334,000
Other ESA Expenses not including Foreign Species		\$212,000	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$212,000	\$0
All Species Total		\$21,307,711	\$13,670,000



Environmental Protection Agency FY07

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Bat, gray	<i>Myotis grisescens</i>	\$1,000	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$19,000	\$0
Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	\$70	\$0
Bear, grizzly, lower 48 States, except where listed as EXPN or delisted	<i>Ursus arctos horribilis</i>	\$80	\$0
Ferret, black-footed, U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$120	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$130	\$0
Mouse, Preble's meadow jumping, CO	<i>Zapus hudsonius preblei</i>	\$15	\$0
Prairie dog, Utah	<i>Cynomys parvidens</i>	\$30	\$0
Wolf, gray, WY, ID, MT	<i>Canis lupus</i>	\$100	\$0
<b>Mammals Total</b>		<b>\$20,545</b>	<b>\$0</b>
<b>Birds</b>			
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$15	\$0
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$4,000	\$0
Crane, whooping, U.S.A. (CO, ID, FL, NM, UT, and western half of Wyoming)	<i>Grus americana</i>	\$200	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$14,400	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$85	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$70	\$0
Plover, piping Great Lakes watershed	<i>Charadrius melodus</i>	\$3,000	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$6,100	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$6,100	\$0
<b>Birds Total</b>		<b>\$33,970</b>	<b>\$0</b>
<b>Reptiles</b>			
Sea turtle, green except where endangered	<i>Chelonia mydas</i>	\$26,500	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$26,500	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$26,500	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$26,500	\$0
Turtle, bog (=Muhlenberg), northern	<i>Clemmys muhlenbergii</i>	\$1,800	\$0
<b>Reptiles Total</b>		<b>\$107,800</b>	<b>\$0</b>
<b>Amphibians</b>			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$1,045,000	\$0
Salamander, Barton Springs	<i>Eurycea sosorum</i>	\$330,000	\$0
Toad, Wyoming	<i>Bufo baxteri (=hemiophrys)</i>	\$30	\$0
<b>Amphibians Total</b>		<b>\$1,375,030</b>	<b>\$0</b>
<b>Fishes</b>			
Cavefish, Ozark	<i>Amblyopsis rosae</i>	\$70	\$0

Chub, bonytail, entire	<i>Gila elegans</i>	\$75	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$75	\$0
Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	\$15	\$0
Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>	\$30	\$0
Darter, Niangua	<i>Etheostoma nianguae</i>	\$70	\$0
Madtom, Neosho	<i>Noturus placidus</i>	\$1,000	\$0
Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$75	\$0
Shiner, Arkansas River Arkansas R. Basin	<i>Notropis girardi</i>	\$900	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$35,500	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$33,600	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$27,200	\$0
Sturgeon, white, U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$25	\$0
Sucker, June	<i>Chasmistes liorus</i>	\$15	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$75	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$90	\$0
Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$15	\$0
Woundfin, Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$15	\$0
Fishes Total		\$98,845	\$0
Clams			
Catspaw (=purple cat's paw pearlymussel) Entire Range; Except where listed as EXPN	<i>Epioblasma obliquata obliquata</i>	\$26,500	\$0
Clubshell, ovate	<i>Pleurobema perovatum</i>	\$26,500	\$0
Clubshell, southern	<i>Pleurobema decisum</i>	\$26,500	\$0
Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	\$1,400	\$0
Mapleleaf, winged Entire; except where listed as EXPN	<i>Quadrula fragosa</i>	\$70	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$26,570	\$0
Mussel, scaleshell	<i>Leptodea leptodon</i>	\$1,200	\$0
Pearlymussel, Curtis	<i>Epioblasma florentina curtisii</i>	\$70	\$0
Pigtoe, finerayed U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	<i>Fusconaia cuneolus</i>	\$26,500	\$0
Pigtoe, heavy	<i>Pleurobema taitianum</i>	\$26,500	\$0
Pigtoe, rough	<i>Pleurobema plenum</i>	\$26,500	\$0
Pigtoe, shiny, Entire Range; Except where listed as EXPN	<i>Fusconaia cor</i>	\$26,500	\$0
Pocketbook, fat	<i>Potamilus capax</i>	\$26,570	\$0
Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	\$26,500	\$0
Stirrupshell	<i>Quadrula stapes</i>	\$26,500	\$0
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$26,600	\$0
Clams Total		\$320,980	\$0
Snails			
Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$15	\$0
Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>	\$70	\$0
Snail, Utah valvata	<i>Valvata utahensis</i>	\$10	\$0
Snails Total		\$95	\$0

<b>Insects</b>			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$30	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$8,000	\$0
Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	\$4,000	\$0
Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$250	\$0
<b>Insects Total</b>		\$12,280	\$0
<b>Flowering Plants</b>			
Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>	\$15	\$0
Buttercup, autumn	<i>Ranunculus aestivalis</i> (= <i>acriformis</i> )	\$30	\$0
Cactus, Uinta Basin hookless	<i>Sclerocactus glaucus</i>	\$45	\$0
Cactus, Winkler	<i>Pediocactus winkleri</i>	\$30	\$0
Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>	\$30	\$0
Cycladenia, Jones	<i>Cycladenia jonesii</i> (=humilis)	\$15	\$0
Daisy, lakeside	<i>Hymenoxys herbacea</i>	\$250	\$0
Daisy, Maguire	<i>Erigeron maguirei</i>	\$15	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$30	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$200	\$0
Milk-vetch, heliotrope	<i>Astragalus montii</i>	\$45	\$0
Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$250	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$70	\$0
Pink, swamp	<i>Helonias bullata</i>	\$1,900	\$0
Prairie-clover, leafy	<i>Dalea foliosa</i>	\$250	\$0
Reed-mustard, clay	<i>Schoenocrambe argillacea</i>	\$45	\$0
Reed-mustard, shrubby	<i>Schoenocrambe suffrutescens</i>	\$45	\$0
Ridge-cress, Barneby	<i>Lepidium barnebyanum</i>	\$45	\$0
Sedge, Navajo	<i>Carex specuicola</i>	\$15	\$0
Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$800	\$0
Townsendia, Last Chance	<i>Townsendia aprica</i>	\$15	\$0
Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>	\$15	\$0
<b>Flowering Plants Total</b>		\$4,155	\$0
<b>Other ESA Expenses not including Foreign Species</b>		\$2,493,900	\$0
<b>Expenses from Foreign Species</b>		\$0	\$0
<b>Total Other ESA Expenses</b>		\$2,493,900	\$0
<b>All Species Total</b>		\$4,467,600	\$0

## Federal Energy Regulatory Commission FY2007

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Bat, gray	<i>Myotis grisescens</i>	\$1,400	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$12,500	\$0
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	\$100	\$0
Bear, grizzly, lower 48 States, except where listed as an EXPN or delisted	<i>Ursus arctos horribilis</i>	\$200	\$0
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$500	\$0
Deer, Columbian white-tailed Columbia River DPS	<i>Odocoileus virginianus leucurus</i>	\$300	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$100	\$0
Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	\$100	\$0
Lynx, Canada lower 48 States DPS	<i>Lynx canadensis</i>	\$300	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$2,000	\$0
Mouse, Preble's meadow jumping, CO	<i>Zapus hudsonius preblei</i>	\$100	\$0
Ocelot	<i>Leopardus (=Felis) pardalis</i>	\$100	\$0
Sea-lion, Steller, western pop.	<i>Eumetopias jubatus</i>	\$1,310	\$0
Whale, blue	<i>Balaenoptera musculus</i>	\$1,400	\$0
Whale, finback	<i>Balaenoptera physalus</i>	\$3,000	\$0
Whale, gray W Pacific Ocean	<i>Eschrichtius robustus</i>	\$1,500	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$2,000	\$0
Whale, killer Southern Resident DPS	<i>Orcinus orca</i>	\$900	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$5,000	\$0
Whale, Sei	<i>Balaenoptera borealis</i>	\$3,000	\$0
Wolf, gray, MN	<i>Canis lupus</i>	\$100	\$0
Wolf, gray, WY, ID, MT	<i>Canis lupus</i>	\$200	\$0
Wolf, gray Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$100	\$0
Wolf, gray, Western Great Lakes DPS	<i>Canis lupus</i>	\$200	\$0
Wolf, red, except where EXPN	<i>Canis rufus</i>	\$200	\$0
<b>Mammals Total</b>		\$36,610	\$0
<b>Birds</b>			
Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>	\$300	\$0
Caracara, Audubon's crested, FL pop.	<i>Polyborus plancus audubonii</i>	\$300	\$0
Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	\$100	\$0
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$1,700	\$0
Crane, whooping U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	<i>Grus americana</i>	\$600	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$9,500	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$100	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$200	\$0
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$5,500	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$100	\$0

Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$2,500	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$1,500	\$0
Plover, piping Great Lakes watershed	<i>Charadrius melodus</i>	\$200	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$200	\$0
Plover, western snowy Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$500	\$0
Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	\$100	\$0
Rail, Yuma clapper, U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$100	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$1,000	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$500	\$0
Tern, roseate northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$1,400	\$0
Woodpecker, ivory-billed	<i>Campephilus principalis</i>	\$200	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$2,000	\$0
Birds Total		\$28,600	\$0
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$500	\$0
Sea turtle, green except where endangered	<i>Chelonia mydas</i>	\$1,300	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$1,000	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$1,200	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$2,000	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$1,600	\$0
Sea turtle, olive ridley except where endangered	<i>Lepidochelys olivacea</i>	\$400	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$1,200	\$0
Tortoise, gopher W of of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$1,700	\$0
Turtle, Alabama red-belly	<i>Pseudemys alabamensis</i>	\$500	\$0
Turtle, bog (=Muhlenberg), northern	<i>Clemmys muhlenbergii</i>	\$600	\$0
Turtle, bog (=Muhlenberg), southern	<i>Clemmys muhlenbergii</i>	\$100	\$0
Turtle, ringed map	<i>Graptemys oculifera</i>	\$200	\$0
Turtle, yellow-blotched map	<i>Graptemys flavimaculata</i>	\$300	\$0
Reptiles Total		\$12,600	\$0
Amphibians			
Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	\$400	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$400	\$0
Amphibians Total		\$800	\$0
Fishes			
Chub, Gila	<i>Gila intermedia</i>	\$100	\$0
Chub, spotfin, Entire	<i>Erimonax monachus</i>	\$500	\$0
Darter, amber	<i>Percina antesella</i>	\$200	\$0
Darter, bayou	<i>Etheostoma rubrum</i>	\$300	\$0
Darter, duskytail, Entire	<i>Etheostoma percnum</i>	\$100	\$0
Logperch, Conasauga	<i>Percina jenkinsi</i>	\$700	\$0

Madtom, Scioto	<i>Noturus trautmani</i>	\$100	\$0
Madtom, smoky, Entire	<i>Noturus baileyi</i>	\$100	\$0
Madtom, yellowfin, except where EXPN	<i>Noturus flavipinnis</i>	\$100	\$0
Pupfish, desert	<i>Cyprinodon macularius</i>	\$100	\$0
Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS	<i>Salmo salar</i>	\$800	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$3,000	\$0
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$3,000	\$0
Salmon, chinook, winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$300	\$0
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$400	\$0
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,000	\$0
Salmon, chinook, upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$3,000	\$0
Salmon, chinook spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$15,000	\$0
Salmon, chinook CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$600	\$0
Salmon, chinook, CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$400	\$0
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$1,300	\$0
Salmon, chum, summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$100	\$0
Salmon, coho, central CA coast	<i>Oncorhynchus (=Salmo) kisutch</i>	\$100	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$900	\$0
Salmon, coho, Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$1,000	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$1,500	\$0
Salmon, sockeye U.S.A. (Ozette Lake, WA)	<i>Oncorhynchus (=Salmo) nerka</i>	\$100	\$0
Sawfish, smalltooth	<i>Pristis pectinata</i>	\$100	\$0
Spikedace	<i>Meda fulgida</i>	\$100	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$800	\$0
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,200	\$0
Steelhead, central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$100	\$0
Steelhead , lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,800	\$0
Steelhead, south central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$100	\$0
Steelhead, southern CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$7,500	\$0
Steelhead upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$15,000	\$0
Steelhead, upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,000	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$900	\$0
Steelhead, northern CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$100	\$0
Steelhead, Puget Sound DPS	<i>Oncorhynchus (=Salmo) mykiss</i>	\$400	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$900	\$0
Sturgeon, North American green U.S.A. (CA) Southern Distinct Population Segment	<i>Acipenser medirostris</i>	\$800	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$200	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$1,400	\$0
Sturgeon, white U.S.A. (ID, MT), Canada (B.C.), Kootenai River syst	<i>Acipenser transmontanus</i>	\$500	\$0

Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$100	\$0
Topminnow, Gila (incl. Yaqui) U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$100	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$16,500	\$0
Fishes Total		\$86,400	\$0
Clams			
Acornshell, southern	<i>Epioblasma othcaloogensis</i>	\$200	\$0
Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>	\$900	\$0
Bean, purple	<i>Villosa perpurpurea</i>	\$1,500	\$0
Clubshell Entire Range; Except where listed as EXPN	<i>Pleurobema clava</i>	\$700	\$0
Clubshell AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Pleurobema clava</i>	\$900	\$0
Clubshell, black	<i>Pleurobema curtum</i>	\$200	\$0
Clubshell, ovate	<i>Pleurobema perovatum</i>	\$400	\$0
Clubshell, southern	<i>Pleurobema decisum</i>	\$400	\$0
Combshell, southern	<i>Epioblasma penita</i>	\$200	\$0
Combshell, upland	<i>Epioblasma metastrata</i>	\$200	\$0
Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	\$100	\$0
Fanshell	<i>Cyprogenia stegaria</i>	\$1,400	\$0
Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>	\$200	\$0
Heelsplitter, Carolina	<i>Lasmigona decorata</i>	\$400	\$0
Kidneyshell, triangular	<i>Ptychobranhus greenii</i>	\$200	\$0
Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	\$400	\$0
Moccasinshell, Coosa	<i>Medionidus parvulus</i>	\$200	\$0
Mucket, orangenacre	<i>Lampsilis perovalis</i>	\$200	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$500	\$0
Mussel, scaleshell	<i>Leptodea leptodon</i>	\$200	\$0
Pigtoe, heavy	<i>Pleurobema taitianum</i>	\$200	\$0
Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	\$200	\$0
Pocketbook, fat	<i>Potamilus capax</i>	\$200	\$0
Pocketbook, finelined	<i>Lampsilis altilis</i>	\$200	\$0
Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	\$400	\$0
Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	\$700	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. <i>walkeri</i> )	\$2,000	\$0
Ring pink (mussel)	<i>Obovaria retusa</i>	\$200	\$0
Spinymussel, James	<i>Pleurobema collina</i>	\$500	\$0
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$100	\$0
Clams Total		\$14,100	\$0
Snails			
Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	\$600	\$0
Snail, Snake River physa	<i>Physa natricina</i>	\$100	\$0
Snail, tulotoma	<i>Tulotoma magnifica</i>	\$3,000	\$0
Springsnail, Idaho	<i>Pyrgulopsis idahoensis</i>	\$300	\$0
Snails Total		\$4,000	\$0

<b>Insects</b>			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$1,100	\$0
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$200	\$0
Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	\$300	\$0
Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$800	\$0
<b>Insects Total</b>		\$2,400	\$0
<b>Crustaceans</b>			
Crayfish, Nashville	<i>Orconectes shoupi</i>	\$100	\$0
<b>Crustaceans Total</b>		\$100	\$0
<b>Flowering Plants</b>			
Aster, decurrent false	<i>Boltonia decurrens</i>	\$400	\$0
Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	\$200	\$0
Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	\$300	\$0
Clarkia, Pismo	<i>Clarkia speciosa ssp. immaculata</i>	\$100	\$0
Clover, running buffalo	<i>Trifolium stoloniferum</i>	\$400	\$0
Dogweed, ashy	<i>Thymophylla tephroleuca</i>	\$100	\$0
Frankenia, Johnston's	<i>Frankenia johnstonii</i>	\$100	\$0
Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	\$1,000	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$200	\$0
Lupine, Kincaid's	<i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i>	\$300	\$0
Milkweed, Mead's	<i>Asclepias meadii</i>	\$800	\$0
Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$500	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$200	\$0
Paintbrush, golden	<i>Castilleja levisecta</i>	\$100	\$0
Pitcher-plant, Alabama canebrake	<i>Sarracenia rubra alabamensis</i>	\$200	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$200	\$0
Roseroot, Leedy's	<i>Sedum integrifolium ssp. leedyi</i>	\$100	\$0
Sandwort, Marsh	<i>Arenaria paludicola</i>	\$100	\$0
Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	\$800	\$0
<b>Flowering Plants Total</b>		\$6,100	\$0
<b>Expenses from Foreign Species</b>		\$0	\$0
<b>Total Other ESA Expenses</b>		\$0	\$0
<b>All Species Total</b>		\$191,710	\$0



Nuclear Regulatory Commission FY2007

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Bat, gray	<i>Myotis grisescens</i>	\$8,250	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$19,193	\$0
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$2,500	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$2,000	\$0
Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$1,250	\$0
Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukecampbelli</i>	\$2,000	\$0
Whale, finback	<i>Balaenoptera physalus</i>	\$182	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$1,432	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$1,432	\$0
Whale, Sei	<i>Balaenoptera borealis</i>	\$182	\$0
Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>	\$182	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$2,000	\$0
Wolf, red, except where EXPN	<i>Canis rufus</i>	\$2,000	\$0
<b>Mammals Total</b>		<b>\$42,603</b>	<b>\$0</b>
<b>Birds</b>			
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$5,750	\$0
Curlew, Eskimo	<i>Numenius borealis</i>	\$3,750	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$2,003	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$2,000	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$3,750	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$10,409	\$0
Stork, wood AL, FL, GA, SC	<i>Mycteria americana</i>	\$7,750	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$3,746	\$0
Tern, roseate northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$1,683	\$0
Vireo, black-capped	<i>Vireo atricapilla</i>	\$2,000	\$0
Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	\$2,000	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$11,807	\$0
<b>Birds Total</b>		<b>\$56,648</b>	<b>\$0</b>
<b>Reptiles</b>			
Alligator, American	<i>Alligator mississippiensis</i>	\$5,835	\$0
Plymouth Red-Bellied Turtle	<i>Pseudemys rubriventris bangsi</i>	\$1,432	\$0
Sea turtle, green FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$8,623	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$3,880	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$11,063	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$9,873	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$13,623	\$0
Sea turtle, olive ridley except where endangered	<i>Lepidochelys olivacea</i>	\$2,560	\$0

Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$5,750	\$0
Turtle, bog (=Muhlenberg), northern	<i>Clemmys muhlenbergii</i>	\$10,340	\$0
Reptiles Total		\$72,979	\$0
<b>Amphibians</b>			
Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	\$4,500	\$0
Amphibians Total		\$4,500	\$0
<b>Fishes</b>			
Darter, amber	<i>Percina antesella</i>	\$3,750	\$0
Darter, Cherokee	<i>Etheostoma scotti</i>	\$3,750	\$0
Darter, Etowah	<i>Etheostoma etowahae</i>	\$3,750	\$0
Madtom, Neosho	<i>Noturus placidus</i>	\$496	\$0
Sawfish, smalltooth	<i>Pristis pectinata</i>	\$3,520	\$0
Shiner, Cape Fear	<i>Notropis mekistocholas</i>	\$307	\$0
Shiner, palezone	<i>Notropis albizonatus</i>	\$3,750	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$496	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$7,750	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$4,500	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$10,945	\$0
Fishes Total		\$43,014	\$0
<b>Clams</b>			
Fanshell	<i>Cyprogenia stegaria</i>	\$1,250	\$0
Heelsplitter, Carolina	<i>Lasmigona decorata</i>	\$2,500	\$0
Lampmussel, Alabama AL; Free-Flowing Reach of Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Lampsilis virescens</i>	\$3,750	\$0
Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>	\$3,750	\$0
Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	\$4,500	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$3,750	\$0
Pigtoe, finerayed Entire Range; Except where listed as EXPN	<i>Fusconaia cuneolus</i>	\$3,750	\$0
Pigtoe, oval	<i>Pleurobema pyriforme</i>	\$4,500	\$0
Pigtoe, shiny Entire Range; Except where listed as EXPN	<i>Fusconaia cor</i>	\$3,750	\$0
Pocketbook, fat	<i>Potamilus capax</i>	\$1,250	\$0
Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	\$4,500	\$0
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$7,290	\$0
Clams Total		\$44,540	\$0
<b>Snails</b>			
Riversnail, Anthony's Entire Range; Except where listed as EXPN	<i>Athearnia anthonyi</i>	\$3,750	\$0
Snails Total		\$3,750	\$0
<b>Insects</b>			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$251	\$0
Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$3,750	\$0
Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>	\$4,001	\$0

Tiger beetle, Puritan	<i>Cicindela puritana</i>	\$4,287	\$0
Insects Total		\$12,289	\$0
Flowering Plants			
Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$251	\$0
Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>	\$251	\$0
Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	\$1,050	\$0
Campion, fringed	<i>Silene polypetala</i>	\$4,500	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$6,086	\$0
Clover, running buffalo	<i>Trifolium stoloniferum</i>	\$2,000	\$0
Coneflower, smooth	<i>Echinacea laevigata</i>	\$5,750	\$0
Dropwort, Canby's	<i>Oxypolis canbyi</i>	\$5,750	\$0
Harperella	<i>Ptilimnium nodosum</i>	\$1,335	\$0
Joint-vetch, sensitive	<i>Aeschynomene virginica</i>	\$1,250	\$0
Leather flower, Morefield's	<i>Clematis morefieldii</i>	\$3,750	\$0
Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	\$85	\$0
Milk-vetch, Jesup's	<i>Astragalus robbinsii var. jesupi</i>	\$537	\$0
Milkweed, Mead's	<i>Asclepias meadii</i>	\$496	\$0
Pink, swamp	<i>Helonias bullata</i>	\$1,501	\$0
Pinkroot, gentian	<i>Spigelia gentianoides</i>	\$4,500	\$0
Pitcher-plant, Alabama canebrake	<i>Sarracenia rubra alabamensis</i>	\$4,500	\$0
Pitcher-plant, green	<i>Sarracenia oreophila</i>	\$8,250	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$1,250	\$0
Pondberry	<i>Lindera melissifolia</i>	\$1,335	\$0
Potato-bean, Price's	<i>Apios priceana</i>	\$8,250	\$0
Sumac, Michaux's	<i>Rhus michauxii</i>	\$4,057	\$0
Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	\$85	\$0
Trillium, relict	<i>Trillium reliquum</i>	\$5,750	\$0
Water-plantain, Kral's	<i>Sagittaria secundifolia</i>	\$4,500	\$0
Flowering Plants Total		\$77,069	\$0
Conifers and Cycads			
Torreya, Florida	<i>Torreya taxifolia</i>	\$4,500	\$0
Conifers and Cycads Total		\$4,500	\$0
Ferns and Allies			
Fern, American hart's-tongue	<i>Asplenium scolopendrium var. americanum</i>	\$3,750	\$0
Ferns and Allies Total		\$3,750	\$0
Other ESA Expenses not including Foreign Species		\$3,000	\$0
Expenses from Foreign Species		\$0	\$0
All Species Total		\$368,642	\$0

## Smithsonian Institution FY2007

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Ass, Asian wild	<i>Equus hemionus</i> **	\$12,042	\$0
Cheetah	<i>Acinonyx jubatus</i> **	\$111,300	\$0
Deer, Eld's brow-antlered	<i>Cervus eldi</i> **	\$126,905	\$0
Dhole	<i>Cuon alpinus</i> **	\$16,250	\$0
Dog, African wild	<i>Lycaon pictus</i> **	\$9,062	\$0
Elephant, Asian	<i>Elephas maximus</i> **	\$163,851	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$159,677	\$0
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$19,233	\$0
Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>	\$19,233	\$0
Gazelle, dama	<i>Gazella dama</i> **	\$9,340	\$0
Gorilla	<i>Gorilla gorilla</i> **	\$3,900	\$0
Horse, Przewalski's	<i>Equus przewalskii</i> **	\$183,755	\$0
Leopard, clouded	<i>Neofelis nebulosa</i> **	\$88,909	\$0
Lynx, Spanish	<i>Felis pardina</i> **	\$9,062	\$0
Oryx, scimitar-horned	<i>Oryx dammah</i> **	\$9,340	\$0
Otter, Northern Sea southwest Alaska DPS	<i>Enhydra lutris kenyoni</i>	\$8,317	\$0
Otter, southern sea south of Pt. Conception, CA	<i>Enhydra lutris nereis</i>	\$33,266	\$0
Panda, giant	<i>Ailuropoda melanoleuca</i> **	\$138,998	\$0
Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$1,423	\$0
Tamarin, golden-rumped	<i>Leontopithecus spp.</i> **	\$66,303	\$0
Wolf, gray Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$27,739	\$0
Wolf, maned	<i>Chrysocyon brachyurus</i> **	\$89,863	\$0
Zebra, Grevy's	<i>Equus grevyi</i> **	\$6,021	\$0
<b>Mammals Total</b>		\$1,313,789	\$0
<b>Birds</b>			
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$11,473	\$0
Crow, Hawaiian (=alala)	<i>Corvus hawaiiensis</i>	\$3,635	\$0
Crow, Mariana (=aga)	<i>Corvus kubaryi</i>	\$6,077	\$0
Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>	\$22,650	\$0
Rail, Guam, except Rota	<i>Rallus owstoni</i>	\$23,063	\$0
White-eye, Rota bridled	<i>Zosterops rotensis</i>	\$4,235	\$0
<b>Birds Total</b>		\$71,133	\$0
<b>Reptiles</b>			
Tortoise, desert outside/taken from Sonoran Desert	<i>Gopherus agassizii</i>	\$8,317	\$0
<b>Reptiles Total</b>		\$8,317	\$0
<b>Other ESA Expenses not including Foreign Species</b>		\$12,347	\$0
<b>Expenses from Foreign Species</b>		\$1,044,901	\$0

<b>Total Other ESA Expenses</b>		\$12,347	\$0
<b>All Species Total</b>		\$1,405,586	\$0

\*\* denotes Foreign Species; totals from Foreign Species are included in Other ESA Expenses

Tennessee Valley Authority FY2007

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Bat, gray	<i>Myotis grisescens</i>	\$6,500	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$16,500	\$0
<b>Mammals Total</b>		\$23,000	\$0
<b>Birds</b>			
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$7,000	\$0
Plover, piping, except Great Lakes watershed	<i>Charadrius melodus</i>	\$15,000	\$0
<b>Birds Total</b>		\$22,000	\$0
<b>Fishes</b>			
Darter, bluemask (=jewel)	<i>Etheostoma sp.</i>	\$3,000	\$0
Darter, boulder	<i>Etheostoma wapiti</i>	\$700	\$0
Darter, snail	<i>Percina tanasi</i>	\$5,000	\$0
<b>Fishes Total</b>		\$8,700	\$0
<b>Clams</b>			
Combshell, Cumberlandian Entire Range; Except where listed as EXPN	<i>Epioblasma brevidens</i>	\$5,000	\$0
Monkeyface, Cumberland (pearlymussel) Entire Range; Except where listed as EXPN	<i>Quadrula intermedia</i>	\$700	\$0
Pearlymussel, birdwing Entire Range; Except where listed as EXPN	<i>Conradilla caelata</i>	\$600	\$0
Pearlymussel, cracking Entire Range; Except where listed as EXPN	<i>Hemistena lata</i>	\$700	\$0
Pigtoe, finerayed Entire Range; Except where listed as EXPN	<i>Fusconaia cuneolus</i>	\$700	\$0
Pigtoe, shiny Entire Range; Except where listed as EXPN	<i>Fusconaia cor</i>	\$600	\$0
Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>	\$544,700	\$0
<b>Clams Total</b>		\$553,000	\$0
<b>Flowering Plants</b>			
Aster, Ruth's golden	<i>Pityopsis ruthii</i>	\$4,000	\$0
Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>	\$5,000	\$0
Pitcher-plant, green	<i>Sarracenia oreophila</i>	\$5,500	\$0
Rock-cress, Braun's	<i>Arabis perstellata</i>	\$5,000	\$0
Skullcap, large-flowered	<i>Scutellaria montana</i>	\$6,000	\$0
<b>Flowering Plants Total</b>		\$25,500	\$0
<b>Expenses from Foreign Species</b>		\$0	\$0
<b>Total Other ESA Expenses</b>		\$0	\$0
<b>All Species Total</b>		\$632,200	\$0

**Appendix C. Expenditures Reported by the States for FY2007**

Common Name	Scientific Name	General Expenditures	Land Expenditures
<b>Mammals</b>			
Bat, gray	<i>Myotis grisescens</i>	\$38,460	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$238,456	\$795,000
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuenae</i>	\$31,500	\$0
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$1,200	\$0
Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	\$2,900	\$17,700
Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	\$13,061	\$0
Bear, American black County range of LA b.bear	<i>Ursus americanus</i>	\$53,000	\$0
Bear, grizzly, lower 48 States, except where listed as EXPN or delisted	<i>Ursus arctos horribilis</i>	\$1,733,026	\$1,000,000
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$126,622	\$0
Caribou, woodland Selkirk Mountain population	<i>Rangifer tarandus caribou</i>	\$28,051	\$0
Deer, Columbian white-tailed Columbia River DPS	<i>Odocoileus virginianus leucurus</i>	\$8,000	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$290,655	\$0
Ferret, black-footed, U.S.A. (specific portions of AZ, CO, MT, SD, UT, WY)	<i>Mustela nigripes</i>	\$343,599	\$0
Jaguar	<i>Panthera onca</i>	\$10,000	\$0
Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	\$2,500	\$0
Lynx, Canada lower 48 States DPS	<i>Lynx canadensis</i>	\$624,678	\$2,000,000
Manatee, West Indian	<i>Trichechus manatus</i>	\$10,218,688	\$0
Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	\$29,293	\$0
Mouse, Preble's meadow jumping Colorado	<i>Zapus hudsonius preblei</i>	\$4,221	\$147,142
Ocelot	<i>Leopardus (=Felis) pardalis</i>	\$53,500	\$0
Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$3,273,728	\$0
Prairie dog, Utah	<i>Cynomys parvidens</i>	\$103,000	\$0
Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$225,000	\$0
Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>	\$811	\$0
Rabbit, pygmy Columbia Basin DPS	<i>Brachylagus idahoensis</i>	\$99,600	\$0
Sea-lion, Steller western pop.	<i>Eumetopias jubatus</i>	\$7,500	\$0
Sea-lion, Steller eastern pop.	<i>Eumetopias jubatus</i>	\$5,000	\$0
Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	\$8,500	\$0
Squirrel, Delmarva Peninsula fox Entire, except Sussex Co., DE	<i>Sciurus niger cinereus</i>	\$8,000	\$0
Squirrel, Delmarva Peninsula fox U.S.A. (DE, Sussex Co.)	<i>Sciurus niger cinereus</i>	\$63,000	\$0
Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	\$15,000	\$0
Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$60,238	\$0
Squirrel, Virginia northern flying	<i>Glaucomys sabrinus fuscus</i>	\$11,833	\$0
Whale, finback	<i>Balaenoptera physalus</i>	\$500	\$0

Whale, humpback	<i>Megaptera novaeangliae</i>	\$4,500	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$1,134,913	\$0
Whale, Sei	<i>Balaenoptera borealis</i>	\$2,000	\$0
Wolf, gray WY, ID, MT	<i>Canis lupus</i>	\$46,065	\$0
Wolf, gray, Lower 48 States, except where delisted and EXPN; Mexico.	<i>Canis lupus</i>	\$568,073	\$2,000,000
Wolf, gray Western Great Lakes DPS	<i>Canis lupus</i>	\$82,500	\$0
Wolf, gray MN	<i>Canis lupus</i>	\$25,000	\$0
Wolf, gray Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$197,741	\$0
Wolf, red U.S.A. (portions of NC and TN)	<i>Canis rufus</i>	\$1,523	\$0
<b>Mammals Total</b>		<b>\$19,795,435</b>	<b>\$5,959,842</b>
<b>Birds</b>			
Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>	\$59,849	\$0
Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	\$750	\$0
Condor, California U.S.A. only	<i>Gymnogyps californianus</i>	\$325,000	\$0
Condor, California U.S.A. (specific portions of AZ, NV, and UT)	<i>Gymnogyps californianus</i>	\$10,000	\$0
Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	\$700	\$0
Crane, whooping except where EXPN	<i>Grus americana</i>	\$13,500	\$0
Crane, whooping U.S.A. (CO, ID, FL, NM, UT, and western WY)	<i>Grus americana</i>	\$253,621	\$0
Crane, whooping U.S.A. (AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	<i>Grus americana</i>	\$651	\$0
Curlew, Eskimo	<i>Numenius borealis</i>	\$2,304	\$0
Eagle, bald lower 48 States	<i>Haliaeetus leucocephalus</i>	\$977,170	\$2,112,000
Eider, Steller's AK breeding pop.	<i>Polysticta stelleri</i>	\$8,064	\$0
Falcon, northern aplomado Southwestern population	<i>Falco femoralis septentrionalis</i>	\$2,200	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$281,936	\$48,381
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$161,383	\$0
Kite, Everglade snail FL pop.	<i>Rostrhamus sociabilis plumbeus</i>	\$1,655	\$0
Murrelet, marbled CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$390,301	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$115,000	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$221,159	\$2,000,000
Parrot, Puerto Rican	<i>Amazona vittata</i>	\$278,646	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$6,684	\$0
Plover, piping, except Great Lakes watershed	<i>Charadrius melodus</i>	\$456,801	\$0
Plover, piping Great Lakes watershed	<i>Charadrius melodus</i>	\$55,438	\$0
Plover, western snowy Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$20,150	\$0



Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	\$103,000	\$0
Rail, Yuma clapper U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$50,000	\$0
Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	\$61,963	\$0
Stork, wood AL, FL, GA, SC	<i>Mycteria americana</i>	\$30,070	\$0
Tern, least interior pop.	<i>Sterna antillarum</i>	\$91,859	\$0
Tern, roseate northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$52,195	\$0
Tern, roseate Western Hemisphere except NE U.S.	<i>Sterna dougallii dougallii</i>	\$200	\$0
Vireo, black-capped	<i>Vireo atricapilla</i>	\$5,900	\$0
Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>	\$1,523	\$0
Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	\$73,700	\$0
Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>	\$185,500	\$0
Woodpecker, ivory-billed	<i>Campephilus principalis</i>	\$100,395	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$816,655	\$200,000
Birds Total		\$5,215,922	\$4,360,381
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$52,523	\$0
Crocodile, American FL pop.	<i>Crocodylus acutus</i>	\$18,319	\$0
Iguana, Mona ground	<i>Cyclura cornuta stejnegeri</i>	\$35,690	\$0
Plymouth Red-Bellied Turtle	<i>Pseudemys rubriventris bangsi</i>	\$7,000	\$0
Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	\$4,500	\$0
Sea turtle, green except where endangered	<i>Chelonia mydas</i>	\$1,508	\$0
Sea turtle, green FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$319,378	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$353,986	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$329,786	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$332,786	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$398,893	\$0
Snake, copperbelly water MI, OH, IN N of 400 N. Lat.	<i>Nerodia erythrogaster neglecta</i>	\$600	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$29,000	\$1,890,000
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$7,500	\$0
Tortoise, desert outside/taken from Sonoran Desert	<i>Gopherus agassizii</i>	\$50,000	\$1,850,000
Tortoise, gopher W of of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$15,220	\$0
Turtle, Alabama red-belly	<i>Pseudemys alabamensis</i>	\$600	\$0
Turtle, bog (=Muhlenberg), southern	<i>Clemmys muhlenbergii</i>	\$98,135	\$0
Turtle, bog (=Muhlenberg), northern	<i>Clemmys muhlenbergii</i>	\$78,693	\$0
Turtle, ringed map	<i>Graptemys oculifera</i>	\$5,000	\$0
Turtle, yellow-blotched map	<i>Graptemys flavimaculata</i>	\$800	\$0
Watersnake, Lake Erie subspecies range clarified	<i>Nerodia sipedon insularum</i>	\$34,000	\$0
Reptiles Total		\$2,173,917	\$3,740,000

<b>Amphibians</b>			
Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$71,000	\$0
Frog, Mississippi gopher Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	<i>Rana capito sevoza</i>	\$17,000	\$0
Salamander, Barton Springs	<i>Eurycea sosorum</i>	\$12,700	\$0
Salamander, Cheat Mountain	<i>Plethodon nettingi</i>	\$2,367	\$0
Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	\$30,984	\$0
Salamander, Red Hills	<i>Phaeognathus hubrichti</i>	\$73,000	\$0
Salamander, San Marcos	<i>Eurycea nana</i>	\$6,100	\$0
Salamander, Shenandoah	<i>Plethodon shenandoah</i>	\$800	\$0
Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>	\$15,000	\$0
Salamander, Texas blind	<i>Typhlomolge rathbuni</i>	\$36,700	\$0
Toad, Houston	<i>Bufo houstonensis</i>	\$69,500	\$498,000
Toad, Puerto Rican crested	<i>Peltophryne lemur</i>	\$15,386	\$0
Toad, Wyoming	<i>Bufo baxteri (=hemiophrys)</i>	\$56	\$0
<b>Amphibians Total</b>		\$350,593	\$498,000
<b>Fishes</b>			
Catfish, Yaqui	<i>Ictalurus pricei</i>	\$8,000	\$0
Cavefish, Ozark	<i>Amblyopsis rosae</i>	\$79,500	\$0
Chub, bonytail, entire	<i>Gila elegans</i>	\$190,845	\$0
Chub, Borax Lake	<i>Gila boraxobius</i>	\$1,200	\$0
Chub, Chihuahua	<i>Gila nigrescens</i>	\$7,500	\$0
Chub, Gila	<i>Gila intermedia</i>	\$7,500	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$457,845	\$0
Chub, Hutton tui	<i>Gila bicolor ssp.</i>	\$8,000	\$0
Chub, Pahrnagat roundtail	<i>Gila robusta jordani</i>	\$1,000	\$0
Chub, slender	<i>Erimystax cahni</i>	\$500	\$0
Chub, Sonora	<i>Gila ditaenia</i>	\$20,000	\$0
Chub, spotfin, entire	<i>Erimonax monachus</i>	\$13,791	\$0
Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	\$262,500	\$0
Chub, Yaqui	<i>Gila purpurea</i>	\$15,000	\$0
Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	\$2,500	\$0
Dace, desert	<i>Eremichthys acros</i>	\$2,000	\$0
Dace, Fosskett speckled	<i>Rhinichthys osculus ssp.</i>	\$8,000	\$0
Dace, Moapa	<i>Moapa coriacea</i>	\$3,000	\$0
Darter, amber	<i>Percina antesella</i>	\$3,000	\$0
Darter, bayou	<i>Etheostoma rubrum</i>	\$500	\$0
Darter, boulder	<i>Etheostoma wapiti</i>	\$283	\$0
Darter, Cherokee	<i>Etheostoma scotti</i>	\$2,500	\$0
Darter, duskytail, entire	<i>Etheostoma percnum</i>	\$783	\$0
Darter, Etowah	<i>Etheostoma etowahae</i>	\$2,500	\$0
Darter, goldline	<i>Percina aurolineata</i>	\$500	\$0
Darter, Niangua	<i>Etheostoma nianguae</i>	\$141,500	\$0
Darter, slackwater	<i>Etheostoma boschungii</i>	\$8,500	\$0
Darter, snail	<i>Percina tanasi</i>	\$800	\$0
Darter, watercress	<i>Etheostoma nuchale</i>	\$8,500	\$0
Gambusia, Pecos	<i>Gambusia nobilis</i>	\$8,000	\$0

Logperch, Conasauga	<i>Percina jenkinsi</i>	\$800	\$0
Logperch, Roanoke	<i>Percina rex</i>	\$24,000	\$0
Madtom, Neosho	<i>Noturus placidus</i>	\$7,100	\$0
Madtom, smoky, entire	<i>Noturus baileyi</i>	\$283	\$0
Madtom, yellowfin Holston River, VA, TN	<i>Noturus flavipinnis</i>	\$3,000	\$0
Madtom, yellowfin except where EXPN	<i>Noturus flavipinnis</i>	\$283	\$0
Minnnow, Devils River	<i>Dionda diaboli</i>	\$50,000	\$0
Minnnow, loach	<i>Tiaroga cobitis</i>	\$127,500	\$0
Minnnow, Rio Grande silvery	<i>Hybognathus amarus</i>	\$36,000	\$0
Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$189,845	\$0
Pikeminnow (=squawfish), Colorado Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$26,000	\$0
Poolfish, Pahrump	<i>Empetrichthys latos</i>	\$3,000	\$0
Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>	\$2,500	\$0
Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	\$1,000	\$0
Pupfish, desert	<i>Cyprinodon macularius</i>	\$55,000	\$0
Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	\$4,500	\$0
Pupfish, Leon Springs	<i>Cyprinodon bovinus</i>	\$16,800	\$0
Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i>	\$2,000	\$0
Salmon, chinook fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,705,640	\$200,000
Salmon, chinook Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$3,911,456	\$200,000
Salmon, chinook upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$85,197	\$0
Salmon, chinook spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$847,587	\$200,000
Salmon, chinook spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$866,347	\$200,000
Salmon, chinook lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$998,484	\$200,000
Salmon, chum summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$680,333	\$0
Salmon, chum Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$517,125	\$500,000
Salmon, coho Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$881,170	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$431,118	\$0
Salmon, sockeye U.S.A. (Ozette Lake, WA)	<i>Oncorhynchus (=Salmo) nerka</i>	\$257,864	\$0
Shiner, beautiful	<i>Cyprinella formosa</i>	\$8,000	\$0
Shiner, blue	<i>Cyprinella caerulea</i>	\$1,000	\$0
Shiner, Cape Fear	<i>Notropis mekistocholas</i>	\$23,881	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$59,050	\$0
Spikedace	<i>Meda fulgida</i>	\$130,000	\$0
Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>	\$3,000	\$0
Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	\$15,000	\$0
Spinedace, White River	<i>Lepidomeda albivallis</i>	\$3,000	\$0
Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	\$2,000	\$0
Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	\$1,000	\$0

Springfish, White River	<i>Crenichthys baileyi baileyi</i>	\$1,000	\$0
Steelhead upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$121,728	\$0
Steelhead Puget Sound DPS	<i>Oncorhynchus (=Salmo) mykiss</i>	\$735,799	\$0
Steelhead Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$3,245,074	\$0
Steelhead upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$628,348	\$1,000,000
Steelhead middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$399,961	\$500,000
Steelhead lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$641,651	\$0
Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>	\$39,200	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$52,000	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$224,042	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$61,538	\$0
Sturgeon, white U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$341,658	\$0
Sucker, June	<i>Chasmistes liorus</i>	\$300,000	\$0
Sucker, Lost River	<i>Deltistes luxatus</i>	\$29,000	\$0
Sucker, Modoc	<i>Catostomus microps</i>	\$8,000	\$0
Sucker, razorback entire	<i>Xyrauchen texanus</i>	\$134,000	\$0
Sucker, shortnose	<i>Chasmistes brevirostris</i>	\$29,000	\$0
Sucker, Warner	<i>Catostomus warnerensis</i>	\$8,000	\$0
Topminnow, Gila (incl. Yaqui) U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$153,500	\$0
Trout, Apache	<i>Oncorhynchus apache</i>	\$250,000	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$3,335,412	\$2,000,000
Trout, Gila	<i>Oncorhynchus gilae</i>	\$97,000	\$0
Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	\$170,052	\$0
Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$135,000	\$0
Woundfin except Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$245,000	\$0
Woundfin Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$8,000	\$0
Fishes Total		\$24,637,873	\$5,000,000
Clams			
Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>	\$2,500	\$0
Bean, Cumberland (pearlymussel) Entire Range; Except where listed as EXPN	<i>Villosa trabalis</i>	\$20,350	\$0
Bean, purple	<i>Villosa perpurpurea</i>	\$1,200	\$0
Blossom, green (pearlymussel)	<i>Epioblasma torulosa gubernaculum</i>	\$500	\$0
Blossom, tubercled (pearlymussel) Entire Range; Except where listed as EXPN	<i>Epioblasma torulosa torulosa</i>	\$971	\$0
Catspaw, white (pearlymussel)	<i>Epioblasma obliquata perobliqua</i>	\$100	\$0
Clubshell, Entire Range; Except where listed as EXPN	<i>Pleurobema clava</i>	\$14,305	\$0
Clubshell, black	<i>Pleurobema curtum</i>	\$400	\$0
Clubshell, ovate	<i>Pleurobema perovatum</i>	\$400	\$0

Clubshell, southern	<i>Pleurobema decisum</i>	\$900	\$0
Combshell, Cumberlandian Entire Range; Except where listed as EXPN	<i>Epioblasma brevidens</i>	\$2,566	\$0
Combshell, Cumberlandian U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	<i>Epioblasma brevidens</i>	\$400	\$0
Combshell, southern	<i>Epioblasma penita</i>	\$400	\$0
Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	\$39,950	\$0
Fanshell	<i>Cyprogenia stegaria</i>	\$6,139	\$0
Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>	\$12,260	\$0
Heelsplitter, Carolina	<i>Lasmigona decorata</i>	\$32,580	\$0
Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	\$34,958	\$0
Mapleleaf, winged Entire; except where listed as EXPN	<i>Quadrula fragosa</i>	\$7,000	\$0
Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	\$1,200	\$0
Moccasinshell, Coosa	<i>Medionidus parvulus</i>	\$800	\$0
Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	\$3,500	\$0
Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	\$1,000	\$0
Monkeyface, Appalachian (pearlymussel)	<i>Quadrula sparsa</i>	\$800	\$0
Monkeyface, Cumberland (pearlymussel) Entire Range; Except where listed as EXPN	<i>Quadrula intermedia</i>	\$800	\$0
Mucket, orangenacre	<i>Lampsilis perovalis</i>	\$400	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$37,473	\$0
Mussel, oyster U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	<i>Epioblasma capsaeformis</i>	\$5,075	\$0
Mussel, oyster Entire Range; Except where listed as EXPN	<i>Epioblasma capsaeformis</i>	\$4,033	\$0
Mussel, oyster AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Epioblasma capsaeformis</i>	\$300	\$0
Mussel, scaleshell	<i>Leptodea leptodon</i>	\$20,000	\$0
Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	\$6,021	\$0
Pearlymussel, birdwing Entire Range; Except where listed as EXPN	<i>Conradilla caelata</i>	\$2,810	\$0
Pearlymussel, cracking Entire Range; Except where listed as EXPN	<i>Hemistena lata</i>	\$1,083	\$0
Pearlymussel, dromedary AL; Free-Flowing Reach of the Tennessee River below Wilson Dam, Colbert and Lauderdale Co.	<i>Dromus dromas</i>	\$300	\$0
Pearlymussel, dromedary Entire Range; Except where listed as EXPN	<i>Dromus dromas</i>	\$3,017	\$0
Pearlymussel, littlewing	<i>Pegias fabula</i>	\$12,027	\$0
Pigtoe, fineryed Entire Range; Except where listed as EXPN	<i>Fusconaia cuneolus</i>	\$1,500	\$0
Pigtoe, flat	<i>Pleurobema marshalli</i>	\$400	\$0
Pigtoe, heavy	<i>Pleurobema taitianum</i>	\$1,500	\$0
Pigtoe, oval	<i>Pleurobema pyriforme</i>	\$3,500	\$0
Pigtoe, rough	<i>Pleurobema plenum</i>	\$2,400	\$0
Pigtoe, shiny Entire Range; Except where listed as EXPN	<i>Fusconaia cor</i>	\$800	\$0
Pigtoe, southern	<i>Pleurobema georgianum</i>	\$1,000	\$0
Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	\$3,000	\$0
Pocketbook, fat	<i>Potamilus capax</i>	\$30,660	\$0

Pocketbook, finelined	<i>Lampsilis altilis</i>	\$1,000	\$0
Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	\$3,000	\$0
Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	\$4,000	\$0
Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>	\$1,500	\$0
Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	\$1,839	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)	\$5,000	\$0
Slabshell, Chipola	<i>Elliptio chipolaensis</i>	\$500	\$0
Spinymussel, James	<i>Pleurobema collina</i>	\$35,396	\$0
Spinymussel, Tar River	<i>Elliptio steinstansana</i>	\$30,970	\$0
Stirrupshell	<i>Quadrula stapes</i>	\$400	\$0
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$115,367	\$0
Clams Total		\$522,250	\$0
Snails			
Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$12,000	\$0
Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>	\$2,500	\$0
Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>	\$10,000	\$0
Snail, flat-spined three-toothed	<i>Triodopsis platysayoides</i>	\$26,731	\$0
Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	\$2,000	\$0
Snail, Pecos assiminea	<i>Assiminea pecos</i>	\$2,600	\$0
Snail, tulotoma	<i>Tulotoma magnifica</i>	\$4,700	\$0
Snail, Virginia fringed mountain	<i>Polygyriscus virginianus</i>	\$500	\$0
Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	\$50	\$0
Springsnail, Koster's	<i>Juturnia kosteri</i>	\$250	\$0
Springsnail, Roswell	<i>Pyrgulopsis roswellensis</i>	\$250	\$0
Springsnail, Socorro	<i>Pyrgulopsis neomexicana</i>	\$500	\$0
Snails Total		\$62,081	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$54,744	\$0
Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>	\$5,700	\$0
Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>	\$13,400	\$0
Beetle, Helotes mold	<i>Batrisodes venyivi</i>	\$5,200	\$0
Beetle, Hungerford's crawling water	<i>Brychius hungerfordi</i>	\$100	\$0
Beetle, Kretschmarr Cave mold	<i>Texamaurops reddelli</i>	\$5,100	\$0
Beetle, Tooth Cave ground	<i>Rhadine persephone</i>	\$5,100	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$276,690	\$0
Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	\$25,836	\$139,000
Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	\$8,000	\$0
Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	\$508	\$0
Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$17,100	\$0
Ground beetle, [unnamed]	<i>Rhadine exilis</i>	\$5,100	\$0
Ground beetle, [unnamed]	<i>Rhadine infernalis</i>	\$5,100	\$0
Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>	\$3,500	\$0
Tiger beetle, Puritan	<i>Cicindela puritana</i>	\$4,198	\$0
Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniana</i>	\$25,000	\$112,000
Insects Total		\$460,376	\$251,000

<b>Arachnids</b>			
Harvestman, Bone Cave	<i>Texella reyesi</i>	\$7,400	\$0
Meshweaver, Madla's Cave	<i>Cicurina madla</i>	\$1,800	\$0
Meshweaver, Robber Baron Cave	<i>Cicurina baronia</i>	\$1,800	\$0
Spider, Government Canyon Bat Cave	<i>Neoleptoneta microps</i>	\$5,400	\$0
Spider, Tooth Cave	<i>Leptoneta myopica</i>	\$5,400	\$0
<b>Arachnids Total</b>		\$21,800	\$0
<b>Crustaceans</b>			
Amphipod, Illinois cave	<i>Gammarus acherondytes</i>	\$1,343	\$0
Amphipod, Noel's	<i>Gammarus desperatus</i>	\$12,000	\$0
Amphipod, Peck's cave	<i>Stygobromus (=Stygonectes) pecki</i>	\$5,400	\$0
Crayfish, cave	<i>Cambarus zophonastes</i>	\$500	\$0
Isopod, Lee County cave	<i>Lirceus usdagalun</i>	\$750	\$0
Isopod, Madison Cave	<i>Antrolana lira</i>	\$15,097	\$0
Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	\$450	\$0
<b>Crustaceans Total</b>		\$35,540	\$0
<b>Flowering Plants</b>			
Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$2,250	\$0
Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>	\$3,500	\$0
Amphianthus, little	<i>Amphianthus pusillus</i>	\$1,500	\$0
Aster, decurrent false	<i>Boltonia decurrens</i>	\$31,690	\$0
Ayenia, Texas	<i>Ayenia limitaris</i>	\$1,200	\$0
Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>	\$1,000	\$0
Bear-poppy, dwarf	<i>Arctomecon humilis</i>	\$500	\$0
Bittercress, small-anthered	<i>Cardamine micranthera</i>	\$500	\$0
Bladderpod, Missouri	<i>Lesquerella filiformis</i>	\$6,500	\$0
Bladderpod, white	<i>Lesquerella pallida</i>	\$300	\$0
Bladderpod, Zapata	<i>Lesquerella thamnophila</i>	\$5,500	\$0
Blue-star, Kearney's	<i>Amsonia kearneyana</i>	\$750	\$0
Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	\$1,404	\$0
Bush-clover, prairie	<i>Lespedeza leptostachya</i>	\$4,400	\$25,000
Butterfly plant, Colorado	<i>Gaura neomexicana</i> var. <i>coloradensis</i>	\$200	\$0
Button, Mohr's Barbara	<i>Marshallia mohrii</i>	\$500	\$0
Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>	\$750	\$0
Cactus, black lace	<i>Echinocereus reichenbachii</i> var. <i>albertii</i>	\$3,500	\$0
Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	\$750	\$0
Cactus, Chisos Mountain hedgehog	<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>	\$300	\$0
Cactus, Cochise pincushion	<i>Coryphantha robbinsorum</i>	\$750	\$0
Cactus, Lloyd's Mariposa	<i>Echinomastus mariposensis</i>	\$600	\$0
Cactus, Nellie cory	<i>Coryphantha minima</i>	\$700	\$0
Cactus, Nichol's Turk's head	<i>Echinocactus horizonthalonius</i> var. <i>nicholii</i>	\$1,500	\$0
Cactus, Peebles Navajo	<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>	\$750	\$0
Cactus, Pima pineapple	<i>Coryphantha scheeri</i> var. <i>robustispina</i>	\$750	\$0

Cactus, Siler pincushion	<i>Pediocactus (=Echinocactus,=Utahia) sileri</i>	\$750	\$0
Cactus, Sneed pincushion	<i>Coryphantha sneedii var. sneedii</i>	\$600	\$0
Cactus, star	<i>Astrophytum asterias</i>	\$76,200	\$0
Cactus, Tobusch fishhook	<i>Ancistrocactus tobuschii</i>	\$31,700	\$0
Campion, fringed	<i>Silene polypetala</i>	\$2,500	\$0
Cat's-eye, Terlingua Creek	<i>Cryptantha crassipes</i>	\$300	\$0
Catchfly, Spalding's	<i>Silene spaldingii</i>	\$28,529	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$5,300	\$0
Cliff-rose, Arizona	<i>Purshia (=Cowania) subintegra</i>	\$750	\$0
Clover, running buffalo	<i>Trifolium stoloniferum</i>	\$5,576	\$0
Coneflower, smooth	<i>Echinacea laevigata</i>	\$3,500	\$0
Cory cactus, bunched	<i>Coryphantha ramillosa</i>	\$700	\$0
Cycladenia, Jones	<i>Cycladenia jonesii (=humilis)</i>	\$750	\$0
Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>	\$5,000	\$0
Dogweed, ashy	<i>Thymophylla tephroleuca</i>	\$900	\$0
Dropwort, Canby's	<i>Oxypolis canbyi</i>	\$2,000	\$0
Fleabane, Zuni	<i>Erigeron rhizomatus</i>	\$750	\$0
Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>	\$28,798	\$0
Frankenia, Johnston's	<i>Frankenia johnstonii</i>	\$3,000	\$0
Gerardia, sandplain	<i>Agalinis acuta</i>	\$12,917	\$0
Goldenrod, Houghton's	<i>Solidago houghtonii</i>	\$600	\$0
Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	\$1,000	\$0
Groundsel, San Francisco Peaks	<i>Senecio franciscanus</i>	\$750	\$0
Harperella	<i>Ptilimnium nodosum</i>	\$3,526	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$3,800	\$1,000,000
Iris, dwarf lake	<i>Iris lacustris</i>	\$1,800	\$0
Joint-vetch, sensitive	<i>Aeschynomene virginica</i>	\$1,800	\$0
Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>	\$750	\$0
Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>	\$11,100	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$7,122	\$0
Leather flower, Alabama	<i>Clematis socialis</i>	\$3,000	\$0
Lily, Minnesota dwarf trout	<i>Erythronium propullans</i>	\$1,000	\$0
Locoweed, Fassett's	<i>Oxytropis campestris var. chartacea</i>	\$3,300	\$0
Lousewort, Furbish	<i>Pedicularis furbishiae</i>	\$2,833	\$0
Mallow, Peter's Mountain	<i>Iliamna corei</i>	\$2,800	\$0
Manioc, Walker's	<i>Manihot walkerae</i>	\$1,500	\$0
Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	\$750	\$0
Milk-vetch, Jesup's	<i>Astragalus robbinsii var. jesupi</i>	\$2,418	\$0
Milk-vetch, Peirson's	<i>Astragalus magdalenae var. peirsonii</i>	\$750	\$0
Milk-vetch, Sentry	<i>Astragalus cremnophylax var. cremnophylax</i>	\$750	\$0
Milkweed, Mead's	<i>Asclepias meadii</i>	\$14,000	\$0
Milkweed, Welsh's	<i>Asclepias welshii</i>	\$1,850	\$0
Monkey-flower, Michigan	<i>Mimulus glabratus var. michiganensis</i>	\$100	\$0
Monkshood, northern wild	<i>Aconitum noveboracense</i>	\$3,500	\$110,000
No common name	<i>Geocarpon minimum</i>	\$15,606	\$0
Oak, Hinckley	<i>Quercus hinckleyi</i>	\$300	\$0
Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$14,320	\$0



Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$7,300	\$0
Paintbrush, golden	<i>Castilleja levisecta</i>	\$0	\$1,000,000
Phlox, Texas trailing	<i>Phlox nivalis ssp. texensis</i>	\$300	\$0
Pink, swamp	<i>Helonias bullata</i>	\$3,500	\$0
Pitaya, Davis' green	<i>Echinocereus viridiflorus var. davisii</i>	\$700	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$7,588	\$0
Pondberry	<i>Lindera melissifolia</i>	\$12,350	\$16,500
Pondweed, Little Aguja (=Creek)	<i>Potamogeton clystocarpus</i>	\$300	\$0
Poppy-mallow, Texas	<i>Callirhoe scabriuscula</i>	\$2,500	\$0
Potato-bean, Price's	<i>Apios priceana</i>	\$1,000	\$0
Rattleweed, hairy	<i>Baptisia arachnifera</i>	\$2,500	\$0
Rock-cress, shale barren	<i>Arabis serotina</i>	\$607	\$0
Rush-pea, slender	<i>Hoffmannseggia tenella</i>	\$1,500	\$0
Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>	\$18,700	\$0
Sedge, Navajo	<i>Carex specuicola</i>	\$750	\$0
Sneezeweed, Virginia	<i>Helenium virginicum</i>	\$1,000	\$0
Snowbells, Texas	<i>Styrax texanus</i>	\$11,000	\$0
Spiraea, Virginia	<i>Spiraea virginiana</i>	\$731	\$0
Sumac, Michaux's	<i>Rhus michauxii</i>	\$3,000	\$0
Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>	\$900	\$0
Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$1,200	\$0
Trillium, persistent	<i>Trillium persistens</i>	\$3,000	\$0
Trillium, relict	<i>Trillium reliquum</i>	\$2,500	\$0
Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>	\$750	\$0
Wild-rice, Texas	<i>Zizania texana</i>	\$7,500	\$0
<b>Flowering Plants Total</b>		<b>\$474,765</b>	<b>\$2,151,500</b>
<b>Ferns and Allies</b>			
Fern, American hart's-tongue	<i>Asplenium scolopendrium var. americanum</i>	\$200	\$0
Quillwort, black spored	<i>Isoetes melanospora</i>	\$500	\$0
Quillwort, Louisiana	<i>Isoetes louisianensis</i>	\$1,000	\$0
Quillwort, mat-forming	<i>Isoetes tegetiformans</i>	\$500	\$0
<b>Ferns and Allies Total</b>		<b>\$2,200</b>	<b>\$0</b>
<b>Other ESA Expenses not including Foreign Species</b>		<b>\$12,789,585</b>	<b>\$6,800,000</b>
<b>Expenses from Foreign Species</b>		<b>\$0</b>	<b>\$0</b>
<b>Total Other ESA Expenses</b>		<b>\$12,789,585</b>	<b>\$6,800,000</b>
<b>All Species Total</b>		<b>\$66,542,337</b>	<b>\$28,760,723</b>

#### Appendix D. FY2007 Comments on Species Expenditures

Agency	Species	Expenditure	Comments
Arkansas	Bat, Indiana ( <i>Myotis sodalis</i> )	\$2,000	Estimated expenditures from the Arkansas Natural Heritage Commission
Arkansas	Bat, gray ( <i>Myotis grisescens</i> )	\$4,000	Estimated expenditures from the Arkansas Natural Heritage Commission
Arkansas	Woodpecker, ivory-billed ( <i>Campephilus principalis</i> )	\$19,000	Estimated expenditures from the Arkansas Natural Heritage Commission: \$12,000. Arkansas Game and Fish Commission expenditures: \$7,000.
Arkansas	Woodpecker, red-cockaded ( <i>Picooides borealis</i> )	\$235,000	Estimated expenditures from the Arkansas Natural Heritage Commission
Arkansas	Cavefish, Ozark ( <i>Amblyopsis rosae</i> )	\$5,000	Estimated expenditures from the Arkansas Natural Heritage Commission
Arkansas	Crayfish, cave ( <i>Cambarus zophonastes</i> )	\$500	Estimated expenditures from the Arkansas Natural Heritage Commission
Arkansas	Bladderpod, Missouri ( <i>Lesquerella filiformis</i> )	\$1,500	Estimated expenditures from the Arkansas Natural Heritage Commission
Arkansas	Geocarpon minimum (=Sci name)	\$12,000	Estimated expenditures from the Arkansas Natural Heritage Commission
DOI Minerals Management Service	Whale, humpback ( <i>Megaptera novaeangliae</i> )	\$200,000	humpback whales in Arctic waters
DOI Minerals Management Service	Whale, right ( <i>Balaena glacialis</i> (incl. <i>australis</i> ))	\$1,000,000	North Pacific right whale in Alaska
DOI US Geological Survey	Eagle, bald lower 48 States ( <i>Haliaeetus leucocephalus</i> )	\$10,400	state personnel and travel costs for monitoring the fledging success of known Bald Eagle nests in eastern Oklahoma
New York	Bat, Indiana ( <i>Myotis sodalis</i> )	\$55,000	White Nose Syndrome increased Department staff involvement in I-bat issues. Also held Indiana Bat summering range workshop in December 2007.
New York	Plover, piping except Great Lakes watershed ( <i>Charadrius melodus</i> )	\$100,000	Includes estimate of \$\$ spent by both NYSDEC and NYS Parks. Does not include estimated \$1,000,000 spent by local landowners and municipalities.
Pennsylvania	Bat, Indiana ( <i>Myotis sodalis</i> )	\$60,000	Pennsylvania Game Commission expenditures on research and conservation.
Pennsylvania	Eagle, bald lower 48 States ( <i>Haliaeetus leucocephalus</i> )	\$950	Minimal non-federal expenditures in PA.
USDA Forest Service	Wolf, gray WY, ID, MT ( <i>Canis lupus</i> )	\$227,000	Northern Rockies DPS

### Appendix E. FY2007 Comments on Other ESA Expenditures

Agency	Expenditure	Comments
Arkansas	\$3,000	Sixteen bat species are endemic to Arkansas, three of which are listed as endangered species, with an additional three considered species of concern. The gray bat, Indiana bat, Ozark big-eared bat, southeastern bat, eastern small-footed bat, and Rafinesque's big-eared bat are all found in limited areas of the state, with relatively small populations available for study. This study is intended to monitor populations of endangered bat species and those species of concern in Arkansas, as well as locate additional colonies and obtain data concerning the ecology of such species in the state.
DOC National Oceanic and Atmospheric Administration	\$34,188,584	Section 7 consultations, technical assistance and outreach and education not attributable to a specific species; or covering multiple species in a single effort.
DOI Minerals Management Service	\$174,200	100,000 staff time for ESA consultations 69,000 Pacific coast beach bird survey 2,500 Working Group on the Effects of Noise on Fish and Turtles 2,700 Worldwide Synthesis and Analysis of Existing Information Regarding Environmental Effects of Alternative Energy Uses on the OCS and Workshop
DOI US Geological Survey	\$2,357,000	2681000 PIERC Science Center
New York	\$110,000	Listed Marine Mammal and Sea Turtle Stranding Program Contract; \$50,000 in supplies, materials and travel costs as match for Marine Endangered Species Coordinator Contract; \$10K in staff time in support of listed Whales and sea turtles
USFWS Region 5	\$465,813	Primarily list requests technical assistance not species specific NEFO included list requests, technical assistance, some overhead, time for support staff and the project leader and candidate conservation. \$34K - to endangered bats - WV \$8K - to endangered freshwater mussels - WV \$30K - to rare and endangered plants - MA
Virginia	\$60,000	These expenditures are associated primarily with work that is done in Virginia for federally-listed freshwater mussels, but not attributable to a specific species.

U.S. Fish and Wildlife Service  
Endangered Species Program  
1849 C Street NW (MS-420 ARLSQ)  
Washington, DC 20240  
<http://www.fws.gov/endangered>



**Photo Credits:**

Puerto Rican parrot - Leo Miranda. USFWS

Valley Elderberry longhorn beetle - Theresa Talley, University of California (Davis)

Black-footed ferret - Seth Willey, USFWS

Antioch Dunes evening primrose - USFWS

Gila trout - Elizabeth Slown. USFWS