

Know Your Hand Signals!

Basic Standard Hand Signals for Cranes and Hoisting Equipment



HOIST: With forearm vertical, and forefinger pointing up, move hand in small horizontal circle.



LOWER: With arm extended downward, forefinger pointing down, move hand in a small horizontal circle.



RAISE BOOM: Arm extended, fingers closed, thumb pointing upward.



LOWER BOOM: Arm extended, fingers closed, thumb pointing downward.



EXTEND BOOM: Both fists in front of body with thumbs pointing outward.



RETRACT BOOM: Both fists in front of body with thumbs pointing toward each other.



SWING: Arm extended, point with finger in direction of desired boom swing.



STOP DOG EVERYTHING: Clasp hands in front of body.



MOVE SLOWLY: Use one hand to give any motion signal and place the other hand motionless in front of the hand giving the signal.



TRAVEL: Arm extended forward, hand open and slightly raised, make pushing motion in direction of travel.



USE MAIN HOIST: Tap fist on head; then use regular signals.



USE WHIP LINE (AUXILIARY HOIST): Tap elbow with one hand; then use regular signals.




STOP: Arm extended, palm down, move arm back and forth horizontally.



RAISE THE BOOM AND LOWER THE LOAD: With arm extended, thumb pointing up, flex fingers in and out as long as load movement is desired.



LOWER THE BOOM AND RAISE THE LOAD: With arm extended, thumb pointing down, flex fingers in and out as long as load movement is desired.



EMERGENCY STOP: Both arms extended, palms down, move arms back and forth horizontally.

Issued:

Tag # AP2003-M061