

FISCAL YEAR 2012

DHS PREPAREDNESS GRANT PROGRAMS

SUPPLEMENTAL RESOURCE: Preventive Radiological / Nuclear Detection Guidance



U.S. DEPARTMENT OF HOMELAND SECURITY

A. DNDO Background and Mission

The Domestic Nuclear Detection Office (DNDO) was established in the Department of Homeland Security (DHS) by Presidential Directive on April 15, 2005. DNDO plays an essential role in coordinating and implementing a defensive strategy, with domestic and international programs, to protect the Nation from a nuclear or radiological terrorist attack. Because no single layer within the strategy is capable of providing complete effectiveness in detecting and interdicting radiological and nuclear (rad/nuc) materials intended for illicit use, DNDO promotes a multi-layered strategy.

DNDO is the primary agency within the U.S. Government responsible for coordinating the Global Nuclear Detection Architecture (GNDA) and supporting the deployment of the domestic detection system to detect, analyze, and report on rad/nuc materials out of regulatory control. Grantees are encouraged to work closely with DNDO when developing, enhancing, or sustaining preventive rad/nuc detection (PRND) programs to ensure that their programs are efficiently integrated into current and future national efforts and that they are able to leverage existing capabilities, best practices, and lessons learned from previous efforts.

DNDO is coordinating development, test, and evaluation programs to assess and improve the Nation's capabilities for detection, identification, and reporting of rad/nuc materials. By integrating these programs with operational support responsibilities, DNDO will ensure technologies are appropriately deployed, with training materials and well developed operational response protocols. Working with federal, state, local, and tribal partners, DNDO has piloted initial training programs and developed detection alarm protocols that can be customized for specific operational missions.

B. Federal, State, Local, and Tribal Partnerships

DHS values the importance that effective sharing and use of PRND-related information, intelligence, and systems play in strengthening our Nation's security. DNDO seeks to integrate crucial overseas detection programs with the nuclear detection efforts undertaken by federal, state, local, and tribal governments and the private sector domestically. To facilitate an effective partnership with state and local entities that are involved in PRND activities, DNDO will continue to pursue a coordinated delivery of DNDO products, programs, and services to expand state, local and tribal PRND capabilities.

C. Building Adaptable PRND Capabilities

State, local, and tribal entities are encouraged to implement comprehensive PRND programs in support of, and in concert with, the domestic portion of the

GNDA, as appropriate. DNDO recognizes that implementing a comprehensive program takes time and requires substantial regional coordination and resources. DNDO promotes a layered defense incorporating a variety of technical (e.g., PRND equipment) and non-technical (e.g., awareness training and information sharing) detection capabilities to improve the probabilities of encountering and detecting nuclear and radiological materials out of regulatory control.

DNDO also promotes building adaptable PRND capabilities, which can respond to intelligence-driven events. Depending on the needs of the state, local, or tribal entity, PRND capabilities may be deployed on a daily basis or only as needed (e.g., specialty teams) and in various operating environments and pathways (e.g., commercial vehicle inspection, special events screening, small maritime vessel monitoring, and critical infrastructure protection).

D. Maintaining and Sustaining PRND Capabilities

Maintenance and sustainment are critical aspects of an enduring, comprehensive PRND capability and should be considered throughout the life cycle of any capability development program. DHS preparedness funding may be used for maintenance contracts, warranties, repair or replacement costs, upgrades, and user fees under all active and future grant awards, unless otherwise noted. However, grantees are reminded to be sensitive to supplanting issues. For more about allowable maintenance and sustainment costs, please see Information Bulletins #336 and #348 at http://www.fema.gov/government/grant/bulletins/. Grantees are encouraged to contact DNDO at DNDO.SLA@dhs.gov prior to initiating program activities in order to take advantage of available program guidance, tools, resources, and updates.

E. Available Resources and Allowable Costs

DNDO is working in close coordination with federal, state, local, and tribal entities to develop technical assistance (TA) programs to build and enhance PRND programs through the planning, organization, equipment, training, exercise, and operational support (POETE/Ops) framework as outlined in Table 1. This POETE/Ops framework aligns with the National Preparedness Goal, State Homeland Security Strategies, and all reporting requirements for DHS preparedness grant programs.

Table 1. Assistance for PRND Programs

Planning	DNDO can provide planning assistance and support the
Flaming	development of protocols and programs.
Organization	DNDO can provide program management guidance to support a
Organization	successful, comprehensive PRND program.
	DNDO evaluates PRND equipment and can provide guidance on
Equipment	integrated sets of equipment to meet detection and alarm
	resolution mission priorities.

Training	DNDO has developed standardized training courses and curricula, and can help state, local and tribal develop and implement awareness and training programs.
Exercises	DNDO has developed exercise guidelines and can support PRND exercise development and execution.
Operational Support	DNDO can provide technical reachback support and access to information sharing systems 24/7 via the DNDO Joint Analysis Center.

The following DNDO services are available to state, local, and tribal grantees that wish to develop, enhance, or sustain PRND programs. Additional information about these programs and products is available on the PRND Community of Interest (COI) described below.

E.1. Planning and Organization

Plans and Protocols. Working in coordination with federal, state and local PRND operators, DNDO has created planning templates and has compiled examples to assist in the establishment of concepts of operation (CONOPs) and standard operating procedures (SOPs) for PRND operations and alarm resolution.

PRND Program Management (PM) Handbook with Commercial Vehicle Inspection (CVI), Small Maritime Vessel Operations, and Special Events Modules and Technical Appendices. DNDO has developed a PRND Program Management Handbook with modules and technical appendices that address specific operational environments such as CVI, small maritime vessel operations, and special events. This handbook provides guidance for administration of a domestic PRND program and is intended to assist program development and implementation at both the senior policy making and operational levels.

- The CVI module and technical appendix focuses on the rad/nuc security risks posed by commercial vehicles.
- The Small Maritime Vessel module and technical appendix focuses on the rad/nuc security risks posed by small maritime vessels (those vessels weighing less than 300 gross tons).
- The Special Events module and technical appendix focuses on the rad/nuc security risks posed by special events.

National Incident Management System (NIMS) Resource Type Definitions. The NIMS Resource Type Definitions were developed in 2011 with direct state and local participation to assist state, local, and tribal stakeholders with defining and building PRND capability and allow jurisdictions the ability to categorize and deployed through the Emergency Management Assistance Compact (EMAC) or other interstate mutual aid agreements and compacts. The PRND Resource Types categorize equipment, teams, and personnel consistent with other NIMS

resource types to facilitate identification, inventory, and tracking. The PRND NIMS Resource Type Definitions and supporting resources can be obtained on the PRND Community of Interest (COI) web portal (see below) or by contacting DNDO at DNDO.SLA@dhs.gov.

Radiological / Nuclear Detection and Adjudication Capability Development Framework (CDF). The CDF planning guidance assists state, local, and tribal jurisdictions with identifying and developing recommended levels of PRND capability based on risk factors and the likelihood of encountering illicit rad/nuc material. The CDF is based on lessons learned provided by federal, state, and local subject matter experts. It is intended to provide strategic guidance based on best practices, but not to establish specific requirements. The CDF is a DNDO product modeled on the FEMA Target Capability List (TCL) version 3.0., and can be leveraged to support investment justifications. A CDF Calculator is also available to assist jurisdictions with identifying recommended levels of PRND capability quickly and easily. The CDF and supporting resources are available on the PRND Community of Interest (COI) web portal (see below) or by contacting DNDO at DNDO.SLA@dhs.gov.

PRND Community of Interest (COI) Web Portal. This Homeland Security Information Network (HSIN) COI provides consistent, useful PRND information to the federal, state, local and tribal PRND community. The intent of the site is to enhance communication between DNDO and the broader PRND community while providing a forum where vetted users can securely collaborate to share examples, best practices and lessons learned. The COI provides access to many DNDO capability development documents and is intended to be the one stop shop for federal, state, local and tribal operators seeking to build or enhance PRND capability.

Interested officials with a "need to know" may request access by emailing PRND_COI@hq.dhs.gov with the subject line "PRND COI HSIN Access Request."

E.2. EQUIPMENT

Grantees intending to purchase PRND equipment are strongly encouraged to consider only instruments that have been independently tested by accredited laboratories and have demonstrated conformity with the applicable ANSI/IEEE N42 standards. Manufacturers offering new equipment for consideration should be asked to provide evidence of independent testing for compliance with these standards. DNDO has resources described below that are available to assist federal, state, local and tribal entities in selecting the right PRND equipment to meet their operational needs.

Equipment Test Results. DNDO has conducted several equipment test campaigns to evaluate the effectiveness of detection systems in multiple

performance areas to better inform the PRND procurement decisions of federal, state, local, and tribal entities. Several of these test campaign results are available on the COI and the Responder Knowledge Base (RKB) at http://www.rkb.us, while others may be requested by contacting DNDO directly. Examples of test reports include:

- Anole Test Campaign Report for handheld, backpack, and mobile systems (available on COI and RKB)
- Bobcat Test Campaign Report for commercial-off-the-shelf and prototype PRDs (available on COI and RKB)
- Crawdad and Dolphin Test Campaign Reports for boat-mounted detection systems (available upon request)
- Gryphon Test Campaign Report for aerial detection systems (available in late 2012)

DNDO continues to conduct additional equipment test campaigns and stakeholders are encouraged to contact DNDO to learn more about these and upcoming tests.

Graduated Rad/Nuc Detector Evaluation and Reporting (GRaDER SM) Program. DNDO initiated the GRaDER program test campaign in 2010 and these test results are expected to be available for use in early 2012 via the RKB. The GRaDER program provides a continuing means of independently testing and assessing commercially available rad/nuc detection equipment against ANSI N42 performance standards on a voluntary basis by equipment vendors. When test results are available, GRaDER will provide performance and operationally relevant technical information on tested systems to DHS components and other federal departments, as well as state, local, territorial and tribal government law enforcement and first responders via the RKB. More information on the GRaDER Program is available at http://www.dhs.gov/GRaDER.

Special Requirements for Neutron Detection Equipment. Helium-3 (³He) is an important element used in several national security, homeland defense, and medical applications. The supply of ³He is extremely limited and while research is currently being conducted to develop alternative materials for neutron detection, grantees developing PRND capability may be unable to acquire ³He gas for neutron detection equipment. Therefore, grantees seeking to develop or enhance neutron detection capabilities are encouraged to contact DNDO at DNDO.SLA@dhs.gov for more information about the availability of ³He and alternative detection technologies.

Equipment Types. There is a broad range of sizes and capabilities for PRND equipment. Some of the radiation detection and identification equipment that can be utilized include, but are not limited to:

 Personal Radiation Detectors (PRDs) are effective as personnel protection devices and can provide limited utility for detecting nuclear threats in some scenarios. They are sometimes used as a "tripwire" to detect the presence of radiation and trigger the use of more capable detectors. Newer versions of these devices provide low-resolution spectroscopic capabilities suitable for the identification of some nuclear and radioactive materials.

- Hand-held Radioisotope Identification Devices (RIIDs) are designed to identify the isotopic composition of radioactive sources, typically based on low-resolution gamma spectroscopy. A fewer number of high-resolution RIIDs are being deployed because of cost and field operations considerations.
- Human Portable (Backpack) Radiation Detectors are often capable of detecting both gamma and neutron emissions. These may include the ability to identify specific isotopes. Such systems may be used in either covert or overt operational mode generally to help search for threat materials.
- Mobile and Transportable Detectors generally use large volumes of gamma-sensitive detectors (e.g. PVT or sodium iodide) and arrays of helium-3 proportional counters for neutron detection, either mounted in a vehicle (e.g., truck, boat, or aerial platform), a trailer, or other transportable form-factor. They can be used for area surveillance, search, or other temporary deployments.
- Radiation Portal Monitors (RPMs) are large, usually stationary detectors typically composed of polyvinyl toluene (PVT) for gamma detection and helium-3 for neutron detection. By virtue of their size, these devices are much more sensitive than handheld detectors. The RPM can be susceptible to nuisance alarms and, like all passive radiation detection technologies, may have difficulty in detecting shielded nuclear and radiological material. Newer versions of portal monitors also provide limited nuclide identification capabilities.

E.3. TRAINING

DNDO has created several training courses that can be tailored to address PRND training needs for a variety of public safety disciplines. PRND training is available through the Counter Terrorism Operations Support (CTOS) program, which delivers a series of WMD awareness and radiation detection courses. More information is available on the CTOS website at http://www.nv.doe.gov/nationalsecurity/homelandsecurity/responder.aspx or the DNDO website at http://www.dhs.gov/xabout/structure/gc_1192453550101.shtm.

DNDO is currently updating its training courses and curriculum to address a wide spectrum of PRND activities. In addition, DNDO is currently piloting a web-based training portal which will provide various online training opportunities for a wide variety of PRND stakeholders. Additional information will be available in 2012.

E.4. EXERCISES

DNDO provides assistance in developing, designing, and conducting exercises that are compliant with the Homeland Security Exercise and Evaluation Program (HSEEP) methodology. The exercises provide valuable hands-on experience for personnel performing radiation detection missions and assist decision makers in integrating the PRND mission into their daily operations. Additional information about PRND exercises is available by contacting DNDO at DNDO.SLA@dhs.gov.

E.5. OPERATIONAL SUPPORT

DNDO provides technical reachback and information sharing support to federal, state, local and tribal entities 24/7 through the Joint Analysis Center (JAC). The JAC works with national laboratories to provide specialized technical analysis necessary to resolve radiation detection alarms. To receive PRND technical reachback support contact the JAC at 877-DNDO-JAC (877-363-6522) or DNDO.JAC@dhs.gov.

E.6. ALLOWABLE COSTS

Appendix A outlines the DHS preparedness grants that can be leveraged to build, enhance, or sustain PRND programs. In addition, Appendix A identifies which specific PRND equipment, via the Authorized Equipment List, is allowed by each grant. Grantees are encouraged to contact DNDO at DNDO.SLA@dhs.gov prior to initiating program activities in order to take advantage of available program guidance, tools, resources, and updates.

		Hon	neland Security G	rant Program (HSGF	P)			
	State Homeland Security Program (SHSP)	Urban Areas Security Initiative (UASI)	Law Enforcement Terrorism Prevention Activities	Operation Stonegarden (OPSG)	Metropolitan Medical Response System (MMRS)	Tribal Homeland Security Grant Program (THSGP)		
Purpose	State preparedness	Urban area preparedness	LE prevention activities	Border LE operations	Medical surge	Tribal preparedness		
Eligible Funding Recipient	The 50 states, DC, Puerto			government in horder	Designated MMRS jurisdictions	Directly eligible tribes		
Allowable RND PLANNING Costs	Developing plans Planning staff salaries OT/backfill and travel							
Allowable RND ORGANIZATION or OPERATIONAL Costs	50% of funds eligible for: *Intelligence Analysts *OT for federally-requeste investigative homeland se participation) *Operational OT/Backfill f	curity activities (e.g., JTTI		50% of funds eligible for: *Operational OT/backfill for border LE activities		Same as SHSP except CIKR security		
Allowable RND EQUIPMENT Costs (PRD, RIID, Backpack, Mobile, Portal)	Yes Yes, except portals		Yes, except portals	Yes	Yes, except portals	Yes		
Allowable RND <u>TRAINING</u> Costs	*OT/backfill and travel to attend training *Training coordinator salaries							
Allowable RND <u>EXERCISE</u> Costs	*Develop and conduct exe *OT/backfill and travel for *Exercise coordinator sala	exercise		*Develop and conduct exercise *OT/backfill and travel for exercise *Exercise coordinator salaries				

APPENDIX A: Quick Reference for Allowable Preventive Radiological/Nuclear Detection (PRND) Costs in FEMA Preparedness Grant Programs

		Infrastrastru	ıcture Protecti	on Programs		Emergency Man	agement Programs	
	Port Security Grant Program (PSGP)	Transit Security Grant Program (TSGP)	Intercity Passenger Rail (IPR)	Intercity Bus Security Grant Program (IBSGP)	Buffer Zone Protection Program (BZPP)	Emergency Management Performance Grants (EMPG)	Regional Catastrophic Preparedness Grant Program (RCPGP)	
Purpose	Port security	Transit security	Amtrak security	Bus security	Communities near CIKR	All-hazards management	Catastrophic planning	
Eligible Funding Recipient	Port authorities, owners, and operators	Public transit agencies	Amtrak	Fixed-route intercity/ charter bus owners and operators in UASI jurisdictions	Local government	The 50 states, DC, U.S. Territories, Micronesia, and Marshall Islands	Existing Regional Catastrophic Planning Teams and associated sites	
Allowable RND PLANNING Costs	*Developing plans *Planning staff salaries				*Developing plans *Planning staff salaries	*Developing plans *Planning staff salaries		
Allowable RND ORGANIZATION or OPERATIONAL Costs	Operational Package (OPack): *Explosives Detection Canine Team	Operational Packages (*Explosives Detection C *Anti-Terrorism Team *Mobile Explosive Screen	Canine Team			Emergency manager salaries		
Allowable RND EQUIPMENT Costs (PRD, RIID, Backpack, Mobile, Portal)	Yes Yes Yes		Yes	Yes, except portals	Yes, except RIIDs and mobiles	Yes		
Allowable RND TRAINING Costs	*OT/backfill and travel to at *Training coordinator salari	_				*OT/backfill and travel to attend training *Training coordinator salaries		
Allowable RND EXERCISE Costs	*Develop and conduct exer *OT/backfill and travel for e *Exercise coordinator salari	exercise				*Develop and conduct exe *OT/backfill and travel for *Exercise coordinator sala	exercise	

APPENDIX A: Quick Reference for Allowable Preventive Radiological/Nuclear Detection (PRND) Costs in FEMA Preparedness Grant Programs

Equipment	AEL Category	AEL Number	AEL Description					Į.		FEMA Gra	nt Progran	n				
Equipment	ALL Category	ALL NUMBER	ALL Description	BZPP	EMPG	IBSGP	LETPA	MMRS	NSGP	OPSG	PSGP	SHSP	RCPGP	TSGP	THSGP	UASI
Personal Alarming Radiation Detector	Radiological Detection, Portable	07RD-01-PDGA	Personal radiation (gamma and neutron) detection device which provides an alarm based on detection, but does not quantify dose-rate.	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	No	Yes	Yes	Yes
Radionuclide Isotope Identifier	Radiological Detection, Portable	07RD-01-RIID	Handheld spectrometer for nuclide identification using crystals such as NaI, CZT, LaBr, and Germanium.	No	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	No	Yes	Yes	Yes
High-Sensitivity Radionuclide Detector	Radiological Detection, Transportable Lab Equipment	07RD-02-DRHS	Radionuclide detector utilizing high-purity crystal such as germanium.	No	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	No	Yes	Yes	Yes
Standoff Gamma/ Neutron Detector	Radiological Detection, Standoff Detectors	07RD-04-SGND	A detector that can detect gamma/neutron radiation at a stand-off distance of at least 50 feet and specify the type and location of radiation sources, while maintaining sufficient energy resolution and sensitivity to discriminate between normally-occurring radioactive materials, background and potential threats.	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	Yes	Yes	Yes
Pulsed Neutron Activation System, Non- Invasive	Inspection and Screening System, Inspection Systems	15IN-00-PLSN	Screening system utilizing pulsed neutrons. Non-destructive detection of CWAs in sealed containers.	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes
Mobile Search and Detection System X-Ray	Inspection and Screening System, Inspection	15IN-00-XRAY	Portable X-Ray systems for use in search and screening operations	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes
Portal Monitors	Inspection and Screening System, Screening Systems	15SC-00-PMON	Systems to scan vehicles/cargo for radioactive content. Various sizes for vehicles, packages (large and small) and pedestrians. Does not identify radionuclide	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes
Spectroscopic Portal Monitors	Inspection and Screening System, Screening Systems	15SC-00-PMSP	Systems to scan vehicles/cargo for radioactive content and identify source radionuclide. Variants include vehicle, rail, and seaport container configurations.	No	No	Yes	Yes	Yes	No	Yes	Yes	Yes	No	No	Yes	Yes



Typed Resource Definitions Preventive Radiological/Nuclear Detection (PRND) Resources

June 2011

Document Number 400-INT-115300v1.00



NIMS Overview

The National Mutual Aid and Resource Management Initiative supports the National Incident Management system (NIMS) by establishing a comprehensive, integrated national mutual aid and resource management system that provides the basis to type, order, and track all federal, state, and local response assets.

NIMS Resource Typing

For ease of ordering and tracking, response assets need to be categorized via resource typing. Resource typing is the categorization and description of resources that are commonly exchanged in incidents via mutual aid, by capacity and/or capability. Through resource typing, disciplines examine resources and identify the capabilities of a resource's components (i.e., personnel, equipment, training). During an incident, an emergency manager knows what capability a resource needs to have to respond efficiently and effectively. Resource typing definitions will help define resource capabilities for ease of ordering and mobilization during an incident. As a result of the resource typing process, a resource's capability is easily defined and an emergency manager is able to effectively and efficiently request and receive resources through mutual aid.

NIMS Resource Management

NIMS recognizes that resources (such as personnel, equipment, or supplies) are needed to support critical incident objectives. The flow of resources must be fluid and adaptable to the requirements of the incident. NIMS defines standardized mechanisms and establishes the resource management process to identify requirements, order and acquire, mobilize, track and report, recover and demobilize, reimburse, and inventory resources.

Resource management should be flexible and scalable in order to support any incident and be adaptable to changes. Efficient and effective deployment of resources requires that resource management concepts and principles be used in all phases of emergency management and incident response.

The resource management process can be separated into two parts: resource management 1) as an element of preparedness and 2) resource management during an incident. The preparedness activities (resource typing, credentialing, and inventorying) are conducted on a continual basis to help ensure that resources are ready to be mobilized when called to an incident. Resource management during an incident is a finite process with a distinct beginning and ending specific to the needs of the particular incident.

Annual Review

The PRND NIMS Resource Type Definitions will be reviewed annually and updated as appropriate.

For more NIMS information, please refer to the Resource Management webpage located at: http://www.fema.gov/emergency/nims/ResourceMngmnt.shtm.



Table of Contents

NIMS Overview2
Equipment
Personal Radiation Detector (PRD)4
Radio-Isotope Identification Device (RIID)
Human-Portable Detector (Backpack)6
Vehicle-Mounted Detection System
Teams
Law Enforcement PRND Team8
Multi-Disciplinary PRND Team9
Maritime Law Enforcement PRND Team 10
Maritime Multi-Disciplinary PRND Team11
Position Titles
Overview
Law Enforcement/ Multi-Disciplinary PRND Team Leader/ Operator
Maritime Law Enforcement Multi-Disciplinary PRND Team Leader/ Operator . 15
Glossary

June 2011 Page | 3 of 17



Personal Radiation Detector (PRD)

DESCRIPTION		A PRI	A PRD is a small, self-contained detection instrument worn by an operator to detect RN material.					
RESOURCE CATEGORY		Preve	ntive Radiological/Nu	clear Detection	RESOURCE KIND	Equipment		
OVERALL FUNC	Used to detect the presence of radiation in a limited area in the vicinity of the equipment operator. Composition & ORDERING SPECIFICATIONS							
Сарав	LITY							
COMPONENT		RIC / SURE	TYPE I	TYPE II			Notes	
Equipment	Radi Dete		Gamma/ Neutron	Gamma				
Additional optional features: isotope in types of displays, low profile mode (Bl Comments Gamma detector types would include detectors and other scintillator or solic gas filled detectors such as Geiger-Me					etooth or wireless), rundium iodide (NaI), ce tate detectors. Less	ggedized, network sium iodide (CsI), (effective PRND de	capable, GPS. CdZnTe (CZT) solid state	
REFERENCE(S) ANSI/IEEE N42.32-2006 American Nation Detectors for Homeland Security ANSI/IEEE N42.48-2008 American Nation Personal Radiation Detectors (SPRDs)					rity. onal Standard Perfor	mance Requiremer	Ç	



Radio-Isotope Identification Device (RIID)

DESCRIPTION		A RIID is a	hand held instrume	nt used primarily to ide	ntify RN material.				
RESOURCE CATEGORY Preventive			Radiological/Nuclea	ar Detection	RESOURCE KIND	Equipment			
OVERALL FUNCTION material. I			sed to identify the ra lay also be used to in of RN material.		COMPOSITION & ORDERING SPECIFICATIONS				
Сар	ABILITY								
COMPONENT	METRIC / MEASURE		TYPE I	TYPE II	TYPE III		Notes		
Equipment	Isotop Identif	e ication	High Resolution	Medium Resolution	Low Resolution				
Faviances	ipment Energy Resolution at 662 KeV full width half maximum (FWHM)		< 1.0%	1.0% - 5.0%	> 5.0%				
Equipment			(e.g., HPGe)	(e.g., LaBr, CZT)	(e.g., Nal)				
				onal features: Gamma and neutron radiation detection, dose rate capable, low profile th or wireless), ruggedized, network capable, GPS.					
REFERENCE(S)			ANSI/IEEE N42.34 2006 American National Standard Performance Criteria for Hand-Held Instruments for the Detection and Identification of Radionuclides.						



Human-Portable Detector (Backpack)

DESCRIPTION		A Human	A Human-Portable Detector (Backpack) is an instrument carried by an operator to detect RN material.							
RESOURCE CATEGORY		Preventiv	e RN Detection		RESOURCE KIND	Equipment				
OVERALL FUNCTION material to the lar the detection			used to detect the pre n a wide area around ger detector element a tion range of this devi os or RIIDs.	the operator. Due and power source,	COMPOSITION & ORDERING SPECIFICATIONS					
Сара	BILITY									
COMPONENT		ETRIC /	TYPE I	TYPE II	TYPE III	TYPE IV	Notes			
Equipment	1 10101	iation ection	Gamma/ Neutron	Gamma/Neutron	Gamma	Gamma				
Equipment	ent Isotope Identification		Yes	No	Yes	No				
COMMENTS Additional optional features: dose rate of network capable, GPS.					apable, low profile m	ode (Bluetooth or wir	eless), ruggedized,			
REFERENCE(S) ANSI/IEEE N42.43-2006 American Transportable Radiation Monitors U							obile and			



Vehicle-Mounted Detection System

DESCRIPTION			e-Mounted Detection for detecting RN mate		ent transported on a	vehicular platform (tru	ck, boat, or	
RESOURCE CATEGORY		Preventi	ve RN Detection		RESOURCE KIND	Equipment		
OVERALL FUNCTION OVERALL FUNCTION (e.g., tribetwee detector range of RIIDs, or			detects the presence identify radioisotopes he vehicular platform. anently mounted in a tack, boat, or aircraft) or these platforms. Due element and power so this device may be grand packpacks.	in a wide area The system may vehicular platform r relocatable to the larger ource, the detection	Composition & ORDERING SPECIFICATIONS			
CAPA	BILITY							
COMPONENT		TRIC /	TYPE I	TYPE II	TYPE III	TYPE IV	Notes	
Equipment	Radiat Detect		Gamma/ Neutron	Gamma	Gamma/ Neutron	Gamma		
Equipment	Isotop Identif	e ication	Yes	Yes	No	No		
COMMENTS			Additional optional features: dose rate capable, low profile mode (Bluetooth or wireless), ruggedized, network capable, GPS. May be mounted permanently in or relocatable between various vehicular platforms (e.g., truck, boat, or aircraft).					
PEEEDENCE(S) ANSI/IEEE N				42.43-2006 American National Standard Performance Criteria for Mobile and Radiation Monitors Used for Homeland Security.				



Law Enforcement Preventive Radiological/Nuclear Detection (PRND) Team

DESCRIPTION	A Law Enfo	rcement PRND team is compose	d of sworn law enforcement per	sonnel dedicated to the detecti	on of radiological and nuclear (l	RN) materials.	
RESOURCE CATEGORY	Preventive	Radiological/Nuclear Detection		RESOURCE KIND	Team		
OVERALL FUNC	radiological	tilizes PRND tools and training to material out of regulatory control erdiction and other law enforcem	. This team is capable of	COMPOSITION & ORDERING SPECIFICATIONS	Sworn law enforcement		
Са	PABILITY						
COMPONENT	METRIC / MEASURE	TYPE I	TYPE II	TYPE III	TYPE IV	NOTES	
Team	Capabilities	Vehicular wide area RN detection and high resolution isotope identification	Vehicular wide area RN detection and isotope identification	Human-portable wide area RN detection and isotope identification	Limited area RN detection and isotope identification		
Personnel	Team Composition	1- LE PRND Team Leader 6-8- LE PRND Operators	1- LE PRND Team Leader 6-8- LE PRND Operators	1- LE PRND Team Leader 6-8- LE PRND Operators	1- LE PRND Team Leader 6-8 - LE PRND Operators	At least two personnel trained as secondary screeners with team cross-training to ensure continuous operations capability.	
Equipment	Transportation Resources	3-4- Vehicles 1- Mobile Detection Vehicle	3-4- Vehicles 1- Mobile Detection Vehicle	3-4 - Vehicles	3-4- Vehicles		
Equipment	Radiation Detection and Isotope Identification	8-10- Type II PRDs 1- Type I RIID 2-Type II-III RIIDs 2- Type I-II Human-Portable Detectors (Backpack) 1- Type I-IV Vehicle-Mounted Detection System 1- Radiation Survey Meter	8-10- Type II PRDs 2-Type II-III RIIDs 2- Type I-II Human- Portable Detectors (Backpack) 1- Type I-IV Vehicle- Mounted Detection System	8-10- Type II PRDs 2- Type II-III RIIDs 2- Type I-II Human- Portable Detectors (Backpack)	8-10- Type II PRDs 2- Type II-III RIIDs	Up to 2 extra PRDs assigned for backup. Radiation survey meters to be used in interdiction mission.	
Equipment	Communication	Intra-team communications and ability to transmit spectra and other data to technical reachback.	Intra-team communications and ability to transmit spectra and other data to technical reachback.	Intra-team communications and ability to transmit spectra and other data to technical reachback.	Intra-team communications and ability to transmit spectra and other data to technical reachback.	Laptop/aircard	
Co	MMENTS	Self-sustainment for 72 hours	. Any teams operating with only	PRDs should have established	d access to RIIDs to conduct se	condary screening as needed.	
REFE	RENCE(S)	EMAC Law Enforcement Res	ource Request Checklist				

June 2011 Page | 8 of 17



Multi-Disciplinary Preventive Radiological/Nuclear Detection (PRND) Team

DESCRIPTION	A Multi-Disci	olinary PRND Team is composed	of public safety personnel from	various disciplines dedicated t	to the detection of RN material.		
RESOURCE CATEGORY	Preventive R	adiological/Nuclear Detection		RESOURCE KIND	Team		
OVERALL FUNC	material out interdiction o	izes PRND tools and training to of regulatory control. This team <i>m</i> or other law enforcement PRND materials forcement personnel.	ay not be capable of handling	COMPOSITION & ORDERING SPECIFICATIONS	May include sworn law enforcement, fire service, radiation health, EMS, or other appropriately trained personnel.		
Са	PABILITY						
COMPONENT	METRIC / MEASURE	TYPE I	TYPE II	TYPE III	TYPE IV	Notes	
Team	Capabilities	Vehicular wide area RN detection and high resolution isotope identification	Vehicular wide area RN detection and isotope identification	Human-portable wide area RN detection and isotope identification	Limited area RN detection and isotope identification		
Personnel	Team Composition	1- PRND Team Leader 6-8- PRND Operators 1- PRND Team Lead 6-8- PRND Operators		1- PRND Team Leader 6-8- PRND Operators	1- PRND Team Leader 6-8- PRND Operators	At least two personnel trained as secondary screeners with team cross-training to ensure continuous operations capability.	
Equipment	Transportation Resources	1-4- Vehicles 1- Mobile Detection Vehicle	1-4- Vehicles 1- Mobile Detection Vehicle	1-4- Vehicles	1-4- Vehicles		
Equipment	Radiation Detection and Isotope Identification	8-10- Type II PRDs 1- Type I RIID 2-Type II-III RIIDs 2- Type I-II Human-Portable Detectors (Backpack) 1- Type I-IV Vehicle- Mounted Detection System 1- Radiation Survey Meter	8-10- Type II PRDs 2-Type II-III RIIDs 2- Type I-II Human- Portable Detectors (Backpack) 1- Type I-IV Vehicle- Mounted Detection System	8-10- Type II PRDs 2- Type II-III RIIDs 2- Type I-II Human- Portable Detectors (Backpack)	8-10- Type II PRDs 2- Type II-III RIIDs	Up to 2 extra PRDs assigned for backup. Radiation survey meters to be used in interdiction mission, if appropriate.	
Equipment	Communication	Intra-team communications and ability to transmit spectra and other data to technical reachback.	Intra-team communications and ability to transmit spectra and other data to technical reachback.	Intra-team communications and ability to transmit spectra and other data to technical reachback.	Intra-team communications and ability to transmit spectra and other data to technical reachback.	Laptop/aircard	
Co	MMENTS	Self-sustainment for 72 hours.	Any teams operating with only	PRDs should have established	d access to RIIDs to conduct se	condary screening as needed.	
REFE	ERENCE(S)	EMAC Resource Request Che	cklist		<u> </u>		

June 2011 Page | 9 of 17



Maritime Law Enforcement Preventive Radiological/Nuclear Detection (PRND) Team

DESCRIPTION	A Maritime L	A Maritime Law Enforcement PRND Team is composed of maritime law enforcement personnel dedicated to the detection of RN materials.				
RESOURCE CATEGORY	Preventive F	adiological/Nuclear Detection		RESOURCE KIND	Team	
OVERALL FUNC	material out	lizes PRND tools and training to of regulatory control in the mariting and interdiction and other law	itime environment. This team is Specifications Sworn law enforcement			
C	APABILITY					
COMPONENT	METRIC / MEASURE	TYPE I	TYPE II	TYPE III	TYPE IV	Notes
Team Capabilities		Vessel borne wide area RN detection and isotope identification	Human-portable wide area RN detection and isotope identification	Limited area RN detection and isotope identification	Limited area RN detection	
Personnel Team Composition		1- Coxswain 2-3- LE PRND Operators	1- Coxswain 2-3- LE PRND Operators	1- Coxswain 2-3- LE PRND Operators	1- Coxswain 2-3- LE PRND Operators	Operators should be familiar with maritime environment. Teams with a RIID must have at least one personnel trained for secondary screening.
Equipment	Vessel	1- Vessel	1- Vessel	1- Vessel	1- Vessel	
Equipment Radiation Detection and Isotope Identification		4- Type II PRDs 1- Type I-III RIID 1- Type I-II Human-Portable Detector (Backpack) 1- Type I-IV Vehicle- Mounted Detection System	4- Type II PRDs 1- Type II-III RIID 1- Type I-II Human-Portable Detector (Backpack)	4- Type II PRDs 1- Type II-III RIID	4- Type II PRDs	Up to 1 extra PRD assigned for backup.
Equipment Communication		Intra-team communications and ability to transmit spectra and other data to technical reachback.	Intra-team communications and ability to transmit spectra and other data to technical reachback.	Intra-team communications and ability to transmit spectra and other data to technical reachback.	Intra-team communications	Laptop/ aircard
	OMMENTS		y PRDs should have established	access to RIIDs to conduct sec	condary screening as needed.	
REFERENCE(S) EMAC Law Enforcement Resource Request Checklist						



Maritime Multi-Disciplinary Preventive Radiological/Nuclear Detection (PRND) Team

DESCRIPTION	A Maritime M	Multi-Disciplinary PRND Team is composed of maritime public safety personnel from various disciplines dedicated to the detection of RN material.				
RESOURCE CATEGORY	Preventive R	adiological/Nuclear Detection		RESOURCE KIND	Team	
OVERALL FUNC	material out on the material out of the materi	izes PRND tools and training to of regulatory control in the mariting le of handling interdiction or othe ess assigned sworn law enforcem	ne environment. This team <i>may</i> r law enforcement PRND	environment. This team may venforcement PRND Composition & Ordering May include sworn law enforcement, fire service, radiation health, EMS, or other appropriately trained personnel.		
CA	APABILITY		-	T	T 11/	N
COMPONENT	METRIC / MEASURE	TYPE I	TYPE II	TYPE III	TYPE IV	Notes
Team Capabilities		Vessel borne wide area RN detection and isotope identification	Human-portable wide area RN detection and isotope identification	Limited area RN detection and isotope identification	Limited area RN detection	
Personnel Team Composition		1- Coxswain 2-3- LE PRND Operators	1- Coxswain 2-3- LE PRND Operators	1- Coxswain 2-3- LE PRND Operators	1- Coxswain 2-3- LE PRND Operators	Operators should be familiar with maritime environment. Teams with a RIID must have at least one personnel trained for secondary screening.
Equipment Vessel		1- Vessel	1- Vessel	1- Vessel	1- Vessel	
Radiation Detection and Isotope Identification		4- Type II PRDs 1- Type I-III RIID 1- Type I-II Human-Portable Detector (Backpack) 1- Type I-IV Vehicle- Mounted Detection System	4- Type II PRDs 1- Type II-III RIID 1- Type I-II Human-Portable Detector (Backpack)	4- Type II PRDs 1- Type II-III RIID	4- Type II PRDs	Up to 1 extra PRD assigned for backup.
Equipment Communication		Intra-team communications and ability to transmit spectra and other data to technical reachback.	Intra-team communications and ability to transmit spectra and other data to technical reachback.	Intra-team communications and ability to transmit spectra and other data to technical reachback.	Intra-team communications	Laptop/ aircard
Co	OMMENTS		PRDs should have established	access to RIIDs to conduct sec	condary screening as needed.	
REFERENCE(S) EMAC Resource Request Checklist						



Position Titles

This section contains Qualification Charts for PRND Team Leader and PRND Operator position titles under the National Incident Management System (NIMS).

The following table shows the six basic categories of criteria employed:

Categories

The categories listed under the required and recommended criteria are defined as follows:

Education	Formal instruction based on a curriculum that prepares an individual with the core knowledge and skills for entry into a discipline and for performing job functions.
Training	Instruction and/or activities that enhance an individual's core knowledge increase skill set and proficiency as well as strengthen and augment abilities.
Experience	Time required in a job function for an individual to attain proficiency in applying knowledge, skills and abilities.
Physical/Medical Fitness	Physical and medical considerations, that when applied, help to ensure safe performance in potentially hazardous environments.
Currency	Functioning in the ICS position during a qualifying incident, approved exercise, drill, training or simulation at least once every five years.
Professional and Technical Licenses and Certifications	Licensure refers to the granting of a 'permission to practice.' Licenses are usually issued in order to regulate some activity that is deemed to be dangerous, a threat to the person or the public, or which involves a high level of specialized skill. Certification is a designation earned by a person to assure qualification to perform a job or task.



Name of Position	PRND Team Leader	PRND Team Leader				
Туре	Not Applicable					
Description	The Law Enforcement PRND Team Leader has the overall authority and/or responsibility for directing the PRND operations of the LE PRND team. The Multi-disciplinary PRND Team Leader has the overall authority and/or responsibility for directing the PRND operations of the Multi-disciplinary PRND team.					
Category	Requisite Criteria	Recommended Criteria				
Education	Not Applicable	Not Applicable				
Training	Completion of the following: 1. ICS-100: Introduction to ICS 2. ICS-200:ICS for Single Resources and Initial Action Incidents 3. ICS-300: Intermediate ICS 4. IS-700: NIMS, an Introduction 5. Basic RN awareness training 6. Instruction on assigned RN detection equipment	 Completion of the following: IS-706: NIMS Intrastate Mutual Aid – An Introduction IS-800: National Response Framework Personal Radiation Detector (PER-243) or equivalent Personal Radiation Detector Train the trainer (PER-243-1) or equivalent Primary Screener Backpack Basic Course (PSBB) (PER-246) or equivalent Primary Screener - Mobile Detection Course MDS (DHS-012-PREV) or equivalent Primary Screening - PRD Basic Operator Training Course (DHS-013-PREV) or equivalent Primary Screener - Backpack PackEye Course (DHS- 014-PREV) or equivalent Maritime PRND Operations Course (DHS-011-PREV) or equivalent (for PRND Team Leaders operating in the maritime environment) Contact DNDO at <u>DNDO.SLA@dhs.gov</u> for updated PRND training courses.				
Experience	Obtains the following experience: 1. One year experience as a PRND Team Leader 2. Relevant PRND experience 3. Two years experience in individual's primary discipline	Minimum of one year experience as a PRND Operator				
Physical/Medical Fitness	Meets all medical and physical fitness requirements established within their primary discipline, which includes the physical capability to work long hours in adverse and potentially extreme environmental conditions.	1				

June 2011 Page | 13 of 17



Currency	Annual refresher training Qualifying incident experience, exercises, drills or simulations every five years	
Professional and Technical Licenses and Certifications	Certified as a sworn law enforcement officer, firefighter, health physicist, etc.	
Additional Criteria	Per NIMS compliance at the time of publication, ICS- and IS- training courses are listed. Equivalent courses must meet the NIMS National Standard Curriculum. Where applicable, experience is measured from the time an individual receives necessary certifications.	

Ordering Specifications or Designations	Orderina	Specifications	or Desi	anations
---	----------	-----------------------	---------	----------

_							
∇	Can	ha	ordered	20 21	n indiv	leubiv	accat

🖾 Can be ordered in conjunction with a NIMS typed team (LE or Multi-Disciplinary PRND Team, Maritime LE or Multi-Disciplinary PRND Team)

☐ Can be ordered in conjunction with a NIMS typed	unit (
---	--------	--



Name of Position	PRND Operator					
Туре	Not Applicable					
Description	The Law Enforcement PRND Operator is responsible for conducting primary and/or secondary PRND operations. The Mul. PRND Operator is responsible for conducting primary and/or secondary PRND operations.					
Category	Requisite Criteria	Recommended Criteria				
Education	Not Applicable	Not Applicable				
Training	Completion of the following courses/ curricula: 1. ICS-100: Introduction to ICS 2. ICS-200: Basic ICS 3. IS-700: NIMS, an Introduction 4. Basic RN awareness training 5. Instruction on assigned RN detection equipment	Completion of the following courses/ curricula: 1. IS-706: NIMS Intrastate Mutual Aid – An Introduction 2. IS-800: National Response Framework 3. Personal Radiation Detector (PER-243) or equivalent 4. Personal Radiation Detector Train the trainer (PER-243-1) or equivalent 5. Primary Screener Backpack Basic Course (PSBB) (PER-246) or equivalent 6. Primary Screener - Mobile Detection Course MDS (DHS-012-PREV) or equivalent 7. Primary Screening - PRD Basic Operator Training Course (DHS-013-PREV) or equivalent 8. Primary Screener - Backpack PackEye Course (DHS- 014-PREV) or equivalent 9. Maritime PRND Operations Course (DHS-011-PREV) or equivalent (for PRND Operators operating in the maritime environment) Contact DNDO at DNDO.SLA@dhs.gov for updated PRND training courses.				
Experience	Obtains the following experience: 1. Relevant PRND experience 2. Two years experience in individual's primary discipline					
Physical/Medical Fitness	Meets all medical and physical fitness requirements established within their primary discipline, which includes the physical capability to work long hours in adverse and potentially extreme environmental conditions.					



Currency	Annual refresher training Qualifying incident experience, exercises, drills or simulations every five years	
Professional and Technical Licenses and Certifications	Certified as a sworn law enforcement officer, firefighter, health physicist, etc.	
Additional Criteria	Per NIMS compliance at the time of publication, ICS- and IS- training courses are listed. Equivalent courses must meet the NIMS National Standard Curriculum. Where applicable, experience is measured from the time an individual receives necessary certifications.	

Ordering	Specifications	or	Designations
Oracinig	Opecinications	O.	Designations

\square	Can	ha	ordorod	00.00	individual	occot
IXI	Can	ne	orgereg	as an	individual	asser

🖾 Can be ordered in conjunction with a NIMS typed team (LE or Multi-Disciplinary PRND Team, Maritime LE or Multi-Disciplinary PRND Team)

an be ordered in conjunction with a NIMS typed unit ()
---	---

Glossary

Coxswain is the person in charge of a boat's navigation and steering.

Intra-team communications are supported through the use of electronic devices, such as radios, which enable teams to maintain communication during various operations.

Limited Area RN Detection is the ability to detect RN materials within the vicinity of the equipment operator by using either personal radiation detectors (PRDs) or radio-isotope identification devices (RIIDs). These instruments are usually limited in range due to smaller detector elements and power sources.

Out of regulatory control refers to devices and materials that are being imported, possessed, stored, transported, developed, or used without authorization by the appropriate regulatory authority, either inadvertently or deliberately.

Primary Screeners are trained to specialize in the initial phase of radiation detection to include verification of the initial detector alarm, locating the general area from which radiation is being emitted, and first contact with an individual, vehicle, or shipment.

Secondary Screeners assist the primary screeners in verifying a detector alarm by using RIIDs to pinpoint/measure the source of radiation which caused the detectors to alarm. If the situation requires further investigation, Secondary Screeners utilize technical reachback assistance to adjudicate, or identify, the type and nature of the material or device causing a detection alarm.

Technical reachback is the process of communicating spectroscopic information to the appropriate authority for analysis in order to identify the radiological material.

Wide Area RN Detection is the ability to detect RN materials over a broader area by using either human-portable detectors (backpacks) or vehicle-mounted detection systems. These instruments have a greater detection range than PRDs and RIIDs in general because of larger detector elements and larger power sources. Therefore, a vehicle-mounted system typically has a wider area detection capability than a human-portable detector, which in turn typically has a wider area detection capability than a PRD or RIID.