

office during normal business hours. Copies of the submitted rule revision is also available for inspection at the following locations:

South Coast Air Quality Management District, 21865 E., Copley Drive, Diamond Bar, CA 91765.
California Air Resources Board, Stationary Source Division, Rule Evaluation Section, 2020 "L" Street, Sacramento, CA 95812.

FOR FURTHER INFORMATION CONTACT: Cynthia G. Allen, Rulemaking Office [AIR-4], Air Division, U.S. Environmental Protection Agency, Region 9, 75 Hawthorne Street, San Francisco, CA 94105-3901, Telephone: (415) 744-1189.

SUPPLEMENTARY INFORMATION: This document concerns South Coast Air Quality Management District Rule 701, Air Pollution Emergency Contingency Actions. This rule was submitted by the California Air Resources Board to EPA on September 8, 1997. For further information, please see the information provided in the Direct Final action which is located in the Rules Section of this **Federal Register**.

Authority: 42 U.S.C. 7401-7671q.
Dated: March 5, 1999.

Laura Yoshii,
Deputy Regional Administrator, Region IX.
[FR Doc. 99-7177 Filed 3-24-99; 8:45 am]
BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 82 [FRL-6313-7]

Protection of Stratospheric Ozone; Listing of Substitutes for Ozone-Depleting Substances; Correction

AGENCY: Environmental Protection Agency.

ACTION: Request for data and advance notice of proposed rulemaking; correction.

SUMMARY: On February 18, 1999, the Environmental Protection Agency published in the **Federal Register** (64 FR 8043), a Request for Data and Advance Notice of Proposed Rulemaking. Inadvertently, the docket number listing in the **ADDRESSES** section was incorrect. The correct docket number and contact information is listed in the **ADDRESSES** section of this document.

DATES: The comment period has been extended by two weeks to accommodate any inconvenience the incorrect information may have caused. Written

comments on data provided in response to the ANPR must be submitted by May 3, 1999.

ADDRESSES: Comments on and materials supporting this advance notice are collected in Air Docket # A-91-42, U.S. Environmental Protection Agency, 401 M Street, SW, Room M-1500, Washington, DC, 20460. The docket is located at the address above in room M-1500, First Floor, Waterside Mall. The materials may be inspected from 8 am until 5:30 pm Monday through Friday. Telephone (202) 260-7548; fax (202) 260-4400. As provided in 40 CFR part 2, a reasonable fee may be charged for photocopying docket materials.

FOR FURTHER INFORMATION CONTACT: The Stratospheric Ozone Hotline at (800) 296-1996 or Melissa Payne at (202) 564-9738 or fax (202) 565-2096, Analysis and Review Branch, Stratospheric Protection Division, Mail Code 6205J, Washington, DC 20460. Overnight or courier deliveries should be sent to our 501 3rd Street, NW., Washington, DC, 20001 location.

SUPPLEMENTARY INFORMATION: The EPA published an advance notice of proposed rulemaking in the **Federal Register** of February 18, 1999 (64 FR 8043) that incorrectly listed Air Docket #A-92-13 for materials supporting and comments on the advance notice. This correction replaces that Docket number with the correct Air Docket number. In addition, the appropriate Air Docket contact information (telephone and fax number) is provided in the **ADDRESSES** section of this document.

In proposed rule FR Doc. 99-3993 published on February 18, 1999 (64 FR 8043), make the following correction. On page 8043, in the third line of the **ADDRESSES** section, correct "Air Docket #A-92-13" to read "Air Docket #A-91-42".

Dated: March 15, 1999.

Robert D. Brenner,
Acting Assistant Administrator, OAR.
[FR Doc. 99-7084 Filed 3-24-99; 8:45 am]
BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 82 [FRL-6313-8]

Protection of Stratospheric Ozone; Listing of Substitutes for Ozone-Depleting Substances; Correction

AGENCY: Environmental Protection Agency.

ACTION: Notice of proposed rulemaking; correction.

SUMMARY: On February 18, 1999, the Environmental Protection Agency published in the **Federal Register** (64 FR 8038), a Notice of Proposed Rulemaking. Inadvertently, a paragraph in the table of appendix G to subpart G was incorrect. In the "conditions" column of the Fire Suppression and Explosion Protection Total Flooding Agents table for substitute IG-100, it was stated incorrectly that a design concentration of less than 10% may only be used in normally occupied areas, as long as an employee who could possibly be exposed can egress within 30 seconds. Instead, the table should read: "A design concentration of less than 10% may only be used in normally unoccupied areas, as long as an employee who could possibly be exposed can egress within 30 seconds."

DATES: The comment period has been extended to accommodate any inconvenience the incorrect information may have caused. Written comments on data provided in response to the Notice of Proposed Rulemaking must be submitted by May 3, 1999.

ADDRESSES: Written comments or data should be sent to Air Docket A-91-42, U.S. Environmental Protection Agency, 401 M Street, SW., Room M-1500, Washington, DC, 20460. The docket is located at the address above in room M-1500, First Floor, Waterside Mall. The materials may be inspected from 8 am until 5:30 pm Monday through Friday. Telephone (202) 260-7548; fax (202) 260-4400. As provided in 40 CFR part 2, a reasonable fee may be charged for photocopying docket materials. To expedite review, a second copy of the comments should be sent to Kelly Davis at the address listed below under **FOR FURTHER INFORMATION CONTACT**. Information designated as Confidential Business Information (CBI) under 40 CFR part 2, subpart 2, must be sent directly to the contact person for this document. However, the Agency is requesting that all respondents submit a non-confidential version of their comments to the docket as well.

FOR FURTHER INFORMATION CONTACT: The Stratospheric Ozone Hotline at (800) 296-1996 or Kelly Davis at (202) 564-2303 or fax (202) 565-2096, Analysis and Review Branch, Stratospheric Protection Division, Mail Code 6205J, Washington, DC 20460. Overnight or courier deliveries should be sent to our 501 3rd Street, NW., Washington, DC, 20001 location.

SUPPLEMENTARY INFORMATION: The EPA published a document in the **Federal**