

Bird Impact Data from DOI-ERDC Database Download 27 Oct. 2010

These verified data are a proportion of the total unverified data in the daily reports.

The Service is working as quickly as possible to review all of data in order to match up the verified numbers with the unverified numbers reported daily. However, there will continue to be a gap in the two sets of data as the quality assurance/quality control process is completed, which takes one to two weeks for each bird.

Based on our experience with oil spills and the behavior of migratory birds, we expect that the number of oiled birds collected may represent only a portion of the total birds affected by the spill. We are addressing these and other injury-related issues through our ongoing NRDA studies.

All data should be considered provisional, incomplete, and subject to change.

| | Grand Total | Not Visibly Oiled | | | Visibly Oiled | | | Unknown Oiling | | |
|------------------------------|--------------------|-------------------|------------|-------------|---------------|------------|-------------|----------------|------|----------|
| | | Dead | Live | Total | Dead | Live | Total | Dead | Live | Total |
| All Species | 7267 | 2847 | 841 | 3688 | 1816 | 877 | 2693 | 886 | | 1 |
| American Coot | 5 | | | | 2 | 2 | 4 | 1 | | 1 |
| American Oystercatcher | 17 | 3 | 3 | 6 | 7 | 3 | 10 | 1 | | 1 |
| American Redstart | 1 | 1 | | 1 | | | | | | |
| American White Pelican | 15 | 2 | 5 | 7 | 1 | | 1 | 7 | | 7 |
| Audubon's Shearwater | 4 | 2 | 1 | 3 | 1 | | 1 | | | |
| Barn Owl | 1 | 1 | | 1 | | | | | | |
| Barn Swallow | 1 | | | | 1 | | 1 | | | |
| Belted King Fisher | 2 | 1 | 1 | 2 | | | | | | |
| Black Crowned Night Heron | 21 | 7 | 5 | 12 | 6 | 2 | 8 | 1 | | 1 |
| Black Oystercatcher | 1 | 1 | | 1 | | | | | | |
| Black Skimmer | 212 | 113 | 11 | 124 | 36 | 16 | 52 | 36 | | 36 |
| Black Tern | 12 | 7 | 3 | 10 | 1 | | 1 | 1 | | 1 |
| Black-Bellied Whistling-Duck | 2 | | 2 | 2 | | | | | | |
| Black-necked Stilt | 3 | 3 | | 3 | | | | | | |
| Blue-winged Teal | 3 | 3 | | 3 | | | | | | |
| Boat-tailed Grackle | 1 | 1 | | 1 | | | | | | |
| Brown Pelican | 820 | 200 | 122 | 322 | 136 | 172 | 308 | 190 | | 190 |
| Canada Goose | 4 | 1 | 2 | 3 | | 1 | 1 | | | |
| Caspian Tern | 20 | 5 | 5 | 10 | 7 | 1 | 8 | 2 | | 2 |
| Cattle Egret | 26 | 18 | 3 | 21 | 1 | | 1 | 4 | | 4 |
| Clapper Rail | 99 | 39 | 12 | 51 | 25 | 5 | 30 | 18 | | 18 |
| Common Loon | 101 | 18 | 20 | 38 | 33 | 26 | 59 | 4 | | 4 |
| Common Moorhen | 4 | 3 | | 3 | 1 | | 1 | | | |
| Common Nighthawk | 1 | | 1 | 1 | | | | | | |
| Common Tern | 25 | 8 | | 8 | 13 | 3 | 16 | 1 | | 1 |
| Common Yellowthroat | 2 | 2 | | 2 | | | | | | |
| Cory's Shearwater | 1 | | 1 | 1 | | | | | | |
| Double-crested Cormorant | 23 | 13 | 6 | 19 | 1 | 1 | 2 | 2 | | 2 |
| Eastern Kingbird | 2 | 1 | | 1 | 1 | | 1 | | | |
| Eastern Meadowlark | 1 | 1 | | 1 | | | | | | |
| Eurasian Collared-Dove | 1 | 1 | | 1 | | | | | | |
| Forster's Tern | 48 | 12 | 8 | 20 | 15 | 7 | 22 | 6 | | 6 |
| Glossy Ibis | 2 | 1 | | 1 | | | | 1 | | 1 |
| Great Blue Heron | 44 | 22 | 10 | 32 | 6 | 2 | 8 | 4 | | 4 |
| Great Egret | 28 | 7 | 3 | 10 | 6 | 6 | 12 | 6 | | 6 |
| Great Horned Owl | 1 | 1 | | 1 | | | | | | |
| Greater Shearwater | 26 | 12 | 4 | 16 | 6 | 3 | 9 | 1 | | 1 |
| Green Heron | 17 | 9 | 5 | 14 | 2 | | 2 | 1 | | 1 |
| Gull-billed Tern | 8 | 2 | 4 | 6 | | | | 2 | | 2 |
| Herring Gull | 39 | 9 | 12 | 21 | 7 | 7 | 14 | 4 | | 4 |
| Horned Grebe | 1 | | | | | 1 | 1 | | | |

Bird Impact Data from DOI-ERDC Database Download 27 Oct. 2010

These verified data are a proportion of the total unverified data in the daily reports.

The Service is working as quickly as possible to review all of data in order to match up the verified numbers with the unverified numbers reported daily. However, there will continue to be a gap in the two sets of data as the quality assurance/quality control process is completed, which takes one to two weeks for each bird.

Based on our experience with oil spills and the behavior of migratory birds, we expect that the number of oiled birds collected may represent only a portion of the total birds affected by the spill. We are addressing these and other injury-related issues through our ongoing NRDA studies.

All data should be considered provisional, incomplete, and subject to change.

| | Grand Total | Not Visibly Oiled | | | Visibly Oiled | | | Unknown Oiling | | |
|--------------------------|--------------------|-------------------|------|-------|---------------|------|-------|----------------|------|-------|
| | | Dead | Live | Total | Dead | Live | Total | Dead | Live | Total |
| House Sparrow | 1 | 1 | | 1 | | | | | | |
| Killdeer | 3 | 3 | | 3 | | | | | | |
| King Rail | 1 | | 1 | 1 | | | | | | |
| Laughing Gull | 3017 | 1275 | 332 | 1607 | 815 | 272 | 1087 | 323 | | 323 |
| Least Bittern | 5 | 4 | 1 | 5 | | | | | | |
| Least Tern | 110 | 40 | 6 | 46 | 45 | 6 | 51 | 13 | | 13 |
| Lesser Black-backed Gull | 5 | | 1 | 1 | 1 | 1 | 2 | 2 | | 2 |
| Lesser Scaup | 1 | | | | | | | 1 | | 1 |
| Little Blue Heron | 6 | 4 | 1 | 5 | | | | 1 | | 1 |
| Long-Billed Dowitcher | 1 | | 1 | 1 | | | | | | |
| Magnificent Frigatebird | 9 | 1 | 1 | 2 | 3 | 2 | 5 | 2 | | 2 |
| Mallard | 29 | 13 | 7 | 20 | 5 | 4 | 9 | | | |
| Manx Shearwater | 1 | | | | 1 | | 1 | | | |
| Masked Booby | 12 | 2 | 4 | 6 | 3 | 3 | 6 | | | |
| Mottled Duck | 4 | 4 | | 4 | | | | | | |
| Mourning Dove | 17 | 8 | 6 | 14 | 2 | 1 | 3 | | | |
| Neotropic Cormorant | 3 | 1 | | 1 | | | | 2 | | 2 |
| Northern Cardinal | 3 | 3 | | 3 | | | | | | |
| Northern Gannet | 592 | 76 | 83 | 159 | 214 | 189 | 403 | 30 | | 30 |
| Northern Mockingbird | 4 | 3 | 1 | 4 | | | | | | |
| Osprey | 12 | 6 | 3 | 9 | 2 | 1 | 3 | | | |
| Other | 152 | 68 | 35 | 103 | 25 | 12 | 37 | 12 | | 12 |
| Pied-bill Grebe | 45 | 5 | 3 | 8 | 13 | 23 | 36 | 1 | | 1 |
| Piping Plover | 1 | 1 | | 1 | | | | | | |
| Purple Gallinule | 1 | 1 | | 1 | | | | | | |
| Purple Martin | 4 | 3 | | 3 | 1 | | 1 | | | |
| Red-Breasted Merganser | 4 | 1 | 1 | 2 | 1 | 1 | 2 | | | |
| Reddish Egret | 3 | 1 | 1 | 2 | 1 | | 1 | | | |
| Red-tailed Hawk | 1 | 1 | | 1 | | | | | | |
| Red-winged Blackbird | 1 | 1 | | 1 | | | | | | |
| Ring-billed Gull | 2 | 1 | | 1 | | 1 | 1 | | | |
| Rock Pigeon | 18 | 3 | 9 | 12 | 2 | 2 | 4 | 2 | | 2 |
| Roseate Spoonbill | 18 | 3 | 2 | 5 | 7 | 1 | 8 | 5 | | 5 |
| Royal Tern | 324 | 87 | 40 | 127 | 112 | 60 | 172 | 25 | | 25 |
| Ruddy Turnstone | 12 | 6 | 4 | 10 | 1 | 1 | 2 | | | |
| Rudy Duck | 1 | | | | 1 | | 1 | | | |
| Sanderling | 32 | 17 | 6 | 23 | 4 | 2 | 6 | 3 | | 3 |
| Sandwich Tern | 81 | 21 | 12 | 33 | 24 | 15 | 39 | 9 | | 9 |
| Seaside Sparrow | 4 | | | | 4 | | 4 | | | |
| Semipalmated Sandpiper | 2 | | | | 1 | | 1 | 1 | | 1 |
| Short-billed Dowitcher | 1 | 1 | | 1 | | | | | | |
| Snowy Egret | 28 | 7 | 3 | 10 | 10 | 6 | 16 | 2 | | 2 |

Bird Impact Data from DOI-ERDC Database Download 27 Oct. 2010

These verified data are a proportion of the total unverified data in the daily reports.

The Service is working as quickly as possible to review all of data in order to match up the verified numbers with the unverified numbers reported daily. However, there will continue to be a gap in the two sets of data as the quality assurance/quality control process is completed, which takes one to two weeks for each bird.

Based on our experience with oil spills and the behavior of migratory birds, we expect that the number of oiled birds collected may represent only a portion of the total birds affected by the spill. We are addressing these and other injury-related issues through our ongoing NRDA studies.

All data should be considered provisional, incomplete, and subject to change.

| | Grand Total | Not Visibly Oiled | | | Visibly Oiled | | | Unknown Oiling | | |
|----------------------------|--------------------|-------------------|------|-------|---------------|------|-------|----------------|------|-------|
| | | Dead | Live | Total | Dead | Live | Total | Dead | Live | Total |
| Sooty Tern | 4 | 2 | 1 | 3 | | 1 | 1 | | | |
| Sora | 6 | 1 | | 1 | 2 | 1 | 3 | 2 | | 2 |
| Surf Scoter | 2 | | | | 1 | 1 | 2 | | | |
| Tricolored Heron | 33 | 7 | 3 | 10 | 8 | 4 | 12 | 11 | | 11 |
| Unidentified Cormorant | 14 | 10 | | 10 | 3 | | 3 | 1 | | 1 |
| Unidentified Dowitcher | 4 | 1 | 2 | 3 | 1 | | 1 | | | |
| Unidentified Duck | 3 | 2 | | 2 | | | | 1 | | 1 |
| Unidentified Egret | 7 | 3 | | 3 | 2 | | 2 | 2 | | 2 |
| Unidentified Flycatcher | 1 | | | | 1 | | 1 | | | |
| Unidentified Grackle | 1 | | | | 1 | | 1 | | | |
| Unidentified Grebe | 6 | 2 | | 2 | 4 | | 4 | | | |
| Unidentified Gull | 239 | 122 | 4 | 126 | 79 | 2 | 81 | 32 | | 32 |
| Unidentified Hawk | 1 | 1 | | 1 | | | | | | |
| Unidentified Heron | 9 | 4 | | 4 | 5 | | 5 | | | |
| Unidentified Loon | 7 | 4 | 1 | 5 | 2 | | 2 | | | |
| Unidentified Mockingbird | 2 | 1 | 1 | 2 | | | | | | |
| Unidentified Owl | 1 | 1 | | 1 | | | | | | |
| Unidentified Pelican | 25 | 15 | | 15 | 5 | 1 | 6 | 4 | | 4 |
| Unidentified Pigeon | 10 | 6 | 2 | 8 | 1 | | 1 | 1 | | 1 |
| Unidentified Rail | 4 | 3 | | 3 | 1 | | 1 | | | |
| Unidentified Raptor | 1 | 1 | | 1 | | | | | | |
| Unidentified Sandpiper | 4 | 2 | 2 | 4 | | | | | | |
| Unidentified Shearwater | 4 | 3 | | 3 | | | | 1 | | 1 |
| Unidentified Shorebird | 2 | | | | 1 | | 1 | 1 | | 1 |
| Unidentified Skimmer | 6 | 6 | | 6 | | | | | | |
| Unidentified Sparrow | 1 | 1 | | 1 | | | | | | |
| Unidentified Swallow | 1 | 1 | | 1 | | | | | | |
| Unidentified Tern | 114 | 53 | 1 | 54 | 38 | 2 | 40 | 20 | | 20 |
| Unknown | 495 | 371 | 2 | 373 | 43 | 2 | 45 | 77 | | 77 |
| Virginia Rail | 4 | 3 | 1 | 4 | | | | | | |
| White Ibis | 11 | 4 | 3 | 7 | 1 | 1 | 2 | 2 | | 2 |
| White-winged Dove | 1 | 1 | | 1 | | | | | | |
| Willet | 14 | 7 | 2 | 9 | 2 | 1 | 3 | 2 | | 2 |
| Wilson's Plover | 2 | 1 | | 1 | | | | 1 | | 1 |
| Wilson's Storm-petrel | 1 | | 1 | 1 | | | | | | |
| Yellow-billed Cuckoo | 2 | | | | 2 | | 2 | | | |
| Yellow-crowned Night-Heron | 9 | 6 | 2 | 8 | | | | 1 | | 1 |