

TABLE OF CONTENTS

	<u>Page</u>
1.0 EXECUTIVE SUMMARY	1-1
1.1 Introduction	1-1
1.2 Use of This Handbook	1-1
1.3 Dwelling Category Summary	1-4
1.4 Recommended Modification and Construction Practices	1-4
1.5 Dwelling Modification Packages and Costs	1-4
2.0 BASIC CONCEPTS	2-1
2.1 Sound Exposure Metrics	2-1
2.2 Noise Intrusion From Aircraft Operations	2-3
2.3 Sound Insulation Metrics	2-3
2.4 Sound Insulation Objectives	2-5
2.5 Sound Insulation Concepts	2-6
3.0 PROJECT FORMULATION AND METHODS	3-1
3.1 General Project Outline	3-1
3.2 Dwelling Categories	3-3
3.2.1 Category Definition	3-3
3.2.2 Geographic Distribution	3-5
3.2.2.1 Regions of Similar Dwelling Types	3-5
3.2.2.2 1989 Housing Surveys in Selected Areas	3-7
3.2.3 Noise Reduction of Category Types	3-11
3.3 Sample Noise Monitoring	3-13
3.3.1 Testing Methods	3-13
3.3.2 Sound Measurement Equipment	3-17
3.3.3 Choosing a Representative Sample	3-17
3.4 Noise Reduction Objectives	3-18
3.4.1 Criteria	3-18
3.5 Sound Insulation Methods	3-18
3.5.1 Evaluating Construction Materials and Methods	3-18
3.5.2 Window, Door, Roof, Wall, and Floor Modifications	3-19
3.5.2.1 Windows for Sound Insulation	3-19
3.5.2.2 Doors for Sound Insulation	3-27
3.5.2.3 Roof and Attic Treatments	3-29
3.5.2.4 Interior Wall Modifications for Sound Insulation	3-34
3.5.2.5 Exterior Wall Construction Improvements	3-37
3.5.2.6 Floor Modifications	3-43
3.5.3 Building Components and Techniques for New Construction	3-45
3.5.4 Miscellaneous Features	3-45
3.5.4.1 Ventilation Requirements in Dwellings	3-45
3.5.4.2 Basic Ventilation Systems	3-47
3.5.4.3 Bathrooms, Kitchens, and Fireplaces	3-51
3.5.5 Manufactured Homes	3-51
3.5.5.1 Existing Construction and Noise Reduction Properties	3-54
3.5.5.2 Improving the Sound Insulation	3-58
3.6 Cost Estimation	3-62
3.6.1 Estimating Insulation Required	3-62
3.6.2 Developing Cost Estimates From the Modifications Tables	3-95
3.6.3 Cost Development Example	3-99
4.0 PROJECT MANAGEMENT IMPLEMENTATION	4-1
4.1 Project Management	4-1
4.1.1 Project Planning	4-3
4.1.2 Detailed Cost Estimating	4-6

TABLE OF CONTENTS (Continued)

	<u>Page</u>
4.2 Plans and Specifications	4-7
4.2.1 Work Requirements	4-10
4.2.1.1 Summary of the Work	4-12
4.2.1.2 Special Provisions	4-12
4.2.1.3 Insulation	4-12
4.2.1.4 Acoustical Caulking	4-12
4.2.1.5 Steel Acoustical Doors	4-13
4.2.1.6 Wood Acoustical Doors	4-13
4.2.1.7 Sliding Glass Doors	4-14
4.2.1.8 Aluminum Acoustical Windows	4-14
4.2.1.9 Glazing	4-15
4.2.1.10 Gypsum Drywall	4-16
4.2.1.11 Painting	4-16
4.2.1.12 Air Conditioning, Heating, and Ventilation	4-17
4.2.1.13 Electrical	4-17
4.2.2 Materials Definition	4-18
4.2.2.1 Insulation	4-18
4.2.2.2 Acoustical Caulking	4-18
4.2.2.3 Steel Acoustical Doors	4-18
4.2.2.4 Wood Acoustical Doors	4-18
4.2.2.5 Sliding Glass Doors	4-19
4.2.2.6 Aluminum Acoustical Windows	4-19
4.2.2.7 Glazing	4-19
4.2.2.8 Gypsum Wallboard and Sound-Deadening Board	4-20
4.2.2.9 Painting	4-20
4.2.2.10 Air Conditioning, Heating, and Ventilation	4-20
4.2.2.11 Electrical	4-21
4.3 Advertising for Bids	4-21
4.4 Contractor Selection and Approval	4-21
4.5 Scheduling	4-22
4.6 Construction Inspections	4-25
4.6.1 Work Supervision	4-25
4.6.2 Inspections	4-27
4.7 Post-Construction Noise Monitoring	4-28
4.8 Community Surveys	4-28
 REFERENCES	 R-1
 APPENDIX A:	
A1: Preliminary Project Cost Estimates	A-1
A2: Detailed Dwelling Unit Costs	A-3
A3: Construction Cost Summary	A-7
A4: Non-Construction Costs	A-9
A5: Total Project Costs	A-11
 APPENDIX B:	
Bibliography	B-1
 APPENDIX C:	
Home Inspection Punch List	C-1
 APPENDIX D:	
Housing Survey Form (Windshield Survey)	D-1
 APPENDIX E:	
Glossary	E-1
 APPENDIX F:	
Homeowner Questionnaire	F-1
 APPENDIX G:	
Organizational Addresses	G-1

LIST OF FIGURES

<u>Fig. No.</u>		<u>Page</u>
1-1	Regions of Differing Construction Practices	1-6
1-2	Single Noise Zone Modification Costs Worksheet	1-43
2-1	A-Weighting Versus Frequency	2-1
2-2	Example of Noise Contours at BaltimoreWashington International Airport	2-2
2-3	Pictorial Representation of Sound Transmission Through Built Construction	2-7
2-4	Sound Transmission Paths Into Dwelling Interiors	2-8
2-5	Effects of Window in Lowering the Composite TL in Complex Constructions	2-10
2-6	Conceptual Illustration of Unbalanced and Balanced Constructions	2-11
2-7	Measured Values for Acoustical Shielding Due to Aircraft Noise	2-13
3-1	Project Implementation Flowchart	3-2
3-2	Housing Inventory Worksheet	3-4
3-3	Regions of Differing Construction Practices	3-6
3-4	Schematic of Sound Measurement Instrumentation	3-15
3-5	Construction Features of Acoustical Window	3-24
3-6	Typical Acoustical Windows in Place	3-25
3-7	Examples of Double-Glazed Window Constructions	3-26
3-8	Wood Acoustical Door Construction	3-28
3-9	Exterior-Mounted Secondary Sliding Glass Door	3-30
3-10	Exterior Roof Improvement	3-35
3-11	Types of Wall Modifications	3-38
3-12	Schematic Exterior Wall Modifications	3-40
3-13	Schematic Exterior Wall Modifications	3-41
3-14	(a) Schematic Exterior Wall Modifications	3-42
	(b) Schematic Furred Cement Board	3-42
3-15	Louver/Baffle	3-44
3-16	Louver/Baffle Installed in Side of Dwelling	3-44
3-17	Modified System Functions	3-50
3-18	Baffle Box for Through-Wall Ventilator	3-52
3-19	Bathroom/Kitchen Ventilator Modification	3-53
3-20	Roof Construction of a Manufactured Unit; One-Half of Double-Wide Dwelling	3-55
3-21	Typical Manufactured Home Wall Constructions	3-56
3-22	Sample Single-Story Dwelling	3-63
3-23	Single Noise Zone Modification Costs Worksheet	3-97
3-24	Individual Dwelling Modification Cost Estimate Worksheet	3-98
3-25	Example Cost Estimate	3-100
4-1	Possible Management Structures for Sound Insulation Program Office	4-2
4-2	Architectural Plan Details	4-9
4-3	Door, Window, and Finish Schedules	4-11
4-4	Program Schedule Flowchart	4-24
4-5	Construction Schedule Flowchart	4-26

LIST OF TABLES

<u>Table</u> <u>No.</u>		<u>Page</u>
1-1	Air Installation Compatible Use Zone Suggested Land-Use Guidelines	1-2
1-2	Federal Aviation Administration Definitions of Land-Use Compatibility With Yearly Day-Night Average Sound Levels	1-3
1-3	EWR Ratings for Common Construction Elements	1-5
1-4	Percentages of Dwellings in Each Construction Category and Floor Constructions for Each Region	1-7
1-5	1987 Average Dwelling Size for New Construction	1-7
1-6	Summary of Methods for Improving Window Sound Insulation	1-8
1-7	Summary of Methods for Improving Door Sound Insulation	1-8
1-8	Summary of Methods for Improving Attic and Ceiling Sound Insulation	1-9
1-9	Summary of Methods for Improving Interior Wall Sound Insulation	1-9
1-10	Components of Ducted Air Heating, Cooling, and Ventilation System	1-10
1-11	Recommendations for Noise and Vibration Control in Residential HVAC Systems	1-10
1-12	Summary of Methods for Improving Noise Reduction in Manufactured Homes	1-11
1-13	Suggested Guidelines for Design of New Construction	1-11
1-14	Table of Housing Configurations Used in EWR Cost Optimization Program	1-13
1-15	Most Common Dwelling Types in Each Region	1-13
1-16	Housing Modification Description Codes	1-14
1-17	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type A	1-15
1-18	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type B	1-16
1-19	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type C	1-17
1-20	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type D	1-18
1-21	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type E	1-19
1-22	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type F	1-20
1-23	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type G	1-21
1-24	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type H	1-22
1-25	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type I	1-23
1-26	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type J	1-24
1-27	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type K	1-25
1-28	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type L	1-26
1-29	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type M	1-27
1-30	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type N	1-28
1-31	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type O	1-29
1-32	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type P	1-30
1-33	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type Q	1-31

LIST OF TABLES (Continued)

<u>Table</u>		
<u>No.</u>		
1-34	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type R	
1-35	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type S	
1-36	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type T	
1-37	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., Manufactured Home: Type U	
1-38	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., Two-Story Townhouse: Type V	
1-39	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., Two-Story Townhouse: Type W	
1-40	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., Two-Story Townhouse: Type X	
1-41	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., Two-Story Dwelling: Type Y	1-39
1-42	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., Two-Story Dwelling: Type Z	1-41
1-43	Cost Multiplier for Each Region	1-42
3-1	Airports Selected for Field Study	3-8
3-2	Percentages of Dwellings in Each Construction Category and Floor Constructions for Each Region	3-8
3-3	Miscellaneous Information for Each Region	3-9
3-4	EWR Ratings for Common Construction Elements	3-12
3-5	EWR Reductions (dB) of Doors	3-12
3-6	Typical STC Ratings of Acoustical Windows	3-21
3-7	Adjustments in STC Rating for Different Glazing Configurations	3-22
3-8	Summary of Methods for Improving Window Sound Insulation	3-23
3-9	Summary of Methods for Improving Door Sound Insulation	3-31
3-10	R-Value, Thickness, and Sound Absorption Coefficients for Fiberglass Batts	3-33
3-11	Material Thickness and R-Value for Common Insulating Materials	3-33
3-12	Summary of Methods for Improving Attic and Ceiling Sound Insulation	3-36
3-13	Summary of Methods for Improving Interior Wall Sound Insulation	3-39
3-14	Suggested Guidelines for Design of New Construction	3-46
3-15	Components of Ducted Air Heating, Cooling, and Ventilation System	3-49
3-16	Recommendations for Noise and Vibration Control in Residential HVAC System	3-49
3-17	Noise Reduction Improvements in Major Habitable Rooms	3-59
3-18	Summary of Methods for Improving Noise Reduction in Manufactured Homes	3-61
3-19	Table of Housing Configurations Used in EWR Cost Optimization Program	3-65
3-20	Housing Modification Description Codes	3-66
3-21	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type A	
3-22	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type B	3-68
3-23	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type C	
3-24	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type D	3-70
3-25	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type E	
3-26	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type F	3-72

LIST OF TABLES (Continued)

<u>Table</u>		
<u>No.</u>		
3-27	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type G	3-73
3-28	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type H	3-74
3-29	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type I	3-75
3-30	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type J	
3-31	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type K	
3-32	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type L	3-78
3-33	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type M	
3-34	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type N	
3-35	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type O	
3-36	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type P	
3-37	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type Q	
3-38	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type R	
3-39	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type S	
3-40	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., One-Story House: Type T	
3-41	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., Manufactured Home: Type U	3-87
3-42	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., Two-Story Townhouse: Type V	
3-43	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., Two-Story Townhouse: Type W	
3-44	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., Two-Story Townhouse: Type X	
3-45	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., Two-Story Dwelling: Type Y	
3-46	Noise Reductions, Modifications, and Cost/Dwelling Sq.Ft., Two-Story Dwelling: Type Z	3-93
3-47	Most Common Dwelling Types in Each Region	3-96
3-48	1987 Average Dwelling Size for New Construction	3-96
3-49	Cost Multiplier for Each Region	3-96
4-1	Annual Manpower Estimates for Residential Sound Insulation Program Office	4-5
4-2	Example Summary of Sound Insulation Applications Based on Generalized Specifications	4-8
4-3	Chronological List of Project Schedule Items	4-23