

Table 203. Use of Mammography for Women 40 Years Old and Over by Patient Characteristics: 2000 to 2008

[Percent of women having a mammogram within the past 2 years. Covers civilian noninstitutional population. Based on National Health Interview Survey; see Appendix III]

Characteristic	2000 ¹	2005 ¹	2008 ¹	Characteristic	2000 ¹	2005 ¹	2008 ¹
Total²	70.4	66.8	67.6	Years of school completed:			
40 to 49 years old	64.3	63.5	61.5	No high school diploma or GED	57.7	52.8	53.8
50 years old and over	73.6	68.4	70.5	High school diploma or GED	69.7	64.9	65.2
50 to 64 years old	78.7	71.8	74.2	Some college or more	76.2	72.7	73.4
65 years old and over	67.9	63.8	65.5	Poverty status: ⁴			
White, non-Hispanic	72.2	68.4	68.7	Below poverty	54.8	48.5	51.4
Black, non-Hispanic	67.9	65.2	68.3	At or above poverty	72.1	68.8	(NA)
Hispanic origin ³	61.2	58.8	61.2				

NA Not available. ¹ Adjusted data—data have been reweighted using the 2000 Census population controls. ² Includes other races not shown separately and unknown education level and poverty status. ³ Persons of Hispanic origin may be any race or combination of races. ⁴ For explanation of poverty level, see text, Section 13.

Source: U.S. National Center for Health Statistics, *Health, United States, 2010*. See also <<http://www.cdc.gov/nchs/hus.htm>>.

Table 204. Current Cigarette Smoking: 1990 to 2009

[In percent. Prior to 1992, a current smoker is a person who has smoked at least 100 cigarettes and who now smokes. Beginning 1992, definition includes persons who smoke only "some days." Excludes unknown smoking status. For definition of age adjustment, see text, Section 2. Based on National Health Interview Survey; for details, see Appendix III]

Sex, age, and race	1990 ¹	2000	2005	2009	Sex, age, and race	1990 ¹	2000	2005	2009
Total smokers, age-adjusted²	25.3	23.1	20.8	20.6	Black, total	32.5	26.2	26.5	23.7
Male	28.0	25.2	23.4	23.2	18 to 24 years	21.3	20.9	21.6	18.9
Female	22.9	21.1	18.3	18.1	25 to 34 years	33.8	23.2	29.8	24.1
White male	27.6	25.4	23.3	23.6	35 to 44 years	42.0	30.7	23.3	24.0
Black male	32.8	25.7	25.9	23.1	45 to 64 years	36.7	32.2	32.4	28.9
White female	23.5	22.0	19.1	18.7	65 years and over	21.5	14.2	16.8	14.0
Black female	20.8	20.7	17.1	18.5	Female, total	22.8	20.9	18.1	17.9
Total smokers³	25.5	23.2	20.9	20.6	18 to 24 years	22.5	24.9	20.7	15.6
Male, total	28.4	25.6	23.9	23.5	25 to 34 years	28.2	22.3	21.5	21.8
18 to 24 years	26.6	28.1	28.0	28.0	35 to 44 years	24.8	26.2	21.3	21.2
25 to 34 years	31.6	28.9	27.7	27.6	45 to 64 years	24.8	21.7	18.8	19.5
35 to 44 years	34.5	30.2	26.0	25.4	65 years and over	11.5	9.3	8.3	9.5
45 to 64 years	29.3	26.4	25.2	24.5	White, total	23.4	21.4	18.7	18.3
65 years and over	14.6	10.2	8.9	9.5	18 to 24 years	25.4	28.5	22.6	16.7
White, total	28.0	25.7	23.6	23.6	25 to 34 years	28.5	24.9	23.1	22.7
18 to 24 years	27.4	30.4	29.7	30.0	35 to 44 years	25.0	26.6	22.2	22.9
25 to 34 years	31.6	29.7	27.7	28.4	45 to 64 years	25.4	21.4	18.9	19.4
35 to 44 years	33.5	30.6	26.3	26.3	65 years and over	11.5	9.1	8.4	9.6
45 to 64 years	28.7	25.8	24.5	24.0	Black, total	21.2	20.8	17.3	18.8
65 years and over	13.7	9.8	7.9	9.3	18 to 24 years	⁴ 10.0	14.2	14.2	13.3
					25 to 34 years	29.1	15.5	16.9	20.1
					35 to 44 years	25.5	30.2	19.0	20.0
					45 to 64 years	22.6	25.6	21.0	22.7
					65 years and over	11.1	10.2	10.0	11.5

¹ Data prior to 1997 are not strictly comparable with data for later years due to the 1997 questionnaire redesign. ² Data are age-adjusted to the year 2000 standard using five age groups: 18–24 years, 25–34 years, 35–44 years, 45–64 years, 65 years and over. ³ Crude, not age-adjusted. ⁴ Figure does not meet standard of reliability or precision.

Source: U.S. National Center for Health Statistics, *Health, United States, 2010*. See also <<http://www.cdc.gov/nchs/hus.htm>>.

Table 205. Current Cigarette Smoking by Sex and State: 2009

[In percent. Current cigarette smoking is defined as persons 18 years and older who reported having smoked 100 or more cigarettes during their lifetime and who currently smoke every day or some days. Based on the Behavioral Risk Factor Surveillance System, a telephone survey of health behaviors of the civilian, noninstitutionalized U.S. population, 18 years old and over; for details, see source]

State	Total	Male	Female	State	Total	Male	Female	State	Total	Male	Female
U.S.¹	20.6	23.5	17.9								
AL	22.5	25.7	19.7	KY	25.6	27.1	24.2	ND	18.6	19.3	17.9
AK	20.6	20.7	20.5	LA	22.1	25.1	19.3	OH	20.3	21.2	19.5
AZ	16.1	18.0	14.3	ME	17.3	18.9	15.8	OK	25.5	27.1	24.0
AR	21.5	21.0	21.9	MD	15.2	16.7	13.8	OR	17.9	18.5	17.2
CA	12.9	15.6	10.2	MA	15.0	16.1	14.0	PA	20.2	21.5	19.1
CO	17.1	19.5	14.6	MI	19.6	21.1	18.2	RI	15.1	15.3	14.9
CT	15.4	16.2	14.7	MN	16.8	18.6	14.9	SC	20.4	21.5	19.3
DE	18.3	20.2	16.6	MS	23.3	27.2	19.8	SD	17.5	16.9	18.1
DC	15.3	15.8	14.8	MO	23.1	24.3	21.9	TN	22.0	24.6	19.6
FL	17.1	18.0	16.3	MT	16.8	16.4	17.3	TX	17.9	22.1	13.8
GA	17.7	20.0	15.5	NE	16.7	18.5	15.0	UT	9.8	11.9	7.7
HI	15.4	16.8	13.9	NV	22.0	22.7	21.3	VT	17.1	19.4	15.0
ID	16.3	18.7	13.9	NH	15.8	17.3	14.3	VA	19.0	22.5	15.8
IL	18.6	20.6	16.7	NJ	15.8	17.6	14.2	WA	14.9	16.1	13.8
IN	23.1	24.9	21.5	NM	17.9	19.9	16.1	WV	25.6	27.7	23.6
IA	17.2	19.6	14.8	NY	18.0	19.3	16.8	WI	18.8	20.3	17.3
KS	17.8	18.6	17.1	NC	20.3	23.1	17.7	WY	19.9	20.1	19.7

¹ Represents median value among the states and DC. For definition of median, see Guide to Tabular Presentations.

Source: U.S. Centers for Disease Control and Prevention, *Morbidity and Mortality Weekly Report*, Vol. 59, No. 43, 2010. See also <<http://www.cdc.gov/mmwr>>.