

**NSA/CSS EVALUATED PRODUCTS LIST
for
HIGH SECURITY CROSSCUT PAPER SHREDDERS**

The Evaluated Products List (EPL) contains a listing of high security crosscut paper shredders that have been evaluated by the National Security Agency (NSA) or its designee and meet the performance requirements of NSA/CSS Specification 02-01, High Security Crosscut Paper Shredders. Inclusion of a product in the EPL is not an endorsement by NSA or the U.S. Government.

The EPL provides the shredder device name and/or model number, the manufacturer, and appropriate contact data for the distributor and/or marketing agent. Shredders are listed alphabetically by distributor name. The EPL also describes the shredder feed throat width and quantity of paper shredded in a one hour durability test.¹

The EPL shall be updated on an as-needed basis (as new models are successfully evaluated). Users are encouraged to contact shredder manufacturers /distributors for assistance in selecting unit(s) best suited to their requirements, and to determine if additional shredder units have been added to the EPL in the interim.

The procedures for administration and distribution of the EPL are subject to change without notice. Inquiries from U.S. Government users should be forwarded through designated customer support channels to the NSA Information Assurance Directorate. All other inquiries should be directed to the NSA Public Affairs Office.

¹ All tests were performed using uncoated, sheet cut (8.5 x 11 inch) twenty (20) pound weight copy paper, 500 sheets per ream

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
AMA/ 125.2HS Level 6	Adams Marketing Associates/ HSM GMBH	Adams Marketing Associates 306A Ashcake Road Ashland, VA 23005 Bonnie Whitaker E-mail: Bonnie@adamsmarketing.com Tel: 800-322-6082, Fax: 804-752-6324	10 ½ inches	9 reams when feeding 3 sheets
AMA/ 225.2HS Level 6	Adams Marketing Associates/ HSM GMBH	Adams Marketing Associates	12 inches	11 reams when feeding 5 sheets
AMA/ 390.2HS Level 6	Adams Marketing Associates/ HSM GMBH	Adams Marketing Associates	16 inches	11 reams when feeding 4 sheets
AMA/ 411.2HS Level 6	Adams Marketing Associates/ HSM GMBH	Adams Marketing Associates	16 inches	15 reams when feeding 8 sheets
Capital Shredder Corp./ K-9	Capital Shredder Corp./ Elcoman / Kobra	Capital Shredder Corp. 5550 Wilkins Court Rockville, MD 20852 URL: www.papershredders.com Gregory V. Di Gioia H. Kim Jones Tel: 301-770-3900, Fax: 301-770-4286	9 ½ inches	4 reams when feeding 3 sheets
Capital Shredder Corp./ K-10	Capital Shredder Corp./ Elcoman / Kobra	Capital Shredder Corp.	10 ¼ inches	8 reams when feeding 4 sheets

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
Capital Shredder Corp./ K-10E	Capital Shredder Corp./ Elcoman / Kobra	Capital Shredder Corp.	10 ¼ inches	4 reams when feeding 3 sheets
Capital Shredder Corp./ K-12	Capital Shredder Corp./ Elcoman / Kobra	Capital Shredder Corp.	12 inches	8 reams when feeding 4 sheets
Capital Shredder Corp./ K-16	Capital Shredder Corp./ Elcoman / Kobra	Capital Shredder Corp.	16 inches	17 reams when feeding 8 sheets
Capital Shredder Corp./ M-9	Capital Shredder Corp. / Dahle North America, Inc.	Capital Shredder Corp.	9 inches	4 reams when feeding 3 sheets
Capital Shredder Corp./ M-9D	Capital Shredder Corp. / Dahle North America, Inc.	Capital Shredder Corp.	9 inches	4 reams when feeding 3 sheets
Capital Shredder Corp./ M-10	Capital Shredder Corp. / Dahle North America, Inc.	Capital Shredder Corp.	10 inches	10 reams when feeding 3 sheets
Capital Shredder Corp./ M-12	Capital Shredder Corp./ Dahle North America, Inc.	Capital Shredder Corp.	12 inches	10 reams when feeding 4 sheets
Capital Shredder Corp./ M-16	Capital Shredder Corp./ Dahle North America, Inc.	Capital Shredder Corp.	16 inches	11 reams when feeding 5 sheets

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
Capital Shredder Corp./ M-16 HC	Capital Shredder Corp./ Dahle North America, Inc.	Capital Shredder Corp.	16 inches	15 reams when feeding 8 sheets
Capital Shredder Corp./ M-16 TS	Capital Shredder Corp./ Dahle North America, Inc.	Capital Shredder Corp.	16 inches	15 reams when feeding 8 sheets
Capital Shredder Corp./ T-12AF	Capital Shredder Corp./ Meiko Shokai Co. Ltd.	Capital Shredder Corp.	11 ³ / ₄ inches	20 reams when feeding 9 sheets
ICGS/ 525-L6	/ HSM GMBH	Laura McAllester Tel: 410-567-2730	10 ¹ / ₂ inches	9 reams when feeding 3 sheets
ICGS/ 535-L6	/ HSM GMBH		12 inches	11 reams when feeding 5 sheets
ICGS/ 590-L6	/ HSM GMBH		16 inches	11 reams when feeding 4 sheets
ICGS/ 611-L6	/ HSM GMBH		16 inches	15 reams when feeding 8 sheets
Cummins- Allison/ 539	Cummins-Allison Corp./ HSM GMBH	Cummins-Allison Corp. 201 Davis Drive, Unit O Sterling, VA 20164-4418 Lyle Berlin E- mail: berlinl@cumminsallison.com Tel: 800-875-4238, Fax: 703-444-8843	9 ¹ / ₂ inches	4 reams when feeding 3 sheets

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
Cummins- Allison/ 549	Cummins-Allison Corp./ HSM GMBH	Cummins-Allison Corp.	12 inches	11 reams when feeding 5 sheets
Cummins- Allison/ 559	Cummins-Allison Corp./ HSM GMBH	Cummins-Allison Corp.	16 inches	11 reams when feeding 4 sheets
Cummins- Allison/ 569	Cummins-Allison Corp./ HSM GMBH	Cummins-Allison Corp.	16 inches	15 reams when feeding 8 sheets
Dahle/ 20434 DXC	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc. 49 Vose Farm Road Peterborough, NH 03458 URL: www.dahleusa.com Gregory C. Rillings Scott A. Prokop Tel: 800-995-1379, Fax: 603-924-1616	9 inches	4 reams when feeding 3 sheets
Dahle/ 20434 DS	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	9 inches	4 reams when feeding 3 sheets
Dahle/ 20634 EC	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	10 inches	10 reams when feeding 3 sheets
Dahle/ 20834 EC	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	16 inches	15 reams when feeding 8 sheets
Dahle/ 20835 EC	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	16 inches	11 reams when feeding 5 sheets

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
Dahle/ 20394	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	16 inches	15 reams when feeding 8 sheets
Dahle/ 30434	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	12 inches	10 reams when feeding 4 sheets
Dahle/ 33134	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	12 inches	10 reams when feeding 4 sheets
Rexel/ 1250-S6	/HSM GMBH		10 ½ inches	9 reams when feeding 3 sheets
Rexel/ 2250-S6	/HSM GMBH		12 inches	11 reams when feeding 5 sheets
Rexel/ 3150-S6	/HSM GMBH		16 inches	11 reams when feeding 4 sheets
Rexel/ 4550-S6	/HSM GMBH		16 inches	15 reams when feeding 8 sheets
Fellowes/ C-320HS (formerly 320-2 HS)	Fellowes Business Machines	Fellowes Business Machines 1789 Norwood Avenue Itasca, IL 60143-1095 URL: www.fellowes.com Paul Kossack E-mail: pkossack@fellowes.com Tel: 630-671-8408, Fax: 630-893-1683	10 ½ inches	9 reams when feeding 3 sheets
Fellowes/ C-420HS (formerly 420-2 HS)	Fellowes Business Machines	Fellowes Business Machines	12 inches	11 reams when feeding 5 sheets

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
Fellowes/ C-480HS (formerly 480-2 HS)	Fellowes Business Machines	Fellowes Business Machines	16 inches	11 reams when feeding 4 sheets
Fellowes / HS-400	Fellowes Business Machines/ Dahle North America, Inc.	Fellowes Business Machines	9 inches	4 reams when feeding 3 sheets
Fellowes / HS-800	Fellowes Business Machines/ Dahle North America, Inc.	Fellowes Business Machines	16 inches	15 reams when feeding 8 sheets
Formax / 8400HS	Formax / Daejin Kostal	Formax 44 Venture Drive Dover, NH 03820 URL: www.formax.com T. Ryan Lindsay E-mail: ryanlindsay@formax.com Tel: 800-232-5535 ext 11	12 inches	8 reams when feeding 3 sheets
Formax / 8500HS	Formax / Daejin Kostal	Formax	16 inches	10 reams when feeding 4 sheets
GBC/ 3890D	ACCO Brands/	ACCO Brands 300 Tower Parkway Lincolnshire, IL 60069-3640 URL: www.gbconnect.com Customer Service Tel: 1-800-723-4000	9 inches	5 reams when feeding 3 sheets

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
Geha Primo/ 2600 HS Level 6	HSM of America, Inc. / HSM GMBH	HSM of America, Inc. 1075 Andrew Drive, Suite C West Chester, PA 19382 URL:www.hsmofamerica.com Sandra Corker E-mail: sandrac@hsmofamerica.com Tel: 800-613-2110, Fax: 540-894-4432	10 ½ inches	9 reams when feeding 3 sheets
Geha Primo/ 2700 HS Level 6	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	12 inches	11 reams when feeding 5 sheets
Geha Primo/ 3900 HS Level 6	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	16 inches	11 reams when feeding 4 sheets
Geha Primo/ 4001 HS Level 6	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	16 inches	15 reams when feeding 8 sheets
HSM/ 125.2HS Level 6	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	10 ½ inches	9 reams when feeding 3 sheets
HSM/ 225.2HS Level 6	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	12 inches	11 reams when feeding 5 sheets

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
HSM/ 390.3 HS Level 6 (formerly 390.2 HS Level 6)	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	16 inches	11 reams when feeding 4 sheets
HSM/ 411.2HS Level 6	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	16 inches	15 reams when feeding 8 sheets
Kobra 240 HS6	Marquis Business Systems, L.L.C. / Elcoman / Kobra	Rockville Office Machines 12264 Wilkins Avenue Rockville, MD 20852 www.rockvilleofficemachines.com Michael C. Patrick Tel: 301-468-1973, Fax: 301-468-9566	9 ½ inches	4 reams when feeding 3 sheets
Kobra 260 HS6	Marquis Business Systems, L.L.C. / Elcoman / Kobra	Rockville Office Machines	10 ¼ inches	4 reams when feeding 3 sheets
Kobra 260 HS2/6	Marquis Business Systems, L.L.C. / Elcoman / Kobra	Rockville Office Machines	10 ¼ inches	8 reams when feeding 4 sheets
Kobra 300 HS6	Marquis Business Systems, L.L.C. / Elcoman / Kobra	Rockville Office Machines	12 inches	8 reams when feeding 4 sheets
Kobra 400 HS6	Marquis Business Systems, L.L.C. / Elcoman / Kobra	Rockville Office Machines	16 inches	17 reams when feeding 8 sheets

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
ID431MC	MS SecureShred, Inc./ Meiko Shokai Co., Ltd	MS SecureShred, Inc. 46571 Fremont Blvd. Fremont, CA. 94538 URL: www.mssecureshred.com Gordon Woo gordon@mssecureshred.com Tel:510-252-1366 , Fax: 510-252-9320	11 ¾ inches	18 reams when feeding 6 sheets
ID431MC-FK	MS SecureShred, Inc./ Meiko Shokai Co., Ltd	MS SecureShred, Inc.	11 ¾ inches	20 reams when feeding 9 sheets
Niche / 204	/Dahle North America, Inc.		9 inches	4 reams when feeding 3 sheets
Niche / 206	/Dahle North America, Inc.		10 inches	10 reams when feeding 3 sheets
Niche / 208	/ Dahle North America, Inc.		16 inches	11 reams when feeding 5 sheets
Niche / 209	/ Dahle North America, Inc.		16 inches	15 reams when feeding 8 sheets
Ativa/ 260 HS	/HSM GMBH		10 ½ inches	9 reams when feeding 3 sheets
Ativa/ 270 HS	/HSM GMBH		12 inches	11 reams when feeding 5 sheets
Ativa/ 391 HS	/HSM GMBH		16 inches	11 reams when feeding 4 sheets

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
Ativa/ 401 HS	/HSM GMBH		16 inches	15 reams when feeding 8 sheets
Olympia/ 1300.1C	Olympia Business Systems, Inc. / Martin Yale Industries, Inc. ² 2. Formerly Schleicher and Company of America, Inc.	Olympia Business Systems, Inc. 251 Wedcor Avenue Wabash, IN 46992 URL: www.olympia.to/GSA E-mail: dawn.dials@martinyale.com Tel: 800-225-5644, Option 4 Fax: 260-563-4575	9 ½ inches	8 reams when feeding 3 sheets
Olympia/ D1300.1C (Deployment Shredder)	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	9 ¼ inches	8 reams when feeding 3 sheets
Olympia/ 1500.1C	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	10 ¼ inches	15 reams when feeding 5 sheets
Olympia/ D1500.1C (Deployment Shredder)	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	10 ¼ inches	15 reams when feeding 5 sheets
Olympia/ 1650.1C	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	16 inches	11 reams when feeding 5 sheets
Olympia/ 1702.1C	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	16 inches	19 reams when feeding 8 sheets
Olympia/ 1750.1C	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	9 ¼ inches	23 reams when feeding 8 sheets

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
Olympia/ 1800.1C	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	12 inches	15 reams when feeding 8 sheets
SEM/ 1324C/3 (formerly 1124C/3)	Security Engineered Machinery / HSM GMBH	Security Engineered Machinery 5 Walkup Drive Westboro, MA 01581 URL: www.fedshred.com Terry Creek E-mail: t.creek@olg.com Tel: 800-225-9293, Fax: 508-836-4154	8 ¾ inches	4 reams when feeding 3 sheets
SEM/ 126C/2	Security Engineered Machinery / HSM GMBH	Security Engineered Machinery	10 ½ inches	9 reams when feeding 3 sheets
SEM 1201CC	Security Engineered Machinery / Meiko Shokai Co. Ltd.	Security Engineered Machinery	11 ¾ inches	18 reams when feeding 6 sheets
SEM/ 2226CC/3 (formerly 2226CC)	Security Engineered Machinery /	Security Engineered Machinery	10 ¼ inches	11 reams when feeding 5 sheets
SEM/ 226C/2	Security Engineered Machinery/ HSM GMBH	Security Engineered Machinery	12 inches	11 reams when feeding 5 sheets
SEM/ 244/3	Security Engineered Machinery /	Security Engineered Machinery	10 ¼ inches	8 reams when feeding 4 sheets
SEM/ 244/4	Security Engineered Machinery /	Security Engineered Machinery	10 ¼ inches	15 reams when feeding 7 sheets
SEM/ 266/3 (formerly 266)	Security Engineered Machinery /	Security Engineered Machinery	12 ½ inches	21 reams when feeding 8 sheets

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
SEM/ 266/4	Security Engineered Machinery /	Security Engineered Machinery	11 ¾ inches	21 reams when feeding 10 sheets
SEM/ 391C/2	Security Engineered Machinery / HSM GMBH	Security Engineered Machinery	16 inches	11 reams when feeding 4 sheets
SEM/ 3140C/3	Security Engineered Machinery / Models sold prior to July 31, 2007	Security Engineered Machinery	16 inches	14 reams when feeding 5 sheets
SEM/ 3140C/3	Security Engineered Machinery / HSM GMBH Models sold after August 1, 2007	Security Engineered Machinery	16 inches	11 reams when feeding 4 sheets
SEM/ 412C/2 (formerly 455/2)	Security Engineered Machinery / HSM GMBH	Security Engineered Machinery	16 inches	15 reams when feeding 8 sheets
SEM/ 5140C/4 (formerly 5140C/3)	Security Engineered Machinery /	Security Engineered Machinery	16 inches	23 reams when feeding 8 sheets
Destroyit / 2350 SMC	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc. 12410 Washington Avenue Rockville, MD 20852 URL: www.whitakerbrothers.com Joseph Mitchell E-mail: jmitchell@whitakerbrothers.com Tel: 800-243-9226, Fax: 301-770-9217	9 inches	5 reams when feeding 3 sheets
Destroyit / 2360 SMC	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc	9 inches	5 reams when feeding 3 sheets

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
Destroyit/ 2600 SMC	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	10 ¼ inches	11 reams when feeding 5 sheets
Destroyit/ 2602 SMC	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	10 ¼ inches	11 reams when feeding 5 sheets
Destroyit/ 2603 SMC	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	10 ¼ inches	11 reams when feeding 5 sheets
Intimus/ 007SF	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	12 inches	26 reams when feeding 10 sheets
Intimus/ 007SF Retro-fit	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	12 inches	25 reams when feeding 9 sheets
Intimus/ 0077SF	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	9 ¼ inches	23 reams when feeding 8 sheets
Intimus/ 0077SL	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	12 inches	15 reams when feeding 8 sheets
Intimus/ 302SF	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	9 ¼ inches	8 reams when feeding 3 sheets
Intimus/ 502SF	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	10 ¼ inches	15 reams when feeding 5 sheets
Intimus/ 602SF	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	16 inches	11 reams when feeding 5 sheets
Intimus/ 702SF	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	16 inches	19 reams when feeding 8 sheets
Whitaker Brothers/ 2603/2 SMC	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	10 ¼ inches	15 reams when feeding 6 sheets

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
Whitaker Brothers/ 2605 SMC	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	10 ¼ inches	15 reams when feeding 7 sheets
Whitaker Brothers/ 3014 SMC	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	11 ¾ inches	21 reams when feeding 10 sheets
Whitaker Brothers/ 4002 SMC	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	16 inches	14 reams when feeding 5 sheets
Whitaker Brothers/ 4014/2 SMC (formerly 4014 SMC)	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	16 inches	23 reams when feeding 8 sheets
Whitaker Brothers / DS-3 (Deployment Shredder)	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	9 inches	5 reams when feeding 3 sheets
Whitaker Brothers / Datastroyer 1010 MS	Whitaker Brothers, Inc. / HSM GMBH	Whitaker Brothers, Inc.	10 ½ inches	9 reams when feeding 3 sheets
Whitaker Brothers / Datastroyer 1215 MS	Whitaker Brothers, Inc. / HSM GMBH	Whitaker Brothers, Inc.	12 inches	11 reams when feeding 5 sheets

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
Whitaker Brothers / Datastroyer 1615 MS	Whitaker Brothers, Inc. / HSM GMBH	Whitaker Brothers, Inc.	16 inches	11 reams when feeding 4 sheets
Whitaker Brothers / Datastroyer 1628 MS	Whitaker Brothers, Inc. / HSM GMBH	Whitaker Brothers, Inc.	16 inches	15 reams when feeding 8 sheets
Whitaker Brothers / DS-4 (Deployment Shredder)	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	9 inches	5 reams when feeding 3 sheets
Whitaker Brothers/ DS-5 (Deployment Shredder)	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	10 ¼ inches	11 reams when feeding 5 sheets
Whitaker Brothers/ DS-6 (Deployment Shredder)	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	10 ¼ inches	11 reams when feeding 5 sheets
Whitaker Brothers/ DS-7 (Deployment Shredder)	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	12 inches	26 reams when feeding 10 sheets

