


Worldwide numbers represent medical diagnoses of TBI that occurred anywhere U.S. forces are located including the continental United States since 2000.

**Concussion/Mild TBI is characterized by the following:** A confused or disoriented state which lasts less than 24 hours; loss of consciousness for up to 30 minutes; memory loss lasting less than 24 hours; and structural brain imaging (MRI or CT scan) yielding normal results.

**Moderate TBI is characterized by the following:** A confused or disoriented state which lasts more than 24 hours; loss of consciousness for more than 30 minutes, but less than 24 hours; memory loss lasting greater than 24 hours but less than seven days; and structural brain imaging yielding normal or abnormal results.

**Severe TBI is characterized by the following:** A confused or disoriented state which lasts more than 24 hours; loss of consciousness for more than 24 hours; memory loss for more than seven days; and structural brain imaging yielding normal or abnormal results.

**Penetrating TBI, or open head injury, is characterized by the following:** A head injury in which the dura mater, the outer layer of the meninges, is penetrated. Penetrating injuries can be caused by high-velocity projectiles or objects of lower velocity such as knives, or bone fragments from a skull fracture that are driven into the brain.




Prepared by MHS Office of Strategic Communications

2011, as of 20 Aug 2012

| Service | Component | Severity         | Diagnosed |
|---------|-----------|------------------|-----------|
| Army    | Active    | Penetrating      | 160       |
|         |           | Severe           | 102       |
|         |           | Moderate         | 2,406     |
|         |           | Mild             | 11,988    |
|         |           | Not Classifiable | 1,187     |
|         | Guard     | Penetrating      | 26        |
|         |           | Severe           | 21        |
|         |           | Moderate         | 619       |
|         |           | Mild             | 2,561     |
|         |           | Not Classifiable | 477       |
|         | Reserves  | Penetrating      | 12        |
|         |           | Severe           | 8         |
|         |           | Moderate         | 262       |
|         |           | Mild             | 1,210     |
|         |           | Not Classifiable | 168       |

2011, as of 20 Aug 2012




Prepared by MHS Office of Strategic Communications

2011, as of 20 Aug 2012

| Service | Component | Severity         | Diagnosed |
|---------|-----------|------------------|-----------|
| Navy    | Active    | Penetrating      | 20        |
|         |           | Severe           | 19        |
|         |           | Moderate         | 308       |
|         |           | Mild             | 2,381     |
|         |           | Not Classifiable | 88        |
|         | Reserves  | Penetrating      | 3         |
|         |           | Severe           | 1         |
|         |           | Moderate         | 40        |
|         |           | Mild             | 245       |
|         |           | Not Classifiable | 10        |

2011, as of 20 Aug 2012




Source: Defense Medical Surveillance System (DMSS), Theater Medical Data Store (TMDS)

Prepared by MHS Office of Strategic Communications

2011, as of 20 Aug 2012

| Service   | Component | Severity         | Diagnosed |
|-----------|-----------|------------------|-----------|
| Air Force | Active    | Penetrating      | 28        |
|           |           | Severe           | 23        |
|           |           | Moderate         | 306       |
|           |           | Mild             | 2,559     |
|           |           | Not Classifiable | 78        |
|           | Guard     | Penetrating      | 6         |
|           |           | Severe           | -         |
|           |           | Moderate         | 53        |
|           |           | Mild             | 323       |
|           |           | Not Classifiable | 2         |
|           | Reserves  | Penetrating      | 4         |
|           |           | Severe           | 2         |
|           |           | Moderate         | 21        |
|           |           | Mild             | 195       |
|           |           | Not Classifiable | 4         |

2011, as of 20 Aug 2012



Prepared by MHS Office of Strategic Communications

2011, as of 20 Aug 2012

| Service | Component | Severity         | Diagnosed |
|---------|-----------|------------------|-----------|
| Marines | Active    | Penetrating      | 40        |
|         |           | Severe           | 44        |
|         |           | Moderate         | 730       |
|         |           | Mild             | 3,748     |
|         |           | Not Classifiable | 218       |
|         | Reserves  | Penetrating      | 3         |
|         |           | Severe           | 3         |
|         |           | Moderate         | 77        |
|         |           | Mild             | 354       |
|         |           | Not Classifiable | 6         |

2011, as of 20 Aug 2012