


Immunization Awareness Month

August 2008

www.vaccines.mil



Across

- 1 A _____ smear is a simple test for cervical cancer. (3)
- 3 Hepatitis A is spread via the fecal - _____ route. (4)
- 4 Since licensing of the Rubella vaccine, there are fewer than _____ cases reported each year in the U.S. (6)
- 8 German Measles are sometimes referred to as _____. (7)
- 11 Shingles strikes _____ in five people in the U.S. (3)
- 12 Haemophilus Influenza B. abbr. (3)
- 13 Hepatitis A is a serious infection of the _____. (5)
- 14 Tetanus enters the _____ through cuts or wounds. (4)
- 15 Tetanus is caused by a bacterial toxin that affects the _____ system. (7)
- 16 Varicella vaccine is a two shot _____. (6)
- 17 Shingles typically affects people over _____ years of age. (5)
- 19 The diphtheria, tetanus and pertussis vaccine used for ages 7 and above. (4)
- 20 Varicella is spread mostly by _____ but can also be spread by direct contact. (8)
- 22 Children should get _____ doses of the polio vaccine. (4)
- 24 Pneumococcal infection may cause _____. (9)
- 28 DTaP prevents against _____ , Tetanus and Diphtheria. (9)
- 29 Number of women who die everyday from cervical cancer. (3)
- 30 _____ doses of varicella vaccine are currently recommended. (3)
- 31 Vaccines can _____, not treat diseases. (7)
- 32 Chickenpox is highly _____. (10)

Down

- 1 Polio infection may cause _____ of muscles. (9)
- 2 FluMist is approved for use in healthy people 2-49 years of age who are not _____. (8)
- 3 Flu season can begin as early as _____ and last as late as May. (7)
- 5 Children should receive the flu vaccine how often? (6)
- 6 The HPV vaccine is currently licensed to be given to this gender only. (7)
- 7 Influenza is a _____ illness. (8)
- 9 Human Papilloma Virus abbr. (3)
- 10 HPV strains 16 and 18 may lead to _____. (14)
- 12 There are over 220,000 _____ each year related to influenza infections. (16)
- 18 Before routine measles vaccinations, nearly all children were infected by the time they were _____. (7)
- 21 _____ infections cause about 40,000 deaths annually in the United States. (12)
- 23 _____ is easily spread through coughing or sneezing, and can cause paralysis, breathing and heart problems, and death. (10)
- 25 Measles, _____ and Rubella (5)
- 26 Flumist is sprayed in the _____. (4)
- 27 Zostavax is licensed for ages _____ and older. (5)
- 30 Gardasil is administered as a series of _____ shots over a six-month period. (5)
- 33 Children under 5 are especially susceptible to disease because they do not have strong _____ systems. (6)
- 35 Babies normally get _____ different vaccines between birth and 6 months of age. (3)

- 34** Inflammation of the covering of the brain or spinal cord is called _____. (10)
- 36** Prior to the Rotavirus vaccination program, rotavirus infected nearly all children by the time they were _____ years of age. (4)
- 37** An adverse event after a vaccine should be reported to what system? (5)
- 38** The Rotarix vaccine two dose series should be completed by _____ weeks of age. (10)

