

CVM ADE Comprehensive Clinical Detail Report Listing:



Cumulative Date Range: 01/01/1987 -thru- 08/31/2012

Drug Listing: A;B;C

DRUG: ACEPROMAZINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), DAMAGED	5
PD-SOLUTION, ABN	4
PD-PRODUCT DEFECT	3
PD-TABLET(S), ABN	3
PD-VIAL(S), LEAKING	3
PD-COLOR, ABN	2
PD-CONTAINER(S), ABN	2
PD-CONTAMINATION	2
PD-LABEL(S), ABN	2
PD-UNDERFILL, VIAL(S)	2
INEFFECT	1
PD-POTENCY, HI	1
PD-POTENCY, LO	1
PD-SEAL, ABN	1
PD-UNDERFILL, PACKAGE	1

DRUG: ACEPROMAZINE

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	2
ANOREXIA	1
BUN HI, BLD	1
CREATININE HI, BLD	1
DEPRESSION/LETHARGY	1
P HI, BLD	1
VOMITING	1

DRUG: ACEPROMAZINE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
SEDATION PROLONGED	1

DRUG: ACEPROMAZINE

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
SWELLING, MOUTH/LIP(S)	1
SWELLING, TONGUE	1

DRUG: ACEPROMAZINE

Species: MISSING INFORMATION

Route of Administration: MISSING

Sign:	Number of Times Reported:
FEVER, BODY	1

DRUG: ACEPROMAZINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	15
CONVULSION(S)	5
APNEA	3
ATAXIA	2
COLLAPSE	2
DEPRESSION/LETHARGY	2
SEDATION PROLONGED	2
SHOCK	2
STUPOR	2
VOMITING	2
ANESTH RECOV PROLONGED	1
BLD, URINE	1
BLINDNESS, TEMP	1
DEATH(EUTHANIZED)	1

DRUG: ACEPROMAZINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	1
DYSPNEA	1
FEVER, BODY	1
HYPERSALIVATION	1
HYPOTHERMIA, BODY	1
INEFFECT, SEDATION	1
PARESIS	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
PR-MULT SITES, CONGEST	1
PROLAPSE, THIRD EYELID	1
RECUMBENCY	1
SEDATION	1
SEDATION TOO DEEP	1
STIFFNESS, LIMB(S)	1
TACHYCARDIA	1
TREMBLING	1
UNCONSCIOUS	1
URINATION	1
VOCALIZATION	1

DRUG: ACEPROMAZINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	10
DEPRESSION/LETHARGY	10
SEDATION	9
INEFFECT, SEDATION	8
ATAXIA	6
COLLAPSE	6
INEFFECT, TRANQUILIZAT	6
SEDATION PROLONGED	6
SEDATION TOO DEEP	5
AGGRESSION	4
CONVULSION(S)	4

DRUG: ACEPROMAZINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SGPT/ALT HI, BLD	4
STAGGERING	4
ALK PHOS HI, BLD	3
ANOREXIA	3
BUN HI, BLD	3
DIARRHEA	3
NERVOUSNESS	3
STUPOR	3
VOMITING	3
ANEMIA	2
CREATININE HI, BLD	2
DEATH(EUTHANIZED)	2
DYSPNEA	2
EYE DISORDER	2
HYPOTHERMIA, BODY	2
INEFFECT	2
P HI, BLD	2
PROLAPSE, THIRD EYELID	2
ABN COLOR, URINE	1
ANAPHYLAXIS/TOID	1
BILIRUBIN(TOT) HI, BLD	1
BITING/CHEWING	1
BLD(ECCHYMOSES)	1
BLD, URINE	1
BRADYCARDIA	1
BREATHING ABN	1
CNS DISORDER	1
CO2 HI, BLD	1
CONFUSION	1
CONGESTION, EYE(S)/LID	1
COUGHING	1
DEHYDRATION	1
DESTRUCTIVENESS	1
DIARRHEA, BLOODY	1
DIFFICULTY RISING	1
ELIMINATION ABN	1
FEVER, BODY	1
GAGGING	1

DRUG: ACEPROMAZINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
GLOBULIN LO, BLD	1
HEAD BOBBING	1
HEART DISORDER	1
HEMATOCHEZIA	1
HORNER'S SYNDROME	1
HYPERACTIVITY	1
HYPERPNEA	1
ICTERUS, BODY	1
INCONTINENCE	1
INFECTION	1
INFECTION, INCISION SITE	1
INFLAM	1
LIVER ENZYMES HI, BLD	1
MUCOUS MEMBR, ABN COLO	1
NEUROLOGICAL DISORDER	1
NEUROPATHY	1
PARESIS	1
POLYPNEA	1
PRESSURE LO, BLD	1
PR-EYE(S)/LID(S), LESI	1
PRURITIS	1
RECUMBENCY	1
S-IRRITATION, EYE(S)/LID	1
SLEEP ABN	1
SNEEZING	1
SOMNOLENCE	1
STARING	1
SWELLING, EYE(S)/LID(S)	1
VOMITING, BLOODY	1
WBC HI, BLD	1
WEAKNESS	1

DRUG: ACEPROMAZINE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
--------------	----------------------------------

DRUG: ACEPROMAZINE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
STUPOR	1
UNCONSCIOUS	1

DRUG: ACEPROMAZINE

Species: VARIOUS

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, TRANQUILIZAT	1

DRUG: ACEPROMAZINE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	28
APNEA	17
ARREST, HEART	13
ANESTH RECOV PROLONGED	10
ATAXIA	8
DEPRESSION/LETHARGY	7
ANOREXIA	5
BUN HI, BLD	5
DEATH(EUTHANIZED)	5
CREATININE HI, BLD	4
BLINDNESS	3
CONVULSION(S)	3
DYSPNEA	3
FEVER, BODY	3
HYPOTHERMIA, BODY	3
ANAPHYLAXIS/TOID	2
BLD, URINE	2
DEHYDRATION	2
GLUCOSE HI, BLD	2
HEAD BOBBING	2
HORNER'S SYNDROME	2
HYPERACTIVITY	2

DRUG: ACEPROMAZINE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPERSALIVATION	2
HYPOPNEA	2
NERVOUSNESS	2
NYSTAGMUS	2
PALLOR, MUCOUS MEMBRAN	2
P HI, BLD	2
POLYCYTHEMIA	2
RADIOGRAPH(S) ABN	2
SHAKING	2
SPEC GRAVITY LO, URINE	2
STUPOR	2
VESTIBULAR DISORDER	2
VOCALIZATION	2
AGGRESSION	1
ALBUMIN HI, URINE	1
ANESTH DURATION BRIEF	1
ANESTH INDUC TURBULENT	1
ANESTH RECOV TURBULENT	1
ANESTH TOO DEEP	1
ANURIA	1
BLD(ECCHYMOSES)	1
BLINDNESS, TEMP	1
COLLAPSE	1
CONSTIPATION	1
CYANOSIS	1
CYANOSIS, MUCOUS MEMBR	1
EDEMA, HEAD/FACE	1
GLOSSITIS	1
HEAD TILT	1
INEFFECT, ANESTHESIA	1
INEFFECT, SEDATION	1
K HI, BLD	1
K HI, BLOOD	1
LAMENESS	1
MURMUR, HEART	1
NEUROLOGICAL DISORDER	1
PALLOR	1
PARESIS, HIND LIMB(S)	1

DRUG: ACEPROMAZINE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PLATELETS HI, BLD	1
POLYDIPSIA	1
POSTURAL RXN(S) ABN	1
PR-CEREBELLUM, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-MULT SITES, BLD	1
PROTEIN, URINE	1
PR-THYMUS, LESION(S)	1
REFLEX(ES) ABN	1
SEDATION	1
SEDATION PROLONGED	1
SEDATION TOO DEEP	1
SKIN, NECROSIS	1
STAGGERING	1
UNCONSCIOUS	1
UVEITIS	1
WBC HI, BLD	1
WBC, URINE	1

DRUG: ACEPROMAZINE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, SEDATION	1

DRUG: ACEPROMAZINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	17
DEPRESSION/LETHARGY	9
ANESTH RECOV PROLONGED	8
ARREST, HEART	8
ANOREXIA	5

DRUG: ACEPROMAZINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BRADYCARDIA	5
CONVULSION(S)	5
PALLOR, MUCOUS MEMBRAN	5
VOMITING	5
APNEA	4
COLLAPSE	4
FEVER, BODY	4
SEDATION PROLONGED	4
ALOPECIA	3
ANAPHYLAXIS/TOID	3
BUN HI, BLD	3
CREATININE HI, BLD	3
DIARRHEA	3
SGPT/ALT HI, BLD	3
SHOCK	3
VOCALIZATION	3
ALK PHOS HI, BLD	2
ANEMIA	2
CONGESTION, SKIN	2
DISTRESS, RESP	2
DYSYPNEA	2
FROTH, MOUTH/LIP(S)	2
HEMATOCHEZIA	2
HYPOTHERMIA	2
INEFFECT, SEDATION	2
INFLAM, SKIN	2
LESION(S), SKIN	2
MONOS HI, BLD	2
PLATELETS HI, BLD	2
POLYPNEA	2
POLYURIA	2
RECUMBENCY	2
SEGS HI, BLD	2
SKIN, NECROSIS	2
SWELLING, HEAD/FACE	2
WBC HI, BLD	2
ABSCCESS, SKIN	1
AMYLASE HI, BLD	1

DRUG: ACEPROMAZINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANEMIA, AUTOIMMUNE HEM	1
ANEMIA, REGEN	1
ANEMIA, SPHERO	1
ANESTH RECOV TURBULENT	1
ATAXIA	1
BASOS HI, BLD	1
BEHAVIOR DISORDER	1
BILIRUBIN(TOT) HI, BLD	1
BILIRUBIN, URINE	1
BLD, ABN	1
BLD, RECTUM	1
BLD, URINE	1
CHOLESTEROL HI, BLD	1
COUGHING	1
CYANOSIS	1
EDEMA, HEAD/FACE	1
EDEMA, LUNG(S)/TRACHEA	1
ENLARGEMENT, LYMPH NOD	1
EOSINOS HI, BLD	1
HYPOPNEA	1
HYPOTHERMIA, BODY	1
ICTERUS, SERUM	1
INJ SITE ABSCESS	1
INJ SITE HAIR, ABN	1
INJ SITE INFLAM	1
INJ SITE NECROSIS	1
INJ SITE SWELLING	1
INJ SITE ULCER(S)	1
INTERACTION, DRUG(S)	1
LAMENESS	1
MELENA	1
MURMUR, HEART	1
NERVOUSNESS	1
NYSTAGMUS	1
PAIN, NECK	1
POLYDIPSIA	1
PRESSURE LO, BLD	1
PROTEIN(TOT) HI, BLD	1

DRUG: ACEPROMAZINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PROTEIN, URINE	1
RBC ABN	1
RBC, ANISO	1
RBC, NUCLEATED	1
REFLEX(ES) ABN	1
RESPIRATORY DISORDER	1
SALIVARY GLAND ABN	1
SEDATION	1
SEDATION TOO DEEP	1
SKIN ABNORMAL	1
SLOUGH, SKIN	1
SPASM	1
SPEC GRAVITY LO, URINE	1
STAGGERING	1
STOOL ABN	1
STUPOR	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, MULT SITES	1
SYNCOPE	1
URTICARIA	1

DRUG: ACEPROMAZINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PROLAPSE, PENIS	6
DEATH	4
COLLAPSE	3
HYPERACTIVITY	3
CIRCLING	2
INJ SITE SWELLING	2
PACING	2
PRIAPISM	2
ANAPHYLAXIS/TOID	1
APNEA	1
ATAXIA	1

DRUG: ACEPROMAZINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BLD, PENIS	1
CONGESTION, MUCOUS MEM	1
DEATH(EUTHANIZED)	1
EDEMA, PREPUCE	1
EXCESS EXPECTED EFFECT	1
HYPERPNEA	1
NYSTAGMUS	1
PHALLITIS	1
PR-GI, LESION(S)	1
SWEATING	1
SWELLING, PREPUCE	1

DRUG: ACEPROMAZINE

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PROLAPSE, PENIS	1

DRUG: ACEPROMAZINE

Species: RABBIT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE NECROSIS	2
ALOPECIA	1

DRUG: ACEPROMAZINE

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	1
SEDATION TOO DEEP	1

DRUG: ACEPROMAZINE

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	8
ANESTH INDUC TURBULENT	1
ANESTH RECOV PROLONGED	1
ANESTH RECOV TURBULENT	1
ARREST, HEART	1
ATAXIA	1
BLD, MOUTH/LIP(S)	1
DEAFNESS	1
DIARRHEA, BLOODY	1
DISCHARGE, MOUTH/LIP(S)	1
DYSPNEA	1
EPISTAXIS	1
FEVER, BODY	1
INEFFECT, SEDATION	1
MUCOUS MEMBR, ABN COLO	1
MYDRIASIS	1
VOMITING	1

DRUG: ACEPROMAZINE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANOREXIA	4
DEATH	4
VOMITING	4
SEDATION TOO DEEP	3
ANESTH RECOV PROLONGED	2
BUN HI, BLD	2
CREATININE HI, BLD	2
DEATH(EUTHANIZED)	2
DEPRESSION/LETHARGY	2
HYPERACTIVITY	2
NERVOUSNESS	2
P HI, BLD	2
POLYDIPSIA	2
AGGRESSION	1
ANAPHYLAXIS/TOID	1

DRUG: ACEPROMAZINE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
APPREHENSION	1
ATAXIA	1
BEHAVIOR DISORDER	1
BRADYCARDIA	1
CONSTIPATION	1
CONVULSION(S)	1
DIARRHEA	1
EDEMA, HEAD/FACE	1
FEVER, BODY	1
KIDNEY FAILURE	1
KIDNEY VALUES HI, BLD	1
MONOS HI, BLD	1
NEUROLOGICAL DISORDER	1
PARESIS	1
POLYCYTHEMIA	1
POLYPNEA	1
POLYURIA	1
PRESSURE LO, BLD	1
PRURITIS	1
RECUMBENCY	1
SPEC GRAVITY HI, URINE	1
URTICARIA	1
VOCALIZATION	1
VOMITING, SEVERE	1
WEIGHT LOSS	1

DRUG: ACEPROMAZINE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PROLAPSE, PENIS	2
COLITIS	1

DRUG: ACEPROMAZINE

Species: MOUSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

DRUG: ACEPROMAZINE

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PROLAPSE, PENIS	1

DRUG: ACEPROMAZINE

Species: HORSE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ATAXIA	1
BEHAVIOR DISORDER	1
CIRCLING	1
COLLAPSE	1
HEAD TILT	1
STUPOR	1

DRUG: ACEPROMAZINE

Species: UNKNOWN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, SEDATION	1

DRUG: ACEPROMAZINE

Species: VARIOUS

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	1
DYSPNEA	1

DRUG: ACEPROMAZINE

Species: VARIOUS

Route of Administration: VARIOUS

DRUG: ALBENDAZOLE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	20
PD-CAP(S), ABN	9
PD-UNDERFILL, PACKAGE	5
PD-SEAL, ABN	4
PD-CONTAINER(S), DAMAG	2
PD-DISPENSER, ABN	2
PD-SUSPENSION, ABN	2
PD-UNDERFILL, VIAL(S)	2
INEFFECT	1
PD-APPLICATOR, ABN	1
PD-COLOR, ABN	1
PD-CONTAINER(S), ABN	1
PD-DEFECT UNKNOWN	1
PD-LABEL(S), ABN	1
PD-MISSING, CAP	1
PD-PRODUCT DEFECT	1
PD-VIAL(S), DAMAGED	1

DRUG: ALBENDAZOLE

Species: CATTLE

Route of Administration: INTRAUTERINE

Sign:	Number of Times Reported:
BIRTH DEFECT(S)	1
BIRTH WEIGHT LO	1
BONE, ABN	1
DEATH	1
DEATH(EUTHANIZED)	1
WEAKNESS	1

DRUG: ALBENDAZOLE

Species: HUMAN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
DYSPNEA	1
RASH	1

DRUG: ALBENDAZOLE

Species: ALPACA

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	3
PR-LUNG(S), LESION(S)	2
SEPTICEMIA	2
ANEMIA	1
BRADYCARDIA	1
CNS DISORDER	1
CONGESTION, LUNG(S)	1
CONVULSION(S)	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
DIARRHEA, WATERY	1
FEVER, BODY	1
INFARCT	1
PNEUMONIA	1
PR-HEART, LESION(S)	1
PR-MESENTERY, LESION(S)	1
RECUMBENCY	1
SEGS LO, BLD	1
TACHYCARDIA	1
WEAKNESS	1

DRUG: ALBENDAZOLE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
BUN HI, BLD	1
DEPRESSION/LETHARGY	1
FEVER, BODY	1

DRUG: ALBENDAZOLE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, COCCIDIA	1
STOMATITIS	1
WBC LO, BLD	1

DRUG: ALBENDAZOLE

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	23
DIARRHEA	7
DYSPNEA	6
INEFFECT, FLUKES	6
HYPERSALIVATION	5
RECUMBENCY	5
FEVER, BODY	4
INEFFECT, LUNGWORMS	4
INEFFECT, STRONGYLES	4
INEFFECT, WORMS	4
ABORTION	3
DEATH(EUTHANIZED)	3
DEPRESSION/LETHARGY	3
INEFFECT, STOMACH WORM	3
ANOREXIA	2
ATAXIA	2
COLLAPSE	2
DEATH(STILLBORN)	2
DEHYDRATION	2
DISTRESS, RESP	2
INEFFECT, ASCARIDS	2
INEFFECT, COCCIDIA	2
INEFFECT, PARASITE(S)	2
PARESIS	2
PR-LUNG(S), LESION(S)	2
ADIPSIA	1
ANAPHYLAXIS/TOID	1
BLD	1

DRUG: ALBENDAZOLE

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
BREATHING ABN	1
BREATHING, DIFFICULT	1
CACHEXIA	1
CONVULSION(S)	1
COUGHING	1
CYSTITIS	1
DEATH(TX FAILURE)	1
DIARRHEA, BLOODY	1
DIARRHEA, SEVERE	1
EDEMA	1
FROTH	1
HAIR, ABN	1
INEFFECT	1
INEFFECT, SMALL STRONG	1
INEFFECT, TAPES	1
IRRITATION, PHARYNX/TH	1
LARYNGITIS	1
NECROSIS	1
OFF FEED	1
PAIN, ABDOMEN	1
PALLOR, MUCOUS MEMBRAN	1
PERITONITIS	1
PHARYNGITIS	1
PR-BLADDER, LESION(S)	1
PR-CEREBRUM, LESION(S)	1
PR-INTEST, LESION(S)	1
PROLAPSE, TONGUE	1
PR-STOMACH, LESION(S)	1
RESIDUE, MEAT	1
RESPIRATORY DISORDER	1
SOUND ABN, RESPIRATORY	1
SWELLING, HEAD/FACE	1
SWELLING, PHARYNX/THRO	1
VOCALIZATION	1
WEAKNESS, NEWBORN	1

DRUG: ALBENDAZOLE

Species: DEER

Route of Administration: ORAL

Sign:	Number of Times Reported:
RESIDUE, MEAT	3
DEATH	1
DIARRHEA	1

DRUG: ALBENDAZOLE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	24
WBC LO, BLD	23
ANOREXIA	22
VOMITING	17
FEVER, BODY	13
DEATH	9
PLATELETS LO, BLD	8
DIARRHEA, BLOODY	7
DIARRHEA	6
ANEMIA	5
MELENA	4
ALK PHOS HI, BLD	3
CONVULSION(S)	3
LIVER ENZYMES HI, BLD	3
SEGS LO, BLD	3
ATAXIA	2
PANCREAS ENZYMES HI, B	2
PANCYTOPENIA	2
TACHYCARDIA	2
VOMITING, BLOODY	2
WEAKNESS	2
ABORTION	1
ALBUMIN HI, BLD	1
AMYLASE HI, BLD	1
BILIRUBIN(TOT) HI, BLD	1
BIRTH DEFECT(S)	1
BLD, MOUTH/LIP(S)	1
BUN HI, BLD	1
COLLAPSE	1

DRUG: ALBENDAZOLE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CREATININE HI, BLD	1
DEHYDRATION	1
DIARRHEA, MILD	1
DIARRHEA, SEVERE	1
DISTENTION, ABDOMEN	1
ENTERITIS	1
GLOBULIN LO, BLD	1
HYPERSALIVATION	1
HYPOTHERMIA, BODY	1
INEFFECT, COCCIDIA	1
INFECTION, SKIN	1
NA LO, BLD	1
NEUROLOGICAL DISORDER	1
PALLOR, MUCOUS MEMBRAN	1
PARESIS	1
PR-INTEST, LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PROLAPSE, RECTUM	1
RECUMBENCY	1
REPRODUCTION DISORDER	1
SOUND ABN, RESPIRATORY	1
STOOL ABN	1
URTICARIA	1

DRUG: ALBENDAZOLE

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	12
RESIDUE, MILK	5
RESIDUE, MEAT	3
ABORTION	2
DIARRHEA	2
PALLOR, MUCOUS MEMBRAN	2
BLOAT	1

DRUG: ALBENDAZOLE

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH(STILLBORN)	1
FERTILITY, REDUCED	1
GGT HI, BLD	1
INEFFECT, NEMATODES	1
INEFFECT, PARASITE(S)	1
INEFFECT, STOMACH WORM	1
PALLOR	1
REACTION, UNSPECIFIED	1
RECUMBENCY	1
WEAKNESS	1

DRUG: ALBENDAZOLE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
HEMATOCHEZIA	1
HUMAN EXPOSURE, INGEST	1

DRUG: ALBENDAZOLE

Species: LLAMA

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1
BLD	1
CONVULSION(S)	1
DEATH	1
HYPERPNEA	1
NECROSIS	1
PARESIS, HIND LIMB(S)	1
PR-ADRENAL(S), LESION(S)	1
PR-BRAIN, LESION(S)	1
PR-LIVER, LESION(S)	1
PR-MUSCLE(S), LESION(S)	1
RECUMBENCY	1
TREMBLING	1

DRUG: ALBENDAZOLE

Species: LLAMA

Route of Administration: ORAL

DRUG: ALBENDAZOLE

Species: OTHER

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1
INEFFECT, FLUKES	1

DRUG: ALBENDAZOLE

Species: SHEEP

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	30
INEFFECT, TAPES	9
INEFFECT, STOMACH WORM	7
INEFFECT, WORMS	6
ANOREXIA	5
INEFFECT, NEMATODES	4
INEFFECT, STRONGYLES	3
ANEMIA	2
ATAXIA	2
COLLAPSE	2
DIARRHEA	2
INEFFECT, PARASITE(S)	2
PAIN, ABDOMEN	2
PALLOR, MUCOUS MEMBRAN	2
PR-GI, LESION(S)	2
RECUMBENCY	2
ANESTRUS	1
BEHAVIOR DISORDER	1
BLINDNESS	1
BUN HI, BLD	1
DEATH(EUTHANIZED)	1
DEATH(TX FAILURE)	1
DEPRESSION/LETHARGY	1
DYSPNEA	1
EDEMA	1

DRUG: ALBENDAZOLE

Species: SHEEP

Route of Administration: ORAL

Sign:	Number of Times Reported:
ENLARGEMENT(S)	1
FERTILITY, LACK OF	1
FROTH, NOSE	1
GGT HI, BLD	1
ILL	1
INEFFECT, ASCARIDS	1
INEFFECT, LARGE STRONG	1
INEFFECT, WHIPS	1
INEFFECT, WHIPS PREVEN	1
PNEUMONIA	1
POSTURE ABN	1
PROTEIN(TOT) LO, BLD	1
PR-SM INTEST, LESION(S)	1
PR-STOMACH, LESION(S)	1
RESIDUE, MEAT	1
STOOL ABN	1
WEIGHT LOSS	1

DRUG: ALBENDAZOLE

Species: TURKEY

Route of Administration: ORAL

Sign:	Number of Times Reported:
RESIDUE, MEAT	1

DRUG: ALBENDAZOLE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
HYPERSALIVATION	1
VOMITING	1

DRUG: ALBENDAZOLE

Species: LLAMA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	1

DRUG: ALBENDAZOLE

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
RESIDUE, MEAT	1

DRUG: ALBENDAZOLE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
FEVER, BODY	1
WBC LO, BLD	1

DRUG: ALBENDAZOLE

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
APPLICATION SITE INFLAM	1
HEADACHE	1

DRUG: ALBENDAZOLE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	2
VOMITING	2
ANOREXIA	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
KIDNEY FAILURE	1

DRUG: ALBENDAZOLE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PLATELETS LO, BLD	1
WBC LO, BLD	1
WEIGHT LOSS	1

DRUG: ALBENDAZOLE

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

DRUG: ALENDRONATE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	1
PLATELETS LO, BLD	1

DRUG: ALLOPURINOL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	1
US-LIVER ABN	1

DRUG: ALTRENOGEST

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	6
PD-CAP(S), ABN	5
PD-SOLUTION, ABN	4

DRUG: ALTRENOGEST

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	2
PD-ODOR, ABN	2
PD-COLOR, ABN	1
PD-CONTAM, INSECTS	1
PD-SEAL, ABN	1
UNPALATABLE, WON'T EAT	1

DRUG: ALTRENOGEST

Species: HUMAN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
TASTE ABNORMALITY	1

DRUG: ALTRENOGEST

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONGESTION, EYE(S)/LID	1
HEADACHE	1
IRRITATION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1

DRUG: ALTRENOGEST

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1
BIRTH DEFECT(S)	1
DEPRESSION/LETHARGY	1
MYDRIASIS	1
TREMBLING	1

DRUG: ALTRENOGEST

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, ABDOMEN	4
INEFFECT	2
LAMINITIS	2
CIRCULATORY DISORDER	1
DEATH	1
EDEMA, LIMB(S)	1
FEVER, BODY	1
INEFFECT, ESTRUS SUPPR	1
INEFFECT, ESTRUS SYNCH	1
INFLAM, SKIN	1
LAMENESS	1
LIVER ENZYMES HI, BLD	1
SKIN DISORDER	1
SWEATING	1
VASCULITIS	1
WBC HI, BLD	1

DRUG: ALTRENOGEST

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	2
PAIN, ABDOMEN	2
HEADACHE	1
NAUSEA	1
VOMITING	1

DRUG: ALTRENOGEST

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	5
INJ SITE INFLAM	1
TWITCH	1
VASCULITIS	1

DRUG: ALTRENOGEST

Species: HORSE

Route of Administration: PARENTERAL

DRUG: ALTRENOGEST

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HAIR, ABN	1
MAMMARY, HYPERPLASIA	1
WEIGHT INCREASE	1

DRUG: ALTRENOGEST

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
MENSES, ABNORMAL	25
HEADACHE	8
PAIN, ABDOMEN	7
RASH	5
REPRODUCTION DISORDER	5
ESTRUS BEHAVIOR	4
ESTRUS CYCLE ABNORMAL	4
HUMAN EXPOSURE	4
ANESTRUS	3
BEHAVIOR DISORDER	3
NAUSEA	3
PRURITIS	3
BLD, VAGINA	2
DYSPNEA	2
FERTILITY, REDUCED	2
PAIN	2
PAIN, MUSCLE(S)	2
VOMITING	2
ABORTION	1
ACCIDENTAL EXPOSURE	1
DISCHARGE, VULVA	1
DIZZINESS	1
DYSURIA	1
ESTRUS TOO SOON	1

DRUG: ALTRENOGEST

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
FEVER, BODY	1
HOT FLASH	1
LIVER ENZYMES HI, BLD	1
PAIN, JOINT(S)	1
PAIN, OVARY	1
PRURITIS, FEET/DIGIT(S)	1
SWELLING, MAMMARY	1
TESTOSTERONE LOW	1
UTERUS, CONTRACTIONS	1
VISION DISORDER	1
WEIGHT LOSS	1

DRUG: ALTRENOGEST

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	1
DISCOMFORT, MOUTH/LIP(S)	1
DYSPHAGIA	1
EDEMA	1
EDEMA, LIMB(S)	1
EDEMA, MULTIPLE SITES	1
HYPERSALIVATION	1
INFLAM, SKIN	1
LAMENESS	1
LAMINITIS	1
NEOPLASM	1
SWELLING, LIMB(S)	1
SWELLING, MULT SITES	1
URTICARIA	1
WBC HI, BLD	1
WEIGHT LOSS	1

DRUG: ALTRENOGEST

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HUMAN EXPOSURE	2
MENSES, ABNORMAL	2
NAUSEA	2
PAIN, ABDOMEN	2
BEHAVIOR DISORDER	1
DIZZINESS	1
ESTRUS CYCLE ABNORMAL	1
HEADACHE	1
INSOMNIA	1
PAIN, BRISKET/CHEST	1
RASH	1
WEIGHT INCREASE	1

DRUG: ALTRENOGEST

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
TASTE ABNORMALITY	1
VOMITING	1

DRUG: ALUMINUM HYDROXIDE

Species: FISH, PET

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
DEATH	1
DYSPNEA	1

DRUG: AMIKACIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	7
PD-CONTAINER(S), ABN	4

DRUG: AMIKACIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-COLOR, ABN	2
PD-CONTAINER(S), DAMAG	2
PD-CONTAMINATION	2
PD-LABEL(S), ABN	2
PD-VIAL(S), DAMAGED	2
PD-VIAL(S), LEAKING	2
PD-CAP(S), ABN	1
PD-DEFECT UNKNOWN	1
PD-MISSING, LABEL(S)	1
PD-PRODUCT DEFECT	1
PD-UNDERFILL, VIAL(S)	1
PD-VIAL(S), ABN	1

DRUG: AMIKACIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	1

DRUG: AMIKACIN

Species: CHICKEN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
DEPRESSION/LETHARGY	1

DRUG: AMIKACIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PAIN	4
INJ SITE PAIN	2
VOMITING	2

DRUG: AMIKACIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ATAXIA	1
BLINDNESS	1
BUN HI, BLD	1
CONFUSION	1
DEAFNESS	1
DEATH(EUTHANIZED)	1
EAR DISORDER	1
HEAD TILT	1
INJ SITE SLOUGH	1
INJ SITE SWELLING	1
POLYDIPSIA	1
POLYURIA	1

DRUG: AMIKACIN

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE EFFUSION	1
INJ SITE PAIN	1
INJ SITE STIFFNESS	1

DRUG: AMIKACIN

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	1
DISCOMFORT	1
TENESMUS, RECTAL	1

DRUG: AMIKACIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: AMIKACIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	1

DRUG: AMIKACIN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
FEVER, BODY	1

DRUG: AMIKACIN

Species: VARIOUS

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1

DRUG: AMINOPENTAMIDE, ATTAPULGITE, BISMUTH, KAN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SUSPENSION, ABN	6
PD-ODOR, ABN	3
PD-CONTAM, MOLD	2
PD-MISSING, LABEL(S)	2
PD-COLOR, ABN	1
PD-LABEL(S), ABN	1
PD-SEAL, ABN	1
PD-TUBE(S), LEAKING	1
PD-VIAL(S), LEAKING	1

DRUG: AMINOPENTAMIDE, ATTAPULGITE, BISMUTH, KAN

Species: CAT

Route of Administration: ORAL

DRUG: AMINOPENTAMIDE, ATTAPULGITE, BISMUTH, KAN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
GLUCOSE HI, BLD	2
SGPT/ALT HI, BLD	2
DIABETES MELLITUS	1
KIDNEY FAILURE	1
K LO, BLD	1
NAUSEA	1

DRUG: AMINOPENTAMIDE, ATTAPULGITE, BISMUTH, KAN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	3
ATAXIA	2
BILIRUBIN(TOT) HI, BLD	2
BUN HI, BLD	2
CA HI, BLD	2
CONGESTION, EYE(S)/LID	2
CREATININE HI, BLD	2
HYPERESTHESIA	2
ICTERUS, BODY	2
NERVOUSNESS	2
ODOR, MOUTH	2
PACING	2
P HI, BLD	2
RECUMBENCY	2
SGPT/ALT HI, BLD	2
CONVULSION(S)	1
DEATH(EUTHANIZED)	1
ENCEPHALOPATHY	1

DRUG: AMINOPENTAMIDE, ATTAPULGITE, BISMUTH, KAN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: AMINOPENTAMIDE, ATTAPULGITE, BISMUTH, KAN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ATAXIA	1
CONFUSION	1

DRUG: AMINOPENTAMIDE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, VIAL(S)	4
PD-CONTAINER(S), DAMAG	3
PD-LABEL(S), ABN	2
PD-MISSING, CAP	2
PD-SOLUTION, ABN	2
PD-TABLET(S), ABN	2
PD-CAP(S), ABN	1
PD-MISSING, LABEL(S)	1
PD-SEAL, ABN	1
PD-UNDERFILL, PACKAGE	1
PD-VIAL(S), DAMAGED	1
PD-VIAL(S), LEAKING	1

DRUG: AMINOPENTAMIDE

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
BLINDNESS	1
DEATH	1
NERVOUSNESS	1
RECUMBENCY	1

DRUG: AMINOPENTAMIDE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: AMINOPENTAMIDE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
BLINDNESS	1

DRUG: AMINOPENTAMIDE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
MYDRIASIS	5
ATAXIA	1
HYPERACTIVITY	1
PUPIL(S), AREFLEXIA	1
SOMNOLENCE	1

DRUG: AMINOPENTAMIDE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIEMETIC	3
VOMITING	3
WBC HI, BLD	3
DEATH	2
DISTENTION, ABDOMEN	2
SGPT/ALT HI, BLD	2
WBC LO, BLD	2
ALBUMIN LO, BLD	1
ALK PHOS HI, BLD	1
ANEMIA, REGEN	1
ANOREXIA	1
ARREST, HEART	1
BILE ACIDS HI, BLD	1
BLD, EYE(S)	1
BLD, MULT SITES	1
BORBORYGMI	1
CAPILLARY REFILL PROLO	1
COLITIS	1
CONGESTION, SKIN	1

DRUG: AMINOPENTAMIDE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONVULSION(S)	1
CULTURE/TITER DATA ABN	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DIARRHEA, BLOODY	1
EDEMA, EYE(S)/LID(S)	1
EOSINOS LO, BLD	1
FEVER, BODY	1
GASTROENTERITIS	1
GGT HI, BLD	1
GINGIVA, ABN	1
HEMATOCHEZIA	1
HEPATOMEGALY	1
IMMUNE DISORDER	1
INFLAM, SKIN	1
INTERACTION, DRUG(S)	1
KIDNEY VALUES HI, BLD	1
LIPASE HI, BLD	1
LIVER ENZYMES HI, BLD	1
MELENA	1
PARESIS, HIND LIMB(S)	1
PLATELETS LO, BLD	1
PR-SKIN, LESION(S)	1
PRURITIS	1
RADIOGRAPH(S) ABN	1
RBC ABN	1
RECUMBENCY	1
SEGS HI, BLD	1
SHAKING, HEAD/FACE	1
SKIN, CRUST(S)	1
SKIN DISORDER	1
SLOUGH, SKIN	1
STIFFNESS	1
ULCER(S), EAR(S)	1
ULCER(S), SKIN	1
VOMITING, BLOODY	1

DRUG: AMINOPENTAMIDE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
MYDRIASIS	4
DEATH	2
ALBUMIN LO, BLD	1
ANAPHYLAXIS/TOID	1
APNEA	1
ARREST, HEART	1
BILIRUBIN(TOT) HI, BLD	1
CA LO, BLD	1
CONGESTION, SKIN	1
CRYSTALS, URINE	1
DEPRESSION/LETHARGY	1
DISCHARGE, MOUTH/LIP(S)	1
DYSPHAGIA	1
DYSPNEA	1
EDEMA	1
EDEMA, HEAD/FACE	1
GI, ABNORMAL	1
HYPOTHERMIA	1
ICTERUS	1
NAUSEA	1
PAIN, ABDOMEN	1
PALLOR, MUCOUS MEMBRAN	1
PLATELETS LO, BLD	1
P LO, BLD	1
PROTEIN(TOT) LO, BLD	1
PULSE THREADY	1
RECUMBENCY	1
SEDATION	1
STUPOR	1
TACHYCARDIA	1
TREMBLING	1
VOMITING	1
WEAKNESS	1

DRUG: AMINOPENTAMIDE

Species: DOG

Route of Administration: PARENTERAL

DRUG: AMINOPENTAMIDE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	7
ANOREXIA	6
ALK PHOS HI, BLD	5
INEFFECT, ANTIEMETIC	5
SGPT/ALT HI, BLD	5
WBC LO, BLD	4
ALBUMIN LO, BLD	3
ANEMIA	3
BUN HI, BLD	3
CREATININE HI, BLD	3
DEPRESSION/LETHARGY	3
DIARRHEA	3
PR-SPLEEN, LESION(S)	3
VOMITING	3
BLD, URINE	2
CHEMISTRY ABN	2
CONVULSION(S)	2
MELENA	2
MONOS HI, BLD	2
P HI, BLD	2
PR-KIDNEY(S), LESION(S)	2
PROTEIN(TOT) LO, BLD	2
PR-PANCREAS, LESION(S)	2
PR-SKIN, LESION(S)	2
RBC ABN	2
RECUMBENCY	2
SHOCK	2
ADIPSIA	1
AMYLASE HI, BLD	1
ANAPHYLAXIS/TOID	1
ARREST, HEART	1
ATAXIA	1
BLOAT	1
BONE, ABN	1
BUN LO, BLD	1
CA HI, BLD	1
CA LO, BLD	1
COLLAPSE	1

DRUG: AMINOPENTAMIDE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONGESTION, LUNG(S)	1
CULTURE/TITER DATA ABN	1
DEATH(EUTHANIZED)	1
DEHYDRATION	1
DIC	1
DILITATION, STOMACH	1
DRY MOUTH SYNDROME	1
DYSPNEA	1
EDEMA	1
ENLARGEMENT, LYMPH NOD	1
ENLARGEMENT(S), SKIN	1
EOSINOS LO, BLD	1
ERUPTION(S)	1
FEVER, BODY	1
GAGGING	1
GASTRITIS	1
GGT HI, BLD	1
GI, ABNORMAL	1
GLUCOSE HI, BLD	1
HEAD BOBBING	1
HYPERPNEA	1
HYPOTHERMIA	1
INEFFECT	1
INFLAM, SKIN	1
INJ SITE PAIN	1
K HI, BLD	1
K LO, BLD	1
LAMENESS	1
LESION(S), SKIN	1
LIPASE HI, BLD	1
LYMPHS LO, BLD	1
MYDRIASIS	1
PAIN	1
PAIN, ABDOMEN	1
PALLOR, MUCOUS MEMBRAN	1
PANCREAS ENZYMES HI, B	1
PARALYSIS, ALL LIMBS	1
PARESIS, HIND LIMB(S)	1

DRUG: AMINOPENTAMIDE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PLATELETS ABN	1
PLATELETS HI, BLD	1
PLATELETS LO, BLD	1
POLYDIPSIA	1
POLYURIA	1
PR-BLD VESSEL(S), LESI	1
PR-HEART, LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
PR-SM INTEST, LESION(S)	1
PR-STOMACH, LESION(S)	1
PT PROLONGED, BLD	1
PTT PROLONGED, BLD	1
PUSTULE(S)	1
RADIOGRAPH(S) ABN	1
RETINA ABN	1
SEGS HI, BLD	1
SGOT/AST HI, BLD	1
SKIN, CRUST(S)	1
SKIN, SCAB(S)	1
SLOUGH, SKIN	1
SPEC GRAVITY LO, URINE	1
SWELLING, EAR(S)	1
SWELLING, HEAD/FACE	1
TACHYCARDIA	1
TREMBLING	1
ULCER(S), EAR(S)	1
UNCONSCIOUS	1
US ABN	1
US-LIVER ABN	1
WBC ABN	1
WBC HI, BLD	1
WEAKNESS	1
WEIGHT LOSS	1

DRUG: AMINOPENTAMIDE

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
BUN LO, BLD	1
CONSTIPATION	1
CREATININE LO, BLD	1
DEATH	1
LIPASE HI, BLD	1
PLATELETS LO, BLD	1
WBC LO, BLD	1

DRUG: AMINOPENTAMIDE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	1
BRADYCARDIA	1
COLLAPSE	1
DEATH	1
REACTION, UNSPECIFIED	1
REGURGITATION	1
TENESMUS, RECTAL	1
TENESMUS, URINARY	1

DRUG: AMINOPENTAMIDE

Species: CAT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
MYDRIASIS	1

DRUG: AMITRAZ

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	20
PD-CAP(S), ABN	7

DRUG: AMITRAZ

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	6
PD-UNDERFILL, VIAL(S)	5
PD-SEAL, ABN	4
PD-ODOR, ABN	2
PD-UNDERFILL, PACKAGE	2
PD-CONTAINER(S), ABN	1
PD-VIAL(S), DAMAGED	1

DRUG: AMITRAZ

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
HEADACHE	3
HUMAN EXPOSURE, INHALA	1
PARESTHESIA	1

DRUG: AMITRAZ

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	2
CONGESTION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1

DRUG: AMITRAZ

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
ANOREXIA	1
DEPRESSION/LETHARGY	1
DIARRHEA, MILD	1
ENLARGEMENT, LYMPH NOD	1

DRUG: AMITRAZ

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SEDATION	1
SWELLING, HEAD/FACE	1
VOMITING	1

DRUG: AMITRAZ

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
UNCONSCIOUS	2
APNEA	1
CONVULSION(S)	1
DYSPNEA	1
SEDATION	1
SGOT/AST HI, BLD	1
STUPOR	1

DRUG: AMITRAZ

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEPRESSION/LETHARGY	1
INJ SITE ABSCESS	1
INJ SITE INFLAM	1
INJ SITE SWELLING	1

DRUG: AMITRAZ

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BLD(ECCHYMOSES)	1
INJ SITE SWELLING	1

DRUG: AMITRAZ

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	2
VOMITING	2
BRADYCARDIA	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
MYDRIASIS	1
PULSE THREADY	1

DRUG: AMITRAZ

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	140
VOMITING	74
DEATH	56
ATAXIA	39
ANOREXIA	34
CONVULSION(S)	30
DIARRHEA	26
CONGESTION, SKIN	19
INEFFECT, DEMODEX MITES	19
SEDATION	19
PRURITIS	15
FEVER, BODY	14
HYPERSALIVATION	13
AGGRESSION	10
HYPOTHERMIA, BODY	9
SWELLING, HEAD/FACE	9
WEAKNESS	8
BLOAT	7
UNCONSCIOUS	7
BRADYCARDIA	6
COLLAPSE	6
DIARRHEA, BLOODY	6
PALLOR, MUCOUS MEMBRAN	6
POLYDIPSIA	6

DRUG: AMITRAZ

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
URTICARIA	6
VOCALIZATION	6
ANEMIA	5
GLUCOSE LO, BLD	5
HYPOTHERMIA	5
ILL	5
PAIN	5
POLYURIA	5
SHOCK	5
STUPOR	5
TREMBLING	5
WEIGHT LOSS	5
ALOPECIA	4
AMYLASE HI, BLD	4
BEHAVIOR DISORDER	4
BLD(PETECHIAE)	4
DEATH(EUTHANIZED)	4
DYSPNEA	4
HEMATOCHEZIA	4
HYPERACTIVITY	4
LIVER ENZYMES HI, BLD	4
PLATELETS LO, BLD	4
ALK PHOS HI, BLD	3
CONFUSION	3
DEHYDRATION	3
DISCHARGE, EYE(S)/LID(S)	3
DISTRESS, RESP	3
EDEMA, HEAD/FACE	3
FROTH, MOUTH/LIP(S)	3
INEFFECT, MITES	3
LESION(S), SKIN	3
MELENA	3
MIOSIS	3
PARESIS, HIND LIMB(S)	3
RECUMBENCY	3
SGPT/ALT HI, BLD	3
SWELLING, LIMB(S)	3
ANAPHYLAXIS/TOID	2

DRUG: AMITRAZ

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
APNEA	2
APPREHENSION	2
BANDS HI, BLD	2
BILIRUBIN(TOT) HI, BLD	2
BITING/CHEWING	2
BUN HI, BLD	2
CATARACT(S)	2
CHEMISTRY ABN	2
CONSTIPATION	2
COUGHING	2
DEAFNESS	2
DIARRHEA, MILD	2
DISCHARGE, NOSE	2
DYSPHAGIA	2
EDEMA	2
EDEMA, CORNEA(S)	2
EDEMA, LUNG(S)/TRACHEA	2
GLUCOSE HI, BLD	2
GLUCOSE, URINE	2
HEAD TILT	2
ICTERUS, BODY	2
INCONTINENCE, URINARY	2
INFLAM, SKIN	2
LIVER DISORDER	2
LOCKJAW	2
MYDRIASIS	2
POLYPNEA	2
PRESSURE LO, BLD	2
PR-KIDNEY(S), LESION(S)	2
PR-LIVER, LESION(S)	2
SHAKING	2
SKIN, SCAB(S)	2
SORE(S)	2
SPASM	2
STUMBLING	2
SWELLING, EYE(S)/LID(S)	2
TACHYCARDIA	2
THRASHING/PADDLING	2

DRUG: AMITRAZ

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
TWITCH	2
URINATION	2
VOMITING, BLOODY	2
WBC HI, BLD	2
WBC, URINE	2
ACCIDENTAL EXPOSURE	1
ADIPSIA	1
AMMONIA HI, BLD	1
APPLICATION SITE ERYTHEMA	1
ATONY, BLADDER	1
ATROPHY, MUSCLE(S)	1
AZOTEMIA	1
BILE ACIDS HI, BLD	1
BLD, LUNG(S)/TRACHEA	1
BLD, MOUTH/LIP(S)	1
BLD, PASSING	1
BLD, URINE	1
BLINDNESS	1
BLINDNESS, PARTIAL	1
BUN LO, BLD	1
CACHEXIA	1
CA HI, BLD	1
CASTS, URINE	1
CIRCLING	1
COAGULATION DISORDER	1
CONGESTION, LUNG(S)	1
CREATININE HI, BLD	1
CULTURE/TITER DATA ABN	1
DIABETES MELLITUS	1
DIC	1
DISTENTION, ABDOMEN	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, MULTIPLE SITES	1
EDEMA, VENTRAL	1
ELIMINATION ABN	1
ENLARGEMENT, LYMPH NOD	1
ENLARGEMENT(S), SKIN	1
EPIPHORA	1

DRUG: AMITRAZ

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
FLY BITING	1
GAGGING	1
GI, ABNORMAL	1
GLOBULIN HI, BLD	1
HAIR, SHEDDING	1
HEAD PRESSING	1
HEART FAILURE	1
HYPERADRENOCORTICISM	1
HYPERPNEA	1
HYPERTONIA	1
HYPOPNEA	1
ICTERUS	1
INEFFECT, SARCOPTES MITES	1
INFECTION, SKIN	1
IRRITATION, SKIN	1
JERKING	1
KERATOCONJUNCTIVITIS S	1
KIDNEY DISORDER	1
KIDNEY VALUES HI, BLD	1
LEUKODERMA	1
LICKING	1
LIPASE HI, BLD	1
LYMPHS LO, BLD	1
MURMUR, HEART	1
NERVOUSNESS	1
NEUROLOGICAL DISORDER	1
PAIN, ABDOMEN	1
PAIN, BACK	1
PANCREATITIS	1
PARAESTHESIA, EYE(S)/L	1
PARALYSIS	1
PARALYSIS, FACIAL NERV	1
PARALYSIS, HIND LIMB(S)	1
POLYCYTHEMIA(RELATIVE)	1
POLYPHAGIA	1
PR-HEART, LESION(S)	1
PR-INTEST, LESION(S)	1
PR-LUNG(S), LESION(S)	1

DRUG: AMITRAZ

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PROPRIOCEPTIVE DISORDE	1
PR-PANCREAS, LESION(S)	1
PR-PERITONEUM, LESION(1
PR-SPLEEN, LESION(S)	1
PUSTULE(S)	1
RASH	1
REACTION, UNSPECIFIED	1
REFLEX(ES) ABN	1
RELUCTANT TO MOVE	1
SCALE(S), SKIN	1
SEBORRHEA	1
SEGS LO, BLD	1
SGOT/AST HI, BLD	1
SHAKING, HEAD/FACE	1
SKIN DISORDER	1
SKIN, DRY	1
SOMNOLENCE	1
SPEC GRAVITY LO, URINE	1
STAGGERING	1
STIFFNESS, HIND LIMB(S)	1
SWELLING	1
SWELLING, EAR(S)	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, MOUTH/LIP(S)	1
SWELLING, PHARYNX/THRO	1
SWELLING, PREPUCE	1
SYNCOPE	1
TECH ERROR, MIXING	1
THYROID HORMONE(S) LO	1
ULCER(S), CORNEA(S)	1
ULCER(S), GI	1
WBC LO, BLD	1

DRUG: AMITRAZ

Species: HUMAN

Route of Administration: TOPICAL

DRUG: AMITRAZ

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
RASH	23
PRURITIS	8
CONGESTION, SKIN	4
DEPRESSION/LETHARGY	4
URTICARIA	4
DIZZINESS	3
IRRITATION, EYE(S)/LID	3
DYSYPNEA	2
HUMAN EXPOSURE	2
ILL	2
NAUSEA	2
PAPULE(S)	2
SEDATION	2
SOMNOLENCE	2
SWELLING	2
VESICLE(S)/BULLAE, SKI	2
ALOPECIA	1
CONJUNCTIVITIS	1
CONVULSION(S)	1
DIARRHEA	1
DISCHARGE, EYE(S)/LID(S)	1
DYSYPHAGIA	1
EPIPHORA	1
HAIR, ABN	1
HUMAN EXPOSURE, HAND(S)	1
HYPOESTHESIA	1
INCONTINENCE, FECAL	1
INFLAM, SKIN	1
IRRITATION, SKIN	1
LIVER ENZYMES HI, BLD	1
PAIN	1
PAIN, EYE(S)/LID(S)	1
PAIN, HEAD/FACE	1
PAIN, JOINT(S)	1
PALLOR	1
PD-CAP(S), ABN	1
PD-SEAL, ABN	1
PD-VIAL(S), LEAKING	1

DRUG: AMITRAZ

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PRURITIS, EYE(S)	1
PUSTULE(S)	1
SCALE(S), SKIN	1
STIFFNESS	1
STUPOR	1
SWELLING, LIMB(S)	1
SYNCOPE	1
TREMBLING	1
VOMITING	1
WEAKNESS	1

DRUG: AMITRAZ

Species: OTHER

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH	1
DEHYDRATION	1
DIARRHEA	1
SWELLING, EYE(S)/LID(S)	1

DRUG: AMITRAZ

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	2
ANOREXIA	1
ATAXIA	1
CONVULSION(S)	1
COUGHING	1
DIARRHEA	1
ILL	1
POLYCYTHEMIA	1
PRURITIS	1
VOMITING	1

DRUG: AMITRAZ

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
WEIGHT LOSS	1

DRUG: AMITRAZ

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
CONGESTION, SKIN	3
HEADACHE	3
NAUSEA	3
ILL	2
REACTION, UNSPECIFIED	2
WEAKNESS	2
DIZZINESS	1
FEVER, BODY	1
GI, ABNORMAL	1
HUMAN EXPOSURE, TOPICA	1
INFLAM, SKIN	1
PAIN, BACK	1
PRURITIS	1
SWELLING, TONGUE	1
TASTE ABNORMALITY	1
URTICARIA	1
VOMITING	1

DRUG: AMITRIPTYLINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
COLLAPSE	1
CYANOSIS, MUCOUS MEMBR	1
DEATH	1

DRUG: AMITRIPTYLINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH(EUTHANIZED)	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
ICTERUS, BODY	1

DRUG: AMITRIPTYLINE

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
BUN HI, BLD	1
CHOLESTEROL HI, BLD	1
CREATININE HI, BLD	1
KIDNEY FAILURE	1
VOMITING	1
WEIGHT LOSS	1

DRUG: AMLODIPINE BESYLATE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEPRESSION/LETHARGY	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-COLOR, ABN	2,336
PD-SUSPENSION, ABN	1,330
PD-SEAL, ABN	222
PD-UNDERFILL, PACKAGE	209
PD-GRANULES/POWDER, ABN	138

DRUG: AMOXICILLIN, CLAVULANATE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TABLET(S), ABN	90
PD-SOLUTION, ABN	86
PD-ODOR, ABN	78
PD-CONTAINER(S), ABN	51
PD-UNDERFILL, VIAL(S)	46
PD-PRODUCT DEFECT	32
PD-CONTAINER(S), DAMAG	31
PD-CAP(S), ABN	29
PD-VIAL(S), LEAKING	18
PD-LABEL(S), ABN	17
PD-MISSING, CAP	16
PD-DISPENSER, ABN	13
PD-APPLICATOR, ABN	9
PD-CONTAMINATION	9
PD-VIAL(S), ABN	8
PD-VIAL(S), DAMAGED	7
PD-UNKNOWN	4
PD-CONTAM, MOLD	3
PD-MISSING, LABEL(S)	3
UNPALATABLE	3
NO SIGNS	2
PD-CONTAM, INSECTS	1
PD-DEFECT UNKNOWN	1
TECH ERROR, MIXING	1
UNPALATABLE, WON'T SWA	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: CAT

Route of Administration: INTRAUTERINE

Sign:	Number of Times Reported:
DEATH	1
DEATH(STILLBORN)	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: BIRD

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	253
ANOREXIA	118
DIARRHEA	101
INEFFECT, ANTIBIOTIC	99
DEPRESSION/LETHARGY	97
DEATH	42
ATAXIA	29
FEVER, BODY	29
DEATH(EUTHANIZED)	26
HYPERSALIVATION	24
ANEMIA	22
DEHYDRATION	20
PD-COLOR, ABN	19
CONVULSION(S)	18
BUN HI, BLD	17
SGPT/ALT HI, BLD	16
WEAKNESS	16
WEIGHT LOSS	15
BILIRUBIN(TOT) HI, BLD	14
DYSPNEA	14
BLINDNESS	12
HIDING	12
MYDRIASIS	12
ANAPHYLAXIS/TOID	11
CREATININE HI, BLD	11
GLUCOSE HI, BLD	11
HYPOTHERMIA, BODY	11
INFLAM, SKIN	11
PD-SUSPENSION, ABN	10
PRURITIS	10
TREMBLING	10

DRUG: AMOXICILLIN, CLAVULANATE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOCALIZATION	10
WBC HI, BLD	9
ADIPSIA	8
ALOPECIA	8
BLD, URINE	8
CONGESTION, SKIN	8
DIARRHEA, MILD	8
HEAD TILT	8
INEFFECT	8
PLATELETS LO, BLD	8
SNEEZING	8
STUPOR	8
ALK PHOS HI, BLD	7
DIARRHEA, BLOODY	7
MELENA	7
PALLOR, MUCOUS MEMBRAN	7
PD-TABLET(S), ABN	7
RADIOGRAPH(S) ABN	7
VOMITING, BLOODY	7
ANISOCORIA	6
ICTERUS, BODY	6
REFLEX(ES) ABN	6
WBC LO, BLD	6
ALBUMIN LO, BLD	5
COLLAPSE	5
EDEMA, LUNG(S)/TRACHEA	5
GLUCOSE, URINE	5
INFECTION, SKIN	5
PAIN	5
P HI, BLD	5
POLYDIPSIA	5
POLYURIA	5
RECUMBENCY	5
SEGS LO, BLD	5
SPEC GRAVITY LO, URINE	5
SWELLING, HEAD/FACE	5
TWITCH	5
CIRCLING	4

DRUG: AMOXICILLIN, CLAVULANATE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONFUSION	4
GLUCOSE LO, BLD	4
HYPERPNEA	4
INCONTINENCE, URINARY	4
POLYPNEA	4
PR-LUNG(S), LESION(S)	4
PUPIL(S), AREFLEXIA	4
RASH	4
SEGS HI, BLD	4
STOOL ABN	4
UNCONSCIOUS	4
URTICARIA	4
US ABN	4
AGGRESSION	3
ANURIA	3
AZOTEMIA	3
BEHAVIOR DISORDER	3
BILIRUBIN, URINE	3
CONGESTION, LUNG(S)	3
CONJUNCTIVITIS	3
CONSTIPATION	3
DIARRHEA, SEVERE	3
DISTRESS, RESP	3
EFFUSION, PLEURAL	3
ENLARGEMENT, LYMPH NOD	3
EPISTAXIS	3
GLOBULIN HI, BLD	3
HEMATOCHEZIA	3
HYPOTHERMIA	3
K HI, BLD	3
K LO, BLD	3
LAMENESS	3
LESION(S), SKIN	3
LIVER ENZYMES HI, BLD	3
MICROORANISMS, URINE	3
MIOSIS	3
NERVOUSNESS	3
NEUROLOGICAL DISORDER	3

DRUG: AMOXICILLIN, CLAVULANATE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
NYSTAGMUS	3
PAIN, ABDOMEN	3
PARESIS, HIND LIMB(S)	3
PD-PRODUCT DEFECT	3
PROLAPSE, THIRD EYELID	3
PROTEIN, URINE	3
PR-SKIN, LESION(S)	3
RESPIRATORY DISORDER	3
SGOT/AST HI, BLD	3
SHOCK	3
SKIN, CRUST(S)	3
SPASM	3
STAGGERING	3
STUMBLING	3
ULCER(S), MOUTH/LIP(S)	3
ULCER(S), TONGUE	3
URINATION	3
URINE ABN	3
VESTIBULAR DISORDER	3
WBC, URINE	3
ABSCCESS, SKIN	2
AMYLASE HI, BLD	2
ANEMIA, AUTOIMMUNE HEM	2
APPREHENSION	2
ARREST, HEART	2
BANDS HI, BLD	2
BUN LO, BLD	2
CALCULI, KIDNEY	2
CULTURE/TITER DATA ABN	2
CYANOSIS	2
DEHISCENCE	2
DIGESTION DISORDER	2
DISCOMFORT, MOUTH/LIP(S)	2
DYSPHAGIA	2
EDEMA	2
EDEMA, HEAD/FACE	2
EPIPHORA	2
FROTH, MOUTH/LIP(S)	2

DRUG: AMOXICILLIN, CLAVULANATE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
GASTRITIS	2
GI, ABNORMAL	2
HEPATOMEGALY	2
HYPERACTIVITY	2
HYPERESTHESIA	2
HYPHEMA	2
ICTERUS	2
ILL	2
KIDNEY FAILURE	2
KIDNEY VALUES HI, BLD	2
LESION(S), MOUTH/LIP(S)	2
LIVER DISORDER	2
LOSS OF CONDITION	2
LYMPHS LO, BLD	2
MICROORGANISMS, URINE	2
MURMUR, HEART	2
NECROSIS, TUMOR	2
NEOPLASM, SPLEEN	2
NEPHRITIS	2
NO SIGNS	2
PAIN, LIMB(S)	2
PARESTHESIA	2
PRESSURE LO, BLD	2
PR-KIDNEY(S), LESION(S)	2
PR-LYMPH NODE(S), LESI	2
PROTEIN(TOT) HI, BLD	2
PROTEIN(TOT) LO, BLD	2
PULSE THREADY	2
REACTION, UNSPECIFIED	2
SCALE(S), SKIN	2
SKIN, NECROSIS	2
SLOUGH, FEET/DIGIT(S)	2
SLOUGH, SKIN	2
SOMNOLENCE	2
SOUND ABN, RESPIRATORY	2
ULCER(S)	2
ULCER(S), SKIN	2
UNPALATABLE, WON'T SWA	2

DRUG: AMOXICILLIN, CLAVULANATE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
URINATION ABN	2
VISION DISORDER	2
WHEEZING	2
ACCIDENTAL EXPOSURE	1
ALKALINE URINE	1
ANEMIA, HEINZ BODY	1
ANEMIA, HEMOLYTIC	1
ANEMIA, REGEN	1
APNEA	1
APPLICATION SITE, ALOPECIA	1
APPLICATION SITE SKIN, DRY	1
ARRHYTHMIA	1
ASCITES	1
BLD	1
BLD, ABN	1
BLD, EYE(S)	1
BLD, MULT SITES	1
BLD, RETINA	1
BLD, VAGINA	1
BLINDNESS, PARTIAL	1
BLINDNESS, TEMP	1
BORBORYGMI	1
BRADYCARDIA	1
BREATHING, DIFFICULT	1
CA HI, BLD	1
CALCULI, BLADDER	1
CA LO, BLD	1
CARDIOMEGALY	1
CASTS, URINE	1
CELLULITIS	1
CHOLESTEROL HI, BLD	1
CONGESTION, SINUS	1
CPK HI, BLD	1
CREATININE LO, BLD	1
CRYSTALS, URINE	1
CYSTITIS	1
DEAFNESS, TEMP	1
DEFECATION ABN	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIABETES	1
DIABETES MELLITUS	1
DIABETES M, POOR REGUL	1
DIARRHEA, MUCOID	1
DIFFICULTY RISING	1
DISCHARGE, NOSE	1
DYSURIA	1
EDEMA, LIMB(S)	1
EFFUSION	1
ELIMINATION ABN	1
EMPHYSEMA	1
EMPHYSEMA, SQ	1
ENLARGEMENT(S), SKIN	1
ERYTHEMA MULTIFORME	1
EYE DISORDER	1
FLATULENCE	1
GAGGING	1
GRINDING TEETH	1
HAIR, ABN	1
HEAD BOBBING	1
HEART DISORDER	1
HORNER'S SYNDROME	1
INCISION SITE DISCHARGE	1
INCONTINENCE, FECAL	1
INEFFECT, LOSS OF EFFE	1
INFECTION	1
INFECTION, FEET/DIGIT(1
INFECTION, URINARY TRA	1
INJ SITE ABSCESS	1
INJ SITE NEOPLASM	1
INJ SITE PAIN	1
INJ SITE SEROMA	1
INJ SITE SWELLING	1
INTERACTION, DRUG(S)	1
IRRITATION, EAR(S)	1
IRRITATION, MOUTH/LIP(S)	1
IRRITATION, PERINEUM	1
JERKING	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
K HI, URINE	1
KIDNEY DISORDER	1
LIPASE HI, BLD	1
LYMPHS HI, BLD	1
MASS	1
MONOS LO, BLD	1
MORIBUND	1
MRI SCAN ABN	1
MUCOUS MEMBR, ABN COLO	1
NAUSEA	1
NEOPLASM	1
NEOPLASM, KIDNEY(S)	1
NEOPLASM, LUNG(S)	1
NEOPLASM, LYMPH NODE(S)	1
NOSE ABN	1
ODOR, MOUTH	1
OPACITY, CORNEA(S)	1
OPISTHOTONOS	1
OTITIS	1
PAIN, JOINT(S)	1
PALLOR	1
PANCYTOPENIA	1
PARESIS, FORE LIMB(S)	1
PAWING	1
PD-GRANULES/POWDER, ABN	1
PD-ODOR, ABN	1
PD-SOLUTION, ABN	1
PLATELETS HI, BLD	1
PNEUMONIA	1
PNEUMONIA, ASPIRATION	1
POLYCYTHEMIA	1
PR-BLADDER, LESION(S)	1
PRESSURE HI, BLD	1
PR-HEART, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-PANCREAS, LESION(S)	1
PR-PERITONEAL EFFUSION	1
PR-PLEURA, LESION(S)	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
PR-SPLEEN, LESION(S)	1
PR-THYROID, LESION(S)	1
PRURITIS, EYE(S)	1
RELUCTANT TO MOVE	1
RETICULOCYTES HI, BLD	1
RETINA ABN	1
SALIVA, ABN	1
SEDIMENT, URINE	1
SHAKING	1
SHAKING, HEAD/FACE	1
SKIN ABNORMAL	1
SKIN, SCAB(S)	1
SOUND ABN, VOICE	1
SPLENOMEGALY	1
STIFFNESS	1
STRABISMUS	1
SWELLING, EYE(S)/LID(S)	1
TACHYCARDIA	1
TECH ERROR, MIXING	1
ULCER(S), CORNEA(S)	1
UNKNOWN	1
UNPALATABLE	1
UNPALATABLE, WON'T EAT	1
US-LIVER ABN	1
VOMITING, SEVERE	1
WEIGHT INCREASE	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	248
INEFFECT, ANTIBIOTIC	211
ANOREXIA	170
DEPRESSION/LETHARGY	169
DEATH	78

DRUG: AMOXICILLIN, CLAVULANATE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	67
SGPT/ALT HI, BLD	63
ATAXIA	56
CONVULSION(S)	56
DIARRHEA	51
ANEMIA	50
FEVER, BODY	46
WBC HI, BLD	42
DEATH(EUTHANIZED)	38
BILIRUBIN(TOT) HI, BLD	35
URTICARIA	34
POLYDIPSIA	33
RADIOGRAPH(S) ABN	32
BUN HI, BLD	31
DYSPNEA	31
BLD, URINE	30
PRURITIS	29
PLATELETS LO, BLD	27
WEIGHT LOSS	27
CONGESTION, SKIN	22
DEHYDRATION	22
POLYURIA	21
TREMBLING	21
COUGHING	20
ANEMIA, AUTOIMMUNE HEM	19
INFLAM, SKIN	18
MELENA	18
PALLOR, MUCOUS MEMBRAN	17
ALBUMIN LO, BLD	16
ICTERUS, BODY	16
INCONTINENCE, URINARY	16
SWELLING, HEAD/FACE	16
EDEMA, HEAD/FACE	15
ICTERUS	15
SGOT/AST HI, BLD	15
WEAKNESS	15
ANAPHYLAXIS/TOID	14
CONFUSION	14

DRUG: AMOXICILLIN, CLAVULANATE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CREATININE HI, BLD	14
US ABN	14
DIARRHEA, BLOODY	13
LESION(S), SKIN	13
LIVER ENZYMES HI, BLD	13
POLYPNEA	13
RECUMBENCY	13
VOCALIZATION	13
VOMITING, BLOODY	12
ALOPECIA	11
CULTURE/TITER DATA ABN	11
HYPERACTIVITY	11
HYPERSALIVATION	11
NERVOUSNESS	11
PAIN, ABDOMEN	11
PARESIS, HIND LIMB(S)	11
PD-COLOR, ABN	11
P HI, BLD	11
PROTEIN, URINE	11
PR-SKIN, LESION(S)	11
TACHYCARDIA	11
ADIPSIA	10
COLLAPSE	10
GLUCOSE HI, BLD	10
INFECTION, URINARY TRA	10
SEGS HI, BLD	10
ULCER(S), SKIN	10
WBC LO, BLD	10
BILIRUBIN, URINE	9
CHEMISTRY ABN	9
DISTENTION, ABDOMEN	9
PROTEIN(TOT) HI, BLD	9
SKIN, NECROSIS	9
WBC, URINE	9
BLD(ECCHYMOSES)	8
DEAFNESS	8
DIARRHEA, MILD	8
DIFFICULTY RISING	8

DRUG: AMOXICILLIN, CLAVULANATE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ENLARGEMENT, LYMPH NOD	8
LAMENESS	8
PD-TABLET(S), ABN	8
PROTEIN(TOT) LO, BLD	8
STOOL ABN	8
AMYLASE HI, BLD	7
CHOLESTEROL HI, BLD	7
HEAD TILT	7
HYPERPNEA	7
INEFFECT	7
PAIN	7
PNEUMONIA	7
PUSTULE(S)	7
RASH	7
SKIN, CRUST(S)	7
BEHAVIOR DISORDER	6
BILE ACIDS HI, BLD	6
BLD	6
CIRCLING	6
GGT HI, BLD	6
GLUCOSE, URINE	6
KIDNEY FAILURE	6
LIVER DISORDER	6
NYSTAGMUS	6
PR-LIVER, LESION(S)	6
SNEEZING	6
SOUND ABN, RESPIRATORY	6
BUN LO, BLD	5
COAGULATION DISORDER	5
CONSTIPATION	5
DIABETES MELLITUS	5
DISCHARGE, NOSE	5
DISCOMFORT	5
ERUPTION(S)	5
INFECTION	5
INFECTION, SKIN	5
KERATOCONJUNCTIVITIS S	5
LYMPHS LO, BLD	5

DRUG: AMOXICILLIN, CLAVULANATE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PARALYSIS, HIND LIMB(S)	5
PUPIL(S), AREFLEXIA	5
RELUCTANT TO MOVE	5
SLOUGH, SKIN	5
SPEC GRAVITY LO, URINE	5
US-LIVER ABN	5
AGGRESSION	4
APPREHENSION	4
ARREST, HEART	4
BLINDNESS	4
EDEMA, EYE(S)/LID(S)	4
EDEMA, LIMB(S)	4
EFFUSION, PERITONEAL	4
GLUCOSE LO, BLD	4
HYPOTHERMIA	4
INJ SITE SWELLING	4
K LO, BLD	4
MASS	4
MICROORGANISMS, URINE	4
NA LO, BLD	4
NO SIGNS	4
OTITIS	4
PAIN, JOINT(S)	4
PD-SUSPENSION, ABN	4
POLYPHAGIA	4
RBC, NUCLEATED	4
STUPOR	4
SWELLING, EYE(S)/LID(S)	4
SWELLING, LIMB(S)	4
UNCONSCIOUS	4
URINATION ABN	4
VESICLE(S)/BULLAE, SKI	4
ABN COLOR, URINE	3
ABSCCESS, SKIN	3
ANEMIA, HEMOLYTIC	3
ARRHYTHMIA	3
BANDS HI, BLD	3
BLD(PETECHIAE)	3

DRUG: AMOXICILLIN, CLAVULANATE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONJUNCTIVITIS	3
COOMBS TEST POS	3
CPK HI, BLD	3
CYSTITIS	3
DEATH(STILLBORN)	3
DISTRESS, RESP	3
EAR DISORDER	3
EPISTAXIS	3
FROTH, MOUTH/LIP(S)	3
GAGGING	3
GLOBULIN HI, BLD	3
INJ SITE BLD	3
IRRITATION, SKIN	3
K HI, BLD	3
LIPASE HI, BLD	3
LOCOMOTION DISORDER	3
MONOS HI, BLD	3
MURMUR, HEART	3
MYDRIASIS	3
NAUSEA	3
NECROSIS	3
NEOPLASM	3
NEUROLOGICAL DISORDER	3
PAIN, HEAD/FACE	3
PANCREATITIS	3
POLYCYTHEMIA	3
PRESSURE LO, BLD	3
PR-KIDNEY(S), LESION(S)	3
PR-PANCREAS, LESION(S)	3
RBC, ANISO	3
RBC, POLYCHROM	3
SKIN, DRY	3
SOMNOLENCE	3
SORE(S)	3
SPLENOMEGALY	3
STAGGERING	3
STARING	3
TWITCH	3

DRUG: AMOXICILLIN, CLAVULANATE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ULCER(S), MOUTH/LIP(S)	3
WEIGHT INCREASE	3
ALBUMIN HI, BLD	2
ANEMIA, REGEN	2
ANEMIA, SPHERO	2
ASCITES	2
ATROPHY, MUSCLE(S)	2
BALANCE DISORDER	2
BASOS HI, BLD	2
BIRTH DEFECT(S)	2
BIRTH DEFECT(S), HEAD/	2
BIRTH DEFECT(S), LIMB(2
BITING/CHEWING	2
BLINDNESS, PARTIAL	2
BONE, ABN	2
BRADYCARDIA	2
CACHEXIA	2
CA LO, BLD	2
CARDIOMEGALY	2
CASTS, URINE	2
CELLULITIS	2
CONGESTION, EAR(S)	2
CYANOSIS, MUCOUS MEMBR	2
DEAFNESS, TEMP	2
DEATH(NEWBORN)	2
DEHISCENCE	2
DERMATITIS, MOIST	2
DIARRHEA, SEVERE	2
DISCHARGE, VULVA	2
DISTRESS	2
EDEMA, LUNG(S)/TRACHEA	2
EDEMA, VENTRAL	2
EFFUSION	2
EFFUSION, PLEURAL	2
ENLARGEMENT(S), SKIN	2
EPIPHORA	2
EXERCISE INTOLERANCE	2
FLATULENCE	2

DRUG: AMOXICILLIN, CLAVULANATE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
GINGIVA, ABN	2
GLOBULIN LO, BLD	2
HAIR, ABN COLOR	2
HEART DISORDER	2
HEMATOCHEZIA	2
HEPATITIS	2
HEPATOMEGALY	2
HIDING	2
HYPERPIGMENTATION, SKI	2
HYPOPNEA	2
ILL	2
INEFFECT, LOSS OF EFFE	2
INJ SITE SEROMA	2
INTERACTION, DRUG(S)	2
KIDNEY DISORDER	2
KIDNEY VALUES HI, BLD	2
LESION(S), MOUTH/LIP(S)	2
LEUKODERMA	2
LOSS OF CONDITION	2
LYMPHS HI, BLD	2
MUCOUS MEMBR, ABN COLO	2
NEOPLASM, SKIN	2
NOSE ABN	2
NYSTAGMUS, ROTARY	2
ODOR, MOUTH	2
OLIGURIA	2
PACING	2
PAIN, HIND LIMB(S)	2
PARESIS	2
PD-PRODUCT DEFECT	2
PERFORATION, GI	2
PERITONITIS	2
POLLAKIURIA	2
POLYCYTHEMIA(RELATIVE)	2
POSTURE ABN	2
PR-ADRENAL(S), LESION(S)	2
PR-BRAIN, LESION(S)	2
PRESSURE HI, BLD	2

DRUG: AMOXICILLIN, CLAVULANATE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PR-LYMPH NODE(S), LESI	2
PROLAPSE, THIRD EYELID	2
PR-PERITONEAL EFFUSION	2
PR-SM INTEST, LESION(S)	2
SCALE(S), SKIN	2
SEPTICEMIA	2
SHAKING	2
SHOCK	2
SKIN ABNORMAL	2
SKIN DISORDER	2
SKIN, SCAB(S)	2
SLEEP ABN	2
SLOUGH, TONGUE	2
STIFFNESS	2
STIFFNESS, HIND LIMB(S)	2
SWELLING, EAR(S)	2
SWELLING, JOINT(S)	2
SWELLING, MOUTH/LIP(S)	2
SWELLING, MULT SITES	2
TEETH, ABN	2
TENESMUS	2
TENESMUS, RECTAL	2
THYROID HORMONE(S) LO	2
ULCER(S)	2
ULCER(S), FEET/DIGIT(S)	2
ULCER(S), GI	2
ULCER(S), TONGUE	2
URINE ABN	2
VESTIBULAR DISORDER	2
VOMITING, SEVERE	2
VOMITING, UNPRODUCTIVE	2
WHEEZING	2
ABORTION	1
ALKALINE URINE	1
AMMONIA HI, BLD	1
ANURIA	1
APNEA	1
AZOTEMIA	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLD, EYE(S)	1
BLD, FEET/DIGIT(S)	1
BLD, LUNG(S)/TRACHEA	1
BLD, MOUTH/LIP(S)	1
BLD, PASSING	1
BLD, PENIS	1
BLD, SKIN	1
BLEPHAROSPASM	1
BLINDNESS, TEMP	1
BORBORYGMI	1
BREATHING ABN	1
BRONCHITIS	1
CA HI, BLD	1
CALCULI, KIDNEY	1
CHE LO, RBC	1
CHLORIDE LO, BLD	1
CHOLECYSTITIS	1
CNS DISORDER	1
COLON, ABN	1
CONGESTION, EYE(S)/LID	1
CONGESTION, LUNG(S)	1
CONGESTION, NOSE	1
CONGESTION, SINUS	1
CREATININE LO, BLD	1
CRYSTALS, URINE	1
DEFECATION ABN	1
DIABETES	1
DIABETES M, POOR REGUL	1
DIARRHEA, WATERY	1
DIC	1
DISCHARGE, EAR(S)	1
DISCHARGE, MOUTH/LIP(S)	1
DISTENTION, CECUM	1
DIZZINESS	1
DYSMETRIA	1
DYSTOCIA	1
DYSURIA	1
EDEMA, CORNEA(S)	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
EDEMA, FEET/DIGIT(S)	1
EDEMA, NECK	1
EDEMA, TONGUE	1
ELIMINATION ABN	1
EMBOLUS	1
ENLARGEMENT(S)	1
EOSINOS LO, BLD	1
ERYTHEMA MULTIFORME	1
FLY BITING	1
GALL BLADDER, ABN	1
GASTRITIS	1
GI, ABNORMAL	1
GLAUCOMA	1
GRANULOMA	1
HAIR, ABN	1
HAIR, SHEDDING	1
HEAD BOBBING	1
HYPERESTHESIA	1
HYPOESTHESIA, EYE(S)/L	1
HYPOMOTILITY	1
HYPOSMIA	1
HYPOTHERMIA, BODY	1
ICTERUS, SERUM	1
IMMUNE DISORDER	1
INCISION SITE DISCHARGE	1
INEFFECT, OTHER DRUG(S)	1
INFECTION, UTERUS	1
INJ SITE ABSCESS	1
INSOMNIA	1
IRIS(BLD)	1
IRRITATION, MOUTH/LIP(1
JOINT DISORDER	1
LICKING, FEET/DIGIT(S)	1
LOCKJAW	1
MASS, ABDOMEN	1
MICROORGANISMS, URINE	1
MIOSIS	1
NA HI, BLD	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
NEPHRITIS	1
ODOR	1
ODOR, URINE	1
OFF FEED	1
OPACITY, CORNEA(S)	1
OPISTHOTONOS	1
PAIN, EYE(S)/LID(S)	1
PAIN, FEET/DIGIT(S)	1
PAIN, LIMB(S)	1
PAIN, MOUTH/LIP(S)	1
PAIN, NECK	1
PALLOR	1
PANCREAS ENZYMES HI, B	1
PARALYSIS, FACIAL NERV	1
PARESTHESIA, EYE(S)/L	1
PAWING	1
PD-CONTAMINATION	1
PD-UNDERFILL, PACKAGE	1
PHOTOSENSITIZATION	1
P LO, BLD	1
PNEUMONIA, ASPIRATION	1
PR-GALL BLADDER, LESION(S)	1
PR-LUNG(S), LESION(S)	1
PR-MENINGES, LESION(S)	1
PR-MESENTERY, LESION(S)	1
PR-MULT SITES, LESION(S)	1
PROPRIOCEPTIVE DISORDE	1
PROSTATOMEGALY	1
PR-PERITONEUM, LESION(1
PR-SPLEEN, LESION(S)	1
PR-STOMACH, LESION(S)	1
RBC ABN	1
REFLEX(ES) ABN	1
REGURGITATION	1
RELUCTANT TO CLIMB	1
RESIDUE, MILK	1
RESPIRATORY DISORDER	1
ROLLING	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SEDATION	1
SEGS LO, BLD	1
SEPSIS	1
SHAKING, HEAD/FACE	1
SLOUGH	1
SLOUGH, FEET/DIGIT(S)	1
SQUINTING	1
STEATITIS	1
STIFFNESS, LIMB(S)	1
STOMATITIS	1
STRANGURIA	1
STRICUTRE, ESOPHAGUS	1
STUMBLING	1
SWELLING, ANUS	1
SWELLING, SCROTUM	1
SYNCOPE	1
TABLET(S), UNDIGEST	1
THRASHING/PADDLING	1
THROMBUS	1
TORTICOLLIS	1
TOX	1
TREMBLING, FACE	1
ULCER(S), EAR(S)	1
ULCER(S), MUCOCUTANEOU	1
ULCER(S), PYLORUS	1
UNPALATABLE, WON'T SWA	1
URINATION	1
UVEITIS	1
VAGINITIS	1
VISION DISORDER	1
VOLVULUS, STOMACH	1
WBC ABN	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: FERRET

Route of Administration: ORAL

DRUG: AMOXICILLIN, CLAVULANATE

Species: FERRET

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	1
VOMITING	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
PD-COLOR, ABN	3
PD-ODOR, ABN	2
PD-SUSPENSION, ABN	2
FLATULENCE	1
HUMAN EXPOSURE	1
HUMAN EXPOSURE, MOUTH/	1
IRRITATION, MOUTH/LIP(1
NAUSEA	1
NO SIGNS	1
PAIN, ABDOMEN	1
PRURITIS	1
SWELLING, MOUTH/LIP(S)	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: MONKEY

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: OTHER

Route of Administration: ORAL

Sign:	Number of Times Reported:
ADIPSIA	1
ANOREXIA	1
ATAXIA	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: OTHER

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
DILITATION, STOMACH	1
MASS, ABDOMEN	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: RABBIT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	2
DEATH	2

DRUG: AMOXICILLIN, CLAVULANATE

Species: RAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT	1
PD-COLOR, ABN	1
PD-ODOR, ABN	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: UNKNOWN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA, MILD	1
NAUSEA	1
UNPALATABLE	1
VOMITING	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: VARIOUS

Route of Administration: ORAL

DRUG: AMOXICILLIN, CLAVULANATE

Species: VARIOUS

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	3
DIARRHEA	1
PD-PRODUCT DEFECT	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
URTICARIA	4
ANAPHYLAXIS/TOID	3
ACCIDENTAL EXPOSURE	1
DYSPNEA	1
EDEMA, HEAD/FACE	1
HUMAN EXPOSURE, HAND(S	1
HUMAN EXPOSURE, TOPICA	1
PRURITIS	1
RASH	1
SWELLING, TONGUE	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANOREXIA	1
CONVULSION(S)	1
VOMITING	1

DRUG: AMOXICILLIN, CLAVULANATE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEAFNESS	1

DRUG: AMOXICILLIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CAP(S), ABN	62
PD-VIAL(S), LEAKING	47
PD-TUBE(S), ABN	36
PD-COLOR, ABN	32
PD-DISPENSER, ABN	30
PD-UNDERFILL, PACKAGE	27
PD-SEAL, ABN	26
PD-APPLICATOR, ABN	19
PD-SYRINGE, ABN	18
PD-CONTAINER(S), ABN	12
PD-PRODUCT DEFECT	12
PD-MISSING, CAP	11
PD-TABLET(S), ABN	10
PD-VIAL(S), DAMAGED	10
PD-SUSPENSION, ABN	9
PD-UNDERFILL, VIAL(S)	9
PD-TUBE(S), DAMAGED	8
PD-CONTAINER(S), DAMAG	6
PD-MISSING, LABEL(S)	6
PD-TUBE(S), LEAKING	5
PD-LABEL(S), ABN	4
PD-SOLUTION, ABN	4
PD-UNKNOWN	4
PD-CONTAMINATION	3
PD-DEFECT UNKNOWN	3
PD-ODOR, ABN	3
PD-VIAL(S), ABN	3
UNPALATABLE	2
PD-CONTAM, INSECTS	1
PD-CONTAM, MOLD	1
PD-GEL/PASTE, ABN	1
PD-GRANULES/POWDER, ABN	1
PD-UNDERFILL, TUBE(S)	1

DRUG: AMOXICILLIN

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
RESIDUE, MILK	58
INEFFECT, ANTIBIOTIC	2

DRUG: AMOXICILLIN

Species: DOG

Route of Administration: INTRANASAL

Sign:	Number of Times Reported:
PNEUMONIA	1

DRUG: AMOXICILLIN

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
DIARRHEA	1

DRUG: AMOXICILLIN

Species: MISSING INFORMATION

Route of Administration: MISSING

Sign:	Number of Times Reported:
INJ SITE PAIN	1
VOCALIZATION	1

DRUG: AMOXICILLIN

Species: UNKNOWN

Route of Administration: MISSING

Sign:	Number of Times Reported:
INJ SITE PAIN	1

DRUG: AMOXICILLIN

Species: VARIOUS

Route of Administration: MISSING

Sign:	Number of Times Reported:
INJ SITE PAIN	1

DRUG: AMOXICILLIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	36
ANOREXIA	21
DIARRHEA	16
DEPRESSION/LETHARGY	14
DEATH	10
INEFFECT, ANTIBIOTIC	7
ALOPECIA	4
ANEMIA	4
BEHAVIOR DISORDER	4
FEVER, BODY	4
HYPERSALIVATION	4
RECUMBENCY	4
ATAXIA	3
CONGESTION, SKIN	3
HYPERACTIVITY	3
PRURITIS	3
WEAKNESS	3
BILIRUBIN(TOT) HI, BLD	2
CONVULSION(S)	2
DIARRHEA, BLOODY	2
GLUCOSE HI, BLD	2
HYPOTHERMIA, BODY	2
LIVER ENZYMES HI, BLD	2
POLYDIPSIA	2
TACHYCARDIA	2
WEIGHT LOSS	2
ADIPSIA	1
AGGRESSION	1
ANISOCORIA	1
APNEA	1
APPREHENSION	1

DRUG: AMOXICILLIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ARREST, HEART	1
BLD, URINE	1
BLINDNESS	1
CA LO, BLD	1
CHEMISTRY ABN	1
CPK HI, BLD	1
CYANOSIS	1
DEATH(EUTHANIZED)	1
DEHYDRATION	1
DISTENTION, BLADDER	1
EAR DISORDER	1
EDEMA, HEAD/FACE	1
EDEMA, LUNG(S)/TRACHEA	1
ERUPTION(S)	1
GAGGING	1
HIDING	1
HYPERESTHESIA	1
HYPERPNEA	1
HYPOTHERMIA	1
ICTERUS	1
INEFFECT, COCCIDIA	1
LIVER FAILURE	1
LYMPHS LO, BLD	1
MASS, ABDOMEN	1
MIOSIS	1
MYDRIASIS	1
NERVOUSNESS	1
NYSTAGMUS, HORIZONTAL	1
PAIN	1
PLATELETS LO, BLD	1
POLYPHAGIA	1
POLYPNEA	1
POLYURIA	1
POSTURE ABN	1
PR-EYE(S)/LID(S), LESI	1
PROLAPSE, THIRD EYELID	1
RADIOGRAPH(S) ABN	1
RASH	1

DRUG: AMOXICILLIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
SGOT/AST HI, BLD	1
STRANGURIA	1
STUPOR	1
SWELLING, EAR(S)	1
TENESMUS, URINARY	1
TREMBLING	1
TWITCH	1
UNPALATABLE	1
VOCALIZATION	1
VOMITING, BLOODY	1
VOMITING, SEVERE	1
VOMITING, UNPRODUCTIVE	1
WBC HI, BLD	1
WBC LO, BLD	1

DRUG: AMOXICILLIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	28
DEATH	14
ANOREXIA	11
DEPRESSION/LETHARGY	10
DYSPNEA	6
FEVER, BODY	6
BUN HI, BLD	5
CONVULSION(S)	5
INEFFECT, ANTIBIOTIC	5
SGPT/ALT HI, BLD	5
ALK PHOS HI, BLD	4
ANEMIA	4
BLD, URINE	4
URTICARIA	4
WBC HI, BLD	4
ATAXIA	3
CONGESTION, SKIN	3

DRUG: AMOXICILLIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CREATININE HI, BLD	3
EDEMA, LUNG(S)/TRACHEA	3
RASH	3
TREMBLING	3
ANAPHYLAXIS/TOID	2
COLLAPSE	2
CYANOSIS	2
DIARRHEA	2
EDEMA, HEAD/FACE	2
ERUPTION(S)	2
GLUCOSE HI, BLD	2
HEMATOCHEZIA	2
HYPOTHERMIA	2
INFLAM, SKIN	2
LIVER ENZYMES HI, BLD	2
MELENA	2
NECROSIS	2
P HI, BLD	2
POLYDIPSIA	2
PR-LIVER, LESION(S)	2
PROTEIN(TOT) LO, BLD	2
PR-SKIN, LESION(S)	2
PRURITIS	2
SHAKING	2
SKIN, NECROSIS	2
SKIN, SCAB(S)	2
STRANGURIA	2
SWELLING, EYE(S)/LID(S)	2
TACHYCARDIA	2
ULCER(S), SKIN	2
WEAKNESS	2
ABN COLOR, URINE	1
ACCIDENTAL EXPOSURE	1
ALBUMIN LO, BLD	1
AMYLASE HI, BLD	1
APNEA	1
APPREHENSION	1
BEHAVIOR DISORDER	1

DRUG: AMOXICILLIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BIRTH DEFECT(S)	1
BIRTH DEFECT(S), HEAD/	1
BLD(ECCHYMOSES)	1
BLD, FEET/DIGIT(S)	1
BLD, LUNG(S)/TRACHEA	1
BLD, MOUTH/LIP(S)	1
BLD(PETECHIAE)	1
BLD, SKIN	1
CA HI, BLD	1
CARDIOMEGALY	1
CONFUSION	1
CONSTIPATION	1
CRYSTALS, URINE	1
DEAFNESS	1
DEATH(EUTHANIZED)	1
DIARRHEA, MUCOID	1
DISCHARGE, NOSE	1
EDEMA, VENTRAL	1
ENLARGEMENT(S), SKIN	1
EPISTAXIS	1
GAGGING	1
GLUCOSE LO, BLD	1
GLUCOSE, URINE	1
HEAD TILT	1
HEMOGLOBIN, URINE	1
HEPATITIS	1
HYPERACTIVITY	1
HYPERPNEA	1
ICTERUS	1
INEFFECT	1
K HI, BLD	1
LESION(S), SKIN	1
LOCKJAW	1
NA LO, BLD	1
PAPULE(S)	1
PARESIS, HIND LIMB(S)	1
POLYCYTHEMIA(RELATIVE)	1
POLYPNEA	1

DRUG: AMOXICILLIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
POLYURIA	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
PR-MOUTH/LIP(S), LESIO	1
PR-MULT SITES, LESION(S)	1
PR-NOSE, LESION(S)	1
PROTEIN, URINE	1
PRURITIS, TAIL	1
PUSTULE(S)	1
RECUMBENCY	1
RELUCTANT TO MOVE	1
SEDATION	1
SEGS HI, BLD	1
SEPSIS	1
SHOCK	1
SKIN, CRUST(S)	1
STARING	1
STIFFNESS, FRONT LIMB(1
STIFFNESS, NECK	1
SWELLING, HEAD/FACE	1
SWELLING, TONGUE	1
TECH ERROR ADMINISTRAT	1
TWITCH	1
ULCER(S), EAR(S)	1
ULCER(S), FEET/DIGIT(S	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), TONGUE	1
UNCONSCIOUS	1
UNPALATABLE, WON'T EAT	1
VESICLE(S)/BULLAE, SKI	1
WBC LO, BLD	1
WEIGHT LOSS	1

DRUG: AMOXICILLIN

Species: FERRET

Route of Administration: ORAL

DRUG: AMOXICILLIN

Species: FERRET

Route of Administration: ORAL

Sign:	Number of Times Reported:
ALOPECIA	1
HYPERACTIVITY	1
NERVOUSNESS	1

DRUG: AMOXICILLIN

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	2
PAIN, ABDOMEN	1
VOMITING	1

DRUG: AMOXICILLIN

Species: RABBIT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH	1
DIARRHEA	1
PR-COLON, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-SM INTEST, LESION(S)	1
WEIGHT LOSS	1

DRUG: AMOXICILLIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	5
ANAPHYLAXIS/TOID	3
DEATH	3
ANOREXIA	2
FEVER, BODY	2

DRUG: AMOXICILLIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
VOMITING	2
APNEA	1
ARREST, HEART	1
BILIRUBIN(TOT) HI, BLD	1
CA LO, BLD	1
COLLAPSE	1
CONFUSION	1
CPK HI, BLD	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DYSPNEA	1
EDEMA, HEAD/FACE	1
EDEMA, LUNG(S)/TRACHEA	1
ERUPTION(S)	1
HYPERSALIVATION	1
ICTERUS, BODY	1
ILL	1
INEFFECT, ANTIBIOTIC	1
KIDNEY FAILURE	1
LYMPHS LO, BLD	1
PR-LUNG(S), LESION(S)	1
SGOT/AST HI, BLD	1
SWELLING, HEAD/FACE	1
UNCONSCIOUS	1
UREMIA	1
URTICARIA	1

DRUG: AMOXICILLIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	2
CYANOSIS	2
DEATH	2
DYSPNEA	2
HYPERSALIVATION	2

DRUG: AMOXICILLIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SWELLING, HEAD/FACE	2
COLLAPSE	1
ILL	1
RESIDUE, MILK	1
UDDER, MASTITIS	1

DRUG: AMOXICILLIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	3
COLLAPSE	3
INJ SITE PAIN	3
DYSPNEA	2
INJ SITE MASS	2
INJ SITE SWELLING	2
SHOCK	2
VOMITING	2
ALK PHOS HI, BLD	1
APNEA	1
BRADYCARDIA	1
CYANOSIS	1
DEATH	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
EDEMA	1
EDEMA, LUNG(S)/TRACHEA	1
ENLARGEMENT(S), SKIN	1
GLUCOSE HI, BLD	1
HYPERSALIVATION	1
HYPOPNEA	1
INJ SITE ABN	1
INJ SITE ALOPECIA	1
INJ SITE SEROMA	1
LEUKODERMA	1
POLYDIPSIA	1

DRUG: AMOXICILLIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
POLYURIA	1
PR-INTEST, LESION(S)	1
PRURITIS	1
SLOUGH, SKIN	1
SORE(S)	1
STUPOR	1
SWELLING, HEAD/FACE	1
TECH ERROR ADMINISTRAT	1
TREMBLING	1
URTICARIA	1

DRUG: AMOXICILLIN

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: AMOXICILLIN

Species: UNKNOWN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	1

DRUG: AMOXICILLIN

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	2

DRUG: AMOXICILLIN

Species: DOG

Route of Administration: TOPICAL

DRUG: AMOXICILLIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INFLAM, SKIN	1

DRUG: AMOXICILLIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
HEADACHE	1
SWELLING, HEAD/FACE	1
URTICARIA	1

DRUG: AMOXICILLIN

Species: RABBIT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	1
DIARRHEA	1

DRUG: AMOXICILLIN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PAIN	2
STUPOR	2
ANOREXIA	1
ATAXIA	1
CONVULSION(S)	1
DEATH	1
FEVER, BODY	1
HYPERSALIVATION	1
NYSTAGMUS, HORIZONTAL	1
POLYPNEA	1
PROLAPSE, THIRD EYELID	1
PRURITIS	1

DRUG: AMOXICILLIN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
TWITCH	1
VOCALIZATION	1
VOMITING	1

DRUG: AMOXICILLIN

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
RESIDUE, MILK	1

DRUG: AMOXICILLIN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PAIN	4
ANAPHYLAXIS/TOID	1
INJ SITE SWELLING	1
PD-PRODUCT DEFECT	1
VOMITING	1
WEAKNESS	1

DRUG: AMOXICILLIN

Species: UNKNOWN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PAIN	2

DRUG: AMOXICILLIN

Species: UNKNOWN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: AMOXICILLIN

Species: UNKNOWN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INJ SITE PAIN	1

DRUG: AMOXICILLIN

Species: VARIOUS

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INJ SITE PAIN	1

DRUG: AMPICILLIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	58
PD-SUSPENSION, ABN	42
PD-COLOR, ABN	12
PD-VIAL(S), ABN	9
PD-MISSING, LABEL(S)	8
PD-SEAL, ABN	6
PD-CONTAINER(S), DAMAG	5
PD-CAP(S), ABN	4
PD-UNDERFILL, PACKAGE	3
PD-LABEL(S), ABN	2
PD-VIAL(S), DAMAGED	2
PD-VIAL(S), LEAKING	2
PD-CONTAMINATION	1
PD-ODOR, ABN	1

DRUG: AMPICILLIN

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
IRRITATION, PHARYNX/TH	1

DRUG: AMPICILLIN

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANOREXIA	1
ANURIA	1
CONGESTION, SKIN	1
DEATH	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DISTRESS	1
DYSPNEA	1
PERFORATION, STOMACH	1
PERITONITIS	1
PR-STOMACH, LESION(S)	1
PRURITIS	1
RECUMBENCY	1
SWELLING, HEAD/FACE	1
ULCER(S), STOMACH	1
URTICARIA	1
VOMITING	1

DRUG: AMPICILLIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	7
ARREST, HEART	5
ANOREXIA	4
CONVULSION(S)	4
FEVER, BODY	4
ANEMIA	3
ANESTH RECOV PROLONGED	2
APNEA	2
ATAXIA	2
DEATH(EUTHANIZED)	2
DEATH(TX FAILURE)	2
HEAD TILT	2
INJ SITE MASS	2
INJ SITE NECROSIS	2

DRUG: AMPICILLIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE NEOPLASM	2
KIDNEY FAILURE	2
MYDRIASIS	2
PR-INJ SITE, LESION(S)	2
VOMITING	2
WEAKNESS	2
ADIPSIA	1
ANAPHYLAXIS/TOID	1
ANURIA	1
AZOTEMIA	1
BILIRUBIN(TOT) HI, BLD	1
BLD(ECCHYMOSES)	1
BUN HI, BLD	1
CA HI, BLD	1
CIRCLING	1
COAGULATION DISORDER	1
COLLAPSE	1
CONFUSION	1
CONGESTION, SKIN	1
CREATININE HI, BLD	1
DEHYDRATION	1
DIARRHEA, BLOODY	1
DISTRESS, RESP	1
DYSPHAGIA	1
DYSPNEA	1
EDEMA	1
EDEMA, HEAD/FACE	1
HEART DISORDER	1
HYPERACTIVITY	1
HYPHEMA	1
HYPOPNEA	1
HYPOTHERMIA, BODY	1
ICTERUS	1
INJ SITE ALOPECIA	1
INJ SITE EDEMA	1
INJ SITE FIBROSIS	1
INJ SITE PAIN	1
INJ SITE SLOUGH	1

DRUG: AMPICILLIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	1
LOCOMOTION DISORDER	1
MIOSIS	1
NYSTAGMUS, POSITIONAL	1
PALLOR, MUCOUS MEMBRAN	1
P HI, BLD	1
POLYPNEA	1
PR-HEART, LESION(S)	1
RADIOGRAPH(S) ABN	1
SHAKING	1
SHOCK	1
SKIN DISORDER	1
SOUND ABN, RESPIRATORY	1
STARING	1
STUPOR	1
TACHYCARDIA	1
TRACHEITIS	1
TREMBLING	1
TWITCH	1
URINATION ABN	1
VOCALIZATION	1
WBC LO, BLD	1

DRUG: AMPICILLIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
RESIDUE, MILK	11
DYSYPNEA	7
DEATH	3
FROTH, MOUTH/LIP(S)	3
STAGGERING	3
URTICARIA	3
ANAPHYLAXIS/TOID	2
CYANOSIS	2
SWELLING, EYE(S)/LID(S)	2

DRUG: AMPICILLIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ABORTION	1
HYPERSALIVATION	1
INEFFECT, ANTIBIOTIC	1
INJ SITE PAIN	1
RESIDUE, MEAT	1
SWELLING, VAGINA/VULVA	1
UDDER, CYANOSIS	1

DRUG: AMPICILLIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	7
INJ SITE PAIN	6
VOMITING	6
ANAPHYLAXIS/TOID	5
ANOREXIA	5
DEPRESSION/LETHARGY	5
FEVER, BODY	5
WBC HI, BLD	5
BRADYCARDIA	4
DIARRHEA	4
INJ SITE SWELLING	4
MONOS HI, BLD	4
SEGS HI, BLD	4
ANEMIA	3
DEATH(EUTHANIZED)	3
INEFFECT, ANTIBIOTIC	3
ALBUMIN LO, BLD	2
BASOS HI, BLD	2
BEHAVIOR DISORDER	2
CONGESTION, SKIN	2
DEATH(TX FAILURE)	2
ENLARGEMENT, LYMPH NOD	2
INJ SITE ABN	2
PALLOR, MUCOUS MEMBRAN	2

DRUG: AMPICILLIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PLATELETS HI, BLD	2
SGPT/ALT HI, BLD	2
TACHYCARDIA	2
URTICARIA	2
ABN COLOR, URINE	1
ABSCESS, SKIN	1
ACCIDENTAL EXPOSURE	1
ALK PHOS HI, BLD	1
ANEMIA, AUTOIMMUNE HEM	1
ARREST, HEART	1
ARRHYTHMIA	1
ARRHYTHMIA, BLOCK	1
BILIRUBIN(TOT) HI, BLD	1
BILIRUBIN, URINE	1
BLD, URINE	1
CA LO, BLD	1
CONGESTION, EYE(S)/LID	1
CONGESTION, MUCOUS MEM	1
CONSTIPATION	1
CONVULSION(S)	1
CYANOSIS, MUCOUS MEMBR	1
DEAFNESS	1
DIARRHEA, WATERY	1
DIFFICULTY RISING	1
DISCHARGE, EAR(S)	1
DISTENTION, ABDOMEN	1
ECG ABN	1
EDEMA	1
EDEMA, CORNEA(S)	1
EDEMA, HEAD/FACE	1
EDEMA, LIMB(S)	1
EDEMA, LUNG(S)/TRACHEA	1
ENLARGEMENT, SALIVARY GLAND	1
EOSINOS HI, BLD	1
GLOBULIN HI, BLD	1
GLOBULIN LO, BLD	1
GLUCOSE LO, BLD	1
GLUCOSE, URINE	1

DRUG: AMPICILLIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPOTHERMIA	1
HYPOTHERMIA, BODY	1
INJ SITE ALOPECIA	1
LAMENESS	1
LESION(S), SKIN	1
LIVER DISORDER	1
MELENA	1
MICROORGANISMS, URINE	1
NERVOUSNESS	1
NEUROLOGICAL DISORDER	1
PAIN	1
PAIN, NECK	1
POLYPNEA	1
POLYURIA	1
PROTEIN(TOT) LO, BLD	1
PROTEIN, URINE	1
PRURITIS, EAR(S)	1
RECUMBENCY	1
SGOT/AST HI, BLD	1
SHAKING	1
SKIN, NECROSIS	1
SPEC GRAVITY LO, URINE	1
SWELLING, EAR(S)	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
SWELLING, LIMB(S)	1
SWELLING, MULT SITES	1
THYROID HORMONE(S) LO	1
TREMBLING	1
ULCER(S), GI	1
US ABN	1
US-LIVER ABN	1
VOMITING, BLOODY	1
WEAKNESS	1

DRUG: AMPICILLIN

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	2
ANOREXIA	1
INJ SITE EDEMA	1
INJ SITE INFLAM	1
INJ SITE PAIN	1
PAIN, ABDOMEN	1

DRUG: AMPICILLIN

Species: UNKNOWN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	1

DRUG: AMPICILLIN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
ANOREXIA	1
DEATH	1
DEPRESSION/LETHARGY	1
FEVER, BODY	1
INEFFECT, ANTIBIOTIC	1
INJ SITE PAIN	1
VOMITING	1

DRUG: AMPICILLIN

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
INEFFECT, ANTIBIOTIC	1
PR-LUNG(S), LESION(S)	1

DRUG: AMPICILLIN

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PR-PLEURA, LESION(S)	1
RESIDUE, MEAT	1
RESIDUE, MILK	1

DRUG: AMPICILLIN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PAIN	2
PD-SUSPENSION, ABN	2
VOMITING	2
EDEMA, HEAD/FACE	1

DRUG: AMPICILLIN

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
WEAKNESS	1

DRUG: AMPROLIUM

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	4
PD-COLOR, ABN	3
PD-SOLUTION, ABN	3
PD-SEAL, ABN	2
PD-UNDERFILL, PACKAGE	2
PD-POTENCY, LO	1
PD-PRODUCT DEFECT	1

DRUG: AMPROLIUM

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
IRRITATION, PHARYNX/TH	1

DRUG: AMPROLIUM

Species: ALPACA

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	2
ELECTROLYTE DISORDER	2
KIDNEY FAILURE	2
PROTEIN(TOT) LO, BLD	2
WBC LO, BLD	2

DRUG: AMPROLIUM

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2

DRUG: AMPROLIUM

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, COCCIDIA	23
DEATH	13
DIARRHEA, BLOODY	5
DIARRHEA, MILD	5
COLLAPSE	4
SHAKING	4
DIARRHEA	3
LOSS OF CONDITION	3
RECUMBENCY	3
ABORTION	1
BLOAT	1

DRUG: AMPROLIUM

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	1
DEATH(STILLBORN)	1
DEPRESSION/LETHARGY	1
DIARRHEA, WATERY	1
DIFFICULTY RISING	1
FEVER, BODY	1
GI, ABNORMAL	1
HEMATOCHEZIA	1
INFECTION, FEET/DIGIT(1
LAMENESS	1
MELENA	1
POSTURE ABN	1
STAGGERING	1
SWELLING, FEET/DIGIT(S)	1

DRUG: AMPROLIUM

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
REGURGITATION	1

DRUG: AMPROLIUM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONVULSION(S)	2
BLD, URINE	1
MYDRIASIS	1
TREMBLING	1
WEAKNESS	1

DRUG: AMPROLIUM

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLINDNESS	1
CONVULSION(S)	1
DEATH	1
DEATH(STILLBORN)	1
RECUMBENCY	1
SWELLING, HEAD/FACE	1

DRUG: AMPROLIUM

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, ABDOMEN	2
IRRITATION, PHARYNX/TH	1

DRUG: AMPROLIUM

Species: SHEEP

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
DISCHARGE, NOSE	2
DEFECATION ABN	1

DRUG: AMPROLIUM

Species: FISH

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: AMPROLIUM

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: AMPROLIUM

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
IRRITATION, SKIN	1
TASTE ABNORMALITY	1

DRUG: AMPROLIUM

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, COCCIDIA	2
DEATH	1
DEATH(TX FAILURE)	1

DRUG: AMPROLIUM

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HEADACHE	1
NAUSEA	1
PAIN	1
PAIN, MUSCLE(S)	1

DRUG: ANTI-INFLAMMATORY

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLD	1
DEATH	1

DRUG: ANTI-INFLAMMATORY

Species: HORSE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: ANTI-INFLAMMATORY

Species: HORSE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
SORE(S)	1
VESICLE(S)/BULLAE, SKI	1

DRUG: APRAMYCIN

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT	1

DRUG: ARECOLINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BRADYCARDIA	1
CONVULSION(S)	1
DEATH	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1
SHOCK	1
STUPOR	1
TOX	1
UNCONSCIOUS	1

DRUG: ARSENAIDE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	23
VOMITING	14
DEPRESSION/LETHARGY	9
ANOREXIA	6
ICTERUS	6
ICTERUS, BODY	3

DRUG: ARSENAMIDE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, HW ADULTS	3
SGPT/ALT HI, BLD	3
ATAXIA	2
CONFUSION	2
DIARRHEA	2
DIARRHEA, BLOODY	2
DISTRESS, RESP	2
FEVER, BODY	2
LIVER DISORDER	2
SWELLING, LIMB(S)	2
VOMITING, BLOODY	2
ANAPHYLAXIS/TOID	1
ANEMIA	1
BLD, ABDOMEN	1
BLD, LUNG(S)/TRACHEA	1
BRADYCARDIA	1
CONGESTION, EYE(S)/LID	1
CONVULSION(S)	1
DEATH(EUTHANIZED)	1
DIARRHEA, MILD	1
DIARRHEA, SEVERE	1
EDEMA, LIMB(S)	1
ILL	1
INJ SITE EDEMA	1
INJ SITE SWELLING	1
KIDNEY FAILURE	1
LIVER ENZYMES HI, BLD	1
LIVER PROFILE HI	1
NAUSEA	1
PALLOR, MUCOUS MEMBRAN	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1
SGOT/AST HI, BLD	1
STAGGERING	1
UNCONSCIOUS	1
WEAKNESS	1

DRUG: ARSENAMIDE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
VOMITING	2
ICTERUS, BODY	1

DRUG: ASPIRIN, METHYLPREDNISOLONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
BLD	1
COAGULATION DISORDER	1
DEATH	1
DEPRESSION/LETHARGY	1
HEMATOCHEZIA	1
SHOCK	1
ULCER(S), GI	1
VOMITING, BLOODY	1

DRUG: ASPIRIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	2
ANEMIA	1
BLD	1
BLD, ABDOMEN	1
COAGULATION DISORDER	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
DISTENTION, ABDOMEN	1
ICTERUS	1
LIVER ENZYMES HI, BLD	1
MELENA	1
MYDRIASIS	1
PAIN, ABDOMEN	1
PLATELETS ABN	1

DRUG: ASPIRIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
WEAKNESS	1

DRUG: ATIPAMEZOLE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	20
PD-SOLUTION, ABN	19
PD-SEAL, ABN	18
PD-COLOR, ABN	8
PD-VIAL(S), DAMAGED	4
PD-PRODUCT DEFECT	3
PD-VIAL(S), ABN	3
PD-UNDERFILL, VIAL(S)	2
PD-CAP(S), ABN	1
PD-CONTAINER(S), ABN	1
PD-CONTAINER(S), DAMAG	1
PD-DEFECT UNKNOWN	1
PD-LABEL(S), ABN	1
PD-MISSING, CAP	1
PD-MISSING, LABEL(S)	1
PD-UNKNOWN	1

DRUG: ATIPAMEZOLE

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
HYPERPNEA	2
ANEMIA	1
ANEMIA, AUTOIMMUNE HEM	1
BLD, RECTUM	1
DEATH(EUTHANIZED)	1
DIARRHEA, BLOODY	1
DIARRHEA, MUCOID	1
HYPERACTIVITY	1

DRUG: ATIPAMEZOLE

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
HYPERSALIVATION	1
INFECTION, UTERUS	1
PR-PERITONEAL EFFUSION	1
PR-PLEURAL EFFUSION	1
STUPOR	1
TACHYCARDIA	1
VOCALIZATION	1

DRUG: ATIPAMEZOLE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	3
DEPRESSION/LETHARGY	3
ANOREXIA	2
DEHYDRATION	2
DIARRHEA, BLOODY	2
INEFFECT, REVERSAL	2
POLYCYTHEMIA	2
URTICARIA	2
ANISOCORIA	1
ARREST, HEART	1
BLD, LUNG(S)/TRACHEA	1
CONVULSION(S)	1
DIARRHEA	1
ELECTROLYTE DISORDER	1
EPISTAXIS	1
FEVER, BODY	1
GLUCOSE HI, BLD	1
GLUCOSE LO, BLD	1
HYPERPNEA	1
INTERACTION, DRUG(S)	1
LYMPHS LO, BLD	1
MIOSIS	1
P HI, BLD	1
PNEUMONIA	1

DRUG: ATIPAMEZOLE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
PNEUMONIA, ASPIRATION	1
PR-LUNG(S), LESION(S)	1
PRURITIS	1
PTT PROLONGED, BLD	1
RECUMBENCY	1
SHAKING, HEAD/FACE	1
SOMNOLENCE	1
STAGGERING	1
TACHYCARDIA	1
VOMITING	1

DRUG: ATIPAMEZOLE

Species: HUMAN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
INJ SITE SWELLING	1

DRUG: ATIPAMEZOLE

Species: NOT APPLICABLE

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	1
PD-SUSPENSION, ABN	1

DRUG: ATIPAMEZOLE

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	2
MYDRIASIS	1
PAIN, EYE(S)/LID(S)	1
VISION DISORDER	1

DRUG: ATIPAMEZOLE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ARREST, HEART	1
BUN HI, BLD	1
CYANOSIS	1
DEATH	1
HYPERACTIVITY	1
HYPERSALIVATION	1
KIDNEY DISORDER	1
NERVOUSNESS	1
WBC LO, BLD	1

DRUG: ATIPAMEZOLE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERSALIVATION	3
VOMITING	2
ALBUMIN HI, URINE	1
ALBUMIN LO, BLD	1
ALK PHOS HI, BLD	1
ANEMIA	1
BLD, GI	1
BUN HI, BLD	1
CREATININE HI, BLD	1
CYSTITIS	1
DEATH	1
DIARRHEA, BLOODY	1
EDEMA, LUNG(S)/TRACHEA	1
INCONTINENCE, URINARY	1
INEFFECT, REVERSAL	1
LIVER DISORDER	1
LOSS OF CONDITION	1
MICROORGANISMS, URINE	1
MONOS HI, BLD	1
NAUSEA	1
NERVOUSNESS	1
P HI, BLD	1

DRUG: ATIPAMEZOLE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SEGS HI, BLD	1
SGPT/ALT HI, BLD	1
ULCER(S), GI	1
WBC HI, BLD	1

DRUG: ATIPAMEZOLE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPERSALIVATION	46
DEATH	42
INEFFECT, REVERSAL	19
APNEA	17
ARREST, HEART	16
POLYPNEA	16
ANOREXIA	15
ATAXIA	15
HYPERPNEA	15
VOCALIZATION	15
VOMITING	15
DEPRESSION/LETHARGY	13
CONVULSION(S)	12
DYSPNEA	10
HYPERACTIVITY	10
HYPOTHERMIA	10
ANAPHYLAXIS/TOID	8
FEVER, BODY	8
TREMBLING	8
ANISOCORIA	7
DEATH(EUTHANIZED)	7
DISTRESS, RESP	7
MYDRIASIS	6
RECUMBENCY	6
CYANOSIS	5
DIARRHEA	5
EDEMA, LUNG(S)/TRACHEA	5

DRUG: ATIPAMEZOLE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
GLUCOSE HI, BLD	5
HYPOTHERMIA, BODY	5
PROLAPSE, THIRD EYELID	5
SWELLING, HEAD/FACE	5
BUN HI, BLD	4
COLLAPSE	4
HEAD TILT	4
KIDNEY FAILURE	4
TACHYCARDIA	4
WEIGHT LOSS	4
ADIPSIA	3
AGGRESSION	3
ANESTH RECOV TURBULENT	3
APPREHENSION	3
CONFUSION	3
CREATININE HI, BLD	3
DEAFNESS	3
DEHYDRATION	3
EDEMA, LIMB(S)	3
HIDING	3
NERVOUSNESS	3
NEUROLOGICAL DISORDER	3
NYSTAGMUS, HORIZONTAL	3
PR-LUNG(S), EDEMA	3
RADIOGRAPH(S) ABN	3
SGPT/ALT HI, BLD	3
TWITCH	3
VESTIBULAR DISORDER	3
ALK PHOS HI, BLD	2
ANESTH RECOV PROLONGED	2
BILIRUBIN(TOT) HI, BLD	2
BLINDNESS	2
BRADYCARDIA	2
CIRCLING	2
DIARRHEA, MILD	2
DISTRESS	2
HEAD BOBBING	2
HORNER'S SYNDROME	2

DRUG: ATIPAMEZOLE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANTIDOTE	2
K HI, BLD	2
NYSTAGMUS	2
P HI, BLD	2
RESPIRATORY DISORDER	2
SEDATION	2
SHAKING	2
SHAKING, HEAD/FACE	2
SKIN, NECROSIS	2
SOUND ABN, RESPIRATORY	2
STUPOR	2
ACIDOSIS	1
ANEMIA	1
ANURIA	1
ARRHYTHMIA	1
BITING/CHEWING	1
BLD	1
BLD, ABN	1
BLD, EAR(S)	1
BLD, LUNG(S)/TRACHEA	1
BLINDNESS, TEMP	1
BREATHING ABN	1
BREATHING, PERIODIC	1
CARDIOMEGALY	1
CONGESTION, EYE(S)/LID	1
CONGESTION, LUNG(S)	1
CONGESTION, MUCOUS MEM	1
CONGESTION, SKIN	1
CONJUNCTIVITIS	1
COUGHING	1
CPK HI, BLD	1
CYANOSIS, MUCOUS MEMBR	1
DEFECATION	1
DEFECATION ABN	1
DIABETES MELLITUS	1
DISCHARGE, VULVA	1
DYSPHAGIA	1
EFFUSION, PLEURAL	1

DRUG: ATIPAMEZOLE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ENLARGEMENT, LYMPH NOD	1
EIPPHORA	1
EPISTAXIS	1
FROTH, MOUTH/LIP(S)	1
GGT HI, BLD	1
HYPERESTHESIA	1
INCONTINENCE, FECAL	1
IRRITATION, EAR(S)	1
LIVER DISORDER	1
LOCOMOTION DISORDER	1
MIOSIS	1
MUCOUS MEMBR, ABN COLO	1
MURMUR, HEART	1
NA HI, BLD	1
NAUSEA	1
NEOPLASM	1
NO SIGNS	1
OTITIS	1
PAIN, ABDOMEN	1
PAIN, HIND LIMB(S)	1
PAIN, LIMB(S)	1
PARALYSIS	1
POLYCYTHEMIA	1
POLYDIPSIA	1
PR-MULT SITES, CONGEST	1
PR-PLEURAL EFFUSION	1
PULSE THREADY	1
PUPIL(S), AREFLEXIA	1
REFLEX(ES) ABN	1
RELUCTANT TO CLIMB	1
RELUCTANT TO MOVE	1
SCROTUM, ABN	1
SEDATION PROLONGED	1
SEDATION RELAPSE	1
SHOCK	1
SLOUGH, TONGUE	1
SOMNOLENCE	1
SPEC GRAVITY LO, URINE	1

DRUG: ATIPAMEZOLE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
STARING	1
SWELLING, EYE(S)/LID(S)	1
TECH ERROR ADMINISTRAT	1
THROMBUS	1
ULCER(S), TONGUE	1
UNCONSCIOUS	1
URINATION	1
URINATION ABN	1
VISION DISORDER	1

DRUG: ATIPAMEZOLE

Species: CHIMPANZEE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPERACTIVITY	1
TREMBLING	1

DRUG: ATIPAMEZOLE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, REVERSAL	168
DEATH	152
CONVULSION(S)	64
VOMITING	63
DEPRESSION/LETHARGY	52
HYPERACTIVITY	45
ARREST, HEART	43
APNEA	38
FEVER, BODY	35
POLYPNEA	35
ANOREXIA	33
TREMBLING	33
INEFFECT, ANTIDOTE	32
TACHYCARDIA	32

DRUG: ATIPAMEZOLE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPERSALIVATION	31
ATAXIA	30
BRADYCARDIA	28
ANESTH RECOV PROLONGED	26
VOCALIZATION	26
SGPT/ALT HI, BLD	25
COLLAPSE	23
NERVOUSNESS	21
SEDATION PROLONGED	21
DEATH(EUTHANIZED)	19
DIARRHEA	18
DYSPNEA	18
ALK PHOS HI, BLD	17
SEDATION RELAPSE	16
CONFUSION	15
BUN HI, BLD	14
DIARRHEA, BLOODY	14
HYPERPNEA	14
PALLOR, MUCOUS MEMBRAN	14
RECUMBENCY	12
CREATININE HI, BLD	11
ANESTH RECOV TURBULENT	10
HYPOTHERMIA	10
HYPOTHERMIA, BODY	10
INCONTINENCE, URINARY	10
RADIOGRAPH(S) ABN	10
DEAFNESS	9
TWITCH	9
WEAKNESS	9
APPREHENSION	8
ARRHYTHMIA	8
INEFFECT, SEDATION	8
SEDATION	8
EDEMA, LUNG(S)/TRACHEA	7
POLYDIPSIA	7
SGOT/AST HI, BLD	7
SHOCK	7
WBC HI, BLD	7

DRUG: ATIPAMEZOLE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
WEIGHT LOSS	7
BILIRUBIN(TOT) HI, BLD	6
BLINDNESS	6
DEHYDRATION	6
GLUCOSE LO, BLD	6
MYDRIASIS	6
NEUROLOGICAL DISORDER	6
NYSTAGMUS	6
PAIN, ABDOMEN	6
P HI, BLD	6
ANEMIA	5
BEHAVIOR DISORDER	5
BLD, MOUTH/LIP(S)	5
BLINDNESS, TEMP	5
CONGESTION, LUNG(S)	5
EPISTAXIS	5
GLUCOSE HI, BLD	5
INEFFECT	5
OPISTHOTONOS	5
PR-HEART, LESION(S)	5
PR-LUNG(S), EDEMA	5
STUPOR	5
VOMITING, BLOODY	5
BLD, LUNG(S)/TRACHEA	4
CIRCLING	4
CYANOSIS	4
CYANOSIS, MUCOUS MEMBR	4
FROTH, MOUTH/LIP(S)	4
ICTERUS, BODY	4
INTERACTION, DRUG(S)	4
PACING	4
PARESIS, HIND LIMB(S)	4
PLATELETS LO, BLD	4
PRESSURE LO, BLD	4
PR-LIVER, LESION(S)	4
SHAKING	4
UNCONSCIOUS	4
URTICARIA	4

DRUG: ATIPAMEZOLE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
AGGRESSION	3
ALBUMIN LO, BLD	3
AZOTEMIA	3
BLD	3
BLD, URINE	3
CONGESTION, EYE(S)/LID	3
CONGESTION, MUCOUS MEM	3
CONGESTION, SKIN	3
DIARRHEA, MILD	3
DIARRHEA, WATERY	3
DISCOMFORT	3
EDEMA, HEAD/FACE	3
GINGIVA, ABN	3
HEAD BOBBING	3
HEAD TILT	3
LAMENESS	3
MUCOUS MEMBR, ABN COLO	3
MURMUR, HEART	3
PAIN	3
PALLOR	3
POLYURIA	3
PRESSURE HI, BLD	3
PR-KIDNEY(S), LESION(S	3
PROLAPSE, THIRD EYELID	3
PROPRIOCEPTIVE DISORDE	3
SEGS HI, BLD	3
SOUND ABN, RESPIRATORY	3
SWELLING, HEAD/FACE	3
THRASHING/PADDLING	3
URINATION	3
ACCIDENTAL EXPOSURE	2
ANAPHYLAXIS/TOID	2
ASCITES	2
BLD, ABDOMEN	2
BLD(HEMATOMA)	2
BLD, RECTUM	2
BLD, SCROTUM	2
CAPILLARY REFILL PROLO	2

DRUG: ATIPAMEZOLE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CARDIOMEGALY	2
COAGULATION DISORDER	2
COUGHING	2
DEFECATION	2
DIFFICULTY RISING	2
DISTRESS, RESP	2
EYE DISORDER	2
FIBROSIS	2
GGT HI, BLD	2
GLUCOSE, URINE	2
HALLUCINATION	2
HEART DISORDER	2
HYPERESTHESIA	2
HYPOPNEA	2
INJ SITE INFLAM	2
IRIS(BLD)	2
KIDNEY FAILURE	2
K LO, BLD	2
LIVER DISORDER	2
LOCOMOTION DISORDER	2
MELENA	2
MORIBUND	2
MUCOUS MEMBR, MUDDY	2
NO SIGNS	2
PANCREATITIS	2
PNEUMONIA, ASPIRATION	2
POLYPHAGIA	2
POSTURE ABN	2
PR-LUNG(S), LESION(S)	2
PROTEIN(TOT) LO, BLD	2
PRURITIS	2
RASH	2
REFLEX(ES) ABN	2
SOMNOLENCE	2
SPASM	2
SPLENOMEGALY	2
STARING	2
STIFFNESS	2

DRUG: ATIPAMEZOLE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
STUMBLING	2
SWELLING, FEET/DIGIT(S)	2
US-LIVER ABN	2
UVEITIS	2
ABN COLOR, URINE	1
ADIPOSE, INFLAM	1
ADIPSIA	1
ALBUMIN HI, BLD	1
AMYLASE HI, BLD	1
ANEMIA, AUTOIMMUNE HEM	1
ANISOCORIA	1
ANURIA	1
ARRHYTHMIA, BLOCK	1
BALANCE DISORDER	1
BILE ACIDS HI, BLD	1
BITING/CHEWING	1
BLD, EAR(S)	1
BLD, INCISION SITE	1
BLD(PETECHIAE)	1
BLD, RETINA	1
BLD, SCLERA	1
BLEPHAROSPASM	1
CERVICAL SPINE ABN	1
CO2 HI, BLD	1
CONGESTION	1
CONSTIPATION	1
CPK HI, BLD	1
CRYSTALS, URINE	1
DEAFNESS, TEMP	1
DEATH(NEWBORN)	1
DESTRUCTIVENESS	1
DIARRHEA, PROJECTILE	1
DIC	1
DISCHARGE, NOSE	1
DISTRESS	1
DYSMETRIA	1
ECG ABN	1
ECG, ABN	1

DRUG: ATIPAMEZOLE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
EDEMA, CORNEA(S)	1
EDEMA, FEET/DIGIT(S)	1
EDEMA, LIMB(S)	1
EDEMA, NECK	1
EFFUSION, JOINT(S)	1
EFFUSION, PERITONEAL	1
EOSINOS HI, BLD	1
EOSINOS LO, BLD	1
FIBRILLATION, VENTRICU	1
FIBRINOGEN HI, BLD	1
FLY BITING	1
FROTH, NOSE	1
GAGGING	1
GALL BLADDER, ABN	1
GI, ABNORMAL	1
HCO3 HI, BLD	1
HEAD PRESSING	1
HEMATOCHEZIA	1
HEMOGLOBIN, URINE	1
HEPATITIS	1
HIDING	1
HORNER'S SYNDROME	1
ICTERUS	1
ICTERUS, SERUM	1
INCISION SITE, ECCHYMOSIS	1
INCONTINENCE, FECAL	1
INEFFECT, ANESTHESIA	1
INFECTION, URINARY TRA	1
INFLAM, SKIN	1
INJ SITE ALOPECIA	1
INJ SITE EDEMA	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
INSOMNIA	1
JOINT DISORDER	1
K HI, BLD	1
KIDNEY DISORDER	1
LEG DISORDER	1

DRUG: ATIPAMEZOLE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
LESION(S), SKIN	1
LICKING	1
LIPASE HI, BLD	1
LOCKJAW	1
MICROORANISMS, URINE	1
MIOSIS	1
MONOS HI, BLD	1
NA HI, BLD	1
NA LO, BLD	1
NAUSEA	1
NEOPLASM, BONE	1
NYSTAGMUS, HORIZONTAL	1
NYSTAGMUS, VERTICAL	1
PAIN, BACK	1
PAIN, HIND LIMB(S)	1
PAIN, LIMB(S)	1
PERFORATION, GI	1
PERITONITIS	1
PHOTOPHOBIA	1
PNEUMONIA	1
POLYCYTHEMIA	1
POLYCYTHEMIA(RELATIVE)	1
PRIAPISM	1
PR-MULT SITES, BLD	1
PR-MULT SITES, CONGEST	1
PR-MULT SITES, EDEMA	1
PROLAPSE, TONGUE	1
PROTEIN, URINE	1
PR-PANCREAS, LESION(S)	1
PR-SPLEEN, LESION(S)	1
PR-STOMACH, LESION(S)	1
PULSE THREADY	1
PUPIL(S), AREFLEXIA	1
RBC, NUCLEATED	1
ROLLING	1
SEDATION TOO DEEP	1
SEGS LO, BLD	1
SKIN ABNORMAL	1

DRUG: ATIPAMEZOLE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SKIN, SCAB(S)	1
SQUINTING	1
STAGGERING	1
STIFFNESS, FRONT LIMB(1
STIFFNESS, LIMB(S)	1
STOOL ABN	1
SWELLING, EYE(S)/LID(S	1
SWELLING, LIMB(S)	1
SWELLING, NECK	1
SWELLING, SCROTUM	1
THROMBUS	1
THYROID HORMONE(S) HI	1
THYROID HORMONE(S) LO	1
TONGUE, ABN	1
UDDER, HYPOGALACTIA	1
ULCER(S), GI	1
UREMIA	1
URINATION ABN	1
US ABN	1
VISION DISORDER	1
WBC LO, BLD	1

DRUG: ATIPAMEZOLE

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	1
INJ SITE SWELLING	1

DRUG: ATIPAMEZOLE

Species: MONKEY

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	1
INEFFECT, REVERSAL	1

DRUG: ATIPAMEZOLE

Species: MONKEY

Route of Administration: PARENTERAL

DRUG: ATIPAMEZOLE

Species: OTHER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
SEDATION PROLONGED	1

DRUG: ATIPAMEZOLE

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
DYSPNEA	1

DRUG: ATIPAMEZOLE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
POLYPNEA	1
TREMBLING	1

DRUG: ATIPAMEZOLE

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HYPERSALIVATION	6
DEATH	5
VOMITING	5
APNEA	4
ARREST, HEART	4
VOCALIZATION	4
ATAXIA	3
CONVULSION(S)	3

DRUG: ATIPAMEZOLE

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
POLYPNEA	3
ANOREXIA	2
DEPRESSION/LETHARGY	2
HYPERACTIVITY	2
INEFFECT, REVERSAL	2
MYDRIASIS	2
NYSTAGMUS	2
UNCONSCIOUS	2
ANEMIA	1
ANURIA	1
APPREHENSION	1
BRADYCARDIA	1
BUN HI, BLD	1
CELLULITIS	1
CREATININE HI, BLD	1
DEATH(EUTHANIZED)	1
DEFECATION	1
DIARRHEA	1
EDEMA, LUNG(S)/TRACHEA	1
FIBRILLATION	1
FROTH, MOUTH/LIP(S)	1
HAIR, ABN	1
HYPERPNEA	1
HYPOTHERMIA	1
INJ SITE INFLAM	1
INJ SITE MASS	1
NAUSEA	1
NEPHRITIS	1
NO SIGNS	1
PARALYSIS, HIND LIMB(S)	1
P HI, BLD	1
PRESSURE LO, BLD	1
PR-INJ SITE, LESION(S)	1
REACTION, UNSPECIFIED	1
RECUMBENCY	1
SGPT/ALT HI, BLD	1
SPASM	1
STAGGERING	1

DRUG: ATIPAMEZOLE

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
TACHYCARDIA	1
TWITCH	1
VESTIBULAR DISORDER	1

DRUG: ATIPAMEZOLE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, REVERSAL	27
DEATH	19
DEPRESSION/LETHARGY	12
FEVER, BODY	10
VOMITING	9
ANOREXIA	7
ARREST, HEART	7
POLYPNEA	7
DIARRHEA, BLOODY	5
INEFFECT, ANTIDOTE	5
TACHYCARDIA	5
ALK PHOS HI, BLD	4
APNEA	4
DIARRHEA	4
HYPERACTIVITY	4
SEDATION RELAPSE	4
ANAPHYLAXIS/TOID	3
CONVULSION(S)	3
DEATH(EUTHANIZED)	3
DYSYPNEA	3
HYPERSALIVATION	3
SGPT/ALT HI, BLD	3
TREMBLING	3
APPREHENSION	2
ATAXIA	2
BILIRUBIN(TOT) HI, BLD	2
COLLAPSE	2
CPK HI, BLD	2

DRUG: ATIPAMEZOLE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH(NEWBORN)	2
HEAD PRESSING	2
HYPOTHERMIA	2
OPISTHOTONOS	2
PAIN	2
RADIOGRAPH(S) ABN	2
SEDATION PROLONGED	2
SGOT/AST HI, BLD	2
SWELLING, HEAD/FACE	2
VOCALIZATION	2
VOLVULUS, STOMACH	2
WBC HI, BLD	2
WEAKNESS	2
WEIGHT LOSS	2
ADIPSIA	1
ALBUMIN LO, BLD	1
ANESTH RECOV PROLONGED	1
ANESTH RECOV TURBULENT	1
ANURIA	1
BEHAVIOR DISORDER	1
BLD, LUNG(S)/TRACHEA	1
BLINDNESS	1
BORBORYGMI	1
BUN LO, BLD	1
CONGESTION, LUNG(S)	1
CYANOSIS	1
DEHYDRATION	1
DIABETES	1
DIARRHEA, MILD	1
DISCHARGE, NOSE	1
DISCOMFORT	1
DISTENTION, ABDOMEN	1
DISTRESS, RESP	1
DRY MOUTH SYNDROME	1
DYSURIA	1
EDEMA, LUNG(S)/TRACHEA	1
EFFUSION, PLEURAL	1
FIBRILLATION, VENTRICU	1

DRUG: ATIPAMEZOLE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
GGT HI, BLD	1
GLOBULIN HI, BLD	1
GLUCOSE HI, BLD	1
GLUCOSE, URINE	1
HALLUCINATION	1
HYPERPNEA	1
HYPOPNEA	1
INEFFECT	1
INFECTION, URINARY TRA	1
K LO, BLD	1
LAMENESS	1
LIVER ENZYMES HI, BLD	1
LYMPHS LO, BLD	1
MELENA	1
MUCOUS MEMBR, ABN COLO	1
MYDRIASIS	1
NERVOUSNESS	1
NYSTAGMUS	1
PAIN, ABDOMEN	1
PAIN, BACK	1
PARALYSIS, HIND LIMB(S)	1
POLYCYTHEMIA(RELATIVE)	1
POLYURIA	1
PRESSURE LO, BLD	1
PR-LUNG(S), LESION(S)	1
PROSTATOMEGALY	1
PR-STOMACH, LESION(S)	1
PULSE THREADY	1
SEGS HI, BLD	1
SOUND ABN, RESPIRATORY	1
STAGGERING	1
TECH ERROR ADMINISTRAT	1
TREMBLING, FACE	1
URINATION ABN	1
URTICARIA	1
VESICLE(S)/BULLAE, SKI	1
VOMITING, BLOODY	1
WBC LO, BLD	1

DRUG: ATIPAMEZOLE

Species: DOG

Route of Administration: UNKNOWN

DRUG: ATIPAMEZOLE

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
VOMITING	1

DRUG: ATIPAMEZOLE

Species: VARIOUS

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
DEPRESSION/LETHARGY	1
DISTRESS, RESP	1
PR-GI, LESION(S)	1
PR-LUNG(S), LESION(S)	1

DRUG: ATIPAMEZOLE

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, REVERSAL	5
DEATH	1

DRUG: ATROPINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ARREST, HEART	1
BRADYCARDIA	1
COLLAPSE	1
CONVULSION(S)	1
DEATH	1
PRESSURE LO, BLD	1

DRUG: ATROPINE

Species: DOG

Route of Administration: PARENTERAL

DRUG: ATROPINE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
TACHYCARDIA	1

DRUG: ATROPINE

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
BRADYCARDIA	1
INEFFECT	1

DRUG: ATTAPULGITE, BISMUTH, KANAMYCIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-MISSING, LABEL(S)	5
PD-TABLET(S), ABN	4
PD-CAP(S), ABN	2
PD-SEAL, ABN	2
PD-COLOR, ABN	1
PD-CONTAINER(S), DAMAG	1

DRUG: ATTAPULGITE, BISMUTH, KANAMYCIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1
BILIRUBIN(TOT) HI, BLD	1
DIARRHEA	1
HEAD TILT	1
INEFFECT, ANTIBIOTIC	1

DRUG: ATTAPULGITE, BISMUTH, KANAMYCIN

Species: CAT

Route of Administration: ORAL

DRUG: ATTAPULGITE, BISMUTH, KANAMYCIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
LAMENESS	2
ANAPHYLAXIS/TOID	1
ANOREXIA	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
FEVER, BODY	1
HEAD TILT	1
HIDING	1
INEFFECT	1
INEFFECT, ANTIBIOTIC	1
NYSTAGMUS, HORIZONTAL	1
PARESIS, FORE LIMB(S)	1
PD-TABLET(S), ABN	1
RASH	1
RECUMBENCY	1
SHAKING	1
STIFFNESS, FRONT LIMB(1
SWELLING, HEAD/FACE	1
TABLET(S), UNDIGEST	1
UNCONSCIOUS	1
URTICARIA	1
VOMITING	1

DRUG: AZAPERONE

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
PROLAPSE, PENIS	1

DRUG: AZATHIOPRINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	7
GGT HI, BLD	6
SGOT/AST HI, BLD	5
SGPT/ALT HI, BLD	5
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
ENCEPHALOPATHY	1
GI, ABNORMAL	1
LIVER DISORDER	1
MELENA	1
PAIN, ABDOMEN	1
PANCYTOPENIA	1
SEPSIS	1
TOX	1

DRUG: BACITRACIN, HYDROCORTISONE, NEOMYCIN, PO

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	2
PD-DEFECT UNKNOWN	1
PD-TUBE(S), ABN	1

DRUG: BACITRACIN, HYDROCORTISONE, NEOMYCIN, PO

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	5
DEATH	3
DYSPNEA	3
VOMITING	3
CONJUNCTIVITIS	2
IRRITATION, EYE(S)/LID	2
SWELLING, EYE(S)/LID(S)	2
APPLICATION SITE, ALOPECIA	1

DRUG: BACITRACIN, HYDROCORTISONE, NEOMYCIN, PO

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
BREATHING ABN	1
CYANOSIS	1
DISTRESS, RESP	1
EDEMA, EYE(S)/LID(S)	1
FEVER, BODY	1
FROTH, MOUTH/LIP(S)	1
GLUCOSE HI, BLD	1
HYPERSALIVATION	1
LIPASE HI, BLD	1
MELENA	1
POLYPNEA	1
PR-MULT SITES, CONGEST	1
SGPT/ALT HI, BLD	1
STUPOR	1
ULCER(S), CORNEA(S)	1
URINATION	1

DRUG: BACITRACIN, HYDROCORTISONE, NEOMYCIN, PO

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	3
CONGESTION, EYE(S)/LID	2
CONJUNCTIVITIS	2
ANAPHYLAXIS/TOID	1
GAGGING	1
OPACITY, CORNEA(S)	1
PAIN, EYE(S)/LID(S)	1
SWELLING, EYE(S)/LID(S)	1
VOMITING	1

DRUG: BACITRACIN, HYDROCORTISONE, NEOMYCIN, PO

Species: NOT APPLICABLE

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: BACITRACIN, HYDROCORTISONE, NEOMYCIN, PO

Species: NOT APPLICABLE

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
PD-UNDERFILL, TUBE(S)	1

DRUG: BACITRACIN, HYDROCORTISONE, NEOMYCIN, PO

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
S-IRRITATION, EYE(S)/LID	1

DRUG: BACITRACIN

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
COUGHING	1
IRRITATION	1

DRUG: BACITRACIN METHYLENE DISALICYLATE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-MISSING, LABEL(S)	1

DRUG: BACITRACIN METHYLENE DISALICYLATE

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
TOX	1

DRUG: BACITRACIN METHYLENE DISALICYLATE

Species: PIG

Route of Administration: ORAL

DRUG: BACITRACIN METHYLENE DISALICYLATE

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT	6
DEATH	2
DIARRHEA	1

DRUG: BACITRACIN METHYLENE DISALICYLATE

Species: TURKEY

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEPRESSION/LETHARGY	1
TECH ERROR, MIXING	1

DRUG: BACITRACIN, NEOMYCIN, POLYMYXIN B

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TUBE(S), ABN	2
PD-TUBE(S), LEAKING	2
PD-UNDERFILL, PACKAGE	2
PD-UNDERFILL, TUBE(S)	1

DRUG: BACITRACIN, NEOMYCIN, POLYMYXIN B

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONJUNCTIVITIS	14
ULCER(S), CORNEA(S)	12
VOMITING	9
ANAPHYLAXIS/TOID	7
DEATH	6
HYPERSALIVATION	6
IRRITATION, EYE(S)/LID	5
SWELLING, EYE(S)/LID(S)	5

DRUG: BACITRACIN, NEOMYCIN, POLYMYXIN B

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
ARREST, HEART	3
COLLAPSE	3
CONGESTION, EYE(S)/LID	3
DEFECATION	3
DIARRHEA	3
CONVULSION(S)	2
CYANOSIS	2
DYSPNEA	2
EPIPHORA	2
FROTH, MOUTH/LIP(S)	2
GAGGING	2
HYPERACTIVITY	2
HYPERPNEA	2
PAIN, EYE(S)/LID(S)	2
POLYPNEA	2
APNEA	1
BLD, EYE(S)	1
BLD, LUNG(S)/TRACHEA	1
BLEPHAROSPASM	1
BLOAT	1
COUGHING	1
CYANOSIS, MUCOUS MEMBR	1
DILITATION, STOMACH	1
DISCHARGE, EYE(S)/LID(1
EDEMA, LUNG(S)/TRACHEA	1
ENLARGEMENT, LYMPH NOD	1
EYE DISORDER	1
INCONTINENCE, FECAL	1
INEFFECT	1
MORIBUND	1
PALLOR	1
PALLOR, MUCOUS MEMBRAN	1
PHOTOSENSITIZATION	1
PR-COLON, LESION(S)	1
PR-HEART, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LUNG(S), LESION(S)	1
PR-MULT SITES, BLD	1

DRUG: BACITRACIN, NEOMYCIN, POLYMYXIN B

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
PR-MULT SITES, CONGEST	1
PR-SM INTEST, LESION(S	1
PULSE THREADY	1
RECUMBENCY	1
SQUINTING	1
STUPOR	1
SWELLING, HEAD/FACE	1
UNCONSCIOUS	1
VOCALIZATION	1

DRUG: BACITRACIN, NEOMYCIN, POLYMYXIN B

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	5
CONJUNCTIVITIS	3
SWELLING, EYE(S)/LID(S	2
ANAPHYLAXIS/TOID	1
ATAXIA	1
BLD, LUNG(S)/TRACHEA	1
BLEPHAROSPASM	1
CONGESTION	1
CONGESTION, EYE(S)/LID	1
CONGESTION, SKIN	1
COUGHING	1
DEATH(EUTHANIZED)	1
EFFUSION, PLEURAL	1
HYPERPNEA	1
MYDRIASIS	1
PRESSURE LO, BLD	1
RADIOGRAPH(S) ABN	1
S-IRRITATION, EYE(S)/LID	1
SWELLING, HEAD/FACE	1
TACHYCARDIA	1
WEAKNESS	1

DRUG: BACITRACIN, NEOMYCIN, POLYMYXIN B

Species: HORSE

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
PAIN, EYE(S)/LID(S)	1
S-IRRITATION, EYE(S)/LID	1

DRUG: BACITRACIN, NEOMYCIN, POLYMYXIN B

Species: RABBIT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONJUNCTIVITIS	1
ULCER(S), CORNEA(S)	1

DRUG: BACITRACIN, NEOMYCIN, POLYMYXIN B

Species: VARIOUS

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONGESTION, EYE(S)/LID	1
IRRITATION, EYE(S)/LID	1

DRUG: BACITRACIN, NEOMYCIN, POLYMYXIN B

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ARRHYTHMIA	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
VOMITING	1

DRUG: BACITRACIN, NEOMYCIN, POLYMYXIN B

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ULCER(S), CORNEA(S)	3
CONJUNCTIVITIS	1

DRUG: BACITRACIN, NEOMYCIN, POLYMYXIN B

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INEFFECT	1

DRUG: BACITRACIN, NEOMYCIN, POLYMYXIN B

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEAFNESS	2

DRUG: BACITRACIN, NEOMYCIN, POLYMYXIN B

Species: VARIOUS

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ULCER(S), CORNEA(S)	1

DRUG: BALSAM PERU, TRYPSIN, CASTOR OIL

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), DAMAG	2
PD-APPLICATOR, ABN	1
PD-DISPENSER, ABN	1
PD-PRODUCT DEFECT	1
PD-TUBE(S), LEAKING	1
PD-UNDERFILL, PACKAGE	1
PD-UNDERFILL, VIAL(S)	1
PD-VIAL(S), LEAKING	1

DRUG: BALSAM PERU, TRYPSIN, CASTOR OIL

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: BALSAM PERU, TRYPSIN, CASTOR OIL

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
BRONCHITIS	1
CHOKING	1
COUGHING	1

DRUG: BALSAM PERU, TRYPSIN, CASTOR OIL

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
ABRASION, CORNEA(S)	1
BLINDNESS, TEMP	1
CONGESTION, EYE(S)/LID	1
CONJUNCTIVITIS	1
EDEMA, CORNEA(S)	1
EDEMA, EYE(S)/LID(S)	1
EYE DISORDER	1
IRRITATION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1
ULCER(S), CORNEA(S)	1
VISION DISORDER	1

DRUG: BALSAM PERU, TRYPSIN, CASTOR OIL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
DIZZINESS	1
INEFFECT	1
POLYPNEA	1

DRUG: BALSAM PERU, TRYPSIN, CASTOR OIL

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: BALSAM PERU, TRYPSIN, CASTOR OIL

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PR-TENDON(S), LESION(S)	1

DRUG: BALSAM PERU, TRYPSIN, CASTOR OIL

Species: HORSE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
IRRITATION, SKIN	1
VESICLE(S)/BULLAE, SKI	1

DRUG: BALSAM PERU, TRYPSIN, CASTOR OIL

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
NO SIGNS	1

DRUG: BALSAM PERU, TRYPSIN, CASTOR OIL

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
CONFUSION	1
HUMAN EXPOSURE	1
NAUSEA	1

DRUG: BALSAM PERU, TRYPSIN, CASTOR OIL

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ANOREXIA	1
SWELLING, HEAD/FACE	1

DRUG: BALSAM PERU, TRYPSIN, CASTOR OIL

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
VOMITING	1

DRUG: BENZALKONIUM CHLORIDE

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
APPLICATION SITE ALOPECIA	1
CONGESTION, TONGUE	1
CPK HI, BLD	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
FEVER, BODY	1
SLOUGH, SKIN	1
ULCER(S), EAR(S)	1
ULCER(S), TONGUE	1

DRUG: BENZOCAINE

Species: HORSE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
APPLICATION SITE ALOPECIA	1
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE INFLAM	1
APPLICATION SITE LESION(S)	1
EXFOLIATION, SKIN	1
PD-COLOR, ABN	1
SKIN, SCAB(S)	1
ULCER(S), SKIN	1

DRUG: BETA-AMINOPROPIONITRILE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: BETA-AMINOPROPIONITRILE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	2
INJ SITE SWELLING	2
LAMENESS	2
SWELLING, TENDON(S)	2
EDEMA, LIMB(S)	1
FEVER, BODY	1
INJ SITE SEPSIS	1
PR-TENDON(S), LESION(S)	1
SKIN, NECROSIS	1

DRUG: BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-APPLICATOR, ABN	83
PD-MISSING, CAP	34
PD-DISPENSER, ABN	22
PD-TUBE(S), ABN	18
PD-TUBE(S), LEAKING	10
PD-TUBE(S), DAMAGED	8
PD-PRODUCT DEFECT	3
PD-DEFECT UNKNOWN	2
PD-LABEL(S), ABN	2
PD-UNDERFILL, TUBE(S)	2
PD-GEL/PASTE, ABN	1
PD-SEAL, ABN	1
PD-SUSPENSION, ABN	1
PD-UNDERFILL, VIAL(S)	1
PD-VIAL(S), LEAKING	1

DRUG: BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEAFNESS, PARTIAL	1

DRUG: BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEAFNESS, TEMP	1
INEFFECT, LOSS OF EFFE	1

DRUG: BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	4
CONGESTION, EYE(S)/LID	2
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE INFLAM	1
APPLICATION SITE PAIN	1
BLEPHAROSPASM	1
CONJUNCTIVITIS	1
EYE DISORDER	1
KERATOCONJUNCTIVITIS S	1
PAIN, EYE(S)/LID(S)	1
ULCER(S), CORNEA(S)	1

DRUG: BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	7
DIARRHEA, MILD	5
DIARRHEA	4
ADIPSIA	1
DEAFNESS	1
DEPRESSION/LETHARGY	1
DYSURIA	1
HYPERSALIVATION	1
INTERACTION, DRUG(S)	1
POLYDIPSIA	1
POLYURIA	1

DRUG: BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN

Species: DOG

Route of Administration: ORAL

DRUG: BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	8
DEAFNESS	5
HEAD TILT	5
DEPRESSION/LETHARGY	4
ANOREXIA	3
DEAFNESS, TEMP	3
DEATH(EUTHANIZED)	3
VESTIBULAR DISORDER	3
BLINDNESS	2
CIRCLING	2
MIOSIS	2
NYSTAGMUS	2
NYSTAGMUS, HORIZONTAL	2
RECUMBENCY	2
VOCALIZATION	2
VOMITING	2
ALOPECIA	1
ANISOCORIA	1
BLD, URINE	1
CONVULSION(S)	1
CYSTITIS	1
DEAFNESS, PARTIAL	1
DEATH	1
DIARRHEA	1
EAR DISORDER	1
EYE DISORDER	1
FEVER, BODY	1
HAIR, ABN	1
HEAD BOBBING	1
HORNER'S SYNDROME	1
HYPERSALIVATION	1
INCONTINENCE, URINARY	1
KIDNEY DISORDER	1
MYDRIASIS	1

DRUG: BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PARESIS, HIND LIMB(S)	1
PR-EAR(S), LESION(S)	1
SNEEZING	1
STAGGERING	1
STRANGURIA	1
TREMBLING	1
TWITCH	1

DRUG: BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEAFNESS	330
DEAFNESS, TEMP	284
DEAFNESS, PARTIAL	85
IRRITATION, EAR(S)	30
CONGESTION, EAR(S)	18
APPLICATION SITE ERYTHEMA	10
RASH	10
HEAD TILT	9
INEFFECT	9
VESICLE(S)/BULLAE, SKI	8
ATAXIA	7
DEPRESSION/LETHARGY	7
EAR DISORDER	7
SWELLING, EAR(S)	7
URTICARIA	7
APPLICATION SITE INFLAM	6
APPLICATION SITE LESION(S)	6
DEATH(EUTHANIZED)	6
VESTIBULAR DISORDER	6
INEFFECT, ANTIBIOTIC	5
SWELLING, HEAD/FACE	5
ULCER(S), EAR(S)	5
VOMITING	5
APPLICATION SITE PAIN	4

DRUG: BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INFLAM, SKIN	4
NYSTAGMUS	4
PAPULE(S)	4
TYMPANIC MEM, RUPTURED	4
ANAPHYLAXIS/TOID	3
COLLAPSE	3
CONGESTION, SKIN	3
ANOREXIA	2
APPLICATION SITE ALOPECIA	2
BEHAVIOR DISORDER	2
BRADYCARDIA	2
CONFUSION	2
CONGESTION, EYE(S)/LID	2
CONVULSION(S)	2
DIARRHEA	2
INEFFECT, ANTIINFLAM	2
LESION(S), SKIN	2
NERVOUSNESS	2
OTITIS	2
POLYDIPSIA	2
POLYURIA	2
ULCER(S), SKIN	2
APPLICATION SITE EDEMA	1
APPLICATION SITE SWELLING	1
APPREHENSION	1
AZOTEMIA	1
BIRTH DEFECT(S), HEAD/	1
BLD, ABDOMEN	1
BLD, URINE	1
BLINDNESS	1
CATARACT(S)	1
CERVICAL SPINE ABN	1
DEATH	1
DEATH(STILLBORN)	1
DEHISCENCE	1
DISCHARGE, EAR(S)	1
DISCHARGE, EYE(S)/LID(1
EDEMA	1

DRUG: BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
EDEMA, CORNEA(S)	1
EDEMA, EYE(S)/LID(S)	1
GLUCOSE, URINE	1
HEALING IMPAIRED	1
HYPERACTIVITY	1
HYPERSALIVATION	1
INEFFECT, OTHER DRUG(S)	1
INFECTION, FEET/DIGIT(1
INFECTION, SKIN	1
INFLAM	1
INTERACTION, DRUG(S)	1
IRRITATION	1
KIDNEY FAILURE	1
LOCOMOTION DISORDER	1
NEUROLOGICAL DISORDER	1
PARAESTHESIA, EYE(S)/L	1
PARESIS, FORELIMB(S)	1
PARESIS, HIND LIMB(S)	1
PRURITIS	1
PRURITIS, EAR(S)	1
PRURITIS, EYE(S)	1
PUSTULE(S)	1
REACTION, UNSPECIFIED	1
RECUMBENCY	1
REFLEX(ES) ABN	1
SHAKING, HEAD/FACE	1
SOMNOLENCE	1
STAGGERING	1
STRABISMUS	1
STUPOR	1
TREMBLING	1
TWITCH	1
WEAKNESS	1

DRUG: BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN

Species: GUINEA PIG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH	1
DYSPNEA	1
RELUCTANT TO MOVE	1

DRUG: BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INFLAM, SKIN	1
VESICLE(S)/BULLAE, SKI	1

DRUG: BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN

Species: VARIOUS

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEAFNESS, TEMP	1
VESTIBULAR DISORDER	1

DRUG: BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEAFNESS	3
REACTION, UNSPECIFIED	1

DRUG: BETAMETHASONE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SUSPENSION, ABN	1
PD-VIAL(S), DAMAGED	1

DRUG: BETAMETHASONE

Species: NOT APPLICABLE

Route of Administration: DEFECT

DRUG: BETAMETHASONE, GENTAMICIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	4
PD-UNDERFILL, PACKAGE	3
PD-CAP(S), ABN	2
PD-CONTAINER(S), ABN	2
PD-PRODUCT DEFECT	2
PD-UNDERFILL, VIAL(S)	2
PD-APPLICATOR, ABN	1
PD-CONTAINER(S), DAMAG	1
PD-DISPENSER, ABN	1
PD-SOLUTION, ABN	1

DRUG: BETAMETHASONE, GENTAMICIN

Species: DOG

Route of Administration: INTRANASAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
DISTENTION, ABDOMEN	1
HAIR, ABN	1

DRUG: BETAMETHASONE, GENTAMICIN

Species: NOT APPLICABLE

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	1

DRUG: BETAMETHASONE, GENTAMICIN

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: BETAMETHASONE, GENTAMICIN

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
STAGGERING	2
ULCER(S), CORNEA(S)	2
ANOREXIA	1
BALANCE DISORDER	1
BLINDNESS, PARTIAL	1
CONJUNCTIVITIS	1
DEPRESSION/LETHARGY	1
EYE DISORDER	1
HEAD TILT	1
INEFFECT	1
PARALYSIS, FACIAL NERV	1
RELUCTANT TO MOVE	1
SWELLING, EYE(S)/LID(S)	1
VOMITING	1
WEIGHT LOSS	1

DRUG: BETAMETHASONE, GENTAMICIN

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
PAIN, EYE(S)/LID(S)	3
EDEMA, EYE(S)/LID(S)	2
IRRITATION, EYE(S)/LID	2
ALOPECIA	1
ANAPHYLAXIS/TOID	1
CONJUNCTIVITIS	1
DEATH(EUTHANIZED)	1
EDEMA, HEAD/FACE	1
PARESIS, HIND LIMB(S)	1
PRURITIS	1
ULCER(S), CORNEA(S)	1

DRUG: BETAMETHASONE, GENTAMICIN

Species: HUMAN

Route of Administration: OPHTHALMIC

DRUG: BETAMETHASONE, GENTAMICIN

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1

DRUG: BETAMETHASONE, GENTAMICIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
INEFFECT	1
VOMITING	1

DRUG: BETAMETHASONE, GENTAMICIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEAFNESS	4
WEIGHT LOSS	2
ANISOCORIA	1
ANOREXIA	1
APPLICATION SITE PAIN	1
APPREHENSION	1
ATAXIA	1
CACHEXIA	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
EAR DISORDER	1
HEAD TILT	1
HORNER'S SYNDROME	1
MYDRIASIS	1

DRUG: BETAMETHASONE, GENTAMICIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEAFNESS	12
DEAFNESS, TEMP	6
BUN HI, BLD	5
CREATININE HI, BLD	4
VOMITING	4
APPLICATION SITE PAIN	3
DEPRESSION/LETHARGY	3
KIDNEY FAILURE	3
POLYURIA	3
ALK PHOS HI, BLD	2
ANEMIA	2
DEATH(EUTHANIZED)	2
LIVER ENZYMES HI, BLD	2
POLYDIPSIA	2
SPEC GRAVITY LO, URINE	2
SWELLING, HEAD/FACE	2
TREMBLING	2
URTICARIA	2
WEAKNESS	2
ACCIDENTAL EXPOSURE	1
APPLICATION SITE INFLAM	1
APPREHENSION	1
ARRHYTHMIA	1
AZOTEMIA	1
BLD(ECCHYMOSES)	1
CHOLESTEROL HI, BLD	1
CONGESTION, SKIN	1
DEATH	1
DIARRHEA	1
DIARRHEA, MILD	1
EDEMA, HEAD/FACE	1
HEAD TILT	1
HORNER'S SYNDROME	1
INFLAM, SKIN	1
IRRITATION, EAR(S)	1
MELENA	1
NERVOUSNESS	1
NYSTAGMUS	1

DRUG: BETAMETHASONE, GENTAMICIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PARALYSIS, FACIAL NERV	1
PLATELETS LO, BLD	1
PR-KIDNEY(S), LESION(S)	1
RELUCTANT TO MOVE	1
VESTIBULAR DISORDER	1
VOMITING, UNPRODUCTIVE	1
WHEEZING	1

DRUG: BETAMETHASONE, GENTAMICIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
APPLICATION SITE ERYTHEMA	1
URTICARIA	1

DRUG: BETAMETHASONE, GENTAMICIN

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ANOREXIA	1
DEPRESSION/LETHARGY	1

DRUG: BETAMETHASONE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ATAXIA	1
DEATH	1
DIABETES MELLITUS	1
GLUCOSE, URINE	1
HYPERPNEA	1
LIVER FAILURE	1
POLYDIPSIA	1

DRUG: BETAMETHASONE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
POLYURIA	1

DRUG: BETAMETHASONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	3
POLYURIA	2
VOMITING	2
BLD, PASSING	1
BRADYCARDIA	1
CAPILLARY REFILL PROLO	1
COLLAPSE	1
CONGESTION, SKIN	1
CYANOSIS	1
DEATH	1
DIABETES MELLITUS	1
DIARRHEA	1
DIARRHEA, MILD	1
HYPERPNEA	1
HYPERSALIVATION	1
INEFFECT, DELAYED EFFE	1
POLYDIPSIA	1
POLYPNEA	1
PUPIL(S), AREFLEXIA	1
RECUMBENCY	1
TACHYCARDIA	1

DRUG: BETAMETHASONE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	1
EFFUSION, JOINT(S)	1
LAMINITIS	1

DRUG: BETAMETHASONE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PAIN, JOINT(S)	1

DRUG: BOLDENONE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), DAMAGED	2
PD-CONTAINER(S), ABN	1
PD-CONTAINER(S), DAMAG	1
PD-MISSING, CAP	1
PD-SOLUTION, ABN	1
PD-VIAL(S), LEAKING	1

DRUG: BOLDENONE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
AGGRESSION	3
BEHAVIOR DISORDER	1
LAMENESS	1
URTICARIA	1

DRUG: BOLDENONE

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
FERTILITY, REDUCED	1

DRUG: BOLDENONE

Species: HORSE

Route of Administration: UNKNOWN

DRUG: BOLDENONE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
AGGRESSION	1
BEHAVIOR DISORDER	1
DEMENTIA	1
INJ SITE SWELLING	1

DRUG: BOTANICAL PRODUCTS

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-LABEL(S), ABN	1

DRUG: BOTANICAL PRODUCTS

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DISTENTION, ABDOMEN	2
PAIN	2
RECUMBENCY	2
URINATION ABN	2
CONVULSION(S)	1
DEATH	1
DEATH(EUTHANIZED)	1

DRUG: BOTANICAL PRODUCTS

Species: HORSE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
APPLICATION SITE INFLAM	1

DRUG: BOTANICAL PRODUCTS

Species: PARROT

Route of Administration: TOPICAL

DRUG: BOTANICAL PRODUCTS

Species: PARROT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
FEATHERS, ABNORMAL	1

DRUG: BOTANICAL PRODUCTS

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE ABSCESS	1
INJ SITE FIBROSIS	1
INJ SITE INFECT	1

DRUG: BUNAMIDINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
DEPRESSION/LETHARGY	1
VOMITING	1

DRUG: BUPRENORPHINE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
CYANOSIS	1
DISTRESS, RESP	1
PROTRUSION, EYE(S)	1
STUPOR	1

DRUG: BUPRENORPHINE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: BUPRENORPHINE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
ATAXIA	1
BLINDNESS	1
EDEMA, LUNG(S)/TRACHEA	1
RADIOGRAPH(S) ABN	1
SEDATION PROLONGED	1

DRUG: BUPRENORPHINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BRADYCARDIA	1
DEATH(NEWBORN)	1
HYPERSALIVATION	1
HYPOTHERMIA, BODY	1
MIOSIS	1
RECUMBENCY	1
STUPOR	1
WEAKNESS, NEWBORN	1

DRUG: BUSPIRONE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
DEATH	1
DIARRHEA	1
VOMITING	1

DRUG: BUTAMISOLE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: BUTAMISOLE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	2
STAGGERING	2
VOMITING	2
ANOREXIA	1
ATAXIA	1
BREATHING ABN	1
COLLAPSE	1
CONGESTION, EYE(S)/LID	1
CONGESTION, LUNG(S)	1
CONGESTION, SKIN	1
DEATH	1
DISCOMFORT, MOUTH/LIP(1
EDEMA, LUNG(S)/TRACHEA	1
HYPERSALIVATION	1
INJ SITE EDEMA	1
INJ SITE SWELLING	1
TREMBLING	1

DRUG: BUTAMISOLE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
CONVULSION(S)	1
DEPRESSION/LETHARGY	1
HYPERACTIVITY	1
HYPERPNEA	1
INEFFECT, WHIPS	1
INJ SITE SWELLING	1
SPASM	1

DRUG: BUTORPHANOL

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TABLET(S), ABN	89

DRUG: BUTORPHANOL

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, VIAL(S)	36
PD-SEAL, ABN	31
PD-UNDERFILL, PACKAGE	26
PD-VIAL(S), DAMAGED	22
PD-MISSING, LABEL(S)	21
PD-SOLUTION, ABN	18
PD-VIAL(S), LEAKING	17
PD-MISSING, CAP	13
PD-CAP(S), ABN	12
PD-VIAL(S), ABN	11
PD-LABEL(S), ABN	9
PD-CONTAMINATION	6
PD-COLOR, ABN	5
PD-PRODUCT DEFECT	4
PD-CONTAINER(S), ABN	3
PD-CONTAINER(S), DAMAG	3
PD-POTENCY, LO	3
NO SIGNS	1
PD-SUSPENSION, ABN	1

DRUG: BUTORPHANOL

Species: VARIOUS

Route of Administration: INHALATION

Sign:	Number of Times Reported:
FEVER, BODY	1

DRUG: BUTORPHANOL

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	2
ANOREXIA	1
ATAXIA	1
BLD, MOUTH/LIP(S)	1
BUN HI, BLD	1

DRUG: BUTORPHANOL

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
CONVULSION(S)	1
CREATININE HI, BLD	1
EPISTAXIS	1
HYPOTHERMIA	1
INEFFECT, ANESTHESIA	1
NYSTAGMUS	1
RECUMBENCY	1
SEDATION PROLONGED	1
TWITCH	1
VESTIBULAR DISORDER	1

DRUG: BUTORPHANOL

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	3
DIARRHEA	2
ANESTH RECOV PROLONGED	1
ARREST, HEART	1
BRADYCARDIA	1
COLLAPSE	1
CONVULSION(S)	1
HYPERPNEA	1
NYSTAGMUS	1
TREMBLING	1
VOMITING	1

DRUG: BUTORPHANOL

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DISTRESS	1
DYSPNEA	1
FEVER, BODY	1
HYPERPNEA	1

DRUG: BUTORPHANOL

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
SHOCK	1
TREMBLING	1
TWITCH	1

DRUG: BUTORPHANOL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	8
HYPERACTIVITY	6
VOMITING	6
ATAXIA	5
MYDRIASIS	5
ANOREXIA	4
DEPRESSION/LETHARGY	4
CONFUSION	3
DEHYDRATION	3
AGGRESSION	2
ANISOCORIA	2
BLINDNESS	2
BRADYCARDIA	2
BUN HI, BLD	2
CONVULSION(S)	2
DEATH(EUTHANIZED)	2
DYSPNEA	2
FEVER, BODY	2
GLUCOSE HI, BLD	2
NEUROLOGICAL DISORDER	2
PALLOR, MUCOUS MEMBRAN	2
WBC HI, BLD	2
WEIGHT LOSS	2
ADIPSIA	1
ALOPECIA	1
APNEA	1
APPREHENSION	1
ARREST, HEART	1

DRUG: BUTORPHANOL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
BUN LO, BLD	1
CNS DISORDER	1
CONGESTION, SKIN	1
CREATININE HI, BLD	1
CYANOSIS, MUCOUS MEMBR	1
DEFECATION	1
DEMENTIA	1
DIARRHEA	1
DISSOCIATION	1
EDEMA, LUNG(S)/TRACHEA	1
GLUCOSE LO, BLD	1
HEAD BOBBING	1
HYPERSALIVATION	1
HYPOPNEA	1
HYPOTHERMIA, BODY	1
ICTERUS, BODY	1
INCONTINENCE, URINARY	1
INSOMNIA	1
INTERACTION, DRUG(S)	1
KETOSIS	1
K LO, BLD	1
NERVOUSNESS	1
NYSTAGMUS	1
NYSTAGMUS, HORIZONTAL	1
POLYPNEA	1
PRESSURE LO, BLD	1
PR-KIDNEY(S), LESION(S)	1
PROPRIOCEPTIVE DISORDE	1
PRURITIS	1
PUPIL(S), AREFLEXIA	1
RECUMBENCY	1
SEDATION	1
SEDATION TOO DEEP	1
SEGS HI, BLD	1
SGPT/ALT HI, BLD	1
SHAKING, HEAD/FACE	1
SPASM	1
SPEC GRAVITY LO, URINE	1

DRUG: BUTORPHANOL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
SPLENOMEGALY	1
STARING	1
STIFFNESS	1
STUPOR	1
TORTICOLLIS	1
TREMBLING	1
TWITCH	1
URINATION	1
VOCALIZATION	1
VOMITING, BLOODY	1

DRUG: BUTORPHANOL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	14
SGPT/ALT HI, BLD	14
ALK PHOS HI, BLD	13
ANOREXIA	13
SEDATION	11
VOMITING	11
LIVER ENZYMES HI, BLD	10
CONVULSION(S)	9
DEATH	8
DIARRHEA	7
HYPERACTIVITY	6
ATAXIA	5
BUN HI, BLD	5
DEATH(EUTHANIZED)	5
AGGRESSION	4
BILIRUBIN(TOT) HI, BLD	4
ICTERUS	4
RECUMBENCY	4
SGOT/AST HI, BLD	4
WBC HI, BLD	4
CREATININE HI, BLD	3

DRUG: BUTORPHANOL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DYSYPNEA	3
INEFFECT	3
NERVOUSNESS	3
PALLOR, MUCOUS MEMBRAN	3
POLYPNEA	3
WEAKNESS	3
WEIGHT LOSS	3
ALBUMIN LO, BLD	2
ANEMIA, REGEN	2
BEHAVIOR DISORDER	2
CULTURE/TITER DATA ABN	2
GLUCOSE HI, BLD	2
MELENA	2
P HI, BLD	2
PROTEIN(TOT) LO, BLD	2
STUPOR	2
TREMBLING	2
VOCALIZATION	2
VOMITING, BLOODY	2
ADIPSIA	1
AMMONIA HI, BLD	1
ANAPHYLAXIS/TOID	1
ANEMIA	1
ANESTH RECOV PROLONGED	1
ANISOCORIA	1
APNEA	1
APPREHENSION	1
ARREST, HEART	1
ASCITES	1
BILE ACIDS HI, BLD	1
BILIRUBIN(DIR) HI, BLD	1
BILIRUBIN(IND) HI, BLD	1
BITING/CHEWING	1
BLD, ABN	1
BLD, SCLERA	1
BRADYCARDIA	1
CA HI, BLD	1
CA LO, BLD	1

DRUG: BUTORPHANOL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CHOLESTEROL HI, BLD	1
CIRCLING	1
COLLAPSE	1
CONFUSION	1
CONGESTION	1
CONGESTION, SKIN	1
COUGHING	1
DEATH(STILLBORN)	1
DEHYDRATION	1
DIARRHEA, BLOODY	1
DIARRHEA, MILD	1
DISCOMFORT	1
DISTENTION, ABDOMEN	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, HEAD/FACE	1
ENLARGEMENT, LYMPH NOD	1
EOSINOS HI, BLD	1
ERYTHEMA MULTIFORME	1
FEVER, BODY	1
GGT HI, BLD	1
HEAD TILT	1
HEPATITIS	1
HEPATOMEGALY	1
HYPERSALIVATION	1
INCONTINENCE, URINARY	1
INEFFECT, LOSS OF EFFE	1
INEFFECT, OTHER DRUG(S)	1
INFECTION, SKIN	1
INTERACTION, DRUG(S)	1
KIDNEY DISORDER	1
K LO, BLD	1
LIVER FAILURE	1
LYMPHS LO, BLD	1
MIOSIS	1
MONOS HI, BLD	1
MONOS LO, BLD	1
PACING	1
PAIN	1

DRUG: BUTORPHANOL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, NECK	1
PALLOR	1
PLATELETS LO, BLD	1
PNEUMONIA	1
POLYPHAGIA	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
PR-MULT SITES, BLD	1
PR-MULT SITES, CONGEST	1
PR-SKIN, LESION(S)	1
PR-WHOLE BODY, LESION(1
PULSE THREADY	1
RADIOGRAPH(S) ABN	1
RELUCTANT TO MOVE	1
SEDATION PROLONGED	1
SEGS HI, BLD	1
SKIN, NECROSIS	1
SNEEZING	1
STARING	1
ULCER(S)	1
ULCER(S), MOUTH/LIP(S)	1
URINATION	1
VOMITING, SEVERE	1

DRUG: BUTORPHANOL

Species: GUINEA PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
SEDATION	1

DRUG: BUTORPHANOL

Species: HUMAN

Route of Administration: ORAL

DRUG: BUTORPHANOL

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIZZINESS	2
ATAXIA	1
HEADACHE	1
NAUSEA	1
PAIN, ABDOMEN	1
SEDATION	1
VOMITING	1

DRUG: BUTORPHANOL

Species: VARIOUS

Route of Administration: ORAL

Sign:	Number of Times Reported:
LIVER ENZYMES HI, BLD	1
TACHYCARDIA	1

DRUG: BUTORPHANOL

Species: ALPACA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1

DRUG: BUTORPHANOL

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	53
APNEA	32
ARREST, HEART	32
FEVER, BODY	21
ATAXIA	16
ANESTH RECOV PROLONGED	15
DEPRESSION/LETHARGY	14
CONVULSION(S)	12

DRUG: BUTORPHANOL

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	11
HYPERACTIVITY	11
ANESTH RECOV TURBULENT	10
MYDRIASIS	10
BLINDNESS	9
RECUMBENCY	8
VOCALIZATION	8
DEATH(EUTHANIZED)	7
DYSYPNEA	7
HYPERSALIVATION	7
TACHYCARDIA	7
THRASHING/PADDLING	7
VOMITING	6
CONFUSION	5
ANEMIA	4
CYANOSIS	4
HYPOTHERMIA, BODY	4
NYSTAGMUS	4
NYSTAGMUS, HORIZONTAL	4
PUPIL(S), AREFLEXIA	4
AGGRESSION	3
CIRCLING	3
CREATININE HI, BLD	3
CYANOSIS, MUCOUS MEMBR	3
INEFFECT, SEDATION	3
INTERACTION, DRUG(S)	3
POLYPNEA	3
SEDATION PROLONGED	3
SGPT/ALT HI, BLD	3
STUPOR	3
TREMBLING	3
VESTIBULAR DISORDER	3
ANAPHYLAXIS/TOID	2
ARRHYTHMIA	2
BILIRUBIN(TOT) HI, BLD	2
BLINDNESS, TEMP	2
BRADYCARDIA	2
BUN HI, BLD	2

DRUG: BUTORPHANOL

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
FROTH, MOUTH/LIP(S)	2
HEAD BOBBING	2
HEAD TILT	2
HEART FAILURE	2
HORNER'S SYNDROME	2
HYPERESTHESIA	2
HYPOPNEA	2
INJ SITE PAIN	2
NERVOUSNESS	2
PAIN	2
PALLOR, MUCOUS MEMBRAN	2
PRESSURE LO, BLD	2
PROLAPSE, THIRD EYELID	2
RADIOGRAPH(S) ABN	2
SHAKING, HEAD/FACE	2
SPASM	2
TWITCH	2
UNCONSCIOUS	2
WBC HI, BLD	2
ALBUMIN LO, BLD	1
ANURIA	1
APPREHENSION	1
BEHAVIOR DISORDER	1
BITING/CHEWING	1
BLD, MOUTH/LIP(S)	1
BLD, RETINA	1
BLD, URINE	1
BREATHING, PERIODIC	1
DEATH(TX FAILURE)	1
DEFECATION ABN	1
DIFFICULTY RISING	1
DISTRESS	1
EAR DISORDER	1
EDEMA	1
EDEMA, HEAD/FACE	1
EDEMA, LUNG(S)/TRACHEA	1
EFFUSION, PERICARDIAL	1
EFFUSION, PLEURAL	1

DRUG: BUTORPHANOL

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
EPISTAXIS	1
FROTH, NOSE	1
HAIR, ABN	1
HALLUCINATION	1
HYPERPNEA	1
HYPHEMA	1
ICTERUS, BODY	1
INEFFECT, ANALGESIA	1
INEFFECT, ANESTHESIA	1
LOCOMOTION DISORDER	1
MICROORGANISMS, URINE	1
MIOSIS	1
NEUROLOGICAL DISORDER	1
NYSTAGMUS, VERTICAL	1
PARESIS, HIND LIMB(S)	1
P HI, BLD	1
PHOTOSENSITIZATION	1
PLATELETS ABN	1
PLATELETS HI, BLD	1
POLYCYTHEMIA(RELATIVE)	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-MULT SITES, BLD	1
PROLAPSE, TONGUE	1
PR-SPLEEN, LESION(S)	1
PR-THYMUS, LESION(S)	1
RBC ABN	1
REFLEX(ES) ABN	1
SEDATION TOO BRIEF	1
SHOCK	1
SKIN ABNORMAL	1
SOUND ABN, RESPIRATORY	1
STIFFNESS	1
STIFFNESS, HIND LIMB(S)	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, LIMB(S)	1
SWELLING, TONGUE	1

DRUG: BUTORPHANOL

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
TREMBLING, FACE	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), TONGUE	1
URINATION ABN	1
VISION DISORDER	1
WBC LO, BLD	1
WEIGHT LOSS	1

DRUG: BUTORPHANOL

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
COLLAPSE	1
INEFFECT, ANALGESIA	1
PD-POTENCY, LO	1
PD-PRODUCT DEFECT	1

DRUG: BUTORPHANOL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	40
DEPRESSION/LETHARGY	22
ARREST, HEART	21
VOMITING	21
APNEA	18
CONVULSION(S)	17
ATAXIA	15
FEVER, BODY	14
POLYPNEA	14
TACHYCARDIA	13
ANOREXIA	12
BRADYCARDIA	12
DYSPNEA	10
INEFFECT, SEDATION	10

DRUG: BUTORPHANOL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	9
DEATH(EUTHANIZED)	9
VOCALIZATION	9
DIARRHEA	8
HYPERSALIVATION	8
SEDATION	8
TREMBLING	8
ALK PHOS HI, BLD	7
ANESTH RECOV TURBULENT	7
HYPERACTIVITY	7
RECUMBENCY	7
SHOCK	7
COLLAPSE	6
CONGESTION, SKIN	6
SGPT/ALT HI, BLD	6
ANAPHYLAXIS/TOID	5
CONFUSION	5
EDEMA, LUNG(S)/TRACHEA	5
INJ SITE PAIN	5
INJ SITE SWELLING	5
PALLOR, MUCOUS MEMBRAN	5
UNCONSCIOUS	5
CYANOSIS	4
EDEMA	4
HYPERPNEA	4
INEFFECT, ANALGESIA	4
NERVOUSNESS	4
PR-LUNG(S), LESION(S)	4
RADIOGRAPH(S) ABN	4
SEDATION PROLONGED	4
THRASHING/PADDLING	4
URTICARIA	4
WBC HI, BLD	4
ALBUMIN LO, BLD	3
ANEMIA	3
APPREHENSION	3
BUN HI, BLD	3
DIFFICULTY RISING	3

DRUG: BUTORPHANOL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPOPNEA	3
INEFFECT	3
K LO, BLD	3
MELENA	3
NYSTAGMUS	3
SEGS HI, BLD	3
SHAKING, HEAD/FACE	3
SKIN, NECROSIS	3
SOMNOLENCE	3
ADIPSIA	2
ARRHYTHMIA	2
ARTHRITIS	2
BLD, LUNG(S)/TRACHEA	2
CNS DISORDER	2
CREATININE HI, BLD	2
CULTURE/TITER DATA ABN	2
DEFECATION ABN	2
DEHYDRATION	2
GI, ABNORMAL	2
GLUCOSE HI, BLD	2
HEMATOCHEZIA	2
HYPOTHERMIA	2
HYPOTHERMIA, BODY	2
ICTERUS	2
ICTERUS, BODY	2
INEFFECT, ANESTHESIA	2
INFLAM, SKIN	2
INJ SITE EDEMA	2
LESION(S), SKIN	2
LIVER DISORDER	2
PALLOR	2
PRESSURE HI, BLD	2
PR-HEART, LESION(S)	2
PR-LIVER, LESION(S)	2
PROTEIN(TOT) LO, BLD	2
PR-SKIN, LESION(S)	2
PR-SM INTEST, LESION(S)	2
SHAKING	2

DRUG: BUTORPHANOL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SKIN ABNORMAL	2
STUPOR	2
SWELLING, EYE(S)/LID(S)	2
TWITCH	2
ALOPECIA	1
ANESTH INDUCTION RAPID	1
ARRHYTHMIA, BLOCK	1
AZOTEMIA	1
BILIRUBIN(TOT) HI, BLD	1
BLD, MOUTH/LIP(S)	1
BLD(PETECHIAE)	1
BLD, RECTUM	1
BLINDNESS	1
CAPILLARY REFILL PROLO	1
CONGESTION, MUCOUS MEM	1
COUGHING	1
CYANOSIS, MUCOUS MEMBR	1
DEAFNESS	1
DEATH(NEWBORN)	1
DIARRHEA, BLOODY	1
DIARRHEA, MILD	1
DIARRHEA, MUCOID	1
DIARRHEA, SEVERE	1
DIC	1
DISCOMFORT	1
DISTRESS	1
ECCHYMOSIS, INCISION SITE	1
ECG ABN	1
EDEMA, BRISKET/CHEST	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, HEAD/FACE	1
EDEMA, LARYNX	1
EDEMA, PHARYNX	1
EFFUSION, PERITONEAL	1
EFFUSION, PLEURAL	1
EOSINOS HI, BLD	1
EOSINOS LO, BLD	1
EPISTAXIS	1

DRUG: BUTORPHANOL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
EYE DISORDER	1
FROTH, NOSE	1
GALL BLADDER, ABN	1
GASTRITIS	1
GLOBULIN LO, BLD	1
GLUCOSE LO, BLD	1
HALLUCINATION	1
HEAD PRESSING	1
HEALING IMPAIRED	1
HEART FAILURE	1
HEPATITIS	1
ILL	1
INCONTINENCE, FECAL	1
INFARCT	1
INJ SITE ABN	1
INJ SITE ALOPECIA	1
INJ SITE EFFUSION	1
INJ SITE INFLAM	1
INJ SITE NECROSIS	1
INTERACTION, DRUG(S)	1
INTUSSUSCEPTION	1
IRRITATION, ESOPHAGUS	1
IRRITATION, SKIN	1
KIDNEY FAILURE	1
LAMENESS	1
LIVER ENZYMES HI, BLD	1
LYMPHS LO, BLD	1
MONOS LO, BLD	1
MUCOUS MEMBR, ABN COLO	1
MYOSITIS	1
NECROSIS	1
OBSTRUCTION, INTESTINE	1
PACING	1
PAIN	1
PAIN, ABDOMEN	1
PAIN, LIMB(S)	1
PARALYSIS, ALL LIMBS	1
PARESIS, HIND LIMB(S)	1

DRUG: BUTORPHANOL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PAWING	1
PD-POTENCY, HI	1
PERFORATION, GI	1
PERITONITIS	1
PLATELETS HI, BLD	1
PLATELETS LO, BLD	1
PNEUMONIA	1
PNEUMONIA, ASPIRATION	1
POLYDIPSIA	1
POLYURIA	1
POSTURAL RXN(S) ABN	1
PR-CEREBELLUM, LESION(1
PR-LUNG(S), EDEMA	1
PR-LYMPH NODE(S), LESI	1
PR-MULT SITES, LESION(S)	1
PROPRIOCEPTIVE DISORDE	1
PR-PERICARDIAL EFFUSIO	1
PR-PERITONEAL EFFUSION	1
PR-PLEURAL EFFUSION	1
PR-SPLEEN, LESION(S)	1
PR-STOMACH, LESION(S)	1
PR-THYMUS, LESION(S)	1
PRURITIS	1
PULSE THREADY	1
RBC ABN	1
REFLEX(ES) ABN	1
RETINA ABN	1
SEDATION TOO BRIEF	1
SEDATION TOO DEEP	1
SEPSIS	1
SKIN, SCAB(S)	1
SLOUGH, SKIN	1
SPLENOMEGALY	1
STAGGERING	1
STIFFNESS	1
STOOL, MUCOID	1
SWELLING	1
SWELLING, BRISKET/CHES	1

DRUG: BUTORPHANOL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SWELLING, HEAD/FACE	1
SWELLING, JOINT(S)	1
SWELLING, MOUTH/LIP(S)	1
SWELLING, TONGUE	1
TACHYCARDIA, VENTRICUL	1
TECH ERROR	1
ULCER(S), MUCOCUTANEOU	1
URINATION ABN	1
URINE ABN	1
US ABN	1
VISION DISORDER	1
VOMITING, BLOODY	1
WEAKNESS	1

DRUG: BUTORPHANOL

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	8
ATAXIA	7
COLLAPSE	5
TWITCH	5
HYPERACTIVITY	4
INEFFECT, SEDATION	4
CONVULSION(S)	3
DEATH(EUTHANIZED)	3
INEFFECT, ANALGESIA	3
RECUMBENCY	3
DYSPNEA	2
INEFFECT, TRANQUILIZAT	2
SEDATION TOO DEEP	2
TACHYCARDIA	2
ANESTH DURATION BRIEF	1
ANESTH INDUCTION PROLONGED	1
ANESTH RECOV PROLONGED	1
ANOREXIA	1

DRUG: BUTORPHANOL

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ARREST, HEART	1
BREATHING ABN	1
CIRCLING	1
DEPRESSION/LETHARGY	1
HYPERPNEA	1
INJ SITE PHLEBITIS	1
INTERACTION, DRUG(S)	1
PARESIS, HIND LIMB(S)	1
SEDATION DELAYED	1
SEDATION PROLONGED	1
SPASM	1
THRASHING/PADDLING	1
TREMBLING	1
UNCONSCIOUS	1

DRUG: BUTORPHANOL

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ATAXIA	1
HUMAN EXPOSURE, INJ	1
INJ SITE PHLEBITIS	1
STUPOR	1

DRUG: BUTORPHANOL

Species: RABBIT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1

DRUG: BUTORPHANOL

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2
FEVER, BODY	2
ANESTH RECOV PROLONGED	1
ARREST, HEART	1
BRADYCARDIA	1
CONVULSION(S)	1
DEMENTIA	1
DEPRESSION/LETHARGY	1
HYPOPNEA	1
INEFFECT, ANESTHESIA	1
INEFFECT, LOSS OF EFFE	1

DRUG: BUTORPHANOL

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	12
FEVER, BODY	6
ANOREXIA	4
ANESTH RECOV PROLONGED	3
CONVULSION(S)	3
MYDRIASIS	3
NYSTAGMUS	3
AGGRESSION	2
ANESTH RECOV TURBULENT	2
DEFECATION ABN	2
DEPRESSION/LETHARGY	2
DIARRHEA	2
GLUCOSE HI, BLD	2
HYPOTHERMIA	2
RECUMBENCY	2
TREMBLING	2
VOCALIZATION	2
ADIPSIA	1
ANAPHYLAXIS/TOID	1
ANEMIA	1
ANESTH INDUC TURBULENT	1

DRUG: BUTORPHANOL

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANISOCORIA	1
ARREST, HEART	1
ARRHYTHMIA	1
ATAXIA	1
BILIRUBIN(TOT) HI, BLD	1
BITING/CHEWING	1
BLINDNESS	1
BUN HI, BLD	1
CNS DISORDER	1
CONFUSION	1
CREATININE HI, BLD	1
DEATH(EUTHANIZED)	1
EFFUSION, PLEURAL	1
ENLARGEMENT, LYMPH NOD	1
HEAD BOBBING	1
HEAD TILT	1
HEART DISORDER	1
HEMATOCHEZIA	1
HYPERACTIVITY	1
HYPERPNEA	1
HYPERSALIVATION	1
INCONTINENCE	1
INJ SITE ALOPECIA	1
INJ SITE INFLAM	1
INJ SITE NECROSIS	1
INJ SITE SLOUGH	1
INJ SITE SWELLING	1
NEOPLASM, LUNG(S)	1
PANCREATITIS	1
PARESIS, HIND LIMB(S)	1
P HI, BLD	1
POLYPNEA	1
POLYURIA	1
PR-LUNG(S), LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PR-PLEURA, LESION(S)	1
PUPIL(S), AREFLEXIA	1
STAGGERING	1

DRUG: BUTORPHANOL

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
STUPOR	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
URINATION	1
URINE ABN	1
US-LIVER ABN	1
VESTIBULAR DISORDER	1
VISION DISORDER	1
WBC HI, BLD	1
WEIGHT LOSS	1

DRUG: BUTORPHANOL

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	7
CONVULSION(S)	4
DEPRESSION/LETHARGY	4
DIARRHEA	4
VOMITING	4
ALK PHOS HI, BLD	3
ANEMIA	3
EDEMA, LUNG(S)/TRACHEA	3
WBC HI, BLD	3
ANAPHYLAXIS/TOID	2
ANOREXIA	2
CONGESTION, SKIN	2
DEHYDRATION	2
FEVER, BODY	2
MELENA	2
PAIN	2
SEDATION PROLONGED	2
SGPT/ALT HI, BLD	2
THYROID HORMONE(S) LO	2
VOCALIZATION	2
WEIGHT LOSS	2

DRUG: BUTORPHANOL

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
AGGRESSION	1
ALOPECIA	1
APNEA	1
APPREHENSION	1
ARREST, HEART	1
BANDS HI, BLD	1
BEHAVIOR DISORDER	1
BILIRUBIN(DIR) HI, BLD	1
BLD	1
BLD, LUNG(S)/TRACHEA	1
BLD, RECTUM	1
BLOAT	1
BRADYCARDIA	1
BUN HI, BLD	1
CA HI, BLD	1
CONGESTION	1
CONGESTION, LUNG(S)	1
CPK HI, BLD	1
CSF ABN	1
CULTURE/TITER DATA ABN	1
DEAFNESS	1
DEATH(EUTHANIZED)	1
DEHISCENCE	1
DIARRHEA, BLOODY	1
DISCHARGE, INCISION SITE	1
DISCHARGE, NOSE	1
DISCOMFORT	1
DISTENTION, ABDOMEN	1
DYSPNEA	1
EAR DISORDER	1
ECCHYMOSIS, INCISION SITE	1
ELECTROLYTE DISORDER	1
ENCEPHALOPATHY	1
EOSINOS LO, BLD	1
GGT HI, BLD	1
HYPOMOTILITY	1
HYPOTHERMIA	1
INJ SITE ALOPECIA	1

DRUG: BUTORPHANOL

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE INFLAM	1
INJ SITE NECROSIS	1
INJ SITE SLOUGH	1
LESION(S), SKIN	1
LOCOMOTION DISORDER	1
LYMPHS LO, BLD	1
MONOS HI, BLD	1
MYDRIASIS	1
NA:K LO, BLD	1
NERVOUSNESS	1
NYSTAGMUS	1
NYSTAGMUS, HORIZONTAL	1
PAIN, ABDOMEN	1
P HI, BLD	1
PLATELETS HI, BLD	1
PLATELETS LO, BLD	1
POLYCYTHEMIA(RELATIVE)	1
POLYPNEA	1
PR-BRAIN, LESION(S)	1
PR-CEREBELLUM, LESION(S)	1
PR-CEREBRUM, LESION(S)	1
PRESSURE HI, BLD	1
PRESSURE LO, BLD	1
PR-MENINGES, LESION(S)	1
PR-MIDBRAIN, LESION(S)	1
PRURITIS	1
PULSE THREADY	1
RADIOGRAPH(S) ABN	1
RBC ABN	1
RECUMBENCY	1
SCROTUM, ABN	1
SEDATION	1
SEDATION TOO DEEP	1
SEGS HI, BLD	1
SHAKING	1
SHOCK	1
SKIN, CRUST(S)	1
SORE(S)	1

DRUG: BUTORPHANOL

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
SWELLING	1
SWELLING, HEAD/FACE	1
TACHYCARDIA	1
TAIL DISORDER	1
TREMBLING, FACE	1
TRIGLYCERIDES HI, BLD	1
TWITCH	1
URINATION ABN	1
US ABN	1

DRUG: BUTORPHANOL

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	2
APNEA	1
ATAXIA	1
HYPERACTIVITY	1
INEFFECT, ANALGESIA	1
INEFFECT, SEDATION	1
INJ SITE SWELLING	1
POLYPNEA	1
REFLEX(ES) ABN	1
TACHYCARDIA	1

DRUG: BUTORPHANOL

Species: RABBIT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
APNEA	1
DEATH	1

DRUG: BUTORPHANOL

Species: VARIOUS

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	1
INEFFECT, ANESTHESIA	1
PD-VIAL(S), ABN	1

DRUG: BUTORPHANOL

Species: CAT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	1
ANESTH RECOV TURBULENT	1
BEHAVIOR DISORDER	1
BUN LO, BLD	1
CO2 HI, BLD	1
CONVULSION(S)	1
CPK HI, BLD	1
DEATH	1
DYSPNEA	1
EOSINOS LO, BLD	1
HYPERACTIVITY	1
HYPERESTHESIA	1
INEFFECT, ANALGESIA	1
INJ SITE PAIN	1
PLATELETS LO, BLD	1
P LO, BLD	1
SEDATION	1
SGPT/ALT HI, BLD	1
SHAKING	1
SOMNOLENCE	1
STARING	1
STUPOR	1
URINATION ABN	1
VOCALIZATION	1

DRUG: BUTORPHANOL

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ATAXIA	1
CONFUSION	1
DEATH	1
INEFFECT, ANESTHESIA	1
INJ SITE PAIN	1
PACING	1
PARESIS, HIND LIMB(S)	1
SEDATION PROLONGED	1
VOCALIZATION	1

DRUG: BUTORPHANOL

Species: HORSE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INJ SITE SWELLING	1

DRUG: CALCIUM, MAGNESIUM, PHOSPHORUS, DEXTROS

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: CALCIUM, MAGNESIUM, PHOSPHORUS, POTASSIUM

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: CALCIUM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: CALCIUM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
VOMITING	1

DRUG: CALCIUM

Species: OTHER

Route of Administration: ORAL

Sign:	Number of Times Reported:
BEHAVIOR DISORDER	1
DEATH	1

DRUG: CALCIUM

Species: BIRD

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

DRUG: CARBADOX

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
NO SIGNS	2
ACCIDENTAL EXPOSURE	1
RESIDUE, MILK	1
TECH ERROR	1

DRUG: CARBADOX

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
COLLAPSE	1
DEATH	1

DRUG: CARBADOX

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DISTRESS, RESP	1
PAIN, ABDOMEN	1

DRUG: CARBADOX

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
INEFFECT	1
INEFFECT, ANTIBIOTIC	1

DRUG: CARBOPLATIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEHYDRATION	2
SEGS LO, BLD	2
VOMITING	2
ALBUMIN HI, BLD	1
ALBUMIN LO, BLD	1
ANEMIA	1
ARREST, HEART	1
AZOTEMIA	1
CREATININE HI, BLD	1
DEATH	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DIARRHEA, BLOODY	1
DIARRHEA, SEVERE	1
DIFFICULTY RISING	1
DISTRESS, RESP	1
FEVER, BODY	1
GLUCOSE HI, BLD	1
LYMPHS LO, BLD	1
PLATELETS LO, BLD	1

DRUG: CARBOPLATIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PNEUMONIA	1
PROTEIN(TOT) HI, BLD	1
PT PROLONGED, BLD	1
PTT PROLONGED, BLD	1
VOMITING, SEVERE	1
WBC LO, BLD	1
WEAKNESS	1

DRUG: CARPROFEN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TABLET(S), ABN	335
PD-SEAL, ABN	102
PD-UNDERFILL, VIAL(S)	76
PD-UNDERFILL, PACKAGE	69
PD-MISSING, LABEL(S)	28
PD-CAP(S), ABN	26
PD-ODOR, ABN	24
PD-LABEL(S), ABN	20
PD-COLOR, ABN	16
PD-PRODUCT DEFECT	16
UNPALATABLE, WON'T EAT	16
SUMMARY REVIEW	14
PD-CONTAINER(S), DAMAG	11
PD-MISSING, CAP	11
PD-VIAL(S), LEAKING	11
PD-UNKNOWN	10
PD-SOLUTION, ABN	8
PD-CONTAINER(S), ABN	7
PD-VIAL(S), ABN	7
PD-VIAL(S), DAMAGED	5
UNPALATABLE	5
PD-CONTAMINATION	4
PD-CONTAM, INSECTS	3
PD-CONTAM, MOLD	2

DRUG: CARPROFEN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
ODOR	1
PD-POTENCY, LO	1
PD-TUBE(S), ABN	1
PD-UNDERFILL, TUBE(S)	1

DRUG: CARPROFEN

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
VOMITING	6
ANOREXIA	5
DEATH(EUTHANIZED)	4
DIFFICULTY RISING	4
RECUMBENCY	4
DEATH	3
ANEMIA	2
CONVULSION(S)	2
DEPRESSION/LETHARGY	2
DIARRHEA	2
DIARRHEA, BLOODY	2
MELENA	2
PARESIS, HIND LIMB(S)	2
SGPT/ALT HI, BLD	2
ADIPSIA	1
ALBUMIN LO, BLD	1
ALK PHOS HI, BLD	1
ALOPECIA	1
ATAXIA	1
BILIRUBIN(TOT) HI, BLD	1
BLD, INCISION SITE	1
BLD, MOUTH/LIP(S)	1
BLD, URINE	1
COAGULATION DISORDER	1
CONFUSION	1
CONGESTION, SKIN	1
DYSPHAGIA	1

DRUG: CARPROFEN

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
EDEMA, LIMB(S)	1
ERUPTION(S)	1
FEVER, BODY	1
GINGIVA, ABN	1
GINGIVITIS	1
INFLAM, SKIN	1
MASS, SKIN	1
NERVOUSNESS	1
POLYDIPSIA	1
POLYPNEA	1
PRURITIS	1
RELUCTANT TO MOVE	1
SKIN, CRUST(S)	1
STAGGERING	1
TWITCH	1
ULCER(S), MOUTH/LIP(S)	1
VOMITING, BLOODY	1
WEIGHT LOSS	1

DRUG: CARPROFEN

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
VOMITING	1

DRUG: CARPROFEN

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	47
PAIN, EYE(S)/LID(S)	21
CONGESTION, EYE(S)/LID	17
VISION DISORDER	4
CONGESTION	2

DRUG: CARPROFEN

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
SWELLING, EYE(S)/LID(S)	2
ABRASION, CORNEA(S)	1
BLD, EYE(S)	1
CONJUNCTIVITIS	1
DISCHARGE, EYE(S)/LID(S)	1
EDEMA, EYE(S)/LID(S)	1
EPIPHORA	1
INFECTION, EYE(S)	1
PHOTOSENSITIZATION	1
PRURITIS, EYE(S)	1
ULCER(S), CORNEA(S)	1

DRUG: CARPROFEN

Species: BIRD

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
BALANCE DISORDER	1
RECUMBENCY	1
SOMNOLENCE	1

DRUG: CARPROFEN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	278
DEPRESSION/LETHARGY	176
ANOREXIA	156
BUN HI, BLD	140
CREATININE HI, BLD	129
SGPT/ALT HI, BLD	57
DEATH	52
DEHYDRATION	41
P HI, BLD	38
DIARRHEA	33

DRUG: CARPROFEN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
KIDNEY FAILURE	33
ANEMIA	32
VOMITING, BLOODY	29
FEVER, BODY	20
BILIRUBIN(TOT) HI, BLD	19
AZOTEMIA	18
WEIGHT LOSS	18
ATAXIA	15
DEATH(EUTHANIZED)	15
WEAKNESS	15
LIVER ENZYMES HI, BLD	14
ALK PHOS HI, BLD	13
POLYDIPSIA	13
SPEC GRAVITY LO, URINE	13
WBC HI, BLD	13
ICTERUS, BODY	12
GLUCOSE HI, BLD	11
HYPERSALIVATION	11
K HI, BLD	11
CONVULSION(S)	10
KIDNEY VALUES HI, BLD	10
ACCIDENTAL EXPOSURE	9
ALBUMIN LO, BLD	9
BLD, URINE	9
PROTEIN(TOT) HI, BLD	9
ADIPSIA	8
HYPOTHERMIA, BODY	8
PAIN, ABDOMEN	8
PROTEIN, URINE	8
SGOT/AST HI, BLD	8
DYSPNEA	7
GLOBULIN HI, BLD	7
HYPOTHERMIA	7
MELENA	7
PALLOR, MUCOUS MEMBRAN	7
RECUMBENCY	7
TREMBLING	7
VOCALIZATION	7

DRUG: CARPROFEN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA, BLOODY	6
HIDING	6
HYPERPNEA	6
ICTERUS	6
KIDNEY DISORDER	6
POLYURIA	6
CONSTIPATION	5
DIARRHEA, MILD	5
INTERACTION, DRUG(S)	5
NA LO, BLD	5
PLATELETS LO, BLD	5
PROTEIN(TOT) LO, BLD	5
ANURIA	4
BEHAVIOR DISORDER	4
CA LO, BLD	4
CASTS, URINE	4
CHLORIDE LO, BLD	4
COAGULATION DISORDER	4
CPK HI, BLD	4
GAGGING	4
POLYPNEA	4
PR-LIVER, LESION(S)	4
TACHYCARDIA	4
TWITCH	4
ULCER(S), GI	4
VOMITING, SEVERE	4
WBC LO, BLD	4
ALBUMIN HI, BLD	3
ANEMIA, REGEN	3
BUN LO, BLD	3
CA HI, BLD	3
CHEMISTRY ABN	3
CONFUSION	3
GLUCOSE, URINE	3
HEPATOMEGALY	3
MONOS HI, BLD	3
MYDRIASIS	3
PALLOR	3

DRUG: CARPROFEN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
PERFORATION, GI	3
PR-KIDNEY(S), LESION(S)	3
RADIOGRAPH(S) ABN	3
SEGS HI, BLD	3
ULCER(S), MOUTH/LIP(S)	3
AGGRESSION	2
ALKALINE URINE	2
AMYLASE HI, BLD	2
ANISOCORIA	2
APNEA	2
ARREST, HEART	2
ARRHYTHMIA	2
BLD, RECTUM	2
CHOLESTEROL HI, BLD	2
COLLAPSE	2
CONGESTION	2
CONGESTION, SKIN	2
GI, ABNORMAL	2
GLUCOSE LO, BLD	2
HEMATOCHEZIA	2
HYPERACTIVITY	2
ICTERUS, SERUM	2
ILL	2
K LO, BLD	2
LIVER FAILURE	2
LYMPHS HI, BLD	2
LYMPHS LO, BLD	2
MORIBUND	2
MURMUR, HEART	2
NEUROLOGICAL DISORDER	2
ODOR, MOUTH	2
PAIN	2
POLYCYTHEMIA	2
PR-STOMACH, LESION(S)	2
STUPOR	2
US ABN	2
ABN COLOR, URINE	1
ABSCCESS, SKIN	1

DRUG: CARPROFEN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANEMIA, AUTOIMMUNE HEM	1
ANEMIA, BLD LOSS	1
ANEMIA, HEINZ BODY	1
APPREHENSION	1
BANDS HI, BLD	1
BLADDER, PARALYSIS	1
BLD	1
BLD, ABN	1
BLD(ECCHYMOSES)	1
BLD, GI	1
BLD(HEMATOMA)	1
BLD, MOUTH/LIP(S)	1
BRADYCARDIA	1
BREATHING ABN	1
CHOLESTEROL LO, BLD	1
CO2 LO, BLD	1
COLITIS	1
CORT/CREAT HI, URINE	1
COUGHING	1
CYANOSIS	1
DIABETES MELLITUS	1
DIARRHEA, SEVERE	1
DIFFICULTY RISING	1
DISCHARGE, NOSE	1
EDEMA, HEAD/FACE	1
EDEMA, LUNG(S)/TRACHEA	1
EDEMA, TONGUE	1
ELIMINATION ABN	1
FROTH, MOUTH/LIP(S)	1
GGT HI, BLD	1
GINGIVITIS	1
HEAD TILT	1
HEART FAILURE	1
HYPERESTHESIA	1
INCISION SITE INFECTION	1
INCONTINENCE	1
INCONTINENCE, URINARY	1
INEFFECT, LOSS OF EFFE	1

DRUG: CARPROFEN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
INFECTION, EYE(S)	1
K HI, BLOOD	1
LIPASE HI, BLD	1
LIVER DISORDER	1
LIVER PROFILE HI	1
LOSS OF CONDITION	1
MASS, ABDOMEN	1
MUCOUS MEMBR, ABN COLO	1
NAUSEA	1
NECROSIS	1
NERVOUSNESS	1
OLIGURIA	1
PARESIS	1
P HI, URINE	1
P LO, BLD	1
P LO,BLD	1
POSTURE ABN	1
PR-GI, LESION(S)	1
PR-HEART, LESION(S)	1
PR-LUNG(S), LESION(S)	1
PROLAPSE, THIRD EYELID	1
PROSTRATION	1
PR-PANCREAS, LESION(S)	1
PR-SM INTEST, LESION(S)	1
RETICULOCYTES LO, BLD	1
RETINA ABN	1
RUPTURE	1
SEDATION	1
SHAKING	1
SHOCK	1
SKIN, SCAB(S)	1
SLOUGH, TONGUE	1
SORE(S)	1
SOUND ABN, RESPIRATORY	1
SPASM	1
STOMATITIS	1
STOOL ABN	1
SUMMARY REVIEW	1

DRUG: CARPROFEN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
SWELLING, TONGUE	1
TENESMUS, URINARY	1
THYROID HORMONE(S) LO	1
ULCER(S), PYLORUS	1
ULCER(S), TONGUE	1
UNCONSCIOUS	1
UNKNOWN	1
URINE ABN	1
UROBILINOGEN HI, URINE	1
US-LIVER ABN	1
VOMITING, UNPRODUCTIVE	1
WBC, URINE	1

DRUG: CARPROFEN

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
EGG ABN	1

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	6,272
ANOREXIA	5,614
SGPT/ALT HI, BLD	4,929
ALK PHOS HI, BLD	4,728
DEPRESSION/LETHARGY	4,321
BILIRUBIN(TOT) HI, BLD	2,480
DEATH	2,125
DIARRHEA	2,095
BUN HI, BLD	1,948
CREATININE HI, BLD	1,673
DEATH(EUTHANIZED)	1,621
ANEMIA	1,438

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ICTERUS, BODY	1,402
WBC HI, BLD	1,284
SGOT/AST HI, BLD	1,263
POLYDIPSIA	1,169
ATAXIA	1,154
CONVULSION(S)	1,142
LIVER ENZYMES HI, BLD	1,139
WEIGHT LOSS	1,063
PLATELETS LO, BLD	949
MELENA	933
POLYURIA	819
INTERACTION, DRUG(S)	776
PR-LIVER, LESION(S)	769
ALBUMIN LO, BLD	714
DIARRHEA, BLOODY	687
WEAKNESS	668
BLD, URINE	640
FEVER, BODY	617
POLYPNEA	597
P HI, BLD	576
VOMITING, BLOODY	543
GGT HI, BLD	470
CONFUSION	406
AMYLASE HI, BLD	398
RADIOGRAPH(S) ABN	398
SPEC GRAVITY LO, URINE	394
DEHYDRATION	391
CHOLESTEROL HI, BLD	389
US-LIVER ABN	382
INCONTINENCE, URINARY	380
COLLAPSE	358
RECUMBENCY	358
PAIN, ABDOMEN	348
PROTEIN, URINE	346
DYSYPNEA	341
PARESIS, HIND LIMB(S)	334
PROTEIN(TOT) LO, BLD	329
INEFFECT, ANALGESIA	319

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
KIDNEY FAILURE	316
NERVOUSNESS	309
EPISTAXIS	294
BILIRUBIN, URINE	282
ICTERUS	282
HEMATOCHEZIA	279
PALLOR, MUCOUS MEMBRAN	277
PRURITIS	277
TREMBLING	269
LIVER DISORDER	264
US ABN	257
SEGS HI, BLD	253
BILE ACIDS HI, BLD	249
AGGRESSION	239
VOCALIZATION	229
HEPATOMEGALY	228
LIPASE HI, BLD	227
HYPERSALIVATION	225
HYPERACTIVITY	222
PR-KIDNEY(S), LESION(S)	221
ANEMIA, AUTOIMMUNE HEM	212
INEFFECT, ANTIINFLAM	211
COAGULATION DISORDER	208
ALOPECIA	205
ADIPSIA	199
GLUCOSE HI, BLD	191
GLUCOSE, URINE	185
WBC LO, BLD	185
BLD(PETECHIAE)	180
ASCITES	177
HEAD TILT	173
DISTENTION, ABDOMEN	168
ULCER(S), GI	167
GLUCOSE LO, BLD	165
ABN COLOR, URINE	160
INFLAM, SKIN	158
BLD(ECCHYMOSES)	155
CA HI, BLD	155

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BEHAVIOR DISORDER	153
PANCREATITIS	153
PR-STOMACH, LESION(S)	146
VESTIBULAR DISORDER	146
DERMATITIS, MOIST	143
DIARRHEA, MILD	142
TACHYCARDIA	137
K HI, BLD	133
DIFFICULTY RISING	131
THYROID HORMONE(S) LO	130
NYSTAGMUS	127
AZOTEMIA	124
POLYCYTHEMIA	124
PACING	122
GLOBULIN HI, BLD	121
KIDNEY DISORDER	119
SPLENOMEGALY	119
CASTS, URINE	118
PROTEIN(TOT) HI, BLD	118
APPREHENSION	117
HYPERPNEA	117
LIVER FAILURE	113
SWELLING, HEAD/FACE	113
COUGHING	112
CPK HI, BLD	112
KIDNEY VALUES HI, BLD	112
STAGGERING	112
BLINDNESS	111
BUN LO, BLD	111
INFECTION, URINARY TRA	110
PERITONITIS	108
WBC, URINE	108
PT PROLONGED, BLD	107
URTICARIA	107
PARESIS	106
PTT PROLONGED, BLD	106
CIRCLING	105
PR-SPLEEN, LESION(S)	105

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
LAMENESS	104
MONOS HI, BLD	104
BLD	103
PAIN	103
PROPRIOCEPTIVE DISORDE	102
CONGESTION, SKIN	101
EDEMA, LIMB(S)	99
BLD, MOUTH/LIP(S)	96
BANDS HI, BLD	92
ULCER(S), STOMACH	92
PALLOR	90
BLD, ABDOMEN	89
K LO, BLD	88
PR-SM INTEST, LESION(S)	87
INCONTINENCE, FECAL	85
SHAKING	85
ANEMIA, REGEN	83
ICTERUS, SERUM	82
LESION(S), SKIN	82
HEPATITIS	81
PERFORATION, GI	81
ANURIA	79
INFECTION, SKIN	77
SOMNOLENCE	77
EDEMA, HEAD/FACE	76
NEUROLOGICAL DISORDER	74
STUMBLING	74
CONSTIPATION	73
ENLARGEMENT, LYMPH NOD	73
INEFFECT, LOSS OF EFFE	73
PARALYSIS, HIND LIMB(S)	73
ARREST, HEART	72
HAIR, SHEDDING	72
CA LO, BLD	71
EFFUSION, PERITONEAL	71
STUPOR	71
ULCER(S), MOUTH/LIP(S)	71
NA LO, BLD	70

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PERFORATION, STOMACH	70
LYMPHS LO, BLD	68
BLD, RECTUM	67
ILL	66
PR-SKIN, LESION(S)	66
COOMBS TEST POS	63
DIABETES MELLITUS	63
URINATION ABN	63
MURMUR, HEART	62
RELUCTANT TO MOVE	62
TRIGLYCERIDES HI, BLD	62
POLYPHAGIA	61
SHOCK	61
TWITCH	59
PR-PANCREAS, LESION(S)	58
SKIN DISORDER	58
STOOL ABN	58
GASTROENTERITIS	57
GLOBULIN LO, BLD	56
CRYSTALS, URINE	55
UNCONSCIOUS	55
DIARRHEA, SEVERE	54
DIC	54
ALBUMIN HI, BLD	53
BILIRUBIN(DIR) HI, BLD	53
ANAPHYLAXIS/TOID	52
CYSTITIS	52
EOSINOS HI, BLD	52
RETICULOCYTES HI, BLD	51
BLD(HEMATOMA)	50
CHEMISTRY ABN	50
CHLORIDE LO, BLD	50
HYPOTHERMIA, BODY	50
LOCOMOTION DISORDER	49
PARALYSIS	49
RBC, NUCLEATED	49
DEAFNESS	47
DIARRHEA, MUCOID	47

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ULCER(S), SKIN	47
SEGS LO, BLD	46
VOMITING, SEVERE	46
HYPOTHERMIA	45
MASS, ABDOMEN	45
MICROORANISMS, URINE	45
MYDRIASIS	45
NAUSEA	45
PR-HEART, LESION(S)	45
EDEMA, LUNG(S)/TRACHEA	44
DISCHARGE, NOSE	43
FLATULENCE	43
POLYCYTHEMIA(RELATIVE)	43
PR-GI, LESION(S)	43
SWELLING, LIMB(S)	43
URINE ABN	43
APNEA	42
EDEMA	42
SEDATION	42
PR-LUNG(S), LESION(S)	41
SKIN, NECROSIS	41
BLD, GI	40
GI, ABNORMAL	40
NA HI, BLD	40
SKIN, CRUST(S)	40
URINATION	40
GAGGING	39
NEOPLASM	39
ANEMIA, HEMOLYTIC	38
LYMPHS HI, BLD	38
REFLEX(ES) ABN	38
DISCOMFORT	37
GASTRITIS	37
ARRHYTHMIA	36
RASH	36
OLIGURIA	35
CULTURE/TITER DATA ABN	34
DISTRESS, RESP	34

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
HAIR, ABN	34
OTITIS	34
VOMITING, UNPRODUCTIVE	34
CHLORIDE HI, BLD	33
NECROSIS	33
DIARRHEA, WATERY	32
BLD, EYE(S)	31
ERUPTION(S)	31
HIDING	31
RBC ABN	31
RBC, ANISO	31
ULCER(S), TONGUE	31
BITING/CHEWING	30
MICROORGANISMS, URINE	30
ODOR, MOUTH	30
PR-MULT SITES, BLD	30
SWELLING, JOINT(S)	30
TENESMUS, RECTAL	30
ACCIDENTAL EXPOSURE	29
PICA	29
PLATELETS HI, BLD	29
RBC, POLYCHROM	29
STOOL, MUCOID	29
BLOAT	28
CYANOSIS	28
INFECTION	28
NEOPLASM, LIVER	28
NYSTAGMUS, HORIZONTAL	28
PR-BONE MARROW, LESION	28
PUSTULE(S)	28
ATROPHY, MUSCLE(S)	27
HEART DISORDER	27
WEIGHT INCREASE	27
CARDIOMEGALY	26
EYE DISORDER	26
INCONTINENCE	26
LICKING	26
PARALYSIS, FACIAL NERV	26

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PR-LYMPH NODE(S), LESI	26
SPASM	26
VOLVULUS, STOMACH	26
COLITIS	25
KERATOCONJUNCTIVITIS S	25
PARESIS, FORELIMB(S)	25
P LO, BLD	25
PRESSURE HI, BLD	25
SNEEZING	25
ALKALINE URINE	24
ANEMIA, SPHERO	24
CONJUNCTIVITIS	24
GALL BLADDER, ABN	24
KETONES, URINE	24
SHAKING, HEAD/FACE	24
ULCER(S), PYLORUS	24
BLD, LUNG(S)/TRACHEA	23
INEFFECT	23
NEPHRITIS	23
PR-INTEST, LESION(S)	23
SCALE(S), SKIN	23
SKIN, SCAB(S)	23
ULCER(S), CORNEA(S)	23
BLD, INCISION SITE	22
DISTRESS	22
EFFUSION, PLEURAL	22
NEOPLASM, SPLEEN	22
PR-PERITONEUM, LESION(22
PR-SM INTEST, LESION(S)	22
SWELLING, EYE(S)/LID(S)	22
CHOLESTEROL LO, BLD	21
CORT/CREAT HI, URINE	21
RETINA ABN	21
SOUND ABN, RESPIRATORY	21
STARING	21
BLD, SKIN	20
BORBORYGMI	20
EDEMA, VENTRAL	20

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PR-PERITONEAL EFFUSION	20
VISION DISORDER	20
BLD, ABN	19
BREATHING ABN	19
DEFECATION	19
DISCHARGE, EYE(S)/LID(S)	19
HEAD PRESSING	19
IMMUNE DISORDER	19
MASS	19
ODOR	19
PRESSURE LO, BLD	19
PROLAPSE, THIRD EYELID	19
STRANGURIA	19
VESICLE(S)/BULLAE, SKI	19
BILE ACIDS ABN, BLD	18
BLD, VAGINA	18
BLINDNESS, PARTIAL	18
CACHEXIA	18
CNS INFARCT	18
CONGESTION, EYE(S)/LID	18
DYSPHAGIA	18
FROTH, MOUTH/LIP(S)	18
HORNER'S SYNDROME	18
LESION(S), MOUTH/LIP(S)	18
MASS, SKIN	18
PD-TABLET(S), ABN	18
PLATELETS ABN	18
POLLAKIURIA	18
UNPALATABLE, WON'T EAT	18
ANEMIA, BLD LOSS	17
BILIRUBIN(IND) HI, BLD	17
BRADYCARDIA	17
DYSURIA	17
ELIMINATION ABN	17
HYPERESTHESIA	17
INCISION SITE ABN	17
INSOMNIA	17
ODOR, URINE	17

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PNEUMONIA, ASPIRATION	17
PULSE THREADY	17
STOMATITIS	17
ANISOCORIA	16
CAPILLARY REFILL PROLO	16
HEART FAILURE	16
HYPHEMA	16
HYPADRENOCORTICISM	16
LICKING, FEET/DIGIT(S)	16
PAIN, JOINT(S)	16
SORE(S)	16
STIFFNESS	16
TOX	16
UVEITIS	16
AMMONIA HI, BLD	15
BLD, ANUS	15
CONGESTION, LUNG(S)	15
DEMENTIA	15
DIZZINESS	15
GINGIVA, ABN	15
LDH HI, BLD	15
MONOS LO, BLD	15
MORIBUND	15
MUCOUS MEMBR, MUDDY	15
PANCREAS DISORDER	15
PANCREAS ENZYMES HI, B	15
PNEUMONIA	15
PR-BRAIN, LESION(S)	15
PUPIL(S), AREFLEXIA	15
RELUCTANT TO CLIMB	15
SLOUGH, SKIN	15
BLD, SCLERA	14
BLINDNESS, TEMP	14
DEAFNESS, PARTIAL	14
DEHISCENCE	14
DILITATION, ESOPHAGUS	14
FIBRINOGEN LO, BLD	14
GINGIVITIS	14

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PR-LUNG(S), EDEMA	14
SEPSIS	14
SLEEP ABN	14
SWELLING, FEET/DIGIT(S)	14
SWELLING, MOUTH/LIP(S)	14
VASCULITIS	14
ACID URINE	13
ELECTROLYTE DISORDER	13
ENCEPHALOPATHY	13
HEAD BOBBING	13
JOINT DISORDER	13
MUCOUS MEMBR, ABN COLO	13
NEOPLASM, LYMPH NODE(S)	13
PAIN, NECK	13
PR-BLD VESSEL(S), LESI	13
PR-COLON, LESION(S)	13
REGURGITATION	13
BALANCE DISORDER	12
BASOS HI, BLD	12
CONGESTION, EAR(S)	12
DEAFNESS, TEMP	12
EFFUSION, PERICARDIAL	12
FLY BITING	12
HEMOGLOBIN, URINE	12
PAIN, BACK	12
REACTION, UNSPECIFIED	12
TONGUE, ABN	12
UREMIA	12
ACIDOSIS	11
ALBUMIN HI, URINE	11
BLD, THORAX	11
CNS DISORDER	11
CO2 LO, BLD	11
CREATININE LO, BLD	11
DILITATION, STOMACH	11
ERUCTATION	11
GLAUCOMA	11
LIPIDS HI, BLD	11

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
MG HI, BLD	11
PAIN, HIND LIMB(S)	11
PAPULE(S)	11
PR-BLADDER, LESION(S)	11
PR-MULT SITES, CONGEST	11
SEDIMENT, URINE	11
SKIN, DRY	11
SWELLING, EAR(S)	11
WBC ABN	11
WHEEZING	11
ABN ODOR, URINE	10
ABSCESS, SKIN	10
CALCULI, BLADDER	10
DEFECATION ABN	10
DESTRUCTIVENESS	10
DISCHARGE, VULVA	10
EDEMA, BRISKET/CHEST	10
EFFUSION	10
LIVER PROFILE HI	10
MIOSIS	10
PARALYSIS, ALL LIMBS	10
PARESIS, FORE LIMB(S)	10
POSTURE ABN	10
SWELLING, NECK	10
TENESMUS, URINARY	10
CALCULI, URINE	9
CELLULITIS	9
CYANOSIS, MUCOUS MEMBR	9
EDEMA, MULTIPLE SITES	9
ERYTHEMA MULTIFORME	9
EXERCISE INTOLERANCE	9
FIBROSIS	9
HYPERPIGMENTATION, SKI	9
INFECTION, FEET/DIGIT(9
MG LO, BLD	9
MYOSITIS	9
PAIN, MOUTH/LIP(S)	9
RESPIRATORY DISORDER	9

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SWELLING	9
TREMBLING, FACE	9
BLD, PENIS	8
BLEPHAROSPASM	8
BONE, ABN	8
BREATHING, DIFFICULT	8
CONGESTION, MUCOUS MEM	8
DIABETES	8
FIBRINOGEN HI, BLD	8
HYPERADRENOCORTICISM	8
INEFFECT, OTHER DRUG(S	8
INFARCT	8
LOSS OF CONDITION	8
NYSTAGMUS, ROTARY	8
PAIN, SPINAL	8
PR-MULT SITES, ICTERUS	8
PRURITIS, FEET/DIGIT(S	8
RETICULOCYTES LO, BLD	8
SALIVA, ABN	8
SPEC GRAVITY HI, URINE	8
STIFFNESS, HIND LIMB(S	8
TENESMUS	8
THROMBUS	8
ANEMIA, APLASTIC	7
BLD, EAR(S)	7
DIABETES M, POOR REGUL	7
DIARRHEA, PROJECTILE	7
DISSOCIATION	7
DYSMETRIA	7
EDEMA, EYE(S)/LID(S)	7
EDEMA, NECK	7
ENLARGEMENT(S), SKIN	7
ENTERITIS	7
EOSINOS LO, BLD	7
HEALING IMPAIRED	7
HYPOMOTILITY	7
HYPOPNEA	7
INCISION SITE, ECCHYMOSIS	7

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INFLAM	7
INJ SITE BLD	7
LEG DISORDER	7
MUCOUS MEMBR, RED	7
NA:K LO, BLD	7
NOSE ABN	7
NYSTAGMUS, VERTICAL	7
PR-ADRENAL(S), LESION(S)	7
PR-GALL BLADDER, LESION(S)	7
PR-MESENTERY, LESION(S)	7
PR-MOUTH/LIP(S), LESIO	7
PR-TONGUE, LESION(S)	7
PRURITIS, EAR(S)	7
SEBORRHEA	7
SKIN ABNORMAL	7
SLOUGH, FEET/DIGIT(S)	7
STIFFNESS, LIMB(S)	7
THRASHING/PADDLING	7
APLASIA, BONE MARROW	6
BLD, RETINA	6
BREATHING, PERIODIC	6
BRONCHITIS	6
CATARACT(S)	6
EAR DISORDER	6
ECG ABN	6
EFFUSION, JOINT(S)	6
ENLARGEMENT(S)	6
GLOSSITIS	6
IRRITATION, PERINEUM	6
IRRITATION, SKIN	6
NAIL DISORDER	6
OPISTHOTONOS	6
PROSTATOMEGALY	6
PR-PLEURAL EFFUSION	6
SOUND ABN, VOICE	6
SWELLING, BRISKET/CHES	6
SYNCOPE	6
TECH ERROR ADMINISTRAT	6

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
TEETH, ABN	6
THYROID HORMONE(S) HI	6
TRANSUDATE	6
ULCER(S)	6
ULCER(S), MUCOCUTANEOU	6
A/G RATIO LO, BLD	5
ANA POS	5
ANEMIA, HEINZ BODY	5
ANESTH RECOV PROLONGED	5
BLD, PASSING	5
CHOLECYSTITIS	5
CONGESTION	5
DISCHARGE, EAR(S)	5
ECCHYMOSIS, INCISION SITE	5
EDEMA, FEET/DIGIT(S)	5
EXFOLIATION, SKIN	5
HYPERKERATOSIS	5
INCISION SITE INFECTION	5
JERKING	5
LEUKODERMA	5
NEOPLASM, BONE	5
NYSTAGMUS, POSITIONAL	5
PARALYSIS, LARYNX	5
PERFORATION	5
PR-ASCITES	5
PROTRUSION, EYE(S)	5
PRURITIS, EYE(S)	5
REFLUX, STOMACH	5
SEDATION PROLONGED	5
SWELLING, SCROTUM	5
ULCER(S), FEET/DIGIT(S)	5
UROBILINOGEN HI, URINE	5
VOLVULUS	5
ANION GAP HI, BLD	4
ARTHRITIS	4
ATONY, BLADDER	4
BLADDER, PARALYSIS	4
BLD, FEET/DIGIT(S)	4

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLD, JOINT(S)	4
BLD, SQ	4
DEATH(TX FAILURE)	4
DIGESTION DISORDER	4
DISCHARGE, EYE(S)/LID(4
DISCHARGE, MOUTH/LIP(S)	4
DISTENTION, BLADDER	4
EDEMA, CORNEA(S)	4
HYPERTONIA	4
IMPROVEMENT, UNEXPECT	4
INFECTION, UTERUS	4
IRRITATION, EYE(S)/LID	4
KETOSIS	4
K HI, URINE	4
NEOPLASM, LUNG(S)	4
NEOPLASM, SKIN	4
NOCTURIA	4
PAIN, FEET/DIGIT(S)	4
PAIN, HEAD/FACE	4
PAIN, LIMB(S)	4
PANCYTOPENIA	4
PERIODONTAL, ABSCESS	4
PR-ESOPHAGUS, LESION(S	4
PR-MENINGES, LESION(S)	4
PROSTRATION	4
RUPTURE	4
RUPTURE, STOMACH	4
SELF-MUTILATION	4
SEPTICEMIA	4
SWELLING, ANUS	4
SWELLING, TONGUE	4
SWELLING, VENTRUM	4
TACHYCARDIA, VENTRICUL	4
TECH ERROR	4
ULCER(S), EAR(S)	4
ACTH STIM ABN	3
BLD, MULT SITES	3
BLD(PURPURA)	3

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BRAIN, NEOPLASM	3
CALCULI, KIDNEY	3
CSF ABN	3
DEATH(STILLBORN)	3
DISCHARGE, INCISION SITE	3
ECG, ABN	3
EDEMA, SCROTUM	3
ENDOCRINE DISORDER	3
ESTRUS BEHAVIOR	3
ESTRUS CYCLE ABNORMAL	3
GRANULOMA, LICK	3
GRINDING TEETH	3
HAIR, ABN COLOR	3
HALLUCINATION	3
HCO3 HI, BLD	3
HCO3 LO, BLD	3
HYPERSENSITIVE, SOUND	3
HYPOSMIA	3
IMMUNOSUPPRESSION	3
INCISION SITE DISCHARGE	3
INJ SITE ALOPECIA	3
INJ SITE NECROSIS	3
INJ SITE SWELLING	3
IRIS(BLD)	3
IRRITATION	3
IRRITATION, ESOPHAGUS	3
IRRITATION, MOUTH/LIP(3
IRRITATION, MOUTH/LIP(S)	3
LIVER DISORDER, OBSTRU	3
LOCKJAW	3
MRI SCAN ABN	3
MYOGLOBIN, URINE	3
NEURITIS, OPTIC	3
NEUROPATHY	3
NO SIGNS	3
PAIN, EYE(S)/LID(S)	3
PD-COLOR, ABN	3
PD-ODOR, ABN	3

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PHOTOPHOBIA	3
PR-CECUM, LESION(S)	3
PR-MULT SITES, EDEMA	3
PR-MULT SITES, LESION(S)	3
PROLAPSE, DISC	3
PR-SPINAL CORD, LESION	3
RBC, MICRO	3
REPETITIVE MOVEMENTS	3
SHOCK, ENDOTOXEMIA	3
SLOUGH	3
STIFFNESS, FRONT LIMB(3
SWELLING, PHARYNX/THRO	3
TORTICOLLIS	3
UNPALATABLE	3
ADVERSE DRUG REACTION	2
AGRANULOCYTOSIS, BLD	2
A/G RATIO HI, BLD	2
ARRHYTHMIA, BLOCK	2
ATROPHY	2
CAT SCAN ABN	2
CERVICAL SPINE ABN	2
CLOUDY URINE	2
CO2 HI, BLD	2
CONGESTION, SINUS	2
DEATH(NEWBORN)	2
DISCOMFORT, MOUTH/LIP(S)	2
DRY MOUTH SYNDROME	2
DRY, SKIN	2
EDEMA, LARYNX	2
EDEMA, SCLERA	2
EMBOLUS	2
EPIPHORA	2
ERECTION, ABN	2
FIBRILLATION, ATRIAL	2
GRANULOMA	2
HYPERMOTILITY	2
INFECTION, EYE(S)	2
IRRITATION, EAR(S)	2

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
K LO, BLOOD	2
LARYNGITIS	2
LESION(S)	2
NEOPLASM, KIDNEY(S)	2
NEOPLASM, MULT SITES	2
NEOPLASM, PANCREAS	2
OBSTRUCTION, INTESTINE	2
OPACITY, CORNEA(S)	2
PARAESTHESIA, EYE(S)/L	2
PARESTHESIA, MOUTH/LIP	2
POLYCYTHEMIA(ABSOLUTE)	2
PR-ADRENAL(S), LESION(2
PR-CEREBRUM, LESION(S)	2
PR-GI, EDEMA	2
PR-HEARTWORM DISEASE	2
PR-NOSE, LESION(S)	2
PROLAPSE, TONGUE	2
PR-PERICARDIAL EFFUSIO	2
PR-WHOLE BODY, LESION(S)	2
REPRODUCTION DISORDER	2
SLOUGH, TONGUE	2
SPERM ABN	2
STIFFNESS, NECK	2
SUMMARY REVIEW	2
SWELLING, MULT SITES	2
SWELLING, TESTICLE	2
TAIL DISORDER	2
TESTICLE, ABN	2
VAGINITIS	2
VOICE DISORDER	2
XEROSTOMIA	2
ABSCCESS, TUMOR	1
ANOREXIA(NOT NURSING)	1
ASPHYXIA	1
BIRTH DEFECT(S), HEAD/	1
BIRTH DEFECT(S), LIMB(1
BLD, SEMEN	1
BLINDNESS, NIGHT	1

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CA/P RATIO LO, BLD	1
CHE LO, RBC	1
CHOKING	1
COLITIS, ULCERATIVE	1
COLON, ABN	1
CONGESTION, NOSE	1
DELIRIUM	1
DIABETES INSIPIDUS	1
EDEMA, MAMMARY	1
EDEMA, PREPUCE	1
ENLARGEMENT, JOINT(S)	1
EOSINOS HI, BODY	1
ERYTHEMA, SCROTUM	1
FE HI, BLD	1
FERTILITY, LACK OF	1
FEVER, JOINT(S)	1
FIBRILLATION, VENTRICU	1
G-HAIR, ABN COLOR	1
HAIR, ABNORMAL	1
HYPOESTHESIA	1
HYPOESTHESIA, FEET/DIG	1
HYPOESTHESIA, MOUTH/LIP(S)	1
HYPOSALIVATION	1
INEFFECT, ANESTHESIA	1
INEFFECT, ANTIBIOTIC	1
INEFFECT, WEIGHT LOSS	1
INFLAMMATION, NOSE	1
INJ SITE EDEMA	1
INJ SITE FIBROSIS	1
INJ SITE INFECT	1
INJ SITE PAIN	1
INJ SITE PRURITIS	1
INJ SITE SEROMA	1
IRIS, INFLAM	1
IRRITATION, PHARYNX/TH	1
NECK, VENTROFLEXION	1
NEOPLASM, HEART	1
PAIN, BRISKET/CHEST	1

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, MUSCLE(S)	1
PALPITATIONS	1
PHALLITIS	1
P HI, URINE	1
PHLEBITIS	1
POSTURAL RXN(S) ABN	1
PR-BONE(S), LESION(S)	1
PR-BRONCHI, LESION(S)	1
PR-EYE(S)/LID(S), LESI	1
PRIAPISM	1
PR-INJ SITE, LESION(S)	1
PR-JOINT(S), LESION(S)	1
PR-JOINT(S), SEPSIS	1
PR-MULT SITES, LESION(1
PR-MUSCLE(S), LESION(S)	1
PR-NERVE(S), LESION(S)	1
PROLAPSE, PENIS	1
PR-PARATHYROID, LESION	1
PR-PHARYNX, LESION(S)	1
PR-RECTUM, LESION(S)	1
PR-TRACHEA, LESION(S)	1
PRURITIS, TAIL	1
PR-UTERUS, LESION(S)	1
RUPTURE, TUMOR	1
SCENT DEFICIT	1
SCROTUM, ABN	1
SINUSITIS	1
SLOUGH, GINGIVA	1
SQUINTING	1
STEATITIS	1
STOOL, PALE/GRAY	1
STRABISMUS	1
SWELLING, PREPUCE	1
SWELLING, TENDON(S)	1
TEARS, ABN	1
TYMPANIC MEM, RUPTURED	1
UDDER, AGALACTIA	1
UDDER, DYSGALACTIA	1

DRUG: CARPROFEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
URIC ACID HI, BLD	1
VESICLE(S)/BULLAE, MOU	1
VOMITING, PROJECTILE	1

DRUG: CARPROFEN

Species: FISH

Route of Administration: ORAL

Sign:	Number of Times Reported:
PR-LIVER, LESION(S)	1
PR-PHARYNX, LESION(S)	1
PR-STOMACH, LESION(S)	1
ULCER(S), STOMACH	1

DRUG: CARPROFEN

Species: GUINEA PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
ATAXIA	1
DEPRESSION/LETHARGY	1
STAGGERING	1
STUMBLING	1
STUPOR	1

DRUG: CARPROFEN

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLD	1

DRUG: CARPROFEN

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
NAUSEA	15
VOMITING	11
DIARRHEA	7
DEPRESSION/LETHARGY	5
DIZZINESS	4
HUMAN EXPOSURE, INGEST	3
HYPERSALIVATION	3
PAIN, ABDOMEN	3
ABN COLOR, URINE	2
HYPERESTHESIA	2
SGOT/AST HI, BLD	2
TREMBLING	2
XEROSTOMIA	2
ACCIDENTAL EXPOSURE	1
ACIDOSIS	1
AGGRESSION	1
ALK PHOS HI, BLD	1
BEHAVIOR DISORDER	1
BLD, VAGINA	1
BUN HI, BLD	1
CONVULSION(S)	1
CREATININE HI, BLD	1
DIARRHEA, MILD	1
FEVER, BODY	1
FROTH, MOUTH/LIP(S)	1
GLUCOSE HI, BLD	1
HEADACHE	1
IRRITATION, PHARYNX/TH	1
KIDNEY FAILURE	1
LIVER FAILURE	1
MYOSITIS	1
NERVOUSNESS	1
PAIN, BRISKET/CHEST	1
PAIN, HEAD/FACE	1
PAPULE(S)	1
PARESTHESIA, MOUTH/LIP	1
RASH	1
SEDATION	1

DRUG: CARPROFEN

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
SGPT/ALT HI, BLD	1
SHAKING	1
SOMNOLENCE	1
STUPOR	1
TACHYCARDIA	1
WBC HI, BLD	1
WEAKNESS	1

DRUG: CARPROFEN

Species: OTHER

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	2
DEATH(EUTHANIZED)	2
ALK PHOS HI, BLD	1
ANEMIA	1
ANOREXIA	1
CREATININE HI, BLD	1
EPISTAXIS	1
GLUCOSE HI, BLD	1
GLUCOSE, URINE	1
HYPOTHERMIA	1
LIVER ENZYMES HI, BLD	1
MASS, SKIN	1
NAUSEA	1
PERITONITIS	1
POLYPNEA	1
PROPRIOCEPTIVE DISORDE	1
RECUMBENCY	1
REFLEX(ES) ABN	1
THYROID HORMONE(S) LO	1
ULCER(S), GI	1
WBC HI, BLD	1
WEAKNESS	1
WEIGHT INCREASE	1
WEIGHT LOSS	1

DRUG: CARPROFEN

Species: OTHER

Route of Administration: ORAL

DRUG: CARPROFEN

Species: PANDA

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANEMIA	1
BUN HI, BLD	1
CREATININE HI, BLD	1
DEATH(EUTHANIZED)	1
PR-HEART, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PROTEIN, URINE	1
WBC, URINE	1

DRUG: CARPROFEN

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH	1
DYSPNEA	1
FEVER, BODY	1
INEFFECT, ANTIINFLAM	1

DRUG: CARPROFEN

Species: RABBIT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	3
ANOREXIA	2
INCONTINENCE, URINARY	2
PR-LIVER, LESION(S)	2
SGPT/ALT HI, BLD	2
APNEA	1
BUN HI, BLD	1
CONFUSION	1

DRUG: CARPROFEN

Species: RABBIT

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONVULSION(S)	1
CREATININE HI, BLD	1
DEPRESSION/LETHARGY	1
EDEMA, SCROTUM	1
POLYURIA	1
PR-KIDNEY(S), LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
SEDATION	1
STUPOR	1

DRUG: CARPROFEN

Species: VARIOUS

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	3
VOMITING	3
CREATININE HI, BLD	1
CYANOSIS	1
DEATH	1
DYSPNEA	1
KIDNEY FAILURE	1
LIVER ENZYMES HI, BLD	1
NEOPLASM, SPLEEN	1
POLYDIPSIA	1
SGPT/ALT HI, BLD	1
SPLENOMEGALY	1
UNCONSCIOUS	1

DRUG: CARPROFEN

Species: BIRD

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: CARPROFEN

Species: BIRD

Route of Administration: PARENTERAL

DRUG: CARPROFEN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	28
ANOREXIA	20
DEATH	19
BUN HI, BLD	16
VOMITING	16
CREATININE HI, BLD	13
DEATH(EUTHANIZED)	9
HYPOTHERMIA, BODY	7
ATAXIA	6
DEHYDRATION	6
P HI, BLD	6
WEIGHT LOSS	6
ARREST, HEART	5
BLD, URINE	4
HYPERPNEA	4
KIDNEY FAILURE	4
SGPT/ALT HI, BLD	4
ANEMIA	3
ANESTH RECOV PROLONGED	3
APNEA	3
BRADYCARDIA	3
CONVULSION(S)	3
DIARRHEA	3
PROTEIN, URINE	3
VOCALIZATION	3
WBC LO, BLD	3
WEAKNESS	3
ANURIA	2
DYSPNEA	2
FEVER, BODY	2
ICTERUS, BODY	2
INCISION SITE ABN	2
INJ SITE INFLAM	2
INJ SITE NECROSIS	2

DRUG: CARPROFEN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INTERACTION, DRUG(S)	2
K HI, BLD	2
MYDRIASIS	2
PAIN	2
PAIN, ABDOMEN	2
PALLOR, MUCOUS MEMBRAN	2
POLYDIPSIA	2
PR-HEART, LESION(S)	2
PR-KIDNEY(S), LESION(S)	2
PR-SM INTEST, LESION(S)	2
RECUMBENCY	2
SKIN, NECROSIS	2
SPEC GRAVITY LO, URINE	2
TACHYCARDIA	2
ULCER(S), MOUTH/LIP(S)	2
VOMITING, BLOODY	2
ABN COLOR, URINE	1
ADIPSIA	1
ALBUMIN LO, BLD	1
ALK PHOS HI, BLD	1
ANAPHYLAXIS/TOID	1
ARRHYTHMIA	1
ARRHYTHMIA, BLOCK	1
AZOTEMIA	1
BILIRUBIN(TOT) HI, BLD	1
BILIRUBIN, URINE	1
BLD(ECCHYMOSES)	1
BLD, INCISION SITE	1
CACHEXIA	1
CELLULITIS	1
CONSTIPATION	1
COUGHING	1
CYANOSIS	1
CYANOSIS, MUCOUS MEMBR	1
DEAFNESS	1
DEHISCENCE	1
DISCHARGE, EYE(S)/LID(S)	1
DISCHARGE, NOSE	1

DRUG: CARPROFEN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DISTRESS, RESP	1
EFFUSION, PLEURAL	1
ENLARGEMENT, LYMPH NOD	1
HEMATOCHEZIA	1
HEPATITIS	1
HEPATOMEGALY	1
HIDING	1
HYPERSALIVATION	1
HYPERSENSITIVE, SOUND	1
HYPOTHERMIA	1
ICTERUS	1
ILL	1
INJ SITE MASS	1
INJ SITE PRURITIS	1
INJ SITE SLOUGH	1
INJ SITE SWELLING	1
IRRITATION, MOUTH/LIP(S)	1
LAMENESS	1
LIVER ENZYMES HI, BLD	1
LOSS OF CONDITION	1
NA LO, BLD	1
NEUROLOGICAL DISORDER	1
NYSTAGMUS	1
NYSTAGMUS, HORIZONTAL	1
OPACITY, CORNEA(S)	1
PACING	1
PERFORATION, GI	1
PERITONITIS	1
PHOTOSENSITIZATION	1
PLATELETS LO, BLD	1
POLYCYTHEMIA	1
POLYPNEA	1
POLYURIA	1
PR-INJ SITE, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
PROLAPSE, THIRD EYELID	1
PROTEIN(TOT) HI, BLD	1

DRUG: CARPROFEN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PROTEIN(TOT) LO, BLD	1
PR-STOMACH, LESION(S)	1
PULSE THREADY	1
PUPIL(S), AREFLEXIA	1
RADIOGRAPH(S) ABN	1
SALIVA, ABN	1
SEDATION PROLONGED	1
SEDATION TOO DEEP	1
SGOT/AST HI, BLD	1
SPLENOMEGALY	1
STUPOR	1
SWELLING	1
TRACHEITIS	1
URINATION ABN	1
US ABN	1
US-LIVER ABN	1
WBC HI, BLD	1
WHEEZING	1

DRUG: CARPROFEN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
VOMITING	271
ANOREXIA	234
DEPRESSION/LETHARGY	205
DEATH	139
SGPT/ALT HI, BLD	138
ALK PHOS HI, BLD	131
BILIRUBIN(TOT) HI, BLD	88
DIARRHEA	87
WBC HI, BLD	77
DEATH(EUTHANIZED)	71
INJ SITE SWELLING	71
BUN HI, BLD	70
ANEMIA	65

DRUG: CARPROFEN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE NECROSIS	60
PLATELETS LO, BLD	56
CREATININE HI, BLD	55
DIARRHEA, BLOODY	50
ICTERUS, BODY	48
MELENA	47
FEVER, BODY	45
INTERACTION, DRUG(S)	42
SGOT/AST HI, BLD	42
ALBUMIN LO, BLD	41
BLD, URINE	41
DEHYDRATION	41
ATAXIA	40
VOMITING, BLOODY	40
P HI, BLD	39
WEIGHT LOSS	39
POLYDIPSIA	36
CONVULSION(S)	35
INJ SITE ABSCESS	35
ANAPHYLAXIS/TOID	34
PROTEIN(TOT) LO, BLD	31
BLD, INCISION SITE	29
PALLOR, MUCOUS MEMBRAN	29
POLYPNEA	29
INJ SITE INFLAM	28
DYSYPNEA	25
HYPERSALIVATION	25
PERITONITIS	25
INJ SITE ALOPECIA	24
PR-LIVER, LESION(S)	24
PAIN, ABDOMEN	23
WEAKNESS	23
PERFORATION, GI	22
RECUMBENCY	21
COAGULATION DISORDER	20
INJ SITE ULCER(S)	20
POLYURIA	20
ULCER(S), GI	20

DRUG: CARPROFEN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
US ABN	20
RADIOGRAPH(S) ABN	19
SKIN, SCAB(S)	19
CONFUSION	18
INJ SITE SLOUGH	18
TACHYCARDIA	18
APNEA	17
CONGESTION, SKIN	17
INCONTINENCE, URINARY	17
INJ SITE MASS	17
NERVOUSNESS	17
BLD(ECCHYMOSES)	16
GGT HI, BLD	16
PR-KIDNEY(S), LESION(S)	16
SEGS HI, BLD	16
TREMBLING	16
INJ SITE PAIN	15
ARREST, HEART	14
COLLAPSE	14
ENLARGEMENT, LYMPH NOD	14
LIVER ENZYMES HI, BLD	14
EDEMA, HEAD/FACE	13
LESION(S), SKIN	13
PR-STOMACH, LESION(S)	13
SKIN, NECROSIS	13
SWELLING, HEAD/FACE	13
AGGRESSION	12
AMYLASE HI, BLD	12
BILIRUBIN, URINE	12
INEFFECT, ANALGESIA	12
INJ SITE EDEMA	12
MONOS HI, BLD	12
SPEC GRAVITY LO, URINE	12
URTICARIA	12
VOCALIZATION	12
GLUCOSE HI, BLD	11
HEMATOCHEZIA	11
INFECTION, URINARY TRA	11

DRUG: CARPROFEN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PRURITIS	11
PERFORATION, STOMACH	11
PRURITIS	11
PT PROLONGED, BLD	11
PTT PROLONGED, BLD	11
ADIPSIA	10
ICTERUS	10
INJ SITE ABN	10
K LO, BLD	10
PR-SKIN, LESION(S)	10
US-LIVER ABN	10
BLD, ABDOMEN	9
BLD(PETECHIAE)	9
DIFFICULTY RISING	9
GLUCOSE LO, BLD	9
INJ SITE SEROMA	9
PAIN	9
PROTEIN, URINE	9
WBC LO, BLD	9
EPISTAXIS	8
HYPOTHERMIA, BODY	8
INJ SITE INFECT	8
INJ SITE STERILE ABSCE	8
KIDNEY FAILURE	8
NA LO, BLD	8
PR-HEART, LESION(S)	8
PR-INJ SITE, LESION(S)	8
PR-SM INTEST, LESION(S)	8
RELUCTANT TO MOVE	8
ANEMIA, AUTOIMMUNE HEM	7
BEHAVIOR DISORDER	7
BILE ACIDS HI, BLD	7
CA LO, BLD	7
DEHISCENCE	7
DISTENTION, ABDOMEN	7
EFFUSION, PERITONEAL	7
HYPERACTIVITY	7
INEFFECT, ANTIINFLAM	7

DRUG: CARPROFEN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INFECTION, SKIN	7
LAMENESS	7
PANCREATITIS	7
PR-LUNG(S), LESION(S)	7
ULCER(S), STOMACH	7
ABN COLOR, URINE	6
ALBUMIN HI, BLD	6
ALOPECIA	6
ANURIA	6
BLD	6
BRADYCARDIA	6
CASTS, URINE	6
CHOLESTEROL HI, BLD	6
CIRCLING	6
HYPERPNEA	6
HYPOTHERMIA	6
INFLAM, SKIN	6
INJ SITE BLD	6
LICKING	6
LIPASE HI, BLD	6
PARESIS, HIND LIMB(S)	6
PR-SPLEEN, LESION(S)	6
SWELLING, LIMB(S)	6
WBC, URINE	6
ANEMIA, REGEN	5
APPREHENSION	5
ARRHYTHMIA	5
AZOTEMIA	5
BANDS HI, BLD	5
BLD, LUNG(S)/TRACHEA	5
BLD, MOUTH/LIP(S)	5
BLD, RECTUM	5
CHLORIDE LO, BLD	5
DERMATITIS, MOIST	5
DIC	5
GLUCOSE, URINE	5
ICTERUS, SERUM	5
INCISION SITE ABN	5

DRUG: CARPROFEN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SHOCK	5
SKIN, CRUST(S)	5
SLOUGH, SKIN	5
SWELLING, EYE(S)/LID(S)	5
ULCER(S), PYLORUS	5
UNCONSCIOUS	5
VASCULITIS	5
ANEMIA, BLD LOSS	4
BLD(HEMATOMA)	4
BUN LO, BLD	4
CA HI, BLD	4
CONGESTION, LUNG(S)	4
COUGHING	4
CPK HI, BLD	4
CRYSTALS, URINE	4
CYANOSIS, MUCOUS MEMBR	4
DIARRHEA, WATERY	4
DISTRESS	4
EDEMA	4
EDEMA, LIMB(S)	4
EDEMA, LUNG(S)/TRACHEA	4
FROTH, MOUTH/LIP(S)	4
GLOBULIN HI, BLD	4
GRANULOMA	4
HIDING	4
INJ SITE EFFUSION	4
INJ SITE FIBROSIS	4
K HI, BLD	4
LIVER DISORDER	4
LIVER FAILURE	4
NA HI, BLD	4
POLYCYTHEMIA	4
PR-BLD VESSEL(S), LESI	4
PRESSURE LO, BLD	4
PROTEIN(TOT) HI, BLD	4
RBC, NUCLEATED	4
REFLEX(ES) ABN	4
RETICULOCYTES HI, BLD	4

DRUG: CARPROFEN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SWELLING, EAR(S)	4
SWELLING, SCROTUM	4
URINATION ABN	4
VOMITING, UNPRODUCTIVE	4
ANESTH RECOV PROLONGED	3
ANISOCORIA	3
BILE ACIDS ABN, BLD	3
BILIRUBIN(DIR) HI, BLD	3
BITING/CHEWING	3
BLD, VAGINA	3
BLINDNESS	3
CULTURE/TITER DATA ABN	3
DIARRHEA, MILD	3
DIARRHEA, SEVERE	3
DISCHARGE, INCISION SITE	3
DISCOMFORT	3
DISTRESS, RESP	3
EDEMA, MULTIPLE SITES	3
ENLARGEMENT(S), SKIN	3
GALL BLADDER, ABN	3
GASTRITIS	3
GLOBULIN LO, BLD	3
HEAD TILT	3
HEPATOMEGALY	3
HYPERESTHESIA	3
HYPERPIGMENTATION, SKI	3
INJ SITE INDURATION	3
KIDNEY VALUES HI, BLD	3
LOCOMOTION DISORDER	3
MURMUR, HEART	3
MYDRIASIS	3
NECROSIS	3
NYSTAGMUS	3
PACING	3
PAIN, NECK	3
PALLOR	3
PAPULE(S)	3
PARALYSIS, ALL LIMBS	3

DRUG: CARPROFEN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PARALYSIS, HIND LIMB(S)	3
PARESIS	3
POLYCYTHEMIA(RELATIVE)	3
PR-BLADDER, LESION(S)	3
PROPRIOCEPTIVE DISORDE	3
PR-PERITONEAL EFFUSION	3
PR-SM INTEST, LESION(S)	3
SEDATION	3
SHAKING	3
SPLENOMEGALY	3
SWELLING	3
ABSCCESS, SKIN	2
ASCITES	2
BLD, SKIN	2
CELLULITIS	2
CERVICAL SPINE ABN	2
CHEMISTRY ABN	2
CONSTIPATION	2
CYANOSIS	2
DEAFNESS	2
DEATH(STILLBORN)	2
DEFECATION	2
DIARRHEA, PROJECTILE	2
DISCHARGE, MOUTH/LIP(S)	2
DISCHARGE, NOSE	2
DYSPHAGIA	2
ECCHYMOSIS, INCISION SITE	2
ECG ABN	2
EDEMA, VENTRAL	2
ENLARGEMENT(S)	2
EPIPHORA	2
GI, ABNORMAL	2
HALLUCINATION	2
HEART DISORDER	2
INCISION SITE, BLD	2
INCISION SITE DISCHARGE	2
INCONTINENCE, FECAL	2
KIDNEY DISORDER	2

DRUG: CARPROFEN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
LYMPHS HI, BLD	2
LYMPHS LO, BLD	2
MUCOUS MEMBR, RED	2
NYSTAGMUS, HORIZONTAL	2
OLIGURIA	2
PAIN, BACK	2
PARESIS, FORELIMB(S)	2
PNEUMONIA, ASPIRATION	2
POLAKIURIA	2
POLYPHAGIA	2
POSTURE ABN	2
PR-INTEST, LESION(S)	2
PR-LYMPH NODE(S), LESI	2
PR-PANCREAS, LESION(S)	2
PR-THYMUS, LESION(S)	2
PULSE THREADY	2
PUSTULE(S)	2
RASH	2
RBC, POLYCHROM	2
SEGS LO, BLD	2
SEPTICEMIA	2
SKIN ABNORMAL	2
SPASM	2
STAGGERING	2
STOOL ABN	2
STUMBLING	2
SWELLING, MOUTH/LIP(S)	2
SWELLING, NECK	2
SWELLING, PHARYNX/THRO	2
SWELLING, TONGUE	2
SWELLING, VENTRUM	2
THYROID HORMONE(S) LO	2
TOX	2
TREMBLING, FACE	2
URINATION	2
WBC ABN	2
ABN ODOR, URINE	1
ABORTION	1

DRUG: CARPROFEN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ACIDOSIS	1
ACID URINE	1
AGRANULOCYTOSIS, BLD	1
ALBUMIN HI, URINE	1
ALKALINE URINE	1
AMMONIA HI, BLD	1
ANEMIA, SPHERO	1
ANESTH RECOV TURBULENT	1
ARRHYTHMIA, BLOCK	1
ARTHRITIS	1
BASOS HI, BLD	1
BILIRUBIN(IND) HI, BLD	1
BLD, EAR(S)	1
BLD, PENIS	1
BLD, SCLERA	1
BLD, SCROTUM	1
BLEPHAROSPASM	1
BLINDNESS, TEMP	1
BORBORYGMI	1
BREATHING ABN	1
BRONCHITIS	1
CHLORIDE HI, BLD	1
CNS DISORDER	1
CONGESTION, MUCOUS MEM	1
CREATININE LO, BLD	1
CYSTITIS	1
DEAFNESS, TEMP	1
DEATH(NEWBORN)	1
DEMENTIA	1
DIARRHEA, MUCOID	1
DISCHARGE, EAR(S)	1
DISCHARGE, VULVA	1
DISTENTION, BLADDER	1
DYSURIA	1
EAR DISORDER	1
ECG, ABN	1
EDEMA, LARYNX	1
EDEMA, MAMMARY	1

DRUG: CARPROFEN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
EDEMA, NECK	1
EDEMA, PHARYNX	1
EDEMA, SCLERA	1
EDEMA, TONGUE	1
ELECTROLYTE DISORDER	1
ELIMINATION ABN	1
ENTERITIS	1
EOSINOS HI, BLD	1
ERUCTATION	1
ERUPTION(S)	1
ERYTHEMA MULTIFORME	1
FLATULENCE	1
GAGGING	1
GINGIVA, ABN	1
HAIR, SHEDDING	1
HEAD BOBBING	1
HEAD PRESSING	1
HEART FAILURE	1
HEMOGLOBIN, URINE	1
HYPERTONIA	1
HYPHEMA	1
HYPOESTHESIA	1
HYPOPNEA	1
ILL	1
INCISION SITE, ECCHYMOSIS	1
INCISION SITE INFECTION	1
INFECTION	1
INFECTION, FEET/DIGIT(1
INFECTION, JOINT(S)	1
INFECTION, UTERUS	1
INJ SITE HAIR, ABN	1
INSOMNIA	1
IRRITATION, ESOPHAGUS	1
IRRITATION, EYE(S)/LID	1
IRRITATION, MOUTH/LIP(S)	1
IRRITATION, PERINEUM	1
IRRITATION, SKIN	1
LICKING, FEET/DIGIT(S)	1

DRUG: CARPROFEN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
MACULE(S)	1
MASS	1
MASS, ABDOMEN	1
MASS, SKIN	1
MICROORANISMS, URINE	1
MICROORGANISMS, URINE	1
MONOS LO, BLD	1
MRI SCAN ABN	1
MUCOUS MEMBR, MUDDY	1
MYOGLOBIN, URINE	1
NA:K LO, BLD	1
NEOPLASM	1
NEUROLOGICAL DISORDER	1
NOSE ABN	1
OTITIS	1
PAIN, FEET/DIGIT(S)	1
PAIN, HEAD/FACE	1
PAIN, HIND LIMB(S)	1
PAIN, JOINT(S)	1
PANCREAS DISORDER	1
PARALYSIS	1
PARALYSIS, FACIAL NERV	1
PLATELETS HI, BLD	1
P LO, BLD	1
PR-BONE MARROW, LESION	1
PR-BRAIN, LESION(S)	1
PR-CARTILAGE, LESION(S)	1
PR-EYE(S)/LID(S), LESI	1
PR-GALL BLADDER, LESION(S)	1
PR-GI, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-MULT SITES, CONGEST	1
PROSTRATION	1
PR-PERITONEUM, LESION(1
PR-PROSTATE, LESION(S)	1
PR-SPINAL CORD, LESION	1
RBC, ANISO	1
SEDATION PROLONGED	1

DRUG: CARPROFEN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SELF-MUTILATION	1
SHAKING, HEAD/FACE	1
SHOCK, ENDOTOXEMIA	1
SOMNOLENCE	1
SQUINTING	1
STIFFNESS	1
STOMATITIS	1
STRABISMUS	1
STRANGURIA	1
SWELLING, FEET/DIGIT(S)	1
TACHYCARDIA, VENTRICUL	1
TENESMUS, RECTAL	1
THROMBUS	1
TONGUE, ABN	1
TRIGLYCERIDES HI, BLD	1
TWITCH	1
ULCER(S), FEET/DIGIT(S)	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), PHARYNX/THRO	1
ULCER(S), SKIN	1
URINE ABN	1
VESICLE(S)/BULLAE, SKI	1
VESTIBULAR DISORDER	1
VISION DISORDER	1
VOICE DISORDER	1
VOLVULUS	1
VOLVULUS, STOMACH	1
VOMITING, SEVERE	1
WHEEZING	1

DRUG: CARPROFEN

Species: FERRET

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
DIARRHEA, BLOODY	1

DRUG: CARPROFEN

Species: FERRET

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HEMATOCHEZIA	1

DRUG: CARPROFEN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	3
INJ SITE INFLAM	2
HYPOESTHESIA	1
INJ SITE EDEMA	1
INJ SITE SWELLING	1

DRUG: CARPROFEN

Species: MOUSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE INFLAM	1
INJ SITE PRURITIS	1
INJ SITE SWELLING	1
IRRITATION, SKIN	1

DRUG: CARPROFEN

Species: OTHER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
INJ SITE STERILE ABSCE	1

DRUG: CARPROFEN

Species: PIG

Route of Administration: PARENTERAL

DRUG: CARPROFEN

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
DEATH	1

DRUG: CARPROFEN

Species: RAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: CARPROFEN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
APPLICATION SITE ALOPECIA	1
VOMITING	1

DRUG: CARPROFEN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
VOMITING	2
ADIPSIA	1
ANEMIA	1
ANEMIA, REGEN	1
ANOREXIA	1
CONFUSION	1
CONVULSION(S)	1
CPK HI, BLD	1
DEATH	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
DIARRHEA, BLOODY	1
PARESIS, HIND LIMB(S)	1

DRUG: CARPROFEN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PLATELETS LO, BLD	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1
THYROID HORMONE(S) LO	1

DRUG: CARPROFEN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	2
PRURITIS	2
RASH	2
UNCONSCIOUS	2
ANAPHYLAXIS/TOID	1
DIZZINESS	1
HYPERESTHESIA	1
INFLAM, SKIN	1
NAUSEA	1
SORE(S)	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
SWELLING, MOUTH/LIP(S)	1
URTICARIA	1

DRUG: CARPROFEN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE NECROSIS	1

DRUG: CARPROFEN

Species: DOG

Route of Administration: UNKNOWN

DRUG: CARPROFEN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	15
ANOREXIA	12
DEPRESSION/LETHARGY	11
VOMITING	11
DEATH(EUTHANIZED)	8
ALK PHOS HI, BLD	7
BUN HI, BLD	6
ICTERUS, BODY	6
ATAXIA	5
CONVULSION(S)	5
DIARRHEA	5
SGPT/ALT HI, BLD	5
WBC HI, BLD	5
BILIRUBIN(TOT) HI, BLD	4
KIDNEY FAILURE	4
P HI, BLD	4
POLYDIPSIA	4
POLYURIA	4
ADIPSIA	3
BLD, URINE	3
CREATININE HI, BLD	3
DIARRHEA, BLOODY	3
ILL	3
NERVOUSNESS	3
PR-LIVER, LESION(S)	3
RECUMBENCY	3
WEAKNESS	3
WEIGHT LOSS	3
ALBUMIN LO, BLD	2
ANESTH RECOV PROLONGED	2
BLD(ECCHYMOSES)	2
COUGHING	2
DEHYDRATION	2
DYSPNEA	2
GASTROENTERITIS	2
GGT HI, BLD	2
INEFFECT, ANTIINFLAM	2
INTERACTION, DRUG(S)	2

DRUG: CARPROFEN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
LIVER DISORDER	2
LIVER ENZYMES HI, BLD	2
MELENA	2
PANCREATITIS	2
SEGS HI, BLD	2
SGOT/AST HI, BLD	2
SORE(S)	2
US ABN	2
ABSCCESS, SKIN	1
ABSCCESS, TUMOR	1
AGGRESSION	1
ANEMIA	1
ASCITES	1
AZOTEMIA	1
BLINDNESS	1
BUN LO, BLD	1
CA HI, BLD	1
CA LO, BLD	1
CHLORIDE HI, BLD	1
CHOKING	1
CHOLESTEROL HI, BLD	1
COLITIS	1
COLLAPSE	1
CONGESTION, SKIN	1
CPK HI, BLD	1
EDEMA, LUNG(S)/TRACHEA	1
ENCEPHALOPATHY	1
EPISTAXIS	1
EYE DISORDER	1
HEPATITIS	1
HYPERACTIVITY	1
HYPERPNEA	1
HYPOTHERMIA, BODY	1
INCONTINENCE, FECAL	1
INCONTINENCE, URINARY	1
INFECTION	1
INJ SITE ABSCESS	1
INJ SITE NECROSIS	1

DRUG: CARPROFEN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INTUSSUSCEPTION	1
K HI, BLD	1
K LO, BLD	1
LAMENESS	1
LESION(S), SKIN	1
LIPASE HI, BLD	1
LIVER FAILURE	1
LOCOMOTION DISORDER	1
LYMPHS HI, BLD	1
MONOS HI, BLD	1
MORIBUND	1
NA LO, BLD	1
NEOPLASM, KIDNEY(S)	1
PACING	1
PAIN, NECK	1
PALLOR, MUCOUS MEMBRAN	1
PARESIS	1
PARESIS, FORELIMB(S)	1
PARESIS, HIND LIMB(S)	1
PERFORATION, STOMACH	1
PRESSURE LO, BLD	1
PR-KIDNEY(S), LESION(S)	1
PROPRIOCEPTIVE DISORDE	1
PROTEIN(TOT) LO, BLD	1
PROTEIN, URINE	1
PR-STOMACH, LESION(S)	1
RADIOGRAPH(S) ABN	1
RETINA ABN	1
SHAKING, HEAD/FACE	1
SKIN, NECROSIS	1
SNEEZING	1
STIFFNESS, HIND LIMB(S)	1
STUPOR	1
SWELLING, HEAD/FACE	1
SWELLING, VAGINA/VULVA	1
TACHYCARDIA	1
ULCER(S), STOMACH	1
VESTIBULAR DISORDER	1

DRUG: CARPROFEN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
VISION DISORDER	1
VOMITING, BLOODY	1
WBC LO, BLD	1
WHEEZING	1

DRUG: CARPROFEN

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	2
PAIN, EYE(S)/LID(S)	2
PAIN, BRISKET/CHEST	1
URTICARIA	1
VISION DISORDER	1

DRUG: CEFADROXIL

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CAP(S), ABN	24
PD-CONTAINER(S), DAMAG	8
PD-LABEL(S), ABN	6
PD-DISPENSER, ABN	5
PD-MISSING, LABEL(S)	5
PD-VIAL(S), LEAKING	5
PD-ODOR, ABN	4
PD-UNDERFILL, PACKAGE	4
PD-CONTAINER(S), ABN	3
PD-MISSING, CAP	3
PD-SEAL, ABN	3
PD-COLOR, ABN	2
PD-UNDERFILL, VIAL(S)	2
PD-PRODUCT DEFECT	1
PD-SUSPENSION, ABN	1
PD-TABLET(S), ABN	1

DRUG: CEFADROXIL

Species: NOT APPLICABLE

Route of Administration: DEFECT

DRUG: CEFADROXIL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	15
ANOREXIA	6
CONGESTION, SKIN	6
DEPRESSION/LETHARGY	6
DIARRHEA	6
PRURITIS	5
ALOPECIA	3
DEATH	3
DEATH(EUTHANIZED)	3
DYSPNEA	2
GLUCOSE HI, BLD	2
HYPERSALIVATION	2
ANAPHYLAXIS/TOID	1
AZOTEMIA	1
BLD(ECCHYMOSES)	1
BREATHING ABN	1
COLLAPSE	1
CONGESTION, LUNG(S)	1
DEHYDRATION	1
DIARRHEA, BLOODY	1
DISTRESS, RESP	1
EDEMA, LUNG(S)/TRACHEA	1
ENLARGEMENT(S), NECK	1
ENLARGEMENT(S), SKIN	1
FROTH, MOUTH/LIP(S)	1
GAGGING	1
GRINDING TEETH	1
HYPERPIGMENTATION, SKI	1
ILL	1
KIDNEY FAILURE	1
LICKING, FEET/DIGIT(S)	1
NEOPLASM, SKIN	1
OLIGURIA	1
PAIN, ABDOMEN	1

DRUG: CEFADROXIL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, BACK	1
PALLOR, MUCOUS MEMBRAN	1
P HI, BLD	1
PR-LUNG(S), EDEMA	1
PR-MULT SITES, CONGEST	1
PR-SKIN, LESION(S)	1
SKIN, CRUST(S)	1
SWELLING	1
SWELLING, JOINT(S)	1
VOMITING, BLOODY	1
WEAKNESS	1

DRUG: CEFADROXIL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	9
DEATH	5
DEPRESSION/LETHARGY	5
ANOREXIA	4
DIARRHEA	3
ALBUMIN LO, BLD	2
ANAPHYLAXIS/TOID	2
ANEMIA	2
COUGHING	2
FEVER, BODY	2
HYPERSALIVATION	2
INEFFECT, ANTIBIOTIC	2
PROTEIN(TOT) LO, BLD	2
SCALE(S), SKIN	2
SGOT/AST HI, BLD	2
SGPT/ALT HI, BLD	2
URTICARIA	2
WBC HI, BLD	2
WEAKNESS	2
ALK PHOS HI, BLD	1

DRUG: CEFADROXIL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ALOPECIA	1
ANEMIA, AUTOIMMUNE HEM	1
ASCITES	1
ATAXIA	1
BILIRUBIN(DIR) HI, BLD	1
BILIRUBIN(IND) HI, BLD	1
BILIRUBIN(TOT) HI, BLD	1
CACHEXIA	1
CHOLESTEROL HI, BLD	1
COLLAPSE	1
CONGESTION, SKIN	1
CULTURE/TITER DATA ABN	1
DEATH(EUTHANIZED)	1
DEFECATION ABN	1
DEHYDRATION	1
DIARRHEA, BLOODY	1
EDEMA, HEAD/FACE	1
EDEMA, LUNG(S)/TRACHEA	1
GGT HI, BLD	1
HAIR, ABN COLOR	1
HYPERPIGMENTATION, SKI	1
ICTERUS	1
ICTERUS, BODY	1
ILL	1
INCONTINENCE, FECAL	1
LIVER ENZYMES HI, BLD	1
LIVER FAILURE	1
MUCOUS MEMBR, ABN COLO	1
PALLOR	1
PALLOR, MUCOUS MEMBRAN	1
POLYCYTHEMIA(RELATIVE)	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-SPLEEN, LESION(S)	1
PRURITIS	1
SHAKING	1
SKIN, CRUST(S)	1

DRUG: CEFADROXIL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
TRIGLYCERIDES HI, BLD	1
UNPALATABLE, WON'T EAT	1
WBC LO, BLD	1

DRUG: CEFADROXIL

Species: RABBIT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: CEFADROXIL

Species: VARIOUS

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEPRESSION/LETHARGY	1

DRUG: CEFADROXIL

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
VOMITING	1

DRUG: CEFAZOLIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
SWELLING, MULT SITES	1
SWELLING, TONGUE	1

DRUG: CEFOVECIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	42
PD-COLOR, ABN	20
PD-CAP(S), ABN	12
PD-VIAL(S), DAMAGED	12
PD-GRANULES/POWDER, ABN	10
PD-VIAL(S), LEAKING	7
PD-VIAL(S), ABN	5
PD-UNDERFILL, VIAL(S)	3
PD-CONTAINER(S), DAMAG	2
PD-CONTAINER(S), ABN	1
PD-CONTAMINATION	1
PD-LABEL(S), ABN	1
PD-MISSING, CAP	1
PD-SEAL, ABN	1

DRUG: CEFOVECIN

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANOREXIA	5
ANEMIA	3
DEPRESSION/LETHARGY	3
ATAXIA	2
AZOTEMIA	2
DEATH	2
PAIN	2
SHOCK	2
VOCALIZATION	2
ADIPSIA	1
ANAPHYLAXIS/TOID	1
COLON, ABN	1
CONGESTION, EAR(S)	1
CONSTIPATION	1
CONVULSION(S)	1
DIARRHEA	1
DISCHARGE, EYE(S)/LID(S)	1
DYSYPNEA	1

DRUG: CEFOVECIN

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
EDEMA, LUNG(S)/TRACHEA	1
ENLARGEMENT, LYMPH NOD	1
FEVER, BODY	1
HYPOTHERMIA	1
HYPOTHERMIA, BODY	1
INJ SITE ABN	1
KIDNEY FAILURE	1
KIDNEY VALUES HI, BLD	1
LAMENESS	1
LESION(S), SKIN	1
LIVER ENZYMES HI, BLD	1
PANCYTOPENIA	1
PARALYSIS, ALL LIMBS	1
PLATELETS LO, BLD	1
PRESSURE LO, BLD	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1
PROLAPSE, THIRD EYELID	1
RECUMBENCY	1
SEDATION	1
SNEEZING	1
STARING	1
SWELLING, HEAD/FACE	1
TORTICOLLIS	1
VOMITING	1
WBC LO, BLD	1

DRUG: CEFOVECIN

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	2
ANOREXIA	1
ATAXIA	1
BLINDNESS	1
DEATH	1

DRUG: CEFOVECIN

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
HYPOTHERMIA, BODY	1
INJ SITE ABN	1
VOMITING	1
WBC LO, BLD	1

DRUG: CEFOVECIN

Species: GUINEA PIG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1

DRUG: CEFOVECIN

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONJUNCTIVITIS	1
IRRITATION, EYE(S)/LID	1

DRUG: CEFOVECIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEPRESSION/LETHARGY	1
VOMITING	1

DRUG: CEFOVECIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	322

DRUG: CEFOVECIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	260
VOMITING	202
DEATH	164
ANEMIA	146
ATAXIA	132
DIARRHEA	124
FEVER, BODY	101
BUN HI, BLD	99
ANAPHYLAXIS/TOID	89
SGPT/ALT HI, BLD	88
CONVULSION(S)	82
DYSPNEA	76
INEFFECT, ANTIBIOTIC	70
CREATININE HI, BLD	69
DEHYDRATION	68
WEIGHT LOSS	67
WBC HI, BLD	54
HYPERSALIVATION	53
PLATELETS LO, BLD	51
VOCALIZATION	50
BEHAVIOR DISORDER	48
GLUCOSE HI, BLD	41
INJ SITE ABN	40
LESION(S), SKIN	40
HYPOTHERMIA, BODY	39
BILIRUBIN(TOT) HI, BLD	38
KIDNEY FAILURE	38
ADIPSIA	36
MYDRIASIS	35
NEUROLOGICAL DISORDER	35
EDEMA, LUNG(S)/TRACHEA	32
TREMBLING	32
PRURITIS	30
AZOTEMIA	29
RECUMBENCY	29
BLINDNESS	28
HIDING	28
CONGESTION, SKIN	27

DRUG: CEFOVECIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	27
ALOPECIA	26
INJ SITE ALOPECIA	25
P HI, BLD	25
PR-SKIN, LESION(S)	25
UNCONSCIOUS	25
INFLAM, SKIN	24
PALLOR, MUCOUS MEMBRAN	24
SEGS HI, BLD	24
SGOT/AST HI, BLD	24
WEAKNESS	24
BLD, URINE	23
KIDNEY VALUES HI, BLD	23
LIVER DISORDER	23
WBC LO, BLD	23
COLLAPSE	22
ANEMIA, AUTOIMMUNE HEM	21
TACHYCARDIA	21
HEAD TILT	20
HYPERACTIVITY	20
K LO, BLD	20
SEGS LO, BLD	20
VESTIBULAR DISORDER	20
HYPERPNEA	19
LYMPHS LO, BLD	19
PARESIS, HIND LIMB(S)	19
SKIN, SCAB(S)	19
INJ SITE MASS	18
RADIOGRAPH(S) ABN	18
ALBUMIN LO, BLD	17
INTERACTION, DRUG(S)	17
KIDNEY DISORDER	17
LIVER ENZYMES HI, BLD	17
AMYLASE HI, BLD	16
CONFUSION	16
DIARRHEA, MILD	16
PAIN	16
PR-LIVER, LESION(S)	16

DRUG: CEFOVECIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CPK HI, BLD	15
ICTERUS, BODY	15
POLYPNEA	15
PR-KIDNEY(S), LESION(S)	15
PR-LUNG(S), LESION(S)	15
PROTEIN(TOT) LO, BLD	14
ULCER(S), SKIN	14
ALK PHOS HI, BLD	13
DIARRHEA, BLOODY	13
GLOBULIN HI, BLD	13
NYSTAGMUS	13
REFLEX(ES) ABN	13
SWELLING, HEAD/FACE	13
GLUCOSE, URINE	12
HEART DISORDER	12
INJ SITE PAIN	12
MURMUR, HEART	12
NAUSEA	12
URINATION	12
ARREST, HEART	11
ILL	11
INJ SITE SWELLING	11
K HI, BLD	11
PANCREATITIS	11
PR-HEART, LESION(S)	11
PR-INJ SITE, LESION(S)	11
PROTEIN, URINE	11
SNEEZING	11
TWITCH	11
BILIRUBIN, URINE	10
CIRCLING	10
EDEMA, HEAD/FACE	10
PROTEIN(TOT) HI, BLD	10
SKIN ABNORMAL	10
WBC, URINE	10
ANISOCORIA	9
APNEA	9
CARDIOMEGALY	9

DRUG: CEFOVECIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONSTIPATION	9
EOSINOS HI, BLD	9
HYPERESTHESIA	9
HYPOTHERMIA	9
INCONTINENCE, URINARY	9
INJ SITE INFLAM	9
INJ SITE NECROSIS	9
INJ SITE PRURITIS	9
MONOS HI, BLD	9
NA LO, BLD	9
PAIN, ABDOMEN	9
POLYDIPSIA	9
PR-LUNG(S), EDEMA	9
RETINA ABN	9
CA LO, BLD	8
CHLORIDE LO, BLD	8
DERMATITIS, MOIST	8
HEMATOCHEZIA	8
LAMENESS	8
POLYURIA	8
POSTURE ABN	8
PR-BONE MARROW, LESION	8
PRESSURE HI, BLD	8
STUPOR	8
US ABN	8
AGGRESSION	7
ALBUMIN HI, BLD	7
BLD(ECCHYMOSES)	7
CRYSTALS, URINE	7
DISTRESS, RESP	7
EAR DISORDER	7
GI, ABNORMAL	7
GLUCOSE LO, BLD	7
LICKING	7
NA HI, BLD	7
PROLAPSE, THIRD EYELID	7
PR-PANCREAS, LESION(S)	7
RELUCTANT TO MOVE	7

DRUG: CEFOVECIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SCALE(S), SKIN	7
SKIN, CRUST(S)	7
CA HI, BLD	6
COUGHING	6
DEAFNESS	6
DEFECATION	6
DISCHARGE, NOSE	6
EFFUSION, PLEURAL	6
EOSINOS LO, BLD	6
EXFOLIATION, SKIN	6
MIOSIS	6
PR-LYMPH NODE(S), LESI	6
PUPIL(S), AREFLEXIA	6
SHAKING, HEAD/FACE	6
SKIN, NECROSIS	6
SLOUGH, SKIN	6
SPEC GRAVITY LO, URINE	6
VASCULITIS	6
VOMITING, BLOODY	6
ANEMIA, HEMOLYTIC	5
BLD	5
BUN LO, BLD	5
COAGULATION DISORDER	5
CONJUNCTIVITIS	5
CYANOSIS	5
DIABETES MELLITUS	5
DISCHARGE, EYE(S)/LID(S)	5
EDEMA, MULTIPLE SITES	5
EYE DISORDER	5
HYPOPNEA	5
ICTERUS, SERUM	5
INFECTION, SKIN	5
INJ SITE ABSCESS	5
INJ SITE EDEMA	5
INJ SITE NEOPLASM	5
LOCOMOTION DISORDER	5
NAIL DISORDER	5
PARESIS, FORELIMB(S)	5

DRUG: CEFOVECIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PRESSURE LO, BLD	5
PR-MULT SITES, BLD	5
PR-PERITONEAL EFFUSION	5
RESPIRATORY DISORDER	5
SOUND ABN, RESPIRATORY	5
STOOL ABN	5
SWELLING, TONGUE	5
URTICARIA	5
US-LIVER ABN	5
ABN COLOR, URINE	4
ABSCESS, SKIN	4
ANESTH RECOV PROLONGED	4
BLD(PETECHIAE)	4
CHOLESTEROL HI, BLD	4
DYSPHAGIA	4
EDEMA, LIMB(S)	4
GLOBULIN LO, BLD	4
HAIR, ABN	4
HEPATOMEGALY	4
HORNER'S SYNDROME	4
INJ SITE SLOUGH	4
LIPASE HI, BLD	4
MICROORANISMS, URINE	4
MONOS LO, BLD	4
OTITIS	4
PAIN, SPINAL	4
PR-INTEST, LESION(S)	4
PROPRIOCEPTIVE DISORDE	4
PR-PLEURAL EFFUSION	4
PR-SM INTEST, LESION(S)	4
PR-SPLEEN, LESION(S)	4
RBC, ANISO	4
SHOCK	4
SOMNOLENCE	4
SPLENOMEGALY	4
SWELLING, MOUTH/LIP(S)	4
TONGUE, ABN	4
TRIGLYCERIDES HI, BLD	4

DRUG: CEFOVECIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
URINATION ABN	4
VISION DISORDER	4
ANEMIA, APLASTIC	3
ANEMIA, REGEN	3
ANURIA	3
APPREHENSION	3
ARRHYTHMIA	3
BLD, LUNG(S)/TRACHEA	3
BLD, MOUTH/LIP(S)	3
BLD, SCLERA	3
BREATHING ABN	3
CNS DISORDER	3
CONGESTION, LUNG(S)	3
DEHISCENCE	3
DIARRHEA, MUCOID	3
DIARRHEA, WATERY	3
DISTENTION, ABDOMEN	3
EDEMA	3
EMPHYSEMA, SQ	3
GAGGING	3
GASTROENTERITIS	3
HEAD PRESSING	3
HEPATITIS	3
HYPHEMA	3
ICTERUS	3
IMMUNE DISORDER	3
INCISION SITE ABN	3
INFECTION, INCISION SITE	3
INFECTION, URINARY TRA	3
INJ SITE SEROMA	3
NEOPLASM, SKIN	3
NERVOUSNESS	3
NYSTAGMUS, HORIZONTAL	3
PAIN, HIND LIMB(S)	3
PANCREAS DISORDER	3
PANCYTOPENIA	3
PARALYSIS, HIND LIMB(S)	3
PARESIS, FORE LIMB(S)	3

DRUG: CEFOVECIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
POLYCYTHEMIA	3
PR-COLON, LESION(S)	3
PR-GI, LESION(S)	3
PR-MULT SITES, EDEMA	3
PR-SM INTEST, LESION(S)	3
PR-THYROID, LESION(S)	3
PRURITIS, EAR(S)	3
PTT PROLONGED, BLD	3
RETICULOCYTES HI, BLD	3
SEDATION	3
STARING	3
STIFFNESS, HIND LIMB(S)	3
SWELLING, EYE(S)/LID(S)	3
THYROID HORMONE(S) HI	3
URINE ABN	3
VOMITING, PROJECTILE	3
ANEMIA, SPHERO	2
ASCITES	2
ATROPHY, MUSCLE(S)	2
BANDS HI, BLD	2
BASOS HI, BLD	2
BLD, INCISION SITE	2
BRAIN, NEOPLASM	2
BREATHING, DIFFICULT	2
CACHEXIA	2
CHLORIDE HI, BLD	2
COLON, ABN	2
CYANOSIS, MUCOUS MEMBR	2
CYSTITIS	2
DEFECATION ABN	2
DEMENTIA	2
DIC	2
DIFFICULTY RISING	2
EDEMA, TONGUE	2
EPISTAXIS	2
GRANULOMA	2
HEAD BOBBING	2
INCONTINENCE, FECAL	2

DRUG: CEFOVECIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INFARCT	2
INJ SITE INFECT	2
INJ SITE STERILE ABSCE	2
INJ SITE ULCER(S)	2
LESION(S)	2
LIVER FAILURE	2
LYMPHS HI, BLD	2
MELENA	2
NA:K LO, BLD	2
NECROSIS	2
ODOR, MOUTH	2
OPACITY, CORNEA(S)	2
OPISTHOTONOS	2
PACING	2
PALLOR	2
PARALYSIS	2
PLATELETS HI, BLD	2
PNEUMONIA	2
POLYPHAGIA	2
PR-CEREBRUM, LESION(S)	2
PR-STOMACH, LESION(S)	2
PR-THYMUS, LESION(S)	2
PT PROLONGED, BLD	2
RBC, POLYCHROM	2
SEPSIS	2
SHAKING	2
SLOUGH, EAR(S)	2
SORE(S)	2
SOUND ABN, VOICE	2
SPASM	2
STUMBLING	2
SWELLING, FEET/DIGIT(S)	2
SWELLING, PHARYNX/THRO	2
TEETH, ABN	2
TENESMUS	2
THRASHING/PADDLING	2
TREMBLING, FACE	2
ULCER(S), TONGUE	2

DRUG: CEFOVECIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
UVEITIS	2
VOMITING, UNPRODUCTIVE	2
WEIGHT INCREASE	2
WHEEZING	2
ACIDOSIS	1
ACID URINE	1
ALKALINE URINE	1
ANEMIA, HEINZ BODY	1
APLASIA, BONE MARROW	1
APPLICATION SITE ALOPECIA	1
BALANCE DISORDER	1
BILE ACIDS HI, BLD	1
BILIRUBIN(DIR) HI, BLD	1
BITING/CHEWING	1
BLADDER, PARALYSIS	1
BLD, ABDOMEN	1
BLD, ANUS	1
BLD, EYE(S)	1
BLD, SKIN	1
BLEPHAROSPASM	1
BLINDNESS, PARTIAL	1
BLINDNESS, TEMP	1
BONE, ABN	1
BORBORYGMI	1
BRADYCARDIA	1
CASTS, URINE	1
CNS INFARCT	1
CO2 LO, BLD	1
COLITIS	1
CONGESTION	1
CONGESTION, EAR(S)	1
CONGESTION, SINUS	1
CREATININE LO, BLD	1
DIABETES M, POOR REGUL	1
DISCHARGE, EAR(S)	1
DISCHARGE, VULVA	1
DISCOMFORT	1
DISTENTION, BLADDER	1

DRUG: CEFOVECIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DRY MOUTH SYNDROME	1
DRY, SKIN	1
DYSMETRIA	1
DYSRHYTHMIA, RESP	1
ECG ABN	1
EDEMA, BRISKET/CHEST	1
EDEMA, FEET/DIGIT(S)	1
EDEMA, NECK	1
EDEMA, PHARYNX	1
EFFUSION, PERICARDIAL	1
ELIMINATION ABN	1
EMBOLUS	1
ENLARGEMENT, LYMPH NOD	1
ENTERITIS	1
ERUPTION(S)	1
GASTRITIS	1
GGT HI, BLD	1
GLAUCOMA	1
HAIR, ABN COLOR	1
HAIR, SHEDDING	1
HALLUCINATION	1
HCO3 LO, BLD	1
HEART FAILURE	1
HYPERKERATOSIS	1
HYPERMOTILITY	1
HYPERPIGMENTATION, SKI	1
HYPERSENSITIVE, SOUND	1
HYPOMOTILITY	1
INCISION SITE, ECCHYMOSIS	1
INCISION SITE INFECTION	1
INCONTINENCE	1
INFECTION, FEET/DIGIT(1
INJ SITE BLD	1
INJ SITE EFFUSION	1
INJ SITE EMPHYSEMA	1
IRIS, INFLAM	1
IRRITATION, PERINEUM	1
IRRITATION, SKIN	1

DRUG: CEFOVECIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
KETONES, URINE	1
LDH HI, BLD	1
LEG DISORDER	1
LESION(S), MOUTH/LIP(S)	1
MASS	1
MASS, ABDOMEN	1
MASS, SKIN	1
MG HI, BLD	1
MICROORGANISMS, URINE	1
MORIBUND	1
MUCOUS MEMBR, ABN COLO	1
MUCOUS MEMBR, MUDDY	1
NEOPLASM	1
NEOPLASM, LUNG(S)	1
NEOPLASM, PANCREAS	1
NEPHRITIS	1
NEUROPATHY	1
NOSE ABN	1
NO SIGNS	1
NYSTAGMUS, VERTICAL	1
PAIN, FEET/DIGIT(S)	1
PAIN, LIMB(S)	1
PAIN, NECK	1
PANCREAS ENZYMES HI, B	1
PAPULE(S)	1
PARALYSIS, FACIAL NERV	1
PARESIS	1
PD-COLOR, ABN	1
PD-SOLUTION, ABN	1
PERITONITIS	1
PHOTOPHOBIA	1
PHOTOSENSITIZATION	1
P LO, BLD	1
POLLAKIURIA	1
POLYCYTHEMIA(RELATIVE)	1
PR-ADRENAL(S), LESION(S)	1
PR-BLADDER, LESION(S)	1
PR-BONE(S), LESION(S)	1

DRUG: CEFOVECIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PR-EAR(S), LESION(S)	1
PR-EYE(S)/LID(S), LESI	1
PR-MOUTH/LIP(S), LESIO	1
PR-MUSCLE(S), LESION(S)	1
PR-NOSE, LESION(S)	1
PROLAPSE, TONGUE	1
PR-PERICARDIAL EFFUSIO	1
PRURITIS, EYE(S)	1
PULSE THREADY	1
RASH	1
RBC ABN	1
RBC, NUCLEATED	1
RETICULOCYTES LO, BLD	1
SALIVARY GLAND ABN	1
SEPTICEMIA	1
SQUINTING	1
STAGGERING	1
STIFFNESS	1
STIFFNESS, FRONT LIMB(1
STOOL, MUCOID	1
STRANGURIA	1
SWELLING	1
SWELLING, ANUS	1
SWELLING, EAR(S)	1
SWELLING, LIMB(S)	1
TAIL DISORDER	1
TENESMUS, RECTAL	1
TENESMUS, URINARY	1
THROMBUS	1
THYROID HORMONE(S) LO	1
ULCER(S), CORNEA(S)	1
ULCER(S), EAR(S)	1
ULCER(S), GI	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), MUCOCUTANEOU	1
VESICLE(S)/BULLAE, SKI	1

DRUG: CEFOVECIN

Species: COUGAR

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANEMIA	1
ATAXIA	1
BILIRUBIN(TOT) HI, BLD	1
BUN HI, BLD	1
CPK HI, BLD	1
CREATININE HI, BLD	1
DEATH	1
K HI, BLD	1
LYMPHS LO, BLD	1
MG HI, BLD	1
P HI, BLD	1
POLYPNEA	1
PR-BRAIN, LESION(S)	1
PR-HEART, LESION(S)	1
PR-LUNG(S), LESION(S)	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1

DRUG: CEFOVECIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	128
VOMITING	110
ANOREXIA	109
ANAPHYLAXIS/TOID	66
DEATH	55
ANEMIA	45
DIARRHEA	43
ALK PHOS HI, BLD	39
CONVULSION(S)	39
INEFFECT, ANTIBIOTIC	35
URTICARIA	35
SGPT/ALT HI, BLD	34
PRURITIS	32
ATAXIA	31
CONGESTION, SKIN	29

DRUG: CEFOVECIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
FEVER, BODY	29
WBC HI, BLD	29
BUN HI, BLD	28
PLATELETS LO, BLD	27
LESION(S), SKIN	26
DEHYDRATION	20
INFLAM, SKIN	18
CREATININE HI, BLD	17
INJ SITE PAIN	17
LIVER DISORDER	17
SWELLING, HEAD/FACE	17
ANEMIA, AUTOIMMUNE HEM	16
LIVER ENZYMES HI, BLD	16
TREMBLING	16
EDEMA, HEAD/FACE	14
HYPERSALIVATION	14
ALBUMIN LO, BLD	13
PALLOR, MUCOUS MEMBRAN	13
BILIRUBIN(TOT) HI, BLD	12
P HI, BLD	12
BEHAVIOR DISORDER	11
DIARRHEA, BLOODY	11
NEUROLOGICAL DISORDER	11
PR-SKIN, LESION(S)	11
WEAKNESS	11
DYSPNEA	10
INJ SITE ABN	10
PAIN, ABDOMEN	10
PR-LIVER, LESION(S)	10
RECUMBENCY	10
SEGS HI, BLD	10
SGOT/AST HI, BLD	10
UNCONSCIOUS	10
AZOTEMIA	9
BLD(ECCHYMOSES)	9
COLLAPSE	9
LIPASE HI, BLD	9
POLYDIPSIA	9

DRUG: CEFOVECIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PROTEIN(TOT) LO, BLD	9
VOMITING, BLOODY	9
WBC LO, BLD	9
WEIGHT LOSS	9
ADIPSIA	8
ALOPECIA	8
DIARRHEA, MILD	8
GLUCOSE HI, BLD	8
HYPERACTIVITY	8
INJ SITE MASS	8
MELENA	8
TACHYCARDIA	8
VESTIBULAR DISORDER	8
BLD	7
CONFUSION	7
EDEMA, LUNG(S)/TRACHEA	7
HYPOTHERMIA, BODY	7
IMMUNE DISORDER	7
INJ SITE SWELLING	7
INTERACTION, DRUG(S)	7
KIDNEY FAILURE	7
NAUSEA	7
NYSTAGMUS	7
PAIN	7
POLYPNEA	7
POLYURIA	7
PRESSURE LO, BLD	7
SEGS LO, BLD	7
SKIN, SCAB(S)	7
VOCALIZATION	7
AMYLASE HI, BLD	6
ARREST, HEART	6
BLD, URINE	6
GGT HI, BLD	6
HEAD TILT	6
ICTERUS, BODY	6
PANCREATITIS	6
SKIN, CRUST(S)	6

DRUG: CEFOVECIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANEMIA, REGEN	5
BLD(PETECHIAE)	5
CA LO, BLD	5
HEMATOCHEZIA	5
INJ SITE ABSCESS	5
KIDNEY VALUES HI, BLD	5
MONOS HI, BLD	5
PROTEIN(TOT) HI, BLD	5
PROTEIN, URINE	5
RADIOGRAPH(S) ABN	5
REFLEX(ES) ABN	5
SHAKING	5
SKIN ABNORMAL	5
SLOUGH, SKIN	5
SORE(S)	5
ALBUMIN HI, BLD	4
APPREHENSION	4
BILIRUBIN, URINE	4
CHOLESTEROL HI, BLD	4
DEAFNESS	4
EAR DISORDER	4
HYPERPNEA	4
ILL	4
INJ SITE ALOPECIA	4
LOCOMOTION DISORDER	4
LYMPHS LO, BLD	4
PARESIS, HIND LIMB(S)	4
POLYCYTHEMIA(RELATIVE)	4
PR-KIDNEY(S), LESION(S)	4
PR-LUNG(S), LESION(S)	4
RASH	4
RELUCTANT TO MOVE	4
SHOCK	4
SKIN, NECROSIS	4
TWITCH	4
ULCER(S), SKIN	4
ANEMIA, SPHERO	3
APNEA	3

DRUG: CEFOVECIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ASCITES	3
BILE ACIDS HI, BLD	3
BLD(HEMATOMA)	3
BLD, MOUTH/LIP(S)	3
BORBORYGMI	3
BRADYCARDIA	3
CA HI, BLD	3
COAGULATION DISORDER	3
DIARRHEA, MUCOID	3
DIC	3
DIFFICULTY RISING	3
DISTENTION, ABDOMEN	3
ENLARGEMENT, LYMPH NOD	3
GI, ABNORMAL	3
GLUCOSE LO, BLD	3
HEPATOMEGALY	3
HIDING	3
INFECTION, SKIN	3
INJ SITE INFECT	3
INJ SITE NECROSIS	3
INJ SITE SEROMA	3
KIDNEY DISORDER	3
LIVER FAILURE	3
NOSE ABN	3
PACING	3
PAPULE(S)	3
PR-CEREBRUM, LESION(S)	3
PR-LUNG(S), EDEMA	3
PR-SPLEEN, LESION(S)	3
RBC, ANISO	3
RBC, POLYCHROM	3
SHAKING, HEAD/FACE	3
SOUND ABN, RESPIRATORY	3
SPEC GRAVITY LO, URINE	3
STAGGERING	3
STIFFNESS	3
VASCULITIS	3
ABSCCESS, SKIN	2

DRUG: CEFOVECIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BANDS HI, BLD	2
BITING/CHEWING	2
BLD, GI	2
BLD, RECTUM	2
CARDIOMEGALY	2
CIRCLING	2
CONGESTION, LUNG(S)	2
COUGHING	2
DEATH(EUTHANIZED)	2
DISCHARGE, EYE(S)/LID(S)	2
DISCHARGE, NOSE	2
EDEMA	2
EDEMA, EYE(S)/LID(S)	2
EFFUSION, PLEURAL	2
ENLARGEMENT(S), SKIN	2
EOSINOS HI, BLD	2
EOSINOS LO, BLD	2
EPISTAXIS	2
ERYTHEMA MULTIFORME	2
GINGIVA, ABN	2
GLOBULIN HI, BLD	2
GLUCOSE, URINE	2
HEAD PRESSING	2
HYPERESTHESIA	2
INCISION SITE ABN	2
INCISION SITE DISCHARGE	2
INCONTINENCE, URINARY	2
INJ SITE EDEMA	2
INJ SITE INFLAM	2
K HI, BLD	2
LAMENESS	2
MONOS LO, BLD	2
MURMUR, HEART	2
NA LO, BLD	2
NERVOUSNESS	2
OPISTHOTONOS	2
OTITIS	2
PAIN, BRISKET/CHEST	2

DRUG: CEFOVECIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PAIN, NECK	2
PALLOR	2
PANCYTOPENIA	2
PARESIS, FORELIMB(S)	2
PICA	2
PLATELETS HI, BLD	2
P LO, BLD	2
PR-BONE MARROW, LESION	2
PRESSURE HI, BLD	2
PR-HEART, LESION(S)	2
PR-INJ SITE, LESION(S)	2
PROPRIOCEPTIVE DISORDE	2
PRURITIS, EAR(S)	2
PRURITIS, FEET/DIGIT(S)	2
PTT PROLONGED, BLD	2
SOMNOLENCE	2
SPASM	2
STOOL ABN	2
STUPOR	2
SWELLING, EAR(S)	2
SWELLING, EYE(S)/LID(S)	2
SWELLING, TONGUE	2
TONGUE, ABN	2
ULCER(S), TONGUE	2
US ABN	2
WBC, URINE	2
ABN COLOR, URINE	1
ANEMIA, APLASTIC	1
ANISOCORIA	1
APPLICATION SITE ALOPECIA	1
ATROPHY, MUSCLE(S)	1
BASOS HI, BLD	1
BLD, ABDOMEN	1
BLD, FEET/DIGIT(S)	1
BLD, LUNG(S)/TRACHEA	1
BLD, SCLERA	1
BLD, SKIN	1
BLINDNESS	1

DRUG: CEFOVECIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BLINDNESS, PARTIAL	1
BLINDNESS, TEMP	1
BREATHING ABN	1
BUN LO, BLD	1
CAPILLARY REFILL PROLO	1
CASTS, URINE	1
CHLORIDE LO, BLD	1
CNS INFARCT	1
CONGESTION, EAR(S)	1
CONGESTION, EYE(S)/LID	1
CONGESTION, SINUS	1
CONSTIPATION	1
CPK HI, BLD	1
CRYSTALS, URINE	1
CYANOSIS	1
CYANOSIS, MUCOUS MEMBR	1
DEFECATION	1
DEMENTIA	1
DERMATITIS, MOIST	1
DIABETES MELLITUS	1
DISCHARGE, MOUTH/LIP(S)	1
DISCOMFORT	1
DRY MOUTH SYNDROME	1
EDEMA, CORNEA(S)	1
EDEMA, LIMB(S)	1
EDEMA, VENTRAL	1
EFFUSION, PERICARDIAL	1
ERUPTION(S)	1
EXFOLIATION, SKIN	1
FLY BITING	1
GALL BLADDER, ABN	1
HAIR, ABN COLOR	1
HYPERADRENOCORTICISM	1
HYPERPIGMENTATION, SKI	1
HYPERSENSITIVE, SOUND	1
HYPOPNEA	1
HYPOTHERMIA	1
ICTERUS	1

DRUG: CEFOVECIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ICTERUS, SERUM	1
INCISION SITE INFECTION	1
INCONTINENCE, FECAL	1
INFECTION, FEET/DIGIT(1
INJ SITE BLD	1
INJ SITE HAIR, ABN	1
INJ SITE PRURITIS	1
K LO, BLD	1
LDH HI, BLD	1
LEUKODERMA	1
LICKING	1
LICKING, FEET/DIGIT(S)	1
LIVER DISORDER, OBSTRU	1
LYMPHS HI, BLD	1
MASS, SKIN	1
MG LO, BLD	1
MICROORGANISMS, URINE	1
MUCOUS MEMBR, ABN COLO	1
MUCOUS MEMBR, MUDDY	1
MUCOUS MEMBR, RED	1
NEPHRITIS	1
NYSTAGMUS, HORIZONTAL	1
ODOR, MOUTH	1
PAIN, JOINT(S)	1
PAIN, SPINAL	1
PARALYSIS	1
PARALYSIS, FACIAL NERV	1
PARALYSIS, HIND LIMB(S)	1
PARESIS, FORE LIMB(S)	1
POLYCYTHEMIA	1
POLYPHAGIA	1
PR-BRAIN, LESION(S)	1
PR-COLON, LESION(S)	1
PR-GALL BLADDER, LESION(S)	1
PR-INTEST, LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PR-MENINGES, LESION(S)	1
PR-MESENTERY, LESION(S)	1

DRUG: CEFOVECIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PR-MULT SITES, BLD	1
PROLAPSE, THIRD EYELID	1
PR-PANCREAS, LESION(S)	1
PR-PLEURAL EFFUSION	1
PR-PLEURA, LESION(S)	1
PR-SPINAL CORD, LESION	1
PR-THYMUS, LESION(S)	1
PR-TONGUE, LESION(S)	1
PT PROLONGED, BLD	1
PUPIL(S), AREFLEXIA	1
PUSTULE(S)	1
RBC ABN	1
RBC, NUCLEATED	1
REGURGITATION	1
RETICULOCYTES LO, BLD	1
RHINITIS	1
SCALE(S), SKIN	1
SKIN DISORDER	1
SLEEP ABN	1
SLOUGH, FEET/DIGIT(S)	1
SNEEZING	1
SPEC GRAVITY HI, URINE	1
SPLENOMEGALY	1
STARING	1
STIFFNESS, HIND LIMB(S)	1
STUMBLING	1
SWELLING	1
SWELLING, MAMMARY	1
TEETH, ABN	1
THROMBUS	1
THYROID HORMONE(S) HI	1
TREMBLING, FACE	1
TRIGLYCERIDES HI, BLD	1
ULCER(S)	1
ULCER(S), EAR(S)	1
ULCER(S), FEET/DIGIT(S)	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), MUCOCUTANEOU	1

DRUG: CEFOVECIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
URINE ABN	1
US-LIVER ABN	1
VESICLE(S)/BULLAE, SKI	1
VISION DISORDER	1
VOMITING, SEVERE	1
WHEEZING	1

DRUG: CEFOVECIN

Species: FERRET

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONVULSION(S)	1

DRUG: CEFOVECIN

Species: GUINEA PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	1
BLD, URINE	1
DEATH	1

DRUG: CEFOVECIN

Species: OTHER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: CEFOVECIN

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: CEFOVECIN

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
INTERACTION, DRUG(S)	1

DRUG: CEFOVECIN

Species: RABBIT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
SHAKING, HEAD/FACE	1
WEIGHT LOSS	1

DRUG: CEFOVECIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	2
EAR DISORDER	1
EDEMA, MULTIPLE SITES	1
INFLAM, SKIN	1
IRRITATION, EYE(S)/LID	1
IRRITATION, PHARYNX/TH	1
NOSE ABN	1
URTICARIA	1

DRUG: CEFOVECIN

Species: BIRD

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
PR-LIVER, LESION(S)	1

DRUG: CEFOVECIN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANOREXIA	19
DEPRESSION/LETHARGY	12
DEATH	9
BEHAVIOR DISORDER	7
VOCALIZATION	7
VOMITING	7
CONVULSION(S)	6
ATAXIA	5
DYSPNEA	4
ADIPSIA	3
FEVER, BODY	3
HIDING	3
URINATION	3
ALOPECIA	2
ANAPHYLAXIS/TOID	2
BLINDNESS	2
BLINDNESS, PARTIAL	2
BUN HI, BLD	2
CONFUSION	2
CONSTIPATION	2
CREATININE HI, BLD	2
DEHYDRATION	2
DIARRHEA	2
HEART FAILURE	2
HYPERACTIVITY	2
K LO, BLD	2
LAMENESS	2
LESION(S), SKIN	2
PAIN	2
PALLOR, MUCOUS MEMBRAN	2
RADIOGRAPH(S) ABN	2
SOMNOLENCE	2
STUPOR	2
WBC HI, BLD	2
ANEMIA	1
APNEA	1
ARREST, HEART	1
AZOTEMIA	1

DRUG: CEFOVECIN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
BLD, URINE	1
CACHEXIA	1
CALCULI, BLADDER	1
CA LO, BLD	1
CARDIOMEGALY	1
COLLAPSE	1
DEATH(EUTHANIZED)	1
DIABETES MELLITUS	1
DIFFICULTY RISING	1
EFFUSION, PLEURAL	1
HEAD TILT	1
HYPERSALIVATION	1
HYPOTHERMIA, BODY	1
ILL	1
INCISION SITE ABN	1
INEFFECT, ANTIBIOTIC	1
INFECTION, INCISION SITE	1
INFLAM, SKIN	1
INJ SITE ABN	1
INJ SITE MASS	1
INJ SITE PAIN	1
INJ SITE SLOUGH	1
INJ SITE SWELLING	1
KIDNEY FAILURE	1
LESION(S), MOUTH/LIP(S)	1
MYDRIASIS	1
NA HI, BLD	1
NA LO, BLD	1
NECK, VENTROFLEXION	1
NERVOUSNESS	1
NEUROLOGICAL DISORDER	1
NYSTAGMUS	1
PARESIS, FORELIMB(S)	1
PD-SOLUTION, ABN	1
POLYPHAGIA	1
POLYURIA	1
PRESSURE LO, BLD	1
PR-HEART, LESION(S)	1

DRUG: CEFOVECIN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PR-KIDNEY(S), LESION(S)	1
PR-PERITONEAL EFFUSION	1
PR-PLEURAL EFFUSION	1
PR-SKIN, LESION(S)	1
PRURITIS	1
PUSTULE(S)	1
RASH	1
RECUMBENCY	1
SGPT/ALT HI, BLD	1
SHOCK	1
SKIN ABNORMAL	1
TONGUE, ABN	1
TREMBLING	1
TREMBLING, FACE	1
URINATION ABN	1
VOMITING, BLOODY	1
WEAKNESS	1
WEIGHT LOSS	1

DRUG: CEFOVECIN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	6
ANOREXIA	3
FEVER, BODY	3
DEATH	2
HYPERACTIVITY	2
TREMBLING	2
VOMITING	2
ARREST, HEART	1
BLINDNESS	1
CIRCLING	1
COLLAPSE	1
CONGESTION, SKIN	1
CONVULSION(S)	1
DIARRHEA	1

DRUG: CEFOVECIN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DIARRHEA, BLOODY	1
EPISTAXIS	1
INEFFECT, ANTIBIOTIC	1
INJ SITE EDEMA	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
PAIN	1
PD-SOLUTION, ABN	1
POLYDIPSIA	1
POLYURIA	1
RECUMBENCY	1
SLEEP ABN	1
VOCALIZATION	1

DRUG: CEFOVECIN

Species: GUINEA PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANOREXIA	2
ADIPSIA	1
DEATH	1
DEPRESSION/LETHARGY	1

DRUG: CEFOVECIN

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1
KERATOCONJUNCTIVITIS S	1

DRUG: CEFOVECIN

Species: HUMAN

Route of Administration: VARIOUS

DRUG: CEFOVECIN

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
TREMBLING	1

DRUG: CEFOXITIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
EPISTAXIS	1
SWELLING, HEAD/FACE	1

DRUG: CEFPODOXIME

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TABLET(S), ABN	14
PD-CAP(S), ABN	1
PD-CONTAMINATION	1
PD-SEAL, ABN	1

DRUG: CEFPODOXIME

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	10
ANOREXIA	8
DIARRHEA	6
DEATH	3
DEPRESSION/LETHARGY	3
WEIGHT LOSS	3
BUN HI, BLD	2
CREATININE HI, BLD	2
DYSPHAGIA	2
DYSPNEA	2
WEAKNESS	2

DRUG: CEFPODOXIME

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ADIPSIA	1
ALK PHOS HI, BLD	1
ALOPECIA	1
ANAPHYLAXIS/TOID	1
ANURIA	1
ATAXIA	1
AZOTEMIA	1
CONFUSION	1
CONGESTION, SKIN	1
CONJUNCTIVITIS	1
CONSTIPATION	1
DEHYDRATION	1
DIARRHEA, MILD	1
EDEMA	1
FEVER, BODY	1
GINGIVITIS	1
GLUCOSE LO, BLD	1
HYPOTHERMIA, BODY	1
INEFFECT, ANTIBIOTIC	1
INFLAM	1
INFLAM, SKIN	1
KIDNEY DISORDER	1
KIDNEY FAILURE	1
LIVER DISORDER	1
MURMUR, HEART	1
NAUSEA	1
NYSTAGMUS	1
P HI, BLD	1
PROTEIN(TOT) HI, BLD	1
PRURITIS	1
RECUMBENCY	1
SEGS LO, BLD	1
SGPT/ALT HI, BLD	1
SNEEZING	1
STOMATITIS	1

DRUG: CEFPODOXIME

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	115
ANOREXIA	113
DEPRESSION/LETHARGY	101
DIARRHEA	41
CONVULSION(S)	37
ALK PHOS HI, BLD	31
INEFFECT, ANTIBIOTIC	31
SGPT/ALT HI, BLD	30
POLYDIPSIA	28
ANEMIA	26
DEATH	23
POLYURIA	22
BUN HI, BLD	21
FEVER, BODY	21
WBC HI, BLD	21
ATAXIA	20
PLATELETS LO, BLD	20
PRURITIS	17
WEIGHT LOSS	17
CREATININE HI, BLD	15
PALLOR, MUCOUS MEMBRAN	15
ALBUMIN LO, BLD	14
BILIRUBIN(TOT) HI, BLD	14
DEATH(EUTHANIZED)	14
BLD, URINE	13
ANAPHYLAXIS/TOID	12
BLD(ECCHYMOSES)	12
POLYPNEA	12
WEAKNESS	12
RADIOGRAPH(S) ABN	11
URTICARIA	11
ALOPECIA	10
COLLAPSE	10
CONGESTION, SKIN	10
DYSYPNEA	10
INCONTINENCE, URINARY	10
P HI, BLD	10
PROTEIN, URINE	10

DRUG: CEFPODOXIME

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SPEC GRAVITY LO, URINE	10
SWELLING, HEAD/FACE	10
DEHYDRATION	9
HYPERSALIVATION	9
ICTERUS, BODY	9
LESION(S), SKIN	9
PR-SKIN, LESION(S)	9
TREMBLING	9
ANEMIA, AUTOIMMUNE HEM	8
BLD(PETECHIAE)	8
HYPERACTIVITY	8
NERVOUSNESS	8
BILIRUBIN, URINE	7
DIARRHEA, BLOODY	7
ENLARGEMENT, LYMPH NOD	7
CONFUSION	6
PROPRIOCEPTIVE DISORDE	6
RELUCTANT TO MOVE	6
SEGS HI, BLD	6
ULCER(S), SKIN	6
VOMITING, BLOODY	6
ADIPSIA	5
DEAFNESS	5
DISTENTION, ABDOMEN	5
GLUCOSE LO, BLD	5
INFLAM, SKIN	5
INTERACTION, DRUG(S)	5
PR-LIVER, LESION(S)	5
ABN COLOR, URINE	4
DIARRHEA, MILD	4
ERYTHEMA MULTIFORME	4
HEAD TILT	4
HYPERPNEA	4
HYPOTHERMIA, BODY	4
ICTERUS	4
IMMUNE DISORDER	4
LAMENESS	4
MELENA	4

DRUG: CEFPODOXIME

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN	4
PAIN, ABDOMEN	4
POLYCYTHEMIA	4
PROTEIN(TOT) LO, BLD	4
PR-SPLEEN, LESION(S)	4
RASH	4
RECUMBENCY	4
SKIN, SCAB(S)	4
SPLENOMEGALY	4
SWELLING, EYE(S)/LID(S)	4
WBC LO, BLD	4
AMYLASE HI, BLD	3
ANEMIA, HEMOLYTIC	3
BLD(HEMATOMA)	3
DIFFICULTY RISING	3
DISCHARGE, EYE(S)/LID(S)	3
EOSINOS HI, BLD	3
ERUPTION(S)	3
GLUCOSE HI, BLD	3
HIDING	3
INCONTINENCE, FECAL	3
INFECTION, FEET/DIGIT(3
KERATOCONJUNCTIVITIS S	3
K LO, BLD	3
LEUKODERMA	3
MONOS HI, BLD	3
MURMUR, HEART	3
NA LO, BLD	3
ODOR	3
OTITIS	3
PAIN, JOINT(S)	3
PARESIS, HIND LIMB(S)	3
PRURITIS, FEET/DIGIT(S)	3
PUPIL(S), AREFLEXIA	3
REFLEX(ES) ABN	3
SGOT/AST HI, BLD	3
SKIN, CRUST(S)	3
SWELLING, EAR(S)	3

DRUG: CEFPODOXIME

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SWELLING, FEET/DIGIT(S)	3
TACHYCARDIA	3
THYROID HORMONE(S) LO	3
VOCALIZATION	3
ABORTION	2
APPREHENSION	2
ARRHYTHMIA	2
ASCITES	2
BANDS HI, BLD	2
BITING/CHEWING	2
BLD	2
BLD, EYE(S)	2
BLD, INCISION SITE	2
BLD, MOUTH/LIP(S)	2
BLD, RECTUM	2
BLINDNESS	2
CHLORIDE LO, BLD	2
CHOLESTEROL HI, BLD	2
COAGULATION DISORDER	2
CONJUNCTIVITIS	2
CYANOSIS, MUCOUS MEMBR	2
DEAFNESS, PARTIAL	2
DEAFNESS, TEMP	2
DIARRHEA, SEVERE	2
DISCHARGE, EAR(S)	2
DYSMETRIA	2
EDEMA, HEAD/FACE	2
EFFUSION, PERITONEAL	2
EPISTAXIS	2
GAGGING	2
GALL BLADDER, ABN	2
GGT HI, BLD	2
GINGIVA, ABN	2
GLOBULIN HI, BLD	2
GLOBULIN LO, BLD	2
GLUCOSE, URINE	2
HEPATOMEGALY	2
ICTERUS, SERUM	2

DRUG: CEFPODOXIME

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
K HI, BLD	2
KIDNEY FAILURE	2
LICKING	2
LICKING, FEET/DIGIT(S)	2
LIPASE HI, BLD	2
LIVER ENZYMES HI, BLD	2
LYMPHS LO, BLD	2
MUCOUS MEMBR, RED	2
MYDRIASIS	2
NAUSEA	2
NEUROLOGICAL DISORDER	2
NYSTAGMUS	2
PACING	2
PAIN, LIMB(S)	2
PAPULE(S)	2
POLAKIURIA	2
PR-BRAIN, LESION(S)	2
PRESSURE HI, BLD	2
PR-JOINT(S), LESION(S)	2
PR-MULT SITES, BLD	2
PR-SM INTEST, LESION(S)	2
PT PROLONGED, BLD	2
PTT PROLONGED, BLD	2
RBC, ANISO	2
RETINA ABN	2
SEGS LO, BLD	2
SHAKING	2
SHAKING, HEAD/FACE	2
SHOCK	2
SKIN ABNORMAL	2
SKIN, NECROSIS	2
SLOUGH, FEET/DIGIT(S)	2
SORE(S)	2
STUMBLING	2
SWELLING, LIMB(S)	2
SWELLING, MOUTH/LIP(S)	2
TWITCH	2
ULCER(S), CORNEA(S)	2

DRUG: CEFPODOXIME

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ULCER(S), FEET/DIGIT(S)	2
ULCER(S), MOUTH/LIP(S)	2
URINATION ABN	2
US-LIVER ABN	2
VESICLE(S)/BULLAE, SKI	2
WBC ABN	2
WBC, URINE	2
ADVERSE DRUG REACTION	1
AGGRESSION	1
ANEMIA, REGEN	1
ANEMIA, SPHERO	1
ANURIA	1
APNEA	1
ARREST, HEART	1
ARTHRITIS	1
AZOTEMIA	1
BASOS HI, BLD	1
BEHAVIOR DISORDER	1
BILE ACIDS HI, BLD	1
BLD, SCLERA	1
BLINDNESS, TEMP	1
BRADYCARDIA	1
BREATHING ABN	1
BREATHING, DIFFICULT	1
BUN LO, BLD	1
CA HI, BLD	1
CALCULI, BLADDER	1
CASTS, URINE	1
CNS DISORDER	1
CNS INFARCT	1
CONGESTION	1
COOMBS TEST POS	1
CRYSTALS, URINE	1
CSF ABN	1
CULTURE/TITER DATA ABN	1
CYSTITIS	1
DIABETES MELLITUS	1
DIARRHEA, WATERY	1

DRUG: CEFPODOXIME

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DILITATION, ESOPHAGUS	1
DISCHARGE, NOSE	1
DISCHARGE, VULVA	1
DISCOMFORT	1
DISCOMFORT, MOUTH/LIP(S)	1
DISTRESS, RESP	1
DYSPHAGIA	1
EDEMA	1
EDEMA, LIMB(S)	1
EFFUSION, JOINT(S)	1
EFFUSION, PLEURAL	1
ELECTROLYTE DISORDER	1
ENLARGEMENT(S), SKIN	1
EPIPHORA	1
EYE DISORDER	1
FERTILITY, LACK OF	1
FROTH, MOUTH/LIP(S)	1
GINGIVITIS	1
HAIR, SHEDDING	1
HEAD BOBBING	1
HEART FAILURE	1
HEMATOCHEZIA	1
HYPERADRENOCORTICISM	1
HYPERESTHESIA	1
INCISION SITE ABN	1
INFECTION	1
INFECTION, SKIN	1
IRRITATION, SKIN	1
JOINT DISORDER	1
KETONES, URINE	1
KIDNEY DISORDER	1
KIDNEY VALUES HI, BLD	1
LIVER FAILURE	1
LYMPHS HI, BLD	1
MASS	1
MASS, ABDOMEN	1
MASS, SKIN	1
MONOS LO, BLD	1

DRUG: CEFPODOXIME

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
MRI SCAN ABN	1
MYOSITIS	1
NA HI, BLD	1
NEOPLASM	1
NEUROPATHY	1
NYSTAGMUS, HORIZONTAL	1
ODOR, MOUTH	1
ODOR, URINE	1
OPACITY, CORNEA(S)	1
OPISTHOTONOS	1
PAIN, HIND LIMB(S)	1
PAIN, MOUTH/LIP(S)	1
PARALYSIS, FACIAL NERV	1
PARESIS	1
PARESIS, FORE LIMB(S)	1
PARESIS, FORELIMB(S)	1
PERITONITIS	1
POLYPHAGIA	1
POSTURE ABN	1
PR-COLON, LESION(S)	1
PR-INTEST, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PR-MOUTH/LIP(S), LESIO	1
PR-MULT SITES, CONGEST	1
PROLAPSE, THIRD EYELID	1
PROTEIN(TOT) HI, BLD	1
PR-SM INTEST, LESION(S)	1
PR-SPINAL CORD, LESION	1
PR-STOMACH, LESION(S)	1
PRURITIS, EAR(S)	1
PRURITIS, EYE(S)	1
PULSE THREADY	1
PUSTULE(S)	1
REACTION, UNSPECIFIED	1
RELUCTANT TO CLIMB	1
RETICULOCYTES LO, BLD	1

DRUG: CEFPODOXIME

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SEDATION	1
SEDIMENT, URINE	1
SELF-MUTILATION	1
SHOCK, ENDOTOXEMIA	1
SKIN SCRAPING ABNORMAL	1
SNEEZING	1
SOMNOLENCE	1
SOUND ABN, RESPIRATORY	1
STAGGERING	1
STIFFNESS	1
STOOL ABN	1
STOOL, PALE/GRAY	1
SWEATING	1
SWELLING, JOINT(S)	1
SWELLING, VAGINA/VULVA	1
SYNOVIAL FLUID ABN	1
TABLET(S), UNDIGEST	1
TEARS, ABN	1
TENESMUS	1
TONGUE, ABN	1
TOX	1
TREMBLING, FACE	1
ULCER(S), EAR(S)	1
ULCER(S), GI	1
ULCER(S), MUCOCUTANEOU	1
ULCER(S), TONGUE	1
US ABN	1
VESTIBULAR DISORDER	1
VOMITING, UNPRODUCTIVE	1
WEIGHT INCREASE	1

DRUG: CEFPODOXIME

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	1
DIARRHEA	1

DRUG: CEFPODOXIME

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
KIDNEY FAILURE	1
PROLAPSE, RECTUM	1

DRUG: CEFPODOXIME

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
RASH	2

DRUG: CEFPODOXIME

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
CONFUSION	1
DEPRESSION/LETHARGY	1

DRUG: CEFTIOFUR

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SUSPENSION, ABN	257
PD-SOLUTION, ABN	254
PD-COLOR, ABN	84
PD-UNDERFILL, PACKAGE	31
PD-GRANULES/POWDER, ABN	26
PD-VIAL(S), DAMAGED	18
PD-VIAL(S), LEAKING	17
PD-PRODUCT DEFECT	12
PD-CAP(S), ABN	9
PD-SEAL, ABN	9
PD-VIAL(S), ABN	8
PD-CONTAINER(S), ABN	7
PD-CONTAMINATION	6

DRUG: CEFTIOFUR

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TUBE(S), LEAKING	5
PD-CONTAINER(S), DAMAG	4
PD-TUBE(S), ABN	3
NO SIGNS	2
PD-APPLICATOR, ABN	2
PD-DISPENSER, ABN	2
PD-LABEL(S), ABN	2
PD-CONTAM, INSECTS	1
PD-MISSING, CAP	1
PD-ODOR, ABN	1
PD-SYRINGE, ABN	1

DRUG: CEFTIOFUR

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
RESIDUE, MILK	37
INEFFECT, ANTIBIOTIC	21
PD-SUSPENSION, ABN	11
RESIDUE, APPLICATION SITE	7
UDDER, HYPOGALACTIA	5
UDDER, MASTITIS	5
UDDER, MILK ABN	5
DEATH(SLAUGHTERED)	3
UDDER, HARD	2
UDDER, TEAT(S) DISORDE	2
ABORTION	1
BLINDNESS	1
FERTILITY, REDUCED	1
ILL	1
LABOR	1
MUCOUS MEMBR, ABN COLO	1
RESIDUE, MEAT	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
TECH ERROR ADMINISTRAT	1

DRUG: CEFTIOFUR

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
UDDER, ABN	1
UDDER, AGALACTIA	1
UDDER, PAIN	1
UDDER, SWELLING	1
URTICARIA	1
UVEITIS	1

DRUG: CEFTIOFUR

Species: GOAT

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1
PD-SUSPENSION, ABN	1
UDDER, HYPOGALACTIA	1

DRUG: CEFTIOFUR

Species: HORSE

Route of Administration: INTRAUTERINE

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	1

DRUG: CEFTIOFUR

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	9
DEATH(TX FAILURE)	6
RESIDUE, MILK	3
RESIDUE, MEAT	2
DEATH	1

DRUG: CEFTIOFUR

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
PD-SUSPENSION, ABN	1

DRUG: CEFTIOFUR

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
INJ SITE SWELLING	1
SWELLING, LIMB(S)	1

DRUG: CEFTIOFUR

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
INJ SITE PAIN	2
HYPOESTHESIA	1
INJ SITE BLD	1
INJ SITE INFLAM	1
INJ SITE SWELLING	1
SWELLING, PHARYNX/THRO	1

DRUG: CEFTIOFUR

Species: CATTLE

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
DEATH	1
DIARRHEA	1

DRUG: CEFTIOFUR

Species: CHICKEN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: CEFTIOFUR

Species: CHICKEN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
DEATH(NEWBORN)	1
TECH ERROR ADMINISTRAT	1
TECH ERROR, MIXING	1

DRUG: CEFTIOFUR

Species: HORSE

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
SWELLING, EYE(S)/LID(S)	1

DRUG: CEFTIOFUR

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	3
INJ SITE SWELLING	3
DEATH	2
RESIDUE, MILK	2
ALOPECIA	1
COLLAPSE	1
CONVULSION(S)	1
DISCHARGE, NOSE	1
INJ SITE NECROSIS	1
LESION(S), SKIN	1
RESIDUE, MEAT	1
SKIN, CRUST(S)	1
SWELLING, BRISKET/CHES	1
SWELLING, HEAD/FACE	1
SWELLING, LIMB(S)	1

DRUG: CEFTIOFUR

Species: HORSE

Route of Administration: ORAL

DRUG: CEFTIOFUR

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
DISCHARGE, NOSE	1
INJ SITE ABSCESS	1

DRUG: CEFTIOFUR

Species: ALPACA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	2
DEATH(EUTHANIZED)	1
INJ SITE EDEMA	1

DRUG: CEFTIOFUR

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	2
INEFFECT, ANTIBIOTIC	2
PD-SOLUTION, ABN	2
VOMITING	2
AGGRESSION	1
ANEMIA	1
ANISOCORIA	1
CONVULSION(S)	1
DEATH	1
DYSPNEA	1
INEFFECT, LOSS OF EFFE	1
JERKING	1
VISION DISORDER	1
WEIGHT LOSS	1

DRUG: CEFTIOFUR

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	221
DEATH	138
DEATH(TX FAILURE)	103
RESIDUE, MILK	70
COLLAPSE	63
INJ SITE SWELLING	58
ANAPHYLAXIS/TOID	30
RESIDUE, MEAT	22
INJ SITE ABSCESS	21
DEATH(EUTHANIZED)	20
RECUMBENCY	20
PR-LUNG(S), LESION(S)	17
DYSPNEA	15
TECH ERROR ADMINISTRAT	14
ATAXIA	13
CULTURE/TITER DATA ABN	12
BLINDNESS	11
DEPRESSION/LETHARGY	10
FEVER, BODY	10
ANOREXIA	9
CONVULSION(S)	9
INJ SITE BLD	9
RESPIRATORY DISORDER	9
STAGGERING	9
INJ SITE EDEMA	8
PD-SUSPENSION, ABN	8
PR-INJ SITE, LESION(S)	8
BLINDNESS, TEMP	7
PNEUMONIA	7
UDDER, HYPOGALACTIA	7
OPACITY, CORNEA(S)	6
SWELLING, EYE(S)/LID(S)	6
EAR DISORDER	5
HEAD TILT	5
HYPERSALIVATION	5
INJ SITE INFLAM	5
INJ SITE SEROMA	5
PD-SOLUTION, ABN	5

DRUG: CEFTIOFUR

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PR-EAR(S), LESION(S)	5
PR-LUNG(S), EDEMA	5
SWELLING, HEAD/FACE	5
TREMBLING	5
BLINDNESS, PARTIAL	4
DEATH(SLAUGHTERED)	4
INEFFECT	4
NEUROLOGICAL DISORDER	4
PR-BRAIN, LESION(S)	4
PR-HEART, LESION(S)	4
PR-LIVER, LESION(S)	4
CIRCLING	3
DISPLACED ABOMASUM	3
EPIPHORA	3
EYE DISORDER	3
FROTH, MOUTH/LIP(S)	3
ILL	3
INJ SITE PAIN	3
NYSTAGMUS	3
PR-KIDNEY(S), LESION(S)	3
THRASHING/PADDLING	3
ABORTION	2
CELLULITIS	2
DISCHARGE, EYE(S)/LID(S)	2
DISTRESS, RESP	2
EDEMA, CORNEA(S)	2
EDEMA, EYE(S)/LID(S)	2
EDEMA, HEAD/FACE	2
EMPHYSEMA, SQ	2
HYPERACTIVITY	2
HYPERPNEA	2
INJ SITE ABN	2
INJ SITE ALOPECIA	2
INJ SITE STERILE ABSCE	2
KETOSIS	2
KICKING	2
LIVER DISORDER	2
MYDRIASIS	2

DRUG: CEFTIOFUR

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ODOR	2
PARALYSIS, FACIAL NERV	2
POSTURE ABN	2
PR-MEDULLA, LESION(S)	2
PR-MULT SITES, BLD	2
PR-NERVE(S), LESION(S)	2
RELUCTANT TO MOVE	2
SWELLING, JOINT(S)	2
TORTICOLLIS	2
UDDER, MASTITIS	2
UDDER, MILK ABN	2
UDDER, SWELLING	2
UVEITIS	2
WEAKNESS	2
ADIPSIA	1
AGGRESSION	1
ARTHRITIS, SEPTIC	1
BLD	1
BLD, ABDOMEN	1
BLD, INCISION SITE	1
BLD, LUNG(S)/TRACHEA	1
BLD, THORAX	1
BREATHING ABN	1
BREATHING, PERIODIC	1
CHOKING	1
CNS DISORDER	1
COAGULATION DISORDER	1
CONFUSION	1
CONGESTION, LUNG(S)	1
CONJUNCTIVITIS	1
COUGHING	1
DEATH(NEWBORN)	1
DIARRHEA	1
DIARRHEA, BLOODY	1
DIFFICULTY RISING	1
DISCHARGE, MOUTH/LIP(S)	1
DISCHARGE, NOSE	1
DISCHARGE, VULVA	1

DRUG: CEFTIOFUR

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DYSPHAGIA	1
DYSTOCIA	1
EDEMA	1
EDEMA, LIMB(S)	1
EDEMA, LUNG(S)/TRACHEA	1
ENLARGEMENT(S)	1
GASTROENTERITIS	1
GI, ABNORMAL	1
HORNER'S SYNDROME	1
HYPERESTHESIA	1
HYPOESTHESIA, EYE(S)/L	1
HYPOTHERMIA	1
HYPOTHERMIA, BODY	1
INFECTION, UTERUS	1
INJECT SITE SEPSIS	1
INJ SITE INFECT	1
INJ SITE MASS	1
INJ SITE NECROSIS	1
INJ SITE NEOPLASM	1
INJ SITE PRURITIS	1
INJURY	1
IRRITATION, EYE(S)/LID	1
LESION(S), SKIN	1
MEAT ABN	1
MEAT, ABN COLOR	1
METRITIS	1
MORIBUND	1
OFF FEED	1
OPISTHOTONOS	1
PARALYSIS	1
PARESIS, HIND LIMB(S)	1
PD-PRODUCT DEFECT	1
PD-SEAL, ABN	1
PD-VIAL(S), ABN	1
PERFORATION, STOMACH	1
POOR PERFORMANCE	1
PR-BRONCHI, LESION(S)	1
PR-LYMPH NODE(S), LESI	1

DRUG: CEFTIOFUR

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PR-MUSCLE(S), LESION(S)	1
PROPRIOCEPTIVE DISORDE	1
PR-PERICARDIAL EFFUSIO	1
PR-PLEURAL EFFUSION	1
PR-SKIN, LESION(S)	1
PR-SM INTEST, LESION(S	1
PR-SPINAL CORD, LESION	1
PR-UTERUS, LESION(S)	1
PUPIL(S), AREFLEXIA	1
REACTION, UNSPECIFIED	1
SCALE(S), SKIN	1
SEDATION PROLONGED	1
SHAKING	1
SLOUGH, SKIN	1
SPASM	1
SQUINTING	1
STUMBLING	1
STUPOR	1
SWELLING, BRISKET/CHES	1
SWELLING, EAR(S)	1
SWELLING, LIMB(S)	1
SWELLING, MAMMARY	1
SWELLING, NECK	1
TACHYCARDIA	1
TECH ERROR	1
TWITCH	1
UDDER, ABN	1
UDDER, DYSGALACTIA	1
UDDER, FEVER	1
ULCER(S), GI	1
ULCER(S), STOMACH	1
UNCONSCIOUS	1
URTICARIA	1
VOCALIZATION	1
WEIGHT LOSS	1

DRUG: CEFTIOFUR

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	4
VOMITING	4
ANEMIA	3
DIARRHEA	3
INJ SITE SWELLING	3
PAIN	3
PLATELETS LO, BLD	3
ALK PHOS HI, BLD	2
AMYLASE HI, BLD	2
APPREHENSION	2
BEHAVIOR DISORDER	2
BUN HI, BLD	2
CASTS, URINE	2
CREATININE HI, BLD	2
DEATH(EUTHANIZED)	2
DIARRHEA, BLOODY	2
EYE DISORDER	2
LIPASE HI, BLD	2
NO SIGNS	2
SGPT/ALT HI, BLD	2
WBC HI, BLD	2
ALBUMIN LO, BLD	1
ALOPECIA	1
ANAPHYLAXIS/TOID	1
ANEMIA, REGEN	1
ANISOCORIA	1
ATAXIA	1
ATROPHY, MUSCLE(S)	1
BANDS HI, BLD	1
BILIRUBIN, URINE	1
BLD(PETECHIAE)	1
BLD, URINE	1
CHLORIDE LO, BLD	1
COLLAPSE	1
CRYSTALS, URINE	1
CULTURE/TITER DATA ABN	1
DEHYDRATION	1
DIARRHEA, SEVERE	1

DRUG: CEFTIOFUR

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DIGESTION DISORDER	1
ENLARGEMENT(S), SKIN	1
GGT HI, BLD	1
GLUCOSE LO, BLD	1
HEAD TILT	1
HYPERSALIVATION	1
INEFFECT	1
INEFFECT, ANTIBIOTIC	1
INFLAM, SKIN	1
INJ SITE INFLAM	1
INTERACTION, DRUG(S)	1
KERATOCONJUNCTIVITIS S	1
MELENA	1
NYSTAGMUS	1
PALLOR, MUCOUS MEMBRAN	1
PERFORATION, STOMACH	1
P HI, BLD	1
POLYCYTHEMIA	1
POLYDIPSIA	1
PROSTATOMEGALY	1
PROTEIN(TOT) LO, BLD	1
PROTEIN, URINE	1
PROTRUSION, EYE(S)	1
PR-STOMACH, LESION(S)	1
PRURITIS	1
RADIOGRAPH(S) ABN	1
SEGS HI, BLD	1
STARING	1
STOOL ABN	1
ULCER(S), STOMACH	1
UNCONSCIOUS	1
US-LIVER ABN	1
VOMITING, BLOODY	1
WBC LO, BLD	1
WEIGHT INCREASE	1
WEIGHT LOSS	1

DRUG: CEFTIOFUR

Species: DONKEY

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
PD-SOLUTION, ABN	1

DRUG: CEFTIOFUR

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2
ANAPHYLAXIS/TOID	1
ATAXIA	1
COLLAPSE	1
HYPERACTIVITY	1
INEFFECT	1
INEFFECT, ANTIBIOTIC	1
LYMPHS LO, BLD	1
MONOS LO, BLD	1
NERVOUSNESS	1
NYSTAGMUS	1
SEGS LO, BLD	1
VOCALIZATION	1
WBC LO, BLD	1

DRUG: CEFTIOFUR

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	114
INJ SITE PAIN	51
FEVER, BODY	41
DEPRESSION/LETHARGY	24
INJ SITE INFLAM	23
DEATH	22
ANOREXIA	17
DIARRHEA	17
US ABN	15

DRUG: CEFTIOFUR

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	13
INJ SITE EDEMA	13
RELUCTANT TO MOVE	11
PAIN, ABDOMEN	10
TACHYCARDIA	10
INJ SITE FIBROSIS	9
INJ SITE STIFFNESS	9
DEATH(EUTHANIZED)	8
DIARRHEA, SEVERE	8
LAMINITIS	8
COLLAPSE	7
PAIN, NECK	7
TREMBLING	7
URTICARIA	7
DIARRHEA, MILD	6
HYPERPNEA	6
INEFFECT, ANTIBIOTIC	6
SWELLING, LIMB(S)	6
SWELLING, NECK	6
DIARRHEA, WATERY	5
INJ SITE ALOPECIA	5
RECUMBENCY	5
ANEMIA	4
CONVULSION(S)	4
EDEMA, BRISKET/CHEST	4
FIBRINOGEN HI, BLD	4
PALLOR	4
CONGESTION, MUCOUS MEM	3
DYSPNEA	3
EDEMA, HEAD/FACE	3
EDEMA, NECK	3
GI, ABNORMAL	3
INJ SITE ABSCESS	3
INJ SITE PHLEBITIS	3
LAMENESS	3
PAIN, FEET/DIGIT(S)	3
PALLOR, MUCOUS MEMBRAN	3
PD-SOLUTION, ABN	3

DRUG: CEFTIOFUR

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SEGS HI, BLD	3
SWELLING, BRISKET/CHES	3
THROMBUS	3
WEAKNESS	3
ALOPECIA	2
ATAXIA	2
CONGESTION, SKIN	2
COUGHING	2
DEHYDRATION	2
EOSINOS HI, BLD	2
GRANULOMA	2
INJ SITE ABN	2
INJ SITE STERILE ABSCE	2
MURMUR, HEART	2
MYOSITIS	2
NERVOUSNESS	2
NEUROLOGICAL DISORDER	2
PR-COLON, LESION(S)	2
PR-LUNG(S), LESION(S)	2
PROTEIN(TOT) LO, BLD	2
REACTION, UNSPECIFIED	2
SHAKING	2
SHOCK, ENDOTOXEMIA	2
SWEATING	2
WBC HI, BLD	2
WBC LO, BLD	2
ABN COLOR, URINE	1
ABORTION	1
ANEMIA, AUTOIMMUNE HEM	1
ANEMIA, HEMOLYTIC	1
ANOREXIA(NOT NURSING)	1
BANDS HI, BLD	1
BILIRUBIN(TOT) HI, BLD	1
BITING/CHEWING	1
BLD, ABN	1
BLD, URINE	1
BREATHING ABN	1
BUN HI, BLD	1

DRUG: CEFTIOFUR

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CHEMISTRY ABN	1
COLITIS	1
COLITIS, ULCERATIVE	1
CREATININE HI, BLD	1
CSF ABN	1
CYANOSIS, MUCOUS MEMBR	1
DEHISCENCE	1
DERMATITIS, MOIST	1
DIARRHEA, BLOODY	1
DIARRHEA, MUCOID	1
DIARRHEA, PROJECTILE	1
DIC	1
DISTRESS	1
DISTRESS, RESP	1
DYSURIA	1
EDEMA	1
EDEMA, LIMB(S)	1
EDEMA, PREPUCE	1
EDEMA, VENTRAL	1
EMPHYSEMA, SQ	1
ENTERITIS	1
EPISTAXIS	1
FIBROSIS	1
HAIR, ABN COLOR	1
HEAD TILT	1
HYPERACTIVITY	1
HYPOMOTILITY	1
HYPOPNEA	1
ILL	1
INJ SITE EMPHYSEMA	1
INJ SITE HAIR, ABN	1
INJ SITE MASS	1
INJ SITE NECROSIS	1
INJ SITE PRURITIS	1
LYMPHS LO, BLD	1
MUCOUS MEMBR, RED	1
NO SIGNS	1
NYSTAGMUS	1

DRUG: CEFTIOFUR

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
OFF FEED	1
PACING	1
PAIN, BACK	1
PARESIS, FORELIMB(S)	1
PNEUMONIA	1
PNEUMONIA, ASPIRATION	1
POLYCYTHEMIA	1
PR-GI, LESION(S)	1
PR-INJ SITE, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PROTEIN, URINE	1
PR-SM INTEST, LESION(S)	1
PR-SM INTEST, LESION(S)	1
PRURITIS	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1
SHOCK	1
SOUND ABN, RESPIRATORY	1
SPASM	1
STAGGERING	1
STIFFNESS	1
STIFFNESS, FRONT LIMB(1
STIFFNESS, LIMB(S)	1
STUMBLING	1
SWELLING	1
SWELLING, HEAD/FACE	1
SWELLING, JOINT(S)	1
URINE ABN	1

DRUG: CEFTIOFUR

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	34
INJ SITE SWELLING	28

DRUG: CEFTIOFUR

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE INFLAM	15
HYPOESTHESIA	5
INJ SITE ABN	4
DIZZINESS	3
NAUSEA	3
CONGESTION, SKIN	2
ILL	2
INJ SITE BLD	2
BLD(ECCHYMOSES)	1
DIARRHEA	1
FEVER, BODY	1
HYPOTHERMIA	1
HYPOTHERMIA, BODY	1
IRRITATION, SKIN	1
PAIN, BRISKET/CHEST	1
PAIN, LIMB(S)	1
PARESTHESIA	1
RASH	1
STIFFNESS, HAND(S)	1
SWELLING	1
SWELLING, TONGUE	1
WEAKNESS	1

DRUG: CEFTIOFUR

Species: LLAMA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ATAXIA	1
CONVULSION(S)	1
DEATH	1
HYPERPNEA	1
INJ SITE NECROSIS	1
PR-ADRENAL(S), LESION(S)	1
PR-BRAIN, LESION(S)	1
PR-LIVER, LESION(S)	1
RECUMBENCY	1

DRUG: CEFTIOFUR

Species: LLAMA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SHAKING, HEAD/FACE	1
TREMBLING	1

DRUG: CEFTIOFUR

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	9
ANAPHYLAXIS/TOID	6
DIARRHEA	2
RESIDUE, MEAT	2
CONVULSION(S)	1
CYANOSIS	1
DEATH(TX FAILURE)	1
DYSPNEA	1
EFFUSION, PERITONEAL	1
ILL	1
INEFFECT, ANTIBIOTIC	1
INJ SITE BLD	1
NO SIGNS	1
PR-LUNG(S), EDEMA	1
THRASHING/PADDLING	1
VOMITING	1

DRUG: CEFTIOFUR

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
ATAXIA	1
FEVER, BODY	1
HYPERSALIVATION	1
POLYURIA	1
TREMBLING	1

DRUG: CEFTIOFUR

Species: SHEEP

Route of Administration: PARENTERAL

DRUG: CEFTIOFUR

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
RASH	3
ILL	2
CONGESTION, EYE(S)/LID	1
CONGESTION, SKIN	1
FEVER, BODY	1
IRRITATION, EYE(S)/LID	1
IRRITATION, SKIN	1
PRURITIS, EYE(S)	1
SLOUGH, SKIN	1
SWELLING, ADM SITE	1
SWELLING, EYE(S)/LID(S)	1

DRUG: CEFTIOFUR

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DISTRESS, RESP	2
ANAPHYLAXIS/TOID	1
ANOREXIA	1
DEATH	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DYSPNEA	1
EDEMA, LUNG(S)/TRACHEA	1
EFFUSION, PLEURAL	1
FEVER, BODY	1
FROTH, MOUTH/LIP(S)	1
INEFFECT, ANTIBIOTIC	1
MIOSIS	1
RADIOGRAPH(S) ABN	1
TACHYCARDIA	1
WEAKNESS	1

DRUG: CEFTIOFUR

Species: CAT

Route of Administration: UNKNOWN

DRUG: CEFTIOFUR

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	21
DEATH	19
RESIDUE, MILK	10
RESIDUE, MEAT	9
DEATH(TX FAILURE)	4
ANAPHYLAXIS/TOID	3
DEATH(SLAUGHTERED)	3
ILL	3
RESPIRATORY DISORDER	3
COLLAPSE	2
CULTURE/TITER DATA ABN	2
HYPOPNEA	2
STAGGERING	2
BLINDNESS, PARTIAL	1
BLOAT	1
DIFFICULTY RISING	1
EDEMA, EYE(S)/LID(S)	1
HYPERSALIVATION	1
INCISION SITE, ECCHYMOSIS	1
INFECTION	1
INJ SITE BLD	1
PAIN	1
PARALYSIS, FACIAL NERV	1
PD-COLOR, ABN	1
PD-SUSPENSION, ABN	1
PR-INJ SITE, LESION(S)	1
RECUMBENCY	1
SHAKING	1
TWITCH	1
UDDER, HYPOGALACTIA	1

DRUG: CEFTIOFUR

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
CONVULSION(S)	2
DIARRHEA	2
VOMITING	2
CHEMISTRY ABN	1
CYANOSIS	1
DEATH	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
DYSPNEA	1
EDEMA, LUNG(S)/TRACHEA	1
INTERACTION, DRUG(S)	1
KIDNEY FAILURE	1
POLYDIPSIA	1

DRUG: CEFTIOFUR

Species: GOAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
RESIDUE, MEAT	1
RESIDUE, MILK	1

DRUG: CEFTIOFUR

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE SWELLING	2
BITING/CHEWING	1
DEATH	1
DIARRHEA	1
FEVER, BODY	1
INJ SITE FIBROSIS	1
INJ SITE INFLAM	1
INJ SITE PAIN	1
INJ SITE STERILE ABSCE	1
PAIN, LIMB(S)	1

DRUG: CEFTIOFUR

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
RELUCTANT TO MOVE	1
STIFFNESS, NECK	1
SWEATING	1
SWELLING, LIMB(S)	1
URTICARIA	1
US ABN	1

DRUG: CEFTIOFUR

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PAIN	15
INJ SITE SWELLING	12
INJ SITE INFLAM	6
CONGESTION, SKIN	3
ACCIDENTAL EXPOSURE	2
DEPRESSION/LETHARGY	2
FEVER, BODY	2
HEADACHE	2
HUMAN EXPOSURE, HAND(S)	2
HUMAN EXPOSURE, INJ	2
NAUSEA	2
PAIN, ABDOMEN	2
SWELLING	2
DIARRHEA	1
DIZZINESS	1
HYPERESTHESIA	1
ILL	1
INFLAM, SKIN	1
INJ SITE ABN	1
INJ SITE EDEMA	1
INJ SITE STIFFNESS	1
LACERATION(S), HAND(S)	1
LIVER DISORDER	1
LIVER ENZYMES HI, BLD	1
PAIN	1

DRUG: CEFTIOFUR

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PAIN, BRISKET/CHEST	1
PARAESTHESIA	1
STIFFNESS, HAND(S)	1
SYNCOPE	1
URTICARIA	1
VOMITING	1

DRUG: CEFTIOFUR

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	1

DRUG: CEFTIOFUR

Species: TURKEY

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	2

DRUG: CEFTIOFUR

Species: CATTLE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	1
PR-BRAIN, LESION(S)	1
PR-CEREBRUM, LESION(S)	1
RESIDUE, MILK	1

DRUG: CEFTIOFUR

Species: HORSE

Route of Administration: VARIOUS

DRUG: CEFTIOFUR

Species: HORSE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	2
ANOREXIA	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DIARRHEA, SEVERE	1
ENTERITIS	1
FEVER, BODY	1
PAIN, ABDOMEN	1
SHOCK	1

DRUG: CEPHALEXIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	3
VOMITING	3
ALBUMIN LO, BLD	2
DEATH(EUTHANIZED)	2
DEPRESSION/LETHARGY	2
ADIPSIA	1
ALK PHOS HI, BLD	1
ANEMIA, AUTOIMMUNE HEM	1
BANDS HI, BLD	1
CHLORIDE HI, BLD	1
COLLAPSE	1
CONVULSION(S)	1
DEATH	1
DEHYDRATION	1
DIARRHEA, BLOODY	1
DIARRHEA, MILD	1
DIZZINESS	1
HYPOTHERMIA, BODY	1
LESION(S), SKIN	1
LYMPHS HI, BLD	1
MONOS HI, BLD	1

DRUG: CEPHALEXIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
MORIBUND	1
NA HI, BLD	1
NERVOUSNESS	1
NYSTAGMUS, VERTICAL	1
PAIN, JOINT(S)	1
PALLOR, MUCOUS MEMBRAN	1
PR-INTEST, LESION(S)	1
PROTEIN(TOT) LO, BLD	1
PR-SKIN, LESION(S)	1
SEGS HI, BLD	1
SLOUGH	1
STIFFNESS, LIMB(S)	1
STOOL, MUCOID	1
VOCALIZATION	1
VOMITING, BLOODY	1
WBC HI, BLD	1
WEAKNESS	1
WEIGHT LOSS	1

DRUG: CEPHAPIRIN BENZATHINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TUBE(S), LEAKING	24
PD-TUBE(S), DAMAGED	14
PD-CAP(S), ABN	8
PD-UNDERFILL, PACKAGE	8
PD-CONTAINER(S), DAMAG	5
PD-MISSING, CAP	5
PD-TUBE(S), ABN	5
PD-UNDERFILL, TUBE(S)	5
PD-SYRINGE, ABN	4
PD-APPLICATOR, ABN	3
PD-DISPENSER, ABN	3
PD-CONTAMINATION	2
PD-SEAL, ABN	2

DRUG: CEPHAPIRIN BENZATHINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	1
PD-GEL/PASTE, ABN	1
PD-MISSING, LABEL(S)	1

DRUG: CEPHAPIRIN BENZATHINE

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
RESIDUE, MILK	64
UDDER, SWELLING	32
DEATH	23
UDDER, MASTITIS	20
FEVER, BODY	10
UDDER, MILK ABN	9
UDDER, ABN	7
SWELLING, MAMMARY	6
INEFFECT, ANTIBIOTIC	5
UDDER, HARD	5
DEPRESSION/LETHARGY	4
UDDER, FEVER	4
ABORTION	3
RECUMBENCY	3
ANOREXIA	2
MAMMARY, INFLAMMATION	2
UDDER, MILK WATERY	2
UDDER, PAIN	2
BLD(PETECHIAE)	1
COLLAPSE	1
CULTURE/TITER DATA ABN	1
DEATH(EUTHANIZED)	1
DIARRHEA, WATERY	1
DISCHARGE, MAMMARY	1
EDEMA, MAMMARY	1
HYPOMOTILITY	1
HYPOTHERMIA	1
INEFFECT	1

DRUG: CEPHAPIRIN BENZATHINE

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
INFECTION	1
INFLAMMATION, MAMMARY	1
PD-CAP(S), ABN	1
PD-TUBE(S), ABN	1
PLACENTA, RETAINED	1
PR-UDDER, LESION(S)	1
SEPSIS	1
SEPTICEMIA	1
SHAKING, HEAD/FACE	1
SHOCK	1
STIFFNESS	1
SWEATING	1
SWELLING, ADM SITE	1
SWELLING, EYE(S)/LID(S)	1
UDDER, TEAT(S) DISORDE	1

DRUG: CEPHAPIRIN BENZATHINE

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1

DRUG: CEPHAPIRIN BENZATHINE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
RESIDUE, MILK	1

DRUG: CEPHAPIRIN BENZATHINE

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: CEPHAPIRIN BENZATHINE

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DISCHARGE, MAMMARY	1
UDDER, MILK ABN	1
UDDER, SWELLING	1

DRUG: CEPHAPIRIN BENZATHINE

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
RESIDUE, MILK	3
ANAPHYLAXIS/TOID	1
DEPRESSION/LETHARGY	1
UDDER, MILK WATERY	1
UDDER, SWELLING	1

DRUG: CEPHAPIRIN SODIUM

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TUBE(S), LEAKING	21
PD-TUBE(S), ABN	16
PD-TUBE(S), DAMAGED	16
PD-UNDERFILL, PACKAGE	7
PD-APPLICATOR, ABN	6
PD-CAP(S), ABN	5
PD-CONTAINER(S), DAMAG	5
PD-DISPENSER, ABN	5
PD-SYRINGE, ABN	5
PD-PRODUCT DEFECT	4
PD-CONTAINER(S), ABN	3
PD-MISSING, CAP	3
PD-UNDERFILL, TUBE(S)	2
PD-COLOR, ABN	1
PD-CONTAM, INSECTS	1
PD-SEAL, ABN	1
PD-SUSPENSION, ABN	1

DRUG: CEPHAPIRIN SODIUM

Species: NOT APPLICABLE

Route of Administration: DEFECT

DRUG: CEPHAPIRIN SODIUM

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
RESIDUE, MILK	285
INEFFECT	6
INEFFECT, ANTIBIOTIC	6
UDDER, MASTITIS	4
DEATH	2
UDDER, DYSGALACTIA	2
UDDER, HARD	2
UDDER, SWELLING	2
HEMATOCHEZIA	1
LOCOMOTION DISORDER	1
PD-PRODUCT DEFECT	1
RECUMBENCY	1
STOOL, MUCOID	1
UDDER, AGALACTIA	1
UDDER, HYPOGALACTIA	1
UDDER, TEAT(S) DISORDE	1
WBC HI, MILK	1

DRUG: CEPHAPIRIN SODIUM

Species: GOAT

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
BLD, PASSING	1
RESIDUE, MILK	1
UDDER, HYPOGALACTIA	1
UDDER, MILK ABN	1

DRUG: CEPHAPIRIN SODIUM

Species: HORSE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: CEPHAPIRIN SODIUM

Species: HORSE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
UDDER, ABN	1

DRUG: CEPHAPIRIN SODIUM

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT	2
RESIDUE, MILK	1

DRUG: CEPHAPIRIN SODIUM

Species: GOAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT	1
UDDER, MASTITIS	1

DRUG: CEPHAPIRIN SODIUM

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
RESIDUE, MILK	5

DRUG: CEPHAPIRIN SODIUM

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
LOCOMOTION DISORDER	1

DRUG: CEPHAPIRIN SODIUM

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT	1
RESIDUE, MILK	1

DRUG: CEPHAPIRIN SODIUM

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
RESIDUE, MILK	1

DRUG: CHINESE HERBAL PRODUCTS

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	1
ANOREXIA	1
BILIRUBIN(TOT) HI, BLD	1
BUN HI, BLD	1
CHOLESTEROL HI, BLD	1
CREATININE HI, BLD	1
GGT HI, BLD	1
ICTERUS, BODY	1
KIDNEY FAILURE	1
NERVOUSNESS	1
PACING	1
P HI, BLD	1
POLYDIPSIA	1
PROTEIN, URINE	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1
SPEC GRAVITY LO, URINE	1
VOCALIZATION	1

DRUG: CHLORAMBUCIL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
ILL	1
INTERACTION, DRUG(S)	1

DRUG: CHLORAMPHENICOL

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-GEL/PASTE, ABN	1
PD-MISSING, LABEL(S)	1
PD-SEAL, ABN	1
PD-UNDERFILL, PACKAGE	1

DRUG: CHLORAMPHENICOL

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONJUNCTIVITIS	3
IRRITATION, EYE(S)/LID	3
CONGESTION, EYE(S)/LID	2
APPLICATION SITE HAIR, ABN COLOR	1
BLEPHAROSPASM	1
CONGESTION	1
DISCHARGE, EYE(S)/LID(1
PAIN, EYE(S)/LID(S)	1
SQUINTING	1
ULCER(S), CORNEA(S)	1

DRUG: CHLORAMPHENICOL

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONJUNCTIVITIS	2

DRUG: CHLORAMPHENICOL

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
PAIN, EYE(S)/LID(S)	2
ANAPHYLAXIS/TOID	1
IRRITATION, EYE(S)/LID	1
PD-PRODUCT DEFECT	1
RESPIRATORY DISORDER	1

DRUG: CHLORAMPHENICOL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	2
DEATH	1
DEPRESSION/LETHARGY	1
VOCALIZATION	1
VOMITING	1

DRUG: CHLORAMPHENICOL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	5
ANOREXIA	2
DEPRESSION/LETHARGY	2
PAPULE(S)	2
ACCIDENTAL EXPOSURE	1
ESTRUS	1
INFLAM, SKIN	1
PRURITIS	1
RASH	1

DRUG: CHLORAMPHENICOL

Species: HUMAN

Route of Administration: ORAL

DRUG: CHLORAMPHENICOL

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
ENDOCRINE DISORDER	1

DRUG: CHLORAMPHENICOL, PREDNISOLONE

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
BLEPHAROSPASM	1
PAIN, EYE(S)/LID(S)	1
PAWING	1
VOCALIZATION	1

DRUG: CHLORAMPHENICOL, PREDNISOLONE, SQUALEN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	1
BALANCE DISORDER	1

DRUG: CHLORAMPHENICOL, PREDNISOLONE, SQUALEN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEAFNESS, TEMP	3
DEAFNESS	2
DEPRESSION/LETHARGY	1

DRUG: CHLORHEXIDINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TUBE(S), LEAKING	25

DRUG: CHLORHEXIDINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	14
PD-SEAL, ABN	14
PD-CAP(S), ABN	12
PD-CONTAINER(S), DAMAG	12
PD-MISSING, CAP	11
PD-GEL/PASTE, ABN	7
PD-VIAL(S), LEAKING	7
PD-SYRINGE, ABN	4
PD-MISSING, LABEL(S)	3
PD-APPLICATOR, ABN	2
PD-COLOR, ABN	2
PD-CONTAM, MOLD	1
PD-LABEL(S), ABN	1
PD-LOCK, ABN	1
PD-ODOR, ABN	1
PD-SOLUTION, ABN	1
PD-TABLET(S), ABN	1
PD-UNDERFILL, TUBE(S)	1

DRUG: CHLORHEXIDINE

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
VOMITING	1

DRUG: CHLORHEXIDINE

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
RESIDUE, MILK	1

DRUG: CHLORHEXIDINE

Species: CATTLE

Route of Administration: INTRAUTERINE

Sign:	Number of Times Reported:
PAIN, ABDOMEN	1
REPRODUCTION DISORDER	1
RESIDUE, MILK	1
SWELLING, UTERUS	1

DRUG: CHLORHEXIDINE

Species: HORSE

Route of Administration: INTRAUTERINE

Sign:	Number of Times Reported:
PR-UTERUS, LESION(S)	1
REPRODUCTION DISORDER	1
VAGINITIS	1

DRUG: CHLORHEXIDINE

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
IRRITATION, SKIN	1

DRUG: CHLORHEXIDINE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
ANOREXIA	1
ARREST, HEART	1
CONGESTION, SKIN	1
DEAFNESS	1
DEATH	1
DEPRESSION/LETHARGY	1
DISCHARGE, EYE(S)/LID(S)	1
EAR DISORDER	1
EDEMA	1

DRUG: CHLORHEXIDINE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
EDEMA, NECK	1
EDEMA, TONGUE	1
EXFOLIATION, SKIN	1
INFLAM	1
IRRITATION, EAR(S)	1
LESION(S)	1
NOSE ABN	1
PHLEBITIS	1
SCROTUM, ABN	1
SKIN, NECROSIS	1
SKIN, SCAB(S)	1
SLOUGH, SKIN	1
SORE(S)	1
TACHYCARDIA	1
ULCER(S), TONGUE	1

DRUG: CHLORHEXIDINE

Species: HORSE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INFLAM, SKIN	1
PD-COLOR, ABN	1
PD-GEL/PASTE, ABN	1
PD-ODOR, ABN	1
VESICLE(S)/BULLAE, SKI	1

DRUG: CHLORHEXIDINE

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	1
INFLAM, SKIN	1
LESION(S), RINGWORM	1
LESION(S), SKIN	1
WHEEZING	1

DRUG: CHLORHEXIDINE

Species: HUMAN

Route of Administration: TOPICAL

DRUG: CHLORHEXIDINE

Species: VARIOUS

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ABSCCESS, SKIN	1
APPLICATION SITE ERYTHEMA	1
ENLARGEMENT(S)	1
SWELLING, SCROTUM	1

DRUG: CHLORPHENIRAMINE, DEXAMETHASONE, DIHYDF

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
APPREHENSION	1
ATAXIA	1
COLLAPSE	1
CONVULSION(S)	1
DEATH	1
FROTH, MOUTH/LIP(S)	1
HYPERSALIVATION	1
MYDRIASIS	1
VOMITING	1

DRUG: CHLORPHENIRAMINE, DEXAMETHASONE, DIHYDF

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2
ANAPHYLAXIS/TOID	1
COLLAPSE	1
DYSPNEA	1

DRUG: CHLORPHENIRAMINE, DEXAMETHASONE, DIHYDR

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
RECUMBENCY	1
STAGGERING	1
SWEATING	1

DRUG: CHLORPHENIRAMINE, DEXAMETHASONE, DIHYDR

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
REACTION, UNSPECIFIED	1

DRUG: CHLORPHENIRAMINE, DIHYDROSTREPTOMYCIN,

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	8
ARRHYTHMIA	1
DEPRESSION/LETHARGY	1
FEVER, BODY	1
TACHYCARDIA	1
VOCALIZATION	1
WEAKNESS	1

DRUG: CHLORPHENIRAMINE, DIHYDROSTREPTOMYCIN,

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	2
COLLAPSE	1
DEPRESSION/LETHARGY	1
DRY MOUTH SYNDROME	1
TACHYCARDIA	1

DRUG: CHLORPHENIRAMINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
POLYPNEA	1

DRUG: CHLORPROMAZINE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
RECUMBENCY	1
SHAKING	1

DRUG: CHLORTETRACYCLINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), DAMAG	57
PD-UNDERFILL, PACKAGE	21
PD-CONTAINER(S), ABN	18
PD-SEAL, ABN	18
PD-VIAL(S), LEAKING	6
PD-GRANULES/POWDER, ABN	5
PD-COLOR, ABN	4
PD-ODOR, ABN	1
PD-POTENCY, LO	1
PD-TABLET(S), ABN	1
PD-UNDERFILL, VIAL(S)	1
TECH ERROR, MIXING	1

DRUG: CHLORTETRACYCLINE

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	2
BLOAT	1
COUGHING	1

DRUG: CHLORTETRACYCLINE

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DYSPNEA	1

DRUG: CHLORTETRACYCLINE

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
DIARRHEA, WATERY	1
INEFFECT, ANTIBIOTIC	1
UNPALATABLE, WON'T EAT	1

DRUG: CHLORTETRACYCLINE

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: CHLORTETRACYCLINE, SULFAMETHAZINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), DAMAG	11
PD-GRANULES/POWDER, ABN	1
PD-MISSING, LABEL(S)	1

DRUG: CHLORTETRACYCLINE, SULFAMETHAZINE

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH	1

DRUG: CHLORTETRACYCLINE, SULFAMETHAZINE

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
TENESMUS, RECTAL	1

DRUG: CHLORTETRACYCLINE

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
SKIN ABNORMAL	1

DRUG: CHLORTETRACYCLINE

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

DRUG: CHORIONIC GONADOTROPIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	1
PD-UNDERFILL, PACKAGE	1
PD-VIAL(S), DAMAGED	1

DRUG: CHORIONIC GONADOTROPIN

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
FEVER, BODY	1
SWELLING, HEAD/FACE	1
SWELLING, NECK	1

DRUG: CHORIONIC GONADOTROPIN

Species: HORSE

Route of Administration: MISSING

DRUG: CHORIONIC GONADOTROPIN

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	10
DEATH	6
DYSPNEA	6
PAIN, ABDOMEN	6
SWEATING	6
URTICARIA	4
SWELLING, HEAD/FACE	3
BLINDNESS	2
CONVULSION(S)	2
DIARRHEA	2
HYPERPNEA	2
TACHYCARDIA	2
ATAXIA	1
CYANOSIS, MUCOUS MEMBR	1
DIARRHEA, BLOODY	1
DISCHARGE, NOSE	1
EDEMA, HEAD/FACE	1
EDEMA, LUNG(S)/TRACHEA	1
MUCOUS MEMBR, ABN COLO	1
PAWING	1
POLYCYTHEMIA	1
PRESSURE LO, BLD	1
PR-SM INTEST, LESION(S)	1
PRURITIS	1
PULSE THREADY	1
RADIOGRAPH(S) ABN	1
RECUMBENCY	1
ROLLING	1
SWELLING, VAGINA/VULVA	1
TREMBLING	1

DRUG: CHORIONIC GONADOTROPIN

Species: OTHER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, OVULATION	1

DRUG: CHORIONIC GONADOTROPION, SERUM GONADOT

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, VIAL(S)	1

DRUG: CHORIONIC GONADOTROPION, SERUM GONADOT

Species: HUMAN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
HYPERESTHESIA	1

DRUG: CHORIONIC GONADOTROPION, SERUM GONADOT

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ESTRUS SYNCH	1

DRUG: CHORIONIC GONADOTROPION, SERUM GONADOT

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ESTRUS SYNCH	1

DRUG: CIPROFLOXACIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: CIPROFLOXACIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
APNEA	1
ARREST, HEART	1
CYANOSIS, MUCOUS MEMBR	1
DYSPHAGIA	1
DYSPNEA	1
INCONTINENCE	1
K LO, BLD	1
K LO, BLOOD	1
PALLOR, MUCOUS MEMBRAN	1
PANCREATITIS	1
PARESIS, FORE LIMB(S)	1
PARESIS, HIND LIMB(S)	1
SHOCK	1
SOUND ABN, VOICE	1
SPASM	1
STAGGERING	1
SWELLING, HEAD/FACE	1
SWELLING, NECK	1
TREMBLING	1
VOMITING	1
WBC HI, BLD	1

DRUG: CISAPRIDE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1

DRUG: CLENBUTEROL

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SEAL, ABN	3
PD-VIAL(S), LEAKING	2
PD-CAP(S), ABN	1

DRUG: CLENBUTEROL

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	1
PD-UNDERFILL, PACKAGE	1

DRUG: CLENBUTEROL

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
SWEATING	14
TACHYCARDIA	7
DEATH	5
TREMBLING	4
NERVOUSNESS	3
PAIN, ABDOMEN	3
APPREHENSION	2
ATAXIA	2
DISCOMFORT	2
HYPERTONIA	2
RECUMBENCY	2
SPASM	2
TWITCH	2
AGGRESSION	1
ARRHYTHMIA	1
BRADYCARDIA	1
CHOKING	1
CYANOSIS, MUCOUS MEMBR	1
DYSPHAGIA	1
EPISTAXIS	1
FERTILITY, LACK OF	1
GAGGING	1
HYPERACTIVITY	1
ILL	1
LEUKODERMA	1
PACING	1
SHOCK	1
STAGGERING	1
THRASHING/PADDLING	1

DRUG: CLENBUTEROL

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOCALIZATION	1

DRUG: CLENBUTEROL

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
APPREHENSION	1
BREATHING ABN	1
ECG ABN	1
FIBRILLATION, ATRIAL	1
PALPITATIONS	1
TACHYCARDIA	1

DRUG: CLENBUTEROL

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
APPREHENSION	1
PAIN, ABDOMEN	1
SWEATING	1

DRUG: CLINDAMYCIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	4
PD-ODOR, ABN	3
PD-CONTAINER(S), DAMAG	2
PD-DISPENSER, ABN	2
PD-SEAL, ABN	2
PD-CAP(S), ABN	1
PD-UNDERFILL, PACKAGE	1
PD-UNDERFILL, VIAL(S)	1

DRUG: CLINDAMYCIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
UNPALATABLE	1

DRUG: CLINDAMYCIN

Species: DOG

Route of Administration: INTRANASAL

Sign:	Number of Times Reported:
ANOREXIA	1
WEAKNESS	1

DRUG: CLINDAMYCIN

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1
DEPRESSION/LETHARGY	1
HYPOPNEA	1
VOCALIZATION	1
VOMITING	1

DRUG: CLINDAMYCIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	14
VOMITING	13
ANOREXIA	11
DEPRESSION/LETHARGY	10
DEATH	9
ATAXIA	5
CONVULSION(S)	5
DYSPNEA	5
FEVER, BODY	5
PLATELETS LO, BLD	4

DRUG: CLINDAMYCIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	3
CONFUSION	3
DEATH(EUTHANIZED)	3
DIARRHEA, MILD	3
HYPERSALIVATION	3
VOCALIZATION	3
BEHAVIOR DISORDER	2
BLD, MOUTH/LIP(S)	2
BLD(PETECHIAE)	2
COLLAPSE	2
DEHYDRATION	2
GAGGING	2
PANCYTOPENIA	2
PARALYSIS, HIND LIMB(S)	2
PRURITIS	2
RECUMBENCY	2
SHAKING	2
SNEEZING	2
TREMBLING	2
WEAKNESS	2
WEIGHT LOSS	2
ADIPSIA	1
ALBUMIN LO, BLD	1
ALOPECIA	1
ANEMIA, AUTOIMMUNE HEM	1
APLASIA, BONE MARROW	1
BILIRUBIN(TOT) HI, BLD	1
BILIRUBIN, URINE	1
BITING/CHEWING	1
BLINDNESS	1
BUN HI, BLD	1
COLITIS	1
COUGHING	1
CREATININE HI, BLD	1
CYANOSIS, MUCOUS MEMBR	1
DEFECATION ABN	1
DIARRHEA, BLOODY	1
DIARRHEA, SEVERE	1

DRUG: CLINDAMYCIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA, WATERY	1
DISTENTION, ABDOMEN	1
DISTRESS, RESP	1
EDEMA, FEET/DIGIT(S)	1
EDEMA, LIMB(S)	1
FROTH, MOUTH/LIP(S)	1
HEMATOCHEZIA	1
HIDING	1
HYPERESTHESIA	1
HYPERPNEA	1
ICTERUS	1
INTERACTION, DRUG(S)	1
KIDNEY FAILURE	1
KIDNEY VALUES HI, BLD	1
LOCOMOTION DISORDER	1
NEUROLOGICAL DISORDER	1
PALLOR, MUCOUS MEMBRAN	1
PARESIS	1
PARESIS, HIND LIMB(S)	1
PD-ODOR, ABN	1
PR-HEART, LESION(S)	1
PR-PERITONEAL EFFUSION	1
PR-PLEURAL EFFUSION	1
RASH	1
SELF-MUTILATION	1
STAGGERING	1
STOOL, MUCOID	1
STRANGURIA	1
SWELLING, HEAD/FACE	1
SWELLING, PHARYNX/THRO	1
TWITCH	1
ULCER(S), MOUTH/LIP(S)	1
UNPALATABLE, WON'T SWA	1
URINATION ABN	1
WBC HI, BLD	1
WHEEZING	1

DRUG: CLINDAMYCIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	20
VOMITING	17
ANOREXIA	15
DEATH	12
CONVULSION(S)	10
DIARRHEA	10
ALK PHOS HI, BLD	8
ATAXIA	7
PLATELETS LO, BLD	7
WBC HI, BLD	6
BLD(PETECHIAE)	5
DIARRHEA, BLOODY	5
SGPT/ALT HI, BLD	5
BUN HI, BLD	4
CONFUSION	4
INEFFECT, ANTIBIOTIC	4
LIVER ENZYMES HI, BLD	4
WEAKNESS	4
AGGRESSION	3
ALOPECIA	3
CHEMISTRY ABN	3
FEVER, BODY	3
KIDNEY FAILURE	3
LIVER DISORDER	3
PRURITIS	3
SGOT/AST HI, BLD	3
STAGGERING	3
TREMBLING	3
VOMITING, BLOODY	3
ALBUMIN LO, BLD	2
ANEMIA	2
ANEMIA, AUTOIMMUNE HEM	2
BILIRUBIN(TOT) HI, BLD	2
BLD, URINE	2
COLITIS	2
CONGESTION, SKIN	2
CREATININE HI, BLD	2
CULTURE/TITER DATA ABN	2

DRUG: CLINDAMYCIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	2
DYSPNEA	2
EPISTAXIS	2
GLUCOSE LO, BLD	2
HYPERSALIVATION	2
PARESIS, HIND LIMB(S)	2
POLYDIPSIA	2
POLYURIA	2
PROLAPSE, THIRD EYELID	2
PR-SM INTEST, LESION(S)	2
RADIOGRAPH(S) ABN	2
SEGS HI, BLD	2
SHAKING	2
SKIN ABNORMAL	2
TWITCH	2
VOCALIZATION	2
ABN COLOR, URINE	1
ADIPSIA	1
ALKALINE URINE	1
AMYLASE HI, BLD	1
ANURIA	1
AZOTEMIA	1
BALANCE DISORDER	1
BLD	1
BLD(ECCHYMOSES)	1
BLD, MOUTH/LIP(S)	1
BRADYCARDIA	1
BREATHING ABN	1
CELLULITIS	1
CHLORIDE LO, BLD	1
CHOLESTEROL HI, BLD	1
CIRCLING	1
COLLAPSE	1
CONSTIPATION	1
COUGHING	1
CPK HI, BLD	1
CRYSTALS, URINE	1
DEAFNESS	1

DRUG: CLINDAMYCIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEHYDRATION	1
DERMATITIS, MOIST	1
DIARRHEA, MILD	1
DIC	1
DISTRESS, RESP	1
EDEMA, LUNG(S)/TRACHEA	1
EFFUSION	1
EOSINOS HI, BLD	1
EOSINOS LO, BLD	1
FLATULENCE	1
GALL BLADDER, ABN	1
GASTRITIS	1
GINGIVA, ABN	1
GINGIVITIS	1
GLOBULIN LO, BLD	1
HAIR, SHEDDING	1
HEMATOCHEZIA	1
HYPERPIGMENTATION, SKI	1
HYPERPNEA	1
ICTERUS	1
ICTERUS, BODY	1
ILL	1
INCONTINENCE	1
INFLAM	1
INFLAM, SKIN	1
INTERACTION, DRUG(S)	1
JOINT DISORDER	1
K LO, BLD	1
LAMENESS	1
LDH HI, BLD	1
LYMPHS LO, BLD	1
MASS, ABDOMEN	1
MELENA	1
MURMUR, HEART	1
NA LO, BLD	1
NEPHRITIS	1
NYSTAGMUS	1
OTITIS	1

DRUG: CLINDAMYCIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN	1
PAIN, ABDOMEN	1
PALLOR, MUCOUS MEMBRAN	1
PANCREATITIS	1
P HI, BLD	1
POLLAKIURIA	1
POLYPNEA	1
PR-GI, PARASITISM	1
PR-HEART, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PROTEIN(TOT) LO, BLD	1
PROTEIN, URINE	1
PR-SKIN, LESION(S)	1
PR-SM INTEST, LESION(S)	1
PR-SPLEEN, LESION(S)	1
PR-STOMACH, LESION(S)	1
PR-THYMUS, LESION(S)	1
PRURITIS, EAR(S)	1
PRURITIS, EYE(S)	1
PT PROLONGED, BLD	1
RASH	1
RECUMBENCY	1
SCROTUM, ABN	1
SEDATION	1
SEPTICEMIA	1
SKIN, NECROSIS	1
SLOUGH, SKIN	1
SPEC GRAVITY LO, URINE	1
SWELLING, EYE(S)/LID(S)	1
TACHYCARDIA	1
TEETH, ABN	1
THYROID HORMONE(S) LO	1
ULCER(S), GI	1
URTICARIA	1
US ABN	1

DRUG: CLINDAMYCIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
WBC, URINE	1
WEIGHT LOSS	1

DRUG: CLINDAMYCIN

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
TASTE ABNORMALITY	2
VOMITING	1
VOMITING, UNPRODUCTIVE	1

DRUG: CLINDAMYCIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	1

DRUG: CLINDAMYCIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEAFNESS, PARTIAL	1
NAUSEA	1

DRUG: CLINDAMYCIN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	1
INEFFECT	1

DRUG: CLOMIPRAMINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TABLET(S), ABN	88
PD-UNDERFILL, PACKAGE	30
PD-UNDERFILL, VIAL(S)	19
PD-SEAL, ABN	5
PD-MISSING, CAP	4
PD-PRODUCT DEFECT	3
PD-CAP(S), ABN	2
PD-CONTAINER(S), DAMAG	2
PD-MISSING, LABEL(S)	2
PD-CONTAINER(S), ABN	1
PD-CONTAMINATION	1
PD-LABEL(S), ABN	1

DRUG: CLOMIPRAMINE

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
BLEPHAROSPASM	1
IRRITATION, EYE(S)/LID	1

DRUG: CLOMIPRAMINE

Species: BIRD

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	2
ALBUMIN LO, BLD	1
CA LO, BLD	1
CHLORIDE HI, BLD	1
CONVULSION(S)	1
CPK HI, BLD	1
DEATH	1
DIARRHEA, SEVERE	1
GLOBULIN LO, BLD	1
GLUCOSE LO, BLD	1
HYPERACTIVITY	1

DRUG: CLOMIPRAMINE

Species: BIRD

Route of Administration: ORAL

Sign:	Number of Times Reported:
K HI, URINE	1
PROTEIN(TOT) LO, BLD	1
SGOT/AST HI, BLD	1
STAGGERING	1
URIC ACID HI, BLD	1
VOMITING	1

DRUG: CLOMIPRAMINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	22
MYDRIASIS	14
ANOREXIA	10
ANURIA	5
SGPT/ALT HI, BLD	5
VOCALIZATION	5
ALK PHOS HI, BLD	4
APPREHENSION	4
BILIRUBIN(TOT) HI, BLD	4
CONSTIPATION	4
DISTENTION, BLADDER	4
TACHYCARDIA	4
URINATION ABN	4
VOMITING	4
AGGRESSION	3
BEHAVIOR DISORDER	3
CONFUSION	3
HIDING	3
PAIN	3
RESIDUE, URINE	3
URINE ABN	3
ATAXIA	2
BUN HI, BLD	2
ELIMINATION ABN	2
HYPERSALIVATION	2

DRUG: CLOMIPRAMINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ICTERUS, BODY	2
INEFFECT	2
NAUSEA	2
PALLOR, MUCOUS MEMBRAN	2
SEDIMENT, URINE	2
STRANGURIA	2
STUPOR	2
TENESMUS, URINARY	2
WEIGHT LOSS	2
ALBUMIN LO, BLD	1
ASCITES	1
AZOTEMIA	1
BLD, RECTUM	1
BRADYCARDIA	1
CA LO, BLD	1
CHLORIDE LO, BLD	1
CONGESTION, NOSE	1
CONGESTION, PHARYNX	1
CREATININE HI, BLD	1
DEHYDRATION	1
DELIRIUM	1
DISCOMFORT	1
DISSOCIATION	1
FEVER, BODY	1
GI, ABNORMAL	1
HEAD BOBBING	1
HYPERACTIVITY	1
HYPERPNEA	1
HYPOTHERMIA, BODY	1
IMPROVEMENT, UNEXPECT	1
INFECTION, URINARY TRA	1
K LO, BLD	1
LICKING	1
MAMMARY, HYPERPLASIA	1
NA LO, BLD	1
NERVOUSNESS	1
NYSTAGMUS, HORIZONTAL	1
PACING	1

DRUG: CLOMIPRAMINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
PRESSURE HI, BLD	1
PR-LIVER, LESION(S)	1
PROLAPSE, PENIS	1
PROTEIN(TOT) HI, BLD	1
PROTEIN(TOT) LO, BLD	1
RECUMBENCY	1
RESPIRATORY DISORDER	1
SEDATION	1
SGOT/AST HI, BLD	1
SOMNOLENCE	1
STUMBLING	1
TWITCH	1
US-LIVER ABN	1
WBC HI, BLD	1

DRUG: CLOMIPRAMINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	215
VOMITING	106
ANOREXIA	102
SGPT/ALT HI, BLD	95
ALK PHOS HI, BLD	83
AGGRESSION	60
BILIRUBIN(TOT) HI, BLD	46
CONVULSION(S)	41
TREMBLING	39
ATAXIA	38
SGOT/AST HI, BLD	36
DIARRHEA	32
POLYDIPSIA	31
VOCALIZATION	31
WEIGHT LOSS	30
GGT HI, BLD	27
MYDRIASIS	26

DRUG: CLOMIPRAMINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
APPREHENSION	23
NERVOUSNESS	22
POLYURIA	22
HYPERACTIVITY	21
CONFUSION	17
TACHYCARDIA	17
DEATH	16
CHOLESTEROL HI, BLD	15
INTERACTION, DRUG(S)	15
WBC HI, BLD	14
INEFFECT	13
POLYPNEA	13
PR-LIVER, LESION(S)	13
US-LIVER ABN	13
ANEMIA	12
HYPERSALIVATION	12
DEATH(EUTHANIZED)	11
ALBUMIN LO, BLD	10
BRADYCARDIA	10
BUN HI, BLD	10
ICTERUS, BODY	10
INCONTINENCE, URINARY	10
BEHAVIOR DISORDER	9
CREATININE HI, BLD	9
DIARRHEA, BLOODY	9
FEVER, BODY	9
PLATELETS LO, BLD	9
RADIOGRAPH(S) ABN	9
SPEC GRAVITY LO, URINE	9
URINATION ABN	9
BILE ACIDS HI, BLD	8
LIVER ENZYMES HI, BLD	8
SEGS HI, BLD	8
AMYLASE HI, BLD	7
BLD, URINE	7
CPK HI, BLD	7
K LO, BLD	7
STUPOR	7

DRUG: CLOMIPRAMINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
THYROID HORMONE(S) LO	7
ARRHYTHMIA	6
BILIRUBIN, URINE	6
BUN LO, BLD	6
COLLAPSE	6
DIARRHEA, MILD	6
GLOBULIN HI, BLD	6
HYPERPNEA	6
PAIN, ABDOMEN	6
PALLOR, MUCOUS MEMBRAN	6
POLYCYTHEMIA	6
PROTEIN(TOT) LO, BLD	6
RECUMBENCY	6
US ABN	6
WEAKNESS	6
LICKING	5
LIPASE HI, BLD	5
NA LO, BLD	5
PROTEIN, URINE	5
PRURITIS	5
TWITCH	5
WBC LO, BLD	5
ALBUMIN HI, BLD	4
ALKALINE URINE	4
ANISOCORIA	4
COUGHING	4
DEHYDRATION	4
DESTRUCTIVENESS	4
ENLARGEMENT, LYMPH NOD	4
GLUCOSE HI, BLD	4
HEPATITIS	4
HEPATOMEGALY	4
HIDING	4
MURMUR, HEART	4
NA HI, BLD	4
PAIN	4
PROTEIN(TOT) HI, BLD	4
SHAKING	4

DRUG: CLOMIPRAMINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SOMNOLENCE	4
SPLENOMEGALY	4
UNCONSCIOUS	4
URTICARIA	4
BILIRUBIN(DIR) HI, BLD	3
BITING/CHEWING	3
CA LO, BLD	3
CHLORIDE LO, BLD	3
EOSINOS HI, BLD	3
EXERCISE INTOLERANCE	3
FLATULENCE	3
GLOBULIN LO, BLD	3
HAIR, ABN	3
HEMATOCHEZIA	3
ICTERUS, SERUM	3
INEFFECT, LOSS OF EFFE	3
K HI, BLD	3
LIVER DISORDER	3
LYMPHS LO, BLD	3
MONOS HI, BLD	3
PANCREATITIS	3
PARESIS	3
PARESIS, HIND LIMB(S)	3
PERITONITIS	3
P HI, BLD	3
PICA	3
PT PROLONGED, BLD	3
PTT PROLONGED, BLD	3
REFLEX(ES) ABN	3
SEDATION	3
SEGS LO, BLD	3
STARING	3
STIFFNESS	3
URINATION	3
ALOPECIA	2
ANAPHYLAXIS/TOID	2
ANEMIA, REGEN	2
ANION GAP HI, BLD	2

DRUG: CLOMIPRAMINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ARREST, HEART	2
BLOAT	2
CA HI, BLD	2
CHEMISTRY ABN	2
CHLORIDE HI, BLD	2
CONGESTION, EYE(S)/LID	2
CONGESTION, MUCOUS MEM	2
CONSTIPATION	2
CULTURE/TITER DATA ABN	2
DIARRHEA, MUCOID	2
DISCHARGE, EYE(S)/LID(S)	2
DISTENTION, BLADDER	2
ELIMINATION ABN	2
EPISTAXIS	2
FLY BITING	2
GAGGING	2
GLUCOSE LO, BLD	2
HAIR, SHEDDING	2
HALLUCINATION	2
HYPERESTHESIA	2
HYPOTHERMIA	2
ICTERUS	2
INEFFECT, OTHER DRUG(S	2
KERATOCONJUNCTIVITIS S	2
LAMENESS	2
LEUKODERMA	2
LICKING, FEET/DIGIT(S)	2
MELENA	2
MG HI, BLD	2
MONOS LO, BLD	2
MUCOUS MEMBR, RED	2
NECROSIS	2
PACING	2
PERFORATION, STOMACH	2
PLATELETS HI, BLD	2
PRESSURE HI, BLD	2
PR-KIDNEY(S), LESION(S	2
PROPRIOCEPTIVE DISORDE	2

DRUG: CLOMIPRAMINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PUPIL(S), AREFLEXIA	2
SPERM ABN	2
STOOL ABN	2
SWELLING, HEAD/FACE	2
TACHYCARDIA, VENTRICUL	2
THRASHING/PADDLING	2
TRIGLYCERIDES HI, BLD	2
URINE ABN	2
WBC, URINE	2
WEIGHT INCREASE	2
ABN COLOR, URINE	1
ACCIDENTAL EXPOSURE	1
ACTH STIM ABN	1
ADIPSIA	1
A/G RATIO LO, BLD	1
AMMONIA HI, BLD	1
ANEMIA, AUTOIMMUNE HEM	1
ANEMIA, HEMOLYTIC	1
ANEMIA, SPHERO	1
APNEA	1
ARRHYTHMIA, BLOCK	1
ASCITES	1
ATROPHY, MUSCLE(S)	1
BANDS HI, BLD	1
BLD, ABN	1
BLD, SCLERA	1
BLD, THORAX	1
BLINDNESS	1
BORBORYGMI	1
CALCULI, URINE	1
CAPILLARY REFILL PROLO	1
CASTS, URINE	1
CHOLESTEROL LO, BLD	1
CIRCLING	1
COAGULATION DISORDER	1
COLITIS	1
CONGESTION, SKIN	1
CONGESTION, TONGUE	1

DRUG: CLOMIPRAMINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONJUNCTIVITIS	1
COOMBS TEST POS	1
CREATININE LO, BLD	1
CRYSTALS, URINE	1
DEAFNESS, PARTIAL	1
DEFECATION	1
DIABETES MELLITUS	1
DIC	1
DISCHARGE, NOSE	1
DISCOMFORT	1
DISSOCIATION	1
DISTENTION, ABDOMEN	1
DISTRESS	1
DYSPNEA	1
DYSURIA	1
EDEMA, HEAD/FACE	1
EDEMA, NECK	1
EFFUSION	1
EFFUSION, PERITONEAL	1
EOSINOS LO, BLD	1
EPIPHORA	1
ERUCTATION	1
ESTRUS CYCLE ABNORMAL	1
EYE DISORDER	1
FIBROSIS	1
FROTH, MOUTH/LIP(S)	1
GALL BLADDER, ABN	1
GASTROENTERITIS	1
GI, ABNORMAL	1
GLUCOSE, URINE	1
HEAD BOBBING	1
HEAD TILT	1
HORNER'S SYNDROME	1
HYPERSENSITIVE, SOUND	1
HYPOPNEA	1
ILL	1
INCONTINENCE	1
INCONTINENCE, FECAL	1

DRUG: CLOMIPRAMINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, DELAYED EFFE	1
INSOMNIA	1
LESION(S), SKIN	1
LIVER FAILURE	1
LOCOMOTION DISORDER	1
LOSS OF CONDITION	1
LYMPHS HI, BLD	1
MASS, SKIN	1
MUCOUS MEMBR, MUDDY	1
NEOPLASM, LIVER	1
NEOPLASM, MAMMARY	1
NEUROLOGICAL DISORDER	1
NOSE ABN	1
OLIGURIA	1
PAIN, BACK	1
PAIN, HIND LIMB(S)	1
PAIN, JOINT(S)	1
PALLOR	1
PANCREAS DISORDER	1
PHOTOPHOBIA	1
PLATELETS ABN	1
P LO, BLD	1
PNEUMONIA, ASPIRATION	1
POLYPHAGIA	1
PRESSURE LO, BLD	1
PR-HEART, LESION(S)	1
PR-INTEST, LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PR-MESENTERY, LESION(S)	1
PR-MULT SITES, CONGEST	1
PROLAPSE, THIRD EYELID	1
PROLAPSE, TONGUE	1
PR-PANCREAS, LESION(S)	1
PR-PERITONEUM, LESION(1
PR-SPLEEN, LESION(S)	1
PR-STOMACH, LESION(S)	1
PRURITIS, EYE(S)	1
PRURITIS, FEET/DIGIT(S)	1

DRUG: CLOMIPRAMINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
RBC ABN	1
RBC, ANISO	1
RBC, NUCLEATED	1
RBC, POLYCHROM	1
REACTION, UNSPECIFIED	1
REPETITIVE MOVEMENTS	1
SEBORRHEA	1
SEDATION PROLONGED	1
SEPTICEMIA	1
SHAKING, HEAD/FACE	1
SKIN, DRY	1
SKIN, NECROSIS	1
SLEEP ABN	1
SLOUGH, SKIN	1
SNEEZING	1
SPASM	1
STOMATITIS	1
STOOL, PALE/GRAY	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, TONGUE	1
SWELLING, VAGINA/VULVA	1
TENESMUS	1
TENESMUS, RECTAL	1
THYROID HORMONE(S) HI	1
ULCER(S), GI	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), PYLORUS	1
VISION DISORDER	1
VOMITING, BLOODY	1
VOMITING, SEVERE	1
VOMITING, UNPRODUCTIVE	1

DRUG: CLOMIPRAMINE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
--------------	----------------------------------

DRUG: CLOMIPRAMINE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	129
NAUSEA	63
DIZZINESS	35
VOMITING	31
XEROSTOMIA	17
DIARRHEA	12
HEADACHE	10
NERVOUSNESS	8
TACHYCARDIA	6
APPREHENSION	5
WEAKNESS	4
HYPERESTHESIA	3
INSOMNIA	3
PAIN, ABDOMEN	3
SHAKING	3
TASTE ABNORMALITY	3
ANOREXIA	2
CONFUSION	2
HOT FLUSH	2
MYDRIASIS	2
PARAESTHESIA	2
PRESSURE HI, BLD	2
SOMNOLENCE	2
VISION DISORDER	2
ARRHYTHMIA	1
ATAXIA	1
DIARRHEA, MILD	1
DISSOCIATION	1
FEVER, BODY	1
GAGGING	1
GI, ABNORMAL	1
GLUCOSE LO, BLD	1
HOT FLASH	1
HYPOESTHESIA	1
HYPOSALIVATION	1
PARESIS	1
PARESTHESIA	1
SEDATION	1

DRUG: CLOMIPRAMINE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
SLEEP ABN	1
SWEATING	1
TONGUE, ABN	1
TREMBLING	1
TREMBLING, FACE	1
UTERUS, CONTRACTIONS	1
VOICE DISORDER	1

DRUG: CLOPROSTENOL

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	3
PD-UNDERFILL, VIAL(S)	3
PD-VIAL(S), DAMAGED	3
PD-VIAL(S), LEAKING	3
PD-COLOR, ABN	2
PD-SEAL, ABN	2
PD-CAP(S), ABN	1
PD-CONTAINER(S), ABN	1
PD-MISSING, CAP	1
PD-VIAL(S), ABN	1

DRUG: CLOPROSTENOL

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
HUMAN EXPOSURE	1

DRUG: CLOPROSTENOL

Species: HUMAN

Route of Administration: MISSING

DRUG: CLOPROSTENOL

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
ERECTION, ABN	1

DRUG: CLOPROSTENOL

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ESTRUS SYNCH	1

DRUG: CLOPROSTENOL

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ESTRUS SYNCH	18
INEFFECT	9
DEATH	2
ANAPHYLAXIS/TOID	1
DEATH(EUTHANIZED)	1
ESTRUS CYCLE ABNORMAL	1
INEFFECT, ABORTION	1
INEFFECT, EXPUL PLACEN	1
INJ SITE SWELLING	1
RECUMBENCY	1
REPRODUCTION DISORDER	1
UDDER, HYPOGALACTIA	1
WEIGHT LOSS	1

DRUG: CLOPROSTENOL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
DEATH	1
DISCOMFORT	1

DRUG: CLOPROSTENOL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPERSALIVATION	1
PALLOR	1
POLYPNEA	1
VOMITING	1

DRUG: CLOPROSTENOL

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONVULSION(S)	1
PAIN, ABDOMEN	1

DRUG: CLOPROSTENOL

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE BLD	1
INJ SITE PAIN	1

DRUG: CLOPROSTENOL

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
RESPIRATORY DISORDER	3
PAIN, ABDOMEN	2
ABORTION	1
ACCIDENTAL EXPOSURE	1
ANEMIA	1
BEHAVIOR DISORDER	1
FERTILITY, LACK OF	1
HUMAN EXPOSURE, TOPICA	1
MENSES, ABNORMAL	1
NERVOUSNESS	1

DRUG: CLOPROSTENOL

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
TACHYCARDIA	1

DRUG: CLOPROSTENOL

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ESTRUS SYNCH	6
DEATH	2
INEFFECT	1
INFECTION	1
RELUCTANT TO MOVE	1
VESICLE(S)/BULLAE, SKI	1

DRUG: CLOPROSTENOL

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PAIN, ABDOMEN	1
SWEATING	1

DRUG: CLOPROSTENOL

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ABORTION	1

DRUG: CLORSULON

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	1

DRUG: CLORSULON

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SUSPENSION, ABN	1

DRUG: CLORSULON, IVERMECTIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SEAL, ABN	85
PD-CAP(S), ABN	26
PD-VIAL(S), LEAKING	18
PD-CONTAINER(S), ABN	10
PD-VIAL(S), ABN	10
PD-SOLUTION, ABN	6
PD-COLOR, ABN	4
PD-UNDERFILL, PACKAGE	4
PD-UNDERFILL, VIAL(S)	3
PD-CONTAINER(S), DAMAG	2
PD-DISPENSER, ABN	2
PD-CONTAMINATION	1
PD-LABEL(S), ABN	1

DRUG: CLORSULON, IVERMECTIN

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1
DEATH(EUTHANIZED)	1
INEFFECT, LICE	1
PARALYSIS, HIND LIMB(S)	1
RECUMBENCY	1

DRUG: CLORSULON, IVERMECTIN

Species: DOG

Route of Administration: ORAL

DRUG: CLORSULON, IVERMECTIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	3
DEATH	2
HYPERSALIVATION	2
MYDRIASIS	2
TACHYCARDIA	2
TREMBLING	2
AGGRESSION	1
ARREST, HEART	1
BITING/CHEWING	1
CONGESTION, SKIN	1
CONJUNCTIVITIS	1
NEUROLOGICAL DISORDER	1
PALLOR, MUCOUS MEMBRAN	1
POLYPNEA	1
RECUMBENCY	1
REFLEX(ES) ABN	1
STUPOR	1
VOCALIZATION	1
VOMITING	1

DRUG: CLORSULON, IVERMECTIN

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	1
BLD, URINE	1
DIARRHEA	1
FEVER, BODY	1
LDH HI, BLD	1
PAIN, ABDOMEN	1

DRUG: CLORSULON, IVERMECTIN

Species: SHEEP

Route of Administration: ORAL

Sign:	Number of Times Reported:
--------------	----------------------------------

DRUG: CLORSULON, IVERMECTIN

Species: SHEEP

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1
BLINDNESS	1
POSTURE ABN	1
TACHYCARDIA	1
TRACHEITIS	1
WEAKNESS	1

DRUG: CLORSULON, IVERMECTIN

Species: BUFFALO

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ATAXIA	1
CONVULSION(S)	1
DEATH	1

DRUG: CLORSULON, IVERMECTIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ATAXIA	1

DRUG: CLORSULON, IVERMECTIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	9
INEFFECT, PARASITE(S)	9
INEFFECT, LICE	7
INEFFECT, LICE BITING	5
INEFFECT, ASCARIDS	3
INEFFECT, STRONGYLES	3
INJ SITE SWELLING	3
LOSS OF CONDITION	3

DRUG: CLORSULON, IVERMECTIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ABORTION	2
ALOPECIA	2
ANAPHYLAXIS/TOID	2
COLLAPSE	2
INJ SITE ABSCESS	2
SHAKING	2
BEHAVIOR DISORDER	1
DEATH(EUTHANIZED)	1
DIARRHEA	1
DISTRESS, RESP	1
EDEMA, VENTRAL	1
EPISTAXIS	1
FROTH, MOUTH/LIP(S)	1
HAIR, ABN	1
HYPERPNEA	1
HYPERSALIVATION	1
INEFFECT, FLUKES	1
INEFFECT, LARGE STRONG	1
INEFFECT, LICE SUCKING	1
POLYPNEA	1
POOR PERFORMANCE	1
PR-CECUM, LESION(S)	1
PROTEIN(TOT) LO, BLD	1
PRURITIS	1
RECUMBENCY	1
STAGGERING	1
UDDER, SWELLING	1
WEAKNESS	1
WEIGHT LOSS	1

DRUG: CLORSULON, IVERMECTIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
BEHAVIOR DISORDER	1

DRUG: CLORSULON, IVERMECTIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
COUGHING	1
DYSPNEA	1
EDEMA	1
EFFUSION, PLEURAL	1
HYPERSALIVATION	1
STUMBLING	1
SWELLING, LIMB(S)	1
UNCONSCIOUS	1
WBC HI, BLD	1

DRUG: CLORSULON, IVERMECTIN

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
DISTENTION, ABDOMEN	1
PAIN, ABDOMEN	1

DRUG: CLORSULON, IVERMECTIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	5
HEADACHE	2
INJ SITE SWELLING	2
NAUSEA	2
ACCIDENTAL EXPOSURE	1
CONGESTION, SKIN	1
HOT FLASH/FLUSH	1
HUMAN EXPOSURE, INJ	1
INJ SITE BLD	1
INJ SITE INFLAM	1
PAIN	1
PAIN, BACK	1
PARESTHESIA	1

DRUG: CLORSULON, IVERMECTIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SWELLING, LIMB(S)	1

DRUG: CLORSULON, IVERMECTIN

Species: OTHER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: CLORSULON, IVERMECTIN

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
OFF FEED	1

DRUG: CLORSULON, IVERMECTIN

Species: CATTLE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INEFFECT, LICE BITING	2
INEFFECT, PARASITE(S)	2
HAIR, ABN	1

DRUG: CLORSULON, IVERMECTIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
HYPOESTHESIA	1
NEUROLOGICAL DISORDER	1

DRUG: CLORSULON, IVERMECTIN

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	3
INEFFECT	3
INEFFECT, PARASITE(S)	3
INEFFECT, LICE	2
INEFFECT, LICE BITING	2
WEIGHT LOSS	2
DIARRHEA	1
HAIR, ABN	1
INEFFECT, ASCARIDS	1
INEFFECT, MITES	1
INEFFECT, STOMACH WORM	1
LOSS OF CONDITION	1
PARALYSIS	1
PD-COLOR, ABN	1
PR-BLD VESSEL(S), LESI	1
PR-INJ SITE, LESION(S)	1

DRUG: CLORSULON, IVERMECTIN

Species: GOAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANOREXIA	1
COLLAPSE	1
REGURGITATION	1
RUMEN, ABN	1
TACHYCARDIA	1

DRUG: CLORSULON

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, FLUKES	2

DRUG: CLORSULON

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, ABDOMEN	1

DRUG: CLORSULON

Species: SHEEP

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: CLOSANTEL, MEBENDAZOLE

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
FEVER, BODY	1
PAIN, EYE(S)/LID(S)	1
VISION DISORDER	1

DRUG: CLOTRIMAZOLE, GENTAMICIN, MOMETASONE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-MISSING, CAP	59
PD-UNDERFILL, TUBE(S)	17
PD-APPLICATOR, ABN	14
PD-TUBE(S), LEAKING	9
PD-UNDERFILL, VIAL(S)	6
PD-PRODUCT DEFECT	5
PD-CAP(S), ABN	2
PD-MISSING, LABEL(S)	2
PD-UNDERFILL, PACKAGE	2
PD-SOLUTION, ABN	1
PD-TUBE(S), ABN	1
PD-VIAL(S), ABN	1
PD-VIAL(S), LEAKING	1

DRUG: CLOTRIMAZOLE, GENTAMICIN, MOMETASONE

Species: NOT APPLICABLE

Route of Administration: DEFECT

DRUG: CLOTRIMAZOLE, GENTAMICIN, MOMETASONE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEAFNESS	1

DRUG: CLOTRIMAZOLE, GENTAMICIN, MOMETASONE

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONJUNCTIVITIS	1
IRRITATION, EYE(S)/LID	1

DRUG: CLOTRIMAZOLE, GENTAMICIN, MOMETASONE

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1

DRUG: CLOTRIMAZOLE, GENTAMICIN, MOMETASONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	9
POLYURIA	6
DEPRESSION/LETHARGY	5
DEAFNESS	3
DIARRHEA	3
POLYDIPSIA	3
ACCIDENTAL EXPOSURE	1
ANOREXIA	1
DIARRHEA, MILD	1
VOMITING, BLOODY	1

DRUG: CLOTRIMAZOLE, GENTAMICIN, MOMETASONE

Species: DOG

Route of Administration: ORAL

DRUG: CLOTRIMAZOLE, GENTAMICIN, MOMETASONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEAFNESS	1

DRUG: CLOTRIMAZOLE, GENTAMICIN, MOMETASONE

Species: DOG

Route of Administration: SUPPOSITORY

Sign:	Number of Times Reported:
URINATION ABN	1

DRUG: CLOTRIMAZOLE, GENTAMICIN, MOMETASONE

Species: CAMEL

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEAFNESS, TEMP	1

DRUG: CLOTRIMAZOLE, GENTAMICIN, MOMETASONE

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEAFNESS	3
POLYDIPSIA	3
CONGESTION, EAR(S)	2
DEPRESSION/LETHARGY	2
PRURITIS, EAR(S)	2
ALOPECIA	1
ANOREXIA	1
ATAXIA	1
CALCULI, KIDNEY	1
DEAFNESS, PARTIAL	1
DEATH(EUTHANIZED)	1

DRUG: CLOTRIMAZOLE, GENTAMICIN, MOMETASONE

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DIABETES MELLITUS	1
HAIR, ABN	1
INEFFECT	1
IRRITATION, EAR(S)	1
MURMUR, HEART	1
PANCREATITIS	1
POLYURIA	1
PR-HEART, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
RADIOGRAPH(S) ABN	1
TACHYCARDIA	1
ULCER(S), EAR(S)	1
URINATION ABN	1
VOMITING	1
VOMITING, BLOODY	1
WEIGHT LOSS	1

DRUG: CLOTRIMAZOLE, GENTAMICIN, MOMETASONE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEAFNESS	233
DEAFNESS, TEMP	139
DEAFNESS, PARTIAL	33
VOMITING	18
APPLICATION SITE ERYTHEMA	13
INEFFECT	12
CONGESTION, EAR(S)	10
INEFFECT, ANTIBIOTIC	10
HEAD TILT	9
POLYURIA	9
VESICLE(S)/BULLAE, SKI	9
APPLICATION SITE LESION(S)	8
CONGESTION, SKIN	8
DEPRESSION/LETHARGY	8

DRUG: CLOTRIMAZOLE, GENTAMICIN, MOMETASONE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ANOREXIA	7
ATAXIA	7
DIARRHEA	7
DISCHARGE, EAR(S)	7
EAR DISORDER	7
CONVULSION(S)	6
POLYDIPSIA	6
APPLICATION SITE INFLAM	5
CIRCLING	5
IRRITATION, EAR(S)	5
URTICARIA	5
VESTIBULAR DISORDER	5
DEATH	4
POLYPNEA	4
PRURITIS	4
STAGGERING	4
ULCER(S), EAR(S)	4
ANAPHYLAXIS/TOID	3
APPLICATION SITE PRURITIS	3
INEFFECT, ANTIINFLAM	3
LESION(S), SKIN	3
NYSTAGMUS	3
PRURITIS, EAR(S)	3
APPLICATION SITE PAIN	2
BEHAVIOR DISORDER	2
CONJUNCTIVITIS	2
DIARRHEA, MILD	2
EDEMA, HEAD/FACE	2
FEVER, BODY	2
HYPERSALIVATION	2
INFLAM, SKIN	2
IRRITATION, SKIN	2
LAMENESS	2
NERVOUSNESS	2
PAIN, NECK	2
SWELLING, EAR(S)	2
SWELLING, HEAD/FACE	2
TYMPANIC MEM, RUPTURED	2

DRUG: CLOTRIMAZOLE, GENTAMICIN, MOMETASONE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	1
BLINDNESS	1
CATARACT(S)	1
CNS DISORDER	1
CONFUSION	1
DEATH(EUTHANIZED)	1
DERMATITIS, MOIST	1
DIABETES MELLITUS	1
DIARRHEA, BLOODY	1
DISTENTION, ABDOMEN	1
ENLARGEMENT, LYMPH NOD	1
EXFOLIATION, SKIN	1
HIDING	1
HYPERESTHESIA	1
HYPERPIGMENTATION, SKI	1
HYPERTONIA	1
ILL	1
INEFFECT, OTHER DRUG(S)	1
INFECTION, URINARY TRA	1
INFLAM	1
LEUKODERMA	1
LIPASE HI, BLD	1
LOCOMOTION DISORDER	1
MYDRIASIS	1
NEUROLOGICAL DISORDER	1
PAIN	1
PAIN, BACK	1
PAPULE(S)	1
PARALYSIS, FACIAL NERV	1
PARESIS, HIND LIMB(S)	1
PROPRIOCEPTIVE DISORDE	1
PUSTULE(S)	1
SHAKING, HEAD/FACE	1
SKIN ABNORMAL	1
SKIN, CRUST(S)	1
SKIN, SCAB(S)	1
STUMBLING	1
TONGUE, ABN	1

DRUG: CLOTRIMAZOLE, GENTAMICIN, MOMETASONE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
TORTICOLLIS	1
TREMBLING	1
ULCER(S), SKIN	1
US-LIVER ABN	1
VESICLE(S)/BULLAE, MOU	1
VOCALIZATION	1
WEAKNESS	1
WEIGHT LOSS	1

DRUG: CLOTRIMAZOLE, GENTAMICIN, MOMETASONE

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEAFNESS, PARTIAL	1
URTICARIA	1

DRUG: CLOTRIMAZOLE, GENTAMICIN, MOMETASONE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEAFNESS	1

DRUG: CLOTRIMAZOLE

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	1
CONGESTION, SKIN	1
SKIN DISORDER	1

DRUG: CLOXACILLIN BENZATHINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TUBE(S), DAMAGED	18
PD-TUBE(S), ABN	13
PD-TUBE(S), LEAKING	7
PD-DISPENSER, ABN	5
PD-SOLUTION, ABN	3
PD-SUSPENSION, ABN	3
PD-SYRINGE, ABN	3
PD-UNDERFILL, TUBE(S)	3
PD-GEL/PASTE, ABN	2
PD-UNDERFILL, PACKAGE	2
PD-APPLICATOR, ABN	1
PD-CONTAINER(S), DAMAG	1
PD-LOCK, ABN	1
PD-MISSING, CAP	1

DRUG: CLOXACILLIN BENZATHINE

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
RESIDUE, MILK	19
DEATH	11
UDDER, MASTITIS	8
ABORTION	5
UDDER, SWELLING	4
INEFFECT, ANTIBIOTIC	3
ANAPHYLAXIS/TOID	2
ILL	2
ALOPECIA	1
BLD, LUNG(S)/TRACHEA	1
DEATH(EUTHANIZED)	1
EMPHYSEMA	1
HYPOTHERMIA, BODY	1
INFECTION	1
PR-LUNG(S), LESION(S)	1
PR-UDDER, LESION(S)	1
RECUMBENCY	1
RESIDUE, MEAT	1

DRUG: CLOXACILLIN BENZATHINE

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
SEPTICEMIA	1
UDDER, ABN	1
UDDER, AGALACTIA	1
WBC HI, MILK	1

DRUG: CLOXACILLIN SODIUM

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TUBE(S), ABN	23
PD-TUBE(S), LEAKING	5
PD-DISPENSER, ABN	3
PD-TUBE(S), DAMAGED	2
PD-UNDERFILL, PACKAGE	2
PD-UNDERFILL, TUBE(S)	2
PD-APPLICATOR, ABN	1
PD-MISSING, CAP	1

DRUG: CLOXACILLIN SODIUM

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
RESIDUE, MILK	15
INEFFECT	2
DEATH	1
INEFFECT, ANTIBIOTIC	1

DRUG: CLOXACILLIN SODIUM

Species: UNKNOWN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PD-DISPENSER, ABN	1

DRUG: COMPETITIVE EXCLUSION PRODUCTS

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
CONGESTION, LUNG(S)	2
COUGHING	2
HEADACHE	2
PHARYNGITIS	2
CONGESTION, MUCOUS MEM	1
DYSPNEA	1
EDEMA, LUNG(S)/TRACHEA	1
EPISTAXIS	1
NAUSEA	1
PAIN, BRISKET/CHEST	1

DRUG: COPPER DISODIUM EDETATE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	7
PR-LIVER, LESION(S)	3
DEPRESSION/LETHARGY	2
NEUROLOGICAL DISORDER	1

DRUG: COPPER DISODIUM EDETATE

Species: CATTLE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ATAXIA	1
BLINDNESS	1
COLLAPSE	1
DEATH	1
DEPRESSION/LETHARGY	1
PR-HEART, LESION(S)	1
PR-INJ SITE, LESION(S)	1
PR-LIVER, LESION(S)	1

DRUG: COPPER GLYCINATE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	2
DEATH	2
DEPRESSION/LETHARGY	2
ANESTRUS	1
DEHYDRATION	1
FERTILITY, REDUCED	1
ICTERUS, BODY	1
INJ SITE ABSCESS	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
WEIGHT LOSS	1

DRUG: COPPER GLYCINATE

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANOREXIA	1
DEPRESSION/LETHARGY	1
STIFFNESS	1

DRUG: COPPER GLYCINATE

Species: CATTLE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ANOREXIA	1
FEVER, BODY	1
INJ SITE SWELLING	1
UDDER, HYPOGALACTIA	1

DRUG: COPPER NAPHTHENATE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: COPPER NAPHTHENATE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	197
PD-SEAL, ABN	82
PD-CAP(S), ABN	66
PD-CONTAINER(S), DAMAG	14
PD-PRODUCT DEFECT	14
PD-VIAL(S), DAMAGED	10
PD-MISSING, LABEL(S)	8
PD-VIAL(S), ABN	8
PD-CONTAINER(S), ABN	5
PD-TUBE(S), LEAKING	4
PD-DISPENSER, ABN	3
PD-LABEL(S), ABN	3
PD-MISSING, CAP	2
NO SIGNS	1
PD-DEFECT UNKNOWN	1
PD-ODOR, ABN	1
PD-SOLUTION, ABN	1
PD-TUBE(S), ABN	1

DRUG: COPPER NAPHTHENATE

Species: HUMAN

Route of Administration: INTRANASAL

Sign:	Number of Times Reported:
HEADACHE	1
PD-CONTAINER(S), DAMAG	1
PD-ODOR, ABN	1
TASTE ABNORMALITY	1

DRUG: COPPER NAPHTHENATE

Species: HUMAN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
CONJUNCTIVITIS	1

DRUG: COPPER NAPHTHENATE

Species: HORSE

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
BLEPHAROSPASM	1

DRUG: COPPER NAPHTHENATE

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
PAIN, EYE(S)/LID(S)	1

DRUG: COPPER NAPHTHENATE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
DYSRHYTHMIA, RESP	1
HYPERSALIVATION	1
LICKING	1
LICKING, FEET/DIGIT(S)	1
PAIN, ABDOMEN	1
PROLAPSE, TONGUE	1
VOMITING	1

DRUG: COPPER NAPHTHENATE

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
UDDER, SWELLING	1

DRUG: COPPER NAPHTHENATE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
APPLICATION SITE ALOPECIA	1

DRUG: COPPER NAPHTHENATE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
APPLICATION SITE HAIR, ABN COLOR	1

DRUG: COPPER NAPHTHENATE

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH(EUTHANIZED)	1
HYPOTHERMIA, BODY	1
KIDNEY FAILURE	1
POLYURIA	1

DRUG: COPPER NAPHTHENATE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
APPLICATION SITE PAIN	1
DEPRESSION/LETHARGY	1
INFLAM, SKIN	1

DRUG: COPPER NAPHTHENATE

Species: GOAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
APPLICATION SITE INFLAM	1
APPLICATION SITE PAIN	1

DRUG: COPPER NAPHTHENATE

Species: HORSE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: COPPER NAPHTHENATE

Species: HORSE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ALOPECIA	2
INFLAM, SKIN	2
IRRITATION, SKIN	2
SLOUGH, SKIN	2

DRUG: COPPER NAPHTHENATE

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
DIZZINESS	1
ERUCTATION	1
HEADACHE	1
NAUSEA	1
RESPIRATORY DISORDER	1
SKIN ABNORMAL	1
TASTE ABNORMALITY	1

DRUG: COPPER NAPHTHENATE

Species: RABBIT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: COPPER NAPHTHENATE

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
TASTE ABNORMALITY	1

DRUG: CORTICOTROPIN (ACTH)

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	1
DIARRHEA, BLOODY	1
HYPERSALIVATION	1
HYPOTHERMIA	1
INEFFECT	1
PAIN, ABDOMEN	1
POLYCYTHEMIA(RELATIVE)	1
SHOCK	1
TACHYCARDIA	1
VOMITING	1

DRUG: COUMAPHOS

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: CYCLOSPORINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TABLET(S), ABN	114
PD-UNDERFILL, PACKAGE	63
PD-TUBE(S), ABN	44
PD-CAP(S), ABN	23
PD-UNDERFILL, TUBE(S)	23
PD-TUBE(S), DAMAGED	17
PD-CONTAINER(S), ABN	11
PD-TUBE(S), LEAKING	11
PD-DEFECT UNKNOWN	9
PD-PRODUCT DEFECT	8
PD-CONTAINER(S), DAMAG	5
PD-LABEL(S), ABN	3
PD-SUSPENSION, ABN	3
PD-SEAL, ABN	2

DRUG: CYCLOSPORINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-COLOR, ABN	1
PD-GEL/PASTE, ABN	1
PD-GRANULES/POWDER, ABN	1

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
INFECTION, SKIN	1
IRRITATION, EYE(S)/LID	1
VOCALIZATION	1

DRUG: CYCLOSPORINE

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
INEFFECT, KCS	29
IRRITATION, EYE(S)/LID	12
CONJUNCTIVITIS	6
SWELLING, EYE(S)/LID(S)	6
CONGESTION, EYE(S)/LID	4
PAIN, EYE(S)/LID(S)	4
ALOPECIA	3
BLEPHAROSPASM	3
CONVULSION(S)	3
DEPRESSION/LETHARGY	3
BLINDNESS	2

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
DISCHARGE, NOSE	2
EYE DISORDER	2
HYPERSALIVATION	2
INEFFECT	2
INFLAM, SKIN	2
PD-TUBE(S), ABN	2
TREMBLING	2
UVEITIS	2
AGGRESSION	1
ANOREXIA	1
CA LO, BLD	1
DISSOCIATION	1
DRY, SKIN	1
EDEMA, CORNEA(S)	1
EPIPHORA	1
FEVER, BODY	1
G-HAIR, ABN COLOR	1
GLAUCOMA	1
HAIR, ABN COLOR	1
HEAD TILT	1
HIDING	1
HORNER'S SYNDROME	1
IRRITATION, SKIN	1
MIOSIS	1
NYSTAGMUS	1
OPACITY, CORNEA(S)	1
PARESTHESIA, EYE(S)/L	1
PROLAPSE, THIRD EYELID	1
SHAKING, HEAD/FACE	1
S-IRRITATION, EYE(S)/LID	1
SQUINTING	1
SWELLING, HEAD/FACE	1
ULCER(S), CORNEA(S)	1

DRUG: CYCLOSPORINE

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1

DRUG: CYCLOSPORINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	53
VOMITING	53
DEPRESSION/LETHARGY	37
WEIGHT LOSS	32
DIARRHEA	29
DEATH(EUTHANIZED)	18
ANEMIA	13
BUN HI, BLD	13
BILIRUBIN(TOT) HI, BLD	12
POLYDIPSIA	12
WBC LO, BLD	12
GLUCOSE HI, BLD	11
SGPT/ALT HI, BLD	11
DEATH	9
DYSPNEA	9
RADIOGRAPH(S) ABN	9
CREATININE HI, BLD	8
LYMPHS LO, BLD	8
POLYURIA	8
US ABN	8
ALK PHOS HI, BLD	7
ATAXIA	7
PALLOR, MUCOUS MEMBRAN	7
BLD, URINE	6
DEHYDRATION	6
GINGIVAL HYPERPLASIA	6
INFECTION	6
INFLAM, SKIN	6
PR-LIVER, LESION(S)	6
WBC HI, BLD	6
ALOPECIA	5

DRUG: CYCLOSPORINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
CULTURE/TITER DATA ABN	5
DIABETES MELLITUS	5
HYPERSALIVATION	5
PNEUMONIA	5
SEGS LO, BLD	5
VOMITING, BLOODY	5
CHOLESTEROL HI, BLD	4
DISCHARGE, EYE(S)/LID(S)	4
ENLARGEMENT, LYMPH NOD	4
FEVER, BODY	4
LIVER DISORDER	4
NEOPLASM	4
PR-LUNG(S), LESION(S)	4
SGOT/AST HI, BLD	4
US-LIVER ABN	4
ADIPSIA	3
AMYLASE HI, BLD	3
BEHAVIOR DISORDER	3
CA HI, BLD	3
CONSTIPATION	3
CONVULSION(S)	3
COUGHING	3
DIARRHEA, MILD	3
DISCHARGE, NOSE	3
GLUCOSE, URINE	3
HAIR, ABN COLOR	3
HAIR, SHEDDING	3
HIDING	3
HYPERPNEA	3
HYPOTHERMIA, BODY	3
INEFFECT, ATOPY CONTROL	3
LAMENESS	3
LESION(S), SKIN	3
NEOPLASM, LYMPH NODE(S)	3
PLATELETS LO, BLD	3
POLYCYTHEMIA	3
PR-KIDNEY(S), LESION(S)	3
PROTEIN(TOT) HI, BLD	3

DRUG: CYCLOSPORINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
PROTEIN, URINE	3
PRURITIS	3
SEGS HI, BLD	3
SNEEZING	3
TWITCH	3
WEAKNESS	3
ALBUMIN LO, BLD	2
CALCULI, KIDNEY	2
CHLORIDE LO, BLD	2
CIRCLING	2
CONGESTION, SKIN	2
CONJUNCTIVITIS	2
CPK HI, BLD	2
DIARRHEA, WATERY	2
EAR DISORDER	2
EOSINOS HI, BLD	2
GINGIVITIS	2
GLOBULIN HI, BLD	2
GLUCOSE LO, BLD	2
HEMATOCHEZIA	2
ICTERUS	2
ICTERUS, BODY	2
INFECTION, URINARY TRA	2
K HI, BLD	2
MASS	2
MICROORANISMS, URINE	2
MONOS HI, BLD	2
MURMUR, HEART	2
NA HI, BLD	2
ODOR, MOUTH	2
OTITIS	2
PANCREAS DISORDER	2
PANCREATITIS	2
POLYPNEA	2
PR-LYMPH NODE(S), LESI	2
PR-PANCREAS, LESION(S)	2
PR-PLEURA, LESION(S)	2
RECUMBENCY	2

DRUG: CYCLOSPORINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
SKIN, CRUST(S)	2
STOMATITIS	2
STUPOR	2
TREMBLING	2
ULCER(S), CORNEA(S)	2
URINATION ABN	2
UVEITIS	2
VOMITING, SEVERE	2
WBC ABN	2
WHEEZING	2
ANEMIA, REGEN	1
ANISOCORIA	1
APNEA	1
APPREHENSION	1
ARRHYTHMIA	1
ATROPHY, MUSCLE(S)	1
BANDS HI, BLD	1
BASOS HI, BLD	1
BILE ACIDS HI, BLD	1
BILIRUBIN, URINE	1
BLD, ABN	1
BLD(HEMATOMA)	1
BLINDNESS	1
BRADYCARDIA	1
BUN LO, BLD	1
CALCULI, BLADDER	1
CA LO, BLD	1
CARDIOMEGALY	1
CONFUSION	1
CONGESTION, LUNG(S)	1
CONGESTION, SINUS	1
DEAFNESS	1
DIARRHEA, BLOODY	1
DIARRHEA, SEVERE	1
DISTRESS, RESP	1
EDEMA, CORNEA(S)	1
EDEMA, HEAD/FACE	1
EDEMA, LUNG(S)/TRACHEA	1

DRUG: CYCLOSPORINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
EFFUSION, PLEURAL	1
ELIMINATION ABN	1
EOSINOS LO, BLD	1
EPIPHORA	1
EPISTAXIS	1
ESTRUS BEHAVIOR	1
FLATULENCE	1
FROTH, MOUTH/LIP(S)	1
GALL BLADDER, ABN	1
GASTROENTERITIS	1
GI, ABNORMAL	1
GINGIVA, ABN	1
GLOBULIN LO, BLD	1
HAIR, ABN	1
HEAD BOBBING	1
HEAD PRESSING	1
HEAD TILT	1
HEPATOMEGALY	1
HYPERACTIVITY	1
HYPERESTHESIA	1
HYPHEMA	1
INCONTINENCE, URINARY	1
INEFFECT, LOSS OF EFFE	1
K LO, BLD	1
LICKING	1
LIPASE HI, BLD	1
LIVER DISORDER, OBSTRU	1
LYMPHS HI, BLD	1
MAMMARY, HYPERPLASIA	1
MG LO, BLD	1
MYDRIASIS	1
NA LO, BLD	1
NECROSIS	1
NEOPLASM, KIDNEY(S)	1
NEOPLASM, SKIN	1
NEOPLASM, SPLEEN	1
NYSTAGMUS	1
NYSTAGMUS, ROTARY	1

DRUG: CYCLOSPORINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
OPACITY, CORNEA(S)	1
PAIN, ABDOMEN	1
PAIN, MOUTH/LIP(S)	1
PARESIS, HIND LIMB(S)	1
PERITONITIS	1
PHOTOPHOBIA	1
PICA	1
PLATELETS ABN	1
PLATELETS HI, BLD	1
P LO, BLD	1
POLLAKIURIA	1
POLYCYTHEMIA(RELATIVE)	1
POSTURAL RXN(S) ABN	1
PR-ASCITES	1
PR-BRAIN, LESION(S)	1
PRESSURE LO, BLD	1
PR-EYE(S)/LID(S), LESI	1
PR-LUNG(S), EDEMA	1
PR-MENINGES, LESION(S)	1
PROLAPSE, THIRD EYELID	1
PR-PERITONEAL EFFUSION	1
PR-PERITONEUM, LESION(1
PR-PLEURAL EFFUSION	1
PR-SKIN, LESION(S)	1
RBC, NUCLEATED	1
RETICULOCYTES LO, BLD	1
SEDATION	1
SHOCK	1
SKIN, DRY	1
SKIN, NECROSIS	1
SOMNOLENCE	1
SPEC GRAVITY LO, URINE	1
STAGGERING	1
STEATORRHEA	1
SWELLING, LIMB(S)	1
SWELLING, MAMMARY	1
SWELLING, MOUTH/LIP(S)	1
TACHYCARDIA	1

DRUG: CYCLOSPORINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
THYROID HORMONE(S) LO	1
TONGUE, ABN	1
ULCER(S), FEET/DIGIT(S)	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), TONGUE	1
VASCULITIS	1
VESICLE(S)/BULLAE, SKI	1
WBC, URINE	1
WEIGHT INCREASE	1

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	2,990
DIARRHEA	1,316
DEPRESSION/LETHARGY	1,100
ANOREXIA	810
PRURITIS	755
ALK PHOS HI, BLD	415
INTERACTION, DRUG(S)	318
SGPT/ALT HI, BLD	300
TREMBLING	271
POLYPNEA	270
CONVULSION(S)	249
GINGIVAL HYPERPLASIA	245
POLYDIPSIA	244
INEFFECT, ATOPY CONTROL	236
HYPERACTIVITY	231
POLYURIA	227
WEIGHT LOSS	213
MASS, SKIN	205
DIARRHEA, MILD	200
CONGESTION, SKIN	184
NERVOUSNESS	174
ALOPECIA	166

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA, BLOODY	161
BUN HI, BLD	148
DEATH(EUTHANIZED)	139
WBC HI, BLD	133
INFECTION, SKIN	127
INFLAM, SKIN	125
ALBUMIN LO, BLD	123
GLUCOSE HI, BLD	109
HAIR, SHEDDING	105
ATAXIA	104
RADIOGRAPH(S) ABN	104
COLLAPSE	103
FEVER, BODY	102
ANEMIA	101
BILIRUBIN(TOT) HI, BLD	98
BLD, URINE	96
ENLARGEMENT, LYMPH NOD	95
VOCALIZATION	94
PAIN, ABDOMEN	93
NEOPLASM, SKIN	91
INCONTINENCE, URINARY	90
CREATININE HI, BLD	88
SPEC GRAVITY LO, URINE	87
PROTEIN, URINE	85
PR-SKIN, LESION(S)	84
OTITIS	83
PALLOR, MUCOUS MEMBRAN	82
HYPERPNEA	80
SHAKING	77
WEAKNESS	77
INFECTION, URINARY TRA	75
US ABN	74
APPREHENSION	72
DEATH	72
AGGRESSION	71
BEHAVIOR DISORDER	70
WBC LO, BLD	70
GLOBULIN HI, BLD	68

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
LESION(S), SKIN	68
SEGS HI, BLD	67
DYSPNEA	66
NEOPLASM	65
VOMITING, BLOODY	65
DIABETES MELLITUS	64
GGT HI, BLD	63
LIPASE HI, BLD	62
CONFUSION	59
URTICARIA	59
ANAPHYLAXIS/TOID	58
CHOLESTEROL HI, BLD	57
AMYLASE HI, BLD	56
PLATELETS LO, BLD	55
TACHYCARDIA	54
THYROID HORMONE(S) LO	52
NAUSEA	51
SGOT/AST HI, BLD	51
PARESIS, HIND LIMB(S)	49
DEHYDRATION	47
HAIR, ABN	46
HIDING	45
SKIN, CRUST(S)	45
TWITCH	45
ENLARGEMENT(S), SKIN	44
HYPERSALIVATION	44
NEOPLASM, LYMPH NODE(S)	44
LAMENESS	43
P HI, BLD	43
GINGIVITIS	42
PROTEIN(TOT) HI, BLD	42
RECUMBENCY	42
GINGIVA, ABN	40
GLUCOSE, URINE	40
PR-LYMPH NODE(S), LESI	40
COUGHING	39
FLATULENCE	39
PANCREATITIS	38

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PACING	37
US-LIVER ABN	37
MASS	35
CULTURE/TITER DATA ABN	34
DISCOMFORT	34
POLYPHAGIA	34
TRIGLYCERIDES HI, BLD	34
VOMITING, SEVERE	34
WBC, URINE	34
DERMATITIS, MOIST	33
HYPERKERATOSIS	32
MICROORGANISMS, URINE	32
TENESMUS, RECTAL	32
DIARRHEA, MUCOID	31
HEMATOCHEZIA	31
CRYSTALS, URINE	30
CONGESTION, EAR(S)	29
DIARRHEA, SEVERE	29
DIARRHEA, WATERY	29
RASH	29
HEPATOMEGALY	28
PAIN	28
STUPOR	28
CONSTIPATION	27
HYPERPIGMENTATION, SKI	27
DISTENTION, ABDOMEN	26
POLYCYTHEMIA	26
GLUCOSE LO, BLD	25
HAIR, ABN COLOR	25
K LO, BLD	25
PLATELETS HI, BLD	25
URINATION ABN	25
WEIGHT INCREASE	25
CONJUNCTIVITIS	24
LICKING	24
MELENA	24
PR-LIVER, LESION(S)	24
VOMITING, UNPRODUCTIVE	24

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CYSTITIS	23
LICKING, FEET/DIGIT(S)	23
LIVER ENZYMES HI, BLD	23
NA LO, BLD	23
CA HI, BLD	22
ICTERUS, BODY	22
INCONTINENCE, FECAL	22
K HI, BLD	22
PROTEIN(TOT) LO, BLD	22
SCALE(S), SKIN	22
SNEEZING	22
SOMNOLENCE	22
ULCER(S), CORNEA(S)	22
MURMUR, HEART	21
PRURITIS, EAR(S)	21
CALCULI, BLADDER	20
DEFECATION	20
LESION(S), MOUTH/LIP(S)	20
LYMPHS LO, BLD	20
MONOS HI, BLD	20
MYDRIASIS	19
ODOR	19
RELUCTANT TO MOVE	19
SEGS LO, BLD	19
KERATOCONJUNCTIVITIS S	18
PALLOR	18
PICA	18
PR-MOUTH/LIP(S), LESIO	18
SWELLING, HEAD/FACE	18
BORBORYGMI	17
GASTROENTERITIS	17
PAPULE(S)	17
POLYCYTHEMIA(RELATIVE)	17
PUSTULE(S)	17
SWELLING, FEET/DIGIT(S)	17
ADIPSIA	16
BILIRUBIN, URINE	16
CATARACT(S)	16

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INFECTION, FEET/DIGIT(16
STARING	16
ABN COLOR, URINE	15
BANDS HI, BLD	15
BITING/CHEWING	15
CIRCLING	15
DISCHARGE, EYE(S)/LID(S)	15
HEAD TILT	15
HYPOTHERMIA, BODY	15
KETONES, URINE	15
POLLAKIURIA	15
PROPRIOCEPTIVE DISORDE	15
SEBORRHEA	15
SPLENOMEGALY	15
ULCER(S), SKIN	15
ALKALINE URINE	14
BILE ACIDS HI, BLD	14
CA LO, BLD	14
CHLORIDE LO, BLD	14
DISCHARGE, NOSE	14
EPIPHORA	14
EPISTAXIS	14
GLOBULIN LO, BLD	14
MG LO, BLD	14
SHAKING, HEAD/FACE	14
BLINDNESS	13
EAR DISORDER	13
EOSINOS HI, BLD	13
GAGGING	13
INFECTION	13
NEOPLASM, LIVER	13
ODOR, MOUTH	13
SHOCK	13
SKIN DISORDER	13
STRANGURIA	13
URINATION	13
ALBUMIN HI, BLD	12
BUN LO, BLD	12

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEAFNESS	12
DIFFICULTY RISING	12
ELIMINATION ABN	12
LYMPHS HI, BLD	12
PAIN, BACK	12
SPASM	12
STOOL ABN	12
ANEMIA, AUTOIMMUNE HEM	11
CARDIOMEGALY	11
ERUPTION(S)	11
EYE DISORDER	11
MASS, ABDOMEN	11
NA HI, BLD	11
NEUROLOGICAL DISORDER	11
PRESSURE HI, BLD	11
PRURITIS, FEET/DIGIT(S)	11
RBC, NUCLEATED	11
STOOL, MUCOID	11
SWELLING, EAR(S)	11
SWELLING, EYE(S)/LID(S)	11
TEETH, ABN	11
ABSCESS, SKIN	10
ALBUMIN HI, URINE	10
BLD(PETECHIAE)	10
CPK HI, BLD	10
CYANOSIS	10
DEFECATION ABN	10
EDEMA, HEAD/FACE	10
HYPERTONIA	10
INEFFECT	10
KIDNEY FAILURE	10
STIFFNESS	10
THYROID HORMONE(S) HI	10
VESICLE(S)/BULLAE, SKI	10
ANEMIA, REGEN	9
APNEA	9
BLD, MOUTH/LIP(S)	9
INEFFECT, LOSS OF EFFE	9

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
NEOPLASM, MAMMARY	9
RETINA ABN	9
SKIN ABNORMAL	9
SKIN, DRY	9
SKIN SCRAPING ABNORMAL	9
TREMBLING, FACE	9
URINE ABN	9
ARRHYTHMIA	8
BRADYCARDIA	8
CORT/CREAT HI, URINE	8
EDEMA, LIMB(S)	8
GI, ABNORMAL	8
HYPERADRENOCORTICISM	8
HYPOTHERMIA	8
LESION(S), RINGWORM	8
LOSS OF CONDITION	8
P LO, BLD	8
PR-KIDNEY(S), LESION(S)	8
SOUND ABN, RESPIRATORY	8
STAGGERING	8
SWELLING, LIMB(S)	8
VISION DISORDER	8
ATROPHY, MUSCLE(S)	7
BLD(HEMATOMA)	7
BLEPHAROSPASM	7
BLINDNESS, PARTIAL	7
CASTS, URINE	7
CHEMISTRY ABN	7
CHLORIDE HI, BLD	7
CONGESTION, EYE(S)/LID	7
CONGESTION, LUNG(S)	7
DISCHARGE, VULVA	7
DISTRESS	7
DYSURIA	7
EDEMA, EYE(S)/LID(S)	7
EXERCISE INTOLERANCE	7
HEART FAILURE	7
IRRITATION, PERINEUM	7

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
NEOPLASM, LUNG(S)	7
NOSE ABN	7
OPACITY, CORNEA(S)	7
PAIN, HIND LIMB(S)	7
PR-BLADDER, LESION(S)	7
PR-HEART, LESION(S)	7
PR-LUNG(S), LESION(S)	7
PR-SPLEEN, LESION(S)	7
REFLEX(ES) ABN	7
REGURGITATION	7
RELUCTANT TO CLIMB	7
SEDIMENT, URINE	7
STIFFNESS, HIND LIMB(S)	7
TENESMUS	7
VESTIBULAR DISORDER	7
ACTH STIM ABN	6
ARREST, HEART	6
BASOS HI, BLD	6
BILE ACIDS ABN, BLD	6
BLD	6
BLD, SKIN	6
ENLARGEMENT(S)	6
EOSINOS LO, BLD	6
ERUCTATION	6
FLY BITING	6
GALL BLADDER, ABN	6
HYPOADRENOCORTICISM	6
INSOMNIA	6
IRRITATION, EAR(S)	6
IRRITATION, EYE(S)/LID	6
NEOPLASM, SPLEEN	6
PAIN, JOINT(S)	6
PAIN, NECK	6
PANCREAS ENZYMES HI, B	6
PARALYSIS, FACIAL NERV	6
PNEUMONIA	6
POSTURE ABN	6
SKIN, SCAB(S)	6

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
STOMATITIS	6
SWELLING, JOINT(S)	6
TONGUE, ABN	6
UVEITIS	6
VAGINITIS	6
ARTHRITIS	5
BILIRUBIN(DIR) HI, BLD	5
BLD, EAR(S)	5
BLD(ECCHYMOSES)	5
BREATHING ABN	5
CHOLESTEROL LO, BLD	5
COLITIS	5
DEAFNESS, TEMP	5
DIABETES M, POOR REGUL	5
DILITATION, ESOPHAGUS	5
DISSOCIATION	5
DYSPHAGIA	5
GASTRITIS	5
GRANULOMA, LICK	5
HEALING IMPAIRED	5
HYPERESTHESIA	5
KIDNEY DISORDER	5
LIPIDS HI, BLD	5
LOCOMOTION DISORDER	5
MICROORGANISMS, URINE	5
NEOPLASM, HEART	5
NEOPLASM, MULT SITES	5
NYSTAGMUS	5
ODOR, URINE	5
PARESIS	5
PR-BONE MARROW, LESION	5
PRESSURE LO, BLD	5
PR-NOSE, LESION(S)	5
RETICULOCYTES HI, BLD	5
SKIN, NECROSIS	5
SWELLING, ANUS	5
ULCER(S), MOUTH/LIP(S)	5
ULCER(S), TONGUE	5

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
UNCONSCIOUS	5
WHEEZING	5
ANURIA	4
ASCITES	4
AZOTEMIA	4
CHOKING	4
COAGULATION DISORDER	4
CONGESTION, MUCOUS MEM	4
CSF ABN	4
ECG ABN	4
EDEMA, CORNEA(S)	4
EDEMA, LUNG(S)/TRACHEA	4
EFFUSION, PERITONEAL	4
GRANULOMA	4
GRINDING TEETH	4
HEPATITIS	4
HYPOMOTILITY	4
ILL	4
JOINT DISORDER	4
MIOSIS	4
MONOS LO, BLD	4
MUCOUS MEMBR, MUDDY	4
PAIN, HEAD/FACE	4
PAIN, MOUTH/LIP(S)	4
PR-GI, LESION(S)	4
PROSTATOMEGALY	4
PRURITIS, EYE(S)	4
PULSE THREADY	4
PUPIL(S), AREFLEXIA	4
RBC ABN	4
REACTION, UNSPECIFIED	4
REPETITIVE MOVEMENTS	4
SEDATION	4
SELF-MUTILATION	4
SLOUGH, SKIN	4
SORE(S)	4
SPEC GRAVITY HI, URINE	4
STIFFNESS, LIMB(S)	4

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
STUMBLING	4
SWELLING, MAMMARY	4
SYNCOPE	4
ANEMIA, APLASTIC	3
ANEMIA, SPHERO	3
BLD, ABN	3
BLD, SCLERA	3
BONE, ABN	3
BREATHING, DIFFICULT	3
BRONCHITIS	3
CAPILLARY REFILL PROLO	3
COPROPHAGIA	3
CYANOSIS, MUCOUS MEMBR	3
DEMENTIA	3
DIARRHEA, PROJECTILE	3
DIGESTION DISORDER	3
DISTENTION, BLADDER	3
DIZZINESS	3
DRY MOUTH SYNDROME	3
EDEMA, FEET/DIGIT(S)	3
EFFUSION, JOINT(S)	3
EFFUSION, PERICARDIAL	3
EFFUSION, PLEURAL	3
GLAUCOMA	3
HEART DISORDER	3
IMMUNOSUPPRESSION	3
INCISION SITE INFECTION	3
INFARCT	3
INFECTION, JOINT(S)	3
INFLAM	3
IRRITATION, MOUTH/LIP(3
IRRITATION, SKIN	3
KETOSIS	3
KIDNEY VALUES HI, BLD	3
MRI SCAN ABN	3
MUCOUS MEMBR, RED	3
MYOSITIS	3
NAIL DISORDER	3

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
NECROSIS	3
PAIN, LIMB(S)	3
PARALYSIS, HIND LIMB(S)	3
PD-TABLET(S), ABN	3
PERITONITIS	3
PR-COLON, LESION(S)	3
PR-MULT SITES, LESION(S)	3
PROLAPSE, THIRD EYELID	3
PROTRUSION, EYE(S)	3
PR-PANCREAS, LESION(S)	3
PR-STOMACH, LESION(S)	3
PR-TONGUE, LESION(S)	3
RBC, ANISO	3
RBC, POLYCHROM	3
SALIVA, ABN	3
SWELLING	3
SWELLING, MOUTH/LIP(S)	3
SWELLING, VAGINA/VULVA	3
TENESMUS, URINARY	3
VOMITING, PROJECTILE	3
ACIDOSIS	2
ADIPOSE, INFLAM	2
ANISOCORIA	2
APLASIA, BONE MARROW	2
BILIRUBIN(IND) HI, BLD	2
BLD, ANUS	2
BLD, EYE(S)	2
BLINDNESS, TEMP	2
BLOAT	2
BRAIN, NEOPLASM	2
CALCULI, KIDNEY	2
CHOLECYSTITIS	2
CLOUDY URINE	2
CONGESTION, SINUS	2
DEAFNESS, PARTIAL	2
DESTRUCTIVENESS	2
EDEMA	2
ENLARGEMENT, SALIVARY GLAND	2

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ENTERITIS	2
FROTH, MOUTH/LIP(S)	2
HCO3 LO, BLD	2
HEAD BOBBING	2
HEMOGLOBIN, URINE	2
HORNER'S SYNDROME	2
HOT FLASH/FLUSH	2
HYPERSENSITIVE, SOUND	2
HYPOPNEA	2
ICTERUS	2
INCISION SITE DISCHARGE	2
JERKING	2
KICKING	2
LEUKODERMA	2
LIVER DISORDER	2
MG HI, BLD	2
NEOPLASM, PANCREAS	2
NYSTAGMUS, HORIZONTAL	2
PAIN, FEET/DIGIT(S)	2
PANCREAS DISORDER	2
PARESIS, FORE LIMB(S)	2
PARESIS, FORELIMB(S)	2
PAWING	2
PD-ODOR, ABN	2
PERIODONTAL, ABSCESS	2
PHOTOPHOBIA	2
PHOTOSENSITIZATION	2
PR-ADRENAL(S), LESION(S)	2
PR-EYE(S)/LID(S), LESI	2
PR-MULT SITES, BLD	2
PR-PERITONEUM, LESION(2
PT PROLONGED, BLD	2
PTT PROLONGED, BLD	2
REFLUX, STOMACH	2
RESIDUE, URINE	2
RESPIRATORY DISORDER	2
RETICULOCYTES LO, BLD	2
SWELLING, TONGUE	2

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
TAIL DISORDER	2
THROMBUS	2
ULCER(S), MUCOCUTANEOU	2
VOLVULUS, STOMACH	2
WBC ABN	2
ACCIDENTAL EXPOSURE	1
ACID URINE	1
A/G RATIO HI, BLD	1
ANA POS	1
ANEMIA, HEMOLYTIC	1
APPLICATION SITE ALOPECIA	1
ARRHYTHMIA, BLOCK	1
ATROPHY, TESTICLE(S)	1
BLD, ABDOMEN	1
BLD, GI	1
BLD, LUNG(S)/TRACHEA	1
BLD, MULT SITES	1
BLD, RECTUM	1
BLD, VAGINA	1
BLINDNESS, NIGHT	1
CALCULI, URINE	1
CELLULITIS	1
CERVICAL SPINE ABN	1
CNS DISORDER	1
COLON, ABN	1
CONGESTION	1
CONGESTION, PHARYNX	1
CONGESTION, TONGUE	1
COOMBS TEST POS	1
CREATININE LO, BLD	1
DEHISCENCE	1
DIABETES	1
DIABETES INSIPIDUS	1
DIC	1
DILITATION, STOMACH	1
DISCHARGE, EAR(S)	1
DISCHARGE, INCISION SITE	1
DISCHARGE, MAMMARY	1

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DISCHARGE, MOUTH/LIP(S)	1
DISTRESS, RESP	1
DRY, SKIN	1
ECG, ABN	1
EDEMA, LARYNX	1
EDEMA, MULTIPLE SITES	1
EDEMA, SCLERA	1
EDEMA, VENTRAL	1
EDEMA, VULVA	1
EFFUSION	1
EMBOLUS	1
ENLARGEMENT(S), HEAD/F	1
ERG ABN	1
ESTRUS CYCLE ABNORMAL	1
EXFOLIATION, SKIN	1
FERTILITY, REDUCED	1
FEVER, JOINT(S)	1
FIBROSIS	1
GLOSSITIS	1
HCO3 HI, BLD	1
HOT FLUSH	1
HYPERMOTILITY	1
HYPHEMA	1
HYPOTHERMIA, EAR(S)	1
IMMUNE DISORDER	1
INCISION SITE ABN	1
INCONTINENCE	1
INFECTION, EYE(S)	1
INFECTION, UTERUS	1
INFLAMMATION, MAMMARY	1
INFLAMMATION, NOSE	1
INJURY	1
IRRITATION	1
IRRITATION, ESOPHAGUS	1
IRRITATION, PHARYNX/TH	1
K HI, URINE	1
LARYNGITIS	1
LDH HI, BLD	1

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
LEG DISORDER	1
LESION(S)	1
LEUKOTRICHIA	1
LIVER FAILURE	1
NA:K LO, BLD	1
NECK, VENTROFLEXION	1
NEOPLASM, KIDNEY(S)	1
NYSTAGMUS, VERTICAL	1
OBSTRUCTION, INTESTINE	1
OFF FEED	1
OLIGURIA	1
PAIN, BRISKET/CHEST	1
PAIN, MUSCLE(S)	1
PAIN, SPINAL	1
PAIN, TESTICLE	1
PARALYSIS	1
PARESTHESIA, MOUTH/LIP	1
PD-PRODUCT DEFECT	1
P HI, URINE	1
PLATELETS ABN	1
PNEUMONIA, ASPIRATION	1
PR-BLD VESSEL(S), LESI	1
PR-BONE(S), LESION(S)	1
PR-CECUM, LESION(S)	1
PR-ESOPHAGUS, LESION(S)	1
PRIAPISM	1
PR-INTEST, LESION(S)	1
PR-JOINT(S), SEPSIS	1
PR-LUNG(S), EDEMA	1
PR-MULT SITES, CONGEST	1
PROLAPSE, PENIS	1
PROLAPSE, TONGUE	1
PROSTRATION	1
PROTRUSION, TONGUE	1
PR-PARATHYROID, LESION	1
PR-RECTUM, LESION(S)	1
PR-SM INTEST, LESION(S)	1
PR-SM INTEST, LESION(S)	1

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PR-TESTICLE(S), LESION(S)	1
PR-THYROID, LESION(S)	1
REGURGITATION, FOOD	1
RHINITIS	1
ROLLING	1
SALIVARY GLAND ABN	1
SEPTICEMIA	1
SINUSITIS	1
S-IRRITATION, EYE(S)/LID	1
SLEEP ABN	1
SOUND ABN, VOICE	1
SQUINTING	1
STIFFNESS, FRONT LIMB(1
STIFFNESS, NECK	1
SWEATING	1
SWELLING, VENTRUM	1
TABLET(S), UNDIGEST	1
TAIL CHASING	1
TEARS, ABN	1
TECH ERROR ADMINISTRAT	1
TESTICLE, ABN	1
THRASHING/PADDLING	1
TORTICOLLIS	1
TOX	1
TRACHEITIS	1
TYMPANIC MEM, RUPTURED	1
UNPALATABLE	1
UNPALATABLE, WON'T EAT	1
UNPALATABLE, WON'T SWA	1
VASCULITIS	1
XEROSTOMIA	1

DRUG: CYCLOSPORINE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
--------------	----------------------------------

DRUG: CYCLOSPORINE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
NAUSEA	6
CONFUSION	1
DIARRHEA	1
DIZZINESS	1
DYSPHAGIA	1
IRRITATION, ESOPHAGUS	1
PAIN, ABDOMEN	1

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ATOPY CONTROL	2
ANOREXIA	1
DIARRHEA, MILD	1
GINGIVA, ABN	1
INCONTINENCE, URINARY	1
INFLAM, SKIN	1
INTERACTION, DRUG(S)	1
LICKING, FEET/DIGIT(S)	1
ODOR, MOUTH	1
SKIN, CRUST(S)	1

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INEFFECT	4
IRRITATION, EYE(S)/LID	4
CONJUNCTIVITIS	1
DEPRESSION/LETHARGY	1
INEFFECT, KCS	1
PAIN, EYE(S)/LID(S)	1
PD-ODOR, ABN	1
PD-SUSPENSION, ABN	1

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
URTICARIA	1
VOMITING	1

DRUG: CYCLOSPORINE

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONGESTION, NOSE	1
DEPRESSION/LETHARGY	1
DIZZINESS	1
INFLAM, SKIN	1
IRRITATION, EYE(S)/LID	1
NAUSEA	1
PAIN	1
PAIN, MUSCLE(S)	1
PARESTHESIA, MOUTH/LIP	1
PRURITIS	1
TASTE ABNORMALITY	1
TONGUE, ABN	1
VOMITING	1

DRUG: CYCLOSPORINE

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
VOMITING	1

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
VOMITING	3
BILIRUBIN(TOT) HI, BLD	1

DRUG: CYCLOSPORINE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DIARRHEA	1
NAUSEA	1

DRUG: CYCLOSPORINE

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
URTICARIA	1

DRUG: CYTHIOATE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
VOMITING	2
CONVULSION(S)	1
DIARRHEA, BLOODY	1
EPIPHORA	1
FROTH, MOUTH/LIP(S)	1
GASTROENTERITIS	1
WEAKNESS	1

DRUG: CYTHIOATE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	5
CONVULSION(S)	4
DEATH	4
DEPRESSION/LETHARGY	4
HYPERSALIVATION	4
DIARRHEA	3
BEHAVIOR DISORDER	2

DRUG: CYTHIOATE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DYSPNEA	2
MYDRIASIS	2
SHAKING	2
TREMBLING	2
WEAKNESS	2
AGGRESSION	1
ANOREXIA	1
APPREHENSION	1
CHE LO, SERUM	1
CONGESTION, SKIN	1
CYANOSIS	1
GLUCOSE LO, BLD	1
HEAD TILT	1
HYPERACTIVITY	1
HYPERPNEA	1
PR-BRAIN, LESION(S)	1
THYROID HORMONE(S) LO	1
WBC HI, BLD	1