

2011 AND SUCCEEDING CROP YEARS



**FEDERAL CROP
INSURANCE CORPORATION**

ELIGIBLE PLANT LIST AND PLANT PRICE SCHEDULE

NURSERY CROP INSURANCE PROGRAM

- CONNECTICUT
- DELAWARE
- MAINE
- MARYLAND
- MASSACHUSETTS
- NEW HAMPSHIRE
- NEW JERSEY
- NEW YORK
- NORTH CAROLINA
- PENNSYLVANIA
- RHODE ISLAND
- VERMONT
- VIRGINIA
- WEST VIRGINIA



The price for each plant and size listed in the *Eligible Plant List and Plant Price Schedule* is your lowest wholesale price, as determined from your wholesale catalogs or price lists submitted in accordance with the Special Provisions, not to exceed the maximum price limits included in this Schedule. Insurable plants damaged prior to the attachment of insurance coverage will be insured at a reduced value until such plants have fully recovered from damage.

CONTENTS

INTRODUCTION

- Crop Insurance Nomenclature Format
- Nursery Grower's Price Endorsement – Pilot Program
- Determining Eligible Plant List Price of Unlisted Cultivars
- Plant Types
- Storage Keys
- Hardiness Zone Designations
- Container Insurable Hardiness Zones
- Field Grown Minimum Hardiness Zones
- Plant Size

SOFTWARE AVAILABILITY

- System Requirements
- Sample Crop Inventory Valuation Report

INSURANCE PRICE CALCULATION

- Examples of Price Calculation
- Plant Type Base Price Tables

ELIGIBLE PLANT LIST AND PLANT PRICE SCHEDULE

APPENDIX

- A County Hardiness Zones
- B Storage Keys
- C Insurance Price Calculation Worksheet
- D Container Volume Calculation Worksheet
- E FCIC Container Definitions

The *DataScape Guide to Commercial Nomenclature* is used in this document by the Federal Crop Insurance Corporation (FCIC), an agency of the United States Department of Agriculture (USDA), with permission. Permission is given to use or reproduce this Eligible Plant List and Plant Price Schedule for purposes of administering the Federal Crop Insurance Corporation's Nursery Insurance program only.

The *Eligible Plant List and Plant Price Schedule* is an FCIC actuarial document.

The *DataScape Guide to Commercial Nomenclature* is published in electronic format by DataScape, LLC, 1800 Nations Drive, Suite 206, Gurnee, IL 60031. (847) 382-2326. Copyright© 1994-2010 by DataScape, LLC. All rights reserved. No part of the *DataScape Guide to Commercial Nomenclature*, including interior design, cover design and icons, may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording, or otherwise) without the prior written permission of the publisher.

DataScape is a registered trademark of DataScape, LLC.

INTRODUCTION

The Eligible Plant List and Plant Price Schedule are parts of the nursery crop insurance program provided by the Federal Crop Insurance Corporation (FCIC), an agency of the United States Department of Agriculture (USDA).

The Eligible Plant List and Plant Price Schedule are used to:

1. Determine the eligibility of nursery plants for insurance.
2. Assist in establishing the insurable nursery plant inventory value.
3. Determine the cold protection requirements in accordance with the Nursery Crop Insurance Provisions.
4. Assist in establishing Field market value A and Field market value B for claim settlement in accordance with the Nursery Crop Insurance Provisions.

The following provides important information regarding the use of the Eligible Plant List.

NURSERY GROWER'S PRICE ENDORSEMENT – PILOT PROGRAM

Growers in eligible states who elect the Pilot Nursery Grower's Price Endorsement may insure for a price that is higher than the Eligible Plant List maximum insurance price but less than or equal to their catalog/price list price. This pilot program is only available to growers in the following states at the current time:

| | | |
|-------------|----------------|----------------|
| Alabama | Maryland | Pennsylvania |
| Arkansas | Massachusetts | South Carolina |
| Connecticut | Mississippi | Tennessee |
| Florida | New Jersey | Virginia |
| Georgia | New York | Washington |
| Kentucky | North Carolina | |
| Louisiana | Oregon | |

CROP INSURANCE NOMENCLATURE FORMAT

Consistent use of plant names is key to the administration of the nursery crop insurance program. The Eligible Plant List and Plant Price Schedule use researched plant names taken from the *DataScope Guide to Commercial Nomenclature* and contain four forms of plant names defined as follows:

Botanical Name

The Latin, scientific, or legal form of a plant name. Parts of the name may be genus, specific epithet (species), subspecies, variety, and cultivar.

| | |
|---------------------------|---|
| Commercial Botanical Name | The botanical form of a plant name (often including trademarked and/or registered cultivar names) used in commerce. |
| Common Name | The name by which a plant may be known in everyday commerce. |
| Invalid Botanical Name | A Latinized form of a plant name, which is incorrectly used to identify a plant. |

Plants are sometimes sold commercially by a different name from the botanical name. In some cases, that name is one that taxonomists consider outdated or incorrect. In other cases, the name is one that is more often used in commercial trade. If such conditions are present, these invalid botanical names and commercial botanical names are listed with a “see” notation that points to the correct botanical name (e.g. *Acer x freemanii* ‘Autumn Blaze’ is followed by the statement, “See – *Acer x freemanii* ‘Jeffersred” which is the correct botanical name).

DETERMINING ELIGIBLE PLANT LIST PRICE OF UNLISTED CULTIVARS

The Eligible Plant List (EPL) provides, for applicable plant genera, a stair-step approach for establishing insurable prices of **cultivars** not listed on the EPL at the genus, species, hybrid, subspecies, and variety taxonomic levels.

- A genus level name (e.g., *Rhododendron*) is always listed on the EPL if any cultivars are listed under the genus (e.g., *Rhododendron* ‘1000 Butterflies’). The genus level name may be used to price a new cultivar that is marketed as a genus/cultivar name without listing a species name.
- A genus/species name (e.g., *Acer rubrum*) is always listed on the EPL if any cultivars are listed under the species (e.g., *Acer rubrum* ‘Autumn Flame’). The genus/species name may be used to price a new cultivar that is marketed with the genus/species name.
- A genus/hybrid name (e.g., *Acer x freemanii*) is always listed if any cultivars are listed under the genus/hybrid name (e.g., *Acer x freemanii* ‘Armstrong’). The genus/hybrid name may be used to price a new cultivar that is marketed with the genus/hybrid name.
- A genus/species/subspecies (e.g., *Cedrus libani* ssp. *atlantica*) or variety name (e.g., *Acer palmatum* var. *dissectum*) is always listed if any cultivars are listed under the subspecies (e.g., *Cedrus libani* ssp. *atlantica* ‘Aurea’) or variety name (e.g., *Acer palmatum* var. *dissectum* ‘Garnet’). The genus/species/subspecies or variety name may be used to price a new cultivar that is marketed with the genus/species/subspecies or variety name.

The example below illustrates how a new, unlisted cultivar ('XX') should be priced on the EPL:

Name not found on the EPL

Rhododendron 'XX'
Acer rubrum 'XX'
Acer x freemanii 'XX'
Cedrus libani ssp. atlantica 'XX'
Acer palmatum var. dissectum 'XX'

Name to use on EPL for pricing

Rhododendron
Acer rubrum
Acer x freemanii
Cedrus libani ssp. atlantica
Acer palmatum var. dissectum

This pricing order must be followed for unlisted cultivars. For example, a genus level price should not be used if the botanical name of the unlisted plant includes a species name that is listed on the EPL, nor should the species level price be used if the botanical name includes a subspecies or variety name that is listed on the EPL. Likewise, if the cultivar name of a plant is listed on the EPL, the price for that plant should always be determined at the correct taxonomic level based on the plant name.

PLANT TYPES

All plant material is classified in one of the plant types shown below. For administering the nursery crop insurance program, plants will carry a designation contained in this list:

| <u>Code</u> | <u>Description</u> |
|--------------------|-------------------------------------|
| AN | Annuals |
| BE | Broadleaf Evergreen Trees |
| BS | Broadleaf Evergreen Shrubs |
| CE | Coniferous Evergreen Trees |
| CS | Coniferous Evergreen Shrubs |
| DS | Deciduous Shrubs |
| DT | Deciduous Trees (Shade and Flower)* |
| FN | Fruit and Nut Trees |
| FO | Foliage |
| GC | Ground Cover and Vines |
| HP | Herbaceous Perennials |
| PC | Palms and Cycads |
| RO | Roses |
| SF | Small Fruits |
| LI | Liners** |

*The Deciduous Trees plant type includes deciduous conifer trees.

**See the definition of "Liners" in the Plant Size section of this document. Liners are reported as a separate plant type, inclusive of all other plant types.

STORAGE KEYS

Some container plants require cold protection to retain insurance coverage against cold damage. The cold protection requirements are listed on the Eligible Plant List for each insurable container plant through the use of the storage key (SK) code. Storage key code specifications are detailed in Appendix B.

HARDINESS ZONE DESIGNATIONS

All eligible counties are assigned a single hardiness zone (HZ) designation for insurance purposes. These counties and their zone assignments are listed in Appendix A and affect the insurability for both container and field grown material.

CONTAINER INSURABLE HARDINESS ZONES

Container plant insurability is limited to the hardiness zone (HZ) or range of hardiness zones specified. These zones are listed under “Req” (requiring cold protection) and “Not Req” (not requiring cold protection).

Hardiness zone (HZ) insurability, container example:

| Insurable HZ | |
|--------------|----------------|
| <u>Req</u> | <u>Not Req</u> |
| 2 – 6 | 7 – 8 |

The plant is insurable in zones 2-8 and is not insurable in hardiness zones 1 and 9-11.

FIELD GROWN MINIMUM HARDINESS ZONES

The Eligible Plant List designates the minimum hardiness zone for each insurable field grown plant. Field grown plant material is not insurable below the minimum hardiness zone specified for each plant.

Hardiness zone (HZ) insurability, field grown example:

| <u>Minimum Field HZ</u> |
|-------------------------|
| 5 |

The plant is insurable in zones 5-11 and is not insurable in hardiness zones 1-4.

PLANT SIZE

All eligible plants are considered either field grown or container grown material with sizes listed for each category (practice).

Field grown plants are listed by plant size for height, width, or caliper. Caliper is determined by measuring tree diameter 6 inches above the soil line up to and including a caliper of 4 inches and 12 inches above the soil line for larger sizes. Plant sizes below the smallest listed in the Base Price Table are not insurable.

A seedling size is available for two plant types: deciduous tree (DT) and coniferous evergreen tree (CE). A seedling is a DT or CE that is at least 6 inches high and less than 18 inches high. Rounding is not permitted.

Plants in containers where the diameter is 3 inches or greater at the widest point of the container interior are listed by the container size with volume units of measure (e.g. quart, gallon). No plant sizes (height, width, or caliper) are listed for plant material in containers. Each cell of insurable multiple-cell nursery containers (cellpacks, jumbo packs, six packs, pony packs, etc.) will be valued as a separate plant. Container size for containers 3 inches in diameter or greater at the widest point is measured by actual volume in gallons as specified in the Special Provisions. Use the worksheet shown in Appendix D to calculate container gallon size if the plant inventory container size is unknown. The worksheet includes formulas for both round and square (rectangular) containers.

Liners in containers (trays with individual cells) are insurable. Liners are defined as plants produced in standard nursery containers that are equal to or greater than 1 inch in diameter (including trays containing 200 or fewer individual cells, unless specifically provided by the Special Provisions) but less than 3 inches in diameter at the widest point of the container or cell interior, have an established root system, and meet all other conditions specified in the Special Provisions. Liners are listed by the number of cells per tray. Each cell will be valued as a separate plant.

Insurable prices for liners in individual cells are determined using the measurement method by which they are listed and priced in the insured's wholesale catalog or price list; i.e., size of the cell or cells per tray. Size of the cell is based on the inch diameter for round cells or the inch dimension of the longest side for square or rectangular cells. If both the inch and cells per tray measurement methods are listed and priced in the catalog, the inch measurement will take precedence. An equivalency table for the two measurement methods is included in each Base Price Table.

Plant (including field grown), container, or liner sizes smaller than the smallest size listed for plants (including field grown), containers, or liners in the Base Price Table are not insurable. Do not round up to meet the minimum size requirements for plants (including field grown), containers, or liners.

SOFTWARE AVAILABILITY

The Eligible Plant List and Plant Price Schedule are available on compact disk (CD) for use on personal computers. The software is a Windows application and allows:

1. Searching for a plant by botanical name, commercial botanical name, common name, or key word. The multiple search function is designed to assist those who may not be familiar with scientific plant nomenclature.
2. Compiling a plant inventory list to establish the insurable nursery plant inventory value. The program allows the plant inventory list to be printed as shown in the following example.

Please note that the CD containing the application program is intended to provide convenient access to eligible plant information and help establish the insurable nursery plant inventory value. The CD is not required for processing insurance coverage.

SYSTEM REQUIREMENTS

Minimum:

- Pentium 233 CPU or better
- 64 MB RAM or more
- Windows 2000, Windows XP or Windows Vista
- 32 MB available disk space or more
- Video resolution of 800 x 600
- 256 color display

Recommended:

- Pentium 500 CPU or better
- 128 MB RAM or more
- Windows 2000, Windows XP or Windows Vista
- 32 MB available disk space or more
- Video resolution of 800 x 600
- True Color (24-bit) color display

SAMPLE CROP INVENTORY VALUATION REPORT

A sample of the Crop Inventory Valuation Report that is produced by the software is shown on the following three pages.

**Crop Inventory Valuation Report
2011 and Succeeding Crop Years Pricing**

Client Sample Nursery, Inc.
Address 888 Main
Any Town, IL 60010

Reference: 17-9999-999
Location State: Illinois
Location County: Lake
Designated Hardiness Zone: 5

Description: Blocks 1 - 100

Commercial Botanical Name or Botanical Name/
Common Name

| Plant Type | Storage Key | **** Protection Req. | **** Not Req. | Minimum Field | Size | Practice | Ins. Price | Qty | Ins. Value |
|------------|-------------|----------------------|---------------|---------------|------|----------|------------|-----|------------|
|------------|-------------|----------------------|---------------|---------------|------|----------|------------|-----|------------|

Broadleaf Evergreen Shrubs

Buxus microphylla var. *japonica*
Japanese Littleleaf Boxwood

| | | | | | | | | | |
|----|----|-----|--|---|--------|-----------|--------|-----|--------|
| BS | G1 | 5-8 | | 6 | 2 Qt. | Container | 1.75 * | 100 | 175.00 |
| | | | | | 1 Gal. | Container | 3.05 | 100 | 305.00 |

Broadleaf Evergreen Shrubs (BS) Subtotal 200 \$480.00

Deciduous Shrubs

Berberis thunbergii 'Crimson Pygmy'
Crimson Pygmy Red Barberry

| | | | | | | | | | |
|----|----|-----|---|---|--------|-----------|--------|-----|--------|
| DS | G1 | 4-7 | 8 | 4 | 1 Gal. | Container | 3.50 * | 100 | 350.00 |
| | | | | | 2 Gal. | Container | 7.50 * | 100 | 750.00 |
| | | | | | 2 Gal. | Container | 7.54 | 100 | 754.00 |

Rhododendron 'Northern Lights'
Northern Lights Azalea

| | | | | | | | | | |
|----|----|-----|-----|---|--------|-----------|-------|-----|----------|
| DS | G1 | 3-6 | 7-8 | 3 | 2 Gal. | Container | 10.25 | 150 | 1,537.50 |
| | | | | | 3 Gal. | Container | 15.00 | 150 | 2,250.00 |
| | | | | | 7 Gal. | Container | 32.50 | 55 | 1,787.50 |

Viburnum x burkwoodii
Burkwood Viburnum

| | | | | | | | | | |
|----|----|-----|---|---|--------|-----------|---------|-----|----------|
| DS | G1 | 3-7 | 8 | 4 | 2 Gal. | Container | 8.00 * | 100 | 800.00 |
| | | | | | 2 Gal. | Container | 9.35 | 100 | 935.00 |
| | | | | | 3 Gal. | Container | 13.60 * | 100 | 1,360.00 |
| | | | | | 5 Gal. | Container | 21.50 * | 100 | 2,150.00 |

Deciduous Shrubs (DS) Subtotal 1055 \$12,674.00

Liners

Berberis thunbergii 'Crimson Pygmy'
Crimson Pygmy Red Barberry

| | | | | | | | | | |
|----|----|-----|---|---|-------------|-----------|--------|-----|--------|
| DS | G1 | 4-7 | 8 | 4 | 72-200/tray | Container | 0.54 * | 500 | 270.00 |
| | | | | | 72-200/tray | Container | 0.56 | 500 | 280.00 |
| | | | | | 37-71/tray | Container | 0.86 * | 500 | 430.00 |
| | | | | | 37-71/tray | Container | 0.91 | 300 | 273.00 |
| | | | | | <3"-36/tray | Container | 0.89 * | 300 | 267.00 |

Buxus microphylla var. *japonica*
Japanese Littleleaf Boxwood

| | | | | | | | | | |
|----|----|-----|--|---|-------------|-----------|--------|-----|--------|
| BS | G1 | 5-8 | | 6 | 37-71/tray | Container | 0.45 * | 500 | 225.00 |
| | | | | | <3"-36/tray | Container | 0.61 | 250 | 152.50 |

Fraxinus pennsylvanica 'Marshall Seedless'
Marshall Seedless Green Ash

| | | | | | | | | | |
|----|----|-----|-----|---|-------------|-----------|--------|-----|--------|
| DT | G1 | 3-6 | 7-8 | 3 | 37-71/tray | Container | 0.90 * | 500 | 450.00 |
| | | | | | <3"-36/tray | Container | 1.12 | 300 | 336.00 |

**Crop Inventory Valuation Report
2011 and Succeeding Crop Years Pricing**

Client Sample Nursery, Inc.
Address 888 Main
Any Town, IL 60010

Reference: 17-9999-999
Location State: Illinois
Location County: Lake
Designated Hardiness Zone: 5

Description: Blocks 1 - 100

Commercial Botanical Name or Botanical Name/
Common Name

| Plant Type | Storage Key | **** Protection Req. | **** Not Req. | Minimum Field | Size | Practice | Ins. Price | Qty | Ins. Value |
|------------------------------|-------------|----------------------|---------------|---------------|-------------|-----------|------------|------|------------|
| <i>Viburnum x burkwoodii</i> | | | | | | | | | |
| Burkwood Viburnum | | | | | | | | | |
| DS | G1 | 3-7 | 8 | 4 | <3"-36/tray | Container | 1.15 * | 300 | 345.00 |
| | | | | | <3"-36/tray | Container | 1.23 | 300 | 369.00 |
| Liners (LI) Subtotal | | | | | | | | 4250 | \$3,397.50 |

| | | | | | | | | | |
|------------------------|--|--|--|--|--|--|--|------|-------------|
| Container Total | | | | | | | | 5505 | \$16,551.50 |
|------------------------|--|--|--|--|--|--|--|------|-------------|

For this report to be accurate, you must enter your lowest wholesale price for each plant size, except for plants with prior damage. For plants with prior damage, enter the reduced plant value. If you have elected the NGPE and the plant price has no prior damage, you may enter a price less than or equal to your lowest wholesale catalog price.

The plant prices that will be used in settling any claims will be the lower of the FCIC maximum price limit or your lowest wholesale price as calculated from your wholesale catalog or price list submitted in accordance with the Special Provisions, unless the NGPE is selected in which case the upgraded plant price will be used (provided you have submitted sales records in accordance with the Nursery Grower's Price Endorsement and the upgraded plant price is less than or equal to the price on the sales records). Insurable plants damaged prior to the attachment of insurance coverage will be insured at a reduced value until such plants have fully recovered from damage.

- * denotes price from grower wholesale catalog, price list, or a reduced plant value for plants with prior damage
- *E denotes Nursery Grower's Price Endorsement upgraded plant price from the grower wholesale catalog or price list that is 50% or more over the EPL maximum insurance price.
- *e denotes Nursery Grower's Price Endorsement upgraded plant price from the grower wholesale catalog or price list that is less than 50% over the EPL maximum insurance price.

Crop Inventory Valuation Report 2011 and Succeeding Crop Years Pricing

Client Sample Nursery, Inc.
Address 888 Main
Any Town, IL 60010

Reference: 17-9999-999
Location State: Illinois
Location County: Lake
Designated Hardiness Zone: 5

Description: Blocks 1 - 100

Commercial Botanical Name or Botanical Name/
Common Name

| Plant Type | Storage Key | **** Protection Req. | **** Not Req. | Minimum Field | Size | Practice | Ins. Price | Qty | Ins. Value |
|------------|-------------|----------------------|---------------|---------------|------|----------|------------|-----|------------|
|------------|-------------|----------------------|---------------|---------------|------|----------|------------|-----|------------|

Deciduous Shrubs

Berberis thunbergii 'Crimson Pygmy'

Crimson Pygmy Red Barberry

| | | | | | | | | | |
|----|----|-----|---|---|--------|-----------|-------|-----|----------|
| DS | G1 | 4-7 | 8 | 4 | 12 in. | Field-H/W | 14.18 | 100 | 1,418.00 |
| | | | | | 15 in. | Field-H/W | 15.53 | 100 | 1,553.00 |

Rhododendron 'Northern Lights'

Northern Lights Azalea

| | | | | | | | | | |
|----|----|-----|-----|---|--------|-----------|---------|-----|----------|
| DS | G1 | 3-6 | 7-8 | 3 | 18 in. | Field-H/W | 21.00 * | 100 | 2,100.00 |
| | | | | | 24 in. | Field-H/W | 25.00 * | 100 | 2,500.00 |

Viburnum x burkwoodii

Burkwood Viburnum

| | | | | | | | | | |
|----|----|-----|---|---|-----------|-----------|-------|-----|----------|
| DS | G1 | 3-7 | 8 | 4 | 4 ft. | Field-H/W | 43.85 | 100 | 4,385.00 |
| | | | | | 4 1/2 ft. | Field-H/W | 52.73 | 80 | 4,218.40 |
| | | | | | 5 ft. | Field-H/W | 63.27 | 100 | 6,327.00 |
| | | | | | 6 ft. | Field-H/W | 86.58 | 20 | 1,731.60 |

Deciduous Shrubs (DS) Subtotal 700 \$24,233.00

Deciduous Trees

Fraxinus pennsylvanica 'Marshall Seedless'

Marshall Seedless Green Ash

| | | | | | | | | | |
|----|----|-----|-----|---|-----------|-----------|----------|-----|-----------|
| DT | G1 | 3-6 | 7-8 | 3 | 3 1/2 in. | Field-Cal | 225.00 * | 100 | 22,500.00 |
| | | | | | 4 in. | Field-Cal | 275.00 * | 100 | 27,500.00 |

Deciduous Trees (DT) Subtotal 200 \$50,000.00

| | | |
|--------------------------|------------|--------------------|
| Field Grown Total | 900 | \$74,233.00 |
|--------------------------|------------|--------------------|

For this report to be accurate, you must enter your lowest wholesale price for each plant size, except for plants with prior damage. For plants with prior damage, enter the reduced plant value. If you have elected the NGPE and the plant price has no prior damage, you may enter a price less than or equal to your lowest wholesale catalog price.

The plant prices that will be used in settling any claims will be the lower of the FCIC maximum price limit or your lowest wholesale price as calculated from your wholesale catalog or price list submitted in accordance with the Special Provisions, unless the NGPE is selected in which case the upgraded plant price will be used (provided you have submitted sales records in accordance with the Nursery Grower's Price Endorsement and the upgraded plant price is less than or equal to the price on the sales records). Insurable plants damaged prior to the attachment of insurance coverage will be insured at a reduced value until such plants have fully recovered from damage.

- * denotes price from grower wholesale catalog, price list, or a reduced plant value for plants with prior damage
- *E denotes Nursery Grower's Price Endorsement upgraded plant price from the grower wholesale catalog or price list that is 50% or more over the EPL maximum insurance price.
- *e denotes Nursery Grower's Price Endorsement upgraded plant price from the grower wholesale catalog or price list that is less than 50% over the EPL maximum insurance price.

INSURANCE PRICE CALCULATION

Eligible plant insurance prices are based on:

Plant Type
Practice (container/field grown)
Measurement Method

The two growing practices involve four different plant size measurement methods:

Container

Volume (gal.) - 3" diameter or more
Cells/tray - 1" to <3" diameter (liners)

Field Grown

Caliper (in.)
High/Wide (in. or ft.)

Included in this section are the Base Price Tables for each of the plant types showing a base price for each eligible size and practice (container and field).

The main body of this document, titled "Eligible Plant List and Plant Price Schedule" (EPLPPS), shows a factor for each eligible plant name and valid measurement method. The container factor will be used for liners as well as for containers that measure 3 inches in diameter or more at the widest point.

The insurance price for each plant size is the grower's lowest wholesale catalog price (from catalogs or price lists submitted in accordance with the Special Provisions) not to exceed the maximum price calculated by multiplying the plant factor on the EPLPPS for the plant by the base price on the Base Price Table for that plant type and measurement method. Insurable plants damaged prior to the attachment of insurance coverage will be insured at a reduced value until such plants have fully recovered from damage.

EXAMPLES OF INSURANCE PRICE CALCULATION:

A grower wants to insure his Autumn Blaze maples (*Acer x freemanii* 'Jeffersred'). Examples of price calculations for each measurement method follow.

PRICE CALCULATION EXAMPLE – CONTAINER

Plant Name: *Acer x freemanii* 'Jeffersred'
Plant Type: DT
(from Eligible Plant List)
Size: 5 gal.
Measurement Method: Container/Liner X Caliper _____ High/Wide _____
Factor: 1.06
(from Eligible Plant List)
Base Price: \$ 21.00

Calculation of Max. Price:

$$\frac{\$ 21.00}{\text{Base Price}} \times \frac{1.06}{\text{Factor}} = \frac{\$ 22.26}{\text{Max. Price}}$$

Insurance Price: Lesser of Max. Price or Grower Lowest Wholesale Price

$$\frac{\$ 22.26}{\text{Max. Price}} \quad \frac{\$ 23.50}{\text{Grower Lowest Wholesale Price}}$$

Insurance price is \$ 22.26 in this example.

PRICE CALCULATION EXAMPLE – LINER

Plant Name: *Acer x freemanii* 'Jeffersred'
Plant Type: DT
(from Eligible Plant List)
Size: 37–71/Tray
Measurement Method: Container/Liner X Caliper _____ High/Wide _____
Factor: 1.06
(from Eligible Plant List)
Base Price: \$.82

Calculation of Max. Price:

$$\frac{\$.82}{\text{Base Price}} \times \frac{1.06}{\text{Factor}} = \frac{\$.87}{\text{Max. Price}}$$

Insurance Price: Lesser of Max. Price or Grower Lowest Wholesale Price

$$\frac{\$.87}{\text{Max. Price}} \quad \frac{\$.95}{\text{Grower Lowest Wholesale Price}}$$

Insurance price is \$.87 in this example.

PRICE CALCULATION EXAMPLE – CALIPER

Plant Name: Acer x freemanii 'Jeffersred'

Plant Type: DT
(from Eligible Plant List)

Size: 3 "

Measurement Method: Container/Liner ___ Caliper X High/Wide ___

Factor: 1.06
(from Eligible Plant List)___

Base Price: \$ 182.00

Calculation of Max. Price:

$$\begin{array}{rcccl} \underline{\$ 182.00} & \times & \underline{1.06} & = & \underline{\$ 192.92} \\ \text{Base Price} & & \text{Factor} & & \text{Max. Price} \end{array}$$

Insurance Price: Lesser of Max. Price or Grower Lowest Wholesale Price

$$\begin{array}{rcccl} \underline{\$ 192.92} & & & & \underline{\$ 165.00} \\ \text{Max. Price} & & & & \text{Grower Lowest Wholesale Price} \end{array}$$

Insurance price is \$ 165.00 in this example.

PRICE CALCULATION EXAMPLE – HIGH/WIDE

Plant Name: Acer x freemanii 'Jeffersred'

Plant Type: DT
(from Eligible Plant List)

Size: 5 ft.

Measurement Method: Container/Liner ___ Caliper ___ High/Wide X

Factor: 1.20
(from Eligible Plant List)

Base Price: \$ 53.00

Calculation of Max. Price:

$$\begin{array}{rcccl} \underline{\$ 53.00} & \times & \underline{1.20} & = & \underline{\$ 63.60} \\ \text{Base Price} & & \text{Factor} & & \text{Max. Price} \end{array}$$

Insurance Price: Lesser of Max. Price or Grower Lowest Wholesale Price

$$\begin{array}{rcccl} \underline{\$ 63.60} & & & & \underline{\$ 52.00} \\ \text{Max. Price} & & & & \text{Grower Lowest Wholesale Price} \end{array}$$

Insurance price is \$ 52.00 in this example.

2011 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Base Price Table - Annuals (AN)

The Base Price Tables are used to calculate the maximum insurable prices as described in the Insurance Price Calculation section.

Insurable prices for liners in individual cells are determined using the measurement method by which they are listed and priced in the insured's wholesale catalog or price list; i.e., size of the cell or cells per tray. Size of the cell is based on the inch diameter for round cells or the inch dimension of the longest side for square or rectangular cells. If both the inch and cells per tray measurement methods are listed and priced in the catalog, the inch measurement method will take precedence. An equivalency table for the two measurement methods is shown below.

| Container | | Field Grown | | | |
|---------------|-------|-------------|--|-----------|-------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.34 | | | | |
| 37-71/tray | 0.47 | | | | |
| <3"-36/tray | 0.65 | | | | |
| Pot | 0.70 | | | | |
| 1 Qt. | 1.10 | | | | |
| 2 Qt. | 1.80 | | | | |
| 1 Gal. | 3.10 | | | | |
| 2 Gal. | 5.70 | | | | |
| 3 Gal. | 8.20 | | | | |
| 5 Gal. & up | 13.00 | | | | |
| * Equivalence | | 72-200/tray | qualified liners < 2" diameter, square side, or longest rectangular side | | |
| | | 37-71/tray | 2" to < 2-3/8" diameter, square side, or longest rectangular side | | |
| | | <3"-36/tray | 2-3/8" to < 3" diameter, square side, or longest rectangular side | | |

2011 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Base Price Table - Broadleaf Evergreen Trees (BE)

The Base Price Tables are used to calculate the maximum insurable prices as described in the Insurance Price Calculation section.

Insurable prices for liners in individual cells are determined using the measurement method by which they are listed and priced in the insured's wholesale catalog or price list; i.e., size of the cell or cells per tray. Size of the cell is based on the inch diameter for round cells or the inch dimension of the longest side for square or rectangular cells. If both the inch and cells per tray measurement methods are listed and priced in the catalog, the inch measurement method will take precedence. An equivalency table for the two measurement methods is shown below.

| Container | | Field Grown | | | |
|---------------|---------|-------------|--------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.65 | 7/16 in. | 19.00 | 18 in. | 18.50 |
| 37-71/tray | 0.75 | 1/2 in. | 20.50 | 21 in. | 23.50 |
| <3"-36/tray | 1.00 | 5/8 in. | 24.00 | 24 in. | 28.50 |
| Pot | 2.00 | 3/4 in. | 27.50 | 30 in. | 42.00 |
| 1 Qt. | 2.50 | 1 in. | 44.00 | 36 in. | 48.00 |
| 2 Qt. | 3.25 | 1 1/4 in. | 52.00 | 42 in. | 54.00 |
| 1 Gal. | 5.00 | 1 1/2 in. | 62.00 | 4 ft. | 60.00 |
| 2 Gal. | 10.50 | 1 3/4 in. | 74.00 | 4 1/2 ft. | 67.00 |
| 3 Gal. | 14.00 | 2 in. | 88.00 | 5 ft. | 73.00 |
| 5 Gal. | 21.00 | 2 1/2 in. | 122.00 | 5 1/2 ft. | 80.00 |
| 7 Gal. | 27.00 | 3 in. | 165.00 | 6 ft. | 86.00 |
| 10 Gal. | 37.00 | 3 1/2 in. | 216.00 | 6 1/2 ft. | 93.00 |
| 15 Gal. | 53.00 | 4 in. | 275.00 | 7 ft. | 100.00 |
| 20 Gal. | 69.00 | 4 1/2 in. | 342.00 | 7 1/2 ft. | 107.00 |
| 25 Gal. | 86.00 | 5 in. | 418.00 | 8 ft. | 114.00 |
| 30 Gal. | 103.00 | 5 1/2 in. | 502.00 | 8 1/2 ft. | 121.00 |
| 35 Gal. | 120.00 | 6 in. & up | 594.00 | 9 ft. | 128.00 |
| 40 Gal. | 137.00 | | | 9 1/2 ft. | 136.00 |
| 45 Gal. | 155.00 | | | 10 ft. | 143.00 |
| 50 Gal. | 173.00 | | | 11 ft. | 158.00 |
| 55 Gal. | 191.00 | | | 12 ft. | 174.00 |
| 60 Gal. | 209.00 | | | 13 ft. | 190.00 |
| 65 Gal. | 228.00 | | | 14 ft. | 206.00 |
| 70 Gal. | 246.00 | | | 15 ft. | 218.00 |
| 75 Gal. | 265.00 | | | 16 ft. | 230.00 |
| 80 Gal. | 284.00 | | | 17 ft. | 242.00 |
| 85 Gal. | 304.00 | | | 18 ft. | 255.00 |
| 90 Gal. | 323.00 | | | 19 ft. | 268.00 |
| 95 Gal. | 343.00 | | | 20 ft. | 282.00 |
| 100 Gal. | 363.00 | | | 21 ft. | 296.00 |
| 150 Gal. | 576.00 | | | 22 ft. | 311.00 |
| 200 Gal. | 811.00 | | | 23 ft. | 326.00 |
| 250 Gal. | 1069.00 | | | 24 ft. | 341.00 |
| 300 Gal. & up | 1350.00 | | | 25 ft. | 357.00 |
| | | | | 26 ft. | 373.00 |
| | | | | 27 ft. | 389.00 |
| | | | | 28 ft. | 406.00 |
| | | | | 29 ft. | 423.00 |
| | | | | 30 ft. & up | 441.00 |

* Equivalence 72-200/tray qualified liners < 2" diameter, square side, or longest rectangular side
 37-71/tray 2" to < 2-3/8" diameter, square side, or longest rectangular side
 <3"-36/tray 2-3/8" to < 3" diameter, square side, or longest rectangular side

2011 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Base Price Table - Broadleaf Evergreen Shrubs (BS)

The Base Price Tables are used to calculate the maximum insurable prices as described in the Insurance Price Calculation section.

Insurable prices for liners in individual cells are determined using the measurement method by which they are listed and priced in the insured's wholesale catalog or price list; i.e., size of the cell or cells per tray. Size of the cell is based on the inch diameter for round cells or the inch dimension of the longest side for square or rectangular cells. If both the inch and cells per tray measurement methods are listed and priced in the catalog, the inch measurement method will take precedence. An equivalency table for the two measurement methods is shown below.

| Container | | Field Grown | | | |
|---------------|--------|-------------|-------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.47 | | | 6 in. | 9.10 |
| 37-71/tray | 0.77 | | | 8 in. | 10.50 |
| <3"-36/tray | 0.86 | | | 9 in. | 11.50 |
| Pot | 1.20 | | | 10 in. | 12.00 |
| 1 Qt. | 1.80 | | | 11 in. | 13.00 |
| 2 Qt. | 3.00 | | | 12 in. | 14.00 |
| 1 Gal. | 4.30 | | | 15 in. | 16.50 |
| 2 Gal. | 7.70 | | | 18 in. | 19.50 |
| 3 Gal. | 11.00 | | | 21 in. | 22.50 |
| 5 Gal. | 18.00 | | | 24 in. | 26.00 |
| 7 Gal. | 24.50 | | | 30 in. | 33.00 |
| 10 Gal. | 35.00 | | | 36 in. | 41.50 |
| 15 Gal. | 52.00 | | | 42 in. | 50.00 |
| 20 Gal. | 69.00 | | | 4 ft. | 60.00 |
| 25 Gal. | 86.00 | | | 4 1/2 ft. | 71.00 |
| 30 Gal. | 103.00 | | | 5 ft. | 82.00 |
| 35 Gal. | 120.00 | | | 5 1/2 ft. | 94.00 |
| 40 Gal. | 137.00 | | | 6 ft. | 107.00 |
| 45 Gal. | 154.00 | | | 6 1/2 ft. | 121.00 |
| 50 Gal. | 171.00 | | | 7 ft. | 136.00 |
| 55 Gal. | 189.00 | | | 7 1/2 ft. | 152.00 |
| 60 Gal. | 206.00 | | | 8 ft. | 168.00 |
| 65 Gal. | 223.00 | | | 8 1/2 ft. | 186.00 |
| 70 Gal. | 240.00 | | | 9 ft. | 204.00 |
| 75 Gal. | 258.00 | | | 9 1/2 ft. | 223.00 |
| 80 Gal. | 275.00 | | | 10 ft. | 242.00 |
| 85 Gal. | 292.00 | | | 11 ft. | 284.00 |
| 90 Gal. | 310.00 | | | 12 ft. & up | 330.00 |
| 95 Gal. | 327.00 | | | | |
| 100 Gal. & up | 344.00 | | | | |

* Equivalence 72-200/tray qualified liners < 2" diameter, square side, or longest rectangular side
 37-71/tray 2" to < 2-3/8" diameter, square side, or longest rectangular side
 <3"-36/tray 2-3/8" to < 3" diameter, square side, or longest rectangular side

2011 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Base Price Table - Coniferous Evergreen Trees (CE)

The Base Price Tables are used to calculate the maximum insurable prices as described in the Insurance Price Calculation section.

Insurable prices for liners in individual cells are determined using the measurement method by which they are listed and priced in the insured's wholesale catalog or price list; i.e., size of the cell or cells per tray. Size of the cell is based on the inch diameter for round cells or the inch dimension of the longest side for square or rectangular cells. If both the inch and cells per tray measurement methods are listed and priced in the catalog, the inch measurement method will take precedence. An equivalency table for the two measurement methods is shown below.

| Container | | Field Grown | | | |
|--------------|--------|-------------|--------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.48 | 7/16 in. | 12.00 | Seedling | 0.18 |
| 37-71/tray | 0.72 | 1/2 in. | 14.00 | 18 in. | 25.00 |
| <3"-36/tray | 0.90 | 5/8 in. | 19.00 | 21 in. | 26.50 |
| Pot | 1.80 | 3/4 in. | 23.50 | 24 in. | 28.50 |
| 1 Qt. | 2.50 | 1 in. | 33.50 | 30 in. | 33.00 |
| 2 Qt. | 3.70 | 1 1/4 in. | 44.50 | 36 in. | 38.50 |
| 1 Gal. | 6.00 | 1 1/2 in. | 56.00 | 42 in. | 45.00 |
| 2 Gal. | 10.50 | 1 3/4 in. | 69.00 | 4 ft. | 52.00 |
| 3 Gal. | 15.00 | 2 in. | 82.00 | 4 1/2 ft. | 61.00 |
| 5 Gal. | 24.00 | 2 1/2 in. | 111.00 | 5 ft. | 70.00 |
| 7 Gal. | 32.50 | 3 in. | 143.00 | 5 1/2 ft. | 80.00 |
| 10 Gal. | 45.50 | 3 1/2 in. | 178.00 | 6 ft. | 91.00 |
| 15 Gal. | 66.00 | 4 in. | 216.00 | 6 1/2 ft. | 103.00 |
| 20 Gal. | 86.00 | 4 1/2 in. | 258.00 | 7 ft. | 115.00 |
| 25 Gal. | 105.00 | 5 in. | 303.00 | 7 1/2 ft. | 129.00 |
| 30 Gal. | 122.00 | 5 1/2 in. | 350.00 | 8 ft. | 144.00 |
| 35 Gal. | 139.00 | 6 in. & up | 401.00 | 8 1/2 ft. | 159.00 |
| 40 Gal. | 155.00 | | | 9 ft. | 176.00 |
| 45 Gal. | 170.00 | | | 9 1/2 ft. | 193.00 |
| 50 Gal. | 184.00 | | | 10 ft. | 211.00 |
| 55 Gal. | 197.00 | | | 11 ft. | 250.00 |
| 60 Gal. | 209.00 | | | 12 ft. | 293.00 |
| 65 Gal. & up | 220.00 | | | 13 ft. | 340.00 |
| | | | | 14 ft. | 390.00 |
| | | | | 15 ft. | 444.00 |
| | | | | 16 ft. | 501.00 |
| | | | | 17 ft. | 562.00 |
| | | | | 18 ft. | 627.00 |
| | | | | 19 ft. | 696.00 |
| | | | | 20 ft. & up | 768.00 |

* Equivalence 72-200/tray qualified liners < 2" diameter, square side, or longest rectangular side
 37-71/tray 2" to < 2-3/8" diameter, square side, or longest rectangular side
 <3"-36/tray 2-3/8" to < 3" diameter, square side, or longest rectangular side

2011 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Base Price Table - Coniferous Evergreen Shrubs (CS)

The Base Price Tables are used to calculate the maximum insurable prices as described in the Insurance Price Calculation section.

Insurable prices for liners in individual cells are determined using the measurement method by which they are listed and priced in the insured's wholesale catalog or price list; i.e., size of the cell or cells per tray. Size of the cell is based on the inch diameter for round cells or the inch dimension of the longest side for square or rectangular cells. If both the inch and cells per tray measurement methods are listed and priced in the catalog, the inch measurement method will take precedence. An equivalency table for the two measurement methods is shown below.

| Container | | Field Grown | | | |
|--------------|--------|-------------|-------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.40 | | | 6 in. | 16.50 |
| 37-71/tray | 0.70 | | | 8 in. | 18.50 |
| <3"-36/tray | 0.79 | | | 9 in. | 19.00 |
| Pot | 1.00 | | | 10 in. | 20.00 |
| 1 Qt. | 2.30 | | | 11 in. | 21.00 |
| 2 Qt. | 2.90 | | | 12 in. | 22.00 |
| 1 Gal. | 4.40 | | | 15 in. | 24.50 |
| 2 Gal. | 8.70 | | | 18 in. | 27.50 |
| 3 Gal. | 14.00 | | | 21 in. | 30.50 |
| 5 Gal. | 24.50 | | | 24 in. | 33.50 |
| 7 Gal. | 35.00 | | | 30 in. | 40.00 |
| 10 Gal. | 50.00 | | | 36 in. | 46.50 |
| 15 Gal. | 74.00 | | | 42 in. | 54.00 |
| 20 Gal. | 97.00 | | | 4 ft. | 61.00 |
| 25 Gal. | 119.00 | | | 4 1/2 ft. | 69.00 |
| 30 Gal. | 139.00 | | | 5 ft. | 77.00 |
| 35 Gal. | 157.00 | | | 5 1/2 ft. | 85.00 |
| 40 Gal. | 174.00 | | | 6 ft. | 94.00 |
| 45 Gal. | 190.00 | | | 6 1/2 ft. | 103.00 |
| 50 Gal. | 205.00 | | | 7 ft. | 112.00 |
| 55 Gal. | 218.00 | | | 7 1/2 ft. | 121.00 |
| 60 Gal. | 229.00 | | | 8 ft. | 131.00 |
| 65 Gal. & up | 240.00 | | | 8 1/2 ft. | 142.00 |
| | | | | 9 ft. | 152.00 |
| | | | | 9 1/2 ft. | 163.00 |
| | | | | 10 ft. | 174.00 |
| | | | | 11 ft. | 198.00 |
| | | | | 12 ft. & up | 223.00 |

* Equivalence 72-200/tray qualified liners < 2" diameter, square side, or longest rectangular side
 37-71/tray 2" to < 2-3/8" diameter, square side, or longest rectangular side
 <3"-36/tray 2-3/8" to < 3" diameter, square side, or longest rectangular side

2011 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Base Price Table - Deciduous Shrubs (DS)

The Base Price Tables are used to calculate the maximum insurable prices as described in the Insurance Price Calculation section.

Insurable prices for liners in individual cells are determined using the measurement method by which they are listed and priced in the insured's wholesale catalog or price list; i.e., size of the cell or cells per tray. Size of the cell is based on the inch diameter for round cells or the inch dimension of the longest side for square or rectangular cells. If both the inch and cells per tray measurement methods are listed and priced in the catalog, the inch measurement method will take precedence. An equivalency table for the two measurement methods is shown below.

| Container | | Field Grown | | | |
|--------------|--------|-------------|-------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.61 | | | 6 in. | 5.00 |
| 37-71/tray | 0.99 | | | 8 in. | 6.00 |
| <3"-36/tray | 1.08 | | | 9 in. | 7.00 |
| Pot | 1.40 | | | 10 in. | 8.00 |
| 1 Qt. | 2.00 | | | 11 in. | 9.00 |
| 2 Qt. | 2.90 | | | 12 in. | 10.50 |
| 1 Gal. | 4.70 | | | 15 in. | 11.50 |
| 2 Gal. | 8.20 | | | 18 in. | 13.00 |
| 3 Gal. | 12.00 | | | 21 in. | 14.50 |
| 5 Gal. | 19.00 | | | 24 in. | 16.50 |
| 7 Gal. | 26.00 | | | 30 in. | 20.50 |
| 10 Gal. | 36.50 | | | 36 in. | 26.00 |
| 15 Gal. | 54.00 | | | 42 in. | 32.00 |
| 20 Gal. | 71.00 | | | 4 ft. | 39.50 |
| 25 Gal. | 88.00 | | | 4 1/2 ft. | 47.50 |
| 30 Gal. | 105.00 | | | 5 ft. | 57.00 |
| 35 Gal. | 122.00 | | | 5 1/2 ft. | 67.00 |
| 40 Gal. | 139.00 | | | 6 ft. | 78.00 |
| 45 Gal. | 155.00 | | | 6 1/2 ft. | 90.00 |
| 50 Gal. | 171.00 | | | 7 ft. | 104.00 |
| 55 Gal. | 187.00 | | | 7 1/2 ft. | 118.00 |
| 60 Gal. | 203.00 | | | 8 ft. | 133.00 |
| 65 Gal. & up | 219.00 | | | 8 1/2 ft. | 149.00 |
| | | | | 9 ft. | 166.00 |
| | | | | 9 1/2 ft. | 184.00 |
| | | | | 10 ft. | 203.00 |
| | | | | 11 ft. | 244.00 |
| | | | | 12 ft. & up | 290.00 |

* Equivalence 72-200/tray qualified liners < 2" diameter, square side, or longest rectangular side
 37-71/tray 2" to < 2-3/8" diameter, square side, or longest rectangular side
 <3"-36/tray 2-3/8" to < 3" diameter, square side, or longest rectangular side

2011 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Base Price Table - Deciduous Trees (DT)

The Base Price Tables are used to calculate the maximum insurable prices as described in the Insurance Price Calculation section.

Insurable prices for liners in individual cells are determined using the measurement method by which they are listed and priced in the insured's wholesale catalog or price list; i.e., size of the cell or cells per tray. Size of the cell is based on the inch diameter for round cells or the inch dimension of the longest side for square or rectangular cells. If both the inch and cells per tray measurement methods are listed and priced in the catalog, the inch measurement method will take precedence. An equivalency table for the two measurement methods is shown below.

| Container | | Field Grown | | | |
|---------------|---------|-------------|--------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.62 | 7/16 in. | 7.60 | Seedling | 0.46 |
| 37-71/tray | 0.82 | 1/2 in. | 10.00 | 18 in. | 11.00 |
| <3"-36/tray | 1.01 | 5/8 in. | 11.00 | 21 in. | 13.50 |
| Pot | 1.90 | 3/4 in. | 18.00 | 24 in. | 16.50 |
| 1 Qt. | 2.30 | 1 in. | 38.00 | 30 in. | 22.00 |
| 2 Qt. | 3.10 | 1 1/4 in. | 48.00 | 36 in. | 28.00 |
| 1 Gal. | 4.80 | 1 1/2 in. | 68.00 | 42 in. | 34.00 |
| 2 Gal. | 10.00 | 1 3/4 in. | 87.00 | 4 ft. | 40.00 |
| 3 Gal. | 13.00 | 2 in. | 102.00 | 4 1/2 ft. | 46.50 |
| 5 Gal. | 21.00 | 2 1/2 in. | 138.00 | 5 ft. | 53.00 |
| 7 Gal. | 28.50 | 3 in. | 182.00 | 5 1/2 ft. | 60.00 |
| 10 Gal. | 37.50 | 3 1/2 in. | 235.00 | 6 ft. | 67.00 |
| 15 Gal. | 53.00 | 4 in. | 295.00 | 6 1/2 ft. | 74.00 |
| 20 Gal. | 69.00 | 4 1/2 in. | 365.00 | 7 ft. | 82.00 |
| 25 Gal. | 85.00 | 5 in. | 442.00 | 7 1/2 ft. | 89.00 |
| 30 Gal. | 102.00 | 5 1/2 in. | 528.00 | 8 ft. | 97.00 |
| 35 Gal. | 118.00 | 6 in. & up | 621.00 | 8 1/2 ft. | 105.00 |
| 40 Gal. | 134.00 | | | 9 ft. | 114.00 |
| 45 Gal. | 151.00 | | | 9 1/2 ft. | 122.00 |
| 50 Gal. | 168.00 | | | 10 ft. | 131.00 |
| 55 Gal. | 185.00 | | | 11 ft. | 149.00 |
| 60 Gal. | 202.00 | | | 12 ft. | 168.00 |
| 65 Gal. | 220.00 | | | 13 ft. | 187.00 |
| 70 Gal. | 237.00 | | | 14 ft. | 208.00 |
| 75 Gal. | 255.00 | | | 15 ft. | 229.00 |
| 80 Gal. | 273.00 | | | 16 ft. | 251.00 |
| 85 Gal. | 291.00 | | | 17 ft. | 274.00 |
| 90 Gal. | 309.00 | | | 18 ft. | 298.00 |
| 95 Gal. | 327.00 | | | 19 ft. | 323.00 |
| 100 Gal. | 346.00 | | | 20 ft. & up | 348.00 |
| 150 Gal. | 540.00 | | | | |
| 200 Gal. | 751.00 | | | | |
| 250 Gal. | 978.00 | | | | |
| 300 Gal. & up | 1222.00 | | | | |

* Equivalence 72-200/tray qualified liners < 2" diameter, square side, or longest rectangular side
 37-71/tray 2" to < 2-3/8" diameter, square side, or longest rectangular side
 <3"-36/tray 2-3/8" to < 3" diameter, square side, or longest rectangular side

2011 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Base Price Table - Fruit and Nut Trees (FN)

The Base Price Tables are used to calculate the maximum insurable prices as described in the Insurance Price Calculation section.

Insurable prices for liners in individual cells are determined using the measurement method by which they are listed and priced in the insured's wholesale catalog or price list; i.e., size of the cell or cells per tray. Size of the cell is based on the inch diameter for round cells or the inch dimension of the longest side for square or rectangular cells. If both the inch and cells per tray measurement methods are listed and priced in the catalog, the inch measurement method will take precedence. An equivalency table for the two measurement methods is shown below.

| Container | | Field Grown | | | |
|--------------|--------|-------------|--------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.83 | 7/16 in. | 6.00 | 18 in. | 6.00 |
| 37-71/tray | 0.94 | 1/2 in. | 7.80 | 21 in. | 6.50 |
| <3"-36/tray | 1.10 | 5/8 in. | 10.00 | 24 in. | 7.50 |
| Pot | 2.00 | 3/4 in. | 12.50 | 30 in. | 8.00 |
| 1 Qt. | 3.00 | 1 in. | 15.00 | 36 in. | 14.50 |
| 2 Qt. | 4.50 | 1 1/4 in. | 30.00 | 42 in. | 16.50 |
| 1 Gal. | 5.50 | 1 1/2 in. | 80.00 | 4 ft. | 18.50 |
| 2 Gal. | 10.50 | 1 3/4 in. | 101.00 | 4 1/2 ft. | 24.00 |
| 3 Gal. | 12.00 | 2 in. | 122.00 | 5 ft. | 31.00 |
| 5 Gal. | 20.00 | 2 1/2 in. | 164.00 | 5 1/2 ft. | 38.50 |
| 7 Gal. | 28.50 | 3 in. | 207.00 | 6 ft. | 47.50 |
| 10 Gal. | 40.50 | 3 1/2 in. | 251.00 | 6 1/2 ft. | 58.00 |
| 15 Gal. | 61.00 | 4 in. & up | 294.00 | 7 ft. | 69.00 |
| 20 Gal. | 81.00 | | | 7 1/2 ft. | 81.00 |
| 25 Gal. | 102.00 | | | 8 ft. | 95.00 |
| 30 Gal. | 123.00 | | | 8 1/2 ft. | 104.00 |
| 35 Gal. | 143.00 | | | 9 ft. | 115.00 |
| 40 Gal. | 164.00 | | | 9 1/2 ft. | 127.00 |
| 45 Gal. | 185.00 | | | 10 ft. & up | 140.00 |
| 50 Gal. | 206.00 | | | | |
| 55 Gal. | 228.00 | | | | |
| 60 Gal. | 249.00 | | | | |
| 65 Gal. & up | 270.00 | | | | |

* Equivalence 72-200/tray qualified liners < 2" diameter, square side, or longest rectangular side
 37-71/tray 2" to < 2-3/8" diameter, square side, or longest rectangular side
 <3"-36/tray 2-3/8" to < 3" diameter, square side, or longest rectangular side

2011 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Base Price Table - Foliage (FO)

The Base Price Tables are used to calculate the maximum insurable prices as described in the Insurance Price Calculation section.

Insurable prices for liners in individual cells are determined using the measurement method by which they are listed and priced in the insured's wholesale catalog or price list; i.e., size of the cell or cells per tray. Size of the cell is based on the inch diameter for round cells or the inch dimension of the longest side for square or rectangular cells. If both the inch and cells per tray measurement methods are listed and priced in the catalog, the inch measurement method will take precedence. An equivalency table for the two measurement methods is shown below.

| Container | | Field Grown | | | |
|--------------|--------|-------------|-------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.66 | | | 18 in. | 16.00 |
| 37-71/tray | 1.16 | | | 21 in. | 19.00 |
| <3"-36/tray | 1.38 | | | 24 in. | 22.00 |
| Pot | 4.00 | | | 30 in. | 27.50 |
| 1 Qt. | 4.50 | | | 36 in. | 33.00 |
| 2 Qt. | 5.00 | | | 42 in. | 38.50 |
| 1 Gal. | 5.50 | | | 4 ft. | 44.00 |
| 2 Gal. | 8.80 | | | 4 1/2 ft. | 50.00 |
| 3 Gal. | 12.50 | | | 5 ft. | 55.00 |
| 5 Gal. | 21.00 | | | 5 1/2 ft. | 61.00 |
| 7 Gal. | 29.50 | | | 6 ft. | 67.00 |
| 10 Gal. | 42.50 | | | 6 1/2 ft. | 72.00 |
| 15 Gal. | 66.00 | | | 7 ft. | 78.00 |
| 20 Gal. | 91.00 | | | 7 1/2 ft. | 84.00 |
| 25 Gal. | 118.00 | | | 8 ft. | 89.00 |
| 30 Gal. | 147.00 | | | 8 1/2 ft. | 95.00 |
| 35 Gal. | 177.00 | | | 9 ft. | 101.00 |
| 40 Gal. | 209.00 | | | 9 1/2 ft. | 106.00 |
| 45 Gal. | 244.00 | | | 10 ft. | 112.00 |
| 50 Gal. | 279.00 | | | 11 ft. | 123.00 |
| 55 Gal. | 317.00 | | | 12 ft. | 135.00 |
| 60 Gal. | 357.00 | | | 13 ft. | 146.00 |
| 65 Gal. & up | 398.00 | | | 14 ft. | 158.00 |
| | | | | 15 ft. | 169.00 |
| | | | | 16 ft. | 181.00 |
| | | | | 17 ft. | 192.00 |
| | | | | 18 ft. | 197.00 |
| | | | | 19 ft. | 202.00 |
| | | | | 20 ft. | 206.00 |
| | | | | 21 ft. | 210.00 |
| | | | | 22 ft. | 214.00 |
| | | | | 23 ft. | 218.00 |
| | | | | 24 ft. | 221.00 |
| | | | | 25 ft. & up | 224.00 |

* Equivalence 72-200/tray qualified liners < 2" diameter, square side, or longest rectangular side
 37-71/tray 2" to < 2-3/8" diameter, square side, or longest rectangular side
 <3"-36/tray 2-3/8" to < 3" diameter, square side, or longest rectangular side

2011 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Base Price Table - Ground Cover and Vines (GC)

The Base Price Tables are used to calculate the maximum insurable prices as described in the Insurance Price Calculation section.

Insurable prices for liners in individual cells are determined using the measurement method by which they are listed and priced in the insured's wholesale catalog or price list; i.e., size of the cell or cells per tray. Size of the cell is based on the inch diameter for round cells or the inch dimension of the longest side for square or rectangular cells. If both the inch and cells per tray measurement methods are listed and priced in the catalog, the inch measurement method will take precedence. An equivalency table for the two measurement methods is shown below.

| Container | | Field Grown | | | |
|--------------|-------|-------------|-------|------------|-------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.55 | | | 6 in. | 5.80 |
| 37-71/tray | 0.83 | | | 8 in. | 6.30 |
| <3"-36/tray | 2.20 | | | 9 in. | 6.90 |
| Pot | 2.80 | | | 10 in. | 8.00 |
| 1 Qt. | 3.20 | | | 11 in. | 10.00 |
| 2 Qt. | 4.00 | | | 12 in. | 12.00 |
| 1 Gal. | 5.50 | | | 15 in. | 14.50 |
| 2 Gal. | 8.80 | | | 18 in. | 16.00 |
| 3 Gal. | 12.50 | | | 21 in. | 17.50 |
| 5 Gal. | 20.00 | | | 24 in. | 18.50 |
| 7 Gal. | 29.00 | | | 30 in. | 20.00 |
| 10 Gal. & up | 44.00 | | | 36 in. | 21.00 |
| | | | | 42 in. | 22.00 |
| | | | | 4 ft. | 23.00 |
| | | | | 4 1/2 ft. | 24.00 |
| | | | | 5 ft. & up | 25.00 |

| | | |
|---------------|-------------|--|
| * Equivalence | 72-200/tray | qualified liners < 2" diameter, square side, or longest rectangular side |
| | 37-71/tray | 2" to < 2-3/8" diameter, square side, or longest rectangular side |
| | <3"-36/tray | 2-3/8" to < 3" diameter, square side, or longest rectangular side |

2011 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Base Price Table - Herbaceous Perennials (HP)

The Base Price Tables are used to calculate the maximum insurable prices as described in the Insurance Price Calculation section.

Insurable prices for liners in individual cells are determined using the measurement method by which they are listed and priced in the insured's wholesale catalog or price list; i.e., size of the cell or cells per tray. Size of the cell is based on the inch diameter for round cells or the inch dimension of the longest side for square or rectangular cells. If both the inch and cells per tray measurement methods are listed and priced in the catalog, the inch measurement method will take precedence. An equivalency table for the two measurement methods is shown below.

| Container | | Field Grown | | | |
|--------------|--------|-------------|-------|-----------|-------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.52 | | | | |
| 37-71/tray | 0.73 | | | | |
| <3"-36/tray | 1.16 | | | | |
| Pot | 2.00 | | | | |
| 1 Qt. | 2.30 | | | | |
| 2 Qt. | 3.00 | | | | |
| 1 Gal. | 4.30 | | | | |
| 2 Gal. | 7.10 | | | | |
| 3 Gal. | 10.00 | | | | |
| 5 Gal. | 16.50 | | | | |
| 7 Gal. | 23.50 | | | | |
| 10 Gal. | 35.00 | | | | |
| 15 Gal. | 58.00 | | | | |
| 20 Gal. | 85.00 | | | | |
| 25 Gal. & up | 116.00 | | | | |

| | | |
|---------------|-------------|--|
| * Equivalence | 72-200/tray | qualified liners < 2" diameter, square side, or longest rectangular side |
| | 37-71/tray | 2" to < 2-3/8" diameter, square side, or longest rectangular side |
| | <3"-36/tray | 2-3/8" to < 3" diameter, square side, or longest rectangular side |

2011 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Base Price Table - Palms and Cycads (PC)

The Base Price Tables are used to calculate the maximum insurable prices as described in the Insurance Price Calculation section.

Insurable prices for liners in individual cells are determined using the measurement method by which they are listed and priced in the insured's wholesale catalog or price list; i.e., size of the cell or cells per tray. Size of the cell is based on the inch diameter for round cells or the inch dimension of the longest side for square or rectangular cells. If both the inch and cells per tray measurement methods are listed and priced in the catalog, the inch measurement method will take precedence. An equivalency table for the two measurement methods is shown below.

| Container | | Field Grown | | | |
|---------------|--------|-------------|-------|-------------|--------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.39 | | | 18 in. | 32.50 |
| 37-71/tray | 0.66 | | | 21 in. | 36.00 |
| <3"-36/tray | 0.88 | | | 24 in. | 40.00 |
| Pot | 1.00 | | | 30 in. | 47.00 |
| 1 Qt. | 2.00 | | | 36 in. | 54.00 |
| 2 Qt. | 3.50 | | | 42 in. | 61.00 |
| 1 Gal. | 5.50 | | | 4 ft. | 68.00 |
| 2 Gal. | 12.00 | | | 4 1/2 ft. | 75.00 |
| 3 Gal. | 14.00 | | | 5 ft. | 82.00 |
| 5 Gal. | 24.00 | | | 5 1/2 ft. | 89.00 |
| 7 Gal. | 34.00 | | | 6 ft. | 96.00 |
| 10 Gal. | 49.00 | | | 6 1/2 ft. | 103.00 |
| 15 Gal. | 74.00 | | | 7 ft. | 110.00 |
| 20 Gal. | 98.00 | | | 7 1/2 ft. | 116.00 |
| 25 Gal. | 121.00 | | | 8 ft. | 123.00 |
| 30 Gal. | 145.00 | | | 8 1/2 ft. | 130.00 |
| 35 Gal. | 168.00 | | | 9 ft. | 136.00 |
| 40 Gal. | 190.00 | | | 9 1/2 ft. | 143.00 |
| 45 Gal. | 212.00 | | | 10 ft. | 149.00 |
| 50 Gal. | 234.00 | | | 11 ft. | 162.00 |
| 55 Gal. | 255.00 | | | 12 ft. | 174.00 |
| 60 Gal. | 276.00 | | | 13 ft. | 187.00 |
| 65 Gal. | 297.00 | | | 14 ft. | 199.00 |
| 70 Gal. | 317.00 | | | 15 ft. | 211.00 |
| 75 Gal. | 336.00 | | | 16 ft. | 222.00 |
| 80 Gal. | 356.00 | | | 17 ft. | 234.00 |
| 85 Gal. | 375.00 | | | 18 ft. | 245.00 |
| 90 Gal. | 393.00 | | | 19 ft. | 256.00 |
| 95 Gal. | 411.00 | | | 20 ft. | 267.00 |
| 100 Gal. | 429.00 | | | 21 ft. | 278.00 |
| 150 Gal. | 583.00 | | | 22 ft. | 288.00 |
| 200 Gal. | 697.00 | | | 23 ft. | 298.00 |
| 250 Gal. | 770.00 | | | 24 ft. | 309.00 |
| 300 Gal. & up | 803.00 | | | 25 ft. | 318.00 |
| | | | | 26 ft. | 328.00 |
| | | | | 27 ft. | 337.00 |
| | | | | 28 ft. | 347.00 |
| | | | | 29 ft. | 356.00 |
| | | | | 30 ft. & up | 364.00 |

* Equivalence 72-200/tray qualified liners < 2" diameter, square side, or longest rectangular side
 37-71/tray 2" to < 2-3/8" diameter, square side, or longest rectangular side
 <3"-36/tray 2-3/8" to < 3" diameter, square side, or longest rectangular side

2011 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Base Price Table - Roses (RO)

The Base Price Tables are used to calculate the maximum insurable prices as described in the Insurance Price Calculation section.

Insurable prices for liners in individual cells are determined using the measurement method by which they are listed and priced in the insured's wholesale catalog or price list; i.e., size of the cell or cells per tray. Size of the cell is based on the inch diameter for round cells or the inch dimension of the longest side for square or rectangular cells. If both the inch and cells per tray measurement methods are listed and priced in the catalog, the inch measurement method will take precedence. An equivalency table for the two measurement methods is shown below.

| Container | | Field Grown | | | |
|-------------|-------|-------------|-------|------------|-------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.66 | | | 6 in. | 4.80 |
| 37-71/tray | 0.99 | | | 8 in. | 5.60 |
| <3"-36/tray | 1.65 | | | 9 in. | 6.00 |
| Pot | 3.30 | | | 10 in. | 6.40 |
| 1 Qt. | 3.90 | | | 11 in. | 7.00 |
| 2 Qt. | 4.80 | | | 12 in. | 11.50 |
| 1 Gal. | 6.60 | | | 15 in. | 12.00 |
| 2 Gal. | 9.70 | | | 18 in. | 12.50 |
| 3 Gal. | 12.50 | | | 21 in. | 13.00 |
| 5 Gal. & up | 16.00 | | | 24 in. | 14.00 |
| | | | | 30 in. | 17.50 |
| | | | | 36 in. | 22.00 |
| | | | | 42 in. | 28.00 |
| | | | | 4 ft. | 35.00 |
| | | | | 4 1/2 ft. | 43.50 |
| | | | | 5 ft. & up | 53.00 |

| | | |
|---------------|-------------|--|
| * Equivalence | 72-200/tray | qualified liners < 2" diameter, square side, or longest rectangular side |
| | 37-71/tray | 2" to < 2-3/8" diameter, square side, or longest rectangular side |
| | <3"-36/tray | 2-3/8" to < 3" diameter, square side, or longest rectangular side |

2011 and Succeeding Crop Years Eligible Plant List and Plant Price Schedule

Base Price Table - Small Fruits (SF)

The Base Price Tables are used to calculate the maximum insurable prices as described in the Insurance Price Calculation section.

Insurable prices for liners in individual cells are determined using the measurement method by which they are listed and priced in the insured's wholesale catalog or price list; i.e., size of the cell or cells per tray. Size of the cell is based on the inch diameter for round cells or the inch dimension of the longest side for square or rectangular cells. If both the inch and cells per tray measurement methods are listed and priced in the catalog, the inch measurement method will take precedence. An equivalency table for the two measurement methods is shown below.

| Container | | Field Grown | | | |
|--------------|-------|-------------|-------|------------|-------|
| Size | Price | Caliper | | High/Wide | |
| | | Size | Price | Size | Price |
| 72-200/tray | 0.66 | | | 6 in. | 1.00 |
| 37-71/tray | 1.10 | | | 8 in. | 1.40 |
| <3"-36/tray | 1.21 | | | 9 in. | 2.10 |
| Pot | 3.00 | | | 10 in. | 2.50 |
| 1 Qt. | 3.40 | | | 11 in. | 3.80 |
| 2 Qt. | 4.10 | | | 12 in. | 4.10 |
| 1 Gal. | 5.50 | | | 15 in. | 5.60 |
| 2 Gal. | 8.40 | | | 18 in. | 7.10 |
| 3 Gal. | 11.50 | | | 21 in. | 10.50 |
| 5 Gal. | 18.00 | | | 24 in. | 13.50 |
| 7 Gal. | 25.00 | | | 30 in. | 21.00 |
| 10 Gal. & up | 36.00 | | | 36 in. | 28.50 |
| | | | | 42 in. | 37.00 |
| | | | | 4 ft. | 46.00 |
| | | | | 4 1/2 ft. | 55.00 |
| | | | | 5 ft. & up | 66.00 |

| | | |
|---------------|-------------|--|
| * Equivalence | 72-200/tray | qualified liners < 2" diameter, square side, or longest rectangular side |
| | 37-71/tray | 2" to < 2-3/8" diameter, square side, or longest rectangular side |
| | <3"-36/tray | 2-3/8" to < 3" diameter, square side, or longest rectangular side |

ELIGIBLE PLANT LIST AND PLANT PRICE SCHEDULE

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Abelia</i> | BS | 0.96 | R2 | 4-5 | 6-8 | | 0.53 | 5 |
| <i>Abelia</i> | | | | | | | | |
| <i>Abelia</i> 'Edward Goucher' | BS | 0.75 | R2 | 4-5 | 6-8 | | 0.53 | 5 |
| Edward Goucher <i>Abelia</i> | | | | | | | | |
| <i>Abelia</i> 'Mardi Gras' P.P. 15203 | BS | 1.17 | R2 | 4-5 | 6-8 | | 0.53 | 5 |
| Mardi Gras Glossy <i>Abelia</i> | | | | | | | | |
| <i>Abelia chinensis</i> | BS | 0.93 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Chinese <i>Abelia</i> | | | | | | | | |
| <i>Abelia floribunda</i> | BS | 0.70 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Mexican <i>Abelia</i> | | | | | | | | |
| <i>Abelia xgrandiflora</i> | BS | 0.76 | R2 | 4-5 | 6-8 | | 0.42 | 5 |
| Glossy <i>Abelia</i> | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'Aurea' | BS | 0.50 | R2 | 4-5 | 6-8 | | 0.42 | 5 |
| Golden Glossy <i>Abelia</i> | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'Canyon Creek' | BS | 0.96 | R2 | 4-5 | 6-8 | | 0.42 | 5 |
| Canyon Creek Glossy <i>Abelia</i> | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'Compacta' | BS | 1.10 | R2 | 4-5 | 6-8 | | 0.42 | 5 |
| Compact Glossy <i>Abelia</i> | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'Confetti' | | | | | | | | |
| See - <i>Abelia xgrandiflora</i> 'Conti' P.P. 8472 | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'Conti' P.P. 8472 | BS | 0.84 | R2 | 4-5 | 6-8 | | 0.42 | 5 |
| Confetti Glossy <i>Abelia</i> | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'Flat Creek' | BS | 0.84 | R2 | 4-5 | 6-8 | | 0.42 | 5 |
| Flat Creek Glossy <i>Abelia</i> | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'Francis Mason' | BS | 0.77 | R2 | 4-5 | 6-8 | | 0.42 | 5 |
| Francis Mason Glossy <i>Abelia</i> | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'Gold Dust' | | | | | | | | |
| See - <i>Abelia xgrandiflora</i> 'Goldenglossy' P.P. 13285 | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'Goldenglossy' P.P. 13285 | BS | 1.06 | R2 | 4-5 | 6-8 | | 0.42 | 5 |
| Gold Dust Glossy <i>Abelia</i> | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'John Creech' | BS | 0.83 | R2 | 4-5 | 6-8 | | 0.42 | 5 |
| John Creech Glossy <i>Abelia</i> | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'Kaleidoscope' P.P. 16988 | BS | 1.38 | R2 | 4-5 | 6-8 | | 0.42 | 5 |
| Kaleidoscope Glossy <i>Abelia</i> | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'Little Richard' | BS | 0.78 | R2 | 4-5 | 6-8 | | 0.42 | 5 |
| Little Richard Glossy <i>Abelia</i> | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'Mosanensis' | | | | | | | | |
| See - <i>Abelia mosanensis</i> | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'Panache' P.P.A.F. | BS | 1.21 | R2 | 4-5 | 6-8 | | 0.42 | 5 |
| Silver Anniversary™ Glossy <i>Abelia</i> | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'Prostrata' P.P. 1431 | BS | 0.92 | R2 | 4-5 | 6-8 | | 0.42 | 5 |
| Prostrate Glossy <i>Abelia</i> | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'Rainbow' | BS | 0.94 | R2 | 4-5 | 6-8 | | 0.42 | 5 |
| Rainbow Glossy <i>Abelia</i> | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'Rose Creek' | BS | 0.92 | R2 | 4-5 | 6-8 | | 0.42 | 5 |
| Rose Creek Glossy <i>Abelia</i> | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'Sherwoodii' | BS | 0.67 | R2 | 4-5 | 6-8 | | 0.42 | 5 |
| Sherwood Glossy <i>Abelia</i> | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'Silver Anniversary' | | | | | | | | |
| See - <i>Abelia xgrandiflora</i> 'Panache' P.P.A.F. | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'Sunrise' P.P. 9698 | BS | 1.30 | R2 | 4-5 | 6-8 | | 0.42 | 5 |
| Sunrise Glossy <i>Abelia</i> | | | | | | | | |
| <i>Abelia xgrandiflora</i> 'White Marvel' P.P. 13430 | BS | 1.14 | R2 | 4-5 | 6-8 | | 0.42 | 5 |
| White Marvel Glossy <i>Abelia</i> | | | | | | | | |
| <i>Abelia mosanensis</i> | BS | 1.01 | R2 | 4-6 | 7-8 | | 1.00 | 5 |
| Sweet <i>Abelia</i> | | | | | | | | |
| <i>Abelia mosanensis</i> 'Bridal Bouquet' | | | | | | | | |
| See - <i>Abelia mosanensis</i> 'Monia' P.P.A.F. | | | | | | | | |
| <i>Abelia mosanensis</i> 'Monia' P.P.A.F. | BS | 1.26 | R2 | 4-6 | 7-8 | | 1.00 | 5 |
| Bridal Bouquet™ Sweet <i>Abelia</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Abeliophyllum distichum</i> Korean Abelialeaf | DS | 0.77 | R1 | 3-5 | 6-8 | | 1.17 | 5 |
| <i>Abeliophyllum distichum</i> 'Roseum' Pink Forsythia | DS | 1.19 | R1 | 3-5 | 6-8 | | 1.17 | 5 |
| <i>Abelmoschus manihot</i> Aibika | AN | 0.81 | R2 | 5-7 | 8 | | | |
| <i>Abelmoschus moschatus</i> Musk Mallow | HP | 0.57 | R2 | 8 | | | | |
| <i>Abelmoschus moschatus</i> 'Pacific Mix' Pacific Mix Musk Mallow | HP | 0.57 | R2 | 8 | | | | |
| <i>Abies alba</i> Silver Fir | CE | 1.53 | R1 | 4 | 5-7 | 1.00 | 1.05 | 4 |
| <i>Abies alba</i> 'Compacta' Dwarf Silver Fir | CE | 1.75 | R1 | 4 | 5-7 | 1.00 | 1.05 | 4 |
| <i>Abies alba</i> 'Green Spiral' Green Spiral Silver Fir | CE | 1.36 | R1 | 4 | 5-7 | 1.00 | 1.17 | 4 |
| <i>Abies alba</i> 'Pendula' Weeping Silver Fir | CE | 1.75 | R1 | 4 | 5-7 | 1.00 | 1.04 | 4 |
| <i>Abies alba</i> 'Pyramidalis' Pyramidal Silver Fir | CE | 1.26 | R1 | 4 | 5-7 | 1.00 | 0.95 | 4 |
| <i>Abies amabilis</i> Pacific Silver Fir | CE | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Abies arizonica</i> See - <i>Abies lasiocarpa</i> var. <i>arizonica</i> | | | | | | | | |
| <i>Abies balsamea</i> Balsam Fir | CE | 0.85 | R1 | | 3-6 | 1.00 | 0.90 | 2 |
| <i>Abies balsamea</i> 'Nana' Dwarf Balsam Fir | CS | 1.56 | R1 | | 3-6 | | 0.93 | 2 |
| <i>Abies balsamea</i> 'Verklade's Prostrate' Verklade's Prostrate Balsam Fir | CS | 1.56 | R1 | | 3-6 | | 0.93 | 2 |
| <i>Abies balsamea</i> var. <i>phanerolepis</i> Canaan Fir | CE | 0.77 | R1 | | 3-6 | 1.00 | 0.87 | 2 |
| <i>Abies borisii-regis</i> King Boris Fir | CE | 1.00 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Abies xbornmuelleriana</i> See - <i>Abies nordmanniana</i> ssp. <i>equi-trojani</i> | | | | | | | | |
| <i>Abies bracteata</i> Bristlecone Fir | CE | 1.67 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Abies cephalonica</i> Greek Fir | CE | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Abies cephalonica</i> 'Meyer's Dwarf' Meyer's Dwarf Greek Fir | CS | 1.00 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Abies cephalonica</i> 'Nana' See - <i>Abies cephalonica</i> 'Meyer's Dwarf' | | | | | | | | |
| <i>Abies chensiensis</i> Shensi Fir | CE | 1.00 | R1 | 4-5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Abies chensiensis</i> 'Prostrata Glauca' Blue Prostrate Shensi Fir | CS | 2.27 | R1 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Abies cilicica</i> Cilician Fir | CE | 1.25 | R1 | 4-5 | 6-8 | 1.00 | 1.31 | 5 |
| <i>Abies concolor</i> White Fir | CE | 0.99 | R1 | 3 | 4-7 | 0.70 | 1.46 | 3 |
| <i>Abies concolor</i> 'Argentea' See - <i>Abies concolor</i> 'Candicans' | | | | | | | | |
| <i>Abies concolor</i> 'Blue Cloak' Blue Cloak White Fir | CE | 1.60 | R1 | 3 | 4-8 | 0.70 | 1.58 | 3 |
| <i>Abies concolor</i> 'Candicans' Hoary White Fir | CE | 1.80 | R1 | 3 | 4-7 | 0.70 | 1.42 | 3 |
| <i>Abies concolor</i> 'Compacta' Compact White Fir | CE | 1.60 | R1 | 3 | 4-7 | 0.70 | 3.29 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Abies concolor</i> 'Conica' Conical White Fir | CE | 1.60 | R1 | 3 | 4-7 | 0.70 | 1.94 | 3 |
| <i>Abies concolor</i> 'Gable's Weeping' Gable's Weeping White Fir | CE | 2.00 | R1 | 3 | 4-7 | 0.70 | 1.94 | 3 |
| <i>Abies concolor</i> 'Glauca Compacta' See - <i>Abies concolor</i> 'Compacta' | | | | | | | | |
| <i>Abies concolor</i> 'Mora' Mora White Fir | CE | 1.60 | R1 | 3 | 4-7 | 0.70 | 1.94 | 3 |
| <i>Abies concolor</i> 'Scooter' Scooter White Fir | CE | 1.60 | R1 | 3 | 4-7 | 0.70 | 1.94 | 3 |
| <i>Abies concolor</i> 'Violacea' Purplecone White Fir | CE | 1.60 | R1 | 3 | 4-7 | 0.70 | 1.94 | 3 |
| <i>Abies delavayi</i> Delavay Fir | CE | 1.25 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Abies delavayi</i> 'Nana Herdford' Nana Herdford Delavay Fir | CE | 1.25 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Abies fabri</i> Faber's Fir | CE | 1.00 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Abies firma</i> Momi Fir | CE | 1.13 | R1 | 4-6 | 7-8 | 1.00 | 0.76 | 6 |
| <i>Abies forrestii</i> var. <i>georgei</i> George's Fir | CE | 1.00 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Abies fraseri</i> Fraser Fir | CE | 0.86 | R1 | 3-4 | 5-7 | 1.00 | 0.92 | 4 |
| <i>Abies fraseri</i> 'Prostrata' Prostrate Fraser Fir | CS | 1.00 | R1 | 3-4 | 5-7 | | 0.98 | 4 |
| <i>Abies georgei</i> See - <i>Abies forrestii</i> var. <i>georgei</i> | | | | | | | | |
| <i>Abies grandis</i> Grand Fir | CE | 1.00 | R1 | 4-5 | 6-8 | 1.00 | 0.78 | 5 |
| <i>Abies grandis</i> 'Johnson' Johnson Grand Fir | CE | 1.00 | R1 | 4-5 | 6-8 | 1.00 | 0.78 | 5 |
| <i>Abies holophylla</i> Manchurian Fir | CE | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Abies homolepis</i> Nikko Fir | CE | 0.60 | R1 | 3-4 | 5-7 | 1.00 | 1.48 | 4 |
| <i>Abies homolepis</i> 'Prostrata' Prostrate Nikko Fir | CS | 1.00 | R1 | 3-4 | 5-7 | | 1.00 | 4 |
| <i>Abies koreana</i> Korean Fir | CE | 2.87 | R2 | 3-5 | 6-8 | 1.00 | 1.39 | 5 |
| <i>Abies koreana</i> 'Aurea' Golden Korean Fir | CE | 2.87 | R2 | 3-5 | 6-8 | 1.00 | 1.58 | 5 |
| <i>Abies koreana</i> 'Blaue Zwo' Blaue Zwo Korean Fir | CE | 2.87 | R2 | 3-5 | 6-8 | 1.00 | 1.58 | 5 |
| <i>Abies koreana</i> 'Glauca' Glauca Korean Fir | CS | 3.17 | R2 | 3-5 | 6-8 | | 0.96 | 5 |
| <i>Abies koreana</i> 'Prostrate Beauty' Prostrate Beauty Korean Fir | CS | 3.17 | R2 | 3-5 | 6-8 | | 0.96 | 5 |
| <i>Abies koreana</i> 'Silberlocke' Silberlocke Korean Fir | CE | 2.87 | R2 | 3-5 | 6-8 | 1.00 | 1.76 | 5 |
| <i>Abies koreana</i> 'Silberzwerg' Silberzwerg Korean Fir | CE | 2.87 | R2 | 3-5 | 6-8 | 1.00 | 1.58 | 5 |
| <i>Abies koreana</i> 'Silver Show' Silver Show Korean Fir | CE | 2.87 | R2 | 3-5 | 6-8 | 1.00 | 1.58 | 5 |
| <i>Abies koreana</i> 'Starker's Dwarf' Starker's Dwarf Korean Fir | CS | 3.17 | R2 | 3-5 | 6-8 | | 0.96 | 5 |
| <i>Abies lasiocarpa</i> Alpine Fir | CE | 1.12 | R2 | 3-5 | 6-8 | 1.00 | 1.28 | 5 |
| <i>Abies lasiocarpa</i> 'Compacta' Compact Alpine Fir | CS | 2.69 | R2 | 3-5 | 6-8 | | 0.99 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Abies lasiocarpa</i> 'Day Creek' Day Creek Alpine Fir | CE | 1.12 | R2 | 3-5 | 6-8 | 1.00 | 1.28 | 5 |
| <i>Abies lasiocarpa</i> 'Glauca Compacta' Compact Blue Alpine Fir | CS | 2.69 | R2 | 3-5 | 6-8 | | 1.18 | 5 |
| <i>Abies lasiocarpa</i> 'Green Globe' Green Globe Alpine Fir | CS | 2.69 | R2 | 3-5 | 6-8 | | 1.09 | 5 |
| <i>Abies lasiocarpa</i> 'Utah' Utah Alpine Fir | CE | 1.12 | R2 | 3-5 | 6-8 | 1.00 | 1.28 | 5 |
| <i>Abies lasiocarpa</i> var. <i>arizonica</i> Corkbark Fir | CE | 2.90 | R2 | 3-5 | 6-8 | 1.00 | 1.86 | 5 |
| <i>Abies lasiocarpa</i> var. <i>arizonica</i> 'Argentea' Silver Corkbark Fir | CE | 2.90 | R2 | 3-5 | 6-8 | 1.00 | 1.18 | 5 |
| <i>Abies lasiocarpa</i> var. <i>arizonica</i> 'Compacta' Compact Corkbark Fir | CS | 1.00 | R2 | 3-5 | 6-8 | | 1.51 | 5 |
| <i>Abies magnifica</i> Red Fir | CE | 1.00 | R1 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Abies magnifica</i> 'Prostrata' Prostrate Red Fir | CS | 1.00 | R1 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Abies magnifica</i> var. <i>shastensis</i> See - <i>Abies x shastensis</i> | | | | | | | | |
| <i>Abies nebrodensis</i> Sicilian Fir | CE | 1.00 | R1 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Abies nordmanniana</i> Caucasian Fir | CE | 0.89 | R1 | 3-4 | 5-8 | 1.00 | 0.78 | 4 |
| <i>Abies nordmanniana</i> 'Golden Spreader' Golden Spreader Caucasian Fir | CE | 0.89 | R1 | 3-4 | 5-8 | 1.00 | 0.84 | 4 |
| <i>Abies nordmanniana</i> 'Tortifolia' Contorted Caucasian Fir | CE | 0.89 | R1 | 3-4 | 5-8 | 1.00 | 0.90 | 4 |
| <i>Abies nordmanniana</i> ssp. <i>equi-trojani</i> Turkey Fir | CE | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.38 | 4 |
| <i>Abies numidica</i> Algerian Fir | CE | 1.25 | R1 | 4-6 | 7-8 | 1.00 | 0.89 | 6 |
| <i>Abies numidica</i> 'Lawrenceville' Lawrenceville Algerian Fir | CE | 1.25 | R1 | 4-6 | 7-8 | 1.00 | 0.89 | 6 |
| <i>Abies pardei</i> See - <i>Abies alba</i> | | | | | | | | |
| <i>Abies pindrow</i> West Himalayan Fir | CE | 1.58 | R1 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Abies pinsapo</i> Spanish Fir | CE | 1.33 | R1 | 4-6 | 7-8 | 1.00 | 1.26 | 6 |
| <i>Abies pinsapo</i> 'Aurea' Golden Spanish Fir | CE | 1.33 | R1 | 4-6 | 7-8 | 1.00 | 1.20 | 6 |
| <i>Abies pinsapo</i> 'Glauca' Blue Spanish Fir | CE | 1.33 | R1 | 4-6 | 7-8 | 1.00 | 1.26 | 6 |
| <i>Abies pinsapo</i> 'Horstmann' Horstmann Spanish Fir | CE | 1.33 | R1 | 4-6 | 7-8 | 1.00 | 1.24 | 6 |
| <i>Abies procera</i> Noble Fir | CE | 1.33 | R1 | 4-5 | 6-8 | 1.00 | 0.93 | 5 |
| <i>Abies procera</i> 'Aurea' Aurea Noble Fir | CE | 1.33 | R1 | 4-5 | 6-8 | 1.00 | 1.16 | 5 |
| <i>Abies procera</i> 'Blaue Hexe' Blaue Hexe Noble Fir | CS | 1.00 | R1 | 4-5 | 6-8 | | 0.83 | 5 |
| <i>Abies procera</i> 'Frijsenborg' Frijsenborg Noble Fir | CE | 1.33 | R1 | 4-5 | 6-8 | 1.00 | 1.16 | 5 |
| <i>Abies procera</i> 'Glauca Prostrata' Blue Prostrate Noble Fir | CS | 1.00 | R1 | 4-5 | 6-8 | | 0.83 | 5 |
| <i>Abies procera</i> 'Glauca' Blue-leaf Noble Fir | CE | 1.33 | R1 | 4-5 | 6-8 | 1.00 | 1.09 | 5 |
| <i>Abies procera</i> 'La Graciosa' La Graciosa Noble Fir | CE | 1.33 | R1 | 4-5 | 6-8 | 1.00 | 1.16 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ | |
|--|-----------|-----------|----|---------------------|-------------|------------------------------|------------|---|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper High/Wide | | |
| <i>Abies procera</i> 'Sherwoodii' Sherwood Noble Fir | CE | 1.33 | R1 | 4-5 | 6-8 | 1.00 | 1.46 | 5 |
| <i>Abies recurvata</i> Min Fir | CE | 0.60 | R1 | 4-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Abies recurvata</i> var. <i>ernestii</i> Ernest Min Fir | CE | 1.00 | R1 | 4-6 | 7-8 | 1.00 | 1.09 | 6 |
| <i>Abies xshastensis</i> Mount Shasta Hybrid Fir | CE | 1.00 | R1 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Abies xshastensis</i> 'Glauca' Blue Mount Shasta Fir | CE | 1.00 | R1 | 4-5 | 6-8 | 1.00 | 0.81 | 5 |
| <i>Abies sibirica</i> Siberian Fir | CE | 1.25 | R1 | | 3-6 | 1.00 | 1.00 | 1 |
| <i>Abies veitchii</i> Veitch Fir | CE | 0.95 | R1 | 3 | 4-6 | 1.00 | 1.12 | 3 |
| <i>Abies veitchii</i> var. <i>olivaceae</i> Olivecone Veitch Fir | CE | 1.50 | R1 | 3 | 4-6 | 1.00 | 1.00 | 3 |
| <i>Abutilon chittendenii</i> No Common Name Found | BS | 1.05 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> Flowering Maple | BS | 0.86 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> 'Albus' White Flowering Maple | BS | 0.89 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> 'Apollo' Apollo Yellow Flowering Maple | BS | 0.92 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> 'Apricot Glow' Apricot Glow Flowering Maple | BS | 0.76 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> 'Barclay's Creamsicle' Barclay's Creamsicle Flowering Maple | BS | 0.92 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> 'Bella Series' Bella Series Flowering Maple | BS | 0.82 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> 'Cathybells' Cathybells Flowering Maple | BS | 2.14 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> 'Ginny' Ginny Flowering Maple | BS | 0.81 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> 'Halo' Halo Flowering Maple | BS | 0.89 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> 'Jack Dixon' Jack Dixon Flowering Maple | BS | 0.92 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> 'Kirsten's Pink' Kirsten's Pink Flowering Maple | BS | 0.98 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> 'Little Imp' Little Imp Flowering Maple | BS | 0.92 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> 'Louis Marignac' Louis Marignac Flowering Maple | BS | 0.92 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> 'Luteus' Yellow Flowering Maple | BS | 0.88 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> 'Marianne' Marianne Flowering Maple | BS | 0.92 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> 'Mauna Loa' Mauna Loa Flowering Maple | BS | 0.92 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> 'Moned' Super Red® Flowering Maple | BS | 1.18 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> 'Moonchimes' Moonchimes Flowering Maple | BS | 0.71 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> 'Nabob' Nabob Flowering Maple | BS | 0.74 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> 'Pink Parasol' Pink Parasol Flowering Maple | BS | 0.92 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Abutilon xhybridum</i> 'Pink Petticoat' Pink Petticoat Flowering Maple | BS | 0.92 | R2 | 5-8 | | | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Abutilon x hybridum</i> 'Rosalie' Rosalie Flowering Maple | BS | 0.92 | R2 | 5-8 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Roseus' Pink Flowering Maple | BS | 0.88 | R2 | 5-8 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Satin Pink Belle' Satin Pink Belle Flowering Maple | BS | 0.92 | R2 | 5-8 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Savitzii' Savitz Flowering Maple | BS | 0.75 | R2 | 5-8 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Seashell' Seashell Flowering Maple | BS | 0.67 | R2 | 5-8 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Souvenir de Bonn' Souvenir de Bonn Flowering Maple | BS | 0.67 | R2 | 5-8 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Strybing Red' Strybing Red Flowering Maple | BS | 0.92 | R2 | 5-8 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Super Red' See - <i>Abutilon x hybridum</i> 'Moned' | | | | | | | |
| <i>Abutilon x hybridum</i> 'Tangelo' Tangelo Flowering Maple | BS | 0.92 | R2 | 5-8 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Tangerine' Tangerine Flowering Maple | BS | 0.92 | R2 | 5-8 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Variegatum' Variegated Flowering Maple | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Vesuvius Red' Vesuvius Red Flowering Maple | BS | 1.17 | R2 | 5-8 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Victory' Victory Flowering Maple | BS | 0.92 | R2 | 5-8 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'Voodoo' Voodoo Flowering Maple | BS | 0.92 | R2 | 5-8 | | 1.00 | 8 |
| <i>Abutilon x hybridum</i> 'White Parasol' White Parasol Flowering Maple | BS | 0.81 | R2 | 5-8 | | 1.00 | 8 |
| <i>Abutilon palmeri</i> No Common Name Found | BS | 0.67 | R2 | 8-9 | | 1.00 | 9 |
| <i>Abutilon vitifolium</i> Grapeleaf Abutilon | BS | 0.81 | R2 | 5-8 | | 1.00 | 8 |
| <i>Abutilon vitifolium</i> 'Veronica Tennant' Veronica Tennant Grapeleaf Abutilon | BS | 0.81 | R2 | 5-8 | | 1.00 | 8 |
| <i>Acacia abyssinica</i> No Common Name Found | BE | 0.50 | R2 | 8 | | 1.00 | 9 |
| <i>Acacia albida</i> See - <i>Faidherbia albida</i> | | | | | | | |
| <i>Acacia aneura</i> Mulga Acacia | BE | 0.86 | R2 | 8 | | 1.00 | 9 |
| <i>Acacia auriculiformis</i> Earleaf Acacia | BE | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Acacia baileyana</i> Cootamundra-wattle Acacia | BE | 0.85 | R2 | 6-8 | | 1.00 | 8 |
| <i>Acacia baileyana</i> 'Purpurea' Purple-leaf Cootamundra-wattle Acacia | BE | 0.87 | R2 | 6-8 | | 1.00 | 8 |
| <i>Acacia berlandieri</i> Berland Acacia | BE | 0.38 | R2 | 8 | | 1.00 | 9 |
| <i>Acacia boormanii</i> Snowy River Wattle | BS | 0.68 | R2 | 6-8 | | 1.00 | 8 |
| <i>Acacia brachybotrya</i> Gray Mulga | BS | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Acacia caffra</i> Cat Thorn | BE | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Acacia choriophylla</i> Thornless Acacia | BS | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Acacia cognata</i> Narrow-leaf Bower Wattle | BS | 0.70 | R2 | 8 | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ | |
|--|-----------|-----------|----|---------------------|-------------|------------------------------|------------|---|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper High/Wide | | |
| <i>Acacia confusa</i> Formosa Koa | BE | 1.18 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Acacia constricta</i> Mescat Acacia | BE | 0.38 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Acacia coriacea</i> Desert Oak | BS | 0.44 | R2 | 8 | | | 1.00 | 9 |
| <i>Acacia cowleana</i> Halls Creek Wattle | BS | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Acacia craspedocarpa</i> Leatherleaf Acacia | BE | 0.38 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Acacia cultriformis</i> Knife-leaf Acacia | BS | 0.80 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Acacia cyclops</i> Western Coastal Wattle | BS | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Acacia erioloba</i> Giraffe Thorn | BE | 1.00 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Acacia farnesiana</i> Sweet Acacia | BE | 0.99 | R2 | 6-8 | | 1.00 | 0.70 | 8 |
| <i>Acacia galpinii</i> Monkey Tree | DT | 1.00 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Acacia gerrardii</i> Graey Haired Acacia | DT | 1.00 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Acacia giraffae</i> See - <i>Acacia erioloba</i> | | | | | | | | |
| <i>Acacia glaucoptera</i> Clay Wattle Acacia | BE | 0.60 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Acacia greggii</i> Catclaw Acacia | BS | 0.44 | R2 | 6-7 | 8 | | 1.00 | 7 |
| <i>Acacia jennerae</i> Coonavittra Wattle | BS | 0.44 | R2 | 8 | | | 1.00 | 9 |
| <i>Acacia karoo</i> Karoo Thorn | BE | 1.00 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Acacia longifolia</i> Sidney Acacia | BE | 0.62 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Acacia melanoxylon</i> Blackwood Acacia | BE | 0.86 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Acacia minuta</i> See - <i>Acacia smallii</i> | | | | | | | | |
| <i>Acacia notabilis</i> Notable Wattle | BS | 0.44 | R2 | 8 | | | 1.00 | 9 |
| <i>Acacia papyrocarpa</i> Western Myall | BS | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Acacia pendula</i> Weeping Boree Acacia | BE | 1.00 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Acacia pravissima</i> Ovens Acacia | BE | 1.00 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Acacia pruinocarpa</i> Black Gidgee | BE | 0.38 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Acacia salicina</i> Willow Acacia | BE | 0.96 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Acacia saligna</i> Blue-leaved Wattle | BE | 1.01 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Acacia schaffneri</i> Twisted Acacia | BS | 0.44 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Acacia smallii</i> Desert Sweet Acacia | BE | 0.84 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Acacia stenophylla</i> Dalby Acacia | BE | 0.87 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Acacia subporosa</i> River Wattle | BE | 0.83 | R2 | 8 | | 1.00 | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Acacia subporosa</i> 'Emerald Cascade' Emerald Cascade River Wattle | BE | 0.89 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Acacia tetragonophylla</i> Dead Finish | DS | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Acacia trineura</i> Three-Veined Wattle | BE | 1.00 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Acacia victoriae</i> Bramble Wattle | BE | 0.38 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Acacia willardiana</i> Palo Blanco | DT | 0.44 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Acacia xanthophloea</i> Fever Tree | BE | 1.00 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Acaena anserinifolia</i> See - <i>Acaena novae-zelandiae</i> | | | | | | | | |
| <i>Acaena inermis</i> Spineless Acaena | HP | 0.65 | R2 | 4-6 | 7-8 | | | |
| <i>Acaena inermis</i> 'Purpurea' Purple Spineless Acaena | HP | 0.65 | R2 | 4-6 | 7-8 | | | |
| <i>Acaena magellanica</i> No Common Name Found | GC | 1.00 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Acaena microphylla</i> Redspine New Zealand Burr | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Acaena microphylla</i> 'Blue Haze' See - <i>Acaena saccaticupula</i> 'Blue Haze' | | | | | | | | |
| <i>Acaena microphylla</i> 'Copper Carpet' See - <i>Acaena microphylla</i> 'Kupferteppich' | | | | | | | | |
| <i>Acaena microphylla</i> 'Kupferteppich' Kupferteppich New Zealand Burr | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Acaena novae-zelandiae</i> New Zealand Burr | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Acaena saccaticupula</i> New Zealand Burr | HP | 0.65 | R2 | 5-6 | 7-8 | | | |
| <i>Acaena saccaticupula</i> 'Blue Haze' Blue Haze New Zealand Burr | HP | 0.65 | R2 | 5-6 | 7-8 | | | |
| <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> Painted Copperleaf | BS | 0.68 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> 'Ceylon' Ceylon Painted Copperleaf | BS | 0.53 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> 'Cypress Elf' Cypress Elf Painted Copperleaf | BS | 0.47 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> 'Hoffmannia' Hoffman Painted Copperleaf | BS | 0.50 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> 'Inferno' Inferno Painted Copperleaf | BS | 0.73 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> 'Java White' Java White Painted Copperleaf | BS | 0.53 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> 'Louisiana Red' Louisiana Red Painted Copperleaf | BS | 0.59 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> 'Macafeeana' Macafee Painted Copperleaf | BS | 0.44 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> 'Macrophylla' Macrophylla Painted Copperleaf | BS | 0.45 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> 'Mardi Gras' See - <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> 'Cypress Elf' | | | | | | | | |
| <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> 'Marginata Bronze' Bronze Marginata Painted Copperleaf | BS | 0.53 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> 'Marginata' Marginata Painted Copperleaf | BS | 0.45 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> 'Miltoniana' Milton Painted Copperleaf | BS | 0.50 | R2 | 8 | | | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> 'Moorea' Moorea Painted Copperleaf | BS | 0.45 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> 'Raggedy Ann' Raggedy Ann Painted Copperleaf | BS | 0.68 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> 'Sunset Hue' Sunset Hue Painted Copperleaf | BS | 0.50 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> 'Tahiti' Tahiti Painted Copperleaf | BS | 0.45 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> 'Tequila Sunrise' Tequila Sunrise™ Painted Copperleaf | BS | 0.53 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> 'Tricolor' Tricolor Painted Copperleaf | BS | 0.43 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha hispida</i> Chenille Copperleaf | FO | 0.65 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha hispida</i> 'Summer Love' Summer Love Chenille Copperleaf | FO | 0.71 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha kilavea</i> Tri-color Acalypha | FO | 0.49 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha pendula</i> Firetail | FO | 0.53 | R2 | 8 | | | 1.00 | 10 |
| <i>Acalypha wilkesiana</i> See - <i>Acalypha amentacea</i> ssp. <i>wilkesiana</i> | | | | | | | | |
| <i>Acantholimon acerosum</i> No Common Name Found | BS | 1.00 | R2 | 2-3 | 4-8 | | 1.00 | 3 |
| <i>Acantholimon androsaceum</i> See - <i>Acantholimon ulicinum</i> | | | | | | | | |
| <i>Acantholimon araxanum</i> No Common Name Found | BS | 1.00 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Acantholimon reflexifolium</i> No Common Name Found | GC | 1.00 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Acantholimon ulicinum</i> No Common Name Found | GC | 1.00 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Acanthopanax sieboldianus</i> See - <i>Eleutherococcus sieboldianus</i> | | | | | | | | |
| <i>Acanthus balcanicus</i> Hungarian Bear's Breeches | HP | 1.21 | R2 | 6-7 | 8 | | | |
| <i>Acanthus hungaricus</i> See - <i>Acanthus balcanicus</i> | | | | | | | | |
| <i>Acanthus mollis</i> Bear's Breeches | HP | 0.92 | R2 | 5-6 | 7-8 | | | |
| <i>Acanthus mollis</i> 'Oak Leaf' Oak Leaf Bear's Breeches | HP | 1.61 | R2 | 5-6 | 7-8 | | | |
| <i>Acanthus montanus</i> Mountain Thistle | BS | 0.84 | R2 | 8 | | | 1.00 | 9 |
| <i>Acanthus spinosissimus</i> Spiny Bear's Breeches | HP | 1.19 | R2 | 4-5 | 6-8 | | | |
| <i>Acca sellowiana</i> Pineapple Guava | BS | 0.90 | R1 | 6-8 | | | 1.18 | 8 |
| <i>Acca sellowiana</i> 'Coolidge' Coolidge Pineapple Guava | BS | 0.77 | R1 | 6-8 | | | 1.18 | 9 |
| <i>Acca sellowiana</i> 'Nazemetz' Nazemetz Pineapple Guava | BS | 0.77 | R1 | 6-8 | | | 1.18 | 8 |
| <i>Acer barbinerve</i> Ussuri Maple | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Acer buergerianum</i> Trident Maple | DT | 0.99 | R1 | 3-5 | 6-8 | 0.92 | 1.40 | 5 |
| <i>Acer buergerianum</i> 'ABMTF' P.P. 16629 Aeryn™ Trident Maple | DT | 0.92 | R1 | 3-5 | 6-8 | 1.13 | 1.47 | 5 |
| <i>Acer buergerianum</i> 'ABTIR' P.P. 9576 Street Wise® Trident Maple | DT | 1.00 | R1 | 3-5 | 6-8 | 1.04 | 1.44 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Acer buergerianum</i> 'Aeryn' | | | | | | | | |
| See - <i>Acer buergerianum</i> 'ABMTF' P.P. 16629 | | | | | | | | |
| <i>Acer buergerianum</i> 'Goshiki kaede' | DT | 1.25 | R1 | 3-5 | 6-8 | 1.03 | 1.44 | 5 |
| Goshiki Kaede Trident Maple | | | | | | | | |
| <i>Acer buergerianum</i> 'Mino yatsubusa' | DT | 1.25 | R1 | 3-5 | 6-8 | 1.03 | 1.44 | 5 |
| Mino Yatsubusa Trident Maple | | | | | | | | |
| <i>Acer buergerianum</i> 'Naruto kaede' | DT | 2.08 | R1 | 3-5 | 6-8 | 1.03 | 1.44 | 5 |
| Naruto Kaede Trident Maple | | | | | | | | |
| <i>Acer buergerianum</i> 'Street Wise' | | | | | | | | |
| See - <i>Acer buergerianum</i> 'ABTIR' P.P. 9576 | | | | | | | | |
| <i>Acer buergerianum</i> 'Tancho' | DT | 1.25 | R1 | 3-5 | 6-8 | 1.03 | 1.44 | 5 |
| Tancho Trident Maple | | | | | | | | |
| <i>Acer campestre</i> | DT | 0.99 | R1 | 3-4 | 5-8 | 1.20 | 1.84 | 4 |
| Hedge Maple | | | | | | | | |
| <i>Acer campestre</i> 'Carnival' | DT | 1.02 | R1 | 3-4 | 5-8 | 1.16 | 1.84 | 4 |
| Carnival Variegated Hedge Maple | | | | | | | | |
| <i>Acer campestre</i> 'Evelyn' P.P. 4392 | DT | 1.04 | R1 | 3-4 | 5-8 | 1.02 | 1.84 | 4 |
| Queen Elizabeth™ Hedge Maple | | | | | | | | |
| <i>Acer campestre</i> 'Metro Gold' | | | | | | | | |
| See - <i>Acer campestre</i> 'Panacek' | | | | | | | | |
| <i>Acer campestre</i> 'Nanum' | DT | 1.02 | R1 | 3-4 | 5-8 | 1.16 | 1.84 | 4 |
| Compact Globe Hedge Maple | | | | | | | | |
| <i>Acer campestre</i> 'Panacek' | DT | 1.02 | R1 | 3-4 | 5-8 | 1.16 | 1.84 | 4 |
| Metro Gold® Hedge Maple | | | | | | | | |
| <i>Acer campestre</i> 'Queen Elizabeth' | | | | | | | | |
| See - <i>Acer campestre</i> 'Evelyn' P.P. 4392 | | | | | | | | |
| <i>Acer campestre</i> 'St. Gregory' | | | | | | | | |
| See - <i>Acer campestre</i> 'Stgrezam' | | | | | | | | |
| <i>Acer campestre</i> 'Stgrezam' | DT | 1.02 | R1 | 3-4 | 5-8 | 1.26 | 1.84 | 4 |
| St. Gregory™ Hedge Maple | | | | | | | | |
| <i>Acer capillipes</i> | DT | 0.66 | R1 | 4-6 | 7-8 | 0.90 | 1.15 | 5 |
| Red Snakebark Maple | | | | | | | | |
| <i>Acer cappadocicum</i> | DT | 1.00 | R1 | 5-6 | 7-8 | 0.73 | 1.00 | 6 |
| Coliseum Maple | | | | | | | | |
| <i>Acer cappadocicum</i> 'Rubrum' | DT | 1.00 | R1 | 5-6 | 7-8 | 0.73 | 1.00 | 6 |
| Red Coliseum Maple | | | | | | | | |
| <i>Acer carpinifolium</i> | DT | 2.08 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |
| Hornbeam Maple | | | | | | | | |
| <i>Acer caudatum</i> | DT | 1.00 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |
| Tail-leaf Maple | | | | | | | | |
| <i>Acer caudatum</i> ssp. <i>ukurunduense</i> | DT | 1.00 | R1 | 3-4 | 5-8 | 1.10 | 1.00 | 4 |
| Ukurundu Tail-leaf Maple | | | | | | | | |
| <i>Acer circinatum</i> | DT | 0.88 | R1 | 4-5 | 6-8 | 0.81 | 0.56 | 5 |
| Vine Maple | | | | | | | | |
| <i>Acer circinatum</i> 'Little Gem' | DT | 3.04 | R1 | 4-5 | 6-8 | 1.15 | 1.03 | 5 |
| Little Gem Vine Maple | | | | | | | | |
| <i>Acer circinatum</i> 'Monroe' | DT | 2.79 | R1 | 4-5 | 6-8 | 1.48 | 1.49 | 5 |
| Monroe Vine Maple | | | | | | | | |
| <i>Acer circinatum</i> 'Pacific Fire' | DT | 3.18 | R1 | 4-5 | 6-8 | 1.15 | 1.03 | 5 |
| Pacific Fire Vine Maple | | | | | | | | |
| <i>Acer circinatum</i> 'Sunglow' | DT | 2.47 | R1 | 4-5 | 6-8 | 1.15 | 1.03 | 5 |
| Sunglow Vine Maple | | | | | | | | |
| <i>Acer cissifolium</i> | DT | 1.00 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |
| Ivy-leaved Maple | | | | | | | | |
| <i>Acer</i> x <i>conspicuum</i> | DT | 1.00 | R1 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| Snakebark Maple | | | | | | | | |
| <i>Acer</i> x <i>conspicuum</i> 'Phoenix' | DS | 1.00 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| Phoenix Snakebark Maple | | | | | | | | |
| <i>Acer dasycarpum</i> | | | | | | | | |
| See - <i>Acer saccharinum</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Acer davidii</i> David Maple | DT | 1.11 | R1 | 4-5 | 6-8 | 1.36 | 1.36 | 5 |
| <i>Acer davidii</i> 'Scarlet Forest' Scarlet Forest Snakebark Maple | DT | 1.11 | R1 | 4-5 | 6-8 | 1.36 | 1.36 | 5 |
| <i>Acer davidii</i> ssp. <i>grosseri</i> Grosser's Snakebark Maple | DT | 1.00 | R1 | 4-5 | 6-8 | 1.41 | 1.00 | 5 |
| <i>Acer diabolicum</i> Devil Maple | DT | 1.00 | R1 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Acer firma</i> 'Sode no uchi' See - <i>Acer sieboldianum</i> 'Sode no uchi' | | | | | | | | |
| <i>Acer floridanum</i> See - <i>Acer saccharum</i> ssp. <i>floridanum</i> | | | | | | | | |
| <i>Acer x freemanii</i> Freeman Maple | DT | 1.10 | R1 | 3 | 4-8 | 1.18 | 1.46 | 3 |
| <i>Acer x freemanii</i> 'Armstrong Two' Armstrong Two Freeman Maple | DT | 0.97 | R1 | 3 | 4-8 | 1.01 | 1.46 | 3 |
| <i>Acer x freemanii</i> 'Armstrong' Armstrong Freeman Maple | DT | 1.12 | R1 | 3 | 4-8 | 1.17 | 1.68 | 3 |
| <i>Acer x freemanii</i> 'Autumn Blaze' See - <i>Acer x freemanii</i> 'Jeffersred' P.P. 4864 | | | | | | | | |
| <i>Acer x freemanii</i> 'Autumn Fantasy' See - <i>Acer x freemanii</i> 'DTR 102' P.P. 7655 | | | | | | | | |
| <i>Acer x freemanii</i> 'Celebration' See - <i>Acer x freemanii</i> 'Celzam' P.P. 7279 | | | | | | | | |
| <i>Acer x freemanii</i> 'Celzam' P.P. 7279 Celebration® Freeman Maple | DT | 1.41 | R1 | 3 | 4-8 | 1.14 | 0.73 | 3 |
| <i>Acer x freemanii</i> 'DTR 102' P.P. 7655 Autumn Fantasy® Freeman Maple | DT | 1.02 | R1 | 3 | 4-8 | 1.37 | 1.30 | 3 |
| <i>Acer x freemanii</i> 'Firedance' See - <i>Acer x freemanii</i> 'Landsburg' P.P. 6977 | | | | | | | | |
| <i>Acer x freemanii</i> 'Indian Summer' See - <i>Acer x freemanii</i> 'Morgan' | | | | | | | | |
| <i>Acer x freemanii</i> 'Jeffersred' P.P. 4864 Autumn Blaze® Freeman Maple | DT | 1.06 | R1 | 3 | 4-8 | 1.06 | 1.20 | 3 |
| <i>Acer x freemanii</i> 'Landsburg' P.P. 6977 Firedance® Freeman Maple | DT | 1.10 | R1 | 3 | 4-8 | 1.90 | 1.46 | 3 |
| <i>Acer x freemanii</i> 'Marmo' Marmo Freeman Maple | DT | 0.67 | R1 | 3 | 4-8 | 1.16 | 2.24 | 3 |
| <i>Acer x freemanii</i> 'Morgan' Indian Summer™ Freeman Maple | DT | 1.10 | R1 | 3 | 4-8 | 1.18 | 1.59 | 3 |
| <i>Acer x freemanii</i> 'Saturn' See - <i>Acer x freemanii</i> 'Satzam' | | | | | | | | |
| <i>Acer x freemanii</i> 'Satzam' Saturn™ Freeman Maple | DT | 1.10 | R1 | 3 | 4-8 | 0.87 | 1.46 | 3 |
| <i>Acer x freemanii</i> 'Scarlet Sentinel' See - <i>Acer x freemanii</i> 'Scarsen' P.P. 3109 | | | | | | | | |
| <i>Acer x freemanii</i> 'Scarsen' P.P. 3109 Scarlet Sentinel™ Freeman Maple | DT | 1.22 | R1 | 3 | 4-8 | 1.20 | 1.92 | 3 |
| <i>Acer x freemanii</i> 'Sienna Glen' See - <i>Acer x freemanii</i> 'Sienna' P.P. 11322 | | | | | | | | |
| <i>Acer x freemanii</i> 'Sienna' P.P. 11322 Sienna Glen™ Freeman Maple | DT | 1.30 | R1 | 3 | 4-8 | 1.17 | 0.99 | 3 |
| <i>Acer ginnala</i> Amur Maple | DT | 1.11 | R1 | 3 | 4-8 | 0.98 | 1.17 | 3 |
| <i>Acer ginnala</i> 'Bailey Compact' Bailey Compact Amur Maple | DT | 1.03 | R1 | 3 | 4-8 | 1.46 | 1.50 | 3 |
| <i>Acer ginnala</i> 'Beethoven' See - <i>Acer ginnala</i> 'Betzam' | | | | | | | | |
| <i>Acer ginnala</i> 'Betzam' Beethoven™ Amur Maple | DT | 1.20 | R1 | 3 | 4-8 | 1.24 | 1.42 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Acer ginnala</i> 'Burgundy' Burgundy Amur Maple | DT | 1.20 | R1 | 3 | 4-8 | 1.25 | 1.42 | 3 |
| <i>Acer ginnala</i> 'Compactum' Compact Amur Maple | DT | 0.91 | R1 | 3 | 4-8 | 1.09 | 1.57 | 3 |
| <i>Acer ginnala</i> 'Curiel's Gold' Curiel's Gold Amur Maple | DT | 1.70 | R1 | 3 | 4-8 | 1.24 | 1.42 | 3 |
| <i>Acer ginnala</i> 'Embers' Embers Amur Maple | DT | 1.16 | R1 | 3 | 4-8 | 1.58 | 1.84 | 3 |
| <i>Acer ginnala</i> 'Emerald Elf' Emerald Elf Amur Maple | DT | 1.00 | R1 | 3 | 4-8 | 1.25 | 1.42 | 3 |
| <i>Acer ginnala</i> 'Flame' Flame Amur Maple | DT | 1.01 | R1 | 3 | 4-8 | 1.07 | 1.18 | 3 |
| <i>Acer ginnala</i> 'JFS-UGA' Red November™ Amur Maple | DT | 1.07 | R1 | 3-5 | 6-8 | 1.25 | 1.42 | 5 |
| <i>Acer ginnala</i> 'Mondy' Red Rhapsody™ Amur Maple | DT | 1.78 | R1 | 3 | 4-8 | 1.25 | 1.42 | 3 |
| <i>Acer ginnala</i> 'Mozam' Mozart™ Amur Maple | DT | 1.20 | R1 | 3 | 4-8 | 1.25 | 1.42 | 3 |
| <i>Acer ginnala</i> 'Mozart' See - <i>Acer ginnala</i> 'Mozam' | | | | | | | | |
| <i>Acer ginnala</i> 'Red November' See - <i>Acer ginnala</i> 'JFS-UGA' | | | | | | | | |
| <i>Acer ginnala</i> 'Red Rhapsody' See - <i>Acer ginnala</i> 'Mondy' | | | | | | | | |
| <i>Acer ginnala</i> 'Red Wing' Red Wing Amur Maple | DT | 1.08 | R1 | 3 | 4-8 | 1.25 | 1.28 | 3 |
| <i>Acer ginnala</i> 'Ruby Slippers' Ruby Slippers Amur Maple | DT | 1.34 | R1 | 3 | 4-8 | 1.30 | 1.42 | 3 |
| <i>Acer glabrum</i> Rocky Mountain Maple | DT | 1.16 | R1 | 3-4 | 5-8 | 1.13 | 1.09 | 4 |
| <i>Acer grandidentatum</i> See - <i>Acer saccharum</i> ssp. <i>grandidentatum</i> | | | | | | | | |
| <i>Acer griseum</i> Paperbark Maple | DT | 1.70 | R1 | 3-4 | 5-8 | 1.84 | 1.79 | 4 |
| <i>Acer griseum</i> 'Gingerbread' See - <i>Acer griseum</i> 'Ginzam' | | | | | | | | |
| <i>Acer griseum</i> 'Ginzam' Gingerbread™ Paperbark Maple | DT | 1.70 | R1 | 3-4 | 5-8 | 1.45 | 1.79 | 4 |
| <i>Acer grosseri</i> var. <i>hersii</i> See - <i>Acer davidii</i> ssp. <i>grosseri</i> | | | | | | | | |
| <i>Acer henryi</i> No Common Name Found | DT | 1.00 | R1 | 3-4 | 5-8 | 0.95 | 0.51 | 4 |
| <i>Acer japonicum</i> Fullmoon Maple | DT | 2.39 | R1 | 3-5 | 6-8 | 1.94 | 5.40 | 5 |
| <i>Acer japonicum</i> '6910' See - <i>Acer shirasawanum</i> '6910' | | | | | | | | |
| <i>Acer japonicum</i> 'Aconitifolium' Fernleaf Fullmoon Maple | DT | 2.79 | R1 | 3-5 | 6-8 | 2.04 | 2.56 | 5 |
| <i>Acer japonicum</i> 'Attaryi' Attary Fullmoon Maple | DT | 2.88 | R1 | 3-5 | 6-8 | 1.71 | 3.64 | 5 |
| <i>Acer japonicum</i> 'Ezono momiji' See - <i>Acer shirasawanum</i> 'Ezo-no-momiji' | | | | | | | | |
| <i>Acer japonicum</i> 'Green Cascade' Green Cascade Fullmoon Maple | DT | 2.56 | R1 | 3-5 | 6-8 | 1.71 | 2.95 | 5 |
| <i>Acer japonicum</i> 'Itaya' See - <i>Acer japonicum</i> 'Meigetsu' | | | | | | | | |
| <i>Acer japonicum</i> 'Junihitoe' See - <i>Acer shirasawanum</i> 'Junihitoe' | | | | | | | | |
| <i>Acer japonicum</i> 'Laciniatum' See - <i>Acer japonicum</i> 'Aconitifolium' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Acer japonicum</i> 'Lovett' Lovett Fullmoon Maple | DS | 1.00 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Acer japonicum</i> 'Maiku jaku' See - <i>Acer japonicum</i> 'Aconitifolium' | | | | | | | | |
| <i>Acer japonicum</i> 'Meigetsu' Meigetsu Fullmoon Maple | DT | 2.88 | R1 | 3-5 | 6-8 | 1.71 | 3.64 | 5 |
| <i>Acer japonicum</i> 'O isami' O isami Fullmoon Maple | DT | 3.33 | R1 | 3-5 | 6-8 | 1.71 | 3.64 | 5 |
| <i>Acer japonicum</i> 'Ogureyama' See - <i>Acer shirasawanum</i> 'Ogureyama' | | | | | | | | |
| <i>Acer japonicum</i> 'Oisami' See - <i>Acer japonicum</i> 'O isami' | | | | | | | | |
| <i>Acer japonicum</i> 'Vitifolium' Grapeleaf Fullmoon Maple | DT | 3.33 | R1 | 3-5 | 6-8 | 1.16 | 3.64 | 5 |
| <i>Acer japonicum</i> 'Wood's #1' Wood's #1 Fullmoon Maple | DT | 2.88 | R1 | 3-5 | 6-8 | 1.71 | 3.64 | 5 |
| <i>Acer japonicum</i> 'Wood's #2' Wood's #2 Fullmoon Maple | DT | 2.88 | R1 | 3-5 | 6-8 | 1.71 | 3.64 | 5 |
| <i>Acer leucoderme</i> See - <i>Acer saccharum</i> ssp. <i>leucoderme</i> | | | | | | | | |
| <i>Acer macrophyllum</i> Bigleaf Maple | DT | 0.93 | R1 | 4-5 | 6-8 | 0.98 | 0.50 | 5 |
| <i>Acer macrophyllum</i> 'Mocha Rose' Mocha Rose Variegated Bigleaf Maple | DT | 0.93 | R1 | 4-5 | 6-8 | 0.98 | 0.50 | 5 |
| <i>Acer manschuricum</i> Manchurian Maple | DT | 1.00 | R1 | 3-4 | 5-8 | 1.04 | 0.55 | 4 |
| <i>Acer maximowiczianum</i> Nikko Maple | DT | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Acer miyabei</i> Miyabe Maple | DT | 1.26 | R1 | 3-5 | 6-8 | 1.16 | 1.83 | 5 |
| <i>Acer miyabei</i> 'Morton' State Street® Miyabe Maple | DT | 1.26 | R1 | 3-5 | 6-8 | 1.50 | 1.83 | 5 |
| <i>Acer miyabei</i> 'State Street' See - <i>Acer miyabei</i> 'Morton' | | | | | | | | |
| <i>Acer mono</i> See - <i>Acer pictum</i> | | | | | | | | |
| <i>Acer monspessulanum</i> Montpelier Maple | DT | 1.00 | R1 | 5-6 | 7-8 | 0.93 | 1.00 | 5 |
| <i>Acer negundo</i> Boxelder | DT | 1.24 | R1 | | 3-8 | 0.64 | 0.34 | 2 |
| <i>Acer negundo</i> 'Baron' Baron Boxelder | DT | 1.10 | R1 | | 3-8 | 1.09 | 0.53 | 2 |
| <i>Acer negundo</i> 'Flamingo' Flamingo Boxelder | DT | 1.12 | R1 | | 3-8 | 1.20 | 0.64 | 2 |
| <i>Acer negundo</i> 'Kelly's Gold' Kelly's Gold Boxelder | DT | 1.21 | R1 | | 3-8 | 1.09 | 0.61 | 2 |
| <i>Acer negundo</i> 'Sensation' P.P.A.F. Sensation Boxelder | DT | 1.04 | R1 | | 3-8 | 0.98 | 0.53 | 2 |
| <i>Acer negundo</i> 'Variegatum' Silverleaf Boxelder | DT | 0.91 | R1 | | 3-8 | 1.54 | 0.53 | 2 |
| <i>Acer negundo</i> 'Winter Lightning' Winter Lightning Boxelder | DT | 1.10 | R1 | | 3-8 | 1.09 | 0.53 | 2 |
| <i>Acer nikoense</i> See - <i>Acer maximowiczianum</i> | | | | | | | | |
| <i>Acer nikoense</i> var. <i>griseum</i> See - <i>Acer griseum</i> | | | | | | | | |
| <i>Acer palmatum</i> Japanese Maple | DT | 1.26 | R1 | 4-5 | 6-8 | 1.04 | 1.59 | 5 |
| <i>Acer palmatum</i> 'Aka shigitatsu sawa' See - <i>Acer palmatum</i> 'Beni shigitatsu sawa' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Acer palmatum</i> 'Ao no hichi gosan' | | | | | | | | |
| See - <i>Acer palmatum</i> 'Shino buga oka' | | | | | | | | |
| <i>Acer palmatum</i> 'Aoyagi' | DT | 1.80 | R1 | 4-5 | 6-8 | 1.48 | 1.49 | 5 |
| Green Willow Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Arakawa' | DS | 2.64 | R1 | 4-5 | 6-8 | | 2.42 | 5 |
| Rough Bark Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Asahi zuru' | DT | 2.03 | R1 | 4-5 | 6-8 | 1.68 | 1.56 | 5 |
| Morning Sun Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Atrolineare' | DT | 2.19 | R1 | 4-5 | 6-8 | 1.65 | 1.75 | 5 |
| Bloodvein Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Atropurpureum Novum' | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Atropurpureum Novum Red Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Atropurpureum' | DT | 1.37 | R1 | 4-5 | 6-8 | 1.09 | 1.25 | 5 |
| Bloodleaf Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Azuma murasaki' | DT | 2.98 | R1 | 4-5 | 6-8 | 1.48 | 1.49 | 5 |
| Azuma Murasaki Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Beni fushigi' | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Beni Fushigi Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Beni hime' | DT | 1.70 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Beni Hime Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Beni kawa' | DT | 2.17 | R1 | 4-5 | 6-8 | 1.68 | 1.56 | 5 |
| Beni Kawa Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Beni kohime' | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Beni Kohime Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Beni komachi' | DT | 2.38 | R1 | 4-5 | 6-8 | 1.48 | 1.49 | 5 |
| Beni Komachi Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Beni maiko' | DT | 2.27 | R1 | 4-5 | 6-8 | 1.68 | 1.56 | 5 |
| Dancing Girl Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Beni otake' | DT | 2.05 | R1 | 4-5 | 6-8 | 1.97 | 1.98 | 5 |
| Beni Otake Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Beni schichihenge' | DT | 2.57 | R1 | 4-5 | 6-8 | 1.68 | 1.47 | 5 |
| Beni Schichihenge Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Beni shi en' P.P. 9697 | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Beni Shi En Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Beni shigitatsu sawa' | DT | 2.07 | R1 | 4-5 | 6-8 | 1.68 | 1.56 | 5 |
| Beni Shigitatsu Sawa Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Beni tsukasa' | DT | 2.07 | R1 | 4-5 | 6-8 | 1.68 | 1.56 | 5 |
| Beni Tsukasa Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Beni ubi gohon' | DT | 3.04 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Beni Uni Gohon Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Bloodgood' | DT | 2.04 | R1 | 4-5 | 6-8 | 1.63 | 3.67 | 5 |
| Bloodgood Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Bonfire' | | | | | | | | |
| See - <i>Acer palmatum</i> 'Seigai' | | | | | | | | |
| <i>Acer palmatum</i> 'Boskoop Glory' | DT | 2.13 | R1 | 4-5 | 6-8 | 1.68 | 1.56 | 5 |
| Boskoop Glory Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Burgundy Flame' | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 1.80 | 5 |
| Burgundy Flame Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Burgundy Lace' | DT | 2.29 | R1 | 4-5 | 6-8 | 1.56 | 2.35 | 5 |
| Burgundy Lace Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Butterfly' | DT | 1.96 | R1 | 4-5 | 6-8 | 1.64 | 2.78 | 5 |
| Butterfly Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Chishio' | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Blood Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Chitoseyama' | DT | 2.25 | R1 | 4-5 | 6-8 | 1.44 | 1.49 | 5 |
| Chitoseyama Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Christie Ann' | | | | | | | | |
| See - <i>Acer palmatum</i> 'Vandermoss Red' | | | | | | | | |
| <i>Acer palmatum</i> 'Coonara Pygmy' | DT | 2.38 | R1 | 4-5 | 6-8 | 1.63 | 2.66 | 5 |
| Coonara Pygmy Japanese Maple | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Acer palmatum</i> 'Corallinum' Corallinum Japanese Maple | DT | 2.71 | R1 | 4-5 | 6-8 | 1.94 | 3.34 | 5 |
| <i>Acer palmatum</i> 'Crimson Prince' Crimson Prince Japanese Maple | DT | 1.72 | R1 | 4-5 | 6-8 | 1.63 | 2.49 | 5 |
| <i>Acer palmatum</i> 'Crumple Leaf' See - <i>Acer palmatum</i> 'Ruby Ridge' | | | | | | | | |
| <i>Acer palmatum</i> 'Elegans' Elegans Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Emperor I' See - <i>Acer palmatum</i> 'Wolff' | | | | | | | | |
| <i>Acer palmatum</i> 'Fascination' P.P.A.F. Fascination Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Filifera Purpureum' See - <i>Acer palmatum</i> 'Atrolineare' | | | | | | | | |
| <i>Acer palmatum</i> 'Fireglow' Fireglow Japanese Maple | DT | 2.47 | R1 | 4-5 | 6-8 | 2.21 | 3.03 | 5 |
| <i>Acer palmatum</i> 'First Ghost' First Ghost Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Fjellhiem' Fjellhiem Japanese Maple | DT | 2.29 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Geisha' Geisha Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Glowing Embers' Glowing Embers Japanese Maple | DT | 1.79 | R1 | 4-5 | 6-8 | 1.63 | 1.27 | 5 |
| <i>Acer palmatum</i> 'Goshiki kotohime' Goshiki Kotohime Japanese Maple | DT | 2.71 | R1 | 4-5 | 6-8 | 1.63 | 4.85 | 5 |
| <i>Acer palmatum</i> 'Green Trompenburg' Green Trompenburg Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Gwen's Rose Delight' P.P. 18728 Shirazz™ Japanese Maple | DT | 2.59 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Hanami nishiki' Flower Viewing Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Hanazono nishiki' Hanazono Nishiki Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Harusame' Harusame Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Hatsu shigare' Hatsu Shigare Japanese Maple | DS | 2.64 | R1 | 4-5 | 6-8 | | 2.42 | 5 |
| <i>Acer palmatum</i> 'Hazeroino' Hazeroino Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Heptalobum' Sevenlobe Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Herbstfeuer' Herbstfeuer Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Hessei' Hesse Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Higasayama' Higasayama Japanese Maple | DT | 2.26 | R1 | 4-5 | 6-8 | 1.48 | 1.49 | 5 |
| <i>Acer palmatum</i> 'Hogyoku' Hogyoku Japanese Maple | DT | 2.29 | R1 | 4-5 | 6-8 | 1.37 | 1.50 | 5 |
| <i>Acer palmatum</i> 'Hoshi kuzu' Hoshi Kuzu Japanese Maple | DT | 2.98 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Hupp's Dwarf' Hupp's Dwarf Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Ibo nishiki' Ibo Nishiki Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Ichigyoji' Ichigyoji Japanese Maple | DT | 2.98 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Iijima sunago' Dusted Japanese Maple | DT | 3.02 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Acer palmatum</i> 'Inazuma' Inazuma Japanese Maple | DT | 2.55 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Issai nishiki momiji' Issai Nishiki Momiji Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Japanese Sunrise' Japanese Sunrise Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Jiro shidare' Jiro Shidare Japanese Maple | DT | 2.29 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Kagiri nishiki' Pinkedge Japanese Maple | DT | 2.47 | R1 | 4-5 | 6-8 | 1.56 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Kamagata' Kamagata Japanese Maple | DT | 2.17 | R1 | 4-5 | 6-8 | 1.63 | 2.66 | 5 |
| <i>Acer palmatum</i> 'Kandy Kitchen' Kandy Kitchen Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Karasugawa' Karasugawa Japanese Maple | DT | 3.16 | R1 | 4-5 | 6-8 | 1.48 | 1.49 | 5 |
| <i>Acer palmatum</i> 'Kasagiyama' Kasagiyama Japanese Maple | DT | 3.14 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Kashima' Kashima Japanese Maple | DT | 2.88 | R1 | 4-5 | 6-8 | 1.97 | 3.23 | 5 |
| <i>Acer palmatum</i> 'Katsura' Katsura Japanese Maple | DT | 2.22 | R1 | 4-5 | 6-8 | 1.67 | 1.54 | 5 |
| <i>Acer palmatum</i> 'Ki hachijo' Ki Hachijo Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Killarny' Killarny Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 4.50 | 5 |
| <i>Acer palmatum</i> 'Kinran' Kinran Japanese Maple | DT | 3.04 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Kinshi' Kinshi Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Kiyohime' Kiyohime Japanese Maple | DT | 3.09 | R1 | 4-5 | 6-8 | 1.63 | 2.66 | 5 |
| <i>Acer palmatum</i> 'Kogane nishiki' Kogane Nishiki Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Koreanum' Korean Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Koshibori nishiki' Koshibori Nishiki Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Koshimino' Koshimino Japanese Maple | DT | 2.64 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Koto maru' Koto maru Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Koto no ito' Koto No Ito Japanese Maple | DT | 2.58 | R1 | 4-5 | 6-8 | 1.97 | 1.98 | 5 |
| <i>Acer palmatum</i> 'Kotohime' Kotohime Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Kurabeyama' Kurabeyama Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Kurui jishi' Kurui Jishi Japanese Maple | DT | 3.04 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Linearilobum' Linearilobum Japanese Maple | DT | 2.95 | R1 | 4-5 | 6-8 | 1.97 | 1.98 | 5 |
| <i>Acer palmatum</i> 'Lutescens' Golden Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Maimori' Maimori Japanese Maple | DT | 6.25 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Mama' Mama Japanese Maple | DT | 2.98 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Masukagami' Masukagami Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |

CT, DE, ME, MD, MA, NH, NJ, NY, NC, PA, RI, VT, VA, WV

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Acer palmatum</i> 'Matsugae' Matsugae Japanese Maple | DT | 3.00 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Matsuyoi' Matsuyoi Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Midori no teiboku' Midori No Teiboku Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Mikawa yatsubusa' Mikawa Yatsubusa Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Mirte' Mirte Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Mizu kuguri' Mizu Kurugi Japanese Maple | DT | 1.70 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Monzukushi' Monzukushi Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Moonfire' Moonfire Japanese Maple | DT | 1.96 | R1 | 4-5 | 6-8 | 1.40 | 1.17 | 5 |
| <i>Acer palmatum</i> 'Murasaki kiyohime' Murasaki Kiyohime Japanese Maple | DT | 2.72 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Mure hibari' Mure hibari Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Musa muraski' Musa muraski Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Musashino' Musashino Red Japanese Maple | DT | 3.21 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Nana segawa' Nana Segawa Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Nishiki gasane' Nishiki Gasane Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Nishiki gawa' Pinebark Japanese Maple | DT | 1.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Nishiki momiji' Nishiki Momiji Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Nishiki sho' Nishiki Sho Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Nuresagi' Nuresagi Japanese Maple | DT | 2.31 | R1 | 4-5 | 6-8 | 1.68 | 1.31 | 5 |
| <i>Acer palmatum</i> 'Ogon sarasa' Ogon Sarasa Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Okagami' Okagami Japanese Maple | DT | 1.93 | R1 | 4-5 | 6-8 | 1.55 | 1.42 | 5 |
| <i>Acer palmatum</i> 'Okushimo' Okushimo Japanese Maple | DT | 1.64 | R1 | 4-5 | 6-8 | 1.40 | 1.32 | 5 |
| <i>Acer palmatum</i> 'Omato' Omato Japanese Maple | DT | 3.04 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Omurayama' Omurayama Japanese Maple | DT | 2.08 | R1 | 4-5 | 6-8 | 1.56 | 1.46 | 5 |
| <i>Acer palmatum</i> 'Orange Dream' Orange Dream Japanese Maple | DT | 2.29 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Oregon Sunset' Oregon Sunset Japanese Maple | DT | 2.03 | R1 | 4-5 | 6-8 | 1.68 | 1.90 | 5 |
| <i>Acer palmatum</i> 'Orido nishiki' Orido Nishiki Japanese Maple | DT | 2.12 | R1 | 4-5 | 6-8 | 1.57 | 1.35 | 5 |
| <i>Acer palmatum</i> 'Osakazuki' Osakazuki Japanese Maple | DT | 2.17 | R1 | 4-5 | 6-8 | 1.54 | 1.77 | 5 |
| <i>Acer palmatum</i> 'Oshio beni' Oshio Beni Japanese Maple | DT | 2.21 | R1 | 4-5 | 6-8 | 1.49 | 1.74 | 5 |
| <i>Acer palmatum</i> 'Oshu shidare' Oshu Shidare Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Otome zakura' Otome Zakura Japanese Maple | DT | 3.16 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|--------------|---------|-------------|-----------|---------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Acer palmatum</i> 'Ozakuzuki' | | | | | | | | |
| See - <i>Acer palmatum</i> 'Osakazuki' | | | | | | | | |
| <i>Acer palmatum</i> 'Peaches and Cream' | DT | 2.68 | R1 | 4-5 | 6-8 | 1.97 | 1.92 | 5 |
| Peaches and Cream Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Pendulum Omurayama' | | | | | | | | |
| See - <i>Acer palmatum</i> 'Omurayama' | | | | | | | | |
| <i>Acer palmatum</i> 'Pixie' | DT | 2.98 | R1 | 4-5 | 6-8 | 1.63 | 1.25 | 5 |
| Pixie Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Purple Ghost' | DT | 2.38 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Purple Ghost Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Red Cloud' | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Red Cloud Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Red Pygmy' | DT | 2.87 | R1 | 4-5 | 6-8 | 1.80 | 1.98 | 5 |
| Red Pygmy Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Red Spider' | DT | 1.68 | R1 | 4-5 | 6-8 | 1.63 | 1.20 | 5 |
| Red Spider Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Red Wood' | DT | 1.74 | R1 | 4-5 | 6-8 | 1.63 | 1.34 | 5 |
| Red Wood Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Redspray' | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Redspray Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Roseo-marginatum' | | | | | | | | |
| See - <i>Acer palmatum</i> 'Kagiri nishiki' | | | | | | | | |
| <i>Acer palmatum</i> 'Rough Bark Maple' | | | | | | | | |
| See - <i>Acer palmatum</i> 'Arakawa' | | | | | | | | |
| <i>Acer palmatum</i> 'Royal' | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Royal Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Ruby Ridge' | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Ruby Ridge Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Ruby Star' | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Ruby Stars Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Ryuzu' | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Ryuzu Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Sagara nishiki' | DT | 1.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Sagara Nishiki Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Saku' | | | | | | | | |
| See - <i>Acer palmatum</i> 'Shigarami' | | | | | | | | |
| <i>Acer palmatum</i> 'Samarzam' P.P.A.F. | DT | 1.68 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Samurai Sword™ Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Samurai Sword' | | | | | | | | |
| See - <i>Acer palmatum</i> 'Samarzam' P.P.A.F. | | | | | | | | |
| <i>Acer palmatum</i> 'Sango kaku' | DT | 1.98 | R1 | 4-5 | 6-8 | 1.49 | 3.34 | 5 |
| Sango Kaku Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Saoshika' | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Saoshika Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Saotome' | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Saotome Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Satsuki beni' | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Satsuki Beni Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Sazanami' | DT | 4.10 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Ruffles Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Scolopendrifolium' | DT | 2.88 | R1 | 4-5 | 6-8 | 1.66 | 4.66 | 5 |
| Scolopendrifolium Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Searles Variegated' | DT | 1.30 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Searles Variegated Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Seigai' | DT | 1.76 | R1 | 4-5 | 6-8 | 1.46 | 1.37 | 5 |
| Seigai Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Sekka yatsubusa' | DT | 2.64 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| Sekka Yatsubusa Japanese Maple | | | | | | | | |
| <i>Acer palmatum</i> 'Senkaki' | | | | | | | | |
| See - <i>Acer palmatum</i> 'Sango kaku' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Acer palmatum</i> 'Shaina' Shaina Japanese Maple | DS | 3.19 | R1 | 4-5 | 6-8 | | 2.42 | 5 |
| <i>Acer palmatum</i> 'Sharp's Pygmy' Sharp's Pygmy Japanese Maple | DT | 3.12 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Sherwood Flame' Sherwood Flame Japanese Maple | DT | 1.73 | R1 | 4-5 | 6-8 | 1.48 | 2.68 | 5 |
| <i>Acer palmatum</i> 'Shigarami' Shigarami Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Shigitatsu sawa' Shigitatsu Sawa Japanese Maple | DT | 2.52 | R1 | 4-5 | 6-8 | 1.94 | 1.82 | 5 |
| <i>Acer palmatum</i> 'Shigure bato' Shigure Bato Japanese Maple | DT | 6.25 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Shindeshojo' Shindeshojo Japanese Maple | DT | 2.13 | R1 | 4-5 | 6-8 | 1.54 | 1.60 | 5 |
| <i>Acer palmatum</i> 'Shino buga oka' Shino Buga Oka Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Shirazz' See - <i>Acer palmatum</i> 'Gwen's Rose Delight' P.P. 18728 | | | | | | | | |
| <i>Acer palmatum</i> 'Shishigashira' Lions Head Japanese Maple | DT | 2.45 | R1 | 4-5 | 6-8 | 2.17 | 2.75 | 5 |
| <i>Acer palmatum</i> 'Shishio Improved' Shishio Improved Japanese Maple | DT | 2.34 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Shishio hime' Shishio Hime Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Shojo nomura' Shojo Nomura Japanese Maple | DT | 1.78 | R1 | 4-5 | 6-8 | 1.68 | 1.56 | 5 |
| <i>Acer palmatum</i> 'Skeeter's Broom' Skeeter's Broom Japanese Maple | DT | 2.63 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Suminagashi' Suminagashi Japanese Maple | DT | 1.95 | R1 | 4-5 | 6-8 | 1.47 | 1.54 | 5 |
| <i>Acer palmatum</i> 'Taimin nishiki' Taimin Nishiki Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Tamahime' Tamahime Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Tana' Tana Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Tatsuta' Tatsuta Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Tennyo no hoshi' Tennyo No Hoshi Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.48 | 1.49 | 5 |
| <i>Acer palmatum</i> 'Tiny Tim' Tiny Tim Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Tobiosho' Tobiosho Japanese Maple | DT | 3.30 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Trompenburg' Trompenburg Japanese Maple | DT | 2.24 | R1 | 4-5 | 6-8 | 1.51 | 3.57 | 5 |
| <i>Acer palmatum</i> 'Tsuchigumo' Tsuchigumo Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Tsukushigata' Tsukushigata Japanese Maple | DT | 3.10 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Tsuma beni' Tsuma Beni Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Tsuma gaki' Tsuma Gaki Japanese Maple | DT | 4.80 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Tsuru Nishiki' Tsuru Nishiki Japanese Maple | DS | 2.08 | R1 | 4-5 | 6-8 | | 2.42 | 5 |
| <i>Acer palmatum</i> 'Twombly's Red Sentinel' Twombly's Red Sentinel Japanese Maple | DT | 3.58 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Ueno yama' Ueno Yama Japanese Maple | DT | 3.46 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Acer palmatum</i> 'Ukigumo' Floating Clouds Japanese Maple | DT | 2.21 | R1 | 4-5 | 6-8 | 1.93 | 1.71 | 5 |
| <i>Acer palmatum</i> 'Ukon' Ukon Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Umegae' Umegae Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.94 | 1.82 | 5 |
| <i>Acer palmatum</i> 'Vandermoss Red' Christie Ann® Red Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Versicolor' Pinkedge Japanese Maple | DT | 3.10 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Villa Tranto' Villa Tranto Japanese Maple | DT | 2.10 | R1 | 4-5 | 6-8 | 1.48 | 1.49 | 5 |
| <i>Acer palmatum</i> 'Volubile' Volubile Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Wabito' Wabito Japanese Maple | DT | 2.29 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Wakehurst Pink' Wakehurst Pink Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Walters Red' Walters Red Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'West Grove' West Grove Japanese Maple | DT | 2.49 | R1 | 4-5 | 6-8 | 1.63 | 3.31 | 5 |
| <i>Acer palmatum</i> 'Whitney Red' Whitney Red Japanese Maple | DT | 2.53 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Willow Leaf' Willow Leaf Japanese Maple | DT | 2.10 | R1 | 4-5 | 6-8 | 1.68 | 1.56 | 5 |
| <i>Acer palmatum</i> 'Wilson's Pink Dwarf' Wilson's Pink Dwarf Japanese Maple | DT | 3.24 | R1 | 4-5 | 6-8 | 1.48 | 1.49 | 5 |
| <i>Acer palmatum</i> 'Winter Flame' Winter Flame Japanese Maple | DT | 2.26 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Wolff' Emperor I™ Japanese Maple | DT | 2.96 | R1 | 4-5 | 6-8 | 1.38 | 2.01 | 5 |
| <i>Acer palmatum</i> 'Wou nishiki' Wou Nishiki Japanese Maple | DT | 3.58 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Yezo nishiki' Yezo Nishiki Japanese Maple | DT | 2.98 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Yubae' Yubae Japanese Maple | DT | 2.64 | R1 | 4-5 | 6-8 | 1.63 | 2.02 | 5 |
| <i>Acer palmatum</i> 'Yugure' Yugure Japanese Maple | DS | 2.64 | R1 | 4-5 | 6-8 | | 2.42 | 5 |
| <i>Acer palmatum</i> ssp. <i>matsumurae</i> Matsumurae Japanese Maple | DT | 1.35 | R1 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Acer palmatum</i> var. <i>atropurpureum</i> See - <i>Acer palmatum</i> 'Atropurpureum' | | | | | | | | |
| <i>Acer palmatum</i> var. <i>atropurpureum</i> 'Christie Ann' See - <i>Acer palmatum</i> 'Vandermoss Red' | | | | | | | | |
| <i>Acer palmatum</i> var. <i>atropurpureum</i> 'Musashino' See - <i>Acer palmatum</i> 'Musashino' | | | | | | | | |
| <i>Acer palmatum</i> var. <i>atropurpureum</i> 'Novum' See - <i>Acer palmatum</i> 'Atropurpureum Novum' | | | | | | | | |
| <i>Acer palmatum</i> var. <i>dissectum</i> Threadleaf Japanese Maple | DT | 2.61 | R1 | 4-5 | 6-8 | 4.34 | 4.35 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Ao shidare' Ao Shidare Threadleaf Japanese Maple | DT | 2.61 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Atropurpureum' Red Threadleaf Japanese Maple | DT | 1.79 | R1 | 4-5 | 6-8 | 2.17 | 7.88 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Baby Lace' Baby Lace Threadleaf Japanese Maple | DT | 2.61 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Baldsmith' Baldsmith Threadleaf Japanese Maple | DT | 1.96 | R1 | 4-5 | 6-8 | 2.17 | 1.92 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Barrie Bergman' Barrie Bergman Threadleaf Japanese Maple | DT | 2.61 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Beni shidare' Beni Shidare Threadleaf Japanese Maple | DT | 2.58 | R1 | 4-5 | 6-8 | 2.17 | 1.85 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Contorta' Contorted Threadleaf Japanese Maple | DT | 1.68 | R1 | 4-5 | 6-8 | 2.17 | 8.64 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Crimson Queen' Crimson Queen Threadleaf Japanese Maple | DT | 2.71 | R1 | 4-5 | 6-8 | 2.22 | 5.13 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Ever Red' Ever Red Threadleaf Japanese Maple | DT | 2.25 | R1 | 4-5 | 6-8 | 1.68 | 4.37 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Filigree' Filigree Threadleaf Japanese Maple | DT | 2.20 | R1 | 4-5 | 6-8 | 2.17 | 4.69 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Flavescens' Flavescens Threadleaf Japanese Maple | DT | 2.28 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Garnet' Garnet Threadleaf Japanese Maple | DT | 2.45 | R1 | 4-5 | 6-8 | 1.93 | 4.48 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Germaine's Gyration' Germaine' Gyration Threadleaf Japanese Maple | DS | 2.81 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Goshiki shidare' Goshiki Shidare Threadleaf Japanese Maple | DT | 6.25 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Green Hornet' Green Hornet Threadleaf Japanese Maple | DT | 2.61 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Green Lace' Green Lace Threadleaf Japanese Maple | DT | 2.19 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Green Mist' Green Mist Threadleaf Japanese Maple | DT | 3.10 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Inaba shidare' Inaba Shidare Threadleaf Japanese Maple | DT | 2.35 | R1 | 4-5 | 6-8 | 2.05 | 4.48 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Irish Lace' Irish Lace Threadleaf Japanese Maple | DT | 2.61 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Nigrum' See - <i>Acer palmatum</i> var. <i>dissectum</i> 'Ever Red' | | | | | | | | |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Octopus' Octopus Threadleaf Japanese Maple | DT | 2.61 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Orangelloa' Orangelloa Threadleaf Japanese Maple | DT | 2.55 | R1 | 4-5 | 6-8 | 2.17 | 3.59 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Ornatum' Spiderleaf Japanese Maple | DT | 2.50 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Palmatifidium' Palmatifidium Threadleaf Japanese Maple | DT | 2.24 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Pendulum Julian' Weeping Julian Threadleaf Japanese Maple | DT | 2.98 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Pendulum' Weeping Threadleaf Japanese Maple | DT | 2.61 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Raraflora' Raraflora Threadleaf Japanese Maple | DT | 2.61 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Red Dragon' Red Dragon Threadleaf Japanese Maple | DT | 2.37 | R1 | 4-5 | 6-8 | 1.86 | 3.57 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Red Filigree Lace' Red Filigree Lace Threadleaf Japanese Maple | DT | 3.66 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Red Select' See - <i>Acer palmatum</i> var. <i>dissectum</i> 'Inaba shidare' | | | | | | | | |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Seiryu' Seiryu Threadleaf Japanese Maple | DT | 2.08 | R1 | 4-5 | 6-8 | 1.51 | 3.44 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Sekimori' Sekimori Threadleaf Japanese Maple | DT | 2.23 | R1 | 4-5 | 6-8 | 2.17 | 5.06 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Shojo shidare' Shojo Shidare Threadleaf Japanese Maple | DT | 2.88 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Spring Delight' Spring Delight Threadleaf Japanese Maple | DT | 2.52 | R1 | 4-5 | 6-8 | 2.17 | 1.92 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Sunset' Sunset Threadleaf Japanese Maple | DT | 2.61 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Super Red' Super Red Threadleaf Japanese Maple | DT | 2.61 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Tamukeyama' Tamukeyama Threadleaf Japanese Maple | DT | 2.28 | R1 | 4-5 | 6-8 | 1.99 | 6.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Toyama nishiki' Toyama Nishiki Threadleaf Japanese Maple | DT | 2.30 | R1 | 4-5 | 6-8 | 2.17 | 2.89 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'V Corbin' V Corbin Threadleaf Japanese Maple | DT | 2.61 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Variegatum' Variegated Threadleaf Japanese Maple | DT | 3.58 | R1 | 4-5 | 6-8 | 2.17 | 1.90 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Viridis' Green Threadleaf Japanese Maple | DT | 2.47 | R1 | 4-5 | 6-8 | 1.91 | 3.72 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Waterfall' Waterfall Threadleaf Japanese Maple | DT | 2.66 | R1 | 4-5 | 6-8 | 2.17 | 2.97 | 5 |
| <i>Acer palmatum</i> var. <i>dissectum</i> 'Watnong' Watnong Threadleaf Japanese Maple | DT | 2.61 | R1 | 4-5 | 6-8 | 2.17 | 4.15 | 5 |
| <i>Acer pensylvanicum</i> Striped Maple | DT | 1.17 | R1 | 3 | 4-8 | 1.22 | 1.24 | 3 |
| <i>Acer pensylvanicum</i> 'Erythrocladum' Erythrocladum Striped Maple | DT | 1.17 | R1 | 3 | 4-8 | 1.22 | 1.24 | 3 |
| <i>Acer pictum</i> Painted Maple | DT | 1.00 | R1 | 4-5 | 6-8 | 1.00 | 0.55 | 5 |
| <i>Acer pilosum</i> No Common Name Found | DT | 1.00 | R1 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Acer pilosum</i> var. <i>stenolobum</i> Stenerlobe Maple | DT | 1.00 | R1 | 4-5 | 6-8 | 1.01 | 1.00 | 5 |
| <i>Acer platanoides</i> Norway Maple | DT | 0.98 | R1 | 3 | 4-8 | 0.99 | 0.56 | 3 |
| <i>Acer platanoides</i> 'Alberta Park' Alberta Park™ Norway Maple | DT | 1.19 | R1 | 3 | 4-8 | 1.23 | 0.65 | 3 |
| <i>Acer platanoides</i> 'Cavalier' P.P. 2973 Cavalier Norway Maple | DT | 1.19 | R1 | 3 | 4-8 | 1.23 | 0.65 | 3 |
| <i>Acer platanoides</i> 'Champtree' See - <i>Acer platanoides</i> 'National 2000' | | | | | | | | |
| <i>Acer platanoides</i> 'Cleveland' Cleveland Norway Maple | DT | 1.29 | R1 | 3 | 4-8 | 1.20 | 0.65 | 3 |
| <i>Acer platanoides</i> 'Columnar Compact' Columnar Compact Norway Maple | DT | 1.19 | R1 | 3 | 4-8 | 1.24 | 0.65 | 3 |
| <i>Acer platanoides</i> 'Columnarbroad' Parkway Norway® Maple | DT | 0.97 | R1 | 3 | 4-8 | 1.16 | 0.65 | 3 |
| <i>Acer platanoides</i> 'Columnare' Columnar Norway Maple | DT | 1.09 | R1 | 3 | 4-8 | 1.14 | 0.65 | 3 |
| <i>Acer platanoides</i> 'Conquest' See - <i>Acer platanoides</i> 'Conzam' | | | | | | | | |
| <i>Acer platanoides</i> 'Conzam' Conquest™ Norway Maple | DT | 1.13 | R1 | 3 | 4-8 | 1.08 | 0.65 | 3 |
| <i>Acer platanoides</i> 'Crimson King' P.P. 735 Crimson King Norway Maple | DT | 1.10 | R1 | 3 | 4-8 | 1.22 | 0.74 | 3 |
| <i>Acer platanoides</i> 'Crimson Sentry' P.P. 3258 Crimson Sentry Norway Maple | DT | 1.26 | R1 | 3 | 4-8 | 1.27 | 0.56 | 3 |
| <i>Acer platanoides</i> 'Crystal' See - <i>Acer platanoides</i> 'Lamis' | | | | | | | | |
| <i>Acer platanoides</i> 'Deborah' P.P. 4944 Deborah Norway Maple | DT | 1.13 | R1 | 3 | 4-8 | 1.11 | 0.46 | 3 |
| <i>Acer platanoides</i> 'Drummondii' Drummondii Variegated Norway Maple | DT | 1.09 | R1 | 3 | 4-8 | 1.27 | 0.55 | 3 |
| <i>Acer platanoides</i> 'Easy Street' Easy Street™ Norway Maple | DT | 1.19 | R1 | 3 | 4-8 | 1.30 | 0.65 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Acer platanoides</i> 'Emerald Lustre' See - <i>Acer platanoides</i> 'Pond' P.P. 4837 | | | | | | | | |
| <i>Acer platanoides</i> 'Emerald Queen' Emerald Queen™ Norway Maple | DT | 1.09 | R1 | 3 | 4-8 | 1.11 | 0.94 | 3 |
| <i>Acer platanoides</i> 'Ezestre' See - <i>Acer platanoides</i> 'Easy Street' | | | | | | | | |
| <i>Acer platanoides</i> 'Fairview' Fairview™ Norway Maple | DT | 1.09 | R1 | 3 | 4-8 | 1.31 | 0.65 | 3 |
| <i>Acer platanoides</i> 'Globosum' Globe Norway Maple | DT | 0.97 | R1 | 3 | 4-8 | 1.15 | 0.65 | 3 |
| <i>Acer platanoides</i> 'Jade Glen' Jade Glen™ Norway Maple | DT | 1.19 | R1 | 3 | 4-8 | 1.18 | 0.65 | 3 |
| <i>Acer platanoides</i> 'Lamis' Crystal® Norway Maple | DT | 1.19 | R1 | 3 | 4-8 | 1.23 | 0.65 | 3 |
| <i>Acer platanoides</i> 'Medallion' See - <i>Acer platanoides</i> 'Medzam' | | | | | | | | |
| <i>Acer platanoides</i> 'Medzam' Medallion™ Norway Maple | DT | 1.19 | R1 | 3 | 4-8 | 1.17 | 0.65 | 3 |
| <i>Acer platanoides</i> 'National 2000' Champtree Norway Maple | DT | 1.19 | R1 | 3 | 4-8 | 1.23 | 0.65 | 3 |
| <i>Acer platanoides</i> 'Olmsted' Olmsted Norway Maple | DT | 1.19 | R1 | 3 | 4-8 | 1.23 | 0.65 | 3 |
| <i>Acer platanoides</i> 'Oregon Pride' Oregon Pride® Norway Maple | DT | 1.19 | R1 | 3 | 4-8 | 1.23 | 0.65 | 3 |
| <i>Acer platanoides</i> 'Parkway' See - <i>Acer platanoides</i> 'Columnarbroad' | | | | | | | | |
| <i>Acer platanoides</i> 'Pond' P.P. 4837 Emerald Lustre® Norway Maple | DT | 1.15 | R1 | 3 | 4-8 | 1.11 | 0.42 | 3 |
| <i>Acer platanoides</i> 'Princeton Gold' P.P. 6727 Princeton Gold Norway Maple | DT | 1.01 | R1 | 3 | 4-8 | 1.33 | 0.40 | 3 |
| <i>Acer platanoides</i> 'Royal Red' Royal Red Norway Maple | DT | 1.27 | R1 | 3 | 4-8 | 1.29 | 0.45 | 3 |
| <i>Acer platanoides</i> 'Schwedleri' Schwedleri Norway Maple | DT | 1.29 | R1 | 3 | 4-8 | 1.20 | 0.36 | 3 |
| <i>Acer platanoides</i> 'Summershade' P.P. 1748 Summershade® Norway Maple | DT | 0.98 | R1 | 3 | 4-8 | 1.32 | 0.65 | 3 |
| <i>Acer platanoides</i> 'Superform' Superform Norway Maple | DT | 1.31 | R1 | 3 | 4-8 | 1.08 | 1.82 | 3 |
| <i>Acer platanoides</i> 'Variegatum' Variegated Norway Maple | DT | 2.46 | R1 | 3 | 4-8 | 2.00 | 0.51 | 3 |
| <i>Acer pseudoplatanus</i> Sycamore Maple | DT | 1.52 | R1 | 3-4 | 5-8 | 1.13 | 1.02 | 4 |
| <i>Acer pseudoplatanus</i> 'Atropurpureum' Spaeth Sycamore Maple | DT | 1.19 | R1 | 3-4 | 5-8 | 1.07 | 1.02 | 4 |
| <i>Acer pseudoplatanus</i> 'Brilliantissimum' Brilliantissimum Sycamore Maple | DT | 1.36 | R1 | 3-4 | 5-8 | 1.11 | 1.02 | 4 |
| <i>Acer pseudoplatanus</i> 'Lustre' Lustre Sycamore Maple | DT | 1.36 | R1 | 3-4 | 5-8 | 1.14 | 1.02 | 4 |
| <i>Acer pseudoplatanus</i> 'Prinz Handjery' Prinz Handjery Sycamore Maple | DT | 1.36 | R1 | 3-4 | 5-8 | 1.11 | 1.02 | 4 |
| <i>Acer pseudosieboldianum</i> Korean Maple | DT | 1.55 | R1 | 3-5 | 6-8 | 0.99 | 1.29 | 4 |
| <i>Acer rubrum</i> Red Maple | DT | 0.75 | R1 | 3 | 4-8 | 0.90 | 0.73 | 3 |
| <i>Acer rubrum</i> 'Armstrong' See - <i>Acer x freemanii</i> 'Armstrong' | | | | | | | | |
| <i>Acer rubrum</i> 'Autumn Flame' Autumn Flame® Red Maple | DT | 1.07 | R1 | 3 | 4-8 | 1.15 | 1.25 | 3 |
| <i>Acer rubrum</i> 'Autumn Radiance' Autumn Radiance Red Maple | DT | 1.30 | R1 | 3 | 4-8 | 1.45 | 2.21 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Acer rubrum</i> 'Autumn Spire' P.P. 7803 Autumn Spire Red Maple | DT | 1.34 | R1 | 3 | 4-8 | 1.36 | 0.91 | 3 |
| <i>Acer rubrum</i> 'Bailcraig' Scarlet Jewel™ Red Maple | DT | 1.60 | R1 | 3 | 4-8 | 1.09 | 1.10 | 3 |
| <i>Acer rubrum</i> 'Bowhall' Bowhall Red Maple | DT | 1.17 | R1 | 3 | 4-8 | 1.10 | 1.99 | 3 |
| <i>Acer rubrum</i> 'Brandywine' Brandywine Red Maple | DT | 1.07 | R1 | 3 | 4-8 | 0.97 | 0.79 | 3 |
| <i>Acer rubrum</i> 'Burgundy Belle' See - <i>Acer rubrum</i> 'Magnificent Magenta' P.P. 7222 | | | | | | | | |
| <i>Acer rubrum</i> 'Columnare' Columnare Red Maple | DT | 1.09 | R1 | 3 | 4-8 | 0.85 | 0.37 | 3 |
| <i>Acer rubrum</i> 'Cumberland' Cumberland Red Maple | DT | 1.09 | R1 | 3 | 4-8 | 1.09 | 1.10 | 3 |
| <i>Acer rubrum</i> 'Curtis' Curtis Red Maple | DT | 1.09 | R1 | 3 | 4-8 | 1.09 | 1.10 | 3 |
| <i>Acer rubrum</i> 'Davey' Davey Red Maple | DT | 1.09 | R1 | 3 | 4-8 | 1.09 | 1.10 | 3 |
| <i>Acer rubrum</i> 'Doric' Doric Red Maple | DT | 1.09 | R1 | 3 | 4-8 | 1.09 | 1.10 | 3 |
| <i>Acer rubrum</i> 'Embers' Embers® Red Maple | DT | 1.06 | R1 | 3 | 4-8 | 0.70 | 0.37 | 3 |
| <i>Acer rubrum</i> 'Fairview Flame' Fairview Flame® Red Maple | DT | 1.18 | R1 | 3 | 4-8 | 0.94 | 0.41 | 3 |
| <i>Acer rubrum</i> 'Fireball' See - <i>Acer rubrum</i> 'Firzam' | | | | | | | | |
| <i>Acer rubrum</i> 'Fireburst' Fireburst Red Maple | DT | 0.87 | R1 | 3 | 4-8 | 0.83 | 1.10 | 3 |
| <i>Acer rubrum</i> 'Firzam' Fireball™ Red Maple | DT | 1.09 | R1 | 3 | 4-8 | 1.27 | 1.10 | 3 |
| <i>Acer rubrum</i> 'Florida Flame' Florida Flame Red Maple | DT | 0.85 | R1 | 5-7 | 8 | 1.07 | 0.64 | 7 |
| <i>Acer rubrum</i> 'Frank Jr' P.P. 16769 Redpointe® Red Maple | DT | 1.03 | R1 | 3-4 | 5-8 | 1.09 | 1.10 | 4 |
| <i>Acer rubrum</i> 'Franksred' Red Sunset® Red Maple | DT | 1.12 | R1 | 3 | 4-8 | 1.12 | 1.56 | 3 |
| <i>Acer rubrum</i> 'Gates Peed' Gates Peed Red Maple | DT | 1.09 | R1 | 4-5 | 6-8 | 1.09 | 2.24 | 5 |
| <i>Acer rubrum</i> 'Gerling' Gerling Red Maple | DT | 1.09 | R1 | 3 | 4-8 | 1.09 | 1.10 | 3 |
| <i>Acer rubrum</i> 'Gulf Ember' Gulf Ember Red Maple | DT | 0.73 | R1 | 3 | 4-8 | 0.83 | 1.10 | 3 |
| <i>Acer rubrum</i> 'Karpick' Karpick Red Maple | DT | 1.22 | R1 | 3 | 4-8 | 1.21 | 1.18 | 3 |
| <i>Acer rubrum</i> 'Magnificent Magenta' P.P. 7222 Burgundy Belle® Red Maple | DT | 1.24 | R1 | 3 | 4-8 | 1.10 | 1.37 | 3 |
| <i>Acer rubrum</i> 'McKay' McKay Red Maple | DT | 1.09 | R1 | 3 | 4-8 | 1.09 | 1.10 | 3 |
| <i>Acer rubrum</i> 'Miller's Columnar' Miller's Columnar Red Maple | DT | 1.09 | R1 | 3 | 4-8 | 1.09 | 1.10 | 3 |
| <i>Acer rubrum</i> 'Morgan' See - <i>Acer x freemanii</i> 'Morgan' | | | | | | | | |
| <i>Acer rubrum</i> 'New World' New World Red Maple | DT | 0.99 | R1 | 3 | 4-8 | 1.09 | 1.10 | 3 |
| <i>Acer rubrum</i> 'Northfire' See - <i>Acer rubrum</i> 'Olson' | | | | | | | | |
| <i>Acer rubrum</i> 'Northwood' P.P. 5053 Northwood Red Maple | DT | 1.27 | R1 | 3 | 4-8 | 1.21 | 1.93 | 3 |
| <i>Acer rubrum</i> 'October Glory' See - <i>Acer rubrum</i> 'PNI 0268' P.P. 2116 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Acer rubrum</i> 'Olson' Northfire™ Red Maple | DT | 1.19 | R1 | 3 | 4-8 | 1.49 | 1.10 | 3 |
| <i>Acer rubrum</i> 'PNI 0268' P.P. 2116 October Glory® Red Maple | DT | 1.00 | R1 | 3 | 4-8 | 1.16 | 1.14 | 3 |
| <i>Acer rubrum</i> 'Red Rocket' Red Rocket Red Maple | DT | 1.13 | R1 | 3 | 4-8 | 1.09 | 1.10 | 3 |
| <i>Acer rubrum</i> 'Red Sunset' See - <i>Acer rubrum</i> 'Franksred' | | | | | | | | |
| <i>Acer rubrum</i> 'Redpointe' See - <i>Acer rubrum</i> 'Frank Jr' P.P. 16769 | | | | | | | | |
| <i>Acer rubrum</i> 'Regency' Regency Red Maple | DT | 1.09 | R1 | 3 | 4-8 | 1.09 | 1.10 | 3 |
| <i>Acer rubrum</i> 'Scanlon' P.P. 1722 Scanlon Red Maple | DT | 1.04 | R1 | 3 | 4-8 | 1.24 | 1.10 | 3 |
| <i>Acer rubrum</i> 'Scarlet Jewell' See - <i>Acer rubrum</i> 'Bailcraig' | | | | | | | | |
| <i>Acer rubrum</i> 'Schlesingeri' Schlesinger Red Maple | DT | 1.09 | R1 | 3 | 4-8 | 1.25 | 1.10 | 3 |
| <i>Acer rubrum</i> 'Shade King' Shade King Red Maple | DT | 1.09 | R1 | 3 | 4-8 | 1.09 | 1.10 | 3 |
| <i>Acer rubrum</i> 'Somerset' Somerset Red Maple | DT | 1.02 | R1 | 3 | 4-8 | 0.98 | 0.41 | 3 |
| <i>Acer rubrum</i> 'Summer Red' Summer Red® Red Maple | DT | 1.03 | R1 | 3-4 | 5-8 | 0.97 | 0.92 | 4 |
| <i>Acer rubrum</i> 'Sun Valley' Sun Valley Red Maple | DT | 0.98 | R1 | 3 | 4-8 | 0.96 | 0.46 | 3 |
| <i>Acer rubrum</i> 'Supersonic' See - <i>Acer rubrum</i> 'Supszam' | | | | | | | | |
| <i>Acer rubrum</i> 'Supszam' Supersonic™ Red Maple | DT | 1.09 | R1 | 3-4 | 5-8 | 1.21 | 1.10 | 4 |
| <i>Acer rubrum</i> 'Tilford' Tilford Red Maple | DT | 1.09 | R1 | 3 | 4-8 | 1.09 | 1.10 | 3 |
| <i>Acer rubrum</i> 'V.J. Drake' V.J. Drake Red Maple | DT | 1.09 | R1 | 3 | 4-8 | 1.09 | 1.10 | 3 |
| <i>Acer rubrum</i> var. <i>drummondii</i> Drummond Red Maple | DT | 0.93 | R1 | 3 | 4-8 | 0.50 | 1.00 | 3 |
| <i>Acer rufinerve</i> Redvein Maple | DT | 0.92 | R1 | 4-6 | 7-8 | 1.16 | 1.15 | 6 |
| <i>Acer saccharinum</i> Silver Maple | DT | 0.90 | R1 | 3-4 | 5-8 | 0.59 | 0.34 | 3 |
| <i>Acer saccharinum</i> 'Beebe Cutleaf Weeping' Beebe Cutleaf Weeping Silver Maple | DT | 0.96 | R1 | 3-4 | 5-8 | 1.12 | 0.52 | 3 |
| <i>Acer saccharinum</i> 'Blair' Blair Silver Maple | DT | 1.10 | R1 | 3-4 | 5-8 | 1.12 | 0.52 | 3 |
| <i>Acer saccharinum</i> 'Laciniatum Wieri' Wier's Cutleaf Silver Maple | DT | 0.96 | R1 | 3-4 | 5-8 | 1.83 | 0.52 | 3 |
| <i>Acer saccharinum</i> 'Laciniatum' Cutleaf Silver Maple | DT | 0.96 | R1 | 3-4 | 5-8 | 1.12 | 0.52 | 3 |
| <i>Acer saccharinum</i> 'Northline' C.O.P.F. Northline Silver Maple | DT | 0.96 | R1 | 3-4 | 5-8 | 1.12 | 0.52 | 3 |
| <i>Acer saccharinum</i> 'Silver Queen' Silver Queen Silver Maple | DT | 0.98 | R1 | 3-4 | 5-8 | 0.98 | 0.70 | 3 |
| <i>Acer saccharinum</i> 'Skinneri' Skinner's Cutleaf Silver Maple | DT | 0.84 | R1 | 3-4 | 5-8 | 1.09 | 0.52 | 3 |
| <i>Acer saccharum</i> Sugar Maple | DT | 0.75 | R1 | 3 | 4-8 | 0.99 | 0.84 | 3 |
| <i>Acer saccharum</i> 'ASTIS' Steeple™ Sugar Maple | DT | 1.30 | R1 | 3 | 4-8 | 1.30 | 1.00 | 3 |
| <i>Acer saccharum</i> 'Adirondak' See - <i>Acer saccharum</i> 'Adirzam' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Acer saccharum</i> 'Adirzam' Adirondak® Sugar Maple | DT | 1.29 | R1 | 3 | 4-8 | 1.26 | 1.00 | 3 |
| <i>Acer saccharum</i> 'Apollo' See - <i>Acer saccharum</i> 'Barret Cole' P.P. 10590 | | | | | | | | |
| <i>Acer saccharum</i> 'Arrowhead' Arrowhead Sugar Maple | DT | 1.29 | R1 | 3 | 4-8 | 1.40 | 1.00 | 3 |
| <i>Acer saccharum</i> 'Autumn Faith' See - <i>Acer saccharum</i> 'Heartland' | | | | | | | | |
| <i>Acer saccharum</i> 'Autumn Splendor' Autumn Splendor Sugar Maple | DT | 1.29 | R1 | 3 | 4-8 | 1.25 | 1.00 | 3 |
| <i>Acer saccharum</i> 'Bailsta' P.P. 11119 Fall Fiesta™ Sugar Maple | DT | 1.36 | R1 | 3 | 4-8 | 1.31 | 1.46 | 3 |
| <i>Acer saccharum</i> 'Barret Cole' P.P. 10590 Apollo™ Sugar Maple | DT | 1.29 | R1 | 3 | 4-8 | 1.14 | 1.00 | 3 |
| <i>Acer saccharum</i> 'Bonfire' P.P. 3817 Bonfire Sugar Maple | DT | 1.29 | R1 | 3 | 4-8 | 1.16 | 1.20 | 3 |
| <i>Acer saccharum</i> 'Caddo' Caddo Sugar Maple | DT | 0.88 | R1 | 3 | 4-8 | 1.16 | 1.00 | 3 |
| <i>Acer saccharum</i> 'Commemoration' P.P. 5079 Commemoration Sugar Maple | DT | 1.24 | R1 | 3 | 4-8 | 1.18 | 1.05 | 3 |
| <i>Acer saccharum</i> 'Crescendo' See - <i>Acer saccharum</i> 'Morton' | | | | | | | | |
| <i>Acer saccharum</i> 'Endowment' P.P. 4654 Endowment Sugar Maple | DT | 1.29 | R1 | 3 | 4-8 | 1.19 | 1.11 | 3 |
| <i>Acer saccharum</i> 'Fairview' Fairview™ Sugar Maple | DT | 1.29 | R1 | 3 | 4-8 | 0.97 | 1.00 | 3 |
| <i>Acer saccharum</i> 'Fall Fiesta' See - <i>Acer saccharum</i> 'Bailsta' P.P. 11119 | | | | | | | | |
| <i>Acer saccharum</i> 'Fidcrezam' Fiddler's Creek™ Sugar Maple | DT | 1.29 | R1 | 3 | 4-8 | 1.35 | 1.00 | 3 |
| <i>Acer saccharum</i> 'Fiddler's Creek' See - <i>Acer saccharum</i> 'Fidcrezam' | | | | | | | | |
| <i>Acer saccharum</i> 'Flax Mill Majesty' P.P. 5273 Flax Mill Majesty® Sugar Maple | DT | 1.54 | R1 | 3 | 4-8 | 1.21 | 0.98 | 3 |
| <i>Acer saccharum</i> 'Goldspire' P.P. 2917 Goldspire Sugar Maple | DT | 1.29 | R1 | 3 | 4-8 | 1.20 | 1.00 | 3 |
| <i>Acer saccharum</i> 'Green Mountain' See - <i>Acer saccharum</i> 'PNI 0285' P.P. 2339 | | | | | | | | |
| <i>Acer saccharum</i> 'Harvest Moon' See - <i>Acer saccharum</i> 'Sandersville' P.P. 19807 | | | | | | | | |
| <i>Acer saccharum</i> 'Heartland' Autumn Faith™ Sugar Maple | DT | 1.29 | R1 | 3 | 4-8 | 1.25 | 1.00 | 3 |
| <i>Acer saccharum</i> 'Holmrum I' Sugar Queen® Sugar Maple | DT | 1.29 | R1 | 3 | 4-8 | 0.96 | 0.37 | 3 |
| <i>Acer saccharum</i> 'Jefcan' Unity™ Sugar Maple | DT | 1.77 | R1 | 3 | 4-8 | 1.25 | 1.00 | 3 |
| <i>Acer saccharum</i> 'John Pair' John Pair Sugar Maple | DT | 1.45 | R1 | 3 | 4-8 | 1.25 | 1.00 | 3 |
| <i>Acer saccharum</i> 'Legacy' P.P. 4979 Legacy Sugar Maple | DT | 1.19 | R1 | 3 | 4-8 | 1.19 | 0.99 | 3 |
| <i>Acer saccharum</i> 'Morton' Crescendo™ Sugar Maple | DT | 1.34 | R1 | 3 | 4-8 | 1.32 | 1.00 | 3 |
| <i>Acer saccharum</i> 'Newton Sentry' Newton Sentry Sugar Maple | DT | 1.29 | R1 | 3 | 4-8 | 1.25 | 1.00 | 3 |
| <i>Acer saccharum</i> 'PNI 0285' P.P. 2339 Green Mountain® Sugar Maple | DT | 1.32 | R1 | 3 | 4-8 | 1.17 | 0.96 | 3 |
| <i>Acer saccharum</i> 'Sandersville' P.P. 19807 Harvest Moon® Sugar Maple | DT | 1.29 | R1 | 3-6 | 7-8 | 1.25 | 1.00 | 6 |
| <i>Acer saccharum</i> 'Seneca Chief' Seneca Chief Sugar Maple | DT | 1.29 | R1 | 3 | 4-8 | 1.40 | 1.00 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Acer saccharum</i> 'Skybound' Skybound Sugar Maple | DT | 1.29 | R1 | 3 | 4-8 | 1.25 | 1.00 | 3 |
| <i>Acer saccharum</i> 'Steeple' See - <i>Acer saccharum</i> 'ASTIS' | | | | | | | | |
| <i>Acer saccharum</i> 'Sugar Cone' Sugar Cone Sugar Maple | DT | 1.29 | R1 | 3 | 4-8 | 1.44 | 1.00 | 3 |
| <i>Acer saccharum</i> 'Sugar Queen' See - <i>Acer saccharum</i> 'Holmrum I' | | | | | | | | |
| <i>Acer saccharum</i> 'Summer Proof' Summer Proof Sugar Maple | DT | 1.29 | R1 | 3 | 4-8 | 1.47 | 1.00 | 3 |
| <i>Acer saccharum</i> 'Sweet Shadow' P.P. 2139 Sweet Shadow Sugar Maple | DT | 1.29 | R1 | 3 | 4-8 | 1.66 | 1.00 | 3 |
| <i>Acer saccharum</i> 'Temple's Upright' Temple's Upright Sugar Maple | DT | 1.29 | R1 | 3 | 4-8 | 1.25 | 1.00 | 3 |
| <i>Acer saccharum</i> 'Unity' See - <i>Acer saccharum</i> 'Jefcan' | | | | | | | | |
| <i>Acer saccharum</i> 'Wright Brothers' Wright Brothers Sugar Maple | DT | 1.29 | R1 | 3 | 4-8 | 1.22 | 1.00 | 3 |
| <i>Acer saccharum</i> ssp. <i>floridanum</i> Southern Sugar Maple | DT | 0.71 | R1 | 5-7 | 8 | 0.76 | 0.77 | 7 |
| <i>Acer saccharum</i> ssp. <i>grandidentatum</i> Big Tooth Maple | DT | 1.39 | R1 | 3 | 4-8 | 1.22 | 1.26 | 3 |
| <i>Acer saccharum</i> ssp. <i>grandidentatum</i> 'Highland Park' See - <i>Acer saccharum</i> ssp. <i>grandidentatum</i> 'Hipazam' | | | | | | | | |
| <i>Acer saccharum</i> ssp. <i>grandidentatum</i> 'Hipazam' Highland Park™ Maple | DT | 1.42 | R1 | 3 | 4-8 | 1.35 | 1.60 | 3 |
| <i>Acer saccharum</i> ssp. <i>grandidentatum</i> 'Rocky Mountain Glow' ssp. 'Schmidt' See - <i>Acer saccharum</i> <i>grandidentatum</i> | | | | | | | | |
| <i>Acer saccharum</i> ssp. <i>grandidentatum</i> 'Schmidt' Rocky Mountain Glow™ Maple | DT | 1.45 | R1 | 3 | 4-8 | 1.33 | 1.93 | 3 |
| <i>Acer saccharum</i> ssp. <i>leucoderme</i> Chalkbark Maple | DT | 0.65 | R1 | 3 | 4-8 | 0.68 | 0.55 | 3 |
| <i>Acer saccharum</i> ssp. <i>nigrum</i> Black Maple | DT | 1.07 | R1 | 3 | 4-8 | 1.36 | 1.37 | 3 |
| <i>Acer saccharum</i> ssp. <i>nigrum</i> 'Greencolumn' P.P. 3722 Greencolumn Black Maple | DT | 1.21 | R1 | 3 | 4-8 | 1.23 | 1.37 | 3 |
| <i>Acer saccharum</i> ssp. <i>nigrum</i> 'Platti' Fall Red™ Black Sugar Maple | DT | 0.92 | R1 | 3 | 4-8 | 1.00 | 1.37 | 3 |
| <i>Acer shirasawanum</i> Shirasawa Maple | DT | 3.69 | R1 | 4-5 | 6-8 | 1.48 | 1.49 | 5 |
| <i>Acer shirasawanum</i> '6910' 6910 Shirasawa Maple | DS | 2.13 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Acer shirasawanum</i> 'Aureum' Goldenmoon Shirasawa Maple | DT | 4.63 | R1 | 4-5 | 6-8 | 1.48 | 2.97 | 5 |
| <i>Acer shirasawanum</i> 'Autumn Moon' Autumn Moon Shirasawa Maple | DT | 3.12 | R1 | 4-5 | 6-8 | 1.48 | 2.23 | 5 |
| <i>Acer shirasawanum</i> 'Ezo-no-momiji' Ezo-no-momiji Shirasawa Maple | DT | 3.69 | R1 | 4-5 | 6-8 | 1.48 | 2.23 | 5 |
| <i>Acer shirasawanum</i> 'Junihitoe' Junihitoe Shirasawa Maple | DT | 3.69 | R1 | 4-5 | 6-8 | 1.48 | 2.23 | 5 |
| <i>Acer shirasawanum</i> 'Ogureyama' Ogureyama Shirasawa Maple | DT | 3.16 | R1 | 3-5 | 6-8 | 1.48 | 2.23 | 5 |
| <i>Acer shirasawanum</i> 'Palmatifolium' Palmatifolium Shirasawa Maple | DT | 3.85 | R1 | 4-5 | 6-8 | 1.48 | 2.23 | 5 |
| <i>Acer sieboldianum</i> Siebold Maple | DT | 1.73 | R1 | 4-5 | 6-8 | 1.10 | 1.65 | 5 |
| <i>Acer sieboldianum</i> 'Sode no uchi' Sode no uchi Siebold Maple | DT | 2.98 | R1 | 4-5 | 6-8 | 1.10 | 1.65 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Acer sterculiaceum</i> Himalayan Maple | DT | 1.00 | R1 | 3-8 | | 1.00 | 1.00 | 8 |
| <i>Acer tataricum</i> Tatarian Maple | DT | 1.06 | R1 | 3 | 4-8 | 1.18 | 1.42 | 3 |
| <i>Acer tataricum</i> 'Actar' P.P.A.F. Summer Splendor Tatarian Maple | DT | 1.32 | R1 | 3 | 4-8 | 1.15 | 1.42 | 3 |
| <i>Acer tataricum</i> 'GarAnn' P.P. 15023 Hot Wings™ Tatarian Maple | DT | 1.67 | R1 | 3 | 4-8 | 1.21 | 1.42 | 3 |
| <i>Acer tataricum</i> 'Hot Wings' See - <i>Acer tataricum</i> 'GarAnn' P.P. 15023 | | | | | | | | |
| <i>Acer tataricum</i> 'JFS-KW2' Rugged Charm™ Tatarian Maple | DT | 1.00 | R1 | 3 | 4-8 | 1.21 | 1.42 | 3 |
| <i>Acer tataricum</i> 'Pattern Perfect' Pattern Perfect Tatarian Maple | DT | 1.53 | R1 | 3 | 4-8 | 1.29 | 1.42 | 3 |
| <i>Acer tataricum</i> 'Rugged Charm' See - <i>Acer tataricum</i> 'JFS-KW2' | | | | | | | | |
| <i>Acer tataricum</i> 'Summer Splendor' See - <i>Acer tataricum</i> 'Actar' P.P.A.F. | | | | | | | | |
| <i>Acer tataricum</i> ssp. <i>ginnala</i> See - <i>Acer ginnala</i> | | | | | | | | |
| <i>Acer tegmentosum</i> Manchurian Stripebark Maple | DT | 1.00 | R1 | 3-4 | 5-8 | 0.97 | 0.55 | 4 |
| <i>Acer tegmentosum</i> 'White Tigress' White Tigress Stripebark Maple | DT | 1.00 | R1 | 4-5 | 6-8 | 0.97 | 0.55 | 5 |
| <i>Acer triflorum</i> Three-flower Maple | DT | 2.06 | R1 | 4-5 | 6-8 | 1.37 | 1.84 | 5 |
| <i>Acer truncatum</i> Purpleblow Maple | DT | 0.91 | R1 | 3-4 | 5-8 | 1.11 | 1.48 | 4 |
| <i>Acer truncatum</i> 'Keithsform' P.P. 7529 Norwegian Sunset™ Purpleblow Maple | DT | 1.13 | R1 | 3-4 | 5-8 | 1.22 | 1.59 | 4 |
| <i>Acer truncatum</i> 'Norwegian Sunset' See - <i>Acer truncatum</i> 'Keithsform' P.P. 7529 | | | | | | | | |
| <i>Acer truncatum</i> 'Pacific Sunset' See - <i>Acer truncatum</i> 'Warrenred' P.P. 7433 | | | | | | | | |
| <i>Acer truncatum</i> 'Warrenred' P.P. 7433 Pacific Sunset™ Purpleblow Maple | DT | 1.12 | R1 | 3-4 | 5-8 | 1.11 | 1.32 | 4 |
| <i>Acer tschonoskii</i> ssp. <i>koreanum</i> Butterfly Maple | DT | 1.00 | R1 | 3-4 | 5-8 | 0.97 | 1.00 | 4 |
| <i>Acer ukurunduense</i> See - <i>Acer caudatum</i> ssp. <i>ukurunduense</i> | | | | | | | | |
| <i>Acer villosum</i> See - <i>Acer sterculiaceum</i> | | | | | | | | |
| <i>Achillea</i> Yarrow | HP | 0.78 | R2 | | 3-8 | | | |
| <i>Achillea</i> 'Anthea' P.P. 8828 Anthea Yarrow | HP | 0.88 | R1 | 3 | 4-8 | | | |
| <i>Achillea</i> 'Appleblossom' Appleblossom Yarrow | HP | 0.92 | R1 | | 3-8 | | | |
| <i>Achillea</i> 'Coronation Gold' Coronation Gold Yarrow | HP | 0.85 | R1 | 3 | 4-8 | | | |
| <i>Achillea</i> 'Credo' Credo Yarrow | HP | 0.84 | R1 | 3 | 4-8 | | | |
| <i>Achillea</i> 'Fornsett Fletton' Fornsett Fletton Yarrow | HP | 0.62 | R1 | 3 | 4-8 | | | |
| <i>Achillea</i> 'Great Expectations' Great Expectations Yarrow | HP | 0.64 | R1 | 3 | 4-8 | | | |
| <i>Achillea</i> 'Heidi' Heidi Yarrow | HP | 0.70 | R1 | 3 | 4-8 | | | |
| <i>Achillea</i> 'Moonshine' Moonshine Yarrow | HP | 0.87 | R1 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|-------------|---------|------------|
| | | Factor | SK | Insurable HZ | | Factors | |
| | | | | Req | Not Req | Caliper | High/Wide |
| <i>Achillea</i> 'Orange Queen' Orange Queen Yarrow | HP | 0.78 | R1 | | 3-8 | | |
| <i>Achillea</i> 'Peach Blossom' Peach Blossom Yarrow | HP | 0.78 | R1 | | 3-8 | | |
| <i>Achillea</i> 'Salmon Beauty' Salmon Beauty Yarrow | HP | 0.75 | R1 | | 3-8 | | |
| <i>Achillea</i> 'Schwellenberg' Schwellenberg Yarrow | HP | 0.79 | R1 | 3 | 4-8 | | |
| <i>Achillea</i> 'Summerwine' Summerwine Yarrow | HP | 0.97 | R1 | 3-4 | 5-8 | | |
| <i>Achillea</i> 'Taygetea' Taygetea Yarrow | HP | 0.64 | R1 | 3 | 4-8 | | |
| <i>Achillea</i> 'The Beacon' Fanal Yarrow | HP | 0.62 | R1 | | 3-8 | | |
| <i>Achillea ageratifolia</i> Greek Yarrow | HP | 0.70 | R1 | 3 | 4-8 | | |
| <i>Achillea clavennae</i> Silvery Yarrow | HP | 0.63 | R2 | 3 | 4-8 | | |
| <i>Achillea filipendulina</i> Fernleaf Yarrow | HP | 0.97 | R2 | 3 | 4-8 | | |
| <i>Achillea filipendulina</i> 'Altgold' Altgold Fernleaf Yarrow | HP | 0.73 | R2 | 3 | 4-8 | | |
| <i>Achillea filipendulina</i> 'Cloth of Gold' Cloth of Gold Fernleaf Yarrow | HP | 0.87 | R2 | 3 | 4-8 | | |
| <i>Achillea filipendulina</i> 'Gold Plate' Gold Plate Fernleaf Yarrow | HP | 0.83 | R2 | 3 | 4-8 | | |
| <i>Achillea filipendulina</i> 'Moonbeam' Moonbeam Fernleaf Yarrow | HP | 0.83 | R2 | 3 | 4-8 | | |
| <i>Achillea filipendulina</i> 'Parker's Variety' Parker's Variety Fernleaf Yarrow | HP | 0.74 | R2 | 3 | 4-8 | | |
| <i>Achillea x kellereri</i> No Common Name Found | HP | 0.65 | R2 | 3 | 4-8 | | |
| <i>Achillea x lewisii</i> No Common Name Found | HP | 0.78 | R2 | 3-4 | 5-8 | | |
| <i>Achillea x lewisii</i> 'King Edward' King Edward Yarrow | HP | 0.78 | R2 | 3-4 | 5-8 | | |
| <i>Achillea millefolium</i> Common Yarrow | HP | 0.90 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Angelique' P.P.A.F. Angelique Common Yarrow | HP | 1.08 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Ann Gillette' Ann Gillette Common Yarrow | HP | 0.62 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Borealis' Borealis Yarrow | HP | 1.12 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Calistoga' Calistoga Common Yarrow | HP | 0.62 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Cerise Queen' Cerise Queen Yarrow | HP | 0.78 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Citronella' Citronella Yarrow | HP | 0.89 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Colorado' Colorado Yarrow | HP | 1.12 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Debutante' Debutante Yarrow | HP | 0.89 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Fireland' Fireland Yarrow | HP | 0.86 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Island Pink' Island Pink Common Yarrow | HP | 0.62 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Lavender Deb' Lavender Deb Yarrow | HP | 1.10 | R1 | | 3-8 | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|-------------|---------|------------|
| | | Factor | SK | Insurable HZ | | Factors | |
| | | | | Req | Not Req | Caliper | High/Wide |
| <i>Achillea millefolium</i> 'Lilac Beauty' Lilac Beauty Yarrow | HP | 0.85 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Ortel's Rose' Ortel's Rose Yarrow | HP | 0.76 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Paprika' Paprika Yarrow | HP | 0.83 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Pink Debutante' Pink Debutante Yarrow | HP | 0.76 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Red Beauty' Red Beauty Yarrow | HP | 1.02 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Red Velvet' Red Velvet Yarrow | HP | 1.09 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Roseum' Pink Common Yarrow | HP | 0.92 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Royal Tapestry' Royal Tapestry Common Yarrow | HP | 0.67 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Salmon Queen' Salmon Queen Yarrow | HP | 0.89 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Sawa Sawa' Sawa Sawa Yarrow | HP | 0.89 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Snow Sport' Snow Sport Yarrow | HP | 0.81 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Snow Taler' Snow Taler Yarrow | HP | 0.89 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Summer Pastels' Summer Pastels Yarrow | HP | 0.90 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Terra Cotta' Terra Cotta Yarrow | HP | 0.93 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Walter Funcke' See - <i>Achillea millefolium</i> 'Walther Funcke' | | | | | | | |
| <i>Achillea millefolium</i> 'Walther Funcke' Walther Funcke Yarrow | HP | 0.93 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'Weser River Sandstone' Weser River Sandstone Yarrow | HP | 0.89 | R1 | | 3-8 | | |
| <i>Achillea millefolium</i> 'White Beauty' White Beauty Yarrow | HP | 1.22 | R1 | | 3-8 | | |
| <i>Achillea ptarmica</i> Sneezewort | HP | 0.81 | R2 | 3 | 4-8 | | |
| <i>Achillea ptarmica</i> 'Angel's Breath' Angel's Breath Sneezewort | HP | 1.13 | R2 | 3 | 4-8 | | |
| <i>Achillea ptarmica</i> 'Ballerina' Ballerina Sneezewort | HP | 0.55 | R2 | 3 | 4-8 | | |
| <i>Achillea ptarmica</i> 'Perry's White' Perry's White Sneezewort | HP | 0.85 | R2 | 3 | 4-8 | | |
| <i>Achillea ptarmica</i> 'The Pearl' The Pearl Sneezewort | HP | 0.92 | R2 | 3 | 4-8 | | |
| <i>Achillea sibirica</i> Siberian Yarrow | HP | 0.92 | R2 | 3-5 | 6-8 | | |
| <i>Achillea sibirica</i> 'Kamschaticum' See - <i>Achillea sibirica</i> var. <i>camschatica</i> | | | | | | | |
| <i>Achillea sibirica</i> var. <i>camschatica</i> Camschatica Achillea | HP | 0.69 | R2 | 3-5 | 6-8 | | |
| <i>Achillea sibirica</i> var. <i>camschatica</i> 'Love Parade' Love Parade Camschatica Achillea | HP | 0.69 | R2 | 3-5 | 6-8 | | |
| <i>Achillea tomentosa</i> Woolly Yarrow | HP | 0.72 | R2 | 3 | 4-8 | | |
| <i>Achillea tomentosa</i> 'Aurea' Yellow Woolly Yarrow | HP | 0.48 | R2 | 3 | 4-8 | | |
| <i>Achillea tomentosa</i> 'King George' King George Woolly Yarrow | HP | 0.62 | R2 | 3 | 4-8 | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Achillea tomentosa</i> 'Maynard's Gold' | | | | | | | | |
| See - <i>Achillea tomentosa</i> 'Aurea' | | | | | | | | |
| <i>Achillea tomentosa</i> 'Moonlight' | HP | 0.61 | R2 | 3 | 4-8 | | | |
| Moonlight Woolly Yarrow | | | | | | | | |
| <i>Achillea tomentosa</i> var. <i>nana</i> | HP | 0.62 | R2 | 3 | 4-8 | | | |
| No Common Name Found | | | | | | | | |
| <i>Achillea</i> x <i>wilczekii</i> | HP | 1.00 | R2 | 3 | 4-8 | | | |
| No Common Name Found | | | | | | | | |
| <i>Achlys triphylla</i> | HP | 0.59 | R2 | 3 | 4-8 | | | |
| Vanilla Leaf | | | | | | | | |
| <i>Acidanthera bicolor</i> | | | | | | | | |
| See - <i>Gladiolus callianthus</i> | | | | | | | | |
| <i>Acinos alpinus</i> | HP | 0.65 | R2 | 3-4 | 5-8 | | | |
| Alpine Calamint | | | | | | | | |
| <i>Acmella oleracea</i> | HP | 0.75 | R2 | 8 | | | | |
| Eyeball Plant | | | | | | | | |
| <i>Acmella pilosa</i> | HP | 0.49 | R2 | 8 | | | | |
| Hairy Spotflower | | | | | | | | |
| <i>Acoelorrhaphe wrightii</i> | PC | 0.75 | R2 | 8 | | | 1.17 | 9 |
| Paurotis Palm | | | | | | | | |
| <i>Aconitum</i> | HP | 1.07 | R2 | 4-6 | 7-8 | | | |
| Monkshood | | | | | | | | |
| <i>Aconitum</i> 'Newry Blue' | HP | 1.07 | R2 | 4-6 | 7-8 | | | |
| Newry Blue Monkshood | | | | | | | | |
| <i>Aconitum</i> x <i>cammarum</i> | HP | 1.14 | R2 | 3-5 | 6-8 | | | |
| Hungarian Monkshood | | | | | | | | |
| <i>Aconitum</i> x <i>cammarum</i> 'Bicolor' | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| Bicolor Monkshood | | | | | | | | |
| <i>Aconitum</i> x <i>cammarum</i> 'Blue Sceptre' | HP | 1.14 | R2 | 3-5 | 6-8 | | | |
| Blue Sceptre Bicolor Monkshood | | | | | | | | |
| <i>Aconitum</i> x <i>cammarum</i> 'Bressingham Spire' | HP | 1.22 | R2 | 3-5 | 6-8 | | | |
| Bressingham Spire Bicolor Monkshood | | | | | | | | |
| <i>Aconitum</i> x <i>cammarum</i> 'Eleanor' | HP | 1.13 | R2 | 3-5 | 6-8 | | | |
| Eleanor Bicolor Monkshood | | | | | | | | |
| <i>Aconitum</i> <i>carmichaelii</i> | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| Azure Monkshood | | | | | | | | |
| <i>Aconitum</i> <i>carmichaelii</i> 'Arendsii' | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| Arendsii Azure Monkshood | | | | | | | | |
| <i>Aconitum</i> <i>carmichaelii</i> 'Spatlese' | HP | 1.01 | R2 | 3-5 | 6-8 | | | |
| Spatlese Azure Monkshood | | | | | | | | |
| <i>Aconitum fischeri</i> | | | | | | | | |
| See - <i>Aconitum</i> <i>carmichaelii</i> | | | | | | | | |
| <i>Aconitum henryi</i> | HP | 1.28 | R2 | 3-5 | 6-8 | | | |
| Autumn Monkshood | | | | | | | | |
| <i>Aconitum henryi</i> 'Spark's Variety' | HP | 1.28 | R2 | 3-5 | 6-8 | | | |
| Spark's Variety Autumn Monkshood | | | | | | | | |
| <i>Aconitum lamarckii</i> | | | | | | | | |
| See - <i>Aconitum lycoctonum</i> ssp. <i>neapolitanum</i> | | | | | | | | |
| <i>Aconitum lycoctonum</i> ssp. <i>lycoctonum</i> | HP | 1.17 | R2 | 3-5 | 6-8 | | | |
| Wolfsbane | | | | | | | | |
| <i>Aconitum lycoctonum</i> ssp. <i>lycoctonum</i> 'Ivoryine' | HP | 1.17 | R2 | 3-5 | 6-8 | | | |
| Ivoryine Wolfsbane | | | | | | | | |
| <i>Aconitum lycoctonum</i> ssp. <i>neapolitanum</i> | HP | 1.13 | R2 | 3-5 | 6-8 | | | |
| Yellow Wolfsbane | | | | | | | | |
| <i>Aconitum napellus</i> | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| Garden Monkshood | | | | | | | | |
| <i>Aconitum napellus</i> 'Album' | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| White Garden Monkshood | | | | | | | | |
| <i>Aconitum napellus</i> 'Blue Valley' | HP | 1.05 | R2 | 3-5 | 6-8 | | | |
| Blue Valley Garden Monkshood | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Aconitum napellus</i> ssp. <i>vulgare</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Aconitum napellus</i> ssp. <i>vulgare</i> 'Carneum' Carneum Garden Monkshood | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Aconitum septentrionale</i> See - <i>Aconitum lycoctonum</i> ssp. <i>lycoctonum</i> | | | | | | | | |
| <i>Acorus calamus</i> Sweet Flag | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Acorus calamus</i> 'Variegatus' Variegated Sweet Flag | HP | 1.20 | R2 | 3-4 | 5-8 | | | |
| <i>Acorus gramineus</i> Japanese Sweet Flag | HP | 0.76 | R2 | 3-5 | 6-8 | | | |
| <i>Acorus gramineus</i> 'Aureovariegatus' See - <i>Acorus gramineus</i> 'Variegatus' | | | | | | | | |
| <i>Acorus gramineus</i> 'Masamune' Masamune Japanese Sweet Flag | HP | 0.88 | R2 | 3-5 | 6-8 | | | |
| <i>Acorus gramineus</i> 'Minimus Aureus' Miniature Variegated Japanese Sweet Flag | HP | 1.04 | R2 | 3-5 | 6-8 | | | |
| <i>Acorus gramineus</i> 'Oborozuki' Oborozuki Japanese Sweet Flag | HP | 0.81 | R2 | 3-5 | 6-8 | | | |
| <i>Acorus gramineus</i> 'Ogon' Gold Variegated Japanese Sweet Flag | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| <i>Acorus gramineus</i> 'Pusillus Minimus Aureus' See - <i>Acorus gramineus</i> 'Minimus Aureus' | | | | | | | | |
| <i>Acorus gramineus</i> 'Pusillus' Pusillus Dwarf Japanese Sweet Flag | HP | 0.88 | R2 | 3-5 | 6-8 | | | |
| <i>Acorus gramineus</i> 'Variegatus' Variegated Japanese Sweet Flag | HP | 1.02 | R2 | 3-5 | 6-8 | | | |
| <i>Acorus gramineus</i> 'Yodonoyuki' Yodonoyuki Japanese Sweet Flag | HP | 0.88 | R2 | 3-5 | 6-8 | | | |
| <i>Acorus gramineus</i> var. <i>pusillus</i> See - <i>Acorus gramineus</i> 'Pusillus' | | | | | | | | |
| <i>Acrostichum aureum</i> Leather Fern | HP | 1.32 | R2 | 8 | | | | |
| <i>Acrostichum daneifolium</i> Giant Leather Fern | HP | 1.02 | R2 | 8 | | | | |
| <i>Actaea alba</i> White Baneberry | HP | 1.30 | R2 | 3 | 4-8 | | | |
| <i>Actaea cordifolia</i> No Common Name Found | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Actaea pachypoda</i> See - <i>Actaea alba</i> | | | | | | | | |
| <i>Actaea rubra</i> Red Baneberry | HP | 1.30 | R2 | 3 | 4-8 | | | |
| <i>Actinidia arguta</i> Bower Actinidia | GC | 1.45 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Actinidia arguta</i> 'Ananasnaya' Ananasnaya Bower Actinidia | GC | 1.32 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Actinidia arguta</i> 'Anna' See - <i>Actinidia arguta</i> 'Ananasnaya' | | | | | | | | |
| <i>Actinidia arguta</i> 'Issai' Issai Bower Actinidia | GC | 1.18 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Actinidia chinensis</i> See - <i>Actinidia deliciosa</i> | | | | | | | | |
| <i>Actinidia deliciosa</i> Kiwi Fruit | SF | 1.20 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Actinidia deliciosa</i> 'Hayward' Hayward Female Kiwi Fruit | SF | 1.14 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Actinidia deliciosa</i> 'Male Fuzzy' Male Fuzzy Kiwifruit | SF | 1.14 | R1 | 5-7 | 8 | | 1.00 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Actinidia deliciosa</i> 'Saanichton' Saanichton Kiwi Fruit | SF | 1.14 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Actinidia deliciosa</i> 'Summertime Boy' Summertime Boy Kiwi Fruit | SF | 0.97 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Actinidia deliciosa</i> 'Summertime Girl' Summertime Girl Kiwi Fruit | SF | 0.97 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Actinidia deliciosa</i> 'Tomuri' Tomuri Kiwi Fruit | SF | 1.26 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Actinidia deliciosa</i> 'Vincent' Vincent Kiwi Fruit | SF | 1.28 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Actinidia kolomikta</i> Variegated Kiwi Vine | GC | 1.37 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Actinidia kolomikta</i> 'Arctic Beauty' Arctic Beauty Variegated Kiwi Vine | GC | 1.09 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Actinidia kolomikta</i> 'Pasha' Pasha™ Variegated Kiwi Fruit | GC | 1.23 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Actinidia kolomikta</i> 'September Sun' September Sun™ Variegated Kiwi Fruit | GC | 1.23 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Actinokentia divaricata</i> No Common Name Found | PC | 2.76 | R2 | 8 | | | 1.00 | 10 |
| <i>Actinomeris alternifolia</i> See - <i>Verbesina alternifolia</i> | | | | | | | | |
| <i>Actinorhynchus calapparia</i> Calappa Palm | PC | 1.48 | R2 | 8 | | | 1.00 | 10 |
| <i>xAdaglossom</i> Adaglossom | FO | 1.56 | R2 | 8 | | | 1.00 | 10 |
| <i>Adenium obesum</i> Desert Rose | BS | 1.76 | R2 | 8 | | | 1.00 | 9 |
| <i>Adenophora bulleyana</i> Bulleys Ladybell | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Adenophora confusa</i> Farrer's Ladybell | HP | 1.03 | R2 | 3 | 4-8 | | | |
| <i>Adenophora liliifolia</i> Lilyleaf Ladybell | HP | 0.82 | R2 | | 3-8 | | | |
| <i>Adenophora takedae</i> No Common Name Found | HP | 0.93 | R2 | 5-7 | 8 | | | |
| <i>Adenophora takedae</i> 'Alba' White Ladybell | HP | 0.93 | R2 | 5-7 | 8 | | | |
| <i>Adenostoma fasciculatum</i> Chamise | BS | 2.29 | R2 | 5-8 | | | 1.00 | 6 |
| <i>Adenostoma fasciculatum</i> 'Santa Cruz Island' Santa Cruz Island Chamise | BS | 0.73 | R1 | 5-8 | | | 1.00 | 6 |
| <i>Adenostoma sparsifolium</i> Ribbonwood | BS | 0.73 | R1 | 8 | | | 1.00 | 8 |
| <i>Adiantum aleuticum</i> Five-fingered Maidenhair Fern | FO | 0.67 | R2 | 3-5 | 6-8 | | 1.00 | 3 |
| <i>Adiantum capillus-veneris</i> Southern Maidenhair Fern | FO | 0.80 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Adiantum capillus-veneris</i> 'Imbricatum' Imbricatum Southern Maidenhair Fern | FO | 0.80 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Adiantum capillus-veneris</i> 'Mairisii' See - <i>Adiantum x mairisii</i> | | | | | | | | |
| <i>Adiantum hispidulum</i> Rough Maidenhair Fern | FO | 0.71 | R2 | 6-7 | 8 | | 1.00 | 7 |
| <i>Adiantum x mairisii</i> Mairis Maidenhair Fern | FO | 1.00 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Adiantum pedatum</i> American Maidenhair Fern | FO | 1.00 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Adiantum pedatum</i> var. <i>aleuticum</i> See - <i>Adiantum aleuticum</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|-------------|----------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Caliper | Factors High/Wide | | |
| <i>Adiantum peruvianum</i> Silver Dollar Maidenhair Fern | FO | 0.76 | R2 | 8 | | | 1.00 | 10 |
| <i>Adiantum raddianum</i> Delta Maidenhair Fern | FO | 0.74 | R2 | 8 | | | 1.00 | 10 |
| <i>Adiantum raddianum</i> 'Californicum' California Delta Maidenhair Fern | FO | 0.58 | R2 | 8 | | | 1.00 | 10 |
| <i>Adiantum raddianum</i> 'Fritz-Luthii' Fritz-Luthii Delta Maidenhair Fern | FO | 0.56 | R2 | 8 | | | 1.00 | 10 |
| <i>Adiantum raddianum</i> 'Microphyllum' Microphyllum Delta Maidenhair Fern | FO | 0.45 | R2 | 8 | | | 1.00 | 10 |
| <i>Adiantum tenerum</i> Brittle Maidenhair Fern | FO | 0.56 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Adiantum tenerum</i> 'Scutum Roseum' Scutum Roseum Brittle Maidenhair Fern | FO | 0.56 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Adiantum venustum</i> Evergreen Maidenhair Fern | FO | 1.32 | R2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Adonis amurensis</i> Amur Adonis | DT | 1.00 | R2 | | 4-8 | 1.00 | 1.00 | 3 |
| <i>Aechmea</i> Aechmea | FO | 1.52 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Aechmea</i> 'Big Harv' Big Harv Aechmea | FO | 1.43 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Aechmea</i> 'Eileen' Eileen Aechmea | FO | 1.43 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Aechmea</i> 'Friederike' Friederike Aechmea | FO | 1.50 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Aechmea</i> 'Little Harv' Little Harv Aechmea | FO | 0.68 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Aechmea</i> 'Samurai' Samurai Aechmea | FO | 2.27 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Aechmea</i> 'Starbrite' Starbrite Aechmea | FO | 1.20 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Aechmea blanchetiana</i> No Common Name Found | FO | 1.59 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Aechmea chantinii</i> No Common Name Found | FO | 0.97 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Aechmea fasciata</i> Urn Plant | FO | 1.65 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Aechmea fasciata</i> 'Ghost' Ghost Urn Plant | FO | 1.58 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Aechmea fasciata</i> 'Morgana' Morgana Urn Plant | FO | 1.58 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Aechmea fasciata</i> 'Superb' Superb Urn Plant | FO | 1.50 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Aechmea fulgens</i> Coral Berry | FO | 0.20 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Aechmea zebrina</i> Zebrina Variegated Aechmea | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Aegopodium podagraria</i> Goutweed | HP | 1.13 | R2 | | 4-8 | | | |
| <i>Aegopodium podagraria</i> 'Variegatum' Variegated Goutweed | HP | 0.77 | R2 | | 4-8 | | | |
| <i>Aerangis biloba</i> No Common Name Found | FO | 2.80 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Aeschynanthus marmoratus</i> No Common Name Found | FO | 0.83 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Aeschynanthus radicans</i> Lipstick Plant | FO | 0.74 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Aesculus</i> Buckeye | DT | 1.00 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Aesculus</i> 'Homestead' Homestead Buckeye | DT | 1.00 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |
| <i>Aesculus</i> x <i>arnoldiana</i> Arnold Buckeye | DT | 1.49 | R1 | 3-4 | 5-8 | 1.27 | 1.28 | 4 |
| <i>Aesculus</i> x <i>arnoldiana</i> 'Autumn Splendor' Autumn Splendor Arnold Buckeye | DT | 1.49 | R1 | 3-4 | 5-8 | 1.27 | 1.28 | 4 |
| <i>Aesculus californica</i> California Horsechestnut | DT | 1.22 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Aesculus</i> x <i>carnea</i> Red Horsechestnut | DT | 1.49 | R1 | 3-4 | 5-8 | 1.57 | 7.86 | 4 |
| <i>Aesculus</i> x <i>carnea</i> 'Briotii' Ruby Red Horsechestnut | DT | 1.38 | R1 | 3-4 | 5-8 | 1.43 | 1.08 | 4 |
| <i>Aesculus</i> x <i>carnea</i> 'Fort McNair' Fort McNair Red Horsechestnut | DT | 1.65 | R1 | 3-4 | 5-8 | 1.42 | 1.40 | 4 |
| <i>Aesculus</i> x <i>carnea</i> 'O'Neill' O'Neill Red Horsechestnut | DT | 1.96 | R1 | 3-4 | 5-8 | 1.48 | 3.45 | 4 |
| <i>Aesculus flava</i> Yellow Sweet Buckeye | DT | 1.22 | R1 | 3 | 4-8 | 1.18 | 0.54 | 3 |
| <i>Aesculus glabra</i> Ohio Buckeye | DT | 1.37 | R1 | 3 | 4-8 | 1.35 | 1.45 | 3 |
| <i>Aesculus glabra</i> var. <i>arguta</i> Texas Buckeye | DT | 1.00 | R1 | 3 | 4-8 | 1.00 | 1.00 | 3 |
| <i>Aesculus hippocastanum</i> Common Horsechestnut | DT | 1.93 | R1 | 3 | 4-8 | 1.30 | 1.00 | 3 |
| <i>Aesculus hippocastanum</i> 'Baumannii' Baumann Horsechestnut | DT | 1.73 | R1 | 3 | 4-8 | 1.35 | 1.00 | 3 |
| <i>Aesculus octandra</i> See - <i>Aesculus flava</i> | | | | | | | | |
| <i>Aesculus parviflora</i> Bottlebrush Buckeye | DS | 1.68 | R1 | 3-4 | 5-8 | | 3.08 | 4 |
| <i>Aesculus parviflora</i> var. <i>serotina</i> No Common Name Found | DS | 2.00 | R1 | 3-4 | 5-8 | | 6.82 | 4 |
| <i>Aesculus parviflora</i> var. <i>serotina</i> 'Rogers' Rogers Bottlebrush Buckeye | DS | 2.00 | R1 | 3-4 | 5-8 | | 6.82 | 4 |
| <i>Aesculus pavia</i> Red Buckeye | DS | 1.09 | R1 | 3-5 | 6-8 | | 1.27 | 5 |
| <i>Aesculus splendens</i> See - <i>Aesculus pavia</i> | | | | | | | | |
| <i>Aesculus turbinata</i> Japanese Horsechestnut | DT | 1.00 | R1 | 4-6 | 7-8 | 1.48 | 1.00 | 6 |
| <i>Aethionema armenum</i> Armenian Stonecress | HP | 0.87 | R2 | 4-5 | 6-8 | | | |
| <i>Aethionema armenum</i> 'Warley Rose' Warley Rose Armenian Stonecress | HP | 0.87 | R2 | 4-5 | 6-8 | | | |
| <i>Aethionema caespitosum</i> No Common Name Found | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Aethionema cordifolium</i> Lebanon Stonecress | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Aethionema grandiflorum</i> Persian Stonecress | HP | 0.84 | R2 | 5-6 | 7-8 | | | |
| <i>Aethionema iberideum</i> Spanish Stonecress | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Aethionema oppositifolium</i> Greek Stonecress | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Aethionema</i> x <i>warleyense</i> See - <i>Aethionema armenum</i> 'Warley Rose' | | | | | | | | |
| <i>Agapanthus</i> African Lily | HP | 1.07 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Back in Black' P.P. 16244 Back in Black Hybrid African Lily | HP | 1.15 | R2 | 5-7 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Agapanthus</i> 'Blue Globe' Blue Globe Hybrid African Lily | HP | 1.09 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Blue Triumphator' Blue Triumphator Hybrid African Lily | HP | 0.80 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Bressingham Blue' Bressingham Blue Hybrid African Lily | HP | 1.51 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Bressingham White' Bressingham White Hybrid African Lily | HP | 1.15 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Dark Angel' Dark Angel Hybrid African Lily | HP | 1.15 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Elaine' P.P. 7303 Elaine African Lily | HP | 0.95 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Ellamae' P.P. 7297 Ellamae Hybrid African Lily | HP | 0.99 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Getty White' Getty White Hybrid African Lily | HP | 0.87 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Headbourne' Headbourne Hybrid African Lily | HP | 1.36 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Henryii' Henry Hybrid African Lily | HP | 1.15 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Isis' Isis Hybrid African Lily | HP | 1.15 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Lilliput' Lilliput Hybrid African Lily | HP | 1.09 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Midknight Blue' See - <i>Agapanthus</i> 'Monmid' | HP | 1.66 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Monmid' Midknight Blue™ Hybrid African Lily | HP | 1.37 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Mood Indigo' Mood Indigo Hybrid African Lily | HP | 0.92 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Peter Pan Series' Peter Pan Series Hybrid African Lily | HP | 1.11 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Peter Pan White' Peter Pan White Hybrid African Lily | HP | 1.15 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Profusion' Profusion Hybrid African Lily | HP | 1.12 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Purple Cloud' Purple Cloud Hybrid African Lily | HP | 0.89 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Queen Anne' Queen Anne Hybrid African Lily | HP | 1.15 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Snowball' Snowball Hybrid African Lily | HP | 1.27 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Storm Cloud' Storm Cloud Hybrid African Lily | HP | 1.58 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Streamline' Streamline Hybrid African Lily | HP | 1.09 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Tinkerbelle' Tinkerbelle Hybrid African Lily | HP | 1.15 | R2 | 5-7 | 8 | | | |
| <i>Agapanthus</i> 'Winterdwarf' Winterdwarf Hybrid African Lily | HP | 0.78 | R2 | 8 | | | | |
| <i>Agapanthus africanus</i> Lily-of-the-Nile | HP | 1.16 | R2 | 8 | | | | |
| <i>Agapanthus africanus</i> 'Albus' White Lily-of-the-Nile | HP | 1.57 | R2 | 8 | | | | |
| <i>Agapanthus africanus</i> 'Hinag' P.P. 10866 Summer Gold™ Lily-of-the-Nile | HP | 1.17 | R2 | 8 | | | | |
| <i>Agapanthus africanus</i> 'Summer Gold' See - <i>Agapanthus africanus</i> 'Hinag' P.P. 10866 | HP | | | | | | | |
| <i>Agapanthus africanus</i> 'Van's White' Van's White African Lily-of-the-Nile | HP | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Agapanthus campanulatus</i> Bell African Lily | HP | 1.08 | R2 | 8 | | | | |
| <i>Agapanthus campanulatus</i> 'Albus' White Bell African Lily | HP | 1.08 | R2 | 8 | | | | |
| <i>Agapanthus campanulatus</i> ssp. <i>patens</i> Patens Bell African Lily | HP | 1.52 | R2 | 8 | | | | |
| <i>Agapanthus inapertus</i> No Common Name Found | HP | 0.63 | R2 | 8 | | | | |
| <i>Agapanthus praecox</i> ssp. <i>orientalis</i> Oriental African Lily | HP | 0.70 | R2 | 8 | | | | |
| <i>Agapanthus praecox</i> ssp. <i>orientalis</i> 'ATIBlu' P.P. 14332 Blue Storm™ Oriental African Lily | HP | 1.64 | R2 | 8 | | | | |
| <i>Agapanthus praecox</i> ssp. <i>orientalis</i> 'Albidus' White Oriental African Lily | HP | 0.73 | R2 | 8 | | | | |
| <i>Agapanthus praecox</i> ssp. <i>orientalis</i> 'Blue Storm' See - <i>Agapanthus praecox</i> ssp. <i>orientalis</i> 'ATIBlu' P.P. 14332 | | | | | | | | |
| <i>Agapanthus praecox</i> ssp. <i>orientalis</i> 'Snowstorm' P.P. 12554 Snowstorm Oriental African Lily | HP | 1.64 | R2 | 8 | | | | |
| <i>Agapetes</i> Agapetes | HP | 0.93 | R2 | 8 | | | | |
| <i>Agapetes</i> 'Ludgvan Cross' Ludgvan Cross Agapetes | HP | 0.93 | R2 | 8 | | | | |
| <i>Agapetes serpens</i> No Common Name Found | HP | 0.93 | R2 | 8 | | | | |
| <i>Agarista populifolia</i> Florida Leucothoe | BS | 0.85 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Agarista populifolia</i> 'Leprechaun' See - <i>Agarista populifolia</i> 'Taylor's Treasure' P.P. 13347 | | | | | | | | |
| <i>Agarista populifolia</i> 'Taylor's Treasure' P.P. 13347 Leprechaun™ Dwarf Florida Leucothoe | BS | 0.95 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Agastache</i> Anise Hyssop | HP | 0.89 | R2 | 4-5 | 6-8 | | | |
| <i>Agastache</i> 'Apricot Sunrise' Apricot Sunrise Hybrid Anise Hyssop | HP | 1.15 | R2 | 4-5 | 6-8 | | | |
| <i>Agastache</i> 'Black Adder' P.P.A.F. Black Adder Hybrid Anise Hyssop | HP | 0.91 | R2 | 4-5 | 6-8 | | | |
| <i>Agastache</i> 'Blue Fortune' Blue Fortune Hybrid Anise Hyssop | HP | 0.91 | R2 | 4-5 | 6-8 | | | |
| <i>Agastache</i> 'Firebird' Firebird Hybrid Anise Hyssop | HP | 0.93 | R2 | 4-5 | 6-8 | | | |
| <i>Agastache</i> 'Honey Bee Blue' Honey Bee Blue Hybrid Anise Hyssop | HP | 0.74 | R2 | 4-5 | 6-8 | | | |
| <i>Agastache</i> 'Pink Panther' Pink Panther Hybrid Anise Hyssop | HP | 0.72 | R2 | 4-5 | 6-8 | | | |
| <i>Agastache</i> 'Pink Pop' Pink Pop Anise Hyssop | HP | 0.63 | R2 | 4-5 | 6-8 | | | |
| <i>Agastache</i> 'Purple Haze' Purple Haze Hybrid Anise Hyssop | HP | 1.28 | R2 | 4-5 | 6-8 | | | |
| <i>Agastache</i> 'Summer Breeze' Summer Breeze Anise Hyssop | HP | 0.70 | R2 | 4-5 | 6-8 | | | |
| <i>Agastache</i> 'Tangerine Dreams' Tangerine Dreams Anise Hyssop | HP | 0.89 | R2 | 4-5 | 6-8 | | | |
| <i>Agastache aurantiaca</i> Orange Hummingbird Mint | HP | 0.97 | R2 | 5-7 | 8 | | | |
| <i>Agastache aurantiaca</i> 'Coronado' Coronado™ Orange Hummingbird Mint | HP | 0.97 | R2 | 5-7 | 8 | | | |
| <i>Agastache barberi</i> No Common Name Found | HP | 1.01 | R2 | 4-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Agastache barberi</i> 'Tutti-frutti' Tutti-frutti Fragrant Giant Hyssop | HP | 0.82 | R2 | 4-5 | 6-8 | | | |
| <i>Agastache cana</i> Mosquito Plant | HP | 0.83 | R2 | 4-5 | 6-8 | | | |
| <i>Agastache cana</i> 'Heather Queen' Heather Queen Mosquito Plant | HP | 0.75 | R2 | 4-5 | 6-8 | | | |
| <i>Agastache cana</i> 'Sinning' P.P. 13673 Sonoran Sunset™ Mosquito Plant | HP | 1.14 | R2 | 4-5 | 6-8 | | | |
| <i>Agastache cana</i> 'Sonoran Sunset' See - <i>Agastache cana</i> 'Sinning' P.P. 13673 | | | | | | | | |
| <i>Agastache coccinea</i> Orange-flowered Hyssop | HP | 1.00 | R2 | 4-7 | 8 | | | |
| <i>Agastache foeniculum</i> Anise Hyssop | HP | 0.70 | R2 | 4-6 | 7-8 | | | |
| <i>Agastache foeniculum</i> 'Fragrant Delight' Fragrant Delight Anise Hyssop | HP | 0.74 | R2 | 4-6 | 7-8 | | | |
| <i>Agastache foeniculum</i> 'Golden Jubilee' Golden Jubilee Anise Hyssop | HP | 0.78 | R2 | 4-6 | 7-8 | | | |
| <i>Agastache mexicana</i> Mexican Giant Hyssop | HP | 0.78 | R2 | 4-7 | 8 | | | |
| <i>Agastache mexicana</i> 'Acapulco Orange' See - <i>Agastache mexicana</i> 'Kiegador' P.P. 16308 | | | | | | | | |
| <i>Agastache mexicana</i> 'Acapulco Rose' See - <i>Agastache mexicana</i> 'Kiegapur' P.P. 16067 | | | | | | | | |
| <i>Agastache mexicana</i> 'Acapulco Salmon & Pink' See - <i>Agastache mexicana</i> 'Kiegabi' P.P. 16023 | | | | | | | | |
| <i>Agastache mexicana</i> 'Acapulco Series' Acapulco Series Mexican Giant Hyssop | HP | 0.81 | R2 | 4-7 | 8 | | | |
| <i>Agastache mexicana</i> 'Kiegabi' P.P. 16023 Acapulco™ Salmon & Pink Mexican Giant Hyssop | HP | 0.78 | R2 | 4-7 | 8 | | | |
| <i>Agastache mexicana</i> 'Kiegador' P.P. 16308 Acapulco™ Orange Mexican Giant Hyssop | HP | 0.81 | R2 | 4-7 | 8 | | | |
| <i>Agastache mexicana</i> 'Kiegapur' P.P. 16067 Acapulco™ Rose Mexican Giant Hyssop | HP | 0.81 | R2 | 4-7 | 8 | | | |
| <i>Agastache mexicana</i> 'Red Fortune' P.P. 11816 Red Fortune Mexican Giant Hyssop | HP | 0.87 | R2 | 4-7 | 8 | | | |
| <i>Agastache neomexicana</i> New Mexico Giant Hyssop | HP | 1.00 | R2 | 4-7 | 8 | | | |
| <i>Agastache nepetoides</i> Yellow Giant Hyssop | HP | 1.00 | R2 | 4-7 | 8 | | | |
| <i>Agastache pallidiflora</i> var. <i>neomexicana</i> See - <i>Agastache neomexicana</i> | | | | | | | | |
| <i>Agastache rupestris</i> Sunset Hyssop | HP | 1.01 | R2 | 4-5 | 6-7 | | | |
| <i>Agastache scrophulariifolia</i> Purple Giant Hyssop | HP | 0.92 | R2 | 4-5 | 6-7 | | | |
| <i>Agave</i> Century Plant | BS | 1.43 | R2 | 8 | | | 1.00 | 9 |
| <i>Agave</i> 'Blue Glow' Blue Glow Hybrid Century Plant | BS | 1.43 | R2 | 8 | | | 1.00 | 9 |
| <i>Agave</i> 'Blue Wave' Blue Wave Hybrid Century Plant | BS | 1.32 | R2 | 8 | | | 1.00 | 9 |
| <i>Agave</i> 'Gainesville Blue' Gainesville Blue Hybrid Century Plant | BS | 1.53 | R2 | 8 | | | 1.00 | 9 |
| <i>Agave</i> 'Sharkskin' See - <i>Agave scabra</i> x <i>victoriae-regina</i> | | | | | | | | |
| <i>Agave altissima</i> See - <i>Agave americana</i> | | | | | | | | |
| <i>Agave americana</i> American Aloe | BS | 1.21 | R2 | 8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Agave americana</i> 'Marginata' Variegated Century Plant | BS | 1.70 | R2 | 8 | | 1.00 | 9 |
| <i>Agave americana</i> 'Mediopicta Alba' Mediopicta Alba Variegated Century Plant | BS | 1.46 | R2 | 8 | | 1.00 | 9 |
| <i>Agave americana</i> 'Mediopicta' Mediopicta Variegated Century Plant | BS | 1.46 | R2 | 8 | | 1.00 | 9 |
| <i>Agave americana</i> var. <i>mediopicta</i> See - <i>Agave americana</i> 'Mediopicta' | | | | | | | |
| <i>Agave angustifolia</i> Caribbean Century Plant | BS | 1.40 | R2 | 8 | | 1.00 | 9 |
| <i>Agave angustifolia</i> 'Marginata' Marginata Caribbean Century Plant | BS | 1.87 | R2 | 8 | | 1.00 | 9 |
| <i>Agave attenuata</i> Dragon-tree Century Plant | BS | 0.92 | R2 | 8 | | 1.00 | 9 |
| <i>Agave attenuata</i> 'Boutin Blue' Boutin Blue Dragon-tree Century Plant | BS | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Agave attenuata</i> 'Huntington Blue' See - <i>Agave attenuata</i> 'Boutin Blue' | | | | | | | |
| <i>Agave botteri</i> See - <i>Agave celsii</i> | | | | | | | |
| <i>Agave celsii</i> No Common Name Found | BS | 1.40 | R2 | 8 | | 1.00 | 9 |
| <i>Agave chrysantha</i> No Common Name Found | BS | 0.87 | R2 | 8 | | 1.00 | 9 |
| <i>Agave colorata</i> No Common Name Found | BS | 0.83 | R2 | 8 | | 1.00 | 9 |
| <i>Agave desmettiana</i> Dwarf Century Plant | BS | 1.09 | R2 | 8 | | 1.00 | 9 |
| <i>Agave desmettiana</i> 'Joe Hoak' Joe Hoak Dwarf Century Plant | BS | 1.40 | R2 | 8 | | 1.00 | 9 |
| <i>Agave desmettiana</i> 'Variegata' Variegated Dwarf Century Plant | BS | 1.18 | R2 | 8 | | 1.00 | 9 |
| <i>Agave fourcroydes</i> Henequen | BS | 1.00 | R2 | 8 | | 1.00 | 8 |
| <i>Agave geminiflora</i> Twin Flowered Agave | BE | 1.20 | R2 | 8 | 1.00 | 1.00 | 9 |
| <i>Agave ghiesbreghtii</i> No Common Name Found | BS | 1.55 | R2 | 8 | | 1.00 | 9 |
| <i>Agave guiengola</i> Century Plant | BS | 1.25 | R2 | 8 | | 1.00 | 9 |
| <i>Agave heteracantha</i> No Common Name Found | BS | 1.55 | R2 | 8 | | 1.00 | 9 |
| <i>Agave lurida</i> No Common Name Found | BS | 1.22 | R2 | 8 | | 1.00 | 9 |
| <i>Agave mirandorensis</i> See - <i>Agave desmettiana</i> | | | | | | | |
| <i>Agave murpheyi</i> Murphy Agave | BS | 0.79 | R2 | 8 | | 1.00 | 9 |
| <i>Agave palmeri</i> Palmer Agave | BS | 0.82 | R2 | 8 | | 1.00 | 9 |
| <i>Agave parrasana</i> No Common Name Found | BS | 1.02 | R2 | 8 | | 1.00 | 9 |
| <i>Agave parryi</i> Mescal | BS | 1.28 | R2 | 8 | | 1.00 | 6 |
| <i>Agave parryi</i> var. <i>truncata</i> No Common Name Found | BS | 1.63 | R2 | 8 | | 1.00 | 6 |
| <i>Agave parviflora</i> No Common Name Found | BS | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Agave potatorum</i> No Common Name Found | BS | 1.78 | R2 | 8 | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Agave salmiana</i> No Common Name Found | BS | 1.61 | R2 | 8 | | | 1.00 | 9 |
| <i>Agave scabra</i> No Common Name Found | BS | 1.12 | R2 | 8 | | | 1.00 | 9 |
| <i>Agave scabra x ferdinandi-regis</i> See - <i>Agave scabra x victoriae-regina</i> | | | | | | | | |
| <i>Agave scabra x victoriae-regina</i> Scabra Queen Century Plant | BS | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Agave schidigera</i> Maguey Agave | BS | 1.92 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Agave schidigera</i> 'Durango Delight' Durango Delight™ Maguey Agave | BS | 1.92 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Agave sisalana</i> Sisal Hemp | BS | 0.91 | R2 | 8 | | | 1.00 | 9 |
| <i>Agave striata</i> No Common Name Found | BS | 0.83 | R2 | 8 | | | 1.00 | 9 |
| <i>Agave victoriae-reginae</i> Queen Agave | BE | 1.81 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Agave vilmoriniana</i> No Common Name Found | BS | 1.20 | R2 | 8 | | | 1.00 | 9 |
| <i>Agave weberi</i> Weber Agave | BS | 1.29 | R2 | 8 | | | 1.00 | 9 |
| <i>Agave wercklei</i> No Common Name Found | BS | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Ageratina altissima</i> White Snakeroot | HP | 0.93 | R2 | 3-6 | 7-8 | | | |
| <i>Ageratina altissima</i> 'Braunlaub' Braunlaub White Snakeroot | HP | 0.99 | R2 | 3-6 | 7-8 | | | |
| <i>Ageratina altissima</i> 'Chocolate' Chocolate White Snakeroot | HP | 1.04 | R2 | 3-6 | 7-8 | | | |
| <i>Ageratum houstonianum</i> Common Ageratum | AN | 0.96 | R2 | 5-8 | | | | |
| <i>Ageratum houstonianum</i> 'Artist Series' Artist Series Common Ageratum | AN | 1.23 | R2 | 5-8 | | | | |
| <i>Ageratum houstonianum</i> 'Blue Blazer' Blue Blazer Common Ageratum | AN | 0.96 | R2 | 5-8 | | | | |
| <i>Ageratum houstonianum</i> 'Blue Danube' Blue Danube Common Ageratum | AN | 0.96 | R2 | 5-8 | | | | |
| <i>Ageratum houstonianum</i> 'Hawaiian Series' Hawaiian Series Common Ageratum | AN | 0.68 | R2 | 5-8 | | | | |
| <i>Ageratum houstonianum</i> 'Royal Delft' Royal Delft Common Ageratum | AN | 0.96 | R2 | 5-8 | | | | |
| <i>Aglaonema</i> Aglaonema | FO | 1.39 | R2 | 8 | | | 1.00 | 10 |
| <i>Aglaonema</i> 'Abidjan' Abidjan Aglaonema | FO | 1.41 | R2 | 8 | | | 1.00 | 10 |
| <i>Aglaonema</i> 'Amelia' P.P. 8977 Amelia Aglaonema | FO | 1.40 | R2 | 8 | | | 1.00 | 10 |
| <i>Aglaonema</i> 'B.J. Freeman' B.J. Freeman Aglaonema | FO | 1.19 | R2 | 8 | | | 1.00 | 10 |
| <i>Aglaonema</i> 'Black Lance' P.P. 10280 Black Lance Aglaonema | FO | 1.31 | R2 | 8 | | | 1.00 | 10 |
| <i>Aglaonema</i> 'Cecilia' Cecilia Aglaonema | FO | 1.34 | R2 | 8 | | | 1.00 | 10 |
| <i>Aglaonema</i> 'Christina Maria' Christina Maria Aglaonema | FO | 1.44 | R2 | 8 | | | 1.00 | 10 |
| <i>Aglaonema</i> 'Cory' P.P.A.F. Cory Aglaonema | FO | 1.53 | R2 | 8 | | | 1.00 | 10 |
| <i>Aglaonema</i> 'Deborah' P.P. 9775 Deborah Aglaonema | FO | 1.37 | R2 | 8 | | | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Aglaonema</i> 'Emerald Beauty' Emerald Beauty <i>Aglaonema</i> | FO | 1.43 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Emerald Star' P.P. 10659 Emerald Star <i>Aglaonema</i> | FO | 1.74 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Fransher' Fransher <i>Aglaonema</i> | FO | 1.39 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Gabrielle' Gabrielle <i>Aglaonema</i> | FO | 1.39 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Golden Bay' P.P. 10140 Golden Bay <i>Aglaonema</i> | FO | 1.39 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Green Lady' P.P. 10271 Green Lady <i>Aglaonema</i> | FO | 1.45 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Green Majesty' P.P. 9069 Green Majesty <i>Aglaonema</i> | FO | 1.39 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Jewel of India' P.P. 10658 Jewel of India <i>Aglaonema</i> | FO | 1.33 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Jubilee' P.P. 10270 Jubilee <i>Aglaonema</i> | FO | 1.47 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Lucia' Lucia <i>Aglaonema</i> | FO | 1.27 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Margarita' Margarita <i>Aglaonema</i> | FO | 1.59 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Mary Ann' P.P. 8976 Mary Ann <i>Aglaonema</i> | FO | 1.43 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Painted Princess' P.P. 9081 Painted Princess <i>Aglaonema</i> | FO | 1.53 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Patricia' P.P. 10269 Patricia <i>Aglaonema</i> | FO | 1.30 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Queen of Siam' P.P. 6842 Queen of Siam <i>Aglaonema</i> | FO | 1.63 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Rembrandt' Rembrandt <i>Aglaonema</i> | FO | 1.39 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Rhapsody in Green' P.P. 8975 Rhapsody in Green <i>Aglaonema</i> | FO | 1.22 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Romano' Romano <i>Aglaonema</i> | FO | 1.07 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Royal Ripple' P.P. 9070 Royal Ripple <i>Aglaonema</i> | FO | 1.34 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'San Luis' San Luis <i>Aglaonema</i> | FO | 1.39 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'San Remo' San Remo <i>Aglaonema</i> | FO | 1.28 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Silver Bay' Silver Bay <i>Aglaonema</i> | FO | 1.39 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Silver Frost' P.P. 9082 Silver Frost <i>Aglaonema</i> | FO | 1.52 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Silver Queen' Silver Queen <i>Aglaonema</i> | FO | 0.84 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Silver Ribbons' P.P. 12985 Silver Ribbons <i>Aglaonema</i> | FO | 1.56 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Silverado' P.P. 14287 Silverado <i>Aglaonema</i> | FO | 1.39 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Stars' P.P. 10247 Stars <i>Aglaonema</i> | FO | 1.86 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema</i> 'Stripes' Stripes <i>Aglaonema</i> | FO | 1.36 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema modestum</i> Chinese Evergreen | FO | 0.45 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema modestum</i> 'Maria' Maria Chinese Evergreen | FO | 1.11 | R2 | 8 | | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Aglaonema nitidum</i> No Common Name Found | FO | 1.48 | R2 | 8 | | 1.00 | 10 |
| <i>Aglaonema nitidum</i> 'Curtisii' Curtisii Aglaonema | FO | 1.48 | R2 | 8 | | 1.00 | 10 |
| <i>Agonis flexuosa</i> Peppermint Myrtle Tree | BE | 1.01 | R2 | 8 | | 1.00 | 9 |
| <i>Agonis juniperina</i> Juniper Myrtle | BE | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Agoseris cuspidata</i> Prairie Dandelion | HP | 1.00 | R2 | 3-4 | 5-8 | | |
| <i>Agropyron cristatum</i> Crested Wheatgrass | HP | 1.00 | R2 | 3 | 4-8 | | |
| <i>Agropyron magellicanum</i> See - <i>Elymus magellanicus</i> | | | | | | | |
| <i>Agropyron spicatum</i> See - <i>Pseudoroegneria spicata</i> ssp. <i>spicata</i> | | | | | | | |
| <i>Agropyron spicatum</i> var. <i>inermis</i> See - <i>Pseudoroegneria spicata</i> ssp. <i>inermis</i> | | | | | | | |
| <i>Agrostis canina</i> Velvet Bentgrass | HP | 1.00 | R2 | 3 | 4-8 | | |
| <i>Agrostis canina</i> 'Silver Needles' Silver Needles Velvet Bentgrass | HP | 1.00 | R2 | 3 | 4-8 | | |
| <i>Aira canescens</i> See - <i>Corynephorus canescens</i> | | | | | | | |
| <i>Ajuga genevensis</i> Blue Bugle | GC | 0.31 | R2 | 4 | 5-8 | 1.00 | 3 |
| <i>Ajuga pyramidalis</i> Upright Bugle | GC | 0.71 | R2 | 4 | 5-8 | 1.00 | 3 |
| <i>Ajuga pyramidalis</i> 'Crispa' See - <i>Ajuga pyramidalis</i> 'Metallica Crispa' | | | | | | | |
| <i>Ajuga pyramidalis</i> 'Metallica Crispa' Bronze Upright Bugle | GC | 0.79 | R2 | 4 | 5-8 | 1.00 | 3 |
| <i>Ajuga pyramidalis</i> 'Mini Crisp Red' Mini Crisp Red Upright Bugle | GC | 0.63 | R2 | 4 | 5-8 | 1.00 | 3 |
| <i>Ajuga reptans</i> Carpet Bugle | GC | 0.66 | R2 | 3 | 4-8 | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Alba' White Carpet Bugle | GC | 0.50 | R2 | 3 | 4-8 | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Arctic Fox' P.P. 8395 Arctic Fox Carpet Bugle | GC | 0.51 | R2 | 3 | 4-8 | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Atropurpurea' Atropurpurea Carpet Bugle | GC | 0.49 | R2 | 3 | 4-8 | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Black Scallop' P.P. 15815 Black Scallop Carpet Bugle | GC | 0.63 | R2 | 3 | 4-8 | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Braunherz' Braunherz Carpet Bugle | GC | 0.58 | R2 | 3 | 4-8 | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Bronze Beauty' Bronze Beauty Carpet Bugle | GC | 0.69 | R2 | 3 | 4-8 | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Bronze Improved' Bronze Improved Carpet Bugle | GC | 0.58 | R2 | 3 | 4-8 | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Burgundy Glow' Burgundy Glow Carpet Bugle | GC | 0.65 | R2 | 3 | 4-8 | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Burgundy Lace' Burgundy Lace Carpet Bugle | GC | 0.48 | R2 | 3 | 4-8 | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Carol' Carol Carpet Bugle | GC | 0.58 | R2 | 3 | 4-8 | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Catlin's Giant' Catlin's Giant Carpet Bugle | GC | 0.56 | R2 | 3 | 4-8 | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Chocolate Chip' See - <i>Ajuga reptans</i> 'Valfreda' | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Ajuga reptans</i> 'Cornucopia' Cornucopia Carpet Bugle | GC | 0.58 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Gaiety' Gaiety Carpet Bugle | GC | 0.56 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Giant Green' Giant Green Carpet Bugle | GC | 0.42 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Golden Glow' P.P.A.F. Golden Glow Carpet Bugle | GC | 0.64 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Gray Lady' Gray Lady Carpet Bugle | GC | 0.48 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Jungle Beauty Improved' Jungle Beauty Improved Carpet Bugle | GC | 0.59 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Mahogany' Mahogany Carpet Bugle | GC | 0.54 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Metallica' Metallica Carpet Bugle | GC | 0.45 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Multicolor' Multicolor Carpet Bugle | GC | 0.59 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Pink Beauty' Pink Beauty Carpet Bugle | GC | 0.58 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Pink Elf' Pink Elf Carpet Bugle | GC | 0.58 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Pink Silver' Pink Silver Carpet Bugle | GC | 0.58 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Pink Starlight' Pink Starlight Carpet Bugle | GC | 0.68 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Pink Surprise' Pink Surprise Carpet Bugle | GC | 0.52 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Purple Brocade' Purple Brocade Carpet Bugle | GC | 0.49 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Purple Torch' Purple Torch Carpet Bugle | GC | 0.59 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Purpurea' See - <i>Ajuga reptans</i> 'Atropurpurea' | GC | 0.58 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Rosea' Rose Carpet Bugle | GC | 0.65 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Royalty' Royalty Carpet Bugle | GC | 0.20 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Silver Beauty' Silver Beauty Carpet Bugle | GC | 0.58 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Silver Queen' Silver Queen Carpet Bugle | GC | 1.09 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Toffee Chip' P.P. 18805 Toffee Chip Carpet Bugle | GC | 0.59 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Valfredda' Chocolate Chip Carpet Bugle | GC | 0.92 | R2 | 3 | 4-8 | | 0.65 | 3 |
| <i>Ajuga reptans</i> 'Variegata' Variegated Carpet Bugle | GC | | | | | | | |
| <i>Ajuga x tenorri</i> See - <i>Ajuga reptans</i> 'Valfredda' | GC | 0.97 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Akebia quinata</i> Chocolate Vine | GC | 1.81 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Akebia quinata</i> 'Alba' White Chocolate Vine | GC | 1.26 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Akebia quinata</i> 'Shiro Bana' Shiro Bana Chocolate Vine | GC | 1.11 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Akebia quinata</i> 'Silver Bells' Silver Bells™ Chocolate Vine | GC | 1.14 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Akebia trifoliata</i> Threeleaf Akebia | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Albizia julibrissin</i> Silk Tree | DT | 0.94 | R1 | 5-6 | 7-8 | 1.03 | 0.40 | 6 |
| <i>Albizia julibrissin</i> 'Boubri' P.P.A.F. Ombrella™ Silk Tree | DT | 1.44 | R1 | 5-6 | 7-8 | 1.03 | 0.40 | 6 |
| <i>Albizia julibrissin</i> 'Flame' Flame Silk Tree | DT | 1.13 | R1 | 5-6 | 7-8 | 1.03 | 0.40 | 6 |
| <i>Albizia julibrissin</i> 'Ombrella' See - <i>Albizia julibrissin</i> 'Boubri' P.P.A.F. | | | | | | | | |
| <i>Albizia julibrissin</i> 'Summer Chocolate' P.P. 13822 Summer Chocolate Silk Tree | DT | 2.96 | R1 | 5-6 | 7-8 | 1.03 | 0.40 | 6 |
| <i>Albizia julibrissin</i> var. <i>rosea</i> Hardy Silk Tree | DT | 1.55 | R1 | 5-6 | 7-8 | 1.07 | 1.00 | 6 |
| <i>Albizia saman</i> Rain Tree | BE | 1.23 | R2 | 6-8 | | 1.00 | 1.05 | 9 |
| <i>Alcantarea imperialis</i> Imperial Bromeliad | FO | 3.66 | R2 | 8 | | | 1.00 | 10 |
| <i>Alcea ficifolia</i> Fingleaf Hollyhock | AN | 1.58 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea ficifolia</i> 'Happy Lights' Happy Lights Fingleaf Hollyhock | AN | 1.22 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea pallida</i> No Common Name Found | AN | 0.95 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea rosea</i> Old Fashioned Hollyhock | AN | 1.53 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea rosea</i> 'Chater's Chestnut Brown' Chater's Chestnut Brown Hollyhock | AN | 1.50 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea rosea</i> 'Chater's Doubles' Chater's Doubles Hollyhock | AN | 1.23 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea rosea</i> 'Chater's Pink' Chater's Pink Hollyhock | AN | 2.11 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea rosea</i> 'Chater's Purple' Chater's Purple Hollyhock | AN | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea rosea</i> 'Chater's Salmon Pink' Chater's Salmon Pink Hollyhock | AN | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea rosea</i> 'Chater's Scarlet' Chater's Scarlet Hollyhock | AN | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea rosea</i> 'Chater's Strain' See - <i>Alcea rosea</i> 'Chater's Doubles' | | | | | | | | |
| <i>Alcea rosea</i> 'Chater's White' Chater's White Hollyhock | AN | 1.50 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea rosea</i> 'Chater's Yellow' Chater's Yellow Hollyhock | AN | 2.11 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea rosea</i> 'Creme de Cassis' Creme de Cassis Hollyhock | AN | 1.56 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea rosea</i> 'Indian Spring' Indian Spring Hollyhock | AN | 1.30 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea rosea</i> 'Nigra' Black Hollyhock | AN | 1.65 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea rosea</i> 'Nigrita' Nigrita Hollyhock | AN | 1.69 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea rosea</i> 'Peaches 'n' Dreams' Peaches 'n' Dreams Hollyhock | AN | 1.50 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea rosea</i> 'Powderpuff Mix' Powderpuff Mix Hollyhock | AN | 2.75 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea rosea</i> 'Queeny Purple' Queeny Purple Hollyhock | AN | 1.47 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea rosea</i> 'Simplex' Single Hollyhock | AN | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea rosea</i> 'Summer Carnival' Summer Carnival Hollyhock | AN | 1.50 | R2 | 3-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Alcea rosea</i> 'The Watchman' The Watchman Hollyhock | AN | 1.10 | R2 | 3-6 | 7-8 | | | |
| <i>Alcea rugosa</i> Russian Hollyhock | AN | 1.23 | R2 | 3-6 | 7-8 | | | |
| <i>Alchemilla alpina</i> Mountain Lady's Mantle | HP | 1.17 | R2 | 3 | 4-8 | | | |
| <i>Alchemilla conjuncta</i> No Common Name Found | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Alchemilla erythropoda</i> No Common Name Found | HP | 0.97 | R2 | 3 | 4-8 | | | |
| <i>Alchemilla faeroensis</i> 'Pumila' See - <i>Alchemilla faeroensis</i> var. <i>pumila</i> | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Alchemilla faeroensis</i> var. <i>pumila</i> Dwarf Lady's Mantle | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Alchemilla glaucescens</i> No Common Name Found | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Alchemilla mollis</i> Lady's Mantle | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Alchemilla mollis</i> 'Auslese' Auslese Lady's Mantle | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Alchemilla mollis</i> 'Thriller' Thriller Lady's Mantle | HP | 1.22 | R2 | 3 | 4-8 | | | |
| <i>Alchemilla pubescens</i> See - <i>Alchemilla glaucescens</i> | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Alchemilla saxatilis</i> Dwarf Lady's Mantle | DT | 1.00 | R2 | 8 | | 1.00 | 1.00 | 10 |
| <i>Aleurites moluccana</i> Candlenut Tree | DT | 1.84 | R2 | 8 | | 1.00 | 1.00 | 10 |
| <i>xAliceara</i> Aliceara Hybrid Orchid | FO | 1.89 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Alisma plantago-aquatica</i> Water Plantain | HP | 0.79 | R2 | 3-5 | 6-8 | | | |
| <i>Allagoptera arenaria</i> Seashore Palm | PC | 1.73 | R2 | 8 | | | 1.00 | 9 |
| <i>Allamanda cathartica</i> Common Trumpet Allamanda | GC | 0.62 | R2 | 8 | | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Brown Bud' Brown Bud Trumpet Allamanda | GC | 0.55 | R2 | 8 | | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Cherries Jubilee' Cherries Jubilee Trumpet Allamanda | GC | 0.81 | R2 | 8 | | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Chocolate Cherry' Chocolate Cherry Trumpet Allamanda | GC | 0.59 | R2 | 8 | | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Chocolate Swirl' Chocolate Swirl Trumpet Allamanda | GC | 0.64 | R2 | 8 | | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Cream' Cream Trumpet Allamanda | GC | 0.75 | R2 | 8 | | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Golden Butterfly' Golden Butterfly Trumpet Allamanda | GC | 0.70 | R2 | 8 | | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Hendersonii Dwarf' Henderson Dwarf Trumpet Allamanda | GC | 0.68 | R2 | 8 | | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Hendersonii' Henderson Trumpet Allamanda | GC | 0.58 | R2 | 8 | | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Lemon Sprite' Lemon Sprite Trumpet Allamanda | GC | 0.95 | R2 | 8 | | | 1.00 | 10 |
| <i>Allamanda cathartica</i> 'Silver Dwarf' Silver Dwarf Trumpet Allamanda | GC | 0.70 | R2 | 8 | | | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Allamanda cathartica</i> 'Silver Jenny' | | | | | | | | |
| See - <i>Allamanda cathartica</i> 'Silver Dwarf' | | | | | | | | |
| <i>Allamanda cathartica</i> 'Stansill's Double' | GC | 0.79 | R2 | 8 | | | 1.00 | 10 |
| Stansill's Double Trumpet Allamanda | | | | | | | | |
| <i>Allamanda cathartica</i> 'Williamsii' | GC | 0.75 | R2 | 8 | | | 1.00 | 10 |
| Williams Trumpet Allamanda | | | | | | | | |
| <i>Allamanda neriifolia</i> | BS | 0.57 | R2 | 8 | | | 1.00 | 10 |
| Golden Trumpet Bush Allamanda | | | | | | | | |
| <i>Allamanda schottii</i> | BS | 0.69 | R2 | 8 | | | 1.00 | 10 |
| Bush Allamanda | | | | | | | | |
| <i>Allamanda violacea</i> | BS | 1.05 | R2 | 8 | | | 1.00 | 10 |
| Violet Allamanda | | | | | | | | |
| <i>Allium acuminatum</i> | HP | 0.54 | R2 | 4-6 | 7-8 | | | |
| Tapertip Onion | | | | | | | | |
| <i>Allium acuminatum</i> var. <i>cuspidatum</i> | | | | | | | | |
| See - <i>Allium acuminatum</i> | | | | | | | | |
| <i>Allium ampeloprasum</i> | HP | 0.43 | R2 | 3-5 | 6-8 | | | |
| Wild Leek | | | | | | | | |
| <i>Allium ampeloprasum</i> 'Porrum' | HP | 0.24 | R2 | 3-5 | 6-8 | | | |
| Leek | | | | | | | | |
| <i>Allium caeruleum</i> | HP | 1.13 | R2 | 3-5 | 6-8 | | | |
| Blue Globe Onion | | | | | | | | |
| <i>Allium canadense</i> | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| Canada Garlic | | | | | | | | |
| <i>Allium carinatum</i> | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| Keeled Garlic | | | | | | | | |
| <i>Allium carinatum</i> ssp. <i>pulchellum</i> | HP | 1.10 | R2 | 3-6 | 7-8 | | | |
| No Common Name Found | | | | | | | | |
| <i>Allium cernuum</i> | HP | 0.70 | R2 | 3-5 | 6-8 | | | |
| Nodding Wild Onion | | | | | | | | |
| <i>Allium cyaneum</i> | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| No Common Name Found | | | | | | | | |
| <i>Allium cyathophorum</i> | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| No Common Name Found | | | | | | | | |
| <i>Allium cyathophorum</i> var. <i>farreri</i> | HP | 1.03 | R2 | 3-5 | 6-8 | | | |
| Farrer Onion | | | | | | | | |
| <i>Allium dichlamydeum</i> | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| Twocloak Onion | | | | | | | | |
| <i>Allium farreri</i> | | | | | | | | |
| See - <i>Allium cyathophorum</i> var. <i>farreri</i> | | | | | | | | |
| <i>Allium flavum</i> | HP | 1.03 | R2 | 3-5 | 6-8 | | | |
| Yellow Onion | | | | | | | | |
| <i>Allium flavum</i> 'Minus' | HP | 1.03 | R2 | 3-5 | 6-8 | | | |
| Minus Yellow Onion | | | | | | | | |
| <i>Allium giganteum</i> | HP | 1.13 | R2 | 3-6 | 7-8 | | | |
| Giant Onion | | | | | | | | |
| <i>Allium kansuense</i> | | | | | | | | |
| See - <i>Allium sikkimense</i> | | | | | | | | |
| <i>Allium moly</i> | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| Lily Leek | | | | | | | | |
| <i>Allium narcissiflorum</i> | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| Narcissus Onion | | | | | | | | |
| <i>Allium paniculatum</i> | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| Mediterranean Onion | | | | | | | | |
| <i>Allium pulchellum</i> | | | | | | | | |
| See - <i>Allium carinatum</i> ssp. <i>pulchellum</i> | | | | | | | | |
| <i>Allium rosenbachianum</i> | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| Rosenbach Onion | | | | | | | | |
| <i>Allium rotundum</i> | | | | | | | | |
| See - <i>Allium scordoprasum</i> ssp. <i>rotundum</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Allium saxatile</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Allium schnittlauch</i> Dwarf Allium | HP | 0.43 | R2 | 3-5 | 6-8 | | | |
| <i>Allium schoenoprasum</i> Chives | HP | 0.79 | R2 | 3-5 | 6-8 | | | |
| <i>Allium schoenoprasum</i> 'Forescate' Forescate Chives | HP | 0.79 | R2 | 3-5 | 6-8 | | | |
| <i>Allium scordoprasum</i> ssp. <i>rotundum</i> Giant Garlic | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Allium senescens</i> ssp. <i>montanum</i> Mountain Garlic | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Allium senescens</i> ssp. <i>montanum</i> var. <i>glaucum</i> Ornamental Onion | HP | 1.10 | R2 | 3-5 | 6-8 | | | |
| <i>Allium sikkimense</i> Kansu Onion | HP | 1.03 | R2 | 3-6 | 7-8 | | | |
| <i>Allium sphaerocephalum</i> ssp. <i>sphaerocephalon</i> Round-headed Leek | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Allium splendens</i> Miyama-rakkyo | HP | 0.62 | R2 | 3-5 | 6-8 | | | |
| <i>Allium thunbergii</i> Japanese Onion | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Allium thunbergii</i> 'Ozawa' Ozawa Japanese Onion | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Allium tuberosum</i> Garlic Chives | HP | 0.63 | R2 | 3-5 | 6-8 | | | |
| <i>Allium unifolium</i> Oneleaf Onion | HP | 0.72 | R2 | 3-5 | 6-8 | | | |
| <i>Allium virgunculae</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Alnus cordata</i> Italian Alder | DT | 0.90 | R1 | 3-5 | 6-8 | 0.49 | 1.00 | 5 |
| <i>Alnus crispa</i> See - <i>Alnus viridis</i> ssp. <i>crispa</i> | | | | | | | | |
| <i>Alnus glutinosa</i> European Alder | DT | 0.81 | R1 | 3-5 | 6-8 | 1.31 | 1.14 | 3 |
| <i>Alnus glutinosa</i> 'Imperialis' Royal European Alder | DT | 0.81 | R1 | 3-5 | 6-8 | 1.16 | 3.09 | 3 |
| <i>Alnus glutinosa</i> 'Laciniata' Cutleaf European Alder | DT | 0.81 | R1 | 3-5 | 6-8 | 1.24 | 2.12 | 3 |
| <i>Alnus glutinosa</i> 'Pyramidalis' Pyramidal European Alder | DT | 0.81 | R1 | 3-5 | 6-8 | 1.24 | 2.12 | 3 |
| <i>Alnus incana</i> European White Alder | DT | 0.92 | R1 | | 3-8 | 1.44 | 0.82 | 2 |
| <i>Alnus incana</i> 'Aurea' Yellowleaf White Alder | DT | 0.92 | R1 | | 3-8 | 1.44 | 0.82 | 2 |
| <i>Alnus oregona</i> See - <i>Alnus rubra</i> | | | | | | | | |
| <i>Alnus rhombifolia</i> Sierra Alder | DT | 1.23 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Alnus rubra</i> Red Alder | DT | 0.72 | R1 | 3-6 | 7-8 | 0.96 | 0.51 | 6 |
| <i>Alnus rugosa</i> Speckled Alder | DT | 0.91 | R1 | | 3-7 | 0.91 | 0.44 | 2 |
| <i>Alnus serrulata</i> Smooth Alder | DT | 0.76 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Alnus sinuata</i> Sitka Alder | DT | 0.74 | R1 | | 3-8 | 1.00 | 1.00 | 2 |
| <i>Alnus tenuifolia</i> Thinleaf Alder | DT | 1.12 | R1 | | 3-8 | 2.34 | 2.51 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Alnus viridis</i> Green Alder | DT | 1.13 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |
| <i>Alnus viridis</i> ssp. <i>crispa</i> Mountain Alder | DT | 1.00 | R1 | 3 | 4-8 | 1.00 | 1.00 | 2 |
| <i>Alocasia</i> Elephant's Ear | FO | 0.88 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Alocasia</i> 'Batman' See - <i>Alocasia advincula</i> | | | | | | | | |
| <i>Alocasia</i> 'Blackie' See - <i>Alocasia reginula</i> 'Black Velvet' | | | | | | | | |
| <i>Alocasia</i> 'Corozon' Corozon Dwarf Elephant's Ear | FO | 0.67 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Alocasia</i> 'Dewey's Reversa' Dewey's Reversa Dwarf Elephant's Ear | FO | 0.78 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Alocasia</i> 'Elaine' Elaine Elephant's Ear | FO | 0.88 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Alocasia</i> 'Frydek' Frydek™ Elephant's Ear | FO | 0.97 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Alocasia</i> 'Green Shield' See - <i>Alocasia clypeolata</i> | | | | | | | | |
| <i>Alocasia</i> 'Hilo Beauty' Hilo Beauty Elephant's Ear | FO | 0.91 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Alocasia</i> 'Portodora' Portodora Elephant's Ear | FO | 0.94 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Alocasia</i> 'Portora' Portora Elephant's Ear | FO | 0.77 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Alocasia</i> 'Tigrina Superba' Tigrina Superba Elephant's Ear | FO | 0.96 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Alocasia advincula</i> Bat Wing Elephant Ear | FO | 1.00 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Alocasia</i> x <i>amazonica</i> Amazon Elephant's Ear | FO | 1.02 | R2 | 8 | | | 1.00 | 10 |
| <i>Alocasia</i> x <i>amazonica</i> 'Compacta' Compact Amazon Elephant's Ear | FO | 0.82 | R2 | 8 | | | 1.00 | 10 |
| <i>Alocasia</i> x <i>amazonica</i> 'Polly' Polly Amazon Elephant's Ear | FO | 0.95 | R2 | 8 | | | 1.00 | 10 |
| <i>Alocasia cadierii</i> No Common Name Found | FO | 1.10 | R2 | 8 | | | 1.00 | 10 |
| <i>Alocasia clypeolata</i> Green Shield Elephant's Ear | FO | 0.90 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Alocasia cucullata</i> Chinese Taro | FO | 0.81 | R2 | 8 | | | 1.00 | 10 |
| <i>Alocasia gageana</i> No Common Name Found | FO | 0.82 | R2 | 8 | | | 1.00 | 10 |
| <i>Alocasia guttata</i> var. <i>imperialis</i> See - <i>Alocasia nebula</i> 'Imperialis' | | | | | | | | |
| <i>Alocasia indica</i> var. <i>metallica</i> See - <i>Alocasia plumbea</i> | | | | | | | | |
| <i>Alocasia korthalsii</i> No Common Name Found | FO | 1.06 | R2 | 8 | | | 1.00 | 10 |
| <i>Alocasia longiloba</i> No Common Name Found | FO | 1.23 | R2 | 8 | | | 1.00 | 10 |
| <i>Alocasia lowii</i> var. <i>grandis</i> See - <i>Alocasia korthalsii</i> | | | | | | | | |
| <i>Alocasia lowii</i> var. <i>veitchii</i> See - <i>Alocasia veitchii</i> | | | | | | | | |
| <i>Alocasia macrorrhiza</i> Giant Taro | FO | 0.89 | R2 | 8 | | | 1.00 | 9 |
| <i>Alocasia macrorrhiza</i> 'Lutea' Yellow-leaf Taro | FO | 1.04 | R2 | 8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Alocasia macrorrhiza</i> 'New Guinea Gold' New Guinea Gold Giant Taro | FO | 0.89 | R2 | 8 | | | 1.00 | 9 |
| <i>Alocasia micholitziana</i> 'Mazkowskii' See - <i>Alocasia x amazonica</i> | | | | | | | | |
| <i>Alocasia nebula</i> No Common Name Found | FO | 0.95 | R2 | 8 | | | 1.00 | 9 |
| <i>Alocasia nebula</i> 'Imperialis' Imperialis Elephant Ear | FO | 0.95 | R2 | 8 | | | 1.00 | 9 |
| <i>Alocasia odora</i> No Common Name Found | FO | 0.88 | R2 | 8 | | | 1.52 | 10 |
| <i>Alocasia odora</i> 'California' California Elephant's Ear | FO | 0.54 | R2 | 8 | | | 1.52 | 10 |
| <i>Alocasia plumbea</i> Elephant's Ear | FO | 0.91 | R2 | 8 | | | 1.00 | 10 |
| <i>Alocasia plumbea</i> 'Jurrasic Dark' Jurrasic Dark Elephant Ear | FO | 0.35 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Alocasia plumbea</i> 'Nigra' Elephant's Ear | FO | 1.13 | R2 | 8 | | | 1.00 | 10 |
| <i>Alocasia reginula</i> No Common Name Found | FO | 0.96 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Alocasia reginula</i> 'Black Velvet' Black Velvet Elephant's Ear | FO | 0.96 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Alocasia sanderiana</i> Kris Plant | FO | 0.51 | R2 | 8 | | | 1.00 | 10 |
| <i>Alocasia x sedenii</i> No Common Name Found | FO | 0.83 | R2 | 8 | | | 1.00 | 10 |
| <i>Alocasia sinuata</i> No Common Name Found | FO | 0.71 | R2 | 8 | | | 1.00 | 10 |
| <i>Alocasia veitchii</i> No Common Name Found | FO | 0.90 | R2 | 8 | | | 1.00 | 10 |
| <i>Alocasia wentii</i> No Common Name Found | FO | 0.88 | R2 | 8 | | | 1.00 | 10 |
| <i>Aloe</i> 'Grassy Lassie' P.P.A.F. Grassy Lassie™ Hybrid Aloe | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Aloe arborescens</i> Candelabra Aloe | BS | 0.97 | R2 | 8 | | | 1.00 | 9 |
| <i>Aloe barbadensis</i> See - <i>Aloe vera</i> | | | | | | | | |
| <i>Aloe ferox</i> Cape Aloe | BE | 0.71 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Aloe gastrolea</i> 'Midnight' See - x <i>Gasteraloe</i> 'Midnight' P.P.A.F. | | | | | | | | |
| <i>Aloe peglerae</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Aloe polyphylla</i> Spiral Aloe | HP | 2.01 | R2 | 8 | | | | |
| <i>Aloe saponaria</i> Soap Aloe | BS | 1.25 | R2 | 8 | | | 1.00 | 9 |
| <i>Aloe x spinosissima</i> Spider Aloe | BS | 1.16 | R2 | 8 | | | 1.00 | 9 |
| <i>Aloe squarrosa</i> No Common Name Found | HP | 1.16 | R2 | 8 | | | | |
| <i>Aloe striata</i> Coral Aloe | FO | 0.80 | R2 | 8 | | | 1.00 | 9 |
| <i>Aloe vera</i> True Aloe | HP | 0.86 | R2 | 8 | | | | |
| <i>Alopecurus pratensis</i> Meadow Foxtail Grass | HP | 0.97 | R2 | 4-5 | 6-8 | | | |
| <i>Alopecurus pratensis</i> 'Aureovariegatus' Yellow Variegated Foxtail Grass | HP | 0.93 | R2 | 4-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Alopecurus pratensis</i> 'Aureus' Yellow Meadow Foxtail Grass | HP | 1.00 | R2 | 4-5 | 6-8 | | | |
| <i>Aloysia triphylla</i> Lemon Verbena | HP | 0.64 | R2 | 6-8 | | | | |
| <i>Aloysia virgata</i> White Almond Bush | HP | 0.96 | R2 | 6-8 | | | | |
| <i>Alpinia aquatica</i> No Common Name Found | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Alpinia calcarata</i> India Ginger | HP | 1.03 | R2 | 6-8 | | | | |
| <i>Alpinia formosana</i> Formosa Shell Ginger | HP | 1.32 | R2 | 6-8 | | | | |
| <i>Alpinia formosana</i> 'Pinstripe' Pinstripe Formosa Shell Ginger | HP | 1.03 | R2 | 6-8 | | | | |
| <i>Alpinia galanga</i> Siamese Ginger | HP | 1.23 | R2 | 6-8 | | | | |
| <i>Alpinia japonica</i> No Common Name Found | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Alpinia japonica</i> 'Kinisiana' Dwarf Flowering Japanese Ginger | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Alpinia mutica</i> Small Shell Ginger | HP | 1.25 | R2 | 8 | | | | |
| <i>Alpinia nutans</i> See - <i>Alpinia zerumbet</i> | | | | | | | | |
| <i>Alpinia purpurata</i> Red Ginger | HP | 1.14 | R2 | 8 | | | | |
| <i>Alpinia purpurata</i> 'Aileen McDonald' See - <i>Alpinia purpurata</i> 'Eileen McDonald' | | | | | | | | |
| <i>Alpinia purpurata</i> 'Eileen McDonald' Eileen McDonald Red Ginger | HP | 1.17 | R2 | 8 | | | | |
| <i>Alpinia purpurata</i> 'Hot Pink' See - <i>Alpinia purpurata</i> 'Kimi' | | | | | | | | |
| <i>Alpinia purpurata</i> 'Jungle King' Jungle King Red Ginger | HP | 1.58 | R2 | 8 | | | | |
| <i>Alpinia purpurata</i> 'Jungle Queen' Jungle Queen Red Ginger | HP | 1.82 | R2 | 8 | | | | |
| <i>Alpinia purpurata</i> 'Kimi' Kimi Red Ginger | HP | 1.40 | R2 | 8 | | | | |
| <i>Alpinia purpurata</i> 'Polynesian Princess' Polynesian Princess Red Ginger | HP | 1.35 | R2 | 8 | | | | |
| <i>Alpinia purpurata</i> 'Tahitian Double' Tahitian Double Red Ginger | HP | 0.98 | R2 | 8 | | | | |
| <i>Alpinia sanderae</i> See - <i>Alpinia vittata</i> | | | | | | | | |
| <i>Alpinia vittata</i> Variegated Ginger | HP | 1.08 | R2 | 8 | | | | |
| <i>Alpinia zerumbet</i> Shell Ginger | HP | 1.23 | R2 | 8 | | | | |
| <i>Alpinia zerumbet</i> 'Variegata' Variegated Shell Ginger | HP | 1.25 | R2 | 8 | | | | |
| <i>Alsophila australis</i> See - <i>Cyathea australis</i> | | | | | | | | |
| <i>Alstroemeria</i> Peruvian Lily | HP | 1.33 | R2 | 5-8 | | | | |
| <i>Alstroemeria</i> 'Angela' See - <i>Alstroemeria</i> 'Staprilan' P.P. 10409 | | | | | | | | |
| <i>Alstroemeria</i> 'Anouska' See - <i>Alstroemeria</i> 'Zaprinous' P.P. 15987 | | | | | | | | |
| <i>Alstroemeria</i> 'Daniela' See - <i>Alstroemeria</i> 'Stapridani' P.P. 14121 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|--|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Alstroemeria</i> 'Fabiana' | | | | | | | |
| See - <i>Alstroemeria</i> 'Zaprifabi' P.P. 17991 | | | | | | | |
| <i>Alstroemeria</i> 'Inca Blaze' | HP | 0.61 | R2 | 5-8 | | | |
| Inca Blaze® Peruvian Lily | | | | | | | |
| <i>Alstroemeria</i> 'Inca Charm' | HP | 0.61 | R2 | 5-8 | | | |
| Inca Charm Peruvian Lily | | | | | | | |
| <i>Alstroemeria</i> 'Inca Delight' | HP | 0.61 | R2 | 5-8 | | | |
| Inca Delight Peruvian Lily | | | | | | | |
| <i>Alstroemeria</i> 'Inca Gold' | HP | 0.61 | R2 | 5-8 | | | |
| Inca Gold Peruvian Lily | | | | | | | |
| <i>Alstroemeria</i> 'Inca Moonlight' | HP | 0.61 | R2 | 5-8 | | | |
| Inca Moonlight Peruvian Lily | | | | | | | |
| <i>Alstroemeria</i> 'Inca Sunset' | HP | 0.61 | R2 | 5-8 | | | |
| Inca Sunset Peruvian Lily | | | | | | | |
| <i>Alstroemeria</i> 'Isabella' | | | | | | | |
| See - <i>Alstroemeria</i> 'Zapribe' P.P. 14670 | | | | | | | |
| <i>Alstroemeria</i> 'Ivana' | | | | | | | |
| See - <i>Alstroemeria</i> 'Stapriwane' P.P. 14131 | | | | | | | |
| <i>Alstroemeria</i> 'Juliette' | | | | | | | |
| See - <i>Alstroemeria</i> 'Zaprijul' P.P. 16039 | | | | | | | |
| <i>Alstroemeria</i> 'Ligtu Series' | HP | 1.33 | R2 | 5-8 | | | |
| Ligtu Series Hybrid Peruvian Lily | | | | | | | |
| <i>Alstroemeria</i> 'Little Eleanor' P.P. 9624 | HP | 1.33 | R2 | 5-8 | | | |
| Little Eleanor Peruvian Lily | | | | | | | |
| <i>Alstroemeria</i> 'Meyer Red' | HP | 1.33 | R2 | 5-8 | | | |
| Meyer Red Hybrid Peruvian Lily | | | | | | | |
| <i>Alstroemeria</i> 'Meyer Rose' | HP | 1.33 | R2 | 5-8 | | | |
| Meyer Rose Hybrid Peruvian Lily | | | | | | | |
| <i>Alstroemeria</i> 'Meyer White & Pink' | HP | 1.33 | R2 | 5-8 | | | |
| Meyer White & Pink Hybrid Peruvian Lily | | | | | | | |
| <i>Alstroemeria</i> 'Mojonnier Series' | HP | 1.33 | R2 | 5-8 | | | |
| Mojonnier Series Peruvian Lily | | | | | | | |
| <i>Alstroemeria</i> 'Orange Beauty' | HP | 1.33 | R2 | 5-8 | | | |
| Orange Beauty Hybrid Peruvian Lily | | | | | | | |
| <i>Alstroemeria</i> 'Oxana' | | | | | | | |
| See - <i>Alstroemeria</i> 'Staprioxa' P.P. 14075 | | | | | | | |
| <i>Alstroemeria</i> 'Paola' | | | | | | | |
| See - <i>Alstroemeria</i> 'Stapripal' P.P. 11145 | | | | | | | |
| <i>Alstroemeria</i> 'Rachel' | HP | 1.33 | R2 | 5-8 | | | |
| Rachel Hybrid Peruvian Lily | | | | | | | |
| <i>Alstroemeria</i> 'Sara' | | | | | | | |
| See - <i>Alstroemeria</i> 'Staprisara' P.P. 14080 | | | | | | | |
| <i>Alstroemeria</i> 'Stapridani' P.P. 14121 | HP | 1.70 | R2 | 5-8 | | | |
| Daniela® Princess Lilies® | | | | | | | |
| <i>Alstroemeria</i> 'Stapriplan' P.P. 10409 | HP | 1.86 | R2 | 5-8 | | | |
| Angela® Princess Lilies® | | | | | | | |
| <i>Alstroemeria</i> 'Staprioxa' P.P. 14075 | HP | 1.54 | R2 | 5-8 | | | |
| Oxana® Princess Lilies® | | | | | | | |
| <i>Alstroemeria</i> 'Stapripal' P.P. 11145 | HP | 1.82 | R2 | 5-8 | | | |
| Paola® Princess Lilies® | | | | | | | |
| <i>Alstroemeria</i> 'Staprisara' P.P. 14080 | HP | 1.86 | R2 | 5-8 | | | |
| Sara® Princess Lilies® | | | | | | | |
| <i>Alstroemeria</i> 'Stapriwane' P.P. 14131 | HP | 1.60 | R2 | 5-8 | | | |
| Ivana® Princess Lilies® | | | | | | | |
| <i>Alstroemeria</i> 'Staprizsa' P.P. 10346 | HP | 1.86 | R2 | 5-8 | | | |
| Zsa Zsa® Princess Lilies® | | | | | | | |
| <i>Alstroemeria</i> 'Sweet Laura' P.P. 10030 | HP | 1.33 | R2 | 5-8 | | | |
| Sweet Laura Hybrid Peruvian Lily | | | | | | | |
| <i>Alstroemeria</i> 'The Third Harmonic' | HP | 1.89 | R2 | 5-8 | | | |
| The Third Harmonic Hybrid Peruvian Lily | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Alstroemeria</i> 'Zapribel' P.P. 14670 Isabella® Princess Lilies® | HP | 1.47 | R2 | 5-8 | | | | |
| <i>Alstroemeria</i> 'Zaprifabi' P.P. 17991 Fabiana® Princess Lilies® | HP | 1.27 | R2 | 5-8 | | | | |
| <i>Alstroemeria</i> 'Zaprijul' P.P. 16039 Juliette® Princess Lilies® | HP | 1.82 | R2 | 5-8 | | | | |
| <i>Alstroemeria</i> 'Zaprinous' P.P. 15987 Anouska® Princess Lilies® | HP | 1.65 | R2 | 5-8 | | | | |
| <i>Alstroemeria</i> 'Zsa Zsa' See - <i>Alstroemeria</i> 'Staprizsa' P.P. 10346 | | | | | | | | |
| <i>Alstroemeria aurantiaca</i> See - <i>Alstroemeria aurea</i> | | | | | | | | |
| <i>Alstroemeria aurea</i> Yellow Peruvian Lily | HP | 0.92 | R2 | 5-7 | 8 | | | |
| <i>Alstroemeria aurea</i> 'Lutea' Lutea Yellow Peruvian Lily | HP | 0.92 | R2 | 5-7 | 8 | | | |
| <i>Alstroemeria aurea</i> 'Orange King' Orange King Yellow Peruvian Lily | HP | 0.92 | R2 | 5-7 | 8 | | | |
| <i>Alstroemeria aurea</i> 'Splendens' Splendens Yellow Peruvian Lily | HP | 0.92 | R1 | 5-7 | 8 | | | |
| <i>Alstroemeria caryophyllacea</i> Peruvian Lily | HP | 1.57 | R2 | 5-8 | | | | |
| <i>Alstroemeria caryophyllacea</i> 'The Premier Series' The Premier Series Peruvian Lily | HP | 1.57 | R2 | 5-8 | | | | |
| <i>Alstroemeria hookeri</i> Inca Lily | HP | 0.73 | R2 | 5-8 | | | | |
| <i>Alstroemeria ligtu</i> St. Martin's Flower | HP | 0.73 | R2 | 5-8 | | | | |
| <i>Alstroemeria psittacina</i> Parrot Lily | HP | 0.82 | R2 | 5-8 | | | | |
| <i>Alstroemeria psittacina</i> 'Variegata' Variegated Parrot Lily | HP | 0.82 | R2 | 5-8 | | | | |
| <i>Alstroemeria pulchella</i> See - <i>Alstroemeria psittacina</i> | | | | | | | | |
| <i>Alternanthera</i> Joseph's Coat | FO | 0.48 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Alternanthera</i> 'Gail's Choice' Gail's Choice Joseph's Coat | FO | 0.50 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Alternanthera</i> 'Purple Knight' Purple Knight Joseph's Coat | FO | 0.60 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Alternanthera</i> 'Red Runner' Red Runner Joseph's Coat | FO | 0.35 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Alternanthera</i> 'Red Thread' Red Thread Joseph's Coat | FO | 0.47 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Alternanthera</i> 'Wave Hill' See - <i>Alternanthera dentata</i> 'Rubiginosa' | | | | | | | | |
| <i>Alternanthera dentata</i> No Common Name Found | FO | 0.46 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Alternanthera dentata</i> 'Brazilian Red Hot' Brazilian Red Hot Alternanthera | FO | 0.43 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Alternanthera dentata</i> 'Rubiginosa' Giant Joseph's Coat | FO | 0.48 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Alternanthera ficoidea</i> Calico Plant | FO | 0.65 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Alternanthera ficoidea</i> 'Gold Threads' Gold Threads Joseph's Coat | FO | 0.43 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Alternanthera ficoidea</i> 'Grenadine' P.P. 16442 Grenadine Joseph's Coat | FO | 0.59 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Alternanthera ficoidea</i> 'Krinkle Red' Krinkle Red Joseph's Coat | FO | 0.34 | R2 | 5-8 | | | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Alternanthera ficoidea</i> 'Partytime' P.P. 14789 Partytime Calico Plant | FO | 0.56 | R2 | 5-8 | | 1.00 | 8 |
| <i>Alternanthera ficoidea</i> 'Rosea Nana' Rosea Nana Calico Plant | FO | 0.35 | R2 | 5-8 | | 1.00 | 8 |
| <i>Alternanthera ficoidea</i> 'Snowball' Snowball Calico Plant | FO | 0.40 | R2 | 5-8 | | 1.00 | 8 |
| <i>Alternanthera ficoidea</i> 'Tricolor' Tricolor Calico Plant | FO | 0.53 | R2 | 5-8 | | 1.00 | 8 |
| <i>Alternanthera ficoidea</i> 'True Yellow' True Yellow Calico Plant | FO | 0.34 | R2 | 5-8 | | 1.00 | 8 |
| <i>Alternanthera ficoidea</i> var. <i>amoena</i> Dwarf Parrotleaf | FO | 0.14 | R2 | 5-8 | | 1.00 | 8 |
| <i>Alternanthera purpurea</i> 'Tricolor' See - <i>Alternanthera ficoidea</i> 'Tricolor' | | | | | | | |
| <i>Althaea coelestis</i> See - <i>Hibiscus syriacus</i> 'Coelestis' | | | | | | | |
| <i>Althaea rosea</i> See - <i>Alcea rosea</i> | | | | | | | |
| <i>Althaea syriaca</i> See - <i>Hibiscus syriacus</i> | | | | | | | |
| <i>Alyssoides utriculata</i> Bladderpod | BS | 1.16 | R2 | 6-7 | 8 | 1.00 | 7 |
| <i>Alyssum caespitosum</i> No Common Name Found | HP | 1.00 | R2 | 3-6 | 7-8 | | |
| <i>Alyssum montanum</i> Mountain Alyssum | HP | 0.84 | R2 | 3-5 | 6-8 | | |
| <i>Alyssum montanum</i> 'Berggold' Berggold Mountain Alyssum | HP | 0.86 | R2 | 3-5 | 6-8 | | |
| <i>Alyssum montanum</i> 'Mountain Gold' See - <i>Alyssum montanum</i> 'Berggold' | | | | | | | |
| <i>Alyssum ovirense</i> No Common Name Found | AN | 1.00 | R2 | 3-6 | 7-8 | | |
| <i>Alyssum propinquum</i> No Common Name Found | AN | 1.00 | R2 | 3-6 | 7-8 | | |
| <i>Alyssum saxatile</i> See - <i>Aurinia saxatilis</i> | | | | | | | |
| <i>Alyssum saxatile</i> 'Goldkugel' See - <i>Aurinia saxatilis</i> 'Goldkugel' | | | | | | | |
| <i>Alyssum spinosum</i> Spiny Alyssum | BS | 1.00 | R2 | 5-7 | 8 | 1.00 | 7 |
| <i>Alyssum spinosum</i> 'Roseum' Rose Spiny Alyssum | BS | 1.00 | R2 | 5-7 | 8 | 1.00 | 7 |
| <i>Alyssum tortuosum</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | |
| <i>Amaranthus tricolor</i> Tampala | AN | 1.10 | R2 | 3-8 | | | |
| <i>Amaranthus tricolor</i> 'Splendens' Splendens Joseph's Coat | AN | 1.18 | R2 | 3-8 | | | |
| <i>Amaryllis belladonna</i> Jersey Lily | HP | 0.69 | R2 | 7-8 | | | |
| <i>Ambrosia hispida</i> Coastal Ambrosia | HP | 0.80 | R2 | 5-8 | | | |
| <i>Amelanchier alnifolia</i> Saskatoon Serviceberry | DS | 0.94 | R2 | 3 | 4-8 | 1.19 | 2 |
| <i>Amelanchier alnifolia</i> 'PNI 0421' Regent® Saskatoon Serviceberry | DS | 1.11 | R2 | | 3-8 | 4.19 | 2 |
| <i>Amelanchier alnifolia</i> 'Regent' See - <i>Amelanchier alnifolia</i> 'PNI 0421' | | | | | | | |
| <i>Amelanchier alnifolia</i> 'Smokey' Smokey Saskatoon Serviceberry | DS | 1.03 | R2 | | 3-8 | 1.44 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Amelanchier alnifolia</i> var. <i>semiintegrifolia</i> Pacific Serviceberry | DS | 1.00 | R2 | | 3-8 | | 1.00 | 2 |
| <i>Amelanchier arborea</i> Downy Serviceberry | DS | 0.76 | R2 | 3-4 | 5-8 | | 1.37 | 4 |
| <i>Amelanchier asiatica</i> Asian Serviceberry | DS | 1.00 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Amelanchier canadensis</i> Shadblow Serviceberry | DS | 1.10 | R2 | 3 | 4-8 | | 1.24 | 3 |
| <i>Amelanchier canadensis</i> 'Glenn Form' P.P. 9092 Rainbow Pillar™ Shadblow Serviceberry | DS | 1.33 | R2 | 3 | 4-8 | | 0.98 | 3 |
| <i>Amelanchier canadensis</i> 'Glenn's Upright' See - <i>Amelanchier canadensis</i> 'Glenn Form' P.P. 9092 | | | | | | | | |
| <i>Amelanchier canadensis</i> 'Majesty' Majesty Shadblow Serviceberry | DS | 1.24 | R2 | 3 | 4-8 | | 1.48 | 3 |
| <i>Amelanchier canadensis</i> 'Prince William' P.P. 6040 Prince William Shadblow Serviceberry | DS | 1.30 | R2 | 3 | 4-8 | | 2.22 | 3 |
| <i>Amelanchier canadensis</i> 'Rainbow Pillar' See - <i>Amelanchier canadensis</i> 'Glenn Form' P.P. 9092 | | | | | | | | |
| <i>Amelanchier canadensis</i> 'Reflection' See - <i>Amelanchier canadensis</i> 'Refzam' | | | | | | | | |
| <i>Amelanchier canadensis</i> 'Refzam' Reflection™ Shadblow Serviceberry | DS | 1.24 | R2 | 3 | 4-8 | | 1.48 | 3 |
| <i>Amelanchier canadensis</i> 'Silver Fountain' Silver Fountain Shadblow Serviceberry | DS | 1.24 | R2 | 3 | 4-8 | | 1.48 | 3 |
| <i>Amelanchier canadensis</i> 'White Pillar' P.P. 7072 White Pillar Shadblow Serviceberry | DS | 1.24 | R2 | 3 | 4-8 | | 1.48 | 3 |
| <i>Amelanchier canadensis</i> 'White Tower' White Tower Shadblow Serviceberry | DS | 1.24 | R2 | 3 | 4-8 | | 1.48 | 3 |
| <i>Amelanchier florida</i> See - <i>Amelanchier alnifolia</i> var. <i>semiintegrifolia</i> | | | | | | | | |
| <i>Amelanchier</i> x <i>grandiflora</i> Apple Serviceberry | DS | 1.08 | R2 | 3-4 | 5-8 | | 1.43 | 4 |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Autumn Brilliance' P.P. 5717 Autumn Brilliance® Apple Serviceberry | DS | 1.23 | R2 | 3-4 | 5-8 | | 1.22 | 4 |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Cole's Select' Cole's Select Apple Serviceberry | DS | 1.14 | R2 | 3-4 | 5-8 | | 1.79 | 4 |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Cumulus' See - <i>Amelanchier laevis</i> 'Cumulus' P.P. 3092 | | | | | | | | |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Forest Prince' Forest Prince Apple Serviceberry | DS | 1.78 | R2 | 3-4 | 5-8 | | 2.45 | 4 |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Princess Diana' P.P. 6041 Princess Diana Apple Serviceberry | DS | 1.28 | R2 | 3-4 | 5-8 | | 1.66 | 4 |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Robin Hill' Robin Hill Apple Serviceberry | DS | 1.49 | R2 | 3-4 | 5-8 | | 1.12 | 4 |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Spring Glory' See - <i>Amelanchier</i> x <i>grandiflora</i> 'Sprizam' | | | | | | | | |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Sprizam' Spring Glory® Apple Serviceberry | DS | 1.33 | R2 | 3-4 | 5-8 | | 1.11 | 4 |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Strata' Strata Apple Serviceberry | DS | 1.33 | R2 | 3-4 | 5-8 | | 3.21 | 4 |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Tradition' See - <i>Amelanchier</i> x <i>grandiflora</i> 'Trazam' | | | | | | | | |
| <i>Amelanchier</i> x <i>grandiflora</i> 'Trazam' Tradition® Apple Serviceberry | DS | 1.33 | R2 | 3-4 | 5-8 | | 1.75 | 4 |
| <i>Amelanchier laevis</i> Allegheny Serviceberry | DS | 1.05 | R2 | 3-4 | 5-8 | | 1.37 | 4 |
| <i>Amelanchier laevis</i> 'Cumulus' P.P. 3092 Cumulus® Apple Serviceberry | DS | 1.45 | R2 | 3-4 | 5-8 | | 0.88 | 4 |
| <i>Amelanchier laevis</i> 'JFS-Arb' P.P. 15304 Spring Flurry® Apple Serviceberry | DS | 1.13 | R2 | 3-4 | 5-8 | | 1.32 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|--------------|--------|----|-----------|---------|-------------|----------------------|---------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Amelanchier laevis</i> 'Lustre' | | | | | | | | |
| See - <i>Amelanchier laevis</i> 'Rogers' | | | | | | | | |
| <i>Amelanchier laevis</i> 'Majestic' P.P. 7203 Snowcloud Allegheny Serviceberry | DS | 1.74 | R2 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Amelanchier laevis</i> 'Prince Charles' P.P. 6039 Prince Charles Allegheny Serviceberry | DS | 2.03 | R2 | 3-4 | 5-8 | | 1.92 | 4 |
| <i>Amelanchier laevis</i> 'Rogers' Lustre® Allegheny Serviceberry | DS | 1.48 | R2 | 3-4 | 5-8 | | 0.89 | 4 |
| <i>Amelanchier laevis</i> 'Snow Flurry' | | | | | | | | |
| See - <i>Amelanchier laevis</i> 'JFS-Arb' P.P. 15304 | | | | | | | | |
| <i>Amelanchier laevis</i> 'Snowcloud' | | | | | | | | |
| See - <i>Amelanchier laevis</i> 'Majestic' P.P. 7203 | | | | | | | | |
| <i>Amelanchier laevis</i> 'Spring Flurry' | | | | | | | | |
| See - <i>Amelanchier laevis</i> 'JFS-Arb' P.P. 15304 | | | | | | | | |
| <i>Amelanchier lamarckii</i> Lamarck Serviceberry | DS | 1.13 | R2 | 3-4 | 5-8 | | 1.34 | 4 |
| <i>Amelanchier lamarckii</i> 'Ballerina' Ballerina Lamarck Serviceberry | DS | 2.01 | R2 | 3-4 | 5-8 | | 2.48 | 4 |
| <i>Amelanchier ovalis</i> Garden Serviceberry | DS | 0.93 | R2 | 3-5 | 6-8 | | 2.05 | 5 |
| <i>Amelanchier sanguinea</i> Roundleaf Serviceberry | DS | 1.00 | R2 | 3-4 | 5-8 | | 2.23 | 4 |
| <i>Amelanchier stolonifera</i> Running Serviceberry | DS | 0.63 | R2 | 3-4 | 5-8 | | 1.70 | 4 |
| <i>Amelanchier stolonifera</i> 'Fergi' Fergi Running Serviceberry | DS | 0.63 | R2 | 3-4 | 5-8 | | 1.70 | 4 |
| <i>Amelanchier utahensis</i> Utah Serviceberry | DS | 0.87 | R1 | | 3-8 | | 1.00 | 2 |
| <i>Ammophila arenaria</i> European Dune Grass | HP | 0.88 | R2 | 4-5 | 6-8 | | | |
| <i>Ammophila breviligulata</i> Beach Grass | HP | 0.97 | R2 | 4-5 | 6-8 | | | |
| <i>Amomum compactum</i> Round Cardamom | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Amorpha canescens</i> Leadplant | HP | 1.18 | R1 | 3-4 | 5-8 | | | |
| <i>Amorpha fruticosa</i> False Indigo | BS | 0.97 | R1 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Amorphophallus bulbifer</i> No Common Name Found | HP | 1.46 | R2 | 5-7 | 8 | | | |
| <i>Amorphophallus konjac</i> Konjaku | HP | 1.36 | R2 | 3-6 | 7-8 | | | |
| <i>Ampelodesmos mauritanicus</i> Mauritania Vine Reed | HP | 0.67 | R1 | 5-8 | | | | |
| <i>Ampelopsis aconitifolia</i> Monk's Hood Vine | GC | 0.83 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Ampelopsis brevipedunculata</i> Porcelain Vine | GC | 1.31 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Ampelopsis brevipedunculata</i> var. <i>maximowiczii</i> Cutleaf Porcelain Vine | GC | 1.19 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Ampelopsis brevipedunculata</i> var. <i>maximowiczii</i> 'Elegans' | GC | 1.19 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| Elegans Cutleaf Porcelain Vine | | | | | | | | |
| <i>Ampelopsis heterophylla</i> | | | | | | | | |
| See - <i>Ampelopsis brevipedunculata</i> var. <i>maximowiczii</i> | | | | | | | | |
| <i>Amsonia</i> Blue Star | HP | 0.99 | R2 | 4-5 | 6-8 | | | |
| <i>Amsonia</i> 'Blue Ice' Blue Ice Blue Star | HP | 0.99 | R2 | 4-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Amsonia hubrechtii</i> Arkansas Amsonia | HP | 0.91 | R2 | 4-6 | 7-8 | | | |
| <i>Amsonia illustris</i> No Common Name Found | HP | 0.79 | R2 | 4-6 | 7-8 | | | |
| <i>Amsonia tabernaemontana</i> Willow Leaf Blue Star | HP | 0.85 | R2 | 4-6 | 7-8 | | | |
| <i>Amsonia tabernaemontana</i> var. <i>montana</i> Dwarf Willowleaf Blue Star | HP | 0.77 | R2 | 4-6 | 7-8 | | | |
| <i>Amsonia tabernaemontana</i> var. <i>salicifolia</i> No Common Name Found | HP | 0.77 | R2 | 4-6 | 7-8 | | | |
| <i>Anacyclus pyrethrum</i> var. <i>depressus</i> Mt. Atlas Daisy | HP | 0.87 | R2 | 3-6 | 7-8 | | | |
| <i>Anacyclus pyrethrum</i> var. <i>depressus</i> 'Silberkissen' Silberkissen Mt. Atlas Daisy | HP | 1.06 | R2 | 3-6 | 7-8 | | | |
| <i>Anagallis arvensis</i> Scarlet Pimpernel | AN | 1.00 | R2 | 6-7 | 8 | | | |
| <i>Anagallis monelli</i> Blue Pimpernel | AN | 0.78 | R2 | 6-7 | 8 | | | |
| <i>Anagallis monelli</i> 'Pacific Blue' Pacific Blue Pimpernel | AN | 0.78 | R2 | 6-7 | 8 | | | |
| <i>Ananas comosus</i> Pineapple | FO | 1.08 | R2 | 8 | | | 1.00 | 10 |
| <i>Ananas comosus</i> 'Hawaiian Gold' Hawaiian Gold Pineapple | FO | 1.71 | R2 | 8 | | | 1.00 | 10 |
| <i>Ananas comosus</i> 'Ivory Coast' Ivory Coast Variegated Pineapple | FO | 2.94 | R2 | 8 | | | 1.00 | 10 |
| <i>Ananas lucidus</i> Wild Ananas | FO | 1.29 | R2 | 8 | | | 1.00 | 10 |
| <i>Anaphalis cinnamomea</i> See - <i>Anaphalis margaritacea</i> var. <i>cinnamomea</i> | | | | | | | | |
| <i>Anaphalis margaritacea</i> Pearly Everlasting | HP | 0.74 | R2 | 3 | 4-8 | | | |
| <i>Anaphalis margaritacea</i> var. <i>cinnamomea</i> No Common Name Found | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Anaphalis triplinervis</i> Three-Veined Everlasting | HP | 1.04 | R2 | | 4-8 | | | |
| <i>Anchusa azurea</i> Italian Alkanet | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Anchusa azurea</i> 'Blue Angel' Blue Angel Italian Alkanet | HP | 0.84 | R2 | 3 | 4-8 | | | |
| <i>Anchusa azurea</i> 'Dropmore' Dropmore Italian Alkanet | HP | 1.01 | R2 | 3 | 4-8 | | | |
| <i>Anchusa azurea</i> 'Feltham Pride' Feltham Pride Italian Alkanet | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Anchusa azurea</i> 'Little John' Little John Italian Alkanet | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Anchusa azurea</i> 'Loddon Royalist' Loddon Royalist Italian Alkanet | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Anchusa azurea</i> 'Royal Blue' Royal Blue Italian Alkanet | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Anchusa capensis</i> No Common Name Found | HP | 1.00 | R2 | 3-8 | | | | |
| <i>Androlepis skinneri</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Andromeda glaucophylla</i> See - <i>Andromeda polifolia</i> var. <i>glaucophylla</i> | | | | | | | | |
| <i>Andromeda polifolia</i> Bog Rosemary | BS | 1.12 | R2 | | 3-8 | | 1.00 | 2 |
| <i>Andromeda polifolia</i> 'Blue Ice' Blue Ice Bog Rosemary | BS | 1.33 | R2 | | 3-8 | | 1.00 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Andromeda polifolia</i> 'Chuo Red' Chuo Red Bog Rosemary | BS | 1.40 | R2 | | 3-8 | | 1.00 | 2 |
| <i>Andromeda polifolia</i> 'Glauca Nana' Dwarf Blue Bog Rosemary | BS | 1.52 | R2 | | 3-8 | | 1.00 | 2 |
| <i>Andromeda polifolia</i> 'Kiri Kaming' Kiri Kaming Bog Rosemary | BS | 1.40 | R2 | | 3-8 | | 1.00 | 2 |
| <i>Andromeda polifolia</i> 'Macrophylla' Macrophylla Bog Rosemary | BS | 1.40 | R2 | | 3-8 | | 1.00 | 2 |
| <i>Andromeda polifolia</i> 'Nana' Dwarf Bog Rosemary | BS | 1.63 | R2 | | 3-8 | | 1.00 | 2 |
| <i>Andromeda polifolia</i> var. <i>glaucophylla</i> Blue Bog Rosemary | BS | 0.81 | R2 | | 3-8 | | 1.00 | 2 |
| <i>Andropogon gerardii</i> Big Bluestem | HP | 1.52 | R2 | 3-5 | 6-8 | | | |
| <i>Andropogon gerardii</i> 'Lord Snowdon' Lord Snowdon Big Bluestem | HP | 1.18 | R2 | 3-5 | 6-8 | | | |
| <i>Andropogon glomeratus</i> Bushy Beard Grass | HP | 0.82 | R2 | 4-6 | 7-8 | | | |
| <i>Andropogon saccharoides</i> Silver Beardgrass | HP | 1.27 | R2 | 3-5 | 6-8 | | | |
| <i>Andropogon scoparius</i> See - <i>Schizachyrium scoparium</i> | | | | | | | | |
| <i>Andropogon ternarius</i> Splitbeard Bluestem | HP | 1.00 | R2 | 4-6 | 7-8 | | | |
| <i>Andropogon virginicus</i> Beard Grass | HP | 1.01 | R2 | 4-6 | 7-8 | | | |
| <i>Androsace carnea</i> Pine Rock Jasmine | HP | 0.48 | R2 | 3 | 4-8 | | | |
| <i>Androsace chamasjasme</i> Dwarf Rock Jasmine | HP | 1.00 | R2 | | 3-8 | | | |
| <i>Androsace lactea</i> No Common Name Found | AN | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Androsace laevigata</i> See - <i>Douglasia laevigata</i> | | | | | | | | |
| <i>Androsace lanuginosa</i> Rock Jasmine | HP | 0.97 | R2 | 3 | 4-8 | | | |
| <i>Androsace mucronifolia</i> No Common Name Found | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Androsace primuloides</i> See - <i>Androsace studiosorum</i> | | | | | | | | |
| <i>Androsace sarmentosa</i> No Common Name Found | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Androsace sempervivoides</i> Sempervivum-leaved Rock Jasmine | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Androsace studiosorum</i> Primula Rock Jasmine | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Androsace studiosorum</i> 'Chumbyi' Chumby Primula Rock Jasmine | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Androsace villosa</i> No Common Name Found | HP | 0.48 | R2 | 3 | 4-8 | | | |
| <i>Andryala aghardii</i> No Common Name Found | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Anemanthele lessoniana</i> New Zealand Wind Grass | HP | 0.70 | R2 | 6-8 | | | | |
| <i>Anemone blanda</i> Greek Anemone | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone canadensis</i> Meadow Anemone | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone caroliniana</i> Carolina Anemone | HP | 1.00 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|--|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Anemone coronaria</i> Poppy Anemone | HP | 0.74 | R2 | 5-8 | | | |
| <i>Anemone coronaria</i> 'Blue Poppy' Blue Poppy DeCaen Anemone | HP | 0.74 | R2 | 5-8 | | | |
| <i>Anemone coronaria</i> 'Hollandia' Hollandia Poppy Anemone | HP | 0.74 | R2 | 5-8 | | | |
| <i>Anemone coronaria</i> 'Rosea' Rosea De Caen Poppy Anemone | HP | 0.74 | R2 | 5-8 | | | |
| <i>Anemone coronaria</i> 'St. Brigid' St. Brigid Poppy Anemone | HP | 0.74 | R2 | 5-8 | | | |
| <i>Anemone coronaria</i> 'The Admiral' The Admiral Poppy Anemone | HP | 0.74 | R2 | 5-8 | | | |
| <i>Anemone coronaria</i> 'The Bride' The Bride De Caen Poppy Anemone | HP | 0.74 | R2 | 5-8 | | | |
| <i>Anemone coronaria</i> 'The Governor' The Governor Poppy Anemone | HP | 0.74 | R2 | 5-8 | | | |
| <i>Anemone cylindrica</i> Thimbleweed | HP | 1.00 | R2 | 3-5 | 6-8 | | |
| <i>Anemone drummondii</i> Drummond Anemone | HP | 1.00 | R2 | 3-5 | 6-8 | | |
| <i>Anemone globosa</i> See - <i>Anemone multifida</i> | | | | | | | |
| <i>Anemone hupehensis</i> Chinese Anemone | HP | 0.96 | R2 | 3-4 | 5-8 | | |
| <i>Anemone hupehensis</i> 'Crispa' Crispa Chinese Anemone | HP | 1.02 | R2 | 3-4 | 5-8 | | |
| <i>Anemone hupehensis</i> 'Hadspen Abundance' Hadspen Abundance Chinese Anemone | HP | 0.88 | R2 | 3-4 | 5-8 | | |
| <i>Anemone hupehensis</i> 'Pink Saucer' Pink Saucer™ Chinese Anemone | HP | 0.95 | R2 | 3-4 | 5-8 | | |
| <i>Anemone hupehensis</i> 'Praecox' Praecox Chinese Anemone | HP | 1.01 | R2 | 3-4 | 5-8 | | |
| <i>Anemone hupehensis</i> 'Rubra Plena' Rubra Plena Chinese Anemone | HP | 1.00 | R2 | 3-4 | 5-8 | | |
| <i>Anemone hupehensis</i> 'September Charm' September Charm Chinese Anemone | HP | 0.86 | R2 | 3-4 | 5-8 | | |
| <i>Anemone hupehensis</i> 'Splendens' Splendens Chinese Anemone | HP | 0.90 | R2 | 3-4 | 5-8 | | |
| <i>Anemone hupehensis</i> 'Splendor' Splendor Chinese Anemone | HP | 0.95 | R2 | 3-4 | 5-8 | | |
| <i>Anemone hupehensis</i> var. <i>japonica</i> Japanese Anemone | HP | 1.00 | R2 | 3-4 | 5-8 | | |
| <i>Anemone hupehensis</i> var. <i>japonica</i> 'Bressingham Glow' Bressingham Glow Japanese Anemone | HP | 0.94 | R2 | 3-4 | 5-8 | | |
| <i>Anemone hupehensis</i> var. <i>japonica</i> 'Party Dress' P.P. 13844 Party Dress Japanese Anemone | HP | 1.07 | R2 | 3-4 | 5-8 | | |
| <i>Anemone hupehensis</i> var. <i>japonica</i> 'Prince Henry' Prince Henry Japanese Anemone | HP | 0.91 | R2 | 3-4 | 5-8 | | |
| <i>Anemone x hybrida</i> Anemone | HP | 1.28 | R2 | 3-4 | 5-8 | | |
| <i>Anemone x hybrida</i> 'Alba' White Hybrid Anemone | HP | 0.94 | R2 | 3-4 | 5-8 | | |
| <i>Anemone x hybrida</i> 'Alice' Alice Hybrid Anemone | HP | 0.79 | R2 | 3-4 | 5-8 | | |
| <i>Anemone x hybrida</i> 'Andrea Atkinson' Andrea Atkinson Hybrid Anemone | HP | 0.93 | R2 | 3-4 | 5-8 | | |
| <i>Anemone x hybrida</i> 'Avalanche' Avalanche Hybrid Anemone | HP | 1.00 | R2 | 3-4 | 5-8 | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Anemone x hybrida</i> 'Honorine Jobert' Honorine Jobert Hybrid Anemone | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone x hybrida</i> 'Kriemhilde' Kriemhilde Hybrid Anemone | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone x hybrida</i> 'Lady Gilmour' See - <i>Anemone x hybrida</i> 'Montrose' | | | | | | | | |
| <i>Anemone x hybrida</i> 'Margarette' Margarette Hybrid Anemone | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone x hybrida</i> 'Max Vogel' Max Vogel Hybrid Anemone | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone x hybrida</i> 'Montrose' Montrose Hybrid Anemone | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone x hybrida</i> 'Pamina' Pamina Hybrid Anemone | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone x hybrida</i> 'Queen Charlotte' Queen Charlotte Hybrid Anemone | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone x hybrida</i> 'Richard Ahrens' Richard Ahrens Hybrid Anemone | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone x hybrida</i> 'Rosenschale' Rosenschale Hybrid Anemone | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone x hybrida</i> 'Serenade' Serenade Hybrid Anemone | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone x hybrida</i> 'Whirlwind' Whirlwind Hybrid Anemone | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone lesseri</i> Lesser's Anemone | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone leveillei</i> Windflower | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Anemone multifida</i> Argentine Anemone | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone multifida</i> 'Major' Major Argentine Anemone | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone multifida</i> 'Rubra' Red Argentine Anemone | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone narcissiflora</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone nemerosa</i> Windflower | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone nuttalliana</i> See - <i>Pulsatilla patens</i> | | | | | | | | |
| <i>Anemone patens</i> var. <i>wolfgangiana</i> See - <i>Pulsatilla patens</i> var. <i>wolfgangiana</i> | | | | | | | | |
| <i>Anemone pulsatilla</i> See - <i>Pulsatilla vulgaris</i> | | | | | | | | |
| <i>Anemone quinquefolia</i> American Wood Anemone | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone quinquefolia</i> var. <i>oregana</i> Oregana American Wood Anemone | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone rivularis</i> No Common Name Found | HP | 0.92 | R2 | 4-6 | 7-8 | | | |
| <i>Anemone sylvestris</i> Snowdrop Anemone | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Anemone sylvestris</i> 'Macrantha' Macrantha Snowdrop Anemone | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Anemone tomentosa</i> Grapeleaf Anemone | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone tomentosa</i> 'Albadura' Albadura Grapeleaf Anemone | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Anemone tomentosa</i> 'Robustissima Alba' White Robustissima Grapeleaf Anemone | HP | 1.03 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Anemone tomentosa</i> 'Robustissima' | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| Robustissima Grapeleaf Anemone | | | | | | | | |
| <i>Anemone virginiana</i> | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| Tall Anemone | | | | | | | | |
| <i>Anemone vitifolia</i> | | | | | | | | |
| See - <i>Anemone tomentosa</i> | | | | | | | | |
| <i>Anemonella thalictroides</i> | HP | 0.81 | R2 | 4 | 5-8 | | | |
| Rue Anemone | | | | | | | | |
| <i>Anemopsis californica</i> | HP | 0.70 | R2 | 3-4 | 5-8 | | | |
| Yerba Mansa | | | | | | | | |
| <i>Anethum graveolens</i> | AN | 1.28 | R2 | 5-8 | | | | |
| Dill | | | | | | | | |
| <i>Anethum graveolens</i> 'Bouquet' | AN | 0.74 | R2 | 5-8 | | | | |
| Bouquet Dill | | | | | | | | |
| <i>Anethum graveolens</i> 'Dukat' | AN | 0.86 | R2 | 5-8 | | | | |
| Dukat Dill | | | | | | | | |
| <i>Anethum graveolens</i> 'Fernleaf' | AN | 0.79 | R2 | 5-8 | | | | |
| Fernleaf Dill | | | | | | | | |
| <i>Anethum graveolens</i> 'Hercules' | AN | 0.92 | R2 | 5-8 | | | | |
| Hercules Dill | | | | | | | | |
| <i>Anethum graveolens</i> 'Long Island Mammoth' | AN | 0.92 | R2 | 5-8 | | | | |
| Long Island Mammoth Dill | | | | | | | | |
| <i>Angelica archangelica</i> | AN | 2.50 | R2 | 4 | 5-8 | | | |
| Garden Angelica | | | | | | | | |
| <i>Angelica atropurpurea</i> | AN | 1.65 | R2 | 4 | 5-8 | | | |
| Alexanders | | | | | | | | |
| <i>Angelica gigas</i> | AN | 1.94 | R2 | 4 | 5-8 | | | |
| Purple Parsnip | | | | | | | | |
| <i>Angelonia angustifolia</i> | HP | 0.57 | R2 | 8 | | | | |
| Summer Snapdragon | | | | | | | | |
| <i>Angelonia angustifolia</i> 'Alba' | HP | 0.63 | R2 | 8 | | | | |
| White Angelonia | | | | | | | | |
| <i>Angelonia angustifolia</i> 'Anblauzwei' P.P. 14189 | HP | 0.72 | R2 | 8 | | | | |
| Angelface® Blue Angelonia | | | | | | | | |
| <i>Angelonia angustifolia</i> 'Angel Mist Series' | HP | 0.64 | R2 | 8 | | | | |
| Angel Mist Series Angelonia | | | | | | | | |
| <i>Angelonia angustifolia</i> 'Angelface Blue Bicolor' | | | | | | | | |
| See - <i>Angelonia angustifolia</i> 'Anstern' P.P. 13143 | | | | | | | | |
| <i>Angelonia angustifolia</i> 'Angelface Blue' | | | | | | | | |
| See - <i>Angelonia angustifolia</i> 'Anblauzwei' P.P. 14189 | | | | | | | | |
| <i>Angelonia angustifolia</i> 'Angelface Dresden Blue' | | | | | | | | |
| See - <i>Angelonia angustifolia</i> 'Ansky' P.P. 17155 | | | | | | | | |
| <i>Angelonia angustifolia</i> 'Angelface Pink' | | | | | | | | |
| See - <i>Angelonia angustifolia</i> 'Anpink' P.P. 16818 | | | | | | | | |
| <i>Angelonia angustifolia</i> 'Angelface White' | | | | | | | | |
| See - <i>Angelonia angustifolia</i> 'Anwhit' P.P. 13179 | | | | | | | | |
| <i>Angelonia angustifolia</i> 'Anpink' P.P. 16818 | HP | 0.68 | R2 | 8 | | | | |
| Angelface® Pink Angelonia | | | | | | | | |
| <i>Angelonia angustifolia</i> 'Ansky' P.P. 17155 | HP | 0.68 | R2 | 8 | | | | |
| Angelface® Dresden Blue Angelonia | | | | | | | | |
| <i>Angelonia angustifolia</i> 'Anstern' P.P. 13143 | HP | 0.72 | R2 | 8 | | | | |
| Angelface® Blue Bicolor Angelonia | | | | | | | | |
| <i>Angelonia angustifolia</i> 'Anwhit' P.P. 13179 | HP | 0.68 | R2 | 8 | | | | |
| Angelface® White Angelonia | | | | | | | | |
| <i>Angelonia angustifolia</i> 'Blue Pacific' | HP | 0.51 | R2 | 8 | | | | |
| Blue Pacific Angelonia | | | | | | | | |
| <i>Angelonia angustifolia</i> 'Deep Plum' | HP | 0.68 | R2 | 8 | | | | |
| Deep Plum Angelmist Angelonia | | | | | | | | |
| <i>Angelonia angustifolia</i> 'Serena Series' | HP | 0.74 | R2 | 8 | | | | |
| Serena® Series Angelonia | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Angelonia salicariifolia</i> Hilo Princess | HP | 0.63 | R2 | 5-8 | | | | |
| <i>Angelonia salicariifolia</i> 'Pink Princess' Pink Princess Angelonia | HP | 0.63 | R2 | 5-8 | | | | |
| <i>Angelonia salicariifolia</i> 'Tiger Princess' Tiger Princess Angelonia | HP | 0.63 | R2 | 5-8 | | | | |
| <i>Angraecum magdalenae</i> No Common Name Found | FO | 3.75 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Angraecum sesquipedale</i> Comet Orchid | FO | 2.67 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Angraecum sesquipedale</i> 'Star of Maui' Star of Maui Comet Orchid | FO | 3.33 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Anigozanthos bicolor</i> Little Kangaroo Paw | HP | 0.73 | R2 | 8 | | | | |
| <i>Anigozanthos flavidus</i> Tall Kangaroo Paw | HP | 0.98 | R2 | 8 | | | | |
| <i>Anigozanthos manglesii</i> No Common Name Found | HP | 1.00 | R2 | 8 | | | | |
| <i>Anigozanthos viridis</i> Green Kangaroo Paw | HP | 1.02 | R2 | 8 | | | | |
| <i>Anisacanthus quadrifidus</i> var. <i>wrightii</i> See - <i>Anisacanthus wrightii</i> | | | | | | | | |
| <i>Anisacanthus thurberi</i> See - <i>Justicia californica</i> | | | | | | | | |
| <i>Anisacanthus wrightii</i> Flame Acanthus | BS | 0.81 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Anisodonteia capensis</i> Anisodonteia | BS | 0.76 | R2 | 8 | | | 1.00 | 9 |
| <i>Anisodonteia</i> x <i>hypomandarum</i> South American Mallow | BS | 0.78 | R2 | 8 | | | 1.00 | 9 |
| <i>Anisodonteia</i> x <i>hypomandarum</i> 'Elegant Lady' P.P. 16301 | BS | 0.97 | R2 | 8 | | | 1.00 | 9 |
| <i>Anisodonteia</i> x <i>hypomandarum</i> 'Tara's Pink' Tara's Pink South American Mallow | BS | 0.67 | R2 | 8 | | | 1.00 | 9 |
| <i>Anisodonteia</i> x <i>hypomandarum</i> 'Tara's Wonder' Tara's Wonder South American Mallow | BS | 0.74 | R2 | 8 | | | 1.00 | 9 |
| <i>Antennaria aprica</i> See - <i>Antennaria parvifolia</i> | | | | | | | | |
| <i>Antennaria carpatica</i> Carpathian Pussytoes | HP | 0.83 | R2 | | 3-8 | | | |
| <i>Antennaria dioica</i> Pussytoes | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Antennaria dioica</i> 'Nyewood' Nyewood Pussytoes | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Antennaria dioica</i> 'Rosea' Rose Pussytoes | HP | 0.88 | R2 | 3-5 | 6-8 | | | |
| <i>Antennaria neglecta</i> Field Pussytoes | HP | 1.00 | R2 | 3 | 4-7 | | | |
| <i>Antennaria neglecta</i> var. <i>gaspensis</i> No Common Name Found | HP | 1.00 | R2 | 3 | 4-7 | | | |
| <i>Antennaria parvifolia</i> Littleleaf Pussytoes | HP | 1.00 | R2 | 4 | 5-8 | | | |
| <i>Antennaria plantaginifolia</i> Plain Leaf Pussytoes | HP | 0.74 | R2 | 3 | 4-7 | | | |
| <i>Antennaria rosea</i> Rose Pussytoes | HP | 1.05 | R2 | 3-4 | 5-7 | | | |
| <i>Anthemis</i> Golden Marguerite | HP | 1.28 | R2 | 3-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Anthemis</i> 'Criss Cross' Criss Cross Marguerite | HP | 1.28 | R2 | 3-6 | 7-8 | | | |
| <i>Anthemis</i> 'Susanna Mitchell' Susanna Mitchell Marguerite | HP | 1.28 | R2 | 3-6 | 7-8 | | | |
| <i>Anthemis carpatica</i> Snow Carpet Marguerite | HP | 1.08 | R1 | 3 | 4-8 | | | |
| <i>Anthemis carpatica</i> 'Karpatenschnee' Karpatenschnee Snow Carpet Marguerite | HP | 1.08 | R1 | 3 | 4-8 | | | |
| <i>Anthemis marschalliana</i> Marshall Chamomile | HP | 0.93 | R2 | 3-7 | 8 | | | |
| <i>Anthemis nobilis</i> See - <i>Chamaemelum nobile</i> | | | | | | | | |
| <i>Anthemis sancti-johannis</i> St. John's Chamomile | HP | 0.65 | R2 | 3-5 | 6-8 | | | |
| <i>Anthemis tinctoria</i> Golden Marguerite | HP | 0.63 | R2 | 3-4 | 5-8 | | | |
| <i>Anthemis tinctoria</i> 'E.C. Buxton' E.C. Buxton Golden Marguerite | HP | 0.48 | R2 | 3-4 | 5-8 | | | |
| <i>Anthemis tinctoria</i> 'Kelwayi' Kelwayi Marguerite | HP | 0.78 | R2 | 3-4 | 5-8 | | | |
| <i>Anthemis tinctoria</i> 'Moonlight' Moonlight Golden Marguerite | HP | 0.63 | R2 | 3-4 | 5-8 | | | |
| <i>Anthemis tinctoria</i> 'Sauce Hollandaise' Sauce Hollandaise Golden Marguerite | HP | 0.63 | R2 | 3-4 | 5-8 | | | |
| <i>Anthericum algeriense</i> See - <i>Anthericum liliago</i> | | | | | | | | |
| <i>Anthericum liliago</i> St. Bernard's Lily | HP | 0.93 | R2 | 5-7 | 8 | | | |
| <i>Anthericum saundersiae</i> See - <i>Chlorophytum saundersiae</i> | | | | | | | | |
| <i>Anthericum saundersiae</i> 'Variegatum' See - <i>Chlorophytum saundersiae</i> 'Agristripes' | | | | | | | | |
| <i>Anthoxanthum odoratum</i> Sweet Vernal Grass | HP | 1.02 | R2 | 5-7 | 8 | | | |
| <i>Anthriscus cerefolium</i> Chervil | AN | 1.23 | R2 | 5-7 | 8 | | | |
| <i>Anthurium</i> Flamingo Flower | FO | 1.22 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Anthurium</i> '75-10' P.P. 9355 Red Hot Flamingo Flower | FO | 1.35 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Anthurium</i> '94-4' P.P. 8820 Showbiz Flamingo Flower | FO | 1.22 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Anthurium</i> 'Bubble Gum' P.P. 9196 Bubble Gum Flamingo Flower | FO | 1.19 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Anthurium</i> 'Cotton Candy' P.P. 8819 Cotton Candy Flamingo Flower | FO | 1.56 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Anthurium</i> 'Crystal Hope' P.P. 9078 Crystal Hope Flamingo Flower | FO | 1.02 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Anthurium</i> 'Gemini' P.P. 10043 Gemini Flamingo Flower | FO | 1.35 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Anthurium</i> 'Georgusis Pink Number 1' P.P. 8129 Lady Jane™ Flamingo Flower | FO | 1.29 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Anthurium</i> 'Krypton' P.P. 10034 Krypton Flamingo Flower | FO | 1.35 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Anthurium</i> 'Lady Jane' See - <i>Anthurium</i> 'Georgusis Pink Number 1' P.P. 8129 | | | | | | | | |
| <i>Anthurium</i> 'Lady Ruth' See - <i>Anthurium</i> 'Ruth Morat' P.P. 8540 | | | | | | | | |
| <i>Anthurium</i> 'Lavender Aristocrat' P.P. 9949 Lavender Aristocrat Flamingo Flower | FO | 1.22 | R2 | 6-8 | | | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|-----------|-----|-------------|---------|------------|
| | | | SK | Req | Not Req | Caliper | |
| <i>Anthurium</i> 'Mary Jean' | | | | | | | |
| See - <i>Anthurium</i> 'Rotolante Number 3' P.P. 9703 | | | | | | | |
| <i>Anthurium</i> 'Mazie' | | | | | | | |
| See - <i>Anthurium</i> 'Rotolante Number 2' P.P. 9855 | | | | | | | |
| <i>Anthurium</i> 'Miami Beauty' | | | | | | | |
| See - <i>Anthurium</i> 'Rotolante Number 1' P.P. 7760 | | | | | | | |
| <i>Anthurium</i> 'Northstar' P.P. 10323 | FO | 1.22 | R2 | 6-8 | | 1.00 | 10 |
| Northstar Flamingo Flower | | | | | | | |
| <i>Anthurium</i> 'Pink Aristocrat' P.P. 7441 | FO | 1.22 | R2 | 6-8 | | 1.00 | 10 |
| Pink Aristocrat Flamingo Flower | | | | | | | |
| <i>Anthurium</i> 'Pink Frost' P.P. 8644 | FO | 0.90 | R2 | 6-8 | | 1.00 | 10 |
| Pink Frost Flamingo Flower | | | | | | | |
| <i>Anthurium</i> 'Pura Vida Red' P.P. 9080 | FO | 1.00 | R2 | 6-8 | | 1.00 | 10 |
| Pura Vida Red Flamingo Flower | | | | | | | |
| <i>Anthurium</i> 'Red Hot' | | | | | | | |
| See - <i>Anthurium</i> '75-10' P.P. 9355 | | | | | | | |
| <i>Anthurium</i> 'Rotolante Number 1' P.P. 7760 | FO | 0.85 | R2 | 6-8 | | 1.00 | 10 |
| Miami Beauty™ Flamingo Flower | | | | | | | |
| <i>Anthurium</i> 'Rotolante Number 2' P.P. 9855 | FO | 1.22 | R2 | 6-8 | | 1.00 | 10 |
| Mazie Flamingo Flower | | | | | | | |
| <i>Anthurium</i> 'Rotolante Number 3' P.P. 9703 | FO | 1.22 | R2 | 6-8 | | 1.00 | 10 |
| Mary Jean Flamingo Flower | | | | | | | |
| <i>Anthurium</i> 'Ruth Morat' P.P. 8540 | FO | 1.19 | R2 | 6-8 | | 1.00 | 10 |
| Lady Ruth™ Flamingo Flower | | | | | | | |
| <i>Anthurium</i> 'Showbiz' | | | | | | | |
| See - <i>Anthurium</i> '94-4' P.P. 8820 | | | | | | | |
| <i>Anthurium</i> 'Southern Blush' | FO | 1.22 | R2 | 6-8 | | 1.00 | 10 |
| Southern Blush Flamingo Flower | | | | | | | |
| <i>Anthurium</i> 'Sundial' P.P. 10133 | FO | 1.38 | R2 | 6-8 | | 1.00 | 10 |
| Sundial Flamingo Flower | | | | | | | |
| <i>Anthurium</i> 'Tropic Fire' P.P. 9797 | FO | 1.45 | R2 | 6-8 | | 1.00 | 10 |
| Tropic Fire Flamingo Flower | | | | | | | |
| <i>Anthurium</i> 'White Aristocrat' P.P. 8821 | FO | 1.22 | R2 | 6-8 | | 1.00 | 10 |
| White Aristocrat Flamingo Flower | | | | | | | |
| <i>Anthurium</i> 'White Frost' P.P. 11045 | FO | 1.22 | R2 | 6-8 | | 1.00 | 10 |
| White Frost Flamingo Flower | | | | | | | |
| <i>Anthurium acaule</i> | | | | | | | |
| See - <i>Anthurium crenatum</i> | | | | | | | |
| <i>Anthurium andraeanum</i> | FO | 1.12 | R2 | 6-8 | | 1.00 | 10 |
| No Common Name Found | | | | | | | |
| <i>Anthurium barclayanum</i> | FO | 1.00 | R2 | 6-8 | | 1.00 | 10 |
| No Common Name Found | | | | | | | |
| <i>Anthurium clarinervium</i> | FO | 1.10 | R2 | 6-8 | | 1.00 | 10 |
| No Common Name Found | | | | | | | |
| <i>Anthurium clavigerum</i> | FO | 1.00 | R2 | 6-8 | | 1.00 | 10 |
| No Common Name Found | | | | | | | |
| <i>Anthurium crenatum</i> | FO | 1.47 | R2 | 6-8 | | 1.00 | 10 |
| Scalloped Laceleaf | | | | | | | |
| <i>Anthurium crystallinum</i> | FO | 1.39 | R2 | 6-8 | | 1.00 | 10 |
| Crystal Flamingo Flower | | | | | | | |
| <i>Anthurium hookeri</i> | FO | 1.17 | R2 | 6-8 | | 1.00 | 10 |
| Birdsnest Flamingo Flower | | | | | | | |
| <i>Anthurium hookeri</i> 'Alicia' | FO | 1.33 | R2 | 6-8 | | 1.00 | 10 |
| Alicia Birdsnest Flamingo Flower | | | | | | | |
| <i>Anthurium hookeri</i> 'Ruffles' | FO | 1.48 | R2 | 6-8 | | 1.00 | 10 |
| Ruffles Birdsnest Flamingo Flower | | | | | | | |
| <i>Anthurium scherzerianum</i> | FO | 1.00 | R2 | 6-8 | | 1.00 | 10 |
| No Common Name Found | | | | | | | |
| <i>Anthyllis vulneraria</i> | HP | 1.00 | R2 | 5-6 | 7-8 | | |
| Lady's Fingers | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Antigonon leptopus</i> Coral Vine | GC | 0.77 | R2 | 8 | | | 1.00 | 9 |
| <i>Antigonon leptopus</i> 'Album' White Coral Vine | GC | 0.66 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Antirrhinum braun-blanquetii</i> No Common Name Found | AN | 1.61 | R2 | 5-8 | | | | |
| <i>Antirrhinum majus</i> Common Snapdragon | AN | 0.81 | R2 | 3-7 | 8 | | | |
| <i>Antirrhinum majus</i> 'Floral Carpet Series' Floral Carpet Series Dwarf Snapdragon | AN | 0.66 | R2 | 3-7 | 8 | | | |
| <i>Antirrhinum majus</i> 'Floral Showers Mix' Floral Showers Mix Snapdragon | AN | 0.66 | R2 | 3-7 | 8 | | | |
| <i>Antirrhinum majus</i> 'La Bella Mix' La Bella Mix Snapdragon | AN | 0.66 | R2 | 3-7 | 8 | | | |
| <i>Antirrhinum majus</i> 'Luminaire Series' Luminaire™ Series Trailing Snapdragon | AN | 0.66 | R2 | 3-7 | 8 | | | |
| <i>Antirrhinum majus</i> 'Montego Series' Montego Series Dwarf Snapdragon | AN | 0.65 | R2 | 3-7 | 8 | | | |
| <i>Antirrhinum majus</i> 'Playful Twilight' Playful™ Twilight Snapdragon | AN | 0.86 | R2 | 3-7 | 8 | | | |
| <i>Antirrhinum majus</i> 'Princess' Princess Snapdragon | AN | 0.66 | R2 | 3-7 | 8 | | | |
| <i>Antirrhinum majus</i> 'Solstice Series' Solstice Series Snapdragon | AN | 0.55 | R2 | 3-7 | 8 | | | |
| <i>Antirrhinum majus</i> 'Sonnet Series' Sonnet Series Snapdragon | AN | 0.55 | R2 | 3-7 | 8 | | | |
| <i>Antirrhinum majus</i> 'Tahiti Series' Tahiti Series Snapdragon | AN | 0.55 | R2 | 3-7 | 8 | | | |
| <i>Antirrhinum molle</i> No Common Name Found | AN | 1.00 | R2 | 5-8 | | | | |
| <i>Aphelandra aurantiaca</i> No Common Name Found | FO | 0.60 | R2 | 8 | | | 1.00 | 10 |
| <i>Aphelandra sinclairiana</i> Coral Aphelandra | FO | 0.90 | R2 | 8 | | | 1.00 | 10 |
| <i>Aphelandra squarrosa</i> Zebra Plant | FO | 0.47 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Aphelandra squarrosa</i> 'Dania' Dania Zebra Plant | FO | 0.35 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Apium graveolens</i> Wild Celery | HP | 0.42 | R2 | 6-8 | | | | |
| <i>Aptenia cordifolia</i> Baby Sun Rose | HP | 0.63 | R2 | 4-6 | 7-8 | | | |
| <i>Aquilegia</i> Columbine | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Biedermeier Group' Biedermeier Group Hybrid Columbine | HP | 0.71 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Blue Bird' Blue Bird Hybrid Columbine | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Blue Jay' Blue Jay Hybrid Columbine | HP | 0.59 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Blue Shades' Blue Shades Hybrid Columbine | HP | 1.23 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Blue Star' Blue Star Hybrid Columbine | HP | 1.14 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Cardinal' Cardinal Hybrid Columbine | HP | 0.71 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Crimson Star' Crimson Star Hybrid Columbine | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Dove' Dove Hybrid Columbine | HP | 0.78 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Aquilegia</i> 'Dragonfly Group' Dragonfly Group Hybrid Columbine | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Goldfinch' Goldfinch Hybrid Columbine | HP | 0.70 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Heavenly Blue' Heavenly Blue Hybrid Columbine | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Hensol Harebell' Hensol Harebell Hybrid Columbine | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Leprechaun Gold' Leprechaun Gold Hybrid Columbine | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'McKana Giant' McKana Giant Hybrid Columbine | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'McKana Hybrids' McKana Hybrids Columbine | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Mrs. Scott Elliott Hybrids' Mrs. Scott Elliott Hybrids Columbine | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Musik' Musik Hybrid Columbine | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Nightingale' Nightingale Songbird Hybrid Columbine | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Nuthatch' Nuthatch Songbird Hybrid Columbine | HP | 0.73 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Pagoda Blue & White' Pagoda™ Blue & White Hybrid Columbine | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Pagoda Series' Pagoda™ Series Hybrid Columbine | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Red Star' Red Star Hybrid Columbine | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Remembrance' Remembrance Hybrid Columbine | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Robin' Robin Hybrid Columbine | HP | 0.64 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Songbird Blue Bird' See - <i>Aquilegia</i> 'Blue Bird' | | | | | | | | |
| <i>Aquilegia</i> 'Songbird Blue Jay' See - <i>Aquilegia</i> 'Blue Jay' | | | | | | | | |
| <i>Aquilegia</i> 'Songbird Cardinal' See - <i>Aquilegia</i> 'Cardinal' | | | | | | | | |
| <i>Aquilegia</i> 'Songbird Dove' See - <i>Aquilegia</i> 'Dove' | | | | | | | | |
| <i>Aquilegia</i> 'Songbird Goldfinch' See - <i>Aquilegia</i> 'Goldfinch' | | | | | | | | |
| <i>Aquilegia</i> 'Songbird Nightingale' See - <i>Aquilegia</i> 'Nightingale' | | | | | | | | |
| <i>Aquilegia</i> 'Songbird Nuthatch' See - <i>Aquilegia</i> 'Nuthatch' | | | | | | | | |
| <i>Aquilegia</i> 'Songbird Robin' See - <i>Aquilegia</i> 'Robin' | | | | | | | | |
| <i>Aquilegia</i> 'Songbird Series' Songbird Series Hybrid Columbine | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Spring Magic Blue & White' See - <i>Aquilegia</i> 'Pagoda Blue & White' | | | | | | | | |
| <i>Aquilegia</i> 'Spring Magic Series' See - <i>Aquilegia</i> 'Pagoda Series' | | | | | | | | |
| <i>Aquilegia</i> 'Swan Burgundy White' Swan Burgundy White Hybrid Columbine | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Swan Pink Yellow' Swan Pink Yellow Hybrid Columbine | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Swan Series' Swan Series Hybrid Comlumbine | HP | 0.92 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Aquilegia</i> 'Swan Violet White' Swan Violet White Hybrid Columbine | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'Tequila Sunrise' Tequila Sunrise Hybrid Columbine | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia</i> 'White Star' White Star Hybrid Columbine | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia alpina</i> Alpine Columbine | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia barnebyi</i> Shale Columbine | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia buergeriana</i> No Common Name Found | HP | 0.96 | R2 | 3-5 | 6-8 | | | |
| <i>Aquilegia buergeriana</i> 'Calimero' Calimero Columbine | HP | 0.96 | R2 | 3-5 | 6-8 | | | |
| <i>Aquilegia caerulea</i> Rocky Mountain Columbine | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia caerulea</i> 'Himmelblau' Blue Sky Rocky Mountain Columbine | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia caerulea</i> 'Kristall' Kristall Rocky Mountain Columbine | HP | 0.64 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia caerulea</i> 'Maxistar' Maxistar Rocky Mountain Columbine | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia caerulea</i> 'Origami' Origami Mountain Columbine | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia caerulea</i> 'Red Hobbit' Red Hobbit Rocky Mountain Columbine | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia canadensis</i> Canadian Columbine | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia canadensis</i> 'Corbett' Corbett Canadian Columbine | HP | 0.71 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia canadensis</i> 'Little Lanterns' Little Lanterns Canadian Columbine | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia chrysantha</i> Golden Columbine | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia chrysantha</i> 'Denver Gold' Denver Gold™ golden Columbine | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia chrysantha</i> 'Yellow Queen' Yellow Queen Golden Columbine | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia chrysantha</i> var. <i>hinckleyana</i> Hinckley's Columbine | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia flabellata</i> Fan Columbine | HP | 0.63 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia flabellata</i> 'Alba' White Fan Columbine | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia flabellata</i> 'Blue Angel' Blue Angel Fan Columbine | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia flabellata</i> 'Cameo Series' Cameo Series Fan Columbine | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia flabellata</i> 'Ministar' Ministar Fan Columbine | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia flabellata</i> 'Nana Alba' Dwarf White Fan Columbine | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia flabellata</i> var. <i>pumila</i> Pumila Fan Columbine | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia formosa</i> Formosa Columbine | HP | 0.62 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia formosa</i> 'Nana' Dwarf Formosa Columbine | HP | 0.64 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia sibirica</i> No Common Name Found | HP | 0.80 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Aquilegia vulgaris</i> Garden Columbine | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia vulgaris</i> 'Barlow Mix' Barlow Mix Garden Columbine | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia vulgaris</i> 'Black Barlow' Black Barlow Garden Columbine | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia vulgaris</i> 'Clematiflora' Clematiflora Garden Columbine | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia vulgaris</i> 'Clementine Blue' Clementine Blue Garden Columbine | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia vulgaris</i> 'Clementine Dark Purple' Clementine Dark Purple Garden Columbine | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia vulgaris</i> 'Clementine Red' Clementine Red Garden Columbine | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia vulgaris</i> 'Clementine Series' Clementine Series Garden Columbine | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia vulgaris</i> 'Clementine White' Clementine White Garden Columbine | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia vulgaris</i> 'Double Pleat' Double Pleat Garden Columbine | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia vulgaris</i> 'Flore Pleno' Flore Pleno Garden Columbine | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia vulgaris</i> 'Grandmother's Garden' Grandmother's Garden Columbine | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia vulgaris</i> 'Lime Frost' Lime Frost Garden Columbine | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia vulgaris</i> 'Nora Barlow' Nora Barlow Garden Columbine | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia vulgaris</i> 'Ruby Port' Ruby Port Garden Columbine | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia vulgaris</i> 'William Guinness' William Guinness Garden Columbine | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia vulgaris</i> 'Winky Series' Winky Series Garden Columbine | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia vulgaris</i> 'Woodside Gold' Woodside Gold Garden Columbine | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Aquilegia vulgaris</i> 'Woodside Variegata' Variegated Woodside Garden Columbine | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Arabis alpina</i> Mountain Rockcress | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Arabis alpina</i> 'Compinkie' Compinkie Mountain Rockcress | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Arabis alpina</i> 'Variegata' Variegated Mountain Rockcress | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Arabis androsacea</i> No Common Name Found | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Arabis blepharophylla</i> Fringed Rockcress | HP | 0.76 | R2 | 3-6 | 7-8 | | | |
| <i>Arabis blepharophylla</i> 'Red Sensation' Red Sensation Fringed Rockcress | HP | 0.76 | R2 | 3-6 | 7-8 | | | |
| <i>Arabis blepharophylla</i> 'Spring Charm' Spring Charm Fringed Rockcress | HP | 0.76 | R2 | 3-6 | 7-8 | | | |
| <i>Arabis bryoides</i> Moss Rockcress | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Arabis carduchorum</i> No Common Name Found | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Arabis caucasica</i> Wall Rockcress | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Arabis caucasica</i> 'Flore Pleno' Flore Pleno Wall Rockcress | HP | 0.86 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Arabis caucasica</i> 'Pink' Pink Wall Rockcress | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Arabis caucasica</i> 'Snowcap' Snowcap Wall Rockcress | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Arabis caucasica</i> 'Variegata' Variegated Wall Rockcress | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Arabis ferdinandi-coburgi</i> Ferdinand's Rockcress | HP | 1.16 | R2 | 3-5 | 6-8 | | | |
| <i>Arabis ferdinandi-coburgi</i> 'Old Gold' Old Gold Ferdinand's Rockcress | HP | 0.62 | R2 | 3-5 | 6-8 | | | |
| <i>Arabis ferdinandi-coburgi</i> 'Variegata' Variegated Ferdinand's Rockcress | HP | 0.64 | R2 | 3-5 | 6-8 | | | |
| <i>Arabis x kellereri</i> Kellerer Rockcress | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Arabis procurrens</i> No Common Name Found | HP | 0.46 | R2 | 3-5 | 6-8 | | | |
| <i>Arabis procurrens</i> 'Glacier' Glacier Rockcress | HP | 0.46 | R2 | 3-5 | 6-8 | | | |
| <i>Arabis sturii</i> Alpine Rockcress | HP | 0.99 | R2 | 3-5 | 6-8 | | | |
| <i>Arachis glabrata</i> Ornamental Peanut | HP | 0.55 | R2 | 5-8 | | | | |
| <i>Arachis hypogaea</i> Peanut | HP | 0.41 | R2 | 5-8 | | | | |
| <i>Arachis repens</i> Shade Peanut | HP | 0.40 | R2 | 5-8 | | | | |
| <i>Arachniodes aristata</i> East Indian Holly | HP | 0.85 | R2 | 5-7 | 8 | | | |
| <i>Arachniodes simplicior</i> Shield Fern | HP | 0.75 | R2 | 6-8 | | | | |
| <i>Arachniodes simplicior</i> 'Variegata' Variegated Shield Fern | HP | 0.96 | R2 | 6-8 | | | | |
| <i>Aralia californica</i> California Spikenard | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Aralia chinensis</i> See - <i>Aralia elata</i> | | | | | | | | |
| <i>Aralia cordata</i> Japanese Spikenard | HP | 0.85 | R1 | 3 | 4-8 | | | |
| <i>Aralia elata</i> Angelica Tree | DS | 4.11 | R1 | 3-5 | 6-8 | | 1.00 | 4 |
| <i>Aralia elata</i> 'Aureovariegata' Yellowleaf Angelica Tree | DS | 3.42 | R1 | 3-5 | 6-8 | | 1.00 | 4 |
| <i>Aralia elata</i> 'Variegata' Variegated Angelica Tree | DS | 4.11 | R1 | 3-5 | 6-8 | | 1.00 | 4 |
| <i>Aralia elegantissima</i> See - <i>Schefflera elegantissima</i> | | | | | | | | |
| <i>Aralia racemosa</i> American Spikenard | HP | 1.80 | R1 | 3-5 | 6-8 | | | |
| <i>Aralia spinosa</i> Devil's Walkingstick | DS | 1.22 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>xAranda</i> Aranda Hybrid Orchid | FO | 1.56 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Araucaria araucana</i> Monkey Puzzle | BE | 2.28 | R2 | 5-7 | 8 | 1.00 | 1.52 | 7 |
| <i>Araucaria bidwillii</i> Bunya-Bunya Tree | BE | 1.25 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Araucaria excelsa</i> See - <i>Araucaria heterophylla</i> | | | | | | | | |
| <i>Araucaria heterophylla</i> Norfolk Island Pine | FO | 1.14 | R2 | 8 | | | 1.34 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Araucaria heterophylla</i> 'Majestic Beauty' | | | | | | | | |
| See - <i>Araucaria heterophylla</i> 'Monia' | | | | | | | | |
| <i>Araucaria heterophylla</i> 'Monia' | FO | 1.14 | R2 | 8 | | | 1.34 | 9 |
| Majestic Beauty™ Star Pine | | | | | | | | |
| <i>Araujia sericifera</i> | GC | 0.58 | R2 | 8 | | | 1.00 | 9 |
| White Bladder Flower | | | | | | | | |
| <i>Arbutus</i> | BE | 1.26 | R1 | 5-8 | | | 1.00 | 8 |
| Manzanita | | | | | | | | |
| <i>Arbutus</i> 'Marina' | BE | 1.26 | R1 | 5-8 | | | 1.00 | 8 |
| Marina Manzanita | | | | | | | | |
| <i>Arbutus andrachne</i> | BE | 1.00 | R1 | 5-7 | 8 | | 1.00 | 7 |
| Madrone | | | | | | | | |
| <i>Arbutus menziesii</i> | BE | 1.07 | R1 | 5-7 | 8 | | 1.00 | 7 |
| Pacific Madrone | | | | | | | | |
| <i>Arbutus texana</i> | | | | | | | | |
| See - <i>Arbutus xalapensis</i> | | | | | | | | |
| <i>Arbutus unedo</i> | BE | 1.02 | R1 | 5-7 | 8 | | 1.00 | 7 |
| Strawberry Tree | | | | | | | | |
| <i>Arbutus unedo</i> 'Compacta' | BS | 1.01 | R1 | 5-7 | 8 | | 0.59 | 7 |
| Dwarf Strawberry Tree | | | | | | | | |
| <i>Arbutus unedo</i> 'Elfin King' | BE | 0.93 | R1 | 5-7 | 8 | | 1.00 | 7 |
| Elfin King Dwarf Strawberry Tree | | | | | | | | |
| <i>Arbutus unedo</i> 'Oktoberfest' | BE | 0.83 | R1 | 5-7 | 8 | | 1.00 | 7 |
| Oktoberfest Strawberry Tree | | | | | | | | |
| <i>Arbutus xalapensis</i> | BE | 0.69 | R1 | 5-7 | 8 | | 1.00 | 7 |
| No Common Name Found | | | | | | | | |
| <i>Archontophoenix alexandrae</i> | PC | 1.03 | R2 | 8 | | | 0.79 | 9 |
| Alexandra Palm | | | | | | | | |
| <i>Archontophoenix cunninghamiana</i> | PC | 1.07 | R2 | 8 | | | 0.89 | 9 |
| Bangalow Palm | | | | | | | | |
| <i>Archontophoenix maxima</i> | PC | 1.06 | R2 | 8 | | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Arctanthemum arcticum</i> | HP | 0.80 | R2 | | 3-8 | | | |
| Arctic Daisy | | | | | | | | |
| <i>Arctostaphylos</i> | BS | 0.76 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| Manzanita | | | | | | | | |
| <i>Arctostaphylos</i> 'Austin Griffiths' | BS | 0.71 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| Austin Griffiths Manzanita | | | | | | | | |
| <i>Arctostaphylos</i> 'Canyon Blush' | BS | 0.71 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| Canyon Blush Manzanita | | | | | | | | |
| <i>Arctostaphylos</i> 'Emerald Carpet' | BS | 0.87 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| Emerald Carpet Hybrid Manzanita | | | | | | | | |
| <i>Arctostaphylos</i> 'John Dourley' | BS | 0.78 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| John Dourley Hybrid Manzanita | | | | | | | | |
| <i>Arctostaphylos</i> 'Pacific Mist' | BS | 0.80 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| Pacific Mist Hybrid Manzanita | | | | | | | | |
| <i>Arctostaphylos</i> 'Sunset' | BS | 0.71 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| Sunset Manzanita | | | | | | | | |
| <i>Arctostaphylos alpina</i> | BS | 1.00 | R1 | | 3-8 | | 1.00 | 1 |
| Alpine Bearberry | | | | | | | | |
| <i>Arctostaphylos andersonii</i> | BS | 0.70 | R1 | 5-8 | | | 1.00 | 8 |
| Heartleaf Manzanita | | | | | | | | |
| <i>Arctostaphylos</i> x <i>coloradensis</i> | BS | 1.98 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| Colorado Manzanita | | | | | | | | |
| <i>Arctostaphylos</i> x <i>coloradensis</i> 'Chieftain' | BS | 2.21 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| Chieftain Colorado Manzanita | | | | | | | | |
| <i>Arctostaphylos</i> x <i>coloradensis</i> 'Panchito' | BS | 2.03 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| Panchito™ Colorado Manzanita | | | | | | | | |
| <i>Arctostaphylos columbiana</i> | BS | 1.42 | R1 | 5-7 | 8 | | 1.00 | 7 |
| Hairy Manzanita | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Arctostaphylos densiflora</i> Sonoma Manzanita | BS | 0.80 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Arctostaphylos densiflora</i> 'Harmony' Harmony Sonoma Manzanita | BS | 0.71 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Arctostaphylos densiflora</i> 'Howard McMinn' Howard McMinn Sonoma Manzanita | BS | 0.88 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Arctostaphylos densiflora</i> 'Sentinel' Sentinel Sonoma Manzanita | BS | 0.82 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Arctostaphylos edmundsii</i> Little Sur Manzanita | BS | 0.71 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Arctostaphylos edmundsii</i> 'Carmel Sur' Carmel Sur Little Sur Manzanita | BS | 0.76 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Arctostaphylos edmundsii</i> 'Indian Hill' Indian Hill Little Sur Manzanita | BS | 0.66 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Arctostaphylos edmundsii</i> var. <i>parvifolia</i> No Common Name Found | BS | 0.66 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Arctostaphylos edmundsii</i> var. <i>parvifolia</i> 'Bert Johnson' Bert Johnson Little Sur Manzanita | BS | 0.66 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Arctostaphylos glandulosa</i> Eastwood Manzanita | BS | 1.05 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Arctostaphylos glauca</i> Big Berry Manzanita | BS | 1.32 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Arctostaphylos hookeri</i> Monterey Manzanita | GC | 0.75 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Arctostaphylos hookeri</i> 'Buxifolia' Buxifolia Monterey Manzanita | GC | 0.65 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Arctostaphylos hookeri</i> 'Ken Taylor' Ken Taylor Monterey Manzanita | GC | 0.59 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Arctostaphylos hookeri</i> 'Monterey Carpet' Monterey Carpet Monterey Manzanita | GC | 0.64 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Arctostaphylos hookeri</i> 'Wayside' Wayside Monterey Manzanita | GC | 0.61 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Arctostaphylos insularis</i> Island Manzanita | BS | 0.71 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Arctostaphylos insularis</i> 'Canyon Sparkles' Canyon Sparkles Island Manzanita | BS | 0.71 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Arctostaphylos manzanita</i> Common Manzanita | BS | 1.42 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Arctostaphylos manzanita</i> 'Dr. Hurd' Dr. Hurd Parry Manzanita | BS | 0.90 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Arctostaphylos manzanita</i> 'Hood Mountain' Hood Mountain Common Manzanita | BS | 0.71 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Arctostaphylos</i> x <i>media</i> Intermediate Manzanita | BS | 0.69 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Arctostaphylos morroensis</i> Morro Manzanita | BS | 0.71 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Arctostaphylos morroensis</i> 'Montana de Oro' Montana De Oro Morro Manzanita | BS | 0.71 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Arctostaphylos nevadensis</i> var. <i>coloradensis</i> See - <i>Arctostaphylos</i> x <i>coloradensis</i> | BS | 0.71 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Arctostaphylos nummularia</i> Ft. Bragg Manzanita | BS | 0.76 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Arctostaphylos pajaroensis</i> Pajaro Manzanita | BS | 0.81 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Arctostaphylos pajaroensis</i> 'Paradise' Paradise Pajaro Manzanita | BS | 0.71 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Arctostaphylos pajaroensis</i> 'Warren Roberts' Warren Roberts Pajaro Manzanita | BS | 0.71 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Arctostaphylos patula</i> Greenleaf Manzanita | BS | 1.00 | R1 | 4-5 | 6-8 | | 1.00 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Arctostaphylos pechoensis</i> Pecho Manzanita | BS | 1.16 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Arctostaphylos pumila</i> Dune Manzanita | BS | 1.43 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Arctostaphylos purissima</i> No Common Name Found | BS | 0.61 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Arctostaphylos refugioensis</i> No Common Name Found | BS | 0.86 | R1 | 5-8 | | | 1.00 | 7 |
| <i>Arctostaphylos regismontana</i> See - <i>Arctostaphylos andersonii</i> | | | | | | | | |
| <i>Arctostaphylos rudis</i> Shagbark Manzanita | BS | 0.71 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Arctostaphylos stanfordiana</i> Stanford Manzanita | BS | 0.89 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Arctostaphylos stanfordiana</i> 'Louis Edmunds' Louis Edmunds Stanford Manzanita | BS | 0.89 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Arctostaphylos stanfordiana</i> ssp. <i>bakeri</i> Baker Manzanita | BS | 0.93 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Arctostaphylos uva-ursi</i> Kinnikinick | GC | 0.86 | R1 | | 3-8 | | 0.47 | 2 |
| <i>Arctostaphylos uva-ursi</i> 'Alaska' Alaska Common Bearberry | GC | 0.68 | R1 | | 3-8 | | 0.47 | 2 |
| <i>Arctostaphylos uva-ursi</i> 'Massachusetts' Massachusetts Common Bearberry | GC | 0.82 | R1 | | 3-8 | | 0.47 | 2 |
| <i>Arctostaphylos uva-ursi</i> 'Point Reyes' Point Reyes Common Bearberry | GC | 0.60 | R1 | | 3-8 | | 0.47 | 2 |
| <i>Arctostaphylos uva-ursi</i> 'Point St. George' Point St. George Common Bearberry | GC | 0.71 | R1 | | 3-8 | | 0.47 | 2 |
| <i>Arctostaphylos uva-ursi</i> 'Radiant' Radiant Common Bearberry | GC | 0.65 | R1 | | 3-8 | | 0.47 | 2 |
| <i>Arctostaphylos uva-ursi</i> 'San Bruno Mountain' San Bruno Mountain Common Bearberry | GC | 0.71 | R1 | | 3-8 | | 0.47 | 2 |
| <i>Arctostaphylos uva-ursi</i> 'Vancouver Jade' Vancouver Jade Common Bearberry | GC | 0.63 | R1 | | 3-8 | | 0.47 | 2 |
| <i>Arctostaphylos uva-ursi</i> 'Wood's Compact' Wood's Compact Common Bearberry | GC | 0.80 | R1 | | 3-8 | | 0.47 | 2 |
| <i>Arctostaphylos uva-ursi</i> 'Wood's Red' Wood's Red Common Bearberry | GC | 0.63 | R1 | | 3-8 | | 0.47 | 2 |
| <i>Arctotis xhybrida</i> African Daisy | HP | 0.70 | R2 | 6-8 | | | | |
| <i>Arctotis xhybrida</i> 'Flame' Flame African Daisy | HP | 0.87 | R2 | 6-8 | | | | |
| <i>Arctotis xhybrida</i> 'Pumpkin Pie' P.P.A.F. Pumpkin Pie African Daisy | HP | 0.95 | R2 | 6-8 | | | | |
| <i>Arctotis xhybrida</i> 'Sunspot' P.P.A.F. Sunspot African Daisy | HP | 0.95 | R2 | 6-8 | | | | |
| <i>Ardisia crenata</i> Coralberry | BS | 0.51 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Ardisia crenata</i> 'Alba' White Coralberry | BS | 0.77 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Ardisia crispa</i> No Common Name Found | BS | 0.47 | R2 | 5-8 | | | 1.00 | 7 |
| <i>Ardisia escallonioides</i> Marlberry | BS | 1.07 | R2 | 8 | | | 1.13 | 9 |
| <i>Ardisia japonica</i> Japanese Marlberry | GC | 0.66 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Ardisia japonica</i> 'Chirimen' Chirimen Japanese Marlberry | GC | 0.91 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Ardisia japonica</i> 'Moncue' Midgee® Dwarf Japanese Marlberry | GC | 1.21 | R1 | 5-7 | 8 | | 1.00 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Ardisia japonica</i> 'Variegata' Variegated Japanese Marlberry | GC | 0.58 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Arenaria balearica</i> Corsican Sandwort | HP | 0.65 | R2 | 3-4 | 5-8 | | | |
| <i>Arenaria hookeri</i> Hooker Sandwort | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Arenaria ledebouriana</i> Ledebour Sandwort | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Arenaria montana</i> Sandwort | HP | 0.92 | R2 | 3 | 4-8 | | | |
| <i>Arenaria obtusa</i> See - <i>Minuartia obtusiloba</i> | | | | | | | | |
| <i>Arenaria pinifolia</i> See - <i>Minuartia circassica</i> | | | | | | | | |
| <i>Arenaria procera</i> No Common Name Found | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Arenaria tetraquetra</i> No Common Name Found | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Arenaria verna</i> See - <i>Minuartia verna</i> | | | | | | | | |
| <i>Arenga engleri</i> Dwarf Sugar Palm | PC | 1.57 | R1 | 8 | | | 2.53 | 9 |
| <i>Arenga micrantha</i> No Common Name Found | PC | 2.26 | R2 | 8 | | | 1.00 | 10 |
| <i>Argusia argentea</i> Tree Heliotrope | BS | 1.06 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Argyranthemum frutescens</i> Marguerite Daisy | HP | 0.69 | R2 | 6-8 | | | | |
| <i>Argyranthemum frutescens</i> 'Bright Carmine' See - <i>Argyranthemum frutescens</i> 'Supalight' P.P. 14128 | | | | | | | | |
| <i>Argyranthemum frutescens</i> 'Butterfly' Butterfly™ Marguerite Daisy | HP | 0.77 | R2 | 6-8 | | | | |
| <i>Argyranthemum frutescens</i> 'Cobeer' P.P. 14174 Sugar Cheer Marguerite Daisy | HP | 0.89 | R2 | 6-8 | | | | |
| <i>Argyranthemum frutescens</i> 'Comet Series' Comet Series Marguerite Daisy | HP | 0.88 | R2 | 6-8 | | | | |
| <i>Argyranthemum frutescens</i> 'Cotton Candy' See - <i>Argyranthemum frutescens</i> 'Supacrest' P.P. 15894 | | | | | | | | |
| <i>Argyranthemum frutescens</i> 'Harvest Snow' P.P. 11754 Harvest Snow Marguerite Daisy | HP | 0.78 | R2 | 6-8 | | | | |
| <i>Argyranthemum frutescens</i> 'Meteor White' See - <i>Argyranthemum frutescens</i> 'Supang' | | | | | | | | |
| <i>Argyranthemum frutescens</i> 'Miss Pink' See - <i>Argyranthemum frutescens</i> 'Supasat' P.P. 15442 | | | | | | | | |
| <i>Argyranthemum frutescens</i> 'Pink' Pink Marguerite | HP | 0.60 | R2 | 6-8 | | | | |
| <i>Argyranthemum frutescens</i> 'Silver Lady' Silver Lady Margurite | HP | 0.61 | R2 | 6-8 | | | | |
| <i>Argyranthemum frutescens</i> 'Sole Mio' See - <i>Argyranthemum frutescens</i> 'Supa3047' P.P. 16127 | | | | | | | | |
| <i>Argyranthemum frutescens</i> 'Sugar Baby' P.P. 10298 Cobbity Daisy™ Sugar Baby Marguerite Daisy | HP | 0.64 | R2 | 6-8 | | | | |
| <i>Argyranthemum frutescens</i> 'Sugar Button' P.P. 11980 Sugar Button Marguerite Daisy | HP | 0.78 | R2 | 6-8 | | | | |
| <i>Argyranthemum frutescens</i> 'Sugar Cheer' See - <i>Argyranthemum frutescens</i> 'Cobeer' P.P. 14174 | | | | | | | | |
| <i>Argyranthemum frutescens</i> 'Summer Angel' P.P. 11085 Summer Angel™ Marguerite Daisy | HP | 0.78 | R2 | 6-8 | | | | |
| <i>Argyranthemum frutescens</i> 'Summer Melody' P.P. 11763 | HP | 0.85 | R2 | 6-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| Cobbity Daisy™ Summer Melody Marguerite Daisy <i>Argyranthemum frutescens</i> 'Sunlight' P.P.A.F. | HP | 0.85 | R2 | 6-8 | | | |
| Sunlight Marguerite Daisy <i>Argyranthemum frutescens</i> 'Supa3047' P.P. 16127 | HP | 1.13 | R2 | 6-8 | | | |
| Sole Mio Marguerite Daisy <i>Argyranthemum frutescens</i> 'Supacrest' P.P. 15894 | HP | 1.08 | R2 | 6-8 | | | |
| Cotton Candy™ Marguerite Daisy <i>Argyranthemum frutescens</i> 'Supalight' P.P. 14128 | HP | 1.01 | R2 | 6-8 | | | |
| Bright Carmine Marguerite Daisy <i>Argyranthemum frutescens</i> 'Supang' | HP | 0.78 | R2 | 6-8 | | | |
| Meteor White Marguerite Daisy <i>Argyranthemum frutescens</i> 'Supasat' P.P. 15442 | HP | 1.00 | R2 | 6-8 | | | |
| Miss Pink Marguerite Daisy <i>Argyranthemum frutescens</i> 'White' | HP | 0.71 | R2 | 6-8 | | | |
| White Marguerite <i>Argyranthemum frutescens</i> 'Yellow' | HP | 0.55 | R2 | 6-8 | | | |
| Yellow Marguerite <i>Argyrea nervosa</i> | GC | 1.00 | R2 | 8 | | 1.00 | 9 |
| Woolly Morning Glory <i>Arisaema dracontium</i> | HP | 1.00 | R2 | 3-4 | 5-8 | | |
| Green Dragonroot <i>Arisaema japonicum</i> | | | | | | | |
| See - <i>Arisaema serratum</i> | | | | | | | |
| <i>Arisaema serratum</i> | HP | 1.00 | R2 | 3-5 | 6-8 | | |
| Japanese Jack-in-the-Pulpit <i>Arisaema sikokianum</i> | HP | 6.11 | R2 | 3-5 | 6-8 | | |
| Gaudy Jack-in-the-Pulpit <i>Arisaema triphyllum</i> | HP | 1.28 | R2 | 3-4 | 5-8 | | |
| Jack-in-the-Pulpit <i>Arisarum proboscideum</i> | HP | 1.00 | R2 | 6-7 | 8 | | |
| Mouse Plant <i>Aristea ecklonii</i> | HP | 0.76 | R2 | 8 | | | |
| Blue Stars <i>Aristida stricta</i> var. <i>beyrichiana</i> | HP | 0.58 | R2 | 3-6 | 7-8 | | |
| Wiregrass <i>Aristolochia californica</i> | GC | 0.93 | R2 | 6-7 | 8 | 1.00 | 4 |
| California Dutchman's Pipe <i>Aristolochia durior</i> | | | | | | | |
| See - <i>Aristolochia macrophylla</i> | | | | | | | |
| <i>Aristolochia macrophylla</i> | GC | 1.18 | R2 | 6-7 | 8 | 1.00 | 6 |
| Dutchman's Pipe <i>Armeria</i> | HP | 0.74 | R2 | 3-4 | 5-8 | | |
| Thrift <i>Armeria</i> 'Apple Blossom' | HP | 0.62 | R2 | 3-4 | 5-8 | | |
| Apple Blossom Thrift <i>Armeria</i> 'Bee's Hybrids' | HP | 0.74 | R1 | 3-4 | 5-8 | | |
| Bee's Hybrids Thrift <i>Armeria</i> 'Bee's Ruby' | HP | 0.74 | R2 | 3-4 | 5-8 | | |
| Bee's Ruby Thrift <i>Armeria</i> 'Joystick Series' | HP | 0.86 | R2 | 3-4 | 5-8 | | |
| Joystick Series Thrift <i>Armeria alliacea</i> | HP | 0.70 | R2 | 3-4 | 5-8 | | |
| Plantain Thrift <i>Armeria alliacea</i> 'Formosa Hybrids' | HP | 0.71 | R2 | 3-4 | 5-8 | | |
| Formosa Hybrids Plantain Thrift <i>Armeria alliacea</i> var. <i>leucantha</i> | HP | 0.62 | R2 | 3-4 | 5-8 | | |
| No Common Name Found <i>Armeria caespitosa</i> | HP | 0.80 | R2 | 3-7 | 8 | | |
| Pyrenees Thrift | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container SK | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|--------|-----------------|--------------|---------|------------------------|-----------|---------------|
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Armeria cephalotes</i> | | | | | | | | |
| See - <i>Armeria pseudarmeria</i> | | | | | | | | |
| <i>Armeria girardii</i> No Common Name Found | HP | 1.08 | R2 | 3-7 | 8 | | | |
| <i>Armeria juniperifolia</i> | | | | | | | | |
| See - <i>Armeria caespitosa</i> | | | | | | | | |
| <i>Armeria maritima</i> Common Thrift | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Armeria maritima</i> 'Alba' White Common Thrift | HP | 0.73 | R2 | 3-4 | 5-8 | | | |
| <i>Armeria maritima</i> 'Bloodstone' Bloodstone Common Thrift | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Armeria maritima</i> 'Cotton Tail' Cotton Tail Common Thrift | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Armeria maritima</i> 'Dusseldorf Pride' Dusseldorf Pride Common Thrift | HP | 0.78 | R2 | 3-4 | 5-8 | | | |
| <i>Armeria maritima</i> 'Lauchiana' Pink Common Thrift | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Armeria maritima</i> 'Nifty Thrifty' Nifty Thrifty Variegated Dwarf Thrift | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Armeria maritima</i> 'Ornament' Ornament Common Thrift | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Armeria maritima</i> 'Pink Lusitanica' Pink Lusitanica Common Thrift | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Armeria maritima</i> 'Rubrifolia' Red-leaved Common Thrift | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Armeria maritima</i> 'Small Fry' Small Fry Common Thrift | HP | 0.62 | R2 | 3-4 | 5-8 | | | |
| <i>Armeria maritima</i> 'Splendens' Splendens Common Thrift | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Armeria maritima</i> 'Victor Reiter' Victor Reiter Common Thrift | HP | 0.75 | R2 | 3-4 | 5-8 | | | |
| <i>Armeria maritima</i> 'Vindictive' Vindictive Common Thrift | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Armeria pseudarmeria</i> Pinkball Thrift | HP | 0.86 | R2 | 5-7 | 8 | | | |
| <i>Armeria setacea</i> | | | | | | | | |
| See - <i>Armeria girardii</i> | | | | | | | | |
| <i>Armeria tweedyi</i> No Common Name Found | HP | 0.62 | R2 | 3-7 | 8 | | | |
| <i>Armoracia rusticana</i> Horseradish | AN | 1.32 | R2 | 3-4 | 5-8 | | | |
| <i>Armoracia rusticana</i> 'Variegata' Variegated Horseradish | AN | 1.32 | R2 | 3-4 | 5-8 | | | |
| <i>Arnica montana</i> Mountain Arnica | HP | 0.66 | R2 | 6 | 7-8 | | | |
| <i>Aronia arbutifolia</i> Red Chokeberry | DS | 0.96 | R1 | 3-4 | 5-8 | | 0.89 | 4 |
| <i>Aronia arbutifolia</i> 'Brilliantissima' Brilliant Red Chokeberry | DS | 1.00 | R1 | 3-4 | 5-8 | | 0.83 | 4 |
| <i>Aronia arbutifolia</i> 'Erecta' Upright Red Chokeberry | DS | 1.07 | R1 | 3-4 | 5-8 | | 0.86 | 4 |
| <i>Aronia melanocarpa</i> Black Chokeberry | DS | 0.84 | R1 | 3-4 | 5-8 | | 0.74 | 3 |
| <i>Aronia melanocarpa</i> 'Autumn Magic' Autumn Magic Black Chokeberry | DS | 1.12 | R1 | 3-4 | 5-8 | | 1.32 | 3 |
| <i>Aronia melanocarpa</i> 'Eastland' Eastland Black Chokeberry | DS | 0.89 | R1 | 3-4 | 5-8 | | 1.09 | 3 |
| <i>Aronia melanocarpa</i> 'Grandifolia' See - <i>Aronia melanocarpa</i> var. <i>grandifolia</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Aronia melanocarpa</i> 'Iroquois Beauty' See - <i>Aronia melanocarpa</i> 'Morton' | | | | | | | | |
| <i>Aronia melanocarpa</i> 'Mandshurica' Manchurian Black Chokeberry | DS | 0.91 | R1 | 3-4 | 5-8 | | 0.95 | 3 |
| <i>Aronia melanocarpa</i> 'Morton' Iroquois Beauty™ Black Chokeberry | DS | 0.85 | R1 | 3-4 | 5-8 | | 0.95 | 3 |
| <i>Aronia melanocarpa</i> 'Viking' Viking Black Chokeberry | DS | 0.83 | R1 | 3-4 | 5-8 | | 0.66 | 3 |
| <i>Aronia melanocarpa</i> var. <i>elata</i> Glossy Black Chokeberry | DS | 1.06 | R1 | 3-4 | 5-8 | | 0.86 | 3 |
| <i>Aronia melanocarpa</i> var. <i>grandifolia</i> Grandifolia Black Chokeberry | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.47 | 3 |
| <i>Aronia prunifolia</i> Purple Chokeberry | DS | 0.86 | R1 | 3-4 | 5-8 | | 0.45 | 4 |
| <i>Arrhenatherum elatius</i> False Oat Grass | HP | 1.19 | R2 | 3-5 | 6-8 | | | |
| <i>Arrhenatherum elatius</i> var. <i>bulbosum</i> Bulbous Oat Grass | HP | 1.06 | R2 | 3-5 | 6-8 | | | |
| <i>Arrhenatherum elatius</i> var. <i>bulbosum</i> 'Variegatum' Variegated Bulbous Oat Grass | HP | 1.15 | R2 | 3-5 | 6-8 | | | |
| <i>Artemisia</i> Wormwood | BS | 0.84 | R2 | 3-6 | 7-8 | | 1.00 | 3 |
| <i>Artemisia</i> 'Huntington' Huntington Wormwood | BS | 0.87 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Artemisia</i> 'Powis Castle' Powis Castle Wormwood | BS | 0.81 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Artemisia abrotanum</i> Southernwood | BS | 1.17 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Artemisia absinthium</i> Common Wormwood | HP | 0.58 | R1 | 3-4 | 5-8 | | | |
| <i>Artemisia absinthium</i> 'Lambrook Silver' Lambrook Silver Common Wormwood | HP | 0.61 | R1 | 3-4 | 5-8 | | | |
| <i>Artemisia alba</i> Camphor Southernwood | HP | 0.67 | R2 | 4-5 | 6-8 | | | |
| <i>Artemisia annua</i> Sweet Annie | AN | 2.50 | R2 | 5-8 | | | | |
| <i>Artemisia arborescens</i> Shrubby Wormwood | BS | 0.72 | R2 | 5-7 | 8 | | 1.00 | 5 |
| <i>Artemisia arbuscula</i> Sagebrush | BS | 0.57 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Artemisia californica</i> California Sagebrush | BS | 1.62 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Artemisia californica</i> 'Canyon Gray' Canyon Gray California Sagebrush | BS | 0.81 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Artemisia californica</i> 'Montara' Montara California Sagebrush | BS | 0.72 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Artemisia camphorata</i> See - <i>Artemisia alba</i> | | | | | | | | |
| <i>Artemisia cana</i> Silver Sagebrush | HP | 0.92 | R2 | 5-7 | 8 | | | |
| <i>Artemisia capillaris</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Artemisia dracuncululus</i> Tarragon | HP | 0.84 | R2 | 3 | 4-8 | | | |
| <i>Artemisia dracuncululus</i> var. <i>sativa</i> French Tarragon | HP | 0.72 | R2 | 3 | 4-8 | | | |
| <i>Artemisia filifolia</i> Sand Sage | HP | 0.72 | R1 | 3-4 | 5-8 | | | |
| <i>Artemisia frigida</i> Fringed Sagebrush | BS | 1.29 | R2 | 3 | 4-8 | | 1.00 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Artemisia lactiflora</i> White Wormwood | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Artemisia lactiflora</i> 'Guizho' Guizho White Mugwort | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Artemisia ludoviciana</i> Western Sage | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Artemisia ludoviciana</i> 'Silver King' Silver King Western Sage | HP | 0.69 | R2 | 3-4 | 5-8 | | | |
| <i>Artemisia ludoviciana</i> 'Silver Queen' Silver Queen Western Sage | HP | 0.65 | R2 | 3-4 | 5-8 | | | |
| <i>Artemisia ludoviciana</i> 'Valerie Finnis' Valerie Finnis Western Sage | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Artemisia nova</i> Black Sagebrush | HP | 0.93 | R2 | 4-6 | 7-8 | | | |
| <i>Artemisia pontica</i> Roman Wormwood | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Artemisia pycnocephala</i> Sandhill Sage | HP | 0.61 | R2 | 3 | 4-8 | | | |
| <i>Artemisia pycnocephala</i> 'David's Choice' David's Choice Sandhill Sage | HP | 0.61 | R2 | 3 | 4-8 | | | |
| <i>Artemisia schmidtiana</i> Silvermound Wormwood | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Artemisia schmidtiana</i> 'Nana' Dwarf Silvermound Wormwood | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Artemisia schmidtiana</i> 'Silver Dust' Silver Dust Silvermound Wormwood | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Artemisia stelleriana</i> Beach Wormwood | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Artemisia stelleriana</i> 'Silver Brocade' Silver Brocade Beach Wormwood | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Artemisia tridentata</i> Big Sagebrush | BS | 0.99 | R2 | 4-8 | | | 1.00 | 3 |
| <i>Artemisia tridentata</i> ssp. <i>wyomingensis</i> Wyoming Big Sagebrush | BS | 0.93 | R2 | 4-8 | | | 1.00 | 3 |
| <i>Artemisia versicolor</i> Curlicue Sage | BS | 1.04 | R2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Artemisia versicolor</i> 'Sea Foam' Sea Foam Curlicue Sage | BS | 1.04 | R2 | 4-6 | 7-8 | | 1.00 | 4 |
| <i>Artemisia vulgaris</i> Mugwort | BS | 0.92 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Artemisia vulgaris</i> 'Janlim' P.P. 12788 Oriental Limelight Mugwort | BS | 0.92 | R2 | 3 | 4-8 | | 1.00 | 3 |
| See - <i>Artemisia vulgaris</i> 'Janlim' P.P. 12788 | | | | | | | | |
| <i>Arum italicum</i> Italian Arum | HP | 0.57 | R2 | 3-6 | 7-8 | | | |
| <i>Arum italicum</i> 'Marmoratum' Marmoratum Italian Arum | HP | 0.57 | R2 | 3-6 | 7-8 | | | |
| <i>Aruncus</i> Goat's Beard | HP | 1.25 | R2 | 3-4 | 5-8 | | | |
| <i>Aruncus</i> 'Misty Lace' P.P. 15798 Misty Lace Goat's Beard | HP | 1.25 | R2 | 3-4 | 5-8 | | | |
| <i>Aruncus aethusifolius</i> Dwarf Goat's Beard | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Aruncus dioicus</i> Sylvan Goat's Beard | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Aruncus dioicus</i> 'Kneiffii' Kneiffii Sylvan Goat's Beard | HP | 1.48 | R2 | 3-4 | 5-8 | | | |
| <i>Aruncus sinensis</i> No Common Name Found | HP | 0.81 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Aruncus sinensis</i> 'Zweiweltenkind' Zweiweltenkind Goat's Beard | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Aruncus sylvester</i> See - <i>Aruncus dioicus</i> | | | | | | | | |
| <i>Arundina graminifolia</i> Bamboo Orchid | FO | 1.33 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Arundinaria anceps</i> See - <i>Yushania anceps</i> | | | | | | | | |
| <i>Arundinaria argenteostriata</i> See - <i>Pleioblastus argenteostriatus</i> | | | | | | | | |
| <i>Arundinaria chino</i> See - <i>Pleioblastus chino</i> | | | | | | | | |
| <i>Arundinaria gigantea</i> Giant Reed | BS | 1.16 | R1 | 5 | 6-8 | | 0.37 | 5 |
| <i>Arundinaria gigantea</i> 'Macon' Macon Rivercane Bamboo | BS | 1.16 | R1 | 5 | 6-8 | | 0.37 | 5 |
| <i>Arundinaria gigantea</i> ssp. <i>tecta</i> Switchcane | BS | 1.00 | R1 | 5 | 6-8 | | 1.00 | 5 |
| <i>Arundinaria graminea</i> See - <i>Pleioblastus gramineus</i> | | | | | | | | |
| <i>Arundinaria linearis</i> See - <i>Pleioblastus linearis</i> | | | | | | | | |
| <i>Arundinaria pygmaea</i> See - <i>Pleioblastus pygmaeus</i> | | | | | | | | |
| <i>Arundinaria simonii</i> See - <i>Pleioblastus simonii</i> | | | | | | | | |
| <i>Arundinaria simonii</i> var. <i>heterophyllus</i> See - <i>Pleioblastus simonii</i> ssp. <i>variegatus</i> | | | | | | | | |
| <i>Arundinaria variegata</i> See - <i>Pleioblastus fortunei</i> | | | | | | | | |
| <i>Arundinaria viridistriata</i> See - <i>Pleioblastus auricomus</i> | | | | | | | | |
| <i>Arundo donax</i> Giant Reed Grass | HP | 0.88 | R2 | 7-8 | | | | |
| <i>Arundo donax</i> var. <i>variegata</i> Variegated Giant Reed | HP | 0.93 | R2 | 7-8 | | | | |
| <i>Arundo donax</i> var. <i>versicolor</i> Striped Giant Reed | HP | 0.95 | R2 | 7-8 | | | | |
| <i>Arundo formosana</i> Taiwan Grass | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Arundo selloana</i> See - <i>Cortaderia selloana</i> | | | | | | | | |
| <i>Asarina antirrhiniflora</i> See - <i>Maurandella antirrhiniflora</i> | | | | | | | | |
| <i>Asarina barclayana</i> See - <i>Lophospermum barclayana</i> | | | | | | | | |
| <i>Asarina erubescens</i> See - <i>Lophospermum erubescens</i> | | | | | | | | |
| <i>Asarina procumbens</i> Heart-leaved Snapdragon | GC | 0.74 | R2 | 7-8 | | | 1.00 | 7 |
| <i>Asarum arifolium</i> Wild Ginger | GC | 0.48 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Asarum canadense</i> Canadian Wild Ginger | GC | 0.92 | R2 | 4-6 | 7 | | 1.00 | 4 |
| <i>Asarum caudatum</i> British Columbia Wild Ginger | GC | 0.66 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Asarum europaeum</i> European Wild Ginger | GC | 1.37 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Asarum maximum</i> Giant Wild Ginger | GC | 1.68 | R2 | 3-7 | 8 | | 1.00 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Asarum maximum</i> 'Green Panda' Green Panda Face Ginger | GC | 1.55 | R2 | 3-7 | 8 | | 1.00 | 7 |
| <i>Asarum maximum</i> 'Ling Ling' Ling Ling Panda Face Ginger | GC | 1.81 | R2 | 3-7 | 8 | | 1.00 | 7 |
| <i>Asarum splendens</i> Chinese Wild Ginger | GC | 1.32 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Asarum splendens</i> 'Quicksilver' Quicksilver Chinese Wild Ginger | GC | 1.13 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Asarum virginicum</i> Virginia Wild Ginger | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Asclepias curassavica</i> Bloodflower | HP | 0.70 | R2 | 6-8 | | | | |
| <i>Asclepias curassavica</i> 'Silky Deep Red' Silky Deep Red Bloodflower | HP | 0.61 | R2 | 6-8 | | | | |
| <i>Asclepias curassavica</i> 'Silky Gold' Silky Gold Bloodflower | HP | 0.70 | R2 | 6-8 | | | | |
| <i>Asclepias fruticosa</i> Swan Plant | HP | 1.06 | R2 | 5-8 | | | | |
| <i>Asclepias incarnata</i> Swamp Milkweed | HP | 0.99 | R2 | 3-6 | 7-8 | | | |
| <i>Asclepias incarnata</i> 'Cinderella' Cinderella Swamp Milkweed | HP | 0.83 | R2 | 3-6 | 7-8 | | | |
| <i>Asclepias incarnata</i> 'Ice Ballet' Ice Ballet Swamp Milkweed | HP | 0.92 | R2 | 3-6 | 7-8 | | | |
| <i>Asclepias perennis</i> Swamp Milkweed | HP | 0.56 | R2 | 3-6 | 7-8 | | | |
| <i>Asclepias sullivantii</i> Sullivant's Milkweed | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Asclepias tuberosa</i> Butterfly Weed | HP | 0.80 | R2 | 3-6 | 7-8 | | | |
| <i>Asclepias tuberosa</i> 'Gay Butterflies' Gay Butterflies Butterfly Weed | HP | 1.04 | R2 | 3-6 | 7-8 | | | |
| <i>Asclepias tuberosa</i> 'Hello Yellow' Hello Yellow Butterfly Weed | HP | 1.02 | R2 | 3-6 | 7-8 | | | |
| <i>Asclepias tuberosa</i> 'Red Butterfly' Red Butterfly Butterfly Weed | HP | 1.45 | R2 | 3-6 | 7-8 | | | |
| <i>Asclepias verticillata</i> Whorled Milkweed | HP | 1.30 | R2 | 3-6 | 7-8 | | | |
| x <i>Ascocenda</i> Ascocenda Hybrid Orchid | FO | 3.70 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Ascocentrum miniatum</i> No Common Name Found | FO | 3.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Asimina angustifolia</i> No Common Name Found | DS | 0.67 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Asimina incana</i> Flag Pawpaw | DS | 0.72 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Asimina obovata</i> No Common Name Found | DS | 0.72 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Asimina parviflora</i> Dwarf Pawpaw | DS | 0.58 | R1 | 5-8 | | | 1.00 | 5 |
| <i>Asimina triloba</i> Pawpaw | DT | 0.75 | R1 | 5-8 | | 1.55 | 2.07 | 5 |
| <i>Asparagus africanus</i> Climbing Asparagus | FO | 1.00 | R1 | 5-8 | | | 1.00 | 9 |
| <i>Asparagus cooperi</i> See - <i>Asparagus africanus</i> | | | | | | | | |
| <i>Asparagus densiflorus</i> Plume Asparagus | FO | 0.50 | R1 | 5-8 | | | 1.00 | 9 |
| <i>Asparagus densiflorus</i> 'Myersii' Myers Plume Asparagus | FO | 0.74 | R1 | 5-8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Asparagus densiflorus</i> 'Sprengeri Compacta' Compact Sprengeri Asparagus | FO | 0.87 | R1 | 5-8 | | 1.00 | 9 |
| <i>Asparagus densiflorus</i> 'Sprengeri' Sprengeri Asparagus | FO | 0.51 | R1 | 5-8 | | 1.00 | 9 |
| <i>Asparagus macowanii</i> Ming Fern | FO | 0.84 | R1 | 5-8 | | 1.00 | 9 |
| <i>Asparagus officinalis</i> Common Asparagus | HP | 0.65 | R2 | 3-6 | 7-8 | | |
| <i>Asparagus officinalis</i> 'Jersey Giant' Jersey Giant Asparagus | HP | 0.65 | R2 | 3-6 | 7-8 | | |
| <i>Asparagus officinalis</i> 'Martha Washington' Martha Washington Asparagus | HP | 0.65 | R2 | 3-6 | 7-8 | | |
| <i>Asparagus officinalis</i> 'Pseudoscaber' Pseudoscaber Asparagus | HP | 0.65 | R2 | 3-6 | 7-8 | | |
| <i>Asparagus plumosus</i> See - <i>Asparagus setaceus</i> | | | | | | | |
| <i>Asparagus retrofractus</i> Zigzag Shrub | BS | 0.97 | R2 | 5-8 | | 1.00 | 9 |
| <i>Asparagus setaceus</i> Asparagus Fern | FO | 0.50 | R2 | 5-8 | | 1.00 | 9 |
| <i>Asparagus setaceus</i> 'Nanus' Compact Asparagus Fern | FO | 0.50 | R2 | 5-8 | | 1.00 | 9 |
| <i>Asparagus setaceus</i> 'Pyramidalis' Cypress Asparagus | FO | 0.50 | R2 | 5-8 | | 1.00 | 9 |
| <i>Asparagus verticillatus</i> No Common Name Found | FO | 1.00 | R2 | 3-8 | | 1.00 | 6 |
| <i>Asparagus virgatus</i> Tree Fern | BS | 1.14 | R1 | 5-8 | | 1.00 | 9 |
| <i>Aspasia epidendroides</i> No Common Name Found | FO | 2.80 | R2 | 6-8 | | 1.00 | 10 |
| <i>Asperula arcadiensis</i> No Common Name Found | HP | 1.00 | R2 | 6-8 | | | |
| <i>Asperula gussonei</i> No Common Name Found | HP | 1.00 | R2 | 6-7 | 8 | | |
| <i>Asperula odorata</i> See - <i>Galium odoratum</i> | | | | | | | |
| <i>Asperula suberosa</i> See - <i>Asperula arcadiensis</i> | | | | | | | |
| <i>Asphodeline lutea</i> Jacob's Rod | HP | 1.16 | R2 | 6 | 7-8 | | |
| <i>Asphodeline taurica</i> No Common Name Found | HP | 0.69 | R2 | 6 | 7-8 | | |
| <i>Aspidistra elatior</i> Cast Iron Plant | FO | 0.80 | R2 | 5-8 | | 1.00 | 7 |
| <i>Aspidistra elatior</i> 'Milky Way' Milky Way Cast Iron Plant | FO | 1.28 | R2 | 5-8 | | 1.00 | 7 |
| <i>Aspidistra elatior</i> 'Variegata' Variegated Cast Iron Plant | FO | 1.66 | R2 | 5-8 | | 1.00 | 7 |
| <i>Aspidium intermedium</i> See - <i>Dryopteris intermedia</i> | | | | | | | |
| <i>Asplenium antiquum</i> Japanese Bird's Nest Fern | FO | 0.68 | R2 | 5-8 | | 1.00 | 9 |
| <i>Asplenium antiquum</i> 'Osaka' Osaka Japanese Bird's Nest Fern | FO | 0.56 | R2 | 5-8 | | 1.00 | 9 |
| <i>Asplenium bulbiferum</i> Mother Fern | HP | 1.24 | R2 | 6-8 | | | |
| <i>Asplenium bulbiferum</i> var. <i>laxum</i> Laxum Mother Fern | HP | 1.00 | R2 | 6-8 | | | |
| <i>Asplenium ebeneum</i> See - <i>Asplenium platyneuron</i> | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Asplenium ebenoides</i> Dragon's Tail Fern | FO | 0.81 | R2 | 5-8 | | 1.00 | 6 |
| <i>Asplenium nidus</i> Bird's Nest Fern | FO | 0.97 | R2 | 5-8 | | 1.00 | 10 |
| <i>Asplenium nidus</i> 'Osaka' See - <i>Asplenium antiquum</i> 'Osaka' | | | | | | | |
| <i>Asplenium nidus-avis</i> See - <i>Asplenium nidus</i> | | | | | | | |
| <i>Asplenium platyneuron</i> Ebony Spleenwort | HP | 1.11 | R2 | 5-8 | | | |
| <i>Asplenium rhizophyllum</i> Walking Fern | HP | 1.00 | R2 | 5-8 | | | |
| <i>Asplenium scolopendrium</i> Hart's Tongue Fern | HP | 1.00 | R2 | 5-7 | 8 | | |
| <i>Asplenium scolopendrium</i> 'Angustatum' Angustatum Hart's Tongue Fern | HP | 1.11 | R2 | 5-7 | 8 | | |
| <i>Asplenium scolopendrium</i> 'Cristatum Group' Cristatum Group Hart's Tongue Fern | HP | 1.11 | R2 | 5-7 | 8 | | |
| <i>Asplenium scolopendrium</i> 'Laceratum Kaye' Laceratum Kaye Hart's Tongue Fern | HP | 1.22 | R2 | 5-7 | 8 | | |
| <i>Asplenium trichomanes</i> Maidenhair Spleenwort | HP | 1.00 | R2 | 5-7 | 8 | | |
| <i>Astelia nervosa</i> Silver Spear | HP | 0.94 | R2 | 5-8 | | | |
| <i>Aster x alpellus</i> Triumph Aster | HP | 0.99 | R2 | 3-4 | 5-8 | | |
| <i>Aster alpigenus</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | |
| <i>Aster alpinus</i> Alpine Aster | HP | 1.25 | R2 | 3-4 | 5-8 | | |
| <i>Aster alpinus</i> 'Albus' White Alpine Aster | HP | 0.48 | R2 | 3-4 | 5-8 | | |
| <i>Aster alpinus</i> 'Dark Beauty' Dark Beauty Alpine Aster | HP | 0.79 | R2 | 3-4 | 5-8 | | |
| <i>Aster alpinus</i> 'Goliath' Goliath Alpine Aster | HP | 0.79 | R2 | 3-4 | 5-8 | | |
| <i>Aster alpinus</i> 'Happy End' Happy End Alpine Aster | HP | 0.63 | R2 | 3-4 | 5-8 | | |
| <i>Aster amellus</i> Italian Aster | HP | 0.74 | R2 | 3-5 | 6-8 | | |
| <i>Aster amellus</i> 'Joseph Lakin' Joseph Lakin Italian Aster | HP | 0.74 | R2 | 3-5 | 6-8 | | |
| <i>Aster amellus</i> 'King George' King George Italian Aster | HP | 0.74 | R2 | 3-5 | 6-8 | | |
| <i>Aster amellus</i> 'Rudolph Goethe' Rudolph Goethe Italian Aster | HP | 0.74 | R2 | 3-5 | 6-8 | | |
| <i>Aster amellus</i> 'Violet Queen' Violet Queen Italian Aster | HP | 0.74 | R2 | 3-5 | 6-8 | | |
| <i>Aster azureus</i> See - <i>Aster oolentangiensis</i> | | | | | | | |
| <i>Aster bigelovii</i> See - <i>Machaeranthera bigelovii</i> | | | | | | | |
| <i>Aster carolinianus</i> Climbing Aster | HP | 0.84 | R2 | 5-8 | | | |
| <i>Aster concolor</i> No Common Name Found | HP | 0.54 | R2 | 3-4 | 5-8 | | |
| <i>Aster cordifolius</i> Heart-leaf Aster | HP | 0.64 | R2 | 3-4 | 5-8 | | |
| <i>Aster cordifolius</i> 'Little Carlow' Little Carlow Heart-leaf Aster | HP | 0.64 | R2 | 3-4 | 5-8 | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Aster divaricatus</i> White Wood Aster | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Aster divaricatus</i> 'Eastern Star' Eastern Star White Wood Aster | HP | 0.84 | R1 | 3-4 | 5-8 | | | |
| <i>Aster x dumosus</i> Bushy Aster | HP | 0.71 | R2 | 3-4 | 5-8 | | | |
| <i>Aster x dumosus</i> 'Starlight' Starlight Bushy Aster | HP | 0.74 | R2 | 3-4 | 5-8 | | | |
| <i>Aster x dumosus</i> 'Wood's Light Blue' Wood's Light Blue Hardy Aster | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Aster ericoides</i> Heath Aster | HP | 1.43 | R2 | 3-4 | 5-8 | | | |
| <i>Aster ericoides</i> 'Monte Cassino' Monte Cassino Heath Aster | HP | 0.75 | R2 | 3-4 | 5-8 | | | |
| <i>Aster ericoides</i> 'Pink Cloud' Pink Cloud Heath Aster | HP | 0.69 | R2 | 3-4 | 5-8 | | | |
| <i>Aster ericoides</i> 'Ring Dove' Ring Dove Heath Aster | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Aster ericoides</i> 'Schneegitter' Schneegitter Heath Aster | HP | 1.17 | R2 | 3-4 | 5-8 | | | |
| <i>Aster x frikartii</i> Frikart's Aster | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Aster x frikartii</i> 'Flora's Delight' Flora's Delight Frikart's Aster | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Aster x frikartii</i> 'Monch' Monch Frikart's Aster | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Aster x frikartii</i> 'Wonder of Stafa' See - <i>Aster x frikartii</i> 'Wunder von Stafa' | | | | | | | | |
| <i>Aster x frikartii</i> 'Wunder von Stafa' Wonder of Stafa Frikart's Aster | HP | 0.73 | R2 | 3-4 | 5-8 | | | |
| <i>Aster himalaicus</i> Himalayan Aster | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Aster laevis</i> Smooth Aster | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Aster laevis</i> 'Bluebird' Bluebird Smooth Aster | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Aster lateriflorus</i> Calico Aster | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Aster lateriflorus</i> 'Coombe Fishacre' Coombe Fishacre Calico Aster | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Aster lateriflorus</i> 'Horizontalis' Horizontal Branching Calico Aster | HP | 0.64 | R2 | 3-4 | 5-8 | | | |
| <i>Aster lateriflorus</i> 'Lady in Black' Lady in Black Calico Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster lateriflorus</i> 'Prince' Prince Calico Aster | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Aster linearifolius</i> Flax Leaf Aster | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Aster macrophyllus</i> Big Leaf Aster | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Aster macrophyllus</i> 'Albus' White Bigleaf Aster | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novae-angliae</i> New England Aster | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novae-angliae</i> 'Alma Potschke' Alma Potschke New England Aster | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novae-angliae</i> 'English Countryside' English Countryside New England Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novae-angliae</i> 'Fanny's Aster' Fanny's Aster New England Aster | HP | 0.90 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Aster novae-angliae</i> 'Harrington's Pink' Harrington's Pink New England Aster | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novae-angliae</i> 'Hella Lacy' Hella Lacy New England Aster | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novae-angliae</i> 'Honeysong Pink' Honeysong Pink New England Aster | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novae-angliae</i> 'Mt. Everest' Mt. Everest New England Aster | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novae-angliae</i> 'Persian Rose' Persian Rose New England Aster | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novae-angliae</i> 'Rose Serenade' Rose Serenade New England Aster | HP | 0.48 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novae-angliae</i> 'Rudelsburg' Rudelsburg New England Aster | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novae-angliae</i> 'September Ruby' September Ruby New England Aster | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novae-angliae</i> 'Treasure' Treasure New England Aster | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novae-angliae</i> 'Wedding Lace' Wedding Lace New England Aster | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> New York Aster | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Alert' Alert New York Aster | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Alice Haslem' Alice Haslem New York Aster | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Ariel' Ariel New York Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Astee Karmijn' Astee Karmijn New York Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Astee Milka' Astee Milka New York Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Astee Roset' Astee Roset New York Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Astee Series' Astee Series New York Aster | HP | 0.75 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Audrey' Audrey New York Aster | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Balcco' P.P.A.F. Farmington New York Aster | HP | 1.45 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Ballad' See - <i>Aster novi-belgii</i> 'Yoballad' P.P. 16318 | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Blaue Lagune' Blaue Lagune New York Aster | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Bonny Blue' Bonny Blue New York Aster | HP | 0.68 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Celeste' Celeste New York Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Crimson Brocade' Crimson Brocade New York Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Daniella' Daniella New York Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Dark Pink Star' Dark Pink Star New York Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Eventide' Eventide New York Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Farmington' See - <i>Aster novi-belgii</i> 'Balcco' P.P.A.F. | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Fellowship' Fellowship New York Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Aster novi-belgii</i> 'Frida Ballard' Frida Ballard New York Aster | HP | 0.74 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Heinz Richard' Heinz Richard New York Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Jenny' Jenny New York Aster | HP | 0.70 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Judith' Judith New York Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Lady in Blue' Lady in Blue New York Aster | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Marie Ballard' Marie Ballard New York Aster | HP | 0.71 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Nesthakchen' Nesthakchen New York Aster | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Newton Pink' Newton Pink New York Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Niobe' Niobe New York Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Odin Viking' P.P. 10360 Odin Viking New York Aster | HP | 0.63 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Painted Lady' Painted Lady New York Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Patricia Ballard' Patricia Ballard New York Aster | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Peter Harrison' Peter Harrison New York Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Pink Bouquet' Pink Bouquet New York Aster | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Professor Kippenburg' Professor Kippenburg New York Aster | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Puff' See - <i>Aster novi-belgii</i> 'Yopuff' P.P. 15691 | | | | | | | | |
| <i>Aster novi-belgii</i> 'Purple Dome' Purple Dome New York Aster | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Red Star' Red Star New York Aster | HP | 1.32 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Rosenwitelch' Rosenwitelch New York Aster | HP | 0.64 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Royal Opal' Royal Opal New York Aster | HP | 0.62 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Royal Ruby' Royal Ruby New York Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Schone von Dietlikon' Schone von Dietlikon New York Aster | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Snow Cushion' Snow Cushion New York Aster | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Snow Flurry' Snow Flurry New York Aster | HP | 0.74 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Thyra Viking' P.P. 10361 Thyra Viking New York Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Violet Carpet' Violet Carpet New York Aster | HP | 1.32 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'White Opal' White Opal New York Aster | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'White Swan' White Swan New York Aster | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Winston Churchill' Winston Churchill New York Aster | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Wood's Blue' Wood's Blue New York Aster | HP | 0.86 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Aster novi-belgii</i> 'Wood's Pink' Wood's Pink New York Aster | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Wood's Purple' Wood's Purple New York Aster | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Yoballad' P.P. 16318 Ballad Aster | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Aster novi-belgii</i> 'Yopuff' P.P. 15691 Puff Aster | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Aster oblongifolius</i> Aromatic Aster | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Aster oblongifolius</i> 'October Skies' October Skies Aromatic Aster | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Aster oblongifolius</i> 'Raydon's Favorite' Raydon's Favorite Aromatic Aster | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Aster oolentangiensis</i> Sky Blue Aster | HP | 1.15 | R2 | 3-5 | 6-8 | | | |
| <i>Aster patens</i> Late Purple Aster | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Aster praeltus</i> Willow Aster | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Aster ptarmicoides</i> Upland White Aster | HP | 1.43 | R2 | 3-4 | 5-8 | | | |
| <i>Aster puniceus</i> Swamp Aster | HP | 1.14 | R2 | 3-4 | 5-8 | | | |
| <i>Aster sericeus</i> Silky Aster | HP | 1.43 | R2 | 3-4 | 5-8 | | | |
| <i>Aster shortii</i> Short's Aster | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Aster spectabilis</i> Seaside Aster | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Aster subspicatus</i> See - <i>Symphytotrichum subspicatum</i> var. <i>subspicatum</i> | | | | | | | | |
| <i>Aster tataricus</i> Tatarian Aster | HP | 0.74 | R2 | 3-4 | 5-8 | | | |
| <i>Aster tataricus</i> 'Blue Lake' P.P.A.F. Blue Lake Tatarian Aster | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Aster tataricus</i> 'Jin Dai' See - <i>Aster tataricus</i> 'Jindai' | | | | | | | | |
| <i>Aster tataricus</i> 'Jindai' Dwarf Tatarian Aster | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Aster tataricus</i> 'Violet Lake' P.P.A.F. Violet Lake Tatarian Aster | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Aster tongolensis</i> East Indies Aster | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Aster tongolensis</i> 'Wartburg Star' Wartburg Star East Indies Aster | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Aster umbellatus</i> Flat Top Aster | HP | 1.43 | R2 | 3-4 | 5-8 | | | |
| <i>Asteriscus maritimus</i> Gold Coin Sea Daisy | HP | 0.62 | R2 | 5-7 | 8 | | | |
| <i>Asteriscus maritimus</i> 'Asmago' P.P. 18754 Aurelia™ Gold Sea Daisy | HP | 0.62 | R2 | 5-7 | 8 | | | |
| <i>Asteriscus maritimus</i> 'Aurelia Gold' See - <i>Asteriscus maritimus</i> 'Asmago' P.P. 18754 | | | | | | | | |
| <i>Asteriscus maritimus</i> 'Compact Gold Coin' P.P. 11999 Compact Gold Coin Sea Daisy | HP | 0.62 | R2 | 5-7 | 8 | | | |
| <i>Asteriscus maritimus</i> 'Compacta' See - <i>Asteriscus maritimus</i> 'Compact Gold Coin' P.P. 11999 | | | | | | | | |
| <i>Asteriscus maritimus</i> 'Gold Coin' See - <i>Asteriscus maritimus</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Asteriscus sericeus</i> See - <i>Nauplius sericeus</i> | | | | | | | | |
| <i>Asteromoea mongolica</i> See - <i>Kalimeris pinnatifida</i> | | | | | | | | |
| <i>Astilbe</i> Astilbe <i>Astilbe</i> 'Astdev' See - <i>Astilbe</i> 'Beauty of Ernst' P.P. 17343 | HP | 1.28 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe</i> 'Beauty of Ernst' P.P. 17343 Colorflash™ Beauty of Ernst Hybrid Astilbe <i>Astilbe</i> 'Beauty of Lisse' P.P. 17816 Colorflash™ Lime Beauty of Lisse Astilbe <i>Astilbe</i> 'Colorflash Lime' See - <i>Astilbe</i> 'Beauty of Lisse' P.P. 17816 <i>Astilbe</i> 'Colorflash' See - <i>Astilbe</i> 'Beauty of Ernst' P.P. 17343 | HP | 1.57 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe</i> 'Lollypop' P.P. 11966 Lollypop Hybrid Astilbe <i>Astilbe</i> 'Rock And Roll' P.P. 14855 Rock And Roll Hybrid Astilbe <i>Astilbe</i> x <i>arendsii</i> Astilbe Hybrid <i>Astilbe</i> x <i>arendsii</i> 'Amerika' Amerika Hybrid Astilbe <i>Astilbe</i> x <i>arendsii</i> 'Amethyst' Amethyst Hybrid Astilbe <i>Astilbe</i> x <i>arendsii</i> 'Anita Pfeifer' Anita Pfeifer Hybrid Astilbe <i>Astilbe</i> x <i>arendsii</i> 'Astary Mix' Astary™ Mix Hybrid Astilbe <i>Astilbe</i> x <i>arendsii</i> 'Astary Pink' Astary™ Pink Hybrid Astilbe <i>Astilbe</i> x <i>arendsii</i> 'Astary Rose' Astary™ Rose Hybrid Astilbe <i>Astilbe</i> x <i>arendsii</i> 'Astary Series' Astary™ Series Hybrid Astilbe <i>Astilbe</i> x <i>arendsii</i> 'Astary White' Astary™ White Hybrid Astilbe <i>Astilbe</i> x <i>arendsii</i> 'August Light' August Light Hybrid Astilbe <i>Astilbe</i> x <i>arendsii</i> 'Avalanche' Avalanche Hybrid Astilbe <i>Astilbe</i> x <i>arendsii</i> 'Bella Mix' Bella Mix Hybrid Astilbe <i>Astilbe</i> x <i>arendsii</i> 'Bergkristal' Bergkristal Hybrid Astilbe <i>Astilbe</i> x <i>arendsii</i> 'Betsy Cuperus' Betsy Cuperus Hybrid Astilbe <i>Astilbe</i> x <i>arendsii</i> 'Bressingham Beauty' Bressingham Beauty Hybrid Astilbe <i>Astilbe</i> x <i>arendsii</i> 'Bridal Veil' Bridal Veil Hybrid Astilbe <i>Astilbe</i> x <i>arendsii</i> 'Bumalda' Bumalda Hybrid Astilbe <i>Astilbe</i> x <i>arendsii</i> 'Cattleya' Cattleya Hybrid Astilbe <i>Astilbe</i> x <i>arendsii</i> 'Cotton Candy' Cotton Candy Hybrid Astilbe <i>Astilbe</i> x <i>arendsii</i> 'Diamond' Diamond Hybrid Astilbe | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| | HP | 0.97 | R2 | 3-5 | 6-8 | | | |
| | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| | HP | 0.78 | R2 | 3-5 | 6-8 | | | |
| | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| | HP | 1.04 | R2 | 3-5 | 6-8 | | | |
| | HP | 0.94 | R2 | 3-5 | 6-8 | | | |
| | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| | HP | 0.98 | R2 | 3-5 | 6-8 | | | |
| | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| | HP | 0.92 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Astilbe x arendsii</i> 'Elizabeth Bloom' Elizabeth Bloom Hybrid Astilbe | HP | 0.81 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Ellie' Ellie Hybrid Astilbe | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Erica' Erica Hybrid Astilbe | HP | 0.94 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Etna' Etna Hybrid Astilbe | HP | 0.91 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Fanal' Fanal Hybrid Astilbe | HP | 1.01 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Federsee' Federsee Hybrid Astilbe | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Fire' Fire Hybrid Astilbe | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Gladstone' Gladstone Hybrid Astilbe | HP | 0.71 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Gloria' Gloria Hybrid Astilbe | HP | 0.76 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Glow' Glow Hybrid Astilbe | HP | 0.83 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Granat' Granat Hybrid Astilbe | HP | 1.12 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Greta Pungel' Greta Pungel Hybrid Astilbe | HP | 0.88 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Hyacinthia' Hyacinthia Hybrid Astilbe | HP | 0.75 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Irrlicht' Irrlicht Hybrid Astilbe | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Kriemhilde' Kriemhilde Hybrid Astilbe | HP | 0.94 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Lilli Goos' Lilli Goos Hybrid Astilbe | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Mainz' Mainz Hybrid Astilbe | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Obergartner Jurgens' Obergartner Jurgens Hybrid Astilbe | HP | 0.82 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Queen of Holland' Queen of Holland Hybrid Astilbe | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Red Light' Red Light Hybrid Astilbe | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Rheinland' Rheinland Hybrid Astilbe | HP | 1.05 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Showstar' Showstar Hybrid Astilbe | HP | 0.74 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Sister Theresa' Sister Theresa Hybrid Astilbe | HP | 0.91 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Snowdrift' Snowdrift Hybrid Astilbe | HP | 0.83 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Spartan' Spartan Hybrid Astilbe | HP | 1.14 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Spinell' Spinell Hybrid Astilbe | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Vesuvius' Vesuvius Hybrid Astilbe | HP | 0.78 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'Washington' Washington Hybrid Astilbe | HP | 0.83 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe x arendsii</i> 'White Gloria' White Gloria Hybrid Astilbe | HP | 1.14 | R2 | 3-5 | 6-8 | | | |
| <i>Astilbe chinensis</i> Chinese Astilbe | HP | 0.99 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Astilbe chinensis</i> 'Darwin's Surprise' Darwin's Surprise Chinese Astilbe | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe chinensis</i> 'Finale' Finale Chinese Astilbe | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe chinensis</i> 'Intermezzo' Intermezzo Chinese Astilbe | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe chinensis</i> 'Maggie Daley' Maggie Daley Chinese Astilbe | HP | 1.25 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe chinensis</i> 'Pumila' Pumila Chinese Astilbe | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe chinensis</i> 'Serenade' Serenade Chinese Astilbe | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe chinensis</i> 'Veronica Klose' Veronica Klose Chinese Astilbe | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe chinensis</i> 'Vision in Pink' P.P. 11860 Vision in Pink Chinese Astilbe | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe chinensis</i> 'Vision in Red' P.P. 11965 Vision in Red Chinese Astilbe | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe chinensis</i> 'Visions' Visions Chinese Astilbe | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe chinensis</i> var. <i>dauidii</i> Davidii Chinese Astilbe | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe chinensis</i> var. <i>taquetii</i> Fall Astilbe | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe chinensis</i> var. <i>taquetii</i> 'Purple Candles' Purple Candles Fall Astilbe | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe chinensis</i> var. <i>taquetii</i> 'Purple Lance' Purple Lance Fall Astilbe | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe chinensis</i> var. <i>taquetii</i> 'Superba' Superba Fall Astilbe | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe x crispa</i> Garden Hybrid Astilbe | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe x crispa</i> 'Lilliput' Lilliput Garden Hybrid Astilbe | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe x crispa</i> 'Perkeo' Perkeo Garden Hybrid Astilbe | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe glaberrima</i> No Common Name Found | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe glaberrima</i> 'Saxatilis' Saxatilis Astilbe | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe japonica</i> Japanese Astilbe | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe japonica</i> 'Bonn' Bonn Japanese Astilbe | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe japonica</i> 'Bremen' Bremen Japanese Astilbe | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe japonica</i> 'Deutschland' Deutschland Japanese Astilbe | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe japonica</i> 'Elisabeth van Veen' Elisabeth van Veen Japanese Astilbe | HP | 1.38 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe japonica</i> 'Elisabeth' Elisabeth Japanese Astilbe | HP | 1.32 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe japonica</i> 'Europa' Europa Japanese Astilbe | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe japonica</i> 'Koblenz' Koblenz Japanese Astilbe | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe japonica</i> 'Montgomery' Montgomery Japanese Astilbe | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe japonica</i> 'Peaches and Cream' Peaches and Cream Japanese Astilbe | HP | 0.95 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Astilbe japonica</i> 'Red Sentinel' Red Sentinel Japanese Astilbe | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe x rosea</i> Rose Astilbe | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe x rosea</i> 'Peach Blossom' Peach Blossom Rose Astilbe | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe simplicifolia</i> Star Astilbe | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe simplicifolia</i> 'Alba' White Star Astilbe | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe simplicifolia</i> 'Aphrodite' Aphrodite Star Astilbe | HP | 1.21 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe simplicifolia</i> 'Bronze Elegans' Bronze Elegans Star Astilbe | HP | 1.30 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe simplicifolia</i> 'Carnea' Carnea Star Astilbe | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe simplicifolia</i> 'Darwin's Snow Sprite' Darwin's Snow Sprite Star Astilbe | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe simplicifolia</i> 'Dunkellachs' Dunkellachs Star Astilbe | HP | 0.63 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe simplicifolia</i> 'Hennie Graafland' Hennie Graafland Star Astilbe | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe simplicifolia</i> 'Inncerry' Inncerry Star Astilbe | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe simplicifolia</i> 'Inshriach Pink' Inshriach Pink Star Astilbe | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe simplicifolia</i> 'Praecox' Praecox Star Astilbe | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe simplicifolia</i> 'Rosea' Pink Star Astilbe | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe simplicifolia</i> 'Sprite' Sprite (Dwarf) Star Astilbe | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe simplicifolia</i> 'White Sensation' P.P. 18462 White Sensation Star Astilbe | HP | 1.14 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe simplicifolia</i> 'Willy Buchanan' Willy Buchanan Star Astilbe | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe thunbergii</i> No Common Name Found | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe thunbergii</i> 'Ostrich Plume' Ostrich Plume Astilbe | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Astilbe thunbergii</i> 'Prof. van der Wielen' Prof. van der Wielen Astilbe | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Astilboides tabularis</i> No Common Name Found | HP | 1.19 | R2 | 5-6 | 7-8 | | | |
| <i>Astragalus barrii</i> Barr's Milkvetch | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 3 |
| <i>Astragalus canadensis</i> Milkvetch | HP | 1.43 | R2 | 8 | | | | |
| <i>Astragalus utahensis</i> Utah Milkvetch | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Astrantia carniolica</i> Lesser Masterwort | HP | 1.20 | R2 | 3-5 | 6-8 | | | |
| <i>Astrantia carniolica</i> 'Rubra' Red Lesser Masterwort | HP | 1.20 | R2 | 3-5 | 6-8 | | | |
| <i>Astrantia major</i> Greater Masterwort | HP | 1.20 | R2 | 3-4 | 5-8 | | | |
| <i>Astrantia major</i> 'Abbey Road' P.P. 14961 Abbey Road Greater Masterwort | HP | 1.76 | R2 | 3-4 | 5-8 | | | |
| <i>Astrantia major</i> 'Claret' Claret Greater Masterwort | HP | 0.90 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Astrantia major</i> 'Hadspen Blood' Hadspen Blood Greater Masterwort | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Astrantia major</i> 'Lars' Lars Greater Masterwort | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Astrantia major</i> 'Rosea' Rose Greater Masterwort | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Astrantia major</i> 'Rosensymphonie' Rose Symphony Greater Masterwort | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Astrantia major</i> 'Ruby Cloud' Ruby Cloud Greater Masterwort | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Astrantia major</i> 'Ruby Wedding' Ruby Wedding Greater Masterwort | HP | 1.61 | R2 | 3-4 | 5-8 | | | |
| <i>Astrocaryum standleyanum</i> No Common Name Found | PC | 1.67 | R2 | 8 | | | 1.00 | 10 |
| <i>Astrolepis sinuata</i> Wavy Cloak Fern | FO | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Astrophytum ornatum</i> Star Cactus | FO | 1.00 | R2 | 5-8 | | | 1.00 | 7 |
| <i>Athanasia parviflora</i> See - <i>Hymenolepis parviflora</i> | | | | | | | | |
| <i>Athrotaxis cupressoides</i> Smooth Tasmanian Cedar | CE | 1.00 | R1 | 7-8 | | 1.00 | 1.00 | 8 |
| <i>Athrotaxis doniana</i> See - <i>Athrotaxis x laxifolia</i> | | | | | | | | |
| <i>Athrotaxis x laxifolia</i> Summit Cedar | CE | 1.00 | R1 | 7-8 | | 1.00 | 1.00 | 8 |
| <i>Athrotaxis selaginoides</i> King William Pine | CE | 1.00 | R1 | 7-8 | | 1.00 | 1.00 | 8 |
| <i>Athyrium</i> Athyrium | FO | 0.71 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Athyrium</i> 'Branford Beauty' Branford Beauty Hybrid Lady Fern | FO | 0.68 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Athyrium</i> 'Branford Rambler' Branford Rambler Hybrid Lady Fern | FO | 0.71 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Athyrium</i> 'Ghost' Ghost Fern | FO | 0.74 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Athyrium angustum</i> See - <i>Athyrium filix-femina</i> ssp. <i>angustum</i> | | | | | | | | |
| <i>Athyrium angustum</i> ssp. <i>rubellum</i> See - <i>Athyrium filix-femina</i> ssp. <i>angustum</i> 'Lady in Red' | | | | | | | | |
| <i>Athyrium filix-femina</i> Lady Fern | FO | 0.64 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Athyrium filix-femina</i> 'Cristatum' Crested Lady Fern | FO | 1.04 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Athyrium filix-femina</i> 'Dre's Dagger' Dre's Dagger Dwarf Crested Lady Fern | FO | 1.32 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Athyrium filix-femina</i> 'Frizelliae' Tatting Lady Fern | FO | 0.51 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Athyrium filix-femina</i> 'Minutissima' Dwarf Lady Fern | FO | 0.85 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Athyrium filix-femina</i> 'Vernoniae Cristatum' Miss Vernon's Crested Lady Fern | FO | 0.76 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Athyrium filix-femina</i> 'Vernoniae' Vernoniae Lady Fern | FO | 0.97 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Athyrium filix-femina</i> 'Victoriae' Queen Victoria Lady Fern | FO | 0.68 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Athyrium filix-femina</i> ssp. <i>angustum</i> No Common Name Found | FO | 0.82 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Athyrium filix-femina</i> ssp. <i>angustum</i> 'Lady in Red' Lady in Red Lady Fern | FO | 0.82 | R2 | 3-4 | 5-8 | | 1.00 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Athyrium goeringianum</i> | | | | | | | | |
| See - <i>Athyrium niponicum</i> | | | | | | | | |
| <i>Athyrium niponicum</i> Painted Fern | FO | 0.85 | R2 | 3-7 | 8 | | 1.00 | 4 |
| <i>Athyrium niponicum</i> 'Pictum-Applecourt' | | | | | | | | |
| See - <i>Athyrium niponicum</i> var. <i>pictum</i> 'Applecourt' | | | | | | | | |
| <i>Athyrium niponicum</i> var. <i>pictum</i> Japanese Painted Fern | FO | 0.75 | R2 | 3-7 | 8 | | 1.00 | 4 |
| <i>Athyrium niponicum</i> var. <i>pictum</i> 'Applecourt' Applecourt Crested Painted Fern | FO | 0.51 | R2 | 3-7 | 8 | | 1.00 | 4 |
| <i>Athyrium niponicum</i> var. <i>pictum</i> 'Burgundy Lace' P.P. 15072 | FO | 1.27 | R2 | 3-7 | 8 | | 1.00 | 4 |
| Burgundy Lace Painted Fern | | | | | | | | |
| <i>Athyrium niponicum</i> var. <i>pictum</i> 'Silver Falls' P.P. 12803 | FO | 1.02 | R2 | 3-7 | 8 | | 1.00 | 4 |
| Silver Falls Painted Fern | | | | | | | | |
| <i>Athyrium niponicum</i> var. <i>pictum</i> 'Ursula's Red' Ursula's Red Painted Fern | FO | 0.79 | R2 | 3-7 | 8 | | 1.00 | 4 |
| <i>Athyrium niponicum</i> var. <i>pictum</i> 'Wildwood Twist' Wildwood Twist Japanese Painted Fern | FO | 0.87 | R2 | 3-7 | 8 | | 1.00 | 4 |
| <i>Athyrium otophorum</i> Auriculate Lady Fern | FO | 0.77 | R2 | 5-8 | | | 1.00 | 7 |
| <i>Athyrium otophorum</i> var. <i>okanum</i> Okanum Auriculate Lady Fern | FO | 1.00 | R2 | 5-8 | | | 1.00 | 4 |
| <i>Athyrium pycnocarpon</i> Narrow-Leaved Spleenwort | FO | 1.00 | R2 | 5-8 | | | 1.00 | 3 |
| <i>Athyrium thelypteroides</i> | | | | | | | | |
| See - <i>Diplazium acrostichoides</i> | | | | | | | | |
| <i>Atriplex canescens</i> Saltbush | BS | 1.65 | R2 | 5-7 | 8 | | 1.00 | 4 |
| <i>Atriplex collina</i> | | | | | | | | |
| See - <i>Atriplex confertifolia</i> | | | | | | | | |
| <i>Atriplex confertifolia</i> Shadscale Saltbush | BS | 0.80 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Atriplex lentiformis</i> Quailbush | BS | 0.77 | R2 | 5-8 | | | 1.00 | 6 |
| <i>Atriplex lentiformis</i> ssp. <i>breweri</i> Brewer Quailbush | BS | 0.75 | R2 | 5-8 | | | 1.00 | 6 |
| <i>Atriplex semibaccata</i> Australian Saltbush | BS | 0.52 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Aubrieta</i> Rockcress | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Aubrieta</i> 'Argenteovariegata' Argenteovariegata Rockcress | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Aubrieta</i> 'Blue Cascade' Blue Cascade Rockcress | HP | 0.52 | R2 | 3-4 | 5-8 | | | |
| <i>Aubrieta</i> 'Dr. Mules' Dr. Mules Rockcress | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Aubrieta</i> 'Hendersonii' Henderson Rockcress | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Aubrieta</i> 'Purple Cascade' Purple Cascade Rockcress | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Aubrieta</i> 'Purple Gem' Purple Rockcress | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Aubrieta</i> 'Red Cascade' Red Cascade Rockcress | HP | 0.26 | R2 | 3-4 | 5-8 | | | |
| <i>Aubrieta</i> 'Robinson's Red' Robinson's Red Rockcress | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Aubrieta</i> 'Rokey's Purple' Rokey's Purple Rockcress | HP | 1.08 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Aubrieta</i> 'Royal Cascade' Royal Cascade Rockcress | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Aubrieta</i> 'Royal Red' Royal Red Rockcress | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Aubrieta</i> 'Whitewell Gem' Whitewell Gem Rockcress | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Aubrieta x cultorum</i> Aubrieta | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Aubrieta deltoidea</i> Rockcress | HP | 1.19 | R2 | 3-5 | 6-8 | | | |
| <i>Aucuba japonica</i> Spotted Laurel | BS | 0.77 | R2 | 5-6 | 7-8 | | 0.67 | 6 |
| <i>Aucuba japonica</i> 'Crotonifolia' Crotonifolia Spotted Laurel | BS | 0.82 | R2 | 5-6 | 7-8 | | 0.67 | 6 |
| <i>Aucuba japonica</i> 'Emily Rose' Emily Rose Spotted Laurel | BS | 1.28 | R2 | 5-6 | 7-8 | | 0.67 | 6 |
| <i>Aucuba japonica</i> 'Fructo-albo' Fructo-albo Spotted Laurel | BS | 0.89 | R2 | 5-6 | 7-8 | | 0.67 | 6 |
| <i>Aucuba japonica</i> 'Gold Dust' Gold Dust Spotted Laurel | BS | 0.80 | R2 | 5-6 | 7-8 | | 0.67 | 6 |
| <i>Aucuba japonica</i> 'Goldieana' Gold Spot Spotted Laurel | BS | 0.62 | R2 | 5-6 | 7-8 | | 0.67 | 6 |
| <i>Aucuba japonica</i> 'Mr. Goldstrike' Mr. Goldstrike Spotted Laurel | BS | 1.38 | R2 | 5-6 | 7-8 | | 0.67 | 6 |
| <i>Aucuba japonica</i> 'Nana' Dwarf Spotted Laurel | BS | 0.90 | R2 | 5-6 | 7-8 | | 0.67 | 6 |
| <i>Aucuba japonica</i> 'Picturata' Picturata Spotted Laurel | BS | 0.95 | R2 | 5-6 | 7-8 | | 0.67 | 6 |
| <i>Aucuba japonica</i> 'Rozannie' Rozannie Japanese Spotted Laurel | BS | 1.24 | R2 | 5-6 | 7-8 | | 0.67 | 6 |
| <i>Aucuba japonica</i> 'Salicifolia' Salicifolia Spotted Laurel | BS | 0.86 | R2 | 5-6 | 7-8 | | 0.67 | 6 |
| <i>Aucuba japonica</i> 'Serratifolia' Serratifolia Spotted Laurel | BS | 1.14 | R2 | 5-6 | 7-8 | | 0.67 | 6 |
| <i>Aucuba japonica</i> 'Spiker' Spiker Spotted Laurel | BS | 1.02 | R2 | 5-6 | 7-8 | | 0.67 | 6 |
| <i>Aucuba japonica</i> 'Sulphurea' Sulphur Spotted Laurel | BS | 0.51 | R2 | 5-6 | 7-8 | | 0.67 | 6 |
| <i>Aucuba japonica</i> 'Variegata' Variegated Spotted Laurel | BS | 0.90 | R2 | 5-6 | 7-8 | | 0.67 | 6 |
| <i>Aurinia saxatilis</i> Basket of Gold | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Aurinia saxatilis</i> 'Citrinum' Citrinum Basket of Gold | HP | 1.17 | R2 | 3 | 4-8 | | | |
| <i>Aurinia saxatilis</i> 'Compacta' Compact Basket of Gold | HP | 0.92 | R2 | 3 | 4-8 | | | |
| <i>Aurinia saxatilis</i> 'Gold Ball' See - <i>Aurinia saxatilis</i> 'Goldkugel' | HP | 0.60 | R2 | 3 | 4-8 | | | |
| <i>Aurinia saxatilis</i> 'Gold Dust' Gold Dust Basket of Gold | HP | 0.83 | R2 | 3 | 4-8 | | | |
| <i>Aurinia saxatilis</i> 'Goldkugel' Gold Ball Basket of Gold | HP | 0.80 | R2 | 3 | 4-8 | | | |
| <i>Aurinia saxatilis</i> 'Mountain Gold' Mountain Gold Basket of Gold | HP | 0.26 | R2 | 3 | 4-8 | | | |
| <i>Aurinia saxatilis</i> 'Sunny Border Apricot' Sunny Border Apricot Basket of Gold | HP | 0.26 | R2 | 3 | 4-8 | | | |
| <i>Austrocylindropuntia subulata</i> Eve's Pin Cactus | FO | 1.00 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Azalea</i> 'Mucronulatum' See - <i>Rhododendron mucronulatum</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Azara dentata</i> No Common Name Found | HP | 0.84 | R2 | 7-8 | | | |
| <i>Azara integrifolia</i> Goldspire | HP | 0.73 | R2 | 7-8 | | | |
| <i>Azara integrifolia</i> 'Variegata' Variegata Goldspire | HP | 0.73 | R2 | 7-8 | | | |
| <i>Azara lanceolata</i> Lanceleaf Azara | HP | 1.00 | R2 | 7-8 | | | |
| <i>Azara microphylla</i> Boxleaf Azara | HP | 1.27 | R2 | 7-8 | | | |
| <i>Azara microphylla</i> 'Variegata' Variegated Boxleaf Azara | HP | 1.27 | R2 | 7-8 | | | |
| <i>Azorella trifurcata</i> Bolax | HP | 0.65 | R2 | 5-6 | 7-8 | | |
| <i>Azorella trifurcata</i> 'Nana' Bolax | HP | 0.65 | R2 | 5-6 | 7-8 | | |
| <i>Babiana</i> Baboon Flower | HP | 1.03 | R2 | 8 | | | |
| <i>Babiana</i> 'Blue Gem' Blue Gem Hybrid Baboon Flower | HP | 1.03 | R2 | 8 | | | |
| <i>Babiana</i> 'Bright Eyes' Bright Eyes Baboon Flower | HP | 1.03 | R2 | 8 | | | |
| <i>Babiana</i> 'Dark Mood' Dark Mood Baboon Flower | HP | 1.03 | R2 | 8 | | | |
| <i>Babiana</i> 'Scintillation' Scintillation Baboon Flower | HP | 1.03 | R2 | 8 | | | |
| <i>Babiana</i> 'Snowdrop' Snowdrop Baboon Flower | HP | 1.03 | R2 | 8 | | | |
| <i>Babiana</i> 'Twilight' Twilight Baboon Flower | HP | 1.03 | R2 | 8 | | | |
| <i>Babiana rubrocyanea</i> No Common Name Found | HP | 1.03 | R2 | 8 | | | |
| <i>Babiana stricta</i> Baboon Flower | HP | 1.03 | R2 | 8 | | | |
| <i>Baccharis</i> Coyote Brush | BS | 1.06 | R2 | 7-8 | | 1.00 | 8 |
| <i>Baccharis</i> 'Centennial' Centennial Coyote Brush | BS | 0.77 | R2 | 7-8 | | 1.00 | 8 |
| <i>Baccharis</i> 'Starn' P.P. 11240 Thompson™ Broom | BS | 1.34 | R2 | 7-8 | | 1.00 | 8 |
| <i>Baccharis</i> 'Thompson' See - <i>Baccharis</i> 'Starn' P.P. 11240 | | | | | | | |
| <i>Baccharis angustifolia</i> See - <i>Baccharis neglecta</i> | | | | | | | |
| <i>Baccharis halimifolia</i> Groundsel-bush | BS | 0.97 | R1 | 3-7 | 8 | 0.85 | 3 |
| <i>Baccharis halimifolia</i> 'White Caps' White Caps Groundsel-bush | BS | 1.58 | R1 | 3-7 | 8 | 0.85 | 3 |
| <i>Baccharis neglecta</i> Narrowleaf Baccharis | BS | 1.00 | R1 | 3-4 | 5-8 | 1.00 | 4 |
| <i>Baccharis pilularis</i> Dwarf Coyote Brush | BS | 1.56 | R2 | 5-8 | | 1.00 | 8 |
| <i>Baccharis pilularis</i> 'Al's Blue' Al's Blue Dwarf Coyote Brush | BS | 0.96 | R2 | 5-8 | | 1.00 | 8 |
| <i>Baccharis pilularis</i> 'Pigeon Point' Pigeon Point Dwarf Coyote Brush | BS | 0.62 | R2 | 5-8 | | 1.00 | 8 |
| <i>Baccharis pilularis</i> 'Twin Peaks' Twin Peaks Coyote Brush | BS | 0.69 | R2 | 5-8 | | 1.00 | 8 |
| <i>Baccharis pilularis</i> ssp. <i>consanguinea</i> No Common Name Found | BS | 0.73 | R2 | 5-8 | | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Bacopa</i> 'Snowstorm' | | | | | | | | |
| See - <i>Sutera cordata</i> 'Blizzard' P.P. 10966 | | | | | | | | |
| <i>Bacopa caroliniana</i> Carolina Water Hyssop | HP | 1.00 | R1 | 6-8 | | | | |
| <i>Bacopa monnieri</i> Smooth Water Hyssop | HP | 0.62 | R2 | 6-8 | | | | |
| <i>Bacopa sutera</i> 'Giant Snowflake' | | | | | | | | |
| See - <i>Sutera cordata</i> 'Novasnow' P.P. 12026 | | | | | | | | |
| <i>Baeckea gunniana</i> Alpine Baeckea | BS | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Baileya multiradiata</i> Desert Marigold | HP | 0.78 | R2 | 7 | 8 | | | |
| <i>Ballota</i> Ballota | HP | 0.66 | R2 | 7-8 | | | | |
| <i>Ballota</i> 'All Hallows Green' | HP | 0.66 | R2 | 7-8 | | | | |
| All Hallows Green Ballota | | | | | | | | |
| <i>Ballota pseudodictamnus</i> No Common Name Found | HP | 0.66 | R2 | 5-7 | 8 | | | |
| <i>Bambusa albostrata</i> White Variegated Weaver's Bamboo | BE | 1.00 | R2 | 6-8 | | 1.00 | 1.00 | 9 |
| <i>Bambusa beecheyana</i> Beechey Bamboo | BE | 1.00 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Bambusa chungii</i> White Powdery Bamboo | BE | 3.35 | R2 | 8 | | 1.00 | 2.00 | 9 |
| <i>Bambusa chungii</i> 'Barbellata' | | | | | | | | |
| See - <i>Bambusa chungii</i> var. <i>barbellata</i> | | | | | | | | |
| <i>Bambusa chungii</i> var. <i>barbellata</i> Barbie Bamboo | BE | 3.49 | R2 | 8 | | 1.00 | 2.10 | 9 |
| <i>Bambusa dolichomerithalla</i> Blow-Pipe Bamboo | BE | 1.00 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Bambusa dolichomerithalla</i> 'Greenstripe' | BE | 1.00 | R2 | 8 | | 1.00 | 1.00 | 9 |
| Greenstripe Bamboo | | | | | | | | |
| <i>Bambusa eutuldoides</i> Dai Ngan Bamboo | BE | 3.99 | R2 | 6-8 | | 1.00 | 1.39 | 9 |
| <i>Bambusa eutuldoides</i> 'Viridivittata' Asian Lemon Bamboo | BE | 3.99 | R2 | 6-8 | | 1.00 | 1.39 | 9 |
| <i>Bambusa glaucescens</i> | | | | | | | | |
| See - <i>Bambusa multiplex</i> | | | | | | | | |
| <i>Bambusa longispiculata</i> Mahal Bamboo | BE | 1.00 | R2 | 6-8 | | 1.00 | 2.45 | 9 |
| <i>Bambusa malingensis</i> Maling Bamboo | BS | 1.74 | R2 | 8 | | | 1.00 | 9 |
| <i>Bambusa multiplex</i> Hedge Bamboo | BE | 1.34 | R2 | 6-8 | | 1.00 | 1.35 | 8 |
| <i>Bambusa multiplex</i> 'Alphonse Karr' Alphonse Karr Hedge Bamboo | BE | 1.76 | R2 | 6-8 | | 1.00 | 1.74 | 8 |
| <i>Bambusa multiplex</i> 'Featherleaf' Featherleaf Hedge Bamboo | BS | 1.48 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Bambusa multiplex</i> 'Fernleaf' Fernleaf Hedge Bamboo | BE | 1.50 | R2 | 6-8 | | 1.00 | 1.55 | 8 |
| <i>Bambusa multiplex</i> 'Golden Goddess' Golden Goddess Hedge Bamboo | BS | 1.56 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Bambusa multiplex</i> 'Riviereorum' Chinese Goddess Bamboo | BS | 1.80 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Bambusa multiplex</i> 'Silver Stripe' Silver Stripe Hedge Bamboo | BE | 1.51 | R2 | 6-8 | | 1.00 | 1.55 | 8 |
| <i>Bambusa multiplex</i> 'Variegata' Variegated Hedge Bamboo | BS | 1.44 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Bambusa mutabilis</i> Emerald Bamboo | BE | 1.98 | R2 | 8 | | 1.00 | 1.77 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ | |
|--|-----------|-----------|----|---------------------|-------------|------------------------------|------------|---|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper High/Wide | | |
| <i>Bambusa oldhamii</i> Oldham Bamboo | BE | 2.04 | R2 | 6-8 | | 1.00 | 1.46 | 7 |
| <i>Bambusa textilis</i> Textile Bamboo | BE | 2.00 | R2 | 8 | | 1.00 | 1.02 | 9 |
| <i>Bambusa textilis</i> 'Kanapaha' Kanapaha Weaver's Bamboo | BE | 2.39 | R2 | 8 | | 1.00 | 2.29 | 9 |
| <i>Bambusa textilis</i> 'Maculata' Spotted Weaver's Bamboo | BE | 2.78 | R2 | 8 | | 1.00 | 1.69 | 9 |
| <i>Bambusa textilis</i> 'Mutabilis' See - <i>Bambusa mutabilis</i> | | | | | | | | |
| <i>Bambusa textilis</i> 'Scranton' Scranton Weaver's Bamboo | BE | 2.39 | R2 | 8 | | 1.00 | 1.75 | 9 |
| <i>Bambusa textilis</i> var. <i>albostrciata</i> See - <i>Bambusa albostrciata</i> | | | | | | | | |
| <i>Bambusa textilis</i> var. <i>glabra</i> Smooth Weaver's Bamboo | BE | 1.00 | R2 | 8 | | 1.00 | 0.57 | 9 |
| <i>Bambusa textilis</i> var. <i>gracilis</i> Slender Weaver's Bamboo | BE | 2.29 | R2 | 8 | | 1.00 | 2.29 | 9 |
| <i>Bambusa textilis</i> var. <i>maculata</i> See - <i>Bambusa textilis</i> 'Maculata' | | | | | | | | |
| <i>Bambusa tulda</i> var. <i>longispiculata</i> See - <i>Bambusa longispiculata</i> | | | | | | | | |
| <i>Bambusa tuldooides</i> Punting Pole Bamboo | BE | 2.02 | R2 | 8 | | 1.00 | 2.25 | 9 |
| <i>Bambusa tuldooides</i> 'Ventricosa Kimmei' Kimmei Bamboo | BE | 1.24 | R2 | 8 | | 1.00 | 1.76 | 9 |
| <i>Bambusa tuldooides</i> 'Ventricosa' Buddha's Belly Bamboo | BE | 1.91 | R2 | 8 | | 1.00 | 2.74 | 9 |
| <i>Bambusa ventricosa</i> See - <i>Bambusa tuldooides</i> 'Ventricosa' | | | | | | | | |
| <i>Bambusa vulgaris</i> Common Bamboo | BE | 1.15 | R2 | 6-8 | | 1.00 | 1.23 | 8 |
| <i>Bambusa vulgaris</i> 'Vittata' Striped Bamboo | BE | 1.38 | R2 | 6-8 | | 1.00 | 1.19 | 8 |
| <i>Bambusa vulgaris</i> 'Wamin Striata' Wamin Striped Dwarf Bamboo | BE | 2.68 | R2 | 6-8 | | 1.00 | 2.45 | 8 |
| <i>Bambusa vulgaris</i> 'Wamin' Wamin Dwarf Bamboo | BE | 1.88 | R2 | 6-8 | | 1.00 | 2.57 | 8 |
| <i>Banksia ericifolia</i> Heath-leaved Banksia | BS | 0.75 | R2 | 8 | | | 1.00 | 9 |
| <i>Banksia praemorsa</i> Cut-leaf Banksia | BS | 0.80 | R2 | 8 | | | 1.00 | 9 |
| <i>Baptisia</i> Wild Indigo | HP | 1.36 | R2 | 3-4 | 5-8 | | | |
| <i>Baptisia</i> 'Carolina Moonlight' Carolina Moonlight Hybrid False Indigo | HP | 1.44 | R2 | 3-4 | 5-8 | | | |
| <i>Baptisia</i> 'Chocolate Chip' Chocolate Chip False Indigo | HP | 1.41 | R2 | 3-4 | 5-8 | | | |
| <i>Baptisia</i> 'Purple Smoke' Purple Smoke Hybrid False Indigo | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Baptisia</i> 'Starlite Prairieblues' See - <i>Baptisia</i> 'Starlite' P.P.A.F. | | | | | | | | |
| <i>Baptisia</i> 'Starlite' P.P.A.F. Starlite Prairieblues™ Hybrid False Indigo | HP | 1.62 | R2 | 3-4 | 5-8 | | | |
| <i>Baptisia</i> 'Twilight Prairie Blues' See - <i>Baptisia</i> 'Twilite' P.P. 19011 | | | | | | | | |
| <i>Baptisia</i> 'Twilite Prairieblues' See - <i>Baptisia</i> 'Twilite' P.P. 19011 | | | | | | | | |
| <i>Baptisia</i> 'Twilite' P.P. 19011 Twilite Prairieblues™ Hybrid False Indigo | HP | 1.40 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Baptisia alba</i> White Wild Indigo | HP | 0.78 | R2 | 3-4 | 5-8 | | | |
| <i>Baptisia alba</i> var. <i>alba</i> White Wild Indigo | HP | 1.41 | R2 | 3-4 | 5-8 | | | |
| <i>Baptisia alba</i> var. <i>alba</i> 'Wayne's World' Wayne's World White Wild Indigo | HP | 1.41 | R2 | 3-4 | 5-8 | | | |
| <i>Baptisia australis</i> Blue Wild Indigo | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Baptisia bracteata</i> Cream False Indigo | HP | 1.44 | R2 | 5-6 | 7-8 | | | |
| <i>Baptisia lactea</i> White False Indigo | HP | 0.93 | R2 | 5-6 | 7-8 | | | |
| <i>Baptisia leucantha</i> See - <i>Baptisia lactea</i> | | | | | | | | |
| <i>Baptisia leucophaea</i> See - <i>Baptisia bracteata</i> | | | | | | | | |
| <i>Baptisia minor</i> See - <i>Baptisia australis</i> | | | | | | | | |
| <i>Baptisia pendula</i> No Common Name Found | HP | 0.69 | R2 | 3-5 | 6-8 | | | |
| <i>Baptisia perfoliata</i> Georgia Wild Indigo | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Baptisia sphaerocarpa</i> Yellow Baptisia | HP | 0.97 | R2 | 3-5 | 6-8 | | | |
| <i>Baptisia viridis</i> See - <i>Baptisia sphaerocarpa</i> | | | | | | | | |
| <i>Barleria cristata</i> Philippine Violet | BS | 0.63 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Barleria cristata</i> 'Lavender Lace' Lavender Lace Philippine Violet | BS | 0.91 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Barleria cristata</i> 'White' White Philippine Violet | BS | 0.45 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Barleria obtusa</i> Purple Dazzler | BS | 0.41 | R2 | 8 | | | 1.00 | 9 |
| <i>Barleria obtusa</i> 'Variegata' Variegated Purple Dazzler | BS | 0.57 | R2 | 8 | | | 1.00 | 9 |
| <i>Barleria repens</i> Coral Creeper | HP | 0.58 | R2 | 5-8 | | | | |
| <i>Bauera rubioides</i> No Common Name Found | HP | 1.00 | R2 | 8 | | | | |
| <i>Bauhinia corymbosa</i> Camel's Foot | GC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Bauhinia lunarioides</i> Anacacho Orchid Tree | BS | 1.04 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Bauhinia sirindhorniae</i> No Common Name Found | DT | 1.00 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Baumea rubiginosa</i> No Common Name Found | HP | 1.40 | R2 | 3-6 | 7-8 | | | |
| <i>Baumea rubiginosa</i> 'Variegata' Striped Rush | HP | 1.30 | R2 | 3-6 | 7-8 | | | |
| <i>Beaucarnea recurvata</i> See - <i>Nolina recurvata</i> | | | | | | | | |
| <i>Befaria racemosa</i> See - <i>Bejaria racemosa</i> | | | | | | | | |
| <i>Begonia</i> Begonia | FO | 0.76 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Begonia</i> 'Benitochiba' Benitochiba Rex-cultorum Begonia | FO | 0.85 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Begonia</i> 'Bettina Rothschild' Bettina Rothschild Rex-cultorum Begonia | FO | 0.70 | R2 | 6-8 | | | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Begonia</i> 'Big Mac' Big Mac Rhizomatous Begonia | FO | 0.80 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Black Cauldron' Black Cauldron Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Black Velvet' Black Velvet Rhizomatous Begonia | FO | 0.79 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Boomer' Boomer Rhizomatous Begonia | FO | 0.80 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Brown Twist' Brown Twist Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Caribbean King' Caribbean King Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Corallinda de Lucerna' Corallinda de Lucerna Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Cowardly Lion' Cowardly Lion Rex-cultorum Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Crackling Rosie' Crackling Rosie Angel-wing Begonia | FO | 0.75 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Di-Erna' Di-Erna Begonia | FO | 0.74 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Don Miller' Don Miller Angel-wing Begonia | FO | 0.68 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Dr. Birdsey' Dr. Birdsey Rhizomatous Begonia | FO | 0.80 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Dragon Wing' Dragon Wing Angel-wing Begonia | FO | 0.55 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Elaine' Elaine Angel-wing Begonia | FO | 0.68 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Emerald Jewel' Emerald Jewel Rex-cultorum Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Encanto Bronze' Encanto Bronze Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Fireworks' Fireworks Rex-cultorum Begonia | FO | 0.90 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Flo'Belle Moseley' Flo'Belle Moseley Begonia | FO | 0.62 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Frosty' Frosty Angel-wing Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Green Jewel' Green Jewel Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Helen Teupel' Helen Teupel Rex-cultorum Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Hot Tamale' Hot Tamale Angel-wing Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Illumination Series' Illumination Series Tuberous Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Joe Hayden' Joe Hayden Rhizomatous Begonia | FO | 1.19 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Lana' Lana Angel-wing Begonia | FO | 1.00 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Lois Burke' Lois Burke Angel-wing Begonia | FO | 0.53 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Looking Glass' Looking Glass Angel-wing Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Lospe-tu' Lospe-tu Rhizomatous Begonia | FO | 0.70 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Lucerna' Lucerna Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Magdalena Madsen' Magdalena Madsen Angel-wing Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Begonia</i> 'Marion Palmer' Marion Palmer Rex-cultorum Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Marmaduke' Marmaduke Rex-cultorum Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Maurice Amy' Maurice Amy Angel-wing Begonia | FO | 0.80 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Medora' Medora Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Morocco' Morocco Rhizomatous Begonia | FO | 0.80 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Mrs. Hashimoto' Mrs. Hashimoto Begonia | FO | 0.74 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Non Stop Series' Non Stop Series Semperflorens Begonia | FO | 0.72 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Orange Rubra' Orange Rubra Cane-stemmed Begonia | FO | 0.82 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Ornament Series' Ornament Series Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Panorama Series' Panorama Series Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Passing Storm' Passing Storm Rhizomatous Begonia | FO | 0.80 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Peanut Brittle' See - <i>Begonia domingensis</i> | | | | | | | |
| <i>Begonia</i> 'Pin Up Series' Pin Up Series Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Polka Dot' Polka Dot Angel-wing Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Raspberry Moon' Raspberry Moon Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Richmondensis' Richmond Begonia | FO | 0.54 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Rudy's Luxurians' Rudy's Luxurians Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Sarabande' Sarabande Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Southern Spirit' Southern Spirit Angel-wing Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Sunbrite Pink' Sunbrite Pink Angel-wing Begonia | FO | 0.60 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Sunbrite Red' Sunbrite Red Angel-wing Begonia | FO | 0.60 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Texastar' Texastar Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Tom Ment' Tom Ment Begonia | FO | 1.20 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Torch' Torch Angel-wing Begonia | FO | 0.58 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'White Chandelier' White Chandelier Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'White Ice' White Ice Begonia | FO | 0.76 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia</i> 'Withlacoochee' Withlacoochee Begonia | FO | 0.80 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia bowerae</i> Eyelash Begonia | FO | 1.00 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia bowerae</i> var. <i>nigramarga</i> No Common Name | FO | 0.59 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia carolineifolia</i> See - <i>Begonia caroliniaefolia</i> | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Begonia caroliniaefolia</i> No Common Name Found | FO | 1.00 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia x cheimantha</i> Christmas Begonia | FO | 1.00 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia coccinea</i> Angel-wing Begonia | FO | 0.70 | R2 | 6-8 | | 1.00 | 11 |
| <i>Begonia coccinea</i> 'Bubbles' Bubbles Angel-wing Begonia | FO | 0.68 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia coccinea</i> 'Sophia' See - <i>Begonia coccinea</i> 'Sophie Cecile' | | | | | | | |
| <i>Begonia coccinea</i> 'Sophie Cecile' Sophie Cecile Angel-wing Begonia | FO | 0.65 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia x corallina</i> Coral Begonia | FO | 1.00 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia x corallina</i> 'Benigo' Benigo Coral Begonia | FO | 1.00 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia domingensis</i> Peanut Brittle Begonia | FO | 0.68 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia x erythrophylla</i> Beefsteak Begonia | FO | 0.69 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia x erythrophylla</i> 'Bunchii' Bunch Beefstead Begonia | FO | 0.69 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia fuchsoides</i> Fuchsia Begonia | FO | 0.52 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia grandis</i> Hardy Begonia | HP | 0.96 | R2 | 6-8 | | | |
| <i>Begonia grandis</i> 'Alba' White Hardy Begonia | HP | 0.88 | R2 | 6-8 | | | |
| <i>Begonia heracleifolia</i> Star Begonia | FO | 0.74 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia x hiemalis</i> Rieger Begonia | FO | 0.65 | R2 | 6-8 | | 1.00 | 9 |
| <i>Begonia macdougalli</i> See - <i>Begonia theimei</i> | | | | | | | |
| <i>Begonia masoniana</i> Iron Cross Begonia | FO | 0.58 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia nelumbiifolia</i> Lily-pad Begonia | FO | 0.80 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia nelumbiifolia</i> var. <i>rubra</i> No Common Name Found | FO | 0.70 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia odorata</i> Scented Begonia | FO | 0.46 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia odorata</i> var. <i>rosea</i> Pink Scented Begonia | FO | 0.80 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia pedatifida</i> No Common Name Found | FO | 1.00 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia popenoei</i> White Begonia | FO | 0.98 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia pustulata</i> No Common Name Found | FO | 0.70 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia pustulata</i> 'Argentea' No Common Name Found | FO | 0.70 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia reniformis</i> No Common Name Found | FO | 0.80 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia rex</i> Rex Begonia | FO | 0.54 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia x ricinifolia</i> Castor-bean Begonia | FO | 0.66 | R2 | 6-8 | | 1.00 | 10 |
| <i>Begonia semperflorens</i> Bedding Begonia | AN | 0.83 | R2 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|--|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Begonia semperflorens</i> 'Ambassador Series' Ambassador Series Bedding Begonia | AN | 0.80 | R2 | 6-8 | | | |
| <i>Begonia semperflorens</i> 'Brandy' Brandy Bedding Begonia | AN | 0.73 | R2 | 6-8 | | | |
| <i>Begonia semperflorens</i> 'Charisma Pink' Charisma Pink Bedding Begonia | AN | 0.73 | R2 | 6-8 | | | |
| <i>Begonia semperflorens</i> 'Cherry Blossom' Cherry Blossom Bedding Begonia | AN | 0.99 | R2 | 6-8 | | | |
| <i>Begonia semperflorens</i> 'Cocktail Series' Cocktail Series Bedding Begonia | AN | 0.57 | R2 | 6-8 | | | |
| <i>Begonia semperflorens</i> 'Dwarf' Dwarf Bedding Begonia | AN | 0.73 | R2 | 6-8 | | | |
| <i>Begonia semperflorens</i> 'Espresso Series' Espresso Series Bedding Begonia | AN | 0.73 | R2 | 6-8 | | | |
| <i>Begonia semperflorens</i> 'Gin' Gin Bedding Begonia | AN | 0.76 | R2 | 6-8 | | | |
| <i>Begonia semperflorens</i> 'Olympia Series' Olympia Series Bedding Begonia | AN | 0.73 | R2 | 6-8 | | | |
| <i>Begonia semperflorens</i> 'Prelude Series' Prelude Series Bedding Begonia | AN | 0.55 | R2 | 6-8 | | | |
| <i>Begonia semperflorens</i> 'Scarletta' Scarletta Bedding Begonia | AN | 0.60 | R2 | 6-8 | | | |
| <i>Begonia semperflorens</i> 'Senator Series' Senator Series Bedding Begonia | AN | 0.73 | R2 | 6-8 | | | |
| <i>Begonia semperflorens</i> 'Varsity Scarlet' Varsity Scarlet Bedding Begonia | AN | 0.73 | R2 | 6-8 | | | |
| <i>Begonia semperflorens</i> 'Varsity Series' Varsity Series Bedding Begonia | AN | 0.60 | R2 | 6-8 | | | |
| <i>Begonia semperflorens</i> 'Vodka' Vodka Bedding Begonia | AN | 0.84 | R2 | 6-8 | | | |
| <i>Begonia semperflorens</i> 'Whiskey' Whiskey Bedding Begonia | AN | 0.76 | R2 | 6-8 | | | |
| <i>Begonia sikkimensis</i> No Common Name Found | FO | 0.80 | R2 | 6-8 | | | 1.00 10 |
| <i>Begonia sikkimensis</i> 'Gigantea' Gigantea Begonia | FO | 0.80 | R2 | 6-8 | | | 1.00 10 |
| <i>Begonia silletensis</i> No Common Name Found | FO | 1.00 | R2 | 6-8 | | | 1.00 10 |
| <i>Begonia theimei</i> No Common Name Found | FO | 1.00 | R2 | 6-8 | | | 1.00 10 |
| <i>Bejaria racemosa</i> Tarflower | BS | 0.77 | R2 | 7-8 | | | 1.00 9 |
| <i>Belamcanda chinensis</i> Blackberry Lily | HP | 0.80 | R2 | 6-8 | | | |
| <i>Belamcanda chinensis</i> 'Freckle Face' Freckle Face Blackberry Lily | HP | 0.41 | R2 | 6-8 | | | |
| <i>Belamcanda flabellata</i> No Common Name Found | HP | 1.17 | R2 | 4-5 | 6-8 | | |
| <i>Belamcanda flabellata</i> 'Hello Yellow' Hello Yellow Blackberry Lily | HP | 1.17 | R2 | 4-5 | 6-8 | | |
| <i>Bellis perennis</i> English Daisy | HP | 0.87 | R2 | 3-4 | 5-8 | | |
| <i>Bellis perennis</i> 'Galaxy Mix' Galaxy Mix English Daisy | HP | 0.83 | R2 | 3-4 | 5-8 | | |
| <i>Bellis perennis</i> 'Galaxy Red' Galaxy Red English Daisy | HP | 0.83 | R2 | 3-4 | 5-8 | | |
| <i>Bellis perennis</i> 'Galaxy Rose' Galaxy Rose English Daisy | HP | 0.83 | R2 | 3-4 | 5-8 | | |
| <i>Bellis perennis</i> 'Galaxy White' Galaxy White English Daisy | HP | 0.83 | R2 | 3-4 | 5-8 | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Bellis perennis</i> 'Habanera Mix' Habanera Mix English Daisy | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Bellis perennis</i> 'Monstrosa' Monstrosa English Daisy | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Bellis perennis</i> 'Pomponette' Pomponette English Daisy | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Bellis perennis</i> 'Robella' Robella English Daisy | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Bellis perennis</i> 'Rominette Pink' Rominette Pink English Daisy | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Bellis perennis</i> 'Rominette Series' Rominette Series English Daisy | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Bellis perennis</i> 'Super Enorma Giant' Super Enorma Giant English Daisy | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Bellis perennis</i> 'Tasso Series' Tasso® Series English Daisy | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Bellium minutum</i> Miniature Daisy | HP | 0.63 | R2 | 3-5 | 6-8 | | | |
| <i>Beloperone guttata</i> See - <i>Justicia brandegeana</i> | | | | | | | | |
| <i>Benzoin aestivale</i> See - <i>Lindera benzoin</i> | | | | | | | | |
| <i>Berberidopsis corallina</i> Coral Chilevine | GC | 0.91 | R2 | 8 | | | 1.00 | 8 |
| <i>Berberis</i> Barberry | DS | 1.25 | R1 | 3-4 | 5-8 | | 0.88 | 4 |
| <i>Berberis</i> 'Baisel' Golden Carousel® Barberry | DS | 1.31 | R1 | 3-4 | 5-8 | | 0.88 | 4 |
| <i>Berberis</i> 'Emerald Carousel' See - <i>Berberis</i> 'Tara' | | | | | | | | |
| <i>Berberis</i> 'Golden Carousel' See - <i>Berberis</i> 'Baisel' | | | | | | | | |
| <i>Berberis</i> 'Tara' Emerald Carousel™ Barberry | DS | 1.18 | R1 | 3-4 | 5-8 | | 0.88 | 4 |
| <i>Berberis aquifolium</i> See - <i>Mahonia aquifolium</i> | | | | | | | | |
| <i>Berberis buxifolia</i> Magellan Barberry | BS | 0.55 | R1 | 4-5 | 6-8 | | 0.78 | 5 |
| <i>Berberis buxifolia</i> 'Nana' Dwarf Magellan Barberry | BS | 0.68 | R1 | 4-5 | 6-8 | | 0.78 | 5 |
| <i>Berberis calliantha</i> Black Berried Barberry | BS | 1.00 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Berberis x chenaultii</i> See - <i>Berberis x hybrido-gagnepainii</i> 'Chenault' | | | | | | | | |
| <i>Berberis congestiflora</i> No Common Name Found | DS | 1.00 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Berberis darwinii</i> Darwin's Barberry | DS | 0.92 | R1 | 5-7 | 8 | | 1.66 | 7 |
| <i>Berberis empetrifolia</i> Golden Barberry | BS | 1.20 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Berberis fremontii</i> See - <i>Mahonia fremontii</i> | | | | | | | | |
| <i>Berberis x frikartii</i> No Common Name Found | BS | 1.00 | R1 | 5-6 | | | 1.00 | 6 |
| <i>Berberis x frikartii</i> 'Amstelveen' Amstelveen Barberry | BS | 1.00 | R1 | 5-6 | | | 1.00 | 6 |
| <i>Berberis gagnepainii</i> 'Purpurea' See - <i>Berberis x interposita</i> 'Wallich's Purple' | | | | | | | | |
| <i>Berberis x gladwynensis</i> Gladwyne Barberry | DS | 0.91 | R1 | 4-5 | 6-8 | | 1.66 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Berberis x gladwynensis</i> 'William Penn' P.P. 2212 William Penn Barberry | DS | 0.91 | R1 | 4-5 | 6-8 | | 1.66 | 5 |
| <i>Berberis gyalaiica</i> Tibetan Barberry | DS | 1.00 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Berberis x hybrido-gagnepainii</i> False Black Barberry | DS | 1.00 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Berberis x hybrido-gagnepainii</i> 'Chenault' Chenault Barberry | DS | 1.00 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Berberis x interposita</i> No Common Name Found | BS | 1.00 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Berberis x interposita</i> 'Wallich's Purple' Wallich's Purple Barberry | BS | 1.00 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Berberis julianae</i> Wintergreen Barberry | BS | 0.88 | R1 | 4-5 | 6-8 | | 0.86 | 5 |
| <i>Berberis julianae</i> 'Nana' Dwarf Wintergreen Barberry | BS | 1.57 | R1 | 4-5 | 6-8 | | 0.92 | 5 |
| <i>Berberis julianae</i> 'Sargentii' Sargent Wintergreen Barberry | BS | 0.84 | R1 | 4-5 | 6-8 | | 0.89 | 5 |
| <i>Berberis julianae</i> 'Spring Glory' Spring Glory Wintergreen Barberry | BS | 1.10 | R1 | 4-5 | 6-8 | | 0.89 | 5 |
| <i>Berberis koreana</i> Korean Barberry | DS | 1.38 | R1 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Berberis linearifolia</i> No Common Name Found | BS | 1.00 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Berberis linearifolia</i> 'Orange King' Orange King Barberry | BS | 1.00 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Berberis x media</i> Barberry | BS | 0.68 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Berberis x media</i> 'Red Jewel' Red Jewel Hybrid Barberry | BS | 0.68 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Berberis x mentorensis</i> Mentor Barberry | DS | 1.02 | R1 | 4-5 | 6-8 | | 0.91 | 5 |
| <i>Berberis nevinii</i> See - <i>Mahonia nevinii</i> | | | | | | | | |
| <i>Berberis repens</i> See - <i>Mahonia repens</i> | | | | | | | | |
| <i>Berberis replicata</i> Evergreen Barberry | BS | 1.00 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Berberis shensiana</i> No Common Name Found | BS | 1.00 | R1 | 3-5 | 6-8 | | 1.00 | 3 |
| <i>Berberis x stenophylla</i> Rosemary Barberry | DS | 1.04 | R1 | 4-5 | 6-8 | | 1.66 | 5 |
| <i>Berberis x stenophylla</i> 'Corallina Compact' Corallina Compact Rosemary Barberry | DS | 1.75 | R1 | 4-5 | 6-8 | | 1.66 | 5 |
| <i>Berberis x stenophylla</i> 'Irwinii' Irwin Rosemary Barberry | DS | 1.21 | R1 | 4-5 | 6-8 | | 1.66 | 5 |
| <i>Berberis x stenophylla</i> 'Nana' Dwarf Rosemary Barberry | DS | 1.04 | R1 | 4-5 | 6-8 | | 1.66 | 5 |
| <i>Berberis thunbergii</i> Japanese Barberry | DS | 0.77 | R1 | 3-4 | 5-8 | | 0.83 | 4 |
| <i>Berberis thunbergii</i> 'Angel Ring' Angel Ring Japanese Barberry | DS | 1.20 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| <i>Berberis thunbergii</i> 'Atropurpurea Group' Atropurpurea Red Barberry | DS | 0.86 | R1 | 3-4 | 5-8 | | 0.65 | 4 |
| <i>Berberis thunbergii</i> 'Aurea Nana' Dwarf Golden Barberry | DS | 0.98 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| <i>Berberis thunbergii</i> 'Aurea' Golden Japanese Barberry | DS | 0.97 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| <i>Berberis thunbergii</i> 'Bagatelle' Bagatelle Red Barberry | DS | 1.31 | R1 | 3-4 | 5-8 | | 1.10 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Berberis thunbergii</i> 'Bailgreen' | DS | 1.45 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| Jade Carousel® Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Bailone' | DS | 1.12 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| Ruby Carousel™ Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Bailtwo' | DS | 1.24 | R1 | 3-4 | 5-8 | | 2.14 | 4 |
| Burgundy Carousel™ Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Bogozam' P.P. 8215 | DS | 1.25 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| Bonanza Gold™ Golden Pygmy Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Bonanza Gold' | | | | | | | | |
| See - <i>Berberis thunbergii</i> 'Bogozam' P.P. 8215 | | | | | | | | |
| <i>Berberis thunbergii</i> 'Burgundy Carousel' | | | | | | | | |
| See - <i>Berberis thunbergii</i> 'Bailtwo' | | | | | | | | |
| <i>Berberis thunbergii</i> 'Cabernet' | | | | | | | | |
| See - <i>Berberis thunbergii</i> 'Moretti Select' | | | | | | | | |
| <i>Berberis thunbergii</i> 'Cherry Bomb' | | | | | | | | |
| See - <i>Berberis thunbergii</i> 'Monomb' | | | | | | | | |
| <i>Berberis thunbergii</i> 'Concorde' | DS | 1.04 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| Concorde Red Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Crimson Pygmy' | DS | 0.92 | R1 | 3-4 | 5-8 | | 1.35 | 4 |
| Crimson Pygmy Red Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Crimson Ruby' | | | | | | | | |
| See - <i>Berberis thunbergii</i> 'Criruzam' | | | | | | | | |
| <i>Berberis thunbergii</i> 'Crimson Velvet' | DS | 0.68 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| Crimson Velvet Red Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Criruzam' | DS | 1.52 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| Crimson Ruby™ Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Erecta' | DS | 1.20 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| Erect Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Gentry' P.P. 9461 | DS | 1.18 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| Royal Burgundy™ Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Globe' | DS | 1.20 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| Globe Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Gold Pillar' | | | | | | | | |
| See - <i>Berberis thunbergii</i> 'Maria' P.P. 18082 | | | | | | | | |
| <i>Berberis thunbergii</i> 'Golden Nugget' | | | | | | | | |
| See - <i>Berberis thunbergii</i> 'Monlers' P.P. 9577 | | | | | | | | |
| <i>Berberis thunbergii</i> 'Golden Ring' | DS | 0.97 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| Golden Ring Red Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Helmond Pillar' | DS | 1.52 | R1 | 3-4 | 5-8 | | 1.16 | 4 |
| Helmond Pillar Red Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Inermis' | DS | 1.20 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| Thornless Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Intermedia' | DS | 1.56 | R1 | 3-4 | 5-8 | | 0.84 | 4 |
| Intermedia Red Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Jade Carousel' | | | | | | | | |
| See - <i>Berberis thunbergii</i> 'Bailgreen' | | | | | | | | |
| <i>Berberis thunbergii</i> 'Kobold' P.P. 3038 | DS | 1.11 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| Kobold Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Lime Glow' | DS | 1.44 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| Lime Glow Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Lustre Green' | DS | 1.20 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| Lustre Green Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Maria' P.P. 18082 | DS | 1.81 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| Sunjoy™ Gold Pillar™ Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Marshall Upright' | DS | 1.25 | R1 | 3-4 | 5-8 | | 0.77 | 4 |
| Marshall Upright Red Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Monlers' P.P. 9577 | DS | 1.54 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| Golden Nugget™ Japanese Barberry | | | | | | | | |
| <i>Berberis thunbergii</i> 'Monomb' | DS | 1.54 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| Cherry Bomb™ Japanese Barberry | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Berberis thunbergii</i> 'Monry' P.P. 11332 Sunsation™ Japanese Barberry | DS | 1.29 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| <i>Berberis thunbergii</i> 'Moretti Select' First Editions™ Cabernet™ Red Barberry | DS | 1.35 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| <i>Berberis thunbergii</i> 'Pow-wow' Pow-wow Japanese Barberry | DS | 1.20 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| <i>Berberis thunbergii</i> 'Prostrata' Prostrata Red Barberry | DS | 1.20 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| <i>Berberis thunbergii</i> 'Rose Glow' Rose Glow Red Barberry | DS | 0.90 | R1 | 3-4 | 5-8 | | 0.82 | 4 |
| <i>Berberis thunbergii</i> 'Royal Burgundy' See - <i>Berberis thunbergii</i> 'Gentry' P.P. 9461 | | | | | | | | |
| <i>Berberis thunbergii</i> 'Royal Cloak' Royal Cloak Red Barberry | DS | 1.42 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| <i>Berberis thunbergii</i> 'Ruby Carousel' See - <i>Berberis thunbergii</i> 'Bailone' | | | | | | | | |
| <i>Berberis thunbergii</i> 'Silver Mile' Silver Mile Japanese Barberry | DS | 0.42 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| <i>Berberis thunbergii</i> 'Sparkle' Sparkle Japanese Barberry | DS | 1.30 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| <i>Berberis thunbergii</i> 'Sunsation' See - <i>Berberis thunbergii</i> 'Monry' P.P. 11332 | | | | | | | | |
| <i>Berberis thunbergii</i> 'Truehedge' See - <i>Berberis thunbergii</i> 'Erecta' | | | | | | | | |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> See - <i>Berberis thunbergii</i> 'Atropurpurea Group' | | | | | | | | |
| <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Nana' See - <i>Berberis thunbergii</i> 'Crimson Pygmy' | | | | | | | | |
| <i>Berberis triacanthophora</i> See - <i>Berberis x wisleyensis</i> | | | | | | | | |
| <i>Berberis verruculosa</i> Warty Barberry | DS | 0.76 | R1 | 3-5 | 6-8 | | 1.66 | 5 |
| <i>Berberis verruculosa</i> 'Apricot Queen' Apricot Queen Warty Barberry | DS | 0.76 | R1 | 3-5 | 6-8 | | 1.66 | 5 |
| <i>Berberis vulgaris</i> Common Barberry | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Berberis wilsoniae</i> Wilson Barberry | DS | 1.00 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Berberis wilsoniae</i> 'Ace' Ace Wilson Barberry | DS | 1.00 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Berberis x wisleyensis</i> Threespine Barberry | DS | 1.25 | R1 | 4-5 | 6-8 | | 1.43 | 5 |
| <i>Bergenia</i> Bergenia | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Bergenia</i> 'Abendglocken' Abendglocken Bergenia | HP | 1.29 | R2 | 3-4 | 5-8 | | | |
| <i>Bergenia</i> 'Abendglut' Abendflut Bergenia | HP | 1.24 | R2 | 3-4 | 5-8 | | | |
| <i>Bergenia</i> 'Baby Doll' Baby Doll Bergenia | HP | 1.28 | R2 | 3-4 | 5-8 | | | |
| <i>Bergenia</i> 'Bressingham Ruby' P.P. 7344 Bressingham Ruby Bergenia | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Bergenia</i> 'Bressingham Salmon' Bressingham Salmon Bergenia | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Bergenia</i> 'Bressingham White' Bressingham White Bergenia | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Bergenia</i> 'Eden's Dark Margin' Eden's Dark Margin Bergenia | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Bergenia</i> 'Eden's Magic Giant' Eden's Magic Giant Bergenia | HP | 1.33 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Bergenia</i> 'Eroica' Eroica Bergenia | HP | 1.31 | R2 | 3-4 | 5-8 | | | |
| <i>Bergenia</i> 'Morning Red' Morning Red Bergenia | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Bergenia</i> 'Red Start' Red Start Bergenia | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Bergenia</i> 'Silberlicht' Silberlicht Heart-leaf Bergenia | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Bergenia</i> 'Sunningdale' Sunningdale Bergenia | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Bergenia cordifolia</i> Heart-Leaf Bergenia | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Bergenia cordifolia</i> 'New Hybrid' New Hybrid Heart-Leaf Bergenia | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Bergenia cordifolia</i> 'Perfecta' Perfecta Heart-Leaf Bergenia | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Bergenia cordifolia</i> 'Rotblum' Rotblum Heart-Leaf Bergenia | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Bergenia cordifolia</i> 'Winterglut' Winterglut Heart-leaf Bergenia | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Bergenia crassifolia</i> Siberian Tea Bergenia | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Bergenia purpurascens</i> Purple Bergenia | HP | 1.21 | R2 | 3-4 | 5-8 | | | |
| <i>Berlandiera lyrata</i> Chocolate Daisy | HP | 1.41 | R2 | 5-7 | 8 | | | |
| <i>Beschorneria yuccoides</i> No Common Name Found | BS | 0.82 | R2 | 8 | | | 1.00 | 9 |
| <i>Besseyia alpina</i> No Common Name Found | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Betula</i> Birch | DT | 1.04 | R1 | | 3-8 | 1.11 | 1.18 | 2 |
| <i>Betula</i> 'Avalanche' See - <i>Betula</i> 'Avalzam' | | | | | | | | |
| <i>Betula</i> 'Avalzam' Avalanche® White Birch | DT | 1.02 | R1 | | 3-8 | 1.09 | 0.77 | 2 |
| <i>Betula</i> 'Crimson Frost' Crimson Frost White Birch | DT | 1.13 | R1 | 4-5 | 6-8 | 1.14 | 1.20 | 5 |
| <i>Betula</i> 'Madison' White Satin™ White Birch | DT | 0.85 | R1 | 4-5 | 6-8 | 1.03 | 1.50 | 5 |
| <i>Betula</i> 'Penci-2' Royal Frost Hybrid Birch | DT | 1.17 | R1 | 4-5 | 6-8 | 1.17 | 1.24 | 4 |
| <i>Betula</i> 'Royal Frost' See - <i>Betula</i> 'Penci-2' | | | | | | | | |
| <i>Betula</i> 'White Satin' See - <i>Betula</i> 'Madison' | | | | | | | | |
| <i>Betula alba</i> See - <i>Betula pendula</i> | | | | | | | | |
| <i>Betula albosinensis</i> Chinese Red Birch | DT | 0.88 | R1 | 5-6 | 7-8 | 0.86 | 0.96 | 5 |
| <i>Betula alleghaniensis</i> Yellow Birch | DT | 1.54 | R1 | 3 | 4-7 | 1.17 | 1.25 | 3 |
| <i>Betula chinensis</i> No Common Name Found | DT | 1.00 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |
| <i>Betula costata</i> No Common Name Found | DT | 1.00 | R1 | 4-6 | 7-8 | 0.95 | 1.00 | 6 |
| <i>Betula davurica</i> Asian Black Birch | DT | 0.88 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 3 |
| <i>Betula ermanii</i> Erman's Birch | DT | 1.00 | R1 | 3 | 4-8 | 1.00 | 1.68 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Betula fontinalis</i> | | | | | | | | |
| See - <i>Betula occidentalis</i> | | | | | | | | |
| <i>Betula glandulifera</i> Swamp Birch | DT | 0.87 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |
| <i>Betula glandulosa</i> Bog Birch | DT | 0.75 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 1 |
| <i>Betula Jacquemontii</i> See - <i>Betula utilis</i> var. <i>Jacquemontii</i> | | | | | | | | |
| <i>Betula lenta</i> Sweet Birch | DT | 1.01 | R1 | 3 | 4-8 | 0.71 | 1.44 | 3 |
| <i>Betula lutea</i> See - <i>Betula alleghaniensis</i> | | | | | | | | |
| <i>Betula maximowicziana</i> Monarch Birch | DT | 1.00 | R1 | 3-6 | 7-8 | 0.95 | 0.32 | 6 |
| <i>Betula nana</i> Dwarf Arctic Birch | DS | 1.77 | R1 | | 3-8 | | 1.00 | 2 |
| <i>Betula neoalaskana</i> Alaska Paper Birch | DT | 1.00 | R1 | | 3-8 | 1.00 | 1.00 | 2 |
| <i>Betula nigra</i> River Birch | DT | 0.94 | R1 | 3-4 | 5-8 | 0.85 | 0.81 | 4 |
| <i>Betula nigra</i> 'BNMTF' Dura Heat® River Birch | DT | 0.96 | R1 | 3-4 | 5-8 | 0.89 | 0.77 | 4 |
| <i>Betula nigra</i> 'Cully Improved' Heritage Improved River Birch | DT | 1.06 | R1 | 3-4 | 5-8 | 1.00 | 1.34 | 4 |
| <i>Betula nigra</i> 'Cully' P.P. 4409 Heritage® River Birch | DT | 1.01 | R1 | 3-4 | 5-8 | 0.92 | 0.92 | 4 |
| <i>Betula nigra</i> 'Dura Heat' See - <i>Betula nigra</i> 'BNMTF' | | | | | | | | |
| <i>Betula nigra</i> 'Fox Valley' See - <i>Betula nigra</i> 'Little King' | | | | | | | | |
| <i>Betula nigra</i> 'Heritage Improved' See - <i>Betula nigra</i> 'Cully Improved' | | | | | | | | |
| <i>Betula nigra</i> 'Heritage' See - <i>Betula nigra</i> 'Cully' P.P. 4409 | | | | | | | | |
| <i>Betula nigra</i> 'Little King' Fox Valley™ Dwarf River Birch | DT | 1.12 | R1 | 3-4 | 5-8 | 1.00 | 2.47 | 4 |
| <i>Betula nigra</i> 'Minor' See - <i>Betula nigra</i> 'Little King' | | | | | | | | |
| <i>Betula nigra</i> 'Shiloh Splash' P.P. 16362 Shiloh Splash River Birch | DT | 1.06 | R1 | 3-4 | 5-8 | 1.00 | 1.34 | 4 |
| <i>Betula nigra</i> 'Summer Cascade' P.P. 15105 Summer Cascade River Birch | DT | 1.29 | R1 | 3-4 | 5-8 | 1.41 | 1.34 | 4 |
| <i>Betula nigra</i> 'Tecumseh Compact' Tecumseh Compact™ River Birch | DT | 1.06 | R1 | 3-4 | 5-8 | 0.94 | 1.73 | 4 |
| <i>Betula occidentalis</i> Water Birch | DT | 1.03 | R1 | 3-4 | 5-8 | 1.00 | 1.08 | 4 |
| <i>Betula papyrifera</i> Paper Birch | DT | 0.96 | R1 | | 3-8 | 0.95 | 0.77 | 2 |
| <i>Betula papyrifera</i> 'Prairie Dream' See - <i>Betula papyrifera</i> 'Varen' P.P. 15768 | | | | | | | | |
| <i>Betula papyrifera</i> 'Renaissance Reflection' See - <i>Betula papyrifera</i> 'Renci' P.P. 12768 | | | | | | | | |
| <i>Betula papyrifera</i> 'Renaissance Upright' See - <i>Betula papyrifera</i> 'Uenci' P.P. 12767 | | | | | | | | |
| <i>Betula papyrifera</i> 'Renci' P.P. 12768 Renaissance Reflection™ Paper Birch | DT | 1.22 | R1 | | 3-8 | 0.87 | 1.06 | 2 |
| <i>Betula papyrifera</i> 'Uenci' P.P. 12767 Renaissance Upright™ Paper Birch | DT | 1.15 | R1 | | 3-8 | 0.94 | 1.03 | 2 |
| <i>Betula papyrifera</i> 'Varen' P.P. 15768 Prairie Dream™ Paper Birch | DT | 1.28 | R1 | | 3-8 | 0.92 | 0.95 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Betula papyrifera</i> var. <i>kenaica</i> Kenai Paper Birch | DT | 1.00 | R1 | 3-8 | 0.79 | 0.31 | 2 |
| <i>Betula papyrifera</i> var. <i>neolaskana</i> See - <i>Betula neolaskana</i> | | | | | | | |
| <i>Betula pendula</i> European White Birch | DT | 0.98 | R1 | 3-8 | 0.93 | 0.72 | 1 |
| <i>Betula pendula</i> 'Dalecarlica' Cutleaf European White Birch | DT | 1.22 | R1 | 3-8 | 1.19 | 1.48 | 1 |
| <i>Betula pendula</i> 'Fastigiata' Pyramidal European White Birch | DT | 1.41 | R1 | 3-8 | 1.31 | 1.48 | 1 |
| <i>Betula pendula</i> 'Gracilis' Weeping Cutleaf European White Birch | DT | 1.61 | R1 | 3-8 | 2.04 | 1.48 | 1 |
| <i>Betula pendula</i> 'Laciniata' See - <i>Betula pendula</i> 'Dalecarlica' | | | | | | | |
| <i>Betula pendula</i> 'Monle' Purple Rain™ European White Birch | DT | 1.88 | R1 | 3-8 | 1.47 | 1.48 | 1 |
| <i>Betula pendula</i> 'Purple Rain' See - <i>Betula pendula</i> 'Monle' | | | | | | | |
| <i>Betula pendula</i> 'Purple Splendor' P.P. 2107 Purple Splendor European White Birch | DT | 1.41 | R1 | 3-8 | 1.31 | 1.48 | 1 |
| <i>Betula pendula</i> 'Purpurea' Purple-leaf European White Birch | DT | 1.41 | R1 | 3-8 | 1.03 | 1.48 | 1 |
| <i>Betula pendula</i> 'Rockimon' P.P. 6192 Rocky Mountain Splendor™ European White Birch | DT | 0.89 | R1 | 3-8 | 1.31 | 1.48 | 1 |
| <i>Betula pendula</i> 'Rocky Mountain Splendor' See - <i>Betula pendula</i> 'Rockimon' P.P. 6192 | | | | | | | |
| <i>Betula pendula</i> 'Trost Dwarf' Trost Dwarf European White Birch | DT | 2.09 | R1 | 3-8 | 1.31 | 2.57 | 1 |
| <i>Betula pendula</i> 'Youngii' Young's Weeping European White Birch | DT | 1.21 | R1 | 3-8 | 1.17 | 1.15 | 1 |
| <i>Betula platyphylla</i> Asian White Birch | DT | 0.56 | R1 | 3-4 5-7 | 0.49 | 0.41 | 4 |
| <i>Betula platyphylla</i> var. <i>japonica</i> Japanese White Birch | DT | 0.94 | R1 | 3-4 5-7 | 1.34 | 0.97 | 4 |
| <i>Betula platyphylla</i> var. <i>japonica</i> 'Whitespire' See - <i>Betula populifolia</i> 'Whitespire' | | | | | | | |
| <i>Betula populifolia</i> Gray Birch | DT | 0.88 | R1 | 3-4 5-8 | 1.15 | 0.77 | 3 |
| <i>Betula populifolia</i> 'Whitespire' Whitespire Birch | DT | 1.13 | R1 | 3-4 5-8 | 1.00 | 1.08 | 3 |
| <i>Betula populifolia</i> 'Whitespire, Sr.' Whitespire, Sr. Birch | DT | 0.89 | R1 | 3-4 5-8 | 1.12 | 0.78 | 3 |
| <i>Betula pumila</i> Low Birch | DT | 0.87 | R1 | 3-8 | 1.00 | 1.04 | 2 |
| <i>Betula szechuanica</i> Chinese White Birch | DT | 0.49 | R1 | 3-5 6-8 | 1.02 | 1.05 | 5 |
| <i>Betula utilis</i> Himalaya Birch | DT | 1.32 | R1 | 3-5 6-8 | 1.31 | 0.90 | 5 |
| <i>Betula utilis</i> var. <i>jacquemontii</i> Whitebarked Himalaya Birch | DT | 1.10 | R1 | 3-5 6-8 | 0.95 | 1.05 | 5 |
| <i>Bidens aequisquama</i> No Common Name Found | AN | 0.92 | R2 | 5-8 | | | |
| <i>Bidens ferulifolia</i> No Common Name Found | AN | 1.13 | R2 | 5-8 | | | |
| <i>Bidens ferulifolia</i> 'Goldie' Goldie Beggar-ticks | AN | 1.11 | R2 | 5-8 | | | |
| <i>Bidens ferulifolia</i> 'Goldmarie' Goldmarie Beggar-ticks | AN | 1.09 | R2 | 5-8 | | | |
| <i>Bidens ferulifolia</i> 'Marietta Gold Spark' See - <i>Bidens ferulifolia</i> 'SUNbidesupa' P.P. 16863 | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Bidens ferulifolia</i> 'SUNbidesupa' P.P. 16863 Marietta™ Gold Spark Beggar-ticks | AN | 1.19 | R2 | 5-8 | | | | |
| <i>Bidens ferulifolia</i> 'Yellow Glow' Yellow Glow Beggar-Ticks | AN | 1.13 | R2 | 5-8 | | | | |
| <i>Bidens triplinervia</i> Beggar-ticks | HP | 0.66 | R2 | 8 | | | | |
| <i>Bignonia capreolata</i> Crossvine | GC | 0.72 | R1 | 6 | 7-8 | | 1.00 | 6 |
| <i>Bignonia capreolata</i> 'Crimson Trumpet' P.P. 4119 Crimson Trumpet Crossvine | GC | 0.91 | R2 | 6 | 7-8 | | 1.00 | 6 |
| <i>Bignonia capreolata</i> 'Dragon Lady' Dragon Lady Crossvine | GC | 1.08 | R2 | 6 | 7-8 | | 1.00 | 6 |
| <i>Bignonia capreolata</i> 'Jekyll' Jekyll Crossvine | GC | 1.00 | R2 | 6 | 7-8 | | 1.00 | 6 |
| <i>Bignonia capreolata</i> 'Shalimar Red' Shalimar Red Crossvine | GC | 0.80 | R2 | 6 | 7-8 | | 1.00 | 6 |
| <i>Bignonia capreolata</i> 'Tangerine Beauty' Tangerine Beauty Crossvine | GC | 0.94 | R2 | 6 | 7-8 | | 1.00 | 6 |
| <i>Bignonia capreolata</i> 'Yellow Trumpet' Yellow Trumpet Crossvine | GC | 0.91 | R2 | 6 | 7-8 | | 1.00 | 6 |
| <i>Bignonia cherere</i> See - <i>Distictis buccinatoria</i> | | | | | | | | |
| <i>Bignonia tweediana</i> See - <i>Macfadyena unguis-cati</i> | | | | | | | | |
| <i>Billbergia</i> Billbergia | FO | 1.46 | R2 | 8 | | | 1.00 | 9 |
| <i>Billbergia</i> 'Muriel Waterman' Muriel Waterman Hybrid Billbergia | FO | 0.91 | R2 | 8 | | | 1.00 | 9 |
| <i>Billbergia</i> 'Rosea' Rosea Billbergia | FO | 2.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Billbergia nutans</i> Queen's Tears | FO | 0.60 | R2 | 8 | | | 1.00 | 9 |
| <i>Billbergia pyramidalis</i> var. <i>concolor</i> Foolproof Plant | FO | 1.20 | R2 | 8 | | | 1.00 | 9 |
| <i>Blechnum brasiliense</i> Brazilian Tree Fern | FO | 0.76 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Blechnum gibbum</i> Miniature Tree Fern | FO | 0.82 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Blechnum gibbum</i> 'Silver Lady' Silver Lady Miniature Tree Fern | FO | 0.85 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Blechnum indicum</i> Saw Fern | HP | 0.44 | R2 | 8 | | | | |
| <i>Blechnum penna-marina</i> No Common Name Found | HP | 0.83 | R2 | 6-8 | | | | |
| <i>Blechnum serrulatum</i> See - <i>Blechnum indicum</i> | | | | | | | | |
| <i>Blechnum spicant</i> Deer Fern | HP | 0.96 | R2 | 3-5 | 6-8 | | | |
| <i>Blephilia ciliata</i> Ohio Horse Mint | HP | 1.00 | R2 | 4 | 5-8 | | | |
| <i>Blephilia hirsuta</i> Wood Mint | HP | 1.00 | R2 | 4 | 5-8 | | | |
| <i>Bletilla</i> Bletilla Hybrid Orchid | HP | 1.00 | R2 | 6-7 | 8 | | | |
| <i>Bletilla striata</i> Chinese Ground Orchid | HP | 1.54 | R2 | 6-7 | 8 | | | |
| <i>Blighia sapida</i> Akee | BE | 1.07 | R2 | 8 | | 1.00 | 1.05 | 9 |
| <i>Boesenbergia aurantiaca</i> Golden Trumpet | HP | 0.80 | R2 | 6-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Boesenbergia rotunda</i> Chinese Keys | HP | 1.07 | R2 | 8 | | | | |
| <i>Bolax glebaria</i> See - <i>Bolax gummifera</i> | | | | | | | | |
| <i>Bolax gummifera</i> No Common Name Found | HP | 0.80 | R2 | 4-5 | 6-8 | | | |
| <i>Boltonia asteroides</i> White Boltonia | HP | 1.24 | R2 | 3-5 | 6-8 | | | |
| <i>Boltonia asteroides</i> 'Pink Beauty' | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Boltonia asteroides</i> 'Snowbank' | HP | 0.96 | R2 | 3-5 | 6-8 | | | |
| <i>Boltonia asteroides</i> var. <i>latisquama</i> False Aster | HP | 1.13 | R2 | 3-5 | 6-8 | | | |
| <i>Boltonia asteroides</i> var. <i>latisquama</i> 'Jim Crockett' | | | | | | | | |
| See - <i>Boltonia asteroides</i> var. <i>latisquama</i> 'Masbolimket' P.P. 16678 | | | | | | | | |
| <i>Boltonia asteroides</i> var. <i>latisquama</i> 'Masbolimket' P.P. 16678 | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| Jim Crockett False Aster | | | | | | | | |
| <i>Boltonia asteroides</i> var. <i>latisquama</i> 'Nana' | HP | 1.25 | R2 | 3-5 | 6-8 | | | |
| Dwarf False Aster | | | | | | | | |
| <i>Bolusanthus speciosus</i> Wild Wisteria | BE | 1.13 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Bomarea frondea</i> No Common Name Found | HP | 0.82 | R2 | 8 | | | | |
| <i>Borago officinalis</i> Talewort | HP | 0.59 | R2 | 6-7 | 8 | | | |
| <i>Borago officinalis</i> 'Alba' | HP | 0.59 | R2 | 6-7 | 8 | | | |
| White Talewort | | | | | | | | |
| <i>Boronia denticulata</i> No Common Name Found | BS | 0.66 | R2 | 8 | | | 1.00 | 9 |
| <i>Boronia heterophylla</i> Red Boronia | HP | 0.76 | R2 | 8 | | | | |
| <i>Boronia megastigma</i> Scented Boronia | BS | 0.89 | R2 | 8 | | | 1.00 | 9 |
| <i>Bothriochloa barbinodis</i> Cone Bluestem | HP | 0.70 | R2 | 3-5 | 6-8 | | | |
| <i>Bothriochloa saccharoides</i> See - <i>Andropogon saccharoides</i> | | | | | | | | |
| <i>Bougainvillea</i> Bougainvillea | BS | 1.25 | R2 | 8 | | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Abearl' | BS | 1.35 | R2 | 8 | | | 1.00 | 9 |
| Pink Pearl™ Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Afterglow' | BS | 0.83 | R2 | 8 | | | 1.00 | 9 |
| Afterglow Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Alba' | BS | 0.87 | R2 | 8 | | | 1.00 | 9 |
| White Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Barbara Karst' | BS | 1.21 | R2 | 8 | | | 1.00 | 9 |
| Barbara Karst Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Camarillo Fiesta' | | | | | | | | |
| See - <i>Bougainvillea</i> 'Monle' | | | | | | | | |
| <i>Bougainvillea</i> 'Carmensita' | BS | 1.25 | R2 | 8 | | | 1.00 | 9 |
| Carmensita Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Cherry Blossom' P.P. 3004 | BS | 1.52 | R2 | 8 | | | 1.00 | 9 |
| Cherry Blossom Bougainvillea | | | | | | | | |
| <i>Bougainvillea</i> 'Crimson Jewel' | | | | | | | | |
| See - <i>Bougainvillea</i> 'Monon' P.P. 2075 | | | | | | | | |
| <i>Bougainvillea</i> 'Don Mario' | | | | | | | | |
| See - <i>Bougainvillea</i> 'Monio' P.P. 4995 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Bougainvillea</i> 'Doubloon' Doubloon Bougainvillea | BS | 1.25 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Elizabeth Angus' Elizabeth Angus Bougainvillea | BS | 1.10 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Fiesta' Fiesta Bougainvillea | BS | 1.25 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Flame Glow' Flame Glow Bougainvillea | BS | 1.25 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Gerry's Orange' Gerry's Orange Bougainvillea | BS | 1.25 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Helen Johnson' Helen Johnson Bougainvillea | BS | 0.87 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Isabelle' Isabelle Bougainvillea | BS | 1.25 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Jamaica Red' Jamaica Red Bougainvillea | BS | 1.25 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Jamaica White' See - <i>Bougainvillea</i> 'Monca' | | | | | | | |
| <i>Bougainvillea</i> 'James Walker' James Walker Bougainvillea | BS | 1.09 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Juanita Hatten' Juanita Hatten Bougainvillea | BS | 1.28 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'La Jolla' La Jolla Bougainvillea | BS | 1.26 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Lavender Queen' Lavender Queen Bougainvillea | BS | 1.25 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Manila Red' P.P. 2630 Manila Red Bougainvillea | BS | 1.32 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Mardi Gras' Mardi Gras Bougainvillea | BS | 1.25 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Mary Palmer's Enchantment' Mary Palmer's Enchantment Bougainvillea | BS | 1.14 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Miami Pink' Miami Pink Bougainvillea | BS | 1.18 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Monan' Tahitian Dawn™ Bougainvillea | BS | 1.60 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Monas' Texas Dawn™ Bougainvillea | BS | 1.30 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Monca' Jamaica White™ Bougainvillea | BS | 0.87 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Moneth' Purple Queen™ Bougainvillea | BS | 1.65 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Monio' P.P. 4995 Don Mario™ Bougainvillea | BS | 1.15 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Monka' P.P. 6959 Oo-La-La™ Bougainvillea | BS | 1.35 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Monle' Camarillo Fiesta™ Bougainvillea | BS | 1.15 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Monon' P.P. 2075 Crimson Jewel™ Bougainvillea | BS | 0.87 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Ms. Alice' See - <i>Bougainvillea</i> 'Singapore White' | | | | | | | |
| <i>Bougainvillea</i> 'Oo-La-La' See - <i>Bougainvillea</i> 'Monka' P.P. 6959 | | | | | | | |
| <i>Bougainvillea</i> 'Orange Gold' Orange Gold Bougainvillea | BS | 1.25 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Orange Ice' Orange Ice Bougainvillea | BS | 0.92 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Orange King' Orange King Bougainvillea | BS | 1.25 | R2 | 8 | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Bougainvillea</i> 'Pink Dream' Pink Dream Bougainvillea | BS | 1.25 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Pink Pearl' See - <i>Bougainvillea</i> 'Abearl' | | | | | | | |
| <i>Bougainvillea</i> 'Pink Pixie' See - <i>Bougainvillea</i> 'Torch Glow' P.P. 6349 | | | | | | | |
| <i>Bougainvillea</i> 'Purple Passion' Purple Passion Bougainvillea | BS | 0.59 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Purple Queen' See - <i>Bougainvillea</i> 'Moneth' | | | | | | | |
| <i>Bougainvillea</i> 'Raspberry Ice' Raspberry Ice Bougainvillea | BS | 1.20 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Rosea' Rose Bougainvillea | BS | 0.91 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Rosenka' Rosenka Bougainvillea | BS | 1.24 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Rosey Lavender' Rosey Lavender Bougainvillea | BS | 1.25 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Royal Purple' Royal Purple Bougainvillea | BS | 0.99 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'San Diego Red' San Diego Red Bougainvillea | BS | 1.30 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Silhouette' See - <i>Bougainvillea</i> 'Singapore Pink' | | | | | | | |
| <i>Bougainvillea</i> 'Singapore Pink' Silhouette™ Singapore Bougainvillea | BS | 1.25 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Singapore White' Ms. Alice™ Singapore Bougainvillea | BS | 1.07 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Smartipants' See - <i>Bougainvillea</i> 'Torch Glow' P.P. 6349 | | | | | | | |
| <i>Bougainvillea</i> 'Southern Rose' Southern Rose Bougainvillea | BS | 1.33 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Sundown Orange' Sundown Orange Bougainvillea | BS | 1.26 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Surprise' Surprise Bougainvillea | BS | 1.04 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Tahitian Dawn' See - <i>Bougainvillea</i> 'Monan' | | | | | | | |
| <i>Bougainvillea</i> 'Tahitian Maid' P.P. 3029 Tahitian Maid Bougainvillea | BS | 1.03 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Temple Fire' Temple Fire Bougainvillea | BS | 0.97 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Texas Dawn' See - <i>Bougainvillea</i> 'Monas' | | | | | | | |
| <i>Bougainvillea</i> 'Torch Glow' P.P. 6349 Torch Glow™ Bougainvillea | BS | 1.26 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Vicky' Vicky Bougainvillea | BS | 1.36 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'Wendy Nagle' Wendy Nagle Bougainvillea | BS | 1.25 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea</i> 'White Madonna' White Madonna Bougainvillea | BS | 1.39 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea arborea</i> Thornless Bougainvillea | BS | 0.96 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea brasiliensis</i> See - <i>Bougainvillea spectabilis</i> | | | | | | | |
| <i>Bougainvillea x buttiana</i> No Common Name Found | BS | 1.27 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea x buttiana</i> 'Audrey Grey' Audrey Grey Bougainvillea | BS | 1.12 | R2 | 8 | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Bougainvillea x buttiana</i> 'Golden Glow' Golden Glow Bougainvillea | BS | 1.10 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea x buttiana</i> 'Lady Mary Baring' Lady Mary Baring Bougainvillea | BS | 0.99 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea glabra</i> No Common Name Found | BS | 0.74 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea glabra</i> 'Rainbow' Rainbow Bougainvillea | BS | 0.74 | R2 | 8 | | 1.00 | 9 |
| <i>Bougainvillea spectabilis</i> Brazil Bougainvillea | BS | 0.77 | R2 | 8 | | 1.00 | 9 |
| <i>Bouyeria ovata</i> See - <i>Bouyeria succulenta</i> | | | | | | | |
| <i>Bouyeria succulenta</i> Strongbark | BE | 1.03 | R2 | 8 | | 1.00 | 1.04 10 |
| <i>Bouteloua curtipendula</i> Sideoats Grama | HP | 1.14 | R2 | 3-5 | 6-8 | | |
| <i>Bouteloua gracilis</i> Blue Grama Grass | HP | 0.86 | R2 | 3-5 | 6-8 | | |
| <i>Bouteloua hirsuta</i> Hairy Grama Grass | HP | 1.00 | R2 | 3-4 | 5-8 | | |
| <i>Bouvardia ternifolia</i> Scarlet Trompetilla | HP | 0.84 | R2 | 7-8 | | | |
| <i>Bowenia serrulata</i> No Common Name Found | PC | 2.70 | R2 | 8 | | 1.00 | 10 |
| <i>Bowenia spectabilis</i> No Common Name Found | PC | 2.70 | R2 | 8 | | 1.00 | 10 |
| <i>Boykinia jamesii</i> James Boykinia | HP | 1.00 | R2 | 4-5 | 6-8 | | |
| <i>Brachychiton rupestris</i> Queensland Bottle tree | BE | 1.09 | R2 | 8 | | 1.00 | 1.00 9 |
| <i>Brachycome</i> Swan River Daisy | AN | 1.25 | R2 | 6-8 | | | |
| <i>Brachycome</i> 'Billabong Lavender' Billabong Lavender Swan River Daisy | AN | 1.25 | R2 | 6-8 | | | |
| <i>Brachycome</i> 'Happy Face Pink' P.P. 11361 Happy Face Pink Swan River Daisy | AN | 1.18 | R2 | 6-8 | | | |
| <i>Brachycome</i> 'Jumbo Mauve' Jumbo Mauve Swan River Daisy | AN | 1.43 | R2 | 6-8 | | | |
| <i>Brachycome</i> 'Toucan Tango' P.P. 10343 Toucan Tango Swan River Daisy | AN | 1.13 | R2 | 6-8 | | | |
| <i>Brachycome diversifolia</i> No Common Name Found | AN | 1.07 | R2 | 6-8 | | | |
| <i>Brachycome iberidifolia</i> Swan River Daisy | HP | 0.66 | R2 | 6-8 | | | |
| <i>Brachycome iberidifolia</i> 'Ultra' P.P.A.F. Ultra Swan River Daisy | HP | 0.62 | R2 | 6-8 | | | |
| <i>Brachycome iberidifolia</i> 'White Splendor' White Splendor Swan River Daisy | HP | 0.64 | R2 | 6-8 | | | |
| <i>Brachycome melanocarpa</i> No Common Name Found | HP | 0.62 | R2 | 6-8 | | | |
| <i>Brachycome melanocarpa</i> 'Pink Swirl' Pink Swirl Swan River Daisy | HP | 0.62 | R2 | 6-8 | | | |
| <i>Brachycome multifida</i> Rock Daisy | HP | 0.64 | R2 | 6-8 | | | |
| <i>Brachycome multifida</i> 'Lemon Mist' Lemon Mist Rock Daisy | HP | 0.63 | R2 | 6-8 | | | |
| <i>Brachycome multifida</i> 'Moonlight' Moonlight Swan River Daisy | HP | 0.62 | R2 | 6-8 | | | |
| <i>Brachycome multifida</i> var. <i>dilatata</i> Cutleaf Swan River Daisy | HP | 0.64 | R2 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Brachyglottis greyi</i> No Common Name Found | HP | 0.84 | R2 | 8 | | | |
| <i>Brachypodium sylvaticum</i> Slender False Brome | HP | 0.89 | R2 | 4-5 | 6-8 | | |
| <i>Bracteantha bracteata</i> Strawflower | HP | 0.83 | R2 | 6-8 | | | |
| <i>Bracteantha bracteata</i> 'Dargon Hill Monarch' Dargon Hill Monarch Strawflower | HP | 0.60 | R2 | 6-8 | | | |
| <i>Bracteantha bracteata</i> 'Diamond Head' Diamond Head Strawflower | HP | 0.83 | R2 | 6-8 | | | |
| <i>Bracteantha bracteata</i> 'Flobragbi' P.P. 15928 Sundaze® Golden Beauty® Strawflower | HP | 0.88 | R2 | 6-8 | | | |
| <i>Bracteantha bracteata</i> 'Florabella Series' Florabella Series Strawflower | HP | 0.83 | R2 | 6-8 | | | |
| <i>Bracteantha bracteata</i> 'Redbragol' P.P. 12988 Sundaze® Golden Yellow Strawflower | HP | 0.83 | R2 | 6-8 | | | |
| <i>Bracteantha bracteata</i> 'Redbrapin' P.P. 12966 Sundaze® Pink Strawflower | HP | 0.83 | R2 | 6-8 | | | |
| <i>Bracteantha bracteata</i> 'Redbrawhi' P.P. 12967 Sundaze® White Strawflower | HP | 0.89 | R2 | 6-8 | | | |
| <i>Bracteantha bracteata</i> 'Sundaze Bronze' Sundaze™ Bronze Strawflower | HP | 0.83 | R2 | 6-8 | | | |
| <i>Bracteantha bracteata</i> 'Sundaze Golden Beauty' See - <i>Bracteantha bracteata</i> 'Flobragbi' P.P. 15928 | | | | | | | |
| <i>Bracteantha bracteata</i> 'Sundaze Golden Yellow' See - <i>Bracteantha bracteata</i> 'Redbragol' P.P. 12988 | | | | | | | |
| <i>Bracteantha bracteata</i> 'Sundaze Pink' See - <i>Bracteantha bracteata</i> 'Redbrapin' P.P. 12966 | | | | | | | |
| <i>Bracteantha bracteata</i> 'Sundaze White' See - <i>Bracteantha bracteata</i> 'Redbrawhi' P.P. 12967 | | | | | | | |
| <i>Bracteantha bracteata</i> 'Wallaby Flame' P.P.A.F. Wallaby Flame Strawflower | HP | 0.86 | R2 | 6-8 | | | |
| <i>Bracteantha bracteata</i> 'Wallaby Orange Blaze' P.P.A.F. Wallaby Orange Blaze Strawflower | HP | 0.86 | R2 | 6-8 | | | |
| <i>Bracteantha bracteata</i> 'Wallaby Pink Glow' P.P.A.F. Wallaby Pink Glow Strawflower | HP | 0.82 | R2 | 6-8 | | | |
| <i>Brahea aculeata</i> Sinaloa Hesper Palm | PC | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Brahea armata</i> Blue Hesper Palm | PC | 0.82 | R2 | 8 | | 1.00 | 8 |
| <i>Brahea clara</i> See - <i>Brahea armata</i> | | | | | | | |
| <i>Brassaia actinophylla</i> See - <i>Schefflera actinophylla</i> | | | | | | | |
| <i>Brassia</i> Brassia Hybrid Orchid | FO | 2.70 | R2 | 6-8 | | 1.00 | 10 |
| <i>Brassia caudata</i> No Common Name Found | FO | 2.33 | R2 | 6-8 | | 1.00 | 10 |
| <i>Brassica oleracea</i> Flowering Cabbage | AN | 0.58 | R2 | 6-8 | | | |
| <i>Brassica oleracea</i> 'Chidori Series' Chidori Series Flowering Cabbage | AN | 0.64 | R2 | 6-8 | | | |
| <i>Brassica oleracea</i> 'Feather Series' Feather Series Flowering Cabbage | AN | 0.55 | R2 | 6-8 | | | |
| <i>Brassica oleracea</i> 'Nagoya Series' Nagoya Series Flowering Cabbage | AN | 0.55 | R2 | 6-8 | | | |
| <i>Brassica oleracea</i> 'Peacock Series' Peacock Series Flowering Cabbage | AN | 0.55 | R2 | 6-8 | | | |
| <i>Brassica oleracea</i> var. <i>acephala</i> Cabbage Kale | AN | 0.46 | R2 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Bravoa geminiflora</i> See - <i>Polianthes geminiflora</i> | | | | | | | | |
| <i>Briza media</i> Quaking Grass | HP | 1.78 | R2 | 3-4 | 5-8 | | | |
| <i>Briza minor</i> Little Quaking Grass | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Brodiaea peduncularis</i> See - <i>Triteleia peduncularis</i> | | | | | | | | |
| <i>Bromus inermis</i> Hungarian Brome | HP | 0.81 | R2 | 3-5 | 6-8 | | | |
| <i>Bromus inermis</i> 'Skinner's Gold' Skinner's Gold Hungarian Brome | HP | 0.81 | R2 | 3-5 | 6-8 | | | |
| <i>Browallia speciosa</i> Bush Violet | AN | 1.77 | R2 | 6-8 | | | | |
| <i>Browallia speciosa</i> 'Starlight Blue' Starlight Blue Bush Violet | AN | 1.77 | R2 | 6-8 | | | | |
| <i>Brugmansia versicolor</i> Common Angel's Trumpet | BS | 0.88 | R2 | 8 | | | 1.00 | 9 |
| <i>Brugmansia versicolor</i> 'Ecuador Pink' Ecuador Pink Angel's Trumper | BS | 0.99 | R2 | 8 | | | 1.00 | 9 |
| <i>Brugmansia versicolor</i> 'Peaches & Cream' Peaches & Cream Common Angel's Trumpet | BS | 1.25 | R2 | 8 | | | 1.00 | 9 |
| <i>Brunfelsia australis</i> Paraguay Jasmine | BS | 0.86 | R2 | 8 | | | 1.00 | 10 |
| <i>Brunfelsia calycina</i> See - <i>Brunfelsia pauciflora</i> | | | | | | | | |
| <i>Brunfelsia eximia</i> See - <i>Brunfelsia pauciflora</i> 'Floribunda Compacta' | | | | | | | | |
| <i>Brunfelsia grandiflora</i> No Common Name Found | BS | 0.98 | R2 | 8 | | | 0.79 | 10 |
| <i>Brunfelsia jamaicensis</i> No Common Name Found | BS | 1.56 | R2 | 8 | | | 1.00 | 10 |
| <i>Brunfelsia lactea</i> Jasmin Del Monte | BS | 1.20 | R2 | 8 | | | 1.00 | 10 |
| <i>Brunfelsia magnifica</i> Magnificent Brunfelsia | BS | 1.30 | R2 | 8 | | | 1.00 | 9 |
| <i>Brunfelsia nitida</i> Lady of the Night | BS | 0.88 | R2 | 8 | | | 1.00 | 10 |
| <i>Brunfelsia pauciflora</i> Yesterday, Today & Tomorrow | BS | 0.91 | R2 | 8 | | | 0.91 | 10 |
| <i>Brunfelsia pauciflora</i> 'Floribunda Compacta' Floribunda Compact Yesterday, Today & Tomorrow | BS | 0.96 | R2 | 8 | | | 0.91 | 10 |
| <i>Brunfelsia pauciflora</i> 'Floribunda' Free-flowering Yesterday, Today & Tomorrow | BS | 0.93 | R2 | 8 | | | 0.91 | 10 |
| <i>Brunfelsia pauciflora</i> 'Macrantha' Macrantha Yesterday, Today & Tomorrow | BS | 1.30 | R2 | 8 | | | 0.91 | 10 |
| <i>Brunfelsia pauciflora</i> 'Magnifica' See - <i>Brunfelsia pauciflora</i> 'Macrantha' | | | | | | | | |
| <i>Brunfelsia pilosa</i> No Common Name Found | BS | 1.26 | R2 | 8 | | | 1.00 | 10 |
| <i>Brunfelsia uniflora</i> Manaca | BS | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Brunnera macrophylla</i> Heartleaf Brunnera | HP | 1.03 | R2 | 3 | 4-8 | | | |
| <i>Brunnera macrophylla</i> 'Hadspen Cream' Hadspen Cream Heartleaf Brunnera | HP | 2.32 | R2 | 3 | 4-8 | | | |
| <i>Brunnera macrophylla</i> 'Jack Frost' P.P. 13859 Jack Frost Heartleaf Brunnera | HP | 2.44 | R2 | 3 | 4-8 | | | |
| <i>Brunnera macrophylla</i> 'Langtrees' Langtrees Heartleaf Brunnera | HP | 1.41 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Brunnera macrophylla</i> 'Looking Glass' P.P.A.F. Looking Glass Heartleaf Brunnera | HP | 2.74 | R2 | 3 | 4-8 | | | |
| <i>Brunnera macrophylla</i> 'Variegata' Variegated Heartleaf Brunnera | HP | 1.39 | R2 | 3 | 4-8 | | | |
| <i>Buchloe dactyloides</i> Buffalo Grass | HP | 1.00 | R2 | 4 | 5-8 | | | |
| <i>Buchloe dactyloides</i> 'Cody' Cody Buffalo Grass | HP | 1.00 | R2 | 4 | 5-8 | | | |
| <i>Buchloe dactyloides</i> 'Sharp's Improved' Sharp's Improved Buffalo Grass | HP | 1.00 | R2 | 4 | 5-8 | | | |
| <i>Buddleja</i> Butterfly-Bush | DS | 0.88 | R1 | 4-7 | 8 | | 1.00 | 5 |
| <i>Buddleja</i> 'Asian Moon' Asian Moon Hybrid Butterfly-Bush | DS | 0.84 | R1 | 4-7 | 8 | | 1.00 | 7 |
| <i>Buddleja</i> 'Bicolor' Bicolor Hybrid Butterfly-bush | DS | 0.85 | R1 | 4-7 | 8 | | 1.00 | 5 |
| <i>Buddleja</i> 'Blue Chip' Lo & Behold™ Blue Chip Butterfly-Bush | DS | 1.04 | R1 | 4-7 | 8 | | 1.00 | 5 |
| <i>Buddleja</i> 'Lavender Eyes' Lavender Eyes Hybrid Butterfly-Bush | DS | 0.89 | R1 | 4-7 | 8 | | 1.00 | 5 |
| <i>Buddleja</i> 'Morning Mist' P.P. 17332 Silver Anniversary Butterfly-bush | DS | 0.75 | R1 | 4-7 | 8 | | 1.00 | 7 |
| <i>Buddleja</i> 'Raspberry Eyes' Raspberry Eyes Hybrid Butterfly-Bush | DS | 0.89 | R1 | 4-7 | 8 | | 1.00 | 5 |
| <i>Buddleja</i> 'Silver Anniversary' See - <i>Buddleja</i> 'Morning Mist' P.P. 17332 | DS | 0.87 | R1 | 4-7 | 8 | | 1.00 | 5 |
| <i>Buddleja</i> 'White Eyes' White Eyes Hybrid Butterfly-Bush | DS | 0.98 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Buddleja alternifolia</i> Alternate-leaf Butterfly-bush | DS | 1.05 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Buddleja alternifolia</i> 'Argentea' Silver Alternate-leaf Butterfly-bush | DS | 0.74 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> Butterfly-bush | DS | 1.05 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Adokeep' Adonis Blue™ Butterfly-bush | DS | 0.80 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Adonis Blue' See - <i>Buddleja davidii</i> 'Adokeep' | DS | 0.88 | R1 | 5-7 | 8 | | 0.49 | 5 |
| <i>Buddleja davidii</i> 'African Queen' African Queen Butterfly-bush | DS | 0.79 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Alba' White Butterfly-bush | DS | 0.88 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Attraction' Attraction Butterfly-bush | DS | 0.79 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Black Knight' Black Knight Butterfly-bush | DS | 0.88 | R1 | 5-7 | 8 | | 0.58 | 5 |
| <i>Buddleja davidii</i> 'Bonnie' Bonnie Butterfly-bush | DS | 0.83 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Border Beauty' Border Beauty Butterfly-bush | DS | 0.63 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Charming' Charming Butterfly-bush | DS | 0.69 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Cornwall Blue' Cornwall Blue Butterfly-bush | DS | 0.89 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Dartmoor' Dartmoor Butterfly-bush | DS | 0.80 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Dubonnet' Dubonnet Butterfly-bush | DS | 0.76 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Ellen's Blue' Ellen's Blue Butterfly-bush | DS | 0.92 | R1 | 5-7 | 8 | | 0.59 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Buddleja davidii</i> 'Empire Blue' Empire Blue Butterfly-bush | DS | 0.90 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Griffin Blue' Griffin Blue Butterfly-Bush | DS | 0.90 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Guinevere' Guinevere Butterfly-bush | DS | 0.85 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Harlequin' Harlequin Butterfly-bush | DS | 0.93 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Ile de France' Ile de France Butterfly-bush | DS | 0.86 | R1 | 5-7 | 8 | | 0.49 | 5 |
| <i>Buddleja davidii</i> 'Lochinch' Lochinch Butterfly-bush | DS | 0.76 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Miss Ellen' Miss Ellen Butterfly-bush | DS | 0.60 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Miss Ruby' Miss Ruby Butterfly-Bush | DS | 0.89 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Monrell' P.P. 14370 Strawberry Lemonade™ Butterfly-bush | DS | 1.23 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Moonshadow' Moonshadow Butterfly-bush | DS | 1.09 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Nanho Alba' Nanho White Butterfly-bush | DS | 0.78 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Nanho Blue' Nanho Blue Butterfly-bush | DS | 0.89 | R1 | 5-7 | 8 | | 0.65 | 5 |
| <i>Buddleja davidii</i> 'Nanho Purple' Nanho Purple Butterfly-bush | DS | 0.93 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Opera' Opera Butterfly-bush | DS | 0.72 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Orchid Beauty' Orchid Beauty Butterfly-bush | DS | 0.71 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Peacock' See - <i>Buddleja davidii</i> 'Peakeep' | | | | | | | | |
| <i>Buddleja davidii</i> 'Peakeep' Peacock™ Butterfly-bush | DS | 1.13 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Pink Charm' Pink Charm Butterfly-bush | DS | 0.77 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Pink Delight' Pink Delight Butterfly-bush | DS | 0.92 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Potter's Purple' Potter's Purple Butterfly-bush | DS | 0.87 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Princeton Purple' Princeton Purple Butterfly-bush | DS | 1.01 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Purple Emperor' See - <i>Buddleja davidii</i> 'Pyrkeep' | | | | | | | | |
| <i>Buddleja davidii</i> 'Pyrkeep' Purple Emperor™ Butterfly-bush | DS | 1.11 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Queen's Robe' Queen's Robe Butterfly-bush | DS | 0.89 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Royal Red' Royal Red Butterfly-bush | DS | 0.86 | R1 | 5-7 | 8 | | 0.65 | 5 |
| <i>Buddleja davidii</i> 'Rudy's Rainbow' Rudy's Rainbow Butterfly-bush | DS | 1.59 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Santana' P.P. 12383 Santana Butterfly-bush | DS | 1.09 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Silver Frost' Silver Frost Butterfly-bush | DS | 0.92 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Snow Bank' Snow Bank Butterfly-bush | DS | 0.81 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Strawberry Lemonade' See - <i>Buddleja davidii</i> 'Monrell' P.P. 14370 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Buddleja davidii</i> 'Summer Beauty' Summer Beauty Butterfly-bush | DS | 0.71 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'Summer Rose' Summer Rose Butterfly-bush | DS | 0.89 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'White Ball' White Ball Butterfly-bush | DS | 0.85 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'White Bouquet' White Bouquet Butterfly-bush | DS | 0.96 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> 'White Profusion' White Profusion Butterfly-bush | DS | 0.81 | R1 | 5-7 | 8 | | 0.65 | 5 |
| <i>Buddleja davidii</i> 'Windy Hill' Windy Hill Butterfly-bush | DS | 1.13 | R1 | 5-7 | 8 | | 0.59 | 5 |
| <i>Buddleja davidii</i> var. <i>nanhoensis</i> Nanho Butterfly-bush | DS | 1.14 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Buddleja davidii</i> var. <i>nanhoensis</i> 'Mongo' Petite Indigo™ Butterfly-bush | DS | 1.00 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Buddleja davidii</i> var. <i>nanhoensis</i> 'Monite' Petite Snow™ Butterfly-bush | DS | 1.08 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Buddleja davidii</i> var. <i>nanhoensis</i> 'Monum' Petite Plum™ Butterfly-bush | DS | 1.05 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Buddleja davidii</i> var. <i>nanhoensis</i> 'Petite Indigo' See - <i>Buddleja davidii</i> var. <i>nanhoensis</i> 'Mongo' | | | | | | | | |
| <i>Buddleja davidii</i> var. <i>nanhoensis</i> 'Petite Plum' See - <i>Buddleja davidii</i> var. <i>nanhoensis</i> 'Monum' | | | | | | | | |
| <i>Buddleja davidii</i> var. <i>nanhoensis</i> 'Petite Snow' See - <i>Buddleja davidii</i> var. <i>nanhoensis</i> 'Monite' | | | | | | | | |
| <i>Buddleja fallowiana</i> No Common Name Found | DS | 1.00 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Buddleja fallowiana</i> var. <i>alba</i> No Common Name Found | DS | 0.61 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Buddleja globosa</i> Globe Butterfly-bush | DS | 0.87 | R1 | 5-8 | | | 1.00 | 7 |
| <i>Buddleja indica</i> Indoor Oak | BS | 0.71 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Buddleja lindleyana</i> Tropical Butterfly-bush | BS | 0.84 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Buddleja lindleyana</i> 'Gloster' Gloster Tropical Butterfly-bush | BS | 0.86 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Buddleja madagascariensis</i> Golden Butterfly-bush | DS | 0.72 | R2 | 8 | | | 1.00 | 9 |
| <i>Buddleja marrubiifolia</i> Woolly Butterfly-bush | BS | 0.74 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Buddleja officinalis</i> Pale Butterfly-bush | BS | 1.00 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Buddleja xpikei</i> No Common Name Found | DS | 0.75 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Buddleja xpikei</i> 'Hever' Hever Castle Butterfly-bush | DS | 0.75 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Buddleja salviifolia</i> Salvia-leaf Butterfly-bush | BS | 0.83 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Buddleja xweyeriana</i> Weyer Butterfly-bush | BS | 0.81 | R1 | 5-7 | 8 | | 0.38 | 6 |
| <i>Buddleja xweyeriana</i> 'Bicolor' See - <i>Buddleja</i> 'Bicolor' | | | | | | | | |
| <i>Buddleja xweyeriana</i> 'Honeycomb' Honeycomb Butterfly-bush | BS | 0.82 | R1 | 5-7 | 8 | | 0.38 | 6 |
| <i>Buddleja xweyeriana</i> 'Sungold' Sungold Butterfly-bush | BS | 0.79 | R1 | 5-7 | 8 | | 0.38 | 6 |
| <i>Bulbine frutescens</i> Orange Rock Lily | BS | 0.77 | R2 | 8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Bulbine frutescens</i> 'Hallmark' Hallmark Bulbine | BS | 1.07 | R2 | 8 | | | 1.00 | 9 |
| <i>Bulbine latifolia</i> Rooiwortel | BS | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Bulbine natalensis</i> See - <i>Bulbine latifolia</i> | | | | | | | | |
| <i>Bulbinella floribunda</i> No Common Name Found | HP | 0.69 | R2 | 5-8 | | | | |
| <i>Bulbinella robusta</i> See - <i>Bulbinella floribunda</i> | | | | | | | | |
| <i>Bulbophyllum falcatum</i> No Common Name Found | FO | 4.50 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Bumelia lycioides</i> Southern Buckthorn | BS | 0.83 | R2 | 6 | 7-8 | | 1.00 | 6 |
| <i>Bumelia tenax</i> Tough Buckthorn | BS | 0.71 | R2 | 8 | | | 1.00 | 6 |
| <i>Buphthalmum salicifolium</i> Willowleaf Oxeye | HP | 0.43 | R2 | | 4-8 | | | |
| <i>Buphthalmum salicifolium</i> 'Sunwheel' Sunwheel Willowleaf Oxeye | HP | 0.43 | R2 | | 4-8 | | | |
| <i>Burbridgea nitida</i> Orange Ginger | HP | 0.91 | R2 | 7-8 | | | | |
| <i>Butia bonnetii</i> No Common Name Found | PC | 1.00 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Butia capitata</i> Jelly Palm | PC | 0.90 | R1 | 8 | | | 1.50 | 8 |
| <i>Butia microspadix</i> Dwarf Woolly Jelly Palm | PC | 1.00 | R2 | 8 | | | 1.00 | 8 |
| <i>Butia yatay</i> Yatay Palm | PC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>xButiagrus naborlandii</i> Mule Palm | PC | 1.60 | R2 | 8 | | | 1.00 | 9 |
| <i>Butomus umbellatus</i> Flowering Rush | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Buxus</i> Boxwood | BS | 1.45 | R1 | 3-5 | 6-8 | | 1.41 | 4 |
| <i>Buxus</i> 'Antarctica' See - <i>Buxus</i> 'Antzam' | | | | | | | | |
| <i>Buxus</i> 'Antzam' Antarctica™ Boxwood | BS | 1.54 | R1 | 3-5 | 6-8 | | 1.28 | 4 |
| <i>Buxus</i> 'Chicagoland Green' See - <i>Buxus</i> 'Glencoe' | | | | | | | | |
| <i>Buxus</i> 'Glencoe' Chicagoland Green® Boxwood | BS | 1.38 | R1 | 3-5 | 6-8 | | 1.49 | 4 |
| <i>Buxus</i> 'Green Gem' Green Gem Boxwood | BS | 1.02 | R1 | 3-5 | 6-8 | | 1.50 | 4 |
| <i>Buxus</i> 'Green Ice' P.P. 10773 Green Ice Boxwood | BS | 1.42 | R1 | 3-5 | 6-8 | | 1.35 | 4 |
| <i>Buxus</i> 'Green Mound' Green Mound Boxwood | BS | 1.47 | R1 | 3-5 | 6-8 | | 1.66 | 4 |
| <i>Buxus</i> 'Green Mountain' Green Mountain Boxwood | BS | 1.27 | R1 | 3-5 | 6-8 | | 1.43 | 4 |
| <i>Buxus</i> 'Green Velvet' Green Velvet Boxwood | BS | 1.26 | R1 | 3-5 | 6-8 | | 1.35 | 4 |
| <i>Buxus</i> 'Northern Charm' See - <i>Buxus</i> 'Wilson' | | | | | | | | |
| <i>Buxus</i> 'Saskatoon' Saskatoon Boxwood | BS | 1.97 | R1 | 3-5 | 6-8 | | 1.41 | 4 |
| <i>Buxus</i> 'Shirley Ann' Shirley Ann Boxwood | BS | 1.45 | R1 | 3-5 | 6-8 | | 1.41 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Buxus</i> 'Wilson' Northern Charm™ Boxwood | BS | 1.73 | R1 | 3-5 | 6-8 | | 1.22 | 4 |
| <i>Buxus harlandii</i> Harlands Boxwood | BS | 0.72 | R1 | 5-7 | 8 | | 1.00 | 6 |
| <i>Buxus microphylla</i> Littleleaf Boxwood | BS | 0.69 | R1 | 5-6 | 7-8 | | 0.94 | 5 |
| <i>Buxus microphylla</i> 'Compacta' Compact Littleleaf Boxwood | BS | 1.38 | R1 | 5-6 | 7-8 | | 1.22 | 5 |
| <i>Buxus microphylla</i> 'Curly Locks' Curly Locks Littleleaf Boxwood | BS | 1.34 | R1 | 5-6 | 7-8 | | 1.22 | 5 |
| <i>Buxus microphylla</i> 'Faulkner' Faulkner Littleleaf Boxwood | BS | 1.38 | R1 | 5-6 | 7-8 | | 0.96 | 5 |
| <i>Buxus microphylla</i> 'Green Pillow' Green Pillow Littleleaf Boxwood | BS | 1.79 | R1 | 5-6 | 7-8 | | 1.22 | 5 |
| <i>Buxus microphylla</i> 'John Baldwin' John Baldwin Littleleaf Boxwood | BS | 1.52 | R1 | 5-6 | 7-8 | | 1.22 | 5 |
| <i>Buxus microphylla</i> 'Julia Jane' Julia Jane Boxwood | BS | 1.63 | R1 | 5-6 | 7-8 | | 1.22 | 5 |
| <i>Buxus microphylla</i> 'Morris Midget' Morris Midget Littleleaf Boxwood | BS | 1.74 | R1 | 5-6 | 7-8 | | 1.22 | 6 |
| <i>Buxus microphylla</i> 'National' National Littleleaf Boxwood | BS | 0.78 | R1 | 5-6 | 7-8 | | 1.22 | 6 |
| <i>Buxus microphylla</i> 'True Spreader' True Spreader Littleleaf Boxwood | BS | 1.55 | R1 | 5-6 | 7-8 | | 1.59 | 5 |
| <i>Buxus microphylla</i> 'Wanford Page' Wanford's Golden Boxwood | BS | 1.34 | R1 | 5-6 | 7-8 | | 1.22 | 5 |
| <i>Buxus microphylla</i> 'Wintergreen' Wintergreen Littleleaf Boxwood | BS | 0.93 | R1 | 5-6 | 7-8 | | 1.40 | 4 |
| <i>Buxus microphylla</i> var. <i>japonica</i> Japanese Littleleaf Boxwood | BS | 0.71 | R1 | 5-6 | 7-8 | | 1.38 | 6 |
| <i>Buxus microphylla</i> var. <i>japonica</i> 'Baby Gem' See - <i>Buxus microphylla</i> var. <i>japonica</i> 'Greggem' P.P.A.F. | | | | | | | | |
| <i>Buxus microphylla</i> var. <i>japonica</i> 'Green Beauty' Green Beauty Japanese Littleleaf Boxwood | BS | 1.06 | R2 | 5-6 | 7-8 | | 1.15 | 6 |
| <i>Buxus microphylla</i> var. <i>japonica</i> 'Greggem' P.P.A.F. Baby Gem Littleleaf Boxwood | BS | 1.24 | R1 | 5-6 | 7-8 | | 1.40 | 6 |
| <i>Buxus microphylla</i> var. <i>japonica</i> 'Richardii' Richard Japanese Littleleaf Boxwood | BS | 0.77 | R1 | 5-6 | 7-8 | | 2.10 | 6 |
| <i>Buxus microphylla</i> var. <i>japonica</i> 'Sunnyside' Sunnyside Japanese Littleleaf Boxwood | BS | 0.98 | R1 | 5-6 | 7-8 | | 1.16 | 5 |
| <i>Buxus microphylla</i> var. <i>japonica</i> 'Winter Gem' Winter Gem Japanese Littleleaf Boxwood | BS | 1.11 | R1 | 5-6 | 7-8 | | 1.22 | 4 |
| <i>Buxus microphylla</i> var. <i>koreana</i> See - <i>Buxus sinica</i> var. <i>insularis</i> | | | | | | | | |
| <i>Buxus microphylla</i> var. <i>koreana</i> 'Winter Beauty' See - <i>Buxus sinica</i> var. <i>insularis</i> 'Winter Beauty' | | | | | | | | |
| <i>Buxus sempervirens</i> Common Boxwood | BS | 1.08 | R1 | 4-5 | 6-8 | | 1.51 | 5 |
| <i>Buxus sempervirens</i> 'Arctic Emerald' P.P. 18289 Arctic Emerald Common Boxwood | BS | 1.72 | R1 | 4-5 | 6-8 | | 1.39 | 5 |
| <i>Buxus sempervirens</i> 'Argenteo-variegata' Silver Variegated Common Boxwood | BS | 1.26 | R1 | 4-5 | 6-8 | | 1.24 | 5 |
| <i>Buxus sempervirens</i> 'Aureo-variegata' Golden Variegated Common Boxwood | BS | 0.96 | R1 | 4-5 | 6-8 | | 1.02 | 5 |
| <i>Buxus sempervirens</i> 'Fastigiata' Upright Common Boxwood | BS | 1.30 | R1 | 4-5 | 6-8 | | 1.52 | 5 |
| <i>Buxus sempervirens</i> 'Graham Blandy' Graham Blandy Common Boxwood | BS | 1.24 | R1 | 4-5 | 6-8 | | 1.37 | 5 |
| <i>Buxus sempervirens</i> 'Green Tower' See - <i>Buxus sempervirens</i> 'Monrue' P.P. 15243 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Buxus sempervirens</i> 'Handsworthiensis' Handsworth Common Boxwood | BS | 1.46 | R1 | 4-5 | 6-8 | | 1.39 | 5 |
| <i>Buxus sempervirens</i> 'Inglis' Inglis Common Boxwood | BS | 1.19 | R1 | 4-5 | 6-8 | | 2.34 | 5 |
| <i>Buxus sempervirens</i> 'Marginata' Goldedge Common Boxwood | BS | 1.29 | R1 | 4-5 | 6-8 | | 1.39 | 5 |
| <i>Buxus sempervirens</i> 'Monrue' P.P. 15243 Green Tower™ Common Boxwood | BS | 1.73 | R1 | 4-5 | 6-8 | | 1.39 | 5 |
| <i>Buxus sempervirens</i> 'Newport Blue' Newport Blue Common Boxwood | BS | 1.27 | R1 | 4-5 | 6-8 | | 1.25 | 5 |
| <i>Buxus sempervirens</i> 'Pendula' Weeping Common Box | BS | 1.29 | R1 | 4-5 | 6-8 | | 1.39 | 5 |
| <i>Buxus sempervirens</i> 'Prostrata' Prostrate Common Boxwood | BS | 1.29 | R1 | 4-5 | 6-8 | | 1.39 | 5 |
| <i>Buxus sempervirens</i> 'Rotundifolia' Round-leaf Common Boxwood | BS | 1.17 | R1 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Buxus sempervirens</i> 'Suffruticosa' Edging Common Boxwood | BS | 1.19 | R1 | 4-5 | 6-8 | | 1.39 | 5 |
| <i>Buxus sempervirens</i> 'Vardar Valley' Vardar Valley Common Boxwood | BS | 1.39 | R1 | 4-5 | 6-8 | | 1.52 | 5 |
| <i>Buxus sempervirens</i> 'Variegata' Variegated Common Boxwood | BS | 1.42 | R1 | 4-5 | 6-8 | | 1.34 | 5 |
| <i>Buxus sempervirens</i> 'Welleri' Weller Common Boxwood | BS | 0.92 | R1 | 4-5 | 6-8 | | 1.02 | 5 |
| <i>Buxus sinica</i> Chinese Littleleaf Boxwood | BS | 1.77 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Buxus sinica</i> var. <i>insularis</i> Korean Littleleaf Boxwood | BS | 1.10 | R1 | 5-6 | 7-8 | | 1.16 | 4 |
| <i>Buxus sinica</i> var. <i>insularis</i> 'Cushion' See - <i>Buxus sinica</i> var. <i>insularis</i> 'Pincushion' | | | | | | | | |
| <i>Buxus sinica</i> var. <i>insularis</i> 'Emerald Jewel' Emerald Jewel Korean Littleleaf Boxwood | BS | 1.20 | R1 | 5-6 | 7-8 | | 1.31 | 4 |
| <i>Buxus sinica</i> var. <i>insularis</i> 'Franklin's Gem' Franklin's Gem Korean Littleleaf Boxwood | BS | 1.30 | R1 | 5-6 | 7-8 | | 1.40 | 4 |
| <i>Buxus sinica</i> var. <i>insularis</i> 'Justin Brouwers' Justin Brouwers Korean Littleleaf Boxwood | BS | 1.37 | R1 | 5-6 | 7-8 | | 1.31 | 4 |
| <i>Buxus sinica</i> var. <i>insularis</i> 'Pincushion' Pincushion Korean Littleleaf Boxwood | BS | 1.36 | R1 | 5-6 | 7-8 | | 1.31 | 4 |
| <i>Buxus sinica</i> var. <i>insularis</i> 'Tide Hill' Tide Hill Korean Littleleaf Boxwood | BS | 1.36 | R1 | 5-6 | 7-8 | | 1.69 | 5 |
| <i>Buxus sinica</i> var. <i>insularis</i> 'Wee Willie' P.P. 17007 Wee Willie Korean Littleleaf Boxwood | BS | 1.88 | R1 | 5-6 | 7-8 | | 1.31 | 4 |
| <i>Buxus sinica</i> var. <i>insularis</i> 'Winter Beauty' Winter Beauty Korean Littleleaf Boxwood | BS | 1.28 | R1 | 5-6 | 7-8 | | 0.99 | 4 |
| <i>Caesalpinia cacalaco</i> Cascalote | BE | 0.72 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Caesalpinia decapetala</i> Mysore Thorn | BE | 1.00 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Caesalpinia gilliesii</i> Bird of Paradise Bush | BE | 0.91 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Caesalpinia granadillo</i> Bridalveil Tree | BE | 1.23 | R2 | 8 | | 1.00 | 0.88 | 10 |
| <i>Caesalpinia mexicana</i> Mexican Caesalpinia | BS | 0.84 | R2 | 8 | | | 0.40 | 10 |
| <i>Caesalpinia pulcherrima</i> Flamboyant Tree | BS | 1.03 | R2 | 8 | | | 0.57 | 9 |
| <i>Caesalpinia pulcherrima</i> 'Rosea' Pink Flamboyant Tree | BS | 1.03 | R2 | 8 | | | 0.57 | 9 |
| <i>Caesalpinia pulcherrima</i> var. <i>flava</i> No Common Name Found | BS | 1.09 | R2 | 8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Caesalpinia sepiaria</i> | | | | | | | | |
| See - <i>Caesalpinia decapetala</i> | | | | | | | | |
| <i>Caesalpinia vesicaria</i> Brasiletto | BS | 1.26 | R2 | 8 | | | 1.00 | 10 |
| <i>Caesalpinia yucatanensis</i> Yucatan <i>Caesalpinia</i> | BS | 0.97 | R2 | 8 | | | 1.00 | 10 |
| <i>Caladium</i> Caladium | HP | 1.48 | R2 | 8 | | | | |
| <i>Caladium</i> 'Thai Beauty' Thai Beauty Hybrid Caladium | HP | 1.48 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> Caladium | HP | 0.91 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Aaron' Aaron Caladium | HP | 0.75 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Blaze' Blaze Caladium | HP | 0.71 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Calypso' Calypso Caladium | HP | 0.71 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Candidum Junior' Candidum Junior Caladium | HP | 0.75 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Candidum' Candidum Caladium | HP | 0.78 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Carolyn Whorton' Carolyn Whorton Caladium | HP | 0.61 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Elise' Elise Caladium | HP | 0.71 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Fannie Munson' Fannie Munson Caladium | HP | 0.71 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Fantasy' Fantasy Caladium | HP | 0.71 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Festiva' Festiva Caladium | HP | 0.71 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Florida Cardinal Red' Florida Cardinal Red Caladium | HP | 0.64 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Florida Sweetheart' Florida Sweetheart Caladium | HP | 0.71 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Freida Hemple' Freida Hemple Caladium | HP | 0.61 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Gingerland' Gingerland Caladium | HP | 0.71 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Irene Dahl' Irene Dahl Caladium | HP | 0.71 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Jackie Suthers' Jackie Suthers Caladium | HP | 0.71 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'June Bride' June Bride Caladium | HP | 0.71 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Kathleen' Kathleen Caladium | HP | 0.71 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Miss Muffet' Miss Muffet Caladium | HP | 0.77 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Pink Beauty' Pink Beauty Caladium | HP | 0.76 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Pink Gem' Pink Gem Caladium | HP | 0.75 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Pink Symphony' Pink Symphony Caladium | HP | 0.71 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Postman Joyner' Postman Joyner Caladium | HP | 0.76 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Red Flash' Red Flash Caladium | HP | 0.67 | R2 | 8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Caladium bicolor</i> 'Red Frill' Red Frill Caladium | HP | 0.63 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Rosabud' Rosabud Caladium | HP | 0.83 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Rosalie' Rosalie Caladium | HP | 0.71 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'Tropicana' Tropicana Caladium | HP | 0.71 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'White Christmas' White Christmas Caladium | HP | 0.62 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'White Queen' White Queen Caladium | HP | 0.62 | R2 | 8 | | | | |
| <i>Caladium bicolor</i> 'White Wing' White Wing Caladium | HP | 0.62 | R2 | 8 | | | | |
| <i>Caladium x hortulanum</i> See - <i>Caladium bicolor</i> | | | | | | | | |
| <i>Caladium humboldtii</i> No Common Name Found | FO | 0.51 | R2 | 8 | | | 1.00 | 10 |
| <i>Caladium humboldtii</i> 'Pha Ya Sa Vette' Pha Ya Sa Vette Caladium | FO | 0.51 | R2 | 8 | | | 1.00 | 10 |
| <i>Caladium lindenii</i> No Common Name Found | FO | 0.99 | R2 | 8 | | | 1.00 | 10 |
| <i>Caladium lindenii</i> 'Magnificum' No Common Name Found | FO | 0.99 | R2 | 8 | | | 1.00 | 10 |
| <i>Caladium picturatum</i> No Common Name Found | HP | 1.00 | R2 | 8 | | | | |
| <i>Caladium sagittifolium</i> See - <i>Xanthosoma sagittifolium</i> | | | | | | | | |
| <i>Caladium zamiifolium</i> See - <i>Zamioculcas zamiifolia</i> | | | | | | | | |
| <i>Calamagrostis x acutiflora</i> Feather Reed Grass | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Calamagrostis x acutiflora</i> 'Avalanche' Avalanche Feather Reed Grass | HP | 1.17 | R2 | 3-4 | 5-8 | | | |
| <i>Calamagrostis x acutiflora</i> 'Eldorado' P.P. 16486 Eldorado Variegated Feather Reed Grass | HP | 1.49 | R2 | 3-4 | 5-8 | | | |
| <i>Calamagrostis x acutiflora</i> 'Karl Foerster' Karl Foerster Feather Reed Grass | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Calamagrostis x acutiflora</i> 'Overdami' Overdami Feather Reed Grass | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Calamagrostis x acutiflora</i> 'Stricta' Stricta Feather Reed Grass | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Calamagrostis arundinacea</i> Reed Grass | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Calamagrostis arundinacea</i> var. <i>brachytricha</i> See - <i>Calamagrostis brachytricha</i> | | | | | | | | |
| <i>Calamagrostis brachytricha</i> Korean Feather Reed Grass | HP | 1.32 | R2 | 3-4 | 5-8 | | | |
| <i>Calamagrostis canadensis</i> Blue Joint Grass | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Calamagrostis epigejos</i> Wood Small Reed | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Calamagrostis foliosa</i> Leafy Reed Grass | HP | 0.62 | R2 | 5-7 | 8 | | | |
| <i>Calamagrostis nutkaensis</i> No Common Name Found | HP | 0.54 | R2 | 5-7 | 8 | | | |
| <i>Calamintha cretica</i> Trailing Calamint | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Calamintha grandiflora</i> Showy Savory | HP | 0.68 | R2 | 5-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Calamintha grandiflora</i> 'Variegata' Variegated Large-flowered Calamint | HP | 0.94 | R2 | 5-6 | 7-8 | | | |
| <i>Calamintha nepeta</i> Savory Calamint | HP | 0.82 | R2 | 5-6 | 7-8 | | | |
| <i>Calamintha nepeta</i> 'Gottlieb Friedkund' Gottlieb Friedkund Savory Calamint | HP | 0.80 | R2 | 5-6 | 7-8 | | | |
| <i>Calamintha nepeta</i> 'White Cloud' White Cloud Savory Calamint | HP | 0.84 | R2 | 5-6 | 7-8 | | | |
| <i>Calamintha nepeta</i> ssp. <i>nepeta</i> No Common Name Found | HP | 1.13 | R2 | 5-6 | 7-8 | | | |
| <i>Calandrinia umbellata</i> Rock Purslane | GC | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Calanthe discolor</i> var. <i>sieboldii</i> No Common Name Found | FO | 1.00 | R2 | 6-7 | 8 | | 1.00 | 7 |
| <i>Calanthe rosea</i> Rose Painted Leaf | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Calanthe sieboldii</i> See - <i>Calanthe discolor</i> var. <i>sieboldii</i> | | | | | | | | |
| <i>Calathea</i> Calathea | FO | 0.96 | R2 | 8 | | | 1.00 | 10 |
| <i>Calathea</i> 'Angela' P.P. 9692 Angela Calathea | FO | 0.96 | R2 | 8 | | | 1.00 | 10 |
| <i>Calathea</i> 'Cora' Cora Calathea | FO | 0.96 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea</i> 'Corona' Corona Calathea | FO | 0.97 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea</i> 'Kopper Krome' Kopper Krome Calathea | FO | 0.92 | R2 | 8 | | | 1.00 | 10 |
| <i>Calathea</i> 'Maria' Maria Calathea | FO | 0.66 | R2 | 8 | | | 1.00 | 10 |
| <i>Calathea</i> 'Medallion' Medallion Calathea | FO | 0.88 | R2 | 8 | | | 1.00 | 10 |
| <i>Calathea</i> 'Pink Aurora' Pink Aurora Calathea | FO | 1.05 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea</i> 'Velvet Touch' Velvet Touch Calathea | FO | 0.93 | R2 | 8 | | | 1.00 | 10 |
| <i>Calathea burle-marxii</i> No Common Name Found | FO | 0.72 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea burle-marxii</i> 'Ice Blue' Ice Blue Calathea | FO | 0.94 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea concinna</i> No Common Name Found | FO | 0.91 | R2 | 8 | | | 1.00 | 8 |
| <i>Calathea crotalifera</i> No Common Name Found | FO | 3.20 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea elliptica</i> No Common Name Found | FO | 0.74 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea elliptica</i> 'Vittata' Vittata Calathea | FO | 0.74 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea fasciata</i> No Common Name Found | FO | 0.90 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea louisae</i> Hardy Calathea | FO | 0.70 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea lutea</i> Cauassu | FO | 1.36 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea majestica</i> No Common Name Found | FO | 0.79 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea majestica</i> 'Princeps' Princeps Calathea | FO | 0.79 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea makoyana</i> Peacock Plant | FO | 0.82 | R2 | 8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Calathea orbifolia</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea ornata</i> See - <i>Calathea majestica</i> | | | | | | | | |
| <i>Calathea picta</i> See - <i>Calathea warscewiczii</i> | | | | | | | | |
| <i>Calathea roseapicta</i> No Common Name Found | FO | 0.94 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea roseapicta</i> 'Eclipse' P.P. 9621 Eclipse Roseapicta Calathea | FO | 0.85 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea roseapicta</i> 'Rosy' P.P. 8836 Rosy Roseapicta Calathea | FO | 0.90 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea rotundifolia</i> See - <i>Calathea orbifolia</i> | | | | | | | | |
| <i>Calathea rufifarba</i> No Common Name Found | FO | 0.95 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea tigrinum</i> Zebra Plant | FO | 0.94 | R2 | 8 | | | 1.00 | 8 |
| <i>Calathea undulata</i> No Common Name Found | FO | 1.29 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea warscewiczii</i> No Common Name Found | FO | 1.06 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea warscewiczii</i> 'Jungle Velvet' Jungle Velvet Calathea | FO | 1.06 | R2 | 8 | | | 1.00 | 9 |
| <i>Calathea zebrina</i> Zebra Calathea | FO | 0.99 | R2 | 8 | | | 1.00 | 9 |
| <i>Calceolaria</i> Calceolaria | HP | 0.64 | R2 | 6-8 | | | | |
| <i>Calceolaria</i> 'Golden Nugget' Golden Nugget Calceolaria | HP | 0.64 | R2 | 6-8 | | | | |
| <i>Calceolaria</i> 'Kentish Hero' Kentish Hero Calceolaria | HP | 0.64 | R2 | 6-8 | | | | |
| <i>Calceolaria</i> 'Walter Shrimpton' Walter Shrimpton Calceolaria | HP | 0.64 | R2 | 6-8 | | | | |
| <i>Calceolaria arachnoidea</i> No Common Name Found | HP | 0.70 | R2 | 6-8 | | | | |
| <i>Calceolaria biflora</i> No Common Name Found | HP | 0.70 | R2 | 6-8 | | | | |
| <i>Calceolaria biflora</i> 'John Innes' John Innes Calceolaria | HP | 0.70 | R2 | 6-8 | | | | |
| <i>Calceolaria crenatiflora</i> No Common Name Found | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Calendula officinalis</i> Pot Marigold | AN | 0.51 | R2 | 6-8 | | | | |
| <i>Calendula officinalis</i> 'Fiesta Gitana Mix' Fiesta Gitana Mix Pot Marigold | AN | 0.51 | R2 | 6-8 | | | | |
| <i>Calendula officinalis</i> 'Orange Bon Bon' Orange Bon Bon Pot Marigold | AN | 0.51 | R2 | 6-8 | | | | |
| <i>Calendula officinalis</i> 'Yellow Bon Bon' Yellow Bon Bon Pot Marigold | AN | 0.51 | R2 | 6-8 | | | | |
| <i>Calibrachoa</i> No Common Name Found | HP | 0.74 | R2 | 5-8 | | | | |
| <i>Calibrachoa</i> '01C-J-6' P.P. 16529 Starlette® Yellow Improved Calibrachoa | HP | 0.45 | R2 | 5-8 | | | | |
| <i>Calibrachoa</i> 'Balcabapt' Cabaret™ Apricot Calibrachoa | HP | 0.59 | R2 | 5-8 | | | | |
| <i>Calibrachoa</i> 'Balcabcher' P.P. 17324 Cabaret™ Cherry Rose Calibrachoa | HP | 0.59 | R2 | 5-8 | | | | |
| <i>Calibrachoa</i> 'Balcabhopi' P.P. 18795 Cabaret™ Hot Pink Calibrachoa | HP | 0.60 | R2 | 5-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|--|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Calibrachoa</i> 'Balcablav' P.P. 19138 Cabaret™ Lavender Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Balcablitpi' P.P. 18756 Cabaret™ Light Pink Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Balcabpea' P.P. 19029 Cabaret™ Peach Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Balcabpurp' P.P. 17519 Cabaret™ Purple Calibrachoa | HP | 0.60 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Balcabred' P.P. 17151 Cabaret™ Red Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Balcabrose' P.P. 17269 Cabaret™ Rose Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Balcabscar' P.P. 17374 Cabaret™ Scarlet Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Balcabwitim' P.P. 18777 Cabaret™ White Improved Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Cabaret Apricot' See - <i>Calibrachoa</i> 'Balcabapt' | | | | | | | |
| <i>Calibrachoa</i> 'Cabaret Cherry Rose' See - <i>Calibrachoa</i> 'Balcabcher' P.P. 17324 | | | | | | | |
| <i>Calibrachoa</i> 'Cabaret Hot Pink' See - <i>Calibrachoa</i> 'Balcabhopi' P.P. 18795 | | | | | | | |
| <i>Calibrachoa</i> 'Cabaret Lavender' See - <i>Calibrachoa</i> 'Balcablav' P.P. 19138 | | | | | | | |
| <i>Calibrachoa</i> 'Cabaret Light Pink' See - <i>Calibrachoa</i> 'Balcablitpi' P.P. 18756 | | | | | | | |
| <i>Calibrachoa</i> 'Cabaret Peach' See - <i>Calibrachoa</i> 'Balcabpea' P.P. 19029 | | | | | | | |
| <i>Calibrachoa</i> 'Cabaret Purple' See - <i>Calibrachoa</i> 'Balcabpurp' P.P. 17519 | | | | | | | |
| <i>Calibrachoa</i> 'Cabaret Red' See - <i>Calibrachoa</i> 'Balcabred' P.P. 17151 | | | | | | | |
| <i>Calibrachoa</i> 'Cabaret Rose' See - <i>Calibrachoa</i> 'Balcabrose' P.P. 17269 | | | | | | | |
| <i>Calibrachoa</i> 'Cabaret Scarlet' See - <i>Calibrachoa</i> 'Balcabscar' P.P. 17374 | | | | | | | |
| <i>Calibrachoa</i> 'Cabaret Series' Cabaret™ Series Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Cabaret White Improved' See - <i>Calibrachoa</i> 'Balcabwitim' P.P. 18777 | | | | | | | |
| <i>Calibrachoa</i> 'Cal Cremey' P.P. 17256 Callie™ Cream w/Eye Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Cal Darblu' P.P. 14552 Callie™ Dark Blue Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Cal Depyel' P.P. 17883 Callie™ Deep Yellow Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Cal Goldey' P.P. 17303 Callie™ Gold w/Red Eye Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Cal Orang08' Callie™ Orange '08 Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Cal Peachy' Callie™ Peach Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Cal Pur' P.P. 15427 Callie™ Purple Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Cal Scared' P.P. 14462 Callie™ Scarlet Red '05 Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Cal Sunre' P.P. 14605 Callie™ Sunrise Calibrachoa | HP | 0.86 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Cal White' P.P. 14497 Callie™ White Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|--|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Calibrachoa</i> 'Cal Yel' P.P. 14464 Callie™ Yellow Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Cal litbule' P.P.A.F. Callie™ Light Blue Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Callie Cream w/Eye' See - <i>Calibrachoa</i> 'Cal Cremey' P.P. 17256 | | | | | | | |
| <i>Calibrachoa</i> 'Callie Dark Blue' See - <i>Calibrachoa</i> 'Cal Darblu' P.P. 14552 | | | | | | | |
| <i>Calibrachoa</i> 'Callie Deep Yellow' See - <i>Calibrachoa</i> 'Cal Depyel' P.P. 17883 | | | | | | | |
| <i>Calibrachoa</i> 'Callie Gold w/Red Eye' See - <i>Calibrachoa</i> 'Cal Goldey' P.P. 17303 | | | | | | | |
| <i>Calibrachoa</i> 'Callie Light Blue' See - <i>Calibrachoa</i> 'Cal litbule' P.P.A.F. | | | | | | | |
| <i>Calibrachoa</i> 'Callie Orange '08' See - <i>Calibrachoa</i> 'Cal Orang08' | | | | | | | |
| <i>Calibrachoa</i> 'Callie Peach' See - <i>Calibrachoa</i> 'Cal Peachy' | | | | | | | |
| <i>Calibrachoa</i> 'Callie Purple' See - <i>Calibrachoa</i> 'Cal Pur' P.P. 15427 | | | | | | | |
| <i>Calibrachoa</i> 'Callie Scarlet Red '05' See - <i>Calibrachoa</i> 'Cal Scared' P.P. 14462 | | | | | | | |
| <i>Calibrachoa</i> 'Callie Series' Callie™ Series Calibrachoa | HP | 0.85 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Callie Sunrise' See - <i>Calibrachoa</i> 'Cal Sunre' P.P. 14605 | | | | | | | |
| <i>Calibrachoa</i> 'Callie White' See - <i>Calibrachoa</i> 'Cal White' P.P. 14497 | | | | | | | |
| <i>Calibrachoa</i> 'Callie Yellow' See - <i>Calibrachoa</i> 'Cal Yel' P.P. 14464 | | | | | | | |
| <i>Calibrachoa</i> 'Colorburst Chocolate' See - <i>Calibrachoa</i> 'Kakegawa S72' P.P. 15686 | | | | | | | |
| <i>Calibrachoa</i> 'Colorburst Melon' See - <i>Calibrachoa</i> 'Kakegawa S69' P.P. 15524 | | | | | | | |
| <i>Calibrachoa</i> 'Colorburst Pro Blue' See - <i>Calibrachoa</i> 'Kakegawa S64' P.P. 15614 | | | | | | | |
| <i>Calibrachoa</i> 'Colorburst Pro Red' See - <i>Calibrachoa</i> 'Kakegawa S62' P.P. 15589 | | | | | | | |
| <i>Calibrachoa</i> 'Colorburst Pro Rose' See - <i>Calibrachoa</i> 'Kakegawa S63' P.P. 15527 | | | | | | | |
| <i>Calibrachoa</i> 'Colorburst Pro Series' Colorburst Pro™ Series Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Colorburst Pro White' See - <i>Calibrachoa</i> 'Kakegawa S65' P.P. 15548 | | | | | | | |
| <i>Calibrachoa</i> 'Colorburst Red' P.P. 12241 Colorburst Red Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Colorburst Series' Colorburst™ Series Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Colorburst Trailing Canary' See - <i>Calibrachoa</i> 'Kakegawa S70' P.P. 15666 | | | | | | | |
| <i>Calibrachoa</i> 'Colorburst Trailing Electric Red' See - <i>Calibrachoa</i> 'Kakegawa S82' P.P. 16823 | | | | | | | |
| <i>Calibrachoa</i> 'KLECA01061' P.P. 14172 Minifamous™ Apricot Calibrachoa | HP | 0.60 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'KLECA06126' P.P. 18694 Minifamous™ Double Pink Calibrachoa | HP | 0.60 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Kakegawa S62' P.P. 15589 Colorburst Pro™ Red Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Kakegawa S63' P.P. 15527 Colorburst Pro™ Rose Calibrachoa | HP | 0.83 | R2 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Calibrachoa</i> 'Kakegawa S64' P.P. 15614 Colorburst Pro™ Blue Calibrachoa | HP | 0.82 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Kakegawa S65' P.P. 15548 Colorburst Pro™ White Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Kakegawa S69' P.P. 15524 Colorburst™ Melon Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Kakegawa S70' P.P. 15666 Colorburst™ Trailing Canary Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Kakegawa S72' P.P. 15686 Colorburst™ Chocolate Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Kakegawa S82' P.P. 16823 Colorburst™ Trailing Electric Red Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Million Bells Cherry Pink' See - <i>Calibrachoa</i> 'Sunbelochipi' P.P. 10355 | | | | | | | |
| <i>Calibrachoa</i> 'Million Bells Series' Million Bells® Series Calibrachoa | HP | 0.79 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Minifamous Apricot' See - <i>Calibrachoa</i> 'KLECA01061' P.P. 14172 | | | | | | | |
| <i>Calibrachoa</i> 'Minifamous Double Pink' See - <i>Calibrachoa</i> 'KLECA06126' P.P. 18694 | | | | | | | |
| <i>Calibrachoa</i> 'Minifamous Series' Minifamous™ Series Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Starlette Series' Starlette® Series Calibrachoa | HP | 0.74 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Starlette Sunset' P.P.A.F. Starlette® Sunset Calibrachoa | HP | 0.45 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Starlette Yellow Improved' See - <i>Calibrachoa</i> '01C-J-6' P.P. 16529 | | | | | | | |
| <i>Calibrachoa</i> 'Sunbelkist' P.P. 11352 Terra Cotta™ Million Bells Calibrachoa | HP | 0.79 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Sunbelkubu' P.P. 10279 Trailing Blue™ Million Bells Calibrachoa | HP | 1.07 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Sunbelkuho' P.P. 10278 Trailing White™ Million Bells Calibrachoa | HP | 0.79 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Sunbelkupi' P.P. 10287 Trailing Pink™ Million Bells Calibrachoa | HP | 0.80 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Sunbelochipi' P.P. 10355 Million Bells® Cherry Pink Calibrachoa | HP | 1.21 | R2 | 5-8 | | | |
| <i>Calibrachoa</i> 'Terra Cotta' See - <i>Calibrachoa</i> 'Sunbelkist' P.P. 11352 | | | | | | | |
| <i>Calibrachoa</i> 'Trailing Blue' See - <i>Calibrachoa</i> 'Sunbelkubu' P.P. 10279 | | | | | | | |
| <i>Calibrachoa</i> 'Trailing Pink' See - <i>Calibrachoa</i> 'Sunbelkupi' P.P. 10287 | | | | | | | |
| <i>Calibrachoa</i> 'Trailing White' See - <i>Calibrachoa</i> 'Sunbelkuho' P.P. 10278 | | | | | | | |
| <i>Calla aethiopica</i> See - <i>Zantedeschia aethiopica</i> | | | | | | | |
| <i>Callicarpa americana</i> American Beautyberry | DS | 0.79 | R1 | 5-6 | 7-8 | 0.40 | 5 |
| <i>Callicarpa americana</i> 'Lactea' White American Beautyberry | DS | 0.59 | R1 | 5-6 | 7-8 | 0.40 | 5 |
| <i>Callicarpa bodinieri</i> Bodinier Beautyberry | DS | 0.71 | R1 | 5-6 | 7-8 | 0.94 | 6 |
| <i>Callicarpa bodinieri</i> 'Profusion' Profusion Bodinier Beautyberry | DS | 0.92 | R1 | 5-6 | 7-8 | 0.94 | 6 |
| <i>Callicarpa bodinieri</i> var. <i>giraldii</i> Girald Bodinier Beautyberry | DS | 1.00 | R1 | 5-6 | 7-8 | 1.00 | 6 |
| <i>Callicarpa dichotoma</i> Purple Beautyberry | DS | 0.84 | R1 | 5-6 | 7-8 | 0.98 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Callicarpa dichotoma</i> 'Dark Star' Dark Star Purple Beautyberry | DS | 0.97 | R1 | 5-6 | 7-8 | | 0.98 | 5 |
| <i>Callicarpa dichotoma</i> 'Early Amethyst' Early Amethyst Purple Beautyberry | DS | 0.98 | R1 | 5-6 | 7-8 | | 0.98 | 5 |
| <i>Callicarpa dichotoma</i> 'Issai' Issai Purple Beautyberry | DS | 0.94 | R1 | 5-6 | 7-8 | | 0.98 | 5 |
| <i>Callicarpa dichotoma</i> var. <i>albifructus</i> White-berried Purple Beautyberry | DS | 0.64 | R1 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Callicarpa japonica</i> Japanese Beautyberry | DS | 0.86 | R1 | 5-6 | 7-8 | | 1.72 | 6 |
| <i>Callicarpa longifolia</i> Longleaf Beautyberry | DS | 1.21 | R1 | 8 | | | 1.72 | 9 |
| <i>Callicarpa longifolia</i> 'Leucocarpa' White-fruit Longleaf Beautyberry | DS | 1.21 | R1 | 8 | | | 1.72 | 9 |
| <i>Callicarpa shikokiana</i> No Common Name Found | DS | 0.85 | R1 | 6-7 | 8 | | 1.00 | 7 |
| <i>Callirhoe involucrata</i> Wine Cups | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Callirhoe papaver</i> Poppy Mallow | HP | 1.33 | R2 | 5-6 | 7-8 | | | |
| <i>Callisia repens</i> No Common Name Found | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Callistemon</i> Bottlebrush | BE | 0.69 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Callistemon</i> 'Burning Bush' Burning Bush Bottlebrush | BS | 0.71 | R2 | 8 | | | 0.56 | 9 |
| <i>Callistemon</i> 'Little John' Little John Bottlebrush | BS | 1.13 | R2 | 8 | | | 0.56 | 9 |
| <i>Callistemon</i> 'Mauve Mist' Mauve Mist Bottlebrush | BE | 0.65 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Callistemon</i> 'Perth Pink' Perth Pink Bottlebrush | BE | 0.61 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Callistemon</i> 'Red Cluster' Red Cluster Bottlebrush | BS | 0.79 | R2 | 8 | | | 0.56 | 9 |
| <i>Callistemon</i> 'Woodlander's Hardy' Woodlander's Hardy Bottlebrush | BS | 0.90 | R2 | 7-8 | | | 0.56 | 7 |
| <i>Callistemon</i> 'Woodlander's Red' See - <i>Callistemon</i> 'Woodlander's Hardy' | | | | | | | | |
| <i>Callistemon citrinus</i> Crimson Bottlebrush | BE | 0.81 | R2 | 6-8 | | 1.00 | 0.61 | 8 |
| <i>Callistemon citrinus</i> 'Hannah Ray' Hannah Ray Crimson Bottlebrush | BE | 0.79 | R2 | 6-8 | | 1.00 | 0.61 | 8 |
| <i>Callistemon citrinus</i> 'Rainbow' Rainbow Crimson Bottlebrush | BE | 0.70 | R2 | 6-8 | | 1.00 | 0.61 | 8 |
| <i>Callistemon citrinus</i> 'Splendens' Splendens Crimson Bottlebrush | BE | 0.59 | R2 | 6-8 | | 1.00 | 0.61 | 8 |
| <i>Callistemon citrinus</i> 'Violaceus' Violet Crimson Bottlebrush | BE | 0.62 | R2 | 6-8 | | 1.00 | 0.61 | 8 |
| <i>Callistemon lanceolatus</i> See - <i>Callistemon citrinus</i> | | | | | | | | |
| <i>Callistemon rigidus</i> Stiff Bottlebrush | BE | 0.66 | R2 | 8 | | 1.00 | 0.78 | 9 |
| <i>Callistemon salignus</i> Pink Tips | BE | 1.00 | R2 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Callistemon sieberi</i> Alpine Bottlebrush | BE | 0.72 | R2 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Callistemon sieberi</i> 'Powell's Hardy Red' Powell's Hardy Red Alpine Bottlebrush | BE | 0.50 | R2 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Callistemon speciosus</i> Albany Bottlebrush | BE | 0.53 | R2 | 8 | | 1.00 | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ | |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|----|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | | |
| <i>Callistemon subulatus</i> No Common Name Found | BE | 0.72 | R2 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Callistemon viminalis</i> Weeping Bottlebrush | BE | 0.85 | R2 | 8 | | 1.00 | 0.58 | 9 |
| <i>Callistemon viminalis</i> 'Captain Cook' Captain Cook Weeping Bottlebrush | BS | 0.71 | R2 | 8 | | | 1.00 | 9 |
| <i>Callistemon viminalis</i> 'Red Cascade' Red Cascade Weeping Bottlebrush | BE | 1.00 | R2 | 8 | | 1.00 | 0.58 | 9 |
| <i>Callistemon viminalis</i> 'Texas' Texas Bottlebrush | BE | 0.78 | R2 | 8 | | 1.00 | 0.58 | 9 |
| <i>Callistemon viridiflorus</i> Green Bottlebrush | BE | 1.00 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Callistephus chinensis</i> China Aster | BE | 0.55 | R2 | 7-8 | | 1.00 | 1.00 | 10 |
| <i>Calluna vulgaris</i> Scotch Heather | BS | 1.11 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Alba Jae' Alba Jae Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Alicia' P.P. 10592 Alicia Scotch Heather | BS | 1.15 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Allegro' Allegro Scotch Heather | BS | 0.91 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Alportii' Alport Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Amethyst' P.P. 10591 Amethyst Scotch Heather | BS | 1.54 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Anette' P.P. 10781 Anette Scotch Heather | BS | 1.60 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Anthony Davis' Anthony Davis Scotch Heather | BS | 1.28 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Aphrodite' Aphrodite Scotch Heather | BS | 1.59 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Aureaefolia' Goldleaf Scotch Heather | BS | 0.76 | R1 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Barnett Anley' Barnett Anley Scotch Heather | BS | 1.32 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Beoley Gold' Beoley Gold Scotch Heather | BS | 1.31 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Blazeaway' Blazeaway Scotch Heather | BS | 1.34 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Branchy Anne' Branchy Anne Scotch Heather | BS | 1.50 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Brightness' See - <i>Calluna vulgaris</i> 'Waquoit Brightness' | | | | | | | | |
| <i>Calluna vulgaris</i> 'Bronze Beauty' Bronze Beauty Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'C.W. Nix' C.W. Nix Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Caerketton White' Caerketton White Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Con Brio' Con Brio Scotch Heather | BS | 1.07 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Corbetts Red' Corbetts Red Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'County Wicklow' County Wicklow Scotch Heather | BS | 1.18 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Cuprea' Cuprea Scotch Heather | BS | 1.29 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Dainty Bess' Dainty Bess Scotch Heather | BS | 1.37 | R2 | 4 | 5-8 | | 1.00 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Calluna vulgaris</i> 'Dark Beauty' Dark Beauty Scotch Heather | BS | 1.55 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Darkness' Darkness Scotch Heather | BS | 0.72 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Darleyensis' Darleyensis Scotch Heather | BS | 1.23 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'David Eason' David Eason Scotch Heather | BS | 1.30 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Else Frye' Else Frye Scotch Heather | BS | 1.18 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Elsie Purnell' Elsie Purnell Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Finale' Finale Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Flamingo' Flamingo Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Foxhollow Wanderer' Foxhollow Wanderer Scotch Heather | BS | 1.27 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Foxii Nana' Foxii Nana Scotch Heather | BS | 1.33 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Gerda' Gerda Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Gold Haze' Gold Haze Scotch Heather | BS | 1.38 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Gold Mist' Gold Mist Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Golden Aurea' Golden Aurea Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Golden Feather' Golden Feather Scotch Heather | BS | 1.39 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Goldsworth Crimson' Goldsworth Crimson Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Green Cardinal' Green Cardinal Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Green Corduroy' Green Corduroy Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'H.E. Beale' H.E. Beale Scotch Heather | BS | 1.04 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Hammondii Aureaifolia' Hammondii Aureaifolia Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Heldezweg' Heldezweg Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Hirsuta Typica' Hirsuta Typica Scotch Heather | BS | 1.31 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Humpty Dumpty' Humpty Dumpty Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'J.H. Hamilton' J.H. Hamilton Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Kinlochruel' Kinlochruel Scotch Heather | BS | 1.24 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Kuphaldtii' Kuphaldtii Scotch Heather | BS | 1.31 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'MacDonald of Glencoe' MacDonald of Glencoe Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Mair's Variety' Mair's Variety Scotch Heather | BS | 1.29 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Martha Herman' Martha Herman Scotch Heather | BS | 1.13 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Mary Ferreira' Mary Ferreira Scotch Heather | BS | 1.31 | R2 | 4 | 5-8 | | 1.00 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Calluna vulgaris</i> 'Melanie' P.P. 9789 Melanie Scotch Heather | BS | 1.65 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Minima Prostrata' Minima Prostrata Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Mrs. Pat' Mrs. Pat Scotch Heather | BS | 1.12 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Mrs. Ronald Gray' Mrs. Ronald Gray Scotch Heather | BS | 1.22 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Multicolor' Multicolor Scotch Heather | BS | 1.30 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'My Dream' My Dream Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Nana Compacta' Nana Compacta Scotch Heather | BS | 1.33 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Orange Queen' Orange Queen Scotch Heather | BS | 1.28 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Oxshott Common' Oxshott Common Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Perestrojka' Perestrojka Scotch Heather | BS | 1.20 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Peter Sparkes' Peter Sparkes Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Prostrate Orange' Prostrate Orange Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Pygmaea' Pygmy Scotch Heather | BS | 1.33 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Pyramid Purple' Pyramid Purple Scotch Heather | BS | 0.79 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Pyramidalis' Pyramidal Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Red Haze' Red Haze Scotch Heather | BS | 1.31 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Rigida' Rigida Scotch Heather | BS | 1.31 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Robert Chapman' Robert Chapman Scotch Heather | BS | 1.10 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Rosalind Underwood' Rosalind Underwood Scotch Heather | BS | 1.33 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Rosea' Rosea Scotch Heather | BS | 1.31 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Roswitha' Roswitha Scotch Heather | BS | 1.22 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Rubrum' Red Scotch Heather | BS | 1.29 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Saint Nick' Saint Nick Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Sally Anne' Sally Anne Scotch Heather | BS | 1.31 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Sandy' Sandy Scotch Heather | BS | 1.63 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Silver Cloud' Silver Cloud Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Silver King' Silver King Scotch Heather | BS | 1.27 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Silver Knight' Silver Knight Scotch Heather | BS | 1.10 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Silver Queen' Silver Queen Scotch Heather | BS | 1.33 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Silver Spire' Silver Spire Scotch Heather | BS | 1.21 | R2 | 4 | 5-8 | | 1.00 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Calluna vulgaris</i> 'Sister Anne' Sister Anne Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Smith's Variety' Smith's Variety Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Spring Cream' Spring Cream Scotch Heather | BS | 1.10 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Spring Torch' Spring Torch Scotch Heather | BS | 1.06 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'St. Nick' See - <i>Calluna vulgaris</i> 'Saint Nick' | | | | | | | | |
| <i>Calluna vulgaris</i> 'Strawberry Delight' Strawberry Delight Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Sunset' Sunset Scotch Heather | BS | 1.04 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Tenuis' Tenuis Scotch Heather | BS | 1.30 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Tib' Tib Scotch Heather | BS | 1.06 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Tomentosa' Tomentosa Scotch Heather | BS | 1.33 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Trinklet' Trinklet Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Underwoodii' Underwood Scotch Heather | BS | 1.31 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Velvet Fascination' Velvet Fascination Scotch Heather | BS | 1.15 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Waquoit Brightness' Waquoit Brightness Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Westphalia' Westphalia Scotch Heather | BS | 1.31 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'White Knight' White Knight Scotch Heather | BS | 1.25 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'White Lawn' White Lawn Scotch Heather | BS | 1.33 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Wickwar Flame' Wickwar Flame Scotch Heather | BS | 1.12 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> 'Winter Chocolate' Winter Chocolate Scotch Heather | BS | 1.14 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calluna vulgaris</i> var. <i>alba</i> White Scotch Heather | BS | 1.00 | R2 | 4 | 5-8 | | 1.00 | 4 |
| <i>Calocedrus decurrens</i> Incense Cedar | CE | 0.85 | R1 | 3-6 | 7-8 | 1.00 | 0.67 | 5 |
| <i>Calocedrus decurrens</i> 'Aureovariegata' Aureovariegata Incense Cedar | CE | 0.85 | R1 | | 6-8 | 1.00 | 1.68 | 5 |
| <i>Calocedrus decurrens</i> 'Berrima Gold' Berrima Gold Incense Cedar | CE | 0.85 | R1 | | 6-8 | 1.00 | 1.18 | 5 |
| <i>Calocedrus decurrens</i> 'Compacta' Compact Incense Cedar | CE | 0.85 | R1 | | 6-8 | 1.00 | 1.18 | 5 |
| <i>Calocedrus decurrens</i> 'Maupin Glow' Maupin Glow Incense Cedar | CE | 0.85 | R1 | | 6-8 | 1.00 | 1.18 | 5 |
| <i>Calocephalus brownii</i> See - <i>Leucophyta brownii</i> | | | | | | | | |
| <i>Calodendrum capense</i> Cape Chestnut | BE | 0.77 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Calostemma purpureum</i> Garland Lily | HP | 0.69 | R2 | 5-8 | | | | |
| <i>Calotropis gigantea</i> Giant Crown Plant | BS | 0.85 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Caltha palustris</i> Marsh Marigold | HP | 1.16 | R2 | | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Caltha palustris</i> 'Alba' White Marsh Marigold | HP | 1.16 | R2 | | 4-8 | | |
| <i>Caltha palustris</i> 'Flore Pleno' Flore Pleno Marsh Marigold | HP | 1.16 | R2 | | 4-8 | | |
| <i>Calycanthus</i> Sweetshrub | BS | 1.49 | R1 | 5-6 | 7-8 | 1.00 | 5 |
| <i>Calycanthus</i> 'Venus' Venus Hybrid Sweetshrub | BS | 1.49 | R1 | 5-6 | 7-8 | 1.00 | 5 |
| <i>Calycanthus chinensis</i> Chinese Sweetshrub | BS | 1.14 | R1 | 6 | 7-8 | 1.00 | 6 |
| <i>Calycanthus floridus</i> Sweetshrub | BS | 0.90 | R1 | 5 | 6-8 | 0.77 | 5 |
| <i>Calycanthus floridus</i> 'Athens' Athens Sweetshrub | BS | 0.99 | R1 | 5 | 6-8 | 0.77 | 5 |
| <i>Calycanthus floridus</i> 'Michael Lindsey' Michael Lindsey Sweetshrub | BS | 1.11 | R1 | 5 | 6-8 | 0.77 | 5 |
| <i>Calycanthus occidentalis</i> California Sweetshrub | BS | 1.75 | R1 | 6 | 7-8 | 1.00 | 6 |
| <i>Calylophus hartwegii</i> Sierra Sundrop | HP | 0.63 | R2 | 5-7 | 8 | | |
| <i>Calylophus lavandulifolius</i> Lavenderleaf Evening Primrose | HP | 1.00 | R2 | 5-7 | 8 | | |
| <i>Calyptocarpus vialis</i> Horseherb | BS | 0.68 | R2 | 5-7 | 8 | 1.00 | 7 |
| <i>Calyptrocalyx holtrungii</i> No Common Name Found | PC | 2.73 | R2 | 8 | | 1.00 | 10 |
| <i>Calyptrocalyx spicatus</i> No Common Name Found | PC | 1.28 | R2 | 8 | | 1.00 | 10 |
| <i>Calyptronoma dulcis</i> Cuban Manac | PC | 1.57 | R2 | 8 | | 2.01 | 10 |
| <i>Calyptronoma rivalis</i> Manac Palm of Puerto Rico | PC | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Calystegia macrostegia</i> ssp. <i>cyclostegia</i> No Common Name Found | GC | 1.45 | R2 | 5-8 | | 1.00 | 8 |
| <i>Camassia leichtlinii</i> Great Camass | HP | 0.56 | R2 | 3 | 4-8 | | |
| <i>Camassia leichtlinii</i> 'Coerulea' Blue Camass | HP | 0.56 | R2 | 3 | 4-8 | | |
| <i>Camassia quamash</i> Quamash | HP | 0.65 | R2 | 4-5 | 6-8 | | |
| <i>Camassia scilloides</i> Eastern Camass | HP | 1.00 | R2 | 3-4 | 5-8 | | |
| <i>Camellia</i> Camellia | BS | 1.43 | R2 | 5-6 | 7-8 | 1.53 | 6 |
| <i>Camellia</i> 'Ack-scent' Ack-scent Hybrid Camellia | BS | 1.35 | R2 | 5-7 | 8 | 1.53 | 7 |
| <i>Camellia</i> 'April Blush' April Blush Hybrid Camellia | BS | 1.45 | R2 | 5-6 | 7-8 | 1.83 | 6 |
| <i>Camellia</i> 'April Dawn' April Dawn Hybrid Camellia | BS | 1.38 | R2 | 5-6 | 7-8 | 1.53 | 6 |
| <i>Camellia</i> 'April Kiss' April Kiss Hybrid Camellia | BS | 1.37 | R2 | 5-6 | 7-8 | 1.53 | 6 |
| <i>Camellia</i> 'April Remembered' April Remembered Ice Angels® Hybrid Camellia | BS | 1.56 | R2 | 5-6 | 7-8 | 1.53 | 6 |
| <i>Camellia</i> 'April Rose' April Rose Hybrid Camellia | BS | 1.56 | R2 | 5-6 | 7-8 | 1.53 | 6 |
| <i>Camellia</i> 'April Snow' April Snow Hybrid Camellia | BS | 1.43 | R2 | 5-6 | 7-8 | 1.53 | 6 |
| <i>Camellia</i> 'April Tryst' April Tryst Hybrid Camellia | BS | 1.37 | R2 | 5-6 | 7-8 | 1.53 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Camellia</i> 'Autumn Pink Icicle' | BS | 1.64 | R2 | 5-6 | 7-8 | | 1.53 | 6 |
| Autumn Pink Icicle Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Betty Sette' | BS | 1.78 | R2 | 5-6 | 7-8 | | 1.53 | 6 |
| Betty Sette Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Brushfield's Yellow' | BS | 1.15 | R2 | 5-6 | 7-8 | | 1.53 | 6 |
| Brushfield's Yellow Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Buttermint' | BS | 1.70 | R2 | 5-7 | 8 | | 1.53 | 7 |
| Buttermint Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Crimson Candles' | BS | 1.30 | R2 | 6-8 | | | 1.53 | 8 |
| Crimson Candles Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'El Dorado' | BS | 1.43 | R2 | 5-7 | 8 | | 1.53 | 7 |
| El Dorado Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Fire 'n Ice' | BS | 1.52 | R2 | 5-6 | 7-8 | | 1.53 | 6 |
| Fire 'n Ice Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Golden Anniversary' | | | | | | | | |
| See - <i>Camellia japonica</i> 'Dahlohnega' | | | | | | | | |
| <i>Camellia</i> 'Ice Follies' | BS | 2.00 | R2 | 5-6 | 7-8 | | 1.53 | 6 |
| Ice Follies Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Mary Phoebe Taylor' | BS | 0.82 | R2 | 5-7 | 8 | | 1.53 | 7 |
| Mary Phoebe Taylor Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Mason Farm' | BS | 1.72 | R2 | 5-6 | 7-8 | | 1.65 | 6 |
| Mason Farm Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Pink Icicle' | BS | 1.17 | R2 | 5-6 | 7-8 | | 1.53 | 6 |
| Pink Icicle Ackerman Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Scentuous' | BS | 0.86 | R2 | 5-8 | | | 1.53 | 8 |
| Scentuous Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Snow Flurry' | BS | 1.50 | R2 | 5-6 | 7-8 | | 1.83 | 6 |
| Snow Flurry Ackerman Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Spring Frill' | BS | 1.61 | R2 | 5-6 | 7-8 | | 1.53 | 6 |
| Spring Frill Ackerman Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Survivor' | BS | 1.81 | R2 | 5-6 | 7-8 | | 1.53 | 6 |
| Survivor Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Taylor's Perfection' | BS | 1.12 | R2 | 5-7 | 8 | | 0.96 | 7 |
| Taylor's Perfection Camellia | | | | | | | | |
| <i>Camellia</i> 'Twilight Glow' | BS | 1.30 | R2 | 5-6 | 7-8 | | 1.53 | 6 |
| Twilight Glow Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Two Marthas' | BS | 0.80 | R2 | 5-7 | 8 | | 1.53 | 7 |
| Two Marthas Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Winter's Beauty' | BS | 1.46 | R2 | 5-6 | 7-8 | | 1.53 | 6 |
| Winter's Beauty Ackerman Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Winter's Charm' | BS | 1.47 | R2 | 5-6 | 7-8 | | 1.53 | 6 |
| Winter's Charm Ackerman Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Winter's Dream' | BS | 1.69 | R2 | 5-6 | 7-8 | | 1.53 | 6 |
| Winter's Dream Ackerman Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Winter's Fire' | BS | 1.81 | R2 | 5-6 | 7-8 | | 1.53 | 6 |
| Winter's Fire Ice Angels® Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Winter's Hope' | BS | 1.30 | R2 | 5-6 | 7-8 | | 1.53 | 6 |
| Winter's Hope Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Winter's Interlude' | BS | 1.38 | R2 | 5-6 | 7-8 | | 1.53 | 6 |
| Winter's Interlude Ackerman Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Winter's Joy' | BS | 1.31 | R2 | 5-6 | 7-8 | | 1.53 | 6 |
| Winter's Joy Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Winter's Rose' | BS | 1.62 | R2 | 5-6 | 7-8 | | 0.95 | 6 |
| Winter's Rose Ackerman Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Winter's Snowman' | BS | 1.37 | R2 | 5-6 | 7-8 | | 1.78 | 6 |
| Winter's Snowman Ice Angels® Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Winter's Star' | BS | 1.61 | R2 | 5-6 | 7-8 | | 1.75 | 6 |
| Winter's Star Ackerman Hybrid Camellia | | | | | | | | |
| <i>Camellia</i> 'Winter's Sunset' | BS | 1.45 | R2 | 5-6 | 7-8 | | 1.47 | 6 |
| Winter's Sunset Ackerman Hybrid Camellia | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Camellia</i> 'Winter's Waterlily' Winter's Waterlily Camellia | BS | 1.41 | R2 | 5-6 | 7-8 | | 1.53 | 6 |
| <i>Camellia</i> 'Yoimachi' Yoimachi Hybrid Camellia | BS | 1.24 | R2 | 5-6 | 7-8 | | 1.53 | 6 |
| <i>Camellia x hiemalis</i> Camellia | BS | 1.35 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia x hiemalis</i> 'Chansonette' Chansonette Hybrid Camellia | BS | 1.33 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia x hiemalis</i> 'Rose of Autumn' Rose of Autumn Hybrid Camellia | BS | 0.86 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia x hiemalis</i> 'Showa Supreme' Showa Supreme Hybrid Camellia | BS | 1.87 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> Japanese Camellia | BS | 1.30 | R2 | 5-7 | 8 | | 2.32 | 7 |
| <i>Camellia japonica</i> 'Adolphe Audusson' Adolphe Audusson Japanese Camellia | BS | 1.06 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Alba Plena' Alba Plena Japanese Camellia | BS | 1.19 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Allie Blue' Allie Blue Japanese Camellia | BS | 1.25 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Alpine Glow' Alpine Glow Japanese Camellia | BS | 0.82 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Altheaiflora' Altheaiflora Japanese Camellia | BS | 1.26 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Ave Maria' Ave Maria Japanese Camellia | BS | 1.84 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Berenice Boddy' Berenice Boddy Japanese Camellia | BS | 1.32 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Bessie Battle' Bessie Battle Japanese Camellia | BS | 1.09 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Betty Sheffield Supreme' Betty Sheffield Supreme Japanese Camellia | BS | 1.03 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Betty Sheffield' Betty Sheffield Japanese Camellia | BS | 1.09 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Black Tie' Black Tie Japanese Camellia | BS | 1.33 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Blood of China' Blood of China Japanese Camellia | BS | 0.98 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Bob Hope' Bob Hope Japanese Camellia | BS | 1.52 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Brilliant' Brilliant Japanese Camellia | BS | 0.93 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'C.M. Hovey' C.M. Hovey Japanese Camellia | BS | 1.20 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'C.M. Wilson' C.M. Wilson Japanese Camellia | BS | 1.58 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Campari' Campari Japanese Camellia | BS | 1.26 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Carter's Sunburst' Carter's Sunburst Japanese Camellia | BS | 1.49 | R2 | 5-7 | 8 | | 0.96 | 7 |
| <i>Camellia japonica</i> 'Chandleri Elegans Variegated' Chandleri Elegans Variegated Japanese Camellia | BS | 1.49 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Chandleri Elegans' Chandleri Elegans Japanese Camellia | BS | 1.37 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Charlean' See - <i>Camellia x williamsii</i> 'Charlean' | | | | | | | | |
| <i>Camellia japonica</i> 'Charlie Bettes' Charlie Bettes Japanese Camellia | BS | 1.25 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Cherries Jubilee' Cherries Jubilee Japanese Camellia | BS | 1.26 | R2 | 5-7 | 8 | | 1.00 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Camellia japonica</i> 'Christine Lee' Christine Lee Japanese Camellia | BS | 1.25 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Classic Pink' P.P. 16547 Classic Pink Japanese Camellia | BS | 1.60 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Col. Ira Matthews' Col. Ira Matthews Japanese Camellia | BS | 1.16 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Colonel Firey' Colonel Firey Japanese Camellia | BS | 1.72 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Coquetti' Coquetti Japanese Camellia | BS | 1.34 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Covina' Covina Japanese Camellia | BS | 1.68 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Dahlohnega' Dahlohnega Japanese Camellia | BS | 1.50 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Daikagura' Daikagura Variegated Japanese Camellia | BS | 1.43 | R2 | 5-7 | 8 | | 0.96 | 7 |
| <i>Camellia japonica</i> 'Dainty California' Dainty California Japanese Camellia | BS | 0.82 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Debutante' Debutante Japanese Camellia | BS | 1.29 | R2 | 5-7 | 8 | | 0.92 | 7 |
| <i>Camellia japonica</i> 'Dixie Knight Supreme' Dixie Knight Supreme Japanese Camellia | BS | 0.82 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Doctor Burnside' Doctor Burnside Japanese Camellia | BS | 1.15 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Donckelaeri' Donckelaeri Japanese Camellia | BS | 1.26 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Dr. J.C. Raulston' Dr. J.C. Raulston Japanese Camellia | BS | 1.27 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Dr. Quattlebaum' Dr. Quattlebaum Japanese Camellia | BS | 0.86 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Dr. Tinsley' Dr. Tinsley Japanese Camellia | BS | 0.99 | R2 | 5-7 | 8 | | 0.96 | 7 |
| <i>Camellia japonica</i> 'Drama Girl' Drama Girl Japanese Camellia | BS | 1.02 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Eleanor Hagood' Eleanor Hagood Japanese Camellia | BS | 0.97 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Eleanor McCown' Eleanor McCown Japanese Camellia | BS | 1.66 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Elegans Splendor' Elegans Splendor Japanese Camellia | BS | 1.26 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Elegans' Elegans Japanese Camellia | BS | 1.52 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Elizabeth Acree' Elizabeth Acree Japanese Camellia | BS | 1.26 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Elizabeth Dowd Silver' Elizabeth Dowd Silver Japanese Camellia | BS | 1.26 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Faith' Faith Japanese Camellia | BS | 1.23 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Fashionata' Fashionata Japanese Camellia | BS | 1.24 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Finlandia' Finlandia Japanese Camellia | BS | 0.82 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Fred Sander' Fred Sander Japanese Camellia | BS | 0.82 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Gloire de Nantes' Gloire de Nantes Japanese Camellia | BS | 0.86 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Goggy' Goggy Japanese Camellia | BS | 1.30 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Governor Mouton' Governor Mouton Japanese Camellia | BS | 1.12 | R2 | 5-7 | 8 | | 0.92 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Camellia japonica</i> 'Grace Albittron' Grace Albittron Japanese Camellia | BS | 1.09 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Grand Prix' Grand Prix Japanese Camellia | BS | 1.47 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Grand Slam' Grand Slam Japanese Camellia | BS | 1.54 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Grandiflora Rosea' Grandiflora Rosea Japanese Camellia | BS | 1.87 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Greensboro Red' Greensboro Red Japanese Camellia | BS | 1.14 | R2 | 5-7 | 8 | | 0.90 | 7 |
| <i>Camellia japonica</i> 'Guilio Nuccio' Guilio Nuccio Japanese Camellia | BS | 1.28 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Gunsmoke' Gunsmoke Japanese Camellia | BS | 1.10 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Hagoromo' Hagoromo Japanese Camellia | BS | 1.24 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'In The Pink' In The Pink Japanese Camellia | BS | 1.58 | R2 | 5-7 | 8 | | 0.96 | 7 |
| <i>Camellia japonica</i> 'Isaribi' Isaribi Japanese Camellia | BS | 1.38 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Jacks' Jacks Japanese Camellia | BS | 1.24 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Janet Waterhouse' Janet Waterhouse Japanese Camellia | BS | 0.68 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Japanese Fantasy' Japanese Fantasy Japanese Camellia | BS | 1.26 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Jordan's Pride' Jordan's Pride Japanese Camellia | BS | 1.23 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Ju-Dee' Ju-Dee Japanese Camellia | BS | 1.16 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Julia Drayton' Julia Drayton Camellia | BS | 1.62 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Jury's Pearl' Jury's Pearl Japanese Camellia | BS | 1.62 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'King Size' King Size Japanese Camellia | BS | 0.82 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Kishu-tsukasa' Kishu-tsukasa Japanese Camellia | BS | 0.82 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Korean Fire' Korean Fire Japanese Camellia | BS | 1.87 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Kramer's Supreme' Kramer's Supreme™ Japanese Camellia | BS | 1.32 | R2 | 5-7 | 8 | | 0.90 | 7 |
| <i>Camellia japonica</i> 'Kumasaka' Kumasaka Japanese Camellia | BS | 1.09 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Lady Clare' Lady Clare Japanese Camellia | BS | 1.00 | R2 | 5-7 | 8 | | 0.90 | 7 |
| <i>Camellia japonica</i> 'Lady Laura' Lady Laura Japanese Camellia | BS | 1.49 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Lady Vansittart Red' Lady Vansittart Red Japanese Camellia | BS | 1.25 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Lady Vansittart' Lady Vansittart Japanese Camellia | BS | 1.06 | R2 | 5-7 | 8 | | 0.90 | 7 |
| <i>Camellia japonica</i> 'Latifolia' Latifolia Japanese Camellia | BS | 1.25 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Laura Walker' Laura Walker Japanese Camellia | BS | 1.05 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Laurel Leaf' Laurel Leaf Japanese Camellia | BS | 1.95 | R2 | 5-7 | 8 | | 0.96 | 7 |
| <i>Camellia japonica</i> 'Leucantha' Leucantha Japanese Camellia | BS | 0.94 | R2 | 5-7 | 8 | | 1.00 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Camellia japonica</i> 'Mabel Bryan' Mabel Bryan Japanese Camellia | BS | 1.92 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Magic City' Magic City Japanese Camellia | BS | 1.15 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Magnoliiflora' See - <i>Camellia japonica</i> 'Hagoromo' | | | | | | | | |
| <i>Camellia japonica</i> 'Man Size' Man Size Japanese Camellia | BS | 1.31 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Margaret Davis' Margaret Davis Japanese Camellia | BS | 1.33 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Margie' Margie Japanese Camellia | BS | 1.62 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Marie Bracey' Marie Bracey Japanese Camellia | BS | 1.27 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Mathotiana Supreme' Mathotiana Supreme Japanese Camellia | BS | 1.69 | R2 | 5-7 | 8 | | 0.96 | 7 |
| <i>Camellia japonica</i> 'Mathotiana' Mathotiana Japanese Camellia | BS | 1.16 | R2 | 5-7 | 8 | | 0.90 | 7 |
| <i>Camellia japonica</i> 'Maureen Ostler' Maureen Ostler Japanese Camellia | BS | 0.82 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Monke' Swan Lake™ Japanese Camellia | BS | 1.60 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Moonlight Bay' Moonlight Bay Japanese Camellia | BS | 1.25 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Morning Glow' Morning Glow Japanese Camellia | BS | 1.06 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Mrs. Charles Cobb' Mrs. Charles Cobb Japanese Camellia | BS | 1.38 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Mrs. D.W. Davis' Mrs. D.W. Davis Japanese Camellia | BS | 1.30 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Mrs. Lyman Clarke' Mrs. Lyman Clarke Japanese Camellia | BS | 1.39 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Mrs. Tingley' Mrs. Tingley Japanese Camellia | BS | 1.27 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Nanzihan' See - <i>Camellia japonica</i> 'Man Size' | | | | | | | | |
| <i>Camellia japonica</i> 'Nina Avery' Nina Avery Japanese Camellia | BS | 1.15 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Nuccio's Bella Rossa' P.P. 13023 Nuccio's Bella Rossa Japanese Camellia | BS | 1.90 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Nuccio's Cameo' Nuccio's Cameo Japanese Camellia | BS | 1.33 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Nuccio's Gem' Nuccio's Gem Japanese Camellia | BS | 1.40 | R2 | 5-7 | 8 | | 0.90 | 7 |
| <i>Camellia japonica</i> 'Nuccio's Jewel' Nuccio's Jewel Japanese Camellia | BS | 1.12 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Nuccio's Pearl' Nuccio's Pearl Japanese Camellia | BS | 1.40 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Omega' Omega Japanese Camellia | BS | 1.24 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Paulette Goddard' Paulette Goddard Japanese Camellia | BS | 1.47 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Pearl Maxwell' Pearl Maxwell Japanese Camellia | BS | 1.49 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Pink Parade' Pink Parade Japanese Camellia | BS | 1.61 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Pink Perfection' Pink Perfection Japanese Camellia | BS | 0.98 | R2 | 5-7 | 8 | | 0.96 | 7 |
| <i>Camellia japonica</i> 'Pope Pius IX' Pope Pius IX Japanese Camellia | BS | 1.23 | R2 | 5-7 | 8 | | 1.00 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Camellia japonica</i> 'Professor Charles S. Sargent' Professor Charles S. Sargent Japanese Camellia | BS | 1.14 | R2 | 5-7 | 8 | | 0.96 | 7 |
| <i>Camellia japonica</i> 'Purity' Purity Japanese Camellia | BS | 1.25 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Purple Emperor' See - <i>Camellia japonica</i> 'Julia Drayton' | | | | | | | | |
| <i>Camellia japonica</i> 'R.L. Wheeler' R.L. Wheeler Japanese Camellia | BS | 1.16 | R2 | 5-7 | 8 | | 0.96 | 7 |
| <i>Camellia japonica</i> 'Rainy Sun' Rainy Sun Japanese Camellia | BS | 1.25 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Rebel Yell' Rebel Yell Japanese Camellia | BS | 0.46 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Rev. John G. Drayton' Rev. John G. Drayton Japanese Camellia | BS | 1.21 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Rosa Plena Marmorata' Rosa Plena Marmorata Japanese Camellia | BS | 0.91 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Rose Dawn' Rose Dawn Japanese Camellia | BS | 1.03 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Rosea Superba' Rosea Superba Japanese Camellia | BS | 1.09 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Rosehill Red' Rosehill Red Japanese Camellia | BS | 1.29 | R2 | 5-7 | 8 | | 0.90 | 7 |
| <i>Camellia japonica</i> 'Rutledge Minnix' Rutledge Minnix Japanese Camellia | BS | 0.79 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Sawada's Mahogany' Sawada's Mahogany Japanese Camellia | BS | 0.86 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Scented Treasure' Scented Treasure Japanese Camellia | BS | 0.82 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Scentsation' Scentsation Japanese Camellia | BS | 1.68 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Shalla Braswell' Shalla Braswell Japanese Camellia | BS | 1.09 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Shiro Chan' Shiro Chan Japanese Camellia | BS | 1.59 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Shiro-botan' Shiro-botan Japanese Camellia | BS | 0.86 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Silver Waves' Silver Waves Japanese Camellia | BS | 1.56 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Snow White' Snow White Japanese Camellia | BS | 1.25 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Spellbound' Spellbound Japanese Camellia | BS | 1.21 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Spring Mist' Spring Mist Japanese Camellia | BS | 1.25 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Spring's Promise' Spring's Promise Ice Angels® Japanese Camellia | BS | 1.51 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Camellia japonica</i> 'Sunset Oaks' Sunset Oaks Japanese Camellia | BS | 0.82 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Surprise Bouquet' Surprise Bouquet Japanese Camellia | BS | 1.89 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Swan Lake' See - <i>Camellia japonica</i> 'Monke' | | | | | | | | |
| <i>Camellia japonica</i> 'Tama Americana' Tama Americana Japanese Camellia | BS | 1.24 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Tama Vino' Tama Vino Japanese Camellia | BS | 1.26 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Tama-no-ura' Tama-no-ura Japanese Camellia | BS | 1.24 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Tinsee' Tinsee Japanese Camellia | BS | 1.25 | R2 | 5-7 | 8 | | 1.00 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Camellia japonica</i> 'Tom Knudsen' Tom Knudsen Japanese Camellia | BS | 1.29 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Tomorrow' Tomorrow Japanese Camellia | BS | 1.28 | R2 | 5-7 | 8 | | 0.96 | 7 |
| <i>Camellia japonica</i> 'Turandot' Turandot Japanese Camellia | BS | 1.23 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Unryu' Unryu Japanese Camellia | BS | 1.73 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Victory White' Victory White Japanese Camellia | BS | 1.10 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Villa de Nantes' Villa de Nantes Japanese Camellia | BS | 0.93 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'White Empress' White Empress Japanese Camellia | BS | 1.05 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'White by the Gate' White by the Gate Japanese Camellia | BS | 1.14 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Winifred Womack' Winifred Womack Japanese Camellia | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia japonica</i> 'Woodville Red' Woodville Red Japanese Camellia | BS | 1.26 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Camellia sasanqua</i> Sasanqua Camellia | BS | 1.15 | R2 | 5-7 | 8 | | 1.19 | 7 |
| <i>Camellia sasanqua</i> 'Alabama Beauty' Alabama Beauty Sasanqua Camellia | BS | 1.21 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Appleblossom' Appleblossom Sasanqua Camellia | BS | 1.41 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Autumn Delight' Autumn Delight Sasanqua Camellia | BS | 1.32 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Autumn Moon' Autumn Moon Sasanqua Camellia | BS | 1.33 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Autumn Rocket' Autumn Rocket Sasanqua Camellia | BS | 1.39 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Autumn Sentinel' Autumn Sentinel Sasanqua Camellia | BS | 1.01 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Beni Kantsubakia' Beni Kantsubakia Sasanqua Camellia | BS | 0.98 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Bert Jones' Bert Jones Sasanqua Camellia | BS | 1.58 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Bonanza' Bonanza Sasanqua Camellia | BS | 1.12 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Christmas Rose' Christmas Rose Sasanqua Camellia | BS | 1.24 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Cleopatra' Cleopatra Sasanqua Camellia | BS | 1.14 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Cotton Candy' Cotton Candy Sasanqua Camellia | BS | 1.09 | R2 | 5-7 | 8 | | 0.71 | 7 |
| <i>Camellia sasanqua</i> 'Crimson King' Crimson King Sasanqua Camellia | BS | 1.19 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Dauphine' Dauphine Sasanqua Camellia | BS | 0.86 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Daydream' Daydream Sasanqua Camellia | BS | 1.04 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Dazzler' Dazzler Sasanqua Camellia | BS | 0.99 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Frank Persons' Frank Persons Sasanqua Camellia | BS | 0.86 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Hana-Jiman' Hana-Jiman Sasanqua Camellia | BS | 1.21 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Hi Ru' Hi Ru Sasanqua Camellia | BS | 1.19 | R2 | 5-7 | 8 | | 0.95 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Camellia sasanqua</i> 'Hot Flash' P.P.A.F. Hot Flash Sasanqua Camellia | BS | 1.56 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Jean May' Jean May Sasanqua Camellia | BS | 1.13 | R2 | 5-7 | 8 | | 0.90 | 7 |
| <i>Camellia sasanqua</i> 'Kanjiro' Kanjiro Sasanqua Camellia | BS | 1.17 | R2 | 5-7 | 8 | | 1.66 | 7 |
| <i>Camellia sasanqua</i> 'Leslie Ann' Leslie Ann Sasanqua Camellia | BS | 1.16 | R2 | 5-7 | 8 | | 0.71 | 7 |
| <i>Camellia sasanqua</i> 'Little Pearl' Little Pearl Sasanqua Camellia | BS | 0.92 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Long Island Pink' Long Island Pink Sasanqua Camellia | BS | 1.37 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Maiden's Blush' Maiden's Blush Sasanqua Camellia | BS | 1.22 | R2 | 5-7 | 8 | | 0.71 | 7 |
| <i>Camellia sasanqua</i> 'Marie Kirk' See - <i>Camellia sasanqua</i> 'Autumn Moon' | | | | | | | | |
| <i>Camellia sasanqua</i> 'Midnight Lover' Midnight Lover Sasanqua Camellia | BS | 1.58 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Mine-No-Yuki' Mine-No-Yuki Sasanqua Camellia | BS | 1.19 | R2 | 5-7 | 8 | | 0.78 | 7 |
| <i>Camellia sasanqua</i> 'Mr. Ohta' Mr. Ohta Sasanqua Camellia | BS | 0.86 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Nanette' Nanette Sasanqua Camellia | BS | 1.50 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Northern Lights' Northern Lights Sasanqua Camellia | BS | 1.05 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Our Linda' Our Linda Sasanqua Camellia | BS | 1.12 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Pink Butterfly' Pink Butterfly Sasanqua Camellia | BS | 1.26 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Pink Serenade' Pink Serenade Sasanqua Camellia | BS | 1.18 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Pink Snow' Pink Snow Sasanqua Camellia | BS | 1.12 | R2 | 5-7 | 8 | | 0.82 | 7 |
| <i>Camellia sasanqua</i> 'Rosea' Rose Sasanqua Camellia | BS | 0.98 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Sarrel' Sarrel Sasanqua Camellia | BS | 0.86 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Setsugekka' Setsugekka Sasanqua Camellia | BS | 1.22 | R2 | 5-7 | 8 | | 0.90 | 7 |
| <i>Camellia sasanqua</i> 'Shishi-gashira' Shishi-gashira Sasanqua Camellia | BS | 1.27 | R2 | 5-7 | 8 | | 1.21 | 7 |
| <i>Camellia sasanqua</i> 'Showa-no-sakae' Showa-no-sakae Sasanqua Camellia | BS | 1.08 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Sparkling Burgundy' Sparkling Burgundy Sasanqua Camellia | BS | 1.18 | R2 | 5-7 | 8 | | 0.91 | 7 |
| <i>Camellia sasanqua</i> 'Stephanie Golden' Stephanie Golden Sasanqua Camellia | BS | 1.56 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Tanya' Tanya Sasanqua Camellia | BS | 1.44 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'William Lanier Hunt' William Lanier Hunt Sasanqua Camellia | BS | 1.22 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Camellia sasanqua</i> 'Yuletide' Yuletide Sasanqua Camellia | BS | 1.21 | R2 | 5-7 | 8 | | 0.90 | 7 |
| <i>Camellia sinensis</i> Tea | BS | 0.98 | R2 | 5-7 | 8 | | 1.00 | 6 |
| <i>Camellia x vernalis</i> No Common Name Found | BS | 1.26 | R2 | 5-7 | 8 | | 0.90 | 7 |
| <i>Camellia x vernalis</i> 'Dawn' Dawn Camellia | BS | 1.01 | R2 | 5-7 | 8 | | 0.90 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Camellia x vernalis</i> 'Egao' Egao Camellia | BS | 1.37 | R2 | 5-7 | 8 | | 0.90 | 7 |
| <i>Camellia x vernalis</i> 'Hiryu' Hiryu Camellia | BS | 1.24 | R2 | 5-7 | 8 | | 0.90 | 7 |
| <i>Camellia x vernalis</i> 'Star Above Star' Star Above Star Camellia | BS | 1.40 | R2 | 5-7 | 8 | | 0.90 | 7 |
| <i>Camellia x williamsii</i> Williams Camellia | BS | 1.28 | R2 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Camellia x williamsii</i> 'Anticipation' Anticipation Williams Camellia | BS | 1.15 | R2 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Camellia x williamsii</i> 'Brigadoon' Brigadoon Williams Camellia | BS | 1.28 | R2 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Camellia x williamsii</i> 'Buttons 'n' Bows' Buttons 'n' Bows Williams Camellia | BS | 1.39 | R2 | 5-7 | 8 | | 1.13 | 7 |
| <i>Camellia x williamsii</i> 'Charlean' Charlean Williams Camellia | BS | 1.27 | R2 | 5-6 | 7-8 | | 1.13 | 6 |
| <i>Camellia x williamsii</i> 'Coral Delight' Coral Delight Williams Camellia | BS | 1.54 | R2 | 5-6 | 7-8 | | 1.13 | 6 |
| <i>Camellia x williamsii</i> 'Debbie' Debbie Williams Camellia | BS | 1.26 | R2 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Camellia x williamsii</i> 'Donation' Donation Williams Camellia | BS | 1.28 | R2 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Camellia x williamsii</i> 'Elsie Jury' Elsie Jury Williams Camellia | BS | 1.28 | R2 | 5-6 | 7-8 | | 1.13 | 6 |
| <i>Camellia x williamsii</i> 'Freedom Bell' Freedom Bell Williams Camellia | BS | 1.15 | R2 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Camellia x williamsii</i> 'J.C. Williams' J.C. Williams Camellia | BS | 0.82 | R2 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Camellia x williamsii</i> 'Jury's Yellow' Jury's Yellow Williams Camellia | BS | 2.02 | R2 | 5-6 | 7-8 | | 1.13 | 6 |
| <i>Camellia x williamsii</i> 'Mary Christian' Mary Christian Williams Camellia | BS | 0.90 | R2 | 5-6 | 7-8 | | 1.13 | 6 |
| <i>Camellia x williamsii</i> 'Rendezvous' Rendezvous Williams Camellia | BS | 1.28 | R2 | 5-6 | 7-8 | | 1.13 | 6 |
| <i>Campanula</i> Bellflower | HP | 0.96 | R2 | 4 | 5-8 | | | |
| <i>Campanula</i> 'Birch Hybrid' Birch Bellflower | HP | 0.75 | R2 | 4 | 5-8 | | | |
| <i>Campanula</i> 'Kent Belle' Kent Bell Hybrid Bellflower | HP | 0.96 | R2 | 4-5 | 6-8 | | | |
| <i>Campanula</i> 'Pink Octopus' P.P. 18885 Pink Octopus Hybrid Bellflower | HP | 0.96 | R2 | 4-5 | 6-8 | | | |
| <i>Campanula</i> 'Samantha' Samantha Dwarf Hybrid Bellflower | HP | 1.17 | R2 | 4-5 | 6-8 | | | |
| <i>Campanula</i> 'Sarastro' Sarastro Hybrid Bellflower | HP | 0.97 | R2 | 4-5 | 6-8 | | | |
| <i>Campanula alliariifolia</i> Spurred Bellflower | HP | 0.98 | R2 | 4 | 5-8 | | | |
| See - <i>Campanula alpestris</i> | | | | | | | | |
| <i>Campanula alpestris</i> No Common Name Found | HP | 0.62 | R2 | 4-5 | 6-8 | | | |
| <i>Campanula americana</i> Tall Bellflower | HP | 0.87 | R2 | 4 | 5-8 | | | |
| <i>Campanula barbata</i> Bearded Bellflower | HP | 0.43 | R2 | 4-6 | 7-8 | | | |
| <i>Campanula carpatica</i> Carpathian Harebell | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula carpatica</i> 'Alba' White Carpathian Harebell | HP | 0.76 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Campanula carpatica</i> 'Blue Clips' Blue Clips Carpathian Harebell | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula carpatica</i> 'Blue Uniform' Blue Uniform Carpathian Harebell | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula carpatica</i> 'Deep Blue Clips' Deep Blue Clips Carpathian Harebell | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula carpatica</i> 'Pearl Deep Blue' Pearl Deep Blue Carpathian Harebell | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula carpatica</i> 'Pearl Series' Pearl Series Carpathian Harebell | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula carpatica</i> 'Pearl White' Pearl White Carpathian Harebell | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula carpatica</i> 'Weisse Clips' See - <i>Campanula carpatica</i> 'White Clips' | | | | | | | | |
| <i>Campanula carpatica</i> 'White Clips' White Clips Carpathian Harebell | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula carpatica</i> 'White Star' White Star Carpathian Harebell | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula carpatica</i> var. <i>turbinata</i> Turbinata Carpathian Harebell | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula cochleariifolia</i> Spiral Bellflower | HP | 0.89 | R2 | 4-5 | 6-8 | | | |
| <i>Campanula cochleariifolia</i> 'Alba' White Spiral Bellflower | HP | 0.93 | R2 | 4-5 | 6-8 | | | |
| <i>Campanula cochleariifolia</i> 'Bavaria Blue' Bavaria Blue Spiral Bellflower | HP | 0.97 | R2 | 4-5 | 6-8 | | | |
| <i>Campanula cochleariifolia</i> 'Bavaria White' Bavaria White Spiral Bellflower | HP | 0.93 | R2 | 4-5 | 6-8 | | | |
| <i>Campanula elatines</i> Adriatic Bellflower | HP | 1.00 | R2 | 4 | 5-8 | | | |
| <i>Campanula elatines</i> var. <i>fenestrellata</i> No Common Name Found | HP | 1.11 | R2 | 4 | 5-8 | | | |
| <i>Campanula fragilis</i> Neapolitan Bellflower | HP | 0.64 | R2 | 5-8 | | | | |
| <i>Campanula garganica</i> Gargano Bellflower | HP | 0.48 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula garganica</i> 'Dickson's Gold' Dickson's Gold Gargano Bellflower | HP | 0.72 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula glomerata</i> Clustered Bellflower | HP | 1.17 | R2 | | 3-8 | | | |
| <i>Campanula glomerata</i> 'Alba' White Clustered Bellflower | HP | 1.10 | R2 | | 3-8 | | | |
| <i>Campanula glomerata</i> 'Caroline' Caroline Clustered Bellflower | HP | 0.85 | R2 | | 3-8 | | | |
| <i>Campanula glomerata</i> 'Joan Elliott' Joan Elliott Clustered Bellflower | HP | 1.22 | R2 | | 3-8 | | | |
| <i>Campanula glomerata</i> 'Superba' Superba Clustered Bellflower | HP | 1.07 | R2 | | 3-8 | | | |
| <i>Campanula glomerata</i> var. <i>acaulis</i> Dwarf Clustered Bellflower | HP | 1.10 | R2 | | 3-8 | | | |
| <i>Campanula glomerata</i> var. <i>dahurica</i> Dahurian Clustered Bellflower | HP | 1.13 | R2 | | 3-8 | | | |
| <i>Campanula isophylla</i> Italian Bellflower | HP | 0.66 | R2 | 4-7 | 8 | | | |
| <i>Campanula isophylla</i> 'Alba' White Italian Bellflower | HP | 0.93 | R2 | 4-7 | 8 | | | |
| <i>Campanula isophylla</i> 'Stella Blue' Stella Blue Italian Bellflower | HP | 0.80 | R2 | 4-7 | 8 | | | |
| <i>Campanula kemulariae</i> No Common Name Found | HP | 0.64 | R2 | 4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Campanula lactiflora</i> Milky Bellflower | HP | 0.88 | R2 | 3-5 | 6-8 | | | |
| <i>Campanula lactiflora</i> 'Loddon Anna' Loddon Anna Milky Bellflower | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| <i>Campanula lactiflora</i> 'Pouffe' Pouffe Milky Bellflower | HP | 1.03 | R2 | 3-5 | 6-8 | | | |
| <i>Campanula lactiflora</i> 'Prichard's Variety' Prichard's Variety Milky Bellflower | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Campanula lactiflora</i> 'White Pouffe' White Pouffe Milky Bellflower | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Campanula latifolia</i> Great Bellflower | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula latifolia</i> 'Macrantha' Macrantha Great Bellflower | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula medium</i> Annual Canterbury Bells | HP | 0.78 | R2 | 4-6 | 7-8 | | | |
| <i>Campanula medium</i> 'Alba' White Canterbury Bells | HP | 0.78 | R2 | 4-6 | 7-8 | | | |
| <i>Campanula medium</i> 'Caerulea' Blue Canterbury Bells | HP | 0.78 | R2 | 4-6 | 7-8 | | | |
| <i>Campanula medium</i> 'Calycanthema' Calycanthema Canterbury Bells | HP | 0.78 | R2 | 4-6 | 7-8 | | | |
| <i>Campanula medium</i> 'Champion Series' Champion Series Annual Canterbury Bells | HP | 0.78 | R2 | 4-6 | 7-8 | | | |
| <i>Campanula medium</i> 'Rosea' Pink Canterbury Bells | HP | 0.78 | R2 | 4-6 | 7-8 | | | |
| <i>Campanula persicifolia</i> Peachleaf Bellflower | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula persicifolia</i> 'Alba Flore-Pleno' Alba Flore-Pleno Peachleaf Bellflower | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula persicifolia</i> 'Alba' White Peachleaf Bellflower | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula persicifolia</i> 'Bluebell' Bluebell Peachleaf Bellflower | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula persicifolia</i> 'Chettle Charm' P.P. 9815 Chettle Charm Peachleaf Bellflower | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula persicifolia</i> 'Grandiflora Alba' White Grandiflora Peachleaf Bellflower | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula persicifolia</i> 'Grandiflora' Grandiflora Peachleaf Bellflower | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula persicifolia</i> 'Kelly's Gold' Kelly's Gold Peachleaf Bellflower | HP | 1.20 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula persicifolia</i> 'Powder Puff' P.P. 17174 Powder Puff Peachleaf Bellflower | HP | 1.18 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula persicifolia</i> 'Telham Beauty' Telham Beauty Peachleaf Bellflower | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula portenschlagiana</i> Dalmation Bellflower | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula portenschlagiana</i> 'Resholt Variety' Resholt Variety Dalmation Bellflower | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula poscharskyana</i> Serbian Bellflower | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula poscharskyana</i> 'Blue Gown' Blue Gown Serbian Bellflower | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula poscharskyana</i> 'Blue Waterfall' P.P.A.F. Blue Waterfall Serbian Bellflower | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula primulifolia</i> No Common Name Found | HP | 0.64 | R2 | 4-8 | | | | |
| <i>Campanula pulla</i> No Common Name Found | HP | 0.64 | R2 | 4-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|-----|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | | Caliper | Factors High/Wide | |
| <i>Campanula x pulloides</i> No Common Name Found | HP | 0.64 | R2 | 4-5 | 6-8 | | | |
| <i>Campanula punctata</i> Spotted Bellflower | HP | 0.48 | R2 | 4-5 | 6-8 | | | |
| <i>Campanula punctata</i> 'Cherry Bells' Cherry Bells Spotted Bellflower | HP | 0.94 | R2 | 4-5 | 6-8 | | | |
| <i>Campanula punctata</i> 'Elizabeth' Elizabeth Spotted Bellflower | HP | 1.07 | R2 | 4-5 | 6-8 | | | |
| <i>Campanula punctata</i> 'Pantaloons' P.P. 13282 Pantaloons Spotted Bellflower | HP | 1.25 | R2 | 4-5 | 6-8 | | | |
| <i>Campanula punctata</i> 'Pink Chimes' P.P. 13156 Pink Chimes Spotted Bellflower | HP | 1.14 | R2 | 4-5 | 6-8 | | | |
| <i>Campanula punctata</i> 'Rubrifolia' Rubrifolia Spotted Bellflower | HP | 0.85 | R2 | 4-5 | 6-8 | | | |
| <i>Campanula punctata</i> 'Wedding Bells' Wedding Bells Spotted Bellflower | HP | 0.96 | R2 | 4-5 | 6-8 | | | |
| <i>Campanula pyramidalis</i> Chimney Bellflower | HP | 0.54 | R2 | 4-6 | 7-8 | | | |
| <i>Campanula rapunculoides</i> Creeping Bellflower | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula rotundifolia</i> Harebell | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula rotundifolia</i> 'Olympica' Olympica Harebell | HP | 1.06 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula rotundifolia</i> 'White Gem' White Gem Harebell | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula sarmatica</i> Sarmatican Bellflower | HP | 1.00 | R2 | 4-5 | 6-8 | | | |
| <i>Campanula takesimana</i> Korean Bellflower | HP | 0.48 | R2 | 4-5 | 6-8 | | | |
| <i>Campanula trachelium</i> Nettle-leaved Bellflower | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Campanula trachelium</i> 'Bernice' Bernice Nettle-leaved Bellflower | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Camphora officinalis</i> See - <i>Cinnamomum camphora</i> | | | | | | | | |
| <i>Campsis</i> Trumpet Creeper | GC | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Campsis grandiflora</i> Chinese Trumpet Creeper | GC | 0.80 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Campsis grandiflora</i> 'Morning Calm' Morning Calm Chinese Trumpet Creeper | GC | 1.24 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Campsis radicans</i> Trumpet Creeper | GC | 0.81 | R2 | 3-6 | 7-8 | | 1.00 | 4 |
| <i>Campsis radicans</i> 'Balboa Sunset' See - <i>Campsis radicans</i> 'Monbal' | | | | | | | | |
| <i>Campsis radicans</i> 'Crimson Trumpet' Crimson Trumpet Trumpet Creeper | GC | 0.68 | R2 | 3-6 | 7-8 | | 1.00 | 4 |
| <i>Campsis radicans</i> 'Flamenco' Flamenco Trumpet Creeper | GC | 1.03 | R2 | 3-6 | 7-8 | | 1.00 | 4 |
| <i>Campsis radicans</i> 'Flava' Yellow Trumpet Creeper | GC | 0.97 | R2 | 3-6 | 7-8 | | 1.00 | 4 |
| <i>Campsis radicans</i> 'Huitan' P.P. 16656 Tango™ Trumpet Creeper | GC | 1.70 | R2 | 3-6 | 7-8 | | 1.00 | 4 |
| <i>Campsis radicans</i> 'Minnesota Red' Minnesota Red Trumpet Creeper | GC | 1.23 | R2 | 3-6 | 7-8 | | 1.00 | 4 |
| <i>Campsis radicans</i> 'Monbal' Balboa Sunset™ Trumpet Creeper | GC | 1.47 | R2 | 3-6 | 7-8 | | 1.00 | 4 |
| <i>Campsis radicans</i> 'Summer Snowfall' See - <i>Campsis radicans</i> 'Takarazuka Variegated' P.P. 12245 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Campsis radicans</i> 'Takarazuka Variegated' P.P. 12245 Summer Snowfall™ Trumpet Creeper | GC | 1.28 | R2 | 3-6 | 7-8 | | 1.00 | 4 |
| <i>Campsis radicans</i> 'Tango' See - <i>Campsis radicans</i> 'Huitan' P.P. 16656 | | | | | | | | |
| <i>Campsis xtagliabuana</i> Trumpet Creeper | GC | 0.96 | R2 | 3-6 | 7-8 | | 1.00 | 4 |
| <i>Campsis xtagliabuana</i> 'Guilfoylei' Guilfoylei Hybrid Trumpet Creeper | GC | 1.03 | R2 | 3-6 | 7-8 | | 1.00 | 4 |
| <i>Campsis xtagliabuana</i> 'HOMR' P.P. 18394 Madame Rosy® Hybrid Trumpet Creeper | GC | 1.03 | R2 | 5-7 | 8 | | 1.00 | 6 |
| <i>Campsis xtagliabuana</i> 'Madame Galen' Madame Galen Hybrid Trumpet Creeper | GC | 1.09 | R2 | 3-6 | 7-8 | | 1.00 | 4 |
| <i>Campsis xtagliabuana</i> 'Madame Rosy' See - <i>Campsis xtagliabuana</i> 'HOMR' P.P. 18394 | | | | | | | | |
| <i>Campsis xtagliabuana</i> 'Takarazuka Gold' Takarazuka Gold Hybrid Trumpet Creeper | GC | 1.03 | R2 | 3-6 | 7-8 | | 1.00 | 4 |
| <i>Camptosorus rhizophyllus</i> See - <i>Asplenium rhizophyllum</i> | | | | | | | | |
| <i>Canistrum lindenii</i> No Common Name Found | HP | 1.00 | R2 | 8 | | | | |
| <i>Canna</i> Canna Lily | HP | 0.94 | R2 | 5-8 | | | | |
| <i>Canna</i> 'Aida' Aida Canna Lily | HP | 0.66 | R2 | 5-8 | | | | |
| <i>Canna</i> 'Ambassador' Ambassador Canna Lily | HP | 0.79 | R2 | 5-8 | | | | |
| <i>Canna</i> 'Angel Pink' Angel Pink Canna Lily | HP | 0.75 | R2 | 5-8 | | | | |
| <i>Canna</i> 'Apricot Frost' Apricot Frost Canna Lily | HP | 0.96 | R2 | 5-8 | | | | |
| <i>Canna</i> 'Australia' Australia Canna Lily | HP | 1.15 | R2 | 5-8 | | | | |
| <i>Canna</i> 'Bangkok Yellow' Bangkok Yellow Canna Lily | HP | 0.84 | R2 | 5-8 | | | | |
| <i>Canna</i> 'Bengal Tiger' Bengal Tiger Canna Lily | HP | 1.02 | R2 | 5-8 | | | | |
| <i>Canna</i> 'Black Knight' Black Knight Canna Lily | HP | 0.93 | R2 | 5-8 | | | | |
| <i>Canna</i> 'Brandywine' Brandywine Canna Lily | HP | 0.58 | R2 | 5-8 | | | | |
| <i>Canna</i> 'Bugle Boy' P.P. 9154 Liberty™ Bugle Boy™ Canna Lily | HP | 1.11 | R2 | 5-8 | | | | |
| <i>Canna</i> 'Cherry Red' Cherry Red Dwarf Canna Lily | HP | 0.94 | R2 | 5-8 | | | | |
| <i>Canna</i> 'China Doll' China Doll Canna Lily | HP | 0.93 | R2 | 5-8 | | | | |
| <i>Canna</i> 'City of Portland' City of Portland Canna Lily | HP | 0.80 | R2 | 5-8 | | | | |
| <i>Canna</i> 'Cleopatra' Cleopatra Canna Lily | HP | 0.97 | R2 | 5-8 | | | | |
| <i>Canna</i> 'Conestoga' Conestoga Canna Lily | HP | 0.94 | R2 | 5-8 | | | | |
| <i>Canna</i> 'Crimson Beauty' Crimson Beauty Canna Lily | HP | 0.81 | R2 | 5-8 | | | | |
| <i>Canna</i> 'Durban' Durban Red Canna Lily | HP | 1.73 | R2 | 5-8 | | | | |
| <i>Canna</i> 'Dwarf Pfitzer' Dwarf Pfitzer Canna Lily | HP | 0.65 | R2 | 5-8 | | | | |
| <i>Canna</i> 'Eureka' Eureka Dwarf Yellow Canna Lily | HP | 0.85 | R2 | 5-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|--|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Canna</i> 'Firebird' Firebird Canna Lily | HP | 0.96 | R2 | 5-8 | | | |
| <i>Canna</i> 'Freedom Series' Freedom Series Canna Lily | HP | 0.94 | R2 | 5-8 | | | |
| <i>Canna</i> 'Futurity Pink' Futurity Pink Canna Lily | HP | 0.90 | R2 | 5-8 | | | |
| <i>Canna</i> 'Futurity Red' Futurity Red Canna Lily | HP | 0.86 | R2 | 5-8 | | | |
| <i>Canna</i> 'Futurity Rose' Futurity Rose Canna Lily | HP | 0.93 | R2 | 5-8 | | | |
| <i>Canna</i> 'Futurity Series' Futurity Series Canna Lily | HP | 0.94 | R2 | 5-8 | | | |
| <i>Canna</i> 'Futurity Yellow' Futurity Yellow Canna Lily | HP | 0.89 | R2 | 5-8 | | | |
| <i>Canna</i> 'Intrigue' Intrigue Canna Lily | HP | 0.94 | R2 | 5-8 | | | |
| <i>Canna</i> 'Jamboree Yellow Spot' Jamboree Yellow Spot Canna Lily | HP | 0.83 | R2 | 5-8 | | | |
| <i>Canna</i> 'Journey's End' Journey's End Canna Lily | HP | 0.50 | R2 | 5-8 | | | |
| <i>Canna</i> 'Karl Felstadt' Karl Felstadt Dwarf Orange Canna Lily | HP | 0.81 | R2 | 5-8 | | | |
| <i>Canna</i> 'King City Gold' King City Gold Canna Lily | HP | 0.94 | R2 | 5-8 | | | |
| <i>Canna</i> 'Lenape' Lenape Canna Lily | HP | 0.94 | R2 | 5-8 | | | |
| <i>Canna</i> 'Liberty Bugle Boy' See - <i>Canna</i> 'Bugle Boy' P.P. 9154 | | | | | | | |
| <i>Canna</i> 'Liberty Pink Splash' Liberty Pink Splash™ Canna Lily | HP | 0.98 | R2 | 5-8 | | | |
| <i>Canna</i> 'Liberty Scarlet' See - <i>Canna</i> 'Roblibasca' P.P. 9896 | | | | | | | |
| <i>Canna</i> 'Liberty Series' Liberty™ Series Canna Lily | HP | 0.94 | R2 | 5-8 | | | |
| <i>Canna</i> 'Liberty Sun' Liberty™ Sun Canna Lily | HP | 0.98 | R2 | 5-8 | | | |
| <i>Canna</i> 'Liberty Toy Red' See - <i>Canna</i> 'RobToyRed' P.P. 16320 | | | | | | | |
| <i>Canna</i> 'Lippo' Lippo Canna Lily | HP | 0.58 | R2 | 5-8 | | | |
| <i>Canna</i> 'Lon01' P.P.A.F. Tropicanna® Black Canna Lily | HP | 1.96 | R2 | 5-8 | | | |
| <i>Canna</i> 'Lucifer' Lucifer Canna Lily | HP | 0.84 | R2 | 5-8 | | | |
| <i>Canna</i> 'MACTro' P.P. 13809 Tropicanna® Gold Canna Lily | HP | 1.51 | R2 | 5-8 | | | |
| <i>Canna</i> 'Madame Butterfly' Madame Butterfly Dwarf Pink Canna Lily | HP | 0.92 | R2 | 5-8 | | | |
| <i>Canna</i> 'Maudie Malcolm' Maudie Malcolm Canna Lily | HP | 0.94 | R2 | 5-8 | | | |
| <i>Canna</i> 'Miss Oklahoma' Miss Oklahoma Canna Lily | HP | 0.96 | R2 | 5-8 | | | |
| <i>Canna</i> 'North Star Landscape Red' North Star Landscape Red Canna Lily | HP | 0.94 | R2 | 5-8 | | | |
| <i>Canna</i> 'North Star Series' North Star Series Canna Lily | HP | 0.94 | R2 | 5-8 | | | |
| <i>Canna</i> 'North Star Sweetheart' North Star Sweetheart Canna Lily | HP | 0.94 | R2 | 5-8 | | | |
| <i>Canna</i> 'Orange Beauty' Orange Beauty Canna Lily | HP | 0.94 | R2 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|--|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Canna</i> 'Orange Punch' Orange Punch Canna Lily | HP | 0.96 | R2 | 5-8 | | | |
| <i>Canna</i> 'Peach Blush' Peach Blush Canna Lily | HP | 0.93 | R2 | 5-8 | | | |
| <i>Canna</i> 'Pfitzer Series' Pfitzer Series Canna Lily | HP | 0.94 | R2 | 5-8 | | | |
| <i>Canna</i> 'Pfitzer's Chinese Coral' Pfitzer's Chinese Coral Canna Lily | HP | 0.86 | R2 | 5-8 | | | |
| <i>Canna</i> 'Pfitzer's Salmon Pink' Pfitzer's Salmon Pink Canna Lily | HP | 0.96 | R2 | 5-8 | | | |
| <i>Canna</i> 'Phasion' P.P. 10569 Tropicanna™ Canna Lily | HP | 1.52 | R2 | 5-8 | | | |
| <i>Canna</i> 'Pink Beauty' Pink Beauty Canna Lily | HP | 0.91 | R2 | 5-8 | | | |
| <i>Canna</i> 'Pink Sunburst' Pink Sunburst Canna Lily | HP | 1.02 | R2 | 5-8 | | | |
| <i>Canna</i> 'President' President Red Canna Lily | HP | 0.92 | R2 | 5-8 | | | |
| <i>Canna</i> 'Pretoria' See - <i>Canna</i> 'Bengal Tiger' | | | | | | | |
| <i>Canna</i> 'Primrose Yellow' Primrose Yellow Canna Lily | HP | 0.80 | R2 | 5-8 | | | |
| <i>Canna</i> 'Red Hot Wonder' Red Hot Wonder Canna Lily | HP | 0.94 | R2 | 5-8 | | | |
| <i>Canna</i> 'Red Wine' Red Wine Canna Lily | HP | 0.92 | R2 | 5-8 | | | |
| <i>Canna</i> 'Richard Wallace' Richard Wallace Canna Lily | HP | 0.90 | R2 | 5-8 | | | |
| <i>Canna</i> 'RobToyRed' P.P. 16320 Liberty™ Toy™ Red Canna Lily | HP | 1.16 | R2 | 5-8 | | | |
| <i>Canna</i> 'Roblibisca' P.P. 9896 Liberty™ Scarlet Canna Lily | HP | 1.05 | R2 | 5-8 | | | |
| <i>Canna</i> 'Roi King Humbert' Roi King Humbert Canna Lily | HP | 1.02 | R2 | 5-8 | | | |
| <i>Canna</i> 'Rosemund Coles' Rosemund Coles Canna Lily | HP | 0.87 | R2 | 5-8 | | | |
| <i>Canna</i> 'Shining Pink' Shining Pink Canna Lily | HP | 0.69 | R2 | 5-8 | | | |
| <i>Canna</i> 'Stadt Fellbach' Stadt Fellbach Canna Lily | HP | 1.03 | R2 | 5-8 | | | |
| <i>Canna</i> 'Stadt Feltbach' See - <i>Canna</i> 'Stadt Fellbach' | | | | | | | |
| <i>Canna</i> 'Striped Beauty' Striped Beauty Canna Lily | HP | 0.98 | R2 | 5-8 | | | |
| <i>Canna</i> 'Sunny Delight' Sunny Delight Canna Lily | HP | 0.97 | R2 | 5-8 | | | |
| <i>Canna</i> 'Tropical Red' Tropical Red Canna Lily | HP | 0.78 | R2 | 5-8 | | | |
| <i>Canna</i> 'Tropical Rose' Tropical Rose Canna Lily | HP | 0.78 | R2 | 5-8 | | | |
| <i>Canna</i> 'Tropical Salmon' Tropical Salmon Canna Lily | HP | 0.92 | R2 | 5-8 | | | |
| <i>Canna</i> 'Tropical Series' Tropical Series Canna Lily | HP | 0.94 | R2 | 5-8 | | | |
| <i>Canna</i> 'Tropical Yellow' Tropical Yellow Canna Lily | HP | 0.91 | R2 | 5-8 | | | |
| <i>Canna</i> 'Tropicanna Black' See - <i>Canna</i> 'Lon01' P.P.A.F. | | | | | | | |
| <i>Canna</i> 'Tropicanna Gold' See - <i>Canna</i> 'MACTro' P.P. 13809 | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Canna</i> 'Tropicanna Series' Tropicanna® Series Canna Lily | HP | 0.94 | R2 | 5-8 | | | |
| <i>Canna</i> 'Tropicanna' See - <i>Canna</i> 'Phasion' P.P. 10569 | | | | | | | |
| <i>Canna</i> 'Vermilion' Vermilion Canna Lily | HP | 0.94 | R2 | 5-8 | | | |
| <i>Canna</i> 'Wine 'n' Roses' Wine 'n' Roses Canna Lily | HP | 0.70 | R2 | 5-8 | | | |
| <i>Canna</i> 'Wyoming' Wyoming Canna Lily | HP | 1.00 | R2 | 5-8 | | | |
| <i>Canna</i> 'Yellow King Humbert' Yellow King Humbert Canna Lily | HP | 1.00 | R2 | 5-8 | | | |
| <i>Canna flaccida</i> Golden Canna | HP | 0.77 | R2 | 8 | | | |
| <i>Canna x generalis</i> Garden Canna Lily | HP | 1.01 | R2 | 8 | | | |
| <i>Canna indica</i> Indian Shot | HP | 1.00 | R2 | 5-8 | | | |
| <i>Cantua buxifolia</i> Sacred Flower of the Incas | BS | 1.01 | R2 | 8 | | 1.00 | 9 |
| <i>Cantua buxifolia</i> 'Hot Pants' Hot Pants Sacred Flower of the Incas | BS | 1.01 | R2 | 8 | | 1.00 | 9 |
| <i>Capparis spinosa</i> var. <i>inermis</i> Thornless Caper Tree | BS | 1.53 | R2 | 5-8 | | 1.00 | 8 |
| <i>Capsicum annuum</i> Pepper Plant | AN | 0.70 | R2 | 8 | | | |
| <i>Capsicum annuum</i> 'Chilly Chili' Chilly Chili Pepper | AN | 1.22 | R2 | 8 | | | |
| <i>Capsicum annuum</i> 'Explosive Ember' Explosive Ember Chili Pepper | AN | 1.11 | R2 | 8 | | | |
| <i>Capsicum annuum</i> 'Holiday Cheer' Holiday Cheer Chili Pepper | AN | 1.10 | R2 | 8 | | | |
| <i>Capsicum annuum</i> 'Medusa' Medusa Chili Pepper | AN | 1.25 | R2 | 8 | | | |
| <i>Capsicum annuum</i> 'Treasure Red' Treasure Red Chili Pepper | AN | 1.13 | R2 | 8 | | | |
| <i>Capsicum annuum</i> var. <i>aviculare</i> Chile Pequin | AN | 0.92 | R2 | 8 | | | |
| <i>Capsicum frutescens</i> Tabasco Pepper | AN | 1.00 | R2 | 8 | | | |
| <i>Caragana arborescens</i> Siberian Peashrub | DS | 1.47 | R1 | | 3-7 | 0.72 | 2 |
| <i>Caragana arborescens</i> 'Lorbergii' Fernleaf Siberian Peashrub | DS | 1.06 | R1 | | 3-7 | 0.88 | 2 |
| <i>Caragana arborescens</i> 'Nana' Dwarf Siberian Peashrub | DS | 1.41 | R1 | | 3-7 | 0.88 | 2 |
| <i>Caragana arborescens</i> 'Pendula' Weeping Siberian Peashrub | DS | 1.66 | R1 | | 3-7 | 1.03 | 2 |
| <i>Caragana arborescens</i> 'Sutherland' Sutherland Siberian Peashrub | DS | 1.19 | R1 | | 3-7 | 0.88 | 2 |
| <i>Caragana arborescens</i> 'Walker' Walker Siberian Peashrub | DS | 1.67 | R1 | | 3-7 | 0.88 | 2 |
| <i>Caragana frutex</i> Russian Peashrub | DS | 1.29 | R1 | | 3-7 | 0.73 | 2 |
| <i>Caragana frutex</i> 'Globosa' Globe Russian Peashrub | DS | 1.16 | R1 | | 3-7 | 0.73 | 2 |
| <i>Caragana maximowicziana</i> Little Max Peashrub | DS | 0.79 | R1 | | 3-7 | 1.00 | 2 |
| <i>Caragana microphylla</i> Littleleaf Peashrub | DS | 0.89 | R1 | | 3-7 | 1.00 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Caragana microphylla</i> 'Tidy' Tidy Littleleaf Peashrub | DS | 0.89 | R1 | | 3-7 | | 1.00 | 2 |
| <i>Caragana pygmaea</i> Pygmy Peashrub | DS | 1.18 | R1 | 3 | 4-8 | | 2.00 | 3 |
| <i>Cardamine trifolia</i> No Common Name Found | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Cardiospermum halicacabum</i> Balloon Vine | GC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Carduncellus mitissimus</i> No Common Name Found | HP | 1.00 | R2 | 6-7 | 8 | | | |
| <i>Carex accedens</i> See - <i>Carex aperta</i> | | | | | | | | |
| <i>Carex acuta</i> Slender-tufted Sedge | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Carex albula</i> Blonde Sedge | HP | 1.07 | R2 | 4-7 | 8 | | | |
| <i>Carex aperta</i> Columbian Sedge | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Carex appalachia</i> Appalachian Sedge | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Carex bergrenii</i> Bergren Sedge | HP | 0.80 | R2 | 4-6 | 7-8 | | | |
| <i>Carex bicknelli</i> Bicknell's Sedge | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Carex buchananii</i> Leatherleaf Sedge | HP | 1.30 | R2 | 3-6 | 7-8 | | | |
| <i>Carex buchananii</i> 'Red Rooster' Red Rooster Leatherleaf Sedge | HP | 0.96 | R2 | 3-6 | 7-8 | | | |
| <i>Carex buchananii</i> 'Viridis' Green Leatherleaf Sedge | HP | 0.87 | R2 | 3-6 | 7-8 | | | |
| <i>Carex caryophyllea</i> Spring Sedge | HP | 1.23 | R2 | 3-5 | 6-8 | | | |
| <i>Carex caryophyllea</i> 'Beatlemania' Beatlemania Spring Sedge | HP | 1.23 | R2 | 3-5 | 6-8 | | | |
| <i>Carex comans</i> New Zealand Hair Sedge | HP | 0.77 | R2 | 3-7 | 8 | | | |
| <i>Carex comans</i> 'Amazon Mist' Amazon Mist™ New Zealand Hair Sedge | HP | 1.14 | R2 | 3-7 | 8 | | | |
| <i>Carex comans</i> 'Bronco' Bronco™ New Zealand Hair Sedge | HP | 0.92 | R2 | 3-7 | 8 | | | |
| <i>Carex comans</i> 'Bronze Curls' See - <i>Carex comans</i> 'Bronco' | | | | | | | | |
| <i>Carex comans</i> 'Bronze' Bronze New Zealand Hair Sedge | HP | 0.98 | R2 | 3-7 | 8 | | | |
| <i>Carex comans</i> 'Bronzita' Bronzita™ New Zealand Hair Sedge | HP | 0.88 | R2 | 3-7 | 8 | | | |
| <i>Carex comans</i> 'Frosted Curls' Frosted Curls New Zealand Hair Sedge | HP | 1.19 | R2 | 3-7 | 8 | | | |
| <i>Carex conica</i> Dwarf Sedge | HP | 1.35 | R2 | 3-6 | 7-8 | | | |
| <i>Carex conica</i> 'Snowline' Hime Kansugi Dwarf Sedge | HP | 1.35 | R2 | 3-6 | 7-8 | | | |
| <i>Carex conica</i> 'Variegata' See - <i>Carex conica</i> 'Snowline' | | | | | | | | |
| <i>Carex cryptocarpa</i> See - <i>Carex lyngbyei</i> | | | | | | | | |
| <i>Carex densa</i> Dense Sedge | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Carex digitata</i> No Common Name Found | HP | 0.89 | R2 | 5-7 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Carex dipsacea</i> Autumn Sedge | HP | 0.76 | R2 | 5-7 | 8 | | | |
| <i>Carex dolichostachya</i> No Common Name Found | HP | 1.25 | R2 | 3-5 | 6-8 | | | |
| <i>Carex dolichostachya</i> 'Kaga-nishiki' Kaga Brocade Sedge | HP | 1.25 | R2 | 3-5 | 6-8 | | | |
| <i>Carex elata</i> Tufted Sedge | HP | 1.17 | R2 | 3-6 | 7-8 | | | |
| <i>Carex elata</i> 'Bowles Golden' Bowles Golden Tufted Sedge | HP | 1.36 | R2 | 3-6 | 7-8 | | | |
| <i>Carex elata</i> 'Variegata' Variegated Tufted Sedge | HP | 1.24 | R2 | 3-6 | 7-8 | | | |
| <i>Carex elegantissima</i> No Common Name Found | HP | 0.65 | R2 | 5-8 | | | | |
| <i>Carex elegantissima</i> 'Variegata' Golden-edged Sedge | HP | 0.65 | R2 | 5-8 | | | | |
| <i>Carex emoryi</i> Emory's Sedge | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Carex firma</i> Dwarf Pillow Sedge | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Carex firma</i> 'Variegata' Variegated Dwarf Pillow Sedge | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Carex flacca</i> Blue Heath Sedge | HP | 1.40 | R2 | 3-5 | 6-8 | | | |
| <i>Carex flacca</i> 'Blue Zinger' Blue Zinger Heath Grass | HP | 1.05 | R2 | 3-5 | 6-8 | | | |
| <i>Carex flaccosperma</i> Thinfuit Sedge | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Carex flagellifera</i> Copperleaf Sedge | HP | 1.27 | R2 | 5-7 | 8 | | | |
| <i>Carex flagellifera</i> 'Toffee Twist' Toffee Twist Copperleaf Sedge | HP | 0.87 | R2 | 5-7 | 8 | | | |
| <i>Carex fretalis</i> No Common Name Found | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Carex glauca</i> See - <i>Carex flacca</i> | | | | | | | | |
| <i>Carex glauca</i> 'Blue Zinger' See - <i>Carex flacca</i> 'Blue Zinger' | | | | | | | | |
| <i>Carex gracilis</i> See - <i>Carex acuta</i> | | | | | | | | |
| <i>Carex grayi</i> Gray Sedge | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Carex grayi</i> 'Morning Star' Morning Star Gray Sedge | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Carex hachijoensis</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Carex hachijoensis</i> 'Evergold' See - <i>Carex oshimensis</i> 'Evergold' | | | | | | | | |
| <i>Carex laeviculmis</i> Smooth-stem Sedge | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Carex laxiculmis</i> Spreading Sedge | HP | 1.03 | R2 | 3-5 | 6-8 | | | |
| <i>Carex laxiculmis</i> 'Bunny Blue' See - <i>Carex laxiculmis</i> 'Hobb' | | | | | | | | |
| <i>Carex laxiculmis</i> 'Hobb' Bunny Blue™ Spreading Sedge | HP | 1.03 | R2 | 3-5 | 6-8 | | | |
| <i>Carex lyngbyei</i> Lyngbye's Sedge | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Carex marginata</i> See - <i>Carex pennsylvanica</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Carex morrowii</i> Japanese Sedge | HP | 1.86 | R2 | 3-5 | 6-8 | | | |
| <i>Carex morrowii</i> 'Aurea-variegata' Gold Variegated Japanese Sedge | HP | 1.44 | R2 | 3-5 | 6-8 | | | |
| <i>Carex morrowii</i> 'Fisher' Fisher Japanese Sedge | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Carex morrowii</i> 'Ice Dance' Ice Dance Japanese Sedge | HP | 1.18 | R2 | 3-5 | 6-8 | | | |
| <i>Carex morrowii</i> 'Old Gold' Old Gold Japanese Sedge | HP | 1.18 | R2 | 3-5 | 6-8 | | | |
| <i>Carex morrowii</i> 'Silk Tassel' Silk Tassel Japanese Sedge | HP | 1.15 | R2 | 3-5 | 6-8 | | | |
| <i>Carex morrowii</i> 'Silver Sceptre' Silver Sceptre Japanese Sedge | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Carex morrowii</i> 'Variegata' Silver Variegated Japanese Sedge | HP | 0.94 | R2 | 3-5 | 6-8 | | | |
| <i>Carex muskingumensis</i> Swamp Sedge | HP | 0.98 | R2 | 3-6 | 7-8 | | | |
| <i>Carex muskingumensis</i> 'Little Midge' Little Midge Swamp Sedge | HP | 1.40 | R2 | 3-6 | 7-8 | | | |
| <i>Carex muskingumensis</i> 'Oehme' Oehme Palm Sedge | HP | 0.94 | R2 | 3-6 | 7-8 | | | |
| <i>Carex muskingumensis</i> 'Wachtposten' Wachtposten Palm Sedge | HP | 0.88 | R2 | 3-6 | 7-8 | | | |
| <i>Carex nigra</i> Black Sedge | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Carex nudata</i> California Black-flowering Sedge | HP | 0.70 | R2 | 3-7 | 8 | | | |
| <i>Carex obnupta</i> Slough Sedge | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Carex ornithopoda</i> Bird's Foot Sedge | HP | 1.30 | R2 | 3-6 | 7-8 | | | |
| <i>Carex ornithopoda</i> 'Variegata' Variegated Bird's Foot Sedge | HP | 1.30 | R2 | 3-6 | 7-8 | | | |
| <i>Carex oshimensis</i> Japanese Sedge Grass | HP | 1.14 | R2 | 3-5 | 6-8 | | | |
| <i>Carex oshimensis</i> 'Evergold' Evergold Japanese Sedge Grass | HP | 1.27 | R2 | 3-5 | 6-8 | | | |
| <i>Carex oshimensis</i> 'Gold Strike' Gold Strike Japanese Sedge | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Carex pansa</i> California Meadow Sedge | HP | 0.70 | R2 | 5-8 | | | | |
| <i>Carex pendula</i> Pendulous Sedge | HP | 1.35 | R2 | 3-6 | 7-8 | | | |
| <i>Carex pennsylvanica</i> Pennsylvania Sedge | HP | 1.20 | R2 | 3-4 | 5-8 | | | |
| <i>Carex petriei</i> Brown Sedge | HP | 0.89 | R2 | 5-7 | 8 | | | |
| <i>Carex phyllocephala</i> No Common Name Found | HP | 1.10 | R2 | 5-8 | | | | |
| <i>Carex phyllocephala</i> 'Sparkler' Sparkler Sedge | HP | 1.10 | R2 | 5-8 | | | | |
| <i>Carex pilulifera</i> Pill Sedge | HP | 0.70 | R2 | 3-6 | 7-8 | | | |
| <i>Carex pilulifera</i> 'Tinney's Princess' Tinney's Princess Pill Sedge | HP | 0.70 | R2 | 3-6 | 7-8 | | | |
| <i>Carex plantaginea</i> Seersucker Sedge | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Carex platyphylla</i> Broadleaf Silver Sedge | HP | 1.00 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Carex praegracilis</i> No Common Name Found | HP | 0.70 | R2 | 3-6 | 7-8 | | | |
| <i>Carex pseudocyperus</i> Cyperus Sedge | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Carex remota</i> Remote Sedge | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Carex riparia</i> Greater Pond Sedge | HP | 0.65 | R2 | 3-6 | 7-8 | | | |
| <i>Carex riparia</i> 'Variegata' Variegated Greater Pond Sedge | HP | 0.65 | R2 | 3-6 | 7-8 | | | |
| <i>Carex secta</i> No Common Name Found | HP | 0.70 | R2 | 5-7 | 8 | | | |
| <i>Carex siderosticha</i> No Common Name Found | HP | 1.35 | R2 | 3-6 | 7-8 | | | |
| <i>Carex siderosticha</i> 'Island Brocade' See - <i>Carex siderosticha</i> 'Shima Nishiki' | | | | | | | | |
| <i>Carex siderosticha</i> 'Lemon Zest' P.P. 14463 Lemon Zest Creeping Broadleaf Sedge | HP | 1.35 | R2 | 3-6 | 7-8 | | | |
| <i>Carex siderosticha</i> 'Shima Nishiki' Island Brocade Siderosticha Sedge | HP | 1.36 | R2 | 3-6 | 7-8 | | | |
| <i>Carex siderosticha</i> 'Variegata' Variegated Siderosticha Sedge | HP | 1.34 | R2 | 3-6 | 7-8 | | | |
| <i>Carex solandri</i> New Zealand Bush Sedge | HP | 0.86 | R2 | 5-8 | | | | |
| <i>Carex speciosa</i> No Common Name Found | HP | 0.65 | R2 | 3-4 | 5-8 | | | |
| <i>Carex speciosa</i> 'Velebit Humilis' Velebit Sedge | HP | 0.65 | R2 | 3-4 | 5-8 | | | |
| <i>Carex spissa</i> San Diego Sedge | HP | 0.65 | R2 | 3-7 | 8 | | | |
| <i>Carex stipata</i> Owlfruit Sedge | HP | 0.93 | R2 | 3-5 | 6 | | | |
| <i>Carex stricta</i> See - <i>Carex elata</i> | | | | | | | | |
| <i>Carex subfusca</i> Rusty Sedge | HP | 0.70 | R2 | 3-5 | 6-8 | | | |
| <i>Carex sylvatica</i> Wood Sedge | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Carex tenuiculmis</i> New Zealand Sedge | HP | 0.86 | R2 | 5-7 | 8 | | | |
| <i>Carex tenuiculmis</i> 'Bronzina' Bronzina New Zealand Sedge | HP | 0.86 | R2 | 5-7 | 8 | | | |
| <i>Carex tenuiculmis</i> 'Cappuccino' See - <i>Carex tenuiculmis</i> 'Bronzina' | | | | | | | | |
| <i>Carex testacea</i> Orange Sedge | HP | 0.86 | R2 | 5-7 | 8 | | | |
| <i>Carex trifida</i> No Common Name Found | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Carex trifida</i> 'Rekohu Sunrise' P.P.A.F. Rekohu Sunrise Variegated New Zealand Sedge | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Carex tumulicola</i> Berkeley Sedge | HP | 0.95 | R2 | 5-8 | | | | |
| <i>Carex umbrosa</i> No Common Name Found | HP | 0.93 | R2 | 5-7 | 8 | | | |
| <i>Carex umbrosa</i> 'The Beatles' The Beatles Sedge | HP | 0.93 | R2 | 5-7 | 8 | | | |
| <i>Carex unilateralis</i> One-sided Sedge | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Carlina acaulis</i> Stemless Carline Thistle | HP | 0.66 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Carlina acaulis</i> 'Bronze Form' Bronze Form Stemless Carline Thistle | HP | 0.66 | R2 | 3-4 | 5-8 | | | |
| <i>Carludovica palmata</i> Panama Hat Plant | FO | 1.07 | R2 | 8 | | | 1.00 | 11 |
| <i>Carnegiea gigantea</i> Saguaro Cactus | BE | 0.87 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Carpenteria californica</i> Tree Anemone | BS | 0.96 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Carpenteria californica</i> 'Elizabeth' Elizabeth Bush Anemone | BS | 0.91 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Carpinus betulus</i> European Hornbeam | DT | 1.09 | R1 | 4 | 5-8 | 1.14 | 1.64 | 4 |
| <i>Carpinus betulus</i> 'Columnaris' Columnar European Hornbeam | DT | 1.60 | R1 | 4 | 5-8 | 1.47 | 1.13 | 4 |
| <i>Carpinus betulus</i> 'Fastigiata' Pyramidal European Hornbeam | DT | 1.20 | R1 | 4 | 5-8 | 1.56 | 0.84 | 4 |
| <i>Carpinus betulus</i> 'Frans Fontaine' Frans Fontaine European Hornbeam | DT | 1.35 | R1 | 4 | 5-8 | 1.55 | 0.91 | 4 |
| <i>Carpinus betulus</i> 'Globosa' Globe European Hornbeam | DT | 1.25 | R1 | 4 | 5-8 | 1.11 | 1.13 | 4 |
| <i>Carpinus betulus</i> 'Pendula' Weeping European Hornbeam | DT | 1.16 | R1 | 4 | 5-8 | 1.19 | 1.13 | 4 |
| <i>Carpinus betulus</i> 'Purpurea' Purple European Hornbeam | DT | 1.08 | R1 | 4 | 5-8 | 1.74 | 1.13 | 4 |
| <i>Carpinus caroliniana</i> American Hornbeam | DT | 0.99 | R2 | 3-4 | 5-8 | 1.20 | 2.04 | 3 |
| <i>Carpinus caroliniana</i> 'CCSQU' P.P. 11280 Palisade™ American Hornbeam | DT | 0.87 | R2 | 3-4 | 5-8 | 1.17 | 2.04 | 3 |
| <i>Carpinus caroliniana</i> 'Palisade' See - <i>Carpinus caroliniana</i> 'CCSQU' P.P. 11280 | | | | | | | | |
| <i>Carpinus caucasia</i> See - <i>Carpinus betulus</i> | | | | | | | | |
| <i>Carpinus cordata</i> Heartleaf Hornbeam | DT | 1.00 | R1 | 3-5 | 6-8 | 1.76 | 1.00 | 5 |
| <i>Carpinus coreana</i> No Common Name Found | DT | 0.89 | R1 | 4-5 | 6-8 | 1.40 | 1.25 | 5 |
| <i>Carpinus japonica</i> Japanese Hornbeam | DT | 0.97 | R1 | 3-7 | 8 | 1.01 | 2.15 | 5 |
| <i>Carpinus laxiflora</i> Red-Leaf Hornbeam | DT | 1.00 | R1 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Carpinus orientalis</i> Oriental Hornbeam | DT | 1.00 | R1 | 4-5 | 6-8 | 2.50 | 1.04 | 5 |
| <i>Carpinus x shuschuensis</i> No Common Name Found | DT | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Carpinus tschonoskii</i> Yeddo Hornbeam | DT | 1.00 | R1 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Carpinus turczaninowii</i> Rock Hornbeam | DT | 0.84 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 5 |
| <i>Carpobrotus edulis</i> Hottentot | GC | 1.00 | R2 | 8 | | | 1.00 | 8 |
| <i>Carum carvi</i> Caraway | AN | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Carya aquatica</i> Bitter Pecan | DT | 0.53 | R1 | | 7-8 | 2.13 | 1.00 | 6 |
| <i>Carya cathayensis</i> Chinese Hickory | DT | 1.00 | R1 | 5-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Carya cordiformis</i> Bitternut Hickory | DT | 1.00 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |
| <i>Carya floridana</i> Scrub Hickory | DT | 0.56 | R1 | 8 | | 1.00 | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Carya glabra</i> Pignut Hickory | DT | 0.64 | R1 | 3-4 | 5-8 | 1.00 | 0.28 | 4 |
| <i>Carya illinoensis</i> Pecan | FN | 0.91 | R1 | 6 | 7-8 | 0.48 | 3.40 | 5 |
| <i>Carya illinoensis</i> 'Cape Fear' Cape Fear Pecan | FN | 0.84 | R1 | 6 | 7-8 | 0.75 | 0.77 | 5 |
| <i>Carya illinoensis</i> 'Cheyenne' Cheyenne Pecan | FN | 0.89 | R1 | 6 | 7-8 | 1.27 | 1.30 | 5 |
| <i>Carya illinoensis</i> 'Choctaw' Choctaw Pecan | FN | 1.04 | R1 | 6 | 7-8 | 1.27 | 1.30 | 5 |
| <i>Carya illinoensis</i> 'Desirable' Desirable Pecan | FN | 1.02 | R1 | 6 | 7-8 | 1.18 | 0.77 | 5 |
| <i>Carya illinoensis</i> 'Elliott' Elliott Pecan | FN | 0.91 | R1 | 6 | 7-8 | 1.06 | 1.30 | 5 |
| <i>Carya illinoensis</i> 'Kiowa' Kiowa Pecan | FN | 0.94 | R1 | 6 | 7-8 | 1.06 | 1.30 | 5 |
| <i>Carya illinoensis</i> 'Mahan' Mahan Pecan | FN | 0.84 | R1 | 6 | 7-8 | 1.18 | 0.77 | 5 |
| <i>Carya illinoensis</i> 'Maramec' Maramec Pecan | FN | 0.91 | R1 | 6 | 7-8 | 1.02 | 1.30 | 5 |
| <i>Carya illinoensis</i> 'Mohawk' Mohawk Pecan | FN | 0.91 | R1 | 6 | 7-8 | 1.27 | 1.30 | 5 |
| <i>Carya illinoensis</i> 'Navajo' Navajo Pecan | FN | 0.91 | R1 | 6 | 7-8 | 1.06 | 1.30 | 5 |
| <i>Carya illinoensis</i> 'Pawnee' Pawnee Pecan | FN | 0.99 | R1 | 6 | 7-8 | 1.09 | 1.30 | 5 |
| <i>Carya illinoensis</i> 'Silverback' Silverback Pecan | FN | 0.91 | R1 | 6 | 7-8 | 1.02 | 1.30 | 5 |
| <i>Carya illinoensis</i> 'Stuart' Stuart Pecan | FN | 0.84 | R1 | 6 | 7-8 | 0.75 | 0.77 | 5 |
| <i>Carya illinoensis</i> 'Western' Western Pecan | FN | 0.78 | R1 | 6 | 7-8 | 1.27 | 1.30 | 5 |
| <i>Carya illinoensis</i> 'Wichita' Wichita Pecan | FN | 0.91 | R1 | 6 | 7-8 | 1.27 | 1.30 | 5 |
| <i>Carya laciniosa</i> Big Shellbark Hickory | DT | 0.73 | R1 | 4-5 | 6-8 | 0.49 | 1.29 | 5 |
| <i>Carya myristiciformis</i> Nutmeg Hickory | DT | 0.46 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |
| <i>Carya ovata</i> Shagbark Hickory | DT | 0.77 | R1 | 4 | 5-8 | 2.11 | 1.35 | 4 |
| <i>Carya tomentosa</i> Mockernut Hickory | DT | 0.59 | R1 | 4 | 5-8 | 1.00 | 0.28 | 4 |
| <i>Caryopteris x clandonensis</i> Bluebeard | DS | 0.83 | R2 | 3-5 | 6-8 | | 0.87 | 5 |
| <i>Caryopteris x clandonensis</i> 'Arthur Simmonds' Arthur Simmonds Bluebeard | DS | 1.12 | R2 | 3-5 | 6-8 | | 0.87 | 5 |
| <i>Caryopteris x clandonensis</i> 'Azure' Azure Bluebeard | DS | 0.73 | R2 | 3-5 | 6-8 | | 0.87 | 5 |
| <i>Caryopteris x clandonensis</i> 'Blaue Donau' Blaue Donau Bluebeard | DS | 0.94 | R2 | 3-5 | 6-8 | | 0.87 | 5 |
| <i>Caryopteris x clandonensis</i> 'Blue Knoll' Blue Knoll Bluebeard | DS | 0.60 | R2 | 3-5 | 6-8 | | 0.87 | 5 |
| <i>Caryopteris x clandonensis</i> 'Blue Mist' Blue Mist Bluebeard | DS | 1.00 | R2 | 3-5 | 6-8 | | 0.87 | 5 |
| <i>Caryopteris x clandonensis</i> 'Dark Knight' Dark Knight Bluebeard | DS | 0.96 | R2 | 3-5 | 6-8 | | 0.87 | 5 |
| <i>Caryopteris x clandonensis</i> 'Dureo' See - <i>Caryopteris x clandonensis</i> 'Durio' P.P. 16913 | DS | 1.22 | R2 | 3-5 | 6-8 | | 0.87 | 5 |
| <i>Caryopteris x clandonensis</i> 'Durio' P.P. 16913 Pink Chablis™ Bluebeard | DS | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-----------|------------|
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Caryopteris x clandonensis</i> 'First Choice' P.P. 11958 First Choice Bluebeard | DS | 0.98 | R2 | 3-5 | 6-8 | | 0.87 | 5 |
| <i>Caryopteris x clandonensis</i> 'Grand Bleu' See - <i>Caryopteris x clandonensis</i> 'Inoveris' P.P. 17837 | | | | | | | | |
| <i>Caryopteris x clandonensis</i> 'Heavenly Blue' Heavenly Blue Bluebeard | DS | 0.63 | R2 | 3-5 | 6-8 | | 0.87 | 5 |
| <i>Caryopteris x clandonensis</i> 'Inoveris' P.P. 17837 Grand Bleu™ Bluebeard | DS | 1.00 | R2 | 3-5 | 6-8 | | 0.87 | 5 |
| <i>Caryopteris x clandonensis</i> 'Longwood Blue' Longwood Blue Bluebeard | DS | 0.95 | R2 | 3-5 | 6-8 | | 0.87 | 5 |
| <i>Caryopteris x clandonensis</i> 'Minibleu' P.P. 14674 Petit Bleu™ Bluebeard | DS | 1.17 | R2 | 3-5 | 6-8 | | 0.87 | 5 |
| <i>Caryopteris x clandonensis</i> 'Petit Bleu' See - <i>Caryopteris x clandonensis</i> 'Minibleu' P.P. 14674 | | | | | | | | |
| <i>Caryopteris x clandonensis</i> 'Pink Chablis' See - <i>Caryopteris x clandonensis</i> 'Durio' P.P. 16913 | | | | | | | | |
| <i>Caryopteris x clandonensis</i> 'Summer Sorbet' P.P. 15935 Summer Sorbet Bluebeard | DS | 1.05 | R2 | 3-5 | 6-8 | | 0.87 | 5 |
| <i>Caryopteris x clandonensis</i> 'Worcester Gold' Worcester Gold Bluebeard | DS | 0.88 | R2 | 3-5 | 6-8 | | 0.87 | 5 |
| <i>Caryopteris divaricata</i> Bluebeard | DS | 0.97 | R2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Caryopteris divaricata</i> 'Snow Fairy' Snow Fairy Bluebeard | DS | 0.97 | R2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Caryopteris incana</i> Bluebeard | DS | 0.75 | R2 | 4-6 | 7-8 | | 1.00 | 5 |
| <i>Caryopteris incana</i> 'Jason' P.P.A.F. Sunshine Blue™ Bluebeard | DS | 1.22 | R2 | 4-6 | 7-8 | | 1.00 | 5 |
| <i>Caryopteris incana</i> 'Sunshine Blue' See - <i>Caryopteris incana</i> 'Jason' P.P.A.F. | | | | | | | | |
| <i>Caryopteris odorata</i> Himalayan Bluebeard | DS | 0.75 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Caryota mitis</i> Clustered Fishtail Palm | PC | 0.98 | R2 | 8 | | | 0.87 | 10 |
| <i>Caryota no</i> Giant Fishtail Palm | PC | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Caryota rumphiana</i> Fishtail Palm | PC | 1.40 | R2 | 8 | | | 0.91 | 10 |
| <i>Caryota urens</i> Wine Palm | PC | 0.78 | R2 | 8 | | | 0.85 | 10 |
| <i>Casparya silletensis</i> See - <i>Begonia silletensis</i> | | | | | | | | |
| <i>Cassia bicapsularis</i> See - <i>Senna bicapsularis</i> | | | | | | | | |
| <i>Cassia corymbosa</i> See - <i>Senna corymbosa</i> | | | | | | | | |
| <i>Cassia hebecarpa</i> See - <i>Senna hebecarpa</i> | | | | | | | | |
| <i>Cassinia fulvida</i> See - <i>Cassinia leptophylla</i> ssp. <i>fulvida</i> | | | | | | | | |
| <i>Cassinia leptophylla</i> No Common Name Found | BS | 1.00 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Cassinia leptophylla</i> ssp. <i>fulvida</i> Golden Bush | BS | 1.00 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Cassinia vauvilliersii</i> Mountain Cottonwood | BS | 1.00 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Castanea</i> Chestnut | DT | 1.00 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |
| <i>Castanea</i> 'Dunstan Seedling' Dunstan Seedling Hybrid Chestnut | FN | 1.05 | R1 | 3-4 | 5-8 | 0.54 | 1.00 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Castanea alnifolia</i> Bush Chinkapin | DS | 0.58 | R1 | 6-7 | 8 | | 1.00 | 6 |
| <i>Castanea dentata</i> American Sweet Chestnut | DT | 1.06 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |
| <i>Castanea mollissima</i> Chinese Chestnut | DT | 0.66 | R1 | 4 | 5-8 | 0.63 | 0.20 | 4 |
| <i>Castanea pumila</i> Allegheny Chinkapin | DS | 0.68 | R1 | 7 | 8 | | 1.00 | 7 |
| <i>Castanopsis cuspidata</i> Copper False Chestnut | DT | 1.08 | R1 | 7 | 8 | 1.00 | 1.00 | 7 |
| <i>Castanospermum australe</i> Black Bean Tree | BE | 1.34 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Casuarina cunninghamiana</i> River She-oak | BE | 0.89 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Casuarina equisetifolia</i> Horsetail Tree | BE | 0.95 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Casuarina stricta</i> See - <i>Casuarina verticillata</i> | | | | | | | | |
| <i>Casuarina verticillata</i> Mountain She-oak | BE | 0.81 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Catalpa bignonioides</i> Southern Catalpa | DT | 0.56 | R1 | 5 | 6-8 | 0.87 | 1.00 | 5 |
| <i>Catalpa bignonioides</i> 'Aurea' Golden Southern Catalpa | DT | 0.56 | R1 | 5 | 6-8 | 1.01 | 1.00 | 5 |
| <i>Catalpa bignonioides</i> 'Nana' Umbrella Southern Catalpa | DT | 0.56 | R1 | 5 | 6-8 | 0.94 | 1.00 | 5 |
| <i>Catalpa bungei</i> Manchurian Catalpa | DT | 1.19 | R1 | 5 | 6-8 | 0.97 | 0.26 | 5 |
| <i>Catalpa cordifolia</i> See - <i>Catalpa bignonioides</i> | | | | | | | | |
| <i>Catalpa x erubescens</i> Catalpa | DT | 0.80 | R1 | 5 | 6-8 | 1.02 | 1.00 | 5 |
| <i>Catalpa x erubescens</i> 'Purpurea' Purple Catalpa | DT | 0.96 | R1 | 5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Catalpa fargesii</i> Farges Catalpa | DT | 1.00 | R1 | 5-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Catalpa x galleana</i> No Common Name Found | DT | 1.00 | R1 | 5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Catalpa longissima</i> Haiti Catalpa | BE | 1.00 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Catalpa ovata</i> Chinese Catalpa | DT | 1.00 | R1 | 5 | 6-8 | 1.90 | 1.00 | 5 |
| <i>Catalpa speciosa</i> Northern Catalpa | DT | 1.01 | R1 | 4-5 | 6-8 | 1.05 | 0.30 | 4 |
| <i>Catananche caerulea</i> Blue Cupid's Dart | HP | 1.06 | R2 | 3-5 | 6-8 | | | |
| <i>Catananche caerulea</i> 'Alba' White Blue Cupid's Dart | HP | 0.48 | R2 | 3-5 | 6-8 | | | |
| <i>Catananche caerulea</i> 'Amor Blue' Amor Blue Cupid's Dart | HP | 0.83 | R2 | 3-5 | 6-8 | | | |
| <i>Catananche caerulea</i> 'Amor White' Amor White Blue Cupid's Dart | HP | 0.79 | R2 | 3-5 | 6-8 | | | |
| <i>Catananche caerulea</i> 'Bicolor' Bicolor Blue Cupid's Dart | HP | 0.79 | R2 | 3-5 | 6-8 | | | |
| <i>Catharanthus roseus</i> Madagascar Periwinkle | HP | 0.63 | R2 | 6-8 | | | | |
| <i>Catharanthus roseus</i> 'Cooler Apricot' Cooler™ Apricot Madagascar Periwinkle | HP | 0.42 | R2 | 6-8 | | | | |
| <i>Catharanthus roseus</i> 'Cooler Grape' Cooler™ Grape Madagascar Periwinkle | HP | 0.36 | R2 | 6-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Catharanthus roseus</i> 'Cooler Peppermint' Cooler™ Peppermint Madagascar Periwinkle | HP | 0.36 | R2 | 6-8 | | | |
| <i>Catharanthus roseus</i> 'Cooler Pink' Cooler™ Pink Madagascar Periwinkle | HP | 0.42 | R2 | 6-8 | | | |
| <i>Catharanthus roseus</i> 'Cooler Series' Cooler™ Series Madagascar Periwinkle | HP | 0.34 | R2 | 6-8 | | | |
| <i>Catharanthus roseus</i> 'Heatwave Series' Heatwave Series Madagascar Periwinkle | HP | 0.26 | R2 | 6-8 | | | |
| <i>Catharanthus roseus</i> 'Jaio Scarlet Eye' Jaio Scarlet Eye Madagascar Periwinkle | HP | 0.42 | R2 | 6-8 | | | |
| <i>Catharanthus roseus</i> 'Mediterranean Red' Mediterranean Red Madagascar Periwinkle | HP | 0.42 | R2 | 6-8 | | | |
| <i>Catharanthus roseus</i> 'Mediterranean Series' Mediterranean Series Madagascar Periwinkle | HP | 0.42 | R2 | 6-8 | | | |
| <i>Catharanthus roseus</i> 'Pacifica Red' Pacifica Red Madagascar Periwinkle | HP | 0.20 | R2 | 6-8 | | | |
| <i>Catharanthus roseus</i> 'Pacifica Series' Pacifica Series Madagascar Periwinkle | HP | 0.34 | R2 | 6-8 | | | |
| <i>Catharanthus roseus</i> 'Pretty in Pink' Pretty in Pink Madagascar Periwinkle | HP | 0.42 | R2 | 6-8 | | | |
| <i>Catharanthus roseus</i> 'Pretty in Rose' Pretty in Rose Madagascar Periwinkle | HP | 0.42 | R2 | 6-8 | | | |
| <i>Catharanthus roseus</i> 'Stardust Orchid' Stardust Orchid Madagascar Periwinkle | HP | 0.42 | R2 | 6-8 | | | |
| <i>Catharanthus roseus</i> 'Stardust Series' Stardust Series Madagascar Periwinkle | HP | 0.26 | R2 | 6-8 | | | |
| <i>Catharanthus roseus</i> 'Titan Burgundy' Titan™ Burgundy Madagascar Periwinkle | HP | 0.58 | R2 | 6-8 | | | |
| <i>Catharanthus roseus</i> 'Titan Lavender Blue Halo' Titan™ Lavender Blue Halo Periwinkle | HP | 0.57 | R2 | 6-8 | | | |
| <i>Catharanthus roseus</i> 'Titan Polka Dot' Titan™ Polka Dot Madagascar Periwinkle | HP | 0.57 | R2 | 6-8 | | | |
| <i>Catharanthus roseus</i> 'Titan Rose' Titan™ Rose Madagascar Periwinkle | HP | 0.58 | R2 | 6-8 | | | |
| <i>Catharanthus roseus</i> 'Titan Series' Titan™ Series Madagascar Periwinkle | HP | 0.61 | R2 | 6-8 | | | |
| <i>Catharanthus roseus</i> 'Tropicana Series' Tropicana Series Madagascar Periwinkle | HP | 0.42 | R2 | 6-8 | | | |
| <i>Cattleya</i> Cattleya Hybrid Orchid | FO | 3.91 | R2 | 6-8 | | 1.00 | 10 |
| <i>Cattleya bowringiana</i> No Common Name Found | FO | 4.44 | R2 | 6-8 | | 1.00 | 10 |
| <i>Cattleya gaskelliana</i> No Common Name Found | FO | 3.89 | R2 | 6-8 | | 1.00 | 10 |
| <i>Cattleya intermedia</i> No Common Name Found | FO | 3.00 | R2 | 6-8 | | 1.00 | 10 |
| <i>Cattleya intermedia</i> 'Alba' No Common Name Found | FO | 3.00 | R2 | 6-8 | | 1.00 | 10 |
| <i>Cattleya luddemanniana</i> No Common Name Found | FO | 3.50 | R2 | 6-8 | | 1.00 | 10 |
| <i>Cattleya patinii</i> See - <i>Cattleya skinneri</i> var. <i>autumnalis</i> | | | | | | | |
| <i>Cattleya skinneri</i> var. <i>autumnalis</i> No Common Name Found | FO | 2.50 | R2 | 6-8 | | 1.00 | 10 |
| <i>Cattleya velutina</i> No Common Name Found | FO | 2.63 | R2 | 6-8 | | 1.00 | 10 |
| <i>Cattleya velutina</i> 'Orchid Haven' Orchid Haven Orchid | FO | 2.63 | R2 | 6-8 | | 1.00 | 10 |
| <i>Caularthron bicornutum</i> No Common Name Found | FO | 2.67 | R2 | 6-8 | | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Caulophyllum thalictroides</i> Blue Cohosh | HP | 1.17 | R2 | 6 | 7-8 | | | |
| <i>Cautleya spicata</i> No Common Name Found | HP | 0.94 | R2 | 7 | 8 | | | |
| <i>Ceanothus</i> California Lilac | BS | 0.78 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Blue Cushion' Blue Cushion California Lilac | BS | 0.64 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Blue Jeans' Blue Jeans California Lilac | BS | 1.03 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Blue Sapphire' P.P.A.F. Blue Sapphire California Lilac | BS | 1.39 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Borne Again' Borne Again California Lilac | BS | 0.71 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Burkwoodii' Burkwood California Lilac | BS | 0.64 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Centennial' Centennial California Lilac | BS | 0.83 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Concha' Concha California Lilac | BS | 0.84 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Coronado' Coronado California Lilac | BS | 0.64 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Cynthia Postan' Cynthia Postan California Lilac | BS | 0.71 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Dark Star' Dark Star California Lilac | BS | 1.04 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Edinburgh' Edinburgh California Lilac | BS | 0.64 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Far Horizons' Far Horizons California Lilac | BS | 0.64 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Frosty Blue' Frosty Blue California Lilac | BS | 0.81 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Golden Elan' Golden Elan California Lilac | BS | 0.64 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Henry Desfosse' Henry Desfosse California Lilac | BS | 0.64 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Ceanothus</i> 'Italian Skies' Italian Skies California Lilac | BS | 0.64 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Joan Mirov' Joan Mirov California Lilac | BS | 0.64 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Joyce Coulter' Joyce Coulter California Lilac | BS | 0.82 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Julia Phelps' Julia Phelps California Lilac | BS | 0.98 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Ray Hartman' Ray Hartman California Lilac | BS | 1.04 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Remote Blue' Remote Blue California Lilac | BS | 0.71 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Sierra Blue' Sierra Blue California Lilac | BS | 0.78 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus</i> 'Topaze' Topaze California Lilac | BS | 0.64 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Ceanothus</i> 'Wheeler Canyon' Wheeler Canyon California Lilac | BS | 0.64 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Ceanothus americanus</i> New Jersey Tea | DS | 1.07 | R1 | 4 | 5-8 | | 1.00 | 4 |
| <i>Ceanothus arboreus</i> Feltleaf Ceanothus | BS | 0.64 | R2 | 3-8 | | | 1.00 | 8 |
| <i>Ceanothus arboreus</i> 'Cliff Schmidt' Cliff Schmidt Feltleaf Ceanothus | BS | 0.64 | R2 | 3-8 | | | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Ceanothus arboreus</i> 'Trewithen Blue' Trewithen Blue Feltleaf Ceanothus | BS | 0.64 | R2 | 3-8 | | | 1.00 | 8 |
| <i>Ceanothus x delilianus</i> French Hybrid Ceanothus | BS | 0.77 | R1 | 3-7 | 8 | | 1.00 | 7 |
| <i>Ceanothus x delilianus</i> 'Gloire de Versailles' Gloire de Versailles French Hybrid Ceanothus | BS | 0.77 | R2 | 3-7 | 8 | | 1.00 | 7 |
| <i>Ceanothus fendleri</i> Fendler's Ceanothus | BS | 1.00 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Ceanothus foliosus</i> Wavy Leaf Ceanothus | BS | 0.93 | R2 | 3-8 | | | 1.00 | 8 |
| <i>Ceanothus gloriosus</i> Point Reyes Creeper | BS | 0.83 | R1 | 3-7 | 8 | | 1.00 | 7 |
| <i>Ceanothus gloriosus</i> 'Alba' White Point Reyes Creeper | BS | 0.64 | R1 | 3-7 | 8 | | 1.00 | 7 |
| <i>Ceanothus gloriosus</i> 'Anchor Bay' Anchor Bay Point Reyes Creeper | BS | 0.79 | R1 | 3-7 | 8 | | 1.00 | 7 |
| <i>Ceanothus gloriosus</i> 'Emily Brown' Emily Brown Point Reyes Creeper | BS | 0.71 | R1 | 3-7 | 8 | | 1.00 | 7 |
| <i>Ceanothus gloriosus</i> 'Heart's Desire' Heart's Desire Point Reyes Creeper | BS | 0.68 | R1 | 3-7 | 8 | | 1.00 | 7 |
| <i>Ceanothus gloriosus</i> var. <i>porrectus</i> Mount Vision Ceanothus | BS | 0.64 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Ceanothus griseus</i> Carmel Ceanothus | BS | 0.48 | R1 | 3-8 | | | 1.00 | 8 |
| <i>Ceanothus griseus</i> 'Bamico' Bamico Carmel Ceanothus | BS | 0.77 | R1 | 3-8 | | | 1.00 | 8 |
| <i>Ceanothus griseus</i> 'Kurt Zadnick' Kurt Zadnick Carmel Ceanothus | BS | 0.64 | R1 | 3-8 | | | 1.00 | 8 |
| <i>Ceanothus griseus</i> 'Louis Edmunds' Louis Edmunds Carmel Ceanothus | BS | 0.75 | R1 | 3-8 | | | 1.00 | 8 |
| <i>Ceanothus griseus</i> 'Santa Ana' Santa Ana Carmel Ceanothus | BS | 0.66 | R1 | 3-8 | | | 1.00 | 8 |
| <i>Ceanothus griseus</i> var. <i>horizontalis</i> Carmel Creeper | BS | 0.88 | R1 | 3-8 | | | 1.00 | 8 |
| <i>Ceanothus griseus</i> var. <i>horizontalis</i> 'Diamond Heights' Diamond Heights Variegated Carmel Creeper | BS | 0.82 | R1 | 3-8 | | | 1.00 | 8 |
| <i>Ceanothus griseus</i> var. <i>horizontalis</i> 'Hurricane Point' Hurricane Point Carmel Creeper | BS | 0.82 | R1 | 3-8 | | | 1.00 | 8 |
| <i>Ceanothus griseus</i> var. <i>horizontalis</i> 'Yankee Point' Yankee Point Carmel Creeper | BS | 0.75 | R1 | 3-8 | | | 1.00 | 8 |
| <i>Ceanothus hearstiorum</i> Hearst California Lilac | BS | 0.81 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Ceanothus impressus</i> Santa Barbara Ceanothus | BS | 1.15 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Ceanothus impressus</i> 'Vandenburg' Vandenburg Santa Barbara Ceanothus | BS | 0.64 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Ceanothus impressus</i> 'Victoria' Victoria Santa Barbara Ceanothus | BS | 1.05 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Ceanothus impressus</i> var. <i>nipomensis</i> Nipomo Ceanothus | BS | 0.64 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Ceanothus impressus</i> var. <i>nipomensis</i> 'Mesa Lilac' Mesa Lilac Nipomo Ceanothus | BS | 0.64 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Ceanothus maritimus</i> Maritime Ceanothus | BS | 0.70 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Ceanothus maritimus</i> 'Frosty Dawn' Frosty Dawn Maritime Ceanothus | BS | 0.64 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Ceanothus maritimus</i> 'Point Sierra' Point Sierra Maritime Ceanothus | BS | 0.64 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Ceanothus maritimus</i> 'Popcorn' Popcorn Maritime Ceanothus | BS | 0.82 | R1 | 5-8 | | | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Ceanothus x pallidus</i> No Common Name Found | BS | 1.00 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Ceanothus x pallidus</i> 'Marie Simon' Marie Simon Ceanothus | BS | 1.00 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Ceanothus rigidus</i> Monterey Ceanothus | BS | 0.64 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Ceanothus rigidus</i> 'Snowball' Snowball Monterey Ceanothus | BS | 0.64 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Ceanothus sanguineus</i> Wild Lilac | BS | 1.12 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Ceanothus thyrsoiflorus</i> Blue Blossom | BS | 1.06 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Ceanothus thyrsoiflorus</i> 'Arroyo de la Cruz' Arroyo de la Cruz Blue Blossom | BS | 1.06 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Ceanothus thyrsoiflorus</i> 'El Dorado' See - <i>Ceanothus thyrsoiflorus</i> 'Perado' P.P. 13433 | | | | | | | | |
| <i>Ceanothus thyrsoiflorus</i> 'Perado' P.P. 13433 El Dorado Blue Blossom | BS | 1.58 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Ceanothus thyrsoiflorus</i> 'San Andreas' San Andreas Blue Blossom | BS | 1.06 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Ceanothus thyrsoiflorus</i> 'Skylark' Skylark Blue Blossom | BS | 0.81 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Ceanothus thyrsoiflorus</i> 'Snow Flurries' Snow Flurries Blue Blossom | BS | 0.78 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Ceanothus thyrsoiflorus</i> var. <i>repens</i> Repens Blue Blossom | BS | 0.75 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Ceanothus x veitchianus</i> No Common Name Found | BS | 0.70 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Ceanothus velutinus</i> Snowbrush Ceanothus | BS | 1.76 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Cedrela sinensis</i> See - <i>Toona sinensis</i> | | | | | | | | |
| <i>Cedrus atlantica</i> Atlas Cedar | CE | 0.87 | R1 | 4-6 | 7-8 | 2.10 | 1.04 | 6 |
| <i>Cedrus atlantica</i> 'Aurea Robusta' Golden Longleaf Atlas Cedar | CE | 1.33 | R1 | 4-6 | 7-8 | 2.10 | 0.91 | 6 |
| <i>Cedrus atlantica</i> 'Aurea' Golden Atlas Cedar | CE | 1.40 | R1 | 4-6 | 7-8 | 2.10 | 0.83 | 6 |
| <i>Cedrus atlantica</i> 'Fastigiata' Sentinel Atlas Cedar | CE | 2.13 | R1 | 4-6 | 7-8 | 2.87 | 0.98 | 6 |
| <i>Cedrus atlantica</i> 'Glauca Fastigiata' Blue Sentinel Atlas Cedar | CE | 1.06 | R1 | 4-6 | 7-8 | 1.98 | 0.83 | 6 |
| <i>Cedrus atlantica</i> 'Glauca Pendula' Weeping Blue Atlas Cedar | CE | 1.46 | R1 | 4-6 | 7-8 | 1.83 | 0.84 | 6 |
| <i>Cedrus atlantica</i> 'Glauca' Blue Atlas Cedar | CE | 1.38 | R1 | 4-6 | 7-8 | 1.71 | 0.91 | 6 |
| <i>Cedrus atlantica</i> 'Horstmann' Horstmann Blue Atlas Cedar | CE | 2.31 | R1 | 4-6 | 7-8 | 2.10 | 0.91 | 6 |
| <i>Cedrus atlantica</i> 'Pendula' Weeping Atlas Cedar | CE | 1.52 | R1 | 4-6 | 7-8 | 2.10 | 0.91 | 6 |
| <i>Cedrus atlantica</i> 'Wilkman' Wilkman Atlas Cedar | CE | 1.50 | R1 | 4-6 | 7-8 | 2.10 | 0.91 | 6 |
| <i>Cedrus brevifolia</i> Cyprian Cedar | CE | 0.86 | R1 | 4-6 | 7-8 | 1.00 | 0.86 | 6 |
| <i>Cedrus deodara</i> Deodar Cedar | CE | 0.86 | R1 | 5-6 | 7-8 | 1.00 | 0.89 | 5 |
| <i>Cedrus deodara</i> 'Albospica' Albospica Deodar Cedar | CE | 1.12 | R1 | 5-6 | 7-8 | 1.00 | 0.84 | 5 |
| <i>Cedrus deodara</i> 'Aurea Pendula' Golden Weeping Deodar Cedar | CE | 1.24 | R1 | 5-6 | 7-8 | 1.00 | 0.92 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Cedrus deodara</i> 'Aurea' Golden Deodar Cedar | CE | 1.28 | R1 | 5-6 | 7-8 | 1.00 | 0.98 | 5 |
| <i>Cedrus deodara</i> 'Blue Ice' Blue Ice Deodar Cedar | CE | 1.39 | R1 | 5-6 | 7-8 | 1.00 | 1.36 | 5 |
| <i>Cedrus deodara</i> 'Blue Velvet' See - <i>Cedrus deodara</i> 'Sander's Blue' | | | | | | | | |
| <i>Cedrus deodara</i> 'Bush's Electra' Bush's Electra Deodar Cedar | CE | 1.24 | R1 | 5-6 | 7-8 | 1.00 | 0.76 | 5 |
| <i>Cedrus deodara</i> 'CDMTF1' P.P. 11979 Mystic Ice® Deodar Cedar | CE | 1.00 | R1 | 5-6 | 7-8 | 1.00 | 1.35 | 5 |
| <i>Cedrus deodara</i> 'CDMTF2' P.P. 14319 Wyndimere® Deodar Cedar | CE | 1.00 | R1 | 5-6 | 7-8 | 1.00 | 1.35 | 5 |
| <i>Cedrus deodara</i> 'Cream Puff' Cream Puff Deodar Cedar | CE | 1.67 | R1 | 5-6 | 7-8 | 1.00 | 0.97 | 5 |
| <i>Cedrus deodara</i> 'Deep Cove' Deep Cove Deodar Cedar | CE | 1.24 | R1 | 5-6 | 7-8 | 1.00 | 1.03 | 5 |
| <i>Cedrus deodara</i> 'Divinely Blue' Divinely Blue Deodar Cedar | CE | 1.33 | R1 | 5-6 | 7-8 | 1.00 | 1.23 | 5 |
| <i>Cedrus deodara</i> 'Droop Tip' Droop Tip Deodar Cedar | CE | 1.24 | R1 | 5-6 | 7-8 | 1.00 | 1.06 | 5 |
| <i>Cedrus deodara</i> 'Electra Blue' See - <i>Cedrus deodara</i> 'Bush's Electra' | | | | | | | | |
| <i>Cedrus deodara</i> 'Emerald Falls' Emerald Falls Deodar Cedar | CE | 1.24 | R1 | 5-6 | 7-8 | 1.00 | 1.06 | 5 |
| <i>Cedrus deodara</i> 'Emerald Spreader' Emerald Spreader Deodar Cedar | CE | 1.24 | R1 | 5-6 | 7-8 | 1.00 | 2.58 | 5 |
| <i>Cedrus deodara</i> 'Feelin Blue' Feelin Blue Deodar Cedar | CE | 1.71 | R1 | 5-6 | 7-8 | 1.00 | 1.06 | 5 |
| <i>Cedrus deodara</i> 'Girard Weeping' Girard Weeping Deodar Cedar | CE | 1.24 | R1 | 5-6 | 7-8 | 1.00 | 1.06 | 5 |
| <i>Cedrus deodara</i> 'Glauca' Blue Deodar Cedar | CE | 1.24 | R1 | 5-6 | 7-8 | 1.00 | 1.06 | 5 |
| <i>Cedrus deodara</i> 'Gold Cone' Gold Cone Deodar Cedar | CE | 0.98 | R1 | 5-6 | 7-8 | 1.00 | 0.75 | 5 |
| <i>Cedrus deodara</i> 'Gold Rush' Gold Rush Deodar Cedar | CE | 1.24 | R1 | 5-6 | 7-8 | 1.00 | 1.06 | 5 |
| <i>Cedrus deodara</i> 'Hibernal' Hibernal Deodar Cedar | CE | 1.24 | R1 | 5-6 | 7-8 | 1.00 | 1.06 | 5 |
| <i>Cedrus deodara</i> 'Hollandia' Hollandia Deodar Cedar | CE | 1.24 | R1 | 5-6 | 7-8 | 1.00 | 1.06 | 5 |
| <i>Cedrus deodara</i> 'Karl Fuchs' Karl Fuchs Deodar Cedar | CE | 1.10 | R1 | 5-6 | 7-8 | 1.00 | 0.96 | 5 |
| <i>Cedrus deodara</i> 'Kashmir' Kashmir Deodar Cedar | CE | 1.33 | R1 | 5-6 | 7-8 | 1.00 | 0.80 | 5 |
| <i>Cedrus deodara</i> 'Klondyke' Klondyke Deodar Cedar | CE | 1.24 | R1 | 5-6 | 7-8 | 1.00 | 1.06 | 5 |
| <i>Cedrus deodara</i> 'Mile High' Mile High Deodar Cedar | CE | 1.24 | R1 | 5-6 | 7-8 | 1.00 | 1.06 | 5 |
| <i>Cedrus deodara</i> 'Mountain Air' Mountain Air Deodar Cedar | CE | 1.00 | R1 | 5-6 | 7-8 | 1.00 | 1.06 | 5 |
| <i>Cedrus deodara</i> 'Mystic Ice' See - <i>Cedrus deodara</i> 'CDMTF1' P.P. 11979 | | | | | | | | |
| <i>Cedrus deodara</i> 'Patti Faye' Patti Faye™ Deodar Cedar | CE | 1.24 | R1 | 5-6 | 7-8 | 1.00 | 1.09 | 5 |
| <i>Cedrus deodara</i> 'Pendula' Weeping Deodar Cedar | CE | 1.08 | R1 | 5-6 | 7-8 | 1.00 | 0.91 | 5 |
| <i>Cedrus deodara</i> 'Prostrate Beauty' Prostrate Beauty Deodar Cedar | CE | 1.54 | R1 | 5-6 | 7-8 | 1.00 | 1.06 | 5 |
| <i>Cedrus deodara</i> 'Pygmaea' Pygmy Deodar Cedar | CE | 1.40 | R1 | 5-6 | 7-8 | 1.00 | 1.06 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Cedrus deodara</i> 'Raywood's Contorted' Raywood's Contorted Deodar Cedar | CE | 1.10 | R1 | 5-6 | 7-8 | 1.00 | 1.06 | 5 |
| <i>Cedrus deodara</i> 'Raywood's Prostrate Dwarf' Raywood's Prostrate Dwarf Deodar Cedar | CE | 1.24 | R1 | 5-6 | 7-8 | 1.00 | 1.06 | 5 |
| <i>Cedrus deodara</i> 'Sander's Blue' Sander's Blue Deodar Cedar | CE | 1.14 | R1 | 5-6 | 7-8 | 1.00 | 1.13 | 5 |
| <i>Cedrus deodara</i> 'Shalimar' Shalimar Deodar Cedar | CE | 1.24 | R1 | 5-6 | 7-8 | 1.00 | 0.66 | 5 |
| <i>Cedrus deodara</i> 'Silver Mist' Silver Mist Deodar Cedar | CE | 1.60 | R1 | 5-6 | 7-8 | 1.00 | 1.23 | 5 |
| <i>Cedrus deodara</i> 'Snow Sprite' Snow Sprite Deodar Cedar | CE | 1.24 | R1 | 5-6 | 7-8 | 1.00 | 1.11 | 5 |
| <i>Cedrus deodara</i> 'Verticillata Glauca' Hardy Blue Deodar Cedar | CE | 1.24 | R1 | 5-6 | 7-8 | 1.00 | 1.06 | 5 |
| <i>Cedrus deodara</i> 'Well's Golden' Well's Golden Deodar Cedar | CE | 1.24 | R1 | 5-6 | 7-8 | 1.00 | 0.52 | 5 |
| <i>Cedrus deodara</i> 'White Imp' White Imp Deodar Cedar | CE | 1.24 | R1 | 5-6 | 7-8 | 1.00 | 1.06 | 5 |
| <i>Cedrus deodara</i> 'Wyndimere' See - <i>Cedrus deodara</i> 'CDMTF2' P.P. 14319 | | | | | | | | |
| <i>Cedrus libani</i> Cedar of Lebanon | CE | 0.95 | R1 | 4-6 | 7-8 | 2.52 | 1.08 | 6 |
| <i>Cedrus libani</i> 'Aurea Prostrata' See - <i>Cedrus libani</i> 'Golden Dwarf' | | | | | | | | |
| <i>Cedrus libani</i> 'Beacon Hill' Beacon Hill Cedar of Lebanon | CE | 0.99 | R1 | 4-6 | 7-8 | 2.52 | 0.72 | 6 |
| <i>Cedrus libani</i> 'Blue Angel' Blue Angel Cedar of Lebanon | CE | 1.31 | R1 | 4-6 | 7-8 | 2.52 | 0.85 | 6 |
| <i>Cedrus libani</i> 'Compacta' Compact Cedar of Lebanon | CE | 1.31 | R1 | 4-6 | 7-8 | 2.52 | 1.16 | 6 |
| <i>Cedrus libani</i> 'Comte de Dijon' Comte de Dijon Cedar of Lebanon | CE | 1.31 | R1 | 4-6 | 7-8 | 2.52 | 1.16 | 6 |
| <i>Cedrus libani</i> 'Glauca' Blue Cedar of Lebanon | CE | 1.31 | R1 | 4-6 | 7-8 | 2.52 | 0.75 | 6 |
| <i>Cedrus libani</i> 'Gold Tip' Gold Tip Cedar of Lebanon | CE | 1.40 | R1 | 4-6 | 7-8 | 2.52 | 1.16 | 6 |
| <i>Cedrus libani</i> 'Golden Dwarf' Golden Dwarf Cedar of Lebanon | CE | 1.31 | R1 | 4-6 | 7-8 | 2.52 | 1.16 | 6 |
| <i>Cedrus libani</i> 'Green Prince' Green Prince Cedar of Lebanon | CE | 1.31 | R1 | 4-6 | 7-8 | 2.52 | 2.15 | 6 |
| <i>Cedrus libani</i> 'Nana' Dwarf Cedar of Lebanon | CE | 1.31 | R1 | 4-6 | 7-8 | 2.52 | 1.59 | 6 |
| <i>Cedrus libani</i> 'Pendula' Weeping Cedar of Lebanon | CE | 1.55 | R1 | 4-6 | 7-8 | 2.52 | 0.99 | 6 |
| <i>Cedrus libani</i> 'Sargentii' Sargent Cedar of Lebanon | CE | 1.67 | R1 | 4-6 | 7-8 | 2.52 | 1.16 | 6 |
| <i>Cedrus libani</i> ssp. <i>atlantica</i> See - <i>Cedrus atlantica</i> | | | | | | | | |
| <i>Cedrus libani</i> var. <i>brevifolia</i> See - <i>Cedrus brevifolia</i> | | | | | | | | |
| <i>Cedrus libani</i> var. <i>stenocoma</i> Stenocoma Cedar of Lebanon | CE | 1.67 | R1 | 4-6 | 7-8 | 0.96 | 1.01 | 6 |
| <i>Celastrus loeseneri</i> See - <i>Celastrus rosthornianus</i> | | | | | | | | |
| <i>Celastrus orbiculatus</i> Chinese Bittersweet | DS | 1.11 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Celastrus orbiculatus</i> 'Hermaphrodite Form' Hermaphrodite Form Chinese Bittersweet | DS | 1.11 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Celastrus rosthornianus</i> Loesener Bittersweet | DS | 0.95 | R1 | 4-5 | 6-8 | | 1.00 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Celastrus scandens</i> American Bittersweet | DS | 1.07 | R1 | 3-4 | 5-8 | | 1.52 | 2 |
| <i>Celastrus scandens</i> 'Diana' Diana American Bittersweet | DS | 1.29 | R1 | 3-4 | 5-8 | | 1.52 | 2 |
| <i>Celastrus scandens</i> 'Hercules' Hercules American Bittersweet | DS | 1.29 | R1 | 3-4 | 5-8 | | 1.52 | 2 |
| <i>Celastrus scandens</i> 'Indian Brave' Indian Brave American Bittersweet | DS | 1.22 | R1 | 3-4 | 5-8 | | 1.52 | 2 |
| <i>Celastrus scandens</i> 'Indian Maiden' Indian Maiden American Bittersweet | DS | 1.22 | R1 | 3-4 | 5-8 | | 1.52 | 2 |
| <i>Celastrus scandens</i> 'Sweet Tangerine' See - <i>Celastrus scandens</i> 'Swtazam' | | | | | | | | |
| <i>Celastrus scandens</i> 'Swtazam' Sweet Tangerine™ American Bittersweet | DS | 1.22 | R1 | 3-4 | 5-8 | | 1.52 | 2 |
| <i>Celosia argentea</i> var. <i>cristata</i> See - <i>Celosia cristata</i> | | | | | | | | |
| <i>Celosia cristata</i> Common Cockscomb | AN | 0.74 | R2 | 6-8 | | | | |
| <i>Celosia cristata</i> 'Apricot Brandy' Apricot Brandy Plumosa Cockscomb | AN | 0.74 | R2 | 6-8 | | | | |
| <i>Celosia cristata</i> 'Flamingo Purple' Flamingo Purple Spicata Cockscomb | AN | 0.65 | R2 | 6-8 | | | | |
| <i>Celosia cristata</i> 'Fresh Look Red' Fresh Look Red Cockscomb | AN | 0.81 | R2 | 6-8 | | | | |
| <i>Celosia cristata</i> 'Fresh Look Yellow' Fresh Look Yellow Cockscomb | AN | 0.84 | R2 | 6-8 | | | | |
| <i>Celosia cristata</i> 'New Look' New Look Plumosa Cockscomb | AN | 0.67 | R2 | 3-8 | | | | |
| <i>Celosia cristata</i> 'Pink Flamingo' Pink Flamingo Spicata Cockscomb | AN | 0.74 | R2 | 6-8 | | | | |
| <i>Celtis</i> Hackberry | DT | 1.17 | R1 | | 3-8 | 1.44 | 0.69 | 2 |
| <i>Celtis</i> 'Magnifica' P.P. 2795 Magnifica Hybrid Hackberry | DT | 1.17 | R1 | | 3-8 | 1.44 | 0.69 | 2 |
| <i>Celtis bungeana</i> Dwarf Hackberry | DT | 1.00 | R1 | 5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Celtis laevigata</i> Sugar Hackberry | DT | 0.51 | R1 | 5 | 6-8 | 0.83 | 0.32 | 5 |
| <i>Celtis occidentalis</i> Hackberry | DT | 1.07 | R1 | | 3-8 | 1.06 | 1.02 | 2 |
| <i>Celtis occidentalis</i> 'Chicagoland' Chicagoland Hackberry | DT | 1.05 | R1 | | 3-8 | 1.34 | 1.09 | 2 |
| <i>Celtis occidentalis</i> 'Prairie Pride' P.P. 3771 Prairie Pride Hackberry | DT | 1.03 | R1 | | 3-8 | 1.23 | 1.16 | 2 |
| <i>Celtis occidentalis</i> 'Ultra' See - <i>Celtis occidentalis</i> 'Ulzam' | | | | | | | | |
| <i>Celtis occidentalis</i> 'Ultram' See - <i>Celtis occidentalis</i> 'Ulzam' | | | | | | | | |
| <i>Celtis occidentalis</i> 'Ulzam' Ultra™ Hackberry | DT | 1.05 | R1 | | 3-8 | 1.28 | 1.09 | 2 |
| <i>Celtis occidentalis</i> 'Windy City' Windy City Hackberry | DT | 1.05 | R1 | | 3-8 | 1.49 | 1.09 | 2 |
| <i>Celtis pallida</i> Desert Hackberry | BS | 1.00 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Celtis reticulata</i> Western Hackberry | DT | 1.11 | R1 | 3-5 | 6-8 | 1.88 | 1.00 | 3 |
| <i>Celtis sinensis</i> Chinese Hackberry | DT | 1.04 | R1 | 8 | | 1.00 | 1.00 | 7 |
| <i>Centaurea bella</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Centaurea cineraria</i> Dusty Miller | HP | 0.49 | R2 | 3-4 | 5-8 | | | |
| <i>Centaurea cineraria</i> 'Silver Dust' Silver Dust Dusty Miller | HP | 0.64 | R2 | 3-4 | 5-8 | | | |
| <i>Centaurea dealbata</i> Persian Cornflower | HP | 1.24 | R2 | 3-4 | 5-8 | | | |
| <i>Centaurea dealbata</i> 'Rosea' Rose Persian Cornflower | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Centaurea dealbata</i> 'Steenbergii' Stone Mountain Persian Cornflower | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Centaurea hypoleuca</i> Knapweed | HP | 1.25 | R2 | 3-4 | 5-8 | | | |
| <i>Centaurea hypoleuca</i> 'John Coutts' John Coutts Knapweed | HP | 1.25 | R2 | 3-4 | 5-8 | | | |
| <i>Centaurea macrocephala</i> Armenian Basket Flower | HP | 0.61 | R2 | 3-4 | 5-8 | | | |
| <i>Centaurea montana</i> Perennial Cornflower | AN | 1.83 | R2 | 3-4 | 5-8 | | | |
| <i>Centaurea montana</i> 'Alba' White Perennial Cornflower | AN | 1.53 | R2 | 3-4 | 5-8 | | | |
| <i>Centaurea montana</i> 'Amethyst in Snow' P.P. 18284 Amethyst in Snow Perennial Cornflower | AN | 1.30 | R2 | 3-4 | 5-8 | | | |
| <i>Centaurea montana</i> 'Gold Bullion' P.P. 10865 Gold Bullion Perennial Cornflower | AN | 1.45 | R2 | 3-4 | 5-8 | | | |
| <i>Centaurea nigra</i> Lesser Knapweed | HP | 0.48 | R2 | 3-4 | 5-8 | | | |
| <i>Centaurea nigra</i> 'Rivularis' Rivularis Lesser Knapweed | HP | 0.48 | R2 | 3-4 | 5-8 | | | |
| <i>Centaurea scabiosa</i> Greater Knapweed | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Centaurea scabiosa</i> ssp. <i>alpestris</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Centaureum erythraea</i> Common Centaury | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Centaureum scilloides</i> No Common Name Found | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Centella asiatica</i> Gotu Kola | HP | 0.49 | R2 | 4-6 | 7-8 | | | |
| <i>Centradenia grandifolia</i> No Common Name Found | HP | 0.62 | R2 | 6 | | | | |
| <i>Centradenia inaequalateralis</i> No Common Name Found | HP | 1.00 | R2 | 5-6 | | | | |
| <i>Centranthus ruber</i> Jupiter's Beard | HP | 0.81 | R2 | 5-6 | 7 | | | |
| <i>Centranthus ruber</i> 'Albus' White Jupiter's Beard | HP | 0.94 | R2 | 5-6 | 7 | | | |
| <i>Centranthus ruber</i> 'Coccineus' Deep Red Jupiter's Beard | HP | 1.05 | R2 | 5-6 | 7 | | | |
| <i>Centranthus ruber</i> 'Roseus' Pink Jupiter's Beard | HP | 0.72 | R2 | 5-6 | 7 | | | |
| <i>Centranthus ruber</i> 'White Cloud' White Cloud Jupiter's Beard | HP | 0.88 | R2 | 5-6 | 7 | | | |
| <i>Cephalanthus occidentalis</i> Buttonbush | BS | 1.23 | R1 | 3-8 | | | 0.55 | 5 |
| <i>Cephalaria alpina</i> Yellow Cephalaria | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Cephalaria gigantea</i> Tatarian Cephalaria | HP | 0.95 | R2 | 3-6 | 7-8 | | | |
| <i>Cephalotaxus harringtonia</i> Plum Yew | CS | 1.21 | R1 | 3-6 | 7-8 | | 0.97 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Cephalotaxus harringtonia</i> 'Duke Gardens' Duke Gardens Plum Yew | CS | 1.71 | R1 | 3-6 | 7-8 | | 1.23 | 6 |
| <i>Cephalotaxus harringtonia</i> 'Fastigiata' Fastigate Plum Yew | CS | 1.18 | R1 | 3-6 | 7-8 | | 0.74 | 6 |
| <i>Cephalotaxus harringtonia</i> 'Korean Gold' Korean Gold Plum Yew | CS | 1.34 | R1 | 3-6 | 7-8 | | 1.23 | 6 |
| <i>Cephalotaxus harringtonia</i> 'Prostrata' Prostrate Plum Yew | CS | 1.26 | R1 | 3-6 | 7-8 | | 1.99 | 6 |
| <i>Cephalotaxus harringtonia</i> var. <i>drupacea</i> Drupacea Japanese Plum Yew | CS | 1.08 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Cephalotus follicularis</i> Albany Pitcher Plant | HP | 1.00 | R2 | 8 | | | | |
| <i>Cerastium alpinum</i> Alpine Cerastium | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Cerastium alpinum</i> ssp. <i>lanatum</i> No Common Name Found | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Cerastium biebersteinii</i> Silver Spreader | HP | 0.62 | R2 | 3 | 4-8 | | | |
| <i>Cerastium tomentosum</i> Snow in Summer | HP | 0.94 | R2 | 4-7 | | | | |
| <i>Cerastium tomentosum</i> 'Columnae' Columnae Snow in Summer | HP | 0.87 | R2 | 4-7 | | | | |
| <i>Cerastium tomentosum</i> 'Silver Carpet' Silver Carpet Snow in Summer | HP | 0.78 | R2 | 4-7 | | | | |
| <i>Cerastium tomentosum</i> 'Yo Yo' Yo Yo Snow in Summer | HP | 0.71 | R2 | 4-7 | | | | |
| <i>Cerasus fontanesiana</i> See - <i>Prunus</i> x <i>fontanesiana</i> | | | | | | | | |
| <i>Ceratoides lanata</i> See - <i>Krascheninnikovia lanata</i> | | | | | | | | |
| <i>Ceratonia siliqua</i> Carob Tree | BE | 1.01 | R1 | 7-8 | | 1.00 | 1.00 | 8 |
| <i>Ceratostigma griffithii</i> Burmese Plumbago | HP | 0.68 | R2 | 6 | 7-8 | | | |
| <i>Ceratostigma larpentiae</i> See - <i>Ceratostigma plumbaginoides</i> | | | | | | | | |
| <i>Ceratostigma plumbaginoides</i> Blue Hardy Plumbago | HP | 0.77 | R2 | 6-8 | | | | |
| <i>Ceratostigma willmottianum</i> Chinese Plumbago | HP | 1.03 | R2 | 6 | 7-8 | | | |
| <i>Ceratozamia kuesteriana</i> Cloud Forest Cycad | PC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Cercidiphyllum japonicum</i> Katsuratree | DT | 1.09 | R1 | 4 | 5-8 | 1.30 | 1.67 | 4 |
| <i>Cercidiphyllum japonicum</i> 'Amazing Grace' Amazing Grace Weeping Katsuratree | DT | 1.66 | R1 | 4 | 5-8 | 1.31 | 1.58 | 4 |
| <i>Cercidiphyllum japonicum</i> 'Morioka Weeping' Morioka Weeping Katsuratree | DT | 1.80 | R1 | 4 | 5-8 | 1.30 | 1.58 | 4 |
| <i>Cercidiphyllum japonicum</i> 'Pendula' Weeping Katsuratree | DT | 2.08 | R1 | 4 | 5-8 | 1.33 | 1.49 | 4 |
| <i>Cercidiphyllum japonicum</i> 'Pendulum' See - <i>Cercidiphyllum japonicum</i> 'Pendula' | | | | | | | | |
| <i>Cercidiphyllum magnificum</i> Magnificum Katsuratree | DT | 1.00 | R1 | 4 | 5-8 | 1.00 | 1.00 | 4 |
| <i>Cercidiphyllum magnificum</i> 'Pendulum' See - <i>Cercidiphyllum japonicum</i> 'Morioka Weeping' | | | | | | | | |
| <i>Cercidium floridum</i> Blue Palo Verde | DT | 0.86 | R1 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Cercidium microphyllum</i> Littleleaf Palo Verde | DT | 0.79 | R1 | 8 | | 1.00 | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ | |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|---|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | | |
| <i>Cercidium praecox</i> Sonoran Palo Verde | DT | 0.80 | R1 | 8 | | 1.00 | 1.00 | 9 |
| <i>Cercis canadensis</i> Eastern Redbud | DT | 0.88 | R1 | 3-4 | 5-8 | 0.94 | 0.99 | 4 |
| <i>Cercis canadensis</i> 'Alba' White Redbud | DT | 1.38 | R1 | 3-4 | 5-8 | 1.03 | 1.10 | 4 |
| <i>Cercis canadensis</i> 'Appalachian Red' Appalachian Red Eastern Redbud | DT | 0.99 | R1 | 3-4 | 5-8 | 0.90 | 0.74 | 4 |
| <i>Cercis canadensis</i> 'Burgundy Hearts' See - <i>Cercis canadensis</i> 'Greswan' P.P. 19654 | | | | | | | | |
| <i>Cercis canadensis</i> 'Columbus' Columbus Strain Eastern Redbud | DT | 1.33 | R1 | 3-4 | 5-8 | 1.07 | 1.18 | 4 |
| <i>Cercis canadensis</i> 'Covey' P.P. 10328 Lavender Twist™ Eastern Redbud | DT | 1.51 | R1 | 3-4 | 5-8 | 1.35 | 1.36 | 4 |
| <i>Cercis canadensis</i> 'Flame' Flame Eastern Redbud | DT | 1.21 | R1 | 3-4 | 5-8 | 1.07 | 1.18 | 4 |
| <i>Cercis canadensis</i> 'Forest Pansy' Forest Pansy Redbud | DT | 1.31 | R1 | 3-4 | 5-8 | 1.09 | 0.86 | 4 |
| <i>Cercis canadensis</i> 'Greswan' P.P. 19654 Burgundy Hearts™ Eastern Redbud | DT | 1.56 | R1 | 3-5 | 6-8 | 1.07 | 1.18 | 5 |
| <i>Cercis canadensis</i> 'Hearts of Gold' P.P. 17740 Hearts of Gold Eastern Redbud | DT | 1.60 | R1 | 3-5 | 6-8 | 1.07 | 1.18 | 5 |
| <i>Cercis canadensis</i> 'Joy's Pride' See - <i>Cercis canadensis</i> 'Morton' | | | | | | | | |
| <i>Cercis canadensis</i> 'Lavender Twist' See - <i>Cercis canadensis</i> 'Covey' P.P. 10328 | | | | | | | | |
| <i>Cercis canadensis</i> 'Minnesota Strain' See - <i>Cercis canadensis</i> 'Northland' | | | | | | | | |
| <i>Cercis canadensis</i> 'Morton' Joy's Pride™ Redbud | DT | 1.61 | R1 | 3-4 | 5-8 | 1.07 | 1.18 | 4 |
| <i>Cercis canadensis</i> 'Northland' Northland Eastern Redbud | DT | 1.33 | R1 | 3-4 | 5-8 | 1.07 | 2.30 | 4 |
| <i>Cercis canadensis</i> 'Royal White' Royal White Redbud | DT | 0.98 | R1 | 3-4 | 5-8 | 0.82 | 0.94 | 4 |
| <i>Cercis canadensis</i> 'Rubye Atkinson' Rubye Atkinson Redbud | DT | 1.20 | R1 | 3-4 | 5-8 | 0.79 | 1.18 | 4 |
| <i>Cercis canadensis</i> 'Silver Cloud' Silver Cloud Redbud | DT | 1.78 | R1 | 3-4 | 5-8 | 1.60 | 1.12 | 4 |
| <i>Cercis canadensis</i> var. <i>mexicana</i> Mexican Redbud | DT | 1.21 | R1 | 3-4 | 5-8 | 0.57 | 0.78 | 4 |
| <i>Cercis canadensis</i> var. <i>texensis</i> Texas Redbud | DT | 1.06 | R1 | 3-4 | 5-8 | 0.99 | 0.51 | 4 |
| <i>Cercis canadensis</i> var. <i>texensis</i> 'Oklahoma' Oklahoma Texan Redbud | DT | 1.06 | R1 | 3-4 | 5-8 | 0.98 | 0.88 | 4 |
| <i>Cercis canadensis</i> var. <i>texensis</i> 'Texas White' Texas White Texan Redbud | DT | 1.18 | R1 | 3-4 | 5-8 | 1.05 | 0.85 | 4 |
| <i>Cercis canadensis</i> var. <i>texensis</i> 'Traveller' P.P. 8640 Traveller Weeping Texas Redbud | DT | 1.79 | R1 | 3-6 | 7-8 | 1.01 | 0.75 | 6 |
| <i>Cercis chinensis</i> Chinese Redbud | DT | 1.10 | R1 | 4-6 | 7-8 | 1.18 | 0.92 | 6 |
| <i>Cercis chinensis</i> 'Avondale' Avondale Chinese Redbud | DT | 1.42 | R1 | 4-6 | 7-8 | 1.41 | 1.35 | 6 |
| <i>Cercis chinensis</i> 'Don Egolf' Don Egolf Chinese Redbud | DT | 1.26 | R1 | 4-6 | 7-8 | 1.30 | 1.14 | 6 |
| <i>Cercis occidentalis</i> California Redbud | DT | 1.19 | R1 | 4-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Cercis racemosa</i> Chain-flowered Redbud | DT | 0.88 | R1 | 4-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Cercis reniformis</i> See - <i>Cercis canadensis</i> var. <i>texensis</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cercis reniformis</i> 'Oklahoma' | | | | | | | | |
| See - <i>Cercis canadensis</i> var. <i>texensis</i> 'Oklahoma' | | | | | | | | |
| <i>Cercis siliquastrum</i> Judastree | DT | 0.88 | R1 | 4-6 | 7-8 | 0.74 | 1.00 | 6 |
| <i>Cercocarpus betuloides</i> No Common Name Found | BS | 0.77 | R1 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Cercocarpus breviflorus</i> See - <i>Cercocarpus montanus</i> var. <i>paucidentatus</i> | | | | | | | | |
| <i>Cercocarpus intricatus</i> See - <i>Cercocarpus ledifolius</i> var. <i>intricatus</i> | | | | | | | | |
| <i>Cercocarpus ledifolius</i> Curlleaf Mountain Mahogany | DT | 0.91 | R1 | 3-5 | 6-8 | 1.00 | 1.92 | 5 |
| <i>Cercocarpus ledifolius</i> var. <i>intricatus</i> Littleleaf Mountain Mahogany | DT | 0.98 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 3 |
| <i>Cercocarpus montanus</i> Mountain Mahogany | DT | 0.85 | R1 | 3-5 | 6-8 | 1.00 | 1.67 | 5 |
| <i>Cercocarpus montanus</i> var. <i>glaber</i> See - <i>Cercocarpus betuloides</i> | | | | | | | | |
| <i>Cercocarpus montanus</i> var. <i>paucidentatus</i> Hairy Mountain Mahogany | DT | 0.81 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Cereus peruvianus</i> See - <i>Cereus uruguayanus</i> | | | | | | | | |
| <i>Cereus uruguayanus</i> Peruvian Apple Cactus | FO | 0.87 | R2 | 8 | | | 1.00 | 9 |
| <i>Cereus uruguayanus</i> 'Monstrosus' Monstrosus Peruvian Apple Cactus | FO | 1.30 | R2 | 8 | | | 1.00 | 9 |
| <i>Ceroxylon alpinum</i> Wax Palm | PC | 1.27 | R2 | 8 | | | 1.00 | 9 |
| <i>Cestrum</i> No Common Name Found | BS | 0.98 | R2 | 8 | | | 1.00 | 9 |
| <i>Cestrum</i> 'Newelli' Newell Cestrum | BS | 0.90 | R2 | 8 | | | 1.00 | 9 |
| <i>Cestrum</i> 'Orange Peel' Orange Peel Cestrum | BS | 1.05 | R2 | 8 | | | 1.00 | 8 |
| <i>Cestrum aurantiacum</i> Orange Cestrum | BS | 0.72 | R2 | 8 | | | 1.00 | 9 |
| <i>Cestrum diurnum</i> Day Jessamine | BS | 0.73 | R2 | 8 | | | 1.00 | 9 |
| <i>Cestrum elegans</i> Red Cestrum | BS | 0.77 | R2 | 8 | | | 1.00 | 9 |
| <i>Cestrum elegans</i> var. <i>smithii</i> Smith Red Cestrum | BS | 0.72 | R2 | 8 | | | 1.00 | 9 |
| <i>Cestrum fasciculatum</i> No Common Name Found | BS | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Cestrum nocturnum</i> Night Blooming Jessamine | BS | 0.75 | R2 | 8 | | | 1.00 | 9 |
| <i>Cestrum parqui</i> Willow-leaved Jessamine | BS | 0.78 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Chaenomeles x californica</i> No Common Name Found | DS | 0.98 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Chaenomeles x californica</i> 'Pink Beauty' Pink Beauty Floweringquince | DS | 0.98 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Chaenomeles japonica</i> Japanese Floweringquince | DS | 1.11 | R1 | 3-5 | 6-8 | | 0.88 | 5 |
| <i>Chaenomeles japonica</i> 'Low 'n White' See - <i>Chaenomeles japonica</i> 'Mones' | | | | | | | | |
| <i>Chaenomeles japonica</i> 'Minerva' Minerva Japanese Floweringquince | DS | 1.03 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| <i>Chaenomeles japonica</i> 'Moned' Super Red™ Japanese Floweringquince | DS | 1.12 | R1 | 3-5 | 6-8 | | 0.88 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Chaenomeles japonica</i> 'Mones' Low 'n White™ Japanese Floweringquince | DS | 0.96 | R1 | 3-5 | 6-8 | | 0.88 | 5 |
| <i>Chaenomeles japonica</i> 'Orange Delight' Orange Delight Japanese Floweringquince | DS | 1.05 | R1 | 3-5 | 6-8 | | 0.46 | 5 |
| <i>Chaenomeles japonica</i> 'Sargentii' Sargent Japanese Floweringquince | DS | 0.96 | R1 | 3-5 | 6-8 | | 0.88 | 5 |
| <i>Chaenomeles japonica</i> 'Super Red' See - <i>Chaenomeles japonica</i> 'Moned' | | | | | | | | |
| <i>Chaenomeles japonica</i> var. <i>alpina</i> Dwarf Japanese Floweringquince | DS | 0.74 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Chaenomeles japonica</i> var. <i>pygmaea</i> Pygmy Japanese Floweringquince | DS | 1.00 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Chaenomeles lagenaria</i> See - <i>Chaenomeles speciosa</i> | | | | | | | | |
| <i>Chaenomeles speciosa</i> Floweringquince | DS | 0.76 | R1 | 3-5 | 6-8 | | 0.57 | 5 |
| <i>Chaenomeles speciosa</i> 'Alba' White Floweringquince | DS | 0.88 | R1 | 3-5 | 6-8 | | 0.47 | 5 |
| <i>Chaenomeles speciosa</i> 'Apple Blossom' Apple Blossom Floweringquince | DS | 0.88 | R1 | 3-5 | 6-8 | | 0.53 | 5 |
| <i>Chaenomeles speciosa</i> 'Contorta' Contorted Floweringquince | DS | 0.88 | R1 | 3-5 | 6-8 | | 0.53 | 5 |
| <i>Chaenomeles speciosa</i> 'Crimson Beauty' Crimson Beauty Floweringquince | DS | 0.88 | R1 | 3-5 | 6-8 | | 0.53 | 5 |
| <i>Chaenomeles speciosa</i> 'Nivalis' Nivalis Floweringquince | DS | 0.77 | R1 | 3-5 | 6-8 | | 0.53 | 5 |
| <i>Chaenomeles speciosa</i> 'Rubra' Red Floweringquince | DS | 0.78 | R1 | 3-5 | 6-8 | | 0.52 | 5 |
| <i>Chaenomeles speciosa</i> 'Scarff's Red' Scarff's Red Floweringquince | DS | 1.33 | R1 | 3-5 | 6-8 | | 0.53 | 5 |
| <i>Chaenomeles speciosa</i> 'Spitfire' Spitfire Floweringquince | DS | 0.68 | R1 | 3-5 | 6-8 | | 0.53 | 5 |
| <i>Chaenomeles speciosa</i> 'Toyo Nishiki' Toyo Nishiki Floweringquince | DS | 0.96 | R1 | 3-5 | 6-8 | | 0.57 | 5 |
| <i>Chaenomeles x superba</i> Hybrid Floweringquince | DS | 0.94 | R1 | 3-5 | 6-8 | | 0.79 | 5 |
| <i>Chaenomeles x superba</i> 'Cameo' Cameo Floweringquince | DS | 1.00 | R1 | 3-5 | 6-8 | | 1.27 | 5 |
| <i>Chaenomeles x superba</i> 'Crimson and Gold' Crimson and Gold Floweringquince | DS | 0.90 | R1 | 3-5 | 6-8 | | 0.79 | 5 |
| <i>Chaenomeles x superba</i> 'Hollandia' Hollandia Floweringquince | DS | 0.94 | R1 | 3-5 | 6-8 | | 0.79 | 5 |
| <i>Chaenomeles x superba</i> 'Jet Trail' Jet Trail Floweringquince | DS | 0.87 | R1 | 3-5 | 6-8 | | 0.41 | 5 |
| <i>Chaenomeles x superba</i> 'Texas Scarlet' Texas Scarlet Floweringquince | DS | 0.97 | R1 | 3-5 | 6-8 | | 0.69 | 5 |
| <i>Chaenorhinum glareosum</i> See - <i>Chaenorhinum origanifolium</i> | | | | | | | | |
| <i>Chaenorhinum origanifolium</i> Dwarf Snapdragon | HP | 1.15 | R2 | 3-7 | 8 | | | |
| <i>Chaenorhinum origanifolium</i> 'Blue Dreams' Blue Dreams Dwarf Snapdragon | HP | 1.15 | R2 | 3-7 | 8 | | | |
| <i>Chaenorhinum origanifolium</i> 'Summer Skies' Summer Skies Dwarf Snapdragon | HP | 1.15 | R2 | 3-7 | 8 | | | |
| <i>Chamaebatiaria millefolium</i> Desert Sweet Fernbush | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Chamaecereus silvestrii</i> See - <i>Echinopsis chamaecereus</i> | | | | | | | | |
| <i>Chamaecyparis lawsoniana</i> Lawson Falsecypress | CE | 0.66 | R1 | 4-5 | 6-8 | 1.00 | 0.60 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Chamaecyparis lawsoniana</i> 'Alumii' Alumii Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 1.21 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Argentea Compacta' Silver Compact Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Aurea Densa' Dense Gold Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Azurea' Azurea Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Barry's Silver' Barry's Silver Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Blue Empire' Blue Empire Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Blue Jacket' Blue Jacket Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Blue Plume' Blue Plume Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Blue Surprise' Blue Surprise Lawson Falsecypress | CE | 1.70 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Columnaris' Columnar Lawson Falsecypress | CE | 0.64 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Duncanii' Duncan Lawson Falsecypress | CS | 1.35 | R1 | 4-5 | 6-8 | | 0.57 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Dutch Gold' Dutch Gold Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Ellwood's Pillar' See - <i>Chamaecyparis lawsoniana</i> 'Flolar' | | | | | | | | |
| <i>Chamaecyparis lawsoniana</i> 'Ellwood's Pygmy' Ellwood's Pygmy Lawson Falsecypress | CS | 1.35 | R1 | 4-5 | 6-8 | | 0.57 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Ellwoodii' Ellwood Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.44 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Fletcheri' Fletcher Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 1.28 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Flolar' Ellwood's Pillar Lawson Falsecypress | CS | 1.35 | R1 | 4-5 | 6-8 | | 0.57 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Gimbornii' Gimborn Lawson Falsecypress | CS | 1.35 | R1 | 4-5 | 6-8 | | 0.57 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Glauca' Blue Lawson Falsecypress | CE | 0.83 | R1 | 4-5 | 6-8 | 1.00 | 1.09 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Globosa' Globe Lawson Falsecypress | CS | 1.35 | R1 | 4-5 | 6-8 | | 0.57 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Gold Flake' Gold Flake Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Golden King' Golden King Lawson Falsecypress | CE | 1.41 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Golden Showers' Golden Showers Lawson Falsecypress | CE | 1.14 | R1 | 4-5 | 6-8 | 1.00 | 0.79 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Golden Surprise' Golden Surprise Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Grayswood Feather' Grayswood Feather Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Green Globe' Green Globe Lawson Falsecypress | CS | 1.35 | R1 | 4-5 | 6-8 | | 0.57 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Green Hedger' Green Hedger Lawson Falsecypress | CE | 0.64 | R1 | 4-5 | 6-8 | 1.00 | 0.77 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Jackman's Green Hedger' See - <i>Chamaecyparis lawsoniana</i> 'Green Hedger' | | | | | | | | |
| <i>Chamaecyparis lawsoniana</i> 'Konijns Silver' Konijns Silver Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Krameri' Krameri Lawon Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Chamaecyparis lawsoniana</i> 'Lutea Nana' Golden Dwarf Lawson Falsecypress | CS | 1.15 | R1 | 4-5 | 6-8 | | 0.57 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Lycopodioides' Lycopod Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Minima Aurea' Dwarf Golden Lawson Falsecypress | CS | 1.36 | R1 | 4-5 | 6-8 | | 0.57 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Nana' Dwarf Lawson Falsecypress | CS | 1.35 | R1 | 4-5 | 6-8 | | 0.57 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Nidiformis' Nest Lawson Falsecypress | CS | 1.35 | R1 | 4-5 | 6-8 | | 0.57 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Oregon Blue' Oregon Blue Lawson Falsecypress | CE | 0.95 | R1 | 4-5 | 6-8 | 1.00 | 0.88 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Pelt's Blue' Pelt's Blue Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Pembury Blue' Pembury Blue Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 1.17 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Pygmaea Argentea' Silver Pygmy Lawson Falsecypress | CS | 1.35 | R1 | 4-5 | 6-8 | | 0.57 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Rimpelaar' Rimpelaar Dwarf Lawson Falsecypress | CS | 1.35 | R1 | 4-5 | 6-8 | | 0.57 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Silberstar' Silberstar Lawson Falsecypress | CS | 1.56 | R1 | 4-5 | 6-8 | | 0.57 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Silver Queen' Silver Queen Lawson Falsecypress | CE | 1.72 | R1 | 4-5 | 6-8 | 1.00 | 0.71 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Silver Star' See - <i>Chamaecyparis lawsoniana</i> 'Silberstar' | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Silver Threads' Silver Threads Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Snow White' Snow White Lawson Falsecypress | CE | 1.85 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Somerset' Somerset Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Stewartii' Stewart Lawson Falsecypress | CE | 0.64 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Sullivan' Sullivan Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.86 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Susan' Susan Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Treasure Island' Treasure Island Lawson Falsecypress | CS | 1.35 | R1 | 4-5 | 6-8 | | 0.57 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Treasure' Treasure Lawson Falsecypress | CS | 1.35 | R1 | 4-5 | 6-8 | | 0.57 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Van Pelt's Blue' See - <i>Chamaecyparis lawsoniana</i> 'Pelt's Blue' | CS | 1.33 | R1 | 4-5 | 6-8 | | 0.57 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Ven's Yellow' Ven's Yellow Lawson Falsecypress | CS | 1.35 | R1 | 4-5 | 6-8 | | 0.57 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Wissel's Saguaro' Wissel's Saguaro Lawson Falsecypress | CE | 1.11 | R1 | 4-5 | 6-8 | 1.00 | 0.89 | 5 |
| <i>Chamaecyparis lawsoniana</i> 'Wisselii' Wissel Lawson Falsecypress | CE | 0.40 | R1 | 3-4 | 5-8 | 0.85 | 0.78 | 4 |
| <i>Chamaecyparis nootkatensis</i> Nootka Falsecypress | CE | 0.75 | R1 | 3-4 | 5-8 | 0.85 | 0.85 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Aurea' Golden Nootka Falsecypress | CE | 0.93 | R1 | 3-4 | 5-8 | 0.85 | 0.88 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Aureovariegata' Aureovariegata Nootka Falsecypress | CS | 0.73 | R1 | 3-4 | 5-8 | | 0.56 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Glauca Compacta' Compact Blue Nootka Falsecypress | CE | 1.26 | R1 | 3-4 | 5-8 | 0.85 | 0.80 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Glauca Pendula' Blue Weeping Nootka Falsecypress | CE | 1.26 | R1 | 3-4 | 5-8 | 0.85 | 0.80 | 4 |

CT, DE, ME, MD, MA, NH, NJ, NY, NC, PA, RI, VT, VA, WV

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Chamaecyparis nootkatensis</i> 'Glauca' Blue Nootka Falsecypress | CE | 1.53 | R1 | 3-4 | 5-8 | 0.85 | 1.04 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Green Arrow' Green Arrow Nootka Falsecypress | CE | 1.85 | R1 | 3-4 | 5-8 | 0.85 | 0.83 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Jubilee' Jubilee Weeping Nootka Falsecypress | CE | 1.89 | R1 | 3-4 | 5-8 | 0.85 | 0.91 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Pendula Variegata' Weeping Variegated Nootka Falsecypress | CE | 1.45 | R1 | 3-4 | 5-8 | 0.85 | 0.91 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Pendula' Weeping Nootka Falsecypress | CE | 1.49 | R1 | 3-4 | 5-8 | 0.85 | 1.22 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Strict Weeping' Strict Weeping Nootka Falsecypress | CE | 3.14 | R1 | 3-4 | 5-8 | 0.85 | 0.91 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Sullivan' See - <i>Chamaecyparis lawsoniana</i> 'Sullivan' | | | | | | | | |
| <i>Chamaecyparis nootkatensis</i> 'Van den Akker' Van den Akker Nootka Falsecypress | CE | 1.45 | R1 | 3-4 | 5-8 | 0.85 | 0.91 | 4 |
| <i>Chamaecyparis nootkatensis</i> 'Variegata' Variegated Nootka Falsecypress | CE | 1.29 | R1 | 3-4 | 5-8 | 0.85 | 0.86 | 4 |
| <i>Chamaecyparis obtusa</i> Hinoki Falsecypress | CE | 0.94 | R1 | 3-4 | 5-8 | 0.76 | 0.84 | 4 |
| <i>Chamaecyparis obtusa</i> 'Alaska' Alaska Hinoki Falsecypress | CE | 1.03 | R1 | 3-4 | 5-8 | 0.77 | 1.63 | 4 |
| <i>Chamaecyparis obtusa</i> 'Aurea' Golden Hinoki Falsecypress | CE | 1.02 | R1 | 3-4 | 5-8 | 0.77 | 1.21 | 4 |
| <i>Chamaecyparis obtusa</i> 'Bess' Bess Hinoki Falsecypress | CS | 1.36 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Blizzard' Blizzard Dwarf Hinoki Falsecypress | CS | 1.36 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Blue Feathers' Blue Feathers Hinoki Falsecypress | CE | 1.30 | R1 | 3-4 | 5-8 | 0.77 | 1.63 | 4 |
| <i>Chamaecyparis obtusa</i> 'Chabo-yadori' Chabo-yadori Hinoki Falsecypress | CE | 0.83 | R1 | 3-4 | 5-8 | 0.77 | 1.63 | 4 |
| <i>Chamaecyparis obtusa</i> 'Compact Fernspray' Compact Fernspray Hinoki Falsecypress | CS | 1.07 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Compacta' Compact Hinoki Falsecypress | CS | 1.18 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| <i>Chamaecyparis obtusa</i> 'Confucious' Confucious Hinoki Falsecypress | CE | 1.03 | R1 | 3-4 | 5-8 | 0.77 | 1.13 | 4 |
| <i>Chamaecyparis obtusa</i> 'Coralliformis' Coralliformis Hinoki Falsecypress | CE | 1.19 | R1 | 3-4 | 5-8 | 0.77 | 3.43 | 4 |
| <i>Chamaecyparis obtusa</i> 'Crippsii' Cripps Gold Hinoki Falsecypress | CE | 1.02 | R1 | 3-4 | 5-8 | 0.77 | 2.08 | 4 |
| <i>Chamaecyparis obtusa</i> 'Dainty Doll' Dainty Doll Hinoki Falsecypress | CS | 1.36 | R1 | 3-4 | 5-8 | | 1.25 | 4 |
| <i>Chamaecyparis obtusa</i> 'Densa' Densa Hinoki Falsecypress | CS | 1.36 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Elf' Elf Hinoki Falsecypress | CS | 1.36 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Erecta' Erect Hinoki Falsecypress | CE | 1.03 | R1 | 3-4 | 5-8 | 0.77 | 1.63 | 4 |
| <i>Chamaecyparis obtusa</i> 'Ericoides' Ericoides Hinoki Falsecypress | CE | 0.85 | R1 | 3-4 | 5-8 | 0.77 | 1.63 | 4 |
| <i>Chamaecyparis obtusa</i> 'Fernspray Gold' Fernspray Gold Hinoki Falsecypress | CS | 1.45 | R1 | 3-4 | 5-8 | | 1.01 | 4 |
| <i>Chamaecyparis obtusa</i> 'Filicoides Compacta' See - <i>Chamaecyparis obtusa</i> 'Compact Fernspray' | | | | | | | | |
| <i>Chamaecyparis obtusa</i> 'Filicoides' Filicoides Hinoki Falsecypress | CS | 1.12 | R1 | 3-4 | 5-8 | | 1.76 | 4 |
| <i>Chamaecyparis obtusa</i> 'Gold Drop' Gold Drop Hinoki Falsecypress | CS | 1.36 | R1 | 3-4 | 5-8 | | 1.43 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Chamaecyparis obtusa</i> 'Golden Fern' Golden Fern Hinoki Falsecypress | CS | 1.04 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Golden Sprite' Golden Sprite Hinoki Falsecypress | CS | 1.36 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Golden Whorl' Golden Whorl Hinoki Falsecypress | CE | 1.03 | R1 | 3-4 | 5-8 | 0.77 | 1.63 | 4 |
| <i>Chamaecyparis obtusa</i> 'Gracilis Aurea' Yellowtip Hinoki Falsecypress | CE | 0.87 | R1 | 3-4 | 5-8 | 0.77 | 1.63 | 4 |
| <i>Chamaecyparis obtusa</i> 'Gracilis' Slender Hinoki Falsecypress | CE | 1.18 | R1 | 3-4 | 5-8 | 0.78 | 1.36 | 4 |
| <i>Chamaecyparis obtusa</i> 'Graciosa' Gracious Hinoki Falsecypress | CE | 1.12 | R1 | 3-4 | 5-8 | 0.77 | 1.46 | 4 |
| <i>Chamaecyparis obtusa</i> 'Hage' Hage Hinoki Falsecypress | CS | 1.36 | R1 | 3-4 | 5-8 | | 1.39 | 4 |
| <i>Chamaecyparis obtusa</i> 'Intermedia' Intermedia Hinoki Falsecypress | CS | 1.36 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Juniperoides' Juniper Dwarf Hinoki Falsecypress | CS | 1.36 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Kanaamihiba' Kanaamihiba Hinoki Falsecypress | CE | 0.87 | R1 | 3-4 | 5-8 | 0.77 | 1.63 | 4 |
| <i>Chamaecyparis obtusa</i> 'Kosteri Aurea' Golden Koster Hinoki Falsecypress | CE | 1.03 | R1 | 3-4 | 5-8 | 0.77 | 1.63 | 4 |
| <i>Chamaecyparis obtusa</i> 'Kosteri Fast Form' Koster Fast Form Hinoki Falsecypress | CE | 1.03 | R1 | 3-4 | 5-8 | 0.77 | 0.87 | 4 |
| <i>Chamaecyparis obtusa</i> 'Kosteri' Koster Hinoki Falsecypress | CE | 1.24 | R1 | 3-4 | 5-8 | 0.77 | 1.61 | 4 |
| <i>Chamaecyparis obtusa</i> 'Lemon Twist' Lemon Twist Hinoki Falsecypress | CS | 1.36 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Leprechaun' Leprechaun Hinoki Falsecypress | CS | 1.36 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Little Ann' Little Ann Hinoki Falsecypress | CS | 1.36 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Loenik' See - <i>Chamaecyparis obtusa</i> 'Graciosa' | | | | | | | | |
| <i>Chamaecyparis obtusa</i> 'Lycopodioides Aurea' Golden Clubmoss Hinoki Falsecypress | CE | 1.03 | R1 | 3-4 | 5-8 | 0.77 | 1.63 | 4 |
| <i>Chamaecyparis obtusa</i> 'Lycopodioides' Clubmoss Hinoki Falsecypress | CE | 1.03 | R1 | 3-4 | 5-8 | 0.77 | 1.63 | 4 |
| <i>Chamaecyparis obtusa</i> 'Mariesii' Maries Hinoki Falsecypress | CE | 1.10 | R1 | 3-4 | 5-8 | 0.77 | 1.63 | 4 |
| <i>Chamaecyparis obtusa</i> 'Meroke Twin' Meroke Twin Hinoki Falsecypress | CS | 2.85 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Meroke' See - <i>Chamaecyparis obtusa</i> 'Meroke Twin' | | | | | | | | |
| <i>Chamaecyparis obtusa</i> 'Nana Aurea' Gold Dwarf Hinoki Falsecypress | CS | 1.11 | R1 | 3-4 | 5-8 | | 2.05 | 4 |
| <i>Chamaecyparis obtusa</i> 'Nana Contorta' Dwarf Contorted Hinoki Falsecypress | CS | 1.82 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Nana Gracilis' Dwarf Slender Hinoki Falsecypress | CS | 1.25 | R1 | 3-4 | 5-8 | | 2.36 | 4 |
| <i>Chamaecyparis obtusa</i> 'Nana Lutea' Dwarf Golden Hinoki Falsecypress | CS | 1.50 | R1 | 3-4 | 5-8 | | 1.38 | 4 |
| <i>Chamaecyparis obtusa</i> 'Nana' Dwarf Hinoki Falsecypress | CS | 1.28 | R1 | 3-4 | 5-8 | | 1.62 | 4 |
| <i>Chamaecyparis obtusa</i> 'Nest' Nest Hinoki Falsecypress | CE | 1.03 | R1 | 3-4 | 5-8 | 0.77 | 1.63 | 4 |
| <i>Chamaecyparis obtusa</i> 'Pagoda Green' Pagoda Green Hinoki Falsecypress | CE | 1.03 | R1 | 3-4 | 5-8 | 0.77 | 1.63 | 4 |
| <i>Chamaecyparis obtusa</i> 'Paul's Select' Paul's Select Hinoki Falsecypress | CE | 1.03 | R1 | 3-4 | 5-8 | 0.77 | 1.63 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Chamaecyparis obtusa</i> 'Pygmaea Aurescens' Golden Pygmy Hinoki Falsecypress | CS | 1.29 | R1 | 3-4 | 5-8 | | 0.82 | 4 |
| <i>Chamaecyparis obtusa</i> 'Pygmaea Densa' Dense Pygmy Hinoki Falsecypress | CS | 1.36 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Pygmaea' Pygmy Hinoki Falsecypress | CS | 1.07 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Rainbow' Rainbow Dwarf Hinoki Falsecypress | CS | 1.36 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Rashahiba' See - <i>Chamaecyparis obtusa</i> 'Lycopodioides' | | | | | | | | |
| <i>Chamaecyparis obtusa</i> 'Reis Dwarf' Reis Dwarf Hinoki Falsecypress | CS | 1.38 | R1 | 3-4 | 5-8 | | 2.32 | 4 |
| <i>Chamaecyparis obtusa</i> 'Repens' Creeping Hinoki Falsecypress | CS | 1.36 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Rigid Dwarf' Rigid Dwarf Hinoki Falsecypress | CS | 1.36 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Saffron Spray' Saffron Spray Hinoki Falsecypress | CS | 1.72 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Sanatomi' Sanatomi Hinoki Falsecypress | CE | 1.03 | R1 | 3-4 | 5-8 | 0.77 | 1.63 | 4 |
| <i>Chamaecyparis obtusa</i> 'Sanderi' See - <i>Platycladus orientalis</i> 'Sanderi' | | | | | | | | |
| <i>Chamaecyparis obtusa</i> 'Snowflake' Snowflake Hinoki Falsecypress | CS | 1.36 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Snowkist' Snowkist Hinoki Falsecypress | CS | 1.36 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Sparkles' Sparkles Hinoki Falsecypress | CE | 1.03 | R1 | 3-4 | 5-8 | 0.77 | 1.63 | 4 |
| <i>Chamaecyparis obtusa</i> 'Spiralis' Spiral Hinoki Falsecypress | CE | 1.11 | R1 | 3-4 | 5-8 | 0.77 | 1.63 | 4 |
| <i>Chamaecyparis obtusa</i> 'Split Rock' Split Rock Hinoki Falsecypress | CS | 1.38 | R1 | 3-4 | 5-8 | | 1.07 | 4 |
| <i>Chamaecyparis obtusa</i> 'Sunspray' Sunspray Hinoki Falsecypress | CS | 0.85 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Teddy Bear' Teddy Bear Hinoki Falsecypress | CS | 1.36 | R1 | 3-4 | 5-8 | | 1.48 | 4 |
| <i>Chamaecyparis obtusa</i> 'Tempelhof' Tempelhof Hinoki Falsecypress | CS | 1.32 | R1 | 3-4 | 5-8 | | 1.10 | 4 |
| <i>Chamaecyparis obtusa</i> 'Tetragona Aurea' Goldenside Hinoki Falsecypress | CE | 1.22 | R1 | 3-4 | 5-8 | 0.77 | 2.36 | 4 |
| <i>Chamaecyparis obtusa</i> 'Torulosa' Torulosa Hinoki Falsecypress | CE | 1.15 | R1 | 3-4 | 5-8 | 0.77 | 1.51 | 4 |
| <i>Chamaecyparis obtusa</i> 'Verdon' Verdon Hinoki Falsecypress | CS | 1.23 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| <i>Chamaecyparis obtusa</i> 'Wells Special' Wells Special Hinoki Falsecypress | CE | 0.50 | R1 | 3-4 | 5-8 | 0.77 | 1.75 | 4 |
| <i>Chamaecyparis obtusa</i> 'Wyckoff' Wyckoff Hinoki Falsecypress | CE | 1.03 | R1 | 3-4 | 5-8 | 0.77 | 1.63 | 4 |
| <i>Chamaecyparis pisifera</i> Sawara Falsecypress | CE | 1.06 | R1 | 3-4 | 5-8 | 0.43 | 1.78 | 4 |
| <i>Chamaecyparis pisifera</i> 'Argentea Nana' Dwarf Silver Nana Sawara Falsecypress | CS | 1.40 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Chamaecyparis pisifera</i> 'Aurea Nana' See - <i>Chamaecyparis pisifera</i> 'Strathmore' | | | | | | | | |
| <i>Chamaecyparis pisifera</i> 'Baby Blue' Baby Blue Sawara Falsecypress | CS | 1.51 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Chamaecyparis pisifera</i> 'Boulevard' Boulevard Sawara Falsecypress | CE | 0.86 | R1 | 3-4 | 5-8 | 0.43 | 0.88 | 4 |
| <i>Chamaecyparis pisifera</i> 'Compacta Variegata' Compact Variegated Sawara Falsecypress | CS | 1.40 | R1 | 3-4 | 5-8 | | 0.94 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Chamaecyparis pisifera</i> 'Cream Ball' Cream Ball Sawara Falsecypress | CE | 1.79 | R1 | 3-4 | 5-8 | 0.43 | 1.63 | 4 |
| <i>Chamaecyparis pisifera</i> 'Curly Tops' Curly Tops Sawara Falsecypress | CS | 1.40 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Chamaecyparis pisifera</i> 'Cyanoviridis' See - <i>Chamaecyparis pisifera</i> 'Boulevard' | | | | | | | | |
| <i>Chamaecyparis pisifera</i> 'Devon Cream' Devon Cream Sawara Falsecypress | CE | 1.06 | R1 | 3-4 | 5-8 | 0.43 | 1.78 | 4 |
| <i>Chamaecyparis pisifera</i> 'Filifera Aurea Nana' Dwarf Yellowthread Sawara Falsecypress | CS | 0.91 | R1 | 3-4 | 5-8 | | 0.74 | 4 |
| <i>Chamaecyparis pisifera</i> 'Filifera Aurea' Yellowthread Sawara Falsecypress | CE | 0.83 | R1 | 3-4 | 5-8 | 0.43 | 2.61 | 4 |
| <i>Chamaecyparis pisifera</i> 'Filifera Aureovariegata' Variegated Yellowthread Sawara Falsecypress | CS | 0.89 | R1 | 3-4 | 5-8 | | 1.14 | 4 |
| <i>Chamaecyparis pisifera</i> 'Filifera Bright Gold' Bright Gold Yellowthread Sawara Falsecypress | CE | 0.75 | R1 | 3-4 | 5-8 | 0.43 | 1.78 | 4 |
| <i>Chamaecyparis pisifera</i> 'Filifera Golden Charm' Yellowthread Golden Charm Sawara Falsecypress | CE | 1.00 | R1 | 3-4 | 5-8 | 0.43 | 1.09 | 4 |
| <i>Chamaecyparis pisifera</i> 'Filifera Golden Mop' See - <i>Chamaecyparis pisifera</i> 'Golden Mop' | | | | | | | | |
| <i>Chamaecyparis pisifera</i> 'Filifera' Thread Sawara Falsecypress | CE | 0.89 | R1 | 3-4 | 5-8 | 0.43 | 1.91 | 4 |
| <i>Chamaecyparis pisifera</i> 'Gold Dust' Gold Dust Sawara Falsecypress | CE | 1.06 | R1 | 3-4 | 5-8 | 0.43 | 1.78 | 4 |
| <i>Chamaecyparis pisifera</i> 'Gold Spangle' Gold Spangle Sawara Falsecypress | CE | 0.78 | R1 | 3-4 | 5-8 | 0.43 | 1.78 | 4 |
| <i>Chamaecyparis pisifera</i> 'Golden Mop' Golden Mop Sawara Falsecypress | CE | 0.87 | R1 | 3-4 | 5-8 | 0.43 | 1.51 | 4 |
| <i>Chamaecyparis pisifera</i> 'Golden Pincushion' Golden Pincushion Sawara Falsecypress | CS | 1.14 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Chamaecyparis pisifera</i> 'Juniperoides Aurea' See - <i>Chamaecyparis pisifera</i> 'Plumosa Juniperoides' | | | | | | | | |
| <i>Chamaecyparis pisifera</i> 'King's Gold' King's Gold Sawara Falsecypress | CS | 1.04 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Chamaecyparis pisifera</i> 'Lemon Thread' Lemon Thread Sawara Falsecypress | CE | 0.84 | R1 | 3-4 | 5-8 | 0.43 | 1.78 | 4 |
| <i>Chamaecyparis pisifera</i> 'Miko' See - <i>Chamaecyparis pisifera</i> 'Snow' | | | | | | | | |
| <i>Chamaecyparis pisifera</i> 'Minima Aurea' Gold Midget Sawara Falsecypress | CS | 2.08 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Chamaecyparis pisifera</i> 'Minima Variegata' Variegated Midget Sawara Falsecypress | CS | 1.38 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Chamaecyparis pisifera</i> 'Nana' Dwarf Sawara Falsecypress | CS | 1.40 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Chamaecyparis pisifera</i> 'Plumosa Aurea Compacta' See - <i>Chamaecyparis pisifera</i> 'Plumosa Aurea Nana' | | | | | | | | |
| <i>Chamaecyparis pisifera</i> 'Plumosa Aurea Nana' Dwarf Golden Plume Sawara Falsecypress | CS | 1.40 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Chamaecyparis pisifera</i> 'Plumosa Aurea' Golden Plume Sawara Falsecypress | CS | 2.58 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Chamaecyparis pisifera</i> 'Plumosa Compressa' Compressed Plume Sawara Falsecypress | CS | 1.03 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Chamaecyparis pisifera</i> 'Plumosa Flavescens' Plumosa Flavescens Sawara Falsecypress | CS | 1.40 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Chamaecyparis pisifera</i> 'Plumosa Juniperoides' Juniper Plume Sawara Falsecypress | CS | 1.53 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Chamaecyparis pisifera</i> 'Plumosa' Plume Sawara Falsecypress | CS | 1.40 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Chamaecyparis pisifera</i> 'Silver Lode' Silver Lode Sawara Falsecypress | CE | 1.62 | R1 | 3-4 | 5-8 | 0.43 | 2.86 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Chamaecyparis pisifera</i> 'Snow' Snow Sawara Falsecypress | CS | 1.18 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Chamaecyparis pisifera</i> 'Squarrosa Dumosa' Moss Dumosa Sawara Falsecypress | CE | 1.06 | R1 | 3-4 | 5-8 | 0.43 | 1.78 | 4 |
| <i>Chamaecyparis pisifera</i> 'Squarrosa Intermedia' Moss Intermedia Sawara Falsecypress | CE | 1.66 | R1 | 3-4 | 5-8 | 0.43 | 1.78 | 4 |
| <i>Chamaecyparis pisifera</i> 'Squarrosa Lutea' Goldmoss Lutea Sawara Falsecypress | CE | 1.06 | R1 | 3-4 | 5-8 | 0.43 | 1.78 | 4 |
| <i>Chamaecyparis pisifera</i> 'Squarrosa Minima' Dwarf Moss Sawara Falsecypress | CS | 1.73 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Chamaecyparis pisifera</i> 'Squarrosa Pygmaea' Squarrosa Pygmaea Sawara Falsecypress | CS | 1.21 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Chamaecyparis pisifera</i> 'Squarrosa Sulphurea' Sulphurea Sawara Falsecypress | CE | 1.06 | R1 | 3-4 | 5-8 | 0.43 | 1.78 | 4 |
| <i>Chamaecyparis pisifera</i> 'Squarrosa Veitchii' See - <i>Chamaecyparis pisifera</i> 'Squarrosa' | | | | | | | | |
| <i>Chamaecyparis pisifera</i> 'Squarrosa' Moss Sawara Falsecypress | CE | 1.13 | R1 | 3-4 | 5-8 | 0.43 | 1.78 | 4 |
| <i>Chamaecyparis pisifera</i> 'Strathmore' Dwarf Golden Sawara Falsecypress | CS | 1.40 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Chamaecyparis pisifera</i> 'Sungold' Sungold Sawara Falsecypress | CE | 0.83 | R1 | 3-4 | 5-8 | 0.43 | 1.78 | 4 |
| <i>Chamaecyparis pisifera</i> 'Tama Himiro' Tama Himiro Sawara Falsecypress | CS | 1.40 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Chamaecyparis pisifera</i> 'True Blue' True Blue Sawara Falsecypress | CE | 1.10 | R1 | 3-4 | 5-8 | 0.43 | 1.78 | 4 |
| <i>Chamaecyparis pisifera</i> 'Tsukumo' Tsukumo Sawara Falsecypress | CE | 1.06 | R1 | 3-4 | 5-8 | 0.43 | 1.78 | 4 |
| <i>Chamaecyparis pisifera</i> 'Vintage Gold' Vintage Gold Sawara Falsecypress | CE | 0.94 | R1 | 3-4 | 5-8 | 0.43 | 1.78 | 4 |
| <i>Chamaecyparis pisifera</i> 'White Pygmy' White Pygmy Sawara Falsecypress | CS | 1.40 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Chamaecyparis thyoides</i> Whitecedar Falsecypress | CE | 0.81 | R1 | 3-4 | 5-8 | 1.00 | 0.67 | 3 |
| <i>Chamaecyparis thyoides</i> 'Andelyensis' Andely Whitecedar Falsecypress | CS | 0.98 | R1 | 3-4 | 5-8 | | 2.32 | 3 |
| <i>Chamaecyparis thyoides</i> 'Aurea' Golden Whitecedar Falsecypress | CE | 0.92 | R1 | 3-4 | 5-8 | 1.00 | 1.02 | 3 |
| <i>Chamaecyparis thyoides</i> 'Blue Sport' Blue Sport Whitecedar Falsecypress | CE | 0.92 | R1 | 3-4 | 5-8 | 1.00 | 1.02 | 3 |
| <i>Chamaecyparis thyoides</i> 'Conica' Conica Whitecedar Falsecypress | CE | 0.92 | R1 | 3-4 | 5-8 | 1.00 | 1.02 | 3 |
| <i>Chamaecyparis thyoides</i> 'Emily' Emily Whitecedar Falsecypress | CE | 0.68 | R1 | 3-4 | 5-8 | 1.00 | 1.02 | 4 |
| <i>Chamaecyparis thyoides</i> 'Glauca Pendula' Blue Weeping Whitecedar Falsecypress | CE | 0.97 | R1 | 3-4 | 5-8 | 1.00 | 1.02 | 3 |
| <i>Chamaecyparis thyoides</i> 'Glauca' Blue Whitecedar Falsecypress | CE | 1.13 | R1 | 3-4 | 5-8 | 1.00 | 1.02 | 3 |
| <i>Chamaecyparis thyoides</i> 'Heatherbun' Heatherbun Whitecedar Falsecypress | CS | 1.14 | R1 | 3-4 | 5-8 | | 1.12 | 3 |
| <i>Chamaecyparis thyoides</i> 'Little Jamie' Little Jamie Whitecedar Falsecypress | CS | 0.81 | R1 | 3-4 | 5-8 | | 2.76 | 3 |
| <i>Chamaecyparis thyoides</i> 'Meth Dwarf' Meth Dwarf Whitecedar Falsecypress | CS | 0.98 | R1 | 3-4 | 5-8 | | 2.07 | 3 |
| <i>Chamaecyparis thyoides</i> 'Red Star' Red Star Whitecedar Falsecypress | CE | 0.93 | R1 | 3-4 | 5-8 | 1.00 | 1.37 | 3 |
| <i>Chamaecyparis thyoides</i> 'Rubicon' Rubicon Whitecedar Falsecypress | CE | 0.85 | R1 | 3-4 | 5-8 | 1.00 | 1.02 | 3 |
| <i>Chamaecyparis thyoides</i> 'Top Point' Top Point Whitecedar Falsecypress | CE | 1.08 | R1 | 3-4 | 5-8 | 1.00 | 1.02 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Chamaecyparis thyoides</i> 'Variegata' Variegated Whitecedar Falsecypress | CE | 0.92 | R1 | 3-4 | 5-8 | 1.00 | 1.02 | 3 |
| <i>Chamaecyparis thyoides</i> var. <i>henryae</i> No Common Name Found | CE | 0.47 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 3 |
| <i>Chamaedaphne calyculata</i> Leatherleaf | BS | 1.17 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Chamaedorea</i> Bamboo Palm | PC | 1.10 | R2 | 3-8 | | | 1.00 | 9 |
| <i>Chamaedorea</i> 'Florida Hybrid' Florida Hybrid Bamboo Palm | PC | 1.10 | R2 | 3-8 | | | 1.00 | 9 |
| <i>Chamaedorea arenbergiana</i> No Common Name Found | PC | 2.21 | R2 | 3-8 | | | 1.00 | 9 |
| <i>Chamaedorea ascendens</i> No Common Name Found | PC | 2.61 | R2 | 3-8 | | | 1.00 | 9 |
| <i>Chamaedorea cataractarum</i> Cat Palm | PC | 0.71 | R2 | 3-8 | | | 0.88 | 9 |
| <i>Chamaedorea elegans</i> Parlor Palm | PC | 0.97 | R2 | 3-8 | | | 1.00 | 9 |
| <i>Chamaedorea ernesti-augusti</i> Green Miniature Fishtail Palm | PC | 1.38 | R2 | 3-8 | | | 1.00 | 9 |
| <i>Chamaedorea erumpens</i> Bamboo Palm | PC | 1.22 | R2 | 3-8 | | | 1.05 | 9 |
| <i>Chamaedorea glaucifolia</i> No Common Name Found | PC | 1.26 | R2 | 3-8 | | | 1.00 | 9 |
| <i>Chamaedorea hooperiana</i> Maya Palm | PC | 2.03 | R2 | 8 | | | 1.00 | 9 |
| <i>Chamaedorea klotzschiana</i> No Common Name Found | PC | 1.19 | R1 | 8 | | | 1.00 | 9 |
| <i>Chamaedorea metallica</i> No Common Name Found | PC | 1.21 | R1 | 8 | | | 1.00 | 9 |
| <i>Chamaedorea microspadix</i> Hardy Bamboo Palm | PC | 0.73 | R1 | 8 | | | 1.00 | 9 |
| <i>Chamaedorea oblongata</i> Cauqui | PC | 1.64 | R1 | 8 | | | 1.00 | 9 |
| <i>Chamaedorea radicalis</i> No Common Name Found | PC | 1.10 | R1 | 8 | | | 2.00 | 9 |
| <i>Chamaedorea seifrizii</i> Reed Palm | PC | 1.31 | R1 | 8 | | | 1.00 | 9 |
| <i>Chamaedorea stolonifera</i> Climbing Fishtail Palm | PC | 1.79 | R1 | 8 | | | 1.00 | 9 |
| <i>Chamaedorea tepejilote</i> Pacaya | PC | 1.15 | R1 | 8 | | | 1.00 | 9 |
| <i>Chamaemelum nobile</i> Roman Chamomile | HP | 0.63 | R2 | 3-4 | 5-8 | | | |
| <i>Chamaemelum nobile</i> 'Flore Pleno' Flore Pleno Roman Chamomile | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Chamaemelum nobile</i> 'Treneague' Treneague Roman Chamomile | HP | 0.74 | R2 | 3-4 | 5-8 | | | |
| <i>Chamaerops excelsus</i> See - <i>Trachycarpus fortunei</i> | | | | | | | | |
| <i>Chamaerops humilis</i> Mediterranean Fan Palm | PC | 1.04 | R2 | 7-8 | | | 2.02 | 8 |
| <i>Chamaerops humilis</i> var. <i>argentea</i> No Common Name Found | PC | 1.45 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Chamaerops humilis</i> var. <i>cerifera</i> See - <i>Chamaerops humilis</i> var. <i>argentea</i> | | | | | | | | |
| <i>Chamaespartium sagittale</i> See - <i>Genista sagittalis</i> | | | | | | | | |
| <i>Chamaespartium sagittale</i> ssp. <i>delphinense</i> See - <i>Genista delphinensis</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Chamelaucium uncinatum</i> Geraldton Waxflower | BS | 0.73 | R1 | 8 | | | 1.00 9 |
| <i>Chamelaucium uncinatum</i> 'Purple Pride' Purple Pride Geraldton Waxflower | BS | 1.00 | R1 | 8 | | | 1.00 9 |
| <i>Chamelaucium uncinatum</i> 'University' University Geraldton Waxflower | BS | 1.46 | R1 | 8 | | | 1.00 9 |
| <i>Chamelaucium uncinatum</i> 'Vista' Vista Geraldton Waxflower | BS | 0.80 | R1 | 8 | | | 1.00 9 |
| <i>Chamerion angustifolium</i> Great Willow Herb | HP | 1.22 | R2 | 3 | 4-8 | | |
| <i>Chasmanthe aethiopica</i> No Common Name Found | HP | 0.96 | R2 | 6-8 | | | |
| <i>Chasmanthium latifolium</i> Northern Sea Oats | HP | 1.18 | R2 | 4 | 5-8 | | |
| <i>Cheilanthes argentea</i> Little Gem Cloak Fern | HP | 1.08 | R2 | 6-8 | | | |
| <i>Cheilanthes lanosa</i> Hairy Lip Fern | HP | 0.81 | R2 | 3-6 | 7-8 | | |
| <i>Cheilanthes siliquosa</i> Podfern | HP | 1.00 | R2 | 3-6 | 7-8 | | |
| <i>Cheilanthes sinuata</i> See - <i>Astrolepis sinuata</i> | | | | | | | |
| <i>Cheilanthes tomentosa</i> Woolly Lip Fern | FO | 1.00 | R2 | 5-6 | 7-8 | | 1.00 6 |
| <i>Cheilanthes wrightii</i> Wright's Lip Fern | FO | 1.00 | R2 | 5-7 | 8 | | 1.00 7 |
| <i>Cheiranthus asperus</i> See - <i>Erysimum asperum</i> | | | | | | | |
| <i>Cheiranthus linifolius</i> See - <i>Erysimum linifolium</i> | | | | | | | |
| <i>Chelone glabra</i> Turtlehead | HP | 1.07 | R2 | 3-4 | 5-8 | | |
| <i>Chelone lyonii</i> Pink Turtlehead | HP | 1.00 | R2 | | 4-8 | | |
| <i>Chelone lyonii</i> 'Hot Lips' Hot Lips Pink Turtlehead | HP | 0.84 | R2 | | 4-8 | | |
| <i>Chelone obliqua</i> Rose Turtlehead | HP | 0.84 | R2 | 4-5 | 6-8 | | |
| <i>Chelone obliqua</i> 'Alba' White Rose Turtlehead | HP | 0.84 | R2 | 4-5 | 6-8 | | |
| <i>Chenopodium ambrosioides</i> American Wormseed | HP | 0.42 | R2 | 5-7 | 8 | | |
| <i>Chenopodium botrys</i> Feather Geranium | HP | 1.00 | R2 | 3-5 | 6-8 | | |
| <i>Chiastophyllum oppositifolium</i> Cotyledon | HP | 0.76 | R2 | 5-6 | 7-8 | | |
| <i>Chigua restrepoi</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | 1.00 10 |
| <i>Chilopsis linearis</i> Desert Willow | DT | 0.87 | R1 | 7-8 | | 0.69 | 1.09 8 |
| <i>Chilopsis linearis</i> 'Bubba' Bubba Desert Willow | DT | 0.95 | R1 | 7-8 | | 0.70 | 1.05 8 |
| <i>Chilopsis linearis</i> 'Burgundy' Burgundy Desert Willow | DT | 0.91 | R1 | 7-8 | | 0.70 | 1.01 8 |
| <i>Chilopsis linearis</i> 'Dark Storm' Dark Storm Desert Willow | DT | 0.81 | R1 | 7-8 | | 0.70 | 1.05 8 |
| <i>Chilopsis linearis</i> 'Lois Adams' Lois Adams™ Desert Willow | DT | 1.70 | R1 | 7-8 | | 0.70 | 1.05 8 |
| <i>Chilopsis linearis</i> 'Monhews' P.P. 11078 Timeless Beauty™ Desert Willow | DT | 1.50 | R1 | 7-8 | | 0.70 | 1.05 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Chilopsis linearis</i> 'Timeless Beauty' | | | | | | | | |
| See - <i>Chilopsis linearis</i> 'Monhews' P.P. 11078 | | | | | | | | |
| <i>Chimaphila maculata</i> Spotted Wintergreen | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Chimonanthus fragrans</i> See - <i>Chimonanthus praecox</i> | | | | | | | | |
| <i>Chimonanthus praecox</i> Wintersweet | DS | 0.80 | R1 | 7 | 8 | | 0.86 | 7 |
| <i>Chimonanthus praecox</i> 'Grandiflorus' Grandiflorus Wintersweet | DS | 0.80 | R1 | 7 | 8 | | 0.86 | 7 |
| <i>Chimonanthus praecox</i> 'Luteus' Luteus Wintersweet | DS | 0.80 | R1 | 7 | 8 | | 0.86 | 7 |
| <i>Chimonobambusa marmorea</i> Kan-Chiku | BS | 1.16 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Chimonobambusa quadrangularis</i> Square Bamboo | BS | 1.16 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Chionanthus retusus</i> Chinese Fringe Tree | DT | 0.98 | R1 | 3-6 | 7-8 | 1.43 | 1.63 | 5 |
| <i>Chionanthus virginicus</i> White Fringe Tree | DT | 0.99 | R1 | 3-6 | 7-8 | 1.38 | 1.57 | 4 |
| <i>Chionanthus virginicus</i> 'Emerald Knight' Emerald Knight White Fringe Tree | DT | 1.67 | R1 | 3-6 | 7-8 | 1.38 | 1.57 | 4 |
| x <i>Chitalpa tashkentensis</i> Chitalpa | DT | 1.14 | R1 | 6-8 | | 1.04 | 1.00 | 8 |
| x <i>Chitalpa tashkentensis</i> 'Morning Cloud' Morning Cloud Chitalpa | DT | 1.06 | R1 | 6-8 | | 1.04 | 1.00 | 8 |
| x <i>Chitalpa tashkentensis</i> 'Pink Dawn' Pink Dawn Chitalpa | DT | 1.01 | R1 | 6-8 | | 1.04 | 1.00 | 8 |
| <i>Chlorophytum amaniense</i> No Common Name Found | FO | 1.01 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Chlorophytum amaniense</i> 'Fire Flash' Fire Flash Spider Plant | FO | 1.01 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Chlorophytum bichetii</i> Wheat Plant | FO | 0.64 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Chlorophytum comosum</i> Spider Plant | FO | 0.57 | R2 | 3-8 | | | 1.00 | 10 |
| <i>Chlorophytum comosum</i> 'Variegatum' Variegated Spider Plant | FO | 0.56 | R2 | 3-8 | | | 1.00 | 10 |
| <i>Chlorophytum comosum</i> 'Vittatum' Vittatum Spider Plant | FO | 0.57 | R2 | 3-8 | | | 1.00 | 10 |
| <i>Chlorophytum orchidanthroides</i> 'Fire Flash' See - <i>Chlorophytum amaniense</i> 'Fire Flash' | | | | | | | | |
| <i>Chlorophytum saundersiae</i> Shooting Star Lily | HP | 0.65 | R2 | 5-7 | 8 | | | |
| <i>Chlorophytum saundersiae</i> 'Agristripes' Variegated Upright Spider Plant | HP | 1.01 | R2 | 5-7 | 8 | | | |
| <i>Choisya</i> Choisya | BS | 0.82 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Choisya</i> 'Aztec Pearl' Aztec Pearl Mexican Orange | BS | 0.82 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Choisya ternata</i> Mexican Orange | BS | 0.87 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Choisya ternata</i> 'Sundance' Sundance Mexican Orange | BS | 1.09 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Chondropetalum tectorum</i> Cape Rush | HP | 1.27 | R2 | 6-8 | | | | |
| <i>Chorizema cordata</i> Australian Flame Pea | BS | 0.69 | R2 | 8 | | | 1.00 | 9 |
| <i>Chrysactinia mexicana</i> Damianita | HP | 1.02 | R2 | 3-7 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|-----------|-----------------------------|------------------------------|--|------------|
| | | | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Chrysalidocarpus lutescens</i> See - <i>Dypsis lutescens</i> | | | | | | | |
| <i>Chrysanthemopsis gayana</i> Gayanum Painted Daisy | HP | 0.61 | R2 | 5-8 | | | |
| <i>Chrysanthemum alpinum</i> var. <i>tomentosum</i> See - <i>Leucanthemopsis alpina</i> ssp. <i>tomentosa</i> | | | | | | | |
| <i>Chrysanthemum arcticum</i> See - <i>Arctanthemum arcticum</i> | | | | | | | |
| <i>Chrysanthemum balsamita</i> See - <i>Tanacetum balsamita</i> | | | | | | | |
| <i>Chrysanthemum coccineum</i> See - <i>Tanacetum coccineum</i> | | | | | | | |
| <i>Chrysanthemum coronarium</i> Edible Chrysanthemum | HP | 1.00 | R2 | 3-5 | 6-8 | | |
| <i>Chrysanthemum densum</i> See - <i>Tanacetum densum</i> | | | | | | | |
| <i>Chrysanthemum frutescens</i> See - <i>Argyranthemum frutescens</i> | | | | | | | |
| <i>Chrysanthemum gayanum</i> See - <i>Chrysanthemopsis gayana</i> | | | | | | | |
| <i>Chrysanthemum hosmariense</i> See - <i>Rhodanthemum hosmariense</i> | | | | | | | |
| <i>Chrysanthemum leucanthemum</i> See - <i>Leucanthemum vulgare</i> | | | | | | | |
| <i>Chrysanthemum x morifolium</i> Florist's Chrysanthemum | HP | 1.04 | R2 | 3-5 | 6-8 | | |
| <i>Chrysanthemum x morifolium</i> '00-100-382' P.P. 19831 Lavender Daisy Mammoth® Chrysanthemum | HP | 1.19 | R2 | 3-5 | 6-8 | | |
| <i>Chrysanthemum x morifolium</i> '01-127-1' P.P. 19795 Dark Pink Daisy Mammoth® Chrysanthemum | HP | 0.97 | R2 | 3-5 | 6-8 | | |
| <i>Chrysanthemum x morifolium</i> '95-157-6' P.P. 17786 White Daisy Mammoth® Chrysanthemum | HP | 1.11 | R2 | 3-5 | 6-8 | | |
| <i>Chrysanthemum x morifolium</i> '95-169-8' P.P. 19043 Dark Bronze Daisy Mammoth® Chrysanthemum | HP | 0.70 | R2 | 3-5 | 6-8 | | |
| <i>Chrysanthemum x morifolium</i> '95-170-28' Mammoth™ Orange Chrysanthemum | HP | 1.53 | R2 | 3-5 | 6-8 | | |
| <i>Chrysanthemum x morifolium</i> '99-168-33' P.P.A.F. Star White Mammoth™ Chrysanthemum | HP | 1.47 | R2 | 3-5 | 6-8 | | |
| <i>Chrysanthemum x morifolium</i> 'Adorn' Adorn Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | |
| <i>Chrysanthemum x morifolium</i> 'Aggie' Aggie Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | |
| <i>Chrysanthemum x morifolium</i> 'Allure' P.P. 5989 Allure Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | |
| <i>Chrysanthemum x morifolium</i> 'Anna' Anna Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | |
| <i>Chrysanthemum x morifolium</i> 'Autumn Denise' Autumn Denise Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | |
| <i>Chrysanthemum x morifolium</i> 'Autumn Red' See - <i>Chrysanthemum x morifolium</i> 'MN92-333-2' P.P. 14197 | | | | | | | |
| <i>Chrysanthemum x morifolium</i> 'Baby Tears' Baby Tears Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | |
| <i>Chrysanthemum x morifolium</i> 'Belgian Series' Belgian Series Chrysanthemum | HP | 0.62 | R2 | 3-5 | 6-8 | | |
| <i>Chrysanthemum x morifolium</i> 'Best Regards' Best Regards Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | |
| <i>Chrysanthemum x morifolium</i> 'Blushing Emily' Blushing Emily Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | |
| <i>Chrysanthemum x morifolium</i> 'Bravo' Bravo Chrysanthemum | HP | 0.95 | R2 | 3-5 | 6-8 | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Chrysanthemum x morifolium</i> 'Bronze Elegans' Bronze Elegans Chrysanthemum | HP | 0.77 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Buckeye' Buckeye Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Cambodian Queen' Cambodian Queen Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Camelot' Camelot Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Chiffon' Chiffon Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Christine' Christine Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Cougar' Cougar Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Cream Nicole' Cream Nicole Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Daisy Red' Daisy Red Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Daisy Royal' Daisy Royal Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Daisy White' Daisy White Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Dark Grenadine' Dark Grenadine Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Debonair' P.P. 5324 Debonair Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Emily' Emily Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Encore' Encore Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Fortune' Fortune Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Freedom' Freedom Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Frolic' Frolic Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Ginger' P.P. 6403 Ginger Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Glamour' Glamour Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Goldmine' Goldmine Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Grace' Grace Chrysanthemum | HP | 0.51 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Grandchild' Grandchild Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Grenadine' Grenadine Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Hawkeye' Hawkeye Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Hekla' Hekla Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Helen' Helen Chrysanthemum | HP | 0.64 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'High Flyers Series' High Flyers Series Chrysanthemum | HP | 0.62 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'High Style' High Style Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Hillside Sheffield Pink' Hillside Sheffield Pink Chrysanthemum | HP | 0.88 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Chrysanthemum x morifolium</i> 'Illusion' Illusion Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Jennifer' P.P. 8987 Jennifer Chrysanthemum | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Jessica' Jessica Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Lancer' Lancer Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Legend' Legend Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Linda' Linda Chrysanthemum | HP | 0.54 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Lynn' Lynn Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'MN92-333-2' P.P. 14197 Red Daisy Mammoth™ Chrysanthemum | HP | 1.35 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'MN95-105-6' P.P. 14129 Coral Daisy Mammoth® Chrysanthemum | HP | 0.97 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'MN98-E90-15' P.P. 14455 Twilight Pink Daisy Mammoth® Chrysanthemum | HP | 0.97 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'MN98-M91-1' P.P. 15027 Yellow Quill Mammoth® Chrysanthemum | HP | 1.26 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Mammoth Coral Daisy' See - <i>Chrysanthemum x morifolium</i> 'MN95-105-6' P.P. 14129 | | | | | | | | |
| <i>Chrysanthemum x morifolium</i> 'Mammoth Dark Bronze Daisy' See - <i>Chrysanthemum morifolium</i> | | | | | | | | |
| <i>Chrysanthemum x morifolium</i> 'Mammoth Dark Pink Daisy' See - <i>Chrysanthemum morifolium</i> | | | | | | | | |
| <i>Chrysanthemum x morifolium</i> 'Mammoth Lavender Daisy' See - <i>Chrysanthemum morifolium</i> | | | | | | | | |
| <i>Chrysanthemum x morifolium</i> 'Mammoth Orange' See - <i>Chrysanthemum x morifolium</i> '95-170-28' | | | | | | | | |
| <i>Chrysanthemum x morifolium</i> 'Mammoth Red Daisy' See - <i>Chrysanthemum x morifolium</i> 'MN92-333-2' P.P. 14197 | | | | | | | | |
| <i>Chrysanthemum x morifolium</i> 'Mammoth Series' Mammoth® Series Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Mammoth Star White' See - <i>Chrysanthemum x morifolium</i> '99-168-33' P.P.A.F. | | | | | | | | |
| <i>Chrysanthemum x morifolium</i> 'Mammoth Twilight Pink Daisy' See - <i>Chrysanthemum morifolium</i> | | | | | | | | |
| <i>Chrysanthemum x morifolium</i> 'Mammoth White Daisy' See - <i>Chrysanthemum x morifolium</i> '95-157-6' P.P. 17786 | | | | | | | | |
| <i>Chrysanthemum x morifolium</i> 'Mammoth Yellow Quill' See - <i>Chrysanthemum x morifolium</i> 'MN98-M91-1' P.P. 15027 | | | | | | | | |
| <i>Chrysanthemum x morifolium</i> 'Megan' Megan Chrysanthemum | HP | 0.54 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Mei-kyo' Mei-kyo Chrysanthemum | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Minngopher' Minngopher Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Minnruby' Minnruby Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Minnyellow' Minnyellow Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Chrysanthemum x morifolium</i> 'Mirage' Mirage Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'My Favorite White' See - <i>Chrysanthemum x morifolium</i> '99-168-33' P.P.A.F. | | | | | | | | |
| <i>Chrysanthemum x morifolium</i> 'Naomi' Naomi Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Nicole' Nicole Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Patriot' Patriot Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Prophet Series' Prophet Series Chrysanthemum | HP | 0.39 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Pumpkin Harvest' Pumpkin Harvest Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Purple Waters' Purple Waters Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Raquel' Raquel Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Remarkable' Remarkable Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Robin' Robin Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Rose Grenadine' Rose Grenadine Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Ruby Mound' Ruby Mound Chrysanthemum | HP | 0.43 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Salsa' Salsa Chrysanthemum | HP | 0.43 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Sandy' Sandy Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Serenade' Serenade Chrysanthemum | HP | 0.63 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Shelley' Shelley Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Soft Lynn' Soft Lynn Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Stardom' Stardom Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Stephanie' P.P. 9445 Stephanie Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Sunburst' Sunburst Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Sundoro' Sundoro Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Sunny Morning' Sunny Morning Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Symphony' Symphony Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Tanaga' Tanaga Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Tapestry' Tapestry Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Target' Target Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Tinkerbelle' Tinkerbelle Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Tolima' Tolima Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Triumph' Triumph Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Chrysanthemum x morifolium</i> 'Valerie' Valerie Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Venus' Venus Chrysanthemum | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Viette's Apricot Glow' Viette's Apricot Glow Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Viking' Viking Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'White Grandchild' White Grandchild Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Wild Berry' Wild Berry Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Yellow Jacket' Yellow Jacket Chrysanthemum | HP | 1.02 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum x morifolium</i> 'Zest' Zest Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum multicaule</i> See - <i>Coleostephus myconis</i> | | | | | | | | |
| <i>Chrysanthemum nipponicum</i> See - <i>Nipponanthemum nipponicum</i> | | | | | | | | |
| <i>Chrysanthemum pacificum</i> Pacific Chrysanthemum | HP | 0.83 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum pacificum</i> 'Pink Ice' Pink Ice Pacific Chrysanthemum | HP | 0.81 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum pacificum</i> 'Silver and Gold' Silver and Gold Pacific Chrysanthemum | HP | 0.79 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum paludosum</i> See - <i>Leucanthemum paludosum</i> | | | | | | | | |
| <i>Chrysanthemum parthenium</i> See - <i>Tanacetum parthenium</i> | | | | | | | | |
| <i>Chrysanthemum ptarmiciflorum</i> See - <i>Tanacetum ptarmiciflorum</i> | | | | | | | | |
| <i>Chrysanthemum vulgare</i> See - <i>Tanacetum vulgare</i> | | | | | | | | |
| <i>Chrysanthemum weyrichii</i> Weyrich Daisy | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum weyrichii</i> 'Pink Bomb' Pink Bomb Weyrich Daisy | HP | 0.79 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum weyrichii</i> 'White Bomb' White Bomb Weyrich Daisy | HP | 0.78 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum zawadskii</i> No Common Name Found | HP | 1.33 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum zawadskii</i> 'Clara Curtis' Clara Curtis Red Chrysanthemum | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysanthemum zawadskii</i> 'Duchess of Edinburgh' Duchess of Edinburgh Chrysanthemum | HP | 1.80 | R2 | 3-4 | 5-8 | | | |
| <i>Chrysanthemum zawadskii</i> 'Mary Stoker' Mary Stoker Red Chrysanthemum | HP | 1.33 | R2 | 3-5 | 6-8 | | | |
| <i>Chrysogonum virginianum</i> Green and Gold | HP | 0.89 | R2 | 4-5 | 6-8 | | | |
| <i>Chrysogonum virginianum</i> 'Pierre' Pierre Green and Gold | HP | 0.74 | R2 | 4-5 | 6-8 | | | |
| <i>Chrysogonum virginianum</i> 'Springbrook' Springbrook Green and Gold | HP | 0.82 | R2 | 4-5 | 6-8 | | | |
| <i>Chrysogonum virginianum</i> var. <i>australe</i> No Common Name Found | HP | 0.80 | R2 | 4-5 | 6-8 | | | |
| <i>Chrysogonum virginianum</i> var. <i>australe</i> 'Mark Viette' Mark Viette Green and Gold | HP | 0.80 | R2 | 4-5 | 6-8 | | | |
| <i>Chrysogonum virginianum</i> var. <i>virginianum</i> No Common Name Found | HP | 0.94 | R2 | 4-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Chrysogonum virginianum</i> var. <i>virginianum</i> 'Alan Bush' Alan Bush Green and Gold | HP | 0.94 | R2 | 4-5 | 6-8 | | | |
| <i>Chrysopsis mariana</i> Maryland Golden Aster | HP | 0.77 | R2 | | 5-8 | | | |
| <i>Chrysopsis villosa</i> See - <i>Heterotheca villosa</i> | | | | | | | | |
| <i>Chrysothamnus nauseosus</i> Rubber Rabbitbrush | BS | 1.54 | R2 | 3-4 | 5-9 | | 1.00 | 3 |
| <i>Chrysothamnus nauseosus</i> 'Dwarf Blue' Dwarf Blue Rubber Rabbitbrush | BS | 1.05 | R2 | 3-4 | 5-9 | | 1.00 | 3 |
| <i>Chrysothamnus nauseosus</i> ssp. <i>albicaulis</i> Rubber Rabbitbrush | BS | 1.12 | R2 | 3-4 | 5-9 | | 1.00 | 3 |
| <i>Chrysothamnus nauseosus</i> ssp. <i>graveolens</i> Greenplume Rabbitbrush | BS | 0.97 | R2 | 3-4 | 5-9 | | 1.00 | 3 |
| <i>Chrysothamnus viscidiflorus</i> Douglas Rabbitbrush | BS | 0.95 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Chusquea coronalis</i> No Common Name Found | BS | 1.39 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Cibotium chamissoi</i> Hawaiian Tree Fern | BE | 0.97 | R2 | 3-8 | | 1.00 | 1.00 | 9 |
| <i>Cibotium glaucum</i> Blonde Tree Fern | BE | 1.49 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Cibotium splendens</i> Hapu'u | BE | 1.18 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Cicuta maculata</i> Spotted Cowbane | HP | 1.31 | R2 | 4-5 | 6-8 | | | |
| <i>Cimicifuga acerina</i> See - <i>Cimicifuga japonica</i> var. <i>acerina</i> | | | | | | | | |
| <i>Cimicifuga dahurica</i> No Common Name Found | HP | 1.22 | R2 | 4-6 | 7-8 | | | |
| <i>Cimicifuga japonica</i> Japanese Bugbane | HP | 1.08 | R2 | 4 | 5-8 | | | |
| <i>Cimicifuga japonica</i> var. <i>acerina</i> Acerina Japanese Bugbane | HP | 1.45 | R2 | 3-4 | 5-8 | | | |
| <i>Cimicifuga racemosa</i> Black Snakeroot | HP | 1.15 | R2 | | 4-8 | | | |
| <i>Cimicifuga racemosa</i> 'Hillside Black Beauty' P.P. 9988 Hillside Black Beauty Black Snakeroot | HP | 2.17 | R2 | 4-6 | 7-8 | | | |
| <i>Cimicifuga racemosa</i> var. <i>cordifolia</i> See - <i>Actaea cordifolia</i> | | | | | | | | |
| <i>Cimicifuga ramosa</i> Branched Bugbane | HP | 1.22 | R2 | 6-7 | 8-9 | | | |
| <i>Cimicifuga ramosa</i> 'Atropurpurea' Purple Branched Bugbane | HP | 1.19 | R2 | 4-6 | 7-8 | | | |
| <i>Cimicifuga ramosa</i> 'Brunette' Brunette Branched Bugbane | HP | 2.27 | R2 | 6-7 | 8-9 | | | |
| <i>Cimicifuga simplex</i> Kamchatka Bugbane | HP | 0.73 | R2 | 3-4 | 5-8 | | | |
| <i>Cimicifuga simplex</i> 'Black Negligee' Black Negligee Kamchatka Bugbane | HP | 1.86 | R2 | 3-4 | 5-8 | | | |
| <i>Cimicifuga simplex</i> 'James Compton' James Compton Branched Bugbane | HP | 1.62 | R2 | 3-4 | 5-8 | | | |
| <i>Cimicifuga simplex</i> 'White Pearl' White Pearl Kamchatka Bugbane | HP | 1.29 | R2 | 3-4 | 5-8 | | | |
| <i>Cinnamomum camphora</i> Camphor Tree | BE | 0.95 | R2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Cinnamomum camphora</i> 'Majestic Beauty' See - <i>Cinnamomum camphora</i> 'Monum' | | | | | | | | |
| <i>Cinnamomum camphora</i> 'Monum' Majestic Beauty™ Camphor Tree | BE | 1.86 | R2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cinnamomum zeylanicum</i> Cinnamon | BE | 1.05 | R2 | 8-9 | 10-11 | 1.00 | 2.53 | 9 |
| <i>Cissus discolor</i> Trailing Begonia | FO | 0.98 | R2 | 3-8 | | | 1.00 | 10 |
| <i>Cissus incisa</i> See - <i>Cissus trifoliata</i> | | | | | | | | |
| <i>Cissus rhombifolia</i> Grape Ivy | FO | 0.59 | R2 | 3-8 | | | 1.00 | 10 |
| <i>Cissus rhombifolia</i> 'Ellen Danica' Ellen Danica Oak Leaf Ivy | FO | 0.59 | R2 | 3-8 | | | 1.00 | 10 |
| <i>Cissus rhombifolia</i> 'Mandiana' Mandiana Oak Leaf Ivy | FO | 0.59 | R2 | 3-8 | | | 1.00 | 10 |
| <i>Cissus trifoliata</i> Marine Ivy | FO | 0.71 | R2 | 3-8 | | | 1.00 | 8 |
| <i>Cistus</i> Rock Rose | BS | 0.78 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Cistus</i> 'Bennet's White' Bennet's White Rock Rose | BS | 1.20 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Cistus</i> 'Blanche' Blanche Rock Rose | BS | 0.61 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Cistus</i> 'Chelsea Bonnet' Chelsea Bonnet Rock Rose | BS | 0.63 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Cistus</i> 'Gold Prize' See - <i>Cistus</i> 'Wyecis' | | | | | | | | |
| <i>Cistus</i> 'Peggy Sammons' Peggy Sammons Rock Rose | BS | 0.61 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Cistus</i> 'Silver Pink' Silver Pink Rock Rose | BS | 0.78 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Cistus</i> 'Victor Reiter' Victor Reiter Rock Rose | BS | 0.61 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Cistus</i> 'Wyecis' Gold Prize Rock Rose | BS | 1.04 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Cistus corbariensis</i> White Rock Rose | BS | 0.95 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Cistus creticus</i> No Common Name Found | BS | 0.63 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Cistus creticus</i> 'Santa Cruz' Santa Cruz Rock Rose | BS | 0.63 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Cistus crispus</i> See - <i>Cistus x purpureus</i> | | | | | | | | |
| <i>Cistus hirsutus</i> var. <i>psilosepalus</i> See - <i>Cistus psilosepalus</i> | | | | | | | | |
| <i>Cistus x hybridus</i> See - <i>Cistus corbariensis</i> | | | | | | | | |
| <i>Cistus incanus</i> No Common Name Found | BS | 0.71 | R2 | 3-8 | | | 1.00 | 8 |
| <i>Cistus ladanifer</i> var. <i>maculatus</i> Crimsonspot Rock Rose | BS | 0.90 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Cistus laurifolius</i> Laurel Leaf Rock Rose | BS | 0.61 | R2 | 5-7 | 8 | | 1.00 | 6 |
| <i>Cistus psilosepalus</i> No Common Name Found | BS | 0.61 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Cistus xpulverulentus</i> No Common Name Found | BS | 0.75 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Cistus xpulverulentus</i> 'Sunset' Sunset Rock Rose | BS | 0.89 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Cistus xpulverulentus</i> 'Warley Rose' Warley Rose Rock Rose | BS | 0.61 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Cistus x purpureus</i> Orchidspot Rock Rose | BS | 0.96 | R2 | 5-7 | 8 | | 1.00 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Cistus xpurpureus</i> 'Doris Hibberson' Doris Hibberson Orchidspot Rock Rose | BS | 1.01 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Cistus salvifolius</i> No Common Name Found | BS | 0.72 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Cistus salvifolius</i> 'Prostratus' No Common Name Found | BS | 0.58 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Cistus xskanbergii</i> Skanberg Rock Rose | BS | 1.00 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Citharexylum spinosum</i> No Common Name Found | BS | 0.78 | R2 | 8 | | | 1.00 | 9 |
| <i>xCitrofortunella microcarpa</i> Calamondin Orange | BE | 1.22 | R1 | 8 | | 1.00 | 1.00 | 9 |
| <i>xCitrofortunella microcarpa</i> 'Variegata' Variegated Calamondin Orange | BE | 1.15 | R2 | 5-8 | | 1.00 | 1.00 | 9 |
| <i>xCitrofortunella mitis</i> See - <i>xCitrofortunella microcarpa</i> | | | | | | | | |
| <i>xCitroncirus webberi</i> Citrange | FN | 1.00 | R2 | 8 | 9-11 | 1.00 | 1.00 | 8 |
| <i>xCitroncirus webberi</i> 'Carrizo' Carrizo Citrange | FN | 1.00 | R2 | 8-9 | 10-11 | 1.00 | 1.00 | 8 |
| <i>Citrus aurantiifolia</i> Lime | FN | 1.25 | R2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus aurantiifolia</i> 'Mexican' Mexican Lime | FN | 1.07 | R2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus aurantiifolia</i> 'Thornless Mexican' See - <i>Citrus aurantiifolia</i> 'Mexican' | | | | | | | | |
| <i>Citrus aurantiifolia</i> 'Trover' Trover Lime | FN | 1.16 | R2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus grandis</i> See - <i>Citrus maxima</i> | | | | | | | | |
| <i>Citrus hystrix</i> Kaffir Lime | FN | 0.83 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus latifolia</i> Persian Lime | FN | 1.13 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus latifolia</i> 'Bearss Dwarf' Bearss Dwarf Seedless Lime | FN | 1.28 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus latifolia</i> 'Bearss' Bearss Seedless Lime | FN | 1.19 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus latifolia</i> 'Tahiti' Tahiti Lime | FN | 1.25 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> Lemon | FN | 1.31 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Eureka Variegated Pink' See - <i>Citrus limon</i> 'Eureka Variegated' | | | | | | | | |
| <i>Citrus limon</i> 'Eureka Variegated' Eureka Variegated Lemon | FN | 1.02 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Eureka' Eureka Lemon | FN | 1.13 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Frost' Frost Lemon | FN | 1.15 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Lisbon Dwarf' Lisbon Dwarf Lemon | FN | 1.28 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Lisbon Seedless' Lisbon Seedless Lemon | FN | 1.15 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Lisbon' Lisbon Lemon | FN | 1.12 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Meyer Improved' Meyer Improved Lemon | FN | 1.23 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Meyer' Meyer Lemon | FN | 1.19 | R2 | 8 | | 1.00 | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Citrus limon</i> 'Ponderosa' Ponderosa Lemon | FN | 0.90 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Sun Gold' P.P. 4828 Sun Gold Lemon | FN | 1.15 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus limon</i> 'Variegata' Variegata Pink Lemon | FN | 1.15 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus madurensis</i> See - <i>Fortunella japonica</i> | | | | | | | | |
| <i>Citrus maxima</i> Pummelo | FN | 0.90 | R2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus maxima</i> 'Chandler' Chandler Pummelo | FN | 0.74 | R2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus medica</i> Citron | FN | 0.83 | R2 | 5-8 | | 1.00 | 1.00 | 9 |
| <i>Citrus medica</i> 'Buddha's Hand' Buddha's Hand Citron | FN | 0.83 | R2 | 5-8 | | 1.00 | 1.00 | 9 |
| <i>Citrus x nobilis</i> Tangor | FN | 0.90 | R2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus x nobilis</i> 'King' King Tangor | FN | 0.90 | R2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus x nobilis</i> 'Temple' Temple Orange | FN | 0.90 | R2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus x paradisi</i> Grapefruit | FN | 1.54 | R2 | 8-9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus x paradisi</i> 'Duncan' Duncan Grapefruit | FN | 0.90 | R2 | 8-9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus x paradisi</i> 'Flame' Flame Red Grapefruit | FN | 1.10 | R2 | 8-9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus x paradisi</i> 'Marsh Seedless' Marsh Seedless Grapefruit | FN | 0.90 | R2 | 8-9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus x paradisi</i> 'Melogold' P.P. 6001 Melogold Grapefruit | FN | 1.11 | R2 | 8-9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus x paradisi</i> 'Oroblanco' P.P. 4645 Oroblanco Grapefruit | FN | 0.89 | R2 | 8-9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus x paradisi</i> 'Rio Red' Rio Red Grapefruit | FN | 0.92 | R2 | 8-9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus x paradisi</i> 'Ruby Dwarf' Ruby Dwarf Grapefruit | FN | 1.37 | R2 | 5-8 | | 1.00 | 0.43 | 9 |
| <i>Citrus x paradisi</i> 'Ruby' Ruby Grapefruit | FN | 1.18 | R2 | 8-9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus x paradisi</i> 'Star Ruby Dwarf' Star Ruby Dwarf Grapefruit | FN | 1.11 | R2 | 5-8 | | 1.00 | 0.43 | 9 |
| <i>Citrus x paradisi</i> 'Star Ruby' Star Ruby Grapefruit | FN | 0.71 | R2 | 8-9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus x paradisi</i> 'Thompson' Thompson Pink Grapefruit | FN | 1.55 | R2 | 8-9 | 10-11 | 1.00 | 0.43 | 9 |
| <i>Citrus reticulata</i> Tangerine | FN | 1.66 | R2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Clementine' Clementine Mandarin Orange | FN | 0.85 | R2 | 5-8 | | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Dancy Seedless' Dancy Seedless Tangerine | FN | 1.34 | R2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Dancy' Dancy Tangerine | FN | 1.09 | R2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Fremont' Fremont Tangerine | FN | 1.15 | R2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Kara' Kara Tangerine | FN | 1.15 | R2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Murcott' Murcott Tangerine | FN | 1.08 | R2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Citrus reticulata</i> 'Ponkan' Ponkan Tangerine | FN | 1.10 | R2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> 'Sunburst' Sunburst Tangerine | FN | 0.90 | R2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus reticulata</i> var. <i>satsuma</i> See - <i>Citrus unshiu</i> | | | | | | | | |
| <i>Citrus sinensis</i> Orange | FN | 1.61 | R2 | 8 | | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Campbell Dwarf' Campbell Dwarf Orange | FN | 1.30 | R2 | 8 | | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Campbell' Campbell Orange | FN | 0.97 | R2 | 8 | | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Cara Cara' Cara Cara Orange | FN | 1.00 | R2 | 8 | | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Hamlin' Hamlin Orange | FN | 1.31 | R2 | 8 | | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Lane Late Dwarf' Lane Late Dwarf Orange | FN | 0.94 | R2 | 8 | | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Marrs' Marrs Orange | FN | 1.08 | R2 | 8 | | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Midnight Dwarf' Midnight Dwarf Orange | FN | 1.08 | R2 | 8 | | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Midnight' Midnight Orange | FN | 1.08 | R2 | 8 | | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Moro' Moro Orange | FN | 1.13 | R2 | 8 | | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Page' Page Orange | FN | 0.77 | R2 | 8 | | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Parson Brown' Parson Brown Orange | FN | 0.65 | R2 | 8 | | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Pineapple' Pineapple Orange | FN | 0.65 | R2 | 8 | | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Trovita' Trovita Orange | FN | 1.08 | R2 | 8 | | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Valencia' Valencia Orange | FN | 1.13 | R2 | 8 | | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Washington Dwarf' Washington Dwarf Orange | FN | 1.56 | R2 | 8 | | 1.00 | 0.43 | 9 |
| <i>Citrus sinensis</i> 'Washington' Washington Naval Orange | FN | 1.02 | R2 | 8 | | 1.00 | 0.43 | 9 |
| <i>Citrus x tangelo</i> Hybrid Tangelo | FN | 1.29 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus x tangelo</i> 'Minneola Dwarf' Minneola Dwarf Tangelo | FN | 1.45 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus x tangelo</i> 'Minneola' Minneola Tangelo | FN | 1.16 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus x tangelo</i> 'Orlando' Orlando Tangelo | FN | 0.65 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus unshiu</i> Satsuma Mandarin Orange | FN | 0.84 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus unshiu</i> 'Armstrong Early' Armstrong Early Satsuma Mandarin Orange | FN | 1.14 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus unshiu</i> 'Kimbrough' Kimbrough Satsuma Mandarin Orange | FN | 1.12 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus unshiu</i> 'Miho' Miho Satsuma Mandarin Orange | FN | 1.12 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus unshiu</i> 'Mr. Mac' Mr. Mac Satsuma Mandarin Orange | FN | 1.10 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Citrus unshiu</i> 'Okitsu' Okitsu Satsuma Mandarin Orange | FN | 1.12 | R2 | 8 | | 1.00 | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Citrus unshiu</i> 'Owari' Owari Satsuma Mandarin Orange | FN | 1.09 | R2 | 8-9 | 10-11 | 1.00 | 1.00 | 9 |
| <i>Citrus unshiu</i> 'Seto' Seto Satsuma Mandarin Orange | FN | 1.12 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Cladium jamaicensis</i> Sawgrass | HP | 0.47 | R2 | 3-8 | | | | |
| <i>Cladanthus pyroliflorus</i> Copper Bush | DS | 1.00 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Cladrastis kentukea</i> See - <i>Cladrastis lutea</i> | | | | | | | | |
| <i>Cladrastis lutea</i> American Yellowwood | DT | 1.25 | R1 | 3 | 4-8 | 1.12 | 1.43 | 3 |
| <i>Cladrastis lutea</i> 'Rosea' Rosea American Yellowwood | DT | 1.68 | R1 | 3 | 4-8 | 1.51 | 1.43 | 3 |
| <i>Cladrastis lutea</i> 'Sweet Shade' P.P. 2935 Sweet Shade American Yellowwood | DT | 1.47 | R1 | 3 | 4-8 | 1.54 | 1.43 | 3 |
| <i>Cladrastis sinensis</i> Chinese Yellowwood | DT | 1.00 | R1 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Cladrastis sinensis</i> 'China Rose' China Rose Chinese Yellowwood | DT | 1.00 | R1 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Claytonia virginica</i> Spring Beauty | HP | 1.30 | R2 | 4-5 | 6-8 | | | |
| <i>Clematis</i> Clematis | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Alabast' See - <i>Clematis</i> 'Poulala' P.P. 10990 | | | | | | | | |
| <i>Clematis</i> 'Alexander' See - <i>Clematis montana</i> 'Alexander' | | | | | | | | |
| <i>Clematis</i> 'Anna Louise' See - <i>Clematis</i> 'Evithree' P.P. 9362 | | | | | | | | |
| <i>Clematis</i> 'Arabella' Arabella Clematis | GC | 1.41 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Arctic Queen' See - <i>Clematis</i> 'Ewitwo' P.P. 10167 | | | | | | | | |
| <i>Clematis</i> 'Asao' Asao Clematis | GC | 1.43 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Ascotiensis' Ascotiensis Clematis | GC | 1.39 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Avant-Garde' See - <i>Clematis</i> 'Evipo033' P.P. 16074 | | | | | | | | |
| <i>Clematis</i> 'Barbara Dibley' Barbara Dibley Clematis | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Barbara Harrington' P.P. 15594 Barbara Harrington Clematis | GC | 1.97 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Barbara Jackman' Barbara Jackman Clematis | GC | 1.37 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Barbara' Barbara Clematis | GC | 1.71 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Bee's Jubilee' Bee's Jubilee Clematis | GC | 1.49 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Belle Nantaise' Belle Nantaise Clematis | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Belle of Woking' Belle of Woking Clematis | GC | 1.33 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Beth Currie' Beth Currie Clematis | GC | 1.72 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Betty Corning' Betty Corning Clematis | GC | 1.72 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Blue Light' See - <i>Clematis</i> 'Vanso' P.P. 15953 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Clematis</i> 'Blue Moon' See - <i>Clematis</i> 'Evirin' P.P. 12838 | | | | | | | | |
| <i>Clematis</i> 'Blue Pirouette' See - <i>Clematis</i> 'Zobluepi' | | | | | | | | |
| <i>Clematis</i> 'Blue Ravine' C.O.P.F. Blue Ravine Clematis | GC | 1.58 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Bonanza' See - <i>Clematis</i> 'Evipo031' P.P. 16022 | | | | | | | | |
| <i>Clematis</i> 'Bourbon' See - <i>Clematis viticella</i> 'Evipo018' P.P. 16267 | | | | | | | | |
| <i>Clematis</i> 'Bressingham Bluebird' See - <i>Clematis heracleifolia</i> 'Alblo' P.P. 11498 | | | | | | | | |
| <i>Clematis</i> 'Captain Thuilleaux' Captain Thuilleaux Clematis | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Cardinal Wyszynski' Cardinal Wyszynski Clematis | GC | 1.75 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Carnaby' Carnaby Clematis | GC | 1.41 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Cezanne' See - <i>Clematis viticella</i> 'EVipo023' P.P. 15166 | | | | | | | | |
| <i>Clematis</i> 'Charissima' Charissima Clematis | GC | 1.41 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Clair de Lune' See - <i>Clematis</i> 'Evirin' P.P. 12838 | | | | | | | | |
| <i>Clematis</i> 'Cleminov 51' P.P. 17012 Sapphire Indigo™ Clematis | GC | 1.77 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis</i> 'Comtesse de Bouchaud' Comtesse de Bouchaud Clematis | GC | 1.43 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Confetti' See - <i>Clematis</i> 'Evipo036' P.P. 16093 | | | | | | | | |
| <i>Clematis</i> 'Countess of Lovelace' Countess of Lovelace Clematis | GC | 1.60 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis</i> 'Coventry' Coventry Clematis | GC | 1.60 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis</i> 'Crimson King' Crimson King Clematis | GC | 1.03 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Crystal Fountain' Crystal Fountain™ Clematis | GC | 1.92 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Daniel Deronda' Daniel Deronda Clematis | GC | 1.40 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Dawn' Dawn Clematis | GC | 1.63 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Doctor Ruppel' Doctor Ruppel Clematis | GC | 1.35 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Duchess of Edinburgh' Duchess of Edinburgh Clematis | GC | 1.21 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'EVipo001' P.P. 17705 Wisley Clematis | GC | 1.72 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'EVipo004' P.P. 17718 Harlow Carr Clematis | GC | 1.82 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'EVipo008' P.P. 15745 Franziska Mariea™ Clematis | GC | 1.90 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'EVipo009' P.P. 17704 Hyde Hall™ Clematis | GC | 1.97 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'EVipo025' P.P. 15165 Versailles™ Clematis | GC | 1.94 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Edomurasaki' Edomurasaki Clematis | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Edouard Desfosse' Edouard Desfosse Clematis | GC | 1.75 | R2 | 3-4 | 5-8 | | 1.00 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Clematis</i> 'Elsa Spaeth' Elsa Spaeth Clematis | GC | 1.41 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Ernest Markham' Ernest Markham Clematis | GC | 1.43 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Evening Star' See - <i>Clematis</i> 'Evista' P.P. 10932 | | | | | | | | |
| <i>Clematis</i> 'Evifive' P.P. 10913 Liberation™ Clematis | GC | 1.71 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Evifour' P.P. 9299 Royal Velvet™ Clematis | GC | 1.86 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Evijohill' P.P. 12912 Josephine™ Clematis | GC | 1.71 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Evione' P.P. 10222 Sugar Candy™ Clematis | GC | 1.71 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Evipo002' P.P. 15797 Rosemoor Clematis | GC | 1.90 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Evipo003' P.P. 16092 Ice Blue Clematis | GC | 1.98 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Evipo007' Victor Hugo Clematis | GC | 1.68 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Evipo019' P.P. 16069 Parisienne™ Clematis | GC | 1.59 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Evipo031' P.P. 16022 Bonanza™ Clematis | GC | 1.89 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Evipo032' P.P. 16193 Vesuvius™ Clematis | GC | 2.06 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Evipo033' P.P. 16074 Avante-Garde™ Clematis | GC | 1.65 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Evipo034' P.P. 16073 Palette™ Clematis | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Evipo036' P.P. 16093 Confetti™ Clematis | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Evirin' P.P. 12838 Clair de Lune™ Clematis | GC | 1.77 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Evisix' P.P. 11013 Petit Faucon™ Clematis | GC | 1.55 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Evista' P.P. 10932 Evening Star™ Clematis | GC | 1.64 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Evithree' P.P. 9362 Anna Louise™ Clematis | GC | 1.98 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Evitwo' P.P. 10167 Arctic Queen™ Clematis | GC | 1.97 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Fairy Blue' See - <i>Clematis</i> 'Crystal Fountain' | | | | | | | | |
| <i>Clematis</i> 'Fairy Queen' Fairy Queen Clematis | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Fargesioides' See - <i>Clematis</i> 'Paul Farges' | | | | | | | | |
| <i>Clematis</i> 'Fascination' P.P. 14770 Fascination Clematis | GC | 2.19 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Fireworks' Fireworks Clematis | GC | 1.38 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Franziska Mariea' See - <i>Clematis</i> 'EVlpo008' P.P. 15745 | | | | | | | | |
| <i>Clematis</i> 'Garden Surprise' See - <i>Clematis</i> 'Southern Cross' | | | | | | | | |
| <i>Clematis</i> 'General Sikorski' General Sikorski Clematis | GC | 1.39 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Gillian Blades' Gillian Blades Clematis | GC | 1.39 | R2 | 3-4 | 5-8 | | 1.00 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Clematis</i> 'Gipsy Queen' Gipsy Queen Clematis | GC | 1.46 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Gladys Picard' Gladys Picard Clematis | GC | 1.85 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Golden Tiara' See - <i>Clematis</i> 'Kugotia' P.P. 10952 | | | | | | | | |
| <i>Clematis</i> 'Guernsey Cream' Guernsey Cream Clematis | GC | 1.97 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'H.F. Young' H.F. Young Clematis | GC | 1.19 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Hagley Hybrid' Hagley Hybrid Clematis | GC | 1.37 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Haku-okan' Haku-okan Clematis | GC | 1.71 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Hakuba' P.P. 6691 Hakuba Clematis | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Hania' Hania Clematis | GC | 1.71 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Harlow Carr' See - <i>Clematis</i> 'EVIpo004' P.P. 17718 | | | | | | | | |
| <i>Clematis</i> 'Hendryetta' P.P. 16589 Hendryetta Clematis | GC | 2.19 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Henryi' Henry Clematis | GC | 1.38 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Huldine' Huldine Clematis | GC | 1.90 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Hyde Hall' See - <i>Clematis</i> 'EVIpo009' P.P. 17704 | | | | | | | | |
| <i>Clematis</i> 'Ice Blue' See - <i>Clematis</i> 'EVIpo003' P.P. 16092 | | | | | | | | |
| <i>Clematis</i> 'Inspiration' See - <i>Clematis</i> 'Zoin' | | | | | | | | |
| <i>Clematis</i> 'Jackmanii Superba' Jackman Superba Clematis | GC | 1.44 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Jackmanii' Jackman Clematis | GC | 1.44 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Jan Pawel II' Jan Pawell II Clematis | GC | 1.37 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'John Warren' John Warren Clematis | GC | 1.58 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Josephine' See - <i>Clematis</i> 'Evijohill' P.P. 12912 | | | | | | | | |
| <i>Clematis</i> 'Julka' Julka Clematis | GC | 1.72 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Kathleen Dunford' Kathleen Dunford Clematis | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Ken Donson' Ken Donson Clematis | GC | 1.34 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Kilian Donahue' Kilian Donahue Clematis | GC | 1.81 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'King Edward VII' King Edward VII Clematis | GC | 1.17 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Kugotia' P.P. 10952 Golden Tiara Clematis | GC | 1.39 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Lady Betty Balfour' Lady Betty Balfour Clematis | GC | 1.38 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis</i> 'Lasurstern' Lasurstern Clematis | GC | 1.22 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis</i> 'Lemon Chiffon' Lemon Chiffon Clematis | GC | 1.75 | R2 | 3-4 | 5-8 | | 1.00 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Clematis</i> 'Liberation' | | | | | | | | |
| See - <i>Clematis</i> 'Evifive' P.P. 10913 | | | | | | | | |
| <i>Clematis</i> 'Lilacina Floribunda' | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Lilacina Floribunda Clematis | | | | | | | | |
| <i>Clematis</i> 'Lincoln Star' | GC | 1.32 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Lincoln Star Clematis | | | | | | | | |
| <i>Clematis</i> 'Little Duckling' | | | | | | | | |
| See - <i>Clematis</i> 'Piilu' | | | | | | | | |
| <i>Clematis</i> 'Little Nell' | GC | 1.64 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Little Nell Clematis | | | | | | | | |
| <i>Clematis</i> 'Lord Nevill' | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Lord Nevill Clematis | | | | | | | | |
| <i>Clematis</i> 'Louise Rowe' | GC | 1.74 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Louise Rowe Clematis | | | | | | | | |
| <i>Clematis</i> 'Madame Baron Veillard' | GC | 1.66 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Madame Baron Veillard Clematis | | | | | | | | |
| <i>Clematis</i> 'Madame Edouard Andre' | GC | 1.47 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| Madame Edouard Andre Clematis | | | | | | | | |
| <i>Clematis</i> 'Madame Grange' | GC | 1.22 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Madame Grange Clematis | | | | | | | | |
| <i>Clematis</i> 'Margot Koster' | | | | | | | | |
| See - <i>Clematis viticella</i> 'Margot Koster' | | | | | | | | |
| <i>Clematis</i> 'Marie Boisselot' | GC | 1.49 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Marie Boisselot Clematis | | | | | | | | |
| <i>Clematis</i> 'Masquerade' | GC | 1.22 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Masquerade Clematis | | | | | | | | |
| <i>Clematis</i> 'Miss Bateman' | GC | 1.49 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Miss Bateman Clematis | | | | | | | | |
| <i>Clematis</i> 'Mrs. Cholmondeley' | GC | 1.49 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Mrs. Cholmondeley Clematis | | | | | | | | |
| <i>Clematis</i> 'Mrs. George Jackman' | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Mrs. George Jackman Clematis | | | | | | | | |
| <i>Clematis</i> 'Mrs. James Mason' | GC | 1.75 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Mrs. James Mason Clematis | | | | | | | | |
| <i>Clematis</i> 'Mrs. N. Thompson' | GC | 1.27 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Mrs. N. Thompson Clematis | | | | | | | | |
| <i>Clematis</i> 'Mrs. P. B. Truax' | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Mrs. P. B. Truax Clematis | | | | | | | | |
| <i>Clematis</i> 'Mrs. Robert Brydon' | GC | 1.40 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Mrs. Robert Brydon Clematis | | | | | | | | |
| <i>Clematis</i> 'Multi Blue' | GC | 1.53 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Multi Blue Clematis | | | | | | | | |
| <i>Clematis</i> 'Myojo' | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Myojo Clematis | | | | | | | | |
| <i>Clematis</i> 'Natascha' | GC | 1.75 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Natascha Clematis | | | | | | | | |
| <i>Clematis</i> 'Nelly Moser' | GC | 1.53 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Nelly Moser Clematis | | | | | | | | |
| <i>Clematis</i> 'Niobe' | GC | 1.43 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Niobe Clematis | | | | | | | | |
| <i>Clematis</i> 'Palette' | | | | | | | | |
| See - <i>Clematis</i> 'Evipo034' P.P. 16073 | | | | | | | | |
| <i>Clematis</i> 'Parisienne' | | | | | | | | |
| See - <i>Clematis</i> 'Evipo019' P.P. 16069 | | | | | | | | |
| <i>Clematis</i> 'Paul Farges' | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Summer Snow™ Clematis | | | | | | | | |
| <i>Clematis</i> 'Perle d'Azur' | GC | 1.47 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| Perle d'Azur Clematis | | | | | | | | |
| <i>Clematis</i> 'Perrin's Pride' | GC | 1.79 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Perrin's Pride Clematis | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|--------------|--------|----|-----------|---------|-------------|----------------------|---------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Clematis</i> 'Petit Faucon' | | | | | | | | |
| See - <i>Clematis</i> 'Evisix' P.P. 11013 | | | | | | | | |
| <i>Clematis</i> 'Picardy' | | | | | | | | |
| See - <i>Clematis viticella</i> 'EVlpo024' P.P. 15156 | | | | | | | | |
| <i>Clematis</i> 'Piilu' | GC | 1.86 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Piilu™ Clematis | | | | | | | | |
| <i>Clematis</i> 'Pink Champagne' | GC | 1.65 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Pink Champagne Clematis | | | | | | | | |
| <i>Clematis</i> 'Pink Fantasy' | GC | 1.54 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Pink Fantasy Clematis | | | | | | | | |
| <i>Clematis</i> 'Poulala' P.P. 10990 | GC | 1.65 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Alabast™ Clematis | | | | | | | | |
| <i>Clematis</i> 'Poulvo' P.P. 9290 | GC | 1.76 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Vino™ Clematis | | | | | | | | |
| <i>Clematis</i> 'Pretty In Blue' | | | | | | | | |
| See - <i>Clematis</i> 'Zopre' P.P. 14823 | | | | | | | | |
| <i>Clematis</i> 'Prince Charles' | GC | 1.58 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Prince Charles Clematis | | | | | | | | |
| <i>Clematis</i> 'Prince Philip' | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Prince Philip Clematis | | | | | | | | |
| <i>Clematis</i> 'Proteus' | GC | 1.36 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Proteus Clematis | | | | | | | | |
| <i>Clematis</i> 'Ramona' | GC | 1.55 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Ramona Clematis | | | | | | | | |
| <i>Clematis</i> 'Rhapsody' | GC | 1.75 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Rhapsody Clematis | | | | | | | | |
| <i>Clematis</i> 'Richard Pennell' | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Richard Pennell Clematis | | | | | | | | |
| <i>Clematis</i> 'Rooguchi' | GC | 1.76 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Rooguchi Solitary Clematis | | | | | | | | |
| <i>Clematis</i> 'Rosemoor' | | | | | | | | |
| See - <i>Clematis</i> 'Evipo002' P.P. 15797 | | | | | | | | |
| <i>Clematis</i> 'Rouge Cardinal' | GC | 1.45 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Rouge Cardinal Clematis | | | | | | | | |
| <i>Clematis</i> 'Rougouchi' | | | | | | | | |
| See - <i>Clematis</i> 'Rooguchi' | | | | | | | | |
| <i>Clematis</i> 'Royal Velvet' | | | | | | | | |
| See - <i>Clematis</i> 'Evifour' P.P. 9299 | | | | | | | | |
| <i>Clematis</i> 'Royalty' | GC | 1.72 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Royalty Clematis | | | | | | | | |
| <i>Clematis</i> 'Rubens' | | | | | | | | |
| See - <i>Clematis montana</i> var. <i>rubens</i> | | | | | | | | |
| <i>Clematis</i> 'Ruby Glow' | GC | 1.74 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Ruby Glow Clematis | | | | | | | | |
| <i>Clematis</i> 'Sapphire Indigo' | | | | | | | | |
| See - <i>Clematis</i> 'Cleminov 51' P.P. 17012 | | | | | | | | |
| <i>Clematis</i> 'Scartho Gem' | GC | 1.22 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Scartho Gem Clematis | | | | | | | | |
| <i>Clematis</i> 'Sho-un' | GC | 1.86 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Sho-un Clematis | | | | | | | | |
| <i>Clematis</i> 'Silver Moon' | GC | 1.72 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Silver Moon Clematis | | | | | | | | |
| <i>Clematis</i> 'Snow Queen' | GC | 1.50 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Snow Queen Clematis | | | | | | | | |
| <i>Clematis</i> 'Southern Cross' | GC | 1.43 | R2 | 3-8 | | | 1.00 | 8 |
| Southern Cross Clematis | | | | | | | | |
| <i>Clematis</i> 'Special Occasion' | GC | 1.75 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Special Occasion Clematis | | | | | | | | |
| <i>Clematis</i> 'Star of India' | GC | 1.43 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Star of India Clematis | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|--------------|---------|-------------|-----------|---------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Clematis</i> 'Sugar Candy' | | | | | | | | |
| See - <i>Clematis</i> 'Evione' P.P. 10222 | | | | | | | | |
| <i>Clematis</i> 'Summer Snow' | | | | | | | | |
| See - <i>Clematis</i> 'Paul Farges' | | | | | | | | |
| <i>Clematis</i> 'Sunset' | GC | 1.43 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Sunset Clematis | | | | | | | | |
| <i>Clematis</i> 'Sylvia Denny' | GC | 1.26 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Sylvia Denny Clematis | | | | | | | | |
| <i>Clematis</i> 'The President' | GC | 1.36 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| The President Clematis | | | | | | | | |
| <i>Clematis</i> 'Toki' | GC | 1.78 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Toki Clematis | | | | | | | | |
| <i>Clematis</i> 'Twilight' | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Twilight Clematis | | | | | | | | |
| <i>Clematis</i> 'Vanso' P.P. 15953 | GC | 1.55 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Blue Light Clematis | | | | | | | | |
| <i>Clematis</i> 'Veronica's Choice' | GC | 1.45 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Veronica's Choice Clematis | | | | | | | | |
| <i>Clematis</i> 'Versailles' | | | | | | | | |
| See - <i>Clematis</i> 'EVlpo025' P.P. 15165 | | | | | | | | |
| <i>Clematis</i> 'Vesuvius' | | | | | | | | |
| See - <i>Clematis</i> 'Evipo032' P.P. 16193 | | | | | | | | |
| <i>Clematis</i> 'Victor Hugo' | | | | | | | | |
| See - <i>Clematis</i> 'Evipo007' | | | | | | | | |
| <i>Clematis</i> 'Victoria' | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Victoria Clematis | | | | | | | | |
| <i>Clematis</i> 'Ville de Lyon' | GC | 1.38 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Ville de Lyon Clematis | | | | | | | | |
| <i>Clematis</i> 'Vino' | | | | | | | | |
| See - <i>Clematis</i> 'Poulvo' P.P. 9290 | | | | | | | | |
| <i>Clematis</i> 'Violet Charm' | GC | 1.40 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Violet Charm Clematis | | | | | | | | |
| <i>Clematis</i> 'Voluteau' | GC | 1.75 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Voluteau Clematis | | | | | | | | |
| <i>Clematis</i> 'Vyvyan Pennell' | GC | 1.44 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Vyvyan Pennell Clematis | | | | | | | | |
| <i>Clematis</i> 'Wada's Primrose' | GC | 1.51 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Wada's Primrose Clematis | | | | | | | | |
| <i>Clematis</i> 'Warszawska Nike' | GC | 1.35 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Warszawska Nike Clematis | | | | | | | | |
| <i>Clematis</i> 'Westerplatte' | GC | 1.75 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Westerplatte Clematis | | | | | | | | |
| <i>Clematis</i> 'Will Goodwin' | GC | 1.56 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Will Goodwin Clematis | | | | | | | | |
| <i>Clematis</i> 'William Kennet' | GC | 1.60 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| William Kennet Clematis | | | | | | | | |
| <i>Clematis</i> 'Wisley' | | | | | | | | |
| See - <i>Clematis</i> 'EVlpo001' P.P. 17705 | | | | | | | | |
| <i>Clematis</i> 'Zobluepi' | GC | 2.19 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| Blue Pirouette Clematis | | | | | | | | |
| <i>Clematis</i> 'Zoin' | GC | 2.19 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Inspiration™ Clematis | | | | | | | | |
| <i>Clematis</i> 'Zopre' P.P. 14823 | GC | 2.19 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Pretty In Blue Clematis | | | | | | | | |
| <i>Clematis alpina</i> | GC | 2.01 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| Alpine Clematis | | | | | | | | |
| <i>Clematis alpina</i> 'Blue Dancer' | GC | 1.75 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| Blue Dancer Alpine Clematis | | | | | | | | |
| <i>Clematis alpina</i> 'Burford White' | GC | 1.87 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Burford White Alpine Clematis | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Clematis alpina</i> 'Constance' Constance Alpine Clematis | GC | 2.01 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis alpina</i> 'Helsingborg' Helsingborg Alpine Clematis | GC | 1.75 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis alpina</i> 'Pamela Jackman' Pamela Jackman Alpine Clematis | GC | 1.76 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis alpina</i> 'Pink Flamingo' Pink Flamingo Alpine Clematis | GC | 1.75 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis alpina</i> 'Ruby' Ruby Alpine Clematis | GC | 2.05 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis alpina</i> 'Willy' Willy Alpine Clematis | GC | 1.87 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis armandii</i> Armand Clematis | GC | 1.47 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Clematis armandii</i> 'Snowdrift' Snowdrift Clematis | GC | 1.30 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Clematis xcartmanii</i> No Common Name Found | BS | 2.17 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Clematis xcartmanii</i> 'Avalanche' See - <i>Clematis xcartmanii</i> 'Blaaval' P.P.A.F. | | | | | | | | |
| <i>Clematis xcartmanii</i> 'Blaaval' P.P.A.F. Avalanche Evergreen Clematis | BS | 2.17 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Clematis chrysocoma</i> See - <i>Clematis montana</i> var. <i>sericea</i> | | | | | | | | |
| <i>Clematis cirrhosa</i> Vernal Clematis | GC | 1.55 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Clematis cirrhosa</i> 'Freckles' Freckles Vernal Clematis | GC | 1.55 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Clematis cirrhosa</i> 'Wisley Cream' Wisley Cream Vernal Clematis | GC | 1.55 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Clematis xdurandii</i> Durand Clematis | GC | 1.46 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis xeristemon</i> Clematis | BS | 1.16 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis xeristemon</i> 'Hendersonii' Henderson Hybrid Clematis | BS | 1.16 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis flammula</i> Plume Clematis | GC | 0.69 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis flammula</i> 'Rubromarginata' See - <i>Clematis xtriternata</i> 'Rubromarginata' | | | | | | | | |
| <i>Clematis florida</i> Cream Clematis | GC | 1.88 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis florida</i> 'Alba Plena' Alba Plena Cream Clematis | GC | 1.88 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis florida</i> 'Evirida' P.P. 15093 Pistachio Clematis | GC | 1.88 | R2 | 3-6 | 7-8 | | 1.00 | 4 |
| <i>Clematis florida</i> 'Pistachio' See - <i>Clematis florida</i> 'Evirida' P.P. 15093 | | | | | | | | |
| <i>Clematis florida</i> 'Sieboldii' See - <i>Clematis florida</i> var. <i>sieboldiana</i> | | | | | | | | |
| <i>Clematis florida</i> var. <i>sieboldiana</i> Sieboldii Clematis | GC | 1.87 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis heracleifolia</i> Tube Clematis | GC | 1.48 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis heracleifolia</i> 'Alan Bloom' See - <i>Clematis heracleifolia</i> 'Alblo' P.P. 11498 | | | | | | | | |
| <i>Clematis heracleifolia</i> 'Alblo' P.P. 11498 Alan Bloom Tube Clematis | GC | 1.48 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis heracleifolia</i> var. <i> davidiana</i> Fragrant Tube Clematis | GC | 0.94 | R2 | 3-4 | 5-8 | | 1.00 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Clematis integrifolia</i> Solitary Clematis | HP | 1.50 | R2 | 3 | 4-8 | | | |
| <i>Clematis integrifolia</i> 'Alionushka' Alionushka Solitary Clematis | HP | 2.32 | R2 | 3 | 4-8 | | | |
| <i>Clematis integrifolia</i> 'Caerulea' Blue Solitary Clematis | HP | 1.43 | R2 | 3 | 4-8 | | | |
| <i>Clematis integrifolia</i> 'Rosea' Pink Solitary Clematis | HP | 1.16 | R2 | 3 | 4-8 | | | |
| <i>Clematis lanuginosa</i> Ningpo Clematis | GC | 1.50 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis lanuginosa</i> 'Candida' Candida Ningpo Clematis | GC | 1.51 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis lasiantha</i> Pipestem Clematis | GC | 0.91 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Clematis ligustifolia</i> Western Virginsbower | GC | 1.13 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis macropetala</i> Bigpetal Clematis | GC | 1.23 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis macropetala</i> 'Blue Bird' Blue Bird Bigpetal Clematis | GC | 1.64 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis macropetala</i> 'Blue Jay' Blue Jay Bigpetal Clematis | GC | 1.54 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis macropetala</i> 'Markham's Pink' Markham's Pink Downy Clematis | GC | 1.74 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis mandschurica</i> Manchurian Clematis | HP | 1.14 | R2 | 3-6 | 7-8 | | | |
| <i>Clematis marmoraria</i> No Common Name Found | GC | 1.00 | R2 | 3-7 | 8 | | 1.00 | 6 |
| <i>Clematis montana</i> Anemone Clematis | GC | 0.75 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis montana</i> 'Alexander' Alexander Anemone Clematis | GC | 1.23 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis montana</i> 'Elizabeth' Elizabeth Anemone Clematis | GC | 1.61 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis montana</i> 'Fragrant Spring' Fragrant Spring Anemone Clematis | GC | 1.00 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis montana</i> 'Freda' Freda Anemone Clematis | GC | 1.45 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis montana</i> 'Grandiflora' Large Anemone Clematis | GC | 1.26 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis montana</i> 'Marjorie' Marjorie Anemone Clematis | GC | 1.23 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis montana</i> 'Pink Perfection' Pink Perfection Anemone Clematis | GC | 1.63 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis montana</i> 'Tetrarose' Tetrarose Anemone Clematis | GC | 0.92 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis montana</i> var. <i>rubens</i> Pink Anemone Clematis | GC | 1.28 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis montana</i> var. <i>rubens</i> 'Freda' See - <i>Clematis montana</i> 'Freda' | | | | | | | | |
| <i>Clematis montana</i> var. <i>rubens</i> 'Mayleen' Mayleen Pink Anemone Clematis | GC | 1.33 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis montana</i> var. <i>sericea</i> Goodwool Clematis | GC | 0.77 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis montana</i> var. <i>wilsonii</i> Wilson Anemone Clematis | GC | 1.51 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis orientalis</i> Oriental Clematis | GC | 2.18 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis orientalis</i> 'Burford' Burford Oriental Clematis | GC | 2.18 | R2 | 3-6 | 7-8 | | 1.00 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Clematis paniculata</i> | | | | | | | | |
| See - <i>Clematis terniflora</i> | | | | | | | | |
| <i>Clematis recta</i> Ground Clematis | HP | 2.32 | R2 | 3-4 | 5-8 | | | |
| <i>Clematis recta</i> 'Purpurea' Purple Ground Clematis | HP | 1.74 | R2 | 3-4 | 5-8 | | | |
| <i>Clematis recta</i> var. <i>mandschurica</i> See - <i>Clematis mandschurica</i> | | | | | | | | |
| <i>Clematis spooneri</i> No Common Name Found | GC | 1.16 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Clematis tangutica</i> Golden Clematis | GC | 1.33 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis tangutica</i> 'Bill MacKenzie' Bill MacKenzie Clematis | GC | 1.33 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis terniflora</i> Sweet Autumn Clematis | GC | 1.30 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis texensis</i> Scarlet Clematis | HP | 1.14 | R2 | 3-4 | 5-8 | | | |
| <i>Clematis texensis</i> 'Duchess of Albany' Duchess of Albany Scarlet Clematis | HP | 2.10 | R2 | 3 | 4-8 | | | |
| <i>Clematis texensis</i> 'Etoile Rose' Etoile Rose Scarlet Clematis | HP | 2.35 | R2 | 3 | 4-8 | | | |
| <i>Clematis texensis</i> 'Gravetye Beauty' Gravetye Beauty Scarlet Clematis | HP | 2.33 | R2 | 3 | 4-8 | | | |
| <i>Clematis texensis</i> 'Pagoda' See - <i>Clematis viticella</i> 'Pagoda' | | | | | | | | |
| <i>Clematis texensis</i> 'Princess Diana' Princess Diana Scarlet Clematis | HP | 2.25 | R2 | 3-4 | 5-8 | | | |
| <i>Clematis texensis</i> 'Sir Trevor Lawrence' Sir Trevor Lawrence Scarlet Clematis | HP | 2.03 | R2 | 3-4 | 5-8 | | | |
| <i>Clematis xtritermata</i> No Common Name Found | GC | 1.73 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis xtritermata</i> 'Rubromarginata' Tritermata Rubromarginata Clematis | GC | 1.73 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis virginiana</i> Virginsbower | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Clematis vitalba</i> Traveller's Joy Clematis | GC | 1.02 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis viticella</i> Italian Clematis | GC | 1.14 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis viticella</i> 'Abundance' Abundance Italian Clematis | GC | 1.84 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis viticella</i> 'Alba Luxurians' Alba Luxurians Italian Clematis | GC | 1.61 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis viticella</i> 'Blue Angel' Blue Angel Italian Clematis | GC | 1.73 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis viticella</i> 'Blue Belle' Blue Belle Italian Clematis | GC | 1.55 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis viticella</i> 'Carmencita' Carmencita Italian Clematis | GC | 1.55 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis viticella</i> 'EVlpo023' P.P. 15166 Cezanne™ Clematis | GC | 1.79 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis viticella</i> 'EVlpo024' P.P. 15156 Picardy™ Clematis | GC | 1.71 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis viticella</i> 'Etoile Violette' Etoile Violette Italian Clematis | GC | 1.37 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis viticella</i> 'Evipo018' P.P. 16267 Bourbon™ Clematis | GC | 1.98 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis viticella</i> 'Kermesina' Kermesina Italian Clematis | GC | 0.88 | R2 | 3-4 | 5-8 | | 1.00 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Clematis viticella</i> 'Margot Koster' Margot Koster Italian Clematis | GC | 1.55 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis viticella</i> 'Mme. Julia Correvon' Mme. Julia Correvon Italian Clematis | GC | 1.49 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis viticella</i> 'Pagoda' Pagoda Italian Clematis | GC | 1.75 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis viticella</i> 'Polish Spirit' Polish Spirit Italian Clematis | GC | 1.41 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Clematis viticella</i> 'Purpurea Plena Elegans' Purpurea Plena Elegans Italian Clematis | GC | 1.49 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis viticella</i> 'Royal Velours' Royal Velours Italian Clematis | GC | 1.62 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clematis viticella</i> 'Rubra' Red Italian Clematis | GC | 1.64 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Clematis viticella</i> 'Venosa Violacea' Venosa Violacea Italian Clematis | GC | 1.41 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Cleome hassleriana</i> Spider Flower | AN | 0.82 | R2 | 6-8 | | | | |
| <i>Cleome hassleriana</i> 'Cherry Queen' Cherry Queen Spider Flower | AN | 1.19 | R2 | 6-8 | | | | |
| <i>Cleome hassleriana</i> 'Linde Armstrong' P.P.A.F. Linde Armstrong Spider Flower | AN | 1.30 | R2 | 6-8 | | | | |
| <i>Cleome hassleriana</i> 'Sparkler Lavender' Sparkler Lavender Spider Flower | AN | 1.43 | R2 | 6-8 | | | | |
| <i>Cleome hassleriana</i> 'Sparkler Mix' Sparkler Mix Spider Flower | AN | 1.19 | R2 | 6-8 | | | | |
| <i>Cleome hassleriana</i> 'Sparkler Rose' Sparkler Rose Spider Flower | AN | 1.24 | R2 | 6-8 | | | | |
| <i>Cleome hassleriana</i> 'Spirit Merlot' Spirit Merlot Spider Flower | AN | 1.16 | R2 | 6-8 | | | | |
| <i>Clerodendrum balfourii</i> See - <i>Clerodendrum thomsoniae</i> | | | | | | | | |
| <i>Clerodendrum bungei</i> Cashmere Bouquet | BS | 0.72 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Clerodendrum chinense</i> Chinese Glorybower | BS | 0.55 | R2 | 8 | | | 1.00 | 10 |
| <i>Clerodendrum colebrookianum</i> No Common Name Found | BS | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Clerodendrum foetidum</i> See - <i>Clerodendrum bungei</i> | | | | | | | | |
| <i>Clerodendrum glabrum</i> Natal Glorybower | BS | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Clerodendrum heterophyllum</i> No Common Name Found | BS | 0.64 | R2 | 8 | | | 1.00 | 10 |
| <i>Clerodendrum incisum</i> Musical Note Clerodendrum | GC | 0.72 | R2 | 8 | | | 1.00 | 9 |
| <i>Clerodendrum indicum</i> Turk's Turbin | BS | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Clerodendrum inerme</i> Embret | BS | 0.80 | R2 | 8 | | | 1.00 | 10 |
| <i>Clerodendrum kaempferi</i> Kaempfer's Glorybower | BS | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Clerodendrum minahassae</i> No Common Name Found | BS | 1.05 | R2 | 8 | | | 1.00 | 10 |
| <i>Clerodendrum myricoides</i> No Common Name Found | BS | 0.81 | R2 | 8 | | | 1.00 | 10 |
| <i>Clerodendrum myricoides</i> 'Ugandense' Blue Butterfly Bush | BS | 0.81 | R2 | 8 | | | 1.00 | 10 |
| <i>Clerodendrum paniculatum</i> Pagoda Flower | BS | 0.86 | R2 | 8 | | | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Clerodendrum paniculatum</i> 'Borneo Sunset' Borneo Sunset Pagoda Flower | BS | 0.91 | R2 | 8 | | | 1.00 | 10 |
| <i>Clerodendrum philippinum</i> See - <i>Clerodendrum chinense</i> | | | | | | | | |
| <i>Clerodendrum quadriloculare</i> Starburst Flower | BS | 1.11 | R2 | 8 | | | 1.00 | 10 |
| <i>Clerodendrum quadriloculare</i> 'Brandonii' Brandon Starburst Flower | BS | 1.27 | R2 | 8 | | | 1.00 | 10 |
| <i>Clerodendrum sahelangii</i> No Common Name Found | BS | 0.85 | R2 | 8 | | | 1.00 | 10 |
| <i>Clerodendrum x speciosum</i> Java Glory Bean | BS | 0.83 | R2 | 8 | | | 1.00 | 10 |
| <i>Clerodendrum squamatum</i> See - <i>Clerodendrum kaempferi</i> | | | | | | | | |
| <i>Clerodendrum thomsoniae</i> Bleeding Heart Vine | GC | 0.80 | R2 | 8 | | | 1.00 | 10 |
| <i>Clerodendrum thomsoniae</i> 'Delectum' Delectum Bleeding Heart Vine | GC | 0.81 | R2 | 8 | | | 1.00 | 10 |
| <i>Clerodendrum thomsoniae</i> 'Variegatum' Variegated Bleeding Heart Vine | GC | 0.63 | R2 | 8 | | | 1.00 | 10 |
| <i>Clerodendrum trichotomum</i> Harlequin Glorybower | BS | 0.99 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Clerodendrum trichotomum</i> var. <i>fargesii</i> Farges Harlequin Glorybower | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Clerodendrum ugandense</i> See - <i>Clerodendrum myricoides</i> 'Ugandense' | | | | | | | | |
| <i>Clethra acuminata</i> Cinnamon Clethra | BS | 0.84 | R2 | 3-5 | 6-8 | | 0.80 | 5 |
| <i>Clethra alnifolia</i> Summersweet Clethra | DS | 0.88 | R1 | 3 | 4-8 | | 0.98 | 3 |
| <i>Clethra alnifolia</i> 'Anne Bidwell' Anne Bidwell Summersweet Clethra | DS | 1.13 | R1 | 3 | 4-8 | | 1.10 | 3 |
| <i>Clethra alnifolia</i> 'Compacta' Compact Summersweet Clethra | DS | 1.07 | R1 | 3 | 4-8 | | 1.51 | 3 |
| <i>Clethra alnifolia</i> 'Fern Valley Pink' Fern Valley Pink Summersweet Clethra | DS | 0.69 | R1 | 3 | 4-8 | | 1.10 | 3 |
| <i>Clethra alnifolia</i> 'Hokie Pink' Hokie Pink Summersweet Clethra | DS | 1.00 | R1 | 3 | 4-8 | | 1.10 | 3 |
| <i>Clethra alnifolia</i> 'Hummingbird' Hummingbird Summersweet Clethra | DS | 1.06 | R1 | 3 | 4-8 | | 1.05 | 3 |
| <i>Clethra alnifolia</i> 'Paniculata' Paniculate Summersweet Clethra | DS | 1.29 | R1 | 3 | 4-8 | | 1.25 | 3 |
| <i>Clethra alnifolia</i> 'Pink Spires' Pink Spires Summersweet Clethra | DS | 1.16 | R1 | 3 | 4-8 | | 0.73 | 3 |
| <i>Clethra alnifolia</i> 'Rosea' Pink Summersweet Clethra | DS | 0.93 | R1 | 3 | 4-8 | | 1.23 | 3 |
| <i>Clethra alnifolia</i> 'Ruby Spice' Ruby Spice Summersweet Clethra | DS | 1.03 | R1 | 3 | 4-8 | | 1.29 | 3 |
| <i>Clethra alnifolia</i> 'September Beauty' P.P. 10481 September Beauty Summersweet Clethra | DS | 1.12 | R1 | 3 | 4-8 | | 0.51 | 3 |
| <i>Clethra alnifolia</i> 'Sherry Sue' Sherry Sue Summersweet Clethra | DS | 0.63 | R1 | 3 | 4-8 | | 1.10 | 3 |
| <i>Clethra alnifolia</i> 'Sixteen Candles' Sixteen Candles Summersweet Clethra | DS | 1.16 | R1 | 3 | 4-8 | | 1.31 | 3 |
| <i>Clethra alnifolia</i> 'Sotite' White Dove™ Summersweet Clethra | DS | 0.83 | R1 | 3 | 4-8 | | 1.10 | 3 |
| <i>Clethra alnifolia</i> 'White Dove' See - <i>Clethra alnifolia</i> 'Sotite' | | | | | | | | |
| <i>Clethra barbinervis</i> Japanese Clethra | DS | 1.18 | R1 | 3-5 | 6-8 | | 1.27 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Clethra pringlei</i> Mexican Summersweet Clethra | DS | 0.89 | R1 | 6-7 | 8 | | 1.00 | 7 |
| <i>Clethra tomentosa</i> Woolly White Alder | DS | 0.80 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Clethra tomentosa</i> 'Cottdonale' Cottdonale Woolly White Alder | DS | 0.80 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Cleyera japonica</i> See - <i>Ternstroemia gymnanthera</i> | | | | | | | | |
| <i>Clianthus puniceus</i> Glory Pea | HP | 0.84 | R1 | 5-7 | 8 | | | |
| <i>Clianthus puniceus</i> 'Flamingo' Flamingo Glory Pea | HP | 0.84 | R1 | 5-7 | 8 | | | |
| <i>Clianthus puniceus</i> 'Red Cardinal' Red Cardinal Glory Pea | HP | 0.84 | R1 | 5-7 | 8 | | | |
| <i>Clianthus puniceus</i> 'White Heron' White Heron Glory Pea | HP | 0.84 | R1 | 5-7 | 8 | | | |
| <i>Cliftonia monophylla</i> Buckwheat Tree | BS | 0.71 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Cliftonia monophylla</i> 'Van Cleve' Van Cleve Buckwheat Tree | BS | 0.76 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Clinopodium georgianum</i> Georgia Savory | HP | 0.73 | R2 | 5-7 | 8 | | | |
| <i>Clintonia uniflora</i> Bride's Bonnet | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Clivia miniata</i> Scarlet Kaffir Lily | HP | 1.38 | R2 | 8 | | | | |
| <i>Clivia miniata</i> 'American Yellow' American Yellow Kaffir Lily | HP | 3.26 | R2 | 8 | | | | |
| <i>Clivia miniata</i> 'Belgian Hybrid' Belgian Hybrid Orange Kaffir Lily | HP | 1.58 | R2 | 8 | | | | |
| <i>Clivia miniata</i> 'Flame' See - <i>Clivia miniata</i> 'Monya' P.P. 6205 | | | | | | | | |
| <i>Clivia miniata</i> 'French Hybrid' French Hybrid Kaffir Lily | HP | 1.73 | R2 | 8 | | | | |
| <i>Clivia miniata</i> 'Monya' P.P. 6205 Flame™ Kaffir Lily | HP | 1.72 | R2 | 8 | | | | |
| <i>Clivia miniata</i> 'Robusta' Robusta Kaffir Lily | HP | 2.61 | R2 | 8 | | | | |
| <i>Clusia braziliiana</i> See - <i>Clusia orthoneura</i> | | | | | | | | |
| <i>Clusia guttifera</i> Small-leaf Clusia | BE | 0.99 | R2 | 8 | | 1.00 | 0.89 | 10 |
| <i>Clusia orthoneura</i> Pink Pitch Apple | BE | 1.90 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Cobaea scandens</i> Cup & Saucer Vine | GC | 0.66 | R2 | 8 | | | 1.00 | 9 |
| <i>Cocculus laurifolius</i> Laurelleaf Moonseed | BS | 0.73 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Cocos plumosa</i> See - <i>Syagrus romanzoffiana</i> | | | | | | | | |
| <i>Codonopsis clematidea</i> No Common Name Found | FO | 1.00 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Coix lacryma-jobi</i> Job's Tears | HP | 1.00 | R2 | 8 | | | | |
| <i>Colchicum agrippinum</i> Agrippa Crocus | HP | 0.69 | R2 | 3-4 | 5-8 | | | |
| <i>Colchicum speciosum</i> Showy Crocus | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Colchicum speciosum</i> 'The Giant' The Giant Showy Crocus | HP | 1.00 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Coleonema album</i> White Breath of Heaven | BS | 0.71 | R1 | 8 | | | 1.00 | 8 |
| <i>Coleonema pulchrum</i> Pink Breath of Heaven | BS | 0.98 | R2 | 8 | | | 1.00 | 9 |
| <i>Coleonema pulchrum</i> 'Compacta' Compact Pink Breath of Heaven | BS | 0.63 | R2 | 8 | | | 1.00 | 9 |
| <i>Coleonema pulchrum</i> 'Danny's Gold Sport' Danny's Gold Sport Pink Breath of Heaven | BS | 0.80 | R2 | 8 | | | 1.00 | 9 |
| <i>Coleonema pulchrum</i> 'Sunset Gold' Sunset Gold Pink Breath of Heaven | BS | 0.78 | R2 | 8 | | | 1.00 | 9 |
| <i>Coleostephus myconis</i> Golden Raindrop Daisy | HP | 0.43 | R2 | 6-9 | 10-11 | | | |
| <i>Coleus amboinicus</i> See - <i>Plectranthus amboinicus</i> | | | | | | | | |
| <i>Coleus x hybridus</i> See - <i>Solenostemon scutellarioides</i> | | | | | | | | |
| <i>Colocasia</i> 'Golden Delicious' See - <i>Xanthosoma</i> 'Lime Zinger' | | | | | | | | |
| <i>Colocasia affinis</i> No Common Name Found | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Colocasia affinis</i> var. <i>jeningsii</i> No Common Name Found | HP | 1.09 | R2 | 5-8 | | | | |
| <i>Colocasia esculenta</i> Cocoyam | HP | 1.11 | R2 | 5-8 | | | | |
| <i>Colocasia esculenta</i> 'Black Magic' Black Magic Taro | HP | 1.14 | R2 | 5-8 | | | | |
| <i>Colocasia esculenta</i> 'Black Ruffles' Black Ruffles™ Taro | HP | 1.25 | R2 | 5-8 | | | | |
| <i>Colocasia esculenta</i> 'Black Runner' Black Runner Taro | HP | 0.93 | R2 | 5-8 | | | | |
| <i>Colocasia esculenta</i> 'Chicago Harlequin' Chicago Harlequin Taro | HP | 1.19 | R2 | 5-8 | | | | |
| <i>Colocasia esculenta</i> 'Excalibur' Excalibur Taro | HP | 1.57 | R2 | 5-8 | | | | |
| <i>Colocasia esculenta</i> 'Fontanesii' Black Stem Taro | HP | 1.19 | R2 | 5-8 | | | | |
| <i>Colocasia esculenta</i> 'Illustris' Illustris Taro | HP | 1.20 | R2 | 5-8 | | | | |
| <i>Colocasia esculenta</i> 'Nancy's Revenge' Nancy's Revenge Taro | HP | 1.15 | R2 | 5-8 | | | | |
| <i>Colocasia esculenta</i> 'Red Runner' Red Runner Taro | HP | 1.18 | R2 | 5-8 | | | | |
| <i>Colocasia esculenta</i> 'Red Stem' Red Stem Taro | HP | 0.90 | R2 | 5-8 | | | | |
| <i>Colocasia esculenta</i> 'Yellow Splash' Yellow Splash Taro | HP | 1.38 | R2 | 5-8 | | | | |
| <i>Colocasia multiflora</i> No Common Name Found | HP | 1.06 | R2 | 5-8 | | | | |
| <i>Colocasia multiflora</i> 'Midnight' Midnight Taro | HP | 1.12 | R2 | 5-8 | | | | |
| <i>Columnnea gloriosa</i> Goldfish Plant | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Comarostaphylis diversifolia</i> Summer Holly | BS | 0.71 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Comptonia peregrina</i> Sweetfern | HP | 1.33 | R2 | 3-4 | 5-8 | | | |
| <i>Condalia hookeri</i> Brazilian Bluewood | BE | 1.00 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Conoclinium coelestinum</i> Hardy Ageratum | HP | 0.77 | R2 | 3-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Conoclinium coelestinum</i> 'Album' White Hardy Ageratum | HP | 0.77 | R2 | 3-6 | 7-8 | | | |
| <i>Conoclinium coelestinum</i> 'Cori' Cori Hardy Ageratum | HP | 0.77 | R2 | 3-6 | 7-8 | | | |
| <i>Conoclinium coelestinum</i> 'Wayside' Wayside Hardy Ageratum | HP | 0.77 | R2 | 3-6 | 7-8 | | | |
| <i>Conradina canescens</i> Gray Conradina | BS | 0.68 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Conradina grandiflora</i> Large Flowered Rosemary | BS | 1.39 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Conradina verticillata</i> Cumberland Mountain Rosemary | BS | 1.03 | R1 | 7 | 8 | | 1.00 | 7 |
| <i>Convallaria majalis</i> Lily-of-the-Valley | HP | 1.03 | R2 | | 4-8 | | | |
| <i>Convallaria majalis</i> 'Fortin's Giant' Fortin's Giant Lily-of-the-Valley | HP | 1.10 | R2 | | 4-8 | | | |
| <i>Convallaria majalis</i> 'Rosea' Pink Lily-of-the-Valley | HP | 1.17 | R2 | | 4-8 | | | |
| <i>Convolvulus althaeoides</i> No Common Name Found | HP | 0.63 | R2 | 6-7 | 8 | | | |
| <i>Convolvulus cneorum</i> Silverbush Morning Glory | BS | 1.03 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Convolvulus mauritanicus</i> See - <i>Convolvulus sabatius</i> | | | | | | | | |
| <i>Convolvulus sabatius</i> Ground Morning Glory | GC | 0.58 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Convolvulus tricolor</i> Dwarf Morning Glory | AN | 0.76 | R2 | 5-8 | | | | |
| <i>Convolvulus tricolor</i> 'Ensign Mix' Ensign Mix Dwarf Morning Glory | AN | 0.76 | R2 | 5-8 | | | | |
| <i>Coprosma</i> Coprosma | BS | 1.56 | R2 | 8 | | | 1.00 | 9 |
| <i>Coprosma</i> 'Evening Glow' Evening Glow Mirror Plant | BS | 1.56 | R2 | 8 | | | 1.00 | 9 |
| <i>Coprosma</i> 'Rainbow Surprise' Rainbow Surprise Mirror Plant | BS | 1.55 | R2 | 8 | | | 1.00 | 9 |
| <i>Coprosma x kirkii</i> Kirk Coprosma | BS | 0.68 | R2 | 8 | | | 1.00 | 8 |
| <i>Coprosma x kirkii</i> 'Verde Vista' Verde Vista Mirror Plant | BS | 0.73 | R2 | 8 | | | 1.00 | 8 |
| <i>Coprosma repens</i> Mirror Plant | BS | 0.71 | R2 | 8 | | | 1.00 | 8 |
| <i>Coprosma repens</i> 'Pink Splendor' Pink Splendor Mirror Plant | BS | 0.83 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Coprosma repens</i> 'Variegata' Variegated Mirror Plant | BS | 0.71 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Cordia alliodora</i> Cyp | BE | 1.00 | R2 | 8 | | 1.00 | 1.00 | 10 |
| <i>Cordia boissieri</i> Ancahuita | BS | 1.16 | R1 | 8 | | | 0.81 | 10 |
| <i>Cordyline</i> No Common Name | FO | 2.09 | R2 | 8 | | | 1.00 | 9 |
| <i>Cordyline</i> 'JURred' P.P. 14224 Festival Grass™ Cordyline | FO | 2.09 | R2 | 8 | | | 1.00 | 9 |
| <i>Cordyline australis</i> Cabbage Tree | BE | 0.87 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Cordyline australis</i> 'Alberti' Albert Cabbage Tree | BE | 1.23 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Cordyline australis</i> 'Atropurpurea' Bronze Cabbage Tree | BE | 0.83 | R2 | 8 | | 1.00 | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cordyline australis</i> 'Pink Stripe' Pink Stripe Cabbage Tree | BE | 1.03 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Cordyline australis</i> 'Purpurea' Purpurea Cabbage Tree | BE | 1.23 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Cordyline australis</i> 'Red Sensation' Red Sensation Cabbage Tree | BE | 0.97 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Cordyline australis</i> 'Red Star' Red Star Cabbage Tree | BE | 1.19 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Cordyline australis</i> 'Sundance' Sundance Cabbage Tree | BE | 1.17 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Cordyline baueri</i> Bauer's Dracena | FO | 1.51 | R2 | 8 | | | 1.00 | 9 |
| <i>Cordyline fruticosa</i> Ti Plant | FO | 0.73 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Auntie Lou' Auntie Lou Ti Plant | FO | 0.91 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Baby Doll' Baby Doll Ti Plant | FO | 0.25 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Black Magic' Black Magic Ti Plant | FO | 0.80 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Bolero' Bolero Ti Plant | FO | 0.81 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Bra01' P.P. 19825 Caruba™ Ti Plant | FO | 1.74 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Bronze' Bronze Ti Plant | FO | 0.57 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Calypso Queen' Calypso Queen Ti Plant | FO | 0.64 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Caruba' See - <i>Cordyline fruticosa</i> 'Bra01' P.P. 19825 | | | | | | | | |
| <i>Cordyline fruticosa</i> 'Cobra' P.P.A.F. Cobra Ti Plant | FO | 0.71 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Cuero' Cuero Ti Plant | FO | 0.78 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Dr. Brown' Dr. Brown Ti Plant | FO | 0.56 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Exotica' Exotica Ti Plant | FO | 0.79 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Glauca' Glauca Ti Plant | FO | 0.87 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Hawaiian Flag' Hawaiian Flag Ti Plant | FO | 0.76 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Kiwi' Kiwi Ti Plant | FO | 0.92 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Madame Eugene Andre' Madame Eugene Andre Ti Plant | FO | 0.61 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Pink Integrity' Pink Integrity Ti Plant | FO | 0.71 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Punta Roja' Punta Roja Ti Plant | FO | 0.71 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Purple Prince' Purple Prince Ti Plant | FO | 0.68 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Red Sister' Red Sister Ti Plant | FO | 0.65 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Rising Sun' Rising Sun Ti Plant | FO | 0.56 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Ruby' Ruby Ti Plant | FO | 0.53 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Sherbert' Sherbert Ti Plant | FO | 0.60 | R2 | 3-8 | | | 1.08 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Cordyline fruticosa</i> 'Tequesta' Tequesta Ti Plant | FO | 0.48 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Tricolor' Tricolor Ti Plant | FO | 0.52 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline fruticosa</i> 'Xerox' Xerox Ti Plant | FO | 0.68 | R2 | 8 | | | 1.08 | 10 |
| <i>Cordyline indivisa</i> Blue Dracena Palm | BE | 1.09 | R2 | 6-8 | | 1.00 | 1.00 | 9 |
| <i>Cordyline stricta</i> No Common Name Found | FO | 0.63 | R2 | 8 | | | 1.00 | 10 |
| <i>Cordyline terminalis</i> See - <i>Cordyline fruticosa</i> | | | | | | | | |
| <i>Coreopsis</i> Tickseed | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis</i> 'Autumn Blush' P.P. 18184 Autumn Blush Hybrid Tickseed | HP | 1.60 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis</i> 'Cherry Lemonade' P.P. 18334 Sunshine™ Cherry Tickseed | HP | 0.60 | R2 | 3-6 | 7-8 | | | |
| <i>Coreopsis</i> 'Creme Brulee' P.P. 16096 Creme Brulee Hybrid Tickseed | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis</i> 'Gold Nugget' P.P.A.F. Gold Nugget Hybrid Tickseed | HP | 1.49 | R2 | 3-6 | 7-8 | | | |
| <i>Coreopsis</i> 'Jethro Tull' P.P. 18789 Jethro Tull Hybrid Tickseed | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis</i> 'Limerock Passion' P.P. 15979 Limerock Passion Hybrid Tickseed | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis</i> 'Limerock Ruby' P.P. 15455 Limerock Ruby Hybrid Tickseed | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis</i> 'Mardi Gras' Mardi Gras Hybrid Tickseed | HP | 0.64 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis</i> 'Moonlight' P.P.A.F. Moonlight Hybrid Tickseed | HP | 1.49 | R2 | 3-6 | 7-8 | | | |
| <i>Coreopsis</i> 'Pink Lemonade' P.P. 18265 Sunshine™ Pink Tickseed | HP | 0.60 | R2 | 3-6 | 7-8 | | | |
| <i>Coreopsis</i> 'Pinwheel' P.P. 18880 Pinwheel Hybrid Tickseed | HP | 1.38 | R2 | 3-5 | 6-8 | | | |
| <i>Coreopsis</i> 'Strawberry Lemonade' P.P. 18299 Sunshine™ Strawberry Tickseed | HP | 0.60 | R2 | 3-6 | 7-8 | | | |
| <i>Coreopsis</i> 'Sunshine Cherry' See - <i>Coreopsis</i> 'Cherry Lemonade' P.P. 18334 | | | | | | | | |
| <i>Coreopsis</i> 'Sunshine Pink' See - <i>Coreopsis</i> 'Pink Lemonade' P.P. 18265 | | | | | | | | |
| <i>Coreopsis</i> 'Sunshine Series' Sunshine™ Series Tickseed | HP | 1.01 | R2 | 3-6 | 7-8 | | | |
| <i>Coreopsis</i> 'Sunshine Strawberry' See - <i>Coreopsis</i> 'Strawberry Lemonade' P.P. 18299 | | | | | | | | |
| <i>Coreopsis</i> 'Tequila Sunrise' P.P. 9875 Tequila Sunrise Tickseed | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis auriculata</i> Eared <i>Coreopsis</i> | HP | 0.45 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis auriculata</i> 'Elfin Gold' Elfin Gold Eared <i>Coreopsis</i> | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis auriculata</i> 'Nana' Dwarf Eared <i>Coreopsis</i> | HP | 0.68 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis auriculata</i> 'Zamphir' Zamphir Eared <i>Coreopsis</i> | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis gigantea</i> Giant <i>Coreopsis</i> | HP | 0.66 | R2 | 5-8 | | | | |
| <i>Coreopsis grandiflora</i> Tickseed | HP | 0.72 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Coreopsis grandiflora</i> 'Badengold' Badengold Tickseed | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis grandiflora</i> 'Balcorsunay' P.P. 17405 Sunny Day Tickseed | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis grandiflora</i> 'Domino' Domino Tickseed | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis grandiflora</i> 'Early Sunrise' Early Sunrise Tickseed | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis grandiflora</i> 'Flying Saucers' See - <i>Coreopsis grandiflora</i> 'Walcoreop' P.P. 10299 | | | | | | | | |
| <i>Coreopsis grandiflora</i> 'Heliot' Heliot Tickseed | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis grandiflora</i> 'Rising Sun' Rising Sun™ Tickseed | HP | 0.78 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis grandiflora</i> 'Sundancer' P.P. 7823 Sundancer Tickseed | HP | 0.68 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis grandiflora</i> 'Sunfire' Sunfire Tickseed | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis grandiflora</i> 'Sunny Day' See - <i>Coreopsis grandiflora</i> 'Balcorsunay' P.P. 17405 | | | | | | | | |
| <i>Coreopsis grandiflora</i> 'Sunray' Sunray Tickseed | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis grandiflora</i> 'Walcoreop' P.P. 10299 Flying Saucers Tickseed | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis lanceolata</i> Lanceleaf Coreopsis | HP | 0.96 | R2 | 3 | 4-8 | | | |
| <i>Coreopsis lanceolata</i> 'Baby Sun' Baby Sun Coreopsis | HP | 0.89 | R2 | 3 | 4-8 | | | |
| <i>Coreopsis lanceolata</i> 'Double Sunburst' Double Sunburst Coreopsis | HP | 0.97 | R2 | 3 | 4-8 | | | |
| <i>Coreopsis lanceolata</i> 'Goldfink' Goldfink Coreopsis | HP | 0.65 | R2 | 3 | 4-8 | | | |
| <i>Coreopsis lanceolata</i> 'Goldteppich' Goldteppich Lanceleaf Coreopsis | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Coreopsis lanceolata</i> 'Rotkehlchen' Rotkehlchen Lanceleaf Coreopsis | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Coreopsis lanceolata</i> 'Sterntaler' Sterntaler Lanceleaf Coreopsis | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Coreopsis lanceolata</i> 'Sunburst' Sunburst Coreopsis | HP | 1.15 | R2 | 3 | 4-8 | | | |
| <i>Coreopsis lanceolata</i> 'Walter' Walter Lanceleaf Coreopsis | HP | 1.15 | R2 | 3 | 4-8 | | | |
| <i>Coreopsis leavenworthii</i> Leavenworth's Tickseed | HP | 0.64 | R2 | 3-5 | 6-8 | | | |
| <i>Coreopsis maritima</i> Sea Dahlia | HP | 0.81 | R2 | 7-8 | | | | |
| <i>Coreopsis palmata</i> Prairie Tickseed | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis pubescens</i> Hairy Coreopsis | HP | 1.23 | R2 | 3-6 | 7-8 | | | |
| <i>Coreopsis pubescens</i> 'Sunshine Superman' Sunshine Superman Star Tickseed | HP | 1.23 | R2 | 3-6 | 7-8 | | | |
| <i>Coreopsis rosea</i> Pink Tickseed | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis rosea</i> 'American Dream' See - <i>Coreopsis rosea</i> | | | | | | | | |
| <i>Coreopsis rosea</i> 'Heaven's Gate' P.P. 16016 Heaven's Gate Pink Tickseed | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis rosea</i> 'Sweet Dreams' P.P. 12720 Sweet Dreams Pink Tickseed | HP | 0.90 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Coreopsis tinctoria</i> Plains Tickseed | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis tinctoria</i> 'Mahogany Midget' Mahogany Midget Plains Tickseed | HP | 0.64 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis tripteris</i> Tall Tickseed | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis verticillata</i> Thread Leaf Tickseed | HP | 0.69 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis verticillata</i> 'Golden Gain' Golden Gain Thread Leaf Tickseed | HP | 0.72 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis verticillata</i> 'Golden Showers' Grandiflora Thread Leaf Tickseed | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis verticillata</i> 'Moonbeam' Moonbeam Thread Leaf Tickseed | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Coreopsis verticillata</i> 'Zagreb' Zagreb Thread Leaf Tickseed | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Corethrogyne leucophylla</i> See - <i>Lessingia filaginifolia</i> 'Silver Carpet' | | | | | | | | |
| <i>Coriandrum sativum</i> Coriander | AN | 1.29 | R2 | 6-8 | | | | |
| <i>Coriandrum sativum</i> 'Santo' Santo Cilantro | AN | 1.29 | R2 | 6-8 | | | | |
| <i>Coriandrum sativum</i> 'Slow Bolt' See - <i>Coriandrum sativum</i> 'Santo' | | | | | | | | |
| <i>Coriaria japonica</i> Japanese Coriaria | BS | 1.00 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Cornukaempferia aurantiflora</i> No Common Name Found | HP | 1.47 | R2 | 6-8 | | | | |
| <i>Cornukaempferia aurantiflora</i> 'Jungle Gold' Jungle Gold | HP | 1.47 | R2 | 6-8 | | | | |
| <i>Cornus</i> Dogwood | DT | 1.39 | R1 | 3-5 | 6-8 | 1.28 | 1.10 | 5 |
| <i>Cornus</i> 'Aurora' See - <i>Cornus</i> 'Rutban' P.P. 7205 | | | | | | | | |
| <i>Cornus</i> 'Celestial Shadow' P.P.A.F. Celestial Shadow Hybrid Dogwood | DT | 0.97 | R1 | 3-5 | 6-8 | 1.28 | 1.10 | 5 |
| <i>Cornus</i> 'Celestial' See - <i>Cornus</i> 'Rutdan' P.P. 7204 | | | | | | | | |
| <i>Cornus</i> 'Constellation' See - <i>Cornus</i> 'Rutcan' P.P. 7210 | | | | | | | | |
| <i>Cornus</i> 'Eddie's White Wonder' Eddie's White Wonder Hybrid Dogwood | DT | 1.49 | R1 | 3-6 | 7-8 | 1.44 | 0.94 | 6 |
| <i>Cornus</i> 'KN30-8' P.P. 16309 Venus® Hybrid Dogwood | DT | 1.29 | R1 | 3-6 | 7-8 | 1.70 | 0.90 | 6 |
| <i>Cornus</i> 'KN4-43' P.P. 16293 Starlight® Dogwood | DT | 1.14 | R1 | 3-7 | 8 | 1.71 | 0.90 | 7 |
| <i>Cornus</i> 'Porlock' Porlock Hybrid Dogwood | DT | 1.39 | R1 | 3-7 | 8 | 1.28 | 1.10 | 7 |
| <i>Cornus</i> 'Rutban' P.P. 7205 Aurora® Rutgers Hybrid Dogwood | DT | 1.57 | R1 | 3-5 | 6-8 | 1.20 | 1.22 | 5 |
| <i>Cornus</i> 'Rutcan' P.P. 7210 Constellation® Rutgers Hybrid Dogwood | DT | 1.39 | R1 | 3-5 | 6-8 | 0.97 | 1.20 | 5 |
| <i>Cornus</i> 'Rutdan' P.P. 7204 Celestial® Rutgers Hybrid Dogwood | DT | 1.26 | R1 | 3-5 | 6-8 | 1.09 | 1.15 | 5 |
| <i>Cornus</i> 'Rutfan' P.P. 7206 Stardust® Rutgers Hybrid Dogwood | DT | 1.39 | R1 | 3-5 | 6-8 | 1.28 | 1.10 | 5 |
| <i>Cornus</i> 'Rutgan' P.P. 7207 Stellar Pink® Rutgers Hybrid Dogwood | DT | 1.27 | R1 | 3-5 | 6-8 | 1.15 | 1.22 | 5 |
| <i>Cornus</i> 'Ruth Ellen' See - <i>Cornus</i> 'Rutlan' P.P. 7732 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cornus</i> 'Rutlan' P.P. 7732 Ruth Ellen® Rutgers Hybrid Dogwood | DT | 2.09 | R1 | 3-5 | 6-8 | 0.96 | 1.30 | 5 |
| <i>Cornus</i> 'Stardust' See - <i>Cornus</i> 'Rutfan' P.P. 7206 | | | | | | | | |
| <i>Cornus</i> 'Starlight' See - <i>Cornus</i> 'KN4-43' P.P. 16293 | | | | | | | | |
| <i>Cornus</i> 'Stellar Pink' See - <i>Cornus</i> 'Rutgan' P.P. 7207 | | | | | | | | |
| <i>Cornus</i> 'Venus' See - <i>Cornus</i> 'KN30-8' P.P. 16309 | | | | | | | | |
| <i>Cornus alba</i> Tatarian Dogwood | DS | 1.09 | R1 | | 3-8 | | 0.79 | 2 |
| <i>Cornus alba</i> 'Argenteo-marginata' Elegantissima Redtwig Dogwood | DS | 0.88 | R1 | | 3-8 | | 0.64 | 2 |
| <i>Cornus alba</i> 'Aurea' Golden Tatarian Dogwood | DS | 0.99 | R1 | | 3-8 | | 0.59 | 2 |
| <i>Cornus alba</i> 'Bailhalo' Ivory Halo™ Tatarian Dogwood | DS | 1.13 | R1 | | 3-8 | | 0.80 | 2 |
| <i>Cornus alba</i> 'Bud's Yellow' See - <i>Cornus stolonifera</i> 'Bud's Yellow' | | | | | | | | |
| <i>Cornus alba</i> 'Chblzam' Chief Bloodgood™ Tatarian Dogwood | DS | 0.79 | R1 | | 3-8 | | 0.29 | 2 |
| <i>Cornus alba</i> 'Chief Bloodgood' See - <i>Cornus alba</i> 'Chblzam' | | | | | | | | |
| <i>Cornus alba</i> 'Cream Cracker' P.P. 12830 Cream Cracker™ Tatarian Dogwood | DS | 1.15 | R1 | | 3-8 | | 0.59 | 2 |
| <i>Cornus alba</i> 'Creme de Mint' See - <i>Cornus alba</i> 'Crmizam' | | | | | | | | |
| <i>Cornus alba</i> 'Crmizam' Creme de Mint™ Tatarian Dogwood | DS | 0.80 | R1 | | 3-8 | | 0.59 | 2 |
| <i>Cornus alba</i> 'Elegantissima' See - <i>Cornus alba</i> 'Argenteo-marginata' | | | | | | | | |
| <i>Cornus alba</i> 'Golden Prairie Fire' See - <i>Cornus alba</i> 'Aurea' | | | | | | | | |
| <i>Cornus alba</i> 'Gouchaultii' Gouchaultii Tatarian Dogwood | DS | 1.17 | R1 | | 3-8 | | 0.59 | 2 |
| <i>Cornus alba</i> 'Hedgerow Gold' See - <i>Cornus stolonifera</i> 'Hedgerow Gold' | | | | | | | | |
| <i>Cornus alba</i> 'Hessei' See - <i>Cornus hessei</i> | | | | | | | | |
| <i>Cornus alba</i> 'Ivory Halo' See - <i>Cornus alba</i> 'Bailhalo' | | | | | | | | |
| <i>Cornus alba</i> 'Kesselringii' Kesselring Tartarian Dogwood | DS | 0.98 | R1 | | 3-8 | | 0.48 | 2 |
| <i>Cornus alba</i> 'Red Gnome' See - <i>Cornus alba</i> 'Regnzam' | | | | | | | | |
| <i>Cornus alba</i> 'Regnzam' Red Gnome™ Tatarian Dogwood | DS | 1.25 | R1 | | 3-8 | | 0.59 | 2 |
| <i>Cornus alba</i> 'Siberian Pearls' Siberian Pearls Tatarian Dogwood | DS | 0.98 | R1 | | 3-8 | | 0.59 | 2 |
| <i>Cornus alba</i> 'Sibirica Bloodgood' Sibirica Bloodgood Tatarian Dogwood | DS | 0.84 | R1 | | 3-8 | | 0.59 | 2 |
| <i>Cornus alba</i> 'Sibirica Red Gnome' See - <i>Cornus alba</i> 'Regnzam' | | | | | | | | |
| <i>Cornus alba</i> 'Sibirica Ruby' Sibirica Ruby Tatarian Dogwood | DS | 0.98 | R1 | | 3-8 | | 0.59 | 2 |
| <i>Cornus alba</i> 'Sibirica' Sibirica Tatarian Dogwood | DS | 0.92 | R1 | | 3-8 | | 0.54 | 2 |
| <i>Cornus alba</i> 'Snow Pearls' Snow Pearls Tatarian Dogwood | DS | 0.82 | R1 | | 3-8 | | 0.59 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Cornus alba</i> 'Spaethii' Spaethii Tatarian Dogwood | DS | 1.06 | R1 | | 3-8 | | 0.59 | 2 |
| <i>Cornus alba</i> 'Stdazam' Strawberry Daiquiri™ Tatarian Dogwood | DS | 0.77 | R1 | | 3-8 | | 0.59 | 2 |
| <i>Cornus alba</i> 'Strawberry Daiquiri' See - <i>Cornus alba</i> 'Stdazam' | | | | | | | | |
| <i>Cornus alternifolia</i> Pagoda Dogwood | DS | 1.21 | R1 | 3 | 4-8 | | 1.34 | 3 |
| <i>Cornus alternifolia</i> 'Argentea' Argentea Pagoda Dogwood | DS | 1.53 | R1 | 3 | 4-8 | | 1.34 | 3 |
| <i>Cornus alternifolia</i> 'Golden Shadows' See - <i>Cornus alternifolia</i> 'Wstackman' P.P. 11287 | | | | | | | | |
| <i>Cornus alternifolia</i> 'Wstackman' P.P. 11287 Golden Shadows® Pagoda Dogwood | DS | 1.85 | R1 | 3 | 4-8 | | 1.34 | 3 |
| <i>Cornus amomum</i> Silky Dogwood | DS | 0.82 | R1 | 3-5 | 6-8 | | 0.60 | 5 |
| <i>Cornus angustata</i> Angustata Dogwood | DT | 0.82 | R1 | 3-6 | 7-8 | 1.00 | 1.08 | 6 |
| <i>Cornus angustata</i> 'Elsbry' P.P. 14537 Empress of China® Evergreen Chinese Dogwood | DT | 0.82 | R1 | 3-6 | 7-8 | 1.00 | 1.08 | 6 |
| <i>Cornus angustata</i> 'Empress of China' See - <i>Cornus angustata</i> 'Elsbry' P.P. 14537 | | | | | | | | |
| <i>Cornus angustata</i> 'Prodigy' See - <i>Cornus angustata</i> 'TICRN' P.P.A.F. | | | | | | | | |
| <i>Cornus angustata</i> 'TICRN' P.P.A.F. Prodigy™ Evergreen Dogwood | DT | 0.82 | R1 | 3-6 | 7-8 | 1.00 | 1.08 | 6 |
| <i>Cornus asperifolia</i> Roughleaf Dogwood | DS | 0.80 | R1 | 3-4 | 5-8 | | 1.04 | 4 |
| <i>Cornus asperifolia</i> var. <i>drummondii</i> Drummond Roughleaf Dogwood | DS | 0.70 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Cornus baileyi</i> See - <i>Cornus stolonifera</i> 'Bailey' | | | | | | | | |
| <i>Cornus canadensis</i> Bunchberry | HP | 1.49 | R1 | | 3-8 | | | |
| <i>Cornus capitata</i> Bentham's Cornel | BE | 0.68 | R2 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Cornus controversa</i> Giant Dogwood | DT | 1.05 | R1 | 3-5 | 6-8 | 1.36 | 1.07 | 5 |
| <i>Cornus controversa</i> 'June Snow' June Snow Giant Dogwood | DT | 1.07 | R1 | 3-5 | 6-8 | 1.21 | 0.62 | 5 |
| <i>Cornus controversa</i> 'Variegata' Wedding Cake Tree | DT | 1.06 | R1 | 3-5 | 6-8 | 1.29 | 0.85 | 5 |
| <i>Cornus drummondii</i> See - <i>Cornus asperifolia</i> var. <i>drummondii</i> | | | | | | | | |
| <i>Cornus florida</i> White Flowering Dogwood | DT | 0.89 | R1 | 3-4 | 5-8 | 0.92 | 0.83 | 4 |
| <i>Cornus florida</i> 'American Beauty Red' American Beauty Red Flowering Dogwood | DT | 1.20 | R1 | 3-4 | 5-8 | 1.09 | 0.37 | 4 |
| <i>Cornus florida</i> 'Barton' Barton Flowering Dogwood | DT | 0.89 | R1 | 3-4 | 5-8 | 0.94 | 0.66 | 4 |
| <i>Cornus florida</i> 'Cherokee Brave' See - <i>Cornus florida</i> 'Comco No. 1' P.P. 10166 | | | | | | | | |
| <i>Cornus florida</i> 'Cherokee Chief' Cherokee Chief Flowering Dogwood | DT | 1.44 | R1 | 3-4 | 5-8 | 0.95 | 0.86 | 4 |
| <i>Cornus florida</i> 'Cherokee Daybreak' See - <i>Cornus florida</i> 'Daybreak' P.P. 6320 | | | | | | | | |
| <i>Cornus florida</i> 'Cherokee Princess' Cherokee Princess Flowering Dogwood | DT | 0.94 | R1 | 3-4 | 5-8 | 0.88 | 0.89 | 4 |
| <i>Cornus florida</i> 'Cherokee Sunset' See - <i>Cornus florida</i> 'Sunset' P.P. 6305 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Cornus florida</i> 'Cloud 9' Cloud 9 Flowering Dogwood | DT | 0.97 | R1 | 3-4 | 5-8 | 0.95 | 0.91 | 4 |
| <i>Cornus florida</i> 'Comco No. 1' P.P. 10166 Cherokee Brave Flowering Dogwood | DT | 1.06 | R1 | 3-4 | 5-8 | 0.97 | 1.00 | 4 |
| <i>Cornus florida</i> 'Daybreak' P.P. 6320 Cherokee Daybreak® Flowering Dogwood | DT | 1.25 | R1 | 3-4 | 5-8 | 1.05 | 1.06 | 4 |
| <i>Cornus florida</i> 'First Lady' First Lady Flowering Dogwood | DT | 1.29 | R1 | 3-4 | 5-8 | 1.10 | 1.17 | 4 |
| <i>Cornus florida</i> 'Green Glow' Green Glow Flowering Dogwood | DT | 1.20 | R1 | 3-4 | 5-8 | 1.09 | 1.04 | 4 |
| <i>Cornus florida</i> 'Hohman's Golden' Hohman's Golden Flowering Dogwood | DT | 1.25 | R1 | 3-4 | 5-8 | 1.03 | 0.83 | 4 |
| <i>Cornus florida</i> 'Marzelli' Rainbow® Flowering Dogwood | DT | 1.43 | R1 | 3-4 | 5-8 | 1.44 | 1.30 | 4 |
| <i>Cornus florida</i> 'Ozark Spring' Ozark Spring Flowering Dogwood | DT | 1.20 | R1 | 3-4 | 5-8 | 1.09 | 1.04 | 4 |
| <i>Cornus florida</i> 'Pendula' Weeping Flowering Dogwood | DT | 1.43 | R1 | 3-4 | 5-8 | 1.54 | 1.26 | 4 |
| <i>Cornus florida</i> 'Pink Flame' P.P. 4300 Pink Flame Flowering Dogwood | DT | 1.43 | R1 | 3-4 | 5-8 | 1.21 | 1.08 | 4 |
| <i>Cornus florida</i> 'Plena' Double White Flowering Dogwood | DT | 0.67 | R1 | 3-4 | 5-8 | 0.99 | 1.19 | 4 |
| <i>Cornus florida</i> 'Purple Glory' P.P. 4627 Purple Glory Flowering Dogwood | DT | 1.20 | R1 | 3-4 | 5-8 | 1.09 | 1.04 | 4 |
| <i>Cornus florida</i> 'Pygmaea' Pygmy Flowering Dogwood | DT | 1.20 | R1 | 3-4 | 5-8 | 1.09 | 2.38 | 4 |
| <i>Cornus florida</i> 'Rainbow' See - <i>Cornus florida</i> 'Marzelli' | | | | | | | | |
| <i>Cornus florida</i> 'Red Cloud' Red Cloud Flowering Dogwood | DT | 1.00 | R1 | 3-4 | 5-8 | 0.71 | 0.99 | 4 |
| <i>Cornus florida</i> 'Richland' Richland White Flowering Dogwood | DT | 1.20 | R1 | 3-4 | 5-8 | 1.09 | 1.04 | 4 |
| <i>Cornus florida</i> 'Sunset' P.P. 6305 Cherokee Sunset® Flowering Dogwood | DT | 1.49 | R1 | 3-4 | 5-8 | 1.16 | 1.09 | 4 |
| <i>Cornus florida</i> 'Sweetwater Red' Sweetwater Red Flowering Dogwood | DT | 1.43 | R1 | 3-4 | 5-8 | 1.42 | 1.30 | 4 |
| <i>Cornus florida</i> 'Variegata' Variegated Flowering Dogwood | DT | 1.20 | R1 | 3-4 | 5-8 | 1.09 | 0.39 | 4 |
| <i>Cornus florida</i> 'Weaver's White' Weaver's White Flowering Dogwood | DT | 1.07 | R1 | 3-4 | 5-8 | 0.93 | 1.04 | 4 |
| <i>Cornus florida</i> 'Welchii' Tricolor Flowering Dogwood | DT | 1.69 | R1 | 3-4 | 5-8 | 1.42 | 1.30 | 4 |
| <i>Cornus florida</i> var. <i>rubra</i> Pink Flowering Dogwood | DT | 1.04 | R1 | 3-4 | 5-8 | 0.99 | 1.05 | 4 |
| <i>Cornus florida</i> var. <i>rubra</i> 'Prairie Pink' Prairie Pink Flowering Dogwood | DT | 1.04 | R1 | 3-4 | 5-8 | 0.99 | 1.05 | 4 |
| <i>Cornus foemina</i> See - <i>Cornus stricta</i> | | | | | | | | |
| <i>Cornus hessei</i> Hessei Dogwood | DS | 0.75 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Cornus hessei</i> 'Garden Glow' Garden Glow™ Hessei Dogwood | DS | 1.27 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Cornus kousa</i> Kousa Dogwood | DT | 1.05 | R1 | 3-5 | 6-8 | 1.14 | 1.04 | 5 |
| <i>Cornus kousa</i> 'Beni Fuji' Beni Fuji Kousa Dogwood | DT | 1.60 | R1 | 3-5 | 6-8 | 1.31 | 1.91 | 5 |
| <i>Cornus kousa</i> 'Dwarf Pink' Dwarf Pink Kousa Dogwood | DT | 1.60 | R1 | 3-5 | 6-8 | 1.31 | 1.91 | 5 |
| <i>Cornus kousa</i> 'Gay Head' Gay Head Kousa Dogwood | DT | 1.60 | R1 | 3-5 | 6-8 | 1.31 | 1.91 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Cornus kousa</i> 'Gold Star' Gold Star Kousa Dogwood | DT | 1.62 | R1 | 3-5 | 6-8 | 1.31 | 1.19 | 5 |
| <i>Cornus kousa</i> 'Heart Throb' See - <i>Cornus kousa</i> 'Schmred' P.P. 9283 | | | | | | | | |
| <i>Cornus kousa</i> 'Lustgarten Weeping' Lustgarten Weeping Kousa Dogwood | DT | 2.48 | R1 | 3-5 | 6-8 | 1.31 | 6.24 | 5 |
| <i>Cornus kousa</i> 'Madame Butterfly' Madame Butterfly Kousa Dogwood | DT | 1.60 | R1 | 3-5 | 6-8 | 1.31 | 1.91 | 5 |
| <i>Cornus kousa</i> 'Rosabella' Rosabella Kousa Dogwood | DT | 1.60 | R1 | 3-5 | 6-8 | 1.31 | 1.53 | 5 |
| <i>Cornus kousa</i> 'Schmred' P.P. 9283 Heart Throb Kousa Dogwood | DT | 1.53 | R1 | 3-5 | 6-8 | 1.47 | 1.27 | 5 |
| <i>Cornus kousa</i> 'Snowboy' Snowboy Kousa Dogwood | DT | 1.60 | R1 | 3-5 | 6-8 | 1.31 | 1.61 | 5 |
| <i>Cornus kousa</i> 'Square Dance' Square Dance Kousa Dogwood | DT | 1.60 | R1 | 3-5 | 6-8 | 1.31 | 1.62 | 5 |
| <i>Cornus kousa</i> 'Summer Fun' Summer Fun Kousa Dogwood | DT | 1.60 | R1 | 3-5 | 6-8 | 1.31 | 1.91 | 5 |
| <i>Cornus kousa</i> 'Summer Stars' P.P. 3090 Summer Stars Kousa Dogwood | DT | 1.60 | R1 | 3-5 | 6-8 | 1.31 | 1.53 | 5 |
| <i>Cornus kousa</i> 'Sunsplash' Sunsplash Kousa Dogwood | DT | 1.60 | R1 | 3-5 | 6-8 | 1.31 | 1.91 | 5 |
| <i>Cornus kousa</i> 'Wolf Eye' Wolf Eye Kousa Dogwood | DT | 1.33 | R1 | 3-5 | 6-8 | 1.31 | 1.15 | 5 |
| <i>Cornus kousa</i> var. <i>angustata</i> See - <i>Cornus angustata</i> | | | | | | | | |
| <i>Cornus kousa</i> var. <i>chinensis</i> Chinese Kousa Dogwood | DT | 0.96 | R1 | 3-5 | 6-8 | 0.83 | 0.82 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Blue Shadow' Blue Shadow Chinese Kousa Dogwood | DT | 1.00 | R1 | 3-5 | 6-8 | 0.88 | 1.12 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'China Girl' China Girl Chinese Kousa Dogwood | DT | 1.31 | R1 | 3-5 | 6-8 | 1.36 | 1.34 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Galilean' See - <i>Cornus kousa</i> var. <i>chinensis</i> 'Galzam' | | | | | | | | |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Galzam' Galilean™ Chinese Kousa Dogwood | DT | 1.37 | R1 | 3-5 | 6-8 | 1.09 | 1.15 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Good Shepherd' See - <i>Cornus kousa</i> var. <i>chinensis</i> 'Goshzam' | | | | | | | | |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Goshzam' Good Shepherd™ Chinese Kousa Dogwood | DT | 1.54 | R1 | 3-5 | 6-8 | 1.09 | 1.12 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Greensleeves' Greensleeves Chinese Kousa Dogwood | DT | 1.14 | R1 | 3-5 | 6-8 | 0.88 | 1.12 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Milky Way' Milky Way Chinese Kousa Dogwood | DT | 1.15 | R1 | 3-5 | 6-8 | 1.15 | 0.92 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Moonbeam' Moonbeam Chinese Kousa Dogwood | DT | 1.31 | R1 | 3-5 | 6-8 | 1.09 | 1.12 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'National' National Chinese Kousa Dogwood | DT | 1.14 | R1 | 3-5 | 6-8 | 0.84 | 1.17 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Prophet' See - <i>Cornus kousa</i> var. <i>chinensis</i> 'Propzam' | | | | | | | | |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Propzam' Prophet™ Chinese Dogwood | DT | 1.44 | R1 | 3-5 | 6-8 | 1.09 | 0.83 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Radiant Rose' Radiant Rose Chinese Kousa Dogwood | DT | 1.68 | R1 | 3-5 | 6-8 | 1.42 | 1.11 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Samaritan' See - <i>Cornus kousa</i> var. <i>chinensis</i> 'Samzam' | | | | | | | | |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Samzam' Samaritan™ Chinese Kousa Dogwood | DT | 1.37 | R1 | 3-5 | 6-8 | 1.09 | 1.20 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Satomi' Satomi Red Chinese Kousa Dogwood | DT | 1.34 | R1 | 3-5 | 6-8 | 1.36 | 1.57 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Snowflake' Snowflake Chinese Kousa Dogwood | DT | 1.31 | R1 | 3-5 | 6-8 | 1.09 | 1.12 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Trinity Star' Trinity Star Chinese Kousa Dogwood | DT | 1.31 | R1 | 3-5 | 6-8 | 1.09 | 1.12 | 5 |
| <i>Cornus kousa</i> var. <i>chinensis</i> 'Weaver's Weeping' Weaver's Weeping Chinese Kousa Dogwood | DT | 1.55 | R1 | 3-5 | 6-8 | 1.09 | 1.12 | 5 |
| <i>Cornus mas</i> Corneliancherry Dogwood | DS | 1.25 | R1 | 3-5 | 6-8 | | 1.27 | 5 |
| <i>Cornus mas</i> 'Elegantissima' Elegantissima Corneliancherry Dogwood | DS | 1.30 | R1 | 3-5 | 6-8 | | 1.27 | 5 |
| <i>Cornus mas</i> 'Golden Glory' Golden Glory Corneliancherry Dogwood | DS | 1.48 | R1 | 3-5 | 6-8 | | 1.43 | 5 |
| <i>Cornus mas</i> 'Morris Arboretum' Morris Arboretum Corneliancherry Dogwood | DS | 1.34 | R1 | 3-5 | 6-8 | | 1.84 | 5 |
| <i>Cornus mas</i> 'Redstone' Redstone Corneliancherry Dogwood | DS | 1.34 | R1 | 3-5 | 6-8 | | 0.55 | 5 |
| <i>Cornus nuttallii</i> Pacific Dogwood | DT | 0.89 | R1 | 5-7 | 8 | 1.31 | 1.18 | 7 |
| <i>Cornus nuttallii</i> 'Corego Giant' Corego Giant Pacific Dogwood | DT | 1.06 | R1 | 5-7 | 8 | 1.52 | 1.09 | 7 |
| <i>Cornus nuttallii</i> 'Goldspot' Goldspot Pacific Dogwood | DT | 1.22 | R1 | 5-7 | 8 | 1.48 | 1.27 | 7 |
| <i>Cornus nuttallii</i> 'Pink Blush' Pink Blush Pacific Dogwood | DT | 1.06 | R1 | 5-7 | 8 | 1.44 | 1.18 | 7 |
| <i>Cornus obliqua</i> Pale Dogwood | DS | 0.71 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Cornus officinalis</i> Japanese Cornel Dogwood | DS | 0.82 | R1 | 3-6 | 7-8 | | 1.01 | 6 |
| <i>Cornus paniculata</i> See - <i>Cornus racemosa</i> | | | | | | | | |
| <i>Cornus pumila</i> Dwarf Redtipped Dogwood | DS | 0.77 | R1 | 3-5 | 6-8 | | 1.12 | 5 |
| <i>Cornus purpusii</i> See - <i>Cornus obliqua</i> | | | | | | | | |
| <i>Cornus racemosa</i> Grey Dogwood | DS | 0.94 | R1 | 3-4 | 5-8 | | 0.69 | 4 |
| <i>Cornus racemosa</i> 'Cuyahoga' See - <i>Cornus racemosa</i> 'Cuyzam' | | | | | | | | |
| <i>Cornus racemosa</i> 'Cuyzam' Cuyahoga™ Grey Dogwood | DS | 1.19 | R1 | 3-4 | 5-8 | | 0.80 | 4 |
| <i>Cornus racemosa</i> 'Emerald' Snow Lace® Gray Dogwood | DS | 1.43 | R1 | 3-4 | 5-8 | | 0.74 | 4 |
| <i>Cornus racemosa</i> 'Geauga' See - <i>Cornus racemosa</i> 'Geazam' | | | | | | | | |
| <i>Cornus racemosa</i> 'Geazam' Geauga™ Gray Dogwood | DS | 0.82 | R1 | 3-4 | 5-8 | | 0.74 | 4 |
| <i>Cornus racemosa</i> 'Huron' See - <i>Cornus racemosa</i> 'Hurzam' | | | | | | | | |
| <i>Cornus racemosa</i> 'Hurzam' Huron™ Grey Dogwood | DS | 1.10 | R1 | 3-4 | 5-8 | | 0.72 | 4 |
| <i>Cornus racemosa</i> 'Jade' Snow Mantle® Gray Dogwood | DS | 1.31 | R1 | 3-4 | 5-8 | | 0.69 | 4 |
| <i>Cornus racemosa</i> 'Mahoning' See - <i>Cornus racemosa</i> 'Mahzam' | | | | | | | | |
| <i>Cornus racemosa</i> 'Mahzam' Mahoning™ Gray Dogwood | DS | 0.83 | R1 | 3-4 | 5-8 | | 0.74 | 4 |
| <i>Cornus racemosa</i> 'Muskingum' See - <i>Cornus racemosa</i> 'Muszam' | | | | | | | | |
| <i>Cornus racemosa</i> 'Muszam' Muskingum Gray Dogwood | DS | 1.12 | R1 | 3-4 | 5-8 | | 0.74 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cornus racemosa</i> 'Ottawa' | | | | | | | | |
| See - <i>Cornus racemosa</i> 'Ottzam' | | | | | | | | |
| <i>Cornus racemosa</i> 'Ottzam' | DS | 1.09 | R1 | 3-4 | 5-8 | | 0.80 | 4 |
| Ottawa™ Grey Dogwood | | | | | | | | |
| <i>Cornus racemosa</i> 'Snow Lace' | | | | | | | | |
| See - <i>Cornus racemosa</i> 'Emerald' | | | | | | | | |
| <i>Cornus racemosa</i> 'Snow Mantle' | | | | | | | | |
| See - <i>Cornus racemosa</i> 'Jade' | | | | | | | | |
| <i>Cornus sanguinea</i> | DS | 0.53 | R1 | 3-5 | 6-8 | | 0.56 | 5 |
| Bloodtwig Dogwood | | | | | | | | |
| <i>Cornus sanguinea</i> 'Compressa' | DS | 0.88 | R1 | 3-5 | 6-8 | | 1.41 | 5 |
| Dwarf Bloodtwig Dogwood | | | | | | | | |
| <i>Cornus sanguinea</i> 'Midwinter Fire' | DS | 1.20 | R1 | 3-5 | 6-8 | | 1.41 | 5 |
| Midwinter Fire Bloodtwig Dogwood | | | | | | | | |
| <i>Cornus sanguinea</i> 'Winter Beauty' | DS | 0.91 | R1 | 3-5 | 6-8 | | 2.25 | 5 |
| Winter Beauty Bloodtwig Dogwood | | | | | | | | |
| <i>Cornus sericea</i> | | | | | | | | |
| See - <i>Cornus stolonifera</i> | | | | | | | | |
| <i>Cornus sericea</i> var. <i>occidentalis</i> | | | | | | | | |
| See - <i>Cornus stolonifera</i> 'Sunshine' | | | | | | | | |
| <i>Cornus stolonifera</i> | DS | 0.85 | R1 | | 3-8 | | 0.64 | 2 |
| Redosier Dogwood | | | | | | | | |
| <i>Cornus stolonifera</i> 'Allemans' | DS | 0.99 | R1 | | 3-8 | | 0.52 | 2 |
| Allemans Compact Redosier Dogwood | | | | | | | | |
| <i>Cornus stolonifera</i> 'Arctic Fire' | | | | | | | | |
| See - <i>Cornus stolonifera</i> 'Farrow' P.P.A.F. | | | | | | | | |
| <i>Cornus stolonifera</i> 'Baileyi' | DS | 0.87 | R1 | | 3-8 | | 0.58 | 2 |
| Bailey Redosier Dogwood | | | | | | | | |
| <i>Cornus stolonifera</i> 'Bud's Yellow' | DS | 0.96 | R1 | | 3-8 | | 0.49 | 2 |
| Bud's Yellow Redosier Dogwood | | | | | | | | |
| <i>Cornus stolonifera</i> 'Cardinal' | DS | 0.90 | R1 | | 3-8 | | 0.53 | 2 |
| Cardinal Redosier Dogwood | | | | | | | | |
| <i>Cornus stolonifera</i> 'Cheyenne' | DS | 0.97 | R1 | | 3-8 | | 0.59 | 2 |
| Cheyenne Redosier Dogwood | | | | | | | | |
| <i>Cornus stolonifera</i> 'Elegantissima' | | | | | | | | |
| See - <i>Cornus alba</i> 'Argenteo-marginata' | | | | | | | | |
| <i>Cornus stolonifera</i> 'Farrow' P.P.A.F. | DS | 1.30 | R1 | 3 | 4-8 | | 0.59 | 3 |
| Arctic Fire™ Redosier Dogwood | | | | | | | | |
| <i>Cornus stolonifera</i> 'Flaviramea' | DS | 0.87 | R1 | | 3-8 | | 0.63 | 2 |
| Yellowtwig Redosier Dogwood | | | | | | | | |
| <i>Cornus stolonifera</i> 'Hedgerow Gold' | DS | 1.46 | R1 | 3-4 | 5-8 | | 0.59 | 4 |
| Hedgerow Gold Redosier Dogwood | | | | | | | | |
| <i>Cornus stolonifera</i> 'Isanti' | DS | 0.92 | R1 | | 3-8 | | 0.63 | 2 |
| Isanti Redosier Dogwood | | | | | | | | |
| <i>Cornus stolonifera</i> 'Kelseyi' | DS | 0.93 | R1 | | 3-8 | | 0.72 | 2 |
| Kelsey Redosier Dogwood | | | | | | | | |
| <i>Cornus stolonifera</i> 'Silver and Gold' | DS | 1.04 | R1 | | 3-8 | | 0.59 | 2 |
| Silver and Gold Redosier Dogwood | | | | | | | | |
| <i>Cornus stolonifera</i> 'Sunrise' | DS | 0.97 | R1 | | 3-8 | | 0.59 | 2 |
| Sunrise Redosier Dogwood | | | | | | | | |
| <i>Cornus stolonifera</i> 'Sunshine' | DS | 0.55 | R1 | | 3-8 | | 0.59 | 2 |
| Sunshine Redosier Dogwood | | | | | | | | |
| <i>Cornus stolonifera</i> var. <i>coloradensis</i> | DS | 0.75 | R1 | | 3-8 | | 1.00 | 2 |
| Colorado Redosier Dogwood | | | | | | | | |
| <i>Cornus stolonifera</i> var. <i>stolonifera</i> | | | | | | | | |
| See - <i>Cornus stolonifera</i> var. <i>coloradensis</i> | | | | | | | | |
| <i>Cornus stricta</i> | DS | 0.43 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| Stiff Dogwood | | | | | | | | |
| <i>Cornus suecica</i> | DS | 1.00 | R1 | | 3-8 | | 1.00 | 2 |
| Lapland Cornel | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Corokia cotoneaster</i> Wire Netting Bush | BS | 0.72 | R2 | 6-8 | | 1.00 | 8 |
| <i>Corokia cotoneaster</i> 'Little Prince' Little Prince Wire Netting Bush | BS | 0.66 | R2 | 6-8 | | 1.00 | 8 |
| <i>Corokia x virgata</i> No Common Name Found | BS | 0.66 | R2 | 6-8 | | 1.00 | 8 |
| <i>Corokia x virgata</i> 'Bronze King' Bronze King Corokia | BS | 0.66 | R2 | 6-8 | | 1.00 | 8 |
| <i>Corokia x virgata</i> 'Red Wonder' Red Wonder Corokia | BS | 0.66 | R2 | 6-8 | | 1.00 | 8 |
| <i>Corokia x virgata</i> 'Sunsplash' Sunsplash Corokia | BS | 0.66 | R2 | 6-8 | | 1.00 | 8 |
| <i>Corokia x virgata</i> 'Yellow Wonder' Yellow Wonder Corokia | BS | 0.66 | R2 | 6-8 | | 1.00 | 8 |
| <i>Coronilla orientalis</i> No Common Name Found | HP | 1.00 | R2 | 4-8 | | | |
| <i>Coronilla varia</i> Crown Vetch | HP | 0.85 | R2 | 3-5 | 6-8 | | |
| <i>Coronilla varia</i> 'Penngift' Penngift Crown Vetch | HP | 0.85 | R2 | 3-5 | 6-8 | | |
| <i>Correa</i> Australian Fuchsia | BS | 0.68 | R2 | 7-8 | | 1.00 | 9 |
| <i>Correa</i> 'Carmine Bells' Carmine Bells Australian Fuchsia | BS | 0.71 | R2 | 7-8 | | 1.00 | 9 |
| <i>Correa</i> 'Dawn in Santa Cruz' Dawn in Santa Cruz Australian Fuchsia | BS | 0.69 | R2 | 7-8 | | 1.00 | 9 |
| <i>Correa</i> 'Dusky Bells' Dusky Bells Australian Fuchsia | BS | 0.63 | R2 | 7-8 | | 1.00 | 9 |
| <i>Correa</i> 'Ivory Bells' Ivory Bells Australian Fuchsia | BS | 0.69 | R2 | 7-8 | | 1.00 | 9 |
| <i>Correa alba</i> White Australian Fuchsia | BS | 0.61 | R2 | 7-8 | | 1.00 | 9 |
| <i>Correa x harrisii</i> Harris Australian Fuchsia | BS | 0.63 | R2 | 7-8 | | 1.00 | 9 |
| <i>Correa pulchella</i> No Common Name Found | BS | 0.67 | R2 | 7-8 | | 1.00 | 9 |
| <i>Correa pulchella</i> 'Orange Flame' Orange Flame Australian Fuchsia | BS | 0.63 | R2 | 7-8 | | 1.00 | 9 |
| <i>Correa schlechtendalii</i> No Common Name Found | BS | 0.63 | R2 | 7-8 | | 1.00 | 9 |
| <i>Cortaderia jubata</i> Purple Pampas Grass | HP | 0.77 | R2 | 7-8 | | | |
| <i>Cortaderia richardii</i> Richard's Pampas Grass | HP | 1.02 | R2 | 5-7 | 8 | | |
| <i>Cortaderia selloana</i> Pampas Grass | HP | 0.77 | R2 | | 7-8 | | |
| <i>Cortaderia selloana</i> 'Andes Silver' Andes Silver Pampas Grass | HP | 1.25 | R2 | | 7-8 | | |
| <i>Cortaderia selloana</i> 'Aureolineata' Aureolineata Pampas Grass | HP | 0.88 | R2 | | 7-8 | | |
| <i>Cortaderia selloana</i> 'Carminea Rendatleri' Carminea Rendatleri Pampas Grass | HP | 1.08 | R2 | | 7-8 | | |
| <i>Cortaderia selloana</i> 'Elegans' Elegans Pampas Grass | HP | 1.08 | R2 | | 7-8 | | |
| <i>Cortaderia selloana</i> 'Incalma' Incalma Pampas Grass | HP | 1.03 | R2 | | 7-8 | | |
| <i>Cortaderia selloana</i> 'Ivory Feathers' See - <i>Cortaderia selloana</i> 'Pumila' | | | | | | | |
| <i>Cortaderia selloana</i> 'Monvin' P.P. 5136 Sun Stripe™ Pampas Grass | HP | 1.19 | R2 | | 7-8 | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Cortaderia selloana</i> 'Patagonia' Patagonia Pampas Grass | HP | 1.54 | R2 | | 7-8 | | | |
| <i>Cortaderia selloana</i> 'Pumila' Ivory Feathers™ Pampas Grass | HP | 1.08 | R2 | | 7-8 | | | |
| <i>Cortaderia selloana</i> 'Rosea' Pink Pampas Grass | HP | 1.06 | R2 | | 7-8 | | | |
| <i>Cortaderia selloana</i> 'Silver Comet' Silver Comet Pampas Grass | HP | 0.98 | R2 | | 7-8 | | | |
| <i>Cortaderia selloana</i> 'Sun Stripe' See - <i>Cortaderia selloana</i> 'Monvin' P.P. 5136 | | | | | | | | |
| <i>Cortaderia selloana</i> 'Sunningdale Silver' Sunningdale Silver Pampas Grass | HP | 1.05 | R2 | | 7-8 | | | |
| <i>Coryanthes speciosa</i> No Common Name Found | FO | 3.75 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Coryanthes verrucolineata</i> No Common Name Found | FO | 4.50 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Corydalis</i> Corydalis | HP | 1.55 | R2 | 3-5 | 6-8 | | | |
| <i>Corydalis</i> 'Berry Exciting' P.P. 18917 Berry Exciting Hybrid Corydalis | HP | 1.55 | R2 | 3-5 | 6-8 | | | |
| <i>Corydalis</i> 'Blackberry Wine' Blackberry Wine Hybrid Corydalis | HP | 1.51 | R2 | 3-5 | 6-8 | | | |
| <i>Corydalis</i> 'Canary Feathers' P.P. 18909 Canary Feathers Hybrid Corydalis | HP | 1.59 | R2 | 3-7 | 8 | | | |
| <i>Corydalis elata</i> Blue Corydalis | HP | 1.56 | R2 | 3-4 | 5-8 | | | |
| <i>Corydalis flexuosa</i> Blue Corydalis | HP | 1.86 | R2 | 5 | 6-8 | | | |
| <i>Corydalis flexuosa</i> 'Blue Panda' Blue Panda Blue Corydalis | HP | 1.56 | R2 | 5 | 6-8 | | | |
| <i>Corydalis flexuosa</i> 'China Blue' China Blue Corydalis | HP | 1.49 | R2 | 5 | 6-8 | | | |
| <i>Corydalis flexuosa</i> 'Golden Panda' P.P. 13254 Golden Panda Corydalis | HP | 1.65 | R2 | 5 | 6-8 | | | |
| <i>Corydalis flexuosa</i> 'Pere David' Pere David Corydalis | HP | 1.00 | R2 | 5 | 6-8 | | | |
| <i>Corydalis flexuosa</i> 'Purple Leaf' Purple Leaf Corydalis | HP | 1.00 | R2 | 5 | 6-8 | | | |
| <i>Corydalis lutea</i> Yellow Corydalis | HP | 1.17 | R2 | 5 | 6-8 | | | |
| <i>Corydalis ochroleuca</i> No Common Name Found | HP | 3.02 | R2 | 5-6 | 7-8 | | | |
| <i>Corydalis ophiocarpa</i> Serpent-pot Fumitory | HP | 0.65 | R2 | 5-6 | 7-8 | | | |
| <i>Corydalis sempervirens</i> Roman Wormwood | HP | 0.99 | R2 | 5-6 | 7-8 | | | |
| <i>Corydalis wilsonii</i> Fern-leaved Corydalis | HP | 0.76 | R2 | 5-6 | 7-8 | | | |
| <i>Corylopsis glabrescens</i> Fragrant Winterhazel | DS | 1.06 | R1 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Corylopsis glabrescens</i> var. <i>gotoana</i> Gotoana Fragrant Winterhazel | DS | 1.00 | R1 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Corylopsis gotoana</i> See - <i>Corylopsis glabrescens</i> var. <i>gotoana</i> | | | | | | | | |
| <i>Corylopsis pauciflora</i> Buttercup Winterhazel | DS | 1.35 | R1 | 5-6 | 7-8 | | 2.07 | 6 |
| <i>Corylopsis sinensis</i> Chinese Winterhazel | DS | 0.88 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Corylopsis sinensis</i> var. <i>calvescens</i> No Common Name Found | DS | 0.79 | R1 | 5-6 | 7-8 | | 0.45 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Corylopsis sinensis</i> var. <i>sinensis</i> Willmott Winterhazel | DS | 1.00 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Corylopsis spicata</i> Spike Winterhazel | DS | 1.28 | R1 | 4-5 | 6-8 | | 1.15 | 5 |
| <i>Corylopsis veitchiana</i> See - <i>Corylopsis sinensis</i> var. <i>calvescens</i> | | | | | | | | |
| <i>Corylopsis willmottiae</i> See - <i>Corylopsis sinensis</i> var. <i>sinensis</i> | | | | | | | | |
| <i>Corylus americana</i> American Filbert | DS | 1.05 | R1 | 4 | 5-8 | | 0.75 | 4 |
| <i>Corylus avellana</i> European Filbert | DS | 1.98 | R1 | 3 | 4-8 | | 1.05 | 3 |
| <i>Corylus avellana</i> 'Barcelona' Barcelona European Filbert | DS | 1.98 | R1 | 3 | 4-8 | | 0.54 | 3 |
| <i>Corylus avellana</i> 'Butler' Butler European Filbert | DS | 1.98 | R1 | 3 | 4-8 | | 0.54 | 3 |
| <i>Corylus avellana</i> 'Contorta' Harry Lauder's Walkingstick | DS | 1.82 | R1 | 3 | 4-7 | | 2.56 | 3 |
| <i>Corylus avellana</i> 'Fuscorubra' Fuscorubra European Filbert | DS | 2.74 | R1 | 3 | 4-8 | | 1.05 | 3 |
| <i>Corylus avellana</i> 'Hall's Giant' Hall's Giant European Filbert | DS | 1.98 | R1 | 3 | 4-8 | | 0.54 | 3 |
| <i>Corylus avellana</i> 'Heterophylla' Heterophylla European Filbert | DS | 1.98 | R1 | 3 | 4-8 | | 1.05 | 3 |
| <i>Corylus avellana</i> 'Pendula' Weeping European Filbert | DS | 1.19 | R1 | 3 | 4-8 | | 1.05 | 3 |
| <i>Corylus avellana</i> 'Red Majestic' P.P. 16048 Red Majestic Harry Lauder's Walking Stick | DS | 2.18 | R1 | 3 | 4-8 | | 1.05 | 3 |
| <i>Corylus avellana</i> 'Rote Zeller' Rote Zeller European Filbert | DS | 1.98 | R1 | 3 | 4-8 | | 1.05 | 3 |
| <i>Corylus columna</i> Turkish Filbert | DS | 0.94 | R2 | 3-5 | 6-8 | | 0.97 | 5 |
| <i>Corylus cornuta</i> Beaked Hazel | DS | 0.88 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Corylus maxima</i> Giant Filbert | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Corylus maxima</i> 'Purpurea' Purple Giant Filbert | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Corylus rostrata</i> See - <i>Corylus cornuta</i> | | | | | | | | |
| <i>Corymbia maculata</i> See - <i>Eucalyptus maculata</i> | | | | | | | | |
| <i>Corynephorus canescens</i> Gray Clubawn Grass | HP | 0.73 | R2 | 3-6 | 7-8 | | | |
| <i>Corynephorus canescens</i> 'Spiky Blue' Spiky Blue Gray Clubawn Grass | HP | 0.73 | R2 | 3-6 | 7-8 | | | |
| <i>Cosmos atrosanguineus</i> Black Cosmos | AN | 1.07 | R2 | 5-8 | | | | |
| <i>Cosmos bipinnatus</i> Common Cosmos | AN | 0.51 | R2 | 8 | | | | |
| <i>Cosmos bipinnatus</i> 'Sensation Mix' Sensation Mix Common Cosmos | AN | 0.66 | R2 | 8 | | | | |
| <i>Cosmos bipinnatus</i> 'Sonata Mix' Sonata Mix Common Cosmos | AN | 0.81 | R2 | 8 | | | | |
| <i>Cosmos bipinnatus</i> 'Sunny Gold' Sunny Gold Cosmos | AN | 0.66 | R2 | 8 | | | | |
| <i>Costus</i> 'French Kiss' See - <i>Costus woodsonii</i> | | | | | | | | |
| <i>Costus amazonicus</i> Amazon Ginger | HP | 1.22 | R2 | 5-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | | |
| <i>Costus amazonicus</i> 'Variegatus' Variegated Amazon Ginger | HP | 1.37 | R2 | 5-8 | | | | |
| <i>Costus lasius</i> Yellow Lollipop | HP | 1.25 | R2 | 5-8 | | | | |
| <i>Costus pictus</i> Spotted Spiral Ginger | HP | 1.74 | R2 | 6-8 | | | | |
| <i>Costus pulverulentus</i> Spiral Ginger | HP | 1.41 | R2 | 8 | | | | |
| <i>Costus stenophyllus</i> Bamboo Ginger | HP | 1.10 | R2 | 5-8 | | | | |
| <i>Costus varzearum</i> No Common Name Found | HP | 1.25 | R2 | 5-8 | | | | |
| <i>Costus woodsonii</i> Red Buttons Ginger | HP | 1.01 | R2 | 8 | | | | |
| <i>Cotinus</i> Smoketree | DT | 1.29 | R1 | 4-5 | 6-8 | 2.43 | 1.62 | 5 |
| <i>Cotinus</i> 'Grace' Grace Dummer Hybrid Smoketree | DT | 1.29 | R1 | 4-5 | 6-8 | 2.43 | 1.62 | 5 |
| <i>Cotinus coggygria</i> Smoketree | DT | 0.95 | R1 | 4-5 | 6-8 | 0.94 | 1.22 | 5 |
| <i>Cotinus coggygria</i> 'Ancot' P.P. 13082 Golden Spirit™ Smoketree | DT | 1.62 | R1 | 4-5 | 6-8 | 0.94 | 1.00 | 5 |
| <i>Cotinus coggygria</i> 'Atropurpureus' See - <i>Cotinus coggygria</i> 'Purpureus' | | | | | | | | |
| <i>Cotinus coggygria</i> 'Daydream' Daydream Smoketree | DT | 1.24 | R1 | 4-5 | 6-8 | 0.94 | 1.00 | 5 |
| <i>Cotinus coggygria</i> 'Golden Spirit' See - <i>Cotinus coggygria</i> 'Ancot' P.P. 13082 | | | | | | | | |
| <i>Cotinus coggygria</i> 'Kolcot' P.P. 14120 Magical® Green Fountain Smoketree | DT | 1.95 | R1 | 4-5 | 6-8 | 0.94 | 1.00 | 4 |
| <i>Cotinus coggygria</i> 'Magical Green Fountain' See - <i>Cotinus coggygria</i> 'Kolcot' P.P. 14120 | | | | | | | | |
| <i>Cotinus coggygria</i> 'Nordine' Nordine Smoketree | DT | 1.13 | R1 | 4-5 | 6-8 | 0.94 | 1.00 | 5 |
| <i>Cotinus coggygria</i> 'Pink Champagne' Pink Champagne Smoketree | DT | 1.04 | R1 | 4-5 | 6-8 | 0.97 | 0.95 | 5 |
| <i>Cotinus coggygria</i> 'Purple Supreme' Purple Supreme Smoketree | DT | 1.28 | R1 | 4-5 | 6-8 | 0.94 | 1.00 | 5 |
| <i>Cotinus coggygria</i> 'Purpureus' Purple Smoketree | DT | 0.91 | R1 | 4-5 | 6-8 | 0.99 | 1.01 | 5 |
| <i>Cotinus coggygria</i> 'Royal Purple' Royal Purple Smoketree | DT | 1.14 | R1 | 4-5 | 6-8 | 1.33 | 1.13 | 5 |
| <i>Cotinus coggygria</i> 'Velvet Cloak' Velvet Cloak Purple Smoketree | DT | 1.19 | R1 | 4-5 | 6-8 | 0.47 | 0.71 | 5 |
| <i>Cotinus coggygria</i> 'Young Lady' P.P.A.F. Young Lady® Smoketree | DT | 1.18 | R1 | 4-5 | 6-8 | 0.94 | 1.00 | 4 |
| <i>Cotinus obovatus</i> American Smoketree | DT | 1.01 | R1 | 3-4 | 5-8 | 1.14 | 1.38 | 4 |
| <i>Cotoneaster</i> Cotoneaster | BS | 1.05 | R1 | 3-4 | 5-8 | | 0.82 | 4 |
| <i>Cotoneaster</i> 'Hessei' Hessei Hybrid Cotoneaster | BS | 1.05 | R1 | 5-8 | | | 0.82 | 4 |
| <i>Cotoneaster acutifolius</i> Peking Cotoneaster | BS | 1.01 | R1 | 3-4 | 5-8 | | 0.34 | 4 |
| <i>Cotoneaster adpressus</i> Creeping Cotoneaster | BS | 0.93 | R1 | 4-6 | 7 | | 1.00 | 4 |
| <i>Cotoneaster adpressus</i> 'Little Gem' Little Gem Creeping Cotoneaster | BS | 1.23 | R1 | 4-6 | 7 | | 1.00 | 4 |
| <i>Cotoneaster adpressus</i> var. <i>praecox</i> See - <i>Cotoneaster nanshan</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Cotoneaster apiculatus</i> Cranberry Cotoneaster | BS | 1.21 | R1 | 4-6 | 7 | | 0.78 | 4 |
| <i>Cotoneaster apiculatus</i> 'Blackburn' Blackburn Cranberry Cotoneaster | BS | 0.86 | R1 | 4-6 | 7 | | 1.03 | 4 |
| <i>Cotoneaster apiculatus</i> 'Tom Thumb' Tom Thumb Cranberry Cotoneaster | BS | 1.37 | R1 | 4-6 | 7 | | 1.28 | 4 |
| <i>Cotoneaster bullatus</i> Hollyberry Cotoneaster | BS | 1.00 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Cotoneaster buxifolius</i> Boxleaf Cotoneaster | BS | 0.79 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Cotoneaster congestus</i> Pyrenees Cotoneaster | BS | 0.87 | R1 | 3-6 | 7-8 | | 0.65 | 6 |
| <i>Cotoneaster congestus</i> 'Liaking' Liaking Pyrenees Cotoneaster | BS | 0.66 | R1 | 3-6 | 7-8 | | 0.65 | 6 |
| <i>Cotoneaster dammeri</i> Bearberry Cotoneaster | BS | 0.87 | R1 | 3-5 | 6-8 | | 0.54 | 5 |
| <i>Cotoneaster dammeri</i> 'Canadian Creeper' See - <i>Cotoneaster dammeri</i> 'Moner' | | | | | | | | |
| <i>Cotoneaster dammeri</i> 'Coral Beauty' Coral Beauty Bearberry Cotoneaster | BS | 0.87 | R1 | 5-6 | 7-8 | | 0.50 | 5 |
| <i>Cotoneaster dammeri</i> 'Eichholz' Eichholz Bearberry Cotoneaster | BS | 1.15 | R1 | 5-6 | 7-8 | | 0.58 | 5 |
| <i>Cotoneaster dammeri</i> 'Lowfast' Lowfast Bearberry Cotoneaster | BS | 0.84 | R1 | 5-6 | 7-8 | | 0.54 | 5 |
| <i>Cotoneaster dammeri</i> 'Moner' Canadian Creeper™ Bearberry Cotoneaster | BS | 1.19 | R1 | 5-6 | 7-8 | | 0.54 | 5 |
| <i>Cotoneaster dammeri</i> 'Mooncreeper' Mooncreeper Bearberry Cotoneaster | BS | 0.93 | R1 | 5-6 | 7-8 | | 0.54 | 5 |
| <i>Cotoneaster dammeri</i> 'Royal Beauty' Royal Beauty Bearberry Cotoneaster | BS | 1.14 | R1 | 5-6 | 7-8 | | 0.54 | 5 |
| <i>Cotoneaster dammeri</i> 'Skogsholmen' Christmas Carpet Bearberry Cotoneaster | BS | 1.24 | R1 | 5-6 | 7-8 | | 0.54 | 5 |
| <i>Cotoneaster dammeri</i> 'Streibs Finding' Streibs finding Bearbeary Cotoneaster | BS | 1.22 | R2 | 3-5 | 6-8 | | 0.54 | 5 |
| <i>Cotoneaster dammeri</i> 'Walters Canadian' Walters Canadian Bearberry Cotoneaster | BS | 1.05 | R1 | 5-6 | 7-8 | | 0.54 | 5 |
| <i>Cotoneaster divaricatus</i> Spreading Cotoneaster | BS | 0.98 | R1 | 4-5 | 6-7 | | 0.44 | 5 |
| <i>Cotoneaster franchetii</i> Franchet Cotoneaster | BS | 0.75 | R1 | 3-6 | 7-8 | | 0.65 | 6 |
| <i>Cotoneaster frigidus</i> Himalayan Cotoneaster | BS | 0.80 | R1 | 3-7 | 8 | | 1.00 | 7 |
| <i>Cotoneaster glaucophyllus</i> Grayleaf Cotoneaster | BS | 0.76 | R1 | 3-7 | 8 | | 1.00 | 7 |
| <i>Cotoneaster hjelmquistii</i> Hjelmquist Cotoneaster | BS | 1.03 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Cotoneaster horizontalis</i> Rock Cotoneaster | BS | 0.93 | R1 | 3-4 | 5-8 | | 0.59 | 4 |
| <i>Cotoneaster horizontalis</i> 'Minor' Minor Rock Cotoneaster | BS | 1.04 | R1 | 3-4 | 5-8 | | 0.62 | 4 |
| <i>Cotoneaster horizontalis</i> 'Perpusillus' Perpusillus Rock Cotoneaster | BS | 1.19 | R1 | 3-4 | 5-8 | | 0.59 | 4 |
| <i>Cotoneaster horizontalis</i> 'Robusta' See - <i>Cotoneaster hjelmquistii</i> | | | | | | | | |
| <i>Cotoneaster horizontalis</i> 'Variegatus' Variegated Rock Cotoneaster | BS | 0.99 | R1 | 3-4 | 5-8 | | 0.69 | 4 |
| <i>Cotoneaster ignavus</i> Turkestan Cotoneaster | DS | 0.93 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Cotoneaster integerrimus</i> European Cotoneaster | BS | 1.00 | R1 | 3-5 | 6-8 | | 1.00 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cotoneaster lacteus</i> Parney Cotoneaster | BS | 0.79 | R1 | 3-6 | 7-8 | | 0.65 | 6 |
| <i>Cotoneaster linearifolius</i> No Common Name Found | BS | 0.97 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Cotoneaster lucidus</i> Hedge Cotoneaster | BS | 1.17 | R1 | 3-4 | 5-8 | | 0.49 | 3 |
| <i>Cotoneaster microphyllus</i> Little-leaf Cotoneaster | BS | 0.81 | R1 | 3-5 | 6-8 | | 0.65 | 5 |
| <i>Cotoneaster microphyllus</i> 'Cooperi' Cooper Little-leaf Cotoneaster | BS | 0.77 | R1 | 3-5 | 6-8 | | 0.65 | 5 |
| <i>Cotoneaster microphyllus</i> 'Emerald Spray' Emerald Spray Little-leaf Cotoneaster | BS | 0.42 | R1 | 3-5 | 6-8 | | 0.65 | 5 |
| <i>Cotoneaster microphyllus</i> var. <i>thymifolius</i> See - <i>Cotoneaster linearifolius</i> | | | | | | | | |
| <i>Cotoneaster multiflorus</i> Many-Flowered Cotoneaster | BS | 1.38 | R1 | 3-5 | 6-8 | | 0.71 | 5 |
| <i>Cotoneaster nanshan</i> No Common Name Found | BS | 1.27 | R1 | 3-6 | 7-8 | | 0.65 | 5 |
| <i>Cotoneaster pannosus</i> var. <i>nanus</i> Dwarf Silverleaf Cotoneaster | BS | 0.75 | R2 | 4-7 | 8 | | 1.00 | 7 |
| <i>Cotoneaster parneyi</i> See - <i>Cotoneaster lacteus</i> | | | | | | | | |
| <i>Cotoneaster procumbens</i> No Common Name Found | BS | 0.91 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Cotoneaster procumbens</i> 'Queen of Carpets' Queen of Carpets Cotoneaster | BS | 0.91 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Cotoneaster racemiflorus</i> Redbead Cotoneaster | BS | 1.00 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Cotoneaster racemiflorus</i> var. <i>songaricus</i> Sungari Redbead Cotoneaster | BS | 1.10 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Cotoneaster salicifolius</i> Willowleaf Cotoneaster | BS | 0.83 | R1 | 3-6 | 7-8 | | 0.46 | 6 |
| <i>Cotoneaster salicifolius</i> 'Autumn Fire' Autumn Fire Willowleaf Cotoneaster | BS | 0.89 | R1 | 3-6 | 7-8 | | 0.46 | 6 |
| <i>Cotoneaster salicifolius</i> 'Emerald Carpet' Emerald Carpet Willowleaf Cotoneaster | BS | 1.04 | R1 | 3-6 | 7-8 | | 0.46 | 6 |
| <i>Cotoneaster salicifolius</i> 'Gnom' Gnom Willowleaf Cotoneaster | BS | 0.76 | R1 | 3-6 | 7-8 | | 0.46 | 6 |
| <i>Cotoneaster salicifolius</i> 'Repens' Creeping Willowleaf Cotoneaster | BS | 0.83 | R1 | 3-6 | 7-8 | | 0.46 | 6 |
| <i>Cotoneaster salicifolius</i> 'Scarlet Leader' Scarlet Leader Willowleaf Cotoneaster | BS | 0.99 | R1 | 3-6 | 7-8 | | 0.46 | 6 |
| <i>Cotula gruveri</i> See - <i>Leptinella gruveri</i> | | | | | | | | |
| <i>Cotula minor</i> See - <i>Leptinella minor</i> | | | | | | | | |
| <i>Cotula perpusilla</i> See - <i>Leptinella pusilla</i> | | | | | | | | |
| <i>Cotula pyrethrifolia</i> See - <i>Leptinella pyrethrifolia</i> | | | | | | | | |
| <i>Cotula squalida</i> See - <i>Leptinella squalida</i> | | | | | | | | |
| <i>Cotyledon simplicifolia</i> See - <i>Chiastophyllum oppositifolium</i> | | | | | | | | |
| <i>Cowania mexicana</i> Cliff Rose | BS | 1.07 | R1 | 8 | | | 1.00 | 4 |
| <i>Coyrdalis flexuosa</i> 'Blue Dragon' See - <i>Corydalis flexuosa</i> 'Purple Leaf' | | | | | | | | |
| <i>Crambe cordifolia</i> Colewort | HP | 1.29 | R2 | 5-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Crambe maritima</i> Sea Kale | HP | 1.06 | R2 | 4-5 | 6-8 | | | |
| <i>Craspedia globosa</i> Drumsticks | HP | 0.92 | R1 | 7-8 | | | | |
| <i>Crassula argentea</i> See - <i>Crassula ovata</i> | | | | | | | | |
| <i>Crassula milfordiae</i> No Common Name Found | HP | 1.00 | R2 | 8 | | | | |
| <i>Crassula milfordiae</i> 'Silver Stars' Silver Stars Crassula | HP | 1.00 | R2 | 8 | | | | |
| <i>Crassula ovata</i> Jade Tree | FO | 0.82 | R2 | 8 | | | 1.00 | 9 |
| <i>Crassula ovata</i> 'Crosby' Crosby Jade Tree | FO | 0.98 | R2 | 8 | | | 1.00 | 9 |
| <i>Crataegus</i> Hawthorn | DT | 1.00 | R1 | 3-4 | 5-8 | 0.92 | 1.00 | 4 |
| <i>Crataegus</i> 'Hooks' Hooks Hybrid Hawthorn | DT | 1.00 | R1 | 3-4 | 5-8 | 0.62 | 1.00 | 4 |
| <i>Crataegus</i> 'Vaughn' Vaughn Hybrid Hawthorn | DT | 1.00 | R1 | 3-4 | 5-8 | 1.22 | 1.00 | 4 |
| <i>Crataegus aestivalis</i> Eastern Mayhaw | DT | 0.90 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Crataegus ambigua</i> Russian Hawthorn | DT | 1.36 | R1 | 3-4 | 5-8 | 1.50 | 2.41 | 4 |
| <i>Crataegus apiifolia</i> Parsley-leaved Hawthorn | DT | 0.61 | R1 | 3-7 | 8 | 1.00 | 0.95 | 7 |
| <i>Crataegus carrierei</i> See - <i>Crataegus x lavalleyi</i> 'Carrierei' | | | | | | | | |
| <i>Crataegus cordata</i> See - <i>Crataegus phaenopyrum</i> | | | | | | | | |
| <i>Crataegus crus-galli</i> Cockspur Hawthorn | DT | 0.84 | R1 | 3-4 | 5-8 | 1.07 | 1.50 | 4 |
| <i>Crataegus crus-galli</i> var. <i>inermis</i> Thornless Cockspur Hawthorn | DT | 1.23 | R1 | 3-4 | 5-8 | 1.18 | 1.88 | 4 |
| <i>Crataegus crus-galli</i> var. <i>inermis</i> 'Crusader' See - <i>Crataegus crus-galli</i> var. <i>inermis</i> 'Cruzam' | | | | | | | | |
| <i>Crataegus crus-galli</i> var. <i>inermis</i> 'Cruzam' Crusader® Thornless Cockspur Hawthorn | DT | 1.31 | R1 | 3-4 | 5-8 | 1.31 | 1.23 | 4 |
| <i>Crataegus cuneata</i> Nippon Hawthorn | DS | 1.00 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Crataegus douglasii</i> Douglas Hawthorn | DT | 0.76 | R1 | 3 | 4-8 | 1.19 | 1.61 | 3 |
| <i>Crataegus flava</i> Summer Hawthorn | DT | 0.57 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Crataegus laevigata</i> English Hawthorn | DT | 0.79 | R1 | 4 | 5-8 | 1.24 | 0.47 | 4 |
| <i>Crataegus laevigata</i> 'Aurea' Goldfruit English Hawthorn | DT | 0.94 | R1 | 4 | 5-8 | 1.05 | 0.47 | 4 |
| <i>Crataegus laevigata</i> 'Autumn Glory' Autumn Glory English Hawthorn | DT | 0.94 | R1 | 4 | 5-8 | 0.66 | 0.47 | 4 |
| <i>Crataegus laevigata</i> 'Crimson Cloud' See - <i>Crataegus laevigata</i> 'Superba' P.P. 2679 | | | | | | | | |
| <i>Crataegus laevigata</i> 'Paul's Scarlet' Paul's Scarlet English Hawthorn | DT | 0.95 | R1 | 4 | 5-8 | 1.07 | 0.54 | 4 |
| <i>Crataegus laevigata</i> 'Plena' Doublewhite English Hawthorn | DT | 0.94 | R1 | 4 | 5-8 | 1.05 | 0.47 | 4 |
| <i>Crataegus laevigata</i> 'Rosea Flore Pleno' Doublepink English Hawthorn | DT | 0.94 | R1 | 4 | 5-8 | 1.05 | 0.47 | 4 |
| <i>Crataegus laevigata</i> 'Rosea' Pink English Hawthorn | DT | 0.94 | R1 | 4 | 5-8 | 1.05 | 0.47 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Crataegus laevigata</i> 'Superba' P.P. 2679 Crimson Cloud English Hawthorn | DT | 1.07 | R1 | 4 | 5-8 | 1.21 | 0.40 | 4 |
| <i>Crataegus x lavallei</i> Lavalle Hawthorn | DT | 0.85 | R1 | 3-5 | 6-8 | 1.10 | 1.03 | 5 |
| <i>Crataegus x lavallei</i> 'Carrierei' Carriere Lavalle Hawthorn | DT | 1.39 | R1 | 3-5 | 6-8 | 1.16 | 1.03 | 5 |
| <i>Crataegus marshallii</i> See - <i>Crataegus apiifolia</i> | | | | | | | | |
| <i>Crataegus mollis</i> Downy Hawthorn | DT | 0.72 | R1 | 3 | 4-8 | 1.21 | 1.10 | 3 |
| <i>Crataegus monogyna</i> Singleseed Hawthorn | DT | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Crataegus monogyna</i> 'Flexuosa' Contorted Singleseed Hawthorn | DT | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Crataegus x mordenensis</i> Morden Hawthorn | DT | 1.18 | R1 | 3-4 | 5-8 | 1.26 | 1.92 | 4 |
| <i>Crataegus x mordenensis</i> 'Snowbird' C.O.P.F. Snowbird Hawthorn | DT | 0.90 | R1 | 3-4 | 5-8 | 1.05 | 1.92 | 4 |
| <i>Crataegus x mordenensis</i> 'Toba' Toba Hawthorn | DT | 1.45 | R1 | 3-4 | 5-8 | 1.47 | 1.92 | 4 |
| <i>Crataegus nitida</i> Glossy Hawthorn | DT | 1.00 | R1 | 4 | 5-8 | 1.00 | 1.00 | 4 |
| <i>Crataegus opaca</i> Western Mayhaw | DT | 0.48 | R1 | 4 | 5-8 | 1.00 | 0.88 | 4 |
| <i>Crataegus oxycantha</i> See - <i>Crataegus laevigata</i> | | | | | | | | |
| <i>Crataegus pedicellata</i> Scarlet Hawthorn | DT | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Crataegus persimilis</i> Plum Leaf Hawthorn | DT | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.31 | 5 |
| <i>Crataegus phaenopyrum</i> Washington Hawthorn | DT | 0.89 | R1 | 3-4 | 5-8 | 1.03 | 1.07 | 4 |
| <i>Crataegus phaenopyrum</i> 'Clark' Clark Washington Hawthorn | DT | 0.89 | R1 | 3-4 | 5-8 | 0.86 | 1.07 | 4 |
| <i>Crataegus phaenopyrum</i> 'PNI 1661' Princeton Sentry® Washington Hawthorn | DT | 0.89 | R1 | 3-4 | 5-8 | 1.05 | 1.07 | 4 |
| <i>Crataegus phaenopyrum</i> 'Presidential' See - <i>Crataegus phaenopyrum</i> 'Prezam' | | | | | | | | |
| <i>Crataegus phaenopyrum</i> 'Prezam' Presidential™ Washington Hawthorn | DT | 0.89 | R1 | 3-4 | 5-8 | 1.26 | 1.07 | 4 |
| <i>Crataegus phaenopyrum</i> 'Princeton Sentry' See - <i>Crataegus phaenopyrum</i> 'PNI 1661' | | | | | | | | |
| <i>Crataegus phaenopyrum</i> 'Wide Crown' Wide Crown Washington Hawthorn | DT | 0.89 | R1 | 3-4 | 5-8 | 1.05 | 1.07 | 4 |
| <i>Crataegus x prunifolia</i> See - <i>Crataegus persimilis</i> | | | | | | | | |
| <i>Crataegus punctata</i> Thicket Hawthorn | DT | 1.00 | R1 | 3-4 | 5-8 | 1.23 | 1.23 | 4 |
| <i>Crataegus punctata</i> 'Ohio Pioneer' Ohio Pioneer Thicket Hawthorn | DT | 1.00 | R1 | 3-4 | 5-8 | 1.23 | 1.23 | 4 |
| <i>Crataegus rivularis</i> See - <i>Crataegus douglasii</i> | | | | | | | | |
| <i>Crataegus rufula</i> Rufous Mayhaw | DT | 0.54 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Crataegus succulenta</i> Fleshy Hawthorn | DT | 0.91 | R1 | 3-4 | 5-8 | 1.00 | 2.34 | 4 |
| <i>Crataegus viridis</i> Green Hawthorn | DT | 0.93 | R1 | 3-5 | 6-8 | 1.07 | 1.04 | 5 |
| <i>Crataegus viridis</i> 'Winter King' Winter King Green Hawthorn | DT | 0.93 | R1 | 3-5 | 6-8 | 1.00 | 1.23 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Crinodendron hookerianum</i> Chilean Lantern Tree | BS | 1.01 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Crinum</i> No Common Name Found | HP | 1.46 | R2 | 6-8 | | | | |
| <i>Crinum</i> 'Bradley' Bradley Crinum Lily | HP | 1.20 | R2 | 6-8 | | | | |
| <i>Crinum</i> 'Ellen Bosanquet' Ellen Bosanquet Crinum | HP | 1.54 | R2 | 6-8 | | | | |
| <i>Crinum</i> 'Stars and Stripes' Stars and Stripes Crinum Lily | HP | 1.64 | R2 | 6-8 | | | | |
| <i>Crinum amabile</i> Giant Spider Lily | HP | 0.99 | R2 | 6-8 | | | | |
| <i>Crinum americanum</i> Southern Swamp Crinum | HP | 0.79 | R2 | 6-8 | | | | |
| <i>Crinum asiaticum</i> Poison Bulb | HP | 0.95 | R2 | 6-8 | | | | |
| <i>Crinum asiaticum</i> var. <i>procerum</i> No Common Name Found | HP | 1.52 | R2 | 6-8 | | | | |
| <i>Crinum asiaticum</i> var. <i>procerum</i> 'Splendens' Splendens Crinum | HP | 1.52 | R2 | 6-8 | | | | |
| <i>Crinum augustum</i> No Common Name Found | HP | 1.11 | R2 | 6-8 | | | | |
| <i>Crinum augustum</i> 'Queen Emma' Queen Emma Crinum | HP | 1.08 | R2 | 6-8 | | | | |
| <i>Crinum bulbispermum</i> Jamaican Crinum | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Crinum</i> x <i>gowenii</i> Cemetery Lily | HP | 1.50 | R2 | 6-8 | | | | |
| <i>Crinum jagus</i> St. Christopher Lily | HP | 1.02 | R2 | 6-8 | | | | |
| <i>Crinum moorei</i> Long Neck Crinum | HP | 1.06 | R1 | 7-8 | | | | |
| <i>Crinum</i> x <i>powellii</i> Powell's Swamp Lily | HP | 1.26 | R2 | 5-6 | 7-8 | | | |
| <i>Crinum</i> x <i>powellii</i> 'Album' White Powell's Swamp Lily | HP | 1.26 | R2 | 5-6 | 7-8 | | | |
| <i>Crinum scabrum</i> See - <i>Crinum zeylanicum</i> | | | | | | | | |
| <i>Crinum zeylanicum</i> Milk-and-Wine Lily | HP | 1.25 | R2 | 5-8 | | | | |
| <i>Crocosmia</i> Montbretia | HP | 0.75 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia</i> 'Lucifer' Lucifer Montbretia | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia</i> 'Miss Myrtle' Miss Myrtle Montbretia | HP | 0.65 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia</i> 'Orangerot' Orangerot Montbretia | HP | 0.67 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia</i> 'Plaisir' Plaisir Canary Montbretia | HP | 0.75 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia</i> x <i>crocosmiiflora</i> No Common Name Found | HP | 1.16 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia</i> x <i>crocosmiiflora</i> 'Babylon' Babylon Montbretia | HP | 1.17 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia</i> x <i>crocosmiiflora</i> 'Bressingham Beacon' Bressingham Beacon Montbretia | HP | 0.97 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia</i> x <i>crocosmiiflora</i> 'Buttercup' Buttercup Montbretia | HP | 0.97 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia</i> x <i>crocosmiiflora</i> 'Carmine Brilliant' Carmine Brilliant Montbretia | HP | 0.97 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Crocosmia x crocosmiiflora</i> 'Citronella' Citronella Montbretia | HP | 1.05 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia x crocosmiiflora</i> 'Constance' Constance Montbretia | HP | 0.70 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia x crocosmiiflora</i> 'Emberglow' Emberglow Montbretia | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia x crocosmiiflora</i> 'Emily McKenzie' Emily McKenzie Hybrid Montbretia | HP | 1.20 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia x crocosmiiflora</i> 'George Davidson' George Davidson Hybrid Montbretia | HP | 0.94 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia x crocosmiiflora</i> 'James Coey' James Coey Montbretia | HP | 0.97 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia x crocosmiiflora</i> 'Jenny Bloom' Jenny Bloom Montbretia | HP | 0.64 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia x crocosmiiflora</i> 'Jupiter' Jupiter Montbretia | HP | 0.97 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia x crocosmiiflora</i> 'Mars' Mars Montbretia | HP | 0.97 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia x crocosmiiflora</i> 'Norwich Canary' Norwich Canary Montbretia | HP | 1.05 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia x crocosmiiflora</i> 'Queen Alexandra' Queen Alexandra Montbretia | HP | 0.97 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia x crocosmiiflora</i> 'Saturn' See - <i>Crocosmia x crocosmiiflora</i> 'Jupiter' | | | | | | | | |
| <i>Crocosmia x crocosmiiflora</i> 'Solfatare' Solfatare Montbretia | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia x crocosmiiflora</i> 'Spitfire' Spitfire Montbretia | HP | 0.97 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia x crocosmiiflora</i> 'Star of the East' Star of the East Montbretia | HP | 0.97 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia x crocosmiiflora</i> 'Sulfaterre' See - <i>Crocosmia x crocosmiiflora</i> 'Solfatare' | | | | | | | | |
| <i>Crocosmia x crocosmiiflora</i> 'Venus' Venus Montbretia | HP | 0.75 | R2 | 3-5 | 6-8 | | | |
| <i>Crocosmia masoniorum</i> Golden Swan Montbretia | HP | 0.87 | R2 | 3-6 | 7-8 | | | |
| <i>Crocosmia pottsii</i> Pott's Coppertip | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Crossandra</i> Firecracker Flower | FO | 1.00 | R2 | 7-8 | | | 1.00 | 10 |
| <i>Crossandra</i> 'Shamrock' Shamrock™ Firecracker Flower | FO | 1.00 | R2 | 7-8 | | | 1.00 | 10 |
| <i>Crossandra infundibuliformis</i> Firecracker Flower | FO | 0.52 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Crossandra infundibuliformis</i> 'Florida Flame' Florida Flame Firecracker Flower | FO | 0.39 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Crossandra infundibuliformis</i> 'Florida Passion' Florida Passion Firecracker Flower | FO | 0.47 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Crossandra infundibuliformis</i> 'Florida Summer' Florida Summer Firecracker Flower | FO | 0.46 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Crossandra infundibuliformis</i> 'Florida Sunset' Florida Sunset Firecracker Flower | FO | 0.42 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Crossandra infundibuliformis</i> 'Florida Twilight' Florida Twilight Firecracker Flower | FO | 0.47 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Crossandra infundibuliformis</i> 'Mona Walhead' Mona Walhead Firecracker Flower | FO | 0.42 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Crossandra infundibuliformis</i> 'Tropic Flame' Tropic Flame Firecracker Flower | FO | 0.42 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Crossandra infundibuliformis</i> 'Tropic Yellow Splash' Tropic Yellow Splash Firecracker Flower | FO | 0.45 | R2 | 6-8 | | | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|-------------|----------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Caliper | Factors High/Wide | | |
| <i>Crotalaria agatiflora</i> Canary-Bird Bush | BS | 0.81 | R2 | 8 | | | 1.00 | 9 |
| <i>Crowea exalata</i> No Common Name Found | BS | 0.65 | R2 | 8 | | | 1.00 | 10 |
| <i>Cryosophila argentea</i> Silver Rootspine Palm | PC | 1.37 | R2 | 8 | | | 1.00 | 10 |
| <i>Cryptanthus</i> Earth Star | HP | 1.84 | R2 | 5-8 | | | | |
| <i>Cryptanthus</i> 'Black Mystic' Black Mystic Earth Star | HP | 1.51 | R2 | 5-8 | | | | |
| <i>Cryptanthus</i> 'Elaine' Elaine Earth Star | HP | 1.52 | R2 | 5-8 | | | | |
| <i>Cryptanthus bivittatus</i> No Common Name Found | HP | 1.00 | R2 | 8 | | | | |
| <i>Cryptanthus bivittatus</i> 'Pink Starlite' Pink Starlite Cryptanthus | HP | 1.00 | R2 | 8 | | | | |
| <i>Cryptanthus bivittatus</i> var. <i>atropurpureus</i> No Common Name Found | HP | 1.00 | R2 | 8 | | | | |
| <i>Cryptanthus bivittatus</i> var. <i>atropurpureus</i> 'Ruby' Ruby Cryptanthus | HP | 1.00 | R2 | 8 | | | | |
| <i>Cryptanthus marginatus</i> No Common Name Found | HP | 1.00 | R2 | 8 | | | | |
| <i>Cryptanthus marginatus</i> 'Arlety' Arlety Cryptanthus | HP | 1.00 | R2 | 8 | | | | |
| <i>Cryptocereus anthonyanus</i> See - <i>Selenicereus anthonyanus</i> | HP | 1.00 | R2 | | 3-8 | | | |
| <i>Cryptogramma acrostichoides</i> American Parsley Fern | HP | 1.00 | R2 | | 3-8 | | | |
| <i>Cryptogramma crispa</i> European Parsley Fern | HP | 1.00 | R2 | | 3-8 | | | |
| <i>Cryptomeria japonica</i> Japanese Cedar | CE | 0.60 | R1 | 3-5 | 6-8 | 3.00 | 1.27 | 5 |
| <i>Cryptomeria japonica</i> 'Araucarioides' Araucarioides Japanese Cedar | CE | 0.85 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Bandai-tsugi' Bandai-tsugi Japanese Cedar | CE | 0.63 | R1 | 3-5 | 6-8 | 3.00 | 1.69 | 5 |
| <i>Cryptomeria japonica</i> 'Benjamin Franklin' Benjamin Franklin Japanese Cedar | CE | 0.64 | R1 | 3-5 | 6-8 | 3.00 | 0.97 | 5 |
| <i>Cryptomeria japonica</i> 'Birodo-sugi' Birodo-sugi Japanese Cedar | CE | 0.84 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Black Dragon' Black Dragon Japanese Cedar | CE | 1.03 | R1 | 3-5 | 6-8 | 3.00 | 1.52 | 5 |
| <i>Cryptomeria japonica</i> 'Compressa' Compressa Japanese Cedar | CE | 0.84 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Cristata' Cristata Japanese Cedar | CE | 0.84 | R1 | 3-5 | 6-8 | 3.00 | 1.33 | 5 |
| <i>Cryptomeria japonica</i> 'Elegans Aurea' Elegans Aurea Japanese Cedar | CE | 0.84 | R1 | 3-5 | 6-8 | 3.00 | 1.10 | 5 |
| <i>Cryptomeria japonica</i> 'Elegans Compacta' Elegans Compact Japanese Cedar | CE | 0.71 | R1 | 3-5 | 6-8 | 3.00 | 0.98 | 5 |
| <i>Cryptomeria japonica</i> 'Elegans Nana' See - <i>Cryptomeria japonica</i> 'Elegans Compacta' | CE | 0.81 | R1 | 3-5 | 6-8 | 3.00 | 0.70 | 5 |
| <i>Cryptomeria japonica</i> 'Elegans' Elegans Japanese Cedar | CE | 0.89 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Globosa Nana' Globosa Nana Japanese Cedar | CE | 0.63 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Globosa' Globosa Japanese Cedar | CE | 0.63 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Gyokruya' Gyokruya Japanese Cedar | CE | 1.06 | R1 | 3-5 | 6-8 | 3.00 | 2.09 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Cryptomeria japonica</i> 'Hino-sugi' Hino-sugi Japanese Cedar | CE | 0.84 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Jindai-sugi' Jindai-sugi Japanese Cedar | CE | 1.02 | R1 | 3-5 | 6-8 | 3.00 | 2.15 | 5 |
| <i>Cryptomeria japonica</i> 'Kilmacurragh' Kilmacurragh Japanese Cedar | CE | 0.84 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Knaptonensis' Knaptonensis Japanese Cedar | CE | 0.58 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Kokuryow' Kokuryow Japanese Cedar | CE | 0.84 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Koshiyi' Koshiyi Dwarf Japanese Cedar | CE | 0.84 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Little Diamond' Little Diamond Japanese Cedar | CS | 0.94 | R1 | 3-5 | 6-8 | | 1.49 | 5 |
| <i>Cryptomeria japonica</i> 'Lobbii Nana' Lobbii Dwarf Japanese Cedar | CE | 0.44 | R1 | 3-5 | 6-8 | 3.00 | 1.06 | 5 |
| <i>Cryptomeria japonica</i> 'Manhismi-sugi' Manhismi-sugi Japanese Cedar | CE | 0.84 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Monstrosa' Monstrosa Japanese Cedar | CE | 1.69 | R1 | 3-5 | 6-8 | 3.00 | 3.54 | 5 |
| <i>Cryptomeria japonica</i> 'Mushroom' Mushroom Japanese Cedar | CE | 0.84 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Nana' Dwarf Japanese Cedar | CE | 0.81 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Pygmaea' Pygmy Japanese Cedar | CS | 0.94 | R1 | 3-5 | 6-8 | | 1.49 | 5 |
| <i>Cryptomeria japonica</i> 'Radicans' Radicans Japanese Cedar | CS | 0.94 | R1 | 3-5 | 6-8 | | 1.49 | 5 |
| <i>Cryptomeria japonica</i> 'Rasen' Rasen Japanese Cedar | CE | 0.84 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Rasen-sugi' See - <i>Cryptomeria japonica</i> 'Rasen' | | | | | | | | |
| <i>Cryptomeria japonica</i> 'Ryoku Gyoku' Ryoku Gyoku Japanese Cedar | CE | 0.84 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Sekkan-sugi' Sekkan-sugi Japanese Cedar | CE | 0.84 | R1 | 3-5 | 6-8 | 3.00 | 1.15 | 5 |
| <i>Cryptomeria japonica</i> 'Spiralis' Spiral Japanese Cedar | CE | 0.84 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Spiraliter Falcata' Spiraliter Falcata Japanese Cedar | CE | 0.84 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Taisho Tama' Taisho Tama Japanese Cedar | CE | 1.08 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Taisho Tamasugi' See - <i>Cryptomeria japonica</i> 'Taisho Tama' | | | | | | | | |
| <i>Cryptomeria japonica</i> 'Tansu Sport' Tansu Sport Dwarf Japanese Cedar | CE | 0.84 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Tansu' Tansu Japanese Cedar | CE | 1.00 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Tarheel Blue' Tarheel Blue Japanese Cedar | CE | 0.70 | R1 | 3-5 | 6-8 | 3.00 | 0.76 | 5 |
| <i>Cryptomeria japonica</i> 'Tenzan' Tenzan Japanese Cedar | CE | 0.84 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Vilmoriniana' Vilmoriniana Japanese Cedar | CE | 0.84 | R1 | 3-5 | 6-8 | 3.00 | 1.43 | 5 |
| <i>Cryptomeria japonica</i> 'Yoshino' Yoshino Japanese Cedar | CE | 0.85 | R1 | 3-5 | 6-8 | 3.00 | 1.12 | 5 |
| <i>Cryptotaenia japonica</i> Mitsuba | AN | 1.61 | R1 | 3-5 | 6-8 | | | |
| <i>Cryptotaenia japonica</i> 'Atropurpurea' Purple Mitsuba | AN | 1.61 | R1 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Ctenanthe lubbersiana</i> No Common Name Found | FO | 0.78 | R2 | 3-8 | | | 1.00 | 10 |
| <i>Cuminum cyminum</i> Cumin | AN | 1.00 | R2 | 6-8 | | | | |
| <i>Cunninghamia konishii</i> See - <i>Cunninghamia lanceolata</i> var. <i>konishii</i> | | | | | | | | |
| <i>Cunninghamia lanceolata</i> Common China Fir | CE | 0.47 | R1 | 5-7 | 8 | 1.00 | 0.81 | 7 |
| <i>Cunninghamia lanceolata</i> 'Glauca' Blue China Fir | CE | 0.73 | R1 | 5-7 | 8 | 1.00 | 0.81 | 7 |
| <i>Cunninghamia lanceolata</i> var. <i>konishii</i> Konishi China Fir | CE | 1.00 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Cunninghamia lanceolata</i> var. <i>konishii</i> 'Little Leo' Little Leo Kinoshi China Fir | CE | 1.00 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Cunninghamia selaginoides</i> See - <i>Athrotaxis selaginoides</i> | | | | | | | | |
| <i>Cuphea</i> Cigar Plant | HP | 1.11 | R2 | 4-6 | 7-8 | | | |
| <i>Cuphea</i> 'Starfire' Starfire Cigar Plant | HP | 0.82 | R2 | 4-6 | 7-8 | | | |
| <i>Cuphea glutinosa</i> Sticky Waxweed | HP | 0.70 | R2 | 7-8 | | | | |
| <i>Cuphea glutinosa</i> 'Purple Passion' Purple Passion Sticky Waxweed | HP | 0.70 | R2 | 7-8 | | | | |
| <i>Cuphea hyssopifolia</i> False Heather | HP | 0.57 | R2 | 6-8 | | | | |
| <i>Cuphea hyssopifolia</i> 'Alba' White False Heather | HP | 0.63 | R2 | 6-8 | | | | |
| <i>Cuphea hyssopifolia</i> 'Allyson' Allyson False Heather | HP | 0.67 | R2 | 6-8 | | | | |
| <i>Cuphea hyssopifolia</i> 'Compacta' Dwarf False Heather | HP | 0.66 | R2 | 6-8 | | | | |
| <i>Cuphea hyssopifolia</i> 'David Verity' David Verity False Heather | HP | 0.79 | R2 | 6-8 | | | | |
| <i>Cuphea hyssopifolia</i> 'Itsy Bitsy Lilac' See - <i>Cuphea hyssopifolia</i> 'Monshi' | | | | | | | | |
| <i>Cuphea hyssopifolia</i> 'Itsy Bitsy Rose' See - <i>Cuphea hyssopifolia</i> 'Montroy' | | | | | | | | |
| <i>Cuphea hyssopifolia</i> 'Itsy Bitsy White' See - <i>Cuphea hyssopifolia</i> 'Monga' | | | | | | | | |
| <i>Cuphea hyssopifolia</i> 'Lavender Lace' Lavender Lace False Heather | HP | 0.82 | R2 | 6-8 | | | | |
| <i>Cuphea hyssopifolia</i> 'Monga' Itsy Bitsy@ White False Heather | HP | 1.23 | R2 | 6-8 | | | | |
| <i>Cuphea hyssopifolia</i> 'Monshi' Itsy Bitsy@ Lilac False Heather | HP | 1.23 | R2 | 6-8 | | | | |
| <i>Cuphea hyssopifolia</i> 'Montroy' Itsy Bitsy@ Rose False Heather | HP | 1.29 | R2 | 6-8 | | | | |
| <i>Cuphea hyssopifolia</i> 'Riverdene Gold' P.P.A.F. Riverdene Gold False Heather | HP | 1.28 | R2 | 6-8 | | | | |
| <i>Cuphea hyssopifolia</i> 'Rosea' Rose False Heather | HP | 0.68 | R2 | 6-8 | | | | |
| <i>Cuphea hyssopifolia</i> 'White Whispers' White Whispers False Heather | HP | 0.64 | R2 | 6-8 | | | | |
| <i>Cuphea ignea</i> Cigar Plant | HP | 0.66 | R2 | 8 | | | | |
| <i>Cuphea ignea</i> 'Dynamite' Dynamite Cigar Plant | HP | 0.86 | R2 | 8 | | | | |
| <i>Cuphea llavea</i> Bat-faced Cuphea | HP | 0.88 | R2 | 8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cuphea melvilla</i> Candy Corn Flower | HP | 0.47 | R2 | 8 | | | | |
| <i>Cuphea micropetala</i> No Common Name Found | HP | 0.72 | R2 | 8 | | | | |
| <i>Cuphea platycentra</i> See - <i>Cuphea ignea</i> | | | | | | | | |
| <i>Cuphea</i> x <i>purpurea</i> No Common Name Found | HP | 0.77 | R2 | 8 | | | | |
| <i>Cuphea</i> x <i>purpurea</i> 'Firefly' Firefly Hybrid Cuphea | HP | 0.77 | R2 | 8 | | | | |
| <i>Cuphea salvadorensis</i> Salvadorean Heather | HP | 0.56 | R2 | 8 | | | | |
| <i>Cuphea varia</i> Mexican Heather | HP | 0.90 | R2 | 8 | | | | |
| <i>Cuphea varia</i> 'Susan's Little Gem' Susan's Little Gem Mexican Heather | HP | 0.90 | R2 | 8 | | | | |
| x <i>Cupressocyparis leylandii</i> Leyland Cypress | CE | 0.75 | R1 | 6 | 7-8 | 0.69 | 0.61 | 6 |
| x <i>Cupressocyparis leylandii</i> 'Castlewellan Gold' See - x <i>Cupressocyparis leylandii</i> 'Castlewellan' | | | | | | | | |
| x <i>Cupressocyparis leylandii</i> 'Castlewellan' Gold Leyland Cypress | CE | 0.85 | R1 | 6 | 7-8 | 0.69 | 1.10 | 6 |
| x <i>Cupressocyparis leylandii</i> 'Emerald Isle' See - x <i>Cupressocyparis leylandii</i> 'Moncal' | | | | | | | | |
| x <i>Cupressocyparis leylandii</i> 'Golconda' Golconda Leyland Cypress | CE | 1.03 | R1 | 6 | 7-8 | 0.69 | 0.79 | 6 |
| x <i>Cupressocyparis leylandii</i> 'Gold Cup' Gold Cup Leyland Cypress | CE | 0.79 | R1 | 6 | 7-8 | 0.69 | 0.79 | 6 |
| x <i>Cupressocyparis leylandii</i> 'Gold Rider' Gold Rider Leyland Cypress | CE | 0.73 | R1 | 6 | 7-8 | 0.69 | 0.86 | 6 |
| x <i>Cupressocyparis leylandii</i> 'Grelive' P.P. 11217 Irish Mint™ Leyland Cypress | CE | 0.68 | R1 | 6 | 7-8 | 0.69 | 0.79 | 6 |
| x <i>Cupressocyparis leylandii</i> 'Harlequin' Harlequin Variegated Leyland Cypress | CE | 0.56 | R1 | 6 | 7-8 | 0.69 | 0.79 | 6 |
| x <i>Cupressocyparis leylandii</i> 'Irish Mint' See - x <i>Cupressocyparis leylandii</i> 'Grelive' P.P. 11217 | | | | | | | | |
| x <i>Cupressocyparis leylandii</i> 'Leighton Green' Leighton Green Leyland Cypress | CE | 0.68 | R1 | 6 | 7-8 | 0.69 | 0.49 | 6 |
| x <i>Cupressocyparis leylandii</i> 'Moncal' Emerald Isle™ Leyland Cypress | CE | 1.04 | R1 | 6 | 7-8 | 0.69 | 0.74 | 6 |
| x <i>Cupressocyparis leylandii</i> 'Naylor's Blue' Naylor's Blue Leyland Cypress | CE | 0.90 | R1 | 6 | 7-8 | 0.69 | 1.16 | 6 |
| x <i>Cupressocyparis leylandii</i> 'Silver Dust' Silver Dust Leyland Cypress | CE | 0.71 | R1 | 6 | 7-8 | 0.69 | 0.57 | 6 |
| x <i>Cupressocyparis leylandii</i> 'Variegata' See - x <i>Cupressocyparis leylandii</i> 'Harlequin' | | | | | | | | |
| <i>Cupressus arizonica</i> Arizona Cypress | CE | 0.75 | R1 | 6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Cupressus arizonica</i> 'Raywood's Weeping' See - <i>Cupressus glabra</i> 'Raywood's Weeping' | | | | | | | | |
| <i>Cupressus arizonica</i> var. <i>glabra</i> See - <i>Cupressus glabra</i> | | | | | | | | |
| <i>Cupressus bakeri</i> Modoc Cypress | CE | 0.58 | R1 | 5-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Cupressus glabra</i> Smooth-bark Arizona Cypress | CE | 0.75 | R1 | 5-7 | 8 | 1.00 | 0.85 | 7 |
| <i>Cupressus glabra</i> 'Aurea' Gold Arizona Cypress | CE | 0.79 | R1 | 5-7 | 8 | 1.00 | 0.81 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Cupressus glabra</i> 'Blue Ice' Blue Ice Smooth-bark Arizona Cypress | CE | 0.83 | R1 | 5-7 | 8 | 1.00 | 0.63 | 7 |
| <i>Cupressus glabra</i> 'Blue Pyramid' Blue Pyramid Smooth-bark Arizona Cypress | CE | 1.04 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Cupressus glabra</i> 'Caroline Sapphire' Caroline Sapphire Smooth-bark Arizona Cypress | CE | 0.77 | R1 | 5-7 | 8 | 1.00 | 0.57 | 7 |
| <i>Cupressus glabra</i> 'Golden Pyramid' Golden Pyramid Smooth-bark Arizona Cypress | CE | 0.58 | R1 | 5-7 | 8 | 1.00 | 1.59 | 7 |
| <i>Cupressus glabra</i> 'Limelight' P.P. 10178 Limelight Smooth-bark Arizona Cypress | CE | 0.89 | R1 | 5-7 | 8 | 1.00 | 0.85 | 7 |
| <i>Cupressus glabra</i> 'Raywood's Weeping' Raywood's Weeping Smooth-bark Arizona Cypress | CE | 0.79 | R1 | 5-7 | 8 | 1.00 | 0.85 | 7 |
| <i>Cupressus glabra</i> 'Silver Smoke' Silver Smoke Smooth-bark Arizona Cypress | CE | 0.68 | R1 | 5-7 | 8 | 1.00 | 0.48 | 7 |
| <i>Cupressus goveniana</i> Gowen Cypress | CE | 0.56 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Cupressus guadalupensis</i> Guadalupe Cypress | CE | 1.00 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Cupressus macrocarpa</i> Monterey Cypress | CE | 0.71 | R1 | 5-7 | 8 | 1.00 | 1.58 | 7 |
| <i>Cupressus macrocarpa</i> 'Brunneana Aurea' Brunneana Aurea Monterey Cypress | CE | 0.76 | R1 | 5-7 | 8 | 1.00 | 1.58 | 7 |
| <i>Cupressus macrocarpa</i> 'Coneybearii Aurea' Golden Weeping Monterey Cypress | CE | 0.76 | R1 | 5-7 | 8 | 1.00 | 1.58 | 7 |
| <i>Cupressus macrocarpa</i> 'Fine Gold' Fine Gold Monterey Cypress | CE | 0.76 | R1 | 5-7 | 8 | 1.00 | 1.58 | 7 |
| <i>Cupressus macrocarpa</i> 'Goldcrest' Goldcrest Monterey Cypress | CE | 0.80 | R1 | 5-7 | 8 | 1.00 | 1.58 | 7 |
| <i>Cupressus macrocarpa</i> 'Golden Pillar' Golden Pillar Monterey Cypress | CE | 0.76 | R1 | 5-7 | 8 | 1.00 | 1.58 | 7 |
| <i>Cupressus macrocarpa</i> 'Greenstead Magnificent' Greenstead Magnificent Monterey Cypress | CE | 0.76 | R1 | 5-7 | 8 | 1.00 | 1.58 | 7 |
| <i>Cupressus macrocarpa</i> 'Horizontalis Aurea' Horizontalis Aurea Monterey Cypress | CE | 0.76 | R1 | 5-7 | 8 | 1.00 | 1.58 | 7 |
| <i>Cupressus macrocarpa</i> 'Saligna Aurea' See - <i>Cupressus macrocarpa</i> 'Coneybearii Aurea' | | | | | | | | |
| <i>Cupressus sargentii</i> Sargent Cypress | CE | 0.83 | R1 | 5-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Cupressus sempervirens</i> Italian Cypress | CE | 0.99 | R1 | 5-7 | 8 | 1.00 | 0.98 | 7 |
| <i>Cupressus sempervirens</i> 'Glauca' Blue Italian Cypress | CE | 0.96 | R1 | 5-7 | 8 | 1.00 | 0.41 | 7 |
| <i>Cupressus sempervirens</i> 'Monshel' P.P. 12933 Tiny Tower™ Italian Cypress | CE | 1.55 | R1 | 5-7 | 8 | 1.00 | 0.70 | 7 |
| <i>Cupressus sempervirens</i> 'Stricta' Stricta Italian Cypress | CE | 0.65 | R1 | 5-7 | 8 | 1.00 | 0.70 | 7 |
| <i>Cupressus sempervirens</i> 'Swane's Golden' P.P. 3839 Swane's Golden Italian Cypress | CE | 1.23 | R1 | 5-7 | 8 | 1.00 | 0.70 | 7 |
| <i>Cupressus sempervirens</i> 'Tiny Tower' See - <i>Cupressus sempervirens</i> 'Monshel' P.P. 12933 | | | | | | | | |
| <i>Curculigo purpurea</i> Purple Palm Grass | HP | 1.22 | R2 | 8 | | | | |
| <i>Curcuma</i> Hidden Ginger | HP | 1.70 | R2 | 5-8 | | | | |
| <i>Curcuma</i> 'Alimanda' Alimanda Ginger | HP | 1.84 | R2 | 5-8 | | | | |
| <i>Curcuma</i> 'Amethyst' Amethyst Ginger | HP | 1.75 | R2 | 5-8 | | | | |
| <i>Curcuma</i> 'Black Thai' Black Thai Ginger | HP | 1.70 | R2 | 5-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Curcuma</i> 'Ladawan' Ladawan Ginger | HP | 1.77 | R2 | 5-8 | | | | |
| <i>Curcuma</i> 'Panama Purple' Panama Purple Ginger | HP | 1.26 | R2 | 5-8 | | | | |
| <i>Curcuma</i> 'Purple Prince' Purple Prince Ginger | HP | 1.83 | R2 | 5-8 | | | | |
| <i>Curcuma</i> 'Raspberry' Raspberry Ginger | HP | 1.50 | R2 | 5-8 | | | | |
| <i>Curcuma</i> 'Ribbon' Ribbon Ginger | HP | 1.83 | R2 | 5-8 | | | | |
| <i>Curcuma</i> 'Scarlet Fever' Scarlet Fever Ginger | HP | 1.79 | R2 | 5-8 | | | | |
| <i>Curcuma alismatifolia</i> Siam Tulip | HP | 1.56 | R2 | 5-8 | | | | |
| <i>Curcuma alismatifolia</i> 'Chaingmai Pink' Chaingmai Pink Siam Tulip | HP | 1.56 | R2 | 5-8 | | | | |
| <i>Curcuma aurantiaca</i> Rainbow Curcuma | HP | 1.25 | R2 | 5-8 | | | | |
| <i>Curcuma australasica</i> Aussie Plume | HP | 1.20 | R2 | 5-7 | 8 | | | |
| <i>Curcuma cordata</i> See - <i>Curcuma petiolata</i> | | | | | | | | |
| <i>Curcuma domestica</i> See - <i>Curcuma longa</i> | | | | | | | | |
| <i>Curcuma elata</i> Giant Plume Ginger | HP | 1.25 | R2 | 3-7 | 8 | | | |
| <i>Curcuma gracillima</i> No Common Name Found | HP | 1.16 | R2 | 5-8 | | | | |
| <i>Curcuma gracillima</i> 'Candy Cane' Candy Cane Ginger | HP | 1.75 | R2 | 5-8 | | | | |
| <i>Curcuma inodora</i> No Common Name Found | HP | 1.25 | R2 | 5-8 | | | | |
| <i>Curcuma longa</i> Turmeric | HP | 1.25 | R2 | 3-7 | 8 | | | |
| <i>Curcuma petiolata</i> Queen Lily | HP | 1.02 | R2 | 3-7 | 8 | | | |
| <i>Curcuma petiolata</i> 'Emperor' Emperor Queen Lily | HP | 1.50 | R2 | 5-8 | | | | |
| <i>Curcuma petiolata</i> 'Jewel of Thailand' Jewel of Thailand Queen Lily | HP | 1.26 | R2 | 3-8 | | | | |
| <i>Curcuma roscoeana</i> Jewel of Burma | HP | 1.25 | R2 | 5-8 | | | | |
| <i>Curcuma sumatrana</i> Olena Ginger | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Curcuma thorelii</i> No Common Name Found | HP | 1.16 | R2 | 5-8 | | | | |
| <i>Curcuma thorelii</i> 'Chiang Mai Snow' Chiang Mai Snow Ginger | HP | 1.16 | R2 | 5-8 | | | | |
| <i>Curcuma zedoaria</i> Zedoary | HP | 1.25 | R2 | 5-8 | | | | |
| <i>Cyathea australis</i> Rough Tree Fern | FO | 1.01 | R2 | 8 | | | 1.00 | 9 |
| <i>Cyathea cooperi</i> Australian Tree Fern | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Cyathea cooperi</i> 'Brentwood' Brentwood Australian Tree Fern | FO | 0.93 | R2 | 8 | | | 1.00 | 9 |
| <i>Cycas panzhihuanensis</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Cycas revoluta</i> King Sago Palm | PC | 1.05 | R1 | 8 | | | 1.90 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cycas taitungensis</i> Emperor Sago Palm | PC | 0.72 | R2 | 8 | | | 2.08 | 8 |
| <i>Cycas taiwaniana</i> See - <i>Cycas taitungensis</i> | | | | | | | | |
| <i>Cyclamen cilicium</i> No Common Name Found | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Cyclamen coum</i> Spring Blooming Cyclamen | HP | 1.00 | R2 | 3-5 | 6-7 | | | |
| <i>Cyclamen hederifolium</i> Hardy Cyclamen | HP | 1.40 | R2 | 5-6 | 7-8 | | | |
| <i>Cyclamen hederifolium</i> 'Alba' White Hardy Cyclamen | HP | 2.33 | R2 | 5-6 | 7-8 | | | |
| <i>Cyclamen neapolitanum</i> See - <i>Cyclamen hederifolium</i> | | | | | | | | |
| <i>Cyclamen persicum</i> Florist's Cyclamen | HP | 1.05 | R2 | 3-8 | | | | |
| <i>Cyclamen persicum</i> 'High Sierra' High Sierra Florist Cyclamen | HP | 1.05 | R2 | 3-8 | | | | |
| <i>Cyclamen repandum</i> No Common Name Found | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Cydista aequinoctialis</i> Garlic-scented Vine | GC | 0.78 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Cydonia japonica</i> See - <i>Chaenomeles japonica</i> | | | | | | | | |
| <i>Cydonia oblonga</i> Common Quince | FN | 0.73 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |
| <i>Cydonia sinensis</i> See - <i>Pseudocydonia sinensis</i> | | | | | | | | |
| <i>Cymbalaria aequitriloba</i> Toadflax Basket Ivy | HP | 0.46 | R2 | 3-7 | 8 | | | |
| <i>Cymbalaria muralis</i> Kenilworth Ivy | HP | 0.65 | R2 | 3-4 | 5-8 | | | |
| <i>Cymbalaria muralis</i> 'Nana Alba' Compact White Kenilworth Ivy | HP | 0.65 | R2 | 3-4 | 5-8 | | | |
| <i>Cymbalaria muralis</i> var. <i>compacta</i> Compact Kenilworth Ivy | HP | 0.65 | R2 | 3-4 | 5-8 | | | |
| <i>Cymbidium</i> Cymbidium Hybrid Orchid | FO | 2.61 | R2 | 8 | | | 1.00 | 9 |
| <i>Cymbopogon citratus</i> Lemon Grass | HP | 0.84 | R2 | 8 | | | | |
| <i>Cymbopogon flexuosus</i> Malabar Oil | HP | 1.00 | R2 | 8 | | | | |
| <i>Cymbopogon nardus</i> Citronella Grass | HP | 0.59 | R2 | 8 | | | | |
| <i>Cynara cardunculus</i> Cardoon | HP | 0.81 | R2 | 5-6 | 7-8 | | | |
| <i>Cynara scolymus</i> Globe Artichoke | HP | 0.86 | R2 | 5-6 | 7-8 | | | |
| <i>Cynara scolymus</i> 'Grosso Romanesco' Grosso Romanesco Globe Artichoke | HP | 1.90 | R2 | 5-6 | 7-8 | | | |
| <i>Cynara scolymus</i> 'Improved Green Globe' Improved Green Globe Artichoke | HP | 1.24 | R2 | 5-6 | 7-8 | | | |
| <i>Cynara scolymus</i> 'Violetto' Violetto Globe Artichoke | HP | 1.90 | R2 | 5-6 | 7-8 | | | |
| <i>Cypella coelestis</i> Goblet Flower | HP | 1.03 | R2 | 6-8 | | | | |
| <i>Cypella plumbea</i> See - <i>Cypella coelestis</i> | | | | | | | | |
| <i>Cyperus albostratus</i> Broadleaf Umbrella Plant | HP | 1.29 | R2 | 8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Cyperus albostratus</i> 'Variegatus' Variegated Broadleaf Umbrella Plant | HP | 1.29 | R2 | 8 | | | |
| <i>Cyperus alternifolius</i> Umbrella Plant | HP | 0.81 | R2 | 8 | | | |
| <i>Cyperus alternifolius</i> 'Nanus' Dwarf Umbrella Plant | HP | 0.83 | R2 | 8 | | | |
| <i>Cyperus flabelliformis</i> See - <i>Cyperus involucratus</i> | | | | | | | |
| <i>Cyperus glaber</i> Hardy Papyrus | HP | 1.00 | R2 | 5-7 | 8 | | |
| <i>Cyperus haspan</i> No Common Name Found | HP | 0.81 | R2 | 7-8 | | | |
| <i>Cyperus involucratus</i> No Common Name Found | HP | 0.69 | R2 | 8 | | | |
| <i>Cyperus isocladius</i> See - <i>Cyperus profler</i> | | | | | | | |
| <i>Cyperus longus</i> Galingale | HP | 1.00 | R2 | 5-7 | 8 | | |
| <i>Cyperus papyrus</i> Papyrus | HP | 0.94 | R2 | 8 | | | |
| <i>Cyperus profler</i> Dwarf Papyrus | HP | 0.96 | R2 | 8 | | | |
| <i>Cypripedium acaule</i> Lady's Slipper Orchid | FO | 0.91 | R2 | 5-6 | 7-8 | 1.00 | 5 |
| <i>Cypripedium parviflorum</i> var. <i>pubescens</i> Large Yellow Lady's Slipper Orchid | FO | 1.00 | R2 | | 3-8 | 1.00 | 2 |
| <i>Cypripedium pubescens</i> See - <i>Cypripedium parviflorum</i> var. <i>pubescens</i> | | | | | | | |
| <i>Cyrtilla arida</i> No Common Name Found | BE | 0.54 | R2 | 5-8 | | 1.00 | 1.00 8 |
| <i>Cyrtilla parviflora</i> See - <i>Cyrtilla racemiflora</i> | | | | | | | |
| <i>Cyrtilla racemiflora</i> Leatherwood | BE | 0.57 | R2 | 3-7 | 8 | 1.00 | 0.71 5 |
| <i>Cyrtilla racemiflora</i> 'Kristi' Kristi Leatherwood | BE | 0.55 | R2 | 3-7 | 8 | 1.00 | 0.71 5 |
| <i>Cyrtanthus mackenii</i> var. <i>cooperi</i> Cooper Ifafa Lily | HP | 1.03 | R2 | 8 | | | |
| <i>Cyrtomium caryotideum</i> Fishtail Holly Fern | FO | 1.00 | R2 | 5-6 | 7-8 | 1.00 | 6 |
| <i>Cyrtomium falcatum</i> Holly Fern | FO | 0.59 | R2 | 5-6 | 7-8 | 1.21 | 6 |
| <i>Cyrtomium falcatum</i> 'Rochfordianum' Rochford Holly Fern | FO | 0.82 | R2 | 5-6 | 7-8 | 1.21 | 6 |
| <i>Cyrtomium fortunei</i> Fortunei Holly Fern | HP | 1.10 | R2 | 5-6 | 7-8 | | |
| <i>Cyrtomium fortunei</i> var. <i>clivicola</i> Clivicola Fortunei Holly Fern | HP | 0.67 | R2 | 5-6 | 7-8 | | |
| <i>Cyrtomium macrophyllum</i> Big-leaf Holly Fern | HP | 1.11 | R2 | 6-7 | 8 | | |
| <i>Cyrtostachys lakka</i> Sealing Wax Palm | PC | 5.23 | R2 | 8 | | 1.00 | 10 |
| <i>Cyrtostachys renda</i> See - <i>Cyrtostachys lakka</i> | | | | | | | |
| <i>Cystopteris bulbifera</i> Bulblet Fern | HP | 1.10 | R2 | 3-6 | 7-8 | | |
| <i>Cytisus</i> Broom | BS | 1.40 | R2 | 5-6 | 7-8 | 1.00 | 6 |
| <i>Cytisus</i> 'Amber Elf' P.P.A.F. Amber Elf Dwarf Broom | BS | 1.40 | R2 | 5-6 | 7-8 | 1.00 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Cytisus canariensis</i> See - <i>Genista canariensis</i> | | | | | | | | |
| <i>Cytisus x kewensis</i> Kew Broom | BS | 0.75 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Cytisus x praecox</i> Warminster Broom | DS | 0.98 | R1 | 4-5 | 6-8 | | 1.12 | 5 |
| <i>Cytisus x praecox</i> 'Allgold' Allgold Warminster Broom | DS | 1.18 | R1 | 3-6 | 7-8 | | 1.12 | 5 |
| <i>Cytisus x praecox</i> 'Hollandia' Holland Warminster Broom | DS | 0.96 | R1 | 3-6 | 7-8 | | 1.12 | 5 |
| <i>Cytisus purgans</i> Provence Broom | DS | 1.26 | R1 | 4-5 | 6-8 | | 1.12 | 5 |
| <i>Cytisus scoparius</i> Scotch Broom | BS | 1.05 | R1 | 5 | 6-8 | | 0.55 | 5 |
| <i>Cytisus scoparius</i> 'Burkwoodii' Burkwood Scotch Broom | BS | 1.08 | R1 | 5 | 6-8 | | 0.55 | 5 |
| <i>Cytisus scoparius</i> 'Dorothy Walpole' Dorothy Walpole Scotch Broom | BS | 1.21 | R1 | 5 | 6-8 | | 0.55 | 5 |
| <i>Cytisus scoparius</i> 'Lena' Lena Scotch Broom | BS | 1.20 | R1 | 5 | 6-8 | | 0.55 | 5 |
| <i>Cytisus scoparius</i> 'Lilac Time' Lilac Time Scotch Broom | BS | 1.23 | R1 | 5 | 6-8 | | 0.55 | 5 |
| <i>Cytisus scoparius</i> 'Madame Butterfly' Madame Butterfly Scotch Broom | BS | 1.33 | R1 | 5 | 6-8 | | 0.55 | 5 |
| <i>Cytisus scoparius</i> 'Minstead' Minstead Scotch Broom | BS | 1.61 | R1 | 5 | 6-8 | | 0.55 | 5 |
| <i>Cytisus scoparius</i> 'Moonlight' Moonlight Scotch Broom | BS | 1.10 | R1 | 5 | 6-8 | | 0.55 | 5 |
| <i>Cytisus scoparius</i> 'Nova Scotia' Nova Scotia Scotch Broom | BS | 1.23 | R1 | 5 | 6-8 | | 0.55 | 5 |
| <i>Cytisus scoparius</i> 'Pomona' Pomona Scotch Broom | BS | 1.23 | R1 | 5 | 6-8 | | 0.55 | 5 |
| <i>Cytisus spachianus</i> See - <i>Genista x spachiana</i> | | | | | | | | |
| <i>Daboecia cantabrica</i> Connemara Heath | BS | 0.93 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Daboecia cantabrica</i> 'Alba' White Connemara Heath | BS | 1.05 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Daboecia cantabrica</i> 'Atropurpurea' Purple Connemara Heath | BS | 1.12 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Daboecia cantabrica</i> 'Praegerae' Praegerae Connemara Heath | BS | 0.98 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Daboecia cantabrica</i> 'William Buchanan Gold' William Buchanan Gold Connemara Heath | BS | 0.98 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Daboecia cantabrica</i> 'William Buchanan' William Buchanan Connemara Heath | BS | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Dactylis glomerata</i> Orchard Grass | HP | 0.65 | R2 | | 5-8 | | | |
| <i>Dactylis glomerata</i> 'Variegata' Variegated Orchard Grass | HP | 0.89 | R2 | | 5-8 | | | |
| <i>Dahlia</i> Dahlia | HP | 0.81 | R2 | 8 | | | | |
| <i>Dahlia</i> 'Classic Rosamunde' Classic Rosamunde Dahlia | HP | 0.81 | R2 | 8 | | | | |
| <i>Dahlia</i> 'Ellen Huston' Ellen Huston Dahlia | HP | 0.81 | R2 | 8 | | | | |
| <i>Dahlia</i> 'Fuerte Dahlianova Longlife' See - <i>Dahlia</i> 'Fuerte' P.P. 12814 | | | | | | | | |
| <i>Dahlia</i> 'Fuerte' P.P. 12814 Fuerte Dahlianova® Longlife Dahlia | HP | 0.60 | R2 | 8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Dahlia</i> 'Gallery Art Deco' Gallery Art Deco Dahlia | HP | 0.81 | R2 | 8 | | | | |
| <i>Dahlia</i> 'Gallery Art Fair' Gallery Art Fair Dahlia | HP | 0.81 | R2 | 8 | | | | |
| <i>Dahlia</i> 'Gallery Pablo' Gallery Pablo Dahlia | HP | 1.01 | R2 | 8 | | | | |
| <i>Dahlia</i> 'Gallery Rembrandt' Gallery Rembrandt Dahlia | HP | 1.01 | R2 | 8 | | | | |
| <i>Dahlia</i> 'Gallery Series' Gallery Series Dahlia | HP | 0.61 | R2 | 8 | | | | |
| <i>Dahlia</i> 'Gallery Singer' Gallery Singer Dahlia | HP | 0.81 | R2 | 8 | | | | |
| <i>Dahlia</i> 'Harlequin' Harlequin Dahlia | HP | 0.81 | R2 | 8 | | | | |
| <i>Dahlia</i> 'Little Tiger' Little Tiger Dahlia | HP | 0.81 | R2 | 8 | | | | |
| <i>Dahlia</i> 'Melody Bolero' Melody Bolero Dahlia | HP | 1.01 | R2 | 8 | | | | |
| <i>Dahlia</i> 'Melody Dixie' Melody Dixie Dahlia | HP | 0.81 | R2 | 8 | | | | |
| <i>Dahlia</i> 'Melody Gypsy' Melody Gypsy Dahlia | HP | 0.81 | R2 | 8 | | | | |
| <i>Dahlia</i> 'Melody Latin' Melody Latin Dahlia | HP | 1.01 | R2 | 8 | | | | |
| <i>Dahlia</i> 'Melody Swing' Melody Swing Dahlia | HP | 1.01 | R2 | 8 | | | | |
| <i>Dahlia</i> 'Park Princess' Park Princess Dahlia | HP | 0.88 | R2 | 8 | | | | |
| <i>Dahlia</i> 'Pecos Dahlianova Longlife' See - <i>Dahlia</i> 'Pecos' P.P. 12799 | | | | | | | | |
| <i>Dahlia</i> 'Pecos' P.P. 12799 Pecos Dahlianova® Longlife Dahlia | HP | 0.60 | R2 | 8 | | | | |
| <i>Dahlia</i> 'Rio Grande Dahlianova Longlife' See - <i>Dahlia</i> 'Rio Grande' P.P. 12797 | | | | | | | | |
| <i>Dahlia</i> 'Rio Grande' P.P. 12797 Rio Grande Dahlianova® Longlife Dahlia | HP | 0.60 | R2 | 8 | | | | |
| <i>Dahlia</i> 'Royal Dahlietta Series' Royal Dahlietta Series Dahlia | HP | 0.76 | R2 | 5-8 | | | | |
| <i>Dahlia imperialis</i> Tree Dahlia | HP | 0.81 | R2 | 3-8 | | | | |
| <i>Dahlia pinnata</i> Aztec Dahlia | HP | 0.43 | R2 | 3-8 | | | | |
| <i>Dahlia pinnata</i> 'Baldelmarm' P.P. 18474 Delicious™ Marmalade Aztec Dahlia | HP | 0.60 | R2 | 3-8 | | | | |
| <i>Dahlia pinnata</i> 'Delicious Marmalade' See - <i>Dahlia pinnata</i> 'Baldelmarm' P.P. 18474 | | | | | | | | |
| <i>Dahlia pinnata</i> 'Diablo' Diablo Aztec Dahlia | HP | 0.41 | R2 | 3-8 | | | | |
| <i>Dahlia pinnata</i> 'Figaro Mix' Figaro Mix Aztec Dahlia | HP | 0.44 | R2 | 3-8 | | | | |
| <i>Dahlia pinnata</i> 'Figaro Series' Figaro Series Aztec Dahlia | HP | 0.26 | R2 | 3-8 | | | | |
| <i>Dalbergia sissoo</i> Sissoo | DT | 0.96 | R1 | 8 | | 1.00 | 1.00 | 9 |
| <i>Dalea candida</i> White Prairie Clover | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Dalea foliosum</i> Leafy Prairie Clover | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Dalea frutescens</i> Indigo Bush | BS | 0.78 | R2 | 3-8 | | | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Dalea gattingeri</i> Purple Prairie Clover | HP | 0.93 | R2 | 3-7 | 8 | | |
| <i>Dalea greggii</i> Trailing Indigo Bush | BS | 0.82 | R2 | 3-8 | | 1.00 | 8 |
| <i>Dalea spinosa</i> See - <i>Psorothamnus spinosus</i> | | | | | | | |
| <i>Dalechampia dioscoreifolia</i> Bowtie Vine | GC | 0.95 | R2 | 5-8 | | 1.00 | 9 |
| <i>Damnacanthus indicus</i> No Common Name Found | BS | 1.00 | R2 | 7-8 | | 1.00 | 9 |
| <i>Damnacanthus indicus</i> 'Variegata' No Common Name Found | BS | 1.00 | R2 | 7-8 | | 1.00 | 9 |
| <i>Dampiera diversifolia</i> Kangaroo Lobelia | HP | 0.64 | R2 | 7-8 | | | |
| <i>Dampiera trigona</i> Angle-stem Dampiera | HP | 0.66 | R2 | 7-8 | | | |
| <i>Daphne arbuscula</i> No Common Name Found | GC | 1.00 | R2 | 4-5 | 6-8 | 1.00 | 5 |
| <i>Daphne bholua</i> Nepalese Paper Plant | DS | 1.00 | R2 | 6-8 | | 1.00 | 8 |
| <i>Daphne bholua</i> 'Darjeeling' Darjeeling Nepalese Paper Plant | DS | 1.00 | R2 | 6-8 | | 1.00 | 8 |
| <i>Daphne x burkwoodii</i> Burkwood Daphne | BS | 2.81 | R2 | 4-5 | 6-8 | 1.24 | 5 |
| <i>Daphne x burkwoodii</i> 'Briggs Moonlight' Briggs Moonlight Burkwood Daphne | BS | 4.98 | R2 | 4-5 | 6-8 | 1.24 | 5 |
| <i>Daphne x burkwoodii</i> 'Carol Mackie' Carol Mackie Burkwood Daphne | BS | 1.90 | R2 | 4-5 | 6-8 | 1.20 | 5 |
| <i>Daphne x burkwoodii</i> 'Somerset' Somerset Burkwood Daphne | BS | 1.54 | R2 | 4-5 | 6-8 | 1.27 | 5 |
| <i>Daphne caucasica</i> Caucasian Daphne | BS | 1.19 | R2 | 4-6 | 7-8 | 0.97 | 6 |
| <i>Daphne caucasica</i> 'Summer Ice' See - <i>Daphne x transatlantica</i> 'Summer Ice' | | | | | | | |
| <i>Daphne cneorum</i> Rose Daphne | BS | 1.94 | R2 | 3-4 | 5-8 | 1.05 | 4 |
| <i>Daphne cneorum</i> 'Ruby Glow' Ruby Glow Rose Daphne | BS | 1.94 | R2 | 3-4 | 5-8 | 1.39 | 4 |
| <i>Daphne cneorum</i> var. <i>variegata</i> Variegated Rose Daphne | BS | 1.15 | R2 | 3-4 | 5-8 | 0.81 | 4 |
| <i>Daphne cneorum</i> var. <i>verlotii</i> Verlot Rose Daphne | BS | 1.00 | R2 | 3-4 | 5-8 | 1.00 | 4 |
| <i>Daphne collina</i> Collina Daphne | BS | 1.00 | R2 | 5-7 | 8 | 1.00 | 7 |
| <i>Daphne genkwa</i> Lilac Daphne | BS | 1.00 | R2 | 3-5 | 6-8 | 1.00 | 5 |
| <i>Daphne giraldii</i> Giraldi Daphne | BS | 1.00 | R2 | 3-4 | 5-8 | 1.00 | 3 |
| <i>Daphne x houtteana</i> Houtteana Daphne | BS | 4.98 | R2 | 5-6 | 7-8 | 1.00 | 6 |
| <i>Daphne jasminea</i> No Common Name Found | BS | 1.00 | R2 | 5-7 | 8 | 1.00 | 7 |
| <i>Daphne kamtschatica</i> Kamchatka Daphne | BS | 1.00 | R2 | 5-6 | 7-8 | 1.00 | 6 |
| <i>Daphne kamtschatica</i> var. <i>jezoensis</i> No Common Name Found | BS | 1.00 | R2 | 5-6 | 7-8 | 1.00 | 6 |
| <i>Daphne kosaninii</i> No Common Name Found | BS | 1.00 | R2 | 3-4 | 5-8 | 1.00 | 4 |
| <i>Daphne laureola</i> Spurge Laurel | BS | 1.00 | R2 | 5-7 | 8 | 1.00 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Daphne x mantensiana</i> Manten Daphne | BS | 1.30 | R2 | 3-5 | 6-8 | | 1.64 | 5 |
| <i>Daphne x medfordensis</i> No Common Name Found | BS | 2.81 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Daphne x medfordensis</i> 'Lawrence Crocker' Lawrence Crocker Daphne | BS | 2.81 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Daphne mezereum</i> February Daphne | BS | 1.42 | R2 | 3-4 | 5-8 | | 1.51 | 4 |
| <i>Daphne x napolitana</i> Neapolitan Mezereon | BS | 2.03 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Daphne odora</i> Winter Daphne | BS | 1.41 | R2 | 5-7 | 8 | | 1.53 | 7 |
| <i>Daphne odora</i> 'Aureomarginata Alba' White Yellowedge Winter Daphne | BS | 1.79 | R2 | 5-7 | 8 | | 1.39 | 7 |
| <i>Daphne odora</i> 'Aureomarginata' Yellowedge Winter Daphne | BS | 1.89 | R2 | 5-7 | 8 | | 1.25 | 7 |
| <i>Daphne odora</i> 'Rubra' Red Winter Daphne | BS | 1.70 | R2 | 5-7 | 8 | | 1.39 | 7 |
| <i>Daphne odora</i> var. <i>alba</i> White Winter Daphne | BS | 1.60 | R2 | 5-7 | 8 | | 1.33 | 7 |
| <i>Daphne odora</i> var. <i>leucanthe</i> See - <i>Daphne odora</i> var. <i>alba</i> | | | | | | | | |
| <i>Daphne oleoides</i> Olive-leaved Daphne | BS | 1.00 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Daphne petraea</i> No Common Name Found | GC | 1.00 | R2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Daphne retusa</i> See - <i>Daphne tangutica</i> 'Retusa Group' | | | | | | | | |
| <i>Daphne x rollsdorffii</i> No Common Name Found | BS | 1.00 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Daphne x rollsdorffii</i> 'Arnold Cihlarz' Arnold Cihlarz Daphne | BS | 1.00 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Daphne x rollsdorffii</i> 'Wilhelm Schacht' Wilhelm Schacht Daphne | BS | 1.00 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Daphne x rossetii</i> No Common Name Found | GC | 1.00 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Daphne sericea</i> Silky Daphne | BS | 1.00 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Daphne sericea</i> 'Collina Group' See - <i>Daphne collina</i> | | | | | | | | |
| <i>Daphne tangutica</i> Tangut Daphne | BS | 1.13 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Daphne tangutica</i> 'Retusa Group' Retusa Group Tangut Daphne | BS | 1.13 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Daphne x thauma</i> No Common Name Found | GC | 2.18 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Daphne x thauma</i> 'Reginald Farrer' Reginald Farrer Daphne | GC | 2.18 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Daphne x transatlantica</i> No Common Name Found | BS | 1.83 | R2 | 4-5 | 6-8 | | 0.98 | 5 |
| <i>Daphne x transatlantica</i> 'Jim's Pride' Jim's Pride Daphne | BS | 1.83 | R2 | 4-5 | 6-8 | | 0.98 | 5 |
| <i>Daphne x transatlantica</i> 'Summer Ice' Summer Ice Daphne | BS | 1.83 | R2 | 4-6 | 7-8 | | 0.98 | 5 |
| <i>Daphniphyllum macropodum</i> No Common Name Found | BE | 0.90 | R1 | 5-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Darlingtonia californica</i> Cobra Lily | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Darmera peltata</i> Umbrella Plant | HP | 1.30 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Dasyllirion longissimum</i> Toothless Desert Spoon | BS | 1.60 | R2 | 6-8 | | 1.00 | 8 |
| <i>Dasyllirion miquihuanensis</i> Arborescent Tree Sotol | BS | 1.03 | R2 | 8 | | 1.00 | 8 |
| <i>Dasyllirion texanum</i> Texas Sotol | BS | 0.94 | R2 | 8 | | 0.68 | 9 |
| <i>Dasyllirion wheeleri</i> Wheeler Sotol | BS | 1.24 | R2 | 8 | | 1.00 | 9 |
| <i>Datura innoxia</i> Downy Thorn Apple | HP | 1.06 | R2 | 8 | | | |
| <i>Datura metel</i> Horn of Plenty | BS | 1.12 | R2 | 8 | | 1.00 | 9 |
| <i>Daubenya aurea</i> Golden Daubenya | HP | 1.00 | R2 | 7-8 | | | |
| <i>Daucus carota</i> var. <i>carota</i> Queen Anne's Lace | AN | 0.97 | R2 | 3 | 4-8 | | |
| <i>Davallia fejeensis</i> Rabbit's-Foot Fern | FO | 0.55 | R2 | 3-8 | | 1.00 | 10 |
| <i>Davallia trichomanoides</i> Squirrel-foot Fern | FO | 0.76 | R2 | 3-8 | | 1.00 | 9 |
| <i>Davidia involuocrata</i> Dove Tree | DT | 2.51 | R1 | 5-6 | 7-8 | 1.53 | 1.60 |
| <i>Decaisnea fargesii</i> Blue-bean | DS | 1.00 | R1 | 4-5 | 6-8 | 1.00 | 5 |
| <i>Decumaria barbara</i> Climbing Hydrangea | GC | 0.49 | R2 | 3-5 | 6-8 | 1.00 | 5 |
| <i>Decumaria barbara</i> 'Barbara Ann' Barbara Ann Climbing Hydrangea | GC | 1.04 | R2 | 3-5 | 6-8 | 1.00 | 5 |
| <i>Decumaria barbara</i> 'Chatooga' Chatooga Climbing Hydrangea | GC | 0.73 | R2 | 3-5 | 6-8 | 1.00 | 5 |
| <i>Decumaria barbara</i> 'Chauga' Chauga Climbing Hydrangea | GC | 0.82 | R2 | 3-5 | 6-8 | 1.00 | 5 |
| <i>Degenia velebitica</i> No Common Name Found | HP | 1.00 | R2 | 5-7 | 8 | | |
| <i>Delairea odorata</i> German Ivy | GC | 0.60 | R2 | 8 | | 1.00 | 9 |
| <i>Delosperma</i> Ice Plant | HP | 0.90 | R2 | 3-4 | 5-8 | | |
| <i>Delosperma</i> 'Beaufort West' Beaufort West Hybrid Ice Plant | HP | 0.90 | R2 | 3-5 | 6-8 | | |
| <i>Delosperma</i> 'John Proffitt' Table Mountain™ Hybrid Ice Plant | HP | 0.80 | R2 | 3-4 | 5-8 | | |
| <i>Delosperma</i> 'Kelaidis' P.P. 13876 Mesa Verde™ Hybrid Ice Plant | HP | 0.99 | R2 | 3-4 | 5-8 | | |
| <i>Delosperma</i> 'Mesa Verde' See - <i>Delosperma</i> 'Kelaidis' P.P. 13876 | | | | | | | |
| <i>Delosperma</i> 'Table Mountain' See - <i>Delosperma</i> 'John Proffitt' | | | | | | | |
| <i>Delosperma</i> 'Tiffindell Magenta' Tiffindell Magenta Hybrid Ice Plant | HP | 0.90 | R2 | 3-5 | 6-8 | | |
| <i>Delosperma aberdeenense</i> Aberdeen Dew Plant | HP | 1.00 | R2 | 5-7 | 8 | | |
| <i>Delosperma ashtonii</i> No Common Name Found | HP | 0.75 | R2 | 5-7 | 8 | | |
| <i>Delosperma basuticum</i> Basuticum Ice Plant | HP | 0.99 | R2 | 3-5 | 6-8 | | |
| <i>Delosperma basuticum</i> 'White Nugget' P.P. 15793 White Nugget Ice Plant | HP | 0.99 | R2 | 3-5 | 6-8 | | |
| <i>Delosperma brunnthaleri</i> Ice Plant | HP | 0.75 | R2 | 5-6 | 7-8 | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Delosperma brunnthaleri</i> 'Pink' Pink Ice Plant | HP | 0.70 | R2 | 5-6 | 7-8 | | | |
| <i>Delosperma brunnthaleri</i> 'Yellow' Yellow Ice Plant | HP | 0.65 | R2 | 5-6 | 7-8 | | | |
| <i>Delosperma congestum</i> No Common Name Found | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Delosperma cooperi</i> Hardy Ice Plant | HP | 0.79 | R2 | 3-6 | 7-8 | | | |
| <i>Delosperma ecklonis</i> No Common Name Found | HP | 0.72 | R2 | 5-8 | | | | |
| <i>Delosperma ecklonis</i> 'Bright Eye' Bright Eye Ice Plant | HP | 0.72 | R2 | 5-8 | | | | |
| <i>Delosperma floribundum</i> Hardy Ice Plant | HP | 0.90 | R2 | 3-6 | 7-8 | | | |
| <i>Delosperma floribundum</i> 'Balosquin' P.P.A.F. Sequins Hardy Ice Plant | HP | 0.95 | R2 | 3-6 | 7-8 | | | |
| <i>Delosperma floribundum</i> 'Sequins' See - <i>Delosperma floribundum</i> 'Balosquin' P.P.A.F. | | | | | | | | |
| <i>Delosperma floribundum</i> 'Starburst' Starburst Hardy Ice Plant | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Delosperma herbeau</i> White Hardy Ice Plant | HP | 0.80 | R2 | 3-6 | 7-8 | | | |
| <i>Delosperma nubigenum</i> Hardy Yellow Ice Plant | HP | 0.83 | R2 | 3-6 | 7-8 | | | |
| <i>Delosperma nubigenum</i> 'Basutoland' Basutoland Hardy Yellow Ice Plant | HP | 0.74 | R2 | 3-6 | 7-8 | | | |
| <i>Delosperma sphalmanthoides</i> Tufted Ice Plant | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Delosperma sutherlandii</i> Sutherland Ice Plant | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Delphinium x belladonna</i> Belladonna Larkspur | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium x belladonna</i> 'Bellamosa' Bellamosa Belladonna Larkspur | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium x belladonna</i> 'Casablanca' Casablanca Belladonna Larkspur | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium x belladonna</i> 'Cliveden Beauty' Cliveden Beauty Belladonna Larkspur | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium cardinale</i> Scarlet Larkspur | HP | 0.69 | R2 | 3-7 | 8 | | | |
| <i>Delphinium cardinale</i> 'Dwarf Scarlet' Dwarf Scarlet Larkspur | HP | 0.69 | R2 | 3-7 | 8 | | | |
| <i>Delphinium elatum</i> Bee Larkspur | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium elatum</i> 'Astolat' Astolat Pacific Giant Bee Larkspur | HP | 1.21 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium elatum</i> 'Aurora Series' Aurora Series Bee Larkspur | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium elatum</i> 'Bartwentyfive' P.P.A.F. Red Caroline Larkspur | HP | 1.55 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium elatum</i> 'Black Knight' Black Knight Pacific Giant Bee Larkspur | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium elatum</i> 'Blue Bird' Blue Bird Pacific Giant Bee Larkspur | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium elatum</i> 'Blue Elf' Blue Elf Bee Larkspur | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium elatum</i> 'Blue Jay' Blue Jay Bee Larkspur | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium elatum</i> 'Blue Springs' Blue Springs Bee Larkspur | HP | 1.01 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Delphinium elatum</i> 'Cherry Blossom' Cherry Blossom Bee Larkspur | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium elatum</i> 'Clear Springs Series' Clear Springs Series Bee Larkspur | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium elatum</i> 'Connecticut Yankee' Connecticut Yankee Bee Larkspur | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium elatum</i> 'Galahad' Galahad Pacific Giant Bee Larkspur | HP | 1.20 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium elatum</i> 'Guardian Series' Guardian Series Delphinium | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium elatum</i> 'Guinevere' Guinevere Pacific Giant Bee Larkspur | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium elatum</i> 'King Arthur' King Arthur Pacific Giant Bee Larkspur | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium elatum</i> 'Magic Fountains Strain' Magic Fountains Strain Bee Larkspur | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium elatum</i> 'Pacific Giants Strain' Pacific Giants Strain Bee Larkspur | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium elatum</i> 'Pennant' Pennant Bee Larkspur | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium elatum</i> 'Red Caroline' See - <i>Delphinium elatum</i> 'Bartwentyfive' P.P.A.F. | | | | | | | | |
| <i>Delphinium elatum</i> 'Round Table Mix' Round Table Mix Pacific Giants Bee Larkspur | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium elatum</i> 'Standup' Standup Bee Larkspur | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium elatum</i> 'Summer Skies' Summer Skies Bee Larkspur | HP | 1.21 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium grandiflorum</i> Chinese Larkspur | HP | 0.71 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium grandiflorum</i> 'Blauer Zweig' Blauer Zweig Chinese Larkspur | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium grandiflorum</i> 'Blue Butterfly' Blue Butterfly Chinese Larkspur | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium grandiflorum</i> 'Blue Mirror' Blue Mirror Chinese Larkspur | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium grandiflorum</i> 'Summer Blues' Summer Blues Dwarf Larkspur | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium grandiflorum</i> 'Summer Colors' Summer Colors Dwarf Larkspur | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium grandiflorum</i> 'Summer Morning' Summer Morning Dwarf Larkspur | HP | 1.14 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium grandiflorum</i> 'Summer Nights' Summer Nights Dwarf Larkspur | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium grandiflorum</i> 'Summer Series' Summer Series Dwarf Larkspur | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Delphinium nudicaule</i> Orange Larkspur | HP | 1.16 | R2 | 3-5 | 6-8 | | | |
| <i>Delphinium nudicaule</i> 'Fox' Fox Orange Larkspur | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Delphinium tricorne</i> Dwarf Larkspur | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Dendranthema x grandiflorum</i> See - <i>Chrysanthemum x morifolium</i> | | | | | | | | |
| <i>Dendranthema pacificum</i> See - <i>Chrysanthemum pacificum</i> | | | | | | | | |
| <i>Dendranthema weyrichii</i> See - <i>Chrysanthemum weyrichii</i> | | | | | | | | |
| <i>Dendranthema zawadskii</i> See - <i>Chrysanthemum zawadskii</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Dendrobium</i> Dendrobium Hybrid Orchid | FO | 2.25 | R2 | 3-8 | | 1.00 | 10 |
| <i>Dendrobium antennatum</i> No Common Name Found | FO | 2.67 | R2 | 3-8 | | 1.00 | 10 |
| <i>Dendrobium atrovioleaceum</i> No Common Name Found | FO | 3.33 | R2 | 3-8 | | 1.00 | 10 |
| <i>Dendrobium bracteosum</i> No Common Name Found | FO | 2.63 | R2 | 3-8 | | 1.00 | 10 |
| <i>Dendrobium bullenianum</i> No Common Name Found | FO | 2.80 | R2 | 3-8 | | 1.00 | 10 |
| <i>Dendrobium finisterrae</i> No Common Name Found | FO | 4.50 | R2 | 3-8 | | 1.00 | 10 |
| <i>Dendrobium guerreroi</i> No Common Name Found | FO | 3.75 | R2 | 3-8 | | 1.00 | 10 |
| <i>Dendrobium kingianum</i> Pink Rock Orchid | FO | 3.00 | R2 | 3-8 | | 1.00 | 10 |
| <i>Dendrobium lasianthera</i> No Common Name Found | FO | 3.75 | R2 | 3-8 | | 1.00 | 10 |
| <i>Dendrobium lawesii</i> No Common Name Found | FO | 1.00 | R2 | 3-8 | | 1.00 | 10 |
| <i>Dendrobium palpebrae</i> No Common Name Found | FO | 3.75 | R2 | 3-8 | | 1.00 | 10 |
| <i>Dendrobium schuetzii</i> No Common Name Found | FO | 3.75 | R2 | 3-8 | | 1.00 | 10 |
| <i>Dendrobium secundum</i> No Common Name Found | FO | 2.50 | R2 | 3-8 | | 1.00 | 10 |
| <i>Dendrobium serratilabia</i> var. <i>calcarifera</i> No Common Name Found | FO | 1.00 | R2 | 3-8 | | 1.00 | 10 |
| <i>Dendrobium smilliae</i> No Common Name Found | FO | 2.50 | R2 | 3-8 | | 1.00 | 10 |
| <i>Dendrobium topaziacum</i> See - <i>Dendrobium bullenianum</i> | | | | | | | |
| <i>Dendrobium victoria-reginae</i> No Common Name Found | FO | 2.50 | R2 | 3-8 | | 1.00 | 10 |
| <i>Dendrocalamus minor</i> No Common Name Found | BE | 3.93 | R2 | 8 | | 1.00 | 1.60 9 |
| <i>Dendrocalamus minor</i> 'Amoenus' Angel Mist Bamboo | BE | 3.51 | R2 | 8 | | 1.00 | 1.60 9 |
| <i>Dendrocalamus minor</i> var. <i>amoenus</i> See - <i>Dendrocalamus minor</i> 'Amoenus' | | | | | | | |
| <i>Dendrochilum bicallosum</i> No Common Name Found | FO | 2.10 | R2 | 6-8 | | 1.00 | 10 |
| <i>Dendrochilum filiforme</i> No Common Name Found | FO | 2.63 | R2 | 6-8 | | 1.00 | 10 |
| <i>Dendromecon rigida</i> Tree Poppy | BS | 0.84 | R2 | 7-8 | | 1.00 | 8 |
| <i>Dendromecon rigida</i> ssp. <i>harfordii</i> Island Tree Poppy | BS | 0.87 | R2 | 7-8 | | 1.00 | 8 |
| <i>Denndaedtia punctilobula</i> Hayscented Fern | HP | 1.11 | R2 | 3 | 4-8 | | |
| <i>Deparia pycnosora</i> Big Brother Fern | HP | 1.00 | R2 | 3-4 | 5-8 | | |
| <i>Derris dalbergioides</i> See - <i>Derris microphylla</i> | | | | | | | |
| <i>Derris microphylla</i> Vetch Tree | BE | 1.00 | R2 | 8 | | 1.00 | 1.00 9 |
| <i>Deschampsia caespitosa</i> Tufted Hair Grass | HP | 1.19 | R2 | 3-5 | 6-8 | | |
| <i>Deschampsia caespitosa</i> 'Bronzeschleier' Bronzeschleier Tufted Hair Grass | HP | 1.26 | R2 | 3-5 | 6-8 | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Deschampsia caespitosa</i> 'Fairy's Joke' Fairy's Joke Tufted Hair Grass | HP | 0.76 | R2 | 3-5 | 6-8 | | | |
| <i>Deschampsia caespitosa</i> 'Goldgehange' Goldgehange Tufted Hair Grass | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Deschampsia caespitosa</i> 'Goldschleier' Goldschleier Tufted Hair Grass | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| <i>Deschampsia caespitosa</i> 'Goldstaub' Goldstaub Tufted Hair Grass | HP | 0.88 | R2 | 3-5 | 6-8 | | | |
| <i>Deschampsia caespitosa</i> 'Northern Lights' Northern Lights Tufted Hair Grass | HP | 1.23 | R2 | 3-5 | 6-8 | | | |
| <i>Deschampsia caespitosa</i> 'Schottland' Schottland Tufted Hair Grass | HP | 0.74 | R2 | 3-5 | 6-8 | | | |
| <i>Deschampsia caespitosa</i> 'Tardiflora' Tardiflora Tufted Hair Grass | HP | 0.88 | R2 | 3-5 | 6-8 | | | |
| <i>Deschampsia caespitosa</i> 'Tautraeger' Tautraeger Tufted Hair Grass | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Deschampsia caespitosa</i> 'Vivipara' Silvery Tufted Hair Grass | HP | 2.07 | R2 | 3-5 | 6-8 | | | |
| <i>Deschampsia flexuosa</i> Crinkled Hair Grass | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Deschampsia flexuosa</i> 'Aurea' Gold Crinkled Hair Grass | HP | 0.66 | R2 | 3-4 | 5-8 | | | |
| <i>Deschampsia holciformis</i> No Common Name Found | HP | 0.63 | R2 | 3-4 | 5-8 | | | |
| <i>Desfontainea spinosa</i> No Common Name Found | BS | 1.00 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Desmanthus illinoensis</i> Illinois Bundleflower | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Desmodium canadense</i> Showy Tick Trefoil | HP | 1.43 | R2 | | 3-8 | | | |
| <i>Desmodium illinoense</i> Illinois Tick Trefoil | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Deutzia</i> Deutzia | DS | 1.00 | R2 | 3-4 | 5 | | 1.00 | 4 |
| <i>Deutzia</i> 'Monzia' Pink-A-Boo™ Deutzia | DS | 1.00 | R2 | 3-4 | 5 | | 1.00 | 4 |
| <i>Deutzia</i> 'Pink-A-Boo' See - <i>Deutzia</i> 'Monzia' | | | | | | | | |
| <i>Deutzia gracilis</i> Slender Deutzia | DS | 0.90 | R1 | 3-4 | 5-8 | | 0.56 | 4 |
| <i>Deutzia gracilis</i> 'Chardonnay Pearls' See - <i>Deutzia gracilis</i> 'Duncan' P.P. 16098 | | | | | | | | |
| <i>Deutzia gracilis</i> 'Duncan' P.P. 16098 Chardonnay Pearls™ Slender Deutzia | DS | 1.24 | R1 | 3-4 | 5-8 | | 0.56 | 4 |
| <i>Deutzia gracilis</i> 'Nikko' Nikko Slender Deutzia | DS | 1.02 | R1 | 3-4 | 5-8 | | 0.56 | 4 |
| <i>Deutzia gracilis</i> var. <i>nakaiana</i> 'Nana' See - <i>Deutzia gracilis</i> 'Nikko' | | | | | | | | |
| <i>Deutzia x hybrida</i> Deutzia | DS | 0.93 | R1 | 3-4 | 5-8 | | 1.12 | 4 |
| <i>Deutzia x hybrida</i> 'Magician' Magician Hybrid Deutzia | DS | 1.02 | R1 | 3-4 | 5-8 | | 1.12 | 4 |
| <i>Deutzia x hybrida</i> 'Mont Rose' Mont Rose Hybrid Deutzia | DS | 0.93 | R1 | 3-4 | 5-8 | | 1.12 | 4 |
| <i>Deutzia x hybrida</i> 'Perle Rose' Perle Rose Hybrid Deutzia | DS | 0.69 | R1 | 3-4 | 5-8 | | 1.12 | 4 |
| <i>Deutzia x hybrida</i> 'Pink Pompon' Pink Pompon Deutzia | DS | 1.08 | R1 | 3-4 | 5-8 | | 1.12 | 4 |
| <i>Deutzia x hybrida</i> 'Strawberry Fields' Strawberry Fields Hybrid Deutzia | DS | 0.93 | R2 | 3-4 | 5-8 | | 1.12 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Deutzia x kalmiiiflora</i> No Common Name Found | DS | 1.01 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Deutzia x lemoinei</i> Lemoine Deutzia | DS | 0.90 | R2 | 3-4 | 5 | | 1.35 | 4 |
| <i>Deutzia x lemoinei</i> 'Compacta' Compact Lemoine Deutzia | DS | 0.90 | R2 | 3-4 | 5 | | 1.35 | 4 |
| <i>Deutzia x magnifica</i> Showy Deutzia | DS | 0.98 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Deutzia x rosea</i> Rosepanicle Deutzia | DS | 1.23 | R1 | 3-5 | 6-8 | | 0.95 | 5 |
| <i>Deutzia scabra</i> Fuzzy Deutzia | DS | 1.00 | R1 | 3-5 | 6-8 | | 0.70 | 5 |
| <i>Deutzia scabra</i> 'Godsall Pink' Godsall Pink Fuzzy Deutzia | DS | 0.84 | R1 | 3-5 | 6-8 | | 0.70 | 5 |
| <i>Deutzia scabra</i> 'Pink Minor' Pink Minor Fuzzy Deutzia | DS | 1.07 | R1 | 3-5 | 6-8 | | 0.70 | 5 |
| <i>Deutzia scabra</i> 'Pride of Rochester' Pride of Rochester Fuzzy Deutzia | DS | 0.57 | R1 | 3-5 | 6-8 | | 0.70 | 5 |
| <i>Diacrium bicornutum</i> See - <i>Caularthron bicornutum</i> | | | | | | | | |
| <i>Dianella caerulea</i> Flax Lily | HP | 0.78 | R2 | 8 | | | | |
| <i>Dianella caerulea</i> 'Becca' See - <i>Dianella caerulea</i> 'DCNCO' P.P. 18505 | | | | | | | | |
| <i>Dianella caerulea</i> 'DCMPO1' P.P. 18452 Little Becca™ Flax Lily | HP | 1.92 | R2 | 8 | | | | |
| <i>Dianella caerulea</i> 'DCNCO' P.P. 18505 Becca™ Flax Lily | HP | 1.59 | R2 | 8 | | | | |
| <i>Dianella caerulea</i> 'Little Becca' See - <i>Dianella caerulea</i> 'DCMPO1' P.P. 18452 | | | | | | | | |
| <i>Dianella ensifolia</i> Umbrella Dracena | HP | 1.00 | R2 | 8 | | | | |
| <i>Dianella intermedia</i> No Common Name Found | HP | 0.93 | R2 | 8 | | | | |
| <i>Dianella revoluta</i> Spreading Flax Lily | HP | 1.39 | R2 | 5-8 | | | | |
| <i>Dianella revoluta</i> 'Big Rev' See - <i>Dianella revoluta</i> 'DRG04' P.P. 18454 | | | | | | | | |
| <i>Dianella revoluta</i> 'DR5000' P.P. 17719 Little Rev™ Spreading Flax Lily | HP | 1.39 | R2 | 5-8 | | | | |
| <i>Dianella revoluta</i> 'DRG04' P.P. 18454 Big Rev™ Spreading Flax Lily | HP | 1.39 | R2 | 5-8 | | | | |
| <i>Dianella revoluta</i> 'Little Rev' See - <i>Dianella revoluta</i> 'DR5000' P.P. 17719 | | | | | | | | |
| <i>Dianella tasmanica</i> Blueberry Flax Lily | HP | 0.83 | R2 | 5-8 | | | | |
| <i>Dianella tasmanica</i> 'Gold Stripe' Gold Stripe Flax Lily | HP | 1.44 | R2 | 5-8 | | | | |
| <i>Dianella tasmanica</i> 'TR20' P.P. 18737 Tasred Flax Lily | HP | 1.93 | R2 | 5-8 | | | | |
| <i>Dianella tasmanica</i> 'Tasred' See - <i>Dianella tasmanica</i> 'TR20' P.P. 18737 | | | | | | | | |
| <i>Dianella tasmanica</i> 'Variegata' Variegated Blueberry Flax Lily | HP | 1.31 | R2 | 5-8 | | | | |
| <i>Dianthera nodosa</i> Pink Candy Plant | BS | 0.82 | R2 | 8 | | | 1.00 | 9 |
| <i>Dianthera nodosa</i> 'Brazil' Brazil Dianthera | BS | 0.82 | R2 | 8 | | | 1.00 | 9 |
| <i>Dianthus</i> Pink | HP | 0.89 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Dianthus</i> 'Amazon Neon Cherry' Amazon Neon Cherry Pink | HP | 0.74 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Arctic Star' P.P.A.F. Arctic Star Hybrid Pink | HP | 0.79 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Bouquet Purple' Bouquet™ Purple Hybrid Pink | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Brilliant Star' P.P. 13025 Brilliant Star Hybrid Pink | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Candy Dish' Candy Dish Hybrid Pink | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Cherry Ripple' Cherry Ripple Hybrid Pink | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Cranberry Ice' P.P. 18342 Cranberry Ice Hybrid Pink | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Devon Cottage Rosie Cheeks' See - <i>Dianthus</i> 'Valda Louise' P.P. 14045 | | | | | | | | |
| <i>Dianthus</i> 'Devon Cottage Ruby's Tuesday' See - <i>Dianthus</i> 'Valda Kitty' P.P. 13872 | | | | | | | | |
| <i>Dianthus</i> 'Devon Siskin' P.P. 14377 Raspberry Swirl Hybrid Pink | HP | 1.04 | R2 | 3-6 | 7-8 | | | |
| <i>Dianthus</i> 'Devon Yolande' P.P. 16029 Raspberry Surprise Hybrid Pink | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Dynasty Series' Dynasty Series Hybrid Pink | HP | 0.74 | R2 | 3-6 | 7-8 | | | |
| <i>Dianthus</i> 'Eastern Star' See - <i>Dianthus</i> 'Red Dwarf' P.P. 14437 | | | | | | | | |
| <i>Dianthus</i> 'Fancy Knickers' See - <i>Dianthus</i> 'Valda Isolde' P.P. 13915 | | | | | | | | |
| <i>Dianthus</i> 'First Love' First Love Hybrid Pink | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Garden Spice Series' Garden Spice® Series Hybrid Pink | HP | 0.69 | R2 | 6-8 | | | | |
| <i>Dianthus</i> 'Horatio' Horatio Hybrid Pink | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Itsaul White' Itsaul White Hybrid Pink | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Laced Hero' Laced Hero Hybrid Pink | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Laced Romeo' Laced Romeo Hybrid Pink | HP | 0.63 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Little Bobby' Little Bobby Hybrid Pink | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Little Boy Blue' Little Boy Blue Hybrid Pink | HP | 0.83 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Little Jock' Little Jock Hybrid Pink | HP | 0.51 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Merlot Mix' Merlot Mix Hybrid Pink | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Miss Pinky' See - <i>Dianthus</i> 'Valda Wyatt' P.P.A.F. | | | | | | | | |
| <i>Dianthus</i> 'Mountain Mist' Mountain Mist Hybrid Pink | HP | 0.99 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Neon Star' P.P. 14549 Neon Star Hybrid Pink | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Oakington' Oakington Pink | HP | 0.79 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Old Spice' Old Spice Hybrid Pink | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Pike's Pink' Pike's Pink Pink | HP | 0.89 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Dianthus</i> 'Pixie Star' P.P.A.F. Pixie Star Hybrid Pink | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Pixie' P.P. 13578 Pixie Hybrid Pink | HP | 0.98 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Prairie Pink' Prairie Pink Hybrid Pink | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Raspberry Surprise' See - <i>Dianthus</i> 'Devon Yolande' P.P. 16029 | | | | | | | | |
| <i>Dianthus</i> 'Raspberry Swirl' See - <i>Dianthus</i> 'Devon Siskin' P.P. 14377 | | | | | | | | |
| <i>Dianthus</i> 'Red Dwarf' P.P. 14437 Eastern Star Hybrid Pink | HP | 0.75 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Rosish One' P.P.A.F. Rosish One Cottage Pink | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus</i> 'Sarah' Sarah Hybrid Pink | HP | 1.02 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Shooting Star' See - <i>Dianthus</i> 'Starling Star' P.P. 16431 | | | | | | | | |
| <i>Dianthus</i> 'Spangled Star' P.P. 13029 Spangled Star Hybrid Pink | HP | 0.97 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Star Series' Star Series Hybrid Pink | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Starling Star' P.P. 16431 Shooting Star Hybrid Pink | HP | 0.97 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Strawberry Sorbet' P.P. 18338 Strawberry Sorbet Hybrid Pink | HP | 1.05 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Valda Isolde' P.P. 13915 Fancy Knickers Hybrid Pink | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Valda Kitty' P.P. 13872 Devon Cottage™ Ruby's Tuesday Hybrid Pink | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Valda Louise' P.P. 14045 Devon Cottage™ Rosie Cheeks Hybrid Pink | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Valda Wyatt' P.P.A.F. Miss Pinky Hybrid Pink | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus</i> 'Vanilla' Vanilla Hybrid Pink | HP | 0.89 | R2 | 3 | 4-8 | | | |
| <i>Dianthus</i> 'War Bonnet' War Bonnet Hybrid Pink | HP | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus x allwoodii</i> Allwood Pink | HP | 0.76 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus x allwoodii</i> 'Alpinus' Alpine Allwood Pink | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus x allwoodii</i> 'Aqua' Aqua Allwood Pink | HP | 0.74 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus x allwoodii</i> 'Danielle Marie' Danielle Marie Allwood Pink | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus x allwoodii</i> 'Doris' Doris Allwood Pink | HP | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus x allwoodii</i> 'Essex Witch' Essex Witch Allwood Pink | HP | 0.74 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus x allwoodii</i> 'Frosty Fire' C.O.P.F. Frosty Fire Allwood Pink | HP | 0.98 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus x allwoodii</i> 'Helen' Helen Allwood Pink | HP | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus x allwoodii</i> 'Hoffman's Red' Hoffman's Red Allwood Pink | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus x allwoodii</i> 'Wink' Wink Allwood Pink | HP | 1.20 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus alpinus</i> Alpine Pink | HP | 0.73 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Dianthus alpinus</i> 'Joan's Blood' Joan's Blood Alpine Pink | HP | 0.73 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus amurensis</i> No Common Name Found | HP | 0.82 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus arenarius</i> Sand Pink | HP | 0.48 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus barbatus</i> Sweet William | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus barbatus</i> 'Auricula-Eyed Mix' Auricula-Eyed Sweet William | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus barbatus</i> 'Double Midget' Double Midget Sweet William | HP | 0.79 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus barbatus</i> 'Heart Attack' Heart Attack Sweet William | HP | 1.10 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus barbatus</i> 'Indian Carpet' Indian Carpet Sweet William | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus barbatus</i> 'Midget Mix' Midget Mix Sweet William | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus barbatus</i> 'Nanus' Dwarf Sweet William | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus barbatus</i> 'Sooty' Sooty Sweet William | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus barbatus</i> 'Wee Willie' Wee Willie Sweet William | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Dianthus caryophyllus</i> Carnation | HP | 0.81 | R2 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Can Can Scarlet' Can Can Scarlet Carnation | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Cardinal Red' Cardinal Red Carnation | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Cinnamon Red Hots' P.P.A.F. Cinnamon Red Hots Carnation | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Dwarf Mix' Dwarf Mix Carnation | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Golden Sun' Golden Sun Carnation | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Grenadin Series' Grenadin Series Carnation | HP | 0.96 | R2 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Innocence' Innocence Carnation | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'King of the Blacks' King of the Blacks Carnation | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Knight Mix' Knight Mix Carnation | HP | 0.84 | R2 | 3-6 | 7-8 | | | |
| <i>Dianthus caryophyllus</i> 'Mini Spice' Mini Spice Carnation | HP | 0.74 | R2 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Mixed Colors' Mixed Colors Carnation | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Pink' Pink Carnation | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Sunflor Series' Sunflor Series Carnation | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Tiroler Gebirgschaengenelke' Tiroler Gebirgschaengenelke Carnation | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'Triumph Rose' Triumph Rose Carnation | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Dianthus caryophyllus</i> 'White' White Carnation | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Dianthus chinensis</i> Border Pink | AN | 0.92 | R2 | 5-7 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Dianthus chinensis</i> 'Charm Series' Charm Series Border Pink | AN | 0.92 | R2 | 5-7 | 8 | | | |
| <i>Dianthus chinensis</i> 'Crimson Telstar' Crimson Telstar Border Pink | AN | 1.08 | R2 | 5-7 | 8 | | | |
| <i>Dianthus chinensis</i> 'Diana Series' Diana Series Border Pink | AN | 1.05 | R2 | 5-7 | 8 | | | |
| <i>Dianthus chinensis</i> 'Floral Lace Series' Floral Lace Series Border Pink | AN | 0.55 | R2 | 5-7 | 8 | | | |
| <i>Dianthus chinensis</i> 'Parfait Series' Parfait Series Border Pink | AN | 0.79 | R2 | 5-7 | 8 | | | |
| <i>Dianthus chinensis</i> 'Picotee' Picotee Border Pink | AN | 0.92 | R2 | 5-7 | 8 | | | |
| <i>Dianthus chinensis</i> 'Pink Telstar' Pink Telstar Border Pink | AN | 1.08 | R2 | 5-7 | 8 | | | |
| <i>Dianthus chinensis</i> 'Purple Telstar' Purple Telstar Border Pink | AN | 1.08 | R2 | 5-7 | 8 | | | |
| <i>Dianthus chinensis</i> 'Raspberry Parfait' Raspberry Parfait Border Pink | AN | 0.94 | R2 | 5-7 | 8 | | | |
| <i>Dianthus chinensis</i> 'Rosemarie Series' Rosemarie Series Border Pink | AN | 0.92 | R2 | 5-7 | 8 | | | |
| <i>Dianthus chinensis</i> 'Snowfire' Snowfire Border Pink | AN | 0.92 | R2 | 5-7 | 8 | | | |
| <i>Dianthus chinensis</i> 'Strawberry Parfait' Strawberry Parfait Border Pink | AN | 0.93 | R2 | 5-7 | 8 | | | |
| <i>Dianthus chinensis</i> 'Telstar Series' Telstar Series Border Pink | AN | 0.80 | R2 | 5-7 | 8 | | | |
| <i>Dianthus deltooides</i> Maiden Pink | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus deltooides</i> 'Albus' White Maiden Pink | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus deltooides</i> 'Arctic Fire' Arctic Fire Maiden Pink | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus deltooides</i> 'Brilliant' Brilliant Maiden Pink | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus deltooides</i> 'Flashing Light' Flashing Light Maiden Pink | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus deltooides</i> 'Nelli' Nelli Maiden Pink | HP | 0.48 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus deltooides</i> 'Rosea' Rose Maiden Pink | HP | 0.48 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus deltooides</i> 'Vampire' Vampire Maiden Pink | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus deltooides</i> 'Zing Rose' Zing Rose Maiden Pink | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus deltooides</i> 'Zing Salmon' Zing Salmon Maiden Pink | HP | 0.69 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus freynii</i> No Common Name Found | HP | 0.95 | R2 | 3-6 | 7-8 | | | |
| <i>Dianthus graniticus</i> Granite Pink | HP | 0.88 | R2 | 3-6 | 7-8 | | | |
| <i>Dianthus gratianopolitanus</i> Cheddar Pink | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus gratianopolitanus</i> 'Bath's Pink' Bath's Pink Cheddar Pink | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus gratianopolitanus</i> 'Bewitched' Bewitched Cheddar Pink | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus gratianopolitanus</i> 'Crimson Treasure' Crimson Treasure Cheddar Pink | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus gratianopolitanus</i> 'Devon Xera' P.P. 14895 Fire Star Cheddar Pink | HP | 0.94 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Dianthus gratianopolitanus</i> 'Dottie' Dottie Cheddar Pink | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus gratianopolitanus</i> 'Fire Star' See - <i>Dianthus gratianopolitanus</i> 'Devon Xera' P.P. 14895 | | | | | | | | |
| <i>Dianthus gratianopolitanus</i> 'Firewitch' Firewitch Cheddar Pink | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus gratianopolitanus</i> 'Grandiflorus' Grandiflorus Cheddar Pink | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus gratianopolitanus</i> 'La Bourbille' La Bourbille Cheddar Pink | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus gratianopolitanus</i> 'Petite' Petite Cheddar Pink | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus gratianopolitanus</i> 'Rosenfeder' Rosenfeder Cheddar Pink | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus gratianopolitanus</i> 'Saul's White' Saul's White Cheddar Pink | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus gratianopolitanus</i> 'Snow Flurries' Snow Flurries Cheddar Pink | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus gratianopolitanus</i> 'Spotty' Spotty Cheddar Pink | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus gratianopolitanus</i> 'Tiny Rubies' Tiny Rubies Cheddar Pink | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus knappii</i> Hairy Garden Pink | HP | 0.73 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus lumitzeri</i> Cottage Pink | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus neglectus</i> See - <i>Dianthus pavonius</i> | | | | | | | | |
| <i>Dianthus pavonius</i> No Common Name Found | HP | 0.72 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus petraeus</i> ssp. <i>noeanus</i> No Common Name Found | HP | 0.64 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus plumarius</i> Cottage Pink | HP | 0.72 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus plumarius</i> 'Alba' White Cottage Pink | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus plumarius</i> 'Ballade' Ballade Cottage Pink | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus plumarius</i> 'Desmond' Desmond Cottage Pink | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus plumarius</i> 'Spring Beauty' Spring Beauty Cottage Pink | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus x roysii</i> Roysii Pink | HP | 0.65 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus x roysii</i> 'Roseus' Rose Roysii Pink | HP | 0.65 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus shinanensis</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus simulans</i> No Common Name Found | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus subacaulis</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Dianthus superbis</i> Lavender Lace Pink | HP | 0.57 | R2 | 3-4 | 5-8 | | | |
| <i>Diaphanathe pellucida</i> No Common Name Found | FO | 3.00 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Diascia</i> Twinspur | HP | 0.68 | R2 | 3-7 | 8 | | | |
| <i>Diascia</i> 'Appleby Apricot' Appleby Apricot Twinspur | HP | 0.68 | R2 | 3-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|--|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Diascia</i> 'April Fool' April Fool Twinspur | HP | 0.68 | R2 | 3-8 | | | |
| <i>Diascia</i> 'Blackthorn's Apricot' Blackthorn's Apricot Twinspur | HP | 0.62 | R2 | 3-8 | | | |
| <i>Diascia</i> 'Blue Bonnet' Blue Bonnet Twinspur | HP | 0.62 | R2 | 3-7 | 8 | | |
| <i>Diascia</i> 'Blush' Blush Twinspur | HP | 0.68 | R2 | 3-8 | | | |
| <i>Diascia</i> 'Coral Bell' Coral Bell Twinspur | HP | 0.96 | R2 | 3-8 | | | |
| <i>Diascia</i> 'Elegans' Elegans Twinspur | HP | 0.68 | R2 | 3-8 | | | |
| <i>Diascia</i> 'Flying Colors Series' Flying Colors™ Series Twinspur | HP | 0.87 | R2 | 3-7 | 8 | | |
| <i>Diascia</i> 'Jack Elliot' Jack Elliot Twinspur | HP | 0.62 | R2 | 3-7 | 8 | | |
| <i>Diascia</i> 'Lady Valerie' Lady Valerie Twinspur | HP | 0.68 | R2 | 3-8 | | | |
| <i>Diascia</i> 'Langthorn's Lavender' Langthorn's Lavender Twinspur | HP | 0.62 | R2 | 3-7 | 8 | | |
| <i>Diascia</i> 'Lilac Belle' Lilac Belle Twinspur | HP | 0.62 | R2 | 3-7 | 8 | | |
| <i>Diascia</i> 'Red Ace' Red Ace Twinspur | HP | 0.68 | R2 | 3-8 | | | |
| <i>Diascia</i> 'Red Start' Red Start Twinspur | HP | 0.68 | R2 | 3-8 | | | |
| <i>Diascia</i> 'Rupert Lambert' Rupert Lambert Twinspur | HP | 0.62 | R2 | 3-7 | 8 | | |
| <i>Diascia</i> 'Salmon Supreme' Salmon Supreme Twinspur | HP | 0.68 | R2 | 3-7 | 8 | | |
| <i>Diascia</i> 'Strawberry Sundae' P.P. 11488 Strawberry Sunday Twinspur | HP | 0.73 | R2 | 3-7 | 8 | | |
| <i>Diascia</i> 'Sun Chimes Series' Sun Chimes Series Twinspur | HP | 0.65 | R2 | 3-8 | | | |
| <i>Diascia</i> 'Twinkle' Twinkle Twinspur | HP | 0.68 | R2 | 3-7 | 8 | | |
| <i>Diascia</i> 'Wendy' Wendy Twinspur | HP | 0.62 | R2 | 3-7 | 8 | | |
| <i>Diascia</i> 'Whisper Series' Whisper™ Series Twinspur | HP | 0.72 | R2 | 3-7 | 8 | | |
| <i>Diascia</i> 'Wink Series' Wink™ Series Twinspur | HP | 0.61 | R2 | 3-7 | 8 | | |
| <i>Diascia barberae</i> Twinspur | HP | 0.66 | R2 | 3-7 | 8 | | |
| <i>Diascia barberae</i> 'Diamonte Series' Diamonte™ Series Twinspur | HP | 0.70 | R2 | 3-7 | 8 | | |
| <i>Diascia barberae</i> 'Pink Queen' Pink Queen Twinspur | HP | 0.66 | R2 | 3-7 | 8 | | |
| <i>Diascia barberae</i> 'Ruby Field' Ruby Field Twinspur | HP | 0.62 | R2 | 3-7 | 8 | | |
| <i>Diascia fetcaniensis</i> No Common Name Found | HP | 0.64 | R2 | 5-8 | | | |
| <i>Diascia integerrima</i> Narrowleaf Twinspur | HP | 1.02 | R2 | 3-5 | 6-8 | | |
| <i>Diascia integerrima</i> 'Coral Canyon' Coral Canyon™ Narrowleaf Twinspur | HP | 1.02 | R2 | 3-5 | 6-8 | | |
| <i>Diascia rigescens</i> Rigid Twinspur | HP | 0.62 | R2 | 3-7 | 8 | | |
| <i>Diascia vigilis</i> No Common Name Found | HP | 0.65 | R2 | 3-7 | 8 | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Dicentra</i> Bleeding Heart | HP | 1.21 | R2 | 3 | 4-8 | | | |
| <i>Dicentra</i> 'Adrian Bloom' Adrian Bloom Bleeding Heart | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Dicentra</i> 'Bacchanal' Bacchanal Bleeding Heart | HP | 1.20 | R2 | 3 | 4-8 | | | |
| <i>Dicentra</i> 'Candy Hearts' P.P. 14692 Candy Hearts® Hybrid Bleeding Heart | HP | 1.21 | R2 | 3 | 4-8 | | | |
| <i>Dicentra</i> 'Ivory Hearts' P.P. 15599 Ivory Hearts® Hybrid Bleeding Heart | HP | 1.21 | R2 | 3 | 4-8 | | | |
| <i>Dicentra</i> 'King of Hearts' King of Hearts Hybrid Bleeding Heart | HP | 1.26 | R2 | 3 | 4-8 | | | |
| <i>Dicentra</i> 'Langtrees' Langtrees Bleeding Heart | HP | 1.21 | R2 | 3 | 4-8 | | | |
| <i>Dicentra</i> 'Luxuriant' P.P. 3324 Luxuriant Bleeding Heart | HP | 1.06 | R2 | 3 | 4-8 | | | |
| <i>Dicentra</i> 'Snowdrift' Snowdrift Bleeding Heart | HP | 1.27 | R2 | 3 | 4-8 | | | |
| <i>Dicentra</i> 'Stuart Boothman' Stuart Boothman Bleeding Heart | HP | 1.13 | R2 | 3 | 4-8 | | | |
| <i>Dicentra</i> 'Zestful' Zestful Bleeding Heart | HP | 1.47 | R2 | 3 | 4-8 | | | |
| <i>Dicentra canadensis</i> Squirrel Corn | HP | 1.18 | R2 | 3-4 | 5-8 | | | |
| <i>Dicentra cucullaria</i> Dutchman's Breeches | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Dicentra eximia</i> Fringed Bleeding Heart | HP | 1.18 | R2 | 3-4 | 5-8 | | | |
| <i>Dicentra eximia</i> 'Alba' White Fringed Bleeding Heart | HP | 0.72 | R2 | 3-4 | 5-8 | | | |
| <i>Dicentra eximia</i> 'Snowflakes' P.P. 8480 Snowflakes Fringed Bleeding Heart | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Dicentra formosa</i> Pacific Bleeding Heart | HP | 0.78 | R2 | 3-4 | 5-8 | | | |
| <i>Dicentra formosa</i> 'Alba' White Pacific Bleeding Heart | HP | 1.26 | R2 | 3-4 | 5-8 | | | |
| <i>Dicentra formosa</i> 'Aurora' Aurora Pacific Bleeding Heart | HP | 1.17 | R2 | 3-4 | 5-8 | | | |
| <i>Dicentra formosa</i> 'Bountiful' Bountiful Pacific Bleeding Heart | HP | 1.26 | R2 | 3-4 | 5-8 | | | |
| <i>Dicentra scandens</i> Climbing Bleeding Heart | HP | 1.00 | R2 | 4-6 | 7-8 | | | |
| <i>Dicentra scandens</i> 'Athens Yellow' Athens Yellow Climbing Bleeding Heart | HP | 1.00 | R2 | 4-6 | 7-8 | | | |
| <i>Dicentra spectabilis</i> Common Bleeding Heart | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Dicentra spectabilis</i> 'Alba' White Common Bleeding Heart | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Dicentra spectabilis</i> 'Gold Heart' Gold Heart Common Bleeding Heart | HP | 1.84 | R2 | 3-5 | 6-8 | | | |
| <i>Dichorisandra pendula</i> Weeping Blue Ginger | HP | 1.24 | R2 | 6-8 | | | | |
| <i>Dichorisandra thyrsiflora</i> Blue Ginger | HP | 1.39 | R2 | 8 | | | | |
| <i>Dichroa febrifuga</i> Blue Evergreen Hydrangea | DS | 0.53 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Dichroa versicolor</i> Blue Flowered Evergreen Hydrangea | BS | 1.00 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Dichromena colorata</i> See - <i>Rhynchospora colorata</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-----------|------------|
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Dichromena latifolia</i> See - <i>Rhynchospora latifolia</i> | | | | | | | | |
| <i>Dicksonia antarctica</i> Tasmanian Tree Fern | BS | 1.50 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Dicliptera resupinata</i> Arizona Dicliptera | HP | 0.64 | R2 | 8 | | | | |
| <i>Dicliptera suberecta</i> Hummingbird Plant | HP | 0.82 | R2 | 8 | | | | |
| <i>Dictamnus albus</i> Gas Plant | HP | 1.18 | R2 | 3 | 4-8 | | | |
| <i>Dictamnus albus</i> 'Albiflorus' Albiflorus Gas Plant | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Dictamnus albus</i> 'Purpureus' Purple Gas Plant | HP | 1.78 | R2 | 3 | 4-8 | | | |
| <i>Didymochlaena truncatula</i> Tree Maidenhair Fern | FO | 0.60 | R2 | 8 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> Dumb Cane | FO | 0.84 | R2 | 8 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> '61101' P.P. 9694 Star White Dumb Cane | FO | 0.84 | R2 | 8 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> '68814' P.P. 9051 Star Bright™ Dumb Cane | FO | 0.78 | R2 | 8 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> '695-1' P.P. 9050 Sparkles™ Dumb Cane | FO | 0.67 | R2 | 8 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> 'Camouflage' P.P. 12275 Camouflage Dumb Cane | FO | 0.79 | R2 | 8 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> 'Compacta' Compact Dumb Cane | FO | 0.67 | R2 | 8 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> 'Panther' Panther Dumb Cane | FO | 1.05 | R2 | 8 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> 'Parachute' Parachute Dumb Cane | FO | 0.78 | R2 | 8 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> 'Rebecca's Jewel' P.P. 6292 Rebecca's Jewel Dumb Cane | FO | 0.94 | R2 | 8 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> 'Sarah' Sarah Dumb Cane | FO | 0.94 | R2 | 8 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> 'Sparkles' See - <i>Dieffenbachia</i> '695-1' P.P. 9050 | | | | | | | | |
| <i>Dieffenbachia</i> 'Star Bright' See - <i>Dieffenbachia</i> '68814' P.P. 9051 | | | | | | | | |
| <i>Dieffenbachia</i> 'Star White' See - <i>Dieffenbachia</i> '61101' P.P. 9694 | | | | | | | | |
| <i>Dieffenbachia</i> 'Tiki' P.P. 7298 Tiki Dumb Cane | FO | 0.94 | R2 | 8 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> 'Triumph' Triumph Dumb Cane | FO | 0.87 | R2 | 8 | | | 1.00 | 10 |
| <i>Dieffenbachia</i> 'Tropic Marianne' P.P. 8832 Tropic Marianne Dumb Cane | FO | 1.08 | R2 | 8 | | | 1.00 | 10 |
| <i>Dieffenbachia amoena</i> Dumb Cane | FO | 0.89 | R2 | 8 | | | 1.00 | 10 |
| <i>Dieffenbachia x bausei</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Dieffenbachia maculata</i> Spotted Dumb Cane | FO | 0.90 | R2 | 8 | | | 1.00 | 10 |
| <i>Dieffenbachia maculata</i> 'Bali Hai' P.P. 6872 Bali Hai Spotted Dumb Cane | FO | 0.90 | R2 | 8 | | | 1.00 | 10 |
| <i>Dieffenbachia maculata</i> 'Camille' Camille Spotted Dumb Cane | FO | 0.68 | R2 | 8 | | | 1.00 | 10 |
| <i>Dieffenbachia maculata</i> 'Exotica Compacta' Exotic Compact Spotted Dumb Cane | FO | 0.90 | R2 | 8 | | | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Dieffenbachia maculata</i> 'Exotica Perfection' Exotica Perfection Spotted Dumb Cane | FO | 0.90 | R2 | 8 | | 1.00 | 10 |
| <i>Dieffenbachia maculata</i> 'Paradise' P.P. 6854 Paradise Spotted Dumb Cane | FO | 0.94 | R2 | 8 | | 1.00 | 10 |
| <i>Dieffenbachia maculata</i> 'Perfection Compacta' Perfection Compacta Spotted Dumb Cane | FO | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Dieffenbachia maculata</i> 'Tropic Snow' Tropic Snow Spotted Dumb Cane | FO | 0.99 | R2 | 8 | | 1.00 | 10 |
| <i>Dieffenbachia x memoria-corsii</i> No Common Name Found | FO | 0.94 | R2 | 8 | | 1.00 | 10 |
| <i>Dierama pendulum</i> Grassy-Bell Fishing Rods | HP | 1.27 | R2 | 6-7 | 8 | | |
| <i>Dierama pulcherrimum</i> Wandflower | HP | 1.22 | R2 | 6-7 | 8 | | |
| <i>Diervilla lonicera</i> Dwarf Bush-honeysuckle | BS | 1.08 | R1 | 3-4 | 5-8 | 0.44 | 3 |
| <i>Diervilla rivularis</i> Georgia Bush-honeysuckle | DS | 1.04 | R1 | 3-4 | 5-8 | 1.05 | 3 |
| <i>Diervilla rivularis</i> 'Morton' Summer Stars™ Georgia Bush-honeysuckle | DS | 0.95 | R1 | 3-4 | 5-8 | 1.05 | 4 |
| <i>Diervilla rivularis</i> 'Summer Stars' See - <i>Diervilla rivularis</i> 'Morton' | | | | | | | |
| <i>Diervilla sessilifolia</i> Southern Bush-honeysuckle | BS | 1.14 | R1 | 3-4 | 5-8 | 1.00 | 4 |
| <i>Diervilla sessilifolia</i> 'Butterfly' Butterfly Southern Bush-honeysuckle | BS | 1.13 | R1 | 3-4 | 5-8 | 1.00 | 4 |
| <i>Diervilla x splendens</i> Splendens Bush-honeysuckle | BS | 0.79 | R2 | 3 | 4-8 | 1.00 | 3 |
| <i>Dietes</i> Fortnight Lily | HP | 0.84 | R2 | 5-8 | | | |
| <i>Dietes</i> 'Lemon Drops' Lemon Drops Fortnight Lily | HP | 0.84 | R2 | 5-8 | | | |
| <i>Dietes</i> 'Oakhurst Series' Oakhurst Series Fortnight Lily | HP | 0.84 | R2 | 5-8 | | | |
| <i>Dietes</i> 'Orange Drops' Orange Drops Fortnight Lily | HP | 0.84 | R2 | 5-8 | | | |
| <i>Dietes bicolor</i> Bicolor Fortnight Lily | HP | 0.85 | R2 | 8 | | | |
| <i>Dietes iridioides</i> African Iris | HP | 0.86 | R2 | 8 | | | |
| <i>Dietes robinsoniana</i> Robinson Fortnight Lily | HP | 0.73 | R2 | 8 | | | |
| <i>Dietes vegeta</i> See - <i>Dietes iridioides</i> | | | | | | | |
| <i>Digitalis</i> Foxglove | HP | 0.88 | R2 | 3-4 | 5-8 | | |
| <i>Digitalis</i> 'Spice Island' P.P. 17849 Spice Island Hybrid Foxglove | HP | 0.88 | R2 | 3-4 | 5-8 | | |
| <i>Digitalis ambigua</i> See - <i>Digitalis grandiflora</i> | | | | | | | |
| <i>Digitalis ferruginea</i> Rusty Foxglove | HP | 0.81 | R2 | 3-4 | 5-8 | | |
| <i>Digitalis grandiflora</i> Yellow Foxglove | HP | 0.88 | R2 | 3-4 | 5-8 | | |
| <i>Digitalis grandiflora</i> 'Carillon' Carillon Yellow Foxglove | HP | 0.85 | R2 | 3-4 | 5-8 | | |
| <i>Digitalis grandiflora</i> 'Creme Belle' Creme Belle Yellow Foxglove | HP | 0.87 | R2 | 3-4 | 5-8 | | |
| <i>Digitalis laevigata</i> No Common Name Found | HP | 0.64 | R2 | 3-4 | 5-8 | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Digitalis lanata</i> Grecian Foxglove | HP | 0.48 | R2 | 3-4 | 5-8 | | | |
| <i>Digitalis lutea</i> Straw Foxglove | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Digitalis x mertonensis</i> Strawberry Foxglove | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Digitalis obscura</i> Willow-leaved Foxglove | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Digitalis parviflora</i> Spanish Foxglove | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Digitalis purpurea</i> Common Foxglove | HP | 0.73 | R2 | 3-4 | 5-8 | | | |
| <i>Digitalis purpurea</i> 'Alba' White Common Foxglove | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Digitalis purpurea</i> 'Apricot Beauty' Apricot Beauty Common Foxglove | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Digitalis purpurea</i> 'Apricot' Apricot Common Foxglove | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Digitalis purpurea</i> 'Camelot Series' Camelot Series Common Foxglove | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Digitalis purpurea</i> 'Excelsior' Excelsior Common Foxglove | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Digitalis purpurea</i> 'Foxy' Foxy Common Foxglove | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Digitalis purpurea</i> 'Giant Shirley' Giant Shirley Common Foxglove | HP | 1.22 | R2 | 3-4 | 5-8 | | | |
| <i>Digitalis purpurea</i> 'Gloxinioides' Gloxinioides Common Foxglove | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Digitalis thapsi</i> Fingerhut Foxglove | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Digitalis thapsi</i> 'Spanish Peaks' Spanish Peaks™ Fingerhut Foxglove | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Dimerocostus strobilaceus</i> No Common Name Found | HP | 1.71 | R2 | 6-8 | | | | |
| <i>Dimorphotheca sinuata</i> Cape Marigold | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Dionaea muscipula</i> Venus' Fly Trap | HP | 1.30 | R2 | 3-8 | | | | |
| <i>Dionaea muscipula</i> 'Akai Ryu' Akai Ryu Venus' Fly Trap | HP | 1.30 | R2 | 3-8 | | | | |
| <i>Dionaea muscipula</i> 'Dente' Dente Venus' Fly Trap | HP | 1.30 | R2 | 5-6 | 7-8 | | | |
| <i>Dionysia aretioides</i> No Common Name Found | BS | 1.00 | R2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Dioon edule</i> Virgin's Palm | PC | 1.48 | R2 | 8 | | | 1.00 | 9 |
| <i>Dioscorea macrostachya</i> Turtle Plant | GC | 1.55 | R2 | 8 | | | 1.00 | 10 |
| <i>Diosma pulchra</i> See - <i>Coleonema pulchrum</i> | | | | | | | | |
| <i>Diospyros kaki</i> Japanese Persimmon | FN | 0.81 | R2 | 6-7 | 8 | 1.46 | 0.81 | 7 |
| <i>Diospyros kaki</i> 'Chocolate' Chocolate Japanese Persimmon | FN | 1.85 | R2 | 6-7 | 8 | 1.46 | 0.81 | 7 |
| <i>Diospyros kaki</i> 'Coffeecake' See - <i>Diospyros kaki</i> 'Nishimura Wase' | | | | | | | | |
| <i>Diospyros kaki</i> 'Eureka' Eureka Japanese Persimmon | FN | 1.38 | R2 | 6-7 | 8 | 1.46 | 0.81 | 7 |
| <i>Diospyros kaki</i> 'Fuyu' Fuyu Japanese Persimmon | FN | 1.16 | R2 | 6-7 | 8 | 1.46 | 0.77 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Diospyros kaki</i> 'Fuyugaki' | | | | | | | | |
| See - <i>Diospyros kaki</i> 'Fuyu' | | | | | | | | |
| <i>Diospyros kaki</i> 'Giant Fuyu' | FN | 2.06 | R2 | 6-7 | 8 | 1.46 | 0.81 | 7 |
| Giant Fuyu Japanese Persimmon | | | | | | | | |
| <i>Diospyros kaki</i> 'Gionbo' | FN | 1.38 | R2 | 6-7 | 8 | 1.46 | 0.81 | 7 |
| Gionbo Japanese Persimmon | | | | | | | | |
| <i>Diospyros kaki</i> 'Hachiya' | FN | 1.10 | R2 | 6-7 | 8 | 1.46 | 0.81 | 7 |
| Hachiya Japanese Persimmon | | | | | | | | |
| <i>Diospyros kaki</i> 'Ichikikei' | FN | 1.38 | R2 | 6-7 | 8 | 1.46 | 0.81 | 7 |
| Ichikikei Japanese Persimmon | | | | | | | | |
| <i>Diospyros kaki</i> 'Izu' | FN | 1.42 | R2 | 6-7 | 8 | 1.46 | 0.81 | 7 |
| Izu Japanese Persimmon | | | | | | | | |
| <i>Diospyros kaki</i> 'Jiro' | FN | 1.38 | R2 | 6-7 | 8 | 1.46 | 0.81 | 7 |
| Jiro Japanese Persimmon | | | | | | | | |
| <i>Diospyros kaki</i> 'Matsumoto Wase Fuyu' | FN | 1.38 | R2 | 6-7 | 8 | 1.46 | 0.81 | 7 |
| Matsumoto Wase Fuyu Japanese Persimmon | | | | | | | | |
| <i>Diospyros kaki</i> 'Nishimura Wase' | FN | 1.38 | R2 | 6-7 | 8 | 1.46 | 0.81 | 7 |
| Coffeecake Japanese Persimmon | | | | | | | | |
| <i>Diospyros kaki</i> 'Sheng' | FN | 1.38 | R2 | 6-7 | 8 | 1.46 | 0.81 | 7 |
| Sheng Japanese Persimmon | | | | | | | | |
| <i>Diospyros kaki</i> 'Tamopan' | FN | 1.24 | R2 | 6-7 | 8 | 1.46 | 0.81 | 7 |
| Tamopan Persimmon | | | | | | | | |
| <i>Diospyros kaki</i> 'Tannenashi' | FN | 1.38 | R2 | 6-7 | 8 | 1.46 | 0.85 | 7 |
| Tannenashi Japanese Persimmon | | | | | | | | |
| <i>Diospyros kaki</i> 'Triumph' | FN | 1.38 | R2 | 6-7 | 8 | 1.46 | 0.81 | 7 |
| Triumph Japanese Persimmon | | | | | | | | |
| <i>Diospyros lotus</i> | DT | 1.00 | R1 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| Date Plum | | | | | | | | |
| <i>Diospyros texana</i> | DT | 1.25 | R1 | 6-7 | 8 | 1.00 | 1.00 | 7 |
| Texas Persimmon | | | | | | | | |
| <i>Diospyros virginiana</i> | DT | 0.56 | R1 | 3-7 | 8 | 0.78 | 1.91 | 4 |
| Common Persimmon | | | | | | | | |
| <i>Dipladenia sanderi</i> | | | | | | | | |
| See - <i>Mandevilla sanderi</i> | | | | | | | | |
| <i>Dipladenia splendens</i> | | | | | | | | |
| See - <i>Mandevilla splendens</i> | | | | | | | | |
| <i>Diplazium acrostichoides</i> | FO | 0.55 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Silvery Spleenwort | | | | | | | | |
| <i>Diplazium pycnocarpon</i> | | | | | | | | |
| See - <i>Athyrium pycnocarpon</i> | | | | | | | | |
| <i>Dipogon lignosus</i> | GC | 0.58 | R2 | 8 | | | 1.00 | 9 |
| Australian Pea | | | | | | | | |
| <i>Dirca palustris</i> | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| Leatherwood | | | | | | | | |
| <i>Disanthus cercidifolius</i> | DS | 1.27 | R1 | 8 | | | 2.37 | 8 |
| No Common Name Found | | | | | | | | |
| <i>Disporopsis pernyi</i> | HP | 1.12 | R2 | 5-7 | 8 | | | |
| Evergreen Solomon's Seal | | | | | | | | |
| <i>Disporum flavens</i> | HP | 1.77 | R1 | 3-4 | 5-8 | | | |
| Fairy Bells | | | | | | | | |
| <i>Distictis</i> | GC | 0.96 | R2 | 8 | | | 1.00 | 9 |
| Trumpet Vine | | | | | | | | |
| <i>Distictis</i> 'Rivers' | GC | 0.96 | R2 | 8 | | | 1.00 | 9 |
| Royal Trumpet Vine | | | | | | | | |
| <i>Distictis buccinatoria</i> | GC | 1.09 | R2 | 8 | | | 1.00 | 9 |
| Blood Trumpet Vine | | | | | | | | |
| <i>Distylium myricoides</i> | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Myrtle-leaf Distylium | | | | | | | | |
| <i>Distylium racemosum</i> | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Isu Tree | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Distylium racemosum</i> 'Akebono' Akebono Isu Tree | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Dodecatheon clevelandii</i> Cleveland Shooting Star | HP | 0.81 | R2 | 4-5 | 6-8 | | | |
| <i>Dodecatheon hendersonii</i> Sailor Caps | HP | 1.00 | R2 | 4-6 | 7-8 | | | |
| <i>Dodecatheon jeffreyi</i> Sierra Shooting Star | HP | 0.71 | R2 | 3-4 | 5-8 | | | |
| <i>Dodecatheon meadia</i> Shooting Star | HP | 0.78 | R2 | | 5-8 | | | |
| <i>Dodecatheon meadia</i> 'Album' White Shooting Star | HP | 0.78 | R2 | | 5-8 | | | |
| <i>Dodecatheon pulchellum</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Dodonaea adenophora</i> No Common Name Found | BS | 0.61 | R2 | 8 | | | 1.00 | 9 |
| <i>Dodonaea boroniifolia</i> No Common Name Found | BS | 0.61 | R2 | 8 | | | 1.00 | 9 |
| <i>Dodonaea viscosa</i> Hopseed Bush | BS | 0.83 | R2 | 8 | | | 1.00 | 9 |
| <i>Dodonaea viscosa</i> 'Purpurea' Purple Hopseed Bush | BS | 0.91 | R2 | 8 | | | 1.00 | 9 |
| <i>Dolichos lablab</i> See - <i>Lablab purpureus</i> | | | | | | | | |
| <i>Dombeya wallichii</i> No Common Name Found | BS | 1.20 | R2 | 8 | | | 1.00 | 9 |
| <i>Dombeya wallichii</i> 'Seminole' Seminole Dombeya | BS | 1.57 | R2 | 8 | | | 1.00 | 9 |
| <i>Doritis pulcherrima</i> No Common Name Found | FO | 1.82 | R2 | 8 | | | 1.00 | 9 |
| <i>Doronicum austriacum</i> Austriacum Leopard's Bane | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Doronicum caucasicum</i> See - <i>Doronicum orientale</i> | | | | | | | | |
| <i>Doronicum columnae</i> Eastern Leopard's Bane | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Doronicum cordatum</i> See - <i>Doronicum columnae</i> | | | | | | | | |
| <i>Doronicum orientale</i> Caucasian Leopard's Bane | HP | 0.83 | R2 | 3-5 | 6-8 | | | |
| <i>Doronicum orientale</i> 'Finesse' Finesse Caucasian Leopard's Bane | HP | 0.82 | R2 | 3-5 | 6-8 | | | |
| <i>Doronicum orientale</i> 'Leonardo Compact' Leonardo Compact™ Caucasian Leopard's Bane | HP | 0.63 | R2 | 3-5 | 6-8 | | | |
| <i>Doronicum orientale</i> 'Leonardo' Leonardo™ Caucasian Leopard's Bane | HP | 0.82 | R2 | 3-5 | 6-8 | | | |
| <i>Doronicum orientale</i> 'Little Leo' Little Leo Caucasian Leopard's Bane | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Doronicum orientale</i> 'Magnificum' Magnificum Caucasian Leopard's Bane | HP | 0.99 | R2 | 3-5 | 6-8 | | | |
| <i>Doronicum orientale</i> 'Spring Beauty' Spring Beauty Caucasian Leopard's Bane | HP | 0.82 | R2 | 3-5 | 6-8 | | | |
| <i>Dorycnium hirsutum</i> Hairy Canary Clover | HP | 0.66 | R2 | 6-7 | 8 | | | |
| <i>Doryopteris pedata</i> Hand Fern | HP | 1.00 | R2 | 8 | | | | |
| <i>Douglasia laevigata</i> Smooth Douglasia | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Douglasia montana</i> Mountain Douglasia | HP | 1.00 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Draba acaulis</i> No Common Name Found | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Draba aizoides</i> Yellow Whitlow Grass | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Draba alticola</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Draba brunifolia</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Draba brunifolia</i> ssp. <i>olympica</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Draba cappadocica</i> No Common Name Found | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Draba cuspidata</i> No Common Name Found | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Draba dedeana</i> Dede Draba | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Draba haynaldii</i> No Common Name Found | HP | 1.00 | R2 | 3-7 | 8 | | | |
| <i>Draba hispanica</i> Spanish Draba | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Draba incerta</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Draba lactea</i> Milky Draba | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Draba lasiocarpa</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Draba longisiliqua</i> No Common Name Found | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Draba mollissima</i> No Common Name Found | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Draba norvegica</i> Norwegian Draba | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Draba oligosperma</i> No Common Name Found | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Draba paysonii</i> Payson Draba | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Draba polytricha</i> No Common Name Found | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Draba rigida</i> Rigid Draba | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Draba rigida</i> var. <i>bryoides</i> No Common Name Found | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Draba rigida</i> var. <i>imbricata</i> No Common Name Found | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Draba rosularis</i> No Common Name Found | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Draba sibirica</i> Siberian Draba | HP | 0.46 | R2 | | 3-8 | | | |
| <i>Draba ussuriensis</i> No Common Name Found | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Dracaena arborea</i> Tree Dracena | BS | 1.46 | R2 | 6-8 | | | 0.72 | 9 |
| <i>Dracaena bicolor</i> No Common Name Found | FO | 0.51 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Dracaena cincta</i> No Common Name Found | FO | 1.00 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Dracaena deremensis</i> No Common Name Found | FO | 0.10 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Dracaena deremensis</i> 'Gold Star' Gold Star Dracena | FO | 1.03 | R2 | 6-8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Dracaena deremensis</i> 'Janet Craig Compacta' Compact Janet Craig Dracena | FO | 1.09 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Dracaena deremensis</i> 'Janet Craig' Janet Craig Dracena | FO | 0.96 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Dracaena deremensis</i> 'Lemon Lime' Lemon Lime Dracena | FO | 0.91 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Dracaena deremensis</i> 'Lisa' Lisa Dracena | FO | 3.53 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Dracaena deremensis</i> 'Rikki' Rikki Dracena | FO | 1.06 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Dracaena deremensis</i> 'Souvenir de Schriever' Souvenir de Schriever Dracena | FO | 1.07 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Dracaena deremensis</i> 'Warneckii Compacta' Warneckii Compact Dracena | FO | 0.99 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Dracaena draco</i> Dragon Plant | BE | 0.99 | R2 | 6-8 | | 1.00 | 1.00 | 9 |
| <i>Dracaena fragrans</i> Fragrant Dracena | FO | 1.17 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Dracaena fragrans</i> 'Lindenii' Linden Fragrant Dracena | FO | 1.01 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Dracaena fragrans</i> 'Massangeana' Corn Plant | FO | 1.04 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Dracaena fragrans</i> 'Santa Rosa' Santa Rosa Fragrant Dracena | FO | 0.82 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Dracaena godseffiana</i> See - <i>Dracaena surculosa</i> | | | | | | | | |
| <i>Dracaena indivisa</i> See - <i>Cordyline indivisa</i> | | | | | | | | |
| <i>Dracaena marginata</i> Madagascar Dragon Tree | FO | 0.73 | R2 | 6-8 | | | 0.96 | 9 |
| <i>Dracaena marginata</i> 'Colorama' Colorama Madagascar Dragon Tree | FO | 0.81 | R2 | 6-8 | | | 0.96 | 9 |
| <i>Dracaena marginata</i> 'Magenta' Magenta Madagascar Dragon Tree | FO | 0.59 | R2 | 6-8 | | | 0.96 | 9 |
| <i>Dracaena marginata</i> 'Tricolor' Tricolor Madagascar Dragon Tree | FO | 0.83 | R2 | 6-8 | | | 0.96 | 9 |
| <i>Dracaena reflexa</i> Mauritius Dracena | FO | 1.21 | R2 | 6-8 | | | 1.42 | 9 |
| <i>Dracaena reflexa</i> 'Honoriae' Honoriae Mauritius Dracena | FO | 1.19 | R2 | 6-8 | | | 1.43 | 9 |
| <i>Dracaena reflexa</i> 'Song of India' Song of India Mauritius Dracena | FO | 0.94 | R2 | 6-8 | | | 1.44 | 9 |
| <i>Dracaena reflexa</i> 'Song of Jamaica' Song of Jamaica Mauritius Dracena | FO | 1.02 | R2 | 6-8 | | | 1.43 | 9 |
| <i>Dracaena sanderiana</i> Ribbon Plant | FO | 0.59 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Dracaena sanderiana</i> 'Borinquensis' Borinquensis Ribbon Plant | FO | 0.59 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Dracaena surculosa</i> Gold Dust Dracena | FO | 0.21 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Dracaena surculosa</i> 'Florida Beauty' Florida Beauty Gold Dust Dracena | FO | 0.21 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Dracaena thalioides</i> No Common Name Found | FO | 1.00 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Dracocephalum botryoides</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Dracocephalum peregrinum</i> Twin-flowered Dragonhead | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Dracocephalum peregrinum</i> 'Blue Dragon' Blue Dragon Dragonhead | HP | 1.00 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Drepanostachyum falcatum</i> | | | | | | | | |
| See - <i>Himalayacalamus hookerianus</i> | | | | | | | | |
| <i>Drepanostachyum hookerianum</i> | | | | | | | | |
| See - <i>Himalayacalamus falconeri</i> 'Damarapa' | | | | | | | | |
| <i>Drepanostachyum sengteeaanum</i> | | | | | | | | |
| See - <i>Himalayacalamus falconeri</i> | | | | | | | | |
| <i>Drimia maculata</i> | | | | | | | | |
| See - <i>Drimiopsis maculata</i> | | | | | | | | |
| <i>Drimiopsis maculata</i> | HP | 1.53 | R2 | 8 | | | | |
| <i>Drimiopsis</i> | | | | | | | | |
| <i>Drimys lanceolata</i> | BE | 0.92 | R2 | 7-8 | | 1.00 | 1.00 | 8 |
| Pepper Tree | | | | | | | | |
| <i>Drimys winteri</i> | BE | 0.86 | R2 | 7-8 | | 1.00 | 1.00 | 8 |
| Winter's Bark Drimys | | | | | | | | |
| <i>Drosera adelae</i> | HP | 1.30 | R2 | 5-8 | | | | |
| Australian Sundew | | | | | | | | |
| <i>Drosera binata</i> | HP | 1.50 | R2 | 7-8 | | | | |
| Forked Sundew | | | | | | | | |
| <i>Drosera capensis</i> | HP | 1.30 | R2 | 7-8 | | | | |
| Cape Sundew | | | | | | | | |
| <i>Drosera capillaris</i> | HP | 1.00 | R2 | 7-8 | | | | |
| Pink Sundew | | | | | | | | |
| <i>Drosera filiformis</i> | HP | 1.30 | R2 | 7-8 | | | | |
| Dew-thread Sundew | | | | | | | | |
| <i>Drosera filiformis</i> var. <i>tracyi</i> | HP | 1.17 | R2 | 7-8 | | | | |
| No Common Name Found | | | | | | | | |
| <i>Drosera spathulata</i> | HP | 1.30 | R2 | 5-8 | | | | |
| Spoon-leaf Sundew | | | | | | | | |
| <i>Drosera tracyi</i> | | | | | | | | |
| See - <i>Drosera filiformis</i> var. <i>tracyi</i> | | | | | | | | |
| <i>Dryandra formosa</i> | BS | 1.00 | R2 | 8 | | | 1.00 | 9 |
| Showy Dryandra | | | | | | | | |
| <i>Dryas octopetala</i> | BS | 1.67 | R1 | | 3-8 | | 1.00 | 2 |
| Mt. Washington Dryad | | | | | | | | |
| <i>Drymophloeus bequini</i> | PC | 1.60 | R2 | 8 | | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Drymophloeus oliviformis</i> | PC | 1.60 | R2 | 8 | | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Drynaria quercifolia</i> | BS | 1.00 | R2 | 8 | | | 0.30 | 10 |
| Oak-leaved Fern | | | | | | | | |
| <i>Dryopteris affinis</i> | FO | 0.62 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| Golden Shield Fern | | | | | | | | |
| <i>Dryopteris affinis</i> 'Crispa Gracilis' | FO | 0.62 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| Dwarf Crisped Golden Shield Fern | | | | | | | | |
| <i>Dryopteris affinis</i> 'Crispa' | FO | 0.62 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| Crispa Golden Shield Fern | | | | | | | | |
| <i>Dryopteris affinis</i> 'Cristata the King' | | | | | | | | |
| See - <i>Dryopteris affinis</i> 'Cristata' | | | | | | | | |
| <i>Dryopteris affinis</i> 'Cristata' | FO | 0.62 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| Cristata Golden Shield Fern | | | | | | | | |
| <i>Dryopteris affinis</i> 'Revolvans' | FO | 0.62 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| Revolvans Golden Shield Fern | | | | | | | | |
| <i>Dryopteris affinis</i> 'Stableri' | | | | | | | | |
| See - <i>Dryopteris</i> x <i>complexa</i> 'Stablerae' | | | | | | | | |
| <i>Dryopteris arguta</i> | FO | 0.88 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Coastal Wood Fern | | | | | | | | |
| <i>Dryopteris assimilis</i> | | | | | | | | |
| See - <i>Dryopteris expansa</i> | | | | | | | | |
| <i>Dryopteris atrata</i> | FO | 0.65 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Shaggy Shield Fern | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Dryopteris x australis</i> Dixie Wood Fern | FO | 0.68 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Dryopteris austriaca</i> See - <i>Dryopteris dilatata</i> | | | | | | | | |
| <i>Dryopteris bissetiana</i> Beaded Wood Fern | FO | 1.00 | R2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Dryopteris borrieri</i> See - <i>Dryopteris affinis</i> | | | | | | | | |
| <i>Dryopteris buschiana</i> See - <i>Dryopteris crassirhizoma</i> | | | | | | | | |
| <i>Dryopteris carthusiana</i> Narrow Buckler Fern | FO | 0.82 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Dryopteris celsa</i> Log Fern | FO | 0.81 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Dryopteris championii</i> Champion's Wood Fern | FO | 0.68 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Dryopteris x complexa</i> Hybrid Golden Shield Fern | FO | 0.93 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Dryopteris x complexa</i> 'Stablerae' Narrow Crisped Hybrid Golden Shield Fern | FO | 0.93 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Dryopteris crassirhizoma</i> Thick Stemmed Wood Fern | FO | 1.00 | R2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Dryopteris cristata</i> Crested Wood Fern | FO | 0.77 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Dryopteris cycadina</i> No Common Name Found | FO | 0.81 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Dryopteris dilatata</i> Broad Buckler Fern | FO | 1.00 | R2 | 3-5 | 6-8 | | 1.00 | 4 |
| <i>Dryopteris dilatata</i> 'Cristata' Crested Broad Buckler Fern | FO | 1.25 | R2 | 3-5 | 6-8 | | 1.00 | 4 |
| <i>Dryopteris dilatata</i> 'Jimmy Dyce' Jimmy Dyce Broad Buckler Fern | FO | 0.96 | R2 | 3-5 | 6-8 | | 1.00 | 4 |
| <i>Dryopteris dilatata</i> 'Lepidota Cristata' Lacy Crested Broad Buckler Fern | FO | 0.86 | R2 | 3-5 | 6-8 | | 1.00 | 4 |
| <i>Dryopteris dilatata</i> 'Recurvata' Recurved Broad Buckler Fern | FO | 0.71 | R2 | 3-5 | 6-8 | | 1.00 | 4 |
| <i>Dryopteris erythrosora</i> Japanese Shield Fern | FO | 0.73 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Dryopteris erythrosora</i> 'Brilliance' Brilliance Autumn Fern | FO | 0.86 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Dryopteris expansa</i> Northwest Wood Fern | FO | 1.00 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Dryopteris filix-mas</i> Male Fern | FO | 0.81 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Dryopteris filix-mas</i> 'Barnesii' Barnes Male Fern | FO | 0.86 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Dryopteris filix-mas</i> 'Crispa Cristata' Crested Male Fern | FO | 0.86 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Dryopteris filix-mas</i> 'Crispatissima' Dwarf Crinkled Male Fern | FO | 0.86 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Dryopteris filix-mas</i> 'Cristata Jackson' Crested Jackson Male Fern | FO | 0.86 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Dryopteris filix-mas</i> 'Cristata Martindale' Crested Martindale Male Fern | FO | 0.86 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Dryopteris filix-mas</i> 'Grandiceps Wills' Grandiceps Wills Male Fern | FO | 0.86 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Dryopteris filix-mas</i> 'Linearis Cristata' Linearis Cristata Male Fern | FO | 0.86 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Dryopteris filix-mas</i> 'Linearis Polydactyla' Slender Crested Male Fern | FO | 0.86 | R2 | 3-4 | 5-8 | | 1.00 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Dryopteris filix-mas</i> 'Linearis' Linearis Male Fern | FO | 0.86 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Dryopteris filix-mas</i> 'Parsley' Parsley Leaf Male Fern | FO | 0.86 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Dryopteris filix-mas</i> 'Robusta' See - <i>Dryopteris x complexa</i> | | | | | | | | |
| <i>Dryopteris filix-mas</i> 'Undulata Robusta' Undulating Robust Male Fern | FO | 0.90 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Dryopteris goldiana</i> Goldie's Fern | FO | 0.82 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Dryopteris intermedia</i> Fancy Fern | FO | 1.26 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Dryopteris labordei</i> Golden Mist Wood Fern | FO | 1.00 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Dryopteris lacera</i> Leathery Wood Fern | FO | 1.00 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Dryopteris lepidopoda</i> Sunset Fern | FO | 1.00 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Dryopteris linnaeana</i> See - <i>Gymnocarpium dryopteris</i> | | | | | | | | |
| <i>Dryopteris ludoviciana</i> Southern Wood Fern | FO | 0.66 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Dryopteris marginalis</i> Leatherwood Fern | FO | 0.68 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Dryopteris normalis</i> See - <i>Thelypteris normalis</i> | | | | | | | | |
| <i>Dryopteris pseudo filix-mas</i> Mexican Male Fern | FO | 0.86 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Dryopteris pycnopteroides</i> Japanese Wood Fern | FO | 1.00 | R2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Dryopteris x remota</i> Remote Fern | FO | 0.72 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Dryopteris x separabilis</i> Separate Wood Fern | FO | 1.00 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Dryopteris sieboldii</i> Siebold's Wood Fern | FO | 0.77 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Dryopteris spinulosa</i> See - <i>Dryopteris carthusiana</i> | | | | | | | | |
| <i>Dryopteris thelypteris</i> See - <i>Thelypteris palustris</i> | | | | | | | | |
| <i>Dryopteris tokyoensis</i> Tokyo Wood Fern | FO | 1.00 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Dryopteris wallichiana</i> Wallich's Wood Fern | FO | 1.10 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Dryopteris wallichiana</i> ssp. <i>nepalensis</i> No Common Name Found | FO | 1.00 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Dryopteris wallichiana</i> ssp. <i>nepalensis</i> 'Molten Lava' Molten Lava Wallich's Wood Fern | FO | 1.00 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Duchesnea indica</i> Indian Mock Strawberry | HP | 1.22 | R2 | 3-6 | 7-8 | | | |
| <i>Duchesnea major</i> False Strawberry | HP | 0.47 | R2 | 3-6 | 7-8 | | | |
| <i>Dudleya brittonii</i> No Common Name Found | HP | 0.90 | R2 | 6-8 | | | | |
| <i>Dudleya cymosa</i> No Common Name Found | HP | 0.90 | R2 | 3-6 | 7-8 | | | |
| <i>Dudleya pulverulenta</i> Chalk Lettuce | HP | 0.90 | R2 | 5-8 | | | | |
| <i>Duranta erecta</i> Golden Dewdrop | BS | 0.76 | R2 | 8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Duranta erecta</i> 'Alba' White Golden Dewdrop | BS | 0.79 | R2 | 8 | | | 1.00 | 9 |
| <i>Duranta erecta</i> 'Gold Edge' Gold Edge Golden Dewdrop | BS | 0.74 | R2 | 8 | | | 1.00 | 9 |
| <i>Duranta erecta</i> 'Gold Mound' Gold Mound Golden Dewdrop | BS | 0.62 | R2 | 8 | | | 1.00 | 9 |
| <i>Duranta erecta</i> 'Sapphire Showers White' Sapphire Showers White Golden Dewdrop | BS | 0.67 | R2 | 8 | | | 1.00 | 9 |
| <i>Duranta erecta</i> 'Sapphire Showers' Sapphire Showers Golden Dewdrop | BS | 0.91 | R2 | 8 | | | 1.00 | 9 |
| <i>Duranta erecta</i> 'Variegata' Variegated Golden Dewdrop | BS | 0.80 | R2 | 8 | | | 1.00 | 9 |
| <i>Duranta repens</i> See - <i>Duranta erecta</i> | | | | | | | | |
| <i>Dymondia margaretae</i> No Common Name Found | HP | 0.61 | R2 | 7-8 | | | | |
| <i>Dypsis lutescens</i> Butterfly Palm | PC | 0.67 | R2 | 8 | | | 0.90 | 10 |
| <i>Dypsis pinnatifrons</i> No Common Name Found | PC | 1.64 | R2 | 8 | | | 1.00 | 10 |
| <i>Dyschoriste oblongifolia</i> Twinflower | HP | 0.72 | R2 | 5-8 | | | | |
| <i>Dyssodia tenuiloba</i> See - <i>Thymophylla tenuiloba</i> | | | | | | | | |
| <i>Echeveria</i> Echeveria | HP | 1.16 | R2 | 5-8 | | | | |
| <i>Echeveria</i> 'Black Prince' Black Prince Hybrid Echeveria | HP | 1.04 | R2 | 5-8 | | | | |
| <i>Echeveria</i> 'Deranosa' Deranosa Echeveria | HP | 1.16 | R2 | 5-8 | | | | |
| <i>Echeveria</i> 'Lola' Lola Echeveria | HP | 1.16 | R2 | 5-8 | | | | |
| <i>Echeveria</i> 'Perle von Nurnberg' Perle von Nurnberg Echeveria | HP | 1.28 | R2 | 5-8 | | | | |
| <i>Echeveria elegans</i> Jerusalem Rose | HP | 0.92 | R2 | 5-8 | | | | |
| <i>Echeveria harmsii</i> No Common Name Found | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Echeveria runyonii</i> Mexican Echeveria | HP | 1.04 | R2 | 5-8 | | | | |
| <i>Echeveria runyonii</i> 'Silver Onion' Silver Onion Mexican Echeveria | HP | 1.04 | R2 | 5-8 | | | | |
| <i>Echeveria runyonii</i> 'Topsy Turvy' Topsy Turvy Mexican Echeveria | HP | 1.03 | R2 | 5-8 | | | | |
| <i>Echinacea</i> Coneflower | HP | 1.38 | R2 | 3-4 | 5-8 | | | |
| <i>Echinacea</i> 'Adam Saul' P.P.A.F. Crazy Pink™ Coneflower | HP | 0.68 | R2 | 3-4 | 5-8 | | | |
| <i>Echinacea</i> 'After Midnight' See - <i>Echinacea</i> 'Emily Saul' P.P. 18768 | | | | | | | | |
| <i>Echinacea</i> 'Art's Pride' P.P. 15090 Orange Meadowbrite™ Hybrid Coneflower | HP | 1.66 | R2 | 3-4 | 5-8 | | | |
| <i>Echinacea</i> 'Big Sky Series' Big Sky™ Series Coneflower | HP | 1.38 | R2 | 3-4 | 5-8 | | | |
| <i>Echinacea</i> 'CBG Cone 2' P.P. 18546 Pixie Meadowbrite™ Hybrid Coneflower | HP | 1.56 | R2 | 3-4 | 5-8 | | | |
| <i>Echinacea</i> 'CBG Cone 3' P.P. 16636 Mango Meadowbrite™ Hybrid Coneflower | HP | 1.34 | R2 | 3-4 | 5-8 | | | |
| <i>Echinacea</i> 'Crazy Pink' See - <i>Echinacea</i> 'Adam Saul' P.P.A.F. | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Echinacea</i> 'Emily Saul' P.P. 18768 After Midnight™ Big Sky™ Coneflower | HP | 1.34 | R2 | 3-4 | 5-8 | | | |
| <i>Echinacea</i> 'Evan Saul' P.P. 17659 Sundown™ Big Sky™ Coneflower | HP | 1.48 | R2 | 3-4 | 5-8 | | | |
| <i>Echinacea</i> 'Harvest Moon' See - <i>Echinacea</i> 'Matthew Saul' P.P. 17652 | | | | | | | | |
| <i>Echinacea</i> 'Katie Saul' P.P. 18783 Summer Sky™ Big Sky™ Coneflower | HP | 1.37 | R2 | 3-4 | 5-8 | | | |
| <i>Echinacea</i> 'Mango Meadowbrite' See - <i>Echinacea</i> 'CBG Cone 3' P.P. 16636 | | | | | | | | |
| <i>Echinacea</i> 'Matthew Saul' P.P. 17652 Harvest Moon™ Big Sky™ Coneflower | HP | 1.49 | R2 | 3-4 | 5-8 | | | |
| <i>Echinacea</i> 'Meadowbrite Series' Meadowbrite™ Series Hybrid Coneflower | HP | 1.38 | R2 | 3-4 | 5-8 | | | |
| <i>Echinacea</i> 'Orange Meadowbrite' See - <i>Echinacea</i> 'Art's Pride' P.P. 15090 | | | | | | | | |
| <i>Echinacea</i> 'Paranoia' P.P. 16587 Paranoia Coneflower | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Echinacea</i> 'Pixie Meadowbrite' See - <i>Echinacea</i> 'CBG Cone 2' P.P. 18546 | | | | | | | | |
| <i>Echinacea</i> 'Summer Sky' See - <i>Echinacea</i> 'Katie Saul' P.P. 18783 | | | | | | | | |
| <i>Echinacea</i> 'Sundown' See - <i>Echinacea</i> 'Evan Saul' P.P. 17659 | | | | | | | | |
| <i>Echinacea</i> 'Sunrise' P.P. 16235 Sunrise Big Sky™ Coneflower | HP | 1.34 | R2 | 3-4 | 5-8 | | | |
| <i>Echinacea</i> 'Sunset' P.P. 16424 Sunset Big Sky™ Coneflower | HP | 1.32 | R2 | 3-4 | 5-8 | | | |
| <i>Echinacea</i> 'Tiki Torch' P.P. 18839 Tiki Torch Hybrid Coneflower | HP | 1.85 | R2 | 3-4 | 5-8 | | | |
| <i>Echinacea</i> 'Twilight' P.P. 17651 Twilight™ Big Sky™ Coneflower | HP | 1.46 | R2 | 3-4 | 5-8 | | | |
| <i>Echinacea angustifolia</i> Western Purple Coneflower | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Echinacea pallida</i> Pale Coneflower | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Echinacea paradoxa</i> Yellow Coneflower | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Echinacea purpurea</i> Purple Coneflower | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Echinacea purpurea</i> 'Alba' White Purple Coneflower | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Echinacea purpurea</i> 'Baby White Swan' See - <i>Echinacea purpurea</i> 'Cygnet White' | | | | | | | | |
| <i>Echinacea purpurea</i> 'Bravado' Bravado Purple Coneflower | HP | 0.78 | R2 | 3 | 4-8 | | | |
| <i>Echinacea purpurea</i> 'Bright Star' Bright Star Purple Coneflower | HP | 0.80 | R2 | 3 | 4-8 | | | |
| <i>Echinacea purpurea</i> 'Coconut Lime' P.P. 18617 Coconut Lime™ Coneflower | HP | 1.86 | R2 | 3 | 4-8 | | | |
| <i>Echinacea purpurea</i> 'Conevin' P.P.A.F. Purple Fantasy™ Purple Coneflower | HP | 1.28 | R2 | 3 | 4-8 | | | |
| <i>Echinacea purpurea</i> 'Cygnet White' Cygnet White Coneflower | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Echinacea purpurea</i> 'Doppelganger' Doppelganger™ Purple Coneflower | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Echinacea purpurea</i> 'Doubledecker' See - <i>Echinacea purpurea</i> 'Doppelganger' | | | | | | | | |
| <i>Echinacea purpurea</i> 'Fatal Attraction' P.P. 18429 Fatal Attraction Coneflower | HP | 1.59 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|-------------|--|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | | |
| <i>Echinacea purpurea</i> 'Fragrant Angel' P.P. 16054 Fragrant Angel Coneflower | HP | 1.59 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'Green Envy' P.P.A.F. Green Envy Coneflower | HP | 1.71 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'Kim's Knee High' P.P. 12242 Kim's Knee High Purple Coneflower | HP | 1.20 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'Kim's Mop Head' P.P. 13560 Kim's Mophead Purple Coneflower | HP | 1.54 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'Little Giant' P.P. 16183 Little Giant Purple Coneflower | HP | 1.67 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'Magnus' Magnus Purple Coneflower | HP | 0.90 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'Merlot' P.P. 18814 Merlot Purple Coneflower | HP | 1.89 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'Pink Double Delight' P.P. 18803 Pink Double Delight® Coneflower | HP | 1.31 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'Prairie Frost' Prairie Frost Purple Coneflower | HP | 1.13 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'Prairie Splendor' Prairie Splendor™ Purple Coneflower | HP | 1.22 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'Primadonna Deep Rose' Primadonna® Deep Rose Purple Coneflower | HP | 0.99 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'Primadonna Series' Primadonna® Series Purple Coneflower | HP | 1.22 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'Primadonna White' Primadonna® White Coneflower | HP | 1.13 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'Purple Fantasy' See - <i>Echinacea purpurea</i> 'Conevin' P.P.A.F. | | | | | | | | |
| <i>Echinacea purpurea</i> 'Raspberry Tart' P.P. 18933 Raspberry Tart Purple Coneflower | HP | 1.85 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'Razzmatazz' P.P. 13894 Razzmatazz Purple Coneflower | HP | 1.17 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'Rubinstern' Rubinstern Purple Coneflower | HP | 0.88 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'Ruby Giant' P.P.A.F. Ruby Giant Coneflower | HP | 1.48 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'Ruby Star' See - <i>Echinacea purpurea</i> 'Rubinstern' | | | | | | | | |
| <i>Echinacea purpurea</i> 'Sparkler' P.P. 17298 Sparkler Purple Coneflower | HP | 1.13 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'Springbrook's Crimson Star' Springbrook's Crimson Star Purple Coneflower | HP | 1.22 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'The King' The King Purple Coneflower | HP | 1.05 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'Vintage Wine' P.P. 13893 Vintage Wine Purple Coneflower | HP | 1.16 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'White Lustre' White Lustre Purple Coneflower | HP | 0.89 | R2 | 3 4-8 | | | | |
| <i>Echinacea purpurea</i> 'White Swan' White Swan Purple Coneflower | HP | 0.84 | R2 | 3 4-8 | | | | |
| <i>Echinacea tennesseensis</i> Tennessee Coneflower | HP | 1.09 | R2 | 3 4-8 | | | | |
| <i>Echinacea tennesseensis</i> 'Rocky Top Hybrids' Rocky Top Hybrids Tennessee Coneflower | HP | 0.88 | R2 | 3 4-8 | | | | |
| <i>Echinocactus grusoni</i> Golden Barrel Cactus | FO | 1.19 | R2 | 3-8 1.00 9 | | | | |
| <i>Echinops bannaticus</i> Hungarian Globe Thistle | HP | 0.76 | R2 | 3 4-8 | | | | |
| <i>Echinops bannaticus</i> 'Blue Ball' See - <i>Echinops bannaticus</i> 'Blue Globe' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Echinops bannaticus</i> 'Blue Globe' Blue Globe Hungarian Thistle | HP | 0.70 | R2 | 3 | 4-8 | | | |
| <i>Echinops ritro</i> Globe Thistle | HP | 1.33 | R2 | 3 | 4-8 | | | |
| <i>Echinops ritro</i> 'Blue Glow' Blue Glow Globe Thistle | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Echinops ritro</i> 'Taplow Blue' Taplow Blue Globe Thistle | HP | 0.97 | R2 | 3 | 4-8 | | | |
| <i>Echinops ritro</i> 'Taplow Purple' Taplow Purple Globe Thistle | HP | 1.02 | R2 | 3 | 4-8 | | | |
| <i>Echinops ritro</i> 'Veitchii's Blue' Veitchii's Blue Globe Thistle | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Echinops sphaerocephalus</i> No Common Name Found | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Echinopsis aurea</i> No Common Name Found | HP | 1.00 | R2 | 3-8 | | | | |
| <i>Echinopsis candicans</i> Argentine Giant Cordon | HP | 1.37 | R2 | 6-8 | | | | |
| <i>Echinopsis chamaecereus</i> Peanut Cactus | HP | 1.00 | R2 | 8 | | | | |
| <i>Echinopsis eyriesii</i> No Common Name Found | HP | 1.00 | R2 | 8 | | | | |
| <i>Echinopsis kuehnrchii</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Echinopsis multiplex</i> See - <i>Echinopsis oxygona</i> | | | | | | | | |
| <i>Echinopsis oxygona</i> Easter Lily Cactus | HP | 1.85 | R2 | 8 | | | | |
| <i>Echium</i> Bugloss | HP | 0.84 | R2 | 7-8 | | | | |
| <i>Echium</i> 'Purple Tower' Purple Tower Echium | HP | 0.84 | R2 | 7-8 | | | | |
| <i>Echium candicans</i> Pride of Madeira | HP | 0.79 | R2 | 7-8 | | | | |
| <i>Echium fastuosum</i> See - <i>Echium candicans</i> | | | | | | | | |
| <i>Echium pininana</i> Pride of Tenerife | HP | 0.63 | R2 | 7-8 | | | | |
| <i>Echium wildpretii</i> Tower of Jewels | HP | 0.74 | R2 | 7-8 | | | | |
| <i>Edgeworthia chrysantha</i> Paperbush Plant | DS | 1.85 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Edgeworthia chrysantha</i> 'Gold Rush' Golden Paperbush Plant | DS | 1.04 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Edgeworthia chrysantha</i> 'Red Dragon' Red Dragon Paperbush Plant | DS | 1.45 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Edgeworthia chrysantha</i> 'Rubra' See - <i>Edgeworthia chrysantha</i> 'Red Dragon' | | | | | | | | |
| <i>Edgeworthia papyrifera</i> See - <i>Edgeworthia chrysantha</i> | | | | | | | | |
| <i>Edraianthus dalmaticus</i> No Common Name Found | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Edraianthus graminifolius</i> No Common Name Found | HP | 0.80 | R2 | 6-8 | | | | |
| <i>Edraianthus kitaibelii</i> See - <i>Edraianthus graminifolius</i> | | | | | | | | |
| <i>Edraianthus parnassicus</i> No Common Name Found | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Edraianthus pumilio</i> No Common Name Found | HP | 1.00 | R2 | 3-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Edraianthus serpyllifolius</i> No Common Name Found | HP | 1.00 | R2 | 3-7 | 8 | | | |
| <i>Elaeagnus angustifolia</i> Russian Olive | BS | 0.91 | R2 | | 3-8 | | 0.18 | 2 |
| <i>Elaeagnus angustifolia</i> 'Quicksilver' Quicksilver Russian Olive | BS | 0.94 | R2 | | 3-8 | | 0.18 | 2 |
| <i>Elaeagnus angustifolia</i> 'Red King' Red King Russian Olive | BS | 0.93 | R2 | | 3-8 | | 0.18 | 2 |
| <i>Elaeagnus angustifolia</i> var. <i>orientalis</i> No Common Name Found | BS | 1.00 | R2 | | 3-8 | | 1.00 | 2 |
| <i>Elaeagnus commutata</i> Silverberry | BS | 1.08 | R2 | | 3-8 | | 0.96 | 2 |
| <i>Elaeagnus x ebbingei</i> Ebbinge's Silverberry | BS | 0.78 | R2 | 3-6 | 7-8 | | 0.81 | 6 |
| <i>Elaeagnus x ebbingei</i> 'Gilt Edge' Gilt Edge Ebbinge's Silverberry | BS | 1.13 | R2 | 3-6 | 7-8 | | 0.81 | 6 |
| <i>Elaeagnus latifolia</i> Broadleaf Elaeagnus | BS | 0.43 | R2 | 7-8 | | | 1.00 | 7 |
| <i>Elaeagnus macrophylla</i> Longleaf Elaeagnus | BS | 0.76 | R2 | 7-8 | | | 1.00 | 7 |
| <i>Elaeagnus parviflora</i> See - <i>Elaeagnus angustifolia</i> var. <i>orientalis</i> | | | | | | | | |
| <i>Elaeagnus philippinensis</i> Lingaro Elaeagnus | BS | 1.00 | R2 | 7-8 | | | 1.00 | 7 |
| <i>Elaeagnus pungens</i> Thorny Elaeagnus | BS | 0.63 | R2 | 5-7 | 8 | | 0.60 | 7 |
| <i>Elaeagnus pungens</i> 'Fruitlandii' Fruitland Thorny Elaeagnus | BS | 0.72 | R2 | 5-7 | 8 | | 0.81 | 7 |
| <i>Elaeagnus pungens</i> 'Glen St. Mary' Glen St. Mary Thorny Elaeagnus | BS | 0.84 | R2 | 5-7 | 8 | | 0.71 | 7 |
| <i>Elaeagnus pungens</i> 'Maculata' Golden Thorny Elaeagnus | BS | 0.83 | R2 | 5-7 | 8 | | 0.71 | 7 |
| <i>Elaeagnus pungens</i> 'Reflexa' Reflexa Thorny Elaeagnus | BS | 0.72 | R2 | 5-7 | 8 | | 0.71 | 7 |
| <i>Elaeagnus pungens</i> 'Simonii' Simon Thorny Elaeagnus | BS | 0.60 | R2 | 5-7 | 8 | | 0.71 | 7 |
| <i>Elaeagnus pungens</i> 'Variegata' Variegated Thorny Elaeagnus | BS | 0.67 | R2 | 5-7 | 8 | | 0.71 | 7 |
| <i>Elaeagnus umbellata</i> Autumn Olive | BS | 0.76 | R2 | 3 | 4-8 | | 0.60 | 3 |
| <i>Elaeagnus umbellata</i> 'Cardinal' Cardinal Autumn Olive | BS | 0.75 | R2 | 3 | 4-8 | | 0.60 | 3 |
| <i>Elaeagnus umbellata</i> 'Guardian' Guardian Autumn Olive | BS | 0.75 | R2 | 3 | 4-8 | | 0.60 | 3 |
| <i>Elaeagnus umbellata</i> 'Titan' See - <i>Elaeagnus umbellata</i> 'Tizam' P.P. 7750 | | | | | | | | |
| <i>Elaeagnus umbellata</i> 'Tizam' P.P. 7750 Titan® Autumn Olive | BS | 0.74 | R2 | 3 | 4-8 | | 0.60 | 3 |
| <i>Elaeocarpus decipiens</i> Japanese Blueberry Tree | BE | 1.18 | R2 | 5-8 | | 1.83 | 2.10 | 7 |
| <i>Elaeocarpus decipiens</i> 'Little Emperor' See - <i>Elaeocarpus decipiens</i> 'Monproud' P.P. 17611 | | | | | | | | |
| <i>Elaeocarpus decipiens</i> 'Monproud' P.P. 17611 Little Emperor™ Shogun® Japanese Blueberry Tree | BE | 1.89 | R2 | 5-8 | | 1.83 | 2.10 | 8 |
| <i>Elaeocarpus decipiens</i> 'Shogun Series' See - <i>Elaeocarpus decipiens</i> | | | | | | | | |
| <i>Elaeophorbia drupifera</i> See - <i>Euphorbia drupifera</i> | | | | | | | | |
| <i>Eleocharis acicularis</i> Needle Spike Rush | HP | 1.01 | R2 | 3-7 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Eleocharis baldwinii</i> Road Grass | HP | 0.64 | R2 | 3-6 | 7-8 | | | |
| <i>Eleocharis cellulosa</i> Spike Rush | HP | 0.73 | R2 | 8 | | | | |
| <i>Eleocharis dulcis</i> See - <i>Eleocharis tuberosa</i> | | | | | | | | |
| <i>Eleocharis lindheimeri</i> See - <i>Eleocharis radicans</i> | | | | | | | | |
| <i>Eleocharis montana</i> No Common Name Found | HP | 1.00 | R2 | 8 | | | | |
| <i>Eleocharis ovata</i> Ovate Spike Rush | HP | 0.39 | R2 | | 3-8 | | | |
| <i>Eleocharis palustris</i> Creeping Spike Rush | HP | 1.43 | R2 | 5-7 | 8 | | | |
| <i>Eleocharis radicans</i> Rooted Spikerush | HP | 0.65 | R2 | 5-7 | 8 | | | |
| <i>Eleocharis tuberosa</i> Chinese Water Chestnut | HP | 1.00 | R2 | 8 | | | | |
| <i>Elettaria cardamomum</i> Cardamom | HP | 1.21 | R2 | 8 | | | | |
| <i>Eleutherococcus sieboldianus</i> Fiveleaf Aralia | FO | 0.82 | R2 | 3-4 | 5-8 | | 0.41 | 4 |
| <i>Eleutherococcus sieboldianus</i> 'Variegatus' Variegated Fiveleaf Aralia | FO | 1.11 | R2 | 3-4 | 5-8 | | 0.41 | 4 |
| <i>Elliottia racemosa</i> Georgian Plume | DS | 0.88 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Ellisiophyllum pinnatum</i> No Common Name | GC | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Elsholtzia stauntonii</i> Mint Shrub | BS | 1.44 | R2 | 5-6 | 7-8 | | 1.00 | 4 |
| <i>Elymus arenarius</i> See - <i>Leymus arenarius</i> | | | | | | | | |
| <i>Elymus canadensis</i> Canada Wild Rye | HP | 1.43 | R2 | 3 | 4-8 | | | |
| <i>Elymus cinereus</i> See - <i>Leymus cinereus</i> | | | | | | | | |
| <i>Elymus condensatus</i> See - <i>Leymus condensatus</i> | | | | | | | | |
| <i>Elymus glaucus</i> See - <i>Leymus secalinus</i> | | | | | | | | |
| <i>Elymus magellanicus</i> Blue Wheat Grass | HP | 1.52 | R2 | 5-7 | 8 | | | |
| <i>Elymus mollis</i> See - <i>Leymus mollis</i> | | | | | | | | |
| <i>Elymus racemosus</i> See - <i>Leymus racemosus</i> | | | | | | | | |
| <i>Elymus sibiricus</i> Siberian Wild Rye | HP | 0.69 | R2 | 3-5 | 6-8 | | | |
| <i>Elymus virginicus</i> Virginia Wild Rye | HP | 1.01 | R2 | 3 | 4-8 | | | |
| <i>Embothrium coccineum</i> Chilean Firebush | BE | 1.00 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Embothrium coccineum</i> 'Lanceolatum' Lanceolatum Group Chilean Firebush | BE | 1.00 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Empetrum nigrum</i> Black Crowberry | BS | 1.28 | R1 | | 3-8 | | 1.00 | 1 |
| <i>Empetrum nigrum</i> 'Compass Harbour' Compass Harbour Black Crowberry | BS | 1.67 | R1 | | 3-8 | | 1.00 | 1 |
| <i>Encelia californica</i> California Encelia | HP | 1.14 | R2 | 7-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Encelia farinosa</i> Brittlebush | BS | 0.72 | R1 | 7 | 8 | | 1.00 | 7 |
| <i>Encephalartos aemulans</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Encephalartos altensteinii</i> Prickly Cycad | PC | 1.09 | R2 | 8 | | | 1.00 | 9 |
| <i>Encephalartos ferox</i> No Common Name Found | PC | 3.85 | R2 | 8 | | | 1.00 | 9 |
| <i>Encephalartos gratus</i> No Common Name Found | PC | 3.68 | R2 | 8 | | | 1.00 | 9 |
| <i>Encephalartos horridus</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Encephalartos lebomboensis</i> Lebombo Cycad | PC | 3.21 | R2 | 8 | | | 1.00 | 9 |
| <i>Encephalartos manikensis</i> Rhodesian Cycad | PC | 2.86 | R2 | 8 | | | 1.00 | 9 |
| <i>Encephalartos natalensis</i> Natal Cycad | PC | 1.09 | R2 | 8 | | | 1.00 | 9 |
| <i>Encyclia ceratistes</i> No Common Name Found | FO | 1.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Encyclia chiapasensis</i> No Common Name Found | FO | 2.50 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Encyclia fragrans</i> No Common Name Found | FO | 6.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Encyclia garcianum</i> No Common Name Found | FO | 2.71 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Encyclia prismatocarpa</i> No Common Name Found | FO | 3.75 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Encyclia radiata</i> No Common Name Found | FO | 2.22 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Encyclia tampensis</i> No Common Name Found | FO | 3.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Encyclia vespa</i> No Common Name Found | FO | 1.50 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Enkianthus campanulatus</i> Redvein Enkianthus | BS | 1.55 | R2 | 3-5 | 6-8 | | 1.34 | 4 |
| <i>Enkianthus campanulatus</i> 'Hollandia Red' Hollandia Red Redvein Enkianthus | BS | 1.54 | R2 | 3-5 | 6-8 | | 1.47 | 4 |
| <i>Enkianthus campanulatus</i> 'Red Bells' Red Bells Redvein Enkianthus | BS | 1.52 | R2 | 3-5 | 6-8 | | 1.59 | 4 |
| <i>Enkianthus campanulatus</i> 'Showy Lantern' Showy Lantern Redvein Enkianthus | BS | 1.56 | R2 | 3-5 | 6-8 | | 1.47 | 5 |
| <i>Enkianthus campanulatus</i> var. <i>palibinii</i> Palibin Redvein Enkianthus | BS | 1.36 | R2 | 3-5 | 6-8 | | 1.00 | 4 |
| <i>Enkianthus campanulatus</i> var. <i>sikokianus</i> No Common Name Found | BS | 1.80 | R2 | 4-5 | 6-8 | | 1.00 | 4 |
| <i>Enkianthus cernuus</i> var. <i>rubens</i> Drooping Redvein Enkianthus | BS | 1.00 | R2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Enkianthus perulatus</i> Dodan-tsutsuji | BS | 1.63 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Epacris gunnii</i> No Common Name Found | BS | 0.70 | R2 | 8 | | | 1.00 | 9 |
| <i>Ephedra americana</i> American Ephedra | BS | 1.00 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Ephedra americana</i> var. <i>andina</i> No Common Name Found | BS | 1.00 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Ephedra equisetina</i> Mongolian Joint Fir | BS | 0.86 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Ephedra minima</i> No Common Name Found | BS | 1.05 | R2 | 4-5 | 6-8 | | 1.00 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Ephedra viridis</i> Green Joint Fir | BS | 1.12 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Epidendrum</i> Epidendrum Hybrid Orchid | FO | 1.66 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Epidendrum eburneum</i> No Common Name Found | FO | 3.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Epidendrum hokulea</i> No Common Name Found | FO | 2.25 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Epidendrum ibaguense</i> Reed Stem Orchid | FO | 1.49 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Epidendrum ilense</i> No Common Name Found | FO | 5.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Epidendrum leucocardium</i> See - <i>Epidendrum eburneum</i> | | | | | | | | |
| <i>Epidendrum x obrienianum</i> O'Brien Orchid | FO | 1.08 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Epidendrum pfavii</i> No Common Name Found | FO | 5.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Epidendrum prismatocarpum</i> See - <i>Encyclia prismatocarpa</i> | | | | | | | | |
| <i>Epidendrum pseudowallisii</i> See - <i>Oerstedella pseudowallisii</i> | | | | | | | | |
| <i>Epidendrum schumannianum</i> See - <i>Oerstedella schumanniana</i> | | | | | | | | |
| <i>Epidendrum schweinfurthianum</i> See - <i>Oerstedella schweinfurthiana</i> | | | | | | | | |
| <i>Epidendrum secundum</i> No Common Name Found | FO | 2.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Epidendrum tampense</i> See - <i>Encyclia tampensis</i> | | | | | | | | |
| <i>Epidendrum violascens</i> No Common Name Found | FO | 3.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Epidendrum wallisii</i> See - <i>Oerstedella wallisii</i> | | | | | | | | |
| <i>Epigeneium cymbidioides</i> No Common Name Found | FO | 3.33 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Epilobium angustifolium</i> See - <i>Chamerion angustifolium</i> | | | | | | | | |
| <i>Epilobium angustifolium</i> 'Roseum' See - <i>Epilobium roseum</i> | | | | | | | | |
| <i>Epilobium canum</i> ssp. <i>canum</i> California Fuchsia | HP | 0.95 | R2 | 5-8 | | | | |
| <i>Epilobium canum</i> ssp. <i>canum</i> 'Catalina' Catalina California Fuchsia | HP | 0.70 | R2 | 5-8 | | | | |
| <i>Epilobium canum</i> ssp. <i>canum</i> 'Etteri' Etter California Fuchsia | HP | 0.70 | R2 | 5-8 | | | | |
| <i>Epilobium canum</i> ssp. <i>canum</i> 'Everett's Choice' Everett's Choice Hummingbird Flower | HP | 0.70 | R2 | 5-8 | | | | |
| <i>Epilobium canum</i> ssp. <i>canum</i> 'Solidarity Pink' Solidarity Pink California Fuchsia | HP | 0.76 | R2 | 5-8 | | | | |
| <i>Epilobium canum</i> ssp. <i>garrettii</i> Hummingbird Flower | HP | 1.04 | R2 | 5-8 | | | | |
| <i>Epilobium canum</i> ssp. <i>garrettii</i> 'Orange Carpet' Orange Carpet™ Hummingbird Flower | HP | 1.04 | R2 | 5-8 | | | | |
| <i>Epilobium canum</i> ssp. <i>latifolium</i> Hummingbird Flower | HP | 0.93 | R2 | 5-8 | | | | |
| <i>Epilobium roseum</i> Pale Willow Herb | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Epilobium septentrionale</i> Humboldt County Fuchsia | HP | 1.63 | R2 | 5-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|-------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | | |
| <i>Epimedium alpinum</i> Alpine Barrenwort | HP | 0.79 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium alpinum</i> 'Rubrum' Red Alpine Barrenwort | HP | 1.35 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium</i> x <i>cantabrigiense</i> No Common Name Found | HP | 1.16 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium grandiflorum</i> Longspur Barrenwort | HP | 1.28 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium grandiflorum</i> 'Album' White Longspur Barrenwort | HP | 1.45 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium grandiflorum</i> 'Lilafee' Lilafee Longspur Barrenwort | HP | 1.25 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium grandiflorum</i> 'Purple Pixie' Purple Pixie Longspur Barrenwort | HP | 1.15 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium grandiflorum</i> 'Rose Queen' Rose Queen Longspur Barrenwort | HP | 1.27 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium grandiflorum</i> 'White Queen' White Queen Longspur Barrenwort | HP | 1.28 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium macranthum</i> See - <i>Epimedium grandiflorum</i> | | | | | | | | |
| <i>Epimedium</i> x <i>perralchicum</i> No Common Name Found | HP | 1.17 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium</i> x <i>perralchicum</i> 'Frohnleiten' Frohnleiten Barrenwort | HP | 1.17 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium perralderanum</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium pinnatum</i> Persian Barrenwort | HP | 1.15 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium pinnatum</i> ssp. <i>colchicum</i> Goldenfleece Barrenwort | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium pubescens</i> Barrenwort | HP | 1.52 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium pubigerum</i> No Common Name Found | HP | 1.02 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium</i> x <i>rubrum</i> Red Barrenwort | HP | 1.44 | R2 | 3-4 | 5-8 | | | |
| <i>Epimedium</i> x <i>versicolor</i> Bicolor Barrenwort | HP | 1.25 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium</i> x <i>versicolor</i> 'Sulphureum' Yellow Bicolor Barrenwort | HP | 1.25 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium</i> x <i>warlayense</i> Warlayense Barrenwort | HP | 1.02 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium</i> x <i>warlayense</i> 'Orange Konigin' Orange Konigin Warlayense Barrenwort | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium</i> x <i>youngianum</i> Young's Barrenwort | HP | 1.37 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium</i> x <i>youngianum</i> 'Niveum' White Young's Barrenwort | HP | 1.38 | R2 | 3-5 | 6-8 | | | |
| <i>Epimedium</i> x <i>youngianum</i> 'Roseum' Rose Young's Barrenwort | HP | 1.33 | R2 | 3-5 | 6-8 | | | |
| <i>Epipremnum aureum</i> Golden Pothos | FO | 0.50 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Epipremnum aureum</i> 'Marble Queen' See - <i>Epipremnum pinnatum</i> 'Marble Queen' | | | | | | | | |
| <i>Epipremnum aureum</i> 'Tropic Green' See - <i>Epipremnum pinnatum</i> 'Jade' | | | | | | | | |
| <i>Epipremnum pinnatum</i> Centipede Tongavine | FO | 0.64 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Epipremnum pinnatum</i> 'Aureum' See - <i>Epipremnum aureum</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Epipremnum pinnatum</i> 'Goldilocks' | | | | | | | |
| See - <i>Epipremnum pinnatum</i> 'Neon' | | | | | | | |
| <i>Epipremnum pinnatum</i> 'Jade' | FO | 0.61 | R2 | 6-8 | | 1.00 | 10 |
| Jade Pothos | | | | | | | |
| <i>Epipremnum pinnatum</i> 'Marble Queen' | FO | 0.52 | R2 | 6-8 | | 1.00 | 10 |
| Marble Queen Pothos | | | | | | | |
| <i>Epipremnum pinnatum</i> 'Neon' | FO | 0.80 | R2 | 6-8 | | 1.00 | 10 |
| Neon Golden Pothos | | | | | | | |
| <i>Epipremnum pinnatum</i> 'Wilcoxii' | FO | 0.64 | R2 | 6-8 | | 1.00 | 10 |
| Wilcox Golden Pothos | | | | | | | |
| <i>Episcia cupreata</i> | FO | 1.00 | R2 | 8 | | 1.00 | 10 |
| Flame Violet | | | | | | | |
| <i>Episcia cupreata</i> 'Silver Sheen' | FO | 1.00 | R2 | 8 | | 1.00 | 10 |
| Silver Sheen Flame Violet | | | | | | | |
| <i>Epithelantha micromeris</i> | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| Button Cactus | | | | | | | |
| <i>Equisetum arvense</i> | HP | 0.93 | R2 | | 3-8 | | |
| Common Horsetail | | | | | | | |
| <i>Equisetum diffusum</i> | HP | 1.00 | R2 | 3-4 | 5-8 | | |
| Himalayan Horsetail | | | | | | | |
| <i>Equisetum hyemale</i> | HP | 1.38 | R2 | 5-6 | 7-8 | | |
| Dutch Rush | | | | | | | |
| <i>Equisetum hyemale</i> var. <i>affine</i> | HP | 0.78 | R2 | 5-6 | 7-8 | | |
| No Common Name Found | | | | | | | |
| <i>Equisetum hyemale</i> var. <i>robustum</i> | HP | 1.01 | R2 | 5-6 | 7-8 | | |
| Robust Dutch Rush | | | | | | | |
| <i>Equisetum scirpoides</i> | HP | 1.32 | R2 | 3 | 4-8 | | |
| Dwarf Scouring Rush | | | | | | | |
| <i>Eragrostis curvula</i> | HP | 0.98 | R2 | 5-7 | 8 | | |
| Weeping Love Grass | | | | | | | |
| <i>Eragrostis elliotii</i> | HP | 0.82 | R2 | 3-6 | 7-8 | | |
| Elliott's Love Grass | | | | | | | |
| <i>Eragrostis elliotii</i> 'Tallahasee Sunset' | HP | 0.82 | R2 | 3-6 | 7-8 | | |
| Tallahasee Sunset Love Grass | | | | | | | |
| <i>Eragrostis elliotii</i> 'Wind Dancer' | HP | 0.82 | R2 | 3-6 | 7-8 | | |
| Wind Dancer™ Love Grass | | | | | | | |
| <i>Eragrostis spectabilis</i> | HP | 0.74 | R2 | 3-5 | 6-8 | | |
| Purple Love Grass | | | | | | | |
| <i>Eragrostis trichodes</i> | HP | 0.94 | R2 | 3-5 | 6-8 | | |
| Sand Love Grass | | | | | | | |
| <i>Eragrostis trichodes</i> 'Bend' | HP | 0.92 | R2 | 3-5 | 6-8 | | |
| Bend Sand Love Grass | | | | | | | |
| <i>Eremophila maculata</i> | BS | 1.05 | R2 | 8 | | 1.00 | 9 |
| Spotted Emu Bush | | | | | | | |
| <i>Eremophila maculata</i> var. <i>brevifolia</i> | BS | 1.48 | R2 | 8 | | 1.00 | 9 |
| Valentine Emu Bush | | | | | | | |
| <i>Eremophila racemosa</i> | BE | 1.11 | R2 | 8 | | 1.00 | 8 |
| Easter Egg Plant | | | | | | | |
| <i>Eremurus x isabellinus</i> | HP | 1.10 | R2 | 3-5 | 6-8 | | |
| Shelford Foxtail Lily | | | | | | | |
| <i>Eremurus robustus</i> | HP | 1.00 | R2 | 3-6 | 7-8 | | |
| Giant Desert Candle | | | | | | | |
| <i>Eremurus stenophyllus</i> | HP | 1.10 | R2 | 5-6 | 7-8 | | |
| Bunge Desert Candle | | | | | | | |
| <i>Erianthus contortus</i> | | | | | | | |
| See - <i>Saccharum contortum</i> | | | | | | | |
| <i>Erianthus ravennae</i> | | | | | | | |
| See - <i>Saccharum ravennae</i> | | | | | | | |
| <i>Erianthus strictus</i> | | | | | | | |
| See - <i>Saccharum strictum</i> | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Erica</i> Heath | BS | 1.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Erica</i> 'African Fanfare' African Fanfare Heath | BS | 1.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Erica</i> 'Spring Torch' See - <i>Calluna vulgaris</i> 'Spring Torch' | | | | | | | | |
| <i>Erica caniculata</i> Christmas Heath | BS | 0.64 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Erica caniculata</i> 'Rubra' Red Christmas Heath | BS | 0.81 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Erica carnea</i> Winter Heath | BS | 1.51 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'Bell's Extra Special' Bell's Extra Special Winter Heath | BS | 1.10 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'Challenger' Challenger Winter Heath | BS | 1.18 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'December Red' December Red Winter Heath | BS | 1.13 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'King George' King George Winter Heath | BS | 1.01 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'Loughrigg' Loughrigg Winter Heath | BS | 1.18 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'Myretoun Ruby' Myretoun Ruby Winter Heath | BS | 1.12 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'Pink Spangles' Pink Spangles Winter Heath | BS | 1.31 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'Ruby Glow' Ruby Glow Winter Heath | BS | 1.58 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'Schneekuppe' Schneekuppe Winter Heath | BS | 1.08 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'Springwood Pink' Springwood Pink Winter Heath | BS | 0.97 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'Springwood White' Springwood White Winter Heath | BS | 0.98 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'Vivellii' Carmine Winter Heath | BS | 1.07 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica carnea</i> 'Winter Beauty' Winter Beauty Winter Heath | BS | 1.33 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica cinerea</i> Twisted Heath | BS | 1.12 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'Atropurpurea' Purple Twisted Heath | BS | 1.18 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'Atrosanguinea' Atrosanguinea Twisted Heath | BS | 1.33 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'C.D. Eason' C.D. Eason Twisted Heath | BS | 1.08 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'Contrast' Contrast Twisted Heath | BS | 1.17 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'Golden Sport' Golden Sport Twisted Heath | BS | 1.17 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'Kerry Cherry' Kerry Cherry Twisted Heath | BS | 1.17 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'P.S. Patrick' P.S. Patrick Twisted Heath | BS | 1.17 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'Providence' Providence Twisted Heath | BS | 1.17 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'Purple Beauty' Purple Beauty Twisted Heath | BS | 1.11 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'Purple Bell' Purple Bell Twisted Heath | BS | 1.33 | R2 | 3-6 | 7-8 | | 1.00 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Erica cinerea</i> 'Rose Queen' Rose Queen Twisted Heath | BS | 1.17 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'Rosea' Rosea Twisted Heath | BS | 0.94 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'Ruby' Ruby Twisted Heath | BS | 1.17 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'Velvet Night' Velvet Night Twisted Heath | BS | 1.28 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica cinerea</i> 'Vivienne Patricia' Vivienne Patricia Twisted Heath | BS | 1.17 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica x darleyensis</i> Darley Heath | BS | 1.18 | R2 | 3-6 | 7-8 | | 0.52 | 6 |
| <i>Erica x darleyensis</i> 'Arthur Johnson' Arthur Johnson Heath | BS | 0.82 | R2 | 3-6 | 7-8 | | 0.52 | 6 |
| <i>Erica x darleyensis</i> 'Darley Dale' Darley Dale Heath | BS | 0.87 | R2 | 3-6 | 7-8 | | 0.52 | 6 |
| <i>Erica x darleyensis</i> 'Furzey' Furzey Heath | BS | 0.98 | R2 | 3-6 | 7-8 | | 0.52 | 6 |
| <i>Erica x darleyensis</i> 'George Rendall' George Rendall Heath | BS | 1.31 | R2 | 3-6 | 7-8 | | 0.52 | 6 |
| <i>Erica x darleyensis</i> 'Ghost Hills' Ghost Hills Heath | BS | 1.02 | R2 | 3-6 | 7-8 | | 0.52 | 6 |
| <i>Erica x darleyensis</i> 'Kramer's Rote' Kramer's Rote Heath | BS | 1.14 | R2 | 3-6 | 7-8 | | 0.52 | 6 |
| <i>Erica x darleyensis</i> 'Margaret Porter' Margaret Porter Heath | BS | 0.66 | R2 | 3-6 | 7-8 | | 0.52 | 6 |
| <i>Erica x darleyensis</i> 'Mediterranean Pink' Mediterranean Pink Heath | BS | 0.98 | R2 | 3-6 | 7-8 | | 0.52 | 6 |
| <i>Erica x darleyensis</i> 'Mediterranean White' Mediterranean White Heath | BS | 0.89 | R2 | 3-6 | 7-8 | | 0.52 | 6 |
| <i>Erica x darleyensis</i> 'Silberschmelze' Silberschmelze Heath | BS | 1.34 | R2 | 3-6 | 7-8 | | 0.52 | 6 |
| <i>Erica erigena</i> Irish Heath | BS | 0.89 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Erica erigena</i> 'Brightness' Brightness Irish Heath | BS | 0.89 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Erica erigena</i> 'Superba' Superba Irish Heath | BS | 0.89 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Erica mammosa</i> Cape Heath | BS | 0.65 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Erica x praegeri</i> See - <i>Erica x stuartii</i> | | | | | | | | |
| <i>Erica x stuartii</i> No Common Name Found | BS | 0.77 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica x stuartii</i> 'Irish Lemon' Irish Lemon Heath | BS | 0.77 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica x stuartii</i> 'Irish Orange' Irish Orange Heath | BS | 0.77 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica tetralix</i> Crossleaf Heath | BS | 1.30 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Erica tetralix</i> 'Alba Mollis' White Silver Crossleaf Heath | BS | 1.46 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Erica tetralix</i> 'Alba' White Crossleaf Heath | BS | 1.40 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Erica tetralix</i> 'George Fraser' George Fraser Crossleaf Heath | BS | 1.53 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Erica tetralix</i> 'Pink Glow' Pink Glow Crossleaf Heath | BS | 1.46 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Erica tetralix</i> 'Swedish Yellow' Swedish Yellow Crossleaf Heath | BS | 1.62 | R2 | 3-4 | 5-8 | | 1.00 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Erica vagans</i> Cornish Heath | BS | 1.17 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica vagans</i> 'Hookstone Pink' Hookstone Pink Cornish Heath | BS | 1.17 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica vagans</i> 'Lyonesse' Lyonesse Cornish Heath | BS | 1.33 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica vagans</i> 'Maxwell White' Maxwell White Cornish Heath | BS | 0.64 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica vagans</i> 'Miss Waterer' Miss Waterer Cornish Heath | BS | 1.17 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica vagans</i> 'Mrs. D.F. Maxwell' Mrs. D.F. Maxwell Cornish Heath | BS | 1.11 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica vagans</i> 'Pyrenees Pink' Pyrenees Pink Cornish Heath | BS | 1.43 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica vagans</i> 'St. Keverne' St. Keverne Cornish Heath | BS | 1.33 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica verticillata</i> Whorled Heath | BS | 1.32 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Erica x watsonii</i> Watson Heath | BS | 0.88 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica x watsonii</i> 'Dawn' Dawn Watson Heath | BS | 0.88 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erica x williamsii</i> Williams Heath | BS | 1.33 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Erigeron aurantiacus</i> Fleabane | HP | 1.54 | R2 | 3-5 | 6-8 | | | |
| <i>Erigeron aureus</i> Gold Fleabane | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Erigeron aureus</i> 'Canary Bird' Canary Bird Gold Fleabane | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Erigeron caespitosus</i> Common Fleabane | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Erigeron carvisqueana</i> White Mexican Daisy | HP | 0.54 | R2 | 3-5 | 6-8 | | | |
| <i>Erigeron compositus</i> Fernleaf Fleabane | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Erigeron formosissimus</i> Beautiful Fleabane | HP | 0.64 | R2 | 3-5 | 6-8 | | | |
| <i>Erigeron glaucus</i> Beach Aster | HP | 0.68 | R2 | 3-4 | 5-8 | | | |
| <i>Erigeron glaucus</i> 'Arthur Menzies' Arthur Menzies Beach Aster | HP | 0.62 | R2 | 3-4 | 5-8 | | | |
| <i>Erigeron glaucus</i> 'Cape Sebastian' Cape Sebastian Beach Aster | HP | 0.62 | R2 | 3-4 | 5-8 | | | |
| <i>Erigeron glaucus</i> 'Sea Breeze' P.P.A.F. Sea Breeze Beach Aster | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Erigeron glaucus</i> 'Wayne Roderick' Wayne Roderick Beach Aster | HP | 0.62 | R2 | 3-4 | 5-8 | | | |
| <i>Erigeron karvinskianus</i> Mexican Daisy | HP | 0.60 | R2 | 3-6 | 7-8 | | | |
| <i>Erigeron karvinskianus</i> 'Profusion' Profusion Mexican Daisy | HP | 0.84 | R2 | 3-6 | 7-8 | | | |
| <i>Erigeron karvinskianus</i> var. <i>moorheimii</i> Moorheim Mexican Daisy | HP | 0.63 | R2 | 3-6 | 7-8 | | | |
| <i>Erigeron leiomerus</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Erigeron linearis</i> Lineleaf Fleabane | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Erigeron pinnatisectus</i> Pinnate Fleabane | HP | 1.00 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Erigeron pygmaeus</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Erigeron radicans</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Erigeron scopulinus</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Erigeron simplex</i> One-stemmed Fleabane | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Erigeron speciosus</i> Showy Daisy Fleabane | HP | 0.80 | R2 | 3 | 4-8 | | | |
| <i>Erigeron speciosus</i> 'Azure Fairy' Azure Fairy Showy Daisy Fleabane | HP | 0.91 | R2 | 3 | 4-8 | | | |
| <i>Erigeron speciosus</i> 'Darkest of All' Darkest of All Showy Daisy Fleabane | HP | 1.13 | R2 | 3 | 4-8 | | | |
| <i>Erigeron speciosus</i> 'Flore Pleno' Flore Pleno Showy Daisy Fleabane | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Erigeron speciosus</i> 'Foerster's Leibling' Foerster's Leibling Showy Daisy Fleabane | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Erigeron speciosus</i> 'Pink Jewel' Pink Jewel Showy Daisy Fleabane | HP | 0.63 | R2 | 3 | 4-8 | | | |
| <i>Erigeron speciosus</i> 'Prosperity' Prosperity Showy Daisy Fleabane | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Erigeron speciosus</i> 'Rosa Jewel' Rosa Jewel Showy Daisy Fleabane | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Erigeron speciosus</i> 'Rosea' Pink Showy Daisy Fleabane | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Erinus alpinus</i> Alpine Liverbalsam | HP | 0.71 | R2 | 3-5 | 6-8 | | | |
| <i>Eriobotrya</i> Loquat | BE | 1.20 | R2 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Eriobotrya</i> 'Coppertone' P.P. 4245 Coppertone™ Loquat | BE | 1.20 | R2 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Eriobotrya deflexa</i> Bronze Loquat | BE | 0.95 | R2 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Eriobotrya japonica</i> Japanese Loquat | BE | 0.87 | R2 | 3-7 | 8 | 0.79 | 0.75 | 7 |
| <i>Eriobotrya japonica</i> 'Gold Nugget' Gold Nugget Japanese Loquat | BE | 0.87 | R2 | 3-7 | 8 | 0.79 | 0.75 | 7 |
| <i>Eriogonum arborescens</i> Shrubby Buckwheat | BS | 0.60 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Eriogonum caespitosum</i> Mat Buckwheat | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Eriogonum crocatum</i> Saffron Buckwheat | HP | 0.70 | R2 | 7-8 | | | | |
| <i>Eriogonum fasciculatum</i> California Buckwheat | BS | 1.74 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Eriogonum fasciculatum</i> 'Dana Point' Dana Point California Buckwheat | BS | 1.22 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Eriogonum fasciculatum</i> 'Theodore Payne' Theodore Payne California Buckwheat | BS | 0.70 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Eriogonum flavum</i> Yellow Wild Buckwheat | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Eriogonum giganteum</i> St. Catherine's Lace | BS | 0.60 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Eriogonum gracilipes</i> No Common Name Found | HP | 1.41 | R2 | 3-5 | 6-8 | | | |
| <i>Eriogonum jamesii</i> James' Buckwheat | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Eriogonum kennedyi</i> Kennedy Eriogonum | HP | 1.00 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Eriogonum kennedyi</i> var. <i>alpigenum</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Eriogonum latifolium</i> Coast Buckwheat | HP | 0.81 | R2 | 3-7 | 8 | | | |
| <i>Eriogonum latifolium</i> var. <i>rubescens</i> Red Buckwheat | HP | 0.62 | R2 | 3-7 | 8 | | | |
| <i>Eriogonum molle</i> No Common Name Found | BS | 0.72 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Eriogonum ovalifolium</i> Cushion Eriogonum | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Eriogonum umbellatum</i> Sulphur Flower | HP | 1.42 | R2 | 3-6 | 7-8 | | | |
| <i>Eriogonum umbellatum</i> var. <i>aurum</i> No Common Name Found | HP | 1.08 | R2 | 3-6 | 7-8 | | | |
| <i>Eriogonum umbellatum</i> var. <i>aurum</i> 'Kannah Creek' See - <i>Eriogonum umbellatum</i> var. <i>aurum</i> 'Psdowns' | HP | 1.08 | R2 | 3-6 | 7-8 | | | |
| <i>Eriogonum umbellatum</i> var. <i>aurum</i> 'Psdowns' Kannah Creek™ Sulphur Flower | HP | 1.08 | R2 | 3-6 | 7-8 | | | |
| <i>Eriogonum umbellatum</i> var. <i>polyanthum</i> No Common Name Found | HP | 0.70 | R2 | 3-6 | 7 | | | |
| <i>Eriogonum umbellatum</i> var. <i>polyanthum</i> 'Alturas Red' Alturas Red Sulphur Flower | HP | 0.70 | R2 | 3-6 | 7 | | | |
| <i>Eriogonum umbellatum</i> var. <i>polyanthum</i> 'Shasta Sulfur' Shasta Sulfur Sulphur Flower | HP | 0.70 | R2 | 3-6 | 7 | | | |
| <i>Eriogonum umbellatum</i> var. <i>porteri</i> Mat Lemon Drop Sulphur Flower | HP | 0.77 | R2 | 3-6 | 7 | | | |
| <i>Eriophorum spissum</i> See - <i>Eriophorum vaginatum</i> | HP | 1.00 | R2 | | 3-8 | | | |
| <i>Eriophorum vaginatum</i> Sheathed Cottonsedge | HP | 1.00 | R2 | | 3-8 | | | |
| <i>Eriophyllum lanatum</i> Woolly Eriophyllum | HP | 0.54 | R2 | 3-5 | 6-8 | | | |
| <i>Eriophyllum lanatum</i> 'Siskiyou' Siskiyou Woolly Eriophyllum | HP | 0.54 | R2 | 3-5 | 6-8 | | | |
| <i>Eriophyllum nevinii</i> Nevin's Woolly Sunflower | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Eriophyllum nevinii</i> 'Canyon Silver' Canyon Silver Nevin's Woolly Sunflower | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Eriophyllum staechadifolium</i> Lizard-Tail | HP | 1.44 | R2 | 5-8 | | | | |
| <i>Eritrichium howardii</i> Howard's Alpine Forget-Me-Not | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Erodium</i> Heron's Bill | HP | 0.63 | R2 | 3-6 | 7-8 | | | |
| <i>Erodium</i> 'Charm' Charm Heron's Bill | HP | 0.63 | R2 | 3-6 | 7-8 | | | |
| <i>Erodium chamaedryoides</i> 'Dark Eyes' See - <i>Erodium x variabile</i> 'Dark Eyes' | HP | 0.86 | R2 | 5-7 | 8 | | | |
| <i>Erodium chrysanthum</i> No Common Name Found | HP | 0.86 | R2 | 5-7 | 8 | | | |
| <i>Erodium corsicum</i> Heron's Bill | HP | 0.74 | R2 | 3-6 | 7-8 | | | |
| <i>Erodium corsicum</i> 'Album' White Heron's Bill | HP | 0.74 | R2 | 3-6 | 7-8 | | | |
| <i>Erodium foetidum</i> No Common Name Found | HP | 0.70 | R2 | 3-6 | 7-8 | | | |
| <i>Erodium foetidum</i> 'County Park' County Park Heron's Bill | HP | 0.70 | R2 | 3-6 | 7-8 | | | |
| <i>Erodium glandulosum</i> No Common Name Found | HP | 1.00 | R2 | 3-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Erodium x kolbianum</i> No Common Name Found | HP | 0.93 | R2 | 3-6 | 7-8 | | | |
| <i>Erodium x kolbianum</i> 'Natasha' Natasha Heron's Bill | HP | 0.93 | R2 | 3-6 | 7-8 | | | |
| <i>Erodium manescavii</i> No Common Name Found | HP | 0.75 | R2 | 3-6 | 7-8 | | | |
| <i>Erodium petraeum</i> ssp. <i>glandulosum</i> See - <i>Erodium glandulosum</i> | | | | | | | | |
| <i>Erodium reichardii</i> See - <i>Erodium x variabile</i> | | | | | | | | |
| <i>Erodium reichardii</i> 'Album' See - <i>Erodium x variabile</i> 'Album' | | | | | | | | |
| <i>Erodium reichardii</i> 'Roseum' See - <i>Erodium x variabile</i> 'Roseum' | | | | | | | | |
| <i>Erodium x variabile</i> No Common Name Found | HP | 0.73 | R2 | 5-7 | 8 | | | |
| <i>Erodium x variabile</i> 'Album' White Heron's Bill | HP | 0.68 | R2 | 5-7 | 8 | | | |
| <i>Erodium x variabile</i> 'Bishop's Form' Bishop's Form Heron's Bill | HP | 0.65 | R2 | 3-6 | 7-8 | | | |
| <i>Erodium x variabile</i> 'Dark Eyes' Dark Eyes Heron's Bill | HP | 0.67 | R2 | 3-6 | 7-8 | | | |
| <i>Erodium x variabile</i> 'Flore Pleno' Flore Pleno Heron's Bill | HP | 0.67 | R2 | 3-6 | 7-8 | | | |
| <i>Erodium x variabile</i> 'Roseum' Rose Alpine Heron's Bill | HP | 0.62 | R2 | 3-6 | 7-8 | | | |
| <i>Eruca vesicaria</i> Annual Arugula | AN | 1.23 | R2 | 5-7 | 8 | | | |
| <i>Eruca vesicaria</i> ssp. <i>sativa</i> Edible Arugula | AN | 0.68 | R2 | 5-7 | 8 | | | |
| <i>Eryngium</i> Sea Holly | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| <i>Eryngium</i> 'Sapphire Blue' P.P. 11088 Sapphire Blue Hybrid Sea Holly | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| <i>Eryngium agavifolium</i> Bluetop Sea Holly | HP | 0.73 | R2 | 3-6 | 7-8 | | | |
| <i>Eryngium alpinum</i> Alpine Sea Holly | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Eryngium alpinum</i> 'Blue Star' Blue Star Alpine Sea Holly | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Eryngium amethystinum</i> Amethyst Sea Holly | HP | 0.89 | R2 | 3 | 4-8 | | | |
| <i>Eryngium aquaticum</i> Powder Blue Snakeroot | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Eryngium bourgatii</i> Mediterranean Sea Holly | HP | 1.28 | R2 | 3-5 | 6-8 | | | |
| <i>Eryngium foetidum</i> Culantro | HP | 0.57 | R2 | 5-8 | | | | |
| <i>Eryngium pandanifolium</i> No Common Name Found | HP | 0.78 | R2 | 5-8 | | | | |
| <i>Eryngium planum</i> Flat Sea Holly | HP | 1.27 | R2 | 3-5 | 6-8 | | | |
| <i>Eryngium planum</i> 'Blue Cap' Blue Cap Flat Sea Holly | HP | 1.02 | R2 | 3-5 | 6-8 | | | |
| <i>Eryngium planum</i> 'Blue Diamond' Blue Diamond Sea Holly | HP | 1.39 | R2 | 3-5 | 6-8 | | | |
| <i>Eryngium planum</i> 'Blue Hobbit' Blue Hobbit Dwarf Flat Sea Holly | HP | 1.64 | R2 | 3-5 | 6-8 | | | |
| <i>Eryngium planum</i> 'Paradise Jackpot' P.P. 18942 Paradise Jackpot Flat Sea Holly | HP | 1.64 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Eryngium variifolium</i> Moroccan Sea Holly | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| <i>Eryngium yuccifolium</i> Rattlesnake Master Sea Holly | HP | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Erysimum</i> Erysimum | HP | 0.79 | R2 | 3-5 | 6-8 | | | |
| <i>Erysimum</i> 'Apricot Twist' Apricot Twist Wallflower | HP | 0.90 | R2 | 3-7 | 8 | | | |
| <i>Erysimum</i> 'Bedder Series' Bedder Series Wallflower | HP | 0.79 | R2 | 3-5 | 6-8 | | | |
| <i>Erysimum</i> 'Bowles Beauty' Bowles Beauty Wallflower | HP | 0.79 | R2 | 3-5 | 6-8 | | | |
| <i>Erysimum</i> 'Bowles Mauve' Bowles Mauve Wallflower | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Erysimum</i> 'Gold Dust' Gold Dust Wallflower | HP | 0.79 | R2 | 3-5 | 6-8 | | | |
| <i>Erysimum</i> 'Jubilee Gold' Jubilee Gold Wallflower | HP | 0.79 | R2 | 3-5 | 6-8 | | | |
| <i>Erysimum</i> 'Pastel Patchwork' P.P.A.F. Pastel Patchwork Wallflower | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Erysimum</i> 'Prince Series' Prince Series Wallflower | HP | 0.79 | R2 | 3-5 | 6-8 | | | |
| <i>Erysimum</i> 'Sunlight' Sunlight Wallflower | HP | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Erysimum</i> 'Wenlock Beauty' Wenlock Beauty Wallflower | HP | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Erysimum asperum</i> Western Wallflower | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Erysimum cheiri</i> Common Wallflower | HP | 0.52 | R2 | 3-6 | 7-8 | | | |
| <i>Erysimum cheiri</i> 'Charity Mix' Charity Mix Common Wallflower | HP | 0.52 | R2 | 3-6 | 7-8 | | | |
| <i>Erysimum concinnum</i> See - <i>Erysimum suffrutescens</i> | | | | | | | | |
| <i>Erysimum helveticum</i> Tufted Wallflower | HP | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Erysimum hieraciifolium</i> Siberian Wallflower | HP | 1.03 | R2 | 3-6 | 7-8 | | | |
| <i>Erysimum kotschyianum</i> Kotschy Erysimum | HP | 0.65 | R2 | 3-6 | 7-8 | | | |
| <i>Erysimum linifolium</i> Alpine Wallflower | HP | 0.80 | R2 | 3-6 | 7-8 | | | |
| <i>Erysimum linifolium</i> 'Variegatum' Variegated Alpine Wallflower | HP | 0.61 | R2 | 3-6 | 7-8 | | | |
| <i>Erysimum pulchellum</i> Rockery Wallflower | HP | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Erysimum suffrutescens</i> No Common Name Found | HP | 1.41 | R2 | 7-8 | | | | |
| <i>Erythrina x bidwillii</i> Florida Coral Bean | DS | 0.52 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Erythrina crista-galli</i> Cockspur Coral Tree | DS | 1.25 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Erythrina fusca</i> Swam Immortelle | DT | 0.74 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Erythrina herbacea</i> Eastern Coral Bean | DS | 0.78 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Erythronium americanum</i> Trout Lily | HP | 1.18 | R2 | 3-4 | 5-8 | | | |
| <i>Erythronium oregonum</i> White Fawn Lily | HP | 1.00 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Erythronium revolutum</i> No Common Name Found | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Erythronium revolutum</i> 'Pagoda' Pagoda Trout Lily | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Escallonia</i> Escallonia | BS | 0.91 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Escallonia</i> 'Apple Blossom' Apple Blossom Escallonia | BS | 0.75 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Escallonia</i> 'Compacta' Compacta Hybrid Escallonia | BS | 0.99 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Escallonia</i> 'Langleyensis' Langley Escallonia | BS | 0.91 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Escallonia</i> 'Newport Dwarf' Newport Dwarf Escallonia | BS | 1.02 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Escallonia</i> 'Pink Princess' Pink Princess Escallonia | BS | 0.76 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Escallonia</i> 'Pride of Donard' Pride of Donard Escallonia | BS | 0.92 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Escallonia</i> 'Red Elf' Red Elf Escallonia | BS | 0.99 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Escallonia bifida</i> White Escallonia | BS | 0.70 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Escallonia</i> x <i>exoniensis</i> No Common Name Found | BS | 0.77 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Escallonia</i> x <i>exoniensis</i> 'Frades' Frades Escallonia | BS | 0.77 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Escallonia rosea</i> Pink Escallonia | BS | 1.09 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Escallonia rubra</i> Red Escallonia | BS | 0.72 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Eschscholzia caespitosa</i> Tufted California Poppy | AN | 1.13 | R2 | 5-7 | 8 | | | |
| <i>Eschscholzia caespitosa</i> 'Mission Bells' Mission Bells Tufted California Poppy | AN | 0.99 | R2 | 5-7 | 8 | | | |
| <i>Eschscholzia caespitosa</i> 'Sundew' Sundew Tufted California Poppy | AN | 0.85 | R2 | 5-7 | 8 | | | |
| <i>Eschscholzia californica</i> California Poppy | AN | 2.81 | R2 | 3-6 | 7-8 | | | |
| <i>Eschscholzia californica</i> 'Ballerina' Ballerina California Poppy | AN | 2.28 | R2 | 3-6 | 7-8 | | | |
| <i>Eschscholzia californica</i> 'Champagne and Roses' Champagne and Roses California Poppy | AN | 1.75 | R2 | 3-6 | 7-8 | | | |
| <i>Eschscholzia californica</i> var. <i>maritima</i> Beach Poppy | AN | 1.07 | R2 | 3-6 | 7-8 | | | |
| <i>Etilingera elatior</i> Torch Ginger | HP | 1.62 | R2 | 8 | | | | |
| <i>Eucalyptus caesia</i> Gungurru | BE | 1.00 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucalyptus camaldulensis</i> Murray Red Gum | BE | 0.98 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucalyptus cinerea</i> Silver Dollar Tree | BE | 0.96 | R2 | 6-8 | | 1.00 | 0.87 | 9 |
| <i>Eucalyptus citriodora</i> Lemon-Scented Gum | BE | 0.95 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucalyptus cladocalyx</i> Sugar Gum | BE | 0.89 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucalyptus deglupta</i> Rainbow Gum | BE | 1.92 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucalyptus erythrocorys</i> Illyarrie | BE | 0.78 | R2 | 7-8 | | 1.00 | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ | |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|----|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | | |
| <i>Eucalyptus ficifolia</i> Red-Flowering Gum | BE | 0.99 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucalyptus globulus</i> Blue Gum | BE | 0.70 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucalyptus globulus</i> 'Compacta' Dwarf Blue Gum | BE | 0.70 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucalyptus gunnii</i> Cider Gum | BE | 1.07 | R2 | 7-8 | | 1.00 | 1.00 | 8 |
| <i>Eucalyptus lehmannii</i> Bushy Yate | BE | 0.79 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucalyptus leucoxyton</i> Yellow Gum | BE | 1.05 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucalyptus maculata</i> Spotted Gum | BE | 1.04 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Eucalyptus microtheca</i> Flooded Box | BE | 0.98 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Eucalyptus nicholii</i> Nichol's Willow-Leaved Peppermint | BE | 0.97 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Eucalyptus polyanthemus</i> Silver Dollar Gum | BE | 1.12 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucalyptus pulverulenta</i> Silver Mountain Gum | BE | 0.88 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucalyptus robusta</i> Swamp Mahogany | BE | 1.45 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucalyptus rostrata</i> See - <i>Eucalyptus camaldulensis</i> | | | | | | | | |
| <i>Eucalyptus rudis</i> Desert Gum | BE | 1.01 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucalyptus salmonophloia</i> Salmon Gum | BE | 0.50 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucalyptus sideroxyton</i> Red Ironbark | BE | 0.82 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucalyptus sideroxyton</i> 'Rosea' Rose Red Ironbark | BE | 1.02 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucalyptus spathulata</i> Narrow-Leaved Gum | BE | 0.78 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucalyptus torelliana</i> Cadaga | BE | 1.00 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucalyptus torquata</i> Coral Gum | BE | 0.81 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucalyptus woodwardii</i> Lemon-flowered Gum | BE | 0.50 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Eucharis amazonica</i> 'Christine' Christine Amazon Lily | FO | 0.86 | R2 | 5-8 | | | 1.00 | 10 |
| <i>Eucomis</i> Pineapple Lily | HP | 1.43 | R2 | 5-7 | 8 | | | |
| <i>Eucomis</i> 'Sparkling Burgundy' Purple Pineapple Lily | HP | 1.43 | R2 | 5-7 | 8 | | | |
| <i>Eucomis bicolor</i> Pineapple Flower | HP | 1.19 | R2 | 6-8 | | | | |
| <i>Eucommia ulmoides</i> Hardy Rubber Tree | DT | 0.58 | R1 | 3-5 | 6-7 | 1.23 | 0.81 | 5 |
| <i>Eucryphia billardieri</i> See - <i>Eucryphia lucida</i> | | | | | | | | |
| <i>Eucryphia glutinosa</i> Nirrhe | BE | 0.74 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Eucryphia xintermedia</i> No Common Name Found | BE | 0.69 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Eucryphia lucida</i> Leatherwood | BE | 0.69 | R2 | 6-8 | | 1.00 | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Eucryphia lucida</i> 'Pink Cloud' Pink Cloud Pinkwood | BE | 0.69 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Eucryphia xnymansensis</i> No Common Name Found | BE | 0.71 | R2 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Eucryphia xnymansensis</i> 'Mount Usher' Mount Usher Eucryphia | BE | 0.71 | R2 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Eugenia aggregata</i> Cherry of the Rio Grande | BS | 1.19 | R2 | 8 | | | 1.24 | 9 |
| <i>Eugenia coronata</i> No Common Name Found | BE | 0.89 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Eugenia uniflora</i> Surinam Cherry | BS | 0.73 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Eumorphia sericea</i> No Common Name Found | BS | 1.00 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Eunomia oppositifolia</i> See - <i>Aethionema oppositifolium</i> | | | | | | | | |
| <i>Euodia daniellii</i> Korean Euodia | BS | 1.36 | R2 | 3-5 | 6-8 | | 0.50 | 5 |
| <i>Euonymus alatus</i> Winged Euonymus | DS | 1.05 | R1 | 3-4 | 5-8 | | 1.08 | 3 |
| <i>Euonymus alatus</i> 'Angelica' Angelica Winged Euonymus | DS | 1.13 | R1 | 3-4 | 5-8 | | 1.63 | 3 |
| <i>Euonymus alatus</i> 'Chicago Fire' See - <i>Euonymus alatus</i> 'Timber Creek' | | | | | | | | |
| <i>Euonymus alatus</i> 'Coles Compact' See - <i>Euonymus alatus</i> 'Select' | | | | | | | | |
| <i>Euonymus alatus</i> 'Compactus' Dwarf Winged Euonymus | DS | 0.98 | R1 | 3-4 | 5-8 | | 1.07 | 3 |
| <i>Euonymus alatus</i> 'Fire Ball' See - <i>Euonymus alatus</i> 'Select' | | | | | | | | |
| <i>Euonymus alatus</i> 'Grove Compact' Grove Compact Winged Euonymus | DS | 1.26 | R1 | 3-4 | 5-8 | | 1.18 | 3 |
| <i>Euonymus alatus</i> 'Little Moses' See - <i>Euonymus alatus</i> 'Odom' P.P. 13168 | | | | | | | | |
| <i>Euonymus alatus</i> 'Monstrosus' Korean Winged Euonymus | DS | 1.13 | R1 | 3-4 | 5-8 | | 0.81 | 3 |
| <i>Euonymus alatus</i> 'Nordine' Nordine Winged Euonymus | DS | 1.13 | R1 | 3-4 | 5-8 | | 1.11 | 3 |
| <i>Euonymus alatus</i> 'October Glory' See - <i>Euonymus alatus</i> 'PNI 2051' | | | | | | | | |
| <i>Euonymus alatus</i> 'Odom' P.P. 13168 Little Moses™ Winged Euonymus | DS | 1.09 | R1 | 3-4 | 5-8 | | 1.18 | 4 |
| <i>Euonymus alatus</i> 'PNI 2051' October Glory® Winged Euonymus | DS | 1.13 | R1 | 3-4 | 5-8 | | 1.18 | 3 |
| <i>Euonymus alatus</i> 'Pipsqueak' See - <i>Euonymus alatus</i> 'Pipzam' | | | | | | | | |
| <i>Euonymus alatus</i> 'Pipzam' Pipsqueak™ Winged Euonymus | DS | 1.33 | R1 | 3-4 | 5-8 | | 1.16 | 3 |
| <i>Euonymus alatus</i> 'Rudy Haag' Rudy Haag Winged Euonymus | DS | 1.30 | R1 | 3-4 | 5-8 | | 1.39 | 3 |
| <i>Euonymus alatus</i> 'Select' Fire Ball™ Winged Euonymus | DS | 1.07 | R1 | 3-4 | 5-8 | | 1.13 | 3 |
| <i>Euonymus alatus</i> 'Spindle Wood' See - <i>Euonymus hamiltonianus</i> 'Spiwozam' | | | | | | | | |
| <i>Euonymus alatus</i> 'Timber Creek' Chicago Fire® Winged Euonymus | DS | 0.96 | R1 | 3-4 | 5-8 | | 1.32 | 3 |
| <i>Euonymus alatus</i> 'Turesi' Tures Winged Euonymus | DS | 1.13 | R1 | 3-4 | 5-8 | | 1.09 | 3 |
| <i>Euonymus americanus</i> American Euonymus | DS | 0.90 | R1 | 3-6 | 7-8 | | 0.48 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Euonymus atropurpureus</i> Eastern Wahoo | DS | 0.63 | R1 | 3-4 | 5-8 | | 1.05 | 4 |
| <i>Euonymus bungeanus</i> Winterberry Euonymus | DS | 1.19 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Euonymus bungeanus</i> 'Prairie Radiance' See - <i>Euonymus bungeanus</i> 'Verona' | | | | | | | | |
| <i>Euonymus bungeanus</i> 'Verona' Prairie Radiance® Winterberry Euonymus | DS | 1.64 | R1 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Euonymus europaeus</i> European Euonymus | DS | 0.84 | R1 | 3-4 | 5-8 | | 1.22 | 3 |
| <i>Euonymus europaeus</i> 'Aldenhamensis' Aldenham European Euonymus | DS | 0.84 | R1 | 3-4 | 5-8 | | 1.38 | 3 |
| <i>Euonymus europaeus</i> 'Arnold Globe' Arnold Globe European Euonymus | DS | 0.84 | R1 | 3-4 | 5-8 | | 1.32 | 3 |
| <i>Euonymus europaeus</i> 'Moulton' See - <i>Euonymus hamiltonianus</i> ssp. <i>maackii</i> 'Moulton' | | | | | | | | |
| <i>Euonymus europaeus</i> 'Red Ace' Red Ace European Euonymus | DS | 0.84 | R1 | 3-4 | 5-8 | | 1.32 | 3 |
| <i>Euonymus europaeus</i> 'Red Cap' Red Cap European Euonymus | DS | 0.84 | R1 | 3-4 | 5-8 | | 1.37 | 3 |
| <i>Euonymus fortunei</i> Wintercreeper Euonymus | GC | 0.73 | R1 | 3-4 | 5-8 | | 1.78 | 4 |
| <i>Euonymus fortunei</i> 'Blondy' See - <i>Euonymus fortunei</i> 'Interbolwi' P.P. 10424 | | | | | | | | |
| <i>Euonymus fortunei</i> 'Canadale Gold' C.O.P.F. Canadale Gold Wintercreeper Euonymus | GC | 1.13 | R1 | 3-4 | 5-8 | | 1.57 | 4 |
| <i>Euonymus fortunei</i> 'Carrierei' Glossy Leaf Wintercreeper Euonymus | GC | 0.95 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Coloratus' Purpleleaf Wintercreeper Euonymus | GC | 0.59 | R1 | 3-4 | 5-8 | | 2.00 | 4 |
| <i>Euonymus fortunei</i> 'Corlutz' P.P. 4795 Emerald Surprise™ Wintercreeper Euonymus | GC | 1.09 | R1 | 3-4 | 5-8 | | 1.57 | 4 |
| <i>Euonymus fortunei</i> 'Corpreme' P.P. 5988 Emerald Delight™ Wintercreeper Euonymus | GC | 0.95 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Duncanata Variegated Vegeta' P.P. 11015 Frosty Pearl® Wintercreeper Euonymus | GC | 1.27 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Emerald 'n Gold' P.P. 2231 Emerald 'n Gold Wintercreeper Euonymus | GC | 0.80 | R1 | 3-4 | 5-8 | | 1.29 | 4 |
| <i>Euonymus fortunei</i> 'Emerald Cushion' Emerald Cushion Wintercreeper Euonymus | GC | 0.95 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Emerald Delight' See - <i>Euonymus fortunei</i> 'Corpreme' P.P. 5988 | | | | | | | | |
| <i>Euonymus fortunei</i> 'Emerald Gaiety' P.P. 1960 Emerald Gaiety Wintercreeper Euonymus | GC | 0.81 | R1 | 3-4 | 5-8 | | 1.22 | 4 |
| <i>Euonymus fortunei</i> 'Emerald Pride' Emerald Pride Wintercreeper Euonymus | GC | 0.95 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Emerald Surprise' See - <i>Euonymus fortunei</i> 'Corlutz' P.P. 4795 | | | | | | | | |
| <i>Euonymus fortunei</i> 'Erecta' Erect Wintercreeper Euonymus | GC | 0.95 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Frosty Pearl' See - <i>Euonymus fortunei</i> 'Duncanata Variegated Vegeta' P.P. 11015 | | | | | | | | |
| <i>Euonymus fortunei</i> 'Gold Splash' See - <i>Euonymus fortunei</i> 'Roemertwo' | | | | | | | | |
| <i>Euonymus fortunei</i> 'Gold Tip' See - <i>Euonymus fortunei</i> 'Monce' P.P. 3211 | | | | | | | | |
| <i>Euonymus fortunei</i> 'Golden Prince' See - <i>Euonymus fortunei</i> 'Monce' P.P. 3211 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Euonymus fortunei</i> 'Golden Princess' Golden Princess Wintercreeper Euonymus | GC | 1.21 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Gracilis' Silveredge Wintercreeper Euonymus | GC | 0.78 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Green Lane' Green Lane Wintercreeper Euonymus | GC | 1.01 | R1 | 3-4 | 5-8 | | 1.57 | 4 |
| <i>Euonymus fortunei</i> 'Interbolwi' P.P. 10424 Blondy® Wintercreeper Euonymus | GC | 0.83 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Ivory Jade' Ivory Jade Wintercreeper Euonymus | GC | 1.05 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Kewensis' Kewensis Wintercreeper Euonymus | GC | 0.83 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Longwood' Longwood Wintercreeper Euonymus | GC | 0.95 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Mickaela' P.P. 16789 Mikaela Wintercreeper Euonymus | GC | 1.36 | R1 | 3-5 | 6-8 | | 1.52 | 5 |
| <i>Euonymus fortunei</i> 'Mikaela' See - <i>Euonymus fortunei</i> 'Mickaela' P.P. 16789 | | | | | | | | |
| <i>Euonymus fortunei</i> 'Minimus' Baby Wintercreeper Euonymus | GC | 0.52 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Monce' P.P. 3211 Golden Prince® Wintercreeper Euonymus | GC | 1.25 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Moonshadow' P.P. 6127 Moonshadow Wintercreeper Euonymus | GC | 0.96 | R1 | 3-4 | 5-8 | | 1.61 | 4 |
| <i>Euonymus fortunei</i> 'New York' New York Wintercreeper Euonymus | GC | 0.95 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Pincushion' Pincushion Sarcoxie Wintercreeper Euonymus | GC | 0.95 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Raulston's Gold' Raulston's Gold Wintercreeper Euonymus | GC | 0.95 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Regal Gold' Regal Gold™ Wintercreeper Euonymus | GC | 0.95 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Regal White' Regal White™ Wintercreeper Euonymus | GC | 0.95 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Roemertwo' Gold Splash® Wintercreeper Euonymus | GC | 1.22 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Sarcoxie Jade Mound' Sarcoxie Jade Mound Wintercreeper Euonymus | GC | 0.95 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Sarcoxie' Upright Wintercreeper Euonymus | GC | 0.93 | R1 | 3-4 | 5-8 | | 1.63 | 4 |
| <i>Euonymus fortunei</i> 'Sheridan Gold' Sheridan Gold Wintercreeper Euonymus | GC | 0.95 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Silver Queen' Silver Queen Wintercreeper Euonymus | GC | 0.78 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Solar Flair' Solar Flair™ Wintercreeper Euonymus | GC | 0.89 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Spargozam' Sparkle 'n Gold® Wintercreeper Euonymus | GC | 0.78 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Sparkle 'n Gold' See - <i>Euonymus fortunei</i> 'Spargozam' | | | | | | | | |
| <i>Euonymus fortunei</i> 'Sunrise' Sunrise Wintercreeper Euonymus | GC | 1.22 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Sunspot' P.P. 4340 Sunspot Wintercreeper Euonymus | GC | 1.02 | R1 | 3-4 | 5-8 | | 1.33 | 4 |
| <i>Euonymus fortunei</i> 'Surprise' See - <i>Euonymus fortunei</i> 'Corlutz' P.P. 4795 | | | | | | | | |
| <i>Euonymus fortunei</i> 'Thunderbolt' Thunderbolt Wintercreeper Euonymus | GC | 0.95 | R1 | 3-4 | 5-8 | | 1.52 | 4 |
| <i>Euonymus fortunei</i> 'Vegetus' Bigleaf Wintercreeper Euonymus | GC | 0.82 | R1 | 3-4 | 5-8 | | 1.08 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Euonymus fortunei</i> 'Wolong Ghost' Wolong Ghost Wintercreeper Euonymus | GC | 0.90 | R1 | 3-4 | 5-8 | | 1.59 | 4 |
| <i>Euonymus fortunei</i> var. <i>acutus</i> Acutus Wintercreeper Euonymus | GC | 0.35 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Euonymus fortunei</i> var. <i>radicans</i> Common Wintercreeper Euonymus | GC | 0.60 | R1 | 3-4 | 5-8 | | 2.00 | 4 |
| <i>Euonymus fortunei</i> var. <i>radicans</i> 'Harlequin' Harlequin Wintercreeper Euonymus | GC | 0.92 | R1 | 3-4 | 5-8 | | 2.00 | 4 |
| <i>Euonymus fortunei</i> var. <i>radicans</i> 'Radicans Variegated' Radicans Variegated Wintercreeper Euonymus | GC | 0.81 | R1 | 3-4 | 5-8 | | 2.00 | 4 |
| <i>Euonymus hamiltonianus</i> Hamilton Euonymus | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Euonymus hamiltonianus</i> 'Spiwozam' Spindle Wood™ Euonymus | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Euonymus hamiltonianus</i> ssp. <i>maackii</i> Maack Euonymus | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Euonymus hamiltonianus</i> ssp. <i>maackii</i> 'Moulton' Moulton Maack Euonymus | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Euonymus hamiltonianus</i> ssp. <i>sieboldianus</i> Yeddo Siebold Euonymus | DS | 0.83 | R1 | 3-4 | 5-8 | | 0.95 | 4 |
| <i>Euonymus japonicus</i> Japanese Euonymus | BS | 0.94 | R1 | 5-6 | 7-8 | | 0.93 | 6 |
| <i>Euonymus japonicus</i> 'Albomarginatus' White-edge Japanese Euonymus | BS | 1.03 | R1 | 5-6 | 7-8 | | 0.93 | 6 |
| <i>Euonymus japonicus</i> 'Aureomarginatus' Giltedge Japanese Euonymus | BS | 1.02 | R1 | 5-6 | 7-8 | | 0.93 | 6 |
| <i>Euonymus japonicus</i> 'Aureovariegatus' Goldspot Japanese Euonymus | BS | 0.99 | R1 | 5-6 | 7-8 | | 0.93 | 6 |
| <i>Euonymus japonicus</i> 'Aureus' Goldleaf Japanese Euonymus | BS | 0.57 | R1 | 5-6 | 7-8 | | 0.93 | 6 |
| <i>Euonymus japonicus</i> 'Chogreen' Emerald Pillar™ Japanese Euonymus | BS | 0.91 | R1 | 5-6 | 7-8 | | 0.93 | 6 |
| <i>Euonymus japonicus</i> 'Chollipo' Chollipo Japanese Euonymus | BS | 1.41 | R1 | 5-6 | 7-8 | | 0.93 | 6 |
| <i>Euonymus japonicus</i> 'Emerald Pillar' See - <i>Euonymus japonicus</i> 'Chogreen' | | | | | | | | |
| <i>Euonymus japonicus</i> 'Golden Maiden' Golden Maiden Japanese Euonymus | BS | 1.25 | R1 | 5-6 | 7-8 | | 0.93 | 6 |
| <i>Euonymus japonicus</i> 'Grandifolia' Grandifolia Japanese Euonymus | BS | 1.01 | R1 | 5-6 | 7-8 | | 0.93 | 6 |
| <i>Euonymus japonicus</i> 'Green Spire' Green Spire Japanese Euonymus | BS | 1.10 | R1 | 5-6 | 7-8 | | 0.93 | 6 |
| <i>Euonymus japonicus</i> 'Microphyllus Butterscotch' Butterscotch Boxleaf Japanese Euonymus | BS | 1.31 | R1 | 5-6 | 7-8 | | 0.93 | 6 |
| <i>Euonymus japonicus</i> 'Microphyllus Pulchellus' Pulchellus Boxleaf Japanese Euonymus | BS | 1.07 | R1 | 5-6 | 7-8 | | 0.93 | 6 |
| <i>Euonymus japonicus</i> 'Microphyllus Variegatus' Variegated Boxleaf Japanese Euonymus | BS | 1.12 | R1 | 5-6 | 7-8 | | 0.93 | 6 |
| <i>Euonymus japonicus</i> 'Microphyllus' Boxleaf Japanese Euonymus | BS | 1.22 | R1 | 5-6 | 7-8 | | 0.93 | 6 |
| <i>Euonymus japonicus</i> 'Moncliff' Sunny Delight™ Boxwood Euonymus | BS | 1.42 | R1 | 5-6 | 7-8 | | 0.93 | 6 |
| <i>Euonymus japonicus</i> 'Moness' Silver Princess™ Japanese Euonymus | BS | 1.41 | R1 | 5-6 | 7-8 | | 0.93 | 6 |
| <i>Euonymus japonicus</i> 'Silver King' Silver King Japanese Euonymus | BS | 0.99 | R1 | 5-6 | 7-8 | | 0.93 | 6 |
| <i>Euonymus japonicus</i> 'Silver Princess' See - <i>Euonymus japonicus</i> 'Moness' | | | | | | | | |
| <i>Euonymus japonicus</i> 'Sunny Delight' See - <i>Euonymus japonicus</i> 'Moncliff' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Euonymus japonicus</i> 'Variegatus' Variegated Japanese Euonymus | BS | 0.56 | R1 | 5-6 | 7-8 | | 0.93 | 6 |
| <i>Euonymus kiautschovicus</i> Spreading Euonymus | BS | 1.12 | R1 | 3-6 | 7-8 | | 0.45 | 6 |
| <i>Euonymus kiautschovicus</i> 'Manhattan' Manhattan Spreading Euonymus | BS | 1.03 | R1 | 3-6 | 7-8 | | 0.40 | 6 |
| <i>Euonymus kiautschovicus</i> 'Pauli' Paul Spreading Euonymus | BS | 1.20 | R1 | 3-6 | 7-8 | | 0.57 | 6 |
| <i>Euonymus kiautschovicus</i> 'Sieboldiana' Siebold Spreading Euonymus | BS | 1.12 | R1 | 3-6 | 7-8 | | 0.87 | 6 |
| <i>Euonymus nanus</i> Dwarf Euonymus | BS | 0.80 | R1 | | 3-8 | | 1.00 | 2 |
| <i>Euonymus nanus</i> 'Turkestanicus' Dwarf Turkestan Euonymus | BS | 0.80 | R1 | | 3-8 | | 1.00 | 2 |
| <i>Euonymus patens</i> See - <i>Euonymus kiautschovicus</i> | | | | | | | | |
| <i>Euonymus radicans</i> See - <i>Euonymus fortunei</i> var. <i>radicans</i> | | | | | | | | |
| <i>Euonymus radicans</i> var. <i>argenteomarginata</i> See - <i>Euonymus fortunei</i> 'Gracilis' | | | | | | | | |
| <i>Euonymus sachalinensis</i> Sakhalin Euonymus | DS | 0.78 | R1 | 3-5 | 6-8 | | 1.36 | 5 |
| <i>Euonymus yedoensis</i> See - <i>Euonymus hamiltonianus</i> ssp. <i>sieboldianus</i> | | | | | | | | |
| <i>Eupatorium cannabinum</i> Hemp Agrimony | HP | 0.87 | R1 | 3-4 | 5-8 | | | |
| <i>Eupatorium coelestinum</i> See - <i>Conoclinium coelestinum</i> | | | | | | | | |
| <i>Eupatorium dubium</i> Coastal Plain Joe Pye Weed | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Eupatorium dubium</i> 'Little Joe' P.P. 16122 Little Joe Coastal Plain Joe Pye Weed | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Eupatorium fistulosum</i> Hollow Joe Pye Weed | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Eupatorium fistulosum</i> 'Bartered Bride' Bartered Bride Hollow Joe Pye Weed | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Eupatorium greggii</i> Palmleaf Eupatorium | HP | 0.65 | R2 | 5-7 | 8 | | | |
| <i>Eupatorium havanense</i> Fragrant Mist Flower | HP | 0.68 | R2 | 5-7 | 8 | | | |
| <i>Eupatorium hyssopifolium</i> Thoroughwort | HP | 0.77 | R2 | 3-5 | 6-8 | | | |
| <i>Eupatorium maculatum</i> Spotted Joe Pye Weed | HP | 1.02 | R2 | 3-5 | 6-8 | | | |
| <i>Eupatorium maculatum</i> 'Atropurpureum' Atropurpureum Spotted Joe Pye Weed | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Eupatorium maculatum</i> 'Gateway' Gateway Spotted Joe Pye Weed | HP | 1.02 | R2 | 3-5 | 6-8 | | | |
| <i>Eupatorium maculatum</i> 'Purple Bush' Purple Bush Spotted Joe Pye Weed | HP | 0.46 | R2 | 3-5 | 6-8 | | | |
| <i>Eupatorium perfoliatum</i> Common Boneset | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Eupatorium purpureum</i> Sweetscented Joe Pye Weed | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Eupatorium rugosum</i> See - <i>Ageratina altissima</i> | | | | | | | | |
| <i>Eupatorium rugosum</i> 'Chocolate' See - <i>Ageratina altissima</i> 'Chocolate' | | | | | | | | |
| <i>Euphorbia</i> Euphorbia | HP | 1.14 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Euphorbia</i> 'Blackbird' See - <i>Euphorbia</i> 'NOTHOWLEE' P.P. 17178 | | | | | | | | |
| <i>Euphorbia</i> 'Charam' P.P.A.F. Red Wing® Hybrid Spurge | HP | 1.14 | R2 | 3-6 | 7-8 | | | |
| <i>Euphorbia</i> 'Efanthia' See - <i>Euphorbia</i> 'Imprefant' P.P. 16908 | | | | | | | | |
| <i>Euphorbia</i> 'Excalibur' See - <i>Euphorbia</i> 'Froep' P.P.A.F. | | | | | | | | |
| <i>Euphorbia</i> 'Froep' P.P.A.F. Excalibur Hybrid Spurge | HP | 1.14 | R2 | 3-5 | 6-8 | | | |
| <i>Euphorbia</i> 'Helena's Blush' See - <i>Euphorbia</i> 'Inneuphel' P.P. 17555 | | | | | | | | |
| <i>Euphorbia</i> 'Imprefant' P.P. 16908 Efanthia Hybrid Spurge | HP | 1.14 | R2 | 3-6 | 7-8 | | | |
| <i>Euphorbia</i> 'Inneuphel' P.P. 17555 Helena's Blush Hybrid Spurge | HP | 1.05 | R2 | 3-6 | 7-8 | | | |
| <i>Euphorbia</i> 'Jade Dragon' Jade Dragon Spurge | HP | 1.13 | R2 | 3-5 | 6-8 | | | |
| <i>Euphorbia</i> 'NOTHOWLEE' P.P. 17178 Blackbird Spurge | HP | 1.24 | R2 | 3-6 | 7-8 | | | |
| <i>Euphorbia</i> 'Red Wing' See - <i>Euphorbia</i> 'Charam' P.P.A.F. | | | | | | | | |
| <i>Euphorbia abyssinica</i> No Common Name Found | FO | 2.11 | R2 | 5-8 | | | 1.00 | 10 |
| <i>Euphorbia acurensis</i> See - <i>Euphorbia abyssinica</i> | | | | | | | | |
| <i>Euphorbia amygdaloides</i> Wood Spurge | HP | 0.72 | R2 | 3-6 | 7-8 | | | |
| <i>Euphorbia amygdaloides</i> 'Purpurea' Purpurea Wood Spurge | HP | 0.72 | R2 | 3-6 | 7-8 | | | |
| <i>Euphorbia amygdaloides</i> var. <i>robbiae</i> Robb's Wood Spurge | HP | 0.91 | R2 | 3-6 | 7-8 | | | |
| <i>Euphorbia characias</i> Mediterranean Spurge | HP | 1.14 | R2 | 3-7 | 8 | | | |
| <i>Euphorbia characias</i> 'Glacier Blue' P.P. 19027 Glacier Blue Mediterranean Spurge | HP | 1.18 | R2 | 3-7 | 8 | | | |
| <i>Euphorbia characias</i> 'Lambrook Gold' Lambrook Gold Mediterranean Spurge | HP | 1.14 | R2 | 3-7 | 8 | | | |
| <i>Euphorbia characias</i> 'Portuguese Velvet' Portuguese Velvet Mediterranean Spurge | HP | 0.66 | R2 | 3-7 | 8 | | | |
| <i>Euphorbia characias</i> 'Silver Swan' See - <i>Euphorbia characias</i> 'Wilcott' | | | | | | | | |
| <i>Euphorbia characias</i> 'Tasmanian Tiger' P.P. 15715 Tasmanian Tiger Mediterranean Spurge | HP | 1.58 | R2 | 3-7 | 8 | | | |
| <i>Euphorbia characias</i> 'Wilcott' Silver Swan Mediterranean Spurge | HP | 1.13 | R2 | 3-7 | 8 | | | |
| <i>Euphorbia characias</i> ssp. <i>wulfenii</i> Wulfen Mediterranean Spurge | HP | 0.76 | R2 | 3-7 | 8 | | | |
| <i>Euphorbia characias</i> ssp. <i>wulfenii</i> 'Shorty' P.P. 19808 Shorty Wulfen Mediterranean Spurge | HP | 1.20 | R2 | 3-7 | 8 | | | |
| <i>Euphorbia corollata</i> Flowering Spurge | HP | 1.27 | R2 | 3-5 | 6-8 | | | |
| <i>Euphorbia cyparissias</i> Cypress Spurge | HP | 0.67 | R2 | 3-4 | 5-8 | | | |
| <i>Euphorbia cyparissias</i> 'Clarice Howard' Clarice Howard Cypress Spurge | HP | 0.65 | R2 | 3-4 | 5-8 | | | |
| <i>Euphorbia cyparissias</i> 'Fens Ruby' Fens Ruby Cypress Spurge | HP | 0.70 | R2 | 3-4 | 5-8 | | | |
| <i>Euphorbia cyparissias</i> 'Orange Man' Orange Man Cypress Spurge | HP | 0.66 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Euphorbia drupifera</i> No Common Name Found | DS | 1.63 | R1 | 8 | | | 1.00 | 10 |
| <i>Euphorbia dulcis</i> No Common Name Found | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Euphorbia dulcis</i> 'Chameleon' Chameleon Euphorbia | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Euphorbia epithymoides</i> See - <i>Euphorbia polychroma</i> | | | | | | | | |
| <i>Euphorbia grandicornis</i> Big Horned Euphorbia | BS | 2.50 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Euphorbia griffithii</i> Griffith's Spurge | HP | 0.71 | R2 | 3-4 | 5-8 | | | |
| <i>Euphorbia griffithii</i> 'Dixter' Dixter Griffith's Spurge | HP | 0.63 | R2 | 3-4 | 5-8 | | | |
| <i>Euphorbia griffithii</i> 'Fern Cottage' Fern Cottage Griffith's Spurge | HP | 0.63 | R2 | 3-4 | 5-8 | | | |
| <i>Euphorbia griffithii</i> 'Fireglow' Fireglow Griffith's Spurge | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Euphorbia ingens</i> Cactus Euphorbia | FO | 0.84 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia lactea</i> Candelabra Plant | FO | 0.97 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia lactea</i> 'Cristata' Crested Euphorbia | FO | 1.15 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia lactea</i> 'White Ghost' White Ghost Variegated Euphorbia | FO | 1.06 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia lactea</i> var. <i>variegata</i> See - <i>Euphorbia lactea</i> 'White Ghost' | | | | | | | | |
| <i>Euphorbia lathyris</i> Caper Spurge | AN | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Euphorbia mammillaris</i> Corn Cob | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia x martinii</i> Martin's Spurge | HP | 0.88 | R2 | 5-7 | 8 | | | |
| <i>Euphorbia x martinii</i> 'Rudolph' See - <i>Euphorbia x martinii</i> 'Waleuphrud' | | | | | | | | |
| <i>Euphorbia x martinii</i> 'Waleuphrud' Rudolph Martin's Spurge | HP | 0.88 | R2 | 5-7 | 8 | | | |
| <i>Euphorbia milii</i> Crown of Thorns | BS | 0.70 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'American Beauty' American Beauty Crown of Thorns | BS | 0.55 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Apollon' P.P. 15432 Apollon Crown of Thorns | BS | 0.75 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Bicolor' Bicolor Crown of Thorns | BS | 0.75 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Cherokee' Cherokee Crown of Thorns | BS | 0.66 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Coral Pink' Coral Pink Crown of Thorns | BS | 0.73 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Dinni' Dinni Crown of Thorns | BS | 0.83 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Dwarf Apache' Dwarf Apache Crown of Thorns | BS | 0.58 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Dwarf Rosy' Dwarf Rosy Crown of Thorns | BS | 0.69 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Fireball' Fireball Crown of Thorns | BS | 0.61 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Gabi' Gabi Crown of Thorns | BS | 0.75 | R2 | 8 | | | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Euphorbia milii</i> 'Georguis No. 1' P.P. 6212 Short and Sweet™ Crown of Thorns | BS | 0.91 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Helena' P.P. 15446 Helena Crown of Thorns | BS | 0.93 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Karola' Karola Crown of Thorns | BS | 2.19 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Keysii' Keysii Crown of Thorns | BS | 0.55 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Little Red' Little Red Crown of Thorns | BS | 0.75 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Lutea' Lutea Crown of Thorns | BS | 0.75 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Red Hot' Red Hot Crown of Thorns | BS | 0.39 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Red Pixie' Red Pixie Crown of Thorns | BS | 0.75 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Rhea' P.P. 15732 Rhea Crown of Thorns | BS | 0.75 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Ronda' Ronda Crown of Thorns | BS | 0.60 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Rosy' Rosy Crown of Thorns | BS | 0.52 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Ruby Red' Ruby Red Crown of Thorns | BS | 0.75 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Salmon Dome' Salmon Dome Crown of Thorns | BS | 0.91 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Short and Sweet' See - <i>Euphorbia milii</i> 'Georguis No. 1' P.P. 6212 | | | | | | | | |
| <i>Euphorbia milii</i> 'Yellow' Yellow Crown of Thorns | BS | 0.46 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia milii</i> 'Zeus' Zeus Crown of Thorns | BS | 0.75 | R2 | 8 | | | 1.00 | 10 |
| <i>Euphorbia myrsinites</i> Myrtle Euphorbia | HP | 0.79 | R2 | 5 | 6-8 | | | |
| <i>Euphorbia nicaeensis</i> No Common Name Found | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Euphorbia palustris</i> No Common Name Found | HP | 0.78 | R2 | 3-5 | 6-8 | | | |
| <i>Euphorbia polychroma</i> Cushion Spurge | HP | 1.03 | R2 | 3-5 | 6-8 | | | |
| <i>Euphorbia polychroma</i> 'First Blush' First Blush Cushion Spurge | HP | 1.30 | R2 | 3-5 | 6-8 | | | |
| <i>Euphorbia polychroma</i> 'Major' Major Cushion Spurge | HP | 0.74 | R2 | 3-5 | 6-8 | | | |
| <i>Euphorbia polychroma</i> 'Purpurea' Purpurea Cushion Spurge | HP | 1.02 | R2 | 3-5 | 6-8 | | | |
| <i>Euphorbia pulcherrima</i> Poinsettia | BS | 2.50 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> '127' P.P. 7308 Jingle Bells 3 Poinsettia | BS | 1.91 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> '3-91' P.P. 9602 Monet Twilight™ Poinsettia | BS | 1.97 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> '4-91' P.P. 8733 Monet™ Poinsettia | BS | 1.75 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> '490 Pink' P.P. 8817 Freedom Pink™ Poinsettia | BS | 2.00 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> '490 White' P.P. 8772 Freedom White™ Poinsettia | BS | 1.69 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> '490' P.P. 7825 Freedom™ Red Poinsettia | BS | 1.76 | R2 | 5-8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|---------------------|-------------|------------------------------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper High/Wide | |
| <i>Euphorbia pulcherrima</i> '559' P.P. 8773 Success Red Poinsettia | BS | 1.93 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Chianti Red' See - <i>Euphorbia pulcherrima</i> 'Eckalcott' P.P. 13828 | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Cortez Burgundy' Cortez® Burgundy Poinsettia | BS | 1.99 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Cortez Dark Red' Cortez® Dark Red Poinsettia | BS | 1.93 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Cortez Hot Pink' Cortez® Hot Pink Poinsettia | BS | 1.91 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Cortez Series' Cortez® Series Poinsettia | BS | 1.93 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Cranberry Punch' See - <i>Euphorbia pulcherrima</i> 'Eckabish' P.P. 11200 | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Da Vinci' Da Vinci Poinsettia | BS | 1.97 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Dynasty Red' Dynasty Red Poinsettia | BS | 1.96 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Early Joy' P.P. 13391 Early Joy Red Poinsettia | BS | 1.91 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Eckabia' P.P. 11229 Red Satin™ Poinsettia | BS | 1.93 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Eckabish' P.P. 11200 Cranberry Punch™ Poinsettia | BS | 1.75 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Eckada' P.P. 11124 Red Velvet™ Poinsettia | BS | 1.95 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Eckaddis' P.P. 12782 Winter Rose™ Pink Poinsettia | BS | 1.91 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Eckadire' P.P. 12846 Prestige™ Red Poinsettia | BS | 1.88 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Eckadolfo' P.P. 11981 Heirloom Peach™ Poinsettia | BS | 1.93 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Eckalbeno' P.P. 13316 Winter Rose™ Marble Poinsettia | BS | 1.93 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Eckalbert' P.P.A.F. Enduring™ Pink Poinsettia | BS | 2.00 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Eckalcott' P.P. 13828 Chianti™ Red™ Poinsettia | BS | 1.91 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Eckaloha' P.P. 13341 Strawberries 'N Cream™ Poinsettia | BS | 1.82 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Eckalveen' P.P. 13335 Red Velvet™ Poinsettia | BS | 2.00 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Eckaykin' P.P. 13326 Jingle Bells 4.0™ Poinsettia | BS | 1.97 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Elegance Bright Red' Elegance® Bright Red Poinsettia | BS | 1.93 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Elegance Red' Elegance® Red Poinsettia | BS | 1.91 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Elegance Series' Elegance® Series Poinsettia | BS | 1.93 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Enduring Pink' See - <i>Euphorbia pulcherrima</i> 'Eckalbert' P.P.A.F. | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Festival Red' P.P. 10253 Festival Red Poinsettia | BS | 1.87 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Freedom Pink' See - <i>Euphorbia pulcherrima</i> '490 Pink' P.P. 8817 | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Freedom Red' See - <i>Euphorbia pulcherrima</i> '490' P.P. 7825 | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Freedom Series' Freedom Series Poinsettia | BS | 1.93 | R2 | 5-8 | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----------------------------|------------------------------|------|---------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Euphorbia pulcherrima</i> 'Freedom White' See - <i>Euphorbia pulcherrima</i> '490 White' P.P. 8772 | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Gala Red' P.P. 14994 Gala Red Poinsettia | BS | 1.91 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Heirloom Peach' See - <i>Euphorbia pulcherrima</i> 'Eckadolfo' P.P. 11981 | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Jingle Bells 3' See - <i>Euphorbia pulcherrima</i> '127' P.P. 7308 | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Jingle Bells 4.0' See - <i>Euphorbia pulcherrima</i> 'Eckaykin' P.P. 13326 | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Jingle Bells' Jingle Bells Poinsettia | BS | 2.33 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Marblestar' P.P. 9685 Marblestar Poinsettia | BS | 1.98 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Maren' Maren Poinsettia | BS | 1.97 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Mars Red' P.P.A.F. Mars Red Poinsettia | BS | 1.91 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Merlot' Merlot Red Poinsettia | BS | 1.91 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Monet Twilight' See - <i>Euphorbia pulcherrima</i> '3-91' P.P. 9602 | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Monet' See - <i>Euphorbia pulcherrima</i> '4-91' P.P. 8733 | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Nova Red' Nova Red Poinsettia | BS | 1.93 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Nutcracker Pink' P.P. 9565 Nutcracker Pink Poinsettia | BS | 1.76 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Nutcracker Salmonstar' Nutcracker Salmonstar Poinsettia | BS | 1.93 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Nutcracker Series' Nutcracker Series Poinsettia | BS | 1.93 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Olympus Red' P.P.A.F. Olympus Red Poinsettia | BS | 1.91 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Orion Red' Orion Red Poinsettia | BS | 1.93 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'PER 1120' P.P.A.F. Polly's Pink Poinsettia | BS | 2.00 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'PER 6401' P.P. 16237 Shimmer™ Pink Poinsettia | BS | 1.91 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'PER 975' P.P. 16882 Visions of Grandeur™ Poinsettia | BS | 2.00 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Peterstar Marble' P.P. 9877 Peterstar Marble Poinsettia | BS | 1.93 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Peterstar Orange' See - <i>Euphorbia pulcherrima</i> 'Sole Mio' P.P. 12044 | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Peterstar Series' Peterstar Series Poinsettia | BS | 1.93 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Peterstar White' P.P. 9878 Peterstar White Poinsettia | BS | 1.52 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Plum Pudding' See - <i>Euphorbia pulcherrima</i> 'Renate' P.P. 12770 | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Polly's Pink' See - <i>Euphorbia pulcherrima</i> 'PER 1120' P.P.A.F. | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Premium Picasso' Premium® Picasso Pink Poinsettia | BS | 1.91 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Premium Red' Premium® Red Poinsettia | BS | 1.91 | R2 | 5-8 | | 1.00 | 9 |
| <i>Euphorbia pulcherrima</i> 'Premium Series' Premium® Series Poinsettia | BS | 1.93 | R2 | 5-8 | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----------------------------|------------------------------|--|---------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Euphorbia pulcherrima</i> 'Prestige Red' See - <i>Euphorbia pulcherrima</i> 'Eckadire' P.P. 12846 | BS | 1.91 | R2 | 5-8 | | | 1.00 9 |
| <i>Euphorbia pulcherrima</i> 'Red Elf' P.P.A.F. Red Elf Poinsettia | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Red Satin' See - <i>Euphorbia pulcherrima</i> 'Eckabia' P.P. 11229 | BS | 1.75 | R2 | 5-8 | | | 1.00 9 |
| <i>Euphorbia pulcherrima</i> 'Red Velvet' See - <i>Euphorbia pulcherrima</i> 'Eckada' P.P. 11124 | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Red Velveteen' See - <i>Euphorbia pulcherrima</i> 'Eckalveen' P.P. 13335 | BS | 1.93 | R2 | 5-8 | | | 1.00 9 |
| <i>Euphorbia pulcherrima</i> 'Renate' P.P. 12770 Plum Pudding™ Poinsettia | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Shimmer Pink' See - <i>Euphorbia pulcherrima</i> 'PER 6401' P.P. 16237 | BS | 1.98 | R2 | 5-8 | | | 1.00 9 |
| <i>Euphorbia pulcherrima</i> 'Sole Mio' P.P. 12044 Peterstar Orange by Gross™ Poinsettia | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Sonora White Glitter' Sonora White Glitter Poinsettia | BS | 1.93 | R2 | 5-8 | | | 1.00 9 |
| <i>Euphorbia pulcherrima</i> 'Sonora' Sonora Poinsettia | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Spotlight Apricot' Spotlight Apricot Poinsettia | BS | 1.93 | R2 | 5-8 | | | 1.00 9 |
| <i>Euphorbia pulcherrima</i> 'Spotlight Red' Spotlight Red Poinsettia | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Strawberries 'N Cream' See - <i>Euphorbia pulcherrima</i> 'Eckaloha' P.P. 13341 | BS | 1.93 | R2 | 5-8 | | | 1.00 9 |
| <i>Euphorbia pulcherrima</i> 'Success Red' See - <i>Euphorbia pulcherrima</i> '559' P.P. 8773 | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Victory Red' Victory Red Poinsettia | BS | 2.26 | R2 | 5-8 | | | 1.00 9 |
| <i>Euphorbia pulcherrima</i> 'Visions of Grandeur' See - <i>Euphorbia pulcherrima</i> 'PER 975' P.P. 16882 | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Whitestar' P.P.A.F. Whitestar Poinsettia | BS | 1.91 | R2 | 5-8 | | | 1.00 9 |
| <i>Euphorbia pulcherrima</i> 'Windark' P.P. 12546 Winter Rose™ Dark Red Poinsettia | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Winter Rose Dark Red' See - <i>Euphorbia pulcherrima</i> 'Windark' P.P. 12546 | BS | 1.93 | R2 | 5-8 | | | 1.00 9 |
| <i>Euphorbia pulcherrima</i> 'Winter Rose Marble' See - <i>Euphorbia pulcherrima</i> 'Eckalbeno' P.P. 13316 | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Winter Rose Pink' See - <i>Euphorbia pulcherrima</i> 'Eckaddis' P.P. 12782 | BS | 1.91 | R2 | 5-8 | | | 1.00 9 |
| <i>Euphorbia pulcherrima</i> 'Winter Rose Series' Winter Rose™ Series Poinsettia | | | | | | | |
| <i>Euphorbia pulcherrima</i> 'Winterfest White' P.P. 13805 Winterfest White Poinsettia | HP | 1.31 | R2 | 3-4 | 5-8 | | |
| <i>Euphorbia purpurea</i> Darlington's Glade Spurge | | | | | | | |
| <i>Euphorbia rigida</i> No Common Name Found | HP | 0.74 | R2 | 5-7 | 8 | | |
| <i>Euphorbia sarawschanica</i> No Common Name Found | | | | | | | |
| <i>Euphorbia seguieriana</i> No Common Name Found | HP | 1.17 | R2 | 3-5 | 6-8 | | |
| <i>Euphorbia seguieriana</i> ssp. <i>niciciana</i> No Common Name Found | | | | | | | |
| <i>Euphorbia trigona</i> Abyssinian Euphorbia | FO | 0.94 | R2 | 3-8 | | | 1.00 10 |
| <i>Eurya japonica</i> No Common Name Found | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Eurya japonica</i> 'Winter Wine' Winter Wine Eurya | BS | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Euryops chrysanthemoides</i> Daisy Bush | HP | 0.66 | R2 | 7-8 | | | | |
| <i>Euryops pectinatus</i> Gray-leaved Shrub Daisy | HP | 0.75 | R2 | 6-8 | | | | |
| <i>Euryops pectinatus</i> 'Green Gold' See - <i>Euryops pectinatus</i> 'Viridis' | | | | | | | | |
| <i>Euryops pectinatus</i> 'Munchkin' Munchkin Gray-Leaved Shrub Daisy | HP | 0.77 | R2 | 6-8 | | | | |
| <i>Euryops pectinatus</i> 'Viridis' Green Gray-Leaved Shrub Daisy | HP | 0.89 | R2 | 6-8 | | | | |
| <i>Euscaphis japonica</i> No Common Name Found | DT | 1.05 | R2 | 5-7 | 8 | 0.67 | 1.00 | 7 |
| <i>Eustoma grandiflorum</i> Prairie Gentian | AN | 1.15 | R2 | 6-8 | | | | |
| <i>Eustoma grandiflorum</i> 'Florida Series' Florida Series Prairie Gentian | AN | 1.39 | R2 | 6-8 | | | | |
| <i>Eustoma grandiflorum</i> 'Lizzy Series' Lizzy Series Prairie Gentian | AN | 1.39 | R2 | 6-8 | | | | |
| <i>Eustoma grandiflorum</i> 'Sapphire Blue Chip' Sapphire Blue Chip Prairie Gentian | AN | 1.63 | R2 | 6-8 | | | | |
| <i>Evolvulus glomeratus</i> Blue Daze | HP | 0.63 | R2 | 5-7 | 8 | | | |
| <i>Evolvulus glomeratus</i> 'Blue Eyes' Blue Eyes Blue Daze | HP | 0.63 | R2 | 5-7 | 8 | | | |
| <i>Evolvulus nuttallianus</i> See - <i>Evolvulus pilosus</i> | | | | | | | | |
| <i>Evolvulus pilosus</i> No Common Name Found | GC | 0.52 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Exacum affine</i> German Violet | AN | 2.55 | R2 | 6-8 | | | | |
| <i>Exochorda x macrantha</i> Pearlbush | DS | 1.26 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Exochorda x macrantha</i> 'The Bride' The Bride Pearlbush | DS | 1.26 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Exochorda racemosa</i> Common Pearlbush | DS | 0.69 | R2 | 4-6 | 7-8 | | 1.00 | 4 |
| <i>Exochorda serratifolia</i> Sawtooth Pearlbush | DS | 1.40 | R2 | 3-5 | 6-8 | | 1.62 | 4 |
| <i>Exochorda serratifolia</i> 'Northern Pearls' Northern Pearls Sawtooth Pearlbush | DS | 1.40 | R1 | 3-5 | 6-8 | | 1.62 | 4 |
| <i>Eysenhardtia orthocarpa</i> Arizona Kidneywood | BE | 1.00 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Eysenhardtia texana</i> Texas Kidneywood | BS | 0.61 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Fabiana imbricata</i> False Heath | BS | 0.55 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Fabiana imbricata</i> 'Alba' White False Heath | BS | 0.55 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Fagus crenata</i> Japanese Beech | DT | 1.00 | R1 | 3-4 | 5-8 | 0.74 | 1.00 | 4 |
| <i>Fagus grandifolia</i> American Beech | DT | 1.30 | R1 | 3 | 4-8 | 1.23 | 1.06 | 3 |
| <i>Fagus x moesiaca</i> Balkan Beech | DT | 1.00 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |
| <i>Fagus orientalis</i> Oriental Beech | DT | 1.31 | R1 | 3-4 | 5-8 | 1.10 | 1.00 | 4 |
| <i>Fagus sylvatica</i> European Beech | DT | 2.25 | R1 | 3-4 | 5-8 | 1.17 | 1.92 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Fagus sylvatica</i> 'Asplenifolia' Fernleaf European Beech | DT | 1.83 | R1 | 3-4 | 5-8 | 1.81 | 1.65 | 4 |
| <i>Fagus sylvatica</i> 'Atropunicea' Purple Leaf European Beech | DT | 0.83 | R1 | 3-4 | 5-8 | 1.47 | 0.54 | 4 |
| <i>Fagus sylvatica</i> 'Cockleshell' Cockleshell European Beech | DT | 1.95 | R1 | 3-4 | 5-8 | 1.65 | 1.37 | 4 |
| <i>Fagus sylvatica</i> 'Cristata' Cock's Comb European Beech | DT | 1.95 | R1 | 3-4 | 5-8 | 1.65 | 1.37 | 4 |
| <i>Fagus sylvatica</i> 'Cuprea' See - <i>Fagus sylvatica</i> 'Atropunicea' | | | | | | | | |
| <i>Fagus sylvatica</i> 'Dawyck Gold' Dawyck Gold European Beech | DT | 1.95 | R1 | 3-4 | 5-8 | 1.65 | 0.96 | 4 |
| <i>Fagus sylvatica</i> 'Dawyck Purple' Dawyck Purple European Beech | DT | 1.30 | R1 | 3-4 | 5-8 | 1.77 | 0.89 | 4 |
| <i>Fagus sylvatica</i> 'Dawyck' Dawyck European Beech | DT | 1.27 | R1 | 3-4 | 5-8 | 1.65 | 1.05 | 4 |
| <i>Fagus sylvatica</i> 'Fastigiata' See - <i>Fagus sylvatica</i> 'Dawyck' | | | | | | | | |
| <i>Fagus sylvatica</i> 'Grandidentata' Sawtooth European Beech | DT | 1.95 | R1 | 3-4 | 5-8 | 1.65 | 1.37 | 4 |
| <i>Fagus sylvatica</i> 'Laciniata' Cutleaf European Beech | DT | 3.09 | R1 | 3-4 | 5-8 | 1.34 | 3.00 | 4 |
| <i>Fagus sylvatica</i> 'Mercedes' Mercedes European Beech | DT | 1.95 | R1 | 3-4 | 5-8 | 1.65 | 1.37 | 4 |
| <i>Fagus sylvatica</i> 'Pendula' Weeping European Beech | DT | 2.21 | R1 | 3-4 | 5-8 | 1.62 | 1.38 | 4 |
| <i>Fagus sylvatica</i> 'Purple Fountain' Purple Fountain European Beech | DT | 2.32 | R1 | 3-4 | 5-8 | 1.66 | 1.02 | 4 |
| <i>Fagus sylvatica</i> 'Purpurea Pendula' Purple Weeping European Beech | DT | 2.20 | R1 | 3-4 | 5-8 | 1.77 | 1.28 | 4 |
| <i>Fagus sylvatica</i> 'Purpurea Tricolor' Purple Tricolor European Beech | DT | 1.95 | R1 | 3-4 | 5-8 | 2.63 | 1.21 | 4 |
| <i>Fagus sylvatica</i> 'Riversii' Rivers European Beech | DT | 1.70 | R1 | 3-4 | 5-8 | 1.72 | 1.42 | 4 |
| <i>Fagus sylvatica</i> 'Rohan Obelisk' Rohan Obelisk European Beech | DT | 1.89 | R1 | 3-4 | 5-8 | 1.47 | 0.98 | 4 |
| <i>Fagus sylvatica</i> 'Rohanii' Purple Oakleaf European Beech | DT | 1.93 | R1 | 3-4 | 5-8 | 1.67 | 1.62 | 4 |
| <i>Fagus sylvatica</i> 'Roseo-marginata' See - <i>Fagus sylvatica</i> 'Purpurea Tricolor' | | | | | | | | |
| <i>Fagus sylvatica</i> 'Rotundifolia' Roundleaf European Beech | DT | 1.96 | R1 | 3-4 | 5-8 | 0.87 | 1.37 | 4 |
| <i>Fagus sylvatica</i> 'Spaethiana' Spaeth European Beech | DT | 2.77 | R1 | 3-4 | 5-8 | 1.66 | 1.68 | 4 |
| <i>Fagus sylvatica</i> 'Torulosa Purpurea' Purple Contorted Weeping European Beech | DT | 1.95 | R1 | 3-4 | 5-8 | 1.65 | 1.68 | 4 |
| <i>Fagus sylvatica</i> 'Torulosa' Contorted European Beech | DT | 1.70 | R1 | 3-4 | 5-8 | 1.65 | 1.37 | 4 |
| <i>Fagus sylvatica</i> 'Tricolor' Tricolor European Beech | DT | 1.93 | R1 | 3-4 | 5-8 | 1.99 | 1.11 | 4 |
| <i>Fagus sylvatica</i> 'Zlatia' Golden European Beech | DT | 1.95 | R1 | 3-4 | 5-8 | 1.78 | 1.19 | 4 |
| <i>Faidherbia albida</i> Apple-Ring Acacia | GC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Fallopia baldschuanica</i> Russian Vine | HP | 1.53 | R1 | 3-4 | 5-8 | | | |
| <i>Fallopia japonica</i> Japanese Knotweed | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Fallopia japonica</i> 'Border Jewel' Border Jewel Japanese Knotweed | HP | 1.18 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Fallopia japonica</i> 'Variegata' Variegated Japanese Knotweed | HP | 1.28 | R2 | 3-4 | 5-8 | | | |
| <i>Fallopia japonica</i> var. <i>compacta</i> Compact Japanese Knotweed | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Fallopia japonica</i> var. <i>compacta</i> 'Glozam' Glo-worm™ Compact Japanese Knotweed | HP | 1.50 | R2 | 3-4 | 5-8 | | | |
| <i>Fallopia japonica</i> var. <i>compacta</i> 'Glo-worm' See - <i>Fallopia japonica</i> var. <i>compacta</i> 'Glozam' | | | | | | | | |
| <i>Fallugia paradoxa</i> Apache-plume | DS | 0.88 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Farfugium japonicum</i> Green Leopard Plant | HP | 1.74 | R2 | 3-5 | 6-8 | | | |
| <i>Farfugium japonicum</i> 'Aureomaculatum' Aureomaculatum Leopard Plant | HP | 1.39 | R2 | 3-5 | 6-8 | | | |
| <i>Farfugium japonicum</i> 'Crested Leopard' See - <i>Farfugium japonicum</i> 'Crispatum' | | | | | | | | |
| <i>Farfugium japonicum</i> 'Crispatum' Crested Leopard Plant | HP | 1.68 | R2 | 3-5 | 6-8 | | | |
| <i>Farfugium japonicum</i> 'Cristata' See - <i>Farfugium japonicum</i> 'Crispatum' | | | | | | | | |
| <i>Fargesia</i> 'Rufa' See - <i>Fargesia rufa</i> | | | | | | | | |
| <i>Fargesia fungosa</i> No Common Name Found | BS | 1.39 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Fargesia murielae</i> Umbrella Bamboo | BS | 3.31 | R2 | 5-8 | | | 1.00 | 6 |
| <i>Fargesia nitida</i> Fountain Bamboo | BS | 4.15 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Fargesia robusta</i> Robust Fountain Bamboo | BS | 2.27 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Fargesia robusta</i> 'Green Screen' See - <i>Fargesia robusta</i> 'Pingwu' | | | | | | | | |
| <i>Fargesia robusta</i> 'Pingwu' Green Screen™ Robust Fountain Bamboo | BS | 2.52 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Fargesia rufa</i> Giant Panda™ Bamboo Select® Bamboo | BS | 2.98 | R2 | 5-6 | | | 1.00 | 5 |
| <i>Fargesia scabrida</i> Rough Flowered Arrow Bamboo | BS | 2.18 | R2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Fargesia scabrida</i> 'Asian Wonder' Asian Wonder™ Clumping Bamboo | BS | 2.18 | R2 | 4-5 | 6-8 | | 1.00 | 5 |
| x <i>Fatshedera lizei</i> Aralia Ivy Tree | BS | 1.14 | R2 | 5-7 | 8 | | 1.00 | 7 |
| x <i>Fatshedera lizei</i> 'Annemieke' Annemieke Aralia Ivy Tree | BS | 1.08 | R2 | 5-7 | 8 | | 1.00 | 7 |
| x <i>Fatshedera lizei</i> 'Argenteovariegata' See - x <i>Fatshedera lizei</i> 'Variegata' | | | | | | | | |
| x <i>Fatshedera lizei</i> 'Lemon and Lime' See - x <i>Fatshedera lizei</i> 'Annemieke' | | | | | | | | |
| x <i>Fatshedera lizei</i> 'Ribbon Candy' Ribbon Candy Aralia Ivy Tree | BS | 1.16 | R2 | 5-7 | 8 | | 1.00 | 7 |
| x <i>Fatshedera lizei</i> 'Variegata' Variegated Aralia Ivy Tree | BS | 1.27 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Fatsia japonica</i> Japanese Fatsia | BS | 0.93 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Feijoa sellowiana</i> See - <i>Acca sellowiana</i> | | | | | | | | |
| <i>Felicia amelloides</i> Blue Marguerite | HP | 0.79 | R2 | 8 | | | | |
| <i>Felicia amelloides</i> 'San Gabriel' San Gabriel Blue Marguerite | HP | 0.56 | R2 | 8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|--|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Felicia fruticosa</i> Kingfisher Daisy | HP | 0.60 | R2 | 8 | | | |
| <i>Felicia heterophylla</i> No Common Name Found | HP | 0.85 | R2 | 5-8 | | | |
| <i>Felicia heterophylla</i> 'Spring Merchen Mixture' Spring Merchen Mixture Marguerite | HP | 0.85 | R2 | 5-8 | | | |
| <i>Fendlera rupicola</i> Cliff Fendlerbush | DS | 1.12 | R2 | 3-5 | 6-8 | | 1.00 5 |
| <i>Ferocactus glaucescens</i> Blue Barrel Cactus | FO | 1.00 | R2 | 3-8 | | | 1.00 10 |
| <i>Festuca amethystina</i> Large Blue Fescue | HP | 0.90 | R2 | 3-4 | 5-8 | | |
| <i>Festuca amethystina</i> 'Aprilgrun' Aprilgrun Tufted Fescue | HP | 0.87 | R2 | 3-4 | 5-8 | | |
| <i>Festuca amethystina</i> 'Bronzeglanz' Bronze Large Blue Fescue | HP | 0.85 | R2 | 3-4 | 5-8 | | |
| <i>Festuca amethystina</i> 'Klose' Klose Large Blue Fescue | HP | 0.85 | R2 | 3-4 | 5-8 | | |
| <i>Festuca amethystina</i> 'Superba' Superba Large Blue Fescue | HP | 0.73 | R2 | 3-4 | 5-8 | | |
| <i>Festuca californica</i> California Fescue | HP | 0.64 | R2 | 5-7 | 8 | | |
| <i>Festuca californica</i> 'Blue Fountain' Blue Fountain California Fescue | HP | 0.64 | R2 | 5-7 | 8 | | |
| <i>Festuca californica</i> 'Horse Mountain Green' Horse Mountain Green California Fescue | HP | 0.64 | R2 | 5-7 | 8 | | |
| <i>Festuca californica</i> 'Salmon Creek' Salmon Creek California Fescue | HP | 0.64 | R2 | 5-7 | 8 | | |
| <i>Festuca californica</i> 'Serpentine Blue' Serpentine Blue California Fescue | HP | 0.64 | R2 | 5-7 | 8 | | |
| <i>Festuca capillata</i> See - <i>Festuca tenuifolia</i> | | | | | | | |
| <i>Festuca cinerea</i> 'Azurit' See - <i>Festuca glauca</i> 'Azurit' | | | | | | | |
| <i>Festuca gautieri</i> Bearskin Fescue | HP | 1.80 | R2 | 3-5 | 6-8 | | |
| <i>Festuca gautieri</i> 'Hobbit' Hobbit Bearskin Fescue | HP | 1.80 | R2 | 3-5 | 6-8 | | |
| <i>Festuca gigantea</i> Giant Fescue | HP | 0.85 | R2 | 3-5 | 6-8 | | |
| <i>Festuca glauca</i> Blue Fescue | HP | 1.21 | R2 | 3-5 | 6-8 | | |
| <i>Festuca glauca</i> 'Azurit' Azure Blue Fescue | HP | 0.85 | R2 | 3-5 | 6-8 | | |
| <i>Festuca glauca</i> 'Blaufink' Blue Finch Blue Fescue | HP | 0.85 | R2 | 3-5 | 6-8 | | |
| <i>Festuca glauca</i> 'Blaufuchs' Blaufuchs Fescue | HP | 0.91 | R2 | 3-5 | 6-8 | | |
| <i>Festuca glauca</i> 'Blauglut' Blauglut Blue Fescue | HP | 0.85 | R2 | 3-5 | 6-8 | | |
| <i>Festuca glauca</i> 'Blausilber' Blausilber Blue Fescue | HP | 0.85 | R2 | 3-5 | 6-8 | | |
| <i>Festuca glauca</i> 'Blue Finch' See - <i>Festuca glauca</i> 'Blaufink' | | | | | | | |
| <i>Festuca glauca</i> 'Blue Fox' See - <i>Festuca glauca</i> 'Blaufuchs' | | | | | | | |
| <i>Festuca glauca</i> 'Blue Glow' See - <i>Festuca glauca</i> 'Blauglut' | | | | | | | |
| <i>Festuca glauca</i> 'Blue Sea' See - <i>Festuca glauca</i> 'Meerblau' | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Festuca glauca</i> 'Boulder Blue' Boulder Blue Blue Fescue | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca glauca</i> 'Daeumling' Daeumling Blue Fescue | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca glauca</i> 'Elijah Blue' Elijah Blue Blue Fescue | HP | 1.14 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca glauca</i> 'Festina' Festina™ Blue Fescue | HP | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca glauca</i> 'Fruhlingsblau' Fruhlingsblau Blue Fescue | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca glauca</i> 'Golden Toupee' Golden Toupee Blue Fescue | HP | 1.37 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca glauca</i> 'Harz' Harz Blue Fescue | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca glauca</i> 'Meerblau' Blue Sea Blue Fescue | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca glauca</i> 'Palatinat' Palatinat Blue Fescue | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca glauca</i> 'Sea Urchin' See - <i>Festuca glauca</i> 'Seeigel' | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca glauca</i> 'Seeigel' Sea Urchin Sheep Fescue | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca glauca</i> 'Silberreiherr' Silberreiherr Blue Fescue | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca glauca</i> 'Soehrenwald' Soehrenwald Blue Fescue | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca glauca</i> 'Solling' Solling Blue Fescue | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca glaucantha</i> See - <i>Festuca valesiaca</i> 'Glaucantha' | HP | 0.60 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca idahoensis</i> Idaho Fescue | HP | 0.64 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca idahoensis</i> 'Muse Meadow' Muse Meadow Idaho Fescue | HP | 0.68 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca idahoensis</i> 'Siskiyou Blue' Siskiyou Blue Idaho Fescue | HP | 0.64 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca idahoensis</i> 'Snow Mountain' Snow Mountain Idaho Fescue | HP | 0.64 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca idahoensis</i> 'Warren Peak' Warren Peak Idaho Fescue | HP | 0.82 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca idahoensis</i> ssp. <i>roemeri</i> See - <i>Festuca roemeri</i> | HP | 0.82 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca mairei</i> Atlas Fescue | HP | 0.82 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca muelleri</i> Mueller's Fescue | HP | 0.49 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca ovina</i> Sheep Fescue | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca ovina</i> 'Sea Urchin' See - <i>Festuca glauca</i> 'Seeigel' | HP | 0.41 | R2 | 5-7 | 8 | | | |
| <i>Festuca ovina</i> var. <i>glauca</i> See - <i>Festuca glauca</i> | HP | 0.41 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca quadriflora</i> Four-leaved Fescue | HP | 0.41 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca roemeri</i> Roemer's Fescue | HP | 0.41 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca rubra</i> Red Fescue | HP | 0.69 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca rubra</i> 'Patrick's Point' Patrick's Point Red Fescue | HP | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Festuca scoparia</i> | | | | | | | | |
| See - <i>Festuca gautieri</i> | | | | | | | | |
| <i>Festuca tenuifolia</i> Hair Fescue | HP | 0.70 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca valesiaca</i> Wallis Fescue | HP | 0.78 | R2 | 3-5 | 6-8 | | | |
| <i>Festuca valesiaca</i> 'Glaucantha' Glaucantha Wallis Fescue | HP | 0.78 | R2 | 3-5 | 6-8 | | | |
| <i>Ficus altissima</i> Council Tree | BE | 0.42 | R2 | 5-8 | | 1.00 | 1.00 | 10 |
| <i>Ficus aurea</i> Golden Fig | BE | 0.73 | R2 | 8 | | 1.00 | 0.70 | 10 |
| <i>Ficus benjamina</i> Weeping Fig | FO | 0.69 | R2 | 8 | | | 0.82 | 10 |
| <i>Ficus benjamina</i> 'Exotica' Exotic Weeping Fig | FO | 0.34 | R2 | 8 | | | 0.53 | 10 |
| <i>Ficus benjamina</i> 'Indigo' Indigo Weeping Fig | FO | 1.41 | R2 | 8 | | | 0.43 | 10 |
| <i>Ficus benjamina</i> 'Jacqueline' Jacqueline Weeping Fig | FO | 0.78 | R2 | 8 | | | 0.53 | 10 |
| <i>Ficus benjamina</i> 'Kiki' Kiki Weeping Fig | FO | 0.89 | R2 | 8 | | | 0.53 | 10 |
| <i>Ficus benjamina</i> 'Melany' P.P. 9923 Melany Weeping Fig | FO | 0.89 | R2 | 8 | | | 0.53 | 10 |
| <i>Ficus benjamina</i> 'Midnight' P.P. 9856 Midnight Weeping Fig | FO | 0.80 | R2 | 8 | | | 0.53 | 10 |
| <i>Ficus benjamina</i> 'Monique' P.P. 8637 Monique Weeping Fig | FO | 1.46 | R2 | 8 | | | 0.43 | 10 |
| <i>Ficus benjamina</i> 'Spearmint' Spearmint Weeping Fig | FO | 0.98 | R2 | 8 | | | 0.53 | 10 |
| <i>Ficus benjamina</i> 'Spire' Spire Weeping Fig | FO | 1.33 | R2 | 8 | | | 0.53 | 10 |
| <i>Ficus benjamina</i> 'Starlite' Starlite Weeping Fig | FO | 0.53 | R2 | 8 | | | 0.53 | 10 |
| <i>Ficus benjamina</i> 'TooLittle' P.P. 8939 TooLittle Weeping Fig | FO | 0.89 | R2 | 8 | | | 0.53 | 10 |
| <i>Ficus benjamina</i> 'Variegata' Variegated Weeping Fig | FO | 0.81 | R2 | 8 | | | 0.53 | 10 |
| <i>Ficus benjamina</i> 'Wiandi' Wiandi Weeping Fig | FO | 0.89 | R2 | 8 | | | 0.53 | 10 |
| <i>Ficus benjamina</i> 'Wintergreen' Wintergreen Weeping Fig | FO | 0.66 | R2 | 8 | | | 0.43 | 10 |
| <i>Ficus benjamina</i> var. <i>nuda</i> No Common Name Found | FO | 2.20 | R2 | 8 | | | 1.00 | 10 |
| <i>Ficus binnendykii</i> Narrow-leaf Fig | FO | 1.32 | R2 | 8 | | | 1.18 | 10 |
| <i>Ficus binnendykii</i> 'Alii' Alii Narrow-leaf Fig | FO | 1.23 | R2 | 8 | | | 1.18 | 10 |
| <i>Ficus binnendykii</i> 'Amstel King' P.P. 8776 Amstel King Narrow-leaf Fig | FO | 1.22 | R2 | 8 | | | 1.18 | 10 |
| <i>Ficus buxifolia</i> | | | | | | | | |
| See - <i>Ficus lingua</i> | | | | | | | | |
| <i>Ficus carica</i> Common Fig | FN | 0.54 | R2 | 3-6 | 7-8 | 0.77 | 0.59 | 6 |
| <i>Ficus carica</i> 'Alma' Alma Fig | FN | 0.43 | R2 | 3-6 | 7-8 | 0.77 | 0.59 | 6 |
| <i>Ficus carica</i> 'Black Jack' Black Jack Fig | FN | 1.13 | R2 | 3-6 | 7-8 | 0.86 | 0.59 | 6 |
| <i>Ficus carica</i> 'Black Mission' Black Mission Fig | FN | 0.76 | R2 | 3-6 | 7-8 | 0.76 | 0.59 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Ficus carica</i> 'Brown Turkey' Brown Turkey Fig | FN | 0.87 | R2 | 3-6 | 7-8 | 0.76 | 0.57 | 6 |
| <i>Ficus carica</i> 'Celeste' Celeste Common Fig | FN | 0.75 | R2 | 3-6 | 7-8 | 0.76 | 0.60 | 6 |
| <i>Ficus carica</i> 'Conandria' Conandria Common Fig | FN | 1.11 | R2 | 3-6 | 7-8 | 0.77 | 0.59 | 6 |
| <i>Ficus carica</i> 'Desert King' Desert King Common Fig | FN | 1.11 | R2 | 3-6 | 7-8 | 0.76 | 0.59 | 6 |
| <i>Ficus carica</i> 'Kadota' Kadota Fig | FN | 1.02 | R2 | 3-6 | 7-8 | 0.76 | 0.59 | 6 |
| <i>Ficus carica</i> 'Mission' Mission Fig | FN | 0.83 | R2 | 3-6 | 7-8 | 0.77 | 0.59 | 6 |
| <i>Ficus carica</i> 'Osborn's Prolific' Osborn's Prolific Common Fig | FN | 1.11 | R2 | 3-6 | 7-8 | 0.76 | 0.59 | 6 |
| <i>Ficus carica</i> 'Peter's Honey' Peter's Honey Fig | FN | 1.20 | R2 | 3-6 | 7-8 | 0.76 | 0.59 | 6 |
| <i>Ficus carica</i> 'Texas Everbearing' Texas Everbearing Fig | FN | 0.83 | R2 | 3-6 | 7-8 | 0.76 | 0.60 | 6 |
| <i>Ficus citrifolia</i> Shortleaf Fig | FN | 0.63 | R2 | 8 | | 1.00 | 0.71 | 10 |
| <i>Ficus deltoidea</i> Mistletoe Fig | FO | 0.83 | R2 | 8 | | | 1.00 | 10 |
| <i>Ficus elastica</i> Indian Rubber Tree | FO | 0.52 | R2 | 8 | | | 0.97 | 10 |
| <i>Ficus elastica</i> 'Burgundy' Burgundy Indian Rubber Tree | FO | 0.60 | R2 | 8 | | | 0.97 | 10 |
| <i>Ficus elastica</i> 'Decora' Decora Indian Rubber Tree | FO | 0.82 | R2 | 8 | | | 0.97 | 10 |
| <i>Ficus elastica</i> 'Robusta' Robusta Indian Rubber Tree | FO | 0.71 | R2 | 8 | | | 0.97 | 10 |
| <i>Ficus elastica</i> 'Sylvie' Sylvie Indian Rubber Tree | FO | 0.80 | R2 | 8 | | | 0.97 | 10 |
| <i>Ficus exotica</i> See - <i>Ficus benjamina</i> 'Exotica' | | | | | | | | |
| <i>Ficus lingua</i> Box-leaved Fig | FO | 0.71 | R2 | 8 | | | 1.00 | 10 |
| <i>Ficus lutea</i> Lagos Rubber Tree | BE | 0.59 | R2 | 8 | | 1.00 | 1.00 | 10 |
| <i>Ficus lyrata</i> Fiddle-leaf Fig | FO | 1.15 | R2 | 8 | | | 1.17 | 10 |
| <i>Ficus maclellandii</i> 'Alii' See - <i>Ficus binnendykii</i> 'Alii' | | | | | | | | |
| <i>Ficus macrophylla</i> Moreton Bay Fig | BE | 0.92 | R2 | 8 | | 1.00 | 1.00 | 10 |
| <i>Ficus microcarpa</i> Chinese Banyan | FO | 0.92 | R2 | 8 | | | 0.83 | 10 |
| <i>Ficus microcarpa</i> 'Green Gem' Green Gem Indian Laurel Fig | FO | 0.82 | R2 | 8 | | | 0.99 | 10 |
| <i>Ficus microcarpa</i> 'Green Island' Green Island Indian Laurel Fig | FO | 1.12 | R2 | 8 | | | 1.15 | 10 |
| <i>Ficus montana</i> Oakleaf Fig | FO | 0.53 | R2 | 8 | | | 1.00 | 10 |
| <i>Ficus natalensis</i> Natal Fig | BE | 1.00 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Ficus natalensis</i> ssp. <i>lepreurii</i> See - <i>Ficus triangularis</i> | | | | | | | | |
| <i>Ficus nekbudu</i> See - <i>Ficus lutea</i> | | | | | | | | |
| <i>Ficus neriifolia</i> Willowleaf Fig | FO | 0.98 | R2 | 8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Ficus nitida</i> | | | | | | | | |
| See - <i>Ficus microcarpa</i> | | | | | | | | |
| <i>Ficus pandurata</i> | | | | | | | | |
| See - <i>Ficus lyrata</i> | | | | | | | | |
| <i>Ficus petiolaris</i> | FO | 0.71 | R2 | 8 | | | 1.00 | 10 |
| Petiolate Fig | | | | | | | | |
| <i>Ficus pseudopalma</i> | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| Philippine Fig | | | | | | | | |
| <i>Ficus pumila</i> | GC | 0.63 | R2 | 6-8 | | | 1.00 | 8 |
| Creeping Fig | | | | | | | | |
| <i>Ficus pumila</i> 'Curly' | GC | 0.69 | R2 | 6-8 | | | 1.00 | 8 |
| Curly Creeping Fig | | | | | | | | |
| <i>Ficus pumila</i> 'Minima' | GC | 0.83 | R2 | 6-8 | | | 1.00 | 8 |
| Minima Creeping Fig | | | | | | | | |
| <i>Ficus pumila</i> 'Sunny' | GC | 0.67 | R2 | 6-8 | | | 1.00 | 8 |
| Sunny Creeping Fig | | | | | | | | |
| <i>Ficus pumila</i> 'Variegata' | GC | 0.63 | R2 | 6-8 | | | 1.00 | 8 |
| Variegated Creeping Fig | | | | | | | | |
| <i>Ficus religiosa</i> | BE | 1.00 | R2 | 8 | | 1.00 | 1.00 | 10 |
| Sacred Fig | | | | | | | | |
| <i>Ficus repens</i> | | | | | | | | |
| See - <i>Ficus pumila</i> | | | | | | | | |
| <i>Ficus rubiginosa</i> | BE | 1.07 | R2 | 8 | | 1.00 | 1.45 | 10 |
| Rusty Fig | | | | | | | | |
| <i>Ficus salicifolia</i> | | | | | | | | |
| See - <i>Ficus neriifolia</i> | | | | | | | | |
| <i>Ficus triangularis</i> | BE | 0.94 | R2 | 8 | | 1.00 | 1.00 | 10 |
| Triangle Fig | | | | | | | | |
| <i>Filipendula</i> | HP | 0.72 | R2 | | 3-8 | | | |
| Meadowsweet | | | | | | | | |
| <i>Filipendula</i> 'Kahome' | HP | 0.72 | R2 | | 3-8 | | | |
| Kahome Meadowsweet | | | | | | | | |
| <i>Filipendula hexapetala</i> | | | | | | | | |
| See - <i>Filipendula vulgaris</i> | | | | | | | | |
| <i>Filipendula palmata</i> | HP | 0.79 | R2 | | 3-8 | | | |
| Siberian Meadowsweet | | | | | | | | |
| <i>Filipendula palmata</i> 'Elegans' | HP | 0.85 | R2 | | 3-8 | | | |
| Elegans Siberian Meadowsweet | | | | | | | | |
| <i>Filipendula palmata</i> 'Nana' | HP | 0.73 | R2 | | 3-8 | | | |
| Dwarf Siberian Meadowsweet | | | | | | | | |
| <i>Filipendula purpurea</i> | HP | 0.71 | R2 | 3-4 | 5-8 | | | |
| Japanese Meadowsweet | | | | | | | | |
| <i>Filipendula purpurea</i> 'Alba' | HP | 0.71 | R2 | 3-4 | 5-8 | | | |
| White Japanese Meadowsweet | | | | | | | | |
| <i>Filipendula rubra</i> | HP | 1.06 | R2 | | 3-8 | | | |
| Queen-of-the-Prairie | | | | | | | | |
| <i>Filipendula rubra</i> 'Albicans' | HP | 1.04 | R2 | | 3-8 | | | |
| Albicans Queen-of-the-Prairie | | | | | | | | |
| <i>Filipendula rubra</i> 'Venusta Magnificum' | HP | 0.78 | R2 | | 3-8 | | | |
| Venusta Magnificum Queen-of-the-Prairie | | | | | | | | |
| <i>Filipendula rubra</i> 'Venusta' | HP | 1.28 | R2 | | 3-8 | | | |
| Venusta Queen-of-the-Prairie | | | | | | | | |
| <i>Filipendula ulmaria</i> | HP | 1.09 | R2 | | 3-8 | | | |
| Queen-of-the-Meadow | | | | | | | | |
| <i>Filipendula ulmaria</i> 'Aurea' | HP | 1.06 | R2 | | 3-8 | | | |
| Golden Queen-of-the-Meadow | | | | | | | | |
| <i>Filipendula ulmaria</i> 'Aureo-variegata' | | | | | | | | |
| See - <i>Filipendula ulmaria</i> 'Variegata' | | | | | | | | |
| <i>Filipendula ulmaria</i> 'Variegata' | HP | 1.03 | R2 | | 3-8 | | | |
| Variegated Queen-of-the-Meadow | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Filipendula vulgaris</i> Dropwort | HP | 1.11 | R2 | 3 | 4-8 | | | |
| <i>Filipendula vulgaris</i> 'Flore Pleno' Flore Pleno Double Dropwort | HP | 1.18 | R2 | 3 | 4-8 | | | |
| <i>Firmiana simplex</i> Chinese Parasol Tree | DT | 0.66 | R1 | 6-7 | 8 | 0.63 | 0.58 | 7 |
| <i>Fittonia verschaffeltii</i> Mosaic Plant | FO | 0.12 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Fitzroya cupressoides</i> Alerce | CE | 1.00 | R2 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Fitzroya patagonica</i> See - <i>Fitzroya cupressoides</i> | | | | | | | | |
| <i>Foeniculum vulgare</i> Fennel | AN | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Foeniculum vulgare</i> 'Finocchio' Florence Fennel | AN | 0.70 | R2 | 3-4 | 5-8 | | | |
| <i>Foeniculum vulgare</i> var. <i>azoricum</i> Sweet Florence Fennel | AN | 1.14 | R2 | 3-4 | 5-8 | | | |
| <i>Foeniculum vulgare</i> var. <i>dulce</i> No Common Name Found | AN | 1.30 | R2 | 3-4 | 5-8 | | | |
| <i>Foeniculum vulgare</i> var. <i>dulce</i> 'Rubrum' Bronze Fennel | AN | 1.30 | R2 | 3-4 | 5-8 | | | |
| <i>Fontanesia fortunei</i> Fortune Fontanesia | DS | 1.00 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Fontanesia fortunei</i> 'Titan' Titan Fortune Fontanesia | DS | 1.00 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Forestiera neomexicana</i> Desert Olive | DS | 0.89 | R1 | 5-6 | 7-8 | | 1.94 | 5 |
| <i>Forestiera segregata</i> Florida Privet | DS | 0.50 | R1 | 8 | | | 0.60 | 6 |
| <i>Forestiera segregata</i> var. <i>pinetorum</i> Pineland Florida Privet | DS | 0.50 | R1 | 8 | | | 1.00 | 6 |
| <i>Forsythia</i> Forsythia | DS | 0.99 | R1 | 3-4 | 5-8 | | 0.65 | 3 |
| <i>Forsythia</i> 'Arnold Dwarf' Arnold Dwarf Forsythia | DS | 0.93 | R1 | 3-5 | 6-8 | | 0.51 | 5 |
| <i>Forsythia</i> 'Courdijau' P.P. 13050 Golden Peep™ Forsythia | DS | 1.34 | R1 | 3-5 | 6-8 | | 0.65 | 5 |
| <i>Forsythia</i> 'Courtacour' P.P.A.F. Goldilocks™ Forsythia | DS | 1.05 | R1 | 3-5 | 6-8 | | 0.65 | 5 |
| <i>Forsythia</i> 'Courtalyn' P.P.A.F. Week-End® Forsythia | DS | 0.89 | R1 | 3-5 | 6-8 | | 0.65 | 5 |
| <i>Forsythia</i> 'Courtaneur' P.P.A.F. Gold Cluster™ Forsythia | DS | 1.47 | R1 | 3-5 | 6-8 | | 0.65 | 5 |
| <i>Forsythia</i> 'Courtasol' P.P. 9104 Gold Tide™ Forsythia | DS | 1.00 | R1 | 3-5 | 6-8 | | 0.77 | 5 |
| <i>Forsythia</i> 'Gold Tide' See - <i>Forsythia</i> 'Courtasol' P.P. 9104 | | | | | | | | |
| <i>Forsythia</i> 'Golden Peep' See - <i>Forsythia</i> 'Courdijau' P.P. 13050 | | | | | | | | |
| <i>Forsythia</i> 'Goldilocks' See - <i>Forsythia</i> 'Courtacour' P.P.A.F. | | | | | | | | |
| <i>Forsythia</i> 'Happy Centennial' Happy Centennial Forsythia | DS | 0.73 | R1 | 3-5 | 6-8 | | 0.78 | 5 |
| <i>Forsythia</i> 'Meadowlark' Meadowlark Forsythia | DS | 0.94 | R1 | 3 | 4-8 | | 0.63 | 3 |
| <i>Forsythia</i> 'Melee d'Or' See - <i>Forsythia</i> 'Courtaneur' P.P.A.F. | | | | | | | | |
| <i>Forsythia</i> 'New Hampshire Gold' New Hampshire Gold Forsythia | DS | 0.84 | R1 | 3-4 | 5-8 | | 0.71 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Forsythia</i> 'Northern Girl' Northern Girl Forsythia | DS | 0.93 | R1 | 3-5 | 6-8 | | 0.65 | 5 |
| <i>Forsythia</i> 'Northern Gold' Northern Gold Hybrid Forsythia | DS | 0.90 | R1 | 3-5 | 6-8 | | 0.58 | 5 |
| <i>Forsythia</i> 'Northern Sun' Northern Sun Forsythia | DS | 0.87 | R1 | 3-4 | 5-8 | | 0.35 | 4 |
| <i>Forsythia</i> 'Princeton Gold' P.P. 11055 Princeton Gold Forsythia | DS | 1.00 | R1 | 3-5 | 6-8 | | 0.65 | 5 |
| <i>Forsythia</i> 'Sunrise' Sunrise Forsythia | DS | 0.94 | R1 | 3-4 | 5-8 | | 0.84 | 4 |
| <i>Forsythia</i> 'Week-End' See - <i>Forsythia</i> 'Courtalyn' P.P.A.F. | | | | | | | | |
| <i>Forsythia</i> x <i>intermedia</i> Border Forsythia | DS | 0.60 | R1 | 3-5 | 6-8 | | 0.35 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Beatrix Farrand' Beatrix Farrand Border Forsythia | DS | 0.64 | R1 | 3-5 | 6-8 | | 0.32 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Fiesta' P.P. 7523 Fiesta Border Forsythia | DS | 1.01 | R1 | 3-5 | 6-8 | | 1.60 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Flojor' Minigold Border Forsythia | DS | 0.88 | R1 | 3-5 | 6-8 | | 0.57 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Gold Leaf' Gold Leaf Border Forsythia | DS | 1.17 | R1 | 3-5 | 6-8 | | 0.57 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Golden Times' Golden Times Variegated Forsythia | DS | 1.05 | R1 | 3-5 | 6-8 | | 0.57 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Goldzauber' Goldzauber Border Forsythia | DS | 0.88 | R1 | 3-5 | 6-8 | | 0.57 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Karl Sax' Karl Sax Border Forsythia | DS | 0.61 | R1 | 3-5 | 6-8 | | 0.36 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Kolgold' Magical™ Border Forsythia | DS | 1.50 | R1 | 3-5 | 6-8 | | 0.57 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Lynwood' Lynwood Gold Border Forsythia | DS | 0.76 | R1 | 3-5 | 6-8 | | 0.48 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Magical' See - <i>Forsythia</i> x <i>intermedia</i> 'Kolgold' | | | | | | | | |
| <i>Forsythia</i> x <i>intermedia</i> 'Mindor' P.P. 19321 Show Off™ Border Forsythia | DS | 0.88 | R1 | 3-5 | 6-8 | | 0.57 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Minigold' See - <i>Forsythia</i> x <i>intermedia</i> 'Flojor' | | | | | | | | |
| <i>Forsythia</i> x <i>intermedia</i> 'Mr. K' Mr. K Border Forsythia | DS | 0.88 | R1 | 3-5 | 6-8 | | 0.57 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Nana' Dwarf Border Forsythia | DS | 0.77 | R1 | 3-5 | 6-8 | | 0.57 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Show Off' See - <i>Forsythia</i> x <i>intermedia</i> 'Mindor' P.P. 19321 | | | | | | | | |
| <i>Forsythia</i> x <i>intermedia</i> 'Spectabilis' Showy Border Forsythia | DS | 0.74 | R1 | 3-5 | 6-8 | | 0.43 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Spring Glory' Spring Glory Border Forsythia | DS | 0.85 | R1 | 3-5 | 6-8 | | 0.46 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Springwood Gold' Springwood Gold Border Forsythia | DS | 0.88 | R1 | 3-5 | 6-8 | | 0.57 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Tremonia' Tremonia Border Forsythia | DS | 0.88 | R1 | 3-5 | 6-8 | | 0.57 | 5 |
| <i>Forsythia</i> x <i>intermedia</i> 'Winterthur' Winterthur Border Forsythia | DS | 0.88 | R1 | 3-5 | 6-8 | | 0.57 | 5 |
| <i>Forsythia mandschurica</i> Manchurian Forsythia | DS | 1.00 | R1 | 3-5 | 6-8 | | 0.44 | 5 |
| <i>Forsythia mandschurica</i> 'Vermont Sun' Vermont Sun Forsythia | DS | 1.00 | R1 | 3-5 | 6-8 | | 0.44 | 5 |
| <i>Forsythia ovata</i> Early Forsythia | DS | 0.78 | R1 | 3-5 | 6-8 | | 1.00 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Forsythia ovata</i> 'Nakai' | DS | 0.78 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| Nakai Early Forsythia | | | | | | | | |
| <i>Forsythia ovata</i> 'Ottawa' | DS | 0.91 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| Ottawa Early Forsythia | | | | | | | | |
| <i>Forsythia ovata</i> 'Tetragold' | DS | 0.65 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| Tetragold Early Forsythia | | | | | | | | |
| <i>Forsythia suspensa</i> | DS | 0.67 | R1 | 3-5 | 6-8 | | 0.39 | 5 |
| Weeping Forsythia | | | | | | | | |
| <i>Forsythia suspensa</i> var. <i>sieboldii</i> | DS | 0.94 | R1 | 3-5 | 6-8 | | 0.60 | 5 |
| Siebold Weeping Forsythia | | | | | | | | |
| <i>Forsythia viridissima</i> | DS | 0.98 | R1 | 3-5 | 6-8 | | 0.83 | 5 |
| Greenstem Forsythia | | | | | | | | |
| <i>Forsythia viridissima</i> 'Bronxensis' | DS | 0.98 | R1 | 3-5 | 6-8 | | 0.83 | 5 |
| Bronx Dwarf Greenstem Forsythia | | | | | | | | |
| <i>Forsythia viridissima</i> 'Citrus Swizzle' | | | | | | | | |
| See - <i>Forsythia viridissima</i> 'McKCitrine' P.P. 16464 | | | | | | | | |
| <i>Forsythia viridissima</i> 'McCitrus' | | | | | | | | |
| See - <i>Forsythia viridissima</i> 'McKCitrine' P.P. 16464 | | | | | | | | |
| <i>Forsythia viridissima</i> 'McKCitrine' P.P. 16464 | DS | 0.98 | R1 | 3-5 | 6-8 | | 0.83 | 5 |
| Citrus Swizzle™ Dwarf Greenstem Forsythia | | | | | | | | |
| <i>Forsythia viridissima</i> var. <i>koreana</i> | DS | 1.05 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| No Common Name Found | | | | | | | | |
| <i>Forsythia viridissima</i> var. <i>koreana</i> 'Kumson' | DS | 1.05 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| Kumson Greenstem Forsythia | | | | | | | | |
| <i>Fortunella crassifolia</i> | FN | 0.68 | R2 | 8 | | 1.00 | 1.00 | 9 |
| Meiwa Kumquat | | | | | | | | |
| <i>Fortunella japonica</i> | FN | 0.81 | R2 | 8 | | 1.00 | 1.00 | 9 |
| Round Kumquat | | | | | | | | |
| <i>Fortunella margarita</i> | FN | 1.14 | R2 | 8 | | 1.00 | 1.00 | 8 |
| Nagami Kumquat | | | | | | | | |
| <i>Fothergilla gardenii</i> | DS | 1.28 | R1 | 3-5 | 6-8 | | 1.33 | 5 |
| Dwarf Fothergilla | | | | | | | | |
| <i>Fothergilla gardenii</i> 'Appalachia' | DS | 1.33 | R1 | 3-5 | 6-8 | | 1.60 | 5 |
| Appalachia Dwarf Fothergilla | | | | | | | | |
| <i>Fothergilla gardenii</i> 'Beaver Creek' | | | | | | | | |
| See - <i>Fothergilla x intermedia</i> 'KLMtwo' | | | | | | | | |
| <i>Fothergilla gardenii</i> 'Bill's True Dwarf' | DS | 1.33 | R1 | 3-5 | 6-8 | | 1.60 | 5 |
| Bill's True Dwarf Fothergilla | | | | | | | | |
| <i>Fothergilla gardenii</i> 'Blue Mist' | DS | 1.38 | R1 | 3-5 | 6-8 | | 1.87 | 5 |
| Blue Mist Dwarf Fothergilla | | | | | | | | |
| <i>Fothergilla gardenii</i> 'Harold Epstein' | DS | 1.33 | R1 | 3-5 | 6-8 | | 1.60 | 5 |
| Harold Epstein Dwarf Fothergilla | | | | | | | | |
| <i>Fothergilla gardenii</i> 'Jane Platt' | DS | 1.33 | R1 | 3-5 | 6-8 | | 1.60 | 5 |
| Jane Platt Dwarf Fothergilla | | | | | | | | |
| <i>Fothergilla x intermedia</i> | DS | 1.29 | R1 | 3-5 | 6-8 | | 1.97 | 5 |
| Hybrid Fothergilla | | | | | | | | |
| <i>Fothergilla x intermedia</i> 'Beaver Creek' | | | | | | | | |
| See - <i>Fothergilla x intermedia</i> 'KLMtwo' | | | | | | | | |
| <i>Fothergilla x intermedia</i> 'Blue Shadow' P.P. 15490 | DS | 1.24 | R1 | 3-5 | 6-8 | | 1.97 | 5 |
| Blue Shadow Hybrid Fothergilla | | | | | | | | |
| <i>Fothergilla x intermedia</i> 'Eastern Form' | DS | 1.29 | R1 | 3-5 | 6-8 | | 1.97 | 5 |
| Eastern Form Hybrid Fothergilla | | | | | | | | |
| <i>Fothergilla x intermedia</i> 'Eastern' | | | | | | | | |
| See - <i>Fothergilla x intermedia</i> 'Eastern Form' | | | | | | | | |
| <i>Fothergilla x intermedia</i> 'KLMfifteen' | DS | 1.29 | R1 | 3-5 | 6-8 | | 1.97 | 5 |
| Red Monarch Hybrid Fothergilla | | | | | | | | |
| <i>Fothergilla x intermedia</i> 'KLMsixteen' | DS | 1.29 | R1 | 3-5 | 6-8 | | 1.97 | 5 |
| May Bouquet Hybrid Fothergilla | | | | | | | | |
| <i>Fothergilla x intermedia</i> 'KLMtwo' | DS | 1.50 | R1 | 3-5 | 6-8 | | 2.37 | 5 |
| Beaver Creek Dwarf Fothergilla | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Fothergilla x intermedia</i> 'May Bouquet' | | | | | | | | |
| See - <i>Fothergilla x intermedia</i> 'KLMsixteen' | | | | | | | | |
| <i>Fothergilla x intermedia</i> 'Mt. Airy' | DS | 1.12 | R1 | 3-5 | 6-8 | | 1.57 | 5 |
| Mt. Airy Hybrid <i>Fothergilla</i> | | | | | | | | |
| <i>Fothergilla x intermedia</i> 'Red Licorice' | DS | 1.29 | R1 | 3-5 | 6-8 | | 1.97 | 5 |
| Red Licorice Hybrid <i>Fothergilla</i> | | | | | | | | |
| <i>Fothergilla x intermedia</i> 'Red Monarch' | | | | | | | | |
| See - <i>Fothergilla x intermedia</i> 'KLMfifteen' | | | | | | | | |
| <i>Fothergilla x intermedia</i> 'Sea Spray' | DS | 1.29 | R1 | 3-5 | 6-8 | | 1.97 | 5 |
| Sea Spray Hybrid <i>Fothergilla</i> | | | | | | | | |
| <i>Fothergilla x intermedia</i> 'Windy City' | DS | 1.29 | R1 | 3-5 | 6-8 | | 1.97 | 5 |
| Windy City Hybrid <i>Fothergilla</i> | | | | | | | | |
| <i>Fothergilla involucrata</i> | | | | | | | | |
| See - <i>Parrotiopsis jacquemontiana</i> | | | | | | | | |
| <i>Fothergilla major</i> | DS | 1.13 | R1 | 3-5 | 6-8 | | 2.28 | 5 |
| Large <i>Fothergilla</i> | | | | | | | | |
| <i>Fothergilla major</i> 'Arkansas Beauty' | DS | 1.13 | R1 | 3-5 | 6-8 | | 2.28 | 5 |
| Arkansas Beauty Large <i>Fothergilla</i> | | | | | | | | |
| <i>Fothergilla major</i> 'Blue Shadow' | | | | | | | | |
| See - <i>Fothergilla x intermedia</i> 'Blue Shadow' P.P. 15490 | | | | | | | | |
| <i>Fothergilla major</i> 'KLMG' | DS | 1.13 | R1 | 3-5 | 6-8 | | 2.28 | 5 |
| Mystic Harbor™ Large <i>Fothergilla</i> | | | | | | | | |
| <i>Fothergilla major</i> 'Mt. Airy' | | | | | | | | |
| See - <i>Fothergilla x intermedia</i> 'Mt. Airy' | | | | | | | | |
| <i>Fothergilla major</i> 'Mystic Harbor' | | | | | | | | |
| See - <i>Fothergilla major</i> 'KLMG' | | | | | | | | |
| <i>Fothergilla monticola</i> | | | | | | | | |
| See - <i>Fothergilla major</i> | | | | | | | | |
| <i>Fothergilla parvifolia</i> | | | | | | | | |
| See - <i>Fothergilla gardenii</i> | | | | | | | | |
| <i>Fouquieria splendens</i> | DS | 0.86 | R2 | 8 | | | 1.00 | 9 |
| Ocotillo | | | | | | | | |
| <i>Fragaria</i> | SF | 0.68 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Strawberry | | | | | | | | |
| <i>Fragaria</i> 'Franor' P.P. 12169 | SF | 0.77 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Red Ruby Strawberry | | | | | | | | |
| <i>Fragaria</i> 'Frel' P.P. 7598 | SF | 0.62 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Pink Panda™ Strawberry | | | | | | | | |
| <i>Fragaria</i> 'Lipstick' | SF | 0.66 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Lipstick Strawberry | | | | | | | | |
| <i>Fragaria</i> 'Mara Des Bois' P.P. 8517 | SF | 0.68 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Mara Des Bois Strawberry | | | | | | | | |
| <i>Fragaria</i> 'Pink Panda' | | | | | | | | |
| See - <i>Fragaria</i> 'Frel' P.P. 7598 | | | | | | | | |
| <i>Fragaria</i> 'Red Ruby' | | | | | | | | |
| See - <i>Fragaria</i> 'Franor' P.P. 12169 | | | | | | | | |
| <i>Fragaria</i> 'Serenata' P.P. 8801 | SF | 0.68 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Serenata Strawberry | | | | | | | | |
| <i>Fragaria alpina</i> | | | | | | | | |
| See - <i>Fragaria vesca</i> 'Semperflorens' | | | | | | | | |
| <i>Fragaria americana</i> | | | | | | | | |
| See - <i>Fragaria vesca</i> ssp. <i>americana</i> | | | | | | | | |
| <i>Fragaria x ananassa</i> | SF | 0.56 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Garden Strawberry | | | | | | | | |
| <i>Fragaria x ananassa</i> 'All Star' | SF | 0.59 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| All Star Garden Strawberry | | | | | | | | |
| <i>Fragaria x ananassa</i> 'Aromas' | SF | 0.59 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Aromas Garden Strawberry | | | | | | | | |
| <i>Fragaria x ananassa</i> 'Blakemore' | SF | 0.59 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Blakemore Garden Strawberry | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Fragaria x ananassa</i> 'Chandler' Chandler Garden Strawberry | SF | 0.46 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Fragaria x ananassa</i> 'Everbearing Gem' Everbearing Gem Garden Strawberry | SF | 0.59 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Fragaria x ananassa</i> 'Eversweet' Eversweet™ Garden Strawberry | SF | 0.46 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Fragaria x ananassa</i> 'Ft. Laramie' Ft. Laramie Garden Strawberry | SF | 0.95 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Fragaria x ananassa</i> 'Guardian' Guardian Garden Strawberry | SF | 0.59 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Fragaria x ananassa</i> 'Ogallala' Ogallala Everbearing Strawberry | SF | 0.75 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Fragaria x ananassa</i> 'Ozark Beauty' Ozark Beauty Garden Strawberry | SF | 0.59 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Fragaria x ananassa</i> 'Quinalt' Quinalt Garden Strawberry | SF | 0.59 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Fragaria x ananassa</i> 'Redcrest' Redcrest Garden Strawberry | SF | 0.59 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Fragaria x ananassa</i> 'Seascape' Seascape Garden Strawberry | SF | 0.59 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Fragaria x ananassa</i> 'Selva' Selva Garden Strawberry | SF | 0.59 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Fragaria x ananassa</i> 'Sequoia' Sequoia Garden Strawberry | SF | 0.36 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Fragaria x ananassa</i> 'Streamliner' Streamliner Garden Strawberry | SF | 0.59 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Fragaria x ananassa</i> 'Sumas' Sumas Garden Strawberry | SF | 0.59 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Fragaria x ananassa</i> 'Sweetheart' Sweetheart Garden Strawberry | SF | 0.59 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Fragaria x ananassa</i> 'Totem' Totem Garden Strawberry | SF | 0.59 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Fragaria chiloensis</i> Beach Strawberry | SF | 0.44 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Fragaria chiloensis</i> 'Aulon' Aulon Beach Strawberry | SF | 0.46 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Fragaria chiloensis</i> 'Chavel' Chavel Beach Strawberry | SF | 0.46 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Fragaria vesca</i> European Strawberry | SF | 0.67 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Fragaria vesca</i> 'Alpine Improved Rugen' Alpine Rugen Wood Strawberry | SF | 0.63 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Fragaria vesca</i> 'Charles V' Charles V Wood Strawberry | SF | 0.63 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Fragaria vesca</i> 'Semperflorens' Alpine Strawberry | SF | 0.63 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Fragaria vesca</i> 'Variegata' Variegated Wild Strawberry | SF | 0.59 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Fragaria vesca</i> ssp. <i>americana</i> Wild Woodland Strawberry | SF | 0.74 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Fragaria virginiana</i> Scarlet Strawberry | SF | 0.33 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Francoa ramosa</i> Bridal Wreath | HP | 0.92 | R2 | 5-7 | 8 | | | |
| <i>Francoa sonchifolia</i> No Common Name Found | HP | 0.92 | R2 | 5-7 | 8 | | | |
| <i>Frangula caroliniana</i> See - <i>Rhamnus carolinianus</i> | | | | | | | | |
| <i>Frankenia thymifolia</i> Sea Heath | BS | 1.00 | R2 | 5-6 | 7-8 | | 1.00 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Franklinia alatamaha</i> Franklin Tree | DS | 1.18 | R1 | 5-6 | 7-8 | | 3.05 | 6 |
| <i>Fraxinus</i> Ash | DT | 1.28 | R1 | 3-4 | 5-8 | 1.11 | 1.00 | 3 |
| <i>Fraxinus</i> 'Northern Gem' P.P. 11777 Northern Gem Hybrid Ash | DT | 1.28 | R1 | 3-4 | 5-8 | 0.99 | 1.00 | 3 |
| <i>Fraxinus</i> 'Northern Treasure' P.P. 11840 Northern Treasure Hybrid Ash | DT | 1.28 | R1 | 3-4 | 5-8 | 1.23 | 1.00 | 3 |
| <i>Fraxinus americana</i> White Ash | DT | 0.87 | R1 | | 3-8 | 0.78 | 0.72 | 2 |
| <i>Fraxinus americana</i> 'Autumn Applause' P.P. 3769 Autumn Applause White Ash | DT | 1.14 | R1 | | 3-8 | 1.04 | 1.34 | 2 |
| <i>Fraxinus americana</i> 'Autumn Blaze' Autumn Blaze White Ash | DT | 1.39 | R1 | | 3-8 | 1.26 | 1.76 | 2 |
| <i>Fraxinus americana</i> 'Autumn Purple' See - <i>Fraxinus americana</i> 'Junginger' | | | | | | | | |
| <i>Fraxinus americana</i> 'Champaign County' P.P. 3762 Champaign County White Ash | DT | 1.18 | R1 | | 3-8 | 1.14 | 1.51 | 2 |
| <i>Fraxinus americana</i> 'Chicago Regal' Chicago Regal White Ash | DT | 1.18 | R1 | | 3-8 | 1.04 | 1.91 | 2 |
| <i>Fraxinus americana</i> 'Elk Grove' Elk Grove White Ash | DT | 1.18 | R1 | | 3-8 | 1.14 | 1.51 | 2 |
| <i>Fraxinus americana</i> 'Empire' Empire White Ash | DT | 1.18 | R1 | 3 | 4-8 | 1.11 | 1.51 | 2 |
| <i>Fraxinus americana</i> 'Fall Festival' Fall Festival White Ash | DT | 1.18 | R1 | | 3-8 | 1.34 | 1.51 | 2 |
| <i>Fraxinus americana</i> 'Greenspire' See - <i>Fraxinus americana</i> 'PNI 2331' | | | | | | | | |
| <i>Fraxinus americana</i> 'Jefnor' P.P.A.F. Northern Blaze White Ash | DT | 1.31 | R1 | | 3-8 | 1.28 | 1.51 | 2 |
| <i>Fraxinus americana</i> 'Junginger' Autumn Purple® White Ash | DT | 1.09 | R1 | | 3-8 | 1.05 | 1.13 | 2 |
| <i>Fraxinus americana</i> 'Kleinburg' Kleinburg White Ash | DT | 1.18 | R1 | | 3-8 | 1.17 | 1.18 | 2 |
| <i>Fraxinus americana</i> 'Manitou' Manitou White Ash | DT | 1.18 | R1 | | 3-8 | 1.44 | 2.03 | 2 |
| <i>Fraxinus americana</i> 'Northern Blaze' See - <i>Fraxinus americana</i> 'Jefnor' P.P.A.F. | | | | | | | | |
| <i>Fraxinus americana</i> 'PNI 2331' Greenspire® White Ash | DT | 1.18 | R1 | | 3-8 | 1.19 | 1.51 | 2 |
| <i>Fraxinus americana</i> 'Rosehill' P.P. 2678 Rosehill White Ash | DT | 1.40 | R1 | | 3-8 | 1.04 | 1.32 | 2 |
| <i>Fraxinus americana</i> 'Royal Purple' Royal Purple White Ash | DT | 1.30 | R1 | | 3-8 | 1.32 | 2.01 | 2 |
| <i>Fraxinus americana</i> 'Skycole' P.P. 4756 Skyline® White Ash | DT | 1.18 | R1 | | 3-8 | 1.03 | 1.16 | 2 |
| <i>Fraxinus americana</i> 'Skyline' See - <i>Fraxinus americana</i> 'Skycole' P.P. 4756 | | | | | | | | |
| <i>Fraxinus americana</i> 'Sparticus' See - <i>Fraxinus americana</i> 'Sparzam' | | | | | | | | |
| <i>Fraxinus americana</i> 'Sparzam' Sparticus™ White Ash | DT | 1.06 | R1 | 3-4 | 5-8 | 1.08 | 1.51 | 2 |
| <i>Fraxinus americana</i> 'Tures' Windy City® White Ash | DT | 1.06 | R1 | | 3-8 | 1.06 | 2.03 | 2 |
| <i>Fraxinus americana</i> 'Waverly' Waverly White Ash | DT | 1.18 | R1 | | 3-8 | 1.14 | 1.51 | 2 |
| <i>Fraxinus americana</i> 'Windy City' See - <i>Fraxinus americana</i> 'Tures' | | | | | | | | |
| <i>Fraxinus americana</i> ssp. <i>biltmoreana</i> Biltmore Ash | DT | 1.00 | R1 | 3 | 4-8 | 1.00 | 1.00 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Fraxinus angustifolia</i> | | | | | | | | |
| See - <i>Fraxinus oxycarpa</i> | | | | | | | | |
| <i>Fraxinus angustifolia</i> 'Flame' | | | | | | | | |
| See - <i>Fraxinus oxycarpa</i> 'Flame' P.P. 2566 | | | | | | | | |
| <i>Fraxinus angustifolia</i> 'Raywood' | | | | | | | | |
| See - <i>Fraxinus oxycarpa</i> 'Raywood' | | | | | | | | |
| <i>Fraxinus caroliniana</i> | DT | 0.50 | R1 | | 3-8 | 1.00 | 1.00 | 2 |
| Water Ash | | | | | | | | |
| <i>Fraxinus excelsior</i> | DT | 1.12 | R1 | 3-4 | 5-8 | 0.94 | 0.40 | 4 |
| European Ash | | | | | | | | |
| <i>Fraxinus excelsior</i> 'Aurea' | DT | 1.12 | R1 | 3-4 | 5-8 | 0.94 | 0.40 | 4 |
| Aurea European Ash | | | | | | | | |
| <i>Fraxinus excelsior</i> 'Aureaefolia' | DT | 1.12 | R1 | 3-4 | 5-8 | 0.94 | 0.40 | 4 |
| Golden Desert™ European Ash | | | | | | | | |
| <i>Fraxinus excelsior</i> 'Globosa' | DT | 1.12 | R1 | 3-4 | 5-8 | 0.94 | 0.40 | 4 |
| Globe European Ash | | | | | | | | |
| <i>Fraxinus excelsior</i> 'Golden Desert' | | | | | | | | |
| See - <i>Fraxinus excelsior</i> 'Aureaefolia' | | | | | | | | |
| <i>Fraxinus excelsior</i> 'Hessei' | DT | 1.12 | R1 | 3-4 | 5-8 | 0.94 | 0.40 | 4 |
| Hesse European Ash | | | | | | | | |
| <i>Fraxinus excelsior</i> 'Kimberly' | DT | 1.12 | R1 | 3-4 | 5-8 | 0.94 | 0.40 | 4 |
| Kimberly European Ash | | | | | | | | |
| <i>Fraxinus excelsior</i> 'Pendula' | DT | 1.12 | R1 | 3-4 | 5-8 | 0.94 | 0.40 | 4 |
| Weeping European Ash | | | | | | | | |
| <i>Fraxinus griffithii</i> | DT | 1.43 | R1 | 6-8 | | 1.00 | 1.00 | 8 |
| Griffith Ash | | | | | | | | |
| <i>Fraxinus griffithii</i> 'Emerald Wave' | DT | 1.29 | R1 | 6-8 | | 1.00 | 1.00 | 8 |
| Emerald Wave Griffith Ash | | | | | | | | |
| <i>Fraxinus holotricha</i> | DT | 0.85 | R1 | 3-6 | 7-8 | 0.57 | 1.00 | 6 |
| Balkan Ash | | | | | | | | |
| <i>Fraxinus holotricha</i> 'Moraine' | DT | 0.85 | R1 | 3-6 | 7-8 | 0.57 | 1.00 | 6 |
| Moraine Balkan Ash | | | | | | | | |
| <i>Fraxinus lanceolata</i> | | | | | | | | |
| See - <i>Fraxinus pennsylvanica</i> | | | | | | | | |
| <i>Fraxinus latifolia</i> | DT | 0.86 | R1 | 3-6 | 7-8 | 0.83 | 0.70 | 6 |
| Oregon Ash | | | | | | | | |
| <i>Fraxinus mandshurica</i> | DT | 1.44 | R1 | 3 | 4-8 | 1.01 | 1.00 | 3 |
| Manchurian Ash | | | | | | | | |
| <i>Fraxinus mandshurica</i> 'Mancana' | DT | 1.44 | R1 | 3 | 4-8 | 1.01 | 1.00 | 3 |
| Mancana Manchurian Ash | | | | | | | | |
| <i>Fraxinus nigra</i> | DT | 1.44 | R1 | | 3-8 | 1.45 | 0.43 | 2 |
| Black Ash | | | | | | | | |
| <i>Fraxinus nigra</i> 'Fallgold' | DT | 1.44 | R1 | | 3-8 | 0.98 | 0.25 | 2 |
| Fallgold Black Ash | | | | | | | | |
| <i>Fraxinus ornus</i> | DT | 1.00 | R1 | 3-6 | 7-8 | 0.95 | 1.00 | 6 |
| Flowering Ash | | | | | | | | |
| <i>Fraxinus oxycarpa</i> | DT | 0.97 | R1 | 5-6 | 7-8 | 0.99 | 1.00 | 5 |
| Claret Ash | | | | | | | | |
| <i>Fraxinus oxycarpa</i> 'Flame' P.P. 2566 | DT | 0.97 | R1 | 5-6 | 7-8 | 0.99 | 1.00 | 5 |
| Flame Claret Ash | | | | | | | | |
| <i>Fraxinus oxycarpa</i> 'Raywood' | DT | 0.97 | R1 | 5-6 | 7-8 | 0.99 | 1.00 | 5 |
| Raywood Claret Ash | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> | DT | 0.84 | R1 | 3 | 4-8 | 0.73 | 0.50 | 3 |
| Green Ash | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Aerial' | | | | | | | | |
| See - <i>Fraxinus pennsylvanica</i> 'Lednaw' P.P. 7120 | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Bergeson' P.P. 4904 | DT | 1.41 | R1 | 3 | 4-8 | 0.96 | 0.69 | 3 |
| Bergeson Green Ash | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Centerpoint' | DT | 1.13 | R1 | 3 | 4-8 | 0.94 | 0.69 | 3 |
| Centerpoint Green Ash | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|--------------|-----------|-------------|------|---------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| Req | Not Req | | | Caliper | High/Wide | | | |
| <i>Fraxinus pennsylvanica</i> 'Champ Tree' See - <i>Fraxinus pennsylvanica</i> 'National 1999' | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Cimarron' See - <i>Fraxinus pennsylvanica</i> 'Cimmzam' P.P. 8077 | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Cimmzam' P.P. 8077 Cimarron® Green Ash | DT | 1.00 | R1 | 3 | 4-8 | 0.84 | 0.83 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Dakota Centennial' See - <i>Fraxinus pennsylvanica</i> 'Whapeton' P.P.A.F. | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Emerald' P.P. 3088 Emerald Green Ash | DT | 1.13 | R1 | 3 | 4-8 | 0.97 | 0.69 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Georgia Gem' See - <i>Fraxinus pennsylvanica</i> 'Oconee' | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Johnson' P.P. 9136 Leprechaun™ Green Ash | DT | 1.39 | R1 | 3 | 4-8 | 1.09 | 0.69 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Kankakee' Kankakee Green Ash | DT | 1.13 | R1 | 3 | 4-8 | 0.60 | 0.69 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Kindred' Kindred Green Ash | DT | 1.13 | R1 | 3 | 4-8 | 1.11 | 0.69 | 3 |
| <i>Fraxinus pennsylvanica</i> 'King Richard' King Richard Green Ash | DT | 1.13 | R1 | 3 | 4-8 | 0.97 | 0.69 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Lednaw' P.P. 7120 Aerial™ Green Ash | DT | 1.13 | R1 | 3 | 4-8 | 0.99 | 0.69 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Leprechaun' See - <i>Fraxinus pennsylvanica</i> 'Johnson' P.P. 9136 | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Mahle' Mahle Green Ash | DT | 1.13 | R1 | 3 | 4-8 | 0.97 | 0.69 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Marshall Seedless' Marshall Seedless Green Ash | DT | 1.11 | R1 | 3 | 4-8 | 0.99 | 0.34 | 3 |
| <i>Fraxinus pennsylvanica</i> 'National 1999' Champ Tree Seedless Green Ash | DT | 1.13 | R1 | 3 | 4-8 | 1.15 | 0.69 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Newport' Newport Green Ash | DT | 1.13 | R1 | 3 | 4-8 | 1.13 | 0.69 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Oconee' Georgia Gem® Green Ash | DT | 1.06 | R1 | 3 | 4-8 | 0.96 | 0.69 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Patmore' P.P. 4684 Patmore Green Ash | DT | 1.07 | R1 | 3 | 4-8 | 0.95 | 0.79 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Prairie Spire' See - <i>Fraxinus pennsylvanica</i> 'Rugby' P.P.A.F. | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Robinhood' Robinhood Green Ash | DT | 1.13 | R1 | 3 | 4-8 | 0.97 | 0.69 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Rugby' P.P.A.F. Prairie Spire™ Green Ash | DT | 1.22 | R1 | 3 | 4-8 | 0.94 | 0.69 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Sherwood Glen' Sherwood Glen Green Ash | DT | 1.13 | R1 | 3 | 4-8 | 0.95 | 0.69 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Skyward' See - <i>Fraxinus pennsylvanica</i> 'Wasky' P.P. 7036 | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Summit' Summit Green Ash | DT | 1.01 | R1 | 3 | 4-8 | 0.97 | 0.82 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Urbanite' P.P. 6215 Urbanite® Green Ash | DT | 1.15 | R1 | 3 | 4-8 | 0.89 | 0.88 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Wandell' See - <i>Fraxinus pennsylvanica</i> 'Wasky' P.P. 7036 | | | | | | | | |
| <i>Fraxinus pennsylvanica</i> 'Wasky' P.P. 7036 Skyward™ Green Ash | DT | 1.13 | R1 | 3 | 4-8 | 0.97 | 0.69 | 3 |
| <i>Fraxinus pennsylvanica</i> 'Whapeton' P.P.A.F. Dakota Centennial™ Green Ash | DT | 1.13 | R1 | 3 | 4-8 | 1.32 | 0.69 | 3 |
| <i>Fraxinus quadrangulata</i> Blue Ash | DT | 0.81 | R1 | 3-4 | 5-8 | 1.18 | 0.54 | 4 |
| <i>Fraxinus texensis</i> Texas Ash | DT | 0.94 | R1 | 3-6 | 7-8 | 0.67 | 1.00 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ | |
|---|-----------|-----------|----|---------------------|-------------|------------------------------|------------|---|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper High/Wide | | |
| <i>Fraxinus uhdei</i> Evergreen Ash | DT | 1.00 | R1 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Fraxinus uhdei</i> 'Majestic Beauty' See - <i>Fraxinus uhdei</i> 'Monus' P.P. 2860 | | | | | | | | |
| <i>Fraxinus uhdei</i> 'Monus' P.P. 2860 Majestic Beauty™ Evergreen Ash | DT | 1.27 | R1 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Fraxinus velutina</i> Arizona Ash | DT | 0.82 | R1 | 3-6 | 7-8 | 0.70 | 1.44 | 6 |
| <i>Fraxinus velutina</i> 'Fan-Tex' Fan-Tex Arizona Ash | DT | 0.87 | R1 | 3-6 | 7-8 | 0.70 | 1.44 | 6 |
| <i>Fraxinus velutina</i> 'Modesto' Modesto Arizona Ash | DT | 0.91 | R1 | 3-6 | 7-8 | 0.70 | 1.44 | 6 |
| <i>Fraxinus velutina</i> 'Rio Grande' Rio Grande Arizona Ash | DT | 0.87 | R1 | 3-6 | 7-8 | 0.70 | 1.44 | 6 |
| <i>Freesia xhybrida</i> Hybrid Freesia | HP | 2.09 | R2 | 6-8 | | | | |
| <i>Fremontodendron</i> Flannel Bush | BS | 0.94 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Fremontodendron</i> 'California Glory' California Glory Flannel Bush | BS | 0.93 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Fremontodendron</i> 'Ken Taylor' Ken Taylor Flannel Bush | BS | 0.94 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Fremontodendron californicum</i> Common Flannel Bush | BS | 0.98 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Fremontodendron mexicanum</i> Southern Flannel Bush | BS | 0.93 | R2 | 7-8 | | | 0.58 | 9 |
| <i>Fremontodendron mexicanum</i> 'Eldorado Gold' Eldorado Gold Southern Flannel Bush | BS | 0.92 | R2 | 7-8 | | | 0.58 | 9 |
| <i>Fremontodendron mexicanum</i> 'Pacific Sunset' Pacific Sunset Southern Flannel Bush | BS | 0.94 | R2 | 7-8 | | | 0.58 | 9 |
| <i>Fremontodendron mexicanum</i> 'San Gabriel' San Gabriel Southern Flannel Bush | BS | 0.94 | R2 | 7-8 | | | 0.58 | 9 |
| <i>Fritillaria affinis</i> var. <i>affinis</i> Chocolate Lily | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Fritillaria lanceolata</i> See - <i>Fritillaria affinis</i> var. <i>affinis</i> | | | | | | | | |
| <i>Fritillaria meleagris</i> Guinea-Hen Flower | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Fuchsia</i> Fuchsia | BS | 0.86 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Fuchsia</i> 'Alice Hoffman' Alice Hoffman Fuchsia | BS | 0.86 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Fuchsia</i> 'Angel Earrings Cascading' See - <i>Fuchsia</i> 'Sanihanf' P.P. 10378 | | | | | | | | |
| <i>Fuchsia</i> 'Angel Earrings Dainty' See - <i>Fuchsia</i> 'Sunicomf' P.P. 10453 | | | | | | | | |
| <i>Fuchsia</i> 'Angel Earrings Petticoat' See - <i>Fuchsia</i> 'Sanifpecco' P.P. 18636 | | | | | | | | |
| <i>Fuchsia</i> 'Angel Earrings Series' Angel Earrings™ Series Fuchsia | BS | 0.86 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Fuchsia</i> 'Angel Earrings Snowfire' See - <i>Fuchsia</i> 'Sanistanf' P.P. 10377 | | | | | | | | |
| <i>Fuchsia</i> 'Annabel' Annabel Fuchsia | BS | 0.86 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Fuchsia</i> 'Auntie Jinks' Auntie Jinks Fuchsia | BS | 0.86 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Fuchsia</i> 'Beacon Rosa' Beacon Rosa Fuchsia | BS | 0.86 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Fuchsia</i> 'Belle of Salem' Belle of Salem Fuchsia | BS | 0.86 | R2 | 5-8 | | | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Fuchsia</i> 'Bicentennial' Bicentennial Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Blacky' See - <i>Fuchsia</i> 'Roesse Blacky' | | | | | | | |
| <i>Fuchsia</i> 'Blue Eyes' Blue Eyes Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Blue Satin' Blue Satin Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Cascade' Cascade Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Coralie' Coralie Fuchsia | BS | 0.84 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Dark Eyes' Dark Eyes Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Display' Display Fuchsia | BS | 0.70 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Dollar Princess' Dollar Princess Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Double Otto' Double Otto Fuchsia | BS | 1.11 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Dusky Rose' Dusky Rose Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'First Love' First Love Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Gartenmeister Bonstedt' Gartenmeister Bonstedt Fuchsia | BS | 0.97 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Genii' Genii Fuchsia | BS | 1.24 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Golden Anniversary' Golden Anniversary Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Golden Marinka' Golden Marinka Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Herald' Herald Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Island Sunset' P.P. 7270 Island Sunset Fuchsia | BS | 0.77 | R2 | 5-8 | | 1.00 | 9 |
| <i>Fuchsia</i> 'Jack Shahan' Jack Shahan Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'June Bride' June Bride Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'La Campanella' La Campanella Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Lady Thumb' Lady Thumb Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Lena' Lena Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Marie Eileen' Marie Eileen Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Marinka' Marinka Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Mendocino Mini' Mendocino Mini Fuchsia | BS | 0.71 | R2 | 5-8 | | 1.00 | 9 |
| <i>Fuchsia</i> 'Mieke Muersing' Mieke Muersing Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Mr. West' See - <i>Fuchsia</i> 'Tom West' | | | | | | | |
| <i>Fuchsia</i> 'Mrs. Popple' Mrs. Popple Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Papoose' Papoose Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Fuchsia</i> 'Peppermint Stick' Peppermint Stick Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Pink Lena' See - <i>Fuchsia</i> 'Marie Eileen' | | | | | | | |
| <i>Fuchsia</i> 'Pink Marshmallow' Pink Marshmallow Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Postiljon' Postiljon Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'R. A. F.' Royal Air Force Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Red Spider' Red Spider Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Roesse Blacky' Roesse Blacky Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Royal Air Force' See - <i>Fuchsia</i> 'R. A. F.' | | | | | | | |
| <i>Fuchsia</i> 'Royal Velvet' Royal Velvet Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Sanifpeco' P.P. 18636 Angel Earrings™ Petticoat Fuchsia | BS | 0.82 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Sanihanf' P.P. 10378 Angel Earrings™ Cascading Fuchsia | BS | 0.82 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Sanistanf' P.P. 10377 Angel Earrings™ Snowfire Fuchsia | BS | 0.82 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Santa Claus' Santa Claus Fuchsia | BS | 1.27 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Sunicomf' P.P. 10453 Angel Earrings™ Dainty Fuchsia | BS | 0.76 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Swingtime' Swingtime Fuchsia | BS | 0.70 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Tom Thumb' Tom Thumb Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Tom West' Tom West Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Trail Blazer' Trail Blazer Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Voodoo' Voodoo Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'White Ann' White Ann Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Willie Tamerus' Willie Tamerus Fuchsia | BS | 0.86 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia</i> 'Winston Churchill' Winston Churchill Fuchsia | BS | 0.70 | R2 | 5-8 | | 1.00 | 8 |
| <i>Fuchsia arborescens</i> Tree Fuchsia | BS | 0.81 | R2 | 6-8 | | 1.00 | 9 |
| <i>Fuchsia campos-portoi</i> No Common Name Found | BS | 0.71 | R2 | 6-8 | | 1.00 | 8 |
| <i>Fuchsia fulgens</i> No Common Name Found | BS | 1.36 | R2 | 6-8 | | 1.00 | 10 |
| <i>Fuchsia glazioviana</i> No Common Name Found | BS | 0.76 | R2 | 8 | | 1.00 | 10 |
| <i>Fuchsia magellanica</i> Hardy Fuchsia | BS | 1.26 | R2 | 3-6 | 7-8 | 1.00 | 6 |
| <i>Fuchsia thymifolia</i> Thyme-leaved Fuchsia | BS | 0.85 | R2 | 5-7 | 8 | 1.00 | 7 |
| <i>Fuchsia triphylla</i> No Common Name Found | BS | 0.91 | R2 | 7-8 | | 1.00 | 10 |
| <i>Fuchsia triphylla</i> 'Firecracker' Firecracker Triphylla Fuchsia | BS | 0.91 | R2 | 7-8 | | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Fumana ericoides</i> No Common Name Found | GC | 1.00 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Furcraea foetida</i> Mauritius Hemp | BS | 1.49 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Furcraea foetida</i> 'Mediopicta' Mediopicta Mauritius Hemp | BS | 1.78 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Furcraea selloa</i> No Common Name Found | BS | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Furcraea selloa</i> 'Variegata' See - <i>Furcraea selloa</i> var. <i>marginata</i> | BS | 1.21 | R2 | 8 | | | 1.00 | 9 |
| <i>Furcraea selloa</i> var. <i>marginata</i> Variegated False Agave | BS | 2.40 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Furcraea stricta</i> Giant False Agave | HP | 0.70 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia aristata</i> Common Blanket Flower | HP | 0.83 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia aristata</i> 'Arizona Sun' Arizona Sun Blanket Flower | HP | 0.77 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia aristata</i> 'Granada' Granada™ Blanket Flower | HP | 0.57 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia</i> x <i>grandiflora</i> Fiesta Daisy | HP | 0.99 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia</i> x <i>grandiflora</i> 'Baby Cole' Baby Cole Fiesta Daisy | HP | 0.82 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia</i> x <i>grandiflora</i> 'Bijou' Bijou Fiesta Daisy | HP | 0.91 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia</i> x <i>grandiflora</i> 'Bremen' Bremen Fiesta Daisy | HP | 0.84 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia</i> x <i>grandiflora</i> 'Burgundy' Burgundy Fiesta Daisy | HP | 1.00 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia</i> x <i>grandiflora</i> 'Dazzler' Dazzler Fiesta Daisy | HP | 1.13 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia</i> x <i>grandiflora</i> 'Fanfare' P.P. 15892 Fanfare Fiesta Daisy | HP | 0.73 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia</i> x <i>grandiflora</i> 'Goblin' See - <i>Gaillardia</i> x <i>grandiflora</i> 'Kobold' | HP | 0.84 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia</i> x <i>grandiflora</i> 'Goldkobold' Golden Goblin Fiesta Daisy | HP | 0.75 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia</i> x <i>grandiflora</i> 'Kobold' Kobold Fiesta Daisy | HP | 0.91 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia</i> x <i>grandiflora</i> 'Mandarin' Mandarin Fiesta Daisy | HP | 1.05 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia</i> x <i>grandiflora</i> 'Monarch Strain' Monarch Strain Fiesta Daisy | HP | 1.09 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia</i> x <i>grandiflora</i> 'Orange Tokay' Orange Tokay Fiesta Daisy | HP | 0.97 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia</i> x <i>grandiflora</i> 'Oranges and Lemons' P.P. 17092 Oranges and Lemons Fiesta Daisy | HP | 1.09 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia</i> x <i>grandiflora</i> 'Summer's Kiss' P.P. 15293 Summer's Kiss Fiesta Daisy | HP | 1.11 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia</i> x <i>grandiflora</i> 'The Sun' The Sun Fiesta Daisy | HP | 0.47 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia pulchella</i> Blanket Flower | HP | 0.76 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia pulchella</i> 'Baltoredem' P.P. 16649 Torch™ Red Embers Blanket Flower | HP | 0.84 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia pulchella</i> 'Baltorflam' P.P. 16125 Torch™ Flame Blanket Flower | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Gaillardia pulchella</i> 'Baltoryell' P.P. 15966 Torch™ Yellow Blanket Flower | HP | 0.59 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia pulchella</i> 'Sundance Bicolor' Sundance Bicolor Blanket Flower | HP | 0.81 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia pulchella</i> 'Torch Flame' See - <i>Gaillardia pulchella</i> 'Baltorflam' P.P. 16125 | | | | | | | | |
| <i>Gaillardia pulchella</i> 'Torch Red Embers' See - <i>Gaillardia pulchella</i> 'Baltoredem' P.P. 16649 | | | | | | | | |
| <i>Gaillardia pulchella</i> 'Torch Series' Torch™ Series Blanket Flower | HP | 0.69 | R2 | 3-7 | 8 | | | |
| <i>Gaillardia pulchella</i> 'Torch Yellow' See - <i>Gaillardia pulchella</i> 'Baltoryell' P.P. 15966 | | | | | | | | |
| <i>Galanthus nivalis</i> Common Snowdrop | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Galanthus nivalis</i> 'Flore Pleno' Double Common Snowdrop | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Galax urceolata</i> Galax | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Galega officinalis</i> Goat's Rue | HP | 0.64 | R2 | 3-4 | 5-8 | | | |
| <i>Galium boreale</i> Northern Bedstraw | HP | 1.43 | R2 | | 3-8 | | | |
| <i>Galium odoratum</i> Sweet Woodruff | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Galium verum</i> Yellow Bedstraw | HP | 0.65 | R2 | 3-4 | 5-8 | | | |
| <i>Galphimia glauca</i> Rain-of-Gold | BS | 0.63 | R2 | 8 | | | 1.00 | 9 |
| <i>Galphimia gracilis</i> No Common Name Found | BS | 0.63 | R2 | 8 | | | 1.00 | 9 |
| <i>Galtonia candicans</i> Summer Hyacinth | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Galvezia speciosa</i> Island Bush Snapdragon | BS | 0.64 | R2 | 3-8 | | | 1.00 | 10 |
| <i>Galvezia speciosa</i> 'Bocarosa' Bocarosa Island Bush Snapdragon | BS | 0.64 | R2 | 3-8 | | | 1.00 | 10 |
| <i>Galvezia speciosa</i> 'Firecracker' Firecracker Island Bush Snapdragon | BS | 0.63 | R2 | 3-8 | | | 1.00 | 10 |
| <i>Gamolepis chrysanthemoides</i> See - <i>Euryops chrysanthemoides</i> | | | | | | | | |
| <i>Gardenia augusta</i> See - <i>Gardenia jasminoides</i> | | | | | | | | |
| <i>Gardenia jasminoides</i> Common Gardenia | BS | 0.89 | R2 | 6-8 | | | 0.42 | 8 |
| <i>Gardenia jasminoides</i> 'Aimee Yoshida' First Love™ Common Gardenia | BS | 1.04 | R2 | 6-8 | | | 0.84 | 8 |
| <i>Gardenia jasminoides</i> 'August Beauty' August Beauty Common Gardenia | BS | 0.77 | R2 | 6-8 | | | 0.84 | 8 |
| <i>Gardenia jasminoides</i> 'Belmont' Belmont Common Gardenia | BS | 1.23 | R2 | 6-8 | | | 0.84 | 8 |
| <i>Gardenia jasminoides</i> 'Chuck Hayes' P.P. 8755 Chuck Hayes Gardenia | BS | 0.96 | R2 | 6-8 | | | 0.84 | 8 |
| <i>Gardenia jasminoides</i> 'Daisy' Daisy Common Gardenia | BS | 0.63 | R2 | 6-8 | | | 0.84 | 8 |
| <i>Gardenia jasminoides</i> 'First Love' See - <i>Gardenia jasminoides</i> 'Aimee Yoshida' | | | | | | | | |
| <i>Gardenia jasminoides</i> 'Fortuniana' Fortuniana Common Gardenia | BS | 0.60 | R2 | 6-8 | | | 0.84 | 8 |
| <i>Gardenia jasminoides</i> 'Four Seasons' Four Seasons Common Gardenia | BS | 0.59 | R2 | 6-8 | | | 0.84 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Gardenia jasminoides</i> 'Frost Proof' Frost Proof Common Gardenia | BS | 1.13 | R2 | 6-8 | | 0.84 | 8 |
| <i>Gardenia jasminoides</i> 'Griffith's Select' Griffith's Select Common Gardenia | BS | 0.82 | R2 | 6-8 | | 0.84 | 8 |
| <i>Gardenia jasminoides</i> 'Hadley' See - <i>Gardenia jasminoides</i> 'Belmont' | | | | | | | |
| <i>Gardenia jasminoides</i> 'Kleim's Hardy' Kleim's Hardy Common Gardenia | BS | 0.98 | R2 | 6-8 | | 0.84 | 8 |
| <i>Gardenia jasminoides</i> 'Miami Supreme' Miami Supreme Common Gardenia | BS | 0.89 | R2 | 6-8 | | 1.25 | 8 |
| <i>Gardenia jasminoides</i> 'Mystery' Mystery Common Gardenia | BS | 0.82 | R2 | 6-8 | | 0.84 | 8 |
| <i>Gardenia jasminoides</i> 'Radicans Variegata' Variegated Radicans Common Gardenia | BS | 1.00 | R2 | 6-8 | | 0.84 | 8 |
| <i>Gardenia jasminoides</i> 'Radicans' Radicans Common Gardenia | BS | 0.70 | R2 | 6-8 | | 0.84 | 8 |
| <i>Gardenia jasminoides</i> 'Rosedown' Rosedown Common Gardenia | BS | 0.59 | R2 | 6-8 | | 0.84 | 8 |
| <i>Gardenia jasminoides</i> 'Shooting Star' Shooting Star Common Gardenia | BS | 0.91 | R2 | 6-8 | | 0.84 | 8 |
| <i>Gardenia jasminoides</i> 'Veitchii Variegata' Veitchii Variegated Common Gardenia | BS | 0.69 | R2 | 6-8 | | 0.84 | 8 |
| <i>Gardenia jasminoides</i> 'Veitchii' Everblooming Common Gardenia | BS | 0.89 | R2 | 6-8 | | 0.84 | 8 |
| <i>Gardenia jasminoides</i> 'White Gem' White Gem Common Gardenia | BS | 1.63 | R2 | 6-8 | | 0.84 | 8 |
| <i>Gardenia taitensis</i> Tahitian Gardenia | BS | 1.39 | R2 | 8 | | 1.00 | 9 |
| <i>Gardenia thunbergia</i> White Gardenia | BS | 1.04 | R2 | 5-8 | | 1.00 | 11 |
| <i>Gardenia tubifera</i> Golden Gardenia | BS | 2.29 | R2 | 6-8 | | 1.00 | 8 |
| <i>Gardenia vietnamensis</i> Vietnamese Gardenia | BS | 1.56 | R2 | 8 | | 1.00 | 10 |
| <i>Garrya elliptica</i> Silk Tassel | BS | 1.05 | R2 | 6-8 | | 1.00 | 8 |
| <i>Garrya elliptica</i> 'Evie' Evie Silk Tassel | BS | 1.18 | R2 | 6-8 | | 1.00 | 8 |
| <i>Garrya elliptica</i> 'James Roof' James Roof Silk Tassel | BS | 1.09 | R2 | 6-8 | | 1.00 | 8 |
| <i>Garrya fremontii</i> Fever Bush | BS | 0.81 | R2 | 5-7 | 8 | 1.00 | 7 |
| x <i>Gasteraloe</i> No Common Name Found | HP | 1.00 | R2 | 5-8 | | | |
| x <i>Gasteraloe</i> 'Midnight' P.P.A.F. Midnight™ Aloe | HP | 1.00 | R2 | 5-8 | | | |
| x <i>Gaulnettya wisleyensis</i> See - <i>Gaultheria x wisleyensis</i> | | | | | | | |
| <i>Gaultheria hookeri</i> No Common Name Found | BS | 1.00 | R2 | 5-6 | 7-8 | 1.00 | 6 |
| <i>Gaultheria miqueliana</i> Miquel Wintergreen | BS | 1.03 | R2 | 5-6 | 7-8 | 1.00 | 6 |
| <i>Gaultheria mucronata</i> Chilean Wintergreen | BS | 1.14 | R2 | 5-6 | 7-8 | 1.00 | 6 |
| <i>Gaultheria mucronata</i> 'Rubra' Red Chilean Wintergreen | BS | 1.41 | R2 | 5-6 | 7-8 | 1.00 | 6 |
| <i>Gaultheria procumbens</i> Wintergreen | BS | 1.46 | R2 | 3 | 4-8 | 1.00 | 3 |
| <i>Gaultheria procumbens</i> 'Red Baron' Red Baron Creeping Wintergreen | BS | 1.74 | R2 | 3 | 4-8 | 1.00 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Gaultheria shallon</i> Salal | BS | 0.93 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Gaultheria x wisleyensis</i> Wisley Gaultheria | BS | 1.00 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Gaultheria x wisleyensis</i> 'Wisley Pearl' Wisley Pearl Gaultheria | BS | 1.00 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Gaura lindheimeri</i> White Gaura | HP | 0.93 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'Benso' P.P. 14661 Blushing Butterflies™ White Gaura | HP | 1.13 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'Bijou Butterflies' P.P. 15479 Bijou Butterflies Gaura | HP | 0.94 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'Blushing Butterflies' See - <i>Gaura lindheimeri</i> 'Benso' P.P. 14661 | | | | | | | | |
| <i>Gaura lindheimeri</i> 'Cherry Brandy' P.P. 14581 Cherry Brandy Gaura | HP | 0.84 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'Colso' P.P. 14815 Sunny Butterflies™ White Gaura | HP | 1.18 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'Corrie's Gold' Corrie's Gold White Gaura | HP | 0.71 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'Crimson Butterflies' P.P. 13189 Crimson Butterflies White Gaura | HP | 1.01 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'Dauphin' Dauphin White Guara | HP | 0.97 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'Jo Adela' Jo Adela White Gaura | HP | 0.69 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'Karalee Petite Pink' Karalee® Petite Pink Gaura | HP | 0.95 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'My Melody' P.P. 14557 My Melody White Gaura | HP | 0.94 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'Passionate Blush' See - <i>Gaura lindheimeri</i> 'SME-2' P.P. 17293 | | | | | | | | |
| <i>Gaura lindheimeri</i> 'Passionate Pink' P.P.A.F. Passionate Pink™ White Gaura | HP | 0.94 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'Passionate Rainbow' P.P. 17002 Passionate Rainbow Gaura | HP | 1.05 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'Passionate Series' Passionate Series Gaura | HP | 0.94 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'Pink Cloud' Pink Cloud White Gaura | HP | 1.28 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'Pink Fountain' See - <i>Gaura lindheimeri</i> 'Walgaupf' P.P. 15555 | | | | | | | | |
| <i>Gaura lindheimeri</i> 'SME-2' P.P. 17293 Passionate Blush White Gaura | HP | 0.94 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'Siskiyou Pink' Siskiyou Pink White Gaura | HP | 0.85 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'Snow Fountain' See - <i>Gaura lindheimeri</i> 'Walsnofou' P.P. 19376 | | | | | | | | |
| <i>Gaura lindheimeri</i> 'So White' P.P.A.F. So White White Gaura | HP | 0.79 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'Sunny Butterflies' See - <i>Gaura lindheimeri</i> 'Colso' P.P. 14815 | | | | | | | | |
| <i>Gaura lindheimeri</i> 'Walgaupf' P.P. 15555 Pink Fountain™ White Gaura | HP | 0.92 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'Walgauws' P.P.A.F. White Fountain™ White Gaura | HP | 0.85 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'Walsnofou' P.P. 19376 Snow Fountain™ Gaura | HP | 0.94 | R2 | 3-6 | 7-8 | | | |
| <i>Gaura lindheimeri</i> 'Whirling Butterflies' Whirling Butterflies White Gaura | HP | 0.86 | R2 | 3-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Gaura lindheimeri</i> 'White Fountain' | | | | | | | | |
| See - <i>Gaura lindheimeri</i> 'Walgauws' P.P.A.F. | | | | | | | | |
| <i>Gaylussacia baccata</i> Black Huckleberry | DS | 1.00 | R1 | 3 | 4-8 | | 0.38 | 3 |
| <i>Gaylussacia dumosa</i> Dwarf Huckleberry | DS | 0.53 | R1 | 3-7 | 8 | | 1.00 | 7 |
| <i>Gazania</i> Treasure Flower | HP | 0.49 | R2 | 5-8 | | | | |
| <i>Gazania</i> 'Bicton Orange' Bicton Orange Treasure Flower | HP | 0.69 | R2 | 5-8 | | | | |
| <i>Gazania</i> 'Chansonette Series' Chansonette Series Treasure Flower | HP | 0.34 | R2 | 5-8 | | | | |
| <i>Gazania</i> 'Daybreak Series' Daybreak Series Treasure Flower | HP | 0.42 | R2 | 5-8 | | | | |
| <i>Gazania</i> 'Gazoo Series' Gazoo Series Treasure Flower | HP | 0.64 | R2 | 5-8 | | | | |
| <i>Gazania</i> 'Kiss Series' Kiss Series Treasure Flower | HP | 0.43 | R2 | 5-8 | | | | |
| <i>Gazania</i> 'Mini Star Series' Mini Star Series Treasure Flower | HP | 0.49 | R2 | 5-8 | | | | |
| <i>Gazania</i> 'Sunshine Giants Mix' Sunshine Giants Mix Treasure Flower | HP | 0.41 | R2 | 5-8 | | | | |
| <i>Gazania</i> 'Talent Series' Talent Series Treasure Flower | HP | 0.49 | R2 | 5-8 | | | | |
| <i>Gazania krebsiana</i> Winter Hardy Gazania | HP | 0.87 | R2 | 3-6 | 7-8 | | | |
| <i>Gazania krebsiana</i> 'Orange Peacock' | | | | | | | | |
| See - <i>Gazania krebsiana</i> 'Tanager' | | | | | | | | |
| <i>Gazania krebsiana</i> 'Tanager' Tanager™ Winter Hardy Gazania | HP | 0.87 | R2 | 3-6 | 7-8 | | | |
| <i>Gazania linearis</i> Pied Gazania | HP | 1.50 | R2 | 3-5 | 6-8 | | | |
| <i>Gazania linearis</i> 'Colorado Gold' Colorado Gold Pied Gazania | HP | 0.91 | R2 | 6-8 | | | | |
| <i>Gazania longiscapa</i> See - <i>Gazania linearis</i> | | | | | | | | |
| <i>Gazania rigens</i> Treasure Flower | HP | 0.71 | R2 | 8 | | | | |
| <i>Gazania rigens</i> 'Aztec Queen' Aztec Queen Treasure Flower | HP | 0.91 | R2 | 8 | | | | |
| <i>Gazania rigens</i> 'Fiesta Red' Fiesta Red Treasure Flower | HP | 1.05 | R2 | 8 | | | | |
| <i>Gazania rigens</i> 'Gold Rush' Gold Rush Treasure Flower | HP | 0.91 | R2 | 8 | | | | |
| <i>Gazania rigens</i> 'Moon Glow' Moon Glow Treasure Flower | HP | 0.91 | R2 | 8 | | | | |
| <i>Gazania rigens</i> 'Variegata' Variegated Treasure Flower | HP | 0.98 | R2 | 8 | | | | |
| <i>Gazania rigens</i> var. <i>leucolaena</i> Trailing Treasure Flower | HP | 1.00 | R2 | 8 | | | | |
| <i>Gazania splendens</i> See - <i>Gazania rigens</i> | | | | | | | | |
| <i>Geijera parviflora</i> Australian Willow Tree | BE | 0.99 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Gelsemium rankinii</i> Yellow Jasmine | GC | 0.86 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Gelsemium sempervirens</i> Carolina Jasmine | GC | 0.68 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Gelsemium sempervirens</i> 'Butterscotch' Butterscotch Carolina Jasmine | GC | 0.73 | R2 | 5-7 | 8 | | 1.00 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Gelsemium sempervirens</i> 'Conrop' P.P. 11956 Lemon Drop™ Carolina Jasmine | GC | 0.76 | R2 | 5-7 | 8 | | 1.00 | 6 |
| <i>Gelsemium sempervirens</i> 'Lemon Drop' See - <i>Gelsemium sempervirens</i> 'Conrop' P.P. 11956 | | | | | | | | |
| <i>Gelsemium sempervirens</i> 'Margarita' Margarita Carolina Jasmine | GC | 0.80 | R2 | 5-7 | 8 | | 1.00 | 6 |
| <i>Gelsemium sempervirens</i> 'Plena' Double Carolina Jasmine | GC | 0.45 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Gelsemium sempervirens</i> 'Pride of Augusta' Pride of Augusta Carolina Jasmine | GC | 0.75 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Genista canariensis</i> Canary Island Broom | BS | 0.60 | R2 | 8 | | | 1.00 | 9 |
| <i>Genista delphinensis</i> No Common Name Found | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Genista lydia</i> Lydia Woadwaxen | DS | 0.86 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Genista pilosa</i> Silkyleaf Woadwaxen | DS | 0.85 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Genista pilosa</i> 'Gold Flash' C.O.P.F. Gold Flash Silkyleaf Woadwaxen | DS | 1.43 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Genista pilosa</i> 'Goldilocks' Goldilocks Silkyleaf Woadwaxen | DS | 0.74 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Genista pilosa</i> 'Vancouver Gold' C.O.P.F. Vancouver Gold Silkyleaf Woadwaxen | DS | 0.96 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Genista pulchella</i> No Common Name Found | DS | 1.00 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Genista sagittalis</i> No Common Name Found | DS | 1.21 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Genista sagittalis</i> ssp. <i>delphinensis</i> No Common Name Found | DS | 1.00 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Genista x spachiana</i> Sweet Woadwaxen | DS | 1.15 | R1 | 8 | | | 1.00 | 9 |
| <i>Genista tinctoria</i> Common Woadwaxen | DS | 0.95 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Genista tinctoria</i> 'Royal Gold' Royal Gold Common Woadwaxen | DS | 1.03 | R2 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Genista villarsii</i> See - <i>Genista pulchella</i> | | | | | | | | |
| <i>Gentiana acaulis</i> Stemless Gentian | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Gentiana alba</i> Cream Gentian | HP | 1.40 | R2 | 3-5 | 6-8 | | | |
| <i>Gentiana andrewsii</i> Bottle Gentian | HP | 1.43 | R2 | 3-5 | 6-8 | | | |
| <i>Gentiana asclepiadea</i> Willow Gentian | HP | 1.03 | R2 | 3-6 | 7-8 | | | |
| <i>Gentiana cachemirica</i> Kashmir Gentian | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Gentiana cruciata</i> Cross Gentian | HP | 0.58 | R2 | 3-4 | 5-8 | | | |
| <i>Gentiana dahurica</i> No Common Name Found | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Gentiana dinarica</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Gentiana gracilipes</i> No Common Name Found | HP | 1.06 | R2 | 3-6 | 7-8 | | | |
| <i>Gentiana lagodechiana</i> See - <i>Gentiana septemfida</i> var. <i>lagodechiana</i> | | | | | | | | |
| <i>Gentiana makinoi</i> No Common Name Found | HP | 1.17 | R2 | 3-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Gentiana makinoi</i> 'Royal Blue' Royal Blue Gentian | HP | 1.17 | R2 | 3-6 | 7-8 | | | |
| <i>Gentiana paradoxa</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Gentiana saxosa</i> No Common Name Found | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Gentiana scabra</i> Rough Gentian | HP | 0.69 | R2 | 3-4 | 5-8 | | | |
| <i>Gentiana septemfida</i> Crested Gentian | HP | 1.32 | R2 | 5-6 | 7-8 | | | |
| <i>Gentiana septemfida</i> var. <i>lagodechiana</i> No Common Name Found | HP | 0.59 | R2 | 3-6 | 7-8 | | | |
| <i>Gentiana sino-ornata</i> Chinese Gentian | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Gentiana verna</i> Spring Gentian | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Geoffroea decorticans</i> Chilean Palo Verde | DT | 1.00 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Geogenanthus poeppigii</i> Seersucker Plant | HP | 1.15 | R2 | 5-8 | | | | |
| <i>Geogenanthus poeppigii</i> 'Inca' Inca Seersucker Plant | HP | 1.16 | R2 | 5-8 | | | | |
| <i>Geogenanthus undatus</i> See - <i>Geogenanthus poeppigii</i> | | | | | | | | |
| <i>Geranium</i> Geranium | HP | 1.20 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium</i> 'Ann Folkard' Ann Folkard Cranesbill | HP | 1.14 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium</i> 'Brookside' Brookside Cranesbill | HP | 1.13 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium</i> 'Cheryl's Shadow' P.P. 14701 Cheryl's Shadow Geanium | HP | 1.38 | R2 | 3-7 | 8 | | | |
| <i>Geranium</i> 'Crug Strain' Crug Strain Geranium | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium</i> 'Frances Grate' Frances Grate Geranium | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium</i> 'Johnson's Blue' Johnson's Blue Cranesbill | HP | 1.04 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium</i> 'Jolly Bee' P.P. 12148 Jolly Bee Geranium | HP | 1.31 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium</i> 'Kahlua' Kahlua Geranium | HP | 2.09 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium</i> 'New Dimension' New Dimension Cranesbill | HP | 1.59 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium</i> 'Nimbus' Nimbus Geranium | HP | 0.94 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium</i> 'Orion' Orion Geranium | HP | 0.91 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium</i> 'Patricia' Patricia Geranium | HP | 1.11 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium</i> 'Philippe Vapelle' Philippe Vapelle Geranium | HP | 1.26 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium</i> 'Pink Spice' P.P.A.F. Pink Spice Cranesbill | HP | 1.45 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium</i> 'Rozanne' Rozanne Cranesbill | HP | 1.28 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium</i> 'Spinners' Spinners Geranium | HP | 1.12 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium</i> 'Stanhoe' Stanhoe Geranium | HP | 0.84 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Geranium</i> 'Tiny Monster' Tiny Monster Geranium | HP | 1.24 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium</i> x <i>cantabrigiense</i> Cambridge Geranium | HP | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium</i> x <i>cantabrigiense</i> 'Biokovo Karmina' Biokovo Karmina Cambridge Geranium | HP | 1.05 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium</i> x <i>cantabrigiense</i> 'Biokovo' Biokovo Geranium | HP | 1.10 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium</i> x <i>cantabrigiense</i> 'Westray' P.P. 13716 Westray Geranium | HP | 1.27 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium cinereum</i> Grayleaf Cranesbill | HP | 1.19 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium cinereum</i> 'Ballerina' Ballerina Grayleaf Cranesbill | HP | 0.94 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium cinereum</i> 'Giuseppi' Giuseppi Grayleaf Cranesbill | HP | 1.19 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium cinereum</i> 'Lawrence Flatman' Lawrence Flatman Grayleaf Cranesbill | HP | 1.19 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium cinereum</i> 'Purple Pillow' See - <i>Geranium cinereum</i> 'Ravpil' P.P. 12829 | HP | 1.53 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium cinereum</i> 'Ravpil' P.P. 12829 Purple Pillow Grayleaf Cranesbill | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium cinereum</i> 'Sateene' P.P. 17401 Sateene Grayleaf Cranesbill | HP | 1.20 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium cinereum</i> 'Splendens' Splendens Grayleaf Cranesbill | HP | 1.20 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium cinereum</i> var. <i>subcaulescens</i> Subcaulescens Grayleaf Cranesbill | HP | 0.94 | R2 | 3-6 | 7-8 | | | |
| <i>Geranium clarkei</i> Clarke's Geranium | HP | 0.90 | R2 | 3-6 | 7-8 | | | |
| <i>Geranium clarkei</i> 'Kashmir Purple' Kashmir Purple Clarke's Geranium | HP | 0.98 | R2 | 3-6 | 7-8 | | | |
| <i>Geranium clarkei</i> 'Kashmir White' Kashmir White Clarke's Geranium | HP | 1.02 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium dalmaticum</i> Dalmation Cranesbill | HP | 0.78 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium endressii</i> Endress's Geranium | HP | 0.84 | R2 | 3-7 | 8 | | | |
| <i>Geranium endressii</i> 'Wargrave Pink' See - <i>Geranium</i> x <i>oxonianum</i> 'Wargrave Pink' | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium harveyi</i> No Common Name Found | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium himalayense</i> Lilac Geranium | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium himalayense</i> 'Birch Double' Birch Double Lilac Geranium | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium himalayense</i> 'Gravetye' Gravetye Lilac Geranium | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium himalayense</i> var. <i>alpinum</i> Dwarf Blue Lilac Geranium | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium ibericum</i> Caucasus Geranium | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium incanum</i> No Common Name Found | HP | 0.71 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium incanum</i> 'Sugar Plum' Sugar Plum Cranesbill | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium macrorrhizum</i> Bigroot Geranium | HP | 1.06 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium macrorrhizum</i> 'Album' White Bigroot Geranium | HP | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Geranium macrorrhizum</i> 'Bevan's Variety' Bevan's Variety Bigroot Geranium | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium macrorrhizum</i> 'Czakor' Czakor Bigroot Geranium | HP | 1.26 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium macrorrhizum</i> 'Ingwersen's Variety' Ingwersen's Variety Bigroot Geranium | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium macrorrhizum</i> 'Spessart' Spessart Bigroot Geranium | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium macrorrhizum</i> 'Variegatum' Variegated Bigroot Geranium | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium maculatum</i> Wild Geranium | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium maculatum</i> 'Album' White Wild Geranium | HP | 1.28 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium maculatum</i> 'Espresso' Espresso Wild Geranium | HP | 1.40 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium maderense</i> No Common Name Found | HP | 0.87 | R2 | 5-8 | | | | |
| <i>Geranium x magnificum</i> Showy Geranium | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium x magnificum</i> 'Rosemoor' Rosemoor Showy Geranium | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium magniflorum</i> Alpine Geranium | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium magniflorum</i> 'La Veta Lace' La Veta Lace™ Alpine Geranium | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium nepalense</i> var. <i>thunbergii</i> Sweet Nepalese Cranesbill | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Geranium nodosum</i> No Common Name Found | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium orientalitibeticum</i> No Common Name Found | HP | 1.00 | R2 | 3-7 | 8 | | | |
| <i>Geranium x oxonianum</i> Oxford Geranium | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium x oxonianum</i> 'A.T. Johnson' A.T. Johnson Geranium | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium x oxonianum</i> 'Bressingham's Delight' P.P. 10474 Bressingham's Delight Geranium | HP | 1.15 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium x oxonianum</i> 'Claridge Druce' Claridge Druce Geranium | HP | 1.14 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium x oxonianum</i> 'Katherine Adele' Katherine Adele Geranium | HP | 1.34 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium x oxonianum</i> 'Rose Clair' Rose Clair Geranium | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium x oxonianum</i> 'Thurstonianum' Thurstonianum Geranium | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium x oxonianum</i> 'Wargrave Pink' Wargrave Pink Geranium | HP | 0.98 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium palmatum</i> No Common Name Found | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Geranium phaeum</i> Mourning Widow Geranium | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium phaeum</i> 'Album' White Mourning Widow Geranium | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium phaeum</i> 'Purpureum' Purple Mourning Widow Geranium | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium phaeum</i> 'Samobor' Samobor Mourning Widow Geranium | HP | 1.19 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Geranium platypetalum</i> Broad-petaled Geranium | HP | 1.29 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium pratense</i> Meadow Cranesbill | HP | 1.34 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium pratense</i> 'Hocus Pocus' Hocus Pocus Meadow Cranesbill | HP | 1.81 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium pratense</i> 'Midnight Reiter' Midnight Reiter Meadow Cranesbill | HP | 1.59 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium pratense</i> 'Mrs. Kendall Clarke' Mrs. Kendall Clarke Meadow Cranesbill | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium pratense</i> 'Okey Dokey' Okey Dokey Meadow Cranesbill | HP | 1.41 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium pratense</i> 'Splish Splash' Splish Splash Meadow Cranesbill | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium pratense</i> 'Summer Skies' P.P. 10695 Summer Skies Meadow Cranesbill | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium pratense</i> 'Victor Reiter Jr.' Victor Reiter Jr. Meadow Cranesbill | HP | 1.37 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium psilostemon</i> Armenian Geranium | HP | 1.25 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium pylzowianum</i> No Common Name Found | HP | 1.26 | R2 | 3-5 | 6-8 | | | |
| <i>Geranium renardii</i> No Common Name Found | HP | 1.33 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium x riversleaianum</i> No Common Name Found | HP | 0.69 | R2 | 5-6 | 7-8 | | | |
| <i>Geranium x riversleaianum</i> 'Russell Prichard' Russell Prichard Hybrid Geranium | HP | 0.69 | R2 | 5-6 | 7-8 | | | |
| <i>Geranium sanguineum</i> Bloody Cranesbill | HP | 1.06 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium sanguineum</i> 'Album' White Bloody Cranesbill | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium sanguineum</i> 'Alpenglow' Alpenglow Bloody Cranesbill | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium sanguineum</i> 'Cedric Morris' Cedric Morris Bloody Cranesbill | HP | 1.06 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium sanguineum</i> 'Elke' Elke Bloody Cranesbill | HP | 1.64 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium sanguineum</i> 'Elspeth' Elspeth Bloody Cranesbill | HP | 1.26 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium sanguineum</i> 'John Elsley' John Elsley Bloody Cranesbill | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium sanguineum</i> 'Leeds Form' Leeds Form Bloody Cranesbill | HP | 0.72 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium sanguineum</i> 'Max Frei' Max Frei Bloody Cranesbill | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium sanguineum</i> 'New Hampshire Purple' New Hampshire Purple Bloody Cranesbill | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium sanguineum</i> 'Purple Flame' Purple Flame Bloody Cranesbill | HP | 1.06 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium sanguineum</i> 'Vision Light Pink' Vision Light Pink Bloody Cranesbill | HP | 1.06 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium sanguineum</i> 'Vision Violet' Vision Violet Bloody Cranesbill | HP | 1.06 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium sanguineum</i> 'Vision' Vision Bloody Cranesbill | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium sanguineum</i> var. <i>prostratum</i> Dwarf Bloody Cranesbill | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium sanguineum</i> var. <i>striatum</i> Striped Bloody Cranesbill | HP | 1.17 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Geranium sanguineum</i> var. <i>striatum</i> 'Lancastriense' Lancastriense Bloody Cranesbill | HP | 0.70 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium sanguineum</i> var. <i>striatum</i> 'Splendens' Splendens Bloody Cranesbill | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium sessiliflorum</i> No Common Name Found | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Geranium sessiliflorum</i> 'Nigricans' No Common Name Found | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Geranium sessiliflorum</i> ssp. <i>novae-zelandiae</i> No Common Name Found | HP | 0.84 | R2 | 5-8 | | | | |
| <i>Geranium sessiliflorum</i> ssp. <i>novae-zelandiae</i> 'Porter's Pass' Porter's Pass Geranium | HP | 0.84 | R2 | 3-8 | | | | |
| <i>Geranium sylvaticum</i> Wood Cranesbill | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium sylvaticum</i> 'Album' White Wood Cranesbill | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium sylvaticum</i> 'Birch Lilac' Birch Lilac Wood Cranesbill | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium sylvaticum</i> 'Mayflower' Mayflower Wood Cranesbill | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium traversii</i> var. <i>elegans</i> No Common Name Found | HP | 0.84 | R2 | 5-8 | | | | |
| <i>Geranium viscosissimum</i> No Common Name Found | HP | 0.91 | R2 | 3-6 | 7-8 | | | |
| <i>Geranium wallichianum</i> Wallich Geranium | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium wallichianum</i> 'Buxton's Variety' Buxton's Variety Wallich Geranium | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium wallichianum</i> 'Pink Penny' P.P. 17656 Pink Penny Wallich Geranium | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Geranium wlassovianum</i> No Common Name Found | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Gerbera jamesonii</i> Transvaal Daisy | HP | 1.27 | R2 | 5-8 | | | | |
| <i>Gerbera jamesonii</i> 'Bimini' Bimini Transvaal Daisy | HP | 0.55 | R2 | 5-8 | | | | |
| <i>Gerbera jamesonii</i> 'Bright Eyes' Bright Eyes Treasure Coast Series Transvaal Daisy | HP | 0.82 | R2 | 5-8 | | | | |
| <i>Gerbera jamesonii</i> 'Festival Series' Festival Series Transvaal Daisy | HP | 0.72 | R2 | 5-8 | | | | |
| <i>Gerbera jamesonii</i> 'Flame' Flame Jubilee Series Transvaal Daisy | HP | 0.82 | R2 | 5-8 | | | | |
| <i>Gerbera jamesonii</i> 'Golden Sarah' Golden Sarah Treasure Coast Series Transvaal Daisy | HP | 0.82 | R2 | 5-8 | | | | |
| <i>Gerbera jamesonii</i> 'Jaguar Series' Jaguar™ Series Transvaal Daisy | HP | 0.80 | R2 | 5-8 | | | | |
| <i>Gerbera jamesonii</i> 'Living Colors Series' Living Colors Series Transvaal Daisy | HP | 0.78 | R2 | 5-8 | | | | |
| <i>Gerbera jamesonii</i> 'Mardi Gras Series' Mardi Gras Series Transvaal Daisy | HP | 0.82 | R2 | 5-8 | | | | |
| <i>Gerbera jamesonii</i> 'Masquerade Series' Masquerade Series Transvaal Daisy | HP | 0.82 | R2 | 5-8 | | | | |
| <i>Gerbera jamesonii</i> 'Pink Ice' Pink Ice Jubilee Series Transvaal Daisy | HP | 0.82 | R2 | 5-8 | | | | |
| <i>Gerbera jamesonii</i> 'Radiance' Radiance Treasure Coast Series Transvaal Daisy | HP | 0.82 | R2 | 5-8 | | | | |
| <i>Gerbera jamesonii</i> 'Shannon' Shannon Treasure Coast Series Transvaal Daisy | HP | 0.82 | R2 | 5-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Gerbera jamesonii</i> 'Sunny' Sunny Jubilee Series Transvaal Daisy | HP | 0.82 | R2 | 5-8 | | | | |
| <i>Geum</i> Avens | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Geum</i> 'Beech House Apricot' Beech House Apricot Avens | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Geum</i> 'Blazing Sunset' Blazing Sunset Avens | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Geum</i> 'Fire Lake' Fire Lake Avens | HP | 0.72 | R2 | 3-4 | 5-8 | | | |
| <i>Geum</i> 'Georgenburg' Georgenburg Avens | HP | 1.29 | R2 | 3-4 | 5-8 | | | |
| <i>Geum</i> 'Mango Lassi' Mango Lassi Avens | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Geum</i> 'Starkers Magnificum' Starkers Magnificum Avens | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Geum x borisii</i> Boris Avens | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Geum chilense</i> Chilean Avens | HP | 1.40 | R2 | 3-5 | 6-8 | | | |
| <i>Geum chilense</i> 'Lady Stratheden' Lady Stratheden Chilean Avens | HP | 0.81 | R2 | 3-5 | 6-8 | | | |
| <i>Geum chilense</i> 'Mrs. Bradshaw' Mrs. Bradshaw Chilean Avens | HP | 0.91 | R2 | 3-5 | 6-8 | | | |
| <i>Geum chilense</i> 'Princess Juliana' Princess Juliana Chilean Avens | HP | 1.04 | R2 | 3-5 | 6-8 | | | |
| <i>Geum chilense</i> 'Red Wings' Red Wings Chilean Avens | HP | 1.04 | R2 | 3-5 | 6-8 | | | |
| <i>Geum x heldreichii</i> Heldreichi Avens | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Geum macrophyllum</i> Large Leaf Avens | HP | 0.43 | R2 | 3-5 | 6-8 | | | |
| <i>Geum montanum</i> Mountain Avens | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Geum quellyon</i> See - <i>Geum chilense</i> | | | | | | | | |
| <i>Geum reptans</i> Creeping Avens | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Geum rivale</i> Water Avens | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Geum rivale</i> 'Leonard's Variety' Leonard's Variety Water Avens | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Geum triflorum</i> Prairie Smoke | HP | 1.09 | R2 | 5-6 | 7-8 | | | |
| <i>Gigantochloa atrovioleacea</i> Tropical Black Bamboo | HP | 2.28 | R2 | 6-8 | | | | |
| <i>Gilia aggregata</i> See - <i>Ipomopsis aggregata</i> | | | | | | | | |
| <i>Gillenia trifoliata</i> Bowman's Root | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Ginkgo biloba</i> Ginkgo | DT | 0.89 | R1 | 3-4 | 5-8 | 0.95 | 0.71 | 4 |
| <i>Ginkgo biloba</i> 'Autumn Gold' Autumn Gold Ginkgo | DT | 1.61 | R1 | 3-4 | 5-8 | 1.54 | 0.95 | 4 |
| <i>Ginkgo biloba</i> 'Chi-Chi' Chi-Chi Ginkgo | DT | 1.61 | R1 | 3-4 | 5-8 | 1.61 | 1.14 | 4 |
| <i>Ginkgo biloba</i> 'Elmwood' Elmwood Fastigiata Ginkgo | DT | 1.61 | R1 | 3-4 | 5-8 | 1.61 | 1.14 | 4 |
| <i>Ginkgo biloba</i> 'Emperor' See - <i>Ginkgo biloba</i> 'Woodstock' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Ginkgo biloba</i> 'Fairmount' Fairmount Ginkgo | DT | 1.31 | R1 | 3-4 | 5-8 | 1.94 | 0.78 | 4 |
| <i>Ginkgo biloba</i> 'Fastigiata' Fastigiata Ginkgo | DT | 1.61 | R1 | 3-4 | 5-8 | 1.38 | 1.24 | 4 |
| <i>Ginkgo biloba</i> 'Golden Colonnade' See - <i>Ginkgo biloba</i> 'JFS-UGA2' | | | | | | | | |
| <i>Ginkgo biloba</i> 'Golden Globe' P.P. 12765 Golden Globe Ginkgo | DT | 1.24 | R1 | 3-4 | 5-8 | 1.61 | 1.14 | 4 |
| <i>Ginkgo biloba</i> 'Gresham' Gresham Ginkgo | DT | 1.61 | R1 | 3-4 | 5-8 | 1.61 | 1.14 | 4 |
| <i>Ginkgo biloba</i> 'Halka' Halka Ginkgo | DT | 1.62 | R1 | 3-4 | 5-8 | 1.60 | 1.14 | 4 |
| <i>Ginkgo biloba</i> 'JFS-UGA2' Golden Colonnade™ Ginkgo | DT | 1.61 | R1 | 3-4 | 5-8 | 1.61 | 1.14 | 4 |
| <i>Ginkgo biloba</i> 'Jade Butterfly' Jade Butterfly Ginkgo | DT | 1.66 | R1 | 3-4 | 5-8 | 2.02 | 1.08 | 4 |
| <i>Ginkgo biloba</i> 'Kew' Kew Ginkgo | DT | 1.61 | R1 | 3-4 | 5-8 | 1.61 | 1.14 | 4 |
| <i>Ginkgo biloba</i> 'Magyar' Magyar Upright Ginkgo | DT | 1.60 | R1 | 3-4 | 5-8 | 1.56 | 1.36 | 4 |
| <i>Ginkgo biloba</i> 'Mariken' Mariken Miniature Ginkgo | DT | 2.29 | R1 | 3-4 | 5-8 | 1.61 | 1.14 | 4 |
| <i>Ginkgo biloba</i> 'Mayfield' Mayfield Ginkgo | DT | 1.61 | R1 | 3-4 | 5-8 | 1.61 | 1.14 | 4 |
| <i>Ginkgo biloba</i> 'PNI 2720' P.P. 2726 Princeton Sentry® Ginkgo | DT | 1.36 | R1 | 3-4 | 5-8 | 1.62 | 1.13 | 4 |
| <i>Ginkgo biloba</i> 'Pendula' Weeping Ginkgo | DT | 1.61 | R1 | 3-4 | 5-8 | 1.61 | 0.57 | 4 |
| <i>Ginkgo biloba</i> 'Princeton Sentry' See - <i>Ginkgo biloba</i> 'PNI 2720' P.P. 2726 | | | | | | | | |
| <i>Ginkgo biloba</i> 'Saratoga' Saratoga Ginkgo | DT | 1.76 | R1 | 3-4 | 5-8 | 1.96 | 0.98 | 4 |
| <i>Ginkgo biloba</i> 'Shangri-La' P.P. 5221 Shangri-La® Ginkgo | DT | 1.97 | R1 | 3-4 | 5-8 | 1.77 | 1.32 | 4 |
| <i>Ginkgo biloba</i> 'The President' Presidential Gold™ Ginkgo | DT | 1.84 | R1 | 3-4 | 5-8 | 1.61 | 1.14 | 4 |
| <i>Ginkgo biloba</i> 'Tubiforme' Tubiforme Ginkgo | DT | 1.89 | R1 | 3-4 | 5-8 | 1.61 | 2.38 | 4 |
| <i>Ginkgo biloba</i> 'Variegata' Variegated Ginkgo | DT | 1.54 | R1 | 3-4 | 5-8 | 1.61 | 1.14 | 4 |
| <i>Ginkgo biloba</i> 'Windover Gold' Windover Gold Ginkgo | DT | 1.61 | R1 | 3-4 | 5-8 | 1.35 | 1.12 | 4 |
| <i>Ginkgo biloba</i> 'Woodstock' Emperor™ Ginkgo | DT | 1.61 | R1 | 3-4 | 5-8 | 1.61 | 1.14 | 4 |
| <i>Ginkgo biloba</i> var. <i>fastigiata</i> See - <i>Ginkgo biloba</i> 'Fastigiata' | | | | | | | | |
| <i>Gladiolus callianthus</i> Abyssinian Gladiolus | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Gladiolus cardinalis</i> Waterfall Gladiolus | HP | 1.03 | R2 | 8 | | | | |
| <i>Gladiolus carneus</i> Snowpink Gladiolus | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Gladiolus xcolvillei</i> Baby Gladiolus | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Gladiolus communis</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Gladiolus dalenii</i> No Common Name Found | HP | 1.03 | R2 | 8 | | | | |
| <i>Gladiolus tristis</i> Eveningflower Gladiolus | HP | 0.62 | R2 | 5-7 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Gladiolus watsonius</i> No Common Name Found | HP | 0.69 | R2 | 8 | | | | |
| <i>Glandularia maritima</i> See - <i>Verbena maritima</i> | | | | | | | | |
| <i>Glandularia tampensis</i> See - <i>Verbena tampensis</i> | | | | | | | | |
| <i>Glaucidium palmatum</i> No Common Name Found | HP | 2.67 | R2 | 3-6 | 7-8 | | | |
| <i>Glechoma hederacea</i> Ground Ivy | GC | 0.70 | R2 | 3-6 | 7-8 | | 1.00 | 3 |
| <i>Glechoma hederacea</i> 'Dappled Light' P.P. 17683 Dappled Light Ground Ivy | GC | 0.64 | R2 | 3-6 | 7-8 | | 1.00 | 4 |
| <i>Glechoma hederacea</i> 'Variegata' Variegated Ground Ivy | GC | 0.58 | R2 | 3-6 | 7-8 | | 1.00 | 3 |
| <i>Gleditsia triacanthos</i> Honeylocust | DT | 0.59 | R1 | 3-4 | 5-8 | 1.80 | 0.34 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> Thornless Honeylocust | DT | 1.00 | R1 | 3-4 | 5-8 | 0.75 | 0.52 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Aurea' See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Suncole' | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Christie' P.P. 3096 Halka™ Thornless Honeylocust | DT | 1.11 | R1 | 3-4 | 5-8 | 1.11 | 0.65 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Continental' P.P. 1752 Continental Thornless Honeylocust | DT | 1.11 | R1 | 3-4 | 5-8 | 1.19 | 0.82 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Elegantissima' Elegantissima Thornless Honeylocust | DT | 1.11 | R1 | 3-4 | 5-8 | 1.10 | 0.82 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Emerald Cascade' Emerald Cascade Thornless Honeylocust | DT | 1.10 | R1 | 3-4 | 5-8 | 0.79 | 0.82 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Fairview' Fairview Thornless Honeylocust | DT | 1.11 | R1 | 3-4 | 5-8 | 1.72 | 0.82 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Green Glory' P.P. 2786 Green Glory Thornless Honeylocust | DT | 1.11 | R1 | 3-4 | 5-8 | 1.10 | 0.82 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Halka' See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Christie' P.P. 3096 | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Harve' Northern Acclaim™ Thornless Honeylocust | DT | 1.45 | R1 | 3-4 | 5-8 | 1.10 | 0.82 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Impcole' P.P. 1605 Imperial® Thornless Honeylocust | DT | 1.22 | R1 | 3-4 | 5-8 | 1.04 | 0.99 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Imperial' See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Impcole' P.P. 1605 | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Marando Weeping' See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Marando' P.P. 6913 | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Marando' P.P. 6913 Marando Weeping Thornless Honeylocust | DT | 1.11 | R1 | 3-4 | 5-8 | 1.10 | 0.82 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Moraine' P.P. 836 Moraine Thornless Honeylocust | DT | 0.81 | R1 | 3-4 | 5-8 | 1.01 | 1.01 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Northern Acclaim' See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Harve' | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'PNI 2835' P.P. 1515 Shademaster® Thornless Honeylocust | DT | 1.08 | R1 | 3-4 | 5-8 | 1.07 | 0.77 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Perfection' See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Wandell' P.P. 6709 | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Rubylace' P.P. 2038 Rubylace® Thornless Honeylocust | DT | 1.04 | R1 | 3-4 | 5-8 | 0.88 | 0.45 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Shademaster' See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'PNI 2835' P.P. 1515 | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Skycole' P.P. 1619 Skyline® Thornless Honeylocust | DT | 1.21 | R1 | 3-4 | 5-8 | 1.09 | 0.91 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container SK | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|--------|-----------------|--------------|---------|------------------------|-----------|---------------|
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Skyline' See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Skycole' P.P. 1619 | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Spectrum' See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Speczam' | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Speczam' Spectrum™ Thornless Honeylocust | DT | 1.11 | R1 | 3-4 | 5-8 | 1.20 | 0.82 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Summer Lace' Summer Lace® Thornless Honeylocust | DT | 1.11 | R1 | 3-4 | 5-8 | 1.10 | 0.82 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Sunburst' See - <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Suncole' | | | | | | | | |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Suncole' Sunburst® Thornless Honeylocust | DT | 1.09 | R1 | 3-4 | 5-8 | 1.09 | 0.72 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'True Shade' True Shade® Thornless Honeylocust | DT | 1.11 | R1 | 3-4 | 5-8 | 1.14 | 1.40 | 3 |
| <i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Wandell' P.P. 6709 Perfection™ Thornless Honeylocust | DT | 1.11 | R1 | 3-4 | 5-8 | 1.34 | 0.82 | 3 |
| <i>Globba bulbifera</i> See - <i>Globba marantina</i> | | | | | | | | |
| <i>Globba globulifera</i> Purple Globe Ginger | HP | 0.93 | R2 | 5-8 | | | | |
| <i>Globba marantina</i> Yellow Dancing Ladies | HP | 0.95 | R2 | 8 | | | | |
| <i>Globba winitii</i> Ginger Lily | HP | 1.25 | R2 | 8 | | | | |
| <i>Globba winitii</i> 'Blushing Maiden' P.P. 11026 Blushing Maiden Ginger Lily | HP | 1.65 | R2 | 8 | | | | |
| <i>Globba winitii</i> 'Dancing Girl' Dancing Girl Ginger Lily | HP | 1.34 | R2 | 8 | | | | |
| <i>Globba winitii</i> 'Pristina Pink' P.P. 10991 Pristina Pink Ginger Lily | HP | 1.64 | R2 | 8 | | | | |
| <i>Globba winitii</i> 'Purest Angel' P.P. 11050 Purest Angel Ginger Lily | HP | 1.64 | R2 | 8 | | | | |
| <i>Globba winitii</i> 'Ruby Queen' P.P. 11010 Ruby Queen Ginger Lily | HP | 1.64 | R2 | 8 | | | | |
| <i>Globba winitii</i> 'White Dragon' White Dragon Ginger Lily | HP | 1.35 | R2 | 8 | | | | |
| <i>Globularia cordifolia</i> Heartleaf Globularia | HP | 1.06 | R2 | 3-5 | 6-8 | | | |
| <i>Globularia indubia</i> No Common Name Found | HP | 0.63 | R2 | 7-8 | | | | |
| <i>Globularia meridionalis</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Globularia repens</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Gloriosa rothschildiana</i> See - <i>Gloriosa superba</i> 'Rothschildiana' | | | | | | | | |
| <i>Gloriosa superba</i> No Common Name Found | HP | 1.00 | R2 | 8 | | | | |
| <i>Gloriosa superba</i> 'Rothschildiana' No Common Name Found | HP | 1.00 | R2 | 8 | | | | |
| <i>Glyceria elata</i> See - <i>Glyceria striata</i> | | | | | | | | |
| <i>Glyceria maxima</i> Reed Manna Grass | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Glyceria maxima</i> 'Variegata' Striped Reed Manna Grass | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Glyceria striata</i> Tall Manna Grass | HP | 0.47 | R2 | 3-4 | 5-8 | | | |
| <i>Gomphrena globosa</i> Globe Amaranth | AN | 0.84 | R2 | 3-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Gomphrena globosa</i> 'Buddy Series' Buddy Series Globe Amaranth | AN | 0.81 | R2 | 3-8 | | | | |
| <i>Gomphrena globosa</i> 'Gnome Series' Gnome Series Globe Amaranth | AN | 0.78 | R2 | 5-8 | | | | |
| <i>Gomphrena globosa</i> 'Strawberry Fields' Strawberry Fields Globe Amaranth | AN | 0.81 | R2 | 5-8 | | | | |
| <i>Gongora histrionica</i> No Common Name Found | FO | 3.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Gongora nigrita</i> No Common Name Found | FO | 3.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Gongora sanderiana</i> No Common Name Found | FO | 6.25 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Goniolimon callicomum</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Goniolimon incanum</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Goniolimon speciosum</i> See - <i>Goniolimon incanum</i> | | | | | | | | |
| <i>Goniolimon tataricum</i> German Statice | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Goniophlebium subauriculatum</i> Jointed Pine Fern | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Goodyera decipiens</i> See - <i>Goodyera oblongifolia</i> | | | | | | | | |
| <i>Goodyera oblongifolia</i> Western Rattlesnake Plantain | FO | 0.42 | R2 | 4-7 | 8 | | 1.00 | 7 |
| <i>Goodyera pubescens</i> Rattlesnake Orchid | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Gordonia axillaris</i> No Common Name Found | BE | 0.71 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Gordonia lasianthus</i> Loblolly Bay | BE | 0.82 | R2 | 6-8 | | 1.00 | 1.09 | 8 |
| <i>Gordonia lasianthus</i> 'Variegata' Variegated Loblolly Bay | BE | 0.82 | R2 | 6-8 | | 1.00 | 1.09 | 8 |
| <i>Grammatophyllum scriptum</i> No Common Name Found | FO | 3.25 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Grevillea</i> Grevillea | BS | 0.74 | R2 | 8-9 | | | 1.00 | 9 |
| <i>Grevillea</i> 'Austraflora Canterbury Gold' Austraflora Canterbury Gold Spider Flower | BS | 0.81 | R2 | 8-9 | | | 1.00 | 9 |
| <i>Grevillea</i> 'Boongala Spinebill' Boongala Spinebill Spider Flower | BS | 0.68 | R2 | 8-9 | | | 1.00 | 9 |
| <i>Grevillea</i> 'Bronze Rambler' Bronze Rambler Spider Flower | BS | 0.74 | R2 | 8-9 | | | 1.00 | 9 |
| <i>Grevillea</i> 'Canberra Gem' Canberra Gem Spider Flower | BS | 0.79 | R2 | 8-9 | | | 1.00 | 9 |
| <i>Grevillea</i> 'Noell' Noell Spider Flower | BS | 0.84 | R2 | 8-9 | | | 1.00 | 9 |
| <i>Grevillea</i> 'Poorinda Blondie' Poorinda Blondie Spider Flower | BS | 0.68 | R2 | 8-9 | | | 1.00 | 9 |
| <i>Grevillea</i> 'Poorinda Constance' Poorinda Constance Spider Flower | BS | 0.68 | R2 | 8-9 | | | 1.00 | 9 |
| <i>Grevillea</i> 'Poorinda Golden Lyre' Poorinda Golden Lyre Spider Flower | BS | 0.74 | R2 | 8-9 | | | 1.00 | 9 |
| <i>Grevillea</i> 'Poorinda Queen' Poorinda Queen Spider Flower | BS | 0.68 | R2 | 8-9 | | | 1.00 | 9 |
| <i>Grevillea</i> 'Robyn Gordon' Robyn Gordon Spider Flower | BS | 0.75 | R2 | 8-9 | | | 1.00 | 9 |
| <i>Grevillea</i> 'White Wings' White Wings Spider Flower | BS | 0.74 | R2 | 8-9 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Grevillea alpina</i> Mountain Grevillea | BS | 0.81 | R2 | 8-9 | | 1.00 | 9 |
| <i>Grevillea alpina</i> 'East Grampians' East Grampians Mountain Grevillea | BS | 0.81 | R2 | 8-9 | | 1.00 | 9 |
| <i>Grevillea gaudichaudii</i> No Common Name Found | BS | 0.89 | R2 | 8-9 | | 1.00 | 9 |
| <i>Grevillea johnsonii</i> No Common Name Found | BS | 0.75 | R2 | 8-9 | | 1.00 | 9 |
| <i>Grevillea juniperina</i> No Common Name Found | BS | 0.61 | R2 | 8-9 | | 1.00 | 9 |
| <i>Grevillea lanigera</i> Woolly Grevillea | BS | 0.72 | R2 | 8-9 | | 1.00 | 9 |
| <i>Grevillea lanigera</i> 'Mt. Tamboritha' Mt. Tamboritha Woolly Grevillea | BS | 0.99 | R2 | 8-9 | | 1.00 | 9 |
| <i>Grevillea lavandulacea</i> Lavender Grevillea | BS | 0.89 | R2 | 8-9 | | 1.00 | 9 |
| <i>Grevillea lavandulacea</i> 'Billywing' Billywing Lavender Grevillea | BS | 0.89 | R2 | 8-9 | | 1.00 | 9 |
| <i>Grevillea rivularis</i> No Common Name Found | BS | 0.68 | R2 | 8-9 | | 1.00 | 9 |
| <i>Grevillea robusta</i> Silky Oak | BE | 1.02 | R2 | 8-9 | | 1.00 | 9 |
| <i>Grevillea rosmarinifolia</i> Rosemary Grevillea | BS | 0.72 | R2 | 6-8 | | 1.00 | 8 |
| <i>Grevillea shiresii</i> No Common Name Found | BS | 0.61 | R2 | 8-9 | | 1.00 | 9 |
| <i>Grevillea thelemanniana</i> No Common Name Found | BS | 0.73 | R2 | 8-9 | | 1.00 | 9 |
| <i>Grevillea thelemanniana</i> 'Gilded Dragon' See - <i>Grevillea thelemanniana</i> 'Magic Lantern' | | | | | | | |
| <i>Grevillea thelemanniana</i> 'Magic Lantern' Magic Lantern Hummingbird Bush | BS | 1.39 | R2 | 8 | | 1.00 | 9 |
| <i>Grevillea victoriae</i> No Common Name Found | BS | 0.68 | R2 | 8-9 | | 1.00 | 9 |
| <i>Grevillea wilsonii</i> No Common Name Found | BS | 0.68 | R2 | 8-9 | | 1.00 | 9 |
| <i>Grindelia stricta</i> Pacific Grindelia | HP | 2.20 | R2 | 3-7 | 8 | | |
| <i>Gronophyllum ramsayi</i> Northern Kentia Palm | PC | 2.03 | R2 | 8 | | 1.00 | 10 |
| <i>Guihaia argyrata</i> Dainty Lady Palm | PC | 1.43 | R2 | 6-8 | | 1.00 | 8 |
| <i>Guihaia grossefibrosa</i> Guangxi Palm | PC | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Gunnera chilensis</i> See - <i>Gunnera tinctoria</i> | | | | | | | |
| <i>Gunnera magellanica</i> No Common Name Found | HP | 1.03 | R2 | 6-8 | | | |
| <i>Gunnera manicata</i> Giant Rhubarb | HP | 2.09 | R2 | 5-7 | 8 | | |
| <i>Gunnera monoica</i> No Common Name Found | HP | 1.00 | R2 | 6-8 | | | |
| <i>Gunnera tinctoria</i> No Common Name Found | HP | 1.93 | R2 | 6-8 | | | |
| <i>Gutierrezia sarothrae</i> Broom Snakeweed | BS | 0.79 | R2 | 3-6 | 7-8 | 1.00 | 6 |
| <i>Guzmania</i> Guzmania | FO | 2.16 | R2 | 8 | | 1.00 | 10 |
| <i>Guzmania</i> 'Clementina' Clementina Guzmania | FO | 1.74 | R2 | 8 | | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Guzmania</i> 'Denise' Denise <i>Guzmania</i> | FO | 1.62 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Eloy' Eloy <i>Guzmania</i> | FO | 0.56 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Graaf Van Hoorn' Graaf Van Hoorn <i>Guzmania</i> | FO | 3.73 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Guz 218' P.P. 10351 Neon <i>Guzmania</i> | FO | 0.91 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Hilda' Hilda <i>Guzmania</i> | FO | 1.38 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Irene' Irene <i>Guzmania</i> | FO | 1.23 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Kapoho Fire' Kapoho Fire <i>Guzmania</i> | FO | 1.70 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Lemonade' P.P. 7961 Lemonade <i>Guzmania</i> | FO | 2.70 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Limbo' P.P. 8514 Limbo <i>Guzmania</i> | FO | 0.87 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Lipstick' Lipstick <i>Guzmania</i> | FO | 1.62 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Loja' Loja <i>Guzmania</i> | FO | 2.20 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Luna' Luna <i>Guzmania</i> | FO | 1.10 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Mandarine' P.P. 8577 Mandarine <i>Guzmania</i> | FO | 1.62 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Marjan' Marjan <i>Guzmania</i> | FO | 1.67 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Neon' See - <i>Guzmania</i> 'Guz 218' P.P. 10351 | | | | | | | | |
| <i>Guzmania</i> 'Ostara' Ostara <i>Guzmania</i> | FO | 1.47 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Puna Gold' P.P. 9768 Puna Gold™ <i>Guzmania</i> | FO | 2.05 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Rana' P.P. 7471 Rana <i>Guzmania</i> | FO | 1.83 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Red Pearl' P.P. 9820 Red Pearl <i>Guzmania</i> | FO | 1.62 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Symphony' Symphony <i>Guzmania</i> | FO | 1.62 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Tutti Frutti' P.P. 8717 Tutti Frutti <i>Guzmania</i> | FO | 1.19 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Ultra' P.P. 8221 Ultra <i>Guzmania</i> | FO | 1.74 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania</i> 'Van Horne' See - <i>Guzmania</i> 'Graaf Van Hoorn' | | | | | | | | |
| <i>Guzmania</i> 'Vella Red' Vella Red <i>Guzmania</i> | FO | 1.62 | R2 | 5-8 | | | 1.00 | 10 |
| <i>Guzmania lingulata</i> Orange Star | FO | 0.89 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania lingulata</i> 'Empire' Empire Orange Star | FO | 0.98 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania lingulata</i> 'Variegata' Variegated Orange Star | FO | 1.74 | R2 | 8 | | | 1.00 | 10 |
| <i>Guzmania wittmackii</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Gymnocalycium mihanovichii</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Gymnocarpium dryopteris</i> Oak Fern | FO | 0.64 | R2 | 3 | 4-8 | | 1.00 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Gymnocladus dioica</i> Kentucky Coffeetree | DT | 1.02 | R1 | 3-4 | 5-8 | 1.29 | 1.18 | 4 |
| <i>Gymnocladus dioica</i> 'Crosswicks' Crosswicks Male Kentucky Coffeetree | DT | 1.02 | R1 | 3-4 | 5-8 | 1.36 | 1.18 | 4 |
| <i>Gymnocladus dioica</i> 'Espresso' Espresso Kentucky Coffeetree | DT | 1.02 | R1 | 3-4 | 5-8 | 1.36 | 1.18 | 4 |
| <i>Gymnocladus dioica</i> 'J.C. McDaniel' Prairie Titan® Kentucky Coffeetree | DT | 1.02 | R1 | 3-4 | 5-8 | 1.42 | 1.18 | 4 |
| <i>Gymnocladus dioica</i> 'Prairie Titan' See - <i>Gymnocladus dioica</i> 'J.C. McDaniel' | FO | 1.00 | R2 | 8 | | | 1.00 | 10B |
| <i>Gynura aurantiaca</i> Purple Velvet Plant | FO | 0.46 | R2 | 8 | | | 1.00 | 8 |
| <i>Gynura bicolor</i> No Common Name Found | FO | 0.46 | R2 | 8 | | | 1.00 | 8 |
| <i>Gypsophila aretioides</i> No Common Name Found | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Gypsophila briquetiana</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Gypsophila cerastioides</i> Mouse-ear Gypsophila | HP | 0.70 | R2 | 3-4 | 5-8 | | | |
| <i>Gypsophila muralis</i> Baby's Breath | HP | 0.76 | R2 | 5-8 | | | | |
| <i>Gypsophila muralis</i> 'Garden Bride' Garden Bride Baby's Breath | HP | 0.41 | R2 | 5-8 | | | | |
| <i>Gypsophila muralis</i> 'Gypsy' Gypsy Baby's Breath | HP | 0.65 | R2 | 5-8 | | | | |
| <i>Gypsophila nana</i> No Common Name Found | HP | 1.00 | R2 | 5-9 | | | | |
| <i>Gypsophila pacifica</i> No Common Name Found | HP | 0.58 | R2 | 3-4 | 5-8 | | | |
| <i>Gypsophila paniculata</i> Baby's Breath | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Gypsophila paniculata</i> 'Bristol Fairy' Bristol Fairy Baby's Breath | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Gypsophila paniculata</i> 'Compacta Plena' Compacta Plena Baby's Breath | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Gypsophila paniculata</i> 'Festival Strain' Festival Strain Baby's Breath | HP | 0.78 | R2 | 3-4 | 5-8 | | | |
| <i>Gypsophila paniculata</i> 'Flamingo' Flamingo Baby's Breath | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Gypsophila paniculata</i> 'Perfecta' Perfecta Baby's Breath | HP | 1.17 | R2 | 3-4 | 5-8 | | | |
| <i>Gypsophila paniculata</i> 'Pink Fairy' Pink Fairy Baby's Breath | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Gypsophila paniculata</i> 'Red Sea' Red Sea Baby's Breath | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Gypsophila paniculata</i> 'Snowflake' Snowflake Baby's Breath | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Gypsophila paniculata</i> 'Viette's Dwarf' Viette's Dwarf Baby's Breath | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Gypsophila petraea</i> No Common Name Found | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Gypsophila repens</i> Creeping Baby's Breath | HP | 0.73 | R2 | 3-4 | 5-8 | | | |
| <i>Gypsophila repens</i> 'Alba' White Creeping Baby's Breath | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Gypsophila repens</i> 'Rosea' Pink Creeping Baby's Breath | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Gypsophila tenuifolia</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-----------|------------|
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Habenaria</i> False Rein Orchid | FO | 2.22 | R2 | 8 | | | 1.00 | 9 |
| <i>Habranthus brachyandrus</i> Giant Rain Lily | HP | 0.56 | R2 | 6-8 | | | | |
| <i>Habranthus robustus</i> No Common Name Found | HP | 0.69 | R2 | 8 | | | | |
| <i>Habranthus texanus</i> See - <i>Habranthus tubispathus</i> | | | | | | | | |
| <i>Habranthus tubispathus</i> No Common Name Found | HP | 0.92 | R2 | 8 | | | | |
| <i>Habranthus tubispathus</i> 'Cupreus' Cupreus Habranthus | HP | 0.92 | R2 | 8 | | | | |
| <i>Hacquetia epipactis</i> No Common Name Found | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Haemanthus albiflos</i> White Blood Lily | HP | 1.15 | R2 | 8 | | | | |
| <i>Haemanthus katherinae</i> See - <i>Scadoxus multiflorus</i> ssp. <i>katherinae</i> | | | | | | | | |
| <i>Haemanthus multiflorus</i> No Common Name Found | HP | 1.14 | R2 | 8 | | | | |
| <i>Haemaria discolor</i> See - <i>Ludisia discolor</i> | | | | | | | | |
| <i>Hakonechloa macra</i> Japanese Forest Grass | HP | 1.54 | R2 | 3-5 | 6-8 | | | |
| <i>Hakonechloa macra</i> 'All Gold' All Gold Japanese Forest Grass | HP | 1.34 | R2 | 3-5 | 6-8 | | | |
| <i>Hakonechloa macra</i> 'Aureola' Golden Variegated Japanese Forest Grass | HP | 1.51 | R2 | 3-5 | 6-8 | | | |
| <i>Hakonechloa macra</i> 'Beni Kaze' Beni Kaze Japanese Forest Grass | HP | 1.16 | R2 | 3-5 | 6-8 | | | |
| <i>Halesia carolina</i> See - <i>Halesia tetraptera</i> | | | | | | | | |
| <i>Halesia diptera</i> Two-winged Silverbell | DS | 0.97 | R1 | 3-5 | 6-8 | | 0.52 | 5 |
| <i>Halesia diptera</i> var. <i>magniflora</i> See - <i>Halesia diptera</i> | | | | | | | | |
| <i>Halesia monticola</i> See - <i>Halesia tetraptera</i> var. <i>monticola</i> | | | | | | | | |
| <i>Halesia monticola</i> 'Arnold Pink' See - <i>Halesia tetraptera</i> var. <i>monticola</i> 'Arnold Pink' | | | | | | | | |
| <i>Halesia monticola</i> 'Rosea' See - <i>Halesia tetraptera</i> var. <i>monticola</i> 'Rosea' | | | | | | | | |
| <i>Halesia tetraptera</i> Carolina Silverbell | DS | 1.19 | R1 | 4-5 | 6-8 | | 1.11 | 5 |
| <i>Halesia tetraptera</i> 'Jersey Belle' Jersey Belle Carolina Silverbell | DS | 1.19 | R1 | 4-5 | 6-8 | | 1.11 | 5 |
| <i>Halesia tetraptera</i> 'Rosea' Rosea Carolina Silverbell | DS | 1.19 | R1 | 4-5 | 6-8 | | 1.11 | 5 |
| <i>Halesia tetraptera</i> 'UConn Wedding Bells' Wedding Bells Carolina Silverbell | DS | 1.19 | R1 | 4-5 | 6-8 | | 1.11 | 5 |
| <i>Halesia tetraptera</i> 'Wedding Bells' See - <i>Halesia tetraptera</i> 'UConn Wedding Bells' | | | | | | | | |
| <i>Halesia tetraptera</i> var. <i>monticola</i> Mountain Silverbell | DS | 0.94 | R1 | 4-5 | 6-8 | | 1.50 | 5 |
| <i>Halesia tetraptera</i> var. <i>monticola</i> 'Arnold Pink' Arnold Pink Mountain Silverbell | DS | 1.44 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| <i>Halesia tetraptera</i> var. <i>monticola</i> 'Rosea' Pink Mountain Silverbell | DS | 1.19 | R1 | 4-5 | 6-8 | | 1.10 | 5 |
| <i>xHalimocistus sahuicii</i> No Common Name Found | BS | 0.66 | R2 | 6-8 | | | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>xHalimicistus wintonensis</i> No Common Name Found | BS | 0.66 | R2 | 3-7 | 8 | | 1.00 | 7 |
| <i>Halimium atriplicifolium</i> No Common Name Found | BS | 0.60 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Halimium commutatum</i> No Common Name Found | BS | 0.58 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Halimium lasianthum</i> Lisbon False Sunrose | BS | 0.90 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Halimium ocymoides</i> Purplespot False Sunrose | BS | 0.58 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Hamamelis x intermedia</i> Hybrid Witchhazel | DS | 0.75 | R2 | 3-5 | 6-8 | | 0.68 | 5 |
| <i>Hamamelis x intermedia</i> 'Arnold Promise' Arnold Promise Hybrid Witchhazel | DS | 1.59 | R2 | 3-5 | 6-8 | | 1.95 | 5 |
| <i>Hamamelis x intermedia</i> 'Boskoop' Boskoop Hybrid Witchhazel | DS | 1.38 | R2 | 3-5 | 6-8 | | 1.54 | 5 |
| <i>Hamamelis x intermedia</i> 'Diane' Diane Hybrid Witchhazel | DS | 1.58 | R2 | 3-5 | 6-8 | | 1.77 | 5 |
| <i>Hamamelis x intermedia</i> 'Feuerzauber' Feuerzauber Hybrid Witchhazel | DS | 1.52 | R2 | 3-5 | 6-8 | | 1.54 | 5 |
| <i>Hamamelis x intermedia</i> 'Girard's Orange' Girard's Orange Hybrid Witchhazel | DS | 1.13 | R2 | 3-5 | 6-8 | | 1.54 | 5 |
| <i>Hamamelis x intermedia</i> 'Jelena' Jelena Hybrid Witchhazel | DS | 1.59 | R2 | 3-5 | 6-8 | | 1.88 | 5 |
| <i>Hamamelis x intermedia</i> 'Pallida' Pallida Hybrid Witchhazel | DS | 1.80 | R2 | 3-5 | 6-8 | | 1.84 | 5 |
| <i>Hamamelis x intermedia</i> 'Primavera' Primavera Hybrid Witchhazel | DS | 1.46 | R2 | 3-5 | 6-8 | | 1.66 | 5 |
| <i>Hamamelis x intermedia</i> 'Ruby Glow' Ruby Glow Hybrid Witchhazel | DS | 1.11 | R2 | 3-5 | 6-8 | | 0.99 | 5 |
| <i>Hamamelis x intermedia</i> 'Sunburst' Sunburst Hybrid Witchhazel | DS | 1.42 | R2 | 3-5 | 6-8 | | 1.03 | 5 |
| <i>Hamamelis x intermedia</i> 'Vesna' Vesna Hybrid Witchhazel | DS | 1.38 | R2 | 3-5 | 6-8 | | 1.54 | 5 |
| <i>Hamamelis x intermedia</i> 'Westerstede' Westerstede Hybrid Witchhazel | DS | 1.21 | R2 | 3-5 | 6-8 | | 2.04 | 5 |
| <i>Hamamelis japonica</i> Japanese Witchhazel | DS | 1.00 | R2 | 3-5 | 6-8 | | 1.80 | 5 |
| <i>Hamamelis mollis</i> Chinese Witchhazel | DS | 0.86 | R2 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Hamamelis mollis</i> 'Brevipetala' Brevipetala Chinese Witchhazel | DS | 1.34 | R2 | 3-5 | 6-8 | | 1.72 | 5 |
| <i>Hamamelis mollis</i> 'Goldcrest' Goldcrest Chinese Witchhazel | DS | 1.81 | R2 | 3-5 | 6-8 | | 2.55 | 5 |
| <i>Hamamelis mollis</i> 'Pallida' See - <i>Hamamelis x intermedia</i> 'Pallida' | | | | | | | | |
| <i>Hamamelis vernalis</i> Vernal Witchhazel | DS | 1.12 | R1 | 3-4 | 5-8 | | 1.37 | 4 |
| <i>Hamamelis vernalis</i> 'Autumn Embers' Autumn Embers Vernal Witchhazel | DS | 1.12 | R1 | 3-4 | 5-8 | | 1.96 | 4 |
| <i>Hamamelis vernalis</i> 'Carnea' Redpetal Vernal Witchhazel | DS | 1.12 | R1 | 3-4 | 5-8 | | 3.09 | 4 |
| <i>Hamamelis vernalis</i> 'Christmas Cheer' Christmas Cheer Vernal Witchhazel | DS | 1.12 | R1 | 3-4 | 5-8 | | 1.73 | 4 |
| <i>Hamamelis vernalis</i> 'Rubra' Red Vernal Witchhazel | DS | 1.12 | R1 | 3-4 | 5-8 | | 1.93 | 4 |
| <i>Hamamelis vernalis</i> 'Sandra' Sandra Vernal Witchhazel | DS | 1.12 | R1 | 3-4 | 5-8 | | 1.49 | 4 |
| <i>Hamamelis virginiana</i> Common Witchhazel | DS | 1.05 | R1 | 3-4 | 5-8 | | 1.21 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Hamelia</i> Firebush | BS | 1.00 | R2 | 6-8 | | 1.00 | 10 |
| <i>Hamelia cuprea</i> Bahamian Firebush | BS | 0.96 | R2 | 6-8 | | 1.00 | 10 |
| <i>Hamelia macrantha</i> Dwarf Firebush | BS | 0.46 | R2 | 6-8 | | 1.00 | 8 |
| <i>Hamelia patens</i> Scarlet Bush | BS | 0.72 | R2 | 6-8 | | 0.52 | 10 |
| <i>Hamelia patens</i> 'African' See - <i>Hamelia patens</i> var. <i>glabra</i> | | | | | | | |
| <i>Hamelia patens</i> 'Compacta' Compact Scarlet Firebush | BS | 0.76 | R2 | 6-8 | | 0.52 | 10 |
| <i>Hamelia patens</i> var. <i>glabra</i> African Scarlet Bush | BS | 0.60 | R2 | 6-8 | | 1.00 | 10 |
| <i>Haplopappus acaulis</i> See - <i>Stenotus acaulis</i> | | | | | | | |
| <i>Hardenbergia violacea</i> Vine Lilac | GC | 0.76 | R2 | 8 | | 1.00 | 9 |
| <i>Hardenbergia violacea</i> 'Happy Wanderer' Happy Wanderer Vine Lilac | GC | 0.80 | R2 | 8 | | 1.00 | 9 |
| <i>Hardenbergia violacea</i> 'Mini Ha-Ha' Mini Ha-Ha Vine Lilac | GC | 0.78 | R2 | 8 | | 1.00 | 9 |
| <i>Harpephyllum caffrum</i> Kaffir Plum | BE | 0.85 | R2 | 8 | | 1.00 | 1.00 9 |
| <i>Havardia mexicana</i> Mexican Ebony | DT | 0.39 | R1 | 8 | | 1.00 | 1.00 9 |
| <i>Havardia pallens</i> Tenaza | DT | 1.00 | R2 | 8 | | 1.00 | 1.00 9 |
| <i>Havardia sonorae</i> Palo Jocono | DT | 1.00 | R2 | 8 | | 1.00 | 1.00 9 |
| <i>Haworthia fasciata</i> Zebra Haworthia | FO | 1.00 | R2 | 6-8 | | 1.00 | 9 |
| <i>Hebe</i> | BS | 0.95 | R2 | 5-7 | 8 | 1.00 | 7 |
| <i>Hebe</i> 'Alicia Amherst' Alicia Amherst Hebe | BS | 0.88 | R2 | 5-8 | | 1.00 | 8 |
| <i>Hebe</i> 'Amy' Amy Hebe | BS | 0.75 | R2 | 5-8 | | 1.00 | 8 |
| <i>Hebe</i> 'Autumn Glory' Autumn Glory Hebe | BS | 1.02 | R2 | 5-7 | 8 | 1.00 | 7 |
| <i>Hebe</i> 'Blue Elf' Blue Elf Hebe | BS | 0.95 | R2 | 5-8 | | 1.00 | 8 |
| <i>Hebe</i> 'Blue Mist' Blue Mist Hebe | BS | 1.00 | R2 | 5-7 | 8 | 1.00 | 7 |
| <i>Hebe</i> 'Coed' Coed Hebe | BS | 0.64 | R2 | 5-7 | 8 | 1.00 | 7 |
| <i>Hebe</i> 'Emerald Gem' Emerald Gem Hebe | BS | 1.24 | R2 | 5-8 | | 1.00 | 8 |
| <i>Hebe</i> 'Evansii' Evansii Hebe | BS | 0.51 | R2 | 5-8 | | 1.00 | 8 |
| <i>Hebe</i> 'Great Orme' Great Orme Hebe | BS | 1.18 | R2 | 5-8 | | 1.00 | 8 |
| <i>Hebe</i> 'Green Globe' See - <i>Hebe</i> 'Emerald Gem' | | | | | | | |
| <i>Hebe</i> 'Lake' Lake Hebe | BS | 0.74 | R2 | 5-7 | 8 | 1.00 | 7 |
| <i>Hebe</i> 'MacEwanii' MacEwan Hebe | BS | 0.95 | R2 | 5-8 | | 1.00 | 8 |
| <i>Hebe</i> 'Margret' P.P. 8231 Margret Hebe | BS | 0.68 | R2 | 5-8 | | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Hebe</i> 'Patty's Purple' Patty's Purple Hebe | BS | 0.95 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hebe</i> 'Purple Picture' Purple Picture Hebe | BS | 0.60 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Hebe</i> 'Red Edge' Red Edge Hebe | BS | 1.18 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hebe</i> 'Wiri Blush' Wiri Blush Hebe | BS | 1.34 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hebe</i> 'Wiri Cloud' Wiri Cloud Hebe | BS | 1.56 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hebe buxifolia</i> Boxleaf Hebe | BS | 0.92 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hebe buxifolia</i> 'Nana' Compact Boxleaf Hebe | BS | 1.27 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hebe carnosula</i> No Common Name Found | BS | 0.57 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Hebe cupressoides</i> No Common Name Found | BS | 1.70 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Hebe cupressoides</i> 'Boughton Dome' Boughton Dome Hebe | BS | 1.70 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Hebe glaucophylla</i> No Common Name Found | BS | 1.05 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hebe ochracea</i> No Common Name Found | BS | 1.00 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Hebe pimeleoides</i> No Common Name Found | BS | 1.24 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Hebe pimeleoides</i> 'Quicksilver' Quicksilver Hebe | BS | 1.24 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Hebe pinguifolia</i> No Common Name Found | BS | 1.27 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Hebe pinguifolia</i> 'Sutherlandii' Sutherland Hebe | BS | 1.27 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Hebe speciosa</i> No Common Name Found | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hebenstretia dentata</i> Toothed Hebenstretia | AN | 1.00 | R2 | 6-8 | | | | |
| <i>Hedera canariensis</i> Algerian Ivy | GC | 0.70 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hedera canariensis</i> 'Gloire de Marengo' Gloire de Marengo Algerian Ivy | GC | 0.69 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hedera canariensis</i> 'Variegata' Variegated Algerian Ivy | GC | 0.67 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hedera colchica</i> Persian Ivy | GC | 0.26 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Hedera colchica</i> 'Dentata Variegata' Dentata Variegata Persian Ivy | GC | 1.18 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Hedera colchica</i> 'My Heart' My Heart Persian Ivy | GC | 0.39 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Hedera colchica</i> 'Sulphur Heart' Sulphur Heart Persian Ivy | GC | 0.98 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Hedera helix</i> English Ivy | GC | 0.67 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> '238th Street' 238th Street English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Anne Marie' Anne Marie English Ivy | GC | 0.53 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Asterisk' Asterisk English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Baltica' Baltic English Ivy | GC | 0.79 | R2 | 3-7 | 8 | | 1.00 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hedera helix</i> 'Bettina' Bettina Variegated English Ivy | GC | 0.85 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Bulgaria' Bulgarian English Ivy | GC | 0.19 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Buttercup' Buttercup English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'California' California English Ivy | GC | 0.62 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Chester' Chester English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Conglomerata' Conglomerata English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Deltoidea' Sweetheart English Ivy | GC | 0.34 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Duckfoot' Duckfoot English Ivy | GC | 0.73 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Erecta' Erecta English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Eva' Eva Variegated English Ivy | GC | 0.59 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Galaxy' Galaxy English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Glacier' Glacier English Ivy | GC | 0.49 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Gold Child' Gold Child English Ivy | GC | 0.58 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Gold Dust' Gold Dust English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Golden Ingot' Golden Ingot English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Goldheart' Goldheart English Ivy | GC | 0.43 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Green Ripple' Green Ripple English Ivy | GC | 0.75 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Hahns' Hahn's English Ivy | GC | 0.51 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Harrison' Harrison English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Ideal' See - <i>Hedera helix</i> 'California' | | | | | | | | |
| <i>Hedera helix</i> 'Inglesse' Inglesse English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Irish Lace' Irish Lace English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Ivalace' Ivalace English Ivy | GC | 0.30 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Kolibri' Kolibri English Ivy | GC | 0.31 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Liz' See - <i>Hedera helix</i> 'Eva' | | | | | | | | |
| <i>Hedera helix</i> 'Manda's Crested' Manda's Crested English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Midget' Midget English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Mottled Mosaic' Mottled Mosaic English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Needlepoint' Needlepoint English Ivy | GC | 0.52 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Nepal' Nepal English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hedera helix</i> 'Patricia' Patricia® English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Pittsburgh' Pittsburgh English Ivy | GC | 0.30 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Pixie' Pixie English Ivy | GC | 0.28 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Ralf' Ralf English Ivy | GC | 0.53 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Rembrandt' See - <i>Hedera helix</i> 'Remzam' | | | | | | | | |
| <i>Hedera helix</i> 'Remzam' Rembrandt™ English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Sagittifolia' See - <i>Hedera helix</i> 'Star' | | | | | | | | |
| <i>Hedera helix</i> 'Shamrock' Shamrock English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Silverdust' Silverdust English Ivy | GC | 1.24 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Spetchley' Gnome English Ivy | GC | 0.50 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Star' Sagittifolia English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Suzanne' Suzanne English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Telecurl' Telecurl English Ivy | GC | 0.92 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Thorndale' Thorndale English Ivy | GC | 1.03 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Tiger Eyes' Tiger Eyes English Ivy | GC | 0.59 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Tom Boy' Tom Boy English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Treetop' Treetop English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Tri-Green & White' Tri-Green & White English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Wilsonii' Small Leaf English Ivy | GC | 0.34 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Woerner' Woerner English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> 'Yellow Ripple' Yellow Ripple English Ivy | GC | 0.57 | R2 | 3-7 | 8 | | 1.00 | 5 |
| <i>Hedera helix</i> var. <i>hibernica</i> See - <i>Hedera hibernica</i> | | | | | | | | |
| <i>Hedera hibernica</i> Irish Ivy | GC | 0.73 | R2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Hedychium</i> Ginger Lily | HP | 1.21 | R2 | 5-7 | 8 | | | |
| <i>Hedychium</i> 'Anne Bishop' Anne Bishop Ginger Lily | HP | 1.43 | R2 | 6-8 | | | | |
| <i>Hedychium</i> 'Ayo' Ayo Ginger Lily | HP | 1.21 | R2 | 8 | | | | |
| <i>Hedychium</i> 'Carnival' Carnival Ginger Lily | HP | 1.21 | R2 | 6-8 | | | | |
| <i>Hedychium</i> 'Double Eagle' Double Eagle Ginger Lily | HP | 1.21 | R2 | 5-7 | 8 | | | |
| <i>Hedychium</i> 'Dr. Moy' Dr. Moy Ginger Lily | HP | 1.30 | R2 | 5-7 | 8 | | | |
| <i>Hedychium</i> 'Elizabeth' Elizabeth Ginger Lily | HP | 1.17 | R2 | 5-7 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|--|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Hedychium</i> 'Filagree' Filagree Ginger Lily | HP | 0.95 | R2 | 6-8 | | | |
| <i>Hedychium</i> 'Fireworks' Fireworks Ginger Lily | HP | 1.21 | R2 | 6-8 | | | |
| <i>Hedychium</i> 'Gold Flame' Gold Flame Ginger Lily | HP | 1.21 | R2 | 5-7 | 8 | | |
| <i>Hedychium</i> 'Golden Glow' Golden Glow Ginger Lily | HP | 1.21 | R2 | 6-8 | | | |
| <i>Hedychium</i> 'Kewense' Kewense Ginger Lily | HP | 1.25 | R2 | 5-7 | 8 | | |
| <i>Hedychium</i> 'Kinkaku' Kinkaku Ginger Lily | HP | 1.21 | R2 | 5-7 | 8 | | |
| <i>Hedychium</i> 'Lemon Beauty' Lemon Beauty Ginger Lily | HP | 1.21 | R2 | 5-7 | 8 | | |
| <i>Hedychium</i> 'Lemon Sherbet' Lemon Sherbet Ginger Lily | HP | 1.21 | R2 | 6-8 | | | |
| <i>Hedychium</i> 'Luna Moth' Luna Moth Ginger Lily | HP | 1.20 | R2 | 6-8 | | | |
| <i>Hedychium</i> 'Pink Flame' Pink Flame Ginger Lily | HP | 1.19 | R2 | 5-7 | 8 | | |
| <i>Hedychium</i> 'Pink Sparks' Pink Sparks Ginger Lily | HP | 1.21 | R2 | 5-7 | 8 | | |
| <i>Hedychium</i> 'Pink V' Pink V Ginger Lily | HP | 1.18 | R2 | 5-7 | 8 | | |
| <i>Hedychium</i> 'Raffilii' Raffilii Ginger Lily | HP | 1.21 | R2 | 5-7 | 8 | | |
| <i>Hedychium</i> 'Tropic Bird' Tropic Bird Ginger Lily | HP | 1.21 | R2 | 6-8 | | | |
| <i>Hedychium</i> 'White Starburst' White Starburst Ginger Lily | HP | 1.21 | R2 | 5-7 | 8 | | |
| <i>Hedychium chrysoleucum</i> No Common Name Found | HP | 0.82 | R2 | 5-7 | 8 | | |
| <i>Hedychium coccineum</i> Red Ginger Lily | HP | 0.87 | R2 | 6-8 | | | |
| <i>Hedychium coccineum</i> 'Disney' Disney Red Ginger Lily | HP | 1.19 | R2 | 6-8 | | | |
| <i>Hedychium coccineum</i> 'Tara' Tara Red Ginger Lily | HP | 1.45 | R2 | 6-8 | | | |
| <i>Hedychium coronarium</i> White Ginger Lily | HP | 1.08 | R2 | 5-7 | 8 | | |
| <i>Hedychium coronarium</i> var. <i>chrysoleucum</i> See - <i>Hedychium chrysoleucum</i> | | | | | | | |
| <i>Hedychium densiflorum</i> No Common Name Found | HP | 0.75 | R2 | 5-7 | 8 | | |
| <i>Hedychium ellipticum</i> No Common Name Found | HP | 0.63 | R2 | 5-7 | 8 | | |
| <i>Hedychium flavescens</i> Cream Ginger Lily | HP | 1.20 | R2 | 6-8 | | | |
| <i>Hedychium flavum</i> Yellow Ginger Lily | HP | 1.52 | R2 | 6-8 | | | |
| <i>Hedychium gardnerianum</i> Kahili Ginger Lily | HP | 1.08 | R2 | 6-8 | | | |
| <i>Hedychium gardnerianum</i> 'Fiesta' Fiesta Kahili Ginger Lily | HP | 1.08 | R2 | 6-8 | | | |
| <i>Hedychium greenei</i> Red Leaf Ginger | HP | 1.16 | R2 | 5-7 | 8 | | |
| <i>Hedychium spicatum</i> No Common Name Found | HP | 1.00 | R2 | 5-7 | 8 | | |
| <i>Hedychium spicatum</i> 'White Wings' White Wings Ginger Lily | HP | 1.00 | R2 | 5-7 | 8 | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hedychium thyrsiforme</i> Pincushion Ginger | HP | 0.89 | R2 | 6-8 | | | | |
| <i>Hedyotis caerulea</i> See - <i>Houstonia caerulea</i> | | | | | | | | |
| <i>Hedysarum coronarium</i> French Honeysuckle | HP | 0.69 | R2 | 3 | 4-8 | | | |
| <i>Hedyscepe canterburyana</i> Umbrella Palm | PC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Helenium</i> Sneezeweed | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Helenium</i> 'Coppelia' P.P. 11243 Coppelia Sneezeweed | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Helenium</i> 'Crimson Beauty' Crimson Beauty Sneezeweed | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Helenium</i> 'Goldrausch' Goldrausch Hybrid Sneezeweed | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Helenium</i> 'Helbro' P.P. 15124 Mardi Gras Sneezeweed | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Helenium</i> 'Mardis Gras' See - <i>Helenium</i> 'Helbro' P.P. 15124 | | | | | | | | |
| <i>Helenium</i> 'Red Army' Red Army Sneezeweed | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Helenium</i> 'Rubinzweg' Rubinzweg Hybrid Sneezeweed | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Helenium</i> 'The Bishop' The Bishop Hybrid Sneezeweed | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Helenium</i> 'Waltraut' Waltraut Sneezeweed | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Helenium</i> 'Wyndley' Wyndley Sneezeweed | HP | 1.31 | R2 | 3-4 | 5-8 | | | |
| <i>Helenium amarum</i> Fine-Leaved Sneezeweed | HP | 0.71 | R2 | 5-7 | 8 | | | |
| <i>Helenium amarum</i> 'Dakota Gold' P.P.A.F. Dakota Gold Bitterweed | HP | 0.71 | R2 | 5-7 | 8 | | | |
| <i>Helenium autumnale</i> Sneezeweed | HP | 1.06 | R2 | 3-4 | 5-8 | | | |
| <i>Helenium autumnale</i> 'Baudirektor Linne' Baudirektor Linne Sneezeweed | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Helenium autumnale</i> 'Bruno' Bruno Sneezeweed | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Helenium autumnale</i> 'Kugelsonne' Kugelsonne Sneezeweed | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Helenium autumnale</i> 'Moerheim Beauty' Moerheim Beauty Sneezeweed | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Helenium autumnale</i> 'Praecox' Praecox Sneezeweed | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Helenium autumnale</i> 'Pumilum Magnificum' Pumilum Magnificum Sneezeweed | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Helenium autumnale</i> 'Riverton Beauty' Riverton Beauty Sneezeweed | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Helenium autumnale</i> 'Zimbelstern' Zimbelstern Sneezeweed | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Helenium bigelovii</i> Bigelow Sneezeweed | HP | 1.14 | R2 | 5-7 | 8 | | | |
| <i>Helenium bigelovii</i> 'Tip Top' Tip Top Bigelow Sneezeweed | HP | 1.14 | R2 | 5-7 | 8 | | | |
| <i>Helenium hoopesii</i> Orange Sneezeweed | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Helenium puberulum</i> Rosilla | HP | 0.81 | R2 | 3-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Helenium tenuifolium</i> | | | | | | | | |
| See - <i>Helenium amarum</i> | | | | | | | | |
| <i>Helianthemum</i> Sun Rose | HP | 0.77 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Annabel' Annabel Sun Rose | HP | 0.74 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Belgravia Rose' Belgravia Rose Sun Rose | HP | 0.62 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Ben Ledi' Ben Ledi Sun Rose | HP | 1.09 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Ben Nevis' Ben Nevis Sun Rose | HP | 0.86 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Boule de Fen' Boule de Fen Sun Rose | HP | 0.68 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Brunette' Brunette Sun Rose | HP | 0.77 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Buttercup' Buttercup Sun Rose | HP | 0.62 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Cerise Queen' Cerise Queen Sun Rose | HP | 0.77 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Cheviot' Cheviot Sun Rose | HP | 0.77 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Dazzler' Dazzler Sun Rose | HP | 0.81 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Fire Dragon' Fire Dragon Sun Rose | HP | 0.85 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Henfield Brilliant' Henfield Brilliant Sun Rose | HP | 0.85 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Jubilee' Jubilee Sun Rose | HP | 0.62 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Mesa Rose' Mesa Rose Sun Rose | HP | 0.77 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Mesa Wine' Mesa Wine Sun Rose | HP | 0.77 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Mrs. Mould' Mrs. Mould Sun Rose | HP | 0.87 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Mutabile' Mutabile Sun Rose | HP | 0.77 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Orange Sunrise' Orange Sunrise Sun Rose | HP | 0.77 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Prima Donna' Prima Donna Sun Rose | HP | 0.77 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Raspberry Ripple' Raspberry Ripple Sun Rose | HP | 0.59 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Rhodanthe Carneum' Rhodanthe Carneum Sun Rose | HP | 0.83 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Shot Silk' Shot Silk Sun Rose | HP | 0.62 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Spotlight' Spotlight Sun Rose | HP | 0.74 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'St. Mary's' St. Mary's Sun Rose | HP | 0.93 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Sun Fleck' Sun Fleck Sun Rose | HP | 0.77 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'The Bride' The Bride Sun Rose | HP | 0.62 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum</i> 'Wisley Primrose' Wisley Primrose Sun Rose | HP | 0.87 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthemum apenninum</i> Apennine Sun Rose | HP | 1.00 | R2 | 3-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Helianthemum nummularium</i> Common Sun Rose | HP | 0.94 | R2 | 3-5 | 6-8 | | | |
| <i>Helianthemum nummularium</i> 'Amy Baring' Amy Baring Sun Rose | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Helianthemum nummularium</i> 'Double Apricot' Double Apricot Sun Rose | HP | 0.92 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthus angustifolius</i> Swamp Sunflower | HP | 0.71 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthus angustifolius</i> 'First Light' See - <i>Helianthus salicifolius</i> 'First Light' P.P. 13150 | | | | | | | | |
| <i>Helianthus annuus</i> Annual Sunflower | AN | 1.22 | R2 | 3-7 | 8 | | | |
| <i>Helianthus annuus</i> 'Ballad' Ballad™ Dwarf Common Sunflower | AN | 1.22 | R2 | 3-7 | 8 | | | |
| <i>Helianthus atrorubens</i> Dark-Eye Sunflower | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Helianthus debilis</i> Cucumber-leaf Sunflower | HP | 0.60 | R2 | 6-8 | | | | |
| <i>Helianthus decapetalus</i> Thin-leaf Sunflower | HP | 1.41 | R2 | 3-4 | 5-8 | | | |
| <i>Helianthus decapetalus</i> 'Plenus' Plenus Thin-leaf Sunflower | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Helianthus maximiliani</i> Maximilian Sunflower | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Helianthus microcephalus</i> No Common Name Found | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Helianthus mollis</i> Downy Sunflower | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Helianthus x multiflorus</i> Many-flowered Sunflower | HP | 0.68 | R2 | 3-5 | 6-8 | | | |
| <i>Helianthus x multiflorus</i> 'Capenoch Star' Capenoch Star Many-flowered Sunflower | HP | 0.75 | R2 | 3-5 | 6-8 | | | |
| <i>Helianthus x multiflorus</i> 'Flore-plena' Flore-plena Many-flowered Sunflower | HP | 0.72 | R2 | 3-5 | 6-8 | | | |
| <i>Helianthus x multiflorus</i> 'Lodden Gold' Lodden Gold Many-flowered Sunflower | HP | 0.72 | R2 | 3-5 | 6-8 | | | |
| <i>Helianthus occidentalis</i> Western Sunflower | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Helianthus pauciflorus</i> Showy Sunflower | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Helianthus ridigus</i> See - <i>Helianthus pauciflorus</i> | | | | | | | | |
| <i>Helianthus salicifolius</i> Willowleaf Sunflower | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Helianthus salicifolius</i> 'First Light' P.P. 13150 First Light Willowleaf Sunflower | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Helianthus salicifolius</i> 'Lemon Queen' Lemon Queen Willowleaf Sunflower | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Helianthus salicifolius</i> 'Low Down' P.P. 13197 Low Down Willowleaf Sunflower | HP | 1.06 | R2 | 3-4 | 5-8 | | | |
| <i>Helianthus strumosus</i> No Common Name Found | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Helianthus tomentosus</i> See - <i>Helianthus tuberosus</i> | | | | | | | | |
| <i>Helianthus tuberosus</i> Jerusalem Artichoke | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Helichrysum</i> Strawflower | HP | 0.67 | R2 | 3-8 | | | | |
| <i>Helichrysum</i> 'Honeymoon' See - <i>Helichrysum</i> 'Monow' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Helichrysum</i> 'June Bride' | | | | | | | | |
| See - <i>Helichrysum</i> 'Monse' | | | | | | | | |
| <i>Helichrysum</i> 'Monite' | HP | 0.67 | R2 | 3-8 | | | | |
| Star Struck™ Strawflower | | | | | | | | |
| <i>Helichrysum</i> 'Monld' | HP | 0.67 | R2 | 3-8 | | | | |
| Spring Fever™ Strawflower | | | | | | | | |
| <i>Helichrysum</i> 'Monow' | HP | 0.67 | R2 | 3-8 | | | | |
| Honeymoon™ Strawflower | | | | | | | | |
| <i>Helichrysum</i> 'Monse' | HP | 0.65 | R2 | 3-8 | | | | |
| June Bride™ Strawflower | | | | | | | | |
| <i>Helichrysum</i> 'Spring Fever' | | | | | | | | |
| See - <i>Helichrysum</i> 'Monld' | | | | | | | | |
| <i>Helichrysum</i> 'Star Struck' | | | | | | | | |
| See - <i>Helichrysum</i> 'Monite' | | | | | | | | |
| <i>Helichrysum</i> 'Sun Falls' | HP | 0.68 | R2 | 3-8 | | | | |
| Sun Falls Strawflower | | | | | | | | |
| <i>Helichrysum amorginum</i> | HP | 1.00 | R2 | 5-8 | | | | |
| Strawflower | | | | | | | | |
| <i>Helichrysum amorginum</i> 'Blorub' P.P.A.F. | HP | 1.00 | R2 | 5-8 | | | | |
| Ruby Cluster Strawflower | | | | | | | | |
| <i>Helichrysum amorginum</i> 'Ruby Cluster' | | | | | | | | |
| See - <i>Helichrysum amorginum</i> 'Blorub' P.P.A.F. | | | | | | | | |
| <i>Helichrysum angustifolium</i> | | | | | | | | |
| See - <i>Helichrysum italicum</i> | | | | | | | | |
| <i>Helichrysum aureum</i> | HP | 1.00 | R2 | 7-8 | | | | |
| Yellow Everlasting | | | | | | | | |
| <i>Helichrysum bracteatum</i> | | | | | | | | |
| See - <i>Bracteantha bracteata</i> | | | | | | | | |
| <i>Helichrysum frigidum</i> | HP | 1.00 | R2 | 6-8 | | | | |
| Hoary Everlasting | | | | | | | | |
| <i>Helichrysum hookeri</i> | | | | | | | | |
| See - <i>Ozothamnus hookeri</i> | | | | | | | | |
| <i>Helichrysum italicum</i> | HP | 0.65 | R2 | 5-7 | 8 | | | |
| Curry Plant | | | | | | | | |
| <i>Helichrysum milfordiae</i> | HP | 1.00 | R2 | 5-7 | 8 | | | |
| No Common Name Found | | | | | | | | |
| <i>Helichrysum petiolare</i> | HP | 0.71 | R2 | 7-8 | | | | |
| Licorice Plant | | | | | | | | |
| <i>Helichrysum petiolare</i> 'Lemon Licorice' | HP | 0.78 | R2 | 7-8 | | | | |
| Lemon Licorice Plant | | | | | | | | |
| <i>Helichrysum petiolare</i> 'Licorice Splash' | HP | 0.96 | R2 | 7-8 | | | | |
| Licorice Splash Licorice Plant | | | | | | | | |
| <i>Helichrysum petiolare</i> 'Limelight' | HP | 0.74 | R2 | 7-8 | | | | |
| Limelight Licorice Plant | | | | | | | | |
| <i>Helichrysum petiolare</i> 'Minus' | HP | 0.78 | R2 | 7-8 | | | | |
| Minus Licorice Plant | | | | | | | | |
| <i>Helichrysum petiolare</i> 'Petitie Licorice' | HP | 0.78 | R2 | 7-8 | | | | |
| Petite Licorice Plant | | | | | | | | |
| <i>Helichrysum petiolare</i> 'Variegatum' | HP | 0.70 | R2 | 7-8 | | | | |
| Variegated Licorice Plant | | | | | | | | |
| <i>Helichrysum petiolare</i> 'White Licorice' | HP | 0.78 | R2 | 7-8 | | | | |
| White Licorice Plant | | | | | | | | |
| <i>Helichrysum petiolatum</i> | | | | | | | | |
| See - <i>Helichrysum petiolare</i> | | | | | | | | |
| <i>Helichrysum selago</i> | | | | | | | | |
| See - <i>Ozothamnus selago</i> | | | | | | | | |
| <i>Helichrysum sessilioides</i> | HP | 1.00 | R2 | 7-8 | | | | |
| No Common Name Found | | | | | | | | |
| <i>Helichrysum sibthorpii</i> | HP | 1.00 | R2 | 5-7 | 8 | | | |
| No Common Name Found | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Helichrysum thianschanicum</i> Icicles Licorice Plant | HP | 0.84 | R2 | 5-8 | | | | |
| <i>Helichrysum thianschanicum</i> 'Icicles' See - <i>Helichrysum thianschanicum</i> | | | | | | | | |
| <i>Helichrysum virgineum</i> See - <i>Helichrysum sibthorpii</i> | | | | | | | | |
| <i>Heliconia</i> False Bird of Paradise | HP | 1.57 | R2 | 8 | | | | |
| <i>Heliconia</i> 'Criswick' Criswick Heliconia | HP | 1.53 | R2 | 8 | | | | |
| <i>Heliconia</i> 'Jacquinii' Jacquinii Heliconia | HP | 1.48 | R2 | 8 | | | | |
| <i>Heliconia</i> 'Kawauchi' Kawauchi Heliconia | HP | 1.54 | R2 | 8 | | | | |
| <i>Heliconia</i> 'Richmond' Richmond Heliconia | HP | 1.74 | R2 | 8 | | | | |
| <i>Heliconia angusta</i> No Common Name Found | HP | 1.49 | R2 | 8 | | | | |
| <i>Heliconia angusta</i> 'Holiday' Holiday Heliconia | HP | 1.34 | R2 | 8 | | | | |
| <i>Heliconia angusta</i> 'Orange Christmas' Orange Christmas Ginger | HP | 1.34 | R2 | 8 | | | | |
| <i>Heliconia angusta</i> 'Red Christmas' Red Christmas Ginger | HP | 1.41 | R2 | 8 | | | | |
| <i>Heliconia angusta</i> 'Yellow Christmas' Yellow Christmas Ginger | HP | 1.13 | R2 | 8 | | | | |
| <i>Heliconia bihai</i> Wild Plantain | HP | 1.02 | R2 | 8 | | | | |
| <i>Heliconia bihai</i> 'Chocolate Dancer' Chocolate Dancer Wild Plantain | HP | 1.38 | R2 | 8 | | | | |
| <i>Heliconia bihai</i> 'Yellow Dancer' Yellow Dancer Wild Plantain | HP | 1.73 | R2 | 8 | | | | |
| <i>Heliconia caribaea</i> Caribbean Heliconia | HP | 1.18 | R2 | 8 | | | | |
| <i>Heliconia caribaea</i> 'Gold' Gold Caribbean Heliconia | HP | 1.78 | R2 | 8 | | | | |
| <i>Heliconia caribaea</i> 'Purpurea' Purple Caribbean Heliconia | HP | 2.37 | R2 | 8 | | | | |
| <i>Heliconia chartacea</i> No Common Name Found | HP | 2.99 | R2 | 8 | | | | |
| <i>Heliconia chartacea</i> 'Sexy Pink' Sexy Pink Wild Plantain | HP | 2.99 | R2 | 8 | | | | |
| <i>Heliconia collinsiana</i> Waxy-leaved Heliconia | HP | 2.40 | R2 | 8 | | | | |
| <i>Heliconia distans</i> See - <i>Heliconia latispatha</i> | | | | | | | | |
| <i>Heliconia episcopalis</i> No Common Name Found | HP | 1.23 | R2 | 8 | | | | |
| <i>Heliconia hirsuta</i> No Common Name Found | HP | 0.85 | R2 | 8 | | | | |
| <i>Heliconia hirsuta</i> 'Trinidad Red' No Common Name Found | HP | 0.85 | R2 | 8 | | | | |
| <i>Heliconia humilis</i> See - <i>Heliconia bihai</i> | | | | | | | | |
| <i>Heliconia latispatha</i> No Common Name Found | HP | 1.44 | R2 | 8 | | | | |
| <i>Heliconia latispatha</i> 'Orange Gyro' Orange Gyro Bird of Paradise | HP | 1.32 | R2 | 8 | | | | |
| <i>Heliconia lingulata</i> No Common Name Found | HP | 1.64 | R2 | 8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|--|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Heliconia lingulata</i> 'Fan' Fan Heliconia | HP | 1.37 | R2 | 8 | | | |
| <i>Heliconia x nickeriensis</i> No Common Name Found | HP | 1.31 | R2 | 8 | | | |
| <i>Heliconia orthotrica</i> No Common Name Found | HP | 1.51 | R2 | 8 | | | |
| <i>Heliconia pendula</i> No Common Name Found | HP | 1.79 | R2 | 8 | | | |
| <i>Heliconia psittacorum</i> Parrot's Flower | HP | 1.30 | R2 | 8 | | | |
| <i>Heliconia psittacorum</i> 'Alan Carter' Alan Carter Parrot's Flower | HP | 1.14 | R2 | 8 | | | |
| <i>Heliconia psittacorum</i> 'Andromeda' Andromeda Parrot's Flower | HP | 1.15 | R2 | 8 | | | |
| <i>Heliconia psittacorum</i> 'Choconiana' Choconiana Parrot's Flower | HP | 1.16 | R2 | 8 | | | |
| <i>Heliconia psittacorum</i> 'Double B' Double B Parrot's Flower | HP | 1.14 | R2 | 8 | | | |
| <i>Heliconia psittacorum</i> 'Golden Torch' Golden Torch Parrot's Flower | HP | 1.58 | R2 | 8 | | | |
| <i>Heliconia psittacorum</i> 'Kathy' Kathy Parrot's Flower | HP | 1.14 | R2 | 8 | | | |
| <i>Heliconia psittacorum</i> 'Keanea' Keanea Parrot's Flower | HP | 0.80 | R2 | 8 | | | |
| <i>Heliconia psittacorum</i> 'Lady Di' Lady Di Parrot's Flower | HP | 1.13 | R2 | 8 | | | |
| <i>Heliconia psittacorum</i> 'Lizette' Lizette Parrot's Flower | HP | 1.14 | R2 | 8 | | | |
| <i>Heliconia psittacorum</i> 'Petra' Petra Parrot's Flower | HP | 1.16 | R2 | 8 | | | |
| <i>Heliconia psittacorum</i> 'Pinky' Pinky Parrot's Flower | HP | 1.14 | R2 | 8 | | | |
| <i>Heliconia psittacorum</i> 'Red Vee' Red Vee Parrot's Flower | HP | 1.14 | R2 | 8 | | | |
| <i>Heliconia psittacorum</i> 'Rosa' Rosa Parrot's Flower | HP | 1.14 | R2 | 8 | | | |
| <i>Heliconia psittacorum</i> 'Rosi' Rosi Parrot's Flower | HP | 1.16 | R2 | 8 | | | |
| <i>Heliconia psittacorum</i> 'Sassy' Sassy Parrot's Flower | HP | 0.84 | R2 | 8 | | | |
| <i>Heliconia psittacorum</i> 'Sherbet' Sherbet Parrot's Flower | HP | 1.14 | R2 | 8 | | | |
| <i>Heliconia psittacorum</i> 'St. Vincent Red' St. Vincent Red Parrot's Flower | HP | 0.93 | R2 | 8 | | | |
| <i>Heliconia psittacorum</i> 'Strawberries and Cream' Strawberries and Cream Parrot's Flower | HP | 1.14 | R2 | 8 | | | |
| <i>Heliconia psittacorum</i> 'Tangerine' Tangerine Parrot's Flower | HP | 1.37 | R2 | 8 | | | |
| <i>Heliconia rostrata</i> Lobster Claw | HP | 1.55 | R2 | 8 | | | |
| <i>Heliconia stricta</i> Stricta Heliconia | HP | 1.47 | R2 | 8 | | | |
| <i>Heliconia stricta</i> 'Bucky' Bucky Stricta Heliconia | HP | 1.33 | R2 | 8 | | | |
| <i>Heliconia stricta</i> 'Carli's Sharonii' Carli's Sharonii Stricta Heliconia | HP | 1.71 | R2 | 8 | | | |
| <i>Heliconia stricta</i> 'Dimples' Dimples Stricta Heliconia | HP | 1.49 | R2 | 8 | | | |
| <i>Heliconia stricta</i> 'Dorado Gold' Dorado Gold Stricta Heliconia | HP | 1.01 | R2 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|--|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Heliconia stricta</i> 'Dwarf Jamaican' Dwarf Jamaican Stricta Heliconia | HP | 1.79 | R2 | 8 | | | |
| <i>Heliconia stricta</i> 'Fire Bird' Fire Bird Stricta Heliconia | HP | 1.49 | R2 | 8 | | | |
| <i>Heliconia stricta</i> 'Iris Bannochie' Iris Bannochie Stricta Heliconia | HP | 1.39 | R2 | 8 | | | |
| <i>Heliconia stricta</i> 'Tagami' Tagami Stricta Heliconia | HP | 1.54 | R2 | 8 | | | |
| <i>Heliconia wagneriana</i> Wagner Heliconia | HP | 1.74 | R2 | 8 | | | |
| <i>Helictotrichon sempervirens</i> Avena | HP | 1.24 | R2 | 3-4 | 5-8 | | |
| <i>Helictotrichon sempervirens</i> 'Saphirsprundel' Saphirsprundel Avena | HP | 1.15 | R2 | 3-4 | 5-8 | | |
| <i>Heliopsis helianthoides</i> False Sunflower | HP | 1.09 | R2 | 3-4 | 5-8 | | |
| <i>Heliopsis helianthoides</i> 'Bressingham Doubleloon' P.P. 11270 Bressingham Doubleloon False Sunflower | HP | 1.08 | R2 | 3-4 | 5-8 | | |
| <i>Heliopsis helianthoides</i> 'Prairie Sunset' P.P. 13779 Prairie Sunset False Sunflower | HP | 1.70 | R2 | 3-4 | 5-8 | | |
| <i>Heliopsis helianthoides</i> 'Tuscan Sun' P.P.A.F. Tuscan Sun False Sunflower | HP | 1.16 | R2 | 3-4 | 5-8 | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> Rough Heliopsis | HP | 0.89 | R2 | 3-4 | 5-8 | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Asahi' P.P.A.F. Asahi Rough Heliopsis | HP | 0.89 | R2 | 3-4 | 5-8 | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Ballerina' Ballerina Rough Heliopsis | HP | 0.88 | R2 | 3-4 | 5-8 | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Goldgefieder' Goldgefieder Rough Heliopsis | HP | 0.89 | R2 | 3-4 | 5-8 | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Goldgrunherz' Goldgrunherz Rough Heliopsis | HP | 0.77 | R2 | 3-4 | 5-8 | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Hohlspiegel' Hohlspiegel Rough Heliopsis | HP | 0.89 | R2 | 3-4 | 5-8 | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Incomparabilis' Incomparabilis Rough Heliopsis | HP | 0.87 | R2 | 3-4 | 5-8 | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Karat' Karat Rough Heliopsis | HP | 0.77 | R2 | 3-4 | 5-8 | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Lorraine Sunshine' P.P. 10690 Lorraine Sunshine Rough Heliopsis | HP | 0.90 | R2 | 3-4 | 5-8 | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Sommersonne' Sommersonne Rough Heliopsis | HP | 0.91 | R2 | 3-4 | 5-8 | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Summer Nights' Summer Nights Rough Heliopsis | HP | 1.18 | R2 | 3-4 | 5-8 | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Summer Sun' See - <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Sommersonne' | | | | | | | |
| <i>Heliopsis helianthoides</i> ssp. <i>scabra</i> 'Venus' Venus Rough Heliopsis | HP | 0.80 | R2 | 3-4 | 5-8 | | |
| <i>Heliotropium amplexicaule</i> Creeping Heliotrope | HP | 0.79 | R2 | 8 | | | |
| <i>Heliotropium amplexicaule</i> 'Azure Skies' Azure Skies Creeping Heliotrope | HP | 0.79 | R2 | 8 | | | |
| <i>Heliotropium arborescens</i> Heliotrope | HP | 0.63 | R2 | 8 | | | |
| <i>Heliotropium arborescens</i> 'Alba' White Heliotrope | HP | 0.66 | R2 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|--------------|--------|----|-----------|---------|-------------|----------------------|---------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Heliotropium arborescens</i> 'Atlanta' P.P. 11326 Atlantis Heliotrope | HP | 0.68 | R2 | 8 | | | | |
| <i>Heliotropium arborescens</i> 'Atlantis' See - <i>Heliotropium arborescens</i> 'Atlanta' P.P. 11326 | | | | | | | | |
| <i>Heliotropium arborescens</i> 'Black Beauty' Black Beauty Heliotrope | HP | 0.61 | R2 | 8 | | | | |
| <i>Heliotropium arborescens</i> 'Blue Wonder' Blue Wonder Heliotrope | HP | 0.68 | R2 | 8 | | | | |
| <i>Heliotropium arborescens</i> 'Fragrant Delight' Fragrant Delight Heliotrope | HP | 0.79 | R2 | 8 | | | | |
| <i>Heliotropium arborescens</i> 'Iowa' Iowa Heliotrope | HP | 1.41 | R2 | 8 | | | | |
| <i>Heliotropium arborescens</i> 'Marine' Marine Heliotrope | HP | 0.69 | R2 | 8 | | | | |
| <i>Heliotropium arborescens</i> 'Mini Marine' Mini Marine Heliotrope | HP | 0.78 | R2 | 8 | | | | |
| <i>Heliotropium arborescens</i> 'Nagano' Nagano Heliotrope | HP | 0.78 | R2 | 8 | | | | |
| <i>Helleborus argutifolius</i> Corsican Hellebore | HP | 1.35 | R2 | 3-6 | 7-8 | | | |
| <i>Helleborus argutifolius</i> 'Pacific Frost' Pacific Frost Corsican Hellebore | HP | 1.52 | R2 | 3-6 | 7-8 | | | |
| <i>Helleborus argutifolius</i> 'Silver Lace' Silver Lace Corsican Hellebore | HP | 1.69 | R2 | 3-6 | 7-8 | | | |
| <i>Helleborus atrorubens</i> No Common Name Found | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Helleborus corsicus</i> See - <i>Helleborus argutifolius</i> | | | | | | | | |
| <i>Helleborus cyclophyllus</i> No Common Name Found | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Helleborus xericsmithii</i> Hellebore | HP | 3.50 | R2 | 3-6 | 7-8 | | | |
| <i>Helleborus foetidus</i> Bearsfoot Hellebore | HP | 1.50 | R2 | 3-6 | 7-8 | | | |
| <i>Helleborus x hybridus</i> Hybrid Hellebore | HP | 2.79 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus x hybridus</i> 'Ashwood Garden Hybrids' Ashwood Garden Hybrids Lenten Rose | HP | 1.25 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus x hybridus</i> 'Ballard Strain' Ballard Strain Lenten Rose | HP | 1.74 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus x hybridus</i> 'Blue Lady' Blue Lady Lenten Rose | HP | 1.41 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus x hybridus</i> 'Blue Metallic Lady' Blue Metallic Lady Lenten Rose | HP | 1.74 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus x hybridus</i> 'Double Queen' Double Queen Lenten Rose | HP | 1.74 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus x hybridus</i> 'Double Vision' Double Vision Lenten Rose | HP | 1.62 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus x hybridus</i> 'Gold Finch' Gold Finch Lenten Rose | HP | 1.74 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus x hybridus</i> 'Immanence Courage' Immanence Courage Lenten Rose | HP | 1.27 | R2 | 3-5 | 6-8 | | | |
| <i>Helleborus x hybridus</i> 'Immanence Melody' Immanence Melody Lenten Rose | HP | 1.27 | R2 | 3-5 | 6-8 | | | |
| <i>Helleborus x hybridus</i> 'Immanence Series' Immanence Series Lenten Rose | HP | 1.27 | R2 | 3-5 | 6-8 | | | |
| <i>Helleborus x hybridus</i> 'Ivory Prince' See - <i>Helleborus x hybridus</i> 'Walhelivor' P.P. 16199 | | | | | | | | |
| <i>Helleborus x hybridus</i> 'Kingston Cardinal' Kingston Cardinal Lenten Rose | HP | 1.74 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Helleborus x hybridus</i> 'Lady Series' Lady Series Lenten Rose | HP | 1.74 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus x hybridus</i> 'Mrs. Betty Ranicar' Mrs. Betty Ranicar Lenten Rose | HP | 4.00 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus x hybridus</i> 'Picotee' Picotee Lenten Rose | HP | 2.40 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus x hybridus</i> 'Pink Lady' Pink Lady Lenten Rose | HP | 1.61 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus x hybridus</i> 'Red Lady' Red Lady Lenten Rose | HP | 1.43 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus x hybridus</i> 'Royal Heritage' Royal Heritage™ Lenten Rose | HP | 1.73 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus x hybridus</i> 'Snow Bunting' Snow Bunting Lenten Rose | HP | 1.74 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus x hybridus</i> 'Snow White' See - <i>Helleborus x hybridus</i> 'Snow Bunting' | | | | | | | | |
| <i>Helleborus x hybridus</i> 'Sunshine Strain' Sunshine Strain Lenten Rose | HP | 1.46 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus x hybridus</i> 'Walhelivor' P.P. 16199 Ivory Prince Hybrid Hellebore | HP | 1.40 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus x hybridus</i> 'White Lady' White Lady Lenten Rose | HP | 1.74 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus x hybridus</i> 'White Spotted Lady' White Spotted Lady Lenten Rose | HP | 1.52 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus x hybridus</i> 'Winter Queen' Winter Queen® Hybrid Lenten Rose | HP | 1.62 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus x hybridus</i> 'Yellow Lady' Yellow Lady Lenten Rose | HP | 1.52 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus niger</i> Christmas Rose | HP | 1.45 | R2 | 3-5 | 6-8 | | | |
| <i>Helleborus niger</i> 'Double Fantasy' Double Fantasy Christmas Rose | HP | 2.05 | R2 | 3-5 | 6-8 | | | |
| <i>Helleborus niger</i> 'HGC Jacob' P.P. 17799 HGC Jacob® Christmas Rose | HP | 1.75 | R2 | 3-5 | 6-8 | | | |
| <i>Helleborus niger</i> 'HGC Josef Lemper' P.P. 15615 HGC Josef Lemper® Christmas Rose | HP | 1.75 | R2 | 3-5 | 6-8 | | | |
| <i>Helleborus niger</i> 'White Magic' White Magic Christmas Rose | HP | 1.75 | R2 | 3-5 | 6-8 | | | |
| <i>Helleborus x nigercors</i> No Common Name Found | HP | 3.50 | R2 | 3-6 | 7-8 | | | |
| <i>Helleborus x nigercors</i> 'Green Heron' Green Heron Hybrid Hellebore | HP | 3.50 | R2 | 3-6 | 7-8 | | | |
| <i>Helleborus x nigercors</i> 'Snow Love' P.P.A.F. Snow Love Hybrid Hellebore | HP | 3.50 | R2 | 3-6 | 7-8 | | | |
| <i>Helleborus x nigercors</i> 'Valentine Green' Valentine Green Hybrid Hellebore | HP | 3.50 | R2 | 3-6 | 7-8 | | | |
| <i>Helleborus odorus</i> No Common Name Found | HP | 1.13 | R2 | 3-6 | 7-8 | | | |
| <i>Helleborus orientalis</i> Lenten Rose | HP | 1.44 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus orientalis</i> 'Blue Lady' See - <i>Helleborus x hybridus</i> 'Blue Lady' | | | | | | | | |
| <i>Helleborus orientalis</i> 'Red Lady' See - <i>Helleborus x hybridus</i> 'Red Lady' | | | | | | | | |
| <i>Helleborus orientalis</i> 'Ruse Black' Ruse Black Lenten Rose | HP | 2.39 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus orientalis</i> 'Ruse Pink' Ruse Pink Lenten Rose | HP | 2.17 | R2 | 3-4 | 5-8 | | | |
| <i>Helleborus orientalis</i> 'Ruse Rose' Ruse Rose Lenten Rose | HP | 2.17 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Helleborus purpurascens</i> No Common Name Found | HP | 1.73 | R2 | 3-5 | 6-8 | | | |
| <i>Helleborus x sternii</i> No Common Name Found | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Helleborus x sternii</i> 'Fire and Ice' Fire and Ice Lenten Rose | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Helleborus viridis</i> Green Hellebore | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Helwingia chinensis</i> Helwingia | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Helxine soleirolii</i> See - <i>Soleirolia soleirolii</i> | | | | | | | | |
| <i>Hemerocallis</i> Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Across the Miles' Across the Miles Daylily | HP | 0.50 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Addie Branch Smith' Addie Branch Smith Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Adjective' Adjective Daylily | HP | 1.44 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Agape Love' Agape Love Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Alaska Gold' Alaska Gold Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Alec Allen' Alec Allen Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Alice in Wonderland' Alice in Wonderland Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'All Day Glow' All Day Glow Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'All Fired Up' All Fired Up Daylily | HP | 1.54 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Allapatha' Allapatha Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Allison' Allison Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Alluring Peach' Alluring Peach Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Along The Way' Along The Way Daylily | HP | 0.98 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Always Afternoon' Always Afternoon Daylily | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Amarillo' Amarillo Daylily | HP | 0.97 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Amen' Amen Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'American Elite Mix' American Elite Mix Daylily | HP | 0.78 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'American Folklife' American Folklife Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'American Pastels' American Pastels Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'American Revolution' American Revolution Daylily | HP | 0.79 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Amethystine' Amethystine Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Andy' Andy Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Angel Mine' Angel Mine Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hemerocallis</i> 'Angel Sublime' Angel Sublime Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Angel's Delight' Angel's Delight Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ann Abbott' Ann Abbott Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Anna Warner' Anna Warner Daylily | HP | 1.15 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Anne Butcher' Anne Butcher Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Antietam' Antietam Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Anzac' Anzac Daylily | HP | 1.11 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Apollodorus' Apollodorus Daylily | HP | 0.63 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Apple Tart' Apple Tart Daylily | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Apricot Beauty' Apricot Beauty Daylily | HP | 0.80 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Apricot Cherry' Apricot Cherry Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Apricot Surprise' Apricot Surprise Daylily | HP | 1.58 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Apricot' Apricot Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Aquarius' Aquarius Daylily | HP | 1.08 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Arkansas Post' Arkansas Post Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Around Town' Around Town Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Artist Etching' Artist Etching Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Artistic Masterpiece' Artistic Masterpiece Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Atem' Atem Daylily | HP | 0.70 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Aten' Aten Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Atlanta Full House' Atlanta Full House Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Atlanta Moonlight' Atlanta Moonlight Daylily | HP | 1.26 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Attention Please' Attention Please Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'August Bright' August Bright Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'August Flame' August Flame Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'August Ruby' August Ruby Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Aurora Raspberry' Aurora Raspberry Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Austin and Faye' Austin and Faye Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Autumn Lace' Autumn Lace Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Autumn Minaret' Autumn Minaret Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Autumn Red' Autumn Red Daylily | HP | 1.22 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Awakening Dream' Awakening Dream Daylily | HP | 1.20 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Aztec Gold' Aztec Gold Daylily | HP | 0.82 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Baby Betsy' Baby Betsy Daylily | HP | 0.52 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Baby Julia' Baby Julia Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Baby Moon' Baby Moon Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Baby Princess' Baby Princess Daylily | HP | 1.02 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Baja' Baja Daylily | HP | 1.01 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Bald Eagle' Bald Eagle Daylily | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Baley Hay' Baley Hay Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ballerina' Ballerina Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Baltimore Oriole' Baltimore Oriole Daylily | HP | 0.92 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Bama Maid' Bama Maid Daylily | HP | 1.15 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Bama Music' Bama Music Daylily | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Barbara Mitchell' Barbara Mitchell Daylily | HP | 1.19 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Barbary Corsair' Barbary Corsair Daylily | HP | 0.98 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Beautiful Morning' Beautiful Morning Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Beloved Country' Beloved Country Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Bertie Ferris' Bertie Ferris Daylily | HP | 0.92 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Best of Friends' Best of Friends Daylily | HP | 1.21 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Better Believe It' Better Believe It Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Big Bird' Big Bird Daylily | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Big Buster' Big Buster Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Big League' Big League Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Big Splash' Big Splash Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Big Time Happy' Big Time Happy Daylily | HP | 0.80 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Big Wig' Big Wig Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Biggie' Biggie Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Bite Size' Bite Size Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Bitsy' Bitsy Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|--------------|---------|-------------|-----------|---------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Bittersweet Honey' Bittersweet Honey Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Black Eyed Stella' P.P. 7909 Black Eyed Stella Daylily | HP | 1.06 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Black Eyed Susan' Black Eyed Susan Daylily | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Black Plush' Black Plush Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Black Prince' Black Prince Daylily | HP | 0.80 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Blazing Sun' Blazing Sun Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Blessed Peace' Blessed Peace Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Blonde Goddess' Blonde Goddess Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Blue Sheen' Blue Sheen Daylily | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Blushing Valentine' Blushing Valentine Daylily | HP | 1.26 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Bold One' Bold One Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Bold Streaker' Bold Streaker Daylily | HP | 1.07 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Bonanza' Bonanza Daylily | HP | 1.09 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Bonnie Barbara Allen' Bonnie Barbara Allen Daylily | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Bonny Hour' Bonny Hour Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Border Baby' Border Baby Daylily | HP | 1.14 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Border Beauty' Border Beauty Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Border Honey' Border Honey Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Border Lord' Border Lord Daylily | HP | 1.20 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Border Star' Border Star Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Bountiful Valley' Bountiful Valley Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Bowl of Roses' Bowl of Roses Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Bozo' Bozo Daylily | HP | 0.76 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Brackel' Brackel Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Breathless Beauty' Breathless Beauty Daylily | HP | 1.26 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Bright Banner' Bright Banner Daylily | HP | 0.63 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Bright Sunset' Bright Sunset Daylily | HP | 1.44 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Broadway Lullaby' Broadway Lullaby Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Brocaded Gown' Brocaded Gown Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Bronze' Bronze Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Bunting' Bunting Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Burgundy Bud' Burgundy Bud Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Burgundy Velvet' Burgundy Velvet Daylily | HP | 0.53 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Buried Treasure' Buried Treasure Daylily | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Burning Daylight' Burning Daylight Daylily | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Buttercurls' Buttercurls Daylily | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Buttered Popcorn' Buttered Popcorn Daylily | HP | 0.80 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Butterflake' Butterflake Daylily | HP | 0.45 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Butterfly Kisses' Butterfly Kisses Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Butterpat' Butterpat Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Butterscotch Ruffles' Butterscotch Ruffles Daylily | HP | 0.82 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Butterworth' Butterworth Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Buzz Bomb' Buzz Bomb Daylily | HP | 1.23 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'By Myself' By Myself Daylily | HP | 0.58 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Camden Gold Dollar' Camden Gold Dollar Daylily | HP | 1.03 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Campfire Embers' Campfire Embers Daylily | HP | 1.34 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Canadian Border Patrol' Canadian Border Patrol Daylily | HP | 1.48 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Canadian Goose' Canadian Goose Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Canary Glow' Canary Glow Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Candy Apple' Candy Apple Daylily | HP | 0.80 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cantique' Cantique Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Caprician Fiesta' Caprician Fiesta Daylily | HP | 1.37 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cara Mia' Cara Mia Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Caramel Valley' Caramel Valley Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Carefree Browneye Susan' Carefree Browneye Susan Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Carefree Peach' Carefree Peach Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Carey Quinn' Carey Quinn Daylily | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Carmen Marie' Carmen Marie Daylily | HP | 0.64 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Carolyn Criswell' Carolyn Criswell Daylily | HP | 0.91 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Carousel Capers' Carousel Capers Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Carousel Princess' Carousel Princess Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Casedenia' Casedenia Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Castilian' Castilian Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cat Dancer' Cat Dancer Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Catherine Woodbery' Catherine Woodbery Daylily | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cedar Waxwing' Cedar Waxwing Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Channel Islands' Channel Islands Daylily | HP | 1.03 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Charles Johnson' Charles Johnson Daylily | HP | 1.07 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chartreuse Magic' Chartreuse Magic Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cheek to Cheek' Cheek to Cheek Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cherry Cheeks' Cherry Cheeks Daylily | HP | 1.22 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cherry Lace' Cherry Lace Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Antique Tapestry' Chicago Antique Tapestry Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Apache' Chicago Apache Daylily | HP | 1.18 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Arnie's Choice' Chicago Arnie's Choice Daylily | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Atlas' Chicago Atlas Daylily | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Aztec' Chicago Aztec Daylily | HP | 1.16 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Blue Eyes' Chicago Blue Eyes Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Candy Cane' Chicago Candy Cane Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Cattelya' Chicago Cattelya Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Cherry' Chicago Cherry Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Comanche' Chicago Comanche Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Coral' Chicago Coral Daylily | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Fire' Chicago Fire Daylily | HP | 1.02 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Full Moon' Chicago Full Moon Daylily | HP | 0.88 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Gold Coast' Chicago Gold Coast Daylily | HP | 0.89 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Gold Strike' Chicago Gold Strike Daylily | HP | 1.16 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Gown' Chicago Gown Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Happiness' Chicago Happiness Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Heirloom' Chicago Heirloom Daylily | HP | 0.83 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Chicago Jewel' Chicago Jewel Daylily | HP | 1.17 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Knobby' Chicago Knobby Daylily | HP | 0.91 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Knockout' Chicago Knockout Daylily | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Orchid' Chicago Orchid Daylily | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Pansy' Chicago Pansy Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Peach Parfait' Chicago Peach Parfait Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Peach' Chicago Peach Daylily | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Petite Lace' Chicago Petite Lace Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Petticoats' Chicago Petticoats Daylily | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Picotee Memories' Chicago Picotee Memories Daylily | HP | 0.92 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Picotee Pride' Chicago Picotee Pride Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Pink Peace' Chicago Pink Peace Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Plum Pudding' Chicago Plum Pudding Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Princess' Chicago Princess Daylily | HP | 1.07 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Queen' Chicago Queen Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Rosy' Chicago Rosy Daylily | HP | 0.76 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Royal Crown' Chicago Royal Crown Daylily | HP | 1.03 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Royal Heritage' Chicago Royal Heritage Daylily | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Royal Robe' Chicago Royal Robe Daylily | HP | 0.91 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Royal' Chicago Royal Daylily | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Scintillation' Chicago Scintillation Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Silver' Chicago Silver Daylily | HP | 0.60 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Sugarplum' Chicago Sugarplum Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Sunrise' Chicago Sunrise Daylily | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Violet' Chicago Violet Daylily | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chicago Weathermaster' Chicago Weathermaster Daylily | HP | 1.29 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Child Bride' Child Bride Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Children's Festival' Children's Festival Daylily | HP | 1.36 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chinese Scholar' Chinese Scholar Daylily | HP | 0.74 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chloe' Chloe Daylily | HP | 0.64 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Choral Angel' Choral Angel Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chorus Line' Chorus Line Daylily | HP | 1.37 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Chosen Love' Chosen Love Daylily | HP | 0.58 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Christmas Candles' Christmas Candles Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Christmas Carol' Christmas Carol Daylily | HP | 0.84 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Christmas Is' Christmas Is Daylily | HP | 0.83 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Christmas Time' Christmas Time Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cinnamon Glow' Cinnamon Glow Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cinnamon Pleasure' Cinnamon Pleasure Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Classic Golden Splendor' Classic Golden Splendor Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Classic Simplicity' Classic Simplicity Daylily | HP | 1.09 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Classy Lassie' Classy Lassie Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cleo' Cleo Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Close Up' Close Up Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'College Try' College Try Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Color Pageant' Color Pageant Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Colorful Summer' Colorful Summer Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Comedienne' Comedienne Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Coming Up Roses' Coming Up Roses Daylily | HP | 1.26 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Commandment' Commandment Daylily | HP | 1.07 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Condilla' Condilla Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cookie Monster' Cookie Monster Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cooling Fountain' Cooling Fountain Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Copper Dawn' Copper Dawn Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Copper Delight' Copper Delight Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Copper Medallion' Copper Medallion Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Copper Summer' Copper Summer Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Coral Mist' Coral Mist Daylily | HP | 0.92 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Corky' Corky Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Corryton Pink' Corryton Pink Daylily | HP | 1.13 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Countess Carrots' Countess Carrots Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Country Club' Country Club Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Country Fair Winds' Country Fair Winds Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Country Lane' Country Lane Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Country Melody' Country Melody Daylily | HP | 1.09 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Country Stroll' Country Stroll Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Country Uncle' Country Uncle Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cradle Song' Cradle Song Daylily | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cradle' Cradle Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cranberry Baby' Cranberry Baby Daylily | HP | 0.88 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cream Cloud' Cream Cloud Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cream Drop' Cream Drop Daylily | HP | 1.20 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cream Pudding' Cream Pudding Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Creative Art' Creative Art Daylily | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Crestwood Ann' Crestwood Ann Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cricket' Cricket Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Crimson Pirate' Crimson Pirate Daylily | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Crimson Shadows' Crimson Shadows Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Crown' Crown Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Crystal Cupid' Crystal Cupid Daylily | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Crystal Tide' Crystal Tide Daylily | HP | 0.64 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cub Scout' Cub Scout Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Curls' Curls Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Custard Candy' Custard Candy Daylily | HP | 1.22 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Cutie Pie' Cutie Pie Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dacquiri' Dacquiri Daylily | HP | 0.97 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dad's Best White' Dad's Best White Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dainty Deb' Dainty Deb Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dallas Lass' Dallas Lass Daylily | HP | 0.62 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dancing Heart' Dancing Heart Daylily | HP | 1.37 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Dancing Shiva' Dancing Shiva Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Danish Style' Danish Style Daylily | HP | 0.61 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Daring Dilemma' Daring Dilemma Daylily | HP | 1.22 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Darius' Darius Daylily | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dark Ruby' Dark Ruby Daylily | HP | 1.22 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dark Star' Dark Star Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Date Book' Date Book Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dawn Ballet' Dawn Ballet Daylily | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dawning Light' Dawning Light Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Decatur Cherry Smash' Decatur Cherry Smash Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Decatur Double' Decatur Double Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Decatur Gold' Decatur Gold Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Decatur Light' Decatur Light Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Delicately Yours' Delicately Yours Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Demetrius' Demetrius Daylily | HP | 1.13 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Denmark' Denmark Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Derby Bound' Derby Bound Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Designer Gown' Designer Gown Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dewey Fresh' Dewey Fresh Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Display' Display Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Divine Gift' Divine Gift Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Doll House' Doll House Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dominic' Dominic Daylily | HP | 1.09 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dorothy Lambert' Dorothy Lambert Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Double Almond' Double Almond Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Double Charm' Double Charm Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Double Cutie' Double Cutie Daylily | HP | 0.70 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Double Daffodil' Double Daffodil Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Double Delight' Double Delight Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Double Dream' Double Dream Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Double Firecracker' Double Firecracker Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Double Gold' Double Gold Daylily | HP | 0.74 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Double Honey' Double Honey Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Double Jackpot' Double Jackpot Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Double Lemon' Double Lemon Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Double Oh' Double Oh Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Double Peach Charmer' Double Peach Charmer Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Double Persimmon' Double Persimmon Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Double Pompon' Double Pompon Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Double Recurve' Double Recurve Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Double River Wye' Double River Wye Daylily | HP | 0.80 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Double Talk' Double Talk Daylily | HP | 1.16 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dover' Dover Daylily | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Down Town' Down Town Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dracula' Dracula Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dragon Lore' Dragon Lore Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dragon Mouth' Dragon Mouth Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dragons Eye' Dragons Eye Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dream Baby' Dream Baby Daylily | HP | 1.25 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dream Date' Dream Date Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dresden Beauty' Dresden Beauty Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dress Circle' Dress Circle Daylily | HP | 0.74 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Duke of Durham' Duke of Durham Daylily | HP | 1.12 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dutch Treat' Dutch Treat Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Dwarf Peach' Dwarf Peach Daylily | HP | 0.88 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Earlianna' Earlianna Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Early Sunset' Early Sunset Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Easy Ned' Easy Ned Daylily | HP | 1.20 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ed Brown' Ed Brown Daylily | HP | 1.20 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ed Murray' Ed Murray Daylily | HP | 0.97 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Eenie Allegro' Eenie Allegro Daylily | HP | 1.30 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Eenie Chorus' Eenie Chorus Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Eenie Fanfare' Eenie Fanfare Daylily | HP | 0.77 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Eenie Sentry' Eenie Sentry Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Eenie Weenie' Eenie Weenie Daylily | HP | 1.03 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Egyptian Spice' Egyptian Spice Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Elaine Strutt' Elaine Strutt Daylily | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Elegant Candy' Elegant Candy Daylily | HP | 1.27 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Elegant Greetings' Elegant Greetings Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Elfin Stella' Elfin Stella Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Elfin' Elfin Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Elizabeth Salter' Elizabeth Salter Daylily | HP | 1.18 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Emerald Crown' Emerald Crown Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Emerald Gown' Emerald Gown Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Eric Junior' Eric Junior Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Erin Prairie' Erin Prairie Daylily | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Eruption' Eruption Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Etched in Gold' Etched in Gold Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ethel Smith' Ethel Smith Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Evelyn Claar' Evelyn Claar Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Evening Gown' Evening Gown Daylily | HP | 0.92 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Evergreen Aztec' Evergreen Aztec Daylily | HP | 0.66 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Evergreen Gold' Evergreen Gold Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Exaltation' Exaltation Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Exceptional Display' Exceptional Display Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Eye-Yi-Yi' Eye Yi Yi Daylily | HP | 1.33 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ezekial' Ezekial Daylily | HP | 1.42 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Fabula' Fabula Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Fair Annet' Fair Annet Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Fair Isabell' Fair Isabell Daylily | HP | 1.09 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Hemerocallis</i> 'Fairy Bonnet' Fairy Bonnet Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Fairy Charm' Fairy Charm Daylily | HP | 0.68 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Fairy Tale Pink' Fairy Tale Pink Daylily | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Faith Nabor' Faith Nabor Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Fall Glow' Fall Glow Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Family Party' Family Party Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Fashion Model' Fashion Model Daylily | HP | 1.15 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Feather Down' Feather Down Daylily | HP | 1.07 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Fencing Master' Fencing Master Daylily | HP | 1.36 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Fiesta Skirt' Fiesta Skirt Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Final Touch' Final Touch Daylily | HP | 0.88 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Fire Cup' Fire Cup Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Fireside' Fireside Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Firestorm' Firestorm Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'First Stop' First Stop Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Flamboyant Show' Flamboyant Show Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Flames of Fantasy' Flames of Fantasy Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Flamingo' Flamingo Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Flasher' Flasher Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Florissant Charm' Florissant Charm Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Flower Basket' Flower Basket Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Flying Saucer' Flying Saucer Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Fragrant Light' Fragrant Light Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Fragrant Pastel Cheers' Fragrant Pastel Cheers Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Fragrant Treasure' P.P. 8140 Fragrant Treasure Daylily | HP | 1.16 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Frances Fay' Frances Fay Daylily | HP | 0.76 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Frank Gladney' Frank Gladney Daylily | HP | 0.70 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Frankly Scarlet' P.P.A.F. Frankly Scarlet Daylily | HP | 1.55 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Frans Hals' Frans Hals Daylily | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Frilly Ruffles' Frilly Ruffles Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Frosty Beauty' Frosty Beauty Daylily | HP | 0.97 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Frozen Jade' Frozen Jade Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Fuchsia Dream' Fuchsia Dream Daylily | HP | 1.22 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Fuchsia Flame' Fuchsia Flame Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Galena Moon' Galena Moon Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Galliano' Galliano Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Gamblers Prize' Gamblers Prize Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Garden Party' Garden Party Daylily | HP | 0.62 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Garnet Robe' Garnet Robe Daylily | HP | 0.52 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Gentle Country Breeze' Gentle Country Breeze Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Gentle Shepherd' Gentle Shepherd Daylily | HP | 1.48 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Gentleman Lou' Gentleman Lou Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'George Caleb Bingham' George Caleb Bingham Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Georgette Belden' Georgette Belden Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Gertrude Condon' Gertrude Condon Daylily | HP | 0.70 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Giant Fling' Giant Fling Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Girl Scout' Girl Scout Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Glowing Cantaloupe' Glowing Cantaloupe Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Glowing Heart' Glowing Heart Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Going Places' Going Places Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Gold Crown' Gold Crown Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Gold Medallion' Gold Medallion Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Gold Smurf' Gold Smurf Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Gold Star' Gold Star Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Golden Bell' Golden Bell Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Golden Candles' Golden Candles Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Golden Change' Golden Change Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Golden Chimes' Golden Chimes Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Golden Corduroy' Golden Corduroy Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Golden Dewdrop' Golden Dewdrop Daylily | HP | 1.10 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|--------------|---------|-------------|-----------|---------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Golden Gate' Golden Gate Daylily | HP | 1.10 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Golden Gift' Golden Gift Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Golden Ginkgo' Golden Ginkgo Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Golden Mint' Golden Mint Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Golden Navel' Golden Navel Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Golden Peace' Golden Peace Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Golden Plover' Golden Plover Daylily | HP | 1.21 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Golden Prize' Golden Prize Daylily | HP | 1.08 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Golden Riches' Golden Riches Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Golden Sails' Golden Sails Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Golden Sands' Golden Sands Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Golden Sky' Golden Sky Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Golden Slurry' Golden Slurry Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Golden Tycoon' Golden Tycoon Daylily | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Golden Zebra' See - <i>Hemerocallis</i> 'Malja' P.P. 14221 | | | | | | | | |
| <i>Hemerocallis</i> 'Gordon Biggs' Gordon Biggs Daylily | HP | 1.10 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Grace Delight' Grace Delight Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Graceful Eye' Graceful Eye Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Grammie's List' Grammie's List Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Grand Masterpiece' Grand Masterpiece Daylily | HP | 1.48 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Grape Delight' Grape Delight Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Grape Magic' Grape Magic Daylily | HP | 0.94 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Grape Season' Grape Season Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Grape Velvet' Grape Velvet Daylily | HP | 1.07 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Grapette' Grapette Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Grebe' Grebe Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Green Eyes Wink' Green Eyes Wink Daylily | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Green Flutter' Green Flutter Daylily | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Green Glitter' Green Glitter Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Green Mansions' Green Mansions Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Green Tarantula' Green Tarantula Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Gregg's Early Yellow' Gregg's Early Yellow Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Greta' Greta Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ground Master' Ground Master Daylily | HP | 0.52 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Grouse' Grouse Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Guardian Angel' Guardian Angel Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Hall's Pink' Hall's Pink Daylily | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Handiwork' Handiwork Daylily | HP | 1.13 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Happy Apple' Happy Apple Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Happy Returns' Happy Returns Daylily | HP | 1.08 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Hawaiian Party Dress' Hawaiian Party Dress Daylily | HP | 0.97 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Hawaiian Punch' Hawaiian Punch Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Hazel Monette' Hazel Monette Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Hazel Sawyer' Hazel Sawyer Daylily | HP | 1.25 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Heady Wine' Heady Wine Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Hearts of Fire' Hearts of Fire Daylily | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Heavenly Crown' Heavenly Crown Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Heavenly Gem' Heavenly Gem Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Heavenly Harp' Heavenly Harp Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Heavenly Hope' Heavenly Hope Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Heavenly Lace' Heavenly Lace Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Heavenly Peace' Heavenly Peace Daylily | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Heavenly Touch' Heavenly Touch Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Heavenly Treasure' Heavenly Treasure Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Heavens Rejoice' Heavens Rejoice Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Heavens Trophy' Heavens Trophy Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Heidi Edelweiss' Heidi Edelweiss Daylily | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Heirloom Lace' Heirloom Lace Daylily | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Helios' Helios Daylily | HP | 0.60 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Hello Dolly' Hello Dolly Daylily | HP | 1.03 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Hemlock' Hemlock Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Heron' Heron Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Hey There' Hey There Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Hillsdale' Hillsdale Daylily | HP | 1.09 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Honey Redhead' Honey Redhead Daylily | HP | 0.70 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Hope Diamond' Hope Diamond Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Hortensia' Hortensia Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Hosanna' Hosanna Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Houdini' Houdini Daylily | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'How About That' How About That Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Howdy' Howdy Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Hush Little Baby' Hush Little Baby Daylily | HP | 1.33 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Hyperion Elite' Hyperion Elite Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Hyperion Supreme' Hyperion Supreme Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Hyperion' Hyperion Daylily | HP | 0.91 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ice Carnival' Ice Carnival Daylily | HP | 1.16 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ice Show' Ice Show Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Icecap' Icecap Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Icy Clouds' Icy Clouds Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Imperial Guard' Imperial Guard Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Imperial Lemon' Imperial Lemon Daylily | HP | 1.67 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Indian Love Call' Indian Love Call Daylily | HP | 0.97 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Indian Paintbrush' Indian Paintbrush Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Indian Sky' Indian Sky Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Irish Elf' Irish Elf Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Irish Heart' Irish Heart Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Irish Ice' Irish Ice Daylily | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Irish Limerick' Irish Limerick Daylily | HP | 0.96 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Isaac' Isaac Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Isaiah' Isaiah Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Island Sand Dollar' Island Sand Dollar Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Iverson's Orange' Iverson's Orange Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Iverson's Red' Iverson's Red Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Iverson's Yellow' Iverson's Yellow Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ivory Snow' Ivory Snow Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ivydale' Ivydale Daylily | HP | 1.09 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Jack Straw' Jack Straw Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Jade Bowl' Jade Bowl Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Jade Star' Jade Star Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Jamaican Drum' Jamaican Drum Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'James Marsh' James Marsh Daylily | HP | 1.13 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Janice Brown' Janice Brown Daylily | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Java Sea' Java Sea Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Jay' Jay Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Je Jung Kim' Je Jung Kim Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Jennifer Grovatt' Jennifer Grovatt Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Jimmie Fry' Jimmie Fry Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Jingle Shell' Jingle Shell Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Jo Jo' Jo Jo Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Jo Wood' Jo Wood Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Joan Senior' Joan Senior Daylily | HP | 1.09 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Joel' Joel Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Jolly Dimples' Jolly Dimples Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Jolly Hearts' Jolly Hearts Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Jolyene Nichole' Jolyene Nichole Daylily | HP | 0.98 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Jovial' Jovial Daylily | HP | 1.27 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Joyful Fancy Free' Joyful Fancy Free Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Juanita' Juanita Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Judah' Judah Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Judith' Judith Daylily | HP | 1.16 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Julia Dillon' Julia Dillon Daylily | HP | 1.01 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'July Gold' July Gold Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'July Sunshine' July Sunshine Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Jungle Princess' Jungle Princess Daylily | HP | 0.55 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Just Sara' Just Sara Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Just So' Just So Daylily | HP | 0.80 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Just Watch' Just Watch Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Justin Miller' Justin Miller Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Katie' Katie Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Kent's Lavender' Kent's Lavender Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'King Alfred' King Alfred Daylily | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'King of Hearts' King of Hearts Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Kings Cloak' Kings Cloak Daylily | HP | 0.97 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Kings Throne' Kings Throne Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Kissy Face' Kissy Face Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Kittens Paw' Kittens Paw Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'L 82 S' L 82 S Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'La Louisiane' La Louisiane Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'La Mer' La Mer Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lady Eleanor' Lady Eleanor Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lady Lucille' Lady Lucille Daylily | HP | 1.27 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lamplight Serenade' Lamplight Serenade Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lampighter' Lampighter Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Late Cream' Late Cream Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Late Glory' Late Glory Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Late Plum' Late Plum Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Late Summer' Late Summer Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lavender Aristocrat' Lavender Aristocrat Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lavender Blush' Lavender Blush Daylily | HP | 1.50 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lavender Bubbles' Lavender Bubbles Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Lavender Deal' Lavender Deal Daylily | HP | 1.31 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lavender Dew' Lavender Dew Daylily | HP | 0.83 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lavender Eyes' Lavender Eyes Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lavender Frolic' Lavender Frolic Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lavender Peace' Lavender Peace Daylily | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lavender Sky' Lavender Sky Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lavender Vista' Lavender Vista™ Daylily | HP | 1.58 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Leebea Orange Crush' Leebea Orange Crush Daylily | HP | 1.12 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lemon Bells' Lemon Bells Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lemon Cap' Lemon Cap Daylily | HP | 0.78 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lemon Delight' Lemon Delight Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lemon Drops' Lemon Drops Daylily | HP | 0.55 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lemon Lace' Lemon Lace Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lemon Mint' Lemon Mint Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lemon Pectin' Lemon Pectin Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lemon Showers' Lemon Showers Daylily | HP | 0.78 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lemon Yellow' Lemon Yellow Daylily | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Liberator' Liberator Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lights of Paris' Lights of Paris Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lilac Greetings' Lilac Greetings Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lilio' Lilio Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lillian Fry' Lillian Fry Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Linda' Linda Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Audrey' Little Audrey Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Beige Magic' Little Beige Magic Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Bugger' Little Bugger Daylily | HP | 1.96 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Bumblebee' Little Bumblebee Daylily | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Business' Little Business Daylily | HP | 1.12 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Cadet' Little Cadet Daylily | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Carnation' Little Carnation Daylily | HP | 1.12 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hemerocallis</i> 'Little Carpet' Little Carpet Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Carrot Top' Little Carrot Top Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Celena' Little Celena Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Cherub' Little Cherub Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Cobbler' Little Cobbler Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Cranberry Cove' Little Cranberry Cove Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Cutie' Little Cutie Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Dandy' Little Dandy Daylily | HP | 0.91 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Delight' Little Delight Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Fairy' Little Fairy Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Fantastic' Little Fantastic Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Fat Dazzler' Little Fat Dazzler Daylily | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Flock' Little Flock Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Grapette' Little Grapette Daylily | HP | 1.22 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Heart' Little Heart Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Heavenly Angel' Little Heavenly Angel Daylily | HP | 0.97 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Idy' Little Idy Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Jack' Little Jack Daylily | HP | 0.92 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Lavendar Princess' Little Lavendar Princess Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Men' Little Men Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Miss Sunshine' Little Miss Sunshine Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Missy' Little Missy Daylily | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Monica' Little Monica Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Orange Giant' Little Orange Giant Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Peach Parfait' Little Peach Parfait Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Pumpkin Face' Little Pumpkin Face Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Rainbow' Little Rainbow Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Red Hot' Little Red Hot Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Skipper' Little Skipper Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Squiz' Little Squiz Daylily | HP | 0.76 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hemerocallis</i> 'Little Sweet Sue' Little Sweet Sue Daylily | HP | 0.91 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Tawny' Little Tawny Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Tyke' Little Tyke Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Valentine' Little Valentine Daylily | HP | 1.15 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Wart' Little Wart Daylily | HP | 0.59 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Wine Cup' Little Wine Cup Daylily | HP | 0.88 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Little Women' Little Women Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Loaded' Loaded Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lollipop' Lollipop Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Look of Love' Look of Love Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lord Camden' Lord Camden Daylily | HP | 0.76 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lord Randal' Lord Randal Daylily | HP | 1.02 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Louise Manelis' Louise Manelis Daylily | HP | 0.83 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Love It' Love It Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Loveliest Grace' Loveliest Grace Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lovely Rose' Lovely Rose Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Loving Memories' Loving Memories Daylily | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Luann' Luann Daylily | HP | 0.58 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lullaby Baby' Lullaby Baby Daylily | HP | 0.78 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lupine' Lupine Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lusty Lealand' Lusty Lealand Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Luxury Lace' Luxury Lace Daylily | HP | 0.78 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Lynn Hall' Lynn Hall Daylily | HP | 0.76 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Madame Chiang' Madame Chiang Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Madison Avenue' Madison Avenue Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Magic Dawn' Magic Dawn Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Magic Obsession' Magic Obsession Daylily | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Magic Wand' Magic Wand Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Making Whoopee' Making Whoopee Daylily | HP | 1.32 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Malja' P.P. 14221 Golden Zebra Daylily | HP | 2.46 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hemerocallis</i> 'Mallard' Mallard Daylily | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Manilla Moon' Manilla Moon Daylily | HP | 1.15 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Marci' Marci Daylily | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Marcia Fay' Marcia Fay Daylily | HP | 0.71 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Margaret Perry' Margaret Perry Daylily | HP | 0.71 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Margaret Terry' See - <i>Hemerocallis</i> 'Margaret Perry' | | | | | | | | |
| <i>Hemerocallis</i> 'Margaret Weimer' Margaret Weimer Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Marginella' Marginella Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Marmalade Magic' Marmalade Magic Daylily | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Mary Elizabeth' Mary Elizabeth Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Mary Reed' Mary Reed Daylily | HP | 1.27 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Mary Todd' Mary Todd Daylily | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Mateus' Mateus Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Matt' Matt Daylily | HP | 0.70 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Mauna Loa' Mauna Loa Daylily | HP | 0.76 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'May Colvin' May Colvin Daylily | HP | 1.06 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'May Hall' May Hall Daylily | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Mayan Gold' Mayan Gold Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Maybe So' Maybe So Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'McPick' McPick Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Meadow Lark' Meadow Lark Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Meadow Mist' Meadow Mist Daylily | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Mel's Folly' Mel's Folly Daylily | HP | 1.35 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Melon Balls' Melon Balls Daylily | HP | 0.88 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Meno' Meno Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Merle Kent' Merle Kent Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Mexican Dance' Mexican Dance Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Mexican Way' Mexican Way Daylily | HP | 0.75 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Miami Mood' Miami Mood Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Midnight Magic' Midnight Magic Daylily | HP | 1.20 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hemerocallis</i> 'Mikado' Mikado Daylily | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ming Snow' Ming Snow Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ming Toy' Ming Toy Daylily | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Mini Gold' Mini Gold Daylily | HP | 0.78 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Mini Pearl' Mini Pearl Daylily | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Mini Stella' Mini Stella Daylily | HP | 0.98 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Minnie Morgan' Minnie Morgan Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Minor' Minor Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Minstrel Boy' Minstrel Boy Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Miss Aimee' Miss Aimee Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Miss Mary Mary' P.P.A.F. Miss Mary Mary Daylily | HP | 1.50 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Miss Ozie' Miss Ozie Daylily | HP | 0.80 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Miss Victoria' Miss Victoria Daylily | HP | 1.10 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Mission Moonlight' Mission Moonlight Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Missouri Beauty Yellow' Missouri Beauty Yellow Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Missouri Beauty' Missouri Beauty Daylily | HP | 0.79 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Mockingbird' Mockingbird Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Molten Magma' Molten Magma Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Mond' Starburst™ Red Daylily | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Monge' Starburst™ Orange Daylily | HP | 1.07 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Monie' Starburst™ Susie Daylily | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Monld' Starburst™ Single Gold Daylily | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Monold' Starburst™ Double Gold Daylily | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Monon' Starburst™ Salmon Daylily | HP | 1.07 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Monow' Starburst™ Yellow Daylily | HP | 1.06 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Monve' Starburst™ Mauve Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Moonlight Cannonball' Moonlight Cannonball Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Moonlight Mist' Moonlight Mist Daylily | HP | 0.83 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Mountain Heights' Mountain Heights Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Mountain Laurel' Mountain Laurel Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Mountain Violet' Mountain Violet Daylily | HP | 1.28 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'My Funny Valentine' My Funny Valentine Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'My Hope' My Hope Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'My Melinda' My Melinda Daylily | HP | 1.27 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'My Path' My Path Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'My Regards' My Regards Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'My Signature' My Signature Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'My Ways' My Ways Daylily | HP | 1.53 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Nanuq' Nanuq Daylily | HP | 1.62 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Naomi Ruth' Naomi Ruth Daylily | HP | 1.12 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Nashville' Nashville Daylily | HP | 0.58 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Neyron Rose' Neyron Rose Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Night Beacon' Night Beacon Daylily | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'North Star' North Star Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Northbrook Star' Northbrook Star Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Northfield' Northfield Daylily | HP | 0.74 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Northport' Northport Daylily | HP | 1.62 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Numinous Moments' Numinous Moments Daylily | HP | 0.78 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Nuthatch' Nuthatch Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Nymph' Nymph Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ocean Rain' Ocean Rain Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Olive Bailey Langdon' Olive Bailey Langdon Daylily | HP | 1.30 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Olympic Gold' Olympic Gold Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Open Hearth' Open Hearth Daylily | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ophir' Ophir Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Orange Blaze' Orange Blaze Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Orange Buttons' Orange Buttons Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Orange Gumdrops' Orange Gumdrops Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Orange King' Orange King Daylily | HP | 0.97 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Orange Monarch' Orange Monarch Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|-------------|--|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | | |
| <i>Hemerocallis</i> 'Orange Surprise' Orange Surprise Daylily | HP | 0.70 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Orange Velvet' Orange Velvet Daylily | HP | 1.23 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Oriental Gem' Oriental Gem Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Oriental Ruby' Oriental Ruby Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Over There' Over There Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Painted Trillium' Painted Trillium Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Palace Pearls' Palace Pearls Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Palace Station' Palace Station Daylily | HP | 1.37 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Pandora's Box' Pandora's Box Daylily | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Paper Butterfly' Paper Butterfly Daylily | HP | 1.20 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Paprika Velvet' Paprika Velvet Daylily | HP | 1.78 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Paradise Prince' Paradise Prince Daylily | HP | 0.88 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Pardon Me' Pardon Me Daylily | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Parfait' Parfait Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Parian China' Parian China Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Party Partner' Party Partner Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Pastel Inspiration' Pastel Inspiration Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Pastures of Pleasure' Pastures of Pleasure Daylily | HP | 0.88 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Patio Parade' Patio Parade Daylily | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Patricia Fay' Patricia Fay Daylily | HP | 0.92 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Patterns' Patterns Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Patti Neyland' Patti Neyland Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Peaceful Day' Peaceful Day Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Peach Fairy' Peach Fairy Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Peach Magnolia' Peach Magnolia Daylily | HP | 1.27 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Peach Pebbles' Peach Pebbles Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Peach Pep Talk' Peach Pep Talk Daylily | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Peachy Pink' Peachy Pink Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Penny's Worth' Penny's Worth Daylily | HP | 1.14 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Perennial Pleasure' Perennial Pleasure Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|-------------|---------|------------|
| | | Factor | SK | Insurable HZ | | Factors | |
| | | | | Req | Not Req | Caliper | High/Wide |
| <i>Hemerocallis</i> 'Perfect Peach Glory' | | | | | | | |
| See - <i>Hemerocallis</i> 'Robgloper' P.P. 10881 | | | | | | | |
| <i>Hemerocallis</i> 'Perpetual Motion' | HP | 1.00 | R2 | 3 | 4-8 | | |
| Perpetual Motion Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Persian Market' | HP | 1.13 | R2 | 3 | 4-8 | | |
| Persian Market Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Persian Peach' | HP | 1.00 | R2 | 3 | 4-8 | | |
| Persian Peach Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Persian Shrine' | HP | 1.00 | R2 | 3 | 4-8 | | |
| Persian Shrine Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Personal Appearance' | HP | 0.88 | R2 | 3 | 4-8 | | |
| Personal Appearance Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Petite Ballet' | HP | 1.00 | R2 | 3 | 4-8 | | |
| Petite Ballet Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Petite One' | HP | 1.00 | R2 | 3 | 4-8 | | |
| Petite One Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Petite Palace Rose' | HP | 1.00 | R2 | 3 | 4-8 | | |
| Petite Palace Rose Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Petite Rouge' | HP | 1.00 | R2 | 3 | 4-8 | | |
| Petite Rouge Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Phoebe' | HP | 1.00 | R2 | 3 | 4-8 | | |
| Phoebe Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Picture Hat' | HP | 1.00 | R2 | 3 | 4-8 | | |
| Picture Hat Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Pieces of Eight' | HP | 1.00 | R2 | 3 | 4-8 | | |
| Pieces of Eight Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Pilot Light' | HP | 1.00 | R2 | 3 | 4-8 | | |
| Pilot Light Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Pineapple Frost' | HP | 0.87 | R2 | 3 | 4-8 | | |
| Pineapple Frost Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Pink Bailey' | HP | 1.00 | R2 | 3 | 4-8 | | |
| Pink Bailey Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Pink Ballerina' | HP | 1.00 | R2 | 3 | 4-8 | | |
| Pink Ballerina Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Pink Charm' | HP | 0.73 | R2 | 3 | 4-8 | | |
| Pink Charm Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Pink Damask' | HP | 0.73 | R2 | 3 | 4-8 | | |
| Pink Damask Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Pink Delight' | HP | 1.00 | R2 | 3 | 4-8 | | |
| Pink Delight Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Pink Embers' | HP | 0.97 | R2 | 3 | 4-8 | | |
| Pink Embers Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Pink Flirt' | HP | 1.15 | R2 | 3 | 4-8 | | |
| Pink Flirt Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Pink Lavender Appeal' | HP | 0.83 | R2 | 3 | 4-8 | | |
| Pink Lavender Appeal Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Pink Lemonade' | HP | 1.00 | R2 | 3 | 4-8 | | |
| Pink Lemonade Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Pink Playmate' | HP | 1.23 | R2 | 3 | 4-8 | | |
| Pink Playmate Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Pink Sparkler' | HP | 1.00 | R2 | 3 | 4-8 | | |
| Pink Sparkler Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Pink Tangerine' | HP | 0.90 | R2 | 3 | 4-8 | | |
| Pink Tangerine Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Pittance' | HP | 1.00 | R2 | 3 | 4-8 | | |
| Pittance Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Pixie Beauty' | HP | 0.68 | R2 | 3 | 4-8 | | |
| Pixie Beauty Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Pixie Face' | HP | 0.73 | R2 | 3 | 4-8 | | |
| Pixie Face Daylily | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Pixie Parasol' Pixie Parasol Daylily | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Pixie Peach' Pixie Peach Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Pizza' Pizza Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Pleasant Hill Pink' Pleasant Hill Pink Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Pleasant Hours' Pleasant Hours Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Pleasing Lavender' Pleasing Lavender Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Plum Beauty' Plum Beauty Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Plum Perfect' Plum Perfect Daylily | HP | 1.53 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Plush' Plush Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Pocket Full of Gold' See - <i>Hemerocallis</i> 'Poczam' | | | | | | | | |
| <i>Hemerocallis</i> 'Poczam' Pocket Full of Gold Daylily | HP | 1.22 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Pojo' Pojo Daylily | HP | 0.58 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Pomp and Circumstance' Pomp and Circumstance Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Pompeian Purple' Pompeian Purple Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Pony' Pony Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ponytail Pink' Ponytail Pink Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Posh Design' Posh Design Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Potters Clay' Potters Clay Daylily | HP | 1.31 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Prairie Belle' Prairie Belle Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Prairie Blue Eyes' Prairie Blue Eyes Daylily | HP | 1.17 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Prairie Lark' Prairie Lark Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Prairie Moonlight' Prairie Moonlight Daylily | HP | 1.15 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Prairie Sunburst' Prairie Sunburst Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Prayer Song' Prayer Song Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Precious Love' Precious Love Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Precious One' Precious One Daylily | HP | 1.12 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Preppy Pink' Preppy Pink Daylily | HP | 0.97 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Pretty Miss' Pretty Miss Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Prima Donna' Prima Donna Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Prize Picotee Deluxe' Prize Picotee Deluxe Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Prize Picotee Elite' Prize Picotee Elite Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Psalter and Harp' Psalter and Harp Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Puddin' Puddin Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Pudgie' Pudgie Daylily | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Pumpkin Kid' Pumpkin Kid Daylily | HP | 1.25 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Pure Bliss' Pure Bliss Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Pure Light' Pure Light Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Pure and Simple' Pure and Simple Daylily | HP | 1.15 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Purely' Purely Daylily | HP | 0.74 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Purest Treasure' Purest Treasure Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Purple Bicolor' Purple Bicolor Daylily | HP | 0.92 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Purple Dot' Purple Dot Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Purple Galaxy' Purple Galaxy Daylily | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Purple Magic' Purple Magic Daylily | HP | 1.02 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Purple Pauper' Purple Pauper Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Purple Sherbet' Purple Sherbet Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Purple Splendor' Purple Splendor Daylily | HP | 1.08 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Purple Waters' Purple Waters Daylily | HP | 1.28 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Purple de Oro' Purple de Oro Daylily | HP | 1.22 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Quaking Aspen' Quaking Aspen Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Queen Eleanor' Queen Eleanor Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Radiant Beams' Radiant Beams Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Raindrop' Raindrop Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Rajah' Rajah Daylily | HP | 1.25 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Raspberry Charmer' Raspberry Charmer Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Raspberry Pixie' Raspberry Pixie Daylily | HP | 1.01 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Raspberry Season' Raspberry Season Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Razzmatazz' Razzmatazz Daylily | HP | 1.33 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Readers Vision' Readers Vision Daylily | HP | 1.09 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Rebel Boy' Rebel Boy Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Reblooming Gold' Reblooming Gold Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Red Cadet' Red Cadet Daylily | HP | 1.33 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Red Cup' Red Cup Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Red Evergreen' Red Evergreen Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Red Landscape Supreme' Red Landscape Supreme Daylily | HP | 0.72 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Red Magic' Red Magic Daylily | HP | 1.24 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Red Mittens' Red Mittens Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Red Pinnocchio' Red Pinnocchio Daylily | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Red Poll' Red Poll Daylily | HP | 0.96 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Red Razzmatazz' Red Razzmatazz Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Red Reward' Red Reward Daylily | HP | 0.88 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Red Ripples' Red Ripples Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Red Rocket' Red Rocket Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Red Rum' Red Rum Daylily | HP | 1.07 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Red Select' Red Select Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Red Siren' Red Siren Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Red Top' Red Top Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Red Volunteer' Red Volunteer Daylily | HP | 1.30 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Red W76-82' Red W76-82 Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Redstart' Redstart Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Regal Air' Regal Air Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Regency Dandy' Regency Dandy Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Renee' Renee Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Renegade Red' Renegade Red Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Resounding Harp' Resounding Harp Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Respighi' Respighi Daylily | HP | 1.10 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Resplendent' Resplendent Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Resurrection Yellow' Resurrection Yellow Daylily | HP | 0.88 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Rhapsody in Pink' Rhapsody in Pink Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Robgloper' P.P. 10881 Perfect Peach Glory™ Daylily | HP | 1.27 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Rocket City' Rocket City Daylily | HP | 0.96 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Rogues Mascarade' Rogues Mascarade Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Romantic Rose' Romantic Rose Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Root Beer' Root Beer Daylily | HP | 1.22 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Rooten Tooten Red' Rooten Tooten Red Daylily | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Rose Festival' Rose Festival Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Rosie Meyer' Rosie Meyer Daylily | HP | 0.84 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Rosy Echo' Rosy Echo Daylily | HP | 1.06 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Rosy Returns' P.P. 9779 Rosy Returns Daylily | HP | 1.70 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Route Sixty-Six' Route Sixty-Six Daylily | HP | 0.84 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Royal Garnet' Royal Garnet Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Royal Mountie' Royal Mountie Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Royal Palace Guard' Royal Palace Guard Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Royal Palace Prince' Royal Palace Prince Daylily | HP | 1.21 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Royal Red' Royal Red Daylily | HP | 1.02 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Royal Subject' Royal Subject Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ruby Spider' Ruby Spider Daylily | HP | 1.27 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ruby Stella' P.P.A.F. Ruby Stella Daylily | HP | 1.36 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ruby Throat' Ruby Throat Daylily | HP | 0.88 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ruffled Apricot' Ruffled Apricot Daylily | HP | 1.28 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ruffled Ruby' Ruffled Ruby Daylily | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Russian Rhapsody' Russian Rhapsody Daylily | HP | 1.03 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Rusty' Rusty Daylily | HP | 0.97 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Ruthie Baby' Ruthie Baby Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sacred Shield' Sacred Shield Daylily | HP | 0.96 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sacred Song' Sacred Song Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sahara Sands' Sahara Sands Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Salmon Sheen' Salmon Sheen Daylily | HP | 0.79 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sammy Russell' Sammy Russell Daylily | HP | 0.71 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Samoa' Samoa Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hemerocallis</i> 'Sassy Sally' Sassy Sally Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Satin Clouds' Satin Clouds Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Satinique' Satinique Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Savannah Moon' Savannah Moon Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Scaramouche' Scaramouche Daylily | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Scarlet Apache' Scarlet Apache Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Scarlet Oak' Scarlet Oak Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Scarlet Orbit' Scarlet Orbit Daylily | HP | 0.83 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Scarlet Romance' Scarlet Romance Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Scarlet Royalty' Scarlet Royalty Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Scarlet Tanager' Scarlet Tanager Daylily | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Scarlock' Scarlock Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Scentual Sundance' Scentual Sundance Daylily | HP | 0.97 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Scotch Bonnet' Scotch Bonnet Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Screaming Yellow Zonkers' Screaming Yellow Zonkers Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Screech Owl' Screech Owl Daylily | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sea Gold' Sea Gold Daylily | HP | 1.35 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Searcy Marsh' Searcy Marsh Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Second Glance' Second Glance Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Secret Heart' Secret Heart Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Seductor' Seductor Daylily | HP | 0.92 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Select Set' Select Set Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'September Gold' September Gold Daylily | HP | 1.07 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Serpentine' Serpentine Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Shades of Stella' Shades of Stella Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Shady Lady' Shady Lady Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Shaman' Shaman Daylily | HP | 0.76 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Shari Harrison' Shari Harrison Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sherwood Cheer' Sherwood Cheer Daylily | HP | 1.32 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sherwood Gladiator' Sherwood Gladiator Daylily | HP | 1.31 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hemerocallis</i> 'Sherwood Lemon Drop' Sherwood Lemon Drop Daylily | HP | 1.13 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Shiloh' Shiloh Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Shortee' Shortee or Stella Junior Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Silent Stars' Silent Stars Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Silk Ruffles' Silk Ruffles Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Baby Talk' Siloam Baby Talk Daylily | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Betty Barnes' Siloam Betty Barnes Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Bo Peep' Siloam Bo Peep Daylily | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Button Box' Siloam Button Box Daylily | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Bye Lo' Siloam Bye Lo Daylily | HP | 1.23 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Charles Stinnett' Siloam Charles Stinnett Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Cherry Chimes' Siloam Cherry Chimes Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Cinderella' Siloam Cinderella Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Doodlebug' Siloam Doodlebug Daylily | HP | 1.26 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Double Classic' Siloam Double Classic Daylily | HP | 0.89 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Edith Sholar' Siloam Edith Sholar Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Ethel Smith' Siloam Ethel Smith Daylily | HP | 0.89 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Fairy Mist' Siloam Fairy Mist Daylily | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Fairy Tale' Siloam Fairy Tale Daylily | HP | 1.16 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam French Doll' Siloam French Doll Daylily | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Gold Nugget' Siloam Gold Nugget Daylily | HP | 1.28 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Gumdrop' Siloam Gumdrop Daylily | HP | 1.20 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam June Bug' Siloam June Bug Daylily | HP | 1.16 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Kewpie Doll' Siloam Kewpie Doll Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Little Girl' Siloam Little Girl Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Merle Kent' Siloam Merle Kent Daylily | HP | 1.08 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Mixed' Siloam Mixed Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Orchid Jewel' Siloam Orchid Jewel Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Pee Wee' Siloam Pee Wee Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Pink Glow' Siloam Pink Glow Daylily | HP | 0.78 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hemerocallis</i> 'Siloam Pink Petite' Siloam Pink Petite Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Plum Tree' Siloam Plum Tree Daylily | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Pocket Size' Siloam Pocket Size Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Prissy' Siloam Prissy Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Rainbow Magic' Siloam Rainbow Magic Daylily | HP | 1.13 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Red Ruby' Siloam Red Ruby Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Red Toy' Siloam Red Toy Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Red Velvet' Siloam Red Velvet Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Ribbon Candy' Siloam Ribbon Candy Daylily | HP | 1.34 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Royal Prince' Siloam Royal Prince Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Show Girl' Siloam Show Girl Daylily | HP | 1.16 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Special' Siloam Special Daylily | HP | 0.58 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Sugar Time' Siloam Sugar Time Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Sugarplum' Siloam Sugarplum Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Tee Tiny' Siloam Tee Tiny Daylily | HP | 1.26 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Tinker Toy' Siloam Tinker Toy Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Tiny Mite' Siloam Tiny Mite Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Tiny Tim' Tiny Tim Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Tiny Toy' Siloam Tiny Toy Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Toddler' Siloam Toddler Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Toy Time' Siloam Toy Time Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Ury Winniford' Siloam Ury Winniford Daylily | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Siloam Virginia Henson' Siloam Virginia Henson Daylily | HP | 1.19 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Silver Fan' Silver Fan Daylily | HP | 1.02 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Silver Trumpet' Silver Trumpet Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Simply Wild' Simply Wild Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sincere Wishes' Sincere Wishes Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sing Again' Sing Again Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sir Patrick Spens' Sir Patrick Spens Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sirocco' Sirocco Daylily | HP | 0.94 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hemerocallis</i> 'Sleigh Ride' Sleigh Ride Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Small Gesture' Small Gesture Daylily | HP | 1.28 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Snappy Yellow' Snappy Yellow Daylily | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Snow Valley' Snow Valley Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Snowy Apparition' Snowy Apparition Daylily | HP | 0.58 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Snowy Eyes' Snowy Eyes Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Snowy Owl' Snowy Owl Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'So Lovely' So Lovely Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'So Sweet' So Sweet Daylily | HP | 0.88 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sombrero Gold' Sombrero Gold Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sombrero Way' Sombrero Way Daylily | HP | 0.94 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Song Sparrow' Song Sparrow Daylily | HP | 0.78 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Song of Praise' Song of Praise Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Songbird' Songbird Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sounds of Silence' Sounds of Silence Daylily | HP | 0.76 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'South Seas' South Seas Daylily | HP | 1.22 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sparkling Raiment' Sparkling Raiment Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sparkling Stars' Sparkling Stars Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Spectacular Sight' Spectacular Sight Daylily | HP | 0.78 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Spellbinder' Spellbinder Daylily | HP | 1.44 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Spider Breeder' Spider Breeder Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Spider Man' Spider Man Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Spider Miracle' Spider Miracle Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Spider Mixed' Spider Mixed Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Spider Web' Spider Web Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Spring Bride' Spring Bride Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Spring Chimes' Spring Chimes Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Squirrelly Shirley' Squirrelly Shirley Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Staghorn Sumac' Staghorn Sumac Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Star Dream' Star Dream Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container | | Field Grown | | Minimum HZ |
|---|--------------|--------|-----------|-----|-------------|---------|---------------|
| | | | SK | Req | Not Req | Caliper | |
| <i>Hemerocallis</i> 'Starburst Double Gold' | | | | | | | |
| See - <i>Hemerocallis</i> 'Monold' | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Mauve' | | | | | | | |
| See - <i>Hemerocallis</i> 'Monve' | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Orange' | | | | | | | |
| See - <i>Hemerocallis</i> 'Monge' | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Red' | | | | | | | |
| See - <i>Hemerocallis</i> 'Mond' | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Salmon' | | | | | | | |
| See - <i>Hemerocallis</i> 'Monon' | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Series' | HP | 1.00 | R2 | 3 | | 4-8 | |
| Starburst™ Series Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Single Gold' | | | | | | | |
| See - <i>Hemerocallis</i> 'Monld' | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Susie' | | | | | | | |
| See - <i>Hemerocallis</i> 'Monie' | | | | | | | |
| <i>Hemerocallis</i> 'Starburst Yellow' | | | | | | | |
| See - <i>Hemerocallis</i> 'Monow' | | | | | | | |
| <i>Hemerocallis</i> 'Starling' | HP | 0.89 | R2 | 3 | | 4-8 | |
| Starling Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Starstruck' | HP | 1.00 | R2 | 3 | | 4-8 | |
| Starstruck Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Startle' | HP | 1.00 | R2 | 3 | | 4-8 | |
| Startle Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Stella Supreme' | HP | 1.08 | R2 | 3 | | 4-8 | |
| Stella Supreme Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Stella de Oro' | HP | 0.88 | R2 | 3 | | 4-8 | |
| Stella de Oro Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Strawberry Candy' | HP | 1.26 | R2 | 3 | | 4-8 | |
| Strawberry Candy Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Strawberry Pudding' | HP | 0.70 | R2 | 3 | | 4-8 | |
| Strawberry Pudding Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Strutter's Ball' | HP | 1.29 | R2 | 3 | | 4-8 | |
| Strutter's Ball Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Sue Rothbauer' | HP | 1.00 | R2 | 3 | | 4-8 | |
| Sue Rothbauer Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Sugar Cookie' | HP | 1.00 | R2 | 3 | | 4-8 | |
| Sugar Cookie Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Sultan's Ruby' | HP | 1.00 | R2 | 3 | | 4-8 | |
| Sultan's Ruby Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Summer Love' | HP | 1.00 | R2 | 3 | | 4-8 | |
| Summer Love Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Summer Sun' | HP | 1.00 | R2 | 3 | | 4-8 | |
| Summer Sun Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Summer Tanager' | HP | 1.00 | R2 | 3 | | 4-8 | |
| Summer Tanager Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Summer Wine' | HP | 1.04 | R2 | 3 | | 4-8 | |
| Summer Wine Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Sun Capers' | HP | 0.90 | R2 | 3 | | 4-8 | |
| Sun Capers Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Sun Pixie' | HP | 1.00 | R2 | 3 | | 4-8 | |
| Sun Pixie Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Sun's Face' | HP | 1.47 | R2 | 3 | | 4-8 | |
| Sun's Face Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Sun's Glory' | HP | 1.00 | R2 | 3 | | 4-8 | |
| Sun's Glory Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Sunburnt Mandarin' | HP | 1.00 | R2 | 3 | | 4-8 | |
| Sunburnt Mandarin Daylily | | | | | | | |
| <i>Hemerocallis</i> 'Sunday Gloves' | HP | 1.43 | R2 | 3 | | 4-8 | |
| Sunday Gloves Daylily | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Sunny Delight' Sunny Delight Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sunny Honey' Sunny Honey Daylily | HP | 0.98 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sunset Flare' Sunset Flare Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sunset Sonata' Sunset Sonata Daylily | HP | 0.74 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sunshine Delight' Sunshine Delight Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Superior Apricot' Superior Apricot Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Superior Red' Superior Red Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Suzie Wong' Suzie Wong Daylily | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Svengali' Svengali Daylily | HP | 1.41 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Swamp Yankee' Swamp Yankee Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sweet Child' Sweet Child Daylily | HP | 1.17 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sweet Georgia Brown' Sweet Georgia Brown Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sweet Pea' Sweet Pea Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sweet Reflection' Sweet Reflection Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Sweeter Music' Sweeter Music Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Swelling Anthem' Swelling Anthem Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Swing Again' Swing Again Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Swirling Water' Swirling Water Daylily | HP | 1.23 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Swiss Miss' Swiss Miss Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tahiti Beach' Tahiti Beach Daylily | HP | 0.53 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tangerine' Tangerine Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Techny Breeze' Techny Breeze Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Techny Peach Lace' Techny Peach Lace Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Techny Perfume Delight' Techny Perfume Delight Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Techny Spider' Techny Spider Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Techny Water Bug' Techny Water Bug Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Teenager' Teenager Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tejas' Tejas Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Temple Bells' Temple Bells Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tender Love' Tender Love Daylily | HP | 0.64 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Tender Shepherd' Tender Shepherd Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Teri Ellis' Teri Ellis Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Terracotta Baby' Terracotta Baby Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tetraploid Stella de Oro' Tetraploid Stella de Oro Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tetrina's Daughter' Tetrina's Daughter Daylily | HP | 0.88 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Texas Foundling' Texas Foundling Daylily | HP | 0.88 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Texas Sunlight' Texas Sunlight Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Thankful Song' Thankful Song Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Thousand Voices' Thousand Voices Daylily | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Thumbelina' Thumbelina Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Thunder Gold' Thunder Gold Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tick Tock' Tick Tock Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tickled Pink' Tickled Pink Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tiger Time' Tiger Timer Daylily | HP | 0.82 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tillamook' Tillamook Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Time Lord' Time Lord Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Timeless Sands' Timeless Sands Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Timeless' Timeless Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tiny Miss' Tiny Miss Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tiny Pumpkin' Tiny Pumpkin Daylily | HP | 0.64 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tiny Trumpeter' Tiny Trumpeter Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tobi Genie' Tobi Genie Daylily | HP | 0.64 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Todd Monroe' Todd Monroe Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Toltec Sundial' Toltec Sundial Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tom Collins' Tom Collins Daylily | HP | 0.92 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tommy' Tommy Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Too Marvelous' Too Marvelous Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tootsie' Tootsie Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Touch of Mink' Touch of Mink Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Towhee' Towhee Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Toy Circus' Toy Circus Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Toyland' Toyland Daylily | HP | 1.34 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Traffic Signal' Traffic Signal Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Treasure Gold' Treasure Gold Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Treasure Room' Treasure Room Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tree Swallow' Tree Swallow Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tricolor Rose Ruffles' Tricolor Rose Ruffles Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Triumph Glorious' Triumph Glorious Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tropical Sherbet' Tropical Sherbet Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tropical Sun' Tropical Sun Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Tuscawilla Tigress' Tuscawilla Tigress Daylily | HP | 1.08 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Unique Purple' Unique Purple Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Upper Class Peach' Upper Class Peach Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Valentine Hearts' Valentine Hearts Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Valley Isle' Valley Isle Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Vanilla Fluff' Vanilla Fluff Daylily | HP | 1.31 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Varsity' Varsity Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Velvet Butterfly' Velvet Butterfly Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Velvet Wine' Velvet Wine Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Verger' Verger Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Victoria Aden' Victoria Aden Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Viette's Cream' Viette's Cream Daylily | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Violet Charm' Violet Charm Daylily | HP | 1.34 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Violet Light' Violet Light Daylily | HP | 0.96 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Vireo' Vireo Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Vivacious' Vivacious Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Walk Humbly' Walk Humbly Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wally Nance' Wally Nance Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wayside Cantaloupe Caper' Wayside Cantaloupe Caper Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wayside Doe Eyes' Wayside Doe Eyes Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Wayside Green Imp' Wayside Green Imp Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wayside King Royale' Wayside King Royale Daylily | HP | 1.08 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wayside Lavender Frills' Wayside Lavender Frills Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wayside Painted Lady' Wayside Painted Lady Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wayside Peach Parfait' Wayside Peach Parfait Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wayside Plains Indian' Wayside Plains Indian Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wayside Princess' Wayside Princess Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wayside Red Ensign' Wayside Red Ensign Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wayside Sweet Impression' Wayside Sweet Impression Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wedding Band' Wedding Band Daylily | HP | 1.20 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Welcome Mat' Welcome Mat Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Westward Vision' Westward Vision Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'White Dish' White Dish Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'White Lady' White Lady Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'White Temptation' White Temptation Daylily | HP | 1.12 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'White Triangle' White Triangle Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'White Zircon' White Zircon Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Whiz Bang' Whiz Bang Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wide Wide World' Wide Wide World Daylily | HP | 1.13 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wild Heart' Wild Heart Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wild Turkey' Wild Turkey Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wild Welcome' Wild Welcome Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Will Return' Will Return Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wilson Yellow' Wilson Yellow Daylily | HP | 0.65 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Window Dressing' Window Dressing Daylily | HP | 1.01 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Windsor Castle' Windsor Castle Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wine Bubbles' Wine Bubbles Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wine Delight' Wine Delight Daylily | HP | 1.41 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wineberry Candy' Wineberry Candy Daylily | HP | 1.56 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Winnie the Pooh' Winnie the Pooh Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hemerocallis</i> 'Winniford' Winniford Daylily | HP | 0.70 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Winning Ways' Winning Ways Daylily | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Winsome Lady' Winsome Lady Daylily | HP | 0.80 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Winter Olympics' Winter Olympics Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Witch Hazel' Witch Hazel Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wood Duck' Wood Duck Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Woodcock' Woodcock Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Woodside Amethyst' Woodside Amethyst Daylily | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Woodside Fire Dance' Woodside Fire Dance Daylily | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Woodside Romance' Woodside Romance Daylily | HP | 1.16 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wren' Wren Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Wynnson' Wynnson Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Yangtze' Yangtze Daylily | HP | 0.68 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Yasmin' Yasmin Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Yellow Bouquet' Yellow Bouquet Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Yellow Diamond' Yellow Diamond Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Yellow Explosion' Yellow Explosion Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Yellow Ladyslipper' Yellow Ladyslipper Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Yellow Landscape Supreme' Yellow Landscape Supreme Daylily | HP | 0.72 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Yellow Lollipop' Yellow Lollipop Daylily | HP | 1.22 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Yellow Louise' Yellow Louise Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Yellow Multiflora' Yellow Multiflora Daylily | HP | 0.78 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Yellow Petticoats' Yellow Petticoats Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Yellow Shiners' Yellow Shiners Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Yellow Tinkerbell' Yellow Tinkerbell Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Yellow Treasure' Yellow Treasure Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Yellowstone' Yellowstone Daylily | HP | 0.70 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Yesterday Memories' Yesterday Memories Daylily | HP | 1.13 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Young Countess' Young Countess Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Young Love' Young Love Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hemerocallis</i> 'Zarahemla' Zarahemla Daylily | HP | 1.30 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Zielone Zloto' Zielone Zloto Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis</i> 'Zippity Do Da' Zippity Do Da Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis citrina</i> Citron Daylily | HP | 0.91 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis dumortieri</i> Dumortieri Daylily | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis flava</i> See - <i>Hemerocallis lilioasphodelus</i> | | | | | | | | |
| <i>Hemerocallis fulva</i> Tawny Daylily | HP | 0.97 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis fulva</i> 'Kwanso' Kwanso Tawny Daylily | HP | 0.79 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis fulva</i> 'Orange' Orange Tawny Daylily | HP | 0.88 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis lilioasphodelus</i> Lemon Lily | HP | 1.08 | R2 | 3 | 4-8 | | | |
| <i>Hemerocallis middendorffii</i> Middendorffii Daylily | HP | 0.74 | R2 | 3 | 4-8 | | | |
| <i>Hemionitis arifolia</i> No Common Name Found | FO | 0.54 | R2 | 8 | | | 1.00 | 10 |
| <i>Hepatica acutiloba</i> Sharp-Lobed Liverleaf | HP | 1.52 | R2 | 3-4 | 5-8 | | | |
| <i>Hepatica americana</i> Round-Lobed Liverleaf | HP | 1.89 | R2 | 3-4 | 5-8 | | | |
| <i>Heptacodium jasminoides</i> See - <i>Heptacodium miconioides</i> | | | | | | | | |
| <i>Heptacodium miconioides</i> Seven Son Flower | HP | 1.17 | R2 | 3-5 | 6-8 | | | |
| <i>Heracleum maximum</i> American Cow Parsnip | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Heracleum sphondylium</i> ssp. <i>montanum</i> See - <i>Heracleum maximum</i> | | | | | | | | |
| <i>Hermannia verticillata</i> Honeybells | HP | 0.92 | R2 | 8 | | | | |
| <i>Herniaria glabra</i> Rupturewort | AN | 1.59 | R2 | 3-5 | 6-8 | | | |
| <i>Herniaria glabra</i> 'Sea Foam' P.P. 15989 Sea Foam Rupturewort | AN | 2.03 | R2 | 3-5 | 6-8 | | | |
| <i>Hesperaloe parviflora</i> Red Yucca | BS | 1.19 | R2 | 5-7 | 8 | | 1.00 | 5 |
| <i>Hesperaloe parviflora</i> 'Yellow' Yellow False Yucca | BS | 1.44 | R2 | 5-7 | 8 | | 1.00 | 5 |
| <i>Hesperantha buhrii</i> No Common Name Found | HP | 1.03 | R2 | 7-8 | | | | |
| <i>Hesperis matronalis</i> Dame's Rocket | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Hesperis matronalis</i> 'Alba' White Dame's Rocket | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Heteromeles arbutifolia</i> Toyon | BS | 1.62 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Heterotheca villosa</i> Hairy Golden Aster | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Heterotheca villosa</i> 'San Bruno Mountain' San Bruno Mountain Hairy Golden Aster | HP | 0.66 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> Alum Root | HP | 1.19 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|--------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Heuchera</i> 'Amber Waves' P.P. 13348 Amber Waves Coral Bells | HP | 1.18 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Balheubur' P.P.A.F. Harvest Burgundy Coral Bells | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Balheusil' P.P.A.F. Harvest Silver Coral Bells | HP | 1.23 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Beauty of Color' Beauty of Color Coral Bells | HP | 1.20 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Black Beauty' P.P. 13288 Black Beauty Coral Bells | HP | 1.61 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Canyon Belle' P.P. 13413 Canyon Belle Coral Bells | HP | 0.74 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Canyon Chimes' P.P. 13281 Canyon Chimes Coral Bells | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Canyon Delight' Canyon Delight Coral Bells | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Canyon Duet' P.P. 13280 Canyon Duet Coral Bells | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Canyon Melody' P.P. 13276 Canyon Melody Coral Bells | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Canyon Pink' Canyon Pink Coral Bells | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Canyon Series' Canyon Series Coral Bells | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Caroline' P.P.A.F. Caroline Coral Bells | HP | 1.54 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Champagne Bubbles' P.P. 11259 Champagne Bubbles Coral Bells | HP | 1.50 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Chatterbox' Chatterbox Coral Bells | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Cherries Jubilee' P.P. 11377 Cherries Jubilee Coral Bells | HP | 1.71 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Cherry Splash' Cherry Splash Coral Bells | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Crimson Cloud' Crimson Cloud Coral Bells | HP | 0.63 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Crimson Curls' P.P. 13729 Crimson Curls Coral Bells | HP | 1.34 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Crown Jewel' Crown Jewel Coral Bells | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Crystal Spires' P.P.A.F. Crystal Spires Coral Bells | HP | 1.56 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Dainty Bells' Dainty Bells Coral Bells | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Dolce Creme Brulee' See - <i>Heuchera</i> 'TNHEU041' P.P. 16774 | | | | | | | | |
| <i>Heuchera</i> 'Dolce Creme de Menthe' See - <i>Heuchera</i> 'PWHEU0103' P.P.A.F. | | | | | | | | |
| <i>Heuchera</i> 'Dolce Key Lime Pie' See - <i>Heuchera</i> 'TNHEU042' P.P. 16735 | | | | | | | | |
| <i>Heuchera</i> 'Dolce Licorice' See - <i>Heuchera</i> 'TNHEU044' P.P. 16942 | | | | | | | | |
| <i>Heuchera</i> 'Dolce Mocha Mint' See - <i>Heuchera</i> 'PWHEU0102' P.P.A.F. | | | | | | | | |
| <i>Heuchera</i> 'Dolce Peach Melba' See - <i>Heuchera</i> 'TNHEU043' P.P. 17131 | | | | | | | | |
| <i>Heuchera</i> 'Dolce Series' Dolce® Series Coral Bells | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Fantasia' P.P. 18171 Fantasia Coral Bells | HP | 1.92 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|--------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Heuchera</i> 'Fireworks' P.P. 11376 Fireworks Coral Bells | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Frosted Violet' P.P. 15085 Frosted Violet Coral Bells | HP | 1.30 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Frosty' Frosty Coral Bells | HP | 1.40 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Geisha's Fan' Geisha's Fan Coral Bells | HP | 1.30 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Genevieve' Genevieve Coral Bells | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Georgia Peach' P.P. 19375 Georgia Peach Coral Bells | HP | 1.67 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Ginger Ale' P.P. 18173 Ginger Ale Coral Bells | HP | 1.59 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Green Spice' Green Spice Coral Bells | HP | 1.14 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Harmonic Convergence' P.P. 11111 Harmonic Convergence Coral Bells | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Harvest Burgundy' See - <i>Heuchera</i> 'Balheubur' P.P.A.F. | | | | | | | | |
| <i>Heuchera</i> 'Harvest Series' Harvest Series Coral Bells | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Harvest Silver' See - <i>Heuchera</i> 'Balheusil' P.P.A.F. | | | | | | | | |
| <i>Heuchera</i> 'Hollywood' P.P. 17129 Hollywood Coral Bells | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Lime Rickey' P.P. 16210 Lime Rickey Coral Bells | HP | 1.36 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Marmalade' P.P. 15945 Marmalade Coral Bells | HP | 1.37 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Mars' Mars Coral Bells | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Melting Fire' Melting Fire Coral Bells | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Midnight Claret' Midnight Claret Coral Bells | HP | 1.36 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Midnight Rose' P.P. 18551 Midnight Rose Coral Bells | HP | 1.41 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Mini Mouse' Mini Mouse Coral Bells | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Mint Frost' Mint Frost Coral Bells | HP | 1.53 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Mint Julep' Mint Julep Coral Bells | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Molly Bush' Molly Bush Coral Bells | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Montrose Ruby' Montrose Ruby Coral Bells | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Moonlight' P.P. 17434 Moonlight Coral Bells | HP | 1.67 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Obsidian' P.P. 14836 Obsidian Hybrid Coral Bells | HP | 1.48 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Old La Rochette' Old La Rochette Coral Bells | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Opal' Opal Coral Bells | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'PWHEU0102' P.P.A.F. Dolce® Mocha Mint Coral Bells | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'PWHEU0103' P.P.A.F. Dolce® Creme de Menthe Coral Bells | HP | 0.99 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Heuchera</i> 'Peach Flambe' P.P. 17195 Peach Flambe Coral Bells | HP | 1.80 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Petite Pearl Fairy' P.P. 11058 Petite Pearl Fairy Coral Bells | HP | 1.18 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Pewter Veil' P.P. 8984 Pewter Veil American Alum Root | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Prince Of Silver' P.P. 14580 Prince of Silver Coral Bells | HP | 1.40 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Queen of Hearts' Queen of Hearts Coral Bells | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Quilters' Joy' Quilters' Joy Coral Bells | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Rachel' Rachel Coral Bells | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Raspberry Ice' P.P. 13340 Raspberry Ice Coral Bells | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Rave On' P.P. 18127 Rave On Coral Bells | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Regina' Regina Coral Bells | HP | 1.83 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Rose Majesty' P.P. 17414 Rose Majesty Coral Bells | HP | 1.58 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Santa Ana Cardinal' Santa Ana Cardinal Coral Bells | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Shenandoah Mountain' P.P. 15357 Shenandoah Mountain Coral Bells | HP | 1.61 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Silver Lode' P.P. 13339 Silver Lode Coral Bells | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Silver Scrolls' P.P. 12066 Silver Scrolls Coral Bells | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Sioux Falls' Sioux Falls Coral Bells | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Smoky Rose' Smoky Rose Coral Bells | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Sparkling Beauty' See - <i>Heuchera</i> 'Sparkling Burgundy' P.P. 17208 | | | | | | | | |
| <i>Heuchera</i> 'Sparkling Burgundy' P.P. 17208 Sparkling Burgundy Coral Bells | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Splish Splash' Splish Splash Hybrid Coral Bells | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Strawberry Swirl' Strawberry Swirl Coral Bells | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Susanna' Susanna Coral Bells | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Swirling Fantasy' P.P. 14542 Swirling Fantasy Coral Bells | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'TNHEU041' P.P. 16774 Dolce® Creme Brulee Coral Bells | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'TNHEU042' P.P. 16735 Dolce® Key Lime Pie Coral Bells | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'TNHEU043' P.P. 17131 Dolce® Peach Melba Coral Bells | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'TNHEU044' P.P. 16942 Dolce® Licorice Coral Bells | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Veil of Passion' P.P. 12166 Veil of Passion Coral Bells | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Vesuvius' P.P. 13215 Vesuvius Coral Bells | HP | 1.38 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'Wendy' Wendy Coral Bells | HP | 0.84 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Heuchera</i> 'Whirlwind' Whirlwind Coral Bells | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'White Cloud' White Cloud Coral Bells | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera</i> 'White Spires' White Spires Coral Bells | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> American Alum Root | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Amethyst Mist' Amethyst Mist American Alum Root | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Can-can' Can-can American Alum Root | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Cappuccino' Cappuccino American Alum Root | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Cascade Dawn' Cascade Dawn American Alum Root | HP | 1.36 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Cathedral Windows' Cathedral Windows American Alum Root | HP | 1.36 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Checkers' Checkers American Alum Root | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Chocolate Ruffles' Chocolate Ruffles American Alum Root | HP | 1.48 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Chocolate Veil' Chocolate Veil American Alum Root | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Dale's Strain' Dale's Strain American Alum Root | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Eco Magnifolia' Eco Magnifolia American Alum Root | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Eco-Improved' Eco-Improved American Alum Root | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Garnet' Garnet American Alum Root | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Palace Passion' Palace Passion American Alum Root | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Persian Carpet' Persian Carpet American Alum Root | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Pewter Moon' Pewter Moon American Alum Root | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Plum Puddin' Plum Puddin American Alum Root | HP | 1.06 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Purple Petticoats' Purple Petticoats American Alum Root | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Purple Sails' Purple Sails American Alum Root | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Regal Robe' Regal Robe American Alum Root | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Ring of Fire' Ring of Fire American Alum Root | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Ruby Ruffles' Ruby Ruffles American Alum Root | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Ruby Veil' Ruby Veil American Alum Root | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Ruffles' Ruffles American Alum Root | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Silver Shadows' Silver Shadows American Alum Root | HP | 1.41 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Stormy Seas' Stormy Seas American Alum Root | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera americana</i> 'Velvet Night' Velvet Night American Alum Root | HP | 1.06 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Heuchera x brizoides</i> Coral Bells | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera x brizoides</i> 'Absi' P.P. 8858 Bressingham Bronze™ Hybrid Coral Bells | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera x brizoides</i> 'Bressingham Bronze' See - <i>Heuchera x brizoides</i> 'Absi' P.P. 8858 | | | | | | | | |
| <i>Heuchera x brizoides</i> 'Bressingham Hybrids' Bressingham Hybrids Coral Bells | HP | 0.78 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera x brizoides</i> 'Coral Cloud' Coral Cloud Hybrid Coral Bells | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera x brizoides</i> 'Firefly' Firefly Hybrid Coral Bells | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera x brizoides</i> 'Huntsman' Huntsman Hybrid Coral Bells | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera x brizoides</i> 'Jubilee' Jubilee Hybrid Coral Bells | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera x brizoides</i> 'Oakington Jewel' Oakington Jewel Hybrid Coral Bells | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera x brizoides</i> 'Pretty Polly' Pretty Polly Hybrid Coral Bells | HP | 1.17 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera x brizoides</i> 'Red Spangles' Red Spangles Hybrid Coral Bells | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera cylindrica</i> No Common Name Found | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera cylindrica</i> 'Greenfinch' Greenfinch Alum Root | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera maxima</i> Island Alum Root | HP | 0.96 | R2 | 3-6 | 7-8 | | | |
| <i>Heuchera micrantha</i> Small Flowered Alum Root | HP | 0.64 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera micrantha</i> 'Martha Roderick' Martha Roderick Small Flowered Alum Root | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera micrantha</i> 'Palace Purple' Palace Purple Small Flowered Alum Root | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera micrantha</i> 'Raspberry Regal' Raspberry Regal Small Flowered Alum Root | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera richardsonii</i> No Common Name Found | HP | 1.22 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera sanguinea</i> Coral Bells | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera sanguinea</i> 'Brandon Pink' Brandon Pink Coral Bells | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera sanguinea</i> 'Fire Sprite' Fire Sprite Coral Bells | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera sanguinea</i> 'Glow Worm' Glow Worm Coral Bells | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera sanguinea</i> 'June Bride' June Bride Coral Bells | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera sanguinea</i> 'Matin Bells' Matin Bells Coral Bells | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera sanguinea</i> 'Monet' Monet Coral Bells | HP | 1.36 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera sanguinea</i> 'Mt. St. Helens' Mt. St. Helens Coral Bells | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera sanguinea</i> 'Northern Fire' Northern Fire Coral Bells | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera sanguinea</i> 'Pluie De Feu' Pluie De Feu Coral Bells | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera sanguinea</i> 'Ruby Bells' Ruby Bells Coral Bells | HP | 0.93 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Heuchera sanguinea</i> 'Ruby Mist' Ruby Mist Coral Bells | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera sanguinea</i> 'Silver Veil' Silver Veil Coral Bells | HP | 1.21 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera sanguinea</i> 'Snow Angel' Snow Angel Coral Bells | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera sanguinea</i> 'Snow Storm' Snow Storm Coral Bells | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera sanguinea</i> 'Snowfire' P.P.A.F. Snowfire Coral Bells | HP | 1.58 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera sanguinea</i> 'Splendens' Splendens Coral Bells | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera sanguinea</i> 'Winfield Pink' Winfield Pink Coral Bells | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Heuchera villosa</i> Hairy Alum Root | HP | 1.17 | R2 | 3-5 | 6-8 | | | |
| <i>Heuchera villosa</i> 'Autumn Bride' Autumn Bride Hairy Alum Root | HP | 0.99 | R2 | 3-5 | 6-8 | | | |
| <i>Heuchera villosa</i> 'Caramel' P.P. 16560 Caramel Hairy Alum Root | HP | 1.32 | R2 | 3-5 | 6-8 | | | |
| <i>Heuchera villosa</i> 'Citronelle' P.P. 17934 Citronelle Hairy Alum Root | HP | 1.31 | R2 | 3-5 | 6-8 | | | |
| <i>Heuchera villosa</i> 'Purpurea' Purple Hairy Alum Root | HP | 1.05 | R2 | 3-5 | 6-8 | | | |
| <i>Heuchera villosa</i> 'Royal Red' Royal Red Hairy Alum Root | HP | 1.17 | R2 | 3-5 | 6-8 | | | |
| <i>xHeucherella</i> Foamy Bells | HP | 1.32 | R2 | 3-4 | 5-8 | | | |
| <i>xHeucherella</i> 'Birthday Cake' P.P. 16158 Birthday Cake Foamy Bells | HP | 1.54 | R2 | 3-4 | 5-8 | | | |
| <i>xHeucherella</i> 'Burnished Bronze' P.P. 12159 Burnished Bronze Foamy Bells | HP | 1.25 | R2 | 3-4 | 5-8 | | | |
| <i>xHeucherella</i> 'Chocolate Lace' P.P. 13701 Chocolate Lace Foamy Bells | HP | 1.41 | R2 | 3-4 | 5-8 | | | |
| <i>xHeucherella</i> 'Cranberry Ice' Cranberry Ice Foamy Bells | HP | 1.32 | R2 | 3-4 | 5-8 | | | |
| <i>xHeucherella</i> 'Crimson Clouds' Crimson Clouds Foamy Bells | HP | 1.32 | R2 | 3-4 | 5-8 | | | |
| <i>xHeucherella</i> 'Dayglow Pink' P.P. 12164 Dayglow Pink Foamy Bells | HP | 1.38 | R2 | 3-4 | 5-8 | | | |
| <i>xHeucherella</i> 'HERTN041' P.P. 17634 Strike It Rich® Gold Foamy Bells | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>xHeucherella</i> 'HERTN042' P.P. 16829 Strike It Rich® Pink Gem Foamy Bells | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>xHeucherella</i> 'Heart of Darkness' P.P. 14489 Heart of Darkness Foamy Bells | HP | 1.49 | R2 | 3-4 | 5-8 | | | |
| <i>xHeucherella</i> 'Kimono' P.P. 12154 Kimono Foamy Bells | HP | 1.36 | R2 | 3-4 | 5-8 | | | |
| <i>xHeucherella</i> 'Quicksilver' P.P. 11081 Quicksilver Foamy Bells | HP | 1.32 | R2 | 3-4 | 5-8 | | | |
| <i>xHeucherella</i> 'Silver Streak' Silver Streak Foamy Bells | HP | 1.42 | R2 | 3-4 | 5-8 | | | |
| <i>xHeucherella</i> 'Stop Light' P.P. 16835 Stop Light Foamy Bells | HP | 1.35 | R2 | 3-4 | 5-8 | | | |
| <i>xHeucherella</i> 'Strike It Rich Gold' See - <i>xHeucherella</i> 'HERTN041' P.P. 17634 | | | | | | | | |
| <i>xHeucherella</i> 'Strike It Rich Pink Gem' See - <i>xHeucherella</i> 'HERTN042' P.P. 16829 | | | | | | | | |
| <i>xHeucherella</i> 'Strike It Rich Series' Strike It Rich™ Series Foamy Bells | HP | 1.32 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| x <i>Heucherella</i> 'Sunspot' P.P. 14825 Sunspot Foamy Bells | HP | 1.31 | R2 | 3-4 | 5-8 | | | |
| x <i>Heucherella</i> 'Viking Ship' P.P. 12029 Viking Ship Foamy Bells | HP | 1.18 | R2 | 3-4 | 5-8 | | | |
| x <i>Heucherella alba</i> White Foamy Bells | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| x <i>Heucherella alba</i> 'Pink Frost' Pink Frost White Foamy Bells | HP | 0.71 | R2 | 3-4 | 5-8 | | | |
| x <i>Heucherella alba</i> 'Rosalie' Rosalie White Foamy Bells | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| x <i>Heucherella alba</i> 'Snow White' Snow White Foamy Bells | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| x <i>Heucherella tiarelloides</i> Foamy Bells | HP | 1.06 | R2 | 3-4 | 5-8 | | | |
| x <i>Heucherella tiarelloides</i> 'Bridget Bloom' Bridget Bloom Foamy Bells | HP | 1.06 | R2 | 3-4 | 5-8 | | | |
| x <i>Hibnobambusa tranquillans</i> Inyou-Chikuzoku | BS | 1.16 | R2 | 5-7 | 8 | | 1.00 | 7 |
| x <i>Hibnobambusa tranquillans</i> 'Shiroshima' Shiroshima Inyou-Chikuzoku | BS | 1.16 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hibiscus</i> Hibiscus | BS | 1.05 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Hibiscus</i> 'Crown Jewels' P.P. 11857 Crown Jewels Hibiscus | HP | 1.32 | R2 | 3-4 | 5-8 | | | |
| <i>Hibiscus</i> 'Eruption' P.P. 13752 Eruption Hybrid Hibiscus | HP | 1.35 | R2 | 3-4 | 5-8 | | | |
| <i>Hibiscus</i> 'Fireball' P.P. 13631 Fireball Hibiscus | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Hibiscus</i> 'Flare' Flare Hibiscus | HP | 0.96 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus</i> 'Kopper King' P.P. 10793 Kopper King Rose Mallow | HP | 1.06 | R2 | 3-4 | 5-8 | | | |
| <i>Hibiscus</i> 'Moy Grande' Moy Grande Giant Hibiscus | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus</i> 'Plum Crazy' P.P. 11854 Plum Crazy Hibiscus | BS | 1.17 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Hibiscus</i> 'Red River' Red River Hibiscus | HP | 1.14 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus</i> 'Robert Fleming' P.P. 14776 Robert Fleming Hybrid Rose Mallow | HP | 1.25 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus</i> 'Royal Gems' P.P. 11011 Royal Gems Hybrid Rose Mallow | HP | 1.25 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus</i> 'Tosca' Tosca Hybrid Hibiscus | BS | 0.93 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Hibiscus</i> 'Vulcan' P.P. 14348 Vulcan Hibiscus | HP | 1.13 | R2 | 8 | | | | |
| <i>Hibiscus arnottianus</i> Hawaiian White Hibiscus | BE | 1.16 | R2 | 8 | | 1.00 | 1.00 | 10 |
| <i>Hibiscus coccineus</i> Scarlet Rose Mallow | HP | 0.88 | R2 | 6 | 7-8 | | | |
| <i>Hibiscus dasycalyx</i> Neches River Rose Mallow | HP | 1.16 | R2 | 5-7 | 8 | | | |
| <i>Hibiscus grandiflorus</i> Great Rose Mallow | HP | 0.85 | R2 | 5-7 | 8 | | | |
| <i>Hibiscus martianus</i> Heartleaf Hibiscus | HP | 0.76 | R2 | 6-8 | | | | |
| <i>Hibiscus militaris</i> Soldier Rose Mallow | HP | 0.57 | R2 | 3-6 | 7-8 | | | |
| <i>Hibiscus moscheutos</i> Rose Mallow | HP | 0.93 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Hibiscus moscheutos</i> 'Balhiblu' P.P. 15054 Luna™ Blush Rose Mallow | HP | 0.97 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Balhibpsw' P.P.A.F. Luna™ Pink Swirl Rose Mallow | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Balhibred' P.P. 16155 Luna™ Red Rose Mallow | HP | 1.01 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Balhibwhi' P.P.A.F. Luna™ White Rose Mallow | HP | 1.33 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Blue River II' Blue River II Rose Mallow | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Carafe Bordeaux' See - <i>Hibiscus moscheutos</i> 'Carafe Yobordeaux' P.P. 17638 | | | | | | | | |
| <i>Hibiscus moscheutos</i> 'Carafe Chablis' See - <i>Hibiscus moscheutos</i> 'Carafe Yochablis' P.P. 17602 | | | | | | | | |
| <i>Hibiscus moscheutos</i> 'Carafe Grenache' See - <i>Hibiscus moscheutos</i> 'Carafe Yogrenache' P.P. 17571 | | | | | | | | |
| <i>Hibiscus moscheutos</i> 'Carafe Series' Carafe Series Rose Mallow | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Carafe Yobordeaux' P.P. 17638 Carafe Bordeaux Rose Mallow | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Carafe Yochablis' P.P. 17602 Carafe Chablis Rose Mallow | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Carafe Yogrenache' P.P. 17571 Carafe Grenache Rose Mallow | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Clown' Clown Rose Mallow | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Cranberry Punch' P.P.A.F. Cranberry Punch™ Rose Mallow | HP | 1.46 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Crimson Wonder' Crimson Wonder Rose Mallow | HP | 1.14 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Cristi' Cristi Rose Mallow | HP | 1.18 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Dave Fleming' P.P.A.F. Dave Fleming Hardy Hibiscus | HP | 1.33 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Disco Belle Series' Disco Belle Series Rose Mallow | HP | 0.82 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Fantasia' P.P. 11853 Fantasia Rose Mallow | HP | 0.97 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Fleming Hybrid' See - <i>Hibiscus</i> 'Robert Fleming' P.P. 14776 | | | | | | | | |
| <i>Hibiscus moscheutos</i> 'Frisbee' Frisbee Rose Mallow | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Galaxy' Galaxy Rose Mallow | HP | 0.78 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Luna Blush' See - <i>Hibiscus moscheutos</i> 'Balhiblu' P.P. 15054 | | | | | | | | |
| <i>Hibiscus moscheutos</i> 'Luna Pink Swirl' See - <i>Hibiscus moscheutos</i> 'Balhibpsw' P.P.A.F. | | | | | | | | |
| <i>Hibiscus moscheutos</i> 'Luna Red' See - <i>Hibiscus moscheutos</i> 'Balhibred' P.P. 16155 | | | | | | | | |
| <i>Hibiscus moscheutos</i> 'Luna Series' Luna™ Series Rose Mallow | HP | 1.01 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Luna White' See - <i>Hibiscus moscheutos</i> 'Balhibwhi' P.P.A.F. | | | | | | | | |
| <i>Hibiscus moscheutos</i> 'Old Yella' P.P. 13630 Old Yella Rose Mallow | HP | 0.94 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Red Flare' Red Flare Rose Mallow | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Southern Belle' Southern Belle Rose Mallow | HP | 0.86 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container SK | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|--------|-----------------|--------------|---------|------------------------|-----------|---------------|
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hibiscus moscheutos</i> 'Splash Pinot Grigio' See - <i>Hibiscus moscheutos</i> 'Splash Yopinot Grigio' P.P. 17570 | | | | | | | | |
| <i>Hibiscus moscheutos</i> 'Splash Pinot Noir' See - <i>Hibiscus moscheutos</i> 'Splash Yopinot Noir' P.P. 17563 | | | | | | | | |
| <i>Hibiscus moscheutos</i> 'Splash Series' Splash Series Rose Mallow | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Splash Yopinot Grigio' P.P. 17570 Splash Pinot Grigio Rose Mallow | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Splash Yopinot Noir' P.P. 17563 Splash Pinot Noir Rose Mallow | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Stardust' P.P.A.F. Stardust Hardy Hibiscus | HP | 1.31 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Strawberries & Cream' P.P.A.F. Strawberries & Cream Hardy Hibiscus | HP | 1.25 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Super Rose' Super Rose Rose Mallow | HP | 1.06 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> 'Turn of the Century' Turn of the Century Rose Mallow | HP | 1.16 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus moscheutos</i> ssp. <i>palustris</i> Marsh Mallow | HP | 1.31 | R2 | 3-5 | 6-8 | | | |
| <i>Hibiscus mutabilis</i> Cottonrose Hibiscus | HP | 0.67 | R2 | 6-8 | | | | |
| <i>Hibiscus mutabilis</i> 'Raspberry Rose' Raspberry Rose Cottonrose Hibiscus | HP | 0.92 | R2 | 6-8 | | | | |
| <i>Hibiscus mutabilis</i> 'Rubrus' Red Cottonrose Hibiscus | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Hibiscus rosa-sinensis</i> Chinese Hibiscus | BS | 0.74 | R2 | 7-8 | | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Agnes Gault' Agnes Gault Chinese Hibiscus | BS | 0.73 | R2 | 7-8 | | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'All Aglow' All Aglow Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Amour' Amour Chinese Hibiscus | BS | 1.06 | R2 | 7-8 | | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Apache Rose' Apache Rose Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Apricot Brandy' Apricot Brandy Chinese Hibiscus | BS | 1.30 | R2 | 7-8 | | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Bandito' Bandito Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Barry's Yellow' Barry's Yellow Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Bing Cherry' Bing Cherry Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Blue Shadow' Blue Shadow Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Bondi' Bondi Bahama Bay™ Chinese Hibiscus | BS | 1.97 | R2 | 7-8 | | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Brandon B' Brandon B Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Bridal Veil' See - <i>Hibiscus rosa-sinensis</i> 'Monora' P.P. 6473 | | | | | | | | |
| <i>Hibiscus rosa-sinensis</i> 'Bride' Bride Chinese Hibiscus | BS | 0.95 | R2 | 7-8 | | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Brilliant' Brilliant Chinese Hibiscus | BS | 1.21 | R2 | 7-8 | | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Butterball' Butterball Chinese Hibiscus | BS | 0.81 | R2 | 7-8 | | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Butterfly' Butterfly Chinese Hibiscus | BS | 0.90 | R2 | 7-8 | | | 0.65 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Hibiscus rosa-sinensis</i> 'Caleb' Caleb Chinese Hibiscus | BS | 1.19 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'California Gold' California Gold Chinese Hibiscus | BS | 0.78 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Calypso Wind' P.P.A.F. Calypso Wind™ Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Calypso' Calypso Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Cataviki' Cataviki Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Cecelia' Cecelia Chinese Hibiscus | BS | 1.36 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Charcoal' Charcoal Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Cherie' Cherie Chinese Hibiscus | BS | 1.39 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Chili Pepper' Chili Pepper Chinese Hibiscus | BS | 1.36 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Chiqui Gonzalez' Chiqui Gonzalez Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Chocolate Mousse' Chocolate Mousse Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Crown of Bohemia' Crown of Bohemia Chinese Hibiscus | BS | 0.93 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Daytona' Daytona Bahama Bay™ Chinese Hibiscus | BS | 2.02 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Desert Wind' P.P.A.F. Desert Wind™ Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Diamond Head' Diamond Head Chinese Hibiscus | BS | 0.78 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Doctor Jack' Doctor Jack Chinese Hibiscus | BS | 0.99 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Double Classic Pink' Double Classic Pink Chinese Hibiscus | BS | 1.18 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Double Honey' Double Honey Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Dragon's Breath' Dragon's Breath Bahama Bay™ Chinese Hibiscus | BS | 1.47 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Edna Tyler' Edna Tyler Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'El Capitolio Sport' El Capitolio Sport Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'El Capitolio' El Capitolio Chinese Hibiscus | BS | 0.61 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Empire' Empire Chinese Hibiscus | BS | 1.21 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Enlightenment' P.P. 17577 Enlightenment Bahama Bay™ Chinese Hibiscus | BS | 1.73 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Erin Rachael' Erin Rachael Bahama Bay™ Chinese Hibiscus | BS | 1.53 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Estelle' Estelle Chinese Hibiscus | BS | 1.01 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Evelyn Howard' Evelyn Howard Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Fiesta' P.P. 2760 Fiesta Chinese Hibiscus | BS | 0.97 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Fifth Dimension' Fifth Dimension Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Flamenco Flame' See - <i>Hibiscus rosa-sinensis</i> 'Monhope' P.P.A.F. | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Hibiscus rosa-sinensis</i> 'Florida Sunset' Florida Sunset Chinese Hibiscus | BS | 0.72 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Forever Young' P.P. 15258 Forever Young Bahama Bay™ Chinese Hibiscus | BS | 1.73 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Fort Myers' Fort Myers Chinese Hibiscus | BS | 0.95 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Freddie Brubaker' Freddie Brubaker Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Fullmoon' See - <i>Hibiscus rosa-sinensis</i> 'Monoon' | | | | | | | |
| <i>Hibiscus rosa-sinensis</i> 'Galveston' Galveston Bahama Bay™ Chinese Hibiscus | BS | 1.97 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Gil Whitten' Gil Whitten Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Golden Dust' Golden Dust Chinese Hibiscus | BS | 1.02 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Gourmet' Gourmet Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Grace Goo' Grace Goo Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Hawaiian Sunset' Hawaiian Sunset Bahama Bay™ Chinese Hibiscus | BS | 1.73 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Herm Geller' Herm Geller Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Hermosa' Hermosa Bahama Bay™ Chinese Hibiscus | BS | 2.03 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Hilton Head' Hilton Head Bahama Bay™ Chinese Hibiscus | BS | 2.01 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Howard Chartreuse' Howard Chartreuse Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Hula Girl' Hula Girl Chinese Hibiscus | BS | 0.87 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Ida Mae Fageol' Ida Mae Fageol Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Ingrid Colpaert' Ingrid Colpaert Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Itsy Bitsy Kona Princess' See - <i>Hibiscus rosa-sinensis</i> 'Monria' | | | | | | | |
| <i>Hibiscus rosa-sinensis</i> 'Itsy Bitsy Red' See - <i>Hibiscus rosa-sinensis</i> 'Moned' | | | | | | | |
| <i>Hibiscus rosa-sinensis</i> 'Jane Cowl' Jane Cowl Chinese Hibiscus | BS | 0.49 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Janys' Janys Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Jason Okumoto' Jason Okumoto Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Joan Kinchen' Joan Kinchen Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Joann' Joann Chinese Hibiscus | BS | 0.96 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Kari Woodengown' Kari Woodengown Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Kate Sessions' Kate Sessions Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Kinchen Yellow' Kinchen Yellow Bahama Bay™ Chinese Hibiscus | BS | 1.77 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Kona Improved' Kona Improved Chinese Hibiscus | BS | 0.90 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Kona' Kona Chinese Hibiscus | BS | 0.79 | R2 | 7-8 | | 0.65 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Hibiscus rosa-sinensis</i> 'Lady Bird' Lady Bird Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Lillian Ladd' Lillian Ladd Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Lily Howard' Lily Howard Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Lipstick' Lipstick Chinese Hibiscus | BS | 0.96 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Little Honey' Little Honey Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Little Tiger' Little Tiger Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Liz Lovely' Liz Lovely Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Lora' Lora Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Lynn Stacey' Lynn Stacey Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Madame X' Madame X Chinese Hibiscus | BS | 0.63 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Madonna' Madonna Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mango Breeze' P.P.A.F. Mango Breeze™ Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Manley' Manley Bahama Bay™ Chinese Hibiscus | BS | 1.97 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mary Evelyn' Mary Evelyn Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mary Horton' Mary Horton Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Matoushka' Matoushka Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mayaonred' Mayaonred Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'McIntyre' McIntyre Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Melissa Morrison' Melissa Morrison Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Midnight Lace' Midnight Lace Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Miss Piggy' Miss Piggy Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mollie Cummings' Molly Cummings Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Moned' Itsy Bitsy™ Red Chinese Hibiscus | BS | 1.20 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mongon' Red Dragon™ Chinese Hibiscus | BS | 0.92 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Monhope' P.P.A.F. Flamenco Flame™ Chinese Hibiscus | BS | 1.24 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Monique Maria' Monique Maria Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Monoon' Fullmoon™ Chinese Hibiscus | BS | 1.21 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Monora' P.P. 6473 Bridal Veil™ Chinese Hibiscus | BS | 1.21 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Monria' Itsy Bitsy™ Kona Princess Chinese Hibiscus | BS | 1.19 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Monsa' Powder Puff™ Chinese Hibiscus | BS | 1.14 | R2 | 7-8 | | 0.65 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Hibiscus rosa-sinensis</i> 'Montego Bay' Montego Bay Chinese Hibiscus | BS | 1.53 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Morning Glory' Morning Glory Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Morocco' Morocco Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mount Shasta' Mount Shasta Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mrs. Jimmy Spangler' Mrs. Jimmy Spangler Chinese Hibiscus | BS | 1.38 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Muriel' Muriel Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Murray Delauter' Murray Delauter Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mystic Pink' Mystic Pink Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Mystique' Mystique Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Nagao Twenty' Nagao Twenty Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Nairobi' Nairobi Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Natcha' Natcha Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Nellie Williams' Nellie Williams Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Newport' Newport Bahama Bay™ Chinese Hibiscus | BS | 2.01 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Noosa' Noosa Bahama Bay™ Chinese Hibiscus | BS | 1.97 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Norma' Norma Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Painted Lady' Painted Lady Chinese Hibiscus | BS | 1.20 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Paradise Breeze' P.P.A.F. Paradise Breeze™ Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Pink Dawn' Pink Dawn Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Pink Frost' Pink Frost Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Pink Rays' Pink Rays Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Pompano Pink' Pompano Pink Chinese Hibiscus | BS | 2.03 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Powder Puff' See - <i>Hibiscus rosa-sinensis</i> 'Monsa' | | | | | | | |
| <i>Hibiscus rosa-sinensis</i> 'President' President Chinese Hibiscus | BS | 0.88 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Purple Sachet' Purple Sachet Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Raspberry Breeze' P.P.A.F. Raspberry Breeze™ Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Raspberry Sherbert' Raspberry Sherbert Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Raspberry Swirl' Raspberry Swirl Chinese Hibiscus | BS | 0.99 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Red Dragon' See - <i>Hibiscus rosa-sinensis</i> 'Mongon' | | | | | | | |
| <i>Hibiscus rosa-sinensis</i> 'Red Snapper' Red Snapper Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Hibiscus rosa-sinensis</i> 'Red Wave' Red Wave Chinese Hibiscus | BS | 1.09 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Romeo' Romeo Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Ross Estey' Ross Estey Bahama Bay™ Chinese Hibiscus | BS | 1.06 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Ruby Brown' Ruby Brown Chinese Hibiscus | BS | 0.61 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Rum Runner' Rum Runner Bahama Bay™ Chinese Hibiscus | BS | 1.71 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Ruth Wilcox' Ruth Wilcox Chinese Hibiscus | BS | 0.72 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Sahara Wind' P.P.A.F. Sahara Wind™ Chinese Hibiscus | BS | 0.70 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Santana' Santana Chinese Hibiscus | BS | 0.96 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Sassi' Sassi Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Satin Pillow' P.P. 13651 Satin Pillow Bahama Bay™ Chinese Hibiscus | BS | 1.72 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Seminole' Seminole Chinese Hibiscus | BS | 1.09 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Sensation' Sensation Chinese Hibiscus | BS | 1.24 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Shady Lady' Shady Lady Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Single Classic Pink' Single Classic Pink Chinese Hibiscus | BS | 1.17 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Snow Queen' Snow Queen Chinese Hibiscus | BS | 0.66 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Snowfire' P.P. 14164 Snowfire Bahama Bay™ Chinese Hibiscus | BS | 1.73 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Splendiferous' Splendiferous Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Sun Showers' Sun Showers Bahama Bay™ Chinese Hibiscus | BS | 1.47 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Sundance' Sundance Chinese Hibiscus | BS | 1.39 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Sundown' Sundown Chinese Hibiscus | BS | 0.75 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Sunset' Sunset Bahama Bay™ Chinese Hibiscus | BS | 1.18 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Tequila Daisy' Tequila Daisy Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'The Path' The Path Chinese Hibiscus | BS | 1.08 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Tropical Breeze' P.P.A.F. Tropical Breeze™ Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Twilight' Twilight Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Velvet Wind' P.P.A.F. Velvet Wind™ Chinese Hibiscus | BS | 1.22 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Wailea' Wailea Bahama Bay™ Chinese Hibiscus | BS | 1.97 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'White Wings' White Wings Chinese Hibiscus | BS | 0.89 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus rosa-sinensis</i> 'Yellow Moon' Yellow Moon Chinese Hibiscus | BS | 0.95 | R2 | 7-8 | | 0.65 | 9 |
| <i>Hibiscus sabdariffa</i> Roselle | AN | 0.61 | R2 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Hibiscus schizopetalus</i> Japanese Hibiscus | BS | 0.72 | R2 | 7-8 | | | 1.00 | 10 |
| <i>Hibiscus syriacus</i> Rose-of-Sharon | DS | 0.96 | R1 | 5 | 6-8 | | 0.82 | 5 |
| <i>Hibiscus syriacus</i> 'Amplissimus' Amplest Rose-of-Sharon | DS | 1.14 | R1 | 5 | 6-8 | | 0.30 | 5 |
| <i>Hibiscus syriacus</i> 'Anemonaeflorus' Anemone Rose-of-Sharon | DS | 0.78 | R1 | 5 | 6-8 | | 0.47 | 5 |
| <i>Hibiscus syriacus</i> 'Anne Arundel' Anne Arundel Rose-of-Sharon | DS | 0.91 | R1 | 5 | 6-8 | | 0.64 | 5 |
| <i>Hibiscus syriacus</i> 'Aphrodite' Aphrodite Rose-of-Sharon | DS | 1.07 | R1 | 5 | 6-8 | | 0.64 | 5 |
| <i>Hibiscus syriacus</i> 'Ardens Blue' Ardens Blue Rose-of-Sharon | DS | 1.00 | R1 | 5 | 6-8 | | 1.24 | 5 |
| <i>Hibiscus syriacus</i> 'Ardens' Ardens Rose-of-Sharon | DS | 0.97 | R1 | 5 | 6-8 | | 0.54 | 5 |
| <i>Hibiscus syriacus</i> 'Banner' Banner Rose-of-Sharon | DS | 1.20 | R1 | 5 | 6-8 | | 0.24 | 5 |
| <i>Hibiscus syriacus</i> 'Blue Marlin' Blue Marlin Rose-of-Sharon | DS | 1.12 | R1 | 5 | 6-8 | | 0.64 | 5 |
| <i>Hibiscus syriacus</i> 'Blue Satin' See - <i>Hibiscus syriacus</i> 'Marina' P.P. 12680 | | | | | | | | |
| <i>Hibiscus syriacus</i> 'Bluebird' Bluebird Rose-of-Sharon | DS | 1.05 | R1 | 5 | 6-8 | | 0.85 | 5 |
| <i>Hibiscus syriacus</i> 'Blush Satin' See - <i>Hibiscus syriacus</i> 'Mathilde' P.P. 12660 | | | | | | | | |
| <i>Hibiscus syriacus</i> 'Blushing Bride' Blushing Bride Rose-of-Sharon | DS | 1.07 | R1 | 5 | 6-8 | | 0.60 | 5 |
| <i>Hibiscus syriacus</i> 'Boule de Feu' Boule de Feu Rose-of-Sharon | DS | 0.82 | R1 | 5 | 6-8 | | 0.52 | 5 |
| <i>Hibiscus syriacus</i> 'Coelestis' Coelestis Rose-of-Sharon | DS | 0.87 | R1 | 5 | 6-8 | | 0.46 | 5 |
| <i>Hibiscus syriacus</i> 'Collie Mullens' Collie Mullens Rose-of-Sharon | DS | 1.04 | R1 | 5 | 6-8 | | 0.41 | 5 |
| <i>Hibiscus syriacus</i> 'Diana' Diana Rose-of-Sharon | DS | 1.00 | R1 | 5 | 6-8 | | 0.71 | 5 |
| <i>Hibiscus syriacus</i> 'Floru' P.P. 12196 Violet Satin Rose-of-Sharon | DS | 1.15 | R1 | 5 | 6-8 | | 0.64 | 5 |
| <i>Hibiscus syriacus</i> 'Freedom' Freedom Rose-of-Sharon | DS | 0.95 | R1 | 5 | 6-8 | | 0.64 | 5 |
| <i>Hibiscus syriacus</i> 'Friberg' Friberg Rose-of-Sharon | DS | 1.00 | R1 | 5 | 6-8 | | 0.64 | 5 |
| <i>Hibiscus syriacus</i> 'Hamabo' Hamabo Rose-of-Sharon | DS | 1.00 | R1 | 5 | 6-8 | | 0.64 | 5 |
| <i>Hibiscus syriacus</i> 'Helene' Helene Rose-of-Sharon | DS | 1.11 | R1 | 5 | 6-8 | | 0.56 | 5 |
| <i>Hibiscus syriacus</i> 'Jeanne d'Arc' Jeanne d'Arc Rose-of-Sharon | DS | 0.99 | R1 | 5 | 6-8 | | 0.45 | 5 |
| <i>Hibiscus syriacus</i> 'Lady Baltimore' Lady Baltimore Rose-of-Sharon | DS | 0.93 | R1 | 5 | 6-8 | | 0.64 | 5 |
| <i>Hibiscus syriacus</i> 'Lady Stanley' Lady Stanley Rose-of-Sharon | DS | 1.01 | R1 | 5 | 6-8 | | 1.04 | 5 |
| <i>Hibiscus syriacus</i> 'Lavender Chiffon' See - <i>Hibiscus syriacus</i> 'Notwoodone' P.P. 12619 | | | | | | | | |
| <i>Hibiscus syriacus</i> 'Lord Baltimore' Lord Baltimore Rose-of-Sharon | DS | 0.95 | R1 | 5 | 6-8 | | 0.64 | 5 |
| <i>Hibiscus syriacus</i> 'Lucy' Lucy Rose-of-Sharon | DS | 0.94 | R1 | 5 | 6-8 | | 0.67 | 5 |
| <i>Hibiscus syriacus</i> 'Marina' P.P. 12680 Blue Satin Rose-of-Sharon | DS | 1.08 | R1 | 5 | 6-8 | | 0.63 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hibiscus syriacus</i> 'Mathilde' P.P. 12660 Blush Satin™ Rose-of-Sharon | DS | 1.28 | R1 | 5 | 6-8 | | 0.63 | 5 |
| <i>Hibiscus syriacus</i> 'Minerva' Minerva Rose-of-Sharon | DS | 1.09 | R1 | 5 | 6-8 | | 0.65 | 5 |
| <i>Hibiscus syriacus</i> 'Minrosa' P.P.A.F. Rose Satin Rose-of-Sharon | DS | 1.18 | R1 | 5 | 6-8 | | 0.63 | 5 |
| <i>Hibiscus syriacus</i> 'Morning Star' Morning Star Rose-of-Sharon | DS | 0.86 | R1 | 5 | 6-8 | | 0.53 | 5 |
| <i>Hibiscus syriacus</i> 'Notwoodone' P.P. 12619 Lavender Chiffon™ Rose-of-Sharon | DS | 1.13 | R1 | 5 | 6-8 | | 0.91 | 5 |
| <i>Hibiscus syriacus</i> 'Notwoodtwo' P.P. 12612 White Chiffon™ Rose-of-Sharon | DS | 1.11 | R1 | 5 | 6-8 | | 0.91 | 5 |
| <i>Hibiscus syriacus</i> 'Paeoniflorus' Peony Rose-of-Sharon | DS | 1.08 | R1 | 5 | 6-8 | | 0.55 | 5 |
| <i>Hibiscus syriacus</i> 'Pink Giant' Pink Giant Rose-of-Sharon | DS | 1.06 | R1 | 5 | 6-8 | | 0.63 | 5 |
| <i>Hibiscus syriacus</i> 'Pulcherrimus' Pulcherrimus Rose-of-Sharon | DS | 0.63 | R1 | 5 | 6-8 | | 0.35 | 5 |
| <i>Hibiscus syriacus</i> 'Purpureus Variegatus' Variegated Rose-of-Sharon | DS | 0.68 | R1 | 5 | 6-8 | | 0.64 | 5 |
| <i>Hibiscus syriacus</i> 'Red Heart' Red Heart Rose-of-Sharon | DS | 0.86 | R1 | 5 | 6-8 | | 0.74 | 5 |
| <i>Hibiscus syriacus</i> 'Rose Satin' See - <i>Hibiscus syriacus</i> 'Minrosa' P.P.A.F. | | | | | | | | |
| <i>Hibiscus syriacus</i> 'Rubis' Red Rose-of-Sharon | DS | 1.08 | R1 | 5 | 6-8 | | 0.76 | 5 |
| <i>Hibiscus syriacus</i> 'Snowdrift' Snowdrift Rose-of-Sharon | DS | 0.96 | R1 | 5 | 6-8 | | 0.64 | 5 |
| <i>Hibiscus syriacus</i> 'Sweet Caroline' Sweet Caroline Rose-of-Sharon | DS | 1.00 | R1 | 5 | 6-8 | | 0.64 | 5 |
| <i>Hibiscus syriacus</i> 'Tricolor' Tricolor Rose-of-Sharon | DS | 0.97 | R1 | 5 | 6-8 | | 0.64 | 5 |
| <i>Hibiscus syriacus</i> 'Violet Satin' See - <i>Hibiscus syriacus</i> 'Floru' P.P. 12196 | | | | | | | | |
| <i>Hibiscus syriacus</i> 'White Chiffon' See - <i>Hibiscus syriacus</i> 'Notwoodtwo' P.P. 12612 | | | | | | | | |
| <i>Hibiscus syriacus</i> 'William R. Smith' William R. Smith Rose-of-Sharon | DS | 0.72 | R1 | 5 | 6-8 | | 0.50 | 5 |
| <i>Hibiscus syriacus</i> 'Woodbridge' Woodbridge Rose-of-Sharon | DS | 1.24 | R1 | 5 | 6-8 | | 0.88 | 5 |
| <i>Hieracium aurantiacum</i> See - <i>Pilosella aurantiaca</i> | | | | | | | | |
| <i>Hieracium pilosella</i> See - <i>Pilosella officinarum</i> | | | | | | | | |
| <i>Hieracium villosum</i> Shaggy Hawkweed | HP | 0.66 | R2 | 3-4 | 5-8 | | | |
| <i>Hierochloe odorata</i> Vanilla Grass | HP | 0.62 | R2 | 3-4 | 5-8 | | | |
| <i>Himalayacalamus falconeri</i> Candy Cane Bamboo | BS | 4.53 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Himalayacalamus falconeri</i> 'Damarapa' Candy-Stripe Bamboo | BS | 1.39 | R1 | 7-8 | | | 1.00 | 8 |
| <i>Himalayacalamus hookerianus</i> Himalayan Blue Bamboo | BS | 1.39 | R1 | 7-8 | | | 1.00 | 8 |
| <i>Hippeastrum</i> Amaryllis | HP | 1.07 | R2 | 6-8 | | | | |
| <i>Hippeastrum</i> 'Picotee' Picotee Amaryllis | HP | 0.89 | R2 | 6-8 | | | | |
| <i>Hippeastrum</i> 'San Antonio Rose' San Antonio Rose Amaryllis | HP | 1.16 | R2 | 6-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|---------|-------------------|-----|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | | |
| <i>Hippeastrum</i> 'Voodoo' Voodoo Amaryllis | HP | 1.15 | R2 | 6-8 | | | | | |
| <i>Hippeastrum leopoldii</i> No Common Name Found | HP | 0.67 | R2 | 6-8 | | | | | |
| <i>Hippeastrum puniceum</i> Barbados Lily | HP | 0.73 | R2 | 6-8 | | | | | |
| <i>Hippeastrum stylosum</i> Long-styled Knight's Star Lily | HP | 0.86 | R2 | 6-8 | | | | | |
| <i>Hippocrepis comosa</i> Horseshoe Vetch | HP | 1.17 | R2 | 3-5 | 6-8 | | | | |
| <i>Hippocrepis comosa</i> 'E.R. Janes' E.R. Janes Horseshoe Vetch | HP | 1.17 | R2 | 3-5 | 6-8 | | | | |
| <i>Hippophae rhamnoides</i> Seabuckthorn | DS | 0.97 | R1 | 3 | 4-8 | | 1.34 | 3 | |
| <i>Hoffmannia ghiesbreghtii</i> Strawberry Splash | HP | 1.00 | R2 | 8 | | | | | |
| <i>Hoffmannia ghiesbreghtii</i> 'Variegata' Variegated Strawberry Splash | HP | 1.00 | R2 | 8 | | | | | |
| <i>Hohenbergia correia-araujo</i> No Common Name Found | FO | 2.36 | R2 | 8 | | | 1.00 | 9 | |
| <i>Hohenbergia stellata</i> No Common Name Found | FO | 2.00 | R2 | 8 | | | 1.00 | 9 | |
| <i>Holboellia coriacea</i> No Common Name Found | GC | 1.23 | R2 | 7-8 | | | 1.00 | 9 | |
| <i>Holcus lanatus</i> Velvet Grass | HP | 1.00 | R1 | 3-5 | 6-8 | | | | |
| <i>Holcus mollis</i> Creeping Soft Grass | HP | 0.89 | R1 | 3-5 | 6-8 | | | | |
| <i>Holcus mollis</i> 'Albo-variegata' Albo-variegata Creeping Soft Grass | HP | 0.89 | R1 | 3-5 | 6-8 | | | | |
| <i>Holmskioldia sanguinea</i> Chinese Hat Plant | BS | 0.84 | R2 | 8 | | | 1.00 | 10B | |
| <i>Holmskioldia tettensis</i> Tahitian Hat Plant | BS | 1.00 | R2 | 8 | | | 1.00 | 10B | |
| <i>Holodiscus discolor</i> Ocean Spray | DS | 0.82 | R1 | 3-5 | 6-8 | | 0.89 | 5 | |
| <i>Holodiscus dumosus</i> Rock Spirea | DS | 0.89 | R1 | 3-4 | 5-8 | | 1.00 | 4 | |
| <i>Homalomena</i> Homalomena | HP | 1.41 | R2 | 8 | | | | | |
| <i>Homalomena</i> 'Emerald Gem' Emerald Gem Homalomena | HP | 1.41 | R2 | 8 | | | | | |
| <i>Homeria collina</i> var. <i>aurantiaca</i> See - <i>Homeria flaccida</i> | | | | | | | | | |
| <i>Homeria flaccida</i> No Common Name Found | HP | 0.87 | R2 | 8 | | | | | |
| <i>Homeria ochroleuca</i> No Common Name Found | HP | 0.87 | R2 | 8 | | | | | |
| <i>Homeria collina</i> var. <i>ochroleuca</i> See - <i>Homeria ochroleuca</i> | | | | | | | | | |
| <i>Homoglossum watsonianum</i> See - <i>Gladiolus watsonius</i> | | | | | | | | | |
| <i>Hormidium vespa</i> See - <i>Encyclia vespa</i> | | | | | | | | | |
| <i>Horminum pyrenaicum</i> Pyrenean Deadnettle | HP | 1.00 | R2 | 3-6 | 7-8 | | | | |
| <i>Hosta</i> Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | | |
| <i>Hosta</i> 'Abba Dabba Do' Abba Dabba Do Hosta | HP | 1.57 | R2 | 3 | 4-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hosta</i> 'Abby' Abby Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Abiqua Ariel' Abiqua Ariel Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Abiqua Blue Crinkles' Abiqua Blue Crinkles Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Abiqua Drinking Gourd' Abiqua Drinking Gourd Hosta | HP | 1.72 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Abiqua Moonbeam' Abiqua Moonbeam Hosta | HP | 1.34 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Abiqua Recluse' Abiqua Recluse Hosta | HP | 1.02 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Allan P. McConnell' Allan P. McConnell Hosta | HP | 1.46 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Allegan Fog' Allegan Fog Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'American Masterpiece' American Masterpiece Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Amy Aden' Amy Aden Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Ansley' Ansley Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Antioch' Antioch Hosta | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Aqua Velva' Aqua Velva Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Aspen Gold' Aspen Gold Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Atlantis' P.P. 17093 Atlantis Hosta | HP | 1.93 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'August Moon' August Moon Hosta | HP | 1.21 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Aurora Borealis' Aurora Borealis Hosta | HP | 0.98 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Aztec Treasure' Aztec Treasure Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Bella' Bella Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Betcher's Blue' Betcher's Blue Hosta | HP | 1.69 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Betsy King' Betsy King Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Big Daddy' Big Daddy Hosta | HP | 1.25 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Big Mama' Big Mama Hosta | HP | 1.69 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Bill Brincka' Bill Brincka Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Birchwood Parky's Gold' Birchwood Parky's Gold Hosta | HP | 1.14 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Black Hills' Black Hills Hosta | HP | 1.69 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Blonde Elf' Blonde Elf Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Blue Angel' Blue Angel Hosta | HP | 1.18 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Blue Arrow' Blue Arrow Hosta | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Blue Belle' Blue Belle Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Hosta</i> 'Blue Blush' Blue Blush Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Blue Boy' Blue Boy Hosta | HP | 0.98 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Blue Cadet' Blue Cadet Hosta | HP | 1.03 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Blue Danube' Blue Danube Hosta | HP | 1.36 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Blue Diamond' Blue Diamond Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Blue Dimples' Blue Dimples Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Blue Giant' Blue Giant Hosta | HP | 1.10 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Blue Ice' Blue Ice Hosta | HP | 1.50 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Blue Jay' Blue Jay Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Blue Mammoth' Blue Mammoth Hosta | HP | 1.42 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Blue Moon' Blue Moon Hosta | HP | 1.24 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Blue Mouse Ears' Blue Mouse Ears Hosta | HP | 2.31 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Blue Seer' Blue Seer Hosta | HP | 1.13 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Blue Shadows' Blue Shadows Hosta | HP | 1.98 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Blue Umbrellas' Blue Umbrellas Hosta | HP | 1.50 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Blue Vision' Blue Vision Hosta | HP | 1.55 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Blue Wedgwood' Blue Wedgwood Hosta | HP | 1.10 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Bob Deane' Bob Deane Hosta | HP | 1.91 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Bold Ribbons' Bold Ribbons Hosta | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Bold Ruffles' Bold Ruffles Hosta | HP | 1.28 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Borwick Beauty' Borwick Beauty Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Bountiful' Bountiful Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Bressingham Blue' Bressingham Blue Hosta | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Bright Glow' Bright Glow Hosta | HP | 1.35 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Bright Lights' Bright Lights Hosta | HP | 1.33 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Brim Cup' Brim Cup Hosta | HP | 1.24 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Brother Ronald' Brother Ronald Hosta | HP | 1.27 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Bruce's Blue' Bruce's Blue Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Buckshaw Blue' Buckshaw Blue Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Bunchoko' Bunchoko Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hosta</i> 'Butter Rim' Butter Rim Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Camelot' Camelot Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Camouflage' Camouflage Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Canada Blue' Canada Blue Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Candy Hearts' Candy Hearts Hosta | HP | 1.07 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Captain Kirk' Captain Kirk Hosta | HP | 1.44 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Carol' Carol Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Cascades' Cascades Hosta | HP | 1.34 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Cathedral Windows' P.P. 17295 Cathedral Windows Hosta | HP | 1.86 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Celebration' Celebration Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Change of Tradition' Change of Tradition Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Chantilly Lace' Chantilly Lace Hosta | HP | 1.29 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Chartreuse Wiggles' Chartreuse Wiggles Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Cheatin Heart' Cheatin Heart Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Cherish' Cherish Hosta | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Cherry Berry' Cherry Berry Hosta | HP | 1.62 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Chinese Sunrise' Chinese Sunrise Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Chiquita' Chiquita Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Choko Nishiki' Choko Nishiki Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Choo Choo Train' Choo Choo Train Hosta | HP | 1.25 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Christmas Tree' Christmas Tree Hosta | HP | 1.11 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Citation' Citation Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Color Glory' Color Glory Hosta | HP | 1.14 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Colossal' Colossal Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Creme de Menthe' Creme de Menthe Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Crepe Suzette' Crepe Suzette Hosta | HP | 2.61 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Crested Reef' Crested Reef Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Crispula' Crispula Hosta | HP | 0.79 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Crown Jewel' Crown Jewel Hosta | HP | 0.98 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Crowned Imperial' Crowned Imperial Hosta | HP | 0.85 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Hosta</i> 'Crumples' Crumples Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Daybreak' Daybreak Hosta | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Decorata' Decorata Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Devon Blue' Devon Blue Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Devon Charm' Devon Charm Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Devon Green' Devon Green Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Diamond Tiara' Diamond Tiara Hosta | HP | 1.29 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Dick Ward' Dick Ward Hosta | HP | 3.12 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Don Stevens' Don Stevens Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Dorset Blue' Dorset Blue Hosta | HP | 1.86 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Dorset Flair' Dorset Flair Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Doubloons' Doubloons Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'DuPage Delight' DuPage Delight Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Dylan's Dilly' Dylan's Dilly Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Earth Angel' Earth Angel Hosta | HP | 1.83 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'El Capitan' El Capitan Hosta | HP | 1.79 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'El Nino' P.P.A.F. El Nino Hosta | HP | 2.57 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Elata' Elata Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Elisabeth' Elisabeth Hosta | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Elizabeth Campbell' Elizabeth Campbell Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Ellerbroek' Ellerbroek Hosta | HP | 1.16 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Emerald Tiara' Emerald Tiara Hosta | HP | 1.37 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Emily Dickinson' Emily Dickinson Hosta | HP | 2.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Eola Salad Bowl' Eola Salad Bowl Hosta | HP | 1.56 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Eola Sapphire' Eola Sapphire Hosta | HP | 1.45 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Eric Smith' Eric Smith Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Evelyn McCafferty' Evelyn McCafferty Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Excitation' Excitation Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Exotic Frances Williams' Exotic Frances Williams Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Fall Bouquet' Fall Bouquet Hosta | HP | 1.27 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hosta</i> 'Fantastic' Fantastic Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Feather Boa' Feather Boa Hosta | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Fire and Ice' P.P.A.F. Fire and Ice Hosta | HP | 1.22 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Fisher Cream Edge' Fisher Cream Edge Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Floradora' Floradora Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Flower Power' Flower Power Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Formal Attire' Formal Attire Hosta | HP | 1.83 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Fortunei Albomarginata' Fortunei Albomarginata Hosta | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Fortunei Albopicta' Fortunei Albopicta Hosta | HP | 1.07 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Fortunei Aoki' Fortunei Aoki Hosta | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Fortunei Aurea' Fortunei Aurea Hosta | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Fortunei Aureomarginata' Fortunei Aureomarginata Hosta | HP | 1.02 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Fortunei Gigantea' Fortunei Gigantea Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Fortunei Hyacinthina' Fortunei Hyacinthina Hosta | HP | 0.94 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Fortunei Obscura' Fortunei Obscura Hosta | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Fortunei Rugosa' Fortunei Rugosa Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Fragrant Blue' Fragrant Blue Hosta | HP | 1.42 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Fragrant Bouquet' Fragrant Bouquet Hosta | HP | 1.35 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Fragrant Gold' Fragrant Gold Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Francee' Francee Hosta | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Freising' Freising Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Fresh' Fresh Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Fried Bananas' Fried Bananas Hosta | HP | 1.70 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Fried Green Tomatoes' Fried Green Tomatoes Hosta | HP | 1.32 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Fringe Benefit' Fringe Benefit Hosta | HP | 0.98 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Frosted Jade' Frosted Jade Hosta | HP | 1.66 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Gaijin' Gaijin Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Geisha' Geisha Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Geneva Stark' Geneva Stark Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Ginko Craig' Ginko Craig Hosta | HP | 1.17 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hosta</i> 'Glacial Lake' Glacial Lake Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Gloriosa' Gloriosa Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Gold Drop' Gold Drop Hosta | HP | 0.82 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Gold Edger' Gold Edger Hosta | HP | 1.01 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Gold Regal' Gold Regal Hosta | HP | 1.34 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Gold Standard' Gold Standard Hosta | HP | 1.03 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Golden Age' Golden Age Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Golden Anniversary' Golden Anniversary Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Golden Bullion' Golden Bullion Hosta | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Golden Crown' Golden Crown Hosta | HP | 0.84 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Golden Medallion' Golden Medallion Hosta | HP | 1.85 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Golden Oriole' Golden Oriole Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Golden Prayers' Golden Prayers Hosta | HP | 1.35 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Golden Scepter' Golden Scepter Hosta | HP | 0.92 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Golden Sculpture' Golden Sculpture Hosta | HP | 1.61 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Golden Sunburst' Golden Sunburst Hosta | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Golden Tiara' Golden Tiara Hosta | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Granary Gold' Granary Gold Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Grand Master' Grand Master Hosta | HP | 1.14 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Grand Tiara' Grand Tiara Hosta | HP | 1.22 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Great Expectations' Great Expectations Hosta | HP | 1.56 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Green Angel' Green Angel Hosta | HP | 1.27 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Green Fountain' Green Fountain Hosta | HP | 0.80 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Green Gold' Green Gold Hosta | HP | 1.03 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Green Kabitan' Green Kabitan Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Green Piecrust' Green Piecrust Hosta | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Green Sheen' Green Sheen Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Green Smash' Green Smash Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Green Velveteen' Green Velveteen Hosta | HP | 1.16 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Ground Sulphur' Ground Sulphur Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hosta</i> 'Groundmaster' Groundmaster Hosta | HP | 1.39 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Guacamole' Guacamole Hosta | HP | 1.58 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Hadspen Blue' Hadspen Blue Hosta | HP | 1.20 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Hadspen Hawk' Hadspen Hawk Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Hadspen Heron' Hadspen Heron Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Hadspen Samphire' Hadspen Samphire Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Hadspen White' Hadspen White Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Halcyon' Halcyon Hosta | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Happiness' Happiness Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Happy Hearts' Happy Hearts Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Harmony' Harmony Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Harrison' Harrison Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Harvest Moon' Harvest Moon Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Heartleaf' Heartleaf Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Helen Doriot' Helen Doriot Hosta | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Helonoides Albopicta' Helonoides Albopicta Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Herifu' Herifu Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'High Kicker' High Kicker Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Hillbilly Blues' Hillbilly Blues Hosta | HP | 1.33 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Hirao Majesty' Hirao Majesty Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Hirao Splendor' Hirao Splendor Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Hirao Supreme' Hirao Supreme Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Honeybells' Honeybells Hosta | HP | 1.08 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Honeysong' Honeysong Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Hoosier Harmony' Hoosier Harmony Hosta | HP | 1.34 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Hope' Hope Hosta | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Hottsy Totsy' Hottsy Totsy Hosta | HP | 1.64 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Hydon Sunset' Hydon Sunset Hosta | HP | 1.50 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Inaho' Inaho Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Inniswood' Inniswood Hosta | HP | 1.26 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|--------------|---------|-------------|-----------|---------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hosta</i> 'Invincible' Invincible Hosta | HP | 1.18 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Iona' Iona Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Iron Gate Delight' Iron Gate Delight Hosta | HP | 1.43 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Jade Beauty' Jade Beauty Hosta | HP | 1.69 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Jade Cascade' Jade Cascade Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Jade Scepter' Jade Scepter Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Jadette' Jadette Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Janet' Janet Hosta | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Joker' Joker Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Joseph' Joseph Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Julie Morss' Julie Morss Hosta | HP | 0.92 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'June' June Hosta | HP | 1.71 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Just So' Just So Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Kabitan' Kabitan Hosta | HP | 1.64 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'King Tut' King Tut Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Knockout' Knockout Hosta | HP | 2.00 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Krossa Cream Edge' Krossa Cream Edge Hosta | HP | 0.69 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Krossa Regal' Krossa Regal Hosta | HP | 1.11 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Lacy Belle' Lacy Belle Hosta | HP | 1.60 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Lady Helen' Lady Helen Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Lakeside Kaleidoscope' Lakeside Kaleidoscope Hosta | HP | 1.78 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Lancifolia' Lancifolia Hosta | HP | 1.10 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Leather Sheen' Leather Sheen Hosta | HP | 1.49 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Lemon Lime' Lemon Lime Hosta | HP | 1.21 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Leola Fraim' Leola Fraim Hosta | HP | 1.13 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Liberty' Liberty Hosta | HP | 2.33 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Little Aurora' Little Aurora Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Little Blue' Little Blue Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Little Razor' Little Razor Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Love Pat' Love Pat Hosta | HP | 1.39 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Hosta</i> 'Loyalist' Loyalist Hosta | HP | 1.51 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Lunar Eclipse' Lunar Eclipse Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Maekawa' Maekawa Hosta | HP | 1.07 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Marilyn' Marilyn Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Maruba Iwa' Maruba Iwa Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Metallic Sheen' Metallic Sheen Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Midas Touch' Midas Touch Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Middle Ridge' Middle Ridge Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Midwest Magic' Midwest Magic Hosta | HP | 1.72 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Mildred Seaver' Mildred Seaver Hosta | HP | 1.26 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Minuteman' Minuteman Hosta | HP | 1.15 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Miss Saigon' Miss Saigon Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Moerheim' Moerheim Hosta | HP | 0.70 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Montreal' Montreal Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Moon River' Moon River Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Moonlight' Moonlight Hosta | HP | 0.63 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Moscow Blue' Moscow Blue Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Mostly Ghostly' Mostly Ghostly Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Mountain Snow' Mountain Snow Hosta | HP | 1.89 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Mountain Sunrise' Mountain Sunrise Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Mr. Big' Mr. Big Hosta | HP | 1.91 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Nakaimo' Nakaimo Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Neat Splash' Neat Splash Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'New Wave' New Wave Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Night Before Christmas' Night Before Christmas Hosta | HP | 1.45 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'North Hills' North Hills Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Northern Exposure' Northern Exposure Hosta | HP | 2.06 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Northern Halo' Northern Halo Hosta | HP | 1.69 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Old Glory' P.P. 12503 Old Glory Hosta | HP | 1.83 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Olive Bailey Langdon' Olive Bailey Langdon Hosta | HP | 1.40 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hosta</i> 'Olive Branch' Olive Branch Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'On Stage' On Stage Hosta | HP | 2.00 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Orange Marmalade' P.P. 16742 Orange Marmalade Hosta | HP | 2.67 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Oriana' Oriana Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Osprey' Osprey Hosta | HP | 1.13 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Pacific Blue Edger' Pacific Blue Edger Hosta | HP | 0.98 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Paradigm' Paradigm Hosta | HP | 1.67 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Paradise Red Delight' Paradise Red Delight Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Patriot' Patriot Hosta | HP | 1.29 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Paul's Glory' Paul's Glory Hosta | HP | 1.64 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Peace' Peace Hosta | HP | 1.73 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Pearl Lake' Pearl Lake Hosta | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Perfect' Perfect Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Piedmont Gold' Piedmont Gold Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Pineapple Poll' Pineapple Poll Hosta | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Pineapple Upsidedown Cake' Pineapple Upsidedown Cake Hosta | HP | 2.03 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Pizzazz' Pizzazz Hosta | HP | 1.67 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Platinum Tiara' Platinum Tiara Hosta | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Potomac Pride' Potomac Pride Hosta | HP | 1.07 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Purple Dwarf' Purple Dwarf Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Purple Lady Finger' Purple Lady Finger Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Queen Josephine' Queen Josephine Hosta | HP | 1.84 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Rachel' Rachel Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Radiant Edger' Radiant Edger Hosta | HP | 1.49 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Rascal' Rascal Hosta | HP | 1.76 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Raspberry Sorbet' Raspberry Sorbet Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Regal Splendor' Regal Splendor Hosta | HP | 1.32 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Reginald Kaye' Reginald Kaye Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Remember Me' Remember Me Hosta | HP | 2.47 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Resonance' Resonance Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|--------------|---------|-------------|-----------|---------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hosta</i> 'Reversed' Reversed Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Revolution' P.P.A.F. Revolution Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Richland Gold' Richland Gold Hosta | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Risky Business' Risky Business Hosta | HP | 2.87 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Robert Frost' Robert Frost Hosta | HP | 1.30 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Royal Standard' Royal Standard Hosta | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Royal Tiara' Royal Tiara Hosta | HP | 2.94 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Ryan's Big One' Ryan's Big One Hosta | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Saint Elmo's Fire' Saint Elmo's Fire Hosta | HP | 1.61 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Saishu Jima' Saishu Jima Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Samual Blue' Samual Blue Hosta | HP | 0.91 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Samurai' Samurai Hosta | HP | 1.11 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Scooter' Scooter Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sea Dream' Sea Dream Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sea Fire' Sea Fire Hosta | HP | 1.72 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sea Gold Star' Sea Gold Star Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sea Grotto' Sea Grotto Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sea Lotus Leaf' Sea Lotus Leaf Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sea Mist' Sea Mist Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sea Octopus' Sea Octopus Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sea Sapphire' Sea Sapphire Hosta | HP | 1.28 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sea Thunder' Sea Thunder Hosta | HP | 1.24 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sea Yellow Sunrise' Sea Yellow Sunrise Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Second Wind' Second Wind Hosta | HP | 1.21 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'September Song' September Song Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'September Sun' September Sun Hosta | HP | 1.63 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Serendipity' Serendipity Hosta | HP | 1.06 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Shade Fanfare' Shade Fanfare Hosta | HP | 1.09 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Shade Master' Shade Master Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sharmon' Sharmon Hosta | HP | 0.90 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hosta</i> 'Sherborne Swan' Sherborn Swan Hosta | HP | 2.94 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Shining Tot' Shining Tot Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Silver Crown' Silver Crown Hosta | HP | 1.10 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Silvery Slug Proof' Silvery Slug Proof Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sitting Pretty' Sitting Pretty Hosta | HP | 1.22 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Slim Polly' Slim Polly Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Snow Cap' Snow Cap Hosta | HP | 2.09 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Snow Crust' Snow Crust Hosta | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Snow Flakes' Snow Flakes Hosta | HP | 1.54 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Snow White' Snow White Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Snowden' Snowden Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Snowstorm' Snowstorm Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'So Sweet' So Sweet Hosta | HP | 1.22 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Solar Flare' Solar Flare Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Something Blue' Something Blue Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Spacious' Spacious Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sparkling Burgundy' Sparkling Burgundy Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sparky' Sparky Hosta | HP | 1.24 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Special Gift' Special Gift Hosta | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Spilt Milk' Spilt Milk Hosta | HP | 2.52 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Spinners' Spinners Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Spritzer' Spritzer Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Stained Glass' Stained Glass Hosta | HP | 2.56 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Stiletto' Stiletto Hosta | HP | 1.24 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Striptease' Striptease Hosta | HP | 2.19 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sugar Plum Fairy' Sugar Plum Fairy Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sugar and Cream' Sugar and Cream Hosta | HP | 1.26 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sultana' Sultana Hosta | HP | 1.72 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sum and Substance' Sum and Substance Hosta | HP | 1.27 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Summer Fragrance' Summer Fragrance Hosta | HP | 1.10 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hosta</i> 'Summer Joy' Summer Joy Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Summer Music' Summer Music Hosta | HP | 1.69 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Summer Snow' Summer Snow Hosta | HP | 1.23 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sun Power' Sun Power Hosta | HP | 1.60 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sundance' Sundance Hosta | HP | 1.01 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sunshine Glory' Sunshine Glory Hosta | HP | 1.49 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Super Bowl' Super Bowl Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Super Nova' Super Nova Hosta | HP | 1.68 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Suzanne' Suzanne Hosta | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sweet Susan' Sweet Susan Hosta | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Sweetie' Sweetie Hosta | HP | 1.35 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Tamborine' Tamborine Hosta | HP | 1.69 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Tattoo' P.P. 11603 Tattoo Hosta | HP | 1.36 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Temple Bells' Temple Bells Hosta | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Tenryu' Tenryu Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Thomas Hogg' Thomas Hogg Hosta | HP | 1.16 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Thumbelina' Thumbelina Hosta | HP | 2.23 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Thunderbolt' P.P. 14232 Thunderbolt Hosta | HP | 1.92 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Tiny Tears' Tiny Tears Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Titanic' Titanic Hosta | HP | 3.63 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Tokudama Aureonebulosa' Tokudama Aureonebulosa Hosta | HP | 1.57 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Tokudama Flavocircinalis' Tokudama Flavocircinalis Hosta | HP | 1.62 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Tokudama' Tokudama Hosta | HP | 1.16 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Tomoko' Tomoko Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Topaz' Topaz Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'True Blue' True Blue Hosta | HP | 0.94 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Twilight' P.P. 14040 Twilight Hosta | HP | 1.16 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Twinkles' Twinkles Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Twist of Lime' Twist of Lime Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Ultramarine' Ultramarine Hosta | HP | 2.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hosta</i> 'Undulata Albomarginata' Undulata Albomarginata Hosta | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Undulata Erromena' Undulata Erromena Hosta | HP | 0.70 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Undulata Univittata' Undulata Univittata Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Undulata' Wavy Hosta | HP | 0.92 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Valentine Lace' Valentine Lace Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Vanilla Cream' Vanilla Cream Hosta | HP | 1.22 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Vera Verde' Vera Verde Hosta | HP | 0.94 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Veronica Lake' Veronica Lake Hosta | HP | 1.14 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Vilmoriniana' Vilmoriniana Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Wheaton Blue' Wheaton Blue Hosta | HP | 1.23 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Whirlwind' Whirlwind Hosta | HP | 1.39 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'White Christmas' White Christmas Hosta | HP | 1.10 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'White Colossus' White Colossus Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Wide Brim' Wide Brim Hosta | HP | 1.17 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Willy Nilly' Willy Nilly Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Winning Edge' Winning Edge Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Wogon' Wogon Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Wogon's Boy' Wogon's Boy Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Wolverine' Wolverine Hosta | HP | 1.77 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Woodland Green' Woodland Green Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Wylde Green Cream' Wylde Green Cream Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Yellow River' Yellow River Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Yellow Splash Rim' Yellow Splash Rim Hosta | HP | 1.38 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Yellow Splash' Yellow Splash Hosta | HP | 1.16 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Zager White Edge' Zager White Edge Hosta | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Hosta</i> 'Zounds' Zounds Hosta | HP | 1.12 | R2 | 3 | 4-8 | | | |
| <i>Hosta capitata</i> Capitata Hosta | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hosta clausa</i> Claus Hosta | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Hosta clausa</i> var. <i>normalis</i> Claus Normalis Hosta | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Hosta flutuans</i> Flutuans Hosta | HP | 1.51 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hosta flutuans</i> 'Sagae' | | | | | | | | |
| See - <i>Hosta flutuans</i> 'Variegated' | | | | | | | | |
| <i>Hosta flutuans</i> 'Variegated' | HP | 1.51 | R2 | 3 | | | | 4-8 |
| Variegated Flutuans Hosta | | | | | | | | |
| <i>Hosta fortunei</i> 'Aureomaculata' | | | | | | | | |
| See - <i>Hosta</i> 'Fortunei Albopicta' | | | | | | | | |
| <i>Hosta hypoleuca</i> | HP | 1.60 | R2 | 3 | | | | 4-8 |
| Hypoleuca Hosta | | | | | | | | |
| <i>Hosta kikutii</i> | HP | 1.22 | R2 | 3 | | | | 4-8 |
| Kikutii Hosta | | | | | | | | |
| <i>Hosta kikutii</i> 'Aureomarginata' | | | | | | | | |
| See - <i>Hosta kikutii</i> 'Kifukurin' | | | | | | | | |
| <i>Hosta kikutii</i> 'Kifukurin' | HP | 1.22 | R2 | 3 | | | | 4-8 |
| Kifukurin Kikutii Hosta | | | | | | | | |
| <i>Hosta kikutii</i> var. <i>pruinosa</i> | HP | 1.33 | R2 | 3 | | | | 4-8 |
| Kikutii Pruinosa Hosta | | | | | | | | |
| <i>Hosta longissima</i> | HP | 1.00 | R2 | 3 | | | | 4-8 |
| Longissima Hosta | | | | | | | | |
| <i>Hosta minor</i> | HP | 1.10 | R2 | 3 | | | | 4-8 |
| Mini Hosta | | | | | | | | |
| <i>Hosta minor</i> 'Alba' | HP | 1.10 | R2 | 3 | | | | 4-8 |
| Alba Mini Hosta | | | | | | | | |
| <i>Hosta montana</i> | HP | 1.28 | R2 | 3 | | | | 4-8 |
| Montana Hosta | | | | | | | | |
| <i>Hosta montana</i> 'Aureomarginata' | HP | 1.71 | R2 | 3 | | | | 4-8 |
| Aureomarginata Montana Hosta | | | | | | | | |
| <i>Hosta nakaiana</i> | HP | 1.03 | R2 | 3 | | | | 4-8 |
| Nakaiana Hosta | | | | | | | | |
| <i>Hosta nigrescens</i> | HP | 1.73 | R2 | 3 | | | | 4-8 |
| Nigrescens Hosta | | | | | | | | |
| <i>Hosta nigrescens</i> 'Elatior' | HP | 1.73 | R2 | 3 | | | | 4-8 |
| Elatior Nigrescens Hosta | | | | | | | | |
| <i>Hosta plantaginea</i> | HP | 1.35 | R2 | 3 | | | | 4-8 |
| August Lily | | | | | | | | |
| <i>Hosta plantaginea</i> 'Aphrodite' | HP | 1.53 | R2 | 3 | | | | 4-8 |
| Aphrodite Plantain Hosta | | | | | | | | |
| <i>Hosta plantaginea</i> 'Grandiflora' | | | | | | | | |
| See - <i>Hosta plantaginea</i> | | | | | | | | |
| <i>Hosta pulchella</i> | HP | 0.87 | R2 | 3 | | | | 4-8 |
| Pulchella Hosta | | | | | | | | |
| <i>Hosta pulchella</i> 'Kifukurin' | HP | 0.87 | R2 | 3 | | | | 4-8 |
| Kifukurin Hosta | | | | | | | | |
| <i>Hosta rectifolia</i> | HP | 0.65 | R2 | 3 | | | | 4-8 |
| Rectifolia Hosta | | | | | | | | |
| <i>Hosta rectifolia</i> 'Chionea' | HP | 0.65 | R2 | 3 | | | | 4-8 |
| Chionea Rectifolia Hosta | | | | | | | | |
| <i>Hosta rupifraga</i> | HP | 1.00 | R2 | 3 | | | | 4-8 |
| Rupifraga Hosta | | | | | | | | |
| <i>Hosta sieboldiana</i> | HP | 1.15 | R2 | 3 | | | | 4-8 |
| Sieboldiana Hosta | | | | | | | | |
| <i>Hosta sieboldiana</i> 'Elegans' | HP | 1.16 | R2 | 3 | | | | 4-8 |
| Elegans Sieboldiana Hosta | | | | | | | | |
| <i>Hosta sieboldiana</i> 'Frances Williams' | HP | 1.24 | R2 | 3 | | | | 4-8 |
| Frances Williams Sieboldiana Hosta | | | | | | | | |
| <i>Hosta sieboldiana</i> 'Glauca' | | | | | | | | |
| See - <i>Hosta</i> 'Tokudama' | | | | | | | | |
| <i>Hosta sieboldii</i> | HP | 1.10 | R2 | 3 | | | | 4-8 |
| Albomarginata Sieboldii Hosta | | | | | | | | |
| <i>Hosta sieboldii</i> 'Alba' | HP | 1.10 | R2 | 3 | | | | 4-8 |
| White Sieboldii Hosta | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hosta x tardiana</i> Tardiana Hosta | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hosta tardiflora</i> Tardiflora Hosta | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Hosta undulata</i> 'Medio-variegata' See - <i>Hosta</i> 'Undulata' | | | | | | | | |
| <i>Hosta ventricosa</i> Ventricosa Hosta | HP | 1.02 | R2 | 3 | 4-8 | | | |
| <i>Hosta ventricosa</i> 'Aureomaculata' Aureomaculata Ventricosa Hosta | HP | 1.14 | R2 | 3 | 4-8 | | | |
| <i>Hosta ventricosa</i> 'Aureomarginata' Aureomarginata Ventricosa Hosta | HP | 1.16 | R2 | 3 | 4-8 | | | |
| <i>Hosta ventricosa</i> 'Variegata' See - <i>Hosta ventricosa</i> 'Aureomarginata' | | | | | | | | |
| <i>Hosta venusta</i> Venusta Hosta | HP | 1.01 | R2 | 3 | 4-8 | | | |
| <i>Hosta venusta</i> 'Variegated' Variegated Venusta Hosta | HP | 1.01 | R2 | 3 | 4-8 | | | |
| <i>Hosta yingeri</i> Yingeri Hosta | HP | 1.28 | R2 | 3 | 4-8 | | | |
| <i>Houstonia caerulea</i> Bluets | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Houttuynia cordata</i> No Common Name Found | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Houttuynia cordata</i> 'Chameleon' Chameleon Plant | HP | 0.78 | R2 | 3-5 | 6-8 | | | |
| <i>Houttuynia cordata</i> 'Flore-plena' Flore-plena Chameleon Plant | HP | 0.81 | R2 | 3-5 | 6-8 | | | |
| <i>Hovenia dulcis</i> Japanese Raisin Tree | DT | 1.30 | R1 | 5-6 | 7-8 | 1.00 | 0.67 | 6 |
| <i>Hoya carnososa</i> Wax Plant | FO | 0.73 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Hoya carnososa</i> 'Compacta' Hindu Rope Plant | FO | 0.21 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Hoya carnososa</i> 'Exotica' Exotic Wax Plant | FO | 0.50 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Hoya carnososa</i> 'Tricolor' Tricolor Wax Plant | FO | 0.77 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Hoya carnososa</i> 'Variegata' Variegated Wax Plant | FO | 0.22 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Hoya imperialis</i> No Common Name Found | FO | 1.70 | R2 | 8 | | | 1.00 | 10 |
| <i>Humata tyermannii</i> Bear-foot Fern | FO | 0.77 | R2 | 3-8 | | | 1.00 | 8 |
| <i>Humulus lupulus</i> Common Hop | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Humulus lupulus</i> 'Aureus' Golden Common Hop | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Humulus lupulus</i> 'Bianca' Bianca Common Hop | HP | 1.24 | R2 | 3-4 | 5-8 | | | |
| <i>Humulus lupulus</i> 'Blue Northern' Blue Northern Common Hop | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Humulus lupulus</i> 'Brewer's Gold' Brewer's Gold Common Hop | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Humulus lupulus</i> 'Cascade' Cascade Common Hop | HP | 0.63 | R2 | 3-4 | 5-8 | | | |
| <i>Humulus lupulus</i> 'Nuggett' Nuggett Common Hop | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Humulus lupulus</i> 'Willamette' Willamette Common Hop | HP | 1.00 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Humulus lupulus</i> var. <i>neomexicanus</i> Common Hop | HP | 1.62 | R2 | 3-4 | 5-8 | | | |
| <i>Humulus neomexicanus</i> See - <i>Humulus lupulus</i> var. <i>neomexicanus</i> | | | | | | | | |
| <i>Hunnemannia fumariifolia</i> Mexican Tulip Poppy | AN | 1.10 | R2 | 5-8 | | | | |
| <i>Hunnemannia fumariifolia</i> 'Sunlite' Sunlite Mexican Tulip Poppy | AN | 1.10 | R2 | 5-8 | | | | |
| <i>Hutchinsia alpina</i> See - <i>Pritzelago alpina</i> | | | | | | | | |
| <i>Hyacinthoides hispanica</i> Spanish Bluebell | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Hyacinthus orientalis</i> Common Hyacinth | HP | 1.55 | R2 | 3-8 | | | | |
| <i>Hydrangea</i> Hydrangea | DS | 1.24 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Hydrangea</i> 'Sweet Carol' P.P. 15239 Bliss™ Hydrangea | DS | 1.21 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Hydrangea</i> 'Sweet Chris' P.P. 15222 Big Smile™ Hydrangea | DS | 1.26 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Hydrangea acuminata</i> See - <i>Hydrangea serrata</i> | | | | | | | | |
| <i>Hydrangea anomala</i> ssp. <i>petiolaris</i> Climbing Hydrangea | GC | 1.12 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Hydrangea anomala</i> ssp. <i>petiolaris</i> 'Kasai' P.P. 13845 Kasai Climbing Hydrangea | GC | 1.28 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Hydrangea anomala</i> ssp. <i>petiolaris</i> 'Kuga Variegated' P.P. 13247 Moonlight Magic™ Variegated Climbing Hydrangea | GC | 1.45 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Hydrangea anomala</i> ssp. <i>petiolaris</i> 'Mirranda' Mirranda Variegated Climbing Hydrangea | GC | 1.58 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Hydrangea anomala</i> ssp. <i>petiolaris</i> 'Moonlight Magic' See - <i>Hydrangea anomala</i> ssp. <i>petiolaris</i> 'Kuga Variegated' P.P. 13247 | | | | | | | | |
| <i>Hydrangea anomala</i> ssp. <i>petiolaris</i> 'Skyland Giant' Skyland Giant Climbing Hydrangea | GC | 1.34 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Hydrangea anomala</i> ssp. <i>petiolaris</i> var. <i>cordifolia</i> Dwarf Climbing Hydrangea | GC | 1.18 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Hydrangea anomala</i> ssp. <i>petiolaris</i> var. <i>cordifolia</i> 'Brookside Littleleaf' Brookside Littleleaf Dwarf Climbing Hydrangea | GC | 1.18 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Hydrangea anomala</i> ssp. <i>quelpartensis</i> Climbing Hydrangea | GC | 1.23 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Hydrangea arborescens</i> Smooth Hydrangea | DS | 0.84 | R1 | 3-6 | 7-8 | | 1.28 | 3 |
| <i>Hydrangea arborescens</i> 'Annabelle' Annabelle Hydrangea | DS | 1.01 | R1 | 3-6 | 7-8 | | 1.41 | 3 |
| <i>Hydrangea arborescens</i> 'Bounty' Bounty Smooth Hydrangea | DS | 0.84 | R1 | 3-6 | 7-8 | | 1.84 | 3 |
| <i>Hydrangea arborescens</i> 'Dardom' P.P. 14168 White Dome™ Hydrangea | DS | 1.07 | R1 | 3-6 | 7-8 | | 2.82 | 3 |
| <i>Hydrangea arborescens</i> 'Grandiflora' Hills of Snow Hydrangea | DS | 1.41 | R1 | 3-6 | 7-8 | | 1.84 | 3 |
| <i>Hydrangea arborescens</i> 'Hayes Starburst' Hayes Starburst Smooth Hydrangea | DS | 0.82 | R1 | 3-6 | 7-8 | | 1.84 | 3 |
| <i>Hydrangea arborescens</i> 'Riven Lace' Riven Lace Smooth Hydrangea | DS | 1.00 | R1 | 3-6 | 7-8 | | 1.84 | 3 |
| <i>Hydrangea arborescens</i> 'White Dome' See - <i>Hydrangea arborescens</i> 'Dardom' P.P. 14168 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hydrangea arborescens</i> ssp. <i>radiata</i> White-leaved Hydrangea | DS | 1.18 | R1 | 3-6 | 7-8 | | 1.00 | 3 |
| <i>Hydrangea arborescens</i> ssp. <i>radiata</i> 'Samantha' Samantha Silverleaf Hydrangea | DS | 1.18 | R1 | 3-6 | 7-8 | | 1.00 | 3 |
| <i>Hydrangea aspera</i> No Common Name Found | DS | 1.36 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Hydrangea aspera</i> 'Kawakamii' Kawakamii Hydrangea | DS | 1.36 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hydrangea aspera</i> 'Mauvette' Mauvette Hydrangea | DS | 1.36 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hydrangea aspera</i> 'Rocklon' Rocklon Hydrangea | DS | 1.36 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hydrangea aspera</i> ssp. <i>robusta</i> Robusta Hydrangea | DS | 1.36 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hydrangea aspera</i> ssp. <i>sargentiana</i> See - <i>Hydrangea sargentiana</i> | | | | | | | | |
| <i>Hydrangea aspera</i> ssp. <i>strigosa</i> No Common Name Found | DS | 1.20 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Hydrangea aspera</i> var. <i>macrophylla</i> See - <i>Hydrangea aspera</i> ssp. <i>strigosa</i> | | | | | | | | |
| <i>Hydrangea aspera</i> var. <i>villosa</i> See - <i>Hydrangea villosa</i> | | | | | | | | |
| <i>Hydrangea integerrima</i> See - <i>Hydrangea serratifolia</i> | | | | | | | | |
| <i>Hydrangea integrifolia</i> Evergreen Climbing Hydrangea | DS | 1.55 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hydrangea involucrata</i> No Common Name Found | DS | 0.78 | R1 | 6-7 | 8 | | 1.00 | 7 |
| <i>Hydrangea involucrata</i> 'Tama Azisai' No Common Name Found | DS | 0.78 | R1 | 6-7 | 8 | | 1.00 | 7 |
| <i>Hydrangea macrophylla</i> Bigleaf Hydrangea | DS | 0.65 | R1 | 5-6 | 7-8 | | 0.67 | 5 |
| <i>Hydrangea macrophylla</i> 'Adria' Adria Mophead Hydrangea | DS | 1.07 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'All Summer Beauty' All Summer Beauty Bigleaf Hydrangea | DS | 1.02 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Alpengluhen' Alpengluhen Bigleaf Hydrangea | DS | 0.83 | R1 | 5-6 | 7-8 | | 1.32 | 5 |
| <i>Hydrangea macrophylla</i> 'Altona' Altona Mophead Hydrangea | DS | 0.66 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Amethyst' Amethyst Hortensia Hydrangea | DS | 1.13 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Ami Pasquier' Ami Pasquier Mophead Hydrangea | DS | 0.81 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Angel Eyes' See - <i>Hydrangea macrophylla</i> 'Frau Sachiko' P.P.A.F. | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Angel Lace' See - <i>Hydrangea macrophylla</i> 'Frau Reiko' P.P. 9500 | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Angel Robe' See - <i>Hydrangea macrophylla</i> 'Frau Kinue' P.P. 10439 | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Angel Series' Angel Series Bigleaf Hydrangea | DS | 1.07 | R1 | 5-7 | 8 | | 1.35 | 7 |
| <i>Hydrangea macrophylla</i> 'Angel Smile' See - <i>Hydrangea macrophylla</i> 'Frau Nobuko' P.P. 10371 | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Angel Song' See - <i>Hydrangea macrophylla</i> 'Frau Taiko' P.P. 10372 | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Angel Star' See - <i>Hydrangea macrophylla</i> 'Frau Yoshimi' P.P.A.F. | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Angel Wings' See - <i>Hydrangea macrophylla</i> 'Frau Mariko' P.P.A.F. | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hydrangea macrophylla</i> 'Atlantic' Atlantic Mophead Hydrangea | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Ayesha' Ayesha Bigleaf Hydrangea | DS | 0.96 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Bailday' P.P.A.F. First Editions™ Light-O-Day™ Bigleaf Hydrangea | DS | 1.31 | R1 | 4-5 | 6-8 | | 1.35 | 4 |
| <i>Hydrangea macrophylla</i> 'Bailmer' P.P. 15298 Endless Summer® Mophead Hydrangea | DS | 1.50 | R1 | 5-6 | 7-8 | | 1.64 | 4 |
| <i>Hydrangea macrophylla</i> 'Beauty Vendomoise' Beauty Vendomoise Lacecap Hydrangea | DS | 0.78 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Big Daddy' P.P. 14527 Big Daddy Mophead Hydrangea | DS | 1.72 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Bits of Lace' Bits of Lace™ Lacecap Hydrangea | DS | 1.38 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Blauer Prinz' Blauer Prinz Mophead Hydrangea | DS | 0.66 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Blauer Zweig' Blauer Zweig Mophead Hydrangea | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Blaumeise' Blaumeise Lacecap Hydrangea | DS | 0.80 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Blue Danube' Blue Danube Mophead Hydrangea | DS | 1.23 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Blue Heaven' P.P. 18823 Forever & Ever® Blue Heaven Bigleaf Hydrangea | DS | 1.81 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Blue Wave' Blue Wave Bigleaf Hydrangea | DS | 1.00 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Blushing Bride' P.P. 17169 Endless Summer® Blushing Bride Hydrangea | DS | 1.26 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Bodensee Rose' Bodensee Rose Mophead Hydrangea | DS | 0.66 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Bottstein' Bottstein Mophead Hydrangea | DS | 1.21 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Bouquet Rose' Bouquet Rose Mophead Hydrangea | DS | 1.03 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Breslenburg' Breslenburg Mophead Hydrangea | DS | 1.32 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Bridal Bouquet' Bridal Bouquet Mophead Hydrangea | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Buttons 'N Bows' See - <i>Hydrangea macrophylla</i> 'Monrey' P.P. 11405 | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Cardinal Red' Cardinal Red Bigleaf Hydrangea | DS | 0.81 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Charm' Charm Bigleaf Hydrangea | DS | 0.91 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Claudie' P.P. 15968 Claudie Lacecap Hydrangea | DS | 1.27 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Coerulea Lace' Coerulea Lace Lacecap Hydrangea | DS | 0.96 | R1 | 5-6 | 7-8 | | 2.01 | 5 |
| <i>Hydrangea macrophylla</i> 'Coerulea' Blue Bigleaf Hydrangea | DS | 1.07 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Color Fantasy' Color Fantasy™ Mophead Hydrangea | DS | 1.39 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'David Ramsey' David Ramsey Mophead Hydrangea | DS | 1.10 | R1 | 4-5 | 6-8 | | 1.35 | 4 |
| <i>Hydrangea macrophylla</i> 'Decatur Blue' Decatur Blue Mophead Hydrangea | DS | 1.10 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Deutschland' Deutschland Mophead Hydrangea | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Domotoi' Domotoi Bigleaf Hydrangea | DS | 0.95 | R1 | 5-6 | 7-8 | | 1.35 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hydrangea macrophylla</i> 'Dooley' Dooley Bigleaf Hydrangea | DS | 0.89 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Early Sensation' P.P.A.F. Forever & Ever® Bigleaf Hydrangea | DS | 1.40 | R1 | 4-5 | 6-8 | | 1.35 | 4 |
| <i>Hydrangea macrophylla</i> 'Eisvogel' Eisvogel Mophead Hydrangea | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Endless Summer Blushing Bride' See - <i>Hydrangea macrophylla</i> <i>Hydrangea macrophylla</i> 'Endless Summer Eclipse' See - <i>Hydrangea macrophylla</i> 'Bailday' P.P.A.F. | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Endless Summer Series' Endless Summer® Series Bigleaf Hydrangea | DS | 1.07 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Endless Summer' See - <i>Hydrangea macrophylla</i> 'Bailmer' P.P. 15298 | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Enziandon' Enziandom Mophead Hydrangea | DS | 0.66 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Europa' Europa Bigleaf Hydrangea | DS | 0.68 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Fasan' Fasan Lacecap Hydrangea | DS | 0.85 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Fireworks' See - <i>Hydrangea macrophylla</i> 'Hanabi' P.P.A.F. | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Fischers Silver Blue' See - <i>Hydrangea macrophylla</i> 'Fischers Silverblau' | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Fischers Silverblau' Fischers Silverblau Mophead Hydrangea | DS | 1.22 | R1 | 4-5 | 6-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Floralia' Floralia Bigleaf Hydrangea | DS | 1.17 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Forever & Ever Blue Heaven' See - <i>Hydrangea macrophylla</i> 'Blue Heaven' P.P. 18823 | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Forever & Ever Double Pink' See - <i>Hydrangea macrophylla</i> 'RIE 09' P.P. 16613 | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Forever & Ever Peppermint' See - <i>Hydrangea macrophylla</i> 'RIE 13' P.P. 18476 | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Forever & Ever Red' See - <i>Hydrangea macrophylla</i> 'Red Sensation' P.P. 18197 | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Forever & Ever Series' Forever & Ever® Series Bigleaf Hydrangea | DS | 1.39 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Forever & Ever Together' See - <i>Hydrangea macrophylla</i> 'RIE 05' P.P. 18508 | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Forever & Ever White Out' See - <i>Hydrangea macrophylla</i> 'White Ball' P.P.A.F. | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Forever & Ever' See - <i>Hydrangea macrophylla</i> 'Early Sensation' P.P.A.F. | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Forever Pink' Forever Pink Bigleaf Hydrangea | DS | 0.88 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Frau Kinue' P.P. 10439 Angel Robe™ Bigleaf Hydrangea | DS | 1.40 | R1 | 5-7 | 8 | | 1.35 | 7 |
| <i>Hydrangea macrophylla</i> 'Frau Mariko' P.P.A.F. Angel Wings™ Bigleaf Hydrangea | DS | 1.40 | R1 | 5-7 | 8 | | 1.35 | 7 |
| <i>Hydrangea macrophylla</i> 'Frau Nobuko' P.P. 10371 Angel Smile™ Bigleaf Hydrangea | DS | 1.42 | R1 | 5-7 | 8 | | 1.35 | 7 |
| <i>Hydrangea macrophylla</i> 'Frau Reiko' P.P. 9500 Angel Lace™ Bigleaf Hydrangea | DS | 1.38 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Frau Sachiko' P.P.A.F. Angel Eyes™ Bigleaf Hydrangea | DS | 1.39 | R1 | 5-7 | 8 | | 1.35 | 7 |
| <i>Hydrangea macrophylla</i> 'Frau Taiko' P.P. 10372 Angel Song™ Bigleaf Hydrangea | DS | 1.41 | R1 | 5-6 | 7-8 | | 1.35 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hydrangea macrophylla</i> 'Frau Yoshimi' P.P.A.F. Angel Star™ Bigleaf Hydrangea | DS | 1.42 | R1 | 5-7 | 8 | | 1.35 | 7 |
| <i>Hydrangea macrophylla</i> 'Frillibet' Frillibet Mophead Hydrangea | DS | 0.78 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Gartenbaudirektor Kuhnert' Gartenbaudirektor Kuhnert Mophead Hydrangea | DS | 0.93 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Generale Vicomtesse de Vibraye' Generale Vicomtesse de Vibraye Mophead Hydrangea | DS | 0.78 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Geoffrey Chadbund' Geoffrey Chadbund Lacecap Hydrangea | DS | 0.83 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Gerda Steiniger' Gerda Steiniger Mophead Hydrangea | DS | 1.25 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Gertrude Glahn' Gertrude Glahn Mophead Hydrangea | DS | 1.01 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Glory Blue' Glory Blue Bigleaf Hydrangea | DS | 0.89 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Glowing Embers' Glowing Embers Bigleaf Hydrangea | DS | 1.01 | R1 | 5-6 | 7-8 | | 1.33 | 5 |
| <i>Hydrangea macrophylla</i> 'Goliath' Goliath Bigleaf Hydrangea | DS | 0.94 | R1 | 5-6 | 7-8 | | 1.48 | 5 |
| <i>Hydrangea macrophylla</i> 'HYMMAD I' P.P. 18294 Queen of Pearls™ Royal Majestics® Hydrangea | DS | 1.28 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'HYMMAD II' P.P. 18282 Midnight Duchess™ Royal Majestics® Hydrangea | DS | 1.30 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'HYMMAD III' P.P. 18341 Princess Lace™ Royal Majestics® Hydrangea | DS | 1.30 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Hamburg' Hamburg Mophead Hydrangea | DS | 0.80 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Hanabi' P.P.A.F. Hanabi Bigleaf Hydrangea | DS | 1.05 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Harlequin' Harlequin Mophead Hydrangea | DS | 1.10 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Heinrich Seidel' Heinrich Seidel Mophead Hydrangea | DS | 0.74 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Hobella' P.P. 9642 Hobella Hovaria Hydrangea | DS | 0.98 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Holibel' P.P.A.F. Hovaria® Holibel Mophead Hydrangea | DS | 1.48 | R1 | 5-6 | 7-8 | | 1.35 | 6 |
| <i>Hydrangea macrophylla</i> 'Holstein' Holstein Mophead Hydrangea | DS | 0.66 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Homigo' Homigo Hovaria Hydrangea | DS | 1.09 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Hopaline' P.P.A.F. Hovaria® Hopaline Mophead Hydrangea | DS | 1.27 | R1 | 5-6 | 7-8 | | 1.35 | 6 |
| <i>Hydrangea macrophylla</i> 'Horben' Horben Mophead Hydrangea | DS | 1.26 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Hornli' Hornli Mophead Hydrangea | DS | 1.32 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Hovaria Holibel' See - <i>Hydrangea macrophylla</i> 'Holibel' P.P.A.F. <i>Hydrangea macrophylla</i> 'Hovaria Hopaline' | | | | | | | | |
| See - <i>Hydrangea macrophylla</i> 'Hopaline' P.P.A.F. <i>Hydrangea macrophylla</i> 'Izu No Hana' Izu No Hana Lacecap Hydrangea | DS | 1.21 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Jogasaki' Jogasaki Lacecap Hydrangea | DS | 1.11 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Juliana' See - <i>Hydrangea macrophylla</i> 'Princess Juliana' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hydrangea macrophylla</i> 'Kardinal' Kardinal Lacecap Hydrangea | DS | 0.81 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'King George' King George Mophead Hydrangea | DS | 0.66 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Kluis Superba' Kluis Superba Mophead Hydrangea | DS | 1.07 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'La France' La France Mophead Hydrangea | DS | 0.78 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Lady in Red' P.P. 15175 Lady in Red Lacecap Hydrangea | DS | 1.26 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Lanarth White' Lanarth White Lacecap Hydrangea | DS | 0.97 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Lemmenhof' Lemmenhof Mophead Hydrangea | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Lemon Daddy' P.P. 17660 Lemon Daddy™ Mophead Hydrangea | DS | 1.26 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Lemon Wave' Lemon Wave Lacecap Hydrangea | DS | 1.05 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Leuchtfeuer' Leuchtfeuer Mophead Hydrangea | DS | 0.68 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Libelle' Libelle Lacecap Hydrangea | DS | 0.90 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Light-O-Day' See - <i>Hydrangea macrophylla</i> 'Bailday' P.P.A.F. | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Lilacina' Lilacina Lacecap Hydrangea | DS | 0.84 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Maculata' Maculata Lacecap Hydrangea | DS | 0.78 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Madame Emile Mouillere' Madame Emile Mouillere Bigleaf Hydrangea | DS | 1.04 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Madame Faustin Travouillon' Madame Faustin Travouillon Mophead Hydrangea | DS | 0.78 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Marechal Foch' Marchal Foch Mophead Hydrangea | DS | 0.86 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Mariesii Variegata' Variegated Mariesii Bigleaf Hydrangea | DS | 0.93 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Mariesii' Mariesii Bigleaf Hydrangea | DS | 0.98 | R1 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Hydrangea macrophylla</i> 'Masja' Masja Mophead Hydrangea | DS | 0.99 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Mathilda Gutges' Mathilda Gutges Mophead Hydrangea | DS | 0.81 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Merritt's Beauty' Merritt's Beauty Bigleaf Hydrangea | DS | 0.97 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Merritt's Blue' Merritt's Blue Bigleaf Hydrangea | DS | 1.03 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Merritt's Pink' Merritt's Pink Bigleaf Hydrangea | DS | 0.57 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Merritt's Pride' Merritt's Pride Bigleaf Hydrangea | DS | 1.07 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Merritt's Supreme' Merritt's Supreme Bigleaf Hydrangea | DS | 0.96 | R1 | 5-6 | 7-8 | | 1.65 | 5 |
| <i>Hydrangea macrophylla</i> 'Mervielle Sanguine' Mervielle Sanguine Bigleaf Hydrangea | DS | 1.21 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Midnight Duchess' See - <i>Hydrangea macrophylla</i> 'HYMMAD II' P.P. 18282 | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Mini Penny' P.P. 15744 Mini Penny™ Royal Majestics™ Mophead Hydrangea | DS | 1.43 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Miss Belgium' Miss Belgium Mophead Hydrangea | DS | 0.71 | R1 | 5-6 | 7-8 | | 1.35 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|-------------|---------|------------|
| | | Factor | SK | Insurable HZ | | Factors | |
| | | | | Req | Not Req | Caliper | High/Wide |
| <i>Hydrangea macrophylla</i> 'Moesmee' | | | | | | | |
| See - <i>Hydrangea macrophylla</i> 'Mousmee' | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Monink' | DS | 1.16 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Pink 'n Pretty™ Bigleaf Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Monred' | DS | 1.17 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Red 'n Pretty™ Bigleaf Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Monrey' P.P. 11405 | DS | 1.33 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Buttons 'N Bows™ Bigleaf Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Monte Forte Perle' | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Monte Forte Perle Mophead Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Mousmee' | DS | 0.68 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Mousmee Lacecap Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Mousseline' | DS | 0.78 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Mousseline Bigleaf Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Mrs. Hepburn' | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Mrs. Hepburn Mophead Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Muecke' | DS | 0.78 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Muecke Lacecap Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Mystical Emerald' P.P.A.F. | DS | 1.14 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Mystical™ Emerald Mophead Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Mystical Opal' P.P.A.F. | DS | 1.17 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Mystical™ Opal Mophead Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Mystical Ruby' P.P.A.F. | DS | 1.13 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Mystical™ Ruby Mophead Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Mystical Series' | DS | 1.07 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Mystical™ Series Bigleaf Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Nachtigall' | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Nachtigall Lacecap Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Niedersachsen' | DS | 0.78 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Niedersachsen Mophead Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Nigra' | DS | 1.00 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Nigra Bigleaf Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Nikko Blue' | DS | 0.93 | R1 | 5-6 | 7-8 | | 0.93 5 |
| Nikko Blue Bigleaf Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Oak Hill' | DS | 1.10 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Oak Hill Mophead Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Oregon Pride' | DS | 1.05 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Oregon Pride Bigleaf Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Otaksa' | DS | 0.66 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Otaksa Bigleaf Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Paris' | DS | 0.66 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Paris Mophead Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Parzival' | DS | 1.12 | R1 | 5-6 | 7-8 | | 1.35 6 |
| Parzival Mophead Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Penny Mac' | DS | 1.10 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Penny Mac Mophead Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Pia' | DS | 1.15 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Pink Elf™ Bigleaf Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Pink 'n Pretty' | | | | | | | |
| See - <i>Hydrangea macrophylla</i> 'Monink' | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Pink Beauty' | DS | 0.99 | R1 | 5-6 | 7-8 | | 1.32 5 |
| Pink Beauty Bigleaf Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Pink Elf' | | | | | | | |
| See - <i>Hydrangea macrophylla</i> 'Pia' | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Pink Lace' | DS | 0.74 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Pink Lace Bigleaf Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Pink Parfait' | DS | 1.13 | R1 | 5-6 | 7-8 | | 1.35 5 |
| Pink Parfait™ Bigleaf Hydrangea | | | | | | | |
| <i>Hydrangea macrophylla</i> 'President R. Touchard' | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.35 5 |
| President R. Touchard Mophead Hydrangea | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hydrangea macrophylla</i> 'Princess Beatrice' Princess Beatrice Mophead Hydrangea | DS | 0.66 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Princess Juliana' Princess Juliana Mophead Hydrangea | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Princess Lace' See - <i>Hydrangea macrophylla</i> 'HYMMAD III' P.P. 18341 | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Quadricolor' Quadricolor Bigleaf Hydrangea | DS | 0.72 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Queen of Pearls' See - <i>Hydrangea macrophylla</i> 'HYMMAD I' P.P. 18294 | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Queen's Lace' Queen's Lace Lacecap Hydrangea | DS | 1.11 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'RIE 05' P.P. 18508 Forever & Ever® Together Bigleaf Hydrangea | DS | 1.81 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'RIE 09' P.P. 16613 Forever & Ever® Double Pink Bigleaf Hydrangea | DS | 1.40 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'RIE 13' P.P. 18476 Forever & Ever® Peppermint Bigleaf Hydrangea | DS | 1.81 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Red 'n Pretty' See - <i>Hydrangea macrophylla</i> 'Monred' | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Red Sensation' P.P. 18197 Forever & Ever® Red Bigleaf Hydrangea | DS | 1.48 | R1 | 4-5 | 6-8 | | 1.35 | 4 |
| <i>Hydrangea macrophylla</i> 'Red Star' Red Star Bigleaf Hydrangea | DS | 0.91 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Regula' Regula Bigleaf Hydrangea | DS | 1.13 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Rose Supreme' Rose Supreme Mophead Hydrangea | DS | 1.07 | R1 | 5-6 | 7-8 | | 1.35 | 6 |
| <i>Hydrangea macrophylla</i> 'Rosita' Rosita Mophead Hydrangea | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Rotdrossel' Rotdrossel Lacecap Hydrangea | DS | 1.25 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Royal Majestics Series' Royal Majestics® Series Bigleaf Hydrangea | DS | 1.07 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Royal Purple' Royal Purple Bigleaf Hydrangea | DS | 0.74 | R1 | 5-6 | 7-8 | | 1.35 | 6 |
| <i>Hydrangea macrophylla</i> 'Schaderdorf Pearl' Schaderdorf Pearl Mophead Hydrangea | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Schenkenburg' Schenkenburg Mophead Hydrangea | DS | 1.06 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Sea Foam' Sea Foam Lacecap Hydrangea | DS | 0.78 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Shamrock' P.P. 16223 Shamrock Lacecap Hydrangea | DS | 1.01 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Silver Blue Variegated' See - <i>Hydrangea macrophylla</i> 'Fischers Silverblau' | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Sister Theresa' Sister Theresa Bigleaf Hydrangea | DS | 0.84 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Souvenir de President Doumer' Souvenir de President Doumer Mophead Hydrangea | DS | 0.66 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Stratford' Stratford Mophead Hydrangea | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Summer Frost' P.P. 17654 Summer Frost™ Lacecap Hydrangea | DS | 1.39 | R1 | 4-5 | 6-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Sun Goddess' See - <i>Hydrangea macrophylla</i> 'Yellowleaf' P.P. 12701 | | | | | | | | |
| <i>Hydrangea macrophylla</i> 'Sybilla' Sybilla Mophead Hydrangea | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Taube' Taube Bigleaf Hydrangea | DS | 0.87 | R1 | 5-6 | 7-8 | | 1.35 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hydrangea macrophylla</i> 'Teller Blue' Teller Blue Bigleaf Hydrangea | DS | 0.80 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Teller Red' Teller Red Bigleaf Hydrangea | DS | 1.04 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Teller Rose' Teller Rose Bigleaf Hydrangea | DS | 0.92 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Teller White' Teller White Bigleaf Hydrangea | DS | 1.03 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Ticino' Ticino Mophead Hydrangea | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Todi' Todi Mophead Hydrangea | DS | 1.02 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Tokyo Delight' Tokyo Delight Lacecap Hydrangea | DS | 1.01 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Tovelit' Tovelit Mophead Hydrangea | DS | 0.80 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Tricolor' Tricolor Lacecap Hydrangea | DS | 0.69 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Trophy' Trophy Bigleaf Hydrangea | DS | 1.08 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Variegata' Variegated Bigleaf Hydrangea | DS | 0.95 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Veitchii' Veitchii Lacecap Hydrangea | DS | 0.77 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Wayne's White' Wayne's White Lacecap Hydrangea | DS | 0.78 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Weidner's Blue' Weidner's Blue Lacecap Bigleaf Hydrangea | DS | 1.25 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Weidner's Pink' Weidner's Pink Lacecap Bigleaf Hydrangea | DS | 1.25 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'White Ball' P.P.A.F. Forever & Ever® White Out Bigleaf Hydrangea | DS | 1.07 | R1 | 4-5 | 6-8 | | 1.35 | 4 |
| <i>Hydrangea macrophylla</i> 'White Wave' White Wave Lacecap Hydrangea | DS | 0.66 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'White' White Bigleaf Hydrangea | DS | 0.99 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Yellowleaf' P.P. 12701 Sun Goddess™ Bigleaf Hydrangea | DS | 1.88 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> 'Zaunkoenig' Zaunkoenig Lacecap Hydrangea | DS | 0.72 | R1 | 5-6 | 7-8 | | 1.35 | 5 |
| <i>Hydrangea macrophylla</i> var. <i>normalis</i> No Common Name Found | DS | 0.87 | R1 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Hydrangea paniculata</i> Panicle Hydrangea | DS | 0.55 | R1 | 3 | 4-8 | | 0.91 | 3 |
| <i>Hydrangea paniculata</i> 'Angel's Blush' See - <i>Hydrangea paniculata</i> 'Ruby' P.P. 10751 | | | | | | | | |
| <i>Hydrangea paniculata</i> 'Barbara' P.P. 13606 The Swan™ Panicle Hydrangea | DS | 1.17 | R1 | 3 | 4-8 | | 0.91 | 3 |
| <i>Hydrangea paniculata</i> 'Brussels Lace' Brussels Lace Panicle Hydrangea | DS | 0.78 | R1 | 3 | 4-8 | | 0.82 | 3 |
| <i>Hydrangea paniculata</i> 'Bulk' P.P. 16812 Quick Fire™ Panicle Hydrangea | DS | 1.29 | R1 | 3 | 4-8 | | 0.91 | 3 |
| <i>Hydrangea paniculata</i> 'Burgundy Lace' Burgundy Lace Panicle Hydrangea | DS | 0.87 | R1 | 3 | 4-8 | | 0.82 | 3 |
| <i>Hydrangea paniculata</i> 'Chantilly Lace' Chantilly Lace Panicle Hydrangea | DS | 0.90 | R1 | 3 | 4-8 | | 0.91 | 3 |
| <i>Hydrangea paniculata</i> 'DVP Pinky' P.P. 16166 Pinky Winky® Panicle Hydrangea | DS | 1.43 | R1 | 3 | 4-8 | | 0.91 | 3 |
| <i>Hydrangea paniculata</i> 'Floribunda' Manyflower Panicle Hydrangea | DS | 0.77 | R1 | 3 | 4-8 | | 0.82 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hydrangea paniculata</i> 'Grandiflora Compacta' Compact Peegee Panicle Hydrangea | DS | 1.08 | R1 | 3 | 4-8 | | 1.01 | 3 |
| <i>Hydrangea paniculata</i> 'Grandiflora Improved' Peegee Improved Panicle Hydrangea | DS | 0.68 | R1 | 3 | 4-8 | | 0.91 | 3 |
| <i>Hydrangea paniculata</i> 'Grandiflora' PeeGee Panicle Hydrangea | DS | 1.01 | R1 | 3 | 4-8 | | 0.81 | 3 |
| <i>Hydrangea paniculata</i> 'Greenspire' Greenspire Panicle Hydrangea | DS | 1.36 | R1 | 3 | 4-8 | | 0.66 | 3 |
| <i>Hydrangea paniculata</i> 'Kyushu' Kyushu Panicle Hydrangea | DS | 1.12 | R1 | 3 | 4-8 | | 0.90 | 3 |
| <i>Hydrangea paniculata</i> 'Limelight' P.P. 12874 Limelight™ Panicle Hydrangea | DS | 1.15 | R1 | 3 | 4-8 | | 1.15 | 3 |
| <i>Hydrangea paniculata</i> 'Little Lamb' P.P. 15395 Little Lamb Panicle Hydrangea | DS | 1.24 | R1 | 3 | 4-8 | | 0.91 | 3 |
| <i>Hydrangea paniculata</i> 'Passionate' See - <i>Hydrangea paniculata</i> 'Paszam' | | | | | | | | |
| <i>Hydrangea paniculata</i> 'Paszam' Passionate™ Panicle Hydrangea | DS | 0.82 | R1 | 3 | 4-8 | | 0.91 | 3 |
| <i>Hydrangea paniculata</i> 'Pink Diamond' Pink Diamond Panicle Hydrangea | DS | 1.07 | R1 | 3 | 4-8 | | 1.01 | 3 |
| <i>Hydrangea paniculata</i> 'Pinky Winky' See - <i>Hydrangea paniculata</i> 'DVP Pinky' P.P. 16166 | | | | | | | | |
| <i>Hydrangea paniculata</i> 'Praecox' Early Panicle Hydrangea | DS | 0.79 | R1 | 3 | 4-8 | | 0.91 | 3 |
| <i>Hydrangea paniculata</i> 'Quick Fire' See - <i>Hydrangea paniculata</i> 'Bulk' P.P. 16812 | | | | | | | | |
| <i>Hydrangea paniculata</i> 'Ruby' P.P. 10751 Angel's Blush™ Panicle Hydrangea | DS | 1.27 | R1 | 3 | 4-8 | | 1.08 | 3 |
| <i>Hydrangea paniculata</i> 'Shikoku Flash' P.P. 15624 Shikoku Flash Panicle Hydrangea | DS | 1.02 | R1 | 3 | 4-8 | | 0.91 | 3 |
| <i>Hydrangea paniculata</i> 'Tardiva' Late Panicle Hydrangea | DS | 1.02 | R1 | 3 | 4-8 | | 0.87 | 3 |
| <i>Hydrangea paniculata</i> 'The Swan' See - <i>Hydrangea paniculata</i> 'Barbara' P.P. 13606 | | | | | | | | |
| <i>Hydrangea paniculata</i> 'Unique' Unique Panicle Hydrangea | DS | 1.05 | R1 | 3 | 4-8 | | 0.98 | 3 |
| <i>Hydrangea paniculata</i> 'Webb's' Webb's Panicle Hydrangea | DS | 1.07 | R1 | 3 | 4-8 | | 0.91 | 3 |
| <i>Hydrangea paniculata</i> 'White Lace' White Lace Panicle Hydrangea | DS | 0.77 | R1 | 3 | 4-8 | | 0.91 | 3 |
| <i>Hydrangea paniculata</i> 'White Moth' White Moth Panicle Hydrangea | DS | 1.15 | R1 | 3 | 4-8 | | 0.96 | 3 |
| <i>Hydrangea quercifolia</i> Oakleaf Hydrangea | DS | 0.90 | R1 | 5-6 | 7-8 | | 0.94 | 5 |
| <i>Hydrangea quercifolia</i> 'Alice' Alice Oakleaf Hydrangea | DS | 1.11 | R1 | 5-6 | 7-8 | | 1.26 | 5 |
| <i>Hydrangea quercifolia</i> 'Alison' Alison Oakleaf Hydrangea | DS | 0.92 | R1 | 5-6 | 7-8 | | 1.10 | 5 |
| <i>Hydrangea quercifolia</i> 'Ellen Huff' Ellen Huff Oakleaf Hydrangea | DS | 0.78 | R1 | 5-6 | 7-8 | | 1.10 | 5 |
| <i>Hydrangea quercifolia</i> 'Harmony' Harmony Oakleaf Hydrangea | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.10 | 5 |
| <i>Hydrangea quercifolia</i> 'Little Honey' P.P. 15477 Little Honey Oakleaf Hydrangea | DS | 1.52 | R1 | 3-5 | 6-8 | | 1.10 | 5 |
| <i>Hydrangea quercifolia</i> 'Pee Wee' Pee Wee Oakleaf Hydrangea | DS | 1.25 | R1 | 5-6 | 7-8 | | 1.30 | 5 |
| <i>Hydrangea quercifolia</i> 'Roanoke' Roanoke Oakleaf Hydrangea | DS | 1.20 | R1 | 5-6 | 7-8 | | 1.10 | 5 |
| <i>Hydrangea quercifolia</i> 'Sikes Dwarf' Sikes Dwarf Oakleaf Hydrangea | DS | 1.09 | R1 | 5-6 | 7-8 | | 1.27 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hydrangea quercifolia</i> 'Snow Giant' Snow Giant Oakleaf Hydrangea | DS | 1.19 | R1 | 5-6 | 7-8 | | 0.89 | 5 |
| <i>Hydrangea quercifolia</i> 'Snow Queen' P.P. 4458 Snow Queen Oakleaf Hydrangea | DS | 1.29 | R1 | 5-6 | 7-8 | | 1.06 | 5 |
| <i>Hydrangea quercifolia</i> 'Snowflake' P.P. 3047 Snowflake Oakleaf Hydrangea | DS | 1.25 | R1 | 5-6 | 7-8 | | 0.95 | 5 |
| <i>Hydrangea quercifolia</i> 'Vaughn's Lillie' P.P. 12982 Vaughn's Lillie Oakleaf Hydrangea | DS | 1.69 | R1 | 5-6 | 7-8 | | 1.10 | 5 |
| <i>Hydrangea sargentiana</i> Sargent Hydrangea | DS | 1.14 | R1 | 5-7 | 8 | | 1.43 | 7 |
| <i>Hydrangea scandens</i> ssp. <i>liukuensis</i> Sweet Hydrangea | BS | 1.49 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hydrangea seemannii</i> No common name found | GC | 1.23 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Hydrangea serrata</i> Tea of Heaven Hydrangea | DS | 0.78 | R1 | 5-6 | 7-8 | | 1.48 | 6 |
| <i>Hydrangea serrata</i> 'Beni-gaku' Beni-gaku Tea of Heaven Hydrangea | DS | 0.90 | R1 | 5-6 | 7-8 | | 1.48 | 6 |
| <i>Hydrangea serrata</i> 'Blue Billow' Blue Billow Tea of Heaven Hydrangea | DS | 0.91 | R1 | 5-6 | 7-8 | | 2.03 | 6 |
| <i>Hydrangea serrata</i> 'Blue Deckle' Blue Deckle Tea of Heaven Hydrangea | DS | 0.78 | R1 | 5-6 | 7-8 | | 1.48 | 6 |
| <i>Hydrangea serrata</i> 'Blue Frost' See - <i>Hydrangea serrata</i> 'Dwarf Korean' | | | | | | | | |
| <i>Hydrangea serrata</i> 'Blue Lace' Blue Lace Tea of Heaven Hydrangea | DS | 0.97 | R1 | 5-6 | 7-8 | | 1.48 | 6 |
| <i>Hydrangea serrata</i> 'Bluebird' Bluebird Tea of Heaven Hydrangea | DS | 1.01 | R1 | 5-6 | 7-8 | | 1.21 | 6 |
| <i>Hydrangea serrata</i> 'Diadem' Diadem Tea of Heaven Hydrangea | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.48 | 6 |
| <i>Hydrangea serrata</i> 'Dwarf Korean' Blue Frost™ Hydrangea | DS | 1.70 | R1 | 5-6 | 7-8 | | 1.48 | 4 |
| <i>Hydrangea serrata</i> 'Fuji Waterfall' Fuji Waterfall Hydrangea | DS | 0.99 | R1 | 5-6 | 7-8 | | 1.48 | 6 |
| <i>Hydrangea serrata</i> 'Golden Sunlight' Golden Sunlight Tea of Heaven Hydrangea | DS | 1.34 | R1 | 5-6 | 7-8 | | 1.48 | 6 |
| <i>Hydrangea serrata</i> 'Grayswood' Grayswood Tea of Heaven Hydrangea | DS | 0.87 | R1 | 5-6 | 7-8 | | 1.48 | 6 |
| <i>Hydrangea serrata</i> 'Hallasan' P.P.A.F. Spreading Beauty™ Mountain Hydrangea | DS | 1.34 | R1 | 5-6 | 7-8 | | 1.48 | 5 |
| <i>Hydrangea serrata</i> 'Intermedia' Intermedia Tea of Heaven Hydrangea | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.48 | 6 |
| <i>Hydrangea serrata</i> 'Kiyosumi' Kiyosumi Tea of Heaven Hydrangea | DS | 1.04 | R1 | 5-6 | 7-8 | | 1.48 | 6 |
| <i>Hydrangea serrata</i> 'Niji' Niji Mountain Hydrangea | DS | 1.66 | R1 | 5-6 | 7-8 | | 1.48 | 6 |
| <i>Hydrangea serrata</i> 'O-amacha' O-amacha Tea of Heaven Hydrangea | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.48 | 6 |
| <i>Hydrangea serrata</i> 'Pretty Maiden' Pretty Maiden Tea of Heaven Hydrangea | DS | 1.36 | R1 | 5-6 | 7-8 | | 1.48 | 6 |
| <i>Hydrangea serrata</i> 'Preziosa' Preziosa Tea of Heaven Hydrangea | DS | 0.96 | R1 | 5-6 | 7-8 | | 1.21 | 6 |
| <i>Hydrangea serrata</i> 'Purple Tiers' Purple Tiers Tea of Heaven Hydrangea | DS | 1.02 | R1 | 5-6 | 7-8 | | 1.48 | 6 |
| <i>Hydrangea serrata</i> 'Shichidanka-nishiki' Chiffon Tea of Heaven Hydrangea | DS | 1.22 | R1 | 5-6 | 7-8 | | 1.48 | 6 |
| <i>Hydrangea serrata</i> 'Spreading Beauty' See - <i>Hydrangea serrata</i> 'Hallasan' P.P.A.F. | | | | | | | | |
| <i>Hydrangea serrata</i> 'Sun Frost' Sun Frost™ Hydrangea | DS | 1.70 | R1 | 5-6 | 7-8 | | 1.48 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Hydrangea serrata</i> 'Woodlander' Woodlander Tea of Heaven Hydrangea | DS | 1.06 | R2 | 3-6 | 7-8 | | 1.48 | 6 |
| <i>Hydrangea serratifolia</i> No Common Name Found | DS | 1.36 | R1 | 6-8 | | | 1.00 | 9 |
| <i>Hydrangea villosa</i> Villosa Lacecap Hydrangea | DS | 0.81 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hydrastis canadensis</i> Golden Seal | HP | 1.30 | R2 | 3-4 | 5-8 | | | |
| <i>Hydrocotyle sibthorpioides</i> Water Pennywort | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Hydrocotyle sibthorpioides</i> 'Crystal Confetti' Crystal Confetti Variegated Pennywort | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Hydrophyllum virginianum</i> Virginia Waterleaf | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Hylocereus trigonus</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Hylocereus undatus</i> Night Blooming Cereus | FO | 1.38 | R2 | 8 | | | 1.00 | 9 |
| <i>Hylotelephium</i> See - <i>Sedum</i> | | | | | | | | |
| <i>Hylotelephium caudicolum</i> See - <i>Sedum caudicolum</i> | | | | | | | | |
| <i>Hylotelephium erythrostictum</i> See - <i>Sedum erythrostictum</i> | | | | | | | | |
| <i>Hylotelephium ewersii</i> See - <i>Sedum ewersii</i> | | | | | | | | |
| <i>Hylotelephium sieboldii</i> See - <i>Sedum sieboldii</i> | | | | | | | | |
| <i>Hylotelephium spectabile</i> See - <i>Sedum spectabile</i> | | | | | | | | |
| <i>Hylotelephium telephium</i> See - <i>Sedum telephium</i> | | | | | | | | |
| <i>Hymenocallis caroliniana</i> Inland Spiderlily | HP | 0.67 | R2 | 3-6 | 7-8 | | | |
| <i>Hymenocallis keyensis</i> See - <i>Hymenocallis latifolia</i> | | | | | | | | |
| <i>Hymenocallis latifolia</i> Cayman Islands Spiderlily | HP | 0.80 | R2 | 7-8 | | | | |
| <i>Hymenocallis latifolia</i> 'Variegata' Variegated Cayman Islands Spiderlily | HP | 1.04 | R2 | 7-8 | | | | |
| <i>Hymenocallis liriosome</i> No Common Name Found | HP | 0.81 | R2 | 5-7 | 8 | | | |
| <i>Hymenocallis littoralis</i> Beach Spiderlily | HP | 0.85 | R2 | 7-8 | | | | |
| <i>Hymenocallis littoralis</i> 'Variegata' Variegated Beach Spiderlily | HP | 1.02 | R2 | 7-8 | | | | |
| <i>Hymenocallis narcissiflora</i> Peruvian Daffodil | HP | 0.73 | R2 | 7-8 | | | | |
| <i>Hymenolepis parviflora</i> Coulter Bush | BS | 1.00 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Hymenoxys acaulis</i> See - <i>Tetraneuris acaulis</i> | | | | | | | | |
| <i>Hymenoxys grandiflora</i> See - <i>Tetraneuris grandiflora</i> | | | | | | | | |
| <i>Hymenoxys lapidicola</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Hymenoxys scaposa</i> See - <i>Tetraneuris scaposa</i> | | | | | | | | |
| <i>Hymenoxys subintegra</i> Goldflower | HP | 1.00 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Hymenoxys torreyana</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Hypericum</i> St. John's-Wort | HP | 1.25 | R2 | 3-5 | 6-8 | | | |
| <i>Hypericum</i> 'Blue Velvet' See - <i>Hypericum</i> 'CFF-LPC1' P.P.A.F. | | | | | | | | |
| <i>Hypericum</i> 'Bosapri' P.P. 11613 Prince Flair® St. John's-wort | BS | 1.10 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Hypericum</i> 'CFF-LPC1' P.P.A.F. Blue Velvet™ Hybrid St. John's-Wort | HP | 1.25 | R2 | 3-5 | 6-8 | | | |
| <i>Hypericum</i> 'Gemo' Gemo St. John's-wort | BS | 1.15 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Hypericum</i> 'Hidcote' Hidcote St. John's-Wort | DS | 0.99 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Hypericum</i> 'Prince Flair' See - <i>Hypericum</i> 'Bosapri' P.P. 11613 | | | | | | | | |
| <i>Hypericum</i> 'Rowallane' Rowallane St. John's-Wort | BS | 1.13 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Hypericum androsaemum</i> Tutsan | DS | 0.57 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Hypericum androsaemum</i> 'Albury Purple' Albury Purple Tutsan | DS | 0.93 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Hypericum androsaemum</i> 'Autumn Blaze' Autumn Blaze Tutsan | DS | 0.81 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Hypericum androsaemum</i> 'Golden Tutsan' Golden Tutsan St. John's-Wort | DS | 1.42 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Hypericum ascyron</i> Great St. John's-Wort | HP | 1.10 | R1 | 3 | 4-8 | | | |
| <i>Hypericum beanii</i> No Common Name Found | BS | 0.89 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hypericum calycinum</i> Aaronsbeard St. John's-Wort | GC | 0.59 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Hypericum calycinum</i> 'Brigadoon' Brigadoon St. John's-Wort | GC | 0.80 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Hypericum coris</i> No Common Name Found | HP | 0.57 | R2 | 5-7 | 8 | | | |
| <i>Hypericum densiflorum</i> Dense Hypericum | BS | 0.47 | R2 | 5-7 | 8 | | 1.00 | 5 |
| <i>Hypericum densiflorum</i> 'Creel's Gold Star' Creel's Gold Star Dense Hypericum | BS | 0.47 | R2 | 5-7 | 8 | | 1.00 | 5 |
| <i>Hypericum empetrifolium</i> No Common Name Found | GC | 0.42 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Hypericum frondosum</i> Golden St. John's-Wort | BS | 0.58 | R2 | 3-5 | 6-8 | | 0.48 | 5 |
| <i>Hypericum frondosum</i> 'Sunburst' Sunburst Golden St. John's-Wort | BS | 1.19 | R2 | 3-5 | 6-8 | | 0.48 | 5 |
| <i>Hypericum galioides</i> Bedstraw St. John's-Wort | HP | 0.46 | R2 | 5-7 | 8 | | | |
| <i>Hypericum xinodorum</i> No Common Name Found | DS | 1.23 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hypericum xinodorum</i> 'KOLMBEAU' P.P. 13532 Mystical™ Beauty St. John's-Wort | DS | 1.34 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hypericum xinodorum</i> 'KOLMORAN' P.P. 13411 Mystical™ Orange St. John's-Wort | DS | 1.34 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hypericum xinodorum</i> 'KOLRED' P.P. 13554 Mystical™ Red Star St. John's-Wort | DS | 1.34 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hypericum xinodorum</i> 'KOLSWEET' P.P. 13533 Mystical™ Sweetheart St. John's-Wort | DS | 1.20 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Hypericum xinodorum</i> 'Mystical Beauty' See - <i>Hypericum xinodorum</i> 'KOLMBEAU' P.P. 13532 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container SK | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|--------------|--------|-----------------|--------------|---------|------------------------|-----------|---------------|
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Hypericum x inodorum</i> 'Mystical Orange' | | | | | | | | |
| See - <i>Hypericum x inodorum</i> 'KOLMORAN' P.P. 13411 | | | | | | | | |
| <i>Hypericum x inodorum</i> 'Mystical Red Star' | | | | | | | | |
| See - <i>Hypericum x inodorum</i> 'KOLRED' P.P. 13554 | | | | | | | | |
| <i>Hypericum x inodorum</i> 'Mystical Series' | DS | 1.23 | R1 | 5-7 | 8 | | 1.00 | 7 |
| Mystical™ Series St. John's-Wort | | | | | | | | |
| <i>Hypericum x inodorum</i> 'Mystical Sweetheart' | | | | | | | | |
| See - <i>Hypericum x inodorum</i> 'KOLSWEET' P.P. 13533 | | | | | | | | |
| <i>Hypericum x inodorum</i> 'Summergold' | DS | 0.92 | R1 | 5-7 | 8 | | 1.00 | 7 |
| Summergold St. John's-Wort | | | | | | | | |
| <i>Hypericum kalmianum</i> | BS | 1.14 | R2 | | 3-8 | | 0.41 | 2 |
| Kalm St. John's-Wort | | | | | | | | |
| <i>Hypericum kalmianum</i> 'Ames' | BS | 1.21 | R2 | | 3-8 | | 0.41 | 2 |
| Ames Kalm St. John's-Wort | | | | | | | | |
| <i>Hypericum kelleri</i> | HP | 0.66 | R2 | 6-8 | | | | |
| No Common Name Found | | | | | | | | |
| <i>Hypericum kouytchense</i> | BS | 1.08 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| Sungold St. John's-Wort | | | | | | | | |
| <i>Hypericum x moserianum</i> | BS | 0.72 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Moser's St. John's-Wort | | | | | | | | |
| <i>Hypericum x moserianum</i> 'Tricolor' | BS | 1.04 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Tricolor Moser's St. John's-Wort | | | | | | | | |
| <i>Hypericum olympicum</i> | BS | 0.66 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| Olympicum St. John's-Wort | | | | | | | | |
| <i>Hypericum patulum</i> | BS | 0.76 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| Goldencup St. John's-Wort | | | | | | | | |
| <i>Hypericum patulum</i> 'Henryi' | | | | | | | | |
| See - <i>Hypericum beanii</i> | | | | | | | | |
| <i>Hypericum patulum</i> 'Hidcote' | | | | | | | | |
| See - <i>Hypericum</i> 'Hidcote' | | | | | | | | |
| <i>Hypericum patulum</i> 'Sungold' | | | | | | | | |
| See - <i>Hypericum kouytchense</i> | | | | | | | | |
| <i>Hypericum patulum</i> var. <i>henryi</i> | | | | | | | | |
| See - <i>Hypericum pseudohenryi</i> | | | | | | | | |
| <i>Hypericum perforatum</i> | BS | 0.69 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| Perforate St. John's-wort | | | | | | | | |
| <i>Hypericum prolificum</i> | BS | 0.97 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Shrubby St. John's-Wort | | | | | | | | |
| <i>Hypericum pseudohenryi</i> | BS | 0.87 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| No Common Name Found | | | | | | | | |
| <i>Hypericum pyramidatum</i> | | | | | | | | |
| See - <i>Hypericum ascyron</i> | | | | | | | | |
| <i>Hypericum reductum</i> | HP | 0.74 | R2 | 5-8 | | | | |
| Coastal St. John's-Wort | | | | | | | | |
| <i>Hypericum reptans</i> | GC | 0.79 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Creeping St. John's-Wort | | | | | | | | |
| <i>Hypoestes aristata</i> | FO | 0.43 | R2 | 5-8 | | | 1.00 | 9 |
| Ribbon Bush | | | | | | | | |
| <i>Hypoestes phyllostachya</i> | FO | 0.51 | R2 | 3-8 | | | 1.00 | 9 |
| Polka-dot Plant | | | | | | | | |
| <i>Hypoestes phyllostachya</i> 'Confetti Series' | FO | 0.54 | R2 | 5-8 | | | 1.00 | 9 |
| Confetti Series Polka-dot Plant | | | | | | | | |
| <i>Hypoestes phyllostachya</i> 'Splash Select Series' | FO | 0.48 | R2 | 3-8 | | | 1.00 | 9 |
| Splash Select Series Polka-Dot Plant | | | | | | | | |
| <i>Hypoxis hirsuta</i> | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| Yellow Star Grass | | | | | | | | |
| <i>Hypsela reniformis</i> | HP | 1.00 | R2 | 5-7 | 8 | | | |
| No Common Name Found | | | | | | | | |
| <i>Hyssopus officinalis</i> | HP | 1.17 | R2 | 3 | 4-8 | | | |
| Hyssop | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Hyssopus officinalis</i> 'Pink Delight' Pink Delight Hyssop | HP | 0.83 | R2 | 3 | 4-8 | | | |
| <i>Hyssopus officinalis</i> 'Roseus' Rose Pink Hyssop | HP | 0.48 | R2 | 3 | 4-8 | | | |
| <i>Hystrix patula</i> Bottlebrush Grass | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iberis gibraltarica</i> Gibraltar Candytuft | HP | 0.62 | R2 | 5-7 | 8 | | | |
| <i>Iberis pruitii</i> Pruit Candytuft | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Iberis saxatilis</i> Rock Candytuft | HP | 0.80 | R2 | 3-6 | 7-8 | | | |
| <i>Iberis sempervirens</i> Evergreen Candytuft | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Iberis sempervirens</i> 'Alexander's White' Alexander's White Evergreen Candytuft | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Iberis sempervirens</i> 'Autumn Beauty' Autumn Beauty Evergreen Candytuft | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Iberis sempervirens</i> 'Autumn Snow' Autumn Snow Evergreen Candytuft | HP | 0.48 | R2 | 3-4 | 5-8 | | | |
| <i>Iberis sempervirens</i> 'Little Gem' Little Gem Evergreen Candytuft | HP | 0.74 | R2 | 3-4 | 5-8 | | | |
| <i>Iberis sempervirens</i> 'Purity' Purity Evergreen Candytuft | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Iberis sempervirens</i> 'Snow Cushion' Snow Cushion Evergreen Candytuft | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Iberis sempervirens</i> 'Snowflake' Snowflake Evergreen Candytuft | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Iberis sempervirens</i> 'Tahoe' Tahoe™ Evergreen Candytuft | HP | 0.63 | R2 | 3-4 | 5-8 | | | |
| <i>Idesia polycarpa</i> No Common Name Found | DT | 1.00 | R1 | 3-5 | 6-8 | 0.80 | 1.00 | 5 |
| <i>Ilex</i> Holly | BS | 1.12 | R1 | 3-6 | 7-8 | | 1.15 | 3 |
| <i>Ilex</i> 'Acadiana' See - <i>Ilex</i> 'Magiana' P.P. 14418 | | | | | | | | |
| <i>Ilex</i> 'Apollo' Apollo Male Holly | BS | 0.89 | R1 | 3-6 | 7-8 | | 0.87 | 3 |
| <i>Ilex</i> 'Aspire' See - <i>Ilex</i> 'STBB' | | | | | | | | |
| <i>Ilex</i> 'Autumn Glow' Autumn Glow Holly | BS | 1.12 | R1 | 3-4 | 5-8 | | 0.81 | 3 |
| <i>Ilex</i> 'Bonfire' Bonfire Holly | BS | 0.85 | R1 | 3-5 | 6-8 | | 0.45 | 5 |
| <i>Ilex</i> 'Cardinal' See - <i>Ilex</i> 'Conal' P.P. 9485 | | | | | | | | |
| <i>Ilex</i> 'China Boy' See - <i>Ilex</i> 'Mesdob' P.P. 4803 | | | | | | | | |
| <i>Ilex</i> 'China Girl' See - <i>Ilex</i> 'Mesog' P.P. 4878 | | | | | | | | |
| <i>Ilex</i> 'Christmas Jewel' See - <i>Ilex</i> 'HL10-90' P.P. 14477 | | | | | | | | |
| <i>Ilex</i> 'Conaf' P.P. 9487 Oakleaf™ Red Holly | BS | 1.04 | R1 | 3-6 | 7-8 | | 0.86 | 6 |
| <i>Ilex</i> 'Conal' P.P. 9485 Cardinal™ Red Holly | BS | 1.02 | R1 | 3-6 | 7-8 | | 1.01 | 6 |
| <i>Ilex</i> 'Coned' P.P. 9484 Little Red™ Holly | BS | 0.99 | R1 | 3-6 | 7-8 | | 0.76 | 6 |
| <i>Ilex</i> 'Conin' P.P. 9486 Robin™ Red Holly | BS | 0.91 | R1 | 3-6 | 7-8 | | 0.97 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Ilex</i> 'Conive' P.P. 9498 Festive™ Holly | BS | 1.13 | R1 | 3-6 | 7-8 | | 0.91 | 6 |
| <i>Ilex</i> 'Conot' P.P. 12010 Patriot™ Hybrid Red Holly | BS | 0.91 | R1 | 3-6 | 7-8 | | 1.15 | 6 |
| <i>Ilex</i> 'Conty' P.P. 12009 Liberty™ Holly | BE | 0.86 | R1 | 3-6 | 7-8 | 1.00 | 1.26 | 6 |
| <i>Ilex</i> 'Coronet' Coronet Holly | BS | 1.12 | R1 | 4-7 | 8 | | 1.15 | 7 |
| <i>Ilex</i> 'Dixie Dream' See - <i>Ilex</i> 'Xia Xiang' P.P. 10526 | | | | | | | | |
| <i>Ilex</i> 'Dr. Kassab' Dr. Kassab Holly | BS | 1.03 | R1 | 3-5 | 6-8 | | 1.32 | 5 |
| <i>Ilex</i> 'Dragon Lady' See - <i>Ilex</i> 'Meschick' P.P. 4996 | | | | | | | | |
| <i>Ilex</i> 'Ebony Magic' P.P. 5004 Ebony Magic™ Holly | BS | 1.35 | R1 | 3-6 | 7-8 | | 1.32 | 6 |
| <i>Ilex</i> 'Emerald Magic' Emerald Magic Evergreen Holly | BS | 1.38 | R1 | 3-6 | 7-8 | | 1.15 | 5 |
| <i>Ilex</i> 'Emily Brunner' Emily Brunner Holly | BS | 0.89 | R1 | 4-7 | 8 | | 1.04 | 7 |
| <i>Ilex</i> 'Festive' See - <i>Ilex</i> 'Conive' P.P. 9498 | | | | | | | | |
| <i>Ilex</i> 'HL10-90' P.P. 14477 Christmas Jewel® Hybrid Holly | BS | 0.87 | R1 | 3-6 | 7-8 | | 1.15 | 6 |
| <i>Ilex</i> 'Harvest Red' Harvest Red Holly | BS | 0.90 | R1 | 3-4 | 5-8 | | 1.17 | 3 |
| <i>Ilex</i> 'Lib's Favorite' Lib's Favorite Hybrid Holly | BS | 1.12 | R1 | 4-7 | 8 | | 1.56 | 7 |
| <i>Ilex</i> 'Liberty' See - <i>Ilex</i> 'Conty' P.P. 12009 | | | | | | | | |
| <i>Ilex</i> 'Little Rascal' See - <i>Ilex</i> 'Mondo' P.P. 9999 | | | | | | | | |
| <i>Ilex</i> 'Little Red' See - <i>Ilex</i> 'Coned' P.P. 9484 | | | | | | | | |
| <i>Ilex</i> 'Lydia Morris' Lydia Morris Holly | BS | 1.12 | R1 | 3-6 | 7-8 | | 2.22 | 6 |
| <i>Ilex</i> 'Magiana' P.P. 14418 Acadian™ Hybrid Red Holly™ | BS | 0.99 | R1 | 3-6 | 7-8 | | 1.15 | 6 |
| <i>Ilex</i> 'Mary Nell' Mary Nell Hybrid Holly | BE | 0.74 | R1 | 3-6 | 7-8 | 1.00 | 1.56 | 6 |
| <i>Ilex</i> 'Meschick' P.P. 4996 Dragon Lady™ Holly | BS | 1.34 | R1 | 3-6 | 7-8 | | 1.67 | 6 |
| <i>Ilex</i> 'Mesdob' P.P. 4803 China Boy® Holly | BS | 1.20 | R1 | 3-4 | 5-8 | | 1.37 | 3 |
| <i>Ilex</i> 'Mesog' P.P. 4878 China Girl® Holly | BS | 1.00 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| <i>Ilex</i> 'Mondo' P.P. 9999 Little Rascal™ Holly | BS | 2.03 | R1 | 3-6 | 7-8 | | 1.28 | 6 |
| <i>Ilex</i> 'Nellie R. Stevens' Nellie R. Stevens Holly | BS | 0.84 | R1 | 3-6 | 7-8 | | 0.98 | 6 |
| <i>Ilex</i> 'Oakland' P.P.A.F. Oakland Red Holly | BS | 1.09 | R1 | 3-6 | 7-8 | | 1.15 | 6 |
| <i>Ilex</i> 'Oakleaf' See - <i>Ilex</i> 'Conaf' P.P. 9487 | | | | | | | | |
| <i>Ilex</i> 'Patriot' See - <i>Ilex</i> 'Conot' P.P. 12010 | | | | | | | | |
| <i>Ilex</i> 'Raritan Chief' Raritan Chief Holly | BS | 1.32 | R1 | 3-4 | 5-8 | | 1.15 | 3 |
| <i>Ilex</i> 'Red Beauty' See - <i>Ilex</i> 'Rutzan' P.P. 14750 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Ilex</i> 'Robin' | | | | | | | | |
| See - <i>Ilex</i> 'Conin' P.P. 9486 | | | | | | | | |
| <i>Ilex</i> 'Rutzan' P.P. 14750 | BE | 1.29 | R1 | 3-5 | 6-8 | 1.00 | 1.41 | 5 |
| Red Beauty® Holly | | | | | | | | |
| <i>Ilex</i> 'STBB' | BS | 1.12 | R1 | 4-7 | 8 | | 1.63 | 7 |
| Aspire™ Holly | | | | | | | | |
| <i>Ilex</i> 'Sadezam' | BS | 1.76 | R1 | 3-6 | 7-8 | | 1.15 | 6 |
| Santa's Delight Holly | | | | | | | | |
| <i>Ilex</i> 'Santa's Delight' | | | | | | | | |
| See - <i>Ilex</i> 'Sadezam' | | | | | | | | |
| <i>Ilex</i> 'Sparkleberry' | BS | 1.03 | R1 | 3-4 | 5-8 | | 0.71 | 3 |
| Sparkleberry Holly | | | | | | | | |
| <i>Ilex</i> 'Xia Xiang' P.P. 10526 | BE | 0.72 | R1 | 3-6 | 7-8 | 1.00 | 1.41 | 6 |
| Dixie Dream Hybrid Holly | | | | | | | | |
| <i>Ilex</i> x <i>altaclarensis</i> | BS | 1.00 | R1 | 5-6 | 7-8 | | 0.78 | 6 |
| Altaclare Holly | | | | | | | | |
| <i>Ilex</i> x <i>altaclarensis</i> 'Indigo Knight' | | | | | | | | |
| See - <i>Ilex</i> x <i>altaclarensis</i> 'Wight Selection' P.P. 6978 | | | | | | | | |
| <i>Ilex</i> x <i>altaclarensis</i> 'Wight Selection' P.P. 6978 | BS | 1.00 | R1 | 5-6 | 7-8 | | 0.78 | 6 |
| Indigo Knight Altaclare Holly | | | | | | | | |
| <i>Ilex</i> x <i>altaclarensis</i> 'Wilsonii' | BS | 1.00 | R1 | 5-6 | 7-8 | | 0.78 | 6 |
| Wilson Altaclare Holly | | | | | | | | |
| <i>Ilex aquifolium</i> | BE | 0.66 | R1 | 5-6 | 7-8 | 1.38 | 1.78 | 6 |
| English Holly | | | | | | | | |
| <i>Ilex aquifolium</i> 'Angustifolia' | BS | 0.77 | R1 | 5-6 | 7-8 | | 0.67 | 6 |
| Angustifolia English Holly | | | | | | | | |
| <i>Ilex aquifolium</i> 'Argenteo-marginata' | BE | 1.29 | R1 | 5-6 | 7-8 | 1.38 | 1.08 | 6 |
| Argenteo-marginata English Holly | | | | | | | | |
| <i>Ilex aquifolium</i> 'Aureo-marginata' | BS | 0.77 | R1 | 5-6 | 7-8 | | 0.67 | 6 |
| Aureo-marginata English Holly | | | | | | | | |
| <i>Ilex aquifolium</i> 'Balkans' | BE | 1.12 | R1 | 5-6 | 7-8 | 1.38 | 0.40 | 6 |
| Balkans English Holly | | | | | | | | |
| <i>Ilex aquifolium</i> 'Big Bull' | BE | 1.12 | R1 | 5-6 | 7-8 | 1.38 | 1.50 | 6 |
| Big Bull English Holly | | | | | | | | |
| <i>Ilex aquifolium</i> 'Ciliata Major' | BE | 1.12 | R1 | 5-6 | 7-8 | 1.38 | 2.56 | 6 |
| Ciliata Major English Holly | | | | | | | | |
| <i>Ilex aquifolium</i> 'Crassifolia' | BS | 0.77 | R1 | 5-6 | 7-8 | | 0.67 | 6 |
| Leatherleaf Holly | | | | | | | | |
| <i>Ilex aquifolium</i> 'Ferox Argentea' | BS | 0.77 | R1 | 5-6 | 7-8 | | 0.67 | 6 |
| Ferox Argentea English Holly | | | | | | | | |
| <i>Ilex aquifolium</i> 'Ferox Aurea' | BS | 0.77 | R1 | 5-6 | 7-8 | | 0.67 | 6 |
| Ferox Aurea English Holly | | | | | | | | |
| <i>Ilex aquifolium</i> 'Ferox' | BE | 1.12 | R1 | 5-6 | 7-8 | 1.38 | 1.50 | 6 |
| Hedgehog English Holly | | | | | | | | |
| <i>Ilex aquifolium</i> 'Gold Coast' | | | | | | | | |
| See - <i>Ilex aquifolium</i> 'Monvila' P.P. 5143 | | | | | | | | |
| <i>Ilex aquifolium</i> 'Limsi' P.P. 8873 | BE | 0.76 | R1 | 5-6 | 7-8 | 1.38 | 1.62 | 6 |
| Siberia™ English Holly | | | | | | | | |
| <i>Ilex aquifolium</i> 'Monler' | BE | 0.82 | R1 | 5-6 | 7-8 | 1.38 | 1.50 | 6 |
| Sparkler™ English Holly | | | | | | | | |
| <i>Ilex aquifolium</i> 'Monvila' P.P. 5143 | BE | 1.61 | R1 | 5-6 | 7-8 | 1.38 | 1.50 | 6 |
| Gold Coast™ English Holly | | | | | | | | |
| <i>Ilex aquifolium</i> 'Sadie's Deluxe' | BE | 1.12 | R1 | 5-6 | 7-8 | 1.38 | 1.50 | 6 |
| Sadie's Deluxe English Holly | | | | | | | | |
| <i>Ilex aquifolium</i> 'San Gabriel' | BE | 1.30 | R1 | 5-6 | 7-8 | 1.38 | 1.57 | 6 |
| San Gabriel English Holly | | | | | | | | |
| <i>Ilex aquifolium</i> 'Siberia' | | | | | | | | |
| See - <i>Ilex aquifolium</i> 'Limsi' P.P. 8873 | | | | | | | | |
| <i>Ilex aquifolium</i> 'Silver Queen' | BE | 1.40 | R1 | 5-6 | 7-8 | 1.38 | 1.50 | 6 |
| Silver Queen English Holly | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Ilex aquifolium</i> 'Sparkler' | | | | | | | | |
| See - <i>Ilex aquifolium</i> 'Monler' | | | | | | | | |
| <i>Ilex aquifolium</i> 'Teufel's Silver Variegated' | BE | 1.12 | R1 | 5-6 | 7-8 | 1.38 | 1.50 | 6 |
| Teufel's Silver Variegated English Holly | | | | | | | | |
| <i>Ilex aquifolium</i> 'Teufel's Weeping' | BE | 1.12 | R1 | 5-6 | 7-8 | 1.38 | 1.50 | 6 |
| Teufel's Weeping Holly | | | | | | | | |
| <i>Ilex x aquipernyi</i> | BS | 0.73 | R1 | 6 | 7-8 | | 1.50 | 6 |
| Hybrid Holly | | | | | | | | |
| <i>Ilex x aquipernyi</i> 'Patricia Varner' | BS | 0.75 | R1 | 5-6 | 7-8 | | 1.65 | 6 |
| Patricia Varner Holly | | | | | | | | |
| <i>Ilex x aquipernyi</i> 'San Jose' | BS | 1.52 | R1 | 6 | 7-8 | | 1.79 | 6 |
| San Jose Holly | | | | | | | | |
| <i>Ilex x aquipernyi</i> 'September Gem' | BS | 1.00 | R1 | 6 | 7-8 | | 1.65 | 6 |
| September Gem Holly | | | | | | | | |
| <i>Ilex x attenuata</i> | BE | 0.80 | R1 | 6 | 7-8 | 1.12 | 1.90 | 6 |
| Topal Holly | | | | | | | | |
| <i>Ilex x attenuata</i> 'Annie Armstrong' | BE | 0.74 | R1 | 6 | 7-8 | 1.12 | 1.40 | 6 |
| Annie Armstrong Topal Holly | | | | | | | | |
| <i>Ilex x attenuata</i> 'Eagleston' | BE | 0.77 | R1 | 6 | 7-8 | 1.15 | 1.16 | 6 |
| Eagleston Topal Holly | | | | | | | | |
| <i>Ilex x attenuata</i> 'East Palatka' | BE | 0.82 | R1 | 6 | 7-8 | 1.12 | 1.24 | 6 |
| East Palatka Topal Holly | | | | | | | | |
| <i>Ilex x attenuata</i> 'Foster #2' | BE | 0.89 | R1 | 6 | 7-8 | 1.25 | 1.91 | 6 |
| Foster Topal Holly | | | | | | | | |
| <i>Ilex x attenuata</i> 'Foster #4' | BE | 0.90 | R1 | 6 | 7-8 | 1.12 | 0.50 | 6 |
| Foster #4 Male Topal Holly | | | | | | | | |
| <i>Ilex x attenuata</i> 'Nasa' | BE | 0.86 | R1 | 6 | 7-8 | 1.12 | 1.58 | 6 |
| Nasa Topal Holly | | | | | | | | |
| <i>Ilex x attenuata</i> 'Savannah' | BE | 0.81 | R1 | 6 | 7-8 | 0.94 | 1.49 | 6 |
| Savannah Topal Holly | | | | | | | | |
| <i>Ilex x attenuata</i> 'Sunny Foster' | BE | 0.83 | R1 | 6 | 7-8 | 1.12 | 1.40 | 6 |
| Sunny Foster Topal Holly | | | | | | | | |
| <i>Ilex cassine</i> | BE | 0.76 | R1 | 6 | 7-8 | 0.84 | 0.80 | 6 |
| Dahoon Holly | | | | | | | | |
| <i>Ilex cassine</i> 'Blackwater' | BE | 0.85 | R1 | 6 | 7-8 | 0.84 | 0.87 | 6 |
| Blackwater Dahoon Holly | | | | | | | | |
| <i>Ilex cassine</i> 'Perdido' | BE | 0.65 | R1 | 6 | 7-8 | 0.84 | 1.35 | 6 |
| Perdido Dahoon Holly | | | | | | | | |
| <i>Ilex cassine</i> 'Suwannee' | BE | 0.85 | R1 | 6 | 7-8 | 0.84 | 0.87 | 6 |
| Suwannee Dahoon Holly | | | | | | | | |
| <i>Ilex cassine</i> 'Tensaw' | BE | 0.87 | R1 | 6 | 7-8 | 0.84 | 0.87 | 6 |
| Tensaw Dahoon Holly | | | | | | | | |
| <i>Ilex cornuta</i> | BS | 0.80 | R1 | 6 | 7-8 | | 0.72 | 6 |
| Chinese Holly | | | | | | | | |
| <i>Ilex cornuta</i> 'Anicet Delcambre' | BS | 0.81 | R1 | 6 | 7-8 | | 0.77 | 6 |
| Anicet Delcambre Chinese Holly | | | | | | | | |
| <i>Ilex cornuta</i> 'Berries Jubilee' P.P. 3168 | BS | 1.45 | R1 | 6 | 7-8 | | 0.96 | 6 |
| Berries Jubilee Chinese Holly | | | | | | | | |
| <i>Ilex cornuta</i> 'Burfordii Compacta' | | | | | | | | |
| See - <i>Ilex cornuta</i> 'Dwarf Burford' | | | | | | | | |
| <i>Ilex cornuta</i> 'Burfordii' | BS | 0.83 | R1 | 6 | 7-8 | | 1.22 | 6 |
| Burford Chinese Holly | | | | | | | | |
| <i>Ilex cornuta</i> 'Carissa' | BS | 0.77 | R1 | 6 | 7-8 | | 0.96 | 6 |
| Carissa Chinese Holly | | | | | | | | |
| <i>Ilex cornuta</i> 'Dazzler' | BS | 1.03 | R1 | 6 | 7-8 | | 0.96 | 6 |
| Dazzler Chinese Holly | | | | | | | | |
| <i>Ilex cornuta</i> 'Delcon' | BS | 1.00 | R1 | 6 | 7-8 | | 0.96 | 6 |
| Delcon Chinese Holly | | | | | | | | |
| <i>Ilex cornuta</i> 'Dwarf Burford' | BS | 0.78 | R1 | 6 | 7-8 | | 0.86 | 6 |
| Dwarf Burford Chinese Holly | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Ilex cornuta</i> 'Fineline' Fineline Chinese Holly | BS | 0.71 | R1 | 6 | 7-8 | | 1.26 | 6 |
| <i>Ilex cornuta</i> 'Merry Berry' Merry Berry Chinese Holly | BS | 0.86 | R1 | 6 | 7-8 | | 0.96 | 6 |
| <i>Ilex cornuta</i> 'Needlepoint' Needlepoint Chinese Holly | BS | 0.75 | R1 | 6 | 7-8 | | 1.02 | 6 |
| <i>Ilex cornuta</i> 'O'Spring' O'Spring Chinese Holly | BS | 0.76 | R1 | 6 | 7-8 | | 0.96 | 6 |
| <i>Ilex cornuta</i> 'Rotunda' Rotunda Chinese Holly | BS | 0.74 | R1 | 6 | 7-8 | | 0.46 | 6 |
| <i>Ilex cornuta</i> 'Sizzler' Sizzler Chinese Holly | BS | 0.87 | R1 | 6 | 7-8 | | 1.33 | 6 |
| <i>Ilex cornuta</i> 'Willowleaf' P.P. 2290 Willowleaf Chinese Holly | BS | 0.93 | R1 | 6 | 7-8 | | 0.96 | 6 |
| <i>Ilex crenata</i> Japanese Holly | BS | 0.81 | R1 | 5-6 | 7-8 | | 1.23 | 5 |
| <i>Ilex crenata</i> 'Beehive' Beehive Japanese Holly | BS | 0.81 | R1 | 5-6 | 7-8 | | 1.17 | 5 |
| <i>Ilex crenata</i> 'Bennett's Compacta' Bennett's Compact Japanese Holly | BS | 1.04 | R1 | 5-6 | 7-8 | | 0.61 | 5 |
| <i>Ilex crenata</i> 'Black Beauty' Black Beauty Japanese Holly | BS | 0.94 | R1 | 5-6 | 7-8 | | 1.05 | 5 |
| <i>Ilex crenata</i> 'Cherokee' Cherokee Japanese Holly | BS | 0.63 | R1 | 5-6 | 7-8 | | 0.71 | 5 |
| <i>Ilex crenata</i> 'Chesapeake' Chesapeake Japanese Holly | BS | 1.04 | R1 | 5-6 | 7-8 | | 1.37 | 5 |
| <i>Ilex crenata</i> 'Compacta' Compact Japanese Holly | BS | 0.75 | R1 | 5-6 | 7-8 | | 0.90 | 5 |
| <i>Ilex crenata</i> 'Convexa' Convexleaf Japanese Holly | BS | 0.77 | R1 | 5-6 | 7-8 | | 0.90 | 5 |
| <i>Ilex crenata</i> 'Drops of Gold' P.P. 14420 Drops of Gold Japanese Holly | BS | 1.39 | R1 | 5-6 | 7-8 | | 1.05 | 5 |
| <i>Ilex crenata</i> 'Dwarf Pagoda' Dwarf Pagoda Japanese Holly | BS | 0.94 | R1 | 5-6 | 7-8 | | 1.05 | 5 |
| <i>Ilex crenata</i> 'Excelsa' Excelsa Japanese Holly | BS | 1.38 | R1 | 5-6 | 7-8 | | 1.05 | 5 |
| <i>Ilex crenata</i> 'Fastigiata' Fastigate Japanese Holly | BS | 0.67 | R1 | 5-6 | 7-8 | | 1.63 | 5 |
| <i>Ilex crenata</i> 'Foster #1' Foster #1 Japanese Holly | BS | 1.47 | R1 | 5-6 | 7-8 | | 0.75 | 5 |
| <i>Ilex crenata</i> 'Glory' Glory Japanese Holly | BS | 0.96 | R1 | 5-6 | 7-8 | | 0.77 | 5 |
| <i>Ilex crenata</i> 'Green Dragon' Green Dragon Japanese Holly | BS | 0.94 | R1 | 5-6 | 7-8 | | 1.05 | 5 |
| <i>Ilex crenata</i> 'Green Island' Green Island Japanese Holly | BS | 0.83 | R1 | 5-6 | 7-8 | | 0.87 | 5 |
| <i>Ilex crenata</i> 'Green Luster' Green Luster Japanese Holly | BS | 0.81 | R1 | 5-6 | 7-8 | | 0.83 | 5 |
| <i>Ilex crenata</i> 'Green Pagoda' Green Pagoda Japanese Holly | BS | 0.94 | R1 | 5-6 | 7-8 | | 1.05 | 5 |
| <i>Ilex crenata</i> 'Helleri' Heller Japanese Holly | BS | 0.77 | R1 | 5-6 | 7-8 | | 0.75 | 5 |
| <i>Ilex crenata</i> 'Hetzii' Hetzi Japanese Holly | BS | 0.83 | R1 | 5-6 | 7-8 | | 0.84 | 5 |
| <i>Ilex crenata</i> 'Highlander' Highlander Japanese Holly | BS | 0.90 | R1 | 5-6 | 7-8 | | 1.05 | 5 |
| <i>Ilex crenata</i> 'Hoogendoorn' Hoogendoorn Japanese Holly | BS | 0.83 | R1 | 5-6 | 7-8 | | 1.05 | 5 |
| <i>Ilex crenata</i> 'Howard' Howard Japanese Holly | BS | 0.73 | R1 | 5-6 | 7-8 | | 0.96 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Ilex crenata</i> 'Jersey Pinnacle' Jersey Pinnacle Japanese Holly | BS | 1.00 | R1 | 5-6 | 7-8 | | 1.34 | 5 |
| <i>Ilex crenata</i> 'Major' Major Japanese Holly | BS | 0.94 | R1 | 5-6 | 7-8 | | 1.05 | 5 |
| <i>Ilex crenata</i> 'Mariesii' Mariesii Japanese Holly | BS | 0.94 | R1 | 5-6 | 7-8 | | 1.05 | 5 |
| <i>Ilex crenata</i> 'Maxwellii' Maxwell Japanese Holly | BS | 0.94 | R1 | 5-6 | 7-8 | | 1.05 | 5 |
| <i>Ilex crenata</i> 'Microphylla' Microphylla Japanese Holly | BS | 1.11 | R1 | 5-6 | 7-8 | | 1.06 | 5 |
| <i>Ilex crenata</i> 'Nigra' Nigra Japanese Holly | BS | 1.52 | R1 | 5-6 | 7-8 | | 0.55 | 5 |
| <i>Ilex crenata</i> 'Northern Beauty' Northern Beauty Japanese Holly | BS | 0.98 | R1 | 5-6 | 7-8 | | 1.07 | 5 |
| <i>Ilex crenata</i> 'Nummularia' Nummularia Japanese Holly | BS | 1.50 | R1 | 5-6 | 7-8 | | 1.05 | 5 |
| <i>Ilex crenata</i> 'Pin Cushion' Pin Cushion Japanese Holly | BS | 0.94 | R1 | 5-6 | 7-8 | | 1.05 | 5 |
| <i>Ilex crenata</i> 'Pride's Tiny' Pride's Tiny Japanese Holly | BS | 0.67 | R1 | 5-6 | 7-8 | | 1.05 | 5 |
| <i>Ilex crenata</i> 'Pyramidalis' Pyramidal Japanese Holly | BS | 0.55 | R1 | 5-6 | 7-8 | | 1.37 | 5 |
| <i>Ilex crenata</i> 'Recurvifolia' Recurvifolia Japanese Holly | BS | 0.94 | R1 | 5-6 | 7-8 | | 1.05 | 5 |
| <i>Ilex crenata</i> 'Repandens' Repandens Japanese Holly | BS | 0.79 | R1 | 5-6 | 7-8 | | 1.05 | 5 |
| <i>Ilex crenata</i> 'Rotundifolia' Rotundifolia Japanese Holly | BS | 0.94 | R1 | 5-6 | 7-8 | | 0.57 | 5 |
| <i>Ilex crenata</i> 'Schwoebel's Compact' Schwoebel's Compact Japanese Holly | BS | 1.24 | R1 | 5-6 | 7-8 | | 1.64 | 5 |
| <i>Ilex crenata</i> 'Sentinel' Sentinel Japanese Holly | BS | 0.61 | R1 | 5-6 | 7-8 | | 2.21 | 5 |
| <i>Ilex crenata</i> 'Sky Pencil' Sky Pencil Japanese Holly | BS | 1.11 | R1 | 5-6 | 7-8 | | 1.14 | 5 |
| <i>Ilex crenata</i> 'Sky Sentry' See - <i>Ilex crenata</i> 'Sky Pencil' | | | | | | | | |
| <i>Ilex crenata</i> 'Soft Touch' Soft Touch Japanese Holly | BS | 0.78 | R1 | 5-6 | 7-8 | | 1.50 | 5 |
| <i>Ilex crenata</i> 'Steeds' Steeds Japanese Holly | BS | 0.95 | R1 | 5-6 | 7-8 | | 1.06 | 5 |
| <i>Ilex crenata</i> 'Stokes' Stokes Japanese Holly | BS | 0.84 | R1 | 5-6 | 7-8 | | 0.48 | 5 |
| <i>Ilex crenata</i> 'Wayne' Wayne Japanese Holly | BS | 0.93 | R1 | 5-6 | 7-8 | | 1.05 | 5 |
| <i>Ilex crenata</i> 'William Jackson' William Jackson Japanese Holly | BS | 0.93 | R1 | 5-6 | 7-8 | | 1.05 | 5 |
| <i>Ilex decidua</i> Possum Haw | DT | 0.90 | R1 | 5-6 | 7-8 | 1.00 | 0.84 | 5 |
| <i>Ilex decidua</i> 'Council Fire' Council Fire Possum Haw | DT | 0.87 | R1 | 5-6 | 7-8 | 1.00 | 1.04 | 5 |
| <i>Ilex decidua</i> 'Pocahontas' Pocahontas Possum Haw | DT | 0.87 | R1 | 5-6 | 7-8 | 1.00 | 1.00 | 5 |
| <i>Ilex decidua</i> 'Red Escort' Red Escort Possum Haw | DT | 0.76 | R1 | 5-6 | 7-8 | 1.00 | 1.15 | 5 |
| <i>Ilex decidua</i> 'Warren Red' Warren Red Possum Haw | DT | 0.94 | R1 | 5-6 | 7-8 | 1.00 | 0.95 | 5 |
| <i>Ilex dimorphophylla</i> Okinawa Holly | BS | 0.89 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Ilex glabra</i> Inkberry | BS | 0.84 | R1 | 4-6 | 7-8 | | 1.00 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Ilex glabra</i> 'Chamzin' P.P. 6962 Nordic® Inkberry | BS | 1.36 | R1 | 4-6 | 7-8 | | 0.95 | 3 |
| <i>Ilex glabra</i> 'Compacta' Compact Inkberry | BS | 1.07 | R1 | 4-6 | 7-8 | | 0.97 | 3 |
| <i>Ilex glabra</i> 'Densa' Dense Inkberry | BS | 1.11 | R1 | 4-6 | 7-8 | | 1.02 | 3 |
| <i>Ilex glabra</i> 'Nigra' Nigra Inkberry | BS | 1.00 | R1 | 4-6 | 7-8 | | 0.93 | 3 |
| <i>Ilex glabra</i> 'Nordic' See - <i>Ilex glabra</i> 'Chamzin' P.P. 6962 | | | | | | | | |
| <i>Ilex glabra</i> 'Shamrock' Shamrock Inkberry | BS | 1.03 | R1 | 4-6 | 7-8 | | 1.05 | 3 |
| <i>Ilex integra</i> Nepal Holly | BE | 0.80 | R1 | 5-7 | 8 | 0.94 | 0.72 | 7 |
| <i>Ilex x koehneana</i> Koehne Holly | BS | 1.34 | R1 | 5-7 | 8 | | 1.66 | 7 |
| <i>Ilex x koehneana</i> 'Conayule' P.P.A.F. Yule Brite™ Koehne Holly | BS | 1.45 | R1 | 5-7 | 8 | | 1.66 | 6 |
| <i>Ilex x koehneana</i> 'Wirt L. Winn' Wirt L. Winn Koehne Holly | BS | 0.74 | R1 | 5-7 | 8 | | 1.66 | 7 |
| <i>Ilex x koehneana</i> 'Yule Brite' See - <i>Ilex x koehneana</i> 'Conayule' P.P.A.F. | | | | | | | | |
| <i>Ilex latifolia</i> Lusterleaf Holly | BE | 0.90 | R1 | 5-7 | 8 | 1.00 | 1.79 | 7 |
| <i>Ilex x meserveae</i> Meserve Hybrid Holly | BS | 0.70 | R1 | 5-6 | 7-8 | | 1.48 | 5 |
| <i>Ilex x meserveae</i> 'Berri Magic Kids' Berri-Magic™ Kids Meserve Hybrid Holly | BS | 2.25 | R1 | 5-6 | 7-8 | | 1.45 | 5 |
| <i>Ilex x meserveae</i> 'Berri Magic Royalty' Berri Magic® Royalty Meserve Hybrid Holly | BS | 1.75 | R1 | 5-6 | 7-8 | | 1.48 | 5 |
| <i>Ilex x meserveae</i> 'Blue Angel' P.P. 3662 Blue Angel Meserve Hybrid Holly | BS | 1.29 | R1 | 5-6 | 7-8 | | 1.58 | 5 |
| <i>Ilex x meserveae</i> 'Blue Baron' Blue Baron Meserve Hybrid Holly | BS | 1.32 | R1 | 5-6 | 7-8 | | 1.48 | 5 |
| <i>Ilex x meserveae</i> 'Blue Boy' Blue Boy Meserve Hybrid Holly | BS | 1.27 | R1 | 5-6 | 7-8 | | 0.94 | 5 |
| <i>Ilex x meserveae</i> 'Blue Girl' Blue Girl Meserve Hybrid Holly | BS | 1.15 | R1 | 5-6 | 7-8 | | 1.21 | 5 |
| <i>Ilex x meserveae</i> 'Blue Maid' See - <i>Ilex x meserveae</i> 'Mesid' P.P. 4685 | | | | | | | | |
| <i>Ilex x meserveae</i> 'Blue Prince' P.P. 3517 Blue Prince Meserve Hybrid Holly | BS | 1.23 | R1 | 5-6 | 7-8 | | 1.42 | 5 |
| <i>Ilex x meserveae</i> 'Blue Princess' P.P. 3675 Blue Princess Meserve Hybrid Holly | BS | 1.20 | R1 | 5-6 | 7-8 | | 1.24 | 5 |
| <i>Ilex x meserveae</i> 'Blue Stallion' See - <i>Ilex x meserveae</i> 'Mesan' P.P. 4804 | | | | | | | | |
| <i>Ilex x meserveae</i> 'Castle Spire' See - <i>Ilex x meserveae</i> 'Hachfee' P.P. 14310 | | | | | | | | |
| <i>Ilex x meserveae</i> 'Castle Wall' See - <i>Ilex x meserveae</i> 'Heckenstar' P.P. 14308 | | | | | | | | |
| <i>Ilex x meserveae</i> 'Centennial Girl' Centennial Girl Meserve Hybrid Holly | BS | 1.26 | R1 | 5-6 | 7-8 | | 2.09 | 5 |
| <i>Ilex x meserveae</i> 'Golden Girl' See - <i>Ilex x meserveae</i> 'Mesgolg' P.P. 7652 | | | | | | | | |
| <i>Ilex x meserveae</i> 'Hachfee' P.P. 14310 Castle Spire™ Meserve Hybrid Holly | BS | 1.44 | R1 | 5-6 | 7-8 | | 1.48 | 5 |
| <i>Ilex x meserveae</i> 'Heckenstar' P.P. 14308 Castle Wall™ Meserve Hybrid Holly | BS | 1.44 | R1 | 5-6 | 7-8 | | 1.48 | 5 |
| <i>Ilex x meserveae</i> 'Honey Maid' P.P.A.F. Honey Maid Meserve Hybrid Holly | BE | 1.08 | R1 | 5-6 | 7-8 | 1.00 | 1.00 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Ilex x meserveae</i> 'Mesan' P.P. 4804 Blue Stallion® Meserve Hybrid Holly | BS | 1.40 | R1 | 5-6 | 7-8 | | 1.69 | 5 |
| <i>Ilex x meserveae</i> 'Mesgolg' P.P. 7652 Golden Girl® Meserve Hybrid Holly | BS | 1.24 | R1 | 5-6 | 7-8 | | 1.70 | 5 |
| <i>Ilex x meserveae</i> 'Mesid' P.P. 4685 Blue Maid® Meserve Hybrid Holly | BS | 1.29 | R1 | 5-6 | 7-8 | | 1.49 | 5 |
| <i>Ilex myrtifolia</i> Myrtle Holly | BS | 0.57 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Ilex opaca</i> American Holly | BE | 0.83 | R1 | 5-6 | 7-8 | 0.76 | 2.98 | 5 |
| <i>Ilex opaca</i> 'Arden' Arden American Holly | BE | 1.01 | R1 | 5-6 | 7-8 | 0.72 | 2.18 | 5 |
| <i>Ilex opaca</i> 'Cave Hill No. 1' Cave Hill No. 1 American Holly | BE | 1.01 | R1 | 5-6 | 7-8 | 0.72 | 1.25 | 5 |
| <i>Ilex opaca</i> 'Dodd's Red Creek' Dodd's Red Creek American Holly | BE | 1.69 | R1 | 5-6 | 7-8 | 0.72 | 2.18 | 5 |
| <i>Ilex opaca</i> 'Greenleaf' Greenleaf American Holly | BE | 1.01 | R1 | 5-6 | 7-8 | 0.68 | 1.34 | 5 |
| <i>Ilex opaca</i> 'Jersey Knight' Jersey Knight American Holly | BE | 0.58 | R1 | 5-6 | 7-8 | 0.72 | 3.64 | 5 |
| <i>Ilex opaca</i> 'Jersey Princess' Jersey Princess American Holly | BE | 1.01 | R1 | 5-6 | 7-8 | 0.72 | 1.67 | 5 |
| <i>Ilex opaca</i> 'Judy Evans' Judy Evans American Holly | BE | 1.01 | R1 | 5-6 | 7-8 | 0.72 | 2.03 | 5 |
| <i>Ilex opaca</i> 'Merry Christmas' Merry Christmas American Holly | BE | 1.01 | R1 | 5-6 | 7-8 | 0.72 | 1.27 | 5 |
| <i>Ilex opaca</i> 'Miss Helen' Miss Helen American Holly | BE | 1.20 | R1 | 5-6 | 7-8 | 0.72 | 3.95 | 5 |
| <i>Ilex opaca</i> 'Princeton Gold' Princeton Gold American Holly | BE | 1.01 | R1 | 5-6 | 7-8 | 0.72 | 2.18 | 5 |
| <i>Ilex opaca</i> 'Satyr Hill' Satyr Hill American Holly | BE | 0.76 | R1 | 5-6 | 7-8 | 0.72 | 1.49 | 5 |
| <i>Ilex opaca</i> var. <i>arenicola</i> Dune Holly | BE | 0.51 | R1 | 5-6 | 7-8 | 1.00 | 1.00 | 5 |
| <i>Ilex pedunculosa</i> Longstalk Holly | BE | 1.47 | R1 | 5-6 | 7-8 | 1.00 | 1.81 | 5 |
| <i>Ilex perado</i> Madeiran Holly | BE | 1.00 | R1 | 5-7 | 8 | 1.00 | 2.54 | 7 |
| <i>Ilex rugosa</i> Prostrate Holly | BS | 1.00 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Ilex serrata</i> Finetooth Holly | DS | 1.56 | R1 | 3-5 | 6-8 | | 1.63 | 5 |
| <i>Ilex serrata</i> 'Xanthocarpa' Yellowfruit Finetooth Holly | DS | 1.56 | R1 | 3-5 | 6-8 | | 1.16 | 5 |
| <i>Ilex verticillata</i> Winterberry | DS | 1.11 | R1 | 3-4 | 5-8 | | 0.93 | 3 |
| <i>Ilex verticillata</i> 'Afterglow' Afterglow Winterberry | DS | 1.19 | R1 | 3-4 | 5-8 | | 1.17 | 3 |
| <i>Ilex verticillata</i> 'Aurantiaca' Yellow Fruit Winterberry | DS | 1.07 | R1 | 3-4 | 5-8 | | 1.81 | 3 |
| <i>Ilex verticillata</i> 'Berry Nice' See - <i>Ilex verticillata</i> 'Spriber' | | | | | | | | |
| <i>Ilex verticillata</i> 'Bright Horizon' Bright Horizon Winterberry | DS | 1.00 | R1 | 3-4 | 5-8 | | 0.91 | 3 |
| <i>Ilex verticillata</i> 'Cacapon' Cacapon Winterberry | DS | 1.13 | R1 | 3-4 | 5-8 | | 1.66 | 3 |
| <i>Ilex verticillata</i> 'Carolina Cardinal' Carolina Cardinal Winterberry | DS | 0.83 | R1 | 3-4 | 5-8 | | 0.98 | 3 |
| <i>Ilex verticillata</i> 'Christmas Cheer' Christmas Cheer Winterberry | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.17 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Ilex verticillata</i> 'Earlibright' Earlibright Winterberry | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.17 | 3 |
| <i>Ilex verticillata</i> 'Jim Dandy' Jim Dandy Winterberry | DS | 1.12 | R1 | 3-4 | 5-8 | | 1.49 | 3 |
| <i>Ilex verticillata</i> 'Johnny Come Lately' Johnny Come Lately Winterberry | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.17 | 3 |
| <i>Ilex verticillata</i> 'Late Male' See - <i>Ilex verticillata</i> 'Southern Gentleman' | | | | | | | | |
| <i>Ilex verticillata</i> 'Maryland Beauty' Maryland Beauty Winterberry | DS | 1.04 | R1 | 3-4 | 5-8 | | 0.74 | 3 |
| <i>Ilex verticillata</i> 'Quansoo' Quansoo Winterberry | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.17 | 3 |
| <i>Ilex verticillata</i> 'Red Sprite' Red Sprite Dwarf Winterberry | DS | 1.06 | R1 | 3-4 | 5-8 | | 1.61 | 3 |
| <i>Ilex verticillata</i> 'Rhett Butler' Rhett Butler Winterberry | DS | 1.00 | R1 | 3-4 | 5-8 | | 0.80 | 3 |
| <i>Ilex verticillata</i> 'Scarlett O'Hara' Scarlett O'Hara Winterberry | DS | 0.93 | R1 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Ilex verticillata</i> 'Shaver' Shaver Winterberry | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.17 | 3 |
| <i>Ilex verticillata</i> 'Shortcake' Shortcake Winterberry | DS | 0.80 | R1 | 3-4 | 5-8 | | 1.17 | 3 |
| <i>Ilex verticillata</i> 'Southern Gentleman' Southern Gentleman Winterberry | DS | 0.98 | R1 | 3-4 | 5-8 | | 1.14 | 3 |
| <i>Ilex verticillata</i> 'Spriber' Berry Nice™ Winterberry | DS | 0.88 | R1 | 3-4 | 5-8 | | 1.39 | 3 |
| <i>Ilex verticillata</i> 'Stoplight' Stoplight Winterberry | DS | 0.99 | R1 | 3-4 | 5-8 | | 1.07 | 3 |
| <i>Ilex verticillata</i> 'Sunset' Sunset Winterberry | DS | 0.79 | R1 | 3-4 | 5-8 | | 1.17 | 3 |
| <i>Ilex verticillata</i> 'Upright Red' Upright Red Winterberry | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.17 | 3 |
| <i>Ilex verticillata</i> 'Winter Gold' Winter Gold Winterberry | DS | 1.00 | R1 | 3-4 | 5-8 | | 0.93 | 3 |
| <i>Ilex verticillata</i> 'Winter Red' P.P. 4146 Winter Red Winterberry | DS | 1.07 | R1 | 3-4 | 5-8 | | 1.08 | 3 |
| <i>Ilex vomitoria</i> Yaupon Holly | BE | 0.76 | R1 | 5-7 | 8 | 0.81 | 1.18 | 7 |
| <i>Ilex vomitoria</i> 'Bordeaux' See - <i>Ilex vomitoria</i> 'Condeaux' P.P. 8779 | | | | | | | | |
| <i>Ilex vomitoria</i> 'Condeaux' P.P. 8779 Bordeaux™ Yaupon Holly | BS | 0.85 | R1 | 5-7 | 8 | | 0.79 | 7 |
| <i>Ilex vomitoria</i> 'Dodd's Cranberry' Dodd's Cranberry Yaupon Holly | BS | 0.78 | R1 | 5-7 | 8 | | 0.88 | 7 |
| <i>Ilex vomitoria</i> 'Dodd's Yellow' Dodd's Yellow Yaupon Holly | BS | 0.87 | R1 | 5-7 | 8 | | 0.70 | 7 |
| <i>Ilex vomitoria</i> 'Fencerow' Fencerow Yaupon Holly | BS | 0.51 | R1 | 5-7 | 8 | | 0.79 | 7 |
| <i>Ilex vomitoria</i> 'First Lady' First Lady Yaupon Holly | BS | 0.89 | R1 | 5-7 | 8 | | 0.79 | 7 |
| <i>Ilex vomitoria</i> 'Folsom's Weeping' Folsom's Weeping Yaupon Holly | BE | 0.77 | R1 | 5-7 | 8 | 0.81 | 0.99 | 7 |
| <i>Ilex vomitoria</i> 'Hightower' Hightower Yaupon Holly | BE | 0.87 | R1 | 5-7 | 8 | 0.81 | 1.12 | 7 |
| <i>Ilex vomitoria</i> 'Hoskin Shadow' See - <i>Ilex vomitoria</i> 'Shadow's Female' | | | | | | | | |
| <i>Ilex vomitoria</i> 'Kathy Ann Batson' Kathy Ann Batson Yaupon Holly | BS | 1.08 | R1 | 5-7 | 8 | | 0.73 | 7 |
| <i>Ilex vomitoria</i> 'Lynn Lowrey' Lynn Lowrey Yaupon Holly | BS | 0.82 | R1 | 5-7 | 8 | | 0.79 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Ilex vomitoria</i> 'Micron' Micron™ Dwarf Yaupon Holly | BS | 1.12 | R1 | 5-7 | 8 | | 0.79 | 7 |
| <i>Ilex vomitoria</i> 'Nana' Dwarf Yaupon Holly | BS | 0.73 | R1 | 5-7 | 8 | | 0.79 | 7 |
| <i>Ilex vomitoria</i> 'Orient Jewel' P.P. 10295 Orient Jewel Yaupon Holly | BS | 1.13 | R1 | 5-7 | 8 | | 0.79 | 7 |
| <i>Ilex vomitoria</i> 'Pendula' Weeping Yaupon Holly | BE | 0.90 | R1 | 5-7 | 8 | 0.81 | 1.19 | 7 |
| <i>Ilex vomitoria</i> 'Pride of Houston' Pride of Houston Yaupon Holly | BS | 0.95 | R1 | 5-7 | 8 | | 0.74 | 7 |
| <i>Ilex vomitoria</i> 'Schillings Dwarf' Schilling's Dwarf Yaupon Holly | BS | 0.72 | R1 | 5-7 | 8 | | 0.99 | 7 |
| <i>Ilex vomitoria</i> 'Shadow's Female' Shadow's Female Yaupon Holly | BS | 0.95 | R1 | 5-7 | 8 | | 0.78 | 7 |
| <i>Ilex vomitoria</i> 'South Harbour' South Harbour Yaupon Holly | BS | 0.87 | R1 | 5-7 | 8 | | 0.73 | 7 |
| <i>Ilex vomitoria</i> 'Stoke's Dwarf' See - <i>Ilex vomitoria</i> 'Schillings Dwarf' | | | | | | | | |
| <i>Ilex vomitoria</i> 'Straughn's' Straughn's Yaupon Holly | BS | 0.89 | R1 | 5-7 | 8 | | 0.79 | 7 |
| <i>Ilex vomitoria</i> 'Taylor's Rudolph' Taylor's Rudolph Yaupon Holly | BS | 0.88 | R1 | 5-7 | 8 | | 0.79 | 7 |
| <i>Ilex vomitoria</i> 'Will Fleming' Will Fleming Yaupon Holly | BS | 1.06 | R1 | 5-7 | 8 | | 0.79 | 7 |
| <i>Iliamna remota</i> Kankakee Mallow | HP | 1.31 | R2 | 3-5 | 6-8 | | | |
| <i>Illicium anisatum</i> Chinese Anise Tree | BS | 0.69 | R2 | 5-7 | 8 | | 1.22 | 7 |
| <i>Illicium floridanum</i> Florida Anise Tree | BS | 0.88 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Illicium floridanum</i> 'Alba' White Florida Anise Tree | BS | 0.86 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Illicium floridanum</i> 'Semmes' Semmes Florida Anise Tree | BS | 0.89 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Illicium henryi</i> Henry Anise Tree | BS | 1.00 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Illicium mexicanum</i> Mexican Anise Tree | BS | 1.05 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Illicium parviflorum</i> Small Anise Tree | BS | 0.80 | R1 | 5-8 | | | 0.62 | 8 |
| <i>Impatiens</i> Impatiens | AN | 1.02 | R2 | 6-8 | | | | |
| <i>Impatiens</i> 'Balfafblus' P.P. 16288 Fanfare™ Blush Trailing Impatiens | AN | 1.02 | R2 | 6-8 | | | | |
| <i>Impatiens</i> 'Balfafbricol' P.P. 17834 Fanfare™ Bright Coral Trailing Impatiens | AN | 0.83 | R2 | 6-8 | | | | |
| <i>Impatiens</i> 'Balfaflav' P.P.A.F. Fanfare™ Lavender Trailing Impatiens | AN | 1.02 | R2 | 6-8 | | | | |
| <i>Impatiens</i> 'Balfaforg' P.P. 14690 Fanfare™ Orange Trailing Impatiens | AN | 1.02 | R2 | 6-8 | | | | |
| <i>Impatiens</i> 'Balfafpinsar' P.P. 18098 Fanfare™ Pink Sparkle Trailing Impatiens | AN | 1.02 | R2 | 6-8 | | | | |
| <i>Impatiens</i> 'Balfafusia' P.P. 12588 Fanfare™ Fuchsia Trailing Impatiens | AN | 0.90 | R2 | 6-8 | | | | |
| <i>Impatiens</i> 'Balfafusimp' P.P. 17715 Fanfare™ Fuchsia Improved Trailing Impatiens | AN | 0.82 | R2 | 6-8 | | | | |
| <i>Impatiens</i> 'Fanfare Blush' See - <i>Impatiens</i> 'Balfafblus' P.P. 16288 | | | | | | | | |
| <i>Impatiens</i> 'Fanfare Bright Coral' See - <i>Impatiens</i> 'Balfafbricol' P.P. 17834 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|--------------|-------------|---------|---------------|
| | | Factor | SK | Insurable HZ | | Factors | |
| | | | | Req | Not Req | Caliper | High/Wide |
| <i>Impatiens</i> 'Fanfare Fuchsia Improved' | | | | | | | |
| See - <i>Impatiens</i> 'Balfafusimp' P.P. 17715 | | | | | | | |
| <i>Impatiens</i> 'Fanfare Fuchsia' | | | | | | | |
| See - <i>Impatiens</i> 'Balfafusia' P.P. 12588 | | | | | | | |
| <i>Impatiens</i> 'Fanfare Lavender' | | | | | | | |
| See - <i>Impatiens</i> 'Balfaflav' P.P.A.F. | | | | | | | |
| <i>Impatiens</i> 'Fanfare Orange' | | | | | | | |
| See - <i>Impatiens</i> 'Balfaforg' P.P. 14690 | | | | | | | |
| <i>Impatiens</i> 'Fanfare Pink Sparkle' | | | | | | | |
| See - <i>Impatiens</i> 'Balfafpinsar' P.P. 18098 | | | | | | | |
| <i>Impatiens</i> 'Fanfare Series Mix' | AN | 0.77 | R2 | 6-8 | | | |
| Fanfare™ Series Mix Trailing <i>Impatiens</i> | | | | | | | |
| <i>Impatiens</i> 'Fisvision' P.P. 14443 | AN | 1.39 | R2 | 6-8 | | | |
| Vision Yellow™ New Guinea <i>Impatiens</i> | | | | | | | |
| <i>Impatiens</i> 'Fusion Series' | AN | 1.12 | R2 | 6-8 | | | |
| Fusion™ Series <i>Impatiens</i> | | | | | | | |
| <i>Impatiens</i> 'Vision Yellow' | | | | | | | |
| See - <i>Impatiens</i> 'Fisvision' P.P. 14443 | | | | | | | |
| <i>Impatiens balfourii</i> | AN | 1.11 | R2 | 3-5 | | | |
| Balfour's Touch-Me-Not | | | | | | | |
| <i>Impatiens balsamina</i> | AN | 0.76 | R2 | 6-8 | | | |
| Common <i>Impatiens</i> | | | | | | | |
| <i>Impatiens hawkeri</i> | HP | 0.68 | R2 | 6-8 | | | |
| New Guinea <i>Impatiens</i> | | | | | | | |
| <i>Impatiens hawkeri</i> 'Balcebgrapi' P.P. 14528 | HP | 0.69 | R2 | 6-8 | | | |
| Celebrette™ Grape Crush New Guinea <i>Impatiens</i> | | | | | | | |
| <i>Impatiens hawkeri</i> 'Balcebhopi' P.P. 11916 | HP | 0.69 | R2 | 6-8 | | | |
| Celebrette™ Hot Pink New Guinea <i>Impatiens</i> | | | | | | | |
| <i>Impatiens hawkeri</i> 'Balcebred' P.P. 13994 | HP | 0.69 | R2 | 6-8 | | | |
| Celebrette™ Red New Guinea <i>Impatiens</i> | | | | | | | |
| <i>Impatiens hawkeri</i> 'Balcestar' P.P. 13939 | HP | 0.69 | R2 | 6-8 | | | |
| Celebrette™ Strawberry Star New Guinea <i>Impatiens</i> | | | | | | | |
| <i>Impatiens hawkeri</i> 'Celebration Series' | HP | 0.78 | R2 | 6-8 | | | |
| Celebration Series New Guinea <i>Impatiens</i> | | | | | | | |
| <i>Impatiens hawkeri</i> 'Celebrette Grape Crush' | | | | | | | |
| See - <i>Impatiens hawkeri</i> 'Balcebgrapi' P.P. 14528 | | | | | | | |
| <i>Impatiens hawkeri</i> 'Celebrette Hot Pink' | | | | | | | |
| See - <i>Impatiens hawkeri</i> 'Balcebhopi' P.P. 11916 | | | | | | | |
| <i>Impatiens hawkeri</i> 'Celebrette Red' | | | | | | | |
| See - <i>Impatiens hawkeri</i> 'Balcebred' P.P. 13994 | | | | | | | |
| <i>Impatiens hawkeri</i> 'Celebrette Strawberry Star' | | | | | | | |
| See - <i>Impatiens hawkeri</i> 'Balcestar' P.P. 13939 | | | | | | | |
| <i>Impatiens hawkeri</i> 'Fisimp 144' P.P. 13713 | HP | 0.69 | R2 | 6-8 | | | |
| Sonic® Amethyst New Guinea <i>Impatiens</i> | | | | | | | |
| <i>Impatiens hawkeri</i> 'Fisnics Scarlet' P.P. 14672 | HP | 0.69 | R2 | 6-8 | | | |
| Sonic® Scarlet New Guinea <i>Impatiens</i> | | | | | | | |
| <i>Impatiens hawkeri</i> 'Fisupnic Tallred' P.P. 16809 | HP | 0.81 | R2 | 6-8 | | | |
| Super Sonic® Red New Guinea <i>Impatiens</i> | | | | | | | |
| <i>Impatiens hawkeri</i> 'Fisupnics Lav' P.P. 13224 | HP | 0.72 | R2 | 6-8 | | | |
| Super Sonic® Lavender New Guinea <i>Impatiens</i> | | | | | | | |
| <i>Impatiens hawkeri</i> 'Harmony Series' | HP | 0.75 | R2 | 6-8 | | | |
| Harmony Series New Guinea <i>Impatiens</i> | | | | | | | |
| <i>Impatiens hawkeri</i> 'Paradise Series' | HP | 0.78 | R2 | 6-8 | | | |
| Paradise Series New Guinea <i>Impatiens</i> | | | | | | | |
| <i>Impatiens hawkeri</i> 'Sonic Amethyst' | | | | | | | |
| See - <i>Impatiens hawkeri</i> 'Fisimp 144' P.P. 13713 | | | | | | | |
| <i>Impatiens hawkeri</i> 'Sonic Scarlet' | | | | | | | |
| See - <i>Impatiens hawkeri</i> 'Fisnics Scarlet' P.P. 14672 | | | | | | | |
| <i>Impatiens hawkeri</i> 'Super Sonic Lavender' | | | | | | | |
| See - <i>Impatiens hawkeri</i> 'Fisupnics Lav' P.P. 13224 | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container | | Field Grown | | Minimum HZ |
|--|--------------|--------|-----------|-----------------------------|-------------|----------------------|---------------|
| | | | SK | Insurable HZ Req Not Req | Caliper | Factors High/Wide | |
| <i>Impatiens hawkeri</i> 'Super Sonic Red' | | | | | | | |
| See - <i>Impatiens hawkeri</i> 'Fisupnic Tallred' P.P. 16809 | | | | | | | |
| <i>Impatiens linearifolia</i> | | | | | | | |
| See - <i>Impatiens hawkeri</i> | | | | | | | |
| <i>Impatiens oliveri</i> | | | | | | | |
| See - <i>Impatiens sodenii</i> | | | | | | | |
| <i>Impatiens repens</i> | GC | 0.54 | R2 | 6-8 | | 1.00 | 10 |
| No Common Name Found | | | | | | | |
| <i>Impatiens sodenii</i> | HP | 0.67 | R2 | 6-8 | | | |
| Poor Man's Rhododendron | | | | | | | |
| <i>Impatiens walleriana</i> | AN | 0.76 | R2 | 6-8 | | | |
| Busy Lizzy | | | | | | | |
| <i>Impatiens walleriana</i> 'Accent Lavender' | AN | 1.03 | R2 | 6-8 | | | |
| Accent Lavender Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Accent Mixed' | AN | 1.03 | R2 | 6-8 | | | |
| Accent Mixed Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Accent Orange' | AN | 1.03 | R2 | 6-8 | | | |
| Accent Orange Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Accent Pink' | AN | 1.03 | R2 | 6-8 | | | |
| Accent Pink Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Accent Red' | AN | 1.03 | R2 | 6-8 | | | |
| Accent Red Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Accent Rose' | AN | 1.03 | R2 | 6-8 | | | |
| Accent Rose Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Accent Salmon' | AN | 1.03 | R2 | 6-8 | | | |
| Accent Salmon Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Accent Series' | AN | 0.60 | R2 | 6-8 | | | |
| Accent Series Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Accent White' | AN | 1.03 | R2 | 6-8 | | | |
| Accent White Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Cajun Series' | AN | 0.89 | R2 | 6-8 | | | |
| Cajun Series Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Dazzler Series' | AN | 0.45 | R2 | 6-8 | | | |
| Dazzler Series Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Deco Burgundy' | AN | 0.89 | R2 | 6-8 | | | |
| Deco Burgundy Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Deco Orange' | AN | 0.89 | R2 | 6-8 | | | |
| Deco Orange Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Deco Pink' | AN | 0.89 | R2 | 6-8 | | | |
| Deco Pink Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Deco Rose' | AN | 0.89 | R2 | 6-8 | | | |
| Deco Rose Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Deco Series' | AN | 0.45 | R2 | 6-8 | | | |
| Deco Series Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Fanciful Series' | AN | 0.89 | R2 | 6-8 | | | |
| Fanciful Series Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Fiesta Series' | AN | 1.03 | R2 | 6-8 | | | |
| Fiesta Series Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Firefly Series' | AN | 1.30 | R2 | 6-8 | | | |
| Firefly Series Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Mosaic Series' | AN | 0.89 | R2 | 6-8 | | | |
| Mosaic Series Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Novette Series' | AN | 0.89 | R2 | 6-8 | | | |
| Novette Series Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Rosebud Series' | AN | 0.89 | R2 | 6-8 | | | |
| Rosebud Series Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Rosette Series' | AN | 0.89 | R2 | 6-8 | | | |
| Rosette Series Impatiens | | | | | | | |
| <i>Impatiens walleriana</i> 'Seashell Series' | AN | 0.89 | R2 | 6-8 | | | |
| Seashell Series Impatiens | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Impatiens walleriana</i> 'Summer Ice Series' Summer Ice Series Impatiens | AN | 1.11 | R2 | 6-8 | | | |
| <i>Impatiens walleriana</i> 'Super Elfin Cherry' Super Elfin Cherry Impatiens | AN | 0.89 | R2 | 6-8 | | | |
| <i>Impatiens walleriana</i> 'Super Elfin Mix' Super Elfin Mix Impatiens | AN | 0.54 | R2 | 6-8 | | | |
| <i>Impatiens walleriana</i> 'Super Elfin Series' Super Elfin Series Impatiens | AN | 0.70 | R2 | 6-8 | | | |
| <i>Impatiens walleriana</i> 'Tioga Series' Tioga Series Impatiens | AN | 0.89 | R2 | 6-8 | | | |
| <i>Imperata cylindrica</i> Cogongrass | HP | 0.80 | R2 | 3-7 | 8 | | |
| <i>Imperata cylindrica</i> 'Red Baron' See - <i>Imperata cylindrica</i> 'Rubra' | HP | 1.24 | R2 | 3-7 | 8 | | |
| <i>Imperata cylindrica</i> 'Rubra' Red Baron Blood Grass | HP | 0.79 | R2 | 3-6 | 7-8 | | |
| <i>Incarvillea delavayi</i> Delavy Incarvillea | HP | 1.00 | R2 | 3-4 | 5-8 | | |
| <i>Incarvillea mairei</i> var. <i>grandiflora</i> Bigflower Incarvillea | HP | 0.86 | R2 | 3-5 | 6-8 | 1.00 | 5 |
| <i>Indigofera amblyantha</i> Pink Indigo | BS | 0.90 | R2 | 3-5 | 6-8 | 1.00 | 5 |
| <i>Indigofera decora</i> No Common Name Found | BS | 0.87 | R2 | 5-7 | 8 | 1.00 | 7 |
| <i>Indigofera gerardiana</i> See - <i>Indigofera heterantha</i> | BS | 0.84 | R2 | 3-5 | 6-8 | 1.00 | 5 |
| <i>Indigofera heterantha</i> Gerard's Indigo | BS | 1.44 | R2 | 5-7 | 8 | 1.00 | 6 |
| <i>Indigofera incarnata</i> See - <i>Indigofera decora</i> | BS | 0.43 | R2 | 3-4 | 5-8 | | |
| <i>Indigofera kirilowii</i> Kirilow Indigo | BS | 1.00 | R2 | 3-5 | 6-8 | 1.00 | 5 |
| <i>Indocalamus tessellatus</i> Giant Leaf Bamboo | BS | 0.84 | R2 | 3-5 | 6-8 | 1.00 | 6 |
| <i>Inula ensifolia</i> Swordleaf Inula | HP | 1.00 | R2 | 3-5 | 6-8 | | |
| <i>Inula helenium</i> Elecampane | HP | 1.00 | R2 | 3-5 | 6-8 | | |
| <i>Inula magnifica</i> No Common Name Found | HP | 0.84 | R2 | 3-5 | 6-8 | | |
| <i>Inula orientalis</i> Caucasian Inula | HP | 0.84 | R2 | 3-5 | 6-8 | | |
| <i>Inula orientalis</i> 'Grandiflora' Grandiflora Caucasian Inula | HP | 1.00 | R2 | 3-5 | 6-8 | | |
| <i>Inula verbascifolia</i> No Common Name Found | HP | 0.80 | R2 | 3-6 | 7-8 | | |
| <i>Ipheion uniflorum</i> Spring Starflower | HP | 0.80 | R2 | 3-6 | 7-8 | | |
| <i>Ipheion uniflorum</i> 'Wisley Blue' Wisley Blue Spring Starflower | HP | 0.62 | R2 | 6-8 | | 1.00 | 8 |
| <i>Ipomoea acuminata</i> See - <i>Ipomoea indica</i> | GC | 0.28 | R2 | 6-8 | | 1.00 | 9 |
| <i>Ipomoea alba</i> Moonflower | GC | 0.49 | R2 | 6-8 | | 1.00 | 9 |
| <i>Ipomoea batatas</i> Sweet Potato | GC | 0.61 | R2 | 6-8 | | 1.00 | 9 |
| <i>Ipomoea batatas</i> 'Ace of Spades' Ace of Spades Sweet Potato | GC | 0.61 | R2 | 6-8 | | 1.00 | 9 |
| <i>Ipomoea batatas</i> 'Black Heart' Black Heart Sweet Potato | GC | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Ipomoea batatas</i> 'Blackie' Blackie Sweet Potato | GC | 0.57 | R2 | 6-8 | | 1.00 | 9 |
| <i>Ipomoea batatas</i> 'Margarita' Margarita Sweet Potato | GC | 0.56 | R2 | 6-8 | | 1.00 | 9 |
| <i>Ipomoea batatas</i> 'Sweet Caroline Bright Green' Sweet Caroline™ Bright Green Sweet Potato | GC | 0.45 | R2 | 6-8 | | 1.00 | 9 |
| <i>Ipomoea batatas</i> 'Sweet Caroline Bronze' P.P. 15437 Sweet Caroline™ Bronze Sweet Potato | GC | 0.58 | R2 | 6-8 | | 1.00 | 9 |
| <i>Ipomoea batatas</i> 'Sweet Caroline Purple' P.P. 14912 Sweet Caroline™ Purple Sweet Potato | GC | 0.54 | R2 | 6-8 | | 1.00 | 9 |
| <i>Ipomoea batatas</i> 'Tricolor' Tricolor Sweet Potato | GC | 0.56 | R2 | 6-8 | | 1.00 | 9 |
| <i>Ipomoea carnea</i> Mexican Morning Glory | GC | 0.64 | R2 | 8 | | 1.00 | 9 |
| <i>Ipomoea horsfalliae</i> Perennial Morning Glory | GC | 0.80 | R2 | 8 | | 1.00 | 9 |
| <i>Ipomoea indica</i> Blue Dawn Flower | AN | 1.51 | R2 | 6-8 | | | |
| <i>Ipomoea lobata</i> Spanish Flag | GC | 0.45 | R2 | 6-8 | | 1.00 | 8 |
| <i>Ipomoea microdactyla</i> Calcareous Morning Glory | GC | 0.80 | R2 | 6-8 | | 1.00 | 8 |
| <i>Ipomoea x multifida</i> Cardinal Climber | GC | 0.74 | R2 | 5-7 | 8 | 1.00 | 6 |
| <i>Ipomoea quamoclit</i> Cypress Vine | GC | 0.73 | R2 | 6-8 | | 1.00 | 8 |
| <i>Ipomoea tricolor</i> Morning Glory | GC | 0.79 | R2 | 6-8 | | 1.00 | 8 |
| <i>Ipomoea tricolor</i> 'Heavenly Blue' Heavenly Blue Morning Glory | GC | 0.79 | R2 | 6-8 | | 1.00 | 8 |
| <i>Ipomopsis aggregata</i> Scarlet Gilia | HP | 0.84 | R2 | 5-7 | 8 | | |
| <i>Ipomopsis rubra</i> Standing Rocket Cypress | HP | 0.48 | R2 | 6-8 | | | |
| <i>Iresine diffusa</i> Juba's Bush | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Iresine herbstii</i> Beef Plant | FO | 0.45 | R2 | 8 | | 1.00 | 9 |
| <i>Iresine herbstii</i> 'Brilliantissima' Brilliantissima Beef Plant | FO | 0.49 | R2 | 8 | | 1.00 | 9 |
| <i>Iresine herbstii</i> 'Purple Lady' Purple Lady Beef Plant | FO | 0.56 | R2 | 8 | | 1.00 | 9 |
| <i>Iresine herbstii</i> 'Sunray' Sunray Beef Plant | FO | 0.49 | R2 | 8 | | 1.00 | 9 |
| <i>Iriarteia andicola</i> See - <i>Ceroxylon alpinum</i> | | | | | | | |
| <i>Iris</i> | HP | 1.04 | R2 | 3-4 | 5-8 | | |
| <i>Iris</i> 'Acapulco Sunset' Acapulco Sunset Tall Bearded Iris | HP | 1.34 | R2 | 3-4 | 5-8 | | |
| <i>Iris</i> 'Allison Roderique' Allison Roderique Tall Bearded Iris | HP | 1.22 | R2 | 3-4 | 5-8 | | |
| <i>Iris</i> 'Ann Chowning' Ann Chowning Louisiana Hybrid Iris | HP | 1.07 | R2 | 3-4 | 5-8 | | |
| <i>Iris</i> 'Apricot Beauty' Apricot Beauty Tall Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | |
| <i>Iris</i> 'Autumn Bugler' Autumn Bugler Tall Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | |
| <i>Iris</i> 'Before the Storm' Before the Storm Tall Bearded Iris | HP | 0.91 | R2 | 3-4 | 5-8 | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Iris</i> 'Best Bet' Best Bet Tall Bearded Iris | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Beverly Sills' Beverly Sills Tall Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Black Gamecock' Black Gamecock Louisiana Iris | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Black Suede' Black Suede Dwarf Bearded Iris | HP | 1.27 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Blood Covenant' Blood Covenant Dwarf Bearded Iris | HP | 1.27 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Blue Light' Blue Light Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Blue Petticoats' Blue Petticoats Tall Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Blues Singer' Blues Singer Tall Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Bright Vision' Bright Vision Dwarf Bearded Iris | HP | 1.27 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Champagne Elegance' Champagne Elegance Tall Bearded Iris | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Charade' Charade Tall Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Cherry Cup' Cherry Cup Louisiana Hybrid Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Chief Quinaby' Chief Quinaby Tall Bearded Iris | HP | 1.34 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Clara Goula' Clara Goula Louisiana Hybrid Iris | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Count Pulaski' Count Pulaski Louisiana Iris | HP | 0.64 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Cut Crystal' Cut Crystal Tall Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Earl of Essex' Earl of Essex Tall Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Edith Wolford' Edith Wolford Tall Bearded Iris | HP | 1.34 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Feminine Fire' Feminine Fire Tall Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Full Eclipse' Full Eclipse Louisiana Hybrid Iris | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Full Tide' Full Tide Tall Bearded Iris | HP | 1.34 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Funny Girl' Funny Girl Tall Bearded Iris | HP | 1.06 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Glowlight' Glowlight Louisiana Hybrid Iris | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Heavenly Glow' Heavenly Glow Louisiana Iris | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Hello Darkness' Hello Darkness Tall Bearded Iris | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'I Bless' I Bless Tall Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Immortality' Immortality Tall Bearded Iris | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Jeri' Jeri Louisiana Hybrid Iris | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Kay Nelson' Kay Nelson Louisiana Hybrid Iris | HP | 1.06 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Lacy Snowflake' Lacy Snowflake Tall Bearded Iris | HP | 0.70 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Iris</i> 'Lola Comeaux' Lola Comeaux Louisiana Hybrid Iris | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Loop the Loop' Loop the Loop Tall Bearded Iris | HP | 1.34 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Louisiana Black Gamecock' See - <i>Iris</i> 'Black Gamecock' | | | | | | | | |
| <i>Iris</i> 'Lynn Hantel' Lynn Hantel Louisiana Hybrid Iris. | HP | 0.64 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Margaret Hunter' Margaret Hunter Louisiana Hybrid Iris | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'May Magic' May Magic Tall Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Midnight Express' Midnight Express Tall Bearded Iris | HP | 1.34 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Mrs. Ira Nelson' Mrs. Ira Nelson Louisiana Hybrid Iris | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Night Deposit' Night Deposit Tall Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Night Owl' Night Owl Tall Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Pink Swan' Pink Swan Tall Bearded Iris | HP | 1.06 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Pink Taffeta' Pink Taffeta Tall Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Protocol' Protocol Intermediate Bearded Iris | HP | 1.27 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Rare Treat' Rare Treat Tall Bearded Iris | HP | 1.34 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Red Zinger' Red Zinger Bearded Iris | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Royal Knight' Royal Knight Bearded Iris | HP | 1.24 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Sinfonietta' Sinfonietta Louisiana Hybrid Iris | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Sky Hooks' Sky Hooks Bearded Iris | HP | 0.70 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Space Odyssey' Space Odyssey Tall Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Starlight Express' Starlight Express Tall Bearded Iris | HP | 1.34 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Summer Olympics' Summer Olympics Tall Bearded Iris | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Summer Promise' Summer Promise Tall Bearded Iris | HP | 1.22 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Summer Wine' Summer Wine Bearded Iris | HP | 0.70 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Sun Fury' Sun Fury Louisiana Hybrid Iris | HP | 0.71 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Superstition' Superstition Tall Bearded Iris | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Tomorrow's Child' Tomorrow's Child Tall Bearded Iris | HP | 1.34 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Vermillion Queen' Vermillion Queen Louisiana Hybrid Iris | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Iris</i> 'Viette Bronze Red' Viette Bronze Red Tall Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris chrysographes</i> Goldvein Iris | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Iris confusa</i> No Common Name Found | HP | 0.73 | R2 | 6-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Iris cristata</i> Crested Iris | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Iris cristata</i> 'Alba' White Crested Iris | HP | 1.38 | R2 | 3-4 | 5-8 | | | |
| <i>Iris cristata</i> 'Eco Blue Bird' Eco Blue Bird Crested Iris | HP | 0.78 | R2 | 3-4 | 5-8 | | | |
| <i>Iris cristata</i> 'Shenandoah Sky' Shenandoah Sky Crested Iris | HP | 1.45 | R2 | 3-4 | 5-8 | | | |
| <i>Iris darwasica</i> Darwasica Iris | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Iris douglasiana</i> Douglas Iris | HP | 0.81 | R2 | 3-7 | 8 | | | |
| <i>Iris douglasiana</i> 'Canyon Snow' Canyon Snow Douglas Iris | HP | 0.96 | R2 | 3-7 | 8 | | | |
| <i>Iris douglasiana</i> 'Goat Rock' Goat Rock Douglas Iris | HP | 0.89 | R2 | 3-7 | 8 | | | |
| <i>Iris douglasiana</i> 'Portuguese Beach' Portuguese Beach Douglas Iris | HP | 0.89 | R2 | 3-7 | 8 | | | |
| <i>Iris ensata</i> Japanese Iris | HP | 1.22 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Activity' Activity Japanese Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Agoga-Kujyo' Agoga-Kujyo Japanese Iris | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Asian Warrior' Asian Warrior Japanese Iris | HP | 1.47 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Butterflies in Flight' Butterflies in Flight Japanese Iris | HP | 1.52 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Caprician Butterfly' Caprician Butterfly Japanese Iris | HP | 0.74 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Cascade Spice' Cascade Spice Japanese Iris | HP | 1.54 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Cry of Rejoice' Cry of Rejoice Japanese Iris | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Daisekke' Daisekke Japanese Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Darling' Darling Japanese Iris | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Eden's Charm' Eden's Charm Japanese Iris | HP | 1.24 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Eden's Delight' Eden's Delight Japanese Iris | HP | 1.24 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Emotion' Emotion Japanese Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Favour' Favour Japanese Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Favourite' Favourite Japanese Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Freckled Geisha' Freckled Geisha Japanese Iris | HP | 1.47 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Gekkeikan' Gekkeikan Japanese Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Glitter and Glamour' Glitter and Glamour Japanese Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Gracieuse' Gracieuse Japanese Iris | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Haku-Botan' Haku-Botan Japanese Iris | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Henry's White' Henry's White Japanese Iris | HP | 1.27 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Iris ensata</i> 'Innocence' Innocence Japanese Iris | HP | 1.17 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Iso-no-nami' Iso-no-nami Japanese Iris | HP | 1.22 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Kagari-Bi' Kagari-Bi Japanese Iris | HP | 0.74 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Kasumi-no-koromo' Kasumi-no-koromo Japanese Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Kiyozuru' Kiyozuru Japanese Iris | HP | 1.47 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Light at Dawn' Light at Dawn Japanese Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Moonlight Waves' Moonlight Waves Japanese Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Mount Fuji' Mount Fuji Japanese Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Murakumo' Murakumo Japanese Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Oriental Eyes' Oriental Eyes Japanese Iris | HP | 1.34 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Picotee Wonder' Picotee Wonder Japanese Iris | HP | 0.74 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Pink Frost' Pink Frost Japanese Iris | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Pink Lady' Pink Lady Japanese Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Royal Banner' Royal Banner Japanese Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Royal Robes' Royal Robes Japanese Iris | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Ruby King' Ruby King Japanese Iris | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Sensation' Sensation Japanese Iris | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Shei Shonagon' Shei Shonagon Japanese Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Shihoden' Shihoden Japanese Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Shogun' Shogun Japanese Iris | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Temple Bells' Temple Bells Japanese Iris | HP | 1.17 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Variegata' Variegated Japanese Iris | HP | 1.41 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Velvety Queen' Velvety Queen Japanese Iris | HP | 1.20 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Waka-Murasaki' Waka-Murasaki Japanese Iris | HP | 1.25 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Wine Ruffles' Wine Ruffles Japanese Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris ensata</i> 'Yamato Hime' Yamato Hime Japanese Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris foetidissima</i> Gladwin Iris | HP | 1.22 | R2 | 3-6 | 7-8 | | | |
| <i>Iris germanica</i> Bearded Iris | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Angel Joy' Angel Joy Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Babbling Brook' Babbling Brook Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Iris germanica</i> 'Blue Rhythm' Blue Rhythm Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Blue Sapphire' Blue Sapphire Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Blue Staccato' Blue Staccato Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Bountiful Harvest' Bountiful Harvest Bearded Iris | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Bronze Charm' Bronze Charm Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Captured Spirit' Captured Spirit Dwarf Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Carolina Gold' Carolina Gold Bearded Iris | HP | 1.22 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Celestial Flame' Celestial Flame Bearded Iris | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Chasing Rainbows' Chasing Rainbows Bearded Iris | HP | 1.35 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'China Dragon' China Dragon Bearded Iris | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Cranberry Ice' Cranberry Ice Bearded Iris | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Depth of Field' Depth of Field Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Dusky Challenger' Dusky Challenger Bearded Iris | HP | 1.14 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Feed Back' Feed Back Bearded Iris | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Fort Apache' Fort Apache Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Gold Galore' Gold Galore Bearded Iris | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Golden Promenade' Golden Promenade Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Gypsy Eyes' Gypsy Eyes Dwarf Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Harvest Of Memories' Harvest Of Memories Bearded Iris | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Henry Shaw' Henry Shaw Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Honky Tonk Blues' Honky Tonk Blues Bearded Iris | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Imagette' Imagette Dwarf Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Katy Petts' Katy Petts Dwarf Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Li'l Red Devil' Li'l Red Devil Dwarf Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Matinata' Matinata Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Mica Maker' Mica Maker Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Music Maker' Music Maker Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Nights of Gladness' Nights of Gladness Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Olakala' Olakala Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Old Rose' Old Rose Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Iris germanica</i> 'Pacific Panorama' Pacific Panorama Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Painted Pictures' Painted Pictures Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Party Girl' Party Girl Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Peking Summer' Peking Summer Bearded Iris | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Perfect Interlude' Perfect Interlude Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Pink Horizon' Pink Horizon Bearded Iris | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Radiant Apogee' Radiant Apogee Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Red At Night' Red At Night Bearded Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Ringo' Ringo Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Royal Touch' Royal Touch Bearded Iris | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Ruffled Ballet' Ruffled Ballet Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Salsa Rio' Salsa Rio Bearded Iris | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Sapphire Hills' Sapphire Hills Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Sheer Bliss' Sheer Bliss Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Singing Angel' Singing Angel Dwarf Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Skating Party' Skating Party Bearded Iris | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Spartan' Spartan Bearded Iris | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Stairway to Heaven' Stairway to Heaven Bearded Iris | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Stepping Out' Stepping Out Bearded Iris | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Study in Black' Study in Black Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Sultan's Palace' Sultan's Palace Bearded Iris | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Summer Sunshine' Summer Sunshine Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Sunday Sunrise' Sunday Sunrise Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Sunday Sunshine' Sunday Sunshine Bearded Iris | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Super Simmon' Super Simmon Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Surfing Sea' Surfing Sea Dwarf Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Total Recall' Total Recall Bearded Iris | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Van Gogh' Van Gogh Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Victoria Falls' Victoria Falls Bearded Iris | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Victorian Lace' Victorian Lace Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Iris germanica</i> 'Vitafire' Vitafire Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Watercolor' Watercolor Dwarf Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Well Endowed' Well Endowed Bearded Iris | HP | 1.23 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'Wenatchee Skies' Wenatchee Skies Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris germanica</i> 'White Frost' White Frost Bearded Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris hexagona</i> Dixie Iris | HP | 0.68 | R2 | 3-6 | 7-8 | | | |
| <i>Iris hexagona</i> 'Alba' White Dixie Iris | HP | 0.68 | R2 | 3-6 | 7-8 | | | |
| <i>Iris hexagona</i> var. <i>savannarum</i> Savanna Iris | HP | 0.46 | R2 | 3-6 | 7-8 | | | |
| <i>Iris hexagona</i> var. <i>savannarum</i> 'Alba' White Savanna Iris | HP | 0.50 | R2 | 3-6 | 7-8 | | | |
| <i>Iris innominata</i> No Common Name Found | HP | 0.80 | R2 | 5-7 | 8 | | | |
| <i>Iris japonica</i> Fringed Iris | HP | 0.87 | R2 | 5-7 | 8 | | | |
| <i>Iris japonica</i> 'Variegata' Variegated Fringed Iris | HP | 1.27 | R2 | 5-7 | 8 | | | |
| <i>Iris kaempferi</i> See - <i>Iris ensata</i> | | | | | | | | |
| <i>Iris laevigata</i> Rabbit-Ear Iris | HP | 1.26 | R2 | 3-4 | 5-8 | | | |
| <i>Iris macrosiphon</i> Pacific Coast Iris | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Iris mellita</i> var. <i>rubromarginata</i> See - <i>Iris suaveolens</i> | | | | | | | | |
| <i>Iris missouriensis</i> Rocky Mountain Iris | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Iris nertschinskia</i> See - <i>Iris sanguinea</i> | | | | | | | | |
| <i>Iris pallida</i> Sweet Iris | HP | 1.39 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pallida</i> 'Albo Variegata' See - <i>Iris pallida</i> 'Argentea Variegata' | | | | | | | | |
| <i>Iris pallida</i> 'Argentea Variegata' Argentea Variegata Sweet Iris | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pallida</i> 'Aurea Variegata' See - <i>Iris pallida</i> 'Variegata' | | | | | | | | |
| <i>Iris pallida</i> 'Variegata' Aurea Variegata Sweet Iris | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pallida</i> ssp. <i>pallida</i> Dalmation Sweet Iris | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pallida</i> var. <i>dalmatica</i> See - <i>Iris pallida</i> ssp. <i>pallida</i> | | | | | | | | |
| <i>Iris prismatica</i> Cubeseed Iris | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pseudacorus</i> Yellow Flag Iris | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| <i>Iris pseudacorus</i> 'Alba' White Yellow Flag Iris | HP | 1.26 | R2 | 3-5 | 6-8 | | | |
| <i>Iris pseudacorus</i> 'Flore-pleno' Flore-pleno Yellow Flag Iris | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| <i>Iris pseudacorus</i> 'Rising Sun' Rising Sun Yellow Flag Iris | HP | 0.81 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Iris pseudacorus</i> var. <i>variegatus</i> Variegated Yellow Flag Iris | HP | 1.11 | R2 | 3-5 | 6-8 | | | |
| <i>Iris pumila</i> Dwarf Bearded Iris | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Apple Blossom' Apple Blossom Dwarf Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Baby Baron' Baby Baron Bearded Iris | HP | 1.25 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Baby Blessed' Baby Blessed Bearded Iris | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Banbury Ruffles' Banbury Ruffles Dwarf Bearded Iris | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Be Dazzled' Be Dazzled Dwarf Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Beechfield' Beechfield Dwarf Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Betsy Boo' Betsy Boo Dwarf Bearded Iris | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Boo' Boo Dwarf Bearded Iris | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Brass Tacks' Brass Tacks Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Brassie' Brassie Dwarf Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Bright White' Bright White Dwarf Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Butterfly' Butterfly Dwarf Bearded Iris | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Cherry Garden' Cherry Garden Dwarf Bearded Iris | HP | 0.68 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Crispy' Crispy Dwarf Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Cyanea' Cyanea Dwarf Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Dark Blue' Dark Blue Dwarf Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Elfin Queen' Elfin Queen Dwarf Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Eyebright' Eyebright Dwarf Bearded Iris | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Lemon Puff' Lemon Puff Dwarf Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Little Dream' Little Dream Bearded Iris | HP | 1.25 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Little Episode' Little Episode Dwarf Bearded Iris | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Little Imp' Little Imp Dwarf Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Little Sapphire' Little Sapphire Dwarf Bearded Iris | HP | 1.27 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Little Villain' Little Villain Dwarf Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Mahogany' Mahogany Dwarf Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Mr. Roberts' Mr. Roberts Dwarf Bearded Iris | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Pixie Princess' Pixie Princess Dwarf Bearded Iris | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Royal Contrast' Royal Contrast Dwarf Bearded Iris | HP | 1.13 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Iris pumila</i> 'Salem Yellow' Salem Yellow Dwarf Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Sambo' Sambo Dwarf Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Truly' Truly Dwarf Bearded Iris | HP | 1.27 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Twinkling Star' Twinkling Star Dwarf Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Vera Gay' Vera Gay Dwarf Bearded Iris | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Iris pumila</i> 'Verona' Verona Dwarf Bearded Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris reticulata</i> Netted Iris | HP | 1.15 | R2 | 3-5 | 6-8 | | | |
| <i>Iris reticulata</i> 'Gordon' Gordon Netted Iris | HP | 1.15 | R2 | 3-5 | 6-8 | | | |
| <i>Iris sanguinea</i> No Common Name Found | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Iris setosa</i> Alaskan Iris | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Iris setosa</i> 'Nana' Dwarf Alaskan Iris | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Iris setosa</i> var. <i>arctica</i> Dwarf Arctic Iris | HP | 1.08 | R2 | 3 | 4-8 | | | |
| <i>Iris sibirica</i> Siberian Iris | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Alice Mae Cox' Alice Mae Cox Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Ann Dasch' Ann Dasch Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Anniversary' Anniversary Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Atoll' Atoll Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Augry' Augry Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Baby Sister' Baby Sister Siberian Iris | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Bennerup Blue' Bennerup Blue Siberian Iris | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Blaue Wiesemotte' Blaue Wiesemotte Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Blue Burgee' Blue Burgee Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Blue Butterfly' See - <i>Iris sibirica</i> 'Blaue Wiesemotte' | | | | | | | | |
| <i>Iris sibirica</i> 'Blue Emperor' Blue Emperor Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Blue King' Blue King Siberian Iris | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Blue Pennant' Blue Pennant Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Blue Song' Blue Song Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Blue Wilson' Blue Wilson Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Bountiful Violet' Bountiful Violet Siberian Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Butter and Sugar' Butter and Sugar Siberian Iris | HP | 0.95 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Iris sibirica</i> 'Caesar' Caesar Siberian Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Caesar's Brother' Caesar's Brother Siberian Iris | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Charming Darlene' Charming Darlene Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Chartreuse Bounty' Chartreuse Bounty Siberian Iris | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Chilled Wine' Chilled Wine Siberian Iris | HP | 1.30 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Christmas Wish' Christmas Wish Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Cleve Dodge' Cleve Dodge Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Contrast in Styles' Contrast in Styles Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Dance Ballerina Dance' Dance Ballerina Dance Siberian Iris | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Dancing Nanou' Dancing Nanou Siberian Iris | HP | 1.33 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Dear Diane' Dear Diane Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Dewful' Dewful Siberian Iris | HP | 1.20 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Dreaming Spires' Dreaming Spires Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Ego' Ego Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Eric the Red' Eric the Red Siberian Iris | HP | 1.29 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Flight of Butterflies' Flight of Butterflies Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Floating Island' Floating Island Siberian Iris | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Forrest McCord' Forrest McCord Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Fourfold White' Fourfold White Siberian Iris | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Gulls Wing' Gulls Wing Siberian Iris | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Halcyon Seas' Halcyon Seas Siberian Iris | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Happiness' Happiness Siberian Iris | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Heliotrope Bouquet' Heliotrope Bouquet Siberian Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'High Standards' High Standards Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Hubbard' Hubbard Siberian Iris | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Illini Charm' Illini Charm Siberian Iris | HP | 1.42 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Indy' Indy Siberian Iris | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Jewelled Crown' Jewelled Crown Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'King of Kings' King of Kings Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Lady Vanessa' Lady Vanessa Siberian Iris | HP | 0.81 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Iris sibirica</i> 'Lavender Bounty' Lavender Bounty Siberian Iris | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Lights of Paris' Lights of Paris Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Little White' Little White Siberian Iris | HP | 1.20 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Marshmallow Frosting' Marshmallow Frosting Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Moon Silk' Moon Silk Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Navy Brass' Navy Brass Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Ongis' Ongis Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Orville Fay' Orville Fay Siberian Iris | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Ottawa' Ottawa Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Painted Desert' Painted Desert Siberian Iris | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Papillon' Papillon Siberian Iris | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Pas de Deux' Pas de Deux Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Perry Blue' Perry Blue Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Pink Haze' Pink Haze Siberian Iris | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Pirate Prince' Pirate Prince Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Polly Dodge' Polly Dodge Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Purple Prose' Purple Prose Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Ruffled Velvet' Ruffled Velvet Siberian Iris | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Shirley Pope' Shirley Pope Siberian Iris | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Showdon' Showdon Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Silver Edge' Silver Edge Siberian Iris | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Sky Wings' Sky Wings Siberian Iris | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Snow Crest' Snow Crest Siberian Iris | HP | 1.20 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Snow Queen' Snow Queen Siberian Iris | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Snow in Summer' Snow in Summer Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Spalding Rose' Spalding Rose Siberian Iris | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Sparkling Rose' Sparkling Rose Siberian Iris | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Steve Varner' Steve Varner Siberian Iris | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Suji Iri' Suji Iri Siberian Iris | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Sultan's Ruby' Sultan's Ruby Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Iris sibirica</i> 'Super Ego' Super Ego Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Teal Velvet' Teal Velvet Siberian Iris | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Tealwood' Tealwood Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Tycoon' Tycoon Siberian Iris | HP | 0.74 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Vi Luihn' Vi Luihn Siberian Iris | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Violet Swirls' Violet Swirls Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'White Sails' White Sails Siberian Iris | HP | 1.20 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'White Swirl' White Swirl Siberian Iris | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Windwood Serenade' Windwood Serenade Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Windwood Spring' Windwood Spring Siberian Iris | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Wizardry' Wizardry Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris sibirica</i> 'Yankee Consul' Yankee Consul Siberian Iris | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Iris suaveolens</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Iris tectorum</i> Roof Iris | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Iris tectorum</i> 'Alba' White Roof Iris | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Iris tenax</i> Oregon Iris | HP | 0.60 | R2 | 5-7 | 8 | | | |
| <i>Iris unguicularis</i> Winter Iris | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Iris uniflora</i> var. <i>carinata</i> Korean Iris | HP | 0.84 | R2 | 6-8 | | | | |
| <i>Iris uniflora</i> var. <i>carinata</i> 'Kitagawa' Kitagawa Korean Iris | HP | 0.84 | R2 | 6-8 | | | | |
| <i>Iris verna</i> Dwarf Iris | HP | 0.70 | R2 | 3-6 | 7-8 | | | |
| <i>Iris versicolor</i> Blue Flag Iris | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Iris virginica</i> Blue Flag | HP | 0.69 | R2 | 5-8 | | | | |
| <i>Iris virginica</i> var. <i>shrevei</i> Wild Blue Virginia Iris | HP | 0.87 | R2 | 5-8 | | | | |
| <i>Iris xiphium</i> Dutch Iris | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Isatis tinctoria</i> Dyers Woad | AN | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Isolepis cernua</i> Fiber Optics Grass | HP | 0.81 | R2 | 6-8 | | | | |
| <i>Isoplexis calcantha</i> No Common Name Found | BS | 0.81 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Isopogon formosus</i> Rose Cone Flower | BS | 0.81 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Isotoma fluviatilis</i> Blue Star Creeper | HP | 0.68 | R2 | 3-7 | 8 | | | |
| <i>Isotoma fluviatilis</i> 'Alba' White Star Creeper | HP | 0.68 | R2 | 3-7 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Itea ilicifolia</i> Hollyleaf Sweetspire | DS | 0.75 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Itea japonica</i> Japanese Sweetspire | BS | 1.16 | R2 | 3-6 | 7-8 | | 0.72 | 6 |
| <i>Itea japonica</i> 'Beppu' Beppu Japanese Sweetspire | BS | 1.16 | R2 | 3-6 | 7-8 | | 0.72 | 6 |
| <i>Itea virginica</i> Virginia Sweetspire | DS | 0.84 | R1 | 3-5 | 6-8 | | 0.91 | 5 |
| <i>Itea virginica</i> 'Henry's Garnet' Henry's Garnet Virginia Sweetspire | DS | 0.88 | R1 | 3-5 | 6-8 | | 1.06 | 5 |
| <i>Itea virginica</i> 'Little Henry' See - <i>Itea virginica</i> 'Sprich' P.P. 10988 | | | | | | | | |
| <i>Itea virginica</i> 'Longspire' Longspire Virginia Sweetspire | DS | 0.72 | R1 | 3-5 | 6-8 | | 1.10 | 5 |
| <i>Itea virginica</i> 'Merlot' Merlot Virginia Sweetspire | DS | 0.84 | R1 | 3-5 | 6-8 | | 1.10 | 5 |
| <i>Itea virginica</i> 'Sarah Eve' Sarah Eve Japanese Sweetspire | DS | 0.58 | R1 | 3-5 | 6-8 | | 1.13 | 5 |
| <i>Itea virginica</i> 'Saturnalia' Saturnalia Virginia Sweetspire | DS | 0.85 | R1 | 3-5 | 6-8 | | 1.10 | 5 |
| <i>Itea virginica</i> 'Shirley's Compact' Shirley's Compact Miniature Virginia Sweetspire | DS | 1.18 | R1 | 3-5 | 6-8 | | 1.10 | 5 |
| <i>Itea virginica</i> 'Sprich' P.P. 10988 Little Henry® Virginia Sweetspire | DS | 1.16 | R1 | 3-5 | 6-8 | | 1.31 | 5 |
| <i>Itea yunnanensis</i> No Common Name Found | DS | 0.86 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Iva frutescens</i> Marsh Elder | BS | 0.97 | R2 | 6-8 | | | 0.89 | 8 |
| <i>Ixia monadelpha</i> No Common Name Found | HP | 1.03 | R2 | 6-8 | | | | |
| <i>Ixia paniculata</i> No Common Name Found | HP | 1.03 | R2 | 6-8 | | | | |
| <i>Ixora coccinea</i> Flame of the Woods | BS | 0.73 | R2 | 5-8 | | | 1.00 | 10 |
| <i>Jamesia americana</i> Cliffbush | DS | 1.27 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Jasminum</i> Jasmine | GC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Jasminum</i> 'Ann Clements' Ann Clements Hybrid Jasmine | GC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Jasminum angulare</i> South African Jasmine | GC | 0.89 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Jasminum azoricum</i> Azores Jasmine | BS | 1.02 | R1 | 7-8 | | | 1.00 | 9 |
| <i>Jasminum beesianum</i> Bees Jasmine | DS | 0.82 | R1 | 7-8 | | | 1.00 | 7 |
| <i>Jasminum blinii</i> See - <i>Jasminum polyanthum</i> | | | | | | | | |
| <i>Jasminum floridum</i> Showy Jasmine | BS | 0.76 | R2 | 7-8 | | | 0.53 | 9 |
| <i>Jasminum fruticans</i> No Common Name Found | GC | 0.92 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Jasminum grandiflorum</i> See - <i>Jasminum officinale</i> 'Affine' | | | | | | | | |
| <i>Jasminum hongshuihoense</i> No Common Name Found | GC | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Jasminum humile</i> Italian Yellow Jasmine | GC | 1.01 | R2 | 7-8 | | | 1.00 | 7 |
| <i>Jasminum ilicifolium</i> See - <i>Jasminum nitidum</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|-------------|----------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Caliper | Factors High/Wide | | |
| <i>Jasminum leratii</i> Privet-leaved Jasmine | GC | 0.47 | R2 | 7-8 | | | 1.00 | 10 |
| <i>Jasminum ligustrifolium</i> See - <i>Jasminum leratii</i> | | | | | | | | |
| <i>Jasminum mesnyi</i> Japanese Jasmine | BS | 0.69 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Jasminum multiflorum</i> Scented Star Jasmine | BS | 0.59 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Jasminum multipartitum</i> African Jasmine | GC | 0.28 | R2 | 7-8 | | | 1.00 | 10B |
| <i>Jasminum nitidum</i> Angel-Wing Jasmine | GC | 0.56 | R2 | 7-8 | | | 1.00 | 10B |
| <i>Jasminum nudiflorum</i> Winter Jasmine | DS | 0.84 | R1 | 5-6 | 7-8 | | 0.65 | 6 |
| <i>Jasminum officinale</i> Poet's Jasmine | DS | 0.85 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Jasminum officinale</i> 'Affine' Affine Common Jasmine | DS | 0.81 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Jasminum parkeri</i> Parker Jasmine | BS | 2.06 | R2 | 7-8 | | | 1.00 | 7 |
| <i>Jasminum polyanthum</i> Pink Chinese Jasmine | BS | 1.22 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Jasminum polyanthum</i> 'Variegatum' Variegated Pink Jasmine | BS | 0.92 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Jasminum primulinum</i> See - <i>Jasminum mesnyi</i> | | | | | | | | |
| <i>Jasminum pubescens</i> See - <i>Jasminum multiflorum</i> | | | | | | | | |
| <i>Jasminum rex</i> No Common Name Found | BS | 1.94 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Jasminum sambac</i> Arabian Jasmine | GC | 0.68 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Jasminum sambac</i> 'Grand Duke of Tuscany' Grand Duke of Tuscany Arabian Jasmine | GC | 0.87 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Jasminum sambac</i> 'Maid of Orleans' Maid of Orleans Arabian Jasmine | GC | 0.75 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Jasminum simplicifolium</i> See - <i>Jasminum volubile</i> | | | | | | | | |
| <i>Jasminum x stephanense</i> Stephan Jasmine | GC | 0.85 | R2 | 7-8 | | | 1.00 | 7 |
| <i>Jasminum tomentosum</i> See - <i>Jasminum hongshuihoense</i> | | | | | | | | |
| <i>Jasminum tortuosum</i> Sun-a-Jaji | GC | 0.60 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Jasminum volubile</i> Wax Jasmine | GC | 0.35 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Jatropha gossypifolia</i> Bellyache Bush | BS | 0.61 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Jeffersonia diphylla</i> Twinleaf | HP | 1.30 | R2 | 3-5 | 6-8 | | | |
| <i>Jovibarba heuffelii</i> No Common Name Found | HP | 1.15 | R2 | 3-6 | 7-8 | | | |
| <i>Jovibarba heuffelii</i> 'Minuta' No Common Name Found | HP | 1.15 | R2 | 3-6 | 7-8 | | | |
| <i>Juanullosa mexicana</i> No Common Name Found | GC | 1.00 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Jubaea chilensis</i> Chilean Wine Palm | PC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Juglans cinerea</i> Butternut | DT | 0.73 | R1 | 3 | 4-8 | 1.13 | 0.15 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ | |
|---|-----------|-----------|----|-----|-------------|---------|------------|-----------|
| | | Factor | SK | Req | Not Req | Caliper | | High/Wide |
| <i>Juglans hindsii</i> Hinds Black Walnut | DT | 0.79 | R1 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Juglans microcarpa</i> Little Walnut | DT | 0.65 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Juglans nigra</i> Black Walnut | DT | 0.98 | R1 | 3-4 | 5-8 | 0.88 | 0.30 | 4 |
| <i>Juglans regia</i> English Walnut | FN | 0.59 | R1 | 3-4 | 5-8 | 1.02 | 0.71 | 3 |
| <i>Juglans regia</i> 'Ashley' Ashley English Walnut | FN | 0.59 | R1 | 3-4 | 5-8 | 0.87 | 0.84 | 3 |
| <i>Juglans regia</i> 'Chandler' P.P. 4388 Chandler English Walnut | FN | 0.59 | R1 | 3-4 | 5-8 | 0.98 | 0.84 | 3 |
| <i>Juglans regia</i> 'Chico' Chico English Walnut | FN | 0.59 | R1 | 3-4 | 5-8 | 0.87 | 0.84 | 3 |
| <i>Juglans regia</i> 'Cisco' Cisco English Walnut | FN | 0.59 | R1 | 3-4 | 5-8 | 0.87 | 0.84 | 3 |
| <i>Juglans regia</i> 'Eureka' Eureka English Walnut | FN | 0.59 | R1 | 3-4 | 5-8 | 0.87 | 0.84 | 3 |
| <i>Juglans regia</i> 'Fredrick' P.P. 14236 Fredrick English Walnut | FN | 0.59 | R1 | 3-4 | 5-8 | 0.95 | 0.84 | 3 |
| <i>Juglans regia</i> 'Hartley' Hartley English Walnut | FN | 0.59 | R1 | 3-4 | 5-8 | 0.87 | 0.84 | 3 |
| <i>Juglans regia</i> 'Howard' P.P. 4405 Howard English Walnut | FN | 0.59 | R1 | 3-4 | 5-8 | 0.87 | 0.84 | 3 |
| <i>Juglans regia</i> 'Idaho' Idaho English Walnut | FN | 0.59 | R1 | 3-4 | 5-8 | 0.90 | 0.84 | 3 |
| <i>Juglans regia</i> 'Manregion' Manregion English Walnut | FN | 0.59 | R1 | 3-4 | 5-8 | 0.90 | 0.96 | 3 |
| <i>Juglans regia</i> 'Payne' Payne English Walnut | FN | 0.59 | R1 | 3-4 | 5-8 | 0.87 | 0.84 | 3 |
| <i>Juglans regia</i> 'Robert Livermore' P.P. 12264 Robert Livermore English Walnut | FN | 0.59 | R1 | 3-4 | 5-8 | 0.99 | 0.84 | 3 |
| <i>Juglans regia</i> 'Scharsch Franquette' Scharsch Franquette English Walnut | FN | 0.59 | R1 | 3-4 | 5-8 | 0.87 | 0.84 | 3 |
| <i>Juglans regia</i> 'Serr' Serr English Walnut | FN | 0.59 | R1 | 3-4 | 5-8 | 0.87 | 0.84 | 3 |
| <i>Juglans regia</i> 'Sunland' Sunland English Walnut | FN | 0.59 | R1 | 3-4 | 5-8 | 0.87 | 0.84 | 3 |
| <i>Juglans regia</i> 'Tehama' Tehama English Walnut | FN | 0.59 | R1 | 3-4 | 5-8 | 0.87 | 0.84 | 3 |
| <i>Juglans regia</i> 'Tulare' P.P. 8268 Tulare English Walnut | FN | 0.59 | R1 | 3-4 | 5-8 | 0.95 | 0.84 | 3 |
| <i>Juglans regia</i> 'Vina' Vina English Walnut | FN | 0.59 | R1 | 3-4 | 5-8 | 0.87 | 0.84 | 3 |
| <i>Juncus balticus</i> Baltic Rush | HP | 1.23 | R2 | 3-4 | 5-8 | | | |
| <i>Juncus effusus</i> Common Rush | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Juncus effusus</i> 'Big Twister' Big Twister Corkscrew Rush | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Juncus effusus</i> 'Carmen's Japanese' Carmen's Japanese Rush | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Juncus effusus</i> 'Quartz Creek' Quartz Creek Japanese Rush | HP | 0.66 | R2 | 3-4 | 5-8 | | | |
| <i>Juncus effusus</i> 'Spiralis' Corkscrew Rush | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Juncus effusus</i> 'Unicorn' Unicorn Corkscrew Rush | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Juncus ensifolius</i> Daggerleaf Rush | HP | 0.35 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Juncus filiformis</i> Thread Rush | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Juncus filiformis</i> 'Spiralis' Corkscrew Thread Rush | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Juncus glaucus</i> See - <i>Juncus inflexus</i> | | | | | | | | |
| <i>Juncus inflexus</i> Hard Rush | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Juncus inflexus</i> 'Afro' Afro Hard Rush | HP | 0.78 | R2 | 3-4 | 5-8 | | | |
| <i>Juncus inflexus</i> 'Blue Arrows' Blue Arrows Fantastic Foliage™ Hard Rush | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Juncus inflexus</i> 'Blue Medusa' See - <i>Juncus inflexus</i> 'Afro' | | | | | | | | |
| <i>Juncus inflexus</i> 'Lovesick Blues' Lovesick Blues Hard Rush | HP | 1.37 | R2 | 3-4 | 5-8 | | | |
| <i>Juncus inflexus</i> 'Weeping Blue' See - <i>Juncus inflexus</i> 'Lovesick Blues' | | | | | | | | |
| <i>Juncus oxymetris</i> Pointed Rush | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Juncus pallidus</i> Pale Rush | HP | 1.41 | R2 | 3-4 | 5-8 | | | |
| <i>Juncus pallidus</i> 'Javelin' Javelin Fantastic Foliage™ Great Soft Rush | HP | 1.41 | R2 | 3-5 | 6-8 | | | |
| <i>Juncus patens</i> California Gray Rush | HP | 0.74 | R2 | 5-7 | 8 | | | |
| <i>Juncus patens</i> 'Carman's Gray' Carman's Gray Rush | HP | 1.57 | R2 | 5-7 | 8 | | | |
| <i>Juncus roemerianus</i> Black Rush | HP | 0.59 | R2 | 3-6 | 7-8 | | | |
| <i>Juncus tenuis</i> Poverty Rush | HP | 1.28 | R2 | | 3-8 | | | |
| <i>Juniperus</i> Juniper | CE | 1.00 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 3 |
| <i>Juniperus</i> 'Grey Owl' Grey Owl Juniper | CS | 0.76 | R1 | 3-4 | 5-8 | | 0.60 | 3 |
| <i>Juniperus</i> 'Hetzii Viridis' Green Hetzi Juniper | CS | 0.78 | R1 | 3-4 | 5-8 | | 0.65 | 3 |
| <i>Juniperus</i> 'Hetzii' Hetzi Blue Juniper | CS | 0.77 | R1 | 3-4 | 5-8 | | 0.69 | 3 |
| <i>Juniperus</i> 'Sulphur Spray' Sulphur Spray Juniper | CS | 0.80 | R1 | 3-5 | 6-8 | | 0.65 | 5 |
| <i>Juniperus bermudiana</i> Bermuda Juniper | CE | 1.00 | R1 | 6-8 | | 1.00 | 1.00 | 9 |
| <i>Juniperus cedrus</i> Canary Island Juniper | CE | 1.78 | R2 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Juniperus chinensis</i> Chinese Juniper | CS | 0.55 | R1 | 3-4 | 5-8 | | 0.55 | 3 |
| <i>Juniperus chinensis</i> 'Ames' Ames Juniper | CS | 0.84 | R1 | 3-4 | 5-8 | | 0.79 | 3 |
| <i>Juniperus chinensis</i> 'Aquarius' See - <i>Juniperus chinensis</i> 'Aquazam' | | | | | | | | |
| <i>Juniperus chinensis</i> 'Aquazam' Aquarius® Juniper | CS | 0.84 | R1 | 3-4 | 5-8 | | 0.67 | 3 |
| <i>Juniperus chinensis</i> 'Bakaurea' P.P. 3801 Gold Star® Juniper | CS | 0.89 | R1 | 3-4 | 5-8 | | 0.73 | 3 |
| <i>Juniperus chinensis</i> 'Blaauw' Blaauw Juniper | CS | 0.84 | R1 | 3-4 | 5-8 | | 0.67 | 3 |
| <i>Juniperus chinensis</i> 'Blue Point' Blue Point Juniper | CS | 0.89 | R1 | 3-4 | 5-8 | | 0.65 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Juniperus chinensis</i> 'Blue Vase' Blue Vase Juniper | CS | 0.59 | R1 | 3-4 | 5-8 | | 0.51 | 3 |
| <i>Juniperus chinensis</i> 'Borlyn' P.P. 6149 Golden Glow™ Juniper | CS | 1.07 | R1 | 3-4 | 5-8 | | 0.67 | 3 |
| <i>Juniperus chinensis</i> 'Columnaris' Columnar Chinese Juniper | CS | 0.84 | R1 | 3-4 | 5-8 | | 0.59 | 3 |
| <i>Juniperus chinensis</i> 'Expansa Albovariegata' Variegated Chinese Juniper | CS | 0.67 | R1 | 3-4 | 5-8 | | 0.67 | 3 |
| <i>Juniperus chinensis</i> 'Expansa Aureospicata' Expansa Aureospicata Juniper | CS | 0.84 | R1 | 3-4 | 5-8 | | 0.67 | 3 |
| <i>Juniperus chinensis</i> 'Expansa Variegata' Expansa Variegata Juniper | CS | 0.51 | R1 | 3-4 | 5-8 | | 0.67 | 3 |
| <i>Juniperus chinensis</i> 'Fairview' Fairview Juniper | CS | 1.03 | R1 | 3-4 | 5-8 | | 0.83 | 3 |
| <i>Juniperus chinensis</i> 'Femina' Femina Juniper | CS | 0.84 | R1 | 3-4 | 5-8 | | 0.67 | 3 |
| <i>Juniperus chinensis</i> 'Fremonti' Fremont Juniper | CS | 0.84 | R1 | 3-4 | 5-8 | | 0.67 | 3 |
| <i>Juniperus chinensis</i> 'Gold Star' See - <i>Juniperus chinensis</i> 'Bakaurea' P.P. 3801 | | | | | | | | |
| <i>Juniperus chinensis</i> 'Golden Glow' See - <i>Juniperus chinensis</i> 'Borlyn' P.P. 6149 | | | | | | | | |
| <i>Juniperus chinensis</i> 'Hetzii Columnaris' See - <i>Juniperus chinensis</i> 'Fairview' | | | | | | | | |
| <i>Juniperus chinensis</i> 'Hetzii Glauca' See - <i>Juniperus</i> 'Hetzii' | | | | | | | | |
| <i>Juniperus chinensis</i> 'Hooks' Hooks Upright Juniper | CS | 0.84 | R1 | 3-4 | 5-8 | | 0.67 | 3 |
| <i>Juniperus chinensis</i> 'Iowa' Iowa Juniper | CS | 1.00 | R1 | 3-4 | 5-8 | | 0.78 | 3 |
| <i>Juniperus chinensis</i> 'Kaizuka' Hollywood Juniper | CS | 0.83 | R1 | 3-4 | 5-8 | | 0.73 | 3 |
| <i>Juniperus chinensis</i> 'Keteleeri' Keteleer Juniper | CS | 0.88 | R1 | 3-4 | 5-8 | | 0.68 | 3 |
| <i>Juniperus chinensis</i> 'Kuriwao Gold' Kuriwao Gold Juniper | CS | 0.84 | R1 | 3-4 | 5-8 | | 0.67 | 3 |
| <i>Juniperus chinensis</i> 'Mac's Golden' Mac's Golden Juniper | CS | 0.84 | R1 | 3-4 | 5-8 | | 0.67 | 3 |
| <i>Juniperus chinensis</i> 'Maney' Maney Juniper | CS | 1.24 | R1 | 3-4 | 5-8 | | 0.85 | 3 |
| <i>Juniperus chinensis</i> 'Mountbatten' Mountbatten Juniper | CS | 1.00 | R1 | 3-4 | 5-8 | | 0.85 | 3 |
| <i>Juniperus chinensis</i> 'New Gold' New Gold Juniper | CS | 0.84 | R1 | 3-4 | 5-8 | | 0.67 | 3 |
| <i>Juniperus chinensis</i> 'Oxford' Oxford Juniper | CS | 0.84 | R1 | 3-4 | 5-8 | | 0.67 | 3 |
| <i>Juniperus chinensis</i> 'Parsonsii' Parson's Juniper | CS | 0.56 | R1 | 3-4 | 5-8 | | 0.45 | 3 |
| <i>Juniperus chinensis</i> 'Perfecta' Perfecta Juniper | CS | 0.79 | R1 | 3-4 | 5-8 | | 0.61 | 3 |
| <i>Juniperus chinensis</i> 'Plumosa Aurea' Golden Plume Juniper | CS | 0.73 | R1 | 3-4 | 5-8 | | 0.63 | 3 |
| <i>Juniperus chinensis</i> 'Prostrata Variegated' Variegated Prostrate Juniper | CS | 0.57 | R1 | 3-4 | 5-8 | | 0.67 | 3 |
| <i>Juniperus chinensis</i> 'Robusta Green' Robusta Green Juniper | CS | 1.05 | R1 | 3-4 | 5-8 | | 0.79 | 3 |
| <i>Juniperus chinensis</i> 'Rockery Gem' See - <i>Juniperus sabina</i> 'Rockery Gem' | | | | | | | | |
| <i>Juniperus chinensis</i> 'Rosefield's Perfect' Rosefield's Perfect Juniper | CS | 0.84 | R1 | 3-4 | 5-8 | | 0.67 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Juniperus chinensis</i> 'San Jose Variegata' Variegated San Jose Juniper | CS | 0.84 | R1 | 3-4 | 5-8 | | 0.67 | 3 |
| <i>Juniperus chinensis</i> 'San Jose' San Jose Juniper | CS | 0.69 | R1 | 3-4 | 5-8 | | 0.44 | 3 |
| <i>Juniperus chinensis</i> 'Shimpaku' Shimpaku Juniper | CS | 0.61 | R1 | 3-4 | 5-8 | | 0.67 | 3 |
| <i>Juniperus chinensis</i> 'Spartan' Spartan Juniper | CS | 0.95 | R1 | 3-4 | 5-8 | | 0.64 | 3 |
| <i>Juniperus chinensis</i> 'Spearmint' Spearmint Juniper | CS | 1.65 | R1 | 3-4 | 5-8 | | 0.75 | 3 |
| <i>Juniperus chinensis</i> 'Stricta' Stricta Juniper | CS | 0.59 | R1 | 3-4 | 5-8 | | 0.53 | 3 |
| <i>Juniperus chinensis</i> 'Torulosa' See - <i>Juniperus chinensis</i> 'Kaizuka' | | | | | | | | |
| <i>Juniperus chinensis</i> 'Variegated Kaizuka' Variegated Hollywood Juniper | CS | 0.76 | R1 | 3-4 | 5-8 | | 0.69 | 3 |
| <i>Juniperus chinensis</i> 'Wintergreen' Wintergreen Juniper | CS | 0.79 | R1 | 3-4 | 5-8 | | 0.73 | 3 |
| <i>Juniperus chinensis</i> var. <i>sargentii</i> See - <i>Juniperus sargentii</i> | | | | | | | | |
| <i>Juniperus communis</i> Common Juniper | CS | 1.34 | R1 | | 3-7 | | 0.90 | 2 |
| <i>Juniperus communis</i> 'Alpine Carpet' See - <i>Juniperus communis</i> 'Mondap' | | | | | | | | |
| <i>Juniperus communis</i> 'Aurea' Golden Common Juniper | CS | 1.30 | R1 | | 3-7 | | 0.90 | 2 |
| <i>Juniperus communis</i> 'Berkshire' Berkshire Common Juniper | CS | 1.31 | R1 | | 3-7 | | 1.51 | 2 |
| <i>Juniperus communis</i> 'Compressa' Dwarf Common Juniper | CS | 2.21 | R1 | | 3-7 | | 0.81 | 2 |
| <i>Juniperus communis</i> 'Depressa Aurea' Golden Oldfield Juniper | CS | 1.31 | R1 | | 3-7 | | 0.90 | 2 |
| <i>Juniperus communis</i> 'Effusa' Effusa Common Juniper | CS | 1.08 | R1 | | 3-7 | | 0.90 | 2 |
| <i>Juniperus communis</i> 'Gold Cone' Gold Cone Common Juniper | CS | 1.12 | R1 | | 3-7 | | 0.75 | 2 |
| <i>Juniperus communis</i> 'Gold Totem Pole' Gold Totem Pole Common Juniper | CS | 1.31 | R1 | | 3-7 | | 0.90 | 2 |
| <i>Juniperus communis</i> 'Hibernica' Irish Juniper | CS | 0.65 | R1 | | 3-7 | | 0.29 | 2 |
| <i>Juniperus communis</i> 'Mondap' Alpine Carpet Common Juniper | CS | 1.30 | R1 | | 3-7 | | 0.90 | 2 |
| <i>Juniperus communis</i> 'Pencil Point' See - <i>Juniperus communis</i> 'Sentinel' | | | | | | | | |
| <i>Juniperus communis</i> 'Repanda' Repanda Common Juniper | CS | 1.44 | R1 | | 3-7 | | 0.90 | 2 |
| <i>Juniperus communis</i> 'Sentinel' Sentinel Common Juniper | CS | 1.31 | R1 | | 3-7 | | 1.13 | 2 |
| <i>Juniperus communis</i> 'Suecica Nana' See - <i>Juniperus communis</i> 'Suecica Nana' | | | | | | | | |
| <i>Juniperus communis</i> 'Suecica Nana' Dwarf Swedish Common Juniper | CS | 1.31 | R1 | | 3-7 | | 0.90 | 2 |
| <i>Juniperus communis</i> 'Suecica' Swedish Common Juniper | CS | 1.31 | R1 | | 3-7 | | 0.90 | 2 |
| <i>Juniperus communis</i> ssp. <i>nana</i> See - <i>Juniperus communis</i> var. <i>montana</i> | | | | | | | | |
| <i>Juniperus communis</i> var. <i>depressa</i> No Common Name Found | CS | 1.27 | R1 | | 3-7 | | 1.08 | 2 |
| <i>Juniperus communis</i> var. <i>depressa</i> 'AmiDak' Blueberry Delight™ Juniper | CS | 1.27 | R1 | | 3-7 | | 1.08 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Juniperus communis</i> var. <i>depressa</i> 'Blueberry Delight' | | | | | | | | |
| See - <i>Juniperus communis</i> var. <i>depressa</i> 'AmiDak' | | | | | | | | |
| <i>Juniperus communis</i> var. <i>montana</i> Mountain Juniper | CS | 1.26 | R1 | | 3-7 | | 0.47 | 2 |
| <i>Juniperus conferta</i> Shore Juniper | CS | 0.53 | R1 | 3-5 | 6-8 | | 0.64 | 5 |
| <i>Juniperus conferta</i> 'Blue Pacific' Blue Pacific Shore Juniper | CS | 0.64 | R1 | 3-5 | 6-8 | | 0.64 | 5 |
| <i>Juniperus conferta</i> 'Compacta' Compact Shore Juniper | CS | 0.39 | R1 | 3-5 | 6-8 | | 0.64 | 5 |
| <i>Juniperus conferta</i> 'Emerald Sea' Emerald Sea Shore Juniper | CS | 0.83 | R1 | 3-5 | 6-8 | | 0.64 | 5 |
| <i>Juniperus conferta</i> 'Iron Age' | | | | | | | | |
| See - <i>Juniperus conferta</i> 'Irozam' | | | | | | | | |
| <i>Juniperus conferta</i> 'Irozam' Iron Age™ Shore Juniper | CS | 0.64 | R1 | 3-5 | 6-8 | | 0.64 | 5 |
| <i>Juniperus conferta</i> 'Silver Mist' Silver Mist Shore Juniper | CS | 0.82 | R1 | 3-5 | 6-8 | | 0.64 | 5 |
| <i>Juniperus davurica</i> 'Expansa Aureospicata' | | | | | | | | |
| See - <i>Juniperus chinensis</i> 'Expansa Aureospicata' | | | | | | | | |
| <i>Juniperus davurica</i> 'Expansa Variegata' | | | | | | | | |
| See - <i>Juniperus chinensis</i> 'Expansa Variegata' | | | | | | | | |
| <i>Juniperus davurica</i> 'Expansa' | | | | | | | | |
| See - <i>Juniperus chinensis</i> 'Parsonsii' | | | | | | | | |
| <i>Juniperus deppeana</i> Alligator Juniper | CE | 0.97 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Juniperus deppeana</i> 'McFetters' McFetters Alligator Juniper | CE | 0.97 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Juniperus excelsa</i> Greek Juniper | CS | 0.46 | R1 | 3-6 | 7-8 | | 0.30 | 6 |
| <i>Juniperus excelsa</i> 'Stricta' | | | | | | | | |
| See - <i>Juniperus chinensis</i> 'Stricta' | | | | | | | | |
| <i>Juniperus formosana</i> Taiwan Juniper | CE | 1.00 | R1 | 5-6 | 7-8 | 1.00 | 1.08 | 6 |
| <i>Juniperus grandifolius</i> | | | | | | | | |
| See - <i>Juniperus cedrus</i> | | | | | | | | |
| <i>Juniperus horizontalis</i> Creeping Juniper | CS | 1.25 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Andorra Compacta' Compact Andorra Creeping Juniper | CS | 0.80 | R1 | 3-4 | 5-8 | | 0.52 | 3 |
| <i>Juniperus horizontalis</i> 'Aunt Jemima' Aunt Jemima Creeping Juniper | CS | 0.97 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Bar Harbor' Bar Harbor Creeping Juniper | CS | 0.76 | R1 | 3-4 | 5-8 | | 0.65 | 3 |
| <i>Juniperus horizontalis</i> 'Blue Chip' Blue Chip Creeping Juniper | CS | 0.92 | R1 | 3-4 | 5-8 | | 0.73 | 3 |
| <i>Juniperus horizontalis</i> 'Blue Forest' Blue Forest Creeping Juniper | CS | 1.07 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Blue Horizon' Blue Horizon Creeping Juniper | CS | 0.97 | R1 | 3-4 | 5-8 | | 2.52 | 3 |
| <i>Juniperus horizontalis</i> 'Blue Mat' Blue Mat Creeping Juniper | CS | 0.97 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Blue Prince' P.P. 10134 Blue Prince Creeping Juniper | CS | 1.08 | R1 | 3-4 | 5-8 | | 1.18 | 3 |
| <i>Juniperus horizontalis</i> 'Bowdak' Prairie Elegance™ Creeping Juniper | CS | 0.97 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Douglasii' Waukegan Creeping Juniper | CS | 0.61 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Dry Ice' | | | | | | | | |
| See - <i>Juniperus horizontalis</i> 'Taylor's Blue' P.P. 12033 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Juniperus horizontalis</i> 'Emerald Isle' Emerald Isle Creeping Juniper | CS | 1.12 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Emerald Spreader' P.P. 2752 Emerald Spreader Creeping Juniper | CS | 0.89 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Glomerata' Glomerata Creeping Juniper | CS | 0.85 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Hughes' Hughes Creeping Juniper | CS | 0.89 | R1 | 3-4 | 5-8 | | 0.60 | 3 |
| <i>Juniperus horizontalis</i> 'Icee Blue' See - <i>Juniperus horizontalis</i> 'Monber' P.P. 9639 | | | | | | | | |
| <i>Juniperus horizontalis</i> 'Jade River' Jade River Creeping Juniper | CS | 0.80 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Jade Spreader' Jade Spreader Creeping Juniper | CS | 0.97 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Limeglow' Limeglow Creeping Juniper | CS | 1.51 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Marcella' Marcella Creeping Juniper | CS | 0.97 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Monber' P.P. 9639 Icee Blue™ Creeping Juniper | CS | 1.21 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Monise' Turquoise Spreader™ Creeping Juniper | CS | 0.97 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Mother Lode' P.P. 5948 Mother Lode Creeping Juniper | CS | 2.08 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Plumosa Compacta' See - <i>Juniperus horizontalis</i> 'Andorra Compacta' | | | | | | | | |
| <i>Juniperus horizontalis</i> 'Plumosa' Andorra Creeping Juniper | CS | 0.63 | R1 | 3-4 | 5-8 | | 0.73 | 3 |
| <i>Juniperus horizontalis</i> 'Prairie Elegance' See - <i>Juniperus horizontalis</i> 'Bowdak' | | | | | | | | |
| <i>Juniperus horizontalis</i> 'Prince of Wales' Prince of Wales Creeping Juniper | CS | 0.84 | R1 | 3-4 | 5-8 | | 0.63 | 3 |
| <i>Juniperus horizontalis</i> 'Taylor's Blue' P.P. 12033 Dry Ice™ Creeping Juniper | CS | 0.99 | R2 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Turquoise Spreader' See - <i>Juniperus horizontalis</i> 'Monise' | | | | | | | | |
| <i>Juniperus horizontalis</i> 'Two Medicine' Two Medicine Creeping Juniper | CS | 0.97 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Webberi' Webber Creeping Juniper | CS | 0.98 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Wilms' Wilms Creeping Juniper | CS | 0.97 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Wiltonii' Blue Rug Creeping Juniper | CS | 0.77 | R1 | 3-4 | 5-8 | | 0.62 | 3 |
| <i>Juniperus horizontalis</i> 'Wisconsin' Wisconsin Creeping Juniper | CS | 0.60 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus horizontalis</i> 'Youngstown' Youngstown Compact Creeping Juniper | CS | 0.89 | R1 | 3-4 | 5-8 | | 0.52 | 3 |
| <i>Juniperus horizontalis</i> 'Yukon Belle' Yukon Belle Creeping Juniper | CS | 0.80 | R1 | 3-4 | 5-8 | | 0.87 | 3 |
| <i>Juniperus x media</i> Hybrid Juniper | CS | 0.85 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Juniperus x media</i> 'Angelica Blue' Angelica Blue Intermediate Juniper | CS | 0.69 | R1 | 3-4 | 5-8 | | 0.70 | 4 |
| <i>Juniperus x media</i> 'Arctic' Arctic Intermediate Juniper | CS | 0.85 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Juniperus x media</i> 'Armstrongii' Armstrong Intermediate Juniper | CS | 0.81 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Juniperus x media</i> 'Aurea' P.P. 2491 Gold Coast™ Intermediate Juniper | CS | 0.97 | R1 | 3-4 | 5-8 | | 0.48 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Juniperus x media</i> 'Daub's Frosted' Daub's Frosted Pfitzer Juniper | CS | 1.22 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| <i>Juniperus x media</i> 'Fruitlandii' Fruitlandii Intermediate Juniper | CS | 0.97 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Juniperus x media</i> 'Gold Coast' See - <i>Juniperus x media</i> 'Aurea' P.P. 2491 | | | | | | | | |
| <i>Juniperus x media</i> 'Gold Lace' P.P. 8202 Gold Lace Intermediate Juniper | CS | 0.87 | R1 | 3-4 | 5-8 | | 0.73 | 4 |
| <i>Juniperus x media</i> 'Holbert' Holbert Intermediate Juniper | CS | 1.17 | R1 | 3-4 | 5-8 | | 1.43 | 4 |
| <i>Juniperus x media</i> 'Kallay's Compact' Kallay's Compact Intermediate Juniper | CS | 0.85 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Juniperus x media</i> 'Klehm Compact' Klehm Compact Intermediate Juniper | CS | 0.64 | R1 | 3-4 | 5-8 | | 0.73 | 4 |
| <i>Juniperus x media</i> 'Lemon Hill' Lemon Hill Intermediate Juniper | CS | 0.85 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Juniperus x media</i> 'Mint Julep' See - <i>Juniperus x media</i> 'Monlep' | | | | | | | | |
| <i>Juniperus x media</i> 'Monlep' Mint Julep™ Intermediate Juniper | CS | 1.09 | R1 | 3-4 | 5-8 | | 0.92 | 4 |
| <i>Juniperus x media</i> 'Monsan' P.P. 17622 Sea of Gold® Intermediate Juniper | CS | 1.26 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Juniperus x media</i> 'Old Gold' Old Gold Intermediate Juniper | CS | 0.80 | R1 | 3-4 | 5-8 | | 0.64 | 4 |
| <i>Juniperus x media</i> 'Owen' Owen Compact Intermediate Juniper | CS | 0.47 | R1 | 3-4 | 5-8 | | 0.44 | 4 |
| <i>Juniperus x media</i> 'Ozark Compact' Ozark Compact Intermediate Juniper | CS | 0.85 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Juniperus x media</i> 'Pfitzeriana Aurea Nana' Compact Gold Pfitzer Juniper | CS | 0.69 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Juniperus x media</i> 'Pfitzeriana Aurea' Gold Tip Pfitzer Juniper | CS | 0.80 | R1 | 3-4 | 5-8 | | 0.76 | 4 |
| <i>Juniperus x media</i> 'Pfitzeriana Compacta' Compact Pfitzer Juniper | CS | 0.74 | R1 | 3-4 | 5-8 | | 0.75 | 4 |
| <i>Juniperus x media</i> 'Pfitzeriana Glauca' Blue Pfitzer Juniper | CS | 0.75 | R1 | 3-4 | 5-8 | | 0.65 | 4 |
| <i>Juniperus x media</i> 'Pfitzeriana Nick's Compacta' See - <i>Juniperus x media</i> 'Pfitzeriana Compacta' | | | | | | | | |
| <i>Juniperus x media</i> 'Pfitzeriana' Pfitzer Juniper | CS | 0.83 | R1 | 3-4 | 5-8 | | 0.99 | 4 |
| <i>Juniperus x media</i> 'Ramlosa' Ramlosa Intermediate Juniper | CS | 0.85 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Juniperus x media</i> 'Saybrook Gold' P.P. 5014 Saybrook Gold Intermediate Juniper | CS | 0.79 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Juniperus x media</i> 'Sea Green' Sea Green Intermediate Juniper | CS | 0.81 | R1 | 3-4 | 5-8 | | 0.66 | 4 |
| <i>Juniperus x media</i> 'Sea Spray' Sea Spray Intermediate Juniper | CS | 0.65 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Juniperus x media</i> 'Sea of Gold' See - <i>Juniperus x media</i> 'Monsan' P.P. 17622 | | | | | | | | |
| <i>Juniperus x media</i> 'Stay Low' Stay Low Intermediate Juniper | CS | 0.85 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Juniperus x media</i> 'Winter Gold' Winter Gold Intermediate Juniper | CS | 0.85 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Juniperus monosperma</i> Cherrystone Juniper | CS | 1.33 | R1 | 3-4 | 5-8 | | 1.87 | 4 |
| <i>Juniperus morrisonicola</i> No Common Name Found | CE | 1.00 | R1 | 3-4 | 5-8 | 1.00 | 1.16 | 4 |
| <i>Juniperus occidentalis</i> Sierra Juniper | CS | 0.87 | R1 | 3-5 | 6-8 | | 1.00 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Juniperus osteosperma</i> Utah Juniper | CE | 0.75 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Juniperus x pfitzeriana</i> See - <i>Juniperus x media</i> 'Pfitzeriana' | | | | | | | | |
| <i>Juniperus pingii</i> See - <i>Juniperus morrisonicola</i> | | | | | | | | |
| <i>Juniperus procumbens</i> Japanese Garden Juniper | CS | 0.87 | R1 | 3-4 | 5-8 | | 0.64 | 4 |
| <i>Juniperus procumbens</i> 'Green Mound' Green Mound Japanese Garden Juniper | CS | 0.85 | R1 | 3-4 | 5-8 | | 0.50 | 4 |
| <i>Juniperus procumbens</i> 'Nana' Dwarf Japanese Garden Juniper | CS | 0.86 | R1 | 3-4 | 5-8 | | 0.74 | 4 |
| <i>Juniperus procumbens</i> 'Variegata' See - <i>Juniperus chinensis</i> 'Expansa Albovariegata' | | | | | | | | |
| <i>Juniperus recurva</i> Himalayan Weeping Juniper | CS | 1.28 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Juniperus recurva</i> 'Castlewellan' Castlewellan Himalayan Juniper | CS | 1.28 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Juniperus recurva</i> var. <i>coxii</i> Cox Himalayan Juniper | CS | 2.50 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Juniperus rigida</i> Needle Juniper | CS | 3.29 | R1 | 3-5 | 6-8 | | 0.83 | 5 |
| <i>Juniperus rigida</i> 'Pendula' Weeping Needle Juniper | CS | 3.29 | R1 | 3-5 | 6-8 | | 0.83 | 5 |
| <i>Juniperus sabina</i> Savin Juniper | CS | 0.96 | R1 | 3-4 | 5-8 | | 0.57 | 3 |
| <i>Juniperus sabina</i> 'Arcadia' Arcadia Savin Juniper | CS | 1.03 | R1 | 3-4 | 5-8 | | 0.57 | 3 |
| <i>Juniperus sabina</i> 'Blue Danube' Blue Danube Savin Juniper | CS | 1.03 | R1 | 3-4 | 5-8 | | 0.57 | 3 |
| <i>Juniperus sabina</i> 'Blue Forest' Blue Forest Savin Juniper | CS | 0.69 | R1 | 3-4 | 5-8 | | 0.57 | 3 |
| <i>Juniperus sabina</i> 'Broadmoor' Broadmoor Savin Juniper | CS | 0.98 | R1 | 3-4 | 5-8 | | 0.61 | 3 |
| <i>Juniperus sabina</i> 'Buffalo' Buffalo Savin Juniper | CS | 1.01 | R1 | 3-4 | 5-8 | | 0.48 | 3 |
| <i>Juniperus sabina</i> 'Calgary Carpet' See - <i>Juniperus sabina</i> 'Monna' | | | | | | | | |
| <i>Juniperus sabina</i> 'Cupressifolia' Cupressifolia Savin Juniper | CS | 1.20 | R1 | 3-4 | 5-8 | | 0.57 | 3 |
| <i>Juniperus sabina</i> 'Mini Arcade' Mini Arcade Savin Juniper | CS | 0.95 | R1 | 3-4 | 5-8 | | 0.53 | 3 |
| <i>Juniperus sabina</i> 'Moffet' See - <i>Juniperus sabina</i> 'Moffetii' | | | | | | | | |
| <i>Juniperus sabina</i> 'Moffetii' Moffet's Blue Savin Juniper | CS | 1.30 | R1 | 3-4 | 5-8 | | 0.61 | 3 |
| <i>Juniperus sabina</i> 'Monard' P.P. 6656 Moor-Dense™ Savin Juniper | CS | 1.09 | R1 | 3-4 | 5-8 | | 0.57 | 3 |
| <i>Juniperus sabina</i> 'Monna' Calgary Carpet™ Savin Juniper | CS | 1.11 | R1 | 3-4 | 5-8 | | 0.64 | 3 |
| <i>Juniperus sabina</i> 'Moor-Dense' See - <i>Juniperus sabina</i> 'Monard' P.P. 6656 | | | | | | | | |
| <i>Juniperus sabina</i> 'New Blue' New Blue Savin Juniper | CS | 0.98 | R1 | 3-4 | 5-8 | | 0.57 | 3 |
| <i>Juniperus sabina</i> 'Pepin' Pepin Savin Juniper | CS | 1.03 | R1 | 3-4 | 5-8 | | 0.57 | 3 |
| <i>Juniperus sabina</i> 'Rockery Gem' Rockery Gem Savin Juniper | CS | 1.03 | R1 | 3-4 | 5-8 | | 0.57 | 3 |
| <i>Juniperus sabina</i> 'Sierra Spreader' Sierra Spreader Savin Juniper | CS | 1.19 | R1 | 3-4 | 5-8 | | 0.57 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Juniperus sabina</i> 'Skandia' Skandia Savin Juniper | CS | 1.05 | R1 | 3-4 | 5-8 | | 0.53 | 3 |
| <i>Juniperus sabina</i> 'Tamariscifolia' Tam Savin Juniper | CS | 0.84 | R1 | 3-4 | 5-8 | | 0.57 | 3 |
| <i>Juniperus sabina</i> 'Von Ehren' Von Ehren Savin Juniper | CS | 1.03 | R1 | 3-4 | 5-8 | | 0.57 | 3 |
| <i>Juniperus sargentii</i> Sargent Juniper | CS | 0.71 | R1 | 3-4 | 5-8 | | 0.69 | 3 |
| <i>Juniperus sargentii</i> 'Compacta' Compact Sargent Juniper | CS | 0.80 | R1 | 3-4 | 5-8 | | 0.54 | 3 |
| <i>Juniperus sargentii</i> 'Glauca' Blue Sargent Juniper | CS | 0.82 | R1 | 3-4 | 5-8 | | 0.43 | 3 |
| <i>Juniperus sargentii</i> 'Viridis' Green Sargent Juniper | CS | 0.87 | R1 | 3-4 | 5-8 | | 0.50 | 3 |
| <i>Juniperus scopulorum</i> Rocky Mountain Juniper | CS | 1.66 | R1 | 3-4 | 5-8 | | 0.90 | 3 |
| <i>Juniperus scopulorum</i> 'Admiral' Admiral Juniper | CS | 1.48 | R1 | 3-4 | 5-8 | | 0.65 | 3 |
| <i>Juniperus scopulorum</i> 'Blue Arrow' Blue Arrow Rocky Mountain Juniper | CS | 1.48 | R1 | 3-4 | 5-8 | | 0.75 | 3 |
| <i>Juniperus scopulorum</i> 'Blue Creeper' See - <i>Juniperus scopulorum</i> 'Monam' P.P. 5084 | | | | | | | | |
| <i>Juniperus scopulorum</i> 'Blue Heaven' Blue Heaven Juniper | CS | 1.43 | R1 | 3-4 | 5-8 | | 0.78 | 3 |
| <i>Juniperus scopulorum</i> 'Blue Trail' Blue Trail Juniper | CS | 0.99 | R1 | 3-4 | 5-8 | | 0.59 | 3 |
| <i>Juniperus scopulorum</i> 'Cologreen' Cologreen Juniper | CS | 1.51 | R1 | 3-4 | 5-8 | | 0.70 | 3 |
| <i>Juniperus scopulorum</i> 'Cupressifolia Erecta' See - <i>Juniperus scopulorum</i> 'Greenspire' | | | | | | | | |
| <i>Juniperus scopulorum</i> 'Erecta Glauca' Erect Blue Juniper | CS | 1.48 | R1 | 3-4 | 5-8 | | 0.75 | 3 |
| <i>Juniperus scopulorum</i> 'Gray Gleam' Gray Gleam Juniper | CS | 1.47 | R1 | 3-4 | 5-8 | | 0.75 | 3 |
| <i>Juniperus scopulorum</i> 'Green Ice' See - <i>Juniperus scopulorum</i> 'Monwade' | | | | | | | | |
| <i>Juniperus scopulorum</i> 'Greenspire' Greenspire Juniper | CS | 1.48 | R1 | 3-4 | 5-8 | | 0.75 | 3 |
| <i>Juniperus scopulorum</i> 'Grizzly Bear' Grizzly Bear Juniper | CS | 1.48 | R1 | 3-4 | 5-8 | | 0.75 | 3 |
| <i>Juniperus scopulorum</i> 'Medora' Medora Juniper | CS | 1.51 | R1 | 3-4 | 5-8 | | 0.84 | 3 |
| <i>Juniperus scopulorum</i> 'Monam' P.P. 5084 Blue Creeper™ Juniper | CS | 1.31 | R1 | 3-4 | 5-8 | | 0.75 | 3 |
| <i>Juniperus scopulorum</i> 'Montana Green' Montana Green Juniper | CS | 1.48 | R1 | 3-4 | 5-8 | | 0.56 | 3 |
| <i>Juniperus scopulorum</i> 'Monwade' Green Ice™ Juniper | CS | 1.72 | R1 | 3-4 | 5-8 | | 0.69 | 3 |
| <i>Juniperus scopulorum</i> 'Moonglow' Moonglow Juniper | CS | 1.10 | R1 | 3-4 | 5-8 | | 0.60 | 3 |
| <i>Juniperus scopulorum</i> 'Pathfinder' Pathfinder Juniper | CS | 1.12 | R1 | 3-4 | 5-8 | | 0.66 | 3 |
| <i>Juniperus scopulorum</i> 'Repandens' See - <i>Juniperus scopulorum</i> 'Tolleson's Blue Weeping' | | | | | | | | |
| <i>Juniperus scopulorum</i> 'Skyrocket' Skyrocket Juniper | CE | 0.92 | R1 | 3 | 4-8 | 1.00 | 0.69 | 3 |
| <i>Juniperus scopulorum</i> 'Sutherland' Sutherland Juniper | CS | 1.10 | R1 | 3-4 | 5-8 | | 0.90 | 3 |
| <i>Juniperus scopulorum</i> 'Table Top' Table Top Juniper | CS | 1.12 | R1 | 3-4 | 5-8 | | 0.75 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Juniperus scopulorum</i> 'Tolleson's Blue Weeping' Tolleson's Blue Weeping Juniper | CS | 1.59 | R1 | 3-4 | 5-8 | | 1.20 | 3 |
| <i>Juniperus scopulorum</i> 'Tolleson's Green Weeping' Tolleson's Green Weeping Juniper | CS | 3.31 | R1 | 3-4 | 5-8 | | 0.58 | 3 |
| <i>Juniperus scopulorum</i> 'Welchii' Welch Juniper | CS | 1.49 | R1 | 3-4 | 5-8 | | 0.77 | 3 |
| <i>Juniperus scopulorum</i> 'Wichita Blue' Wichita Blue Juniper | CS | 1.17 | R1 | 3-4 | 5-8 | | 0.78 | 3 |
| <i>Juniperus scopulorum</i> 'Winter Blue' Winter Blue Juniper | CS | 1.48 | R1 | 3-4 | 5-8 | | 0.75 | 3 |
| <i>Juniperus silicicola</i> See - <i>Juniperus virginiana</i> var. <i>silicicola</i> <i>Juniperus silicicola</i> 'Brodie' See - <i>Juniperus virginiana</i> 'Brodie' | | | | | | | | |
| <i>Juniperus squamata</i> Flaky Juniper | CS | 0.93 | R1 | 3-4 | 5-8 | | 0.95 | 4 |
| <i>Juniperus squamata</i> 'Blue Alps' Blue Alps Juniper | CS | 0.93 | R1 | 3-4 | 5-8 | | 0.95 | 4 |
| <i>Juniperus squamata</i> 'Blue Carpet' Blue Carpet Juniper | CS | 0.80 | R1 | 3-4 | 5-8 | | 0.56 | 4 |
| <i>Juniperus squamata</i> 'Blue Star' Blue Star Juniper | CS | 0.98 | R1 | 3-4 | 5-8 | | 1.02 | 4 |
| <i>Juniperus squamata</i> 'Holger' Holger Juniper | CS | 0.86 | R1 | 3-4 | 5-8 | | 0.48 | 4 |
| <i>Juniperus squamata</i> 'Loderi' Loder Juniper | CS | 1.04 | R1 | 3-4 | 5-8 | | 0.95 | 4 |
| <i>Juniperus squamata</i> 'Meyeri' Meyer Juniper | CS | 1.34 | R1 | 3-4 | 5-8 | | 2.02 | 4 |
| <i>Juniperus squamata</i> 'Prostrata' Prostrate Juniper | CS | 0.55 | R1 | 3-4 | 5-8 | | 0.65 | 4 |
| <i>Juniperus utahensis</i> See - <i>Juniperus osteosperma</i> | | | | | | | | |
| <i>Juniperus virginiana</i> Eastern Redcedar | CE | 0.78 | R1 | 3 | 4-8 | 1.20 | 0.68 | 3 |
| <i>Juniperus virginiana</i> 'Blue Arrow' Blue Arrow Redcedar | CE | 1.30 | R1 | 3 | 4-8 | 1.20 | 0.76 | 3 |
| <i>Juniperus virginiana</i> 'Blue Mountain' Blue Mountain Redcedar | CE | 0.56 | R1 | 3 | 4-8 | 1.20 | 0.81 | 3 |
| <i>Juniperus virginiana</i> 'Brodie' Brodie Redcedar | CE | 0.63 | R1 | 3 | 4-8 | 1.20 | 0.89 | 3 |
| <i>Juniperus virginiana</i> 'Burkii' Burki Redcedar | CE | 0.78 | R1 | 3 | 4-8 | 1.20 | 0.68 | 3 |
| <i>Juniperus virginiana</i> 'Canaertii' Canaerti Redcedar | CE | 1.05 | R1 | 3 | 4-8 | 1.20 | 0.66 | 3 |
| <i>Juniperus virginiana</i> 'Corcorcor' P.P. 5041 Emerald Sentinel™ Redcedar | CE | 0.99 | R1 | 3 | 4-8 | 1.20 | 1.03 | 3 |
| <i>Juniperus virginiana</i> 'Cupressifolia' See - <i>Juniperus virginiana</i> 'Hillspire' | | | | | | | | |
| <i>Juniperus virginiana</i> 'Dundee' See - <i>Juniperus virginiana</i> 'Hillii' | | | | | | | | |
| <i>Juniperus virginiana</i> 'Emerald Sentinel' See - <i>Juniperus virginiana</i> 'Corcorcor' P.P. 5041 | | | | | | | | |
| <i>Juniperus virginiana</i> 'Glauca' Silver Redcedar | CE | 0.82 | R1 | 3 | 4-8 | 1.20 | 0.65 | 3 |
| <i>Juniperus virginiana</i> 'High Shoals' High Shoals Redcedar | CE | 0.65 | R1 | 3 | 4-8 | 1.20 | 0.81 | 3 |
| <i>Juniperus virginiana</i> 'Hillii' Hill Dundee Redcedar | CE | 0.94 | R1 | 3 | 4-8 | 1.20 | 0.65 | 3 |
| <i>Juniperus virginiana</i> 'Hillspire' Hillspire Redcedar | CE | 0.98 | R1 | 3 | 4-8 | 1.20 | 0.79 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Juniperus virginiana</i> 'Idyllwild' Idyllwild Redcedar | CE | 1.32 | R1 | 3 | 4-8 | 1.20 | 1.23 | 3 |
| <i>Juniperus virginiana</i> 'Manhattan Blue' Manhattan Blue Redcedar | CE | 1.68 | R1 | 3 | 4-8 | 1.20 | 0.88 | 3 |
| <i>Juniperus virginiana</i> 'Mona' See - <i>Juniperus virginiana</i> 'Silver Spreader' | | | | | | | | |
| <i>Juniperus virginiana</i> 'Monbell' P.P.A.F. Prairie Pillar™ Redcedar | CE | 1.43 | R1 | 3 | 4-8 | 1.20 | 0.81 | 3 |
| <i>Juniperus virginiana</i> 'O'Connor' O'Connor Blue Redcedar | CE | 0.94 | R1 | 3 | 4-8 | 1.20 | 0.81 | 3 |
| <i>Juniperus virginiana</i> 'Pendula' Weeping Redcedar | CE | 0.49 | R1 | 3 | 4-8 | 1.20 | 0.81 | 3 |
| <i>Juniperus virginiana</i> 'Prairie Pillar' See - <i>Juniperus virginiana</i> 'Monbell' P.P.A.F. | | | | | | | | |
| <i>Juniperus virginiana</i> 'Sapphire Sentinel' Sapphire Sentinel Redcedar | CE | 0.94 | R1 | 3 | 4-8 | 1.20 | 0.81 | 3 |
| <i>Juniperus virginiana</i> 'Silver Spreader' Silver Spreader™ Redcedar | CE | 0.53 | R1 | 3 | 4-8 | 1.20 | 0.81 | 3 |
| <i>Juniperus virginiana</i> 'Skyrocket' See - <i>Juniperus scopulorum</i> 'Skyrocket' | | | | | | | | |
| <i>Juniperus virginiana</i> 'Stover' Stover Redcedar | CE | 0.94 | R1 | 3 | 4-8 | 1.20 | 0.66 | 3 |
| <i>Juniperus virginiana</i> 'Taylor' Taylor Redcedar | CE | 1.08 | R1 | 3 | 4-8 | 1.20 | 0.95 | 3 |
| <i>Juniperus virginiana</i> var. <i>silicicola</i> Southern Redcedar | CE | 0.59 | R1 | 3 | 4-8 | 1.00 | 0.56 | 3 |
| <i>Justicia adhatoda</i> No Common Name Found | BS | 0.59 | R2 | 8 | | | 1.00 | 10 |
| <i>Justicia aurea</i> Golden Plume Flower | BS | 0.84 | R2 | 8 | | | 1.00 | 9 |
| <i>Justicia brandegeana</i> Shrimp Plant | BS | 0.67 | R2 | 8 | | | 1.00 | 9 |
| <i>Justicia brandegeana</i> 'Fruit Cocktail' Fruit Cocktail Shrimp Plant | BS | 0.71 | R2 | 8 | | | 1.00 | 9 |
| <i>Justicia brandegeana</i> 'Yellow Queen' Yellow Queen Shrimp Plant | BS | 0.48 | R2 | 8 | | | 1.00 | 9 |
| <i>Justicia californica</i> Chuparosa Honeysuckle | BS | 0.65 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Justicia candicans</i> Arizona Water-willow | BS | 0.64 | R2 | 8 | | | 1.00 | 9 |
| <i>Justicia carnea</i> Brazilian Plume Plant | BS | 0.68 | R2 | 8 | | | 1.00 | 9 |
| <i>Justicia carnea</i> 'Alba' White Brazilian Plume Plant | BS | 0.69 | R2 | 8 | | | 1.00 | 9 |
| <i>Justicia carnea</i> 'Radiant' Radiant Brazilian Plume Plant | BS | 0.69 | R2 | 8 | | | 1.00 | 9 |
| <i>Justicia coccinea</i> See - <i>Pachystachys coccinea</i> | | | | | | | | |
| <i>Justicia cydoniifolia</i> Brazilian Bower Plant | BS | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Justicia flava</i> No Common Name Found | BS | 0.55 | R2 | 8 | | | 1.00 | 9 |
| <i>Justicia fulvicoma</i> No Common Name Found | BS | 0.48 | R2 | 8 | | | 1.00 | 9 |
| <i>Justicia ghiesbreghtiana</i> See - <i>Justicia spicigera</i> | | | | | | | | |
| <i>Justicia leonardii</i> Orange Justicia | BS | 0.73 | R2 | 8 | | | 1.00 | 8 |
| <i>Justicia lutea</i> See - <i>Pachystachys lutea</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|--------------|---------|-------------------|-----|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | | |
| <i>Justicia ovata</i> Looseleaf Water Willow | BS | 0.57 | R2 | 8 | | | 1.00 | 8 | |
| <i>Justicia pectoralis</i> Tilo | BS | 1.00 | R2 | 8 | | | 1.00 | 10 | |
| <i>Justicia sericea</i> No Common Name Found | BS | 1.00 | R2 | 8 | | | 1.00 | 10 | |
| <i>Justicia sericea</i> 'Inca Queen' Inca Queen Justicia | BS | 1.00 | R2 | 8 | | | 1.00 | 10 | |
| <i>Justicia sidicaro</i> Mexican Honeysuckle | BS | 1.00 | R2 | 8 | | | 1.00 | 9 | |
| <i>Justicia spicigera</i> Mohintli | BS | 0.58 | R2 | 8 | | | 1.00 | 10B | |
| <i>Kadsura japonica</i> Scarlet Kadsura | GC | 0.68 | R2 | 5-7 | 8 | | 1.00 | 7 | |
| <i>Kadsura japonica</i> 'Fukurin' Fukurin Scarlet Kadsura | GC | 0.68 | R2 | 5-7 | 8 | | 1.00 | 7 | |
| <i>Kaempferia</i> Kaempferia | HP | 1.29 | R2 | 5-8 | | | | | |
| <i>Kaempferia</i> 'Alva' Alva Peacock Ginger | HP | 1.29 | R2 | 5-8 | | | | | |
| <i>Kaempferia</i> 'Grande' Grande Peacock Ginger | HP | 1.11 | R2 | 5-8 | | | | | |
| <i>Kaempferia</i> 'Silver Diamonds' Silver Diamonds™ Peacock Ginger | HP | 1.47 | R2 | 5-8 | | | | | |
| <i>Kaempferia atrovirens</i> Peacock Plant | HP | 1.02 | R2 | 8 | | | | | |
| <i>Kaempferia elegans</i> No Common Name Found | HP | 1.24 | R2 | 8 | | | | | |
| <i>Kaempferia galanga</i> No Common Name Found | HP | 1.00 | R2 | 8 | | | | | |
| <i>Kaempferia gilbertii</i> Variegated Ginger Lily | HP | 1.19 | R2 | 8 | | | | | |
| <i>Kaempferia gilbertii</i> '3-D' 3-D Variegated Ginger Lily | HP | 1.19 | R2 | 8 | | | | | |
| <i>Kaempferia laotica</i> No Common Name Found | HP | 1.24 | R2 | 5-8 | | | | | |
| <i>Kaempferia laotica</i> 'Brush Strokes' Brush Strokes Ginger | HP | 1.19 | R2 | 5-8 | | | | | |
| <i>Kaempferia laotica</i> 'Satin Cheeks' Satin Cheeks Ginger | HP | 1.19 | R2 | 5-8 | | | | | |
| <i>Kaempferia laotica</i> 'Shazam' Shazam Ginger | HP | 1.34 | R2 | 5-8 | | | | | |
| <i>Kaempferia masonii</i> See - <i>Kaempferia pulchra</i> 'Masonii' | | | | | | | | | |
| <i>Kaempferia parviflora</i> No Common Name Found | BS | 1.05 | R2 | 8 | | | 1.00 | 9 | |
| <i>Kaempferia pulchra</i> Bronze Peacock Ginger | HP | 1.01 | R2 | 8 | | | | | |
| <i>Kaempferia pulchra</i> 'Masonii' Mason Bronze Peacock Ginger | HP | 1.10 | R2 | 8 | | | | | |
| <i>Kaempferia pulchra</i> 'Roscoe' See - <i>Kaempferia roscoeana</i> | | | | | | | | | |
| <i>Kaempferia pulchra</i> 'Silver Spot' Silver Spot Bronze Peacock Ginger | HP | 1.19 | R2 | 8 | | | | | |
| <i>Kaempferia roscoeana</i> Peacock Ginger | HP | 1.14 | R2 | 8 | | | | | |
| <i>Kaempferia rotunda</i> Resurrection Lily | HP | 1.19 | R2 | 8 | | | | | |
| <i>Kaempferia rotunda</i> 'Raven' Raven Resurrection Lily | HP | 1.47 | R2 | 8 | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Kalanchoe</i> Kalanchoe | FO | 0.57 | R2 | 8 | | | 1.00 | 10 |
| <i>Kalanchoe</i> 'Mirabella' P.P.A.F. Mirabella Kalanchoe | FO | 0.57 | R2 | 8 | | | 1.00 | 10 |
| <i>Kalanchoe beharensis</i> Feltbush | FO | 0.91 | R2 | 8 | | | 1.00 | 10 |
| <i>Kalanchoe delagonensis</i> Chandelier Plant | FO | 0.64 | R2 | 8 | | | 1.00 | 10 |
| <i>Kalanchoe fedtschenkoi</i> South American Air Plant | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Kalanchoe gastonis-bonnieri</i> Donkey Ear | FO | 0.71 | R2 | 8 | | | 1.00 | 10 |
| <i>Kalanchoe marmorota</i> Penwiper | FO | 1.00 | R2 | 8 | | | 1.00 | 11 |
| <i>Kalanchoe pinnata</i> Air Plant | FO | 0.58 | R2 | 8 | | | 1.00 | 10B |
| <i>Kalanchoe pumila</i> No Common Name Found | FO | 0.53 | R2 | 8 | | | 1.00 | 10 |
| <i>Kalanchoe thyrsoiflora</i> No Common Name Found | FO | 1.10 | R2 | 8 | | | 1.00 | 10 |
| <i>Kalanchoe tomentosa</i> Pussy-Ears | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Kalanchoe tubiflora</i> See - <i>Kalanchoe delagonensis</i> | | | | | | | | |
| <i>Kalimeris incisa</i> No Common Name Found | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| <i>Kalimeris incisa</i> 'Blue Star' Blue Star Kalimeris | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Kalimeris pinnatifida</i> Japanese Aster | HP | 0.98 | R2 | 3-6 | 7-8 | | | |
| <i>Kalimeris pinnatifida</i> 'Hortensis' Hortensis Japanese Aster | HP | 0.91 | R2 | 3-6 | 7-8 | | | |
| <i>Kalmia angustifolia</i> Sheep Laurel | BS | 2.30 | R2 | | 3-8 | | 1.00 | 2 |
| <i>Kalmia latifolia</i> Mountain Laurel | BS | 1.43 | R2 | 3-4 | 5-8 | | 1.04 | 4 |
| <i>Kalmia latifolia</i> 'Alpine Pink' Alpine Pink Mountain Laurel | BS | 1.77 | R2 | 3-4 | 5-8 | | 1.51 | 4 |
| <i>Kalmia latifolia</i> 'Bay State' Bay State Mountain Laurel | BS | 1.89 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia latifolia</i> 'Bullseye' Bullseye Mountain Laurel | BS | 1.70 | R2 | 3-4 | 5-8 | | 1.51 | 4 |
| <i>Kalmia latifolia</i> 'Candy' Candy Mountain Laurel | BS | 1.73 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia latifolia</i> 'Carol' Carol Mountain Laurel | BS | 1.60 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia latifolia</i> 'Carousel' Carousel Mountain Laurel | BS | 1.67 | R2 | 3-4 | 5-8 | | 1.46 | 4 |
| <i>Kalmia latifolia</i> 'Comet' Comet Mountain Laurel | BS | 2.21 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia latifolia</i> 'Elf' Elf Mountain Laurel | BS | 1.75 | R2 | 3-4 | 5-8 | | 1.43 | 4 |
| <i>Kalmia latifolia</i> 'Freckles' Freckles Mountain Laurel | BS | 1.62 | R2 | 3-4 | 5-8 | | 1.51 | 4 |
| <i>Kalmia latifolia</i> 'Fresca' Fresca Mountain Laurel | BS | 1.73 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia latifolia</i> 'Galaxy' Galaxy Mountain Laurel | BS | 1.73 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia latifolia</i> 'Heart of Fire' Heart of Fire Mountain Laurel | BS | 1.69 | R2 | 3-4 | 5-8 | | 1.67 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Kalmia latifolia</i> 'Hearts Desire' Hearts Desire Mountain Laurel | BS | 1.37 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia latifolia</i> 'Kaleidoscope' Kaleidoscope Mountain Laurel | BS | 1.65 | R2 | 3-4 | 5-8 | | 1.46 | 4 |
| <i>Kalmia latifolia</i> 'Keepsake' Keepsake Mountain Laurel | BS | 1.83 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia latifolia</i> 'Little Linda' Little Linda Mountain Laurel | BS | 1.74 | R2 | 3-4 | 5-8 | | 1.26 | 4 |
| <i>Kalmia latifolia</i> 'Minuet' Minuet Mountain Laurel | BS | 1.84 | R2 | 3-4 | 5-8 | | 1.25 | 4 |
| <i>Kalmia latifolia</i> 'Nathan Hale' Nathan Hale Mountain Laurel | BS | 1.70 | R2 | 3-4 | 5-8 | | 1.36 | 4 |
| <i>Kalmia latifolia</i> 'Nipmuck' Nipmuck Mountain Laurel | BS | 1.74 | R2 | 3-4 | 5-8 | | 1.30 | 4 |
| <i>Kalmia latifolia</i> 'Olympic Fire' Olympic Fire Mountain Laurel | BS | 1.73 | R2 | 3-4 | 5-8 | | 1.33 | 4 |
| <i>Kalmia latifolia</i> 'Olympic Wedding' Olympic Wedding Mountain Laurel | BS | 1.58 | R2 | 3-4 | 5-8 | | 1.19 | 4 |
| <i>Kalmia latifolia</i> 'Ostbo Red' Ostbo Red Mountain Laurel | BS | 1.84 | R2 | 3-4 | 5-8 | | 1.46 | 4 |
| <i>Kalmia latifolia</i> 'Paul Bosley' Paul Bosley Mountain Laurel | BS | 1.36 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia latifolia</i> 'Peppermint' Peppermint Mountain Laurel | BS | 2.01 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia latifolia</i> 'Pink Charm' Pink Charm Mountain Laurel | BS | 1.95 | R2 | 3-4 | 5-8 | | 1.51 | 4 |
| <i>Kalmia latifolia</i> 'Pink Frost' Pink Frost Mountain Laurel | BS | 2.02 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia latifolia</i> 'Pink Star' Pink Star Mountain Laurel | BS | 1.73 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia latifolia</i> 'Pink Surprise' Pink Surprise Mountain Laurel | BS | 1.73 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia latifolia</i> 'Pink Woodland' Pink Woodland Mountain Laurel | BS | 1.36 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia latifolia</i> 'Pinwheel' Pinwheel Mountain Laurel | BS | 1.72 | R2 | 3-4 | 5-8 | | 1.46 | 4 |
| <i>Kalmia latifolia</i> 'Pristine' Pristine Mountain Laurel | BS | 1.82 | R2 | 3-4 | 5-8 | | 1.51 | 4 |
| <i>Kalmia latifolia</i> 'Raspberry Glow' Raspberry Glow Mountain Laurel | BS | 1.85 | R2 | 3-4 | 5-8 | | 1.35 | 4 |
| <i>Kalmia latifolia</i> 'Richard Jaynes' Richard Jaynes Mountain Laurel | BS | 1.65 | R2 | 3-4 | 5-8 | | 1.51 | 4 |
| <i>Kalmia latifolia</i> 'Sandy Mountain' Sandy Mountain Mountain Laurel | BS | 1.28 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia latifolia</i> 'Sarah' Sarah Mountain Laurel | BS | 1.82 | R2 | 3-4 | 5-8 | | 1.32 | 4 |
| <i>Kalmia latifolia</i> 'Shooting Star' Shooting Star Mountain Laurel | BS | 1.73 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia latifolia</i> 'Silver Dollar' Silver Dollar Mountain Laurel | BS | 2.05 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia latifolia</i> 'Snowdrift' Snowdrift Mountain Laurel | BS | 1.72 | R2 | 3-4 | 5-8 | | 1.46 | 4 |
| <i>Kalmia latifolia</i> 'Star Cluster' Star Cluster Mountain Laurel | BS | 1.73 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia latifolia</i> 'Stillwood' Stillwood Mountain Laurel | BS | 1.73 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia latifolia</i> 'Tiddlywinks' Tiddlywinks Mountain Laurel | BS | 1.69 | R2 | 3-4 | 5-8 | | 1.51 | 4 |
| <i>Kalmia latifolia</i> 'Tinkerbell' Tinkerbell Mountain Laurel | BS | 1.81 | R2 | 3-4 | 5-8 | | 1.36 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Kalmia latifolia</i> 'Weston Redbud' Weston Redbud Mountain Laurel | BS | 1.73 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia latifolia</i> 'Yankee Doodle' Yankee Doodle Mountain Laurel | BS | 1.73 | R2 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Kalmia microphylla</i> See - <i>Kalmia polifolia</i> var. <i>microphylla</i> | | | | | | | | |
| <i>Kalmia polifolia</i> Bog Kalmia | BS | 0.58 | R2 | | 3-8 | | 1.00 | 2 |
| <i>Kalmia polifolia</i> var. <i>microphylla</i> Western Laurel | BS | 1.00 | R2 | | 3-8 | | 1.00 | 2 |
| x <i>Kalmiadendron</i> No Common Name Found | BS | 0.77 | R2 | 3-6 | 7-8 | | 0.71 | 6 |
| x <i>Kalmiadendron</i> 'No Suchianum' No Suchianum Kalmiadendron | BS | 0.77 | R2 | 4-6 | 7-8 | | 0.71 | 6 |
| <i>Kalmiopsis leachiana</i> Leach Kalmiopsis | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Kalopanax pictus</i> See - <i>Kalopanax septemlobus</i> | | | | | | | | |
| <i>Kalopanax septemlobus</i> Castor-alia | BE | 1.00 | R2 | 3-5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Keckiella cordifolia</i> Climbing Penstemon | GC | 0.50 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Kennedia nigricans</i> Black Coral Pea | GC | 0.84 | R2 | 8 | | | 1.00 | 10 |
| <i>Kennedia rubicunda</i> Dusky Coral Pea | GC | 0.58 | R2 | 8 | | | 1.00 | 10 |
| <i>Kerria japonica</i> Japanese Kerria | DS | 1.04 | R1 | 3-4 | 5-8 | | 1.26 | 4 |
| <i>Kerria japonica</i> 'Aureo-variegata' Variegated Japanese Kerria | DS | 0.99 | R1 | 3-4 | 5-8 | | 0.71 | 4 |
| <i>Kerria japonica</i> 'Golden Guinea' Golden Guinea Japanese Kerria | DS | 0.90 | R1 | 3-4 | 5-8 | | 0.43 | 4 |
| <i>Kerria japonica</i> 'Picta' Picta Japanese Kerria | DS | 0.97 | R1 | 3-4 | 5-8 | | 0.71 | 4 |
| <i>Kerria japonica</i> 'Pleniflora' Double Japanese Kerria | DS | 1.02 | R1 | 3-4 | 5-8 | | 0.43 | 4 |
| <i>Kerria japonica</i> 'Shannon' Shannon Japanese Kerria | DS | 0.86 | R1 | 3-4 | 5-8 | | 0.71 | 4 |
| <i>Kerria japonica</i> 'Superba' Superba Japanese Kerria | DS | 1.16 | R1 | 3-4 | 5-8 | | 0.71 | 4 |
| <i>Kerria japonica</i> 'Variegata' See - <i>Kerria japonica</i> 'Picta' | | | | | | | | |
| <i>Kirengeshoma koreana</i> Korean Yellow Waxbells | HP | 1.26 | R2 | 3-5 | 6-8 | | | |
| <i>Kirengeshoma palmata</i> Yellow Waxbells | HP | 1.80 | R2 | 3-5 | 6-8 | | | |
| <i>Kleinia fulgens</i> Scarlet Kleinia | HP | 0.78 | R2 | 8 | | | | |
| <i>Knautia arvensis</i> Blue Buttons | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Knautia macedonica</i> Pincushion Plant | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| <i>Knautia macedonica</i> 'Mars Midget' Mars Midget Pincushion Plant | HP | 1.01 | R2 | 3-5 | 6-8 | | | |
| <i>Kniphofia</i> Poker Plant | HP | 0.90 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia</i> 'Alcazar' Alcazar Poker Plant | HP | 1.06 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia</i> 'Amsterdam' Amsterdam Poker Plant | HP | 0.90 | R2 | 3-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|--------------|---------|-------------|-----------|---------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Kniphofia</i> 'Border Ballet' Border Ballet Poker Plant | HP | 0.87 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia</i> 'Bressingham Comet' Bressingham Comet Poker Plant | HP | 0.82 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia</i> 'Cobra' Cobra Poker Plant | HP | 0.73 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia</i> 'Corallina' Corallina Poker Plant | HP | 0.95 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia</i> 'Earliest of All' Earliest of All Poker Plant | HP | 0.70 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia</i> 'Fireflame' Fireflame Poker Plant | HP | 0.90 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia</i> 'Gold Mine' Gold Mine Poker Plant | HP | 0.73 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia</i> 'Little Maid' Little Maid Poker Plant | HP | 0.71 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia</i> 'Nancy's Red' Nancy's Red Poker Plant | HP | 0.90 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia</i> 'Pfitzeri' Pfitzeri Poker Plant | HP | 0.97 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia</i> 'Primrose Beauty' Primrose Beauty Poker Plant | HP | 1.06 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia</i> 'Rosea Superba' Rosea Superba Poker Plant | HP | 0.90 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia</i> 'Royal Castle' Royal Castle Poker Plant | HP | 0.72 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia</i> 'Royal Standard' Royal Standard Poker Plant | HP | 1.05 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia</i> 'Shining Sceptre' Shining Sceptre Poker Plant | HP | 0.95 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia</i> 'Springtime' Springtime Poker Plant | HP | 0.90 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia</i> 'Vanilla' Vanilla Poker Plant | HP | 1.28 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia</i> 'White Fairy' White Fairy Poker Plant | HP | 0.90 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia galpinii</i> Galpin Torch Lily | HP | 0.73 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia uvaria</i> Red Hot Poker | HP | 0.92 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia uvaria</i> 'First Sunrise' See - <i>Kniphofia uvaria</i> 'First Surprise' P.P. 16036 | | | | | | | | |
| <i>Kniphofia uvaria</i> 'First Surprise' P.P. 16036 First Surprise Poker Plant | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Kniphofia uvaria</i> 'Flamenco' Flamenco Poker Plant | HP | 1.08 | R2 | 3-6 | 7-8 | | | |
| <i>Koeleria argentea</i> Silver Hair Grass | HP | 1.51 | R2 | 3-6 | 7-8 | | | |
| <i>Koeleria cristata</i> See - <i>Koeleria macrantha</i> | | | | | | | | |
| <i>Koeleria glauca</i> Large Blue Hair Grass | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Koeleria macrantha</i> Junegrass | HP | 1.20 | R2 | | 3-8 | | | |
| <i>Koelreuteria bipinnata</i> Bipinnata Goldenrain Tree | DT | 0.90 | R1 | 5-7 | 8 | 0.83 | 0.60 | 7 |
| <i>Koelreuteria elegans</i> Flamegold | DT | 0.85 | R1 | 7-8 | | 0.76 | 0.58 | 9 |
| <i>Koelreuteria formosana</i> See - <i>Koelreuteria elegans</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|--------------|---------|-------------|-----------|---------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Koelreuteria paniculata</i> Panicked Goldenrain Tree | DT | 0.92 | R1 | 5-6 | 7-8 | 1.07 | 0.85 | 5 |
| <i>Koelreuteria paniculata</i> 'Coral Sun' P.P. 17409 Coral Sun Goldenrain Tree | DT | 1.24 | R1 | 5-6 | 7-8 | 1.24 | 0.92 | 5 |
| <i>Koelreuteria paniculata</i> 'Fastigiata' Columnar Goldenrain Tree | DT | 1.56 | R1 | 5-6 | 7-8 | 1.30 | 0.98 | 5 |
| <i>Koelreuteria paniculata</i> 'Rose Lantern' Rose Lantern Goldenrain Tree | DT | 1.24 | R1 | 5-6 | 7-8 | 1.34 | 0.92 | 5 |
| <i>Koelreuteria paniculata</i> 'September' September Goldenrain Tree | DT | 1.24 | R1 | 5-6 | 7-8 | 1.24 | 0.92 | 5 |
| <i>Kolkwitzia amabilis</i> Beautybush | DS | 0.98 | R1 | 3-4 | 5-8 | | 0.72 | 4 |
| <i>Kolkwitzia amabilis</i> 'Dream Catcher' See - <i>Kolkwitzia amabilis</i> 'Maradco' P.P.A.F. | DS | 1.35 | R1 | 3-4 | 5-8 | | 0.91 | 4 |
| <i>Kolkwitzia amabilis</i> 'Maradco' P.P.A.F. Dream Catcher™ Beautybush | DS | 0.90 | R1 | 3-4 | 5-8 | | 1.09 | 4 |
| <i>Kolkwitzia amabilis</i> 'Pink Cloud' Pink Cloud Beautybush | HP | 0.67 | R2 | 5-6 | 7-8 | | | |
| <i>Kosteletzkya virginica</i> Seashore Mallow | BS | 1.00 | R2 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Krascheninnikovia lanata</i> Winterfat | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Krigia biflora</i> False Dandelion | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Kuhnia eupatorioides</i> var. <i>corymbulosa</i> False Boneset | BS | 1.03 | R1 | 8 | | | 1.00 | 9 |
| <i>Kunzea parvifolia</i> No Common Name Found | GC | 0.48 | R2 | 8 | | | 1.00 | 9 |
| <i>Lablab purpureus</i> Hyacinth Bean | GC | 0.71 | R2 | 8 | | | 1.00 | 9 |
| <i>Lablab purpureus</i> 'Darkness' Darkness Hyacinth Bean | DS | 1.00 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>xLaburnocytisus adamii</i> No Common Name Found | DT | 1.00 | R1 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Laburnum alpinum</i> Scotch Goldenchain Tree | DT | 1.23 | R1 | 4-5 | 6-8 | 1.19 | 0.54 | 5 |
| <i>Laburnum anagyroides</i> Goldenchain Tree | DT | 1.09 | R1 | 4-5 | 6-8 | 0.87 | 0.54 | 5 |
| <i>Laburnum anagyroides</i> 'Columnaris' Columnar Goldenchain Tree | DT | 1.17 | R1 | 4-5 | 6-8 | 1.14 | 0.54 | 5 |
| <i>Laburnum anagyroides</i> 'Fastigiata' Narrow Goldenchain Tree | DT | 1.19 | R1 | 4-5 | 6-8 | 1.35 | 0.54 | 5 |
| <i>Laburnum anagyroides</i> 'Pendulum' Weeping Goldenchain Tree | DT | 1.15 | R1 | 4-6 | 7-8 | 1.76 | 0.37 | 6 |
| <i>Laburnum x watereri</i> Waterer Goldenchain Tree | DT | 1.33 | R1 | 4-6 | 7-8 | 1.48 | 0.37 | 6 |
| <i>Laburnum x watereri</i> 'Pendulum' Weeping Waterer Goldenchain Tree | DT | 1.15 | R1 | 4-6 | 7-8 | 1.19 | 0.37 | 6 |
| <i>Laburnum x watereri</i> 'Vossii' Voss Waterer Goldenchain Tree | HP | 1.03 | R2 | 8 | | | | |
| <i>Lachenalia aloides</i> Cape Cowslip | HP | 1.03 | R2 | 8 | | | | |
| <i>Lachenalia aloides</i> 'Pearsonii' Pearson Cape Cowslip | HP | 1.03 | R2 | 8 | | | | |
| <i>Lachenalia bulbifera</i> No Common Name Found | HP | 0.87 | R2 | 8 | | | | |
| <i>Lachenalia mutabilis</i> No Common Name Found | HP | 0.87 | R2 | 8 | | | | |
| <i>Lachenalia pendula</i> See - <i>Lachenalia bulbifera</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|--------------|--------|----|-----------|---------|-------------|----------------------|---------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Laciniaria tenuifolia</i> | | | | | | | | |
| See - <i>Liatrix tenuifolia</i> | | | | | | | | |
| <i>Laelia anceps</i> Amalia Orchid | FO | 2.10 | R2 | 8 | | | 1.00 | 10 |
| <i>Laelia anceps</i> 'Veitchiana' Veitchiana Amalia Orchid | FO | 2.10 | R2 | 8 | | | 1.00 | 10 |
| <i>Laelia perrinii</i> No Common Name Found | FO | 4.50 | R2 | 8 | | | 1.00 | 10 |
| <i>xLaeliocattleya</i> Laeliocattleya Hybrid Orchid | FO | 2.21 | R2 | 8 | | | 1.00 | 10 |
| <i>Lagerstroemia</i> Crapemyrtle | DT | 0.83 | R1 | 5-7 | 8 | 1.14 | 0.92 | 7 |
| <i>Lagerstroemia</i> 'Acoma' Acoma Hybrid Crapemyrtle | DS | 0.81 | R1 | 5-7 | 8 | | 0.79 | 7 |
| <i>Lagerstroemia</i> 'Apalachee' Apalachee Hybrid Crapemyrtle | DS | 0.64 | R1 | 5-7 | 8 | | 0.52 | 6 |
| <i>Lagerstroemia</i> 'Arapaho' Arapaho Hybrid Crapemyrtle | DT | 0.86 | R1 | 5-7 | 8 | 1.14 | 0.81 | 7 |
| <i>Lagerstroemia</i> 'Biloxi' Biloxi Hybrid Crapemyrtle | DT | 0.77 | R1 | 5-7 | 8 | 1.15 | 1.03 | 6 |
| <i>Lagerstroemia</i> 'Cherry Dazzle' See - <i>Lagerstroemia</i> 'GAMAD I' P.P. 16917 | | | | | | | | |
| <i>Lagerstroemia</i> 'Cheyenne' Cheyenne Hybrid Crapemyrtle | DT | 1.02 | R1 | 5-7 | 8 | 1.14 | 0.92 | 7 |
| <i>Lagerstroemia</i> 'Chickasaw' Chickasaw Hybrid Dwarf Crapemyrtle | DT | 0.75 | R1 | 5-7 | 8 | 1.14 | 0.72 | 7 |
| <i>Lagerstroemia</i> 'Choctaw' Choctaw Hybrid Crapemyrtle | DT | 0.75 | R1 | 5-7 | 8 | 1.23 | 0.87 | 6 |
| <i>Lagerstroemia</i> 'Christmas Time' Christmas Time Hybrid Crapemyrtle | DT | 0.68 | R1 | 5-7 | 8 | 1.14 | 0.92 | 7 |
| <i>Lagerstroemia</i> 'Comanche' Comanche Hybrid Crapemyrtle | DT | 0.66 | R1 | 5-7 | 8 | 1.14 | 0.71 | 7 |
| <i>Lagerstroemia</i> 'Dazzle Me Pink' See - <i>Lagerstroemia</i> 'GAMAD V' P.P. 17411 | | | | | | | | |
| <i>Lagerstroemia</i> 'GAMAD I' P.P. 16917 Cherry Dazzle™ Hybrid Crapemyrtle | DT | 1.04 | R1 | 5-7 | 8 | 1.14 | 0.92 | 7 |
| <i>Lagerstroemia</i> 'GAMAD II' P.P. 17216 Raspberry Dazzle™ Hybrid Crapemyrtle | DT | 1.15 | R1 | 5-7 | 8 | 1.14 | 0.92 | 7 |
| <i>Lagerstroemia</i> 'GAMAD III' P.P. 17171 Snow Dazzle™ Hybrid Crapemyrtle | DT | 1.16 | R1 | 5-7 | 8 | 1.14 | 0.92 | 7 |
| <i>Lagerstroemia</i> 'GAMAD IV' P.P. 17219 Ruby Dazzle™ Hybrid Crapemyrtle | DT | 1.05 | R1 | 5-7 | 8 | 1.14 | 0.92 | 7 |
| <i>Lagerstroemia</i> 'GAMAD V' P.P. 17411 Dazzle™ Me Pink Hybrid Crapemyrtle | DT | 1.11 | R1 | 5-7 | 8 | 1.14 | 0.92 | 7 |
| <i>Lagerstroemia</i> 'Heavenly Blue' Heavenly Blue Hybrid Crapemyrtle | DT | 0.83 | R1 | 5-7 | 8 | 1.14 | 0.92 | 7 |
| <i>Lagerstroemia</i> 'Hope' Hope Hybrid Crapemyrtle | DT | 0.48 | R1 | 5-7 | 8 | 1.14 | 0.92 | 7 |
| <i>Lagerstroemia</i> 'Hopi' Hopi Hybrid Crapemyrtle | DT | 0.81 | R1 | 5-7 | 8 | 1.14 | 1.09 | 6 |
| <i>Lagerstroemia</i> 'Lipan' Lipan Hybrid Crapemyrtle | DT | 0.79 | R1 | 5-7 | 8 | 1.14 | 0.99 | 6 |
| <i>Lagerstroemia</i> 'Miami' Miami Hybrid Crapemyrtle | DT | 0.74 | R1 | 5-7 | 8 | 1.10 | 0.92 | 6 |
| <i>Lagerstroemia</i> 'Muskogee' Muskogee Hybrid Crapemyrtle | DT | 0.81 | R1 | 5-7 | 8 | 1.25 | 0.85 | 6 |
| <i>Lagerstroemia</i> 'Natchez' Natchez Hybrid Crapemyrtle | DT | 0.78 | R1 | 5-7 | 8 | 1.15 | 0.84 | 6 |
| <i>Lagerstroemia</i> 'Osage' Osage Hybrid Crapemyrtle | DT | 0.70 | R1 | 5-7 | 8 | 1.14 | 1.01 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Lagerstroemia</i> 'Pecos' Pecos Hybrid Crapemyrtle | DT | 1.05 | R1 | 5-7 | 8 | 1.14 | 0.92 | 6 |
| <i>Lagerstroemia</i> 'Pocomoke' Pocomoke Hybrid Dwarf Crapemyrtle | DT | 0.70 | R1 | 5-7 | 8 | 1.14 | 0.74 | 6 |
| <i>Lagerstroemia</i> 'Raspberry Dazzle' See - <i>Lagerstroemia</i> 'GAMAD II' P.P. 17216 | | | | | | | | |
| <i>Lagerstroemia</i> 'Ruby Dazzle' See - <i>Lagerstroemia</i> 'GAMAD IV' P.P. 17219 | | | | | | | | |
| <i>Lagerstroemia</i> 'Sioux' Sioux Hybrid Crapemyrtle | DT | 0.72 | R1 | 5-7 | 8 | 1.14 | 1.09 | 6 |
| <i>Lagerstroemia</i> 'Snow Dazzle' See - <i>Lagerstroemia</i> 'GAMAD III' P.P. 17171 | | | | | | | | |
| <i>Lagerstroemia</i> 'Tonto' Tonto Hybrid Crapemyrtle | DT | 0.73 | R1 | 5-7 | 8 | 1.17 | 0.94 | 6 |
| <i>Lagerstroemia</i> 'Tuscarora' Tuscarora Hybrid Crapemyrtle | DT | 0.77 | R1 | 5-7 | 8 | 1.34 | 0.84 | 7 |
| <i>Lagerstroemia</i> 'Tuskegee' Tuskegee Hybrid Crapemyrtle | DT | 0.81 | R1 | 5-7 | 8 | 1.15 | 0.84 | 6 |
| <i>Lagerstroemia</i> 'Yuma' Yuma Hybrid Crapemyrtle | DT | 0.75 | R1 | 5-7 | 8 | 1.14 | 1.14 | 6 |
| <i>Lagerstroemia</i> 'Zuni' Zuni Hybrid Crapemyrtle | DT | 0.83 | R1 | 5-7 | 8 | 0.68 | 1.07 | 6 |
| <i>Lagerstroemia fauriei</i> Fauriei Crapemyrtle | DT | 0.89 | R1 | 5-6 | 7-8 | 1.26 | 0.97 | 6 |
| <i>Lagerstroemia fauriei</i> 'Fantasy' Fantasy Fauriei Crapemyrtle | DT | 0.70 | R1 | 5-6 | 7-8 | 1.40 | 0.96 | 6 |
| <i>Lagerstroemia fauriei</i> 'Townhouse' Townhouse Fauriei Crapemyrtle | DT | 0.59 | R1 | 5-6 | 7-8 | 1.12 | 0.97 | 6 |
| <i>Lagerstroemia indica</i> Crapemyrtle | DT | 0.78 | R1 | 5-7 | 8 | 0.87 | 0.64 | 7 |
| <i>Lagerstroemia indica</i> '06/marie' P.P. 4182 Bourbon Street Crapemyrtle | DT | 0.82 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Alba' White Crapemyrtle | DT | 0.79 | R1 | 5-7 | 8 | 1.12 | 0.54 | 7 |
| <i>Lagerstroemia indica</i> 'Basham's Party Pink' Basham's Party Pink Crapemyrtle | DT | 0.85 | R1 | 5-7 | 8 | 1.12 | 0.58 | 7 |
| <i>Lagerstroemia indica</i> 'Baton Rouge' See - <i>Lagerstroemia indica</i> 'Beverly' P.P. 4183 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Beverly' P.P. 4183 Baton Rouge Crapemyrtle | DT | 0.88 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Bourbon Street' See - <i>Lagerstroemia indica</i> '06/marie' P.P. 4182 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Burgundy Cotton' See - <i>Lagerstroemia indica</i> 'Whit VI' P.P. 14438 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Byers Wonderful White' Byers Wonderful White Crapemyrtle | DT | 0.65 | R1 | 5-7 | 8 | 1.12 | 0.69 | 7 |
| <i>Lagerstroemia indica</i> 'Candycane' Candycane Crapemyrtle | DT | 0.60 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Carolina Beauty' Carolina Beauty Crapemyrtle | DT | 0.73 | R1 | 5-7 | 8 | 1.14 | 0.73 | 7 |
| <i>Lagerstroemia indica</i> 'Catawba' Catawba Crapemyrtle | DT | 0.85 | R1 | 5-7 | 8 | 1.14 | 0.92 | 7 |
| <i>Lagerstroemia indica</i> 'Cedar Lane Red' Cedar Lane Red Crapemyrtle | DT | 0.62 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Centennial Spirit' P.P. 6383 Centennial Spirit Crapemyrtle | DT | 0.86 | R1 | 5-7 | 8 | 1.12 | 0.77 | 7 |
| <i>Lagerstroemia indica</i> 'Centennial' Centennial Crapemyrtle | DT | 0.71 | R1 | 5-7 | 8 | 1.12 | 0.71 | 7 |
| <i>Lagerstroemia indica</i> 'Cherokee' Cherokee Crapemyrtle | DT | 0.94 | R1 | 5-7 | 8 | 1.12 | 0.97 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| Req | Not Req | | | | | | | |
| <i>Lagerstroemia indica</i> 'Chica Pink' See - <i>Lagerstroemia indica</i> 'Monink' P.P. 8599 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Chica Red' See - <i>Lagerstroemia indica</i> 'Moned' P.P. 8600 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Chica Series' Chica® Series Crapemyrtle | DT | 0.80 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Christiana' Christiana Crapemyrtle | DT | 0.78 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Cinnamon Ruffle' Cinnamon Ruffle Crapemyrtle | DS | 0.91 | R1 | 5-7 | 8 | | 0.49 | 7 |
| <i>Lagerstroemia indica</i> 'Conestoga' Conestoga Crapemyrtle | DT | 0.80 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Coral Filli' P.P. 14317 Coral Filli Crapemyrtle | DT | 1.12 | R1 | 5-7 | 8 | 1.12 | 0.74 | 4 |
| <i>Lagerstroemia indica</i> 'Cordon Bleu' See - <i>Lagerstroemia indica</i> 'Louisa' P.P. 4256 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Cotton Candy' Cotton Candy Crapemyrtle | DT | 0.80 | R1 | 5-7 | 8 | 1.12 | 0.53 | 7 |
| <i>Lagerstroemia indica</i> 'Country Red' Country Red Crapemyrtle | DT | 0.62 | R1 | 5-7 | 8 | 1.12 | 0.60 | 7 |
| <i>Lagerstroemia indica</i> 'Dallas Red' Dallas Red Crapemyrtle | DT | 0.75 | R1 | 5-7 | 8 | 1.12 | 0.67 | 7 |
| <i>Lagerstroemia indica</i> 'Delta Blush' See - <i>Lagerstroemia indica</i> 'Pink Blush' P.P. 4186 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Dwarf Pink' See - <i>Lagerstroemia indica</i> 'Nana Rosea' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Dwarf Purple' Dwarf Purple Crapemyrtle | DS | 0.88 | R1 | 5-7 | 8 | | 0.49 | 7 |
| <i>Lagerstroemia indica</i> 'Dwarf Red' See - <i>Lagerstroemia indica</i> 'Rubra Compacta' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Dynamite' See - <i>Lagerstroemia indica</i> 'Whit II' P.P. 10296 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Fire Cracker' Fire Cracker Crapemyrtle | DT | 0.80 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Firebird' Firebird Crapemyrtle | DT | 0.76 | R1 | 5-7 | 8 | 1.12 | 0.53 | 7 |
| <i>Lagerstroemia indica</i> 'Glendora White' Glendora White Crapemyrtle | DT | 0.87 | R1 | 5-7 | 8 | 1.27 | 1.30 | 7 |
| <i>Lagerstroemia indica</i> 'Hardy Lavender' Hardy Lavender Crapemyrtle | DT | 0.64 | R1 | 5-7 | 8 | 1.12 | 0.60 | 7 |
| <i>Lagerstroemia indica</i> 'Hardy White' Hardy White Crapemyrtle | DT | 0.74 | R1 | 5-7 | 8 | 1.25 | 1.18 | 7 |
| <i>Lagerstroemia indica</i> 'Houston' P.P.A.F. Houston Chopin Series Crapemyrtle | DT | 0.80 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Lafayette' Lafayette Crapemyrtle | DT | 0.31 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Little Chief' Little Chief Crapemyrtle | DS | 0.94 | R1 | 5-7 | 8 | | 0.49 | 7 |
| <i>Lagerstroemia indica</i> 'Louisa' P.P. 4256 Cordon Bleu Crapemyrtle | DT | 0.95 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Low Flame' Low Flame Crapemyrtle | DT | 0.72 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Majestic Orchid' See - <i>Lagerstroemia indica</i> 'Monia' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Mandi' Mandi Crapemyrtle | DT | 0.67 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Moned' P.P. 8600 Chica® Red Crapemyrtle | DT | 1.00 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Moners' Petite Embers™ Crapemyrtle | DS | 0.96 | R1 | 5-7 | 8 | | 0.49 | 7 |

CT, DE, ME, MD, MA, NH, NJ, NY, NC, PA, RI, VT, VA, WV

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Lagerstroemia indica</i> 'Monhid' Petite Orchid™ Crapemyrtle | DS | 0.96 | R1 | 5-7 | 8 | | 0.49 | 7 |
| <i>Lagerstroemia indica</i> 'Monia' Majestic Orchid™ Crapemyrtle | DT | 0.71 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Monimp' Petite Red Imp™ Crapemyrtle | DS | 0.86 | R1 | 5-7 | 8 | | 0.49 | 7 |
| <i>Lagerstroemia indica</i> 'Monink' P.P. 8599 Chica® Pink Crapemyrtle | DT | 0.80 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Monkie' Petite Pinkie™ Crapemyrtle | DS | 0.97 | R1 | 5-7 | 8 | | 0.49 | 7 |
| <i>Lagerstroemia indica</i> 'Monow' Petite Snow™ Crapemyrtle | DS | 1.12 | R1 | 5-7 | 8 | | 0.49 | 7 |
| <i>Lagerstroemia indica</i> 'Monum' Petite Plum™ Crapemyrtle | DS | 0.97 | R1 | 5-7 | 8 | | 0.49 | 7 |
| <i>Lagerstroemia indica</i> 'Nana Rosea' Dwarf Pink Crapemyrtle | DS | 0.84 | R1 | 5-7 | 8 | | 0.49 | 7 |
| <i>Lagerstroemia indica</i> 'Nana' Peppermint Crapemyrtle | DS | 0.66 | R1 | 5-7 | 8 | | 0.55 | 7 |
| <i>Lagerstroemia indica</i> 'Near East' Near East Crapemyrtle | DT | 0.77 | R1 | 5-7 | 8 | 1.12 | 0.47 | 7 |
| <i>Lagerstroemia indica</i> 'New Orleans' See - <i>Lagerstroemia indica</i> 'Passion' P.P. 4184 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Ocmulgee' Ocmulgee Crapemyrtle | DT | 0.80 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Orchid Cascade' P.P. 18646 Orchid Cascade Crapemyrtle | DS | 1.27 | R1 | 5-7 | 8 | | 0.49 | 7 |
| <i>Lagerstroemia indica</i> 'Ozark Spring' Ozark Spring Crapemyrtle | DT | 0.57 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Passion' P.P. 4184 New Orleans Crapemyrtle | DT | 0.95 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Peppermint Lace' P.P. 3169 Peppermint Lace Crapemyrtle | DT | 0.74 | R1 | 5-7 | 8 | 1.12 | 0.49 | 7 |
| <i>Lagerstroemia indica</i> 'Petite Embers' See - <i>Lagerstroemia indica</i> 'Moners' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Petite Orchid' See - <i>Lagerstroemia indica</i> 'Monhid' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Petite Pinkie' See - <i>Lagerstroemia indica</i> 'Monkie' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Petite Plum' See - <i>Lagerstroemia indica</i> 'Monum' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Petite Red Imp' See - <i>Lagerstroemia indica</i> 'Monimp' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Petite Series' Petite™ Series Crapemyrtle | DS | 0.94 | R1 | 5-7 | 8 | | 0.49 | 7 |
| <i>Lagerstroemia indica</i> 'Petite Snow' See - <i>Lagerstroemia indica</i> 'Monow' | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Pink Blush' P.P. 4186 Delta Blush Crapemyrtle | DT | 0.98 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Pink Lace' Pink Lace Crapemyrtle | DS | 0.66 | R1 | 5-7 | 8 | | 0.45 | 7 |
| <i>Lagerstroemia indica</i> 'Pink Ruffles' Pink Ruffles Crapemyrtle | DT | 0.80 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Pink Velour' See - <i>Lagerstroemia indica</i> 'Whit III' P.P. 10319 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Pixie White' Pixie White Chopin Series Crapemyrtle | DT | 0.71 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Potomac' Potomac Crapemyrtle | DT | 0.74 | R1 | 5-7 | 8 | 1.14 | 0.95 | 7 |
| <i>Lagerstroemia indica</i> 'Powhatan' Powhatan Crapemyrtle | DT | 0.64 | R1 | 5-7 | 8 | 1.36 | 1.11 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|--------------|---------|-------------|-----------|---------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Lagerstroemia indica</i> 'Prairie Lace' Prairie Lace Crapemyrtle | DT | 0.65 | R1 | 5-7 | 8 | 1.12 | 0.52 | 7 |
| <i>Lagerstroemia indica</i> 'Purpurea' Purple Crapemyrtle | DT | 0.75 | R1 | 5-7 | 8 | 1.12 | 0.53 | 7 |
| <i>Lagerstroemia indica</i> 'Raspberry Sundae' See - <i>Lagerstroemia indica</i> 'Whit I' P.P. 10297 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Red Filli' P.P. 14353 Red Filli Crapemyrtle | DT | 1.12 | R1 | 5-7 | 8 | 1.12 | 0.74 | 4 |
| <i>Lagerstroemia indica</i> 'Red Rocket' See - <i>Lagerstroemia indica</i> 'Whit IV' P.P. 11342 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Regal Red' Regal Red Crapemyrtle | DT | 0.72 | R1 | 5-7 | 8 | 1.27 | 0.77 | 7 |
| <i>Lagerstroemia indica</i> 'Rhapsody in Pink' See - <i>Lagerstroemia indica</i> 'Whit VIII' P.P. 16616 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Rosea' Pink Crapemyrtle | DT | 0.79 | R1 | 5-7 | 8 | 1.12 | 0.52 | 7 |
| <i>Lagerstroemia indica</i> 'Rosey Carpet' P.P. 13965 Rosey Carpet® Crapemyrtle | DT | 1.05 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Royalty' Royalty Crapemyrtle | DT | 0.75 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Rubra Compacta' Red Compact Crapemyrtle | DS | 0.89 | R1 | 5-7 | 8 | | 0.49 | 7 |
| <i>Lagerstroemia indica</i> 'Rubra' Red Crapemyrtle | DT | 0.72 | R1 | 5-7 | 8 | 1.12 | 0.51 | 7 |
| <i>Lagerstroemia indica</i> 'Sacramento' Sacramento Chopin Series Crapemyrtle | DT | 1.01 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Seminole' Seminole Crapemyrtle | DT | 1.03 | R1 | 5-7 | 8 | 1.12 | 1.07 | 7 |
| <i>Lagerstroemia indica</i> 'Siren Red' See - <i>Lagerstroemia indica</i> 'Whit VII' P.P. 14975 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Snow' Snow Crapemyrtle | DT | 0.76 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia indica</i> 'Tightwad Red' See - <i>Lagerstroemia indica</i> 'Whit V' P.P. 11312 | | | | | | | | |
| <i>Lagerstroemia indica</i> 'Twilight' Twilight Crapemyrtle | DT | 0.96 | R1 | 5-7 | 8 | 1.27 | 0.97 | 7 |
| <i>Lagerstroemia indica</i> 'Velma's Royal Delight' Velma's Royal Delight Crapemyrtle | DT | 0.71 | R1 | 5-7 | 8 | 1.14 | 0.81 | 7 |
| <i>Lagerstroemia indica</i> 'Victor' Victor Crapemyrtle | DT | 0.71 | R1 | 5-7 | 8 | 1.14 | 0.72 | 7 |
| <i>Lagerstroemia indica</i> 'Violet Filli' P.P. 14267 Violet Filli Crapemyrtle | DT | 1.12 | R1 | 5-7 | 8 | 1.12 | 0.74 | 4 |
| <i>Lagerstroemia indica</i> 'Watermelon Red' Watermelon Red Crapemyrtle | DT | 0.80 | R1 | 5-7 | 8 | 1.14 | 0.57 | 7 |
| <i>Lagerstroemia indica</i> 'Whit I' P.P. 10297 Raspberry Sundae™ Crapemyrtle | DT | 0.86 | R1 | 5-7 | 8 | 1.14 | 0.73 | 7 |
| <i>Lagerstroemia indica</i> 'Whit II' P.P. 10296 Dynamite™ Crapemyrtle | DT | 0.87 | R1 | 5-7 | 8 | 0.94 | 0.78 | 7 |
| <i>Lagerstroemia indica</i> 'Whit III' P.P. 10319 Pink Velour™ Crapemyrtle | DT | 0.89 | R1 | 5-7 | 8 | 0.99 | 0.72 | 7 |
| <i>Lagerstroemia indica</i> 'Whit IV' P.P. 11342 Red Rocket™ Crapemyrtle | DT | 0.93 | R1 | 5-7 | 8 | 1.12 | 0.84 | 7 |
| <i>Lagerstroemia indica</i> 'Whit V' P.P. 11312 Tightwad Red™ Crapemyrtle | DS | 0.86 | R1 | 5-7 | 8 | | 0.37 | 7 |
| <i>Lagerstroemia indica</i> 'Whit VI' P.P. 14438 Burgundy Cotton® Crapemyrtle | DS | 0.97 | R1 | 5-7 | 8 | | 0.53 | 7 |
| <i>Lagerstroemia indica</i> 'Whit VII' P.P. 14975 Siren Red® Crapemyrtle | DS | 0.94 | R1 | 5-7 | 8 | | 0.53 | 7 |
| <i>Lagerstroemia indica</i> 'Whit VIII' P.P. 16616 Rhapsody in Pink™ Crapemyrtle | DT | 1.03 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Lagerstroemia indica</i> 'White Chocolate' White Chocolate Crapemyrtle | DS | 1.23 | R1 | 5-7 | 8 | | 0.49 | 7 |
| <i>Lagerstroemia indica</i> 'White Cloud' White Cloud Crapemyrtle | DS | 0.92 | R1 | 5-7 | 8 | | 0.49 | 7 |
| <i>Lagerstroemia indica</i> 'William Toovey' William Toovey Crapemyrtle | DT | 0.64 | R1 | 5-7 | 8 | 0.65 | 0.98 | 7 |
| <i>Lagerstroemia indica</i> 'World's Fair' P.P. 5283 World's Fair Chopin Series Crapemyrtle | DT | 0.91 | R1 | 5-7 | 8 | 1.12 | 0.74 | 7 |
| <i>Lagerstroemia speciosa</i> Queen's Crapemyrtle | BE | 0.89 | R1 | 7-8 | | 1.00 | 0.84 | 9 |
| <i>Lagunaria patersonii</i> Paterson Sugar Plum Tree | BE | 1.00 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Lamiastrum galeobdolon</i> Yellow Archangel | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Lamiastrum galeobdolon</i> 'Florentinum' Florentinum Yellow Archangel | HP | 0.69 | R2 | 3-5 | 6-8 | | | |
| <i>Lamiastrum galeobdolon</i> 'Herman's Pride' Herman's Pride Yellow Archangel | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Lamiastrum galeobdolon</i> 'Jade Frost' Jade Frost Yellow Archangel | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Lamiastrum galeobdolon</i> 'Silver Carpet' Silver Carpet Yellow Archangel | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Lamiastrum galeobdolon</i> 'Silver Spangled' Silver Spangled Yellow Archangel | HP | 0.77 | R2 | 3-5 | 6-8 | | | |
| <i>Lamiastrum galeobdolon</i> 'Variegatum' Variegated Yellow Archangel | HP | 0.83 | R2 | 3-5 | 6-8 | | | |
| <i>Lamium eriocephalum</i> ssp. <i>eriocephalum</i> Dead Nettle | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Lamium galeobdolon</i> See - <i>Lamiastrum galeobdolon</i> | | | | | | | | |
| <i>Lamium galeobdolon</i> 'Herman's Pride' See - <i>Lamiastrum galeobdolon</i> 'Herman's Pride' | | | | | | | | |
| <i>Lamium maculatum</i> Spotted Nettle | GC | 0.66 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Alba' White Spotted Nettle | GC | 0.66 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Anne Greenaway' Anne Greenaway Spotted Nettle | GC | 0.67 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Anne Greenway' See - <i>Lamium maculatum</i> 'Anne Greenaway' | | | | | | | | |
| <i>Lamium maculatum</i> 'Aureum' Yellow-Leaved Spotted Nettle | GC | 0.43 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Beacon Silver' Beacon Silver Spotted Nettle | GC | 0.74 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Beedham's White' Beedham's White Spotted Nettle | GC | 0.63 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Chequers' Chequers Spotted Nettle | GC | 0.44 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Dellam' P.P. 11783 Golden Anniversary Spotted Nettle | GC | 0.62 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Golden Anniversary' See - <i>Lamium maculatum</i> 'Dellam' P.P. 11783 | | | | | | | | |
| <i>Lamium maculatum</i> 'Orchid Frost' P.P. 11122 Orchid Frost Spotted Nettle | GC | 0.75 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Pink Pewter' Pink Pewter Spotted Nettle | GC | 0.73 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Purple Dragon' P.P. 15890 Purple Dragon Spotted Nettle | GC | 0.75 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'Red Nancy' Red Nancy Spotted Nettle | GC | 0.67 | R2 | 3-4 | 5-8 | | 1.00 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Lamium maculatum</i> 'Shell Pink' Shell Pink Spotted Nettle | GC | 0.80 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Lamium maculatum</i> 'White Nancy' White Nancy Spotted Nettle | GC | 0.71 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Lampranthus deltooides</i> No Common Name Found | HP | 1.00 | R2 | 8 | | | | |
| <i>Lantana</i> Lantana | BS | 0.83 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Lantana</i> 'Confetti' See - <i>Lantana</i> 'Moni' P.P. 1478 | | | | | | | | |
| <i>Lantana</i> 'Cream Carpet' P.P. 1841 Cream Carpet Lantana | BS | 0.66 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Lantana</i> 'Mone' Tangerine™ Lantana | BS | 0.89 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Lantana</i> 'Monet' P.P. 1477 Spreading Sunset™ Lantana | BS | 0.82 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Lantana</i> 'Moni' P.P. 1478 Confetti™ Lantana | BS | 0.73 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Lantana</i> 'Monine' Spreading Sunshine™ Lantana | BS | 1.14 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Lantana</i> 'Orange Crush' Orange Crush Lantana | BS | 0.83 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Lantana</i> 'Patriot Classic Cherry' See - <i>Lantana</i> 'Robpatche' P.P. 10854 | | | | | | | | |
| <i>Lantana</i> 'Patriot Classic Desert Sunset' See - <i>Lantana</i> 'Robpatdes' P.P. 10156 | | | | | | | | |
| <i>Lantana</i> 'Patriot Classic Firewagon' See - <i>Lantana</i> 'Robpatfir' P.P.A.F. | | | | | | | | |
| <i>Lantana</i> 'Patriot Classic Hallelujah' See - <i>Lantana</i> 'Robpathal' P.P. 12063 | | | | | | | | |
| <i>Lantana</i> 'Patriot Classic Hot Country' See - <i>Lantana</i> 'Robpathot' P.P. 12266 | | | | | | | | |
| <i>Lantana</i> 'Patriot Classic Parasol' See - <i>Lantana</i> 'Robpatpar' P.P. 13075 | | | | | | | | |
| <i>Lantana</i> 'Patriot Classic Passion' See - <i>Lantana</i> 'Robpatpas' P.P. 13424 | | | | | | | | |
| <i>Lantana</i> 'Patriot Petite Cowboy' See - <i>Lantana</i> 'Robpatcow' P.P. 12450 | | | | | | | | |
| <i>Lantana</i> 'Patriot Petite Rainbow' See - <i>Lantana</i> 'Robcomplan' P.P. 9837 | | | | | | | | |
| <i>Lantana</i> 'Patriot Petticoat' P.P.A.F. Patriot™ Petticoat Lantana | BS | 0.83 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Lantana</i> 'Patriot Weeper Dove Wings' See - <i>Lantana</i> 'Robpatdov' P.P. 10882 | | | | | | | | |
| <i>Lantana</i> 'Patriot Weeper Honeylove' See - <i>Lantana</i> 'Robpathon' P.P. 10011 | | | | | | | | |
| <i>Lantana</i> 'Pink Frolic' P.P. 1843 Pink Frolic Lantana | BS | 0.83 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Lantana</i> 'Robcomplan' P.P. 9837 Patriot™ Petite Rainbow™ Lantana | BS | 1.13 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Lantana</i> 'Robpatche' P.P. 10854 Patriot™ Classic Cherry™ Lantana | BS | 0.61 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Lantana</i> 'Robpatcow' P.P. 12450 Patriot™ Petite Cowboy™ Lantana | BS | 0.83 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Lantana</i> 'Robpatdes' P.P. 10156 Patriot™ Classic Desert Sunset™ Lantana | BS | 0.73 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Lantana</i> 'Robpatdov' P.P. 10882 Patriot™ Weeper Dove Wings™ Lantana | BS | 0.88 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Lantana</i> 'Robpatfir' P.P.A.F. Patriot™ Classic Firewagon™ Lantana | BS | 0.85 | R2 | 6-8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Lantana</i> 'Robpathal' P.P. 12063 Patriot™ Classic Hallelujah™ Lantana | BS | 0.83 | R2 | 6-8 | | 1.00 | 9 |
| <i>Lantana</i> 'Robpathon' P.P. 10011 Patriot™ Weeper Honeylove™ Lantana | BS | 0.71 | R2 | 6-8 | | 1.00 | 9 |
| <i>Lantana</i> 'Robpathot' P.P. 12266 Patriot™ Classic Hot Country™ Lantana | BS | 0.52 | R2 | 6-8 | | 1.00 | 9 |
| <i>Lantana</i> 'Robpatpar' P.P. 13075 Patriot™ Classic Parasol™ Lantana | BS | 0.85 | R2 | 6-8 | | 1.00 | 9 |
| <i>Lantana</i> 'Robpatpas' P.P. 13424 Patriot™ Classic Passion™ Lantana | BS | 0.83 | R2 | 6-8 | | 1.00 | 9 |
| <i>Lantana</i> 'Spreading Sunset' See - <i>Lantana</i> 'Monet' P.P. 1477 | | | | | | | |
| <i>Lantana</i> 'Spreading Sunshine' See - <i>Lantana</i> 'Monine' | | | | | | | |
| <i>Lantana</i> 'Sunburst' P.P. 1842 Sunburst Lantana | BS | 1.12 | R2 | 3-8 | | 1.00 | 9 |
| <i>Lantana</i> 'Sunny Daze' See - <i>Lantana montevidensis</i> 'Mongen' P.P. 10891 | | | | | | | |
| <i>Lantana</i> 'Tangerine' See - <i>Lantana</i> 'Mone' | | | | | | | |
| <i>Lantana camara</i> Common Lantana | BS | 0.66 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'American Red' American Red Lantana | BS | 0.86 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Anne Marie' P.P. 11310 Anne Marie Lantana | BS | 0.82 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Athens Rose' Athens Rose Lantana | BS | 0.74 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Balandgold' P.P. 16095 Landmark™ Gold Lantana | BS | 0.60 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Balandimfla' P.P.A.F. Landmark™ Flame Improved Lantana | BS | 0.60 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Balandpawn' P.P. 15516 Landmark™ Pink Dawn Lantana | BS | 0.57 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Balandroglo' P.P. 15246 Landmark™ Rose Glow Lantana | BS | 0.71 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Balucpeach' P.P. 14637 Landmark™ Peach Sunrise Lantana | BS | 0.88 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Balucrehot' P.P. 16535 Lucky™ Red Hot Lantana | BS | 0.55 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Balucwhit' P.P. 17661 Landmark™ White Lantana | BS | 0.64 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Balucyell' P.P. 14684 Landmark™ Yellow Lantana | BS | 0.60 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Bandana Cherry Sunrise' See - <i>Lantana camara</i> 'Bante Cheriasun' P.P. 19264 | | | | | | | |
| <i>Lantana camara</i> 'Bandana Orange Sunrise' See - <i>Lantana camara</i> 'Bante Oransun' P.P. 19078 | | | | | | | |
| <i>Lantana camara</i> 'Bandana Rose' See - <i>Lantana camara</i> 'Bante Rossa' P.P. 18148 | | | | | | | |
| <i>Lantana camara</i> 'Bandana Series' Bandana™ Series Lantana | BS | 0.88 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Bante Cheriasun' P.P. 19264 Bandana™ Cherry Sunrise Lantana | BS | 0.87 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Bante Oransun' P.P. 19078 Bandana™ Orange Sunrise Lantana | BS | 0.88 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Bante Rossa' P.P. 18148 Bandana™ Rose Lantana | BS | 0.88 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Bronze' Bronze Lantana | BS | 0.76 | R2 | 6-8 | | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Lantana camara</i> 'Carlos' Carlos Lantana | BS | 0.76 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Carnival' Carnival Lantana | BS | 0.66 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Christine' Christine Lantana | BS | 0.73 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Dallas Red' Dallas Red Lantana | BS | 0.74 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Dennholm White' Dennholm White Lantana | BS | 0.43 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Dwarf Pink' Dwarf Pink Lantana | BS | 0.70 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Dwarf White' Dwarf White Lantana | BS | 0.76 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Dwarf Yellow' Dwarf Yellow Lantana | BS | 0.78 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Gold Mound' Gold Mound Lantana | BS | 0.60 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Gold Rush' See - <i>Lantana camara</i> 'Monol' | | | | | | | |
| <i>Lantana camara</i> 'Golden Glow' Golden Glow Lantana | BS | 0.76 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Greg Grant' Greg Grant Lantana | BS | 0.95 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Hardy Pink' See - <i>Lantana camara</i> | | | | | | | |
| <i>Lantana camara</i> 'Irene' Irene Lantana | BS | 0.72 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Kathleen' Kathleen Lantana | BS | 0.76 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Lady Olivia' Lady Olivia Lantana | BS | 0.38 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Landmark Flame Improved' See - <i>Lantana camara</i> 'Balandimfla' P.P.A.F. | | | | | | | |
| <i>Lantana camara</i> 'Landmark Gold' See - <i>Lantana camara</i> 'Balandgold' P.P. 16095 | | | | | | | |
| <i>Lantana camara</i> 'Landmark Peach Sunrise' See - <i>Lantana camara</i> 'Balucpeach' P.P. 14637 | | | | | | | |
| <i>Lantana camara</i> 'Landmark Pink Dawn' See - <i>Lantana camara</i> 'Balandpawn' P.P. 15516 | | | | | | | |
| <i>Lantana camara</i> 'Landmark Rose Glow' See - <i>Lantana camara</i> 'Balandroglo' P.P. 15246 | | | | | | | |
| <i>Lantana camara</i> 'Landmark Series' Landmark™ Series Lantana | BS | 0.76 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Landmark White' See - <i>Lantana camara</i> 'Balucwhit' P.P. 17661 | | | | | | | |
| <i>Lantana camara</i> 'Landmark Yellow' See - <i>Lantana camara</i> 'Balucyell' P.P. 14684 | | | | | | | |
| <i>Lantana camara</i> 'Lemon Drop' Lemon Drop Lantana | BS | 0.52 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Lemon Swirl' See - <i>Lantana camara</i> 'Variegata' | | | | | | | |
| <i>Lantana camara</i> 'Lola' Lola Lantana | BS | 0.70 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Lucky Red Hot' See - <i>Lantana camara</i> 'Balucrehot' P.P. 16535 | | | | | | | |
| <i>Lantana camara</i> 'Lucky Yellow' See - <i>Lantana camara</i> 'Balucyell' P.P. 14684 | | | | | | | |
| <i>Lantana camara</i> 'Miss Huff' Miss Huff Lantana | BS | 0.71 | R2 | 6-8 | | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Lantana camara</i> 'Monike' P.P. 17612 Teenie Genie® Compact Lantana | BS | 1.73 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Monol' Gold Rush™ Lantana | BS | 1.13 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Mozelle' Mozelle Lantana | BS | 0.96 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'New Gold' New Gold Lantana | BS | 0.90 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'New Light Pink' New Light Pink Lantana | BS | 0.45 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Pinata' Pinata Lantana | BS | 0.65 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Pink Caprice' Pink Caprice Lantana | BS | 0.68 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Pink Lace' Pink Lace Lantana | BS | 0.76 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Radiation' Radiation Lantana | BS | 0.73 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Red Butler' P.P. 14569 Red Butler Lantana | BS | 0.69 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Red Spread' P.P. 14691 Red Spread Lantana | BS | 0.84 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Samantha' Samantha Lantana | BS | 0.76 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Silver Mound' Silver Mound Lantana | BS | 0.68 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Susan' Susan Lantana | BS | 0.88 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Teenie Genie' See - <i>Lantana camara</i> 'Monike' P.P. 17612 | | | | | | | |
| <i>Lantana camara</i> 'Tropical Fruit' P.P. 18821 Tropical Fruit Lantana | BS | 0.97 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Upright Yellow' Upright Yellow Lantana | BS | 0.47 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'Variegata' Lemon Swirl™ Lantana | BS | 1.18 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana camara</i> 'White Gold' P.P. 17207 White Gold Lantana | BS | 0.76 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana depressa</i> Pineland Lantana | BS | 0.67 | R2 | 6-8 | | 1.00 | 9 |
| <i>Lantana horrida</i> Texas Lantana | GC | 0.47 | R2 | 5-7 | 8 | 1.00 | 7 |
| <i>Lantana involucrata</i> White Lantana | BS | 0.55 | R2 | 6-8 | | 1.00 | 8 |
| <i>Lantana montevidensis</i> Trailing Sellowiana Lantana | GC | 0.55 | R2 | 6-8 | | 1.00 | 9 |
| <i>Lantana montevidensis</i> 'Lavender Swirl' See - <i>Lantana montevidensis</i> 'Monswee' P.P. 7626 | | | | | | | |
| <i>Lantana montevidensis</i> 'Mongen' P.P. 10891 Sunny Daze Sellowiana Lantana | GC | 0.62 | R2 | 6-8 | | 1.00 | 9 |
| <i>Lantana montevidensis</i> 'Monma' White Lightnin'™ Trailing Lantana | GC | 0.61 | R2 | 6-8 | | 1.00 | 9 |
| <i>Lantana montevidensis</i> 'Monswee' P.P. 7626 Lavender Swirl™ Trailing Lantana | GC | 0.97 | R2 | 6-8 | | 1.00 | 9 |
| <i>Lantana montevidensis</i> 'Trailing Lavender' Trailing Lavender Lantana | GC | 0.62 | R2 | 6-8 | | 1.00 | 9 |
| <i>Lantana montevidensis</i> 'Trailing Orange' Trailing Orange Lantana | GC | 0.54 | R2 | 6-8 | | 1.00 | 9 |
| <i>Lantana montevidensis</i> 'Trailing White' Trailing White Lantana | GC | 0.57 | R2 | 6-8 | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | | Minimum HZ | |
|---|-----------|-----------|----|-----------------------------|-------------|----------------------|------|------------|---|
| | | Factor | SK | Insurable HZ Req Not Req | Caliper | Factors High/Wide | | | |
| <i>Lantana montevidensis</i> 'Trailing Yellow' Trailing Yellow Lantana | GC | 0.51 | R2 | 6-8 | | | 1.00 | 9 | |
| <i>Lantana montevidensis</i> 'White Lightnin' See - <i>Lantana montevidensis</i> 'Monma' | | | | | | | | | |
| <i>Lantana sellowiana</i> See - <i>Lantana montevidensis</i> | | | | | | | | | |
| <i>Lantana trifolia</i> Upright Purple Lantana | BS | 0.75 | R2 | 6-8 | | | 1.00 | 10 | |
| <i>Lapageria rosea</i> Chilean Bellflower | GC | 1.00 | R2 | 8 | | | 1.00 | 9 | |
| <i>Larix decidua</i> European Larch | DT | 1.06 | R1 | 3 | 4-8 | | 1.26 | 1.39 | 3 |
| <i>Larix decidua</i> 'Pendula' Weeping European Larch | DT | 2.62 | R1 | 3 | 4-8 | | 1.47 | 1.16 | 3 |
| <i>Larix decidua</i> 'Whorled Peace' Whorled Peace European Larch | DT | 1.84 | R1 | 3-4 | 5-8 | | 1.37 | 6.33 | 4 |
| <i>Larix x eurolepis</i> See - <i>Larix x marschlinsii</i> | | | | | | | | | |
| <i>Larix gmelinii</i> Dahurian Larch | DT | 1.00 | R1 | | 3-8 | | 1.00 | 1.00 | 1 |
| <i>Larix gmelinii</i> var. <i>principis-rupprechtii</i> Prince Rupprecht Larch | DT | 1.00 | R1 | | 4-8 | | 1.00 | 1.00 | 1 |
| <i>Larix kaempferi</i> Japanese Larch | DT | 1.12 | R1 | 3-4 | 5-8 | | 1.22 | 1.28 | 4 |
| <i>Larix kaempferi</i> 'Blue Rabbit' Blue Rabbit Japanese Larch | DT | 1.19 | R1 | 3-4 | 5-8 | | 1.22 | 1.10 | 4 |
| <i>Larix kaempferi</i> 'Diana' Diana Japanese Larch | DT | 0.95 | R1 | 3-4 | 5-8 | | 1.22 | 0.92 | 4 |
| <i>Larix kaempferi</i> 'Pendula' Weeping Japanese Larch | DT | 1.49 | R1 | 3-4 | 5-8 | | 1.22 | 1.10 | 4 |
| <i>Larix laricina</i> American Larch | DT | 1.18 | R1 | | 3-8 | | 1.37 | 1.08 | 2 |
| <i>Larix laricina</i> 'Lanarck' Lanarck American Larch | DT | 1.18 | R1 | | 3-8 | | 1.37 | 1.08 | 2 |
| <i>Larix laricina</i> 'Newport Beauty #7' Newport Beauty #7 American Larch | DT | 1.18 | R1 | | 3-8 | | 1.37 | 1.08 | 2 |
| <i>Larix laricina</i> 'Newport Beauty #9' Newport Beauty #9 American Larch | DT | 1.18 | R1 | | 3-8 | | 1.37 | 1.08 | 2 |
| <i>Larix leptolepis</i> See - <i>Larix kaempferi</i> | | | | | | | | | |
| <i>Larix x marschlinsii</i> Dunkeld Larch | DT | 1.51 | R1 | 3-4 | 5-8 | | 1.00 | 1.45 | 4 |
| <i>Larix x marschlinsii</i> 'Varied Directions' Varied Directions Dunkeld Larch | DT | 1.51 | R1 | 3-4 | 5-8 | | 1.00 | 1.45 | 4 |
| <i>Larix occidentalis</i> Western Larch | DT | 1.07 | R1 | 3-4 | 5-8 | | 1.00 | 0.80 | 4 |
| <i>Larix russica</i> Siberian Larch | DT | 4.15 | R1 | | 3-8 | | 1.00 | 1.69 | 1 |
| <i>Larix russica</i> 'Conica' Conica Siberian Larch | DT | 4.15 | R1 | | 3-8 | | 1.00 | 1.69 | 1 |
| <i>Larix russica</i> 'Pendula' Weeping Siberian Larch | DT | 4.15 | R1 | | 3-8 | | 1.00 | 1.69 | 1 |
| <i>Larix sibirica</i> See - <i>Larix russica</i> | | | | | | | | | |
| <i>Larrea tridentata</i> Creosote Bush | BS | 0.81 | R2 | 6-8 | | | 1.00 | 8 | |
| <i>Lathyrus japonicus</i> Beach Pea | HP | 0.41 | R2 | 3 | 4-8 | | | | |
| <i>Lathyrus latifolius</i> Everlasting Sweetpea | HP | 0.92 | R2 | 3-5 | 6-7 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|-------------|--------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | | |
| <i>Lathyrus latifolius</i> 'Red Pearl' Red Pearl Everlasting Sweetpea | HP | 0.92 | R2 | 3-5 6-7 | | | | |
| <i>Lathyrus odoratus</i> Sweetpea | HP | 0.91 | R2 | 5-8 | | | | |
| <i>Lathyrus odoratus</i> 'Royal Family Mix' Royal Family Mix Sweetpea | HP | 0.92 | R2 | 5-8 | | | | |
| <i>Laurentia fluviatilis</i> See - <i>Isotoma fluviatilis</i> | | | | | | | | |
| <i>Laurocerasus caroliniana</i> See - <i>Prunus caroliniana</i> | | | | | | | | |
| <i>Laurus nobilis</i> Bay Laurel | BE | 1.05 | R2 | 6-8 | | 0.93 | 1.00 8 | |
| <i>Laurus nobilis</i> 'Saratoga' Saratoga Bay Laurel | BE | 0.87 | R2 | 6-8 | | 0.93 | 1.00 8 | |
| <i>Lavandula</i> Lavender | BS | 0.91 | R2 | 3-6 7-8 | | | 1.00 6 | |
| <i>Lavandula</i> 'Goodwin Creek Grey' Goodwin Creek Grey Lavender | BS | 0.87 | R2 | 5-7 8 | | | 1.00 7 | |
| <i>Lavandula</i> 'Sawyers' Sawyers Lavender | BS | 1.06 | R2 | 3-6 7-8 | | | 1.00 6 | |
| <i>Lavandula</i> 'Silver Frost' Silver Frost Lavender | BS | 0.81 | R2 | 3-6 7-8 | | | 1.00 6 | |
| <i>Lavandula</i> x <i>allardii</i> Sweet Lavender | BS | 0.83 | R2 | 5-8 | | | 1.00 8 | |
| <i>Lavandula angustifolia</i> English Lavender | HP | 0.78 | R2 | 3-5 6-8 | | | | |
| <i>Lavandula angustifolia</i> 'Blue Cushion' P.P. 9119 Blue Cushion English Lavender | BS | 0.95 | R2 | 3-5 6-8 | | | 1.00 5 | |
| <i>Lavandula angustifolia</i> 'Croxtan's Wild' Croxtan's Wild English Lavender | BS | 0.70 | R2 | 3-5 6-8 | | | 1.00 5 | |
| <i>Lavandula angustifolia</i> 'Cynthia Johnson' Cynthia Johnson English Lavender | BS | 0.99 | R2 | 3-5 6-8 | | | 1.00 5 | |
| <i>Lavandula angustifolia</i> 'Hidcote Pink' Hidcote Pink English Lavender | BS | 0.94 | R2 | 3-5 6-8 | | | 1.00 5 | |
| <i>Lavandula angustifolia</i> 'Hidcote Superior' Hidcote Superior English Lavender | BS | 1.43 | R2 | 3-5 6-8 | | | 1.00 5 | |
| <i>Lavandula angustifolia</i> 'Hidcote' Hidcote Blue English Lavender | BS | 1.06 | R2 | 3-5 6-8 | | | 1.00 5 | |
| <i>Lavandula angustifolia</i> 'Jean Davis' See - <i>Lavandula angustifolia</i> 'Rosea' | | | | | | | | |
| <i>Lavandula angustifolia</i> 'Lavang 21' P.P. 15344 Violet Intrigue English Lavender | BS | 1.02 | R2 | 3-5 6-8 | | | 1.00 5 | |
| <i>Lavandula angustifolia</i> 'Lavender Lady' Lavender Lady English Lavender | BS | 0.74 | R2 | 3-5 6-8 | | | 1.00 5 | |
| <i>Lavandula angustifolia</i> 'Lodden Pink' Lodden Pink English Lavender | BS | 0.98 | R2 | 3-5 6-8 | | | 1.00 5 | |
| <i>Lavandula angustifolia</i> 'Martha Roderick' Martha Roderick English Lavender | BS | 0.73 | R2 | 3-5 6-8 | | | 1.00 5 | |
| <i>Lavandula angustifolia</i> 'Munstead' Munstead English Lavender | BS | 1.02 | R2 | 3-5 6-8 | | | 1.00 5 | |
| <i>Lavandula angustifolia</i> 'Nana' Dwarf English Lavender | BS | 0.64 | R2 | 3-5 6-8 | | | 1.00 5 | |
| <i>Lavandula angustifolia</i> 'Rosea' Rosea English Lavender | BS | 0.94 | R2 | 3-5 6-8 | | | 1.00 5 | |
| <i>Lavandula angustifolia</i> 'Sarah' Sarah English Lavender | BS | 0.78 | R2 | 3-5 6-8 | | | 1.00 5 | |
| <i>Lavandula angustifolia</i> 'Thumbelina Leigh' P.P. 15231 Thumbelina Leigh English Lavender | BS | 1.62 | R2 | 3-5 6-8 | | | 1.00 5 | |
| <i>Lavandula angustifolia</i> 'Twickel Purple' Twickel Purple English Lavender | BS | 1.02 | R2 | 3-5 6-8 | | | 1.00 5 | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|--------------|---------|-------------|-----------|---------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Lavandula angustifolia</i> 'Violet Intrigue' | | | | | | | | |
| See - <i>Lavandula angustifolia</i> 'Lavang 21' P.P. 15344 | | | | | | | | |
| <i>Lavandula angustifolia</i> 'Walburton's Silver Edge' | | | | | | | | |
| See - <i>Lavandula angustifolia</i> 'Walvera' P.P. 13091 | | | | | | | | |
| <i>Lavandula angustifolia</i> 'Walvera' P.P. 13091 | BS | 1.03 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| Walburton's Silver Edge English Lavender | | | | | | | | |
| <i>Lavandula bipinnata</i> | BS | 0.96 | R2 | 8 | | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Lavandula canariensis</i> | BS | 0.70 | R2 | 5-8 | | | 1.00 | 10 |
| Canary Island Lavender | | | | | | | | |
| <i>Lavandula dentata</i> | BS | 0.87 | R2 | 5-8 | | | 1.00 | 8 |
| Fringed Lavender | | | | | | | | |
| <i>Lavandula dentata</i> 'Lavden 123' P.P. 14510 | BS | 1.15 | R2 | 5-8 | | | 1.00 | 8 |
| Serenity Fringed Lavender | | | | | | | | |
| <i>Lavandula dentata</i> 'Serenity' | | | | | | | | |
| See - <i>Lavandula dentata</i> 'Lavden 123' P.P. 14510 | | | | | | | | |
| <i>Lavandula dentata</i> 'Variegata' | BS | 1.01 | R2 | 5-8 | | | 1.00 | 8 |
| Variegated Fringed Lavender | | | | | | | | |
| <i>Lavandula dentata</i> var. <i>candicans</i> | BS | 1.06 | R2 | 5-8 | | | 1.00 | 8 |
| Grey French Lavender | | | | | | | | |
| <i>Lavandula</i> x <i>heterophylla</i> | | | | | | | | |
| See - <i>Lavandula</i> x <i>allardii</i> | | | | | | | | |
| <i>Lavandula</i> x <i>intermedia</i> | BS | 0.70 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| Hybrid Lavender | | | | | | | | |
| <i>Lavandula</i> x <i>intermedia</i> 'Alba' | BS | 0.83 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| White Hybrid Lavender | | | | | | | | |
| <i>Lavandula</i> x <i>intermedia</i> 'Dilly Dilly' | | | | | | | | |
| See - <i>Lavandula</i> x <i>intermedia</i> 'Grosso' | | | | | | | | |
| <i>Lavandula</i> x <i>intermedia</i> 'Dutch' | BS | 0.72 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| Dutch Hybrid Lavender | | | | | | | | |
| <i>Lavandula</i> x <i>intermedia</i> 'Fred Boutin' | BS | 0.92 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| Fred Boutin Hybrid Lavender | | | | | | | | |
| <i>Lavandula</i> x <i>intermedia</i> 'Grosso' | BS | 0.88 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| Grosso Hybrid Lavender | | | | | | | | |
| <i>Lavandula</i> x <i>intermedia</i> 'Provence' | BS | 0.93 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| Provence Hybrid Lavender | | | | | | | | |
| <i>Lavandula</i> x <i>intermedia</i> 'Seal' | BS | 0.83 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| Seal Hybrid Lavender | | | | | | | | |
| <i>Lavandula</i> x <i>intermedia</i> 'Super' | BS | 0.83 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| Super Hybrid Lavender | | | | | | | | |
| <i>Lavandula lanata</i> | BS | 0.67 | R2 | 5-8 | | | 1.00 | 8 |
| No Common Name Found | | | | | | | | |
| <i>Lavandula latifolia</i> | BS | 1.08 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| Spike Lavender | | | | | | | | |
| <i>Lavandula multifida</i> | BS | 0.77 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Fern-leaf Lavender | | | | | | | | |
| <i>Lavandula pinnata</i> | BS | 0.85 | R2 | 5-8 | | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Lavandula pinnata</i> var. <i>buchii</i> | BS | 1.11 | R2 | 5-8 | | | 1.00 | 9 |
| Jagged Lavender | | | | | | | | |
| <i>Lavandula stoechas</i> | BS | 0.85 | R2 | 5-8 | | | 1.00 | 8 |
| Spanish Lavender | | | | | | | | |
| <i>Lavandula stoechas</i> 'Bella Lavender' | | | | | | | | |
| See - <i>Lavandula stoechas</i> 'Bellav' P.P. 16860 | | | | | | | | |
| <i>Lavandula stoechas</i> 'Bella Purple' | | | | | | | | |
| See - <i>Lavandula stoechas</i> 'Belpur' P.P. 16861 | | | | | | | | |
| <i>Lavandula stoechas</i> 'Bella Rose' | | | | | | | | |
| See - <i>Lavandula stoechas</i> 'Belros' P.P. 16691 | | | | | | | | |
| <i>Lavandula stoechas</i> 'Bella Rouge' | | | | | | | | |
| See - <i>Lavandula stoechas</i> 'Belrou' P.P. 16700 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Lavandula stoechas</i> 'Bella Series' Bella™ Series Spanish Lavender | HP | 1.03 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Bella White' See - <i>Lavandula stoechas</i> 'Belwhi' P.P. 16699 | | | | | | | | |
| <i>Lavandula stoechas</i> 'Bellav' P.P. 16860 Bella™ Lavender Spanish Lavender | HP | 1.07 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Belpur' P.P. 16861 Bella™ Purple Spanish Lavender | HP | 1.07 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Belros' P.P. 16691 Bella™ Rose Spanish Lavender | HP | 1.01 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Belrou' P.P. 16700 Bella™ Rouge Spanish Lavender | HP | 0.97 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Belwhi' P.P. 16699 Bella™ White Spanish Lavender | HP | 0.97 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Chica Purple' Chica Purple Dwarf Spanish Lavender | HP | 0.89 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Chica Rose' Chica Rose Dwarf Spanish Lavender | HP | 0.89 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Chica Series' Chica Series Dwarf Spanish Lavender | HP | 1.03 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Coco Purple' See - <i>Lavandula stoechas</i> 'Cocpur' P.P. 16717 | | | | | | | | |
| <i>Lavandula stoechas</i> 'Coco Rose' P.P.A.F. Coco™ Rose Spanish Lavender | HP | 0.94 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Coco Series' Coco™ Series Spanish Lavender | HP | 1.03 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Coco White on Blue' See - <i>Lavandula stoechas</i> 'Cocwob' P.P. 17334 | | | | | | | | |
| <i>Lavandula stoechas</i> 'Cocpur' P.P. 16717 Coco™ Purple Spanish Lavender | HP | 1.03 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Cocwob' P.P. 17334 Coco™ White on Blue Spanish Lavender | HP | 0.94 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Devon Compact' Devon Compact Spanish Lavender | HP | 0.76 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Divine Wine' Divine Wine Spanish Lavender | HP | 1.03 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Fairy Wings' Fairy Wings Spanish Lavender | HP | 0.72 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Hazel' P.P.A.F. Hazel Spanish Lavender | HP | 1.57 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Kew Red' Kew Red Spanish Lavender | HP | 0.69 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Lavsts 08' P.P. 15208 Passionne Spanish Lavender | HP | 1.22 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Lemon Leigh' P.P.A.F. Lemon Leigh Spanish Lavender | HP | 1.23 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Otto Quast' Otto Quast Spanish Lavender | HP | 1.01 | R2 | 5-8 | | | | |
| <i>Lavandula stoechas</i> 'Passionne' See - <i>Lavandula stoechas</i> 'Lavsts 08' P.P. 15208 | | | | | | | | |
| <i>Lavandula stoechas</i> 'Winter Bee' P.P.A.F. Winter Bee Spanish Lavender | HP | 1.59 | R2 | 5-8 | | | | |
| <i>Lavandula vera</i> See - <i>Lavandula angustifolia</i> | | | | | | | | |
| <i>Lavandula viridis</i> No Common Name Found | BS | 0.57 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Lavatera</i> Tree Mallow | DS | 1.00 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Lavatera</i> 'Beauty Formula Mixture' Beauty Formula Mixture Tree Mallow | DS | 1.00 | R1 | 5-8 | | | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container SK | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|--------|-----------------|--------------|---------|------------------------|-----------|---------------|
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Lavatera</i> 'Innovera' | | | | | | | | |
| See - <i>Lavatera x clementii</i> 'Innovera' P.P. 15478 | | | | | | | | |
| <i>Lavatera</i> 'Purissima' | DS | 0.55 | R1 | 5-8 | | | 1.00 | 9 |
| Purissima Tree Mallow | | | | | | | | |
| <i>Lavatera</i> 'Summer Kisses' P.P.A.F. | DS | 1.44 | R2 | 5-8 | | | 1.00 | 8 |
| Summer Kisses Tree Mallow | | | | | | | | |
| <i>Lavatera assurgentiflora</i> | BS | 0.73 | R1 | 8 | | | 1.00 | 9 |
| Malva Rosa | | | | | | | | |
| <i>Lavatera bicolor</i> | | | | | | | | |
| See - <i>Lavatera maritima</i> | | | | | | | | |
| <i>Lavatera x clementii</i> | DS | 0.81 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Hybrid Tree Mallow | | | | | | | | |
| <i>Lavatera x clementii</i> 'Barnsley' | DS | 0.86 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Barnsley Tree Mallow | | | | | | | | |
| <i>Lavatera x clementii</i> 'Bredon Springs' | DS | 0.63 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Bredon Springs Tree Mallow | | | | | | | | |
| <i>Lavatera x clementii</i> 'Burgundy Wine' | DS | 0.83 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Burgundy Wine Tree Mallow | | | | | | | | |
| <i>Lavatera x clementii</i> 'Candy Floss' | DS | 0.55 | R1 | 5-7 | 8 | | 1.00 | 7 |
| Candy Floss Tree Mallow | | | | | | | | |
| <i>Lavatera x clementii</i> 'Chamallow' | | | | | | | | |
| See - <i>Lavatera x clementii</i> 'Innovera' P.P. 15478 | | | | | | | | |
| <i>Lavatera x clementii</i> 'Innovera' P.P. 15478 | DS | 1.23 | R2 | 5-7 | 8 | | 1.00 | 6 |
| Chamallow™ Bush Mallow | | | | | | | | |
| <i>Lavatera x clementii</i> 'Kew Rose' | DS | 0.73 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Kew Rose Tree Mallow | | | | | | | | |
| <i>Lavatera x clementii</i> 'Rosea' | DS | 0.82 | R1 | 5-7 | 8 | | 1.00 | 7 |
| Rose Tree Mallow | | | | | | | | |
| <i>Lavatera maritima</i> | BS | 0.87 | R2 | 5-7 | 8 | | 1.00 | 6 |
| No Common Name Found | | | | | | | | |
| <i>Lavatera thuringiaca</i> | DS | 0.84 | R1 | 5-7 | 8 | | 1.00 | 7 |
| Tree Lavatera | | | | | | | | |
| <i>Lavatera thuringiaca</i> 'Barnsley' | | | | | | | | |
| See - <i>Lavatera x clementii</i> 'Barnsley' | | | | | | | | |
| <i>Lavatera thuringiaca</i> 'Bredon Springs' | | | | | | | | |
| See - <i>Lavatera x clementii</i> 'Bredon Springs' | | | | | | | | |
| <i>Lavatera thuringiaca</i> 'Burgundy Wine' | | | | | | | | |
| See - <i>Lavatera x clementii</i> 'Burgundy Wine' | | | | | | | | |
| <i>Lavatera thuringiaca</i> 'Candy Floss' | | | | | | | | |
| See - <i>Lavatera x clementii</i> 'Candy Floss' | | | | | | | | |
| <i>Lavatera thuringiaca</i> 'Kew Rose' | | | | | | | | |
| See - <i>Lavatera x clementii</i> 'Kew Rose' | | | | | | | | |
| <i>Lavatera thuringiaca</i> 'Red Rum' P.P. 13898 | DS | 0.97 | R1 | 5-7 | 8 | | 1.00 | 7 |
| Red Rum Tree Mallow | | | | | | | | |
| <i>Lavatera thuringiaca</i> 'Rosea' | | | | | | | | |
| See - <i>Lavatera x clementii</i> 'Rosea' | | | | | | | | |
| <i>Lavatera trimestris</i> | HP | 1.03 | R2 | 5-7 | 8 | | | |
| Annual Tree Mallow | | | | | | | | |
| <i>Lavatera trimestris</i> 'Twins Hot Pink' | HP | 1.03 | R2 | 5-7 | 8 | | | |
| Twins Hot Pink Annual Tree Mallow | | | | | | | | |
| <i>Lawsonia inermis</i> | BS | 0.79 | R2 | 8 | | | 1.00 | 9 |
| Henna | | | | | | | | |
| <i>Ledebouria cooperi</i> | HP | 1.45 | R2 | 8 | | | | |
| No Common Name Found | | | | | | | | |
| <i>Ledum decumbens</i> | | | | | | | | |
| See - <i>Ledum palustre</i> var. <i>decumbens</i> | | | | | | | | |
| <i>Ledum groenlandicum</i> | BS | 0.99 | R2 | | 3-8 | | 1.00 | 2 |
| Labrador Tea | | | | | | | | |
| <i>Ledum palustre</i> var. <i>decumbens</i> | BS | 1.00 | R2 | | 3-8 | | 1.00 | 2 |
| No Common Name Found | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Leea coccinea</i> West Indian Holly | FO | 0.96 | R2 | 8 | | 1.00 | 10 |
| <i>Leea coccinea</i> 'Rubra' Red West Indian Holly | FO | 0.80 | R2 | 8 | | 1.00 | 10 |
| <i>Leersia oryzoides</i> Rice Cutgrass | HP | 1.07 | R2 | | 3-8 | | |
| <i>Leiophyllum buxifolium</i> Sand Myrtle | BS | 0.86 | R2 | 3-5 | 6-8 | 1.00 | 5 |
| <i>Leitneria floridana</i> Corkwood | DT | 0.62 | R2 | 3-4 | 5-8 | 1.00 | 4 |
| <i>Leonotis leonurus</i> Lion's Ear | HP | 0.70 | R2 | 8 | | | |
| <i>Leontica triphylla</i> See - <i>Achlys triphylla</i> | | | | | | | |
| <i>Leontopodium alpinum</i> Edelweiss | HP | 1.09 | R2 | 3-5 | 6-7 | | |
| <i>Leontopodium ochroleucum</i> var. <i>campestre</i> No Common Name Found | HP | 1.00 | R2 | 3 | 4-8 | | |
| <i>Leontopodium palibinianum</i> See - <i>Leontopodium ochroleucum</i> var. <i>campestre</i> | | | | | | | |
| <i>Leonurus sibiricus</i> Motherwort | HP | 1.00 | R2 | 3-5 | 6-8 | | |
| <i>Lepechinia calycina</i> Pitcher Sage | BS | 0.58 | R1 | 7-8 | | 1.00 | 8 |
| <i>Lepechinia calycina</i> 'Rocky Point' Rocky Point Pitcher Sage | BS | 0.58 | R1 | 7-8 | | 1.00 | 8 |
| <i>Lepechinia hastata</i> Pakaha | BS | 0.58 | R1 | 7-8 | | 1.00 | 8 |
| <i>Lepidium nanum</i> Dwarf Pepper Grass | HP | 1.00 | R2 | 3-5 | 6-8 | | |
| <i>Leptinella gruveri</i> Miniature Brass Buttons | HP | 0.65 | R2 | 5-7 | | | |
| <i>Leptinella minor</i> Mini Faery Fern | HP | 1.00 | R2 | 3-7 | 8 | | |
| <i>Leptinella potentillina</i> Bronze Brass Buttons | HP | 1.00 | R2 | 4-6 | 7-8 | | |
| <i>Leptinella pusilla</i> Bronze Faery Fern | HP | 0.65 | R2 | 3-7 | 8 | | |
| <i>Leptinella pyrethriifolia</i> No Common Name Found | HP | 1.00 | R2 | 3-7 | 8 | | |
| <i>Leptinella squalida</i> No Common Name Found | HP | 0.81 | R2 | 3-7 | 8 | | |
| <i>Leptinella squalida</i> 'Platt's Black' Platt's Black Brass Buttons | HP | 0.85 | R2 | 3-7 | 8 | | |
| <i>Leptodactylon californicum</i> Prickly Phlox | HP | 1.16 | R2 | 3-7 | 8 | | |
| <i>Leptodermis oblonga</i> Himalayan Leptodermis | BS | 1.40 | R2 | 5-6 | 7-8 | 1.00 | 6 |
| <i>Leptospermum flavescens</i> See - <i>Leptospermum polygalifolium</i> | | | | | | | |
| <i>Leptospermum grandiflorum</i> No Common Name Found | BS | 0.61 | R2 | 8 | | 1.00 | 9 |
| <i>Leptospermum humifusum</i> See - <i>Leptospermum rupestre</i> | | | | | | | |
| <i>Leptospermum laevigatum</i> Australian Teatree | BS | 0.94 | R2 | 8 | | 1.00 | 9 |
| <i>Leptospermum laevigatum</i> 'Reevesii Compacta' Reeves Compact Australian Teatree | BS | 0.61 | R2 | 8 | | 1.00 | 9 |
| <i>Leptospermum petersonii</i> Peterson Teatree | BS | 0.61 | R2 | 8 | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Leptospermum polygalifolium</i> No Common Name Found | BS | 0.61 | R2 | 8 | | | 1.00 | 9 |
| <i>Leptospermum polygalifolium</i> 'Yarra River' Yarra River Teatree | BS | 0.61 | R2 | 8 | | | 1.00 | 9 |
| <i>Leptospermum rodwayanum</i> See - <i>Leptospermum grandiflorum</i> | | | | | | | | |
| <i>Leptospermum rotundifolium</i> Round-leaved Teatree | BS | 0.74 | R2 | 8 | | | 1.00 | 9 |
| <i>Leptospermum rotundifolium</i> 'Manning's Choice' Manning's Choice Round-leaved Teatree | BS | 0.61 | R2 | 8 | | | 1.00 | 9 |
| <i>Leptospermum rupestre</i> No Common Name Found | BS | 1.07 | R2 | 8 | | | 1.00 | 9 |
| <i>Leptospermum scoparium</i> New Zealand Teatree | BS | 0.79 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Apple Blossom' Apple Blossom Teatree | BS | 0.71 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Burgundy Queen' Burgundy Queen Teatree | BS | 0.68 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Crimson Glory' Crimson Glory Teatree | BS | 0.88 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Gaiety Girl' Gaiety Girl Teatree | BS | 0.72 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Helene Strybling' Helene Strybling Teatree | BS | 0.79 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Keatley' Keatley Teatree | BS | 0.61 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Martinii' Martini Teatree | BS | 1.06 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Nanum Ruru' Nanum Ruru Teatree | BS | 1.66 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Nanum Tui' Nanum Tui Teatree | BS | 0.79 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Pink Cascade' Pink Cascade Teatree | BS | 0.67 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Pink Pearl' Pink Pearl Teatree | BS | 0.67 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Red Ensign' Red Ensign Teatree | BS | 0.82 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Ruby Glow' Ruby Glow Teatree | BS | 0.76 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Snow White' Snow White Teatree | BS | 0.79 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Leptospermum scoparium</i> 'Winter Cheer' Winter Cheer Teatree | BS | 0.83 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Lespedeza bicolor</i> Shrub Bushclover | BS | 0.90 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Lespedeza bicolor</i> 'Avalanche' Avalanche Shrub Bushclover | BS | 0.81 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Lespedeza bicolor</i> 'Yakushima' Yakushima Shrub Bushclover | BS | 0.98 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Lespedeza capitata</i> Bushclover | HP | 1.43 | R1 | 3 | 4-8 | | | |
| <i>Lespedeza sieboldii</i> See - <i>Lespedeza thunbergii</i> | | | | | | | | |
| <i>Lespedeza thunbergii</i> Japanese Bushclover | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Lespedeza thunbergii</i> 'Alba' White Japanese Bushclover | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Lespedeza thunbergii</i> 'Edo Shibori' Tokyo Brocade Japanese Bushclover | HP | 1.11 | R2 | 3-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Lespedeza thunbergii</i> 'Gibraltar' Gibraltar Japanese Bushclover | HP | 0.86 | R2 | 3-6 | 7-8 | | | |
| <i>Lespedeza thunbergii</i> 'Pink Cascade' Pink Cascade Japanese Bushclover | HP | 0.93 | R2 | 3-6 | 7-8 | | | |
| <i>Lespedeza thunbergii</i> 'Samidare' Summer Showers Japanese Bushclover | HP | 1.12 | R2 | 3-6 | 7-8 | | | |
| <i>Lespedeza thunbergii</i> 'Spring Grove' P.P.A.F. Spring Grove™ Japanese Bushclover | HP | 0.96 | R2 | 3-6 | 7-8 | | | |
| <i>Lesquerella alpina</i> Alpine Bladderpod | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Lessingia filaginifolia</i> No Common Name Found | HP | 0.70 | R2 | 6-8 | | | | |
| <i>Lessingia filaginifolia</i> 'Silver Carpet' Silver Carpet Lessingia | HP | 0.70 | R2 | 6-8 | | | | |
| <i>Leucadendron</i> Leucadendron | BS | 0.71 | R2 | 8 | | | 1.00 | 9 |
| <i>Leucadendron</i> 'Red Gem' Red Gem Leucadendron | BS | 0.71 | R2 | 8 | | | 1.00 | 9 |
| <i>Leucadendron</i> 'Safari Sunset' Safari Sunset | BS | 0.71 | R2 | 8 | | | 1.00 | 9 |
| <i>Leucaena glauca</i> See - <i>Leucaena leucocephala</i> | | | | | | | | |
| <i>Leucaena leucocephala</i> Leadtree | BE | 1.00 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Leucaena retusa</i> Texas Goldball Leadtree | BE | 0.91 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Leucantheropsis alpina</i> Alpine Chrysanthemum | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Leucantheropsis alpina</i> ssp. <i>tomentosa</i> No Common Name Found | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Leucantherum maximum</i> See - <i>Leucantherum x superbum</i> | | | | | | | | |
| <i>Leucantherum paludosum</i> Paludosum Daisy | HP | 0.58 | R2 | 3-8 | | | | |
| <i>Leucantherum x superbum</i> Shasta Daisy | HP | 0.63 | R2 | 3-5 | 6-8 | | | |
| <i>Leucantherum x superbum</i> 'Aglaia' Aglaia Shasta Daisy | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Leucantherum x superbum</i> 'Alaska' Alaska Shasta Daisy | HP | 0.82 | R2 | 3-5 | 6-8 | | | |
| <i>Leucantherum x superbum</i> 'Angel Daisy' See - <i>Leucantherum x superbum</i> 'Angel' P.P. 14289 | | | | | | | | |
| <i>Leucantherum x superbum</i> 'Angel' P.P. 14289 Angel Daisy™ Shasta Daisy | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Leucantherum x superbum</i> 'Becky' Becky Shasta Daisy | HP | 0.91 | R2 | 3-5 | 6-8 | | | |
| <i>Leucantherum x superbum</i> 'Broadway Lights' See - <i>Leucantherum x superbum</i> 'Leumayel' P.P. 19242 | | | | | | | | |
| <i>Leucantherum x superbum</i> 'Cobham Gold' Cobham Gold Shasta Daisy | HP | 1.50 | R2 | 3-5 | 6-8 | | | |
| <i>Leucantherum x superbum</i> 'Crazy Daisy' Crazy Daisy Shasta Daisy | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Leucantherum x superbum</i> 'Darling' Darling Dwarf Shasta Daisy | HP | 0.91 | R2 | 3-5 | 6-8 | | | |
| <i>Leucantherum x superbum</i> 'Esther Read' Esther Read Shasta Daisy | HP | 0.94 | R2 | 3-5 | 6-8 | | | |
| <i>Leucantherum x superbum</i> 'Exhibition' Exhibition Shasta Daisy | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| <i>Leucantherum x superbum</i> 'Gold Rush' See - <i>Leucantherum x superbum</i> 'Leukal 01' P.P. 15204 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Leucanthemum x superbum</i> 'Goldrausch' | | | | | | | | |
| See - <i>Leucanthemum x superbum</i> 'Leukal 01' P.P. 15204 | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Highland White Dream' | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| Highland White Dream Shasta Daisy | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Ice Star' | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| Ice Star Shasta Daisy | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'July Daisy' | | | | | | | | |
| See - <i>Leucanthemum x superbum</i> 'Becky' | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Leukal 01' P.P. 15204 | HP | 1.33 | R2 | 3-5 | 6-8 | | | |
| Gold Rush Shasta Daisy | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Leumayel' P.P. 19242 | HP | 1.19 | R2 | 3-5 | 6-8 | | | |
| Broadway Lights™ Shasta Daisy | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Little Miss Muffet' | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| Little Miss Muffet Shasta Daisy | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Little Princess' | HP | 1.17 | R2 | 3-5 | 6-8 | | | |
| Little Princess Shasta Daisy | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Majestic' | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| Majestic Shasta Daisy | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Marconi' | HP | 1.18 | R2 | 3-5 | 6-8 | | | |
| Marconi Shasta Daisy | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Nordlich' | | | | | | | | |
| See - <i>Leucanthemum x superbum</i> 'Northern Lights' | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Northern Lights' | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| Northern Lights Shasta Daisy | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Polaris' | HP | 0.81 | R2 | 3-5 | 6-8 | | | |
| Polaris Shasta Daisy | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Silver Princess' | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| Silver Princess Shasta Daisy | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Snow Lady' | HP | 0.88 | R2 | 3-5 | 6-8 | | | |
| Snow Lady Shasta Daisy | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Snowcap' | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| Snowcap Shasta Daisy | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Snowdrift' | HP | 0.48 | R2 | 3-5 | 6-8 | | | |
| Snowdrift Shasta Daisy | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Starburst' | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| Starburst Shasta Daisy | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Summer Snowball' | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| Summer Snowball Shasta Daisy | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Sunny Side Up' P.P. 12837 | HP | 1.28 | R2 | 3-5 | 6-8 | | | |
| Sunny Side Up Shasta Daisy | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Switzerland' | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| Switzerland Shasta Daisy | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'T. E. Killin' | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| T.E. Killin Shasta Daisy | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Thomas E. Killeen' | | | | | | | | |
| See - <i>Leucanthemum x superbum</i> 'T. E. Killin' | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'White Knight' | HP | 0.63 | R2 | 3-5 | 6-8 | | | |
| White Knight Shasta Daisy | | | | | | | | |
| <i>Leucanthemum x superbum</i> 'Wirral Pride' | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| Wirral Price Shasta Daisy | | | | | | | | |
| <i>Leucanthemum vulgare</i> | HP | 0.55 | R2 | 3 | 4-8 | | | |
| Ox-Eye Daisy | | | | | | | | |
| <i>Leucanthemum vulgare</i> 'Filigran' | HP | 0.67 | R2 | 3 | 4-8 | | | |
| Filigran Ox-Eye Daisy | | | | | | | | |
| <i>Leucanthemum vulgare</i> 'Maikonigin' | HP | 0.79 | R2 | 3 | 4-8 | | | |
| May Queen Ox-Eye Daisy | | | | | | | | |
| <i>Leucanthemum vulgare</i> 'May Queen' | | | | | | | | |
| See - <i>Leucanthemum vulgare</i> 'Maikonigin' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Leucojum aestivum</i> Summer Snowflake | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Leucophyllum candidum</i> Violet Sage | BS | 0.75 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Leucophyllum candidum</i> 'Silver Cloud' Silver Cloud™ Violet Sage | BS | 0.94 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Leucophyllum candidum</i> 'Thunder Cloud' Thunder Cloud™ Violet Sage | BS | 1.32 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Leucophyllum frutescens</i> Texas Sage | BS | 0.60 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Leucophyllum frutescens</i> 'Alba' White Texas Sage | BS | 1.15 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Leucophyllum frutescens</i> 'Bertstar Dwarf' P.P. 10855 Silverado™ Texas Sage | BS | 0.96 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Leucophyllum frutescens</i> 'Compactum' Compact Texas Sage | BS | 0.76 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Leucophyllum frutescens</i> 'Convent' Convent Texas Sage | BS | 0.67 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Leucophyllum frutescens</i> 'Desperado' Desperado Texas Sage | BS | 1.20 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Leucophyllum frutescens</i> 'Green Cloud' Green Cloud TAMREP™ Texas Sage | BS | 0.84 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Leucophyllum frutescens</i> 'San Jose' San Jose Texas Sage | BS | 0.67 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Leucophyllum frutescens</i> 'Silverado' See - <i>Leucophyllum frutescens</i> 'Bertstar Dwarf' P.P. 10855 | | | | | | | | |
| <i>Leucophyllum frutescens</i> 'White Cloud' White Cloud Texas Sage | BS | 0.72 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Leucophyllum laevigatum</i> Chihuahuan Sage | BS | 1.05 | R2 | 8 | | | 1.00 | 9 |
| <i>Leucophyllum langmaniae</i> Texas Sage | BS | 0.64 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Leucophyllum langmaniae</i> 'Brave River' See - <i>Leucophyllum langmaniae</i> 'Rio Bravo' | | | | | | | | |
| <i>Leucophyllum langmaniae</i> 'Lynn's Everblooming' See - <i>Leucophyllum langmaniae</i> 'Lynn's Legacy' | | | | | | | | |
| <i>Leucophyllum langmaniae</i> 'Lynn's Legacy' Lynn's Legacy Texas Sage | BS | 1.34 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Leucophyllum langmaniae</i> 'Rio Bravo' Rio Bravo™ Texas Sage | BS | 1.30 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Leucophyllum prinosum</i> Fragrant Rain Sage | BS | 1.00 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Leucophyllum prinosum</i> 'Sierra Bouquet' Sierra Bouquet™ Fragrant Rain Sage | BS | 1.00 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Leucophyllum zygophyllum</i> Blue Ranger | BS | 0.87 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Leucophyllum zygophyllum</i> 'Cimarron' Cimarron™ Blue Ranger | BS | 1.32 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Leucophyta brownii</i> Cushionbush | BS | 0.64 | R2 | 8 | | | 1.00 | 9 |
| <i>Leucothoe axillaris</i> Coast Leucothoe | BS | 1.11 | R2 | 3-6 | 7-8 | | 0.85 | 6 |
| <i>Leucothoe axillaris</i> 'Dodd's Variegated' Dodd's Variegated Coast Leucothoe | BS | 0.90 | R2 | 3-6 | 7-8 | | 0.85 | 6 |
| <i>Leucothoe axillaris</i> 'Florida' Florida Coast Leucothoe | BS | 0.78 | R2 | 3-6 | 7-8 | | 0.85 | 6 |
| <i>Leucothoe axillaris</i> 'Greensprite' Greensprite Coast Leucothoe | BS | 1.18 | R2 | 3-6 | 7-8 | | 0.85 | 6 |
| <i>Leucothoe axillaris</i> 'Tricolor' P.P. 11008 Tricolor Coast Leucothoe | BS | 0.99 | R2 | 3-6 | 7-8 | | 0.85 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Leucothoe catesbaei</i> No Common Name Found | BS | 1.43 | R2 | 3-5 | 6-8 | | 0.60 | 5 |
| <i>Leucothoe fontanesiana</i> Drooping Leucothoe | BS | 1.22 | R2 | 3-5 | 6-7 | | 0.93 | 5 |
| <i>Leucothoe fontanesiana</i> 'Lovita' See - <i>Leucothoe fontanesiana</i> 'Zebonard' P.P. 5229 | BS | 1.47 | R2 | 3-5 | 6-7 | | 1.38 | 5 |
| <i>Leucothoe fontanesiana</i> 'Nana' Dwarf Drooping Leucothoe | BS | 1.12 | R2 | 3-5 | 6-7 | | 0.88 | 5 |
| <i>Leucothoe fontanesiana</i> 'Rainbow' Rainbow Drooping Leucothoe | BS | 1.63 | R2 | 3-5 | 6-7 | | 1.06 | 5 |
| <i>Leucothoe fontanesiana</i> 'Rollisoni' Rollison Drooping Leucothoe | BS | 1.33 | R2 | 3-5 | 6-7 | | 1.06 | 5 |
| <i>Leucothoe fontanesiana</i> 'Scarletta' See - <i>Leucothoe fontanesiana</i> 'Zeblid' P.P. 5195 | BS | 1.16 | R2 | 3-5 | 6-7 | | 1.06 | 5 |
| <i>Leucothoe fontanesiana</i> 'Zeblid' P.P. 5195 Scarletta Drooping Leucothoe | BS | 1.16 | R2 | 3-5 | 6-7 | | 1.06 | 5 |
| <i>Leucothoe fontanesiana</i> 'Zebonard' P.P. 5229 Lovita Drooping Leucothoe | BS | 1.05 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Leucothoe keiskei</i> Keisks Leucothoe | BS | 1.05 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Leucothoe keiskei</i> 'Royal Ruby' Royal Ruby Keisks Leucothoe | BS | 1.05 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Leucothoe populifolia</i> See - <i>Agarista populifolia</i> | | | | | | | | |
| <i>Leucothoe populifolia</i> 'Leprechaun' See - <i>Agarista populifolia</i> 'Taylor's Treasure' P.P. 13347 | DS | 1.14 | R2 | 3-5 | 6-8 | | 0.77 | 5 |
| <i>Leucothoe racemosa</i> Sweetbells | DS | 1.14 | R2 | 3-5 | 6-8 | | 0.77 | 5 |
| <i>Levisticum officinale</i> Lovage | HP | 0.46 | R2 | 3-4 | 5-8 | | | |
| <i>Lewisia</i> Lewisia | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Lewisia</i> 'Little Peach' See - <i>Lewisia longipetala</i> 'Little Peach' | | | | | | | | |
| <i>Lewisia</i> 'Little Plum' See - <i>Lewisia longipetala</i> 'Little Plum' | | | | | | | | |
| <i>Lewisia columbiana</i> Columbia Lewisia | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Lewisia columbiana</i> ssp. <i>rupicola</i> No Common Name Found | HP | 1.03 | R2 | 3-5 | 6-8 | | | |
| <i>Lewisia cotyledon</i> Rock Garden Lewisia | HP | 1.08 | R2 | 4-6 | 7-8 | | | |
| <i>Lewisia cotyledon</i> 'Pinkie' Pinkie Garden Lewisia | HP | 0.84 | R2 | 3-6 | 7-8 | | | |
| <i>Lewisia cotyledon</i> 'Rainbow' See - <i>Lewisia cotyledon</i> 'Regenbogen' | | | | | | | | |
| <i>Lewisia cotyledon</i> 'Regenbogen' Rainbow Mix Garden Lewisia | HP | 0.63 | R2 | 4-6 | 7-8 | | | |
| <i>Lewisia cotyledon</i> 'Sunset Strain' Sunset Strain Lewisia | HP | 0.81 | R2 | 4-6 | 7-8 | | | |
| <i>Lewisia leana</i> Lee's Lewisia | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Lewisia longipetala</i> Truckee Lewisia | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Lewisia longipetala</i> 'Little Peach' Little Peach Lewisia | HP | 0.63 | R2 | 3-4 | 5-8 | | | |
| <i>Lewisia longipetala</i> 'Little Plum' Little Plum Hybrid Lewisia | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Lewisia nevadensis</i> Nevada Lewisia | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Lewisia pygmaea</i> Little Lewisia | HP | 3.48 | R2 | 3 | 4-8 | | | |
| <i>Lewisia rediviva</i> Bitter Root | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Lewisia tweedyi</i> Tweedy Lewisia | HP | 3.48 | R2 | 3-4 | 5-8 | | | |
| <i>Leycesteria formosa</i> Himalayan Honeysuckle | BS | 0.83 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Leycesteria formosa</i> 'Golden Lanterns' See - <i>Leycesteria formosa</i> 'Notbruce' P.P.A.F. | BS | 1.25 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Leycesteria formosa</i> 'Notbruce' P.P.A.F. Golden Lanterns Himalayan Honeysuckle | HP | 1.32 | R2 | 3-5 | 6-8 | | | |
| <i>Leymus arenarius</i> Blue Lyme Grass | HP | 2.03 | R2 | 3 | 4-8 | | | |
| <i>Leymus cinereus</i> Basin Wildrye | HP | 0.67 | R2 | 3-7 | 8 | | | |
| <i>Leymus condensatus</i> Giant Wild Rye | HP | 0.71 | R2 | 3-7 | 8 | | | |
| <i>Leymus condensatus</i> 'Canyon Prince' Canyon Prince Giant Wild Rye | HP | 0.50 | R2 | 3-4 | 5-8 | | | |
| <i>Leymus mollis</i> American Ryegrass | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Leymus racemosus</i> Giant Blue Wild Rye | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Leymus racemosus</i> 'Glaucus' No Common Name Found | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Leymus secalinus</i> Blue Wild Rye | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Liatris aspera</i> Rough Gayfeather | HP | 1.31 | R2 | 3-4 | 5-8 | | | |
| <i>Liatris cylindracea</i> Cylindric Gayfeather | HP | 0.54 | R2 | 3-6 | 7-8 | | | |
| <i>Liatris gracilis</i> Slender Blazing Star | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Liatris graminifolia</i> Grassleaf Gayfeather | HP | 1.15 | R2 | 3 | 4-8 | | | |
| <i>Liatris ligulistylis</i> Meadow Blazing Star | HP | 0.78 | R2 | 3-6 | 7-8 | | | |
| <i>Liatris microcephala</i> No Common Name Found | HP | 1.30 | R2 | 3 | 4-8 | | | |
| <i>Liatris punctata</i> Dotted Gayfeather | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Liatris pycnostachya</i> Prairie Blazing Star | HP | 0.69 | R2 | 3 | 4-8 | | | |
| <i>Liatris pycnostachya</i> var. <i>alba</i> White Prairie Gayfeather | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Liatris scariosa</i> Tall Gayfeather | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Liatris scariosa</i> 'September Glory' September Glory Tall Gayfeather | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Liatris scariosa</i> 'White Spire' White Spire Tall Gayfeather | HP | 1.02 | R2 | 3 | 4-8 | | | |
| <i>Liatris spicata</i> Spike Gayfeather | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Liatris spicata</i> 'Alba' White Spike Gayfeather | HP | 1.03 | R2 | 3 | 4-8 | | | |
| <i>Liatris spicata</i> 'Floristan Violet' Floristan Violet Spike Gayfeather | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Liatris spicata</i> 'Floristan White' Floristan White Spike Gayfeather | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Liatrix spicata</i> 'Floristan' Floristan Spike Gayfeather | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Liatrix spicata</i> 'Kobold' Kobold Spike Gayfeather | HP | 1.01 | R2 | 3 | 4-8 | | | |
| <i>Liatrix spicata</i> 'Snow White' Snow White Spike Gayfeather | HP | 0.72 | R2 | 3 | 4-8 | | | |
| <i>Liatrix squarrosa</i> Scaly Blazing Star | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Liatrix tenuifolia</i> Shortleaf Gayfeather | HP | 0.45 | R1 | 3 | 4-8 | | | |
| <i>Liatrix tenuifolia</i> 'Chapman' Chapman's Shortleaf Gayfeather | HP | 0.45 | R1 | 3 | 4-8 | | | |
| <i>Libertia caerulea</i> No Common Name Found | HP | 1.03 | R2 | 3-8 | | | | |
| <i>Libertia grandiflora</i> No Common Name Found | HP | 0.93 | R2 | 3-8 | | | | |
| <i>Libertia peregrinans</i> No Common Name Found | HP | 0.95 | R2 | 5-8 | | | | |
| <i>Libertia peregrinans</i> 'Bronze Sword' Bronze Sword Libertia | HP | 1.63 | R2 | 5-8 | | | | |
| <i>Libocedrus decurrens</i> See - <i>Calocedrus decurrens</i> | | | | | | | | |
| <i>Licania michauxii</i> Gopher Apple | GC | 0.77 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Ligularia</i> Ligularia | HP | 1.32 | R2 | 3-4 | 5-8 | | | |
| <i>Ligularia</i> 'Gregynog Gold' Gregynog Gold Ligularia | HP | 1.34 | R2 | 3-4 | 5-8 | | | |
| <i>Ligularia</i> 'Little Rocket' P.P. 14621 Little Rocket Ligularia | HP | 1.29 | R2 | 3-4 | 5-8 | | | |
| <i>Ligularia dentata</i> Bingleaf Ligularia | HP | 1.23 | R2 | 3-4 | 5-8 | | | |
| <i>Ligularia dentata</i> 'Britt-Marie Crawford' P.P. 16113 Britt-Marie Crawford Bingleaf Ligularia | HP | 1.54 | R2 | 3-4 | 5-8 | | | |
| <i>Ligularia dentata</i> 'Desdemona' Desdemona Bingleaf Ligularia | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Ligularia dentata</i> 'Othello' Othello Bingleaf Ligularia | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Ligularia x hessei</i> Hess Ligularia | HP | 1.27 | R2 | 3-5 | 6-8 | | | |
| <i>Ligularia x hessei</i> 'Laternchen' P.P. 16026 Laternchen Hess Ligularia | HP | 1.27 | R2 | 3-5 | 6-8 | | | |
| <i>Ligularia japonica</i> No Common Name Found | HP | 1.06 | R2 | 3-5 | 6-8 | | | |
| <i>Ligularia palmatiloba</i> No Common Name Found | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Ligularia przewalskii</i> Shavalski's Ligularia | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Ligularia przewalskii</i> 'The Rocket' The Rocket Shavalski's Ligularia | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Ligularia stenocephala</i> Narrow-spiked Ligularia | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Ligularia tussilaginea</i> See - <i>Farfugium japonicum</i> | | | | | | | | |
| <i>Ligularia wilsoniana</i> Giant Groundsel | HP | 0.97 | R2 | 3-5 | 6-8 | | | |
| <i>Ligustrum amurense</i> Amur Privet | BS | 0.97 | R2 | 3-4 | 5-8 | | 0.20 | 3 |
| <i>Ligustrum coriaceum</i> See - <i>Ligustrum japonicum</i> 'Rotundifolium' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Ligustrum x ibolium</i> Ibolium Privet | BS | 0.98 | R2 | 3-4 | 5-8 | | 0.25 | 4 |
| <i>Ligustrum x ibolium</i> 'Variegatum' Variegated Ibolium Privet | BS | 1.16 | R2 | 3-4 | 5-8 | | 0.25 | 4 |
| <i>Ligustrum japonicum</i> Japanese Privet | BS | 0.80 | R2 | 5-7 | 8 | | 0.83 | 7 |
| <i>Ligustrum japonicum</i> 'East Bay' East Bay Weeping Japanese Privet | BS | 0.86 | R2 | 5-7 | 8 | | 1.24 | 7 |
| <i>Ligustrum japonicum</i> 'Gold Tip' Gold Tip Japanese Privet | BS | 0.73 | R2 | 5-7 | 8 | | 1.24 | 7 |
| <i>Ligustrum japonicum</i> 'Green Meatball' Green Meatball Japanese Privet | BS | 0.91 | R2 | 5-7 | 8 | | 1.24 | 7 |
| <i>Ligustrum japonicum</i> 'Howard' Howard Japanese Privet | BS | 0.71 | R2 | 5-7 | 8 | | 2.41 | 7 |
| <i>Ligustrum japonicum</i> 'Jack Frost' Jack Frost Japanese Privet | BS | 0.65 | R2 | 5-7 | 8 | | 1.04 | 7 |
| <i>Ligustrum japonicum</i> 'Korean Choice' Korean Choice Dwarf Japanese Privet | BS | 1.54 | R2 | 5-7 | 8 | | 1.24 | 7 |
| <i>Ligustrum japonicum</i> 'Lake Tresca' Lake Tresca Japanese Privet | BS | 0.71 | R2 | 5-7 | 8 | | 1.24 | 7 |
| <i>Ligustrum japonicum</i> 'Nobilis' Noble Japanese Privet | BS | 0.92 | R2 | 5-7 | 8 | | 1.24 | 7 |
| <i>Ligustrum japonicum</i> 'Rotundifolium' Curlyleaf Japanese Privet | BS | 0.87 | R2 | 5-7 | 8 | | 1.30 | 7 |
| <i>Ligustrum japonicum</i> 'Silver Star' P.P. 3026 Silver Star Japanese Privet | BS | 0.54 | R2 | 5-7 | 8 | | 1.24 | 7 |
| <i>Ligustrum japonicum</i> 'Suwanee River' Suwanee River Japanese Privet | BS | 0.94 | R2 | 5-7 | 8 | | 1.24 | 7 |
| <i>Ligustrum japonicum</i> 'Texanum' Texan Japanese Privet | BS | 0.88 | R2 | 5-7 | 8 | | 0.63 | 7 |
| <i>Ligustrum japonicum</i> 'Variegatum' Variegated Japanese Privet | BS | 0.71 | R2 | 5-7 | 8 | | 1.24 | 7 |
| <i>Ligustrum lucidum</i> Glossy Privet | BE | 0.74 | R2 | 5-7 | 8 | 0.87 | 0.92 | 7 |
| <i>Ligustrum lucidum</i> 'Davison Hardy' Davison Hardy Glossy Privet | BE | 0.63 | R2 | 5-7 | 8 | 0.87 | 0.64 | 7 |
| <i>Ligustrum lucidum</i> 'Recurvifolium' Crinkleleaf Glossy Privet | BE | 0.68 | R2 | 5-7 | 8 | 0.87 | 1.05 | 7 |
| <i>Ligustrum lucidum</i> 'Repandum' Spreading Glossy Privet | BE | 0.76 | R2 | 5-7 | 8 | 0.87 | 0.87 | 7 |
| <i>Ligustrum lucidum</i> 'Tricolor' Tricolor Glossy Privet | BE | 0.44 | R2 | 5-7 | 8 | 0.87 | 0.87 | 7 |
| <i>Ligustrum obtusifolium</i> Border Privet | DS | 1.00 | R1 | 3 | 4-7 | | 1.00 | 3 |
| <i>Ligustrum obtusifolium</i> var. <i>regelianum</i> Regel's Border Privet | DS | 0.94 | R1 | 3 | 4-7 | | 0.64 | 3 |
| <i>Ligustrum ovalifolium</i> California Privet | BS | 0.74 | R2 | 3-5 | 6-8 | | 0.36 | 5 |
| <i>Ligustrum ovalifolium</i> 'Aureum' Gold California Privet | BS | 0.81 | R2 | 3-5 | 6-8 | | 0.36 | 5 |
| <i>Ligustrum sinense</i> Chinese Privet | BS | 0.80 | R2 | 5-7 | 8 | | 0.31 | 7 |
| <i>Ligustrum sinense</i> 'Swift Creek' Swift Creek Chinese Privet | BS | 0.78 | R2 | 5-7 | 8 | | 0.42 | 7 |
| <i>Ligustrum sinense</i> 'Variegatum' Variegated Chinese Privet | BS | 0.68 | R2 | 5-7 | 8 | | 0.52 | 7 |
| <i>Ligustrum sinense</i> 'Wimbei' Wimbei Chinese Privet | BS | 0.68 | R2 | 5-7 | 8 | | 0.42 | 7 |
| <i>Ligustrum texanum</i> See - <i>Ligustrum japonicum</i> 'Texanum' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Ligustrum x vicaryi</i> Golden Vicary Privet | DS | 1.02 | R2 | 3-5 | 6-8 | | 0.74 | 5 |
| <i>Ligustrum x vicaryi</i> 'Hillside' Hillside Golden Vicary Privet | DS | 1.02 | R2 | 3-5 | 6-8 | | 0.74 | 5 |
| <i>Ligustrum vulgare</i> Common Privet | DS | 0.84 | R1 | 3-4 | 5-8 | | 1.13 | 4 |
| <i>Ligustrum vulgare</i> 'Cheyenne' Cheyenne Common Privet | DS | 0.95 | R1 | 3-4 | 5-8 | | 0.49 | 4 |
| <i>Ligustrum vulgare</i> 'Lodense' Lodense Common Privet | DS | 0.96 | R1 | 3-4 | 5-8 | | 0.96 | 4 |
| <i>Lilium</i> Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Acapulco' Acapulco Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Admiration' Admiration Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'African Queen' African Queen Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Arena' Arena Lily | HP | 1.10 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Avignon' Avignon Lily | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Avocado' Avocado Oriental-Trumpet Hybrid Lily | HP | 1.68 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Black Dragon' Black Dragon Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Black Jack' Black Jack Asiatic Lily | HP | 0.77 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Bright Pixie' Bright Pixie Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Buff Pixie' Buff Pixie Lily | HP | 1.01 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Butter Pixie' Butter Pixie Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Cameleon' Cameleon Asiatic Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Casablanca' Casablanca Oriental Lily | HP | 0.88 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Choice' Choice Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Citronella' Citronella Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Conca d' Or' Conca d' Or® Oriental-Trumpet Hybrid Lily | HP | 1.64 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Connecticut Beauty' Connecticut Beauty Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Connecticut King' Connecticut King Lily | HP | 1.16 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Corina' Corina Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Cote d'Azur' Cote d'Azur Lily | HP | 0.99 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Crimson Elegance' Crimson Elegance Oriental Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Crimson Pixie' Crimson Pixie Lily | HP | 1.12 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Crimson Sun' Crimson Sun Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Dandy' Dandy Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Lilium</i> 'Denia' Denia Asiatic Lily | HP | 0.98 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Enchantment' Enchantment Asiatic Lily | HP | 1.10 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Fireking' Fireking Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Fopapo' Fopapo Lily | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Geneve' Geneve Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Gluhwein' Gluhwein Oriental-Trumpet Hybrid Lily | HP | 1.64 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Golden Elegance' Golden Elegance Oriental Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Golden Melody' Golden Melody Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Golden Pixie' Golden Pixie Asiatic Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Golden Splendor' Golden Splendor Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Grand Cru' Grand Cru Asiatic Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Horizon' Horizon Lily | HP | 0.72 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Le Reve' Le Reve Lily | HP | 1.10 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Lemon Pixie' Lemon Pixie Lily | HP | 1.11 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Lush Life' Lush Life Oriental Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Maywood' Maywood® Oriental-Trumpet Hybrid Lily | HP | 1.60 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Miss America' Miss America Lily | HP | 1.98 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Miss Burma' Miss Burma Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Mona Lisa' Mona Lisa Lily | HP | 1.02 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Mont Blanc' Mont Blanc Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Monte Negro' Monte Negro Lily | HP | 0.83 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Monte Rosa' Monte Rosa Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Montreux' Montreux Lily | HP | 1.16 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Olympic' Olympic Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Orange Electric' Orange Electric Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Orange Pixie' Orange Pixie Lily | HP | 1.01 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Painted Pixie' Painted Pixie Lily | HP | 1.19 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Paris' Paris Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Partner' Partner Lily | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Peach Blush' Peach Blush Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Lilium</i> 'Peach Pixie' Peach Pixie Lily | HP | 1.13 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Pink Perfection' Pink Perfection Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Pink Pixie' Pink Pixie Lily | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Plenty M' Plenty M Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Plenty' Plenty Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Prestige' Prestige Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Red Dwarf' Red Dwarf Lily | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Red Pixie' Red Pixie Lily | HP | 1.01 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Reinesse' Reinesse Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Rodolfa' Rodolfa Oriental Lily | HP | 0.77 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Roma' Roma Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Rose Elegance' Rose Elegance Oriental Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Rosita' Rosita Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Rouge Pixie' Rouge Pixie Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Ruud' Ruud Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Shocking' Shocking Oriental-Trumpet Hybrid Lily | HP | 1.60 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Socrates' Socrates® Oriental-Trumpet Hybrid Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Star Gazer' Star Gazer Lily | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Sterling Star' Sterling Star Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Sunray' Sunray Lily | HP | 0.83 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Symphony' Symphony Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Tap Toe' Tap Toe Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Tarragona' Tarragona Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Tiber' Tiber Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Tiny Bee' P.P. 16255 Tiny Bee Asiatic Hybrid Lily | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Tiny Dino' P.P. 16307 Tiny Dino Asiatic Hybrid Lily | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Tiny Ghost' P.P. 16161 Tiny Ghost Asiatic Hybrid Lily | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Tiny Hope' P.P. 16239 Tiny Hope Asiatic Hybrid Lily | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Tiny Nanny' P.P. 17640 Tiny Nanny Asiatic Hybrid Lily | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Tiny Snowflake' P.P. 17621 Tiny Snowflake Asiatic Hybrid Lily | HP | 0.92 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Lilium</i> 'Tiny Todd' P.P. 16170 Tiny Todd Asiatic Hybrid Lily | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Tiny Toes' P.P. 17631 Tiny Toes Asiatic Hybrid Lily | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Toscana' Toscana Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Tropical' Tropical Oriental-Trumpet Hybrid Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Uchida' Uchida Lily | HP | 1.15 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Vice Versa' Vice Versa Oriental-Trumpet Hybrid Lily | HP | 1.62 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'White Pixie' White Pixie Lily | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium</i> 'Yellow Pixie' Yellow Pixie Lily | HP | 1.12 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium auratum</i> var. <i>platyphyllum</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium auratum</i> var. <i>platyphyllum</i> 'Kimona' Kimona Goldband Lily | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium canadense</i> Canada Lily | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium catesbaei</i> Catesby's Lily | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium columbianum</i> Columbia Lily | HP | 0.72 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium formosanum</i> Formosa Lily | HP | 0.79 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium humboldtii</i> Humboldt Lily | HP | 1.86 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium lancifolium</i> Tiger Lily | HP | 1.13 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium lancifolium</i> 'Orange' Orange Tiger Lily | HP | 1.13 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium lancifolium</i> 'Pink' Pink Tiger Lily | HP | 1.13 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium lancifolium</i> 'Red' Red Tiger Lily | HP | 1.13 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium lancifolium</i> 'White' White Tiger Lily | HP | 1.13 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium lancifolium</i> 'Yellow' Yellow Tiger Lily | HP | 1.13 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium lancifolium</i> var. <i>flaviflorum</i> No Common Name Found | HP | 1.15 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium lancifolium</i> var. <i>flaviflorum</i> 'Yellow Star' Yellow Star Tiger Lily | HP | 1.15 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium lancifolium</i> var. <i>splendens</i> Splendens Tiger Lily | HP | 0.99 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium longiflorum</i> Trumpet Lily | HP | 2.04 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium longiflorum</i> 'Croft' Croft Easter Lily | HP | 2.04 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium martagon</i> Turk's Cap Lily | HP | 1.85 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium michiganense</i> Michigan Lily | HP | 2.50 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium pardalinum</i> Leopard Lily | HP | 1.62 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium parryi</i> Lemon Lily | HP | 1.00 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Lilium pumilum</i> Coral Lily | HP | 1.50 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium regale</i> Regal Lily | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium speciosum</i> Showy Lily | HP | 0.76 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium speciosum</i> 'Barracuda' Barracuda Showy Lily | HP | 0.76 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium speciosum</i> 'Grand Commander' Grand Commander Showy Lily | HP | 0.76 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium speciosum</i> 'Rubrum' Red Showy Lily | HP | 0.76 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium speciosum</i> 'San Souci' San Souci Showy Lily | HP | 0.76 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium superbum</i> American Turk's Cap Lily | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Lilium tigrinum</i> See - <i>Lilium lancifolium</i> | | | | | | | | |
| <i>Limonium bellidifolium</i> Caspian Statice | HP | 1.00 | R2 | 3-7 | 8 | | | |
| <i>Limonium binervosum</i> Two Nerve Statice | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Limonium gmelinii</i> Siberian Statice | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Limonium incanum</i> See - <i>Goniolimon callicomum</i> | | | | | | | | |
| <i>Limonium latifolium</i> Sea Lavender | HP | 0.78 | R2 | 3-4 | 5-8 | | | |
| <i>Limonium latifolium</i> 'Violetta' Violetta Sea Lavender | HP | 0.78 | R2 | 3-4 | 5-8 | | | |
| <i>Limonium minutum</i> No Common Name Found | HP | 0.80 | R2 | 5-8 | | | | |
| <i>Limonium perezii</i> Perez Statice | HP | 0.97 | R2 | 8 | | | | |
| <i>Limonium reticulatum</i> See - <i>Limonium bellidifolium</i> | | | | | | | | |
| <i>Limonium tataricum</i> See - <i>Goniolimon tataricum</i> | | | | | | | | |
| <i>Linaria aequitriloba</i> See - <i>Cymbalaria aequitriloba</i> | | | | | | | | |
| <i>Linaria alpina</i> Alpine Toadflax | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Linaria cymbalaria</i> See - <i>Cymbalaria muralis</i> | | | | | | | | |
| <i>Linaria lobata</i> White Toadflax | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Linaria lobatus</i> See - <i>Linaria lobata</i> | | | | | | | | |
| <i>Linaria maroccana</i> Morocco Toadflax | AN | 1.00 | R2 | 6-8 | | | | |
| <i>Linaria purpurea</i> Purple Toadflax | HP | 0.65 | R2 | 3-5 | 6-8 | | | |
| <i>Linaria purpurea</i> 'Canon J. Went' Canon J. Went Purple Toadflax | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Linaria supina</i> No Common Name Found | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Linaria vulgaris</i> Butter and Eggs | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Lindera benzoin</i> Spicebush | DS | 1.00 | R2 | 3-5 | 6-8 | | 0.85 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Lindneria grandifolia</i> Angel Tears | HP | 0.60 | R2 | 8 | | | | |
| <i>Linnaea borealis</i> No Common Name Found | HP | 0.90 | R2 | | | 3-8 | | |
| <i>Linum</i> Flax | HP | 1.00 | R2 | 3-6 | | 7-8 | | |
| <i>Linum</i> 'Gemmell's Hybrid' Gemmell's Hybrid Flax | HP | 1.00 | R2 | 3-6 | | 7-8 | | |
| <i>Linum bulgaricum</i> See - <i>Linum tauricum</i> | | | | | | | | |
| <i>Linum flavum</i> Golden Flax | HP | 0.64 | R2 | 3-5 | | 6-8 | | |
| <i>Linum flavum</i> 'Compactum' Compact Golden Flax | HP | 0.64 | R2 | 3-5 | | 6-8 | | |
| <i>Linum grandiflorum</i> Flowering Flax | AN | 1.00 | R2 | 5-8 | | | | |
| <i>Linum kingii</i> var. <i>sedoides</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | | 6-8 | | |
| <i>Linum lewisii</i> See - <i>Linum perenne</i> ssp. <i>lewisii</i> | | | | | | | | |
| <i>Linum narbonense</i> Narbonne Flax | HP | 0.83 | R2 | 3-5 | | 6-8 | | |
| <i>Linum perenne</i> Perennial Flax | HP | 0.72 | R2 | 3-6 | | 7-8 | | |
| <i>Linum perenne</i> 'Alba' White Perennial Flax | HP | 0.81 | R2 | 3-6 | | 7-8 | | |
| <i>Linum perenne</i> 'Diamant White' Diamant White Perennial Flax | HP | 0.87 | R2 | 3-6 | | 7-8 | | |
| <i>Linum perenne</i> 'Saphyr' Saphyr Perennial Flax | HP | 0.82 | R2 | 3-6 | | 7-8 | | |
| <i>Linum perenne</i> ssp. <i>lewisii</i> Prairie Flax | HP | 1.52 | R2 | 3-6 | | 7-8 | | |
| <i>Linum suffruticosum</i> ssp. <i>salsoloides</i> Russian Thistle Flax | HP | 1.00 | R2 | 3-5 | | 6-8 | | |
| <i>Linum suffruticosum</i> ssp. <i>salsoloides</i> 'Nanum' Dwarf Russian Thistle Flax | HP | 1.00 | R2 | 3-5 | | 6-8 | | |
| <i>Linum tauricum</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | | 6-8 | | |
| <i>Lippia graveolens</i> Mexican Oregano | HP | 0.49 | R2 | 7-8 | | | | |
| <i>Liquidambar acalycina</i> Chinese Sweetgum | DT | 1.10 | R1 | 5-6 | | 7-8 | 0.85 | 1.23 6 |
| <i>Liquidambar acalycina</i> 'Burgundy Flush' Burgundy Flush Chinese Sweetgum | DT | 1.10 | R1 | 5-6 | | 7-8 | 0.85 | 0.45 6 |
| <i>Liquidambar formosana</i> Formosan Gum | DT | 0.78 | R1 | 5-7 | | 8 | 1.00 | 1.00 7 |
| <i>Liquidambar orientalis</i> Oriental Sweetgum | DT | 0.81 | R1 | 5-7 | | 8 | 1.00 | 1.00 7 |
| <i>Liquidambar styraciflua</i> American Sweetgum | DT | 0.83 | R1 | 3-5 | | 6-8 | 0.90 | 1.08 5 |
| <i>Liquidambar styraciflua</i> 'Aurora' Aurora American Sweetgum | DT | 1.35 | R1 | 3-5 | | 6-8 | 0.67 | 0.69 5 |
| <i>Liquidambar styraciflua</i> 'Burgundy' Burgundy™ American Sweetgum | DT | 1.11 | R1 | 3-5 | | 6-8 | 1.32 | 0.67 5 |
| <i>Liquidambar styraciflua</i> 'Cherokee' See - <i>Liquidambar styraciflua</i> 'Ward' P.P. 10027 | | | | | | | | |
| <i>Liquidambar styraciflua</i> 'Clydesform' P.P. 10676 Emerald Sentinel™ American Sweetgum | DT | 1.13 | R1 | 3-5 | | 6-8 | 1.10 | 0.86 5 |
| <i>Liquidambar styraciflua</i> 'Emerald Sentinel' See - <i>Liquidambar styraciflua</i> 'Clydesform' P.P. 10676 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Liquidambar styraciflua</i> 'Festival' Festival American Sweetgum | DT | 1.12 | R1 | 3-5 | 6-8 | 1.03 | 0.69 | 5 |
| <i>Liquidambar styraciflua</i> 'Goduzam' Gold Dust® American Sweetgum | DT | 1.19 | R1 | 3-5 | 6-8 | 1.12 | 0.69 | 5 |
| <i>Liquidambar styraciflua</i> 'Gold Dust' See - <i>Liquidambar styraciflua</i> 'Goduzam' | | | | | | | | |
| <i>Liquidambar styraciflua</i> 'Grandmaster' See - <i>Liquidambar styraciflua</i> 'Grazam' | | | | | | | | |
| <i>Liquidambar styraciflua</i> 'Grazam' Grandmaster™ American Sweetgum | DT | 1.21 | R1 | 3-5 | 6-8 | 1.24 | 0.69 | 5 |
| <i>Liquidambar styraciflua</i> 'Gumball' Gumball American Sweetgum | DT | 1.21 | R1 | 3-5 | 6-8 | 1.03 | 0.69 | 5 |
| <i>Liquidambar styraciflua</i> 'Hapdell' Happidaze American Sweetgum | DT | 1.04 | R1 | 3-5 | 6-8 | 0.97 | 0.36 | 5 |
| <i>Liquidambar styraciflua</i> 'Happidaze' See - <i>Liquidambar styraciflua</i> 'Hapdell' | | | | | | | | |
| <i>Liquidambar styraciflua</i> 'Lane Roberts' Lane Roberts American Sweetgum | DT | 1.26 | R1 | 3-5 | 6-8 | 0.90 | 0.69 | 5 |
| <i>Liquidambar styraciflua</i> 'Moraine' P.P. 4601 Moraine American Sweetgum | DT | 1.31 | R1 | 3-5 | 6-8 | 1.12 | 0.48 | 5 |
| <i>Liquidambar styraciflua</i> 'Palo Alto' Palo Alto American Sweetgum | DT | 1.18 | R1 | 3-5 | 6-8 | 0.89 | 0.69 | 5 |
| <i>Liquidambar styraciflua</i> 'Rotundiloba' Rotundiloba Fruitless American Sweetgum | DT | 1.06 | R1 | 3-5 | 6-8 | 1.00 | 0.74 | 5 |
| <i>Liquidambar styraciflua</i> 'Silver King' Silver King American Sweetgum | DT | 1.44 | R1 | 3-5 | 6-8 | 1.01 | 0.69 | 5 |
| <i>Liquidambar styraciflua</i> 'Slender Silhouette' Slender Silhouette American Sweetgum | DT | 1.06 | R1 | 3-5 | 6-8 | 1.21 | 0.98 | 5 |
| <i>Liquidambar styraciflua</i> 'Variegata' Variegated American Sweetgum | DT | 1.70 | R1 | 3-5 | 6-8 | 1.03 | 0.69 | 5 |
| <i>Liquidambar styraciflua</i> 'Ward' P.P. 10027 Cherokee® American Sweetgum | DT | 1.36 | R1 | 3-5 | 6-8 | 0.97 | 0.62 | 5 |
| <i>Liquidambar styraciflua</i> 'Worplesdon' Worplesdon American Sweetgum | DT | 1.15 | R1 | 3-5 | 6-8 | 1.02 | 0.41 | 5 |
| <i>Liriodendron tulipifera</i> Tulip Tree | DT | 0.86 | R1 | 3-4 | 5-8 | 0.83 | 0.74 | 4 |
| <i>Liriodendron tulipifera</i> 'Arnold' See - <i>Liriodendron tulipifera</i> 'Fastigiatum' | | | | | | | | |
| <i>Liriodendron tulipifera</i> 'Aureo-marginatum' Majestic Beauty™ Variegated Tulip Tree | DT | 1.28 | R1 | 3-4 | 5-8 | 1.39 | 0.88 | 4 |
| <i>Liriodendron tulipifera</i> 'Fastigiatum' Arnold Columnar Tulip Tree | DT | 1.04 | R1 | 3-4 | 5-8 | 1.19 | 0.81 | 4 |
| <i>Liriodendron tulipifera</i> 'Majestic Beauty' See - <i>Liriodendron tulipifera</i> 'Aureo-marginatum' | | | | | | | | |
| <i>Liriope gigantea</i> Giant Lilyturf | HP | 0.87 | R2 | 5 | 6-8 | | | |
| <i>Liriope gigantea</i> 'Merton Jacobs' P.P. 12068 Supergreen Giant™ Lilyturf | HP | 0.73 | R2 | 6-8 | | | | |
| <i>Liriope gigantea</i> 'Super Green Giant' See - <i>Liriope gigantea</i> 'Merton Jacobs' P.P. 12068 | | | | | | | | |
| <i>Liriope gigantea</i> 'Supergreen Giant' See - <i>Liriope gigantea</i> 'Merton Jacobs' P.P. 12068 | | | | | | | | |
| <i>Liriope graminifolia</i> No Common Name Found | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Liriope graminifolia</i> var. <i>densiflora</i> See - <i>Liriope muscari</i> | | | | | | | | |
| <i>Liriope muscari</i> Blue Lilyturf | HP | 0.63 | R2 | 5-6 | 7-8 | | | |
| <i>Liriope muscari</i> 'Aztec Gold' Aztec Gold Blue Lilyturf | HP | 0.39 | R2 | 5-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Liriope muscari</i> 'Aztec' | | | | | | | | |
| See - <i>Ophiopogon intermedius</i> 'Argenteomarginatus' | | | | | | | | |
| <i>Liriope muscari</i> 'Big Blue' | HP | 0.78 | R2 | 5-6 | 7-8 | | | |
| Big Blue Blue Lilyturf | | | | | | | | |
| <i>Liriope muscari</i> 'Bigun' P.P. 15474 | HP | 0.79 | R2 | 5-6 | 7-8 | | | |
| Cleopatra™ Blue Lilyturf | | | | | | | | |
| <i>Liriope muscari</i> 'Christmas Tree' | HP | 0.45 | R2 | 5-6 | 7-8 | | | |
| Christmas Tree Blue Lilyturf | | | | | | | | |
| <i>Liriope muscari</i> 'Cleopatra' | | | | | | | | |
| See - <i>Liriope muscari</i> 'Bigun' P.P. 15474 | | | | | | | | |
| <i>Liriope muscari</i> 'Emerald Goddess' | | | | | | | | |
| See - <i>Liriope muscari</i> 'Love Potion No. 13' P.P. 15471 | | | | | | | | |
| <i>Liriope muscari</i> 'Evergreen Giant' | HP | 0.66 | R2 | 5-6 | 7-8 | | | |
| Evergreen Giant Blue Lilyturf | | | | | | | | |
| <i>Liriope muscari</i> 'Gold Banded' | HP | 0.78 | R2 | 5-6 | 7-8 | | | |
| Gold Banded Blue Lilyturf | | | | | | | | |
| <i>Liriope muscari</i> 'John Burch' | HP | 0.53 | R2 | 5-6 | 7-8 | | | |
| John Burch Blue Lilyturf | | | | | | | | |
| <i>Liriope muscari</i> 'Lilac Beauty' | HP | 1.44 | R2 | 5-6 | 7-8 | | | |
| Lilac Beauty Blue Lilyturf | | | | | | | | |
| <i>Liriope muscari</i> 'Love Potion No. 13' P.P. 15471 | HP | 1.07 | R2 | 5-6 | 7-8 | | | |
| Emerald Goddess™ Blue Lilyturf | | | | | | | | |
| <i>Liriope muscari</i> 'Majestic' | HP | 0.86 | R2 | 5-6 | 7-8 | | | |
| Majestic Blue Lilyturf | | | | | | | | |
| <i>Liriope muscari</i> 'Monroe White' | HP | 0.74 | R2 | 5-6 | 7-8 | | | |
| Monroe White Blue Lilyturf | | | | | | | | |
| <i>Liriope muscari</i> 'Pee Dee Ingot' | HP | 1.11 | R2 | 5-6 | 7-8 | | | |
| Gold Ingot Lilyturf | | | | | | | | |
| <i>Liriope muscari</i> 'Royal Purple' | HP | 0.70 | R2 | 5-6 | 7-8 | | | |
| Royal Purple Blue Lilyturf | | | | | | | | |
| <i>Liriope muscari</i> 'Samantha' | HP | 0.58 | R2 | 5-6 | 7-8 | | | |
| Samantha Blue Lilyturf | | | | | | | | |
| <i>Liriope muscari</i> 'Silver Midget' | HP | 0.47 | R2 | 5-6 | 7-8 | | | |
| Silver Midget Blue Lilyturf | | | | | | | | |
| <i>Liriope muscari</i> 'Silvery Sunproof' | HP | 1.21 | R2 | 5-6 | 7-8 | | | |
| Silvery Sunproof Blue Lilyturf | | | | | | | | |
| <i>Liriope muscari</i> 'Super Blue' | HP | 0.41 | R2 | 5-6 | 7-8 | | | |
| Super Blue Lilyturf | | | | | | | | |
| <i>Liriope muscari</i> 'Variegata' | HP | 0.67 | R2 | 5-6 | 7-8 | | | |
| Variegated Blue Lilyturf | | | | | | | | |
| <i>Liriope muscari</i> 'Webster Wideleaf' | HP | 0.56 | R2 | 5-6 | 7-8 | | | |
| Webster Wideleaf Blue Lilyturf | | | | | | | | |
| <i>Liriope spicata</i> | HP | 0.60 | R2 | 4-6 | 7-8 | | | |
| Creeping Lilyturf | | | | | | | | |
| <i>Liriope spicata</i> 'Franklin Mint' | HP | 0.81 | R2 | 4-6 | 7-8 | | | |
| Franklin Mint Creeping Lilyturf | | | | | | | | |
| <i>Liriope spicata</i> 'Silver Dragon' | HP | 1.01 | R2 | 4-6 | 7-8 | | | |
| Silver Dragon Creeping Lilyturf | | | | | | | | |
| <i>Lisianthus nigrescens</i> | BS | 0.45 | R2 | 8 | | | 1.00 | 9 |
| Flor de Muerto | | | | | | | | |
| <i>Litchi chinensis</i> | FN | 1.28 | R2 | 8 | | 1.00 | 2.50 | 9 |
| Lychee | | | | | | | | |
| <i>Lithocarpus densiflorus</i> | BE | 0.65 | R2 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| Tanbark Oak | | | | | | | | |
| <i>Lithocarpus edulis</i> | BE | 0.85 | R2 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| Japanese False Oak | | | | | | | | |
| <i>Lithodora diffusa</i> | HP | 0.57 | R2 | 5-6 | 7-8 | | | |
| Acidsoil Lithodora | | | | | | | | |
| <i>Lithodora diffusa</i> 'Grace Ward' | HP | 0.73 | R2 | 5-6 | 7-8 | | | |
| Grace Ward Acidsoil Lithodora | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Lithodora diffusa</i> 'Heavenly Blue' Heavenly Blue Acidsoil Lithodora | HP | 0.72 | R2 | 5-6 | 7-8 | | | |
| <i>Lithodora diffusa</i> 'Lithospermum Star' P.P. 10996 Star Acidsoil Lithodora | HP | 0.98 | R2 | 5-6 | 7-8 | | | |
| <i>Lithodora diffusa</i> 'Pete's Favourite' Pete's Favourite Acidsoil Lithodora | HP | 0.83 | R2 | 5-6 | 7-8 | | | |
| <i>Lithodora diffusa</i> 'Star' See - <i>Lithodora diffusa</i> 'Lithospermum Star' P.P. 10996 | | | | | | | | |
| <i>Lithospermum diffusum</i> See - <i>Lithodora diffusa</i> | | | | | | | | |
| <i>Lithospermum incisum</i> Gromwell Puccoon | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Litsea aestivalis</i> See - <i>Neolitsea sericea</i> | | | | | | | | |
| <i>Livistona chinensis</i> Chinese Fan Palm | PC | 0.78 | R2 | 8 | | | 0.87 | 9 |
| <i>Livistona nitida</i> Carnovan Gorge Palm | PC | 0.75 | R2 | 7-8 | | | 0.83 | 8 |
| <i>Livistona oliviformis</i> See - <i>Livistona chinensis</i> | | | | | | | | |
| <i>Lobelia</i> Lobelia | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia</i> 'Bees' Flame' Bees' Flame Hybrid Lobelia | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia</i> 'Brightness' Brightness Hybrid Lobelia | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia</i> 'Candy Corn' See - <i>Lobelia laxiflora</i> | | | | | | | | |
| <i>Lobelia</i> 'Compliment Series' Compliment Series Hybrid Lobelia | HP | 0.75 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia</i> 'Cranberry Crown' Cranberry Crown Lobelia | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia</i> 'Cranberry Crush' P.P. 14419 Cranberry Crush Color Spires™ Hybrid Lobelia | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia</i> 'Crown Royal' Crown Royal Hybrid Lobelia | HP | 1.23 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia</i> 'Dark Crusader' Dark Crusader Hybrid Lobelia | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia</i> 'Elmfleur' Elmfleur Hybrid Lobelia | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia</i> 'Fan Scarlach' Fan Scarlach Hybrid Lobelia | HP | 0.63 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia</i> 'Fan Tiefrot' Fan Tiefrot Hybrid Lobelia | HP | 0.73 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia</i> 'Grape Knee-Hi' P.P. 13264 Grape Knee-Hi Hybrid Lobelia | HP | 1.33 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia</i> 'La Fresco' La Fresco Hybrid Lobelia | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia</i> 'Periwinkle Blue' P.P. 12536 Periwinkle Blue Hybrid Lobelia | HP | 0.69 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia</i> 'Pink Flamingo' Pink Flamingo Hybrid Lobelia | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia</i> 'Queen Victoria' Queen Victoria Hybrid Lobelia | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia</i> 'Rose Beacon' Rose Beacon Hybrid Lobelia | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia</i> 'Ruby Slippers' Ruby Slippers Hybrid Lobelia | HP | 1.06 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia</i> 'Russian Princess' Russian Princess Hybrid Lobelia | HP | 0.90 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Lobelia</i> 'Springtime Blues Mix' Springtime Blues Mix Hybrid Lobelia | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia</i> 'Tania' Tania Hybrid Lobelia | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia</i> 'Wildwood Splendour' Wildwood Splendour Hybrid Lobelia | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia cardinalis</i> Cardinal Flower | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Lobelia chinensis</i> Chinese Lobelia | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Lobelia erinus</i> Edging Lobelia | HP | 0.24 | R2 | 6-8 | | | | |
| <i>Lobelia erinus</i> 'Crystal Palace' Crystal Palace Edging Lobelia | HP | 0.36 | R2 | 6-8 | | | | |
| <i>Lobelia erinus</i> 'Moon Series' Moon Series Lobelia | HP | 0.36 | R2 | 6-8 | | | | |
| <i>Lobelia erinus</i> 'Riviera Series' Riviera Series Lobelia | HP | 0.26 | R2 | 6-8 | | | | |
| <i>Lobelia fulgens</i> See - <i>Lobelia splendens</i> | | | | | | | | |
| <i>Lobelia</i> x <i>gerardii</i> Purple Hybrid Lobelia | HP | 0.99 | R2 | 3-7 | 8 | | | |
| <i>Lobelia</i> x <i>gerardii</i> 'Vedrariensis' Vedrariensis Purple Hybrid Lobelia | HP | 0.99 | R2 | 3-7 | 8 | | | |
| <i>Lobelia inflata</i> Indian Tobacco | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Lobelia laxiflora</i> Mexican Cardinal Flower | HP | 0.80 | R2 | 6-8 | | | | |
| <i>Lobelia radicans</i> See - <i>Lobelia chinensis</i> | | | | | | | | |
| <i>Lobelia siphilitica</i> Big Blue Lobelia | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Lobelia siphilitica</i> 'Alba' White Big Blue Lobelia | HP | 0.77 | R2 | 3-5 | 6-8 | | | |
| <i>Lobelia siphilitica</i> 'Blue Select' Blue Select Big Blue Lobelia | HP | 0.94 | R2 | 3-5 | 6-8 | | | |
| <i>Lobelia</i> x <i>speciosa</i> Lobelia | HP | 0.48 | R2 | 3 | 4-8 | | | |
| <i>Lobelia splendens</i> Mexican Lobelia | HP | 0.73 | R2 | 3-8 | | | | |
| <i>Lobelia tupa</i> Blood Lobelia | HP | 0.81 | R2 | 3-8 | | | | |
| <i>Lobivia densispina</i> See - <i>Echinopsis kuehnrichii</i> | | | | | | | | |
| <i>Lobularia maritima</i> Sweet Alyssum | AN | 0.51 | R2 | 3-7 | 8 | | | |
| <i>Lobularia maritima</i> 'Carpet of Snow' Carpet of Snow Alyssum | AN | 0.53 | R2 | 3-7 | 8 | | | |
| <i>Lobularia maritima</i> 'Easter Bonnet Series' Easter Bonnet Series Alyssum | AN | 0.55 | R2 | 3-7 | 8 | | | |
| <i>Lobularia maritima</i> 'Snow Crystals' Snow Crystals Alyssum | AN | 0.51 | R2 | 3-7 | 8 | | | |
| <i>Lobularia maritima</i> 'Snowdrift' Snowdrift Alyssum | AN | 0.53 | R2 | 3-7 | 8 | | | |
| <i>Lobularia maritima</i> 'Snowstorm' Snowstorm Alyssum | AN | 0.55 | R2 | 3-7 | 8 | | | |
| <i>Lobularia maritima</i> 'Wonderland Series' Wonderland Series Alyssum | AN | 0.55 | R2 | 3-7 | 8 | | | |
| <i>Lomandra longifolia</i> Spiny-headed Mat Rush | HP | 1.19 | R2 | 4-7 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Lomandra longifolia</i> 'Breeze' | | | | | | | | |
| See - <i>Lomandra longifolia</i> 'LM300' P.P. 15420 | | | | | | | | |
| <i>Lomandra longifolia</i> 'Katrinus Deluxe' P.P. 19262 | HP | 1.24 | R2 | 4-7 | 8 | | | |
| Katrinus Deluxe® Spiny-headed Mat Rush | | | | | | | | |
| <i>Lomandra longifolia</i> 'LM300' P.P. 15420 | HP | 1.05 | R2 | 4-7 | 8 | | | |
| Breeze™ Spiny-headed Mat Rush | | | | | | | | |
| <i>Lomandra longifolia</i> 'LM400' P.P. 15583 | HP | 1.27 | R2 | 4-7 | 8 | | | |
| Nyalla® Spiny-headed Mat Rush | | | | | | | | |
| <i>Lomandra longifolia</i> 'Nyalla' | | | | | | | | |
| See - <i>Lomandra longifolia</i> 'LM400' P.P. 15583 | | | | | | | | |
| <i>Lonicera</i> | DS | 1.14 | R1 | 3 | 4-8 | | 0.49 | 3 |
| Honeysuckle | | | | | | | | |
| <i>Lonicera</i> 'Honey Baby' | | | | | | | | |
| See - <i>Lonicera</i> 'Novso' P.P.A.F. | | | | | | | | |
| <i>Lonicera</i> 'Honeyrose' | DS | 1.06 | R2 | 3 | 4-8 | | 0.49 | 3 |
| Honeyrose Honeysuckle | | | | | | | | |
| <i>Lonicera</i> 'Mandarin' P.P. 11083 | DS | 1.27 | R1 | 3-4 | 5-8 | | 0.49 | 3 |
| Mandarin Honeysuckle | | | | | | | | |
| <i>Lonicera</i> 'Novso' P.P.A.F. | DS | 1.08 | R1 | 3-4 | 5-8 | | 0.49 | 4 |
| Honey Baby Hybrid Honeysuckle | | | | | | | | |
| <i>Lonicera albiflora</i> | GC | 0.62 | R2 | 3-6 | 7-8 | | 0.46 | 6 |
| White Honeysuckle | | | | | | | | |
| <i>Lonicera x americana</i> | DS | 0.71 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| American Honeysuckle | | | | | | | | |
| <i>Lonicera x americana</i> 'Pam's Pink' | DS | 0.71 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| Pam's Pink American Honeysuckle | | | | | | | | |
| <i>Lonicera x brownii</i> | DS | 1.42 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| Brown's Honeysuckle | | | | | | | | |
| <i>Lonicera x brownii</i> 'Dropmore Scarlet' | DS | 1.15 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| Dropmore Scarlet Honeysuckle | | | | | | | | |
| <i>Lonicera x brownii</i> 'Hummingbird's Gold' | | | | | | | | |
| See - <i>Lonicera x brownii</i> 'Kristin's Gold' P.P. 12836 | | | | | | | | |
| <i>Lonicera x brownii</i> 'Kristin's Gold' P.P. 12836 | DS | 1.69 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| Hummingbird's Gold™ Brown's Honeysuckle | | | | | | | | |
| <i>Lonicera caerulea</i> | DS | 1.00 | R1 | | 3-8 | | 1.00 | 2 |
| Sweetberry Honeysuckle | | | | | | | | |
| <i>Lonicera caerulea</i> var. <i>edulis</i> | DS | 1.00 | R1 | | 3-8 | | 1.00 | 2 |
| No Common Name Found | | | | | | | | |
| <i>Lonicera fragrantissima</i> | BS | 0.73 | R2 | 3-4 | 5-8 | | 0.26 | 4 |
| Winter Honeysuckle | | | | | | | | |
| <i>Lonicera x heckrottii</i> | DS | 1.05 | R1 | 3-5 | 6-8 | | 0.79 | 5 |
| Goldflame Honeysuckle | | | | | | | | |
| <i>Lonicera x heckrottii</i> 'Crimson Tide' | DS | 0.67 | R1 | 3-5 | 6-8 | | 0.79 | 5 |
| Crimson Tide Goldflame Honeysuckle | | | | | | | | |
| <i>Lonicera x heckrottii</i> 'Gold Flame' | | | | | | | | |
| See - <i>Lonicera x heckrottii</i> 'Goldflame' | | | | | | | | |
| <i>Lonicera x heckrottii</i> 'Goldflame' | DS | 1.15 | R1 | 3-5 | 6-8 | | 0.79 | 5 |
| Goldflame Climbing Honeysuckle | | | | | | | | |
| <i>Lonicera x heckrottii</i> 'Pink Lemonade' | DS | 1.47 | R1 | 3-5 | 6-8 | | 0.79 | 5 |
| Pink Lemonade™ Goldflame Honeysuckle | | | | | | | | |
| <i>Lonicera henryi</i> | BS | 1.00 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| Henry Honeysuckle | | | | | | | | |
| <i>Lonicera hildebrandiana</i> | BS | 1.33 | R2 | 5-8 | | | 1.00 | 6 |
| Giant Honeysuckle | | | | | | | | |
| <i>Lonicera hispidula</i> | DS | 0.85 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| Hairy Honeysuckle | | | | | | | | |
| <i>Lonicera involucrata</i> | DS | 0.74 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| Twinberry | | | | | | | | |
| <i>Lonicera japonica</i> | GC | 0.94 | R2 | 3-4 | 5-8 | | 0.59 | 4 |
| Japanese Honeysuckle | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Lonicera japonica</i> 'Aureo-reticulata' Yellownet Japanese Honeysuckle | GC | 0.68 | R2 | 3-4 | 5-8 | | 0.59 | 4 |
| <i>Lonicera japonica</i> 'Halliana' Hall's Japanese Honeysuckle | GC | 0.74 | R2 | 3-4 | 5-8 | | 0.59 | 4 |
| <i>Lonicera japonica</i> 'Hinlon' P.P. 10317 Honeydew® Japanese Honeysuckle | GC | 1.29 | R2 | 3-4 | 5-8 | | 0.59 | 4 |
| <i>Lonicera japonica</i> 'Honeydew' See - <i>Lonicera japonica</i> 'Hinlon' P.P. 10317 | | | | | | | | |
| <i>Lonicera japonica</i> 'Purpurea' Hall's Purple Japanese Honeysuckle | GC | 0.65 | R2 | 3-4 | 5-8 | | 0.59 | 4 |
| <i>Lonicera korolkowii</i> Blueleaf Honeysuckle | DS | 0.77 | R1 | 3-5 | 6-8 | | 0.59 | 4 |
| <i>Lonicera korolkowii</i> 'Blue Velvet' See - <i>Lonicera korolkowii</i> 'Floribunda' | | | | | | | | |
| <i>Lonicera korolkowii</i> 'Floribunda' Blue Velvet™ Blueleaf Honeysuckle | DS | 0.66 | R2 | 3-4 | 5-8 | | 0.73 | 3 |
| <i>Lonicera korolkowii</i> 'Freedom' Freedom Blueleaf Honeysuckle | DS | 0.87 | R1 | 3-5 | 6-8 | | 0.87 | 4 |
| <i>Lonicera korolkowii</i> var. <i>floribunda</i> 'Blue Velvet' See - <i>Lonicera korolkowii</i> 'Floribunda' | | | | | | | | |
| <i>Lonicera korolkowii</i> var. <i>zabelii</i> See - <i>Lonicera tatarica</i> 'Zabelii' | | | | | | | | |
| <i>Lonicera maackii</i> Amur Honeysuckle | DS | 0.72 | R1 | | 3-8 | | 0.50 | 2 |
| <i>Lonicera maackii</i> 'Rem Red' Rem Red Amur Honeysuckle | DS | 0.72 | R1 | | 3-8 | | 0.50 | 2 |
| <i>Lonicera maackii</i> var. <i>podocarpa</i> No Common Name Found | DS | 1.00 | R1 | | 3-8 | | 1.00 | 2 |
| <i>Lonicera maximowiczii</i> No Common Name Found | DS | 1.00 | R1 | 3-4 | 5-7 | | 1.00 | 4 |
| <i>Lonicera maximowiczii</i> var. <i>sachalinensis</i> Sakhalin Honeysuckle | DS | 0.98 | R1 | 3-4 | 5-7 | | 1.00 | 4 |
| <i>Lonicera morrowii</i> Morrow Honeysuckle | DS | 0.88 | R1 | 3 | 4-7 | | 1.00 | 3 |
| <i>Lonicera morrowii</i> 'Xanthocarpa' Yellowfruit Morrow Honeysuckle | DS | 0.88 | R1 | 3 | 4-7 | | 1.00 | 3 |
| <i>Lonicera nitida</i> Boxleaf Honeysuckle | BS | 0.87 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Lonicera nitida</i> 'Baggesen's Gold' Baggesen's Gold Boxleaf Honeysuckle | BS | 1.54 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Lonicera nitida</i> 'Briloni' P.P. 15234 Edmee Gold™ Boxleaf Honeysuckle | BS | 1.72 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Lonicera nitida</i> 'Edmee Gold' See - <i>Lonicera nitida</i> 'Briloni' P.P. 15234 | | | | | | | | |
| <i>Lonicera nitida</i> 'Gold Coast' Gold Coast Boxleaf Honeysuckle | BS | 1.28 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Lonicera nitida</i> 'Lemon Beauty' Lemon Beauty Variegated Boxleaf Honeysuckle | BS | 1.28 | R2 | 3-7 | 8 | | 1.00 | 7 |
| <i>Lonicera nitida</i> 'Silver Beauty' Silver Beauty Boxleaf Honeysuckle | BS | 0.98 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Lonicera periclymenum</i> Woodbine Honeysuckle | GC | 1.28 | R2 | 3-4 | 5-8 | | 2.27 | 4 |
| <i>Lonicera periclymenum</i> 'Berries Jubilee' See - <i>Lonicera periclymenum</i> 'Monul' | | | | | | | | |
| <i>Lonicera periclymenum</i> 'Graham Thomas' Graham Thomas Woodbine Honeysuckle | GC | 0.98 | R2 | 3-4 | 5-8 | | 2.27 | 4 |
| <i>Lonicera periclymenum</i> 'Harlequin' Harlequin Woodbine Honeysuckle | GC | 1.02 | R2 | 3-4 | 5-8 | | 2.27 | 4 |
| <i>Lonicera periclymenum</i> 'Honeybush' Honeybush Woodbine Honeysuckle | GC | 1.25 | R2 | 3-4 | 5-8 | | 2.27 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Lonicera periclymenum</i> 'Monul' Berries Jubilee™ Woodbine Honeysuckle | GC | 1.42 | R2 | 3-4 | 5-8 | | 2.27 | 4 |
| <i>Lonicera periclymenum</i> 'Serotina Florida' Serotina Florida Woodbine Honeysuckle | GC | 0.94 | R2 | 3-4 | 5-8 | | 2.27 | 4 |
| <i>Lonicera periclymenum</i> 'Serotina' Serotina Woodbine Honeysuckle | GC | 1.47 | R2 | 3-4 | 5-8 | | 2.27 | 4 |
| <i>Lonicera periclymenum</i> 'Winchester' Winchester Woodbine Honeysuckle | GC | 1.21 | R2 | 3-4 | 5-8 | | 2.27 | 4 |
| <i>Lonicera pileata</i> Privet Honeysuckle | GC | 0.79 | R2 | 3-5 | 6-8 | | 0.65 | 5 |
| <i>Lonicera pileata</i> 'Moss Green' Moss Green Privet Honeysuckle | GC | 0.69 | R2 | 3-5 | 6-8 | | 0.65 | 5 |
| <i>Lonicera pileata</i> 'Royal Carpet' Royal Carpet Privet Honeysuckle | GC | 0.58 | R2 | 3-5 | 6-8 | | 0.65 | 5 |
| <i>Lonicera prolifera</i> See - <i>Lonicera reticulata</i> | | | | | | | | |
| <i>Lonicera reticulata</i> Grape Honeysuckle | DS | 0.95 | R1 | 3-5 | 6-8 | | 1.00 | 4 |
| <i>Lonicera sempervirens</i> Trumpet Honeysuckle | GC | 0.68 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Lonicera sempervirens</i> 'Alabama Crimson' Alabama Crimson Trumpet Honeysuckle | GC | 0.70 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Lonicera sempervirens</i> 'Blanche Sandman' Blanche Sandman Trumpet Honeysuckle | GC | 0.98 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Lonicera sempervirens</i> 'John Clayton' John Clayton Trumpet Honeysuckle | GC | 0.89 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Lonicera sempervirens</i> 'Leo' Leo Trumpet Honeysuckle | GC | 0.96 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Lonicera sempervirens</i> 'Magnifica' Magnifica Trumpet Honeysuckle | GC | 1.21 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Lonicera sempervirens</i> 'Ms. Emily' Ms. Emily Trumpet Honeysuckle | GC | 0.90 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Lonicera sempervirens</i> 'Sulphurea' Yellow Trumpet Honeysuckle | GC | 0.90 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Lonicera sempervirens</i> 'Superba' Superba Trumpet Honeysuckle | GC | 0.90 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Lonicera syringantha</i> Lilac Honeysuckle | DS | 1.28 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Lonicera syringantha</i> var. <i>wolfi</i> Wolf's Lilac Honeysuckle | DS | 0.81 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Lonicera tatarica</i> Tatarian Honeysuckle | DS | 1.05 | R1 | 3 | 4-8 | | 0.39 | 3 |
| <i>Lonicera tatarica</i> 'Alba' White Tatarian Honeysuckle | DS | 0.92 | R1 | 3 | 4-8 | | 0.55 | 3 |
| <i>Lonicera tatarica</i> 'Arnold Red' Arnold Red Tatarian Honeysuckle | DS | 1.22 | R1 | 3 | 4-8 | | 0.64 | 3 |
| <i>Lonicera tatarica</i> 'Beavermor' Beavermor Tatarian Honeysuckle | DS | 0.92 | R1 | 3 | 4-8 | | 0.55 | 3 |
| <i>Lonicera tatarica</i> 'Grandiflora' Grandiflora Tatarian Honeysuckle | DS | 0.92 | R1 | 3 | 4-8 | | 0.55 | 3 |
| <i>Lonicera tatarica</i> 'Hack's Red' Hack's Red Tatarian Honeysuckle | DS | 0.92 | R1 | 3 | 4-8 | | 0.55 | 3 |
| <i>Lonicera tatarica</i> 'LeRoyana' LeRoyana Tatarian Honeysuckle | DS | 0.92 | R1 | 3 | 4-8 | | 0.55 | 3 |
| <i>Lonicera tatarica</i> 'Lutea' Yellow Tatarian Honeysuckle | DS | 0.92 | R1 | 3 | 4-8 | | 0.55 | 3 |
| <i>Lonicera tatarica</i> 'Morden Orange' Morden Orange Tatarian Honeysuckle | DS | 0.92 | R1 | 3 | 4-8 | | 0.55 | 3 |
| <i>Lonicera tatarica</i> 'Nana' Dwarf Tatarian Honeysuckle | DS | 0.92 | R1 | 3 | 4-8 | | 0.85 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Lonicera tatarica</i> 'Rosea' Rosy Tatarian Honeysuckle | DS | 0.50 | R1 | 3 | 4-8 | | 0.47 | 3 |
| <i>Lonicera tatarica</i> 'Sibirica' Rubra Honeysuckle | DS | 0.92 | R1 | 3 | 4-8 | | 0.55 | 3 |
| <i>Lonicera tatarica</i> 'Valencia' Valencia Tatarian Honeysuckle | DS | 0.92 | R1 | 3 | 4-8 | | 0.55 | 3 |
| <i>Lonicera tatarica</i> 'Virginalis' Virginal Tatarian Honeysuckle | DS | 0.92 | R1 | 3 | 4-8 | | 0.55 | 3 |
| <i>Lonicera tatarica</i> 'Zabelii' Zabel Tatarian Honeysuckle | DS | 0.92 | R1 | 3 | 4-8 | | 0.41 | 3 |
| <i>Lonicera x tellmanniana</i> Tellman Honeysuckle | DS | 1.12 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Lonicera utahensis</i> Utah Honeysuckle | DS | 0.93 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Lonicera x xylosteoides</i> Vienna Honeysuckle | DS | 1.04 | R1 | 3-5 | 6-8 | | 0.75 | 4 |
| <i>Lonicera x xylosteoides</i> 'Clavey's Dwarf' Clavey's Dwarf Honeysuckle | DS | 1.09 | R1 | 3-5 | 6-8 | | 0.65 | 4 |
| <i>Lonicera x xylosteoides</i> 'Compacta' See - <i>Lonicera x xylosteoides</i> 'Emerald Mound' | | | | | | | | |
| <i>Lonicera x xylosteoides</i> 'Emerald Mound' Emerald Mound Honeysuckle | DS | 0.98 | R1 | 3-5 | 6-8 | | 1.19 | 4 |
| <i>Lonicera x xylosteoides</i> 'Hedge King' Hedge King Honeysuckle | DS | 1.04 | R1 | 3-5 | 6-8 | | 0.77 | 4 |
| <i>Lonicera x xylosteoides</i> 'Miniglobe' Miniglobe Honeysuckle | DS | 1.04 | R1 | 3-5 | 6-8 | | 0.38 | 4 |
| <i>Lonicera xylosteum</i> European Fly Honeysuckle | DS | 1.00 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Lophomyrtus x ralphii</i> New Zealand Myrtle | BS | 1.66 | R2 | 8 | | | 1.00 | 9 |
| <i>Lophospermum</i> Lophospermum | GC | 1.13 | R2 | 8 | | | 1.00 | 9 |
| <i>Lophospermum</i> 'Magic Dragon' P.P.A.F. Magic Dragon Creeping Gloxinia | GC | 1.13 | R2 | 8 | | | 1.00 | 9 |
| <i>Lophospermum barclayana</i> No Common Name Found | GC | 0.84 | R2 | 8 | | | 1.00 | 9 |
| <i>Lophospermum erubescens</i> Creeping Gloxinia | GC | 0.75 | R2 | 8 | | | 1.00 | 9 |
| <i>Loropetalum chinense</i> Fringe Flower | BS | 1.07 | R2 | 6-8 | | | 0.87 | 8 |
| <i>Loropetalum chinense</i> 'Alba' White Fringe Flower | BS | 1.03 | R2 | 6-8 | | | 0.87 | 8 |
| <i>Loropetalum chinense</i> 'Blush' See - <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Monraz' | | | | | | | | |
| <i>Loropetalum chinense</i> 'Carolina Moonlight' See - <i>Loropetalum chinense</i> 'NCI 002' P.P. 18977 | | | | | | | | |
| <i>Loropetalum chinense</i> 'Chang Nian Hong' See - <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Chang Nian Hong' | | | | | | | | |
| <i>Loropetalum chinense</i> 'Leather & Lace' Leather & Lace Fringe Flower | BS | 0.71 | R2 | 6-8 | | | 0.87 | 8 |
| <i>Loropetalum chinense</i> 'NCI 002' P.P. 18977 Carolina Moonlight® Glowing Horizon™ Fringe Flower | BS | 1.32 | R2 | 6-8 | | | 0.87 | 8 |
| <i>Loropetalum chinense</i> 'Snow Muffin' See - <i>Loropetalum chinense</i> 'Snowmound' P.P. 11766 | | | | | | | | |
| <i>Loropetalum chinense</i> 'Snowmound' P.P. 11766 Snow Muffin® Fringe Flower | BS | 1.39 | R2 | 6-8 | | | 0.87 | 7 |
| <i>Loropetalum chinense</i> var. <i>chinense</i> Green-leaved Fringe Flower | BS | 1.00 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> Red-leaved Fringe Flower | BS | 0.79 | R2 | 6-8 | | | 0.97 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Bicolor' Bicolor Red-leaved Fringe Flower | BS | 1.09 | R2 | 6-8 | | | 0.97 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Burgundy Blast' Burgundy Blast Red-leaved Fringe Flower | BS | 1.04 | R2 | 6-8 | | | 0.97 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Burgundy' Burgundy Red-leaved Fringe Flower | BS | 0.92 | R2 | 6-8 | | | 0.99 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Chang Nian Hong' Ever Red Sunset™ Glowing Horizons™ Fringe Flower | BS | 1.25 | R2 | 6-8 | | | 0.97 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Chang's Ruby' Chang's Ruby Red-leaved Fringe Flower | BS | 1.04 | R2 | 6-8 | | | 0.97 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Daybreak's Flame' Daybreak's Flame Red-leaved Fringe Flower | BS | 1.50 | R2 | 6-8 | | | 0.97 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Ever Red Sunset' See - <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Chang Nian Hong' | | | | | | | | |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Fire Dance' Fire Dance™ Red-leaved Fringe Flower | BS | 1.01 | R2 | 6-8 | | | 0.97 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'GriffCRL' P.P. 16615 Little Rose Dawn® Glowing Horizons™ Fringe Flower | BS | 1.37 | R2 | 6-8 | | | 0.97 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Hines Purpleleaf' Plum Delight™ Red-leaved Fringe Flower | BS | 0.94 | R2 | 6-8 | | | 0.97 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Little Rose Dawn' See - <i>Loropetalum chinense</i> var. <i>rubrum</i> 'GriffCRL' P.P. 16615 | | | | | | | | |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Monraz' Razzleberri™ Red-leaved Fringe Flower | BS | 0.98 | R2 | 6-8 | | | 0.97 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Pipa's Red' Pipa's Red Red-leaved Fringe Flower | BS | 1.41 | R2 | 6-8 | | | 0.97 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Plum Delight' See - <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Hines Purpleleaf' | | | | | | | | |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Purple Diamond' See - <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Shang-hi' P.P. 18331 | | | | | | | | |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Purple Majesty' Purple Majesty Red-leaved Fringe Flower | BS | 0.86 | R2 | 6-8 | | | 0.97 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Razzleberri' See - <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Monraz' | | | | | | | | |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Ruby' Ruby Red-leaved Fringe Flower | BS | 0.86 | R2 | 6-8 | | | 0.97 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Sato's Dwarf Red' P.P. 17669 Sato's Dwarf Red Red-leaved Fringe Flower | BS | 0.68 | R2 | 6-8 | | | 0.97 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Shang-hi' P.P. 18331 Purple Diamond™ Red-leaved Fringe Flower | BS | 1.31 | R2 | 6-8 | | | 0.97 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Sizzling Pink' Sizzling Pink Red-leaved Fringe Flower | BS | 1.49 | R2 | 6-8 | | | 0.97 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Suzanne' Suzanne Red-leaved Fringe Flower | BS | 1.18 | R2 | 6-8 | | | 0.97 | 8 |
| <i>Loropetalum chinense</i> var. <i>rubrum</i> 'Zhuzho Fuchsia' Zhuzho Red-leaved Fringe Flower | BS | 0.99 | R2 | 6-8 | | | 0.95 | 8 |
| <i>Lotus</i> 'Amazon Sunset' P.P. 10864 Amazon Sunset Hybrid Parrot's Beak | HP | 0.77 | R2 | 8 | | | | |
| <i>Lotus berthelotii</i> Parrot's Beak | HP | 0.76 | R2 | 8 | | | | |
| <i>Lotus corniculatus</i> Bird's-foot Trefoil | HP | 0.65 | R2 | 3-5 | 6-8 | | | |
| <i>Lotus corniculatus</i> 'Plenus' Golden Bird's-foot Trefoil | HP | 0.65 | R2 | 3-5 | 6-8 | | | |
| <i>Lotus maculatus</i> Golden Parrot's Beak | HP | 0.67 | R2 | 8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Lotus maculatus</i> 'Gold Flash' Gold Flash Golden Parrot's Beak | HP | 0.67 | R2 | 8 | | | | |
| <i>Luculia gratissima</i> Fragrant Luculia | BS | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Luculia pinceana</i> No Common Name Found | BS | 0.86 | R2 | 8 | | | 1.00 | 9 |
| <i>Ludisia discolor</i> Jewel Orchid | FO | 2.73 | R2 | 8 | | | 1.00 | 9 |
| <i>Ludwigia alternifolia</i> Seed Box | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Luffa acutangula</i> Angled Loofah | AN | 1.00 | R2 | 7-8 | | | | |
| <i>Luffa cylindrica</i> Loofah | AN | 1.00 | R2 | 7-8 | | | | |
| <i>Luma apiculata</i> Arrayan | BE | 0.72 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Lunaria annua</i> Money Plant | AN | 1.66 | R2 | 3-7 | 8 | | | |
| <i>Lunaria annua</i> 'Purple Giant' Purple Giant Money Plant | AN | 1.66 | R2 | 3-7 | 8 | | | |
| <i>Lunaria biennis</i> See - <i>Lunaria annua</i> | | | | | | | | |
| <i>Lupinus</i> Lupine | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus</i> 'Chandelier' Chandelier Hybrid Lupine | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus</i> 'Gallery Blue' Gallery Blue Hybrid Lupine | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus</i> 'Gallery Hybrids' Gallery Hybrids Lupine | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus</i> 'Gallery Pink' Gallery Pink Hybrid Lupine | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus</i> 'Gallery Red' Gallery Red Hybrid Lupine | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus</i> 'Gallery White' Gallery White Hybrid Lupine | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus</i> 'Gallery Yellow' Gallery Yellow Hybrid Lupine | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus</i> 'Minarette' Minarette Hybrid Lupine | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus</i> 'Mon Chateau' Mon Chateau Hybrid Lupine | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus</i> 'Mrs. Rudolph' Mrs. Rudolph Hybrid Lupine | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus</i> 'My Castle' My Castle Hybrid Lupine | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus</i> 'Noble Maiden' Noble Maiden Hybrid Lupine | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus</i> 'Popsicle Series' Popsicle Series Hybrid Lupine | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus</i> 'Red Flame' Red Flame Hybrid Lupine | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus</i> 'The Chatelaine' The Chatelaine Hybrid Lupine | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus</i> 'The Governor' The Governor Hybrid Lupine | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus</i> 'The Pages' The Pages Hybrid Lupine | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus albifrons</i> No Common Name Found | BS | 0.70 | R2 | 3-8 | | | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Lupinus arboreus</i> Tree Lupine | BS | 0.81 | R2 | 3-8 | | | 1.00 | 8 |
| <i>Lupinus arcticus</i> Arctic Lupine | HP | 0.43 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus argenteus</i> Silvery Lupine | HP | 1.55 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus chamissonis</i> Silver Dune Lupine | BS | 0.70 | R2 | 3-8 | | | 1.00 | 8 |
| <i>Lupinus excubitus</i> Interior Bush Lupine | BS | 1.16 | R2 | 3-8 | | | 1.00 | 8 |
| <i>Lupinus lignipes</i> See - <i>Lupinus rivularis</i> | | | | | | | | |
| <i>Lupinus perennis</i> Sundial Lupine | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Lupinus polyphyllus</i> Washington Lupine | HP | 0.69 | R2 | 3 | 4-8 | | | |
| <i>Lupinus polyphyllus</i> 'Russell Blue Hybrid' Russell Blue Hybrid Lupine | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Lupinus polyphyllus</i> 'Russell Hybrid' Russell Hybrid Lupine | HP | 1.02 | R2 | 3 | 4-8 | | | |
| <i>Lupinus polyphyllus</i> 'Russell Pink Hybrid' Russell Pink Hybrid Lupine | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Lupinus polyphyllus</i> 'Russell Red Hybrid' Russell Red Hybrid Lupine | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Lupinus polyphyllus</i> 'Russell Yellow Hybrid' Russell Yellow Hybrid Lupine | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Lupinus rivularis</i> Riverbank Lupine | HP | 1.00 | R2 | 3-8 | | | | |
| <i>Lupinus texensis</i> Texas Bluebonnet | AN | 0.98 | R2 | 5-7 | 8 | | | |
| <i>Lupinus texensis</i> 'Texas Maroon' Texas Maroon Bluebonnet | AN | 1.13 | R2 | 5-7 | 8 | | | |
| <i>Luzula</i> Woodrush | HP | 1.59 | R2 | 3-4 | 5-8 | | | |
| <i>Luzula</i> 'Ruby Stiletto' Ruby Stiletto Woodrush | HP | 1.59 | R2 | 3-4 | 5-8 | | | |
| <i>Luzula alpinopilosa</i> Ear-like Woodrush | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Luzula maxima</i> See - <i>Luzula sylvatica</i> | | | | | | | | |
| <i>Luzula nivea</i> Snowy Woodrush | HP | 1.18 | R2 | 3-5 | 6-8 | | | |
| <i>Luzula sylvatica</i> Greater Woodrush | HP | 1.03 | R2 | 3-5 | 6-8 | | | |
| <i>Luzula sylvatica</i> 'High Tatra' High Tatra Greater Woodrush | HP | 1.20 | R2 | 3-5 | 6-8 | | | |
| <i>Luzula sylvatica</i> 'Marginata' Marginata Greater Woodrush | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Lychnis alpina</i> Alpine Campion | HP | 0.48 | R2 | 3-4 | 5-8 | | | |
| <i>Lychnis x arkwrightii</i> Arkwright's Campion | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Lychnis x arkwrightii</i> 'Orange Gnome' Orange Gnome Arkwright's Campion | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Lychnis x arkwrightii</i> 'Vesuvius' Vesuvius Arkwright's Campion | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Lychnis chalconica</i> Maltese Cross | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Lychnis coronaria</i> Rose Campion | HP | 0.80 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Lychnis coronaria</i> 'Alba' White Rose Champion | HP | 0.48 | R2 | 3-4 | 5-8 | | | |
| <i>Lychnis coronaria</i> 'Angel Blush' Angel Blush Rose Champion | HP | 0.70 | R2 | 3-4 | 5-8 | | | |
| <i>Lychnis coronaria</i> 'Atrosanguinea' Atrosanguinea Rose Champion | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Lychnis coronaria</i> 'Blood Red' Blood Red Rose Champion | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Lychnis coronaria</i> 'Blych' Gardeners' World Rose Champion | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Lychnis coronaria</i> 'Gardeners' World' See - <i>Lychnis coronaria</i> 'Blych' | | | | | | | | |
| <i>Lychnis coronaria</i> 'Oculata' Oculata Rose Champion | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Lychnis flos-cuculi</i> Ragged Robin | HP | 0.99 | R2 | 3-6 | 7-8 | | | |
| <i>Lychnis flos-cuculi</i> 'Jenny' See - <i>Lychnis flos-cuculi</i> 'Lychjen' P.P. 14139 | | | | | | | | |
| <i>Lychnis flos-cuculi</i> 'Lychjen' P.P. 14139 Jenny Ragged Robin | HP | 0.99 | R2 | 3-6 | 7-8 | | | |
| <i>Lychnis flos-jovis</i> Flower of Jove | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Lychnis flos-jovis</i> 'Nana' Dwarf Flower of Jove | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Lychnis flos-jovis</i> 'Peggy' Peggy Dwarf Flower of Jove | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Lychnis x haageana</i> Haage's Champion | HP | 0.48 | R2 | 3-6 | 7-8 | | | |
| <i>Lychnis miqueliana</i> Fushigorosen-so | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Lychnis viscaria</i> German Catchfly | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Lychnis viscaria</i> 'Alba' White German Catchfly | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Lychnis viscaria</i> 'Fever' Fever German Catchfly | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Lychnis viscaria</i> 'Firebird' Firebird German Catchfly | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Lychnis viscaria</i> 'Splendens' Splendens German Catchfly | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Lychnis viscaria</i> 'Thurnau' Thurnau German Catchfly | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Lycium carolinianum</i> Christmas Berry | BS | 1.10 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Lycopersicon esculentum</i> Tomato | AN | 1.00 | R2 | 6-8 | | | | |
| <i>Lycopersicon esculentum</i> 'Heartland' Heartland Tomato | AN | 1.00 | R2 | 6-8 | | | | |
| <i>Lycopersicon lycopersicum</i> See - <i>Lycopersicon esculentum</i> | | | | | | | | |
| <i>Lygeum spartum</i> Lygeum | HP | 0.87 | R2 | 5-7 | 8 | | | |
| <i>Lygodium japonicum</i> Japanese Climbing Fern | FO | 0.82 | R2 | 7-8 | | | 1.00 | 10 |
| <i>Lyonia ferruginea</i> Rusty Lyonia | BS | 0.86 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Lyonia lucida</i> Fetter Bush | BS | 0.76 | R2 | 3-5 | 6-8 | | 0.68 | 5 |
| <i>Lyonia mariana</i> Stagger Bush | BS | 1.00 | R2 | 3-5 | 6-8 | | 1.00 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-----------|------------|
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Lyonothamnus floribundus</i> Catalina Ironwood | BE | 0.88 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Lyonothamnus floribundus</i> ssp. <i>asplenifolius</i> Fernleaf Catalina Ironwood | BE | 0.87 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Lysichiton americanus</i> No Common Name Found | HP | 0.72 | R2 | 6 | 7-8 | | | |
| <i>Lysiloma bahamensis</i> See - <i>Lysiloma latisiliqua</i> | | | | | | | | |
| <i>Lysiloma latisiliqua</i> Wild Tamarind | BE | 0.90 | R2 | 8 | | 1.00 | 0.63 | 9 |
| <i>Lysiloma microphylla</i> var. <i>thornberi</i> Feather Bush | BS | 1.05 | R2 | 8 | | | 1.00 | 9 |
| <i>Lysimachia</i> Loosestrife | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Lysimachia</i> 'L9902' P.P.A.F. Snow Candle Hybrid Loosestrife | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Lysimachia</i> 'Snow Candle' See - <i>Lysimachia</i> 'L9902' P.P.A.F. | | | | | | | | |
| <i>Lysimachia atropurpurea</i> Purple Gooseneck Loosestrife | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Lysimachia ciliata</i> Fringed Loosestrife | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Lysimachia ciliata</i> 'Firecracker' Firecracker Fringed Loosestrife | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Lysimachia ciliata</i> 'Purpurea' Purple Fringed Loosestrife | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Lysimachia clethroides</i> Gooseneck Loosestrife | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Lysimachia congestiflora</i> Dense-flowered Loosestrife | HP | 0.75 | R2 | 3-6 | 7-8 | | | |
| <i>Lysimachia congestiflora</i> 'Eco Dark Satin' Eco Dark Satin Dense-flowered Loosestrife | HP | 0.79 | R2 | 3-6 | 7-8 | | | |
| <i>Lysimachia congestiflora</i> 'Outback Sunset' Outback Sunset™ Dense-flowered Loosestrife | HP | 0.67 | R2 | 3-6 | 7-8 | | | |
| <i>Lysimachia congestiflora</i> 'Persian Carpet' P.P.A.F. Persian Carpet Dense-flowered Loosestrife | HP | 0.75 | R2 | 5-7 | 8 | | | |
| <i>Lysimachia congestiflora</i> 'Persian Chocolate' P.P.A.F. Persian Chocolate Dense-flowered Loosestrife | HP | 0.75 | R2 | 5-7 | 8 | | | |
| <i>Lysimachia congestiflora</i> 'Walkabout Sunset' Walkabout Sunset® Dense-flowered Loosestrife | HP | 0.79 | R2 | 5-7 | 8 | | | |
| <i>Lysimachia ephemerum</i> No Common Name Found | HP | 0.46 | R2 | 3-7 | 8 | | | |
| <i>Lysimachia fortunei</i> Autumn Snow | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Lysimachia japonica</i> var. <i>minutissima</i> No Common Name Found | HP | 0.87 | R2 | 3-6 | 7-8 | | | |
| <i>Lysimachia nummularia</i> Creeping Jenny | HP | 0.78 | R2 | 3-4 | 5-8 | | | |
| <i>Lysimachia nummularia</i> 'Aurea' Aurea Moneywort | HP | 0.78 | R2 | 3-4 | 5-8 | | | |
| <i>Lysimachia procumbens</i> Golden Globe | HP | 0.67 | R2 | 3-6 | 7-8 | | | |
| <i>Lysimachia punctata</i> Spotted Loosestrife | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Lysimachia punctata</i> 'Alexander' P.P. 10598 Alexander Spotted Loosestrife | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Lysimachia punctata</i> 'Golden Alexander' See - <i>Lysimachia punctata</i> 'Walgoldalex' P.P. 13547 | | | | | | | | |
| <i>Lysimachia punctata</i> 'Walgoldalex' P.P. 13547 Golden Alexander Spotted Loosestrife | HP | 1.00 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Lysimachia quadriflora</i> Narrow-Leaved Loosestrife | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Lysimachia vulgaris</i> Yellow Loosestrife | HP | 0.62 | R2 | 3-5 | 6-8 | | | |
| <i>Lythrum alatum</i> Winged Loosestrife | HP | 1.43 | R2 | 3 | 4-8 | | | |
| <i>Lythrum salicaria</i> Purple Lythrum | HP | 0.77 | R2 | 3 | 4-8 | | | |
| <i>Lythrum salicaria</i> 'Robert' Robert Purple Lythrum | HP | 0.77 | R2 | 3 | 4-8 | | | |
| <i>Lythrum salicaria</i> 'Roseum Superbum' Roseum Superbum Purple Lythrum | HP | 0.77 | R2 | 3 | 4-8 | | | |
| <i>Lythrum salicaria</i> 'Rosy Spires' Rosy Spires Purple Lythrum | HP | 0.77 | R2 | 3 | 4-8 | | | |
| <i>Lythrum salicaria</i> 'The Beacon' The Beacon Purple Lythrum | HP | 0.77 | R2 | 3 | 4-8 | | | |
| <i>Lythrum salicaria</i> 'Zigeunerblut' Eigeunerblut Purple Lythrum | HP | 0.77 | R2 | 3 | 4-8 | | | |
| <i>Lythrum virgatum</i> Purple Loosestrife | HP | 0.73 | R2 | 3-4 | 5-8 | | | |
| <i>Lythrum virgatum</i> 'Dropmore Purple' Dropmore Purple Loosestrife | HP | 0.72 | R2 | 3-4 | 5-8 | | | |
| <i>Lythrum virgatum</i> 'Morden Gleam' Morden Gleam Purple Loosestrife | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Lythrum virgatum</i> 'Morden Pink' Morden Pink Purple Loosestrife | HP | 0.68 | R2 | 3-4 | 5-8 | | | |
| <i>Lythrum virgatum</i> 'Purple Spires' Purple Spires Purple Loosestrife | HP | 0.73 | R2 | 3-4 | 5-8 | | | |
| <i>Maackia amurensis</i> Amur Maackia | DS | 1.11 | R1 | 3-4 | 5-8 | | 2.74 | 4 |
| <i>Maackia amurensis</i> 'Starburst' P.P. 10557 Starburst Amur Maackia | DS | 1.26 | R1 | 3-4 | 5-8 | | 2.74 | 4 |
| <i>Macfadyena unguis-cati</i> Cat's Claw Vine | GC | 0.89 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Machaeranthera bigelovii</i> Purple Tansy Aster | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Machilus thunbergii</i> Tabu-No-Ki Tree | BE | 1.11 | R2 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Macleaya cordata</i> Plume Poppy | HP | 0.94 | R2 | 4-7 | | | | |
| <i>Macleaya microcarpa</i> Small-fruited Plume Poppy | HP | 1.44 | R2 | 3-4 | 5-8 | | | |
| <i>Macleaya microcarpa</i> 'Kelway's Coral Plume' Kelway's Coral Plume Small-fruited Plume Poppy | HP | 1.44 | R2 | 3-4 | 5-8 | | | |
| <i>Maclura pomifera</i> Osage-orange | DT | 1.17 | R2 | 3-5 | 6-8 | 1.00 | 1.19 | 5 |
| <i>Maclura pomifera</i> 'Whiteside' Whiteside Osage-orange | DT | 1.17 | R2 | 3-5 | 6-8 | 1.00 | 1.19 | 5 |
| <i>Macrozamia communis</i> Burrawong | PC | 0.69 | R2 | 8 | | | 1.00 | 9 |
| <i>Macrozamia douglasii</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Macrozamia dyeri</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Macrozamia elegans</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Macrozamia fawcettii</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Macrozamia fraseri</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|---------|-------------------|------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | | |
| <i>Macrozamia glaucophylla</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | | 1.00 | 9 |
| <i>Macrozamia johnsonii</i> RPL INI var. ALA9907 μ i BRANPC Johnson's Macrozamia | PC | 1.00 | R2 | 8 | | | | 1.00 | 9 |
| <i>Macrozamia lomandroides</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | | 1.00 | 9 |
| <i>Macrozamia lucida</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | | 1.00 | 9 |
| <i>Macrozamia macdonnellii</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | | 1.00 | 9 |
| <i>Macrozamia moorei</i> No Common Name Found | PC | 1.23 | R2 | 8 | | | | 1.00 | 9 |
| <i>Macrozamia riedlei</i> Zamia Palm | PC | 0.78 | R2 | 8 | | | | 1.00 | 9 |
| <i>Macrozamia spiralis</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | | 1.00 | 9 |
| <i>Macrozamia spiralis</i> var. <i>fawcettii</i> See - <i>Macrozamia fawcettii</i> | | | | | | | | | |
| <i>Macrozamia stenomera</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | | 1.00 | 9 |
| <i>Magnolia</i> Magnolia | DT | 1.55 | R1 | 3 | 4-8 | | 1.14 | 1.50 | 3 |
| <i>Magnolia</i> 'Ann' Ann Magnolia | DS | 1.07 | R1 | 3 | 4-8 | | | 0.86 | 3 |
| <i>Magnolia</i> 'Apollo' Apollo Magnolia | DS | 1.92 | R1 | 3-6 | 7-8 | | | 1.06 | 6 |
| <i>Magnolia</i> 'Athene' Athene Magnolia | DT | 1.73 | R1 | 3-5 | 6-8 | | 1.47 | 1.23 | 5 |
| <i>Magnolia</i> 'Atlas' Atlas Magnolia | DS | 1.36 | R1 | 3-5 | 6-8 | | | 1.06 | 5 |
| <i>Magnolia</i> 'Betty' Betty Magnolia | DS | 1.15 | R1 | 3-5 | 6-8 | | | 1.05 | 3 |
| <i>Magnolia</i> 'Black Tulip' See - <i>Magnolia</i> 'JURmag1' P.P.A.F. | | | | | | | | | |
| <i>Magnolia</i> 'Butterflies' P.P. 7456 Butterflies Hybrid Magnolia | DT | 1.39 | R1 | 3-4 | 5-8 | | 1.07 | 1.64 | 4 |
| <i>Magnolia</i> 'Daybreak' Daybreak Magnolia | DT | 1.68 | R1 | 3-5 | 6-8 | | 0.81 | 0.52 | 5 |
| <i>Magnolia</i> 'Elizabeth' Elizabeth Magnolia | DT | 1.57 | R1 | 3-4 | 5-8 | | 1.04 | 1.82 | 4 |
| <i>Magnolia</i> 'Felix Jury' P.P.A.F. Felix Jury Magnolia | DT | 1.93 | R1 | 5-7 | 8 | | 1.14 | 1.50 | 7 |
| <i>Magnolia</i> 'Forrest's Pink' Forrest's Pink Magnolia | DS | 1.36 | R1 | 4-6 | 7-8 | | | 1.06 | 6 |
| <i>Magnolia</i> 'Galaxy' Galaxy Magnolia | DS | 1.22 | R1 | 4-6 | 7-8 | | | 1.32 | 6 |
| <i>Magnolia</i> 'Gold Star' Gold Star Magnolia | DT | 1.55 | R1 | 3-6 | 7-8 | | 0.96 | 1.95 | 3 |
| <i>Magnolia</i> 'Golden Sun' Golden Sun Magnolia | DT | 1.76 | R1 | 4-6 | 7-8 | | 1.14 | 1.85 | 6 |
| <i>Magnolia</i> 'Heaven Scent' Heaven Scent Magnolia | DS | 1.36 | R1 | 4-6 | 7-8 | | | 1.06 | 6 |
| <i>Magnolia</i> 'Iolanthe' Iolanthe Magnolia | DT | 1.74 | R1 | 3-5 | 6-8 | | 1.47 | 1.23 | 5 |
| <i>Magnolia</i> 'Ivory Chalice' Ivory Chalice Magnolia | DT | 1.33 | R1 | 3-4 | 5-8 | | 1.14 | 2.33 | 4 |
| <i>Magnolia</i> 'JURmag1' P.P.A.F. Black Tulip™ Magnolia | DT | 1.96 | R1 | 3-5 | 6-8 | | 1.14 | 1.50 | 5 |
| <i>Magnolia</i> 'Jane' Jane Magnolia | DS | 1.01 | R1 | 3-5 | 6-8 | | | 0.74 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Magnolia</i> 'Jon Jon' Jon Jon Magnolia | DT | 0.87 | R1 | 4-6 | 7-8 | 1.14 | 0.63 | 6 |
| <i>Magnolia</i> 'Judy' Judy Magnolia | DT | 1.86 | R1 | 3-5 | 6-8 | 1.47 | 1.23 | 3 |
| <i>Magnolia</i> 'Legacy' Legacy Magnolia | DT | 1.55 | R1 | 3-5 | 6-8 | 1.14 | 1.50 | 5 |
| <i>Magnolia</i> 'Manchu Fan' Manchu Fan Magnolia | DT | 1.55 | R1 | 3-5 | 6-8 | 1.14 | 1.50 | 5 |
| <i>Magnolia</i> 'Marilyn' Marilyn Magnolia | DS | 1.36 | R1 | 3-5 | 6-8 | | 1.06 | 4 |
| <i>Magnolia</i> 'Milky Way' Milky Way Magnolia | DT | 1.55 | R1 | 3-5 | 6-8 | 1.14 | 1.50 | 5 |
| <i>Magnolia</i> 'Monland' P.P. 6178 Timeless Beauty™ Magnolia | DS | 1.98 | R1 | 4-6 | 7-8 | | 1.06 | 6 |
| <i>Magnolia</i> 'Pinkie' Pinkie Magnolia | DS | 1.34 | R1 | 3-5 | 6-8 | | 0.97 | 3 |
| <i>Magnolia</i> 'Pristine' Pristine Magnolia | DT | 1.86 | R1 | 3-5 | 6-8 | 1.47 | 1.23 | 5 |
| <i>Magnolia</i> 'Randy' Randy Magnolia | DS | 1.63 | R1 | 3-5 | 6-8 | | 1.04 | 3 |
| <i>Magnolia</i> 'Ricki' Ricki Magnolia | DS | 0.67 | R1 | 3-5 | 6-8 | | 1.42 | 3 |
| <i>Magnolia</i> 'Royal Crown' Royal Crown Hybrid Magnolia | DT | 1.55 | R1 | 3-5 | 6-8 | 1.14 | 1.50 | 4 |
| <i>Magnolia</i> 'Satellite' Satellite Magnolia | DS | 1.36 | R1 | 3-5 | 6-8 | | 1.06 | 5 |
| <i>Magnolia</i> 'Sayonara' Sayonara Magnolia | DT | 1.55 | R1 | 5-7 | 8 | 1.14 | 1.50 | 7 |
| <i>Magnolia</i> 'Serene' Serene Magnolia | DS | 1.36 | R1 | 4-6 | 7-8 | | 1.06 | 6 |
| <i>Magnolia</i> 'Solar Flair' Solar Flair Magnolia | DT | 1.55 | R2 | 3-4 | 5-8 | 1.14 | 1.50 | 4 |
| <i>Magnolia</i> 'Spectrum' Spectrum Magnolia | DT | 0.82 | R1 | 3-5 | 6-8 | 1.32 | 1.50 | 5 |
| <i>Magnolia</i> 'Sunburst' Sunburst Magnolia | DT | 1.60 | R1 | 3-4 | 5-8 | 1.14 | 2.61 | 4 |
| <i>Magnolia</i> 'Sundance' Sundance Magnolia | DT | 1.59 | R1 | 3-4 | 5-8 | 0.74 | 0.52 | 4 |
| <i>Magnolia</i> 'Susan' Susan Magnolia | DS | 1.16 | R1 | 3-5 | 6-8 | | 1.04 | 3 |
| <i>Magnolia</i> 'Timeless Beauty' See - <i>Magnolia</i> 'Monland' P.P. 6178 | | | | | | | | |
| <i>Magnolia</i> 'Vulcan' Vulcan Magnolia | DS | 1.77 | R1 | 4-6 | 7-8 | | 1.11 | 6 |
| <i>Magnolia</i> 'Wada's Memory' Wada's Memory Magnolia | DT | 1.17 | R1 | 3-5 | 6-8 | 1.29 | 2.21 | 5 |
| <i>Magnolia</i> 'Yellow Bird' Yellow Bird Magnolia | DT | 1.78 | R1 | 3-5 | 6-8 | 0.87 | 1.11 | 4 |
| <i>Magnolia</i> 'Yellow Fever' Yellow Fever Hybrid Magnolia | DT | 1.59 | R1 | 3-5 | 6-8 | 1.14 | 1.95 | 4 |
| <i>Magnolia</i> 'Yellow Garland' Yellow Garland Magnolia | DT | 1.55 | R1 | 3-5 | 6-8 | 1.14 | 1.50 | 4 |
| <i>Magnolia</i> 'Yellow Lantern' Yellow Lantern Magnolia | DT | 1.23 | R1 | 3-5 | 6-8 | 0.81 | 1.47 | 5 |
| <i>Magnolia</i> 'Yellow River' Yellow River Magnolia | DT | 1.55 | R1 | 3-5 | 6-8 | 1.14 | 1.50 | 5 |
| <i>Magnolia acuminata</i> Cucucumbertree Magnolia | DT | 0.93 | R1 | 3-4 | 5-8 | 1.05 | 1.52 | 4 |
| <i>Magnolia acuminata</i> 'Butterflies' See - <i>Magnolia</i> 'Butterflies' P.P. 7456 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Magnolia acuminata</i> 'Golden Glow' Golden Glow Cucumbertree Magnolia | DT | 1.40 | R1 | 3-4 | 5-8 | 1.13 | 1.33 | 4 |
| <i>Magnolia acuminata</i> 'Koban Dori' Koban Dori Cucumbertree Magnolia | DT | 1.40 | R1 | 3-4 | 5-8 | 0.87 | 1.25 | 4 |
| <i>Magnolia acuminata</i> 'Limelight' Limelight Cucumbertree Magnolia | DT | 1.86 | R1 | 3-4 | 5-8 | 1.47 | 1.23 | 4 |
| <i>Magnolia acuminata</i> var. <i>subcordata</i> Yellow Cucumbertree Magnolia | DT | 1.00 | R1 | 3-4 | 5-8 | 0.87 | 1.25 | 4 |
| <i>Magnolia acuminata</i> var. <i>subcordata</i> 'Miss Honeybee' Miss Honeybee Yellow Cucumbertree Magnolia | DT | 1.00 | R1 | 3-4 | 5-8 | 0.87 | 1.25 | 4 |
| <i>Magnolia</i> x <i>alba</i> White Champak | BS | 3.28 | R2 | 8 | | | 0.37 | 9 |
| <i>Magnolia ashei</i> Ashe Magnolia | DT | 0.73 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Magnolia</i> x <i>brooklynensis</i> Magnolia | DT | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Magnolia</i> x <i>brooklynensis</i> 'Evamaria' Evamaria Magnolia | DT | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Magnolia</i> x <i>brooklynensis</i> 'Woodsman' Woodsman Magnolia | DT | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Magnolia campbellii</i> Campbell Magnolia | DT | 1.00 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Magnolia campbellii</i> var. <i>alba</i> White Campbell Magnolia | DT | 1.71 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Magnolia campbellii</i> var. <i>alba</i> 'Strybing White' Strybing White Campbell Magnolia | DT | 1.71 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Magnolia champaca</i> Orange Champac | BS | 1.81 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Magnolia denudata</i> Yulan Magnolia | DT | 1.15 | R1 | 5-6 | 7-8 | 1.04 | 1.21 | 6 |
| <i>Magnolia dianica</i> Yunnan Michelia Magnolia | BE | 1.66 | R1 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Magnolia doltsopa</i> Sweet Michelia Magnolia | BS | 1.14 | R2 | 8 | | | 1.00 | 9 |
| <i>Magnolia doltsopa</i> 'Silver Cloud' Silver Cloud Sweet Michelia Magnolia | BS | 1.75 | R2 | 8 | | | 1.00 | 9 |
| <i>Magnolia figo</i> Banana Shrub | BS | 1.06 | R2 | 7-8 | | | 1.36 | 7 |
| <i>Magnolia figo</i> 'Port Wine' Port Wine Banana Shrub | BS | 0.64 | R2 | 7-8 | | | 1.36 | 7 |
| <i>Magnolia figo</i> var. <i>skinneriana</i> Improved Banana Shrub | BS | 0.92 | R1 | 8 | | | 1.00 | 8 |
| <i>Magnolia</i> x <i>foggii</i> Hybrid Michelia | BS | 1.71 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Magnolia</i> x <i>foggii</i> 'Allspice' Allspice Hybrid Michelia | BS | 1.70 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Magnolia</i> x <i>foggii</i> 'Jack Fogg' Jack Fogg Hybrid Michelia | BS | 1.71 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Magnolia fraseri</i> Fraser Magnolia | DT | 1.00 | R1 | 4-5 | 6-8 | 0.46 | 0.30 | 5 |
| <i>Magnolia grandiflora</i> Southern Magnolia | BE | 0.87 | R2 | 5-6 | 7-8 | 0.82 | 1.44 | 6 |
| <i>Magnolia grandiflora</i> 'Alta' See - <i>Magnolia grandiflora</i> 'TMGH' P.P. 11612 | | | | | | | | |
| <i>Magnolia grandiflora</i> 'Bracken's Brown Beauty' P.P. 5520 Bracken's Brown Beauty Southern Magnolia | BE | 1.28 | R2 | 5-6 | 7-8 | 1.39 | 2.05 | 6 |
| <i>Magnolia grandiflora</i> 'Claudia Wannamaker' Claudia Wannamaker Southern Magnolia | BE | 0.99 | R2 | 5-6 | 7-8 | 1.54 | 3.13 | 6 |
| <i>Magnolia grandiflora</i> 'Coastal Gem' Coastal Gem Southern Magnolia | BE | 0.87 | R2 | 5-6 | 7-8 | 1.29 | 1.41 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Magnolia grandiflora</i> 'Coco' Coco Southern Magnolia | BE | 1.02 | R2 | 5-6 | 7-8 | 1.29 | 1.84 | 6 |
| <i>Magnolia grandiflora</i> 'D.D. Blanchard' D.D. Blanchard Southern Magnolia | BE | 1.18 | R2 | 5-6 | 7-8 | 1.35 | 2.70 | 6 |
| <i>Magnolia grandiflora</i> 'Edith Bogue' Edith Bogue Southern Magnolia | BE | 1.41 | R2 | 5-6 | 7-8 | 1.09 | 1.57 | 6 |
| <i>Magnolia grandiflora</i> 'Emerald Jewel' Emerald Jewel Southern Magnolia | BE | 1.17 | R2 | 5-6 | 7-8 | 1.29 | 1.93 | 6 |
| <i>Magnolia grandiflora</i> 'Ferruginea' Ferruginea Southern Magnolia | BE | 0.91 | R2 | 5-6 | 7-8 | 1.29 | 0.99 | 6 |
| <i>Magnolia grandiflora</i> 'Green Giant' P.P. 9377 Green Giant Southern Magnolia | BE | 0.88 | R2 | 5-6 | 7-8 | 1.13 | 1.62 | 6 |
| <i>Magnolia grandiflora</i> 'Greenback' See - <i>Magnolia grandiflora</i> 'MGTIG' P.P. 9243 | | | | | | | | |
| <i>Magnolia grandiflora</i> 'Jubilee' Jubilee Southern Magnolia | BE | 1.04 | R2 | 5-6 | 7-8 | 1.29 | 1.93 | 6 |
| <i>Magnolia grandiflora</i> 'Kay Parris' Kay Parris Southern Magnolia | BE | 1.03 | R2 | 5-6 | 7-8 | 1.29 | 1.03 | 6 |
| <i>Magnolia grandiflora</i> 'Little Gem' Little Gem Southern Magnolia | BE | 1.14 | R2 | 5-6 | 7-8 | 1.84 | 2.42 | 6 |
| <i>Magnolia grandiflora</i> 'MGTIG' P.P. 9243 Greenback™ Southern Magnolia | BE | 1.19 | R2 | 5-6 | 7-8 | 1.47 | 3.97 | 6 |
| <i>Magnolia grandiflora</i> 'Main Street' Main Street Southern Magnolia | BE | 1.09 | R2 | 5-6 | 7-8 | 1.29 | 1.93 | 6 |
| <i>Magnolia grandiflora</i> 'Majestic Beauty' See - <i>Magnolia grandiflora</i> 'Monlia' P.P. 2250 | | | | | | | | |
| <i>Magnolia grandiflora</i> 'Monlia' P.P. 2250 Majestic Beauty™ Southern Magnolia | BE | 1.76 | R2 | 5-6 | 7-8 | 1.29 | 1.93 | 6 |
| <i>Magnolia grandiflora</i> 'Parris Selection' See - <i>Magnolia grandiflora</i> 'Kay Parris' | | | | | | | | |
| <i>Magnolia grandiflora</i> 'Poconos' Poconos Southern Magnolia | BE | 1.17 | R2 | 5-6 | 7-8 | 1.29 | 1.93 | 6 |
| <i>Magnolia grandiflora</i> 'Russet' Russet Southern Magnolia | BE | 1.47 | R2 | 5-6 | 7-8 | 1.29 | 1.93 | 6 |
| <i>Magnolia grandiflora</i> 'Saint Mary' Saint Mary Southern Magnolia | BE | 1.58 | R2 | 5-6 | 7-8 | 1.29 | 1.93 | 6 |
| <i>Magnolia grandiflora</i> 'Samuel Sommer' Samuel Sommer Southern Magnolia | BE | 1.14 | R2 | 5-6 | 7-8 | 1.29 | 0.45 | 6 |
| <i>Magnolia grandiflora</i> 'Seagrove' Seagrove Southern Magnolia | BE | 0.87 | R2 | 5-6 | 7-8 | 1.29 | 1.41 | 6 |
| <i>Magnolia grandiflora</i> 'Select #3' Select #3 Southern Magnolia | BE | 1.17 | R2 | 5-6 | 7-8 | 1.29 | 5.23 | 6 |
| <i>Magnolia grandiflora</i> 'Southern Charm' P.P. 13049 Teddy Bear® Southern Magnolia | BE | 1.54 | R2 | 5-6 | 7-8 | 1.29 | 1.66 | 6 |
| <i>Magnolia grandiflora</i> 'Symmes' Select' Symmes' Select Southern Magnolia | BE | 0.68 | R2 | 5-6 | 7-8 | 1.29 | 1.07 | 6 |
| <i>Magnolia grandiflora</i> 'TMGH' P.P. 11612 Alta™ Southern Magnolia | BE | 1.07 | R2 | 5-6 | 7-8 | 1.00 | 1.69 | 6 |
| <i>Magnolia grandiflora</i> 'Teddy Bear' See - <i>Magnolia grandiflora</i> 'Southern Charm' P.P. 13049 | | | | | | | | |
| <i>Magnolia grandiflora</i> 'Victoria' Victoria Southern Magnolia | BE | 1.88 | R2 | 5-6 | 7-8 | 1.27 | 0.97 | 6 |
| <i>Magnolia heptapeta</i> See - <i>Magnolia denudata</i> | | | | | | | | |
| <i>Magnolia hypoleuca</i> White Bark Magnolia | DT | 1.00 | R1 | 5 | 6-8 | 1.26 | 1.13 | 5 |
| <i>Magnolia kobus</i> Kobus Magnolia | DT | 1.49 | R1 | 4-5 | 6-8 | 0.94 | 1.04 | 5 |
| <i>Magnolia kobus</i> var. <i>borealis</i> See - <i>Magnolia kobus</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Magnolia liliiflora</i> Lily Magnolia | DT | 0.58 | R1 | 5-6 | 7-8 | 0.73 | 1.01 | 6 |
| <i>Magnolia liliiflora</i> 'Gracilis' Gracilis Lily Magnolia | DT | 0.86 | R1 | 5-6 | 7-8 | 0.73 | 1.24 | 6 |
| <i>Magnolia liliiflora</i> 'Nigra' Purple Lily Magnolia | DT | 1.13 | R1 | 5-6 | 7-8 | 0.73 | 1.46 | 6 |
| <i>Magnolia x loebneri</i> Loebner Magnolia | DT | 0.82 | R1 | 4-5 | 6-8 | 1.26 | 1.71 | 5 |
| <i>Magnolia x loebneri</i> 'Ballerina' Ballerina Loebner Magnolia | DT | 1.65 | R1 | 4-5 | 6-8 | 1.37 | 1.54 | 5 |
| <i>Magnolia x loebneri</i> 'Leonard Messel' Leonard Messel Loebner Magnolia | DT | 1.16 | R1 | 4-5 | 6-8 | 1.27 | 1.56 | 5 |
| <i>Magnolia x loebneri</i> 'Merrill' Dr. Merrill Loebner Magnolia | DT | 1.13 | R1 | 4-5 | 6-8 | 1.25 | 1.47 | 5 |
| <i>Magnolia x loebneri</i> 'Powder Puff' Powder Puff Loebner Magnolia | DT | 1.32 | R1 | 4-5 | 6-8 | 1.26 | 2.19 | 5 |
| <i>Magnolia x loebneri</i> 'Spring Joy' Spring Joy Loebner Magnolia | DT | 1.32 | R1 | 4-5 | 6-8 | 1.26 | 2.22 | 5 |
| <i>Magnolia x loebneri</i> 'Spring Snow' Spring Snow Loebner Magnolia | DT | 1.86 | R1 | 4-5 | 6-8 | 1.14 | 1.16 | 5 |
| <i>Magnolia x loebneri</i> 'White Rose' White Rose Loebner Magnolia | DT | 1.32 | R1 | 4-5 | 6-8 | 1.26 | 1.81 | 5 |
| <i>Magnolia x loebneri</i> 'White Stardust' White Stardust Loebner Magnolia | DT | 1.32 | R1 | 4-5 | 6-8 | 1.26 | 1.71 | 5 |
| <i>Magnolia macrophylla</i> Bigleaf Magnolia | DT | 1.30 | R1 | 4-6 | 7-8 | 1.47 | 1.22 | 6 |
| <i>Magnolia pyramidata</i> Pyramid Magnolia | DT | 0.80 | R1 | 5-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Magnolia salicifolia</i> Anise Magnolia | DT | 1.00 | R1 | 4-6 | 7-8 | 1.00 | 0.78 | 6 |
| <i>Magnolia sargentiana</i> Sargent Magnolia | DT | 1.74 | R1 | 7-8 | | 1.14 | 1.16 | 7 |
| <i>Magnolia sargentiana</i> 'Caerhays Belle' Caerhays Belle Sargent Magnolia | DT | 1.74 | R1 | 7-8 | | 1.14 | 1.16 | 7 |
| <i>Magnolia sieboldii</i> Oyama Magnolia | DT | 1.48 | R1 | 5-6 | 7-8 | 1.39 | 1.94 | 6 |
| <i>Magnolia x soulangiana</i> Saucer Magnolia | DT | 1.07 | R1 | 3-4 | 5-8 | 1.32 | 1.34 | 4 |
| <i>Magnolia x soulangiana</i> 'Alexandrina' Alexandrina Saucer Magnolia | DT | 0.93 | R1 | 3-4 | 5-8 | 1.45 | 0.98 | 4 |
| <i>Magnolia x soulangiana</i> 'Brozzonii' Brozzoni Saucer Magnolia | DT | 0.60 | R1 | 3-4 | 5-8 | 1.40 | 0.52 | 4 |
| <i>Magnolia x soulangiana</i> 'Burgundy' Burgundy Saucer Magnolia | DT | 1.28 | R1 | 3-4 | 5-8 | 1.40 | 1.06 | 4 |
| <i>Magnolia x soulangiana</i> 'Coates' Coates Saucer Magnolia | DT | 1.59 | R1 | 3-4 | 5-8 | 1.40 | 1.06 | 4 |
| <i>Magnolia x soulangiana</i> 'Dark Shadow' Dark Shadow Saucer Magnolia | DT | 0.70 | R1 | 3-4 | 5-8 | 1.40 | 1.03 | 4 |
| <i>Magnolia x soulangiana</i> 'JURmag1' See - <i>Magnolia</i> 'JURmag1' P.P.A.F. | | | | | | | | |
| <i>Magnolia x soulangiana</i> 'Lennei Alba' White Lenne Saucer Magnolia | DT | 1.28 | R1 | 3-4 | 5-8 | 1.40 | 1.06 | 4 |
| <i>Magnolia x soulangiana</i> 'Lennei' Lenne Saucer Magnolia | DT | 1.86 | R1 | 3-4 | 5-8 | 1.16 | 1.22 | 4 |
| <i>Magnolia x soulangiana</i> 'Lilliputian' Lilliputian Saucer Magnolia | DT | 1.28 | R1 | 3-4 | 5-8 | 1.40 | 1.09 | 4 |
| <i>Magnolia x soulangiana</i> 'Picture' Picture Saucer Magnolia | DT | 0.60 | R1 | 3-4 | 5-8 | 1.40 | 0.52 | 4 |
| <i>Magnolia x soulangiana</i> 'Purpliana' Purpliana Saucer Magnolia | DT | 1.86 | R1 | 3-4 | 5-8 | 1.47 | 1.23 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Magnolia</i> x <i>soulangiana</i> 'Rustica Rubra' Purple Saucer Magnolia | DT | 1.12 | R1 | 3-4 | 5-8 | 1.47 | 1.33 | 4 |
| <i>Magnolia</i> x <i>soulangiana</i> 'San Jose' San Jose Saucer Magnolia | DT | 1.86 | R1 | 3-4 | 5-8 | 1.47 | 1.23 | 4 |
| <i>Magnolia</i> x <i>soulangiana</i> 'Verbanica' Verbanica Saucer Magnolia | DT | 1.86 | R1 | 3-4 | 5-8 | 1.47 | 1.17 | 4 |
| <i>Magnolia stellata</i> Star Magnolia | DS | 0.97 | R1 | 3-4 | 5-8 | | 1.15 | 4 |
| <i>Magnolia stellata</i> 'Centennial' Centennial Star Magnolia | DS | 1.08 | R1 | 3-4 | 5-8 | | 1.62 | 4 |
| <i>Magnolia stellata</i> 'Chrysanthemumiflora' Chrysanthemumiflora Star Magnolia | DS | 1.17 | R1 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Magnolia stellata</i> 'King Rose' King Rose Star Magnolia | DS | 0.89 | R1 | 3-4 | 5-8 | | 1.16 | 4 |
| <i>Magnolia stellata</i> 'Pink Stardust' Pink Stardust Star Magnolia | DS | 1.46 | R1 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Magnolia stellata</i> 'Rosea' Pink Star Magnolia | DS | 1.50 | R1 | 3-4 | 5-8 | | 1.25 | 4 |
| <i>Magnolia stellata</i> 'Royal Star' Royal Star Magnolia | DS | 1.21 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| <i>Magnolia stellata</i> 'Rubra' Red Star Magnolia | DS | 1.17 | R1 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Magnolia stellata</i> 'Super Star' Super Star Star Magnolia | DS | 1.17 | R1 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Magnolia stellata</i> 'Waterlily' Waterlily Star Magnolia | DS | 1.11 | R1 | 3-4 | 5-8 | | 1.35 | 4 |
| <i>Magnolia tripetala</i> Umbrella Magnolia | DT | 1.04 | R1 | 4-5 | 6-8 | 1.00 | 2.10 | 5 |
| <i>Magnolia</i> x <i>veitchii</i> Veitch Magnolia | DT | 1.40 | R1 | 5-7 | 8 | 1.00 | 1.47 | 7 |
| <i>Magnolia</i> x <i>veitchii</i> 'Columbus' Columbus Magnolia | DT | 1.40 | R1 | 5-7 | 8 | 1.00 | 1.47 | 7 |
| <i>Magnolia virginiana</i> Sweetbay Magnolia | BE | 0.84 | R1 | 4-5 | 6-8 | 1.21 | 0.95 | 5 |
| <i>Magnolia virginiana</i> 'Cully' Cully Sweetbay Magnolia | BE | 1.30 | R1 | 4-5 | 6-8 | 1.24 | 2.52 | 5 |
| <i>Magnolia virginiana</i> 'Greenbay' Greenbay Sweetbay Magnolia | BE | 1.30 | R1 | 4-5 | 6-8 | 1.24 | 0.71 | 5 |
| <i>Magnolia virginiana</i> 'Henry Hicks' Henry Hicks Sweetbay Magnolia | BE | 1.37 | R1 | 4-5 | 6-8 | 1.35 | 1.06 | 5 |
| <i>Magnolia virginiana</i> 'Jim Wilson' P.P. 12065 Moonglow™ Sweetbay Magnolia | BE | 1.10 | R1 | 4-5 | 6-8 | 1.16 | 0.73 | 5 |
| <i>Magnolia virginiana</i> 'Mattie Mae Smith' P.P. 12204 Mattie Mae Smith Sweetbay Magnolia | BE | 1.89 | R1 | 4-5 | 6-8 | 1.24 | 1.19 | 5 |
| <i>Magnolia virginiana</i> 'Moonglow' See - <i>Magnolia virginiana</i> 'Jim Wilson' P.P. 12065 <i>Magnolia virginiana</i> 'Wilson' See - <i>Magnolia virginiana</i> 'Jim Wilson' P.P. 12065 | | | | | | | | |
| <i>Magnolia virginiana</i> var. <i>australis</i> Southern Sweetbay Magnolia | BE | 0.80 | R1 | 4-5 | 6-8 | 0.99 | 0.79 | 5 |
| <i>Mahonia</i> Mahonia | BS | 0.74 | R1 | 7 | 8 | | 1.00 | 7 |
| <i>Mahonia</i> 'Arthur Menzies' See - <i>Mahonia</i> x <i>media</i> 'Arthur Menzies' | | | | | | | | |
| <i>Mahonia</i> 'Skylark' Skylark Mahonia | BS | 0.74 | R1 | 7 | 8 | | 1.00 | 7 |
| <i>Mahonia aquifolium</i> Oregon Grapeholly | BS | 1.09 | R2 | 4-5 | 6-8 | | 1.64 | 5 |
| <i>Mahonia aquifolium</i> 'Apollo' Apollo Oregon Grapeholly | BS | 1.36 | R2 | 4-5 | 6-8 | | 1.64 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Mahonia aquifolium</i> 'Compactum' Compact Oregon Grapeholly | BS | 1.51 | R2 | 4-5 | 6-8 | | 1.64 | 5 |
| <i>Mahonia aquifolium</i> 'King's Ransom' King's Ransom Oregon Grapeholly | BS | 1.55 | R2 | 4-5 | 6-8 | | 1.64 | 5 |
| <i>Mahonia aquifolium</i> 'Mayhan Strain' Mayhan Strain Oregon Grapeholly | BS | 0.83 | R2 | 4-5 | 6-8 | | 1.64 | 5 |
| <i>Mahonia aquifolium</i> 'Orange Flame' P.P. 2544 Orange Flame Oregon Grapeholly | BS | 1.82 | R2 | 4-5 | 6-8 | | 1.64 | 5 |
| <i>Mahonia bealei</i> See - <i>Mahonia japonica</i> 'Bealei' | | | | | | | | |
| <i>Mahonia fortunei</i> Chinese Mahonia | BS | 0.86 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Mahonia fremontii</i> Fremont's Mahonia | BS | 1.00 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Mahonia haematocarpa</i> Red Mahonia | BS | 1.45 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Mahonia japonica</i> Japanese Mahonia | BS | 1.41 | R2 | 5-6 | 7-8 | | 0.74 | 6 |
| <i>Mahonia japonica</i> 'Bealei' Leatherleaf Mahonia | BS | 0.87 | R2 | 5-6 | 7-8 | | 0.74 | 6 |
| <i>Mahonia lomariifolia</i> No Common Name Found | BS | 0.86 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Mahonia x media</i> No Common Name Found | BS | 1.18 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Mahonia x media</i> 'Arthur Menzies' Arthur Menzies Mahonia | BS | 1.16 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Mahonia x media</i> 'Winter Sun' Winter Sun Oregon Grape Holly | BS | 1.19 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Mahonia nervosa</i> Cascades Mahonia | BS | 1.05 | R2 | 5-6 | 7-8 | | 1.14 | 6 |
| <i>Mahonia nevinii</i> Nevin Mahonia | BS | 0.83 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Mahonia pinnata</i> Cluster Mahonia | BS | 0.78 | R2 | 5-6 | 7 | | 1.00 | 5 |
| <i>Mahonia pinnata</i> 'Ken Hartman' Ken Hartman Cluster Mahonia | BS | 0.78 | R2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Mahonia repens</i> Creeping Mahonia | BS | 1.22 | R2 | 5-6 | 7-8 | | 1.14 | 6 |
| <i>Mahonia trifoliata</i> Agarito | BS | 0.78 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Maianthemum bifolium</i> False Lily-of-the-Valley | HP | 0.52 | R2 | 3 | 4-8 | | | |
| <i>Maianthemum dilatatum</i> See - <i>Maianthemum bifolium</i> | | | | | | | | |
| <i>Maianthemum stellatum</i> Starry False Lily-of-the-Valley | BE | 1.00 | R2 | 3 | 4-8 | 1.00 | 1.00 | 3 |
| <i>Malus</i> Crabapple | DT | 1.16 | R1 | 3 | 4-8 | 0.94 | 1.64 | 2 |
| <i>Malus</i> 'Adams' Adams Crabapple | DT | 1.06 | R1 | 3-4 | 5-8 | 1.06 | 1.33 | 4 |
| <i>Malus</i> 'Adirondack' Adirondack Crabapple | DT | 0.92 | R1 | 3-4 | 5-8 | 0.98 | 1.84 | 4 |
| <i>Malus</i> 'Almey' Almey Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Amazam' American Masterpiece® Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.95 | 1.84 | 4 |
| <i>Malus</i> 'Amberina' Amberina Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| <i>Malus</i> 'American Beauty' P.P. 2821 American Beauty Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|-------------------------------------|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Malus</i> 'American Masterpiece' | | | | | | | | |
| See - <i>Malus</i> 'Amaszam' | | | | | | | | |
| <i>Malus</i> 'American Salute' | | | | | | | | |
| See - <i>Malus</i> 'Amsalzam' | | | | | | | | |
| <i>Malus</i> 'American Spirit' | | | | | | | | |
| See - <i>Malus</i> 'Amerspirzam' | | | | | | | | |
| <i>Malus</i> 'American Triumph' | | | | | | | | |
| See - <i>Malus</i> 'Amertrizam' | | | | | | | | |
| <i>Malus</i> 'Amerspirzam' | DT | 1.16 | R1 | 3-4 | 5-8 | 1.08 | 1.27 | 4 |
| American Spirit™ Crabapple | | | | | | | | |
| <i>Malus</i> 'Amertrizam' | DT | 1.16 | R1 | 3-4 | 5-8 | 1.09 | 1.64 | 4 |
| American Triumph™ Crabapple | | | | | | | | |
| <i>Malus</i> 'Ames White' | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| Ames White Crabapple | | | | | | | | |
| <i>Malus</i> 'Amsalzam' | DT | 1.19 | R1 | 3-4 | 5-8 | 1.06 | 1.64 | 4 |
| American Salute™ Crabapple | | | | | | | | |
| <i>Malus</i> 'Anne E' | | | | | | | | |
| See - <i>Malus</i> 'Manbeck Weeper' | | | | | | | | |
| <i>Malus</i> 'Autumn Glory' | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| Autumn Glory Crabapple | | | | | | | | |
| <i>Malus</i> 'Ballerina' | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| Ballerina Crabapple | | | | | | | | |
| <i>Malus</i> 'Barbara Ann' | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| Barbara Ann Crabapple | | | | | | | | |
| <i>Malus</i> 'Baskatong' | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| Baskatong Crabapple | | | | | | | | |
| <i>Malus</i> 'Bechtel' | | | | | | | | |
| See - <i>Malus ioensis</i> 'Plena' | | | | | | | | |
| <i>Malus</i> 'Beeson' | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| May's Delight® Hybrid Crabapple | | | | | | | | |
| <i>Malus</i> 'Beverly' | DT | 0.75 | R1 | 3-4 | 5-8 | 0.83 | 1.27 | 4 |
| Beverly Crabapple | | | | | | | | |
| <i>Malus</i> 'Big Red' | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| Big Red Crabapple | | | | | | | | |
| <i>Malus</i> 'Birdland' | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.03 | 4 |
| Birdland Crabapple | | | | | | | | |
| <i>Malus</i> 'Bob White' | DT | 1.16 | R1 | 3-4 | 5-8 | 0.86 | 1.84 | 4 |
| Bob White Crabapple | | | | | | | | |
| <i>Malus</i> 'Brandywine' | | | | | | | | |
| See - <i>Malus</i> 'Branzam' | | | | | | | | |
| <i>Malus</i> 'Branzam' | DT | 1.10 | R1 | 3-4 | 5-8 | 0.91 | 1.35 | 4 |
| Brandywine™ Crabapple | | | | | | | | |
| <i>Malus</i> 'Bridal Bouquet' | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| Bridal Bouquet Crabapple | | | | | | | | |
| <i>Malus</i> 'Burgandy' | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| Burgandy Crabapple | | | | | | | | |
| <i>Malus</i> 'Callaway' | DT | 0.66 | R1 | 3-4 | 5-8 | 0.70 | 1.17 | 4 |
| Callaway Crabapple | | | | | | | | |
| <i>Malus</i> 'Camelot' | | | | | | | | |
| See - <i>Malus</i> 'Camzam' | | | | | | | | |
| <i>Malus</i> 'Camzam' | DT | 1.16 | R1 | 3-4 | 5-8 | 0.97 | 1.90 | 4 |
| Camelot® Crabapple | | | | | | | | |
| <i>Malus</i> 'Canary' | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| Canary Crabapple | | | | | | | | |
| <i>Malus</i> 'Candymint' P.P. 6606 | DT | 1.19 | R1 | 3-4 | 5-8 | 0.97 | 1.81 | 4 |
| Candymint Crabapple | | | | | | | | |
| <i>Malus</i> 'Canterbury' | | | | | | | | |
| See - <i>Malus</i> 'Canterzam' | | | | | | | | |
| <i>Malus</i> 'Canterzam' | DT | 1.47 | R1 | 3-4 | 5-8 | 1.21 | 1.64 | 4 |
| Canterbury™ Crabapple | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Malus</i> 'Cardinal's Robes' Cardinal's Robes Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 1.15 | 1.79 | 4 |
| <i>Malus</i> 'Cascade' See - <i>Malus</i> 'Snow Ballerina' | | | | | | | | |
| <i>Malus</i> 'Centennial' Centennial Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Centurion' See - <i>Malus</i> 'Centzam' | | | | | | | | |
| <i>Malus</i> 'Centzam' Centurion® Crabapple | DT | 1.11 | R1 | 3-4 | 5-8 | 0.91 | 1.23 | 4 |
| <i>Malus</i> 'Chantilly' See - <i>Malus</i> 'Chantzam' | | | | | | | | |
| <i>Malus</i> 'Chantzam' Chantilly™ Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Chestnut' Chestnut Crabapple | DT | 1.18 | R1 | 3-4 | 5-8 | 0.98 | 1.64 | 4 |
| <i>Malus</i> 'Chrishozam' Christmas Holly™ Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| <i>Malus</i> 'Christmas Holly' See - <i>Malus</i> 'Chrishozam' | | | | | | | | |
| <i>Malus</i> 'Cinderella' See - <i>Malus</i> 'Cinzam' | | | | | | | | |
| <i>Malus</i> 'Cinzam' Cinderella® Crabapple | DT | 1.32 | R1 | 3-4 | 5-8 | 1.00 | 2.75 | 4 |
| <i>Malus</i> 'Columbia' Columbia Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Coppurple' Perfect Purple® Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 2.21 | 1.64 | 4 |
| <i>Malus</i> 'Coral Cascade' Coral Cascade Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Coralburst' See - <i>Malus</i> 'Coralcole' P.P. 2983 | | | | | | | | |
| <i>Malus</i> 'Coralcole' P.P. 2983 Coralburst® Crabapple | DT | 1.19 | R1 | 3-4 | 5-8 | 1.17 | 2.76 | 4 |
| <i>Malus</i> 'Cranberry Lace' Cranberry Lace Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.97 | 4 |
| <i>Malus</i> 'Crimson Gold' Crimson Gold Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'CrimsonSpire' See - <i>Malus</i> 'Obelisk' P.P. 9060 | | | | | | | | |
| <i>Malus</i> 'Dainty' Dainty Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'David' David Crabapple | DT | 1.05 | R1 | 3-4 | 5-8 | 0.89 | 1.70 | 4 |
| <i>Malus</i> 'Dolgo' Dolgo Crabapple | DT | 1.19 | R1 | 3-4 | 5-8 | 0.91 | 1.36 | 3 |
| <i>Malus</i> 'Donald Wyman' Donald Wyman Crabapple | DT | 1.05 | R1 | 3-4 | 5-8 | 0.87 | 1.71 | 4 |
| <i>Malus</i> 'Dorothea' Dorothea Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| <i>Malus</i> 'Doubloons' P.P. 7216 Doubloons Crabapple | DT | 0.99 | R1 | 3-4 | 5-8 | 0.84 | 1.69 | 4 |
| <i>Malus</i> 'Egret' Egret Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Eleyi' Eley Crabapple | DT | 0.69 | R1 | 3-4 | 5-8 | 0.61 | 0.30 | 4 |
| <i>Malus</i> 'Ellen Gerhart' Ellen Gerhart Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'EmeraldSpire' See - <i>Malus</i> 'Tuscan' P.P. 6225 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Malus</i> 'Evelyn' Evelyn Crabapple | DT | 0.51 | R1 | 3-4 | 5-8 | 0.58 | 0.31 | 4 |
| <i>Malus</i> 'Excalibur' See - <i>Malus</i> 'Excazam' | | | | | | | | |
| <i>Malus</i> 'Excazam' Excalibur™ Crabapple | DT | 1.47 | R1 | 3-4 | 5-8 | 1.12 | 1.64 | 4 |
| <i>Malus</i> 'Flame' Flame Crabapple | DT | 0.61 | R1 | 3-4 | 5-8 | 0.67 | 0.78 | 4 |
| <i>Malus</i> 'Fox Fire' See - <i>Malus</i> 'Fozam' | | | | | | | | |
| <i>Malus</i> 'Fozam' Fox Fire™ Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 1.07 | 1.27 | 4 |
| <i>Malus</i> 'Franz Lipp' Franz Lipp Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Frettingham's Victoria' Frettingham's Victoria Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Garnet' Garnet Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Golden Hornet' Golden Hornet Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Gorgeous' Gorgeous Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Guinevere' See - <i>Malus</i> 'Guinzam' P.P. 7773 | | | | | | | | |
| <i>Malus</i> 'Guinzam' P.P. 7773 Guinevere® Crabapple | DT | 1.09 | R1 | 3-4 | 5-8 | 0.88 | 1.84 | 4 |
| <i>Malus</i> 'Hamlet' See - <i>Malus</i> 'Hamzam' | | | | | | | | |
| <i>Malus</i> 'Hamzam' Hamlet® Crabapple | DT | 1.44 | R1 | 3-4 | 5-8 | 1.07 | 1.84 | 4 |
| <i>Malus</i> 'Hargozam' Harvest Gold® Crabapple | DT | 1.02 | R1 | 3-4 | 5-8 | 0.84 | 1.41 | 4 |
| <i>Malus</i> 'Harvest Gold' See - <i>Malus</i> 'Hargozam' | | | | | | | | |
| <i>Malus</i> 'Henry Kohankie' Henry Kohankie Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Holiday Gold' See - <i>Malus</i> 'Hozam' | | | | | | | | |
| <i>Malus</i> 'Hooks #14' Hooks #14 Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Hooks #15' Hooks #15 Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Hooks #19' Hooks #19 Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Hooks #23' Hooks #23 Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Hopa' Hopa Crabapple | DT | 1.00 | R1 | 3-4 | 5-8 | 0.96 | 1.03 | 4 |
| <i>Malus</i> 'Hozam' Holiday Gold™ Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 1.05 | 1.64 | 4 |
| <i>Malus</i> 'Hub Tures' Spring Sensation™ Crabapple | DT | 1.16 | R1 | | 3-8 | 0.94 | 1.64 | 2 |
| <i>Malus</i> 'Huber' Royal Fountain™ Crabapple | DT | 1.22 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| <i>Malus</i> 'Indian Magic' Indian Magic Crabapple | DT | 0.98 | R1 | 3-4 | 5-8 | 0.94 | 1.28 | 4 |
| <i>Malus</i> 'Indian Summer' Indian Summer Crabapple | DT | 1.15 | R1 | 3-4 | 5-8 | 0.89 | 1.11 | 4 |
| <i>Malus</i> 'Ivanhoe' See - <i>Malus</i> 'Ivazam' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Malus</i> 'Ivazam' Ivanhoe™ Crabapple | DT | 1.52 | R1 | 3-4 | 5-8 | 1.21 | 1.64 | 4 |
| <i>Malus</i> 'JFS-KW5' P.P. 14375 Royal Raindrops® Crabapple | DT | 1.06 | R1 | 3-4 | 5-8 | 0.94 | 1.53 | 4 |
| <i>Malus</i> 'Jewelberry' Jewelberry Crabapple | DT | 2.06 | R1 | 3-4 | 5-8 | 1.17 | 1.84 | 4 |
| <i>Malus</i> 'Jewelcole' P.P. 3267 Red Jewel™ Crabapple | DT | 1.15 | R1 | 3-4 | 5-8 | 0.95 | 1.90 | 4 |
| <i>Malus</i> 'Katherine' Katherine Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Kelsey' Kelsey Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.99 | 1.84 | 4 |
| <i>Malus</i> 'Kerr' Kerr Crabapple | DT | 1.16 | R1 | | 3-8 | 0.94 | 1.64 | 2 |
| <i>Malus</i> 'Kibele' Kibele Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| <i>Malus</i> 'Kinarzam' King Arthur™ Crabapple | DT | 1.47 | R1 | 3-4 | 5-8 | 1.00 | 1.84 | 4 |
| <i>Malus</i> 'King Arthur' See - <i>Malus</i> 'Kinarzam' | | | | | | | | |
| <i>Malus</i> 'Kirk' Kirk Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Lancelot' See - <i>Malus</i> 'Lanzam' P.P. 8056 | | | | | | | | |
| <i>Malus</i> 'Lanzam' P.P. 8056 Lancelot® Crabapple | DT | 1.36 | R1 | 3-4 | 5-8 | 0.98 | 2.53 | 4 |
| <i>Malus</i> 'Leprechaun' Leprechaun Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 1.23 | 1.64 | 4 |
| <i>Malus</i> 'Liset Dwarf' Dwarf Liset Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Liset' Liset Crabapple | DT | 1.50 | R1 | 3-4 | 5-8 | 0.96 | 1.47 | 4 |
| <i>Malus</i> 'Lollipop' See - <i>Malus</i> 'Lollizam' | | | | | | | | |
| <i>Malus</i> 'Lollizam' Lollipop™ Crabapple | DT | 1.29 | R1 | 3-4 | 5-8 | 1.11 | 3.22 | 4 |
| <i>Malus</i> 'Louisa' Louisa Crabapple | DT | 1.09 | R1 | 3-4 | 5-8 | 0.97 | 1.65 | 4 |
| <i>Malus</i> 'Lullaby' Lullaby Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Luwick' Luwick Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 1.17 | 1.64 | 4 |
| <i>Malus</i> 'Madonna' See - <i>Malus</i> 'Mazam' P.P. 6672 | | | | | | | | |
| <i>Malus</i> 'Makamik' Makamik Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Manbeck Weeper' Anne E™ Crabapple | DT | 1.15 | R1 | 3-4 | 5-8 | 0.91 | 1.64 | 4 |
| <i>Malus</i> 'Maria' Maria Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Marshall Oyama' Marshall Oyama Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| <i>Malus</i> 'Mary Potter' Mary Potter Crabapple | DT | 1.06 | R1 | 3-4 | 5-8 | 0.97 | 1.65 | 4 |
| <i>Malus</i> 'Matthew' Matthew Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'May's Delight' See - <i>Malus</i> 'Beeson' | | | | | | | | |
| <i>Malus</i> 'Maypole' P.P. 6184 Maypole Colonnade Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Malus</i> 'Mazam' P.P. 6672 Madonna® Crabapple | DT | 1.34 | R1 | 3-4 | 5-8 | 1.07 | 1.29 | 4 |
| <i>Malus</i> 'Michael' Michael Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Molazam' Molten Lava® Crabapple | DT | 1.03 | R1 | 3-4 | 5-8 | 1.01 | 1.67 | 4 |
| <i>Malus</i> 'Mollie Ann' Mollie Ann Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Molten Lava' See - <i>Malus</i> 'Molazam' | | | | | | | | |
| <i>Malus</i> 'Mount Arbor Special' Mount Arbor Special Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Narragansett' Narragansett Crabapple | DT | 1.41 | R1 | 3-4 | 5-8 | 0.87 | 1.84 | 4 |
| <i>Malus</i> 'Obelisk' P.P. 9060 Crimsonspire™ Colonnade Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Oekonomierat Echtermeyer' Oekonomierat Echtermeyer Crabapple | DT | 1.29 | R1 | 3-4 | 5-8 | 0.87 | 1.63 | 4 |
| <i>Malus</i> 'Orange Crush' Orange Crush Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 1.23 | 1.92 | 4 |
| <i>Malus</i> 'Ormiston Roy' Ormiston Roy Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| <i>Malus</i> 'Park Centre' Park Centre Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| <i>Malus</i> 'Parsi' Pink Princess® Crabapple | DT | 1.07 | R1 | 3-4 | 5-8 | 0.98 | 2.12 | 4 |
| <i>Malus</i> 'Pear Leaf' Pear Leaf Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Perfect Purple' See - <i>Malus</i> 'Coppurple' | | | | | | | | |
| <i>Malus</i> 'Pink Cascade' Pink Cascade Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| <i>Malus</i> 'Pink Dawn' Pink Dawn Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.86 | 1.84 | 4 |
| <i>Malus</i> 'Pink Perfection' P.P. 2912 Pink Perfection Crabapple | DT | 0.98 | R1 | 3-4 | 5-8 | 0.67 | 1.84 | 4 |
| <i>Malus</i> 'Pink Princess' See - <i>Malus</i> 'Parsi' | | | | | | | | |
| <i>Malus</i> 'Pink Satin' Pink Satin Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.86 | 1.84 | 4 |
| <i>Malus</i> 'Pink Spires' Pink Spires Crabapple | DT | 1.19 | R1 | 3-4 | 5-8 | 1.06 | 1.47 | 4 |
| <i>Malus</i> 'Pink Star' Pink Star Crabapple | DT | 0.95 | R1 | 3-4 | 5-8 | 0.95 | 1.84 | 4 |
| <i>Malus</i> 'Prairie Maid' Prairie Maid Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| <i>Malus</i> 'Prairie Rose' Prairie Rose Crabapple | DT | 1.02 | R1 | 3-4 | 5-8 | 0.65 | 1.64 | 4 |
| <i>Malus</i> 'Prairifire' Prairifire Crabapple | DT | 0.96 | R1 | 3-4 | 5-8 | 1.03 | 1.93 | 4 |
| <i>Malus</i> 'Prince Georges' Prince Georges Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 1.12 | 1.64 | 4 |
| <i>Malus</i> 'Professor Sprenger' Professor Sprenger Crabapple | DT | 0.72 | R1 | 3-4 | 5-8 | 0.86 | 1.29 | 4 |
| <i>Malus</i> 'Profusion Dwarf' Dwarf Profusion Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Profusion' Profusion Crabapple | DT | 0.96 | R1 | 3-4 | 5-8 | 0.81 | 1.15 | 4 |
| <i>Malus</i> 'Purple Prince' P.P. 8478 Purple Prince Crabapple | DT | 1.15 | R1 | 3-4 | 5-8 | 0.91 | 1.70 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Malus</i> 'Radiant' Radiant Crabapple | DT | 1.11 | R1 | 3-4 | 5-8 | 0.93 | 1.23 | 4 |
| <i>Malus</i> 'Rainbow' Rainbow Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Ralph Shay' Ralph Shay Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| <i>Malus</i> 'Rebirzam' Redbird Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Red Barron' Red Barron Crabapple | DT | 1.18 | R1 | 3-4 | 5-8 | 1.04 | 1.39 | 4 |
| <i>Malus</i> 'Red Jade Dwarf' Red Jade Dwarf Crabapple | DT | 1.16 | R1 | 3 | 4-8 | 0.91 | 1.64 | 3 |
| <i>Malus</i> 'Red Jade' P.P. 1497 Red Jade Crabapple | DT | 1.08 | R1 | 3 | 4-8 | 1.00 | 1.25 | 3 |
| <i>Malus</i> 'Red Jewel' See - <i>Malus</i> 'Jewelcole' P.P. 3267 | | | | | | | | |
| <i>Malus</i> 'Red Peacock' Red Peacock Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.88 | 1.84 | 4 |
| <i>Malus</i> 'Red Rock' Red Rock Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Red Silver' Red Silver Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Red Splendor Dwarf' Dwarf Red Splendor Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Red Splendor' Red Splendor Crabapple | DT | 1.26 | R1 | 3 | 4-8 | 0.92 | 1.38 | 3 |
| <i>Malus</i> 'Red Swan' Red Swan Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| <i>Malus</i> 'Redbird' See - <i>Malus</i> 'Rebirzam' | | | | | | | | |
| <i>Malus</i> 'Rejoice' See - <i>Malus</i> 'Rejzam' | | | | | | | | |
| <i>Malus</i> 'Rejzam' Rejoice™ Crabapple | DT | 1.32 | R1 | 3-4 | 5-8 | 1.09 | 1.13 | 4 |
| <i>Malus</i> 'Robinson Dwarf' Dwarf Robinson Crabapple | DT | 0.80 | R1 | 3-4 | 5-8 | 0.86 | 1.12 | 4 |
| <i>Malus</i> 'Robinson' Robinson Crabapple | DT | 0.89 | R1 | 3-4 | 5-8 | 0.86 | 1.21 | 4 |
| <i>Malus</i> 'Royal Fountain' See - <i>Malus</i> 'Huber' | | | | | | | | |
| <i>Malus</i> 'Royal Gem' Royal Gem Crabapple | DT | 1.45 | R1 | 3-4 | 5-8 | 1.20 | 1.64 | 4 |
| <i>Malus</i> 'Royal Purple' See - <i>Malus</i> 'Coppurple' | | | | | | | | |
| <i>Malus</i> 'Royal Raindrops' See - <i>Malus</i> 'JFS-KW5' P.P. 14375 | | | | | | | | |
| <i>Malus</i> 'Royal Ruby' Royal Ruby Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| <i>Malus</i> 'Royal Scepter' See - <i>Malus</i> 'Roiszczam' | | | | | | | | |
| <i>Malus</i> 'Royalty Dwarf' Dwarf Royalty Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.63 | 1.27 | 4 |
| <i>Malus</i> 'Royalty' Royalty Crabapple | DT | 1.10 | R1 | 3-4 | 5-8 | 0.95 | 1.20 | 4 |
| <i>Malus</i> 'Roiszczam' Royal Scepter™ Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 1.09 | 1.13 | 4 |
| <i>Malus</i> 'Ruby Lustre' Ruby Lustre Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Satin Cloud' Satin Cloud Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Malus</i> 'Sbrazam' Scarlet Brandywine™ Crabapple | DT | 1.02 | R1 | 3-4 | 5-8 | 1.05 | 1.64 | 4 |
| <i>Malus</i> 'Scarlet Brandywine' See - <i>Malus</i> 'Sbrazam' | | | | | | | | |
| <i>Malus</i> 'ScarletSpire' See - <i>Malus</i> 'Trajan' P.P. 6226 | | | | | | | | |
| <i>Malus</i> 'Selkirk' Selkirk Crabapple | DT | 1.41 | R1 | 3 | 4-8 | 1.11 | 1.64 | 3 |
| <i>Malus</i> 'Sentinel' Sentinel Crabapple | DT | 1.17 | R1 | 3-4 | 5-8 | 0.93 | 1.84 | 4 |
| <i>Malus</i> 'Serenade' Serenade Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Serenity' See - <i>Malus</i> 'Serzam' | | | | | | | | |
| <i>Malus</i> 'Serzam' Serenity™ Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.36 | 4 |
| <i>Malus</i> 'Shakespeare' Shakespeare Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Shotizam' Show Time™ Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Show Time' See - <i>Malus</i> 'Shotizam' | | | | | | | | |
| <i>Malus</i> 'Silver Drift' Silver Drift Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| <i>Malus</i> 'Silver Moon' Silver Moon Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Simpson 10-35' Simpson 10-35 Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Sinai Fire' P.P. 7492 Sinai Fire Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| <i>Malus</i> 'Sir Galahad' See - <i>Malus</i> 'Sirgazam' | | | | | | | | |
| <i>Malus</i> 'Sirgazam' Sir Galahad® Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 1.13 | 1.64 | 4 |
| <i>Malus</i> 'Snow Ballerina' Snow Ballerina Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Snow Magic' P.P. 4815 Snow Magic Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.68 | 1.84 | 4 |
| <i>Malus</i> 'Snowcloud' P.P. 2913 Snowcloud Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| <i>Malus</i> 'Snowdrift Dwarf' Dwarf Snowdrift Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.91 | 1.64 | 4 |
| <i>Malus</i> 'Snowdrift' Snowdrift Crabapple | DT | 1.01 | R1 | 3-4 | 5-8 | 0.86 | 1.22 | 4 |
| <i>Malus</i> 'Sparkler' Sparkler Crabapple | DT | 1.51 | R1 | 3-4 | 5-8 | 1.05 | 1.84 | 4 |
| <i>Malus</i> 'Spring Sensation' See - <i>Malus</i> 'Hub Tures' | | | | | | | | |
| <i>Malus</i> 'Spring Snow Dwarf' Dwarf Spring Snow Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.91 | 1.64 | 4 |
| <i>Malus</i> 'Spring Snow' P.P. 2667 Spring Snow Crabapple | DT | 1.18 | R1 | 3-4 | 5-8 | 0.86 | 1.43 | 4 |
| <i>Malus</i> 'Spring Song' Spring Song Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Strathmore' Strathmore Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Strawberry Parfait' P.P. 4632 Strawberry Parfait Crabapple | DT | 1.05 | R1 | 3-4 | 5-8 | 0.94 | 1.84 | 4 |
| <i>Malus</i> 'Sugar Tyme' See - <i>Malus</i> 'Sutyzam' P.P. 7062 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Malus</i> 'Sutyzam' P.P. 7062 Sugar Tyme® Crabapple | DT | 1.01 | R1 | 3-4 | 5-8 | 0.88 | 1.70 | 4 |
| <i>Malus</i> 'Telamon' P.P. 6224 UltraSpire™ Colonnade Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Thunderchild' Thunderchild Crabapple | DT | 1.23 | R1 | 3-4 | 5-8 | 1.11 | 1.50 | 4 |
| <i>Malus</i> 'Tolsteme' Tolsteme Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Trajan' P.P. 6226 ScarletSpire™ Colonnade Crabapple | DT | 1.88 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Turesi' Tures' Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Tuscan' P.P. 6225 EmeraldSpire™ Colonnade Crabapple | DT | 1.28 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'UltraSpire' See - <i>Malus</i> 'Telamon' P.P. 6224 | | | | | | | | |
| <i>Malus</i> 'Van Eseltine' Van Eseltine Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.42 | 4 |
| <i>Malus</i> 'Vanguard' Vanguard Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| <i>Malus</i> 'Velvet Pillar' See - <i>Malus</i> 'Velvetcole' P.P. 4758 | | | | | | | | |
| <i>Malus</i> 'Velvetcole' P.P. 4758 Velvet Pillar™ Crabapple | DT | 1.03 | R1 | 3-4 | 5-8 | 0.91 | 1.30 | 4 |
| <i>Malus</i> 'Victorian' See - <i>Malus</i> 'Vicizam' | | | | | | | | |
| <i>Malus</i> 'Vicizam' Victorian™ Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Weepcanzam' P.P. 4038 Weeping Candied Apple® Crabapple | DT | 1.04 | R1 | 3-4 | 5-8 | 0.81 | 1.34 | 4 |
| <i>Malus</i> 'Weeping Candied Apple' See - <i>Malus</i> 'Weepcanzam' P.P. 4038 | | | | | | | | |
| <i>Malus</i> 'Weeping Madonna' See - <i>Malus</i> 'Wemazam' | | | | | | | | |
| <i>Malus</i> 'Wemazam' Weeping Madonna® Crabapple | DT | 1.96 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'White Angel' White Angel® Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.42 | 4 |
| <i>Malus</i> 'White Candle' White Candle Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.84 | 4 |
| <i>Malus</i> 'White Cascade' P.P. 3644 White Cascade Crabapple | DT | 1.30 | R1 | 3-4 | 5-8 | 1.15 | 1.84 | 4 |
| <i>Malus</i> 'Whitney' Whitney Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus</i> 'Winter Gold' Winter Gold Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.87 | 1.64 | 4 |
| <i>Malus</i> 'Yellow Jewel' Yellow Jewel Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| <i>Malus</i> 'Zumarang' Zumarang Crabapple | DT | 1.16 | R1 | 3-4 | 5-8 | 0.94 | 1.64 | 4 |
| <i>Malus angustifolia</i> Southern Crabapple | DT | 0.49 | R1 | 3-5 | 6-8 | 1.00 | 0.67 | 5 |
| <i>Malus</i> x <i>arnoldiana</i> Arnold Crabapple | DT | 1.00 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |
| <i>Malus</i> x <i>atrosanguinea</i> Carmine Crabapple | DT | 1.00 | R1 | 3-4 | 5-8 | 1.27 | 1.56 | 4 |
| <i>Malus baccata</i> Siberian Crabapple | DT | 1.30 | R1 | | 3-8 | 0.49 | 1.55 | 2 |
| <i>Malus baccata</i> 'Andrew Tures' Andrew Tures Siberian Crabapple | DT | 1.30 | R1 | | 3-8 | 0.94 | 1.81 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ | |
|---|-----------|-----------|----|--------------|-------------|---------|------------|---|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Malus baccata</i> 'Columnaris' Columnar Siberian Crabapple | DT | 1.30 | R1 | | 4-8 | 1.15 | 1.71 | 2 |
| <i>Malus baccata</i> 'Jackii' Jack Siberian Crabapple | DT | 1.19 | R1 | | 3-8 | 0.99 | 1.62 | 2 |
| <i>Malus baccata</i> 'Schichtel' Schichtel's Siberian Crabapple | DT | 1.30 | R1 | | 3-8 | 1.08 | 1.71 | 2 |
| <i>Malus baccata</i> 'Taliak' Taliak Siberian Crabapple | DT | 1.30 | R1 | | 3-8 | 0.94 | 1.71 | 2 |
| <i>Malus baccata</i> 'Walters' Walters Siberian Crabapple | DT | 1.41 | R1 | | 3-8 | 0.97 | 1.84 | 2 |
| <i>Malus baccata</i> var. <i>mandshurica</i> Manchurian Crabapple | DT | 1.00 | R1 | | 3-8 | 0.38 | 1.00 | 2 |
| <i>Malus coronaria</i> Wild Sweet Crabapple | DT | 1.00 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |
| <i>Malus coronaria</i> 'Charlottae' Charlotte Crabapple | DT | 1.00 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |
| <i>Malus floribunda</i> Japanese Flowering Crabapple | DT | 0.97 | R1 | 3-4 | 5-8 | 0.99 | 1.43 | 4 |
| <i>Malus floribunda</i> 'Dwarf' Dwarf Japanese Flowering Crabapple | DT | 0.97 | R1 | 3-4 | 5-8 | 1.24 | 1.91 | 4 |
| <i>Malus fusca</i> Oregon Crabapple | DT | 0.54 | R1 | 5-6 | 7-8 | 0.42 | 1.00 | 6 |
| <i>Malus hupehensis</i> Tea Crabapple | DT | 0.98 | R1 | 3-4 | 5-8 | 1.17 | 1.64 | 4 |
| <i>Malus hupehensis</i> 'Cardinal' P.P. 7147 Cardinal Tea Crabapple | DT | 0.98 | R1 | 3-4 | 5-8 | 0.93 | 1.64 | 4 |
| <i>Malus ioensis</i> Prairie Crabapple | DT | 1.10 | R1 | 3 | 4-8 | 1.12 | 1.84 | 2 |
| <i>Malus ioensis</i> 'Klehm's Improved Bechtel' Klehm's Improved Bechtel Crabapple | DT | 1.01 | R1 | 3 | 4-8 | 0.94 | 1.84 | 2 |
| <i>Malus ioensis</i> 'Plena' Bechtel Crabapple | DT | 1.19 | R1 | | 3-8 | 1.61 | 1.84 | 2 |
| <i>Malus x micromalus</i> Midget Crabapple | DT | 1.00 | R1 | 3-4 | 5-8 | 1.08 | 1.67 | 4 |
| <i>Malus pumila</i> Common Apple | DT | 1.00 | R1 | 3 | 4-8 | 1.00 | 1.00 | 3 |
| <i>Malus x robusta</i> Robusta Crabapple | DT | 1.00 | R1 | 3 | 4-8 | 1.00 | 1.00 | 3 |
| <i>Malus sargentii</i> Sargent Crabapple | DT | 1.09 | R1 | 3-4 | 5-8 | 1.09 | 1.75 | 4 |
| <i>Malus sargentii</i> 'Firebird' See - <i>Malus sargentii</i> 'Select A' P.P.A.F. | | | | | | | | |
| <i>Malus sargentii</i> 'May's Delight' See - <i>Malus</i> 'Beeson' | | | | | | | | |
| <i>Malus sargentii</i> 'Rosea' Pink Sargent Crabapple | DT | 1.31 | R1 | 3-4 | 5-8 | 0.84 | 1.84 | 4 |
| <i>Malus sargentii</i> 'Roseglow' Roseglow Sargent Crabapple | DT | 1.31 | R1 | 3-4 | 5-8 | 1.09 | 2.32 | 4 |
| <i>Malus sargentii</i> 'Select A' P.P.A.F. Firebird Sargent Crabapple | DT | 1.55 | R1 | 3-4 | 5-8 | 1.09 | 2.85 | 4 |
| <i>Malus sargentii</i> 'Tina Dwarf' Dwarf Tina Sargent Crabapple | DT | 1.31 | R1 | 3-4 | 5-8 | 1.27 | 2.35 | 4 |
| <i>Malus sargentii</i> 'Tina' Tina Sargent Crabapple | DT | 1.28 | R1 | 3-4 | 5-8 | 1.17 | 2.97 | 4 |
| <i>Malus sargentii</i> 'Tures Red' Tures Red Sargent Crab | DT | 1.31 | R1 | 3-4 | 5-8 | 1.09 | 2.35 | 4 |
| <i>Malus sibirica</i> See - <i>Malus baccata</i> | | | | | | | | |
| <i>Malus sieboldii</i> Toringo Crabapple | DT | 0.62 | R1 | 3-5 | 6-8 | 0.84 | 1.84 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Malus sieboldii</i> 'Fuji' Fuji Toringo Crabapple | DT | 0.62 | R1 | 3-5 | 6-8 | 0.84 | 1.84 | 5 |
| <i>Malus spectabilis</i> Chinese Crabapple | DT | 1.00 | R1 | 3-4 | 5-8 | 0.86 | 1.00 | 4 |
| <i>Malus spectabilis</i> 'Alba' White Chinese Crabapple | DT | 1.00 | R1 | 3-4 | 5-8 | 0.86 | 1.00 | 4 |
| <i>Malus sylvestris</i> European Apple | FN | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> Orchard Apple | FN | 1.02 | R1 | 3 | 4-8 | 0.84 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ace' Ace® Spur Red Delicious Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.63 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Acey Mac' Acey Mac Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.69 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Adams Apple' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Burchinal Red Delicious' P.P. 14757 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Akane' Akane Apple | FN | 1.24 | R1 | 3-5 | 6-8 | 0.68 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ambrosia' P.P. 10789 Ambrosia® Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.73 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Anna' Anna Apple | FN | 0.70 | R1 | 3-5 | 6-8 | 0.64 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Arkansas Black' Arkansas Black Apple | FN | 0.64 | R1 | 3-5 | 6-8 | 0.61 | 0.46 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Arlet' P.P. 6689 Swiss Gourmet™ Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.76 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Aurora' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Joburn' P.P. 11992 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Autumn Gold' P.P. 9907 Autumn Gold® Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Autumn Rose Fuji' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Browner' P.P.A.F. | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Auvil Early Fuji' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Fuji 216' P.P. 10141 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Baigent' P.P. 10016 Brookfield™ Gala Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.75 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Banning Gala' P.P. 13753 Ultima Gala™ Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.72 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Beacon Dwarf' Beacon Dwarf Apple | FN | 1.02 | R1 | 3 | 4-8 | 0.84 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Beacon' Beacon Apple | FN | 1.02 | R1 | 3 | 4-8 | 1.05 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Beni Shogun Fuji' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Heisei Fuji' P.P. 7997 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Beverly Hills' Beverly Hills Apple | FN | 0.87 | R1 | 3-5 | 6-8 | 0.66 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Braeburn' Braeburn Apple | FN | 0.89 | R1 | 3-5 | 6-8 | 0.56 | 0.59 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Brookfield Gala' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Baigent' P.P. 10016 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Browner' P.P.A.F. Autumn Rose® Fuji Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.72 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Buckeye Gala' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Simmons Gala' P.P. 10840 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Burchinal Red Delicious' P.P. 14757 Adams Apple™ Red Delicious Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.78 | 0.53 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-----------|------------|
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Cameo' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Caudle' P.P. 9068 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Campbell Red Delicious' Campbell Red Delicious Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Carnefix Golden Delicious' Golden Supreme® Golden Delicious Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.65 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Caudle' P.P. 9068 Cameo™ Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.74 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Chehalis' Chehalis Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Chieftain' Chieftain Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Coe Fuji' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Ebbourcoe' P.P.A.F. | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Compact Red McIntosh' Compact Red McIntosh Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Compact Red Rome' Compact Red Rome Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Compact Winter Banana' Compact Winter Banana Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.68 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Connell Red Dwarf' Connell Red Dwarf Apple | FN | 1.02 | R1 | 3-4 | 5-8 | 0.84 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Connell Red' Connell Red Apple | FN | 1.40 | R1 | 3-4 | 5-8 | 1.34 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Coop 13' P.P. 4322 Redfree Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.76 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Coop 22' P.P. 4633 Jonafree™ Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.76 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Cortland Dwarf' Cortland Dwarf Apple | FN | 1.02 | R1 | 3-4 | 5-8 | 1.32 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Cortland' Cortland Apple | FN | 1.01 | R1 | 3-4 | 5-8 | 1.12 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Crimson Gala' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Walliser Gala' P.P. 8673 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Cripps Pink' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Pink Lady' | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Criterion' Criterion Apple | FN | 1.68 | R1 | 3-5 | 6-8 | 0.96 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Davis' P.P. 10010 Galasupreme® Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Del Red Rome' Del™ Red Rome Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Delcon' Delcon Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Desert Rose Fuji' P.P.A.F. Desert Rose® Fuji Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.75 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Earligold' P.P. 4820 Earligold™ Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.72 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Early Red One' Delicious' | FN | 1.02 | R1 | 3-5 | 6-8 | 0.76 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Early Red One™ Delicious Apple' Early Red One™ Delicious Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.72 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Early Spur Rome' P.P. 7328 Early Spur Rome Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.72 | 0.53 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ebbourcoe' P.P.A.F. Coe™ Fuji Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.78 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ein Shemer' Ein Shemer Apple | FN | 0.72 | R1 | 3-5 | 6-8 | 0.63 | 0.59 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Elliott' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Mt. Timp Gold' P.P. 10731 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Empire' Empire Apple | FN | 0.90 | R1 | 3-4 | 5-8 | 1.41 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Enterprise' Enterprise Apple | FN | 1.02 | R1 | 3-4 | 5-8 | 0.84 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Esopus Spitzenberg' Esopus Spitzenberg Apple | FN | 0.84 | R1 | 3-4 | 5-8 | 0.84 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Eve Braeburn' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Mariri Red' P.P. 11604 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Fiero' P.P. 11193 September Wonder® Fuji Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.75 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Fireside Dwarf' Fireside Dwarf Apple | FN | 1.02 | R1 | 3-4 | 5-8 | 0.84 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Fireside' Fireside Apple | FN | 1.33 | R1 | 3-4 | 5-8 | 1.34 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Firmgold' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Howell' P.P. 4166 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Flinn' Scarlet Spur® II Appleapple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.78 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Fortune' Fortune Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Freedom' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'NY 58533-1' P.P. 5723 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Fuji 216' P.P. 10141 Auvil Early Fuji™ Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.78 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Fuji' Fuji Apple | FN | 1.04 | R1 | 3-5 | 6-8 | 0.98 | 0.59 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Gala' Gala Apple | FN | 0.87 | R1 | 3-5 | 6-8 | 0.71 | 0.59 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Galasupreme' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Davis' P.P. 10010 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Gale Gala' P.P. 10114 Gale Gala™ Apple | FN | 0.95 | R1 | 3-5 | 6-8 | 0.78 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Gibson Golden Delicious' Gibson Golden Delicious Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.62 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ginger Gold' P.P. 7063 Ginger Gold® Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.74 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Golden Delicious Dwarf' Golden Delicious Dwarf Apple | FN | 0.66 | R1 | 3-5 | 6-8 | 0.80 | 0.59 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Golden Delicious' Golden Delicious Apple | FN | 0.93 | R1 | 3-5 | 6-8 | 0.99 | 0.37 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Golden Dorsett' Golden Dorsett Apple | FN | 0.66 | R1 | 3-5 | 6-8 | 0.64 | 0.59 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Golden Sentinel' Golden Sentinel Apple | FN | 0.96 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Golden Supreme' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Carnefix Golden Delicious' | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Goldspur Delicious' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Sundale' | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Goodland' Goodland Apple | FN | 1.68 | R1 | 3 | 4-8 | 1.41 | 0.53 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Granny Smith Dwarf' Granny Smith Dwarf Apple | FN | 1.68 | R1 | 3-5 | 6-8 | 1.45 | 0.59 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Granny Smith' Granny Smith Apple | FN | 0.81 | R1 | 3-5 | 6-8 | 0.87 | 0.46 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Gravenstein' Gravenstein Apple | FN | 0.87 | R1 | 3-5 | 6-8 | 0.74 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Grimes Golden' Grimes Golden Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Haralred Dwarf' Haralred Dwarf Apple | FN | 1.35 | R1 | 3 | 4-8 | 1.41 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Haralred' Haralred Apple | FN | 1.39 | R1 | 3 | 4-8 | 1.32 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Haralson Dwarf' Haralson Dwarf Apple | FN | 1.11 | R1 | 3 | 4-8 | 1.32 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Haralson' Haralson Apple | FN | 0.94 | R1 | 3 | 4-8 | 1.41 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Hartencourt' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'NS-911' P.P. 10049 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Hazen Dwarf' Hazen Dwarf Apple | FN | 1.02 | R1 | 3 | 4-8 | 0.84 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Hazen' Hazen Apple | FN | 1.02 | R1 | 3 | 4-8 | 1.00 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Heisei Fuji' P.P. 7997 Beni Shogun™ Fuji Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.63 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Heyer 12' Heyer 12 Apple | FN | 1.02 | R1 | 3 | 4-8 | 0.84 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Hidala' P.P. 7526 Hillwell® Red Braeburn Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.75 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Hillwell' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Hidala' P.P. 7526 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Holland' Holland Apple | FN | 0.61 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Honeycrisp Dwarf' Honeycrisp Dwarf Apple | FN | 1.03 | R1 | 3-4 | 5-8 | 1.07 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Honeycrisp' P.P. 7197 Honeycrisp™ Apple | FN | 1.27 | R1 | 3-4 | 5-8 | 0.98 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Honeygold Dwarf' Honeygold Dwarf Apple | FN | 1.02 | R1 | 3-4 | 5-8 | 0.84 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Honeygold' Honeygold Apple | FN | 1.20 | R1 | 3-4 | 5-8 | 1.33 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Howell' P.P. 4166 Firmgold® Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Idared' Idared Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.65 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Imperial Gala' Imperial Gala® Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.63 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Improved Gala' Improved Gala Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Improved McIntosh' Improved McIntosh Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.63 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'It Red Delicious' It® Red Delicious Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.69 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jackson' P.P. 10115 Ruby Jon® Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.76 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jefdale' Prairie Magic Apple | FN | 1.02 | R1 | 3 | 4-8 | 0.84 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jerseymac' Jerseymac Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Joburn Braeburn' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Joburn' P.P. 11992 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Joburn' P.P. 11992 Joburn™ Braeburn Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.75 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonafree' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Coop 22' P.P. 4633 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonagold De Coster' P.P. 8049 Jonagold De Coster Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.76 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonagold Dwarf' Jonagold Dwarf Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonagold' Jonagold Apple | FN | 0.85 | R1 | 3-5 | 6-8 | 0.80 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonagored Supra' P.P. 10401 Morrens® Jonagored Supra™ Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.63 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonamac' Jonamac Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.68 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonathan Dwarf' Jonathan Dwarf Apple | FN | 0.66 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonathan' Jonathan Apple | FN | 1.03 | R1 | 3-5 | 6-8 | 1.02 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonica' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Schneida' P.P. 7146 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Jubilee Fuji' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Fiero' P.P. 11193 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Keepsake Dwarf' Keepsake Dwarf Apple | FN | 1.02 | R1 | 3-4 | 5-8 | 0.84 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Keepsake' Keepsake Apple | FN | 1.02 | R1 | 3-4 | 5-8 | 0.84 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Law Red Rome' Law Red Rome Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.68 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Lawspur Rome' Lawspur® Rome Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.63 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Liberty' Liberty Apple | FN | 1.46 | R1 | 3-4 | 5-8 | 0.97 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Lochbuie Red Braeburn' P.P. 11226 Lochbuie™ Red Braeburn Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.75 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Lodi' Lodi Apple | FN | 1.12 | R1 | 3-4 | 5-8 | 1.08 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Lucky Rose' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Lucky Stemilt' P.P.A.F. | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Lucky Stemilt' P.P.A.F. Lucky Rose™ Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Macoun Dwarf' Macoun Dwarf Apple | FN | 1.02 | R1 | 3-4 | 5-8 | 0.84 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Macoun' Macoun Apple | FN | 0.83 | R1 | 3-4 | 5-8 | 0.81 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mahana Red Braeburn' P.P. 17268 Mahana™ Red Braeburn Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.78 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Malaga' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Gale Gala' P.P. 10114 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mantet' Mantet Apple | FN | 1.02 | R1 | 3 | 4-8 | 0.76 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mariri Red' P.P. 11604 Eve® Braeburn Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.75 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'McIntosh Dwarf' McIntosh Dwarf Apple | FN | 0.66 | R1 | 3-4 | 5-8 | 0.84 | 0.53 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'McIntosh' McIntosh Apple | FN | 1.02 | R1 | 3-4 | 5-8 | 1.06 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Melrose' Melrose Apple | FN | 0.74 | R1 | 3-5 | 6-8 | 0.79 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Midnight Red Spur Delicious' Midnight Red Spur Delicious Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.69 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Minnewashta' P.P. 11367 Zestar!™ Apple | FN | 1.16 | R1 | 3-4 | 5-8 | 1.04 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mollie's Delicious' Mollie's Delicious Apple | FN | 0.61 | R1 | 3-5 | 6-8 | 0.60 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mor-Spur' P.P. 3390 Mor-Spur McIntosh Apple | FN | 1.02 | R1 | 3-4 | 5-8 | 0.63 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Morgan Spur' Morgan Spur® Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.75 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Morren's Jonagored' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Jonagored Supra' P.P. 10401 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mr. K' Mr. K Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mt. Cove' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Ginger Gold' P.P. 7063 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mt. Timp Gold' P.P. 10731 Mt. Timp Gold Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.66 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mutsu Dwarf' Mutsu Dwarf Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Mutsu' Mutsu Apple | FN | 0.77 | R1 | 3-5 | 6-8 | 0.77 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Myra Fuji' P.P. 9645 Myra Fuji Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.72 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'NS-911' P.P. 10049 Royal Court™ Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.76 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'NY 58533-1' P.P. 5723 Freedom Apple | FN | 1.07 | R1 | 3-4 | 5-8 | 1.39 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Newton Pippon' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Yellow Newton Pippin' | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Norcue' Norcue Apple | FN | 1.02 | R1 | 3 | 4-8 | 0.84 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Norland' Norland Apple | FN | 1.02 | R1 | 3 | 4-8 | 0.78 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Northern Lights' Northern Lights Apple | FN | 1.72 | R1 | 3 | 4-8 | 1.18 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Northern Spy' Northern Spy Apple | FN | 0.83 | R1 | 3-4 | 5-8 | 0.67 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Northwest Greening' Northwest Greening Apple | FN | 1.02 | R1 | 3-4 | 5-8 | 0.78 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'NuRed Jonathan Sport' NuRed® Jonathan Sport Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.63 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'NuRed Spur Delicious' NuRed® Spur Red Delicious Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.63 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Obrogala' P.P. 8621 Ultrared Gala Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.69 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Olsentwo' P.P. 9681 Pacific Gala® Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.74 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Oregon Spur' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'W & W' P.P. 4819 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Orin' Orin Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.63 | 0.53 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ozark Gold Dwarf' Ozark Gold Dwarf Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ozark Gold' Ozark Gold Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Pacific Gala' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Olsentwo' P.P. 9681 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Parkland' Parkland Apple | FN | 1.02 | R1 | 3 | 4-8 | 0.84 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Paula Red' Paula Red Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Pinata' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Pinova' P.P. 11601 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Pink Lady' Pink Lady™ Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Pinova' P.P. 11601 Pinata® Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.71 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Prairie Magic' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Jefdale' | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Prima' Prima Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Prime Gold' Prime Gold Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Prime Red' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Akane' | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'RAdiant Red Spur Delicious' | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| RAdiant® Red Spur Delicious Apple | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Rafzubin' P.P. 6588 Rubinette® Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ramey York' Ramey York Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.63 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Baron Dwarf' Red Baron Dwarf Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Baron' Red Baron Apple | FN | 1.23 | R1 | 3 | 4-8 | 1.40 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Chief' Red Chief Apple | FN | 0.61 | R1 | 3-5 | 6-8 | 0.57 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Delicious Dwarf' Red Delicious Dwarf Apple | FN | 0.66 | R1 | 3-5 | 6-8 | 0.93 | 0.59 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Delicious' Red Delicious Apple | FN | 0.93 | R1 | 3-5 | 6-8 | 0.99 | 0.37 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Duchess' Red Duchess Apple | FN | 1.72 | R1 | 3 | 4-8 | 1.38 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Fuji BC#2' Red Fuji BC#2 Apple | FN | 0.97 | R1 | 3-5 | 6-8 | 0.64 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Fuji Nagafu 12' Red Fuji Nagafu 12 Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.62 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Fuji Nagafu 6' Red Fuji Nagafu 6 Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Gravenstein' Red Gravenstein Apple | FN | 0.95 | R1 | 3-5 | 6-8 | 1.00 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Jonaprince' P.P.A.F. Red Jonaprince™ Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.78 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red McIntosh' Red McIntosh Apple | FN | 0.83 | R1 | 3-5 | 6-8 | 0.69 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Prairie Spy Dwarf' Red Prairie Spy Dwarf Apple | FN | 1.35 | R1 | 3-4 | 5-8 | 0.84 | 0.53 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Prairie Spy' Red Prairie Spy Apple | FN | 1.02 | R1 | 3-4 | 5-8 | 1.04 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Stayman' Red Stayman Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.68 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Wealthy' Red Wealthy Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.63 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Red Winesap' Red Winesap Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Redchief Heinicke' Redchief® Heinicke® Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.67 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Redcort' P.P. 5095 Redcort® Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.72 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Redfree' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Coop 13' P.P. 4322 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Redmax' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Starling' P.P. 7167 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Regent Dwarf' Regent Dwarf Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Regent' Regent Apple | FN | 1.14 | R1 | 3-4 | 5-8 | 1.35 | 0.53 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Rome Beauty Dwarf' Rome Beauty Dwarf Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Rome Beauty' Rome Beauty Apple | FN | 0.80 | R1 | 3-5 | 6-8 | 0.62 | 0.46 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Royal Court' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'NS-911' P.P. 10049 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Royal Empire' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Teeple Red Empire' P.P. 7820 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Royal Gala' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Tenroy' P.P. 4121 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Rubinette' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Rafzubin' P.P. 6588 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Rubinstar Jonagold' P.P. 7590 Rubinstar Jonagold Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.72 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ruby Jon' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Jackson' P.P. 10115 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ryanred Delicious' Ryanred Delicious Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sali Red Delicious' P.P. 7237 Sali™ Red Delicious Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sandidge' P.P. 6190 Super Chief® Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.76 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sansa' P.P. 6519 Sansa Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.76 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Scarlet Gala' P.P. 6172 Scarlet Gala Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.72 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Scarlet Sentinel' Scarlet Sentinel Apple | FN | 0.96 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Scarlet Spur II' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Flinn' | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Scarlet Spur' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Snipes' P.P. 4839 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Schlect Spur Delicious' Schlect Spur Delicious Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.72 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Schneida' P.P. 7146 Jonica™ Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Senshu' Senshu Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'September Wonder Fuji' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Fiero' P.P. 11193 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Shamrock' Shamrock Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Silken' P.P. 10740 Silken Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.76 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Simmons Gala' P.P. 10840 Buckeye™ Gala Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.68 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Smoothee Improved Golden Delicious' Smoothee® Improved Golden Delicious Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.60 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Snipes' P.P. 4839 Scarlet Spur® Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.76 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Snyder' P.P. 12098 TopExport® Fuji Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.75 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sonata' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Pinova' P.P. 11601 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Spartan' Spartan Apple | FN | 0.74 | R1 | 3-5 | 6-8 | 0.79 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Spigold' Spigold Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Spur Winter Banana' Spur Winter Banana Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Spur York' Spur York Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.68 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Stamps' Stamps Red Delicious Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.72 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Starling' P.P. 7167 Redmax Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.72 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'State Fair Dwarf' State Fair Dwarf Apple | FN | 0.87 | R1 | 3 | 4-8 | 1.38 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'State Fair' State Fair Apple | FN | 1.40 | R1 | 3 | 4-8 | 1.42 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Stayman Dwarf' Stayman Dwarf Apple | FN | 1.02 | R1 | 3-4 | 5-8 | 0.84 | 0.59 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Stayman' Stayman Apple | FN | 0.76 | R1 | 3-4 | 5-8 | 0.55 | 0.37 | 4 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Summerred' Summerred Apple | FN | 0.96 | R1 | 3-5 | 6-8 | 0.66 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sun Fuji' Sun Fuji™ Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.72 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sundale' Goldspur Delicious Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.68 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Super Chief' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Sandidge' P.P. 6190 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sweet Sixteen Dwarf' Sweet Sixteen Dwarf Apple | FN | 0.87 | R1 | 3 | 4-8 | 0.84 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Sweet Sixteen' Sweet Sixteen Apple | FN | 1.39 | R1 | 3 | 4-8 | 1.95 | 0.53 | 3 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Swiss Gourmet' See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Arlet' P.P. 6689 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'TF808' P.P. 8010 Thome Empire™ Apple | FN | 1.02 | R1 | 3-5 | 6-8 | 0.72 | 0.53 | 5 |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Teepel Red Empire' P.P. 7820 | FN | 1.02 | R1 | 3-5 | 6-8 | 0.74 | 0.53 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-----------|------------|
| | | | | Req | Not Req | Caliper | High/Wide | |
| Royal Empire™ Apple <i>Malus sylvestris</i> var. <i>domestica</i> 'Tenroy' P.P. 4121 | FN | 0.98 | R1 | 3-5 | 6-8 | 0.60 | 0.53 | 5 |
| Royal Gala® Apple <i>Malus sylvestris</i> var. <i>domestica</i> 'Tex Red Winesap' | FN | 1.02 | R1 | 3-5 | 6-8 | 0.68 | 0.53 | 5 |
| Tex Red Winesap Apple <i>Malus sylvestris</i> var. <i>domestica</i> 'The Ace Spur' P.P. 4587 | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| The Ace Spur Red Delicious Apple <i>Malus sylvestris</i> var. <i>domestica</i> 'Thome Empire' | | | | | | | | |
| See - <i>Malus sylvestris</i> var. <i>domestica</i> 'TF808' P.P. 8010 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'TopExport Fuji' | | | | | | | | |
| See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Snyder' P.P. 12098 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Tydeman's Red' | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| Tydeman's Red Apple <i>Malus sylvestris</i> var. <i>domestica</i> 'Ultima Gala' | | | | | | | | |
| See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Banning Gala' P.P. 13753 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Ultrared Gala' | | | | | | | | |
| See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Obrogala' P.P. 8621 | | | | | | | | |
| <i>Malus sylvestris</i> var. <i>domestica</i> 'Valstar' P.P.A.F. | FN | 1.02 | R1 | 3-5 | 6-8 | 0.76 | 0.53 | 5 |
| Valstar™ Elstar Apple <i>Malus sylvestris</i> var. <i>domestica</i> 'W & W' P.P. 4819 | FN | 1.02 | R1 | 3-5 | 6-8 | 0.76 | 0.53 | 5 |
| Oregon Spur® II Apple <i>Malus sylvestris</i> var. <i>domestica</i> 'Walliser Gala' P.P. 8673 | FN | 1.02 | R1 | 3-5 | 6-8 | 0.74 | 0.53 | 5 |
| Crimson Gala™ Apple <i>Malus sylvestris</i> var. <i>domestica</i> 'Washington Spur' | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| Washington Spur™ Apple <i>Malus sylvestris</i> var. <i>domestica</i> 'Wealthy Dwarf' | FN | 1.02 | R1 | 3-4 | 5-8 | 0.84 | 0.53 | 4 |
| Wealthy Dwarf Apple <i>Malus sylvestris</i> var. <i>domestica</i> 'Wealthy' | FN | 1.47 | R1 | 3-4 | 5-8 | 1.35 | 0.53 | 4 |
| Wealthy Apple <i>Malus sylvestris</i> var. <i>domestica</i> 'Westland' | FN | 1.02 | R1 | 3 | 4-8 | 0.84 | 0.53 | 3 |
| Westland Apple <i>Malus sylvestris</i> var. <i>domestica</i> 'Winesap Dwarf' | FN | 1.02 | R1 | 3-5 | 6-8 | 0.84 | 0.53 | 5 |
| Winesap Dwarf Apple <i>Malus sylvestris</i> var. <i>domestica</i> 'Winesap' | FN | 0.92 | R1 | 3-5 | 6-8 | 0.68 | 0.61 | 5 |
| Winesap Apple <i>Malus sylvestris</i> var. <i>domestica</i> 'Winter Banana' | FN | 1.02 | R1 | 3-5 | 6-8 | 0.66 | 0.53 | 5 |
| Winter Banana Apple <i>Malus sylvestris</i> var. <i>domestica</i> 'Wolf River' | FN | 0.82 | R1 | 3-4 | 5-8 | 1.23 | 0.53 | 4 |
| Wolf River Apple <i>Malus sylvestris</i> var. <i>domestica</i> 'Yellow Newton Pippin' | FN | 0.83 | R1 | 3-4 | 5-8 | 0.62 | 0.53 | 4 |
| Yellow Newton Pippin Apple <i>Malus sylvestris</i> var. <i>domestica</i> 'Yellow Transparent' | FN | 1.26 | R1 | 3-4 | 5-8 | 1.33 | 0.53 | 4 |
| Yellow Transparent Apple <i>Malus sylvestris</i> var. <i>domestica</i> 'Zestar!' | | | | | | | | |
| See - <i>Malus sylvestris</i> var. <i>domestica</i> 'Minnewashta' P.P. 11367 | | | | | | | | |
| <i>Malus toringoides</i> | DT | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| Cutleaf Crabapple <i>Malus transitoria</i> | DT | 0.80 | R1 | 3-4 | 5-8 | 0.99 | 1.45 | 4 |
| Tibetan Crabapple <i>Malus transitoria</i> 'Golden Raindrops' | | | | | | | | |
| See - <i>Malus transitoria</i> 'Schmidtcutleaf' | | | | | | | | |
| <i>Malus transitoria</i> 'Schmidtcutleaf' | DT | 1.12 | R1 | 3-4 | 5-8 | 0.99 | 1.45 | 4 |
| Golden Raindrops™ Crabapple <i>Malus tschonoskii</i> | DT | 1.05 | R1 | 3-5 | 6-8 | 0.94 | 1.84 | 5 |
| Tschonoski Crabapple <i>Malus yunnanensis</i> var. <i>veitchii</i> | DT | 1.00 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 6 |
| Veitch's Crabapple | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Malus x zumi</i> Zumi Crabapple | DT | 1.07 | R1 | 3-5 | 6-8 | 0.78 | 1.37 | 5 |
| <i>Malus x zumi</i> 'Schichtel' Schichtel's Zumi Crabapple | DT | 1.07 | R1 | 3-5 | 6-8 | 1.08 | 1.61 | 5 |
| <i>Malus x zumi</i> 'Winter Gem' Winter Gem Zumi Crabapple | DT | 1.07 | R1 | 3-5 | 6-8 | 0.84 | 1.84 | 5 |
| <i>Malus x zumi</i> 'Wooster' Wooster Zumi Crabapple | DT | 1.07 | R1 | 3-5 | 6-8 | 0.90 | 1.61 | 5 |
| <i>Malus x zumi</i> var. <i>calocarpa</i> Redbud Crabapple | DT | 0.97 | R1 | 3-5 | 6-8 | 1.03 | 1.39 | 5 |
| <i>Malus x zumi</i> var. <i>calocarpa</i> 'Yellow Fruit' Yellow Fruit Redbud Crabapple | DT | 0.97 | R1 | 3-5 | 6-8 | 1.03 | 1.39 | 5 |
| <i>Malva alcea</i> Hollyhock Mallow | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Malva alcea</i> 'Fastigiata' Fastigiata Hollyhock Mallow | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Malva moschata</i> Musk Mallow | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Malva moschata</i> 'Alba' White Musk Mallow | HP | 0.46 | R2 | 3-4 | 5-8 | | | |
| <i>Malva moschata</i> 'Pink Perfection' Pink Perfection Musk Mallow | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Malva nicaeensis</i> French Mallow | HP | 0.94 | R2 | 5-7 | 8 | | | |
| <i>Malva sylvestris</i> High Mallow | HP | 0.46 | R2 | 3-5 | 6-8 | | | |
| <i>Malva sylvestris</i> 'Braveheart' Braveheart High Mallow | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Malva sylvestris</i> 'Mauritiana' Mauritiana High Mallow | HP | 1.36 | R2 | 3-5 | 6-8 | | | |
| <i>Malva sylvestris</i> 'Primley's Blue' Primley's Blue High Mallow | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Malva sylvestris</i> 'Purple Satin' Purple Satin High Mallow | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Malva sylvestris</i> 'Zebrina' Zebrina Tree Mallow | HP | 0.74 | R2 | 3-5 | 6-8 | | | |
| <i>Malvaviscus arboreus</i> Wax Mallow | BS | 0.72 | R2 | 8 | | | 1.00 | 9 |
| <i>Malvaviscus arboreus</i> var. <i>drummondii</i> Drummond Wax Mallow | BS | 0.77 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Malvaviscus arboreus</i> var. <i>drummondii</i> 'Alba' White Drummond Wax Mallow | BS | 1.02 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Malvaviscus arboreus</i> var. <i>mexicanus</i> Turk's Cap | BS | 0.84 | R2 | 8 | | | 1.00 | 9 |
| <i>Malvaviscus arboreus</i> var. <i>penduliflorus</i> Mazapan | BS | 0.71 | R2 | 8 | | | 1.00 | 9 |
| <i>Malvaviscus drummondii</i> See - <i>Malvaviscus arboreus</i> var. <i>drummondii</i> | | | | | | | | |
| <i>Malvaviscus grandiflorus</i> See - <i>Malvaviscus arboreus</i> var. <i>mexicanus</i> | | | | | | | | |
| <i>Malvaviscus mollis</i> See - <i>Malvaviscus arboreus</i> | | | | | | | | |
| <i>Malvaviscus penduliflorus</i> See - <i>Malvaviscus arboreus</i> var. <i>penduliflorus</i> | | | | | | | | |
| <i>Mammillaria baumii</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Mammillaria elongata</i> Lace Cactus | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Mammillaria nejapensis</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Mammillaria parkinsonii</i> Owl's Eyes | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Mandevilla</i> Mandevilla | GC | 1.29 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla</i> 'Best Red' P.P. 11624 Best Red Mandevilla | GC | 0.90 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla</i> 'Cerise' P.P. 9118 Scarlet Pimpernel Mandevilla | GC | 1.21 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla</i> 'Faire Lady' See - <i>Mandevilla</i> 'Helle' P.P. 9117 | GC | 1.18 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla</i> 'Helle' P.P. 9117 Faire Lady Mandevilla | GC | 1.26 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla</i> 'Red Velvet Petite' P.P. 12813 Red Velvet Petite Mandevilla | GC | 0.96 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla</i> 'Red Velvet' P.P. 12238 Red Velvet Mandevilla | GC | 1.23 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla</i> 'Ruby Star' P.P. 8842 Ruby Star Mandevilla | GC | | | | | | | |
| <i>Mandevilla</i> 'Scarlet Pimpernel' See - <i>Mandevilla</i> 'Cerise' P.P. 9118 | | | | | | | | |
| <i>Mandevilla</i> 'Sun Parasol Crimson' See - <i>Mandevilla</i> 'Sunmandecrim' P.P. 15539 | | | | | | | | |
| <i>Mandevilla</i> 'Sun Parasol White' See - <i>Mandevilla</i> 'Sunmandeho' P.P. 11556 | | | | | | | | |
| <i>Mandevilla</i> 'Sunmandecrim' P.P. 15539 Sun Parasol™ Crimson Mandevilla | GC | 1.36 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla</i> 'Sunmandeho' P.P. 11556 Sun Parasol™ White Mandevilla | GC | 1.49 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla</i> 'White Delight' See - <i>Mandevilla</i> 'White Delite' P.P. 8479 | | | | | | | | |
| <i>Mandevilla</i> 'White Delite' P.P. 8479 White Delight Mandevilla | GC | 1.17 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla x amabilis</i> No Common Name Found | GC | 0.72 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla x amabilis</i> 'Alice du Pont' Alice du Pont Mandevilla | GC | 1.02 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla x amabilis</i> 'Crown Jewel' See - <i>Mandevilla x amabilis</i> 'Magic Dream' | | | | | | | | |
| <i>Mandevilla x amabilis</i> 'Magic Dream' Crown Jewel® Mandevilla | GC | 1.59 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla x amabilis</i> 'Monite' P.P. 12123 Moonlight Parfait™ Mandevilla | GC | 1.61 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla x amabilis</i> 'Monrey' P.P. 14290 Tango Twirl™ Mandevilla | GC | 1.56 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla x amabilis</i> 'Monte' P.P. 10329 Summer Snow™ Mandevilla | GC | 1.49 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla x amabilis</i> 'Moonlight Parfait' See - <i>Mandevilla x amabilis</i> 'Monite' P.P. 12123 | | | | | | | | |
| <i>Mandevilla x amabilis</i> 'Pink Parfait' See - <i>Mandevilla x amabilis</i> 'Rita Marie Green' P.P. 11787 | | | | | | | | |
| <i>Mandevilla x amabilis</i> 'Rita Marie Green' P.P. 11787 Pink Parfait™ Mandevilla | GC | 1.46 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla x amabilis</i> 'Summer Snow' See - <i>Mandevilla x amabilis</i> 'Monte' P.P. 10329 | | | | | | | | |
| <i>Mandevilla x amabilis</i> 'Tango Twirl' See - <i>Mandevilla x amabilis</i> 'Monrey' P.P. 14290 | | | | | | | | |
| <i>Mandevilla boliviensis</i> White Dipladenia | GC | 0.88 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla laxa</i> Chilean Jasmine | GC | 1.11 | R2 | 8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Mandevilla sanderi</i> Rose Mandevilla | GC | 0.66 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla sanderi</i> 'Monproud' P.P. 15359 Strawberry Lemonade® Variegated Mandevilla | GC | 1.66 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla sanderi</i> 'Red Riding Hood' Red Riding Hood Rose Dipladenia | GC | 0.98 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla sanderi</i> 'Strawberry Lemonade' See - <i>Mandevilla sanderi</i> 'Monproud' P.P. 15359 | | | | | | | | |
| <i>Mandevilla splendens</i> Pleasing Dipladenia | GC | 0.58 | R2 | 8 | | | 1.00 | 10 |
| <i>Mandevilla suaveolens</i> See - <i>Mandevilla laxa</i> | | | | | | | | |
| <i>Manettia inflata</i> See - <i>Manettia luteorubra</i> | | | | | | | | |
| <i>Manettia luteorubra</i> Brazilian Firecracker | GC | 0.72 | R2 | 8 | | | 1.00 | 10 |
| <i>Manettia luteorubra</i> 'John Elsley' John Elsley Brazilian Firecracker | GC | 0.75 | R2 | 8 | | | 1.00 | 10 |
| <i>Maranta leuconeura</i> Prayer Plant | FO | 0.53 | R2 | 8 | | | 1.00 | 10 |
| <i>Maranta leuconeura</i> 'Erythroneura' Red-vein Prayer Plant | FO | 0.56 | R2 | 8 | | | 1.00 | 10 |
| <i>Marojejya darianii</i> No Common Name Found | PC | 2.32 | R2 | 8 | | | 1.00 | 9 |
| <i>Marrubium rotundifolium</i> Silvery Horehound | HP | 1.01 | R2 | 3-5 | 6-8 | | | |
| <i>Marrubium vulgare</i> Common Horehound | HP | 0.42 | R2 | 3 | 4-8 | | | |
| <i>Marshallia grandiflora</i> Barbara's Buttons | HP | 1.17 | R2 | 3-5 | 6-8 | | | |
| <i>Mascagnia lilacina</i> Lavender Orchid Vine | GC | 1.03 | R2 | 8 | | | 1.00 | 9 |
| <i>Mascagnia macroptera</i> Yellow Orchid Vine | GC | 0.81 | R2 | 8 | | | 1.00 | 9 |
| <i>Matricaria recutita</i> Sweet False Chamomile | AN | 0.79 | R2 | 6-8 | | | | |
| <i>Matteuccia pennsylvanica</i> See - <i>Matteuccia struthiopteris</i> | | | | | | | | |
| <i>Matteuccia struthiopteris</i> Ostrich Fern | HP | 1.13 | R2 | | 3-8 | | | |
| <i>Matteuccia struthiopteris</i> 'The King' Jumbo Ostrich Fern | HP | 1.37 | R2 | | 3-8 | | | |
| <i>Matthiola incana</i> Stock | AN | 0.81 | R2 | 3-6 | 7-8 | | | |
| <i>Matthiola incana</i> 'Harmony Series' Harmony Series Stock | AN | 0.76 | R2 | 3-6 | 7-8 | | | |
| <i>Matthiola incana</i> 'Midget Series' Midget Series Stock | AN | 0.76 | R2 | 3-6 | 7-8 | | | |
| <i>Matthiola incana</i> 'Pillow Talk' Pillow Talk Stock | AN | 0.76 | R2 | 3-6 | 7-8 | | | |
| <i>Matthiola incana</i> 'Trysomic Mix' Trysomic Mix Stock | AN | 0.76 | R2 | 3-6 | 7-8 | | | |
| <i>Matthiola incana</i> 'Vintage Series' Vintage Series Stock | AN | 0.70 | R2 | 3-6 | 7-8 | | | |
| <i>Maurandella antirrhiniflora</i> Violet Twining Snapdragon | GC | 0.68 | R2 | 8 | | | 1.00 | 9 |
| <i>Maxillaria camaridii</i> No Common Name Found | FO | 3.00 | R2 | 7-8 | | | 1.00 | 10 |
| <i>Maytenus boaria</i> Mayten Tree | BE | 0.89 | R2 | 6-8 | | 1.00 | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-----------|------------|
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Maytenus boaria</i> 'Green Showers' Green Showers Mayten Tree | BE | 0.90 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Mazus radicans</i> Swamp Musk | HP | 0.46 | R2 | 3-6 | 7-8 | | | |
| <i>Mazus reptans</i> Mazus | HP | 0.84 | R2 | 3-6 | 7-8 | | | |
| <i>Mazus reptans</i> 'Albus' White Mazus | HP | 0.82 | R2 | 3-6 | 7-8 | | | |
| <i>Meconopsis cambrica</i> Welsh Poppy | HP | 1.17 | R2 | 3-6 | 7-8 | | | |
| <i>Meconopsis grandis</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Medinilla magnifica</i> Showy Melastome | FO | 1.01 | R2 | 8 | | | 1.00 | 10 |
| <i>Medinilla myriantha</i> See - <i>Medinilla scortechinii</i> | | | | | | | | |
| <i>Medinilla scortechinii</i> Orange Medinilla | FO | 1.04 | R2 | 8 | | | 1.00 | 10 |
| <i>Megaclinium falcatum</i> See - <i>Bulbophyllum falcatum</i> | | | | | | | | |
| <i>Megaskepasma erythrochlamys</i> Brazilian Red Cloak | BS | 1.17 | R2 | 8 | | | 1.00 | 10 |
| <i>Melaleuca armillaris</i> Bracelet Honey Myrtle | BS | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Melaleuca incana</i> Gray Honey Myrtle | BE | 0.53 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Melaleuca leucadendron</i> River Teatree | BE | 1.07 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Melaleuca nesophila</i> Western Tea Myrtle | BE | 0.92 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Melaleuca quinquenervia</i> See - <i>Melaleuca viridiflora</i> var. <i>rubriflora</i> | | | | | | | | |
| <i>Melaleuca thymifolia</i> No Common Name Found | BE | 0.53 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Melaleuca viridiflora</i> var. <i>rubriflora</i> Paperbark Tree | BE | 0.85 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Melaleuca wilsonii</i> No Common Name Found | BE | 0.53 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Melampodium leucanthum</i> Blackfoot Daisy | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Melampodium paludosum</i> No Common Name Found | HP | 0.26 | R2 | 5-8 | | | | |
| <i>Melampodium paludosum</i> 'Derby' Derby Melampodium | HP | 0.26 | R2 | 5-8 | | | | |
| <i>Melampodium paludosum</i> 'Melanie' Melanie Melampodium | HP | 0.26 | R2 | 5-8 | | | | |
| <i>Melampodium paludosum</i> 'Million Gold' Million Gold Melampodium | HP | 0.26 | R2 | 5-8 | | | | |
| <i>Melampodium paludosum</i> 'Showstar' Showstar Melampodium | HP | 0.26 | R2 | 5-8 | | | | |
| <i>Melia azedarach</i> Chinaberry | DT | 0.75 | R1 | 5-7 | 8 | 0.46 | 1.00 | 7 |
| <i>Melia azedarach</i> 'Umbraculiformis' Texan Umbrella Tree | DT | 0.75 | R1 | 5-7 | 8 | 0.46 | 1.00 | 7 |
| <i>Melianthus major</i> Honeybush | BS | 0.89 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Melica altissima</i> Siberian Melic Grass | HP | 0.70 | R2 | 3-5 | 6-8 | | | |
| <i>Melica altissima</i> 'Atropurpurea' Purple Siberian Melic Grass | HP | 0.70 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Melica ciliata</i> Hairy Melic Grass | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Melica ciliata</i> var. <i>transsilvanica</i> See - <i>Melica transsilvanica</i> | | | | | | | | |
| <i>Melica imperfecta</i> Coast Range Melic | HP | 0.62 | R2 | 5-7 | 8 | | | |
| <i>Melica torreyana</i> Torrey's Melic | HP | 0.62 | R2 | 6-7 | 8 | | | |
| <i>Melica transsilvanica</i> No Common Name Found | HP | 1.00 | R2 | 4-6 | 7-8 | | | |
| <i>Melica transsilvanica</i> 'Red Spires' Red Spires Melic Grass | HP | 1.00 | R2 | 4-6 | 7-8 | | | |
| <i>Melinis nerviglumis</i> Ruby Grass | HP | 0.98 | R1 | 3-8 | | | | |
| <i>Melinis nerviglumis</i> 'Pink Crystals' See - <i>Melinis nerviglumis</i> 'Savannah' | | | | | | | | |
| <i>Melinis nerviglumis</i> 'Savannah' Pink Crystals™ Ruby Grass | HP | 0.98 | R1 | 3-8 | | | | |
| <i>Melissa officinalis</i> Lemon Balm | HP | 0.70 | R2 | 3 | 4-8 | | | |
| <i>Melissa officinalis</i> 'All Gold' All Gold Lemon Balm | HP | 0.70 | R2 | 3 | 4-8 | | | |
| <i>Mentha aquatica</i> Water Mint | HP | 0.76 | R2 | 3-6 | 7-8 | | | |
| <i>Mentha aquatica</i> var. <i>crispa</i> Curly Water Mint | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Mentha xgentilis</i> See - <i>Mentha xgracilis</i> | | | | | | | | |
| <i>Mentha xgracilis</i> Red Mint | HP | 0.33 | R2 | 3-6 | 7-8 | | | |
| <i>Mentha xpiperita</i> Peppermint | HP | 0.73 | R2 | 3-4 | 5-8 | | | |
| <i>Mentha xpiperita</i> 'Blue Balsam' Blue Balsam Peppermint | HP | 0.61 | R2 | 3-4 | 5-8 | | | |
| <i>Mentha xpiperita</i> 'Chocolate' Chocolate Mint | HP | 0.68 | R2 | 3-4 | 5-8 | | | |
| <i>Mentha xpiperita</i> 'Lime Mint' Lime Mint | HP | 0.62 | R2 | 3-4 | 5-8 | | | |
| <i>Mentha xpiperita</i> 'Variegata' Variegated Peppermint | HP | 0.42 | R2 | 3-4 | 5-8 | | | |
| <i>Mentha xpiperita</i> var. <i>citrata</i> Orange Mint | HP | 0.54 | R2 | 3-4 | 5-8 | | | |
| <i>Mentha pulegium</i> Pennyroyal | HP | 0.46 | R2 | 3-7 | 8 | | | |
| <i>Mentha requienii</i> Corsican Mint | HP | 0.79 | R2 | 3-6 | 7-8 | | | |
| <i>Mentha xrotundifolia</i> See - <i>Mentha suaveolens</i> | | | | | | | | |
| <i>Mentha spicata</i> Spearmint | HP | 0.61 | R2 | 3-4 | 5-8 | | | |
| <i>Mentha spicata</i> 'Candy' Candy Spearmint | HP | 0.73 | R2 | 3-4 | 5-8 | | | |
| <i>Mentha spicata</i> 'Julep' Julep Spearmint | HP | 0.73 | R2 | 3-4 | 5-8 | | | |
| <i>Mentha spicata</i> 'Kentucky Colonel' Kentucky Colonel Spearmint | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Mentha suaveolens</i> Apple Mint | HP | 0.60 | R2 | 3-6 | 7-8 | | | |
| <i>Mentha suaveolens</i> 'Variegata' Pineapple Mint | HP | 0.72 | R2 | 3-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Mentha suaveolens</i> 'Villosa' Villosa Apple Mint | HP | 0.66 | R2 | 3-6 | 7-8 | | | |
| <i>Mentzelia laevicaulis</i> Smoothstem Blazing Star | HP | 2.20 | R2 | 3 | 4-8 | | | |
| <i>Menziesia ferruginea</i> Rusty Leaf | BS | 1.00 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Merremia tuberosa</i> Wood Rose | GC | 0.44 | R2 | 8 | | | 1.00 | 9 |
| <i>Mertensia virginica</i> Virginia Bluebells | HP | 1.29 | R2 | 3 | 4-8 | | | |
| <i>Mertensia viridis</i> Greenleaf Bluebells | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Mesembryanthemum cordifolium</i> See - <i>Aptenia cordifolia</i> | | | | | | | | |
| <i>Messerschmidia argentea</i> See - <i>Argusia argentea</i> | | | | | | | | |
| <i>Metasequoia glyptostroboides</i> Dawn Redwood | DT | 1.10 | R1 | 3-5 | 6-8 | 0.92 | 1.24 | 5 |
| <i>Metasequoia glyptostroboides</i> 'Gold Rush' See - <i>Metasequoia glyptostroboides</i> 'Ogon' | | | | | | | | |
| <i>Metasequoia glyptostroboides</i> 'National' National Dawn Redwood | DT | 1.09 | R1 | 3-5 | 6-8 | 0.92 | 1.00 | 5 |
| <i>Metasequoia glyptostroboides</i> 'Ogon' Ogon Dawn Redwood | DT | 1.42 | R1 | 3-5 | 6-8 | 0.92 | 1.00 | 5 |
| <i>Metasequoia glyptostroboides</i> 'Sheridan Spire' Sheridan Spire Dawn Redwood | DT | 0.75 | R1 | 3-5 | 6-8 | 0.92 | 0.76 | 5 |
| <i>Metrosideros</i> New Zealand Christmas Tree | BE | 1.02 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Metrosideros</i> 'Fiji' Fiji New Zealand Christmas Tree | BE | 1.02 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Metrosideros</i> 'Gala' Gala New Zealand Christmas Tree | BE | 1.01 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Metrosideros excelsa</i> New Zealand Christmas Tree | BE | 1.10 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Metrosideros excelsa</i> 'Springfire' Springfire New Zealand Christmas Tree | BE | 0.98 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Metrosideros kermadecensis</i> Kermadec Pohutukawa | BE | 1.14 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Metrosideros kermadecensis</i> 'Variegatus' Variegated Kermadec Pohutukawa | BE | 1.14 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Metrosideros polymorpha</i> Ohi'a Lehua | BE | 1.19 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Metrosideros tomentosa</i> See - <i>Metrosideros excelsa</i> | | | | | | | | |
| <i>Metrosideros villosa</i> No Common Name Found | BE | 0.92 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Metrosideros villosa</i> 'Tahiti' Tahiti <i>Metrosideros</i> | BE | 0.92 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Michelia champaca</i> See - <i>Magnolia champaca</i> | | | | | | | | |
| <i>Michelia champaca</i> 'Alba' See - <i>Magnolia x alba</i> | | | | | | | | |
| <i>Michelia doltsopa</i> See - <i>Magnolia doltsopa</i> | | | | | | | | |
| <i>Michelia doltsopa</i> 'Silver Cloud' See - <i>Magnolia doltsopa</i> 'Silver Cloud' | | | | | | | | |
| <i>Michelia figo</i> See - <i>Magnolia figo</i> | | | | | | | | |
| <i>Michelia figo</i> 'Port Wine' See - <i>Magnolia figo</i> 'Port Wine' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-----------|------------|
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Michelia x foggii</i> | | | | | | | | |
| See - <i>Magnolia x foggii</i> | | | | | | | | |
| <i>Michelia x foggii</i> 'Allspice' | | | | | | | | |
| See - <i>Magnolia x foggii</i> 'Allspice' | | | | | | | | |
| <i>Michelia x foggii</i> 'Jack Fogg' | | | | | | | | |
| See - <i>Magnolia x foggii</i> 'Jack Fogg' | | | | | | | | |
| <i>Michelia skinneriana</i> | | | | | | | | |
| See - <i>Magnolia figo</i> var. <i>skinneriana</i> | | | | | | | | |
| <i>Michelia yunnanensis</i> | | | | | | | | |
| See - <i>Magnolia dianica</i> | | | | | | | | |
| <i>Microbiota decussata</i> | CE | 0.89 | R1 | 3 | 4-8 | 1.00 | 1.03 | 3 |
| Russian Arborvitae | | | | | | | | |
| <i>Microbiota decussata</i> 'Candrew' P.P.A.F. | CE | 1.40 | R1 | 3 | 4-8 | 1.00 | 1.03 | 3 |
| Drew's Blue™ Russian Arborvitae | | | | | | | | |
| <i>Microbiota decussata</i> 'Drew's Blue' | | | | | | | | |
| See - <i>Microbiota decussata</i> 'Candrew' P.P.A.F. | | | | | | | | |
| <i>Microbiota decussata</i> 'Fuzzball' P.P.A.F. | CE | 1.37 | R1 | 3 | 4-8 | 1.00 | 1.03 | 3 |
| Fuzzball Russian Arborvitae | | | | | | | | |
| <i>Microbiota decussata</i> 'UBC Clone' C.O.P.F. | CE | 1.12 | R2 | 3 | 4-8 | 1.00 | 1.03 | 3 |
| UBC Clone Russian Arborvitae | | | | | | | | |
| <i>Microcachrys tetragona</i> | CS | 1.00 | R2 | 6-8 | | | 1.00 | 8 |
| No Common Name Found | | | | | | | | |
| <i>Microcycas calocoma</i> | PC | 1.00 | R2 | 8 | | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Microgramma squamulosa</i> | FO | 0.73 | R2 | 8 | | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>Microlepia speluncae</i> | | | | | | | | |
| See - <i>Microlepia strigosa</i> | | | | | | | | |
| <i>Microlepia strigosa</i> | FO | 0.76 | R2 | 8 | | | 1.00 | 10 |
| Lace Fern | | | | | | | | |
| <i>Micromeria chamissonis</i> | HP | 1.63 | R2 | 5-7 | 8 | | | |
| Yerba Buena | | | | | | | | |
| <i>Micromeria varia</i> | GC | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| No Common Name Found | | | | | | | | |
| <i>Microsorium diversifolium</i> | FO | 0.75 | R2 | 8 | | | 1.00 | 9 |
| Kangaroo Fern | | | | | | | | |
| <i>Microsorium musifolium</i> | FO | 0.91 | R2 | 8 | | | 1.00 | 10 |
| Crocodile Fern | | | | | | | | |
| <i>Microsorium punctatum</i> | FO | 0.86 | R2 | 8 | | | 1.00 | 10 |
| Climbing Birds-nest Fern | | | | | | | | |
| <i>Microsorium punctatum</i> 'Grandiceps' | FO | 0.80 | R2 | 8 | | | 1.00 | 10 |
| Grandiceps Climbing Birds-nest Fern | | | | | | | | |
| <i>Microsorium scolopendria</i> | FO | 0.47 | R2 | 8 | | | 1.00 | 10 |
| Wart Fern | | | | | | | | |
| <i>Microsorium scolopendria</i> 'Laua'e' | FO | 0.69 | R2 | 8 | | | 1.00 | 10 |
| Laua'e Wart Fern | | | | | | | | |
| <i>Milium effusum</i> | HP | 0.88 | R2 | 3-6 | 7-8 | | | |
| Millet Grass | | | | | | | | |
| <i>Milium effusum</i> 'Aureum' | HP | 0.88 | R2 | 3-6 | 7-8 | | | |
| Wood Millet Grass | | | | | | | | |
| <i>Millettia reticulata</i> | BS | 0.99 | R2 | 8 | | | 1.00 | 8 |
| Evergreen Wisteria | | | | | | | | |
| <i>Millettia taiwanensis</i> | BE | 0.94 | R2 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| Chinese Evergreen Wisteria | | | | | | | | |
| <i>Miltonia warscewiczii</i> | FO | 3.75 | R2 | 8 | | | 1.00 | 10 |
| No Common Name Found | | | | | | | | |
| <i>xMiltonidium</i> | FO | 1.78 | R2 | 8 | | | 1.00 | 10 |
| Miltonidium Hybrid Orchid | | | | | | | | |
| <i>Miltoniopsis</i> | FO | 2.08 | R2 | 8 | | | 1.00 | 10 |
| Miltoniopsis Hybrid Orchid | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Miltoniopsis santanae</i> No Common Name Found | FO | 3.75 | R2 | 8 | | | 1.00 | 10 |
| <i>Mimosa pudica</i> Sensitive Plant | BS | 0.72 | R2 | 7-8 | | | 0.17 | 9 |
| <i>Mimosa strigillosa</i> Sunshine Mimosa | BS | 0.66 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Mimulus bifidus</i> No Common Name Found | AN | 1.27 | R2 | 5-7 | 8 | | | |
| <i>Mimulus cardinalis</i> Scarlet Monkey Flower | HP | 0.72 | R2 | 5-6 | 7-8 | | | |
| <i>Mimulus cupreus</i> No Common Name Found | AN | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Mimulus guttatus</i> Common Monkey Flower | AN | 1.18 | R2 | 5-6 | 7-8 | | | |
| <i>Mimulus x hybridus</i> Hybrid Monkey Flower | AN | 0.94 | R2 | 5-6 | 7-8 | | | |
| <i>Mimulus x hybridus</i> 'Mystic Mix' Mystic Mix Monkey Flower | AN | 0.94 | R2 | 5-6 | 7-8 | | | |
| <i>Mimulus lewisii</i> Great Purple Monkey Flower | HP | 0.67 | R2 | 3-5 | 6-8 | | | |
| <i>Mimulus longiflorus</i> Salmon Bush Monkey Flower | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Mimulus naiandinus</i> Andean Nymph Monkey Flower | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Mimulus primuloides</i> Primrose Monkey Flower | HP | 1.41 | R2 | 3-4 | 5-8 | | | |
| <i>Mimulus puniceus</i> Red Bush Monkey Flower | HP | 0.81 | R2 | 6-8 | | | | |
| <i>Mimulus ringens</i> Allegheny Monkey Flower | HP | 1.14 | R2 | 3 | 4-8 | | | |
| <i>Mimulus tilingii</i> Large Mountain Monkey Flower | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Mina lobata</i> See - <i>Ipomoea lobata</i> | | | | | | | | |
| <i>Minuartia circassica</i> No Common Name Found | GC | 1.00 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Minuartia laricifolia</i> No Common Name Found | GC | 0.34 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Minuartia obtusiloba</i> Alpine Sandwort | GC | 1.00 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Minuartia recurva</i> No Common Name Found | GC | 1.00 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Minuartia verna</i> Irish Moss | HP | 0.98 | R2 | | 3-8 | | | |
| <i>Minuartia verna</i> 'Aurea' See - <i>Sagina subulata</i> 'Aurea' | | | | | | | | |
| <i>Mirabilis jalapa</i> Four O'Clock | HP | 1.50 | R2 | 8 | | | | |
| <i>Mirabilis multiflora</i> Desert Four O'Clock | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus floridulus</i> Giant Chinese Silver Grass | HP | 1.05 | R2 | 3-6 | 7-8 | | | |
| <i>Miscanthus floridulus</i> 'Colossal' See - <i>Miscanthus floridulus</i> 'Colzam' | | | | | | | | |
| <i>Miscanthus floridulus</i> 'Colzam' Colossal™ Chinese Silver Grass | HP | 0.85 | R2 | 3-6 | 7-8 | | | |
| <i>Miscanthus oligostachyus</i> 'Purpurascens' See - <i>Miscanthus sinensis</i> 'Purpurascens' | | | | | | | | |
| <i>Miscanthus sacchariflorus</i> Silver Amur Grass | HP | 0.96 | R2 | 5-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Miscanthus sinensis</i> Eulalia Grass | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Adagio' Adagio Eulalia Grass | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Altweibersommer' Altweibersommer Eulalia Grass | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Andante' Andante Eulalia Grass | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Arabesque' Arabesque Eulalia Grass | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Autumn Light' Autumn Light Eulalia Grass | HP | 1.47 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Autumn Red' Autumn Red Eulalia Grass | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Blondo' Silver Eulalia Grass | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Bluetenwunder' Bluetenwunder Eulalia Grass | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Burgunder' Burgunder Eulalia Grass | HP | 2.06 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Cabaret' Cabaret Eulalia Grass | HP | 1.29 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Central Park' Central Park Eulalia Grass | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Condensatus' Condensatus Eulalia Grass | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Cosmopolitan' Cosmopolitan Eulalia Grass | HP | 1.21 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Dixieland' Dixieland Eulalia Grass | HP | 1.63 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Emerald Shadow' Emerald Shadow Eulalia Grass | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Ferner Osten' Ferner Osten Eulalia Grass | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Flamingo' Flamingo Eulalia Grass | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Giganteus' Giant Eulalia Grass | HP | 1.28 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Gold Bar' P.P. 15193 Gold Bar Eulalia Grass | HP | 1.27 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Gold und Silber' Gold und Silver Eulalia Grass | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Goldfeder' Goldfeder Eulalia Grass | HP | 2.83 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Goliath' Goliath Eulalia Grass | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Gracillimus' Maiden Eulalia Grass | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Graziella' Graziella Eulalia Grass | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Grosse Fontane' Grosse Fontane Eulalia Grass | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Helga Reich' Helga Reich Eulalia Grass | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Hinjo' Little Nicky™ Eulalia Grass | HP | 1.51 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Juli' Juli Eulalia Grass | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Kascade' Kascade Eulalia Grass | HP | 0.93 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Miscanthus sinensis</i> 'Kirk Alexander' Kirk Alexander Eulalia Grass | HP | 1.58 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Kleine Fontane' Kleine Fontane Eulalia Grass | HP | 1.18 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Kleine Silberspinne' Kleine Silberspinne Eulalia Grass | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Little Kitten' Little Kitten Eulalia Grass | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Little Nicky' See - <i>Miscanthus sinensis</i> 'Hinjo' | | | | | | | | |
| <i>Miscanthus sinensis</i> 'Little Zebra' P.P. 13008 Little Zebra Eulalia Grass | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Malepartus' Malepartus Eulalia Grass | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Morning Light' Morning Light Eulalia Grass | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Mysterious Maiden' P.P. 16197 Mysterious Maiden Eulalia Grass | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Nippon' Nippon Eulalia Grass | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'November Sunset' November Sunset Eulalia Grass | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Positano' Positano Eulalia Grass | HP | 0.75 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Punktchen' Little Dot Eulalia Grass | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Purpurascens' Purpurascens Eulalia Grass | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Rigoletto' Rigoletto Eulalia Grass | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Roland' Roland Eulalia Grass | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Roterpfeil' Roterpfeil Eulalia Grass | HP | 1.24 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Rotsilber' Rotsilber Eulalia Grass | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Sarabande' Sarabande Eulalia Grass | HP | 1.43 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Silberfeder' Silver Feather Eulalia Grass | HP | 1.32 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Silberpfeil' Silver Arrow Eulalia Grass | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Silberspinne' Silberspinne Eulalia Grass | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Silberturm' Silberturm Eulalia Grass | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Silver Shadow' Silver Shadow Eulalia Grass | HP | 1.59 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Sioux' Sioux Eulalia Grass | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Sirene' Sirene Eulalia Grass | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Stardust' Stardust Eulalia Grass | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Strictus' Porcupine Eulalia Grass | HP | 1.22 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Super Stripe' P.P. 18161 Super Stripe Eulalia Grass | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Undine' Undine Eulalia Grass | HP | 0.90 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Miscanthus sinensis</i> 'Variegatus' Variegated Silver Eulalia Grass | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Yaku Jima' Yaku Jima Dwarf Eulalia Grass | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Zebrinus' Zebra Eulalia Grass | HP | 1.26 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Zwergelefant' Zwergelefant Eulalia Grass | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus sinensis</i> 'Zwergzebra' Zwergzebra Eulalia Grass | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Miscanthus transmorrisonensis</i> Taiwanese Miscanthus | HP | 1.14 | R2 | 3-6 | 7-8 | | | |
| <i>Mitchella repens</i> Partridgeberry | GC | 0.35 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Mitella diphylla</i> Coolwort | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Molinia caerulea</i> Moor Grass | HP | 1.42 | R2 | 3-5 | 6-8 | | | |
| <i>Molinia caerulea</i> 'Dauerstrahl' Dauerstrahl Moor Grass | HP | 1.26 | R2 | 3-5 | 6-8 | | | |
| <i>Molinia caerulea</i> 'Heidebraut' Heidebraut Moor Grass | HP | 1.26 | R2 | 3-5 | 6-8 | | | |
| <i>Molinia caerulea</i> 'Moorflamme' Moorflamme Moor Grass | HP | 1.37 | R2 | 3-5 | 6-8 | | | |
| <i>Molinia caerulea</i> 'Moorhexe' Moorhexe Moor Grass | HP | 1.26 | R2 | 3-5 | 6-8 | | | |
| <i>Molinia caerulea</i> 'Strahlenquelle' Strahlenquelle Moor Grass | HP | 1.16 | R2 | 3-5 | 6-8 | | | |
| <i>Molinia caerulea</i> 'Variegata' Variegated Moor Grass | HP | 1.45 | R2 | 3-5 | 6-8 | | | |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> Tall Purple Moor Grass | HP | 1.10 | R2 | 3-5 | 6-8 | | | |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Altissima' Altissima Tall Purple Moor Grass | HP | 1.10 | R2 | 3-5 | 6-8 | | | |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Bergfreund' Bergfreund Tall Purple Moor Grass | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Fontane' Fontane Tall Purple Moor Grass | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Sky Racer' Sky Racer Tall Purple Moor Grass | HP | 1.13 | R2 | 3-5 | 6-8 | | | |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Staefa' Staefa Tall Purple Moor Grass | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Transparent' Transparent Tall Purple Moor Grass | HP | 1.21 | R2 | 3-5 | 6-8 | | | |
| <i>Molinia caerulea</i> ssp. <i>arundinacea</i> 'Windspiel' Windspiel Tall Purple Moor Grass | HP | 1.04 | R2 | 3-5 | 6-8 | | | |
| <i>Monarda</i> Bee Balm | HP | 0.89 | R2 | 3 | 4-8 | | | |
| <i>Monarda</i> 'Acpetdel' See - <i>Monarda</i> 'Petite Delight' P.P. 10784 | | | | | | | | |
| <i>Monarda</i> 'Beauty of Cobham' Beauty of Cobham Bee Balm | HP | 0.80 | R2 | 3 | 4-8 | | | |
| <i>Monarda</i> 'Blue Stocking' Blue Stocking Bee Balm | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Monarda</i> 'Croftway Pink' Croftway Pink Bee Balm | HP | 1.03 | R2 | 3 | 4-8 | | | |
| <i>Monarda</i> 'Dark Ponticum' Dark Ponticum Bee Balm | HP | 0.84 | R2 | 3 | 4-8 | | | |
| <i>Monarda</i> 'Kardinal' Kardinal Bee Balm | HP | 0.80 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Monarda</i> 'Mahogany' Mahogany Bee Balm | HP | 0.80 | R2 | 3 | 4-8 | | | |
| <i>Monarda</i> 'Marshall's Delight' Marshall's Delight Bee Balm | HP | 0.89 | R2 | 3 | 4-8 | | | |
| <i>Monarda</i> 'Petite Delight' P.P. 10784 Petite Delight Hybrid Bee Balm | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Monarda</i> 'Petite Wonder' P.P. 13149 Petite Wonder Hybrid Bee Balm | HP | 1.09 | R2 | 3 | 4-8 | | | |
| <i>Monarda</i> 'Prairie Night' Prairie Night Bee Balm | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Monarda</i> 'Purple Crown' See - <i>Monarda</i> 'Purpurkrone' | | | | | | | | |
| <i>Monarda</i> 'Purpurkrone' Purple Crown Bee Balm | HP | 0.80 | R2 | 3 | 4-8 | | | |
| <i>Monarda</i> 'Snow Queen' Snow Queen Bee Balm | HP | 0.80 | R2 | 3 | 4-8 | | | |
| <i>Monarda citriodora</i> Lemon Mint | HP | 0.42 | R2 | 3-5 | 6-8 | | | |
| <i>Monarda clinopodia</i> White Basil-Balm | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Monarda didyma</i> Bee Balm | HP | 0.65 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'AChall' P.P. 19582 Grand Marshall™ Bee Balm | HP | 1.15 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'ACrade' P.P. 19580 Grand Parade™ Bee Balm | HP | 1.11 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Adam' Adam Bee Balm | HP | 0.79 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Alba' White Bee Balm | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Aquarius' Aquarius Bee Balm | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Balance' Balance Bee Balm | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Blaukranz' Blaukranz Bee Balm | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Cambridge Scarlet' Cambridge Scarlet Bee Balm | HP | 1.14 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Conmon' Hot Tamales Dwarf Bee Balm | HP | 1.28 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Coral Reef' P.P. 16741 Coral Reef Bee Balm | HP | 0.97 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Donnerwolke' Donnerwolke Bee Balm | HP | 0.80 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Feuenschopf' Feuenschopf Bee Balm | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Fireball' P.P. 14235 Fireball Bee Balm | HP | 1.03 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Fishes' Fishes Bee Balm | HP | 1.10 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Gardenview Scarlet' Gardenview Scarlet Bee Balm | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Grand Marshall' See - <i>Monarda didyma</i> 'AChall' P.P. 19582 | | | | | | | | |
| <i>Monarda didyma</i> 'Grand Parade' See - <i>Monarda didyma</i> 'ACrade' P.P. 19580 | | | | | | | | |
| <i>Monarda didyma</i> 'Grand Series' Grand Series Bee Balm | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Hot Tamales' See - <i>Monarda didyma</i> 'Conmon' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Monarda didyma</i> 'Jacob Cline' Jacob Cline Bee Balm | HP | 0.94 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Mrs. Perry' Mrs. Perry Bee Balm | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Panorama' Panorama Bee Balm | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Purple Ann' Purple Ann Bee Balm | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Raspberry Wine' Raspberry Wine Bee Balm | HP | 0.82 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Scorpion' Scorpion Bee Balm | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Snow Maiden' Snow Maiden Bee Balm | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Squaw' Squaw Bee Balm | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Monarda didyma</i> 'Thundercloud' See - <i>Monarda didyma</i> 'Donnerwolke' | | | | | | | | |
| <i>Monarda didyma</i> 'Violet Queen' Violet Queen Bee Balm | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Monarda fistulosa</i> Wild Bergamot | HP | 0.94 | R2 | 3 | 4-8 | | | |
| <i>Monarda fistulosa</i> 'Claire Grace' Claire Grace Wild Bergamot | HP | 0.97 | R2 | 3 | 4-8 | | | |
| <i>Monarda fistulosa</i> var. <i>menthifolia</i> See - <i>Monarda menthifolia</i> | | | | | | | | |
| <i>Monarda menthifolia</i> Mint-leaved Bergamot | HP | 0.92 | R2 | 3 | 4-8 | | | |
| <i>Monarda punctata</i> Dotted Horsemint | HP | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Monardella macrantha</i> No Common Name Found | HP | 1.16 | R2 | 8 | | | | |
| <i>Monardella villosa</i> Coyote Mint | HP | 0.66 | R2 | 5-7 | 8 | | | |
| <i>Monocostus uniflorus</i> One-Flowered Spiral Ginger | HP | 1.10 | R2 | 8 | | | | |
| <i>Monstera deliciosa</i> Ceriman | FO | 0.76 | R2 | 6-8 | | | 1.00 | 10B |
| <i>Montanoa grandiflora</i> No Common Name Found | BS | 0.75 | R2 | 8 | | | 1.00 | 9 |
| <i>Moraea</i> 'Oakhurst Series' See - <i>Dietes</i> 'Oakhurst Series' | | | | | | | | |
| <i>Moraea bicolor</i> See - <i>Dietes bicolor</i> | | | | | | | | |
| <i>Moraea polystachya</i> No Common Name Found | HP | 1.03 | R2 | 8 | | | | |
| <i>Moraea ramosissima</i> No Common Name Found | HP | 1.03 | R2 | 8 | | | | |
| <i>Moraea spathacea</i> See - <i>Moraea spathulata</i> | | | | | | | | |
| <i>Moraea spathulata</i> No Common Name Found | HP | 0.69 | R2 | 5-8 | | | | |
| <i>Moraea tripetala</i> No Common Name Found | HP | 0.69 | R2 | 8 | | | | |
| <i>Morina longifolia</i> Whorlflower | HP | 0.64 | R2 | 5-6 | 7-8 | | | |
| <i>Mormodes tuxtlensis</i> No Common Name Found | FO | 3.75 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Morus alba</i> White Mulberry | DT | 0.93 | R1 | 3-4 | 5-8 | 1.07 | 0.21 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Morus alba</i> 'Chaparral' Chaparral Weeping White Mulberry | DT | 1.13 | R1 | 3-4 | 5-8 | 0.85 | 0.80 | 4 |
| <i>Morus alba</i> 'Fruitless' Fruitless White Mulberry | DT | 0.90 | R1 | 3-4 | 5-8 | 1.03 | 0.80 | 4 |
| <i>Morus alba</i> 'Illinois Everbearing' Illinois Everbearing Mulberry | DT | 1.02 | R1 | 3-4 | 5-8 | 1.03 | 0.80 | 4 |
| <i>Morus alba</i> 'Itoguwa' Itoguwa White Mulberry | DT | 1.05 | R1 | 3-4 | 5-8 | 1.03 | 0.80 | 4 |
| <i>Morus alba</i> 'Kingan' Kingan White Mulberry | DT | 1.52 | R1 | 3-4 | 5-8 | 1.43 | 0.80 | 4 |
| <i>Morus alba</i> 'Nuclear Blast' See - <i>Morus alba</i> 'Itoguwa' | | | | | | | | |
| <i>Morus alba</i> 'Pendula' Weeping White Mulberry | DT | 1.02 | R1 | 3-4 | 5-8 | 0.76 | 1.39 | 4 |
| <i>Morus alba</i> 'Striblingii' Stribling White Mulberry | DT | 0.80 | R1 | 3-4 | 5-8 | 1.03 | 0.80 | 4 |
| <i>Morus alba</i> var. <i>tatarica</i> Russian Mulberry | DT | 1.10 | R1 | 3-4 | 5-8 | 0.92 | 1.00 | 4 |
| <i>Morus australis</i> Japanese Mulberry | DS | 1.22 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Morus australis</i> 'Unryu' Unryu Contorted Japanese Mulberry | DS | 1.22 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Morus nigra</i> Black Mulberry | DT | 1.00 | R1 | 3-5 | 6-8 | 0.74 | 1.00 | 5 |
| <i>Morus rubra</i> Red Mulberry | DT | 0.54 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Muehlenbeckia axillaris</i> Creeping Wire Plant | HP | 0.73 | R2 | 6-8 | | | | |
| <i>Muehlenbeckia complexa</i> Maidenhair Vine | HP | 0.60 | R2 | 6-8 | | | | |
| <i>Muhlenbergia capillaris</i> Coastal Muhly Grass | HP | 0.97 | R2 | 3-6 | 7-8 | | | |
| <i>Muhlenbergia capillaris</i> 'Lenca' Regal Mist™ Muhly Grass | HP | 1.47 | R2 | 3-6 | 7-8 | | | |
| <i>Muhlenbergia capillaris</i> 'Regal Mist' See - <i>Muhlenbergia capillaris</i> 'Lenca' | | | | | | | | |
| <i>Muhlenbergia capillaris</i> 'White Cloud' White Cloud Muhly Grass | HP | 0.97 | R2 | 3-6 | 7-8 | | | |
| <i>Muhlenbergia dumosa</i> Bamboo Muhly Grass | HP | 1.14 | R2 | 3-7 | 8 | | | |
| <i>Muhlenbergia filipes</i> Purple Muhly Grass | HP | 0.69 | R2 | 5-7 | 8 | | | |
| <i>Muhlenbergia japonica</i> Japanese Muhly Grass | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Muhlenbergia japonica</i> 'Cream Delight' See - <i>Muhlenbergia japonica</i> 'Variegata' | | | | | | | | |
| <i>Muhlenbergia japonica</i> 'Variegata' Cream Delight Japanese Muhly Grass | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Muhlenbergia lindheimeri</i> No Common Name Found | HP | 0.99 | R2 | 3-7 | 8 | | | |
| <i>Muhlenbergia pubescens</i> Hairy Muhly Grass | HP | 0.59 | R2 | 5-8 | | | | |
| <i>Muhlenbergia rigens</i> Muhly Grass | HP | 0.86 | R2 | 3-7 | 8 | | | |
| <i>Mukdenia rossii</i> No Common Name Found | HP | 1.39 | R2 | 3-6 | 7-8 | | | |
| <i>Mukdenia rossii</i> 'Crimson Fans' Crimson Fans Mukdenia | HP | 1.39 | R2 | 3-4 | 5-8 | | | |
| <i>Muntingia calabura</i> Calabura | BE | 0.94 | R1 | 8 | | 1.00 | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Murdannia acutifolia</i> No Common Name Found | AN | 0.79 | R2 | 8 | | | | |
| <i>Murdannia acutifolia</i> 'Variegata' Bamboo Spiderwort | AN | 0.79 | R2 | 8 | | | | |
| <i>Murraya exotica</i> See - <i>Murraya paniculata</i> | | | | | | | | |
| <i>Murraya paniculata</i> Orange Jessamine | BS | 0.71 | R2 | 8 | | | 0.67 | 9 |
| <i>Murraya paniculata</i> 'Dwarf' See - <i>Murraya paniculata</i> 'Min-a-Min' | | | | | | | | |
| <i>Murraya paniculata</i> 'Lakeview' Lakeview Orange Jessamine | BS | 0.87 | R2 | 8 | | | 0.59 | 9 |
| <i>Murraya paniculata</i> 'Min-a-Min' Dwarf Orange Jessamine | BS | 1.67 | R2 | 8 | | | 0.63 | 9 |
| <i>Musa</i> Banana | FN | 0.91 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Musa</i> 'African Rhino Horn' African Rhino Horn Banana | FN | 0.92 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Musa</i> 'Cardaba' Cardaba Banana | FN | 0.86 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Musa</i> 'Double' Double Banana | FN | 0.92 | R2 | 8 | | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'Dwarf Brazilian' Dwarf Brazilian Banana | FN | 0.91 | R2 | 8 | | 1.00 | 1.00 | 7 |
| <i>Musa</i> 'Dwarf Green Red' Dwarf Green Red Banana | FN | 0.91 | R2 | 8 | | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'Ele Ele' Ele Ele Banana | FN | 0.95 | R2 | 8 | | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'FHIA-01' P.P. 8983 Goldfinger Banana | FN | 0.90 | R2 | 8 | | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'Goldfinger' See - <i>Musa</i> 'FHIA-01' P.P. 8983 | | | | | | | | |
| <i>Musa</i> 'Hua Moa' Hua Moa Banana | FN | 0.92 | R2 | 8 | | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'Kru' Kru Banana | FN | 0.89 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Musa</i> 'Mysore' Mysore Banana | FN | 0.88 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Musa</i> 'Orinoco' Orinoco Banana | FN | 0.91 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Musa</i> 'Pace' Pace Banana | FN | 1.06 | R2 | 8 | | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'Pineapple' Pineapple Banana | FN | 0.90 | R2 | 8 | | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'Pisang Ceylon' Pisang Ceylon Banana | FN | 1.01 | R2 | 8 | | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'Rajapuri' Rajapuri Banana | FN | 1.00 | R2 | 8 | | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'Red Iholene' Red Iholene Banana | FN | 0.91 | R2 | 8 | | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'Tall Red' Tall Red Banana | FN | 0.91 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Musa</i> 'Thousand Fingers' Thousand Fingers Banana | FN | 0.92 | R2 | 8 | | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'White Iholene' White Iholene Banana | FN | 0.91 | R2 | 8 | | 1.00 | 1.00 | 8 |
| <i>Musa</i> 'Williams Hybrid' Williams Hybrid Banana | FN | 0.55 | R2 | 8 | | 1.00 | 1.00 | 8 |
| <i>Musa acuminata</i> Edible Banana | FN | 0.68 | R2 | 8 | | 1.00 | 0.94 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Musa acuminata</i> 'Cavendish' Cavendish Edible Banana | FN | 0.90 | R2 | 8 | | 1.00 | 0.94 | 9 |
| <i>Musa acuminata</i> 'Dwarf Cavendish' Dwarf Cavendish Edible Banana | FN | 0.82 | R2 | 8 | | 1.00 | 0.94 | 9 |
| <i>Musa acuminata</i> 'Dwarf Red' Dwarf Red Edible Banana | FN | 0.87 | R2 | 8 | | 1.00 | 0.94 | 9 |
| <i>Musa acuminata</i> 'Enano Gigante' Dwarf Giant Edible Banana | FN | 1.20 | R2 | 3-8 | | 1.00 | 0.94 | 9 |
| <i>Musa acuminata</i> 'Gran Nain' Gran Nain Edible Banana | FN | 0.89 | R2 | 8 | | 1.00 | 0.94 | 9 |
| <i>Musa acuminata</i> 'Ice Cream' Ice Cream Edible Banana | FN | 0.90 | R2 | 8 | | 1.00 | 0.94 | 9 |
| <i>Musa acuminata</i> 'Rio' Rio Edible Banana | FN | 0.98 | R2 | 8 | | 1.00 | 0.94 | 9 |
| <i>Musa acuminata</i> 'Super Dwarf Cavendish' P.P.A.F. Super Dwarf Cavendish Edible Banana | FN | 0.75 | R2 | 8 | | 1.00 | 0.94 | 9 |
| <i>Musa acuminata</i> ssp. <i>zebrina</i> Red Banana | FN | 0.93 | R2 | 8 | | 1.00 | 0.94 | 9 |
| <i>Musa balbisiana</i> No Common Name Found | FN | 0.92 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Musa basjoo</i> Japanese Banana | HP | 1.34 | R2 | 8 | | | | |
| <i>Musa beccarii</i> No Common Name Found | FN | 1.02 | R2 | 8 | | 1.00 | 1.00 | 8 |
| <i>Musa coccinea</i> See - <i>Musa uranoscopus</i> | | | | | | | | |
| <i>Musa hookeri</i> See - <i>Musa sikkimensis</i> | | | | | | | | |
| <i>Musa lasiocarpa</i> See - <i>Musella lasiocarpa</i> | | | | | | | | |
| <i>Musa mannii</i> No Common Name Found | HP | 1.06 | R2 | 8 | | | | |
| <i>Musa ornata</i> Flowering Banana | FO | 0.79 | R2 | 8 | | | 1.00 | 10 |
| <i>Musa ornata</i> 'Bronze' Bronze Flowering Banana | FO | 0.75 | R2 | 8 | | | 1.00 | 10 |
| <i>Musa ornata</i> 'Lavender Beauty' Lavender Beauty Flowering Banana | FO | 1.39 | R2 | 8 | | | 1.00 | 10 |
| <i>Musa ornata</i> 'Leyte White' Leyte White Flowering Banana | FO | 0.94 | R2 | 8 | | | 1.00 | 10 |
| <i>Musa ornata</i> 'Milky Way' Milky Way Flowering Banana | FO | 0.94 | R2 | 8 | | | 1.00 | 10 |
| <i>Musa ornata</i> 'Royal Purple' Royal Purple Flowering Banana | FO | 0.75 | R2 | 8 | | | 1.00 | 10 |
| <i>Musa ornata</i> 'Royal Red' Royal Red Flowering Banana | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Musa sikkimensis</i> Darjeeling Banana | HP | 1.78 | R2 | 6-8 | | | | |
| <i>Musa uranoscopus</i> Red Flowering Banana | HP | 1.05 | R2 | 8 | | | | |
| <i>Musa velutina</i> No Common Name Found | FN | 0.92 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Musa zebrina</i> See - <i>Musa acuminata</i> ssp. <i>zebrina</i> | | | | | | | | |
| <i>Muscari armeniacum</i> Armenian Grape Hyacinth | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Muscari macrocarpum</i> No Common Name Found | HP | 1.03 | R2 | 3-7 | 8 | | | |
| <i>Musella lasiocarpa</i> Chinese Yellow Banana | HP | 1.44 | R2 | 5-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Myoporum</i> | GC | 0.48 | R2 | 8 | | | 1.00 | 9 |
| Myoporum | | | | | | | | |
| <i>Myoporum</i> 'Pacificum' | GC | 0.48 | R2 | 8 | | | 1.00 | 9 |
| Pacific Myoporum | | | | | | | | |
| <i>Myoporum debile</i> | BS | 0.42 | R2 | 8 | | | 1.00 | 9 |
| No Common Name Found | | | | | | | | |
| <i>Myoporum laetum</i> | BE | 0.78 | R2 | 8 | | | 1.00 | 9 |
| Mouse-hole Tree | | | | | | | | |
| <i>Myoporum laetum</i> 'Carsonii' | BE | 0.78 | R2 | 8 | | | 1.00 | 9 |
| Carson Myoporum | | | | | | | | |
| <i>Myoporum parvifolium</i> | GC | 0.52 | R2 | 8 | | | 1.00 | 9 |
| Creeping Myoporum | | | | | | | | |
| <i>Myoporum parvifolium</i> 'Burgundy Carpet' | GC | 0.87 | R2 | 8 | | | 1.00 | 9 |
| Burgundy Carpet Creeping Myoporum | | | | | | | | |
| <i>Myoporum parvifolium</i> 'Pink' | GC | 0.61 | R2 | 8 | | | 1.00 | 9 |
| Pink Creeping Myoporum | | | | | | | | |
| <i>Myoporum parvifolium</i> 'Prostrata' | GC | 0.72 | R2 | 8 | | | 1.00 | 9 |
| Prostrate Creeping Myoporum | | | | | | | | |
| <i>Myoporum parvifolium</i> 'Putah Creek' | GC | 0.54 | R2 | 8 | | | 1.00 | 9 |
| Putah Creek Creeping Myoporum | | | | | | | | |
| <i>Myoporum sandwicense</i> | BE | 1.19 | R2 | 8 | | | 1.00 | 9 |
| Bastard Sandalwood | | | | | | | | |
| <i>Myosotis alpestris</i> | | | | | | | | |
| See - <i>Myosotis sylvatica</i> | | | | | | | | |
| <i>Myosotis palustris</i> | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| No Common Name Found | | | | | | | | |
| <i>Myosotis scorpioides</i> | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| Forget-Me-Not | | | | | | | | |
| <i>Myosotis scorpioides</i> 'Sapphire' | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| Sapphire Forget-Me-Not | | | | | | | | |
| <i>Myosotis scorpioides</i> 'Semperflorens' | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| Semperflorens Forget-Me-Not | | | | | | | | |
| <i>Myosotis sylvatica</i> | HP | 1.10 | R2 | 3-5 | 6-8 | | | |
| Garden Forget-Me-Not | | | | | | | | |
| <i>Myosotis sylvatica</i> 'Blue Ball' | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| Blue Ball Forget-Me-Not | | | | | | | | |
| <i>Myosotis sylvatica</i> 'Bluesylva' | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| Bluesylva Forget-Me-Not | | | | | | | | |
| <i>Myosotis sylvatica</i> 'Bobo Blue' | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| Bobo Blue Forget-Me-Not | | | | | | | | |
| <i>Myosotis sylvatica</i> 'Bobo Rose' | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| Bobo Rose Forget-Me-Not | | | | | | | | |
| <i>Myosotis sylvatica</i> 'Marina' | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| Marina Forget-Me-Not | | | | | | | | |
| <i>Myosotis sylvatica</i> 'Rogli' | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| Rogli Woodland Forget-Me-Not | | | | | | | | |
| <i>Myosotis sylvatica</i> 'Rosea' | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| Rose Forget-Me-Not | | | | | | | | |
| <i>Myosotis sylvatica</i> 'Rosylva' | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| Rosylva Forget-Me-Not | | | | | | | | |
| <i>Myosotis sylvatica</i> 'Royal Blue' | HP | 0.99 | R2 | 3-5 | 6-8 | | | |
| Royal Blue Forget-Me-Not | | | | | | | | |
| <i>Myosotis sylvatica</i> 'Victoria Blue' | HP | 1.04 | R2 | 3-5 | 6-8 | | | |
| Victoria Blue Forget-Me-Not | | | | | | | | |
| <i>Myosotis sylvatica</i> 'Victoria Pink' | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| Victoria Pink Forget-Me-Not | | | | | | | | |
| <i>Myosotis sylvatica</i> 'Victoria Rose' | HP | 1.50 | R2 | 3-5 | 6-8 | | | |
| Victoria Rose Forget-Me-Not | | | | | | | | |
| <i>Myosotis sylvatica</i> 'Victoria Series' | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| Victoria Series Forget-Me-Not | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container SK | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|--------|-----------------|--------------|---------|------------------------|-----------|---------------|
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Myrciaria edulis</i> See - <i>Eugenia aggregata</i> | | | | | | | | |
| <i>Myrica californica</i> Pacific Waxmyrtle | BS | 0.93 | R2 | 5-7 | 8 | | 0.58 | 7 |
| <i>Myrica cerifera</i> Southern Waxmyrtle | BS | 0.80 | R2 | 3-6 | 7-8 | | 0.52 | 6 |
| <i>Myrica cerifera</i> 'Emperor' See - <i>Myrica cerifera</i> 'Lane' P.P. 7555 | | | | | | | | |
| <i>Myrica cerifera</i> 'Escarosa' Suwannee Elf™ Southern Waxmyrtle | BS | 0.87 | R2 | 3-6 | 7-8 | | 0.45 | 6 |
| <i>Myrica cerifera</i> 'Fairfax' Fairfax™ Southern Waxmyrtle | BS | 0.94 | R2 | 3-6 | 7-8 | | 0.49 | 6 |
| <i>Myrica cerifera</i> 'Lane' P.P. 7555 Emperor™ Southern Waxmyrtle | BS | 1.11 | R2 | 3-6 | 7-8 | | 0.49 | 6 |
| <i>Myrica cerifera</i> 'Little Bull' Little Bull Southern Waxmyrtle | BS | 0.78 | R2 | 3-6 | 7-8 | | 0.49 | 6 |
| <i>Myrica cerifera</i> 'Soleil' P.P. 18731 Soleil Southern Waxmyrtle | BS | 1.30 | R2 | 3-6 | 7-8 | | 0.49 | 6 |
| <i>Myrica cerifera</i> 'Suwannee Elf' See - <i>Myrica cerifera</i> 'Escarosa' | | | | | | | | |
| <i>Myrica cerifera</i> var. <i>pumila</i> Dwarf Southern Waxmyrtle | BS | 0.73 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Myrica gale</i> Sweet Gale | BS | 1.08 | R1 | | 3-8 | | 0.33 | 1 |
| <i>Myrica heterophylla</i> Swamp Bayberry | DS | 0.60 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Myrica pensylvanica</i> Northern Bayberry | DS | 1.00 | R1 | | 3-8 | | 0.98 | 2 |
| <i>Myrica pensylvanica</i> 'Bobbee' See - <i>Myrica pensylvanica</i> 'Bobzam' | | | | | | | | |
| <i>Myrica pensylvanica</i> 'Bobzam' Bobbee™ Northern Bayberry | DS | 0.84 | R1 | | 3-8 | | 0.92 | 2 |
| <i>Myrica pusilla</i> Dwarf Waxmyrtle | BS | 0.83 | R2 | 3-6 | 7-8 | | 0.51 | 6 |
| <i>Myrica pusilla</i> 'Don's Dwarf' Don's Dwarf Waxmyrtle | BS | 0.94 | R2 | 3-6 | 7-8 | | 0.51 | 6 |
| <i>Myrica rubra</i> Chinese Strawberry Tree | FN | 0.79 | R2 | 5-8 | | 1.00 | 1.00 | 7 |
| <i>Myroxylon balsamum</i> Tolu Balsam Tree | BE | 1.00 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Myrrhis odorata</i> Sweet Cicely | HP | 1.20 | R2 | 4 | 5-8 | | | |
| <i>Myrtus communis</i> Myrtle | BS | 0.92 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Myrtus communis</i> 'Boetica' Boetica Myrtle | BS | 0.66 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Myrtus communis</i> 'Compacta Variegata' Compact Variegated Myrtle | BS | 0.78 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Myrtus communis</i> 'Compacta' Compact Myrtle | BS | 0.78 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Myrtus communis</i> 'Variegata' Variegated Myrtle | BS | 0.87 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Nageia nagi</i> Broadleaf Podocarpus | CE | 1.25 | R1 | 8 | | 1.00 | 0.56 | 8 |
| <i>Nandina domestica</i> Heavenly Bamboo | BS | 0.87 | R1 | 6 | 7-8 | | 0.45 | 6 |
| <i>Nandina domestica</i> 'Alba' White Heavenly Bamboo | BS | 0.74 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Compacta' Compact Heavenly Bamboo | BS | 0.86 | R1 | 6 | 7-8 | | 0.58 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Nandina domestica</i> 'Filamentosa' San Gabriel Heavenly Bamboo | BS | 0.69 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Fire Power' Fire Power Heavenly Bamboo | BS | 0.95 | R1 | 6 | 7-8 | | 0.74 | 6 |
| <i>Nandina domestica</i> 'Firehouse' Firehouse Dwarf Heavenly Bamboo | BS | 1.15 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Firestorm' P.P.A.F. Firestorm™ Dwarf Heavenly Bamboo | BS | 0.97 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Greray' P.P. 8530 Sunray Heavenly Bamboo | BS | 1.23 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Gulf Stream' P.P. 5656 Gulf Stream Heavenly Bamboo | BS | 1.39 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Harbor Belle' See - <i>Nandina domestica</i> 'Jaytee' P.P. 14668 | | | | | | | | |
| <i>Nandina domestica</i> 'Harbor Dwarf' Harbor Dwarf Heavenly Bamboo | BS | 0.83 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Jaytee' P.P. 14668 Harbor Belle Heavenly Bamboo | BS | 1.10 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Lemon Dwarf' Lemon Dwarf Heavenly Bamboo | BS | 0.76 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Mardi Gras' Mardi Gras Heavenly Bamboo | BS | 0.97 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Monfar' P.P. 14693 Sienna Sunrise™ Heavenly Bamboo | BS | 1.68 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Monum' P.P. 12069 Plum Passion™ Heavenly Bamboo | BS | 1.48 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Moon Bay' P.P. 5659 Moon Bay Heavenly Bamboo | BS | 1.37 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Moyer's Red' Moyer's Red Heavenly Bamboo | BS | 0.91 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Nana Purpurea' Dwarf Purple Heavenly Bamboo | BS | 0.81 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Nana' Dwarf Heavenly Bamboo | BS | 0.77 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Plum Passion' See - <i>Nandina domestica</i> 'Monum' P.P. 12069 | | | | | | | | |
| <i>Nandina domestica</i> 'Royal Princess' Royal Princess Heavenly Bamboo | BS | 0.83 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Sienna Sunrise' See - <i>Nandina domestica</i> 'Monfar' P.P. 14693 | | | | | | | | |
| <i>Nandina domestica</i> 'Sunray' See - <i>Nandina domestica</i> 'Greray' P.P. 8530 | | | | | | | | |
| <i>Nandina domestica</i> 'Umpqua Chief' Umpqua Chief Heavenly Bamboo | BS | 0.95 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Umpqua Princess' Umpqua Princess Heavenly Bamboo | BS | 0.73 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Umpqua Warrior' Umpqua Warrior Heavenly Bamboo | BS | 0.69 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Wood's Dwarf' Wood's Dwarf Heavenly Bamboo | BS | 0.95 | R1 | 6 | 7-8 | | 0.60 | 6 |
| <i>Nandina domestica</i> 'Yellow-fruited' Yellow-fruited Heavenly Bamboo | BS | 0.48 | R1 | 6 | 7-8 | | 0.61 | 6 |
| <i>Nannorrhops ritchiana</i> Mazari Palm | PC | 3.02 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Napaea dioica</i> Glade Mallow | HP | 1.31 | R2 | 3-4 | 5-8 | | | |
| <i>Narcissus bulbocodium</i> Petticoat Daffodil | HP | 1.15 | R2 | 3-6 | 7-8 | | | |
| <i>Nassella cernua</i> See - <i>Stipa cernua</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Nassella pulchra</i> Purple Needle Grass | HP | 0.71 | R2 | 6-7 | 8 | | | |
| <i>Nassella tenuissima</i> See - <i>Stipa tenuissima</i> | | | | | | | | |
| <i>Nasturtium officinale</i> Watercress | HP | 0.45 | R2 | 3-5 | 6-8 | | | |
| <i>Nauplius sericeus</i> No Common Name Found | HP | 0.62 | R2 | 8 | | | | |
| <i>Nelumbo lutea</i> Water Chinquapin | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Nemesia</i> Nemesia | AN | 0.87 | R2 | 6-8 | | | | |
| <i>Nemesia</i> 'Intraibana' P.P. 17542 Sunsatia® Banana Nemesia | AN | 0.87 | R2 | 6-8 | | | | |
| <i>Nemesia</i> 'Inupcream' P.P. 17478 Sunsatia® Peach Nemesia | AN | 0.87 | R2 | 6-8 | | | | |
| <i>Nemesia</i> 'Inupyel' P.P. 17541 Sunsatia® Mango Nemesia | AN | 0.87 | R2 | 6-8 | | | | |
| <i>Nemesia</i> 'Sunsatia Banana' See - <i>Nemesia</i> 'Intraibana' P.P. 17542 | | | | | | | | |
| <i>Nemesia</i> 'Sunsatia Mango' See - <i>Nemesia</i> 'Inupyel' P.P. 17541 | | | | | | | | |
| <i>Nemesia</i> 'Sunsatia Peach' See - <i>Nemesia</i> 'Inupcream' P.P. 17478 | | | | | | | | |
| <i>Nemesia caerulea</i> No Common Name Found | AN | 1.05 | R2 | 6-8 | | | | |
| <i>Nemesia caerulea</i> 'Bluebird' See - <i>Nemesia caerulea</i> 'Hubbird' P.P. 12014 | | | | | | | | |
| <i>Nemesia caerulea</i> 'Hubbird' P.P. 12014 Bluebird Nemesia | AN | 1.16 | R2 | 6-8 | | | | |
| <i>Nemesia caerulea</i> 'Innkapink' P.P. 14660 Safari™ Pink Nemesia | AN | 1.11 | R2 | 6-8 | | | | |
| <i>Nemesia caerulea</i> 'Innocence' Innocence Nemesia | AN | 1.16 | R2 | 6-8 | | | | |
| <i>Nemesia caerulea</i> 'Poetry Series' Poetry™ Series Nemesia | AN | 1.46 | R2 | 6-8 | | | | |
| <i>Nemesia caerulea</i> 'Safari Pink' See - <i>Nemesia caerulea</i> 'Innkapink' P.P. 14660 | | | | | | | | |
| <i>Nemesia foetens</i> 'Poetry Series' See - <i>Nemesia caerulea</i> 'Poetry Series' | | | | | | | | |
| <i>Nemesia fruticans</i> See - <i>Nemesia caerulea</i> | | | | | | | | |
| <i>Nemesia strumosa</i> Pouch Nemesia | AN | 1.51 | R2 | 6-8 | | | | |
| <i>Nemesia strumosa</i> 'Carnival Mix' Carnival Mix Pouch Nemesia | AN | 1.51 | R2 | 6-8 | | | | |
| <i>Nemesia strumosa</i> 'Sachet Series' Sachet Series Pouch Nemesia | AN | 1.51 | R2 | 6-8 | | | | |
| <i>Nemopanthus mucronatus</i> Mountain Holly | BS | 1.00 | R2 | 3-5 | 6-8 | | 0.33 | 5 |
| <i>Neolitsea sericea</i> Japanese Silver Tree | DT | 1.11 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Neomarica caerulea</i> Twelve Apostles | HP | 0.74 | R2 | 8 | | | | |
| <i>Neomarica caerulea</i> 'Regina' Giant Apostle's Iris | HP | 1.25 | R2 | 8 | | | | |
| <i>Neomarica gracilis</i> Apostle Plant | HP | 0.71 | R2 | 8 | | | | |
| <i>Neomarica northiana</i> Walking Iris | HP | 0.64 | R2 | 7-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---------------------------------------|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Neoregelia</i> | FO | 1.95 | R2 | 8 | | 1.00 | 9 |
| Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Autumn Leaves' | FO | 1.48 | R2 | 8 | | 1.00 | 9 |
| Autumn Leaves Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Aztec' | FO | 1.30 | R2 | 8 | | 1.00 | 9 |
| Aztec Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Color Parade' | FO | 1.30 | R2 | 8 | | 1.00 | 9 |
| Color Parade Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Donger' P.P. 11448 | FO | 1.64 | R2 | 8 | | 1.00 | 9 |
| Donger Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Evan' | FO | 1.64 | R2 | 8 | | 1.00 | 9 |
| Evan Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Fireball' | FO | 1.65 | R2 | 8 | | 1.00 | 9 |
| Fireball Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Franca' P.P. 10816 | FO | 1.59 | R2 | 8 | | 1.00 | 9 |
| Franca Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Gespacho' | FO | 1.30 | R2 | 8 | | 1.00 | 9 |
| Gespacho Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Inca' | FO | 1.55 | R2 | 8 | | 1.00 | 9 |
| Inca Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Inferno' | FO | 1.64 | R2 | 8 | | 1.00 | 9 |
| Inferno Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Jeannie' | FO | 1.64 | R2 | 8 | | 1.00 | 9 |
| Jeannie Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Lois Bullis' | FO | 1.18 | R2 | 8 | | 1.00 | 9 |
| Lois Bullis Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Martin' P.P. 10717 | FO | 2.78 | R2 | 8 | | 1.00 | 9 |
| Martin Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Maya' | FO | 1.48 | R2 | 8 | | 1.00 | 9 |
| Maya Regelia | | | | | | | |
| <i>Neoregelia</i> 'Medium Rare' | FO | 1.70 | R2 | 8 | | 1.00 | 9 |
| Medium Rare Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Mocha Mint' | FO | 1.18 | R2 | 8 | | 1.00 | 9 |
| Mocha Mint Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Morado' P.P. 9599 | FO | 2.20 | R2 | 8 | | 1.00 | 9 |
| Morado Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Orange Crush' | FO | 2.20 | R2 | 8 | | 1.00 | 9 |
| Orange Crush Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Perfecta Tricolor' | FO | 1.61 | R2 | 8 | | 1.00 | 9 |
| Perfecta Tricolor Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Perfection' | FO | 1.76 | R2 | 8 | | 1.00 | 9 |
| Perfection Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Picolo' | FO | 1.64 | R2 | 8 | | 1.00 | 9 |
| Picolo Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Purple Rain' | FO | 1.70 | R2 | 8 | | 1.00 | 9 |
| Purple Rain Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Rosy Fireball' | FO | 1.74 | R2 | 8 | | 1.00 | 9 |
| Rosy Fireball Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Royal Burgundy' | FO | 1.66 | R2 | 8 | | 1.00 | 9 |
| Royal Burgundy Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Super Fireball' | FO | 1.64 | R2 | 8 | | 1.00 | 9 |
| Super Fireball Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Tangerine' | FO | 1.70 | R2 | 8 | | 1.00 | 9 |
| Tangerine Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Tossed Salad' | FO | 1.44 | R2 | 8 | | 1.00 | 9 |
| Tossed Salad Neoregelia | | | | | | | |
| <i>Neoregelia</i> 'Zoe' P.P. 12107 | FO | 1.64 | R2 | 8 | | 1.00 | 9 |
| Zoe Neoregelia | | | | | | | |
| <i>Neoregelia carolinae</i> | FO | 0.91 | R2 | 8 | | 1.00 | 10 |
| Blushing Bromeliad | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Neoregelia carolinae</i> 'Devroe' P.P. 7713 Devroe Blushing Bromeliad | FO | 1.53 | R2 | 8 | | 1.00 | 10 |
| <i>Neoregelia carolinae</i> 'Flandria' Flandria Blushing Bromeliad | FO | 1.25 | R2 | 8 | | 1.00 | 10 |
| <i>Neoregelia carolinae</i> 'Tricolor' Tricolor Blushing Bromeliad | FO | 1.30 | R2 | 8 | | 1.00 | 10 |
| <i>Neoregelia macwilliamsii</i> No Common Name Found | FO | 1.60 | R2 | 8 | | 1.00 | 10 |
| <i>Nepenthes alata</i> Winged Pitcher Plant | HP | 4.67 | R2 | 8 | | | |
| <i>Nepenthes bicalcarata</i> Fanged Pitcher Plant | HP | 5.08 | R2 | 8 | | | |
| <i>Nepenthes x coccinea</i> No Common Name Found | FO | 2.16 | R2 | 8 | | 1.00 | 10 |
| <i>Nepenthes gracilis</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Nepenthes madagascariensis</i> Asian Pitcher Plant | FO | 1.36 | R2 | 8 | | 1.00 | 10 |
| <i>Nepenthes maxima</i> No Common Name Found | HP | 5.51 | R2 | 8 | | | |
| <i>Nepenthes rafflesiana</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Nepenthes sanguinea</i> No Common Name Found | FO | 0.76 | R2 | 8 | | 1.00 | 10 |
| <i>Nepenthes truncata</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Nepenthes ventricosa</i> No Common Name Found | FO | 0.76 | R2 | 8 | | 1.00 | 10 |
| <i>Nepeta</i> Catmint | HP | 1.00 | R2 | 3-4 | 5-8 | | |
| <i>Nepeta</i> 'Joanna Reed' Joanna Reed Catmint | HP | 1.00 | R2 | 3-4 | 5-8 | | |
| <i>Nepeta cataria</i> Catnip | HP | 0.65 | R2 | 3-4 | 5-8 | | |
| <i>Nepeta cataria</i> 'Citriodora' Citriodora Catnip | HP | 0.65 | R2 | 3-4 | 5-8 | | |
| <i>Nepeta x faassenii</i> Faassen's Catmint | HP | 0.79 | R2 | 3-4 | 5-8 | | |
| <i>Nepeta x faassenii</i> 'Blue Wonder' Blue Wonder Faassen's Catmint | HP | 0.91 | R2 | 3-4 | 5-8 | | |
| <i>Nepeta x faassenii</i> 'Dropmore' Dropmore Faassen's Nepeta | HP | 0.78 | R2 | 3-4 | 5-8 | | |
| <i>Nepeta x faassenii</i> 'Kit Kat' Kit Kat Faassen's Catmint | HP | 1.06 | R2 | 3-4 | 5-8 | | |
| <i>Nepeta x faassenii</i> 'Six Hills Giant' Six Hills Giant Faassen's Catmint | HP | 0.84 | R2 | 3-4 | 5-8 | | |
| <i>Nepeta x faassenii</i> 'Snowflake' Snowflake Faassen's Catmint | HP | 0.65 | R2 | 3-4 | 5-8 | | |
| <i>Nepeta x faassenii</i> 'Walker's Low' Walker's Low Faassen's Catmint | HP | 0.86 | R2 | 3-4 | 5-8 | | |
| <i>Nepeta grandiflora</i> No Common Name Found | HP | 0.87 | R2 | 3-4 | 5-8 | | |
| <i>Nepeta grandiflora</i> 'Dawn to Dusk' Dawn to Dusk Catmint | HP | 0.87 | R2 | 3-4 | 5-8 | | |
| <i>Nepeta mussinii</i> See - <i>Nepeta x faassenii</i> | | | | | | | |
| <i>Nepeta nervosa</i> Veined Nepeta | HP | 0.48 | R2 | 3-5 | 6-8 | | |
| <i>Nepeta nervosa</i> 'Blue Carpet' Blue Carpet Veined Nepeta | HP | 0.48 | R2 | 3-5 | 6-8 | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Nepeta phyllochlamy</i> No Common Name Found | HP | 1.00 | R2 | 3-8 | | | |
| <i>Nepeta racemosa</i> Raceme Catmint | HP | 1.07 | R2 | 3-4 | 5-8 | | |
| <i>Nepeta racemosa</i> 'Little Titch' Little Titch Raceme Catmint | HP | 1.07 | R2 | 3-4 | 5-8 | | |
| <i>Nepeta sibirica</i> Siberian Catmint | HP | 0.69 | R2 | 3-4 | 5-8 | | |
| <i>Nepeta sibirica</i> 'Souvenir d'Andre Chaudron' Souvenir d'Andre Chaudron | HP | 0.90 | R2 | 3-4 | 5-8 | | |
| <i>Nepeta subsessilis</i> No Common Name Found | HP | 0.85 | R2 | 3-5 | 6-8 | | |
| <i>Nepeta subsessilis</i> 'Sweet Dreams' Sweet Dreams Catmint | HP | 0.85 | R2 | 3-5 | 6-8 | | |
| <i>Nepeta tuberosa</i> No Common Name Found | HP | 1.00 | R2 | 5-8 | | | |
| <i>Nephrodium bissetianum</i> See - <i>Dryopteris bissetiana</i> | | | | | | | |
| <i>Nephrolepis biserrata</i> Broad Sword Fern | FO | 0.55 | R2 | 8 | | 1.00 | 10 |
| <i>Nephrolepis biserrata</i> 'Macho' Macho Broad Sword Fern | FO | 0.59 | R2 | 8 | | 1.00 | 10 |
| <i>Nephrolepis cordifolia</i> Erect Sword Fern | FO | 0.71 | R2 | 8 | | 1.00 | 9 |
| <i>Nephrolepis cordifolia</i> 'Duffii' Duff Erect Sword Fern | FO | 0.55 | R2 | 8 | | 1.00 | 9 |
| <i>Nephrolepis cordifolia</i> 'Timm's Petticoat' See - <i>Nephrolepis cordifolia</i> 'Timmii' | | | | | | | |
| <i>Nephrolepis cordifolia</i> 'Timmii' Timm Erect Sword Fern | FO | 0.40 | R2 | 8 | | 1.00 | 9 |
| <i>Nephrolepis exaltata</i> Sword Fern | FO | 0.66 | R2 | 6-8 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Bostoniensis' Boston Fern | FO | 0.60 | R2 | 6-8 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Compacta' Compact Boston Fern | FO | 0.51 | R2 | 6-8 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Dallas Jewel' P.P. 5755 Dallas Boston Fern | FO | 0.65 | R2 | 6-8 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Dallasii' See - <i>Nephrolepis exaltata</i> 'Dallas Jewel' P.P. 5755 | | | | | | | |
| <i>Nephrolepis exaltata</i> 'Erecta' Erect Boston Fern | FO | 0.45 | R2 | 6-8 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Fluffy Ruffles' Fluffy Ruffles Boston Fern | FO | 0.60 | R2 | 6-8 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Hillii' Hills Boston Fern | FO | 0.60 | R2 | 6-8 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Knights' Knights Boston Fern | FO | 0.60 | R2 | 6-8 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Maasii' Maasii Boston Fern | FO | 0.60 | R2 | 6-8 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Orlando' P.P. 9067 Orlando Boston Fern | FO | 0.60 | R2 | 6-8 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Rooseveltii' Roosevelt Boston Fern | FO | 0.71 | R2 | 6-8 | | 1.00 | 10 |
| <i>Nephrolepis exaltata</i> 'Whitmannii' Whitmann Boston Fern | FO | 0.60 | R2 | 6-8 | | 1.00 | 10 |
| <i>Nephrolepis falcata</i> No Common Name Found | FO | 0.44 | R2 | 8 | | 1.00 | 9 |
| <i>Nephrolepis falcata</i> 'Fancy Frill' P.P.A.F. Fancy Frill™ Fishtail Fern | FO | 0.68 | R2 | 8 | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Nephrolepis falcata</i> var. <i>furcans</i> Fishtail Fern | FO | 0.73 | R2 | 8 | | 1.00 | 9 |
| <i>Nephrolepis hirsutula</i> No Common Name Found | FO | 0.47 | R2 | 8 | | 1.00 | 10 |
| <i>Nephrolepis obliterated</i> Australian Sword Fern | FO | 0.66 | R2 | 8 | | 1.00 | 9 |
| <i>Nephrolepis obliterated</i> 'Emerald Queen' Emerald Queen Australian Sword Fern | FO | 0.52 | R2 | 8 | | 1.00 | 9 |
| <i>Nephrolepis obliterated</i> 'Kimberley Queen' Kimberley Queen Australian Sword Fern | FO | 0.56 | R2 | 8 | | 1.00 | 9 |
| <i>Nerine bowdenii</i> Cape Colony Nerine | HP | 1.03 | R2 | 8 | | | |
| <i>Nerine filamentosa</i> No Common Name Found | HP | 1.03 | R2 | 8 | | | |
| <i>Nerine filifolia</i> No Common Name Found | HP | 0.69 | R2 | 8 | | | |
| <i>Nerine masonorum</i> No Common Name Found | HP | 1.03 | R2 | 8 | | | |
| <i>Nerine sarniensis</i> Guernsey Lily | HP | 1.03 | R2 | 8 | | | |
| <i>Nerium oleander</i> Common Oleander | BS | 0.67 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Alba' White Oleander | BS | 0.88 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Algiers' See - <i>Nerium oleander</i> 'Monal' | | | | | | | |
| <i>Nerium oleander</i> 'Apple Blossom' Apple Blossom Oleander | BS | 0.85 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Calypso' Calypso Oleander | BS | 0.74 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Cardinal' Cardinal Oleander | BS | 0.72 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Casablanca' See - <i>Nerium oleander</i> 'Monca' | | | | | | | |
| <i>Nerium oleander</i> 'Cherry Ripe' Cherry Ripe Oleander | BS | 0.62 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Crimson' Crimson Oleander | BS | 0.83 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Hardy Pink' Hardy Pink Oleander | BS | 0.82 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Hardy Red' Hardy Red Oleander | BS | 0.87 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Hardy White' Hardy White Oleander | BS | 0.90 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Hawaii' Hawaii Oleander | BS | 0.85 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Ice Pink' Ice Pink Oleander | BS | 0.63 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Isle of Capri' Isle of Capri Oleander | BS | 0.84 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Jannoch' Jannoch Oleander | BS | 0.94 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Little Red' P.P. 4836 Little Red Dwarf Oleander | BS | 0.81 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Little White' Little White Oleander | BS | 0.86 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Luteum Plenum' Luteum Plenum Oleander | BS | 0.85 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Marrakesh' See - <i>Nerium oleander</i> 'Moned' | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|-------------|------------------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper High/Wide | |
| <i>Nerium oleander</i> 'Monal' Algiers™ Oleander | BS | 0.85 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Monca' Casablanca™ Oleander | BS | 0.82 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Moned' Marrakesh™ Dwarf Oleander | BS | 0.85 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Monta' Tangier™ Oleander | BS | 0.96 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Monte' Morocco™ Dwarf Oleander | BS | 0.85 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Monvis' P.P. 5866 Ruby Lace™ Oleander | BS | 0.85 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Morocco' See - <i>Nerium oleander</i> 'Monte' | | | | | | | |
| <i>Nerium oleander</i> 'Mrs. Roeding' Mrs. Roeding Oleander | BS | 0.78 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Petite Pink' Petite Pink Dwarf Oleander | BS | 0.81 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Petite Salmon' Petite Salmon Dwarf Oleander | BS | 0.76 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Petite White' Petite White Dwarf Oleander | BS | 1.03 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Pink Beauty' Pink Beauty Oleander | BS | 0.70 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Ruby Lace' See - <i>Nerium oleander</i> 'Monvis' P.P. 5866 | | | | | | | |
| <i>Nerium oleander</i> 'Sealy Pink' Sealy Pink Oleander | BS | 0.79 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Shari D' See - <i>Nerium oleander</i> 'Turner's Shari D' P.P. 5378 | | | | | | | |
| <i>Nerium oleander</i> 'Shasta' Shasta Oleander | BS | 0.85 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Single Pink' Single Pink Oleander | BS | 0.67 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Sister Agnes' Sister Agnes Oleander | BS | 0.70 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Tangier' See - <i>Nerium oleander</i> 'Monta' | | | | | | | |
| <i>Nerium oleander</i> 'Turner's 5-387' P.P. 10157 Turner's Flirt™ Oleander | BS | 1.03 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Turner's 6-667' P.P. 12171 Turner's Sissy King® Oleander | BS | 1.18 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Turner's 7-678' P.P. 16660 Turner's Trey Boy™ Oleander | BS | 1.16 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Turner's Carnival' P.P. 6339 Turner's Carnival™ Oleander | BS | 1.08 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Turner's Flirt' See - <i>Nerium oleander</i> 'Turner's 5-387' P.P. 10157 | | | | | | | |
| <i>Nerium oleander</i> 'Turner's Shari D' P.P. 5378 Shari D Oleander | BS | 0.91 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Turner's Sissy King' See - <i>Nerium oleander</i> 'Turner's 6-667' P.P. 12171 | | | | | | | |
| <i>Nerium oleander</i> 'Turner's Tickled Pink' P.P. 7619 Turner's Tickled Pink™ Oleander | BS | 1.12 | R2 | 6-8 | | 0.51 | 8 |
| <i>Nerium oleander</i> 'Turner's Trey Boy' See - <i>Nerium oleander</i> 'Turner's 7-678' P.P. 16660 | | | | | | | |
| <i>Neviusia alabamensis</i> Snow-Wreath | DS | 0.54 | R1 | 3-4 | 5-8 | 0.99 | 4 |
| <i>Nicodermia diversifolia</i> See - <i>Buddleja indica</i> | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Nicolaia elatior</i> | | | | | | | | |
| See - <i>Etlingera elatior</i> | | | | | | | | |
| <i>Nicotiana alata</i> Flowering Tobacco | AN | 0.51 | R2 | 6-8 | | | | |
| <i>Nicotiana xsanderae</i> Hybrid Flowering Tobacco | AN | 0.83 | R2 | 6-8 | | | | |
| <i>Nicotiana xsanderae</i> 'Avalon Appleblossom' Avalon Appleblossom Hybrid Flowering Tobacco | AN | 0.83 | R2 | 6-8 | | | | |
| <i>Nicotiana xsanderae</i> 'Avalon Red' Avalon Red Hybrid Flowering Tobacco | AN | 0.83 | R2 | 6-8 | | | | |
| <i>Nicotiana xsanderae</i> 'Avalon Series' Avalon Series Hybrid Flowering Tobacco | AN | 0.83 | R2 | 6-8 | | | | |
| <i>Nicotiana xsanderae</i> 'Domino Series' Domino Series Hybrid Flowering Tobacco | AN | 0.83 | R2 | 6-8 | | | | |
| <i>Nicotiana xsanderae</i> 'Havana Series' Havana Series Hybrid Flowering Tobacco | AN | 0.83 | R2 | 6-8 | | | | |
| <i>Nicotiana xsanderae</i> 'Hummingbird Pink' Hummingbird Pink Hybrid Flowering Tobacco | AN | 0.81 | R2 | 6-8 | | | | |
| <i>Nicotiana xsanderae</i> 'Hummingbird Red' Hummingbird Red Hybrid Flowering Tobacco | AN | 0.85 | R2 | 6-8 | | | | |
| <i>Nicotiana xsanderae</i> 'Hummingbird Series' Hummingbird Series Hybrid Flowering Tobacco | AN | 0.83 | R2 | 6-8 | | | | |
| <i>Nierembergia hippomanica</i> Dwarf Cup Flower | HP | 0.66 | R2 | 5-7 | 8 | | | |
| <i>Nierembergia hippomanica</i> 'Mont Blanc' Mont Blanc Cup Flower | HP | 0.75 | R2 | 5-7 | 8 | | | |
| <i>Nierembergia hippomanica</i> 'Purple Robe' Purple Robe Cup Flower | HP | 0.55 | R2 | 5-7 | 8 | | | |
| <i>Nierembergia repens</i> Whitecup | HP | 0.65 | R2 | 5-7 | 8 | | | |
| <i>Nipponanthemum nipponicum</i> Nippon Daisy | HP | 0.82 | R2 | 4-7 | 8 | | | |
| <i>Nolina bigelovii</i> Bigelow's Nolina | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Nolina lindheimerana</i> Devil's Shoestring | BS | 0.67 | R2 | 8 | | | 1.00 | 10 |
| <i>Nolina microcarpa</i> Beargrass | BS | 0.84 | R2 | 5-6 | 7-8 | | 0.98 | 6 |
| <i>Nolina nelsonii</i> Nelson's Blue Beargrass | BS | 1.13 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Nolina parryi</i> Parry's Beargrass | BS | 0.61 | R2 | 8 | | | 1.00 | 10 |
| <i>Nolina recurvata</i> Ponytail Palm | FO | 0.86 | R2 | 8 | | | 2.25 | 10 |
| <i>Nolina texana</i> Sacahuista | BS | 0.82 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Nothocalais cuspidata</i> | | | | | | | | |
| See - <i>Agoseris cuspidata</i> | | | | | | | | |
| <i>Nothofagus antarctica</i> Antarctic Beech | DT | 1.60 | R2 | 5-7 | 8 | 0.79 | 1.00 | 7 |
| <i>Notholaena tomentosa</i> | | | | | | | | |
| See - <i>Cheilanthes tomentosa</i> | | | | | | | | |
| <i>Notocactus leninghausii</i> | | | | | | | | |
| See - <i>Parodia leninghausii</i> | | | | | | | | |
| <i>Nuphar lutea</i> Yellow Water Lily | HP | 1.77 | R2 | 3-4 | 5-8 | | | |
| <i>Nymphaea odorata</i> Fragrant Water Lily | HP | 2.27 | R2 | 3 | 4-8 | | | |
| <i>Nyssa aquatica</i> Cotton Gum | DT | 0.70 | R1 | 5-6 | 7-8 | 1.00 | 0.52 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Nyssa ogeche</i> Ogeechee Tupelo | DT | 0.63 | R1 | 5-6 | 7-8 | 1.00 | 0.69 | 6 |
| <i>Nyssa sylvatica</i> Black Tupelo | DT | 1.03 | R1 | 3-4 | 5-8 | 1.13 | 0.89 | 3 |
| <i>Nyssa sylvatica</i> 'Forum' See - <i>Nyssa sylvatica</i> 'NXSXF' P.P. 11391 | | | | | | | | |
| <i>Nyssa sylvatica</i> 'NXSXF' P.P. 11391 Forum® Black Tupelo | DT | 1.29 | R1 | 3-4 | 5-8 | 2.14 | 0.89 | 3 |
| <i>Nyssa sylvatica</i> 'Red Rage' Red Rage™ Black Tupelo | DT | 1.17 | R1 | 3-4 | 5-8 | 1.50 | 0.89 | 3 |
| <i>Nyssa sylvatica</i> 'Wildfire' Wildfire Black Tupelo | DT | 1.53 | R1 | 3-4 | 5-8 | 1.22 | 0.89 | 3 |
| <i>Nyssa sylvatica</i> var. <i>biflora</i> Swamp Tupelo | DT | 0.50 | R1 | 3 | 4-8 | 1.00 | 1.00 | 3 |
| <i>Obeliscaria pulcherrima</i> See - <i>Ratibida columnifera</i> var. <i>pulcherrima</i> | | | | | | | | |
| <i>Ocimum basilicum</i> Sweet Basil | AN | 1.16 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'African Blue' See - <i>Ocimum basilicum</i> 'Kasar' | | | | | | | | |
| <i>Ocimum basilicum</i> 'Americanum' American Basil | AN | 0.74 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Cinnamon' Cinnamon Basil | AN | 0.84 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Citriodorum' Lemon Basil | AN | 0.81 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Cuban' Cuban Basil | AN | 1.02 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Dark Opal' Dark Opal Basil | AN | 0.85 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Fino Verde' Fino Verde Basil | AN | 1.02 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Genovese' Genovese Sweet Basil | AN | 1.01 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Kasar' African Blue Basil | AN | 1.27 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Licorice' Licorice Basil | AN | 1.23 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Magical Michael' Magical Michael Basil | AN | 1.02 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Mammoth' Mammoth Basil | AN | 1.02 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Mini Purple' Mini Purple Basil | AN | 1.02 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Minimum' Bush Basil | AN | 1.05 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Mrs. Burns' Mrs. Burns Lemon Basil | AN | 1.02 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Neapolitanum' Italian Basil | AN | 0.75 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Oman' Oman® Basil | AN | 1.08 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Osmin' Osmin Purple Basil | AN | 0.70 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Purple Ruffles' Purple Ruffles Basil | AN | 0.82 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Purpureum' Purple Basil | AN | 1.47 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Red Rubin' Red Rubin Basil | AN | 1.86 | R2 | 6-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Ocimum basilicum</i> 'Siam Queen' Siam Queen Basil | AN | 0.79 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Spicy Globe' Spicy Globe Basil | AN | 0.99 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Sweet Dani' Sweet Dani Basil | AN | 1.02 | R2 | 6-8 | | | | |
| <i>Ocimum basilicum</i> 'Thai' Thai Basil | AN | 1.02 | R2 | 6-8 | | | | |
| <i>Ocimum sanctum</i> See - <i>Ocimum tenuiflorum</i> | | | | | | | | |
| <i>Ocimum tenuiflorum</i> Holy Basil | HP | 0.42 | R2 | 6-8 | | | | |
| <i>Odontonema callistachyum</i> Purple Firespike | HP | 0.76 | R2 | 5-8 | | | | |
| <i>Odontonema cuspidatum</i> See - <i>Odontonema strictum</i> | | | | | | | | |
| <i>Odontonema strictum</i> Firespike | BS | 0.68 | R2 | 8 | | | 1.00 | 10 |
| <i>Odontonema strictum</i> 'Gray-White' Gray-White Firespike | BS | 0.68 | R2 | 8 | | | 1.00 | 10 |
| <i>Oemleria cerasiformis</i> Indian Plum | DS | 0.75 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Oenanthe javanica</i> Water Parsley | HP | 1.05 | R2 | 8 | | | | |
| <i>Oenanthe javanica</i> 'Flamingo' Flamingo Water Parsley | HP | 1.11 | R2 | 8 | | | | |
| <i>Oenothera</i> Primrose | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Oenothera</i> 'Innoeno131' P.P. 16393 Lemon Drop® Hybrid Primrose | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Oenothera</i> 'Lemon Drop' See - <i>Oenothera</i> 'Innoeno131' P.P. 16393 | | | | | | | | |
| <i>Oenothera berlandieri</i> Mexican Evening Primrose | HP | 0.63 | R2 | 5 | 6-8 | | | |
| <i>Oenothera berlandieri</i> 'Siskiyou' Siskiyou Mexican Evening Primrose | HP | 0.83 | R2 | 5 | 6-8 | | | |
| <i>Oenothera berlandieri</i> 'Turner01' P.P. 17230 Twilight Mexican Evening Primrose | HP | 1.03 | R2 | 5 | 6-8 | | | |
| <i>Oenothera berlandieri</i> 'Twilight' See - <i>Oenothera berlandieri</i> 'Turner01' P.P. 17230 | | | | | | | | |
| <i>Oenothera berlandieri</i> 'Woodside White' Woodside White Mexican Evening Primrose | HP | 0.64 | R2 | 5 | 6-8 | | | |
| <i>Oenothera caespitosa</i> Tufted Evening Primrose | HP | 1.31 | R2 | 4 | 5-8 | | | |
| <i>Oenothera caespitosa</i> ssp. <i>marginata</i> Tufted Evening Primrose | HP | 1.01 | R2 | 4 | 5-8 | | | |
| <i>Oenothera elata</i> ssp. <i>hookeri</i> Hooker's Evening Primrose | HP | 0.77 | R2 | 3-7 | 8 | | | |
| <i>Oenothera erythrosepala</i> See - <i>Oenothera glazioviana</i> | | | | | | | | |
| <i>Oenothera fremontii</i> See - <i>Oenothera macrocarpa</i> ssp. <i>fremontii</i> | | | | | | | | |
| <i>Oenothera fremontii</i> 'Lemon Silver' See - <i>Oenothera macrocarpa</i> ssp. <i>fremontii</i> 'Lemon Silver' C.O.P.F. | | | | | | | | |
| <i>Oenothera fruticosa</i> Sundrops | HP | 1.06 | R2 | 3-4 | 5-8 | | | |
| <i>Oenothera fruticosa</i> 'Fireworks' See - <i>Oenothera fruticosa</i> 'Fyrverkeri' | | | | | | | | |
| <i>Oenothera fruticosa</i> 'Fyrverkeri' Fireworks Sundrops | HP | 0.94 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Oenothera fruticosa</i> 'Summer Solstice' Summer Solstice Sundrops | HP | 0.70 | R2 | 3-4 | 5-8 | | | |
| <i>Oenothera fruticosa</i> 'Youngii-lapsley' Youngii-lapsley Sundrops | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Oenothera fruticosa</i> ssp. <i>glauca</i> Young Sundrops | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Oenothera glazioviana</i> Large-flowered Evening Primrose | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Oenothera hookeri</i> See - <i>Oenothera elata</i> ssp. <i>hookeri</i> | | | | | | | | |
| <i>Oenothera macrocarpa</i> Ozark Sundrops | HP | 0.78 | R2 | 3-5 | 6-8 | | | |
| <i>Oenothera macrocarpa</i> 'Greencourt Lemon' Greencourt Lemon Ozark Sundrops | HP | 0.62 | R2 | 3-5 | 6-8 | | | |
| <i>Oenothera macrocarpa</i> ssp. <i>fremontii</i> No Common Name Found | HP | 1.24 | R2 | 3 | 4-8 | | | |
| <i>Oenothera macrocarpa</i> ssp. <i>fremontii</i> 'Lemon Silver' C.O.P.F. Lemon Silver Evening Primrose | HP | 1.24 | R2 | 3 | 4-8 | | | |
| <i>Oenothera macrocarpa</i> ssp. <i>fremontii</i> 'Silver Wings' Silver Wings Evening Primrose | HP | 1.24 | R2 | 3 | 4-8 | | | |
| <i>Oenothera missouriensis</i> See - <i>Oenothera macrocarpa</i> | | | | | | | | |
| <i>Oenothera odorata</i> Twisted Evening Primrose | HP | 0.48 | R2 | 3-4 | 5-8 | | | |
| <i>Oenothera pallida</i> Pale Evening Primrose | HP | 0.66 | R2 | 3 | 4-8 | | | |
| <i>Oenothera rosea</i> Rosy Evening Primrose | HP | 1.15 | R2 | 3-5 | 6-8 | | | |
| <i>Oenothera speciosa</i> Showy Evening Primrose | HP | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Oenothera speciosa</i> 'Rosea' Rosea Showy Evening Primrose | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Oenothera stubbei</i> Baja Evening Primrose | HP | 0.52 | R2 | 5-8 | | | | |
| <i>Oenothera versicolor</i> No Common Name Found | HP | 0.48 | R2 | 4-5 | 6-8 | | | |
| <i>Oenothera versicolor</i> 'Sunset Boulevard' Sunset Boulevard Evening Primrose | HP | 0.48 | R2 | 4-5 | 6-8 | | | |
| <i>Oenothera youngii</i> See - <i>Oenothera fruticosa</i> ssp. <i>glauca</i> | | | | | | | | |
| <i>Oenothera polystachys</i> No Common Name Found | FO | 2.67 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Oerstedella pseudowallisii</i> No Common Name Found | FO | 2.50 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Oerstedella schumanniana</i> No Common Name Found | FO | 3.75 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Oerstedella schweinfurthiana</i> No Common Name Found | FO | 3.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Oerstedella wallisii</i> No Common Name Found | FO | 4.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Olea europaea</i> Common Olive | BE | 0.97 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Olea europaea</i> 'Little Ollie' See - <i>Olea europaea</i> 'Montra' P.P. 6266 | | | | | | | | |
| <i>Olea europaea</i> 'Majestic Beauty' See - <i>Olea europaea</i> 'Monher' P.P. 5649 | | | | | | | | |
| <i>Olea europaea</i> 'Manzanillo' Manzillo Common Olive | BE | 0.93 | R2 | 6-8 | | 1.00 | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ | |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|----|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | | |
| <i>Olea europaea</i> 'Mission' Mission Common Olive | BE | 0.86 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Olea europaea</i> 'Monher' P.P. 5649 Majestic Beauty™ Common Olive | BE | 1.51 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Olea europaea</i> 'Montra' P.P. 6266 Little Ollie™ Common Olive | BS | 1.44 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Olea europaea</i> 'San Fernando' San Fernando Common Olive | BE | 1.08 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Olea europaea</i> 'Wilsonii' P.P. 4464 Wilson Common Olive | BE | 1.13 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Olneya tesota</i> Desert Ironwood | BS | 0.89 | R2 | 8 | | | 1.00 | 9 |
| <i>Olsynium douglasii</i> Purple-Eyed Grass | HP | 0.71 | R2 | 8 | | | | |
| <i>Omphalodes cappadocica</i> Navel-seed | HP | 1.11 | R2 | 3-6 | 7-8 | | | |
| <i>Omphalodes cappadocica</i> 'Lilac Mist' P.P. 11317 Lilac Mist Navel-seed | HP | 1.11 | R2 | 3-6 | 7-8 | | | |
| <i>Omphalodes cappadocica</i> 'Parisian Skies' Parisian Skies Navel-seed | HP | 1.11 | R2 | 3-6 | 7-8 | | | |
| <i>Omphalodes verna</i> Creeping Forget-Me-Not | HP | 1.17 | R2 | 3-6 | 7-8 | | | |
| <i>Omphalodes verna</i> 'Alba' White Creeping Forget-Me-Not | HP | 1.17 | R2 | 3-6 | 7-8 | | | |
| <i>Oncidium</i> Oncidium Hybrid Orchid | FO | 2.89 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Oncidium haephamaticum</i> No Common Name Found | FO | 3.75 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Oncidium hastatum</i> No Common Name Found | FO | 1.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Oncidium isthmii</i> No Common Name Found | FO | 3.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Oncidium onustum</i> No Common Name Found | FO | 2.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Oncidium ornithorhynchum</i> No Common Name Found | FO | 2.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Oncidium papilio</i> See - <i>Psychopsis papilio</i> | | | | | | | | |
| <i>Oncidium trulliferum</i> No Common Name Found | FO | 1.75 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Oncidium velutinum</i> No Common Name Found | FO | 1.75 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Onoclea sensibilis</i> Sensitive Fern | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Onopordum acoulon</i> No Common Name Found | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Ophiopogon chingii</i> Contorted Mondo Grass | HP | 1.15 | R2 | 3-6 | 7-8 | | | |
| <i>Ophiopogon clarkei</i> No Common Name Found | HP | 1.33 | R2 | 3-7 | 8 | | | |
| <i>Ophiopogon intermedius</i> No Common Name Found | HP | 0.63 | R2 | 6-8 | | | | |
| <i>Ophiopogon intermedius</i> 'Argenteomarginatus' Aztec Grass | HP | 0.63 | R2 | 6-8 | | | | |
| <i>Ophiopogon jaburan</i> Jaburan Lilyturf | HP | 0.55 | R2 | 3-7 | 8 | | | |
| <i>Ophiopogon jaburan</i> 'Crystal Falls' See - <i>Ophiopogon jaburan</i> 'HOFC' P.P. 17430 | | | | | | | | |
| <i>Ophiopogon jaburan</i> 'HOFC' P.P. 17430 Crystal Falls™ Jaburan Lilyturf | HP | 1.19 | R2 | 3-7 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Ophiopogon jaburan</i> 'Vittatus' Vittatus Jaburan Lilyturf | HP | 0.66 | R2 | 3-7 | 8 | | | |
| <i>Ophiopogon japonicus</i> Mondo Grass | HP | 0.58 | R2 | 3-7 | 8 | | | |
| <i>Ophiopogon japonicus</i> 'Gyoko-ryu' Gyoko-ryu Mondo Grass | HP | 0.64 | R2 | 3-7 | 8 | | | |
| <i>Ophiopogon japonicus</i> 'Kijimafukiduma' Kijimafukiduma Mondo Grass | HP | 0.84 | R2 | 3-7 | 8 | | | |
| <i>Ophiopogon japonicus</i> 'Kyoto Dwarf' Kyoto Dwarf Mondo Grass | HP | 1.33 | R2 | 3-7 | 8 | | | |
| <i>Ophiopogon japonicus</i> 'Nanus' Dwarf Mondo Grass | HP | 0.71 | R2 | 3-7 | 8 | | | |
| <i>Ophiopogon japonicus</i> 'Shima Ryu' Shima Ryu Striped Mondo Grass | HP | 1.37 | R2 | 3-7 | 8 | | | |
| <i>Ophiopogon japonicus</i> 'Silver Dragon' Silver Dragon Mondo Grass | HP | 0.89 | R2 | 3-7 | 8 | | | |
| <i>Ophiopogon japonicus</i> 'Variegatus' Silver Mist Mondo Grass | HP | 0.76 | R2 | 3-7 | 8 | | | |
| <i>Ophiopogon planiscapus</i> No Common Name Found | HP | 1.60 | R2 | 3-6 | 7-8 | | | |
| <i>Ophiopogon planiscapus</i> 'Ebknizam' Ebony Knight® Mondo Grass | HP | 1.72 | R2 | 3-6 | 7-8 | | | |
| <i>Ophiopogon planiscapus</i> 'Ebony Knight' See - <i>Ophiopogon planiscapus</i> 'Ebknizam' | | | | | | | | |
| <i>Ophiopogon planiscapus</i> 'Nigrescens' Black Mondo Grass | HP | 1.47 | R2 | 3-6 | 7-8 | | | |
| <i>Oplopanax horridus</i> Devil's Club | DS | 0.91 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Opuntia compressa</i> Prickly Pear | BS | 0.97 | R2 | 5-7 | 8 | | 1.00 | 6 |
| <i>Opuntia decumbens</i> Paddle Cactus | FO | 1.00 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Opuntia falcata</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Opuntia ficus-indica</i> Indian Fig | FO | 0.93 | R2 | 8 | | | 1.00 | 9 |
| <i>Opuntia ficus-indica</i> 'Burbank's Spineless' Burbank's Spineless Indian Fig | FO | 0.93 | R2 | 8 | | | 1.00 | 9 |
| <i>Opuntia fragilis</i> Brittle Prickly Pear | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 6 |
| <i>Opuntia humifusa</i> See - <i>Opuntia compressa</i> | | | | | | | | |
| <i>Opuntia leucotricha</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Opuntia lindheimeri</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Opuntia microdasys</i> Rabbit-Ear Cactus | FO | 1.57 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Opuntia microdasys</i> var. <i>albispina</i> Polka Dot Rabbit-Ear Cactus | FO | 1.40 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Opuntia monacantha</i> Prickly Pear | FO | 0.99 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Opuntia monacantha</i> var. <i>variegata</i> Variegated Prickly Pear Cactus | FO | 1.00 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Opuntia ramosissima</i> Pencil Cactus | FO | 0.85 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Opuntia rufida</i> Blind Prickly Pear | FO | 1.04 | R2 | 8 | | | 1.00 | 9 |
| <i>Opuntia santa-rita</i> Santa Rita Prickly Pear | FO | 1.32 | R2 | 6-8 | | | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Opuntia santa-rita</i> 'Tubac' Santa Rita Tubac™ Prickly Pear | FO | 1.32 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Opuntia subulata</i> See - <i>Austrocylindropuntia subulata</i> | | | | | | | | |
| <i>Opuntia vulgaris</i> See - <i>Opuntia monacantha</i> | | | | | | | | |
| <i>Origanum</i> Marjoram | HP | 0.81 | R2 | 3-5 | 6-8 | | | |
| <i>Origanum</i> 'Kent Beauty' Kent Beauty Marjoram | HP | 0.70 | R2 | 3-5 | 6-8 | | | |
| <i>Origanum</i> 'Norton Gold' Norton Gold Marjoram | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Origanum</i> 'Santa Cruz' Santa Cruz Marjoram | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Origanum amanum</i> No Common Name Found | HP | 1.00 | R2 | 3-7 | 8 | | | |
| <i>Origanum calcaratum</i> No Common Name Found | HP | 0.66 | R2 | 5-8 | | | | |
| <i>Origanum dictamnus</i> Dittany of Crete | HP | 0.99 | R2 | 3-7 | 8 | | | |
| <i>Origanum heracleoticum</i> See - <i>Origanum vulgare</i> ssp. <i>hirtum</i> | | | | | | | | |
| <i>Origanum laevigatum</i> Ornamental Oregano | HP | 0.88 | R2 | 5-7 | 8 | | | |
| <i>Origanum laevigatum</i> 'Herrenhausen' Herrenhausen Ornamental Oregano | HP | 0.90 | R2 | 5-7 | 8 | | | |
| <i>Origanum laevigatum</i> 'Hopley's' Hopley's Ornamental Oregano | HP | 0.79 | R2 | 5-7 | 8 | | | |
| <i>Origanum laevigatum</i> 'Pilgrim' Pilgrim Ornamental Oregano | HP | 0.88 | R2 | 5-7 | 8 | | | |
| <i>Origanum laevigatum</i> 'Rosenkuppel' Rosenkuppel Ornamental Oregano | HP | 0.95 | R2 | 5-7 | 8 | | | |
| <i>Origanum libanoticum</i> Lebanese Oregano | HP | 0.99 | R2 | 5-8 | | | | |
| <i>Origanum majorana</i> Sweet Marjoram | HP | 0.59 | R2 | 3-7 | 8 | | | |
| <i>Origanum x majoricum</i> Hardy Marjoram | HP | 0.74 | R2 | 3-6 | 7-8 | | | |
| <i>Origanum x majoricum</i> 'Sicilian' See - <i>Origanum x majoricum</i> | | | | | | | | |
| <i>Origanum microphyllum</i> No Common Name Found | HP | 0.87 | R2 | 5-8 | | | | |
| <i>Origanum pulchellum</i> No Common Name Found | HP | 0.87 | R2 | 3-7 | 8 | | | |
| <i>Origanum rotundifolium</i> No Common Name Found | HP | 0.87 | R2 | 3-7 | 8 | | | |
| <i>Origanum tournefortii</i> See - <i>Origanum calcaratum</i> | | | | | | | | |
| <i>Origanum vulgare</i> Wild Marjoram | HP | 0.48 | R2 | 3-5 | 6-8 | | | |
| <i>Origanum vulgare</i> 'Aureum' Golden Wild Marjoram | HP | 0.59 | R2 | 3-5 | 6-8 | | | |
| <i>Origanum vulgare</i> 'Compactum' Dwarf Wild Marjoram | HP | 0.76 | R2 | 3-5 | 6-8 | | | |
| <i>Origanum vulgare</i> 'Gracile' Russian Wild Marjoram | HP | 0.70 | R2 | 3-5 | 6-8 | | | |
| <i>Origanum vulgare</i> 'Hot & Spicy' Hot & Spicy Marjoram | HP | 0.70 | R2 | 3-5 | 6-8 | | | |
| <i>Origanum vulgare</i> 'Jim Best' Jim Best Marjoram | HP | 0.70 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|---------------------|---------|--------------------|-----------|---------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Origanum vulgare</i> 'Thumble's Variety' Thumble's Variety Wild Marjoram | HP | 0.81 | R2 | 3-5 | 6-8 | | | |
| <i>Origanum vulgare</i> 'White Anniversary' White Anniversary Wild Marjoram | HP | 0.87 | R2 | 3-6 | 7-8 | | | |
| <i>Origanum vulgare</i> ssp. <i>hirtum</i> Greek Marjoram | HP | 0.67 | R2 | 3-5 | 6-8 | | | |
| <i>Ornithogalum thyrsoides</i> Wonder Flower | HP | 1.00 | R2 | 6-7 | 8 | | | |
| <i>Ornithogalum umbellatum</i> Star of Bethlehem | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Orostachys fimbriata</i> No Common Name Found | HP | 1.00 | R2 | 4-6 | 7-8 | | | |
| <i>Orostachys ivarange</i> No Common Name Found | HP | 0.80 | R2 | 3-6 | 7-8 | | | |
| <i>Orostachys spinosa</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Orthosiphon aristatus</i> No Common Name Found | HP | 0.54 | R2 | 6-8 | | | | |
| <i>Orthosiphon labiatus</i> Shellbush | HP | 0.76 | R2 | 6-8 | | | | |
| <i>Orthosiphon stamineus</i> Cat Whiskers | HP | 0.57 | R2 | 6-8 | | | | |
| <i>Orthosiphon stamineus</i> 'Alba' White Cat Whiskers | HP | 0.59 | R2 | 6-8 | | | | |
| <i>Orthrosanthus chimboracensis</i> No Common Name Found | HP | 0.92 | R2 | 8 | | | | |
| <i>Orthrosanthus multiflorus</i> No Common Name Found | HP | 0.92 | R2 | 8 | | | | |
| <i>Oryzopsis hymenoides</i> Indian Rice Grass | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Oscularia deltoides</i> See - <i>Lampranthus deltoides</i> | | | | | | | | |
| <i>Osmanthus americanus</i> Devilwood | BS | 0.78 | R1 | 5-6 | 7-8 | | 1.21 | 6 |
| <i>Osmanthus aquifolium</i> See - <i>Osmanthus heterophyllus</i> | | | | | | | | |
| <i>Osmanthus armatus</i> Chinese Osmanthus | BS | 1.00 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Osmanthus armatus</i> 'Clemson Yellow' Clemson Yellow Chinese Osmanthus | BS | 1.00 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Osmanthus x burkwoodii</i> Burkwood Osmanthus | BS | 1.04 | R1 | 5-6 | 7-8 | | 0.50 | 6 |
| <i>Osmanthus decorus</i> No Common Name Found | BS | 0.81 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Osmanthus delavayi</i> Delavay Osmanthus | BS | 1.04 | R2 | 3-7 | 8 | | 0.50 | 7 |
| <i>Osmanthus x fortunei</i> Fortune's Osmanthus | BS | 0.83 | R1 | 3-7 | 8 | | 1.15 | 7 |
| <i>Osmanthus x fortunei</i> 'Fruitlandii' Fruitland Fortune's Osmanthus | BS | 0.86 | R1 | 3-7 | 8 | | 2.04 | 7 |
| <i>Osmanthus x fortunei</i> 'San Jose' San Jose Fortune's Osmanthus | BS | 0.68 | R1 | 3-7 | 8 | | 0.86 | 7 |
| <i>Osmanthus fragrans</i> Fragrant Tea Olive | BE | 0.77 | R2 | 5-7 | 8 | 1.00 | 1.27 | 7 |
| <i>Osmanthus fragrans</i> 'Nanjing's Beauty' Nanjing's Beauty Fragrant Tea Olive | BE | 0.93 | R2 | 5-7 | 8 | 1.00 | 1.27 | 7 |
| <i>Osmanthus fragrans</i> var. <i>aurantiacus</i> Orange Fragrant Tea Olive | BE | 0.83 | R2 | 5-7 | 8 | 1.00 | 2.06 | 7 |
| <i>Osmanthus fragrans</i> var. <i>aurantiacus</i> 'Conger Yellow' Conger Yellow Fragrant Tea Olive | BE | 0.73 | R2 | 5-7 | 8 | 1.00 | 2.06 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Osmanthus heterophyllus</i> Holly Olive | BS | 0.77 | R1 | 5-6 | 7-8 | | 0.95 | 6 |
| <i>Osmanthus heterophyllus</i> 'Goshiki' Goshiki Holly Olive | BS | 1.30 | R1 | 5-6 | 7-8 | | 1.39 | 6 |
| <i>Osmanthus heterophyllus</i> 'Gulftide' Gulftide Holly Olive | BS | 0.93 | R1 | 5-6 | 7-8 | | 0.86 | 6 |
| <i>Osmanthus heterophyllus</i> 'Illicifolius' Illicifolius Holly Olive | BS | 0.81 | R1 | 5-6 | 7-8 | | 1.39 | 6 |
| <i>Osmanthus heterophyllus</i> 'Purpureus' Purple Holly Olive | BS | 1.14 | R1 | 5-6 | 7-8 | | 1.39 | 6 |
| <i>Osmanthus heterophyllus</i> 'Rotundifolius' Roundleaf Holly Olive | BS | 0.85 | R1 | 5-6 | 7-8 | | 2.36 | 6 |
| <i>Osmanthus heterophyllus</i> 'Variegatus' Variegated Holly Olive | BS | 1.02 | R1 | 5-6 | 7-8 | | 1.39 | 6 |
| <i>x Osmarea burkwoodii</i> See - <i>Osmanthus x burkwoodii</i> | | | | | | | | |
| <i>Osmaronia cerasiformis</i> See - <i>Oemleria cerasiformis</i> | | | | | | | | |
| <i>Osmunda cinnamomea</i> Cinnamon Fern | HP | 1.02 | R2 | 3 | 4-8 | | | |
| <i>Osmunda claytoniana</i> Interrupted Fern | HP | 1.30 | R2 | 3 | 4-8 | | | |
| <i>Osmunda crispa</i> See - <i>Cryptogramma crispa</i> | | | | | | | | |
| <i>Osmunda regalis</i> Royal Fern | HP | 0.98 | R2 | | 3-8 | | | |
| <i>Osmunda regalis</i> 'Cristata' Cristata Royal Fern | HP | 1.39 | R2 | | 3-8 | | | |
| <i>Osmunda regalis</i> 'Purpurascens' Purple Royal Fern | HP | 1.60 | R2 | | 3-8 | | | |
| <i>Osmunda regalis</i> var. <i>regalis</i> See - <i>Osmunda regalis</i> 'Cristata' | | | | | | | | |
| <i>Osmunda regalis</i> var. <i>spectabilis</i> American Royal Fern | HP | 1.20 | R2 | | 3-8 | | | |
| <i>Osteomeles anthyllidifolia</i> See - <i>Osteomeles schwerinae</i> | | | | | | | | |
| <i>Osteomeles schwerinae</i> No Common Name Found | BS | 1.97 | R2 | 3-7 | 8 | | 1.00 | 7 |
| <i>Osteomeles subrotunda</i> Fernleaf Box | BS | 1.16 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Osteospermum</i> African Daisy | HP | 0.72 | R2 | 6-8 | | | | |
| <i>Osteospermum</i> 'Buttermilk' Buttermilk African Daisy | HP | 0.72 | R2 | 6-8 | | | | |
| <i>Osteospermum</i> 'Pink Whirls' Pink Whirls African Daisy | HP | 0.72 | R2 | 6-8 | | | | |
| <i>Osteospermum</i> 'Sea Mist Series' Sea Mist® Series African Daisy | HP | 0.94 | R2 | 6-8 | | | | |
| <i>Osteospermum</i> 'Sparkler' Sparkler African Daisy | HP | 0.61 | R2 | 5-8 | | | | |
| <i>Osteospermum</i> 'Sunscape Series' Sunscape Series African Daisy | HP | 0.60 | R2 | 6-8 | | | | |
| <i>Osteospermum barberiae</i> var. <i>compactum</i> Hardy African Daisy | HP | 0.88 | R2 | 3-5 | 6-8 | | | |
| <i>Osteospermum barberiae</i> var. <i>compactum</i> 'Purple Mountain' P.P.A.F. Purple Mountain™ Hardy African Daisy | HP | 0.88 | R2 | 3-5 | 6-8 | | | |
| <i>Osteospermum ecklonis</i> No Common Name Found | HP | 0.79 | R2 | 6-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container | | Field Grown | | | Minimum HZ |
|---|-----------|--------|-----------|-----------------------------|-------------|----------------------|------|------------|
| | | | SK | Insurable HZ Req Not Req | Caliper | Factors High/Wide | | |
| <i>Osteospermum ecklonis</i> 'Cream Symphony' See - <i>Osteospermum ecklonis</i> 'Seidacre' P.P. 13385 | | | | | | | | |
| <i>Osteospermum ecklonis</i> 'Iringa' P.P. 15632 Iringa African Daisy | HP | 0.74 | R2 | 6-8 | | | | |
| <i>Osteospermum ecklonis</i> 'Lavender Mist' Lavender Mist™ African Daisy | HP | 0.84 | R2 | 6-8 | | | | |
| <i>Osteospermum ecklonis</i> 'Lemon Symphony' See - <i>Osteospermum ecklonis</i> 'Seikilrem' P.P. 13407 | | | | | | | | |
| <i>Osteospermum ecklonis</i> 'Margarita Carmen' Margarita Carmen African Daisy | HP | 0.83 | R2 | 6-8 | | | | |
| <i>Osteospermum ecklonis</i> 'Margarita Maria' Margarita Maria African Daisy | HP | 0.83 | R2 | 6-8 | | | | |
| <i>Osteospermum ecklonis</i> 'Margarita Rosita' Margarita Rosita African Daisy | HP | 0.83 | R2 | 6-8 | | | | |
| <i>Osteospermum ecklonis</i> 'Orange Symphony' See - <i>Osteospermum ecklonis</i> 'Seikimora' P.P. 13409 | | | | | | | | |
| <i>Osteospermum ecklonis</i> 'Osjamlipur' P.P. 17410 Soprano® Light Purple African Daisy | HP | 0.94 | R2 | 6-8 | | | | |
| <i>Osteospermum ecklonis</i> 'Osjamwhit' P.P. 17070 Soprano® White African Daisy | HP | 0.94 | R2 | 6-8 | | | | |
| <i>Osteospermum ecklonis</i> 'Osoutis' P.P. 15491 Soprano® Purple African Daisy | HP | 0.94 | R2 | 6-8 | | | | |
| <i>Osteospermum ecklonis</i> 'Passion Mix' Passion Mix African Daisy | HP | 0.96 | R2 | 6-8 | | | | |
| <i>Osteospermum ecklonis</i> 'Peach Symphony' See - <i>Osteospermum ecklonis</i> 'Seitope' P.P. 14657 | | | | | | | | |
| <i>Osteospermum ecklonis</i> 'Seidacre' P.P. 13385 Cream Symphony™ African Daisy | HP | 0.84 | R2 | 6-8 | | | | |
| <i>Osteospermum ecklonis</i> 'Seikilrem' P.P. 13407 Lemon Symphony African Daisy | HP | 1.10 | R2 | 6-8 | | | | |
| <i>Osteospermum ecklonis</i> 'Seikimora' P.P. 13409 Orange Symphony African Daisy | HP | 1.10 | R2 | 6-8 | | | | |
| <i>Osteospermum ecklonis</i> 'Seitope' P.P. 14657 Peach Symphony African Daisy | HP | 0.84 | R2 | 6-8 | | | | |
| <i>Osteospermum ecklonis</i> 'Soprano Light Purple' See - <i>Osteospermum ecklonis</i> 'Osjamlipur' P.P. 17410 | | | | | | | | |
| <i>Osteospermum ecklonis</i> 'Soprano Purple' See - <i>Osteospermum ecklonis</i> 'Osoutis' P.P. 15491 | | | | | | | | |
| <i>Osteospermum ecklonis</i> 'Soprano Series' Soprano® Series African Daisy | HP | 0.90 | R2 | 6-8 | | | | |
| <i>Osteospermum ecklonis</i> 'Soprano White' See - <i>Osteospermum ecklonis</i> 'Osjamwhit' P.P. 17070 | | | | | | | | |
| <i>Osteospermum ecklonis</i> 'Springstar Aurora' P.P.A.F. Springstar™ Aurora African Daisy | HP | 1.19 | R2 | 6-8 | | | | |
| <i>Osteospermum fruticosum</i> Trailing African Daisy | GC | 0.60 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Osteospermum fruticosum</i> 'Double Royal' Double Royal Trailing African Daisy | GC | 0.74 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Osteospermum fruticosum</i> 'Lavender' Lavender Trailing African Daisy | GC | 0.74 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Osteospermum fruticosum</i> 'Side Series' Side Series Trailing African Daisy | GC | 0.88 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Osteospermum fruticosum</i> 'Whirligig' Whirligig African Daisy | GC | 0.74 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Osteospermum fruticosum</i> 'White' White African Daisy | GC | 0.74 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Ostrya carpinifolia</i> European Hornbeam | DT | 0.73 | R1 | 5-6 | 7-8 | 1.37 | 0.61 | 6 |
| <i>Ostrya virginiana</i> American Hophornbeam | DT | 1.05 | R1 | 3-4 | 5-8 | 1.38 | 1.88 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Otacanthus azureus</i> Brazilian Snapdragon | HP | 0.61 | R2 | 6-8 | | | | |
| <i>Otacanthus coeruleus</i> See - <i>Otacanthus azureus</i> | | | | | | | | |
| <i>Otatea acuminata</i> Mexican Weeping Bamboo | BS | 12.27 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Otatea acuminata</i> 'Mayan Silver' See - <i>Otatea glauca</i> 'Mayan Silver' | | | | | | | | |
| <i>Otatea acuminata</i> 'Michoacan' No Common Name Found | BS | 12.27 | R2 | 8 | | | 1.00 | 9 |
| <i>Otatea acuminata</i> ssp. <i>acuminata</i> No Common Name Found | BS | 3.06 | R2 | 8 | | | 1.00 | 9 |
| <i>Otatea acuminata</i> ssp. <i>aztecorum</i> Mexican Weeping Bamboo | BS | 2.18 | R2 | 7-8 | | | 6.21 | 8 |
| <i>Otatea aztecorum</i> See - <i>Otatea acuminata</i> ssp. <i>aztecorum</i> | | | | | | | | |
| <i>Otatea glauca</i> No Common Name Found | BS | 11.66 | R2 | 8 | | | 6.73 | 9 |
| <i>Otatea glauca</i> 'Mayan Silver' Mayan Silver Bamboo | BS | 11.66 | R2 | 8 | | | 6.73 | 9 |
| <i>Oxalis</i> Oxalis | HP | 0.76 | R2 | 5-8 | | | | |
| <i>Oxalis</i> 'Silver and Gold' Silver and Gold Oxalis | HP | 0.76 | R2 | 5-8 | | | | |
| <i>Oxalis acetosella</i> Wood Sorrel | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Oxalis acetosella</i> var. <i>purpurascens</i> Rose-Pink Wood Sorrel | HP | 1.09 | R2 | 3 | 4-8 | | | |
| <i>Oxalis adenophylla</i> Sauer Klee | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Oxalis braziliensis</i> Brazilian Sorrel | HP | 0.71 | R2 | 5-8 | | | | |
| <i>Oxalis deppei</i> See - <i>Oxalis tetraphylla</i> | | | | | | | | |
| <i>Oxalis hedysaroides</i> Fire Fern | HP | 0.81 | R2 | 5-8 | | | | |
| <i>Oxalis hedysaroides</i> 'Rubra' Maroon Fire Fern | HP | 0.81 | R2 | 5-8 | | | | |
| <i>Oxalis magellanica</i> No Common Name Found | HP | 0.69 | R2 | 5-6 | 7-8 | | | |
| <i>Oxalis obtusa</i> No Common Name Found | HP | 0.92 | R2 | 5-8 | | | | |
| <i>Oxalis oregana</i> Redwood Sorrel | HP | 0.61 | R2 | 5-7 | 8 | | | |
| <i>Oxalis purpurata</i> No Common Name Found | HP | 0.69 | R2 | 5-8 | | | | |
| <i>Oxalis purpurea</i> Cape Sorrel | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Oxalis regnellii</i> See - <i>Oxalis triangularis</i> ssp. <i>papilionaceae</i> | | | | | | | | |
| <i>Oxalis regnellii</i> 'Charmed Velvet' See - <i>Oxalis triangularis</i> ssp. <i>papilionaceae</i> 'Jroxblavel' P.P. 17556 | | | | | | | | |
| <i>Oxalis regnellii</i> 'Charmed Wine' See - <i>Oxalis triangularis</i> ssp. <i>papilionaceae</i> 'Jroxburwi' P.P. 17557 | | | | | | | | |
| <i>Oxalis rubra</i> Window Box Sorrel | HP | 1.26 | R2 | 5-8 | | | | |
| <i>Oxalis siliquosa</i> See - <i>Oxalis spiralis</i> ssp. <i>vulcanicola</i> | | | | | | | | |
| <i>Oxalis spiralis</i> ssp. <i>vulcanicola</i> Copper Velvet Shamrock | HP | 1.33 | R2 | 8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Oxalis spiralis</i> ssp. <i>vulcanicola</i> 'Copper Tones' Copper Tones Copper Velvet Shamrock | HP | 1.33 | R2 | 8 | | | | |
| <i>Oxalis spiralis</i> ssp. <i>vulcanicola</i> 'Molten Lava' Molten Lava™ Copper Velvet Shamrock | HP | 1.33 | R2 | 8 | | | | |
| <i>Oxalis spiralis</i> ssp. <i>vulcanicola</i> 'Sunset Velvet' Sunset Velvet Copper Velvet Shamrock | HP | 1.33 | R2 | 8 | | | | |
| <i>Oxalis tetraphylla</i> Good Luck Plant | HP | 0.73 | R2 | 5-8 | | | | |
| <i>Oxalis tetraphylla</i> 'Iron Cross' Iron Cross Good Luck Plant | HP | 0.92 | R2 | 5-8 | | | | |
| <i>Oxalis triangularis</i> Purple Shamrock | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Oxalis triangularis</i> ssp. <i>papilionaceae</i> Shamrock Plant | HP | 0.81 | R2 | 5-6 | 7-8 | | | |
| <i>Oxalis triangularis</i> ssp. <i>papilionaceae</i> 'Charmed Series' Charmed® Series Shamrock | HP | 0.81 | R2 | 5-8 | | | | |
| <i>Oxalis triangularis</i> ssp. <i>papilionaceae</i> 'Charmed Velvet' See - <i>Oxalis triangularis</i> ssp. <i>papilionaceae</i> 'Jroxblavel' P.P. 17556 | | | | | | | | |
| <i>Oxalis triangularis</i> ssp. <i>papilionaceae</i> 'Charmed Wine' See - <i>Oxalis triangularis</i> ssp. <i>papilionaceae</i> 'Jroxburwi' P.P. 17557 | | | | | | | | |
| <i>Oxalis triangularis</i> ssp. <i>papilionaceae</i> 'Jroxblavel' P.P. 17556 Charmed® Velvet Shamrock | HP | 0.81 | R2 | 5-8 | | | | |
| <i>Oxalis triangularis</i> ssp. <i>papilionaceae</i> 'Jroxburwi' P.P. 17557 Charmed® Wine Shamrock | HP | 0.81 | R2 | 5-8 | | | | |
| <i>Oxalis vulcanicola</i> 'Copper Tones' See - <i>Oxalis spiralis</i> ssp. <i>vulcanicola</i> 'Copper Tones' | | | | | | | | |
| <i>Oxalis vulcanicola</i> 'Molten Lava' See - <i>Oxalis spiralis</i> ssp. <i>vulcanicola</i> 'Molten Lava' | | | | | | | | |
| <i>Oxalis vulcanicola</i> 'Sunset Velvet' See - <i>Oxalis spiralis</i> ssp. <i>vulcanicola</i> 'Sunset Velvet' | | | | | | | | |
| <i>Oxera pulchella</i> Snowy Oxera | HP | 1.50 | R2 | 8 | | | | |
| <i>Oxydendrum arboreum</i> Sourwood | DT | 1.09 | R2 | 3-5 | 6-8 | 1.08 | 1.00 | 5 |
| <i>Oxydendrum arboreum</i> 'Chameleon' Chameleon Sourwood | DT | 1.09 | R2 | 3-5 | 6-8 | 1.08 | 1.00 | 5 |
| <i>Oxydendrum arboreum</i> 'Mt. Charm' Mt. Charm Sourwood | DT | 1.09 | R2 | 3-5 | 6-8 | 1.08 | 1.00 | 5 |
| <i>Oxypetalum caeruleum</i> See - <i>Tweedia caerulea</i> | | | | | | | | |
| <i>Oxypolis rigidior</i> Stiff Cowbane | HP | 1.00 | R2 | 3-7 | 8 | | | |
| <i>Oxytropis lambertii</i> Purple Locoweed | HP | 1.01 | R2 | 3 | 4-8 | | | |
| <i>Oxytropis oreophila</i> No Common Name Found | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Ozothamnus hookeri</i> Kerosene Bush | BS | 1.00 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Ozothamnus rosmarinifolius</i> No Common Name Found | BS | 0.62 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Ozothamnus selago</i> No Common Name Found | BS | 1.00 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Pachistima canbyi</i> See - <i>Paxistima canbyi</i> | | | | | | | | |
| <i>Pachypodium geayi</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pachypodium lamerei</i> Madagascar Palm | FO | 1.19 | R2 | 3-8 | | | 1.00 | 9 |
| <i>Pachypodium ramosum</i> No Common Name Found | FO | 1.05 | R2 | 8 | | | 1.00 | 9 |
| <i>Pachypodium rutenbergianum</i> Pachypodium Tree | FO | 1.60 | R2 | 8 | | | 1.00 | 9 |
| <i>Pachypodium succulentum</i> No Common Name Found | FO | 1.20 | R2 | 8 | | | 1.00 | 9 |
| <i>Pachysandra procumbens</i> Allegheny Spurge | GC | 1.08 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Pachysandra procumbens</i> 'Forest Green' Forest Green Allegheny Spurge | GC | 1.08 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Pachysandra terminalis</i> Japanese Spurge | GC | 0.49 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Pachysandra terminalis</i> 'Green Carpet' Green Carpet Japanese Spurge | GC | 0.46 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Pachysandra terminalis</i> 'Green Sheen' Green Sheen Japanese Spurge | GC | 0.60 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Pachysandra terminalis</i> 'Kingswood' Kingswood Japanese Spurge | GC | 0.51 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Pachysandra terminalis</i> 'Silver Edge' Silver Edge Japanese Spurge | GC | 0.57 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Pachysandra terminalis</i> 'Variegata' Variegated Japanese Spurge | GC | 0.41 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Pachystachys coccinea</i> Cardinal's Guard | BS | 0.86 | R2 | 8 | | | 1.00 | 10 |
| <i>Pachystachys lutea</i> Lollipop Plant | BS | 0.65 | R2 | 8 | | | 1.00 | 9B |
| <i>Packera aurea</i> Golden Groundsel | HP | 0.70 | R2 | 3 | 4-8 | | | |
| <i>Packera cana</i> Woolly Groundsel | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Paeonia</i> Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'A La Mode' A La Mode Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'A. Krekler' A. Krekler Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Abalone Pink' Abalone Pink Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Adolphe Rousseau' Adolphe Rousseau Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Albert Crousse' Albert Crousse Peony | HP | 1.06 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Alesia' Alesia Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Alexander Woollcott' Alexander Woollcott Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Alexandre Dumas' Alexandre Dumas Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Alice Roberts' Alice Roberts Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Amabilis' Amabilis Peony | HP | 1.26 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'America' P.P. 4246 America Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Angel Cheeks' Angel Cheeks Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Ann Berry Cousins' Ann Berry Cousins Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Paeonia</i> 'Ann Cousins' Ann Cousins Peony | HP | 1.40 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Annisquam' Annisquam Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Athena' Athena Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Auten's Red Sport' Auten's Red Sport Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Avalanche' Avalanche Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Ave Maria' Ave Maria Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Bandit' Bandit Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Baroness Schroeder' Baroness Schroeder Peony | HP | 1.02 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Barrington Belle' Barrington Belle Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Belle Center' Belle Center Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Belle Chinoise' Belle Chinoise Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Benjamin Franklin' Benjamin Franklin Peony | HP | 1.36 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Bessie' Bessie Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Best Man' Best Man Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Betty Groff' Betty Groff Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Bev' Bev Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Big Gold Pink' Big Gold Pink Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Blaze' Blaze Peony | HP | 2.08 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Blue Garden Jade' Blue Garden Jade Peony | BS | 0.94 | R2 | 3-5 | 6-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Blue Lotus' Blue Lotus Peony | BS | 0.94 | R2 | 3-5 | 6-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Blush White' Blush White Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Bo-Peep' Bo-Peep Peony | HP | 1.69 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Bob Krekler' Bob Krekler Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Border Gem' Border Gem Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Bowl of Beauty' Bowl of Beauty Peony | HP | 1.27 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Bowl of Cream' Bowl of Cream Estate Peony | HP | 2.10 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Brand's Magnificent' Brand's Magnificent Peony | BS | 0.94 | R2 | 3-5 | 6-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Bravura' Bravura Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Break O' Day' Break O' Day Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Bridal Gown' Bridal Gown Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Paeonia</i> 'Bridal Icing' Bridal Icing Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Bridal Shower' Bridal Shower Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Bride's Dream' Bride's Dream Peony | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Bright Knight' Bright Knight Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Brightness' Brightness Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Bu-te' Bu-te Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Buckeye Belle' Buckeye Belle Peony | HP | 2.14 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Burma Midnight' Burma Midnight Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Burma Ruby' Burma Ruby Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Butch' Butch Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Butter Bowl' Butter Bowl Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Camden' Camden Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Camellia' Camellia Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Cardinal's Robe' Cardinal's Robe Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Carl G. Klehm' Carl G. Klehm Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Carol' Carol Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Caroline Mathers' Caroline Mathers Peony | HP | 1.65 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Carrara' Carrara Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Charles Burgess' Charles Burgess Peony | HP | 2.20 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Charlies White' Charlies White Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Charm' Charm Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Cheddar Charm' Cheddar Charm Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Cheddar Cheese' Cheddar Cheese Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Cheddar Elite' Cheddar Elite Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Cheddar Gold' Cheddar Gold Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Cheddar PomPom' Cheddar PomPom Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Cheddar Regal' Cheddar Regal Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Cheddar Royal' Cheddar Royal Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Cheddar Supreme' Cheddar Supreme Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Cheddar Surprise' Cheddar Surprise Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Paeonia</i> 'Chief Logan' Chief Logan Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Chiffon Parfait' Chiffon Parfait Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Cincinnati' Cincinnati Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Cinnabar Ramparts' Cinnabar Ramparts Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Circus' Circus Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Claire de Lune' Claire de Lune Peony | HP | 2.31 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Class Act' Class Act Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Claudia' Claudia Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Colonel Owen Cousins' Colonel Owen Cousins Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Commando' Commando Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Constance' Constance Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Cora Stubbs' Cora Stubbs Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Coral 'n Gold' Coral 'n Gold Peony | HP | 1.38 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Coral Charm' P.P. 4247 Coral Charm Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Coral Fay' Coral Fay Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Coral Sunset' Coral Sunset Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Coral Supreme' Coral Supreme Peony | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Coral Tide' Coral Tide Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'County Fair' County Fair Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Couronne D'Or' Couronne D'Or Peony | HP | 1.06 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Crazy Myrtle' Crazy Myrtle Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Crusader' Crusader Peony | HP | 1.69 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Cuckoo's Nest' Cuckoo's Nest Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Cytherea' Cytherea Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Da Hu Hong' See - <i>Paeonia suffruticosa</i> 'Hu Hong' | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Dad' Dad Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Dainty Lass' Dainty Lass Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Dauntless' Dauntless Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'David Harum' David Harum Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Dawn Pink' Dawn Pink Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Paeonia</i> 'Defender' Defender Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Dia Jo Kuhan' Dia Jo Kuhan Peony | HP | 1.05 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Dinner Plate' Dinner Plate Estate Peony | HP | 1.69 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Divine Gift' Divine Gift Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Do Tell' Do Tell Peony | HP | 1.97 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Dolorodell' Dolorodell Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Don Richardson' Don Richardson Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Doreen' Doreen Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Double Blush White' Double Blush White Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Double Fernleaf' Double Fernleaf Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Double Pale Pink' Double Pale Pink Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Double White' Double White Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Dr. Alexander Fleming' Dr. Alexander Fleming Peony | HP | 1.51 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Duchess D'Orleans' Duchess D'Orleans Peony | HP | 1.05 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Duchess de Nemours' Duchess de Nemours Peony | HP | 1.36 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Early Cerise Red' Early Cerise Red Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Early Scout' Early Scout Peony | HP | 1.71 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Earlybird' Earlybird Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Eden's Perfume' Eden's Perfume Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Edulis Superba' Edulis Superba Peony | HP | 1.03 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Edulus Supreme' Edulus Supreme Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Edwin C. Bills' Edwin C. Bills Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Elizabeth Foster' Elizabeth Foster Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Ellen Cowley' Ellen Cowley Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Elsa Sass' Elsa Sass Peony | HP | 1.60 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Elwood Pleas' Elwood Pleas Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Etched Salmon' Etched Salmon Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Ethel Mars' Ethel Mars Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Evelyn Tibbits' Evelyn Tibbits Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Evening Star' Evening Star Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Paeonia</i> 'Eventide' Eventide Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'F.G. Brethour' F.G. Brethour Estate Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Fairy Princess' Fairy Princess Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Fairy's Petticoat' Fairy's Petticoat Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Fancy Nancy' Fancy Nancy Peony | HP | 1.69 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Felix Crousse' Felix Crousse Peony | HP | 1.57 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Felix Supreme' Felix Supreme Peony | HP | 1.79 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Feng Dan Bai' Feng Dan Bai Peony | DS | 1.58 | R2 | 3-5 | 6-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Feng He' Feng He Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Festiva Maxima' Festiva Maxima Peony | HP | 1.42 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Festiva Pixie' Festiva Pixie Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Festiva Powder Puff' Festiva Powder Puff Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Festiva Supreme' Festiva Supreme Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Fibrio Gold' Fibrio Gold Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Fire Opal' Fire Opal Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Firebelle' Firebelle Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'First Lady' First Lady Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Flame' Flame Peony | HP | 1.22 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Florence Nicholls' Florence Nicholls Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Fluffy' Fluffy Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Frances Willard' Frances Willard Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Francis Mains' Francis Mains Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Francis Ortegat' Francis Ortegat Peony | HP | 1.16 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Fringed Ivory' Fringed Ivory Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Garden Peace' Garden Peace Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Gay Paree' Gay Paree Peony | HP | 1.46 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Gerry' Gerry Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Glory Hallelujah' Glory Hallelujah Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Gold Rush' Gold Rush Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Gold Standard' Gold Standard Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Paeonia</i> 'Golly' Golly Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Gratis' Gratis Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Guilles Red' Guilles Red Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Gypsy Rose' Gypsy Rose Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Gypsy' Gypsy Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Hans P. Sass' Hans P. Sass Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Harry L. Smith' Harry L. Smith Peony | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Helen Hayes' Helen Hayes Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Henri Potin' Henri Potin Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Henry Sass' Henry Sass Peony | HP | 0.99 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Heritage' Heritage Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Hermoine' Hermoine Peony | HP | 0.88 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Honey Gold' Honey Gold Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Honey N' Cream' Honey N' Cream Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Hoosierland' Hoosierland Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Horizon' Horizon Peony | HP | 1.17 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Hot Chocolate' Hot Chocolate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Howdy' Howdy Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Illini Belle' Illini Belle Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Illini Warrior' Illini Warrior Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Immaculee' Immaculee Peony | HP | 1.31 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Inspecteur Lavergne' Inspecteur Lavergne Peony | HP | 1.32 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Israel' Israel Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Ivory Atlas' Ivory Atlas Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Ivory Jewell' Ivory Jewell Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Ivory Treasure' Ivory Treasure Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Ivory Victory' Ivory Victory Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Ivory White Saucer' Ivory White Saucer Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'J.H. Wigell' J.H. Wigell Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Jack Frost' Jack Frost Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Paeonia</i> 'James R. Mann' James R. Mann Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Jamie' Jamie Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Jan Van Leeuwen' Jan Van Leeuwen Peony | HP | 2.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Jay Cee' Jay Cee Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'John Whitis' John Whitis Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Judge Berry' Judge Berry Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'June Rose' June Rose Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Kansas' Kansas Peony | HP | 1.43 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Karen Gray' Karen Gray Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Karl Rosenfield' Karl Rosenfield Peony | HP | 1.31 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Kevin' Kevin Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Koningin Wilhelmina' Queen Wilhelmina Peony | HP | 2.36 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Krinkled White' Krinkled White Peony | HP | 1.63 | R2 | 3 | 4-8 | | | |
| <i>Paeonia</i> 'La Lorraine' La Lorraine Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'La Perle' La Perle Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Lady Alexandra Duff' Lady Alexandra Duff Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Lady Orchid' Lady Orchid Chinese Peony | HP | 2.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Lake of Silver' Lake of Silver Peony | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Lancaster Imp' Lancaster Imp Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Largo' Largo Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Late Double Blush' Late Double Blush Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Laura Dessert' Laura Dessert Peony | HP | 1.70 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Le Charme' Le Charme Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Le Jour' Le Jour Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Lee' Lee Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Legion of Honor' Legion of Honor Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Lights Out' Lights Out Peony | HP | 1.31 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Lil' Sweetie' Lil' Sweetie Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Lillian Gumm' Lillian Gumm Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Little Joe' Little Joe Peony | HP | 1.29 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Paeonia</i> 'Little Red Gem' Little Red Gem Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Lobata' Lobata Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Lois Kelsey' Lois Kelsey Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Longfellow' Longfellow Peony | HP | 0.99 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Lora Dexheimer' Lora Dexheimer Peony | HP | 1.14 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Lord Cavin' Lord Cavin Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Lotus Queen' Lotus Queen Peony | HP | 1.18 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Lou Shenk' Lou Shenk Peony | HP | 1.06 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Louis Van Houtte' Louis Van Houtte Peony | HP | 1.35 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Lucky' Lucky Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Ludovica' Ludovica Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Lullaby' Lullaby Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Luxor' Luxor Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Madame Calot' Madame Calot Peony | HP | 1.35 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Madame Emile Debatene' Madame Emile Debatene Peony | HP | 1.76 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Madylone' Madylone Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Maestro' Maestro Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mahogany' Mahogany Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Maid Marion' Maid Marion Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Marie Elizabeth' Marie Elizabeth Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Marie Lemoine' Marie Lemoine Peony | HP | 1.51 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Marietta Sisson' Marietta Sisson Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Marshmallow Button' Marshmallow Button Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Marshmallow Puff' Marshmallow Puff Estate Peony | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Marshmallow Tart' Marshmallow Tart Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Martha Bulloch' Martha Bulloch Peony | HP | 1.06 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Martha Reed' Martha Reed Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mary Auten' Mary Auten Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mary Brand' Mary Brand Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'May Apple' May Apple Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Paeonia</i> 'May Dawn' May Dawn Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'May Lilac' May Lilac Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Midnight Sun' Midnight Sun Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mikado' Mikado Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Minnie Shaylor' Minnie Shaylor Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Minuet' Minuet Peony | HP | 1.06 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mischief' Mischief Peony | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Miss America' Miss America Peony | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Miss Mary' Miss Mary Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mme. Ducel' Mme. Ducel Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mme. de Verneville' Mme. de Verneville Peony | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Modesta' Modesta Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Monsier Martin Cahuzac' Monsier Martin Cahuzac Peony | HP | 1.10 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Monsieur Jules Elie' Monsieur Jules Elie Peony | HP | 1.24 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Montezuma' Montezuma Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Moon Over Barrington' Moon Over Barrington Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Moon River' Moon River Estate Peony | HP | 1.34 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Moonrise' Moonrise Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Moonstone' Moonstone Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mothers Choice' Mothers Choice Peony | HP | 1.41 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mr. Ed' Mr. Ed Peony | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mr. Thim' Mr. Thim Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mrs. Bryce Fontaine' Mrs. Bryce Fontaine Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mrs. Euclid Snow' Mrs. Euclid Snow Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mrs. F.D. Roosevelt' Mrs. F.D. Roosevelt Peony | HP | 1.37 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mrs. Fern Lough' Mrs. Fern Lough Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mrs. Frank Beach' Mrs. Frank Beach Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mrs. G.F. Hemerick' Mrs. G.F. Hemerick Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mrs. Livingston Farrand' Mrs. Livingston Farrand Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Mrs. Wilder Bancroft' Mrs. Wilder Bancroft Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Paeonia</i> 'Mt. St. Helens' Mt. St. Helens Peony | HP | 1.97 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'My Pal Rudy' My Pal Rudy Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Myron Branson' Myron Branson Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Nancy Dolman' Nancy Dolman Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Nancy Nicholls' Nancy Nicholls Peony | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Nancy Nora' Nancy Nora Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Nellie Shaylor' Nellie Shaylor Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Nice Gal' Nice Gal Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Nick Shaylor' Nick Shaylor Peony | HP | 1.31 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Nippon Beauty' Nippon Beauty Peony | HP | 0.98 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Norma Volz' Norma Volz Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Nosegay' Nosegay Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Okinawa' Okinawa Peony | HP | 1.06 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Old Faithful' Old Faithful Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Orlando Roberts' Orlando Roberts Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Pal' Pal Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Paree Frou Frou' Paree Frou Frou Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Pastel Sunrise' Pastel Sunrise Peony | HP | 1.69 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Patriot' Patriot Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Paul Bunyan' Paul Bunyan Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Paul M. Wild' Paul M. Wild Peony | HP | 2.40 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Paula Fay' Paula Fay Peony | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Payoff' Payoff Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Peggy' Peggy Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Peppermint Stick' Peppermint Stick Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Perfect Princess' Perfect Princess Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Petticoat Flounce' Petticoat Flounce Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Petticoat Parade' Petticoat Parade Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Philippe Rivoire' Philippe Rivoire Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Philomele' Philomele Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Paeonia</i> 'Phipps White' Phipps White Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Pillow Talk' Pillow Talk Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Pink Formal' Pink Formal Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Pink Glow' Pink Glow Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Pink Hawaiian Coral' Pink Hawaiian Coral Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Pink Lemonade' Pink Lemonade Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Pink Parasol Surprise' Pink Parasol Surprise Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Pink Parfait' Pink Parfait Estate Peony | HP | 1.56 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Pink Princess' Pink Princess Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Pink Zhao' Pink Zhao Peony | DS | 1.58 | R2 | 3-5 | 6-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Port Royale' Port Royale Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Postilion' Postilion Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Prairie Affire' Prairie Affire Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Prairie Moon' Prairie Moon Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'President Lincoln' President Lincoln Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'President Roosevelt' President Roosevelt Peony | HP | 1.06 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'President Taft' President Taft Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Pride of Shenandoah' Pride of Shenandoah Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Primevere' Primevere Peony | HP | 1.20 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Prince of Darkness' Prince of Darkness Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Princess Bride' Princess Bride Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Princess Margaret' Princess Margaret Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Queen Bee' Queen Bee Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Queen Wilhelmina' See - <i>Paeonia</i> 'Koningin Wilhelmina' | | | | | | | | |
| <i>Paeonia</i> 'Rachel' Rachel Peony | HP | 1.25 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Raspberry Charm' Raspberry Charm Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Raspberry Ice' Raspberry Ice Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Raspberry Rumba' Raspberry Rumba Peony | HP | 1.69 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Raspberry Sundae' Raspberry Sundae Estate Peony | HP | 1.41 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Ray Payton' Ray Payton Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Paeonia</i> 'Red Charm' Red Charm Peony | HP | 2.20 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Red Emperor' Red Emperor Peony | BS | 0.94 | R2 | 3-5 | 6-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Red Grace' Red Grace Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Red Imp' Red Imp Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Red Lotus' See - <i>Paeonia rockii</i> 'Hong Lian' | | | | | | | | |
| <i>Paeonia</i> 'Red Red Rose' Red Red Rose Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Reine Deluxe' Reine Deluxe Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Reine Hortense' Reine Hortense Estate Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Reine Supreme' Reine Supreme Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Renato' Renato Peony | HP | 1.74 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Requiem' Requiem Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Richard Carvel' Richard Carvel Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Romance' Romance Peony | HP | 1.06 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Rosabel' Rosabel Peony | HP | 1.78 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Rosalie' Rosalie Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Rose Beauty' Rose Beauty Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Rosedale' Rosedale Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Roselette' Roselette Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Rubyette' Rubyette Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Salmon Chiffon' Salmon Chiffon Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Salmon Glory' Salmon Glory Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Salmon Surprise' Salmon Surprise Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Sambo' Sambo Peony | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Sarah Bernhardt' Sarah Bernhardt Peony | HP | 1.31 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Scarlet O'Hara' Scarlet O'Hara Peony | HP | 1.43 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Schafe' Schafe Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Sea Shell' Sea Shell Peony | HP | 1.55 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Sebastian Maas' Sebastian Maas Peony | HP | 1.72 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Shawnee Chief' Shawnee Chief Peony | HP | 1.62 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Shirley Temple' Shirley Temple Peony | HP | 1.36 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Paeonia</i> 'Silver Daubed' Silver Daubed Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Silver Dawn Mixture' Silver Dawn Mixture Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Snow Princess' Snow Princess Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Snow Swan' Snow Swan Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Solange' Solange Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Souvenir de Louis Bigot' Souvenir de Louis Bigot Peony | HP | 0.97 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Sparkling Windflower' Sparkling Windflower Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Springfield' Springfield Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Stardust' Stardust Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Steve's Pride' Steve's Pride Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Stone Garden White' Stone Garden White Peony | BS | 0.94 | R2 | 3-5 | 6-8 | | 1.00 | 3 |
| <i>Paeonia</i> 'Sunbright' Sunbright Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Sunburst' Sunburst Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Susie Q' Susie Q Estate Peony | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Sweet 16' Sweet 16 Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Sweetie' Sweetie Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Sword Dance' Sword Dance Peony | HP | 1.35 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Tango' Tango Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Tecumseh' Tecumseh Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'The Belgian' The Belgian Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'The Fawn' The Fawn Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Thumbelina' Thumbelina Peony | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Tom Eckhardt' Tom Eckhardt Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Tondelion' Tondelion Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Top Brass' Top Brass Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Topeka Coral' Topeka Coral Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Topeka Garnet' Topeka Garnet Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Toro-No-Maki' Toro-No-Maki Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Tourangelle' Tourangelle Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Venus' Venus Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Paeonia</i> 'Victoire de la Marne' Victoire de la Marne Peony | HP | 2.08 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Viking Chief' Viking Chief Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Viking Gal' Viking Gal Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Violet Dawson' Violet Dawson Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Vivid Rose' Vivid Rose Peony | HP | 1.35 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Walter Faxon' Walter Faxon Peony | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Walter Mains' Walter Mains Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'West Elkton' West Elkton Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Westerner' Westerner Peony | HP | 1.82 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'White Anemone' White Anemone Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'White Cap' White Cap Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'White Innocence' White Innocence Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'White Ivory' White Ivory Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'White Wings' White Wings Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Whopper' Whopper Estate Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'William Richardson' William Richardson Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Windchimes' Windchimes Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Wrinkles and Crinkles' Wrinkles and Crinkles Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Zunilad' Zunilad Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia</i> 'Zuzu' Zuzu Peony | HP | 1.29 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia cambessedesii</i> Majorcan Peony | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Paeonia delavayi</i> Maroon Tree Peony | DS | 2.38 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Paeonia delavayi</i> var. <i>lutea</i> Yellow Tree Peony | DS | 2.38 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Paeonia lactiflora</i> Chinese Peony | HP | 1.77 | R2 | 3-4 | 5-8 | | | |
| <i>Paeonia lactiflora</i> 'Madame Butterfly' Madame Butterfly Chinese Peony | HP | 1.64 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia lactiflora</i> 'Sorbet' Sorbet Chinese Peony | HP | 1.50 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia x lemoinei</i> Lemoine Tree Peony | HP | 1.00 | R2 | 4-5 | 6-8 | | | |
| <i>Paeonia x lemoinei</i> 'Alice Harding' Alice Harding Tree Peony | DS | 1.87 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia mlokosewitschii</i> Caucasian Peony | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Paeonia mollis</i> Mollis Peony | HP | 1.51 | R2 | 5-7 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Paeonia officinalis</i> Common Peony | HP | 2.03 | R2 | 5-7 | 8 | | | |
| <i>Paeonia officinalis</i> 'Alba Plena' Alba Plena Common Peony | HP | 2.03 | R2 | 5-7 | 8 | | | |
| <i>Paeonia officinalis</i> 'Mollis' See - <i>Paeonia mollis</i> | | | | | | | | |
| <i>Paeonia officinalis</i> 'Rosea Plena' Rosea Plena Common Peony | HP | 1.51 | R2 | 5-7 | 8 | | | |
| <i>Paeonia officinalis</i> 'Rubra Plena' Rubra Plena Common Peony | HP | 2.55 | R2 | 5-7 | 8 | | | |
| <i>Paeonia rockii</i> Rock's Tree Peony | BS | 1.00 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Paeonia rockii</i> 'Hong Lian' Red Lotus Rock's Tree Peony | BS | 1.00 | R2 | 3-5 | 6-8 | | 1.00 | 3 |
| <i>Paeonia suffruticosa</i> Tree Peony | DS | 2.92 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Age of Gold' Age of Gold Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Alhambra' Alhambra Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Angelette' Angelette Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Anna Marie' Anna Marie Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Artemis' Artemis Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Banquet' Banquet Tree Peony | DS | 2.08 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Black Dragon Holding Blossom' See - <i>Paeonia suffruticosa</i> 'Wu Long Peng Sheng' | | | | | | | | |
| <i>Paeonia suffruticosa</i> 'Black Panther' Black Panther Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Boreas' Boreas Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Canary' Canary Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Chinese Dragon' Chinese Dragon Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Chore' Chore Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Godaishu' Godaishu Tree Peony | DS | 1.81 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Gold Finch' Gold Finch Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Golden Bowl' Golden Bowl Tree Peony | DS | 2.08 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Golden Vanitie' Golden Vanitie Tree Peony | DS | 2.08 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Hana-kisoi' Hana-kisoi Tree Peony | DS | 1.91 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Harvest' Harvest Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Helios' Helios Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Hoki' Hoki Tree Peony | DS | 1.81 | R2 | 3-5 | 6-8 | | 1.00 | 4 |
| <i>Paeonia suffruticosa</i> 'Hu Hong' Hu Hong Tree Peony | DS | 2.74 | R2 | 3-5 | 6-8 | | 1.00 | 3 |
| <i>Paeonia suffruticosa</i> 'Icarus' Icarus Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Paeonia suffruticosa</i> 'Jia Ge Jin' Jia Ge Jin Tree Peony | DS | 2.20 | R2 | 3-5 | 6-8 | | 1.00 | 3 |
| <i>Paeonia suffruticosa</i> 'Kamada-nishiki' Kamada-nishiki Tree Peony | DS | 1.58 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Kinkoh' Kinkoh Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Kinshi' See - <i>Paeonia x lemoinei</i> 'Alice Harding' | | | | | | | | |
| <i>Paeonia suffruticosa</i> 'Kokuryu-nishiki' Kokuryu-nishiki Tree Peony | DS | 3.38 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Luoyang Red' Luoyang Red Tree Peony | DS | 2.20 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Marchioness' Marchioness Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Murad of Hershey Bar' Murad of Hershey Bar Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Phoenix White' Phoenix White Tree Peony | DS | 2.56 | R1 | 5-7 | 8 | | 1.00 | 4 |
| <i>Paeonia suffruticosa</i> 'Pink Waterlily' See - <i>Paeonia suffruticosa</i> 'Rou Fu Rong' | | | | | | | | |
| <i>Paeonia suffruticosa</i> 'Qing Shan Guan Xue' Qing Shan Guan Xue Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Renkaku' Renkaku Tree Peony | DS | 2.36 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Renown' Renown Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Rimpo' Rimpo Tree Peony | DS | 1.58 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Rock's Variety' See - <i>Paeonia rockii</i> | | | | | | | | |
| <i>Paeonia suffruticosa</i> 'Roman Gold' Roman Gold Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Rou Fu Rong' Rou Fu Rong Tree Peony | DS | 2.20 | R2 | 3-5 | 6-8 | | 1.00 | 3 |
| <i>Paeonia suffruticosa</i> 'Sahohime' Sahohime Tree Peony | DS | 1.91 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Savage Splendor' Savage Splendor Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Shimadaijin' Shimadaijin Tree Peony | DS | 1.81 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Shimane Otone Mai' Shimane Otone Mai Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Shinome Cho Juraka' Shinome Cho Juraka Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Silver Red' Silver Red Tree Peony | DS | 2.20 | R2 | 3-5 | 6-8 | | 1.00 | 3 |
| <i>Paeonia suffruticosa</i> 'Silver Sails' Silver Sails Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Snow on Emerald Mountain' See - <i>Paeonia suffruticosa</i> 'Qing Shan Guan Xue' | | | | | | | | |
| <i>Paeonia suffruticosa</i> 'Souviner de Maxime Cornu' Souviner de Maxime Cornu Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Spirit Geijin's Dress' See - <i>Paeonia suffruticosa</i> 'Jia Ge Jin' | | | | | | | | |
| <i>Paeonia suffruticosa</i> 'Spring Carnival' Spring Carnival Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Summer Night' Summer Night Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Taiyo' Taiyo Tree Peony | DS | 2.50 | R1 | 5-7 | 8 | | 1.00 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Paeonia suffruticosa</i> 'Terpsichore' Terpsichore Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Tessera' Tessera Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Themis' Themis Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Thunderbolt' Thunderbolt Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Tria' Tria Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Vesuvian' Vesuvian Tree Peony | DS | 2.20 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Wu Long Peng Sheng' Wu Long Peng Sheng Tree Peony | DS | 1.58 | R1 | 5-7 | 8 | | 1.00 | 4 |
| <i>Paeonia suffruticosa</i> 'Yachiyo-tsubaki' Yachiyo-tsubaki Tree Peony | DS | 1.65 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia suffruticosa</i> 'Yaezakura' Yaezakura Tree Peony | DS | 3.38 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Paeonia tenuifolia</i> Fernleaf Peony | HP | 5.37 | R2 | 5-6 | 7-8 | | | |
| <i>Panax quinquefolius</i> American Ginseng | HP | 2.17 | R2 | 3 | 4-8 | | | |
| <i>Pandanus amaryllifolius</i> No Common Name Found | BS | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Pandanus odoratissimus</i> Hala Screw Pine | FO | 0.69 | R2 | 8 | | | 1.00 | 10 |
| <i>Pandanus pacificus</i> Pacific Screw Pine | BS | 1.60 | R2 | 8 | | | 1.00 | 10 |
| <i>Pandanus sanderi</i> Sander Screw Pine | BS | 1.40 | R2 | 8 | | | 1.00 | 10 |
| <i>Pandanus veitchii</i> Veitch Screw Pine | BS | 0.94 | R2 | 8 | | | 1.00 | 10 |
| <i>Panicum amarum</i> Atlantic Panic Grass | HP | 0.55 | R2 | 3-4 | 5-8 | | | |
| <i>Panicum amarum</i> 'Dewey Blue' Dewey Blue Atlantic Panic Grass | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Panicum clandestinum</i> Deer Tongue Grass | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Panicum virgatum</i> Switch Grass | HP | 1.45 | R2 | 3-5 | 6-8 | | | |
| <i>Panicum virgatum</i> 'Cloud Nine' Cloud Nine Switch Grass | HP | 0.96 | R2 | 3-5 | 6-8 | | | |
| <i>Panicum virgatum</i> 'Dallas Blues' P.P. 11202 Dallas Blues Switch Grass | HP | 1.02 | R2 | 3-5 | 6-8 | | | |
| <i>Panicum virgatum</i> 'Haense Herms' Haense Herms Red Switch Grass | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Panicum virgatum</i> 'Heavy Metal' Heavy Metal Switch Grass | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Panicum virgatum</i> 'Northwinds' Northwinds Switch Grass | HP | 1.12 | R2 | 3-5 | 6-8 | | | |
| <i>Panicum virgatum</i> 'Pathfinder' Pathfinder Switch Grass | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Panicum virgatum</i> 'Prairie Sky' Prairie Sky Switch Grass | HP | 1.02 | R2 | 3-5 | 6-8 | | | |
| <i>Panicum virgatum</i> 'Rehbraun' Rehbraun Switch Grass | HP | 1.44 | R2 | 3-5 | 6-8 | | | |
| <i>Panicum virgatum</i> 'Rotstrahlbusch' Rotstrahlbusch Switch Grass | HP | 1.14 | R2 | 3-5 | 6-8 | | | |
| <i>Panicum virgatum</i> 'Rubrum' Red Switch Grass | HP | 1.06 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|--------------|---------|-------------|-----------|---------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Panicum virgatum</i> 'Shenandoah' Shenandoah Switch Grass | HP | 1.06 | R2 | 3-5 | 6-8 | | | |
| <i>Panicum virgatum</i> 'Squaw' Squaw Switch Grass | HP | 0.94 | R2 | 3-5 | 6-8 | | | |
| <i>Panicum virgatum</i> 'Strictum' Tall Switch Grass | HP | 1.08 | R2 | 3-5 | 6-8 | | | |
| <i>Panicum virgatum</i> 'Warrior' Warrior Switch Grass | HP | 0.94 | R2 | 3-5 | 6-8 | | | |
| <i>Papaver alpinum</i> Alpine Poppy | HP | 1.09 | R2 | 3-5 | 6-8 | | | |
| <i>Papaver anomalum</i> No Common Name Found | HP | 0.66 | R2 | 5-7 | 8 | | | |
| <i>Papaver miyabeana</i> See - <i>Papaver nudicaule</i> | | | | | | | | |
| <i>Papaver nudicaule</i> Iceland Poppy | HP | 0.83 | R2 | | 3-8 | | | |
| <i>Papaver nudicaule</i> 'Champagne Bubbles' Champagne Bubbles Iceland Poppy | HP | 0.77 | R2 | | 3-8 | | | |
| <i>Papaver nudicaule</i> 'Garden Gnome' Garden Gnome Iceland Poppy | HP | 0.90 | R2 | | 3-8 | | | |
| <i>Papaver nudicaule</i> 'Pulchinella Mix' Pulchinella™ Mix Iceland Poppy | HP | 1.16 | R2 | | 3-8 | | | |
| <i>Papaver nudicaule</i> 'Wonderland Mix' Wonderland Mix Iceland Poppy | HP | 0.95 | R2 | | 3-8 | | | |
| <i>Papaver orientale</i> Oriental Poppy | HP | 1.09 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Allegro' Allegro Oriental Poppy | HP | 0.92 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Beauty of Livermore' Beauty of Livermore Oriental Poppy | HP | 0.84 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Betty Ann' Betty Ann Oriental Poppy | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Brilliant' Brilliant Oriental Poppy | HP | 0.84 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Carmen' Carmen Oriental Poppy | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Carousel' Carousel Oriental Poppy | HP | 0.76 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'China Boy' China Boy Oriental Poppy | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Coral Reef' Coral Reef™ Oriental Poppy | HP | 0.92 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Curlilocks' Curlilocks Oriental Poppy | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Degas' Degas Oriental Poppy | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Doubloon' Doubloon Oriental Poppy | HP | 0.88 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Fatima' Fatima Oriental Poppy | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Field Marshall Vonder Glotz' Field Marshall Vonder Glotz Oriental Poppy | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Harvest Moon' Harvest Moon Oriental Poppy | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Helen Elizabeth' Helen Elizabeth Oriental Poppy | HP | 1.14 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Julianna' Julianna Oriental Poppy | HP | 1.59 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Karine' Karine Oriental Poppy | HP | 1.24 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Papaver orientale</i> 'Lilac Girl' Lilac Girl Oriental Poppy | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Manhattan' Manhattan Oriental Poppy | HP | 0.77 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Mrs. Perry' Mrs. Perry Oriental Poppy | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Papillon' P.P. 14631 Papillon Oriental Poppy | HP | 1.34 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Patty's Plum' Patty's Plum Oriental Poppy | HP | 1.50 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Perry's White' Perry's White Oriental Poppy | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Picottee' Picottee Oriental Poppy | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Pink Ruffles' P.P. 12712 Pink Ruffles Oriental Poppy | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Pinnacle' Pinnacle Oriental Poppy | HP | 0.88 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Pizzicato' Pizzicato Oriental Poppy | HP | 0.62 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Prince of Orange' Prince of Orange Oriental Poppy | HP | 0.97 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Princess Victoria Louise' Princess Victoria Louise Oriental Poppy | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Queen Alexander' Queen Alexander Oriental Poppy | HP | 1.11 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Rembrandt' Rembrandt Oriental Poppy | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Royal Wedding' Royal Wedding Oriental Poppy | HP | 1.34 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Salmon Glow' Salmon Glow Oriental Poppy | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Snow Queen' Snow Queen Oriental Poppy | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Turkenlouis' Turkenlouis Oriental Poppy | HP | 1.17 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Victoria Dreyfuss' Victoria Dreyfuss Oriental Poppy | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Walking Fire' Walking Fire Oriental Poppy | HP | 1.04 | R2 | 3 | 4-8 | | | |
| <i>Papaver orientale</i> 'Watermelon' Watermelon Oriental Poppy | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Papaver pilosum</i> Olympic Poppy | HP | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Papaver triniifolium</i> Cappodocia Poppy | AN | 1.00 | R2 | 3-8 | | | | |
| <i>Paphiopedilum</i> Pahiopedilum Hybrid Orchid | FO | 5.65 | R2 | 8 | | | 1.00 | 10 |
| <i>Papilionanthe hookeriana</i> No Common Name Found | FO | 4.17 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Paradisea liliastrum</i> St. Bruno's Lily | HP | 1.00 | R2 | 3-7 | 8 | | | |
| <i>Paradisea liliastrum</i> 'Major' Major St. Bruno's Lily | HP | 1.00 | R2 | 3-7 | 8 | | | |
| <i>Parahebe catarractae</i> Parahebe | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Parahebe catarractae</i> 'Alba' White Parahebe | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Parahebe linifolia</i> No Common Name Found | BS | 0.71 | R2 | 5-8 | | | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Parahebe perfoliata</i> Digger's Speedwell | BS | 0.64 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Parakmeria yunnanensis</i> Joy Lotus Tree | BE | 1.13 | R2 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Parathelypteris noveboracensis</i> New York Fern | HP | 1.09 | R2 | | 3-8 | | | |
| <i>xPardancanda norrisii</i> Candy Lily | HP | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>xPardancanda norrisii</i> 'Dazzler' Dazzler Candy Lily | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| <i>Parkinsonia aculeata</i> Jerusalem Thorn | BE | 0.99 | R2 | 8 | | 1.00 | 0.65 | 9 |
| <i>Parnassia glauca</i> Blue Grass of Parnassus | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Parochetus communis</i> Shamrock Pea | HP | 0.64 | R2 | 8 | | | | |
| <i>Parodia leninghausii</i> Golden Ball Cactus | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Paronychia kapela</i> ssp. <i>serpyllifolia</i> Thyme-leaved Nailwort | HP | 1.00 | R2 | 3-7 | 8 | | | |
| <i>Parrotia persica</i> Persian Parrotia | DT | 1.07 | R1 | 3-4 | 5-8 | 1.33 | 1.24 | 4 |
| <i>Parrotia persica</i> 'Pendula' Weeping Persian Parrotia | DT | 2.08 | R1 | 3-4 | 5-8 | 1.45 | 1.22 | 4 |
| <i>Parrotia persica</i> 'Select' Select Persian Parrotia | DT | 1.58 | R1 | 3-4 | 5-8 | 1.45 | 1.22 | 4 |
| <i>Parrotia persica</i> 'Vanessa' Vanessa Persian Parrotia | DT | 1.58 | R1 | 3-4 | 5-8 | 1.57 | 1.19 | 4 |
| <i>Parrotiopsis jacquemontiana</i> No Common Name Found | DS | 1.00 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Parthenium integrifolium</i> Wild Quinine | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Parthenocissus henryana</i> Silvervein Creeper | GC | 0.75 | R2 | 3-7 | 8 | | 1.00 | 7 |
| <i>Parthenocissus inserta</i> Thicket Creeper | GC | 1.15 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Parthenocissus quinquefolia</i> Virginia Creeper | GC | 0.88 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Parthenocissus quinquefolia</i> 'Engelmannii' Engelmann Virginia Creeper | GC | 0.94 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Parthenocissus quinquefolia</i> 'Monham' P.P. 10128 Star Showers™ Virginia Creeper | GC | 1.23 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Parthenocissus quinquefolia</i> 'Star Showers' See - <i>Parthenocissus quinquefolia</i> 'Monham' P.P. 10128 | | | | | | | | |
| <i>Parthenocissus tricuspidata</i> Boston Ivy | GC | 0.89 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Parthenocissus tricuspidata</i> 'Fenway Park' Fenway Park Boston Ivy | GC | 1.30 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Parthenocissus tricuspidata</i> 'Ginza Lights' Ginza Lights Boston Ivy | GC | 1.43 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Parthenocissus tricuspidata</i> 'Green Showers' Green Showers Boston Ivy | GC | 1.44 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Parthenocissus tricuspidata</i> 'Lowii' Lows Boston Ivy | GC | 0.75 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Parthenocissus tricuspidata</i> 'Robusta' Robust Creeping Boston Ivy | GC | 1.23 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Parthenocissus tricuspidata</i> 'Veitchii' Veitch Boston Ivy | GC | 1.21 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Pasania edulis</i> See - <i>Lithocarpus edulis</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Paspalum quadrifarium</i> Tussock Paspalum | HP | 0.61 | R2 | 6-8 | | | | |
| <i>Passiflora</i> Passionflower | GC | 0.87 | R2 | 8 | | | 1.00 | 10 |
| <i>Passiflora</i> 'Amethyst' Amethyst Passionflower | GC | 0.99 | R2 | 8 | | | 1.00 | 10 |
| <i>Passiflora</i> 'Blue Bouquet' Blue Bouquet Passionflower | GC | 0.99 | R2 | 8 | | | 1.00 | 10 |
| <i>Passiflora</i> 'Byron Beauty' Byron Beauty Passionflower | GC | 0.64 | R2 | 8 | | | 1.00 | 10 |
| <i>Passiflora</i> 'Coral Glow' Coral Glow Passionflower | GC | 0.87 | R2 | 8 | | | 1.00 | 10 |
| <i>Passiflora</i> 'Elizabeth' Elizabeth Passionflower | GC | 0.64 | R2 | 8 | | | 1.00 | 10 |
| <i>Passiflora</i> 'Incense' Incense Passionflower | GC | 0.81 | R2 | 5-8 | | | 1.00 | 6 |
| <i>Passiflora</i> 'Inspiration' Inspiration Passionflower | GC | 0.87 | R2 | 8 | | | 1.00 | 10 |
| <i>Passiflora</i> 'Jeanette' Jeanette Passionflower | GC | 0.75 | R2 | 8 | | | 1.00 | 10 |
| <i>Passiflora</i> 'Kew Gardens' Kew Gardens Passionflower | GC | 0.87 | R2 | 8 | | | 1.00 | 10 |
| <i>Passiflora</i> 'Lady Margaret' Lady Margaret Passionflower | GC | 0.87 | R2 | 8 | | | 1.00 | 10 |
| <i>Passiflora</i> 'Lavender Lady' See - <i>Passiflora</i> 'Amethyst' | | | | | | | | |
| <i>Passiflora</i> 'Pura Vida' Pura Vida Passionflower | GC | 0.74 | R2 | 8 | | | 1.00 | 10 |
| <i>Passiflora</i> 'Purple Haze' Purple Haze Passionflower | GC | 0.75 | R2 | 8 | | | 1.00 | 10 |
| <i>Passiflora</i> 'Star of Bristol' Star of Bristol Passionflower | GC | 0.75 | R2 | 8 | | | 1.00 | 10 |
| <i>Passiflora</i> 'Star of Clevedon' Star of Clevedon Passionflower | GC | 1.60 | R2 | 8 | | | 1.00 | 10 |
| <i>Passiflora</i> 'Sunburst' Sunburst Passionflower | GC | 0.87 | R2 | 8 | | | 1.00 | 10 |
| <i>Passiflora alata</i> 'Ruby Glow' See - <i>Passiflora phoenicea</i> | | | | | | | | |
| <i>Passiflora</i> x <i>alato-caerulea</i> Showy Passionflower Vine | GC | 0.75 | R2 | 8 | | | 1.00 | 9 |
| <i>Passiflora</i> x <i>atropurpurea</i> Purple Passionflower | GC | 1.33 | R2 | 8 | | | 1.00 | 9 |
| <i>Passiflora caerulea</i> Blue Passionflower Vine | GC | 0.80 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Passiflora caerulea</i> 'Constance Elliott' Constance Elliott Blue Passionflower Vine | GC | 0.95 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Passiflora incarnata</i> Maypop | GC | 0.74 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Passiflora jamesonii</i> Pink Passionflower Vine | GC | 0.82 | R2 | 8 | | | 1.00 | 9 |
| <i>Passiflora jamesonii</i> 'Coral Seas' Coral Seas Passionflower Vine | GC | 1.09 | R2 | 8 | | | 1.00 | 9 |
| <i>Passiflora</i> x <i>kewensis</i> See - <i>Passiflora</i> 'Kew Gardens' | | | | | | | | |
| <i>Passiflora manicata</i> Red Passionflower Vine | GC | 0.70 | R2 | 8 | | | 1.00 | 9 |
| <i>Passiflora mollissima</i> Banana Passionflower | GC | 0.97 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Passiflora mooreana</i> No Common Name Found | GC | 1.00 | R2 | 6-8 | | | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Passiflora pfordtii</i> | | | | | | | | |
| See - <i>Passiflora x alato-caerulea</i> | | | | | | | | |
| <i>Passiflora phoenicea</i> Ruby Glow Passionflower | GC | 1.04 | R2 | 8 | | | 1.00 | 10 |
| <i>Passiflora x violacea</i> Violet Passionflower | GC | 1.07 | R2 | 8 | | | 1.00 | 10 |
| <i>Passiflora x violacea</i> 'Form 3' Form 3 Violet Passionflower | GC | 0.75 | R2 | 8 | | | 1.00 | 10 |
| <i>Passiflora vitifolia</i> Crimson Passion Vine | GC | 0.83 | R2 | 8 | | | 1.00 | 10 |
| <i>Patrinia gibbosa</i> No Common Name Found | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| <i>Patrinia scabiosifolia</i> No Common Name Found | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Patrinia triloba</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Patrinia villosa</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Paulownia albiphloea</i> No Common Name Found | DT | 1.00 | R1 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Paulownia australis</i> No Common Name Found | DT | 1.00 | R1 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Paulownia catalpifolia</i> No Common Name Found | DT | 1.00 | R1 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Paulownia elongata</i> Elongata Dragon Tree | DT | 1.00 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Paulownia fargesii</i> | | | | | | | | |
| See - <i>Paulownia tomentosa</i> 'Lilacina' | | | | | | | | |
| <i>Paulownia fortunei</i> No Common Name Found | DT | 1.00 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Paulownia fortunei</i> 'Select #2' No Common Name Found | DT | 1.00 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Paulownia kawakamii</i> Kawakami Dragon Tree | DT | 1.00 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Paulownia taiwaniana</i> No Common Name Found | DT | 1.00 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Paulownia tomentosa</i> Empress Tree | DT | 0.69 | R1 | 3-5 | 6-8 | 1.05 | 0.57 | 5 |
| <i>Paulownia tomentosa</i> 'Lilacina' No Common Name Found | DT | 0.69 | R1 | 3-5 | 6-8 | 1.05 | 0.57 | 5 |
| <i>Pavonia hastata</i> Spearleaf Swampmallow | BS | 0.96 | R2 | 8 | | | 1.00 | 8 |
| <i>Pavonia lasiopetala</i> Texas Rock Rose | BS | 0.90 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Paxistima canbyi</i> Canby Paxistima | BS | 1.41 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Paxistima canbyi</i> 'Compacta' Compact Canby Paxistima | BS | 1.41 | R2 | 3-5 | 6-8 | | 1.00 | 3 |
| <i>Paxistima myrsinites</i> | | | | | | | | |
| See - <i>Paxistima myrtifolia</i> | | | | | | | | |
| <i>Paxistima myrtifolia</i> Oregon Boxwood | BS | 1.19 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Pedicularis lanceolata</i> Swamp Betony | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Pedilanthus tithymaloides</i> Devil's Backbone | FO | 0.68 | R2 | 8 | | | 1.00 | 9 |
| <i>Pedilanthus tithymaloides</i> 'Variegatus' Variegated Devil's Backbone | FO | 0.57 | R2 | 8 | | | 1.00 | 9 |
| <i>Pelargonium</i> Geranium | HP | 0.97 | R2 | 5-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|--|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Pelargonium</i> 'Atomic Snowflake' Atomic Snowflake Scent-leaved Geranium | HP | 0.97 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Attar of Roses' Attar of Roses Scent-leaved Geranium | HP | 0.97 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Balfancard' Fantasia Cardinal Red Geranium | HP | 0.90 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Balgalfroe' P.P. 13642 Galleria® Frostfire Geranium | HP | 0.73 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Blandfordianum' Blandfordianum Scent-leaved Geranium | HP | 0.97 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Chocolate Mint' Chocolate Mint Geranium | HP | 0.93 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Citronella' Citronella Scent-leaved Geranium | HP | 0.95 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Countess of Scarborough' See - <i>Pelargonium</i> 'Lady Scarborough' | | | | | | | |
| <i>Pelargonium</i> 'Fantasia Cardinal Red' See - <i>Pelargonium</i> 'Balfancard' | | | | | | | |
| <i>Pelargonium</i> 'Fragrans' Nutmeg Geranium | HP | 0.93 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Galleria Frostfire' See - <i>Pelargonium</i> 'Balgalfroe' P.P. 13642 | | | | | | | |
| <i>Pelargonium</i> 'Lady Plymouth' Lady Plymouth Scent-leaved Geranium | HP | 0.97 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Lady Scarborough' Countess of Scarborough Geranium | HP | 1.42 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Little Gem' Little Gem Scent-leaved Geranium | HP | 0.97 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Logee's Snowflake' Logee's Snowflake Scent-leaved Geranium | HP | 0.97 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Logeei' See - <i>Pelargonium</i> 'Old Spice' | | | | | | | |
| <i>Pelargonium</i> 'Maverick Series' Maverick Series Geranium | HP | 0.81 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Old Spice' Old Spice Scent-leaved Geranium | HP | 0.97 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Orange Fizz' Orange Fizz Scent-leaved Geranium | HP | 0.97 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Pink Capricorn' Pink Capricorn Scent-leaved Geranium | HP | 0.97 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Purple Unique' Purple Unique Scent-leaved Geranium | HP | 0.97 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Shottesham Pet' Shottesham Pet Scent-leaved Geranium | HP | 0.97 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Staghorn Oak' Staghorn Oak Geranium | HP | 0.97 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Sweet Mimosa' Sweet Mimosa Scent-leaved Geranium | HP | 0.97 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Toronto' Ginger Scented Geranium | HP | 1.29 | R2 | 5-8 | | | |
| <i>Pelargonium</i> 'Toronto' See - <i>Pelargonium</i> 'Toronto' | | | | | | | |
| <i>Pelargonium</i> 'Vancouver Centennial' Vancouver Centennial Scent-leaved Geranium | HP | 0.80 | R2 | 5-8 | | | |
| <i>Pelargonium capitatum</i> Rose-scented Geranium | HP | 0.93 | R2 | 5-8 | | | |
| <i>Pelargonium x citrosum</i> Orange Geranium | HP | 0.88 | R2 | 5-8 | | | |
| <i>Pelargonium cordifolium</i> No Common Name Found | HP | 0.73 | R2 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Pelargonium crispum</i> Lemon Geranium | HP | 1.18 | R2 | 5-8 | | | |
| <i>Pelargonium crispum</i> 'French Lace' French Lace Lemon Geranium | HP | 1.18 | R2 | 5-8 | | | |
| <i>Pelargonium x domesticum</i> Regal Geranium | HP | 0.78 | R2 | 5-8 | | | |
| <i>Pelargonium x domesticum</i> 'Royalty Series Baroness' Royalty Series Baroness Geranium | HP | 0.78 | R2 | 5-8 | | | |
| <i>Pelargonium x fragrans</i> See - <i>Pelargonium</i> 'Fragrans' | | | | | | | |
| <i>Pelargonium graveolens</i> Rose Geranium | HP | 0.93 | R2 | 5-8 | | | |
| <i>Pelargonium graveolens</i> 'Mini Rose' Mini Rose Sweet-scented Geranium | HP | 1.13 | R2 | 5-8 | | | |
| <i>Pelargonium graveolens</i> 'Red Flowered Rose' Red Flowered Rose Sweet-scented Geranium | HP | 1.13 | R2 | 5-8 | | | |
| <i>Pelargonium graveolens</i> 'Rober's Lemon Rose' Rober's Lemon Rose Geranium | HP | 1.41 | R2 | 5-8 | | | |
| <i>Pelargonium graveolens</i> 'Variegata' Variegated Rose Geranium | HP | 1.05 | R2 | 5-8 | | | |
| <i>Pelargonium grossularioides</i> Coconut Geranium | HP | 0.93 | R2 | 5-8 | | | |
| <i>Pelargonium x hortorum</i> Common Geranium | HP | 0.63 | R2 | 5-8 | | | |
| <i>Pelargonium x hortorum</i> 'Pink' Pink Common Geranium | HP | 0.70 | R2 | 5-8 | | | |
| <i>Pelargonium x hortorum</i> 'Red' Red Common Geranium | HP | 0.70 | R2 | 5-8 | | | |
| <i>Pelargonium x hortorum</i> 'Salmon' Salmon Common Geranium | HP | 0.70 | R2 | 5-8 | | | |
| <i>Pelargonium x hortorum</i> 'Wilhelm Langguth' Wilhelm Langguth Common Geranium | HP | 0.76 | R2 | 5-8 | | | |
| <i>Pelargonium x hortorum</i> 'William Langguth' See - <i>Pelargonium x hortorum</i> 'Wilhelm Langguth' | | | | | | | |
| <i>Pelargonium x nervosum</i> Lime Geranium | HP | 0.93 | R2 | 5-8 | | | |
| <i>Pelargonium odoratissimum</i> Apple Geranium | HP | 1.24 | R2 | 5-8 | | | |
| <i>Pelargonium peltatum</i> Ivy Geranium | HP | 0.58 | R2 | 5-8 | | | |
| <i>Pelargonium peltatum</i> 'Mini Cascade Lilac' Mini Cascade® Lilac Ivy Geranium | HP | 0.58 | R2 | 5-8 | | | |
| <i>Pelargonium peltatum</i> 'Mini Cascade Pink' Mini Cascade® Pink Ivy Geranium | HP | 0.58 | R2 | 5-8 | | | |
| <i>Pelargonium peltatum</i> 'Mini Cascade Red' Mini Cascade® Red Ivy Geranium | HP | 0.58 | R2 | 5-8 | | | |
| <i>Pelargonium quercifolium</i> Oak-leaved Geranium | HP | 1.00 | R2 | 5-8 | | | |
| <i>Pelargonium scabrum</i> Apricot Geranium | HP | 1.42 | R2 | 5-8 | | | |
| <i>Pelargonium x scarboroviae</i> See - <i>Pelargonium</i> 'Lady Scarborough' | | | | | | | |
| <i>Pelargonium sidoides</i> Silverleaf Geranium | HP | 1.12 | R2 | 5-8 | | | |
| <i>Pelargonium tomentosum</i> Peppermint Geranium | HP | 0.93 | R2 | 5-8 | | | |
| <i>Pellaea falcata</i> Australian Cliff Brake | FO | 0.70 | R2 | 8 | | 1.00 | 9 |
| <i>Pellaea falcata</i> 'Compacta' Compact Australian Cliff Brake | FO | 0.70 | R2 | 8 | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pellaea mucronata</i> Bird's Foot Fern | HP | 1.27 | R2 | 3-8 | | | | |
| <i>Pellaea rotundifolia</i> Button Fern | FO | 0.59 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Peltandra virginica</i> Arrow Arum | HP | 1.21 | R2 | 3-5 | 6-8 | | | |
| <i>Peltiphyllum peltatum</i> See - <i>Darmera peltata</i> | | | | | | | | |
| <i>Peltoboykinia watanabei</i> No Common Name found | HP | 1.67 | R2 | 5-7 | 8 | | | |
| <i>Pennisetum</i> Fountain Grass | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Pennisetum</i> 'Oceanside' Oceanside Fountain Grass | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Pennisetum alopecuroides</i> Fountain Grass | HP | 1.02 | R2 | 3-6 | 7-8 | | | |
| <i>Pennisetum alopecuroides</i> 'Cassian' Cassian's Fountain Grass | HP | 0.87 | R2 | 3-6 | 7-8 | | | |
| <i>Pennisetum alopecuroides</i> 'Foxtrot' Foxtrot Fountain Grass | HP | 0.91 | R2 | 3-6 | 7-8 | | | |
| <i>Pennisetum alopecuroides</i> 'Hameln' Hameln Dwarf Fountain Grass | HP | 1.07 | R2 | 3-6 | 7-8 | | | |
| <i>Pennisetum alopecuroides</i> 'Herbstzauber' Herbstzauber Fountain Grass | HP | 0.99 | R2 | 3-6 | 7-8 | | | |
| <i>Pennisetum alopecuroides</i> 'Japonicum' Japonicum Fountain Grass | HP | 0.86 | R2 | 3-6 | 7-8 | | | |
| <i>Pennisetum alopecuroides</i> 'Little Bunny' Little Bunny Fountain Grass | HP | 0.96 | R2 | 3-6 | 7-8 | | | |
| <i>Pennisetum alopecuroides</i> 'Little Honey' Little Honey Fountain Grass | HP | 0.85 | R2 | 3-6 | 7-8 | | | |
| <i>Pennisetum alopecuroides</i> 'Moudry' Moudry Fountain Grass | HP | 0.96 | R2 | 3-6 | 7-8 | | | |
| <i>Pennisetum alopecuroides</i> 'Nafray Select' See - <i>Pennisetum alopecuroides</i> 'PA300' P.P.A.F. | | | | | | | | |
| <i>Pennisetum alopecuroides</i> 'National Arboretum' National Arboretum Fountain Grass | HP | 0.95 | R2 | 3-6 | 7-8 | | | |
| <i>Pennisetum alopecuroides</i> 'PA300' P.P.A.F. Nafray® Select Fountain Grass | HP | 1.29 | R2 | 3-6 | 7-8 | | | |
| <i>Pennisetum alopecuroides</i> 'Weserbergland' Weserbergland Fountain Grass | HP | 0.88 | R2 | 3-6 | 7-8 | | | |
| <i>Pennisetum alopecuroides</i> var. <i>purpurascens</i> Black Fountain Grass | HP | 0.77 | R2 | 3-6 | 7-8 | | | |
| <i>Pennisetum alopecuroides</i> var. <i>viridescens</i> Viridescens Fountain Grass | HP | 0.87 | R2 | 3-6 | 7-8 | | | |
| <i>Pennisetum caudatum</i> See - <i>Pennisetum alopecuroides</i> | | | | | | | | |
| <i>Pennisetum glaucum</i> Ornamental Millet | HP | 1.02 | R2 | 5-8 | | | | |
| <i>Pennisetum glaucum</i> 'Purple Baron' Purple Baron Ornamental Millet | HP | 1.02 | R2 | 5-8 | | | | |
| <i>Pennisetum glaucum</i> 'Purple Majesty' Purple Majesty Ornamental Millet | HP | 1.02 | R2 | 5-8 | | | | |
| <i>Pennisetum incomptum</i> Meadow Pennisetum | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Pennisetum longistylum</i> See - <i>Pennisetum villosum</i> | | | | | | | | |
| <i>Pennisetum macrostachyum</i> No Common Name Found | HP | 0.82 | R2 | 6-8 | | | | |
| <i>Pennisetum macrostachyum</i> 'Burgundy Giant' Burgundy Giant Fountain Grass | HP | 0.82 | R2 | 6-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Pennisetum macrourum</i> No Common Name Found | HP | 0.71 | R2 | 6-7 | 8 | | | |
| <i>Pennisetum messiacum</i> Red Flowering Fountain Grass | HP | 0.91 | R2 | 3-7 | 8 | | | |
| <i>Pennisetum messiacum</i> 'Red Bunny Tails' Red Bunny Tails Red Flowering Fountain Grass | HP | 1.01 | R2 | 3-7 | 8 | | | |
| <i>Pennisetum messiacum</i> 'Red Buttons' Red Buttons Red Flowering Fountain Grass | HP | 0.96 | R2 | 3-7 | 8 | | | |
| <i>Pennisetum orientale</i> Oriental Fountain Grass | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Pennisetum orientale</i> 'Karley Rose' P.P. 12909 Karley Rose Oriental Fountain Grass | HP | 0.98 | R2 | 5-7 | 8 | | | |
| <i>Pennisetum orientale</i> 'Tall Tales' Tall Tales Oriental Fountain Grass | HP | 0.88 | R2 | 5-7 | 8 | | | |
| <i>Pennisetum purpureum</i> Napier Grass | HP | 1.10 | R2 | 5-8 | | | | |
| <i>Pennisetum purpureum</i> 'Prince' P.P. 18509 Prince Napier Grass | HP | 1.11 | R2 | 5-8 | | | | |
| <i>Pennisetum purpureum</i> 'Princess' P.P. 17728 Princess Napier Grass | HP | 1.09 | R2 | 5-8 | | | | |
| <i>Pennisetum ruppelii</i> See - <i>Pennisetum setaceum</i> | | | | | | | | |
| <i>Pennisetum setaceum</i> Tender Fountain Grass | HP | 0.71 | R2 | 5-8 | | | | |
| <i>Pennisetum setaceum</i> 'Atropurpureum' See - <i>Pennisetum setaceum</i> 'Rubrum' | | | | | | | | |
| <i>Pennisetum setaceum</i> 'Cupreum Compactum' Compact Purple Fountain Grass | HP | 0.91 | R2 | 5-8 | | | | |
| <i>Pennisetum setaceum</i> 'Eaton Canyon' Eaton Canyon Fountain Grass | HP | 1.15 | R2 | 5-8 | | | | |
| <i>Pennisetum setaceum</i> 'Rubrum' Crimson Tender Fountain Grass | HP | 1.01 | R2 | 5-8 | | | | |
| <i>Pennisetum spatheolatum</i> Rye Puffs Fountain Grass | HP | 1.42 | R2 | 5-7 | 8 | | | |
| <i>Pennisetum villosum</i> Feathertop | HP | 0.50 | R2 | 5-8 | | | | |
| <i>Penstemon</i> Penstemon | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon</i> 'Alice Hindley' Alice Hindley Penstemon | HP | 0.82 | R2 | 3-7 | 8 | | | |
| <i>Penstemon</i> 'Apple Blossom' Apple Blossom Hybrid Penstemon | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon</i> 'Bev Jensen' Bev Jensen Penstemon | HP | 0.72 | R2 | 3-7 | 8 | | | |
| <i>Penstemon</i> 'Catherine de la Mare' Catherine de la Mare Hybrid Penstemon | HP | 0.60 | R2 | 3-5 | 6-8 | | | |
| <i>Penstemon</i> 'Elfin Pink' Elfin Pink Hybrid Penstemon | HP | 1.11 | R2 | 3-5 | 6-8 | | | |
| <i>Penstemon</i> 'Elizabeth Cozzens' Elizabeth Cozzens Hybrid Penstemon | HP | 0.82 | R2 | 3-7 | 8 | | | |
| <i>Penstemon</i> 'Firebird' Firebird Hybrid Penstemon | HP | 1.06 | R2 | 3-5 | 6-8 | | | |
| <i>Penstemon</i> 'Garnet' Garnet Hybrid Penstemon | HP | 0.77 | R2 | 3-5 | 6-8 | | | |
| <i>Penstemon</i> 'Hidcote Pink' Hidcote Pink Hybrid Penstemon | HP | 0.62 | R2 | 3-5 | 6-8 | | | |
| <i>Penstemon</i> 'Holly's White' Holly's White Hybrid Penstemon | HP | 0.51 | R2 | 3-7 | 8 | | | |
| <i>Penstemon</i> 'Huntington Pink' See - <i>Penstemon</i> 'Apple Blossom' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|---------|----------------------|---|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Caliper | Factors High/Wide | | |
| <i>Penstemon</i> 'Midnight' Midnight Hybrid Penstemon | HP | 0.67 | R2 | 3-5 6-8 | | | | |
| <i>Penstemon</i> 'Prairie Dusk' Prairie Dusk Hybrid Penstemon | HP | 0.99 | R2 | 3-5 6-8 | | | | |
| <i>Penstemon</i> 'Prairie Fire' Prairie Fire Hybrid Penstemon | HP | 1.00 | R2 | 3-5 6-8 | | | | |
| <i>Penstemon</i> 'Prairie Splendor' Prairie Splendor Hybrid Penstemon | HP | 0.82 | R2 | 3-5 6-8 | | | | |
| <i>Penstemon</i> 'Pretty Petticoat' Pretty Petticoat Hybrid Penstemon | HP | 1.08 | R2 | 3-4 5-8 | | | | |
| <i>Penstemon</i> 'Purple Passion' Purple Passion Penstemon | HP | 0.82 | R2 | 3-7 8 | | | | |
| <i>Penstemon</i> 'Rose Elf' Rose Elf Hybrid Penstemon | HP | 0.82 | R2 | 3-5 6-8 | | | | |
| <i>Penstemon</i> 'Ruby' Ruby Penstemon | HP | 0.78 | R2 | 3-5 6-8 | | | | |
| <i>Penstemon</i> 'Scarlet Queen' Scarlet Queen Penstemon | HP | 0.84 | R2 | 3-7 8 | | | | |
| <i>Penstemon</i> 'Sour Grapes' Sour Grapes Penstemon | HP | 0.82 | R2 | 3-5 6-8 | | | | |
| <i>Penstemon</i> 'Stapleford Gem' Stapleford Gem Hybrid Penstemon | HP | 0.80 | R2 | 3-5 6-8 | | | | |
| <i>Penstemon alpinus</i> Alpine Penstemon | BS | 1.01 | R2 | 3-4 5-8 | | 1.00 | 4 | |
| <i>Penstemon australis</i> Southern Penstemon | HP | 0.53 | R2 | 3-6 7-8 | | | | |
| <i>Penstemon baccharifolius</i> Rock Penstemon | HP | 0.70 | R2 | 3-8 | | | | |
| <i>Penstemon barbatus</i> Beard Tongue | HP | 0.81 | R2 | 3-4 5-8 | | | | |
| <i>Penstemon barbatus</i> 'Bashful' Bashful Common Beard Tongue | HP | 0.90 | R2 | 3-4 5-8 | | | | |
| <i>Penstemon barbatus</i> 'Coccineus' Coccineus Common Beard Tongue | HP | 0.82 | R2 | 3-4 5-8 | | | | |
| <i>Penstemon barbatus</i> 'Praecox Nanus Rondo' Praecox Nanus Common Beard Tongue | HP | 1.17 | R2 | 3-4 5-8 | | | | |
| <i>Penstemon barbatus</i> 'Rondo' See - <i>Penstemon barbatus</i> 'Praecox Nanus Rondo' | | | | | | | | |
| <i>Penstemon barbatus</i> ssp. <i>torreyi</i> Torrey Common Beard Tongue | HP | 1.00 | R2 | 3-4 5-8 | | | | |
| <i>Penstemon barrettiae</i> No Common Name Found | HP | 1.00 | R2 | 3-6 7-8 | | | | |
| <i>Penstemon bridgesii</i> See - <i>Penstemon rostriflorus</i> | | | | | | | | |
| <i>Penstemon caespitosus</i> Mat Penstemon | HP | 1.00 | R2 | 3-4 5-8 | | | | |
| <i>Penstemon campanulatus</i> Harebell Penstemon | HP | 0.80 | R2 | 3-7 8 | | | | |
| <i>Penstemon cardinalis</i> Red Penstemon | HP | 0.87 | R2 | 3-6 7-8 | | | | |
| <i>Penstemon centranthifolius</i> Scarlet Bugler | HP | 0.98 | R2 | 3-5 6-8 | | | | |
| <i>Penstemon cobaea</i> Cobaea Penstemon | HP | 0.87 | R2 | 3-4 5-8 | | | | |
| <i>Penstemon cordifolius</i> See - <i>Keckiella cordifolia</i> | | | | | | | | |
| <i>Penstemon cyananthus</i> Wasatch Penstemon | HP | 1.02 | R2 | 3 4-8 | | | | |
| <i>Penstemon deustus</i> Hot-Rock Penstemon | HP | 1.08 | R2 | 3-4 5-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Penstemon digitalis</i> White Beard Tongue | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon digitalis</i> 'Husker Red' Husker Red White Beard Tongue | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon eatonii</i> Firecracker Penstemon | HP | 1.21 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon fruticosus</i> Bush Penstemon | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon fruticosus</i> 'Purple Haze' Purple Haze Bush Penstemon | HP | 0.69 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon gentianoides</i> Gentian Beard Tongue | HP | 1.34 | R2 | 3-7 | 8 | | | |
| <i>Penstemon glaber</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon glaber</i> var. <i>alpinus</i> See - <i>Penstemon alpinus</i> | | | | | | | | |
| <i>Penstemon gracilis</i> Slender Beard Tongue | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon grandiflorus</i> Shell-leaf Beard Tongue | HP | 1.17 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon grandiflorus</i> 'Prairie Jewel' Prairie Jewel™ Large Beard Tongue | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon grinnellii</i> No Common Name Found | HP | 1.16 | R2 | 3-7 | 8 | | | |
| <i>Penstemon hartwegii</i> Hartweg Beard Tongue | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Penstemon heterophyllus</i> Foothill Penstemon | HP | 0.60 | R2 | 3-7 | 8 | | | |
| <i>Penstemon heterophyllus</i> 'Zuriblau' Zuriblau Foothill Penstemon | HP | 1.19 | R2 | 3-7 | 8 | | | |
| <i>Penstemon hirsutus</i> Hairy Beard Tongue | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon hirsutus</i> 'Pygmaeus' Dwarf Hairy Beard Tongue | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon humilis</i> No Common Name Found | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon linarioides</i> Toadflax Penstemon | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon linarioides</i> var. <i>coloradoensis</i> Bluemat Penstemon | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon linarioides</i> var. <i>coloradoensis</i> 'Silverton' Silverton™ Bluemat Penstemon | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon x mexicali</i> No Common Name Found | HP | 0.96 | R2 | 3-5 | 6-8 | | | |
| <i>Penstemon x mexicali</i> 'Pike's Peak Purple' Pike's Peak Purple™ Hybrid Beard Tongue | HP | 0.97 | R2 | 3-5 | 6-8 | | | |
| <i>Penstemon x mexicali</i> 'Red Rocks' Red Rocks™ Hybrid Beard Tongue | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| <i>Penstemon neomexicanus</i> New Mexico Beard Tongue | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon pallidus</i> Pale Beard Tongue | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Penstemon palmeri</i> Scented Penstemon | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon parryi</i> Parry's Penstemon | HP | 1.05 | R2 | 6-8 | | | | |
| <i>Penstemon pinifolius</i> Pineleaf Penstemon | HP | 0.81 | R2 | 3-6 | 7-8 | | | |
| <i>Penstemon pinifolius</i> 'Mersea Yellow' Yellow Pineleaf Penstemon | HP | 0.96 | R2 | 3-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Penstemon pseudospectabilis</i> Desert Beard Tongue | HP | 0.90 | R2 | 3-8 | | | | |
| <i>Penstemon richardsonii</i> Cutleaf Beard Tongue | HP | 1.00 | R2 | 3-7 | 8 | | | |
| <i>Penstemon rostriflorus</i> Bridge Penstemon | BS | 1.14 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Penstemon smallii</i> Smallii Beard Tongue | HP | 1.33 | R2 | 3-5 | 6-8 | | | |
| <i>Penstemon smallii</i> 'Violet Dusk' Violet Dusk Smallii Beard Tongue | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Penstemon spectabilis</i> Showy Penstemon | HP | 0.87 | R2 | 3-7 | 8 | | | |
| <i>Penstemon strictus</i> Rocky Mountain Penstemon | HP | 1.14 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon superbus</i> Superb Coral Penstemon | HP | 1.35 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon tenuis</i> Gulf Coast Penstemon | HP | 0.67 | R2 | 3-7 | 8 | | | |
| <i>Penstemon triflorus</i> Hill Country Penstemon | HP | 0.56 | R2 | 3-7 | 8 | | | |
| <i>Penstemon utahensis</i> Utah Bugler | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon virgatus</i> Stiff Beard Tongue | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon virgatus</i> 'Blue Buckle' Blue Buckle Stiff Beard Tongue | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Penstemon whippleanus</i> No Common Name Found | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Pentapterygium</i> 'Ludgvan Cross' See - <i>Agapetes</i> 'Ludgvan Cross' | | | | | | | | |
| <i>Pentapterygium serpens</i> See - <i>Agapetes serpens</i> | | | | | | | | |
| <i>Pentas lanceolata</i> Star Cluster | HP | 0.52 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'Butterfly Series' Butterfly Series Star Cluster | HP | 0.81 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'Cheers' Cheers Star Cluster | HP | 0.68 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'Clean White Shorts' Clean White Shorts™ Star Cluster | HP | 0.46 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'Cranberry Punch' Cranberry Punch Star Cluster | HP | 0.66 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'Cranberry' Cranberry Star Cluster | HP | 0.63 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'Dorann's Pink' Dorann's Pink Star Cluster | HP | 0.46 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'Hot Pink Shorts' Hot Pink Shorts™ Star Cluster | HP | 0.47 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'Jessica' P.P. 7702 Jessica Star Cluster | HP | 0.60 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'Lavender Delight' Lavender Delight Star Cluster | HP | 0.60 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'Lilac Mist' Lilac Mist Star Cluster | HP | 0.89 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'Monarch Series' Monarch Series Star Cluster | HP | 0.67 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'Morning Lavender' Morning Lavender Star Cluster | HP | 0.46 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'New Look Cherry' New Look Cherry Star Cluster | HP | 0.68 | R2 | 6-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pentas lanceolata</i> 'New Look Mixed' New Look Mixed Star Cluster | HP | 0.56 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'New Look Pink' New Look Pink Star Cluster | HP | 0.73 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'New Look Red' New Look Red Star Cluster | HP | 0.87 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'New Look Rose' New Look Rose Star Cluster | HP | 0.89 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'New Look Series' New Look Series Star Cluster | HP | 0.71 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'New Look Violet' New Look Violet Star Cluster | HP | 0.90 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'New Look White' New Look White Star Cluster | HP | 0.82 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'Nova' Nova Star Cluster | HP | 0.46 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'Pink Profusion' Pink Profusion Dwarf Star Cluster | HP | 0.60 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'Polar White' Polar White Star Cluster | HP | 0.59 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'Ruby Glow' Ruby Glow Star Cluster | HP | 0.44 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'Ruby Red' Ruby Red Star Cluster | HP | 0.66 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'Starburst' Starburst Star Cluster | HP | 0.56 | R2 | 6-8 | | | | |
| <i>Pentas lanceolata</i> 'Stars and Stripes' P.P.A.F. Stars and Stripes Star Cluster | HP | 0.86 | R2 | 6-8 | | | | |
| <i>Peperomia caperata</i> Green Ripple Pepper | FO | 0.23 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Peperomia caperata</i> 'Emerald Ripple' Emerald Ripple Peperomia | FO | 0.21 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Peperomia clusiifolia</i> Red-edge Peperomia | FO | 0.39 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Peperomia clusiifolia</i> 'Rainbow' See - <i>Peperomia clusiifolia</i> 'Tricolor' | | | | | | | | |
| <i>Peperomia clusiifolia</i> 'Tricolor' Rainbow Peperomia | FO | 0.41 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Peperomia columbiana</i> Columbiana Peperomia | FO | 1.00 | R2 | 6-8 | | | 1.00 | 11 |
| <i>Peperomia glabella</i> Wax Privet Peperomia | FO | 1.00 | R2 | 6-8 | | | 1.00 | 11 |
| <i>Peperomia obtusifolia</i> Baby Rubber Plant | FO | 0.33 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Peperomia obtusifolia</i> 'Golden Gate' Golden Gate Baby Rubber Plant | FO | 0.46 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Peperomia obtusifolia</i> 'Marble' Marble Baby Rubber Plant | FO | 0.40 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Peperomia obtusifolia</i> 'Variegata' Variegated Baby Rubber Plant | FO | 0.39 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Peperomia rubella</i> No Common Name Found | FO | 1.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Peraphyllum ramosissimum</i> Squawapple | DS | 1.05 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Pereskia aculeata</i> No Common Name Found | FO | 0.52 | R2 | 8 | | | 1.00 | 9 |
| <i>Pereskia aculeata</i> 'Godseffiana' Lemon Vine | FO | 0.52 | R2 | 8 | | | 1.00 | 9 |
| <i>Pereskia bleo</i> Orange Rose Cactus | FO | 1.06 | R2 | 8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pereskia corrugata</i> | | | | | | | | |
| See - <i>Pereskia bleo</i> | | | | | | | | |
| <i>Pereskia grandifolia</i> Rose Cactus | FO | 1.03 | R2 | 8 | | | 1.00 | 9 |
| <i>Pericallis x hybridus</i> Florist's Cineraria | AN | 1.08 | R2 | 6-8 | | | | |
| <i>Perilla</i> Perilla | AN | 1.17 | R2 | 6-8 | | | | |
| <i>Perilla 'Magilla'</i> Magilla Perilla | AN | 1.17 | R2 | 6-8 | | | | |
| <i>Perilla frutescens</i> Common Perilla | AN | 1.18 | R2 | 5-8 | | | | |
| <i>Perilla frutescens 'Crispa'</i> Crispa Perilla | AN | 1.18 | R2 | 5-8 | | | | |
| <i>Perilla frutescens 'Purple Shisho'</i> Purple Shisho Perilla | AN | 1.18 | R2 | 5-8 | | | | |
| <i>Pernettya mucronata</i> | | | | | | | | |
| See - <i>Gaultheria mucronata</i> | | | | | | | | |
| <i>Perovskia</i> Perovskia | HP | 0.88 | R2 | 3-6 | 7-8 | | | |
| <i>Perovskia 'Longin'</i> Longin Hybrid Perovskia | HP | 0.88 | R2 | 3-6 | 7-8 | | | |
| <i>Perovskia abrotanoides</i> Caspian Perovskia | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Perovskia atriplicifolia</i> Russian Sage | HP | 0.83 | R2 | 3-6 | 7-8 | | | |
| <i>Perovskia atriplicifolia 'Filigran'</i> Filigran Russian Sage | HP | 0.91 | R2 | 3-6 | 7-8 | | | |
| <i>Perovskia atriplicifolia 'Little Spire' P.P. 11643</i> Little Spire Russian Sage | HP | 0.98 | R2 | 3-6 | 7-8 | | | |
| <i>Perovskia atriplicifolia 'Superba'</i> Superba Russian Sage | HP | 1.03 | R2 | 3-6 | 7-8 | | | |
| <i>Perovskia scrophulariifolia</i> No Common Name Found | HP | 0.77 | R2 | 3-6 | 7-8 | | | |
| <i>Persea borbonia</i> Red Bay Tree | BE | 0.83 | R2 | 5-8 | | 1.00 | 1.03 | 8 |
| <i>Persea humilis</i> Silkbay | BE | 0.50 | R2 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Persea palustris</i> Swamp Red Bay Tree | BE | 0.62 | R2 | 5-7 | 8 | 1.00 | 0.46 | 7 |
| <i>Persicaria affinis</i> Himalayan Fleece Flower | HP | 1.11 | R2 | 3 | 4-8 | | | |
| <i>Persicaria affinis 'Darjeeling Red'</i> Darjeeling Himalayan Fleece Flower | HP | 1.25 | R2 | 3 | 4-8 | | | |
| <i>Persicaria affinis 'Dimity'</i> Dimity Himalayan Fleece Flower | HP | 0.72 | R2 | 3 | 4-8 | | | |
| <i>Persicaria amplexicaulis</i> Mountain Fleece Flower | HP | 0.76 | R2 | 3-5 | 6-8 | | | |
| <i>Persicaria amplexicaulis 'Atrosanguineum'</i> Atrosanguineum Mountain Fleece Flower | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| <i>Persicaria amplexicaulis 'Firetail'</i> Firetail Mountain Fleece Flower | HP | 1.30 | R2 | 3-5 | 6-8 | | | |
| <i>Persicaria bistorta</i> Snakeweed | HP | 1.41 | R2 | 3-4 | 5-8 | | | |
| <i>Persicaria bistorta 'Superbum'</i> Superbum Snakeweed | HP | 1.41 | R2 | 3-4 | 5-8 | | | |
| <i>Persicaria capitata</i> Pink Clover | HP | 0.74 | R2 | 5-8 | | | | |
| <i>Persicaria emodi</i> No Common Name Found | HP | 0.56 | R2 | 5-7 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Persicaria microcephala</i> No Common Name Found | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Persicaria microcephala</i> 'Red Dragon' P.P. 12062 Red Dragon Fleece Flower | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Persicaria odorata</i> Vietnamese Coriander | HP | 0.42 | R2 | 5-8 | | | | |
| <i>Persicaria polymorpha</i> Giant Fleece Flower | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Persicaria vacciniifolia</i> Rock Knotweed | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Persicaria virginiana</i> Tovara | HP | 0.88 | R2 | 3-5 | 6-8 | | | |
| <i>Persicaria virginiana</i> 'Painter's Palette' Painter's Palette Tovara | HP | 0.96 | R2 | 3-5 | 6-8 | | | |
| <i>Persicaria virginiana</i> 'Variegata' Variegated Tovara | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Persicaria virginiana</i> var. <i>filiformis</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Persicaria virginiana</i> var. <i>filiformis</i> 'Lance Corporal' Lance Corporal Virginia Knotweed | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Persicaria wallichii</i> Himalayan Knotweed | HP | 0.67 | R2 | 5-6 | 7-8 | | | |
| <i>Persicaria weyrichii</i> No Common Name Found | HP | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Pescatorea cerina</i> No Common Name Found | FO | 4.10 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Petalostemon candidum</i> See - <i>Dalea candida</i> | | | | | | | | |
| <i>Petalostemon foliosum</i> See - <i>Dalea foliosum</i> | | | | | | | | |
| <i>Petalostemon purpureum</i> See - <i>Dalea gattingeri</i> | | | | | | | | |
| <i>Petasites albus</i> White Butterbur | HP | 1.59 | R2 | 3-5 | 6-8 | | | |
| <i>Petasites japonicus</i> Fuki | HP | 1.57 | R2 | 3-5 | 6-8 | | | |
| <i>Petrocallis pyrenaica</i> Pyrenees Rockbeauty | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Petrocoptis pyrenaica</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Petrophytum caespitosum</i> Tufted Rock Spirea | GC | 1.27 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Petrophytum cinerascens</i> Gray Rock Spirea | GC | 1.00 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Petrorhagia saxifraga</i> Tunic Flower | HP | 0.94 | R2 | 3-5 | 6-8 | | | |
| <i>Petrorhagia saxifraga</i> 'Flore Pleno' Flore Pleno Tunic Flower | HP | 0.94 | R2 | 3-5 | 6-8 | | | |
| <i>Petrorhagia saxifraga</i> 'Rosette' Rosette Tunic Flower | HP | 0.94 | R2 | 3-5 | 6-8 | | | |
| <i>Petroselinum crispum</i> Parsley | AN | 1.15 | R2 | 3-5 | 6-8 | | | |
| <i>Petroselinum crispum</i> 'Starke' Starke Parsley | AN | 1.15 | R2 | 3-5 | 6-8 | | | |
| <i>Petroselinum crispum</i> var. <i>crispum</i> Curly Parsley | AN | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Petroselinum crispum</i> var. <i>neapolitanum</i> Italian Parsley | AN | 1.42 | R2 | 3-5 | 6-8 | | | |
| <i>Petroselinum crispum</i> var. <i>neapolitanum</i> 'Giant of Italy' Giant of Italy Italian Parsely | AN | 1.42 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Petunia x hybrida</i> Garden Petunia | AN | 0.51 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Aladdin Series' Aladdin Series Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Balsuncora' P.P.A.F. Suncatcher™ Coral Prism Garden Petunia | AN | 0.73 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Balsundalav' P.P.A.F. Suncatcher™ Dark Lavender Vein Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Balsundeum' P.P. 14530 Suncatcher™ Deep Plum Garden Petunia | AN | 0.73 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Balsunhopi' P.P.A.F. Suncatcher™ Hot Pink Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Balsunwitim' P.P.A.F. Suncatcher™ White Improved Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Bravo Series' Bravo Series Garden Petunia | AN | 0.55 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Carpet Butter Cream' Carpet Butter Cream Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Carpet Pink' Carpet Pink Garden Petunia | AN | 0.81 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Carpet Red' Carpet Red Garden Petunia | AN | 0.85 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Carpet Series' Carpet Series Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Cascadias Charlie Improved' Cascadias™ Charlie Improved Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Cascadias Choice' Cascadias™ Choice Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Cascadias Rim Purple' P.P.A.F. Cascadias™ Rim Purple Garden Petunia | AN | 0.87 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Celebrity Series' Celebrity™ Series Garden Petunia | AN | 1.03 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Dancas 110' P.P. 17288 Sunray® Garden Petunia | AN | 0.88 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Double Madness Pink' Double Madness Pink Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Double Madness Satin Pink' Double Madness Satin Pink Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Double Wave Series' Double Wave™ Series Garden Petunia | AN | 1.38 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Dreams Neon Rose' Dreams Neon Rose Garden Petunia | AN | 0.84 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Dreams Series' Dreams Series Garden Petunia | AN | 0.55 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Eagle Series' Eagle Series Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Easy Wave Blue' Easy Wave® Blue Hybrid Petunia | AN | 0.82 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Easy Wave Pink' See - <i>Petunia x hybrida</i> 'PAS3189' | AN | 0.84 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Easy Wave Purple' Easy Wave® Purple Hybrid Petunia | AN | 0.84 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Easy Wave Red' See - <i>Petunia x hybrida</i> 'PAS3320597' | AN | 0.84 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Easy Wave Series' Easy Wave® Series Garden Petunia | AN | 1.09 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Fantasy Pink' Fantasy Pink Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Fantasy Series' Fantasy Series Garden Petunia | AN | 0.60 | R2 | 3-7 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|--------------|---------|-------------|-----------|---------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Petunia x hybrida</i> 'Flash Mix' Flash Mix Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Flash Series' Flash Series Garden Petunia | AN | 0.55 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Kahuna Series' Kahuna Series Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Keilavbu' P.P. 13542 Surfinia® Sky Blue Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Kirimaji Veiny Pink' Suncatcher™ Pink Vein Garden Petunia | AN | 0.64 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Limbo Series' Limbo Series Garden Petunia | AN | 0.55 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'LoGro Series' LoGro® Series Garden Petunia | AN | 0.55 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Madness Midnight' Madness Midnight Garden Petunia | AN | 0.62 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Madness Series' Madness® Series Garden Petunia | AN | 0.62 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Merlin Blue Morn' Merlin Blue Morn Garden Petunia | AN | 1.02 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'PAS3187' Wave™ Purple Garden Petunia | AN | 0.84 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'PAS3189' Easy Wave® Pink Garden Petunia | AN | 0.84 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'PAS3190' Wave™ Misty Lilac Garden Petunia | AN | 0.85 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'PAS3191' Wave™ Rose Garden Petunia | AN | 1.20 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'PAS3320597' Easy Wave® Red Garden Petunia | AN | 0.87 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'PAS91421' Tidal Wave® Cherry Garden Petunia | AN | 0.84 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'PAS95053' Wave™ Lavender Garden Petunia | AN | 1.01 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'PAS97287' Tidal Wave® Silver Garden Petunia | AN | 0.67 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'PAS97502' Wave™ Blue Garden Petunia | AN | 0.85 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'PAS97504' Wave™ Pink Improved Garden Petunia | AN | 1.02 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Petitunia Series' Petitunia™ Series Garden Petunia | AN | 0.85 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Prism Sunshine' Prism Sunshine Garden Petunia | AN | 0.55 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Rose Carpet' Rose Carpet Garden Petunia | AN | 0.92 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'SUNrovein' P.P. 16468 Surfinia® Rose Veined Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Storm Series' Storm Series Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Suncatcher Coral Prism' See - <i>Petunia x hybrida</i> 'Balsuncora' P.P.A.F. | | | | | | | | |
| <i>Petunia x hybrida</i> 'Suncatcher Dark Lavender Vein' See - <i>Petunia x hybrida</i> 'Balsundalav' P.P.A.F. | | | | | | | | |
| <i>Petunia x hybrida</i> 'Suncatcher Deep Plum' See - <i>Petunia x hybrida</i> 'Balsundeum' P.P. 14530 | | | | | | | | |
| <i>Petunia x hybrida</i> 'Suncatcher Hot Pink' See - <i>Petunia x hybrida</i> 'Balsunhopi' P.P.A.F. | | | | | | | | |
| <i>Petunia x hybrida</i> 'Suncatcher Pink Vein' See - <i>Petunia x hybrida</i> 'Kirimaji Veiny Pink' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Petunia x hybrida</i> 'Suncatcher Sapphire' Suncatcher™ Sapphire Garden Petunia | AN | 0.76 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Suncatcher Series' Suncatcher™ Series Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Suncatcher White Improved' See - <i>Petunia x hybrida</i> 'Balsunwitim' P.P.A.F. | | | | | | | | |
| <i>Petunia x hybrida</i> 'Sunray' See - <i>Petunia x hybrida</i> 'Dancas 110' P.P. 17288 | | | | | | | | |
| <i>Petunia x hybrida</i> 'Surfinia Rose Veined' See - <i>Petunia x hybrida</i> 'SUNrovein' P.P. 16468 | | | | | | | | |
| <i>Petunia x hybrida</i> 'Surfinia Sky Blue' See - <i>Petunia x hybrida</i> 'Keilavbu' P.P. 13542 | | | | | | | | |
| <i>Petunia x hybrida</i> 'Tidal Wave Cherry' See - <i>Petunia x hybrida</i> 'PAS91421' | | | | | | | | |
| <i>Petunia x hybrida</i> 'Tidal Wave Series' Tidal Wave® Series Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Tidal Wave Silver' See - <i>Petunia x hybrida</i> 'PAS97287' | | | | | | | | |
| <i>Petunia x hybrida</i> 'Total Madness' Total Madness Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Ultra Blue Star' Ultra Blue Star Garden Petunia | AN | 0.55 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Ultra Pink' Ultra Pink Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Ultra Plum' Ultra Plum Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Ultra Red' Ultra Red Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Ultra Series' Ultra Series Garden Petunia | AN | 0.55 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Ultra White' Ultra White Garden Petunia | AN | 0.80 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Wave Blue' See - <i>Petunia x hybrida</i> 'PAS97502' | | | | | | | | |
| <i>Petunia x hybrida</i> 'Wave Lavender' See - <i>Petunia x hybrida</i> 'PAS95053' | | | | | | | | |
| <i>Petunia x hybrida</i> 'Wave Misty Lilac' See - <i>Petunia x hybrida</i> 'PAS3190' | | | | | | | | |
| <i>Petunia x hybrida</i> 'Wave Pink Improved' See - <i>Petunia x hybrida</i> 'PAS97504' | | | | | | | | |
| <i>Petunia x hybrida</i> 'Wave Pink' Wave™ Pink Garden Petunia | AN | 0.84 | R2 | 3-7 | 8 | | | |
| <i>Petunia x hybrida</i> 'Wave Purple' See - <i>Petunia x hybrida</i> 'PAS3187' | | | | | | | | |
| <i>Petunia x hybrida</i> 'Wave Rose' See - <i>Petunia x hybrida</i> 'PAS3191' | | | | | | | | |
| <i>Petunia x hybrida</i> 'Wave Series' Wave™ Series Garden Petunia | AN | 1.05 | R2 | 3-7 | 8 | | | |
| <i>Petunia integrifolia</i> Violet-flowered Petunia | AN | 1.65 | R2 | 3-7 | 8 | | | |
| <i>Petunia integrifolia</i> 'Laura Bush' Laura Bush Violet-flowered Petunia | AN | 1.65 | R2 | 3-7 | 8 | | | |
| <i>Petunia integrifolia</i> 'VIP' VIP Violet-flowered Petunia | AN | 1.65 | R2 | 3-7 | 8 | | | |
| <i>Petunia violacea</i> See - <i>Petunia integrifolia</i> | | | | | | | | |
| <i>Peucedanum verticillare</i> No Common Name Found | HP | 0.77 | R2 | 3-6 | 7-8 | | | |
| <i>Phacelia sericea</i> Scorpion Weed | HP | 1.00 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | | |
| <i>Phaedranassa carnioli</i> No Common Name Found | HP | 0.81 | R2 | 5-8 | | | | |
| <i>Phaius tankervilleae</i> Swamp Orchid | FO | 1.62 | R2 | 8 | | | 1.00 | 10 |
| <i>Phalaenopsis</i> Phalaenopsis Hybrid Orchid | FO | 3.04 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Phalaenopsis amabilis</i> No Common Name Found | FO | 4.44 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Phalaenopsis pulchra</i> No Common Name Found | FO | 3.75 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Phalaenopsis stuartiana</i> No Common Name Found | FO | 2.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Phalaris arundinacea</i> Ribbon Grass | HP | 0.78 | R2 | 3-4 | 5-8 | | | |
| <i>Phalaris arundinacea</i> 'Dwarf's Garters' Dwarf's Garters Ribbon Grass | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Phalaris arundinacea</i> 'Feesey' Feesey Ribbon Grass | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Phalaris arundinacea</i> 'Luteo-Picta' Luteo-Picta Ribbon Grass | HP | 1.79 | R2 | 3-4 | 5-8 | | | |
| <i>Phalaris arundinacea</i> 'Rosea' Pink Ribbon Grass | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Phalaris arundinacea</i> 'Tricolor' Tricolor Ribbon Grass | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Phalaris arundinacea</i> 'Variegata' See - <i>Phalaris arundinacea</i> var. <i>picta</i> | | | | | | | | |
| <i>Phalaris arundinacea</i> var. <i>picta</i> Gardener's Garters | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Phegopteris connectilis</i> Narrow Beech Fern | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Phegopteris decursive-pinnata</i> No Common Name Found | HP | 0.91 | R2 | 3-6 | 7-8 | | | |
| <i>Phellodendron amurense</i> Amur Corktree | DT | 1.51 | R1 | 3 | 4-8 | 1.27 | 2.26 | 3 |
| <i>Phellodendron amurense</i> 'His Majesty' His Majesty Amur Corktree | DT | 1.51 | R1 | 3 | 4-8 | 0.97 | 2.26 | 3 |
| <i>Phellodendron amurense</i> 'Macho' P.P.A.F. Macho® Amur Corktree | DT | 1.51 | R1 | 3 | 4-8 | 1.22 | 2.26 | 3 |
| <i>Phellodendron amurense</i> 'PNI 4551' Shademaster® Amur Corktree | DT | 1.51 | R1 | 3 | 4-8 | 1.07 | 2.26 | 3 |
| <i>Phellodendron amurense</i> 'Shademaster' See - <i>Phellodendron amurense</i> 'PNI 4551' | | | | | | | | |
| <i>Phellodendron amurense</i> 'Superfection' See - <i>Phellodendron amurense</i> 'Supzam' | | | | | | | | |
| <i>Phellodendron amurense</i> 'Supzam' Superfection™ Amur Corktree | DT | 1.51 | R1 | 3 | 4-8 | 1.63 | 2.26 | 3 |
| <i>Phellodendron amurense</i> 'U.S.D.A. Budded Strain' Budded Strain Amur Corktree | DT | 1.51 | R1 | 3 | 4-8 | 1.23 | 2.26 | 3 |
| <i>Phellodendron lavallei</i> Lavalle Corktree | DT | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Phellodendron lavallei</i> 'Eyestopper' See - <i>Phellodendron lavallei</i> 'Longnecker' | | | | | | | | |
| <i>Phellodendron lavallei</i> 'Longnecker' Eyestopper™ Lavalle Corktree | DT | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Phellodendron sachalinense</i> Sakhalin Corktree | DT | 1.00 | R1 | 3 | 4-8 | 0.62 | 1.00 | 3 |
| <i>Philadelphus</i> Mockorange | DS | 0.86 | R1 | 3-4 | 5-8 | | 0.80 | 3 |
| <i>Philadelphus</i> 'Buckley's Quill' Buckley's Quill Hybrid Mockorange | DS | 0.93 | R1 | 3-4 | 5-8 | | 1.08 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Philadelphus</i> 'Dwarf Minnesota Snowflake' See - <i>Philadelphus x virginalis</i> 'Miniature Snowflake' | | | | | | | | |
| <i>Philadelphus</i> 'Enchantment' Enchantment Hybrid Mockorange | DS | 0.86 | R1 | 3-4 | 5-8 | | 0.80 | 4 |
| <i>Philadelphus</i> 'Galahad' Galahad Hybrid Mockorange | DS | 0.66 | R1 | 3-4 | 5-8 | | 0.80 | 4 |
| <i>Philadelphus</i> 'Innocence' Innocence Hybrid Mockorange | DS | 0.82 | R1 | 3-5 | 6-8 | | 0.80 | 5 |
| <i>Philadelphus</i> 'Natchez' Natchez Hybrid Mockorange | DS | 0.96 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Philadelphus</i> 'Polar Star' Polar Star Hybrid Mockorange | DS | 0.79 | R1 | 3-4 | 5-8 | | 0.52 | 4 |
| <i>Philadelphus</i> 'Snowbelle' Snowbelle Hybrid Mockorange | DS | 0.99 | R1 | 3-4 | 5-8 | | 0.80 | 4 |
| <i>Philadelphus</i> 'Snowgoose' Snowgoose Hybrid Mockorange | DS | 0.86 | R1 | 3-4 | 5-8 | | 0.80 | 4 |
| <i>Philadelphus coronarius</i> Sweet Mockorange | DS | 0.77 | R1 | 3-4 | 5-8 | | 0.38 | 4 |
| <i>Philadelphus coronarius</i> 'Aureus' Golden Sweet Mockorange | DS | 1.14 | R1 | 3-4 | 5-8 | | 1.41 | 4 |
| <i>Philadelphus x cymosus</i> Cymosus Mockorange | DS | 0.67 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Philadelphus x cymosus</i> 'Bouquet Blanc' Bouquet Blanc Cymosus Mockorange | DS | 0.67 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Philadelphus delavayi</i> Delavey Mockorange | DS | 1.00 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Philadelphus inodorus</i> var. <i>grandiflorus</i> Scentless Mockorange | DS | 1.00 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Philadelphus x lemoinei</i> Lemoine Mockorange | DS | 1.08 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Philadelphus x lemoinei</i> 'Manteau d'Hermine' Manteau d'Hermine Lemoine Mockorange | DS | 1.08 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Philadelphus x lemoinei</i> 'Silberregen' Silberregen Lemoine Mockorange | DS | 1.08 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Philadelphus lewisii</i> Lewis Mockorange | DS | 0.72 | R1 | 3-5 | 6-8 | | 1.14 | 5 |
| <i>Philadelphus lewisii</i> 'Blizzard' Blizzard Lewis Mockorange | DS | 1.10 | R1 | 3-5 | 6-8 | | 0.67 | 5 |
| <i>Philadelphus lewisii</i> 'Cheyenne' Cheyenne™ Lewis Mockorange | DS | 0.72 | R1 | 3-5 | 6-8 | | 0.91 | 3 |
| <i>Philadelphus lewisii</i> 'Goose Creek' Goose Creek Lewis Mockorange | DS | 0.60 | R1 | 3-5 | 6-8 | | 0.91 | 5 |
| <i>Philadelphus mexicanus</i> Evergreen Mockorange | DS | 0.83 | R1 | 6-8 | | | 1.00 | 9 |
| <i>Philadelphus microphyllus</i> Littleleaf Mockorange | DS | 0.91 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Philadelphus x purpleomaculatus</i> Purplespot Mockorange | DS | 1.25 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Philadelphus x purpleomaculatus</i> 'Belle Etoile' Belle Etoile Mockorange | DS | 1.25 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Philadelphus texensis</i> Texas Mockorange | DS | 0.96 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Philadelphus x virginalis</i> Hybrid Virginal Mockorange | DS | 0.92 | R1 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Philadelphus x virginalis</i> 'Albatre' Albatre Virginal Mockorange | DS | 0.87 | R1 | 3-4 | 5-8 | | 0.88 | 3 |
| <i>Philadelphus x virginalis</i> 'Argentine' Argentine Virginal Mockorange | DS | 0.87 | R1 | 3-4 | 5-8 | | 0.88 | 3 |
| <i>Philadelphus x virginalis</i> 'Burfordiensis' Burford Virginal Mockorange | DS | 0.87 | R1 | 3-4 | 5-8 | | 0.88 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Philadelphus x virginalis</i> 'Glacier' Glacier Virginal Mockorange | DS | 0.81 | R1 | 3-4 | 5-8 | | 0.35 | 3 |
| <i>Philadelphus x virginalis</i> 'Grandiflora' Grandiflora Virginal Mockorange | DS | 0.87 | R1 | 3-4 | 5-8 | | 0.88 | 3 |
| <i>Philadelphus x virginalis</i> 'Miniature Snowflake' Miniature Snowflake Virginal Mockorange | DS | 1.07 | R1 | 3-4 | 5-8 | | 2.11 | 3 |
| <i>Philadelphus x virginalis</i> 'Minnesota Snowflake' Minnesota Snowflake Virginal Mockorange | DS | 0.91 | R1 | 3-4 | 5-8 | | 0.49 | 3 |
| <i>Philadelphus x virginalis</i> 'Snow Velvet' Snow Velvet Virginal Mockorange | DS | 0.71 | R1 | 3-4 | 5-8 | | 0.88 | 3 |
| <i>Philadelphus x virginalis</i> 'Snow White Sensation' See - <i>Philadelphus x virginalis</i> 'Snowwhite Fantasy' P.P. 13774 | | | | | | | | |
| <i>Philadelphus x virginalis</i> 'Snowwhite Fantasy' P.P. 13774 Snow White Sensation™ Virginal Mockorange | DS | 1.15 | R1 | 3-4 | 5-8 | | 0.88 | 3 |
| <i>Philadelphus x virginalis</i> 'Virginal' Virginal Mockorange | DS | 0.54 | R1 | 3-4 | 5-8 | | 0.47 | 3 |
| <i>Philodendron</i> Philodendron | FO | 0.87 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Anderson's Red' Anderson's Red Philodendron | FO | 0.82 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Autumn' Autumn Philodendron | FO | 1.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Black Cardinal' P.P. 5355 Black Cardinal Philodendron | FO | 0.84 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Bloody Mary' Bloody Mary Philodendron | FO | 0.87 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Burle Marx' Burle Marx Philodendron | FO | 0.64 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Congo' P.P. 11724 Congo Philodendron | FO | 1.13 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Emerald Duke' Emerald Duke Philodendron | FO | 0.87 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Emerald Prince' P.P. 6489 Emerald Prince Philodendron | FO | 0.87 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Emerald Queen' Emerald Queen Philodendron | FO | 0.87 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Hope' Hope Philodendron | FO | 0.71 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Moonlight' Moonlight Philodendron | FO | 0.99 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Prince of Orange' P.P. 6797 Prince of Orange Philodendron | FO | 0.85 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Red Emerald' Red Emerald Philodendron | FO | 0.75 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Red Empress' P.P. 6293 Red Empress Philodendron | FO | 0.94 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Rojo Congo' P.P. 14116 Rojo Congo Philodendron | FO | 1.01 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Royal Queen' Royal Queen Philodendron | FO | 0.87 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Showboat' P.P.A.F. Showboat Philodendron | FO | 0.90 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Soledad' Soledad Philodendron | FO | 0.74 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron</i> 'Winterbourn' P.P. 7030 Xanadu Philodendron | FO | 0.85 | R2 | 6-8 | | | 1.00 | 10 |
| See - <i>Philodendron</i> 'Winterbourn' P.P. 7030 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Philodendron bipennifolium</i> Fiddleleaf Philodendron | FO | 0.45 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron bipinnatifidum</i> Cut-leaf Philodendron | BS | 0.72 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron bipinnatifidum</i> 'German Selloum' German Selloum Cut-leaf Philodendron | BS | 0.64 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron cordatum</i> Heart-leaf Philodendron | FO | 0.75 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron erubescens</i> Red-leaf Philodendron | FO | 1.11 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron erubescens</i> 'Imperial Green' P.P. 6086 Imperial Green Red-leaf Philodendron | FO | 1.07 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron erubescens</i> 'Imperial Red' P.P. 6337 Imperial Red Red-leaf Philodendron | FO | 1.14 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron x evansii</i> No Common Name Found | FO | 1.63 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron giganteum</i> Giant Philodendron | FO | 1.08 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron laciniatum</i> See - <i>Philodendron pedatum</i> | | | | | | | | |
| <i>Philodendron panduraeforme</i> See - <i>Philodendron bipennifolium</i> | | | | | | | | |
| <i>Philodendron pastazanum</i> No Common Name Found | FO | 0.96 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron pedatum</i> No Common Name Found | FO | 1.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron pertusum</i> See - <i>Monstera deliciosa</i> | | | | | | | | |
| <i>Philodendron pinnatifidum</i> No Common Name Found | FO | 1.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron scandens</i> ssp. <i>oxycardium</i> Parlor Ivy | FO | 0.11 | R2 | 6-8 | | | 1.00 | 10B |
| <i>Philodendron selloum</i> See - <i>Philodendron bipinnatifidum</i> | | | | | | | | |
| <i>Philodendron speciosum</i> No Common Name Found | FO | 1.29 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron squamiferum</i> No Common Name Found | FO | 1.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron verrucosum</i> No Common Name Found | FO | 1.65 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Philodendron williamsii</i> No Common Name Found | FO | 1.02 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Phlebodium aureum</i> Golden Polypody | FO | 0.59 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Phlebodium aureum</i> 'Mandaianum' Mandaianum Golden Polypody | FO | 0.59 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Phlebodium aureum</i> var. <i>areolatum</i> No Common Name Found | FO | 1.00 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Phlomis cashmeriana</i> Himalayan Sage | HP | 1.01 | R2 | 3-5 | 6-8 | | | |
| <i>Phlomis fruticosa</i> Jerusalem Sage | HP | 0.77 | R2 | 5-7 | 8 | | | |
| <i>Phlomis italica</i> Italian Sage | HP | 0.62 | R2 | 5-8 | | | | |
| <i>Phlomis lanata</i> No Common Name Found | BS | 0.81 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Phlomis russeliana</i> Sticky Jerusalem Sage | HP | 1.02 | R2 | 3-6 | 7-8 | | | |
| <i>Phlomis tuberosa</i> No Common Name Found | HP | 1.01 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Phlox</i> | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| Phlox | | | | | | | | |
| <i>Phlox</i> 'Chatahoochee' | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| Chatahoochee Hybrid Phlox | | | | | | | | |
| <i>Phlox</i> 'Intensia Cabernet' | | | | | | | | |
| See - <i>Phlox</i> 'USPHLO419' P.P. 17893 | | | | | | | | |
| <i>Phlox</i> 'Intensia Lavender Glow' | | | | | | | | |
| See - <i>Phlox</i> 'USPHL304' P.P. 17899 | | | | | | | | |
| <i>Phlox</i> 'Intensia Lilac Rose' | | | | | | | | |
| See - <i>Phlox</i> 'USPHLO322' P.P. 17894 | | | | | | | | |
| <i>Phlox</i> 'Intensia Neon Pink' | | | | | | | | |
| See - <i>Phlox</i> 'USPHL03' P.P. 15846 | | | | | | | | |
| <i>Phlox</i> 'Intensia Pink' | | | | | | | | |
| See - <i>Phlox</i> 'USPHLO1M' P.P. 19089 | | | | | | | | |
| <i>Phlox</i> 'Intensia Star Brite' | | | | | | | | |
| See - <i>Phlox</i> 'USPHLO3M' P.P. 19098 | | | | | | | | |
| <i>Phlox</i> 'Intensia White' | | | | | | | | |
| See - <i>Phlox</i> 'USPHLOTM6' P.P. 17797 | | | | | | | | |
| <i>Phlox</i> 'Spring Delight' | HP | 1.17 | R2 | 3-4 | 5-8 | | | |
| Spring Delight Hybrid Phlox | | | | | | | | |
| <i>Phlox</i> 'USPHL03' P.P. 15846 | HP | 0.93 | R2 | 7-8 | | | | |
| Intensia® Neon Pink Hybrid Phlox | | | | | | | | |
| <i>Phlox</i> 'USPHL304' P.P. 17899 | HP | 0.95 | R2 | 7-8 | | | | |
| Intensia® Lavender Glow Hybrid Phlox | | | | | | | | |
| <i>Phlox</i> 'USPHLO1M' P.P. 19089 | HP | 1.00 | R2 | 7-8 | | | | |
| Intensia® Pink Hybrid Phlox | | | | | | | | |
| <i>Phlox</i> 'USPHLO322' P.P. 17894 | HP | 0.95 | R2 | 7-8 | | | | |
| Intensia® Lilac Rose Hybrid Phlox | | | | | | | | |
| <i>Phlox</i> 'USPHLO3M' P.P. 19098 | HP | 1.00 | R2 | 7-8 | | | | |
| Intensia® Star Brite Hybrid Phlox | | | | | | | | |
| <i>Phlox</i> 'USPHLO419' P.P. 17893 | HP | 1.00 | R2 | 7-8 | | | | |
| Intensia® Cabernet Hybrid Phlox | | | | | | | | |
| <i>Phlox</i> 'USPHLOTM6' P.P. 17797 | HP | 1.00 | R2 | 7-8 | | | | |
| Intensia® White Hybrid Phlox | | | | | | | | |
| <i>Phlox adsurgens</i> | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| Periwinkle Phlox | | | | | | | | |
| <i>Phlox amoena</i> | | | | | | | | |
| See - <i>Phlox xprocumbens</i> | | | | | | | | |
| <i>Phlox xarendsii</i> | HP | 1.20 | R2 | 3-4 | 5-8 | | | |
| Arend's Phlox | | | | | | | | |
| <i>Phlox xarendsii</i> 'Anja' | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| Anja Arend's Phlox | | | | | | | | |
| <i>Phlox xarendsii</i> 'Hilda' | HP | 1.23 | R2 | 3-4 | 5-8 | | | |
| Hilda Arend's Phlox | | | | | | | | |
| <i>Phlox xarendsii</i> 'Lilac Star' | HP | 1.20 | R2 | 3-4 | 5-8 | | | |
| Lilac Star Arend's Phlox | | | | | | | | |
| <i>Phlox xarendsii</i> 'Ping Pong' | HP | 1.20 | R2 | 3-4 | 5-8 | | | |
| Ping Pong Arend's Phlox | | | | | | | | |
| <i>Phlox xarendsii</i> 'Susanne' | HP | 1.20 | R2 | 3-4 | 5-8 | | | |
| Susanne Arend's Phlox | | | | | | | | |
| <i>Phlox bifida</i> | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| Sand Phlox | | | | | | | | |
| <i>Phlox bifida</i> 'Snowmass' | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| Snowmass™ Sand Phlox | | | | | | | | |
| <i>Phlox borealis</i> | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| Arctic Phlox | | | | | | | | |
| <i>Phlox buckleyi</i> | HP | 0.64 | R2 | 3-5 | 6-8 | | | |
| Sword-leaf Phlox | | | | | | | | |
| <i>Phlox caespitosa</i> | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| Tufted Phlox | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Phlox caespitosa</i> 'Rose Cushion' Rose Cushion Tufted Phlox | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| <i>Phlox carolina</i> Carolina Phlox | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| <i>Phlox carolina</i> 'Bill Baker' Bill Baker Carolina Phlox | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| <i>Phlox carolina</i> 'Magnificence' Magnificence Carolina Phlox | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| <i>Phlox divaricata</i> Blue Phlox | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox divaricata</i> 'Blue Moon' Blue Moon Blue Phlox | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox divaricata</i> 'Blue Perfume' Blue Perfume Blue Phlox | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox divaricata</i> 'Clouds of Perfume' Clouds of Perfume Blue Phlox | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox divaricata</i> 'Dirgo Ice' Dirgo Ice Blue Phlox | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox divaricata</i> 'Fuller's White' Fuller's White Blue Phlox | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox divaricata</i> 'London Grove Blue' London Grove Blue Phlox | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox divaricata</i> 'Louisiana' Louisiana Blue Phlox | HP | 0.58 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox divaricata</i> 'May Breeze' May Breeze Blue Phlox | HP | 0.75 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox divaricata</i> 'Sweet Lilac' Sweet Lilac Blue Phlox | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox divaricata</i> 'White Perfume' White Perfume Blue Phlox | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox divaricata</i> var. <i>laphamii</i> Laphamii Blue Phlox | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox douglasii</i> See - <i>Phlox caespitosa</i> <i>Phlox douglasii</i> 'Rose Cushion' See - <i>Phlox caespitosa</i> 'Rose Cushion' | | | | | | | | |
| <i>Phlox drummondii</i> Annual Phlox | AN | 1.11 | R2 | 5-8 | | | | |
| <i>Phlox drummondii</i> 'Twinkles Mix' Twinkles Mix Annual Phlox | AN | 1.11 | R2 | 5-8 | | | | |
| <i>Phlox glaberrima</i> Smooth Phlox | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox glaberrima</i> 'Anita Kistler' Anita Kistler Smooth Phlox | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox glaberrima</i> 'Interior' Interior Smooth Phlox | HP | 1.43 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox glaberrima</i> ssp. <i>triflora</i> Triflora Smooth Phlox | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox maculata</i> Wild Sweet William | HP | 1.43 | R2 | 3-5 | 6-8 | | | |
| <i>Phlox maculata</i> 'Alpha' Alpha Wild Sweet William | HP | 0.77 | R2 | 3-5 | 6-8 | | | |
| <i>Phlox maculata</i> 'Delta' Delta Wild Sweet William | HP | 0.58 | R2 | 3-5 | 6-8 | | | |
| <i>Phlox maculata</i> 'Flower Power' P.P.A.F. Flower Power Wild Sweet William | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Phlox maculata</i> 'Miss Lingard' Miss Lingard Sweet William | HP | 0.94 | R2 | 3-5 | 6-8 | | | |
| <i>Phlox maculata</i> 'Natascha' Natascha Sweet William | HP | 0.82 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Phlox maculata</i> 'Omega' Omega Wild Sweet William | HP | 0.70 | R2 | 3-5 | 6-8 | | | |
| <i>Phlox maculata</i> 'Rosalinde' Rosalinde Wild Sweet William | HP | 0.77 | R2 | 3-5 | 6-8 | | | |
| <i>Phlox nivalis</i> Trailing Phlox | HP | 0.78 | R2 | 3-5 | 6-8 | | | |
| <i>Phlox nivalis</i> 'Eco Flirtie Eyes' Eco Flirtie Eyes Trailing Phlox | HP | 0.78 | R2 | 3-5 | 6-8 | | | |
| <i>Phlox paniculata</i> Garden Phlox | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Admiral' Admiral Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Alba' White Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Amethyst' Amethyst Garden Phlox | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Andre' Andre Garden Phlox | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Balmoral' Balmoral Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Bareleven' P.P. 11805 Light Pink Flame™ Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Barfourteen' P.P. 12605 Purple Flame™ Garden Phlox | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Barnine' P.P. 11803 Miss Candy Garden Phlox | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Barten' P.P. 11802 Lilac Flame™ Garden Phlox | HP | 1.19 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Barthirtyfive' P.P. 16722 Volcano® Pink White Eye Garden Phlox | HP | 1.78 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Barthirtyfour' P.P. 16341 Volcano® Pink Red Eye Garden Phlox | HP | 1.79 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Barthirtyone' P.P. 16218 Volcano® Ruby Garden Phlox | HP | 1.63 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Barthirtysix' P.P. 16721 Volcano® Red Garden Phlox | HP | 1.77 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Barthirtythree' P.P. 16437 Volcano® Purple White Eye Garden Phlox | HP | 1.78 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Barthirtytwo' P.P. 16436 Volcano® White Garden Phlox | HP | 1.78 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Bartwelve' P.P. 11804 Pink Flame™ Garden Phlox | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Bartwentynine' P.P. 16259 Flame™ White Garden Phlox | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Becky Towe' P.P. 12908 Becky Towe Garden Phlox | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Blue Boy' Blue Boy Garden Phlox | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Blue Paradise' Blue Paradise Garden Phlox | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Brigadier' Brigadier Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Bright Eyes' Bright Eyes Garden Phlox | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Cynthia' Cynthia Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'David' David Garden Phlox | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'David's Lavender' P.P. 17793 David's Lavender Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Phlox paniculata</i> 'Delta Snow' Delta Snow Garden Phlox | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Dodo Hanbury-Forbes' Dodo Hanbury-Forbes Garden Phlox | HP | 0.74 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Dorffreude' Dorffreude Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Dresden China' Dresden China Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Dusterlohe' Dusterlohe Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Europa' Europa Garden Phlox | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Eva Cullum' Eva Cullum Garden Phlox | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Fairest One' Fairest One Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Fairy's Petticoat' Fairy's Petticoat Garden Phlox | HP | 1.27 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Fesselballon' Fesselballon Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Flame White' See - <i>Phlox paniculata</i> 'Bartwentynine' P.P. 16259 | | | | | | | | |
| <i>Phlox paniculata</i> 'Flamingo' Flamingo Garden Phlox | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Franz Schubert' Franz Schubert Garden Phlox | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Frosted Elegance' Frosted Elegance Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Goldmine' P.P. 12070 Goldmine Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Graf Zeppelin' Graf Zeppelin Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Harlequin' Harlequin Garden Phlox | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Hesperis' Hesperis Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Ice Cap' Ice Cap Garden Phlox | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'John Fanick' John Fanick Garden Phlox | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Juliet' Juliet Garden Phlox | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Juliglut' Juliglut Garden Phlox | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Junior Dance' Junior Dance Garden Phlox | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Junior Series' Junior Series Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Junior Surprise' Junior Surprise Phlox | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Katherine' Katherine Garden Phlox | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Laura' Laura Garden Phlox | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Light Pink Flame' See - <i>Phlox paniculata</i> 'Bareleven' P.P. 11805 | | | | | | | | |
| <i>Phlox paniculata</i> 'Lilac Flame' See - <i>Phlox paniculata</i> 'Barten' P.P. 11802 | | | | | | | | |
| <i>Phlox paniculata</i> 'Lilac Time' Lilac Time Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Phlox paniculata</i> 'Little Boy' Little Boy Garden Phlox | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Little Laura' Little Laura Garden Phlox | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Little Princess' Little Princess Garden Phlox | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Look Again' Look Again Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Magic Blue' P.P.A.F. Magic Blue Garden Phlox | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Mardi Gras' See - <i>Phlox paniculata</i> 'Nihon Kaki Variegated' P.P. 12002 | | | | | | | | |
| <i>Phlox paniculata</i> 'Mia Ruys' Mia Ruys Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Mini Star' Mini Star Garden Phlox | HP | 0.58 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Miss Candy' See - <i>Phlox paniculata</i> 'Barnine' P.P. 11803 | | | | | | | | |
| <i>Phlox paniculata</i> 'Miss Elie' Miss Elie Garden Phlox | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Miss Jill' Miss Jill Garden Phlox | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Miss Kelly' Miss Kelly Garden Phlox | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Miss Margie' Miss Margie Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Miss Mary' Miss Mary Garden Phlox | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Mrs. Pepper' Mrs. Pepper Garden Phlox | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Mt. Fuji' Mt. Fuji Garden Phlox | HP | 0.70 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Natural Feelings' P.P. 13623 Natural Feelings Garden Phlox | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'New Bird' New Bird Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Nicky' Nicky Garden Phlox | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Nihon Kaki Variegated' P.P. 12002 Mardi Gras™ Garden Phlox | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Nora Leigh' Nora Leigh Garden Phlox | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Orange Perfection' Orange Perfection Garden Phlox | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Pax' Pax Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Pink Flame' See - <i>Phlox paniculata</i> 'Bartwelve' P.P. 11804 | | | | | | | | |
| <i>Phlox paniculata</i> 'Powder Puff' Powder Puff Garden Phlox | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Prime Minister' Prime Minister Garden Phlox | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Purple Flame' See - <i>Phlox paniculata</i> 'Barfourteen' P.P. 12605 | | | | | | | | |
| <i>Phlox paniculata</i> 'Red Eyes' Red Eyes Garden Phlox | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Red Riding Hood' Red Riding Hood Garden Phlox | HP | 0.73 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Red Super' Red Super Garden Phlox | HP | 0.78 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Phlox paniculata</i> 'Rembrandt' Rembrandt Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Rijnstroom' Rijnstroom Garden Phlox | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Robert Poore' Robert Poore Garden Phlox | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Sandra' Sandra Garden Phlox | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Shortwood' P.P. 10379 Shortwood Garden Phlox | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Snow White' Snow White Garden Phlox | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Special Pink' Special Pink Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Starfire' Starfire Garden Phlox | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Starlight' Starlight Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Sternhimmel' Sternhimmel Garden Phlox | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Tenor' Tenor Garden Phlox | HP | 0.67 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Texas Pink' Texas Pink Garden Phlox | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'The King' The King Garden Phlox | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Violetta Gloriosa' Violetta Gloriosa Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Volcano Pink Red Eye' See - <i>Phlox paniculata</i> 'Barthirtyfour' P.P. 16341 | | | | | | | | |
| <i>Phlox paniculata</i> 'Volcano Pink White Eye' See - <i>Phlox paniculata</i> 'Barthirtyfive' P.P. 16722 | | | | | | | | |
| <i>Phlox paniculata</i> 'Volcano Purple' See - <i>Phlox paniculata</i> 'Barthirtythree' P.P. 16437 | | | | | | | | |
| <i>Phlox paniculata</i> 'Volcano Red' See - <i>Phlox paniculata</i> 'Barthirtysix' P.P. 16721 | | | | | | | | |
| <i>Phlox paniculata</i> 'Volcano Ruby' See - <i>Phlox paniculata</i> 'Barthirtyone' P.P. 16218 | | | | | | | | |
| <i>Phlox paniculata</i> 'Volcano Series' Volcano® Series Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Volcano White' See - <i>Phlox paniculata</i> 'Barthirtytwo' P.P. 16436 | | | | | | | | |
| <i>Phlox paniculata</i> 'White Admiral' White Admiral Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'White Alex' White Alex Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox paniculata</i> 'Windsor' Windsor Garden Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox pilosa</i> Prairie Phlox | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox pilosa</i> ssp. <i>ozarkana</i> Ozarkana Phlox | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox xprocumbens</i> Trailing Phlox | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox xprocumbens</i> 'Cabot Blue' Cabot Blue Trailing Phlox | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox xprocumbens</i> 'Folio-variegata' Variegated Trailing Phlox | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox stolonifera</i> Creeping Phlox | HP | 0.95 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Phlox stolonifera</i> 'Blue Ridge' Blue Ridge Creeping Phlox | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox stolonifera</i> 'Bruce's White' Bruce's White Creeping Phlox | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox stolonifera</i> 'Home Fires' Home Fires Creeping Phlox | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox stolonifera</i> 'Iridescons' Iridescons Creeping Phlox | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox stolonifera</i> 'Pink Ridge' Pink Ridge Creeping Phlox | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox stolonifera</i> 'Sherwood Purple' Sherwood Purple Creeping Phlox | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> Moss Phlox | HP | 0.73 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'Apple Blossom' Apple Blossom Moss Phlox | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'Atropurpurea' Atropurpurea Moss Phlox | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'Blue Emerald' Blue Emerald Moss Phlox | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'Blue Eyes' See - <i>Phlox subulata</i> 'Oakington Blue Eyes' | | | | | | | | |
| <i>Phlox subulata</i> 'Blue Hills' Blue Hills Moss Phlox | HP | 0.48 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'Candy Stripe' Candy Stripe Moss Phlox | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'Coral Eye' Coral Eye Moss Phlox | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'Crimson Beauty' Crimson Beauty Moss Phlox | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'Dirgo Arbutus' Dirgo Arbutus Moss Phlox | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'Emerald Cushion Blue' Emerald Cushion Blue Moss Phlox | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'Emerald Pink' Emerald Pink Moss Phlox | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'Fort Hill' Fort Hill Moss Phlox | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'Maiden Blush' Maiden Blush Moss Phlox | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'Millstream Daphne' Millstream Daphne Moss Phlox | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'Millstream Jupiter' Millstream Jupiter Moss Phlox | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'Millstream Variety' Millstream Variety Moss Phlox | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'Oakington Blue Eyes' Oakington Blue Eyes Moss Phlox | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'Red Wings' Red Wings Moss Phlox | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'Rosea' Rosea Moss Phlox | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'Scarlet Flame' Scarlet Flame Moss Phlox | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'Snowflake' Snowflake Moss Phlox | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Phlox subulata</i> 'White Delight' White Delight Moss Phlox | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Phoenix canariensis</i> Canary Island Date Palm | PC | 0.90 | R1 | 8 | | | 1.97 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Phoenix dactylifera</i> Date Palm | PC | 0.66 | R2 | 8 | | 2.15 | 8 |
| <i>Phoenix sylvestris</i> Wild Date Palm | PC | 0.90 | R2 | 7-8 | | 4.72 | 8 |
| <i>Phormium</i> Flax | HP | 2.02 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Apricot Queen' Apricot Queen New Zealand Flax | HP | 1.91 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Bronze Baby' Bronze Baby New Zealand Flax | HP | 1.05 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Carousel' Carousel New Zealand Flax | HP | 2.02 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Chocolate Baby' Chocolate Baby Dwarf New Zealand Flax | HP | 2.02 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Duet' Duet Dwarf Variegated New Zealand Flax | HP | 2.14 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Evening Glow' Evening Glow New Zealand Flax | HP | 1.94 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Flamingo' Flamingo New Zealand Flax | HP | 2.22 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Gold Ray' Gold Ray New Zealand Flax | HP | 1.94 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Golden Ray' See - <i>Phormium</i> 'Gold Ray' | | | | | | | |
| <i>Phormium</i> 'Jester' Jester New Zealand Flax | HP | 1.61 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Maori Chief' Maori Chief Mountain Flax | HP | 2.20 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Maori Maiden' Maori Maiden Mountain Flax | HP | 1.98 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Maori Queen' Maori Queen Mountain Flax | HP | 1.74 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Maori Sunrise' Maori Sunrise Mountain Flax | HP | 2.37 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Pink Flamingo' See - <i>Phormium</i> 'Flamingo' | | | | | | | |
| <i>Phormium</i> 'Pink Panther' Pink Panther New Zealand Flax | HP | 2.16 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Pizzaz' Pizzaz New Zealand Flax | HP | 2.02 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Platt's Black' Platt's Black New Zealand Flax | HP | 2.15 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Rainbow Chief' See - <i>Phormium</i> 'Maori Chief' | | | | | | | |
| <i>Phormium</i> 'Rainbow Maiden' See - <i>Phormium</i> 'Maori Maiden' | | | | | | | |
| <i>Phormium</i> 'Rainbow Queen' See - <i>Phormium</i> 'Maori Queen' | | | | | | | |
| <i>Phormium</i> 'Rainbow Sunrise' See - <i>Phormium</i> 'Maori Sunrise' | | | | | | | |
| <i>Phormium</i> 'Rainbow Warrior' Rainbow Warrior New Zealand Flax | HP | 2.31 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Red Heart' Red Heart New Zealand Flax | HP | 2.31 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Rosie Chameleon' Rosie Chameleon New Zealand Flax | HP | 2.02 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Shiraz' Shiraz New Zealand Flax | HP | 2.33 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Surfer' Surfer New Zealand Flax | HP | 2.27 | R2 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----------------------------|------------------------------|--|---------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Phormium</i> 'Thumbelina' Thumbelina Flax | HP | 1.86 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Tom Thumb' Tom Thumb New Zealand Flax | HP | 1.51 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Wings of Gold' Wings of Gold New Zealand Flax | HP | 2.42 | R2 | 5-8 | | | |
| <i>Phormium</i> 'Yellow Wave' Yellow Wave New Zealand Flax | HP | 1.94 | R2 | 5-8 | | | |
| <i>Phormium colensoi</i> See - <i>Phormium cookianum</i> | | | | | | | |
| <i>Phormium cookianum</i> Mountain Flax | HP | 1.34 | R2 | 5-8 | | | |
| <i>Phormium cookianum</i> 'Sundowner' Sundowner Mountain Flax | HP | 1.77 | R2 | 5-8 | | | |
| <i>Phormium cookianum</i> ssp. <i>hookeri</i> Hookeri Mountain Flax | HP | 2.16 | R2 | 5-8 | | | |
| <i>Phormium cookianum</i> ssp. <i>hookeri</i> 'Cream Delight' Cream Delight Mountain Flax | HP | 2.64 | R2 | 5-8 | | | |
| <i>Phormium cookianum</i> ssp. <i>hookeri</i> 'Tricolor' Tricolor Mountain Flax | HP | 1.67 | R2 | 5-8 | | | |
| <i>Phormium tenax</i> New Zealand Flax | HP | 1.26 | R2 | 5-8 | | | |
| <i>Phormium tenax</i> 'Amazing Red' Amazing Red New Zealand Flax | HP | 2.09 | R2 | 5-8 | | | |
| <i>Phormium tenax</i> 'Atropurpureum Compactum' Bronze New Zealand Flax | HP | 1.61 | R2 | 5-8 | | | |
| <i>Phormium tenax</i> 'Atropurpureum' Purple New Zealand Flax | HP | 1.41 | R2 | 5-8 | | | |
| <i>Phormium tenax</i> 'Dark Delight' Dark Delight New Zealand Flax | HP | 2.65 | R2 | 5-8 | | | |
| <i>Phormium tenax</i> 'Dazzler' Dazzler New Zealand Flax | HP | 0.94 | R2 | 5-8 | | | |
| <i>Phormium tenax</i> 'Dusky Chief' Dusky Chief New Zealand Flax | HP | 1.58 | R2 | 5-8 | | | |
| <i>Phormium tenax</i> 'Jack Spratt' Jack Spratt New Zealand Flax | HP | 1.43 | R2 | 5-8 | | | |
| <i>Phormium tenax</i> 'Lancer Green & Yellow' Lancer Green & Yellow New Zealand Flax | HP | 1.73 | R2 | 5-8 | | | |
| <i>Phormium tenax</i> 'Lancer Red Edge' Lancer Red Edge New Zealand Flax | HP | 1.73 | R2 | 5-8 | | | |
| <i>Phormium tenax</i> 'Lancer Series' Lancer Series New Zealand Flax | HP | 1.69 | R2 | 5-8 | | | |
| <i>Phormium tenax</i> 'Lancer Terracotta' P.P.A.F. Lancer Terracotta New Zealand Flax | HP | 2.35 | R2 | 5-8 | | | |
| <i>Phormium tenax</i> 'Merlot' P.P. 14228 Merlot New Zealand Flax | HP | 1.69 | R2 | 5-8 | | | |
| <i>Phormium tenax</i> 'Pink Stripe' Pink Stripe New Zealand Flax | HP | 1.80 | R2 | 5-8 | | | |
| <i>Phormium tenax</i> 'Rubrum' Red New Zealand Flax | HP | 1.17 | R2 | 5-8 | | | |
| <i>Phormium tenax</i> 'Sabre Dark Green' Sabre Dark Green New Zealand Flax | HP | 1.69 | R2 | 5-8 | | | |
| <i>Phormium tenax</i> 'Tiny Tiger' Dwarf Variegated New Zealand Flax | HP | 2.36 | R2 | 5-8 | | | |
| <i>Phormium tenax</i> 'Variegatum' Variegated New Zealand Flax | HP | 1.31 | R2 | 5-8 | | | |
| <i>Phormium tenax</i> 'Williamsii Variegated' Williams Variegated New Zealand Flax | HP | 1.69 | R2 | 5-8 | | | |
| <i>Phormium tenax</i> 'Yellow Wave' See - <i>Phormium</i> 'Yellow Wave' | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Photinia</i> | BE | 1.00 | R2 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| Photinia | | | | | | | | |
| <i>Photinia</i> 'Redstart' | BE | 1.00 | R2 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| Redstart Hybrid Photinia | | | | | | | | |
| <i>Photinia davidiana</i> | BS | 1.07 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Chinese Photinia | | | | | | | | |
| <i>Photinia davidiana</i> var. <i>undulata</i> | BS | 0.97 | R2 | 5-7 | 8 | | 1.00 | 7 |
| No Common Name Found | | | | | | | | |
| <i>Photinia davidiana</i> var. <i>undulata</i> 'Prostrata' | BS | 0.84 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Prostrate Chinese Photinia | | | | | | | | |
| <i>Photinia xfraseri</i> | BS | 0.89 | R2 | 5-8 | | | 0.45 | 8 |
| Fraser Photinia | | | | | | | | |
| <i>Photinia xfraseri</i> 'Cassini' P.P. 15160 | BS | 1.08 | R2 | 5-8 | | | 0.45 | 7 |
| Pink Marble Fraser Photinia | | | | | | | | |
| <i>Photinia xfraseri</i> 'Pink Marble' | | | | | | | | |
| See - <i>Photinia xfraseri</i> 'Cassini' P.P. 15160 | | | | | | | | |
| <i>Photinia xfraseri</i> 'Red Robin' | BS | 0.85 | R2 | 5-8 | | | 0.45 | 8 |
| Red Robin Fraser Photinia | | | | | | | | |
| <i>Photinia glabra</i> | BS | 1.08 | R2 | 5-7 | 8 | | 1.10 | 7 |
| Japanese Photinia | | | | | | | | |
| <i>Photinia villosa</i> | BS | 1.00 | R2 | 3-4 | 5-8 | | 0.55 | 4 |
| Oriental Photinia | | | | | | | | |
| <i>Photinia villosa</i> 'Village Shade' | BS | 1.00 | R2 | 3-4 | 5-8 | | 0.55 | 4 |
| Village Shade Oriental Photinia | | | | | | | | |
| <i>Phragmites australis</i> | HP | 1.84 | R2 | 3-5 | 6-8 | | | |
| Common Reed | | | | | | | | |
| <i>Phragmites australis</i> 'Variegatus' | HP | 1.84 | R2 | 3-5 | 6-8 | | | |
| Variegated Common Reed | | | | | | | | |
| <i>Phygelius aequalis</i> | BS | 1.15 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Yellow Cape Fuchsia | | | | | | | | |
| <i>Phygelius aequalis</i> 'Trewidden Pink' | BS | 1.25 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Trewidden Pink Cape Fuchsia | | | | | | | | |
| <i>Phygelius aequalis</i> 'Yellow Trumpet' | BS | 1.04 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Yellow Trumpet Yellow Cape Fuchsia | | | | | | | | |
| <i>Phygelius capensis</i> | HP | 0.71 | R2 | 5-8 | | | | |
| Cape Fuchsia | | | | | | | | |
| <i>Phygelius x rectus</i> | HP | 0.93 | R2 | 5-8 | | | | |
| Hybrid Fuchsia | | | | | | | | |
| <i>Phygelius x rectus</i> 'African Queen' | HP | 0.71 | R2 | 5-8 | | | | |
| African Queen Hybrid Fuchsia | | | | | | | | |
| <i>Phygelius x rectus</i> 'Blaphy' P.P. 13464 | HP | 0.96 | R2 | 5-8 | | | | |
| New Sensation Fuchsia | | | | | | | | |
| <i>Phygelius x rectus</i> 'Devil's Tears' | HP | 0.78 | R2 | 5-8 | | | | |
| Devil's Tears Hybrid Fuchsia | | | | | | | | |
| <i>Phygelius x rectus</i> 'Moonraker' | HP | 0.79 | R2 | 5-8 | | | | |
| Moonraker Hybrid Fuchsia | | | | | | | | |
| <i>Phygelius x rectus</i> 'New Sensation' | | | | | | | | |
| See - <i>Phygelius x rectus</i> 'Blaphy' P.P. 13464 | | | | | | | | |
| <i>Phygelius x rectus</i> 'Sunshine' | HP | 0.83 | R2 | 5-8 | | | | |
| Sunshine Hybrid Fuchsia | | | | | | | | |
| <i>Phyla nodiflora</i> | HP | 0.65 | R2 | 5-8 | | | | |
| Fogfruit | | | | | | | | |
| <i>xPhylliopsis</i> | BS | 1.45 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| No Common Name Found | | | | | | | | |
| <i>xPhylliopsis</i> 'Sugar Plum' | BS | 1.45 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| Sugar Plum Phylliopsis | | | | | | | | |
| <i>Phyllitis scolopendrium</i> | | | | | | | | |
| See - <i>Asplenium scolopendrium</i> | | | | | | | | |
| <i>Phyllodoce empetriformis</i> | CE | 1.00 | R2 | 3 | 4-8 | 1.00 | 1.00 | 3 |
| Pink Mountain Heather | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Phyllostachys angusta</i> Stone Bamboo | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Phyllostachys aurea</i> Golden Bamboo | BS | 1.58 | R2 | 5-6 | 7-8 | | 0.60 | 6 |
| <i>Phyllostachys aurea</i> 'Koi' Koi Golden Bamboo | BS | 1.58 | R2 | 5-6 | 7-8 | | 0.60 | 6 |
| <i>Phyllostachys aureosulcata</i> Yellow-Groove Bamboo | BS | 2.15 | R2 | 5-6 | 7-8 | | 0.63 | 6 |
| <i>Phyllostachys aureosulcata</i> 'Spectabilis' Green Groove Bamboo | BS | 1.40 | R2 | 5-6 | 7-8 | | 0.63 | 6 |
| <i>Phyllostachys bambusoides</i> Giant Timber Bamboo | BS | 1.80 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Phyllostachys bambusoides</i> 'Allgold' See - <i>Phyllostachys bambusoides</i> 'Holo-chrysa' | | | | | | | | |
| <i>Phyllostachys bambusoides</i> 'Castillonis' Castillonis Giant Timber Bamboo | BS | 1.80 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Phyllostachys bambusoides</i> 'Holo-chrysa' Allgold Giant Timber Bamboo | BS | 1.80 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Phyllostachys bambusoides</i> 'Slender Crookstem' Slender Crookstem Giant Timber Bamboo | BS | 1.80 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Phyllostachys bissetii</i> Bissett Bamboo | BS | 2.21 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Phyllostachys decora</i> Beautiful Bamboo | BS | 2.21 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Phyllostachys dulcis</i> Sweetshoot Bamboo | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Phyllostachys edulis</i> Moso Bamboo | BS | 1.16 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Phyllostachys flexuosa</i> Flexible Bamboo | BS | 2.02 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Phyllostachys mannii</i> Mannii Bamboo | BS | 1.00 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Phyllostachys mannii</i> 'Decora' See - <i>Phyllostachys decora</i> | | | | | | | | |
| <i>Phyllostachys mannii</i> 'Mannii' See - <i>Phyllostachys mannii</i> | | | | | | | | |
| <i>Phyllostachys nigra</i> Black Bamboo | BS | 2.34 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Phyllostachys nigra</i> 'Boryana' Boryana Black Bamboo | BS | 2.34 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Phyllostachys nigra</i> 'Shimadake' Shimadake Black Bamboo | BS | 2.34 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Phyllostachys nigra</i> var. <i>henonis</i> Henon Black Bamboo | BS | 1.53 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Phyllostachys nuda</i> Nude Bamboo | BS | 3.77 | R2 | 5-7 | 8 | | 1.00 | 5 |
| <i>Phyllostachys pubescens</i> See - <i>Phyllostachys edulis</i> | | | | | | | | |
| <i>Phyllostachys rubromarginata</i> Red Margin Sheath Bamboo | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Phyllostachys sulphurea</i> 'Houzeau' See - <i>Phyllostachys viridis</i> 'Houzeau' | | | | | | | | |
| <i>Phyllostachys sulphurea</i> 'Robert Young' See - <i>Phyllostachys viridis</i> 'Robert Young' | | | | | | | | |
| <i>Phyllostachys viridis</i> No Common Name Found | BS | 1.53 | R2 | 5-7 | 8 | | 0.54 | 7 |
| <i>Phyllostachys viridis</i> 'Houzeau' Houzeau Bamboo | BS | 1.53 | R2 | 5-7 | 8 | | 0.54 | 7 |
| <i>Phyllostachys viridis</i> 'Robert Young' Robert Young Kou-Chiku | BS | 1.53 | R2 | 5-7 | 8 | | 0.54 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Phyllostachys vivax</i> Chinese Timber Bamboo | BS | 1.00 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>xPhyllothamnus erectus</i> No Common Name Found | BS | 1.00 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Phymatosorus scolopendra</i> 'Laua'e' See - <i>Microsorium scolopendria</i> 'Laua'e' | | | | | | | | |
| <i>Physalis alkekengi</i> Chinese Lantern | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Physalis alkekengi</i> var. <i>franchetii</i> Chinese Lantern Plant | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| <i>Physalis alkekengi</i> var. <i>franchetii</i> 'Gnome' See - <i>Physalis alkekengi</i> var. <i>franchetii</i> 'Zwerg' | | | | | | | | |
| <i>Physalis alkekengi</i> var. <i>franchetii</i> 'Zwerg' Zwerg Dwarf Chinese Lantern | HP | 1.03 | R2 | 3-5 | 6-8 | | | |
| <i>Physalis franchetii</i> See - <i>Physalis alkekengi</i> var. <i>franchetii</i> | | | | | | | | |
| <i>Physocarpus capitatus</i> Pacific Ninebark | DS | 0.66 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Physocarpus malvaceus</i> Mallow Ninebark | DS | 1.01 | R1 | 3-5 | 6-7 | | 1.00 | 5 |
| <i>Physocarpus monogynus</i> Mountain Ninebark | DS | 0.84 | R1 | 3-5 | 6-8 | | 0.75 | 5 |
| <i>Physocarpus opulifolius</i> Common Ninebark | DS | 0.90 | R1 | | 3-7 | | 0.54 | 2 |
| <i>Physocarpus opulifolius</i> 'Burgundy Star' See - <i>Physocarpus opulifolius</i> 'R Tres' P.P.A.F. | | | | | | | | |
| <i>Physocarpus opulifolius</i> 'Center Glow' P.P. 16894 Center Glow™ Common Ninebark | DS | 1.28 | R1 | | 3-7 | | 0.85 | 2 |
| <i>Physocarpus opulifolius</i> 'Coppertina' See - <i>Physocarpus opulifolius</i> 'Mindia' P.P. 16371 | | | | | | | | |
| <i>Physocarpus opulifolius</i> 'Dart's Gold' Dart's Gold Common Ninebark | DS | 0.98 | R1 | | 3-7 | | 0.65 | 2 |
| <i>Physocarpus opulifolius</i> 'Diabolo' See - <i>Physocarpus opulifolius</i> 'Monlo' P.P. 11211 | | | | | | | | |
| <i>Physocarpus opulifolius</i> 'Luteus' Golden Common Ninebark | DS | 1.01 | R1 | | 3-7 | | 0.85 | 2 |
| <i>Physocarpus opulifolius</i> 'Mindia' P.P. 16371 Coppertina™ Common Ninebark | DS | 1.12 | R1 | | 3-7 | | 0.85 | 2 |
| <i>Physocarpus opulifolius</i> 'Monlo' P.P. 11211 Diabolo® Common Ninebark | DS | 1.11 | R1 | | 3-7 | | 0.97 | 2 |
| <i>Physocarpus opulifolius</i> 'Nanus' Dwarf Common Ninebark | DS | 1.10 | R1 | | 3-7 | | 0.54 | 2 |
| <i>Physocarpus opulifolius</i> 'Nugget' Nugget Common Ninebark | DS | 1.04 | R1 | | 3-7 | | 1.27 | 2 |
| <i>Physocarpus opulifolius</i> 'R Tres' P.P.A.F. Burgundy Star Common Ninebark | DS | 1.81 | R1 | 3 | 4-7 | | 0.85 | 3 |
| <i>Physocarpus opulifolius</i> 'Seward' P.P. 14821 Summer Wine™ Common Ninebark | DS | 1.21 | R1 | | 3-7 | | 1.15 | 2 |
| <i>Physocarpus opulifolius</i> 'Snowfall' Snowfall Common Ninebark | DS | 1.05 | R1 | | 3-7 | | 0.85 | 2 |
| <i>Physocarpus opulifolius</i> 'Summer Wine' See - <i>Physocarpus opulifolius</i> 'Seward' P.P. 14821 | | | | | | | | |
| <i>Physocarpus opulifolius</i> var. <i>intermedius</i> Illinois Ninebark | DS | 1.00 | R1 | | 3-7 | | 1.00 | 2 |
| <i>Physostegia purpurea</i> Eastern False Dragonhead | HP | 0.56 | R2 | 3-4 | 5-8 | | | |
| <i>Physostegia virginiana</i> False Dragonhead | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Physostegia virginiana</i> 'Alba' White False Dragonhead | HP | 0.69 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Physostegia virginiana</i> 'Bouquet Rose' Bouquet Rose False Dragonhead | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Physostegia virginiana</i> 'Crown of Snow' See - <i>Physostegia virginiana</i> 'Schneekrone' | | | | | | | | |
| <i>Physostegia virginiana</i> 'Miss Manners' P.P. 12637 Miss Manners False Dragonhead | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Physostegia virginiana</i> 'Pink Bouquet' Pink Bouquet False Dragonhead | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Physostegia virginiana</i> 'Red Beauty' Red Beauty False Dragonhead | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Physostegia virginiana</i> 'Rose Crown' Rose Crown False Dragonhead | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Physostegia virginiana</i> 'Rosea' Pink False Dragonhead | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Physostegia virginiana</i> 'Schneekrone' Snow Crown False Dragonhead | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Physostegia virginiana</i> 'Snow Crown' See - <i>Physostegia virginiana</i> 'Schneekrone' | | | | | | | | |
| <i>Physostegia virginiana</i> 'Summer Snow' Summer Snow False Dragonhead | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Physostegia virginiana</i> 'Summer Spire' Summer Spire False Dragonhead | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Physostegia virginiana</i> 'Variegata' Variegated False Dragonhead | HP | 0.74 | R2 | 3-4 | 5-8 | | | |
| <i>Physostegia virginiana</i> 'Vivid' Vivid False Dragonhead | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Physostegia virginiana</i> var. <i>speciosa</i> Showy Obedient Plant | HP | 1.22 | R2 | 3-4 | 5-8 | | | |
| <i>Phyteuma nigrum</i> Horned Rampion | HP | 0.66 | R2 | 3-6 | 7-8 | | | |
| <i>Picea abies</i> Norway Spruce | CE | 0.77 | R1 | 3 | 4-7 | 1.00 | 1.06 | 3 |
| <i>Picea abies</i> 'Acrocona' Acrocona Norway Spruce | CE | 2.77 | R1 | 3 | 4-7 | 1.00 | 1.28 | 3 |
| <i>Picea abies</i> 'Argenteospica' Silver Norway Spruce | CE | 1.74 | R1 | 3 | 4-7 | 1.00 | 2.40 | 3 |
| <i>Picea abies</i> 'Aurea' Gold Norway Spruce | CE | 1.74 | R1 | 3 | 4-7 | 1.00 | 1.26 | 3 |
| <i>Picea abies</i> 'Aurescens' Aurescens Norway Spruce | CE | 1.74 | R1 | 3 | 4-7 | 1.00 | 1.27 | 3 |
| <i>Picea abies</i> 'Berry Gardens' Berry Gardens Norway Spruce | CE | 1.74 | R1 | 3 | 4-7 | 1.00 | 1.27 | 3 |
| <i>Picea abies</i> 'Capitata' Capitata Semi-Dwarf Norway Spruce | CS | 1.76 | R1 | 3 | 4-7 | | 1.52 | 3 |
| <i>Picea abies</i> 'Cinninata' Cinninata Norway Spruce | CE | 1.74 | R1 | 3 | 4-7 | 1.00 | 1.62 | 3 |
| <i>Picea abies</i> 'Clanbrassiliana Stricta' Clanbrassiliana Stricta Norway Spruce | CS | 2.49 | R1 | 3 | 4-7 | | 1.52 | 3 |
| <i>Picea abies</i> 'Clanbrassiliana' Clanbrassiliana Norway Spruce | CS | 2.50 | R1 | 3 | 4-7 | | 1.52 | 3 |
| <i>Picea abies</i> 'Columnaris' Columnar Norway Spruce | CE | 1.74 | R1 | 3 | 4-7 | 1.00 | 1.38 | 3 |
| <i>Picea abies</i> 'Compacta Asselyn' Compact Asselyn Norway Spruce | CS | 1.76 | R1 | 3 | 4-7 | | 1.52 | 3 |
| <i>Picea abies</i> 'Compacta' Compact Norway Spruce | CS | 1.76 | R1 | 3 | 4-7 | | 1.52 | 3 |
| <i>Picea abies</i> 'Cranstonii' Cranston Norway Spruce | CE | 1.74 | R1 | 3 | 4-7 | 1.00 | 1.27 | 3 |
| <i>Picea abies</i> 'Crippsii' Cripps Norway Spruce | CE | 1.74 | R1 | 3 | 4-7 | 1.00 | 1.27 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Picea abies</i> 'Cruenta' Cruenta Norway Spruce | CE | 1.74 | R1 | 3 | 4-7 | 1.00 | 0.97 | 3 |
| <i>Picea abies</i> 'Cupressina' Cypress Norway Spruce | CE | 1.37 | R1 | 3 | 4-7 | 1.00 | 1.26 | 3 |
| <i>Picea abies</i> 'Elegans' Elegans Dwarf Norway Spruce | CS | 1.35 | R1 | 3 | 4-7 | | 1.66 | 3 |
| <i>Picea abies</i> 'Elegantissima' Elegantissima Dwarf Norway Spruce | CS | 1.76 | R1 | 3 | 4-7 | | 1.52 | 3 |
| <i>Picea abies</i> 'Ellwangeriana' Ellwanger Dwarf Norway Spruce | CS | 1.76 | R1 | 3 | 4-7 | | 1.52 | 3 |
| <i>Picea abies</i> 'Formanek' Formanek Norway Spruce | CS | 1.76 | R1 | 3 | 4-7 | | 1.52 | 3 |
| <i>Picea abies</i> 'Frohburg' Frohburg Norway Spruce | CE | 1.74 | R1 | 3 | 4-7 | 1.00 | 1.30 | 3 |
| <i>Picea abies</i> 'Glauca Pendula' Blue Weeping Norway Spruce | CE | 1.74 | R1 | 3 | 4-7 | 1.00 | 0.91 | 3 |
| <i>Picea abies</i> 'Globosa' Globe Norway Spruce | CS | 2.82 | R1 | 3 | 4-7 | | 1.52 | 3 |
| <i>Picea abies</i> 'Gregoryana Parsonsii' See - <i>Picea abies</i> 'Parsonsii' | | | | | | | | |
| <i>Picea abies</i> 'Gregoryana' Gregoryana Dwarf Norway Spruce | CS | 2.54 | R1 | 3 | 4-7 | | 1.52 | 3 |
| <i>Picea abies</i> 'Hillside Upright' Hillside Upright Norway Spruce | CE | 1.33 | R1 | 3 | 4-7 | 1.00 | 1.02 | 3 |
| <i>Picea abies</i> 'Humilis' Humilis Norway Spruce | CS | 1.76 | R1 | 3 | 4-7 | | 1.52 | 3 |
| <i>Picea abies</i> 'Inversa' Drooping Norway Spruce | CE | 1.74 | R1 | 3 | 4-7 | 1.00 | 1.35 | 3 |
| <i>Picea abies</i> 'Little Gem' Little Gem Dwarf Norway Spruce | CS | 1.32 | R1 | 3 | 4-7 | | 1.55 | 3 |
| <i>Picea abies</i> 'Maxwellii' Maxwell Dwarf Norway Spruce | CS | 2.02 | R1 | 3 | 4-7 | | 1.30 | 3 |
| <i>Picea abies</i> 'Microsperma' Smallcone Norway Spruce | CE | 1.74 | R1 | 3 | 4-7 | 1.00 | 1.27 | 3 |
| <i>Picea abies</i> 'Monstrosa' Monstrosa Norway Spruce | CE | 1.74 | R1 | 3 | 4-7 | 1.00 | 1.27 | 3 |
| <i>Picea abies</i> 'Mucronata' Mucronata Dwarf Norway Spruce | CS | 1.32 | R1 | 3 | 4-7 | | 1.30 | 3 |
| <i>Picea abies</i> 'Nana' Dwarf Conic Norway Spruce | CS | 1.76 | R1 | 3 | 4-7 | | 1.73 | 3 |
| <i>Picea abies</i> 'Nidiformis' Bird's Nest Norway Spruce | CS | 0.91 | R1 | 3 | 4-7 | | 1.55 | 3 |
| <i>Picea abies</i> 'Ohlendorffi' Ohlendorff Norway Spruce | CS | 1.76 | R1 | 3 | 4-7 | | 1.36 | 3 |
| <i>Picea abies</i> 'Parsonsii' Parsons Dwarf Norway Spruce | CS | 0.93 | R1 | 3 | 4-7 | | 1.72 | 3 |
| <i>Picea abies</i> 'Pendula Major' Pendula Major Norway Spruce | CE | 1.14 | R1 | 3 | 4-7 | 1.00 | 0.64 | 3 |
| <i>Picea abies</i> 'Pendula Monstrosa' Pendula Monstrosa Norway Spruce | CE | 1.74 | R1 | 3 | 4-7 | 1.00 | 1.27 | 3 |
| <i>Picea abies</i> 'Pendula' Weeping Norway Spruce | CE | 1.63 | R1 | 3 | 4-7 | 1.00 | 1.56 | 3 |
| <i>Picea abies</i> 'Procumbens' Procumbens Norway Spruce | CS | 3.28 | R1 | 3 | 4-7 | | 1.52 | 3 |
| <i>Picea abies</i> 'Pumila Nigra' Dwarf Black Norway Spruce | CS | 0.95 | R1 | 3 | 4-7 | | 1.52 | 3 |
| <i>Picea abies</i> 'Pumila' Dwarf Norway Spruce | CS | 1.15 | R1 | 3 | 4-7 | | 1.32 | 3 |
| <i>Picea abies</i> 'Pygmaea' Pygmy Norway Spruce | CS | 1.76 | R1 | 3 | 4-7 | | 1.41 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Picea abies</i> 'Pyramidalis' Pyramidal Norway Spruce | CE | 1.74 | R1 | 3 | 4-7 | 1.00 | 1.00 | 3 |
| <i>Picea abies</i> 'Remontii' Remont Dwarf Norway Spruce | CS | 1.76 | R1 | 3 | 4-7 | | 1.94 | 3 |
| <i>Picea abies</i> 'Repens' Creeping Dwarf Norway Spruce | CS | 1.05 | R1 | 3 | 4-7 | | 1.45 | 3 |
| <i>Picea abies</i> 'Sherwood Compact' Sherwood Compact Norway Spruce | CE | 3.19 | R1 | 3 | 4-7 | 1.00 | 1.27 | 3 |
| <i>Picea abies</i> 'Virgata' Snake-Branch Spruce | CE | 1.74 | R1 | 3 | 4-7 | 1.00 | 1.27 | 3 |
| <i>Picea abies</i> 'Witches' Brood' Witches' Brood Norway Spruce | CE | 1.74 | R1 | 3 | 4-7 | 1.00 | 1.27 | 3 |
| <i>Picea alcoquiana</i> See - <i>Picea bicolor</i> | | | | | | | | |
| <i>Picea asperata</i> Dragon Spruce | CE | 1.00 | R1 | 3-6 | 7 | 1.00 | 1.00 | 6 |
| <i>Picea asperata</i> 'Dwarf' Dwarf Dragon Spruce | CS | 1.00 | R1 | 3-6 | 7 | | 1.00 | 6 |
| <i>Picea asperata</i> 'Pendula' Weeping Dragon Spruce | CE | 1.00 | R1 | 3-6 | 7 | 1.00 | 1.00 | 6 |
| <i>Picea asperata</i> var. <i>retroflexa</i> See - <i>Picea retroflexa</i> | | | | | | | | |
| <i>Picea balfouriana</i> Balfour Spruce | CE | 1.67 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 5 |
| <i>Picea bicolor</i> Alcock Spruce | CE | 1.25 | R1 | 3-5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Picea bicolor</i> 'Howell's Dwarf' Howell's Dwarf Alcock Spruce | CS | 1.23 | R1 | 3-5 | 6-7 | | 0.93 | 5 |
| <i>Picea bicolor</i> 'Prostrata' Prostrate Alcock Spruce | CS | 1.23 | R1 | 3-5 | 6-7 | | 0.93 | 5 |
| <i>Picea brachytyla</i> Sargent Spruce | CE | 2.09 | R1 | 3-8 | | 1.00 | 1.04 | 8 |
| <i>Picea breweriana</i> Brewer Spruce | CE | 1.29 | R1 | 3-6 | 7 | 1.00 | 1.62 | 6 |
| <i>Picea engelmannii</i> Engelmann Spruce | CE | 0.86 | R1 | 3 | 4-8 | 1.00 | 0.94 | 3 |
| <i>Picea engelmannii</i> 'Argentea' Silver Engelmann Spruce | CE | 0.86 | R1 | 3 | 4-8 | 1.00 | 0.94 | 3 |
| <i>Picea engelmannii</i> 'Glauca' Blue Engelmann Spruce | CS | 1.00 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Picea engelmannii</i> 'Hoodie' Hoodie Engelmann Spruce | CE | 0.86 | R1 | 3 | 4-8 | 1.00 | 0.94 | 3 |
| <i>Picea engelmannii</i> 'Stanley Mountain' Stanley Mountain Engelmann Spruce | CE | 0.86 | R1 | 3 | 4-8 | 1.00 | 0.94 | 3 |
| <i>Picea excelsa</i> See - <i>Picea abies</i> | | | | | | | | |
| <i>Picea gemmata</i> Tapaoshan Spruce | CE | 1.00 | R1 | 3-6 | 7 | 1.00 | 1.00 | 6 |
| <i>Picea glauca</i> White Spruce | CE | 1.19 | R1 | | 3-7 | 1.00 | 1.05 | 2 |
| <i>Picea glauca</i> 'Alberta Globe' Alberta Globe Spruce | CS | 1.30 | R1 | | 3-7 | | 2.35 | 2 |
| <i>Picea glauca</i> 'Albertiana Conica' Dwarf Alberta Spruce | CS | 1.38 | R1 | | 3-7 | | 1.24 | 2 |
| <i>Picea glauca</i> 'Arneson's Blue Variegated' Arneson's Blue Variegated Alberta Spruce | CE | 1.98 | R1 | | 3-7 | 1.00 | 1.49 | 2 |
| <i>Picea glauca</i> 'Aurea' Gold Alberta Spruce | CE | 1.98 | R1 | | 3-7 | 1.00 | 1.49 | 2 |
| <i>Picea glauca</i> 'Blue Wonder' P.P. 10933 Blue Wonder Dwarf Alberta Spruce | CE | 2.19 | R1 | | 3-7 | 1.00 | 1.49 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Picea glauca</i> 'Brevifolia' Brevifolia White Spruce | CE | 1.98 | R1 | | 3-7 | 1.00 | 1.49 | 2 |
| <i>Picea glauca</i> 'Cecilia' Cecilia White Spruce | CS | 1.30 | R1 | | 3-7 | | 1.09 | 2 |
| <i>Picea glauca</i> 'Coerulea' Blueleaf White Spruce | CE | 1.98 | R1 | | 3-7 | 1.00 | 1.91 | 2 |
| <i>Picea glauca</i> 'Conica' See - <i>Picea glauca</i> 'Albertiana Conica' | | | | | | | | |
| <i>Picea glauca</i> 'Densata' Black Hills Spruce | CE | 1.12 | R1 | | 3-7 | 1.00 | 1.13 | 2 |
| <i>Picea glauca</i> 'Dent' Dent Black Hills Spruce | CE | 1.98 | R1 | | 3-7 | 1.00 | 1.30 | 2 |
| <i>Picea glauca</i> 'Echiniformis' Echiniformis Spruce | CE | 1.55 | R1 | | 3-7 | 1.00 | 1.49 | 2 |
| <i>Picea glauca</i> 'Globulosa' Globe White Spruce | CS | 1.21 | R1 | | 3-7 | | 4.71 | 2 |
| <i>Picea glauca</i> 'Gnom' Gnom Alberta Spruce | CS | 1.30 | R1 | | 3-7 | | 2.35 | 2 |
| <i>Picea glauca</i> 'Haal' P.P. 11473 Haal Blue Spruce | CE | 2.04 | R1 | | 3-7 | 1.00 | 1.49 | 2 |
| <i>Picea glauca</i> 'Humpty Dumpty' Humpty Dumpty Alberta Spruce | CE | 1.98 | R1 | | 3-7 | 1.00 | 1.49 | 2 |
| <i>Picea glauca</i> 'Jean's Dilly' Jean's Dilly Alberta Spruce | CE | 1.45 | R1 | | 3-7 | 1.00 | 1.49 | 2 |
| <i>Picea glauca</i> 'Little Globe' Little Globe Alberta Spruce | CE | 1.98 | R1 | | 3-7 | 1.00 | 1.50 | 2 |
| <i>Picea glauca</i> 'North Star' North Star Alberta Spruce | CE | 3.19 | R1 | | 3-7 | 1.00 | 1.49 | 2 |
| <i>Picea glauca</i> 'Pendula' Weeping White Spruce | CE | 3.39 | R1 | | 3-7 | 1.00 | 1.24 | 2 |
| <i>Picea glauca</i> 'Pixie' Pixie Alberta Spruce | CS | 1.30 | R1 | | 3-7 | | 2.35 | 2 |
| <i>Picea glauca</i> 'Rainbow's End' Rainbow's End Alberta Spruce | CE | 2.52 | R1 | | 3-7 | 1.00 | 2.27 | 2 |
| <i>Picea glauca</i> 'Sander's Blue' Sander's Blue Alberta Spruce | CE | 1.15 | R1 | | 3-7 | 1.00 | 1.49 | 2 |
| <i>Picea glauca</i> 'Sander's Fastigiata' Sander's Fastigiata Alberta Spruce | CE | 1.98 | R1 | | 3-7 | 1.00 | 1.49 | 2 |
| <i>Picea glauca</i> 'Wild Acres' Wild Acres White Spruce | CS | 1.30 | R1 | | 3-7 | | 2.35 | 2 |
| <i>Picea glauca</i> var. <i>albertiana</i> Alberta White Spruce | CE | 1.43 | R1 | | 3-7 | 1.00 | 1.24 | 2 |
| <i>Picea jezoensis</i> Yezo Spruce | CE | 1.00 | R1 | | 3-7 | 1.00 | 1.00 | 2 |
| <i>Picea jezoensis</i> 'Yatsubusa' Yatsubusa Yezo Spruce | CE | 1.00 | R1 | | 3-7 | 1.00 | 1.00 | 2 |
| <i>Picea likiangensis</i> Lijiang Spruce | CE | 1.63 | R1 | 3-6 | 7-8 | 1.00 | 1.02 | 6 |
| <i>Picea likiangensis</i> var. <i>balfouriana</i> See - <i>Picea balfouriana</i> | | | | | | | | |
| <i>Picea likiangensis</i> var. <i>purpurea</i> See - <i>Picea purpurea</i> | | | | | | | | |
| <i>Picea x lutzii</i> Lutz Hybrid Spruce | BE | 1.00 | R1 | 3 | 4-7 | 1.00 | 0.77 | 3 |
| <i>Picea mariana</i> Black Spruce | CE | 0.94 | R1 | | 3-7 | 1.00 | 0.96 | 2 |
| <i>Picea mariana</i> 'Aureovariegata' Golden Variegated Black Spruce | CE | 2.06 | R1 | | 3-7 | 1.00 | 1.32 | 2 |
| <i>Picea mariana</i> 'Beissneri' Beissner Black Spruce | CE | 2.06 | R1 | | 3-7 | 1.00 | 1.45 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | | |
| <i>Picea mariana</i> 'Ericoides' Heath Blue Nest Spruce | CS | 1.16 | R1 | 3-7 | | | 1.63 | 2 |
| <i>Picea mariana</i> 'Golden' Golden Black Spruce | CE | 3.18 | R1 | 3-7 | | 1.00 | 1.45 | 2 |
| <i>Picea mariana</i> 'Nana' Dwarf Black Spruce | CS | 1.12 | R1 | 3-7 | | | 1.63 | 2 |
| <i>Picea mariana</i> 'Wellspire' Wellspire Columnar Black Spruce | CE | 2.06 | R1 | 3-7 | | 1.00 | 2.07 | 2 |
| <i>Picea meyeri</i> Meyer Spruce | CE | 0.86 | R1 | 3-5 6-7 | | 1.00 | 1.30 | 2 |
| <i>Picea morrisonicola</i> Taiwan Spruce | CE | 1.00 | R1 | 3-7 8 | | 1.00 | 0.87 | 7 |
| <i>Picea omorika</i> Serbian Spruce | CE | 0.81 | R1 | 3-4 5-7 | | 1.00 | 1.09 | 4 |
| <i>Picea omorika</i> 'Berliner's Weeper' Berliner's Weeper Serbian Spruce | CE | 2.02 | R1 | 3-4 5-7 | | 1.00 | 0.96 | 4 |
| <i>Picea omorika</i> 'Bruns' Bruns Serbian Spruce | CE | 1.72 | R1 | 3-4 5-7 | | 1.00 | 0.71 | 4 |
| <i>Picea omorika</i> 'Expansa' Spreading Serbian Spruce | CS | 0.92 | R1 | 3-4 5-7 | | | 1.83 | 4 |
| <i>Picea omorika</i> 'Nana' Dwarf Serbian Spruce | CS | 2.04 | R1 | 3-4 5-7 | | | 1.83 | 4 |
| <i>Picea omorika</i> 'Pendula Bruns' Weeping Bruns Serbian Spruce | CE | 2.68 | R1 | 3-4 5-7 | | 1.00 | 1.36 | 4 |
| <i>Picea omorika</i> 'Pendula' Weeping Serbian Spruce | CE | 2.86 | R1 | 3-4 5-7 | | 1.00 | 1.38 | 4 |
| <i>Picea omorika</i> 'Pimoko' Pimoko Serbian Spruce | CS | 2.77 | R1 | 3-4 5-7 | | | 1.83 | 4 |
| <i>Picea omorika</i> 'Riverside' Riverside Columnar Serbian Spruce | CE | 2.02 | R1 | 3-4 5-7 | | 1.00 | 2.50 | 4 |
| <i>Picea orientalis</i> Oriental Spruce | CE | 0.86 | R1 | 3-5 6-8 | | 1.00 | 1.41 | 5 |
| <i>Picea orientalis</i> 'Atrovirens' Deepgreen Oriental Spruce | CE | 2.28 | R1 | 3-5 6-8 | | 1.00 | 1.89 | 5 |
| <i>Picea orientalis</i> 'Aurea' Bronzegold Oriental Spruce | CE | 2.18 | R1 | 3-5 6-8 | | 1.00 | 1.89 | 5 |
| <i>Picea orientalis</i> 'Aureospicata' Yellowtip Oriental Spruce | CE | 2.18 | R1 | 3-5 6-8 | | 1.00 | 1.52 | 5 |
| <i>Picea orientalis</i> 'Barnes' Barnes Oriental Spruce | CS | 1.84 | R1 | 3-5 6-8 | | | 0.92 | 5 |
| <i>Picea orientalis</i> 'Bergman's Gem' Bergman's Gem Oriental Spruce | CS | 1.84 | R1 | 3-5 6-8 | | | 0.92 | 5 |
| <i>Picea orientalis</i> 'Compacta Pendula' Compact Weeping Oriental Spruce | CS | 1.96 | R1 | 3-5 6-8 | | | 1.43 | 5 |
| <i>Picea orientalis</i> 'Compacta' Compact Oriental Spruce | CS | 1.96 | R1 | 3-5 6-8 | | | 1.43 | 5 |
| <i>Picea orientalis</i> 'Gowdy' Gowdy Oriental Spruce | CE | 2.38 | R1 | 3-5 6-8 | | 1.00 | 2.38 | 5 |
| <i>Picea orientalis</i> 'Gracilis' Columnar Oriental Spruce | CS | 1.96 | R1 | 3-5 6-8 | | | 2.07 | 5 |
| <i>Picea orientalis</i> 'Kolaga' Kolaga Dwarf Oriental Spruce | CS | 1.96 | R1 | 3-5 6-8 | | | 1.43 | 5 |
| <i>Picea orientalis</i> 'Mount Vernon' Mount Vernon Oriental Spruce | CE | 2.18 | R1 | 3-5 6-8 | | 1.00 | 1.89 | 5 |
| <i>Picea orientalis</i> 'Nana' Dwarf Oriental Spruce | CS | 2.20 | R1 | 3-5 6-8 | | | 1.82 | 5 |
| <i>Picea orientalis</i> 'Nigra Compacta' Compact Darkgreen Oriental Spruce | CE | 2.71 | R1 | 3-5 6-8 | | 1.00 | 3.25 | 5 |
| <i>Picea orientalis</i> 'Nutans' Nutans Oriental Spruce | CE | 2.18 | R1 | 3-5 6-8 | | 1.00 | 1.89 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Picea orientalis</i> 'Pendula' Weeping Oriental Spruce | CE | 2.18 | R1 | 3-5 | 6-8 | 1.00 | 0.91 | 5 |
| <i>Picea orientalis</i> 'Skylands' Skylands Oriental Spruce | CE | 2.65 | R1 | 3-5 | 6-8 | 1.00 | 1.89 | 5 |
| <i>Picea orientalis</i> 'Tom Thumb' Tom Thumb Oriental Spruce | CS | 1.96 | R1 | 3-5 | 6-8 | | 1.43 | 5 |
| <i>Picea polita</i> Tigertail Spruce | CE | 1.00 | R1 | 3-6 | 7-8 | 1.00 | 1.99 | 6 |
| <i>Picea pungens</i> Colorado Spruce | CE | 0.95 | R1 | 3 | 4-8 | 0.60 | 1.08 | 3 |
| <i>Picea pungens</i> 'Argentea' Silver Colorado Spruce | CE | 1.79 | R1 | 3 | 4-8 | 0.60 | 1.61 | 3 |
| <i>Picea pungens</i> 'Aurea' Golden Colorado Spruce | CE | 1.79 | R1 | 3 | 4-8 | 0.60 | 1.61 | 3 |
| <i>Picea pungens</i> 'Baby Blue Eyes' See - <i>Picea pungens</i> 'Baby Blueeyes' P.P. 5457 | | | | | | | | |
| <i>Picea pungens</i> 'Baby Blueeyes' P.P. 5457 Baby Blueeyes Colorado Blue Spruce | CS | 1.42 | R1 | 3 | 4-8 | | 1.78 | 3 |
| <i>Picea pungens</i> 'Bakeri' Bakeri Colorado Spruce | CE | 1.56 | R1 | 3 | 4-8 | 0.60 | 1.57 | 3 |
| <i>Picea pungens</i> 'Bizon Blue' Bizon Blue Colorado Spruce | CE | 1.79 | R1 | 3 | 4-8 | 0.60 | 1.58 | 3 |
| <i>Picea pungens</i> 'Blue Galaxy' Blue Galaxy Colorado Spruce | CE | 1.79 | R1 | 3 | 4-8 | 0.60 | 1.61 | 3 |
| <i>Picea pungens</i> 'Blue Horizon' Blue Horizon Colorado Spruce | CE | 1.81 | R1 | 3 | 4-8 | 0.60 | 1.61 | 3 |
| <i>Picea pungens</i> 'Blue Mist' See - <i>Picea pungens</i> 'Prostrate Blue Mist' | | | | | | | | |
| <i>Picea pungens</i> 'Blue Totem' Blue Totem Colorado Spruce | CE | 1.50 | R1 | 3 | 4-8 | 0.60 | 2.26 | 3 |
| <i>Picea pungens</i> 'Buckwheat' Buckwheat Colorado Spruce | CE | 1.79 | R1 | 3 | 4-8 | 0.60 | 1.61 | 3 |
| <i>Picea pungens</i> 'Charmer' Charmer Colorado Spruce | CE | 1.79 | R1 | 3 | 4-8 | 0.60 | 1.61 | 3 |
| <i>Picea pungens</i> 'Columnaris' Columnar Colorado Spruce | CE | 1.79 | R1 | 3 | 4-8 | 0.60 | 1.72 | 3 |
| <i>Picea pungens</i> 'Compacta' Compact Colorado Spruce | CS | 2.11 | R1 | 3 | 4-8 | | 3.69 | 3 |
| <i>Picea pungens</i> 'Corbet' Corbet Colorado Spruce | CE | 1.79 | R1 | 3 | 4-8 | 0.60 | 1.61 | 3 |
| <i>Picea pungens</i> 'Emerald Cushion' Emerald Cushion Colorado Spruce | CS | 2.11 | R1 | 3 | 4-8 | | 2.08 | 3 |
| <i>Picea pungens</i> 'Endtz' Endtz Colorado Spruce | CE | 1.79 | R1 | 3 | 4-8 | 0.60 | 1.61 | 3 |
| <i>Picea pungens</i> 'Fastigiata' Fastigate Colorado Spruce | CE | 1.44 | R1 | 3 | 4-8 | 0.60 | 1.57 | 3 |
| <i>Picea pungens</i> 'Fat Albert' Fat Albert Colorado Spruce | CE | 1.77 | R1 | 3 | 4-8 | 0.60 | 1.84 | 3 |
| <i>Picea pungens</i> 'Furst Bismarck' Furst Bismarck Colorado Spruce | CS | 2.11 | R1 | 3 | 4-8 | | 2.08 | 3 |
| <i>Picea pungens</i> 'Glauca Blue Pagoda' Blue Pagoda Colorado Spruce | CE | 1.79 | R1 | 3 | 4-8 | 0.60 | 1.61 | 3 |
| <i>Picea pungens</i> 'Glauca Continental' Continental Blue Colorado Spruce | CE | 1.79 | R1 | 3 | 4-8 | 0.60 | 1.01 | 3 |
| <i>Picea pungens</i> 'Glauca Fastigiata' Columnar Blue Colorado Spruce | CE | 1.64 | R1 | 3 | 4-8 | 0.60 | 1.61 | 3 |
| <i>Picea pungens</i> 'Glauca Globosa' Dwarf Globe Blue Colorado Spruce | CS | 2.06 | R1 | 3 | 4-8 | | 2.85 | 3 |
| <i>Picea pungens</i> 'Glauca Nana' Compact Blue Colorado Spruce | CS | 1.82 | R1 | 3 | 4-8 | | 1.91 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Picea pungens</i> 'Glauca Pendula' Weeping Blue Colorado Spruce | CE | 2.30 | R1 | 3 | 4-8 | 0.60 | 1.64 | 3 |
| <i>Picea pungens</i> 'Glauca Procumbens' Spreading Blue Colorado Spruce | CS | 1.07 | R1 | 3 | 4-8 | | 1.28 | 3 |
| <i>Picea pungens</i> 'Glauca Prostrata' Prostrate Blue Colorado Spruce | CS | 1.75 | R1 | 3 | 4-8 | | 1.73 | 3 |
| <i>Picea pungens</i> 'Glauca' Blue Colorado Spruce | CE | 1.08 | R1 | 3 | 4-8 | 0.60 | 1.31 | 3 |
| <i>Picea pungens</i> 'Globe' Globe Colorado Spruce | CS | 2.67 | R1 | 3 | 4-8 | | 3.15 | 3 |
| <i>Picea pungens</i> 'Globosa' See - <i>Picea pungens</i> 'Glauca Globosa' | | | | | | | | |
| <i>Picea pungens</i> 'Gotelli Prostrate' Gotelli Prostrate Colorado Spruce | CS | 2.11 | R1 | 3 | 4-8 | | 2.08 | 3 |
| <i>Picea pungens</i> 'Green Spire' Green Spire Colorado Spruce | CE | 1.79 | R1 | 3 | 4-8 | 0.60 | 1.61 | 3 |
| <i>Picea pungens</i> 'Hillside' Hillside Colorado Spruce | CE | 3.51 | R1 | 3 | 4-8 | 0.60 | 1.61 | 3 |
| <i>Picea pungens</i> 'Hoopsii' Hoops Colorado Spruce | CE | 1.61 | R1 | 3 | 4-8 | 0.60 | 1.54 | 3 |
| <i>Picea pungens</i> 'Hunnewelliana' Hunnewell Colorado Spruce | CE | 1.21 | R1 | 3 | 4-8 | 0.60 | 1.76 | 3 |
| <i>Picea pungens</i> 'Iseli Fastigiata' Iseli Fastigiata Colorado Spruce | CS | 1.49 | R1 | 3 | 4-8 | | 1.32 | 3 |
| <i>Picea pungens</i> 'Iseli Foxtail' Iseli Foxtail Colorado Blue Spruce | CS | 2.87 | R1 | 3 | 4-8 | | 1.14 | 3 |
| <i>Picea pungens</i> 'Jean Iseli' Jean Iseli Colorado Spruce | CS | 2.11 | R1 | 3 | 4-8 | | 2.08 | 3 |
| <i>Picea pungens</i> 'Koster Pendula' See - <i>Picea pungens</i> 'Glauca Pendula' | | | | | | | | |
| <i>Picea pungens</i> 'Koster' Koster Colorado Spruce | CE | 1.33 | R1 | 3 | 4-8 | 0.60 | 1.52 | 3 |
| <i>Picea pungens</i> 'Mesa Verde' Mesa Verde Colorado Spruce | CS | 2.46 | R1 | 3 | 4-8 | | 2.08 | 3 |
| <i>Picea pungens</i> 'Mission Blue' Mission Blue Colorado Spruce | CE | 1.79 | R1 | 3 | 4-8 | 0.60 | 1.01 | 3 |
| <i>Picea pungens</i> 'Moerheim' Moerheim Colorado Spruce | CE | 1.45 | R1 | 3 | 4-8 | 0.60 | 1.72 | 3 |
| <i>Picea pungens</i> 'Montgomery' Montgomery Colorado Spruce | CS | 2.30 | R1 | 3 | 4-8 | | 2.63 | 3 |
| <i>Picea pungens</i> 'Mrs. Cessarini' Mrs. Cessarini Colorado Spruce | CS | 2.26 | R1 | 3 | 4-8 | | 1.62 | 3 |
| <i>Picea pungens</i> 'Pendula' Weeping Colorado Spruce | CE | 1.68 | R1 | 3 | 4-8 | 0.60 | 2.74 | 3 |
| <i>Picea pungens</i> 'Procumbens' See - <i>Picea pungens</i> 'Glauca Procumbens' | | | | | | | | |
| <i>Picea pungens</i> 'Prostrata' See - <i>Picea pungens</i> 'Glauca Prostrata' | | | | | | | | |
| <i>Picea pungens</i> 'Prostrate Blue Mist' Prostrate Blue Mist Colorado Spruce | CS | 2.11 | R1 | 3 | 4-8 | | 2.08 | 3 |
| <i>Picea pungens</i> 'Saint Mary's Broom' Saint Mary's Broom Colorado Spruce | CS | 3.27 | R1 | 3 | 4-8 | | 2.05 | 3 |
| <i>Picea pungens</i> 'Sester Dwarf' Sester Dwarf Colorado Spruce | CS | 2.70 | R1 | 3 | 4-8 | | 2.08 | 3 |
| <i>Picea pungens</i> 'Shilo-Weeping' Shilo-Weeping Colorado Spruce | CE | 2.09 | R1 | 3 | 4-8 | 0.60 | 1.36 | 3 |
| <i>Picea pungens</i> 'Shiner' See - <i>Picea pungens</i> 'Glauca' | | | | | | | | |
| <i>Picea pungens</i> 'Silver Falls' Silver Falls Colorado Blue Spruce | CE | 1.79 | R1 | 3 | 4-8 | 0.60 | 1.61 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Picea pungens</i> 'Snowkiss' Snowkiss Colorado Spruce | CE | 1.79 | R1 | 3 | 4-8 | 0.60 | 1.61 | 3 |
| <i>Picea pungens</i> 'Stanley Gold' Stanley Gold Colorado Spruce | CE | 1.79 | R1 | 3 | 4-8 | 0.60 | 1.61 | 3 |
| <i>Picea pungens</i> 'Taponus' Taponus Colorado Spruce | CE | 1.79 | R1 | 3 | 4-8 | 0.60 | 1.61 | 3 |
| <i>Picea pungens</i> 'The Blues' The Blues Colorado Spruce | CE | 2.93 | R1 | 3 | 4-8 | 0.60 | 1.76 | 3 |
| <i>Picea pungens</i> 'Thompson' Thompson Colorado Spruce | CE | 1.79 | R1 | 3 | 4-8 | 0.60 | 1.53 | 3 |
| <i>Picea pungens</i> 'Thuem' Thuem Dwarf Colorado Spruce | CS | 1.38 | R1 | 3 | 4-8 | | 1.86 | 3 |
| <i>Picea pungens</i> 'Viridis' Green Colorado Spruce | CE | 1.79 | R1 | 3 | 4-8 | 0.60 | 1.61 | 3 |
| <i>Picea pungens</i> 'Walnut Glen' Walnut Glen Colorado Spruce | CE | 2.42 | R1 | 3 | 4-8 | 0.60 | 1.61 | 3 |
| <i>Picea purpurea</i> Purple-Cone Spruce | CE | 1.25 | R1 | 3-5 | 6-8 | 1.00 | 2.64 | 5 |
| <i>Picea retroflexa</i> Retroflexa Spruce | CE | 1.00 | R1 | 3-6 | 7 | 1.00 | 1.00 | 6 |
| <i>Picea rubens</i> Red Spruce | BE | 1.00 | R1 | | 3-7 | 1.00 | 1.00 | 2 |
| <i>Picea sitchensis</i> Sitka Spruce | CE | 0.44 | R1 | 4-7 | 8 | 1.00 | 1.64 | 7 |
| <i>Picea sitchensis</i> 'Aurea' Golden Sitka Spruce | CE | 0.84 | R1 | 4-7 | 8 | 1.00 | 1.64 | 7 |
| <i>Picea sitchensis</i> 'Papoose' See - <i>Picea sitchensis</i> 'Tenas' | | | | | | | | |
| <i>Picea sitchensis</i> 'Tenas' Tenas Sitka Spruce | CE | 1.23 | R1 | 4-7 | 8 | 1.00 | 1.64 | 7 |
| <i>Picea smithiana</i> Himalayan Spruce | CE | 1.77 | R1 | 3-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Picea torano</i> See - <i>Picea polita</i> | | | | | | | | |
| <i>Picea wilsonii</i> Wilson's Spruce | CE | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Pieris</i> Pieris | BS | 1.27 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Pieris</i> 'Brouwer's Beauty' Brouwer's Beauty Hybrid Pieris | BS | 1.30 | R1 | 3-5 | 6-8 | | 0.85 | 5 |
| <i>Pieris</i> 'Karenoma' Karenoma Hybrid Pieris | BS | 1.14 | R1 | 3-5 | 6-8 | | 1.07 | 5 |
| <i>Pieris</i> 'Spring Snow' Spring Snow Lily Hybrid Pieris | BS | 1.36 | R1 | 3-5 | 6-8 | | 1.08 | 5 |
| <i>Pieris floribunda</i> Mountain Pieris | BS | 1.25 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Pieris japonica</i> Japanese Pieris | BS | 1.23 | R1 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Pieris japonica</i> 'Bisbee Dwarf' Bisbee Dwarf Japanese Pieris | BS | 1.25 | R1 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Pieris japonica</i> 'Brookside Miniature' Brookside Miniature Japanese Pieris | BS | 1.25 | R1 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Pieris japonica</i> 'Captain Blood' Captain Blood Japanese Pieris | BS | 1.25 | R1 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Pieris japonica</i> 'Christmas Cheer' Christmas Cheer Japanese Pieris | BS | 0.91 | R1 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Pieris japonica</i> 'Coleman' Coleman Japanese Pieris | BS | 0.67 | R1 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Pieris japonica</i> 'Compacta' Compact Japanese Pieris | BS | 1.16 | R1 | 5-6 | 7-8 | | 1.13 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Pieris japonica</i> 'Crispa' Crispa Japanese Pieris | BS | 1.33 | R1 | 5-6 | 7-8 | | 1.62 | 5 |
| <i>Pieris japonica</i> 'Daisen' Daisen Japanese Pieris | BS | 1.25 | R1 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Pieris japonica</i> 'Dorothy Wycoff' Dorothy Wycoff Japanese Pieris | BS | 1.17 | R1 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Pieris japonica</i> 'Flaming Silver' Flaming Silver Japanese Pieris | BS | 1.29 | R1 | 5-6 | 7-8 | | 0.93 | 5 |
| <i>Pieris japonica</i> 'Flamingo' Flamingo Japanese Pieris | BS | 1.07 | R1 | 5-6 | 7-8 | | 1.62 | 5 |
| <i>Pieris japonica</i> 'Forest Flame' Forest Flame Japanese Pieris | BS | 1.20 | R1 | 5-6 | 7-8 | | 1.15 | 5 |
| <i>Pieris japonica</i> 'Geisha' Geisha Japanese Pieris | BS | 1.25 | R1 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Pieris japonica</i> 'Historyland Supreme' Historyland Supreme Japanese Pieris | BS | 1.13 | R1 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Pieris japonica</i> 'Little Heath Green' Little Heath Green Japanese Pieris | BS | 1.70 | R1 | 3-5 | 6-8 | | 1.13 | 5 |
| <i>Pieris japonica</i> 'Little Heath' Little Heath Japanese Pieris | BS | 1.60 | R1 | 3-5 | 6-8 | | 0.92 | 5 |
| <i>Pieris japonica</i> 'Mountain Fire' Mountain Fire Japanese Pieris | BS | 1.16 | R1 | 5-6 | 7-8 | | 1.04 | 5 |
| <i>Pieris japonica</i> 'Pink Flamingo' Pink Flamingo Japanese Pieris | BS | 0.90 | R1 | 5-6 | 7-8 | | 0.92 | 5 |
| <i>Pieris japonica</i> 'Purity' Purity Japanese Pieris | BS | 1.61 | R1 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Pieris japonica</i> 'Pygmaea' Dwarf Japanese Pieris | BS | 0.96 | R1 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Pieris japonica</i> 'Red Head' Red Head Japanese Pieris | BS | 1.46 | R1 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Pieris japonica</i> 'Red Mill' See - <i>Pieris japonica</i> 'Zeris' P.P. 4111 | | | | | | | | |
| <i>Pieris japonica</i> 'Red Volcano' Red Volcano Japanese Pieris | BS | 1.25 | R1 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Pieris japonica</i> 'Scarlet O'Hara' Scarlet O'Hara Japanese Pieris | BS | 1.29 | R1 | 5-6 | 7-8 | | 1.07 | 5 |
| <i>Pieris japonica</i> 'Shojo' Shojo Japanese Pieris | BS | 1.81 | R1 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Pieris japonica</i> 'Snow Bells' Snow Bells Japanese Pieris | BS | 1.25 | R1 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Pieris japonica</i> 'Snow Drift' Snow Drift Japanese Pieris | BS | 1.11 | R1 | 5-6 | 7-8 | | 1.19 | 5 |
| <i>Pieris japonica</i> 'Summer Hill' Summer Hill Japanese Pieris | BS | 1.43 | R1 | 5-6 | 7-8 | | 0.90 | 5 |
| <i>Pieris japonica</i> 'Temple Bells' Temple Bells Japanese Pieris | BS | 1.32 | R1 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Pieris japonica</i> 'Valley Fire' Valley Fire Japanese Pieris | BS | 1.00 | R1 | 5-6 | 7-8 | | 1.19 | 5 |
| <i>Pieris japonica</i> 'Valley Rose' Valley Rose Japanese Pieris | BS | 1.19 | R1 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Pieris japonica</i> 'Valley Valentine' Valley Valentine Japanese Pieris | BS | 1.27 | R1 | 5-6 | 7-8 | | 1.03 | 5 |
| <i>Pieris japonica</i> 'Variegata' Variegated Japanese Pieris | BS | 1.14 | R1 | 5-6 | 7-8 | | 0.92 | 5 |
| <i>Pieris japonica</i> 'White Cascade' White Cascade Japanese Pieris | BS | 1.29 | R1 | 5-6 | 7-8 | | 1.62 | 5 |
| <i>Pieris japonica</i> 'White Pearl' White Pearl Japanese Pieris | BS | 1.52 | R1 | 5-6 | 7-8 | | 1.13 | 5 |
| <i>Pieris japonica</i> 'White Water' White Water Japanese Pieris | BS | 1.05 | R1 | 5-6 | 7-8 | | 1.13 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Pieris japonica</i> 'Zeris' P.P. 4111 Red Mill Japanese Pieris | BS | 1.66 | R1 | 5-6 | 7-8 | | 1.02 | 5 |
| <i>Pieris japonica</i> var. <i>amamiana</i> No Common Name Found | BS | 1.71 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Pieris japonica</i> var. <i>yakushmanum</i> Yakushmanum Pieris | BS | 1.10 | R1 | 5-6 | 7-8 | | 1.18 | 6 |
| <i>Pieris japonica</i> var. <i>yakushmanum</i> 'Cavatine' Cavatine Yakushmanum Pieris | BS | 1.41 | R1 | 5-6 | 7-8 | | 1.17 | 6 |
| <i>Pieris japonica</i> var. <i>yakushmanum</i> 'Nocturne' Nocturne Yakushmanum Pieris | BS | 1.59 | R1 | 5-6 | 7-8 | | 1.37 | 6 |
| <i>Pieris japonica</i> var. <i>yakushmanum</i> 'Prelude' Prelude Yakushmanum Pieris | BS | 1.21 | R1 | 5-6 | 7-8 | | 1.02 | 6 |
| <i>Pieris japonica</i> var. <i>yakushmanum</i> 'Sarabande' Sarabande Yakushmanum Pieris | BS | 1.61 | R1 | 5-6 | 7-8 | | 1.16 | 6 |
| <i>Pieris taiwanensis</i> See - <i>Pieris japonica</i> | | | | | | | | |
| <i>Pieris taiwanensis</i> 'Snow Drift' See - <i>Pieris japonica</i> 'Snow Drift' | | | | | | | | |
| <i>Pilea cardierei</i> Aluminum Plant | FO | 0.32 | R2 | 8 | | | 1.00 | 10 |
| <i>Pilea cardierei</i> 'Minima' Minima Aluminum Plant | FO | 0.32 | R2 | 8 | | | 1.00 | 10 |
| <i>Pilea glauca</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Pilea involucreta</i> Friendship Plant | FO | 0.21 | R2 | 8 | | | 1.00 | 11 |
| <i>Pilea microphylla</i> Artillery Plant | FO | 0.32 | R2 | 8 | | | 1.00 | 10 |
| <i>Pilea nummulariifolia</i> Creeping Charlie | FO | 0.60 | R2 | 8 | | | 1.00 | 10 |
| <i>Pilea repens</i> Black-leaf Panamica | FO | 0.40 | R2 | 8 | | | 1.00 | 10 |
| <i>Pilea serpyllacea</i> No Common Name Found | FO | 0.35 | R2 | 8 | | | 1.00 | 10 |
| <i>Pilea serpyllacea</i> 'Stoptlight' Stoptlight Pilea | FO | 0.32 | R2 | 8 | | | 1.00 | 10 |
| <i>Pilosella aurantiaca</i> Orange Hawkweed | HP | 1.10 | R2 | 3-5 | 6-8 | | | |
| <i>Pilosella officinarum</i> Mouse-ear Hawkweed | HP | 1.17 | R2 | 3-5 | 6-8 | | | |
| <i>Pimelea humilis</i> No Common Name Found | BS | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Pimelea prostrata</i> No Common Name Found | BS | 0.65 | R2 | 8 | | | 1.00 | 9 |
| <i>Pimpinella anisum</i> Anise | AN | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Pinanga dicksonii</i> Ivory Crownshaft Palm | PC | 2.33 | R2 | 8 | | | 1.00 | 10 |
| <i>Pinckneya pubens</i> Feverbark | DT | 0.61 | R1 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Pinckneya pubens</i> 'Pink Fever' Pink Fever Feverbark | DT | 0.51 | R1 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Pinellia ternata</i> No Common Name Found | HP | 0.92 | R2 | 3-6 | 7-8 | | | |
| <i>Pinguicula moranensis</i> No Common Name Found | HP | 1.00 | R1 | 8 | | | | |
| <i>Pinguicula primuliflora</i> No Common Name Found | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Pinus albicaulis</i> Whitebark Pine | CE | 1.12 | R1 | | 3-8 | 1.00 | 1.47 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Pinus aristata</i> Bristlecone Pine | CE | 1.50 | R1 | 3 | 4-7 | 1.00 | 2.01 | 3 |
| <i>Pinus aristata</i> 'Bashful' Bashful Bristlecone Pine | CE | 1.50 | R1 | 3 | 4-7 | 1.00 | 2.01 | 3 |
| <i>Pinus aristata</i> 'Cecilia' Cecilia Bristlecone Pine | CE | 1.50 | R1 | 3 | 4-7 | 1.00 | 2.01 | 3 |
| <i>Pinus aristata</i> 'Doc' Doc Bristlecone Pine | CE | 1.50 | R1 | 3 | 4-7 | 1.00 | 2.01 | 3 |
| <i>Pinus aristata</i> 'Dopey' Dopey Bristlecone Pine | CE | 1.50 | R1 | 3 | 4-7 | 1.00 | 2.01 | 3 |
| <i>Pinus aristata</i> 'Grumpy' Grumpy Bristlecone Pine | CE | 1.50 | R1 | 3 | 4-7 | 1.00 | 2.01 | 3 |
| <i>Pinus aristata</i> 'Happy' Happy Bristlecone Pine | CE | 1.50 | R1 | 3 | 4-7 | 1.00 | 2.01 | 3 |
| <i>Pinus aristata</i> 'Sherwood Compact' Sherwood Compact Bristlecone Pine | CS | 3.00 | R1 | 3 | 4-7 | | 1.00 | 3 |
| <i>Pinus aristata</i> 'Sleepy' Sleepy Bristlecone Pine | CE | 1.50 | R1 | 3 | 4-7 | 1.00 | 2.01 | 3 |
| <i>Pinus aristata</i> 'Sneezy' Sneezy Bristlecone Pine | CE | 1.50 | R1 | 3 | 4-7 | 1.00 | 2.01 | 3 |
| <i>Pinus attenuata</i> Knobcone Pine | CE | 0.83 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Pinus ayacahuite</i> Mexican White Pine | CE | 1.00 | R1 | 5-7 | 8 | 1.00 | 0.55 | 7 |
| <i>Pinus banksiana</i> Jack Pine | CE | 0.58 | R1 | | 3-7 | 1.00 | 0.33 | 2 |
| <i>Pinus banksiana</i> 'Broom' Broom Jack Pine | CS | 2.78 | R1 | | 3-7 | | 1.62 | 2 |
| <i>Pinus banksiana</i> 'Manomet' Manomet Jack Pine | CS | 2.78 | R1 | | 3-7 | | 1.50 | 2 |
| <i>Pinus banksiana</i> 'Schoodic' Schoodic Jack Pine | CS | 2.36 | R1 | | 3-7 | | 1.20 | 2 |
| <i>Pinus banksiana</i> 'Uncle Fogy' Uncle Fogy Jack Pine | CS | 3.20 | R1 | | 3-7 | | 1.50 | 2 |
| <i>Pinus banksiana</i> 'Watt's Golden' Watt's Golden Jack Pine | CS | 2.78 | R1 | | 3-7 | | 1.68 | 2 |
| <i>Pinus brutia</i> Turkish Pine | CE | 1.00 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Pinus brutia</i> var. <i>eldarica</i> Eldar Pine | CE | 0.81 | R1 | 5-6 | 7-8 | 1.00 | 1.33 | 6 |
| <i>Pinus brutia</i> var. <i>eldarica</i> 'Christmas Blue' Christmas Blue™ Eldar Pine | CE | 0.50 | R1 | 5-6 | 7-8 | 1.00 | 1.33 | 6 |
| <i>Pinus bungeana</i> Lacebark Pine | CE | 1.23 | R1 | 3-4 | 5-8 | 1.00 | 1.53 | 4 |
| <i>Pinus bungeana</i> 'Compacta' Compact Lacebark Pine | CS | 1.00 | R1 | 3-4 | 5-8 | | 2.76 | 4 |
| <i>Pinus bungeana</i> 'Rowe Arboretum' Rowe Arboretum Lacebark Pine | CE | 1.23 | R1 | 3-4 | 5-8 | 1.00 | 1.53 | 4 |
| <i>Pinus canariensis</i> Canary Island Pine | CE | 0.86 | R1 | 8 | | 1.00 | 1.00 | 9 |
| <i>Pinus cembra</i> Swiss Stone Pine | CE | 2.41 | R1 | | 3-7 | 1.00 | 2.18 | 1 |
| <i>Pinus cembra</i> 'Big Blue' Big Blue Swiss Stone Pine | CE | 2.33 | R1 | | 3-7 | 1.00 | 1.90 | 1 |
| <i>Pinus cembra</i> 'Blue Mound' Blue Mound Swiss Stone Pine | CS | 2.30 | R1 | | 3-7 | | 2.42 | 1 |
| <i>Pinus cembra</i> 'Compacta Glauca' Compact Blue Swiss Stone Pine | CS | 1.99 | R1 | | 3-7 | | 1.22 | 1 |
| <i>Pinus cembra</i> 'Egli' Egli Swiss Stone Pine | CS | 1.50 | R1 | | 3-7 | | 2.04 | 1 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|--------|-----------|-----|--------------|---------|-------------------|------|------------|
| | | | SK | Req | Not Req | Caliper | Factors High/Wide | | |
| <i>Pinus cembra</i> 'Glauca Compacta' | | | | | | | | | |
| See - <i>Pinus cembra</i> 'Compacta Glauca' | | | | | | | | | |
| <i>Pinus cembra</i> 'Glauca Nana' | CS | 1.99 | R1 | | | 3-7 | | 1.87 | 1 |
| Dwarf Blue Swiss Stone Pine | | | | | | | | | |
| <i>Pinus cembra</i> 'Glauca' | CE | 2.33 | R1 | | | 3-7 | 1.00 | 1.62 | 1 |
| Blue Swiss Stone Pine | | | | | | | | | |
| <i>Pinus cembra</i> 'Klein' | CE | 2.24 | R1 | | | 3-7 | 1.00 | 1.90 | 1 |
| Silver Whispers™ Swiss Stone Pine | | | | | | | | | |
| <i>Pinus cembra</i> 'Nana' | CS | 2.16 | R1 | | | 3-7 | | 1.80 | 1 |
| Dwarf Swiss Stone Pine | | | | | | | | | |
| <i>Pinus cembra</i> 'Silver Whispers' | | | | | | | | | |
| See - <i>Pinus cembra</i> 'Klein' | | | | | | | | | |
| <i>Pinus cembra</i> var. <i>sibirica</i> | | | | | | | | | |
| See - <i>Pinus sibirica</i> | | | | | | | | | |
| <i>Pinus cembroides</i> | CE | 1.00 | R1 | 5-7 | 8 | | 1.00 | 1.08 | 7 |
| Mexican Nut Pine | | | | | | | | | |
| <i>Pinus cembroides</i> var. <i>edulis</i> | | | | | | | | | |
| See - <i>Pinus edulis</i> | | | | | | | | | |
| <i>Pinus clausa</i> | CE | 0.47 | R1 | 6-8 | | | 1.00 | 0.76 | 8 |
| Sand Pine | | | | | | | | | |
| <i>Pinus contorta</i> | CE | 1.31 | R1 | 3-5 | 6-8 | | 1.00 | 0.59 | 5 |
| Shore Pine | | | | | | | | | |
| <i>Pinus contorta</i> 'Spaan's Dwarf' | CS | 1.85 | R1 | 3-5 | 6-8 | | | 1.25 | 5 |
| Spaan's Dwarf Shore Pine | | | | | | | | | |
| <i>Pinus contorta</i> var. <i>latifolia</i> | CE | 0.87 | R1 | 3-5 | 6-8 | | 1.00 | 1.11 | 3 |
| Lodgepole Pine | | | | | | | | | |
| <i>Pinus contorta</i> var. <i>latifolia</i> 'Chief Joseph' | CE | 0.87 | R1 | 3 | 4-8 | | 1.00 | 1.11 | 3 |
| Chief Joseph Lodgepole Pine | | | | | | | | | |
| <i>Pinus contorta</i> var. <i>murrayana</i> | CE | 0.50 | R1 | 3-5 | 6-8 | | 1.00 | 1.00 | 5 |
| Sierra Lodgepole Pine | | | | | | | | | |
| <i>Pinus coulteri</i> | CE | 1.04 | R1 | 5-8 | | | 1.00 | 1.00 | 8 |
| Big-cone Pine | | | | | | | | | |
| <i>Pinus densiflora</i> | CE | 0.67 | R1 | 3 | 4-7 | | 1.00 | 1.13 | 3 |
| Japanese Red Pine | | | | | | | | | |
| <i>Pinus densiflora</i> 'Alice Verkade' | CS | 1.61 | R1 | 3 | 4-7 | | | 1.23 | 3 |
| Alice Verkade Japanese Red Pine | | | | | | | | | |
| <i>Pinus densiflora</i> 'Aurea' | CS | 0.73 | R1 | 3 | 4-7 | | | 0.82 | 3 |
| Golden Japanese Red Pine | | | | | | | | | |
| <i>Pinus densiflora</i> 'Globosa' | CS | 1.17 | R1 | 3 | 4-7 | | | 1.13 | 3 |
| Globe Japanese Red Pine | | | | | | | | | |
| <i>Pinus densiflora</i> 'Jane Kluis' | CS | 1.17 | R1 | 3 | 4-7 | | | 1.19 | 3 |
| Jane Kluis Japanese Red Pine | | | | | | | | | |
| <i>Pinus densiflora</i> 'Little Christopher' | CS | 3.94 | R1 | 3 | 4-7 | | | 1.23 | 3 |
| Little Christopher Japanese Red Pine | | | | | | | | | |
| <i>Pinus densiflora</i> 'Oculus-draconis' | CS | 1.55 | R1 | 3 | 4-7 | | | 0.94 | 3 |
| Dragon's Eye Japanese Red Pine | | | | | | | | | |
| <i>Pinus densiflora</i> 'Pendula' | CE | 1.22 | R1 | 3 | 4-7 | | 1.00 | 1.13 | 3 |
| Weeping Japanese Red Pine | | | | | | | | | |
| <i>Pinus densiflora</i> 'Soft Green' | CE | 0.95 | R1 | 3 | 4-7 | | 1.00 | 1.21 | 3 |
| Soft Green Japanese Red Pine | | | | | | | | | |
| <i>Pinus densiflora</i> 'Tanyosho' | | | | | | | | | |
| See - <i>Pinus densiflora</i> 'Umbraculifera' | | | | | | | | | |
| <i>Pinus densiflora</i> 'Umbraculifera Compacta' | CS | 1.19 | R1 | 3 | 4-7 | | | 1.46 | 3 |
| Dwarf Tanyosho Pine | | | | | | | | | |
| <i>Pinus densiflora</i> 'Umbraculifera' | CS | 1.52 | R1 | 3 | 4-7 | | | 1.85 | 3 |
| Tanyosho Pine | | | | | | | | | |
| <i>Pinus densiflora</i> 'Witch's Broom #7' | CS | 1.61 | R1 | 3 | 4-7 | | | 1.23 | 3 |
| Witch's Broom #7 Japanese Red Pine | | | | | | | | | |
| <i>Pinus divaricata</i> | | | | | | | | | |
| See - <i>Pinus banksiana</i> | | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Pinus echinata</i> Shortleaf Pine | CE | 1.00 | R1 | 3-6 | 7-8 | 0.75 | 1.00 | 6 |
| <i>Pinus edulis</i> Pinyon Pine | CE | 1.17 | R1 | 3-5 | 6-7 | 1.00 | 1.49 | 4 |
| <i>Pinus eldarica</i> See - <i>Pinus brutia</i> var. <i>eldarica</i> | | | | | | | | |
| <i>Pinus elliotii</i> Slash Pine | CE | 0.60 | R1 | 5-8 | | 0.71 | 0.41 | 8 |
| <i>Pinus elliotii</i> var. <i>densa</i> See - <i>Pinus elliotii</i> | | | | | | | | |
| <i>Pinus flexilis</i> Limber Pine | CE | 1.06 | R1 | 3 | 4-7 | 1.00 | 1.18 | 3 |
| <i>Pinus flexilis</i> 'Cesserini Blue' Cesserini Blue Limber Pine | CE | 1.24 | R1 | 3 | 4-7 | 1.00 | 1.15 | 3 |
| <i>Pinus flexilis</i> 'Compacta' Compact Limber Pine | CE | 1.24 | R1 | 3 | 4-7 | 1.00 | 1.32 | 3 |
| <i>Pinus flexilis</i> 'Extra Blue' Extra Blue Limber Pine | CE | 1.24 | R1 | 3 | 4-7 | 1.00 | 1.71 | 3 |
| <i>Pinus flexilis</i> 'Glauca Pendula' Blue Weeping Limber Pine | CE | 1.24 | R1 | 3 | 4-7 | 1.00 | 1.32 | 3 |
| <i>Pinus flexilis</i> 'Glauca Reflexa' Blue Reflexa Limber Pine | CE | 1.24 | R1 | 3 | 4-7 | 1.00 | 1.32 | 3 |
| <i>Pinus flexilis</i> 'Glauca' Blue Limber Pine | CE | 1.10 | R1 | 3 | 4-7 | 1.00 | 1.11 | 3 |
| <i>Pinus flexilis</i> 'J. Michael' J. Michael Limber Pine | CE | 1.24 | R1 | 3 | 4-7 | 1.00 | 1.32 | 3 |
| <i>Pinus flexilis</i> 'Mill Creek' Mill Creek Limber Pine | CE | 1.24 | R1 | 3 | 4-7 | 1.00 | 1.32 | 3 |
| <i>Pinus flexilis</i> 'Nana' Dwarf Limber Pine | CE | 1.24 | R1 | 3 | 4-7 | 1.00 | 1.32 | 3 |
| <i>Pinus flexilis</i> 'Pearl' Pearl Limber Pine | CE | 1.24 | R1 | 3 | 4-7 | 1.00 | 1.32 | 3 |
| <i>Pinus flexilis</i> 'Pendula' Weeping Limber Pine | CE | 1.29 | R1 | 3 | 4-7 | 1.00 | 1.32 | 3 |
| <i>Pinus flexilis</i> 'Ririe' Ririe Limber Pine | CE | 1.24 | R1 | 3 | 4-7 | 1.00 | 1.32 | 3 |
| <i>Pinus flexilis</i> 'Riverbend' Riverbend Limber Pine | CE | 1.24 | R1 | 3 | 4-7 | 1.00 | 1.32 | 3 |
| <i>Pinus flexilis</i> 'Shadow's Blue' Shadow's Blue Limber Pine | CE | 1.24 | R1 | 3 | 4-7 | 1.00 | 1.32 | 3 |
| <i>Pinus flexilis</i> 'Silver' Silver Limber Pine | CE | 1.24 | R1 | 3 | 4-7 | 1.00 | 1.32 | 3 |
| <i>Pinus flexilis</i> 'Vanderwolf's Pyramid' Vanderwolf's Pyramid Limber Pine | CE | 1.51 | R1 | 3 | 4-7 | 1.00 | 1.47 | 3 |
| <i>Pinus gerardiana</i> Chilgoza Pine | CE | 1.83 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Pinus glabra</i> Spruce Pine | CE | 0.51 | R1 | 5-8 | | 1.00 | 0.52 | 8 |
| <i>Pinus griffithii</i> See - <i>Pinus wallichiana</i> | | | | | | | | |
| <i>Pinus xhakkodensis</i> Hakkodensis Hybrid Pine | CE | 1.00 | R1 | 3-4 | 5-7 | 1.00 | 1.00 | 4 |
| <i>Pinus halepensis</i> Aleppo Pine | CE | 0.86 | R1 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Pinus halepensis</i> var. <i>brutia</i> See - <i>Pinus brutia</i> | | | | | | | | |
| <i>Pinus heldreichii</i> Bosnian Pine | CE | 1.21 | R1 | 3-5 | 6-8 | 1.00 | 1.36 | 5 |
| <i>Pinus heldreichii</i> 'Compact Gem' Compact Gem Bosnian Pine | CS | 1.39 | R1 | 3-5 | 6-8 | | 2.54 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|------------------|---------|-----------------|-----------|------------|
| | | | | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Pinus heldreichii</i> 'Compacta' | | | | | | | | |
| See - <i>Pinus heldreichii</i> 'Compact Gem' | | | | | | | | |
| <i>Pinus heldreichii</i> 'Emerald Arrow' | CS | 1.39 | R1 | 3-5 | 6-8 | | 2.54 | 5 |
| Emerald Arrow Bosnian Pine | | | | | | | | |
| <i>Pinus heldreichii</i> 'Irish Bell' | CE | 2.09 | R1 | 3-5 | 6-8 | 1.00 | 1.75 | 5 |
| Irish Bell Bosnian Pine | | | | | | | | |
| <i>Pinus heldreichii</i> 'Iseli Fastigiata' | CE | 1.65 | R1 | 3-5 | 6-8 | 1.00 | 2.53 | 5 |
| Iseli Fastigiata Bosnian Pine | | | | | | | | |
| <i>Pinus heldreichii</i> 'Mint Truffle' | CE | 1.64 | R1 | 3-5 | 6-8 | 1.00 | 1.75 | 5 |
| Mint Truffle Bosnian Pine | | | | | | | | |
| <i>Pinus heldreichii</i> 'Satellit' | CE | 1.65 | R1 | 3-5 | 6-8 | 1.00 | 1.36 | 5 |
| Satellit Bosnian Pine | | | | | | | | |
| <i>Pinus jeffreyi</i> | CE | 1.05 | R1 | 5-7 | 8 | 1.00 | 0.79 | 6 |
| Jeffrey Pine | | | | | | | | |
| <i>Pinus kochiana</i> | | | | | | | | |
| See - <i>Pinus sylvestris</i> var. <i>hamata</i> | | | | | | | | |
| <i>Pinus koraiensis</i> | CE | 2.06 | R1 | 3 | 4-8 | 1.00 | 1.21 | 3 |
| Korean Pine | | | | | | | | |
| <i>Pinus koraiensis</i> 'Dragon Eye' | CE | 2.06 | R1 | 3 | 4-8 | 1.00 | 1.53 | 3 |
| Dragon Eye Korean Pine | | | | | | | | |
| <i>Pinus koraiensis</i> 'Glauca' | | | | | | | | |
| See - <i>Pinus koraiensis</i> 'Silveray' | | | | | | | | |
| <i>Pinus koraiensis</i> 'Morris Blue' | CE | 2.06 | R1 | 3 | 4-8 | 1.00 | 1.58 | 3 |
| Morris Blue Korean Pine | | | | | | | | |
| <i>Pinus koraiensis</i> 'Nana' | CS | 1.48 | R1 | 3 | 4-8 | | 0.96 | 3 |
| Dwarf Korean Pine | | | | | | | | |
| <i>Pinus koraiensis</i> 'Silveray' | CE | 2.06 | R1 | 3 | 4-8 | 1.00 | 1.44 | 3 |
| Silveray Korean Pine | | | | | | | | |
| <i>Pinus koraiensis</i> 'Winton' | CE | 2.06 | R1 | 3 | 4-8 | 1.00 | 1.44 | 3 |
| Winton Korean Pine | | | | | | | | |
| <i>Pinus kwangtungensis</i> | CE | 1.29 | R1 | 3-5 | 6-8 | 1.00 | 0.96 | 5 |
| Kwangtung Pine | | | | | | | | |
| <i>Pinus lambertiana</i> | CE | 1.07 | R1 | 5-6 | 7-8 | 1.00 | 1.03 | 6 |
| Sugar Pine | | | | | | | | |
| <i>Pinus leucodermis</i> | | | | | | | | |
| See - <i>Pinus heldreichii</i> | | | | | | | | |
| <i>Pinus monophylla</i> | CE | 2.27 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 6 |
| Single-leaf Pinyon Pine | | | | | | | | |
| <i>Pinus monophylla</i> 'Barb's Best' | CE | 2.27 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 6 |
| Barb's Best Single-leaf Pinyon Pine | | | | | | | | |
| <i>Pinus monophylla</i> 'Elegance' | CE | 2.27 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 6 |
| Elegance Single-leaf Pinyon Pine | | | | | | | | |
| <i>Pinus monophylla</i> 'Kyle's Blue' | CE | 2.27 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 6 |
| Kyle's Blue Single-leaf Pinyon Pine | | | | | | | | |
| <i>Pinus monophylla</i> 'Larry's Blue' | CE | 2.27 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 6 |
| Larry's Blue Single-leaf Pinyon Pine | | | | | | | | |
| <i>Pinus monophylla</i> 'Stanley's Pyramid' | CE | 2.27 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 6 |
| Stanley's Pyramid Single-leaf Pinyon Pine | | | | | | | | |
| <i>Pinus monticola</i> | CE | 0.77 | R1 | 3-4 | 5-7 | 1.00 | 0.44 | 4 |
| Western White Pine | | | | | | | | |
| <i>Pinus mugo</i> | CS | 0.88 | R1 | 3 | 4-8 | | 1.03 | 3 |
| Mugo Pine | | | | | | | | |
| <i>Pinus mugo</i> 'Aurea' | CS | 1.17 | R1 | 3 | 4-8 | | 0.92 | 3 |
| Golden Mugo Pine | | | | | | | | |
| <i>Pinus mugo</i> 'Big Tuna' | CS | 2.99 | R1 | 3 | 4-8 | | 1.62 | 3 |
| Big Tuna Mugo Pine | | | | | | | | |
| <i>Pinus mugo</i> 'Columnar' | CS | 2.26 | R1 | 3 | 4-8 | | 1.62 | 3 |
| Columnar Mugo Pine | | | | | | | | |
| <i>Pinus mugo</i> 'Compacta' | CS | 0.51 | R1 | 3 | 4-8 | | 1.57 | 3 |
| Compact Mugo Pine | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Pinus mugo</i> 'Enci' Enci Mugo Pine | CS | 0.86 | R1 | 3 | 4-8 | | 0.98 | 3 |
| <i>Pinus mugo</i> 'Gnom' Gnom Mugo Pine | CS | 1.45 | R1 | 3 | 4-8 | | 1.42 | 3 |
| <i>Pinus mugo</i> 'Goldspire' Goldspire Mugo Pine | CS | 1.45 | R1 | 3 | 4-8 | | 1.62 | 3 |
| <i>Pinus mugo</i> 'Iseli White Bud' Iseli White Bud Mugo Pine | CS | 1.70 | R1 | 3 | 4-8 | | 1.18 | 3 |
| <i>Pinus mugo</i> 'Mitsch Mini' Mitsch Mini Mugo Pine | CS | 1.45 | R1 | 3 | 4-8 | | 1.62 | 3 |
| <i>Pinus mugo</i> 'Montana' See - <i>Pinus uncinata</i> | | | | | | | | |
| <i>Pinus mugo</i> 'Mops' Mops Mugo Pine | CS | 1.63 | R1 | 3 | 4-8 | | 1.08 | 3 |
| <i>Pinus mugo</i> 'Oregon Jade' Oregon Jade Mugo Pine | CS | 1.45 | R1 | 3 | 4-8 | | 1.62 | 3 |
| <i>Pinus mugo</i> 'Paul's Dwarf' Paul's Dwarf Mugo Pine | CS | 1.45 | R1 | 3 | 4-8 | | 1.62 | 3 |
| <i>Pinus mugo</i> 'Prostrata' Prostrate Mugo Pine | CS | 1.45 | R1 | 3 | 4-8 | | 1.62 | 3 |
| <i>Pinus mugo</i> 'Sherwood Compact' Sherwood Compact Mugo Pine | CS | 1.45 | R1 | 3 | 4-8 | | 1.62 | 3 |
| <i>Pinus mugo</i> 'Slowmound' Slowmound Mugo Pine | CS | 1.57 | R1 | 3 | 4-8 | | 1.14 | 3 |
| <i>Pinus mugo</i> 'Tannenbaum' Tannenbaum Mugo Pine | CE | 2.39 | R1 | 3 | 4-8 | 1.00 | 1.00 | 3 |
| <i>Pinus mugo</i> 'Tyrol' Tyrolean Mugo Pine | CS | 0.89 | R1 | 3 | 4-8 | | 0.88 | 3 |
| <i>Pinus mugo</i> 'Valley Cushion' Valley Cushion Mugo Pine | CS | 1.45 | R1 | 3 | 4-8 | | 5.98 | 3 |
| <i>Pinus mugo</i> var. <i>mughus</i> See - <i>Pinus mugo</i> | | | | | | | | |
| <i>Pinus mugo</i> var. <i>pumilio</i> Dwarf Mugo Pine | CS | 0.99 | R1 | 3 | 4-8 | | 1.81 | 3 |
| <i>Pinus mugo</i> var. <i>tyrolean</i> See - <i>Pinus mugo</i> 'Tyrol' | | | | | | | | |
| <i>Pinus muricata</i> Bishop Pine | CE | 0.58 | R1 | 3-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Pinus nigra</i> Austrian Pine | CE | 0.88 | R1 | 3 | 4-8 | 1.00 | 1.25 | 3 |
| <i>Pinus nigra</i> 'Arnold Sentinel' Arnold Sentinal Austrian Pine | CE | 2.29 | R1 | 3 | 4-8 | 1.00 | 1.90 | 3 |
| <i>Pinus nigra</i> 'Brepo' See - <i>Pinus nigra</i> 'Pierrick Bregeon' | | | | | | | | |
| <i>Pinus nigra</i> 'Candlewood' Candlewood Austrian Pine | CE | 1.50 | R1 | 3 | 4-8 | 1.00 | 1.36 | 3 |
| <i>Pinus nigra</i> 'Columnaris' Columnar Austrian Pine | CE | 1.50 | R1 | 3 | 4-8 | 1.00 | 1.36 | 3 |
| <i>Pinus nigra</i> 'Compacta' Compact Austrian Pine | CS | 2.21 | R1 | 3 | 4-8 | | 0.92 | 3 |
| <i>Pinus nigra</i> 'Frank' Frank Austrian Pine | CE | 1.33 | R1 | 3 | 4-8 | 1.00 | 1.36 | 3 |
| <i>Pinus nigra</i> 'Globosa' Globe Austrian Pine | CS | 2.58 | R1 | 3 | 4-8 | | 1.59 | 3 |
| <i>Pinus nigra</i> 'Helena' Helena Austrian Pine | CE | 1.50 | R1 | 3 | 4-8 | 1.00 | 1.36 | 3 |
| <i>Pinus nigra</i> 'Helga' Helga Dwarf Austrian Pine | CS | 3.36 | R1 | 3 | 4-8 | | 1.29 | 3 |
| <i>Pinus nigra</i> 'Hornbrookiana' Hornbrook Austrian Pine | CS | 2.16 | R1 | 3 | 4-8 | | 1.36 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pinus nigra</i> 'Jeddeloh' Jeddeloh Austrian Pine | CE | 1.50 | R1 | 3 | 4-8 | 1.00 | 1.54 | 3 |
| <i>Pinus nigra</i> 'Monstrosa' Monstrous Austrian Pine | CE | 1.50 | R1 | 3 | 4-8 | 1.00 | 1.36 | 3 |
| <i>Pinus nigra</i> 'Moseri' Moser Austrian Pine | CS | 2.58 | R1 | 3 | 4-8 | | 1.29 | 3 |
| <i>Pinus nigra</i> 'Nana' Dwarf Austrian Pine | CS | 2.58 | R1 | 3 | 4-8 | | 1.29 | 3 |
| <i>Pinus nigra</i> 'Nishiki' See - <i>Pinus nigra</i> 'Candlewood' | | | | | | | | |
| <i>Pinus nigra</i> 'Oregon Green' Oregon Green Austrian Pine | CE | 1.48 | R1 | 3 | 4-8 | 1.00 | 1.35 | 3 |
| <i>Pinus nigra</i> 'Pierrick Bregeon' Brepo™ Dwarf Austrian Pine | CE | 1.53 | R1 | 3 | 4-8 | 1.00 | 1.36 | 3 |
| <i>Pinus nigra</i> 'Pyramidalis' Pyramid Austrian Pine | CE | 1.50 | R1 | 3 | 4-8 | 1.00 | 0.75 | 3 |
| <i>Pinus nigra</i> 'Variegata' Variegated Austrian Pine | CE | 1.50 | R1 | 3 | 4-8 | 1.00 | 1.36 | 3 |
| <i>Pinus nigra</i> ssp. <i>nigra</i> Austrian Pine | CE | 1.05 | R1 | 3 | 4-8 | 1.00 | 1.14 | 3 |
| <i>Pinus oocarpa</i> Egg-cone Pine | CE | 1.00 | R1 | 8 | | 1.00 | 1.00 | 9 |
| <i>Pinus palustris</i> Longleaf Pine | CE | 0.58 | R1 | 5-8 | | 1.38 | 0.49 | 8 |
| <i>Pinus parviflora</i> Japanese White Pine | CE | 1.78 | R1 | 3-5 | 6-8 | 1.00 | 1.53 | 5 |
| <i>Pinus parviflora</i> 'Adcock's Dwarf' Adcock's Dwarf Japanese White Pine | CS | 2.18 | R1 | 3-5 | 6-8 | | 1.50 | 5 |
| <i>Pinus parviflora</i> 'Aizu-goyo' Aizu-goyo Japanese White Pine | CE | 1.99 | R1 | 3-5 | 6-8 | 1.00 | 1.34 | 5 |
| <i>Pinus parviflora</i> 'Ara-kawa' Ara-kawa Japanese White Pine | CE | 3.08 | R1 | 3-5 | 6-8 | 1.00 | 1.48 | 5 |
| <i>Pinus parviflora</i> 'Azuma-goyo' Azuma-goyo Japanese White Pine | CE | 1.99 | R1 | 3-5 | 6-8 | 1.00 | 1.34 | 5 |
| <i>Pinus parviflora</i> 'Bergman' Bergman Japanese White Pine | CS | 2.36 | R1 | 3-5 | 6-8 | | 1.77 | 5 |
| <i>Pinus parviflora</i> 'Brevifolia' Brevifolia Japanese White Pine | CE | 3.21 | R1 | 3-5 | 6-8 | 1.00 | 1.34 | 5 |
| <i>Pinus parviflora</i> 'Cleary' Cleary Japanese White Pine | CE | 1.99 | R1 | 3-5 | 6-8 | 1.00 | 0.68 | 5 |
| <i>Pinus parviflora</i> 'Compacta Nana' Compacta Nana Japanese White Pine | CS | 1.15 | R1 | 3-5 | 6-8 | | 1.77 | 5 |
| <i>Pinus parviflora</i> 'Fuku-zu-mi' Fukuzumi Japanese White Pine | CS | 2.20 | R1 | 3-5 | 6-8 | | 1.77 | 5 |
| <i>Pinus parviflora</i> 'Fukusumi' See - <i>Pinus parviflora</i> 'Fuku-zu-mi' | | | | | | | | |
| <i>Pinus parviflora</i> 'Gimborn's Ideal' Gimborn's Ideal Japanese White Pine | CE | 1.50 | R1 | 3-5 | 6-8 | 1.00 | 1.24 | 5 |
| <i>Pinus parviflora</i> 'Gimborn's Pyramid' Gimborn's Pyramid Japanese White Pine | CE | 1.99 | R1 | 3-5 | 6-8 | 1.00 | 1.34 | 5 |
| <i>Pinus parviflora</i> 'Glauca Nana' Dwarf Blue Silver Japanese White Pine | CS | 1.71 | R1 | 3-5 | 6-8 | | 1.40 | 5 |
| <i>Pinus parviflora</i> 'Glauca' Silver Japanese White Pine | CE | 1.95 | R1 | 3-5 | 6-8 | 1.00 | 1.39 | 5 |
| <i>Pinus parviflora</i> 'Hagoromo' Hagoromo Japanese White Pine | CS | 2.87 | R1 | 3-5 | 6-8 | | 1.77 | 5 |
| <i>Pinus parviflora</i> 'Ibo-can' Ibo-can Japanese White Pine | CS | 2.94 | R1 | 3-5 | 6-8 | | 1.77 | 5 |
| <i>Pinus parviflora</i> 'Kanrico' Kanrico Japanese White Pine | CE | 1.99 | R1 | 3-5 | 6-8 | 1.00 | 1.34 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Pinus parviflora</i> 'Nasu-goyo' Nasu-goyo Japanese White Pine | CE | 1.99 | R1 | 3-5 | 6-8 | 1.00 | 1.34 | 5 |
| <i>Pinus parviflora</i> 'Ogon-janome' Ogon-janome Japanese White Pine | CE | 1.33 | R1 | 3-5 | 6-8 | 1.00 | 1.78 | 5 |
| <i>Pinus parviflora</i> 'Tano-Mano-Uki' Tani-Mano-Uki Japanese White Pine | CS | 2.20 | R1 | 3-5 | 6-8 | | 2.41 | 5 |
| <i>Pinus parviflora</i> 'Templehof' Templehof Japanese White Pine | CE | 1.75 | R1 | 3-5 | 6-8 | 1.00 | 1.28 | 5 |
| <i>Pinus parviflora</i> 'Yatsubusa' Yatsubusa Japanese White Pine | CE | 1.33 | R1 | 3-5 | 6-8 | 1.00 | 1.34 | 5 |
| <i>Pinus parviflora</i> var. <i>pentaphylla</i> 'Azuma' See - <i>Pinus parviflora</i> 'Azuma-goyo' | | | | | | | | |
| <i>Pinus pentaphylla</i> See - <i>Pinus parviflora</i> | | | | | | | | |
| <i>Pinus peuce</i> Macedonian Pine | CE | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.49 | 5 |
| <i>Pinus pinea</i> Italian Stone Pine | CE | 0.90 | R1 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Pinus ponderosa</i> Ponderosa Pine | CE | 1.18 | R1 | 3 | 4-7 | 1.00 | 1.14 | 3 |
| <i>Pinus ponderosa</i> 'Dixie' Dixie Ponderosa Pine | CE | 1.18 | R1 | 3 | 4-7 | 1.00 | 1.14 | 3 |
| <i>Pinus ponderosa</i> 'Hi Desert' Hi Desert Ponderosa Pine | CE | 1.18 | R1 | 3 | 4-7 | 1.00 | 1.14 | 3 |
| <i>Pinus ponderosa</i> 'Willamette Valley' Willamette Valley Ponderosa Pine | CE | 1.18 | R1 | 3 | 4-7 | 1.00 | 1.14 | 3 |
| <i>Pinus pumila</i> Japanese Stone Pine | CS | 1.79 | R1 | | 3-7 | | 0.83 | 1 |
| <i>Pinus pumila</i> 'Glauca' Blue Japanese Stone Pine | CS | 2.03 | R1 | | 3-7 | | 0.83 | 1 |
| <i>Pinus pumila</i> 'Globe' Globe Japanese Stone Pine | CS | 1.91 | R1 | | 3-7 | | 0.83 | 1 |
| <i>Pinus pumila</i> 'Nana' Dwarf Japanese Pine | CS | 1.91 | R1 | | 3-7 | | 0.83 | 1 |
| <i>Pinus pumila</i> 'Pygmaea' Pygmy Japanese Stone Pine | CS | 1.91 | R1 | | 3-7 | | 0.83 | 1 |
| <i>Pinus pumila</i> 'Yes-Alpina' Yes-Alpina Japanese Stone Pine | CS | 1.91 | R1 | | 3-7 | | 0.83 | 1 |
| <i>Pinus radiata</i> Monterey Pine | CE | 0.77 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Pinus resinosa</i> American Red Pine | CE | 1.01 | R1 | | 3-6 | 1.00 | 1.11 | 2 |
| <i>Pinus resinosa</i> 'Compact Norway' Compact Norway Red Pine | CE | 1.86 | R1 | | 3-6 | 1.00 | 1.05 | 2 |
| <i>Pinus resinosa</i> 'Don Smith' Don Smith Red Pine | CE | 1.86 | R1 | | 3-6 | 1.00 | 1.08 | 2 |
| <i>Pinus resinosa</i> 'Morel' Morel Red Pine | CE | 2.71 | R1 | | 3-6 | 1.00 | 1.08 | 2 |
| <i>Pinus resinosa</i> 'Witch's Broom No. 2\$' See - <i>Pinus resinosa</i> 'Don Smith' | | | | | | | | |
| <i>Pinus rigida</i> Pitch Pine | CE | 1.01 | R1 | 3-4 | 5-7 | 1.00 | 0.76 | 4 |
| <i>Pinus roxburghii</i> Chir Pine | CE | 0.92 | R1 | 7-8 | | 1.00 | 1.00 | 8 |
| <i>Pinus sabiniana</i> Digger Pine | CE | 1.07 | R1 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Pinus xschwerinii</i> 'Prairie Giant' See - <i>Pinus wallichiana</i> 'Prairie Giant' | | | | | | | | |
| <i>Pinus serotina</i> Pond Pine | CE | 1.00 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Pinus sibirica</i> Siberian Pine | CE | 1.00 | R1 | | 3-7 | 1.00 | 1.00 | 1 |
| <i>Pinus strobiformis</i> Southwestern White Pine | CE | 0.86 | R1 | 5-6 | 7-8 | 1.00 | 1.01 | 6 |
| <i>Pinus strobiformis</i> 'Loma Linda' Loma Linda Southwestern White Pine | CE | 0.86 | R1 | 5-6 | 7-8 | 1.00 | 1.01 | 6 |
| <i>Pinus strobus</i> Eastern White Pine | CE | 0.77 | R1 | 3 | 4-8 | 0.59 | 0.89 | 3 |
| <i>Pinus strobus</i> 'Alba' Alba White Pine | CE | 1.42 | R1 | 3 | 4-8 | 0.99 | 1.21 | 3 |
| <i>Pinus strobus</i> 'Anna Fiele' Anna Fiele White Pine | CE | 1.42 | R1 | 3 | 4-8 | 0.99 | 1.21 | 3 |
| <i>Pinus strobus</i> 'Bennett Clump Leaf' Bennett Clump Leaf White Pine | CS | 1.67 | R1 | 3 | 4-8 | | 1.49 | 3 |
| <i>Pinus strobus</i> 'Bergman's Mini' Bergman's Mini White Pine | CS | 1.64 | R1 | 3 | 4-8 | | 1.49 | 3 |
| <i>Pinus strobus</i> 'Billaw' Billaw White Pine | CS | 1.67 | R1 | 3 | 4-8 | | 1.49 | 3 |
| <i>Pinus strobus</i> 'Blue Jay' Blue Jay White Pine | CE | 1.88 | R1 | 3 | 4-8 | 0.99 | 2.34 | 3 |
| <i>Pinus strobus</i> 'Blue Mountain' Blue Mountain White Pine | CE | 1.42 | R1 | 3 | 4-8 | 0.99 | 0.81 | 3 |
| <i>Pinus strobus</i> 'Blue Shag' Blue Shag White Pine | CS | 2.34 | R1 | 3 | 4-8 | | 1.65 | 3 |
| <i>Pinus strobus</i> 'Brevifolia' Brevifolia White Pine | CS | 1.10 | R1 | 3 | 4-8 | | 1.02 | 3 |
| <i>Pinus strobus</i> 'Colson's Nest' Colson's Nest White Pine | CE | 1.42 | R1 | 3 | 4-8 | 0.99 | 1.21 | 3 |
| <i>Pinus strobus</i> 'Contorta' Contorted White Pine | CE | 1.68 | R1 | 3 | 4-8 | 0.99 | 1.72 | 3 |
| <i>Pinus strobus</i> 'Densa' Dense White Pine | CE | 1.42 | R1 | 3 | 4-8 | 0.99 | 1.21 | 3 |
| <i>Pinus strobus</i> 'Fastigiata' Pyramidal White Pine | CE | 1.97 | R1 | 3 | 4-8 | 0.99 | 1.03 | 3 |
| <i>Pinus strobus</i> 'Glauca Nana' Dwarf Blue White Pine | CS | 1.48 | R1 | 3 | 4-8 | | 0.82 | 3 |
| <i>Pinus strobus</i> 'Green Shadow' Green Shadow White Pine | CE | 1.42 | R1 | 3 | 4-8 | 0.99 | 1.21 | 3 |
| <i>Pinus strobus</i> 'Greg' Greg White Pine | CS | 1.67 | R1 | 3 | 4-8 | | 1.49 | 3 |
| <i>Pinus strobus</i> 'Herzog Sport' Herzog Sport White Pine | CE | 1.42 | R1 | 3 | 4-8 | 0.99 | 1.39 | 3 |
| <i>Pinus strobus</i> 'Horsford' Horsford Dwarf White Pine | CS | 1.28 | R1 | 3 | 4-8 | | 1.96 | 3 |
| <i>Pinus strobus</i> 'Macopin' Macopin White Pine | CS | 2.44 | R1 | 3 | 4-8 | | 2.56 | 3 |
| <i>Pinus strobus</i> 'Merrimack' Merrimack White Pine | CE | 1.17 | R1 | 3 | 4-8 | 0.99 | 1.22 | 3 |
| <i>Pinus strobus</i> 'Minuta' Minuta White Pine | CS | 1.20 | R1 | 3 | 4-8 | | 1.82 | 3 |
| <i>Pinus strobus</i> 'Nana' Dwarf White Pine | CS | 1.87 | R1 | 3 | 4-8 | | 1.42 | 3 |
| <i>Pinus strobus</i> 'Oliver Dwarf' Oliver Dwarf White Pine | CS | 1.67 | R1 | 3 | 4-8 | | 1.49 | 3 |
| <i>Pinus strobus</i> 'Ontario' Ontario White Pine | CE | 1.42 | R1 | 3 | 4-8 | 0.99 | 1.21 | 3 |
| <i>Pinus strobus</i> 'Pendula' Weeping White Pine | CE | 1.75 | R1 | 3 | 4-8 | 1.38 | 1.15 | 3 |
| <i>Pinus strobus</i> 'Pumila' Pumila White Pine | CE | 0.70 | R1 | 3 | 4-8 | 0.99 | 1.21 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|--------------|---------|-------------|-----------|---------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Pinus strobus</i> 'Pygmaea' Pygmy White Pine | CS | 1.67 | R1 | 3 | 4-8 | | 1.49 | 3 |
| <i>Pinus strobus</i> 'Sea Urchin' Sea Urchin White Pine | CS | 1.82 | R1 | 3 | 4-8 | | 1.48 | 3 |
| <i>Pinus strobus</i> 'Torulosa' Twisted White Pine | CS | 1.50 | R1 | 3 | 4-8 | | 0.67 | 3 |
| <i>Pinus strobus</i> 'Umbraculifera' Umbrella White Pine | CS | 1.67 | R1 | 3 | 4-8 | | 1.49 | 3 |
| <i>Pinus strobus</i> 'Uncatena' Uncatena White Pine | CS | 1.67 | R1 | 3 | 4-8 | | 1.49 | 3 |
| <i>Pinus strobus</i> 'White Mountain' White Mountain White Pine | CE | 1.42 | R1 | 3 | 4-8 | 0.99 | 0.75 | 3 |
| <i>Pinus strobus</i> 'Winter Gold' Winter Gold White Pine | CE | 1.42 | R1 | 3 | 4-8 | 0.99 | 0.78 | 3 |
| <i>Pinus strobus x ayachuite</i> No Common Name Found | CE | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.20 | 5 |
| <i>Pinus strobus x ayachuite</i> 'Domingo' Domingo Pine | CE | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.20 | 5 |
| <i>Pinus sylvestris</i> Scots Pine | CE | 1.24 | R1 | | 3-8 | 1.00 | 1.03 | 2 |
| <i>Pinus sylvestris</i> 'Albyn Prostrata' See - <i>Pinus sylvestris</i> 'Albyns' | | | | | | | | |
| <i>Pinus sylvestris</i> 'Albyns' Albyns Scots Pine | CS | 2.02 | R1 | | 3-8 | | 1.45 | 2 |
| <i>Pinus sylvestris</i> 'Aurea' Golden Scots Pine | CE | 1.28 | R1 | | 3-8 | 1.00 | 1.00 | 2 |
| <i>Pinus sylvestris</i> 'Beauvronensis' Beauvronensis Scots Pine | CS | 2.22 | R1 | | 3-8 | | 1.04 | 2 |
| <i>Pinus sylvestris</i> 'Belgium' Belgium Scots Pine | CE | 1.28 | R1 | | 3-8 | 1.00 | 0.92 | 2 |
| <i>Pinus sylvestris</i> 'Bonna' Bonna Scots Pine | CE | 1.28 | R1 | | 3-8 | 1.00 | 1.00 | 2 |
| <i>Pinus sylvestris</i> 'East Anglia' East Anglia Scots Pine | CE | 0.45 | R1 | | 3-8 | 1.00 | 0.92 | 2 |
| <i>Pinus sylvestris</i> 'Fastigiata Glauca' Blue Sentinel Scots Pine | CE | 1.28 | R1 | | 3-8 | 1.00 | 0.98 | 2 |
| <i>Pinus sylvestris</i> 'Fastigiata' Sentinel Scots Pine | CE | 1.61 | R1 | | 3-8 | 1.00 | 1.06 | 2 |
| <i>Pinus sylvestris</i> 'French Blue' French Blue Scots Pine | CE | 1.07 | R1 | | 3-8 | 1.00 | 1.10 | 2 |
| <i>Pinus sylvestris</i> 'Glauca Nana' Dwarf Blue Scots Pine | CS | 1.83 | R1 | | 3-8 | | 1.42 | 2 |
| <i>Pinus sylvestris</i> 'Globosa Viridis' Green Globe Scots Pine | CS | 1.44 | R1 | | 3-8 | | 1.07 | 2 |
| <i>Pinus sylvestris</i> 'Greg's Variegated' Greg's Variegated Scots Pine | CE | 1.28 | R1 | | 3-8 | 1.00 | 1.00 | 2 |
| <i>Pinus sylvestris</i> 'Hillside Creeper' Hillside Creeper Scots Pine | CS | 2.91 | R1 | | 3-8 | | 1.10 | 2 |
| <i>Pinus sylvestris</i> 'Inverleith' Inverleith Scots Pine | CE | 2.02 | R1 | | 3-8 | 1.00 | 1.00 | 2 |
| <i>Pinus sylvestris</i> 'Mitsch Weeping' Mitsch Weeping Scots Pine | CE | 1.28 | R1 | | 3-8 | 1.00 | 1.00 | 2 |
| <i>Pinus sylvestris</i> 'Moseri' See - <i>Pinus nigra</i> 'Moseri' | | | | | | | | |
| <i>Pinus sylvestris</i> 'Mount Vernon Blue' Mount Vernon Blue Scots Pine | CE | 1.28 | R1 | | 3-8 | 1.00 | 1.00 | 2 |
| <i>Pinus sylvestris</i> 'Nana Compressa' Nana Compressa Scots Pine | CS | 2.05 | R1 | | 3-8 | | 1.45 | 2 |
| <i>Pinus sylvestris</i> 'Nana' Dwarf Scots Pine | CS | 2.10 | R1 | | 3-8 | | 2.52 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ | |
|---|-----------|-----------|----|--------------|-------------|---------|------------|---|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Pinus sylvestris</i> 'Pyramidalis Compacta' Compact Pyramidal Scots Pine | CS | 2.05 | R1 | | 3-8 | | 1.45 | 2 |
| <i>Pinus sylvestris</i> 'Pyramidalis Glauca' Blue Pyramid Scots Pine | CE | 1.28 | R1 | | 3-8 | 1.00 | 1.00 | 2 |
| <i>Pinus sylvestris</i> 'Repens' Creeping Scots Pine | CS | 2.05 | R1 | | 3-8 | | 1.29 | 2 |
| <i>Pinus sylvestris</i> 'Riverside Gem' Riverside Gem Scots Pine | CS | 2.05 | R1 | | 3-8 | | 1.45 | 2 |
| <i>Pinus sylvestris</i> 'Van's #31' Van's #31 Scots Pine | CS | 2.05 | R1 | | 3-8 | | 1.45 | 2 |
| <i>Pinus sylvestris</i> 'Van's #33' Van's #33 Scots Pine | CS | 2.05 | R1 | | 3-8 | | 0.43 | 2 |
| <i>Pinus sylvestris</i> 'Viridis Compacta' Compact Green Scots Pine | CS | 2.05 | R1 | | 3-8 | | 2.37 | 2 |
| <i>Pinus sylvestris</i> 'Watereri' Waterer Scots Pine | CS | 1.83 | R1 | | 3-8 | | 1.84 | 2 |
| <i>Pinus sylvestris</i> var. <i>hamata</i> Caucasian Scots Pine | CE | 1.00 | R1 | | 3-8 | 1.00 | 0.97 | 2 |
| <i>Pinus sylvestris</i> var. <i>rigensis</i> Riga Scots Pine | CE | 1.00 | R1 | | 3-8 | 1.00 | 1.00 | 2 |
| <i>Pinus sylvestris</i> var. <i>scotica</i> Highland Pine | CE | 0.45 | R1 | | 3-8 | 1.00 | 1.00 | 2 |
| <i>Pinus tabuliformis</i> Chinese Red Pine | CE | 1.67 | R1 | 3-5 | 6-8 | 1.00 | 1.57 | 5 |
| <i>Pinus taeda</i> Loblolly Pine | CE | 0.67 | R2 | 3-6 | 7-8 | 0.77 | 0.38 | 6 |
| <i>Pinus thunbergii</i> Japanese Black Pine | CE | 0.84 | R1 | 3-5 | 6-8 | 1.41 | 0.81 | 5 |
| <i>Pinus thunbergii</i> 'Arakawa-sho' Arakawa-sho Japanese Black Pine | CE | 1.29 | R1 | 3-5 | 6-8 | 1.41 | 1.10 | 5 |
| <i>Pinus thunbergii</i> 'Banshosho' Banshosho Japanese Black Pine | CS | 1.25 | R1 | 3-5 | 6-8 | | 1.23 | 5 |
| <i>Pinus thunbergii</i> 'Beni-kujaku' Beni-kujaku Japanese Black Pine | CS | 1.33 | R1 | 3-5 | 6-8 | | 1.42 | 5 |
| <i>Pinus thunbergii</i> 'Iseli' Iseli Japanese Black Pine | CE | 1.29 | R1 | 3-5 | 6-8 | 1.41 | 1.10 | 5 |
| <i>Pinus thunbergii</i> 'Kotobuki' Kotobuki Japanese Black Pine | CS | 1.33 | R1 | 3-5 | 6-8 | | 1.52 | 5 |
| <i>Pinus thunbergii</i> 'Kujaki' Kujaki Japanese Black Pine | CE | 1.29 | R1 | 3-5 | 6-8 | 1.41 | 1.10 | 5 |
| <i>Pinus thunbergii</i> 'Majestic Beauty' See - <i>Pinus thunbergii</i> 'Monina' P.P. 5078 | | | | | | | | |
| <i>Pinus thunbergii</i> 'Monina' P.P. 5078 Majestic Beauty™ Japanese Black Pine | CE | 1.09 | R1 | 3-5 | 6-8 | 1.41 | 1.21 | 5 |
| <i>Pinus thunbergii</i> 'Mount Hood Prostrate' Mount Hood Prostrate Japanese Black Pine | CS | 1.33 | R1 | 3-5 | 6-8 | | 1.42 | 5 |
| <i>Pinus thunbergii</i> 'Oculus-draconis' Dragon's Eye Japanese Black Pine | CE | 2.00 | R1 | 3-5 | 6-8 | 1.41 | 1.07 | 5 |
| <i>Pinus thunbergii</i> 'Pygmaea' Pygmy Japanese Black Pine | CS | 1.33 | R1 | 3-5 | 6-8 | | 1.42 | 5 |
| <i>Pinus thunbergii</i> 'Shirome Janome' Shirome Janome Japanese Black Pine | CE | 1.29 | R1 | 3-5 | 6-8 | 1.41 | 1.10 | 5 |
| <i>Pinus thunbergii</i> 'Thunderhead' Thunderhead Japanese Black Pine | CS | 1.40 | R1 | 3-5 | 6-8 | | 1.50 | 5 |
| <i>Pinus thunbergii</i> 'Torafumatsu' See - <i>Pinus thunbergii</i> var. <i>tigrina</i> | | | | | | | | |
| <i>Pinus thunbergii</i> 'Yatsubusa' Yatsubusa Japanese Black Pine | CE | 1.23 | R1 | 3-5 | 6-8 | 1.41 | 1.30 | 5 |
| <i>Pinus thunbergii</i> var. <i>tigrina</i> Torafumatsu Japanese Black Pine | CE | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.08 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Pinus torreyana</i> Soledad Pine | CE | 0.75 | R1 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Pinus uncinata</i> Mountain Pine | CS | 1.00 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Pinus virginiana</i> Virginia Pine | CE | 0.67 | R1 | 3-4 | 5-8 | 0.52 | 0.39 | 4 |
| <i>Pinus virginiana</i> 'Wate's Golden' Wate's Golden Virginia Pine | CE | 1.74 | R1 | 3-4 | 5-8 | 0.52 | 1.14 | 4 |
| <i>Pinus wallichiana</i> Himalayan Pine | CE | 0.76 | R1 | 3-5 | 6-7 | 1.00 | 0.53 | 5 |
| <i>Pinus wallichiana</i> 'Morton' Morton Himalayan Pine | CE | 0.76 | R1 | 3-5 | 6-7 | 1.00 | 1.40 | 5 |
| <i>Pinus wallichiana</i> 'Nana' Dwarf Himalayan Pine | CE | 0.76 | R1 | 3-5 | 6-7 | 1.00 | 1.01 | 5 |
| <i>Pinus wallichiana</i> 'Prairie Giant' Prairie Giant Himalayan Pine | CE | 0.76 | R1 | 3-5 | 6-7 | 1.00 | 0.95 | 5 |
| <i>Pinus wallichiana</i> 'Zebrina' Zebra Himalayan Pine | CE | 0.76 | R1 | 3-5 | 6-7 | 1.00 | 0.87 | 5 |
| <i>Pistacia chinensis</i> Chinese Pistachio | DT | 0.95 | R1 | 5-7 | 8 | 1.04 | 0.67 | 7 |
| <i>Pistacia lentiscus</i> Mastic Tree | BE | 1.23 | R2 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Pistacia texana</i> American Pistachio | DT | 1.09 | R1 | 7-8 | | 1.00 | 1.00 | 8 |
| <i>Pistacia vera</i> Pistachio | FN | 1.00 | R1 | 7-8 | | 1.00 | 1.00 | 9 |
| <i>Pitcairnia</i> Pitcairnia | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Pithecellobium mexicanum</i> See - <i>Havardia mexicana</i> | | | | | | | | |
| <i>Pithecellobium pallens</i> See - <i>Havardia pallens</i> | | | | | | | | |
| <i>Pithecellobium sonorae</i> See - <i>Havardia sonorae</i> | | | | | | | | |
| <i>Pittosporum crassifolium</i> Karo | BS | 0.62 | R2 | 8 | | | 1.00 | 9 |
| <i>Pittosporum crassifolium</i> 'Compactum' Dwarf Karo | BS | 0.88 | R2 | 8 | | | 1.00 | 9 |
| <i>Pittosporum eugenoides</i> Tarata | BE | 0.77 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Pittosporum eugenoides</i> 'Mini Green' Mini Green Dwarf Lemonwood | BE | 1.29 | R2 | 8 | | 1.00 | 1.00 | 8 |
| <i>Pittosporum eugenoides</i> 'Platinum' Platinum Lemonwood | BE | 1.34 | R2 | 8 | | 1.00 | 1.00 | 8 |
| <i>Pittosporum heterophyllum</i> Chinese Pittosporum | BS | 1.05 | R2 | 8 | | | 1.00 | 8 |
| <i>Pittosporum heterophyllum</i> 'Winter Frost' Winter Frost Chinese Pittosporum | BS | 1.05 | R2 | 8 | | | 1.00 | 8 |
| <i>Pittosporum phillyraeoides</i> Narrow-leaved Pittosporum | BS | 1.11 | R2 | 8 | | | 1.00 | 9 |
| <i>Pittosporum rhombifolium</i> Queensland Pittosporum | BE | 0.79 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Pittosporum tenuifolium</i> Tawhiwhi | BE | 0.80 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Pittosporum tenuifolium</i> 'Deborah' Deborah Tawhiwhi | BE | 0.98 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Pittosporum tenuifolium</i> 'Golf Ball' P.P. 15329 Golf Ball Kohuhu | BE | 1.82 | R2 | 8 | | 1.00 | 1.00 | 8 |
| <i>Pittosporum tenuifolium</i> 'Marjorie Channon' Marjorie Channon Kohuhu | BE | 1.56 | R2 | 8 | | 1.00 | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Pittosporum tenuifolium</i> 'Oliver Twist' Oliver Twist Kohuhu | BE | 1.34 | R2 | 8 | | 1.00 | 1.00 | 8 |
| <i>Pittosporum tenuifolium</i> 'Silver Sheen' Silver Sheen Kohuhu | BE | 1.40 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Pittosporum tenuifolium</i> 'Silver Star' Silver Star Kohuhu | BE | 1.56 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Pittosporum tenuifolium</i> 'Wrinkled Blue' Wrinkled Blue Kohuhu | BS | 1.71 | R2 | 8 | | | 1.00 | 8 |
| <i>Pittosporum tobira</i> Tobira | BS | 0.75 | R2 | 8 | | | 0.38 | 9 |
| <i>Pittosporum tobira</i> 'Compactum' Compact Japanese Pittosporum | BS | 0.68 | R2 | 8 | | | 0.50 | 9 |
| <i>Pittosporum tobira</i> 'Cream de Mint' See - <i>Pittosporum tobira</i> 'Shima' P.P. 6449 | | | | | | | | |
| <i>Pittosporum tobira</i> 'Glen Special' Glen Special Japanese Pittosporum | BS | 0.74 | R2 | 8 | | | 0.50 | 9 |
| <i>Pittosporum tobira</i> 'Glen St. Mary' Glen St. Mary Japanese Pittosporum | BS | 0.74 | R2 | 8 | | | 0.62 | 9 |
| <i>Pittosporum tobira</i> 'Louisiana Compact' Louisiana Compact Japanese Pittosporum | BS | 0.77 | R2 | 8 | | | 0.50 | 9 |
| <i>Pittosporum tobira</i> 'Shima' P.P. 6449 Cream de Mint™ Dwarf Japanese Pittosporum | BS | 1.22 | R2 | 8 | | | 0.50 | 9 |
| <i>Pittosporum tobira</i> 'Turner's Variegated Dwarf' P.P. 4919 Turner's Pitt™ Mock Orange | BS | 1.09 | R2 | 8 | | | 0.50 | 9 |
| <i>Pittosporum tobira</i> 'Variegata' Variegated Japanese Pittosporum | BS | 0.70 | R2 | 8 | | | 0.50 | 9 |
| <i>Pittosporum tobira</i> 'Wheeler's Dwarf' Wheeler's Dwarf Japanese Pittosporum | BS | 0.95 | R2 | 8 | | | 0.50 | 9 |
| <i>Pittosporum undulatum</i> Victorian Box | BE | 0.77 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Pityopsis graminifolia</i> Silk Grass | HP | 0.46 | R2 | 5-7 | 8 | | | |
| <i>Platanus xacerifolia</i> London Planetree | DT | 0.80 | R1 | 3-5 | 6-8 | 0.85 | 0.28 | 5 |
| <i>Platanus xacerifolia</i> 'Bloodgood' Bloodgood London Planetree | DT | 0.98 | R1 | 3-5 | 6-8 | 0.99 | 0.90 | 5 |
| <i>Platanus xacerifolia</i> 'Columbia' Columbia London Planetree | DT | 0.94 | R1 | 3-5 | 6-8 | 1.04 | 0.59 | 5 |
| <i>Platanus xacerifolia</i> 'Encore' See - <i>Platanus xacerifolia</i> 'Morton Thornhill' | | | | | | | | |
| <i>Platanus xacerifolia</i> 'Exclamation!' See - <i>Platanus xacerifolia</i> 'Morton Circle' | | | | | | | | |
| <i>Platanus xacerifolia</i> 'Liberty' Liberty London Planetree | DT | 0.94 | R1 | 3-5 | 6-8 | 1.19 | 0.59 | 5 |
| <i>Platanus xacerifolia</i> 'Metroshade' See - <i>Platanus xacerifolia</i> 'Metzam' | | | | | | | | |
| <i>Platanus xacerifolia</i> 'Metzam' Metroshade™ London Planetree | DT | 0.94 | R1 | 3-5 | 6-8 | 1.23 | 0.59 | 5 |
| <i>Platanus xacerifolia</i> 'Morton Circle' Exclamation!™ London Planetree | DT | 0.94 | R1 | 3-5 | 6-8 | 1.07 | 0.59 | 4 |
| <i>Platanus xacerifolia</i> 'Morton Euclid' Ovation™ London Planetree | DT | 0.94 | R1 | 3-5 | 6-8 | 1.07 | 0.59 | 4 |
| <i>Platanus xacerifolia</i> 'Morton Thornhill' Encore™ London Planetree | DT | 0.94 | R1 | 3-5 | 6-8 | 1.07 | 0.59 | 5 |
| <i>Platanus xacerifolia</i> 'Ovation' See - <i>Platanus xacerifolia</i> 'Morton Euclid' | | | | | | | | |
| <i>Platanus xacerifolia</i> 'Yarwood' Yarwood London Planetree | DT | 1.05 | R1 | 3-5 | 6-8 | 1.09 | 0.59 | 5 |
| <i>Platanus occidentalis</i> Sycamore | DT | 0.77 | R1 | 3-5 | 6-8 | 0.66 | 0.39 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Platanus orientalis</i> Oriental Planetree | DT | 1.00 | R1 | 3-7 | 8 | 0.76 | 1.00 | 7 |
| <i>Platanus orientalis</i> 'Digitata' Digitata Oriental Planetree | DT | 1.00 | R1 | 3-7 | 8 | 0.76 | 1.00 | 7 |
| <i>Platanus racemosa</i> California Sycamore | DT | 1.21 | R1 | 3-8 | | 1.00 | 1.00 | 8 |
| <i>Platanus wrightii</i> Arizona Sycamore | DT | 0.93 | R1 | 3-7 | 8 | 0.51 | 1.00 | 7 |
| <i>Platyserium bifurcatum</i> Elkhorn Fern | FO | 1.21 | R2 | 8 | | | 1.00 | 9 |
| <i>Platyserium hillii</i> Northern Elkhorn Fern | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Platyclusus orientalis</i> Oriental Arborvitae | CE | 0.50 | R1 | 3-6 | 7-8 | 0.81 | 0.47 | 6 |
| <i>Platyclusus orientalis</i> 'Aurea Nana' Golden Oriental Arborvitae | CE | 0.64 | R1 | 3-6 | 7-8 | 0.81 | 0.43 | 6 |
| <i>Platyclusus orientalis</i> 'Bakeri' Baker Oriental Arborvitae | CE | 0.75 | R1 | 3-6 | 7-8 | 0.68 | 0.66 | 6 |
| <i>Platyclusus orientalis</i> 'Berckmanii' See - <i>Platyclusus orientalis</i> 'Aurea Nana' | | | | | | | | |
| <i>Platyclusus orientalis</i> 'Beverleyensis' Beverley Oriental Arborvitae | CE | 0.75 | R1 | 3-6 | 7-8 | 0.81 | 0.66 | 6 |
| <i>Platyclusus orientalis</i> 'Blue Cone' Blue Cone Oriental Arborvitae | CE | 0.79 | R1 | 3-6 | 7-8 | 0.81 | 0.72 | 6 |
| <i>Platyclusus orientalis</i> 'Blue Spire' Blue Spire Oriental Arborvitae | CE | 0.75 | R1 | 3-6 | 7-8 | 0.94 | 0.39 | 6 |
| <i>Platyclusus orientalis</i> 'Bonita' Bonita Oriental Arborvitae | CE | 0.75 | R1 | 3-6 | 7-8 | 0.81 | 0.66 | 6 |
| <i>Platyclusus orientalis</i> 'Elegantissima' Elegantissima Oriental Arborvitae | CE | 0.75 | R1 | 3-6 | 7-8 | 0.81 | 0.59 | 6 |
| <i>Platyclusus orientalis</i> 'Fruitlandii' Fruitland Oriental Arborvitae | CE | 0.46 | R1 | 3-6 | 7-8 | 0.81 | 0.29 | 6 |
| <i>Platyclusus orientalis</i> 'Globosa' Globe Oriental Arborvitae | CE | 0.75 | R1 | 3-6 | 7-8 | 0.81 | 0.66 | 6 |
| <i>Platyclusus orientalis</i> 'Golden Rocket' Golden Rocket Oriental Arborvitae | CE | 0.76 | R1 | 3-6 | 7-8 | 0.81 | 0.66 | 6 |
| <i>Platyclusus orientalis</i> 'Golden Surprise' Golden Surprise Oriental Arborvitae | CE | 0.75 | R1 | 3-6 | 7-8 | 0.81 | 0.66 | 6 |
| <i>Platyclusus orientalis</i> 'Green Cone' Green Cone Oriental Arborvitae | CE | 0.75 | R1 | 3-6 | 7-8 | 0.81 | 1.18 | 6 |
| <i>Platyclusus orientalis</i> 'Minima Glauca' Dwarf Blue Oriental Arborvitae | CE | 0.55 | R1 | 3-6 | 7-8 | 0.81 | 0.34 | 6 |
| <i>Platyclusus orientalis</i> 'Raffles' Raffles Oriental Arborvitae | CE | 0.61 | R1 | 3-6 | 7-8 | 0.81 | 1.56 | 6 |
| <i>Platyclusus orientalis</i> 'Sanderi' Sanderi Oriental Arborvitae | CE | 1.20 | R1 | 3-6 | 7-8 | 0.81 | 0.66 | 6 |
| <i>Platyclusus orientalis</i> 'Sunkist' Sunkist Oriental Arborvitae | CE | 0.75 | R1 | 3-6 | 7-8 | 0.81 | 0.66 | 6 |
| <i>Platyclusus orientalis</i> 'Sunlight' Sunlight Oriental Arborvitae | CE | 0.75 | R1 | 3-6 | 7-8 | 0.81 | 0.66 | 6 |
| <i>Platyclusus orientalis</i> 'Westmont' P.P. 2685 Westmont Oriental Arborvitae | CE | 1.23 | R1 | 3-6 | 7-8 | 0.81 | 0.66 | 6 |
| <i>Platycodon grandiflorum</i> Balloon Flower | HP | 0.61 | R2 | 4-6 | 7-8 | | | |
| <i>Platycodon grandiflorum</i> 'Albus' White Balloon Flower | HP | 0.83 | R2 | 4-6 | 7-8 | | | |
| <i>Platycodon grandiflorum</i> 'Apoyama Fairy Snow' Apoyama Fairy Snow Balloon Flower | HP | 0.85 | R2 | 4-6 | 7-8 | | | |
| <i>Platycodon grandiflorum</i> 'Astra Strain' Astra Strain Balloon Flower | HP | 0.91 | R2 | 4-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Platycodon grandiflorum</i> 'Fuji Blue' Fuji Blue Balloon Flower | HP | 0.87 | R2 | 4-6 | 7-8 | | | |
| <i>Platycodon grandiflorum</i> 'Fuji Pink' Fuji Pink Balloon Flower | HP | 0.86 | R2 | 4-6 | 7-8 | | | |
| <i>Platycodon grandiflorum</i> 'Fuji Series' Fuji Series Balloon Flower | HP | 0.85 | R2 | 4-6 | 7-8 | | | |
| <i>Platycodon grandiflorum</i> 'Fuji White' Fuji White Balloon Flower | HP | 1.00 | R2 | 4-6 | 7-8 | | | |
| <i>Platycodon grandiflorum</i> 'Hakone Double Blue' Hakone Double Blue Balloon Flower | HP | 0.66 | R2 | 4-6 | 7-8 | | | |
| <i>Platycodon grandiflorum</i> 'Komachi' Komachi Balloon Flower | HP | 0.68 | R2 | 4-6 | 7-8 | | | |
| <i>Platycodon grandiflorum</i> 'Mariesii' See - <i>Platycodon grandiflorum</i> var. <i>mariesii</i> | | | | | | | | |
| <i>Platycodon grandiflorum</i> 'Misato Purple' Misato Purple Balloon Flower | HP | 0.80 | R2 | 4-6 | 7-8 | | | |
| <i>Platycodon grandiflorum</i> 'Perlmuttertschale' Perlmuttertschale Balloon Flower | HP | 0.85 | R2 | 4-6 | 7-8 | | | |
| <i>Platycodon grandiflorum</i> 'Sentimental Blue' Sentimental Blue Balloon Flower | HP | 0.86 | R2 | 4-6 | 7-8 | | | |
| <i>Platycodon grandiflorum</i> 'Shell Pink' Shell Pink Balloon Flower | HP | 0.95 | R2 | 4-6 | 7-8 | | | |
| <i>Platycodon grandiflorum</i> 'Zwerg' Zwerg Balloon Flower | HP | 1.14 | R2 | 4-6 | 7-8 | | | |
| <i>Platycodon grandiflorum</i> var. <i>mariesii</i> Blue Balloon Flower | HP | 1.05 | R2 | 4-6 | 7-8 | | | |
| <i>Plectranthus serpyllifolia</i> Hottentot Tea | HP | 0.60 | R2 | 8 | | | 1.00 | 9 |
| <i>Plectranthus</i> Plectranthus | FO | 0.61 | R2 | 8 | | | | |
| <i>Plectranthus</i> 'Mona Lavender' See - <i>Plectranthus</i> 'Plepalila' P.P. 13858 | | | | | | | | |
| <i>Plectranthus</i> 'Nico' P.P. 13722 Nico Plectranthus | FO | 0.61 | R2 | 8 | | | 1.00 | 10 |
| <i>Plectranthus</i> 'Plepalila' P.P. 13858 Mona Lavender Plectranthus | FO | 0.61 | R2 | 8 | | | 1.00 | 10 |
| <i>Plectranthus amboinicus</i> Spanish Thyme | FO | 0.49 | R2 | 8 | | | 1.00 | 10 |
| <i>Plectranthus amboinicus</i> 'Variegatus' Variegated Spanish Thyme | FO | 0.49 | R2 | 8 | | | 1.00 | 10 |
| <i>Plectranthus argentatus</i> No Common Name Found | FO | 0.47 | R2 | 8 | | | 1.00 | 10 |
| <i>Plectranthus ciliatus</i> Blue Spur Flower | FO | 0.56 | R2 | 8 | | | 1.00 | 10 |
| <i>Plectranthus ciliatus</i> 'Zulu Wonder' Zulu Wonder Blue Spur Flower | FO | 0.56 | R2 | 8 | | | 1.00 | 10 |
| <i>Plectranthus coleoides</i> See - <i>Plectranthus forsteri</i> | | | | | | | | |
| <i>Plectranthus ecklonii</i> Cape Lilac | FO | 0.52 | R2 | 8 | | | 1.00 | 8 |
| <i>Plectranthus ecklonii</i> 'Erma' Erma Pink Plectranthus | FO | 0.60 | R2 | 8 | | | 1.00 | 8 |
| <i>Plectranthus ecklonii</i> 'Medley-Wood' Medley-Wood Blue Plectranthus | FO | 0.60 | R2 | 8 | | | 1.00 | 8 |
| <i>Plectranthus forsteri</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Plectranthus forsteri</i> 'Marginatus' No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Plectranthus madagascariensis</i> Mintleaf | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Plectranthus nummularius</i> See - <i>Plectranthus verticillatus</i> | | | | | | | | |
| <i>Plectranthus verticillatus</i> Swedish Ivy | FO | 0.56 | R2 | 8 | | | 1.00 | 10 |
| <i>Pleioblastus argenteostriatus</i> No Common Name Found | BS | 1.37 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Pleioblastus auricomus</i> Kamuro-Zasa | BS | 2.24 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Pleioblastus chino</i> No Common Name Found | BS | 1.00 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Pleioblastus chino</i> 'Kimmei' Kimmei Bamboo | BS | 1.00 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Pleioblastus chino</i> 'Murakamianus' Murakamianus Bamboo | BS | 1.00 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Pleioblastus chino</i> 'Vaginatus Variegatus' Vaginatus Variegatus Bamboo | BS | 1.00 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Pleioblastus distichus</i> See - <i>Pleioblastus pygmaeus</i> var. <i>distichus</i> | | | | | | | | |
| <i>Pleioblastus fortunei</i> Dwarf White Stripe Bamboo | BS | 2.06 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Pleioblastus gramineus</i> No Common Name Found | BS | 0.93 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Pleioblastus hoguomosa</i> No Common Name Found | BS | 2.33 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Pleioblastus linearis</i> No Common Name Found | BS | 1.15 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Pleioblastus pygmaeus</i> Dwarf Fern-leaf Bamboo | BS | 1.22 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Pleioblastus pygmaeus</i> var. <i>distichus</i> No Common Name Found | BS | 0.86 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Pleioblastus pygmaeus</i> var. <i>distichus</i> 'Mini' Mini Bamboo | BS | 0.86 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Pleioblastus pygmaeus</i> var. <i>distichus</i> 'Okinosasa' Okinosasa Bamboo | BS | 0.86 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Pleioblastus shibuyanensis</i> No Common Name Found | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Pleioblastus shibuyanensis</i> 'Tsuboi' Tsuboi Bamboo | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Pleioblastus simonii</i> Simon Bamboo | BS | 1.15 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Pleioblastus simonii</i> ssp. <i>variegatus</i> No Common Name Found | BS | 1.15 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Pleioblastus tsugosasa</i> No Common Name Found | BS | 1.51 | R2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Pleioblastus viridistriatus</i> Dwarf Greenstripe Bamboo | BS | 1.27 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Pleioblastus viridistriatus</i> 'Chrysophyllus' Chrysophyllus Dwarf Greenstripe Bamboo | BS | 2.33 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Pleomele deremensis</i> See - <i>Dracaena deremensis</i> | | | | | | | | |
| <i>Pleomele reflexa</i> See - <i>Dracaena reflexa</i> | | | | | | | | |
| <i>Pleomele thalioides</i> See - <i>Dracaena thalioides</i> | | | | | | | | |
| <i>Plumbago auriculata</i> Cape Leadwort | BS | 0.60 | R2 | 8 | | | 1.00 | 9 |
| <i>Plumbago auriculata</i> 'Dwarf Blue' Dwarf Blue Cape Leadwort | BS | 0.70 | R2 | 8 | | | 1.00 | 9 |
| <i>Plumbago auriculata</i> 'Escapade White' Escapade White Cape Leadwort | BS | 0.88 | R2 | 8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Plumbago auriculata</i> 'Imperial Blue' Imperial Blue Cape Leadwort | BS | 0.67 | R2 | 8 | | | 1.00 | 9 |
| <i>Plumbago auriculata</i> 'Monite' P.P. 13953 White Cape™ Leadwort | BS | 0.93 | R2 | 8 | | | 1.00 | 9 |
| <i>Plumbago auriculata</i> 'Monott' P.P. 7822 Royal Cape™ Leadwort | BS | 1.14 | R2 | 8 | | | 1.00 | 9 |
| <i>Plumbago auriculata</i> 'Royal Cape' See - <i>Plumbago auriculata</i> 'Monott' P.P. 7822 | | | | | | | | |
| <i>Plumbago auriculata</i> 'White Cape' See - <i>Plumbago auriculata</i> 'Monite' P.P. 13953 | | | | | | | | |
| <i>Plumbago auriculata</i> var. <i>alba</i> No Common Name Found | BS | 0.68 | R2 | 8 | | | 1.00 | 9 |
| <i>Plumbago capensis</i> See - <i>Plumbago auriculata</i> | | | | | | | | |
| <i>Poa chaixii</i> Forest Bluegrass | HP | 1.03 | R2 | 3-5 | 6-7 | | | |
| <i>Podocarpus</i> Podocarp | CE | 1.25 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Podocarpus</i> 'Country Park Fire' Country Park Fire Hybrid Podocarp | CE | 1.25 | R2 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Podocarpus alpinus</i> See - <i>Podocarpus lawrencei</i> | | | | | | | | |
| <i>Podocarpus alpinus</i> 'Country Park Fire' See - <i>Podocarpus</i> 'Country Park Fire' | | | | | | | | |
| <i>Podocarpus andinus</i> See - <i>Prumnopitys andina</i> | | | | | | | | |
| <i>Podocarpus chinensis</i> var. <i>chinensis</i> Shrubby Yew Pine | CS | 0.95 | R1 | 5-7 | 8 | | 0.72 | 7 |
| <i>Podocarpus lawrencei</i> Tasmanian Podocarp | CE | 1.24 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Podocarpus lawrencei</i> 'Blue Gem' Blue Gem Tasmanian Podocarp | CE | 1.25 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Podocarpus lawrencei</i> 'Purple King' Purple King Tasmanian Podocarp | CE | 1.25 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Podocarpus lawrencei</i> 'Red Tip' Red Tip Tasmanian Podocarp | CE | 1.25 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Podocarpus macrophyllus</i> Southern Yew Pine | CE | 0.70 | R1 | 5-7 | 8 | 1.00 | 0.62 | 7 |
| <i>Podocarpus macrophyllus</i> 'Crusty Drybread' Crusty Drybread Southern Yew Pine | CS | 0.81 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Podocarpus macrophyllus</i> 'Dwarf Pringles' Dwarf Pringles Southern Yew Pine | CS | 0.98 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Podocarpus macrophyllus</i> 'Edgefield' Edgefield Southern Yew Pine | CS | 0.70 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Podocarpus macrophyllus</i> 'Maki' See - <i>Podocarpus chinensis</i> var. <i>chinensis</i> | | | | | | | | |
| <i>Podocarpus macrophyllus</i> 'Meta' Meta Southern Yew Pine | CS | 0.69 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Podocarpus nagi</i> See - <i>Nageia nagi</i> | | | | | | | | |
| <i>Podocarpus nivalis</i> Alpine Totara | CS | 1.70 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Podophyllum hexandrum</i> Chinese Mayapple | HP | 7.67 | R2 | 3-5 | 6-8 | | | |
| <i>Podophyllum peltatum</i> Mayapple | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Poinciana pulcherrima</i> See - <i>Caesalpinia pulcherrima</i> | | | | | | | | |
| <i>Polemonium</i> Jacob's Ladder | HP | 1.10 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Polemonium</i> 'Bressingham Purple' | | | | | | | | |
| See - <i>Polemonium</i> 'Polbress' P.P. 15367 | | | | | | | | |
| <i>Polemonium</i> 'Polbress' P.P. 15367 | HP | 1.10 | R2 | | | | | 3-8 |
| Bressingham Purple Hybrid Jacob's Ladder | | | | | | | | |
| <i>Polemonium boreale</i> | HP | 0.70 | R2 | 3-4 | | | | 5-8 |
| Northern Jacob's Ladder | | | | | | | | |
| <i>Polemonium boreale</i> 'Heavenly Habit' | HP | 0.70 | R2 | 3-4 | | | | 5-8 |
| Heavenly Habit Northern Jacob's Ladder | | | | | | | | |
| <i>Polemonium caeruleum</i> | HP | 1.00 | R2 | | | | | 3-8 |
| Jacob's Ladder | | | | | | | | |
| <i>Polemonium caeruleum</i> 'Apricot Delight' | HP | 0.76 | R2 | | | | | 3-8 |
| Apricot Delight Jacob's Ladder | | | | | | | | |
| <i>Polemonium caeruleum</i> 'Bressingham Purple' | | | | | | | | |
| See - <i>Polemonium</i> 'Polbress' P.P. 15367 | | | | | | | | |
| <i>Polemonium caeruleum</i> 'Brise d'Anjou' P.P. 9781 | HP | 1.27 | R2 | | | | | 3-8 |
| Brise d'Anjou Jacob's Ladder | | | | | | | | |
| <i>Polemonium caeruleum</i> 'Snow and Sapphires' P.P. 13441 | HP | 1.80 | R2 | | | | | 3-8 |
| Snow and Sapphires Jacob's Ladder | | | | | | | | |
| <i>Polemonium caeruleum</i> var. <i>album</i> | HP | 0.81 | R2 | 3 | | | | 4-8 |
| White Jacob's Ladder | | | | | | | | |
| <i>Polemonium carneum</i> | HP | 0.63 | R2 | 3-5 | | | | 6-8 |
| Salmon Polemonium | | | | | | | | |
| <i>Polemonium pauciflorum</i> | HP | 1.00 | R2 | 5-7 | | | | 8 |
| Mexican Jacob's Ladder | | | | | | | | |
| <i>Polemonium pauciflorum</i> ssp. <i>pauciflorum</i> | HP | 1.00 | R2 | 5-7 | | | | 8 |
| Silver-leaved Mexican Jacob's Ladder | | | | | | | | |
| <i>Polemonium pulcherrimum</i> | HP | 0.87 | R2 | 3-4 | | | | 5-8 |
| Skunkleaf Jacob's Ladder | | | | | | | | |
| <i>Polemonium pulcherrimum</i> 'Blue Master' | HP | 0.87 | R2 | 3-4 | | | | 5-8 |
| Blue Master Skunkleaf Jacob's Ladder | | | | | | | | |
| <i>Polemonium reptans</i> | HP | 1.02 | R2 | 3-4 | | | | 5-8 |
| Creeping Jacob's Ladder | | | | | | | | |
| <i>Polemonium reptans</i> 'Blue Pearl' | HP | 0.79 | R2 | 3-4 | | | | 5-8 |
| Blue Pearl Jacob's Ladder | | | | | | | | |
| <i>Polemonium reptans</i> 'Stairway to Heaven' P.P. 15187 | HP | 1.24 | R2 | 3-4 | | | | 5-8 |
| Stairway to Heaven Jacob's Ladder | | | | | | | | |
| <i>Polemonium viscosum</i> | HP | 1.00 | R2 | 3-5 | | | | 6-8 |
| Sticky Polemonium | | | | | | | | |
| <i>Polianthes geminiflora</i> | HP | 0.92 | R2 | 8 | | | | |
| No Common Name Found | | | | | | | | |
| <i>Polianthes tuberosa</i> | HP | 1.23 | R2 | 8 | | | | |
| Tuberose | | | | | | | | |
| <i>Polygala calcarea</i> | HP | 1.00 | R2 | 5-7 | | | | 8 |
| Chalk Milkwort | | | | | | | | |
| <i>Polygala chamaebuxus</i> | HP | 1.00 | R2 | 5-6 | | | | 7-8 |
| Groundbox Polygala | | | | | | | | |
| <i>Polygala chamaebuxus</i> 'Kamniski' | HP | 1.00 | R2 | 5-6 | | | | 7-8 |
| Kamniski Groundbox Polygala | | | | | | | | |
| <i>Polygala chamaebuxus</i> 'Rhodoptera' | | | | | | | | |
| See - <i>Polygala chamaebuxus</i> var. <i>grandiflora</i> | | | | | | | | |
| <i>Polygala chamaebuxus</i> var. <i>grandiflora</i> | HP | 1.00 | R2 | 5-6 | | | | 7-8 |
| Large-flowered Groundbox Polygala | | | | | | | | |
| <i>Polygala x dalmatisiana</i> | HP | 0.73 | R2 | 6-8 | | | | |
| Dalmai's Polygala | | | | | | | | |
| <i>Polygala fruticosa</i> | HP | 1.30 | R2 | 6-8 | | | | |
| Sweet Pea Shrub | | | | | | | | |
| <i>Polygala fruticosa</i> 'Monmal' | HP | 1.30 | R2 | 6-8 | | | | |
| Petite Butterflies™ Sweet Pea Shrub | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|--------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Polygala fruticosa</i> 'Petite Butterflies' See - <i>Polygala fruticosa</i> 'Monmal' | | | | | | | | |
| <i>Polygala senega</i> Seneca Snakeroot | HP | 1.00 | R2 | | 3-8 | | | |
| <i>Polygala vayredae</i> Pyrenees Polygala | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Polygonatum biflorum</i> Great Solomon's Seal | HP | 1.28 | R2 | 3 | 4-8 | | | |
| <i>Polygonatum commutatum</i> See - <i>Polygonatum biflorum</i> | | | | | | | | |
| <i>Polygonatum cyrtonema</i> See - <i>Disporopsis pernyi</i> | | | | | | | | |
| <i>Polygonatum falcatum</i> 'Variegatum' See - <i>Polygonatum odoratum</i> 'Variegatum' | | | | | | | | |
| <i>Polygonatum humile</i> Dwarf Solomon's Seal | HP | 1.11 | R2 | 3-5 | 6-8 | | | |
| <i>Polygonatum x hybridum</i> Hybrid Solomon's Seal | HP | 1.54 | R2 | 5-6 | 7-8 | | | |
| <i>Polygonatum x hybridum</i> 'Striatum' Striatum Hybrid Solomon's Seal | HP | 1.54 | R2 | 5-6 | 7-8 | | | |
| <i>Polygonatum multiflorum</i> Eurasian Solomon's Seal | HP | 1.17 | R2 | 3-4 | 5-8 | | | |
| <i>Polygonatum multiflorum</i> 'Striatum' Striated Eurasian Solomon's Seal | HP | 1.47 | R2 | 3-4 | 5-8 | | | |
| <i>Polygonatum odoratum</i> Fragrant Solomon's Seal | HP | 1.31 | R2 | 3-4 | 5-8 | | | |
| <i>Polygonatum odoratum</i> 'Variegatum' Variegated Fragrant Solomon's Seal | HP | 1.31 | R2 | 3-4 | 5-8 | | | |
| <i>Polygonatum odoratum</i> var. <i>thunbergii</i> No Common Name Found | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Polygonum affine</i> See - <i>Persicaria affinis</i> | | | | | | | | |
| <i>Polygonum amplexicaule</i> See - <i>Persicaria amplexicaulis</i> | | | | | | | | |
| <i>Polygonum aubertii</i> See - <i>Fallopia baldschuanica</i> | | | | | | | | |
| <i>Polygonum bistorta</i> See - <i>Persicaria bistorta</i> | | | | | | | | |
| <i>Polygonum capitatum</i> See - <i>Persicaria capitata</i> | | | | | | | | |
| <i>Polygonum emodi</i> See - <i>Persicaria emodi</i> | | | | | | | | |
| <i>Polygonum filiforme</i> See - <i>Persicaria virginiana</i> | | | | | | | | |
| <i>Polygonum japonicum</i> See - <i>Fallopia japonica</i> | | | | | | | | |
| <i>Polygonum japonicum</i> var. <i>compactum</i> See - <i>Fallopia japonica</i> var. <i>compacta</i> | | | | | | | | |
| <i>Polygonum odoratum</i> See - <i>Persicaria odorata</i> | | | | | | | | |
| <i>Polygonum polymorphum</i> See - <i>Persicaria polymorpha</i> | | | | | | | | |
| <i>Polygonum polystachyum</i> See - <i>Persicaria wallichii</i> | | | | | | | | |
| <i>Polygonum vacciniifolia</i> See - <i>Persicaria vacciniifolia</i> | | | | | | | | |
| <i>Polygonum weyrichii</i> See - <i>Persicaria weyrichii</i> | | | | | | | | |
| <i>Polypodium</i> Polypody | FO | 0.58 | R2 | 8 | | | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Polypodium</i> 'Green Wave' Green Wave™ Fern | FO | 0.58 | R2 | 8 | | | 1.00 | 10 |
| <i>Polypodium californicum</i> California Polypody | FO | 1.82 | R2 | 8 | | | 1.00 | 8 |
| <i>Polypodium glycyrrhiza</i> Licorice Fern | FO | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Polypodium musifolium</i> See - <i>Microsorium musifolium</i> | | | | | | | | |
| <i>Polypodium punctatum</i> See - <i>Microsorium punctatum</i> | | | | | | | | |
| <i>Polypodium scolopendria</i> See - <i>Microsorium scolopendria</i> | | | | | | | | |
| <i>Polypodium squamulosum</i> See - <i>Microgramma squamulosa</i> | | | | | | | | |
| <i>Polypodium subauriculatum</i> See - <i>Goniophlebium subauriculatum</i> | | | | | | | | |
| <i>Polypodium virginianum</i> Rock Polypody | FO | 1.00 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Polypodium vulgare</i> Common Polypody | FO | 0.63 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Polypodium vulgare</i> var. <i>occidentale</i> See - <i>Polypodium glycyrrhiza</i> | | | | | | | | |
| <i>Polyscias</i> Aralia | FO | 3.81 | R2 | 8 | | | 1.00 | 10 |
| <i>Polyscias</i> 'Crispata' Chicken Gizzard Aralia | FO | 3.81 | R2 | 8 | | | 1.00 | 10 |
| <i>Polyscias balfouriana</i> See - <i>Polyscias scutellaria</i> 'Balfourii' | | | | | | | | |
| <i>Polyscias elegans</i> Celery Wood | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Polyscias fruticosa</i> Ming Aralia | FO | 1.99 | R2 | 8 | | | 1.00 | 10 |
| <i>Polyscias guilfoylei</i> Geranium Aralia | FO | 0.46 | R2 | 8 | | | 1.00 | 10 |
| <i>Polyscias guilfoylei</i> 'Blackie' Blackie Geranium Aralia | FO | 3.45 | R2 | 8 | | | 1.00 | 10 |
| <i>Polyscias obtusa</i> Oakleaf Aralia | FO | 2.69 | R2 | 8 | | | 1.00 | 10 |
| <i>Polyscias obtusa</i> 'Fabian' Fabian Oakleaf Aralia | FO | 2.69 | R2 | 8 | | | 1.00 | 10 |
| <i>Polyscias pinnata</i> See - <i>Polyscias scutellaria</i> | | | | | | | | |
| <i>Polyscias scutellaria</i> Dinner Plate Aralia | FO | 1.36 | R2 | 8 | | | 1.00 | 10 |
| <i>Polyscias scutellaria</i> 'Balfourii' Balfour Aralia | FO | 1.64 | R2 | 8 | | | 1.00 | 10 |
| <i>Polyscias scutellaria</i> 'Marginata' Marginata Dinner Plate Aralia | FO | 1.08 | R2 | 8 | | | 1.00 | 10 |
| <i>Polystichum</i> Holly Fern | HP | 1.60 | R2 | 3-6 | 7-8 | | | |
| <i>Polystichum</i> 'Shiny Holly' Shiny Holly Fern | HP | 1.60 | R2 | 3-6 | 7-8 | | | |
| <i>Polystichum acrostichoides</i> Christmas Fern | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Polystichum aculeatum</i> No Common Name Found | HP | 1.53 | R2 | 3-4 | 5-8 | | | |
| <i>Polystichum angulare</i> See - <i>Polystichum setiferum</i> | | | | | | | | |
| <i>Polystichum braunii</i> Braun's Holly Fern | HP | 1.09 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Polystichum californicum</i> California Holly Fern | HP | 0.83 | R2 | 5-8 | | | | |
| <i>Polystichum makinoi</i> Makino's Holly Fern | HP | 1.62 | R2 | 3-5 | 6-8 | | | |
| <i>Polystichum munitum</i> Western Sword Fern | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Polystichum neolobatum</i> Long-eared Holly Fern | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Polystichum polyblepharum</i> Tassel Fern | HP | 1.03 | R2 | 3-5 | 6-8 | | | |
| <i>Polystichum setiferum</i> Soft-shield Fern | HP | 1.08 | R2 | 3-6 | 7-8 | | | |
| <i>Polystichum setiferum</i> 'Congestum' Congestum Soft-shield Fern | HP | 1.11 | R2 | 3-6 | 7-8 | | | |
| <i>Polystichum setiferum</i> 'Cristatum' Hardy Crested Fern | HP | 1.16 | R2 | 3-6 | 7-8 | | | |
| <i>Polystichum setiferum</i> 'Divisilobum' Divisilobum Soft Shield Fern | HP | 1.11 | R2 | 3-6 | 7-8 | | | |
| <i>Polystichum x setigerum</i> Alaskan Holly Fern | HP | 1.48 | R2 | 3 | 4-8 | | | |
| <i>Polystichum setosum</i> See - <i>Polystichum polyblepharum</i> | | | | | | | | |
| <i>Polystichum tsussimense</i> Korean Rock Fern | HP | 0.95 | R2 | 5-6 | 7-8 | | | |
| <i>Poncirus trifoliata</i> Trifoliolate Orange | DT | 0.92 | R1 | 3-5 | 6-8 | 1.00 | 1.04 | 5 |
| <i>Poncirus trifoliata</i> 'Flying Dragon' See - <i>Poncirus trifoliata</i> var. <i>monstrosa</i> | | | | | | | | |
| <i>Poncirus trifoliata</i> var. <i>monstrosa</i> Flying Dragon Trifoliolate Orange | DT | 0.85 | R1 | 3-5 | 6-8 | 1.00 | 1.98 | 5 |
| <i>Pontederia cordata</i> Pickerel Weed | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Populus</i> Poplar | DT | 0.80 | R1 | | 3-8 | 1.16 | 1.00 | 2 |
| <i>Populus</i> 'Androskoggin' Androskoggin Poplar | DT | 0.80 | R1 | 3 | 4-8 | 1.16 | 1.00 | 3 |
| <i>Populus</i> 'Brooks #6' Brooks #6 Poplar | DT | 0.80 | R1 | 3 | 4-8 | 1.16 | 1.00 | 3 |
| <i>Populus</i> 'Highland' Highland Poplar | DT | 0.81 | R1 | 3 | 4-8 | 1.29 | 1.00 | 3 |
| <i>Populus</i> 'N.E. 17' N.E. 17 Poplar | DT | 0.80 | R1 | | 3-8 | 1.16 | 1.00 | 2 |
| <i>Populus</i> 'N.E. 308' N.E. 308 Poplar | DT | 0.80 | R1 | | 3-8 | 1.16 | 1.00 | 2 |
| <i>Populus</i> 'Nor'easter' Nor'easter Poplar | DT | 0.78 | R1 | | 3-8 | 1.02 | 1.00 | 2 |
| <i>Populus xacuminata</i> Lanceleaf Cottonwood | DT | 0.96 | R1 | 3 | 4-8 | 1.04 | 0.87 | 3 |
| <i>Populus alba</i> White Poplar | DT | 0.77 | R1 | 3 | 4-8 | 1.11 | 0.88 | 3 |
| <i>Populus alba</i> 'Nivea' Silver White Poplar | DT | 0.88 | R1 | 3 | 4-8 | 0.90 | 0.77 | 3 |
| <i>Populus alba</i> 'Pyramidalis' Bolleana Poplar | DT | 0.99 | R1 | 3 | 4-8 | 0.69 | 0.66 | 3 |
| <i>Populus angustifolia</i> Narrowleaf Cottonwood | DT | 0.97 | R1 | 3 | 4-8 | 0.84 | 0.82 | 3 |
| <i>Populus angustifolia</i> 'Creekside' Creekside Grafted Narrowleaf Cottonwood | DT | 0.97 | R1 | 3 | 4-8 | 0.90 | 0.82 | 3 |
| <i>Populus balsamifera</i> Balsam Poplar | DT | 0.85 | R1 | | 3-8 | 1.00 | 1.00 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Populus xcanadensis</i> Carolina Poplar | DT | 0.86 | R1 | 3 | 4-8 | 0.74 | 0.85 | 3 |
| <i>Populus xcanadensis</i> 'Eugenei' Eugene Carolina Poplar | DT | 0.92 | R1 | 3 | 4-8 | 0.74 | 0.85 | 3 |
| <i>Populus xcanadensis</i> 'Imperial' Imperial Carolina Poplar | DT | 0.92 | R1 | 3 | 4-8 | 0.74 | 0.85 | 3 |
| <i>Populus xcanadensis</i> 'Prairie Sky' Prairie Sky Carolina Poplar | DT | 0.92 | R1 | 3 | 4-8 | 0.74 | 0.85 | 3 |
| <i>Populus xcanadensis</i> 'Robusta' Robusta Carolina Poplar | DT | 0.97 | R1 | 3 | 4-8 | 0.74 | 0.85 | 3 |
| <i>Populus xcanadensis</i> 'Serotina Aurea' Late Golden Carolina Poplar | DT | 0.92 | R1 | 3 | 4-8 | 0.74 | 0.85 | 3 |
| <i>Populus canescens</i> Gray Poplar | DT | 0.96 | R1 | 3 | 4-8 | 1.01 | 1.00 | 3 |
| <i>Populus canescens</i> 'Tower' Tower Poplar | DT | 0.96 | R1 | 3 | 4-8 | 1.01 | 1.00 | 3 |
| <i>Populus deltoides</i> Cottonless Cottonwood | DT | 0.87 | R1 | | 3-8 | 0.59 | 0.42 | 2 |
| <i>Populus deltoides</i> 'Mighty Moe' Mighty Moe Cottonless Poplar | DT | 0.92 | R1 | | 3-8 | 0.74 | 0.42 | 2 |
| <i>Populus deltoides</i> 'Red Caudina' Red Caudina Cottonless Poplar | DT | 1.09 | R1 | | 3-8 | 0.74 | 0.42 | 2 |
| <i>Populus deltoides</i> 'Siouxland' Siouxland Cottonless Poplar | DT | 0.81 | R1 | | 3-8 | 0.88 | 0.42 | 2 |
| <i>Populus deltoides</i> ssp. <i>monilifera</i> Great Plains Cottonwood | DT | 0.73 | R1 | | 3-8 | 1.28 | 1.00 | 2 |
| <i>Populus deltoides</i> ssp. <i>monilifera</i> 'Jeronimus' Jeronimus Great Plains Cottonwood | DT | 1.08 | R1 | | 3-8 | 1.43 | 1.00 | 2 |
| <i>Populus fremontii</i> Fremont Cottonwood | DT | 0.95 | R1 | 3-4 | 5-8 | 0.48 | 1.00 | 3 |
| <i>Populus grandidentata</i> Bigtooth Aspen | DT | 1.00 | R1 | 3 | 4-8 | 1.00 | 1.00 | 3 |
| <i>Populus xjackii</i> Balm of Gilead | DT | 1.00 | R1 | 3 | 4-8 | 0.67 | 1.00 | 3 |
| <i>Populus xjackii</i> 'Northwest' Northwest Poplar | DT | 1.00 | R1 | 3 | 4-8 | 0.67 | 1.00 | 3 |
| <i>Populus maximowiczii</i> Japanese Poplar | DT | 1.00 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |
| <i>Populus nigra</i> Black Poplar | DT | 0.96 | R1 | | 3-8 | 0.83 | 0.24 | 2 |
| <i>Populus nigra</i> 'Afghanica' Theves Black Poplar | DT | 0.78 | R1 | | 3-8 | 1.00 | 0.24 | 2 |
| <i>Populus nigra</i> 'Italica' Lombardy Black Poplar | DT | 0.97 | R1 | | 3-8 | 0.66 | 0.24 | 2 |
| <i>Populus nigra</i> var. <i>thevestina</i> See - <i>Populus nigra</i> 'Afghanica' | | | | | | | | |
| <i>Populus sargentii</i> See - <i>Populus deltoides</i> ssp. <i>monilifera</i> | | | | | | | | |
| <i>Populus simonii</i> Simon Columnar Poplar | DT | 1.00 | R1 | | 3-8 | 1.00 | 1.00 | 2 |
| <i>Populus tremula</i> European Aspen | DT | 1.24 | R1 | | 3-8 | 1.05 | 0.54 | 2 |
| <i>Populus tremula</i> 'Columnaris' See - <i>Populus tremula</i> 'Erecta' | | | | | | | | |
| <i>Populus tremula</i> 'Erecta' Swedish Columnar Aspen | DT | 1.24 | R1 | | 3-8 | 1.05 | 0.99 | 2 |
| <i>Populus tremula</i> 'Tahoe' Tahoe European Aspen | DT | 1.24 | R1 | | 3-8 | 1.05 | 0.77 | 2 |
| <i>Populus tremuloides</i> Quaking Aspen | DT | 1.16 | R1 | | 3-8 | 1.18 | 0.99 | 1 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Populus tremuloides</i> 'Bethel Spire' Bethel Spire Quaking Aspen | DT | 1.07 | R1 | | 3-8 | 1.10 | 0.99 | 1 |
| <i>Populus tremuloides</i> 'Kaibab' Kaibab Quaking Aspen | DT | 1.07 | R1 | | 3-8 | 1.02 | 0.99 | 1 |
| <i>Populus tremuloides</i> 'N.E. Arb' Prairie Gold® Quaking Aspen | DT | 0.98 | R1 | 3-4 | 5-8 | 1.10 | 0.99 | 4 |
| <i>Populus tremuloides</i> 'Prairie Gold' See - <i>Populus tremuloides</i> 'N.E. Arb' | | | | | | | | |
| <i>Populus trichocarpa</i> Western Balsam Poplar | DT | 0.85 | R1 | 3-4 | 5-8 | 0.87 | 0.52 | 3 |
| <i>Populus tristis</i> Browntwig Poplar | DT | 1.00 | R1 | | 3-8 | 0.67 | 1.00 | 1 |
| <i>Portea</i> Portea | HP | 1.00 | R2 | 8 | | | | |
| <i>Portea</i> 'June' June Portea | HP | 1.00 | R2 | 8 | | | | |
| <i>Portea petropolitana</i> No Common Name Found | HP | 2.00 | R2 | 8 | | | | |
| <i>Portulaca grandiflora</i> Moss Rose | AN | 0.88 | R2 | 6-8 | | | | |
| <i>Portulaca grandiflora</i> 'Duet Series' Duet Series Moss Rose | AN | 1.38 | R2 | 6-8 | | | | |
| <i>Portulaca grandiflora</i> 'Fairytale Sleeping Beauty' See - <i>Portulaca grandiflora</i> 'Sleeping Beauty' P.P. 13600 | | | | | | | | |
| <i>Portulaca grandiflora</i> 'Fairytale Snow White' See - <i>Portulaca grandiflora</i> 'Snow White' P.P. 13603 | | | | | | | | |
| <i>Portulaca grandiflora</i> 'Margarita Series' Margarita Series Moss Rose | AN | 0.80 | R2 | 6-8 | | | | |
| <i>Portulaca grandiflora</i> 'Samba Series' Samba Series Moss Rose | AN | 0.80 | R2 | 6-8 | | | | |
| <i>Portulaca grandiflora</i> 'Sleeping Beauty' P.P. 13600 Fairytale Sleeping Beauty Moss Rose | AN | 0.73 | R2 | 6-8 | | | | |
| <i>Portulaca grandiflora</i> 'Snow White' P.P. 13603 Fairytale Snow White Moss Rose | AN | 0.70 | R2 | 6-8 | | | | |
| <i>Portulaca grandiflora</i> 'Sundial Series' Sundial Series Moss Rose | AN | 0.52 | R2 | 6-8 | | | | |
| <i>Portulaca oleracea</i> Purslane | AN | 0.64 | R2 | 6-8 | | | | |
| <i>Portulaca oleracea</i> 'Candy Stick' Candy Stick Purslane | AN | 0.92 | R2 | 6-8 | | | | |
| <i>Portulaca oleracea</i> 'Double Yubi Series' Double Yubi Series Purslane | AN | 1.34 | R2 | 6-8 | | | | |
| <i>Portulaca oleracea</i> 'Golden Sunset' Golden Sunset Purslane | AN | 0.79 | R2 | 6-8 | | | | |
| <i>Portulaca oleracea</i> 'Hot Shot Series' Hot Shot Series Purslane | AN | 0.92 | R2 | 6-8 | | | | |
| <i>Portulaca oleracea</i> 'Peppermint Star' Peppermint Star Purslane | AN | 0.92 | R2 | 6-8 | | | | |
| <i>Portulaca oleracea</i> 'Yubi Summer Joy Series' Yubi Summer Joy Series Purslane | AN | 0.89 | R2 | 6-8 | | | | |
| <i>Portulaca oleracea</i> var. <i>sativa</i> Kitchen Garden Purslane | AN | 1.38 | R2 | 6-8 | | | | |
| <i>Portulaca pilosa</i> Shaggy Purslane | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Portulaca sativa</i> See - <i>Portulaca oleracea</i> var. <i>sativa</i> | | | | | | | | |
| <i>Portulacaria afra</i> Elephant Bush | FO | 0.75 | R2 | 8 | | | 1.00 | 9 |
| <i>Portulacaria afra</i> 'Variegata' Variegated Elephant Bush | FO | 0.69 | R2 | 8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Potentilla</i> Cinquefoil | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Potentilla</i> 'Arc En Ciel' Arc En Ciel Cinquefoil | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Potentilla alba</i> White Cinquefoil | HP | 1.17 | R2 | 3-5 | 6-8 | | | |
| <i>Potentilla argentea</i> Hoary Cinquefoil | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Potentilla argentea</i> var. <i>calabra</i> See - <i>Potentilla calabra</i> | | | | | | | | |
| <i>Potentilla arguta</i> Prairie Cinquefoil | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Potentilla atrosanguinea</i> Himalayan Cinquefoil | HP | 0.90 | R2 | 5 | 6-8 | | | |
| <i>Potentilla atrosanguinea</i> 'Flamenco' Flamenco Himalayan Cinquefoil | HP | 1.06 | R2 | 5 | 6-8 | | | |
| <i>Potentilla atrosanguinea</i> 'Gibson Scarlet' Gibson Scarlet Himalayan Cinquefoil | HP | 1.22 | R2 | 5 | 6-8 | | | |
| <i>Potentilla atrosanguinea</i> 'William Rollinson' William Rollinson Himalayan Cinquefoil | HP | 1.06 | R2 | 5 | 6-8 | | | |
| <i>Potentilla atrosanguinea</i> 'Yellow Queen' Yellow Queen Himalayan Cinquefoil | HP | 1.06 | R2 | 5 | 6-8 | | | |
| <i>Potentilla aurea</i> Golden Cinquefoil | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Potentilla calabra</i> No Common Name Found | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Potentilla cinerea</i> Rusty Cinquefoil | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Potentilla crantzii</i> Alpine Cinquefoil | HP | 0.83 | R2 | 3-5 | 6-8 | | | |
| <i>Potentilla crantzii</i> 'Pygmaea' Dwarf Alpine Cinquefoil | HP | 0.83 | R2 | 3-5 | 6-8 | | | |
| <i>Potentilla effusa</i> See - <i>Potentilla hippiana</i> | | | | | | | | |
| <i>Potentilla fragiformis</i> See - <i>Potentilla megalantha</i> | | | | | | | | |
| <i>Potentilla fruticosa</i> Bush Cinquefoil | DS | 0.84 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Abbotswood' Abbotswood Bush Cinquefoil | DS | 0.92 | R2 | 3-4 | 5-8 | | 0.75 | 2 |
| <i>Potentilla fruticosa</i> 'Absaraka' Dakota Goldrush™ Bush Cinquefoil | DS | 0.75 | R2 | 3-4 | 5-8 | | 0.72 | 2 |
| <i>Potentilla fruticosa</i> 'Annette' Annette Bush Cinquefoil | DS | 0.94 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Apricot Whisper' Apricot Whisper Bush Cinquefoil | DS | 0.91 | R2 | 3-4 | 5-8 | | 0.75 | 2 |
| <i>Potentilla fruticosa</i> 'Beesii' Bees Bush Cinquefoil | DS | 0.94 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Blink' P.P. 5106 Princess™ Bush Cinquefoil | DS | 0.94 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Boskoop Red' Boskoop Red Bush Cinquefoil | DS | 1.08 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Buttercup' Buttercup Bush Cinquefoil | DS | 0.94 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Coronation Triumph' Coronation Triumph Bush Cinquefoil | DS | 0.93 | R2 | 3-4 | 5-8 | | 0.40 | 2 |
| <i>Potentilla fruticosa</i> 'Dakota Goldrush' See - <i>Potentilla fruticosa</i> 'Absaraka' | | | | | | | | |
| <i>Potentilla fruticosa</i> 'Dakota Sunspot' See - <i>Potentilla fruticosa</i> 'Fargo' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Potentilla fruticosa</i> 'Daydawn' Daydawn Bush Cinquefoil | DS | 0.70 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Elizabeth' Elizabeth Bush Cinquefoil | DS | 0.82 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Fargo' Dakota Sunspot™ Bush Cinquefoil | DS | 1.10 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Floppy Disc' Floppy Disc Bush Cinquefoil | DS | 0.94 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Fredrichsenii' Fredrichsen Bush Cinquefoil | DS | 0.94 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Frosty' See - <i>Potentilla fruticosa</i> 'Monsidh' P.P. 10987 | | | | | | | | |
| <i>Potentilla fruticosa</i> 'Glenroy Pink' Glenroy Pink Bush Cinquefoil | DS | 0.94 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Gold Drop' Gold Drop Bush Cinquefoil | DS | 0.87 | R2 | 3-4 | 5-8 | | 0.61 | 2 |
| <i>Potentilla fruticosa</i> 'Gold Star' Gold Star Bush Cinquefoil | DS | 0.91 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Goldfinger' Goldfinger Bush Cinquefoil | DS | 0.90 | R2 | 3-4 | 5-8 | | 0.60 | 2 |
| <i>Potentilla fruticosa</i> 'Hall Gold' Hall Gold Bush Cinquefoil | DS | 0.94 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Hallman's Dwarf' Hallman's Dwarf Bush Cinquefoil | DS | 0.94 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Hinerob' P.P. 9321 Marion Red Robin® Bush Cinquefoil | DS | 1.09 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Hollandia Gold' Hollandia Gold Bush Cinquefoil | DS | 0.94 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Hurstborne' Hurstborne Bush Cinquefoil | DS | 0.94 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Jackmanii' Jackman's Bush Cinquefoil | DS | 0.90 | R2 | 3-4 | 5-8 | | 0.57 | 2 |
| <i>Potentilla fruticosa</i> 'Katherine Dykes' Katherine Dykes Bush Cinquefoil | DS | 0.91 | R2 | 3-4 | 5-8 | | 0.85 | 2 |
| <i>Potentilla fruticosa</i> 'Klondike' Klondike Bush Cinquefoil | DS | 0.90 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Kobold' Kobold Bush Cinquefoil | DS | 1.01 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Lemon Drop' Lemon Drop Bush Cinquefoil | DS | 0.94 | R2 | 3-4 | 5-8 | | 0.74 | 2 |
| <i>Potentilla fruticosa</i> 'Longacre' Longacre Bush Cinquefoil | DS | 0.92 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Maanelys' Maanelys Bush Cinquefoil | DS | 0.94 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Mango Tango' See - <i>Potentilla fruticosa</i> 'UMan' P.P. 12258 | | | | | | | | |
| <i>Potentilla fruticosa</i> 'Marion Red Robin' See - <i>Potentilla fruticosa</i> 'Hinerob' P.P. 9321 | | | | | | | | |
| <i>Potentilla fruticosa</i> 'Marrob' See - <i>Potentilla fruticosa</i> 'Hinerob' P.P. 9321 | | | | | | | | |
| <i>Potentilla fruticosa</i> 'McKay's White' McKay's White Bush Cinquefoil | DS | 0.94 | R2 | 3-4 | 5-8 | | 0.66 | 2 |
| <i>Potentilla fruticosa</i> 'Monsidh' P.P. 10987 Frosty™ Bush Cinquefoil | DS | 1.19 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Mount Everest' Mount Everest Bush Cinquefoil | DS | 0.78 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Pink Beauty' P.P. 9874 Pink Beauty Bush Cinquefoil | DS | 0.98 | R2 | 3-4 | 5-8 | | 0.93 | 2 |
| <i>Potentilla fruticosa</i> 'Pink Queen' Pink Queen Bush Cinquefoil | DS | 0.81 | R2 | 3-4 | 5-8 | | 0.73 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Potentilla fruticosa</i> 'Pink Whisper' Pink Whisper Bush Cinquefoil | DS | 1.04 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Primrose Beauty' Primrose Beauty Bush Cinquefoil | DS | 0.89 | R2 | 3-4 | 5-8 | | 0.71 | 2 |
| <i>Potentilla fruticosa</i> 'Princess' See - <i>Potentilla fruticosa</i> 'Blink' P.P. 5106 | | | | | | | | |
| <i>Potentilla fruticosa</i> 'Red Ace' P.P. 4226 Red Ace Bush Cinquefoil | DS | 1.02 | R2 | 3-4 | 5-8 | | 0.70 | 2 |
| <i>Potentilla fruticosa</i> 'Red Joker' Red Joker Bush Cinquefoil | DS | 0.82 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Red Sunset' Red Sunset Bush Cinquefoil | DS | 0.72 | R2 | 3-4 | 5-8 | | 0.56 | 2 |
| <i>Potentilla fruticosa</i> 'Silverlace' Silverlace Bush Cinquefoil | DS | 0.94 | R2 | 3-4 | 5-8 | | 0.74 | 2 |
| <i>Potentilla fruticosa</i> 'Snowbird' Snowbird Bush Cinquefoil | DS | 1.05 | R2 | 3-4 | 5-8 | | 0.40 | 2 |
| <i>Potentilla fruticosa</i> 'Snowflake' Snowflake Bush Cinquefoil | DS | 0.94 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Sundance' Sundance Bush Cinquefoil | DS | 1.16 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Sunset' Sunset Bush Cinquefoil | DS | 1.04 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Tangerine' Tangerine Bush Cinquefoil | DS | 0.92 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Tilford Cream' Tilford Cream Bush Cinquefoil | DS | 0.94 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'UMan' P.P. 12258 Mango Tango™ Bush Cinquefoil | DS | 1.04 | R2 | 3-4 | 5-8 | | 1.52 | 2 |
| <i>Potentilla fruticosa</i> 'Vilmoriniana' Vilmorin Bush Cinquefoil | DS | 0.94 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Yellow Carpet' Yellow Carpet Bush Cinquefoil | DS | 0.94 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Yellow Gem' Yellow Gem Bush Cinquefoil | DS | 1.01 | R2 | 3-4 | 5-8 | | 0.73 | 2 |
| <i>Potentilla fruticosa</i> 'Yellowbird' Yellowbird Bush Cinquefoil | DS | 1.05 | R2 | 3-4 | 5-8 | | 0.94 | 2 |
| <i>Potentilla fruticosa</i> var. <i>purdomii</i> See - <i>Potentilla parvifolia</i> var. <i>parvifolia</i> | | | | | | | | |
| <i>Potentilla fruticosa</i> var. <i>purdomii</i> 'Forever Gold' See - <i>Potentilla parvifolia</i> var. <i>parvifolia</i> 'Forever Gold' | | | | | | | | |
| <i>Potentilla hippiana</i> Woolly Cinquefoil | HP | 0.92 | R1 | 3-6 | 7-8 | | | |
| <i>Potentilla x hopwoodiana</i> Hopwood's Cinquefoil | DS | 2.14 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Potentilla hyparctica</i> Arctic Cinquefoil | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Potentilla hyparctica</i> 'Nana' Low Arctic Cinquefoil | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Potentilla megalantha</i> Strawberry Cinquefoil | HP | 1.13 | R2 | 3-5 | 6-8 | | | |
| <i>Potentilla nepalensis</i> Nepal Cinquefoil | HP | 1.24 | R2 | 3-5 | 6-8 | | | |
| <i>Potentilla nepalensis</i> 'Miss Wilmott' Miss Wilmott Nepal Cinquefoil | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Potentilla nepalensis</i> 'Shogran' Shogran Nepal Cinquefoil | HP | 1.64 | R2 | 3-5 | 6-8 | | | |
| <i>Potentilla neumanniana</i> Creeping Spring Cinquefoil | HP | 0.70 | R2 | 3-5 | 6-8 | | | |
| <i>Potentilla neumanniana</i> 'Nana' Dwarf Spring Cinquefoil | HP | 0.87 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Potentilla nitida</i> Snowline Cinquefoil | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Potentilla parvifolia</i> var. <i>parvifolia</i> Shrubby Cinquefoil | DS | 1.17 | R2 | | 3-8 | | 1.00 | 2 |
| <i>Potentilla parvifolia</i> var. <i>parvifolia</i> 'Forever Gold' Forever Gold Shrubby Cinquefoil | DS | 1.17 | R2 | | 3-8 | | 1.00 | 2 |
| <i>Potentilla recta</i> Sulphur Cinquefoil | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Potentilla recta</i> 'Warrenii' Warren Sulfur Cinquefoil | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Potentilla rupestris</i> Cliff Cinquefoil | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Potentilla tabernaemontani</i> See - <i>Potentilla neumanniana</i> | | | | | | | | |
| <i>Potentilla tabernaemontani</i> var. <i>nana</i> See - <i>Potentilla neumanniana</i> 'Nana' | | | | | | | | |
| <i>Potentilla x tonguei</i> Tormentilla Cinquefoil | HP | 0.88 | R2 | 3-5 | 6-8 | | | |
| <i>Potentilla tridentata</i> Wineleaf Cinquefoil | HP | 1.17 | R2 | 3-4 | 5-8 | | | |
| <i>Potentilla tridentata</i> 'Minima' Dwarf Wineleaf Cinquefoil | HP | 1.17 | R2 | 3-4 | 5-8 | | | |
| <i>Poterium sanguisorba</i> See - <i>Sanguisorba minor</i> | | | | | | | | |
| <i>Pratia angulata</i> No Common Name Found | HP | 0.65 | R2 | 5-7 | 8 | | | |
| <i>Pratia pedunculata</i> Blue Star Creeper | HP | 0.74 | R2 | 3-6 | 7-8 | | | |
| <i>Pratia pedunculata</i> 'County Park' County Park Pratia | HP | 0.65 | R2 | 3-6 | 7-8 | | | |
| <i>Pratia pedunculata</i> 'Tom Stone' Tom Stone Pratia | HP | 0.83 | R2 | 3-6 | 7-8 | | | |
| <i>Pratia puberula</i> See - <i>Pratia pedunculata</i> | | | | | | | | |
| <i>Prenanthes racemosa</i> Glaucous White Lettuce | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Primula acaulis</i> See - <i>Primula vulgaris</i> | | | | | | | | |
| <i>Primula allionii</i> Allioni Primrose | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Primula angustifolia</i> Colorado Primrose | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Primula auricula</i> Auricula Primrose | HP | 0.65 | R2 | 3 | 4-8 | | | |
| <i>Primula beesiana</i> No Common Name Found | HP | 1.16 | R2 | 3-5 | 6-8 | | | |
| <i>Primula x bulleesiana</i> No Common Name Found | HP | 1.17 | R2 | 3-5 | 6-8 | | | |
| <i>Primula bulleyana</i> No Common Name Found | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Primula burmanica</i> No Common Name Found | HP | 0.64 | R2 | 3-5 | 6-8 | | | |
| <i>Primula cockburniana</i> Cockburn Primrose | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Primula daoensis</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Primula denticulata</i> Drumstick Primrose | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Primula denticulata</i> 'Alba' White Drumstick Primrose | HP | 1.02 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Primula denticulata</i> 'Cashmeriana Rubin' Cashmeriana Rubin Drumstick Primrose | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Primula denticulata</i> 'Ronsdorf Strain' Ronsdorf Strain Drumstick Primrose | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Primula denticulata</i> 'Rosa Tone' Rosa Tone Drumstick Primrose | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Primula edgeworthii</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Primula elatior</i> Oxlip Primrose | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Primula elatior</i> 'Alba' White Oxlip Primrose | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Primula elatior</i> 'Aurea' Aurea Oxlip Primrose | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Primula elatior</i> 'Colossea' Colossea Oxlip Primrose | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Primula elatior</i> 'Rote Farbern' Rote Farbern Oxlip Primrose | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Primula x forsteri</i> Forster Primrose | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Primula x forsteri</i> 'Bileckii' Bilecki Forster Primrose | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Primula japonica</i> Japanese Primrose | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Primula japonica</i> 'Alba' White Japanese Primrose | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Primula japonica</i> 'Carminea' Carminea Japanese Primrose | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Primula japonica</i> 'Miller's Crimson' Miller's Crimson Japanese Primrose | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Primula juliae</i> Julia Primrose | HP | 0.52 | R2 | 3-4 | 5-8 | | | |
| <i>Primula juliae</i> 'Wanda' Wanda Julia's Primrose | HP | 0.52 | R2 | 3-4 | 5-8 | | | |
| <i>Primula malacoides</i> Fairy Primrose | AN | 0.57 | R2 | 5-8 | | | | |
| <i>Primula minima</i> Least Primrose | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Primula obconica</i> German Primrose | HP | 0.80 | R2 | 5-8 | | | | |
| <i>Primula obconica</i> 'Libre Series' Libre Series German Primrose | HP | 0.80 | R2 | 5-8 | | | | |
| <i>Primula obconica</i> 'Prino Series' Prino Series German Primrose | HP | 0.80 | R2 | 5-8 | | | | |
| <i>Primula parryi</i> Parry Primrose | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Primula x polyantha</i> Polyantha Primrose | HP | 0.57 | R2 | 3-4 | 5-8 | | | |
| <i>Primula x polyantha</i> 'Pacific Giant Mixed' Pacific Giant Polyantha Primrose | HP | 1.13 | R2 | 3-4 | 5-8 | | | |
| <i>Primula x polyantha</i> 'Pacific Giant Yellow' Pacific Giant Yellow Polyantha Primrose | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Primula x pubescens</i> Hybrid Primrose | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Primula rosea</i> Rose Primrose | HP | 1.14 | R2 | 3-5 | 6-8 | | | |
| <i>Primula rosea</i> 'Gigas' Gigas Rose Primrose | HP | 1.14 | R2 | 3-5 | 6-8 | | | |
| <i>Primula rosea</i> 'Grandiflora' Grandiflora Rose Primrose | HP | 1.14 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Primula sieboldii</i> Siebold Primrose | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Primula sieboldii</i> 'Snowflake' Snowflake Siebold Primrose | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Primula sikkimensis</i> Sikkim Primrose | HP | 0.76 | R2 | 3-5 | 6-8 | | | |
| <i>Primula veris</i> Cowslip Primrose | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Primula veris</i> 'Katy McSparron' See - <i>Primula veris</i> 'Prinic' P.P. 12892 | | | | | | | | |
| <i>Primula veris</i> 'Prinic' P.P. 12892 Katy McSparron Cowslip Primrose | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Primula veris</i> 'Sunset Shades' Sunset Shades Cowslip Primrose | HP | 1.15 | R2 | 3-4 | 5-8 | | | |
| <i>Primula vialii</i> Vial's Primrose | HP | 1.11 | R2 | 3-6 | 7-8 | | | |
| <i>Primula vulgaris</i> English Primrose | HP | 0.72 | R2 | 3-5 | 6-8 | | | |
| <i>Primula vulgaris</i> 'Danova Mix' Danova Mix English Primrose | HP | 0.72 | R2 | 3-5 | 6-8 | | | |
| <i>Primula warshenewskiana</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Primula yargongensis</i> No Common Name Found | HP | 0.66 | R2 | 3-7 | 8 | | | |
| <i>Pritzelago alpina</i> Chamois Cress | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Prosopis alba</i> Argentine Mesquite | DT | 0.53 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Prosopis articulata</i> See - <i>Prosopis velutina</i> | | | | | | | | |
| <i>Prosopis pubescens</i> Screw Bean Mesquite | DT | 0.39 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Prosopis velutina</i> Velvet Mesquite | DT | 0.39 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Prostanthera lasianthos</i> Victoria Dogwood | BS | 0.61 | R2 | 8 | | | 1.00 | 9 |
| <i>Prostanthera rotundifolia</i> Mint Bush | BS | 0.98 | R2 | 8 | | | 1.00 | 9 |
| <i>Prostanthera rotundifolia</i> 'Ghost Cave' Ghost Cave Mint Bush | BS | 0.81 | R2 | 8 | | | 1.00 | 9 |
| <i>Prostanthera rotundifolia</i> 'Rosea' Rose Mint Bush | BS | 0.81 | R2 | 8 | | | 1.00 | 9 |
| <i>Prumnopitys andina</i> Plum-fruited Yew | CE | 1.00 | R1 | 6-8 | | 1.00 | 1.00 | 8 |
| <i>Prunella grandiflora</i> Bigflower Self-heal | HP | 0.77 | R2 | 5-6 | 7-8 | | | |
| <i>Prunella grandiflora</i> 'Alba' White Bigflower Self-heal | HP | 0.85 | R2 | 5-6 | 7-8 | | | |
| <i>Prunella grandiflora</i> 'Carminea' Carminea Bigflower Self-heal | HP | 1.17 | R2 | 5-6 | 7-8 | | | |
| <i>Prunella grandiflora</i> 'Pink Loveliness' Pink Loveliness Self-heal | HP | 0.82 | R2 | 5-6 | 7-8 | | | |
| <i>Prunella laciniata</i> Cut-leaf Self-heal | HP | 0.69 | R2 | 5-6 | 7-8 | | | |
| <i>Prunella vulgaris</i> Common Self-heal | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Prunella x webbiana</i> Self-heal | HP | 0.67 | R2 | 3-5 | 6-8 | | | |
| <i>Prunella x webbiana</i> 'Loveliness' Loveliness Hybrid Self-heal | HP | 0.84 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Prunella x webbiana</i> 'Rosea' Rose Hybrid Self-heal | HP | 0.76 | R2 | 3-5 | 6-8 | | | |
| <i>Prunus</i> Plum | FN | 1.22 | R1 | 3-4 | 5-8 | 1.06 | 0.74 | 4 |
| <i>Prunus</i> 'Accolade' Accolade Cherry | DT | 1.47 | R1 | 3-4 | 5-8 | 1.05 | 0.63 | 4 |
| <i>Prunus</i> 'Alderman' Alderman Plum | FN | 1.22 | R1 | 3-4 | 5-8 | 1.16 | 0.67 | 4 |
| <i>Prunus</i> 'Berry' Cascade Snow™ Flowering Cherry | FN | 1.22 | R1 | 3-5 | 6-8 | 0.92 | 0.74 | 5 |
| <i>Prunus</i> 'Cascade Snow' See - <i>Prunus</i> 'Berry' | | | | | | | | |
| <i>Prunus</i> 'Dream Catcher' Dream Catcher Flowering Cherry | FN | 1.25 | R1 | 5-6 | 7-8 | 1.06 | 0.81 | 6 |
| <i>Prunus</i> 'Ember' Ember Plum | FN | 1.22 | R1 | 3-4 | 5-8 | 1.06 | 0.74 | 4 |
| <i>Prunus</i> 'First Lady' First Lady Flowering Cherry | DT | 0.81 | R1 | 5-6 | 7-8 | 0.89 | 0.63 | 6 |
| <i>Prunus</i> 'GI 148/1' P.P. 8954 Gisela® 6 Cherry | FN | 1.22 | R1 | 3-4 | 5-8 | 0.72 | 0.74 | 3 |
| <i>Prunus</i> 'GI 148/2' P.P. 9622 Gisela® 5 Cherry | FN | 1.22 | R1 | 3-4 | 5-8 | 0.72 | 0.74 | 3 |
| <i>Prunus</i> 'GI 195/2' P.P. 9631 Gisela® 12 Cherry | FN | 1.22 | R1 | 3-4 | 5-8 | 0.72 | 0.74 | 3 |
| <i>Prunus</i> 'Gisela 12' See - <i>Prunus</i> 'GI 195/2' P.P. 9631 | | | | | | | | |
| <i>Prunus</i> 'Gisela 5' See - <i>Prunus</i> 'GI 148/2' P.P. 9622 | | | | | | | | |
| <i>Prunus</i> 'Gisela 6' See - <i>Prunus</i> 'GI 148/1' P.P. 8954 | | | | | | | | |
| <i>Prunus</i> 'Krymsk Series' Krymsk Series Prunus Rootstock | FN | 1.22 | R1 | 4-5 | 6-8 | 1.06 | 0.74 | 5 |
| <i>Prunus</i> 'La Crescent' La Crescent Plum | FN | 1.05 | R1 | 3-4 | 5-8 | 1.08 | 0.74 | 4 |
| <i>Prunus</i> 'Newport' Newport Purpleleaf Plum | DT | 1.08 | R1 | 3-4 | 5-8 | 0.85 | 0.62 | 4 |
| <i>Prunus</i> 'Okame' Okame Cherry | DT | 0.84 | R1 | 3-5 | 6-8 | 0.82 | 0.52 | 5 |
| <i>Prunus</i> 'Pembina' Pembina Plum | FN | 1.68 | R1 | 3-4 | 5-8 | 1.42 | 0.74 | 3 |
| <i>Prunus</i> 'Pipestone' Pipestone Plum | FN | 1.64 | R1 | 5 | 6-8 | 1.14 | 0.74 | 3 |
| <i>Prunus</i> 'Redglow' Redglow Plum | FN | 1.22 | R1 | 5 | 6-8 | 1.06 | 0.74 | 4 |
| <i>Prunus</i> 'Snofozam' Snow Fountains® Cherry | DT | 1.19 | R1 | 5 | 6-8 | 1.03 | 0.82 | 5 |
| <i>Prunus</i> 'Snow Fountains' See - <i>Prunus</i> 'Snofozam' | | | | | | | | |
| <i>Prunus</i> 'Snow Goose' Snow Goose Cherry | DT | 0.70 | R1 | 3-5 | 6-8 | 0.71 | 0.37 | 5 |
| <i>Prunus</i> 'Snow Showers' Snow Showers Cherry | DT | 1.38 | R1 | 3-5 | 6-8 | 0.82 | 0.63 | 5 |
| <i>Prunus</i> 'Spire' Spire Cherry | DT | 0.91 | R1 | 5-6 | 7-8 | 0.92 | 0.82 | 6 |
| <i>Prunus</i> 'Superior' Superior Plum | FN | 0.93 | R1 | 5 | 6-8 | 1.09 | 0.74 | 4 |
| <i>Prunus</i> 'Toka' Toka Plum | FN | 1.24 | R1 | 5 | 6-8 | 1.14 | 0.74 | 3 |
| <i>Prunus</i> 'Umineko' Umineko Cherry | FN | 1.22 | R1 | 5-6 | 7-8 | 1.06 | 0.74 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Prunus</i> 'Underwood' Underwood Plum | FN | 1.22 | R1 | 5 | 6-8 | 1.33 | 0.74 | 4 |
| <i>Prunus</i> 'Waneta' Waneta Plum | FN | 0.74 | R1 | 5 | 6-8 | 1.30 | 0.74 | 3 |
| <i>Prunus americana</i> American Plum | DT | 0.91 | R1 | 5 | 6-8 | 1.57 | 1.44 | 3 |
| <i>Prunus amygdalus</i> See - <i>Prunus dulcis</i> | | | | | | | | |
| <i>Prunus angustifolia</i> Chicksaw Plum | DT | 0.86 | R1 | 5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Prunus angustifolia</i> 'Guthrie' Guthrie Chicksaw Plum | DT | 0.80 | R1 | 5-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Prunus armeniaca</i> Apricot | FN | 1.68 | R1 | 5 | 6-8 | 1.45 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Blenheim' Blenheim Apricot | FN | 0.73 | R1 | 5 | 6-8 | 0.61 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Bryan' Bryan Apricot | FN | 0.50 | R1 | 5 | 6-8 | 0.74 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Castlebrite' Castlebrite Apricot | FN | 0.97 | R1 | 5 | 6-8 | 0.50 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Chinese Sweet Pit' Chinese Sweet Pit Apricot | FN | 1.04 | R1 | 5 | 6-8 | 0.74 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Chinese' Chinese Apricot | FN | 1.26 | R1 | 5 | 6-8 | 1.03 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Coffing' Coffing Apricot | FN | 0.97 | R1 | 5 | 6-8 | 0.74 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Curtis' Curtis Apricot | FN | 0.97 | R1 | 5 | 6-8 | 0.74 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Early Golden' Early Golden Apricot | FN | 0.75 | R1 | 5 | 6-8 | 0.74 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Goldbar' See - <i>Prunus armeniaca</i> 'PA 7201-1' P.P. 7045 | | | | | | | | |
| <i>Prunus armeniaca</i> 'Goldcot' Goldcot Apricot | FN | 0.97 | R1 | 5 | 6-8 | 0.66 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Goldensweet' P.P. 8932 Goldensweet Apricot | FN | 0.97 | R1 | 5 | 6-8 | 0.74 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Goldrich' Goldrich Apricot | FN | 0.97 | R1 | 5 | 6-8 | 0.63 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Goldstrike' See - <i>Prunus armeniaca</i> 'PA 7221-1' P.P. 7035 | | | | | | | | |
| <i>Prunus armeniaca</i> 'Harcot' Harcot Apricot | FN | 0.81 | R1 | 5 | 6-8 | 0.69 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Harglow' Harglow Apricot | FN | 0.97 | R1 | 5 | 6-8 | 0.75 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Helena' Helena Apricot | FN | 0.97 | R1 | 5 | 6-8 | 0.50 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Hungarian' Hungarian Apricot | FN | 0.51 | R1 | 5 | 6-8 | 0.74 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Katy' Katy Apricot | FN | 0.70 | R1 | 5 | 6-8 | 0.50 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Lehrman' Lehrman Apricot | FN | 0.97 | R1 | 5 | 6-8 | 0.74 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Lorna' Lorna Apricot | FN | 0.97 | R1 | 5 | 6-8 | 0.50 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Modesto' Modesto Apricot | FN | 0.97 | R1 | 5 | 6-8 | 0.50 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Moongold' Moongold Apricot | FN | 1.51 | R1 | 5 | 6-8 | 1.48 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Moorpark' Moorpark Apricot | FN | 0.77 | R1 | 5 | 6-8 | 0.85 | 1.00 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Prunus armeniaca</i> 'PA 7005-8' P.P. 7034 Tomcot Apricot | FN | 0.73 | R1 | 5 | 6-8 | 0.68 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'PA 7201-1' P.P. 7045 Goldbar Apricot | FN | 0.97 | R1 | 5 | 6-8 | 0.68 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'PA 7221-1' P.P. 7035 Goldstrike Apricot | FN | 0.97 | R1 | 5 | 6-8 | 0.66 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Patterson' Patterson Apricot | FN | 0.97 | R1 | 5 | 6-8 | 0.50 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Perfection' Perfection Apricot | FN | 0.61 | R1 | 5 | 6-8 | 0.63 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Puget Gold' Puget Gold Apricot | FN | 0.97 | R1 | 5 | 6-8 | 0.69 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Rival' Rival Apricot | FN | 0.97 | R1 | 5 | 6-8 | 0.63 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Robada' P.P. 9890 Robada Apricot | FN | 0.97 | R1 | 5 | 6-8 | 0.60 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Royal' Royal Apricot | FN | 0.78 | R1 | 5 | 6-8 | 0.71 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Scout' Scout Apricot | FN | 1.68 | R1 | 5 | 6-8 | 1.48 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Sunglo' Sunglo Apricot | FN | 1.03 | R1 | 5 | 6-8 | 0.60 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Sungold' Sungold Apricot | FN | 1.61 | R1 | 5 | 6-8 | 1.48 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Tilton' Tilton Apricot | FN | 0.79 | R1 | 5 | 6-8 | 0.62 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Tomcot' See - <i>Prunus armeniaca</i> 'PA 7005-8' P.P. 7034 | | | | | | | | |
| <i>Prunus armeniaca</i> 'Tracy' P.P. 3062 Tracy Apricot | FN | 0.97 | R1 | 5 | 6-8 | 0.50 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Wenatchee Moorpark' Wenatchee Moorpark Apricot | FN | 1.00 | R1 | 5 | 6-8 | 0.64 | 1.00 | 5 |
| <i>Prunus armeniaca</i> 'Westley' Westley Apricot | FN | 0.97 | R1 | 5 | 6-8 | 0.50 | 1.00 | 5 |
| <i>Prunus armeniaca</i> var. <i>mandshurica</i> See - <i>Prunus mandshurica</i> | | | | | | | | |
| <i>Prunus avium</i> Mazzard Cherry | FN | 0.75 | R1 | 3-4 | 5-8 | 0.80 | 0.67 | 3 |
| <i>Prunus avium</i> 'Attika' See - <i>Prunus avium</i> 'Kordia' | | | | | | | | |
| <i>Prunus avium</i> 'Bali' Bali Sweet Cherry | FN | 1.48 | R1 | 3-4 | 5-8 | 1.43 | 0.67 | 3 |
| <i>Prunus avium</i> 'Benton' See - <i>Prunus avium</i> 'PC 7146-8' P.P. 15847 | | | | | | | | |
| <i>Prunus avium</i> 'Bing Dwarf' Bing Dwarf Sweet Cherry | FN | 1.01 | R1 | 3-4 | 5-8 | 0.80 | 0.67 | 3 |
| <i>Prunus avium</i> 'Bing' Bing Sweet Cherry | FN | 0.95 | R1 | 3-4 | 5-8 | 0.94 | 0.76 | 3 |
| <i>Prunus avium</i> 'Black Republican' Black Republican Sweet Cherry | FN | 1.01 | R1 | 3-4 | 5-8 | 0.69 | 0.67 | 3 |
| <i>Prunus avium</i> 'Black Tartarian' Black Tartarian Sweet Cherry | FN | 1.02 | R1 | 3-4 | 5-8 | 1.06 | 0.76 | 3 |
| <i>Prunus avium</i> 'Brooks' P.P. 6676 Brooks Sweet Cherry | FN | 1.01 | R1 | 3-4 | 5-8 | 0.81 | 0.67 | 3 |
| <i>Prunus avium</i> 'Brown' P.P. 15386 Sunset Bing™ Sweet Cherry | FN | 1.01 | R1 | 3-4 | 5-8 | 0.83 | 0.67 | 3 |
| <i>Prunus avium</i> 'Cashmere' Cashmere™ Sweet Cherry | FN | 1.01 | R1 | 3-4 | 5-8 | 0.62 | 0.67 | 3 |
| <i>Prunus avium</i> 'Chelan' See - <i>Prunus avium</i> 'PC 7146-23' P.P. 8545 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Prunus avium</i> 'Columbia' | | | | | | | | |
| See - <i>Prunus avium</i> 'PC 7146-8' P.P. 15847 | | | | | | | | |
| <i>Prunus avium</i> 'Compact Stella' | FN | 1.03 | R1 | 3-4 | 5-8 | 0.80 | 0.67 | 3 |
| Compact Stella Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'Cristalina' | | | | | | | | |
| See - <i>Prunus avium</i> 'Sumnue Cristalina' P.P.A.F. | | | | | | | | |
| <i>Prunus avium</i> 'Doty' P.P. 13951 | FN | 1.01 | R1 | 3-4 | 5-8 | 0.78 | 0.67 | 3 |
| Early Robin® Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'Early Burlat' | FN | 1.01 | R1 | 3-4 | 5-8 | 0.62 | 0.67 | 3 |
| Early Burlat Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'Early Robin' | | | | | | | | |
| See - <i>Prunus avium</i> 'Doty' P.P. 13951 | | | | | | | | |
| <i>Prunus avium</i> 'Emperor Francis' | FN | 1.01 | R1 | 3-4 | 5-8 | 0.69 | 0.67 | 3 |
| Emperor Francis Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'Evans Bali' | | | | | | | | |
| See - <i>Prunus avium</i> 'Bali' | | | | | | | | |
| <i>Prunus avium</i> 'Hardy Giant' | FN | 1.01 | R1 | 3-4 | 5-8 | 0.80 | 0.67 | 3 |
| Hardy Giant Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'Hedelfingen' | FN | 1.01 | R1 | 3-4 | 5-8 | 0.67 | 0.67 | 3 |
| Hedelfingen Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'Hudson' | FN | 1.01 | R1 | 3-4 | 5-8 | 0.67 | 0.67 | 3 |
| Hudson Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'Index' | | | | | | | | |
| See - <i>Prunus avium</i> 'PC 7222-1' P.P. 10459 | | | | | | | | |
| <i>Prunus avium</i> 'Kordia' | FN | 1.01 | R1 | 3-4 | 5-8 | 0.72 | 0.67 | 3 |
| Attika Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'Lambert' | FN | 0.68 | R1 | 3-4 | 5-8 | 0.71 | 0.67 | 3 |
| Lambert Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'Lapins' | FN | 0.96 | R1 | 3-4 | 5-8 | 0.72 | 0.76 | 3 |
| Lapins Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'Larian' | FN | 1.01 | R1 | 3-4 | 5-8 | 0.62 | 0.67 | 3 |
| Larian Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'Liberty Bell' | | | | | | | | |
| See - <i>Prunus avium</i> 'PC 7064-3' P.P. 16135 | | | | | | | | |
| <i>Prunus avium</i> 'Mesabi' | FN | 1.48 | R1 | 3-4 | 5-8 | 1.48 | 0.67 | 3 |
| Mesabi Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'PC 7064-3' P.P. 16135 | FN | 1.01 | R1 | 3-4 | 5-8 | 0.77 | 0.67 | 3 |
| Selah™ Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'PC 7144-6' P.P. 11385 | FN | 1.01 | R1 | 3-4 | 5-8 | 0.74 | 0.67 | 3 |
| Tieton™ Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'PC 7146-23' P.P. 8545 | FN | 1.01 | R1 | 3-4 | 5-8 | 0.72 | 0.67 | 3 |
| Chelan Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'PC 7146-8' P.P. 15847 | FN | 1.01 | R1 | 3-4 | 5-8 | 0.77 | 0.67 | 3 |
| Benton™ Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'PC 7222-1' P.P. 10459 | FN | 1.01 | R1 | 3-4 | 5-8 | 0.74 | 0.67 | 3 |
| Index Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'PC 8011-3' P.P. 15868 | FN | 1.01 | R1 | 3-4 | 5-8 | 0.67 | 0.67 | 3 |
| PC 8011-3 Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'Rainier' | FN | 1.06 | R1 | 3-4 | 5-8 | 0.92 | 0.67 | 3 |
| Rainier Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'Regina' | FN | 1.01 | R1 | 3-4 | 5-8 | 0.79 | 0.67 | 3 |
| Regina Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'Royal Ann' | FN | 1.08 | R1 | 3-4 | 5-8 | 1.09 | 0.76 | 3 |
| Royal Ann Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'Sam' | FN | 1.01 | R1 | 3-4 | 5-8 | 0.68 | 0.67 | 3 |
| Sam Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'Sandra Rose' P.P.A.F. | FN | 1.01 | R1 | 3-4 | 5-8 | 0.76 | 0.67 | 3 |
| Sandra Rose™ Sweet Cherry | | | | | | | | |
| <i>Prunus avium</i> 'Santina' P.P.A.F. | FN | 1.01 | R1 | 3-4 | 5-8 | 0.83 | 0.67 | 3 |
| Santina™ Sweet Cherry | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Prunus avium</i> 'Schmidt' Schmidt Sweet Cherry | FN | 1.01 | R1 | 3-4 | 5-8 | 0.67 | 0.67 | 3 |
| <i>Prunus avium</i> 'Schneider' Schneider Sweet Cherry | FN | 1.01 | R1 | 3-4 | 5-8 | 0.68 | 0.67 | 3 |
| <i>Prunus avium</i> 'Selah' See - <i>Prunus avium</i> 'PC 7064-3' P.P. 16135 | | | | | | | | |
| <i>Prunus avium</i> 'Skeena' P.P. 11392 Skeena™ Sweet Cherry | FN | 1.01 | R1 | 3-4 | 5-8 | 0.76 | 0.67 | 3 |
| <i>Prunus avium</i> 'Sonata' See - <i>Prunus avium</i> 'Sumleta' P.P. 11378 | | | | | | | | |
| <i>Prunus avium</i> 'Stella' Stella Sweet Cherry | FN | 1.01 | R1 | 3-4 | 5-8 | 1.08 | 0.29 | 3 |
| <i>Prunus avium</i> 'Sumleta' P.P. 11378 Sonata™ Sweet Cherry | FN | 1.01 | R1 | 3-4 | 5-8 | 0.82 | 0.67 | 3 |
| <i>Prunus avium</i> 'Sumnue Cristalina' P.P.A.F. Sumnue Cristalina™ Sweet Cherry | FN | 1.01 | R1 | 3-4 | 5-8 | 0.81 | 0.67 | 3 |
| <i>Prunus avium</i> 'Sunset Bing' See - <i>Prunus avium</i> 'Brown' P.P. 15386 | | | | | | | | |
| <i>Prunus avium</i> 'Sweetheart' Sweetheart® Sweet Cherry | FN | 1.01 | R1 | 3-4 | 5-8 | 0.71 | 0.67 | 3 |
| <i>Prunus avium</i> 'Tieton' See - <i>Prunus avium</i> 'PC 7144-6' P.P. 11385 | | | | | | | | |
| <i>Prunus avium</i> 'Ulster' Ulster Sweet Cherry | FN | 1.01 | R1 | 3-4 | 5-8 | 0.68 | 0.67 | 3 |
| <i>Prunus avium</i> 'Utah Giant' Utah Giant Sweet Cherry | FN | 0.86 | R1 | 3-4 | 5-8 | 0.74 | 0.67 | 3 |
| <i>Prunus avium</i> 'Van' Van Sweet Cherry | FN | 0.79 | R1 | 3-4 | 5-8 | 0.70 | 0.67 | 3 |
| <i>Prunus besseyi</i> Western Sandcherry | FN | 0.81 | R1 | 3 | 4-8 | 1.36 | 2.68 | 3 |
| <i>Prunus besseyi</i> 'Compass' Compass Western Sandcherry | FN | 1.66 | R1 | 3 | 4-8 | 1.42 | 2.68 | 3 |
| <i>Prunus besseyi</i> 'Pawnee Buttes' Pawnee Buttes Western Sandcherry | FN | 0.99 | R1 | 3 | 4-8 | 1.36 | 2.68 | 3 |
| <i>Prunus besseyi</i> 'Red Diamond' Red Diamond Western Sandcherry | FN | 1.68 | R1 | 3 | 4-8 | 1.42 | 2.68 | 3 |
| <i>Prunus besseyi</i> 'Sapalta' Sapalta Western Sandcherry | FN | 1.29 | R1 | 3 | 4-8 | 1.23 | 2.68 | 3 |
| <i>Prunus x blireiana</i> Blireiana Plum | FN | 0.89 | R1 | 3-5 | 6-8 | 0.99 | 0.28 | 5 |
| <i>Prunus campanulata</i> Taiwan Cherry | DT | 0.66 | R1 | 5-7 | 8 | 0.92 | 0.23 | 7 |
| <i>Prunus caroliniana</i> Carolina Cherrylaurel | BE | 0.80 | R1 | 5-7 | 8 | 1.00 | 0.73 | 7 |
| <i>Prunus caroliniana</i> 'Bright 'n Tight' See - <i>Prunus caroliniana</i> 'Monus' | | | | | | | | |
| <i>Prunus caroliniana</i> 'Compacta #2' Emerald King™ Carolina Cherrylaurel | BE | 1.08 | R1 | 5-7 | 8 | 1.00 | 0.95 | 7 |
| <i>Prunus caroliniana</i> 'Compacta' Compact Carolina Cherrylaurel | BS | 1.12 | R1 | 5-7 | 8 | | 1.29 | 7 |
| <i>Prunus caroliniana</i> 'Emerald King' See - <i>Prunus caroliniana</i> 'Compacta #2' | | | | | | | | |
| <i>Prunus caroliniana</i> 'Monus' Bright 'n Tight™ Carolina Cherrylaurel | BE | 1.64 | R1 | 5-7 | 8 | 1.00 | 1.17 | 7 |
| <i>Prunus cerasifera</i> Cherry Plum | DT | 0.87 | R1 | 3-4 | 5-8 | 0.83 | 0.38 | 4 |
| <i>Prunus cerasifera</i> 'Alfred' Alfred Cherry Plum | DT | 0.95 | R1 | 3-4 | 5-8 | 0.94 | 0.43 | 4 |
| <i>Prunus cerasifera</i> 'Crimson Pointe' See - <i>Prunus cerasifera</i> 'Cripoizam' P.P.A.F. | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Prunus cerasifera</i> 'Cripoizam' P.P.A.F. Crimson Pointe® Plum | DT | 1.14 | R1 | 3-4 | 5-8 | 1.12 | 0.43 | 4 |
| <i>Prunus cerasifera</i> 'Frankthrees' P.P. 4987 Mt. St. Helens Cherry Plum | DT | 1.01 | R1 | 3-4 | 5-8 | 1.06 | 0.32 | 4 |
| <i>Prunus cerasifera</i> 'Hollywood' Hollywood Cherry Plum | DT | 0.95 | R1 | 3-4 | 5-8 | 0.94 | 0.43 | 4 |
| <i>Prunus cerasifera</i> 'Mt. St. Helens' See - <i>Prunus cerasifera</i> 'Frankthrees' P.P. 4987 | | | | | | | | |
| <i>Prunus cerasifera</i> 'Newport' See - <i>Prunus</i> 'Newport' | | | | | | | | |
| <i>Prunus cerasifera</i> 'Pissardii' Pissard Cherry Plum | DT | 0.80 | R1 | 3-4 | 5-8 | 0.94 | 0.43 | 4 |
| <i>Prunus cerasifera</i> 'Purple Pony' Purple Pony Cherry Plum | DT | 0.92 | R1 | 3-4 | 5-8 | 1.00 | 0.43 | 4 |
| <i>Prunus cerasifera</i> 'Thundercloud' Thundercloud Cherry Plum | DT | 0.99 | R1 | 3-4 | 5-8 | 0.85 | 0.50 | 4 |
| <i>Prunus cerasifera</i> 'Vesuvius' Vesuvius Cherry Plum | DT | 0.95 | R1 | 3-4 | 5-8 | 0.76 | 0.51 | 4 |
| <i>Prunus cerasus</i> Tart Cherry | FN | 1.07 | R1 | 3 | 4-8 | 1.03 | 1.59 | 3 |
| <i>Prunus cerasus</i> 'Balaton' Balaton™ Tart Cherry | FN | 1.07 | R1 | 3 | 4-8 | 0.75 | 1.59 | 3 |
| <i>Prunus cerasus</i> 'Danube' See - <i>Prunus cerasus</i> 'Erdi Botermo' | | | | | | | | |
| <i>Prunus cerasus</i> 'Early Richmond' Early Richmond Tart Cherry | FN | 0.89 | R1 | 3 | 4-8 | 0.75 | 1.59 | 3 |
| <i>Prunus cerasus</i> 'Edabriz' Tabel® Edabriz Tart Cherry | FN | 1.07 | R1 | 3 | 4-8 | 0.95 | 1.59 | 3 |
| <i>Prunus cerasus</i> 'Erdi Botermo' Danube® Tart Cherry | FN | 1.07 | R1 | 3 | 4-8 | 0.79 | 1.59 | 3 |
| <i>Prunus cerasus</i> 'Gold' Gold Tart Cherry | FN | 1.07 | R1 | 3 | 4-8 | 0.69 | 1.59 | 3 |
| <i>Prunus cerasus</i> 'Meteor' Meteor Tart Cherry | FN | 1.23 | R1 | 3 | 4-8 | 1.07 | 1.59 | 3 |
| <i>Prunus cerasus</i> 'Montmorency' Montmorency Tart Cherry | FN | 0.92 | R1 | 3 | 4-8 | 1.02 | 0.76 | 3 |
| <i>Prunus cerasus</i> 'North Star' North Star Dwarf Tart Cherry | FN | 1.24 | R1 | 3 | 4-8 | 1.51 | 2.41 | 3 |
| <i>Prunus cerasus</i> 'Tabel Edabriz' See - <i>Prunus cerasus</i> 'Edabriz' | | | | | | | | |
| <i>Prunus x cistena</i> Purpleleaf Sand Cherry | DS | 0.98 | R1 | 3 | 4-8 | | 0.63 | 3 |
| <i>Prunus x cistena</i> 'Big Cis' See - <i>Prunus x cistena</i> 'Schmidtcis' P.P. 5003 | | | | | | | | |
| <i>Prunus x cistena</i> 'Schmidtcis' P.P. 5003 Big Cis™ Purpleleaf Sand Cherry | DS | 1.03 | R1 | 3 | 4-8 | | 1.09 | 3 |
| <i>Prunus domestica</i> Common Plum | FN | 0.91 | R1 | 3-5 | 6-8 | 0.75 | 0.45 | 5 |
| <i>Prunus domestica</i> 'Allred' Allred Plum | FN | 0.54 | R1 | 3-5 | 6-8 | 0.75 | 0.43 | 5 |
| <i>Prunus domestica</i> 'Autumn Sweet Plum' P.P.A.F. Autumn Sweet™ Plum | FN | 0.91 | R1 | 3-5 | 6-8 | 0.69 | 0.45 | 5 |
| <i>Prunus domestica</i> 'Brooks' Brooks Plum | FN | 0.88 | R1 | 3-5 | 6-8 | 0.99 | 0.45 | 5 |
| <i>Prunus domestica</i> 'Bruce' Bruce Plum | FN | 0.57 | R1 | 3-5 | 6-8 | 0.61 | 0.46 | 5 |
| <i>Prunus domestica</i> 'Burbank's Giant' See - <i>Prunus domestica</i> 'Giant Prune' | | | | | | | | |
| <i>Prunus domestica</i> 'Castleton' P.P. 9638 Castleton™ Plum | FN | 0.91 | R1 | 3-5 | 6-8 | 0.69 | 0.45 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Prunus domestica</i> 'Damson' See - <i>Prunus insititia</i> | | | | | | | | |
| <i>Prunus domestica</i> 'Early Italian' Early Italian Plum | FN | 0.91 | R1 | 3-5 | 6-8 | 0.69 | 0.45 | 5 |
| <i>Prunus domestica</i> 'Empress' Empress Prune Plum | FN | 0.91 | R1 | 3-5 | 6-8 | 0.63 | 0.45 | 5 |
| <i>Prunus domestica</i> 'French Improved' French Improved Plum | FN | 0.91 | R1 | 3-5 | 6-8 | 0.60 | 0.45 | 5 |
| <i>Prunus domestica</i> 'Giant Prune' Giant Prune | FN | 1.11 | R1 | 3-5 | 6-8 | 0.75 | 0.45 | 5 |
| <i>Prunus domestica</i> 'Green Gage' Green Gage Plum | FN | 1.33 | R1 | 3-5 | 6-8 | 0.93 | 0.45 | 5 |
| <i>Prunus domestica</i> 'Italian' Italian Prune Plum | FN | 1.06 | R1 | 3-5 | 6-8 | 0.96 | 0.45 | 5 |
| <i>Prunus domestica</i> 'Late Italian' Late Italian Prune Plum | FN | 0.91 | R1 | 3-5 | 6-8 | 0.60 | 0.45 | 5 |
| <i>Prunus domestica</i> 'Milton Early Italian' Milton Early Italian Prune Plum | FN | 0.91 | R1 | 3-5 | 6-8 | 0.67 | 0.45 | 5 |
| <i>Prunus domestica</i> 'Morris' Morris Plum | FN | 0.55 | R1 | 3-5 | 6-8 | 0.75 | 0.45 | 5 |
| <i>Prunus domestica</i> 'Moyer' Moyer European Plum | FN | 0.91 | R1 | 3-5 | 6-8 | 0.52 | 0.45 | 5 |
| <i>Prunus domestica</i> 'Mt. Royal' Mt. Royal Plum | FN | 1.06 | R1 | 3-5 | 6-8 | 1.14 | 0.45 | 5 |
| <i>Prunus domestica</i> 'NY 9' NY 9 Plum | FN | 0.91 | R1 | 3-5 | 6-8 | 0.75 | 0.45 | 5 |
| <i>Prunus domestica</i> 'President' President Plum | FN | 0.91 | R1 | 3-5 | 6-8 | 0.62 | 0.45 | 5 |
| <i>Prunus domestica</i> 'Stanley Dwarf' Stanley Dwarf Plum | FN | 0.90 | R1 | 3-5 | 6-8 | 0.85 | 0.45 | 5 |
| <i>Prunus domestica</i> 'Stanley' Stanley Prune Plum | FN | 1.06 | R1 | 3-5 | 6-8 | 0.93 | 0.45 | 5 |
| <i>Prunus domestica</i> 'Sugar Prune' Sugar Prune Plum | FN | 0.91 | R1 | 3-5 | 6-8 | 0.80 | 0.45 | 5 |
| <i>Prunus domestica</i> 'Sutter' P.P. 12398 Sutter European Prune Plum | FN | 0.91 | R1 | 3-5 | 6-8 | 0.61 | 0.45 | 5 |
| <i>Prunus domestica</i> 'Tulare Giant' P.P. 12224 Tulare Giant Prune Plum | FN | 0.91 | R1 | 3-5 | 6-8 | 0.71 | 0.45 | 5 |
| <i>Prunus domestica</i> 'Weatherspoon' Weatherspoon Plum | FN | 0.91 | R1 | 3-5 | 6-8 | 0.75 | 0.45 | 5 |
| <i>Prunus domestica</i> 'Yellow Egg' Yellow Egg Plum | FN | 0.91 | R1 | 3-5 | 6-8 | 0.78 | 0.45 | 5 |
| <i>Prunus dulcis</i> Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.51 | 0.78 | 5 |
| <i>Prunus dulcis</i> 'Aldrich' P.P. 5320 Aldrich Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.49 | 0.76 | 5 |
| <i>Prunus dulcis</i> 'Avalon' P.P. 11096 Avalon Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.56 | 0.76 | 5 |
| <i>Prunus dulcis</i> 'Butte' Butte Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.49 | 0.76 | 5 |
| <i>Prunus dulcis</i> 'Carmel' Carmel Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.49 | 0.76 | 5 |
| <i>Prunus dulcis</i> 'Carrion' Carrion Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.49 | 0.76 | 5 |
| <i>Prunus dulcis</i> 'Fritz' Fritz Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.49 | 0.76 | 5 |
| <i>Prunus dulcis</i> 'Livingston' Livingston Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.49 | 0.76 | 5 |
| <i>Prunus dulcis</i> 'Merced' Merced Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.49 | 0.76 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Prunus dulcis</i> 'Mission' Mission Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.59 | 0.76 | 5 |
| <i>Prunus dulcis</i> 'Monterey' Monterey Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.49 | 0.76 | 5 |
| <i>Prunus dulcis</i> 'Morley' P.P. 8269 Morley Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.49 | 0.76 | 5 |
| <i>Prunus dulcis</i> 'Ne Plus Ultra' Ne Plus Ultra Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.64 | 0.75 | 5 |
| <i>Prunus dulcis</i> 'Nonpareil' Nonpareil Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.64 | 0.75 | 5 |
| <i>Prunus dulcis</i> 'Padre' Padre Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.49 | 0.76 | 5 |
| <i>Prunus dulcis</i> 'Peerless' Peerless Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.49 | 0.76 | 5 |
| <i>Prunus dulcis</i> 'Plateau' Plateau Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.49 | 0.76 | 5 |
| <i>Prunus dulcis</i> 'Price' Price Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.49 | 0.76 | 5 |
| <i>Prunus dulcis</i> 'Ruby' Ruby Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.49 | 0.76 | 5 |
| <i>Prunus dulcis</i> 'S 17' See - <i>Prunus dulcis</i> 'Aldrich' P.P. 5320 | | | | | | | | |
| <i>Prunus dulcis</i> 'Savana' P.P. 8270 Savana Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.49 | 0.76 | 5 |
| <i>Prunus dulcis</i> 'Sonora' Sonora Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.49 | 0.76 | 5 |
| <i>Prunus dulcis</i> 'Texas Mission' See - <i>Prunus dulcis</i> 'Mission' | | | | | | | | |
| <i>Prunus dulcis</i> 'Thompson' Thompson Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.49 | 0.76 | 5 |
| <i>Prunus dulcis</i> 'UC 13-1' See - <i>Prunus dulcis</i> 'Winters' P.P. 13286 | | | | | | | | |
| <i>Prunus dulcis</i> 'Winters' P.P. 13286 Winters Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.56 | 0.76 | 5 |
| <i>Prunus dulcis</i> 'Wood Colony' P.P. 5583 Wood Colony Almond | FN | 0.63 | R1 | 3-5 | 6-8 | 0.49 | 0.76 | 5 |
| <i>Prunus emarginata</i> Bitter Cherry | DS | 0.94 | R1 | 3-5 | 6-8 | | 1.00 | 4 |
| <i>Prunus x eminens</i> Bitter Cherry | DS | 1.00 | R1 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Prunus x eminens</i> 'Umbraculifera' Dwarf Globe Bitter Cherry | DS | 1.00 | R1 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Prunus x fontanesiana</i> Des Fontaines Cherry | DT | 1.00 | R2 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |
| <i>Prunus fruticosa</i> Steppe Cherry | DS | 0.76 | R1 | 3 | 4-8 | | 1.00 | 2 |
| <i>Prunus fruticosa</i> 'Globosa' See - <i>Prunus x eminens</i> 'Umbraculifera' | | | | | | | | |
| <i>Prunus glandulosa</i> Dwarf Flowering Almond | DT | 0.84 | R1 | 3-4 | 5-8 | 1.00 | 0.84 | 4 |
| <i>Prunus glandulosa</i> 'Rosa Plena' See - <i>Prunus glandulosa</i> 'Sinensis' | | | | | | | | |
| <i>Prunus glandulosa</i> 'Rosea' Rosea Dwarf Flowering Almond | DT | 0.88 | R1 | 3-4 | 5-8 | 1.00 | 0.57 | 4 |
| <i>Prunus glandulosa</i> 'Sinensis' Sinensis Dwarf Flowering Almond | DT | 0.87 | R1 | 3-4 | 5-8 | 1.00 | 0.36 | 4 |
| <i>Prunus ilicifolia</i> Holly-leaved Cherry | BS | 0.86 | R2 | 5-8 | | | 1.00 | 9 |
| <i>Prunus incisa</i> Fuji Cherry | DT | 1.00 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Prunus incisa</i> 'Kojo-no-mai' Kojo-no-mai Fuji Cherry | DT | 1.00 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Prunus insititia</i> Damson Japanese Plum | FN | 0.43 | R1 | 3-5 | 6-8 | 0.71 | 0.46 | 5 |
| <i>Prunus insititia</i> 'St. Julien' St. Julien Damson Plum | FN | 0.43 | R1 | 3-5 | 6-8 | 0.71 | 0.46 | 5 |
| <i>Prunus japonica</i> Chinese Bushcherry | DS | 0.91 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Prunus laurocerasus</i> Cherrylaurel | BS | 1.09 | R2 | 5-6 | 7-8 | | 0.68 | 6 |
| <i>Prunus laurocerasus</i> 'Anbri' Etna® English Laurel | BS | 1.55 | R2 | 5-6 | 7-8 | | 0.76 | 6 |
| <i>Prunus laurocerasus</i> 'Caucasica Nana' Dwarf Caucasica Cherrylaurel | BS | 1.11 | R1 | 6 | 7-8 | | 1.22 | 6 |
| <i>Prunus laurocerasus</i> 'Compacta' Compact Cherrylaurel | BS | 0.82 | R2 | 5-6 | 7-8 | | 0.60 | 6 |
| <i>Prunus laurocerasus</i> 'Etna' See - <i>Prunus laurocerasus</i> 'Anbri' | | | | | | | | |
| <i>Prunus laurocerasus</i> 'Majestic Jade' Majestic Jade Cherrylaurel | BS | 1.09 | R2 | 5-6 | 7-8 | | 0.76 | 6 |
| <i>Prunus laurocerasus</i> 'Marbled Dragon' Marbled Dragon Cherrylaurel | BS | 0.81 | R2 | 5-6 | 7-8 | | 0.76 | 6 |
| <i>Prunus laurocerasus</i> 'Mt. Vernon' Mt. Vernon Cherrylaurel | BS | 1.18 | R2 | 5-6 | 7-8 | | 0.89 | 6 |
| <i>Prunus laurocerasus</i> 'Nana' Dwarf Cherrylaurel | BS | 1.18 | R2 | 5-6 | 7-8 | | 0.59 | 6 |
| <i>Prunus laurocerasus</i> 'Otto Luyken' Otto Luyken Cherrylaurel | BS | 0.91 | R2 | 5-6 | 7-8 | | 0.79 | 6 |
| <i>Prunus laurocerasus</i> 'S & S Supreme' S & S Supreme Cherrylaurel | BS | 1.05 | R2 | 5-6 | 7-8 | | 0.61 | 6 |
| <i>Prunus laurocerasus</i> 'Schipkaensis' Skip Cherrylaurel | BS | 0.90 | R2 | 5-6 | 7-8 | | 0.68 | 6 |
| <i>Prunus laurocerasus</i> 'Serbica' Serbica Cherrylaurel | BS | 1.05 | R2 | 5-6 | 7-8 | | 0.76 | 6 |
| <i>Prunus laurocerasus</i> 'Zabeliana' Zabel Cherrylaurel | BS | 0.88 | R2 | 5-6 | 7-8 | | 0.80 | 6 |
| <i>Prunus lusitanica</i> Portuguese Laurelcherry | BS | 0.81 | R2 | 5-7 | 8 | | 0.66 | 7 |
| <i>Prunus lyonii</i> Catalina Cherry | BS | 0.91 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Prunus maackii</i> Amur Chokecherry | DT | 1.38 | R1 | | 3-8 | 1.13 | 0.99 | 2 |
| <i>Prunus mahaleb</i> Mahaleb Cherry | DT | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Prunus mandshurica</i> Manchurian Apricot | FN | 0.63 | R1 | 3-4 | 5-8 | 0.96 | 1.00 | 3 |
| <i>Prunus maritima</i> Beach Plum | DS | 1.00 | R1 | 3 | 4-8 | | 1.15 | 3 |
| <i>Prunus mexicana</i> Big-tree Plum | BE | 0.93 | R1 | 5-6 | 7-8 | 0.95 | 0.65 | 6 |
| <i>Prunus mume</i> Japanese Apricot | DT | 1.47 | R1 | 5-6 | 7-8 | 0.80 | 0.39 | 6 |
| <i>Prunus mume</i> 'Bonita' Bonita Japanese Apricot | DT | 0.93 | R1 | 5-6 | 7-8 | 0.80 | 0.39 | 6 |
| <i>Prunus mume</i> 'Dawn' Dawn Japanese Apricot | DT | 0.93 | R1 | 5-6 | 7-8 | 0.80 | 0.39 | 6 |
| <i>Prunus mume</i> 'Kobai' Kobai Japanese Apricot | DT | 1.18 | R1 | 5-6 | 7-8 | 0.74 | 0.39 | 6 |
| <i>Prunus mume</i> 'Matsubara Red' See - <i>Prunus mume</i> 'Matsurabara Red' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Prunus mume</i> 'Matsurabara Red' Matsurabara Red Japanese Apricot | DT | 1.00 | R1 | 5-6 | 7-8 | 0.75 | 0.39 | 6 |
| <i>Prunus mume</i> 'Peggy Clarke' Peggy Clarke Japanese Apricot | DT | 0.98 | R1 | 5-6 | 7-8 | 0.90 | 0.34 | 6 |
| <i>Prunus mume</i> 'Pendula' Weeping Pink Japanese Apricot | DT | 0.58 | R1 | 5-6 | 7-8 | 0.80 | 0.44 | 6 |
| <i>Prunus mume</i> 'Rosemary Clarke' Rosemary Clark Japanese Apricot | DT | 0.93 | R1 | 5-6 | 7-8 | 0.80 | 0.39 | 6 |
| <i>Prunus myrobalana</i> See - <i>Prunus cerasifera</i> | | | | | | | | |
| <i>Prunus nigra</i> Canada Plum | DT | 1.45 | R1 | | 3-8 | 1.39 | 1.00 | 2 |
| <i>Prunus nigra</i> 'Princess Kay' Princess Kay Canada Plum | DT | 1.45 | R1 | | 3-8 | 1.39 | 1.00 | 2 |
| <i>Prunus padus</i> European Birdcherry | DT | 1.28 | R1 | 3 | 4-8 | 1.08 | 1.31 | 3 |
| <i>Prunus padus</i> 'Berg' Berg European Birdcherry | DT | 1.42 | R1 | 3 | 4-8 | 1.22 | 1.13 | 3 |
| <i>Prunus padus</i> 'DTR 117' Summer Glow® Birdcherry | DT | 1.16 | R1 | 3 | 4-8 | 1.01 | 0.94 | 3 |
| <i>Prunus padus</i> 'Drietreer' Merlot® Birdcherry | DT | 0.97 | R1 | 3 | 4-8 | 1.10 | 1.13 | 3 |
| <i>Prunus padus</i> 'Dropmore' Dropmore Birdcherry | DT | 1.21 | R1 | 3 | 4-8 | 1.10 | 1.13 | 3 |
| <i>Prunus padus</i> 'Merlot' See - <i>Prunus padus</i> 'Drietreer' | | | | | | | | |
| <i>Prunus padus</i> 'Plena' Double Birdcherry | DT | 1.21 | R1 | 3 | 4-8 | 1.10 | 1.13 | 3 |
| <i>Prunus padus</i> 'Spaethii' Bigflower Birdcherry | DT | 1.21 | R1 | 3 | 4-8 | 1.10 | 1.13 | 3 |
| <i>Prunus padus</i> 'Summer Glow' See - <i>Prunus padus</i> 'DTR 117' | | | | | | | | |
| <i>Prunus padus</i> 'Watereri' Waterer Birdcherry | DT | 1.21 | R1 | 3 | 4-8 | 1.10 | 1.13 | 3 |
| <i>Prunus padus</i> var. <i>commutata</i> May Day Tree | DT | 0.76 | R1 | 3 | 4-8 | 1.33 | 0.98 | 3 |
| <i>Prunus pendula</i> Weeping Higan Cherry | DT | 1.15 | R1 | 4-5 | 6-8 | 1.00 | 0.48 | 5 |
| <i>Prunus pendula</i> 'Pendula Plena Rosea' Yae-shidare Higan Cherry | DT | 1.46 | R1 | 4-5 | 6-8 | 1.01 | 0.57 | 5 |
| <i>Prunus pensylvanica</i> Pin Cherry | DT | 1.00 | R1 | | 3-8 | 1.25 | 1.18 | 2 |
| <i>Prunus pensylvanica</i> 'Stockton' Stockton Pin Cherry | DT | 1.00 | R1 | | 3-8 | 1.25 | 1.18 | 2 |
| <i>Prunus persica</i> Common Peach | FN | 0.74 | R1 | 3-5 | 6-8 | 0.81 | 0.64 | 5 |
| <i>Prunus persica</i> 'Alba' White Flowering Peach | FN | 0.40 | R1 | 3-5 | 6-8 | 0.65 | 0.46 | 5 |
| <i>Prunus persica</i> 'Allstar' See - <i>Prunus persica</i> 'FA 80' P.P. 10549 | | | | | | | | |
| <i>Prunus persica</i> 'Andross' Andross Cling Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Angelus' Angelus Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.56 | 0.68 | 5 |
| <i>Prunus persica</i> 'Arctic Gem' P.P. 7065 Arctic Gem Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.92 | 0.68 | 5 |
| <i>Prunus persica</i> 'Arkansas 9' See - <i>Prunus persica</i> 'Goldnine' | | | | | | | | |
| <i>Prunus persica</i> 'August Flame' See - <i>Prunus persica</i> 'Burpeachfour' P.P. 12405 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Prunus persica</i> 'August Lady' P.P. 8956 August Lady Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.73 | 0.68 | 5 |
| <i>Prunus persica</i> 'Autumn Flame' P.P. 9438 Autumn Flame Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.73 | 0.68 | 5 |
| <i>Prunus persica</i> 'Autumn Gem' Autumn Gem Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Autumn Lady' Autumn Lady Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Autumnstar' See - <i>Prunus persica</i> 'FA 42' P.P. 14439 | | | | | | | | |
| <i>Prunus persica</i> 'Avalon Pride' See - <i>Prunus persica</i> 'Croft' P.P.A.F. | | | | | | | | |
| <i>Prunus persica</i> 'B-41871' P.P. 6025 Queencrest® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.73 | 0.68 | 5 |
| <i>Prunus persica</i> 'Babcock' Babcock Peach | FN | 0.82 | R1 | 3-5 | 6-8 | 0.64 | 0.68 | 5 |
| <i>Prunus persica</i> 'Babygold 5' Babygold 5 Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.61 | 0.68 | 5 |
| <i>Prunus persica</i> 'Bailey Hardy' Bailey Hardy Peach | FN | 1.68 | R1 | 3-5 | 6-8 | 1.40 | 0.68 | 5 |
| <i>Prunus persica</i> 'Belle of Georgia Dwarf' Belle of Georgia Dwarf Peach | FN | 0.45 | R1 | 3-5 | 6-8 | 0.65 | 0.49 | 5 |
| <i>Prunus persica</i> 'Belle of Georgia' Belle of Georgia Peach | FN | 0.77 | R1 | 3-5 | 6-8 | 0.70 | 0.46 | 5 |
| <i>Prunus persica</i> 'Blazingstar' See - <i>Prunus persica</i> 'FA 12' P.P. 10555 | | | | | | | | |
| <i>Prunus persica</i> 'Blushingstar' See - <i>Prunus persica</i> 'FA 18' P.P. 10554 | | | | | | | | |
| <i>Prunus persica</i> 'Bonanza' Bonanza Dwarf Peach | FN | 0.98 | R1 | 3-5 | 6-8 | 1.42 | 0.68 | 5 |
| <i>Prunus persica</i> 'Bonfire Patio' See - <i>Prunus persica</i> 'Tom Thumb' P.P. 8509 | | | | | | | | |
| <i>Prunus persica</i> 'Bounty' Bounty Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.62 | 0.68 | 5 |
| <i>Prunus persica</i> 'Bowen' Bowen Cling Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Burpeachfifteen' P.P. 14454 Summer Flame® 34 Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'Burpeachfive' P.P. 12505 July Flame® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.73 | 0.68 | 5 |
| <i>Prunus persica</i> 'Burpeachfour' P.P. 12405 August Flame® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.73 | 0.68 | 5 |
| <i>Prunus persica</i> 'Burpeachone' P.P. 12156 Spring Flame® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.73 | 0.68 | 5 |
| <i>Prunus persica</i> 'Burpeachseven' P.P. 13415 Summer Flame® 29 Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'Burpeachsix' P.P. 13392 June Flame® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.73 | 0.68 | 5 |
| <i>Prunus persica</i> 'Burpeachthree' P.P. 12507 September Flame® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.73 | 0.68 | 5 |
| <i>Prunus persica</i> 'Burpeachtwenty' P.P. 15394 Summer Flame® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.73 | 0.68 | 5 |
| <i>Prunus persica</i> 'Burpeachtwo' P.P. 12157 Henry II® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.73 | 0.68 | 5 |
| <i>Prunus persica</i> 'Calred' Calred Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Canadian Harmony' Canadian Harmony Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.63 | 0.68 | 5 |
| <i>Prunus persica</i> 'Carnival' Carnival Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Prunus persica</i> 'Carolyn' Carolyn Cling Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Carson' Carson Cling Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Ceres Carson' P.P.A.F. Ceres Carson Cling Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Contender' Contender Peach | FN | 0.50 | R1 | 3-5 | 6-8 | 0.59 | 0.68 | 5 |
| <i>Prunus persica</i> 'Coralstar' See - <i>Prunus persica</i> 'FA 59' P.P. 10547 | FN | 0.76 | R1 | 3-5 | 6-8 | 0.70 | 0.68 | 5 |
| <i>Prunus persica</i> 'Corinthian Mauve' P.P. 11576 Corinthian Mauve Peach | FN | 1.14 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'Corinthian Pink' P.P. 11902 Corinthian Pink Peach | FN | 0.74 | R1 | 3-5 | 6-8 | 0.68 | 0.68 | 5 |
| <i>Prunus persica</i> 'Corinthian Rose' P.P. 11564 Corinthian Rose Peach | FN | 1.27 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'Corinthian White' P.P. 11493 Corinthian White Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Corona' Corona Cling Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.56 | 0.68 | 5 |
| <i>Prunus persica</i> 'Cresthaven' Cresthaven Peach | FN | 1.04 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'Crimson Cascade Weeping' Crimson Cascade Weeping Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Crimson Lady' P.P. 7953 Crimson Lady Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.77 | 0.68 | 5 |
| <i>Prunus persica</i> 'Croft' P.P.A.F. Avalon Pride Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'Delp Hale' Delp Hale Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.64 | 0.68 | 5 |
| <i>Prunus persica</i> 'Desert Gold' Desert Gold Peach | FN | 0.48 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'Dixiland' Dixiland Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Dr. Davis' P.P. 4861 Dr. Davis Cling Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.66 | 0.68 | 5 |
| <i>Prunus persica</i> 'EarliGrande' EarliGrande Peach | FN | 0.82 | R1 | 3-5 | 6-8 | 0.64 | 0.68 | 5 |
| <i>Prunus persica</i> 'Early Elberta' Early Elberta Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.73 | 0.68 | 5 |
| <i>Prunus persica</i> 'Early Elegant Lady' P.P. 7169 Early Elegant Lady Peach | FN | 1.04 | R1 | 3-5 | 6-8 | 0.63 | 0.68 | 5 |
| <i>Prunus persica</i> 'Early Redhaven' Early Redhaven Peach | FN | 1.30 | R1 | 3-5 | 6-8 | 1.45 | 0.59 | 5 |
| <i>Prunus persica</i> 'Elberta Dwarf' Elberta Dwarf Peach | FN | 0.86 | R1 | 3-5 | 6-8 | 0.86 | 0.35 | 5 |
| <i>Prunus persica</i> 'Elberta' Elberta Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.55 | 0.68 | 5 |
| <i>Prunus persica</i> 'Elegant Lady' Elegant Lady Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'Encore' P.P. 4572 Encore Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.70 | 0.68 | 5 |
| <i>Prunus persica</i> 'FA 11' P.P. 10548 Starfire™ Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.69 | 0.68 | 5 |
| <i>Prunus persica</i> 'FA 12' P.P. 10555 Blazingstar™ Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.69 | 0.68 | 5 |
| <i>Prunus persica</i> 'FA 17' P.P. 10556 Glowingstar® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.69 | 0.68 | 5 |
| <i>Prunus persica</i> 'FA 18' P.P. 10554 Blushingstar™ Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.69 | 0.68 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Prunus persica</i> 'FA 42' P.P. 14439 Autumnstar® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.77 | 0.68 | 5 |
| <i>Prunus persica</i> 'FA 47' P.P. 10545 Risingstar® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.70 | 0.68 | 5 |
| <i>Prunus persica</i> 'FA 52' P.P. 10546 Redstar® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.70 | 0.68 | 5 |
| <i>Prunus persica</i> 'FA 59' P.P. 10547 Coralstar® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.70 | 0.68 | 5 |
| <i>Prunus persica</i> 'FA 80' P.P. 10549 Allstar® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'Fairhaven' Fairhaven Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.62 | 0.68 | 5 |
| <i>Prunus persica</i> 'Fairtime' Fairtime Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Fancy Lady' P.P. 7023 Fancy Lady Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.68 | 0.68 | 5 |
| <i>Prunus persica</i> 'Fay Elberta' Fay Elberta Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Fayette' Fayette Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Flamecrest' Flamecrest Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.55 | 0.68 | 5 |
| <i>Prunus persica</i> 'Flamin Fury PF 1' See - <i>Prunus persica</i> 'PF 1' P.P. 9129 | | | | | | | | |
| <i>Prunus persica</i> 'Flamin Fury PF 12B' See - <i>Prunus persica</i> 'PF 12B' | | | | | | | | |
| <i>Prunus persica</i> 'Flamin Fury PF 15A' See - <i>Prunus persica</i> 'PF 15A' P.P. 8978 | | | | | | | | |
| <i>Prunus persica</i> 'Flamin Fury PF 17' See - <i>Prunus persica</i> 'PF 17' P.P. 8169 | | | | | | | | |
| <i>Prunus persica</i> 'Flamin Fury PF 20-007' See - <i>Prunus persica</i> 'PF 20-007' P.P. 12331 | | | | | | | | |
| <i>Prunus persica</i> 'Flamin Fury PF 23' See - <i>Prunus persica</i> 'PF 23' P.P. 8164 | | | | | | | | |
| <i>Prunus persica</i> 'Flamin Fury PF 24-007' See - <i>Prunus persica</i> 'PF 24-007' P.P. 9895 | | | | | | | | |
| <i>Prunus persica</i> 'Flamin Fury PF 25' See - <i>Prunus persica</i> 'PF 25' P.P. 9940 | | | | | | | | |
| <i>Prunus persica</i> 'Flamin Fury PF 27A' See - <i>Prunus persica</i> 'PF 27A' P.P. 9939 | | | | | | | | |
| <i>Prunus persica</i> 'Flamin Fury PF 5B' See - <i>Prunus persica</i> 'PF 5B' P.P. 9850 | | | | | | | | |
| <i>Prunus persica</i> 'Flamin Fury PF 7' See - <i>Prunus persica</i> 'PF 7' P.P. 10490 | | | | | | | | |
| <i>Prunus persica</i> 'Flavorcrest' Flavorcrest Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.55 | 0.68 | 5 |
| <i>Prunus persica</i> 'Flordabelle' Flordabelle Peach | FN | 0.43 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'Flordaglo' Flordaglo Peach | FN | 0.45 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'Flordagrande' Flordagrande Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Flordahome' Flordahome Peach | FN | 0.60 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'Flordaking' Flordaking Peach | FN | 0.61 | R1 | 3-5 | 6-8 | 0.62 | 0.68 | 5 |
| <i>Prunus persica</i> 'Flordaprince' Flordaprince Peach | FN | 0.67 | R1 | 3-5 | 6-8 | 0.58 | 0.68 | 5 |
| <i>Prunus persica</i> 'Flordaqueen' Flordaqueen Peach | FN | 0.43 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Prunus persica</i> 'Flordasun' Flordasun Peach | FN | 0.43 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'Flordawon' Flordawon Peach | FN | 0.43 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'Frost' Frost Peach | FN | 0.98 | R1 | 3-5 | 6-8 | 0.74 | 0.68 | 5 |
| <i>Prunus persica</i> 'Glohaven' Glohaven Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.57 | 0.68 | 5 |
| <i>Prunus persica</i> 'Glowingstar' See - <i>Prunus persica</i> 'FA 17' P.P. 10556 | FN | 0.76 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'Golden Jubilee Dwarf' Golden Jubilee Dwarf Peach | FN | 0.92 | R1 | 3-5 | 6-8 | 0.62 | 0.68 | 5 |
| <i>Prunus persica</i> 'Golden Monarch' P.P. 3342 Golden Monarch Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'Goldnine' Goldnine Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.61 | 0.68 | 5 |
| <i>Prunus persica</i> 'Goodwin' P.P. 13911 Goodwin Cling Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.56 | 0.68 | 5 |
| <i>Prunus persica</i> 'Gulfprince' P.P. 12686 Gulfprince Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Haig Arakelian' P.P. 6230 Haig Arakelian Cling Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Halehaven Dwarf' Halehaven Dwarf Peach | FN | 0.45 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'Halehaven' Halehaven Peach | FN | 1.02 | R1 | 3-5 | 6-8 | 1.02 | 0.68 | 5 |
| <i>Prunus persica</i> 'Halford' Halford Cling Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Harrow Diamond' Harrow Diamond Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.59 | 0.68 | 5 |
| <i>Prunus persica</i> 'Harvester' Harvester Peach | FN | 0.48 | R1 | 3-5 | 6-8 | 0.73 | 0.68 | 5 |
| <i>Prunus persica</i> 'Helen Borchers' Helen Borchers Peach | FN | 0.82 | R1 | 3-5 | 6-8 | 0.72 | 0.68 | 5 |
| <i>Prunus persica</i> 'Henry II' See - <i>Prunus persica</i> 'Burpeachtwo' P.P. 12157 | FN | 0.76 | R1 | 3-5 | 6-8 | 0.56 | 0.68 | 5 |
| <i>Prunus persica</i> 'Hesse' P.P. 8332 Hesse Cling Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.56 | 0.68 | 5 |
| <i>Prunus persica</i> 'Improved Elberta' See - <i>Prunus persica</i> 'Early Elberta' | FN | 0.77 | R1 | 3-5 | 6-8 | 0.59 | 0.46 | 5 |
| <i>Prunus persica</i> 'J.H. Hale' J.H. Hale Peach | FN | 0.77 | R1 | 3-5 | 6-8 | 0.59 | 0.46 | 5 |
| <i>Prunus persica</i> 'July Elberta' July Elberta Peach | FN | 1.04 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'July Flame' See - <i>Prunus persica</i> 'Burpeachfive' P.P. 12505 | FN | 0.73 | R1 | 3-5 | 6-8 | 0.66 | 0.68 | 5 |
| <i>Prunus persica</i> 'June Flame' See - <i>Prunus persica</i> 'Burpeachsix' P.P. 13392 | FN | 0.73 | R1 | 3-5 | 6-8 | 0.66 | 0.68 | 5 |
| <i>Prunus persica</i> 'June Gold' June Gold Peach | FN | 0.73 | R1 | 3-5 | 6-8 | 0.66 | 0.68 | 5 |
| <i>Prunus persica</i> 'June Lady' June Lady Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Kingsburg Cling' P.P. 11739 Kingsburg Cling Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.59 | 0.68 | 5 |
| <i>Prunus persica</i> 'Klamt' Klamt Cling Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'La Feliciana' La Feliciana Peach | FN | 0.70 | R1 | 3-5 | 6-8 | 0.73 | 0.68 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Prunus persica</i> 'Landreth' Landreth Cling Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Late Ross' P.P. 11208 Late Ross Cling Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.56 | 0.68 | 5 |
| <i>Prunus persica</i> 'Loadel' Loadel Cling Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Loring' Loring Peach | FN | 0.68 | R1 | 3-5 | 6-8 | 0.62 | 0.68 | 5 |
| <i>Prunus persica</i> 'M.A. Blake' M.A. Blake Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.63 | 0.68 | 5 |
| <i>Prunus persica</i> 'Madison' Madison Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'May Crest' May Crest Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Maygold' Maygold Peach | FN | 0.43 | R1 | 3-5 | 6-8 | 0.67 | 0.68 | 5 |
| <i>Prunus persica</i> 'Melba' Melba Peach | FN | 0.48 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'Monaco' Monaco Cling Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Newhaven' Newhaven Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.56 | 0.68 | 5 |
| <i>Prunus persica</i> 'O'Henry' O'Henry Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.55 | 0.68 | 5 |
| <i>Prunus persica</i> 'Opale Moncav' Opale™ Moncav Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.68 | 0.68 | 5 |
| <i>Prunus persica</i> 'PF 1' P.P. 9129 PF 1 Flamin Fury® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.60 | 0.68 | 5 |
| <i>Prunus persica</i> 'PF 12B' PF 12B Flamin Fury® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.69 | 0.68 | 5 |
| <i>Prunus persica</i> 'PF 14' See - <i>Prunus persica</i> 'PF 12B' | | | | | | | | |
| <i>Prunus persica</i> 'PF 15A' P.P. 8978 PF 15A Flamin Fury® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.60 | 0.68 | 5 |
| <i>Prunus persica</i> 'PF 17' P.P. 8169 PF 17 Flamin Fury® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.60 | 0.68 | 5 |
| <i>Prunus persica</i> 'PF 18A' See - <i>Prunus persica</i> 'PF 20-007' P.P. 12331 | | | | | | | | |
| <i>Prunus persica</i> 'PF 20-007' P.P. 12331 PF 20-007 Flamin Fury® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.60 | 0.68 | 5 |
| <i>Prunus persica</i> 'PF 23' P.P. 8164 PF 23 Flamin Fury® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.60 | 0.68 | 5 |
| <i>Prunus persica</i> 'PF 24-007' P.P. 9895 PF 24-007 Flamin Fury® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.71 | 0.68 | 5 |
| <i>Prunus persica</i> 'PF 25' P.P. 9940 PF 25 Flamin Fury® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.66 | 0.68 | 5 |
| <i>Prunus persica</i> 'PF 27A' P.P. 9939 PF 27A Flamin Fury® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.69 | 0.68 | 5 |
| <i>Prunus persica</i> 'PF 5B' P.P. 9850 PF 5B Flamin Fury® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.60 | 0.68 | 5 |
| <i>Prunus persica</i> 'PF 7' P.P. 10490 PF 7 Flamin Fury® Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.69 | 0.68 | 5 |
| <i>Prunus persica</i> 'Parade' Parade Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Peppermint Stick' Peppermint Stick Peach | FN | 0.82 | R1 | 3-5 | 6-8 | 0.72 | 0.46 | 5 |
| <i>Prunus persica</i> 'Polly' Polly Peach | FN | 1.02 | R1 | 3-5 | 6-8 | 1.76 | 0.68 | 5 |
| <i>Prunus persica</i> 'Queencrest' See - <i>Prunus persica</i> 'B-41871' P.P. 6025 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Prunus persica</i> 'Ranger' Ranger Peach | FN | 0.63 | R1 | 3-5 | 6-8 | 0.66 | 0.68 | 5 |
| <i>Prunus persica</i> 'Red Fremont' Red Fremont Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.63 | 0.68 | 5 |
| <i>Prunus persica</i> 'Red Lady' Red Lady Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.60 | 0.68 | 5 |
| <i>Prunus persica</i> 'Red Skin' Red Skin Peach | FN | 0.61 | R1 | 3-5 | 6-8 | 0.61 | 0.35 | 5 |
| <i>Prunus persica</i> 'Redglobe' Redglobe Peach | FN | 0.61 | R1 | 3-5 | 6-8 | 0.56 | 0.68 | 5 |
| <i>Prunus persica</i> 'Redhaven Dwarf' Redhaven Dwarf Peach | FN | 1.40 | R1 | 3-5 | 6-8 | 1.45 | 0.59 | 5 |
| <i>Prunus persica</i> 'Redhaven' Redhaven Peach | FN | 0.91 | R1 | 3-5 | 6-8 | 1.06 | 0.35 | 5 |
| <i>Prunus persica</i> 'Redstar' See - <i>Prunus persica</i> 'FA 52' P.P. 10546 | | | | | | | | |
| <i>Prunus persica</i> 'Redtop' Redtop Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Regina' Regina Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.60 | 0.68 | 5 |
| <i>Prunus persica</i> 'Reliance Dwarf' Reliance Dwarf Peach | FN | 1.71 | R1 | 3-5 | 6-8 | 1.45 | 0.68 | 5 |
| <i>Prunus persica</i> 'Reliance' Reliance Peach | FN | 1.00 | R1 | 3-5 | 6-8 | 0.89 | 0.68 | 5 |
| <i>Prunus persica</i> 'Riegels' Riegels Cling Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Rio Grande' Rio Grande Peach | FN | 0.48 | R1 | 3-5 | 6-8 | 0.73 | 0.68 | 5 |
| <i>Prunus persica</i> 'Rio Oso Gem' Rio Oso Gem Peach | FN | 0.74 | R1 | 3-5 | 6-8 | 0.58 | 0.68 | 5 |
| <i>Prunus persica</i> 'Risingstar' See - <i>Prunus persica</i> 'FA 47' P.P. 10545 | | | | | | | | |
| <i>Prunus persica</i> 'Rizzi' P.P. 8394 Rizzi Cling Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.56 | 0.68 | 5 |
| <i>Prunus persica</i> 'Rosea' Pink Flowering Peach | FN | 0.40 | R1 | 3-5 | 6-8 | 0.65 | 0.46 | 5 |
| <i>Prunus persica</i> 'Ross' P.P. 4863 Ross Cling Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Roza' Roza Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.57 | 0.68 | 5 |
| <i>Prunus persica</i> 'Rubroplena' Red Flowering Peach | FN | 0.40 | R1 | 3-5 | 6-8 | 0.65 | 0.46 | 5 |
| <i>Prunus persica</i> 'Ruston Red' Ruston Red Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'Sam Houston' Sam Houston Peach | FN | 0.63 | R1 | 3-5 | 6-8 | 0.65 | 0.59 | 5 |
| <i>Prunus persica</i> 'Sentinel' Sentinel Peach | FN | 0.48 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'Sentry' Sentry Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| <i>Prunus persica</i> 'September Flame' See - <i>Prunus persica</i> 'Burpeachthree' P.P. 12507 | | | | | | | | |
| <i>Prunus persica</i> 'Sierra Gem' P.P. 10810 Sierra Gem Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.73 | 0.68 | 5 |
| <i>Prunus persica</i> 'Spring Flame' See - <i>Prunus persica</i> 'Burpeachone' P.P. 12156 | | | | | | | | |
| <i>Prunus persica</i> 'Spring Lady' Spring Lady Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| <i>Prunus persica</i> 'Springcrest' Springcrest Peach | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Prunus persica</i> 'Starfire' | | | | | | | | |
| See - <i>Prunus persica</i> 'FA 11' P.P. 10548 | | | | | | | | |
| <i>Prunus persica</i> 'Starn' | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| Starn Cling Peach | | | | | | | | |
| <i>Prunus persica</i> 'Sullivan #4' | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| Sullivan #4 Cling Peach | | | | | | | | |
| <i>Prunus persica</i> 'Summer Flame 29' | | | | | | | | |
| See - <i>Prunus persica</i> 'Burpeachseven' P.P. 13415 | | | | | | | | |
| <i>Prunus persica</i> 'Summer Flame 34' | | | | | | | | |
| See - <i>Prunus persica</i> 'Burpeachfifteen' P.P. 14454 | | | | | | | | |
| <i>Prunus persica</i> 'Summer Flame' | | | | | | | | |
| See - <i>Prunus persica</i> 'Burpeachtwenty' P.P. 15394 | | | | | | | | |
| <i>Prunus persica</i> 'Summer Lady' P.P. 5865 | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| Summer Lady Peach | | | | | | | | |
| <i>Prunus persica</i> 'Summerset' | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| Summerset Peach | | | | | | | | |
| <i>Prunus persica</i> 'Suncrest' | FN | 1.03 | R1 | 3-5 | 6-8 | 0.56 | 0.68 | 5 |
| Suncrest Peach | | | | | | | | |
| <i>Prunus persica</i> 'Surecrop' | FN | 0.64 | R1 | 3-5 | 6-8 | 0.70 | 0.68 | 5 |
| Surecrop Peach | | | | | | | | |
| <i>Prunus persica</i> 'Suwanee' | FN | 0.43 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| Suwanee Peach | | | | | | | | |
| <i>Prunus persica</i> 'Thiara' P.P. 8744 | FN | 0.76 | R1 | 3-5 | 6-8 | 0.56 | 0.68 | 5 |
| Thiara Cling Peach | | | | | | | | |
| <i>Prunus persica</i> 'Tom Thumb' P.P. 8509 | FN | 0.86 | R1 | 3-5 | 6-8 | 0.64 | 3.55 | 5 |
| Bonfire Patio Peach | | | | | | | | |
| <i>Prunus persica</i> 'Topaz' | FN | 0.76 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| Topaz Peach | | | | | | | | |
| <i>Prunus persica</i> 'TropicBeauty' | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| TropicBeauty Peach | | | | | | | | |
| <i>Prunus persica</i> 'TropicPrince' | | | | | | | | |
| See - <i>Prunus persica</i> 'Tropicpeachone' P.P. 12965 | | | | | | | | |
| <i>Prunus persica</i> 'TropicSnow' | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| TropicSnow Peach | | | | | | | | |
| <i>Prunus persica</i> 'TropicSweet' | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| TropicSweet Peach | | | | | | | | |
| <i>Prunus persica</i> 'Tropicpeachone' P.P. 12965 | FN | 0.76 | R1 | 3-5 | 6-8 | 0.73 | 0.68 | 5 |
| TropicPrince Peach | | | | | | | | |
| <i>Prunus persica</i> 'UF2000' P.P. 12019 | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| UF2000 Peach | | | | | | | | |
| <i>Prunus persica</i> 'UFGold' P.P. 10315 | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| UFGold Peach | | | | | | | | |
| <i>Prunus persica</i> 'UFO' P.P. 13352 | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| UFO Peach | | | | | | | | |
| <i>Prunus persica</i> 'Versicolor' | FN | 0.76 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| Versicolor Flowering Peach | | | | | | | | |
| <i>Prunus persica</i> 'Veteran' | FN | 0.98 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| Veteran Peach | | | | | | | | |
| <i>Prunus persica</i> 'Wiser' | FN | 0.76 | R1 | 3-5 | 6-8 | 0.49 | 0.68 | 5 |
| Wiser Cling Peach | | | | | | | | |
| <i>Prunus persica</i> 'Yakima Hale' | FN | 0.76 | R1 | 3-5 | 6-8 | 0.65 | 0.68 | 5 |
| Yakima Hale Peach | | | | | | | | |
| <i>Prunus persica</i> var. <i>nucipersica</i> | FN | 1.01 | R1 | 3-5 | 6-8 | 0.57 | 0.59 | 5 |
| Nectarine | | | | | | | | |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Arctic Glo' P.P. 7884 | FN | 0.81 | R1 | 3-5 | 6-8 | 0.77 | 0.59 | 5 |
| Arctic Glo Nectarine | | | | | | | | |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Armking' | FN | 0.48 | R1 | 3-5 | 6-8 | 0.57 | 0.59 | 5 |
| Armking Nectarine | | | | | | | | |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Burnectone' P.P. 12518 | FN | 0.74 | R1 | 3-5 | 6-8 | 0.49 | 0.59 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| Spring Ray Nectarine <i>Prunus persica</i> var. <i>nucipersica</i> 'Burnectseven' P.P. 13589 | FN | 0.74 | R1 | 3-5 | 6-8 | 0.49 | 0.59 | 5 |
| Summer Flare® 28 Nectarine <i>Prunus persica</i> var. <i>nucipersica</i> 'C7.053' | | | | | | | | |
| See - <i>Prunus persica</i> var. <i>nucipersica</i> 'Burnectseven' P.P. 13589 | | | | | | | | |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Cavalier' Cavalier Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.57 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Crimson Gold' Crimson Gold Nectarine | FN | 0.48 | R1 | 3-5 | 6-8 | 0.57 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Diamond June' P.P. 11968 Diamond June Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.73 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Diamond Ray' P.P. 8948 Diamond Ray Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.73 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Fairlane' Fairlane Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.49 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Fantasia' Fantasia Nectarine | FN | 0.83 | R1 | 3-5 | 6-8 | 0.58 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Firebright' Firebright Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.62 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Flamekist' Flamekist Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.49 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Flaming Red' See - <i>Prunus persica</i> var. <i>nucipersica</i> 'N15500' P.P. 5480 | | | | | | | | |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Flavortop' Flavortop Nectarine | FN | 0.67 | R1 | 3-5 | 6-8 | 0.58 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Garden State' Garden State Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.57 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Goldmine' Goldmine Nectarine | FN | 0.81 | R1 | 3-5 | 6-8 | 0.64 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Independence' Independence Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.62 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Juneglo' Juneglo Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.49 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Le Grand' Le Grand Nectarine | FN | 0.62 | R1 | 3-5 | 6-8 | 0.73 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Leprechaun' Leprechaun Nectarine | FN | 0.49 | R1 | 3-5 | 6-8 | 0.57 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'May Grand' May Grand Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.49 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Mayfire' Mayfire Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.49 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Mayglo' P.P. 5245 Mayglo Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.49 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Mericrest' Mericrest Nectarine | FN | 0.81 | R1 | 3-5 | 6-8 | 0.62 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'N15500' P.P. 5480 Flaming Red Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.49 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Red Diamond' Red Diamond Nectarine | FN | 1.13 | R1 | 3-5 | 6-8 | 0.49 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Red Gold' Red Gold Nectarine | FN | 0.71 | R1 | 3-5 | 6-8 | 0.56 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Red Jewel' P.P. 8013 Red Jewel Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.73 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Redchief' Redchief Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.57 | 0.59 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Royal Giant' P.P. 4107 Royal Giant Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.49 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Sparkling June' P.P. 6981 Sparkling June Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.73 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Sparkling May' P.P. 6675 Sparkling May Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.73 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Sparkling Red' P.P. 4314 Sparkling Red Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.49 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Spring Ray' See - <i>Prunus persica</i> var. <i>nucipersica</i> 'Burnectone' P.P. 12518 | | | | | | | | |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Summer Beaut' Summer Beaut Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.49 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Summer Fire' P.P. 7506 Summer Fire Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.73 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Summer Flare 28' See - <i>Prunus persica</i> var. <i>nucipersica</i> 'Burnectseven' P.P. 13589 | | | | | | | | |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Summer Grand' Summer Grand Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.49 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Sunblaze' Sunblaze Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.49 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Suncoast' Suncoast Nectarine | FN | 0.63 | R1 | 3-5 | 6-8 | 0.49 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Sundollar' Sundollar Nectarine | FN | 0.63 | R1 | 3-5 | 6-8 | 0.49 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Sunglo' Sunglo Nectarine | FN | 1.11 | R1 | 3-5 | 6-8 | 0.55 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Sunlite' Sunlite Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.57 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Sunmist' P.P. 9871 Sunmist Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.49 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Sunraycer' Sunraycer Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.49 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Sunred' Sunred Nectarine | FN | 0.67 | R1 | 3-5 | 6-8 | 0.73 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Supreme Red' P.P. 4639 Supreme Red Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.55 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Suregold' Suregold Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.57 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'Sweet Scarlett' Sweet Scarlett Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.61 | 0.59 | 5 |
| <i>Prunus persica</i> var. <i>nucipersica</i> 'UFQueen' P.P. 11587 UFQueen Nectarine | FN | 0.74 | R1 | 3-5 | 6-8 | 0.49 | 0.59 | 5 |
| <i>Prunus pumila</i> var. <i>depressa</i> Sand Cherry | DS | 1.12 | R1 | | 3-8 | | 0.37 | 2 |
| <i>Prunus salicina</i> Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.61 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Abundance' Abundance Japanese Plum | FN | 1.08 | R1 | 3-5 | 6-8 | 0.61 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Angeleno' Angeleno Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.68 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Black Splendor' Black Splendor Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.49 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Blackamber' Blackamber Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.58 | 0.39 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Prunus salicina</i> 'Burbank' Burbank Japanese Plum | FN | 0.87 | R1 | 3-5 | 6-8 | 0.63 | 0.37 | 5 |
| <i>Prunus salicina</i> 'Casselman' Casselman Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.49 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Catalina' Catalina Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.49 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Duarte' Duarte Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.65 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Elephant Heart' Elephant Heart Japanese Plum | FN | 0.74 | R1 | 3-5 | 6-8 | 0.76 | 0.39 | 5 |
| <i>Prunus salicina</i> 'First Beaut' P.P. 7335 First Beaut Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.73 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Fortune' Fortune Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.49 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Friar' Friar Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.58 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Grand Rosa' Grand Rosa Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.49 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Improved Duarte' Improved Duarte Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.60 | 0.39 | 5 |
| <i>Prunus salicina</i> 'John W' John W Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.49 | 0.39 | 5 |
| <i>Prunus salicina</i> 'July Santa Rosa' July Santa Rosa Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.49 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Kelsey' Kelsey Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.49 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Laroda' Laroda Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.49 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Mariposa' Mariposa Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.90 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Methley' Methley Japanese Plum | FN | 0.71 | R1 | 3-5 | 6-8 | 0.70 | 0.37 | 5 |
| <i>Prunus salicina</i> 'New Yorker' See - <i>Prunus salicina</i> 'Simka' | | | | | | | | |
| <i>Prunus salicina</i> 'Owen T' Owen T Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.49 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Ozark Premier' Ozark Premier Japanese Plum | FN | 0.61 | R1 | 3-5 | 6-8 | 0.73 | 0.46 | 5 |
| <i>Prunus salicina</i> 'Queen Ann' Queen Ann Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.49 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Queen Rosa' Queen Rosa Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.49 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Red Beaut' P.P. 2539 Red Beaut Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.49 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Rosemary' Rosemary Japanese Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.49 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Santa Rosa' Santa Rosa Japanese Plum | FN | 0.94 | R1 | 3-5 | 6-8 | 1.05 | 0.37 | 5 |
| <i>Prunus salicina</i> 'Satsuma' Satsuma Japanese Plum | FN | 0.97 | R1 | 3-5 | 6-8 | 1.08 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Shiro' Shiro Japanese Plum | FN | 0.96 | R1 | 3-5 | 6-8 | 0.62 | 0.39 | 5 |
| <i>Prunus salicina</i> 'Simka' Simka Plum | FN | 0.86 | R1 | 3-5 | 6-8 | 0.57 | 0.39 | 5 |
| <i>Prunus sargentii</i> Sargent Cherry | DT | 1.03 | R1 | 4 | 5-8 | 1.18 | 1.08 | 4 |
| <i>Prunus sargentii</i> 'Columnaris' Columnar Sargent Cherry | DT | 1.34 | R1 | 4 | 5-8 | 1.06 | 1.08 | 4 |
| <i>Prunus sargentii</i> 'Princeton Snowcloud' P.P. 10989 Princeton Snowcloud Sargent Cherry | DT | 1.19 | R1 | 4 | 5-8 | 1.02 | 1.08 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Prunus serotina</i> Black Cherry | DT | 0.84 | R1 | 3 | 4-8 | 0.70 | 0.82 | 3 |
| <i>Prunus serrula</i> Red Bark Cherry | DT | 1.51 | R1 | 4-5 | 6-8 | 0.69 | 1.00 | 5 |
| <i>Prunus serrulata</i> Oriental Cherry | DT | 0.91 | R1 | 4-5 | 6-8 | 1.24 | 0.27 | 5 |
| <i>Prunus serrulata</i> 'Amanogawa' Amanogawa Japanese Flowering Cherry | DT | 1.19 | R1 | 4-5 | 6-8 | 0.99 | 0.42 | 5 |
| <i>Prunus serrulata</i> 'Kiku-shidare-zakura' Cheal's Weeping Japanese Flowering Cherry | DT | 2.20 | R1 | 4-5 | 6-8 | 1.01 | 0.42 | 5 |
| <i>Prunus serrulata</i> 'Kwanzan' Kwanzan Japanese Flowering Cherry | DT | 0.92 | R1 | 4-5 | 6-8 | 0.87 | 0.42 | 5 |
| <i>Prunus serrulata</i> 'Mt. Fuji' See - <i>Prunus serrulata</i> 'Shirotae' | | | | | | | | |
| <i>Prunus serrulata</i> 'Pendula' Weeping Japanese Flowering Cherry | DT | 1.24 | R1 | 4-5 | 6-8 | 1.04 | 0.42 | 5 |
| <i>Prunus serrulata</i> 'Rosea' See - <i>Prunus serrulata</i> 'Kiku-shidare-zakura' | | | | | | | | |
| <i>Prunus serrulata</i> 'Royal Burgundy' P.P. 6520 Royal Burgundy Japanese Flowering Cherry | DT | 1.15 | R1 | 4-5 | 6-8 | 1.00 | 0.56 | 5 |
| <i>Prunus serrulata</i> 'Shirofugen' Shirofugen Japanese Flowering Cherry | DT | 1.24 | R1 | 4-5 | 6-8 | 1.09 | 0.42 | 5 |
| <i>Prunus serrulata</i> 'Shirotae' Shirotae Japanese Flowering Cherry | DT | 1.07 | R1 | 4-5 | 6-8 | 1.09 | 0.43 | 5 |
| <i>Prunus serrulata</i> 'Shogetsu' Shogetsu Japanese Flowering Cherry | DT | 1.29 | R1 | 4-5 | 6-8 | 0.90 | 0.42 | 5 |
| <i>Prunus serrulata</i> 'Tai Haku' Great White Cherry | DT | 1.06 | R1 | 4-5 | 6-8 | 0.89 | 0.42 | 5 |
| <i>Prunus x sieboldii</i> Siebold's Japanese Cherry | DT | 1.00 | R1 | 5-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Prunus x subhirtella</i> Higan Cherry | DT | 1.43 | R1 | 4-5 | 6-8 | 0.80 | 0.29 | 5 |
| <i>Prunus x subhirtella</i> 'Autumnalis Rosea' Autumnalis Rosea Higan Cherry | DT | 1.05 | R1 | 4-5 | 6-8 | 0.84 | 0.43 | 5 |
| <i>Prunus x subhirtella</i> 'Autumnalis' See - <i>Prunus x subhirtella</i> 'Jugatsu' | | | | | | | | |
| <i>Prunus x subhirtella</i> 'Hally Jolivette' Hally Jolivette Higan Cherry | DT | 1.22 | R1 | 4-5 | 6-8 | 1.09 | 0.43 | 5 |
| <i>Prunus x subhirtella</i> 'Jugatsu' Autumn White Higan Cherry | DT | 0.92 | R1 | 4-5 | 6-8 | 0.95 | 0.56 | 5 |
| <i>Prunus x subhirtella</i> 'Pendula Plena Rosea' See - <i>Prunus pendula</i> 'Pendula Plena Rosea' | | | | | | | | |
| <i>Prunus x subhirtella</i> 'Pendula' See - <i>Prunus pendula</i> | | | | | | | | |
| <i>Prunus x subhirtella</i> 'Pink Snow Showers' See - <i>Prunus x subhirtella</i> 'Pisnshzam' P.P.A.F. | | | | | | | | |
| <i>Prunus x subhirtella</i> 'Pisnshzam' P.P.A.F. Pink Snow Showers™ Weeping Higan Cherry | DT | 1.62 | R1 | 4-5 | 6-8 | 0.98 | 0.43 | 5 |
| <i>Prunus x subhirtella</i> 'Rosea' See - <i>Prunus x subhirtella</i> 'Autumnalis Rosea' | | | | | | | | |
| <i>Prunus x subhirtella</i> 'Rosy Cloud' P.P. 4540 Rosy Cloud Higan Cherry | DT | 1.14 | R1 | 4-5 | 6-8 | 1.39 | 0.43 | 5 |
| <i>Prunus x subhirtella</i> 'Whitcombii' Whitcomb Higan Cherry | DT | 1.23 | R1 | 4-5 | 6-8 | 0.82 | 0.43 | 5 |
| <i>Prunus tenella</i> Russian Almond | DS | 0.82 | R1 | | 3-6 | | 1.04 | 2 |
| <i>Prunus tibetica</i> See - <i>Prunus serrula</i> | | | | | | | | |
| <i>Prunus tomentosa</i> Nanking Cherry | DT | 0.99 | R1 | | 3-8 | 1.00 | 0.81 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ | |
|--|-----------|-----------|----|--------------|-------------|---------|------------|---|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Prunus tomentosa</i> 'Leucocarpa' Palefruit Nanking Cherry | DT | 0.99 | R1 | | 3-8 | 1.00 | 0.81 | 2 |
| <i>Prunus triloba</i> Flowering Almond | DS | 1.11 | R1 | 3 | 4-8 | | 1.06 | 3 |
| <i>Prunus umbellata</i> Sloe | DT | 0.81 | R1 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Prunus virginiana</i> Common Chokecherry | DS | 0.84 | R1 | | 3-8 | | 1.04 | 2 |
| <i>Prunus virginiana</i> 'Canada Red' Canada Red Chokecherry | DS | 1.14 | R1 | | 3-8 | | 0.75 | 2 |
| <i>Prunus virginiana</i> 'Schubert' Schubert Chokecherry | DS | 0.84 | R1 | | 3-8 | | 1.12 | 2 |
| <i>Prunus virginiana</i> var. <i>melanocarpa</i> No Common Name Found | DS | 0.93 | R1 | | 3-8 | | 2.09 | 2 |
| <i>Prunus x yedoensis</i> Yoshino Cherry | DT | 0.82 | R1 | 3-5 | 6-8 | 0.85 | 0.44 | 5 |
| <i>Prunus x yedoensis</i> 'Afterglow' P.P. 5730 Afterglow Yoshino Cherry | DT | 0.96 | R1 | 3-5 | 6-8 | 0.98 | 0.49 | 5 |
| <i>Prunus x yedoensis</i> 'Akebono' Akebono Yoshino Cherry | DT | 0.99 | R1 | 3-5 | 6-8 | 0.83 | 0.53 | 5 |
| <i>Prunus x yedoensis</i> 'Shidare Yoshino' Weeping Yoshino Cherry | DT | 1.08 | R1 | 3-5 | 6-8 | 0.84 | 0.49 | 5 |
| <i>Pseudocydonia sinensis</i> Chinese Quince | DS | 0.78 | R1 | 3-6 | 7-8 | | 0.68 | 6 |
| <i>Pseudolarix amabilis</i> Golden Larch | DT | 1.13 | R1 | 3-5 | 6-8 | 1.00 | 1.74 | 5 |
| <i>Pseudolarix kaempferi</i> See - <i>Pseudolarix amabilis</i> | | | | | | | | |
| <i>Pseudopanax ferox</i> Toothed Lancewood | BE | 1.00 | R2 | 7-8 | | 1.00 | 1.00 | 8 |
| <i>Pseudopanax lessonii</i> Houmspara | BS | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Pseudoroegneria spicata</i> ssp. <i>inermis</i> Beardless Bluebunch Wheatgrass | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Pseudoroegneria spicata</i> ssp. <i>spicata</i> Bluebunch Wheatgrass | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Pseudosasa japonica</i> Arrow Bamboo | BS | 1.39 | R1 | 5-6 | 7-8 | | 0.44 | 6 |
| <i>Pseudosasa japonica</i> 'Tsutsumiana' Dwarf Arrow Bamboo | BS | 1.39 | R1 | 5-6 | 7-8 | | 0.44 | 6 |
| <i>Pseudosasa japonica</i> 'Variegata' Variegated Arrow Bamboo | BS | 1.39 | R1 | 5-6 | 7-8 | | 0.44 | 6 |
| <i>Pseudosasa japonica</i> var. <i>tsutsumiana</i> See - <i>Pseudosasa japonica</i> 'Tsutsumiana' | | | | | | | | |
| <i>Pseudosasa owatarii</i> No Common Name Found | BS | 1.00 | R2 | 6-7 | 8 | | 1.00 | 7 |
| <i>Pseudotsuga menziesii</i> Douglas Fir | CE | 0.91 | R1 | 3-4 | 5-6 | 1.00 | 1.07 | 4 |
| <i>Pseudotsuga menziesii</i> 'Astro Blue' Astro Blue Douglas Fir | CE | 1.33 | R1 | 3-4 | 5-6 | 1.00 | 1.08 | 4 |
| <i>Pseudotsuga menziesii</i> 'Compacta Glauca' See - <i>Pseudotsuga menziesii</i> 'Astro Blue' | | | | | | | | |
| <i>Pseudotsuga menziesii</i> 'Fastigiata' Pyramidal Douglas Fir | CE | 1.33 | R1 | 3-4 | 5-6 | 1.00 | 1.08 | 4 |
| <i>Pseudotsuga menziesii</i> 'Fletcheri' Fletcher Douglas Fir | CS | 2.10 | R1 | 3-4 | 5-6 | | 2.02 | 4 |
| <i>Pseudotsuga menziesii</i> 'Glauca Fastigiata' Blue Columnar Douglas Fir | CE | 1.33 | R1 | 3-4 | 5-6 | 1.00 | 0.66 | 4 |
| <i>Pseudotsuga menziesii</i> 'Glauca Pendula' Blue Weeping Douglas Fir | CE | 0.82 | R1 | 3-4 | 5-6 | 1.00 | 0.80 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Pseudotsuga menziesii</i> 'Graceful Grace' Graceful Grace Douglas Fir | CE | 1.83 | R1 | 3-4 | 5-6 | 1.00 | 0.94 | 4 |
| <i>Pseudotsuga menziesii</i> 'Hornecker' Hornecker Douglas Fir | CS | 1.93 | R1 | 3-4 | 5-6 | | 2.02 | 4 |
| <i>Pseudotsuga menziesii</i> 'Idaho Gem' Idaho Gem Douglas Fir | CS | 2.10 | R1 | 3-4 | 5-6 | | 2.02 | 4 |
| <i>Pseudotsuga menziesii</i> 'Idaho Weeper' Idaho Weeper Douglas Fir | CE | 1.33 | R1 | 3-4 | 5-6 | 1.00 | 1.08 | 4 |
| <i>Pseudotsuga menziesii</i> 'Little Jon' Little Jon Douglas Fir | CS | 2.27 | R1 | 3-4 | 5-6 | | 2.02 | 4 |
| <i>Pseudotsuga menziesii</i> 'Nana' Dwarf Douglas Fir | CS | 2.10 | R1 | 3-4 | 5-6 | | 2.02 | 4 |
| <i>Pseudotsuga menziesii</i> 'Pendula' Weeping Douglas Fir | CE | 1.76 | R1 | 3-4 | 5-6 | 1.00 | 1.93 | 4 |
| <i>Pseudotsuga menziesii</i> 'Skyline' Skyline Douglas Fir | CE | 1.33 | R1 | 3-4 | 5-6 | 1.00 | 1.08 | 4 |
| <i>Pseudotsuga menziesii</i> var. <i>glauca</i> Blue Douglas Fir | CE | 0.93 | R1 | 3-4 | 5-6 | 1.00 | 1.38 | 4 |
| <i>Psilostrophe tagentinae</i> Woolly Paperflower | HP | 0.56 | R2 | 5-8 | | | | |
| <i>Psoralea argophylla</i> Desert Smoketree | DT | 1.00 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Psychopsis papilio</i> Butterfly Orchid | FO | 1.10 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Ptelea trifoliata</i> Hoptree | DS | 0.82 | R1 | 3-5 | 6-8 | | 2.37 | 5 |
| <i>Pteridium aquilinum</i> Bracken | HP | 0.89 | R2 | 3 | 4-8 | | | |
| <i>Pteris cretica</i> Cretan Brake | FO | 0.54 | R2 | 8 | | | 1.00 | 9 |
| <i>Pteris cretica</i> 'Albo-lineata' Albo-lineata Cretan Brake | FO | 0.54 | R2 | 8 | | | 1.00 | 9 |
| <i>Pteris cretica</i> 'Mayi' Mayi Cretan Brake | FO | 0.45 | R2 | 8 | | | 1.00 | 9 |
| <i>Pteris ensiformis</i> Sword Brake | FO | 0.55 | R2 | 8 | | | 1.00 | 10 |
| <i>Pteris ensiformis</i> 'Evergemeiensis' Evergemeiensis Sword Brake | FO | 0.60 | R2 | 8 | | | 1.00 | 10 |
| <i>Pteris ensiformis</i> 'Victoriae' Victory Sword Brake | FO | 0.58 | R2 | 8 | | | 1.00 | 10 |
| <i>Pteris vittata</i> No Common Name Found | HP | 0.71 | R2 | 5-8 | | | | |
| <i>Pterocarya fraxinifolia</i> Caucasian Walnut | DT | 0.93 | R1 | 5-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Pterocephalus pamassi</i> See - <i>Pterocephalus perennis</i> | | | | | | | | |
| <i>Pterocephalus perennis</i> Dwarf Scabious | HP | 1.02 | R2 | 3-5 | 6-8 | | | |
| <i>Pterostyrax hispida</i> Fragrant Epaulette Tree | DT | 0.81 | R1 | 3-5 | 6-8 | 1.22 | 1.68 | 5 |
| <i>Ptilotrichum spinosum</i> See - <i>Alyssum spinosum</i> | | | | | | | | |
| <i>Pulmonaria</i> Lungwort | HP | 1.18 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria</i> 'Apple Frost' Apple Frost Hybrid Lungwort | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria</i> 'Baby Blue' P.P. 13682 Baby Blue Hybrid Lungwort | HP | 1.07 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria</i> 'British Sterling' British Sterling Hybrid Lungwort | HP | 1.18 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|--------------|---------|-------------|-----------|---------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Pulmonaria</i> 'Bubble Gum' P.P. 14086 Bubble Gum Hybrid Lungwort | HP | 1.49 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria</i> 'David Ward' David Ward Hybrid Lungwort | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria</i> 'Excalibur' Excalibur Hybrid Lungwort | HP | 1.44 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria</i> 'High Contrast' P.P. 12337 High Contrast Hybrid Lungwort | HP | 1.53 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria</i> 'Irish Spring' P.P. 14015 Irish Spring Hybrid Lungwort | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria</i> 'Majeste' Majeste Hybrid Lungwort | HP | 0.94 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria</i> 'Moonshine' P.P. 13686 Moonshine Hybrid Lungwort | HP | 1.20 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria</i> 'Raspberry Splash' P.P. 12138 Raspberry Splash Hybrid Lungwort | HP | 1.32 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria</i> 'Regal Ruffles' Regal Ruffles Hybrid Lungwort | HP | 1.18 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria</i> 'Reginald Kaye' Reginald Kaye Hybrid Lungwort | HP | 1.16 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria</i> 'Smokey Blue' Smokey Blue Hybrid Lungwort | HP | 0.82 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria</i> 'Trevi Fountain' P.P. 13047 Trevi Fountain Hybrid Lungwort | HP | 1.45 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria</i> 'Victorian Brooch' P.P. 11234 Victorian Brooch Hybrid Lungwort | HP | 1.40 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria angustifolia</i> Blue Lungwort | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria angustifolia</i> 'Azurea' Azurea Blue Lungwort | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria angustifolia</i> 'Blaues Meer' Blaues Meer Blue Lungwort | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria angustifolia</i> 'Johnson's Blue' Johnson's Blue Lungwort | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria angustifolia</i> 'Mawson's Variety' Mawson's Variety Blue Lungwort | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria angustifolia</i> 'Munstead Blue' Munstead Blue Lungwort | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria angustifolia</i> 'Variegated' Variegated Blue Lungwort | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Pulmonaria longifolia</i> Long-leafed Lungwort | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Pulmonaria longifolia</i> 'Bertram Anderson' Bertram Anderson Long-leafed Lungwort | HP | 1.19 | R2 | 3-5 | 6-8 | | | |
| <i>Pulmonaria longifolia</i> 'Cevennensis' Cevennensis Long-leafed Lungwort | HP | 1.05 | R2 | 3-5 | 6-8 | | | |
| <i>Pulmonaria montana</i> Red Lungwort | HP | 0.83 | R2 | 3-6 | 7-8 | | | |
| <i>Pulmonaria montana</i> 'Red Start' Red Start Red Lungwort | HP | 0.83 | R2 | 3-6 | 7-8 | | | |
| <i>Pulmonaria officinalis</i> Jerusalem Sage | HP | 1.07 | R2 | 3-6 | 7-8 | | | |
| <i>Pulmonaria officinalis</i> 'Ocupol' P.P. 12931 Opal Jerusalem Sage | HP | 1.05 | R2 | 3-6 | 7-8 | | | |
| <i>Pulmonaria officinalis</i> 'Opal' See - <i>Pulmonaria officinalis</i> 'Ocupol' P.P. 12931 | | | | | | | | |
| <i>Pulmonaria officinalis</i> 'White Wings' White Wings Jerusalem Sage | HP | 1.09 | R2 | 3-6 | 7-8 | | | |
| <i>Pulmonaria saccharata</i> Bethlehem Sage | HP | 1.12 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Pulmonaria saccharata</i> 'Berries and Cream' P.P. 10597 Berries and Cream Bethlehem Sage | HP | 1.35 | R2 | 3-4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Dora Bielefeld' Dora Bielefeld Bethlehem Sage | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Highdown' Highdown Bethlehem Sage | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Janet Fisk' Janet Fisk Bethlehem Sage | HP | 1.59 | R2 | 3-4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Leopard' Leopard Bethlehem Sage | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Little Star' Little Star Bethlehem Sage | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Margery Fish' Margery Fish Bethlehem Sage | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Milky Way' Milky Way Bethlehem Sage | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Mrs. Kittle' Mrs. Kittle Bethlehem Sage | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Mrs. Moon' Mrs. Moon Bethlehem Sage | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Pierre's Pure Pink' Pierre's Pure Pink Bethlehem Sage | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Pink Dawn' Pink Dawn Bethlehem Sage | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Pink Haze' P.P. 14307 Pink Haze Bethlehem Sage | HP | 1.14 | R2 | 3-4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Roy Davidson' Roy Davidson Bethlehem Sage | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Sissinghurst White' Sissinghurst White Bethlehem Sage | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Pulmonaria saccharata</i> 'Spilled Milk' Spilled Milk Bethlehem Sage | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Pulsatilla patens</i> Eastern Pasque Flower | HP | 1.17 | R2 | 3-4 | 5-8 | | | |
| <i>Pulsatilla patens</i> var. <i>wolfgangiana</i> Spreading Pasque Flower | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Pulsatilla vulgaris</i> Pasque Flower | HP | 1.04 | R2 | 3-5 | 6-8 | | | |
| <i>Pulsatilla vulgaris</i> 'Alba' White Pasque Flower | HP | 1.03 | R2 | 3-5 | 6-8 | | | |
| <i>Pulsatilla vulgaris</i> 'Blaue Glocke' Blaue Glocke Pasque Flower | HP | 0.96 | R2 | 3-5 | 6-8 | | | |
| <i>Pulsatilla vulgaris</i> 'Papageno' Papageno Pasque Flower | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Pulsatilla vulgaris</i> 'Rode Klokke' Rode Klokke Pasque Flower | HP | 0.91 | R2 | 3-5 | 6-8 | | | |
| <i>Pulsatilla vulgaris</i> 'Rubra' Red Pasque Flower | HP | 0.83 | R2 | 3-5 | 6-8 | | | |
| <i>Punica granatum</i> Pomegranate | FN | 0.86 | R2 | 7-8 | | 1.06 | 0.75 | 8 |
| <i>Punica granatum</i> 'Ambrosia' Ambrosia Pomegranate | FN | 0.84 | R2 | 7-8 | | 1.06 | 0.75 | 8 |
| <i>Punica granatum</i> 'Big Red' Big Red Pomegranate | FN | 0.84 | R2 | 7-8 | | 1.06 | 0.75 | 8 |
| <i>Punica granatum</i> 'California Sunset' See - <i>Punica granatum</i> 'Legrellei' | | | | | | | | |
| <i>Punica granatum</i> 'Chico' Chico Dwarf Pomegranate | FN | 0.63 | R2 | 7-8 | | 1.06 | 0.75 | 8 |
| <i>Punica granatum</i> 'Legrellei' Legrellei Pomegranate | FN | 0.78 | R2 | 7-8 | | 1.06 | 0.75 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Punica granatum</i> 'Nana' See - <i>Punica granatum</i> var. <i>nana</i> | | | | | | | | |
| <i>Punica granatum</i> 'Nochi Shibari' Nochi Shibari Pomegranate | FN | 0.99 | R2 | 7-8 | | 1.06 | 0.75 | 8 |
| <i>Punica granatum</i> 'Sweet' Sweet Pomegranate | FN | 0.84 | R2 | 7-8 | | 1.06 | 0.75 | 8 |
| <i>Punica granatum</i> 'Toyosho' Toyosho Pomegranate | FN | 0.84 | R2 | 7-8 | | 1.06 | 0.75 | 8 |
| <i>Punica granatum</i> 'Vietnam' Vietnam Pomegranate | FN | 0.84 | R2 | 7-8 | | 1.06 | 0.75 | 8 |
| <i>Punica granatum</i> 'Wonderful' Wonderful Pomegranate | FN | 0.92 | R2 | 7-8 | | 1.06 | 0.75 | 8 |
| <i>Punica granatum</i> var. <i>nana</i> Dwarf Pomegranate | BS | 1.12 | R2 | 7-8 | | | 0.36 | 8 |
| <i>Purshia tridentata</i> Antelope Bitterbrush | DS | 1.64 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Puya alpestris</i> See - <i>Puya berteroniana</i> | | | | | | | | |
| <i>Puya berteroniana</i> No Common Name Found | BS | 1.01 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Pycnanthemum flexuosum</i> American Mountain Mint | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Pycnanthemum muticum</i> Mountain Mint | HP | 0.78 | R2 | 3-4 | 5-8 | | | |
| <i>Pycnanthemum pilosum</i> Hairy Mountain Mint | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Pycnanthemum virginianum</i> Common Mountain Mint | HP | 0.78 | R2 | 3-4 | 5-8 | | | |
| <i>Pyracantha</i> Firethorn | BS | 1.26 | R2 | 5 | 6-8 | | 0.61 | 5 |
| <i>Pyracantha</i> 'Cadvar' P.P. 15517 Silver Lining® Firethorn | BS | 1.29 | R2 | 5-6 | 7-8 | | 0.61 | 6 |
| <i>Pyracantha</i> 'Harlequin' Harlequin Firethorn | BS | 1.26 | R2 | 5-6 | 7-8 | | 0.61 | 6 |
| <i>Pyracantha</i> 'Lowboy' Lowboy Firethorn | BS | 1.11 | R2 | 5-6 | 7-8 | | 0.61 | 6 |
| <i>Pyracantha</i> 'Mohave' Mohave Firethorn | BS | 1.55 | R2 | 5-6 | 7-8 | | 0.61 | 6 |
| <i>Pyracantha</i> 'Monelf' Red Elf™ Firethorn | BS | 1.33 | R2 | 5-6 | 7-8 | | 0.61 | 6 |
| <i>Pyracantha</i> 'Navajo' Navajo Firethorn | BS | 1.26 | R2 | 5-6 | 7-8 | | 0.61 | 6 |
| <i>Pyracantha</i> 'Orange Glow' Orange Glow Firethorn | BS | 1.26 | R2 | 5-6 | 7-8 | | 0.61 | 5 |
| <i>Pyracantha</i> 'Pauciflora' Pauciflora Firethorn | BS | 1.33 | R2 | 5-6 | 7-8 | | 0.61 | 6 |
| <i>Pyracantha</i> 'Red Elf' See - <i>Pyracantha</i> 'Monelf' | | | | | | | | |
| <i>Pyracantha</i> 'Ruby Mound' P.P. 3344 Ruby Mound Firethorn | BS | 1.37 | R2 | 5-6 | 7-8 | | 0.61 | 6 |
| <i>Pyracantha</i> 'Rutgers' Rutgers Firethorn | BS | 0.91 | R2 | 5-6 | 7-8 | | 0.61 | 5 |
| <i>Pyracantha</i> 'Silver Lining' See - <i>Pyracantha</i> 'Cadvar' P.P. 15517 | | | | | | | | |
| <i>Pyracantha</i> 'Teton' Teton Firethorn | BS | 1.19 | R2 | 5-6 | 7-8 | | 0.61 | 6 |
| <i>Pyracantha</i> 'Wonderberry' Wonderberry Firethorn | BS | 1.26 | R2 | 5-7 | 8 | | 0.61 | 7 |
| <i>Pyracantha angustifolia</i> Narrowleaf Firethorn | BS | 0.82 | R2 | 5-7 | 8 | | 1.00 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Pyracantha angustifolia</i> 'Gnome' | | | | | | | | |
| See - <i>Pyracantha angustifolia</i> 'Gnozam' | | | | | | | | |
| <i>Pyracantha angustifolia</i> 'Gnozam' | BS | 1.42 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Gnome® Narrowleaf Firethorn | | | | | | | | |
| <i>Pyracantha angustifolia</i> 'Monon' | BS | 1.32 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Yukon Belle™ Narrowleaf Firethorn | | | | | | | | |
| <i>Pyracantha angustifolia</i> 'Yukon Belle' | | | | | | | | |
| See - <i>Pyracantha angustifolia</i> 'Monon' | | | | | | | | |
| <i>Pyracantha coccinea</i> | BS | 0.95 | R1 | 5-6 | 7-8 | | 0.31 | 6 |
| Scarlet Firethorn | | | | | | | | |
| <i>Pyracantha coccinea</i> 'Fiery Cascade' | BS | 0.78 | R1 | 5-6 | 7-8 | | 0.31 | 6 |
| Fiery Cascade Scarlet Firethorn | | | | | | | | |
| <i>Pyracantha coccinea</i> 'Government Red' | BS | 1.08 | R1 | 5-6 | 7-8 | | 0.31 | 6 |
| Government Red Scarlet Firethorn | | | | | | | | |
| <i>Pyracantha coccinea</i> 'Kasan' | BS | 1.22 | R1 | 5-6 | 7-8 | | 0.31 | 6 |
| Kasan Scarlet Firethorn | | | | | | | | |
| <i>Pyracantha coccinea</i> 'Lalandei Monrovia' | BS | 1.08 | R1 | 5-6 | 7-8 | | 0.31 | 6 |
| Monrovia Scarlet Firethorn | | | | | | | | |
| <i>Pyracantha coccinea</i> 'Lalandei' | BS | 1.16 | R1 | 5-6 | 7-8 | | 0.31 | 6 |
| Laland Scarlet Firethorn | | | | | | | | |
| <i>Pyracantha coccinea</i> 'Wyattii' | BS | 1.28 | R1 | 5-6 | 7-8 | | 0.31 | 6 |
| Wyatt Scarlet Firethorn | | | | | | | | |
| <i>Pyracantha crenatoserrata</i> | BS | 1.43 | R1 | 5-7 | 8 | | 1.00 | 7 |
| Chinese Firethorn | | | | | | | | |
| <i>Pyracantha crenatoserrata</i> 'Cherri Berri' | BS | 1.52 | R1 | 5-7 | 8 | | 1.00 | 7 |
| Cherri Berri Chinese Firethorn | | | | | | | | |
| <i>Pyracantha crenatoserrata</i> 'Graber' | BS | 1.33 | R1 | 5-7 | 8 | | 1.00 | 7 |
| Graber Chinese Firethorn | | | | | | | | |
| <i>Pyracantha fortuneana</i> | | | | | | | | |
| See - <i>Pyracantha crenatoserrata</i> | | | | | | | | |
| <i>Pyracantha koidzumii</i> | BS | 1.04 | R1 | 5-8 | | | 1.00 | 8 |
| Formosa Firethorn | | | | | | | | |
| <i>Pyracantha koidzumii</i> 'Santa Cruz' | BS | 1.06 | R1 | 5-8 | | | 1.00 | 8 |
| Santa Cruz Formosa Firethorn | | | | | | | | |
| <i>Pyracantha koidzumii</i> 'Victory' | BS | 1.01 | R1 | 5-8 | | | 1.00 | 8 |
| Victory Formosa Firethorn | | | | | | | | |
| <i>Pyracantha koidzumii</i> 'Walderi Prostrata' | BS | 1.04 | R1 | 5-8 | | | 1.00 | 8 |
| Walder Prostrate Formosa Firethorn | | | | | | | | |
| <i>Pyrrrosia hastata</i> | FO | 0.73 | R2 | 7-8 | | | 1.00 | 8 |
| Felt Fern | | | | | | | | |
| <i>Pyrrrosia lingua</i> | FO | 0.47 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| Tongue Fern | | | | | | | | |
| <i>Pyrrrosia lingua</i> 'Eboshi' | FO | 0.47 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| Eboshi Tongue Fern | | | | | | | | |
| <i>Pyrrrosia lingua</i> 'Variegata' | FO | 0.47 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| Variegated Tongue Fern | | | | | | | | |
| <i>Pyrrrosia polydactyla</i> | FO | 0.65 | R2 | 7-8 | | | 1.00 | 8 |
| No Common Name Found | | | | | | | | |
| <i>Pyrus</i> | FN | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| Pear | | | | | | | | |
| <i>Pyrus</i> 'Silver Ball' | FN | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 4 |
| Silver Ball™ Hybrid Pear | | | | | | | | |
| <i>Pyrus arbutifolia</i> | | | | | | | | |
| See - <i>Aronia arbutifolia</i> | | | | | | | | |
| <i>Pyrus betulifolia</i> | DT | 0.87 | R1 | 3-5 | 6-8 | 0.41 | 1.00 | 5 |
| Chinese Sand Pear | | | | | | | | |
| <i>Pyrus betulifolia</i> 'Dancer' | | | | | | | | |
| See - <i>Pyrus betulifolia</i> 'Southworth' | | | | | | | | |
| <i>Pyrus betulifolia</i> 'Southworth' | DT | 0.87 | R1 | 3-5 | 6-8 | 0.41 | 1.00 | 5 |
| Dancer Chinese Sand Pear | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Pyrus calleryana</i> Callery Pear | DT | 0.74 | R1 | 3-5 | 6-8 | 0.96 | 0.61 | 5 |
| <i>Pyrus calleryana</i> 'Aristocrat' P.P. 3193 Aristocrat® Callery Pear | DT | 0.97 | R1 | 3-5 | 6-8 | 0.89 | 0.90 | 5 |
| <i>Pyrus calleryana</i> 'Autumn Blaze' P.P. 4591 Autumn Blaze Callery Pear | DT | 1.34 | R1 | 3-5 | 6-8 | 1.11 | 1.30 | 5 |
| <i>Pyrus calleryana</i> 'Bradford' Bradford Callery Pear | DT | 0.93 | R1 | 3-5 | 6-8 | 0.77 | 0.56 | 5 |
| <i>Pyrus calleryana</i> 'Burgundy Snow' See - <i>Pyrus calleryana</i> 'Bursnozam' | | | | | | | | |
| <i>Pyrus calleryana</i> 'Bursnozam' Burgundy Snow™ Callery Pear | DT | 1.07 | R1 | 3-5 | 6-8 | 1.00 | 1.03 | 5 |
| <i>Pyrus calleryana</i> 'Cambridge' Cambridge Callery Pear | DT | 0.89 | R1 | 3-5 | 6-8 | 1.02 | 1.03 | 5 |
| <i>Pyrus calleryana</i> 'Capital' Capital Callery Pear | DT | 0.95 | R1 | 3-5 | 6-8 | 1.03 | 0.95 | 5 |
| <i>Pyrus calleryana</i> 'Chanticleer' See - <i>Pyrus calleryana</i> 'Glen's Form' P.P. 2489 | | | | | | | | |
| <i>Pyrus calleryana</i> 'Cleprizam' Cleveland Pride® Callery Pear | DT | 1.07 | R1 | 3-5 | 6-8 | 1.20 | 1.03 | 5 |
| <i>Pyrus calleryana</i> 'Cleveland Pride' See - <i>Pyrus calleryana</i> 'Cleprizam' | | | | | | | | |
| <i>Pyrus calleryana</i> 'Cleveland Select' See - <i>Pyrus calleryana</i> 'Glen's Form' P.P. 2489 | | | | | | | | |
| <i>Pyrus calleryana</i> 'Early Red' Early Red Callery Pear | DT | 1.07 | R1 | 3-5 | 6-8 | 1.02 | 1.75 | 5 |
| <i>Pyrus calleryana</i> 'Edgedell' P.P. 10151 Edgewood™ Callery Hybrid Pear | DT | 1.07 | R1 | 3-5 | 6-8 | 1.03 | 1.26 | 5 |
| <i>Pyrus calleryana</i> 'Edgewood' See - <i>Pyrus calleryana</i> 'Edgedell' P.P. 10151 | | | | | | | | |
| <i>Pyrus calleryana</i> 'Frontier' See - <i>Pyrus calleryana</i> 'Fronzam' | | | | | | | | |
| <i>Pyrus calleryana</i> 'Fronzam' Frontier™ Callery Pear | DT | 1.07 | R1 | 3-5 | 6-8 | 1.02 | 1.03 | 5 |
| <i>Pyrus calleryana</i> 'Gladiator' See - <i>Pyrus calleryana</i> 'Gladzam' | | | | | | | | |
| <i>Pyrus calleryana</i> 'Gladzam' Gladiator™ Callery Pear | DT | 1.07 | R1 | 3-5 | 6-8 | 1.13 | 1.03 | 5 |
| <i>Pyrus calleryana</i> 'Glen's Form' P.P. 2489 Chanticleer® Callery Pear | DT | 0.92 | R1 | 3-5 | 6-8 | 0.91 | 1.06 | 5 |
| <i>Pyrus calleryana</i> 'Holmford' New Bradford™ Callery Pear | DT | 1.19 | R1 | 3-5 | 6-8 | 0.80 | 0.37 | 5 |
| <i>Pyrus calleryana</i> 'Jack' See - <i>Pyrus calleryana</i> 'Jaczam' | | | | | | | | |
| <i>Pyrus calleryana</i> 'Jaczam' Jack™ Callery Pear | DT | 1.62 | R1 | 3-5 | 6-8 | 1.13 | 1.03 | 5 |
| <i>Pyrus calleryana</i> 'Jill' See - <i>Pyrus calleryana</i> 'Jilzam' | | | | | | | | |
| <i>Pyrus calleryana</i> 'Jilzam' Jill™ Callery Pear | DT | 1.07 | R1 | 3-5 | 6-8 | 1.18 | 1.03 | 5 |
| <i>Pyrus calleryana</i> 'Lijizam' Little Jill® Callery Pear | DT | 1.07 | R1 | 3-5 | 6-8 | 1.02 | 1.03 | 5 |
| <i>Pyrus calleryana</i> 'Little Jill' See - <i>Pyrus calleryana</i> 'Lijizam' | | | | | | | | |
| <i>Pyrus calleryana</i> 'Mepozam' Metropolitan™ Callery Pear | DT | 1.07 | R1 | 3-5 | 6-8 | 1.02 | 1.03 | 5 |
| <i>Pyrus calleryana</i> 'Metropolitan' See - <i>Pyrus calleryana</i> 'Mepozam' | | | | | | | | |
| <i>Pyrus calleryana</i> 'New Bradford' See - <i>Pyrus calleryana</i> 'Holmford' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Pyrus calleryana</i> 'Orchard Park' Orchard Park Callery Pear | DT | 1.07 | R1 | 3-5 | 6-8 | 1.02 | 1.03 | 5 |
| <i>Pyrus calleryana</i> 'Paradise' Paradise Callery Pear | DT | 0.94 | R1 | 3-5 | 6-8 | 0.91 | 0.42 | 5 |
| <i>Pyrus calleryana</i> 'Princess' Princess Callery Pear | DT | 1.07 | R1 | 3-5 | 6-8 | 1.02 | 1.03 | 5 |
| <i>Pyrus calleryana</i> 'Rancho' P.P. 2092 Rancho Callery Pear | DT | 1.07 | R1 | 3-5 | 6-8 | 1.02 | 1.03 | 5 |
| <i>Pyrus calleryana</i> 'Redspire' P.P. 3815 Redspire Callery Pear | DT | 1.07 | R1 | 3-5 | 6-8 | 1.04 | 1.27 | 5 |
| <i>Pyrus calleryana</i> 'Stone Hill' Stone Hill Callery Pear | DT | 1.16 | R1 | 3-5 | 6-8 | 1.18 | 1.03 | 5 |
| <i>Pyrus calleryana</i> 'Trinity' P.P. 4530 Trinity® Callery Pear | DT | 1.20 | R1 | 3-5 | 6-8 | 0.99 | 1.48 | 5 |
| <i>Pyrus calleryana</i> 'Valiant' See - <i>Pyrus calleryana</i> 'Valzam' P.P. 8050 | | | | | | | | |
| <i>Pyrus calleryana</i> 'Valzam' P.P. 8050 Valiant® Callery Pear | DT | 1.07 | R1 | 3-5 | 6-8 | 1.14 | 1.03 | 5 |
| <i>Pyrus calleryana</i> 'Whitehouse' Whitehouse Callery Pear | DT | 1.01 | R1 | 3-5 | 6-8 | 0.99 | 1.41 | 5 |
| <i>Pyrus communis</i> Common Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Abate Fetel' Abate Fetel Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.67 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Anjou' Anjou Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 1.07 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Ayers' Ayers Pear | FN | 0.57 | R1 | 3-4 | 5-8 | 0.40 | 0.37 | 4 |
| <i>Pyrus communis</i> 'Baldwin' Baldwin Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Bartlett Dwarf' Bartlett Dwarf Pear | FN | 0.95 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Bartlett' Bartlett Pear | FN | 0.90 | R1 | 3-4 | 5-8 | 0.89 | 0.28 | 4 |
| <i>Pyrus communis</i> 'Bosc Dwarf' Bosc Dwarf Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Bosc' Bosc Pear | FN | 0.89 | R1 | 3-4 | 5-8 | 0.70 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Bronze Beauty Bosc' See - <i>Pyrus communis</i> 'Wimmers' P.P. 7485 | | | | | | | | |
| <i>Pyrus communis</i> 'Cascade' See - <i>Pyrus communis</i> 'Reimer' P.P. 6245 | | | | | | | | |
| <i>Pyrus communis</i> 'Clapp Favorite Dwarf' Clapp Favorite Dwarf Pear | FN | 1.04 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Clapp Favorite' Clapp Favorite Pear | FN | 0.82 | R1 | 3-4 | 5-8 | 1.21 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Columbia Red Anjou' P.P. 6194 Columbia Red Anjou® Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.80 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Comice' Comice Pear | FN | 0.78 | R1 | 3-4 | 5-8 | 0.74 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Concorde' P.P. 9192 Concorde® Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.76 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Duchess Dwarf' Duchess Dwarf Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Duchess' Duchess Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 1.41 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Flemish Beauty Dwarf' Flemish Beauty Dwarf Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Flemish Beauty' Flemish Beauty Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.65 | 0.38 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Pyrus communis</i> 'Flordahome' Flordahome Pear | FN | 0.53 | R1 | 3-4 | 5-8 | 0.75 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Forelle' Forelle Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.71 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Golden Russet Bosc' P.P. 5243 Golden Russet Bosc Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.77 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Golden Spice' Golden Spice Pear | FN | 1.11 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 3 |
| <i>Pyrus communis</i> 'Gourmet' Gourmet Pear | FN | 1.68 | R1 | 3-4 | 5-8 | 1.45 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Hardy' Hardy Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Hood' Hood Pear | FN | 0.53 | R1 | 3-4 | 5-8 | 0.69 | 0.46 | 4 |
| <i>Pyrus communis</i> 'Kieffer' Kieffer Pear | FN | 1.19 | R1 | 3-4 | 5-8 | 1.01 | 0.37 | 4 |
| <i>Pyrus communis</i> 'LeConte' LeConte Pear | FN | 0.60 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Lincoln' Lincoln Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Lonnie's Red Anjou' Lonnie's™ Red Anjou Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.77 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Luscious' Luscious Pear | FN | 1.59 | R1 | 3-4 | 5-8 | 1.24 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Magness' Magness Pear | FN | 0.46 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Max-Red Bartlett' Max-Red Bartlett Pear | FN | 0.77 | R1 | 3-4 | 5-8 | 0.70 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Maxine' Dwarf Maxine Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Monterrey' Monterrey Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.70 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Moonglow' Moonglow Pear | FN | 1.21 | R1 | 3-4 | 5-8 | 1.01 | 0.37 | 4 |
| <i>Pyrus communis</i> 'Noble Russet Bosc' Noble Russet® Bosc Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.68 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Old Home' Old Home Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Orient' Orient Pear | FN | 0.73 | R1 | 3-4 | 5-8 | 0.69 | 0.37 | 4 |
| <i>Pyrus communis</i> 'Packham's Triumph' Packham's Triumph Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.67 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Parker Dwarf' Parker Dwarf Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Parker' Parker Pear | FN | 0.91 | R1 | 3-4 | 5-8 | 0.92 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Patten' Patten Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Red Anjou' Red Anjou Pear | FN | 0.89 | R1 | 3-4 | 5-8 | 0.67 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Red Bartlett' Red Bartlett Pear | FN | 0.79 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Red Clapp's' Red Clapp's Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.68 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Red Sensation' Red Sensation Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.69 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Reimer' P.P. 6245 Cascade™ Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Seckel Dwarf' Seckel Dwarf Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Pyrus communis</i> 'Seckel' Seckel Pear | FN | 1.00 | R1 | 3-4 | 5-8 | 0.66 | 0.46 | 4 |
| <i>Pyrus communis</i> 'Summercrisp Dwarf' Summercrisp Dwarf Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Summercrisp' Summercrisp Pear | FN | 0.99 | R1 | 3-4 | 5-8 | 0.91 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Taylor's Gold' P.P. 8308 Taylor's Gold™ Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.86 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Ure' Ure Pear | FN | 1.64 | R1 | 3-4 | 5-8 | 1.41 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Wenatchi Gold' Wenatchi Gold™ Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.85 | 0.38 | 4 |
| <i>Pyrus communis</i> 'Wimmers' P.P. 7485 Bronze Beauty™ Bosc Pear | FN | 0.94 | R1 | 3-4 | 5-8 | 0.79 | 0.38 | 4 |
| <i>Pyrus fauriei</i> Korean Pear | DT | 1.12 | R1 | 3-4 | 5-8 | 0.92 | 1.87 | 3 |
| <i>Pyrus fauriei</i> 'Korean Sun' See - <i>Pyrus fauriei</i> 'Westwood' | | | | | | | | |
| <i>Pyrus fauriei</i> 'Westwood' Korean Sun™ Dwarf Pear | DT | 1.16 | R1 | 3-4 | 5-8 | 1.15 | 1.87 | 3 |
| <i>Pyrus fusca</i> See - <i>Malus fusca</i> | | | | | | | | |
| <i>Pyrus kawakamii</i> Evergreen Pear | BS | 1.25 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Pyrus pyrifolia</i> Asian Pear | DT | 0.80 | R1 | 3-5 | 6-8 | 0.63 | 0.36 | 5 |
| <i>Pyrus pyrifolia</i> 'Arirang' See - <i>Pyrus pyrifolia</i> 'Danbae' | | | | | | | | |
| <i>Pyrus pyrifolia</i> 'Chojura' Chojura Asian Pear | DT | 0.77 | R1 | 3-5 | 6-8 | 0.71 | 0.36 | 5 |
| <i>Pyrus pyrifolia</i> 'Danbae' Danbae Asian Pear | DT | 0.80 | R1 | 3-5 | 6-8 | 0.53 | 0.36 | 5 |
| <i>Pyrus pyrifolia</i> 'Hosui' Hosui Asian Pear | DT | 0.85 | R1 | 3-5 | 6-8 | 0.48 | 0.36 | 5 |
| <i>Pyrus pyrifolia</i> 'Niitaka' Niitaka Asian Pear | DT | 0.80 | R1 | 3-5 | 6-8 | 0.63 | 0.36 | 5 |
| <i>Pyrus pyrifolia</i> 'Nijiseiki' Nijisesiki Asian Pear | DT | 0.75 | R1 | 3-5 | 6-8 | 0.72 | 0.36 | 5 |
| <i>Pyrus pyrifolia</i> 'Shinseiki' Shinseiki Asian Pear | DT | 0.84 | R1 | 3-5 | 6-8 | 0.72 | 0.36 | 5 |
| <i>Pyrus regelii</i> Regel Pear | DS | 0.45 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Pyrus regelii</i> 'Angel Wing' See - <i>Pyrus regelii</i> 'Bailwing' | | | | | | | | |
| <i>Pyrus regelii</i> 'Bailwing' Angel Wing® Pear | DS | 0.45 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Pyrus salicifolia</i> Willowleaf Pear | DT | 0.90 | R1 | 3-4 | 5-8 | 1.07 | 1.00 | 4 |
| <i>Pyrus salicifolia</i> 'Pendula' Weeping Willowleaf Pear | DT | 0.90 | R1 | 3-4 | 5-8 | 0.81 | 1.00 | 4 |
| <i>Pyrus salicifolia</i> 'Silfrozam' Silver Frost® Willowleaf Pear | DT | 0.90 | R1 | 3-4 | 5-8 | 1.32 | 1.00 | 4 |
| <i>Pyrus salicifolia</i> 'Silver Frost' See - <i>Pyrus salicifolia</i> 'Silfrozam' | | | | | | | | |
| <i>Pyrus serotina</i> See - <i>Pyrus pyrifolia</i> | | | | | | | | |
| <i>Pyrus ussuriensis</i> Ussurian Pear | DT | 0.83 | R1 | 3-4 | 5-8 | 1.47 | 1.00 | 4 |
| <i>Pyrus ussuriensis</i> 'Bailfrost' Mountain Frost™ Ussurian Pear | DT | 1.47 | R1 | 3-4 | 5-8 | 1.79 | 1.00 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Pyrus ussuriensis</i> 'Mordak' Prairie Gem® Ussurian Pear | DT | 0.95 | R1 | 3-4 | 5-8 | 1.14 | 1.00 | 4 |
| <i>Pyrus ussuriensis</i> 'Mountain Frost' See - <i>Pyrus ussuriensis</i> 'Bailfrost' | | | | | | | | |
| <i>Pyrus ussuriensis</i> 'Prairie Gem' See - <i>Pyrus ussuriensis</i> 'Mordak' | | | | | | | | |
| <i>Quercus acuta</i> Japanese Evergreen Oak | BE | 0.96 | R2 | 5-7 | 8 | 1.39 | 0.23 | 7 |
| <i>Quercus acutissima</i> Sawtooth Oak | DT | 0.87 | R1 | 3-5 | 6-8 | 0.92 | 0.45 | 5 |
| <i>Quercus acutissima</i> 'Gobbler' Gobbler Sawtooth Oak | DT | 0.43 | R1 | 3-5 | 6-8 | 0.92 | 0.45 | 5 |
| <i>Quercus agrifolia</i> California Live Oak | BE | 1.15 | R2 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Quercus alba</i> White Oak | DT | 1.07 | R1 | 3-4 | 5-8 | 1.04 | 0.88 | 4 |
| <i>Quercus arkansana</i> Arkansas Oak | DT | 0.38 | R1 | 4-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Quercus austrina</i> Bluff Oak | DT | 0.86 | R1 | 6-8 | | 0.88 | 1.08 | 8 |
| <i>Quercus x bebbiana</i> No Common Name Found | DT | 1.00 | R1 | 3 | 4-8 | 1.00 | 1.00 | 3 |
| <i>Quercus bicolor</i> Swamp White Oak | DT | 1.17 | R1 | 3-4 | 5-8 | 1.17 | 0.92 | 4 |
| <i>Quercus borealis</i> See - <i>Quercus rubra</i> | | | | | | | | |
| <i>Quercus buckleyi</i> Spanish Oak | DT | 1.02 | R1 | 4-6 | 7-8 | 1.03 | 1.89 | 6 |
| <i>Quercus buckleyi</i> 'Redrock' Redrock™ Texas Red Oak | DT | 1.23 | R1 | 4-6 | 7-8 | 1.03 | 1.89 | 6 |
| <i>Quercus cerris</i> Turkey Oak | DT | 0.63 | R1 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Quercus chapmanii</i> Chapman Oak | BS | 0.68 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Quercus chrysolepis</i> Canyon Live Oak | BE | 1.20 | R2 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Quercus coccinea</i> Scarlet Oak | DT | 0.93 | R1 | 3-4 | 5-8 | 1.05 | 0.54 | 4 |
| <i>Quercus x comptoniae</i> No Common Name Found | BE | 0.54 | R2 | 4-5 | 6-8 | 1.10 | 1.00 | 5 |
| <i>Quercus douglasii</i> Blue Oak | BE | 1.14 | R2 | 4-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Quercus dumosa</i> California Scrub Oak | BE | 1.23 | R2 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Quercus durandii</i> var. <i>austrina</i> See - <i>Quercus austrina</i> | | | | | | | | |
| <i>Quercus ellipsoidalis</i> Northern Pin Oak | DT | 1.28 | R1 | 3-4 | 5-8 | 1.32 | 0.97 | 4 |
| <i>Quercus falcata</i> Southern Red Oak | DT | 0.64 | R1 | 5-6 | 7-8 | 0.88 | 0.61 | 6 |
| <i>Quercus falcata</i> var. <i>pagodifolia</i> Cherrybark Oak | DT | 0.59 | R1 | 5-6 | 7-8 | 0.90 | 0.55 | 6 |
| <i>Quercus frainetto</i> Italian Oak | DT | 1.11 | R1 | 5-6 | 7-8 | 1.04 | 1.00 | 6 |
| <i>Quercus frainetto</i> 'Forest Green' See - <i>Quercus frainetto</i> 'Schmidt' | | | | | | | | |
| <i>Quercus frainetto</i> 'Schmidt' Forest Green® Italian Oak | DT | 1.11 | R1 | 5-6 | 7-8 | 1.04 | 1.00 | 6 |
| <i>Quercus gambelii</i> Gambel Oak | DS | 1.33 | R1 | 3-4 | 5-8 | | 2.24 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Quercus garryana</i> Oregon Oak | DT | 0.64 | R1 | 4-5 | 6-8 | 1.08 | 0.60 | 5 |
| <i>Quercus geminata</i> Sand Live Oak | DT | 1.03 | R1 | 5-7 | 8 | 1.29 | 1.08 | 7 |
| <i>Quercus glandulifera</i> Bow Hunter's Oak | DT | 0.38 | R1 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Quercus glaucooides</i> See - <i>Quercus laceyi</i> | | | | | | | | |
| <i>Quercus hemisphaerica</i> Laurel Oak | BE | 0.83 | R1 | 5-6 | 7-8 | 1.08 | 0.65 | 6 |
| <i>Quercus ilex</i> Holly-leaved Oak | BE | 1.04 | R2 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Quercus imbricaria</i> Shingle Oak | DT | 0.93 | R1 | 3-5 | 6-8 | 1.31 | 0.85 | 5 |
| <i>Quercus incana</i> Bluejack Oak | DT | 0.51 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Quercus kelloggii</i> California Black Oak | DT | 0.90 | R1 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Quercus laceyi</i> Lacey Oak | DT | 0.96 | R1 | 5-7 | 8 | 0.67 | 1.00 | 7 |
| <i>Quercus laevis</i> American Turkey Oak | DT | 0.55 | R1 | 4-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Quercus laurifolia</i> Swamp Laurel Oak | BE | 0.82 | R1 | 5-7 | 8 | 1.39 | 0.74 | 7 |
| <i>Quercus laurifolia</i> 'Darlington' Darlington Laurel Oak | BE | 0.82 | R1 | 5-7 | 8 | 0.95 | 0.30 | 7 |
| <i>Quercus lobata</i> Valley Oak | DT | 1.20 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Quercus lyrata</i> Overcup Oak | DT | 0.81 | R1 | 5-6 | 7-8 | 0.92 | 0.35 | 5 |
| <i>Quercus lyrata</i> 'Highbeam' See - <i>Quercus lyrata</i> 'QLFTB' P.P. 13470 | | | | | | | | |
| <i>Quercus lyrata</i> 'QLFTB' P.P. 13470 Highbeam® Overcup Oak | DT | 1.13 | R1 | 5-6 | 7-8 | 1.57 | 0.35 | 5 |
| <i>Quercus x macdanielii</i> Hybrid English Oak | DT | 1.45 | R1 | 3-4 | 5-8 | 1.27 | 0.55 | 4 |
| <i>Quercus x macdanielii</i> 'Clemons' P.P. 11431 Heritage® Hybrid English Oak | DT | 1.45 | R1 | 3-4 | 5-8 | 1.27 | 0.55 | 4 |
| <i>Quercus x macdanielii</i> 'Heritage' See - <i>Quercus x macdanielii</i> 'Clemons' P.P. 11431 | | | | | | | | |
| <i>Quercus macrocarpa</i> Bur Oak | DT | 1.10 | R1 | 3 | 4-8 | 1.13 | 0.71 | 3 |
| <i>Quercus marilandica</i> Blackjack Oak | DT | 0.57 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Quercus michauxii</i> Swamp Chestnut Oak | DT | 0.83 | R1 | 3-5 | 6-8 | 0.82 | 0.72 | 5 |
| <i>Quercus montana</i> See - <i>Quercus prinus</i> | | | | | | | | |
| <i>Quercus muehlenbergii</i> Chinquapin Oak | DT | 0.95 | R1 | 3-4 | 5-8 | 1.15 | 1.75 | 4 |
| <i>Quercus myrsinifolia</i> Japanese Live Oak | BE | 1.40 | R2 | 5-7 | 8 | 1.08 | 2.72 | 7 |
| <i>Quercus myrtifolia</i> Myrtle Oak | BS | 1.03 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Quercus nigra</i> Water Oak | BE | 0.90 | R2 | 5-6 | 7-8 | 0.83 | 0.26 | 6 |
| <i>Quercus nuttallii</i> Nuttall Oak | DT | 0.83 | R1 | 4-5 | 6-8 | 0.84 | 0.55 | 5 |
| <i>Quercus nuttallii</i> 'Highpoint' See - <i>Quercus nuttallii</i> 'QNFTA' P.P. 13524 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Quercus nuttallii</i> 'QNFTA' P.P. 13524 Highpoint® Nuttall Oak | DT | 0.83 | R1 | 4-5 | 6-8 | 2.04 | 0.55 | 5 |
| <i>Quercus pagodifolia</i> See - <i>Quercus falcata</i> var. <i>pagodifolia</i> | | | | | | | | |
| <i>Quercus palustris</i> Pin Oak | DT | 0.90 | R1 | 3-4 | 5-8 | 0.92 | 0.51 | 4 |
| <i>Quercus palustris</i> 'Crownright' Crownright Pin Oak | DT | 1.15 | R1 | 3-4 | 5-8 | 0.94 | 0.71 | 4 |
| <i>Quercus palustris</i> 'Green Pillar' See - <i>Quercus palustris</i> 'Pringreen' P.P. 9093 | | | | | | | | |
| <i>Quercus palustris</i> 'Pringreen' P.P. 9093 Green Pillar® Pin Oak | DT | 1.39 | R1 | 3-4 | 5-8 | 0.95 | 0.90 | 4 |
| <i>Quercus phellos</i> Willow Oak | DT | 0.76 | R1 | 4-6 | 7-8 | 0.89 | 0.57 | 6 |
| <i>Quercus phellos</i> 'Hightower' See - <i>Quercus phellos</i> 'QPSTA' P.P. 13677 | | | | | | | | |
| <i>Quercus phellos</i> 'QPMTF' P.P. 15217 Wynstar® Willow Oak | DT | 1.15 | R1 | 4-6 | 7-8 | 1.05 | 0.57 | 6 |
| <i>Quercus phellos</i> 'QPSTA' P.P. 13677 Hightower® Willow Oak | DT | 1.59 | R1 | 4-6 | 7-8 | 1.63 | 0.57 | 6 |
| <i>Quercus phellos</i> 'Wynstar' See - <i>Quercus phellos</i> 'QPMTF' P.P. 15217 | | | | | | | | |
| <i>Quercus polymorpha</i> Mexican White Oak | BE | 0.95 | R1 | 5-7 | 8 | 0.95 | 1.00 | 7 |
| <i>Quercus prinoides</i> Dwarf Chinkapin Oak | DT | 0.55 | R1 | 4-5 | 6-8 | 1.16 | 1.00 | 5 |
| <i>Quercus prinus</i> Chestnut Oak | DT | 0.98 | R1 | 3-4 | 5-8 | 1.00 | 0.26 | 4 |
| <i>Quercus robur</i> English Oak | DT | 1.12 | R1 | 4 | 5-8 | 1.13 | 1.27 | 4 |
| <i>Quercus robur</i> 'Attention!' See - <i>Quercus robur</i> 'Wandell' P.P. 6746 | | | | | | | | |
| <i>Quercus robur</i> 'Crimschmidt' P.P. 9103 Crimson Spire English Oak | DT | 1.26 | R1 | 4 | 5-8 | 1.38 | 1.60 | 4 |
| <i>Quercus robur</i> 'Crimson Spire' See - <i>Quercus robur</i> 'Crimschmidt' P.P. 9103 | | | | | | | | |
| <i>Quercus robur</i> 'Fastigiata' Skyrocket™ English Oak | DT | 1.26 | R1 | 4 | 5-8 | 1.19 | 1.72 | 4 |
| <i>Quercus robur</i> 'Filicifolia' Filicifolia English Oak | DT | 1.19 | R1 | 4 | 5-8 | 1.26 | 1.60 | 4 |
| <i>Quercus robur</i> 'Long' See - <i>Quercus x warei</i> 'Long' P.P. 12673 | | | | | | | | |
| <i>Quercus robur</i> 'Michround' P.P. 3708 Westminster Globe™ English Oak | DT | 1.19 | R1 | 4 | 5-8 | 1.14 | 1.60 | 4 |
| <i>Quercus robur</i> 'Pyramich' P.P. 3707 Skymaster™ English Oak | DT | 1.18 | R1 | 4 | 5-8 | 1.22 | 1.80 | 4 |
| <i>Quercus robur</i> 'Rosehill' P.P. 6539 Rosehill English Oak | DT | 1.12 | R1 | 4 | 5-8 | 1.03 | 1.60 | 4 |
| <i>Quercus robur</i> 'Skymaster' See - <i>Quercus robur</i> 'Pyramich' P.P. 3707 | | | | | | | | |
| <i>Quercus robur</i> 'Skyrocket' See - <i>Quercus robur</i> 'Fastigiata' | | | | | | | | |
| <i>Quercus robur</i> 'Wandell' P.P. 6746 Attention!® English Oak | DT | 1.19 | R1 | 4 | 5-8 | 1.81 | 1.60 | 4 |
| <i>Quercus robur</i> 'Westminster Globe' See - <i>Quercus robur</i> 'Michround' P.P. 3708 | | | | | | | | |
| <i>Quercus robur</i> 'Willamette' Willamette English Oak | DT | 1.19 | R1 | 4 | 5-8 | 1.17 | 1.60 | 4 |
| <i>Quercus rubra</i> Northern Red Oak | DT | 1.03 | R1 | 3 | 4-8 | 1.05 | 0.90 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Quercus shumardii</i> Shumard Oak | DT | 0.93 | R1 | 4-5 | 6-8 | 0.97 | 0.60 | 5 |
| <i>Quercus shumardii</i> 'Panache' See - <i>Quercus shumardii</i> 'QSFTC' P.P. 14424 | | | | | | | | |
| <i>Quercus shumardii</i> 'QSFTC' P.P. 14424 Panache® Shumard Oak | DT | 0.93 | R1 | 4-5 | 6-8 | 1.98 | 0.60 | 5 |
| <i>Quercus stellata</i> Post Oak | DT | 0.62 | R1 | 4-5 | 6-8 | 0.70 | 0.37 | 5 |
| <i>Quercus suber</i> Cork Oak | BE | 0.93 | R2 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Quercus texana</i> See - <i>Quercus buckleyi</i> | | | | | | | | |
| <i>Quercus tomentella</i> Island Oak | BE | 0.71 | R2 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Quercus turbinella</i> Shrub Live Oak | BS | 0.58 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Quercus undulata</i> Wavyleaf Oak | BE | 1.25 | R2 | 4-5 | 6-8 | 2.13 | 1.53 | 5 |
| <i>Quercus velutina</i> Black Oak | DT | 1.11 | R1 | 3-4 | 5-8 | 1.12 | 0.47 | 4 |
| <i>Quercus virginiana</i> Live Oak | BE | 0.90 | R2 | 5-7 | 8 | 0.94 | 0.92 | 7 |
| <i>Quercus virginiana</i> 'Cathedral' See - <i>Quercus virginiana</i> 'SDLN' P.P. 12015 | | | | | | | | |
| <i>Quercus virginiana</i> 'Heritage' Heritage™ Live Oak | BE | 1.58 | R2 | 5-7 | 8 | 1.27 | 1.23 | 7 |
| <i>Quercus virginiana</i> 'Highrise' See - <i>Quercus virginiana</i> 'QVTIA' P.P. 11219 | | | | | | | | |
| <i>Quercus virginiana</i> 'QVTIA' P.P. 11219 Highrise® Live Oak | BE | 1.23 | R2 | 5-7 | 8 | 1.77 | 1.40 | 7 |
| <i>Quercus virginiana</i> 'SDLN' P.P. 12015 Cathedral™ Live Oak | BE | 1.12 | R2 | 5-7 | 8 | 1.21 | 1.38 | 7 |
| <i>Quercus x warei</i> Ware Hybrid Oak | DT | 1.44 | R1 | 3-5 | 6-8 | 1.07 | 0.22 | 5 |
| <i>Quercus x warei</i> 'Kindred Spirit' See - <i>Quercus x warei</i> 'Nadler' P.P. 17604 | | | | | | | | |
| <i>Quercus x warei</i> 'Long' P.P. 12673 Regal Prince® Hybrid Oak | DT | 1.44 | R1 | 4 | 5-8 | 1.07 | 0.22 | 4 |
| <i>Quercus x warei</i> 'Nadler' P.P. 17604 Kindred Spirit™ Hybrid Oak | DT | 1.44 | R1 | 3-5 | 6-8 | 1.07 | 0.22 | 5 |
| <i>Quercus x warei</i> 'Regal Prince' See - <i>Quercus x warei</i> 'Long' P.P. 12673 | | | | | | | | |
| <i>Quercus wislizenii</i> Interior Live Oak | BE | 0.98 | R2 | 5-8 | | 1.00 | 0.95 | 8 |
| <i>Racosperma coriaceum</i> See - <i>Acacia coriacea</i> | | | | | | | | |
| <i>Racosperma tetragonophyllum</i> See - <i>Acacia tetragonophylla</i> | | | | | | | | |
| <i>Racosperma victoriae</i> See - <i>Acacia victoriae</i> | | | | | | | | |
| <i>Radermachera sinica</i> China Doll | FO | 0.58 | R2 | 8 | | | 1.00 | 10 |
| <i>Ranunculus asiaticus</i> Persian Buttercup | HP | 0.72 | R2 | 5-8 | | | | |
| <i>Ranunculus cortusifolius</i> No Common Name Found | HP | 0.80 | R2 | 5-8 | | | | |
| <i>Ranunculus occidentalis</i> Western Buttercup | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Ranunculus repens</i> Creeping Buttercup | HP | 1.01 | R2 | 3-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Ranunculus repens</i> 'Buttered Popcorn' Buttered Popcorn Creeping Buttercup | HP | 1.01 | R2 | 3-6 | 7-8 | | | |
| <i>Ranunculus repens</i> 'Pleniflorus' Pleniflorus Creeping Buttercup | HP | 0.95 | R2 | 3-6 | 7-8 | | | |
| <i>Ranunculus repens</i> 'Susan's Song' Susan's Song Creeping Buttercup | HP | 0.84 | R2 | 3-6 | 7-8 | | | |
| <i>Ranunculus rhomboideus</i> Prairie Buttercup | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Raoulia australis</i> Silvermat Raoulia | HP | 0.72 | R2 | 5-7 | 8 | | | |
| <i>Raoulia glabra</i> Smoothleaf Raoulia | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Raoulia hookeri</i> No Common Name Found | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Raoulia lutescens</i> See - <i>Raoulia australis</i> | | | | | | | | |
| <i>Ratibida columnifera</i> Prairie Coneflower | HP | 0.91 | R2 | 3 | 4-8 | | | |
| <i>Ratibida columnifera</i> var. <i>pulcherrima</i> Red Prairie Coneflower | HP | 0.96 | R2 | 3 | 4-8 | | | |
| <i>Ratibida pinnata</i> Grey-head Coneflower | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Rehmannia elata</i> Foxglove Gloxinia | HP | 0.84 | R2 | 8 | | | | |
| <i>Reineckia carnea</i> No Common Name Found | HP | 1.16 | R2 | 5-7 | 8 | | | |
| <i>Reinhardtia gracilis</i> Window Palm | PC | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Reinhardtia simplex</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Reseda luteola</i> Weld | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Restrepia striata</i> No Common Name Found | FO | 1.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Rhamnus alaternus</i> Italian Buckthorn | BS | 0.85 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rhamnus alaternus</i> 'Argenteo-variegata' Variegated Italian Buckthorn | BS | 0.86 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rhamnus alaternus</i> 'John Edwards' John Edwards Italian Buckthorn | BS | 0.87 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rhamnus californicus</i> Coffeeberry | BS | 1.71 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rhamnus californicus</i> 'Eve Case' Eve Case Coffeeberry | BS | 0.85 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rhamnus californicus</i> 'Mound San Bruno' Mound San Bruno Coffeeberry | BS | 1.12 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rhamnus californicus</i> 'Seaview Improved' Seaview Improved Coffeeberry | BS | 0.80 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rhamnus carolinianus</i> Carolina Buckthorn | DS | 0.76 | R1 | 3-5 | 6-8 | | 0.60 | 5 |
| <i>Rhamnus catharticus</i> Common Buckthorn | DS | 0.57 | R1 | 3-4 | 5-8 | | 1.15 | 3 |
| <i>Rhamnus croceus</i> Redberry | BS | 1.74 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Rhamnus frangula</i> Glossy Buckthorn | BS | 1.19 | R2 | 3-4 | 5-8 | | 0.64 | 3 |
| <i>Rhamnus frangula</i> 'Asplenifolia' Feathery Glossy Buckthorn | BS | 1.08 | R2 | 3-4 | 5-8 | | 0.79 | 3 |
| <i>Rhamnus frangula</i> 'Columnaris' See - <i>Rhamnus frangula</i> 'Tallcole' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rhamnus frangula</i> 'Fine Line' | | | | | | | | |
| See - <i>Rhamnus frangula</i> 'Ron Williams' P.P. 14791 | | | | | | | | |
| <i>Rhamnus frangula</i> 'Ron Williams' P.P. 14791 | BS | 1.42 | R2 | 3-4 | 5-8 | | 0.76 | 3 |
| Fine Line™ Glossy Buckthorn | | | | | | | | |
| <i>Rhamnus frangula</i> 'Tallcole' | BS | 1.06 | R2 | 3-4 | 5-8 | | 0.36 | 3 |
| Tallhedge® Glossy Buckthorn | | | | | | | | |
| <i>Rhamnus frangula</i> 'Tallhedge' | | | | | | | | |
| See - <i>Rhamnus frangula</i> 'Tallcole' | | | | | | | | |
| <i>Rhamnus pumilus</i> | BS | 1.00 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| Plumleaf Buckthorn | | | | | | | | |
| <i>Rhamnus purshianus</i> | DS | 0.63 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Cascara Sagrada | | | | | | | | |
| <i>Rhamnus smithii</i> | DS | 0.90 | R2 | 3-4 | 5-8 | | 1.22 | 4 |
| Smith Buckthorn | | | | | | | | |
| <i>Rhaphiolepis</i> x <i>delacourii</i> | BS | 0.95 | R2 | 5-7 | 8 | | 1.00 | 7 |
| No Common Name Found | | | | | | | | |
| <i>Rhaphiolepis</i> x <i>delacourii</i> 'Corleyscourii' P.P. 15544 | BS | 1.44 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Snowcap™ Hawthorn | | | | | | | | |
| <i>Rhaphiolepis</i> x <i>delacourii</i> 'Elizabeth' | BS | 0.79 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Elizabeth Hawthorn | | | | | | | | |
| <i>Rhaphiolepis</i> x <i>delacourii</i> 'Georgia Charm' P.P. 9982 | BS | 0.95 | R2 | 5-8 | | | 1.00 | 7 |
| Georgia Charm Hawthorn | | | | | | | | |
| <i>Rhaphiolepis</i> x <i>delacourii</i> 'Georgia Petite' P.P. 9983 | BS | 1.33 | R2 | 5-8 | | | 1.00 | 7 |
| Georgia Petite Hawthorn | | | | | | | | |
| <i>Rhaphiolepis</i> x <i>delacourii</i> 'Janice' | BS | 0.59 | R2 | 5-8 | | | 1.00 | 7 |
| Janice Hawthorn | | | | | | | | |
| <i>Rhaphiolepis</i> x <i>delacourii</i> 'Peggy' | BS | 0.58 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Peggy Hawthorn | | | | | | | | |
| <i>Rhaphiolepis</i> x <i>delacourii</i> 'Snowcap' | | | | | | | | |
| See - <i>Rhaphiolepis</i> x <i>delacourii</i> 'Corleyscourii' P.P. 15544 | | | | | | | | |
| <i>Rhaphiolepis indica</i> | BS | 0.59 | R2 | 5-8 | | | 0.94 | 8 |
| Indian Hawthorn | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Alba' | BS | 0.88 | R2 | 5-8 | | | 0.94 | 8 |
| White Indian Hawthorn | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Ballerina' P.P. 2972 | BS | 1.02 | R2 | 5-8 | | | 0.94 | 8 |
| Ballerina Indian Hawthorn | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Bay Breeze' | BS | 1.06 | R2 | 5-8 | | | 0.94 | 8 |
| Bay Breeze Indian Hawthorn | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Becky Lynn' P.P.A.F. | BS | 0.86 | R2 | 5-8 | | | 0.94 | 8 |
| Becky Lynn Indian Hawthorn | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Calisto' | | | | | | | | |
| See - <i>Rhaphiolepis indica</i> 'Sodark' P.P. 18403 | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Cameo' | BS | 0.92 | R2 | 5-8 | | | 0.94 | 8 |
| Cameo Indian Hawthorn | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Carmensita' | BS | 0.92 | R2 | 5-8 | | | 0.94 | 8 |
| Carmensita Indian Hawthorn | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Clara' | BS | 0.80 | R2 | 5-8 | | | 0.94 | 8 |
| Clara Indian Hawthorn | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Conia' P.P. 9399 | BS | 0.85 | R2 | 5-8 | | | 0.94 | 8 |
| Olivia™ Indian Hawthorn | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Conor' P.P. 9398 | BS | 0.93 | R2 | 5-8 | | | 0.94 | 8 |
| Eleanor Tabor™ Indian Hawthorn | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Eleanor Tabor' | | | | | | | | |
| See - <i>Rhaphiolepis indica</i> 'Conor' P.P. 9398 | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Enchantress' | | | | | | | | |
| See - <i>Rhaphiolepis indica</i> 'Moness' | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Gulf Green' | BS | 1.34 | R2 | 5-8 | | | 0.94 | 8 |
| Gulf Green™ Indian Hawthorn | | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Harbinger of Spring' | BS | 0.81 | R2 | 5-8 | | | 0.94 | 8 |
| Harbinger of Spring Indian Hawthorn | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Rhaphiolepis indica</i> 'Heather' Heather Indian Hawthorn | BS | 0.95 | R2 | 5-8 | | 0.94 | 8 |
| <i>Rhaphiolepis indica</i> 'Indian Princess' See - <i>Rhaphiolepis indica</i> 'Monto' P.P. 5862 | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Jack Evans' Jack Evans Indian Hawthorn | BS | 0.94 | R2 | 5-8 | | 0.94 | 8 |
| <i>Rhaphiolepis indica</i> 'Majestic Beauty' See - <i>Rhaphiolepis indica</i> 'Montic' P.P. 3349 | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Monant' White Enchantress™ Indian Hawthorn | BS | 0.77 | R2 | 5-8 | | 0.94 | 8 |
| <i>Rhaphiolepis indica</i> 'Moness' Enchantress™ Indian Hawthorn | BS | 0.90 | R2 | 5-8 | | 0.94 | 8 |
| <i>Rhaphiolepis indica</i> 'Monme' Pink Lady Indian Hawthorn | BS | 0.86 | R2 | 5-8 | | 0.94 | 8 |
| <i>Rhaphiolepis indica</i> 'Monrey' P.P. 5215 Spring Rapture™ Indian Hawthorn | BS | 0.74 | R2 | 5-8 | | 0.94 | 8 |
| <i>Rhaphiolepis indica</i> 'Montic' P.P. 3349 Majestic Beauty™ Indian Hawthorn | BS | 1.16 | R2 | 5-8 | | 0.94 | 8 |
| <i>Rhaphiolepis indica</i> 'Monto' P.P. 5862 Indian Princess™ Indian Hawthorn | BS | 1.06 | R2 | 5-8 | | 0.94 | 8 |
| <i>Rhaphiolepis indica</i> 'Olivia' See - <i>Rhaphiolepis indica</i> 'Conia' P.P. 9399 | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Pink Cloud' Pink Cloud Indian Hawthorn | BS | 0.92 | R2 | 5-8 | | 0.94 | 8 |
| <i>Rhaphiolepis indica</i> 'Pink Dancer' Pink Dancer Indian Hawthorn | BS | 0.86 | R2 | 5-8 | | 0.94 | 8 |
| <i>Rhaphiolepis indica</i> 'Pink Flush' Pink Flush Indian Hawthorn | BS | 0.92 | R2 | 5-8 | | 0.94 | 8 |
| <i>Rhaphiolepis indica</i> 'Pink Lady' See - <i>Rhaphiolepis indica</i> 'Monme' | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Ponto's Pink Clara' P.P. 7403 Ponto's Pink Clara Indian Hawthorn | BS | 0.76 | R2 | 5-8 | | 0.94 | 8 |
| <i>Rhaphiolepis indica</i> 'Rosea' Rosea Indian Hawthorn | BS | 0.83 | R2 | 5-8 | | 0.94 | 8 |
| <i>Rhaphiolepis indica</i> 'Snow Pink' See - <i>Rhaphiolepis indica</i> 'Sopink' P.P. 14388 | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Snow White' Snow White Indian Hawthorn | BS | 0.89 | R2 | 5-8 | | 0.94 | 8 |
| <i>Rhaphiolepis indica</i> 'Sodark' P.P. 18403 Calisto™ Indian Hawthorn | BS | 1.05 | R2 | 5-8 | | 0.94 | 8 |
| <i>Rhaphiolepis indica</i> 'Sopink' P.P. 14388 Snow Pink™ Indian Hawthorn | BS | 1.13 | R2 | 5-8 | | 0.94 | 8 |
| <i>Rhaphiolepis indica</i> 'Spring Rapture' See - <i>Rhaphiolepis indica</i> 'Monrey' P.P. 5215 | | | | | | | |
| <i>Rhaphiolepis indica</i> 'Springtime' See - <i>Rhaphiolepis indica</i> 'Monme' | | | | | | | |
| <i>Rhaphiolepis indica</i> 'White Enchantress' See - <i>Rhaphiolepis indica</i> 'Monant' | | | | | | | |
| <i>Rhaphiolepis japonica</i> See - <i>Rhaphiolepis umbellata</i> | | | | | | | |
| <i>Rhaphiolepis umbellata</i> Round-Leaf Hawthorn | BS | 0.92 | R2 | 5-8 | | 1.00 | 8 |
| <i>Rhaphiolepis umbellata</i> 'Blueberry Muffin' Blueberry Muffin Round-leaf Hawthorn | BS | 0.95 | R2 | 5-8 | | 1.00 | 8 |
| <i>Rhaphiolepis umbellata</i> 'Dwarf Pink' Dwarf Pink Yeddo Hawthorn | BS | 1.07 | R2 | 5-8 | | 1.00 | 8 |
| <i>Rhaphiolepis umbellata</i> 'Minor' Dwarf Yeddo Hawthorn | BS | 1.01 | R2 | 5-8 | | 1.00 | 8 |
| <i>Rhaphiolepis umbellata</i> 'Pinkie' Pinkie Round-leaf Hawthorn | BS | 1.01 | R2 | 5-8 | | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Rhapidothymum hystrix</i> Needle Palm | PC | 1.52 | R2 | 5-8 | | | 1.19 | 8 |
| <i>Rhapis excelsa</i> Ground Rattan | PC | 2.13 | R2 | 8 | | | 1.51 | 9 |
| <i>Rhapis humilis</i> Slender Lady Palm | PC | 1.73 | R2 | 8 | | | 1.00 | 9 |
| <i>Rhapis multifida</i> Finger Palm | PC | 2.46 | R2 | 8 | | | 1.67 | 10 |
| <i>Rhapis subtilis</i> No Common Name Found | PC | 1.21 | R2 | 8 | | | 1.00 | 9 |
| <i>Rheum australe</i> Red-veined Pie Plant | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Rheum x cultorum</i> Garden Rhubarb | HP | 1.31 | R2 | 3-4 | 5-8 | | | |
| <i>Rheum x cultorum</i> 'Canadian Red' Canadian Red Rhubarb | HP | 1.62 | R2 | 3-4 | 5-8 | | | |
| <i>Rheum x cultorum</i> 'Chipman's Canada Red' Chipman's Canada Red Rhubarb | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Rheum x cultorum</i> 'Valentine' Valentine Rhubarb | HP | 1.24 | R2 | 3-4 | 5-8 | | | |
| <i>Rheum x cultorum</i> 'Victoria' Victoria Rhubarb | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Rheum palmatum</i> Chinese Rhubarb | HP | 0.98 | R2 | 3-5 | 6-8 | | | |
| <i>Rheum palmatum</i> 'Atrosanguineum' Atrosanguineum Chinese Rhubarb | HP | 0.98 | R2 | 3-5 | 6-8 | | | |
| <i>Rheum palmatum</i> var. <i>tanguticum</i> No Common Name Found | HP | 0.55 | R2 | 3-5 | 6-8 | | | |
| <i>Rheum rhabarbarum</i> See - <i>Rheum x cultorum</i> | | | | | | | | |
| <i>Rhodanthemum hosmariense</i> No Common Name Found | HP | 0.59 | R2 | 6-8 | | | | |
| <i>Rhodiola pachyclados</i> Stonecrop | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Rhodochiton antrosanguineum</i> No Common Name Found | GC | 0.76 | R2 | 8 | | | 1.00 | 9 |
| <i>Rhododendron</i> Rhododendron | BS | 1.04 | R2 | 4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> '1000 Butterflies' 1000 Butterflies Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Abbott' Abbott Glen Dale Evergreen Azalea | BS | 0.61 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Accomplishment' Accomplishment Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Addy Wery' Addy Wery Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Adelaine Pope' Adelaine Pope Evergreen Azalea | BS | 0.66 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Admiral Semmes' Admiral Semmes Deciduous Azalea | DS | 0.95 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Aglo' See - <i>Rhododendron</i> 'Weston's Aglo' | | | | | | | | |
| <i>Rhododendron</i> 'Aikoku' Aikoku Evergreen Azalea | BS | 0.68 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Alaska' Alaska Evergreen Azalea | BS | 1.05 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Albert Close' Albert Close Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Alena' Alena Rhododendron | BS | 1.86 | R2 | 4-5 | 6-8 | | 1.03 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Alexander' Alexander Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Amagasa' Amagasa Evergreen Azalea | BS | 0.68 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Amber Mist' P.P.A.F. Amber Mist Highland™ Series Rhododendron | BS | 1.04 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Ambrosia' Ambrosia Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Amethyst' Amethyst Rhododendron | BS | 1.50 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Amity' Amity Rhododendron | BS | 0.77 | R2 | 4-6 | 7-8 | | 0.77 | 6 |
| <i>Rhododendron</i> 'Amoenum' Amoenum Evergreen Azalea | BS | 0.75 | R2 | 4-6 | 7-8 | | 1.06 | 6 |
| <i>Rhododendron</i> 'Amy Cotta' P.P. 11311 Amy Cotta Rhododendron | BS | 1.41 | R2 | 4 | 5-8 | | 1.85 | 4 |
| <i>Rhododendron</i> 'Amy' Amy Evergreen Azalea | BS | 0.58 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Anchorite' Anchorite Evergreen Azalea | BS | 0.98 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Anna Kehr' Anna Kehr Evergreen Azalea | BS | 0.67 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Annette' Annette Evergreen Azalea | BS | 1.04 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Antoon van Welie' Antoon van Welie Rhododendron | BS | 1.27 | R2 | 4-6 | 7-8 | | 1.09 | 6 |
| <i>Rhododendron</i> 'Aozora' Aozora Evergreen Azalea | BS | 0.92 | R2 | 4-7 | 8 | | 0.77 | 7 |
| <i>Rhododendron</i> 'Aphrodite' Aphrodite Evergreen Azalea | BS | 1.18 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Appleblossom' Appleblossom Evergreen Azalea | BS | 0.40 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Apricot Surprise' Apricot Surprise Northern Lights Azalea | DS | 1.33 | R2 | 3-4 | 5-8 | | 1.75 | 3 |
| <i>Rhododendron</i> 'April Dawn' April Dawn Rhododendron | BS | 1.83 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rhododendron</i> 'April Mist' April Mist Rhododendron | BS | 1.47 | R2 | 3-4 | 5-8 | | 0.84 | 4 |
| <i>Rhododendron</i> 'April Snow' April Snow Rhododendron | BS | 1.93 | R2 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Rhododendron</i> 'Arabesk' Arabesk Evergreen Azalea | BS | 0.65 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Aravir' Aravir Malaysian Vireya Rhododendron | BS | 2.51 | R2 | 7-8 | | | 0.93 | 10 |
| <i>Rhododendron</i> 'Argentina' Argentina Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Arneson Flame' Arneson Flame Deciduous Exbury Azalea | DS | 1.14 | R2 | 3-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Arneson Gem' Arneson Gem Deciduous Azalea | DS | 0.87 | R2 | 3-4 | 5-8 | | 1.18 | 4 |
| <i>Rhododendron</i> 'Ashley Marie' Ashley Marie Girard Evergreen Azalea | BS | 1.00 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'August Lamken' August Lamken Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Autumn Amethyst' See - <i>Rhododendron</i> 'Conlee' P.P. 10567 | | | | | | | | |
| <i>Rhododendron</i> 'Autumn Angel' See - <i>Rhododendron</i> 'Robleg' P.P. 15227 | | | | | | | | |
| <i>Rhododendron</i> 'Autumn Belle' See - <i>Rhododendron</i> 'Robleo' P.P.A.F. | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container | | Field Grown | | Minimum HZ |
|--|--------------|--------|-----------|-----------------------------|------------------------------|------|---------------|
| | | | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Rhododendron</i> 'Autumn Carnation' | | | | | | | |
| See - <i>Rhododendron</i> 'Roblec' P.P. 15339 | | | | | | | |
| <i>Rhododendron</i> 'Autumn Carnival' | | | | | | | |
| See - <i>Rhododendron</i> 'Conlet' P.P. 12111 | | | | | | | |
| <i>Rhododendron</i> 'Autumn Cheer' | | | | | | | |
| See - <i>Rhododendron</i> 'Conlef' P.P. 10579 | | | | | | | |
| <i>Rhododendron</i> 'Autumn Chiffon' | | | | | | | |
| See - <i>Rhododendron</i> 'Robled' P.P. 15862 | | | | | | | |
| <i>Rhododendron</i> 'Autumn Coral' | | | | | | | |
| See - <i>Rhododendron</i> 'Conled' P.P. 10568 | | | | | | | |
| <i>Rhododendron</i> 'Autumn Debutante' | | | | | | | |
| See - <i>Rhododendron</i> 'Roble' P.P. 16278 | | | | | | | |
| <i>Rhododendron</i> 'Autumn Embers' | | | | | | | |
| See - <i>Rhododendron</i> 'Conleb' P.P. 10581 | | | | | | | |
| <i>Rhododendron</i> 'Autumn Empress' | | | | | | | |
| See - <i>Rhododendron</i> 'Conles' P.P. 12109 | | | | | | | |
| <i>Rhododendron</i> 'Autumn Monarch' | | | | | | | |
| See - <i>Rhododendron</i> 'Conleo' P.P. 11640 | | | | | | | |
| <i>Rhododendron</i> 'Autumn Moonlight' | | | | | | | |
| See - <i>Rhododendron</i> 'Robler' P.P.A.F. | | | | | | | |
| <i>Rhododendron</i> 'Autumn Princess' | | | | | | | |
| See - <i>Rhododendron</i> 'Roblea' P.P. 12142 | | | | | | | |
| <i>Rhododendron</i> 'Autumn Rouge' | | | | | | | |
| See - <i>Rhododendron</i> 'Conlea' P.P. 10438 | | | | | | | |
| <i>Rhododendron</i> 'Autumn Royalty' | | | | | | | |
| See - <i>Rhododendron</i> 'Conlec' P.P. 10580 | | | | | | | |
| <i>Rhododendron</i> 'Autumn Ruby' | | | | | | | |
| See - <i>Rhododendron</i> 'Conler' P.P. 12110 | | | | | | | |
| <i>Rhododendron</i> 'Autumn Sangria' | | | | | | | |
| See - <i>Rhododendron</i> 'Roblee' P.P. 15077 | | | | | | | |
| <i>Rhododendron</i> 'Autumn Starlite' | | | | | | | |
| See - <i>Rhododendron</i> 'Roblem' P.P. 15043 | | | | | | | |
| <i>Rhododendron</i> 'Autumn Sundance' | | | | | | | |
| See - <i>Rhododendron</i> 'Roblef' P.P. 16184 | | | | | | | |
| <i>Rhododendron</i> 'Autumn Sunset' | | | | | | | |
| See - <i>Rhododendron</i> 'Roblen' P.P. 16248 | | | | | | | |
| <i>Rhododendron</i> 'Autumn Sweetheart' | | | | | | | |
| See - <i>Rhododendron</i> 'Robleja' P.P. 16249 | | | | | | | |
| <i>Rhododendron</i> 'Autumn Twist' | | | | | | | |
| See - <i>Rhododendron</i> 'Conlep' P.P. 12133 | | | | | | | |
| <i>Rhododendron</i> 'Avalanche' | BS | 1.04 | R2 | 5-6 | 7-8 | 0.93 | 6 |
| Avalanche <i>Rhododendron</i> | | | | | | | |
| <i>Rhododendron</i> 'Avenir' | BS | 1.04 | R2 | 5-7 | 8 | 0.93 | 7 |
| Avenir Evergreen Azalea | | | | | | | |
| <i>Rhododendron</i> 'Avondale' | BS | 1.04 | R2 | 5-7 | 8 | 0.93 | 7 |
| Avondale <i>Rhododendron</i> | | | | | | | |
| <i>Rhododendron</i> 'Azor' | BS | 1.04 | R2 | 4-6 | 7-8 | 0.93 | 6 |
| Azor <i>Rhododendron</i> | | | | | | | |
| <i>Rhododendron</i> 'Azurro' | BS | 1.29 | R2 | 4-5 | 6-8 | 0.82 | 5 |
| Azurro <i>Rhododendron</i> | | | | | | | |
| <i>Rhododendron</i> 'B.Y. Morrison' | BS | 0.68 | R2 | 4-7 | 8 | 0.93 | 7 |
| B.Y. Morrison Evergreen Azalea | | | | | | | |
| <i>Rhododendron</i> 'Balalaika' | BS | 1.00 | R2 | 4-5 | 6-8 | 0.93 | 5 |
| Balalaika <i>Rhododendron</i> | | | | | | | |
| <i>Rhododendron</i> 'Bali' | BS | 1.01 | R2 | 4-5 | 6-8 | 0.93 | 5 |
| Bali <i>Rhododendron</i> | | | | | | | |
| <i>Rhododendron</i> 'Balta' | BS | 1.04 | R2 | 4-5 | 6-8 | 0.94 | 4 |
| Balta <i>Rhododendron</i> | | | | | | | |
| <i>Rhododendron</i> 'Balzac' | BS | 1.04 | R2 | 4-5 | 6-8 | 0.93 | 5 |
| Balzac Exbury Hybrid Azalea | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Rhododendron</i> 'Bambino' Bambino Rhododendron | BS | 1.07 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Bananaflip' Bananaflip Rhododendron | BS | 1.04 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Bangkok' Bangkok Rhododendron | BS | 1.04 | R2 | 3-5 | 6-8 | | 0.91 | 5 |
| <i>Rhododendron</i> 'Banshin' Banshin Evergreen Azalea | BS | 0.60 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Barbara M. Humphreys' Barbara M. Humphreys Azalea | BS | 0.61 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Barbara' Barbara Evergreen Azalea | BS | 1.04 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Bariton' Bariton Rhododendron | BS | 0.90 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Barmstedt' Barmstedt Rhododendron | BS | 0.76 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Barto Alpine' Barto Alpine Rhododendron | BS | 0.77 | R2 | 4-6 | 7-8 | | 0.71 | 6 |
| <i>Rhododendron</i> 'Beauty of Littleworth' Beauty of Littleworth Rhododendron | BS | 1.04 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Belle Heller' Belle Heller Rhododendron | BS | 1.90 | R2 | 4-6 | 7-8 | | 0.88 | 6 |
| <i>Rhododendron</i> 'Ben Morrison' Ben Morrison Evergreen Azalea | BS | 0.70 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Ben Moseley' Ben Moseley Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Beni Kirishima' Beni Kirishima Evergreen Azalea | BS | 0.74 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Berryrose' Berryrose Exbury Hybrid Azalea | DS | 0.91 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Besse Howells' Besse Howells Rhododendron | BS | 1.12 | R2 | 4-5 | 6-8 | | 1.02 | 5 |
| <i>Rhododendron</i> 'Beth Bullard' Beth Bullard Evergreen Azalea | BS | 0.79 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Better Half' Better Half Rhododendron | BS | 1.04 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Betty Anne Voss' Betty Ann Voss Evergreen Azalea | BS | 0.74 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Betty Hume' Betty Hume Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Betty Muir' Betty Muir Rhododendron | BS | 0.77 | R2 | 4-5 | 6-8 | | 0.71 | 5 |
| <i>Rhododendron</i> 'Bikini Island' Bikini Island Rhododendron | BS | 1.21 | R2 | 4-5 | 6-8 | | 0.91 | 5 |
| <i>Rhododendron</i> 'Billie Dee' P.P. 7530 Billie Dee Evergreen Azalea | BS | 1.14 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Bixby' Bixby Evergreen Azalea | BS | 1.66 | R2 | 4-6 | 7-8 | | 0.94 | 5 |
| <i>Rhododendron</i> 'Blaauw's Pink' Blaauw's Pink Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 1.17 | 6 |
| <i>Rhododendron</i> 'Black Eye' Black Eye Rhododendron | BS | 0.87 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Black Satin' Black Satin Rhododendron | BS | 1.13 | R2 | 3-4 | 5-8 | | 0.90 | 4 |
| <i>Rhododendron</i> 'Blaney's Blue' Blaney's Blue Rhododendron | BS | 0.99 | R2 | 4-6 | 7-8 | | 1.18 | 6 |
| <i>Rhododendron</i> 'Blinktlicht' Blinktlicht Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Blitz' Blitz Rhododendron | BS | 1.01 | R2 | 4-6 | 7-8 | | 0.99 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Blue Baron' Blue Baron Rhododendron | BS | 1.88 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Blue Bird' Blue Bird Rhododendron | BS | 1.45 | R2 | 4-7 | 8 | | 0.79 | 7 |
| <i>Rhododendron</i> 'Blue Boy' Blue Boy Rhododendron | BS | 1.29 | R2 | 4-6 | 7-8 | | 0.91 | 6 |
| <i>Rhododendron</i> 'Blue Danube' Blue Danube Evergreen Azalea | BS | 0.84 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Blue Pacific' Blue Pacific Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Blue Peter' Blue Peter Rhododendron | BS | 0.95 | R2 | 3-4 | 5-8 | | 0.87 | 4 |
| <i>Rhododendron</i> 'Blue Tit' Blue Tit Rhododendron | BS | 1.45 | R2 | 4-6 | 7-8 | | 1.18 | 6 |
| <i>Rhododendron</i> 'Bluenose' Bluenose Rhododendron | BS | 1.78 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Bluette' Bluette Rhododendron | BS | 1.14 | R2 | 4-6 | 7-8 | | 1.01 | 6 |
| <i>Rhododendron</i> 'Bob Bovee' Bob Bovee Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Bob's Blue' Bob's Blue Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Borneo' Borneo Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Boudoir' Boudoir Evergreen Azalea | BS | 1.23 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Bouffant' Bouffant Evergreen Azalea | BS | 0.61 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Boule de Neige' Boule de Neige Rhododendron | BS | 1.64 | R2 | 3-4 | 5-8 | | 0.96 | 4 |
| <i>Rhododendron</i> 'Bravo' Bravo Rhododendron | BS | 1.12 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Brazil' Brazil Exbury Hybrid Azalea | BS | 1.18 | R2 | 4-5 | 6-8 | | 1.12 | 5 |
| <i>Rhododendron</i> 'Brigg's Red Star' Brigg's Red Star Rhododendron | BS | 1.61 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Brilliant' Brilliant Evergreen Azalea | BS | 0.89 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Brittany' Brittany Rhododendron | BS | 1.59 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Brown Eyes' Brown Eyes Rhododendron | BS | 1.03 | R2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Rhododendron</i> 'Bruce Brechtbill' Bruce Brechtbill Rhododendron | BS | 1.31 | R2 | 4-6 | 7-8 | | 0.96 | 6 |
| <i>Rhododendron</i> 'Buccaneer' Buccaneer Evergreen Azalea | BS | 0.81 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Bunka' Bunka Evergreen Azalea | BS | 1.04 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Bunkwa' See - <i>Rhododendron</i> 'Bunka' | | | | | | | | |
| <i>Rhododendron</i> 'Burma' Burma Rhododendron | BS | 1.04 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Buttermint' Buttermint Rhododendron | BS | 0.73 | R2 | 4-6 | 7-8 | | 0.63 | 6 |
| <i>Rhododendron</i> 'Buttons and Bows' Buttons and Bows Exbury Hybrid Azalea | DS | 0.73 | R2 | 4-6 | 7-8 | | 1.18 | 6 |
| <i>Rhododendron</i> 'Buzzard' Buzzard Deciduous Azalea | DS | 1.14 | R2 | 3-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Buzzer Beater' Buzzer Beater Rhododendron | BS | 1.62 | R2 | 4-5 | 6-8 | | 0.93 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'C.B. van Nes' C.B. van Nes Deciduous Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Cadis' Cadis Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.55 | 5 |
| <i>Rhododendron</i> 'California Peach' California Peach Evergreen Azalea | BS | 0.84 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'California Snow' California Snow Evergreen Azalea | BS | 0.84 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'California Sunset' California Sunset Evergreen Azalea | BS | 1.13 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Calsap' Calsap Rhododendron | BS | 1.20 | R2 | 3-4 | 5-8 | | 0.91 | 4 |
| <i>Rhododendron</i> 'Canary Islands' Canary Islands Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Candy Lights' Candy Lights Azalea | BS | 1.48 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Candy Stripe' Candy Stripe Evergreen Azalea | BS | 0.75 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Cannon's Double' Cannon's Double Exbury Hybrid Azalea | DS | 1.22 | R2 | 4-5 | 6-8 | | 1.36 | 5 |
| <i>Rhododendron</i> 'Capistrano' Capistrano Rhododendron | BS | 1.35 | R2 | 4-5 | 6-8 | | 0.95 | 5 |
| <i>Rhododendron</i> 'Carmen' Carmen Rhododendron | BS | 0.95 | R2 | 4-6 | 7-8 | | 0.87 | 6 |
| <i>Rhododendron</i> 'Carol Jean' Carol Jean Rhododendron | BS | 1.01 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Carol Kitchen' Carol Kitchen Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Carolina Gold' Carolina Gold Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Caroline Gable' Caroline Gable Evergreen Azalea | BS | 0.93 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Carror' Carror Evergreen Azalea | BS | 0.68 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Cary's Red' Cary's Red Exbury Hybrid Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Casablanca Improved' Casablanca Improved Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Casanova' Casanova Rhododendron | BS | 1.13 | R2 | 3-4 | 5-8 | | 0.97 | 4 |
| <i>Rhododendron</i> 'Cascade' Cascade Evergreen Azalea | BS | 1.26 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Catherine Stewart' Catherine Stewart Evergreen Azalea | BS | 0.59 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Cavalier' Cavalier Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Cavendishi' Cavendishi Evergreen Azalea | BS | 0.66 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Cecile' Cecile Exbury Hybrid Azalea | DS | 1.35 | R2 | 4-5 | 6-8 | | 1.11 | 5 |
| <i>Rhododendron</i> 'Centennial Celebration' Centennial Celebration Rhododendron | BS | 0.80 | R2 | 4-6 | 7-8 | | 0.83 | 6 |
| <i>Rhododendron</i> 'Centennial' Centennial Exbury Hybrid Azalea | DS | 1.43 | R2 | 4-5 | 6-8 | | 1.12 | 5 |
| <i>Rhododendron</i> 'Chanson' Chanson Evergreen Azalea | BS | 0.68 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Chapman's Wonder' Chapman's Wonder Rhododendron | BS | 1.01 | R2 | 4-5 | 6-8 | | 0.94 | 5 |
| <i>Rhododendron</i> 'Checkmate' Checkmate Evergreen Rhododendron | BS | 1.64 | R2 | 4-5 | 6-8 | | 0.93 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Cheerful Giant' Cheerful Giant Exbury Hybrid Azalea | BS | 1.59 | R2 | 3-4 | 5-8 | | 0.56 | 4 |
| <i>Rhododendron</i> 'Cherries and Cream' Cherries and Cream Rhododendron | BS | 1.16 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Cherry Delight' Cherry Delight Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Cherry Drops' Cherry Drops Evergreen Azalea | BS | 1.05 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Cherry Float' Cherry Float Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Chetco' Chetco Deciduous Azalea | BS | 0.87 | R2 | 4-5 | 6-8 | | 0.74 | 5 |
| <i>Rhododendron</i> 'Chichibu' Chichibu Evergreen Azalea | BS | 0.68 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Chikor' Chikor Rhododendron | BS | 0.90 | R2 | 4-7 | 8 | | 1.02 | 7 |
| <i>Rhododendron</i> 'Chimes' Chimes Evergreen Azalea | BS | 1.02 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'China Seas' China Seas Evergreen Azalea | BS | 0.70 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Chinsei' Chinsei Evergreen Azalea | BS | 0.67 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Chinzan' Chinzan Evergreen Azalea | BS | 0.81 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Chojuhu' Chojuhu Evergreen Azalea | BS | 0.70 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Christina Marie' Christina Marie Evergreen Azalea | BS | 0.72 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Christina' Christina Evergreen Azalea | BS | 0.73 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Christine Ann' Christine Ann Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Christmas Cheer' Christmas Cheer Evergreen Azalea | BS | 0.72 | R2 | 4-7 | 8 | | 0.79 | 7 |
| <i>Rhododendron</i> 'Cilpinense' Cilpinense Rhododendron | BS | 0.90 | R2 | 5-7 | 8 | | 0.89 | 7 |
| <i>Rhododendron</i> 'Clara Marie' Clara Marie Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Clementine Lemaire' Clementine Lemaire Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Cloud Cap' Cloud Cap Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Cloud Nine' Cloud Nine Evergreen Azalea | BS | 0.74 | R2 | 6-8 | | | 0.93 | 9 |
| <i>Rhododendron</i> 'Col. Mosby' Col. Mosby Deciduous Azalea | DS | 1.06 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Colonel Coen' Colonel Coen Rhododendron | BS | 1.31 | R2 | 4-6 | 7-8 | | 0.92 | 6 |
| <i>Rhododendron</i> 'Comte de Gomer' Comte de Gomer Deciduous Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Comte de Papadopoli' Comte de Papadopoli Deciduous Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Comtesse de Kerchove' Comtesse de Kerchove Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Conewago' Conewago Rhododendron | BS | 1.04 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Conlea' P.P. 10438 Autumn Rouge™ Encore® Evergreen Azalea | BS | 1.30 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Conleb' P.P. 10581 Autumn Embers™ Encore® Evergreen Azalea | BS | 1.28 | R2 | 5-7 | 8 | | 0.93 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Conlec' P.P. 10580 Autumn Royalty™ Encore® Evergreen Azalea | BS | 1.30 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Conled' P.P. 10568 Autumn Coral™ Encore® Evergreen Azalea | BS | 1.26 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Conlee' P.P. 10567 Autumn Amethyst™ Encore® Evergreen Azalea | BS | 1.27 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Conlef' P.P. 10579 Autumn Cheer™ Encore® Evergreen Azalea | BS | 1.05 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Conleo' P.P. 11640 Autumn Monarch™ Encore® Evergreen Azalea | BS | 1.39 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Conlep' P.P. 12133 Autumn Twist™ Encore® Evergreen Azalea | BS | 1.28 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Conler' P.P. 12110 Autumn Ruby™ Encore® Evergreen Azalea | BS | 1.32 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Conles' P.P. 12109 Autumn Empress™ Encore® Evergreen Azalea | BS | 1.31 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Conlet' P.P. 12111 Autumn Carnival™ Encore® Evergreen Azalea | BS | 1.34 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Connecticut Yankee' Connecticut Yankee Rhododendron | BS | 1.66 | R2 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Rhododendron</i> 'Consolini's Windmill' Consolini's Windmill Rhododendron | BS | 1.59 | R2 | 3-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron</i> 'Constance' Constance Evergreen Azalea | BS | 1.28 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Conversation Piece' Conversation Piece Evergreen Azalea | BS | 0.69 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Copperman' Copperman Evergreen Azalea | BS | 0.65 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Coral Bells' Coral Bells Evergreen Azalea | BS | 0.72 | R2 | 4-6 | 7-8 | | 0.90 | 6 |
| <i>Rhododendron</i> 'Coral Cascade' Coral Cascade Evergreen Azalea | BS | 0.97 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Coral Mist' Coral Mist Rhododendron | BS | 1.64 | R2 | 5-7 | 8 | | 1.01 | 7 |
| <i>Rhododendron</i> 'Coral Velvet' Coral Velvet Rhododendron | BS | 1.45 | R2 | 4-5 | 6-8 | | 0.79 | 5 |
| <i>Rhododendron</i> 'Coralie' Coralie Evergreen Azalea | BS | 0.70 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Corry' Corry Evergreen Azalea | BS | 0.67 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Corsage' Corsage Evergreen Azalea | BS | 1.32 | R2 | 4-5 | 6-8 | | 1.06 | 5 |
| <i>Rhododendron</i> 'Cosmopolitan' Cosmopolitan Rhododendron | BS | 0.94 | R2 | 4-6 | 7-8 | | 0.95 | 6 |
| <i>Rhododendron</i> 'Cotton Candy' Cotton Candy Rhododendron | BS | 0.87 | R2 | 3-4 | 5-8 | | 0.68 | 4 |
| <i>Rhododendron</i> 'County of York' County of York Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.92 | 5 |
| <i>Rhododendron</i> 'Crater Lake' Crater Lake Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.55 | 6 |
| <i>Rhododendron</i> 'Cream Crest' Cream Crest Rhododendron | BS | 1.15 | R2 | 5-7 | 8 | | 0.87 | 7 |
| <i>Rhododendron</i> 'Cream Glory' Cream Glory Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Creamy Chiffon' Creamy Chiffon Rhododendron | BS | 1.29 | R2 | 4-7 | 8 | | 1.18 | 7 |
| <i>Rhododendron</i> 'Creole Belle' Creole Belle Rhododendron | BS | 1.90 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Crest' Crest Rhododendron | BS | 1.01 | R2 | 4-6 | 7-8 | | 0.93 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Crimson Majesty' P.P. 14362 Crimson Majesty Evergreen Azalea | BS | 1.10 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Crimson Pippin' Crimson Pippin Rhododendron | BS | 1.12 | R2 | 4-6 | 7-8 | | 1.01 | 6 |
| <i>Rhododendron</i> 'Crimson Princess' P.P. 14360 Crimson Princess Evergreen Azalea | BS | 1.04 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Crimson Queen' P.P. 14343 Crimson Queen Evergreen Azalea | BS | 0.84 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Cristo Rey' Cristo Rey Malaysian Vireya Rhododendron | BS | 2.51 | R2 | 7-8 | | | 0.93 | 10 |
| <i>Rhododendron</i> 'Cupcake' Cupcake Rhododendron | BS | 1.13 | R2 | 4-6 | 7-8 | | 0.63 | 6 |
| <i>Rhododendron</i> 'Curlew' Curlew Rhododendron | BS | 0.92 | R2 | 4-6 | 7-8 | | 1.02 | 6 |
| <i>Rhododendron</i> 'Cynthia' Cynthia Rhododendron | BS | 0.91 | R2 | 4-5 | 6-8 | | 0.98 | 5 |
| <i>Rhododendron</i> 'Cyprus' Cyprus Rhododendron | BS | 1.02 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Dad's Indian Summer' Dad's Indian Summer Rhododendron | BS | 0.73 | R2 | 4-7 | 8 | | 0.63 | 7 |
| <i>Rhododendron</i> 'Daniela' Daniela Rhododendron | BS | 1.25 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Daphne Salmon' Daphne Salmon Evergreen Azalea | BS | 0.61 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Daviesi' Daviesi Deciduous Azalea | BS | 1.63 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Dawn's Chorus' Dawn's Chorus Exbury Hybrid Azalea | DS | 1.29 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Daybreak' Daybreak Exbury Hybrid Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Dayspring' Dayspring Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Delaware Valley White' Delaware Valley White Evergreen Azalea | BS | 0.72 | R2 | 4-5 | 6-8 | | 1.07 | 5 |
| <i>Rhododendron</i> 'Delaware' Delaware Exbury Hybrid Azalea | DS | 1.14 | R2 | 4-6 | 7-8 | | 1.18 | 6 |
| <i>Rhododendron</i> 'Denali' Denali Rhododendron | BS | 0.73 | R2 | 4-6 | 7-8 | | 0.63 | 6 |
| <i>Rhododendron</i> 'Desiree' Desiree Evergreen Azalea | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Dexter's Spice' Dexter's Spice Rhododendron | BS | 1.00 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Diny Dee' Diny Dee Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Doc' Doc Rhododendron | BS | 0.77 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Doctor Rudolph Henny' Doctor Rudolph Henny Exbury Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Dogwood' Dogwood Evergreen Azalea | BS | 0.65 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Doncaster' Doncaster Rhododendron | BS | 0.93 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Donna Totten' Donna Totten Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Donna's Day' Donna's Day Rhododendron | BS | 1.04 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Dorothy Amateis' Dorothy Amateis Rhododendron | BS | 1.38 | R2 | 4-5 | 6-8 | | 0.94 | 5 |
| <i>Rhododendron</i> 'Dorothy Gish' Dorothy Gish Evergreen Azalea | BS | 1.21 | R2 | 5-8 | | | 0.93 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Dorothy Hayden' Dorothy Hayden Evergreen Azalea | BS | 0.76 | R2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Rhododendron</i> 'Dorothy Rees' Dorothy Rees Evergreen Azalea | BS | 0.71 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Dorothy Russell' Dorothy Russell Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Dorothy Swift' Dorothy Swift Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 1.12 | 5 |
| <i>Rhododendron</i> 'Double Delight' Double Delight Deciduous Azalea | BS | 1.09 | R2 | 5-7 | 8 | | 0.85 | 7 |
| <i>Rhododendron</i> 'Dr. Rudolph Henny' See - <i>Rhododendron</i> 'Doctor Rudolph Henny' | | | | | | | | |
| <i>Rhododendron</i> 'Dr. V.H. Rutgers' Dr. V.H. Rutgers Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Dreamland' Dreamland Rhododendron | BS | 1.67 | R2 | 4-6 | 7-8 | | 1.09 | 6 |
| <i>Rhododendron</i> 'Duc de Rohan' Duc de Rohan Evergreen Azalea | BS | 0.72 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Duchess of Cypress' Duchess of Cypress Evergreen Azalea | BS | 0.59 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Duchess of York' Duchess of York Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Early Beni' Early Beni Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Ebony Pearl' Ebony Pearl Rhododendron | BS | 1.68 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Edith Bosley' Edith Bosley Rhododendron | BS | 1.41 | R2 | 3-4 | 5-8 | | 1.01 | 4 |
| <i>Rhododendron</i> 'Edmond Amateis' Edmond Amateis Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Edward Dunn' Edward Dunn Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Edward M. Boehm' Edward M. Boehm Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Eider' Eider Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Eikwan' Eikwan Evergreen Azalea | BS | 0.70 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'El Camino' El Camino Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'El Frida' El Frida Evergreen Azalea | BS | 0.60 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Elegans Superba' Elegans Superba Evergreen Azalea | BS | 0.62 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Elie' Elie Rhododendron | BS | 1.04 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Elise Norfleet' Elise Norfleet Evergreen Azalea | BS | 0.84 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Eliza Scott' Eliza Scott Robin Hill Evergreen Azalea | BS | 0.61 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Elizabeth Gable' Elizabeth Gable Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Elizabeth Red Foliage' Elizabeth Red Foliage Rhododendron | BS | 1.58 | R2 | 4-6 | 7-8 | | 1.09 | 6 |
| <i>Rhododendron</i> 'Elizabeth' Elizabeth Rhododendron | BS | 0.98 | R2 | 4-6 | 7-8 | | 0.98 | 6 |
| <i>Rhododendron</i> 'Ellie Harris' Ellie Harris Evergreen Azalea | BS | 0.98 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Elsie Lee' Elsie Lee Evergreen Azalea | BS | 0.79 | R2 | 4-5 | 6-8 | | 0.93 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Rhododendron</i> 'Elsie Pratt' Elsie Pratt Exbury Hybrid Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Elviira' Elviira Marjatta Hybrid Rhododendron | BS | 1.18 | R2 | 4-5 | 6-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Emasculum' Emasculum Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Embers' P.P.A.F. Embers Highland™ Series Rhododendron | BS | 1.30 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Emma Sansom' Emma Sansom Deciduous Azalea | DS | 1.06 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Encore Southern Beauty' P.P.A.F. Encore Southern Beauty Azalea | BS | 0.80 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Encore Southern Blush' P.P.A.F. Encore Southern Blush Azalea | BS | 0.80 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Encore Southern Celebration' P.P.A.F. Encore Southern Celebration Azalea | BS | 0.80 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Encore Southern Glory' P.P.A.F. Encore Southern Glory Azalea | BS | 0.80 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Encore Southern Grace' P.P.A.F. Encore Southern Grace Azalea | BS | 0.80 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Encore Southern Pride' P.P.A.F. Encore Southern Pride Azalea | BS | 0.80 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Ernie Dee' Ernie Dee Rhododendron | BS | 0.77 | R2 | 5-7 | 8 | | 0.71 | 7 |
| <i>Rhododendron</i> 'Eros' Eros Evergreen Azalea | BS | 0.97 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Eureka' Eureka Evergreen Azalea | BS | 0.90 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Everest' Everest Evergreen Azalea | BS | 0.99 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Exbury' Exbury Hybrid Azalea | DS | 1.48 | R2 | 4-5 | 6-8 | | 1.27 | 5 |
| <i>Rhododendron</i> 'Fairfax' Fairfax Evergreen Azalea | BS | 1.04 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Fascination' Fascination Evergreen Azalea | BS | 1.01 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Fashion' Fashion Evergreen Azalea | BS | 0.67 | R2 | 4-6 | 7-8 | | 1.04 | 6 |
| <i>Rhododendron</i> 'Fedora' Fedora Evergreen Azalea | BS | 1.18 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Festive' Festive Evergreen Azalea | BS | 0.60 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Fielder's White' Fielder's White Evergreen Azalea | BS | 0.70 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Fireball' Fireball Exbury Hybrid Azalea | DS | 1.00 | R2 | 4-5 | 6-8 | | 1.15 | 5 |
| <i>Rhododendron</i> 'Firecracker' Firecracker Deciduous Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Firefly' See - <i>Rhododendron</i> 'Jennifer' | | | | | | | | |
| <i>Rhododendron</i> 'Firefly' Firefly Deciduous Exbury Azalea | BS | 0.95 | R2 | 4-5 | 6-8 | | 1.12 | 5 |
| <i>Rhododendron</i> 'Fireman Jeff' Fireman Jeff Rhododendron | BS | 1.23 | R2 | 4-6 | 7-8 | | 1.18 | 6 |
| <i>Rhododendron</i> 'Firestar' Firestar Evergreen Azalea | BS | 1.31 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Firestorm' Firestorm Rhododendron | BS | 1.18 | R2 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Rhododendron</i> 'Fisher Pink' Fisher Pink Evergreen Azalea | BS | 0.69 | R2 | 5-8 | | | 0.93 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Flame Creeper' Flame Creeper Evergreen Azalea | BS | 0.75 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Fluffy' Fluffy Exbury Deciduous Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'For Pete's Sake' For Pete's Sake Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Formosa' Formosa Evergreen Azalea | BS | 0.64 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Fragrans Affinity' Fragrans Affinity Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Fragrant Star' Fragrant Star Deciduous Azalea | DS | 1.38 | R2 | 3-4 | 5-8 | | 1.18 | 4 |
| <i>Rhododendron</i> 'Francesca' Francesca Rhododendron | BS | 0.85 | R2 | 4-6 | 7-8 | | 0.63 | 6 |
| <i>Rhododendron</i> 'Frank Galsworthy' Frank Galsworthy Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Freckles' Freckles Evergreen Azalea | BS | 1.08 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Frederick O. Douglas' Frederick O. Douglas Deciduous Azalea | DS | 1.06 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Friday Surprise' Friday Surprise Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rhododendron</i> 'Friday' Friday Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'FILLED Petticoat' FILLED Petticoat Rhododendron | BS | 1.04 | R2 | 4-7 | 8 | | 0.55 | 7 |
| <i>Rhododendron</i> 'Frilly Lemon' Frilly Lemon Exbury Deciduous Azalea | BS | 0.94 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Frosted Orange' Frosted Orange Evergreen Azalea | BS | 0.66 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Frosty' Frosty Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Fuchsia' Fuchsia Evergreen Azalea | BS | 0.79 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Fuji Asahi' Fuji Asahi Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Fuji Zakura' Fuji Zakura Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Gabrielle Hill' Gabrielle Hill Evergreen Azalea | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Gaiety' Gaiety Evergreen Azalea | BS | 0.97 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Gallipoli' Gallipoli Exbury Hybrid Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Garden State Glow' Garden State Glow Evergreen Azalea | BS | 0.66 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Garden State White' Garden State White Evergreen Azalea | BS | 0.86 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Gartendirektor Glocker' Gartendirektor Glocker Rhododendron | BS | 0.89 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Gee Gee' Gee Gee Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Geisha' Geisha Evergreen Azalea | BS | 0.92 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Gekko' Gekko Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Gen. N.B. Forrest' Gen. N.B. Forrest Deciduous Azalea | DS | 1.06 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'General Eisenhower' General Eisenhower Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'George Budgen' George Budgen Malaysian Vireya <i>Rhododendron</i> | BS | 2.14 | R2 | 7-8 | | | 0.93 | 10 |
| <i>Rhododendron</i> 'George Lindley Taber' George Lindley Taber Evergreen Azalea | BS | 0.66 | R1 | 5-7 | 8 | | 0.46 | 7 |
| <i>Rhododendron</i> 'George Reynolds' George Reynolds Exbury Hybrid Azalea | DS | 0.82 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'George's Delight' George's Delight <i>Rhododendron</i> | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Germania' Germania <i>Rhododendron</i> | BS | 1.00 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Getsutoku' Getsutoku Evergreen Azalea | BS | 1.03 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Gi Gi' Gi Gi <i>Rhododendron</i> | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Gibraltar' Gibraltar Exbury Hybrid Azalea | BS | 1.24 | R2 | 4-5 | 6-8 | | 0.78 | 5 |
| <i>Rhododendron</i> 'Giganteum' See - <i>Rhododendron protistum</i> var. <i>giganteum</i> | | | | | | | | |
| <i>Rhododendron</i> 'Ginny Gee' Ginny Gee <i>Rhododendron</i> | BS | 1.28 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's Better Letter' Girard's Better Letter Deciduous Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's Border Gem' Girard's Border Gem Evergreen Azalea | BS | 0.92 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's Caroline' Girard's Caroline Evergreen Azalea | BS | 0.84 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's Chiara' Girard's Chiara Evergreen Azalea | BS | 0.89 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Girard's Crimson' Girard's Crimson Evergreen Azalea | BS | 0.86 | R2 | 4-6 | 7-8 | | 1.04 | 6 |
| <i>Rhododendron</i> 'Girard's Dwarf Lavender' Girard's Dwarf Lavender Evergreen Azalea | BS | 1.15 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Girard's Fireflash' Girard's Fireflash Deciduous Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's Fuchsia' Girard's Fuchsia Evergreen Azalea | BS | 0.88 | R2 | 4-6 | 7-8 | | 1.06 | 6 |
| <i>Rhododendron</i> 'Girard's Hot Shot' Girard's Hot Shot Evergreen Azalea | BS | 0.77 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's Joshua' Girard's Joshua Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's Kathy' See - <i>Rhododendron</i> 'Kathy Ann' | | | | | | | | |
| <i>Rhododendron</i> 'Girard's National Beauty' Girard's National Beauty Evergreen Azalea | BS | 0.85 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's Pink' Girard's Pink Evergreen Azalea | BS | 0.94 | R2 | 4-6 | 7-8 | | 0.46 | 6 |
| <i>Rhododendron</i> 'Girard's Pleasant White' See - <i>Rhododendron</i> 'Pleasant White' | | | | | | | | |
| <i>Rhododendron</i> 'Girard's Purple' Girard's Purple Evergreen Azalea | BS | 0.94 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's Renee Michelle' See - <i>Rhododendron</i> 'Renee Michelle' | | | | | | | | |
| <i>Rhododendron</i> 'Girard's Roberta' See - <i>Rhododendron</i> 'Roberta' | | | | | | | | |
| <i>Rhododendron</i> 'Girard's Rose' Girard's Rose Evergreen Azalea | BS | 0.84 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's Scarlet' Girard's Scarlet Evergreen Azalea | BS | 0.86 | R2 | 4-5 | 6-8 | | 0.90 | 5 |
| <i>Rhododendron</i> 'Girard's The Robe' Girard's The Robe Deciduous Azalea | BS | 0.71 | R2 | 4-5 | 6-8 | | 0.46 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Girard's Variegated Gem' Girard's Variegated Gem Evergreen Azalea | BS | 1.03 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Girard's Variegated Hot Shot' Girard's Variegated Hot Shot Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Glacier' Glacier Evergreen Azalea | BS | 0.68 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Glamour' Glamour Evergreen Azalea | BS | 0.85 | R2 | 4-6 | 7-8 | | 1.06 | 6 |
| <i>Rhododendron</i> 'Glen's Orange' Glen's Orange Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Gloria' Gloria Evergreen Azalea | BS | 1.09 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Glory of Sunninghill' Glory of Sunninghill Evergreen Azalea | BS | 1.00 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Glory' Glory Evergreen Azalea | BS | 0.64 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Glowing Embers' Glowing Embers Exbury Hybrid Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Gold Fee' Gold Fee Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Golden Anniversary' Golden Anniversary Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Golden Belle' Golden Belle Rhododendron | BS | 0.80 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Golden Eagle' Golden Eagle Deciduous Azalea | DS | 1.28 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Golden Flame' Golden Flame Exbury Deciduous Azalea | DS | 1.30 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Golden Flare' Golden Flare Exbury Hybrid Azalea | BS | 1.34 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Golden Gala' Golden Gala Rhododendron | BS | 1.28 | R2 | 4-5 | 6-8 | | 1.14 | 5 |
| <i>Rhododendron</i> 'Golden Gate' Golden Gate Rhododendron | BS | 1.27 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Golden Genie' Golden Genie Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Golden Lights' Golden Lights Azalea | DS | 1.28 | R2 | 3-4 | 5-8 | | 1.26 | 4 |
| <i>Rhododendron</i> 'Golden Oriole' Golden Oriole Deciduous Azalea | BS | 1.25 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Golden Princess' Golden Princess Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Golden Ruby' Golden Ruby Rhododendron | BS | 1.04 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Golden Star' Golden Star Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Golden Sunset' Golden Sunset Exbury Hybrid Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Golden Witt' Golden Witt Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Goldfingers' Goldfingers Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Goldflimmer' Goldflimmer Rhododendron | BS | 1.20 | R2 | 4-5 | 6-8 | | 0.94 | 5 |
| <i>Rhododendron</i> 'Goldilocks' Goldilocks Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Goldkrone' Goldkrone Rhododendron | BS | 1.12 | R2 | 4-5 | 6-8 | | 1.01 | 5 |
| <i>Rhododendron</i> 'Goldstrike' Goldstrike Rhododendron | BS | 1.08 | R2 | 4-7 | 8 | | 0.93 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Goldworth Yellow' Goldworth Yellow Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Golfer' Golfer Rhododendron | BS | 0.76 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Goosander' Goosander Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Gordon Jones' Gordon Jones Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Grace Seabrook' Grace Seabrook Rhododendron | BS | 1.05 | R2 | 4-6 | 7-8 | | 0.87 | 6 |
| <i>Rhododendron</i> 'Graf Zeppelin' Graf Zeppelin Rhododendron | BS | 1.20 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron</i> 'Grapefruit Punch' See - <i>Rhododendron</i> 'Sir Robert' | | | | | | | | |
| <i>Rhododendron</i> 'Greeting' Greeting Evergreen Azalea | BS | 0.89 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Gretel' Gretel Rhododendron | BS | 0.61 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Gulf Pride' Gulf Pride Evergreen Azalea | BS | 1.04 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Gumpo Fancy' Gumpo Fancy Evergreen Azalea | BS | 0.72 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Gumpo Pink' Gumpo Pink Evergreen Azalea | BS | 0.69 | R2 | 4-6 | 7-8 | | 0.75 | 6 |
| <i>Rhododendron</i> 'Gumpo Red' Gumpo Red Evergreen Azalea | BS | 0.70 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Gumpo White' Gumpo White Evergreen Azalea | BS | 0.70 | R2 | 4-6 | 7-8 | | 0.75 | 6 |
| <i>Rhododendron</i> 'Gunbi' See - <i>Rhododendron</i> 'Gunrei' | | | | | | | | |
| <i>Rhododendron</i> 'Gunrei' Gunrei Evergreen Azalea | BS | 0.99 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Gustav Mehlquist' Gustav Mehlquist Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.76 | 5 |
| <i>Rhododendron</i> 'Gwenda' Gwenda Evergreen Azalea | BS | 0.71 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Gyokudo' Gyokudo Evergreen Azalea | BS | 0.84 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Gyokurei' Gyokurei Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Gyokushin' Gyokushin Evergreen Azalea | BS | 0.66 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Gypsy Queen' Gypsy Queen Rhododendron | BS | 0.73 | R2 | 5-7 | 8 | | 0.63 | 7 |
| <i>Rhododendron</i> 'H.H. Hume' H.H. Hume Evergreen Azalea | BS | 0.61 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Haaga' Haaga Marjatta Hybrid Rhododendron | BS | 1.35 | R2 | 3-4 | 5-8 | | 0.91 | 4 |
| <i>Rhododendron</i> 'Hachmann's Belona' Hachmann's Belona Rhododendron | BS | 2.18 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Hachmann's Charmant' Hachmann's Charmant Rhododendron | BS | 0.86 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Hachmann's Feuerschein' Hachmann's Feuerschein Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Hachmann's Marlis' Hachmann's Marlis Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Hachmann's Polaris' Hachmann's Polaris Rhododendron | BS | 1.55 | R2 | 4-5 | 6-8 | | 1.01 | 5 |
| <i>Rhododendron</i> 'Hachmann's Rosita' Hachmann's Rosita Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Hahn's Red' Hahn's Red Evergreen Azalea | BS | 0.93 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Hakuo Nishiki' Hakuo Nishiki Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Halfdan Lem' Halfdan Lem Rhododendron | BS | 0.92 | R2 | 4-6 | 7-8 | | 0.99 | 6 |
| <i>Rhododendron</i> 'Hallelujah' Hallelujah Rhododendron | BS | 0.92 | R2 | 4-5 | 6-8 | | 0.87 | 5 |
| <i>Rhododendron</i> 'Hampton Beauty' Hampton Beauty Evergreen Azalea | BS | 0.60 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Hansel' Hansel Rhododendron | BS | 1.28 | R2 | 4-6 | 7-8 | | 1.09 | 6 |
| <i>Rhododendron</i> 'Happy Days' See - <i>Rhododendron</i> 'Nuccio's Happy Days' | | | | | | | | |
| <i>Rhododendron</i> 'Hardijzer's Beauty' Hardijzer's Beauty Rhododendron | BS | 0.93 | R2 | 5-7 | 8 | | 0.89 | 7 |
| <i>Rhododendron</i> 'Hardy Gardenia' Hardy Gardenia Evergreen Azalea | BS | 0.67 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Harvest Moon' Harvest Moon Exbury Hybrid Azalea | DS | 0.92 | R2 | 4-5 | 6-8 | | 1.01 | 5 |
| <i>Rhododendron</i> 'Hawaii' Hawaii Yak Hybrid Rhododendron | BS | 1.00 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Heather Lynn' Heather Lynn Evergreen Azalea | BS | 1.14 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Heiwa' Heiwa Evergreen Azalea | BS | 1.09 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Helen Close' Helen Close Evergreen Azalea | BS | 0.87 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Helen Curtis' Helen Curtis Evergreen Azalea | BS | 0.82 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Helen Schiffner' Helen Schiffner Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Hellikki' Hellikki Marjatta Hybrid Rhododendron | BS | 1.37 | R2 | 3-4 | 5-8 | | 0.92 | 4 |
| <i>Rhododendron</i> 'Hello Dolly' Hello Dolly Rhododendron | BS | 1.08 | R2 | 3-4 | 5-8 | | 1.03 | 4 |
| <i>Rhododendron</i> 'Helsinki University' Helsinki University Marjatta Hybrid Rhododendron | BS | 1.32 | R2 | 3-4 | 5-8 | | 0.92 | 4 |
| <i>Rhododendron</i> 'Henry's Red' Henry's Red Rhododendron | BS | 1.29 | R2 | 3-4 | 5-8 | | 1.01 | 4 |
| <i>Rhododendron</i> 'Herbert' Herbert Evergreen Azalea | BS | 0.86 | R2 | 4-6 | 7-8 | | 0.92 | 6 |
| <i>Rhododendron</i> 'Hershey's Bright Red' Hershey's Bright Red Evergreen Azalea | BS | 0.71 | R2 | 4-6 | 7-8 | | 1.09 | 6 |
| <i>Rhododendron</i> 'Hershey's Orange' Hershey's Orange Evergreen Azalea | BS | 0.63 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Hexe' Hexe Evergreen Azalea | BS | 0.90 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Higasa' Higasa Evergreen Azalea | BS | 0.78 | R2 | 5-7 | 8 | | 0.96 | 7 |
| <i>Rhododendron</i> 'High Gold' High Gold Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Hilda Niblett' Hilda Niblett Evergreen Azalea | BS | 0.75 | R2 | 4-6 | 7-8 | | 0.96 | 6 |
| <i>Rhododendron</i> 'Hill's' Hill's Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Hindustan' Hindustan Rhododendron | BS | 1.04 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Hinesan' Josephine Evergreen Azalea | BS | 1.00 | R2 | 5-8 | | | 0.93 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Hineseg' Veronica™ Evergreen Azalea | BS | 1.15 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Hino Crimson' Hino Crimson Evergreen Azalea | BS | 0.73 | R2 | 4-5 | 6-8 | | 1.02 | 5 |
| <i>Rhododendron</i> 'Hino Orange' Hino Orange Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Hino Scarlet' Hino Scarlet Evergreen Azalea | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Hino-Pink' Hino-Pink Evergreen Azalea | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Hino-White' Hino-White Evergreen Azalea | BS | 0.98 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Hinode Giri' Hinode Giri Evergreen Azalea | BS | 0.66 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Hiodoshi' Hiodoshi Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Holden' Holden Rhododendron | BS | 1.16 | R2 | 5-7 | 8 | | 0.89 | 7 |
| <i>Rhododendron</i> 'Holland Red' Holland Red Evergreen Azalea | BS | 1.41 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Homebush' Homebush Exbury Hybrid Azalea | DS | 1.06 | R2 | 4-5 | 6-8 | | 1.26 | 5 |
| <i>Rhododendron</i> 'Honey Bee' Honey Bee Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Honeysuckle' Honeysuckle Exbury Hybrid Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Hong Kong' Hong Kong Rhododendron | BS | 2.01 | R2 | 4-5 | 6-8 | | 1.35 | 5 |
| <i>Rhododendron</i> 'Hoopla' Hoopla Rhododendron | BS | 1.57 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Horizon Monarch' Horizon Monarch Rhododendron | BS | 1.16 | R2 | 4-6 | 7-8 | | 0.85 | 6 |
| <i>Rhododendron</i> 'Horizon Snowbird' Horizon Snowbird Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Hot Dawn' Hot Dawn Rhododendron | BS | 1.93 | R2 | 3-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Hotei' Hotei Rhododendron | BS | 1.01 | R2 | 5-7 | 8 | | 0.95 | 7 |
| <i>Rhododendron</i> 'Hotspur' Hotspur Exbury Deciduous Azalea | DS | 1.16 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Hudson Bay' Hudson Bay Rhododendron | BS | 1.16 | R2 | 4-5 | 6-8 | | 0.84 | 5 |
| <i>Rhododendron</i> 'Hugo Koster' Hugo Koster Deciduous Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Hurricane' Hurricane Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Huskymania' Huskymania Rhododendron | BS | 1.62 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Ice Cube' Ice Cube Rhododendron | BS | 1.03 | R2 | 4-5 | 6-8 | | 1.01 | 5 |
| <i>Rhododendron</i> 'Ida Marmion' Ida Marmion Evergreen Azalea | BS | 1.15 | R2 | 8 | | | 0.93 | 9 |
| <i>Rhododendron</i> 'Ilam Louie Williams' Ilam Louie Williams Deciduous Azalea | DS | 1.14 | R1 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Ilam Melford Lemon' Ilam Melford Lemon Deciduous Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Ilam Peachy Keen' Ilam Peachy Keen Deciduous Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Ilam Yellow Beauty' Ilam Yellow Beauty Deciduous Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Illusions' Illusions Glen Dale Evergreen Azalea | BS | 0.77 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Imperial Countess' Imperial Countess™ Evergreen Azalea | BS | 1.04 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Imperial Duchess' Imperial Duchess™ Evergreen Azalea | BS | 1.04 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Imperial Princess' See - <i>Rhododendron</i> 'Moness' P.P. 2754 | | | | | | | | |
| <i>Rhododendron</i> 'Imperial Queen' See - <i>Rhododendron</i> 'Monal' P.P. 2753 | | | | | | | | |
| <i>Rhododendron</i> 'Imperial' Imperial Rhododendron | BS | 1.04 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Ingrid Mehlquist' Ingrid Mehlquist Rhododendron | BS | 1.19 | R2 | 3-4 | 5-8 | | 1.01 | 4 |
| <i>Rhododendron</i> 'Irene Koster' Irene Koster Exbury Hybrid Azalea | DS | 0.98 | R2 | 5-7 | 8 | | 0.68 | 7 |
| <i>Rhododendron</i> 'Iveryana' Iveryana Evergreen Azalea | BS | 0.94 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Ivory Coast' Ivory Coast Rhododendron | BS | 1.13 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Iwato Kagami' Iwato Kagami Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'J. Valentine' J. Valentine Evergreen Azalea | BS | 0.86 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'J.E.B. Stuart' J.E.B. Stuart Deciduous Azalea | DS | 1.06 | R2 | 5-7 | 8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Jack A. Sand' Jack A. Sand Deciduous Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'James Gable' James Gable Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Jan Bee' Jan Bee Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Jane Abbott' Jane Abbott Deciduous Azalea | BS | 1.16 | R2 | 3-4 | 5-8 | | 0.73 | 4 |
| <i>Rhododendron</i> 'Janet Blair' Janet Blair Rhododendron | BS | 1.71 | R2 | 4-5 | 6-8 | | 0.95 | 5 |
| <i>Rhododendron</i> 'Janet Rhea' Janet Rhea Evergreen Azalea | BS | 0.71 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Jeanne Weeks' Jeanne Weeks Evergreen Azalea | BS | 1.13 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Jennifer' Jennifer Evergreen Azalea | BS | 0.86 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Jeremiah' Jeremiah Evergreen Azalea | BS | 0.79 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Jericho' Jericho Rhododendron | BS | 1.00 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Jessica Dawn' P.P. 7457 Jessica Dawn Evergreen Azalea | BS | 1.15 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Jessie Mae' Jessie Mae Evergreen Azalea | BS | 1.24 | R2 | 8 | | | 0.93 | 9 |
| <i>Rhododendron</i> 'Jessie Shirar' Jessie Shirar Evergreen Azalea | BS | 1.15 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Jingle Bells' Jingle Bells Rhododendron | BS | 1.28 | R2 | 3-4 | 5-8 | | 1.09 | 4 |
| <i>Rhododendron</i> 'Joan Garrett' Joan Garrett Evergreen Azalea | BS | 0.58 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Jock's Cairn' Jock's Cairn Malaysian Vireya Rhododendron | BS | 2.51 | R2 | 7-8 | | | 0.93 | 10 |
| <i>Rhododendron</i> 'Joe Paterno' Joe Paterno Rhododendron | BS | 0.95 | R2 | 3-4 | 5-8 | | 0.92 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Johanna' Johanna Evergreen Azalea | BS | 0.94 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Johga' Johga Evergreen Azalea | BS | 0.64 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'John Eichelser' John Eichelser Exbury Hybrid Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'John Walter' John Walter Rhododendron | BS | 1.28 | R2 | 4-5 | 6-8 | | 1.09 | 5 |
| <i>Rhododendron</i> 'Jonathan Shaw' Jonathan Shaw Rhododendron | BS | 1.24 | R2 | 4-5 | 6-8 | | 1.01 | 5 |
| <i>Rhododendron</i> 'Joseph Hill' Joseph Hill Evergreen Azalea | BS | 1.95 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Josephine' See - <i>Rhododendron</i> 'Hinesan' | | | | | | | | |
| <i>Rhododendron</i> 'Joshua' Joshua Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Juan de Fuca' Juan de Fuca Rhododendron | BS | 0.73 | R2 | 4-5 | 6-8 | | 0.63 | 5 |
| <i>Rhododendron</i> 'Judge Solomon' Judge Solomon Evergreen Azalea | BS | 0.67 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Juetsu' Juetsu Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Juko' Juko Evergreen Azalea | BS | 1.09 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Junefire' Junefire Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Kabarett' Kabarett Rhododendron | BS | 1.27 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Kaempo' Kaempo Evergreen Azalea | BS | 0.80 | R2 | 4-6 | 7-8 | | 1.18 | 6 |
| <i>Rhododendron</i> 'Kagetsu Muji' Kagetsu Muji Evergreen Azalea | BS | 0.74 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Kagura' Kagura Evergreen Azalea | BS | 0.64 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Kalinka' Kalinka Rhododendron | BS | 1.27 | R2 | 4-5 | 6-8 | | 0.55 | 5 |
| <i>Rhododendron</i> 'Karen Triplett' Karen Triplett Rhododendron | BS | 1.05 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Karens' Karens Evergreen Azalea | BS | 1.07 | R2 | 3-4 | 5-8 | | 1.68 | 4 |
| <i>Rhododendron</i> 'Karin Seleger' Karin Seleger Rhododendron | BS | 1.27 | R2 | 4-6 | 7-8 | | 0.91 | 6 |
| <i>Rhododendron</i> 'Kate Arendall' Kate Arendall Evergreen Azalea | BS | 0.65 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Kathy Ann' Kathy Ann Girard Evergreen Azalea | BS | 0.83 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Katie' Katie Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Kazan' Kazan Evergreen Azalea | BS | 0.72 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Kermesina Rose' Kermesina Rose Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Kermesina' Kermesina Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Kimberly' Kimberly Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Kimbeth' Kimbeth Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Kimimaru' Kimimaru Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'King Tut' King Tut Rhododendron | BS | 1.39 | R2 | 4-5 | 6-8 | | 1.15 | 5 |
| <i>Rhododendron</i> 'King's Red' King's Red Exbury Hybrid Azalea | DS | 1.22 | R2 | 4-5 | 6-8 | | 0.68 | 5 |
| <i>Rhododendron</i> 'King's White' King's White Evergreen Azalea | BS | 0.61 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Kingston' Kingston Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Kinpai' Kinpai Evergreen Azalea | BS | 1.39 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Kiwi Majic' Kiwi Majic Rhododendron | BS | 1.12 | R2 | 5-7 | 8 | | 1.01 | 7 |
| <i>Rhododendron</i> 'Klondyke' Klondyke Exbury Hybrid Azalea | DS | 1.10 | R2 | 4-5 | 6-8 | | 1.17 | 5 |
| <i>Rhododendron</i> 'Knap Hill Red' Knap Hill Red Deciduous Azalea | DS | 1.08 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Kohan no Tsuki' Kohan no Tsuki Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Kokardia' Kokardia Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Koster's Brilliant Red' Koster's Brilliant Red Deciduous Azalea | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Kozan' Kozan Evergreen Azalea | BS | 0.60 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Kristin' Kristin Rhododendron | BS | 0.93 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'L.J. Bobbink' L.J. Bobbink Evergreen Azalea | BS | 1.11 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'La Belle Helene' La Belle Helene Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'LaRoche' LaRoche Evergreen Azalea | BS | 0.69 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Lady Louise' Lady Louise Evergreen Azalea | BS | 0.85 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Lady Robin' Lady Robin Evergreen Azalea | BS | 0.79 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Laura Morland' Laura Morland Evergreen Azalea | BS | 0.81 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Laurie' Laurie Rhododendron | BS | 1.42 | R2 | 4-5 | 6-8 | | 1.21 | 5 |
| <i>Rhododendron</i> 'Lavender Lady' Lavender Lady Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Lavender Princess' Lavender Princess Rhododendron | BS | 1.20 | R2 | 4-5 | 6-8 | | 0.91 | 5 |
| <i>Rhododendron</i> 'Lavendula' Lavendula Rhododendron | BS | 1.15 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| See - <i>Rhododendron</i> 'Ledifolia Alba' | | | | | | | | |
| <i>Rhododendron</i> 'Lee's Scarlet' Lee's Scarlet Rhododendron | BS | 1.04 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Lem's Cameo' Lem's Cameo Rhododendron | BS | 1.59 | R2 | 5-7 | 8 | | 1.18 | 7 |
| <i>Rhododendron</i> 'Lem's Monarch' Lem's Monarch Rhododendron | BS | 0.85 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Lem's Stormcloud' Lem's Stormcloud Rhododendron | BS | 1.14 | R2 | 4-5 | 6-8 | | 1.01 | 5 |
| <i>Rhododendron</i> 'Lemon Drop' See - <i>Rhododendron</i> 'Weston's Lemon Drop' | | | | | | | | |
| <i>Rhododendron</i> 'Lemon Float' Lemon Float Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Lemon Lights' Lemon Lights Azalea | BS | 1.37 | R2 | 3-4 | 5-8 | | 1.01 | 4 |
| <i>Rhododendron</i> 'Lemur' Lemur Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Leonore Francis' Leonore Francis Malaysian Vireya <i>Rhododendron</i> | BS | 2.51 | R2 | 7-8 | | | 0.93 | 10 |
| <i>Rhododendron</i> 'Leslie's Purple' Leslie's Purple Evergreen Azalea | BS | 0.95 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Leuchtenfuer' Leuchtenfuer Evergreen Azalea | BS | 1.04 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Lilac Lights' Lilac Lights™ Azalea | DS | 1.36 | R2 | 3-4 | 5-8 | | 1.18 | 4 |
| <i>Rhododendron</i> 'Lily Marin' Lily Marin Exbury Hybrid Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Linda Jean' Linda Jean Evergreen Azalea | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Linda R.' Linda R. Evergreen Azalea | BS | 0.84 | R2 | 5-7 | 8 | | 1.01 | 7 |
| <i>Rhododendron</i> 'Linda Stuart' Linda Stuart Evergreen Azalea | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Linwood Lavender' Linwood Lavender Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Linwood Lustre' Linwood Lustre Evergreen Azalea | BS | 1.04 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Linwood Pink' Linwood Pink Evergreen Azalea | BS | 0.68 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Linwood Salmon' Linwood Salmon Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Little Gem' Little Gem <i>Rhododendron</i> | BS | 0.89 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Little John' Little John Evergreen Azalea | BS | 0.74 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Liz Ann' Liz Ann <i>Rhododendron</i> | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Llenroc' Llenroc <i>Rhododendron</i> | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Loderi King George' Loderi King George <i>Rhododendron</i> | BS | 1.50 | R2 | 4-6 | 7-8 | | 1.01 | 6 |
| <i>Rhododendron</i> 'Lodestar' Lodestar <i>Rhododendron</i> | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Lollipop' Lollipop Deciduous Azalea | BS | 1.88 | R2 | 3-4 | 5-8 | | 0.69 | 4 |
| <i>Rhododendron</i> 'Lori Eichelser' Lori Eichelser <i>Rhododendron</i> | BS | 1.22 | R2 | 4-6 | 7-8 | | 1.09 | 6 |
| <i>Rhododendron</i> 'Lorna' Lorna Evergreen Azalea | BS | 0.87 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Louisa' Louisa Evergreen Azalea | BS | 0.86 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Louise Gable' Louise Gable Evergreen Azalea | BS | 0.87 | R2 | 4-6 | 7-8 | | 1.06 | 6 |
| <i>Rhododendron</i> 'Macrantha Pink' Macrantha Pink Evergreen Azalea | BS | 0.64 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Macrantha Salmon' Macrantha Salmon Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Macrantha' Macrantha Evergreen Azalea | BS | 0.77 | R2 | 5-7 | 8 | | 1.14 | 7 |
| <i>Rhododendron</i> 'Madame Alphonse Pericat' Madame Alphonse Pericat Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Madonna' Madonna (Brooks) Evergreen Azalea | BS | 0.76 | R2 | 5-8 | | | 0.93 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Rhododendron</i> 'Madrid' Madrid Rhododendron | BS | 1.00 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Madrigal' Madrigal Evergreen Azalea | BS | 0.74 | R2 | 3-6 | | | 0.93 | 6 |
| <i>Rhododendron</i> 'Magic Moments' Magic Moments Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Mai Hime' Mai Hime Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Malta' Malta Rhododendron | BS | 1.04 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Manda Sue' Manda Sue Rhododendron | BS | 1.16 | R2 | 5-7 | 8 | | 1.05 | 7 |
| <i>Rhododendron</i> 'Mandarin Lights' Mandarin Lights Deciduous Azalea | DS | 1.19 | R2 | 3-4 | 5-8 | | 1.36 | 4 |
| <i>Rhododendron</i> 'Mandelay' Mandelay Rhododendron | BS | 1.00 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Manitou' Manitou Rhododendron | BS | 1.22 | R2 | 3-4 | 5-8 | | 1.03 | 4 |
| <i>Rhododendron</i> 'March Madness' March Madness Rhododendron | BS | 1.43 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Marchioness of Lansdowne' Marchioness of Lansdowne Rhododendron | BS | 1.00 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Margaret Douglas' Margaret Douglas Evergreen Azalea | BS | 0.70 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Maria Derby' Maria Derby Evergreen Azalea | BS | 0.55 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Maria Elena' Maria Elena Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Marian Lee' Marian Lee Evergreen Azalea | BS | 0.63 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Marie's Choice' Marie's Choice Evergreen Azalea | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Marilee' Marilee Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Markeeta's Flame' Markeeta's Flame Rhododendron | BS | 1.33 | R2 | 4-6 | 7-8 | | 1.18 | 6 |
| <i>Rhododendron</i> 'Marley Hedges' Marley Hedges Rhododendron | BS | 1.13 | R2 | 4-6 | 7-8 | | 0.63 | 6 |
| <i>Rhododendron</i> 'Martha Hitchcock' Martha Hitchcock Evergreen Azalea | BS | 0.72 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Martha Isaacson' Martha Isaacson Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Martha Phipps' Martha Phipps Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Mary Elizabeth' Mary Elizabeth Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Mary Fleming' Mary Fleming Rhododendron | BS | 1.30 | R2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Rhododendron</i> 'Mary Lynn' Mary Lynn Evergreen Azalea | BS | 0.55 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Mary Poppins' Mary Poppins Exbury Hybrid Azalea | DS | 0.88 | R2 | 4-5 | 6-8 | | 1.17 | 5 |
| <i>Rhododendron</i> 'Maryann' Maryann Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Massasoit' Massasoit Evergreen Azalea | BS | 0.66 | R2 | 5-7 | 8 | | 0.46 | 7 |
| <i>Rhododendron</i> 'Matsu no Hikari' Matsu no Hikari Evergreen Azalea | BS | 0.76 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Matsuyo' Matsuyo Evergreen Azalea | BS | 0.64 | R2 | 5-7 | 8 | | 0.93 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Matthew's Memory' Matthew's Memory Azalea | BS | 1.04 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Maxecat' Maxecat Rhododendron | BS | 1.25 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Maximum Roseum' See - <i>Rhododendron maximum</i> var. <i>roseum</i> | | | | | | | | |
| <i>Rhododendron</i> 'May Belle' May Belle Evergreen Azalea | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Medusa' Medusa Rhododendron | BS | 1.29 | R2 | 4-6 | 7-8 | | 1.09 | 6 |
| <i>Rhododendron</i> 'Melle' See - <i>Rhododendron</i> 'Sugar and Spice' | | | | | | | | |
| <i>Rhododendron</i> 'Memoire John Haerens' Memoire John Haerens Evergreen Azalea | BS | 1.33 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Merlin' Merlin Evergreen Azalea | BS | 0.66 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Michael Hill' Michael Hill Evergreen Azalea | BS | 0.88 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Midnight Flare' Midnight Flare Evergreen Azalea | BS | 0.71 | R2 | 4-7 | 8 | | 1.00 | 7 |
| <i>Rhododendron</i> 'Midnight Ruby' Midnight Ruby Rhododendron | BS | 1.38 | R2 | 4-7 | 8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Midnight' Midnight Rhododendron | BS | 1.90 | R2 | 4-6 | 7-8 | | 0.55 | 6 |
| <i>Rhododendron</i> 'Midway' Midway Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Mikkeli' Mikkeli Marjatta Hybrid Rhododendron | BS | 1.36 | R2 | 3-4 | 5-8 | | 0.95 | 4 |
| <i>Rhododendron</i> 'Mildred Mae' Mildred Mae Azalea | BS | 0.64 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Milestone' Milestone Rhododendron | BS | 1.16 | R2 | 4-5 | 6-8 | | 0.84 | 5 |
| <i>Rhododendron</i> 'Mimi' Mimi Evergreen Azalea | BS | 0.86 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Minas Grand Pre' Minas Grand Pre Rhododendron | BS | 1.48 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Minas Maid' Minas Maid Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Minas Rose' Minas Rose Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Minas Snow' Minas Snow Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Minato' Minato Evergreen Azalea | BS | 1.03 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Minnetonka' Minnetonka Rhododendron | BS | 1.07 | R2 | 3-4 | 5-8 | | 0.99 | 4 |
| <i>Rhododendron</i> 'Miss Augusta' Miss Augusta Evergreen Azalea | BS | 0.57 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Miss Louisa Hunnewell' Miss Louisa Hunnewell Deciduous Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Miss Suzie' Miss Suzie Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.75 | 7 |
| <i>Rhododendron</i> 'Mission Bells' Mission Bells Evergreen Azalea | BS | 0.97 | R2 | 5-8 | | | 1.01 | 8 |
| <i>Rhododendron</i> 'Mistral' Mistral Evergreen Azalea | BS | 1.07 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Mme. Alfred Sanders' Mme. Alfred Sanders Evergreen Azalea | BS | 1.04 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Molalla Red' Molalla Red Deciduous Azalea | DS | 1.11 | R2 | 5-7 | 8 | | 1.08 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|--------------|--------|----|-----------|---------|-------------|----------------------|---------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rhododendron</i> 'Mollis' | | | | | | | | |
| See - <i>Rhododendron</i> x <i>kosteranum</i> | | | | | | | | |
| <i>Rhododendron</i> 'Molly Ann' | BS | 0.93 | R2 | 4-6 | 7-8 | | 0.87 | 6 |
| Molly Ann <i>Rhododendron</i> | | | | | | | | |
| <i>Rhododendron</i> 'Molly Fordham' | BS | 1.13 | R2 | 4-5 | 6-8 | | 1.24 | 5 |
| Molly Fordham <i>Rhododendron</i> | | | | | | | | |
| <i>Rhododendron</i> 'Monal' P.P. 2753 | BS | 1.32 | R2 | 5-8 | | | 0.93 | 8 |
| Imperial Queen™ Evergreen Azalea | | | | | | | | |
| <i>Rhododendron</i> 'Monea' | BS | 1.27 | R2 | 7-8 | | | 0.93 | 9 |
| Plum Crazy™ Evergreen Azalea | | | | | | | | |
| <i>Rhododendron</i> 'Moness' P.P. 2754 | BS | 1.07 | R2 | 5-8 | | | 0.93 | 8 |
| Imperial Princess™ Evergreen Azalea | | | | | | | | |
| <i>Rhododendron</i> 'Montego' | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| Montego <i>Rhododendron</i> | | | | | | | | |
| <i>Rhododendron</i> 'Moonstone' | BS | 1.29 | R2 | 4-6 | 7-8 | | 0.89 | 6 |
| Moonstone Evergreen Azalea | | | | | | | | |
| <i>Rhododendron</i> 'Morgenrot' | BS | 0.87 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| Morgenrot <i>Rhododendron</i> | | | | | | | | |
| <i>Rhododendron</i> 'Mother Greer' | BS | 1.18 | R2 | 4-6 | 7-8 | | 1.09 | 6 |
| Mother Greer <i>Rhododendron</i> | | | | | | | | |
| <i>Rhododendron</i> 'Mother's Day' | BS | 0.85 | R2 | 4-6 | 7-8 | | 1.09 | 6 |
| Mother's Day Evergreen Azalea | | | | | | | | |
| <i>Rhododendron</i> 'Mount Rainier' | DS | 0.87 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| Mount Rainier Deciduous Azalea | | | | | | | | |
| <i>Rhododendron</i> 'Mount Saint Helens' | DS | 1.19 | R2 | 4-5 | 6-8 | | 1.17 | 5 |
| Mount Saint Helens Exbury Hybrid Azalea | | | | | | | | |
| <i>Rhododendron</i> 'Mount Seven Star' | BS | 0.81 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| Mount Seven Star Evergreen Azalea | | | | | | | | |
| <i>Rhododendron</i> 'Mrs. E.C. Sterling' | BS | 1.98 | R2 | 4-6 | 7-8 | | 0.91 | 6 |
| Mrs. E.C. Sterling <i>Rhododendron</i> | | | | | | | | |
| <i>Rhododendron</i> 'Mrs. Emil Hager' | BS | 0.61 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| Mrs. Emil Hager Evergreen Azalea | | | | | | | | |
| <i>Rhododendron</i> 'Mrs. Fisher' | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| Mrs. Fisher Evergreen Azalea | | | | | | | | |
| <i>Rhododendron</i> 'Mrs. Furnival' | BS | 1.02 | R2 | 3-4 | 5-8 | | 0.96 | 4 |
| Mrs. Furnival <i>Rhododendron</i> | | | | | | | | |
| <i>Rhododendron</i> 'Mrs. G.G. Gerbing' | BS | 0.65 | R2 | 5-7 | 8 | | 0.93 | 7 |
| Mrs. G.G. Gerbing Evergreen Azalea | | | | | | | | |
| <i>Rhododendron</i> 'Mrs. G.W. Leak' | BS | 1.13 | R2 | 4-6 | 7-8 | | 0.65 | 6 |
| Mrs. G.W. Leak <i>Rhododendron</i> | | | | | | | | |
| <i>Rhododendron</i> 'Mrs. Glass Dexter' | BS | 1.04 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| Mrs. Glass Dexter <i>Rhododendron</i> | | | | | | | | |
| <i>Rhododendron</i> 'Mrs. P.D. Williams' | BS | 1.18 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| Mrs. P.D. Williams <i>Rhododendron</i> | | | | | | | | |
| <i>Rhododendron</i> 'Mt. Clearview' | BS | 0.73 | R2 | 4-5 | 6-8 | | 0.63 | 5 |
| Mt. Clearview <i>Rhododendron</i> | | | | | | | | |
| <i>Rhododendron</i> 'Mt. Mazama' | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| Mt. Mazama <i>Rhododendron</i> | | | | | | | | |
| <i>Rhododendron</i> 'Mucronatum' | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| Mucronatum Evergreen Azalea | | | | | | | | |
| <i>Rhododendron</i> 'Multimaculatum' | BS | 1.12 | R2 | 3-4 | 5-8 | | 1.01 | 4 |
| Multimaculatum <i>Rhododendron</i> | | | | | | | | |
| <i>Rhododendron</i> 'My Valentine' | BS | 1.04 | R2 | 5-8 | | | 0.93 | 8 |
| My Valentine Evergreen Azalea | | | | | | | | |
| <i>Rhododendron</i> 'Nachi no Tsuki' | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| Nachi no Tsuki Evergreen Azalea | | | | | | | | |
| <i>Rhododendron</i> 'Nancy Evans' | BS | 0.87 | R2 | 4-6 | 7-8 | | 0.96 | 6 |
| Nancy Evans <i>Rhododendron</i> | | | | | | | | |
| <i>Rhododendron</i> 'Nancy of Robinhill' | BS | 0.78 | R2 | 4-6 | 7-8 | | 1.04 | 6 |
| Nancy of Robinhill Evergreen Azalea | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Nancy' Nancy Evergreen Azalea | BS | 0.83 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Nantucket' Nantucket Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.55 | 5 |
| <i>Rhododendron</i> 'Narihira' Narihira Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Naselle' Naselle Rhododendron | BS | 0.77 | R2 | 4-6 | 7-8 | | 0.71 | 6 |
| <i>Rhododendron</i> 'Nassau' Nassau Evergreen Azalea | BS | 0.58 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Ne Plus Ultra' Ne Plus Ultra Vireya Tropical Rhododendron | BS | 1.04 | R2 | 6-8 | | | 0.93 | 10 |
| <i>Rhododendron</i> 'Nepal' Nepal Rhododendron | BS | 1.04 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'New Patriot' New Patriot Rhododendron | BS | 1.85 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Nico' Nico Evergreen Azalea | BS | 0.89 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Night Editor' Night Editor Rhododendron | BS | 0.77 | R2 | 4-6 | 7-8 | | 0.71 | 6 |
| <i>Rhododendron</i> 'No Suchianum' See - x <i>Kalmiadendron</i> 'No Suchianum' | | | | | | | | |
| <i>Rhododendron</i> 'Normandy' Normandy Rhododendron | BS | 1.49 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Northern Hi-Lights' Northern Hi-Lights Azalea | DS | 1.32 | R2 | 3 | 4-8 | | 1.38 | 3 |
| <i>Rhododendron</i> 'Northern Lights' Northern Lights Azalea | DS | 1.25 | R2 | 3 | 4-8 | | 1.64 | 3 |
| <i>Rhododendron</i> 'Northern Starburst' P.P. 10388 Northern Starburst Rhododendron | BS | 1.36 | R2 | 4-5 | 6-8 | | 1.15 | 5 |
| <i>Rhododendron</i> 'Noyo Brave' Noyo Brave Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Nuccio's Carnival' Nuccio's Carnival Evergreen Azalea | BS | 1.01 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Nuccio's Happy Days' Nuccio's Happy Days Evergreen Azalea | BS | 0.82 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Nuccio's Pink Bubbles' Nuccio's Pink Bubbles Evergreen Azalea | BS | 0.86 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Nuccio's Pink Champagne' Nuccio's Pink Champagne Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Nuccio's Wild Cherry' Nuccio's Wild Cherry Evergreen Azalea | BS | 0.89 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Nudiflora Pink' Nudiflora Pink Evergreen Azalea | BS | 2.21 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Oceanlake' Oceanlake Rhododendron | BS | 0.92 | R2 | 4-6 | 7-8 | | 0.84 | 6 |
| <i>Rhododendron</i> 'Odee Wright' Odee Wright Rhododendron | BS | 1.20 | R2 | 4-6 | 7-8 | | 1.09 | 6 |
| <i>Rhododendron</i> 'Odoratum' Odoratum Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Old Gold' Old Gold Azalea | DS | 1.16 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Olga Mezitt' Olga Mezitt P.J.M. Rhododendron | BS | 1.53 | R2 | 3-4 | 5-8 | | 1.01 | 4 |
| <i>Rhododendron</i> 'Olga Niblett' Olga Niblett Evergreen Azalea | BS | 0.84 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Olga' Olga Rhododendron | BS | 0.97 | R2 | 4-6 | 7-8 | | 1.63 | 6 |
| <i>Rhododendron</i> 'Olin O. Dobbs' Olin O. Dobbs Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.91 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Olive' Olive Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Olympic Lady' Olympic Lady Rhododendron | BS | 0.87 | R2 | 4-6 | 7-8 | | 0.97 | 6 |
| <i>Rhododendron</i> 'Olympic Snowball' Olympic Snowball Exbury Hybrid Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Orange Chimes' Orange Chimes Evergreen Azalea | BS | 0.71 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Orange Cup' Orange Cup Evergreen Azalea | BS | 0.68 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Orange Delight' Orange Delight Evergreen Azalea | BS | 1.08 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Orange Jolly' Orange Jolly Deciduous Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Orangeade' Orangeade Exbury Hybrid Azalea | DS | 0.69 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Orchid Beauty' Orchid Beauty Evergreen Azalea | BS | 0.68 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Orchid Lights' Orchid Lights Azalea | DS | 1.15 | R2 | 3-4 | 5-8 | | 1.53 | 4 |
| <i>Rhododendron</i> 'Orchid Sunset' Orchid Sunset Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Osakazuki' Osakazuki Evergreen Azalea | BS | 1.03 | R2 | 5-7 | 8 | | 0.91 | 7 |
| <i>Rhododendron</i> 'Ostbo's Elizabeth Red' See - <i>Rhododendron</i> 'Elizabeth Red Foliage' | BS | 0.73 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Otome no Mai' Otome no Mai Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Otome' Otome Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Otto Lilienthal' Otto Lilienthal Deciduous Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Oudijks Sensation' Oudijks Sensation Rhododendron | BS | 1.12 | R2 | 4-6 | 7-8 | | 0.97 | 6 |
| <i>Rhododendron</i> 'Oxydol' Oxydol Exbury Hybrid Azalea | DS | 1.21 | R2 | 4-5 | 6-8 | | 0.68 | 5 |
| <i>Rhododendron</i> 'P.J.M. Compact' P.J.M. Compact Rhododendron | BS | 1.21 | R2 | 3-4 | 5-8 | | 0.99 | 4 |
| <i>Rhododendron</i> 'P.J.M. Elite' P.J.M. Elite Rhododendron | BS | 1.60 | R2 | 3-4 | 5-8 | | 1.05 | 4 |
| <i>Rhododendron</i> 'P.J.M. Regal' P.J.M. Regal Rhododendron | BS | 1.31 | R2 | 3-4 | 5-8 | | 1.02 | 4 |
| <i>Rhododendron</i> 'P.J.M. Resistant' P.J.M. Resistant Rhododendron | BS | 1.16 | R2 | 3-4 | 5-8 | | 0.84 | 4 |
| <i>Rhododendron</i> 'P.J.M. Victor' P.J.M. Victor Rhododendron | BS | 1.56 | R2 | 3-4 | 5-8 | | 1.44 | 4 |
| <i>Rhododendron</i> 'P.J.M.' P.J.M. Rhododendron | BS | 1.44 | R2 | 3-4 | 5-8 | | 1.05 | 4 |
| <i>Rhododendron</i> 'P.J.M.-K' P.J.M.-K Rhododendron | BS | 1.22 | R2 | 3-4 | 5-8 | | 0.97 | 4 |
| <i>Rhododendron</i> 'PJM Checkmate' See - <i>Rhododendron</i> 'Checkmate' | BS | 0.61 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Papineau' Papineau Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Paprika Spiced' Paprika Spiced Rhododendron | BS | 1.29 | R2 | 4-6 | 7-8 | | 0.81 | 6 |
| <i>Rhododendron</i> 'Parade' Parade Deciduous Azalea | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Parker's Pink' Parker's Pink Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Patty Bee' Patty Bee Rhododendron | BS | 1.30 | R2 | 4-6 | 7-8 | | 1.01 | 6 |
| <i>Rhododendron</i> 'Paul Mauney' Paul Mauney Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Paul R. Bosley' Paul R. Bosley Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Paul Vossberg' Paul Vossberg Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Pearce's American Beauty' Pearce's American Beauty Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.94 | 5 |
| <i>Rhododendron</i> 'Pearl Bradford Sport' Pearl Bradford Sport Evergreen Azalea | BS | 1.04 | R2 | 5-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Pearl Bradford' Pearl Bradford Evergreen Azalea | BS | 0.87 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Peeping Tom' Peeping Tom Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Peking' Peking Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Peppermint Twist' Peppermint Twist Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Persia' Persia Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Persil' Persil Exbury Hybrid Azalea | DS | 0.91 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Peter Alan' Peter Alan Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Peter Behring' Peter Behring Rhododendron | BS | 1.04 | R2 | 3-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Peter Pooker' Peter Pooker Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Peter Tigerstedt' Peter Tigerstedt Marjatta Hybrid Rhododendron | BS | 1.21 | R2 | 3-4 | 5-8 | | 0.89 | 4 |
| <i>Rhododendron</i> 'Peter Vermuelen' Peter Vermuelen Rhododendron | BS | 1.00 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Petersfehn' Petersfehn Rhododendron | BS | 1.12 | R2 | 4-6 | 7-8 | | 1.01 | 6 |
| <i>Rhododendron</i> 'Phidias' Phidias Deciduous Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Phoenicium' Phoenicium Evergreen Azalea | BS | 1.11 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Phyllis Korn' Phyllis Korn Rhododendron | BS | 1.26 | R2 | 4-5 | 6-8 | | 0.91 | 5 |
| <i>Rhododendron</i> 'Pillow Party' Pillow Party Rhododendron | BS | 1.45 | R2 | 3-4 | 5-8 | | 1.18 | 4 |
| <i>Rhododendron</i> 'Pink Camellia' Pink Camellia Evergreen Azalea | BS | 0.61 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Pink Cameo' Pink Cameo Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Pink Cascade' Pink Cascade Evergreen Azalea | BS | 0.68 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Pink Cherub' Pink Cherub Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Pink Craze' See - <i>Rhododendron</i> 'Wachet' | | | | | | | | |
| <i>Rhododendron</i> 'Pink Dawn' Pink Dawn Evergreen Azalea | BS | 0.76 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Pink Flourish' Pink Flourish Rhododendron | BS | 0.94 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron</i> 'Pink Jeans' Pink Jeans Rhododendron | BS | 1.18 | R2 | 4-6 | 7-8 | | 0.89 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron</i> 'Pink Lace' Pink Lace Evergreen Azalea | BS | 1.03 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Pink Pancake' Pink Pancake Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Pink Pearl' Pink Pearl Evergreen Azalea | BS | 0.66 | R2 | 4-5 | 6-8 | | 1.09 | 5 |
| <i>Rhododendron</i> 'Pink Ruffles' Pink Ruffles Azalea | BS | 0.65 | R2 | 5-7 | 8 | | 0.46 | 7 |
| <i>Rhododendron</i> 'Pink and Sweet' Pink and Sweet Azalea | BS | 1.66 | R2 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Rhododendron</i> 'Pioneer Silvery Pink' Pioneer Silvery Pink Rhododendron | BS | 2.12 | R2 | 4-5 | 6-8 | | 1.07 | 5 |
| <i>Rhododendron</i> 'Pixie' Pixie Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Platinum Pearl' Platinum Pearl Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Pleasant Companion' Pleasant Companion Malaysian Vireya Rhododendron | BS | 2.44 | R2 | 7-8 | | | 0.93 | 10 |
| <i>Rhododendron</i> 'Pleasant White' Pleasant White Evergreen Azalea | BS | 0.88 | R2 | 4-6 | 7-8 | | 0.46 | 6 |
| <i>Rhododendron</i> 'Plum Crazy' See - <i>Rhododendron</i> 'Monea' | | | | | | | | |
| <i>Rhododendron</i> 'Pohjola's Daughter' Pohjola's Daughter Marjatta Hybrid Rhododendron | BS | 1.35 | R2 | 4-6 | 7-8 | | 0.92 | 4 |
| <i>Rhododendron</i> 'Point Defiance' Point Defiance Rhododendron | BS | 1.22 | R2 | 4-6 | 7-8 | | 0.91 | 6 |
| <i>Rhododendron</i> 'Polar Bear' Polar Bear Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Polypetalum' Polypetalum Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Popsicle' Popsicle Deciduous Azalea | BS | 1.39 | R2 | 3-4 | 5-8 | | 0.43 | 4 |
| <i>Rhododendron</i> 'Posaeman' Posaeman Evergreen Azalea | BS | 1.04 | R2 | 7-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Prelude' Prelude Evergreen Azalea | BS | 1.04 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'President Claeys' President Claeys Evergreen Azalea | BS | 0.61 | R2 | 7-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'President Roosevelt' President Roosevelt Rhododendron | BS | 1.26 | R2 | 4-6 | 7-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Pride of Dorking' Pride of Dorking Evergreen Azalea | BS | 1.03 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Primitive Beauty' Primitive Beauty Evergreen Azalea | BS | 0.47 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Prince Camille de Rohan' Prince Camille de Rohan Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Prince of Orange' Prince of Orange Evergreen Azalea | BS | 0.51 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Princess Anne' Princess Anne Rhododendron | BS | 1.31 | R2 | 4-5 | 6-8 | | 1.05 | 5 |
| <i>Rhododendron</i> 'Princess Mary of Cambridge' Princess Mary of Cambridge Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Prize' Prize Evergreen Azalea | BS | 0.84 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Professor Wolters' Professor Wolters Evergreen Azalea | BS | 0.85 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Prudence' Prudence Evergreen Azalea | BS | 0.53 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Purple Gem' Purple Gem Rhododendron | BS | 1.61 | R2 | 3-4 | 5-8 | | 1.09 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Purple Majestic' Purple Majestic Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Purple Passion' P.P. 9981 Purple Passion Rhododendron | BS | 1.62 | R2 | 3-4 | 5-8 | | 0.90 | 4 |
| <i>Rhododendron</i> 'Purple Plum' See - <i>Rhododendron</i> 'Robin Hill Congo' | | | | | | | | |
| <i>Rhododendron</i> 'Purple Splendor' Purple Splendor Evergreen Azalea | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.87 | 5 |
| <i>Rhododendron</i> 'Pvt. Lafayette Acree' Pvt. Lafayette Acree Deciduous Azalea | DS | 1.06 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Queen Anne's' Queen Anne's Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'R.N. Pennington' R.N. Pennington Evergreen Azalea | BS | 0.61 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Rachel Bandy' P.P. 7416 Rachel Bandy Evergreen Azalea | BS | 1.15 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Rain Fire' Rain Fire Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Ramapo' Ramapo Rhododendron | BS | 1.36 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Rangoon' Rangoon Rhododendron | BS | 1.43 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Raspberry Parfait' Raspberry Parfait Evergreen Azalea | BS | 0.61 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Ravenna' Ravenna Rhododendron | BS | 1.65 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Ray's Rubra' Ray's Rubra Evergreen Azalea | BS | 0.75 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Red Beauty' P.P. 2308 Red Beauty Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Red Bird' Red Bird Evergreen Azalea | BS | 1.07 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Red Eye' Red Eye Rhododendron | BS | 1.22 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Red Formosa' Red Formosa Evergreen Azalea | BS | 0.59 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Red Fountain' Red Fountain Evergreen Azalea | BS | 0.73 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Red Frilled' Red Frilled Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Red Majesty' Red Majesty Rhododendron | BS | 1.04 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Red Poppy' Red Poppy Evergreen Azalea | BS | 1.04 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Red Red' Red Red Evergreen Azalea | BS | 1.00 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Red River' Red River Rhododendron | BS | 1.07 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Red Ruffles' Red Ruffles Evergreen Azalea | BS | 0.66 | R2 | 5-7 | 8 | | 0.46 | 7 |
| <i>Rhododendron</i> 'Red Slippers' Red Slippers Evergreen Azalea | BS | 0.58 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Red Sunset' Red Sunset Evergreen Azalea | BS | 1.05 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Red Walloper' Red Walloper Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.91 | 6 |
| <i>Rhododendron</i> 'Red Wing' Red Wing Evergreen Azalea | BS | 0.76 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Redder Yet' Redder Yet Rhododendron | BS | 1.00 | R2 | 3-4 | 5-8 | | 0.93 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Redmond' Redmond Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Reid Red' Reid Red Evergreen Azalea | BS | 1.04 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Renee Michelle' Renee Michelle Evergreen Azalea | BS | 0.84 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Reverie' Reverie Evergreen Azalea | BS | 1.06 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Revery' Revery Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Reward Two' Reward Two Rhododendron | BS | 0.73 | R2 | 4-5 | 6-8 | | 0.63 | 5 |
| <i>Rhododendron</i> 'Ria Hardijzer' Ria Hardijzer Rhododendron | BS | 0.98 | R2 | 5-7 | 8 | | 0.87 | 7 |
| <i>Rhododendron</i> 'Rimfire' Rimfire Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Ring of Fire' Ring of Fire Rhododendron | BS | 0.73 | R2 | 5-7 | 8 | | 0.63 | 7 |
| <i>Rhododendron</i> 'Rio' Rio Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Rising Star' Rising Star Deciduous Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Robert E. Lee' Robert E. Lee Deciduous Azalea | DS | 1.07 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Robert Korn' Robert Korn Rhododendron | BS | 0.80 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Roberta' Roberta Evergreen Azalea | BS | 0.82 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Robin Dale' Robin Dale Evergreen Azalea | BS | 0.61 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Robin Hill Congo' Robin Hill Congo Evergreen Azalea | BS | 0.90 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Robin Hill Gillie' Robin Hill Gillie Evergreen Azalea | BS | 0.68 | R2 | 4-6 | 7-8 | | 1.04 | 6 |
| <i>Rhododendron</i> 'Robin Hill Watchet' See - <i>Rhododendron</i> 'Watchet' | | | | | | | | |
| <i>Rhododendron</i> 'Robin Hill Wendy' Robin Hill Wendy Evergreen Azalea | BS | 0.62 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Roblea' P.P. 12142 Autumn Princess™ Encore® Evergreen Azalea | BS | 1.28 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Roblec' P.P. 15339 Autumn Carnation™ Encore® Evergreen Azalea | BS | 1.31 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Robled' P.P. 15862 Autumn Chiffon™ Encore® Evergreen Azalea | BS | 1.34 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Roblee' P.P. 15077 Autumn Sangria™ Encore® Evergreen Azalea | BS | 1.32 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Roblef' P.P. 16184 Autumn Sundance™ Encore® Evergreen Azalea | BS | 1.35 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Robleg' P.P. 15227 Autumn Angel™ Encore® Evergreen Azalea | BS | 1.30 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Robleja' P.P. 16249 Autumn Sweetheart™ Encore® Evergreen Azalea | BS | 1.30 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Roblel' P.P. 16278 Autumn Debutante™ Encore® Evergreen Azalea | BS | 1.27 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Roblem' P.P. 15043 Autumn Starlite™ Encore® Evergreen Azalea | BS | 1.32 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Roblen' P.P. 16248 Autumn Sunset™ Encore® Evergreen Azalea | BS | 1.30 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Robleo' P.P.A.F. Autumn Belle™ Encore® Evergreen Azalea | BS | 1.32 | R2 | 5-7 | 8 | | 0.93 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Robler' P.P.A.F. Autumn Moonlight™ Encore® Evergreen Azalea | BS | 1.34 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Rocket' Rocket Rhododendron | BS | 1.24 | R2 | 4-5 | 6-8 | | 0.89 | 5 |
| <i>Rhododendron</i> 'Roddy' Roddy Evergreen Azalea | BS | 0.71 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Roehr's Peggy Ann' Roehr's Peggy Ann Evergreen Azalea | BS | 0.74 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Romany-Chad' Romany-Chad Rhododendron | BS | 0.99 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Rosa Flora' Rosa Flora Exbury Hybrid Azalea | DS | 1.14 | R2 | 5-7 | 8 | | 1.18 | 7 |
| <i>Rhododendron</i> 'Rosa Regen' Rosa Regen Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Rose Elf' Rose Elf Rhododendron | BS | 1.54 | R2 | 5-7 | 8 | | 1.18 | 7 |
| <i>Rhododendron</i> 'Rose Glow' Rose Glow Evergreen Azalea | BS | 1.23 | R2 | 7-8 | | | 0.93 | 9 |
| <i>Rhododendron</i> 'Rose Greeley' Rose Greeley Evergreen Azalea | BS | 0.99 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Rose Queen' Rose Queen Evergreen Azalea | BS | 1.03 | R2 | 7-8 | | | 0.93 | 9 |
| <i>Rhododendron</i> 'Rose' Rose Evergreen Azalea | BS | 0.53 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Rosea' Rosea Evergreen Azalea | BS | 0.67 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Rosebud' Rosebud Evergreen Azalea | BS | 0.97 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Roslyn' Roslyn Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Rosy Cheeks' Rosy Cheeks Deciduous Azalea | BS | 0.98 | R2 | 4-5 | 6-8 | | 0.82 | 5 |
| <i>Rhododendron</i> 'Rosy Lights' Rosy Lights Deciduous Azalea | DS | 1.33 | R2 | 3-4 | 5-8 | | 1.60 | 4 |
| <i>Rhododendron</i> 'Royal Command' Royal Command Exbury Hybrid Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Royal Pink' Royal Pink Evergreen Azalea | BS | 1.49 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Royal Purple' Royal Purple Rhododendron | BS | 1.30 | R2 | 4-5 | 6-8 | | 0.83 | 5 |
| <i>Rhododendron</i> 'Royal Robe' Royal Robe Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Royalty' Royalty Evergreen Azalea | BS | 0.97 | R2 | 4-6 | 7-8 | | 1.13 | 6 |
| <i>Rhododendron</i> 'Rubicon' Rubicon Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.91 | 7 |
| <i>Rhododendron</i> 'Ruby Hart' Ruby Hart Rhododendron | BS | 1.05 | R2 | 5-7 | 8 | | 1.09 | 7 |
| <i>Rhododendron</i> 'Rukizon' See - <i>Rhododendron</i> 'Kazan' | | | | | | | | |
| <i>Rhododendron</i> 'Rusaantii Group' Rusaantii Group Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Russell Harmon' Russell Harmon Rhododendron | BS | 1.04 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'Sagittarius' Sagittarius Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Saint Merryn' Saint Merryn Rhododendron | BS | 0.87 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Salmon Bells' Salmon Bells Evergreen Azalea | BS | 0.67 | R2 | 5-7 | 8 | | 0.93 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Salmon Delight' Salmon Delight Deciduous Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Salmon Queen' Salmon Queen Azalea | DS | 1.14 | R2 | 5-7 | 8 | | 1.18 | 7 |
| <i>Rhododendron</i> 'Salmon Solomon' Salmon Solomon Evergreen Azalea | BS | 0.59 | R1 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Salmon Spray' Salmon Spray Evergreen Azalea | BS | 1.34 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Samoa' Samoa Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Sanders Special' Sanders Special Evergreen Azalea | BS | 1.04 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Sandra Ann' Sandra Ann Evergreen Azalea | BS | 0.55 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Sapphire' Sapphire Rhododendron | BS | 0.89 | R2 | 4-6 | 7-8 | | 0.87 | 6 |
| <i>Rhododendron</i> 'Sapporo' Sapporo Rhododendron | BS | 1.27 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Sarabande' Sarabande Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Satan' Satan Deciduous Azalea | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Saybrook Glory' Saybrook Glory Evergreen Azalea | BS | 0.91 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Scarlet Romance' Scarlet Romance Rhododendron | BS | 1.10 | R2 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Rhododendron</i> 'Scarlet Wonder' Scarlet Wonder Dwarf Rhododendron | BS | 1.05 | R2 | 3-4 | 5-8 | | 0.87 | 4 |
| <i>Rhododendron</i> 'Schneebuckett' Schneebuckett Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Schubert' Schubert Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Scintillation' Scintillation Rhododendron | BS | 1.32 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Seafoam' Seafoam Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Seika' Seika Evergreen Azalea | BS | 0.87 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Sekidera' Sekidera Evergreen Azalea | BS | 0.59 | R2 | 4-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'September Song' September Song Rhododendron | BS | 1.41 | R2 | 5-7 | 8 | | 0.89 | 7 |
| <i>Rhododendron</i> 'Seta' Seta Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Sham's Juliet' Sham's Juliet Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Sham's Ruby' Sham's Ruby Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Sherbrook' Sherbrook Evergreen Azalea | BS | 0.61 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Sherwood Orchid' Sherwood Orchid Evergreen Azalea | BS | 0.85 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Sherwood Red' Sherwood Red Evergreen Azalea | BS | 0.70 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Shickihenge' See - <i>Rhododendron</i> 'Chojuho' | | | | | | | | |
| <i>Rhododendron</i> 'Shiko no Kagami' Shiko no Kagami Evergreen Azalea | BS | 0.61 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Shinkigen' Shinkigen Evergreen Azalea | BS | 0.74 | R2 | 5-7 | 8 | | 0.93 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Insurable HZ | | Caliper | Factors High/Wide | |
| | | | | Req | Not Req | | | |
| <i>Rhododendron</i> 'Shinnyo no Tsuki' Shinnyo no Tsuki Evergreen Azalea | BS | 0.86 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Shiryu no Homare' Shiryu no Humare Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Showboat' Showboat Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Shugetsu' Shugetsu Evergreen Azalea | BS | 0.99 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Siesta' Siesta Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Silver King' Silver King Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Silver Slipper' Silver Slipper Exbury Hybrid Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Silver Sword' Silver Sword Evergreen Azalea | BS | 1.18 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Simmon's Classic' Simmon's Classic Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Sir Charles Lemon' Sir Charles Lemon Rhododendron | BS | 1.90 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Sir Robert' Sir Robert Evergreen Azalea | BS | 0.90 | R2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Rhododendron</i> 'Siskin' Siskin Deciduous Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Slam Dunk' Slam Dunk Rhododendron | BS | 1.59 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Slim Jim' Slim Jim Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Small Gem' Small Gem Rhododendron | BS | 1.35 | R2 | 4-6 | 7-8 | | 1.01 | 6 |
| <i>Rhododendron</i> 'Small Wonder' Small Wonder Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Smokey #9' Smokey #9 Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Snipe' Snipe Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Snow Lady' Snow Lady Rhododendron | BS | 1.36 | R2 | 5-7 | 8 | | 0.85 | 7 |
| <i>Rhododendron</i> 'Snow' Snow Evergreen Azalea | BS | 0.66 | R2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Rhododendron</i> 'Snowball' Snowball Evergreen Azalea | BS | 1.21 | R2 | 5-7 | 8 | | 1.06 | 7 |
| <i>Rhododendron</i> 'Snowbird' Snowbird Azalea | BS | 0.95 | R2 | 5-7 | 8 | | 0.75 | 7 |
| <i>Rhododendron</i> 'Snowdrift' Snowdrift Deciduous Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Songbird' Songbird Rhododendron | BS | 0.81 | R2 | 4-6 | 7-8 | | 0.59 | 6 |
| <i>Rhododendron</i> 'Southern Belle' Southern Belle Evergreen Azalea | BS | 1.04 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Southern Charm' Southern Charm Evergreen Azalea | BS | 0.67 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Spellbinder' Spellbinder Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Spicy Lights' Spicy Lights Azalea | BS | 1.53 | R2 | 3-4 | 5-8 | | 0.96 | 4 |
| <i>Rhododendron</i> 'Spitfire' Spitfire Rhododendron | BS | 1.04 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Spring Dawn' Spring Dawn Rhododendron | BS | 0.97 | R2 | 5-7 | 8 | | 1.01 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Spring Glory' Spring Glory Rhododendron | BS | 1.00 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Springbok' Springbok Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Springtime' Springtime Rhododendron | BS | 1.07 | R2 | 4-6 | 7-8 | | 0.97 | 6 |
| <i>Rhododendron</i> 'Squirrel' Squirrel Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Starbright Champagne' Starbright Champagne Rhododendron | BS | 1.52 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Starburst' Starburst Rhododendron | BS | 0.73 | R2 | 5-7 | 8 | | 0.63 | 7 |
| <i>Rhododendron</i> 'Starry Night' Starry Night Rhododendron | BS | 1.12 | R2 | 4-6 | 7-8 | | 1.09 | 6 |
| <i>Rhododendron</i> 'Stewartsonian' Stewartsonian Evergreen Azalea | BS | 0.95 | R2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Rhododendron</i> 'Stonewall Jackson' Stonewall Jackson Deciduous Azalea | DS | 1.07 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Strawberry Ice' Strawberry Ice Exbury Hybrid Azalea | DS | 1.12 | R2 | 4-5 | 6-8 | | 1.23 | 5 |
| <i>Rhododendron</i> 'Sugar and Spice' Sugar and Spice™ Evergreen Azalea | BS | 0.96 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Sumatra' Sumatra Rhododendron | BS | 1.06 | R2 | 4-5 | 6-8 | | 1.01 | 5 |
| <i>Rhododendron</i> 'Summer Glow' Summer Glow Rhododendron | BS | 1.43 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Summer Snow' Summer Snow Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Summer Summit' Summer Summit Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Sunglow' Sunglow Evergreen Azalea | BS | 0.61 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Sunset Pink' Sunset Pink Exbury Hybrid Azalea | BS | 1.43 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Supernova' Supernova Rhododendron | BS | 1.00 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Susan' Susan Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Swamp Beauty' Swamp Beauty Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Swan' Swan Evergreen Azalea | BS | 1.04 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Sweet Briar' Sweet Briar Evergreen Azalea | BS | 0.98 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Sweetheart Supreme' Sweetheart Supreme Azalea | BS | 0.84 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Sylphides' Sylphides Exbury Hybrid Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'T-60-9' T-60-9 Evergreen Azalea | BS | 0.60 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Taku' Taku Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Tama-no-hada' Tama-no-hada Satsuki Evergreen Azalea | BS | 1.10 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Tami' Tami Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Tamino' Tamino Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Tara' Tara Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|--------------|---------|-------------|-----------|---------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Taurus' Taurus Rhododendron | BS | 1.27 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Tempest Sister' Tempest Sister Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Tengasa' See - <i>Rhododendron</i> 'Amagasa' | | | | | | | | |
| <i>Rhododendron</i> 'Tenino' Tenino Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Tennessee' Tennessee Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Tequila Sunrise' Tequila Sunrise Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Thomas Jefferson' Thomas Jefferson Decidious Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Thor' Thor Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Thunder' Thunder Rhododendron | BS | 1.27 | R2 | 4-5 | 6-8 | | 0.91 | 5 |
| <i>Rhododendron</i> 'Tiana' Tiana Rhododendron | BS | 1.20 | R2 | 4-6 | 7-8 | | 1.05 | 6 |
| <i>Rhododendron</i> 'Tickled Pink' Tickled Pink Evergreen Azalea | BS | 0.76 | R2 | 6-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Tiffany' Tiffany Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.55 | 5 |
| <i>Rhododendron</i> 'Tochi no Hikari' Tochi no Hikari Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Todmorden' Todmorden Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Tom Everett' Tom Everett Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Tondelaya' See - <i>Rhododendron</i> 'Multimaculatum' | | | | | | | | |
| <i>Rhododendron</i> 'Tony' Tony Rhododendron | BS | 1.09 | R2 | 4-5 | 6-8 | | 0.92 | 5 |
| <i>Rhododendron</i> 'Top Banana' Top Banana Rhododendron | BS | 1.28 | R2 | 5-7 | 8 | | 1.18 | 7 |
| <i>Rhododendron</i> 'Topsvort Pearl' Topsvort Pearl Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Torchlight' Torchlight Evergreen Azalea | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Torero' Torero Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Tortoiseshell Wonder' Tortoiseshell Wonder Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Totally Awesome' Totally Awesome Azalea | DS | 0.87 | R2 | 4-6 | 7-8 | | 0.68 | 6 |
| <i>Rhododendron</i> 'Towhead' Towhead Rhododendron | BS | 1.06 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Tradition' Tradition Evergreen Azalea | BS | 0.84 | R2 | 5-7 | 8 | | 1.04 | 7 |
| <i>Rhododendron</i> 'Trail Blazer' Trail Blazer Rhododendron | BS | 1.32 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Treasure' Treasure Evergreen Azalea | BS | 0.90 | R2 | 4-6 | 7-8 | | 1.09 | 6 |
| <i>Rhododendron</i> 'Tri-Lights' Tri-Lights Azalea | BS | 1.43 | R2 | 3-4 | 5-8 | | 0.82 | 3 |
| <i>Rhododendron</i> 'Trinidad' Trinidad Rhododendron | BS | 0.87 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Trouper' Trouper Evergreen Azalea | BS | 0.58 | R2 | 4-6 | 7-8 | | 0.93 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Tunis' Tunis Exbury Hybrid Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Turkish Delight' Turkish Delight Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Tutti Frutti' Tutti Frutti Exbury Hybrid Azalea | BS | 1.71 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Twenty Grand' Twenty Grand Evergreen Azalea | BS | 0.89 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Twilight Pink' Twilight Pink Rhododendron | BS | 0.86 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Uki Funei' Uki Funei Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Umpqua Queen' Umpqua Queen Deciduous Azalea | DS | 0.82 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Unique Marmalade' Unique Marmalade Rhododendron | BS | 1.72 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Unsurpassable' Unsurpassable Evergreen Azalea | BS | 0.93 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Usuyukari' Usuyukari Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Van' Van Rhododendron | BS | 0.91 | R2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Rhododendron</i> 'Variegated Dogwood' Variegated Dogwood Evergreen Azalea | BS | 0.85 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Venetia' Venetia Exbury Hybrid Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Verawood' Verawood Lynch Azalea | BS | 0.60 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Vernus' Vernus Rhododendron | BS | 1.26 | R2 | 3-4 | 5-8 | | 0.95 | 4 |
| <i>Rhododendron</i> 'Veronica' See - <i>Rhododendron</i> 'Hineseg' | | | | | | | | |
| <i>Rhododendron</i> 'Very Berry' Very Berry Rhododendron | BS | 1.59 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Vespers' Vespers Evergreen Azalea | BS | 0.50 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Vestal' Vestal Evergreen Azalea | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Vibrant Violet' Vibrant Violet Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Vibrant' Vibrant Evergreen Azalea | BS | 0.80 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'Vincent van Gogh' Vincent van Gogh Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Vinecrest' Vinecrest Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.91 | 5 |
| <i>Rhododendron</i> 'Vinemark' Vinemark Rhododendron | BS | 1.00 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Violetta' Violetta Evergreen Azalea | BS | 0.68 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Viscy' Viscy Rhododendron | BS | 1.00 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Vivid' Vivid Evergreen Azalea | BS | 0.53 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Vuyk's Rosyred' Vuyk's Rosyred Evergreen Azalea | BS | 0.61 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Vuyk's Scarlet' Vuyk's Scarlet Evergreen Azalea | BS | 0.87 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Wachet' Pink Craze Evergreen Azalea | BS | 0.96 | R2 | 4-6 | 7-8 | | 0.93 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Waka Matsu' Waka Matsu Evergreen Azalea | BS | 0.67 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Wakaebisu' Wakaebisu Evergreen Azalea | BS | 0.63 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Wallowa Red' Wallowa Red Deciduous Azalea | BS | 1.57 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Waltham' Waltham Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'War Dance' War Dance Rhododendron | BS | 1.06 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Warai Gishi' See - <i>Rhododendron</i> 'Warai Jishi' | | | | | | | | |
| <i>Rhododendron</i> 'Warai Jishi' Warai Jishi Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Ward's Ruby' Ward's Ruby Evergreen Azalea | BS | 1.01 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Watchet' Watchet Evergreen Azalea | BS | 0.61 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Wedding Bouquet' Wedding Bouquet Deciduous Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Westbury' Westbury Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Western Lights' Western Lights Deciduous Azalea | BS | 1.21 | R2 | 3-4 | 5-8 | | 0.43 | 4 |
| <i>Rhododendron</i> 'Weston's Aglo' Weston's Aglo Rhododendron | BS | 1.39 | R2 | 4-6 | 7-8 | | 1.10 | 4 |
| <i>Rhododendron</i> 'Weston's Innocence' Weston's Innocence Deciduous Azalea | DS | 1.25 | G2 | 3-4 | 5-8 | | 1.19 | 4 |
| <i>Rhododendron</i> 'Weston's Lemon Drop' Weston's Lemon Drop Deciduous Azalea | DS | 1.71 | R2 | 3-4 | 5-8 | | 1.11 | 4 |
| <i>Rhododendron</i> 'Weston's Lollipop' See - <i>Rhododendron</i> 'Lollipop' | | | | | | | | |
| <i>Rhododendron</i> 'Weston's Parade' See - <i>Rhododendron</i> 'Parade' | | | | | | | | |
| <i>Rhododendron</i> 'Weston's Pink Diamond' Weston's Pink Diamond Rhododendron | BS | 1.38 | R2 | 4-5 | 6-8 | | 0.91 | 5 |
| <i>Rhododendron</i> 'Weston's Popsicle' See - <i>Rhododendron</i> 'Popsicle' | | | | | | | | |
| <i>Rhododendron</i> 'Wheatley' Wheatley Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Whisperingrose' Whisperingrose Rhododendron | BS | 1.28 | R2 | 5-7 | 8 | | 1.09 | 7 |
| <i>Rhododendron</i> 'White Dwarf' White Dwarf Evergreen Azalea | BS | 0.97 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'White Find' White Find Deciduous Azalea | DS | 1.14 | R2 | 3-4 | 5-8 | | 1.18 | 4 |
| <i>Rhododendron</i> 'White Gish' White Gish Evergreen Azalea | BS | 1.14 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'White Gold' White Gold Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'White Grandeur' White Grandeur Evergreen Azalea | BS | 1.04 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'White Lace' White Lace Evergreen Azalea | BS | 1.08 | R2 | 5-8 | | | 0.93 | 8 |
| <i>Rhododendron</i> 'White Lightning' White Lightning Deciduous Azalea | DS | 1.49 | R2 | 3-4 | 5-8 | | 1.18 | 4 |
| <i>Rhododendron</i> 'White Lights' White Lights Azalea | DS | 1.21 | R2 | 3-4 | 5-8 | | 1.39 | 4 |
| <i>Rhododendron</i> 'White Lorna' White Lorna Evergreen Azalea | BS | 0.98 | R2 | 4-7 | 8 | | 0.93 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'White Moon' White Moon Evergreen Azalea | BS | 1.12 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'White Perfection' White Perfection Rhododendron | BS | 1.04 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron</i> 'White Peter' White Peter Rhododendron | BS | 1.67 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'White Rosebud' White Rosebud Evergreen Azalea | BS | 0.74 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'White Swan' White Swan Exbury Hybrid Azalea | DS | 1.75 | R2 | 4-5 | 6-8 | | 1.11 | 5 |
| <i>Rhododendron</i> 'Whitethroat' Whitethroat Exbury Hybrid Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Whitney's Orange' Whitney's Orange Rhododendron | BS | 0.87 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Wigeon' Wigeon Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Wild Affair' Wild Affair Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Williams' Williams Rhododendron | BS | 0.74 | R2 | 4-6 | 7-8 | | 0.63 | 6 |
| <i>Rhododendron</i> 'Windbeam' Windbeam Rhododendron | BS | 0.95 | R2 | 3-4 | 5-8 | | 1.02 | 4 |
| <i>Rhododendron</i> 'Windsor Appleblossom' Windsor Appleblossom Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Windsor Buttercup' Windsor Buttercup Deciduous Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.11 | 5 |
| <i>Rhododendron</i> 'Winsome' Winsome Rhododendron | BS | 0.73 | R2 | 5-7 | 8 | | 0.56 | 7 |
| <i>Rhododendron</i> 'Wintergreen' Wintergreen Evergreen Azalea | BS | 1.20 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Wissahickon' Wissahickon Rhododendron | BS | 1.00 | R2 | 4-6 | 7-8 | | 0.92 | 6 |
| <i>Rhododendron</i> 'Witchdoctor Dwarf' Witchdoctor Dwarf Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Wizard' Wizard Rhododendron | BS | 0.73 | R2 | 4-6 | 7-8 | | 0.63 | 6 |
| <i>Rhododendron</i> 'Wojnar's Purple' Wojnar's Purple Rhododendron | BS | 1.31 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron</i> 'Wolfpack Red' Wolfpack Red Evergreen Azalea | BS | 0.61 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Wren' Wren Rhododendron | BS | 1.37 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Wyandanch Pink' Wyandanch Pink Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Wynterset Pink' Wynterset Pink Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Wynterset White' Wynterset White Rhododendron | BS | 1.59 | R2 | 4-5 | 6-8 | | 1.15 | 5 |
| <i>Rhododendron</i> 'Yachiyo Red' Yachiyo Red Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Yama no Hikari' Yama no Hikari Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Yankee Doodle' Yankee Doodle Evergreen Azalea | BS | 1.04 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron</i> 'Yellow Cloud' Yellow Cloud Deciduous Azalea | DS | 0.82 | R2 | 4-5 | 6-8 | | 0.86 | 5 |
| <i>Rhododendron</i> 'Yellow Delight' Yellow Delight Deciduous Azalea | DS | 1.14 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Yellow Hammer' Yellow Hammer Rhododendron | BS | 1.45 | R2 | 5-7 | 8 | | 1.18 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron</i> 'Yellow Pages' Yellow Pages Rhododendron | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Yellow Petticoats' Yellow Petticoats Rhododendron | BS | 1.58 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron</i> 'Yellow Pom Pom' Yellow Pom Pom Deciduous Azalea | DS | 1.50 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron</i> 'Yoshimi' Yoshimi Evergreen Azalea | BS | 1.04 | R2 | 5-7 | 8 | | 0.93 | 7 |
| <i>Rhododendron</i> 'Zuiko' Zuiko Rhododendron | BS | 1.04 | R2 | 4-6 | 7-8 | | 0.93 | 6 |
| <i>Rhododendron alabamense</i> Alabama Azalea | DS | 0.77 | R1 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Rhododendron arborescens</i> Sweet Deciduous Azalea | DS | 1.63 | R1 | 3-4 | 5-8 | | 1.09 | 4 |
| <i>Rhododendron atlanticum</i> Coastal Deciduous Azalea | DS | 1.59 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Rhododendron atlanticum</i> 'Choptank Yellow and Orange' Choptank Yellow and Orange Coast Azalea | DS | 1.59 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Rhododendron atlanticum</i> 'Nacoochee' Nacoochee Coast Azalea | DS | 1.59 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Rhododendron augustinii</i> Augustine Rhododendron | BS | 0.82 | R1 | 4-6 | 7-8 | | 0.87 | 6 |
| <i>Rhododendron austrinum</i> Florida Deciduous Azalea | DS | 0.93 | R1 | 4-6 | 7-8 | | 2.71 | 6 |
| <i>Rhododendron austrinum</i> 'Don's Variegated' Don's Variegated Florida Deciduous Azalea | DS | 1.04 | R1 | 4-6 | 7-8 | | 2.09 | 6 |
| <i>Rhododendron austrinum</i> 'Escatawpa' Escatawpa Florida Deciduous Azalea | DS | 0.95 | R1 | 4-6 | 7-8 | | 2.09 | 6 |
| <i>Rhododendron austrinum</i> 'Millie Mac' Millie Mac Florida Deciduous Azalea | DS | 0.86 | R1 | 5-7 | 8 | | 2.09 | 6 |
| <i>Rhododendron austrinum</i> 'My Mary' My Mary Florida Deciduous Azalea | DS | 0.74 | R1 | 4-6 | 7-8 | | 1.46 | 6 |
| <i>Rhododendron austrinum</i> 'Pretty One' Pretty One Florida Deciduous Azalea | DS | 0.90 | R1 | 4-6 | 7-8 | | 2.09 | 6 |
| <i>Rhododendron bureavii</i> No Common Name Found | BS | 1.00 | R2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Rhododendron bureavii</i> 'Lem's Form' Lem's Form Rhododendron | BS | 1.00 | R2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Rhododendron calendulaceum</i> Flame Deciduous Azalea | DS | 0.99 | R1 | 4-5 | 6-8 | | 1.60 | 5 |
| <i>Rhododendron calendulaceum</i> 'Kelsey's Flame' Kelsey's Flame Deciduous Azalea | DS | 0.99 | R1 | 4-5 | 6-8 | | 1.60 | 5 |
| <i>Rhododendron calophytum</i> Bigleaf Rhododendron | BS | 0.58 | R2 | 4-6 | 7-8 | | 0.60 | 6 |
| <i>Rhododendron calostrotum</i> Purple-leaf Rhododendron | BS | 1.00 | R2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Rhododendron calostrotum</i> ssp. <i>keleticum</i> Lhasa Rhododendron | BS | 0.86 | R2 | 4-6 | 7-8 | | 0.71 | 6 |
| <i>Rhododendron calostrotum</i> ssp. <i>keleticum</i> 'Radicans Group' Radicans Group Purple-leaf Rhododendron | BS | 0.86 | R2 | 4-6 | 7-8 | | 0.71 | 6 |
| <i>Rhododendron campylogynum</i> Dusky Bloom Rhododendron | BS | 0.73 | R2 | 5-7 | 8 | | 0.63 | 7 |
| <i>Rhododendron camtschaticum</i> Kamchatka Rhododendron | BS | 1.00 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rhododendron canadense</i> Rhodora | DS | 1.09 | R1 | 3 | 4-8 | | 1.00 | 2 |
| <i>Rhododendron canescens</i> Piedmont Deciduous Azalea | DS | 1.16 | R1 | 5-7 | 8 | | 1.90 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron canescens</i> 'Varnadoe's Phlox Pink' Varnadoe's Phlox Pink Piedmont Azalea | DS | 1.02 | R1 | 4-7 | 8 | | 1.90 | 7 |
| <i>Rhododendron carolinianum</i> Carolina Rhododendron | BS | 0.74 | R2 | 3-4 | 5-8 | | 0.96 | 4 |
| <i>Rhododendron carolinianum</i> 'Caroline' Caroline Carolina Rhododendron | BS | 0.78 | R2 | 3-4 | 5-8 | | 1.25 | 4 |
| <i>Rhododendron carolinianum</i> 'Pink' Pink Carolina Rhododendron | BS | 0.76 | R2 | 3-4 | 5-8 | | 1.11 | 4 |
| <i>Rhododendron carolinianum</i> var. <i>album</i> White Carolina Rhododendron | BS | 1.06 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> Catawba Rhododendron | BS | 2.17 | R2 | 3-4 | 5-8 | | 0.95 | 4 |
| <i>Rhododendron catawbiense</i> 'A. Bedford' A. Bedford Rhododendron | BS | 0.91 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron catawbiense</i> 'Album Elegans' Album Elegans Rhododendron | BS | 1.22 | R2 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Rhododendron catawbiense</i> 'Album' White Catawba Rhododendron | BS | 1.46 | R2 | 3-4 | 5-8 | | 1.15 | 4 |
| <i>Rhododendron catawbiense</i> 'Alice' Alice Rhododendron | BS | 0.92 | R2 | 3-4 | 5-8 | | 1.01 | 4 |
| <i>Rhododendron catawbiense</i> 'America' America Rhododendron | BS | 1.01 | R2 | 3-4 | 5-8 | | 0.88 | 4 |
| <i>Rhododendron catawbiense</i> 'Anah Kruschke' Anah Kruschke Rhododendron | BS | 1.23 | R2 | 3-4 | 5-8 | | 0.89 | 4 |
| <i>Rhododendron catawbiense</i> 'Anna Rose Whitney' Anna Rose Whitney Rhododendron | BS | 1.15 | R2 | 3-4 | 5-8 | | 0.89 | 4 |
| <i>Rhododendron catawbiense</i> 'Autumn Gold' Autumn Gold Rhododendron | BS | 1.28 | R2 | 3-4 | 5-8 | | 1.06 | 4 |
| <i>Rhododendron catawbiense</i> 'Baden Baden' Baden Baden Rhododendron | BS | 1.03 | R2 | 3-4 | 5-8 | | 0.90 | 4 |
| <i>Rhododendron catawbiense</i> 'Betty Wormald' Betty Wormald Rhododendron | BS | 1.01 | R2 | 3-4 | 5-8 | | 1.09 | 4 |
| <i>Rhododendron catawbiense</i> 'Blue Diamond' Blue Diamond Rhododendron | BS | 1.21 | R2 | 3-4 | 5-8 | | 0.86 | 4 |
| <i>Rhododendron catawbiense</i> 'Blue Ensign' Blue Ensign Rhododendron | BS | 0.80 | R2 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Rhododendron catawbiense</i> 'Blue Jay' Blue Jay Rhododendron | BS | 1.03 | R2 | 3-4 | 5-8 | | 0.99 | 4 |
| <i>Rhododendron catawbiense</i> 'Boursault' Boursault Catawba Rhododendron | BS | 1.24 | R2 | 3-4 | 5-8 | | 1.04 | 4 |
| <i>Rhododendron catawbiense</i> 'Bow Bells' Bow Bells Rhododendron | BS | 1.06 | R2 | 3-4 | 5-8 | | 0.88 | 4 |
| <i>Rhododendron catawbiense</i> 'Butterfly' Butterfly Rhododendron | BS | 1.11 | R2 | 3-4 | 5-8 | | 1.09 | 4 |
| <i>Rhododendron catawbiense</i> 'Caractacus' Caractacus Rhododendron | BS | 1.28 | R2 | 3-4 | 5-8 | | 1.09 | 4 |
| <i>Rhododendron catawbiense</i> 'Cary Ann' Cary Ann Rhododendron | BS | 0.95 | R2 | 3-4 | 5-8 | | 0.92 | 4 |
| <i>Rhododendron catawbiense</i> 'Cheer' Cheer Rhododendron | BS | 1.01 | R2 | 3-4 | 5-8 | | 0.79 | 4 |
| <i>Rhododendron catawbiense</i> 'Chionoides' Chionoides Rhododendron | BS | 1.31 | R2 | 3-4 | 5-8 | | 0.96 | 4 |
| <i>Rhododendron catawbiense</i> 'Christmas Cheer' Christmas Cheer Rhododendron | BS | 1.28 | R2 | 3-4 | 5-8 | | 1.09 | 4 |
| <i>Rhododendron catawbiense</i> 'Compactum' Compact Catawba Rhododendron | BS | 1.13 | R2 | 3-4 | 5-8 | | 0.96 | 4 |
| <i>Rhododendron catawbiense</i> 'Cunningham's Blush' Cunningham's Blush Rhododendron | BS | 1.18 | R2 | 3-4 | 5-8 | | 1.08 | 4 |
| <i>Rhododendron catawbiense</i> 'Cunningham's White' Cunningham's White Rhododendron | BS | 1.23 | R2 | 3-4 | 5-8 | | 0.96 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron catawbiense</i> 'Daphnoides' Daphnoides Rhododendron | BS | 1.08 | R2 | 3-4 | 5-8 | | 0.88 | 4 |
| <i>Rhododendron catawbiense</i> 'Dora Amateis' Dora Amateis Rhododendron | BS | 1.32 | R2 | 3-4 | 5-8 | | 0.90 | 4 |
| <i>Rhododendron catawbiense</i> 'Elisabeth Hobbie' Elisabeth Hobbie Rhododendron | BS | 1.13 | R2 | 3-4 | 5-8 | | 0.96 | 4 |
| <i>Rhododendron catawbiense</i> 'Elisabeth' Elisabeth Rhododendron | BS | 1.13 | R2 | 3-4 | 5-8 | | 0.96 | 4 |
| <i>Rhododendron catawbiense</i> 'English Roseum' English Roseum Rhododendron | BS | 1.27 | R2 | 3-4 | 5-8 | | 0.99 | 4 |
| <i>Rhododendron catawbiense</i> 'Evening Glow' Evening Glow Rhododendron | BS | 1.14 | R2 | 3-4 | 5-8 | | 1.01 | 4 |
| <i>Rhododendron catawbiense</i> 'Everestianum' Everest Rhododendron | BS | 0.98 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron catawbiense</i> 'Fastuosum Flore Pleno' Fastuosum Double Rhododendron | BS | 0.81 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron catawbiense</i> 'Furnivall's Daughter' Furnivall's Daughter Rhododendron | BS | 0.99 | R2 | 3-4 | 5-8 | | 0.99 | 4 |
| <i>Rhododendron catawbiense</i> 'Gomer Waterer' Gomer Waterer Rhododendron | BS | 1.11 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron catawbiense</i> 'Grandiflorum' Grandiflorum Catawba Rhododendron | BS | 1.16 | R2 | 3-4 | 5-8 | | 1.03 | 4 |
| <i>Rhododendron catawbiense</i> 'Henrietta Sargent' Henrietta Sargent Rhododendron | BS | 1.00 | R2 | 3-4 | 5-8 | | 0.95 | 4 |
| <i>Rhododendron catawbiense</i> 'Ignatius Sargent' Ignatius Sargent Rhododendron | BS | 1.19 | R2 | 3-4 | 5-8 | | 1.01 | 4 |
| <i>Rhododendron catawbiense</i> 'Jock' Jock Rhododendron | BS | 1.06 | R2 | 3-4 | 5-8 | | 1.03 | 4 |
| <i>Rhododendron catawbiense</i> 'Kluis Sensation' Kluis Sensation Rhododendron | BS | 1.14 | R2 | 3-4 | 5-8 | | 1.09 | 4 |
| <i>Rhododendron catawbiense</i> 'Lady Clementine Mitford' Lady Clementine Mitford Rhododendron | BS | 1.13 | R2 | 3-4 | 5-8 | | 0.96 | 4 |
| <i>Rhododendron catawbiense</i> 'Lavender Queen' Lavender Queen Rhododendron | BS | 1.08 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> 'Lee's Best Purple' Lee's Best Purple Rhododendron | BS | 1.14 | R2 | 3-4 | 5-8 | | 1.01 | 4 |
| <i>Rhododendron catawbiense</i> 'Lee's Dark Purple' Lee's Dark Purple Rhododendron | BS | 1.11 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron catawbiense</i> 'Loder's White' Loder's White Rhododendron | BS | 1.20 | R2 | 3-4 | 5-8 | | 1.09 | 4 |
| <i>Rhododendron catawbiense</i> 'Lord Roberts' Lord Roberts Rhododendron | BS | 1.01 | R2 | 3-4 | 5-8 | | 0.89 | 4 |
| <i>Rhododendron catawbiense</i> 'Madame Masson' Madame Masson Rhododendron | BS | 0.88 | R2 | 3-4 | 5-8 | | 0.99 | 4 |
| <i>Rhododendron catawbiense</i> 'Madame de Bruin' Madame de Bruin Rhododendron | BS | 1.28 | R2 | 3-4 | 5-8 | | 1.09 | 4 |
| <i>Rhododendron catawbiense</i> 'Michael Waterer' Michael Waterer Rhododendron | BS | 1.13 | R2 | 3-4 | 5-8 | | 0.96 | 4 |
| <i>Rhododendron catawbiense</i> 'Mrs. Betty Robertson' Mrs. Betty Robertson Rhododendron | BS | 0.74 | R2 | 3-4 | 5-8 | | 0.63 | 4 |
| <i>Rhododendron catawbiense</i> 'Mrs. C.S. Sargent' Mrs. C.S. Sargent Rhododendron | BS | 1.13 | R2 | 3-4 | 5-8 | | 0.96 | 4 |
| <i>Rhododendron catawbiense</i> 'Mrs. Charles Pearson' Mrs. Charles Pearson Rhododendron | BS | 1.02 | R2 | 3-4 | 5-8 | | 0.97 | 4 |
| <i>Rhododendron catawbiense</i> 'Mrs. T.H. Lowinsky' Mrs. T.H. Lowinsky Rhododendron | BS | 1.07 | R2 | 3-4 | 5-8 | | 0.98 | 4 |
| <i>Rhododendron catawbiense</i> 'Nova Zembla' Nova Zembla Rhododendron | BS | 1.29 | R2 | 3-4 | 5-8 | | 1.15 | 4 |
| <i>Rhododendron catawbiense</i> 'Old Port' Old Port Rhododendron | BS | 1.13 | R2 | 3-4 | 5-8 | | 0.96 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron catawbiense</i> 'Parsons Gloriosum' Parson's Gloriosum Rhododendron | BS | 1.47 | R2 | 3-4 | 5-8 | | 0.98 | 4 |
| <i>Rhododendron catawbiense</i> 'Party Pink' Party Pink Rhododendron | BS | 1.00 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> 'Pink Twins' Pink Twins Rhododendron | BS | 1.00 | R2 | 3-4 | 5-8 | | 0.96 | 4 |
| <i>Rhododendron catawbiense</i> 'President Lincoln' President Lincoln Rhododendron | BS | 1.15 | R2 | 3-4 | 5-8 | | 0.99 | 4 |
| <i>Rhododendron catawbiense</i> 'Purple Lace' Purple Lace Rhododendron | BS | 0.79 | R2 | 3-4 | 5-8 | | 0.75 | 4 |
| <i>Rhododendron catawbiense</i> 'Purple Splendour' Purple Splendour Rhododendron | BS | 0.82 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> 'Purpureum Elegans' Purpureum Elegans Rhododendron | BS | 1.28 | R2 | 3-4 | 5-8 | | 0.95 | 4 |
| <i>Rhododendron catawbiense</i> 'Purpureum Grandiflorum' Purpureum Grandiflorum Rhododendron | BS | 1.14 | R2 | 3-4 | 5-8 | | 0.99 | 4 |
| <i>Rhododendron catawbiense</i> 'Rosamundii' Rosamund Rhododendron | BS | 1.91 | R2 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Rhododendron catawbiense</i> 'Roseum Album' Roseum Album Rhododendron | BS | 1.13 | R2 | 3-4 | 5-8 | | 0.96 | 4 |
| <i>Rhododendron catawbiense</i> 'Roseum Elegans' Roseum Elegans Rhododendron | BS | 1.30 | R2 | 3-4 | 5-8 | | 1.12 | 4 |
| <i>Rhododendron catawbiense</i> 'Roseum Pink' Roseum Pink Rhododendron | BS | 1.23 | R2 | 3-4 | 5-8 | | 1.07 | 4 |
| <i>Rhododendron catawbiense</i> 'Roseum Superbum' Roseum Superbum Rhododendron | BS | 1.06 | R2 | 3-4 | 5-8 | | 1.01 | 4 |
| <i>Rhododendron catawbiense</i> 'Roseum Two' Roseum Two Rhododendron | BS | 1.05 | R2 | 3-4 | 5-8 | | 0.97 | 4 |
| <i>Rhododendron catawbiense</i> 'Sappho' Sappho Rhododendron | BS | 1.15 | R2 | 3-4 | 5-8 | | 0.85 | 4 |
| <i>Rhododendron catawbiense</i> 'Sefton' Sefton Rhododendron | BS | 1.00 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron catawbiense</i> 'Sham's Candy' Sham's Candy Rhododendron | BS | 0.94 | R2 | 3-4 | 5-8 | | 0.89 | 4 |
| <i>Rhododendron catawbiense</i> 'Shamrock' Shamrock Rhododendron | BS | 1.28 | R2 | 3-4 | 5-8 | | 1.09 | 4 |
| <i>Rhododendron catawbiense</i> 'Swans Downe' Swans Downe Rhododendron | BS | 0.86 | R2 | 3-4 | 5-8 | | 0.91 | 4 |
| <i>Rhododendron catawbiense</i> 'The General' The General Rhododendron | BS | 0.99 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rhododendron catawbiense</i> 'The Honourable Jean Marie de Montag' The Honourable Jean Marie de Montague Rhododendron | BS | 1.24 | R2 | 3-4 | 5-8 | | 0.88 | 4 |
| <i>Rhododendron catawbiense</i> 'Trilby' Trilby Rhododendron | BS | 1.06 | R2 | 3-4 | 5-8 | | 0.90 | 4 |
| <i>Rhododendron catawbiense</i> 'Trude Webster' Trude Webster Catawba Rhododendron | BS | 1.34 | R2 | 3-4 | 5-8 | | 0.87 | 4 |
| <i>Rhododendron catawbiense</i> 'Unique' Unique Rhododendron | BS | 1.16 | R2 | 3-4 | 5-8 | | 0.88 | 4 |
| <i>Rhododendron catawbiense</i> 'Virginia Richards' Virginia Richards Rhododendron | BS | 1.06 | R2 | 3-4 | 5-8 | | 0.87 | 4 |
| <i>Rhododendron catawbiense</i> 'Vivacious' Vivacious Rhododendron | BS | 1.08 | R2 | 3-4 | 5-8 | | 0.91 | 4 |
| <i>Rhododendron catawbiense</i> 'Vulcan' Vulcan Rhododendron | BS | 0.97 | R2 | 3-4 | 5-8 | | 0.86 | 4 |
| <i>Rhododendron catawbiense</i> 'Vulcan's Flame' Vulcan's Flame Rhododendron | BS | 1.35 | R2 | 3-4 | 5-8 | | 0.86 | 4 |
| <i>Rhododendron catawbiense</i> 'Wilgens Ruby' Wilgens Ruby Rhododendron | BS | 1.08 | R2 | 3-4 | 5-8 | | 1.01 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rhododendron concinnum</i> Purple Nymph Rhododendron | BS | 0.77 | R2 | 4-6 | 7-8 | | 0.66 | 6 |
| <i>Rhododendron cumberlandense</i> Cumberland Deciduous Azalea | DS | 2.20 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Rhododendron dauricum</i> Dahurian Rhododendron | BS | 1.16 | R2 | 3-4 | 5-8 | | 0.90 | 4 |
| <i>Rhododendron dauricum</i> 'April Gem' April Gem Dahurian Rhododendron | BS | 1.20 | R2 | 3-4 | 5-8 | | 0.84 | 4 |
| <i>Rhododendron dauricum</i> 'April Reign' April Reign Dahurian Rhododendron | BS | 1.16 | R2 | 3-4 | 5-8 | | 0.90 | 4 |
| <i>Rhododendron dauricum</i> 'April Rose' April Rose Dahurian Rhododendron | BS | 1.18 | R2 | 3-4 | 5-8 | | 0.87 | 4 |
| <i>Rhododendron dauricum</i> 'April White' April White Dahurian Rhododendron | BS | 0.86 | R2 | 3-4 | 5-8 | | 0.89 | 4 |
| <i>Rhododendron dauricum</i> 'Arctic Pearl' Arctic Pearl Dahurian Rhododendron | BS | 1.38 | R2 | 3-4 | 5-8 | | 1.05 | 4 |
| <i>Rhododendron dauricum</i> 'Madison Snow' Madison Snow Dahurian Rhododendron | BS | 1.16 | R2 | 3-4 | 5-8 | | 0.84 | 4 |
| <i>Rhododendron davidsonianum</i> Davidson Rhododendron | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rhododendron davidsonianum</i> 'Ruth Lyons' Ruth Lyons Rhododendron | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> Yak Rhododendron | BS | 0.77 | R2 | 3-5 | 6-8 | | 0.66 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Aloha' Aloha Yak Rhododendron | BS | 1.11 | R2 | 4-5 | 6-8 | | 1.07 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Anna H. Hall' Anna H. Hall Yak Rhododendron | BS | 1.44 | R2 | 4-5 | 6-8 | | 1.08 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Crete' Crete Yak Rhododendron | BS | 1.44 | R2 | 4-5 | 6-8 | | 1.16 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Dopey' Dopey Yak Rhododendron | BS | 1.01 | R2 | 4-5 | 6-8 | | 1.01 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Fantastica' Fantastica Yak Rhododendron | BS | 1.19 | R2 | 4-5 | 6-8 | | 0.90 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Flirt' Flirt Yak Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Fred G. Peste' Fred G. Peste Yak Rhododendron | BS | 1.04 | R2 | 4-5 | 6-8 | | 1.06 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Golden Torch' Golden Torch Yak Rhododendron | BS | 1.52 | R2 | 4-5 | 6-8 | | 0.89 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Golden Wedding' Golden Wedding Yak Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Hydon Dawn' Hydon Dawn Yak Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Irene Bain' Irene Bain Yak Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degrobianum</i> ssp. <i>yakushmanum</i> 'Ken Janeck' Ken Janeck Yak Rhododendron | BS | 1.77 | R2 | 4-5 | 6-8 | | 0.96 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Lillian Peste' Lillian Peste Yak Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 0.55 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Looking Glass' Looking Glass Yak Rhododendron | BS | 1.33 | R2 | 4-5 | 6-8 | | 1.09 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Mardi Gras' Mardi Gras Yak Rhododendron | BS | 1.27 | R2 | 4-5 | 6-8 | | 0.94 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Marlene Peste' Marlene Peste Yak Rhododendron | BS | 1.01 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Martha Peste' Martha Peste Yak Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Mist Maiden' Mist Maiden Yak Rhododendron | BS | 1.38 | R2 | 4-5 | 6-8 | | 1.14 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Morning Cloud' Morning Cloud Yak Rhododendron | BS | 1.38 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Noble Mountain' Noble Mountain Yak Rhododendron | BS | 1.90 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Percy Wiseman' Percy Wiseman Yak Rhododendron | BS | 1.48 | R2 | 4-5 | 6-8 | | 0.92 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Picote' Picote Yak Rhododendron | BS | 0.64 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Pink Parasol' Pink Parasol Yak Rhododendron | BS | 1.22 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Pirouette' Pirouette Yak Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Polaris' Polaris Yak Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Proposal' Proposal Yak Rhododendron | BS | 1.14 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Queen Alice' Queen Alice Yak Rhododendron | BS | 1.21 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Rosy Dream' Rosy Dream Yak Rhododendron | BS | 1.12 | R2 | 4-5 | 6-8 | | 1.01 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Senorita Cheri' Senorita Cheri Yak Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Shrimp Girl' Shrimp Girl Yak Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Silver Sixpence' Silver Sixpence Yak Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 0.99 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Skookum' Skookum Yak Rhododendron | BS | 1.31 | R2 | 4-5 | 6-8 | | 0.90 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Skookumchuck' Skookumchuck Yak Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Sneezy' Sneezy Yak Rhododendron | BS | 1.56 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Solidarity' Solidarity Yak Rhododendron | BS | 1.31 | R2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Sonatine' Sonatine Yak Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Sunrise' Sunrise Yak Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 1.09 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Surrey Heath' Surrey Heath Yak Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Tea Party' Tea Party Yak Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Teddy Bear' Teddy Bear Yak Rhododendron | BS | 1.22 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Titian Beauty' Titian Beauty Yak Rhododendron | BS | 1.45 | R2 | 4-5 | 6-8 | | 1.18 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Yaku 291' Yaku 291 Yak Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Yaku Angel' Yaku Angel Yak Rhododendron | BS | 1.22 | R2 | 4-5 | 6-8 | | 1.09 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Yaku Duchess' Yaku Duchess Yak Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Yaku Duke' Yaku Duke Yak Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 0.99 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Yaku King' Yaku King Yak Rhododendron | BS | 1.29 | R2 | 4-5 | 6-8 | | 1.12 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Yaku Princess' Yaku Princess Yak Rhododendron | BS | 1.44 | R2 | 4-5 | 6-8 | | 0.96 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Yaku Prince' Yaku Prince Yak Rhododendron | BS | 1.23 | R2 | 4-5 | 6-8 | | 0.97 | 5 |
| <i>Rhododendron degronianum</i> ssp. <i>yakushmanum</i> 'Yaku Queen' Yaku Queen Yak Rhododendron | BS | 1.45 | R2 | 4-5 | 6-8 | | 0.79 | 5 |
| <i>Rhododendron drumonium</i> See - <i>Rhododendron telmateium</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rhododendron flammeum</i> Oconee Azalea | DS | 0.84 | R1 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Rhododendron flammeum</i> 'Hazel Hamilton' Hazel Hamilton Oconee Deciduous Azalea | DS | 0.84 | R1 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Rhododendron formosum</i> Redstripe Rhododendron | BS | 1.24 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Rhododendron hippophaeoides</i> Seabuckthron Rhododendron | BS | 0.77 | R2 | 4-5 | 6-8 | | 0.71 | 5 |
| <i>Rhododendron hippophaeoides</i> 'Haba Shan' Haba Shan Rhododendron | BS | 0.77 | R2 | 4-5 | 6-8 | | 0.71 | 5 |
| <i>Rhododendron impeditum</i> Cloudland Rhododendron | BS | 1.26 | R2 | 3-4 | 5-8 | | 0.89 | 4 |
| <i>Rhododendron impeditum</i> 'Melrose' Melrose Cloudland Rhododendron | BS | 1.34 | R2 | 3-4 | 5-8 | | 0.89 | 4 |
| <i>Rhododendron impeditum</i> 'Moerheim' Moerheim Cloudland Rhododendron | BS | 1.41 | R2 | 3-4 | 5-8 | | 0.89 | 4 |
| <i>Rhododendron indicum</i> No Common Name Found | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rhododendron indicum</i> 'Balsaminiflorum' Balsaminiflorum Evergreen Azalea | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rhododendron intricatum</i> Intricatum Rhododendron | BS | 0.68 | R2 | 4-5 | 6-8 | | 0.67 | 5 |
| <i>Rhododendron kaempferi</i> Evergreen Azalea | BS | 0.77 | R2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Rhododendron keiskei</i> Keisk Rhododendron | BS | 0.68 | R2 | 4-5 | 6-8 | | 0.67 | 5 |
| <i>Rhododendron keleticum</i> See - <i>Rhododendron calostrotum</i> ssp. <i>keleticum</i> | | | | | | | | |
| <i>Rhododendron kiusianum</i> Kiusianum Azalea | BS | 0.95 | R2 | 4-6 | 7-8 | | 0.71 | 6 |
| <i>Rhododendron kiusianum</i> 'Album' White Kiusianum Azalea | BS | 1.48 | R2 | 4-6 | 7-8 | | 0.71 | 6 |
| <i>Rhododendron kiusianum</i> 'Kokonoe' Kokonoe Kiusianum Evergreen Azalea | BS | 1.14 | R2 | 4-6 | 7-8 | | 0.71 | 6 |
| <i>Rhododendron kiusianum</i> 'Komokulshan' Komokulshan Kiusianum Azalea | BS | 0.99 | R2 | 4-6 | 7-8 | | 0.71 | 6 |
| <i>Rhododendron kiusianum</i> 'Mangetsu' Mangetsu Kiusianum Evergreen Azalea | BS | 1.14 | R2 | 4-6 | 7-8 | | 0.71 | 6 |
| <i>Rhododendron kiusianum</i> 'Murasuki Shikibu' Murasuki Shikibu Kiusianum Azalea | BS | 1.14 | R2 | 4-6 | 7-8 | | 0.71 | 6 |
| <i>Rhododendron x kosteranum</i> Mollis Hybrid Azalea | BS | 1.67 | R2 | 3-4 | 5-8 | | 2.40 | 4 |
| <i>Rhododendron x laetevirens</i> Wilson Rhododendron | BS | 2.01 | R2 | 4-5 | 6-8 | | 1.08 | 5 |
| <i>Rhododendron laetum</i> Cream Rhododendron | BS | 1.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Rhododendron laetum</i> 'Zoelleri' Zoeller Cream Rhododendron | BS | 1.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Rhododendron lapponicum</i> Lapland Rhododendron | BS | 1.00 | R2 | | 3-8 | | 1.00 | 2 |
| <i>Rhododendron luteum</i> Pontic Azalea | BS | 0.74 | R2 | 4-5 | 6-8 | | 0.63 | 5 |
| <i>Rhododendron macrophyllum</i> Coast Rhododendron | BS | 0.76 | R2 | 4-6 | 7-8 | | 0.63 | 6 |
| <i>Rhododendron macrosepalum</i> Spider Azalea | BS | 0.64 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rhododendron macrosepalum</i> 'Koromo Shikibu' Koromo Shikibu Evergreen Azalea | BS | 0.64 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rhododendron macrosepalum</i> 'Linearifolium' Linearifolium Spider Azalea | BS | 0.64 | R2 | 5-7 | 8 | | 1.00 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rhododendron maximum</i> Rosebay Rhododendron | BS | 1.34 | R2 | 3 | 4-8 | | 0.85 | 3 |
| <i>Rhododendron maximum</i> var. <i>roseum</i> Pink Rosebay Rhododendron | BS | 1.60 | R2 | 3 | 4-8 | | 1.21 | 3 |
| <i>Rhododendron minus</i> Piedmont Rhododendron | BS | 0.82 | R2 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Rhododendron mucronulatum</i> Korean Rhododendron | BS | 1.40 | R2 | 3-4 | 5-8 | | 1.10 | 4 |
| <i>Rhododendron mucronulatum</i> 'Cama' Cama Korean Rhododendron | BS | 1.46 | R2 | 3-4 | 5-8 | | 1.10 | 4 |
| <i>Rhododendron mucronulatum</i> 'Cornell Pink' Cornell Pink Korean Rhododendron | BS | 1.68 | R2 | 3-4 | 5-8 | | 1.15 | 4 |
| <i>Rhododendron mucronulatum</i> 'Crater's Edge' Crater's Edge Korean Rhododendron | BS | 1.31 | R2 | 3-4 | 5-8 | | 1.05 | 4 |
| <i>Rhododendron mucronulatum</i> 'Mahogany Red' Mahogany Red Korean Rhododendron | BS | 1.46 | R2 | 3-4 | 5-8 | | 1.10 | 4 |
| <i>Rhododendron x myrtifolium</i> Myrtle Rhododendron | BS | 1.43 | R2 | 4-5 | 6-8 | | 0.94 | 5 |
| <i>Rhododendron myrtilloides</i> See - <i>Rhododendron campylogynum</i> | | | | | | | | |
| <i>Rhododendron nakahari</i> No Common Name Found | BS | 1.00 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rhododendron nakahari</i> 'Pink ES' Pink ES Dwarf Evergreen Azalea | BS | 1.00 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rhododendron nudiflorum</i> See - <i>Rhododendron periclymenoides</i> | | | | | | | | |
| <i>Rhododendron oblongifolium</i> Texas Azalea | BS | 0.82 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rhododendron obtusum</i> Hiryu Azalea | BS | 1.00 | R2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Rhododendron occidentale</i> Western Azalea | DS | 0.82 | R2 | 4-6 | 7-8 | | 1.39 | 6 |
| <i>Rhododendron occidentale</i> 'Leonard Frisbie' Leonard Frisbie Western Azalea | DS | 0.82 | R2 | 4-6 | 7-8 | | 1.39 | 6 |
| <i>Rhododendron orbiculare</i> Globe Rhododendron | BS | 0.68 | R2 | 4-6 | 7-8 | | 0.67 | 6 |
| <i>Rhododendron pemakoense</i> No Common Name Found | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rhododendron periclymenoides</i> Pinxterbloom Deciduous Azalea | DS | 1.12 | R1 | 3 | 4-8 | | 2.43 | 3 |
| <i>Rhododendron ponticum</i> Ponticum Rhododendron | BS | 1.03 | R2 | 4-6 | 7-8 | | 0.94 | 6 |
| <i>Rhododendron ponticum</i> 'Variegatum' Variegated Ponticum Rhododendron | BS | 1.03 | R2 | 4-6 | 7-8 | | 0.94 | 6 |
| <i>Rhododendron prinophyllum</i> Roseshell Deciduous Azalea | DS | 1.33 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rhododendron protistum</i> No Common Name Found | BS | 1.00 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Rhododendron protistum</i> var. <i>giganteum</i> Giganteum Rhododendron | BS | 1.28 | R2 | 5-8 | | | 1.09 | 8 |
| <i>Rhododendron prunifolium</i> Plumleaf Azalea | DS | 1.07 | R2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Rhododendron pseudochrysanthemum</i> Chrysanthemum Rhododendron | BS | 1.45 | R2 | 4-6 | 7-8 | | 1.18 | 6 |
| <i>Rhododendron pseudochrysanthemum</i> 'Ben Nelson Form' Ben Nelson Form Chrysanthemum Rhododendron | BS | 1.45 | R2 | 4-6 | 7-8 | | 1.18 | 6 |
| <i>Rhododendron racemosum</i> Racemed Evergreen Rhododendron | BS | 1.54 | R2 | 4-6 | 7-8 | | 1.00 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container SK | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|---|-----------|--------|-----------------|--------------|---------|------------------------|-----------|---------------|
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Rhododendron racemosum</i> 'Rock Rose' Rock Rose Racemed Evergreen Rhododendron | BS | 1.54 | R2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Rhododendron radicans</i> See - <i>Rhododendron calostrotum</i> ssp. <i>keleticum</i> 'Radicans Group' | | | | | | | | |
| <i>Rhododendron roseum</i> See - <i>Rhododendron prinophyllum</i> | | | | | | | | |
| <i>Rhododendron rubiginosum</i> Rubiginosum Rhododendron | BE | 1.00 | R2 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Rhododendron russatum</i> Royal Alp Rhododendron | BS | 1.00 | R2 | 4-5 | 6-8 | | 0.93 | 5 |
| <i>Rhododendron scabrum</i> Luchu Azalea | BS | 0.43 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Rhododendron schlippenbachii</i> Royal Deciduous Azalea | DS | 1.24 | R1 | 3-4 | 5-8 | | 1.57 | 4 |
| <i>Rhododendron serrulatum</i> Sweet Azalea | BS | 0.89 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rhododendron simsii</i> Sims Azalea | BS | 0.67 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Rhododendron simsii</i> 'Vittatum' Vittatum Sims Azalea | BS | 0.59 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Rhododendron smirnowii</i> Smirnow Rhododendron | BS | 0.58 | R2 | 3-4 | 5-8 | | 0.60 | 4 |
| <i>Rhododendron sublaceolatum</i> See - <i>Rhododendron scabrum</i> | | | | | | | | |
| <i>Rhododendron telmateium</i> Woodelf Rhododendron | BS | 1.00 | R2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Rhododendron trichostomum</i> No Common Name Found | BS | 0.77 | R2 | 4-6 | 7-8 | | 0.71 | 6 |
| <i>Rhododendron trichostomum</i> 'Rae Berry' Rae Berry Rhododendron | BS | 0.77 | R2 | 4-6 | 7-8 | | 0.71 | 6 |
| <i>Rhododendron vaseyi</i> Pinkshell Deciduous Azalea | DS | 1.92 | R1 | 3-4 | 5-8 | | 1.75 | 4 |
| <i>Rhododendron viscosum</i> Swamp Deciduous Azalea | DS | 1.11 | R1 | 3 | 4-8 | | 2.31 | 3 |
| <i>Rhododendron viscosum</i> 'Diorama' Diorama Swamp Deciduous Azalea | DS | 1.73 | R1 | 3 | 4-8 | | 2.57 | 3 |
| <i>Rhododendron viscosum</i> 'Jolie Madame' Jolie Madame Swamp Deciduous Azalea | DS | 1.73 | R1 | 3-4 | 5-8 | | 2.44 | 4 |
| <i>Rhododendron viscosum</i> 'Pink Mist' Pink Mist Swamp Deciduous Azalea | DS | 2.34 | R1 | 3 | 4-8 | | 2.44 | 3 |
| <i>Rhododendron williamsianum</i> Williams Rhododendron | BS | 0.73 | R2 | 5-7 | 8 | | 0.70 | 7 |
| <i>Rhododendron williamsianum</i> 'Brickdust' Brickdust Rhododendron | BS | 0.73 | R2 | 4-6 | 7-8 | | 0.70 | 6 |
| <i>Rhododendron yedoense</i> var. <i>poukhanense</i> Korean Deciduous Azalea | DS | 0.94 | R1 | 4-5 | 6-8 | | 2.78 | 5 |
| <i>Rhododendron yedoense</i> var. <i>poukhanense</i> 'Compacta' Compact Korean Deciduous Azalea | DS | 1.04 | R1 | 4-5 | 6-8 | | 1.50 | 5 |
| <i>Rhododendron yedoense</i> var. <i>poukhanense</i> 'Kelly Marie' Kelly Marie Deciduous Azalea | DS | 0.76 | R1 | 4-5 | 6-8 | | 2.14 | 5 |
| <i>Rhododendron yedoense</i> var. <i>poukhanense</i> 'Kimberly's Double Pink' Kimberly's Double Pink Korean Deciduous Azalea | DS | 1.03 | R1 | 4-5 | 6-8 | | 2.14 | 5 |
| <i>Rhododendron yedoense</i> var. <i>poukhanense</i> 'Sweet Sixteen' P.P.A.F. Sweet Sixteen Korean Deciduous Azalea | DS | 1.05 | R1 | 4-5 | 6-8 | | 2.14 | 5 |
| <i>Rhododendron yungningense</i> Yungningense Rhododendron | BS | 1.00 | R2 | 4-6 | 7-8 | | 1.00 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Rhodohypoxis baurii</i> Red Star | HP | 0.89 | R2 | 5-8 | | | |
| <i>Rhodohypoxis baurii</i> 'Alba' White Red Star | HP | 0.97 | R2 | 5-8 | | | |
| <i>Rhodohypoxis baurii</i> 'Douglas' Douglas Red Star | HP | 0.97 | R2 | 5-8 | | | |
| <i>Rhodohypoxis baurii</i> 'Great Scott' Great Scott Red Star | HP | 1.03 | R2 | 5-8 | | | |
| <i>Rhodohypoxis baurii</i> 'Pictus' Pictus Red Star | HP | 1.03 | R2 | 5-8 | | | |
| <i>Rhodohypoxis baurii</i> 'Pintado' Pintado Red Star | HP | 1.03 | R2 | 5-8 | | | |
| <i>Rhodohypoxis baurii</i> 'Ruth' Ruth Red Star | HP | 0.97 | R2 | 5-8 | | | |
| <i>Rhodohypoxis baurii</i> 'Tetra Pink' Tetra Pink Red Star | HP | 0.97 | R2 | 5-8 | | | |
| <i>Rhodohypoxis baurii</i> 'Tetra Red' Tetra Red Red Star | HP | 0.87 | R2 | 5-8 | | | |
| <i>Rhodohypoxis baurii</i> 'Tetra White' Tetra White Red Star | HP | 0.97 | R2 | 5-8 | | | |
| <i>Rhodohypoxis baurii</i> var. <i>platypetala</i> Platypetala Red Star | HP | 1.03 | R2 | 5-8 | | | |
| <i>Rhodophiala bifida</i> No Common Name Found | HP | 1.51 | R2 | 5-8 | | | |
| <i>Rhodora canadense</i> See - <i>Rhododendron canadense</i> | | | | | | | |
| <i>Rhodotypos scandens</i> Jetbead | DS | 1.28 | R1 | 4-5 | 6-8 | 0.55 | 5 |
| <i>Rhoeo spathacea</i> See - <i>Tradescantia spathacea</i> | | | | | | | |
| <i>Rhus aromatica</i> Fragrant Sumac | DS | 1.07 | R1 | 3 | 4-8 | 0.64 | 3 |
| <i>Rhus aromatica</i> 'Green Globe' Green Globe Fragrant Sumac | DS | 1.06 | R1 | 3 | 4-8 | 0.83 | 3 |
| <i>Rhus aromatica</i> 'Gro-Low' Gro-Low Fragrant Sumac | DS | 1.05 | R1 | 3 | 4-8 | 1.02 | 3 |
| <i>Rhus aromatica</i> 'Konza' Konza Fragrant Sumac | DS | 1.06 | R1 | 3 | 4-8 | 0.83 | 3 |
| <i>Rhus chinensis</i> Chinese Sumac | DS | 0.72 | R1 | 5-8 | | 1.00 | 8 |
| <i>Rhus chinensis</i> 'September Beauty' September Beauty Chinese Sumac | DS | 0.72 | R1 | 5-8 | | 1.00 | 8 |
| <i>Rhus copallina</i> Dwarf Sumac | DS | 0.73 | R1 | 3-4 | 5-8 | 0.25 | 4 |
| <i>Rhus copallina</i> var. <i>latifolia</i> No Common Name Found | DS | 0.83 | R1 | 4-5 | 6-8 | 1.00 | 5 |
| <i>Rhus copallina</i> var. <i>latifolia</i> 'Morton' Prairie Flame™ Shining Sumac | DS | 1.18 | R1 | 4-5 | 6-8 | 1.00 | 5 |
| <i>Rhus copallina</i> var. <i>latifolia</i> 'Prairie Flame' See - <i>Rhus copallina</i> var. <i>latifolia</i> 'Morton' | | | | | | | |
| <i>Rhus glabra</i> Smooth Sumac | DS | 0.86 | R1 | | 3-8 | 0.50 | 2 |
| <i>Rhus glabra</i> 'Laciniata' Cutleaf Smooth Sumac | DS | 1.11 | R1 | | 3-8 | 0.50 | 2 |
| <i>Rhus glabra</i> 'Morden' Morden Smooth Sumac | DS | 0.99 | R1 | | 3-8 | 0.50 | 2 |
| <i>Rhus glabra</i> var. <i>cismontana</i> Rocky Mountain Smooth Sumac | DS | 0.98 | R1 | | 3-8 | 0.39 | 2 |
| <i>Rhus integrifolia</i> Lemonade Sumac | BS | 1.40 | R2 | 7-8 | | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rhus kearneyi</i> Kearney's Sumac | BS | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Rhus lancea</i> South African Sumac | BE | 0.98 | R2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Rhus lanceolata</i> Prairie Sumac | BS | 0.87 | R2 | 5-8 | | | 1.00 | 6 |
| <i>Rhus ovata</i> Sugar Sumac | BS | 0.84 | R2 | 6-8 | | | 1.00 | 6 |
| <i>Rhus trilobata</i> Skunkbush Sumac | DS | 0.91 | R1 | 3-4 | 5-8 | | 1.62 | 4 |
| <i>Rhus typhina</i> Staghorn Sumac | DS | 0.96 | R1 | 3 | 4-8 | | 0.65 | 3 |
| <i>Rhus typhina</i> 'Bailtiger' Tiger Eyes Staghorn Sumac | DS | 1.35 | R1 | 3 | 4-8 | | 0.78 | 3 |
| <i>Rhus typhina</i> 'Dissecta' Dissecta Staghorn Sumac | DS | 0.58 | R1 | 3 | 4-8 | | 0.80 | 3 |
| <i>Rhus typhina</i> 'Laciniata' Cutleaf Staghorn Sumac | DS | 1.05 | R1 | 3 | 4-8 | | 0.98 | 3 |
| <i>Rhus typhina</i> 'Tiger Eyes' See - <i>Rhus typhina</i> 'Bailtiger' | | | | | | | | |
| <i>Rhus virens</i> Evergreen Sumac | BS | 1.10 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Rhynchelytrum nerviglume</i> See - <i>Melinis nerviglumis</i> 'Savannah' | | | | | | | | |
| <i>Rhynchospermum asiaticum</i> See - <i>Trachelospermum asiaticum</i> | | | | | | | | |
| <i>Rhynchospermum jasminoides</i> See - <i>Trachelospermum jasminoides</i> | | | | | | | | |
| <i>Rhynchospora colorata</i> White Top Sedge | HP | 0.76 | R2 | 5-7 | 8 | | | |
| <i>Rhynchospora latifolia</i> Sandswamp White-top Sedge | HP | 1.46 | R2 | 5-7 | 8 | | | |
| <i>Ribes</i> No Common Name Found | DS | 0.55 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Ribes</i> 'Black Velvet' Black Velvet Gooseberry | DS | 0.55 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Ribes</i> 'Josta Berry' See - <i>Ribes x culverwellii</i> | | | | | | | | |
| <i>Ribes</i> 'Orus 7' Tasti-Berry Gooseberry | DS | 0.55 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Ribes</i> 'Tasti-Berry' See - <i>Ribes</i> 'Orus 7' | | | | | | | | |
| <i>Ribes alpinum</i> Alpine Currant | DS | 0.90 | R1 | | 3-7 | | 0.82 | 2 |
| <i>Ribes alpinum</i> 'Aureum' Yellowleaf Dwarf Alpine Currant | DS | 1.03 | R1 | | 3-7 | | 0.97 | 2 |
| <i>Ribes alpinum</i> 'Europa' European Alpine Currant | DS | 0.83 | R1 | | 3-7 | | 0.97 | 2 |
| <i>Ribes alpinum</i> 'Green Jeans' See - <i>Ribes alpinum</i> 'Spreg' | | | | | | | | |
| <i>Ribes alpinum</i> 'Green Mound' Green Mound Alpine Currant | DS | 1.01 | R1 | | 3-7 | | 1.37 | 2 |
| <i>Ribes alpinum</i> 'Pumilum' Early Alpine Currant | DS | 0.95 | R1 | | 3-7 | | 0.97 | 2 |
| <i>Ribes alpinum</i> 'Spreg' Green Jeans™ Alpine Currant | DS | 0.99 | R1 | | 3-8 | | 0.71 | 2 |
| <i>Ribes aureum</i> Golden Currant | SF | 0.92 | R1 | | 3-8 | | 1.09 | 2 |
| <i>Ribes aureum</i> var. <i>gracillimum</i> California Golden Currant | SF | 0.67 | R1 | | 3-8 | | 1.00 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Ribes aureum</i> var. <i>villosum</i> Clove Currant | SF | 0.83 | R1 | 4-5 | 6-8 | | 0.67 | 5 |
| <i>Ribes aureum</i> var. <i>villosum</i> 'Crandall' Crandall Clove Currant | SF | 0.83 | R1 | 4-5 | 6-8 | | 0.67 | 5 |
| <i>Ribes bracteosum</i> Stink Currant | SF | 0.61 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Ribes californicum</i> California Currant | DS | 0.83 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Ribes cereum</i> Squaw Currant | DS | 1.52 | R1 | 3-4 | 5-8 | | 2.73 | 4 |
| <i>Ribes xculverwellii</i> Jostaberry | DS | 0.53 | R1 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Ribes divaricatum</i> Straggly Gooseberry | DS | 0.66 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Ribes hirtellum</i> Hairystem Gooseberry | SF | 0.88 | R1 | 3-4 | 5-8 | | 3.71 | 4 |
| <i>Ribes hirtellum</i> 'Hinnomaki Red' Hinnomaki Red Gooseberry | SF | 0.85 | R1 | 3-4 | 5-8 | | 3.71 | 4 |
| <i>Ribes hirtellum</i> 'Hinnomaki Yellow' Hinnomaki Yellow Gooseberry | SF | 0.85 | R1 | 3-4 | 5-8 | | 3.71 | 4 |
| <i>Ribes hirtellum</i> 'Oregon Champion' Oregon Champion Gooseberry | SF | 0.89 | R1 | 3-4 | 5-8 | | 3.71 | 4 |
| <i>Ribes hirtellum</i> 'Pixwell' Pixwell Gooseberry | SF | 0.79 | R1 | 3-4 | 5-8 | | 3.71 | 4 |
| <i>Ribes indecorum</i> White-flowered Currant | DS | 0.60 | R1 | 5-7 | 8 | | 1.00 | 5 |
| <i>Ribes lacustre</i> Swamp Gooseberry | DS | 0.53 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Ribes malvaceum</i> Chaparral Currant | DS | 0.81 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Ribes nigrum</i> Black Currant | SF | 0.73 | R1 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Ribes nigrum</i> 'Alagan' Alagan Black Currant | SF | 0.85 | R1 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Ribes nigrum</i> 'Boskoop Giant' Boskoop Giant Black Currant | SF | 0.73 | R1 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Ribes nigrum</i> 'Crusader' Crusader Black Currant | SF | 0.61 | R1 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Ribes nigrum</i> 'Minaj Smeriou' See - <i>Ribes nigrum</i> 'Minaj Smyriov' | | | | | | | | |
| <i>Ribes nigrum</i> 'Minaj Smyriov' Minaj Smyriov Black Currant | SF | 0.73 | R1 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Ribes nigrum</i> 'Swedish Black' Swedish Black Currant | SF | 0.73 | R1 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Ribes odoratum</i> See - <i>Ribes aureum</i> var. <i>villosum</i> | | | | | | | | |
| <i>Ribes odoratum</i> 'Crandall' See - <i>Ribes aureum</i> var. <i>villosum</i> 'Crandall' | | | | | | | | |
| <i>Ribes praecox</i> 'Jonkheer van Tets' See - <i>Ribes rubrum</i> 'Jonkheer van Tets' | | | | | | | | |
| <i>Ribes rubrum</i> Red Currant | SF | 1.00 | R1 | 3-5 | 6-8 | | 1.00 | 3 |
| <i>Ribes rubrum</i> 'Jonkheer van Tets' Jonkheer van Tets Red Currant | SF | 1.00 | R1 | 3-5 | 6-8 | | 1.00 | 3 |
| <i>Ribes sanguineum</i> Winter Currant | DS | 0.79 | R1 | 4-6 | 7-8 | | 0.91 | 6 |
| <i>Ribes sanguineum</i> 'Album' White Winter Currant | DS | 0.89 | R1 | 4-6 | 7-8 | | 0.72 | 6 |
| <i>Ribes sanguineum</i> 'Barrie Coate' Barrie Coate Winter Currant | DS | 0.83 | R1 | 4-6 | 7-8 | | 0.72 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Ribes sanguineum</i> 'Brocklebankii' Brocklebank Winter Currant | DS | 1.01 | R1 | 4-6 | 7-8 | | 0.72 | 6 |
| <i>Ribes sanguineum</i> 'Claremont' Claremont Winter Currant | DS | 0.74 | R1 | 4-6 | 7-8 | | 0.72 | 6 |
| <i>Ribes sanguineum</i> 'Elk River Red' Elk River Red Winter Currant | DS | 0.79 | R1 | 4-6 | 7-8 | | 0.72 | 6 |
| <i>Ribes sanguineum</i> 'King Edward VII' King Edward VII Winter Currant | DS | 1.12 | R1 | 4-6 | 7-8 | | 0.53 | 6 |
| <i>Ribes sanguineum</i> 'Pokey's Pink' Pokey's Pink Winter Currant | DS | 0.89 | R1 | 4-6 | 7-8 | | 0.72 | 6 |
| <i>Ribes sanguineum</i> 'Pulborough Scarlet' Pulborough Scarlet Winter Currant | DS | 1.05 | R1 | 4-6 | 7-8 | | 0.72 | 6 |
| <i>Ribes sanguineum</i> 'Spring Showers' Spring Showers Winter Currant | DS | 0.71 | R1 | 4-6 | 7-8 | | 0.72 | 6 |
| <i>Ribes sanguineum</i> 'Spring Snow' Spring Snow Winter Currant | DS | 0.89 | R1 | 4-6 | 7-8 | | 0.72 | 6 |
| <i>Ribes sanguineum</i> 'White Icicle' White Icicle Winter Currant | DS | 0.93 | R1 | 4-6 | 7-8 | | 0.72 | 6 |
| <i>Ribes sativum</i> See - <i>Ribes silvestre</i> | | | | | | | | |
| <i>Ribes silvestre</i> Red Currant | SF | 0.88 | R1 | 3 | 4-8 | | 3.65 | 3 |
| <i>Ribes silvestre</i> 'Cherry' Cherry Red Currant | SF | 0.88 | R1 | 3 | 4-8 | | 3.65 | 3 |
| <i>Ribes silvestre</i> 'Perfection' Perfection Common Currant | SF | 0.88 | R1 | 3 | 4-8 | | 3.93 | 3 |
| <i>Ribes silvestre</i> 'Red Lake' Red Lake Common Currant | SF | 0.81 | R1 | 3 | 4-8 | | 3.37 | 3 |
| <i>Ribes silvestre</i> 'Wilder' Wilder Common Currant | SF | 0.94 | R1 | 3 | 4-8 | | 3.65 | 3 |
| <i>Ribes speciosum</i> Pink-flowering Gooseberry | BS | 0.88 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Ribes triste</i> American Red Currant | SF | 1.00 | R1 | | 3-8 | | 1.26 | 2 |
| <i>Ribes triste</i> 'Holland Long Bunch' Holland Long Bunch Red Currant | SF | 1.00 | R1 | | 3-8 | | 1.26 | 2 |
| <i>Ribes triste</i> 'White Imperial' White Imperial Red Currant | SF | 1.00 | R1 | | 3-8 | | 1.26 | 2 |
| <i>Ribes uva-crispa</i> European Gooseberry | SF | 0.63 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Ribes uva-crispa</i> 'Red Jacket' Red Jacket European Gooseberry | SF | 0.63 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Ribes viburnifolium</i> Catalina Currant | BS | 0.81 | R2 | 8 | | | 1.00 | 9 |
| <i>Rivina humilis</i> Rouge Plant | HP | 0.63 | R2 | 7-8 | | | | |
| <i>Robinia</i> Locust | DT | 1.25 | R1 | 3 | 4-8 | 1.22 | 1.00 | 3 |
| <i>Robinia</i> 'Idaho' Idaho Locust | DT | 1.25 | R1 | 3 | 4-8 | 1.22 | 1.00 | 3 |
| <i>Robinia x ambigua</i> Locust | DT | 1.00 | R1 | 3 | 4-8 | 1.00 | 1.00 | 3 |
| <i>Robinia hispida</i> Roseacacia | DS | 1.44 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Robinia hispida</i> 'Macrophylla' Smooth Roseacacia | DS | 1.44 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Robinia neomexicana</i> New Mexico Locust | DS | 1.13 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Robinia pseudoacacia</i> Black Locust | DT | 0.86 | R1 | 3 | 4-8 | 0.56 | 0.25 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Robinia pseudoacacia</i> 'Bessoniana' Bessoniana Black Locust | DT | 1.07 | R1 | 3 | 4-8 | 0.78 | 0.97 | 3 |
| <i>Robinia pseudoacacia</i> 'Frisia' Frisia Black Locust | DT | 1.10 | R1 | 3 | 4-8 | 0.98 | 0.97 | 3 |
| <i>Robinia pseudoacacia</i> 'Inermis' Thornless Black Locust | DT | 0.88 | R1 | 3 | 4-8 | 1.02 | 0.97 | 3 |
| <i>Robinia pseudoacacia</i> 'Lace Lady' P.P. 9771 Twisty Baby™ Black Locust | DT | 1.42 | R1 | 3 | 4-8 | 1.09 | 1.89 | 3 |
| <i>Robinia pseudoacacia</i> 'Purple Crown' P.P. 7731 Purple Crown Black Locust | DT | 1.12 | R1 | 3 | 4-8 | 1.02 | 0.97 | 3 |
| <i>Robinia pseudoacacia</i> 'Purple Robe' Purple Robe™ Black Locust | DT | 1.06 | R1 | 3 | 4-8 | 1.07 | 0.77 | 3 |
| <i>Robinia pseudoacacia</i> 'Pyramidalis' Pyramidal Black Locust | DT | 1.07 | R1 | 3 | 4-8 | 0.93 | 0.97 | 3 |
| <i>Robinia pseudoacacia</i> 'Twisty Baby' See - <i>Robinia pseudoacacia</i> 'Lace Lady' P.P. 9771 | | | | | | | | |
| <i>Robinia pseudoacacia</i> 'Umbraculifera' Mushroom Black Locust | DT | 1.07 | R1 | 3 | 4-8 | 0.95 | 0.97 | 3 |
| <i>Rodgersia aesculifolia</i> Fingerleaf Rodgersia | HP | 1.18 | R1 | 4-5 | 6-8 | | | |
| <i>Rodgersia henrici</i> No Common Name Found | HP | 1.19 | R1 | 4-5 | 6-8 | | | |
| <i>Rodgersia pinnata</i> Featherleaf Rodger's Flower | HP | 1.22 | R1 | 4-5 | 6-8 | | | |
| <i>Rodgersia pinnata</i> 'Alba' White Featherleaf Rodger's Flower | HP | 1.40 | R1 | 4-5 | 6-8 | | | |
| <i>Rodgersia pinnata</i> 'Chocolate Wings' P.P.A.F. Chocolate Wings Rodger's Flower | HP | 1.07 | R1 | 4-5 | 6-8 | | | |
| <i>Rodgersia pinnata</i> 'Elegans' Elegans Featherleaf Rodger's Flower | HP | 1.21 | R1 | 4-5 | 6-8 | | | |
| <i>Rodgersia pinnata</i> 'Fireworks' P.P.A.F. Fireworks Featherleaf Rodger's Flower | HP | 2.22 | R1 | 4-5 | 6-8 | | | |
| <i>Rodgersia pinnata</i> 'Superba' Superba Featherleaf Rodger's Flower | HP | 1.28 | R1 | 4-5 | 6-8 | | | |
| <i>Rodgersia podophylla</i> Bronzeleaf Rodger's Flower | HP | 1.00 | R1 | 4-5 | 6-8 | | | |
| <i>Rodgersia sambucifolia</i> No Common Name Found | HP | 1.22 | R1 | 4-5 | 6-8 | | | |
| <i>Rodgersia tabularis</i> See - <i>Astilboides tabularis</i> | | | | | | | | |
| <i>Rodriguezia lehmannii</i> No Common Name Found | FO | 1.00 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Rohdea japonica</i> Sacred Lily | HP | 1.58 | R2 | 5-7 | 8 | | | |
| <i>Rohdea japonica</i> 'Miyako No Jo' Miyako No Jo Sacred Lily | HP | 3.60 | R2 | 5-7 | 8 | | | |
| <i>Romneya coulteri</i> Matilija Poppy | HP | 1.31 | R2 | 5-7 | 8 | | | |
| <i>Romneya coulteri</i> var. <i>trichocalyx</i> No Common Name Found | HP | 1.15 | R2 | 5-7 | 8 | | | |
| <i>Romneya coulteri</i> var. <i>trichocalyx</i> 'White Cloud' White Cloud Matilija Poppy | HP | 0.83 | R2 | 5-7 | 8 | | | |
| <i>Rosa</i> Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| <i>Rosa</i> 'A Shropshire Lad' See - <i>Rosa</i> 'AUSled' P.P. 10607 | | | | | | | | |
| <i>Rosa</i> 'AC De Montarville' P.P. 11635 De Montarville Kordesii Shrub Rose | RO | 0.93 | R1 | 3 | 4-8 | | 1.30 | 3 |
| <i>Rosa</i> 'AC Marie-Victorin' P.P. 11650 Marie Victorin Shrub Rose | RO | 1.34 | R1 | 3 | 4-8 | | 1.30 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| Rosa 'AC William Booth' William Booth Shrub Rose | RO | 0.93 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Rosa 'ADHarman' Lasting Love™ Tea Rose | RO | 0.93 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Rosa 'ANGelsie' P.P. 15763 Lady Elsie May™ Shrub Rose | RO | 1.08 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'AROCad' P.P. 5168 Brandy™ Hybrid Tea Rose | RO | 0.67 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'AROcharm' Origami Floribunda Rose | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'AROmiclea' P.P. 6121 Voodoo™ Hybrid Tea Rose | RO | 0.85 | R1 | 3-6 | 7-8 | | 1.30 | 6 |
| Rosa 'AROpiumi' Fragrant Plum Grandiflora Rose | RO | 1.06 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'ARoyqueli' P.P. 5177 Gold Medal® Grandiflora Rose | RO | 0.49 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'AUSbite' P.P. 14973 Spirit of Freedom™ English Rose | RO | 1.13 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'AUSbloom' P.P. 8677 The Dark Lady Shrub Rose | RO | 1.06 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'AUSblush' Heritage™ English Rose | RO | 1.14 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'AUSbonny' P.P. 16403 Wildevé™ English Rose | RO | 1.23 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'AUSbuss' English Garden™ English Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'AUSca' P.P.A.F. Fair Bianca® English Rose | RO | 1.13 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'AUScat' P.P. 8141 Winchester Cathedral™ English Rose | RO | 1.05 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'AUScot' P.P. 7215 Abraham Darby™ English Rose | RO | 1.12 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'AUScrim' P.P. 8154 L.D. Braithwaite™ English Rose | RO | 1.12 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'AUSencart' P.P.A.F. Benjamin Britten™ English Rose | RO | 1.11 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'AUSglobe' P.P. 8681 Brother Cadfael™ Shrub Rose | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'AUSgold' P.P. 8688 Golden Celebration™ English Rose | RO | 0.91 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'AUSland' P.P. 10969 Scepter'd Isle™ English Rose | RO | 1.00 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'AUSled' P.P. 10607 A Shropshire Lad™ Shrub Rose | RO | 1.07 | R1 | 3-6 | 7-8 | | 1.30 | 6 |
| Rosa 'AUSlevel' P.P. 8765 Glamis Castle™ English Rose | RO | 1.17 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'AUSli' Lilian Austin English Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'AUSlo' P.P. 7212 Othello™ English Rose | RO | 0.96 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'AUSmak' P.P. 9526 Eglantyne Shrub Rose | RO | 1.53 | R1 | 3-6 | 7-8 | | 1.30 | 6 |
| Rosa 'AUSmary' P.P.A.F. Mary Rose™ English Rose | RO | 1.12 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'AUSmas' Graham Thomas™ English Rose | RO | 1.10 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'AUSmol' P.P. 9524 Molineux™ English Rose | RO | 1.02 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'AUSmove' P.P.A.F. Tess d'Urbeville™ English Rose | RO | 1.03 | R1 | 4-6 | 7-8 | | 1.30 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| Rosa 'AUSmum' P.P. 9527 Pat Austin™ Shrub Rose | RO | 1.15 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Rosa 'AUSpeet' P.P. 13992 Charles Darwin™ English Rose | RO | 1.11 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'AUSpoly' P.P. 9008 Charlotte™ Shrub Rose | RO | 1.06 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'AUSromeo' P.P. 13993 William Shakespear™ English Rose | RO | 1.14 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'AUSsaucer' P.P. 8680 Evelyn™ English Rose | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'AUStamora' Tamora English Rose | RO | 1.12 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'AUSstilly' P.P.A.F. The Mayflower™ English Rose | RO | 1.10 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'AUSwonder' P.P. 8679 Ambridge Rose™ English Rose | RO | 1.11 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Abbaye de Cluny' See - Rosa 'MElbrinpay' P.P. 9609 | | | | | | | | |
| Rosa 'About Face' See - Rosa 'WEKosupalz' P.P. 17305 | | | | | | | | |
| Rosa 'Abraham Darby' See - Rosa 'AUScot' P.P. 7215 | | | | | | | | |
| Rosa 'Absolutely' See - Rosa 'SAValute' P.P. 11132 | | | | | | | | |
| Rosa 'Acadia Sunrise' See - Rosa 'BAIrise' | | | | | | | | |
| Rosa 'Acadia' See - Rosa 'POULymp' P.P. 16744 | | | | | | | | |
| Rosa 'Adelaide Hoodless' Adelaide Hoodless Shrub Rose | RO | 0.84 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Rosa 'Agnes' Agnes Rugosa Rose | RO | 0.94 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Rosa 'Alba Meidiland' See - Rosa 'MElflopan' P.P. 6891 | | | | | | | | |
| Rosa 'Alchemist' Alchemist Climbing Shrub Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Alexander Mackenzie' Alexander Mackenzie Shrub Rose | RO | 0.91 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Rosa 'All Ablaze' See - Rosa 'WEKsamsou' P.P. 13107 | | | | | | | | |
| Rosa 'All That Jazz' See - Rosa 'TWOadvance' P.P. 7978 | | | | | | | | |
| Rosa 'All The Rage' See - Rosa 'BAIrage' P.P.A.F. | | | | | | | | |
| Rosa 'Altissimo' Altissimo Climbing Rose | RO | 0.96 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Amalia' See - Rosa 'MEIcauf' P.P. 7718 | | | | | | | | |
| Rosa 'Ambassador' See - Rosa 'MEInuzeten' P.P. 4224 | | | | | | | | |
| Rosa 'Amber Flash' See - Rosa 'WILDak' P.P. 5271 | | | | | | | | |
| Rosa 'Amber Queen' Amber Queen Floribunda Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Ambridge Rose' See - Rosa 'AUSwonder' P.P. 8679 | | | | | | | | |
| Rosa 'America' America Climbing Rose | RO | 0.67 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Americana' Americana Hybrid Tea Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| Rosa 'Amy Grant' | | | | | | | | |
| See - Rosa 'TUCkamy' P.P. 12270 | | | | | | | | |
| Rosa 'Andie MacDowell' | | | | | | | | |
| See - Rosa 'MICandie' | | | | | | | | |
| Rosa 'Angel Face Climbing' | RO | 1.19 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Angel Face Climbing Rose | | | | | | | | |
| Rosa 'Angel Face' | RO | 0.97 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Angel Face Floribunda Rose | | | | | | | | |
| Rosa 'Anthony Meiland' | | | | | | | | |
| See - Rosa 'MElbaltaz' P.P. 8449 | | | | | | | | |
| Rosa 'Apricot Candy' | | | | | | | | |
| See - Rosa 'MElbedull' P.P.A.F. | | | | | | | | |
| Rosa 'April Moon' | RO | 1.17 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| April Moon Shrub Rose | | | | | | | | |
| Rosa 'Aristocrat' | | | | | | | | |
| See - Rosa 'SAVarist' | | | | | | | | |
| Rosa 'Arizona' | RO | 0.47 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Arizona Grandiflora Rose | | | | | | | | |
| Rosa 'Arlene Francis' | RO | 0.88 | R1 | 5-6 | 7-8 | | 1.30 | 6 |
| Arlene Francis Hybrid Tea Rose | | | | | | | | |
| Rosa 'Artistry' | | | | | | | | |
| See - Rosa 'JACirst' P.P. 10230 | | | | | | | | |
| Rosa 'Aspen' | | | | | | | | |
| See - Rosa 'POUlurt' P.P. 9637 | | | | | | | | |
| Rosa 'Aspirin' | | | | | | | | |
| See - Rosa 'TANiripsa' P.P.A.F. | | | | | | | | |
| Rosa 'Assininoine' | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Assininoine Shrub Rose | | | | | | | | |
| Rosa 'Auguste Renoir' | | | | | | | | |
| See - Rosa 'MEltoifar' P.P. 9564 | | | | | | | | |
| Rosa 'Aunt Honey' | RO | 0.84 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Aunt Honey Shrub Rose | | | | | | | | |
| Rosa 'Austrian Copper' | | | | | | | | |
| See - Rosa foetida var. bicolor | | | | | | | | |
| Rosa 'Autumn Sunblaze' | | | | | | | | |
| See - Rosa 'MElferjac' P.P. 9652 | | | | | | | | |
| Rosa 'Autumn Sunset' | RO | 1.06 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Autumn Sunset® Climbing Rose | | | | | | | | |
| Rosa 'BAIall' P.P.A.F. | RO | 1.09 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Great Wall Easy Elegance® Shrub Rose | | | | | | | | |
| Rosa 'BAIcent' P.P. 18102 | RO | 1.07 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Centennial Easy Elegance® Shrub Rose | | | | | | | | |
| Rosa 'BAIcer' P.P. 18097 | RO | 1.09 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Island Dancer Easy Elegance® Shrub Rose | | | | | | | | |
| Rosa 'BAIcker' P.P. 15737 | RO | 1.17 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Firecracker Easy Elegance® Shrub Rose | | | | | | | | |
| Rosa 'BAIcream' P.P. 15574 | RO | 0.98 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Macy's Pride™ Easy Elegance® Shrub Rose | | | | | | | | |
| Rosa 'BAIeam' P.P. 15736 | RO | 1.07 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| DayDream™ Shrub Rose | | | | | | | | |
| Rosa 'BAIeye' P.P. 16612 | RO | 1.07 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Golden Eye Easy Elegance® Shrub Rose | | | | | | | | |
| Rosa 'BAIface' P.P. 15753 | RO | 1.04 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Funny Face® Easy Elegance® Shrub Rose | | | | | | | | |
| Rosa 'BAIfairy' P.P. 16131 | RO | 1.18 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Mystic Fairy® Easy Elegance® Shrub Rose | | | | | | | | |
| Rosa 'BAIgirl' P.P.A.F. | RO | 1.21 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Easy Elegance® My Girl Shrub Rose | | | | | | | | |
| Rosa 'BAIhero' P.P. 15400 | RO | 1.13 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| My Hero Easy Elegance® Shrub Rose | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| Rosa 'BALief' P.P. 17196 Little Mischief Easy Elegance® Shrub Rose | RO | 1.08 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BALine' P.P. 16659 Yellow Submarine Easy Elegance® Shrub Rose | RO | 1.07 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BALing' P.P. 16993 Grandma's Blessing Easy Elegance® Shrub Rose | RO | 1.06 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BALkye' P.P. 16661 Sierra Skye Garden Jubilee™ Shrub Rose | RO | 1.09 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BALLena' Northern Accents™ Lena Shrub Rose | RO | 1.13 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BALLgance' Red Elegance Hybrid Tea Rose | RO | 1.24 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'BALnce' P.P.A.F. Sweet Fragrance Easy Elegance® Grandiflora Rose | RO | 1.03 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'BALnder' P.P. 15760 Hot Wonder Easy Elegance® Shrub Rose | RO | 1.09 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BALngo' P.P. 16505 Last Tango Garden Art™ Shrub Rose | RO | 1.06 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BALnial' Forty Heroes Floribunda Rose | RO | 1.24 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'BALoad' P.P. 19046 Yellow Brick Road Easy Elegance® Shrub Rose | RO | 1.20 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'BALoist' P.P. 15738 Orange Impressionist™ Garden Art™ Shrub Rose | RO | 1.07 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'BALole' Northern Accents™ Ole Shrub Rose | RO | 1.13 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BALoon' P.P. 16994 Tahitian Moon Easy Elegance® Shrub Rose | RO | 1.09 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BALore' P.P. 16909 Polar Joy™ Shrub Rose | RO | 1.17 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BALpeace' P.P. 14731 Love & Peace™ Hybrid Tea Rose | RO | 1.05 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'BALpome' P.P. 16602 Pink Gnome Easy Elegance® Shrub Rose | RO | 1.18 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BALprez' P.P. 16408 Rainbow Sorbet™ Floribunda Rose | RO | 0.98 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'BALrage' P.P.A.F. Easy Elegance® All The Rage Shrub Rose | RO | 1.04 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BALrifi' P.P. 19036 Snowdrift Easy Elegance® Shrub Rose | RO | 1.04 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BALrise' Acadia Sunrise Hybrid Tea Rose | RO | 1.10 | R1 | 3-6 | 7-8 | | 1.30 | 6 |
| Rosa 'BALrils' P.P. 19047 Easy Elegance® Pink Pearls Shrub Rose | RO | 1.20 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'BALset' P.P. 16770 Sunrise Sunset Easy Elegance® Shrub Rose | RO | 1.05 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BALsist' P.P. 15739 Salmon Impressionist™ Garden Art™ Shrub Rose | RO | 1.07 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'BALsme' P.P. 18506 Kiss Me Easy Elegance® Shrub Rose | RO | 1.07 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'BALsta' P.P.A.F. Fiesta Easy Elegance® Shrub Rose | RO | 1.03 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BALsuhe' P.P.A.F. Super Hero Easy Elegance® Floribunda Rose | RO | 1.21 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BALsven' Northern Accents™ Sven Shrub Rose | RO | 1.13 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BALtime' P.P.A.F. Easy Elegance® Showtime Climbing Rose | RO | 1.05 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'BALtion' P.P.A.F. Northern Sensation™ Shrub Rose | RO | 1.05 | R1 | 3-4 | 5-8 | | 1.30 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| Rosa 'BAltouch' Elegant Touch Hybrid Tea Rose | RO | 1.24 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'BAltown' P.P. 18060 Paint the Town Easy Elegance® Shrub Rose | RO | 1.08 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BALurst' P.P.A.F. Northern Sunburst™ Shrub Rose | RO | 1.17 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BENblack' P.P. 5925 Black Jade™ Miniature Rose | RO | 0.82 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BENday' P.P. 6568 Old Glory™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'BENfebu' P.P. 16483 Merlot Miniature Rose | RO | 0.63 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'BENhile' Hilde™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'BENmagic' P.P. 8603 Kristin Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'BENmfig' Jilly Jewel Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'BENminn' P.P. 14894 Baby Boomer Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'BENpico' P.P. 16817 Picotee™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'BERnor' Norwich Sweetheart™ Miniature Rose | RO | 0.63 | R1 | 5-7 | 8 | | 1.30 | 7 |
| Rosa 'BRlfriends' Best Friends Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'BRlincog' P.P. 9932 Incognito Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'BRlmorgan' Doris Morgan Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'BUCbi' P.P. 4225 Carefree Beauty™ Shrub Rose | RO | 0.82 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'BURway' P.P. 5827 Broadway Hybrid Tea Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Baby Betsy McCall' Baby Betsy McCall Miniature Rose | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Baby Blanket' See - Rosa 'KORfullwind' P.P. 8872 | | | | | | | | |
| Rosa 'Baby Boomer' See - Rosa 'BENminn' P.P. 14894 | | | | | | | | |
| Rosa 'Baby Darling' Baby Darling Miniature Rose | RO | 0.84 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Baby Grand' See - Rosa 'POULit' P.P. 9419 | | | | | | | | |
| Rosa 'Baby Love' See - Rosa 'SCRivluv' P.P.A.F. | | | | | | | | |
| Rosa 'Baby Paradise' See - Rosa 'MElfovett' P.P.A.F. | | | | | | | | |
| Rosa 'Ballerina' Ballerina Shrub Rose | RO | 0.74 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Bambino' Bambino Miniature Rose | RO | 0.63 | R1 | 5-7 | 8 | | 1.30 | 7 |
| Rosa 'Barbara Bush' See - Rosa 'JACbush' P.P. 7542 | | | | | | | | |
| Rosa 'Barbra Streisand' See - Rosa 'WEKquaneze' P.P. 13120 | | | | | | | | |
| Rosa 'Be-Bop' See - Rosa 'WEKsacsoul' P.P. 16252 | | | | | | | | |
| Rosa 'Beauty Secret' Beauty Secret Miniature Rose | RO | 0.62 | R1 | 3-4 | 5-8 | | 1.30 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rosa</i> 'Behold' | | | | | | | | |
| See - <i>Rosa</i> 'SAVahold' P.P. 10249 | | | | | | | | |
| <i>Rosa</i> 'Belinda's Dream' | RO | 0.74 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Belinda's Dream Shrub Rose | | | | | | | | |
| <i>Rosa</i> 'Belle Poitevine' | RO | 0.87 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Belle Poitevine Rugosa Rose | | | | | | | | |
| <i>Rosa</i> 'Benjamin Britten' | | | | | | | | |
| See - <i>Rosa</i> 'AUSencart' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Bermuda Mystery' | RO | 0.93 | R1 | 5-7 | 8 | | 1.30 | 7 |
| Bermuda Mystery Rose | | | | | | | | |
| <i>Rosa</i> 'Bermuda Spice' | RO | 0.52 | R1 | 5-7 | 8 | | 1.30 | 7 |
| Bermuda Spice Rose | | | | | | | | |
| <i>Rosa</i> 'Bermuda's Kathleen' | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Bermuda's Kathleen Rose | | | | | | | | |
| <i>Rosa</i> 'Bernadella's Pearl' | | | | | | | | |
| See - <i>Rosa</i> 'BENmfig' | | | | | | | | |
| <i>Rosa</i> 'Berries 'n' Cream' | | | | | | | | |
| See - <i>Rosa</i> 'POUclimb' P.P. 10639 | | | | | | | | |
| <i>Rosa</i> 'Best Friends' | | | | | | | | |
| See - <i>Rosa</i> 'BRIfriends' | | | | | | | | |
| <i>Rosa</i> 'Betty Boop' | | | | | | | | |
| See - <i>Rosa</i> 'WEKplapic' P.P. 11517 | | | | | | | | |
| <i>Rosa</i> 'Betty Prior' | RO | 0.78 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Betty Prior Floribunda Rose | | | | | | | | |
| <i>Rosa</i> 'Bewitched' | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Bewitched Hybrid Tea Rose | | | | | | | | |
| <i>Rosa</i> 'Bing Crosby' P.P. 4695 | RO | 0.96 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Bing Crosby Hybrid Tea Rose | | | | | | | | |
| <i>Rosa</i> 'Black Garnet' P.P. 4738 | RO | 0.93 | R1 | 3-6 | 7-8 | | 1.30 | 6 |
| Black Garnet Hybrid Tea Rose | | | | | | | | |
| <i>Rosa</i> 'Black Jade' | | | | | | | | |
| See - <i>Rosa</i> 'BENblack' P.P. 5925 | | | | | | | | |
| <i>Rosa</i> 'Blanc Double de Coubert' | RO | 0.86 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Blanc Double de Coubert Rugosa Rose | | | | | | | | |
| <i>Rosa</i> 'Blaze' | RO | 0.82 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Blaze Climbing Rose | | | | | | | | |
| <i>Rosa</i> 'Blue Cupido' | | | | | | | | |
| See - <i>Rosa</i> 'RUIbleu' P.P. 9735 | | | | | | | | |
| <i>Rosa</i> 'Blue Girl' | RO | 0.87 | R1 | 5-7 | 8 | | 1.30 | 7 |
| Blue Girl Climbing Hybrid Tea Rose | | | | | | | | |
| <i>Rosa</i> 'Blue Nile' | | | | | | | | |
| See - <i>Rosa</i> 'DELnible' P.P. 4671 | | | | | | | | |
| <i>Rosa</i> 'Blueberry Hill' | | | | | | | | |
| See - <i>Rosa</i> 'WEKcryplag' P.P. 10072 | | | | | | | | |
| <i>Rosa</i> 'Blushing Knock Out' | | | | | | | | |
| See - <i>Rosa</i> 'RADyod' P.P. 14700 | | | | | | | | |
| <i>Rosa</i> 'Bob Hope' | RO | 1.36 | R1 | 5-6 | 7-8 | | 1.30 | 6 |
| Bob Hope Hybrid Tea Rose | | | | | | | | |
| <i>Rosa</i> 'Bolero' | | | | | | | | |
| See - <i>Rosa</i> 'MEldelweis' P.P. 17841 | | | | | | | | |
| <i>Rosa</i> 'Bonanza' | | | | | | | | |
| See - <i>Rosa</i> 'KORmarie' | | | | | | | | |
| <i>Rosa</i> 'Bonica Meidiland' | | | | | | | | |
| See - <i>Rosa</i> 'MEldomonac' P.P. 5105 | | | | | | | | |
| <i>Rosa</i> 'Brandy' | | | | | | | | |
| See - <i>Rosa</i> 'AROCad' P.P. 5168 | | | | | | | | |
| <i>Rosa</i> 'Brass Band' | | | | | | | | |
| See - <i>Rosa</i> 'JACcoff' P.P. 9171 | | | | | | | | |
| <i>Rosa</i> 'Brian Donn' | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Brian Donn Miniature Rose | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| Rosa 'Bridal Pink' See - Rosa 'JACbri' | | | | | | | | |
| Rosa 'Bridal Sunblaze' See - Rosa 'MEllmera' P.P. 10002 | | | | | | | | |
| Rosa 'Brigadoon' Brigadoon Hybrid Tea Rose | RO | 0.88 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Brilliant Pink Iceberg' See - Rosa 'PRObril' P.P. 12645 | | | | | | | | |
| Rosa 'Brite Eyes' See - Rosa 'RADbrite' P.P. 17391 | | | | | | | | |
| Rosa 'Broadway' See - Rosa 'BURway' P.P. 5827 | | | | | | | | |
| Rosa 'Bronze Star' See - Rosa 'WEZaprt' P.P. 15020 | | | | | | | | |
| Rosa 'Brother Cadfael' See - Rosa 'AUSglobe' P.P. 8681 | | | | | | | | |
| Rosa 'Buff Beauty' Buff Beauty Hybrid Musk Rose | RO | 0.88 | R1 | 5-6 | 7-8 | | 1.30 | 6 |
| Rosa 'Burgundy Iceberg' See - Rosa 'PROse' P.P. 16198 | | | | | | | | |
| Rosa 'Busy Bee' See - Rosa 'SAVabusy' | | | | | | | | |
| Rosa 'CHEwily' P.P.A.F. Pink Cottage Rose | RO | 0.98 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'CHEwpeachdell' P.P. 15287 What a Peach™ Shrub Rose | RO | 1.04 | R1 | 5-6 | 7-8 | | 1.30 | 6 |
| Rosa 'COCdestin' Remember Me Hybrid Tea Rose | RO | 0.96 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'CURlem' Lemon Fluff Miniature Rose | RO | 0.86 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Cachet' See - Rosa 'TUCkach' | | | | | | | | |
| Rosa 'Cal Poly' See - Rosa 'MORpoly' P.P. 8453 | | | | | | | | |
| Rosa 'Caldwell Pink' Caldwell Pink Polyantha Rose | RO | 0.75 | R1 | 5-6 | 7-8 | | 1.30 | 6 |
| Rosa 'Cambridge' See - Rosa 'POULrust' P.P. 12520 | | | | | | | | |
| Rosa 'Candelabra' See - Rosa 'JACcinco' P.P. 11016 | | | | | | | | |
| Rosa 'Candy Stripe' Candy Stripe Hybrid Tea Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Candy Sunblaze' See - Rosa 'MEldanclar' P.P. 7621 | | | | | | | | |
| Rosa 'Canyon Cupido' See - Rosa 'RUIcany' P.P. 10818 | | | | | | | | |
| Rosa 'Cape Cod' See - Rosa 'POULfan' P.P. 9641 | | | | | | | | |
| Rosa 'Captain Samuel Holland' Captain Samuel Holland Climbing Rose | RO | 1.18 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Rosa 'Caramba' See - Rosa 'TANabamar' P.P. 13396 | | | | | | | | |
| Rosa 'Cardinal Song' See - Rosa 'MEImouslin' P.P. 8847 | | | | | | | | |
| Rosa 'Carefree Beauty' See - Rosa 'BUCbi' P.P. 4225 | | | | | | | | |
| Rosa 'Carefree Celebration' See - Rosa 'RADral' P.P. 19803 | | | | | | | | |
| Rosa 'Carefree Delight' See - Rosa 'MEIpotal' P.P. 8841 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| Rosa 'Carefree Marvel' See - Rosa 'MEIrameca' P.P. 16030 | | | | | | | | |
| Rosa 'Carefree Spirit' See - Rosa 'MEIzmea' P.P.A.F. | | | | | | | | |
| Rosa 'Carefree Sunshine Climbing' See - Rosa 'RADsunsar' P.P. 16611 | | | | | | | | |
| Rosa 'Carefree Sunshine' See - Rosa 'RADsun' P.P. 13063 | | | | | | | | |
| Rosa 'Carefree Wonder' See - Rosa 'MEIpitac' P.P. 7783 | | | | | | | | |
| Rosa 'Caribbean' See - Rosa 'KORbirac' P.P. 8592 | | | | | | | | |
| Rosa 'Carmenetta' Carmenetta Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Caroline de Monaco' See - Rosa 'MEIpierar' P.P. 7622 | | | | | | | | |
| Rosa 'Carrousel' Carrousel Grandiflora Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Cary Grant' See - Rosa 'MEImainger' P.P. 6792 | | | | | | | | |
| Rosa 'Cathedral' Cathedral Floribunda Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Cecile Brunner' Cecile Brunner Polyantha Rose | RO | 0.96 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Celebrity' See - Rosa 'VERolwek' P.P. 7264 | | | | | | | | |
| Rosa 'Centennial Star' See - Rosa 'MEInerau' P.P. 10668 | | | | | | | | |
| Rosa 'Centennial' See - Rosa 'BAIcent' P.P. 18102 | | | | | | | | |
| Rosa 'Central Park' See - Rosa 'POUlpvg' P.P. 9665 | | | | | | | | |
| Rosa 'Century Two' Century Two Hybrid Tea Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Champlain' Champlain Shrub Rose | RO | 0.97 | R1 | 3-4 | 5-8 | | 1.79 | 3 |
| Rosa 'Charisma' See - Rosa 'JELroganor' | | | | | | | | |
| Rosa 'Charles Albanel' Charles Albanel Rugosa Rose | RO | 1.04 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Rosa 'Charles Austin' Charles Austin English Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Charles Aznavour' See - Rosa 'MEIbeausai' P.P. 7667 | | | | | | | | |
| Rosa 'Charles Darwin' See - Rosa 'AUSpeet' P.P. 13992 | | | | | | | | |
| Rosa 'Charlotte Armstrong' Charlotte Armstrong Hybrid Tea Rose | RO | 0.96 | R1 | 5-6 | 7-8 | | 1.30 | 6 |
| Rosa 'Charlotte' See - Rosa 'AUSpoly' P.P. 9008 | | | | | | | | |
| Rosa 'Chasin' Rainbows' See - Rosa 'SAVachas' P.P. 7058 | | | | | | | | |
| Rosa 'Chateau Merlot' See - Rosa 'TANoronez' P.P. 12190 | | | | | | | | |
| Rosa 'Cheers' Cheers Miniature Rose | RO | 0.93 | R1 | 5-6 | 7-8 | | 1.30 | 5 |
| Rosa 'Cherry Meidiland' See - Rosa 'MEIrumour' P.P. 9251 | | | | | | | | |
| Rosa 'Cherry Parfait' See - Rosa 'MEI sponge' P.P. 12802 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| Rosa 'Cherry Sunblaze' See - Rosa 'MEIbokarb' P.P. 8448 | RO | 0.65 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Chicago Peace' Chicago Peace Hybrid Tea Rose | | | | | | | | |
| Rosa 'Chihuly' See - Rosa 'WEKscemala' P.P. 15076 | | | | | | | | |
| Rosa 'Child's Play' See - Rosa 'SAVachild' P.P. 8175 | | | | | | | | |
| Rosa 'China Doll' China Doll Polyantha Rose | RO | 0.87 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'Chipper' Chipper Miniature Rose | RO | 0.72 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Chris Evert' See - Rosa 'WEKjuvoo' P.P. 10071 | | | | | | | | |
| Rosa 'Christian Dior' Christian Dior Tea Rose | RO | 0.70 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Christopher Columbus' See - Rosa 'MEIronsse' P.P. 8496 | | | | | | | | |
| Rosa 'Chrysler Imperial' Chrysler Imperial Hybrid Tea Rose | RO | 0.97 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Chuckles' Chuckles Polyantha Rose | RO | 0.90 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Cinco de Mayo' See - Rosa 'WEKcobeju' P.P.A.F. | | | | | | | | |
| Rosa 'Cinderella' Cinderella Miniature Rose | RO | 0.61 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Circus' Circus Floribunda Rose | RO | 0.30 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Class Act' Class Act Floribunda Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Classic Woman' See - Rosa 'MEIgroupy' P.P. 17970 | | | | | | | | |
| Rosa 'Climbing Pinkie' See - Rosa 'Pinkie' | | | | | | | | |
| Rosa 'Colette' See - Rosa 'MEIroupis' P.P. 9994 | | | | | | | | |
| Rosa 'Colleen Mary' See - Rosa 'MEIkentuk' P.P.A.F. | | | | | | | | |
| Rosa 'Color Magic' See - Rosa 'JACmag' P.P. 3998 | | | | | | | | |
| Rosa 'Comsilk' Comsilk Miniature Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Comtesse de Provence' See - Rosa 'MEIbacus' P.P. 13860 | | | | | | | | |
| Rosa 'Constance Spry' Constance Spry English Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Constellation' See - Rosa 'SAVacon' P.P. 12652 | | | | | | | | |
| Rosa 'Coral Drift' See - Rosa 'MEIdrifora' | | | | | | | | |
| Rosa 'Coral Meidiland' See - Rosa 'MEIppopul' P.P. 9777 | | | | | | | | |
| Rosa 'Coral Sunblaze' See - Rosa 'MEImiros' P.P. 15500 | | | | | | | | |
| Rosa 'Corn silk' See - Rosa 'SAVasilk' P.P. 5164 | | | | | | | | |
| Rosa 'Countess Celeste' See - Rosa 'POULdron' P.P. 10923 | | | | | | | | |
| Rosa 'Country Dancer' Country Dancer Shrub Rose | RO | 1.00 | R1 | 3-4 | 5-8 | | 1.30 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| Rosa 'Cramoisi Superieur' Cramoisi Superieur China Rose | RO | 0.83 | R1 | 5-7 | 8 | | 1.30 | 7 |
| Rosa 'Creme Brulee' See - Rosa 'TANmirsch' P.P.A.F. | | | | | | | | |
| Rosa 'Cricri' Cricri Miniature Rose | RO | 0.84 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Crimson Bouquet' See - Rosa 'KORbeteilich' P.P. 12001 | | | | | | | | |
| Rosa 'Crimson Gem' Crimson Gem Miniature Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Crimson Glory' Crimson Glory Hybrid Tea Rose | RO | 1.27 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Crimson Meidiland' See - Rosa 'MElzerbil' P.P.A.F. | | | | | | | | |
| Rosa 'Crimson Sky' See - Rosa 'MElgrappo' P.P. 18564 | | | | | | | | |
| Rosa 'Crowd Pleaser' See - Rosa 'WEKchrisg' P.P. 14138 | | | | | | | | |
| Rosa 'Cupcake' Cupcake Miniature Rose | RO | 0.63 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Cuthbert Grant' Cuthbert Grant Shrub Rose | RO | 0.89 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Cuyahoga' See - Rosa 'POULbella' P.P. 12904 | | | | | | | | |
| Rosa 'DELegran' Grand Siecle Hybrid Tea Rose | RO | 0.96 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'DELnible' P.P. 4671 Blue Nile Hybrid Tea Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'DEVmorada' Royal Amethyst Hybrid Tea Rose | RO | 0.96 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'DEVrudi' P.P. 11223 First Light Shrub Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'DICappeal' P.P.A.F. Lime Sublime™ Floribunda Rose | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'DICjem' Freedom Hybrid Tea Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'DICwisp' P.P. 14596 Whisper Hybrid Tea Rose | RO | 1.22 | R1 | 5-6 | 7-8 | | 1.30 | 6 |
| Rosa 'David Thompson' David Thompson Shrub Rose | RO | 1.30 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Rosa 'Dawn Creeper' See - Rosa 'WILDawn' P.P. 9647 | | | | | | | | |
| Rosa 'Day Breaker' See - Rosa 'FRYcentury' P.P. 15334 | | | | | | | | |
| Rosa 'Daydream' See - Rosa 'BAleam' P.P. 15736 | | | | | | | | |
| Rosa 'Dazzler' See - Rosa 'KELdaz' P.P. 10333 | | | | | | | | |
| Rosa 'De Montarville' See - Rosa 'AC De Montarville' P.P. 11635 | | | | | | | | |
| Rosa 'Debut' See - Rosa 'MElbarke' P.P. 6791 | | | | | | | | |
| Rosa 'Dee Bennett' See - Rosa 'SAVadee' P.P. 6951 | | | | | | | | |
| Rosa 'Deep Velvet' Deep Velvet Miniature Rose | RO | 0.82 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Demokracie' Demokracie Climbing Rose | RO | 1.10 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Denver's Dream' See - Rosa 'SAVaden' P.P. 9435 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|------------------------------------|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| Rosa 'Descanso Dream' | | | | | | | | |
| See - Rosa 'WEKdesc' | | | | | | | | |
| Rosa 'Desert Peace' | | | | | | | | |
| See - Rosa 'MEInomad' P.P. 8248 | | | | | | | | |
| Rosa 'Diana, Princess of Wales' | | | | | | | | |
| See - Rosa 'JACshaq' P.P. 11482 | | | | | | | | |
| Rosa 'Distant Drums' | RO | 0.91 | R1 | 3-6 | 7-8 | | 1.30 | 6 |
| Distant Drums Shrub Rose | | | | | | | | |
| Rosa 'Dolly Parton' P.P. 5608 | RO | 0.71 | R1 | 3-6 | 7-8 | | 1.30 | 6 |
| Dolly Parton™ Hybrid Tea Rose | | | | | | | | |
| Rosa 'Don Juan' | RO | 0.68 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Don Juan Climbing Rose | | | | | | | | |
| Rosa 'Doris Morgan' | | | | | | | | |
| See - Rosa 'BRImorgan' | | | | | | | | |
| Rosa 'Dorothy Perkins' | RO | 0.97 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Dorothy Perkins Rambler Rose | | | | | | | | |
| Rosa 'Dortmund' | RO | 0.81 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Dortmund Climing Rose | | | | | | | | |
| Rosa 'Double Delight' | RO | 0.80 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Double Delight Hybrid Tea Rose | | | | | | | | |
| Rosa 'Double Gold' | | | | | | | | |
| See - Rosa 'SAVadouble' P.P. 16056 | | | | | | | | |
| Rosa 'Double Knock Out' | | | | | | | | |
| See - Rosa 'RADtko' P.P. 16202 | | | | | | | | |
| Rosa 'Dream Come True' | | | | | | | | |
| See - Rosa 'WEKdocpot' P.P.A.F. | | | | | | | | |
| Rosa 'Dream Orange' | | | | | | | | |
| See - Rosa 'TWOaebi' P.P. 11525 | | | | | | | | |
| Rosa 'Dream Pink' | | | | | | | | |
| See - Rosa 'TWOjoan' P.P. 11524 | | | | | | | | |
| Rosa 'Dream Red' | | | | | | | | |
| See - Rosa 'TWOpaul' P.P. 11503 | | | | | | | | |
| Rosa 'Dream Yellow' | | | | | | | | |
| See - Rosa 'TWOyel' P.P. 11528 | | | | | | | | |
| Rosa 'Dublin Bay' | | | | | | | | |
| See - Rosa 'MACdub' | | | | | | | | |
| Rosa 'Duchesse de Brabant' | RO | 0.98 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Duchesse de Brabant Tea Rose | | | | | | | | |
| Rosa 'Earth Song' | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Earth Song Grandiflora Rose | | | | | | | | |
| Rosa 'Easy Does It' | | | | | | | | |
| See - Rosa 'HARpageant' | | | | | | | | |
| Rosa 'Easy Going' | | | | | | | | |
| See - Rosa 'HARflow' P.P. 10478 | | | | | | | | |
| Rosa 'Ebb Tide' | | | | | | | | |
| See - Rosa 'WEKsmopur' P.P. 18850 | | | | | | | | |
| Rosa 'Eclipse' | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Eclipse Hybrid Tea Rose | | | | | | | | |
| Rosa 'Eden Climber' | | | | | | | | |
| See - Rosa 'MElviolin' P.P. 6892 | | | | | | | | |
| Rosa 'Eglantyne' | | | | | | | | |
| See - Rosa 'AUSmak' P.P. 9526 | | | | | | | | |
| Rosa 'Electric Blanket' P.P.A.F. | RO | 0.99 | R1 | 3-6 | 7-8 | | 1.30 | 6 |
| Electric Blanket Shrub Rose | | | | | | | | |
| Rosa 'Electron' | RO | 0.79 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Electron Hybrid Tea Rose | | | | | | | | |
| Rosa 'Elegant Touch' | | | | | | | | |
| See - Rosa 'BAItouch' | | | | | | | | |
| Rosa 'Elizabeth Taylor' P.P. 6492 | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Elizabeth Taylor Hybrid Tea Rose | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--------------------------------------|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| Rosa 'Elle' | | | | | | | | |
| See - Rosa 'MEIbderos' P.P.A.F. | | | | | | | | |
| Rosa 'Elmhurst' | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Elmhurst Hybrid Tea Rose | | | | | | | | |
| Rosa 'English Garden' | | | | | | | | |
| See - Rosa 'AUSbuss' | | | | | | | | |
| Rosa 'Eternal Flame' | | | | | | | | |
| See - Rosa 'MEIfacul' P.P. 18918 | | | | | | | | |
| Rosa 'Eureka' | | | | | | | | |
| See - Rosa 'KORSuflabel' P.P.A.F. | | | | | | | | |
| Rosa 'Europeana' | RO | 0.99 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Europeana Floribunda Rose | | | | | | | | |
| Rosa 'Eutin' | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Eutin Floribunda Rose | | | | | | | | |
| Rosa 'Evelyn' | | | | | | | | |
| See - Rosa 'AUSsaucer' P.P. 8680 | | | | | | | | |
| Rosa 'Excelsa' | RO | 1.01 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Excelsa Rambler Rose | | | | | | | | |
| Rosa 'F.J. Grootendorst' | RO | 1.03 | R1 | 3 | 4-8 | | 1.30 | 3 |
| F.J. Grootendorst Hybrid Rugosa Rose | | | | | | | | |
| Rosa 'FOUmich' | RO | 0.63 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Michel Cholet™ Miniature Rose | | | | | | | | |
| Rosa 'FRAntasia' P.P. 17518 | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rhapsody in Blue™ Shrub Rose | | | | | | | | |
| Rosa 'FRYcentury' P.P. 15334 | RO | 0.98 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Day Breaker™ Floribunda Rose | | | | | | | | |
| Rosa 'FRYtrooper' P.P. 9211 | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Raven™ Shrub Rose | | | | | | | | |
| Rosa 'FRYxotic' P.P. 9718 | RO | 1.13 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Sunset Celebration™ Hybrid Tea Rose | | | | | | | | |
| Rosa 'FRYyeoman' P.P. 13268 | RO | 1.08 | R1 | 3-6 | 7-8 | | 1.30 | 6 |
| Flower Girl™ Shrub Rose | | | | | | | | |
| Rosa 'Fair Bianca' | | | | | | | | |
| See - Rosa 'AUSca' P.P.A.F. | | | | | | | | |
| Rosa 'Fairy Meidiland' | | | | | | | | |
| See - Rosa 'MEIkutz' P.P. 19760 | | | | | | | | |
| Rosa 'Fairy Queen' | | | | | | | | |
| See - Rosa 'SPEKrien' P.P.A.F. | | | | | | | | |
| Rosa 'Fame!' | | | | | | | | |
| See - Rosa 'JACzor' P.P. 11293 | | | | | | | | |
| Rosa 'Fashion' | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Fashion Floribunda Rose | | | | | | | | |
| Rosa 'Ferdy Meidiland' | | | | | | | | |
| See - Rosa 'KEItoli' P.P. 5841 | | | | | | | | |
| Rosa 'Fiesta' | | | | | | | | |
| See - Rosa 'BAIsta' P.P.A.F. | | | | | | | | |
| Rosa 'Fire Meidiland' | | | | | | | | |
| See - Rosa 'MEIpsidue' P.P. 11583 | | | | | | | | |
| Rosa 'Firecracker' | | | | | | | | |
| See - Rosa 'BAIcker' P.P. 15737 | | | | | | | | |
| Rosa 'Fireworks' | | | | | | | | |
| See - Rosa 'SAVafire' P.P. 8182 | | | | | | | | |
| Rosa 'First Edition' | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| First Edition Floribunda Rose | | | | | | | | |
| Rosa 'First Light' | | | | | | | | |
| See - Rosa 'DEVrudi' P.P. 11223 | | | | | | | | |
| Rosa 'First Prize' | RO | 0.91 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| First Prize Hybrid Tea Rose | | | | | | | | |
| Rosa 'Fisherman's Friend' | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Fisherman's Friend English Rose | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|------------------------------------|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| Rosa 'Flower Carpet Appleblossom' | | | | | | | | |
| See - Rosa 'NOAmeI' P.P. 10239 | | | | | | | | |
| Rosa 'Flower Carpet Coral' | | | | | | | | |
| See - Rosa 'NOAla' P.P. 14441 | | | | | | | | |
| Rosa 'Flower Carpet Pink Supreme' | | | | | | | | |
| See - Rosa 'NOA168098F' P.P. 19206 | | | | | | | | |
| Rosa 'Flower Carpet Pink' | | | | | | | | |
| See - Rosa 'NOAtraum' P.P. 7282 | | | | | | | | |
| Rosa 'Flower Carpet Red' | | | | | | | | |
| See - Rosa 'NOAre' P.P. 11308 | | | | | | | | |
| Rosa 'Flower Carpet Scarlet' | | | | | | | | |
| See - Rosa 'NOA83100B' P.P. 17373 | | | | | | | | |
| Rosa 'Flower Carpet Series' | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Flower Carpet® Series Shrub Rose | | | | | | | | |
| Rosa 'Flower Carpet White' | | | | | | | | |
| See - Rosa 'NOAschnee' P.P. 9573 | | | | | | | | |
| Rosa 'Flower Carpet Yellow' | | | | | | | | |
| See - Rosa 'NOAlesa' P.P. 13869 | | | | | | | | |
| Rosa 'Flower Girl' | | | | | | | | |
| See - Rosa 'FRYyeoman' P.P. 13268 | | | | | | | | |
| Rosa 'Flutterbye' | | | | | | | | |
| See - Rosa 'WEKplasol' P.P. 9715 | | | | | | | | |
| Rosa 'Footloose' | | | | | | | | |
| See - Rosa 'TANotax' P.P. 11572 | | | | | | | | |
| Rosa 'Forty Heroes' | | | | | | | | |
| See - Rosa 'BAInial' | | | | | | | | |
| Rosa 'Fourth of July' | | | | | | | | |
| See - Rosa 'WEKroalt' P.P. 11518 | | | | | | | | |
| Rosa 'Fragrant Cloud' | RO | 1.02 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Fragrant Cloud Tea Rose | | | | | | | | |
| Rosa 'Fragrant Plum' | | | | | | | | |
| See - Rosa 'AROplumi' | | | | | | | | |
| Rosa 'Francois Rabelais' | | | | | | | | |
| See - Rosa 'MEInusian' P.P.A.F. | | | | | | | | |
| Rosa 'Frau Karl Druschki' | RO | 0.53 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Frau Karl Druschki Hybrid Tea Rose | | | | | | | | |
| Rosa 'Freckles' | RO | 1.09 | R1 | 3-6 | 7-8 | | 1.30 | 6 |
| Freckles Shrub Rose | | | | | | | | |
| Rosa 'Frederic Mistral' | | | | | | | | |
| See - Rosa 'MEItebros' P.P. 10004 | | | | | | | | |
| Rosa 'Freedom' | | | | | | | | |
| See - Rosa 'DICjem' | | | | | | | | |
| Rosa 'French Lace' | | | | | | | | |
| See - Rosa 'JAClace' P.P. 4848 | | | | | | | | |
| Rosa 'Front 'n' Center' | | | | | | | | |
| See - Rosa 'SAVafront' | | | | | | | | |
| Rosa 'Frontenac' P.P. 9210 | RO | 1.11 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Frontenac Rose | | | | | | | | |
| Rosa 'Fru Dagmar Hastrup' | RO | 0.83 | R1 | | 3-8 | | 1.30 | 2 |
| Fru Dagmar Hastrup Rugosa Rose | | | | | | | | |
| Rosa 'Fruhlingsgold' | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Fruhlingsgold Shrub Rose | | | | | | | | |
| Rosa 'Fruhlingsmorgen' | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Fruhlingsmorgen Shrub Rose | | | | | | | | |
| Rosa 'Fuchsia Meidiland' | | | | | | | | |
| See - Rosa 'MEIpelta' P.P. 8839 | | | | | | | | |
| Rosa 'Fuchsia Minuetto' | | | | | | | | |
| See - Rosa 'MEIrosfan' | | | | | | | | |
| Rosa 'Full Moon Rising' | | | | | | | | |
| See - Rosa 'MEIvanery' P.P. 19263 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---------------------------------------|--------------|-----------|----|--------------|---------|-------------|-----------|---------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| Rosa 'Full Sail' | | | | | | | | |
| See - Rosa 'MAClanoflon' P.P.A.F. | | | | | | | | |
| Rosa 'Funny Face' | | | | | | | | |
| See - Rosa 'BAIface' P.P. 15753 | | | | | | | | |
| Rosa 'Gala' | | | | | | | | |
| See - Rosa 'SAVagala' P.P.A.F. | | | | | | | | |
| Rosa 'Garden Party' | RO | 0.53 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Garden Party Hybrid Tea Rose | | | | | | | | |
| Rosa 'Garden Sun' | | | | | | | | |
| See - Rosa 'MEIvalier' P.P.A.F. | | | | | | | | |
| Rosa 'Garnette' | RO | 0.93 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Garnette Floribunda Rose | | | | | | | | |
| Rosa 'Gemini' | | | | | | | | |
| See - Rosa 'JACnepal' P.P. 11691 | | | | | | | | |
| Rosa 'Gene Boerner' | RO | 0.39 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Gene Boerner Floribunda Rose | | | | | | | | |
| Rosa 'Gentle Giant' | | | | | | | | |
| See - Rosa 'WEKrigoyelo' P.P. 18536 | | | | | | | | |
| Rosa 'George Burns' | | | | | | | | |
| See - Rosa 'WEKcalroc' P.P. 10334 | | | | | | | | |
| Rosa 'George Vancouver' P.P. 10009 | RO | 1.10 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| George Vancouver Shrub Rose | | | | | | | | |
| Rosa 'Gertrude Jekyll' | RO | 1.08 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Gertrude Jekyll English Rose | | | | | | | | |
| Rosa 'Gettysburg' | | | | | | | | |
| See - Rosa 'POULen001' P.P.A.F. | | | | | | | | |
| Rosa 'Gina Lollobrigida' | | | | | | | | |
| See - Rosa 'MEIivar' P.P. 7541 | | | | | | | | |
| Rosa 'Gizmo' | | | | | | | | |
| See - Rosa 'WEKcatlart' P.P. 12327 | | | | | | | | |
| Rosa 'Glacier Magic' | | | | | | | | |
| See - Rosa 'TANiripsa' P.P.A.F. | | | | | | | | |
| Rosa 'Glamis Castle' | | | | | | | | |
| See - Rosa 'AUSlevel' P.P. 8765 | | | | | | | | |
| Rosa 'Glory Be' | | | | | | | | |
| See - Rosa 'SAVabe' | | | | | | | | |
| Rosa 'Glowing Peace' | | | | | | | | |
| See - Rosa 'MEIzoele' P.P.A.F. | | | | | | | | |
| Rosa 'Gold Coin' | RO | 0.83 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Gold Coin Miniature Rose | | | | | | | | |
| Rosa 'Gold Medal' | | | | | | | | |
| See - Rosa 'AROyqueli' P.P. 5177 | | | | | | | | |
| Rosa 'Gold Rush' | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Gold Rush Climbing Rose | | | | | | | | |
| Rosa 'Golden Celebration' | | | | | | | | |
| See - Rosa 'AUSgold' P.P. 8688 | | | | | | | | |
| Rosa 'Golden Eye' | | | | | | | | |
| See - Rosa 'BAIeye' P.P. 16612 | | | | | | | | |
| Rosa 'Golden Halo' | | | | | | | | |
| See - Rosa 'SAVahalo' P.P. 7770 | | | | | | | | |
| Rosa 'Golden Masterpiece' | RO | 0.77 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Golden Masterpiece Hybrid Tea Rose | | | | | | | | |
| Rosa 'Golden Meilandina' | | | | | | | | |
| See - Rosa 'Rise 'n' Shine' P.P. 4231 | | | | | | | | |
| Rosa 'Golden Showers' | RO | 0.80 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Golden Showers Climbing Rose | | | | | | | | |
| Rosa 'Golden Sunblaze' | | | | | | | | |
| See - Rosa 'MEIcupag' P.P. 8493 | | | | | | | | |
| Rosa 'Golden Unicorn' | RO | 1.02 | R1 | 3-6 | 7-8 | | 1.30 | 6 |
| Golden Unicorn Shrub Rose | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| Rosa 'Golden Wings' Golden Wings Shrub Rose | RO | 0.87 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Goldmarie' See - Rosa 'KORfalt' | | | | | | | | |
| Rosa 'Good Morning America' See - Rosa 'SAVagood' P.P. 7761 | | | | | | | | |
| Rosa 'Gourmet Popcorn' See - Rosa 'WEOpop' P.P. 6809 | | | | | | | | |
| Rosa 'Graham Thomas' See - Rosa 'AUSmas' | | | | | | | | |
| Rosa 'Grand Canyon' See - Rosa 'POULriber' P.P. 12902 | | | | | | | | |
| Rosa 'Grand Siecle' See - Rosa 'DELegran' | | | | | | | | |
| Rosa 'Grandma's Blessing' See - Rosa 'BALing' P.P. 16993 | | | | | | | | |
| Rosa 'Grandma's Yellow' Grandma's Yellow Grandiflora Rose | RO | 1.12 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Rosa 'Grandpa Dickson' See - Rosa 'Irish Gold' | | | | | | | | |
| Rosa 'Great Wall' See - Rosa 'BAIall' P.P.A.F. | | | | | | | | |
| Rosa 'Green Ice' Green Ice Miniature Rose | RO | 0.64 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Greetings' See - Rosa 'JACdreco' P.P.A.F. | | | | | | | | |
| Rosa 'Grootendorst Supreme' Grootendorst Supreme Rugosa Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Gruss an Aachen' Gruss an Aachen Floribunda Rose | RO | 0.94 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Guy de Maupassant' See - Rosa 'MEIsocrat' P.P. 9613 | | | | | | | | |
| Rosa 'HADsatin' P.P. 8910 Smooth Satin Hybrid Tea Rose | RO | 1.08 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'HARflow' P.P. 10478 Easy Going™ Floribunda Rose | RO | 0.98 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'HARKing' Judy Garland Floribunda Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'HARKuly' Margaret Merril Floribunda Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'HARpageant' Easy Does It™ Floribunda Rose | RO | 0.96 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Rosa 'HARquantum' International Herald Tribune® Floribunda Rose | RO | 0.93 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Rosa 'HARsherry' Sheila's Perfume Floribunda Rose | RO | 0.96 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'HARwelcome' P.P. 9161 Livin' Easy™ Floribunda Rose | RO | 1.02 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'HEldoro' Super Dorothy Rambler Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'HELexa' Super Excelsa® Climbing Rambler Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'HILaroma' P.P. 8494 Secret™ Hybrid Tea Rose | RO | 0.96 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'HORcoffitup' P.P.A.F. Rabble Rouser™ Shrub Rose | RO | 1.19 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Handel' See - Rosa 'MACha' | | | | | | | | |
| Rosa 'Hansa' Hansa Rugosa Rose | RO | 0.86 | R1 | 3 | 4-8 | | 1.58 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| Rosa 'Harison's Yellow' Harison's Yellow Brier Rose | RO | 1.00 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Rosa 'Hawkeye Belle' Hawkeye Belle Shrub Rose | RO | 1.05 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Hazeldean' Hazeldean Spinosissima Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Heart 'N' Soul' See - Rosa 'ORApaymel' P.P. 14500 | | | | | | | | |
| Rosa 'Heart O' Gold' See - Rosa 'WEKdykstra' P.P. 10713 | | | | | | | | |
| Rosa 'Heirloom' See - Rosa 'JACloom' | | | | | | | | |
| Rosa 'Helen Good' Helen Good Hybrid Tea Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'Helen Traubel' Helen Traubel Hybrid Tea Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Helmut Schmidt' See - Rosa 'KORbelma' | | | | | | | | |
| Rosa 'Henry Hudson' Henry Hudson Rugosa Rose | RO | 1.17 | R1 | | 3-8 | | 1.30 | 2 |
| Rosa 'Henry Kelsey' Henry Kelsey Climbing Rose | RO | 1.02 | R1 | 3 | 4-8 | | 1.07 | 3 |
| Rosa 'Herbie' Herbie Miniature Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Heritage' See - Rosa 'AUSblush' | | | | | | | | |
| Rosa 'Hi, Neighbor' Hi, Neighbor Grandiflora Rose | RO | 1.08 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Hilde' See - Rosa 'BENhile' | | | | | | | | |
| Rosa 'Home Run' See - Rosa 'WEKcisbako' P.P. 18552 | | | | | | | | |
| Rosa 'Home and Family' See - Rosa 'WEKplagneze' P.P. 14356 | | | | | | | | |
| Rosa 'Honey Dijon' See - Rosa 'WEKsproules' P.P. 17822 | | | | | | | | |
| Rosa 'Honey Perfume' See - Rosa 'JACarque' P.P. 16250 | | | | | | | | |
| Rosa 'Honeysweet' Honeysweet Shrub Rose | RO | 0.84 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Honor' See - Rosa 'JAColite' | | | | | | | | |
| Rosa 'Hope for Humanity' Hope for Humanity Shrub Rose | RO | 0.91 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Rosa 'Hot Cocoa' See - Rosa 'WEKpaltlez' P.P. 15155 | | | | | | | | |
| Rosa 'Hot Tamale' See - Rosa 'JACpoy' P.P. 9015 | | | | | | | | |
| Rosa 'Hot Wonder' See - Rosa 'BAInder' P.P. 15760 | | | | | | | | |
| Rosa 'Hunter' Hunter Rugosa Rose | RO | 1.14 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Ice Meidiland' See - Rosa 'MElvahyn' P.P. 11577 | | | | | | | | |
| Rosa 'Iceberg Climbing' Iceberg Climbing Rose | RO | 0.89 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Iceberg' Iceberg Floribunda Rose | RO | 0.82 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Impressionist' See - Rosa 'JACpurr' P.P.A.F. | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container | | Field Grown | | Minimum HZ |
|-------------------------------------|-----------|--------|-----------|-----|-------------|---------|------------|
| | | | SK | Req | Not Req | Caliper | |
| Rosa 'In the Mood' | | | | | | | |
| See - Rosa 'WEKfrancoly' P.P. 19373 | | | | | | | |
| Rosa 'In the Mood' | | | | | | | |
| Rosa 'SEAmood' | | | | | | | |
| Rosa 'Incognito' | | | | | | | |
| See - Rosa 'BRlincog' P.P. 9932 | | | | | | | |
| Rosa 'Ingrid Bergman' | | | | | | | |
| See - Rosa 'POULman' P.P. 6264 | | | | | | | |
| Rosa 'Ink Spots' P.P. 5855 | RO | 1.19 | R1 | 3-4 | 5-8 | | 1.30 4 |
| Ink Spots Hybrid Tea Rose | | | | | | | |
| Rosa 'Innocence' | | | | | | | |
| See - Rosa 'SAVinn' P.P. 10352 | | | | | | | |
| Rosa 'International Herald Tribune' | | | | | | | |
| See - Rosa 'HARquantum' | | | | | | | |
| Rosa 'Intrigue' | RO | 0.61 | R1 | 3-4 | 5-8 | | 1.30 4 |
| Intrigue Floribunda Rose | | | | | | | |
| Rosa 'Irish Gold' | RO | 0.99 | R1 | 4-6 | 7-8 | | 1.30 6 |
| Irish Gold Hybrid Tea Rose | | | | | | | |
| Rosa 'Irresistible' | | | | | | | |
| See - Rosa 'TINresist' P.P. 7971 | | | | | | | |
| Rosa 'Island Dancer' | | | | | | | |
| See - Rosa 'BAIcer' P.P. 18097 | | | | | | | |
| Rosa 'Ivory Carpet' | | | | | | | |
| See - Rosa 'WILvory' P.P. 9648 | | | | | | | |
| Rosa 'Ivory Drift' | | | | | | | |
| See - Rosa 'MEIjeuom' P.P. 19143 | | | | | | | |
| Rosa 'J.P. Connell' | RO | 0.87 | R1 | 3-4 | 5-8 | | 1.30 3 |
| J.P. Connell Shrub Rose | | | | | | | |
| Rosa 'JACarque' P.P. 16250 | RO | 1.14 | R1 | 3-5 | 6-8 | | 1.30 5 |
| Honey Perfume™ Floribunda Rose | | | | | | | |
| Rosa 'JACbri' | RO | 1.36 | R1 | 3-5 | 6-8 | | 1.30 5 |
| Bridal Pink Floribunda Rose | | | | | | | |
| Rosa 'JACbush' P.P. 7542 | RO | 0.88 | R1 | 5-6 | 7-8 | | 1.30 6 |
| Barbara Bush Hybrid Tea Rose | | | | | | | |
| Rosa 'JACcinqo' P.P. 11016 | RO | 0.95 | R1 | 3-4 | 5-8 | | 1.30 4 |
| Candelabra™ Grandiflora Rose | | | | | | | |
| Rosa 'JACcoff' P.P. 9171 | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 5 |
| Brass Band™ Floribunda Rose | | | | | | | |
| Rosa 'JACdreco' P.P.A.F. | RO | 0.92 | R1 | 4-6 | 7-8 | | 1.30 6 |
| Greetings Floribunda Rose | | | | | | | |
| Rosa 'JACecond' P.P. 11369 | RO | 0.78 | R1 | 3-4 | 5-8 | | 1.30 4 |
| Timeless™ Hybrid Tea Rose | | | | | | | |
| Rosa 'JACfrain' P.P. 19571 | RO | 1.07 | R1 | 4-6 | 7-8 | | 1.30 6 |
| Mardi Gras™ Floribunda Rose | | | | | | | |
| Rosa 'JACgodde' P.P. 19004 | RO | 0.95 | R1 | 4-5 | 6-8 | | 1.30 5 |
| Tahitian Sunset™ Hybrid Tea Rose | | | | | | | |
| Rosa 'JACchal' P.P. 11883 | RO | 0.98 | R1 | 3-6 | 7-8 | | 1.30 6 |
| Sun Sprinkles™ Miniature Rose | | | | | | | |
| Rosa 'JACirst' P.P. 10230 | RO | 0.88 | R1 | 3-4 | 5-8 | | 1.30 4 |
| Artistry™ Hybrid Tea Rose | | | | | | | |
| Rosa 'JACjel' P.P. 4438 | RO | 0.71 | R1 | 4-6 | 7-8 | | 1.30 6 |
| Sunbright Hybrid Tea Rose | | | | | | | |
| Rosa 'JAClace' P.P. 4848 | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 6 |
| French Lace Floribunda Rose | | | | | | | |
| Rosa 'JACloom' | RO | 0.75 | R1 | 4-6 | 7-8 | | 1.30 6 |
| Heirloom Hybrid Tea Rose | | | | | | | |
| Rosa 'JAClover' P.P. 9324 | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 4 |
| Magic Carpet Groundcover Rose | | | | | | | |
| Rosa 'JACmag' P.P. 3998 | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 6 |
| Color Magic Hybrid Tea Rose | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| Rosa 'JACnepal' P.P. 11691 Gemini™ Hybrid Tea Rose | RO | 1.15 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'JAColber' P.P. 11265 Opening Night™ Hybrid Tea Rose | RO | 0.95 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'JAColite' Honor Hybrid Tea Rose | RO | 0.83 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'JACpoy' P.P. 9015 Hot Tamale Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'JACpurr' P.P.A.F. Purple Tiger Floribunda Rose | RO | 1.92 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'JACrite' P.P. 8361 Rio Samba™ Hybrid Tea Rose | RO | 1.07 | R1 | 4 | 5-8 | | 1.30 | 4 |
| Rosa 'JACrulav' P.P. 12055 Wild Berry Breeze Shrub Rose | RO | 1.09 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Rosa 'JACruwhi' P.P. 11575 Wild Spice Rugosa Rose | RO | 1.04 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'JACshaq' P.P. 11482 Diana, Princess of Wales Hybrid Tea Rose | RO | 1.08 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'JACtanic' P.P. 19126 Moondance Floribunda Rose | RO | 1.02 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'JACtou' P.P. 8706 Midas Touch™ Hybrid Tea Rose | RO | 1.09 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'JACTwin' P.P. 4437 Love Grandiflora Rose | RO | 0.45 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'JACveryp' P.P.A.F. Our Lady of Guadalupe™ Floribunda Rose | RO | 1.92 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'JACyef' Shining Hour Grandiflora Rose | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'JACzor' P.P. 11293 Fame!™ Grandiflora Rose | RO | 0.85 | R1 | 5-7 | 8 | | 1.30 | 7 |
| Rosa 'JELroganor' Charisma Floribunda Rose | RO | 0.93 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Rosa 'JUSlemon' Lemon Meringue Miniature Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'Jardins de Bagatelle' See - Rosa 'MEImafris' P.P. 7278 | | | | | | | | |
| Rosa 'Jean Giono' See - Rosa 'MEIroko' P.P. 9979 | | | | | | | | |
| Rosa 'Jean Kenneally' Jean Kenneally Miniature Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Jeanne Lajoie' Jeanne Lajoie Climbing Miniature Rose | RO | 1.11 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Jens Munk' Jens Munk Shrub Rose | RO | 0.94 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Rosa 'Jilly Jewel' See - Rosa 'BENmfig' | | | | | | | | |
| Rosa 'Johann Strauss' See - Rosa 'MEIoffic' P.P. 9998 | | | | | | | | |
| Rosa 'John Cabot' John Cabot Climbing Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Rosa 'John Davis' John Davis Climbing Rose | RO | 0.91 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Rosa 'John F. Kennedy' John F. Kennedy Hybrid Tea Rose | RO | 0.76 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'John Franklin' John Franklin Shrub Rose | RO | 0.94 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Rosa 'Jolly Cupido' See - Rosa 'RUIxandra' P.P. 9734 | | | | | | | | |
| Rosa 'Joseph's Coat' Joseph's Coat Climbing Rose | RO | 0.87 | R1 | 3-4 | 5-8 | | 1.30 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| Rosa 'Judy Fischer' Judy Fischer Miniature Rose | RO | 0.45 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Judy Garland' See - Rosa 'HARKing' | | | | | | | | |
| Rosa 'Julia Childs' See - Rosa 'WEKvossutono' P.P. 18473 | | | | | | | | |
| Rosa 'Just Joey' Just Joey Hybrid Tea Rose | RO | 0.86 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'KEltoli' P.P. 5841 Ferdy Meidiland™ Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'KELdaz' P.P. 10333 Dazzler™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'KORbelma' Helmut Schmidt Hybrid Tea Rose | RO | 1.27 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'KORbetelich' P.P. 12001 Crimson Bouquet™ Grandiflora Rose | RO | 1.10 | R1 | 5-6 | 7-8 | | 1.30 | 6 |
| Rosa 'KORbirac' P.P. 8592 Caribbean™ Grandiflora Rose | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'KORconta' P.P. 10637 Moon River Groundcover Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'KORfalt' Goldmarie Floribunda Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'KORfullwind' P.P. 8872 Baby Blanket Rose | RO | 0.96 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'KORlech' Lava Glow Floribunda Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'KORmarie' Bonanza Shrub Rose | RO | 0.92 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Rosa 'KORmiach' Liebeszauber™ Tea Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'KORSilan' Palmengarten Frankfurt™ Shrub Rose | RO | 0.94 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'KORSuflabel' P.P.A.F. Eureka™ Floribunda Rose | RO | 1.15 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'KORtemma' P.P. 9115 Red Ribbons Groundcover Rose | RO | 1.01 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'KORwest' Westerland Climbing Rose | RO | 1.01 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Karl Herbst' Karl Herbst Hybrid Tea Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Kent' See - Rosa 'POULcov' P.P. 10648 | | | | | | | | |
| Rosa 'King's Ransom' King's Ransom Hybrid Tea Rose | RO | 1.02 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Kiss Me' See - Rosa 'BAIsme' P.P. 18506 | | | | | | | | |
| Rosa 'Knock Out' See - Rosa 'RADrazz' P.P. 11836 | | | | | | | | |
| Rosa 'Konigin von Danemark' Konigin von Danemark Alba Rose | RO | 0.93 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Rosa 'Kordes' Perfecta' Kordes' Perfecta Hybrid Tea Rose | RO | 0.82 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Kristin' See - Rosa 'BENmagic' P.P. 8603 | | | | | | | | |
| Rosa 'L.D. Braithwaite' See - Rosa 'AUScrim' P.P. 8154 | | | | | | | | |
| Rosa 'LAVacek' See - Rosa 'LAVcale' P.P. 6054 | | | | | | | | |
| Rosa 'LAVcale' P.P. 6054 Mountie™ Miniature Rose | RO | 0.63 | R1 | 4-5 | 6-8 | | 1.30 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| Rosa 'LEMfall' P.P. 6706 Snowfall™ Climbing Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'LENip' P.P. 2592 Pascali® Hybrid Tea Rose | RO | 0.74 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'La Marne' La Marne Polyantha Rose | RO | 0.52 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'La Reine Victoria' La Reine Victoria Bourbon Rose | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'La Ville de Bruxelles' La Ville de Bruxelles Damask Rose | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Lady Elsie May' See - Rosa 'ANGelsie' P.P. 15763 | | | | | | | | |
| Rosa 'Lady Sunblaze' See - Rosa 'MEllarco' P.P. 6170 | | | | | | | | |
| Rosa 'Lambert Closse' P.P. 9978 Lambert Closse Shrub Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Last Tango' See - Rosa 'BAIngo' P.P. 16505 | | | | | | | | |
| Rosa 'Lasting Love' See - Rosa 'ADHarman' | | | | | | | | |
| Rosa 'Lasting Peace' See - Rosa 'MElhurge' P.P. 10544 | | | | | | | | |
| Rosa 'Lava Glow' See - Rosa 'KORlech' | | | | | | | | |
| Rosa 'Lavender Lace' Lavender Lace Miniature Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Lavender Sunblaze' See - Rosa 'MElptima' P.P. 11025 | | | | | | | | |
| Rosa 'Lemon Drop' See - Rosa 'WEKyegi' P.P. 14555 | | | | | | | | |
| Rosa 'Lemon Fluff' See - Rosa 'CURlem' | | | | | | | | |
| Rosa 'Lemon Meringue' See - Rosa 'WEKradler' P.P. 17347 | | | | | | | | |
| Rosa 'Lemon Meringue' Rosa 'JUSlemon' | | | | | | | | |
| Rosa 'Lena' See - Rosa 'BAIlena' | | | | | | | | |
| Rosa 'Leonardo da Vinci' See - Rosa 'MEIdeauri' P.P. 9980 | | | | | | | | |
| Rosa 'Les Sjuln' Les Sjuln Grandiflora Rose | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Lexington' See - Rosa 'POULgode' P.P.A.F. | | | | | | | | |
| Rosa 'Liebeszauber' See - Rosa 'KORmiach' | | | | | | | | |
| Rosa 'Lights of Broadway' See - Rosa 'SAValights' P.P. 8919 | | | | | | | | |
| Rosa 'Lillian Austin' See - Rosa 'AUSli' | | | | | | | | |
| Rosa 'Lillian Gibson' Lillian Gibson Shrub Rose | RO | 1.19 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Lime Sublime' See - Rosa 'DICappeal' P.P.A.F. | | | | | | | | |
| Rosa 'Linda Campbell' See - Rosa 'MORten' P.P. 8199 | | | | | | | | |
| Rosa 'Little Bo-Peep' See - Rosa 'POULlen' P.P. 9273 | | | | | | | | |
| Rosa 'Little Mischief' See - Rosa 'BALief' P.P. 17196 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|-----------------------------------|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| Rosa 'Little Tommy Tucker' | | | | | | | | |
| See - Rosa 'TUCKtommy' P.P. 12360 | | | | | | | | |
| Rosa 'Liv Tyler' | | | | | | | | |
| See - Rosa 'MEIbacus' P.P. 13860 | | | | | | | | |
| Rosa 'Live Wire' | | | | | | | | |
| See - Rosa 'SAVawire' P.P. 6811 | | | | | | | | |
| Rosa 'Livin' Easy' | | | | | | | | |
| See - Rosa 'HARwelcome' P.P. 9161 | | | | | | | | |
| Rosa 'Louis Jolliet' P.P. 9222 | RO | 0.93 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Louis Jolliet Kordesii Shrub Rose | | | | | | | | |
| Rosa 'Louis Philippe' | RO | 0.72 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Louis Philippe Hybrid Tea Rose | | | | | | | | |
| Rosa 'Louise Odier' | RO | 1.00 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Louise Odier Bourbon Rose | | | | | | | | |
| Rosa 'Love & Peace' | | | | | | | | |
| See - Rosa 'BAIpeace' P.P. 14731 | | | | | | | | |
| Rosa 'Love' | | | | | | | | |
| See - Rosa 'JACtwin' P.P. 4437 | | | | | | | | |
| Rosa 'Love's Promise' | | | | | | | | |
| See - Rosa 'MEIsoyris' P.P. 9253 | | | | | | | | |
| Rosa 'Lovely Fairy' | | | | | | | | |
| See - Rosa 'SPEvu' P.P. 10701 | | | | | | | | |
| Rosa 'Lowell Thomas' | RO | 0.53 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Lowell Thomas Hybrid Tea Rose | | | | | | | | |
| Rosa 'Lunar Mist' | | | | | | | | |
| See - Rosa 'MEIjacolet' P.P.A.F. | | | | | | | | |
| Rosa 'Lynn Anderson' | | | | | | | | |
| See - Rosa 'WEKjoe' P.P. 9389 | | | | | | | | |
| Rosa 'MACauck' P.P. 5519 | RO | 0.59 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Olympiad™ Hybrid Tea Rose | | | | | | | | |
| Rosa 'MACcarpe' P.P. 4612 | RO | 0.91 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Snow Carpet™ Shrub Rose | | | | | | | | |
| Rosa 'MACdub' | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Dublin Bay Climbing Rose | | | | | | | | |
| Rosa 'MACgenev' P.P. 8279 | RO | 1.07 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| New Zealand Hybrid Tea Rose | | | | | | | | |
| Rosa 'MACha' | RO | 0.98 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Handel Climbing Rose | | | | | | | | |
| Rosa 'MAChahei' P.P. 11489 | RO | 1.22 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Reba McEntire Grandiflora Rose | | | | | | | | |
| Rosa 'MAClanoflon' P.P.A.F. | RO | 0.93 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Full Sail Hybrid Tea Rose | | | | | | | | |
| Rosa 'MAClanter' P.P.A.F. | RO | 1.19 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Octoberfest™ Grandiflora Rose | | | | | | | | |
| Rosa 'MACoranlem' P.P. 9191 | RO | 0.87 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Oranges 'n' Lemons Shrub Rose | | | | | | | | |
| Rosa 'MACrexy' P.P. 6713 | RO | 1.20 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Sexy Raxy Floribunda Rose | | | | | | | | |
| Rosa 'MACtru' | | | | | | | | |
| See - Rosa 'MACtrum' | | | | | | | | |
| Rosa 'MACtrum' | RO | 0.93 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Trumpeter Floribunda Rose | | | | | | | | |
| Rosa 'MACyoumis' | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Regensburg Floribunda Rose | | | | | | | | |
| Rosa 'MEIalate' P.P. 11044 | RO | 1.06 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Mystic Meidiland™ Rose | | | | | | | | |
| Rosa 'MEIbacus' P.P. 13860 | RO | 0.86 | R1 | 5-6 | 7-8 | | 1.30 | 6 |
| Liv Tyler™ Grandiflora Rose | | | | | | | | |
| Rosa 'MEIbaltaz' P.P. 8449 | RO | 0.85 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Anthony Meiland® Floribunda Rose | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| Rosa 'MEIbarke' P.P. 6791 Debut™ Miniature Rose | RO | 1.00 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MEIbderos' P.P.A.F. Elle™ Hybrid Tea Rose | RO | 0.95 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIbeausai' P.P. 7667 Charles Aznavour™ Floribunda Rose | RO | 0.79 | R1 | 5-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIbedull' P.P.A.F. Apricot Candy™ Hybrid Tea Rose | RO | 0.74 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIberos' See - Rosa 'MEIbderos' P.P.A.F. | | | | | | | | |
| Rosa 'MEIbionel' P.P. 15878 Preference™ Floribunda Rose | RO | 0.85 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Rosa 'MEIblonver' P.P. 7811 White Majesty™ Hybrid Tea Rose | RO | 0.86 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Rosa 'MEIbokarb' P.P. 8448 Cherry Sunblaze™ Miniature Rose | RO | 1.00 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIbonrib' P.P. 9469 Magic Meidiland™ Rose | RO | 0.80 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MEIbrinpay' P.P. 9609 Abbaye de Cluny® Hybrid Tea Rose | RO | 0.90 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIcauf' P.P. 7718 Amalia Hybrid Tea Rose | RO | 0.76 | R1 | 3-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIchibon' P.P.A.F. Tchaikovsky™ Grandiflora Rose | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIchonar' P.P. 9536 Pearl Sevillana™ Rose | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIcoublan' P.P. 6088 White Meidiland™ Shrub Rose | RO | 0.98 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MEIcupag' P.P. 8493 Golden Sunblaze™ Miniature Rose | RO | 0.95 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIdanclar' P.P. 7621 Candy Sunblaze™ Miniature Rose | RO | 1.05 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIdarin' P.P. 13291 Mandarin Sunblaze® Miniature Rose | RO | 1.11 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MEIdeauri' P.P. 9980 Leonardo da Vinci® Floribunda Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIdeinis' P.P. 17561 Rosy Minuetto™ Miniature Rose | RO | 0.93 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Rosa 'MEIdelweis' P.P. 17841 Bolero™ Romantica English Rose | RO | 0.86 | R1 | 3-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIdeweis' See - Rosa 'MEIdelweis' P.P. 17841 | | | | | | | | |
| Rosa 'MEIdo' Scarlet Gem® Miniature Rose | RO | 0.84 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIdomonac' P.P. 5105 Bonica Meidiland™ Rose | RO | 0.95 | R1 | 3-4 | 5-8 | | 1.09 | 4 |
| Rosa 'MEIdonfe' P.P. 10666 Raspberry Sunblaze™ Miniature Rose | RO | 1.05 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIdrason' P.P. 15052 Red Eden™ Climbing Rose | RO | 0.88 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIdrifora' Coral Drift® Dwarf Shrub Rose | RO | 1.03 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIfacul' P.P. 18918 Eternal Flame™ Hybrid Tea Rose | RO | 0.89 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIfaissel' P.P. 16951 Queen Mary 2™ Hybrid Tea Rose | RO | 0.85 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIferjac' P.P. 9652 Autumn Sunblaze™ Miniature Rose | RO | 1.01 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIflopan' P.P. 6891 Alba Meidiland® Rose | RO | 1.08 | R1 | 3-4 | 5-8 | | 1.30 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| Rosa 'MEIfovett' P.P.A.F. Baby Paradise™ Miniature Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MEIgabi' Starina Miniature Rose | RO | 0.61 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIgalpio' P.P. 17877 Red Drift® Dwarf Shrub Rose | RO | 1.03 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIgekanu' P.P. 6384 Sevillana™ Rose | RO | 0.94 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MEIgenpi' P.P. 17481 Rainbow Sunblaze® Miniature Rose | RO | 0.64 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIggili' P.P. 18542 Peach Drift® Dwarf Shrub Rose | RO | 1.03 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIglise' P.P. 15960 White Drift™ Dwarf Shrub Rose | RO | 0.84 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MEIgoodea' P.P. 18472 Sweet Promise™ Hybrid Tea Rose | RO | 0.74 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIgrappo' P.P. 18564 Crimson Sky™ Climbing Rose | RO | 1.15 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIgroupy' P.P. 17970 Classic Woman™ Hybrid Tea Rose | RO | 0.92 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Rosa 'MEIhelvet' Sonia Meilland Grandiflora Rose | RO | 1.22 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIherode' Petite Folie Miniature Rose | RO | 0.84 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIhurge' P.P. 10544 Lasting Peace™ Grandiflora Rose | RO | 0.96 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIjacolet' P.P.A.F. Lunar Mist™ Romantica™ Climbing Rose | RO | 0.92 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Rosa 'MEIjelior' P.P. 14069 Sonia Sunblaze® Miniature Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIjeunom' P.P. 19143 Ivory Drift® Dwarf Shrub Rose | RO | 0.85 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIjikatar' P.P. 4682 Orange Sunblaze™ Miniature Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MEIkarouz' P.P. 14039 Rouge Royale™ Hybrid Tea Rose | RO | 0.86 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIkentuk' P.P.A.F. Colleen Mary™ Hybrid Tea Rose | RO | 0.78 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIklutz' P.P. 19760 Fairy Meidiland® Shrub Rose | RO | 0.92 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIkrotal' P.P. 6087 Scarlet Meidiland® Rose | RO | 0.99 | R1 | 3-4 | 5-8 | | 1.18 | 4 |
| Rosa 'MEIlarco' P.P. 6170 Lady Sunblaze™ Miniature Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIlavio' P.P. 10845 Traviata® Hybrid Tea Rose | RO | 0.85 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIlmera' P.P. 10002 Bridal Sunblaze™ Miniature Rose | RO | 0.96 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIlomit' P.P.A.F. Marie Curie™ Floribunda Rose | RO | 0.82 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIludere' P.P. 18707 Mother of Pearl™ Grandiflora Rose | RO | 0.89 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIlivar' P.P. 7541 Gina Lollobrigida™ Hybrid Tea Rose | RO | 0.88 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEImafri' P.P. 7278 Jardins de Bagatelle® Hybrid Tea Rose | RO | 0.87 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEImagarmic' P.P. 5067 Princesse de Monaco® Hybrid Tea Rose | RO | 0.65 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEImainger' P.P. 6792 Cary Grant Hybrid Tea Rose | RO | 0.96 | R1 | 3-4 | 5-8 | | 1.30 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| Rosa 'MEImaviron' P.P.A.F. Pink Sunblaze® Miniature Rose | RO | 0.68 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEImiros' P.P. 15500 Coral Sunblaze® Miniature Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEImodac' P.P. 8840 Royal Bonica™ Rose | RO | 0.95 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MEImonblan' P.P. 12579 Marmalade Skies™ Floribunda Rose | RO | 0.97 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEImouslin' P.P. 8847 Cardinal Song™ Grandiflora Rose | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIneble' P.P. 7116 Red Meidiland™ Shrub Rose | RO | 0.84 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MEInerau' P.P. 10668 Centennial Star™ Hybrid Tea Rose | RO | 0.88 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIniacin' P.P. 7819 Perfume Beauty™ Hybrid Tea Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEInimo' P.P. 8930 Regatta™ Hybrid Tea Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEInivoz' P.P. 9001 Paul Ricard® Hybrid Tea Rose | RO | 0.95 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEInomad' P.P. 8248 Desert Peace™ Hybrid Tea Rose | RO | 1.07 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEInusian' P.P.A.F. Francois Rabelais® Floribunda Rose | RO | 0.83 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEInuzeten' P.P. 4224 Ambassador® Hybrid Tea Rose | RO | 0.93 | R1 | 3-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIoffic' P.P. 9998 Johann Strauss™ Floribunda Rose | RO | 0.83 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIpadan' P.P. 15487 Panda Meidiland® Shrub Rose | RO | 0.88 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MEIpaleo' P.P. 9042 Marco Polo Hybrid Tea Rose | RO | 0.85 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIpelta' P.P. 8839 Fuchsia Meidiland™ Rose | RO | 0.90 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MEIpierar' P.P. 7622 Caroline de Monaco® Hybrid Tea Rose | RO | 0.87 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIpitac' P.P. 7783 Carefree Wonder™ Shrub Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Rosa 'MEIplatin' P.P. 6807 Pearl Meidiland™ Rose | RO | 1.00 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MEIpomolo' P.P. 16342 Tequila™ Floribunda Rose | RO | 0.92 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIpoque' P.P. 5956 Pink Meidiland™ Shrub Rose | RO | 1.02 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MEIpotal' P.P. 8841 Carefree Delight® Shrub Rose | RO | 0.89 | R1 | 3-4 | 5-8 | | 1.17 | 4 |
| Rosa 'MEIppopul' P.P. 9777 Coral Meidiland™ Rose | RO | 1.06 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MEIpreston' P.P. 13500 Ruby Meidiland® Shrub Rose | RO | 1.00 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIpsidue' P.P. 11583 Fire Meidiland® Rose | RO | 0.96 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MEIptima' P.P. 11025 Lavender Sunblaze™ Miniature Rose | RO | 1.21 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIrabande' Sarabande Floribunda Rose | RO | 0.96 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MEIradia' Rosy Gem Miniature Rose | RO | 0.84 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIrameca' P.P. 16030 Carefree Marvel™ Shrub Rose | RO | 0.92 | R1 | 4-6 | 7-8 | | 1.30 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| Rosa 'MEIrental' P.P. 9537 Paprika™ Climbing Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIrevolt' P.P. 9582 Toulouse-Lautrec® Hybrid Tea Rose | RO | 0.83 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIrokoi' P.P. 9979 Jean Giono™ Hybrid Tea Rose | RO | 0.84 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIronsse' P.P. 8496 Christopher Columbus® Hybrid Tea Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIrosfan' Fuchsia Minuetto™ Miniature Rose | RO | 0.93 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Rosa 'MEIroupis' P.P. 9994 Colette™ Hybrid Tea Climbing Rose | RO | 0.84 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIrumour' P.P. 9251 Cherry Meidiland™ Rose | RO | 1.34 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MEIrutral' P.P. 7021 Prince Meillandina® Miniature Rose | RO | 1.14 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIshulo' P.P. 10015 Salmon Sunblaze™ Miniature Rose | RO | 1.05 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIskaille' P.P. 14274 Yellow Sunblaze® Miniature Rose | RO | 1.08 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIsocrat' P.P. 9613 Guy de Maupassant® Floribunda Rose | RO | 0.84 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIsoyris' P.P. 9253 Love's Promise™ Grandiflora Rose | RO | 0.81 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIsponge' P.P. 12802 Cherry Parfait™ Grandiflora Rose | RO | 0.96 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEItebros' P.P. 10004 Frederic Mistral® Hybrid Tea Rose | RO | 0.88 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEItelov' P.P.A.F. Michelangelo™ Hybrid Tea Rose | RO | 0.86 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEItoifar' P.P. 9564 Auguste Renoir® Hybrid Tea Rose | RO | 0.85 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEItonje' P.P. 7277 Sweet Sunblaze® Miniature Rose | RO | 1.10 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEItosier' P.P. 9233 Polka™ Climbing Rose | RO | 1.02 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEItozaure' P.P. 15937 Raspberry Rugostar™ Shrub Rose | RO | 1.17 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEItravia' P.P. 16890 Pink Traviata® Romantica Shrub Rose | RO | 0.86 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIvahyn' P.P. 11577 Ice Meidiland™ Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MEIvalier' P.P.A.F. Garden Sun™ Climbing Rose | RO | 1.13 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIvamo' P.P. 8619 Paris D'Yves St. Laurent™ Hybrid Tea Rose | RO | 0.84 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIvanery' P.P. 19263 Full Moon Rising™ Ronmantica™ Climbing Rose | RO | 0.90 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Rosa 'MEIvarfal' P.P.A.F. Saffron Minuetto™ Miniature Rose | RO | 0.93 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Rosa 'MEIvildo' P.P. 6895 Yves Piaget® Hybrid Tea Rose | RO | 0.84 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIviolin' P.P. 6892 Eden Climber™ Climbing Rose | RO | 1.09 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIviowit' P.P. 16739 White Eden™ Climbing Rose | RO | 1.21 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIwhiflo' P.P. 16243 September Mourn™ Floribunda Rose | RO | 0.83 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIzebel' P.P.A.F. Passionate Kisses™ Floribunda Rose | RO | 0.85 | R1 | 4-6 | 7-8 | | 1.30 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| Rosa 'MEIzeli' P.P. 8391 The McCartney Rose™ Hybrid Tea Rose | RO | 1.03 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIzerbil' P.P.A.F. Crimson Meidiland® Shrub Rose | RO | 0.92 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIzincaro' P.P. 11660 Peter Mayle™ Hybrid Tea Rose | RO | 0.85 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIzmea' P.P.A.F. Carefree Spirit™ Shrub Rose | RO | 0.96 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MEIzoele' P.P.A.F. Glowing Peace™ Grandiflora Rose | RO | 0.87 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MEIzogrel' P.P. 7276 White Mini Wonder Miniature Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MICandie' Andie MacDowell™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'MOEmighty' Mighty Moe Miniature Rose | RO | 0.63 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Rosa 'MOORcap' P.P. 3962 Red Cascade Climbing Rose | RO | 0.58 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MORpoly' P.P. 8453 Cal Poly™ Miniature Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'MORredfar' P.P. 10150 Red Fairy Polyantha Rose | RO | 1.08 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MORten' P.P. 8199 Linda Campbell Shrub Rose | RO | 0.88 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'MORYelrug' P.P. 6793 Topaz Jewel Rugosa Rose | RO | 0.96 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Macy's Pride' See - Rosa 'BAIcream' P.P. 15574 | | | | | | | | |
| Rosa 'Madeline' See - Rosa 'MEIvanery' P.P. 19263 | | | | | | | | |
| Rosa 'Madison' See - Rosa 'POULrijik' P.P. 12519 | | | | | | | | |
| Rosa 'Magic Blanket' See - Rosa 'TANigino' P.P.A.F. | | | | | | | | |
| Rosa 'Magic Carpet' See - Rosa 'JAClover' P.P. 9324 | | | | | | | | |
| Rosa 'Magic Carrousel' Magic Carrousel Miniature Rose | RO | 0.59 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Magic Meidiland' See - Rosa 'MEIbonrib' P.P. 9469 | | | | | | | | |
| Rosa 'Mandarin Sunblaze' See - Rosa 'MEIdarin' P.P. 13291 | | | | | | | | |
| Rosa 'Manhattan' See - Rosa 'POULharmu' P.P. 12681 | | | | | | | | |
| Rosa 'Marco Polo' See - Rosa 'MEIpaleo' P.P. 9042 | | | | | | | | |
| Rosa 'Mardi Gras' See - Rosa 'JACfrain' P.P. 19571 | | | | | | | | |
| Rosa 'Margaret Merril' See - Rosa 'HARKuly' | | | | | | | | |
| Rosa 'Margo Koster' Margo Koster Polyantha Shrub Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Marie Bugnet' Marie Bugnet Rugosa Rose | RO | 1.30 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Rosa 'Marie Curie' See - Rosa 'MEIllomit' P.P.A.F. | | | | | | | | |
| Rosa 'Marie Daly' Marie Daly Polyantha Rose | RO | 0.86 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Marie Pavie' Marie Pavie Polyantha Rose | RO | 0.89 | R1 | 3-4 | 5-8 | | 1.30 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| Rosa 'Marie Victorin' | | | | | | | | |
| See - Rosa 'AC Marie-Victorin' P.P. 11650 | | | | | | | | |
| Rosa 'Marmalade Skies' | | | | | | | | |
| See - Rosa 'MElmonblan' P.P. 12579 | | | | | | | | |
| Rosa 'Martha Gonzales' | RO | 0.75 | R1 | 5-7 | 8 | | 1.30 | 7 |
| Martha Gonzales Tea Rose | | | | | | | | |
| Rosa 'Martha's Vineyard' | | | | | | | | |
| See - Rosa 'POULans' P.P. 9664 | | | | | | | | |
| Rosa 'Martin Frobisher' | RO | 1.19 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Martin Frobisher Shrub Rose | | | | | | | | |
| Rosa 'Mary Rose' | | | | | | | | |
| See - Rosa 'AUSmary' P.P.A.F. | | | | | | | | |
| Rosa 'Max Graf' | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Max Graf Rugosa Rose | | | | | | | | |
| Rosa 'Medallion' | RO | 1.03 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Medallion Tea Rose | | | | | | | | |
| Rosa 'Meibidull' | | | | | | | | |
| See - Rosa 'MElgroupy' P.P. 17970 | | | | | | | | |
| Rosa 'Mellow Yellow' | | | | | | | | |
| See - Rosa 'WEKosomit' P.P. 14401 | | | | | | | | |
| Rosa 'Memorial Day' | | | | | | | | |
| See - Rosa 'WEKblunez' P.P. 16572 | | | | | | | | |
| Rosa 'Merlot' | | | | | | | | |
| See - Rosa 'BENfebu' P.P. 16483 | | | | | | | | |
| Rosa 'Mermaid' | RO | 0.93 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Mermaid Climbing Rose | | | | | | | | |
| Rosa 'Miami Moon' | | | | | | | | |
| See - Rosa 'WEKvosuimp' P.P. 13509 | | | | | | | | |
| Rosa 'Michel Cholet' | | | | | | | | |
| See - Rosa 'FOUmich' | | | | | | | | |
| Rosa 'Michelangelo' | | | | | | | | |
| See - Rosa 'MEltelov' P.P.A.F. | | | | | | | | |
| Rosa 'Michelle Cholet' | | | | | | | | |
| See - Rosa 'FOUmich' | | | | | | | | |
| Rosa 'Midas Touch' | | | | | | | | |
| See - Rosa 'JACTou' P.P. 8706 | | | | | | | | |
| Rosa 'Midnight Blue' | | | | | | | | |
| See - Rosa 'WEKfabpur' P.P. 16623 | | | | | | | | |
| Rosa 'Mighty Moe' | | | | | | | | |
| See - Rosa 'MOEmighty' | | | | | | | | |
| Rosa 'Mikado' | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Mikado Hybrid Tea Rose | | | | | | | | |
| Rosa 'Minnie Pearl' | | | | | | | | |
| See - Rosa 'SAVahowdy' P.P. 5097 | | | | | | | | |
| Rosa 'Minor Details' | | | | | | | | |
| See - Rosa 'SAVaminor' | | | | | | | | |
| Rosa 'Mirandy' | RO | 0.39 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Mirandy Hybrid Tea Rose | | | | | | | | |
| Rosa 'Miss All American Beauty' | RO | 0.73 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Miss All American Beauty Hybrid Tea Rose | | | | | | | | |
| Rosa 'Miss Flippins' | | | | | | | | |
| See - Rosa 'TUCKflip' P.P. 10601 | | | | | | | | |
| Rosa 'Mister Lincoln' | RO | 0.80 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Mister Lincoln Hybrid Tea Rose | | | | | | | | |
| Rosa 'Mme. Hardy' | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Mme. Hardy Damask Rose | | | | | | | | |
| Rosa 'Mojave' | RO | 1.36 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Mojave Hybrid Tea Rose | | | | | | | | |
| Rosa 'Moje Hammarberg' | RO | 1.02 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Moje Hammarberg Rugosa Rose | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| Rosa 'Molineux' | | | | | | | | |
| See - Rosa 'AUSmol' P.P. 9524 | | | | | | | | |
| Rosa 'Montana' | | | | | | | | |
| See - Rosa 'SAVatana' | | | | | | | | |
| Rosa 'Montblanc' | RO | 0.93 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Montblanc Rugosa Rose | | | | | | | | |
| Rosa 'Montezuma' | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Montezuma Grandiflora Rose | | | | | | | | |
| Rosa 'Moon River' | | | | | | | | |
| See - Rosa 'KORconta' P.P. 10637 | | | | | | | | |
| Rosa 'Moondance' | | | | | | | | |
| See - Rosa 'JACtanic' P.P. 19126 | | | | | | | | |
| Rosa 'Morden Blush' | RO | 0.82 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Morden Blush Shrub Rose | | | | | | | | |
| Rosa 'Morden Centennial' | RO | 0.83 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Morden Centennial Shrub Rose | | | | | | | | |
| Rosa 'Morden Fireglow' P.P. 8060 | RO | 1.10 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Morden Fireglow Shrub Rose | | | | | | | | |
| Rosa 'Morden Ruby' | RO | 0.89 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Morden Ruby Shrub Rose | | | | | | | | |
| Rosa 'Morden Snowbeauty' P.P. 11730 | RO | 0.98 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Morden Snowbeauty Shrub Rose | | | | | | | | |
| Rosa 'Morden Sunrise' P.P. 13969 | RO | 1.05 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Morden Sunrise Shrub Rose | | | | | | | | |
| Rosa 'Morning Magic' | | | | | | | | |
| See - Rosa 'RADmor' P.P. 19433 | | | | | | | | |
| Rosa 'Mother of Pearl' | | | | | | | | |
| See - Rosa 'MElludere' P.P. 18707 | | | | | | | | |
| Rosa 'Mothersday' | RO | 0.99 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Mothersday Polyantha Rose | | | | | | | | |
| Rosa 'Mount Hood' | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Mount Hood Grandiflora Rose | | | | | | | | |
| Rosa 'Mountie' | | | | | | | | |
| See - Rosa 'LAVcale' P.P. 6054 | | | | | | | | |
| Rosa 'My Girl' | | | | | | | | |
| See - Rosa 'BAIgirl' P.P.A.F. | | | | | | | | |
| Rosa 'My Hero' | | | | | | | | |
| See - Rosa 'BAIhero' P.P. 15400 | | | | | | | | |
| Rosa 'My Sunshine' | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| My Sunshine Miniature Rose | | | | | | | | |
| Rosa 'Mystic Fairy' | | | | | | | | |
| See - Rosa 'BAIfairy' P.P. 16131 | | | | | | | | |
| Rosa 'Mystic Meidiland' | | | | | | | | |
| See - Rosa 'MEIalate' P.P. 11044 | | | | | | | | |
| Rosa 'NOA168098F' P.P. 19206 | RO | 1.40 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Flower Carpet® Pink Supreme Shrub Rose | | | | | | | | |
| Rosa 'NOA83100B' P.P. 17373 | RO | 1.43 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Flower Carpet® Scarlet Shrub Rose | | | | | | | | |
| Rosa 'NOAla' P.P. 14441 | RO | 1.39 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Flower Carpet® Coral Shrub Rose | | | | | | | | |
| Rosa 'NOAlesa' P.P. 13869 | RO | 1.39 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Flower Carpet® Yellow Shrub Rose | | | | | | | | |
| Rosa 'NOAmel' P.P. 10239 | RO | 1.38 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Flower Carpet® Appleblossom Shrub Rose | | | | | | | | |
| Rosa 'NOAre' P.P. 11308 | RO | 1.40 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Flower Carpet® Red Shrub Rose | | | | | | | | |
| Rosa 'NOAschnee' P.P. 9573 | RO | 1.42 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Flower Carpet® White Shrub Rose | | | | | | | | |
| Rosa 'NOAtraum' P.P. 7282 | RO | 1.38 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Flower Carpet® Pink Shrub Rose | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--------------------------------------|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| Rosa 'Nacogdoches' | | | | | | | | |
| See - Rosa 'Grandma's Yellow' | | | | | | | | |
| Rosa 'Napa Valley' | | | | | | | | |
| See - Rosa 'POULnino' P.P. 9554 | | | | | | | | |
| Rosa 'Nearly Wild' | RO | 0.80 | R1 | 3-4 | 5-8 | | 1.29 | 4 |
| Nearly Wild Shrub Rose | | | | | | | | |
| Rosa 'Neon Cowboy' | | | | | | | | |
| See - Rosa 'WEKemilcho' P.P. 15256 | | | | | | | | |
| Rosa 'Neptune' | | | | | | | | |
| See - Rosa 'WEKhilpurnil' P.P. 16614 | | | | | | | | |
| Rosa 'New Beginning' | | | | | | | | |
| See - Rosa 'SAVabeg' P.P. 6707 | | | | | | | | |
| Rosa 'New Blaze' | | | | | | | | |
| See - Rosa 'Demokracie' | | | | | | | | |
| Rosa 'New Dawn' | RO | 0.73 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| New Dawn Climbing Rose | | | | | | | | |
| Rosa 'New Day' | RO | 0.53 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| New Day Tea Rose | | | | | | | | |
| Rosa 'New Yorker' | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| New Yorker Hybrid Tea Rose | | | | | | | | |
| Rosa 'New Zealand' | | | | | | | | |
| See - Rosa 'MACgenev' P.P. 8279 | | | | | | | | |
| Rosa 'Newport' | | | | | | | | |
| See - Rosa 'POULma' P.P. 9261 | | | | | | | | |
| Rosa 'Night Owl' | | | | | | | | |
| See - Rosa 'WEKpurosot' P.P. 18740 | | | | | | | | |
| Rosa 'Northern Accents Series' | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Northern Accents™ Series Shrub Rose | | | | | | | | |
| Rosa 'Northern Encore' | | | | | | | | |
| See - Rosa 'BAlore' P.P. 16909 | | | | | | | | |
| Rosa 'Northern Sensation' | | | | | | | | |
| See - Rosa 'BAltion' P.P.A.F. | | | | | | | | |
| Rosa 'Northern Sunburst' | | | | | | | | |
| See - Rosa 'BALurst' P.P.A.F. | | | | | | | | |
| Rosa 'Norwich Sweetheart' | | | | | | | | |
| See - Rosa 'BERnor' | | | | | | | | |
| Rosa 'Nostalgia' | | | | | | | | |
| See - Rosa 'SAVarita' | | | | | | | | |
| Rosa 'ORApaymel' P.P. 14500 | RO | 1.08 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Heart 'N' Soul™ Shrub Rose | | | | | | | | |
| Rosa 'ORAwichkay' P.P. 14785 | RO | 1.01 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Starry Night™ Shrub Rose | | | | | | | | |
| Rosa 'Octoberfest' | | | | | | | | |
| See - Rosa 'MAClanter' P.P.A.F. | | | | | | | | |
| Rosa 'Oklahoma' | RO | 0.72 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Oklahoma Hybrid Tea Rose | | | | | | | | |
| Rosa 'Old Blush' | RO | 0.74 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Old Blush China Rose | | | | | | | | |
| Rosa 'Old Glory' | | | | | | | | |
| See - Rosa 'BENday' P.P. 6568 | | | | | | | | |
| Rosa 'Ole' | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Ole Grandiflora Rose | | | | | | | | |
| Rosa 'Ole' | | | | | | | | |
| See - Rosa 'BAIole' | | | | | | | | |
| Rosa 'Olympiad' | | | | | | | | |
| See - Rosa 'MACauck' P.P. 5519 | | | | | | | | |
| Rosa 'Opening Night' | | | | | | | | |
| See - Rosa 'JAColber' P.P. 11265 | | | | | | | | |
| Rosa 'Orange Garnette' | | | | | | | | |
| See - Rosa 'Oranzova Garnette' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|-----------|-----------------------------|------------------------------|--|------------|
| | | | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| Rosa 'Orange Impressionist' See - Rosa 'BAloist' P.P. 15738 | | | | | | | |
| Rosa 'Orange Sunblaze' See - Rosa 'MEljikatar' P.P. 4682 | | | | | | | |
| Rosa 'Oranges 'n' Lemons' See - Rosa 'MACoranlem' P.P. 9191 | | | | | | | |
| Rosa 'Oranzova Garnette' Oranzova Garnette Floribunda Rose | RO | 0.93 | R1 | 4-7 | 8 | | 1.30 7 |
| Rosa 'Oregold' Oregold Hybrid Tea Rose | RO | 0.75 | R1 | 4-5 | 6-8 | | 1.30 5 |
| Rosa 'Origami' See - Rosa 'AROcharm' | | | | | | | |
| Rosa 'Othello' See - Rosa 'AUSlo' P.P. 7212 | | | | | | | |
| Rosa 'Our Lady of Guadalupe' See - Rosa 'JACveryp' P.P.A.F. | | | | | | | |
| Rosa 'Outta the Blue' See - Rosa 'WEKstephitsu' P.P. 13449 | | | | | | | |
| Rosa 'Overnight Scentsation' See - Rosa 'SAVanight' P.P. 11303 | | | | | | | |
| Rosa 'POULans' P.P. 9664 Martha's Vineyard™ Shrub Rose | RO | 0.81 | R1 | 3-4 | 5-8 | | 1.30 4 |
| Rosa 'POULbella' P.P. 12904 Cuyahoga® National Parks Floribunda Rose | RO | 1.00 | R1 | 3-4 | 5-8 | | 1.30 4 |
| Rosa 'POULcov' P.P. 10648 Kent™ Shrub Rose | RO | 0.78 | R1 | 3-4 | 5-8 | | 1.30 4 |
| Rosa 'POULdron' P.P. 10923 Countess Celeste™ Shrub Rose | RO | 0.91 | R1 | 3-4 | 5-8 | | 1.30 4 |
| Rosa 'POULege' P.P.A.F. Shenandoah® National Parks Floribunda Rose | RO | 1.00 | R1 | 3-4 | 5-8 | | 1.30 4 |
| Rosa 'POULen001' P.P.A.F. Gettysburg® National Parks Floribunda Rose | RO | 1.00 | R1 | 3-4 | 5-8 | | 1.30 4 |
| Rosa 'POULfan' P.P. 9641 Cape Cod™ Shrub Rose | RO | 0.89 | R1 | 3-4 | 5-8 | | 1.30 4 |
| Rosa 'POULgode' P.P.A.F. Lexington Rose | RO | 0.90 | R1 | 3-5 | 6-8 | | 1.30 5 |
| Rosa 'POULharmu' P.P. 12681 Manhattan Shrub Rose | RO | 1.22 | R1 | 4-6 | 7-8 | | 1.30 6 |
| Rosa 'POULit' P.P. 9419 Baby Grand Miniature Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 6 |
| Rosa 'POULlen' P.P. 9273 Little Bo-Peep Miniature Rose | RO | 0.87 | R1 | 3-5 | 6-8 | | 1.30 5 |
| Rosa 'POULman' P.P. 6264 Ingrid Bergman Tea Rose | RO | 1.17 | R1 | 3-4 | 5-8 | | 1.30 4 |
| Rosa 'POULnino' P.P. 9554 Napa Valley Shrub Rose | RO | 0.80 | R1 | 4-5 | 6-8 | | 1.30 5 |
| Rosa 'POULreb' P.P. 12534 Yellowstone® National Parks Floribunda Rose | RO | 1.00 | R1 | 3-4 | 5-8 | | 1.30 4 |
| Rosa 'POULriber' P.P. 12902 Grand Canyon® National Parks Floribunda Rose | RO | 1.00 | R1 | 3-4 | 5-8 | | 1.30 4 |
| Rosa 'POULrijk' P.P. 12519 Madison™ Rose | RO | 0.99 | R1 | 3-4 | 5-8 | | 1.30 4 |
| Rosa 'POULrust' P.P. 12520 Cambridge™ Rose | RO | 1.00 | R1 | 3-4 | 5-8 | | 1.30 4 |
| Rosa 'POULskov' P.P. 9062 Queen Margrethe Shrub Rose | RO | 1.10 | R1 | 3-4 | 5-8 | | 1.30 4 |
| Rosa 'POULtex' P.P. 6261 Texas Miniature Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 4 |
| Rosa 'POULtry' P.P.A.F. Redwood® National Parks Floribunda Rose | RO | 1.00 | R1 | 3-4 | 5-8 | | 1.30 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| Rosa 'POULusa' P.P. 10638 Princess Marianna™ Shrub Rose | RO | 1.07 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'POULymp' P.P. 16744 Acadia® National Parks Floribunda Rose | RO | 1.00 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'POUclimb' P.P. 10639 Berries 'n' Cream™ Climbing Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'POUicat' Pink Drift Miniature Rose | RO | 1.03 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'POUclaus' P.P. 9063 Santa Claus Miniature Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'POUIma' P.P. 9261 Newport Shrub Rose | RO | 0.80 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'POUInish' Sunbird™ Poulsen Miniature Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'POUlyg' P.P. 9665 Central Park Shrub Rose | RO | 0.80 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'POUlurt' P.P. 9637 Aspen Shrub Rose | RO | 0.80 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'PRObril' P.P. 12645 Brilliant Pink Iceberg Floribunda Rose | RO | 1.15 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'PROse' P.P. 16198 Burgundy Iceberg Floribunda Rose | RO | 1.06 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'Pacesetter' Pacesetter Miniature Rose | RO | 0.63 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Pacific Serenade' See - Rosa 'SAVanade' P.P. 11810 | | | | | | | | |
| Rosa 'Paint the Town' See - Rosa 'BAltown' P.P. 18060 | | | | | | | | |
| Rosa 'Palmengarten Frankfurt' See - Rosa 'KORSilan' | | | | | | | | |
| Rosa 'Panda Meidiland' See - Rosa 'MEIpadan' P.P. 15487 | | | | | | | | |
| Rosa 'Paprika' See - Rosa 'MEIrental' P.P. 9537 | | | | | | | | |
| Rosa 'Paradise' Paradise Hybrid Tea Rose | RO | 0.50 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Paris D'Yves St. Laurent' See - Rosa 'MEIvamo' P.P. 8619 | | | | | | | | |
| Rosa 'Party Girl' P.P. 4598 Party Girl® Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'Pascali' See - Rosa 'LENip' P.P. 2592 | | | | | | | | |
| Rosa 'Passionate Kisses' See - Rosa 'MEIzebel' P.P.A.F. | | | | | | | | |
| Rosa 'Pat Austin' See - Rosa 'AUSmum' P.P. 9527 | | | | | | | | |
| Rosa 'Paul Neron' See - Rosa 'Paul Neyron' | | | | | | | | |
| Rosa 'Paul Neyron' Paul Neyron Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Paul Ricard' See - Rosa 'MEInivoz' P.P. 9001 | | | | | | | | |
| Rosa 'Pavement Dwarf' Pavement Dwarf Shrub Rose | RO | 0.92 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Rosa 'Pavement Foxi' Pavement Foxi Shrub Rose | RO | 0.82 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Rosa 'Pavement Pierette' Pavement Pierette Shrub Rose | RO | 0.94 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Rosa 'Pavement Pink' Pavement Pink Shrub Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| Rosa 'Pavement Pristine' Pavement Pristine Shrub Rose | RO | 0.71 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Rosa 'Pavement Purple' Pavement Purple Shrub Rose | RO | 0.86 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Rosa 'Pavement Scarlet' Pavement Scarlet Shrub Rose | RO | 0.89 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Rosa 'Pavement Snow' Pavement Snow Shrub Rose | RO | 0.85 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Rosa 'Pavement White' Pavement White Shrub Rose | RO | 1.18 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Rosa 'Peace Climbing' Peace Climbing Rose | RO | 0.39 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Peace' Peace Hybrid Tea Rose | RO | 0.74 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Peach Brandy' Peach Brandy Miniature Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Peach Delight' See - Rosa 'SAVapeach' | | | | | | | | |
| Rosa 'Peach Drift' See - Rosa 'MEIggili' P.P. 18542 | | | | | | | | |
| Rosa 'Pearl Meidiland' See - Rosa 'MEIplatin' P.P. 6807 | | | | | | | | |
| Rosa 'Pearl Sevillana' See - Rosa 'MEIchonar' P.P. 9536 | | | | | | | | |
| Rosa 'Pearly Gates' See - Rosa 'WEKmeyer' P.P. 10640 | | | | | | | | |
| Rosa 'Perfect Moment' Perfect Moment Hybrid Tea Rose | RO | 0.85 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Perfume Beauty' See - Rosa 'MEIniacin' P.P. 7819 | | | | | | | | |
| Rosa 'Perfume Delight' Perfume Delight Hybrid Tea Rose | RO | 0.76 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Perle des Jardins' Perle des Jardins Tea Rose | RO | 0.52 | R1 | 5-7 | 8 | | 1.30 | 7 |
| Rosa 'Peter Mayle' See - Rosa 'MEIzincaro' P.P. 11660 | | | | | | | | |
| Rosa 'Petite Folie' See - Rosa 'MEIherode' | | | | | | | | |
| Rosa 'Picotee' See - Rosa 'BENpico' P.P. 16817 | | | | | | | | |
| Rosa 'Pillow Fight' See - Rosa 'WEKpipogop' P.P. 13113 | | | | | | | | |
| Rosa 'Pink Cottage' See - Rosa 'CHEwily' P.P.A.F. | | | | | | | | |
| Rosa 'Pink Double Knock Out' See - Rosa 'RADtkopink' P.P. 18507 | | | | | | | | |
| Rosa 'Pink Drift' See - Rosa 'POUlcat' | | | | | | | | |
| Rosa 'Pink Gnome' See - Rosa 'BAIpome' P.P. 16602 | | | | | | | | |
| Rosa 'Pink Grootendorst' Pink Grootendorst Rugosa Rose | RO | 0.98 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Pink Knock Out' See - Rosa 'RADcon' P.P. 15070 | | | | | | | | |
| Rosa 'Pink Meidiland' See - Rosa 'MEIpoque' P.P. 5956 | | | | | | | | |
| Rosa 'Pink Peace' Pink Peace Hybrid Tea Rose | RO | 0.70 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Pink Pearls' See - Rosa 'BAIrls' P.P. 19047 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| Rosa 'Pink Promise' P.P.A.F. Pink Promise Hybrid Tea Rose | RO | 0.88 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'Pink Sunblaze' See - Rosa 'MEImaviron' P.P.A.F. | | | | | | | | |
| Rosa 'Pink Traviata' See - Rosa 'MEltravia' P.P. 16890 | | | | | | | | |
| Rosa 'Pinkie' Pinkie Climbing Rose | RO | 0.91 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'Pirouette' See - Rosa 'BENmagic' P.P. 8603 | | | | | | | | |
| Rosa 'Pizzazz' See - Rosa 'SAVapizzazz' P.P. 15870 | | | | | | | | |
| Rosa 'Playboy' Playboy Floribunda Rose | RO | 0.63 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Pleasure' Pleasure Floribunda Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Polar Ice' Polar Ice Rugosa Rose | RO | 0.74 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Rosa 'Polar Joy' See - Rosa 'BALore' P.P. 16909 | | | | | | | | |
| Rosa 'Polar Star' See - Rosa 'TANlarpost' | | | | | | | | |
| Rosa 'Polar Sun' Polar Sun Rugosa Rose | RO | 0.74 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Rosa 'Polka' See - Rosa 'MEltosier' P.P. 9233 | | | | | | | | |
| Rosa 'Polonaise' Polonaise Shrub Rose | RO | 1.08 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'Prairie Charm' Prairie Charm Shrub Rose | RO | 0.93 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Rosa 'Prairie Dawn' Prairie Dawn Shrub Rose | RO | 0.93 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Rosa 'Prairie Fire' Prairie Fire Shrub Rose | RO | 0.93 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Rosa 'Prairie Flower' Prairie Flower Shrub Rose | RO | 1.08 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Prairie Harvest' Prairie Harvest Shrub Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Prairie Joy' Prairie Joy Shrub Rose | RO | 0.86 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| Rosa 'Prairie Princess' Prairie Princess Shrub Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Prairie Star' Prairie Star Shrub Rose | RO | 1.09 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'Prairie Sunrise' Prairie Sunrise Shrub Rose | RO | 0.81 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Prairie Wild' Prairie Wild Shrub Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Preference' See - Rosa 'MElbionel' P.P. 15878 | | | | | | | | |
| Rosa 'Pretty Cupido' See - Rosa 'RUIprett' P.P. 10819 | | | | | | | | |
| Rosa 'Pretty Lady' See - Rosa 'SCRivo' P.P.A.F. | | | | | | | | |
| Rosa 'Prince Meilandina' See - Rosa 'MElrustral' P.P. 7021 | | | | | | | | |
| Rosa 'Princess Marianna' See - Rosa 'POULusa' P.P. 10638 | | | | | | | | |
| Rosa 'Princesse de Monaco' See - Rosa 'MEImagarmic' P.P. 5067 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Rosa</i> 'Proud Land' Proud Land Hybrid Tea Rose | RO | 0.67 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| <i>Rosa</i> 'Purple Heart' See - <i>Rosa</i> 'WEKbipuhit' P.P. 11513 | | | | | | | | |
| <i>Rosa</i> 'Purple Tiger' See - <i>Rosa</i> 'JACpurr' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Quadra' P.P. 9995 Quadra Climbing Shrub Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| <i>Rosa</i> 'Queen Elizabeth' Queen Elizabeth Grandiflora Rose | RO | 0.78 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| <i>Rosa</i> 'Queen Margrethe' See - <i>Rosa</i> 'POULskov' P.P. 9062 | | | | | | | | |
| <i>Rosa</i> 'Queen Mary 2' See - <i>Rosa</i> 'MElfaissel' P.P. 16951 | | | | | | | | |
| <i>Rosa</i> 'RADbrite' P.P. 17391 Brite Eyes™ Climbing Rose | RO | 1.22 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| <i>Rosa</i> 'RADcon' P.P. 15070 Pink Knock Out® Shrub Rose | RO | 1.02 | R1 | 3-4 | 5-8 | | 1.28 | 4 |
| <i>Rosa</i> 'RADcor' P.P. 17346 Rainbow Knock Out® Shrub Rose | RO | 1.11 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| <i>Rosa</i> 'RADmor' P.P. 19433 Morning Magic™ Climbing Rose | RO | 0.90 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| <i>Rosa</i> 'RADral' P.P. 19803 Carefree Celebration™ Shrub Rose | RO | 0.92 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| <i>Rosa</i> 'RADramblin' P.P. 14270 Ramblin' Red™ Shrub Rose | RO | 1.05 | R1 | 3 | 4-8 | | 1.30 | 3 |
| <i>Rosa</i> 'RADrazz' P.P. 11836 Knock Out™ Shrub Rose | RO | 1.05 | R1 | 3-4 | 5-8 | | 1.28 | 4 |
| <i>Rosa</i> 'RADsun' P.P. 13063 Carefree Sunshine Shrub Rose | RO | 0.89 | R1 | 3-4 | 5-8 | | 1.28 | 4 |
| <i>Rosa</i> 'RADsunny' P.P. 18562 Sunny Knock Out™ Shrub Rose | RO | 1.24 | R1 | 4-7 | 8 | | 1.30 | 7 |
| <i>Rosa</i> 'RADsunsar' P.P. 16611 Carefree Sunshine Climbing Rose | RO | 1.07 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| <i>Rosa</i> 'RADtko' P.P. 16202 Double Knock Out® Shrub Rose | RO | 1.19 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| <i>Rosa</i> 'RADtkopink' P.P. 18507 Pink Double Knock Out™ Shrub Rose | RO | 1.41 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| <i>Rosa</i> 'RADwin' P.P. 19310 Winner's Circle™ Climbing Rose | RO | 0.90 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| <i>Rosa</i> 'RADyod' P.P. 14700 Blushing Knock Out™ Shrub Rose | RO | 1.17 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| <i>Rosa</i> 'RUIbleu' P.P. 9735 Blue Cupido® Miniature Rose | RO | 0.93 | R1 | 4-7 | 8 | | 1.30 | 7 |
| <i>Rosa</i> 'RUIcany' P.P. 10818 Canyon Cupido® Miniature Rose | RO | 0.93 | R1 | 4-7 | 8 | | 1.30 | 7 |
| <i>Rosa</i> 'RUIkalla' P.P. 9634 Red Cupido® Miniature Rose | RO | 0.93 | R1 | 4-7 | 8 | | 1.30 | 7 |
| <i>Rosa</i> 'RUImired' P.P. 5770 Red Minimo™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| <i>Rosa</i> 'RUIprett' P.P. 10819 Pretty Cupido® Miniature Rose | RO | 0.93 | R1 | 4-7 | 8 | | 1.30 | 7 |
| <i>Rosa</i> 'RUIredro' Red Rosamini Miniature Rose | RO | 0.93 | R1 | 4 | 5-8 | | 1.30 | 4 |
| <i>Rosa</i> 'RUIxandra' P.P. 9734 Jolly Cupido® Miniature Rose | RO | 0.93 | R1 | 4-7 | 8 | | 1.30 | 7 |
| <i>Rosa</i> 'Rabble Rouser' See - <i>Rosa</i> 'HORcoffitup' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Rainbow Knock Out' See - <i>Rosa</i> 'RADcor' P.P. 17346 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|--------------|-----------|----|-----------------------------|------------------------------|------|---------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| Rosa 'Rainbow Sorbet' See - Rosa 'BAIprez' P.P. 16408 | | | | | | | |
| Rosa 'Rainbow Sunblaze' See - Rosa 'MEIgenpi' P.P. 17481 | | | | | | | |
| Rosa 'Rainbow's End Climbing' See - Rosa 'SAVaclend' P.P. 11257 | | | | | | | |
| Rosa 'Rainbow's End' See - Rosa 'SAValife' P.P. 5482 | | | | | | | |
| Rosa 'Raindrops' See - Rosa 'SAVarain' P.P. 7448 | | | | | | | |
| Rosa 'Ralph Moore' See - Rosa 'SAVaralph' P.P. 13056 | | | | | | | |
| Rosa 'Ramblin' Red' See - Rosa 'RADramblin' P.P. 14270 | | | | | | | |
| Rosa 'Raspberry Rugostar' See - Rosa 'MEItozaure' P.P. 15937 | | | | | | | |
| Rosa 'Raspberry Sunblaze' See - Rosa 'MEIdonfe' P.P. 10666 | | | | | | | |
| Rosa 'Raven' See - Rosa 'FRYtrooper' P.P. 9211 | | | | | | | |
| Rosa 'Reba McEntire' See - Rosa 'MACHahei' P.P. 11489 | | | | | | | |
| Rosa 'Red Carefree Delight' See - Rosa 'MEIzmea' P.P.A.F. | | | | | | | |
| Rosa 'Red Cascade' See - Rosa 'MOORcap' P.P. 3962 | | | | | | | |
| Rosa 'Red Cupido' See - Rosa 'RUIkalla' P.P. 9634 | | | | | | | |
| Rosa 'Red Drift' See - Rosa 'MEIgalpio' P.P. 17877 | | | | | | | |
| Rosa 'Red Eden' See - Rosa 'MEIdrason' P.P. 15052 | | | | | | | |
| Rosa 'Red Elegance' See - Rosa 'BAIlgance' | | | | | | | |
| Rosa 'Red Fairy' See - Rosa 'MORredfar' P.P. 10150 | | | | | | | |
| Rosa 'Red Fountain' Red Fountain Climbing Rose | RO | 0.70 | R1 | 3-4 | 5-8 | 1.30 | 4 |
| Rosa 'Red Garnette' See - Rosa 'Garnette' | | | | | | | |
| Rosa 'Red Imp' Red Imp Miniature Rose | RO | 0.93 | R1 | 4-5 | 6-8 | 1.30 | 5 |
| Rosa 'Red Meidiland' See - Rosa 'MEIneble' P.P. 7116 | | | | | | | |
| Rosa 'Red Minimo' See - Rosa 'RUImired' P.P. 5770 | | | | | | | |
| Rosa 'Red Pinocchio' Red Pinocchio Floribunda Rose | RO | 0.93 | R1 | 3-5 | 6-8 | 1.30 | 5 |
| Rosa 'Red Rascal' Red Rascal Shrub Rose | RO | 0.93 | R1 | 3-4 | 5-8 | 1.30 | 4 |
| Rosa 'Red Ribbons' See - Rosa 'KORtemma' P.P. 9115 | | | | | | | |
| Rosa 'Red Rosamini' See - Rosa 'RUIredro' | | | | | | | |
| Rosa 'Red Scentsation' See - Rosa 'SAVared' P.P. 16040 | | | | | | | |
| Rosa 'Redgold' Redgold Floribunda Rose | RO | 0.53 | R1 | 3-4 | 5-8 | 1.30 | 4 |
| Rosa 'Redwood' See - Rosa 'POULtry' P.P.A.F. | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Rosa</i> 'Regatta' | | | | | | | | |
| See - <i>Rosa</i> 'MEInimo' P.P. 8930 | | | | | | | | |
| <i>Rosa</i> 'Regensberg' | | | | | | | | |
| See - <i>Rosa</i> 'MACyoumis' | | | | | | | | |
| <i>Rosa</i> 'Remember Me' | | | | | | | | |
| See - <i>Rosa</i> 'COCdestin' | | | | | | | | |
| <i>Rosa</i> 'Rhapsody in Blue' | | | | | | | | |
| See - <i>Rosa</i> 'FRAntasia' P.P. 17518 | | | | | | | | |
| <i>Rosa</i> 'Ring of Fire' | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Ring of Fire Miniature Rose | | | | | | | | |
| <i>Rosa</i> 'Rio Samba' | | | | | | | | |
| See - <i>Rosa</i> 'JACrite' P.P. 8361 | | | | | | | | |
| <i>Rosa</i> 'Rise 'n' Shine' P.P. 4231 | RO | 0.63 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rise 'n' Shine Miniature Rose | | | | | | | | |
| <i>Rosa</i> 'Robin Hood' | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Robin Hood Hybrid Musk Shrub Rose | | | | | | | | |
| <i>Rosa</i> 'Robin des Bois' | | | | | | | | |
| See - <i>Rosa</i> 'Robin Hood' | | | | | | | | |
| <i>Rosa</i> 'Robusta' | RO | 0.82 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Robusta Rugosa Rose | | | | | | | | |
| <i>Rosa</i> 'Rockin' Robin' | | | | | | | | |
| See - <i>Rosa</i> 'WEKboroco' P.P. 10070 | | | | | | | | |
| <i>Rosa</i> 'Rose de Rescht' | RO | 0.78 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rose de Rescht Damask Rose | | | | | | | | |
| <i>Rosa</i> 'Rosie O'Donnell' | | | | | | | | |
| See - <i>Rosa</i> 'WEKwinwin' P.P. 11382 | | | | | | | | |
| <i>Rosa</i> 'Rosy Gem' | | | | | | | | |
| See - <i>Rosa</i> 'MEIradia' | | | | | | | | |
| <i>Rosa</i> 'Rosy Minuetto' | | | | | | | | |
| See - <i>Rosa</i> 'MEIdeinis' P.P. 17561 | | | | | | | | |
| <i>Rosa</i> 'Rouge Royale' | | | | | | | | |
| See - <i>Rosa</i> 'MEIkarouz' P.P. 14039 | | | | | | | | |
| <i>Rosa</i> 'Royal Amethyst' | | | | | | | | |
| See - <i>Rosa</i> 'DEVmorada' | | | | | | | | |
| <i>Rosa</i> 'Royal Bonica' | | | | | | | | |
| See - <i>Rosa</i> 'MEImodac' P.P. 8840 | | | | | | | | |
| <i>Rosa</i> 'Royal Edward' P.P. 9972 | RO | 1.39 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Royal Edward Rose | | | | | | | | |
| <i>Rosa</i> 'Royal Gold' | RO | 0.79 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Royal Gold Climbing Rose | | | | | | | | |
| <i>Rosa</i> 'Royal Highness' | RO | 0.72 | R1 | 4-5 | 6-8 | | 1.30 | 4 |
| Royal Highness Hybrid Tea Rose | | | | | | | | |
| <i>Rosa</i> 'Royal Sunblaze' | | | | | | | | |
| See - <i>Rosa</i> 'SCHobitet' P.P. 5690 | | | | | | | | |
| <i>Rosa</i> 'Royal Sunset' | RO | 0.93 | R1 | 5-8 | | | 1.30 | 8 |
| Royal Sunset Climbing Tea Rose | | | | | | | | |
| <i>Rosa</i> 'Ruby Meidiland' | | | | | | | | |
| See - <i>Rosa</i> 'MEIpreston' P.P. 13500 | | | | | | | | |
| <i>Rosa</i> 'Ruby Ruby' | | | | | | | | |
| See - <i>Rosa</i> 'WEKsactrumi' P.P. 15066 | | | | | | | | |
| <i>Rosa</i> 'Rugelda' | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rugelda Rugosa Rose | | | | | | | | |
| <i>Rosa</i> 'Rugosa Magnifica' | RO | 1.05 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rugosa Magnifica Rose | | | | | | | | |
| <i>Rosa</i> 'SAVabe' | RO | 0.63 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Glory Be Miniature Rose | | | | | | | | |
| <i>Rosa</i> 'SAVabear' P.P. 7424 | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Teddy Bear™ Miniature Rose | | | | | | | | |
| <i>Rosa</i> 'SAVabeg' P.P. 6707 | RO | 0.63 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| New Beginning™ Miniature Rose | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| Rosa 'SAVabusy' Busy Bee™ Miniature Rose | RO | 0.63 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'SAVachas' P.P. 7058 Chasin' Rainbows™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'SAVachild' P.P. 8175 Child's Play™ Miniature Rose | RO | 0.63 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'SAVaclend' P.P. 11257 Rainbow's End Climbing Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'SAVacon' P.P. 12652 Constellation™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'SAVadee' P.P. 6951 Dee Bennett™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'SAVaden' P.P. 9435 Denver's Dream™ Miniature Rose | RO | 0.63 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'SAVadiana' P.P. 16797 Sweet Diana Miniature Rose | RO | 0.63 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'SAVadouble' P.P. 16056 Double Gold™ Miniature Rose | RO | 0.63 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Rosa 'SAVafire' P.P. 8182 Fireworks™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'SAVafront' Front 'n' Center Miniature Rose | RO | 0.63 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'SAVagala' P.P.A.F. Gala Miniature Rose | RO | 0.63 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'SAVagood' P.P. 7761 Good Morning America Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'SAVahalo' P.P. 7770 Golden Halo Miniature Rose | RO | 0.63 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'SAVahold' P.P. 10249 Behold™ Miniature Rose | RO | 0.63 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'SAVahowdy' P.P. 5097 Minnie Pearl™ Miniature Rose | RO | 0.63 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'SAValav' P.P. 9031 Vista™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'SAValife' P.P. 5482 Rainbow's End™ Miniature Rose | RO | 1.03 | R1 | 4 | 5-8 | | 1.30 | 4 |
| Rosa 'SAValights' P.P. 8919 Lights of Broadway Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'SAValute' P.P. 11132 Absolutely™ Miniature Rose | RO | 0.63 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'SAVaminor' Minor Details™ Miniature Rose | RO | 0.63 | R1 | 5-8 | | | 1.30 | 8 |
| See - Rosa 'SAVaralph' P.P. 13056 | | | | | | | | |
| Rosa 'SAVamor' P.P. 9798 Scentsational™ Miniature Rose | RO | 0.63 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'SAVanade' P.P. 11810 Pacific Serenade™ Miniature Rose | RO | 0.63 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'SAVanight' P.P. 11303 Overnight Scentsation™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'SAVapeach' Peach Delight™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'SAVapizzazz' P.P. 15870 Pizzazz™ Miniature Rose | RO | 0.63 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'SAVarain' P.P. 7448 Raindrops Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'SAVaralph' P.P. 13056 Ralph Moore™ Miniature Rose | RO | 0.63 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'SAVared' P.P. 16040 Red Scentsation™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| Rosa 'SAVarist' Aristocrat™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'SAVarita' Nostalgia™ Miniature Rose | RO | 0.63 | R1 | 5-7 | 8 | | 1.30 | 7 |
| Rosa 'SAVasach' P.P. 5967 Sachet™ Miniature Rose | RO | 0.63 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'SAVasalute' P.P. 15899 Salute™ Miniature Rose | RO | 0.63 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'SAVascent' See - Rosa 'SAVamor' P.P. 9798 | | | | | | | | |
| Rosa 'SAVaseat' P.P. 9821 Seattle Scentsation™ Miniature Rose | RO | 0.63 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'SAVasilk' P.P. 5164 Corn silk™ Miniature Rose | RO | 0.63 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Rosa 'SAVasorc' P.P. 9507 Sorcerer™ Miniature Rose | RO | 0.63 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'SAVasun' P.P. 6213 Sunny Day Miniature Rose | RO | 0.63 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'SAVatana' Montana™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'SAVawin' P.P. 5691 Winsome™ Miniature Rose | RO | 0.63 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'SAVawire' P.P. 6811 Live Wire™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'SAVawist' P.P. 9562 Wistful™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'SAVazazz' See - Rosa 'SAVapizzazz' P.P. 15870 | | | | | | | | |
| Rosa 'SAVinn' P.P. 10352 Innocence Miniature rose | RO | 0.63 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'SAVyK' Y2K™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'SCHobitet' P.P. 5690 Royal Sunblaze™ Miniature Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'SCRivluv' P.P.A.F. Baby Love@ Shrub Rose | RO | 0.94 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'SCRivo' P.P.A.F. Pretty Lady Floribunda Rose | RO | 1.07 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'SEAmood' In the Mood Miniature Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'SPEKrien' P.P.A.F. Fairy Queen Polyantha Rose | RO | 0.98 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'SPEvu' P.P. 10701 Lovely Fairy Shrub Rose | RO | 0.99 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'SPRoday' This Is The Day™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'STEBigpu' P.P. 6262 Stephens' Big Purple Hybrid Tea Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'Sachet' See - Rosa 'SAVasach' P.P. 5967 | | | | | | | | |
| Rosa 'Saffron Minuetto' See - Rosa 'MEIvarfal' P.P.A.F. | | | | | | | | |
| Rosa 'Sally Holmes' Sally Holmes Climbing Rose | RO | 0.80 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Salmon Impressionist' See - Rosa 'BAlSist' P.P. 15739 | | | | | | | | |
| Rosa 'Salmon Sunblaze' See - Rosa 'MEIshulo' P.P. 10015 | | | | | | | | |
| Rosa 'Salute' See - Rosa 'SAVasalute' P.P. 15899 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|-----------|-----------------------------|------------------------------|------|------------|
| | | | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| Rosa 'Santa Claus' See - Rosa 'POUclaus' P.P. 9063 | | | | | | | |
| Rosa 'Sarabande' See - Rosa 'MEIrabande' | | | | | | | |
| Rosa 'Scarlet Gem' See - Rosa 'MEldo' | | | | | | | |
| Rosa 'Scarlet Meidiland' See - Rosa 'MEIkrotal' P.P. 6087 | | | | | | | |
| Rosa 'Scarlet Spreader' See - Rosa 'WILscar' P.P. 9649 | | | | | | | |
| Rosa 'Scarlet Star' See - Rosa 'WILstar' P.P. 11834 | | | | | | | |
| Rosa 'Scentsational' See - Rosa 'WEKplapep' P.P. 10126 | | | | | | | |
| Rosa 'Scentsational' See - Rosa 'SAVamor' P.P. 9798 | | | | | | | |
| Rosa 'Sceptr'd Isle' See - Rosa 'AUSland' P.P. 10969 | | | | | | | |
| Rosa 'Sea Foam' Sea Foam Shrub Rose | RO | 0.83 | R1 | 3-4 | 5-8 | 1.30 | 4 |
| Rosa 'Seashell' Seashell Hybrid Tea Rose | RO | 0.93 | R1 | 3-4 | 5-8 | 1.30 | 4 |
| Rosa 'Seattle Scentsation' See - Rosa 'SAVaseat' P.P. 9821 | | | | | | | |
| Rosa 'Secret' See - Rosa 'HILaroma' P.P. 8494 | | | | | | | |
| Rosa 'September Days' September Days Miniature Rose | RO | 0.93 | R1 | 4-5 | 6-8 | 1.30 | 5 |
| Rosa 'September Mourn' See - Rosa 'MEIwhiflo' P.P. 16243 | | | | | | | |
| Rosa 'Serendipity' Serendipity Shrub Rose | RO | 1.34 | R1 | 3-4 | 5-8 | 1.30 | 4 |
| Rosa 'Seven Sisters' Seven Sisters Climbing Rose | RO | 0.93 | R1 | 3-4 | 5-8 | 1.30 | 4 |
| Rosa 'Sevillana' See - Rosa 'MEIgekanu' P.P. 6384 | | | | | | | |
| Rosa 'Sexy Rexy' See - Rosa 'MACrexy' P.P. 6713 | | | | | | | |
| Rosa 'Sharifa Asma' Sharifa Asma English Rose | RO | 1.14 | R1 | 3-4 | 5-8 | 1.30 | 4 |
| Rosa 'Sheer Elegance' Sheer Elegance Hybrid Tea Rose | RO | 0.93 | R1 | 3-5 | 6-8 | 1.30 | 5 |
| Rosa 'Sheila's Perfume' See - Rosa 'HARsherry' | | | | | | | |
| Rosa 'Shenandoah' See - Rosa 'POULege' P.P.A.F. | | | | | | | |
| Rosa 'Shining Hour' See - Rosa 'JACyef' | | | | | | | |
| Rosa 'Shooting Star' Shooting Star Miniature Rose | RO | 0.78 | R1 | 4-5 | 6-8 | 1.30 | 5 |
| Rosa 'Showbiz' See - Rosa 'TANweieke' P.P. 4844 | | | | | | | |
| Rosa 'Showtime' See - Rosa 'BAItime' P.P.A.F. | | | | | | | |
| Rosa 'Sierra Skye' See - Rosa 'BAIkye' P.P. 16661 | | | | | | | |
| Rosa 'Silver Star' See - Rosa 'WEZlavn' P.P. 14434 | | | | | | | |
| Rosa 'Simon Fraser' P.P. 9178 Simon Fraser Shrub Rose | RO | 0.73 | R1 | 3 | 4-8 | 1.30 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| Rosa 'Simplicity' Simplicity Shrub Rose | RO | 0.86 | R1 | 3 | 4-8 | | 1.30 | 3 |
| Rosa 'Singin' in the Rain' Singin' in the Rain Floribunda Rose | RO | 1.19 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Sir Thomas Lipton' Sir Thomas Lipton Rugosa Rose | RO | 0.95 | R1 | 3-4 | 5-8 | | 1.58 | 4 |
| Rosa 'Sky's The Limit' See - Rosa 'WEKprim soul' P.P.A.F. | | | | | | | | |
| Rosa 'Smooth Angel' P.P. 6146 Smooth Angel Hybrid Tea Rose | RO | 1.02 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Smooth Lady' P.P. 6147 Smooth Lady Hybrid Tea Rose | RO | 1.08 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Smooth Melody' P.P. 7729 Smooth Melody Hybrid Tea Rose | RO | 1.13 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Smooth Perfume' P.P. 7728 Smooth Perfume Hybrid Tea Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Smooth Prince' P.P. 7706 Smooth Prince Hybrid Tea Rose | RO | 1.14 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Smooth Satin' See - Rosa 'HADsatin' P.P. 8910 | | | | | | | | |
| Rosa 'Smooth Velvet' P.P. 6152 Smooth Velvet Hybrid Tea Rose | RO | 1.06 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Snow Carpet' See - Rosa 'MACcarpe' P.P. 4612 | | | | | | | | |
| Rosa 'Snowdrift' See - Rosa 'BAIrift' P.P. 19036 | | | | | | | | |
| Rosa 'Snowfall' See - Rosa 'LEMfall' P.P. 6706 | | | | | | | | |
| Rosa 'Snowfire' Snowfire Tea Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'Solitude' Solitude Grandiflora Rose | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Sombreuil Climber' Sombreuil Climber Rose | RO | 1.06 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'Sonia Meilland' See - Rosa 'MEIhelvet' | | | | | | | | |
| Rosa 'Sonia Sunblaze' See - Rosa 'MEIjelior' P.P. 14069 | | | | | | | | |
| Rosa 'Sorcerer' See - Rosa 'SAVasorc' P.P. 9507 | | | | | | | | |
| Rosa 'Sparkle Berry' See - Rosa 'BENfebu' P.P. 16483 | | | | | | | | |
| Rosa 'Spice So Nice' See - Rosa 'WEKwesflut' P.P. 16154 | | | | | | | | |
| Rosa 'Spirit of Freedom' See - Rosa 'AUSbite' P.P. 14973 | | | | | | | | |
| Rosa 'Spring Song' Spring Song Shrub Rose | RO | 0.46 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'St. Patrick' See - Rosa 'WEKamanda' P.P. 9591 | | | | | | | | |
| Rosa 'Starina' See - Rosa 'MEIgabi' | | | | | | | | |
| Rosa 'Starry Night' See - Rosa 'ORAwichkay' P.P. 14785 | | | | | | | | |
| Rosa 'Stephens' Big Purple' See - Rosa 'STEBigpu' P.P. 6262 | | | | | | | | |
| Rosa 'Sterling Silver' Sterling Silver Hybrid Tea Rose | RO | 1.15 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Strike It Rich' See - Rosa 'WEKbepmey' P.P. 19144 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| Rosa 'Summer Snow' Summer Snow Floribunda Rose | RO | 0.53 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Summer Sunshine' Summer Sunshine Tea Rose | RO | 0.67 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Summer Wind' Summer Wind Shrub Rose | RO | 1.13 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Sun Flare' Sun Flare Floribunda Rose | RO | 0.71 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Sun Sprinkles' See - Rosa 'JACHal' P.P. 11883 | | | | | | | | |
| Rosa 'Sunbird' See - Rosa 'POUnish' | | | | | | | | |
| Rosa 'Sunbird' Rosa 'JACpoy' P.P. 9015 | | | | | | | | |
| Rosa 'Sunbright' See - Rosa 'JACjel' P.P. 4438 | | | | | | | | |
| Rosa 'Sundrop' Sundrop Miniature Rose | RO | 0.85 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Sunny Day' See - Rosa 'SAVASun' P.P. 6213 | | | | | | | | |
| Rosa 'Sunny Delight' Sunny Delight Hybrid Tea Rose | RO | 0.93 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Rosa 'Sunny June' Sunny June Shrub Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Sunny Knock Out' See - Rosa 'RADsunny' P.P. 18562 | | | | | | | | |
| Rosa 'Sunrise Sunset' See - Rosa 'BAIset' P.P. 16770 | | | | | | | | |
| Rosa 'Sunset Celebration' See - Rosa 'FRYxotic' P.P. 9718 | | | | | | | | |
| Rosa 'Sunsprite' Sunsprite Floribunda Rose | RO | 0.90 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Sunstruck' See - Rosa 'WEKsunvoye' P.P. 17686 | | | | | | | | |
| Rosa 'Super Dorothy' See - Rosa 'HELdoro' | | | | | | | | |
| Rosa 'Super Excelsa' See - Rosa 'HELexa' | | | | | | | | |
| Rosa 'Super Hero' See - Rosa 'BAIsuhe' P.P.A.F. | | | | | | | | |
| Rosa 'Surprise Party' See - Rosa 'JELroganor' | | | | | | | | |
| Rosa 'Sutter's Gold' Sutters Gold Hybrid Tea Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Sven' See - Rosa 'BAIsven' | | | | | | | | |
| Rosa 'Sweet Diana' See - Rosa 'SAVadiana' P.P. 16797 | | | | | | | | |
| Rosa 'Sweet Fragrance' See - Rosa 'BAInce' P.P.A.F. | | | | | | | | |
| Rosa 'Sweet Promise' See - Rosa 'MEIgoudea' P.P. 18472 | | | | | | | | |
| Rosa 'Sweet Sunblaze' See - Rosa 'MEItonje' P.P. 7277 | | | | | | | | |
| Rosa 'Sweet Surrender' Sweet Surrender Hybrid Tea Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Sweet Vivian' Sweet Vivian Floribunda Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'TANabamar' P.P. 13396 Caramba® Shrub Rose | RO | 1.36 | R1 | 3-5 | 6-8 | | 1.30 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| Rosa 'TANigino' P.P.A.F. Magic Blanket Shrub Rose | RO | 0.77 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'TANiripsa' P.P.A.F. Aspirin® Shrub Rose | RO | 1.37 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'TANlarpost' Polar Star Hybrid Tea Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'TANmirsch' P.P.A.F. Creme Brulee® Shrub Rose | RO | 1.06 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'TANoronez' P.P. 12190 Chateau Merlot® Shrub Rose | RO | 1.07 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'TANotax' P.P. 11572 Footloose Shrub Rose | RO | 0.95 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'TANweieke' P.P. 4844 Showbiz Floribunda Rose | RO | 0.87 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'TINresist' P.P. 7971 Irresistible Miniature Rose | RO | 0.63 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'TUCkach' Cachet™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'TUCkamy' P.P. 12270 Amy Grant Miniature Rose | RO | 0.63 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'TUCkflip' P.P. 10601 Miss Flippins™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'TUCktommy' P.P. 12360 Little Tommy Tucker™ Miniature Rose | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'TWOadvance' P.P. 7978 All That Jazz™ Shrub Rose | RO | 1.12 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'TWOaebi' P.P. 11525 Dream™ Orange Hybrid Tea Rose | RO | 1.31 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'TWOjoan' P.P. 11524 Dream® Pink Hybrid Tea Rose | RO | 1.31 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'TWOpaul' P.P. 11503 Dream™ Red Hybrid Tea Rose | RO | 1.31 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'TWOyel' P.P. 11528 Dream™ Yellow Hybrid Tea Rose | RO | 1.31 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'Tahitian Moon' See - Rosa 'BALoon' P.P. 16994 | | | | | | | | |
| Rosa 'Tahitian Sunset' See - Rosa 'JACgodde' P.P. 19004 | | | | | | | | |
| Rosa 'Tamora' See - Rosa 'AUSTamora' | | | | | | | | |
| Rosa 'Tchaikovsky' See - Rosa 'MElchibon' P.P.A.F. | | | | | | | | |
| Rosa 'Teddy Bear' See - Rosa 'SAVabear' P.P. 7424 | | | | | | | | |
| Rosa 'Tequila' See - Rosa 'MElpomolo' P.P. 16342 | | | | | | | | |
| Rosa 'Tess d'Urbeville' See - Rosa 'AUSmove' P.P.A.F. | | | | | | | | |
| Rosa 'Texas Superstar' See - Rosa 'Grandma's Yellow' | | | | | | | | |
| Rosa 'Texas' See - Rosa 'POULTex' P.P. 6261 | | | | | | | | |
| Rosa 'The Dark Lady' See - Rosa 'AUSbloom' P.P. 8677 | | | | | | | | |
| Rosa 'The Fairy' The Fairy Polyantha Rose | RO | 0.79 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'The Mayflower' See - Rosa 'AUSTilly' P.P.A.F. | | | | | | | | |
| Rosa 'The McCartney Rose' See - Rosa 'MElzei' P.P. 8391 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|-----------------------------------|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| Rosa 'The Mermaid' | | | | | | | | |
| See - Rosa 'Mermaid' | | | | | | | | |
| Rosa 'The Prince' | RO | 1.11 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| The Prince English Rose | | | | | | | | |
| Rosa 'The Squire' | RO | 1.09 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| The Squire® English Rose | | | | | | | | |
| Rosa 'Therese Bugnet' | RO | 0.86 | R1 | 3 | 4-8 | | 1.01 | 3 |
| Therese Bugnet Rugosa Rose | | | | | | | | |
| Rosa 'This Is The Day' | | | | | | | | |
| See - Rosa 'SPRoday' | | | | | | | | |
| Rosa 'Tiffany' | RO | 0.75 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Tiffany Hybrid Tea Rose | | | | | | | | |
| Rosa 'Timeless' | | | | | | | | |
| See - Rosa 'JACecond' P.P. 11369 | | | | | | | | |
| Rosa 'Topaz Jewel' | | | | | | | | |
| See - Rosa 'MORYelrug' P.P. 6793 | | | | | | | | |
| Rosa 'Topsy Turvy' | | | | | | | | |
| See - Rosa 'WEKcocbeb' P.P. 18870 | | | | | | | | |
| Rosa 'Toulouse-Lautrec' | | | | | | | | |
| See - Rosa 'MEIrevolt' P.P. 9582 | | | | | | | | |
| Rosa 'Toy Clown' | RO | 0.45 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Toy Clown Miniature Rose | | | | | | | | |
| Rosa 'Traviata' | | | | | | | | |
| See - Rosa 'MEllavio' P.P. 10845 | | | | | | | | |
| Rosa 'Tropicana' | RO | 0.72 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Tropicana Hybrid Tea Rose | | | | | | | | |
| Rosa 'Trumpeter' | | | | | | | | |
| See - Rosa 'MACtrum' | | | | | | | | |
| Rosa 'VERolwek' P.P. 7264 | RO | 1.19 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Celebrity Hybrid Tea Rose | | | | | | | | |
| Rosa 'Valentine's Day' | | | | | | | | |
| See - Rosa 'WEKamrav' P.P. 17687 | | | | | | | | |
| Rosa 'Viking Queen' | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Viking Queen Climbing Rose | | | | | | | | |
| Rosa 'Violetta' | | | | | | | | |
| See - Rosa 'HARquantum' | | | | | | | | |
| Rosa 'Vista' | | | | | | | | |
| See - Rosa 'SAValav' P.P. 9031 | | | | | | | | |
| Rosa 'Vogue' | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Vogue Floribunda Rose | | | | | | | | |
| Rosa 'Voodoo' | | | | | | | | |
| See - Rosa 'AROmiclea' P.P. 6121 | | | | | | | | |
| Rosa 'WEKamanda' P.P. 9591 | RO | 0.83 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| St. Patrick™ Hybrid Tea Rose | | | | | | | | |
| Rosa 'WEKamrav' P.P. 17687 | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Valentine's Day™ Climbing Rose | | | | | | | | |
| Rosa 'WEKbepmey' P.P. 19144 | RO | 1.06 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Strike It Rich™ Grandiflora Rose | | | | | | | | |
| Rosa 'WEKbipuhit' P.P. 11513 | RO | 1.09 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Purple Heart™ Floribunda Rose | | | | | | | | |
| Rosa 'WEKblunez' P.P. 16572 | RO | 1.05 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Memorial Day™ Hybrid Tea Rose | | | | | | | | |
| Rosa 'WEKboroco' P.P. 10070 | RO | 0.98 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rockin' Robin™ Shrub Rose | | | | | | | | |
| Rosa 'WEKcalroc' P.P. 10334 | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| George Burns™ Floribunda Rose | | | | | | | | |
| Rosa 'WEKcatlart' P.P. 12327 | RO | 0.63 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Gizmo™ Miniature Rose | | | | | | | | |
| Rosa 'WEKchrisg' P.P. 14138 | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Crowd Pleaser™ Hybrid Tea Rose | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| Rosa 'WEKcisbako' P.P. 18552 Home Run™ Shrub Rose | RO | 1.14 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'WEKcobeju' P.P.A.F. Cinco de Mayo™ Floribunda Rose | RO | 1.07 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'WEKcocbeb' P.P. 18870 Topsy Turvy™ Floribunda Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'WEKcryplag' P.P. 10072 Blueberry Hill™ Floribunda Rose | RO | 1.19 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'WEKdesc' Descanso Dream Miniature Rose | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'WEKdocpot' P.P.A.F. Dream Come True™ Grandiflora Rose | RO | 1.08 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'WEKdykstra' P.P. 10713 Heart O' Gold™ Grandiflora Rose | RO | 1.19 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'WEKemilcho' P.P. 15256 Neon Cowboy™ Miniature Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'WEKfabpur' P.P. 16623 Midnight Blue™ Shrub Rose | RO | 1.09 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'WEKfrancoly' P.P. 19373 In the Mood™ Tea Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'WEKhilpurnil' P.P. 16614 Neptune™ Tea Rose | RO | 0.93 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Rosa 'WEKisosblip' P.P. 18554 Wild Blue Yonder™ Grandiflora Rose | RO | 0.95 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'WEKjoe' P.P. 9389 Lynn Anderson Hybrid Tea Rose | RO | 1.19 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'WEKjuvoo' P.P. 10071 Chris Evert™ Hybrid Tea Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'WEKmeyer' P.P. 10640 Pearly Gates™ Climbing Rose | RO | 1.06 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'WEKosomit' P.P. 14401 Mellow Yellow™ Hybrid Tea Rose | RO | 1.19 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'WEKosupalz' P.P. 17305 About Face™ Grandiflora Rose | RO | 0.94 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'WEKpaltiez' P.P. 15155 Hot Cocoa™ Floribunda Rose | RO | 1.07 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'WEKpipogop' P.P. 13113 Pillow Fight™ Shrub Rose | RO | 1.08 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'WEKplagneze' P.P. 14356 Home and Family™ Tea Rose | RO | 0.93 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Rosa 'WEKplapep' P.P. 10126 Scentimental™ Floribunda Rose | RO | 1.04 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'WEKplapic' P.P. 11517 Betty Boop™ Floribunda Rose | RO | 0.97 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'WEKplasol' P.P. 9715 Flutterbye™ Shrub Rose | RO | 1.00 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'WEKprimisoul' P.P.A.F. Sky's The Limit™ Climbing Rose | RO | 1.06 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'WEKpurosot' P.P. 18740 Night Owl Climbing Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'WEKquaneze' P.P. 13120 Barbra Streisand Hybrid Tea Rose | RO | 1.19 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'WEKradler' P.P. 17347 Lemon Meringue™ Shrub Rose | RO | 1.02 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'WEKrigoyelo' P.P. 18536 Gentle Giant™ Tea Rose | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'WEKroalt' P.P. 11518 Fourth of July™ Climbing Rose | RO | 1.01 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'WEKsacsoul' P.P. 16252 Be-Bop™ Shrub Rose | RO | 1.08 | R1 | 4-6 | 7-8 | | 1.30 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| Rosa 'WEKsactrumi' P.P. 15066 Ruby Ruby™ Miniature Rose | RO | 0.95 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'WEKsamsou' P.P. 13107 All Ablaze™ Climbing Rose | RO | 1.06 | R1 | 3-6 | 7-8 | | 1.30 | 6 |
| Rosa 'WEKscemala' P.P. 15076 Chihuly® Floribunda Rose | RO | 1.19 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'WEKsmopur' P.P. 18850 Ebb Tide™ Floribunda Rose | RO | 0.95 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Rosa 'WEKsproules' P.P. 17822 Honey Dijon™ Grandiflora Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| Rosa 'WEKstephitsu' P.P. 13449 Outta the Blue™ Shrub Rose | RO | 1.09 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'WEKsunvoye' P.P. 17686 Sunstruck™ Tea Rose | RO | 0.93 | R1 | 4-7 | 8 | | 1.30 | 7 |
| Rosa 'WEKvoosun' P.P. 18770 We Salute You™ Tea Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'WEKvossutono' P.P. 18473 Julia Childs™ Floribunda Rose | RO | 1.00 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'WEKvosuimp' P.P. 13509 Miami Moon™ Floribunda Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'WEKwesflut' P.P. 16154 Spice So Nice™ Climbing Rose | RO | 1.68 | R1 | 5-7 | 8 | | 1.30 | 7 |
| Rosa 'WEKwinwin' P.P. 11382 Rosie O'Donnell Hybrid Tea Rose | RO | 1.19 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'WEKyegi' P.P. 14555 Lemon Drop Miniature Rose | RO | 0.93 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'WEOpop' P.P. 6809 Gourmet Popcorn™ Shrub Rose | RO | 0.77 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'WEZaprt' P.P. 15020 Bronze Star™ Hybrid Tea Rose | RO | 0.83 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'WEZgrey' P.P. 14433 World War II Memorial Hybrid Tea Rose | RO | 0.83 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'WEZlavn' P.P. 14434 Silver Star Grandiflora Rose | RO | 0.88 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'WILdak' P.P. 5271 Amber Flash™ Miniature Rose | RO | 0.93 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'WILdawn' P.P. 9647 Dawn Creeper™ Shrub Rose | RO | 1.09 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'WILscar' P.P. 9649 Scarlet Spreader™ Shrub Rose | RO | 1.06 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'WILstar' P.P. 11834 Scarlet Star Climbing Rose | RO | 0.84 | R1 | 4-6 | 7-8 | | 1.30 | 6 |
| Rosa 'WILvory' P.P. 9648 Ivory Carpet™ Shrub Rose | RO | 1.15 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'We Salute You' See - Rosa 'WEKvoosun' P.P. 18770 | | | | | | | | |
| Rosa 'Weeping China Doll' P.P. 4323 Weeping China Doll Climbing Rose | RO | 0.93 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| Rosa 'Westerland' See - Rosa 'KORwest' | | | | | | | | |
| Rosa 'What a Peach' See - Rosa 'CHEwpeachdell' P.P. 15287 | | | | | | | | |
| Rosa 'Whisper' See - Rosa 'DICwisp' P.P. 14596 | | | | | | | | |
| Rosa 'White Dawn' White Dawn Climbing Rose | RO | 0.83 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| Rosa 'White Drift' See - Rosa 'MEIglise' P.P. 15960 | | | | | | | | |
| Rosa 'White Eden' See - Rosa 'MEIviowit' P.P. 16739 | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rosa</i> 'White Knight' White Knight Hybrid Tea Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| <i>Rosa</i> 'White Majesty' See - <i>Rosa</i> 'MEIblonver' P.P. 7811 | | | | | | | | |
| <i>Rosa</i> 'White Meidiland' See - <i>Rosa</i> 'MEIcoublan' P.P. 6088 | | | | | | | | |
| <i>Rosa</i> 'White Mini Wonder' See - <i>Rosa</i> 'MEIzogrel' P.P. 7276 | | | | | | | | |
| <i>Rosa</i> 'Wild Berry Breeze' See - <i>Rosa</i> 'JACrulav' P.P. 12055 | | | | | | | | |
| <i>Rosa</i> 'Wild Blue Yonder' See - <i>Rosa</i> 'WEKisosblip' P.P. 18554 | | | | | | | | |
| <i>Rosa</i> 'Wild Spice' See - <i>Rosa</i> 'JACruwhi' P.P. 11575 | | | | | | | | |
| <i>Rosa</i> 'Wildevé' See - <i>Rosa</i> 'AUSbonny' P.P. 16403 | | | | | | | | |
| <i>Rosa</i> 'William Baffin' William Baffin Climbing Rose | RO | 0.96 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| <i>Rosa</i> 'William Shakespear' See - <i>Rosa</i> 'AUSromeo' P.P. 13993 | | | | | | | | |
| <i>Rosa</i> 'Winchester Cathedral' See - <i>Rosa</i> 'AUScat' P.P. 8141 | | | | | | | | |
| <i>Rosa</i> 'Winner's Circle' See - <i>Rosa</i> 'RADwin' P.P. 19310 | | | | | | | | |
| <i>Rosa</i> 'Winnipeg Parks' P.P. 9122 Winnipeg Parks Shrub Rose | RO | 0.90 | R1 | 3-4 | 5-8 | | 1.30 | 3 |
| <i>Rosa</i> 'Winsome' See - <i>Rosa</i> 'SAVawin' P.P. 5691 | | | | | | | | |
| <i>Rosa</i> 'Winter Sunset' Winter Sunset Shrub Rose | RO | 1.05 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| <i>Rosa</i> 'Wistful' See - <i>Rosa</i> 'SAVawist' P.P. 9562 | | | | | | | | |
| <i>Rosa</i> 'World War II Memorial' See - <i>Rosa</i> 'WEZgrey' P.P. 14433 | | | | | | | | |
| <i>Rosa</i> 'Y2K' See - <i>Rosa</i> 'SAVyk' | | | | | | | | |
| <i>Rosa</i> 'Yantai' Yantai Miniature Rose | RO | 0.93 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| <i>Rosa</i> 'Yellow Brick Road' See - <i>Rosa</i> 'BAload' P.P. 19046 | | | | | | | | |
| <i>Rosa</i> 'Yellow Doll' Yellow Doll Miniature Rose | RO | 0.83 | R1 | 4-5 | 6-8 | | 1.30 | 5 |
| <i>Rosa</i> 'Yellow Jacket' Yellow Jacket Shrub Rose | RO | 0.82 | R1 | 3-4 | 5-8 | | 1.30 | 4 |
| <i>Rosa</i> 'Yellow Romantica' See - <i>Rosa</i> 'MEIjacolet' P.P.A.F. | | | | | | | | |
| <i>Rosa</i> 'Yellow Submarine' See - <i>Rosa</i> 'BALine' P.P. 16659 | | | | | | | | |
| <i>Rosa</i> 'Yellow Sunblaze' See - <i>Rosa</i> 'MEIskaille' P.P. 14274 | | | | | | | | |
| <i>Rosa</i> 'Yellowstone' See - <i>Rosa</i> 'POULreb' P.P. 12534 | | | | | | | | |
| <i>Rosa</i> 'Yves Piaget' See - <i>Rosa</i> 'MEIvildo' P.P. 6895 | | | | | | | | |
| <i>Rosa</i> 'Zephirine Drouhin' Zephirine Drouhin Shrub Rose | RO | 1.02 | R1 | 3-5 | 6-8 | | 1.30 | 5 |
| <i>Rosa acicularis</i> Prickly Shrub Rose | RO | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Rosa x alba</i> Alba Rose | RO | 1.02 | R1 | 3-4 | 5-8 | | 1.00 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rosa arkansana</i> Arkansas Rose | RO | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rosa banksiae</i> Lady Banks Rose | RO | 0.70 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rosa banksiae</i> 'Alba Plena' See - <i>Rosa banksiae</i> var. <i>banksiae</i> | | | | | | | | |
| <i>Rosa banksiae</i> 'Lutea' Yellow Lady Banks Rose | RO | 0.77 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rosa banksiae</i> 'Purezza' Purezza Banks Rose | RO | 1.02 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rosa banksiae</i> var. <i>banksiae</i> Alba Plena Lady Banks Rose | RO | 0.80 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rosa blanda</i> Meadow Rose | RO | 1.33 | R1 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Rosa carolina</i> Carolina Rose | RO | 0.92 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rosa chinensis</i> China Rose | RO | 0.74 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Rosa chinensis</i> 'Mutabilis' Mutabilis Rose | RO | 0.74 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Rosa chinensis</i> var. <i>minima</i> Miniature Rose | RO | 1.00 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Rosa x damascena</i> Damask Rose | RO | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rosa eglantheria</i> Sweetbriar Rose | RO | 0.87 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rosa foetida</i> Austrian Brier Rose | RO | 0.86 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rosa foetida</i> 'Persiana' Persian Yellow Austrian Brier Rose | RO | 0.86 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rosa foetida</i> var. <i>bicolor</i> Bicolor Austrian Copper Brier Rose | RO | 0.81 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rosa gallica</i> French Rose | RO | 1.01 | R1 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Rosa gallica</i> 'Versicolor' Rosa Mundi Rose | RO | 1.01 | R1 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Rosa glauca</i> Redleaf Rose | RO | 0.90 | R1 | 3-4 | 5-8 | | 2.06 | 2 |
| <i>Rosa gymnocarpa</i> Wood Rose | RO | 0.51 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rosa hugonis</i> Father Hugo Rose | RO | 0.96 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rosa x kordesii</i> Kordes Rose | RO | 1.00 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Rosa laevigata</i> Cherokee Rose | RO | 0.47 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rosa moschata</i> Musk Rose | RO | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rosa multiflora</i> Multiflora Rose | RO | 0.87 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rosa nitida</i> Shining Rose | RO | 1.01 | R1 | 3-4 | 5-8 | | 0.57 | 4 |
| <i>Rosa nutkana</i> Nootka Rose | RO | 0.74 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rosa x odorata</i> Tea Rose | RO | 1.00 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rosa palustris</i> Swamp Rose | RO | 0.77 | R1 | 3-4 | 5-8 | | 0.53 | 3 |
| <i>Rosa pimpinellifolia</i> Scotch Rose | RO | 0.61 | R1 | 3-4 | 5-8 | | 1.00 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Rosa pimpinellifolia</i> 'Grandiflora' Grandiflora Scotch Rose | RO | 0.61 | R1 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Rosa pimpinellifolia</i> 'Lutea' Yellow Scotch Rose | RO | 0.61 | R1 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Rosa pisocarpa</i> Peafruit Rose | RO | 0.50 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rosa rubiginosa</i> See - <i>Rosa eglantheria</i> | | | | | | | | |
| <i>Rosa rubrifolia</i> See - <i>Rosa glauca</i> | | | | | | | | |
| <i>Rosa rugosa</i> Rugosa Rose | RO | 0.83 | R1 | | 3-8 | | 0.81 | 2 |
| <i>Rosa rugosa</i> 'Alba' White Rugosa Rose | RO | 0.86 | R1 | | 3-8 | | 0.67 | 2 |
| <i>Rosa rugosa</i> 'Belle Poitevine' See - <i>Rosa</i> 'Belle Poitevine' | | | | | | | | |
| <i>Rosa rugosa</i> 'F.J. Grootendorst' See - <i>Rosa</i> 'F.J. Grootendorst' | | | | | | | | |
| <i>Rosa rugosa</i> 'Magnifica' Magnifica Rugosa Rose | RO | 0.85 | R1 | 3 | 4-8 | | 0.74 | 3 |
| <i>Rosa rugosa</i> 'Rubra' Red Rugosa Rose | RO | 1.06 | R1 | | 3-8 | | 0.74 | 2 |
| <i>Rosa rugosa</i> var. <i>alboplana</i> Double White Rugosa Rose | RO | 0.53 | R1 | | 3-8 | | 1.92 | 2 |
| <i>Rosa setigera</i> Prairie Rose | RO | 1.56 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rosa villosa</i> Apple Rose | RO | 1.00 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Rosa virginiana</i> Virginia Rose | RO | 0.95 | R1 | 3-4 | 5-8 | | 0.74 | 3 |
| <i>Rosa wichurana</i> Memorial Rose | RO | 0.95 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Rosa wichurana</i> 'Poterifolia' Miniature Memorial Rose | RO | 0.95 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Rosa woodsii</i> Western Wild Rose | RO | 0.94 | R1 | 3-4 | 5-8 | | 0.64 | 3 |
| <i>Rosa xanthina</i> Manchu Rose | RO | 0.81 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Rosa xanthina</i> var. <i>hugonis</i> See - <i>Rosa hugonis</i> | | | | | | | | |
| <i>Roscoea purpurea</i> No Common Name Found | HP | 1.12 | R2 | 5-6 | 7-8 | | | |
| <i>Roscoea scillifolia</i> No Common Name Found | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Rosmarinus lockwoodii</i> See - <i>Rosmarinus officinalis</i> 'Lockwood de Forest' | | | | | | | | |
| <i>Rosmarinus officinalis</i> Rosemary | BS | 0.83 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Albus' White Rosemary | BS | 0.61 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Arp' Arp Rosemary | BS | 0.95 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Athens Blue Spires' P.P. 11552 Athens Blue Spires Rosemary | BS | 0.72 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'BBQ' See - <i>Rosmarinus officinalis</i> 'Barbecue' | | | | | | | | |
| <i>Rosmarinus officinalis</i> 'Barbecue' Barbecue Upright Rosemary | BS | 1.26 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Benenden Blue' Benenden Blue Rosemary | BS | 0.97 | R2 | 5-6 | 7-8 | | 1.00 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|--------------|---------|-------------|-----------|---------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Rosmarinus officinalis</i> 'Blue Spire' Blue Spire Rosemary | BS | 0.90 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Collingwood Ingram' See - <i>Rosmarinus officinalis</i> 'Benenden Blue' | | | | | | | | |
| <i>Rosmarinus officinalis</i> 'Golden Rain' Golden Rain Rosemary | BS | 0.89 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Gorizia' Gorizia Rosemary | BS | 1.00 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Hill Hardy' Hill Hardy Rosemary | BS | 0.82 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Huntington Carpet' Huntington Carpet Rosemary | BS | 1.03 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Irene' See - <i>Rosmarinus officinalis</i> 'Renzels' P.P. 9124 | | | | | | | | |
| <i>Rosmarinus officinalis</i> 'Ken Taylor' Ken Taylor Rosemary | BS | 0.71 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Lockwood de Forest' Lockwood de Forest Rosemary | BS | 0.82 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Majorca Pink' Majorca Pink Rosemary | BS | 0.68 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Prostratus' Prostrate Rosemary | BS | 0.87 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Renzels' P.P. 9124 Irene® Rosemary | BS | 0.94 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Roman Beauty' P.P. 18192 Roman Beauty Rosemary | BS | 1.53 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Salem' Salem Rosemary | BS | 0.79 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Spice Island' Spice Island Rosemary | BS | 0.76 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rosmarinus officinalis</i> 'Tuscan Blue' Tuscan Blue Rosemary | BS | 0.97 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Rosularia chrysantha</i> No Common Name Found | HP | 0.70 | R2 | 5-6 | 7-8 | | | |
| <i>Rosularia libanotica</i> See - <i>Rosularia serrata</i> | | | | | | | | |
| <i>Rosularia serrata</i> No Common Name Found | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Rubia tinctoria</i> Madder | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Rubus</i> Bramble | BS | 1.00 | R1 | 3-7 | 8 | | 1.00 | 7 |
| <i>Rubus</i> 'Benenden' Benenden Hybrid Bramble | BS | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Rubus arcticus</i> Crimson Bramble | GC | 0.63 | R1 | | 3-8 | | 1.00 | 2 |
| <i>Rubus calycinoides</i> See - <i>Rubus pentalobus</i> | | | | | | | | |
| <i>Rubus deliciosus</i> Rocky Mountain Raspberry | SF | 1.28 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Rubus flagellaris</i> Dewberry | BS | 0.76 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Rubus flagellaris</i> 'Austin' Austin Dewberry | BS | 0.76 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Rubus idaeus</i> Red Raspberry | SF | 0.80 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Amity' Amity Red Raspberry | SF | 1.57 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Autumn Bliss' Autumn Bliss Red Raspberry | SF | 1.45 | R2 | 3 | 4-7 | | 1.00 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rubus idaeus</i> 'Autumn Britten' Autumn Britten Red Raspberry | SF | 0.89 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Boyne' Boyne Red Raspberry | SF | 1.15 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Canby Red' Canby Red Raspberry | SF | 1.46 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Caroline' P.P. 10412 Caroline Raspberry | SF | 0.89 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Chief' Chief Red Raspberry | SF | 1.16 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Comox' Comox Red Raspberry | SF | 1.57 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Dormanred' Dormanred Red Raspberry | SF | 0.68 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Fallgold' Fallgold Red Raspberry | SF | 1.37 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Gatineau' Gatineau Red Raspberry | SF | 1.16 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Golden Harvest' Golden Harvest Red Raspberry | SF | 0.95 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Golden Summit' Golden Summit Raspberry | SF | 1.16 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Goldie' Goldie Yellow Raspberry | SF | 1.16 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Heritage' Heritage Red Raspberry | SF | 1.11 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Hilton' Hilton Red Raspberry | SF | 1.16 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Indian Summer' Indian Summer Red Raspberry | SF | 1.38 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Jewel' Jewel Red Raspberry | SF | 1.15 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Kiwigold' P.P. 11313 Kiwigold Raspberry | SF | 0.89 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Latham' Latham Red Raspberry | SF | 1.35 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Madwaska' Madwaska Red Raspberry | SF | 1.16 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Mammoth Red' Mammoth Red Raspberry | SF | 0.75 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Newburgh' Newburgh Red Raspberry | SF | 0.90 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Nordic' Nordic Red Raspberry | SF | 1.16 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Plainsman' Plainsman Red Raspberry | SF | 0.95 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Red Wing' Red Wing Red Raspberry | SF | 1.57 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Reveille' Reveille Red Raspberry | SF | 1.16 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Royalty' Royalty Purple-Red Raspberry | SF | 1.16 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'September' September Red Raspberry | SF | 1.04 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Summit' Summit Red Raspberry | SF | 1.57 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus idaeus</i> 'Tulameen' Tulameen Raspberry | SF | 1.16 | R2 | 3-7 | 8 | | 1.00 | 7 |
| <i>Rubus idaeus</i> var. <i>strigosus</i> Wild Red Raspberry | SF | 1.00 | R2 | 3 | 4-7 | | 1.00 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-----------|------------|
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Rubus idaeus</i> var. <i>strigosus</i> 'Kiska' Kiska Wild Red Raspberry | SF | 1.00 | R2 | 3 | 4-7 | | 1.00 | 3 |
| <i>Rubus leucodermis</i> Western Raspberry | SF | 0.96 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Rubus x loganobaccus</i> Loganberry | SF | 0.70 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Rubus occidentalis</i> Black Raspberry | SF | 1.19 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Rubus occidentalis</i> 'Black Hawk' Black Hawk Black Raspberry | SF | 0.53 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Rubus occidentalis</i> 'Bristol' Bristol Black Raspberry | SF | 0.95 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Rubus occidentalis</i> 'Cumberland' Cumberland Black Raspberry | SF | 1.36 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Rubus occidentalis</i> 'Logan' See - <i>Rubus x loganobaccus</i> | | | | | | | | |
| <i>Rubus occidentalis</i> 'Mac Black' Mac Black Black Raspberry | SF | 0.95 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Rubus occidentalis</i> 'Meeker' Meeker Black Raspberry | SF | 1.63 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Rubus occidentalis</i> 'Willamette' Willamette Black Raspberry | SF | 1.72 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Rubus odoratus</i> Flowering Raspberry | DS | 1.16 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Rubus parviflorus</i> Thimbleberry | SF | 0.78 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Rubus pentalobus</i> Taiwan Creeping Berry | GC | 0.58 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rubus pentalobus</i> 'Emerald Carpet' Emerald Carpet Taiwan Creeping Berry | GC | 0.74 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Rubus spectabilis</i> Salmonberry | SF | 0.74 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Rubus tridel</i> 'Benenden' See - <i>Rubus</i> 'Benenden' | | | | | | | | |
| <i>Rubus ursinus</i> Blackberry | SF | 0.76 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Apache' P.P. 11865 Apache Blackberry | SF | 0.61 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Arapaho' Arapaho Blackberry | SF | 0.70 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Black Butte' Black Butte Trailing Blackberry | SF | 0.83 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Black Satin' Black Satin Blackberry | SF | 1.09 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Boysen' Boysen Blackberry | SF | 0.70 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Brazos' Brazos Blackberry | SF | 0.74 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Cherokee' Cherokee Blackberry | SF | 1.00 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Chester' Chester Blackberry | SF | 1.44 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Cheyenne' Cheyenne Blackberry | SF | 0.56 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Choctaw' Choctaw Blackberry | SF | 0.56 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Comanche' Comanche Blackberry | SF | 0.83 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Darrow' Darrow Blackberry | SF | 0.98 | R1 | 5-7 | 8 | | 1.10 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rubus ursinus</i> 'Dirksen' Dirksen Blackberry | SF | 0.83 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Hull' Hull Blackberry | SF | 0.83 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Illini Hardy' P.P. 8333 Illini Hardy Blackberry | SF | 0.83 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Kiowa' P.P. 9861 Kiowa Blackberry | SF | 0.64 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Kotata' Kotata Blackberry | SF | 1.00 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Lawton' Lawton Blackberry | SF | 0.59 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Marion' Marion Blackberry | SF | 0.73 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Navajo' P.P. 6679 Navajo Blackberry | SF | 0.70 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Rosborough' Rosebrough Blackberry | SF | 0.81 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Shawnee' Shawnee Blackberry | SF | 0.77 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Snyder' Snyder Blackberry | SF | 0.83 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Sylvan' Sylvan Blackberry | SF | 0.83 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Thornless Boysen' Thornless Boysen Blackberry | SF | 1.11 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Thornless' Thornless Blackberry | SF | 0.81 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rubus ursinus</i> 'Triple Crown' Triple Crown Blackberry | SF | 1.00 | R1 | 5-7 | 8 | | 1.10 | 5 |
| <i>Rubus ursinus</i> 'Waldo' Waldo Blackberry | SF | 1.00 | R1 | 5-7 | 8 | | 1.10 | 7 |
| <i>Rudbeckia</i> Coneflower | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Rudbeckia</i> 'Cherokee Sunset' Cherokee Sunset Coneflower | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Rudbeckia fulgida</i> Orange Coneflower | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Rudbeckia fulgida</i> 'Double Gloriosa' Double Gloriosa Orange Coneflower | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Rudbeckia fulgida</i> 'Goldilocks' Goldilocks Orange Coneflower | HP | 0.75 | R2 | 3-4 | 5-8 | | | |
| <i>Rudbeckia fulgida</i> 'Marmalade' Marmalade Orange Coneflower | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Rudbeckia fulgida</i> var. <i>deamii</i> Deamii Orange Coneflower | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Rudbeckia fulgida</i> var. <i>missouriensis</i> See - <i>Rudbeckia missouriensis</i> | | | | | | | | |
| <i>Rudbeckia fulgida</i> var. <i>speciosa</i> Showy Coneflower | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Rudbeckia fulgida</i> var. <i>speciosa</i> 'Summer Blaze' Summer Blaze Showy Coneflower | HP | 0.74 | R2 | 3-4 | 5-8 | | | |
| <i>Rudbeckia fulgida</i> var. <i>speciosa</i> 'Viette's Little Suzy' P.P. 8867 Viette's Little Suzy Showy Coneflower | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Rudbeckia fulgida</i> var. <i>sullivantii</i> Sullivan Coneflower | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Rudbeckia fulgida</i> var. <i>sullivantii</i> 'Goldsturm' Goldsturm Sullivan Coneflower | HP | 0.86 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Rudbeckia hirta</i> Black-Eyed Susan | HP | 0.77 | R2 | 3 | 4-8 | | | |
| <i>Rudbeckia hirta</i> 'Autumn Colors' Autumn Colors Black-Eyed Susan | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Rudbeckia hirta</i> 'Becky Mixed' Becky Mixed Black-Eyed Susan | HP | 0.77 | R2 | 3 | 4-8 | | | |
| <i>Rudbeckia hirta</i> 'Cordoba' Cordoba Black-Eyed Susan | HP | 0.89 | R2 | 3 | 4-8 | | | |
| <i>Rudbeckia hirta</i> 'Indian Summer' Indian Summer Black-Eyed Susan | HP | 0.71 | R2 | 3 | 4-8 | | | |
| <i>Rudbeckia hirta</i> 'Irish Eyes' Irish Eyes Black-Eyed Susan | HP | 0.73 | R2 | 3 | 4-8 | | | |
| <i>Rudbeckia hirta</i> 'Maya' Maya Black-Eyed Susan | HP | 0.64 | R2 | 3 | 4-8 | | | |
| <i>Rudbeckia hirta</i> 'Prairie Sun' Prairie Sun Black-Eyed Susan | HP | 1.01 | R2 | 3 | 4-8 | | | |
| <i>Rudbeckia hirta</i> 'Rustic Dwarf' Rustic Dwarf Black-Eyed Susan | HP | 0.98 | R2 | 3 | 4-8 | | | |
| <i>Rudbeckia hirta</i> 'Sonora' Sonora Black-Eyed Susan | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Rudbeckia hirta</i> 'Spotlight' Spotlight Black-Eyed Susan | HP | 0.82 | R2 | 3 | 4-8 | | | |
| <i>Rudbeckia hirta</i> 'Summer Light' Summer Light Black-eyed Susan | HP | 0.74 | R2 | 3 | 4-8 | | | |
| <i>Rudbeckia hirta</i> 'Toto' Toto Black-Eyed Susan | HP | 0.75 | R2 | 3 | 4-8 | | | |
| <i>Rudbeckia hirta</i> var. <i>pulcherrima</i> No Common Name Found | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Rudbeckia laciniata</i> Cutleaf Coneflower | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Rudbeckia laciniata</i> 'Goldquelle' Goldquelle Cutleaf Coneflower | HP | 0.69 | R2 | 3 | 4-8 | | | |
| <i>Rudbeckia maxima</i> Great Coneflower | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Rudbeckia missouriensis</i> Missouri Black-Eyed Susan | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Rudbeckia nitida</i> Shining Coneflower | HP | 1.05 | R2 | 3 | 4-8 | | | |
| <i>Rudbeckia nitida</i> 'Autumn Glory' Autumn Glory Shining Coneflower | HP | 0.94 | R2 | 3 | 4-8 | | | |
| <i>Rudbeckia nitida</i> 'Herbstonne' Herbstonne Shining Coneflower | HP | 0.99 | R2 | 3 | 4-8 | | | |
| <i>Rudbeckia nitida</i> 'Juligold' Juligold Shining Coneflower | HP | 0.77 | R2 | 3 | 4-8 | | | |
| <i>Rudbeckia speciosa</i> See - <i>Rudbeckia fulgida</i> var. <i>speciosa</i> | | | | | | | | |
| <i>Rudbeckia subtomentosa</i> Sweet Coneflower | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Rudbeckia triloba</i> Three-lobed Coneflower | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Rudbeckia triloba</i> 'Flore-pleno' Flore-pleno Three-lobed Coneflower | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Ruellia</i> Ruellia | HP | 0.70 | R2 | 5-7 | 8 | | | |
| <i>Ruellia</i> 'Ground Hugger' Ground Hugger Ruellia | HP | 0.70 | R2 | 5-7 | 8 | | | |
| <i>Ruellia</i> 'Little Lady' Little Lady Ruellia | HP | 0.50 | R2 | 5-7 | 8 | | | |
| <i>Ruellia</i> 'Ragin Cajin' Ragin Cajin Ruellia | HP | 0.90 | R2 | 5-7 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|-------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | | |
| <i>Ruellia brittoniana</i> Mexican Bluebell | HP | 0.70 | R2 | 5-7 | 8 | | | |
| <i>Ruellia brittoniana</i> 'Blue Katie' Blue Katie Mexican Bluebell | HP | 0.63 | R2 | 5-7 | 8 | | | |
| <i>Ruellia brittoniana</i> 'Chi Chi' Chi Chi Mexican Bluebell | HP | 0.68 | R2 | 5-7 | 8 | | | |
| <i>Ruellia brittoniana</i> 'Clean White Katie' Clean White Katie Mexican Bluebell | HP | 0.54 | R2 | 5-7 | 8 | | | |
| <i>Ruellia brittoniana</i> 'Katie' Katie Dwarf Mexican Bluebell | HP | 0.63 | R2 | 5-7 | 8 | | | |
| <i>Ruellia brittoniana</i> 'Pink Katie' Pink Katie Mexican Bluebell | HP | 0.62 | R2 | 5-7 | 8 | | | |
| <i>Ruellia brittoniana</i> 'Pink Shorts Katie' Pink Shorts Katie Mexican Bluebell | HP | 0.58 | R2 | 5-7 | 8 | | | |
| <i>Ruellia brittoniana</i> 'Purple Showers' Purple Showers Mexican Bluebell | HP | 0.53 | R2 | 5-7 | 8 | | | |
| <i>Ruellia brittoniana</i> 'Snow Queen' Snow Queen Mexican Bluebell | HP | 0.47 | R2 | 5-7 | 8 | | | |
| <i>Ruellia brittoniana</i> 'Variegated Katie' Variegated Katie Mexican Bluebell | HP | 0.60 | R2 | 5-7 | 8 | | | |
| <i>Ruellia brittoniana</i> 'White Katie' White Katie Mexican Bluebell | HP | 0.61 | R2 | 5-7 | 8 | | | |
| <i>Ruellia brittoniana</i> 'White Snow' White Snow Mexican Bluebell | HP | 0.60 | R2 | 5-7 | 8 | | | |
| <i>Ruellia caroliniensis</i> Carolina Wild Petunia | HP | 0.51 | R2 | 3-5 | 6-8 | | | |
| <i>Ruellia ciliosa</i> East Tennessee Pinkroot | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Ruellia elegans</i> Elegant Ruellia | HP | 0.88 | R2 | 5-7 | 8 | | | |
| <i>Ruellia humilis</i> Fringe-leaf Wild Petunia | HP | 1.16 | R2 | 3 | 4-8 | | | |
| <i>Ruellia macrantha</i> No Common Name Found | FO | 0.34 | R2 | 8 | | | 1.00 | 10 |
| <i>Ruellia makoyana</i> Monkey Plant | FO | 0.57 | R2 | 8 | | | 1.00 | 10 |
| <i>Ruellia squarrosa</i> Creeping Ruellia | HP | 0.76 | R2 | 7-8 | | | | |
| <i>Rumex acetosa</i> Sorrel | HP | 0.49 | R2 | 3-4 | 5-8 | | | |
| <i>Rumex sanguineus</i> Bloody Dock | HP | 1.09 | R2 | 3-6 | 7-8 | | | |
| <i>Rumex scutatus</i> French Sorrel | HP | 1.02 | R2 | 3-6 | 7-8 | | | |
| <i>Rupicapnos africana</i> No Common Name Found | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Ruscus hypoglossum</i> Butcher's Broom | BS | 0.81 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Ruta graveolens</i> Rue | BS | 0.55 | R2 | 5 | 6-8 | | 1.00 | 5 |
| <i>Ruta graveolens</i> 'Blue Mound' Blue Mound Rue | BS | 0.76 | R2 | 5 | 6-8 | | 1.00 | 5 |
| <i>Ruta graveolens</i> 'Curly Girl' Curly Girl Dwarf Rue | BS | 0.63 | R2 | 5 | 6-8 | | 1.00 | 5 |
| <i>Ruta graveolens</i> 'Jackman's Blue' Jackman's Blue Rue | BS | 0.65 | R2 | 5 | 6-8 | | 1.00 | 5 |
| <i>Ruttya fruticosa</i> Hummingbird Plant | BS | 0.61 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Sabal</i> Sabal Palm | PC | 0.79 | R2 | 8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Sabal</i> 'Riverside' Riverside Palm | PC | 0.79 | R2 | 8 | | | 1.00 | 8 |
| <i>Sabal bermudana</i> Bermuda Palmetto | PC | 0.95 | R2 | 8 | | | 1.00 | 8 |
| <i>Sabal causiarum</i> Puerto Rican Hat Palm | PC | 0.99 | R1 | 8 | | | 0.93 | 9 |
| <i>Sabal deeringiana</i> See - <i>Sabal minor</i> | | | | | | | | |
| <i>Sabal domingensis</i> Dominican Palm | PC | 1.03 | R2 | 8 | | | 1.00 | 9 |
| <i>Sabal minor</i> Dwarf Palmetto | PC | 1.32 | R2 | 8 | | | 1.00 | 8 |
| <i>Sabal palmetto</i> Palmetto | PC | 0.77 | R2 | 6-8 | | | 1.05 | 8 |
| <i>Sabal parviflora</i> See - <i>Sabal palmetto</i> | | | | | | | | |
| <i>Sabal rosei</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Sabal uresana</i> Sonoran Blue Palmetto | PC | 1.00 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Saccharum contortum</i> Bent Awn Plume Grass | HP | 0.88 | R2 | 5-6 | 7-8 | | | |
| <i>Saccharum officinarum</i> Sugarcane | HP | 1.00 | R2 | 7-8 | | | | |
| <i>Saccharum officinarum</i> 'Pele's Smoke' Pele's Smoke Sugarcane | HP | 0.87 | R2 | 7-8 | | | | |
| <i>Saccharum ravennae</i> Ravenna Plume Grass | HP | 1.09 | R2 | 5 | 6-8 | | | |
| <i>Saccharum strictum</i> Narrow Plume Grass | HP | 0.88 | R2 | 5-7 | 8 | | | |
| <i>Sageretia thea</i> Chinese Sweet Plum | BS | 0.63 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Sageretia theezans</i> See - <i>Sageretia thea</i> | | | | | | | | |
| <i>Sagina subulata</i> Pearlwort | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Sagina subulata</i> 'Aurea' Gold Pearlwort | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Sagittaria lancifolia</i> No Common Name Found | HP | 0.61 | R2 | 8 | | | | |
| <i>Sagittaria latifolia</i> Common Arrowhead | HP | 0.84 | R2 | 5-6 | 7-8 | | | |
| <i>Saintpaulia ionantha</i> African Violet | FO | 0.47 | R2 | 8 | | | 1.00 | 10 |
| <i>Salix</i> Willow | DT | 0.94 | R1 | 3 | 4-8 | 1.02 | 0.90 | 3 |
| <i>Salix</i> 'Flame' Flame Willow | DT | 0.90 | R1 | 3 | 4-8 | 1.02 | 0.60 | 3 |
| <i>Salix</i> 'Golden Curls' Golden Curls Willow | DT | 1.03 | R1 | 4-5 | 6-8 | 1.09 | 0.52 | 5 |
| <i>Salix</i> 'Prairie Cascade' Prairie Cascade Willow | DT | 1.00 | R1 | | 3-8 | 0.97 | 0.82 | 2 |
| <i>Salix</i> 'Scarcuzam' Scarlet Curls® Willow | DT | 0.85 | R1 | 4-5 | 6-8 | 1.00 | 0.97 | 5 |
| <i>Salix</i> 'Scarlet Curls' See - <i>Salix</i> 'Scarcuzam' | | | | | | | | |
| <i>Salix</i> 'Snake' Snake Willow | DT | 0.91 | R1 | 4-5 | 6-8 | 1.02 | 1.59 | 5 |
| <i>Salix alba</i> White Willow | DT | 1.01 | R1 | | 3-8 | 0.77 | 0.83 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Salix alba</i> 'Britzensis' Coral Bark Willow | DT | 1.01 | R1 | | 3-8 | 0.77 | 0.83 | 2 |
| <i>Salix alba</i> 'Tristis' See - <i>Salix xsepulcralis</i> var. <i>chrysocoma</i> | | | | | | | | |
| <i>Salix alba</i> var. <i>sericea</i> Silver Willow | DT | 1.00 | R1 | | 3-8 | 1.00 | 1.00 | 2 |
| <i>Salix alba</i> var. <i>vitellina</i> Yellowstem Willow | DT | 0.90 | R1 | | 3-8 | 0.96 | 0.75 | 2 |
| <i>Salix amygdaloides</i> Peachleaf Willow | DT | 0.83 | R1 | 4-5 | 6-8 | 1.00 | 1.02 | 5 |
| <i>Salix arbuscula</i> Mountain Willow | DS | 1.00 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Salix arctica</i> Arctic Willow | DS | 1.37 | R1 | | 3-8 | | 1.00 | 1 |
| <i>Salix arenaria</i> Silver Creeping Willow | GC | 0.72 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Salix babylonica</i> Babylon Weeping Willow | DT | 0.88 | R1 | 4-5 | 6-8 | 0.87 | 0.41 | 5 |
| <i>Salix xbebbiana</i> Bebb Willow | DS | 0.87 | R1 | | 3-8 | | 1.00 | 2 |
| <i>Salix xbebbii</i> See - <i>Salix xbebbiana</i> | | | | | | | | |
| <i>Salix xblanda</i> See - <i>Salix xpendulina</i> var. <i>blanda</i> | | | | | | | | |
| <i>Salix brachycarpa</i> Barren Ground Willow | DS | 1.00 | R1 | | 3-8 | | 1.00 | 2 |
| <i>Salix candida</i> Sage Willow | DS | 1.00 | R1 | | 3-8 | | 1.00 | 2 |
| <i>Salix caprea</i> Goat Willow | DT | 0.86 | R1 | 3-4 | 5-8 | 1.56 | 0.47 | 4 |
| <i>Salix caprea</i> 'Curly Locks' Curly Locks Goat Willow | DT | 2.67 | R1 | 3-4 | 5-8 | 1.56 | 1.76 | 4 |
| <i>Salix caprea</i> 'Pendula' Weeping Goat Willow | DT | 1.22 | R1 | 3-4 | 5-8 | 1.56 | 3.04 | 4 |
| <i>Salix caroliniana</i> Coastal Plain Willow | DT | 0.47 | R1 | 4-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Salix chaenomeloides</i> Japanese Pussy Willow | DT | 0.73 | R1 | 4-5 | 6-8 | 1.00 | 0.37 | 5 |
| <i>Salix cinerea</i> Gray Willow | DT | 1.06 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 2 |
| <i>Salix cinerea</i> 'Tricolor' Tricolor Grey Willow | DT | 1.06 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 2 |
| <i>Salix cinerea</i> 'Variegata' Variegated Grey Willow | DT | 1.06 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 2 |
| <i>Salix commutata</i> Undergreen Willow | DS | 1.00 | R1 | | 3-8 | | 1.00 | 2 |
| <i>Salix cottetii</i> Banker's Willow | DT | 0.78 | R1 | 4-5 | 6-8 | 1.00 | 0.52 | 5 |
| <i>Salix discolor</i> Pussy Willow | DS | 0.93 | R1 | | 3-8 | | 0.54 | 2 |
| <i>Salix discolor</i> 'Pendula' Weeping Pussy Willow | DS | 1.16 | R1 | | 3-8 | | 0.35 | 2 |
| <i>Salix discolor</i> 'Rosea' Pink Pussy Willow | DS | 0.77 | R1 | | 3-8 | | 0.16 | 2 |
| <i>Salix drummondiana</i> Drummond Willow | DS | 0.88 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Salix xelegantissima</i> See - <i>Salix xpendulina</i> var. <i>elegantissima</i> | | | | | | | | |
| <i>Salix eriocephala</i> Red-tipped Willow | DS | 1.00 | R1 | 3-6 | 7-8 | | 1.00 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Salix eriocephala</i> ssp. <i>ligulifolia</i> Erect Willow | DS | 1.00 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Salix eriocephala</i> ssp. <i>ligulifolia</i> 'Placer' Placer Erect Willow | DS | 1.00 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Salix exigua</i> Coyote Willow | DT | 0.97 | R1 | | 3-8 | 1.00 | 0.63 | 2 |
| <i>Salix exigua</i> ssp. <i>melanopsis</i> See - <i>Salix melanopsis</i> | | | | | | | | |
| <i>Salix flavescens</i> See - <i>Salix scouleriana</i> | | | | | | | | |
| <i>Salix fluviatilis</i> River Willow | DT | 0.56 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Salix geyeriana</i> Geyer's Willow | DT | 0.54 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |
| <i>Salix glauca</i> Grayleaf Willow | DS | 1.00 | R1 | | 3-8 | | 1.00 | 2 |
| <i>Salix gracilistyla</i> var. <i>melanostachys</i> Black Pussy Willow | DT | 0.84 | R1 | 4-5 | 6-8 | 1.00 | 1.11 | 5 |
| <i>Salix hastata</i> Halberd Willow | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 2 |
| <i>Salix hookeriana</i> Hooker Willow | DS | 0.67 | R1 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Salix hylematica</i> See - <i>Salix lindleyana</i> | | | | | | | | |
| <i>Salix integra</i> No Common Name Found | DT | 1.00 | R1 | 4-6 | 7-8 | 0.88 | 0.88 | 4 |
| <i>Salix integra</i> 'Flamingo' Flamingo Willow | DT | 0.97 | R1 | 4-6 | 7-8 | 0.88 | 0.88 | 4 |
| <i>Salix integra</i> 'Hakuro Nishiki' Hakuro Nishiki Dappled Willow | DT | 1.02 | R1 | 4-6 | 7-8 | 0.88 | 0.88 | 4 |
| <i>Salix interior</i> See - <i>Salix exigua</i> | | | | | | | | |
| <i>Salix irrorata</i> Bluestem Willow | DS | 0.63 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Salix koriyanagi</i> Kori-yanagi Willow | DT | 0.80 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Salix koriyanagi</i> 'Rubykins' Rubykins Willow | DT | 0.80 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Salix laevigata</i> Red Willow | DT | 1.06 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Salix lanata</i> Woolly Willow | DS | 1.00 | R1 | | 3-8 | | 1.00 | 2 |
| <i>Salix lasiolepis</i> Arroyo Willow | DS | 1.02 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Salix lindleyana</i> Dwarf Nepal Willow | DS | 1.00 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Salix lucida</i> Shining Willow | DT | 1.00 | R1 | | 3-8 | 1.00 | 1.00 | 2 |
| <i>Salix lucida</i> ssp. <i>lasiandra</i> Pacific Willow | DT | 0.99 | R1 | | 3-8 | 1.00 | 1.00 | 2 |
| <i>Salix lucida</i> ssp. <i>lasiandra</i> 'Nehalem' Nehalem Pacific Willow | DT | 0.99 | R1 | | 3-8 | 1.00 | 1.00 | 2 |
| <i>Salix matsudana</i> Hankow Willow | DT | 0.88 | R1 | 4-5 | 6-8 | 1.28 | 0.52 | 5 |
| <i>Salix matsudana</i> 'Navajo' Globe Navajo Hankow Willow | DT | 0.92 | R1 | 4-5 | 6-8 | 1.27 | 0.52 | 5 |
| <i>Salix matsudana</i> 'Tortuosa' Corkscrew Willow | DT | 0.80 | R1 | 4-5 | 6-8 | 0.82 | 0.52 | 5 |
| <i>Salix matsudana</i> 'Umbraculifera' Umbraculifera Hankow Willow | DT | 0.89 | R1 | 4-5 | 6-8 | 1.76 | 0.52 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Salix melanopsis</i> Dusky Willow | DT | 0.46 | R1 | 4 | 5-8 | 1.00 | 1.00 | 4 |
| <i>Salix melanostachys</i> See - <i>Salix gracilistyla</i> var. <i>melanostachys</i> | | | | | | | | |
| <i>Salix monticola</i> Yellow Mountain Willow | DS | 0.86 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Salix myrtilloides</i> Swamp Willow | DS | 1.00 | R1 | | 3-8 | | 1.00 | 2 |
| <i>Salix nigra</i> Black Willow | DT | 0.89 | R1 | 3-4 | 5-8 | 0.50 | 0.36 | 4 |
| <i>Salix xpendulina</i> Niobe Weeping Willow | DT | 1.04 | R1 | 3-4 | 5-8 | 0.85 | 5.35 | 4 |
| <i>Salix xpendulina</i> var. <i>blanda</i> Wisconsin Weeping Willow | DT | 0.87 | R1 | 3-4 | 5-8 | 1.11 | 0.11 | 4 |
| <i>Salix xpendulina</i> var. <i>elegantissima</i> Thurlow Weeping Willow | DT | 1.24 | R1 | 3-4 | 5-8 | 0.84 | 1.00 | 4 |
| <i>Salix pentandra</i> Laurel Willow | DT | 1.16 | R1 | 3-5 | 6-8 | 0.73 | 1.00 | 5 |
| <i>Salix petiolaris</i> Slender Willow | DS | 1.00 | R1 | | 3-8 | | 1.00 | 2 |
| <i>Salix piperi</i> Piper Willow | DT | 1.00 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Salix planifolia</i> Planeleaf Willow | DT | 0.63 | R1 | | 3-8 | 1.00 | 1.00 | 1 |
| <i>Salix polaris</i> Polar Willow | GC | 1.00 | R1 | | 3-8 | | 1.00 | 2 |
| <i>Salix purpurea</i> Purpleosier Willow | DS | 0.94 | R1 | 3 | 4-8 | | 0.50 | 3 |
| <i>Salix purpurea</i> 'Canyon Blue' Canyon Blue Purpleosier Willow | DS | 1.37 | R1 | 3 | 4-8 | | 0.69 | 3 |
| <i>Salix purpurea</i> 'Gracilis' Slender Purpleosier Willow | DS | 1.12 | R1 | 3 | 4-8 | | 0.69 | 3 |
| <i>Salix purpurea</i> 'Nana' Arctic Blue Willow | DS | 0.91 | R1 | 3 | 4-8 | | 0.88 | 3 |
| <i>Salix purpurea</i> 'Pendula' Weeping Purple Willow | DS | 1.22 | R1 | 3 | 4-8 | | 0.69 | 3 |
| <i>Salix purpurea</i> 'Streamco' Streamco Purple Willow | DS | 1.16 | R1 | 3 | 4-8 | | 0.69 | 3 |
| <i>Salix repens</i> Creeping Willow | GC | 0.50 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Salix repens</i> 'Nitida' See - <i>Salix arenaria</i> | | | | | | | | |
| <i>Salix repens</i> 'Voorthuizen' Voorthuizen Creeping Willow | GC | 0.50 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Salix reticulata</i> Netleaf Willow | DS | 1.00 | R1 | | 3-8 | | 1.00 | 1 |
| <i>Salix rotundifolia</i> Least Willow | DS | 1.00 | R1 | | 3-8 | | 1.00 | 2 |
| <i>Salix sachalinensis</i> See - <i>Salix udensis</i> | | | | | | | | |
| <i>Salix scouleriana</i> Scouler Willow | DT | 0.61 | R1 | 4-5 | 6-8 | 1.00 | 1.00 | 4 |
| <i>Salix xsepulcralis</i> Weeping Willow | DT | 0.83 | R1 | | 3-8 | 0.60 | 0.46 | 2 |
| <i>Salix xsepulcralis</i> var. <i>chrysocoma</i> Golden Weeping Willow | DT | 0.95 | R1 | | 3-8 | 0.96 | 0.34 | 2 |
| <i>Salix sitchensis</i> Sitka Willow | DT | 0.51 | R1 | 3-4 | 5-8 | 1.00 | 1.00 | 4 |
| <i>Salix xsmithiana</i> Smith's Willow | DT | 1.00 | R1 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Salix udensis</i> Japanese Fantail Willow | DT | 0.64 | R1 | 4 | 5-8 | 1.00 | 1.07 | 4 |
| <i>Salix udensis</i> 'Sekka' Sekka Japanese Fantail Willow | DT | 0.64 | R1 | 4 | 5-8 | 1.00 | 1.07 | 4 |
| <i>Salix yezoalpina</i> No Common Name Found | GC | 1.00 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Salvia</i> Sage | HP | 0.81 | R2 | 5-7 | 8 | | | |
| <i>Salvia</i> 'Anthony Parker' Anthony Parker Hybrid Sage | HP | 0.92 | R2 | 5-8 | | | | |
| <i>Salvia</i> 'Indigo Spires' Indigo Spires Hybrid Sage | HP | 0.64 | R2 | 5-7 | 8 | | | |
| <i>Salvia</i> 'Mystic Spires' Mystic Spires Blue Hybrid Salvia | HP | 0.97 | R2 | 5-7 | 8 | | | |
| <i>Salvia</i> 'Purple Majesty' Purple Majesty Hybrid Sage | HP | 0.64 | R2 | 5-7 | 8 | | | |
| <i>Salvia</i> 'Red Velvet' Red Velvet Baby Sage | HP | 0.90 | R2 | 5-7 | 8 | | | |
| <i>Salvia apiana</i> Bee Sage | HP | 2.20 | R2 | 6-8 | | | | |
| <i>Salvia argentea</i> Silver Sage | HP | 1.05 | R2 | 3-5 | 6-8 | | | |
| <i>Salvia azurea</i> Azure Sage | HP | 0.55 | R2 | 3-5 | 6-8 | | | |
| <i>Salvia azurea</i> var. <i>grandiflora</i> Pitcher Sage | HP | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Salvia blepharophylla</i> No Common Name Found | HP | 0.63 | R2 | 8 | | | | |
| <i>Salvia buchananii</i> No Common Name Found | HP | 0.57 | R2 | 8 | | | | |
| <i>Salvia cacaliifolia</i> No Common Name Found | HP | 0.84 | R2 | 8 | | | | |
| <i>Salvia caerulea</i> See - <i>Salvia guaranitica</i> | | | | | | | | |
| <i>Salvia canariensis</i> Canary Island Sage | HP | 0.60 | R2 | 8 | | | | |
| <i>Salvia chamaedryoides</i> No Common Name Found | HP | 0.96 | R2 | 6-8 | | | | |
| <i>Salvia clevelandii</i> Jim Sage | HP | 0.70 | R2 | 6-8 | | | | |
| <i>Salvia coccinea</i> Annual Scarlet Sage | HP | 0.49 | R2 | 6-8 | | | | |
| <i>Salvia coccinea</i> 'Brenthurst' Brenthurst Annual Scarlet Sage | HP | 0.60 | R2 | 6-8 | | | | |
| <i>Salvia coccinea</i> 'Coral Nymph' Coral Nymph Annual Scarlet Sage | HP | 0.57 | R2 | 6-8 | | | | |
| <i>Salvia coccinea</i> 'Forest Fire' Forest Fire Annual Scarlet Sage | HP | 0.65 | R2 | 6-8 | | | | |
| <i>Salvia coccinea</i> 'Lady in Red' Lady in Red Annual Scarlet Sage | HP | 0.77 | R2 | 6-8 | | | | |
| <i>Salvia coccinea</i> 'Snow Nymph' Snow Nymph Annual Scarlet Sage | HP | 0.61 | R2 | 6-8 | | | | |
| <i>Salvia columbariae</i> No Common Name Found | HP | 0.65 | R2 | 5-7 | 8 | | | |
| <i>Salvia confertifolia</i> No Common Name Found | HP | 0.78 | R2 | 8 | | | | |
| <i>Salvia daghestanica</i> Dwarf Silver-Leaf Sage | HP | 1.01 | R2 | 3-5 | 6-8 | | | |
| <i>Salvia darcy</i> No Common Name Found | HP | 0.88 | R2 | 5-7 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|--|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Salvia discolor</i> No Common Name Found | HP | 0.63 | R2 | 8 | | | |
| <i>Salvia dorisiana</i> Fruit Sage | HP | 1.20 | R2 | 8 | | | |
| <i>Salvia dorrii</i> Purple Sage | HP | 1.19 | R2 | 4-5 | 6-8 | | |
| <i>Salvia elegans</i> Pineapple-scented Sage | HP | 0.69 | R2 | 6-8 | | | |
| <i>Salvia elegans</i> 'Golden Delicious' P.P. 17977 Golden Delicious Pineapple Sage | HP | 0.89 | R2 | 6-8 | | | |
| <i>Salvia elegans</i> 'Honeydew' Honeydew Melon Sage | HP | 0.60 | R2 | 6-8 | | | |
| <i>Salvia elegans</i> 'Scarlet Pineapple' Scarlet Pineapple Sage | HP | 0.70 | R2 | 6-8 | | | |
| <i>Salvia farinacea</i> Mealycup Sage | HP | 0.59 | R2 | 6-8 | | | |
| <i>Salvia farinacea</i> 'Evolution' Evolution Mealycup Sage | HP | 1.01 | R2 | 6-8 | | | |
| <i>Salvia farinacea</i> 'Rhea' Rhea Mealycup Sage | HP | 0.67 | R2 | 6-8 | | | |
| <i>Salvia farinacea</i> 'Signum' Signum Mealycup Sage | HP | 0.26 | R2 | 6-8 | | | |
| <i>Salvia farinacea</i> 'Strata' Strata Mealycup Sage | HP | 0.52 | R2 | 6-8 | | | |
| <i>Salvia farinacea</i> 'Victoria Blue' Victoria Blue Mealycup Sage | HP | 0.83 | R2 | 6-8 | | | |
| <i>Salvia farinacea</i> 'Victoria Series' Victoria Mealycup Sage | HP | 0.64 | R2 | 6-8 | | | |
| <i>Salvia farinacea</i> 'Victoria White' Victoria White Mealycup Sage | HP | 0.82 | R2 | 6-8 | | | |
| <i>Salvia fulgens</i> No Common Name Found | HP | 0.87 | R2 | 8 | | | |
| <i>Salvia gesneriiflora</i> No Common Name Found | HP | 0.59 | R2 | 8 | | | |
| <i>Salvia glechomifolia</i> No Common Name Found | HP | 0.63 | R2 | 4-7 | 8 | | |
| <i>Salvia glutinosa</i> Jupiter's Distaff | HP | 0.89 | R2 | 4-5 | 6-8 | | |
| <i>Salvia grahamii</i> See - <i>Salvia microphylla</i> | | | | | | | |
| <i>Salvia greggii</i> Autumn Sage | HP | 0.65 | R2 | 5-7 | 8 | | |
| <i>Salvia greggii</i> 'Alba' White Autumn Sage | HP | 0.76 | R2 | 5-7 | 8 | | |
| <i>Salvia greggii</i> 'Cherry Queen' Cherry Queen Autumn Sage | HP | 0.76 | R2 | 5-7 | 8 | | |
| <i>Salvia greggii</i> 'Chiffon' Chiffon Autumn Sage | HP | 0.55 | R2 | 5-7 | 8 | | |
| <i>Salvia greggii</i> 'Cienego D'Oro' Cienego D'Oro Autumn Sage | HP | 0.63 | R2 | 5-7 | 8 | | |
| <i>Salvia greggii</i> 'Coral' Coral Autumn Sage | HP | 0.88 | R2 | 5-7 | 8 | | |
| <i>Salvia greggii</i> 'Dark Dancer' Dark Dancer Autumn Sage | HP | 0.63 | R2 | 5-7 | 8 | | |
| <i>Salvia greggii</i> 'Flame' Flame Autumn Sage | HP | 1.14 | R2 | 5-7 | 8 | | |
| <i>Salvia greggii</i> 'Furman's Red' Furman's Red Autumn Sage | HP | 0.98 | R2 | 5-7 | 8 | | |
| <i>Salvia greggii</i> 'Heatwave Blaze' P.P.A.F. Heatwave Blaze™ Autumn Sage | HP | 1.29 | R2 | 5-6 | 7-8 | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Salvia greggii</i> 'Heatwave Flare' P.P.A.F. Heatwave Flare™ Autumn Sage | HP | 1.31 | R2 | 5-6 | 7-8 | | | |
| <i>Salvia greggii</i> 'Heatwave Scorcher' P.P.A.F. Heatwave Scorcher™ Autumn Sage | HP | 1.31 | R2 | 5-6 | 7-8 | | | |
| <i>Salvia greggii</i> 'Heatwave Series' Heatwave Series™ Autumn Sage | HP | 0.99 | R2 | 5-6 | 7-8 | | | |
| <i>Salvia greggii</i> 'Heatwave Sizzle' P.P.A.F. Heatwave Sizzle™ Autumn Sage | HP | 1.29 | R2 | 5-6 | 7-8 | | | |
| <i>Salvia greggii</i> 'Lipstick' Lipstick Autumn Sage | HP | 0.74 | R2 | 5-7 | 8 | | | |
| <i>Salvia greggii</i> 'Maraschino' Maraschino Autumn Sage | HP | 1.02 | R2 | 5-6 | 7-8 | | | |
| <i>Salvia greggii</i> 'Moonlight' Moonlight Autumn Sage | HP | 0.95 | R2 | 5-7 | 8 | | | |
| <i>Salvia greggii</i> 'Navajo Bright Red' P.P.A.F. Navajo™ Bright Red Autumn Sage | HP | 1.31 | R2 | 5-7 | 8 | | | |
| <i>Salvia greggii</i> 'Navajo Dark Purple' P.P.A.F. Navajo™ Dark Purple Autumn Sage | HP | 1.31 | R2 | 5-7 | 8 | | | |
| <i>Salvia greggii</i> 'Navajo Pink' See - <i>Salvia greggii</i> 'RFD-S019' P.P. 14681 | | | | | | | | |
| <i>Salvia greggii</i> 'Navajo Rose' See - <i>Salvia greggii</i> 'RFD-S018' P.P. 14699 | | | | | | | | |
| <i>Salvia greggii</i> 'Navajo Salmon Red' See - <i>Salvia greggii</i> 'RFD-S016' P.P. 14976 | | | | | | | | |
| <i>Salvia greggii</i> 'Navajo Series' Navajo™ Series Autumn Sage | HP | 1.18 | R2 | 5-7 | 8 | | | |
| <i>Salvia greggii</i> 'Navajo White' P.P.A.F. Navajo™ White Autumn Sage | HP | 1.29 | R2 | 5-7 | 8 | | | |
| <i>Salvia greggii</i> 'Nuevo Leon' Nuevo Leon Hybrid Sage | HP | 0.88 | R2 | 5-7 | 8 | | | |
| <i>Salvia greggii</i> 'Purple' Purple Autumn Sage | HP | 0.95 | R2 | 5-7 | 8 | | | |
| <i>Salvia greggii</i> 'RFD-S016' P.P. 14976 Navajo™ Salmon Red Autumn Sage | HP | 1.29 | R2 | 5-7 | 8 | | | |
| <i>Salvia greggii</i> 'RFD-S018' P.P. 14699 Navajo™ Rose Autumn Sage | HP | 1.07 | R2 | 5-7 | 8 | | | |
| <i>Salvia greggii</i> 'RFD-S019' P.P. 14681 Navajo™ Pink Autumn Sage | HP | 0.99 | R2 | 5-7 | 8 | | | |
| <i>Salvia greggii</i> 'San Antonio' San Antonio Autumn Sage | HP | 0.77 | R2 | 5-7 | 8 | | | |
| <i>Salvia greggii</i> 'San Isidro' San Isidro Autumn Sage | HP | 0.99 | R2 | 5-7 | 8 | | | |
| <i>Salvia greggii</i> 'San Takao' San Takao Autumn Sage | HP | 0.99 | R2 | 5-7 | 8 | | | |
| <i>Salvia greggii</i> 'Stampede Series' Stampede Series Autumn Sage | HP | 0.90 | R2 | 5-7 | 8 | | | |
| <i>Salvia greggii</i> 'Wild Thing' Wild Thing™ Autumn Sage | HP | 0.99 | R2 | 5-7 | 8 | | | |
| <i>Salvia guaranitica</i> Sapphire Sage | HP | 0.65 | R2 | 5-7 | 8 | | | |
| <i>Salvia guaranitica</i> 'Argentina Skies' Argentina Skies Blue Anise Sage | HP | 0.75 | R2 | 5-7 | 8 | | | |
| <i>Salvia guaranitica</i> 'Black and Blue' Black and Blue Anise Sage | HP | 0.85 | R2 | 5-7 | 8 | | | |
| <i>Salvia guaranitica</i> 'Costa Rica' Costa Rica Anise Sage | HP | 0.54 | R2 | 5-7 | 8 | | | |
| <i>Salvia guaranitica</i> 'Purple Splendor' Purple Splendor Anise Sage | HP | 0.54 | R2 | 5-7 | 8 | | | |
| <i>Salvia hians</i> No Common Name Found | HP | 0.87 | R2 | 5-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Salvia interrupta</i> No Common Name Found | HP | 0.60 | R2 | 5-8 | | | | |
| <i>Salvia involucrata</i> Rosy-leaf Sage | HP | 0.71 | R2 | 6-8 | | | | |
| <i>Salvia iodantha</i> Mexican Fushia Sage | BS | 0.84 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Salvia x jamensis</i> Autumn Sage | HP | 1.07 | R2 | 6-8 | | | | |
| <i>Salvia x jamensis</i> 'Sierra San Antonio' Sierra San Antonio Autumn Sage | HP | 1.07 | R2 | 6-8 | | | | |
| <i>Salvia jurisicii</i> No Common Name Found | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Salvia karwinskii</i> Karwinski's Sage | HP | 0.74 | R2 | 8 | | | | |
| <i>Salvia koyamae</i> Yellow Sage | HP | 0.60 | R2 | 5-7 | 8 | | | |
| <i>Salvia lavandulifolia</i> No Common Name Found | HP | 0.80 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia leptophylla</i> See - <i>Salvia reptans</i> | | | | | | | | |
| <i>Salvia leucantha</i> Mexican Bush Sage | HP | 0.67 | R2 | 6-8 | | | | |
| <i>Salvia leucantha</i> 'All Purple' All Purple Mexican Bush Sage | HP | 0.76 | R2 | 6-8 | | | | |
| <i>Salvia leucantha</i> 'Delilah' Delilah Mexican Bush Sage | HP | 0.98 | R2 | 6-8 | | | | |
| <i>Salvia leucantha</i> 'Purple on Purple' Purple on Purple Mexican Bush Sage | HP | 0.67 | R2 | 6-8 | | | | |
| <i>Salvia leucantha</i> 'Purple on White' Purple on White Mexican Bush Sage | HP | 0.74 | R2 | 6-8 | | | | |
| <i>Salvia leucantha</i> 'Raspberry Royale' Raspbery Royale Mexican Bush Sage | HP | 0.76 | R2 | 6-8 | | | | |
| <i>Salvia leucantha</i> 'Santa Barbara' P.P. 12949 Santa Barbara Mexican Bush Sage | HP | 0.96 | R2 | 6-8 | | | | |
| <i>Salvia leucantha</i> 'Waverly' Waverly Mexican Bush Sage | HP | 0.54 | R2 | 6-8 | | | | |
| <i>Salvia leucophylla</i> Chaparral Sage | HP | 0.65 | R2 | 6-8 | | | | |
| <i>Salvia leucophylla</i> 'Figueroa' Figueroa Chaparral Sage | HP | 0.65 | R2 | 6-8 | | | | |
| <i>Salvia leucophylla</i> 'Point Sal' Point Sal Chaparral Sage | HP | 0.65 | R2 | 6-8 | | | | |
| <i>Salvia lyrata</i> Cancer Weed | HP | 0.68 | R2 | 3-5 | 6-8 | | | |
| <i>Salvia lyrata</i> 'Burgundy Bliss' See - <i>Salvia lyrata</i> 'Purple Knockout' | | | | | | | | |
| <i>Salvia lyrata</i> 'Purple Knockout' Purple Knockout Lyreleaf Sage | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Salvia madrensis</i> No Common Name Found | HP | 0.81 | R2 | 5-7 | 8 | | | |
| <i>Salvia mellifera</i> California Black Sage | HP | 1.17 | R2 | 6-8 | | | | |
| <i>Salvia mexicana</i> Mexican Sage | HP | 0.59 | R2 | 6-8 | | | | |
| <i>Salvia mexicana</i> 'Limelight' Limelight Mexican Sage | HP | 0.54 | R2 | 6-8 | | | | |
| <i>Salvia microphylla</i> Baby Sage | HP | 1.22 | R2 | 6-8 | | | | |
| <i>Salvia microphylla</i> 'Hot Lips' Hot Lips Sage | HP | 0.98 | R2 | 6-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-----------|------------|
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Salvia microphylla</i> 'UCB Pink' UCB Pink Little Leaf Sage | HP | 1.10 | R2 | 6-8 | | | | |
| <i>Salvia miniata</i> Belize Sage | HP | 0.72 | R2 | 6-8 | | | | |
| <i>Salvia muelleri</i> Mueller's Sage | HP | 0.83 | R2 | 6-8 | | | | |
| <i>Salvia nemorosa</i> Meadow Sage | HP | 0.86 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia nemorosa</i> 'Caradonna' Caradonna Meadow Sage | HP | 0.91 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia nemorosa</i> 'East Friesland' East Friesland Meadow Sage | HP | 0.85 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia nemorosa</i> 'Haeumanarc' P.P. 13322 Marcus® Meadow Sage | HP | 0.89 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia nemorosa</i> 'Marcus' See - <i>Salvia nemorosa</i> 'Haeumanarc' P.P. 13322 | | | | | | | | |
| <i>Salvia nemorosa</i> 'Pink Friesland' P.P. 18152 Pink Friesland Meadow Sage | HP | 0.94 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia nemorosa</i> 'Plumosa' Plume Meadow Sage | HP | 0.93 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia nemorosa</i> 'Rosenwein' Rosenwein Meadow Sage | HP | 1.02 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia nemorosa</i> 'Schwellenburg' Schwellenburg Meadow Sage | HP | 1.28 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia nemorosa</i> 'Sensation Rose' P.P. 18230 Sensation Rose Meadow Sage | HP | 1.27 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia nemorosa</i> 'Stratford Blue' Stratford Blue Meadow Sage | HP | 0.76 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia nipponica</i> Japanese Woodland Sage | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Salvia nipponica</i> 'Fuji Snow' Fuji Snow Variegated Japanese Woodland Sage | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Salvia officinalis</i> Common Sage | HP | 0.71 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia officinalis</i> 'Albiflora' Albiflora Garden Sage | HP | 0.66 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia officinalis</i> 'Aurea' Gold Garden Sage | HP | 0.53 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia officinalis</i> 'Berggarten' Berggarten Garden Sage | HP | 0.78 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia officinalis</i> 'Icterina' Icterina Garden Sage | HP | 0.62 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia officinalis</i> 'Minimus' Dwarf Garden Sage | HP | 0.66 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia officinalis</i> 'Purpurea' Purple Garden Sage | HP | 0.62 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia officinalis</i> 'Rachel's Gold' Rachel's Gold Garden Sage | HP | 0.66 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia officinalis</i> 'Rubra' Red Garden Sage | HP | 0.66 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia officinalis</i> 'Sage of Bath' Sage of Bath Garden Sage | HP | 0.66 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia officinalis</i> 'Tricolor' Tricolor Garden Sage | HP | 0.67 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia officinalis</i> 'Woodcote' Woodcote Garden Sage | HP | 0.66 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia pachyphylla</i> Giant Flowered Purple Sage | HP | 0.90 | R2 | 4-6 | 7-8 | | | |
| <i>Salvia patens</i> Gentian Sage | HP | 0.76 | R2 | 6-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Salvia penstemonoides</i> Penstemon Sage | HP | 1.05 | R2 | 5-6 | 7-8 | | | |
| <i>Salvia pitcheri</i> See - <i>Salvia azurea</i> var. <i>grandiflora</i> | | | | | | | | |
| <i>Salvia pratensis</i> Meadow Sage | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Salvia pratensis</i> 'Baumgartenii' Baumgartenii Meadow Sage | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Salvia pratensis</i> 'Haematodes' Haematodes Meadow Sage | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Salvia pratensis</i> 'Rosea' Rosea Meadow Sage | HP | 0.76 | R2 | 3-4 | 5-8 | | | |
| <i>Salvia regia</i> No Common Name Found | HP | 0.99 | R2 | 6-8 | | | | |
| <i>Salvia regia</i> 'Huntington' Huntington Sage | HP | 0.99 | R2 | 6-8 | | | | |
| <i>Salvia reptans</i> No Common Name Found | HP | 0.80 | R2 | 5-7 | 8 | | | |
| <i>Salvia roemeriana</i> Cedar Sage | HP | 0.64 | R2 | 6-8 | | | | |
| <i>Salvia rutilans</i> See - <i>Salvia elegans</i> 'Scarlet Pineapple' | | | | | | | | |
| <i>Salvia sclarea</i> Clary Sage | HP | 0.60 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia sclarea</i> 'Turkestanica' See - <i>Salvia sclarea</i> var. <i>turkestanica</i> | | | | | | | | |
| <i>Salvia sclarea</i> 'Vatican White' Vatican White Clary Sage | HP | 0.60 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia sclarea</i> var. <i>turkestanica</i> Turkestanica Clary Sage | HP | 1.00 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia sclarea</i> var. <i>turkestanica</i> <i>alba</i> See - <i>Salvia sclarea</i> 'Vatican White' | | | | | | | | |
| <i>Salvia sinaloensis</i> Sinaloa Sage | HP | 0.65 | R2 | 6-8 | | | | |
| <i>Salvia sonomensis</i> Creeping Sage | HP | 0.60 | R2 | 6-8 | | | | |
| <i>Salvia spathacea</i> Pitcher Sage | HP | 0.92 | R2 | 6-8 | | | | |
| <i>Salvia splendens</i> Red Sage | AN | 1.11 | R2 | 6-8 | | | | |
| <i>Salvia splendens</i> 'Faye Chapell' Faye Chapell Scarlet Sage | AN | 1.13 | R2 | 6-8 | | | | |
| <i>Salvia splendens</i> 'Hot Line Red' Hot Line Red Sage | AN | 1.24 | R2 | 6-8 | | | | |
| <i>Salvia splendens</i> 'Red Hot Sally' Red Hot Sally Scarlet Sage | AN | 0.76 | R2 | 6-8 | | | | |
| <i>Salvia splendens</i> 'Salsa Scarlet' Salsa Scarlet Sage | AN | 0.92 | R2 | 6-8 | | | | |
| <i>Salvia splendens</i> 'Sizzler Series' Sizzler Series Scarlet Sage | AN | 0.95 | R2 | 6-8 | | | | |
| <i>Salvia splendens</i> 'Van Houttei' Van Houtt's Sage | AN | 1.07 | R2 | 6-8 | | | | |
| <i>Salvia splendens</i> 'Vista Series' Vista Series Scarlet Sage | AN | 0.78 | R2 | 6-8 | | | | |
| <i>Salvia x superba</i> No Common Name Found | HP | 0.82 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia x superba</i> 'Merleau Blue' Merleau® Blue Hybrid Sage | HP | 0.82 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia x superba</i> 'Merleau Rose' Merleau® Rose Hybrid Sage | HP | 0.82 | R2 | 4-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Salvia x sylvestris</i> Hybrid Sage | HP | 0.89 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Blue Hill' Blue Hill Hybrid Sage | HP | 0.84 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Blue Queen' Blue Queen Hybrid Sage | HP | 0.86 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'East Friesland' See - <i>Salvia nemorosa</i> 'East Friesland' | | | | | | | | |
| <i>Salvia x sylvestris</i> 'Lubeca' Lubeca Hybrid Sage | HP | 0.91 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Lye End' Lye End Hybrid Sage | HP | 0.89 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'May Night' May Night Hybrid Sage | HP | 0.90 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Purple Glory' Purple Glory Hybrid Sage | HP | 0.89 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Rose Queen' Rose Queen Hybrid Sage | HP | 0.99 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Ruegen' Ruegen Hybrid Sage | HP | 0.80 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Schneehugel' Schneehugel Hybrid Sage | HP | 0.94 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Senior' Senior Hybrid Sage | HP | 0.80 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Tanzerin' Tanzerin Hybrid Sage | HP | 0.80 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Viola Klose' Viola Klose Hybrid Sage | HP | 0.82 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia x sylvestris</i> 'Wesuwe' Wesuwe Hybrid Sage | HP | 1.09 | R2 | 4-5 | 6-8 | | | |
| <i>Salvia uliginosa</i> Bog Sage | HP | 0.64 | R2 | 6-8 | | | | |
| <i>Salvia van houttei</i> See - <i>Salvia splendens</i> 'Van Houttei' | | | | | | | | |
| <i>Salvia verticillata</i> Lilac Sage | HP | 0.84 | R2 | 4-6 | 7-8 | | | |
| <i>Salvia verticillata</i> 'Alba' White Lilac Sage | HP | 0.84 | R2 | 4-6 | 7-8 | | | |
| <i>Salvia verticillata</i> 'Purple Rain' Purple Rain Lilac Sage | HP | 0.84 | R2 | 4-6 | 7-8 | | | |
| <i>Samanea saman</i> See - <i>Albizia saman</i> | | | | | | | | |
| <i>Sambucus caerulea</i> Blueberry Elder | DS | 0.79 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Sambucus callicarpa</i> Pacific Red Elder | DS | 0.57 | R1 | 3-5 | 6-8 | | 1.00 | 3 |
| <i>Sambucus canadensis</i> See - <i>Sambucus nigra</i> ssp. <i>canadensis</i> | | | | | | | | |
| <i>Sambucus canadensis</i> 'Laciniata' See - <i>Sambucus nigra</i> ssp. <i>canadensis</i> 'Acutiloba' | | | | | | | | |
| <i>Sambucus glauca</i> See - <i>Sambucus caerulea</i> | | | | | | | | |
| <i>Sambucus nigra</i> Black Elder | DS | 0.99 | R1 | 3-5 | 6-8 | | 0.32 | 5 |
| <i>Sambucus nigra</i> 'Black Beauty' See - <i>Sambucus nigra</i> 'Gerda' P.P. 12305 | | | | | | | | |
| <i>Sambucus nigra</i> 'Black Lace' See - <i>Sambucus nigra</i> 'Eva' P.P. 15575 | | | | | | | | |
| <i>Sambucus nigra</i> 'Eva' P.P. 15575 Black Lace™ Black Elder | DS | 1.40 | R1 | 3-5 | 6-8 | | 0.32 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Sambucus nigra</i> 'Gerda' P.P. 12305 Black Beauty™ Black Elder | DS | 1.70 | R1 | 3-4 | 5-8 | | 0.32 | 4 |
| <i>Sambucus nigra</i> 'Guincho Purple' Guincho Purple Black Elder | DS | 1.24 | R1 | 3-5 | 6-8 | | 0.32 | 5 |
| <i>Sambucus nigra</i> 'Laciniata' Cutleaf Black Elder | DS | 0.78 | R1 | 3-5 | 6-8 | | 0.32 | 5 |
| <i>Sambucus nigra</i> 'Linearis' Linearis Black Elder | DS | 1.16 | R1 | 3-5 | 6-8 | | 0.32 | 5 |
| <i>Sambucus nigra</i> 'Madonna' Madonna Black Elder | DS | 1.06 | R1 | 3-5 | 6-8 | | 0.32 | 5 |
| <i>Sambucus nigra</i> 'Marginata' Variegated Black Elder | DS | 0.93 | R1 | 3-5 | 6-8 | | 0.32 | 5 |
| <i>Sambucus nigra</i> 'Pulverulenta' Pulverulenta Variegated Black Elder | DS | 1.19 | R1 | 3-5 | 6-8 | | 0.32 | 5 |
| <i>Sambucus nigra</i> 'Witches Broom' Witches Broom Black Elder | DS | 1.16 | R1 | 3-5 | 6-8 | | 0.32 | 5 |
| <i>Sambucus nigra</i> ssp. <i>canadensis</i> American Elder | DS | 0.90 | R1 | 3 | 4-8 | | 0.45 | 3 |
| <i>Sambucus nigra</i> ssp. <i>canadensis</i> 'Acutiloba' Cutleaf American Elder | DS | 0.85 | R1 | 3 | 4-8 | | 1.36 | 3 |
| <i>Sambucus nigra</i> ssp. <i>canadensis</i> 'Adams' Adams American Elder | DS | 0.71 | R1 | 3 | 4-8 | | 1.21 | 3 |
| <i>Sambucus nigra</i> ssp. <i>canadensis</i> 'Aurea' Golden American Elder | DS | 1.14 | R1 | 3 | 4-8 | | 1.39 | 3 |
| <i>Sambucus nigra</i> ssp. <i>canadensis</i> 'Maxima' Great American Elder | DS | 0.83 | R1 | 3 | 4-8 | | 1.10 | 3 |
| <i>Sambucus nigra</i> ssp. <i>canadensis</i> 'Rubra' Redberry American Elder | DS | 0.54 | R1 | 3 | 4-8 | | 1.10 | 3 |
| <i>Sambucus nigra</i> ssp. <i>canadensis</i> 'York' York American Elder | DS | 0.83 | R1 | 3 | 4-8 | | 1.10 | 3 |
| <i>Sambucus pubens</i> American Red Elder | DS | 0.95 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Sambucus racemosa</i> European Red Elder | DS | 0.71 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Sambucus racemosa</i> 'Flavescens' Yellow European Red Elder | DS | 0.76 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Sambucus racemosa</i> 'Plumosa Aurea' Golden Plume European Red Elder | DS | 0.76 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Sambucus racemosa</i> 'Sutherland Gold' Sutherland Gold European Red Elder | DS | 0.81 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Sambucus racemosa</i> 'Tenuifolia' Tenuifolia European Red Elder | DS | 0.76 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Sanchezia nobilis</i> See - <i>Sanchezia speciosa</i> | | | | | | | | |
| <i>Sanchezia parvibracteata</i> No Common Name Found | FO | 0.64 | R2 | 8 | | | 1.00 | 10 |
| <i>Sanchezia parvibracteata</i> 'Ellen' Ellen Sanchezia | FO | 0.64 | R2 | 8 | | | 1.00 | 10 |
| <i>Sanchezia speciosa</i> Sanchezia | FO | 0.64 | R2 | 8 | | | 1.00 | 10 |
| <i>Sanguinaria canadensis</i> Bloodroot | HP | 0.98 | R2 | 3 | 4-8 | | | |
| <i>Sanguisorba canadensis</i> Canadian Burnet | HP | 1.17 | R2 | 3 | 4-8 | | | |
| <i>Sanguisorba minor</i> Burnet | HP | 0.59 | R2 | 3-4 | 5-8 | | | |
| <i>Sanguisorba obtusa</i> Japanese Burnet | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Sanguisorba tenuifolia</i> No Common Name Found | HP | 0.77 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Sanguisorba tenuifolia</i> 'Purpurea' Purpurea Burnet | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Sansevieria cylindrica</i> No Common Name Found | FO | 0.77 | R2 | 8 | | | 1.00 | 10 |
| <i>Sansevieria grandis</i> Somali Hemp | FO | 1.76 | R2 | 8 | | | 1.00 | 10 |
| <i>Sansevieria grandis</i> 'Zulu' Zulu Snake Plant | FO | 1.76 | R2 | 8 | | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> Snake Plant | FO | 0.98 | R2 | 8 | | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> 'Black Coral' Black Coral Snake Plant | FO | 0.81 | R2 | 8 | | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> 'Black Gold' Black Gold Snake Plant | FO | 0.89 | R2 | 8 | | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> 'Futura Superba' Futura Superba Snake Plant | FO | 0.57 | R2 | 8 | | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> 'Futura' Futura Snake Plant | FO | 0.61 | R2 | 8 | | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> 'Golden Hahnii' Golden Hahn Snake Plant | FO | 0.59 | R2 | 8 | | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> 'Hahnii' Hahn Snake Plant | FO | 0.57 | R2 | 8 | | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> 'Laurentii' Laurentii Snake Plant | FO | 0.63 | R2 | 8 | | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> 'Robusta' Robusta Snake Plant | FO | 0.45 | R2 | 8 | | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> 'Silver Laurentii' Silver Laurentii Snake Plant | FO | 0.67 | R2 | 8 | | | 1.00 | 10 |
| <i>Sansevieria trifasciata</i> 'Silver Queen' Silver Queen Snake Plant | FO | 0.67 | R2 | 8 | | | 1.00 | 10 |
| <i>Sansevieria zeylanica</i> Ceylon Bowstring Hemp | FO | 0.66 | R2 | 8 | | | 1.00 | 10 |
| <i>Santolina</i> Santolina | HP | 0.92 | R2 | 4-6 | 7-8 | | | |
| <i>Santolina</i> 'Sant101' P.P. 15201 Shades of Jade Hybrid Santolina | HP | 0.92 | R2 | 4-6 | 7-8 | | | |
| <i>Santolina</i> 'Shades of Jade' See - <i>Santolina</i> 'Sant101' P.P. 15201 | | | | | | | | |
| <i>Santolina chamaecyparissus</i> Lavender Cotton | HP | 0.99 | R2 | 6 | 7-8 | | | |
| <i>Santolina chamaecyparissus</i> 'Lemon Queen' Lemon Queen Lavender Cotton | HP | 0.70 | R2 | 6 | 7-8 | | | |
| <i>Santolina chamaecyparissus</i> 'Nana' Nana Lavender Cotton | HP | 0.77 | R2 | 6 | 7-8 | | | |
| <i>Santolina chamaecyparissus</i> 'Pretty Carol' Pretty Carol Lavender Cotton | HP | 0.80 | R2 | 6 | 7-8 | | | |
| <i>Santolina ericoides</i> See - <i>Santolina pinnata</i> | | | | | | | | |
| <i>Santolina incana</i> See - <i>Santolina chamaecyparissus</i> | | | | | | | | |
| <i>Santolina neapolitana</i> See - <i>Santolina pinnata</i> ssp. <i>neapolitana</i> | | | | | | | | |
| <i>Santolina pinnata</i> No Common Name Found | HP | 0.62 | R2 | 5-7 | 8 | | | |
| <i>Santolina pinnata</i> ssp. <i>neapolitana</i> No Common Name Found | HP | 0.80 | R2 | 5-7 | 8 | | | |
| <i>Santolina rosmarinifolia</i> Green Lavender Cotton | HP | 0.71 | R2 | 5-7 | 8 | | | |
| <i>Santolina virens</i> See - <i>Santolina rosmarinifolia</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Sapindus drummondii</i> Western Soapberry | DT | 1.23 | R1 | 5-7 | 8 | 0.60 | 1.00 | 6 |
| <i>Sapindus marginatus</i> See - <i>Sapindus drummondii</i> | | | | | | | | |
| <i>Sapium sebiferum</i> Chinese Tallow Tree | DT | 0.84 | R1 | 7-8 | | 0.49 | 0.25 | 8 |
| <i>Saponaria caespitosa</i> Pyrenees Soapwort | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Saponaria x lempergii</i> No Common Name Found | HP | 0.57 | R2 | 4-6 | 7-8 | | | |
| <i>Saponaria x lempergii</i> 'Max Frei' Max Frei Soapwort | HP | 0.57 | R2 | 4-6 | 7-8 | | | |
| <i>Saponaria lutea</i> Yellowhead Soapwort | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Saponaria ocymoides</i> Rock Soapwort | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Saponaria ocymoides</i> 'Alba' White Rock Soapwort | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Saponaria ocymoides</i> 'Bressingham' Bressingham Rock Soapwort | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Saponaria ocymoides</i> 'Splendens' Splendens Rock Soapwort | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Saponaria officinalis</i> Bouncing Bet | HP | 0.89 | R2 | 3 | 4-8 | | | |
| <i>Saponaria officinalis</i> 'Rubra Plena' Rubra Plena Bouncing Bet | HP | 0.89 | R2 | 3 | 4-8 | | | |
| <i>Saponaria x olivana</i> No Common Name Found | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Saponaria pamphylica</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Saponaria pumilio</i> Pygmy Pink | HP | 0.80 | R2 | 4-6 | 7-8 | | | |
| <i>Sarcococca confusa</i> No Common Name Found | BS | 1.03 | R2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Sarcococca hookeriana</i> Himalayan Sarcococca | BS | 1.76 | R2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Sarcococca hookeriana</i> var. <i>humilis</i> Dwarf Himalayan Sarcococca | BS | 1.38 | R2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Sarcococca ruscifolia</i> Fragrant Sarcococca | BS | 0.99 | R2 | 5-8 | | | 1.00 | 8 |
| <i>Sarracenia</i> Pitcher Plant | HP | 1.06 | R2 | 5-7 | | | | |
| <i>Sarracenia</i> 'Judith Hindle' Judith Hindle Pitcher Plant | HP | 1.06 | R2 | 5-7 | | | | |
| <i>Sarracenia</i> 'Scarlet Belle' Scarlet Belle Hybrid Pitcher Plant | HP | 1.06 | R2 | 5-7 | | | | |
| <i>Sarracenia alata</i> Pale Trumpet Pitcher Plant | HP | 1.50 | R2 | 5-6 | 7-8 | | | |
| <i>Sarracenia x catesbaei</i> No Common Name Found | HP | 0.81 | R2 | 4-5 | 6-8 | | | |
| <i>Sarracenia x excellens</i> No Common Name Found | HP | 3.09 | R2 | 6-8 | | | | |
| <i>Sarracenia flava</i> Yellow Trumpet | HP | 1.30 | R2 | 5-7 | 8 | | | |
| <i>Sarracenia leucophylla</i> White Trumpet | HP | 1.27 | R2 | 5-7 | 8 | | | |
| <i>Sarracenia leucophylla</i> 'Tarnok' Tarnok White Trumpet | HP | 1.30 | R2 | 5-7 | 8 | | | |
| <i>Sarracenia minor</i> Hooded Pitcher Plant | HP | 1.50 | R2 | 6-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Sarracenia psittacina</i> Lobster-pot | HP | 1.30 | R2 | 4-6 | 7-8 | | | |
| <i>Sarracenia purpurea</i> Common Pitcher Plant | HP | 1.52 | R2 | 3-5 | 6-8 | | | |
| <i>Sarracenia rubra</i> Sweet Trumpet Plant | HP | 1.30 | R2 | 5-7 | 8 | | | |
| <i>Sarracenia x wrigleyana</i> No Common Name Found | HP | 5.19 | R2 | 5-7 | 8 | | | |
| <i>Sarracenia x wrigleyana</i> 'Scarlet Belle' See - <i>Sarracenia</i> 'Scarlet Belle' | | | | | | | | |
| <i>Sasa kurilensis</i> No Common Name Found | BS | 0.93 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Sasa palmata</i> No Common Name Found | BS | 1.05 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Sasa tessellata</i> See - <i>Indocalamus tessellatus</i> | | | | | | | | |
| <i>Sasa veitchii</i> Kuma Bamboo | BS | 2.43 | R2 | 5-7 | 8 | | 1.00 | 6 |
| <i>Sasaella masumuneana</i> Shiya-zasa | BS | 0.81 | R2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Sasaella masumuneana</i> ssp. <i>albostrata</i> No Common Name Found | BS | 1.76 | R2 | 5-6 | 7-8 | | 1.00 | 5 |
| <i>Sasaella ramosa</i> Azuma-zasa | BS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Sassafras albidum</i> Common Sassafras | DT | 0.84 | R1 | 3-5 | 6-8 | 0.95 | 0.60 | 5 |
| <i>Sassafras variifolium</i> See - <i>Sassafras albidum</i> | | | | | | | | |
| <i>Satureja douglasii</i> See - <i>Micromeria chamissonis</i> | | | | | | | | |
| <i>Satureja georgiana</i> See - <i>Clinopodium georgianum</i> | | | | | | | | |
| <i>Satureja grandiflora</i> See - <i>Calamintha grandiflora</i> | | | | | | | | |
| <i>Satureja hortensis</i> Summer Savory | HP | 0.59 | R2 | 3-4 | 5-8 | | | |
| <i>Satureja montana</i> Winter Savory | HP | 0.48 | R2 | 3-5 | 6-8 | | | |
| <i>Satureja montana</i> 'Nana' Dwarf Winter Savory | HP | 0.48 | R2 | 3-5 | 6-8 | | | |
| <i>Saururus cernuus</i> Swamp Lily | HP | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Saxifraga</i> Saxifrage | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Saxifraga</i> 'Apple Blossom' Apple Blossom Saxifrage | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Saxifraga</i> 'Carnival' Carnival Saxifrage | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Saxifraga</i> 'Peter Pan' Peter Pan Saxifrage | HP | 1.16 | R2 | 3-4 | 5-8 | | | |
| <i>Saxifraga</i> 'Purple Robe' Purple Robe Saxifrage | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Saxifraga x andrewsii</i> No Common Name Found | HP | 0.46 | R2 | 3 | 4-8 | | | |
| <i>Saxifraga x arendsii</i> Arend's Saxifrage | HP | 1.46 | R2 | 3-5 | 6-8 | | | |
| <i>Saxifraga x arendsii</i> 'Flower Carpet' Flower Carpet Arend's Saxifrage | HP | 1.46 | R2 | 3-5 | 6-8 | | | |
| <i>Saxifraga x arendsii</i> 'Mossy Triumph' See - <i>Saxifraga x arendsii</i> 'Triumph' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Saxifraga x arendsii</i> 'Triumph' Triumph Arend's Saxifrage | HP | 1.46 | R2 | 3-5 | 6-8 | | | |
| <i>Saxifraga cotyledon</i> Jungfrau Saxifrage | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Saxifraga decipiens</i> See - <i>Saxifraga rosacea</i> | | | | | | | | |
| <i>Saxifraga hypnoides</i> Mossy Saxifrage | HP | 1.16 | R2 | 3-6 | 7-8 | | | |
| <i>Saxifraga pensylvanica</i> Swamp Saxifrage | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Saxifraga rosacea</i> No Common Name Found | HP | 0.69 | R2 | 3-6 | 7-8 | | | |
| <i>Saxifraga sarmentosa</i> See - <i>Saxifraga stolonifera</i> | | | | | | | | |
| <i>Saxifraga stolonifera</i> Strawberry Saxifrage | HP | 0.74 | R2 | 3-5 | 6-8 | | | |
| <i>Saxifraga stolonifera</i> 'Athens' Athens Strawberry Saxifrage | HP | 0.74 | R2 | 3-5 | 6-8 | | | |
| <i>Saxifraga stolonifera</i> 'Harvest Moon' Harvest Moon Strawberry Saxifrage | HP | 0.74 | R2 | 5-7 | 8 | | | |
| <i>Saxifraga stolonifera</i> 'Maroon Beauty' Maroon Beauty Strawberry Saxifrage | HP | 0.74 | R2 | 3-6 | 7-8 | | | |
| <i>Saxifraga umbrosa</i> No Common Name Found | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Saxifraga x urbium</i> London Pride Saxifrage | HP | 0.91 | R2 | 3-5 | 6-8 | | | |
| <i>Saxifraga x urbium</i> 'Aureopunctata' Aureopunctata London Pride Saxifrage | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Scabiosa</i> Pincushion Flower | HP | 1.25 | R2 | 5-7 | 8 | | | |
| <i>Scabiosa</i> 'Beaujolais Bonnets' Beaujolais Bonnets Pincushion Flower | HP | 1.25 | R2 | 3-4 | 5-8 | | | |
| <i>Scabiosa</i> 'Crimson Splendor' Crimson Splendor Pincushion Flower | HP | 0.86 | R2 | 5-7 | 8 | | | |
| <i>Scabiosa</i> 'Vivid Violet' P.P. 19260 Vivid Violet Pincushion Flower | HP | 1.64 | R2 | 3 | 4-8 | | | |
| <i>Scabiosa anthemifolia</i> No Common Name Found | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Scabiosa atropurpurea</i> Mournful Widow | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Scabiosa caucasica</i> Caucasian Pincushion Flower | HP | 1.01 | R2 | 4-6 | 7-8 | | | |
| <i>Scabiosa caucasica</i> 'Alba' White Caucasian Pincushion Flower | HP | 0.83 | R2 | 4-6 | 7-8 | | | |
| <i>Scabiosa caucasica</i> 'Blue Perfection' Blue Perfection Caucasian Pincushion Flower | HP | 0.90 | R2 | 4-6 | 7-8 | | | |
| <i>Scabiosa caucasica</i> 'Compliment' Compliment Caucasian Pincushion Flower | HP | 0.85 | R2 | 4-6 | 7-8 | | | |
| <i>Scabiosa caucasica</i> 'Fama' Fama Caucasian Pincushion Flower | HP | 0.59 | R2 | 4-6 | 7-8 | | | |
| <i>Scabiosa caucasica</i> 'House Hybrid' House Hybrid Caucasian Pincushion Flower | HP | 1.23 | R2 | 4-6 | 7-8 | | | |
| <i>Scabiosa caucasica</i> 'Perfecta' Perfecta Caucasian Pincushion Flower | HP | 0.87 | R2 | 4-6 | 7-8 | | | |
| <i>Scabiosa caucasica</i> 'White Perfection' White Perfection Caucasian Pincushion Flower | HP | 0.90 | R2 | 4-6 | 7-8 | | | |
| <i>Scabiosa columbaria</i> Dove Pincushion Flower | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Scabiosa columbaria</i> 'Butterfly Blue' Butterfly Blue Dove Pincushion Flower | HP | 0.80 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Scabiosa columbaria</i> 'Giant Blue' P.P. 12167 Giant Blue Dove Pincushion Flower | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Scabiosa columbaria</i> 'Pink Lemonade' P.P. 17094 Pink Lemonade Pincushion Flower | HP | 0.70 | R2 | 3-4 | 5-8 | | | |
| <i>Scabiosa columbaria</i> 'Pink Mist' P.P. 8957 Pink Mist Dove Pincushion Flower | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Scabiosa columbaria</i> 'Ritz Blue' Ritz Blue Pincushion Flower | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Scabiosa columbaria</i> 'Ultra Violet' P.P. 14038 Ultra Violet Pincushion Flower | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Scabiosa japonica</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Scabiosa lucida</i> Shining Pincushion Flower | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Scabiosa ochroleuca</i> Cream Scabious | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Scabiosa ochroleuca</i> 'Lemon Sorbet' P.P. 13000 Lemon Sorbet Pincushion Flower | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Scadoxus multiflorus</i> ssp. <i>katherinae</i> Blood Lily | HP | 2.16 | R2 | 8 | | | | |
| <i>Scaevola</i> Scaevola | BS | 0.83 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Scaevola</i> 'Blue Fan' See - <i>Scaevola</i> 'Saphira' | | | | | | | | |
| <i>Scaevola</i> 'Blue Wonder' P.P. 7929 Blue Wonder Hybrid Scaevola | HP | 0.78 | R2 | 5-7 | 8 | | | |
| <i>Scaevola</i> 'Mauve Clusters' Mauve Clusters Hybrid Scaevola | HP | 0.64 | R2 | 6-8 | | | | |
| <i>Scaevola</i> 'Saphira' Blue Fan Scaevola | HP | 0.63 | R2 | 5-8 | | | | |
| <i>Scaevola</i> 'Ultra Blue' Ultra Blue Scaevola | HP | 0.68 | R2 | 6-8 | | | | |
| <i>Scaevola aemula</i> Fan Flower | HP | 0.54 | R2 | 6-8 | | | | |
| <i>Scaevola aemula</i> 'Blue Shamrock' P.P. 12018 Blue Shamrock Fan Flower | HP | 0.80 | R2 | 6-8 | | | | |
| <i>Scaevola aemula</i> 'New Wonder' See - <i>Scaevola aemula</i> 'Newon' P.P. 10584 | | | | | | | | |
| <i>Scaevola aemula</i> 'Newon' P.P. 10584 New Wonder Fan Flower | HP | 0.79 | R2 | 6-8 | | | | |
| <i>Scaevola aemula</i> 'Outback Fan Dancer' P.P.A.F. Outback Fan Dancer Fan Flower | HP | 0.86 | R2 | 6-8 | | | | |
| <i>Scaevola aemula</i> 'Outback Mini Pink Fan' P.P. 10202 Outback Mini Pink Fan Flower | HP | 0.79 | R2 | 6-8 | | | | |
| <i>Scaevola aemula</i> 'Outback Purple Fan' Outback Purple Fan Flower | HP | 0.95 | R2 | 6-8 | | | | |
| <i>Scaevola aemula</i> 'Outback White Fan' Outback White Fan Flower | HP | 0.74 | R2 | 6-8 | | | | |
| <i>Scaevola aemula</i> 'Whirlwind White' P.P.A.F. Whirlwind White™ Fan Flower | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Scaevola aemula</i> 'Zig Zag' P.P. 15930 Zig Zag Fan Flower | HP | 0.80 | R2 | 6-8 | | | | |
| <i>Schefflera actinophylla</i> Queensland Umbrella Tree | FO | 0.67 | R2 | 8 | | | 1.00 | 10 |
| <i>Schefflera actinophylla</i> 'Amate' Amate Queensland Umbrella Tree | FO | 1.77 | R2 | 8 | | | 1.00 | 10 |
| <i>Schefflera arboricola</i> Hawaiian Elf Umbrella Tree | FO | 0.58 | R2 | 8 | | | 0.48 | 10 |
| <i>Schefflera arboricola</i> 'Covette' P.P. 6134 Covette Umbrella Tree | FO | 1.25 | R2 | 8 | | | 0.41 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Schefflera arboricola</i> 'Gold Capella' Gold Capella Umbrella Tree | FO | 0.62 | R2 | 8 | | | 0.18 | 10 |
| <i>Schefflera arboricola</i> 'Goldfinger' See - <i>Schefflera arboricola</i> 'Trinette' | | | | | | | | |
| <i>Schefflera arboricola</i> 'Hong Kong' Hong Kong Umbrella Tree | FO | 0.51 | R2 | 8 | | | 0.41 | 10 |
| <i>Schefflera arboricola</i> 'Jacqueline' Jacqueline Umbrella Tree | FO | 0.70 | R2 | 8 | | | 0.41 | 10 |
| <i>Schefflera arboricola</i> 'Luseane Ivory' See - <i>Schefflera arboricola</i> 'PVN II Variegated' P.P. 10831 | | | | | | | | |
| <i>Schefflera arboricola</i> 'Luseane' See - <i>Schefflera arboricola</i> 'PVN-1' P.P. 9955 | | | | | | | | |
| <i>Schefflera arboricola</i> 'PVN II Variegated' P.P. 10831 Luseane Ivory Umbrella Tree | FO | 0.83 | R2 | 8 | | | 0.41 | 10 |
| <i>Schefflera arboricola</i> 'PVN-1' P.P. 9955 Luseane Umbrella Tree | FO | 0.63 | R2 | 8 | | | 0.41 | 10 |
| <i>Schefflera arboricola</i> 'Renate' Renate Umbrella Tree | FO | 0.70 | R2 | 8 | | | 0.41 | 10 |
| <i>Schefflera arboricola</i> 'Trinette' Trinette Umbrella Tree | FO | 0.55 | R2 | 8 | | | 0.57 | 10 |
| <i>Schefflera arboricola</i> 'Variegata' Variegated Umbrella Tree | FO | 0.64 | R2 | 8 | | | 0.41 | 10 |
| <i>Schefflera elegantissima</i> False Aralia | FO | 0.88 | R2 | 8 | | | 0.89 | 10 |
| <i>Schefflera emarginata</i> Bone Plant | FO | 1.36 | R2 | 8 | | | 1.00 | 10 |
| <i>Schefflera pueckleri</i> Mallet Flower | FO | 0.89 | R2 | 8 | | | 1.00 | 10 |
| <i>Schinus dependens</i> See - <i>Schinus latifolius</i> | | | | | | | | |
| <i>Schinus latifolius</i> Molle | BE | 0.72 | R2 | 8 | | | 1.00 | 10 |
| <i>Schinus molle</i> California Pepper Tree | BE | 0.97 | R1 | 8 | | | 1.00 | 8 |
| <i>Schinus terebinthifolius</i> Brazilian Pepper Tree | BE | 0.96 | R2 | 8 | | | 1.00 | 9 |
| <i>Schisandra chinensis</i> Chinese Magnolia Vine | GC | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Schizachyrium scoparium</i> Little Bluestem | HP | 1.18 | R2 | 3-5 | 6-8 | | | |
| <i>Schizachyrium scoparium</i> 'Blaze' Blaze Little Bluestem | HP | 1.07 | R2 | 3-5 | 6-8 | | | |
| <i>Schizachyrium scoparium</i> 'Blue Heaven' See - <i>Schizachyrium scoparium</i> 'MinnblueA' P.P. 17310 | | | | | | | | |
| <i>Schizachyrium scoparium</i> 'Carousel' P.P.A.F. Carousel Little Bluestem | HP | 1.23 | R2 | 3-5 | 6-8 | | | |
| <i>Schizachyrium scoparium</i> 'MinnblueA' P.P. 17310 Blue Heaven™ Little Bluestem | HP | 1.54 | R2 | 3-5 | 6-8 | | | |
| <i>Schizachyrium scoparium</i> 'Prairie Blues' Prairie Blues Little Bluestem | HP | 1.23 | R2 | 3-5 | 6-8 | | | |
| <i>Schizachyrium scoparium</i> 'The Blues' The Blues Little Bluestem | HP | 1.13 | R2 | 3-5 | 6-8 | | | |
| <i>Schizanthus pinnatus</i> Poor Man's Orchid | AN | 1.32 | R2 | 6-8 | | | | |
| <i>Schizanthus x wisetonensis</i> Butterfly Flower | AN | 1.00 | R2 | 6-8 | | | | |
| <i>Schizanthus x wisetonensis</i> 'Star Parade' Star Parade Butterfly Flower | AN | 1.00 | R2 | 6-8 | | | | |
| <i>Schizophragma hydrangeoides</i> Japanese Hydrangea Vine | GC | 2.00 | R2 | 3-5 | 6-8 | | 1.00 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Schizophragma hydrangeoides</i> 'Brookside Littleleaf' See - <i>Hydrangea anomala</i> ssp. <i>petiolaris</i> var. <i>cordifolia</i> 'Brookside Littleleaf' | | | | | | | | |
| <i>Schizophragma hydrangeoides</i> 'Iwa-garami' Iwa-garami Japanese Hydrangea Vine | GC | 1.50 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Schizophragma hydrangeoides</i> 'Moonlight' Moonlight Japanese Hydrangea Vine | GC | 1.28 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Schizophragma hydrangeoides</i> 'Platt Dwarf' Platt Dwarf Japanese Hydrangea Vine | GC | 1.50 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Schizophragma hydrangeoides</i> 'Rosea' See - <i>Schizophragma hydrangeoides</i> 'Roseum' | | | | | | | | |
| <i>Schizophragma hydrangeoides</i> 'Roseum' Rose Japanese Hydrangea Vine | GC | 1.22 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Schizophragma integrifolium</i> Chinese Hydrangea Vine | GC | 1.23 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Schizophragma integrifolium</i> var. <i>fauriei</i> Chinese Hydrangea Vine | GC | 1.00 | R2 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Schizostylis coccinea</i> Kaffir Lily | HP | 1.27 | R2 | 6-7 | 8 | | | |
| <i>Schizostylis coccinea</i> 'Alba' White Kaffir Lily | HP | 0.98 | R2 | 6-7 | 8 | | | |
| <i>Schizostylis coccinea</i> 'Major' Major Kaffir Lily | HP | 0.84 | R2 | 6-7 | 8 | | | |
| <i>Schizostylis coccinea</i> 'Mrs. Hegarty' Mrs. Hegarty Kaffir Lily | HP | 0.98 | R2 | 6-7 | 8 | | | |
| <i>Schizostylis coccinea</i> 'Sunrise' Sunrise Kaffir Lily | HP | 0.84 | R2 | 6-7 | 8 | | | |
| <i>Schlumbergera bridgesii</i> See - <i>Schlumbergera</i> x <i>buckleyi</i> | | | | | | | | |
| <i>Schlumbergera</i> x <i>buckleyi</i> Christmas Cactus | FO | 0.93 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Schoenoplectus lacustris</i> Bulrush | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Schoenoplectus lacustris</i> ssp. <i>tabernaemontani</i> See - <i>Schoenoplectus tabernaemontani</i> | | | | | | | | |
| <i>Schoenoplectus tabernaemontani</i> Softstem Bulrush | HP | 0.96 | R2 | 3-6 | 7-8 | | | |
| <i>Schoenoplectus tabernaemontani</i> 'Albescens' White Softstem Bulrush | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Schoenoplectus tabernaemontani</i> 'Zebrinus' Zebra Softstem Bulrush | HP | 1.24 | R2 | 3-4 | 5-8 | | | |
| <i>Sciadopitys verticillata</i> Japanese Umbrella Pine | CE | 2.38 | R1 | 3-5 | 6-8 | 1.00 | 4.38 | 5 |
| <i>Sciadopitys verticillata</i> 'Ossorio Gold' Ossorio Gold Japanese Umbrella Pine | CE | 2.38 | R1 | 3-5 | 6-8 | 1.00 | 4.38 | 5 |
| <i>Sciadopitys verticillata</i> 'Variegata' Variegated Japanese Umbrella Pine | CE | 2.38 | R1 | 3-5 | 6-8 | 1.00 | 4.38 | 5 |
| <i>Sciadopitys verticillata</i> 'Wintergreen' Wintergreen Japanese Umbrella Pine | CE | 2.38 | R1 | 3-5 | 6-8 | 1.00 | 4.38 | 5 |
| <i>Scilla campanulata</i> See - <i>Hyacinthoides hispanica</i> | | | | | | | | |
| <i>Scilla peruviana</i> Portuguese Squill | HP | 1.09 | R2 | 6-8 | | | | |
| <i>Scilla siberica</i> Siberian Squill | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Scindapsus pictus</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Scirpus acutus</i> Tall Bulrush | HP | 0.82 | R2 | 3-5 | 6-8 | | | |
| <i>Scirpus americanus</i> Sword Grass | HP | 0.99 | R2 | 5-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Scirpus cernuus</i> See - <i>Isolepis cernua</i> | | | | | | | | |
| <i>Scirpus cyperinus</i> Wool Grass | HP | 1.14 | R2 | 3-6 | 7-8 | | | |
| <i>Scirpus lacustris</i> See - <i>Schoenoplectus lacustris</i> | | | | | | | | |
| <i>Scirpus microcarpus</i> Panicked Bulrush | HP | 0.53 | R2 | 3-4 | 5-8 | | | |
| <i>Scleranthus biflorus</i> Knawel | HP | 0.65 | R2 | 5-7 | 8 | | | |
| <i>Scleranthus uniflorus</i> See - <i>Scleranthus biflorus</i> | | | | | | | | |
| <i>Scrophularia auriculata</i> Water Betony | HP | 1.03 | R2 | 3-5 | 6-8 | | | |
| <i>Scrophularia auriculata</i> 'Variegata' Variegated Water Figwort | HP | 1.03 | R2 | 3-5 | 6-8 | | | |
| <i>Scrophularia californica</i> California Figwort | HP | 0.81 | R2 | 5-7 | 8 | | | |
| <i>Scrophularia chrysantha</i> No Common Name Found | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Scrophularia marilandica</i> Late Figwort | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Scutellaria</i> Skullcap | HP | 1.19 | R2 | 3-7 | 8 | | | |
| <i>Scutellaria</i> 'Violet Cloud' Violet Cloud Hybrid Skullcap | HP | 1.19 | R2 | 3-6 | 7-8 | | | |
| <i>Scutellaria alpina</i> Alpine Skullcap | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Scutellaria alpina</i> 'Arcobaleno' Arcobaleno Alpine Skullcap | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| <i>Scutellaria alpina</i> 'Moonbeam' Moonbeam Alpine Skullcap | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Scutellaria diffusa</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Scutellaria formosana</i> No Common Name Found | HP | 0.64 | R2 | 3-6 | 7-8 | | | |
| <i>Scutellaria lateriflora</i> Blue Skullcap | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Scutellaria longifolia</i> No Common Name Found | HP | 0.60 | R2 | 5-8 | | | | |
| <i>Scutellaria longifolia</i> 'Purple Fountains' Purple Fountains Skullcap | HP | 0.60 | R2 | 5-8 | | | | |
| <i>Scutellaria longifolia</i> 'Red Fountains' Red Fountains Skullcap | HP | 0.60 | R2 | 5-8 | | | | |
| <i>Scutellaria nana</i> var. <i>sapphirina</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Scutellaria orientalis</i> White Pine Skullcap | HP | 1.02 | R2 | 3-6 | 7-8 | | | |
| <i>Scutellaria pontica</i> No Common Name Found | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Scutellaria prostrata</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Scutellaria suffrutescens</i> Texas Rose | HP | 0.93 | R2 | 5-7 | 8 | | | |
| <i>Sedum</i> Stonecrop | HP | 0.96 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'Angelina' Angelina Stonecrop | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'Arthur Branch' Arthur Branch Stonecrop | HP | 0.77 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|--------------|--------|----|-----------|---------|-------------|----------------------|---------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Sedum</i> 'Autumn Fire' Autumn Fire Stonecrop | HP | 0.95 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'Autumn Joy' Autumn Joy Stonecrop | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'Bertram Anderson' Bertram Anderson Stonecrop | HP | 0.88 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'Black Jack' P.P. 16736 Black Jack Stonecrop | HP | 1.14 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'Carl' Carl Stonecrop | HP | 1.06 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'Emerald Crest' Emerald Crest Stonecrop | HP | 0.96 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'Frosty Morn' Frosty Morn Stonecrop | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'Jaws' P.P. 17322 Jaws Hybrid Stonecrop | HP | 0.96 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'John Creech' John Creech Stonecrop | HP | 0.87 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'Little Moor' Little Moor Hybrid Stonecrop | HP | 0.96 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum</i> 'Lynda Windsor' Lynda Windsor Stonecrop | HP | 0.88 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'Matrona' Matrona Sedum | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'Mini Joy' Mini Joy™ Stonecrop | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'Mohrchen' Mohrchen Stonecrop | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'Morchen' See - <i>Sedum</i> 'Mohrchen' | | | | | | | | |
| <i>Sedum</i> 'Mr. Goodbud' P.P. 17671 Mr. Goodbud Stonecrop | HP | 1.59 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'Neon' Neon Stonecrop | HP | 0.83 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'Postman's Pride' P.P. 16831 Postman's Pride Stonecrop | HP | 1.16 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'Purple Emperor' Purple Emperor Stonecrop | HP | 1.08 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'Ruby Glow' Ruby Glow Hybrid Stonecrop | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'Sparkle Yellow' Sparkle Yellow Stonecrop | HP | 0.96 | R2 | 3 | 4-8 | | | |
| <i>Sedum</i> 'Strawberries & Cream' Strawberries & Cream Stonecrop | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum</i> 'Vera Jameson' Vera Jameson Stonecrop | HP | 0.81 | R2 | 3 | 4-8 | | | |
| <i>Sedum acre</i> Gold Moss Stonecrop | HP | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum acre</i> 'Oktoberfest' Oktoberfest Gold Moss Stonecrop | HP | 1.46 | R2 | 3 | 4-8 | | | |
| <i>Sedum album</i> White Stonecrop | HP | 0.39 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum album</i> 'Chubby Fingers' Chubby Fingers White Stonecrop | HP | 0.56 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum album</i> 'Coral Carpet' Coral Carpet White Stonecrop | HP | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum album</i> 'Murale' Murale White Stonecrop | HP | 0.56 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum cauciculum</i> No Common Name Found | HP | 0.76 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Sedum cauticum</i> 'Lidakense' Lidakense Stonecrop | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum cyaneum</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum dasyphyllum</i> Leafy Stonecrop | HP | 0.98 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum dasyphyllum</i> 'Major' Major Leafy Stonecrop | HP | 0.98 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum divergens</i> Spreading Stonecrop | HP | 1.00 | R2 | 4-6 | 7-8 | | | |
| <i>Sedum erythrostictum</i> Showy Stonecrop | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum erythrostictum</i> 'Mediovariegatum' Mediovariegatum Showy Stonecrop | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum ewersii</i> No Common Name Found | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum floriferum</i> No Common Name Found | HP | 0.97 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum floriferum</i> 'Weihenstephaner Gold' Weihenstephaner Gold Stonecrop | HP | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum hispanicum</i> Mexican Stonecrop | HP | 0.46 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum humifusum</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum hybridum</i> Oakleaf Stonecrop | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum hybridum</i> 'Czar's Gold' Czar's Gold Oakleaf Stonecrop | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum japonicum</i> No Common Name Found | HP | 0.66 | R2 | 4-6 | 7-8 | | | |
| <i>Sedum kamtschaticum</i> Kamtschatka Stonecrop | HP | 0.81 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum kamtschaticum</i> 'Ellacombianum' Ellacombianum Kamtschatka Stonecrop | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum kamtschaticum</i> 'Variegatum' Variegated Kamtschatka Stonecrop | HP | 0.91 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum lanceolatum</i> No Common Name Found | HP | 1.00 | R2 | 4-6 | 7-8 | | | |
| <i>Sedum limuloides</i> See - <i>Orostachys fimbriata</i> | | | | | | | | |
| <i>Sedum lineare</i> No Common Name Found | HP | 0.82 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum lineare</i> 'Variegatum' Variegated Stonecrop | HP | 0.82 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum makinoi</i> No Common Name Found | HP | 0.70 | R2 | 4-6 | 7-8 | | | |
| <i>Sedum makinoi</i> 'Ogon' Ogon Sedum | HP | 0.70 | R2 | 4-6 | 7-8 | | | |
| <i>Sedum obtusatum</i> Sierra Stonecrop | HP | 0.66 | R2 | 5-6 | 7-8 | | | |
| <i>Sedum oreganum</i> Oregon Stonecrop | HP | 0.54 | R2 | 4-6 | 7-8 | | | |
| <i>Sedum pachyclados</i> See - <i>Rhodiola pachyclados</i> | | | | | | | | |
| <i>Sedum reflexum</i> See - <i>Sedum rupestre</i> | | | | | | | | |
| <i>Sedum requienii</i> Miniature Stonecrop | GC | 0.48 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Sedum robustum</i> See - <i>Sedum</i> 'Ruby Glow' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Sedum rupestre</i> Stone Orpine | HP | 0.67 | R2 | 4-6 | 7-8 | | | |
| <i>Sedum rupestre</i> 'Blue Spruce' Blue Spruce Stone Orpine | HP | 0.79 | R2 | 4-6 | 7-8 | | | |
| <i>Sedum rupestre</i> 'Cristatum' Cristatum Stone Orpine | HP | 0.61 | R2 | 4-6 | 7-8 | | | |
| <i>Sedum rupestre</i> 'Forsteranum' Forsteranum Stone Orpine | HP | 0.38 | R2 | 4-6 | 7-8 | | | |
| <i>Sedum rupestre</i> 'Lemon Coral' Lemon Coral™ Sedum | GC | 1.00 | R2 | 4-7 | 8 | | 1.00 | 7 |
| <i>Sedum sarmentosum</i> Stringy Stonecrop | HP | 0.57 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum senanense</i> See - <i>Sedum japonicum</i> | | | | | | | | |
| <i>Sedum sexangulare</i> Tasteless Stonecrop | HP | 0.88 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum sieboldii</i> October Daphne | HP | 0.97 | R2 | 4-6 | 7-8 | | | |
| <i>Sedum spathulifolium</i> Stonecrop | HP | 0.54 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum spathulifolium</i> 'Cape Blanco' Cape Blanco Stonecrop | HP | 0.94 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum spathulifolium</i> 'Carnea' Carnea Stonecrop | HP | 0.94 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum spathulifolium</i> 'Purpureum' Purpureum Stonecrop | HP | 0.62 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum spathulifolium</i> 'Red Chalk' Red Chalk Stonecrop | HP | 0.76 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum spectabile</i> Ice Plant | HP | 0.67 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum spectabile</i> 'Brilliant' Brilliant Ice Plant | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum spectabile</i> 'Cappa Blanca' Cappa Blanca Ice Plant | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum spectabile</i> 'Carmen' Carmen Ice Plant | HP | 0.82 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum spectabile</i> 'Iceberg' Iceberg Ice Plant | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum spectabile</i> 'Indian Chief' Indian Chief Ice Plant | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum spectabile</i> 'Meteor' Meteor Ice Plant | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum spectabile</i> 'Samuel Oliphant' P.P. 15582 Samuel Oliphant Stonecrop Sedum | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum spectabile</i> 'Stardust' Stardust Ice Plant | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum spectabile</i> 'Variegatum' See - <i>Sedum erythrostictum</i> 'Mediovariegatum' | | | | | | | | |
| <i>Sedum spurium</i> Two Row Stonecrop | HP | 0.35 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum spurium</i> 'Blaze of Fulda' See - <i>Sedum spurium</i> 'Fuldaglut' | | | | | | | | |
| <i>Sedum spurium</i> 'Bronze Carpet' Bronze Carpet Two Row Stonecrop | HP | 0.99 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum spurium</i> 'Dragon's Blood' Dragon's Blood Two Row Stonecrop | HP | 0.88 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum spurium</i> 'Fuldaglut' Fuldaglut Two Row Stonecrop | HP | 0.82 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum spurium</i> 'Purpurteppich' Purpurteppich Two Row Stonecrop | HP | 0.87 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Sedum spurium</i> 'Red Carpet' Red Carpet Two Row Stonecrop | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum spurium</i> 'Ruby Glow' Ruby Glow Two Row Stonecrop | HP | 0.93 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum spurium</i> 'Ruby Mantle' Ruby Mantle Two Row Stonecrop | HP | 0.83 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum spurium</i> 'Tricolor' Tricolor Two Row Stonecrop | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum spurium</i> 'Voodoo' Voodoo Two Row Stonecrop | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum spurium</i> 'Yellow Carpet' Yellow Carpet Two Row Stonecrop | HP | 0.76 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum stoloniferum</i> Pink Stonecrop | HP | 1.00 | R2 | 4-7 | 8 | | | |
| <i>Sedum telephium</i> Orpine | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum telephium</i> 'Atropurpureum' Mahogany Plant | HP | 0.48 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum telephium</i> 'Xenox' P.P. 16888 Xenox Upright Stonecrop | HP | 1.14 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum telephium</i> ssp. <i>ruprechtii</i> No Common Name Found | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum telephium</i> ssp. <i>ruprechtii</i> 'Hab Gray' Hab Gray Orpine | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum ternatum</i> Whorled Stonecrop | HP | 1.15 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum ternatum</i> 'Larinem Park' Larinem Park Whorled Stonecrop | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum ternatum</i> 'Shale Barrens' Shale Barrens Whorled Stonecrop | HP | 1.04 | R2 | 3-5 | 6-8 | | | |
| <i>Sedum tetractinum</i> Chinese Sedum | HP | 1.18 | R2 | 3-4 | 5-8 | | | |
| <i>Sedum tetractinum</i> 'Coral Reef' Coral Reef Chinese Stonecrop | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Selaginella caulescens</i> See - <i>Selaginella involvens</i> | | | | | | | | |
| <i>Selaginella emmeliana</i> See - <i>Selaginella pallescens</i> | | | | | | | | |
| <i>Selaginella erythropus</i> Red Spikemoss | FO | 0.86 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Selaginella erythropus</i> 'Sanguinea' Ruby Red Spikemoss | FO | 0.86 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Selaginella involvens</i> Irish Clubmoss | FO | 0.50 | R2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Selaginella kraussiana</i> Spreading Clubmoss | FO | 0.53 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Selaginella kraussiana</i> 'Aurea' Golden Spreading Clubmoss | FO | 0.55 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Selaginella kraussiana</i> 'Brownii' Brown Spreading Clubmoss | FO | 0.57 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Selaginella kraussiana</i> 'Gold Tips' Gold Tips Spreading Clubmoss | FO | 0.56 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Selaginella moellendorffii</i> Arborvitae Fern | FO | 0.68 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Selaginella pallescens</i> Moss Fern | FO | 0.70 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Selaginella plana</i> Asian Spikemoss | FO | 0.64 | R2 | 8 | | | 1.00 | 9 |
| <i>Selaginella uncinata</i> Peacock Moss | FO | 0.67 | R2 | 7-8 | | | 1.00 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Selaginella willdenovii</i> Peacock Fern | FO | 0.70 | R2 | 7-8 | | | 1.00 | 10 |
| <i>Selenicereus anthonyanus</i> Rick Rack Cactus | FO | 0.56 | R2 | 8 | | | 1.00 | 9 |
| <i>Selliera radicans</i> Victorian Swampweed | HP | 0.87 | R2 | 7-8 | | | | |
| <i>Semiaquilegia adoxoides</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Semiaquilegia ecalcarata</i> No Common Name Found | HP | 0.64 | R2 | 3-5 | 6-8 | | | |
| <i>Semiarundinaria fastuosa</i> Narihira Bamboo | BS | 1.39 | R2 | 5-7 | 8 | | 1.00 | 6 |
| <i>Sempervivum</i> Houseleek | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Black' Black Houseleek | HP | 1.50 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Candy Floss' Candy Floss Houseleek | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Carmen' Carmen Houseleek | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Cherry Frost' Cherry Frost Houseleek | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Commander Hay' Commander Hay Houseleek | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Firebird' Firebird Houseleek | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Green Wheel' Green Wheel Houseleek | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Icicle' Icicle Houseleek | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Kalinda' Kalinda Houseleek | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Krebs 2' Krebs 2 Houseleek | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Lavender & Old Lace' Lavender & Old Lace Houseleek | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Lilac Queen' Lilac Queen Houseleek | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Nouveau Pastel' Nouveau Pastel Houseleek | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Pekinese' Pekinese Houseleek | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Purple Beauty' Purple Beauty Houseleek | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Purple Passion' Purple Passion Houseleek | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Red Beauty' Red Beauty Houseleek | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Red Rubin' Red Rubin Houseleek | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Royal Ruby' Royal Ruby Houseleek | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Ruby Heart' Ruby Heart Houseleek | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Saturn' Saturn Houseleek | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Virgil' Virgil Houseleek | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum</i> 'Wendy' Wendy Houseleek | HP | 0.94 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Sempervivum arachnoideum</i> Cobweb Houseleek | HP | 1.04 | R2 | 3-5 | 6-8 | | | |
| <i>Sempervivum arachnoideum</i> 'Cobweb Buttons' Cobweb Buttons Houseleek | HP | 1.50 | R2 | 3-5 | 6-8 | | | |
| <i>Sempervivum arachnoideum</i> 'Forest Frost' Forest Frost Cobweb Houseleek | HP | 1.03 | R2 | 3-5 | 6-8 | | | |
| <i>Sempervivum arachnoideum</i> 'Hurricane' Hurricane Cobweb Houseleek | HP | 1.03 | R2 | 3-5 | 6-8 | | | |
| <i>Sempervivum arachnoideum</i> 'Red Cobweb' Red Cobweb Houseleek | HP | 0.54 | R2 | 3-5 | 6-8 | | | |
| <i>Sempervivum arachnoideum</i> 'Stansfieldii' Stansfield Cobweb Houseleek | HP | 1.03 | R2 | 3-5 | 6-8 | | | |
| <i>Sempervivum arachnoideum</i> var. <i>tomentosum</i> Tomentosum Cobweb Houseleek | HP | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Sempervivum borisii</i> See - <i>Sempervivum ciliosum</i> | | | | | | | | |
| <i>Sempervivum braunii</i> Braunii Hens & Chicks | HP | 0.78 | R2 | 3-5 | 6-8 | | | |
| <i>Sempervivum ciliosum</i> No Common Name Found | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Sempervivum montanum</i> Gray-Green Houseleek | HP | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Sempervivum montanum</i> var. <i>braunii</i> See - <i>Sempervivum braunii</i> | | | | | | | | |
| <i>Sempervivum purpureum</i> Purple Houseleek | HP | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Sempervivum tectorum</i> Hens & Chicks | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum tectorum</i> 'Red Heart' Red Heart Hens & Chicks | HP | 1.46 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum tectorum</i> 'Silverine' Silverine Hens & Chicks | HP | 0.72 | R2 | 3-4 | 5-8 | | | |
| <i>Sempervivum tectorum</i> 'Sunset' Sunset Hens & Chicks | HP | 1.06 | R2 | 3-4 | 5-8 | | | |
| <i>Senecio aureus</i> See - <i>Packera aurea</i> | | | | | | | | |
| <i>Senecio canus</i> See - <i>Packera cana</i> | | | | | | | | |
| <i>Senecio cineraria</i> Dusty Miller | HP | 0.60 | R2 | 5-8 | | | | |
| <i>Senecio doria</i> No Common Name Found | HP | 0.77 | R2 | 3-5 | 6-8 | | | |
| <i>Senecio fulgens</i> See - <i>Kleinia fulgens</i> | | | | | | | | |
| <i>Senecio greyi</i> See - <i>Brachyglottis greyi</i> | | | | | | | | |
| <i>Senecio xhybridus</i> See - <i>Pericallis x hybridus</i> | | | | | | | | |
| <i>Senecio macroglossus</i> Natal Ivy | GC | 0.64 | R2 | 8 | | | 1.00 | 10 |
| <i>Senecio macroglossus</i> 'Variegatus' Variegated Natal Ivy | GC | 0.64 | R2 | 8 | | | 1.00 | 10 |
| <i>Senecio mandraliscae</i> Groundsel | HP | 0.77 | R2 | 7-8 | | | | |
| <i>Senecio mikanioides</i> See - <i>Delairea odorata</i> | | | | | | | | |
| <i>Senecio radicans</i> Creeping Berries | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Senecio rowleyanus</i> String-of-beads | HP | 1.00 | R2 | 7-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Senecio serpens</i> Blue Chalksticks | HP | 0.66 | R2 | 7-8 | | | | |
| <i>Senecio smithii</i> No Common Name Found | HP | 0.73 | R2 | 5-7 | 8 | | | |
| <i>Senecio tanguticus</i> See - <i>Sinacalia tangutica</i> | | | | | | | | |
| <i>Senecio viravira</i> Dusty Miller | HP | 0.60 | R2 | 5-8 | | | | |
| <i>Senna bicapsularis</i> Bicapsularis Senna | BS | 0.82 | R2 | 8 | | | 1.00 | 9 |
| <i>Senna corymbosa</i> Summer Senna | BE | 0.77 | R2 | 5-8 | | 1.00 | 1.00 | 8 |
| <i>Senna hebecarpa</i> Wild Senna | BS | 1.17 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Sequoia sempervirens</i> Coast Redwood | CE | 0.93 | R1 | 5-8 | | 1.00 | 1.05 | 8 |
| <i>Sequoia sempervirens</i> 'Adpressa' Adpressa Coast Redwood | CE | 2.00 | R1 | 5-8 | | 1.00 | 1.34 | 8 |
| <i>Sequoia sempervirens</i> 'Albospica' See - <i>Sequoia sempervirens</i> 'Adpressa' | | | | | | | | |
| <i>Sequoia sempervirens</i> 'Aptos Blue' Aptos Blue Coast Redwood | CE | 1.11 | R1 | 5-8 | | 1.00 | 1.20 | 8 |
| <i>Sequoia sempervirens</i> 'Cantab' Cantab Coast Redwood | CE | 1.09 | R1 | 5-8 | | 1.00 | 1.20 | 8 |
| <i>Sequoia sempervirens</i> 'Glauca' Blue Coast Redwood | CE | 1.09 | R1 | 5-8 | | 1.00 | 1.20 | 8 |
| <i>Sequoia sempervirens</i> 'Henderson Blue' Henderson Blue Coast Redwood | CE | 1.09 | R1 | 5-8 | | 1.00 | 1.20 | 8 |
| <i>Sequoia sempervirens</i> 'Los Altos' Los Altos Coast Redwood | CE | 0.68 | R1 | 5-8 | | 1.00 | 1.20 | 8 |
| <i>Sequoia sempervirens</i> 'Majestic Beauty' See - <i>Sequoia sempervirens</i> 'Monty' | | | | | | | | |
| <i>Sequoia sempervirens</i> 'Monty' Majestic Beauty™ Coast Redwood | CE | 1.03 | R1 | 5-8 | | 1.00 | 1.20 | 8 |
| <i>Sequoia sempervirens</i> 'Nana Pendula' Nana Pendula Coast Redwood | CE | 1.09 | R1 | 5-8 | | 1.00 | 1.20 | 8 |
| <i>Sequoia sempervirens</i> 'Prostrata' Prostrata Coast Redwood | CS | 1.00 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Sequoia sempervirens</i> 'Santa Cruz' Santa Cruz Coast Redwood | CE | 1.10 | R1 | 5-8 | | 1.00 | 1.20 | 8 |
| <i>Sequoia sempervirens</i> 'Simpson's Silver' Simpson's Silver Coast Redwood | CE | 0.74 | R1 | 5-8 | | 1.00 | 1.20 | 8 |
| <i>Sequoia sempervirens</i> 'Soquel' Soquel Coast Redwood | CE | 1.11 | R1 | 5-8 | | 1.00 | 1.20 | 8 |
| <i>Sequoiadendron giganteum</i> Giant Sequoia | CE | 0.86 | R1 | 3-6 | 7-8 | 1.21 | 0.68 | 6 |
| <i>Sequoiadendron giganteum</i> 'Glaucum' Glaucum Giant Sequoia | CE | 2.31 | R1 | 3-6 | 7-8 | 1.21 | 0.63 | 6 |
| <i>Sequoiadendron giganteum</i> 'Hazel Smith' Hazel Smith Giant Sequoia | CE | 1.79 | R1 | 3-6 | 7-8 | 1.21 | 0.52 | 6 |
| <i>Sequoiadendron giganteum</i> 'Pendulum' Weeping Giant Sequoia | CE | 2.21 | R1 | 3-6 | 7-8 | 1.21 | 0.87 | 6 |
| <i>Sequoiadendron giganteum</i> 'Variegata' Variegated Giant Sequoia | CE | 1.79 | R1 | 3-6 | 7-8 | 1.21 | 0.68 | 6 |
| <i>Serenoa repens</i> Saw Palmetto | PC | 1.23 | R2 | 6-8 | | | 1.36 | 8 |
| <i>Serenoa repens</i> 'Cinerea' Silver Saw Palmetto | PC | 1.24 | R2 | 6-8 | | | 1.39 | 8 |
| <i>Seriphidium canum</i> See - <i>Artemisia cana</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Seriphidium novum</i> | | | | | | | | |
| See - <i>Artemisia nova</i> | | | | | | | | |
| <i>Seriphidium tridentatum</i> | | | | | | | | |
| See - <i>Artemisia tridentata</i> | | | | | | | | |
| <i>Seriphidium tridentatum</i> ssp. <i>wyomingense</i> | | | | | | | | |
| See - <i>Artemisia tridentata</i> ssp. <i>wyomingensis</i> | | | | | | | | |
| <i>Serissa foetida</i> | | | | | | | | |
| See - <i>Serissa japonica</i> | | | | | | | | |
| <i>Serissa japonica</i> | BS | 0.73 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Snow Rose Serissa | | | | | | | | |
| <i>Serissa japonica</i> 'Flore Pleno' | BS | 0.69 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Double White Serissa | | | | | | | | |
| <i>Serissa japonica</i> 'Gold Rim' | BS | 0.82 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Gold Rim Serissa | | | | | | | | |
| <i>Serissa japonica</i> 'Kyoto' | BS | 0.74 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Kyoto Serissa | | | | | | | | |
| <i>Serissa japonica</i> 'Mount Fuji' | BS | 0.74 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Mount Fuji Serissa | | | | | | | | |
| <i>Serissa japonica</i> 'Pink Mystic' | BS | 0.74 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Pink Mystic Serissa | | | | | | | | |
| <i>Serissa japonica</i> 'Variegata Pink' | BS | 0.76 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Variegated Pink Serissa | | | | | | | | |
| <i>Serissa japonica</i> 'Variegata' | BS | 0.72 | R2 | 5-7 | 8 | | 1.00 | 7 |
| Variegated Serissa | | | | | | | | |
| <i>Seseli gummiferum</i> | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| Moon Carrot | | | | | | | | |
| <i>Sesleria autumnalis</i> | HP | 0.78 | R2 | 3-5 | 6-8 | | | |
| Autumn Moor Grass | | | | | | | | |
| <i>Sesleria caerulea</i> | HP | 0.65 | R2 | 3-4 | 5-8 | | | |
| Blue Moor Grass | | | | | | | | |
| <i>Sesleria heufferiana</i> | HP | 0.68 | R2 | 3-4 | 5-8 | | | |
| Blue-green Moor Grass | | | | | | | | |
| <i>Sesleria nitida</i> | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| Grey Moor Grass | | | | | | | | |
| <i>Setaria palmifolia</i> | HP | 1.42 | R2 | 8 | | | | |
| Palm Grass | | | | | | | | |
| <i>Setcreasea pallida</i> | | | | | | | | |
| See - <i>Tradescantia pallida</i> | | | | | | | | |
| <i>Severinia buxifolia</i> | BS | 0.45 | R2 | 8 | | | 1.00 | 9 |
| Chineses Box Orange | | | | | | | | |
| <i>Shepherdia argentea</i> | BS | 0.96 | R1 | | 3-8 | | 0.80 | 2 |
| Silver Buffaloberry | | | | | | | | |
| <i>Shepherdia canadensis</i> | DS | 0.99 | R1 | | 3-8 | | 1.92 | 2 |
| Russet Buffaloberry | | | | | | | | |
| <i>Shibataea chinensis</i> | BS | 2.11 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| Zigzag Bamboo | | | | | | | | |
| <i>Shibataea kumasasa</i> | BS | 1.42 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| Okame-zasa | | | | | | | | |
| <i>Sibiraea altaiensis</i> | DS | 1.00 | R1 | | 3-8 | | 1.00 | 2 |
| Smooth Spirea | | | | | | | | |
| <i>Sibiraea laevigata</i> | | | | | | | | |
| See - <i>Sibiraea altaiensis</i> | | | | | | | | |
| <i>Sidalcea</i> | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| False Mallow | | | | | | | | |
| <i>Sidalcea</i> 'Little Princess' P.P. 12629 | HP | 1.04 | R2 | 3-4 | 5-8 | | | |
| Little Princess False Mallow | | | | | | | | |
| <i>Sidalcea candida</i> | HP | 1.16 | R2 | 3-5 | 6-8 | | | |
| Wild Hollyhock | | | | | | | | |
| <i>Sidalcea hendersonii</i> | HP | 0.58 | R2 | 5-7 | 8 | | | |
| Henderson's Checkerbloom | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Sidalcea malviflora</i> Checkerbloom | HP | 0.89 | R2 | 4-6 | 7-8 | | | |
| <i>Sidalcea malviflora</i> 'Brilliant' Brilliant Checkerbloom | HP | 0.73 | R2 | 4-6 | 7-8 | | | |
| <i>Sidalcea malviflora</i> 'Elsie Heugh' Elsie Heugh Checkerbloom | HP | 1.08 | R2 | 4-6 | 7-8 | | | |
| <i>Sidalcea malviflora</i> 'Mr. Lindbergh' Mr. Lindbergh Checkerbloom | HP | 0.89 | R2 | 4-6 | 7-8 | | | |
| <i>Sidalcea malviflora</i> 'Party Girl' Party Girl Checkerbloom | HP | 0.94 | R2 | 4-6 | 7-8 | | | |
| <i>Sidalcea malviflora</i> 'Rosanna' Rosanna Checkerbloom | HP | 0.89 | R2 | 4-6 | 7-8 | | | |
| <i>Sidalcea malviflora</i> 'Stark's Hybrid Mixture' Stark's Hybrid Mixture Checkerbloom | HP | 0.80 | R2 | 4-6 | 7-8 | | | |
| <i>Sideroxylon salicifolium</i> Willow Busic | BE | 1.12 | R2 | 8 | | 1.00 | 0.86 | 9 |
| <i>Silene</i> Campion | HP | 0.58 | R2 | 3-5 | 6-8 | | | |
| <i>Silene</i> 'Longwood' Longwood Campion | HP | 0.58 | R2 | 3-5 | 6-8 | | | |
| <i>Silene acaulis</i> Moss Campion | HP | 0.83 | R2 | 3 | 4-8 | | | |
| <i>Silene armeria</i> Sweet William Catchfly | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Silene caroliniana</i> Wild Pink | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Silene dioica</i> Red Campion | HP | 1.11 | R2 | 3-5 | 6-8 | | | |
| <i>Silene dioica</i> 'Clifford Moor' P.P.A.F. Clifford Moor Campion | HP | 1.11 | R2 | 3-5 | 6-8 | | | |
| <i>Silene laciniata</i> Fringed Indian Pink | HP | 0.93 | R2 | 4-6 | 7-8 | | | |
| <i>Silene latifolia</i> Bladder Campion | HP | 0.83 | R2 | 4-6 | 7-8 | | | |
| <i>Silene pratensis</i> See - <i>Silene latifolia</i> | | | | | | | | |
| <i>Silene quadrifida</i> Alpine Catchfly | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Silene regia</i> Royal Catchfly | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Silene schafta</i> Autumn Catchfly | HP | 0.73 | R2 | 3-4 | 5-8 | | | |
| <i>Silene schafta</i> 'Splendens' Splendens Schafta Campion | HP | 0.48 | R2 | 3-4 | 5-8 | | | |
| <i>Silene stellata</i> Starry Campion | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Silene uniflora</i> Sea Campion | HP | 0.63 | R2 | 3-4 | 5-8 | | | |
| <i>Silene uniflora</i> 'Druett's Variegated' Druett's Variegated Sea Campion | HP | 0.64 | R2 | 3-4 | 5-8 | | | |
| <i>Silene uniflora</i> 'Robin Whitebreast' Robin Whitebreast Sea Campion | HP | 0.64 | R2 | 3-4 | 5-8 | | | |
| <i>Silene uniflora</i> 'Swan Lake' Swan Lake Sea Campion | HP | 0.64 | R2 | 3-4 | 5-8 | | | |
| <i>Silene uniflora</i> 'Variegata' See - <i>Silene uniflora</i> 'Druett's Variegated' | | | | | | | | |
| <i>Silene vulgaris</i> ssp. <i>maritima</i> See - <i>Silene uniflora</i> | | | | | | | | |
| <i>Silphium integrifolium</i> Rosin Weed | HP | 1.00 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Silphium lacinatedum</i> Compass Plant | HP | 1.01 | R2 | 3-4 | 5-8 | | | |
| <i>Silphium perfoliatum</i> Cup Plant | HP | 1.17 | R2 | 3-4 | 5-8 | | | |
| <i>Silphium terebinthinaceum</i> Prairie Dock | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Sinacalia tangutica</i> Chinese Groundsel | HP | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Sinarundinaria nitida</i> See - <i>Fargesia nitida</i> | | | | | | | | |
| <i>Sinarundinaria scabrida</i> See - <i>Fargesia scabrida</i> | | | | | | | | |
| <i>Sinningia sellovii</i> Hardy Red Gloxinia | FO | 0.53 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Sinningia speciosa</i> Common Gloxinia | FO | 0.65 | R2 | 8 | | | 1.00 | 10 |
| <i>Sinningia tubiflora</i> No Common Name Found | FO | 0.63 | R2 | 8 | | | 1.00 | 9 |
| <i>Sinobambusa tootsik</i> Chinese Temple Bamboo | BS | 1.92 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Sinobambusa tootsik</i> 'Albostriata' Albostriata Chinese Temple Bamboo | BS | 1.92 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Siphonanthus indicus</i> See - <i>Clerodendrum indicum</i> | | | | | | | | |
| <i>Siphonochilus aethiopicus</i> No Common Name Found | HP | 1.00 | R2 | 8 | | | | |
| <i>Siphonochilus aethiopicus</i> 'Sunrise Trumpet' Sunrise Trumpet Ginger Lily | HP | 1.00 | R2 | 8 | | | | |
| <i>Siphonochilus decorus</i> Dwarf Ginger Lily | HP | 1.05 | R2 | 7-8 | | | | |
| <i>Siphonochilus kirkii</i> No Common Name Found | HP | 1.15 | R2 | 8 | | | | |
| <i>Siphonochilus kirkii</i> 'Pink Trumpet' Pink Trumpet Ginger Lily | HP | 1.15 | R2 | 8 | | | | |
| <i>Sisyrrinchium</i> Sisyrrinchium | HP | 1.30 | R2 | 5-6 | 7-8 | | | |
| <i>Sisyrrinchium</i> 'Devon Skies' Devon Skies Dwarf Blue-eyed Grass | HP | 1.43 | R2 | 5-6 | 7-8 | | | |
| <i>Sisyrrinchium</i> 'E.K. Balls' E.K. Balls Sisyrrinchium | HP | 1.43 | R2 | 5-6 | 7-8 | | | |
| <i>Sisyrrinchium</i> 'Mrs. Spivey' Mrs. Spivey Sisyrrinchium | HP | 1.05 | R2 | 5-6 | 7-8 | | | |
| <i>Sisyrrinchium</i> 'Suwannee' Suwannee Blue-eyed Grass | HP | 1.30 | R2 | 5-8 | | | | |
| <i>Sisyrrinchium</i> 'Wayne's Dwarf' Wayne's Dwarf Sisyrrinchium | HP | 1.30 | R2 | 5-7 | 8 | | | |
| <i>Sisyrrinchium albidum</i> White Blue-eyed Grass | HP | 1.50 | R2 | 6-7 | 8 | | | |
| <i>Sisyrrinchium angustifolium</i> Narrow-leaf Blue-eyed Grass | HP | 0.88 | R2 | 3 | 4-8 | | | |
| <i>Sisyrrinchium angustifolium</i> 'Lucerne' Lucerne Narrow-leaf Blue-eyed Grass | HP | 1.30 | R2 | 3 | 4-8 | | | |
| <i>Sisyrrinchium atlanticum</i> Eastern Blue-eyed Grass | HP | 0.52 | R2 | 6-7 | 8 | | | |
| <i>Sisyrrinchium bellum</i> California Blue-eyed Grass | HP | 0.67 | R2 | 5-7 | 8 | | | |
| <i>Sisyrrinchium bellum</i> 'Arroyo de la Cruz' Arroyo de la Cruz California Blue-Eyed Grass | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Sisyrrinchium bellum</i> 'Figueroa' Figueroa California Blue-Eyed Grass | HP | 0.84 | R2 | 5-7 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Sisyrinchium bellum</i> 'Fort Bragg' Fort Bragg California Blue-Eyed Grass | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Sisyrinchium bellum</i> 'H Bar H White' See - <i>Sisyrinchium bellum</i> 'HbarH White' | | | | | | | | |
| <i>Sisyrinchium bellum</i> 'HbarH White' HbarH White California Blue-Eyed Grass | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Sisyrinchium bellum</i> 'Merk's White' Merk's White California Blue-Eyed Grass | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Sisyrinchium bellum</i> 'Nanum' Dwarf California Blue-Eyed Grass | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Sisyrinchium bellum</i> 'Occidental' Occidental California Blue-Eyed Grass | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Sisyrinchium bellum</i> 'Rocky Point' Rocky Point California Blue-Eyed Grass | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Sisyrinchium bermudianum</i> See - <i>Sisyrinchium angustifolium</i> | | | | | | | | |
| <i>Sisyrinchium californicum</i> California Yellow-Eyed Grass | HP | 0.60 | R2 | 6-8 | | | | |
| <i>Sisyrinchium campestre</i> Prairie Blue-Eyed Grass | HP | 1.39 | R2 | 5-6 | 7-8 | | | |
| <i>Sisyrinchium convolutum</i> No Common Name Found | HP | 0.66 | R2 | 7-8 | | | | |
| <i>Sisyrinchium douglasii</i> See - <i>Olsynium douglasii</i> | | | | | | | | |
| <i>Sisyrinchium idahoense</i> No Common Name Found | HP | 0.56 | R2 | 6-7 | 8 | | | |
| <i>Sisyrinchium idahoensis</i> var. <i>bellum</i> See - <i>Sisyrinchium bellum</i> | | | | | | | | |
| <i>Sisyrinchium macrocephalum</i> See - <i>Sisyrinchium palmifolium</i> | | | | | | | | |
| <i>Sisyrinchium montanum</i> Mountain Blue-Eyed Grass | HP | 1.00 | R2 | 4-6 | 7-8 | | | |
| <i>Sisyrinchium palmifolium</i> Yellow-Eyed Grass | HP | 0.90 | R2 | 5-7 | 8 | | | |
| <i>Sisyrinchium striatum</i> Argentine Blue-Eyed Grass | HP | 1.25 | R2 | 6-7 | 8 | | | |
| <i>Sisyrinchium striatum</i> 'Aunt May' Aunt May Argentine Blue-Eyed Grass | HP | 1.25 | R2 | 6-7 | 8 | | | |
| <i>Skimmia x foremanii</i> See - <i>Skimmia japonica</i> 'Veitchii' | | | | | | | | |
| <i>Skimmia japonica</i> Japanese Skimmia | BS | 1.09 | R2 | 6-7 | 8 | | 1.00 | 7 |
| <i>Skimmia japonica</i> 'Bowles' Dwarf Male' Bowles' Dwarf Japanese Male Skimmia | BS | 1.09 | R2 | 6-7 | 8 | | 1.00 | 7 |
| <i>Skimmia japonica</i> 'Rubella' Rubella Japanese Male Skimmia | BS | 1.09 | R2 | 6-7 | 8 | | 1.00 | 7 |
| <i>Skimmia japonica</i> 'Teufel's Dwarf' Teufel's Dwarf Japanese Skimmia | BS | 1.09 | R2 | 6-7 | 8 | | 1.00 | 7 |
| <i>Skimmia japonica</i> 'Veitchii' Vietchii Japanese Female Skimmia | BS | 1.09 | R2 | 6-7 | 8 | | 1.00 | 7 |
| <i>Skimmia japonica</i> ssp. <i>reevesiana</i> Reeves Skimmia | BS | 1.32 | R2 | 6-7 | 8 | | 1.00 | 7 |
| <i>Smilacina racemosa</i> False Solomon Seal | HP | 0.87 | R2 | 3-4 | 5-7 | | | |
| <i>Smilacina stellata</i> See - <i>Maianthemum stellatum</i> | | | | | | | | |
| <i>Sobralia macrantha</i> No Common Name Found | FO | 0.67 | R2 | 8 | | | 1.00 | 10 |
| <i>Sobralia xantholeuca</i> No Common Name Found | FO | 5.00 | R2 | 8 | | | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Sobralia xantholeuca</i> 'Super Select' Super Select Orchid | FO | 6.25 | R2 | 8 | | | 1.00 | 10 |
| <i>Solandra longiflora</i> Chalice Vine | GC | 0.78 | R2 | 8 | | | 1.00 | 9 |
| <i>Solandra maxima</i> Cup of Gold Vine | GC | 0.80 | R2 | 8 | | | 1.00 | 9 |
| <i>Solandra maxima</i> 'Variegata' Variegated Cup of Gold Vine | GC | 0.79 | R2 | 8 | | | 1.00 | 9 |
| <i>Solanum aviculare</i> Kangaroo Apple | BS | 0.87 | R2 | 8 | | | 1.00 | 9 |
| <i>Solanum crispum</i> Nightshade | GC | 0.62 | R2 | 8 | | | 1.00 | 8 |
| <i>Solanum crispum</i> 'Glasnevin' Glasnevin Nightshade | GC | 1.05 | R2 | 8 | | | 1.00 | 8 |
| <i>Solanum jasminoides</i> Potato Vine | GC | 0.73 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Solanum jasminoides</i> 'Grandiflora' Grandiflora Potato Vine | GC | 1.03 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Solanum jasminoides</i> 'Variegatum' Variegated Potato Vine | GC | 0.86 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Solanum xantii</i> Purple Nightshade | GC | 0.64 | R2 | 8 | | | 1.00 | 9 |
| <i>Soldanella alpina</i> Glacier Alpenglock | HP | 1.00 | R2 | 3-4 | 5-7 | | | |
| <i>Soldanella hungarica</i> Hungarian Alpenglock | HP | 1.00 | R2 | 4-6 | 7-8 | | | |
| <i>Soleirolia soleirolii</i> Baby's Tears | GC | 0.46 | R2 | 8 | | | 1.00 | 9 |
| <i>Soleirolia soleirolii</i> 'Gold Pool' Gold Pool Baby's Tears | GC | 0.46 | R2 | 8 | | | 1.00 | 9 |
| <i>Solenostemon scutellarioides</i> Garden Coleus | HP | 0.64 | R2 | 6-8 | | | | |
| <i>Solenostemon scutellarioides</i> 'Alabama Pink' Alabama Pink Garden Coleus | HP | 0.70 | R2 | 6-8 | | | | |
| <i>Solenostemon scutellarioides</i> 'Alabama Sunset' Alabama Sunset Garden Coleus | HP | 0.69 | R2 | 6-8 | | | | |
| <i>Solenostemon scutellarioides</i> 'Amora' Amora Garden Coleus | HP | 0.81 | R2 | 6-8 | | | | |
| <i>Solenostemon scutellarioides</i> 'Aurora Raspberry' See - <i>Solenostemon scutellarioides</i> 'Balaurasp' P.P.A.F. | | | | | | | | |
| <i>Solenostemon scutellarioides</i> 'Aurora Red Velvet' See - <i>Solenostemon scutellarioides</i> 'Balaureve' P.P. 14351 | | | | | | | | |
| <i>Solenostemon scutellarioides</i> 'Aurora Stoplight' Aurora™ Stoplight Garden Coleus | HP | 0.50 | R2 | 6-8 | | | | |
| <i>Solenostemon scutellarioides</i> 'Balaurasp' P.P.A.F. Aurora™ Raspberry Garden Coleus | HP | 0.96 | R2 | 6-8 | | | | |
| <i>Solenostemon scutellarioides</i> 'Balaureve' P.P. 14351 Aurora™ Red Velvet Garden Coleus | HP | 0.64 | R2 | 6-8 | | | | |
| <i>Solenostemon scutellarioides</i> 'Bellingrath Red' Bellingrath Red Garden Coleus | HP | 0.24 | R2 | 6-8 | | | | |
| <i>Solenostemon scutellarioides</i> 'Black Dragon' Black Dragon Garden Coleus | HP | 0.45 | R2 | 6-8 | | | | |
| <i>Solenostemon scutellarioides</i> 'Blusher' Blusher Garden Coleus | HP | 0.62 | R2 | 6-8 | | | | |
| <i>Solenostemon scutellarioides</i> 'Burgundy Sun' Burgundy Sun Garden Coleus | HP | 0.69 | R2 | 6-8 | | | | |
| <i>Solenostemon scutellarioides</i> 'Cantigny Royal' Cantigny Royal Garden Coleus | HP | 0.63 | R2 | 6-8 | | | | |
| <i>Solenostemon scutellarioides</i> 'Carefree Mix' Carefree Mix Garden Coleus | HP | 0.26 | R2 | 6-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|--|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Solenostemon scutellarioides</i> 'Chantilly' Chantilly Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Copper' P.P. 14394 Copper Garden Coleus | HP | 0.61 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Cranberry Salad' Cranberry Salad Garden Coleus | HP | 0.63 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Dipt in Wine' Dipt in Wine Garden Coleus | HP | 0.74 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Ducksfoot Red' Ducksfoot Red Garden Coleus | HP | 0.73 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Ducksfoot Series' Ducksfoot Series Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Ducksfoot Tricolor' Ducksfoot Tricolor Garden Coleus | HP | 0.93 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Flirtin' Skirts' Flirtin' Skirts Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Florida City Series' Florida City Series Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Freckles' Freckles Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Fright Night' Fright Night Garden Coleus | HP | 0.58 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Frisbee Freckles' Frisbee Freckles Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Gay's Delight' Gay's Delight Garden Coleus | HP | 0.61 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Gold Bound' Gold Bound Garden Coleus | HP | 0.63 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Golden Bedder' Golden Bedder Garden Coleus | HP | 0.63 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Golden Wizard' Golden Wizard Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Heidi Red' Heidi Red Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Hurricane Benji' Hurricane Benji Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Hurricane Jenni' Hurricane Jenni Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Hurricane Louise' Hurricane Louise Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Inky Fingers' Inky Fingers Garden Coleus | HP | 0.52 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Jade' Jade Garden Coleus | HP | 0.52 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Japanese Giant' Japanese Giant Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Kiwi Fern' Kiwi Fern Garden Coleus | HP | 0.55 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Kong Mosaic' Kong™ Mosaic Garden Coleus | HP | 0.75 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Kong Red' Kong™ Red Garden Coleus | HP | 0.86 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Kong Rose' Kong™ Rose Garden Coleus | HP | 0.84 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Kong Series' Kong™ Series Garden Coleus | HP | 0.73 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Leopard' Leopard Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Mardi Gras' Mardi Gras Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|-----------------------------|------------------------------|--|---------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Solenostemon scutellarioides</i> 'Merlot' Merlot Garden Coleus | HP | 0.77 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Mini Red' Mini Red Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Mr. Wonderful' Mr. Wonderful Garden Coleus | HP | 0.63 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'New Orleans' New Orleans Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Olympic Torch' Olympic Torch Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Othello' Othello Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Oxblood' Oxblood Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Pat Martin' Pat Martin Garden Coleus | HP | 0.33 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Pineapple Queen' Pineapple Queen Garden Coleus | HP | 0.61 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Pistachio' Pistachio Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Plum Parfait' Plum Parfait Garden Coleus | HP | 0.56 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Poncho' Poncho Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Red Coat' Red Coat Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Red Ruffle' Red Ruffle Garden Coleus | HP | 0.63 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Red Trailing' Red Trailing Garden Coleus | HP | 0.52 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Rustic Orange' Rustic Orange Garden Coleus | HP | 0.63 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Saber' Saber Garden Coleus | HP | 0.26 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Saint Valentine' Saint Valentine Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Saturn' Saturn Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Shocking Pink' See - <i>Solenostemon scutellarioides</i> 'Alabama Sunset' | | | | | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Eclipse' Solar Eclipse Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Flair' Solar Flair Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Furnace' Solar Furnace Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Millenium Red' Solar Millenium Red Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Radiance' Solar Radiance Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Red' Solar Red Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Shade' Solar Shade Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Shadow' Solar Shadow Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Spectrum' Solar Spectrum Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Solar Storm' Solar Storm Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|--|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Solenostemon scutellarioides</i> 'Solar Sunrise' Solar Sunrise Garden Coleus | HP | 0.58 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Stained Glass Works' P.P.A.F. Stained Glass Works Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Sunset Wizard' Sunset Wizard Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Sunset' Sunset Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Thumbellina' Thumbellina Garden Coleus | HP | 0.53 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Tilt-a-Whirl' Tilt-a-Whirl Garden Coleus | HP | 0.67 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Tri-color' Tri-color Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Velvet Red Wizard' Velvet Red Wizard Garden Coleus | HP | 0.62 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Wild Lime' Wild Lime Garden Coleus | HP | 0.63 | R2 | 6-8 | | | |
| <i>Solenostemon scutellarioides</i> 'Wizard Series' Wizard Series Garden Coleus | HP | 0.26 | R2 | 6-8 | | | |
| <i>Solidago</i> Goldenrod | HP | 0.85 | R2 | 3-4 | 5-8 | | |
| <i>Solidago</i> 'Cloth of Gold' Cloth of Gold Goldenrod | HP | 0.85 | R2 | 3-4 | 5-8 | | |
| <i>Solidago</i> 'Crown of Rays' Crown of Rays Goldenrod | HP | 0.97 | R2 | 3-4 | 5-8 | | |
| <i>Solidago</i> 'Dansolittlem' P.P. 17297 Little Lemon Goldenrod | HP | 0.97 | R2 | 3-4 | 5-8 | | |
| <i>Solidago</i> 'Goldkind' Golden Baby Goldenrod | HP | 0.68 | R2 | 3-4 | 5-8 | | |
| <i>Solidago</i> 'Lauren' Lauren Goldenrod | HP | 0.77 | R2 | 3-4 | 5-8 | | |
| <i>Solidago</i> 'Little Lemon' See - <i>Solidago</i> 'Dansolittlem' P.P. 17297 | HP | 0.45 | R2 | 3-4 | 5-8 | | |
| <i>Solidago caesia</i> Wreath Goldenrod | HP | 0.45 | R2 | 3-4 | 5-8 | | |
| <i>Solidago canadensis</i> Dwarf Goldenrod | HP | 0.52 | R2 | 3 | 4-8 | | |
| <i>Solidago cutleri</i> No Common Name Found | HP | 0.99 | R2 | 3-4 | 5-8 | | |
| <i>Solidago cutleri</i> 'Goldrush' P.P.A.F. Goldrush Goldenrod | HP | 0.99 | R2 | 3-4 | 5-8 | | |
| <i>Solidago flexicaulis</i> Broad-Leaved Goldenrod | HP | 1.43 | R2 | 3-4 | 5-8 | | |
| <i>Solidago glomerata</i> Clustered Goldenrod | HP | 0.56 | R2 | 3-6 | 7-8 | | |
| <i>Solidago nemoralis</i> Dyersweed Goldenrod | HP | 1.00 | R2 | 3-4 | 5-8 | | |
| <i>Solidago ohioensis</i> Ohio Goldenrod | HP | 1.31 | R2 | 3-4 | 5-8 | | |
| <i>Solidago riddellii</i> Riddell's Goldenrod | HP | 1.14 | R2 | 3-4 | 5-8 | | |
| <i>Solidago rigida</i> Stiff Goldenrod | HP | 0.97 | R2 | 3-4 | 5-8 | | |
| <i>Solidago rugosa</i> Rough-stemmed Goldenrod | HP | 0.90 | R2 | 3-4 | 5-8 | | |
| <i>Solidago rugosa</i> 'Fireworks' Fireworks Rough-stemmed Goldenrod | HP | 0.90 | R2 | 3-4 | 5-8 | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Solidago speciosa</i> Noble Goldenrod | HP | 0.86 | R2 | 4-5 | 6-8 | | | |
| <i>Solidago sphacelata</i> No Common Name Found | HP | 0.86 | R2 | 4-5 | 6-8 | | | |
| <i>Solidago sphacelata</i> 'Golden Fleece' Golden Fleece Goldenrod | HP | 0.86 | R2 | 4-5 | 6-8 | | | |
| <i>Solidago stricta</i> No Common Name Found | HP | 0.50 | R2 | 4-5 | 6-8 | | | |
| x <i>Solidaster luteus</i> Golden Aster | HP | 0.48 | R2 | 4-5 | 6-8 | | | |
| x <i>Solidaster luteus</i> 'Lemore' Lemore Golden Aster | HP | 0.48 | R2 | 4-5 | 6-8 | | | |
| <i>Sollya fusiformis</i> See - <i>Sollya heterophylla</i> | | | | | | | | |
| <i>Sollya heterophylla</i> Australian Bluebell Creeper | BS | 0.78 | R2 | 8 | | | 1.00 | 9 |
| <i>Sollya heterophylla</i> 'Alba' White Australian Bluebell Creeper | BS | 0.70 | R2 | 8 | | | 1.00 | 9 |
| <i>Sommieria elegans</i> No Common Name Found | PC | 7.14 | R2 | 8 | | | 1.00 | 10 |
| <i>Sophora</i> Sophora | DT | 1.00 | R1 | 7-8 | | 1.00 | 1.00 | 8 |
| <i>Sophora</i> 'Little Baby' Little Baby Sophora | DT | 1.00 | R1 | 7-8 | | 1.00 | 1.00 | 8 |
| <i>Sophora affinis</i> Eve's Necklace | DT | 1.11 | R1 | 7-8 | | 1.27 | 0.70 | 7 |
| <i>Sophora davidii</i> Vetch Sophora | DS | 1.00 | R1 | 4-6 | 7-8 | | 1.00 | 5 |
| <i>Sophora japonica</i> See - <i>Styphnolobium japonicum</i> | | | | | | | | |
| <i>Sophora microphylla</i> Littleleaf Sophora | BE | 0.87 | R2 | 8 | | 1.00 | 1.00 | 8 |
| <i>Sophora microphylla</i> 'Hilsop' P.P.A.F. Sun King Sophora | BE | 0.87 | R2 | 8 | | 1.00 | 1.00 | 8 |
| <i>Sophora microphylla</i> 'Sun King' See - <i>Sophora microphylla</i> 'Hilsop' P.P.A.F. | | | | | | | | |
| <i>Sophora prostrata</i> 'Little Baby' See - <i>Sophora</i> 'Little Baby' | | | | | | | | |
| <i>Sophora secundiflora</i> Texas Mountain Laurel | BE | 1.14 | R2 | 7-8 | | 1.00 | 3.08 | 7 |
| <i>Sophora viciifolia</i> See - <i>Sophora davidii</i> | | | | | | | | |
| <i>Sopronitis cernua</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Sorbaria sorbifolia</i> Ural False Spirea | DS | 0.97 | R1 | | 3-8 | | 0.72 | 2 |
| <i>Sorbaria sorbifolia</i> 'Sem' P.P. 16336 Sem Ash Leaf Spirea | DS | 1.56 | R1 | | 3-8 | | 0.72 | 2 |
| <i>Sorbus</i> Mountainash | DT | 1.00 | R1 | | 3-8 | 1.22 | 1.00 | 2 |
| <i>Sorbus</i> 'Brilliant Yellow' Brilliant Yellow Mountainash | DT | 1.00 | R1 | | 3-8 | 1.22 | 1.00 | 2 |
| <i>Sorbus</i> 'Joseph Rock' Joseph Rock Mountainash | DT | 1.00 | R1 | | 3-8 | 1.22 | 1.00 | 2 |
| <i>Sorbus</i> 'Meinichii' Meinich Mountainash | DT | 1.00 | R1 | | 3-8 | 1.22 | 1.00 | 2 |
| <i>Sorbus</i> 'Patio Pride' Patio Pride™ Mountainash | DT | 1.00 | R1 | | 3-8 | 1.22 | 1.00 | 2 |
| <i>Sorbus alnifolia</i> Korean Mountainash | DT | 1.18 | R1 | 3-5 | 6-8 | 1.05 | 0.82 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Sorbus alnifolia</i> 'Erecta' Upright Korean Mountainash | DT | 1.18 | R1 | 3-5 | 6-8 | 1.05 | 0.82 | 5 |
| <i>Sorbus alnifolia</i> 'Redbird' P.P. 3400 Redbird Korean Mountainash | DT | 1.18 | R1 | 3-5 | 6-8 | 1.05 | 0.82 | 5 |
| <i>Sorbus americana</i> American Mountainash | DT | 0.99 | R1 | | 3-7 | 0.52 | 1.00 | 2 |
| <i>Sorbus americana</i> 'Dwarfcrow' P.P. 4157 Red Cascade™ American Mountainash | DT | 0.99 | R1 | | 3-7 | 0.99 | 1.00 | 2 |
| <i>Sorbus americana</i> 'Red Cascade' See - <i>Sorbus americana</i> 'Dwarfcrow' P.P. 4157 | | | | | | | | |
| <i>Sorbus aria</i> Whitebeam | DT | 1.00 | R1 | 5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Sorbus aria</i> 'Lutescens' Lutescens Whitebeam | DT | 1.00 | R1 | 5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Sorbus aria</i> 'Magnifica' Magnifica Whitebeam | DT | 1.00 | R1 | 5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Sorbus aucuparia</i> European Mountainash | DT | 0.94 | R1 | | 3-7 | 1.01 | 0.66 | 2 |
| <i>Sorbus aucuparia</i> 'Asplenifolia' Cutleaf European Mountainash | DT | 1.10 | R1 | | 3-7 | 1.02 | 0.65 | 2 |
| <i>Sorbus aucuparia</i> 'Beissneri' Beissner European Mountainash | DT | 1.10 | R1 | | 3-7 | 1.02 | 0.65 | 2 |
| <i>Sorbus aucuparia</i> 'Black Hawk' Black Hawk European Mountainash | DT | 1.20 | R1 | | 3-7 | 1.13 | 0.65 | 2 |
| <i>Sorbus aucuparia</i> 'Cardinal Royal' See - <i>Sorbus aucuparia</i> 'Michred' P.P. 3114 | | | | | | | | |
| <i>Sorbus aucuparia</i> 'Columbia Queen' Columbia Queen® European Mountainash | DT | 1.10 | R1 | | 3-7 | 1.02 | 0.65 | 2 |
| <i>Sorbus aucuparia</i> 'Edulis' Moravian European Mountainash | DT | 1.10 | R1 | | 3-7 | 1.02 | 0.65 | 2 |
| <i>Sorbus aucuparia</i> 'Fastigiata' Upright European Mountainash | DT | 1.10 | R1 | | 3-7 | 0.78 | 0.65 | 2 |
| <i>Sorbus aucuparia</i> 'King Midas' King Midas European Mountainash | DT | 1.10 | R1 | | 3-7 | 1.02 | 0.65 | 2 |
| <i>Sorbus aucuparia</i> 'Michred' P.P. 3114 Cardinal Royal™ European Mountainash | DT | 1.16 | R1 | | 3-7 | 1.14 | 0.63 | 2 |
| <i>Sorbus aucuparia</i> 'Pendula' Weeping European Mountainash | DT | 1.10 | R1 | | 3-7 | 1.02 | 0.65 | 2 |
| <i>Sorbus aucuparia</i> 'Rossica' Russian Mountainash | DT | 1.10 | R1 | | 3-7 | 1.02 | 0.65 | 2 |
| <i>Sorbus aucuparia</i> 'Xanthocarpa' Yellow-fruited European Mountainash | DT | 1.10 | R1 | | 3-7 | 1.02 | 0.65 | 2 |
| <i>Sorbus decora</i> Showy Mountainash | DT | 1.35 | R1 | | 3-7 | 1.43 | 1.00 | 2 |
| <i>Sorbus hupehensis</i> Hupeh Mountainash | DT | 1.33 | R2 | 3 | 4-7 | 1.06 | 1.00 | 3 |
| <i>Sorbus hupehensis</i> 'Coral Fire' Coral Fire® Hupeh Mountainash | DT | 1.43 | R2 | 3 | 4-7 | 1.06 | 1.00 | 3 |
| <i>Sorbus hupehensis</i> 'Pink Pagoda' Pink Pagoda Hupeh Mountainash | DT | 1.23 | R2 | 3 | 4-7 | 1.06 | 1.00 | 3 |
| <i>Sorbus hybrida</i> Finnish Whitebeam Mountainash | DT | 1.05 | R1 | 3-5 | 6-7 | 1.00 | 2.20 | 5 |
| <i>Sorbus intermedia</i> Swedish Mountainash | DT | 1.24 | R1 | 3-5 | 6-7 | 1.00 | 1.00 | 5 |
| <i>Sorbus rufoferruginea</i> Flameberry Mountainash | DT | 1.00 | R1 | | 3-7 | 1.22 | 1.00 | 2 |
| <i>Sorbus rufoferruginea</i> 'Longwood Sunset' Longwood Sunset™ Flameberry Mountainash | DT | 1.00 | R1 | | 3-7 | 1.22 | 1.00 | 2 |
| <i>Sorbus scopulina</i> Western Mountainash | BS | 1.03 | R2 | 3 | 4-7 | | 0.48 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Sorbus sitchensis</i> Pacific Mountainash | DS | 0.84 | R1 | 3 | 4-7 | | 1.00 | 3 |
| <i>Sorbus x thuringiaca</i> Bastard Service Tree | DT | 1.58 | R1 | 3-5 | 6-7 | 1.94 | 1.00 | 5 |
| <i>Sorbus x thuringiaca</i> 'Leonard Springer' Springer Mountainash | DT | 1.58 | R1 | 3-5 | 6-7 | 1.94 | 1.00 | 5 |
| <i>Sorbus x thuringiaca</i> 'Quercifolia' Oakleaf Mountainash | DT | 1.58 | R1 | 3-5 | 6-7 | 1.94 | 1.00 | 5 |
| <i>Sorbus tianshanica</i> Turkistan Mountainash | DT | 1.00 | R1 | 3-4 | 5-7 | 1.00 | 1.00 | 3 |
| <i>Sorbus vilmorinii</i> Vilmorin Mountainash | DT | 1.00 | R1 | 5-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Sorghastrum avenaceum</i> See - <i>Sorghastrum nutans</i> | | | | | | | | |
| <i>Sorghastrum nutans</i> Indian Grass | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Sorghastrum nutans</i> 'Indian Steel' Indian Steel Indian Grass | HP | 1.05 | R2 | 3-4 | 5-8 | | | |
| <i>Sorghastrum nutans</i> 'Sioux Blue' Sioux Blue Indian Grass | HP | 1.17 | R2 | 3-4 | 5-8 | | | |
| <i>Sorghastrum secundum</i> Lopsided Indiangrass | HP | 0.54 | R2 | 3-5 | 6-8 | | | |
| <i>Sparaxis tricolor</i> Harlequin Flower | HP | 0.73 | R2 | 8 | | | | |
| <i>Sparganium erectum</i> Bur Reed | HP | 0.43 | R2 | 3-5 | 6-8 | | | |
| <i>Sparganium eurycarpum</i> Great Bur Reed | HP | 1.20 | R2 | 3-5 | 6-8 | | | |
| <i>Spartina alterniflora</i> Saltwater Cordgrass | HP | 0.64 | R2 | 4-5 | 6-8 | | | |
| <i>Spartina bakeri</i> Sand Cordgrass | HP | 0.66 | R2 | 6-8 | | | | |
| <i>Spartina patens</i> Saltmeadow Cordgrass | HP | 0.70 | R2 | 5-7 | 8 | | | |
| <i>Spartina pectinata</i> Prairie Cord Grass | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Spartina pectinata</i> 'Aureo-marginata' Aureo-marginata Prairie Cord Grass | HP | 1.07 | R2 | 3-4 | 5-8 | | | |
| <i>Spartium junceum</i> Spanish Broom | HP | 1.12 | R2 | 7-8 | | | | |
| <i>Spathiphyllum</i> Spathiphyllum | FO | 1.06 | R2 | 8 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> '31581' P.P. 10893 Taylor's Green Peace Lily | FO | 1.06 | R2 | 8 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> '61352' P.P. 10894 Vicki Lynn Peace Lily | FO | 0.72 | R2 | 8 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Ceres' P.P. 8844 Ceres Peace Lily | FO | 1.20 | R2 | 8 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Daniel' P.P. 8655 Daniel Peace Lily | FO | 1.06 | R2 | 8 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Domino' P.P. 9944 Domino Peace Lily | FO | 1.14 | R2 | 8 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Emerald Swirl' Emerald Swirl Peace Lily | FO | 1.38 | R2 | 8 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Gorguisis No. 1' P.P. 6964 Sensation™ Peace Lily | FO | 1.18 | R2 | 8 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Illusion' P.P. 9942 Illusion Peace Lily | FO | 1.06 | R2 | 8 | | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Jetty' P.P. 9957 Jetty Peace Lily | FO | 0.70 | R2 | 8 | | | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Spathiphyllum</i> 'Knockout' Knockout Peace Lily | FO | 1.30 | R2 | 8 | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Leprechaun' P.P. 8130 Leprechaun Peace Lily | FO | 1.06 | R2 | 8 | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Linda' Linda Peace Lily | FO | 1.25 | R2 | 8 | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Lynise' P.P. 6145 Lynise Peace Lily | FO | 1.13 | R2 | 8 | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Mauna Loa' Mauna Loa Peace Lily | FO | 1.08 | R2 | 8 | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Max' P.P. 9958 Max Peace Lily | FO | 1.06 | R2 | 8 | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Petite' Petite Peace Lily | FO | 0.81 | R2 | 8 | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Princess' P.P. 7635 Princess Peace Lily | FO | 1.06 | R2 | 8 | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'S4' P.P. 10013 Sonya™ Peace Lily | FO | 0.69 | R2 | 8 | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'S8' P.P. 9677 Sierra™ Peace Lily | FO | 1.13 | R2 | 8 | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Sensation' See - <i>Spathiphyllum</i> 'Gorguis' No. 1' P.P. 6964 | | | | | | | |
| <i>Spathiphyllum</i> 'Sierra' See - <i>Spathiphyllum</i> 'S8' P.P. 9677 | | | | | | | |
| <i>Spathiphyllum</i> 'Sonya' See - <i>Spathiphyllum</i> 'S4' P.P. 10013 | | | | | | | |
| <i>Spathiphyllum</i> 'Sparkle' P.P. 8367 Sparkle Peace Lily | FO | 1.06 | R2 | 8 | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Starlight' Starlight Peace Lily | FO | 1.02 | R2 | 8 | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Stephanie' P.P. 9943 Stephanie Peace Lily | FO | 0.85 | R2 | 8 | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Supreme' Supreme Peace Lily | FO | 1.16 | R2 | 8 | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Symphony' Symphony Peace Lily | FO | 1.06 | R2 | 8 | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Tasson' Tasson Peace Lily | FO | 0.95 | R2 | 8 | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Taylor's Green' See - <i>Spathiphyllum</i> '31581' P.P. 10893 | | | | | | | |
| <i>Spathiphyllum</i> 'Vanessa' P.P. 10895 Vanessa Peace Lily | FO | 1.06 | R2 | 8 | | 1.00 | 10 |
| <i>Spathiphyllum</i> 'Vicki Lynn' See - <i>Spathiphyllum</i> '61352' P.P. 10894 | | | | | | | |
| <i>Spathiphyllum</i> 'Viscount' Viscount Peace Lily | FO | 0.79 | R2 | 8 | | 1.00 | 10 |
| <i>Spathiphyllum wallisii</i> No Common Name Found | FO | 0.57 | R2 | 8 | | 1.00 | 10 |
| <i>Spathiphyllum wallisii</i> 'Clevelandii' Cleveland Peace Lily | FO | 0.57 | R2 | 8 | | 1.00 | 10 |
| <i>Spathodea campanulata</i> African Tulip Tree | BE | 1.21 | R2 | 8 | | 1.00 | 0.76 |
| <i>Spathoglottis</i> Ground Orchid | HP | 1.50 | R2 | 8 | | | |
| <i>Spathoglottis</i> 'Parsonsii' Parsons Ground Orchid | HP | 2.02 | R2 | 8 | | | |
| <i>Spathoglottis aurea</i> No Common Name Found | HP | 2.79 | R2 | 8 | | | |
| <i>Spathoglottis gracilis</i> No Common Name Found | HP | 2.02 | R2 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Spathoglottis plicata</i> Philippine Ground Orchid | HP | 1.52 | R2 | 8 | | | |
| <i>Spathoglottis plicata</i> 'Grapette' Grapette Ground Orchid | HP | 1.90 | R2 | 8 | | | |
| <i>Spathoglottis plicata</i> 'Peach' Peach Ground Orchid | HP | 1.71 | R2 | 8 | | | |
| <i>Spathoglottis pubescens</i> Buttercup Orchid | HP | 2.33 | R2 | 8 | | | |
| <i>Sphaeralcea munroana</i> No Common Name Found | HP | 0.87 | R2 | 3-4 | 5-8 | | |
| <i>Sphaeropteris cooperi</i> See - <i>Cyathea cooperi</i> | | | | | | | |
| <i>Spigelia marilandica</i> Indian Pink | HP | 1.11 | R2 | 5-7 | 8 | | |
| <i>Spilanthes oleracea</i> See - <i>Acmella oleracea</i> | | | | | | | |
| <i>Spiraea</i> Spirea | DS | 0.98 | R1 | 3-5 | 6-8 | 0.47 | 5 |
| <i>Spiraea</i> 'Snow White' Snow White Hybrid Spirea | DS | 0.98 | R1 | 3-5 | 6-8 | 0.47 | 5 |
| <i>Spiraea alba</i> American Meadowsweet | DS | 1.15 | R1 | 3-4 | 5-8 | 0.47 | 4 |
| <i>Spiraea albiflora</i> See - <i>Spiraea japonica</i> 'Albiflora' | | | | | | | |
| <i>Spiraea x arguta</i> Garland Spirea | DS | 0.63 | R1 | 3-4 | 5-8 | 1.54 | 4 |
| <i>Spiraea x arguta</i> 'Compacta' Compact Garland Spirea | DS | 0.93 | R1 | 3-4 | 5-8 | 1.54 | 4 |
| <i>Spiraea betulifolia</i> Birchleaf Spirea | DS | 0.79 | R1 | 3 | 4-8 | 1.08 | 2 |
| <i>Spiraea betulifolia</i> 'Tor' Tor Birchleaf Spirea | DS | 1.01 | R1 | 3 | 4-8 | 1.08 | 2 |
| <i>Spiraea x billiardii</i> See - <i>Spiraea x pseudosalicifolia</i> | | | | | | | |
| <i>Spiraea bullata</i> See - <i>Spiraea japonica</i> 'Bullata' | | | | | | | |
| <i>Spiraea x bumalda</i> See - <i>Spiraea japonica</i> 'Bumalda' | | | | | | | |
| <i>Spiraea cantoniensis</i> Reeves Spirea | DS | 0.71 | R1 | 3-6 | 7-8 | 0.52 | 6 |
| <i>Spiraea cantoniensis</i> 'Lanceata' Double Reeves Spirea | DS | 0.73 | R1 | 3-6 | 7-8 | 0.52 | 6 |
| <i>Spiraea x cinerea</i> No Common Name Found | DS | 0.92 | R1 | 3-4 | 5-8 | 0.55 | 4 |
| <i>Spiraea x cinerea</i> 'Grefsheim' Grefsheim Spirea | DS | 0.92 | R1 | 3-4 | 5-8 | 0.55 | 4 |
| <i>Spiraea decumbens</i> Spreading Spirea | DS | 0.98 | R1 | 3-5 | 6-8 | 1.00 | 5 |
| <i>Spiraea densiflora</i> Subalpine Spirea | DS | 0.99 | R1 | 3-5 | 6-8 | 1.00 | 5 |
| <i>Spiraea densiflora</i> 'Monvis' Summer Song™ Spirea | DS | 0.99 | R1 | 3-5 | 6-8 | 1.00 | 5 |
| <i>Spiraea densiflora</i> 'Summer Song' See - <i>Spiraea densiflora</i> 'Monvis' | | | | | | | |
| <i>Spiraea douglasii</i> Douglas Spirea | DS | 0.73 | R1 | 3-5 | 6-8 | 1.00 | 5 |
| <i>Spiraea fritschiana</i> Fritsch Spirea | DS | 1.06 | R1 | 3-5 | 6-8 | 1.28 | 4 |
| <i>Spiraea fritschiana</i> 'Pink Parasols' See - <i>Spiraea fritschiana</i> 'Wilma' | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Spiraea fritschiana</i> 'Wilma' Wilma Fritsch Spirea | DS | 1.00 | R1 | 3-5 | 6-8 | | 1.28 | 4 |
| <i>Spiraea japonica</i> Japanese Spirea | DS | 0.98 | R1 | 3-4 | 5-8 | | 0.82 | 4 |
| <i>Spiraea japonica</i> 'Albiflora' Japanese White Spirea | DS | 1.01 | R1 | 3-4 | 5-8 | | 0.98 | 4 |
| <i>Spiraea japonica</i> 'Alpina' Alpine Japanese Spirea | DS | 1.00 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Spiraea japonica</i> 'Anthony Waterer' Anthony Waterer Japanese Spirea | DS | 0.83 | R1 | 3-4 | 5-8 | | 0.65 | 4 |
| <i>Spiraea japonica</i> 'Atrosanguinea' Atrosanguinea Japanese Spirea | DS | 0.98 | R1 | 3-4 | 5-8 | | 0.82 | 4 |
| <i>Spiraea japonica</i> 'Bullata' Bullata Japanese Spirea | DS | 0.98 | R2 | 3-4 | 5-8 | | 0.82 | 4 |
| <i>Spiraea japonica</i> 'Bumalda' Bumald Spirea | DS | 0.74 | R1 | 3-4 | 5-8 | | 0.82 | 4 |
| <i>Spiraea japonica</i> 'Candle Light' Candle Light Japanese Spirea | DS | 0.98 | R1 | 3-4 | 5-8 | | 0.58 | 4 |
| <i>Spiraea japonica</i> 'Coccinea' Coccinea Spirea | DS | 0.98 | R1 | 3-4 | 5-8 | | 0.48 | 4 |
| <i>Spiraea japonica</i> 'Crimson Glory' Crimson Glory Spirea | DS | 0.98 | R1 | 3-4 | 5-8 | | 0.82 | 4 |
| <i>Spiraea japonica</i> 'Crispa' Crispleaf Spirea | DS | 0.96 | R1 | 3-4 | 5-8 | | 0.81 | 4 |
| <i>Spiraea japonica</i> 'Dakota Goldcharm' See - <i>Spiraea japonica</i> 'Mertyann' | | | | | | | | |
| <i>Spiraea japonica</i> 'Dart's Red' Dart's Red Spirea | DS | 1.03 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Spiraea japonica</i> 'Dolchica' Dolchica Spirea | DS | 0.92 | R1 | 3-4 | 5-8 | | 0.82 | 4 |
| <i>Spiraea japonica</i> 'Fire Light' Fire Light Spirea | DS | 0.89 | R1 | 3-4 | 5-8 | | 0.76 | 4 |
| <i>Spiraea japonica</i> 'Flaming Mound' Flaming Mound Spirea | DS | 0.97 | R1 | 3-4 | 5-8 | | 0.84 | 4 |
| <i>Spiraea japonica</i> 'Flowering Choice' P.P. 13916 Flowering Choice Spirea | DS | 1.30 | R1 | 3-4 | 5-8 | | 0.82 | 4 |
| <i>Spiraea japonica</i> 'Fortunei' Fortunes Spirea | DS | 0.95 | R1 | 3-4 | 5-8 | | 1.08 | 4 |
| <i>Spiraea japonica</i> 'Froebelii Compacta' Compact Froebel Spirea | DS | 0.66 | R1 | 3-4 | 5-8 | | 0.82 | 4 |
| <i>Spiraea japonica</i> 'Froebelii' Froebel Spirea | DS | 0.99 | R1 | 3-4 | 5-8 | | 0.57 | 4 |
| <i>Spiraea japonica</i> 'Glutinosa' Glutinosa Spirea | DS | 0.98 | R1 | 3-4 | 5-8 | | 0.82 | 4 |
| <i>Spiraea japonica</i> 'Gold Mine' See - <i>Spiraea japonica</i> 'Gomizam' | | | | | | | | |
| <i>Spiraea japonica</i> 'Golden Carpet' Golden Carpet Spirea | DS | 1.15 | R1 | 3-4 | 5-8 | | 0.82 | 4 |
| <i>Spiraea japonica</i> 'Golden Elf' P.P. 12025 Golden Elf Spirea | DS | 1.09 | R1 | 3-4 | 5-8 | | 1.43 | 4 |
| <i>Spiraea japonica</i> 'Golden Princess' See - <i>Spiraea japonica</i> 'Lisp' P.P. 7537 | | | | | | | | |
| <i>Spiraea japonica</i> 'Golden Sunrise' See - <i>Spiraea japonica</i> 'Monhud' P.P.A.F. | | | | | | | | |
| <i>Spiraea japonica</i> 'Goldflame' Goldflame Spirea | DS | 0.87 | R1 | 3-4 | 5-8 | | 0.58 | 4 |
| <i>Spiraea japonica</i> 'Goldmound' Goldmound Spirea | DS | 0.84 | R1 | 3-4 | 5-8 | | 0.89 | 4 |
| <i>Spiraea japonica</i> 'Gomizam' Gold Mine™ Spirea | DS | 0.82 | R1 | 3-4 | 5-8 | | 0.82 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Spiraea japonica</i> 'Green Carpet' Green Carpet Spirea | DS | 1.24 | R1 | 3-4 | 5-8 | | 0.82 | 4 |
| <i>Spiraea japonica</i> 'Gumball' Gumball Spirea | DS | 0.95 | R1 | 3-4 | 5-8 | | 0.59 | 4 |
| <i>Spiraea japonica</i> 'Lemon Princess' Lemon Princess Spirea | DS | 0.90 | R1 | 3-4 | 5-8 | | 0.68 | 4 |
| <i>Spiraea japonica</i> 'Lemondrop' P.P. 15016 Lemondrop Spirea | DS | 1.10 | R1 | 3-4 | 5-8 | | 0.82 | 4 |
| <i>Spiraea japonica</i> 'Limemound' See - <i>Spiraea japonica</i> 'Monhub' P.P. 5834 | | | | | | | | |
| <i>Spiraea japonica</i> 'Lisp' P.P. 7537 Golden Princess Spirea | DS | 1.02 | R1 | 3-4 | 5-8 | | 0.82 | 4 |
| <i>Spiraea japonica</i> 'Little Princess' Little Princess Spirea | DS | 0.84 | R1 | 3-4 | 5-8 | | 0.85 | 4 |
| <i>Spiraea japonica</i> 'Magic Carpet' See - <i>Spiraea japonica</i> 'Walbuma' P.P. 9363 | | | | | | | | |
| <i>Spiraea japonica</i> 'Mertyann' Dakota Goldcharm® Spirea | DS | 1.15 | R1 | 3-4 | 5-8 | | 0.71 | 4 |
| <i>Spiraea japonica</i> 'Monhub' P.P. 5834 Limemound™ Spirea | DS | 1.12 | R1 | 3-4 | 5-8 | | 1.37 | 4 |
| <i>Spiraea japonica</i> 'Monhud' P.P.A.F. Golden Sunrise™ Spirea | DS | 1.27 | R1 | 3-4 | 5-8 | | 0.82 | 4 |
| <i>Spiraea japonica</i> 'Neon Flash' Neon Flash Spirea | DS | 0.98 | R1 | 3-4 | 5-8 | | 0.96 | 4 |
| <i>Spiraea japonica</i> 'Norman' Norman Spirea | DS | 1.03 | R1 | 3-4 | 5-8 | | 0.62 | 4 |
| <i>Spiraea japonica</i> 'Peppermint Stick' See - <i>Spiraea japonica</i> 'Shibori' | | | | | | | | |
| <i>Spiraea japonica</i> 'Sappho' Sappho Japanese Spirea | DS | 0.86 | R1 | 3-4 | 5-8 | | 0.82 | 4 |
| <i>Spiraea japonica</i> 'Shibori' Peppermint Stick® Bi-Color Spirea | DS | 0.89 | R1 | 3-4 | 5-8 | | 0.56 | 4 |
| <i>Spiraea japonica</i> 'Shirobana' Tri-Color Spirea | DS | 0.77 | R1 | 3-4 | 5-8 | | 0.79 | 4 |
| <i>Spiraea japonica</i> 'Sparkling Carpet' P.P. 13665 Sparkling Carpet Spirea | DS | 1.21 | R1 | 3-4 | 5-8 | | 0.82 | 4 |
| <i>Spiraea japonica</i> 'Walbuma' P.P. 9363 Magic Carpet™ Spirea | DS | 1.02 | R1 | 3-4 | 5-8 | | 0.96 | 4 |
| <i>Spiraea japonica</i> 'White Gold' P.P. 13609 White Gold Spirea | DS | 0.94 | R1 | 3-4 | 5-8 | | 0.82 | 4 |
| <i>Spiraea latifolia</i> Meadowsweet | DS | 1.63 | R1 | | 3-8 | | 0.51 | 2 |
| <i>Spiraea media</i> No Common Name Found | DS | 0.96 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Spiraea media</i> 'Darsnorm' Snowstorm™ Spiraea | DS | 0.96 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Spiraea media</i> 'Snowstorm' See - <i>Spiraea media</i> 'Darsnorm' | | | | | | | | |
| <i>Spiraea nipponica</i> Nippon Spirea | DS | 0.32 | R1 | 3-4 | 5-8 | | 0.48 | 4 |
| <i>Spiraea nipponica</i> 'Halward's Silver' Halward's Silver Nippon Spirea | DS | 0.94 | R1 | 3-4 | 5-8 | | 0.88 | 4 |
| <i>Spiraea nipponica</i> 'June Bride' June Bride Nippon Spirea | DS | 0.84 | R1 | 3-4 | 5-8 | | 0.69 | 4 |
| <i>Spiraea nipponica</i> 'Norwegian Snow' Norwegian Snow Nippon Spirea | DS | 0.75 | R1 | 3-4 | 5-8 | | 0.69 | 4 |
| <i>Spiraea nipponica</i> 'Peacock' Peacock Nippon Spirea | DS | 0.75 | R1 | 3-4 | 5-8 | | 0.69 | 4 |
| <i>Spiraea nipponica</i> 'Snowmound' Snowmound Nippon Spirea | DS | 0.88 | R1 | 3-4 | 5-8 | | 0.71 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Spiraea nipponica</i> var. <i>tosaensis</i> Tosa Nippon Spirea | DS | 0.81 | R1 | 3-4 | 5-8 | | 1.43 | 4 |
| <i>Spiraea prunifolia</i> Bridalwreath Spirea | DS | 0.76 | R1 | 3-4 | 5-8 | | 0.46 | 4 |
| <i>Spiraea prunifolia</i> 'Plena' Double Bridalwreath Spirea | DS | 0.77 | R1 | 3-4 | 5-8 | | 0.46 | 4 |
| <i>Spiraea</i> x <i>pseudosalicifolia</i> Billard Spirea | DS | 1.21 | R1 | 3-4 | 5-8 | | 0.76 | 4 |
| <i>Spiraea</i> x <i>pseudosalicifolia</i> 'Macrothyrsa' Ever-blooming Pink Billard Spirea | DS | 1.10 | R1 | 3-4 | 5-8 | | 0.62 | 4 |
| <i>Spiraea</i> x <i>pseudosalicifolia</i> 'Triumphans' Triumphans Billard Spirea | DS | 0.98 | R1 | 3-4 | 5-8 | | 0.48 | 4 |
| <i>Spiraea reevesiana</i> See - <i>Spiraea cantoniensis</i> | | | | | | | | |
| <i>Spiraea thunbergii</i> Thunberg Spirea | DS | 0.64 | R1 | 3-4 | 5-8 | | 0.72 | 4 |
| <i>Spiraea thunbergii</i> 'Fujino Pink' Fujino Pink Thunberg Spirea | DS | 0.95 | R1 | 3-4 | 5-8 | | 0.60 | 4 |
| <i>Spiraea thunbergii</i> 'Mellow Yellow' See - <i>Spiraea thunbergii</i> 'Ogon' | | | | | | | | |
| <i>Spiraea thunbergii</i> 'Mt. Fuji' Mt. Fuji Thunberg Spirea | DS | 0.92 | R1 | 3-4 | 5-8 | | 0.72 | 4 |
| <i>Spiraea thunbergii</i> 'Ogon' Mellow Yellow™ Thunberg Spirea | DS | 1.13 | R1 | 3-4 | 5-8 | | 0.83 | 4 |
| <i>Spiraea tomentosa</i> Hard Hack | DS | 1.27 | R1 | 3 | 4-8 | | 0.51 | 3 |
| <i>Spiraea tomentosa</i> 'Alba' White Hard Hack | DS | 1.27 | R1 | 3 | 4-8 | | 0.51 | 3 |
| <i>Spiraea tomentosa</i> 'Rosea' Rosea Hard Hack | DS | 1.27 | R1 | 3 | 4-8 | | 0.51 | 3 |
| <i>Spiraea trilobata</i> Threelobe Spirea | DS | 1.02 | R1 | 3 | 4-8 | | 0.79 | 3 |
| <i>Spiraea trilobata</i> 'Fairy Queen' Fairy Queen Threelobe Spirea | DS | 1.02 | R1 | 3 | 4-8 | | 0.66 | 3 |
| <i>Spiraea trilobata</i> 'Swan Lake' Swan Lake Threelobe Spirea | DS | 1.02 | R1 | 3 | 4-8 | | 0.91 | 3 |
| <i>Spiraea</i> x <i>vanhouttei</i> Vanhoutte Spirea | DS | 0.78 | R1 | 3-4 | 5-8 | | 0.66 | 3 |
| <i>Spiraea</i> x <i>vanhouttei</i> 'Firegold' See - <i>Spiraea</i> x <i>vanhouttei</i> 'Levgold' P.P. 19308 | | | | | | | | |
| <i>Spiraea</i> x <i>vanhouttei</i> 'Levgold' P.P. 19308 First Editions™ Firegold™ Spirea | DS | 1.43 | R1 | 3-5 | 6-8 | | 0.75 | 5 |
| <i>Spiraea</i> x <i>vanhouttei</i> 'Renaissance' Renaissance Vanhoutte Spirea | DS | 0.97 | R1 | 3-4 | 5-8 | | 0.83 | 3 |
| <i>Spiranthes cernua</i> Lady's Tresses | FO | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Spiranthes cernua</i> var. <i>odorata</i> Fragrant Lady's Tresses | FO | 0.92 | R1 | 3-4 | 5-8 | | 1.00 | 3 |
| <i>Spiranthes odorata</i> See - <i>Spiranthes cernua</i> var. <i>odorata</i> | | | | | | | | |
| <i>Spodiopogon sibericus</i> Silver Spikegrass | HP | 0.99 | R1 | 3-4 | 5-8 | | | |
| <i>Sporobolus airoides</i> Alkalai Dropseed | HP | 0.65 | R2 | 5-7 | 8 | | | |
| <i>Sporobolus heterolepis</i> Prairie Dropseed | HP | 1.24 | R2 | 5-6 | 7-8 | | | |
| <i>Sporobolus virginicus</i> Seashore Dropseed | HP | 0.58 | R2 | 5-6 | 7-8 | | | |
| <i>Sporobolus wrightii</i> Giant Sacaton Grass | HP | 1.62 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Sprekelia formosissima</i> Aztec Lily | HP | 1.32 | R2 | 7-8 | | | | |
| <i>Stachys byzantina</i> Lamb's Ears | HP | 0.78 | R2 | 4-5 | 6-8 | | | |
| <i>Stachys byzantina</i> 'Cotton Boll' Cotton Boll Lamb's Ears | HP | 0.87 | R2 | 4-5 | 6-8 | | | |
| <i>Stachys byzantina</i> 'Countess Helene von Stein' Countess Helene von Stein Lamb's Ears | HP | 0.76 | R2 | 4-5 | 6-8 | | | |
| <i>Stachys byzantina</i> 'Primrose Heron' Primrose Heron Lamb's Ears | HP | 0.95 | R2 | 4-5 | 6-8 | | | |
| <i>Stachys byzantina</i> 'Silver Carpet' Silver Carpet Lamb's Ears | HP | 0.97 | R2 | 4-5 | 6-8 | | | |
| <i>Stachys candida</i> No Common Name Found | HP | 1.00 | R2 | 4-5 | 6-8 | | | |
| <i>Stachys coccinea</i> Scarlet Hedge-nettle | HP | 0.78 | R2 | 5-7 | 8 | | | |
| <i>Stachys densiflora</i> See - <i>Stachys monieri</i> | | | | | | | | |
| <i>Stachys grandiflora</i> Big Betony | HP | 1.19 | R2 | 4-5 | 6-8 | | | |
| <i>Stachys grandiflora</i> 'Superba' Superba Big Betony | HP | 1.19 | R2 | 4-5 | 6-8 | | | |
| <i>Stachys iva</i> No Common Name Found | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Stachys lanata</i> See - <i>Stachys byzantina</i> | | | | | | | | |
| <i>Stachys monieri</i> No Common Name Found | HP | 0.86 | R2 | 4-5 | 6-8 | | | |
| <i>Stachys monieri</i> 'Hummelo' Hummelo Betony | HP | 0.86 | R2 | 4-5 | 6-8 | | | |
| <i>Stachys officinalis</i> Common Betony | HP | 1.05 | R2 | 4-5 | 6-8 | | | |
| <i>Stachys officinalis</i> 'Rosea Superba' Rosea Superba Wood Betony | HP | 1.05 | R2 | 4-5 | 6-8 | | | |
| <i>Stachys thirkei</i> No Common Name Found | HP | 0.80 | R2 | 5-8 | | | | |
| <i>Stachyurus praecox</i> Spiketail | HP | 1.14 | R2 | 6-7 | 8 | | | |
| <i>Stachyurus praecox</i> var. <i>matsuzakii</i> No Common Name Found | HP | 0.85 | R2 | 6-7 | 8 | | | |
| <i>Stahlianthus involucratus</i> No Common Name Found | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Stangeria eriopus</i> Hottentot's Head | PC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Stangeria paradoxa</i> See - <i>Stangeria eriopus</i> | | | | | | | | |
| <i>Stanhopea embreei</i> No Common Name Found | FO | 9.80 | R2 | 8 | | | 1.00 | 10 |
| <i>Stanhopea embreei</i> 'Tropical Splendor' Tropical Splendor Orchid | FO | 9.80 | R2 | 8 | | | 1.00 | 10 |
| <i>Stanhopea gibbosa</i> No Common Name Found | FO | 3.33 | R2 | 8 | | | 1.00 | 10 |
| <i>Stanhopea inodora</i> Stanhopea inodora | FO | 4.44 | R2 | 8 | | | 1.00 | 10 |
| <i>Stanhopea inodora</i> 'Alba' No Common Name Found | FO | 4.44 | R2 | 8 | | | 1.00 | 10 |
| <i>Stanhopea oculata</i> No Common Name Found | FO | 4.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Stanhopea panamensis</i> No Common Name Found | FO | 3.56 | R2 | 8 | | | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Stanhopea panamensis</i> 'Chocolate Mint' Chocolate Mint Orchid | FO | 3.56 | R2 | 8 | | | 1.00 | 10 |
| <i>Stanhopea tigrina</i> El Toro Orchid | FO | 3.89 | R2 | 8 | | | 1.00 | 10 |
| <i>Stanhopea tigrina</i> 'Glory of Mexico' Glory of Mexico Orchid | FO | 3.89 | R2 | 8 | | | 1.00 | 10 |
| <i>Stanhopea tricornis</i> Three-Horned Stanhopea Orchid | FO | 5.56 | R2 | 8 | | | 1.00 | 10 |
| <i>Stapelia gigantea</i> Giant Starfish Flower | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Staphylea trifolia</i> American Bladdernut | DT | 1.00 | R2 | 3-5 | 6-8 | 1.00 | 1.82 | 5 |
| <i>Statice gmelinii</i> See - <i>Limonium gmelinii</i> | | | | | | | | |
| <i>Statice latifolium</i> See - <i>Limonium latifolium</i> | | | | | | | | |
| <i>Statice perezii</i> See - <i>Limonium perezii</i> | | | | | | | | |
| <i>Stemodia tomentosa</i> Woolly Stemodia | GC | 0.46 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Stenoglottis longifolia</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Stenomesson variegatum</i> No Common Name Found | HP | 1.03 | R2 | 8 | | | | |
| <i>Stenotus acaulis</i> No Common Name Found | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Stephanandra incisa</i> Cutleaf Stephanandra | DS | 1.08 | R1 | 3-5 | 6-8 | | 1.15 | 5 |
| <i>Stephanandra incisa</i> 'Crispa' Crisp Cutleaf Stephanandra | DS | 1.08 | R1 | 3-5 | 6-8 | | 1.15 | 5 |
| <i>Stevia rebaudiana</i> Caa-ehe | AN | 0.98 | R2 | 8 | | | | |
| <i>Stewartia koreana</i> See - <i>Stewartia pteropetiolata</i> var. <i>koreana</i> | | | | | | | | |
| <i>Stewartia malacodendron</i> Silky Stewartia | DS | 0.82 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Stewartia monadelphae</i> Tall Stewartia | DT | 0.61 | R1 | 5-6 | 7-8 | 1.02 | 1.70 | 6 |
| <i>Stewartia ovata</i> Mountain Stewartia | DS | 1.58 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Stewartia pseudocamellia</i> Japanese Stewartia | DT | 1.71 | R1 | 4-5 | 6-8 | 1.96 | 1.90 | 5 |
| <i>Stewartia pteropetiolata</i> var. <i>koreana</i> Korean Stewartia | BS | 2.04 | R2 | 4-5 | 6-8 | | 0.49 | 5 |
| <i>Stewartia rostrata</i> Rostrata Japanese Stewartia | DT | 1.00 | R1 | 5-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Stewartia sinensis</i> Chinese Stewartia | DT | 2.10 | R1 | 5-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Stewartia gemmata</i> See - <i>Stewartia sinensis</i> | | | | | | | | |
| <i>Stictocardia beraviensis</i> African Morning Glory | HP | 1.03 | R2 | 8 | | | | |
| <i>Stipa arundinacea</i> See - <i>Anemanthele lessoniana</i> | | | | | | | | |
| <i>Stipa capillata</i> No Common Name Found | HP | 0.91 | R2 | 6-7 | 8 | | | |
| <i>Stipa cernua</i> Nodding Feather Grass | HP | 0.64 | R2 | 6-7 | 8 | | | |
| <i>Stipa gigantea</i> Giant Feather Grass | HP | 0.81 | R2 | 6-7 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Stipa pennata</i> European Feather Grass | HP | 1.63 | R2 | 6-7 | 8 | | | |
| <i>Stipa pulchra</i> See - <i>Nassella pulchra</i> | | | | | | | | |
| <i>Stipa ramosissima</i> Pillar of Smoke | HP | 0.64 | R2 | 6-8 | | | | |
| <i>Stipa spartea</i> Porcupine Grass | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Stipa tenuissima</i> Mexican Feather Grass | HP | 1.23 | R2 | 6-7 | 8 | | | |
| <i>Stokesia laevis</i> Stokes' Aster | HP | 0.77 | R2 | 3-5 | 6-8 | | | |
| <i>Stokesia laevis</i> 'Alba' White Stokes' Aster | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Stokesia laevis</i> 'Blue Danube' Blue Danube Stokes' Aster | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Stokesia laevis</i> 'Blue Moon' Blue Moon Stokes' Aster | HP | 0.91 | R2 | 3-5 | 6-8 | | | |
| <i>Stokesia laevis</i> 'Colorwheel' P.P. 12718 Colorwheel Stokes' Aster | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| <i>Stokesia laevis</i> 'Good-n-Purple' Good-n-Purple Stokes' Aster | HP | 0.90 | R2 | 3-5 | 6-8 | | | |
| <i>Stokesia laevis</i> 'Honeysong Purple' P.P.A.F. Honeysong Purple Stokes' Aster | HP | 1.18 | R2 | 3-5 | 6-8 | | | |
| <i>Stokesia laevis</i> 'Klaus Jelitto' Klaus Jelitto Stokes' Aster | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Stokesia laevis</i> 'Mary Gregory' Mary Gregory Stokes' Aster | HP | 0.91 | R2 | 3-5 | 6-8 | | | |
| <i>Stokesia laevis</i> 'Omega Skyrocket' Omega Skyrocket Stokes' Aster | HP | 0.99 | R2 | 3-5 | 6-8 | | | |
| <i>Stokesia laevis</i> 'Peach Melba' Peach Melba Stokes' Aster | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Stokesia laevis</i> 'Peachie's Pick' Peachie's Pick Stokes' Aster | HP | 1.06 | R2 | 3-5 | 6-8 | | | |
| <i>Stokesia laevis</i> 'Purple Parasols' P.P. 10660 Purple Parasols Stokes' Aster | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Stokesia laevis</i> 'Silver Moon' Silver Moon Stokes' Aster | HP | 0.81 | R2 | 3-5 | 6-8 | | | |
| <i>Stokesia laevis</i> 'Traumerei' White Star Stokes' Aster | HP | 0.91 | R2 | 3-5 | 6-8 | | | |
| <i>Stokesia laevis</i> 'White Star' See - <i>Stokesia laevis</i> 'Traumerei' | | | | | | | | |
| <i>Stokesia laevis</i> 'Wyoming' Wyoming Stokes' Aster | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Stranvaesia davidiana</i> See - <i>Photinia davidiana</i> | | | | | | | | |
| <i>Strelitzia nicolai</i> Bird of Paradise Tree | FO | 0.86 | R2 | 8 | | | 0.90 | 9 |
| <i>Strelitzia reginae</i> Bird of Paradise Flower | HP | 0.98 | R2 | 8 | | | | |
| <i>Strelitzia reginae</i> 'Kirstenbosch Gold' Kirstenbosch Gold Bird of Paradise | HP | 2.08 | R2 | 8 | | | | |
| <i>Streptocarpus</i> Cape Primrose | HP | 0.80 | R2 | 8 | | | | |
| <i>Streptocarpus</i> 'Bavarian Series' Bavarian Series Cape Primrose | HP | 0.80 | R2 | 8 | | | | |
| <i>Streptocarpus</i> 'Concord Blue' Concord Blue Cape Primrose | HP | 0.80 | R2 | 8 | | | | |
| <i>Streptocarpus</i> 'Olympus Series' Olympus Series Cape Primrose | HP | 0.80 | R2 | 8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Streptosolen jamesonii</i> Orange Browallia | BS | 0.55 | R2 | 8 | | | 1.00 | 9 |
| <i>Strobilanthes dyerianus</i> Persian Shield | BS | 0.68 | R2 | 8 | | | 1.00 | 10 |
| <i>Strobilanthes lactatus</i> White-veined Strobe | BS | 0.70 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Stromanthe sanguinea</i> No Common Name Found | FO | 0.90 | R2 | 8 | | | 1.00 | 9 |
| <i>Stromanthe sanguinea</i> 'Triostar' Triostar Stromanthe | FO | 1.13 | R2 | 8 | | | 1.00 | 9 |
| <i>Stylidium adnatum</i> No Common Name Found | HP | 0.69 | R2 | 8 | | | | |
| <i>Stylophorum diphyllum</i> Celandine Poppy | HP | 0.99 | R2 | 4-6 | 7-8 | | | |
| <i>Styphnolobium japonicum</i> Japanese Pagodatree | DT | 0.89 | R1 | 4-6 | 7-8 | 1.11 | 3.61 | 5 |
| <i>Styphnolobium japonicum</i> 'Halka' P.P. 7554 Millstone™ Japanese Pagodatree | DT | 1.60 | R1 | 4-6 | 7-8 | 1.35 | 3.61 | 5 |
| <i>Styphnolobium japonicum</i> 'PNI 5625' P.P. 2338 Regent® Japanese Pagodatree | DT | 1.42 | R1 | 4-6 | 7-8 | 1.33 | 0.93 | 5 |
| <i>Styphnolobium japonicum</i> 'Pendula' Weeping Japanese Pagodatree | DT | 1.31 | R1 | 4-6 | 7-8 | 1.24 | 6.29 | 5 |
| <i>Styphnolobium japonicum</i> 'Princeton Upright' P.P. 5524 Princeton Upright Japanese Pagodatree | DT | 1.31 | R1 | 4-6 | 7-8 | 1.16 | 3.61 | 5 |
| <i>Styphnolobium japonicum</i> 'Regent' See - <i>Styphnolobium japonicum</i> 'PNI 5625' P.P. 2338 | | | | | | | | |
| <i>Styphnolobium japonicum</i> 'Millstone' See - <i>Styphnolobium japonicum</i> 'Halka' P.P. 7554 | | | | | | | | |
| <i>Styrax americanus</i> No Common Name Found | DT | 0.62 | R1 | 5-6 | 7-8 | 0.78 | 0.94 | 6 |
| <i>Styrax grandifolius</i> Bigleaf Snowbell | DS | 0.85 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Styrax japonicus</i> Japanese Snowbell | DS | 1.22 | R1 | 4-5 | 6-8 | | 0.97 | 5 |
| <i>Styrax japonicus</i> 'Carillon' Carillon Japanese Snowbell | DS | 0.93 | R1 | 4-5 | 6-8 | | 1.69 | 5 |
| <i>Styrax japonicus</i> 'Emerald Pagoda' Emerald Pagoda Japanese Snowbell | DS | 1.39 | R1 | 4-5 | 6-8 | | 1.01 | 5 |
| <i>Styrax japonicus</i> 'JFS-D' Snowcone™ Japanese Snowbell | DS | 1.36 | R1 | 4-5 | 6-8 | | 0.85 | 5 |
| <i>Styrax japonicus</i> 'JFS-E' Snow Charm® Snowbell | DS | 1.33 | R1 | 4-5 | 6-8 | | 0.63 | 5 |
| <i>Styrax japonicus</i> 'Kusan' Kusan Japanese Snowbell | DS | 1.32 | R1 | 4-5 | 6-8 | | 1.06 | 5 |
| <i>Styrax japonicus</i> 'Pendula' Weeping Japanese Snowbell | DS | 1.32 | R1 | 4-5 | 6-8 | | 1.06 | 5 |
| <i>Styrax japonicus</i> 'Pink Chimes' Pink Chimes Japanese Snowbell | DS | 1.66 | R1 | 4-5 | 6-8 | | 1.19 | 5 |
| <i>Styrax japonicus</i> 'Roseus' Rose Japanese Snowbell | DS | 1.32 | R1 | 4-5 | 6-8 | | 1.06 | 5 |
| <i>Styrax japonicus</i> 'Snow Charm' See - <i>Styrax japonicus</i> 'JFS-E' | | | | | | | | |
| <i>Styrax japonicus</i> 'Snowcone' See - <i>Styrax japonicus</i> 'JFS-D' | | | | | | | | |
| <i>Styrax obassia</i> Fragrant Snowbell | DT | 1.19 | R1 | 5-6 | 7-8 | 1.20 | 1.67 | 5 |
| <i>Styrax officinale</i> No Common Name Found | DS | 1.06 | R1 | 7-8 | | | 1.00 | 9 |
| <i>Succisa pratensis</i> Devil's Bit Scabious | HP | 1.00 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|-------------|---------|------------|
| | | Factor | SK | Req | Not Req | Caliper | |
| <i>Sutera</i> Bacopa | HP | 1.00 | R2 | 6-8 | | | |
| <i>Sutera</i> 'Abunda Blue Improved' See - <i>Sutera</i> 'Balablim' P.P. 16666 | | | | | | | |
| <i>Sutera</i> 'Balablim' P.P. 16666 Abunda™ Blue Water Hyssop | HP | 1.00 | R2 | 8 | | | |
| <i>Sutera cordata</i> No Common Name Found | HP | 0.69 | R2 | 8 | | | |
| <i>Sutera cordata</i> 'Abunda Jumbo White' Abunda™ Jumbo White Water Hyssop | HP | 0.69 | R2 | 8 | | | |
| <i>Sutera cordata</i> 'Blizzard' P.P. 10966 Snowstorm® White Water Hyssop | HP | 0.61 | R2 | 6-8 | | | |
| <i>Sutera cordata</i> 'Giant Snowflake' See - <i>Sutera cordata</i> 'Novasnow' P.P. 12026 | | | | | | | |
| <i>Sutera cordata</i> 'Novasnow' P.P. 12026 Giant Snowflake Bacopa | HP | 0.76 | R2 | 8 | | | |
| <i>Sutera cordata</i> 'Snowstorm White' See - <i>Sutera cordata</i> 'Blizzard' P.P. 10966 | | | | | | | |
| <i>Sutherlandia frutescens</i> Balloon Pea | BS | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Swainsona galegifolia</i> Swan Flower | HP | 0.84 | R2 | 8 | | | |
| <i>Syagrus amara</i> Overtop Palm | PC | 1.64 | R2 | 8 | | 1.20 | 10 |
| <i>Syagrus botryophora</i> Patioba Palm | PC | 2.63 | R2 | 8 | | 1.42 | 10 |
| <i>Syagrus campylospatha</i> Yatay Palm | PC | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Syagrus coronata</i> Licury Palm | PC | 1.09 | R2 | 8 | | 1.88 | 9 |
| <i>Syagrus flexuosa</i> Acuma Palm | PC | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Syagrus macrocarpa</i> Maria Rosa Palm | PC | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Syagrus oleracea</i> Lent Coconut | PC | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Syagrus picrophylla</i> See - <i>Syagrus oleracea</i> | | | | | | | |
| <i>Syagrus pseudococos</i> Coco Verde Palm | PC | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Syagrus romansoffianum</i> var. <i>botryophora</i> See - <i>Syagrus botryophora</i> | | | | | | | |
| <i>Syagrus romanzoffiana</i> Queen Palm | PC | 0.67 | R2 | 8 | | 0.51 | 9 |
| <i>Syagrus ruschiana</i> Rock Coconut | PC | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Syagrus sancona</i> Giant Foxtail Palm | PC | 1.17 | R2 | 8 | | 0.77 | 9 |
| <i>Syagrus schizophylla</i> Arikury Palm | PC | 0.92 | R2 | 8 | | 1.39 | 10 |
| x <i>Sycoparrotia semidecidua</i> Sycoparrotia | BS | 1.00 | R2 | 5-7 | 8 | 1.00 | 7 |
| <i>Symphoricarpos albus</i> Common Snowberry | DS | 0.95 | R1 | 3 | 4-7 | 0.72 | 3 |
| <i>Symphoricarpos albus</i> 'Bokrabright' P.P. 14570 Bright Fantasy™ Snowberry | DS | 1.09 | R1 | 3 | 4-7 | 0.72 | 3 |
| <i>Symphoricarpos albus</i> 'Bright Fantasy' See - <i>Symphoricarpos albus</i> 'Bokrabright' P.P. 14570 | | | | | | | |
| <i>Symphoricarpos albus</i> 'Charming Fantasy' See - <i>Symphoricarpos albus</i> 'Kolcharm' P.P. 13204 | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Symphoricarpos albus</i> 'Kolcharm' P.P. 13204 Charming Fantasy™ Snowberry | DS | 1.09 | R1 | 3 | 4-7 | | 0.72 | 3 |
| <i>Symphoricarpos albus</i> 'Ovatus' Ovatus Common Snowberry | DS | 1.06 | R1 | 3 | 4-7 | | 0.72 | 3 |
| <i>Symphoricarpos albus</i> 'Scarlet Pearl' P.P. 13244 Scarlet Pearl Snowberry | DS | 1.09 | R1 | 3 | 4-7 | | 0.72 | 3 |
| <i>Symphoricarpos albus</i> var. <i>laevigatus</i> Garden Common Snowberry | DS | 1.48 | R1 | 3 | 4-7 | | 1.00 | 3 |
| <i>Symphoricarpos</i> x <i>chenaultii</i> Chenault Coralberry | DS | 1.01 | R1 | 3-4 | 5-8 | | 0.57 | 4 |
| <i>Symphoricarpos</i> x <i>chenaultii</i> 'Hancock' Hancock Chenault Coralberry | DS | 1.03 | R1 | 3-4 | 5-8 | | 0.47 | 4 |
| <i>Symphoricarpos</i> x <i>doorenbosii</i> Doorenbos Hybrid Coralberry | DS | 1.19 | R1 | 3-4 | 5-8 | | 0.94 | 4 |
| <i>Symphoricarpos</i> x <i>doorenbosii</i> 'Amethyst' See - <i>Symphoricarpos</i> x <i>doorenbosii</i> 'Kordes' | DS | 1.11 | R1 | 3 | 4-7 | | 0.85 | 3 |
| <i>Symphoricarpos</i> x <i>doorenbosii</i> 'Ariso' P.P.A.F. Marleen™ Doorenbos Hybrid Coralberry | DS | 1.31 | R1 | 3 | 4-7 | | 1.58 | 3 |
| <i>Symphoricarpos</i> x <i>doorenbosii</i> 'Kordes' Amethyst™ Doorenbos Hybrid Coralberry | DS | 1.15 | R1 | 3-4 | 5-7 | | 0.38 | 4 |
| <i>Symphoricarpos</i> x <i>doorenbosii</i> 'Magic Berry' Magic Berry Doorenbos Hybrid Coralberry | DS | 1.19 | R1 | 3-4 | 5-7 | | 0.94 | 4 |
| <i>Symphoricarpos</i> x <i>doorenbosii</i> 'Marleen' See - <i>Symphoricarpos</i> x <i>doorenbosii</i> 'Ariso' P.P.A.F. | DS | 1.34 | R1 | 3-7 | 8 | | 1.00 | 7 |
| <i>Symphoricarpos</i> x <i>doorenbosii</i> 'White Hedge' White Hedge Coralberry | DS | 1.12 | R1 | | 3-8 | | 1.14 | 2 |
| <i>Symphoricarpos mollis</i> Spreading Snowberry | DS | 1.07 | R1 | | 3-8 | | 1.14 | 2 |
| <i>Symphoricarpos orbiculatus</i> Indiancurrant Coralberry | DS | 1.06 | R1 | | 3-8 | | 1.14 | 2 |
| <i>Symphoricarpos orbiculatus</i> 'Aureovariegatus' Goldnet Indiancurrent Coralberry | DS | 1.06 | R1 | | 3-8 | | 1.14 | 2 |
| <i>Symphoricarpos orbiculatus</i> 'Spun Sugar' Spun Sugar Indiancurrant Coralberry | DS | 0.97 | R1 | 4-6 | 7-8 | | 1.00 | 5 |
| <i>Symphoricarpos oreophilus</i> Mountain Snowberry | DS | 1.00 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Symphoricarpos rotundifolius</i> Roundleaf Snowberry | HP | 0.73 | R2 | 3-4 | 5-8 | | | |
| <i>Symphyandra hoffmanii</i> No Common Name Found | HP | 0.64 | R2 | 4-6 | 7-8 | | | |
| <i>Symphyandra pendula</i> No Common Name Found | HP | 0.54 | R2 | 5-7 | 8 | | | |
| <i>Symphyotrichum subspicatum</i> var. <i>subspicatum</i> Douglas Aster | HP | 1.50 | R2 | 3-5 | 6-8 | | | |
| <i>Symphytum</i> Comfrey | HP | 1.50 | R2 | 3-5 | 6-8 | | | |
| <i>Symphytum</i> 'Goldsmith' Goldsmith Comfrey | HP | 1.50 | R2 | 3-5 | 6-8 | | | |
| <i>Symphytum</i> 'Hidcote Blue' Hidcote Blue Comfrey | HP | 1.20 | R2 | 3-5 | 6-8 | | | |
| <i>Symphytum caucasicum</i> Caucasian Comfrey | HP | 0.85 | R2 | 3-5 | 6-8 | | | |
| <i>Symphytum grandiflorum</i> Large-flowered Comfrey | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Symphytum officinale</i> Common Comfrey | HP | 0.92 | R2 | 3-5 | 6-8 | | | |
| <i>Symphytum</i> x <i>rubrum</i> Red-flowered Comfrey | HP | 2.33 | R2 | 3-4 | 5-8 | | | |
| <i>Symphytum</i> x <i>uplandicum</i> Russian Comfrey | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Symphytum x uplandicum</i> 'Variegatum' Variatated Russian Comfrey | HP | 2.33 | R2 | 3-4 | 5-8 | | | |
| <i>Symplocarpus foetidus</i> Skunk Cabbage | HP | 1.43 | R2 | 3-4 | 5-8 | | | |
| <i>Symplocos paniculata</i> Sapphireberry | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Syngonium</i> African Evergreen | FO | 0.59 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium</i> 'Bob White' P.P. 9894 Bob White African Evergreen | FO | 0.59 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium</i> 'Regina Red' Regina Red African Evergreen | FO | 0.59 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium</i> 'Totems' Totems African Evergreen | FO | 0.59 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> Nephtyitis | FO | 0.16 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Banana Cream Allusion' Banana Cream Allusion® African Evergreen | FO | 0.52 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Berry Allusion' Berry Allusion® African Evergreen | FO | 0.52 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Bing Cherry Allusion' Bing Cherry Allusion® African Evergreen | FO | 0.52 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Bob Allusion' Bob Allusion® African Evergreen | FO | 0.59 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Bold Allusion' Bold Allusion® African Evergreen | FO | 0.52 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Butterfly Allusion' Butterfly Allusion® African Evergreen | FO | 0.52 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Cream Allusion' Cream Allusion® African Evergreen | FO | 0.52 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Exotic Allusion' Exotic Allusion® African Evergreen | FO | 0.52 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Freckles Allusion' Freckles Allusion® African Evergreen | FO | 0.52 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Gold Allusion' Gold Allusion® African Evergreen | FO | 0.52 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Hillary Allusion' Hillary Allusion® African Evergreen | FO | 0.52 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Julia Allusion' Julia Allusion® African Evergreen | FO | 0.52 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Mango Allusion' Mango Allusion® African Evergreen | FO | 0.52 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Maria Allusion' Maria Allusion® African Evergreen | FO | 0.52 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Painted Arrow Allusion' Painted Arrow Allusion® African Evergreen | FO | 0.52 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Pink Allusion' Pink Allusion® African Evergreen | FO | 0.52 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Pixie' Pixie African Evergreen | FO | 0.79 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Red Banana Allusion' Red Banana Allusion® African Evergreen | FO | 0.52 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'Red Plum Allusion' Red Plum Allusion® African Evergreen | FO | 0.52 | R2 | 8 | | | 1.00 | 9 |
| <i>Syngonium podophyllum</i> 'White Butterfly' White Butterfly African Evergreen | FO | 0.52 | R2 | 8 | | | 1.00 | 9 |
| <i>Synsepalum dulcificum</i> Miracle Fruit | BS | 1.53 | R2 | 8 | | | 1.00 | 10 |
| <i>Synthyris missurica</i> No Common Name Found | HP | 1.00 | R2 | | 3-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Synthlipsis reniformis</i> Snow-queen | HP | 0.50 | R2 | 5-7 | 8 | | | |
| <i>Syringa</i> Lilac | DS | 1.28 | R1 | | 3-8 | | 1.04 | 2 |
| <i>Syringa</i> 'Aladdin' Aladdin Lilac | DS | 1.28 | R1 | | 3-8 | | 0.74 | 2 |
| <i>Syringa</i> 'Alexander's Pink' Alexander's Pink Lilac | DS | 0.63 | R1 | 3 | 4-8 | | 0.55 | 3 |
| <i>Syringa</i> 'Bailbelle' P.P. 12294 Tinkerbelle™ Lilac | DS | 1.39 | R1 | 3 | 4-8 | | 1.38 | 3 |
| <i>Syringa</i> 'Baildust' P.P. 15152 Fairy Dust™ Lilac | DS | 1.35 | R2 | 3 | 4-8 | | 1.04 | 3 |
| <i>Syringa</i> 'Bailina' P.P. 16662 Thumbelina™ Lilac | DS | 1.57 | R2 | 3 | 4-8 | | 1.04 | 3 |
| <i>Syringa</i> 'Bailming' P.P. 16349 Prince Charming™ Lilac | DS | 1.62 | R2 | 3 | 4-8 | | 1.04 | 3 |
| <i>Syringa</i> 'Bailsugar' P.P. 15588 Sugar Plum Fairy™ Lilac | DS | 1.52 | R2 | 3 | 4-8 | | 1.04 | 3 |
| <i>Syringa</i> 'Betsy Ross' Betsy Ross Lilac | DS | 1.25 | R2 | 3-4 | 5-8 | | 1.04 | 4 |
| <i>Syringa</i> 'Fairy Dust' See - <i>Syringa</i> 'Baildust' P.P. 15152 | | | | | | | | |
| <i>Syringa</i> 'Germinal' Germinal Lilac | DS | 0.87 | R1 | 3-4 | 5-8 | | 1.04 | 4 |
| <i>Syringa</i> 'Hedin' Hedin Lilac | DS | 1.28 | R1 | | 3-8 | | 1.04 | 2 |
| <i>Syringa</i> 'Minuet' Minuet Lilac | DS | 1.24 | R1 | | 3-8 | | 1.31 | 2 |
| <i>Syringa</i> 'Miss Canada' Miss Canada Lilac | DS | 1.20 | R1 | | 3-8 | | 1.20 | 2 |
| <i>Syringa</i> 'Prince Charming' See - <i>Syringa</i> 'Bailming' P.P. 16349 | | | | | | | | |
| <i>Syringa</i> 'Red Pixie' Red Pixie Hybrid Lilac | DS | 1.44 | R2 | 3 | 4-8 | | 1.04 | 3 |
| <i>Syringa</i> 'Sugar Plum Fairy' See - <i>Syringa</i> 'Bailsugar' P.P. 15588 | | | | | | | | |
| <i>Syringa</i> 'Thumbelina' See - <i>Syringa</i> 'Bailina' P.P. 16662 | | | | | | | | |
| <i>Syringa</i> 'Tinkerbelle' See - <i>Syringa</i> 'Bailbelle' P.P. 12294 | | | | | | | | |
| <i>Syringa amurensis</i> var. <i>japonica</i> See - <i>Syringa reticulata</i> | | | | | | | | |
| <i>Syringa x chinensis</i> Chinese Lilac | DS | 1.13 | R1 | 3 | 4-8 | | 0.55 | 3 |
| <i>Syringa x chinensis</i> 'Alba' White Chinese Lilac | DS | 1.12 | R1 | 3 | 4-8 | | 0.98 | 3 |
| <i>Syringa x chinensis</i> 'Lilac Sunday' Lilac Sunday Chinese Lilac | DS | 1.19 | R1 | 3 | 4-8 | | 0.50 | 3 |
| <i>Syringa x chinensis</i> 'Saugeana' Saugeana Chinese Lilac | DS | 1.05 | R1 | 3 | 4-8 | | 1.88 | 3 |
| <i>Syringa x henryi</i> Henry Lilac | DS | 0.76 | R1 | 3 | 4-8 | | 0.33 | 3 |
| <i>Syringa x henryi</i> 'Lutece' Lutece Henry Lilac | DS | 0.76 | R1 | 3 | 4-8 | | 0.33 | 3 |
| <i>Syringa x hyacinthiflora</i> Hyacinth Lilac | DS | 1.14 | R1 | 3 | 4-8 | | 0.77 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Anabel' Anabel Early Lilac | DS | 1.28 | R1 | 3 | 4-8 | | 0.70 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Angel White' Angel White Hybrid Lilac | DS | 1.25 | R1 | 3 | 4-8 | | 0.92 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Syringa x hyacinthiflora</i> 'Assissippi' Assissippi Early Lilac | DS | 0.95 | R1 | 3 | 4-8 | | 0.65 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Big Blue' Big Blue Early Lilac | DS | 1.33 | R1 | 3 | 4-8 | | 0.77 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Blanche Sweet' Blanche Sweet Early Lilac | DS | 0.95 | R1 | 3 | 4-8 | | 0.84 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Catinat' Catinat Early Lilac | DS | 1.14 | R1 | 3 | 4-8 | | 0.77 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Doctor Chadwick' Doctor Chadwick Early Lilac | DS | 1.14 | R1 | 3 | 4-8 | | 0.77 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Esther Staley' Esther Staley Early Lilac | DS | 1.48 | R1 | 3 | 4-8 | | 0.52 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Evangeline' Evangeline Early Lilac | DS | 0.81 | R1 | 3 | 4-8 | | 0.77 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Excel' Excel Early Lilac | DS | 0.93 | R1 | 3 | 4-8 | | 0.45 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Fantasy' Fantasy Early Lilac | DS | 0.87 | R1 | 3 | 4-8 | | 0.77 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Lamartine' Lamartine Early Lilac | DS | 1.14 | R1 | 3 | 4-8 | | 0.77 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Lavender Lady' P.P. 1238 Lavender Lady Early Lilac | DS | 1.35 | R1 | 3 | 4-8 | | 0.78 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Louvois' Louvois Early Lilac | DS | 1.14 | R1 | 3 | 4-8 | | 0.77 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Maiden's Blush' Maiden's Blush Early Lilac | DS | 1.15 | R1 | 3 | 4-8 | | 1.06 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Mount Baker' Mount Baker Early Lilac | DS | 1.28 | R1 | 3 | 4-8 | | 0.74 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Necker' Necker Early Lilac | DS | 1.14 | R1 | 3 | 4-8 | | 0.77 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Pocahontas' Pocahontas Early Lilac | DS | 1.20 | R1 | 3 | 4-8 | | 1.02 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Royal Purple' Royal Purple Early Lilac | DS | 1.13 | R1 | 3 | 4-8 | | 0.77 | 3 |
| <i>Syringa x hyacinthiflora</i> 'Turgot' Turgot Early Lilac | DS | 1.14 | R1 | 3 | 4-8 | | 0.77 | 3 |
| <i>Syringa x josiflexa</i> No Common Name Found | DS | 0.96 | R2 | 3-4 | 5-8 | | 2.50 | 4 |
| <i>Syringa x josiflexa</i> 'James Macfarlane' James Macfarlane Hybrid Lilac | DS | 1.06 | R2 | 3-4 | 5-8 | | 0.91 | 4 |
| <i>Syringa x josiflexa</i> 'Nellie Bean' Nellie Bean Hybrid Lilac | DS | 0.96 | R2 | 3-4 | 5-8 | | 1.35 | 4 |
| <i>Syringa x josiflexa</i> 'Redwine' Redwine Hybrid Lilac | DS | 0.96 | R2 | 3-4 | 5-8 | | 1.35 | 4 |
| <i>Syringa x josiflexa</i> 'Royalty' Royalty Hybrid Lilac | DS | 1.12 | R2 | 3-4 | 5-8 | | 0.64 | 4 |
| <i>Syringa josikaea</i> Hungarian Lilac | DS | 1.00 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Syringa julianae</i> No Common Name Found | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Syringa julianae</i> 'George Eastman' George Eastman Lilac | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Syringa komarowii</i> ssp. <i>reflexa</i> Nodding Lilac | DS | 1.00 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Syringa x laciniata</i> Cutleaf Lilac | DS | 1.31 | R1 | 3-4 | 5-8 | | 0.58 | 4 |
| <i>Syringa meyeri</i> Korean Lilac | DS | 0.92 | R1 | 3 | 4-8 | | 1.06 | 3 |
| <i>Syringa meyeri</i> 'Palibin Pink' Pink Dwarf Korean Lilac | DS | 1.30 | R1 | 3 | 4-8 | | 1.17 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|-------------|----------------------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Caliper | Factors High/Wide | |
| <i>Syringa meyeri</i> 'Palibin' Dwarf Korean Lilac | DS | 1.26 | R1 | 3 | 4-8 | | 1.27 | 3 |
| <i>Syringa microphylla</i> See - <i>Syringa pubescens</i> ssp. <i>microphylla</i> | | | | | | | | |
| <i>Syringa oblata</i> Early Lilac | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.35 | 4 |
| <i>Syringa oblata</i> ssp. <i>dilatata</i> Korean Early Lilac | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Syringa oblata</i> ssp. <i>dilatata</i> 'Cheyenne' Cheyenne Korean Early Lilac | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Syringa patula</i> See - <i>Syringa pubescens</i> ssp. <i>patula</i> | | | | | | | | |
| <i>Syringa pekinensis</i> See - <i>Syringa reticulata</i> ssp. <i>pekinensis</i> | | | | | | | | |
| <i>Syringa xpersica</i> Persian Lilac | DS | 0.94 | R1 | 3 | 4-8 | | 0.72 | 3 |
| <i>Syringa xpersica</i> 'Alba' White Persian Lilac | DS | 0.71 | R1 | 3 | 4-8 | | 0.72 | 3 |
| <i>Syringa xprestoniae</i> Preston Lilac | DS | 1.02 | R1 | | 3-8 | | 0.86 | 2 |
| <i>Syringa xprestoniae</i> 'Agnes Smith' Agnes Smith Preston Lilac | DS | 0.98 | R1 | | 3-8 | | 0.82 | 2 |
| <i>Syringa xprestoniae</i> 'Coral' Coral Preston Lilac | DS | 1.02 | R1 | | 3-8 | | 0.82 | 2 |
| <i>Syringa xprestoniae</i> 'Donald Wyman' Donald Wyman Preston Lilac | DS | 1.09 | R1 | | 3-8 | | 1.04 | 2 |
| <i>Syringa xprestoniae</i> 'Ethel M. Webster' Ethel M. Webster Preston Lilac | DS | 1.02 | R1 | | 3-8 | | 0.82 | 2 |
| <i>Syringa xprestoniae</i> 'Handel' Handel Preston Lilac | DS | 1.02 | R1 | | 3-8 | | 0.82 | 2 |
| <i>Syringa xprestoniae</i> 'Hiawatha' Hiawatha Preston Lilac | DS | 1.08 | R1 | | 3-8 | | 1.07 | 2 |
| <i>Syringa xprestoniae</i> 'Isabella' Isabella Preston Lilac | DS | 0.87 | R1 | | 3-8 | | 0.74 | 2 |
| <i>Syringa xprestoniae</i> 'Nocturne' Nocturne Preston Lilac | DS | 1.08 | R1 | | 3-8 | | 0.38 | 2 |
| <i>Syringa pubescens</i> ssp. <i>microphylla</i> Littleleaf Lilac | DS | 1.15 | R1 | 3-5 | 6-8 | | 1.09 | 5 |
| <i>Syringa pubescens</i> ssp. <i>microphylla</i> 'Josee' Josee Littleleaf Lilac | DS | 1.15 | R1 | 3-5 | 6-8 | | 1.09 | 5 |
| <i>Syringa pubescens</i> ssp. <i>microphylla</i> 'Superba' Superba Littleleaf Lilac | DS | 1.15 | R1 | 3-5 | 6-8 | | 1.09 | 5 |
| <i>Syringa pubescens</i> ssp. <i>patula</i> Manchurian Lilac | DS | 1.25 | R1 | 3-4 | 5-8 | | 1.24 | 4 |
| <i>Syringa pubescens</i> ssp. <i>patula</i> 'Miss Kim' Miss Kim Manchurian Lilac | DS | 1.13 | R1 | 3-4 | 5-8 | | 1.24 | 4 |
| <i>Syringa reflexa</i> See - <i>Syringa komarowii</i> ssp. <i>reflexa</i> | | | | | | | | |
| <i>Syringa reticulata</i> Japanese Tree Lilac | DS | 1.14 | R1 | 3 | 4-8 | | 1.06 | 3 |
| <i>Syringa reticulata</i> 'Chantilly Lace' Chantilly Lace Japanese Tree Lilac | DS | 1.35 | R1 | 3 | 4-8 | | 1.11 | 3 |
| <i>Syringa reticulata</i> 'Elliot' Snowcap™ Japanese Tree Lilac | DS | 1.48 | R1 | 3 | 4-8 | | 1.11 | 3 |
| <i>Syringa reticulata</i> 'Golden Eclipse' P.P. 15990 Golden Eclipse Japanese Tree Lilac | DS | 1.51 | R1 | 3 | 4-8 | | 1.11 | 3 |
| <i>Syringa reticulata</i> 'Ivory Pillar' See - <i>Syringa reticulata</i> 'Willamette' | | | | | | | | |
| <i>Syringa reticulata</i> 'Ivory Silk' C.O.P.F. Ivory Silk Japanese Tree Lilac | DS | 1.25 | R1 | 3 | 4-8 | | 1.15 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Syringa reticulata</i> 'PNI 5723' Regent® Japanese Tree Lilac | DS | 1.35 | R1 | 3 | 4-8 | | 1.11 | 3 |
| <i>Syringa reticulata</i> 'Regent' See - <i>Syringa reticulata</i> 'PNI 5723' | | | | | | | | |
| <i>Syringa reticulata</i> 'Snowcap' See - <i>Syringa reticulata</i> 'Elliot' | | | | | | | | |
| <i>Syringa reticulata</i> 'Summer Snow' Summer Snow Japanese Tree Lilac | DS | 1.35 | R1 | 3 | 4-8 | | 1.11 | 3 |
| <i>Syringa reticulata</i> 'Willamette' Ivory Pillar™ Japanese Tree Lilac | DS | 1.35 | R1 | 3 | 4-8 | | 1.11 | 3 |
| <i>Syringa reticulata</i> ssp. <i>amurensis</i> Amur Lilac | DS | 1.00 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Syringa reticulata</i> ssp. <i>pekinensis</i> Pekin Lilac | DS | 0.61 | R1 | 3-4 | 5-8 | | 1.75 | 4 |
| <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'Beijing Gold' See - <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'Zang Zhiming' | | | | | | | | |
| <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'Boerner Strain' Boerner Strain Pekin Lilac | DS | 1.14 | R1 | 3-4 | 5-8 | | 1.53 | 4 |
| <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'China Snow' See - <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'Morton' | | | | | | | | |
| <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'Copper Curls' See - <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'SunDak' P.P. 16570 | | | | | | | | |
| <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'DTR 124' P.P. 8951 Summer Charm Pekin Lilac | DS | 1.23 | R1 | 3-4 | 5-8 | | 1.51 | 4 |
| <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'Morton' China Snow™ Pekin Lilac | DS | 1.48 | R1 | 3-4 | 5-8 | | 1.34 | 4 |
| <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'Summer Charm' See - <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'DTR 124' P.P. 8951 | | | | | | | | |
| <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'SunDak' P.P. 16570 Copper Curls® Pekin Lilac | DS | 1.37 | R1 | 3-4 | 5-8 | | 1.53 | 4 |
| <i>Syringa reticulata</i> ssp. <i>pekinensis</i> 'Zang Zhiming' Beijing Gold® Pekin Lilac | DS | 1.00 | R1 | 3-4 | 5-8 | | 1.53 | 4 |
| <i>Syringa rothomagensis</i> See - <i>Syringa x chinensis</i> | | | | | | | | |
| <i>Syringa villosa</i> Late Lilac | DS | 1.12 | R1 | 3 | 4-8 | | 0.57 | 3 |
| <i>Syringa vulgaris</i> Common Lilac | DS | 1.02 | R1 | 3 | 4-8 | | 0.67 | 3 |
| <i>Syringa vulgaris</i> 'Adelaide Dunbar' Adelaide Dunbar Common Lilac | DS | 0.99 | R1 | 3 | 4-8 | | 0.74 | 3 |
| <i>Syringa vulgaris</i> 'Agincourt Beauty' Agincourt Beauty Common Lilac | DS | 1.14 | R1 | 3 | 4-8 | | 0.65 | 3 |
| <i>Syringa vulgaris</i> 'Albert F. Holden' Albert F. Holden Common Lilac | DS | 1.29 | R1 | 3 | 4-8 | | 0.76 | 3 |
| <i>Syringa vulgaris</i> 'Aloise' Aloise Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Alphonse Lavallee' Alphonse Lavallee Common Lilac | DS | 0.87 | R1 | 3 | 4-8 | | 0.90 | 3 |
| <i>Syringa vulgaris</i> 'Ami Schott' Ami Schott Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Andenken an Ludwig Spaeth' Andenken an Ludwig Spaeth Common Lilac | DS | 1.16 | R1 | 3 | 4-8 | | 0.91 | 3 |
| <i>Syringa vulgaris</i> 'Arch McKean' Arch McKean Common Lilac | DS | 1.55 | R1 | 3 | 4-8 | | 1.37 | 3 |
| <i>Syringa vulgaris</i> 'Atheline Wilbur' Atheline Wilbur Common Lilac | DS | 1.01 | R1 | 3 | 4-8 | | 0.83 | 3 |
| <i>Syringa vulgaris</i> 'Aucubaefolia' Aucubaefolia Common Lilac | DS | 1.12 | R1 | 3 | 4-8 | | 0.48 | 3 |
| <i>Syringa vulgaris</i> 'Avalanche' Avalanche Common Lilac | DS | 1.25 | R1 | 3 | 4-8 | | 1.17 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Syringa vulgaris</i> 'Belle de Nancy' Belle de Nancy Common Lilac | DS | 1.09 | R1 | 3 | 4-8 | | 0.76 | 3 |
| <i>Syringa vulgaris</i> 'Blue Skies' See - <i>Syringa vulgaris</i> 'Monore' P.P. 6877 | | | | | | | | |
| <i>Syringa vulgaris</i> 'Charles Joly' Charles Joly Common Lilac | DS | 1.20 | R1 | 3 | 4-8 | | 0.88 | 3 |
| <i>Syringa vulgaris</i> 'Charles X' Charles X Common Lilac | DS | 0.76 | R1 | 3 | 4-8 | | 0.44 | 3 |
| <i>Syringa vulgaris</i> 'Charm' Charm Common Lilac | DS | 1.21 | R1 | 3 | 4-8 | | 0.90 | 3 |
| <i>Syringa vulgaris</i> 'Congo' Congo Common Lilac | DS | 1.06 | R1 | 3 | 4-8 | | 0.86 | 3 |
| <i>Syringa vulgaris</i> 'Dappled Dawn' Dappled Dawn Common Lilac | DS | 1.62 | R1 | 3 | 4-8 | | 1.07 | 3 |
| <i>Syringa vulgaris</i> 'Edith Cavell' Edith Cavell Common Lilac | DS | 1.39 | R1 | 3 | 4-8 | | 0.79 | 3 |
| <i>Syringa vulgaris</i> 'Edmond Boissier' Edmond Boissier Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Edouard Andre' Edouard Andre Common Lilac | DS | 0.87 | R1 | 3 | 4-8 | | 0.44 | 3 |
| <i>Syringa vulgaris</i> 'Edward J. Gardner' Edward J. Gardner Common Lilac | DS | 1.06 | R1 | 3 | 4-8 | | 0.63 | 3 |
| <i>Syringa vulgaris</i> 'Etna' Etna Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'F.K. Smith' F.K. Smith Common Lilac | DS | 0.66 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Fiala Remembrance' Fiala Remembrance Common Lilac | DS | 1.18 | R1 | 3 | 4-8 | | 0.77 | 3 |
| <i>Syringa vulgaris</i> 'Flora 1953' Flora 1953 Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Forrest Kresser Smith' Forrest Kresser Smith Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.55 | 3 |
| <i>Syringa vulgaris</i> 'Frank Paterson' Frank Paterson Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Frederick Law Olmstead' Frederick Law Olmstead Lilac | DS | 0.87 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'General Sheridan' General Sheridan Common Lilac | DS | 0.87 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Georges Bellaire' Georges Bellaire Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Glory' Glory Common Lilac | DS | 1.18 | R1 | 3 | 4-8 | | 1.16 | 3 |
| <i>Syringa vulgaris</i> 'Hugo Koster' Hugo Koster Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Hugo de Vries' Hugo de Vries Common Lilac | DS | 0.74 | R1 | 3 | 4-8 | | 0.44 | 3 |
| <i>Syringa vulgaris</i> 'Hulda' Hulda Common Lilac | DS | 1.14 | R1 | 3 | 4-8 | | 1.02 | 3 |
| <i>Syringa vulgaris</i> 'Katherine Havemeyer' Katherine Havemeyer Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Krasavitsa Moskv'y' Beauty of Moscow Common Lilac | DS | 1.14 | R1 | 3 | 4-8 | | 0.81 | 3 |
| <i>Syringa vulgaris</i> 'Leon Gambetta' Leon Gambetta Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.55 | 3 |
| <i>Syringa vulgaris</i> 'Letha E. House' Letha E. House Common Lilac | DS | 0.94 | R1 | 3 | 4-8 | | 0.77 | 3 |
| <i>Syringa vulgaris</i> 'Lois Amee Utley' Lois Amee Utley Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 1.06 | 3 |
| <i>Syringa vulgaris</i> 'Lucie Baltet' Lucie Baltet Common Lilac | DS | 0.87 | R1 | 3 | 4-8 | | 0.85 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Syringa vulgaris</i> 'Macrostachya' Macrostachya Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Marechal Foch' Marechal Foch Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Marie Finon' Marie Finon Common Lilac | DS | 1.25 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Marie Frances' Marie Frances Common Lilac | DS | 1.12 | R1 | 3 | 4-8 | | 1.03 | 3 |
| <i>Syringa vulgaris</i> 'Michel Buchner' Michel Buchner Common Lilac | DS | 1.11 | R1 | 3 | 4-8 | | 0.73 | 3 |
| <i>Syringa vulgaris</i> 'Miss Ellen Willmott' Miss Ellen Willmott Common Lilac | DS | 1.17 | R1 | 3 | 4-8 | | 0.97 | 3 |
| <i>Syringa vulgaris</i> 'Mme. Abel Chatenay' Mme. Abel Chatenay Common Lilac | DS | 0.74 | R1 | 3 | 4-8 | | 0.44 | 3 |
| <i>Syringa vulgaris</i> 'Mme. Antoine Buchner' Mme. Antoine Buchner Common Lilac | DS | 1.25 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Mme. Casimir Perier' Mme. Casimir Perier Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Mme. F. Morel' Mme. F. Morel Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Mme. Florent Stepman' Mme. Florent Stepman Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Mme. Lemoine' Mme. Lemoine Common Lilac | DS | 0.99 | R1 | 3 | 4-8 | | 0.89 | 3 |
| <i>Syringa vulgaris</i> 'Monge' Monge Common Lilac | DS | 1.11 | R1 | 3 | 4-8 | | 0.87 | 3 |
| <i>Syringa vulgaris</i> 'Monore' P.P. 6877 Blue Skies™ Common Lilac | DS | 1.60 | R1 | 3 | 4-8 | | 0.98 | 3 |
| <i>Syringa vulgaris</i> 'Mont Blanc' Mont Blanc Common Lilac | DS | 0.77 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Montaigne' Montaigne Common Lilac | DS | 1.03 | R1 | 3 | 4-8 | | 1.14 | 3 |
| <i>Syringa vulgaris</i> 'Mrs. Edward Harding' Mrs. Edward Harding Common Lilac | DS | 0.69 | R1 | 3 | 4-8 | | 0.61 | 3 |
| <i>Syringa vulgaris</i> 'Mrs. W.E. Marshall' Mrs. W.E. Marshall Common Lilac | DS | 0.74 | R1 | 3 | 4-8 | | 0.68 | 3 |
| <i>Syringa vulgaris</i> 'My Favorite' My Favorite Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.87 | 3 |
| <i>Syringa vulgaris</i> 'Nadezhda' Nadezhda Common Lilac | DS | 1.12 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Syringa vulgaris</i> 'Olivier de Serres' Olivier de Serres Common Lilac | DS | 0.68 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Paul Hariot' Paul Hariot Common Lilac | DS | 1.32 | R1 | 3 | 4-8 | | 1.01 | 3 |
| <i>Syringa vulgaris</i> 'Paul Thirion' Paul Thirion Common Lilac | DS | 1.26 | R1 | 3 | 4-8 | | 0.82 | 3 |
| <i>Syringa vulgaris</i> 'Prairie Petite' Prairie Petite Common Lilac | DS | 1.45 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'President Carnot' President Carnot Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'President Grevy' President Grevy Common Lilac | DS | 1.07 | R1 | 3 | 4-8 | | 0.90 | 3 |
| <i>Syringa vulgaris</i> 'President Harding' President Harding Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'President Lincoln' President Lincoln Common Lilac | DS | 1.06 | R1 | 3 | 4-8 | | 0.72 | 3 |
| <i>Syringa vulgaris</i> 'President Poincare' President Poincare Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.83 | 3 |
| <i>Syringa vulgaris</i> 'Primrose' Primrose Common Lilac | DS | 1.18 | R1 | 3 | 4-8 | | 0.87 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Syringa vulgaris</i> 'Ruhm von Horstenstein' Ruhm von Horstenstein Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Sarah Sands' Sarah Sands Common Lilac | DS | 1.14 | R1 | 3 | 4-8 | | 1.24 | 3 |
| <i>Syringa vulgaris</i> 'Sensation' P.P. 1242 Sensation Common Lilac | DS | 1.19 | R1 | 3 | 4-8 | | 0.97 | 3 |
| <i>Syringa vulgaris</i> 'Slater's Elegance' Slater's Elegance Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Sylvan Beauty' Sylvan Beauty Common Lilac | DS | 1.20 | R1 | 3 | 4-8 | | 0.71 | 3 |
| <i>Syringa vulgaris</i> 'Thunberg' Thunberg Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Vestale' Vestale Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Victor Lemoine' Victor Lemoine Common Lilac | DS | 1.07 | R1 | 3 | 4-8 | | 1.06 | 3 |
| <i>Syringa vulgaris</i> 'Villars' Villars Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Violet Glory' Violet Glory Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Viviand-Morel' Viviand-Morel Common Lilac | DS | 0.74 | R1 | 3 | 4-8 | | 0.44 | 3 |
| <i>Syringa vulgaris</i> 'Volcan' Volcan Common Lilac | DS | 1.02 | R1 | 3 | 4-8 | | 0.84 | 3 |
| <i>Syringa vulgaris</i> 'Wedgwood Blue' Wedgwood Blue Common Lilac | DS | 1.28 | R1 | 3 | 4-8 | | 0.95 | 3 |
| <i>Syringa vulgaris</i> 'White Primrose' White Primrose Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'William Robinson' William Robinson Common Lilac | DS | 1.08 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> 'Wonderblue' Wonderblue Common Lilac | DS | 1.36 | R1 | 3 | 4-8 | | 1.57 | 3 |
| <i>Syringa vulgaris</i> 'Yankee Doodle' Yankee Doodle Common Lilac | DS | 1.18 | R1 | 3 | 4-8 | | 1.04 | 3 |
| <i>Syringa vulgaris</i> 'Zulu' Zulu Common Lilac | DS | 0.87 | R1 | 3 | 4-8 | | 0.85 | 3 |
| <i>Syringa vulgaris</i> var. <i>alba</i> White Common Lilac | DS | 1.09 | R1 | 3 | 4-8 | | 0.99 | 3 |
| <i>Tacca chantrieri</i> Bat Flower | FO | 1.78 | R2 | 8 | | | 1.00 | 10 |
| <i>Tacca integrifolia</i> White Bat Flower | FO | 2.92 | R2 | 8 | | | 1.00 | 10 |
| <i>Tagetes erecta</i> African Marigold | AN | 0.51 | R2 | 6-8 | | | | |
| <i>Tagetes erecta</i> 'Antigua Series' Antiqua Series African Marigold | AN | 0.80 | R2 | 6-8 | | | | |
| <i>Tagetes erecta</i> 'Discovery Series' Discovery Series African Marigold | AN | 0.70 | R2 | 6-8 | | | | |
| <i>Tagetes erecta</i> 'Safari Series' Safari Series African Marigold | AN | 0.79 | R2 | 6-8 | | | | |
| <i>Tagetes lemmonii</i> Mexican Marigold | AN | 1.10 | R2 | 6-8 | | | | |
| <i>Tagetes lucida</i> Sweet Scented Marigold | HP | 0.71 | R2 | 6-8 | | | | |
| <i>Tagetes patula</i> French Marigold | AN | 0.51 | R2 | 6-8 | | | | |
| <i>Tagetes patula</i> 'Bonanza Flame' Bonanza Flame French Marigold | AN | 1.03 | R2 | 6-8 | | | | |
| <i>Tagetes patula</i> 'Bonanza Harmony' Bonanza Harmony French Marigold | AN | 0.78 | R2 | 6-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Tagetes patula</i> 'Bonanza Orange' Bonanza Orange French Marigold | AN | 0.78 | R2 | 6-8 | | | | |
| <i>Tagetes patula</i> 'Bonanza Yellow' Bonanza Yellow French Marigold | AN | 0.78 | R2 | 6-8 | | | | |
| <i>Tagetes patula</i> 'Durango Series' Durango™ Series French Marigold | AN | 1.03 | R2 | 6-8 | | | | |
| <i>Tagetes patula</i> 'Janie Series' Janie Series French Marigold | AN | 0.55 | R2 | 6-8 | | | | |
| <i>Tagetes patula</i> 'Little Devil Series' Little Devil Series French Marigold | AN | 0.78 | R2 | 6-8 | | | | |
| <i>Tagetes signata</i> See - <i>Tagetes tenuifolia</i> | | | | | | | | |
| <i>Tagetes tenuifolia</i> Signet Marigold | AN | 1.00 | R2 | 6-8 | | | | |
| <i>Tagetes tenuifolia</i> 'Pumila' Marigold Dwarf | AN | 1.00 | R2 | 6-8 | | | | |
| <i>Talinum calycinum</i> Rockpink FameFlower | HP | 0.66 | R2 | 6-7 | 8 | | | |
| <i>Talinum paniculatum</i> Jewels of Opar | HP | 0.47 | R2 | 8 | | | | |
| <i>Talinum paniculatum</i> 'Variegatum' Variegated Jewels of Opar | HP | 0.66 | R2 | 8 | | | | |
| <i>Talinum rugospermum</i> No Common Name Found | HP | 0.59 | R2 | 8 | | | | |
| <i>Talinum spinescens</i> Spiny Fameflower | HP | 1.00 | R2 | 8 | | | | |
| <i>Tamarix africanus</i> African Tamarisk | BS | 0.81 | R2 | 7-8 | | | 0.41 | 8 |
| <i>Tamarix aphylla</i> Athel | BS | 0.88 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Tamarix chinensis</i> Chinese Tree | BS | 0.80 | R2 | 7-8 | | | 1.00 | 7 |
| <i>Tamarix parviflora</i> Small-flowered Tamarisk | DS | 0.76 | R2 | 4-5 | 6-7 | | 1.00 | 5 |
| <i>Tamarix pentandra</i> Five-stamen Tamarisk | BS | 1.00 | R2 | 4-5 | 6-7 | | 0.77 | 3 |
| <i>Tamarix pentandra</i> 'Rubra' Red Five-stamen Tamarisk | BS | 1.00 | R2 | 4-5 | 6-7 | | 0.77 | 3 |
| <i>Tamarix ramosissima</i> Stamen Tamarisk | BE | 0.76 | R2 | | 3-8 | 1.00 | 0.50 | 2 |
| <i>Tamarix ramosissima</i> 'Pink Cascade' Pink Cascade Stamen Tamarisk | BE | 1.13 | R2 | | 3-8 | 1.00 | 0.22 | 2 |
| <i>Tamarix ramosissima</i> 'Rubra' Red Stamen Tamarisk | BE | 0.93 | R2 | | 3-8 | 1.00 | 0.92 | 2 |
| <i>Tamarix tetrandra</i> No Common Name Found | BE | 1.00 | R2 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Tanacetum balsamita</i> Costmary | HP | 1.03 | R2 | 5-6 | 7-8 | | | |
| <i>Tanacetum coccineum</i> Painted Daisy | HP | 1.15 | R2 | 3-5 | 6-8 | | | |
| <i>Tanacetum coccineum</i> 'James Kelway' James Kelway Painted Daisy | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Tanacetum coccineum</i> 'Robinson's Crimson' Robinson's Crimson Painted Daisy | HP | 1.36 | R2 | 3-5 | 6-8 | | | |
| <i>Tanacetum coccineum</i> 'Robinson's Mixed' Robinson's Mixed Painted Daisy | HP | 1.28 | R2 | 3-5 | 6-8 | | | |
| <i>Tanacetum coccineum</i> 'Robinson's Pink' Robinson's Pink Painted Daisy | HP | 1.36 | R2 | 3-5 | 6-8 | | | |
| <i>Tanacetum coccineum</i> 'Robinson's Red' Robinson's Red Painted Daisy | HP | 1.75 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Tanacetum coccineum</i> 'Robinson's Roseum' Robinson's Rose Painted Daisy | HP | 1.82 | R2 | 3-5 | 6-8 | | | |
| <i>Tanacetum coccineum</i> 'Roseum' Roseum Painted Daisy | HP | 1.36 | R2 | 3-5 | 6-8 | | | |
| <i>Tanacetum densum</i> Partridge Feather | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Tanacetum densum</i> ssp. <i>amani</i> Partridge Feather | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Tanacetum haradjanii</i> No Common Name Found | HP | 0.92 | R2 | 6-8 | | | | |
| <i>Tanacetum macrophyllum</i> No Common Name Found | HP | 0.77 | R2 | 4-6 | 7-8 | | | |
| <i>Tanacetum niveum</i> Silver Tansy | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Tanacetum niveum</i> 'Jackpot' Jackpot Silver Tansy | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Tanacetum parthenium</i> Feverfew | HP | 0.59 | R2 | 4-5 | 6-8 | | | |
| <i>Tanacetum parthenium</i> 'Aureum' Golden Feverfew | HP | 0.59 | R2 | 4-5 | 6-8 | | | |
| <i>Tanacetum parthenium</i> 'Golden Moss' Golden Moss Dwarf Feverfew | HP | 0.59 | R2 | 4-5 | 6-8 | | | |
| <i>Tanacetum parthenium</i> 'Ultra Double White' Ultra Double White Feverfew | HP | 0.59 | R2 | 4-5 | 6-8 | | | |
| <i>Tanacetum ptarmiciflorum</i> Silver Lace | HP | 0.60 | R2 | 6-8 | 9-10 | | | |
| <i>Tanacetum vulgare</i> Common Tansy | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Tanacetum vulgare</i> var. <i>crispum</i> Fernleaf Common Tansy | HP | 0.71 | R2 | 3-4 | 5-8 | | | |
| <i>Tapeinochilus ananassae</i> Giant Spiral Ginger | HP | 1.31 | R2 | 8 | | | | |
| <i>Taxodium ascendens</i> Pond Cypress | DT | 0.81 | R1 | 3-5 | 6-8 | 0.91 | 0.85 | 5 |
| <i>Taxodium ascendens</i> 'Nutans' Nutans Pond Cypress | DT | 0.70 | R1 | 3-5 | 6-8 | 0.91 | 1.26 | 5 |
| <i>Taxodium ascendens</i> 'Prairie Sentinel' Prairie Sentinel Pond Cypress | DT | 0.76 | R1 | 3-5 | 6-8 | 0.91 | 1.06 | 5 |
| <i>Taxodium distichum</i> Bald Cypress | DT | 0.86 | R1 | 3-5 | 6-8 | 0.66 | 0.90 | 5 |
| <i>Taxodium distichum</i> 'Autumn Gold' See - <i>Taxodium distichum</i> 'Sofine' P.P. 13431 | | | | | | | | |
| <i>Taxodium distichum</i> 'Cascade Falls' P.P. 12296 Cascade Falls Bald Cypress | DT | 1.65 | R1 | 3-5 | 6-8 | 1.45 | 0.95 | 5 |
| <i>Taxodium distichum</i> 'Fastigiata' Fastigiata Bald Cypress | DT | 1.31 | R1 | 3-5 | 6-8 | 1.20 | 0.95 | 5 |
| <i>Taxodium distichum</i> 'Mickelson' P.P. 03551 Shawnee Brave® Bald Cypress | DT | 1.16 | R1 | 3-5 | 6-8 | 1.02 | 1.00 | 5 |
| <i>Taxodium distichum</i> 'Monarch of Illinois' Monarch of Illinois Bald Cypress | DT | 1.31 | R1 | 3-5 | 6-8 | 1.76 | 0.95 | 5 |
| <i>Taxodium distichum</i> 'Pendens' Weeping Bald Cypress | DT | 1.62 | R1 | 3-5 | 6-8 | 1.20 | 0.95 | 5 |
| <i>Taxodium distichum</i> 'Peve Minaret' Peve Minaret Dwarf Bald Cypress | DT | 1.64 | R1 | 3-5 | 6-8 | 1.20 | 0.95 | 5 |
| <i>Taxodium distichum</i> 'Secret' Secret Bald Cypress | DT | 1.31 | R1 | 3-5 | 6-8 | 1.20 | 0.95 | 5 |
| <i>Taxodium distichum</i> 'Shawnee Brave' See - <i>Taxodium distichum</i> 'Mickelson' P.P. 03551 | | | | | | | | |
| <i>Taxodium distichum</i> 'Sofine' P.P. 13431 Autumn Gold™ Bald Cypress | DT | 0.95 | R1 | 3-5 | 6-8 | 1.13 | 0.95 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ | |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|---|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | | |
| <i>Taxodium mucronatum</i> Montezuma Cypress | CE | 0.64 | R1 | 7-8 | | 0.83 | 0.45 | 8 |
| <i>Taxus baccata</i> English Yew | CS | 0.87 | R1 | 3-6 | 7-8 | | 1.08 | 6 |
| <i>Taxus baccata</i> 'Adpressa' Shortleaf English Yew | CS | 0.87 | R1 | 3-6 | 7-8 | | 1.55 | 6 |
| <i>Taxus baccata</i> 'Amersfoort' Amersfoort English Yew | CS | 0.87 | R1 | 3-6 | 7-8 | | 1.08 | 6 |
| <i>Taxus baccata</i> 'Aurea' Golden English Yew | CE | 0.72 | R1 | 3-6 | 7-8 | 1.00 | 1.25 | 6 |
| <i>Taxus baccata</i> 'Dovastoniana' Dovastoniana English Yew | CS | 0.87 | R1 | 3-6 | 7-8 | | 1.08 | 6 |
| <i>Taxus baccata</i> 'Elegantissima' Elegant English Yew | CS | 0.87 | R1 | 3-6 | 7-8 | | 1.08 | 6 |
| <i>Taxus baccata</i> 'Erecta Aurea' Erect Golden Yew | CS | 0.87 | R1 | 3-6 | 7-8 | | 0.93 | 6 |
| <i>Taxus baccata</i> 'Erecta' Fulham Yew | CS | 0.87 | R1 | 3-6 | 7-8 | | 0.79 | 6 |
| <i>Taxus baccata</i> 'Fastigiata Aurea' See - <i>Taxus baccata</i> 'Standishii' | | | | | | | | |
| <i>Taxus baccata</i> 'Fastigiata' Columnar English Yew | CE | 0.56 | R1 | 3-6 | 7-8 | 1.00 | 1.38 | 6 |
| <i>Taxus baccata</i> 'Flushing' See - <i>Taxus x media</i> 'Flushing' | | | | | | | | |
| <i>Taxus baccata</i> 'Nigra' Dark Green English Yew | CE | 0.87 | R1 | 3-6 | 7-8 | 1.00 | 1.30 | 6 |
| <i>Taxus baccata</i> 'Repandens' Spreading English Yew | CS | 0.80 | R1 | 3-6 | 7-8 | | 1.04 | 6 |
| <i>Taxus baccata</i> 'Standishii' Standish English Yew | CE | 0.72 | R1 | 3-6 | 7-8 | 1.00 | 1.08 | 6 |
| <i>Taxus baccata</i> 'Summergold' Summergold English Yew | CS | 0.87 | R1 | 3-6 | 7-8 | | 1.08 | 6 |
| <i>Taxus baccata</i> 'Thomsen' Thomsen Dwarf English Yew | CS | 0.93 | R1 | 3-6 | 7-8 | | 1.08 | 6 |
| <i>Taxus baccata</i> 'Washingtonii' Washington English Yew | CS | 0.87 | R1 | 3-6 | 7-8 | | 1.08 | 6 |
| <i>Taxus brevifolia</i> Western Yew | CE | 0.43 | R1 | 3-6 | 7-8 | 1.00 | 1.05 | 6 |
| <i>Taxus chinensis</i> Chinese Yew | CE | 0.67 | R1 | 3-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Taxus cuspidata</i> Japanese Yew | CS | 1.13 | R1 | 3-4 | 5-7 | | 0.92 | 4 |
| <i>Taxus cuspidata</i> 'Adam's Columnar' Adam's Columnar Japanese Yew | CS | 0.57 | R1 | 3-4 | 5-7 | | 0.92 | 4 |
| <i>Taxus cuspidata</i> 'Aurescens' Goldtip Japanese Yew | CS | 1.95 | R1 | 3-4 | 5-7 | | 0.88 | 4 |
| <i>Taxus cuspidata</i> 'Bobbink' Bobbink Japanese Yew | CS | 0.95 | R1 | 3-4 | 5-7 | | 0.68 | 4 |
| <i>Taxus cuspidata</i> 'Bright Gold' Bright Gold Japanese Yew | CS | 1.90 | R1 | 3-4 | 5-7 | | 0.88 | 4 |
| <i>Taxus cuspidata</i> 'Capitata Compacta' Compact Upright Japanese Yew | CS | 1.25 | R1 | 3-4 | 5-7 | | 0.88 | 4 |
| <i>Taxus cuspidata</i> 'Capitata' Upright Japanese Yew | CS | 1.34 | R1 | 3-4 | 5-7 | | 1.31 | 4 |
| <i>Taxus cuspidata</i> 'Captain' See - <i>Taxus cuspidata</i> 'Fastigiata' | | | | | | | | |
| <i>Taxus cuspidata</i> 'Cross Spreading' Cross Spreading Japanese Yew | CS | 1.25 | R1 | 3-4 | 5-7 | | 0.88 | 4 |
| <i>Taxus cuspidata</i> 'Densa' Dense Spreading Japanese Yew | CS | 0.97 | R1 | 3-4 | 5-7 | | 0.63 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Taxus cuspidata</i> 'Emerald Mist' Emerald Mist Japanese Yew | CS | 1.25 | R1 | 3-4 | 5-7 | | 0.90 | 4 |
| <i>Taxus cuspidata</i> 'Emerald Spreader' See - <i>Taxus cuspidata</i> 'Monloo' P.P. 10335 | | | | | | | | |
| <i>Taxus cuspidata</i> 'Expansa' Spreading Japanese Yew | CS | 1.25 | R1 | 3-4 | 5-7 | | 0.88 | 4 |
| <i>Taxus cuspidata</i> 'Fastigiata' Fastigate Japanese Yew | CS | 1.21 | R1 | 3-4 | 5-7 | | 1.07 | 4 |
| <i>Taxus cuspidata</i> 'Green Wave' Green Wave Japanese Yew | CS | 0.67 | R1 | 3-4 | 5-7 | | 1.20 | 4 |
| <i>Taxus cuspidata</i> 'Hinsdale Dark Green' Hinsdale Dark Green Japanese Yew | CS | 1.25 | R1 | 3-4 | 5-7 | | 0.88 | 4 |
| <i>Taxus cuspidata</i> 'Hiti' Hiti Japanese Yew | CS | 1.25 | R1 | 3-4 | 5-7 | | 0.75 | 4 |
| <i>Taxus cuspidata</i> 'Intermedia' Intermediate Japanese Yew | CS | 1.25 | R1 | 3-4 | 5-7 | | 1.13 | 4 |
| <i>Taxus cuspidata</i> 'Klehm's Spreader' Klehm's Spreader Japanese Yew | CS | 1.25 | R1 | 3-4 | 5-7 | | 0.50 | 4 |
| <i>Taxus cuspidata</i> 'Littleford' Littleford Japanese Yew | CS | 1.25 | R1 | 3-4 | 5-7 | | 0.88 | 4 |
| <i>Taxus cuspidata</i> 'Monloo' P.P. 10335 Emerald Spreader™ Japanese Yew | CS | 1.46 | R1 | 3-4 | 5-7 | | 0.99 | 4 |
| <i>Taxus cuspidata</i> 'Nana Aurescens' Nana Aurescens Japanese Yew | CS | 1.90 | R1 | 3-4 | 5-7 | | 0.88 | 4 |
| <i>Taxus cuspidata</i> 'Nana' Dwarf Japanese Yew | CS | 1.08 | R1 | 3-4 | 5-7 | | 0.73 | 4 |
| <i>Taxus cuspidata</i> 'North Coast' North Coast Japanese Yew | CS | 1.25 | R1 | 3-4 | 5-7 | | 0.80 | 4 |
| <i>Taxus cuspidata</i> 'Rover' Rover Spreading Japanese Yew | CS | 1.25 | R1 | 3-4 | 5-7 | | 0.88 | 4 |
| <i>Taxus cuspidata</i> 'Spring Green' Spring Green Japanese Yew | CS | 1.25 | R1 | 3-4 | 5-7 | | 0.88 | 4 |
| <i>Taxus cuspidata</i> 'Thayerae' Thayer Japanese Yew | CS | 1.25 | R1 | 3-4 | 5-7 | | 0.41 | 4 |
| <i>Taxus cuspidata</i> 'Tvurdy' Tvurdy Japanese Yew | CS | 1.14 | R1 | 3-4 | 5-7 | | 1.06 | 4 |
| <i>Taxus cuspidata</i> 'Winston Peters' Winston Peters Japanese Yew | CE | 1.00 | R1 | 3-4 | 5-7 | 1.00 | 0.88 | 4 |
| <i>Taxus x hunnewelliana</i> Hunnewell Yew | CS | 1.00 | R1 | 3-4 | 5-7 | | 0.85 | 4 |
| <i>Taxus x media</i> Intermediate Yew | CS | 1.37 | R1 | 3-5 | 6-8 | | 0.95 | 5 |
| <i>Taxus x media</i> 'Adams' Adams Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Taxus x media</i> 'Amherst' Amherst Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.32 | 5 |
| <i>Taxus x media</i> 'Andersonii' Anderson Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Taxus x media</i> 'Anthony Wayne' Anthony Wayne Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.95 | 5 |
| <i>Taxus x media</i> 'Beanpole' Beanpole Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Taxus x media</i> 'Berg' Berg Intermediate Yew | CS | 0.67 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Taxus x media</i> 'Berryhill' Berryhill Intermediate Yew | CS | 0.97 | R1 | 3-5 | 6-8 | | 1.01 | 5 |
| <i>Taxus x media</i> 'Bonnie Green Mound' Bonnie Green Mound Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Taxus x media</i> 'Brownii Globe' See - <i>Taxus x media</i> 'Brownii' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Taxus x media</i> 'Brownii' Brown's Intermediate Yew | CS | 1.07 | R1 | 3-5 | 6-8 | | 1.29 | 5 |
| <i>Taxus x media</i> 'Chadwickii' Chadwick Intermediate Yew | CS | 1.26 | R1 | 3-5 | 6-8 | | 0.73 | 5 |
| <i>Taxus x media</i> 'Citation' Citation Intermediate Yew | CS | 0.90 | R1 | 3-5 | 6-8 | | 1.08 | 5 |
| <i>Taxus x media</i> 'Cliftonii' Clifton Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Taxus x media</i> 'Dark Green Spreader' See - <i>Taxus x media</i> 'Nigra' | | | | | | | | |
| <i>Taxus x media</i> 'Densiformis Imp' Improved Dense Intermediate Yew | CS | 0.78 | R1 | 3-5 | 6-8 | | 0.73 | 5 |
| <i>Taxus x media</i> 'Densiformis' Dense Intermediate Yew | CS | 0.99 | R1 | 3-5 | 6-8 | | 1.27 | 5 |
| <i>Taxus x media</i> 'Eldonii' Eldon Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Taxus x media</i> 'Erie Shores' See - <i>Taxus x media</i> 'Ershzam' | | | | | | | | |
| <i>Taxus x media</i> 'Ershzam' Erie Shores™ Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.76 | 5 |
| <i>Taxus x media</i> 'Everlow' Everlow Intermediate Yew | CS | 0.93 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Taxus x media</i> 'Fairview' Fairview Intermediate Yew | CS | 1.11 | R1 | 3-5 | 6-8 | | 1.24 | 5 |
| <i>Taxus x media</i> 'Fiore Strain' Fiore Strain Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Taxus x media</i> 'Flemer' Flemer Intermediate Yew | CS | 0.61 | R1 | 3-5 | 6-8 | | 0.63 | 5 |
| <i>Taxus x media</i> 'Flushing' Flushing Intermediate Yew | CE | 0.87 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Taxus x media</i> 'Gem' Gem Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.62 | 5 |
| <i>Taxus x media</i> 'Green Mountain' Green Mountain Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.53 | 5 |
| <i>Taxus x media</i> 'Halloriana' Halloran Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.71 | 5 |
| <i>Taxus x media</i> 'Hatfieldii' Hatfield Intermediate Yew | CS | 1.12 | R1 | 3-5 | 6-8 | | 0.93 | 5 |
| <i>Taxus x media</i> 'Heasleyi' Heasley Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Taxus x media</i> 'Henryi' Henry Intermediate Yew | CS | 0.58 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Taxus x media</i> 'Hicksii' Hicks Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 1.19 | 5 |
| <i>Taxus x media</i> 'Hillii' Hill's Intermediate Yew | CS | 1.03 | R1 | 3-5 | 6-8 | | 0.80 | 5 |
| <i>Taxus x media</i> 'Hinsdale #2' Hinsdale #2 Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Taxus x media</i> 'Kelseyi' Kelsey Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Taxus x media</i> 'Legislator' See - <i>Taxus x media</i> 'Legzam' | | | | | | | | |
| <i>Taxus x media</i> 'Legzam' Legislator™ Intermediate Yew | CS | 0.78 | R1 | 3-5 | 6-8 | | 0.75 | 5 |
| <i>Taxus x media</i> 'Meyeri' Meyer's Intermediate Yew | CS | 1.42 | R1 | 3-5 | 6-8 | | 0.77 | 5 |
| <i>Taxus x media</i> 'Natorp' Natorp Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.84 | 5 |
| <i>Taxus x media</i> 'New Hicks' New Hicks Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.92 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Taxus x media</i> 'Nigra' Dark Green Spreading Intermediate Yew | CS | 0.95 | R1 | 3-5 | 6-8 | | 1.15 | 5 |
| <i>Taxus x media</i> 'Ohio Globe' Ohio Globe Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Taxus x media</i> 'Pilaris' Pilaris Intermediate Yew | CS | 0.93 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Taxus x media</i> 'Pyramidalis' Pyramidal Intermediate Yew | CS | 0.77 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Taxus x media</i> 'Representative' See - <i>Taxus x media</i> 'Repzam' | | | | | | | | |
| <i>Taxus x media</i> 'Repzam' Representative™ Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.77 | 5 |
| <i>Taxus x media</i> 'Roy's Spreader' Roy's Spreader Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.72 | 5 |
| <i>Taxus x media</i> 'Runyan' Runyan Intermediate Yew | CS | 0.95 | R1 | 3-5 | 6-8 | | 0.90 | 5 |
| <i>Taxus x media</i> 'Sebian' Sebian Intermediate Yew | CS | 0.76 | R1 | 3-5 | 6-8 | | 0.65 | 5 |
| <i>Taxus x media</i> 'Senator' See - <i>Taxus x media</i> 'Senzam' | | | | | | | | |
| <i>Taxus x media</i> 'Sentinalis' Sentinal Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Taxus x media</i> 'Senzam' Senator™ Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.96 | 5 |
| <i>Taxus x media</i> 'Slavin' Slavin Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.57 | 5 |
| <i>Taxus x media</i> 'Stovekenii' Stoveken Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Taxus x media</i> 'Sunburst' Sunburst Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Taxus x media</i> 'T.V.' T.V. Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Taxus x media</i> 'Taunton' Taunton Intermediate Yew | CS | 1.18 | R1 | 3-5 | 6-8 | | 1.25 | 5 |
| <i>Taxus x media</i> 'Thomsen' See - <i>Taxus baccata</i> 'Thomsen' | | | | | | | | |
| <i>Taxus x media</i> 'Vermeulen' Vermeulen Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.96 | 5 |
| <i>Taxus x media</i> 'Viridis' Green Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 1.46 | 5 |
| <i>Taxus x media</i> 'Wardii' Ward Intermediate Yew | CS | 0.94 | R1 | 3-5 | 6-8 | | 0.78 | 5 |
| <i>Taxus x media</i> 'Wellesleyana' Wellesley Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Taxus x media</i> 'Winter Jewel' Winter Jewel Intermediate Yew | CS | 0.96 | R1 | 3-5 | 6-8 | | 0.89 | 5 |
| <i>Tecoma garrocha</i> Garrocha | BS | 0.52 | R2 | 8 | | | 1.00 | 8 |
| <i>Tecomaria capensis</i> Orange Cape Honeysuckle | BS | 0.75 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Tecomaria capensis</i> 'Aurea' Gold Cape Honeysuckle | BS | 0.70 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Tecomaria capensis</i> 'Harmony Gold' Harmony Gold Cape Honeysuckle | BS | 0.55 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Tecomaria capensis</i> 'Lutea' Yellow Cape Honeysuckle | BS | 0.81 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Tecomaria capensis</i> 'Red' Red Cape Honeysuckle | BS | 1.11 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Tecomaria capensis</i> 'Salmonea' Salmon Cape Honeysuckle | BS | 0.74 | R2 | 7-8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Telekia speciosa</i> No Common Name Found | HP | 0.81 | R2 | 5 | 6-8 | | | |
| <i>Telesonix jamesii</i> See - <i>Boykinia jamesii</i> | | | | | | | | |
| <i>Tellima grandiflora</i> Fringe Cup | HP | 0.63 | R2 | 4 | 5-8 | | | |
| <i>Telopea speciosissima</i> Waratah | BS | 0.80 | R2 | 8 | | | 1.00 | 9 |
| <i>Telopea truncata</i> Tasmanian Waratah | BS | 0.80 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Ternstroemia gymnanthera</i> Japanese Cleyera | BS | 0.73 | R2 | 6-8 | | | 0.89 | 8 |
| <i>Ternstroemia gymnanthera</i> 'Bronze Beauty' See - <i>Ternstroemia gymnanthera</i> 'Conthery' P.P. 11735 | | | | | | | | |
| <i>Ternstroemia gymnanthera</i> 'Conthera' P.P. 10811 Regal Japanese Cleyera | BS | 0.77 | R2 | 6-8 | | | 1.08 | 8 |
| <i>Ternstroemia gymnanthera</i> 'Contherann' P.P. 11737 LeAnn Japanese Cleyera | BS | 0.80 | R2 | 6-8 | | | 1.08 | 8 |
| <i>Ternstroemia gymnanthera</i> 'Conthery' P.P. 11735 Bronze Beauty™ Japanese Ternstroemia | BS | 0.79 | R2 | 6-8 | | | 1.08 | 8 |
| <i>Ternstroemia gymnanthera</i> 'Copper Crown' See - <i>Ternstroemia gymnanthera</i> 'Grewad' P.P. 10521 | | | | | | | | |
| <i>Ternstroemia gymnanthera</i> 'Grevan' P.P. 10522 Jade Tiara™ Japanese Ternstroemia | BS | 0.92 | R2 | 6-8 | | | 1.27 | 8 |
| <i>Ternstroemia gymnanthera</i> 'Grewad' P.P. 10521 Copper Crown™ Japanese Ternstroemia | BS | 0.90 | R2 | 6-8 | | | 1.08 | 8 |
| <i>Ternstroemia gymnanthera</i> 'Greyou' P.P.A.F. Sovereign™ Japanese Ternstroemia | BS | 0.86 | R2 | 6-8 | | | 1.08 | 8 |
| <i>Ternstroemia gymnanthera</i> 'Jade Tiara' See - <i>Ternstroemia gymnanthera</i> 'Grevan' P.P. 10522 | | | | | | | | |
| <i>Ternstroemia gymnanthera</i> 'LeAnn' See - <i>Ternstroemia gymnanthera</i> 'Contherann' P.P. 11737 | | | | | | | | |
| <i>Ternstroemia gymnanthera</i> 'Phyllis Ann' Phyllis Ann Japanese Ternstroemia | BS | 0.85 | R2 | 6-8 | | | 1.08 | 8 |
| <i>Ternstroemia gymnanthera</i> 'Regal' See - <i>Ternstroemia gymnanthera</i> 'Conthera' P.P. 10811 | | | | | | | | |
| <i>Ternstroemia gymnanthera</i> 'Sovereign' See - <i>Ternstroemia gymnanthera</i> 'Greyou' P.P.A.F. | | | | | | | | |
| <i>Ternstroemia gymnanthera</i> 'Variegata' Variegated Japanese Ternstroemia | BS | 1.06 | R2 | 6-8 | | | 1.08 | 8 |
| <i>Tetradium daniellii</i> See - <i>Euodia daniellii</i> | | | | | | | | |
| <i>Tetramicra canaliculata</i> No Common Name Found | FO | 2.10 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Tetraneuris acaulis</i> Angelita Daisy | HP | 0.91 | R2 | 3-4 | 5-8 | | | |
| <i>Tetraneuris grandiflora</i> Graylocks Four Nerve Daisy | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Tetraneuris scaposa</i> Four Nerve Daisy | HP | 0.64 | R2 | 3-4 | 5-8 | | | |
| <i>Tetrateca thymifolia</i> No Common Name Found | BS | 0.58 | R2 | 8 | | | 1.00 | 9 |
| <i>Teucrium ackermannii</i> Ackerman Germander | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Teucrium aroanum</i> No Common Name Found | HP | 1.00 | R2 | 6-7 | 8 | | | |
| <i>Teucrium canadense</i> American Germander | BS | 0.91 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Teucrium chamaedrys</i> Wall Germander | HP | 0.93 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Teucrium chamaedrys</i> 'Prostratum' Prostrate Wall Germander | HP | 0.72 | R2 | 3-5 | 6-8 | | | |
| <i>Teucrium fruticans</i> Tree Germander | HP | 0.79 | R2 | 7-8 | | | | |
| <i>Teucrium fruticans</i> 'Azureum' Blue Tree Germander | HP | 1.11 | R2 | 7-8 | | | | |
| <i>Teucrium fruticans</i> 'Compactum' Compact Tree Germander | HP | 0.71 | R2 | 7-8 | | | | |
| <i>Teucrium hyrcanicum</i> Caucasian Germander | HP | 0.65 | R2 | 5 | 6-8 | | | |
| <i>Teucrium majoricum</i> Majorcan Germander | HP | 0.61 | R2 | 4-5 | 6-8 | | | |
| <i>Teucrium marum</i> Cat Thyme | HP | 0.77 | R2 | 5-7 | 8 | | | |
| <i>Teucrium massiliense</i> No Common Name Found | HP | 0.79 | R2 | 5-6 | 7-8 | | | |
| <i>Teucrium polium</i> Golden Germander | HP | 0.87 | R2 | 6-7 | 8 | | | |
| <i>Teucrium pyrenaicum</i> Pyrenees Germander | HP | 0.87 | R2 | 5-6 | 7-8 | | | |
| <i>Teucrium scorodonia</i> Wood Germander | HP | 0.84 | R2 | 5-6 | 7-8 | | | |
| <i>Teucrium scorodonia</i> 'Crispum' Crispum Wood Germander | HP | 0.84 | R2 | 5-6 | 7-8 | | | |
| <i>Teucrium subspinosum</i> No Common Name Found | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Thalia dealbata</i> Purple Water Canna | HP | 1.19 | R2 | 5-7 | 8 | | | |
| <i>Thalictrum alpinum</i> Alpine Meadow Rue | HP | 0.70 | R2 | 3-5 | 6-8 | | | |
| <i>Thalictrum aquilegifolium</i> Columbine Meadow Rue | HP | 0.86 | R2 | 3-5 | 6-8 | | | |
| <i>Thalictrum aquilegifolium</i> 'Album' White Meadow Rue | HP | 0.81 | R2 | 3-5 | 6-8 | | | |
| <i>Thalictrum aquilegifolium</i> 'Atropurpureum' Atropurpureum Columbine Meadow Rue | HP | 0.89 | R2 | 3-5 | 6-8 | | | |
| <i>Thalictrum aquilegifolium</i> 'Thundercloud' Thundercloud Columbine Meadow Rue | HP | 1.31 | R2 | 3-5 | 6-8 | | | |
| <i>Thalictrum breitungii</i> See - <i>Thalictrum occidentale</i> | | | | | | | | |
| <i>Thalictrum coreanum</i> See - <i>Thalictrum ichangense</i> | | | | | | | | |
| <i>Thalictrum dasycarpum</i> Purple Meadow Rue | HP | 1.15 | R2 | 5 | 6-8 | | | |
| <i>Thalictrum delavayi</i> Yunnan Meadow Rue | HP | 1.10 | R2 | 5 | 6-8 | | | |
| <i>Thalictrum delavayi</i> 'Hewitt's Double' Hewitt's Double Yunnan Meadow Rue | HP | 1.03 | R2 | 5 | 6-8 | | | |
| <i>Thalictrum dioicum</i> Early Meadow Rue | HP | 1.43 | R2 | 5 | 6-8 | | | |
| <i>Thalictrum diptercarpum</i> See - <i>Thalictrum delavayi</i> | | | | | | | | |
| <i>Thalictrum fendleri</i> var. <i>polycarpum</i> Western Meadow Rue | HP | 0.81 | R2 | 5 | 6-8 | | | |
| <i>Thalictrum flavum</i> Yellow Meadow Rue | HP | 1.10 | R2 | 4-6 | 7-8 | | | |
| <i>Thalictrum flavum</i> ssp. <i>glaucum</i> Glaucum Yellow Meadow Rue | HP | 0.99 | R2 | 4-6 | 7-8 | | | |
| <i>Thalictrum ichangense</i> No Common Name Found | HP | 0.69 | R2 | 4-6 | 7-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Thalictrum kiusianum</i> No Common Name Found | HP | 1.45 | R2 | 3-5 | 6-8 | | | |
| <i>Thalictrum minus</i> Lesser Meadow Rue | HP | 1.10 | R2 | 4-6 | 7-8 | | | |
| <i>Thalictrum minus</i> 'Adiantifolium' Adiantifolium Lesser Meadow Rue | HP | 1.10 | R2 | 4-6 | 7-8 | | | |
| <i>Thalictrum occidentale</i> Western Meadow Rue | HP | 0.61 | R2 | 3-5 | 6-8 | | | |
| <i>Thalictrum rochebrunianum</i> No Common Name Found | HP | 1.01 | R2 | 5 | 6-8 | | | |
| <i>Thalictrum rochebrunianum</i> 'Lavender Mist' Lavender Mist | HP | 0.64 | R2 | 5 | 6-8 | | | |
| <i>Thalictrum speciosissimum</i> See - <i>Thalictrum flavum</i> ssp. <i>glaucum</i> | | | | | | | | |
| <i>Thamnocalamus tessellatus</i> Bergbamboes | BE | 1.00 | R2 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Thea sinensis</i> See - <i>Camellia sinensis</i> | | | | | | | | |
| <i>Thelypteris decursive-pinnata</i> See - <i>Phegopteris decursive-pinnata</i> | | | | | | | | |
| <i>Thelypteris kunthii</i> Southern Shield Fern | HP | 0.92 | R2 | 5-7 | 8 | | | |
| <i>Thelypteris normalis</i> Wood Fern | FO | 0.58 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Thelypteris noveboracensis</i> See - <i>Parathelypteris noveboracensis</i> | | | | | | | | |
| <i>Thelypteris palustris</i> Marsh Fern | FO | 0.69 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Thelypteris phegopteris</i> See - <i>Phegopteris connectilis</i> | | | | | | | | |
| <i>Themeda triandra</i> No Common Name Found | HP | 0.88 | R2 | 4 | 5-8 | | | |
| <i>Themeda triandra</i> 'Japonica' Japanese Themeda | HP | 0.88 | R2 | 4 | 5-8 | | | |
| <i>Thermopsis caroliniana</i> See - <i>Thermopsis villosa</i> | | | | | | | | |
| <i>Thermopsis divaricarpa</i> Golden Banner | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Thermopsis lanceolata</i> Lanceleaf Thermopsis | HP | 0.73 | R2 | | 3-8 | | | |
| <i>Thermopsis lupinoides</i> See - <i>Thermopsis lanceolata</i> | | | | | | | | |
| <i>Thermopsis montana</i> See - <i>Thermopsis rhombifolia</i> | | | | | | | | |
| <i>Thermopsis rhombifolia</i> Prairie Thermopsis | HP | 0.73 | R2 | 3-4 | 5-8 | | | |
| <i>Thermopsis rhombifolia</i> var. <i>divaricarpa</i> See - <i>Thermopsis divaricarpa</i> | | | | | | | | |
| <i>Thermopsis villosa</i> Southern Lupine | HP | 0.95 | R2 | 3-6 | 7-8 | | | |
| <i>Thlaspi alpestre</i> Wild Candytuft | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Thlaspi montanum</i> Mountain Pennycress | HP | 1.00 | R2 | 4-5 | 6-8 | | | |
| <i>Thryptomene saxicola</i> No Common Name Found | BS | 1.00 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Thryptomene saxicola</i> 'Payne's Hybrid' Payne's Hybrid Heath Myrtle | BS | 1.00 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Thuja</i> Arborvitae | CE | 0.78 | R1 | 3-5 | 6-8 | 1.00 | 0.94 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Thuja</i> 'Green Giant' Green Giant Hybrid Arborvitae | CE | 0.82 | R1 | 3-5 | 6-8 | 1.00 | 0.94 | 5 |
| <i>Thuja</i> 'Steeplechase' P.P. 16094 Steeplechase Hybrid Arborvitae | CE | 0.74 | R1 | 3-5 | 6-8 | 1.00 | 0.94 | 5 |
| <i>Thuja koraiensis</i> Korean Arborvitae | CE | 0.94 | R1 | 3-5 | 6-8 | 1.00 | 0.62 | 5 |
| <i>Thuja occidentalis</i> American Arborvitae | CE | 0.65 | R1 | | 3-8 | 1.00 | 0.68 | 2 |
| <i>Thuja occidentalis</i> 'Ada' Ada American Arborvitae | CE | 0.83 | R1 | | 3-8 | 1.00 | 0.81 | 2 |
| <i>Thuja occidentalis</i> 'Aurea' Golden American Arborvitae | CE | 0.89 | R1 | | 3-8 | 1.00 | 0.80 | 2 |
| <i>Thuja occidentalis</i> 'BailJohn' P.P. 15850 Technito™ American Arborvitae | CE | 1.07 | R1 | | 3-8 | 1.00 | 1.07 | 2 |
| <i>Thuja occidentalis</i> 'Bobazam' Mr. Bowling Ball™ American Arborvitae | CE | 1.08 | R1 | | 3-8 | 1.00 | 0.81 | 2 |
| <i>Thuja occidentalis</i> 'Bodmeri' Bodmer American Arborvitae | CS | 1.04 | R1 | | 3-8 | | 0.58 | 2 |
| <i>Thuja occidentalis</i> 'Boothii' Booth American Arborvitae | CE | 0.87 | R1 | | 3-8 | 1.00 | 0.84 | 2 |
| <i>Thuja occidentalis</i> 'Brabant' Brabant American Arborvitae | CE | 0.52 | R1 | | 3-8 | 1.00 | 0.94 | 2 |
| <i>Thuja occidentalis</i> 'Brandon' Brandon American Arborvitae | CE | 0.97 | R1 | | 3-8 | 1.00 | 0.81 | 2 |
| <i>Thuja occidentalis</i> 'Compacta' Compact American Arborvitae | CS | 0.87 | R1 | | 3-8 | | 0.58 | 2 |
| <i>Thuja occidentalis</i> 'Congabe' P.P. 19009 Fire Chief™ Globe American Arborvitae | CS | 2.03 | R1 | | 3-8 | | 0.58 | 2 |
| <i>Thuja occidentalis</i> 'Danica' Danica Dwarf American Arborvitae | CS | 0.97 | R1 | | 3-8 | | 0.62 | 2 |
| <i>Thuja occidentalis</i> 'Degroot's Spire' Degroot's Spire American Arborvitae | CE | 0.96 | R1 | | 3-8 | 1.00 | 0.88 | 2 |
| <i>Thuja occidentalis</i> 'Douglasii Aurea' Douglas Golden American Arborvitae | CS | 1.04 | R1 | | 3-8 | | 0.58 | 2 |
| <i>Thuja occidentalis</i> 'Elegantissima' Elegantissima American Arborvitae | CE | 0.64 | R1 | | 3-8 | 1.00 | 0.53 | 2 |
| <i>Thuja occidentalis</i> 'Emerald' See - <i>Thuja occidentalis</i> 'Smaragd' | | | | | | | | |
| <i>Thuja occidentalis</i> 'Ericoides' Heath American Arborvitae | CS | 1.31 | R1 | | 3-8 | | 0.58 | 2 |
| <i>Thuja occidentalis</i> 'Europe Gold' Europe Gold American Arborvitae | CS | 0.83 | R1 | | 3-8 | | 0.58 | 2 |
| <i>Thuja occidentalis</i> 'Fastigiata' Pyramidal American Arborvitae | CE | 0.85 | R1 | | 3-8 | 1.00 | 0.54 | 2 |
| <i>Thuja occidentalis</i> 'Filiformis' Threadleaf American Arborvitae | CE | 1.33 | R1 | | 3-8 | 1.00 | 0.81 | 2 |
| <i>Thuja occidentalis</i> 'Fire Chief' See - <i>Thuja occidentalis</i> 'Congabe' P.P. 19009 | | | | | | | | |
| <i>Thuja occidentalis</i> 'George Peabody' See - <i>Thuja occidentalis</i> 'Lutea' | | | | | | | | |
| <i>Thuja occidentalis</i> 'George Washington' George Washington American Arborvitae | CE | 0.83 | R1 | | 3-8 | 1.00 | 0.81 | 2 |
| <i>Thuja occidentalis</i> 'Globosa' Dwarf Globe American Arborvitae | CS | 0.77 | R1 | | 3-8 | | 0.38 | 2 |
| <i>Thuja occidentalis</i> 'Golden Globe' Golden Globe American Arborvitae | CS | 1.02 | R1 | | 3-8 | | 0.56 | 2 |
| <i>Thuja occidentalis</i> 'Golden Splashes' Golden Splashes American Arborvitae | CE | 0.83 | R1 | | 3-8 | 1.00 | 0.81 | 2 |
| <i>Thuja occidentalis</i> 'Hetz Midget' Hetz Midget American Arborvitae | CS | 0.98 | R1 | | 3-8 | | 0.57 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Thuja occidentalis</i> 'Hetz Wintergreen' Hetz Wintergreen American Arborvitae | CE | 0.58 | R1 | 3-8 | 1.00 | 0.72 | 2 |
| <i>Thuja occidentalis</i> 'Hills Dark Green' Hills Dark Green American Arborvitae | CE | 0.98 | R1 | 3-8 | 1.00 | 0.81 | 2 |
| <i>Thuja occidentalis</i> 'Holmstrup' Holmstrup American Arborvitae | CS | 1.01 | R1 | 3-8 | | 1.00 | 2 |
| <i>Thuja occidentalis</i> 'Holmstrup's Yellow' Holmstrup's Yellow American Arborvitae | CS | 1.04 | R1 | 3-8 | | 0.58 | 2 |
| <i>Thuja occidentalis</i> 'Hoveyi' Hovey American Arborvitae | CS | 1.04 | R1 | 3-8 | | 0.58 | 2 |
| <i>Thuja occidentalis</i> 'Klehm Strain' Klehm Strain American Arborvitae | CE | 0.83 | R1 | 3-8 | 1.00 | 1.01 | 2 |
| <i>Thuja occidentalis</i> 'Linesville' Linesville American Arborvitae | CE | 0.70 | R1 | 3-8 | 1.00 | 0.81 | 2 |
| <i>Thuja occidentalis</i> 'Little Champion' Little Champion American Arborvitae | CS | 1.04 | R1 | 3-8 | | 0.58 | 2 |
| <i>Thuja occidentalis</i> 'Little Gem' Little Gem American Arborvitae | CS | 0.79 | R1 | 3-8 | | 0.50 | 2 |
| <i>Thuja occidentalis</i> 'Little Giant' Little Giant Dwarf Arborvitae | CS | 0.90 | R1 | 3-8 | | 0.63 | 2 |
| <i>Thuja occidentalis</i> 'Lutea' George Peabody Golden American Arborvitae | CE | 0.59 | R1 | 3-8 | 1.00 | 0.63 | 2 |
| <i>Thuja occidentalis</i> 'Masonic' Masonic Arborvitae | CE | 0.84 | R1 | 3-8 | 1.00 | 0.81 | 2 |
| <i>Thuja occidentalis</i> 'Minima' Minima Dwarf American Arborvitae | CE | 0.64 | R1 | 3-8 | 1.00 | 1.96 | 2 |
| <i>Thuja occidentalis</i> 'Mr. Bowling Ball' See - <i>Thuja occidentalis</i> 'Bobazam' | | | | | | | |
| <i>Thuja occidentalis</i> 'Nigra' Dark Green American Arborvitae | CE | 0.69 | R1 | 3-8 | 1.00 | 0.56 | 2 |
| <i>Thuja occidentalis</i> 'Pendula' Weeping American Arborvitae | CE | 0.83 | R1 | 3-8 | 1.00 | 0.81 | 2 |
| <i>Thuja occidentalis</i> 'Pumila Sudworthii' Sudworth Dwarf American Arborvitae | CE | 0.57 | R1 | 3-8 | 1.00 | 0.57 | 2 |
| <i>Thuja occidentalis</i> 'Pygmy Globe' Pygmy Globe Arborvitae | CS | 1.10 | R1 | 3-8 | | 0.66 | 2 |
| <i>Thuja occidentalis</i> 'Pyramidalis' See - <i>Thuja occidentalis</i> 'Fastigiata' | | | | | | | |
| <i>Thuja occidentalis</i> 'Recurva Nana' Recurva Nana American Arborvitae | CS | 1.04 | R1 | 3-8 | | 0.58 | 2 |
| <i>Thuja occidentalis</i> 'Recurvata' Twisted American Arborvitae | CS | 1.04 | R1 | 3-8 | | 0.58 | 2 |
| <i>Thuja occidentalis</i> 'Rheingold' Rheingold Arborvitae | CE | 0.67 | R1 | 3-8 | 1.00 | 0.59 | 2 |
| <i>Thuja occidentalis</i> 'Rockwood Gold' Rockwood Gold American Arborvitae | CE | 0.83 | R1 | 3-8 | 1.00 | 0.81 | 2 |
| <i>Thuja occidentalis</i> 'Roy's Select' Roy's Select American Arborvitae | CE | 0.83 | R1 | 3-8 | 1.00 | 0.81 | 2 |
| <i>Thuja occidentalis</i> 'Rushmore' Rushmore American Arborvitae | CE | 1.14 | R1 | 3-8 | 1.00 | 0.81 | 2 |
| <i>Thuja occidentalis</i> 'Sherman' Sherman American Arborvitae | CE | 0.95 | R1 | 3-8 | 1.00 | 0.64 | 2 |
| <i>Thuja occidentalis</i> 'Sherwood Frost' Sherwood Frost American Arborvitae | CE | 1.07 | R1 | 3-8 | 1.00 | 0.81 | 2 |
| <i>Thuja occidentalis</i> 'Sherwood Moss' Sherwood Moss American Arborvitae | CE | 0.93 | R1 | 3-8 | 1.00 | 0.81 | 2 |
| <i>Thuja occidentalis</i> 'Smaragd' Emerald Green American Arborvitae | CE | 0.73 | R1 | 3-8 | 1.00 | 0.60 | 2 |
| <i>Thuja occidentalis</i> 'Spiralis' Spiral American Arborvitae | CE | 1.12 | R1 | 3-8 | 1.00 | 0.55 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|--------------|---------|-------------------|------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | | |
| <i>Thuja occidentalis</i> 'Sudwelli' Sudwell American Arborvitae | CE | 0.61 | R1 | | 3-8 | | 1.00 | 0.78 | 2 |
| <i>Thuja occidentalis</i> 'Sunkist' Sunkist Arborvitae | CE | 0.79 | R1 | | 3-8 | | 1.00 | 0.71 | 2 |
| <i>Thuja occidentalis</i> 'Technito' See - <i>Thuja occidentalis</i> 'BailJohn' P.P. 15850 | | | | | | | | | |
| <i>Thuja occidentalis</i> 'Techny' Techny Arborvitae | CE | 0.81 | R1 | | 3-8 | | 1.00 | 0.77 | 2 |
| <i>Thuja occidentalis</i> 'Teddy' Teddy American Arborvitae | CS | 1.08 | R1 | | 3-8 | | | 0.58 | 2 |
| <i>Thuja occidentalis</i> 'Tiny Tim' Tiny Tim American Arborvitae | CS | 0.56 | R1 | | 3-8 | | | 0.57 | 2 |
| <i>Thuja occidentalis</i> 'Umbraculifera' Umbrella Dwarf American Arborvitae | CS | 1.45 | R1 | | 3-8 | | | 0.27 | 2 |
| <i>Thuja occidentalis</i> 'Wansdyke Silver' Wansdyke Silver American Arborvitae | CE | 0.81 | R1 | | 3-8 | | 1.00 | 0.81 | 2 |
| <i>Thuja occidentalis</i> 'Wareana' Ware American Arborvitae | CE | 0.58 | R1 | | 3-8 | | 1.00 | 1.42 | 2 |
| <i>Thuja occidentalis</i> 'Watnong Gold' Watnong Gold American Arborvitae | CE | 0.83 | R1 | | 3-8 | | 1.00 | 0.46 | 2 |
| <i>Thuja occidentalis</i> 'Woodwardii' Woodward Globe Arborvitae | CE | 0.64 | R1 | | 3-8 | | 1.00 | 1.15 | 2 |
| <i>Thuja occidentalis</i> 'Yellow Ribbon' Yellow Ribbon American Arborvitae | CE | 1.09 | R1 | | 3-8 | | 1.00 | 0.87 | 2 |
| <i>Thuja orientalis</i> See - <i>Platycladus orientalis</i> | | | | | | | | | |
| <i>Thuja plicata</i> Giant Arborvitae | CE | 0.61 | R1 | 4-5 | 6-8 | | 1.00 | 0.59 | 5 |
| <i>Thuja plicata</i> 'Atrovirens' Deep Green Giant Arborvitae | CE | 0.54 | R1 | 4-5 | 6-8 | | 1.00 | 0.69 | 5 |
| <i>Thuja plicata</i> 'Can-can' Can-can Dwarf Western Arborvitae | CE | 0.76 | R1 | 4-5 | 6-8 | | 1.00 | 0.63 | 5 |
| <i>Thuja plicata</i> 'Canadian Gold' Canadian Gold Giant Arborvitae | CE | 0.58 | R1 | 4-5 | 6-8 | | 1.00 | 0.63 | 5 |
| <i>Thuja plicata</i> 'Clemson #2' Clemson #2 Giant Arborvitae | CE | 0.66 | R1 | 4-5 | 6-8 | | 1.00 | 0.98 | 5 |
| <i>Thuja plicata</i> 'Cuprea' Cuprea Giant Arborvitae | CS | 4.29 | R1 | 4-5 | 6-8 | | | 0.90 | 5 |
| <i>Thuja plicata</i> 'Excelsa' Excelsa Giant Arborvitae | CE | 0.50 | R1 | 4-5 | 6-8 | | 1.00 | 0.57 | 5 |
| <i>Thuja plicata</i> 'Fastigiata' Hogan Giant Arborvitae | CE | 0.72 | R1 | 4-5 | 6-8 | | 1.00 | 0.55 | 5 |
| <i>Thuja plicata</i> 'Gold Spot' Gold Spot Giant Arborvitae | CE | 0.76 | R1 | 4-5 | 6-8 | | 1.00 | 0.39 | 5 |
| <i>Thuja plicata</i> 'Green Splendor' Green Splendor™ Giant Arborvitae | CE | 0.61 | R1 | 4-5 | 6-8 | | 1.00 | 0.63 | 5 |
| <i>Thuja plicata</i> 'Grovppli' Spring Grove Giant Arborvitae | CE | 0.99 | R1 | 4-5 | 6-8 | | 1.00 | 0.78 | 5 |
| <i>Thuja plicata</i> 'Grune Kugel' Grune Kugel Dwarf Arborvitae | CS | 1.45 | R1 | 4-5 | 6-8 | | | 0.90 | 5 |
| <i>Thuja plicata</i> 'Hoyt' See - <i>Thuja plicata</i> 'Green Splendor' | | | | | | | | | |
| <i>Thuja plicata</i> 'Pacific Gold' Pacific Gold Giant Arborvitae | CE | 0.76 | R1 | 4-5 | 6-8 | | 1.00 | 0.63 | 5 |
| <i>Thuja plicata</i> 'Rogersii' Rogers Giant Arborvitae | CS | 1.13 | R1 | 4-5 | 6-8 | | | 0.90 | 5 |
| <i>Thuja plicata</i> 'Spring Grove' See - <i>Thuja plicata</i> 'Grovppli' | | | | | | | | | |
| <i>Thuja plicata</i> 'Stoneham Dwarf' Stoneham Dwarf Giant Arborvitae | CS | 2.29 | R1 | 4-5 | 6-8 | | | 0.90 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Thuja plicata</i> 'Stoneham Gold' Stoneham Gold Giant Arborvitae | CE | 0.76 | R1 | 4-5 | 6-8 | 1.00 | 0.63 | 5 |
| <i>Thuja plicata</i> 'Sunshine' Sunshine Giant Arborvitae | CE | 1.04 | R1 | 4-5 | 6-8 | 1.00 | 0.63 | 5 |
| <i>Thuja plicata</i> 'Virescens' Virescens Giant Arborvitae | CE | 0.70 | R1 | 4-5 | 6-8 | 1.00 | 0.54 | 5 |
| <i>Thuja plicata</i> 'Whipcord' Whipcord Giant Arborvitae | CE | 1.42 | R1 | 4-5 | 6-8 | 1.00 | 0.63 | 5 |
| <i>Thuja plicata</i> 'Zebrina' Zebra Giant Arborvitae | CE | 0.74 | R1 | 4-5 | 6-8 | 1.00 | 0.60 | 5 |
| <i>Thuja standishii</i> Japanese Arborvitae | CE | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Thujaopsis dolabrata</i> Hiba Arborvitae | CE | 0.63 | R1 | 3-5 | 6-8 | 1.00 | 0.71 | 5 |
| <i>Thujaopsis dolabrata</i> 'Hondae' See - <i>Thujaopsis dolabrata</i> var. <i>hondae</i> | | | | | | | | |
| <i>Thujaopsis dolabrata</i> 'Nana' Dwarf Hiba Arborvitae | CS | 0.97 | R1 | 3-5 | 6-8 | | 0.51 | 5 |
| <i>Thujaopsis dolabrata</i> 'Variegata' Variegated Hiba Arborvitae | CE | 0.78 | R1 | 3-5 | 6-8 | 1.00 | 0.71 | 5 |
| <i>Thujaopsis dolabrata</i> var. <i>hondae</i> Hondae Hiba Arborvitae | CE | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.96 | 5 |
| <i>Thunbergia alata</i> Clock Vine | GC | 0.52 | R2 | 8 | | | 1.00 | 10 |
| <i>Thunbergia alata</i> 'African Sunset' African Sunset Black-eyed Susan Vine | GC | 1.16 | R2 | 8 | | | 1.00 | 10 |
| <i>Thunbergia alata</i> 'Alba' White Black-eyed Susan Vine | GC | 1.07 | R2 | 8 | | | 1.00 | 10 |
| <i>Thunbergia alata</i> 'Lemon Star' P.P. 14371 Lemon Star Black-eyed Susan Vine | GC | 1.28 | R2 | 8 | | | 1.00 | 10 |
| <i>Thunbergia alata</i> 'Orange Wonder' P.P. 14767 Orange Wonder Black-eyed Susan Vine | GC | 1.23 | R2 | 8 | | | 1.00 | 10 |
| <i>Thunbergia alata</i> 'Suzie Mix' Suzie Mix Clock Vine | GC | 0.67 | R2 | 8 | | | 1.00 | 10 |
| <i>Thunbergia battiscombei</i> Scrambling Sky Flower | GC | 0.66 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Thunbergia coccinea</i> Red Thunbergia Vine | GC | 0.66 | R2 | 8 | | | 1.00 | 10 |
| <i>Thunbergia erecta</i> King's Mantle | BS | 0.62 | R2 | 8 | | | 1.00 | 10 |
| <i>Thunbergia erecta</i> 'Alba' White King's Mantle | BS | 0.67 | R2 | 8 | | | 1.00 | 10 |
| <i>Thunbergia erecta</i> 'Blue Moon' Blue Moon King's Mantle | BS | 0.41 | R2 | 8 | | | 1.00 | 10 |
| <i>Thunbergia erecta</i> 'Fairy Moon' Fairy Moon King's Mantle | BS | 0.57 | R2 | 8 | | | 1.00 | 10 |
| <i>Thunbergia fragrans</i> Sweet Clock Vine | GC | 0.68 | R2 | 8 | | | 1.00 | 10 |
| <i>Thunbergia gibsonii</i> See - <i>Thunbergia gregorii</i> | | | | | | | | |
| <i>Thunbergia grandiflora</i> Blue Trumpet Vine | GC | 0.69 | R2 | 8 | | | 1.00 | 10 |
| <i>Thunbergia grandiflora</i> 'Alba' White Sky Vine | GC | 0.74 | R2 | 8 | | | 1.00 | 10 |
| <i>Thunbergia grandiflora</i> 'Variegata' Variegated Blue Trumpet Vine | GC | 0.72 | R2 | 8 | | | 1.00 | 10 |
| <i>Thunbergia gregorii</i> Orange Clock Vine | GC | 0.64 | R2 | 8 | | | 1.00 | 10 |
| <i>Thunbergia laurifolia</i> Laurel Clock Vine | GC | 0.64 | R2 | 8 | | | 1.00 | 10 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ | |
|---|-----------|-----------|----|--------------|-------------|---------|------------|----|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Thunbergia mysorensis</i> No Common Name Found | GC | 0.97 | R2 | 8 | | | 1.00 | 10 |
| <i>Thymophylla tenuiloba</i> Dahlberg Daisy | HP | 0.45 | R2 | 8 | | | | |
| <i>Thymus</i> Thyme | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Thymus</i> 'Coccineus Group' Red Wild Thyme | HP | 1.01 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus</i> 'Pink Ripple' Pink Ripple Thyme | HP | 0.98 | R2 | 3-4 | 5-8 | | | |
| <i>Thymus</i> 'Spicy Orange' Spicy Orange Thyme | HP | 0.66 | R2 | 3-4 | 5-8 | | | |
| <i>Thymus camphoratus</i> Camphor Thyme | HP | 0.62 | R2 | 6-7 | 8 | | | |
| <i>Thymus x citriodorus</i> Lemon Thyme | HP | 0.98 | R2 | 5-6 | 7-8 | | | |
| <i>Thymus x citriodorus</i> 'Archer's Gold' Archer's Gold Lemon Thyme | HP | 0.70 | R2 | 5-6 | 7-8 | | | |
| <i>Thymus x citriodorus</i> 'Argenteus Variegatus' Argenteus Variegatus Lemon Thyme | HP | 0.59 | R2 | 5-6 | 7-8 | | | |
| <i>Thymus x citriodorus</i> 'Argenteus' Silver Lemon Thyme | HP | 0.72 | R2 | 5-6 | 7-8 | | | |
| <i>Thymus x citriodorus</i> 'Aureus' Golden Lemon Thyme | HP | 0.67 | R2 | 5-6 | 7-8 | | | |
| <i>Thymus x citriodorus</i> 'Doone Valley' Doone Valley Lemon Thyme | HP | 0.69 | R2 | 5-6 | 7-8 | | | |
| <i>Thymus x citriodorus</i> 'Lemon Frost' Lemon Frost Thyme | HP | 0.72 | R2 | 5-6 | 7-8 | | | |
| <i>Thymus x citriodorus</i> 'Lemon Mist' Lemon Mist Thyme | HP | 0.72 | R2 | 5-6 | 7-8 | | | |
| <i>Thymus x citriodorus</i> 'Lime Green' Lime Green Thyme | HP | 0.72 | R2 | 5-6 | 7-8 | | | |
| <i>Thymus x citriodorus</i> 'Lime Mist' Lime Mist Thyme | HP | 0.72 | R2 | 5-6 | 7-8 | | | |
| <i>Thymus x citriodorus</i> 'Lime' Lime Thyme | HP | 0.65 | R2 | 5-6 | 7-8 | | | |
| <i>Thymus x citriodorus</i> 'Silver Queen' Silver Queen Lemon Thyme | HP | 0.72 | R2 | 5-6 | 7-8 | | | |
| <i>Thymus x citriodorus</i> 'Variegata' Silveredge Lemon Thyme | HP | 0.73 | R2 | 5-6 | 7-8 | | | |
| <i>Thymus doerfleri</i> No Common Name Found | HP | 0.64 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus doerfleri</i> 'Bressingham' No Common Name Found | HP | 0.64 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus herba-barona</i> Caraway Thyme | HP | 0.64 | R2 | 6-7 | 8 | | | |
| <i>Thymus hirsutus</i> No Common Name Found | HP | 0.80 | R2 | 5-6 | 7-8 | | | |
| <i>Thymus lanuginosus</i> See - <i>Thymus pseudolanuginosus</i> | | | | | | | | |
| <i>Thymus mastichina</i> Mastic Thyme | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Thymus minus</i> See - <i>Calamintha nepeta</i> | | | | | | | | |
| <i>Thymus neiceffii</i> Juniper Thyme | HP | 1.00 | R2 | 5 | 6-8 | | | |
| <i>Thymus polytrichus</i> ssp. <i>britannicus</i> Creeping Thyme | HP | 1.00 | R2 | 5 | 6-8 | | | |
| <i>Thymus polytrichus</i> ssp. <i>britannicus</i> 'Thomas' White' Thomas' White Wild Thyme | HP | 1.00 | R2 | 4-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Thymus praecox</i> Mother of Thyme | HP | 0.78 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus praecox</i> 'Albus' White Mother of Thyme | HP | 0.87 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus praecox</i> 'Minus' Minus Mother of Thyme | HP | 0.98 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus praecox</i> ssp. <i>arcticus</i> Arcticus Mother of Thyme | HP | 0.80 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus praecox</i> ssp. <i>arcticus</i> 'Albus' See - <i>Thymus polytrichus</i> ssp. <i>britannicus</i> 'Thomas' White' | | | | | | | | |
| <i>Thymus praecox</i> ssp. <i>skorpilii</i> Lavender Creeping Wild Thyme | HP | 0.88 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus pseudolanuginosus</i> Woolly Thyme | HP | 0.87 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus pseudolanuginosus</i> 'Hall's' Hall's Woolly Thyme | HP | 0.87 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus pulegioides</i> No Common Name Found | HP | 0.48 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus pulegioides</i> 'Dot Wells' Dot Wells Thyme | HP | 0.64 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus pulegioides</i> 'Oregano-scented' Oregano-scented Thyme | HP | 0.80 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus richardii</i> No Common Name Found | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Thymus richardii</i> 'Peter Davis' Peter Davis Thyme | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Thymus rotundifolius</i> See - <i>Thymus vulgaris</i> 'Elsbeth' | | | | | | | | |
| <i>Thymus serpyllum</i> Wild Thyme | HP | 0.86 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus serpyllum</i> 'Aureus' Yellow Transparent Wild Thyme | HP | 0.84 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus serpyllum</i> 'Coccineus' See - <i>Thymus</i> 'Coccineus Group' | | | | | | | | |
| <i>Thymus serpyllum</i> 'Elfin' Elfin Wild Thyme | HP | 0.76 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus serpyllum</i> 'Hartington Silver' Hartington Silver Wild Thyme | HP | 0.79 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus serpyllum</i> 'Magic Carpet' Magic Carpet Wild Creeping Thyme | HP | 1.00 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus serpyllum</i> 'Pink Chintz' Pink Chintz Wild Thyme | HP | 0.80 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus serpyllum</i> 'Variegatus' See - <i>Thymus serpyllum</i> 'Hartington Silver' | | | | | | | | |
| <i>Thymus skorpilii</i> See - <i>Thymus praecox</i> ssp. <i>skorpilii</i> | | | | | | | | |
| <i>Thymus thracicus</i> Lavender Thyme | HP | 0.48 | R2 | 6-8 | | | | |
| <i>Thymus vulgaris</i> Common Thyme | HP | 0.65 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus vulgaris</i> 'Argenteus' Silver Thyme | HP | 0.83 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus vulgaris</i> 'Baltic' Baltic Common Thyme | HP | 0.70 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus vulgaris</i> 'Elsbeth' Elsbeth Common Thyme | HP | 0.70 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus vulgaris</i> 'English Wedgewood' English Wedgewood Common Thyme | HP | 0.70 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus vulgaris</i> 'English' English Common Thyme | HP | 0.52 | R2 | 4-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Thymus vulgaris</i> 'French' French Common Thyme | HP | 0.70 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus vulgaris</i> 'Hi-ho Silver' Hi-ho Silver Common Thyme | HP | 0.70 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus vulgaris</i> 'Narrow-leaf French' Narrow-leaf French Common Thyme | HP | 0.70 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus vulgaris</i> 'Orange Balsam' Orange Balsam Common Thyme | HP | 0.70 | R2 | 4-5 | 6-8 | | | |
| <i>Thymus vulgaris</i> 'Silver Posie' Silver Poise Common Thyme | HP | 0.81 | R2 | 4-5 | 6-8 | | | |
| <i>Thysanolaena maxima</i> Tiger Grass | HP | 0.92 | R2 | 8 | | | | |
| <i>Tiarella</i> Foamflower | HP | 1.36 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Black Snowflake' P.P. 13684 Black Snowflake Foamflower | HP | 1.36 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Black Velvet' P.P. 12348 Black Velvet Foamflower | HP | 1.62 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Candy Striper' P.P. 15528 Candy Striper Foamflower | HP | 1.73 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Crow Feather' P.P. 12335 Crow Feather Hybrid Foamflower | HP | 1.44 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Dark Star' Dark Star Foamflower | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Iron Butterfly' P.P. 12396 Iron Butterfly Foamflower | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Jeepers Creepers' P.P. 13437 Jeepers Creepers Foamflower | HP | 1.25 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Mint Chocolate' P.P. 11379 Mint Chocolate Foamflower | HP | 1.37 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Neon Lights' P.P. 13289 Neon Lights Foamflower | HP | 1.50 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Pink Bouquet' Pink Bouquet Foamflower | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Pink Brushes' P.P. 13329 Pink Brushes Foamflower | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Pink Pearls' P.P. 13445 Pink Pearls Foamflower | HP | 1.25 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Pink Skyrocket' P.P. 13382 Pink Skyrocket Foamflower | HP | 1.43 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Pirate's Patch' P.P. 14907 Pirate's Patch Hybrid Foamflower | HP | 1.67 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Skeleton Key' Skeleton Key Foamflower | HP | 1.36 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Spring Symphony' P.P. 12397 Spring Symphony Foamflower | HP | 1.49 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella</i> 'Sugar and Spice' P.P. 16738 Sugar and Spice Foamflower | HP | 1.70 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella cordifolia</i> Allegheny Foamflower | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella cordifolia</i> 'Brandywine' Brandywine Allegheny Foamflower | HP | 1.27 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella cordifolia</i> 'Dark Eye' Dark Eye Allegheny Foamflower | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella cordifolia</i> 'Elizabeth Oliver' Elizabeth Oliver Allegheny Foamflower | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella cordifolia</i> 'Inkblot' Inkblot Allegheny Foamflower | HP | 1.20 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella cordifolia</i> 'Running Tapestry' Running Tapestry Allegheny Foamflower | HP | 1.09 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Tiarella cordifolia</i> 'Slick Rock' Slick Rock Allegheny Foamflower | HP | 1.11 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella cordifolia</i> 'Tiger Stripe' Tiger Stripe Allegheny Foamflower | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella cordifolia</i> var. <i>collina</i> See - <i>Tiarella wherryi</i> | | | | | | | | |
| <i>Tiarella trifoliata</i> Three-leaved Foamflower | HP | 0.57 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella trifoliata</i> 'Filigree Lace' Filigree Lace Three-leaved Foamflower | HP | 1.96 | R2 | 3-4 | 5-8 | | | |
| <i>Tiarella wherryi</i> Wherry Foamflower | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Tiarella wherryi</i> 'Dunvegan' Dunvegan Wherry Foamflower | HP | 0.91 | R2 | 3-5 | 6-8 | | | |
| <i>Tiarella wherryi</i> 'Oakleaf' Oakleaf Wherry Foamflower | HP | 1.01 | R2 | 3-5 | 6-8 | | | |
| <i>Tiarella wherryi</i> 'Springwood' P.P. 14087 Springwood Wherry Foamflower | HP | 0.91 | R2 | 3-5 | 6-8 | | | |
| <i>Tilia americana</i> American Linden | DT | 1.03 | R1 | 3 | 4-8 | 1.20 | 1.31 | 3 |
| <i>Tilia americana</i> 'Bailyard' Frontyard™ American Linden | DT | 1.41 | R1 | 3 | 4-8 | 2.23 | 1.55 | 3 |
| <i>Tilia americana</i> 'Boulevard' Boulevard American Linden | DT | 1.43 | R1 | 3 | 4-8 | 1.17 | 1.55 | 3 |
| <i>Tilia americana</i> 'Capitol' Capitol American Linden | DT | 1.31 | R1 | 3 | 4-8 | 1.30 | 1.55 | 3 |
| <i>Tilia americana</i> 'Continental Appeal' P.P. 3770 Continental Appeal American Linden | DT | 1.31 | R1 | 3 | 4-8 | 1.30 | 1.55 | 3 |
| <i>Tilia americana</i> 'Douglas' Douglas American Linden | DT | 1.31 | R1 | 3 | 4-8 | 1.30 | 1.70 | 3 |
| <i>Tilia americana</i> 'Fastigiata' Pyramidal American Linden | DT | 1.31 | R1 | 3 | 4-8 | 1.30 | 1.55 | 3 |
| <i>Tilia americana</i> 'Frontyard' See - <i>Tilia americana</i> 'Bailyard' | | | | | | | | |
| <i>Tilia americana</i> 'Legend' See - <i>Tilia americana</i> 'Wandell' P.P.A.F. | | | | | | | | |
| <i>Tilia americana</i> 'Lincoln' Lincoln American Linden | DT | 1.31 | R1 | 3 | 4-8 | 1.09 | 1.70 | 3 |
| <i>Tilia americana</i> 'Prestige' See - <i>Tilia americana</i> 'Continental Appeal' P.P. 3770 | | | | | | | | |
| <i>Tilia americana</i> 'Redmond' Redmond American Linden | DT | 1.15 | R1 | 3 | 4-8 | 1.12 | 1.49 | 3 |
| <i>Tilia americana</i> 'Rosehill' Rosehill American Linden | DT | 1.29 | R1 | 3 | 4-8 | 1.09 | 1.55 | 3 |
| <i>Tilia americana</i> 'Sentry' Sentry American Linden | DT | 1.56 | R1 | 3 | 4-8 | 1.17 | 1.70 | 3 |
| <i>Tilia americana</i> 'Wandell' P.P.A.F. Legend™ American Linden | DT | 1.27 | R1 | 3 | 4-8 | 1.34 | 1.41 | 3 |
| <i>Tilia caroliniana</i> Carolina Linden | DT | 0.42 | R1 | 5-7 | 8 | 1.00 | 1.00 | 7 |
| <i>Tilia cordata</i> Little-leaf Linden | DT | 0.96 | R1 | 3 | 4-8 | 0.92 | 1.16 | 3 |
| <i>Tilia cordata</i> 'Bailey' Shamrock™ Little-leaf Linden | DT | 1.60 | R1 | 3 | 4-8 | 1.11 | 1.10 | 3 |
| <i>Tilia cordata</i> 'Chancellor' See - <i>Tilia cordata</i> 'Chancole' P.P. 2712 | | | | | | | | |
| <i>Tilia cordata</i> 'Chancole' P.P. 2712 Chancellor Little-leaf Linden | DT | 1.15 | R1 | 3 | 4-8 | 1.14 | 1.51 | 3 |
| <i>Tilia cordata</i> 'Corinthian' See - <i>Tilia cordata</i> 'Corzam' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Tilia cordata</i> 'Corzam' Corinthian® Little-leaf Linden | DT | 1.19 | R1 | 3 | 4-8 | 1.19 | 1.10 | 3 |
| <i>Tilia cordata</i> 'Cully' Cully Little-leaf Linden | DT | 1.42 | R1 | 3 | 4-8 | 1.58 | 2.06 | 3 |
| <i>Tilia cordata</i> 'DeGroot' DeGroot Little-leaf Linden | DT | 1.42 | R1 | 3 | 4-8 | 1.28 | 1.51 | 3 |
| <i>Tilia cordata</i> 'Fairview' P.P. 3259 Fairview Little-leaf Linden | DT | 1.42 | R1 | 3 | 4-8 | 1.51 | 1.51 | 3 |
| <i>Tilia cordata</i> 'Greenspire' See - <i>Tilia cordata</i> 'PNI 6025' P.P. 2086 | | | | | | | | |
| <i>Tilia cordata</i> 'Halka' P.P. 10859 Summer Sprite™ Little-leaf Linden | DT | 1.42 | R1 | 3 | 4-8 | 1.39 | 1.51 | 3 |
| <i>Tilia cordata</i> 'June Bride' P.P. 3021 June Bride Little-leaf Linden | DT | 1.42 | R1 | 3 | 4-8 | 1.22 | 1.75 | 3 |
| <i>Tilia cordata</i> 'Klehm #2' Klehm #2 Little-leaf Linden | DT | 1.42 | R1 | 3 | 4-8 | 1.28 | 1.51 | 3 |
| <i>Tilia cordata</i> 'Klehm #3' Klehm #3 Little-leaf Linden | DT | 1.42 | R1 | 3 | 4-8 | 1.28 | 1.51 | 3 |
| <i>Tilia cordata</i> 'Morden' Morden Little-leaf Linden | DT | 1.42 | R1 | 3 | 4-8 | 1.28 | 1.51 | 3 |
| <i>Tilia cordata</i> 'Norbert' P.P. 6745 Prestige® Little-leaf Linden | DT | 1.42 | R1 | 3 | 4-8 | 1.31 | 1.51 | 3 |
| <i>Tilia cordata</i> 'Norlin' See - <i>Tilia cordata</i> 'Ronald' P.P. 8239 | | | | | | | | |
| <i>Tilia cordata</i> 'Olympic' Olympic Little-leaf Linden | DT | 1.29 | R1 | 3 | 4-8 | 1.15 | 1.51 | 3 |
| <i>Tilia cordata</i> 'PNI 6025' P.P. 2086 Greenspire® Little-leaf Linden | DT | 1.15 | R1 | 3 | 4-8 | 1.13 | 1.36 | 3 |
| <i>Tilia cordata</i> 'Prestige' See - <i>Tilia cordata</i> 'Norbert' P.P. 6745 | | | | | | | | |
| <i>Tilia cordata</i> 'Rancho' Rancho™ Little-leaf Linden | DT | 1.42 | R1 | 3 | 4-8 | 1.28 | 1.51 | 3 |
| <i>Tilia cordata</i> 'Ronald' P.P. 8239 Norlin™ Little-leaf Linden | DT | 1.42 | R1 | 3 | 4-8 | 1.28 | 1.51 | 3 |
| <i>Tilia cordata</i> 'Salem' Salem™ Little-leaf Linden | DT | 1.42 | R1 | 3 | 4-8 | 1.28 | 1.51 | 3 |
| <i>Tilia cordata</i> 'Shamrock' See - <i>Tilia cordata</i> 'Bailey' | | | | | | | | |
| <i>Tilia cordata</i> 'Shibamichi Gold' P.P. 16433 Shibamichi Gold Little-leaf Linden | DT | 1.38 | R1 | 3 | 4-8 | 1.28 | 1.51 | 3 |
| <i>Tilia cordata</i> 'Summer Sprite' See - <i>Tilia cordata</i> 'Halka' P.P. 10859 | | | | | | | | |
| <i>Tilia cordata</i> 'Turesi' Tures Pyramidal Little-leaf Linden | DT | 1.42 | R1 | 3 | 4-8 | 1.58 | 2.06 | 3 |
| <i>Tilia cordata</i> 'Unique' See - <i>Tilia cordata</i> 'Unizam' | | | | | | | | |
| <i>Tilia cordata</i> 'Unizam' Unique™ Little-leaf Linden | DT | 2.63 | R1 | 3 | 4-8 | 1.36 | 1.51 | 3 |
| <i>Tilia dasystyla</i> Caucasian Linden | DT | 1.00 | R1 | 3 | 4-8 | 1.00 | 1.00 | 3 |
| <i>Tilia x euchlora</i> Crimean Linden | DT | 1.71 | R1 | 3 | 4-8 | 1.14 | 1.75 | 3 |
| <i>Tilia x europaea</i> European Linden | DT | 1.00 | R1 | 3 | 4-8 | 0.87 | 1.00 | 3 |
| <i>Tilia x europaea</i> 'Gocrozam' Gold Crown® European Linden | DT | 1.00 | R1 | 3 | 4-8 | 0.87 | 1.00 | 3 |
| <i>Tilia x europaea</i> 'Gold Crown' See - <i>Tilia x europaea</i> 'Gocrozam' | | | | | | | | |
| <i>Tilia x europaea</i> 'Laurelhurst' Laurelhurst European Linden | DT | 1.00 | R1 | 3 | 4-8 | 0.87 | 1.00 | 3 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Tilia x europaea</i> 'Wratislaviensis' Wratislaviensis European Linden | DT | 1.00 | R1 | 3 | 4-8 | 0.87 | 1.00 | 3 |
| <i>Tilia x flavescens</i> Hybrid Linden | DT | 1.03 | R1 | 3 | 4-8 | 1.13 | 1.39 | 3 |
| <i>Tilia x flavescens</i> 'Glenleven' Glenleven Hybrid Linden | DT | 1.03 | R1 | 3 | 4-8 | 1.13 | 1.39 | 3 |
| <i>Tilia heterophylla</i> 'Continental Appeal' See - <i>Tilia americana</i> 'Continental Appeal' P.P. 3770 | | | | | | | | |
| <i>Tilia mongolica</i> Mongolian Linden | DT | 1.42 | R1 | 3 | 4-8 | 2.22 | 1.00 | 3 |
| <i>Tilia mongolica</i> 'Harvest Gold' P.P.A.F. Harvest Gold Mongolian Linden | DT | 1.42 | R1 | 3 | 4-8 | 2.22 | 1.00 | 3 |
| <i>Tilia petiolaris</i> Pendent Silver Linden | DT | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Tilia platyphyllos</i> Bigleaf Linden | DT | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Tilia platyphyllos</i> 'Fastigiata' Pyramidal Bigleaf Linden | DT | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Tilia platyphyllos</i> 'Laciniata' Cutleaf Bigleaf Linden | DT | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Tilia tomentosa</i> Silver Linden | DT | 1.28 | R1 | 4-6 | 7-8 | 1.10 | 1.75 | 5 |
| <i>Tilia tomentosa</i> 'Brabant' Brabant Silver Linden | DT | 1.28 | R1 | 4-6 | 7-8 | 1.12 | 1.41 | 5 |
| <i>Tilia tomentosa</i> 'Green Mountain' See - <i>Tilia tomentosa</i> 'PNI 6051' | | | | | | | | |
| <i>Tilia tomentosa</i> 'PNI 6051' Green Mountain® Silver Linden | DT | 1.07 | R1 | 4-6 | 7-8 | 1.14 | 1.10 | 5 |
| <i>Tilia tomentosa</i> 'Princeton' Princeton Silver Linden | DT | 1.28 | R1 | 4-6 | 7-8 | 1.12 | 1.41 | 5 |
| <i>Tilia tomentosa</i> 'Sashazam' Satin Shadow™ Silver Linden | DT | 1.60 | R1 | 4-6 | 7-8 | 1.14 | 1.41 | 5 |
| <i>Tilia tomentosa</i> 'Satin Shadow' See - <i>Tilia tomentosa</i> 'Sashazam' | | | | | | | | |
| <i>Tilia tomentosa</i> 'Sterling Silver' See - <i>Tilia tomentosa</i> 'Sterling' P.P. 6511 | | | | | | | | |
| <i>Tilia tomentosa</i> 'Sterling' P.P. 6511 Sterling Silver® Linden | DT | 1.18 | R1 | 4-6 | 7-8 | 1.11 | 1.38 | 5 |
| <i>Tilia tomentosa</i> ssp. <i>petiolaris</i> See - <i>Tilia petiolaris</i> | | | | | | | | |
| <i>Tilia x vulgaris</i> See - <i>Tilia x europaea</i> | | | | | | | | |
| <i>Tillandsia aeranthes</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Tillandsia albertiana</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Tillandsia araujuei</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Tillandsia argentea</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Tillandsia atrovirdipetala</i> See - <i>Tillandsia plumosa</i> | | | | | | | | |
| <i>Tillandsia baileyi</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Tillandsia balbisiana</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Tillandsia bergeri</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Tillandsia brachycaulos</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Tillandsia bulbosa</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Tillandsia butzii</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia cacticola</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia caerulea</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia califani</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia capitata</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia caput-medusae</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Tillandsia caulescens</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia circinnata</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Tillandsia concolor</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Tillandsia crocata</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia cyanea</i> No Common Name Found | FO | 1.55 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia cyanea</i> '3-D' 3-D Tillandsia | FO | 0.56 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia cyanea</i> 'Anita' Anita Tillandsia | FO | 0.74 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia cyanea</i> 'Pink Quill' Pink Quill Tillandsia | FO | 0.95 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia duratii</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia fasciculata</i> No Common Name Found | FO | 2.59 | R2 | 8 | | 1.00 | 10 |
| <i>Tillandsia festucoides</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia filifolia</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Tillandsia flabellata</i> No Common Name Found | FO | 2.59 | R2 | 8 | | 1.00 | 10 |
| <i>Tillandsia funckiana</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia gardneri</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia ionantha</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia ionantha</i> var. <i>van hyningii</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia ixioides</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia juncea</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia latifolia</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia latifolia</i> var. <i>divaricata</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia latifolia</i> var. <i>latifolia</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia latifolia</i> var. <i>major</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Tillandsia lorentziana</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia magnusiana</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Tillandsia mallemonitii</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia matudai</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia meridionalis</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia myosura</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia oaxacana</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia paleacea</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia paucifolia</i> See - <i>Tillandsia circinnata</i> | | | | | | | |
| <i>Tillandsia plumosa</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia polystachya</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia pruinosa</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia punctulata</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Tillandsia purpurea</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia reichenbachii</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia schiedeana</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Tillandsia seleriana</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Tillandsia straminea</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia streptocarpa</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia streptophylla</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Tillandsia stricta</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia tectorum</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia tenuifolia</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia tricolor</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia usneoides</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 8 |
| <i>Tillandsia utriculata</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 8 |
| <i>Tillandsia valenzuelana</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia vernicosa</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tillandsia xerographica</i> No Common Name Found | FO | 1.00 | R2 | 8 | | 1.00 | 9 |
| <i>Tipuana tipu</i> Rose Wood | BE | 0.90 | R2 | 8 | | 0.81 | 0.57 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|-------------|---|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | | |
| <i>Tolmiea menziesii</i> Pickaback Plant | HP | 0.57 | R2 | 4-6 7-8 | | | | |
| <i>Toona sinensis</i> No Common Name Found | DT | 1.47 | R1 | 3-5 6-8 | 1.00 | 1.00 | 5 | |
| <i>Torenia</i> Wishbone Flower | AN | 0.88 | R2 | 6-8 | | | | |
| <i>Torenia</i> 'Catalina Pink' See - <i>Torenia</i> 'Dancatpink' P.P. 17025 | AN | 0.82 | R2 | 6-8 | | | | |
| <i>Torenia</i> 'Dancatpink' P.P. 17025 Catalina® Pink Wishbone Flower | AN | 0.74 | R2 | 6-8 | | | | |
| <i>Torenia fournieri</i> Wishbone Flower | AN | 0.47 | R2 | 6-8 | | | | |
| <i>Torenia fournieri</i> 'Clown Series' Clown Series Wishbone Flower | AN | 0.91 | R2 | 6-8 | | | | |
| <i>Torenia fournieri</i> 'Summer Wave Blue' See - <i>Torenia fournieri</i> 'Sunrenilabu' P.P. 10843 | AN | 1.01 | R2 | 6-8 | | | | |
| <i>Torenia fournieri</i> 'Summer Wave Series' Summer Wave Series Wishbone Flower | AN | 1.00 | R2 | 3-4 5-8 | | | | |
| <i>Torenia fournieri</i> 'Sunrenilabu' P.P. 10843 Summer Wave Blue Wishbone Flower | AN | 1.00 | R2 | 3-4 5-8 | | | | |
| <i>Townsendia eximia</i> Townsend Daisy | HP | 1.00 | R2 | 3-4 5-8 | | | | |
| <i>Townsendia formosa</i> No Common Name Found | HP | 0.90 | R2 | 3-5 6-8 | | | | |
| <i>Townsendia grandiflora</i> Large Flowered Townsend Daisy | HP | 1.00 | R2 | 3 4-8 | | | | |
| <i>Townsendia rothrockii</i> No Common Name Found | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Trachelium jacquinii</i> ssp. <i>rumelianum</i> Rumelian Throatwort | GC | 0.60 | R2 | 5-7 8 | | 1.00 | 7 | |
| <i>Trachelospermum asiaticum</i> Asiatic Jasmine | GC | 0.59 | R2 | 5-7 8 | | 1.00 | 7 | |
| <i>Trachelospermum asiaticum</i> 'Ang Yo' Ang Yo Asiatic Jasmine | GC | 0.34 | R2 | 5-7 8 | | 1.00 | 7 | |
| <i>Trachelospermum asiaticum</i> 'Angyo' See - <i>Trachelospermum asiaticum</i> 'Ang Yo' | GC | 0.57 | R2 | 5-7 8 | | 1.00 | 7 | |
| <i>Trachelospermum asiaticum</i> 'Asia Minor' P.P. 5346 Asia Minor Asiatic Jasmine | GC | 0.57 | R2 | 5-7 8 | | 1.00 | 7 | |
| <i>Trachelospermum asiaticum</i> 'Bronze Beauty' Bronze Beauty Asiatic Jasmine | GC | 0.57 | R2 | 5-7 8 | | 1.00 | 7 | |
| <i>Trachelospermum asiaticum</i> 'Elegant' Elegant Asiatic Jasmine | GC | 0.48 | R2 | 5-7 8 | | 1.00 | 7 | |
| <i>Trachelospermum asiaticum</i> 'First Snow' See - <i>Trachelospermum asiaticum</i> 'Tricolor' | GC | 0.32 | R2 | 5-7 8 | | 1.00 | 7 | |
| <i>Trachelospermum asiaticum</i> 'Mini Mound' Mini Mound Asiatic Jasmine | GC | 0.39 | R2 | 5-7 8 | | 1.00 | 7 | |
| <i>Trachelospermum asiaticum</i> 'Minima Variegata' Minima Variegated Asiatic Jasmine | GC | 1.23 | R2 | 5-7 8 | | 1.00 | 7 | |
| <i>Trachelospermum asiaticum</i> 'Minima' Minima Asiatic Jasmine | GC | 0.75 | R2 | 5-7 8 | | 1.00 | 7 | |
| <i>Trachelospermum asiaticum</i> 'Ogon Nishiki' Ogon Nishiki Asiatic Jasmine | GC | 0.36 | R2 | 5-7 8 | | 1.00 | 7 | |
| <i>Trachelospermum asiaticum</i> 'Ougon Nishiki' See - <i>Trachelospermum asiaticum</i> 'Ogon Nishiki' | GC | 0.75 | R2 | 5-7 8 | | 1.00 | 7 | |
| <i>Trachelospermum asiaticum</i> 'Pink Showers' Pink Showers Asiatic Jasmine | GC | 0.36 | R2 | 5-7 8 | | 1.00 | 7 | |
| <i>Trachelospermum asiaticum</i> 'Red Top' Red Top Asiatic Jasmine | GC | | | | | | | |
| <i>Trachelospermum asiaticum</i> 'Snow 'n Summer' See - <i>Trachelospermum asiaticum</i> 'Tricolor' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Trachelospermum asiaticum</i> 'Texas Long' Texas Long Asiatic Jasmine | GC | 0.39 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Trachelospermum asiaticum</i> 'Tricolor' Tricolor Asiatic Jasmine | GC | 0.52 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Trachelospermum asiaticum</i> 'Variegata' Variegated Asiatic Jasmine | GC | 0.42 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Trachelospermum asiaticum</i> 'Winter Beauty' Winter Beauty Asian Jasmine | GC | 1.06 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Trachelospermum jasminoides</i> Confederate Jasmine | GC | 0.56 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Trachelospermum jasminoides</i> 'Madison' Madison Confederate Jasmine | GC | 0.79 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Trachelospermum jasminoides</i> 'Mandianum' Mandianum Confederate Jasmine | GC | 0.80 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Trachelospermum jasminoides</i> 'Tricolor' Tricolor Confederate Jasmine | GC | 0.72 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Trachelospermum jasminoides</i> 'Variegatum' Variegated Confederate Jasmine | GC | 0.76 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Trachelospermum mandianum</i> See - <i>Trachelospermum jasminoides</i> 'Mandianum' | | | | | | | | |
| <i>Trachycarpus fortunei</i> Windmill Palm | PC | 0.94 | R2 | 8 | | | 2.22 | 8 |
| <i>Trachycarpus latisectus</i> Windamere Palm | PC | 0.73 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Trachycarpus martianus</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Trachycarpus nanus</i> Dwarf Yunnan Palm | PC | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Trachycarpus oreophilus</i> Thai Mountain Fan Palm | PC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Trachycarpus takil</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | 1.00 | 9 |
| <i>Trachycarpus wagnerianus</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | 1.00 | 8 |
| <i>Trachystemon orientalis</i> No Common Name Found | GC | 0.95 | R2 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Tradescantia</i> Spiderwort | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Tradescantia</i> 'Baby Bunny Bellies' Baby Bunny Bellies™ Speedy Jenny | HP | 1.00 | R2 | 5-7 | 8 | | | |
| <i>Tradescantia</i> 'Maiden's Blush' See - <i>Tradescantia x andersoniana</i> 'Blushing Bride' | | | | | | | | |
| <i>Tradescantia x andersoniana</i> Hybrid Spiderwort | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Bilberry Ice' Bilberry Ice Spiderwort | HP | 0.93 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Blue Stone' Blue Stone Spiderwort | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Blushing Bride' Blushing Bride Spiderwort | HP | 1.17 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Carmine Glow' Carmine Glow Spiderwort | HP | 0.70 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Concord Grape' Concord Grape Spiderwort | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Danielle' Danielle Spiderwort | HP | 0.63 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Hawaiian Punch' Hawaiian Punch Spiderwort | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Innocence' Innocence Spiderwort | HP | 0.86 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Tradescantia x andersoniana</i> 'Isis' Isis Spiderwort | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'J.C. Weguelin' See - <i>Tradescantia x andersoniana</i> 'James C. Wegulein' | | | | | | | | |
| <i>Tradescantia x andersoniana</i> 'James C. Wegulein' James C. Wegulein Spiderwort | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Little Doll' Little Doll Spiderwort | HP | 0.90 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Little White Doll' Little White Doll Spiderwort | HP | 1.08 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Osprey' Osprey Spiderwort | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Pauline' Pauline Spiderwort | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Purple Dome' Purple Dome Spiderwort | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Purple Profusion' Purple Profusion Spiderwort | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Red Cloud' Red Cloud Spiderwort | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Red Grape' Red Grape Spiderwort | HP | 1.12 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Rubra' Red Spiderwort | HP | 0.94 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Snowcap' Snowcap Spiderwort | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Sweet Kate' Sweet Kate Spiderwort | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Valour' Valor Spiderwort | HP | 1.10 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia x andersoniana</i> 'Zwanenburg' Zwanenburg Blue Spiderwort | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia cerinthoides</i> Flowering Inch Plant | FO | 0.45 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Tradescantia fluminensis</i> No Common Name Found | FO | 0.81 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Tradescantia fluminensis</i> 'Tricolor Minima' Tricolor Minima Spiderwort | FO | 0.81 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Tradescantia gigantea</i> Giant Spiderwort | FO | 1.00 | R2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Tradescantia hirsuticaulis</i> Virginia Spiderwort | HP | 0.73 | R2 | 5-6 | 7-8 | | | |
| <i>Tradescantia microfolia</i> Bolivian Jew Spiderwort | FO | 0.49 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Tradescantia occidentalis</i> Prairie Spiderwort | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Tradescantia ohioensis</i> Ohio Spiderwort | HP | 0.96 | R2 | 3-5 | 6-8 | | | |
| <i>Tradescantia ohioensis</i> 'Alba' White Ohio Spiderwort | HP | 0.96 | R2 | 3-5 | 6-8 | | | |
| <i>Tradescantia pallida</i> Purple Queen Spiderwort | FO | 0.49 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Tradescantia pallida</i> 'Pale Puma' Pale Puma Spiderwort | FO | 0.53 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Tradescantia pallida</i> 'Purpurea' Purple Heart Spiderwort | FO | 0.56 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Tradescantia scopulorum</i> See - <i>Tradescantia occidentalis</i> | | | | | | | | |
| <i>Tradescantia sillamontana</i> No Common Name Found | FO | 0.47 | R2 | 8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Tradescantia spathacea</i> Oyster Plant | FO | 0.38 | R2 | 8 | | | 1.00 | 9 |
| <i>Tradescantia spathacea</i> 'Tricolor' See - <i>Tradescantia spathacea</i> 'Variegata' | | | | | | | | |
| <i>Tradescantia spathacea</i> 'Variegata' Tricolor Oyster Plant | HP | 0.90 | R2 | 8 | | | | |
| <i>Tradescantia spathacea</i> 'Vittata' Variegated Oyster Plant | HP | 0.70 | R2 | 8 | | | | |
| <i>Tradescantia virginiana</i> Spiderwort | HP | 0.79 | R2 | 3-5 | 6-8 | | | |
| <i>Tradescantia virginiana</i> 'Alba' White Spiderwort | HP | 0.79 | R2 | 3-5 | 6-8 | | | |
| <i>Tradescantia zebrina</i> Wandering Jew | FO | 0.38 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Tradescantia zebrina</i> 'Quadricolor' Quadricolor Wandering Jew | FO | 0.38 | R2 | 6-8 | | | 1.00 | 9 |
| <i>Trichocereus candicans</i> See - <i>Echinopsis candicans</i> | | | | | | | | |
| <i>Trichostema dichotomum</i> Bastard Pennyroyal | HP | 0.54 | R2 | 4-6 | 7-8 | | | |
| <i>Trichostema lanatum</i> Woolly Blue Curls | BS | 0.92 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Trichostema lanatum</i> 'Woolly Blue Curls' See - <i>Trichostema lanatum</i> | | | | | | | | |
| <i>Tricopilia saavis</i> No Common Name Found | FO | 3.75 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Tricyrtis</i> Toad Lily | HP | 1.02 | R2 | 3-5 | 6-8 | | | |
| <i>Tricyrtis</i> 'Empress' Empress Toad Lily | HP | 1.22 | R2 | 3-5 | 6-8 | | | |
| <i>Tricyrtis</i> 'Kohaku' Kohaku Toad Lily | HP | 1.17 | R2 | 3-5 | 6-8 | | | |
| <i>Tricyrtis</i> 'Shirohototgisu' Shirohototgisu Toad Lily | HP | 0.70 | R2 | 3-5 | 6-8 | | | |
| <i>Tricyrtis</i> 'Taipei Silk' P.P. 18727 Taipei Silk Hybrid Toad Lily | HP | 1.02 | R2 | 3-6 | 7-8 | | | |
| <i>Tricyrtis</i> 'Togen' See - <i>Tricyrtis</i> 'Tojen' | | | | | | | | |
| <i>Tricyrtis</i> 'Tojen' Tojen Hybrid Toad Lily | HP | 0.98 | R2 | 4-5 | 6-8 | | | |
| <i>Tricyrtis formosana</i> Formosa Toad Lily | HP | 1.27 | R2 | 4-6 | 7-8 | | | |
| <i>Tricyrtis formosana</i> 'Amethystina' See - <i>Tricyrtis lasiocarpa</i> | | | | | | | | |
| <i>Tricyrtis formosana</i> 'Emperor' Emperor Formosa Toad Lily | HP | 1.37 | R2 | 4-6 | 7-8 | | | |
| <i>Tricyrtis formosana</i> 'Hatatogisa' See - <i>Tricyrtis formosana</i> 'Seiryu' | | | | | | | | |
| <i>Tricyrtis formosana</i> 'Samurai' Samurai Formosa Toad Lily | HP | 0.97 | R2 | 4-6 | 7-8 | | | |
| <i>Tricyrtis formosana</i> 'Seiryu' Seiryu Formosa Blue Toad Lily | HP | 0.96 | R2 | 4-6 | 7-8 | | | |
| <i>Tricyrtis hirta</i> Common Toad Lily | HP | 0.57 | R2 | 4 | 5-8 | | | |
| <i>Tricyrtis hirta</i> 'Albo-marginata' Albo-marginata Common Toad Lily | HP | 0.99 | R2 | 4 | 5-8 | | | |
| <i>Tricyrtis hirta</i> 'Aureo-marginata' Aureo-marginata Common Toad Lily | HP | 0.90 | R2 | 4 | 5-8 | | | |
| <i>Tricyrtis hirta</i> 'Miyazaki' Miyazaki Common Toad Lily | HP | 1.08 | R2 | 4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Tricyrtis hirta</i> 'Variegata' Variegated Common Toad Lily | HP | 1.67 | R2 | 4 | 5-8 | | | |
| <i>Tricyrtis hirta</i> 'White Towers' White Towers Common Toad Lily | HP | 1.16 | R2 | 4 | 5-8 | | | |
| <i>Tricyrtis lasiocarpa</i> Amethyst Toad Lily | HP | 1.00 | R2 | 4-6 | 7-8 | | | |
| <i>Tricyrtis macrantha</i> No Common Name Found | HP | 0.66 | R2 | 4-6 | 7-8 | | | |
| <i>Tricyrtis macropoda</i> Speckled Toad Lily | HP | 0.91 | R2 | 4-5 | 6-8 | | | |
| <i>Tricyrtis macropoda</i> 'Sinonome' Sinonome Toad Lily | HP | 0.91 | R2 | 4-5 | 6-8 | | | |
| <i>Tricyrtis maculata</i> No Common Name Found | HP | 0.76 | R2 | 4-5 | 6-8 | | | |
| <i>Tricyrtis ohsumiensis</i> Ohsumiensis Toad Lily | HP | 1.00 | R2 | 4 | 5-8 | | | |
| <i>Tricyrtis stolonifera</i> See - <i>Tricyrtis formosana</i> | | | | | | | | |
| <i>Trifolium repens</i> Shamrock Clover | HP | 0.64 | R2 | 3-4 | 5-8 | | | |
| <i>Trifolium repens</i> var. <i>atropurpureum</i> Atropurpureum White Clover | HP | 1.17 | R2 | 3-4 | 5-8 | | | |
| <i>Trifolium repens</i> var. <i>atropurpureum</i> 'Dark Dancer' Dark Dancer White Clover | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Trillium catesbaei</i> Rosy Trillium | HP | 0.99 | R2 | 4-8 | | | | |
| <i>Trillium chloropetalum</i> Giant Wakerobin | HP | 1.98 | R2 | 4-6 | 7-8 | | | |
| <i>Trillium erectum</i> Purple Trillium | HP | 1.52 | R2 | 3-4 | 5-8 | | | |
| <i>Trillium grandiflorum</i> White Trillium | HP | 1.62 | R2 | 3-5 | 6-8 | | | |
| <i>Trillium grandiflorum</i> 'Flore Pleno' Double Flowering Trillium | HP | 1.62 | R2 | 3-5 | 6-8 | | | |
| <i>Trillium luteum</i> Yellow Wood Trillium | HP | 0.99 | R2 | 3-5 | 6-8 | | | |
| <i>Trillium ovatum</i> Coast Trillium | HP | 0.87 | R2 | 3-5 | 6-8 | | | |
| <i>Trillium recurvatum</i> Red Trillium | HP | 1.98 | R2 | 3-5 | 6-8 | | | |
| <i>Trillium sessile</i> Toad Trillium | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Trillium stylosum</i> See - <i>Trillium catesbaei</i> | | | | | | | | |
| <i>Trillium undulatum</i> Painted Trillium | HP | 1.98 | R2 | 3-4 | 5-8 | | | |
| <i>Trillium viride</i> var. <i>luteum</i> See - <i>Trillium luteum</i> | | | | | | | | |
| <i>Tripsacum dactyloides</i> Fakahatchee Grass | HP | 0.69 | R2 | 8 | | | | |
| <i>Tripsacum floridana</i> Florida Gama Grass | HP | 0.65 | R2 | 8 | | | | |
| <i>Tristellateia australasiae</i> Galphimia Vine | GC | 0.80 | R2 | 8 | | | 1.00 | 9 |
| <i>Triteleia hyacintha</i> White Brodiaea | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Triteleia laxa</i> Grass Nut | HP | 1.03 | R2 | 3-4 | 5-8 | | | |
| <i>Triteleia laxa</i> 'Queen Fabiola' Queen Fabiola Grass Nut | HP | 1.03 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Triteleia peduncularis</i> Long-rayed Triteleia | HP | 1.03 | R2 | 5-6 | 7-8 | | | |
| <i>Trithrinax campestris</i> South American Needle Palm | PC | 1.00 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Tritoma uvaria</i> See - <i>Kniphofia uvaria</i> | | | | | | | | |
| <i>Tritonia crocata</i> No Common Name Found | HP | 1.03 | R2 | 6-8 | | | | |
| <i>Tritonia crocata</i> 'Princess Beatrix' Princess Beatrix Tritonia | HP | 1.03 | R2 | 6-8 | | | | |
| <i>Tritonia hyalina</i> No Common Name Found | HP | 1.03 | R2 | 6-8 | | | | |
| <i>Trochodendron aralioides</i> Wheel Tree | BE | 1.00 | R2 | 4-6 | 7-8 | 1.00 | 1.00 | 6 |
| <i>Trollius chinensis</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Trollius x cultorum</i> Hybrid Globeflower | HP | 0.96 | R2 | 4-5 | 6-8 | | | |
| <i>Trollius x cultorum</i> 'Alabaster' Alabaster Hybrid Globeflower | HP | 0.96 | R2 | 4-5 | 6-8 | | | |
| <i>Trollius x cultorum</i> 'Earliest of All' Earliest of All Hybrid Globeflower | HP | 1.04 | R2 | 4-5 | 6-8 | | | |
| <i>Trollius x cultorum</i> 'Golden Queen' Golden Queen Hybrid Globeflower | HP | 1.00 | R2 | 4-5 | 6-8 | | | |
| <i>Trollius x cultorum</i> 'Lemon Queen' Lemon Queen Hybrid Globeflower | HP | 1.14 | R2 | 4-5 | 6-8 | | | |
| <i>Trollius x cultorum</i> 'Orange Globe' Orange Globe Hybrid Globeflower | HP | 0.87 | R2 | 4-5 | 6-8 | | | |
| <i>Trollius x cultorum</i> 'Orange Princess' Orange Princess Hybrid Globeflower | HP | 0.77 | R2 | 4-5 | 6-8 | | | |
| <i>Trollius europaeus</i> Common Globeflower | HP | 1.26 | R2 | 4-5 | 6-8 | | | |
| <i>Trollius europaeus</i> 'Superbus' Superbus Common Globeflower | HP | 0.87 | R2 | 4-5 | 6-8 | | | |
| <i>Trollius laxus</i> American Globeflower | HP | 1.17 | R2 | 4-5 | 6-8 | | | |
| <i>Trollius pumilus</i> No Common Name Found | HP | 0.73 | R2 | 4-5 | 6-8 | | | |
| <i>Tsuga canadensis</i> Canadian Hemlock | CE | 0.94 | R1 | 3-4 | 5-8 | 1.00 | 0.86 | 4 |
| <i>Tsuga canadensis</i> 'Abbott's Dwarf' Abbott's Dwarf Canadian Hemlock | CS | 1.85 | R1 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Abbott's Pygmy' Abbott's Pygmy Canadian Hemlock | CS | 2.19 | R1 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Albo-spica' Albo-spica Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 4.68 | 4 |
| <i>Tsuga canadensis</i> 'Angustifolia' Narrowleaf Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Ashfield Weeper' Ashfield Weeper Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 4.39 | 4 |
| <i>Tsuga canadensis</i> 'Atrovirens' Atrovirens Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 0.74 | 4 |
| <i>Tsuga canadensis</i> 'Aurea Compacta' See - <i>Tsuga canadensis</i> 'Everitt Golden' | | | | | | | | |
| <i>Tsuga canadensis</i> 'Aurea' Golden Variegated Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Bacon Cristate' Bacon Cristate Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Baldwin Dwarf Pyramid' Baldwin Dwarf Pyramid Canadian Hemlock | CS | 2.19 | R1 | 3-4 | 5-8 | | 2.06 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Tsuga canadensis</i> 'Beaujean' Beaujean Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 3.57 | 4 |
| <i>Tsuga canadensis</i> 'Beehive' Beehive Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 3.15 | 4 |
| <i>Tsuga canadensis</i> 'Bennett' Bennett Canadian Hemlock | CS | 1.77 | R1 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Bergman's Gem' Bergman's Gem Canadian Hemlock | CS | 2.19 | R1 | 3-4 | 5-8 | | 3.44 | 4 |
| <i>Tsuga canadensis</i> 'Bergman's Snowflake' Bergman's Snowflake Canadian Hemlock | CS | 2.19 | R1 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Betty Rose' Betty Rose Canadian Hemlock | CS | 2.19 | R1 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Brandley' Brandley Canadian Hemlock | CS | 1.77 | R1 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Canby' Canby Canadian Hemlock | CS | 2.19 | R1 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Cloud Prune' Cloud Prune Canadian Hemlock | CS | 2.19 | R1 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Coffin' Coffin Canadian Hemlock | CS | 2.19 | R1 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Cole's Prostrate' Cole's Prostrate Canadian Hemlock | CS | 1.82 | R1 | 3-4 | 5-8 | | 1.27 | 4 |
| <i>Tsuga canadensis</i> 'Creamey' Creamey Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Curley' Curley Canadian Hemlock | CE | 1.70 | R1 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Dawsoniana' Dawson Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Dwarf Upright' Dwarf Upright Canadian Hemlock | CS | 2.19 | R1 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Elm City' Elm City Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Emerald Fountain' See - <i>Tsuga canadensis</i> 'Monler' P.P.A.F. | | | | | | | | |
| <i>Tsuga canadensis</i> 'Emerald King' See - <i>Tsuga canadensis</i> 'Monen' | | | | | | | | |
| <i>Tsuga canadensis</i> 'Everitt Golden' Everitt Golden Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Fantana' Fantana Canadian Hemlock | CS | 2.19 | R1 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Fremdii' Fremd Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Frosty' Frosty Canadian Hemlock | CE | 1.67 | R1 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Geneva' Geneva Canadian Hemlock | CE | 2.39 | R1 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Gentsch White' Gentsch White Canadian Hemlock | CS | 1.30 | R1 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Golden Splendor' Golden Splendor Canadian Hemlock | CE | 2.75 | R1 | 3-4 | 5-8 | 1.00 | 0.91 | 4 |
| <i>Tsuga canadensis</i> 'Gracilis' Gracilis Canadian Hemlock | CS | 1.64 | R1 | 3-4 | 5-8 | | 1.28 | 4 |
| <i>Tsuga canadensis</i> 'Green Cascade' Green Cascade Candian Hemlock | CS | 2.50 | R1 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Greenbrier' Greenbrier Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Harmon' Harmon Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Horsford Compact' Horsford Compact Canadian Hemlock | CS | 2.19 | R1 | 3-4 | 5-8 | | 2.06 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Tsuga canadensis</i> 'Horsford Contorted' Horsford Contorted Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Humphrey Welch' Humphrey Welch Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Hussii' Huss Twigg Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 3.50 | 4 |
| <i>Tsuga canadensis</i> 'J-210' J-210 Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Jacqueline Verkade' Jacqueline Verkade Canadian Hemlock | CS | 5.10 | R1 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Jeddeloh' Jeddeloh Canadian Hemlock | CS | 1.55 | R1 | 3-4 | 5-8 | | 1.84 | 4 |
| <i>Tsuga canadensis</i> 'Jervis' Jervis Canadian Hemlock | CE | 2.50 | R1 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Kelsey's Weeping' Kelsey's Weeping Eastern Hemlock | CS | 2.19 | R2 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Kingsville #9' Kingsville #9 Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'LaBar White Tip' LaBar White Tip Canadian Hemlock | CE | 1.99 | R1 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Lewis' Lewis Dwarf Canadian Hemlock | CS | 1.78 | R1 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Lustgarten Creeping' Lustgarten Creeping Canadian Hemlock | CS | 2.50 | R1 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Microphylla' Microphylla Form Canadian Hemlock | CS | 1.50 | R1 | 3-4 | 5-8 | | 2.47 | 4 |
| <i>Tsuga canadensis</i> 'Minima' Minima Canadian Hemlock | CS | 2.19 | R2 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Minuta' Minuta Canadian Hemlock | CS | 2.19 | R2 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Monen' Emerald King™ Canadian Hemlock | CE | 2.13 | R1 | 3-4 | 5-8 | 1.00 | 1.88 | 4 |
| <i>Tsuga canadensis</i> 'Monler' P.P.A.F. Emerald Fountain™ Canadian Hemlock | CE | 1.97 | R1 | 3-4 | 5-8 | 1.00 | 1.88 | 4 |
| <i>Tsuga canadensis</i> 'Mt. Bachelor' Mt. Bachelor Canadian Hemlock | CE | 1.99 | R2 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Mt. Jefferson' Mt. Jefferson Canadian Hemlock | CE | 1.99 | R2 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Mt. South Sister' Mt. South Sister Canadian Hemlock | CE | 1.99 | R2 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Mt. St. Helens' Mt. St. Helens Canadian Hemlock | CE | 1.99 | R2 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'New Gold' New Gold Canadian Hemlock | CE | 1.99 | R2 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Palamino' Palamino Canadian Hemlock | CE | 1.99 | R2 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Pendula' Weeping Canadian Hemlock | CE | 2.25 | R2 | 3-4 | 5-8 | 1.00 | 1.96 | 4 |
| <i>Tsuga canadensis</i> 'Prostrata' Prostrate Eastern Hemlock | CS | 2.19 | R2 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Pygmaea' See - <i>Tsuga canadensis</i> 'Abbott's Pygmy' | | | | | | | | |
| <i>Tsuga canadensis</i> 'Rugg's Washington Dwarf' Rugg's Washington Dwarf Canadian Hemlock | CS | 2.19 | R2 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Sargentii' See - <i>Tsuga canadensis</i> 'Pendula' | | | | | | | | |
| <i>Tsuga canadensis</i> 'Sherwood Compact' Sherwood Compact Canadian Hemlock | CS | 2.53 | R2 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Slenderella' Slenderella Canadian Hemlock | CE | 1.99 | R2 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Tsuga canadensis</i> 'Stewart's Gem' Stewart's Gem Canadian Hemlock | CS | 3.06 | R2 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Stockman's Dwarf' Stockman's Dwarf Canadian Hemlock | CS | 2.19 | R2 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Stranger' Stranger Canadian Hemlock | CE | 1.99 | R2 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Summer Snow' Summer Snow Canadian Hemlock | CE | 1.60 | R2 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Tualatin' Tualatin Canadian Hemlock | CE | 1.99 | R2 | 3-4 | 5-8 | 1.00 | 2.50 | 4 |
| <i>Tsuga canadensis</i> 'Von Helms' Von Helms Canadian Hemlock | CS | 2.19 | R2 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga canadensis</i> 'Warner's Globe' Warner's Globe Canadian Hemlock | CS | 2.19 | R2 | 3-4 | 5-8 | | 2.06 | 4 |
| <i>Tsuga caroliniana</i> Carolina Hemlock | CE | 0.69 | R1 | 3-5 | 6-8 | 1.00 | 0.79 | 5 |
| <i>Tsuga caroliniana</i> 'LaBar Weeping' LaBar Weeping Carolina Hemlock | CE | 0.69 | R1 | 3-5 | 6-8 | 1.00 | 0.79 | 5 |
| <i>Tsuga chinensis</i> Chinese Hemlock | CE | 0.63 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Tsuga diversifolia</i> Northern Japanese Hemlock | CE | 1.32 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Tsuga heterophylla</i> Western Hemlock | CE | 0.46 | R1 | 3-6 | 7-8 | 1.00 | 0.72 | 6 |
| <i>Tsuga heterophylla</i> 'Iron Springs' Iron Springs Dwarf Western Hemlock | CE | 0.46 | R1 | 3-6 | 7-8 | 1.00 | 0.72 | 6 |
| <i>Tsuga heterophylla</i> 'Tharsen's Weeping' Tharsen's Weeping Western Hemlock | CE | 0.46 | R1 | 3-6 | 7-8 | 1.00 | 0.72 | 6 |
| <i>Tsuga mertensiana</i> Mountain Hemlock | CE | 0.74 | R1 | 3-4 | 5-8 | 1.00 | 1.22 | 4 |
| <i>Tsuga mertensiana</i> 'Elizabeth' Elizabeth Mountain Hemlock | CS | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Tsuga mertensiana</i> 'Nana' Dwarf Mountain Hemlock | CS | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Tsuga mertensiana</i> 'Van's Prostrate' Van's Prostrate Mountain Hemlock | CS | 1.00 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Tsuga sieboldii</i> Southern Japanese Hemlock | CE | 1.00 | R1 | 3-6 | 7-8 | 1.00 | 3.15 | 6 |
| <i>Tulbaghia daviesii</i> See - <i>Tulbaghia fragrans</i> | | | | | | | | |
| <i>Tulbaghia fragrans</i> Sweet Garlic | HP | 0.84 | R2 | 5-7 | 8 | | | |
| <i>Tulbaghia fragrans</i> 'Alba' White Sweet Garlic | HP | 1.08 | R2 | 5-7 | 8 | | | |
| <i>Tulbaghia violacea</i> Society Garlic | HP | 0.65 | R2 | 5-7 | 8 | | | |
| <i>Tulbaghia violacea</i> 'Silver Lace' Silver Lace Society Garlic | HP | 0.68 | R2 | 5-7 | 8 | | | |
| <i>Tulbaghia violacea</i> 'Tricolor' Tricolor Society Garlic | HP | 0.90 | R2 | 5-7 | 8 | | | |
| <i>Tulbaghia violacea</i> 'Variegata' Variegated Society Garlic | HP | 0.80 | R2 | 5-7 | 8 | | | |
| <i>Tupidanthus calypttratus</i> See - <i>Schefflera pueckleri</i> | | | | | | | | |
| <i>Tussilago farfara</i> No Common Name Found | HP | 0.65 | R2 | 4-5 | 6-8 | | | |
| <i>Tweedia caerulea</i> No Common Name Found | HP | 0.80 | R2 | 8 | | | | |
| <i>Typha angustifolia</i> Narrowleaf Cattail | HP | 0.97 | R2 | | 3-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Typha latifolia</i> Common Cattail | HP | 1.35 | R2 | 3 | 4-8 | | | |
| <i>Typha laximannii</i> Graceful Cattail | HP | 1.28 | R2 | 3 | 4-8 | | | |
| <i>Typha minima</i> Miniature Cattail | HP | 1.30 | R2 | 3 | 4-8 | | | |
| <i>Typha shuttleworthii</i> No Common Name Found | HP | 1.38 | R2 | 4-5 | 6-8 | | | |
| <i>Ugni molinae</i> Chilean Guava | BS | 0.81 | R2 | 8 | | | 1.00 | 9 |
| <i>Ulmus</i> Elm | DT | 1.25 | R1 | 3 | 4-8 | 1.20 | 0.52 | 3 |
| <i>Ulmus</i> 'Accolade' See - <i>Ulmus</i> 'Morton' | | | | | | | | |
| <i>Ulmus</i> 'Cathedral' P.P. 8683 Cathedral Hybrid Elm | DT | 1.32 | R1 | 3-5 | 6-8 | 1.18 | 0.52 | 5 |
| <i>Ulmus</i> 'Commendation' See - <i>Ulmus</i> 'Morton Stalwart' | | | | | | | | |
| <i>Ulmus</i> 'Danada Charm' See - <i>Ulmus</i> 'Morton Red Tip' | | | | | | | | |
| <i>Ulmus</i> 'Delaware #2' Delaware #2 Hybrid Elm | DT | 1.25 | R1 | 3-5 | 6-8 | 1.20 | 0.52 | 3 |
| <i>Ulmus</i> 'Frontier' Frontier Hybrid Elm | DT | 0.99 | R1 | 3-5 | 6-8 | 1.14 | 0.46 | 5 |
| <i>Ulmus</i> 'Homestead' Homestead Hybrid Elm | DT | 1.26 | R1 | 3-5 | 6-8 | 1.28 | 0.52 | 5 |
| <i>Ulmus</i> 'Lincoln' P.P. 5015 Lincoln Hybrid Elm | DT | 1.25 | R1 | 3-5 | 6-8 | 1.48 | 0.52 | 3 |
| <i>Ulmus</i> 'Morton Glossy' Triumph™ Hybrid Elm | DT | 1.13 | R1 | 3-5 | 6-8 | 1.15 | 0.52 | 5 |
| <i>Ulmus</i> 'Morton Plainsman' Vanguard™ Hybrid Elm | DT | 1.25 | R1 | 3-5 | 6-8 | 1.15 | 0.52 | 5 |
| <i>Ulmus</i> 'Morton Red Tip' Danada Charm™ Elm | DT | 1.25 | R1 | 3-4 | 5-8 | 1.31 | 0.52 | 4 |
| <i>Ulmus</i> 'Morton Stalwart' Commendation™ Hybrid Elm | DT | 1.25 | R1 | 3-5 | 6-8 | 1.06 | 0.52 | 5 |
| <i>Ulmus</i> 'Morton' Accolade™ Hybrid Elm | DT | 1.17 | R1 | 3-5 | 6-8 | 1.12 | 0.63 | 5 |
| <i>Ulmus</i> 'New Horizon' P.P. 8684 New Horizon Hybrid Elm | DT | 1.60 | R1 | 3-5 | 6-8 | 1.26 | 0.46 | 5 |
| <i>Ulmus</i> 'Patriot' Patriot Hybrid Elm | DT | 0.91 | R1 | 3-5 | 6-8 | 0.99 | 0.52 | 5 |
| <i>Ulmus</i> 'Regal' P.P. 5335 Regal Hybrid Elm | DT | 1.60 | R1 | 3-5 | 6-8 | 1.11 | 0.52 | 5 |
| <i>Ulmus</i> 'Sapporo Autumn Gold' P.P. 3780 Sapporo Autumn Gold Hybrid Elm | DT | 1.25 | R1 | 3-5 | 6-8 | 1.20 | 0.52 | 5 |
| <i>Ulmus</i> 'Triumph' See - <i>Ulmus</i> 'Morton Glossy' | | | | | | | | |
| <i>Ulmus</i> 'Urban' Urban Hybrid Elm | DT | 1.25 | R1 | 3-5 | 6-8 | 1.31 | 0.52 | 5 |
| <i>Ulmus</i> 'Vanguard' See - <i>Ulmus</i> 'Morton Plainsman' | | | | | | | | |
| <i>Ulmus alata</i> Small-leaved Elm | DT | 0.85 | R1 | 3-4 | 5-8 | 0.77 | 0.62 | 4 |
| <i>Ulmus americana</i> American Elm | DT | 0.68 | R1 | | 3-8 | 0.74 | 0.23 | 2 |
| <i>Ulmus americana</i> 'Brandon' Brandon American Elm | DT | 1.02 | R1 | | 3-8 | 1.21 | 0.23 | 2 |
| <i>Ulmus americana</i> 'New Harmony' New Harmony American Elm | DT | 1.02 | R1 | | 3-8 | 1.41 | 0.23 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Ulmus americana</i> 'Princeton' Princeton American Elm | DT | 1.19 | R1 | | 3-8 | 1.49 | 0.23 | 2 |
| <i>Ulmus americana</i> 'Valley Forge' Valley Forge American Elm | DT | 1.20 | R1 | | 3-8 | 1.20 | 0.23 | 2 |
| <i>Ulmus americana</i> var. <i>floridana</i> Florida American Elm | DT | 0.27 | R1 | | 3-8 | 1.00 | 0.60 | 2 |
| <i>Ulmus carpinifolia</i> Smoothleaf Elm | DT | 1.00 | R1 | 3-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Ulmus crassifolia</i> Cedar Elm | DT | 0.86 | R1 | 6-7 | 8 | 0.61 | 1.00 | 7 |
| <i>Ulmus davidiana</i> var. <i>japonica</i> Japanese Elm | DT | 1.32 | R1 | 3-5 | 6-8 | 1.36 | 1.00 | 5 |
| <i>Ulmus davidiana</i> var. <i>japonica</i> 'Discovery' Discovery Japanese Elm | DT | 1.32 | R1 | 3-5 | 6-8 | 1.36 | 1.00 | 5 |
| <i>Ulmus davidiana</i> var. <i>japonica</i> 'Emerald Sunshine' See - <i>Ulmus davidiana</i> var. <i>japonica</i> 'JFS-Bieberich' P.P.A.F. | | | | | | | | |
| <i>Ulmus davidiana</i> var. <i>japonica</i> 'JFS-Bieberich' P.P.A.F. Emerald Sunshine® Japanese Elm | DT | 1.32 | R1 | 3-5 | 6-8 | 1.36 | 1.00 | 5 |
| <i>Ulmus glabra</i> Scotch Elm | DT | 1.51 | R1 | 3-5 | 6-8 | 1.11 | 1.01 | 5 |
| <i>Ulmus glabra</i> 'Camperdownii' Camperdown Elm | DT | 1.51 | R1 | 3-5 | 6-8 | 1.11 | 1.01 | 5 |
| <i>Ulmus glabra</i> 'Horizontalis' Weeping Wych Elm | DT | 1.51 | R1 | 3-5 | 6-8 | 1.11 | 1.01 | 5 |
| <i>Ulmus glabra</i> 'Pendula' See - <i>Ulmus glabra</i> 'Horizontalis' | | | | | | | | |
| <i>Ulmus x hollandica</i> Dutch Elm | DT | 1.42 | R1 | 3-5 | 6-8 | 1.21 | 1.38 | 5 |
| <i>Ulmus x hollandica</i> 'Groeneveld' Groeneveld Dutch Elm | DT | 1.42 | R1 | 3-5 | 6-8 | 1.21 | 1.18 | 5 |
| <i>Ulmus x hollandica</i> 'Pioneer' Pioneer Dutch Elm | DT | 1.42 | R1 | 3-5 | 6-8 | 1.21 | 1.57 | 5 |
| <i>Ulmus japonica</i> See - <i>Ulmus davidiana</i> var. <i>japonica</i> | | | | | | | | |
| <i>Ulmus japonica</i> 'Discovery' See - <i>Ulmus davidiana</i> var. <i>japonica</i> 'Discovery' | | | | | | | | |
| <i>Ulmus parvifolia</i> Chinese Elm | DT | 0.83 | R1 | 3-5 | 6-8 | 0.94 | 0.34 | 5 |
| <i>Ulmus parvifolia</i> 'Allee' See - <i>Ulmus parvifolia</i> 'Emer II' P.P. 7552 | | | | | | | | |
| <i>Ulmus parvifolia</i> 'Aross/Central Park' P.P. 6983 Central Park Splendor™ Chinese Elm | DT | 0.98 | R1 | 3-5 | 6-8 | 1.23 | 1.00 | 5 |
| <i>Ulmus parvifolia</i> 'Athena' See - <i>Ulmus parvifolia</i> 'Emer I' P.P. 7551 | | | | | | | | |
| <i>Ulmus parvifolia</i> 'Bosque' See - <i>Ulmus parvifolia</i> 'UPMTF' P.P. 11295 | | | | | | | | |
| <i>Ulmus parvifolia</i> 'Burgundy' Burgundy Chinese Elm | DT | 0.98 | R1 | 3-5 | 6-8 | 2.14 | 1.00 | 5 |
| <i>Ulmus parvifolia</i> 'Central Park Splendor' See - <i>Ulmus parvifolia</i> 'Aross/Central Park' P.P. 6983 | | | | | | | | |
| <i>Ulmus parvifolia</i> 'Drake' Drake Chinese Elm | DT | 0.96 | R1 | 3-5 | 6-8 | 0.84 | 0.66 | 5 |
| <i>Ulmus parvifolia</i> 'Dynasty' Dynasty Chinese Elm | DT | 0.71 | R1 | 3-5 | 6-8 | 1.10 | 0.97 | 5 |
| <i>Ulmus parvifolia</i> 'Emer I' P.P. 7551 Athena® Chinese Elm | DT | 0.96 | R1 | 3-5 | 6-8 | 1.22 | 1.02 | 5 |
| <i>Ulmus parvifolia</i> 'Emer II' P.P. 7552 Allee Chinese Elm | DT | 1.05 | R1 | 3-5 | 6-8 | 1.19 | 1.60 | 5 |
| <i>Ulmus parvifolia</i> 'Golden Rey' P.P. 7240 Golden Rey Chinese Elm | DT | 1.04 | R1 | 3-5 | 6-8 | 1.23 | 1.00 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Ulmus parvifolia</i> 'Hokkaido' Hokkaido Chinese Elm | DT | 0.98 | R1 | 3-5 6-8 | 1.23 | 1.00 | 5 |
| <i>Ulmus parvifolia</i> 'King's Choice' King's Choice Chinese Elm | DT | 0.98 | R1 | 3-5 6-8 | 1.23 | 1.00 | 5 |
| <i>Ulmus parvifolia</i> 'Ohio' Ohio Chinese Elm | DT | 0.98 | R1 | 3-5 6-8 | 1.23 | 1.00 | 5 |
| <i>Ulmus parvifolia</i> 'Prince Richard' P.P. 10732 Prince Richard Chinese Elm | DT | 1.23 | R1 | 3-5 6-8 | 1.23 | 1.00 | 5 |
| <i>Ulmus parvifolia</i> 'Seiju' Seiju Chinese Elm | DT | 0.98 | R1 | 3-5 6-8 | 1.23 | 1.00 | 5 |
| <i>Ulmus parvifolia</i> 'Sempervirens' Evergreen Chinese Elm | DT | 0.87 | R1 | 3-5 6-8 | 1.23 | 1.00 | 5 |
| <i>Ulmus parvifolia</i> 'True Green' True Green Chinese Elm | DT | 1.07 | R1 | 3-5 6-8 | 1.23 | 1.00 | 5 |
| <i>Ulmus parvifolia</i> 'UPMTF' P.P. 11295 Bosque® Chinese Elm | DT | 1.06 | R1 | 3-5 6-8 | 1.18 | 1.40 | 5 |
| <i>Ulmus parvifolia</i> 'Yatsubusa' Yatsubusa Chinese Elm | DT | 0.98 | R1 | 3-5 6-8 | 1.23 | 1.00 | 5 |
| <i>Ulmus procera</i> English Elm | DT | 1.00 | R1 | 3-5 6-8 | 1.00 | 1.00 | 5 |
| <i>Ulmus procera</i> 'Aurea' Golden English Elm | DT | 1.00 | R1 | 3-5 6-8 | 1.00 | 1.00 | 5 |
| <i>Ulmus propinqua</i> 'Emerald Sunshine' See - <i>Ulmus davidiana</i> var. <i>japonica</i> 'JFS-Bieberich' P.P.A.F. | | | | | | | |
| <i>Ulmus pumila</i> Siberian Elm | DT | 1.22 | R1 | 3 4-8 | 0.74 | 0.26 | 3 |
| <i>Ulmus rubra</i> Slippery Elm | DT | 0.54 | R1 | 3 4-8 | 1.00 | 0.43 | 3 |
| <i>Ulmus wilsoniana</i> Wilson Elm | DT | 0.96 | R1 | 3-5 6-8 | 1.11 | 1.57 | 5 |
| <i>Ulmus wilsoniana</i> 'Prospector' Prospector Wilson Elm | DT | 0.96 | R1 | 3-5 6-8 | 1.11 | 1.57 | 5 |
| <i>Umbellularia californica</i> Oregon Myrtle | BE | 1.06 | R1 | 6-7 8 | 1.00 | 0.94 | 7 |
| <i>Uncinia rubra</i> Red Hook Sedge | HP | 1.00 | R2 | 6-8 | | | |
| <i>Uncinia rubra</i> 'Firedance' Firedance™ Red Hook Sedge | HP | 1.00 | R2 | 6-8 | | | |
| <i>Uncinia uncinata</i> Hook Sedge | HP | 0.66 | R2 | 5-7 8 | | | |
| <i>Ungnadia speciosa</i> Mexican Buckeye | DS | 1.13 | R1 | 6-7 8 | | 1.02 | 7 |
| <i>Uniola latifolia</i> See - <i>Chasmanthium latifolium</i> | | | | | | | |
| <i>Uniola paniculata</i> Sea Oats | HP | 0.62 | R2 | 5-7 8 | | | |
| <i>Urginea maritima</i> Sea Onion | HP | 0.88 | R2 | 8 | | | |
| <i>Uvularia grandiflora</i> Big Merrybells | HP | 1.30 | R2 | 3 4-8 | | | |
| <i>Uvularia sessilifolia</i> Wild Oats | HP | 1.00 | R2 | 3-4 5-8 | | | |
| <i>Vaccinium</i> Blueberry | SF | 1.03 | R1 | 4-6 7-8 | | 0.75 | 6 |
| <i>Vaccinium</i> 'Bluecrisp' P.P. 11033 Bluecrisp Highbush Blueberry | SF | 1.03 | R1 | 4-6 7-8 | | 0.75 | 6 |
| <i>Vaccinium</i> 'Camellia' P.P. 18151 Camellia Southern Highbush Blueberry | SF | 1.03 | R1 | 4-6 7-8 | | 0.75 | 6 |
| <i>Vaccinium</i> 'Emerald' P.P. 12165 Emerald Highbush Blueberry | SF | 1.03 | R1 | 4-6 7-8 | | 0.75 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Vaccinium</i> 'Jewel' P.P. 11807 Jewel Highbush Blueberry | SF | 1.03 | R1 | 3-6 | 7-8 | | 0.75 | 6 |
| <i>Vaccinium</i> 'Millennia' P.P. 12816 Millennia Southern Highbush Blueberry | SF | 1.03 | R1 | 4-6 | 7-8 | | 0.75 | 6 |
| <i>Vaccinium</i> 'Palmetto' P.P. 16756 Palmetto Southern Highbush Blueberry | SF | 1.03 | R1 | 4-6 | 7-8 | | 0.75 | 6 |
| <i>Vaccinium</i> 'Santa Fe' P.P. 10788 Santa Fe Highbush Blueberry | SF | 1.03 | R1 | 4-6 | 7-8 | | 0.75 | 6 |
| <i>Vaccinium</i> 'Sapphire' P.P. 11829 Sapphire Highbush Blueberry | SF | 1.03 | R1 | 4-6 | 7-8 | | 0.75 | 6 |
| <i>Vaccinium</i> 'Southern Belle' P.P. 13931 Southern Belle Southern Highbush Blueberry | SF | 1.03 | R1 | 4-7 | 8 | | 0.75 | 7 |
| <i>Vaccinium</i> 'Southmoon' P.P. 9834 Southmoon Highbush Blueberry | SF | 1.03 | R1 | 4-6 | 7-8 | | 0.75 | 6 |
| <i>Vaccinium</i> 'Star' P.P. 10675 Star Highbush Blueberry | SF | 1.03 | R1 | 4-6 | 7-8 | | 0.75 | 6 |
| <i>Vaccinium</i> 'Sweetcrisp' P.P. 20027 Sweetcrisp Southern Highbush Blueberry | SF | 1.03 | R1 | 4-6 | 7-8 | | 0.75 | 6 |
| <i>Vaccinium</i> 'Windsor' P.P. 12783 Windsor Southern Highbush Blueberry | SF | 1.03 | R1 | 4-6 | 7-8 | | 0.75 | 6 |
| <i>Vaccinium angustifolium</i> Lowbush Blueberry | SF | 1.15 | R1 | | 3-8 | | 1.10 | 2 |
| <i>Vaccinium angustifolium</i> 'Brunswick' Brunswick Lowbush Blueberry | SF | 0.77 | R1 | | 3-8 | | 1.10 | 2 |
| <i>Vaccinium angustifolium</i> 'Burgundy' Burgundy Lowbush Blueberry | SF | 0.88 | R1 | | 3-8 | | 1.10 | 2 |
| <i>Vaccinium arboreum</i> Farkleberry | DS | 1.06 | R1 | 3-7 | 8 | | 1.00 | 7 |
| <i>Vaccinium ashei</i> See - <i>Vaccinium virgatum</i> | | | | | | | | |
| <i>Vaccinium corymbosum</i> Highbush Blueberry | SF | 0.79 | R1 | 3-6 | 7-8 | | 0.89 | 2 |
| <i>Vaccinium corymbosum</i> '1613-A' Hardibush Highbush Blueberry | SF | 0.80 | R1 | 3-6 | 7-8 | | 0.53 | 2 |
| <i>Vaccinium corymbosum</i> 'Abundance' P.P. 16476 Abundance Highbush Blueberry | SF | 0.94 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Aurora' P.P. 15185 Aurora Highbush Blueberry | SF | 0.94 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Berkeley' Berkeley Highbush Blueberry | SF | 0.92 | R1 | 3-6 | 7-8 | | 0.53 | 2 |
| <i>Vaccinium corymbosum</i> 'Biloxi' Biloxi Highbush Blueberry | SF | 0.94 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Blue Crop' Blue Crop Highbush Blueberry | SF | 0.94 | R1 | 3-6 | 7-8 | | 0.87 | 2 |
| <i>Vaccinium corymbosum</i> 'Blue Jay' Blue Jay Highbush Blueberry | SF | 0.92 | R1 | 3-6 | 7-8 | | 0.53 | 2 |
| <i>Vaccinium corymbosum</i> 'Bluegold' Bluegold Highbush Blueberry | SF | 0.69 | R1 | 3-6 | 7-8 | | 0.57 | 2 |
| <i>Vaccinium corymbosum</i> 'Blueray' Blueray Highbush Blueberry | SF | 0.93 | R1 | 3-6 | 7-8 | | 0.61 | 2 |
| <i>Vaccinium corymbosum</i> 'Bluetta' Bluetta Highbush Blueberry | SF | 0.81 | R1 | 3-6 | 7-8 | | 0.53 | 2 |
| <i>Vaccinium corymbosum</i> 'Brigitta' Brigitta Highbush Blueberry | SF | 0.83 | R1 | 3-6 | 7-8 | | 0.57 | 2 |
| <i>Vaccinium corymbosum</i> 'Cape Fear' Cape Fear Highbush Blueberry | SF | 0.94 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Chandler' Chandler Highbush Blueberry | SF | 0.92 | R1 | 3-6 | 7-8 | | 0.57 | 2 |
| <i>Vaccinium corymbosum</i> 'Chippewa' Chippewa Highbush Blueberry | SF | 0.97 | R1 | 3-6 | 7-8 | | 0.76 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Vaccinium corymbosum</i> 'Collins' Collins Highbush Blueberry | SF | 0.86 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Cooper' Cooper Highbush Blueberry | SF | 0.94 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Coville' Coville Highbush Blueberry | SF | 1.41 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Darrow' Darrow Highbush Blueberry | SF | 0.97 | R1 | 3-6 | 7-8 | | 0.57 | 2 |
| <i>Vaccinium corymbosum</i> 'Draper' P.P. 15103 Draper Highbush Blueberry | SF | 0.94 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Duke' Duke Highbush Blueberry | SF | 0.91 | R1 | 3-6 | 7-8 | | 0.78 | 2 |
| <i>Vaccinium corymbosum</i> 'Earliblue' Earliblue Highbush Blueberry | SF | 0.87 | R1 | 3-6 | 7-8 | | 0.57 | 2 |
| <i>Vaccinium corymbosum</i> 'Elliot' Elliot Highbush Blueberry | SF | 0.87 | R1 | 3-6 | 7-8 | | 0.87 | 2 |
| <i>Vaccinium corymbosum</i> 'Friendship' Friendship Highbush Blueberry | SF | 1.09 | R1 | 3-6 | 7-8 | | 1.85 | 2 |
| <i>Vaccinium corymbosum</i> 'Georgia Gem' Georgia Gem Highbush Blueberry | SF | 0.55 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Hardiblue' See - <i>Vaccinium corymbosum</i> '1613-A' | | | | | | | | |
| <i>Vaccinium corymbosum</i> 'Hardyblue' See - <i>Vaccinium corymbosum</i> '1613-A' | | | | | | | | |
| <i>Vaccinium corymbosum</i> 'Ivanhoe' Ivanhoe Highbush Blueberry | SF | 0.97 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Jersey' Jersey Highbush Blueberry | SF | 0.88 | R1 | 3-6 | 7-8 | | 0.53 | 2 |
| <i>Vaccinium corymbosum</i> 'Jewel' See - <i>Vaccinium</i> 'Jewel' P.P. 11807 | | | | | | | | |
| <i>Vaccinium corymbosum</i> 'Jubilee' Jubilee Highbush Blueberry | SF | 1.01 | R1 | 3-6 | 7-8 | | 0.75 | 2 |
| <i>Vaccinium corymbosum</i> 'Legacy' Legacy Highbush Blueberry | SF | 0.68 | R1 | 3-6 | 7-8 | | 0.57 | 2 |
| <i>Vaccinium corymbosum</i> 'Liberty' P.P. 15146 Liberty Highbush Blueberry | SF | 0.94 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Misty' Misty Highbush Blueberry | SF | 1.10 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Nelson' Nelson Highbush Blueberry | SF | 1.17 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Northblue' Northblue Highbush Blueberry | SF | 1.13 | R1 | 3-6 | 7-8 | | 2.33 | 2 |
| <i>Vaccinium corymbosum</i> 'Northcountry' Northcountry Highbush Blueberry | SF | 1.04 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Northland' Northland Highbush Blueberry | SF | 0.95 | R1 | 3-6 | 7-8 | | 0.53 | 2 |
| <i>Vaccinium corymbosum</i> 'Northsky' Northsky Highbush Blueberry | SF | 1.05 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Nui' P.P. 6699 Nui Highbush Blueberry | SF | 0.94 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'O'Neal' O'Neal Highbush Blueberry | SF | 0.96 | R1 | 3-6 | 7-8 | | 0.75 | 2 |
| <i>Vaccinium corymbosum</i> 'Olympia' Olympia Highbush Blueberry | SF | 0.65 | R1 | 3-6 | 7-8 | | 0.53 | 2 |
| <i>Vaccinium corymbosum</i> 'Ozarkblue' P.P. 10035 Ozarkblue Highbush Blueberry | SF | 0.77 | R1 | 3-6 | 7-8 | | 0.75 | 2 |
| <i>Vaccinium corymbosum</i> 'Patriot' Patriot Highbush Blueberry | SF | 1.02 | R1 | 3-6 | 7-8 | | 0.83 | 2 |
| <i>Vaccinium corymbosum</i> 'Polaris' Polaris Highbush Blueberry | SF | 0.92 | R1 | 3-6 | 7-8 | | 0.76 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Vaccinium corymbosum</i> 'Primadonna' P.P. 20181 Primadonna Highbush Blueberry | SF | 0.94 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Reka' Reka Highbush Blueberry | SF | 1.18 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Reveille' Reveille Highbush Blueberry | SF | 0.94 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Rubel' Rubel Highbush Blueberry | SF | 0.83 | R1 | 3-6 | 7-8 | | 0.85 | 2 |
| <i>Vaccinium corymbosum</i> 'Sharpblue' Sharpblue Highbush Blueberry | SF | 1.10 | R1 | 3-6 | 7-8 | | 0.75 | 2 |
| <i>Vaccinium corymbosum</i> 'Snowchaser' P.P. 19503 Snowchaser Highbush Blueberry | SF | 0.94 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Spartan' Spartan Highbush Blueberry | SF | 0.93 | R1 | 3-6 | 7-8 | | 0.57 | 2 |
| <i>Vaccinium corymbosum</i> 'Springhigh' P.P. 16404 Springhigh Highbush Blueberry | SF | 0.94 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Springwide' P.P. 16333 Springwide Highbush Blueberry | SF | 0.94 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'St. Cloud' St. Cloud Highbush Blueberry | SF | 1.31 | R1 | 3-6 | 7-8 | | 0.76 | 2 |
| <i>Vaccinium corymbosum</i> 'Sunshine Blue' Sunshine Blue Southern Highbush Blueberry | SF | 1.05 | R1 | 3-6 | 7-8 | | 0.75 | 2 |
| <i>Vaccinium corymbosum</i> 'Top Hat' Top Hat Highbush Blueberry | SF | 0.98 | R1 | 3-6 | 7-8 | | 0.75 | 2 |
| <i>Vaccinium corymbosum</i> 'Toro' Toro Highbush Blueberry | SF | 0.82 | R1 | 3-6 | 7-8 | | 0.57 | 2 |
| <i>Vaccinium crassifolium</i> Creeping Blueberry | BS | 1.07 | R1 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Vaccinium crassifolium</i> 'Wells Delight' Wells Delight Creeping Blueberry | BS | 1.07 | R1 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Vaccinium crassifolium</i> ssp. <i>sempervirens</i> Rayner's Creeping Blueberry | BS | 1.00 | R1 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Vaccinium darrowii</i> Darrow's Blueberry | SF | 1.00 | R1 | 5-8 | | | 1.00 | 8 |
| <i>Vaccinium delavayi</i> Delavay Blueberry | SF | 1.00 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Vaccinium macrocarpon</i> American Cranberry | SF | 0.71 | R1 | | 3-7 | | 1.00 | 2 |
| <i>Vaccinium macrocarpon</i> 'Hamilton' Hamilton American Cranberry | SF | 0.72 | R1 | | 3-7 | | 1.00 | 2 |
| <i>Vaccinium macrocarpon</i> 'Lo-Hugger' See - <i>Vaccinium macrocarpon</i> 'Lohzam' | SF | 0.90 | R1 | | 3-7 | | 1.00 | 2 |
| <i>Vaccinium macrocarpon</i> 'Lohzam' Lo-Hugger™ American Cranberry | SF | 0.76 | R1 | | 3-7 | | 1.00 | 2 |
| <i>Vaccinium macrocarpon</i> 'Shaw's Success' Shaw's Success American Cranberry | SF | 0.72 | R1 | | 3-7 | | 1.00 | 2 |
| <i>Vaccinium macrocarpon</i> 'Stevens' Stevens American Cranberry | SF | 0.72 | R1 | | 3-7 | | 1.00 | 2 |
| <i>Vaccinium moupinense</i> Himalayan Blueberry | BS | 1.31 | R2 | 7-8 | | | 1.00 | 9 |
| <i>Vaccinium myrsinites</i> Shiny Blueberry | BS | 1.34 | R1 | 3-6 | 7-8 | | 1.00 | 5 |
| <i>Vaccinium nummularium</i> Coin Whortleberry | SF | 1.00 | R1 | 4-7 | 8 | | 1.00 | 7 |
| <i>Vaccinium ovalifolium</i> Mathers | DS | 1.00 | R1 | 3-4 | 5-6 | | 1.00 | 3 |
| <i>Vaccinium ovatum</i> Evergreen Huckleberry | BS | 1.02 | R1 | 5-7 | 8 | | 1.00 | 7 |
| <i>Vaccinium ovatum</i> 'Thunderbird' Thunderbird Evergreen Huckleberry | BS | 1.79 | R1 | 5-7 | 8 | | 1.00 | 7 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Vaccinium oxycoccos</i> Small Cranberry | BS | 1.09 | R1 | | 3-7 | | 1.00 | 2 |
| <i>Vaccinium parvifolium</i> Red Huckleberry | DS | 1.03 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vaccinium scoparium</i> Grouseberry | SF | 1.49 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Vaccinium sempervirens</i> See - <i>Vaccinium crassifolium</i> ssp. <i>sempervirens</i> | | | | | | | | |
| <i>Vaccinium stamineum</i> Deerberry | DS | 0.61 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vaccinium uliginosum</i> Bog Whortleberry | DS | 0.85 | R1 | | 3-7 | | 1.00 | 2 |
| <i>Vaccinium virgatum</i> Rabbiteye Blueberry | SF | 0.54 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Alice Blue' Alice Blue Rabbiteye Blueberry | SF | 0.81 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Austin' Austin Rabbiteye Blueberry | SF | 0.74 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Baldwin' Baldwin Rabbiteye Blueberry | SF | 0.74 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Becky Blue' Becky Blue Rabbiteye Blueberry | SF | 0.81 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Bluebelle' Bluebelle Rabbiteye Blueberry | SF | 0.74 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Bonita' Bonita Rabbiteye Blueberry | SF | 0.74 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Brightwell' Brightwell Rabbiteye Blueberry | SF | 0.78 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Briteblue' Briteblue Rabbiteye Blueberry | SF | 0.74 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Centurion' Centurion Rabbiteye Blueberry | SF | 0.71 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Chaucer' Chaucer Rabbiteye Blueberry | SF | 0.74 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Climax' Climax Rabbiteye Blueberry | SF | 0.70 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Delite' Delite Rabbiteye Blueberry | SF | 0.71 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Gulf Coast' Gulf Coast Southern Highbush Blueberry | SF | 0.74 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Maru' Maru Rabbiteye Blueberry | SF | 0.74 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Ochlockonee' P.P. 17300 Ochlockonee Rabbiteye Blueberry | SF | 0.74 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Onslow' Onslow Rabbiteye Blueberry | SF | 0.74 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Powder Blue' Powder Blue Rabbiteye Blueberry | SF | 0.91 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Premier' Premier Rabbiteye Blueberry | SF | 0.71 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Rahi' Rahi Rabbiteye Blueberry | SF | 0.74 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Southland' Southland Rabbiteye Blueberry | SF | 0.71 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Tifblue' Tifblue Rabbiteye Blueberry | SF | 0.63 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Vernon' P.P. 18291 Vernon Rabbiteye Blueberry | SF | 0.74 | R1 | 6-8 | | | 1.00 | 8 |
| <i>Vaccinium virgatum</i> 'Woodward' Woodward Rabbiteye Blueberry | SF | 0.80 | R1 | 6-8 | | | 1.00 | 8 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Vaccinium vitis-idaea</i> Cowberry | BS | 1.20 | R1 | | 3-7 | | 1.00 | 2 |
| <i>Vaccinium vitis-idaea</i> 'Ida' Ida Lingonberry | BS | 1.20 | R1 | | 3-7 | | 1.00 | 2 |
| <i>Vaccinium vitis-idaea</i> 'Koralle' Koralle Lingonberry | BS | 0.91 | R1 | | 3-7 | | 1.00 | 2 |
| <i>Vaccinium vitis-idaea</i> 'Red Pearl' Red Pearl Lingonberry | BS | 1.17 | R1 | | 3-7 | | 1.00 | 2 |
| <i>Vaccinium vitis-idaea</i> 'Regal' Regal Lingonberry | BS | 1.51 | R1 | | 3-7 | | 1.00 | 2 |
| <i>Vaccinium vitis-idaea</i> 'Sanna' Sanna Lingonberry | BS | 1.20 | R1 | | 3-7 | | 1.00 | 2 |
| <i>Vaccinium vitis-idaea</i> 'Sussi' Sussi Lingonberry | BS | 1.20 | R1 | | 3-7 | | 1.00 | 2 |
| <i>Vaccinium vitis-idaea</i> var. <i>minus</i> Mountain Cranberry | BS | 1.26 | R1 | | 3-7 | | 1.00 | 2 |
| <i>Valeriana arizonica</i> Arizona Valerian | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Valeriana officinalis</i> Common Valerian | HP | 1.33 | R2 | 3-4 | 5-8 | | | |
| <i>Valeriana supina</i> Austrian Valerian | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Vallisneria americana</i> Eel Grass | HP | 1.43 | R2 | 3-4 | 5-8 | | | |
| <i>Vancouveria hexandra</i> American Barrenwort | HP | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Vancouveria planipetala</i> Redwood Ivy | HP | 0.76 | R2 | 3-6 | 7-8 | | | |
| <i>Vanda</i> Vanda Hybrid Orchid | FO | 3.97 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Vanda hookeriana</i> See - <i>Papilionanthe hookeriana</i> | | | | | | | | |
| <i>Vanda tessellata</i> No Common Name Found | FO | 4.17 | R2 | 6-8 | | | 1.00 | 10 |
| <i>Vauquelinia californica</i> Arizona Rosewood | BS | 0.66 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Venidium x hybrida</i> See - <i>Arctotis x hybrida</i> | | | | | | | | |
| <i>Verbascum</i> Mullein | AN | 1.83 | R2 | 3-5 | 6-8 | | | |
| <i>Verbascum</i> 'Caribbean Crush' Caribbean Crush Hybrid Mullein | AN | 3.00 | R2 | 3-5 | 6-8 | | | |
| <i>Verbascum</i> 'Copper Rose' Copper Rose Hybrid Mullein | AN | 1.47 | R2 | 3-5 | 6-8 | | | |
| <i>Verbascum</i> 'Helen Johnson' Helen Johnson Hybrid Mullein | AN | 1.40 | R2 | 3-5 | 6-8 | | | |
| <i>Verbascum</i> 'Jackie' Jackie Hybrid Mullein | AN | 1.95 | R2 | 3-5 | 6-8 | | | |
| <i>Verbascum</i> 'Lemon Sorbet' P.P. 18174 Lemon Sorbet Hybrid Mullein | AN | 1.66 | R2 | 3-5 | 6-8 | | | |
| <i>Verbascum</i> 'Southern Charm' Southern Charm Hybrid Mullein | AN | 1.54 | R2 | 3-6 | 7-8 | | | |
| <i>Verbascum</i> 'Sugar Plum' P.P. 16224 Sugar Plum Hybrid Mullein | AN | 1.81 | R2 | 3-5 | 6-8 | | | |
| <i>Verbascum bombyciferum</i> No Common Name Found | AN | 1.02 | R2 | 3-5 | 6-8 | | | |
| <i>Verbascum bombyciferum</i> 'Polar Summer' Polar Summer Mullein | AN | 1.02 | R2 | 3-5 | 6-8 | | | |
| <i>Verbascum chaixii</i> Nettle-leaved Mullein | HP | 0.68 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|---------|-------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Verbascum chaixii</i> 'Album' White Nettle-leaved Mullein | HP | 0.68 | R2 | 3-5 | 6-8 | | | |
| <i>Verbascum densiflorum</i> No Common Name Found | AN | 1.02 | R2 | 3-5 | 6-8 | | | |
| <i>Verbascum olympicum</i> No Common Name Found | HP | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Verbascum phoeniceum</i> Purple Mullein | HP | 0.57 | R2 | 3-5 | 6-8 | | | |
| <i>Verbascum thapsiforme</i> See - <i>Verbascum densiflorum</i> | | | | | | | | |
| <i>Verbascum thapsus</i> Common Mullein | AN | 1.10 | R2 | 3-5 | 6-8 | | | |
| <i>Verbena</i> Verbena | HP | 0.77 | R2 | 5-8 | | | | |
| <i>Verbena</i> 'Abbeville' Abbeville Verbena | HP | 0.77 | R2 | 5-8 | | | | |
| <i>Verbena</i> 'Babylon Series' Babylon Series Verbena | HP | 0.74 | R2 | 5-8 | | | | |
| <i>Verbena</i> 'Big Red' Big Red Verbena | HP | 0.68 | R2 | 5-8 | | | | |
| <i>Verbena</i> 'Camp Joy' Camp Joy Verbena | HP | 0.77 | R2 | 5-8 | | | | |
| <i>Verbena</i> 'Evelyn Scott' Evelyn Scott Verbena | HP | 0.77 | R2 | 5-8 | | | | |
| <i>Verbena</i> 'Freefall Burgundy' Freefall Burgundy Verbena | HP | 0.77 | R2 | 5-8 | | | | |
| <i>Verbena</i> 'Freefall Light Lavender' Freefall Light Lavender Verbena | HP | 0.77 | R2 | 5-8 | | | | |
| <i>Verbena</i> 'Homestead Pink' See - <i>Verbena</i> 'Silver Anne' | | | | | | | | |
| <i>Verbena</i> 'Homestead Purple' Homestead Purple Verbena | HP | 0.67 | R2 | 5-8 | | | | |
| <i>Verbena</i> 'KLEVE03321' P.P. 16434 Lasca TM Hot Rose Verbena | HP | 0.84 | R2 | 5-8 | | | | |
| <i>Verbena</i> 'KLEVE03330' P.P.A.F. Lasca TM Red Verbena | HP | 0.84 | R2 | 5-8 | | | | |
| <i>Verbena</i> 'KLEVE04341' P.P. 17930 Lasca TM Dark Blue Verbena | HP | 0.84 | R2 | 5-8 | | | | |
| <i>Verbena</i> 'Kemerton' Kemerton Verbena | HP | 0.77 | R2 | 5-8 | | | | |
| <i>Verbena</i> 'L. Archer' P.P. 9270 Taylortown Red Verbena | HP | 0.87 | R2 | 5-8 | | | | |
| <i>Verbena</i> 'Lasca Dark Blue' See - <i>Verbena</i> 'KLEVE04341' P.P. 17930 | | | | | | | | |
| <i>Verbena</i> 'Lasca Hot Rose' See - <i>Verbena</i> 'KLEVE03321' P.P. 16434 | | | | | | | | |
| <i>Verbena</i> 'Lasca Red' See - <i>Verbena</i> 'KLEVE03330' P.P.A.F. | | | | | | | | |
| <i>Verbena</i> 'Ron Deal' Ron Deal Verbena | HP | 0.77 | R2 | 5-8 | | | | |
| <i>Verbena</i> 'Silver Anne' Silver Anne Verbena | HP | 0.69 | R2 | 5-8 | | | | |
| <i>Verbena</i> 'Snowflurry' Snowflurry Verbena | HP | 0.77 | R2 | 5-8 | | | | |
| <i>Verbena</i> 'Taylortown Red' See - <i>Verbena</i> 'L. Archer' P.P. 9270 | | | | | | | | |
| <i>Verbena</i> 'Tortuga Series' Tortuga Series Verbena | HP | 0.77 | R2 | 5-8 | | | | |
| <i>Verbena bipinnatifida</i> Great Plains Verbena | HP | 0.88 | R2 | 3 | 4-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Verbena bonariensis</i> Brazilian Verbena | HP | 0.68 | R2 | 5-8 | | | | |
| <i>Verbena canadensis</i> Rose Vervain | HP | 0.67 | R2 | 3-4 | 5-8 | | | |
| <i>Verbena canadensis</i> 'Batesville Rose' Batesville Rose Vervain | HP | 0.67 | R2 | 3-4 | 5-8 | | | |
| <i>Verbena canadensis</i> 'Carousel' Carousel Rose Vervain | HP | 0.67 | R2 | 4-5 | 6-8 | | | |
| <i>Verbena canadensis</i> 'Snowflurry' See - <i>Verbena</i> 'Snowflurry' | | | | | | | | |
| <i>Verbena canadensis</i> 'Toronto' Toronto Rose Vervain | HP | 0.67 | R2 | 4-5 | 6-8 | | | |
| <i>Verbena gooddingii</i> Desert Vervain | HP | 0.81 | R2 | 6-8 | | | | |
| <i>Verbena hastata</i> Blue Vervain | HP | 1.07 | R2 | 4-5 | 6-8 | | | |
| <i>Verbena x hybrida</i> Garden Verbena | HP | 0.72 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Amour Pink' Amour Pink Garden Verbena | HP | 0.72 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Amour Rose' Amour Rose Garden Verbena | HP | 0.72 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Aunt Bert' Aunt Bert Garden Verbena | HP | 0.72 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Aztec Cherry Red' See - <i>Verbena x hybrida</i> 'Balazcherd' P.P. 15718 | | | | | | | | |
| <i>Verbena x hybrida</i> 'Aztec Dark Purple' See - <i>Verbena x hybrida</i> 'Balazdapi' P.P. 12807 | | | | | | | | |
| <i>Verbena x hybrida</i> 'Aztec Lavender Improved' See - <i>Verbena x hybrida</i> 'Balazlavi' P.P. 12787 | | | | | | | | |
| <i>Verbena x hybrida</i> 'Aztec Lilac Picotee' See - <i>Verbena x hybrida</i> 'Balazpico' P.P. 14652 | | | | | | | | |
| <i>Verbena x hybrida</i> 'Aztec Pink' See - <i>Verbena x hybrida</i> 'Balazpink' P.P. 14529 | | | | | | | | |
| <i>Verbena x hybrida</i> 'Aztec Raspberry' See - <i>Verbena x hybrida</i> 'Balazrasp' P.P. 14655 | | | | | | | | |
| <i>Verbena x hybrida</i> 'Aztec Red Velvet' See - <i>Verbena x hybrida</i> 'Balazreve' P.P. 16667 | | | | | | | | |
| <i>Verbena x hybrida</i> 'Aztec Red' See - <i>Verbena x hybrida</i> 'Balazred' P.P.A.F. | | | | | | | | |
| <i>Verbena x hybrida</i> 'Aztec White' See - <i>Verbena x hybrida</i> 'Balazwhit' P.P. 13943 | | | | | | | | |
| <i>Verbena x hybrida</i> 'Balazcherd' P.P. 15718 Aztec® Cherry Red Garden Verbena | HP | 0.72 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Balazdapi' P.P. 12807 Aztec® Dark Purple Garden Verbena | HP | 0.46 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Balazlavi' P.P. 12787 Aztec® Lavender Improved Garden Verbena | HP | 0.52 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Balazpico' P.P. 14652 Aztec® Lilac Picotee Garden Verbena | HP | 0.72 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Balazpink' P.P. 14529 Aztec® Pink Garden Verbena | HP | 0.72 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Balazrasp' P.P. 14655 Aztec® Raspberry Garden Verbena | HP | 0.72 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Balazred' P.P.A.F. Aztec® Red Garden Verbena | HP | 0.62 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Balazreve' P.P. 16667 Aztec® Red Velvet Garden Verbena | HP | 0.65 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Balazwhit' P.P. 13943 Aztec® White Garden Verbena | HP | 0.46 | R2 | 6-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|--------------|-----------|----|--------------|---------|-------------|----------------------|---------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Verbena x hybrida</i> 'Balwilblu' P.P. 11911 Wildfire™ Blush Garden Verbena | HP | 0.85 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Balwildaav' P.P. 11951 Wildfire™ Dark Lavender Garden Verbena | HP | 0.85 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Biloxi Blue' Biloxi Blue Garden Verbena | HP | 0.58 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Blue Princess' Blue Princess Garden Verbena | HP | 0.56 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Coral Red' Coral Red Garden Verbena | HP | 0.60 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Novalis Series' Novalis Series Garden Verbena | HP | 0.72 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Peaches & Cream' Peaches & Cream Garden Verbena | HP | 0.72 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Princess Series' Princess Series Garden Verbena | HP | 0.72 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Quartz Mix' Quartz Mix Garden Verbena | HP | 0.62 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Quartz Waterfall Mix' Quartz Waterfall Mix Garden Verbena | HP | 0.72 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Romance Series' Romance Series Garden Verbena | HP | 0.72 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Sparkler Series' Sparkler Series Garden Verbena | HP | 0.72 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Spitfire Series' Spitfire Series Garden Verbena | HP | 0.73 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Summaref TP-V' P.P. 9411 Tapien Blue Violet™ Garden Verbena | HP | 0.79 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Sunmaref TP-L' P.P. 9121 Tapien Lavender Garden Verbena | HP | 0.69 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Sunmaref TP-P' P.P. 9014 Tapien Pink Garden Verbena | HP | 0.63 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Sunmaref TP-SAP' P.P. 14117 Tapien Salmon Garden Verbena | HP | 0.87 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Sunmariba' P.P. 10801 Temari® Violet Garden Verbena | HP | 0.81 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Sunmaribisu' P.P. 11113 Temari® Patio Red Garden Verbena | HP | 0.86 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Sunmaricorapi' P.P.A.F. Temari® Bright Pink Garden Verbena | HP | 0.87 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Sunmariwaba' P.P. 11104 Temari® Burgundy Garden Verbena | HP | 0.69 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Sunvivapa' P.P. 13933 Temari® Patio Hot Pink Garden Verbena | HP | 0.84 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Sunvivaro' P.P. 13724 Temari® Patio Rose Garden Verbena | HP | 0.85 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Superbena Series' Superbena Series Garden Verbena | HP | 0.72 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Tapien Blue Violet' See - <i>Verbena x hybrida</i> 'Summaref TP-V' P.P. 9411 | | | | | | | | |
| <i>Verbena x hybrida</i> 'Tapien Blue' Tapien Blue Garden Verbena | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Verbena x hybrida</i> 'Tapien Lavender' See - <i>Verbena x hybrida</i> 'Sunmaref TP-L' P.P. 9121 | | | | | | | | |
| <i>Verbena x hybrida</i> 'Tapien Pink' See - <i>Verbena x hybrida</i> 'Sunmaref TP-P' P.P. 9014 | | | | | | | | |
| <i>Verbena x hybrida</i> 'Tapien Salmon' See - <i>Verbena x hybrida</i> 'Sunmaref TP-SAP' P.P. 14117 | | | | | | | | |
| <i>Verbena x hybrida</i> 'Tapien Series' Tapien Series Garden Verbena | HP | 0.75 | R2 | 6-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container | | Field Grown | | Minimum HZ |
|---|--------------|--------|-----------|-----------------------------|------------------------------|--|---------------|
| | | | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Verbena x hybrida</i> 'Temari Bright Pink' See - <i>Verbena x hybrida</i> 'Sunmaricorapi' P.P.A.F. | | | | | | | |
| <i>Verbena x hybrida</i> 'Temari Burgundy' See - <i>Verbena x hybrida</i> 'Sunmariwaba' P.P. 11104 | | | | | | | |
| <i>Verbena x hybrida</i> 'Temari Patio Hot Pink' See - <i>Verbena x hybrida</i> 'Sunvivapa' P.P. 13933 | | | | | | | |
| <i>Verbena x hybrida</i> 'Temari Patio Red' See - <i>Verbena x hybrida</i> 'Sunmaribisu' P.P. 11113 | | | | | | | |
| <i>Verbena x hybrida</i> 'Temari Patio Rose' See - <i>Verbena x hybrida</i> 'Sunvivaro' P.P. 13724 | | | | | | | |
| <i>Verbena x hybrida</i> 'Temari Series' Temari® Series Garden Verbena | HP | 0.83 | R2 | 6-8 | | | |
| <i>Verbena x hybrida</i> 'Temari Violet' See - <i>Verbena x hybrida</i> 'Sunmariba' P.P. 10801 | | | | | | | |
| <i>Verbena x hybrida</i> 'Tukana Series' Tukana Series Garden Verbena | HP | 0.64 | R2 | 6-8 | | | |
| <i>Verbena x hybrida</i> 'Wildfire Blush' See - <i>Verbena x hybrida</i> 'Balwilblu' P.P. 11911 | | | | | | | |
| <i>Verbena x hybrida</i> 'Wildfire Dark Lavender' See - <i>Verbena x hybrida</i> 'Balwildaav' P.P. 11951 | | | | | | | |
| <i>Verbena maritima</i> Coastal Verbena | HP | 0.50 | R2 | 8 | | | |
| <i>Verbena peruviana</i> Peruvian Verbena | HP | 0.69 | R2 | 6-8 | | | |
| <i>Verbena peruviana</i> 'Alba' White Peruvian Verbena | HP | 0.60 | R2 | 6-8 | | | |
| <i>Verbena peruviana</i> 'Aphrodite' Aphrodite Peruvian Verbena | HP | 0.67 | R2 | 6-8 | | | |
| <i>Verbena peruviana</i> 'Purple' Purple Peruvian Verbena | HP | 0.62 | R2 | 6-8 | | | |
| <i>Verbena peruviana</i> 'Red Devil' Red Devil Peruvian Verbena | HP | 0.67 | R2 | 6-8 | | | |
| <i>Verbena peruviana</i> 'Red' Red Peruvian Verbena | HP | 0.70 | R2 | 6-8 | | | |
| <i>Verbena peruviana</i> 'Saint Paul' Saint Paul Peruvian Verbena | HP | 0.73 | R2 | 6-8 | | | |
| <i>Verbena rigida</i> Veined Verbena | HP | 0.63 | R2 | 6-8 | | | |
| <i>Verbena tampensis</i> Tampa Vervain | HP | 0.74 | R2 | 6-8 | | | |
| <i>Verbena tenera</i> No Common Name Found | HP | 0.70 | R2 | 5-7 | 8 | | |
| <i>Verbena tenera</i> 'Sissinghurst' Sissinghurst Verbena | HP | 0.77 | R2 | 5-7 | 8 | | |
| <i>Verbena tenuisecta</i> Moss Verbena | AN | 1.13 | R2 | 6-8 | | | |
| <i>Verbena tenuisecta</i> var. <i>alba</i> White Moss Verbena | AN | 1.09 | R2 | 6-8 | | | |
| <i>Verbesina alternifolia</i> Wingstem | HP | 0.87 | R2 | 3-4 | 5-8 | | |
| <i>Vernonia arkansana</i> Arkansas Ironweed | HP | 0.73 | R2 | 3-5 | 6-8 | | |
| <i>Vernonia crinita</i> See - <i>Vernonia arkansana</i> | | | | | | | |
| <i>Vernonia fasciculata</i> Common Ironweed | HP | 0.88 | R2 | 3 | 4-8 | | |
| <i>Vernonia noveboracensis</i> New York Ironweed | HP | 0.96 | R2 | 3-5 | 6-8 | | |
| <i>Vernonia noveboracensis</i> 'Alba' White New York Ironweed | HP | 0.73 | R2 | 3-5 | 6-8 | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Veronica</i> Speedwell | HP | 0.83 | R2 | 3 | 4-8 | | | |
| <i>Veronica</i> 'Blue Indigo' Blue Indigo Speedwell | HP | 0.92 | R2 | 3 | 4-8 | | | |
| <i>Veronica</i> 'Blue Reflection' Blue Reflection® Speedwell | HP | 0.96 | R2 | 3 | 4-8 | | | |
| <i>Veronica</i> 'Darwin's Blue' P.P. 13070 Darwin's Blue Speedwell | HP | 0.85 | R2 | 3 | 4-8 | | | |
| <i>Veronica</i> 'Eveline' P.P. 14888 Eveline Speedwell | HP | 0.94 | R2 | 3 | 4-8 | | | |
| <i>Veronica</i> 'Giles van Hees' Giles van Hees Speedwell | HP | 0.69 | R2 | 3 | 4-8 | | | |
| <i>Veronica</i> 'Goodness Grows' Goodness Grows Speedwell | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica</i> 'Mann's Variety' Mann's Variety Speedwell | HP | 0.65 | R2 | 3 | 4-8 | | | |
| <i>Veronica</i> 'Reavis' See - <i>Veronica</i> 'Blue Reflection' | | | | | | | | |
| <i>Veronica</i> 'Royal Pink' Royal Pink Speedwell | HP | 0.80 | R2 | 3 | 4-8 | | | |
| <i>Veronica</i> 'Sunny Border Blue' Sunny Border Blue Speedwell | HP | 0.83 | R2 | 3 | 4-8 | | | |
| <i>Veronica allionii</i> Speedwell | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica alpina</i> Alpine Speedwell | HP | 0.65 | R2 | | 3-8 | | | |
| <i>Veronica alpina</i> 'Alba' White Alpine Speedwell | HP | 0.73 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica austriaca</i> Austrian Speedwell | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Veronica austriaca</i> ssp. <i>teucrium</i> Teucrium Austrian Speedwell | HP | 0.90 | R2 | 3-6 | 7-8 | | | |
| <i>Veronica austriaca</i> ssp. <i>teucrium</i> 'Crater Lake Blue' Crater Lake Blue Austrian Speedwell | HP | 0.99 | R2 | 3-6 | 7-8 | | | |
| <i>Veronica austriaca</i> ssp. <i>teucrium</i> 'Royal Blue' Royal Blue Austrian Speedwell | HP | 0.81 | R2 | 3-6 | 7-8 | | | |
| <i>Veronica chamaedrys</i> Bird's Eye Speedwell | HP | 0.74 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica filiformis</i> Slender Speedwell | HP | 0.90 | R2 | 3 | 4-8 | | | |
| <i>Veronica gentianoides</i> Gentian Speedwell | HP | 0.99 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica gentianoides</i> 'Barbara Sherwood' Barbara Sherwood Gentian Speedwell | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica gentianoides</i> 'Variegata' Variegated Gentian Speedwell | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica grandis</i> var. <i>holophylla</i> Holophylla Speedwell | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica incana</i> Woolly Speedwell | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica liwanensis</i> Turkish Speedwell | HP | 0.99 | R2 | 3-6 | 7-8 | | | |
| <i>Veronica longifolia</i> Long Leaf Speedwell | HP | 0.63 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica longifolia</i> 'Blaureisen' Blaureisen Long Leaf Speedwell | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica longifolia</i> 'Lilac Karina' Lilac Karina Long Leaf Speedwell | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica longifolia</i> 'Rosea' Rosea Long Leaf Speedwell | HP | 1.54 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Veronica longifolia</i> 'Schneeriesin' Schneeriesin Long Leaf Speedwell | HP | 1.09 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica longifolia</i> 'Sonja' Sonja Long Leaf Speedwell | HP | 1.37 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica montana</i> Mountain Speedwell | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica montana</i> 'Corinne Tremaine' Corinne Tremaine Mountain Speedwell | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica oltensis</i> Thyme-Leaf Speedwell | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica pectinata</i> Comb Speedwell | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica pectinata</i> 'Rosea' Pink Woolly Speedwell | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica pectinata</i> 'Rubra' See - <i>Veronica pectinata</i> 'Rosea' | | | | | | | | |
| <i>Veronica peduncularis</i> No Common Name Found | HP | 0.76 | R2 | 4-6 | 7-8 | | | |
| <i>Veronica peduncularis</i> 'Georgia Blue' Georgia Blue Speedwell | HP | 0.76 | R2 | 3-6 | 7-8 | | | |
| <i>Veronica petraea</i> No Common Name Found | HP | 1.00 | R2 | 3-6 | 7-8 | | | |
| <i>Veronica prostrata</i> Harebell Speedwell | HP | 0.65 | R2 | 3-5 | 6-8 | | | |
| <i>Veronica prostrata</i> 'Aztec Gold' P.P. 13354 Aztec Gold Harebell Speedwell | HP | 1.23 | R2 | 3-5 | 6-8 | | | |
| <i>Veronica prostrata</i> 'Heavenly Blue' Heavenly Blue Harebell Speedwell | HP | 0.80 | R2 | 3-5 | 6-8 | | | |
| <i>Veronica prostrata</i> 'Trehane' Trehane Harebell Speedwell | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Veronica repens</i> Creeping Speedwell | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica repens</i> 'Sunshine' Sunshine Creeping Speedwell | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica spicata</i> Spiked Speedwell | HP | 0.81 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica spicata</i> 'Blue Banquet' Blue Banquet Spiked Speedwell | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica spicata</i> 'Blue Charm' Blue Charm Spiked Speedwell | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica spicata</i> 'Blue Fox' Blue Fox Spiked Speedwell | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica spicata</i> 'Blue Peter' Blue Peter Spiked Speedwell | HP | 0.97 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica spicata</i> 'Blue' Cat's-Tail Spiked Speedwell | HP | 0.95 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica spicata</i> 'Heidekind' Heidekind Spiked Speedwell | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica spicata</i> 'Icicle' Icicle Spiked Speedwell | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica spicata</i> 'Minuet' Minuet Spiked Speedwell | HP | 0.87 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica spicata</i> 'Noah Williams' Noah Williams Spiked Speedwell | HP | 0.86 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica spicata</i> 'Red Fox' Red Fox Spiked Speedwell | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica spicata</i> 'Royal Candles' P.P.A.F. Royal Candles Spiked Speedwell | HP | 0.88 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica spicata</i> 'Tickled Pink' P.P. 16182 Tickled Pink Spiked Speedwell | HP | 0.81 | R2 | 3-4 | 5-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Veronica spicata</i> 'Waterperry Blue' Waterperry Blue Spiked Speedwell | HP | 0.83 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica spicata</i> var. <i>incana</i> See - <i>Veronica incana</i> | | | | | | | | |
| <i>Veronica spicata</i> var. <i>nana</i> Dwarf Spiked Speedwell | HP | 0.70 | R2 | 3-4 | 5-8 | | | |
| <i>Veronica teucrium</i> See - <i>Veronica austriaca</i> ssp. <i>teucrium</i> | | | | | | | | |
| <i>Veronica virginica</i> See - <i>Veronicastrum virginicum</i> | | | | | | | | |
| <i>Veronica whitleyi</i> Whitley's Speedwell | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Veronicastrum virginicum</i> Culver's Root | HP | 1.10 | R2 | 3 | 4-8 | | | |
| <i>Veronicastrum virginicum</i> 'Apollo' Apollo Culver's Root | HP | 0.93 | R2 | 3 | 4-8 | | | |
| <i>Veronicastrum virginicum</i> 'Fascination' Fascination Culver's Root | HP | 0.97 | R2 | 3 | 4-8 | | | |
| <i>Veronicastrum virginicum</i> var. <i>alba</i> White Culver's Root | HP | 0.76 | R2 | 3 | 4-8 | | | |
| <i>Veronicastrum virginicum</i> var. <i>rosea</i> Rose Culver's Root | HP | 0.96 | R2 | 3 | 4-8 | | | |
| <i>Vestia foetida</i> Chilean Box Thorn | BS | 1.00 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Vetiveria zizanioides</i> Khus Khus Grass | HP | 1.24 | R2 | 7-8 | | | | |
| <i>Viburnum</i> Viburnum | DS | 1.25 | R1 | 3-4 | 5-8 | | 1.40 | 4 |
| <i>Viburnum</i> 'Cayuga' Cayuga Hybrid Viburnum | DS | 1.38 | R1 | 3-4 | 5-8 | | 1.40 | 4 |
| <i>Viburnum</i> 'Chippewa' Chippewa Hybrid Viburnum | DS | 1.25 | R1 | 3-5 | 6-8 | | 1.25 | 5 |
| <i>Viburnum</i> 'Emerald Triumph' Emerald Triumph Hybrid Viburnum | DS | 1.11 | R1 | 3-4 | 5-8 | | 1.51 | 4 |
| <i>Viburnum</i> 'Huron' Huron Hybrid Viburnum | DS | 1.25 | R1 | 3-5 | 6-8 | | 1.40 | 5 |
| <i>Viburnum</i> 'Sarcoxie' Sarcoxie Hybrid Viburnum | DS | 1.25 | R1 | 3-5 | 6-8 | | 1.44 | 5 |
| <i>Viburnum acerifolium</i> Mapleleaf Viburnum | DS | 0.80 | R1 | 3 | 4-8 | | 0.72 | 3 |
| <i>Viburnum awabuki</i> Awabuki Sweet Viburnum | BS | 0.77 | R2 | 6-8 | | | 1.26 | 8 |
| <i>Viburnum awabuki</i> 'Chindo' Chindo Awabuki Sweet Viburnum | BS | 0.89 | R2 | 6-8 | | | 0.43 | 8 |
| <i>Viburnum bitchiuense</i> Bitchiu Viburnum | DS | 1.00 | R1 | 3-5 | 6-8 | | 1.05 | 5 |
| <i>Viburnum x bodnantense</i> Bodnant Viburnum | DS | 0.91 | R1 | 3-5 | 6-8 | | 1.52 | 5 |
| <i>Viburnum x bodnantense</i> 'Dawn' Dawn Bodnant Viburnum | DS | 1.06 | R1 | 5-7 | 8 | | 1.55 | 5 |
| <i>Viburnum x bodnantense</i> 'Pink Dawn' Pink Dawn Bodnant Viburnum | DS | 0.97 | R1 | 5-7 | 8 | | 1.54 | 5 |
| <i>Viburnum bractaetum</i> Bracted Viburnum | DS | 0.87 | R1 | 3-4 | 5-8 | | 2.52 | 3 |
| <i>Viburnum bractaetum</i> 'Emerald Luster' Emerald Luster Bracted Viburnum | DS | 0.87 | R1 | 3-4 | 5-8 | | 2.52 | 3 |
| <i>Viburnum x burkwoodii</i> Burkwood Viburnum | DS | 1.14 | R1 | 3-4 | 5-8 | | 1.11 | 4 |
| <i>Viburnum x burkwoodii</i> 'Anne Russell' Anne Russell Burkwood Viburnum | DS | 1.08 | R1 | 3-4 | 5-8 | | 0.68 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Viburnum x burkwoodii</i> 'Chenault' Chenault Burkwood Viburnum | DS | 0.95 | R1 | 3-4 | 5-8 | | 1.46 | 4 |
| <i>Viburnum x burkwoodii</i> 'Fulbrook' Fulbrook Burkwood Viburnum | DS | 1.08 | R1 | 3-4 | 5-8 | | 0.88 | 4 |
| <i>Viburnum x burkwoodii</i> 'Mohawk' Mohawk Burkwood Viburnum | DS | 1.15 | R1 | 3-4 | 5-8 | | 0.87 | 4 |
| <i>Viburnum x carlcephalum</i> Fragrant Snowball Viburnum | DS | 1.19 | R1 | 3-5 | 6-8 | | 1.10 | 5 |
| <i>Viburnum carlesii</i> Koreanspice Viburnum | DS | 1.19 | R1 | 3-5 | 6-8 | | 1.44 | 5 |
| <i>Viburnum carlesii</i> 'Aurora' Aurora Koreanspice Viburnum | DS | 1.39 | R1 | 3-5 | 6-8 | | 1.97 | 5 |
| <i>Viburnum carlesii</i> 'Compactum' Dwarf Koreanspice Viburnum | DS | 1.76 | R1 | 3-5 | 6-8 | | 2.34 | 5 |
| <i>Viburnum carlesii</i> 'Diana' Diana Koreanspice Viburnum | DS | 0.74 | R1 | 3-5 | 6-8 | | 1.62 | 5 |
| <i>Viburnum cassinoides</i> Witherod Viburnum | DS | 1.18 | R1 | | 3-8 | | 0.80 | 2 |
| <i>Viburnum cinnamomifolium</i> Cinnamon Viburnum | BS | 1.04 | R1 | 5-7 | 8 | | 0.87 | 7 |
| <i>Viburnum davidii</i> David Viburnum | BS | 0.94 | R1 | 5-7 | 8 | | 0.70 | 7 |
| <i>Viburnum dentatum</i> Arrowwood Viburnum | DS | 0.90 | R1 | | 3-8 | | 0.63 | 2 |
| <i>Viburnum dentatum</i> 'Autumn Jazz' See - <i>Viburnum dentatum</i> 'Ralph Senior' | | | | | | | | |
| <i>Viburnum dentatum</i> 'Blubzam' Blue Blaze™ Arrowwood Viburnum | DS | 0.95 | R1 | | 3-8 | | 0.78 | 2 |
| <i>Viburnum dentatum</i> 'Blue Blaze' See - <i>Viburnum dentatum</i> 'Blubzam' | | | | | | | | |
| <i>Viburnum dentatum</i> 'Blue Muffin' See - <i>Viburnum dentatum</i> 'Christom' | | | | | | | | |
| <i>Viburnum dentatum</i> 'Chicago Lustre' See - <i>Viburnum dentatum</i> 'Synnestvedt' | | | | | | | | |
| <i>Viburnum dentatum</i> 'Christom' Blue Muffin™ Arrowwood Viburnum | DS | 1.13 | R1 | | 3-8 | | 0.88 | 2 |
| <i>Viburnum dentatum</i> 'Cream Puffs' See - <i>Viburnum dentatum</i> 'Crpuzam' | | | | | | | | |
| <i>Viburnum dentatum</i> 'Crpuzam' Cream Puffs™ Arrowwood Viburnum | DS | 0.95 | R1 | | 3-8 | | 0.78 | 2 |
| <i>Viburnum dentatum</i> 'Fireworks' See - <i>Viburnum dentatum</i> 'Firzam' | | | | | | | | |
| <i>Viburnum dentatum</i> 'Firzam' Fireworks™ Arrowwood Viburnum | DS | 0.97 | R1 | | 3-8 | | 0.78 | 2 |
| <i>Viburnum dentatum</i> 'J.N. Select' Red Feather® Arrowwood Viburnum | DS | 1.22 | R1 | | 3-8 | | 0.91 | 2 |
| <i>Viburnum dentatum</i> 'Morton' Northern Burgundy™ Arrowwood Viburnum | DS | 1.06 | R1 | | 3-8 | | 0.80 | 2 |
| <i>Viburnum dentatum</i> 'Northern Burgundy' See - <i>Viburnum dentatum</i> 'Morton' | | | | | | | | |
| <i>Viburnum dentatum</i> 'Papoose' See - <i>Viburnum dentatum</i> 'Papzam' | | | | | | | | |
| <i>Viburnum dentatum</i> 'Papzam' Papoose™ Arrowwood Viburnum | DS | 1.01 | R1 | | 3-8 | | 0.78 | 2 |
| <i>Viburnum dentatum</i> 'Pathfinder' See - <i>Viburnum dentatum</i> 'Patzam' | | | | | | | | |
| <i>Viburnum dentatum</i> 'Patzam' Pathfinder™ Arrowwood Viburnum | DS | 0.95 | R1 | | 3-8 | | 1.13 | 2 |
| <i>Viburnum dentatum</i> 'Perle Bleu' Perle Bleu Arrowwood Viburnum | DS | 0.76 | R1 | | 3-8 | | 0.57 | 2 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Viburnum dentatum</i> 'Ralph Senior' Autumn Jazz™ Arrowwood Viburnum | DS | 1.06 | R1 | | 3-8 | | 0.63 | 2 |
| <i>Viburnum dentatum</i> 'Raspberry Tart' See - <i>Viburnum dentatum</i> 'Rastzam' | DS | 1.14 | R1 | | 3-8 | | 0.78 | 2 |
| <i>Viburnum dentatum</i> 'Rastzam' Raspberry Tart™ Arrowwood Viburnum | DS | 1.07 | R1 | | 3-8 | | 0.69 | 2 |
| <i>Viburnum dentatum</i> 'Red Feather' See - <i>Viburnum dentatum</i> 'J.N. Select' | DS | 0.95 | R1 | | 3-8 | | 0.78 | 2 |
| <i>Viburnum dentatum</i> 'Synnestvedt' Chicago Lustre™ Arrowwood Viburnum | DS | 0.95 | R1 | | 3-8 | | 0.78 | 2 |
| <i>Viburnum dentatum</i> 'Vacuzam' Vanilla Cupcakes™ Arrowwood Viburnum | DS | 1.00 | R1 | | 3-8 | | 0.48 | 2 |
| <i>Viburnum dentatum</i> 'Vanilla Cupcakes' See - <i>Viburnum dentatum</i> 'Vacuzam' | DS | 0.89 | R1 | 3-5 | 6-7 | | 0.82 | 5 |
| <i>Viburnum dentatum</i> var. <i>pubescens</i> Downy Arrowwood Viburnum | DS | 0.89 | R1 | 3-5 | 6-7 | | 1.20 | 5 |
| <i>Viburnum dilatatum</i> Linden Viburnum | DS | 0.89 | R1 | 3-5 | 6-7 | | 1.20 | 5 |
| <i>Viburnum dilatatum</i> 'Asian Beauty' Asian Beauty Linden Viburnum | DS | 1.15 | R1 | 3-5 | 6-7 | | 1.08 | 5 |
| <i>Viburnum dilatatum</i> 'Cardinal Candy' See - <i>Viburnum dilatatum</i> 'Henneke' P.P. 12870 | DS | 1.05 | R1 | 3-5 | 6-7 | | 1.05 | 5 |
| <i>Viburnum dilatatum</i> 'Catskill' Catskill Linden Viburnum | DS | 1.05 | R1 | 3-5 | 6-7 | | 1.05 | 5 |
| <i>Viburnum dilatatum</i> 'Erie' Erie Linden Viburnum | DS | 1.19 | R1 | 3-5 | 6-7 | | 1.22 | 5 |
| <i>Viburnum dilatatum</i> 'Henneke' P.P. 12870 Cardinal Candy™ Linden Viburnum | DS | 0.96 | R1 | 3-5 | 6-7 | | 1.04 | 5 |
| <i>Viburnum dilatatum</i> 'Michael Dodge' Michael Dodge Linden Viburnum | DS | 0.75 | R1 | 3-5 | 6-7 | | 1.06 | 5 |
| <i>Viburnum dilatatum</i> 'Mt. Airy' Mt. Airy Linden Viburnum | DS | 0.92 | R1 | 3-5 | 6-7 | | 0.98 | 5 |
| <i>Viburnum dilatatum</i> 'Oneida' Oneida Linden Viburnum | DS | 1.30 | R1 | 3-5 | 6-7 | | 1.06 | 5 |
| <i>Viburnum dilatatum</i> 'Vernon Morris' P.P. 17936 Vernon Morris Linden Viburnum | DS | 0.82 | R1 | 3-5 | 6-7 | | 1.00 | 5 |
| <i>Viburnum edule</i> Squashberry | DS | 0.88 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Viburnum ellipticum</i> Western Highbush Cranberry | DS | 1.05 | R1 | 5-6 | 7-8 | | 2.20 | 6 |
| <i>Viburnum farreri</i> Fragrant Viburnum | DS | 1.01 | R1 | 5-6 | 7-8 | | 2.20 | 6 |
| <i>Viburnum farreri</i> 'Nanum' Dwarf Fragrant Viburnum | BS | 0.72 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Viburnum japonicum</i> Japanese Viburnum | DS | 1.27 | R1 | 3-5 | 6-8 | | 1.21 | 5 |
| <i>Viburnum x juddii</i> Judd Viburnum | DS | 0.98 | R1 | 3 | 4-8 | | 0.70 | 3 |
| <i>Viburnum lantana</i> Wayfaring Tree Viburnum | DS | 1.05 | R1 | 3 | 4-8 | | 0.88 | 3 |
| <i>Viburnum lantana</i> 'Mohican' Mohican Wayfaring Tree Viburnum | DS | 0.98 | R1 | 3 | 4-8 | | 0.63 | 3 |
| <i>Viburnum lantana</i> 'Rugosum' Wrinkleleaf Wayfaring Tree Viburnum | DS | 0.92 | R1 | 3 | 4-8 | | 1.26 | 3 |
| <i>Viburnum lantana</i> 'Variegatum' Variegated Wayfaring Tree Viburnum | DS | 1.18 | R1 | | 3-8 | | 0.67 | 2 |
| <i>Viburnum lentago</i> Nannyberry Viburnum | DS | 0.92 | R1 | 5-6 | 7-8 | | 1.06 | 6 |
| <i>Viburnum macrocephalum</i> Chinese Snowball Viburnum | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | Container SK | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|--------|-----------------|--------------|---------|------------------------|-----------|---------------|
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Viburnum macrocephalum</i> 'Sterile' See - <i>Viburnum macrocephalum</i> | DS | 0.79 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Viburnum macrocephalum</i> var. <i>keteleeri</i> Sterile Chinese Snowball Viburnum | | | | | | | | |
| <i>Viburnum macrophyllum</i> See - <i>Viburnum japonicum</i> | | | | | | | | |
| <i>Viburnum mariesii</i> See - <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Mariesii' | DS | 0.88 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Viburnum molle</i> Kentucky Viburnum | | | | | | | | |
| <i>Viburnum nashii</i> See - <i>Viburnum obovatum</i> | | | | | | | | |
| <i>Viburnum nudum</i> Smooth Witherod | DS | 0.68 | R1 | 3-5 | 6-8 | | 2.30 | 5 |
| <i>Viburnum nudum</i> 'Earth Shade' Earth Shade Smooth Witherod | DS | 0.90 | R1 | 3-5 | 6-8 | | 1.74 | 5 |
| <i>Viburnum nudum</i> 'Winterthur' Winterthur Smooth Witherod | DS | 1.05 | R1 | 3-5 | 6-8 | | 1.18 | 5 |
| <i>Viburnum obovatum</i> Small-leaf Arrowwood Viburnum | DS | 0.82 | R1 | 5-6 | 7-8 | | 0.52 | 6 |
| <i>Viburnum obovatum</i> 'Densa' Dense Small Viburnum | DS | 0.84 | R1 | 5-6 | 7-8 | | 0.52 | 6 |
| <i>Viburnum obovatum</i> 'Mrs. Shiller's Delight' Mrs. Shiller's Delight Small Viburnum | DS | 0.83 | R1 | 5-6 | 7-8 | | 0.52 | 6 |
| <i>Viburnum obovatum</i> 'Reifler's Dwarf' Reifler's Dwarf Small Viburnum | DS | 0.82 | R1 | 5-6 | 7-8 | | 0.52 | 6 |
| <i>Viburnum obovatum</i> 'Whorled Class' Whorled Class Small Viburnum | DS | 0.76 | R1 | 5-6 | 7-8 | | 0.52 | 6 |
| <i>Viburnum odoratissimum</i> Sweet Viburnum | BS | 0.70 | R2 | 6-8 | | | 1.26 | 8 |
| <i>Viburnum odoratissimum</i> 'Red Tip' Red Tip Sweet Viburnum | BS | 1.26 | R2 | 6-8 | | | 1.26 | 8 |
| <i>Viburnum odoratissimum</i> var. <i>awabuki</i> See - <i>Viburnum awabuki</i> | | | | | | | | |
| <i>Viburnum odoratissimum</i> var. <i>awabuki</i> 'Chindo' See - <i>Viburnum awabuki</i> 'Chindo' | | | | | | | | |
| <i>Viburnum opulus</i> European Cranberrybush Viburnum | DS | 0.83 | R1 | 3 | 4-8 | | 0.61 | 3 |
| <i>Viburnum opulus</i> 'Aureum' Golden European Cranberrybush Viburnum | DS | 1.71 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Viburnum opulus</i> 'Compactum' Compact European Cranberrybush Viburnum | DS | 1.02 | R1 | 3 | 4-8 | | 1.03 | 3 |
| <i>Viburnum opulus</i> 'Leonard's Dwarf' Leonard's Dwarf European Cranberrybush Viburnum | DS | 0.97 | R1 | 3 | 4-8 | | 1.09 | 3 |
| <i>Viburnum opulus</i> 'Nanum' Dwarf European Cranberrybush Viburnum | DS | 1.13 | R1 | 3 | 4-8 | | 1.69 | 3 |
| <i>Viburnum opulus</i> 'Notcutt' Notcutt European Cranberrybush Viburnum | DS | 1.08 | R1 | 3 | 4-8 | | 0.76 | 3 |
| <i>Viburnum opulus</i> 'Roseum' European Snowball Viburnum | DS | 0.97 | R1 | 3 | 4-8 | | 0.83 | 3 |
| <i>Viburnum opulus</i> 'Sterile' See - <i>Viburnum opulus</i> 'Roseum' | | | | | | | | |
| <i>Viburnum opulus</i> 'Xanthocarpum' Yellow-Fruit European Cranberrybush Viburnum | DS | 0.95 | R1 | 3 | 4-8 | | 1.00 | 3 |
| <i>Viburnum plicatum</i> Japanese Snowball Viburnum | DS | 0.92 | R1 | 3-4 | 5-8 | | 0.65 | 4 |
| <i>Viburnum plicatum</i> 'Mary Milton' Mary Milton Japanese Snowball Viburnum | DS | 0.80 | R1 | 3-4 | 5-8 | | 0.92 | 4 |
| <i>Viburnum plicatum</i> 'Newport' See - <i>Viburnum plicatum</i> 'Newzam' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Viburnum plicatum</i> 'Newzam' Newport® Japanese Snowball Viburnum | DS | 1.05 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Viburnum plicatum</i> 'Ovazam' Ovation™ Snowvall Viburnum | DS | 0.94 | R1 | 3-4 | 5-8 | | 0.92 | 4 |
| <i>Viburnum plicatum</i> 'Roseace' Roseace Japanese Snowball Viburnum | DS | 0.99 | R1 | 3-4 | 5-8 | | 0.98 | 4 |
| <i>Viburnum plicatum</i> 'Rotundifolium' Roundleaf Japanese Snowball Viburnum | DS | 0.79 | R1 | 3-4 | 5-8 | | 0.92 | 4 |
| <i>Viburnum plicatum</i> 'Triumph' See - <i>Viburnum plicatum</i> 'Trizam' | | | | | | | | |
| <i>Viburnum plicatum</i> 'Trizam' Triumph™ Japanese Snowball Viburnum | DS | 0.97 | R1 | 3-4 | 5-8 | | 1.05 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> Doublefile Viburnum | DS | 0.87 | R1 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Everblooming' Everblooming Doublefile Viburnum | DS | 0.96 | R1 | 3-4 | 5-8 | | 1.04 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Fireworks' Fireworks Doublefile Viburnum | DS | 0.95 | R1 | 3-4 | 5-8 | | 1.04 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Igloo' Igloo Doublefile Viburnum | DS | 0.71 | R1 | 3-4 | 5-8 | | 1.17 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Lanarth' Lanarth Doublefile Viburnum | DS | 0.96 | R1 | 3-4 | 5-8 | | 0.71 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Mariesii' Maries Doublefile Viburnum | DS | 0.94 | R1 | 3-4 | 5-8 | | 0.93 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Nanum Semperflorens' | DS | 1.04 | R1 | 3-4 | 5-8 | | 0.86 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Pink Beauty' Pink Beauty Doublefile Viburnum | DS | 1.21 | R1 | 3-4 | 5-8 | | 1.32 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Popcorn' Popcorn Doublefile Viburnum | DS | 1.14 | R1 | 3-4 | 5-8 | | 1.38 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Roseum' Rose Doublefile Viburnum | DS | 0.81 | R1 | 3-4 | 5-8 | | 0.84 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Shasta' Shasta Doublefile Viburnum | DS | 0.90 | R1 | 3-4 | 5-8 | | 0.83 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Shoshoni' Shoshoni Doublefile Viburnum | DS | 1.04 | R1 | 3-4 | 5-8 | | 1.11 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Summer Snowflake' | DS | 0.95 | R1 | 3-4 | 5-8 | | 1.35 | 4 |
| <i>Viburnum plicatum</i> var. <i>tomentosum</i> 'Summer Stars' Summer Stars Doublefile Viburnum | DS | 0.96 | R1 | 3-4 | 5-8 | | 1.04 | 4 |
| <i>Viburnum x pragense</i> Prague Viburnum | BS | 1.00 | R1 | 5-6 | 7-8 | | 0.58 | 6 |
| <i>Viburnum x pragense</i> 'Decker' Decker Prague Viburnum | BS | 0.85 | R1 | 5-6 | 7-8 | | 0.52 | 6 |
| <i>Viburnum prunifolium</i> Blackhaw Viburnum | DS | 1.13 | R1 | 3 | 4-8 | | 1.27 | 3 |
| <i>Viburnum prunifolium</i> 'Wilson Dwarf' Wilson Dwarf Blackhaw Viburnum | DS | 1.13 | R1 | 3 | 4-8 | | 2.04 | 3 |
| <i>Viburnum x rhytidophylloides</i> Lantanaphyllum Viburnum | DS | 0.80 | R1 | 3-5 | 6-8 | | 0.54 | 5 |
| <i>Viburnum x rhytidophylloides</i> 'Alleghany' Alleghany Lantanaphyllum Viburnum | DS | 1.00 | R1 | 3-5 | 6-8 | | 0.92 | 5 |
| <i>Viburnum x rhytidophylloides</i> 'Dart's Duke' Dart's Duke Lantanaphyllum Viburnum | DS | 0.82 | R1 | 3-5 | 6-8 | | 1.09 | 5 |
| <i>Viburnum x rhytidophylloides</i> 'Willowwood' Willowwood Lantanaphyllum Viburnum | DS | 0.76 | R1 | 3-5 | 6-8 | | 0.76 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Viburnum rhytidophyllum</i> Leatherleaf Viburnum | BS | 0.99 | R2 | 5-6 | 7-8 | | 0.56 | 6 |
| <i>Viburnum rhytidophyllum</i> 'Cree' Cree Leatherleaf Viburnum | BS | 0.93 | R2 | 5-6 | 7-8 | | 1.15 | 6 |
| <i>Viburnum rufidulum</i> Rusty Blackhaw Viburnum | DS | 1.07 | R1 | 3-5 | 6-8 | | 0.78 | 5 |
| <i>Viburnum sargentii</i> Sargent Viburnum | DS | 1.07 | R1 | 3-4 | 5-8 | | 0.57 | 4 |
| <i>Viburnum sargentii</i> 'Onondaga' Onondaga Sargent Viburnum | DS | 1.17 | R1 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Viburnum sargentii</i> 'Susquehanna' Susquehanna Sargent Viburnum | DS | 1.12 | R1 | 3-4 | 5-8 | | 0.79 | 4 |
| <i>Viburnum setigerum</i> Tea Viburnum | DS | 1.07 | R1 | 3-5 | 6-8 | | 0.86 | 5 |
| <i>Viburnum sieboldii</i> Siebold Viburnum | DS | 1.38 | R1 | 3-4 | 5-8 | | 0.89 | 4 |
| <i>Viburnum sieboldii</i> 'Seneca' Seneca Seibold Viburnum | DS | 1.08 | R1 | 3-4 | 5-8 | | 0.89 | 4 |
| <i>Viburnum suspensum</i> Sandankwa Viburnum | BS | 0.68 | R2 | 6-8 | | | 0.75 | 9 |
| <i>Viburnum tinus</i> Laurustinus | BS | 0.68 | R2 | 6-7 | 8 | | 0.87 | 7 |
| <i>Viburnum tinus</i> 'Anvi' P.P.A.F. Spirit® Laurustinus | BS | 1.33 | R2 | 6-7 | 8 | | 0.87 | 7 |
| <i>Viburnum tinus</i> 'Bewley's Variegated' Bewley's Variegated Laurustinus | BS | 1.09 | R2 | 6-7 | 8 | | 0.87 | 7 |
| <i>Viburnum tinus</i> 'Compactum' Compact Laurustinus | BS | 0.95 | R2 | 6-7 | 8 | | 0.87 | 7 |
| <i>Viburnum tinus</i> 'Lucidum' Shining Laurustinus | BS | 0.99 | R2 | 6-7 | 8 | | 0.87 | 7 |
| <i>Viburnum tinus</i> 'Robustum' Roundleaf Laurustinus | BS | 1.02 | R2 | 6-7 | 8 | | 0.87 | 7 |
| <i>Viburnum tinus</i> 'Spirit' See - <i>Viburnum tinus</i> 'Anvi' P.P.A.F. | | | | | | | | |
| <i>Viburnum tinus</i> 'Spring Bouquet' Spring Bouquet Laurustinus | BS | 0.84 | R2 | 6-7 | 8 | | 0.87 | 7 |
| <i>Viburnum trilobum</i> American Cranberry Viburnum | DS | 0.98 | R1 | | 3-8 | | 0.65 | 2 |
| <i>Viburnum trilobum</i> 'Alfredo' Compact Alfredo American Cranberry Viburnum | DS | 1.06 | R1 | | 3-8 | | 1.07 | 2 |
| <i>Viburnum trilobum</i> 'Bailey Compact' Bailey Compact American Cranberry Viburnum | DS | 1.03 | R1 | | 3-8 | | 1.11 | 2 |
| <i>Viburnum trilobum</i> 'Compactum' Compact American Cranberry Viburnum | DS | 1.16 | R1 | | 3-8 | | 1.24 | 2 |
| <i>Viburnum trilobum</i> 'Hahs' Hahs American Cranberry Viburnum | DS | 1.29 | R1 | | 3-8 | | 1.23 | 2 |
| <i>Viburnum trilobum</i> 'J.N. Select' Redwing™ American Cranberry Viburnum | DS | 1.21 | R1 | | 3-8 | | 0.81 | 2 |
| <i>Viburnum trilobum</i> 'Phillips' Phillips American Cranberry Viburnum | DS | 1.07 | R1 | | 3-8 | | 0.93 | 2 |
| <i>Viburnum trilobum</i> 'Redwing' See - <i>Viburnum trilobum</i> 'J.N. Select' | | | | | | | | |
| <i>Viburnum trilobum</i> 'Spring Green' Spring Green American Cranberry Viburnum | DS | 0.71 | R1 | | 3-8 | | 1.46 | 2 |
| <i>Viburnum trilobum</i> 'Spring Red' Spring Red American Cranberry Viburnum | DS | 1.09 | R1 | | 3-8 | | 1.46 | 2 |
| <i>Viburnum trilobum</i> 'Wentworth' Wentworth American Cranberry Viburnum | DS | 1.06 | R1 | | 3-8 | | 0.76 | 2 |
| <i>Viburnum utile</i> Service Viburnum | BS | 1.06 | R2 | 5-6 | 7-8 | | 0.74 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Viburnum utile</i> 'Chesapeake' Chesapeake Service Viburnum | BS | 1.04 | R2 | 5-6 | 7-8 | | 0.77 | 6 |
| <i>Viburnum utile</i> 'Conoy' Conoy Service Viburnum | BS | 1.02 | R2 | 5-6 | 7-8 | | 0.75 | 6 |
| <i>Viburnum utile</i> 'Eskimo' Eskimo Service Viburnum | BS | 1.13 | R2 | 5-6 | 7-8 | | 0.71 | 6 |
| <i>Viburnum wrightii</i> Wright Viburnum | DS | 1.13 | R1 | 3-5 | 6-8 | | 1.08 | 5 |
| <i>Viburnum wrightii</i> 'C.A. Hildebrant's' P.P. 16889 C.A. Hildebrant's Wright Viburnum | DS | 1.34 | R1 | 3-5 | 6-8 | | 1.08 | 5 |
| <i>Vicia americana</i> American Vetch | GC | 1.00 | R2 | 3 | 4-8 | | 1.00 | 3 |
| <i>Viguiera stenoloba</i> Skeletonleaf Goldeneye | HP | 0.63 | R2 | 8 | | | | |
| <i>Viminaria denudata</i> See - <i>Viminaria juncea</i> | | | | | | | | |
| <i>Viminaria juncea</i> Golden Spray | BS | 1.00 | R2 | 8 | | | 1.00 | 8 |
| <i>Vinca major</i> Large Periwinkle | GC | 0.50 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Vinca major</i> 'Maculata' Maculata Large Periwinkle | GC | 0.59 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Vinca major</i> 'Variegata' Variegated Large Periwinkle | GC | 0.67 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Vinca major</i> 'Wojo's Jem' P.P. 11809 Wojo's Jem Large Periwinkle | GC | 0.51 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Vinca minor</i> Common Periwinkle | GC | 0.56 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Alba' White Common Periwinkle | GC | 0.53 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Atropurpurea' Purple Common Periwinkle | GC | 0.52 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Aureovariegata' Aureovariegata Common Periwinkle | GC | 0.66 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Blue & Gold' P.P.A.F. Blue & Gold Common Periwinkle | GC | 0.70 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Bowles' Bowles Common Periwinkle | GC | 0.67 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Dart's Blue' Dart's Blue Common Periwinkle | GC | 0.45 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Emerald Beauty' Emerald Beauty Common Periwinkle | GC | 0.31 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Emily Joy' Emily Joy Common Periwinkle | GC | 0.72 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Gertrude Jekyll' Gertrude Jekyll Common Periwinkle | GC | 0.53 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Giant Steps' P.P. 16651 Giant Steps Common Periwinkle | GC | 0.95 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Green Carpet' Green Carpet Common Periwinkle | GC | 0.89 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Illumination' P.P. 12132 Illumination Common Periwinkle | GC | 0.72 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Moonlit' Moonlit Common Periwinkle | GC | 1.10 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vinca minor</i> 'PNI 6526' Shademaster® Common Periwinkle | GC | 0.66 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Plena' Double Common Periwinkle | GC | 0.66 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Ralph Shugert' P.P. 6960 Ralph Shugert Common Periwinkle | GC | 0.59 | R2 | 3-4 | 5-8 | | 1.00 | 4 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Vinca minor</i> 'Rosea' Pink Common Periwinkle | GC | 0.73 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Shademaster' See - <i>Vinca minor</i> 'PNI 6526' | | | | | | | | |
| <i>Vinca minor</i> 'Sterling Silver' Sterling Silver Common Periwinkle | GC | 0.52 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Sunny Skies' P.P. 13466 Sunny Skies Common Periwinkle | GC | 0.87 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Variegata' Variegated Common Periwinkle | GC | 0.65 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vinca minor</i> 'Wine' Wine Common Periwinkle | GC | 0.50 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Viola</i> Violet | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Viola</i> 'Admiration' Admiration Violet | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Viola</i> 'Blue Seal' Blue Seal Violet | HP | 0.92 | R2 | 3-4 | 5-8 | | | |
| <i>Viola</i> 'Etain' Etain Violet | HP | 1.02 | R2 | 3-4 | 5-8 | | | |
| <i>Viola</i> 'Maggie Mott' Maggie Mott Violet | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Viola</i> 'Mars' Mars Violet | HP | 1.49 | R2 | 3-4 | 5-8 | | | |
| <i>Viola</i> 'Purple Showers' Purple Showers Violet | HP | 0.77 | R2 | 3-4 | 5-8 | | | |
| <i>Viola</i> 'Rebecca' Rebecca Violet | HP | 0.82 | R2 | 3-5 | 6-8 | | | |
| <i>Viola</i> 'Zoe' Zoe Violet | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Viola adunca</i> Western Dog Violet | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Viola affinis</i> Sand Violet | HP | 0.50 | R2 | 3-4 | 5-8 | | | |
| <i>Viola bertolonii</i> See - <i>Viola corsica</i> | | | | | | | | |
| <i>Viola blanda</i> Willdenow Violet | HP | 0.64 | R2 | | 3-8 | | | |
| <i>Viola canadensis</i> White Violet | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Viola cornuta</i> Horned Violet | HP | 0.60 | R2 | 3-7 | 8 | | | |
| <i>Viola cornuta</i> 'Alba' White Horned Violet | HP | 0.73 | R2 | 3-7 | 8 | | | |
| <i>Viola cornuta</i> 'Arkwright Ruby' Arkwright Ruby Horned Violet | HP | 0.77 | R2 | 3-7 | 8 | | | |
| <i>Viola cornuta</i> 'Azurella' Azurella Horned Violet | HP | 0.77 | R2 | 3-7 | 8 | | | |
| <i>Viola cornuta</i> 'Black Magic' P.P. 6595 Black Magic Horned Violet | HP | 0.99 | R2 | 3-7 | 8 | | | |
| <i>Viola cornuta</i> 'Blue Perfection' Blue Perfection Horned Violet | HP | 0.88 | R2 | 3-7 | 8 | | | |
| <i>Viola cornuta</i> 'Chantreyland' Chantreyland Horned Violet | HP | 0.77 | R2 | 3-7 | 8 | | | |
| <i>Viola cornuta</i> 'Columbine' Columbine Horned Violet | HP | 0.94 | R2 | 3-7 | 8 | | | |
| <i>Viola cornuta</i> 'Formula Mix' Formula Mix Horned Violet | HP | 0.77 | R2 | 3-7 | 8 | | | |
| <i>Viola cornuta</i> 'Lord Primrose' P.P. 18253 Starry Night Horned Violet | HP | 0.92 | R2 | 3-7 | 8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown Factors | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|---------------------|-----------|------------|
| | | Factor | SK | Req | Not Req | Caliper | High/Wide | |
| <i>Viola cornuta</i> 'Penny Citrus Mix' Penny Citrus Mix Horned Violet | HP | 0.77 | R2 | 3-7 | 8 | | | |
| <i>Viola cornuta</i> 'Pretty' Pretty Horned Violet | HP | 0.77 | R2 | 3-7 | 8 | | | |
| <i>Viola cornuta</i> 'Prince John' Prince John Horned Violet | HP | 0.77 | R2 | 3-7 | 8 | | | |
| <i>Viola cornuta</i> 'Queen Charlotte' Queen Charlotte Horned Violet | HP | 0.62 | R2 | 3-7 | 8 | | | |
| <i>Viola cornuta</i> 'Scottish Yellow' Scottish Yellow Horned Violet | HP | 0.88 | R2 | 3-7 | 8 | | | |
| <i>Viola cornuta</i> 'Sorbet Series' Sorbet Series Horned Violet | HP | 0.26 | R2 | 3-7 | 8 | | | |
| <i>Viola cornuta</i> 'Starry Night' See - <i>Viola cornuta</i> 'Lord Primrose' P.P. 18253 | | | | | | | | |
| <i>Viola cornuta</i> 'White Perfection' White Perfection Horned Violet | HP | 0.84 | R2 | 3-7 | 8 | | | |
| <i>Viola cornuta</i> 'Yellow Perfection' Yellow Perfection Horned Violet | HP | 0.77 | R2 | 3-7 | 8 | | | |
| <i>Viola corsica</i> Corsica Violet | HP | 0.95 | R2 | 3-5 | 6-8 | | | |
| <i>Viola cucullata</i> See - <i>Viola obliqua</i> | | | | | | | | |
| <i>Viola floridana</i> Florida Violet | HP | 0.70 | R2 | 6-8 | | | | |
| <i>Viola glabella</i> Stream Violet | HP | 0.54 | R2 | 3-5 | 6-8 | | | |
| <i>Viola grypceras</i> var. <i>exilis</i> Cyclamen-leaved Violet | HP | 0.84 | R2 | 3-5 | 6-8 | | | |
| <i>Viola grypceras</i> var. <i>exilis</i> 'Syletta' Syletta Cyclamen-leaved Violet | HP | 1.17 | R2 | 3-4 | 5-8 | | | |
| <i>Viola hederacea</i> Australian Violet | HP | 0.75 | R2 | 6-8 | | | | |
| <i>Viola japonica</i> Japanese Violet | HP | 0.66 | R2 | 6-8 | | | | |
| <i>Viola koreana</i> See - <i>Viola grypceras</i> var. <i>exilis</i> | | | | | | | | |
| <i>Viola labradorica</i> Labrador Violet | HP | 0.85 | R2 | | 3-8 | | | |
| <i>Viola labradorica</i> 'Purpurea' Purpurea Labrador Violet | HP | 0.85 | R2 | | 3-8 | | | |
| <i>Viola mandshurica</i> Sumire | HP | 0.86 | R2 | 6-8 | | | | |
| <i>Viola mandshurica</i> 'Fuji Dawn' Fuji Dawn Sumire | HP | 0.86 | R2 | 6-8 | | | | |
| <i>Viola obliqua</i> Marsh Blue Violet | HP | 0.84 | R2 | 3-4 | 5-8 | | | |
| <i>Viola obliqua</i> 'Freckles' Freckles Marsh Blue Violet | HP | 0.85 | R2 | 3-4 | 5-8 | | | |
| <i>Viola obliqua</i> 'Red Giant' Red Giant Marsh Blue Violet | HP | 0.89 | R2 | 3-4 | 5-8 | | | |
| <i>Viola obliqua</i> 'Royal Robe' Royal Robe Marsh Blue Violet | HP | 0.79 | R2 | 3-4 | 5-8 | | | |
| <i>Viola odorata</i> Sweet Violet | HP | 1.01 | R2 | 5-8 | | | | |
| <i>Viola odorata</i> 'Lamb's White' Lamb's White Sweet Violet | HP | 0.92 | R2 | 5-8 | | | | |
| <i>Viola odorata</i> 'Lianne' Lianne Sweet Violet | HP | 0.92 | R2 | 5-8 | | | | |
| <i>Viola odorata</i> 'Rosina' Rosina Sweet Violet | HP | 0.92 | R2 | 5-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Viola odorata</i> 'White Czar' White Czar Sweet Violet | HP | 0.83 | R2 | 5-8 | | | | |
| <i>Viola odorata</i> 'White Queen' White Queen Sweet Violet | HP | 0.92 | R2 | 5-8 | | | | |
| <i>Viola palmata</i> Early Blue Violet | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Viola palustris</i> Marsh Violet | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Viola pedata</i> Bird-Foot Violet | HP | 0.80 | R2 | 3-4 | 5-8 | | | |
| <i>Viola priceana</i> See - <i>Viola sororia</i> | | | | | | | | |
| <i>Viola pubescens</i> Downy Yellow Violet | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Viola rupestris</i> Teesdale Violet | HP | 0.76 | R2 | 3-5 | 6-8 | | | |
| <i>Viola sempervirens</i> Redwood Violet | HP | 0.50 | R2 | 3-5 | 6-8 | | | |
| <i>Viola sororia</i> Woolly Blue Violet | HP | 0.54 | R2 | 3-4 | 5-8 | | | |
| <i>Viola tricolor</i> Johnny Jump-Up | AN | 1.40 | R2 | 3-4 | 5-8 | | | |
| <i>Viola tricolor</i> 'Helen Mount' Helen Mount Johnny Jump-Up | AN | 1.40 | R2 | 3-4 | 5-8 | | | |
| <i>Viola x wittrockiana</i> Common Pansy | AN | 0.77 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Aquarelle Series' Aquarelle Series Pansy | AN | 0.55 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Crown Azure' Crown Azure Pansy | AN | 0.41 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Crown Deep Blue' Crown Deep Blue Pansy | AN | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Crown Golden' Crown Golden Pansy | AN | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Crown Orange' Crown Orange Pansy | AN | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Crown Rose' Crown Rose Pansy | AN | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Crown Scarlet' Crown Scarlet Pansy | AN | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Crown Series' Crown Series Pansy | AN | 0.41 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Crown White' Crown White Pansy | AN | 0.41 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Crystal Bowl Primrose' Crystal Bowl Primrose Pansy | AN | 1.06 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Crystal Bowl Series' Crystal Bowl Series Pansy | AN | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Crystal Bowl True Blue' Crystal Bowl True Blue Pansy | AN | 1.06 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Crystal Bowl Yellow' Crystal Bowl Yellow Pansy | AN | 1.06 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Delta Series' Delta Series Pansy | AN | 0.71 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Flamenco Series' Flamenco Series Pansy | AN | 0.55 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Halloween II' Halloween II Pansy | AN | 0.55 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Imperial Pink Shades' Imperial Pink Shades Pansy | AN | 0.66 | R2 | 3-5 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|--|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Viola x wittrockiana</i> 'Imperial Purple' Imperial Purple Pansy | AN | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Imperial Series' Imperial Series Pansy | AN | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Imperial White' Imperial White Pansy | AN | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Imperial Wine Fashion' Imperial Wine Fashion Pansy | AN | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Majestic Blue' Majestic Blue Pansy | AN | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Majestic Purple' Majestic Purple Pansy | AN | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Majestic Series' Majestic Series Pansy | AN | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Majestic White' Majestic White Pansy | AN | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Majestic Yellow' Majestic Yellow Pansy | AN | 0.73 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Maxim Series' Maxim Series Pansy | AN | 0.55 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Skyline Copperfield' Skyline Copperfield Pansy | AN | 0.55 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Trick or Treat Mix' Trick or Treat Mix Pansy | AN | 0.55 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Ultima Baron Series' Ultima Baron Series Pansy | AN | 0.55 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Ultima Morpho' Ultima Morpho Pansy | AN | 0.55 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Universal Beaconsfield' Universal Beaconsfield Pansy | AN | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Universal Blue' Universal Blue Pansy | AN | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Universal Plus Series' Universal Plus Series Pansy | AN | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Universal Red' Universal Red Pansy | AN | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Universal Series' Universal Series Pansy | AN | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Universal True Blue' Universal True Blue Pansy | AN | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Universal White with Face' Universal White with Face Pansy | AN | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Universal Yellow' Universal Yellow Pansy | AN | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Viola x wittrockiana</i> 'Whiskers Mix' Whiskers Mix Pansy | AN | 0.66 | R2 | 3-5 | 6-8 | | | |
| <i>Viscaria alpina</i> See - <i>Lychnis alpina</i> | | | | | | | | |
| <i>Viscaria vulgaris</i> See - <i>Lychnis viscaria</i> | | | | | | | | |
| <i>Vitaliana primuliflora</i> No Common Name Found | HP | 1.00 | R2 | 3-5 | 6-8 | | | |
| <i>Vitex agnus-castus</i> Lilac Chastetree | DT | 0.81 | R1 | 5-6 | 7-8 | 0.59 | 1.47 | 6 |
| <i>Vitex agnus-castus</i> 'Alba' White Chastetree | DT | 0.64 | R1 | 5-6 | 7-8 | 0.59 | 1.62 | 6 |
| <i>Vitex agnus-castus</i> 'Blushing Spires' Blushing Spires Chastetree | DT | 0.70 | R1 | 5-6 | 7-8 | 0.59 | 1.62 | 6 |
| <i>Vitex agnus-castus</i> 'Colonial Blue' Colonial Blue Chastetree | DT | 0.68 | R1 | 5-6 | 7-8 | 0.59 | 1.62 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Vitex agnus-castus</i> 'Lavender Lady' Lavender Lady™ Chastetree | DT | 0.59 | R1 | 5-6 | 7-8 | 0.59 | 1.62 | 6 |
| <i>Vitex agnus-castus</i> 'Rosea' Pink Chastetree | DT | 0.41 | R1 | 5-6 | 7-8 | 0.59 | 1.62 | 6 |
| <i>Vitex agnus-castus</i> 'Salinas Pink' Salinas Pink Chastetree | DT | 0.90 | R1 | 5-6 | 7-8 | 0.59 | 1.62 | 6 |
| <i>Vitex agnus-castus</i> 'Shoal Creek' Shoal Creek Chastetree | DT | 0.88 | R1 | 5-6 | 7-8 | 0.59 | 1.76 | 6 |
| <i>Vitex agnus-castus</i> 'Silver Spire' Silver Spire Chastetree | DT | 0.72 | R1 | 5-6 | 7-8 | 0.59 | 1.62 | 6 |
| <i>Vitex agnus-castus</i> var. <i>latifolia</i> Hardy Lilac Chastetree | DT | 0.37 | R1 | 5-6 | 7-8 | 1.00 | 0.58 | 6 |
| <i>Vitex macrophylla</i> See - <i>Vitex agnus-castus</i> var. <i>latifolia</i> | | | | | | | | |
| <i>Vitex negundo</i> Negundo Chastetree | DS | 1.44 | R1 | 6 | 7-8 | | 0.32 | 6 |
| <i>Vitex trifolia</i> Blue Vitex | BS | 0.82 | R2 | 8 | | | 1.00 | 9 |
| <i>Vitex trifolia</i> 'Purpurea' See - <i>Vitex trifolia</i> var. <i>purpurea</i> | | | | | | | | |
| <i>Vitex trifolia</i> var. <i>purpurea</i> Arabian Lilac | BS | 1.14 | R2 | 8 | | | 1.00 | 9 |
| <i>Vitex trifolia</i> var. <i>variegata</i> Variegated Blue Vitex | BS | 0.93 | R2 | 8 | | | 1.00 | 9 |
| <i>Vitis</i> Grape | SF | 1.19 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis</i> 'Frontenac Gris' Frontenac Gris™ Hybrid Grape | SF | 1.05 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vitis</i> 'Frontenac' Frontenac™ Hybrid Grape | SF | 1.05 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Vitis</i> 'Golden Muscat' Golden Muscat Hybrid Grape | SF | 1.57 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis</i> 'Himrod' Himrod Hybrid Grape | SF | 1.10 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis</i> 'Interlaken Seedless' Interlaken Seedless Hybrid Grape | SF | 1.19 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis</i> 'Lucil' Lucil Grape | SF | 1.19 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis acerifolia</i> Mapleleaf Grape | GC | 1.00 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis berlandieri</i> Lenoir Grape | SF | 1.22 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Vitis californica</i> California Grape | GC | 0.95 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Vitis californica</i> 'Roger's Red' Roger's Red California Grape | GC | 0.94 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Vitis champini</i> Champin Grape | GC | 1.00 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis coignetiae</i> Crimson Glory Vine | GC | 1.05 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis cordifolia</i> Chicken Grape | GC | 1.00 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> Fox Grape | SF | 0.99 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Alden' Alden Table Grape | SF | 0.99 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Bluebell' Bluebell Fox Grape | SF | 0.90 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Caco' Caco Fox Grape | SF | 1.31 | R1 | 3-5 | 6-8 | | 1.00 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Vitis labrusca</i> 'Campbell Early' Campbell Early Fox Grape | SF | 0.40 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Canadice' Canadice Fox Grape | SF | 1.17 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Catawba' Catawba Fox Grape | SF | 1.06 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Champanel' Champanel Grape | SF | 0.93 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Concord Seedless' Concord Seedless Fox Grape | SF | 1.10 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Concord' Concord Fox Grape | SF | 0.88 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Delaware' Delaware Fox Grape | SF | 1.00 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Eastern Concord' Eastern Concord Fox Grape | SF | 1.40 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Edelweiss' Edelweiss Fox Grape | SF | 1.30 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Einset' Einset Fox Grape | SF | 0.75 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Fredonia' Fredonia Fox Grape | SF | 0.90 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Fresno Seedless' Fresno Seedless Grape | SF | 0.99 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Glenora' Glenora Fox Grape | SF | 0.75 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Inkameep Riesling' See - <i>Vitis labrusca</i> 'Okanagan Riesling' | | | | | | | | |
| <i>Vitis labrusca</i> 'Kay Gray' Kay Gray Fox Grape | SF | 0.91 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'LaCrosse' P.P. 5588 LaCrosse Fox Grape | SF | 0.90 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Lakemont' Lakemont Fox Grape | SF | 0.90 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Mars' Mars Grape | SF | 0.69 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Moored' Moored Fox Grape | SF | 0.99 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Niagara' Niagara Fox Grape | SF | 1.02 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Okanagan Riesling' Okanagan Riesling Fox Grape | SF | 0.99 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Reliance Seedless' Reliance Seedless Fox Grape | SF | 0.90 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Romulus' Romulus Fox Grape | SF | 0.99 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'St. Croix' St. Croix Fox Grape | SF | 0.91 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Suffolk Red' Suffolk Red Seedless Fox Grape | SF | 1.49 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Swenson Red' Swenson Red Fox Grape | SF | 0.95 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Valiant' Valiant Fox Grape | SF | 1.28 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Van Buren' Van Buren Fox Grape | SF | 0.99 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Vanessa Seedless' Vanessa Seedless Fox Grape | SF | 0.56 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis labrusca</i> 'Worden' Worden Fox Grape | SF | 1.33 | R1 | 3-5 | 6-8 | | 1.00 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ | |
|--|-----------|-----------|----|--------------|-------------|---------|------------|---|
| | | Factor | SK | Insurable HZ | | Factors | | |
| | | | | Req | Not Req | Caliper | High/Wide | |
| <i>Vitis riparia</i> Riverbank Grape | GC | 1.42 | R1 | | 3-8 | | 1.00 | 2 |
| <i>Vitis riparia</i> 'Beta' Beta Riverbank Grape | GC | 1.42 | R1 | | 3-8 | | 1.00 | 2 |
| <i>Vitis rotundifolia</i> Muscadine Grape | SF | 0.48 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Alachua' Alachua Muscadine Grape | SF | 0.73 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Albemarle' Albemarle Muscadine Grape | SF | 0.77 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Carlos' Carlos Muscadine Grape | SF | 0.75 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Chowan' Chowan Muscadine Grape | SF | 0.73 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Coward' Coward Muscadine Grape | SF | 0.69 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Dearing' Dearing Muscadine Grape | SF | 0.59 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Dixie' Dixie Muscadine Grape | SF | 0.64 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Doreen' Doreen Muscadine Grape | SF | 0.86 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Fry' Fry Muscadine Grape | SF | 0.73 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Golden Isles' Golden Isles Muscadine Grape | SF | 0.73 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Higgins' Higgins Muscadine Grape | SF | 0.86 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Hunt' Hunt Muscadine Grape | SF | 0.69 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Jumbo' Jumbo Muscadine Grape | SF | 0.67 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Loomis' Loomis Muscadine Grape | SF | 0.73 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Magnolia' Magnolia Muscadine Grape | SF | 0.86 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Magoon' Magoon Muscadine Grape | SF | 0.86 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Nesbitt' Nesbitt Muscadine Grape | SF | 0.86 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Noble' Noble Muscadine Grape | SF | 0.80 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Pride' Pride Muscadine Grape | SF | 0.73 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Regale' Regale Muscadine Grape | SF | 0.73 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Scarlett' Scarlett Muscadine Grape | SF | 0.73 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Scuppernong' Scuppernong Muscadine Grape | SF | 0.60 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Southern Home' Southern Home Muscadine Grape | SF | 0.73 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Southland' Southland Muscadine Grape | SF | 0.69 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Sterling' Sterling Muscadine Grape | SF | 0.73 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Summit' Summit Muscadine Grape | SF | 0.69 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Tara' Tara Muscadine Grape | SF | 0.73 | R1 | 3-5 | 6-8 | | 1.00 | 5 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Factor | SK | Container | | Field Grown | | Minimum HZ |
|---|-----------|--------|----|-----------|---------|-------------|-------------------|------------|
| | | | | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Vitis rotundifolia</i> 'Topsail' Topsail Muscadine Grape | SF | 0.73 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rotundifolia</i> 'Triumph' Triumph Muscadine Grape | SF | 0.75 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Vitis rupestris</i> Sand Grape | GC | 1.00 | R1 | 4-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis solonis</i> See - <i>Vitis acerifolia</i> | | | | | | | | |
| <i>Vitis vinifera</i> Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Black Monukka' Black Monukka Seedless Wine Grape | SF | 0.72 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Cabernet Franc' Cabernet Franc Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Cabernet Sauvignon' Cabernet Sauvignon Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Carmenere' Carmenere Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Chardonnay' Chardonnay Wine Grape | SF | 0.75 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Chenin Blanc' Chenin Blanc Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Ermitage Blanc' See - <i>Vitis vinifera</i> 'Marsanne' | | | | | | | | |
| <i>Vitis vinifera</i> 'Fiesta' Fiesta Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Flame' Flame Seedless Wine Grape | SF | 0.93 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Fresno 18-94' See - <i>Vitis vinifera</i> 'Fiesta' | | | | | | | | |
| <i>Vitis vinifera</i> 'Gamay Beaujolais' Gamay Beaujolais Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Gewurztraminer' Gewurztraminer Wine Grape | SF | 0.40 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Grenache' Grenache Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Johannisberg Riesling' Johannisberg Riesling Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Lemberger' Lemberger Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Malbec' Malbec Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Marsanne' Marsanne Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Mataro' Mataro Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Merlot' Merlot Wine Grape | SF | 0.79 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Meunier' Meunier Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Mouvedre' Mouvedre Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Muller Thurgau' Muller Thurgau Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Muscat Blanc' Muscat Blanc Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Muscat Ottonel' Muscat Ottonel Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Muscat' Muscat Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Vitis vinifera</i> 'Nebbiolo' Nebbiolo Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Negro Amaro' Negro Amaro Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Orange Muscat' Orange Muscat Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Perlette' Perlette Wine Grape | SF | 0.71 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Petite Syrah' Petite Syrah Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Petite Verdot' Petite Verdot Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Pinot Blanc' Pinot Blanc Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Pinot Gris' Pinot Gris Wine Grape | SF | 0.75 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Pinot Noir' Pinot Noir Wine Grape | SF | 0.54 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Purpurea' Purple Leaf Ornamental Grape | SF | 1.54 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Red Flame' See - <i>Vitis vinifera</i> 'Flame' | | | | | | | | |
| <i>Vitis vinifera</i> 'Rotgipfler' Rotgipfler Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Ruby Seedless' Ruby Seedless Wine Grape | SF | 1.13 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Sangiovese' Sangiovese Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Sauvignon Blanc' Sauvignon Blanc Wine Grape | SF | 0.76 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Sciopetino' Sciopetino Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Seibel' Seibel Wine Grape | SF | 0.89 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Semillon' Semillon Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Shiraz' Shiraz Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Syrah' Syrah Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Tempranillo' Tempranillo Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Thompson Seedless' Thompson Seedless Wine Grape | SF | 0.88 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Tokay' Tokay Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Touriga' Touriga Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Valdepenas' See - <i>Vitis vinifera</i> 'Tempranillo' | | | | | | | | |
| <i>Vitis vinifera</i> 'Verdelho' Verdelho Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Viognier' Viognier Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'White Flame' White Flame Wine Grape | SF | 0.80 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'White Riesling' White Riesling Wine Grape | SF | 0.40 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vitis vinifera</i> 'Zelen' See - <i>Vitis vinifera</i> 'Rotgipfler' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Vitis vinifera</i> 'Zinfandel' Zinfandel Wine Grape | SF | 0.79 | R1 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Vriesea espinosae</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Vriesea x imperialis</i> See - <i>Alcantarea imperialis</i> | | | | | | | | |
| <i>Vriesea psittacina</i> No Common Name Found | FO | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Vriesea splendens</i> Flaming Sword | FO | 2.09 | R2 | 8 | | | 1.00 | 10 |
| <i>Wachendorfia thyrsiflora</i> No Common Name Found | HP | 0.70 | R2 | 8 | | | | |
| <i>Wahlenbergia akaroa</i> New Zealand Bluebell | HP | 0.83 | R2 | 3-5 | 6-8 | | | |
| <i>Wahlenbergia albomarginata</i> New Zealand Bluebell | HP | 1.00 | R2 | 5-6 | 7-8 | | | |
| <i>Wahlenbergia saxicola</i> See - <i>Wahlenbergia albomarginata</i> | | | | | | | | |
| <i>Waldsteinia fragarioides</i> Barren Strawberry | HP | 0.86 | R2 | 3 | 4-8 | | | |
| <i>Waldsteinia geoides</i> Russian Barren Strawberry | HP | 1.30 | R2 | 3-4 | 5-8 | | | |
| <i>Waldsteinia lobata</i> Large Leaf Barren Strawberry | HP | 1.00 | R2 | 3-4 | 5-8 | | | |
| <i>Waldsteinia ternata</i> Siberian Barren Strawberry | HP | 0.94 | R2 | 3 | 4-8 | | | |
| <i>Washingtonia filifera</i> California Fan Palm | PC | 0.79 | R2 | 7-8 | | | 1.40 | 8 |
| <i>Washingtonia filifera x robusta</i> Hybrid Washingtonia Palm | PC | 0.77 | R2 | 7-8 | | | 0.69 | 8 |
| <i>Washingtonia robusta</i> Mexican Fan Palm | PC | 0.90 | R2 | 7-8 | | | 0.79 | 8 |
| <i>Watsonia</i> No Common Name Found | HP | 0.69 | R2 | 8 | | | | |
| <i>Watsonia</i> 'Dazzler' Dazzler Hybrid Watsonia | HP | 0.69 | R2 | 8 | | | | |
| <i>Watsonia</i> 'Malvern' Malvern Hybrid Watsonia | HP | 0.69 | R2 | 8 | | | | |
| <i>Watsonia</i> 'Mrs. Bullard's White' Mrs. Bullard's White Hybrid Watsonia | HP | 0.69 | R2 | 8 | | | | |
| <i>Watsonia</i> 'Rubra' Red Hybrid Watsonia | HP | 0.69 | R2 | 8 | | | | |
| <i>Watsonia aletroides</i> No Common Name Found | HP | 0.92 | R2 | 8 | | | | |
| <i>Watsonia beatricis</i> See - <i>Watsonia pillansii</i> | | | | | | | | |
| <i>Watsonia borbonica</i> No Common Name Found | HP | 1.00 | R2 | 8 | | | | |
| <i>Watsonia borbonica</i> 'Raspberry Delight' Raspberry Delight Watsonia | HP | 1.00 | R2 | 8 | | | | |
| <i>Watsonia borbonica</i> 'Snow Queen' Snow Queen Watsonia | HP | 1.00 | R2 | 8 | | | | |
| <i>Watsonia humilis</i> No Common Name Found | HP | 0.92 | R2 | 8 | | | | |
| <i>Watsonia pillansii</i> No Common Name Found | HP | 0.69 | R2 | 5-8 | | | | |
| <i>Watsonia pyramidata</i> See - <i>Watsonia borbonica</i> | | | | | | | | |
| <i>Wedelia trilobata</i> Creeping Daisy | GC | 0.52 | R2 | 8 | | | 1.00 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Weigela</i> | DS | 0.71 | R1 | 3-5 | 6-8 | | 0.53 | 5 |
| <i>Weigela</i> | | | | | | | | |
| <i>Weigela</i> 'Boskoop Glory' | DS | 0.71 | R1 | 3-5 | 6-8 | | 0.53 | 5 |
| Boskoop Glory <i>Weigela</i> | | | | | | | | |
| <i>Weigela</i> 'Looymansii Aurea' | DS | 0.71 | R1 | 3-5 | 6-8 | | 0.53 | 5 |
| Looymansii Aurea <i>Weigela</i> | | | | | | | | |
| <i>Weigela coraeensis</i> | DS | 1.06 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| White <i>Weigela</i> | | | | | | | | |
| <i>Weigela coraeensis</i> 'Moncor' | DS | 1.06 | R1 | 3-6 | 7-8 | | 1.00 | 6 |
| Pink-A-Boo™ White <i>Weigela</i> | | | | | | | | |
| <i>Weigela coraeensis</i> 'Pink-A-Boo' | | | | | | | | |
| See - <i>Weigela coraeensis</i> 'Moncor' | | | | | | | | |
| <i>Weigela florida</i> | DS | 0.70 | R1 | 3-5 | 6-8 | | 0.52 | 5 |
| Old Fashioned <i>Weigela</i> | | | | | | | | |
| <i>Weigela florida</i> 'Alexandra' P.P. 10772 | DS | 1.06 | R1 | 3-5 | 6-8 | | 0.86 | 5 |
| Wine and Roses® Old Fashioned <i>Weigela</i> | | | | | | | | |
| <i>Weigela florida</i> 'Bramwell' P.P. 18513 | DS | 1.09 | R1 | 3-5 | 6-8 | | 1.01 | 5 |
| Fine Wine™ Old Fashioned <i>Weigela</i> | | | | | | | | |
| <i>Weigela florida</i> 'Briant Rubidor' | DS | 0.67 | R1 | 3-5 | 6-8 | | 0.69 | 5 |
| Briant Rubidor Old Fashioned <i>Weigela</i> | | | | | | | | |
| <i>Weigela florida</i> 'Brigela' P.P. 12666 | DS | 1.08 | R1 | 3-5 | 6-8 | | 0.97 | 5 |
| French Lace™ Old Fashioned <i>Weigela</i> | | | | | | | | |
| <i>Weigela florida</i> 'Bristol Ruby' | DS | 0.91 | R1 | 3-5 | 6-8 | | 0.49 | 5 |
| Bristol Ruby Old Fashioned <i>Weigela</i> | | | | | | | | |
| <i>Weigela florida</i> 'Bristol Snowflake' | DS | 1.00 | R1 | 3-5 | 6-8 | | 1.01 | 5 |
| Bristol Snowflake Old Fashioned <i>Weigela</i> | | | | | | | | |
| <i>Weigela florida</i> 'Candida' | DS | 1.01 | R1 | 3-5 | 6-8 | | 1.01 | 5 |
| Candida Old Fashioned <i>Weigela</i> | | | | | | | | |
| <i>Weigela florida</i> 'Carnaval' | | | | | | | | |
| See - <i>Weigela florida</i> 'Courtalor' | | | | | | | | |
| <i>Weigela florida</i> 'Centennial' | DS | 1.01 | R1 | 3-5 | 6-8 | | 1.01 | 5 |
| Centennial Old Fashioned <i>Weigela</i> | | | | | | | | |
| <i>Weigela florida</i> 'Courtalor' | DS | 1.00 | R1 | 3-5 | 6-8 | | 0.79 | 5 |
| Carnaval Old Fashioned <i>Weigela</i> | | | | | | | | |
| <i>Weigela florida</i> 'DV Putten' P.P. 20040 | DS | 1.81 | R1 | 3-5 | 6-8 | | 1.01 | 5 |
| Emeralds & Rubies Old Fashioned <i>Weigela</i> | | | | | | | | |
| <i>Weigela florida</i> 'Dark Horse' P.P. 14381 | DS | 1.19 | R1 | 3-4 | 5-8 | | 1.01 | 4 |
| Dark Horse Old Fashioned <i>Weigela</i> | | | | | | | | |
| <i>Weigela florida</i> 'Dart's Coloramea' | DS | 1.01 | R1 | 3-5 | 6-8 | | 1.01 | 5 |
| Dart's Coloramea Old Fashioned <i>Weigela</i> | | | | | | | | |
| <i>Weigela florida</i> 'Dart's Colordream' | DS | 1.01 | R1 | 3-5 | 6-8 | | 1.01 | 5 |
| Dart's Colordream Old Fashioned <i>Weigela</i> | | | | | | | | |
| <i>Weigela florida</i> 'Elvera' P.P. 12217 | DS | 1.15 | R1 | 3-5 | 6-8 | | 1.55 | 5 |
| Midnight Wine Old Fashioned <i>Weigela</i> | | | | | | | | |
| <i>Weigela florida</i> 'Emeralds & Rubies' | | | | | | | | |
| See - <i>Weigela florida</i> 'DV Putten' P.P. 20040 | | | | | | | | |
| <i>Weigela florida</i> 'Eva Rathke' | DS | 1.01 | R1 | 3-5 | 6-8 | | 0.40 | 5 |
| Eva Rathke Old Fashioned <i>Weigela</i> | | | | | | | | |
| <i>Weigela florida</i> 'Eva Supreme' | DS | 1.01 | R1 | 3-5 | 6-8 | | 1.01 | 5 |
| Eva Supreme Old Fashioned <i>Weigela</i> | | | | | | | | |
| <i>Weigela florida</i> 'Evita' | DS | 1.01 | R1 | 3-5 | 6-8 | | 1.01 | 5 |
| Evita Old Fashioned <i>Weigela</i> | | | | | | | | |
| <i>Weigela florida</i> 'Fine Wine' | | | | | | | | |
| See - <i>Weigela florida</i> 'Bramwell' P.P. 18513 | | | | | | | | |
| <i>Weigela florida</i> 'Foliis Purpureis' | DS | 1.01 | R1 | 3-5 | 6-8 | | 1.01 | 5 |
| Purpleleaf Old Fashioned <i>Weigela</i> | | | | | | | | |
| <i>Weigela florida</i> 'French Lace' | | | | | | | | |
| See - <i>Weigela florida</i> 'Brigela' P.P. 12666 | | | | | | | | |
| <i>Weigela florida</i> 'Java Red' | DS | 0.96 | R1 | 3-5 | 6-8 | | 0.86 | 5 |
| Java Red Old Fashioned <i>Weigela</i> | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Weigela florida</i> 'Midnight Wine' See - <i>Weigela florida</i> 'Elvera' P.P. 12217 | DS | 0.96 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Weigela florida</i> 'Minuet' C.O.P.F. Minuet Old Fashioned Weigela | | | | | | | | |
| <i>Weigela florida</i> 'My Monet' See - <i>Weigela florida</i> 'Verweig' P.P. 16824 | DS | 0.52 | R1 | 3-5 | 6-8 | | 0.75 | 5 |
| <i>Weigela florida</i> 'Newport Red' Newport Red Old Fashioned Weigela | | | | | | | | |
| <i>Weigela florida</i> 'Olympiade' See - <i>Weigela florida</i> 'Briant Rubidor' | DS | 0.68 | R1 | 3-5 | 6-8 | | 1.32 | 5 |
| <i>Weigela florida</i> 'Pink Delight' Pink Delight Old Fashioned Weigela | | | | | | | | |
| <i>Weigela florida</i> 'Pink Poppet' P.P.A.F. Pink Poppet Old Fashioned Weigela | DS | 1.15 | R1 | 3 | 4-8 | | 1.01 | 3 |
| <i>Weigela florida</i> 'Pink Princess' Pink Princess Old Fashioned Weigela | DS | 0.90 | R1 | 3-5 | 6-8 | | 0.50 | 5 |
| <i>Weigela florida</i> 'Polka' Polka Old Fashioned Weigela | DS | 1.07 | R1 | 3-5 | 6-8 | | 1.51 | 5 |
| <i>Weigela florida</i> 'Red Prince' Red Prince Old Fashioned Weigela | DS | 1.00 | R1 | 3-5 | 6-8 | | 0.63 | 5 |
| <i>Weigela florida</i> 'Rosea' Pink Old Fashioned Weigela | DS | 1.03 | R1 | 3-5 | 6-8 | | 0.47 | 5 |
| <i>Weigela florida</i> 'Rubigold' Rubigold Old Fashioned Weigela | DS | 0.65 | R1 | 3-5 | 6-8 | | 1.01 | 5 |
| <i>Weigela florida</i> 'Ruby Queen' P.P. 12632 Ruby Queen Old Fashioned Weigela | DS | 1.06 | R1 | 3-5 | 6-8 | | 1.01 | 5 |
| <i>Weigela florida</i> 'Rumba' Rumba Old Fashioned Weigela | DS | 0.98 | R1 | 3-5 | 6-8 | | 1.29 | 5 |
| <i>Weigela florida</i> 'Samba' Samba Old Fashioned Weigela | DS | 1.30 | R1 | 3-4 | 5-8 | | 2.64 | 4 |
| <i>Weigela florida</i> 'Shining Sensation' P.P.A.F. Shining Sensation™ Old Fashioned Weigela | DS | 1.46 | R1 | 3-5 | 6-8 | | 1.01 | 5 |
| <i>Weigela florida</i> 'Suzanne' Suzanne Old Fashioned Weigela | DS | 1.11 | R1 | 3-5 | 6-8 | | 1.01 | 5 |
| <i>Weigela florida</i> 'Tango' Tango Old Fashioned Weigela | DS | 1.13 | R1 | 3-5 | 6-8 | | 2.64 | 5 |
| <i>Weigela florida</i> 'Vanicek' See - <i>Weigela florida</i> 'Newport Red' | DS | 1.06 | R1 | 3-5 | 6-8 | | 1.09 | 5 |
| <i>Weigela florida</i> 'Variegata Nana' Dwarf Variegated Old Fashioned Weigela | | | | | | | | |
| <i>Weigela florida</i> 'Variegata' Variegated Old Fashioned Weigela | DS | 0.87 | R1 | 3-5 | 6-8 | | 0.57 | 5 |
| <i>Weigela florida</i> 'Versicolor' Versicolor Old Fashioned Weigela | DS | 0.58 | R1 | 3-5 | 6-8 | | 1.01 | 5 |
| <i>Weigela florida</i> 'Verweig' P.P. 16824 My Monet™ Old Fashioned Weigela | DS | 1.51 | R1 | 3-5 | 6-8 | | 1.01 | 5 |
| <i>Weigela florida</i> 'Victoria' Victoria Old Fashioned Weigela | DS | 0.89 | R1 | 3-5 | 6-8 | | 1.01 | 5 |
| <i>Weigela florida</i> 'White Knight' P.P. 8348 White Knight Old Fashioned Weigela | DS | 0.83 | R1 | 3-5 | 6-8 | | 0.62 | 5 |
| <i>Weigela florida</i> 'Wine and Roses' See - <i>Weigela florida</i> 'Alexandra' P.P. 10772 | DS | 1.01 | R1 | 3-5 | 6-8 | | 1.00 | 4 |
| <i>Weigela middendorffiana</i> Middendorf Weigela | | | | | | | | |
| <i>Weigela praecox</i> Early Weigela | DS | 0.73 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Weigela praecox</i> 'Korean Sunrise' Korean Sunrise Early Weigela | DS | 0.88 | R1 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Weigela subsessilis</i> No Common Name Found | DS | 1.13 | R1 | 4-6 | 7-8 | | 1.63 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|-----|-------------------------|-------------|----------------------|------------|
| | | Factor | SK | Req | Insurable HZ Not Req | Caliper | Factors High/Wide | |
| <i>Weigela subsessilis</i> 'Canary' Canary Weigela | DS | 1.13 | R1 | 4-6 | 7-8 | | 1.63 | 6 |
| <i>Wisteria brachybotrys</i> Silky Wisteria | GC | 1.41 | R2 | 3-5 | 6-8 | | 0.65 | 5 |
| <i>Wisteria brachybotrys</i> 'Shiro Kapitan' Shiro Kapitan Silky Wisteria | GC | 0.78 | R2 | 3-5 | 6-8 | | 0.65 | 5 |
| <i>Wisteria floribunda</i> Japanese Wisteria | GC | 1.22 | R2 | 3-4 | 5-8 | | 0.72 | 4 |
| <i>Wisteria floribunda</i> 'Alba' White Japanese Wisteria | GC | 1.05 | R2 | 3-4 | 5-8 | | 0.44 | 4 |
| <i>Wisteria floribunda</i> 'Black Dragon' Black Dragon Japanese Wisteria | GC | 1.22 | R2 | 3-4 | 5-8 | | 0.58 | 4 |
| <i>Wisteria floribunda</i> 'Double Black Dragon' See - <i>Wisteria floribunda</i> 'Violacea Plena' | | | | | | | | |
| <i>Wisteria floribunda</i> 'Honbeni' See - <i>Wisteria floribunda</i> 'Rosea' | | | | | | | | |
| <i>Wisteria floribunda</i> 'Issai' Issai Early Japanese Wisteria | GC | 1.38 | R2 | 3-4 | 5-8 | | 0.58 | 4 |
| <i>Wisteria floribunda</i> 'Lawrence' Lawrence Japanese Wisteria | GC | 1.30 | R2 | 3-4 | 5-8 | | 0.58 | 4 |
| <i>Wisteria floribunda</i> 'Longissima Alba' Longissima Alba Japanese Wisteria | GC | 1.34 | R2 | 3-4 | 5-8 | | 0.65 | 4 |
| <i>Wisteria floribunda</i> 'Macrobotrys' Macrobotrys Japanese Wisteria | GC | 1.02 | R2 | 3-4 | 5-8 | | 0.58 | 4 |
| <i>Wisteria floribunda</i> 'Plena' Double Japanese Wisteria | GC | 1.18 | R2 | 3-4 | 5-8 | | 0.58 | 4 |
| <i>Wisteria floribunda</i> 'Purple Patches' See - <i>Wisteria floribunda</i> 'Macrobotrys' | | | | | | | | |
| <i>Wisteria floribunda</i> 'Purpurea' Purple Japanese Wisteria | GC | 0.85 | R2 | 3-4 | 5-8 | | 0.58 | 4 |
| <i>Wisteria floribunda</i> 'Rosea' Pink Japanese Wisteria | GC | 1.28 | R2 | 3-4 | 5-8 | | 0.44 | 4 |
| <i>Wisteria floribunda</i> 'Royal Purple' Royal Purple Japanese Wisteria | GC | 1.16 | R2 | 3-4 | 5-8 | | 0.58 | 4 |
| <i>Wisteria floribunda</i> 'Snow Showers' Snow Showers Japanese Wisteria | GC | 0.96 | R2 | 3-4 | 5-8 | | 0.58 | 4 |
| <i>Wisteria floribunda</i> 'Texas Purple' Texas Purple Japanese Wisteria | GC | 1.40 | R2 | 3-4 | 5-8 | | 0.58 | 4 |
| <i>Wisteria floribunda</i> 'Violacea Plena' Double Purple Japanese Wisteria | GC | 1.20 | R2 | 3-4 | 5-8 | | 0.66 | 4 |
| <i>Wisteria xformosa</i> No Common Name Found | GC | 1.00 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Wisteria frutescens</i> American Wisteria | GC | 0.71 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Wisteria frutescens</i> 'Alba' See - <i>Wisteria frutescens</i> 'Nivea' | | | | | | | | |
| <i>Wisteria frutescens</i> 'Amethyst Falls' Amethyst Falls American Wisteria | GC | 1.04 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Wisteria frutescens</i> 'Longwood Purple' Longwood Purple American Wisteria | GC | 0.60 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Wisteria frutescens</i> 'Nivea' White American Wisteria | GC | 0.78 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Wisteria macrostachya</i> Kentucky Wisteria | GC | 1.33 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Wisteria macrostachya</i> 'Aunt Dee' Aunt Dee Kentucky Wisteria | GC | 1.30 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Wisteria macrostachya</i> 'Blue Moon' Blue Moon Kentucky Wisteria | GC | 1.43 | R2 | 3-6 | 7-8 | | 1.00 | 6 |
| <i>Wisteria macrostachya</i> 'Clara Mack' Clara Mack Kentucky Wisteria | GC | 1.15 | R1 | 3-6 | 7-8 | | 1.00 | 6 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|---|-----------|-----------|----|--------------|---------|-------------|-----------|------------|
| | | Factor | SK | Insurable HZ | | Factors | High/Wide | |
| | | | | Req | Not Req | Caliper | | |
| <i>Wisteria sinensis</i> Chinese Wisteria | GC | 0.89 | R2 | 3-5 | 6-8 | | 0.90 | 5 |
| <i>Wisteria sinensis</i> 'Alba' White Chinese Wisteria | GC | 0.96 | R2 | 3-5 | 6-8 | | 1.06 | 5 |
| <i>Wisteria sinensis</i> 'Amethyst' Amethyst Chinese Wisteria | GC | 0.97 | R2 | 3-5 | 6-8 | | 1.06 | 5 |
| <i>Wisteria sinensis</i> 'Anwen' Anwen Chinese Wisteria | GC | 1.29 | R2 | 3-5 | 6-8 | | 1.06 | 5 |
| <i>Wisteria sinensis</i> 'Blue Sapphire' Blue Sapphire Chinese Wisteria | GC | 1.29 | R2 | 3-5 | 6-8 | | 1.06 | 5 |
| <i>Wisteria sinensis</i> 'Caroline' Caroline Chinese Wisteria | GC | 0.94 | R1 | 3-5 | 6-8 | | 0.65 | 5 |
| <i>Wisteria sinensis</i> 'Cooke's Special' Cooke's Special Chinese Wisteria | GC | 1.11 | R2 | 3-5 | 6-8 | | 0.66 | 5 |
| <i>Wisteria sinensis</i> 'Jako' Jako Chinese Wisteria | GC | 1.27 | R2 | 3-5 | 6-8 | | 1.06 | 5 |
| <i>Wisteria sinensis</i> 'Kofuji' Dwarf Chinese Wisteria | GC | 1.29 | R2 | 3-5 | 6-8 | | 1.06 | 5 |
| <i>Wisteria sinensis</i> 'Lavender Lace' Lavender Lace™ Chinese Wisteria | GC | 1.61 | R1 | 3-5 | 6-8 | | 1.06 | 5 |
| <i>Wisteria sinensis</i> 'Long Grove Purple' Long Grove Purple Chinese Wisteria | GC | 1.29 | R2 | 3-5 | 6-8 | | 1.06 | 5 |
| <i>Wisteria sinensis</i> 'Pink Pearl' Pink Pearl™ Chinese Wisteria | GC | 2.20 | R2 | 3-5 | 6-8 | | 1.06 | 5 |
| <i>Wisteria sinensis</i> 'Prolific' Prolific Chinese Wisteria | GC | 1.33 | R2 | 3-5 | 6-8 | | 1.06 | 5 |
| <i>Wisteria sinensis</i> 'Purpurea' Purple Chinese Wisteria | GC | 1.44 | R2 | 3-5 | 6-8 | | 2.83 | 5 |
| <i>Wisteria sinensis</i> 'Rosea' Pink Chinese Wisteria | GC | 1.14 | R2 | 3-5 | 6-8 | | 1.06 | 5 |
| <i>Wisteria sinensis</i> 'Showa Beni Fuji' Showa Beni Fuji Chinese Wisteria | GC | 1.13 | R2 | 3-5 | 6-8 | | 0.65 | 5 |
| <i>Wisteria sinensis</i> 'Southern Belle' Southern Belle Chinese Wisteria | GC | 1.07 | R2 | 3-5 | 6-8 | | 1.06 | 5 |
| <i>Wisteria sinensis</i> 'Texas White' Texas White Chinese Wisteria | GC | 1.12 | R2 | 3-5 | 6-8 | | 0.65 | 5 |
| <i>Wisteria sinensis</i> 'White Diamond' White Diamond™ Chinese Wisteria | GC | 2.20 | R2 | 3-5 | 6-8 | | 1.06 | 5 |
| <i>Wisteria venusta</i> See - <i>Wisteria brachybotrys</i> 'Shiro Kapitan' | | | | | | | | |
| <i>Woodwardia areolata</i> Netted Chain Fern | HP | 0.72 | R2 | | 3-8 | | | |
| <i>Woodwardia chamissoi</i> See - <i>Woodwardia fimbriata</i> | | | | | | | | |
| <i>Woodwardia fimbriata</i> Giant Chain Fern | HP | 1.05 | R2 | 7-8 | | | | |
| <i>Woodwardia orientalis</i> Oriental Chain Fern | HP | 1.00 | R2 | 5-8 | | | | |
| <i>Woodwardia virginica</i> Virginia Chain Fern | HP | 1.00 | R2 | 3 | 4-8 | | | |
| <i>Xanthoceras sorbifolium</i> Yellowhorn | DS | 1.51 | R1 | 3-4 | 5-8 | | 1.04 | 4 |
| <i>Xanthorhiza simplicissima</i> Shrub Yellow Root | HP | 1.52 | R2 | 3 | 4-8 | | | |
| <i>Xanthosoma</i> Yautia | HP | 1.16 | R2 | 6-8 | | | | |
| <i>Xanthosoma</i> 'Lime Zinger' Lime Zinger Yautia | HP | 1.16 | R2 | 6-8 | | | | |
| <i>Xanthosoma albomarginata</i> See - <i>Xanthosoma atrovirens</i> 'Variegatum Monstrosum' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ | |
|--|-----------|-----------|----|-----------------------------|-------------|----------------------|------------|----|
| | | Factor | SK | Insurable HZ Req Not Req | Caliper | Factors High/Wide | | |
| <i>Xanthosoma atrovirens</i> Indian Kale | FO | 0.87 | R2 | 8 | | | 1.00 | 10 |
| <i>Xanthosoma atrovirens</i> 'Variegatum Monstrosum' Mickey Mouse Taro | FO | 0.87 | R2 | 8 | | | 1.00 | 8 |
| <i>Xanthosoma jacquinii</i> See - <i>Xanthosoma undipes</i> | | | | | | | | |
| <i>Xanthosoma lindenii</i> See - <i>Caladium lindenii</i> | | | | | | | | |
| <i>Xanthosoma peregrinum</i> See - <i>Xanthosoma atrovirens</i> | | | | | | | | |
| <i>Xanthosoma robusta</i> Green Ape | FO | 0.93 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Xanthosoma sagittifolium</i> Tannia | FO | 0.97 | R2 | 8 | | | 1.00 | 10 |
| <i>Xanthosoma undipes</i> Tall Elephant's Ear | FO | 0.84 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Xanthosoma violaceum</i> Blue Tannia | FO | 0.81 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Xerophyllum tenax</i> Elk Grass | HP | 2.20 | R2 | 3-5 | 6-8 | | | |
| <i>Xylosma congestum</i> Shiny Xylosma | BS | 0.98 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Xylosma congestum</i> 'Compactum' Dwarf Shiny Xylosma | BS | 0.87 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Xylosma congestum</i> 'El Dorado' El Dorado Shiny Xylosma | BS | 0.69 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Xylosma senticosum</i> See - <i>Xylosma congestum</i> | | | | | | | | |
| <i>Yucca aloifolia</i> Aloe Yucca | BS | 1.10 | R2 | 5-6 | 7-8 | | 1.00 | 6 |
| <i>Yucca baccata</i> Datil Yucca | BS | 1.06 | R2 | 8 | | | 1.00 | 9 |
| <i>Yucca elata</i> Soaptree Yucca | BE | 0.69 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Yucca elephantipes</i> Spineless Yucca | BE | 0.82 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Yucca elephantipes</i> 'Silver Star' Silver Star Spineless Yucca | BE | 0.81 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Yucca elephantipes</i> 'Variegata' Variegated Soft-tip Yucca | BE | 0.98 | R2 | 8 | | 1.00 | 1.00 | 9 |
| <i>Yucca filamentosa</i> Spoonleaf Yucca | BS | 1.11 | R2 | 4-5 | 6-8 | | 0.59 | 4 |
| <i>Yucca filamentosa</i> 'Blue Sword' Blue Sword Spoonleaf Yucca | BS | 1.46 | R2 | 4-5 | 6-8 | | 0.92 | 4 |
| <i>Yucca filamentosa</i> 'Bright Edge' Bright Edge Adam's Needle | BS | 1.53 | R2 | 4-5 | 6-8 | | 1.08 | 4 |
| <i>Yucca filamentosa</i> 'Color Guard' Color Guard Adam's Needle | BS | 1.61 | R2 | 4-5 | 6-8 | | 1.08 | 4 |
| <i>Yucca filamentosa</i> 'Elegantissima' Elegantissima Adam's Needle | BS | 1.45 | R2 | 4-5 | 6-8 | | 0.92 | 4 |
| <i>Yucca filamentosa</i> 'Garland Gold' Garland Gold Adam's Needle | BS | 1.59 | R2 | 4-5 | 6-8 | | 0.92 | 4 |
| <i>Yucca filamentosa</i> 'Gold Edge' Gold Edge Adam's Needle | BS | 0.95 | R2 | 4-5 | 6-8 | | 0.92 | 4 |
| <i>Yucca filamentosa</i> 'Golden Sword' Golden Sword Weakleaf Yucca | BS | 1.68 | R2 | 4-5 | 6-8 | | 0.92 | 4 |
| <i>Yucca filamentosa</i> 'Ivory Tower' Ivory Tower Adam's Needle | BS | 1.70 | R2 | 4-5 | 6-8 | | 0.92 | 4 |
| <i>Yucca filamentosa</i> 'Starburst' See - <i>Yucca filamentosa</i> 'Variegata' | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|---------------------|---------|--------------------|-----------|------------|
| | | Factor | SK | Insurable HZ Req | Not Req | Factors Caliper | High/Wide | |
| <i>Yucca filamentosa</i> 'Variegata' Starburst™ Adam's Needle | BS | 1.39 | R2 | 4-5 | 6-8 | | 0.92 | 4 |
| <i>Yucca filifera</i> Weakeaf Yucca | BS | 1.04 | R2 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Yucca flaccida</i> See - <i>Yucca filifera</i> | | | | | | | | |
| <i>Yucca glauca</i> Small Soapweed | BS | 1.29 | R2 | 3-4 | 5-8 | | 1.00 | 4 |
| <i>Yucca gloriosa</i> Spanish Dagger | BS | 1.10 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Yucca gloriosa</i> 'Variegata' Variegated Spanish Dagger | BS | 1.60 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Yucca guatemalensis</i> See - <i>Yucca elephantipes</i> | | | | | | | | |
| <i>Yucca harrimaniae</i> Harriman's Yucca | BS | 0.96 | R2 | 5-6 | 7 | | 1.00 | 6 |
| <i>Yucca parvifolia</i> See - <i>Hesperaloe parviflora</i> | | | | | | | | |
| <i>Yucca pendula</i> See - <i>Yucca recurvifolia</i> | | | | | | | | |
| <i>Yucca recurvifolia</i> Curveleaf Yucca | BS | 1.27 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Yucca recurvifolia</i> 'Banana Split' See - <i>Yucca recurvifolia</i> 'Monca' P.P. 14616 | | | | | | | | |
| <i>Yucca recurvifolia</i> 'Bright Star' See - <i>Yucca recurvifolia</i> 'Walbristar' P.P. 17653 | | | | | | | | |
| <i>Yucca recurvifolia</i> 'Hinvargas' P.P. 12192 Margaritaville™ Curveleaf Yucca | BS | 1.22 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Yucca recurvifolia</i> 'Margaritaville' See - <i>Yucca recurvifolia</i> 'Hinvargas' P.P. 12192 | | | | | | | | |
| <i>Yucca recurvifolia</i> 'Monca' P.P. 14616 Banana Split™ Curveleaf Yucca | BS | 1.96 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Yucca recurvifolia</i> 'Walbristar' P.P. 17653 Bright Star Yucca | BS | 1.48 | R2 | 5-7 | 8 | | 1.00 | 7 |
| <i>Yucca rostrata</i> Beaked Yucca | BS | 1.79 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Yucca rostrata</i> 'Sapphire Skies' Sapphire Skies Blue Beaked Yucca | BS | 1.52 | R2 | 3-5 | 6-8 | | 1.00 | 5 |
| <i>Yucca rupicola</i> Twisted Leaf Yucca | BS | 0.72 | R2 | 6-8 | | | 1.00 | 8 |
| <i>Yucca smalliana</i> Smalliana Yucca | HP | 1.75 | R2 | 3-5 | 6-8 | | | |
| <i>Yucca smalliana</i> 'Variegata' Variegated Smalliana Yucca | HP | 1.75 | R2 | 4-5 | 6-8 | | | |
| <i>Yucca torreyi</i> Torrey Yucca | BS | 0.61 | R2 | 6 | 7-8 | | 1.00 | 6 |
| <i>Yucca whipplei</i> Our Lord's Candle | BS | 1.43 | R2 | 6-7 | 8 | | 1.00 | 7 |
| <i>Yushania anceps</i> No Common Name Found | BS | 0.78 | R2 | 7-8 | | | 1.00 | 8 |
| <i>Zamia amblyphyllidia</i> No Common Name Found | PC | 1.00 | R2 | 8 | | | 1.00 | 10 |
| <i>Zamia domingensis</i> See - <i>Zamia pumila</i> | | | | | | | | |
| <i>Zamia fischeri</i> Fischer Zamia | PC | 1.54 | R2 | 8 | | | 1.00 | 10 |
| <i>Zamia floridana</i> Coontie | PC | 1.08 | R2 | 8 | | | 1.00 | 9 |
| <i>Zamia furfuracea</i> Cardboard Palm | PC | 1.05 | R2 | 8 | | | 1.56 | 9 |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|-----------------------------|------------------------------|------|------------|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | |
| <i>Zamia inermis</i> No Common Name Found | PC | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Zamia integrifolia</i> Sago Cycad | PC | 0.99 | R2 | 8 | | 1.00 | 9 |
| <i>Zamia lucayana</i> No Common Name Found | PC | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Zamia maritima</i> See - <i>Zamia furfuracea</i> | | | | | | | |
| <i>Zamia paucijuga</i> No Common Name Found | PC | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Zamia pumila</i> Florida Arrowroot | PC | 1.35 | R2 | 8 | | 1.00 | 9 |
| <i>Zamia spartea</i> No Common Name Found | PC | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Zamia splendens</i> See - <i>Zamia verschaffeltii</i> | | | | | | | |
| <i>Zamia standleyi</i> No Common Name Found | PC | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Zamia vasquesii</i> See - <i>Zamia vazquezii</i> | | | | | | | |
| <i>Zamia vazquezii</i> Dwarf Mexican Zamia | PC | 1.02 | R2 | 8 | | 1.00 | 9 |
| <i>Zamia verschaffeltii</i> No Common Name Found | PC | 1.00 | R2 | 8 | | 1.00 | 10 |
| <i>Zamioculcas zamiifolia</i> ZZ Plant | FO | 1.52 | R2 | 8 | | 1.00 | 9 |
| <i>Zantedeschia</i> Calla Lily | HP | 1.32 | R2 | 6-8 | | | |
| <i>Zantedeschia</i> 'Fire Glow' Fire Glow Calla Lily | HP | 1.53 | R2 | 6-8 | | | |
| <i>Zantedeschia</i> 'Flame' Flame Calla Lily | HP | 1.58 | R2 | 6-8 | | | |
| <i>Zantedeschia</i> 'Florex Gold' Florex Gold Calla Lily | HP | 0.93 | R2 | 6-8 | | | |
| <i>Zantedeschia</i> 'Garnet Glow' Garnet Glow® Calla Lily | HP | 1.53 | R2 | 6-8 | | | |
| <i>Zantedeschia</i> 'Gold Rush' Gold Rush® Calla Lily | HP | 1.65 | R2 | 6-8 | | | |
| <i>Zantedeschia</i> 'Hot Chocolate' P.P. 15294 Hot Chocolate® Calla Lily | HP | 0.93 | R2 | 6-8 | | | |
| <i>Zantedeschia</i> 'Hot Flashes' Hot Flashes Calla Lily | HP | 0.88 | R2 | 6-8 | | | |
| <i>Zantedeschia</i> 'Majestic Red' Majestic Red Calla Lily | HP | 0.93 | R2 | 6-8 | | | |
| <i>Zantedeschia</i> 'Parfait' Parfait Calla Lily | HP | 1.53 | R2 | 6-8 | | | |
| <i>Zantedeschia</i> 'Picante' P.P. 17811 Picante® Calla Lily | HP | 0.93 | R2 | 6-8 | | | |
| <i>Zantedeschia</i> 'Pillow Talk' Pillow Talk Callifornia Calla® Calla Lily | HP | 1.75 | R2 | 6-8 | | | |
| <i>Zantedeschia</i> 'Pink Diamond' Pink Diamond Calla Lily | HP | 1.70 | R2 | 6-8 | | | |
| <i>Zantedeschia aethiopica</i> Calla Lily | HP | 1.37 | R2 | 6-8 | | | |
| <i>Zantedeschia aethiopica</i> 'Blush' P.P.A.F. Blush Calla Lily | HP | 1.32 | R2 | 6-8 | | | |
| <i>Zantedeschia aethiopica</i> 'Green Goddess' Green Goddess Calla Lily | HP | 0.68 | R2 | 6-8 | | | |
| <i>Zantedeschia aethiopica</i> 'Lipstick' Lipstick Calla Lily | HP | 1.58 | R2 | 6-8 | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | | Minimum HZ | |
|--|-----------|-----------|----|-----------------------------|------------------------------|--|------|------------|---|
| | | Factor | SK | Insurable HZ Req Not Req | Factors Caliper High/Wide | | | | |
| <i>Zantedeschia aethiopica</i> 'Super Gem' Super Gem Calla Lily | HP | 1.23 | R2 | 6-8 | | | | | |
| <i>Zantedeschia aethiopica</i> 'White' White Calla Lily | HP | 1.75 | R2 | 6-8 | | | | | |
| <i>Zantedeschia albomaculata</i> Spotted Calla Lily | HP | 1.58 | R2 | 6-8 | | | | | |
| <i>Zantedeschia elliotiana</i> Elliot's Calla Lily | HP | 0.68 | R2 | 6-8 | | | | | |
| <i>Zantedeschia rehmannii</i> Pink Calla Lily | HP | 1.75 | R2 | 8 | | | | | |
| <i>Zantedeschia rehmannii</i> 'Superba' Superba Pink Calla Lily | HP | 1.65 | R2 | 8 | | | | | |
| <i>Zanthoxylum clava-herculis</i> Hercules Club | DS | 0.58 | R1 | 5-6 | 7-8 | | 1.00 | 6 | |
| <i>Zanthoxylum fagara</i> Wild Lime | BS | 0.56 | R2 | 8 | | | 1.00 | 8 | |
| <i>Zauschneria arizonica</i> See - <i>Epilobium canum</i> ssp. <i>latifolium</i> | | | | | | | | | |
| <i>Zauschneria californica</i> ssp. <i>cana</i> 'Etteri' See - <i>Epilobium canum</i> ssp. <i>canum</i> 'Etteri' | | | | | | | | | |
| <i>Zauschneria californica</i> ssp. <i>latifolia</i> 'Everett's Choice' See - <i>Epilobium canum</i> ssp. <i>canum</i> 'Everett's Choice' | | | | | | | | | |
| <i>Zauschneria californicum</i> See - <i>Epilobium canum</i> ssp. <i>canum</i> | | | | | | | | | |
| <i>Zauschneria garrettii</i> See - <i>Epilobium canum</i> ssp. <i>garrettii</i> | | | | | | | | | |
| <i>Zauschneria garrettii</i> 'Orange Carpet' See - <i>Epilobium canum</i> ssp. <i>garrettii</i> 'Orange Carpet' | | | | | | | | | |
| <i>Zauschneria septentrionalis</i> See - <i>Epilobium septentrionale</i> | | | | | | | | | |
| <i>Zebrina pendula</i> See - <i>Tradescantia zebrina</i> | | | | | | | | | |
| <i>Zelkova carpinifolia</i> Caucasian Zelkova | DT | 0.85 | R1 | 4-5 | 6-8 | | 1.00 | 1.00 | 5 |
| <i>Zelkova serrata</i> Japanese Zelkova | DT | 0.98 | R1 | 4-5 | 6-8 | | 0.97 | 0.43 | 5 |
| <i>Zelkova serrata</i> 'Autumn Glow' See - <i>Zelkova serrata</i> 'Glodell' | | | | | | | | | |
| <i>Zelkova serrata</i> 'City Sprite' See - <i>Zelkova serrata</i> 'JFS-KW1' P.P.A.F. | | | | | | | | | |
| <i>Zelkova serrata</i> 'Glodell' Autumn Glow™ Japanese Zelkova | DT | 1.70 | R1 | 4-5 | 6-8 | | 1.07 | 0.72 | 5 |
| <i>Zelkova serrata</i> 'Goshiki' Goshiki Japanese Zelkova | DT | 1.50 | R1 | 4-5 | 6-8 | | 1.13 | 0.72 | 5 |
| <i>Zelkova serrata</i> 'Green Vase' P.P. 5080 Green Vase® Japanese Zelkova | DT | 1.02 | R1 | 4-5 | 6-8 | | 1.13 | 0.80 | 5 |
| <i>Zelkova serrata</i> 'Green Veil' Green Veil Japanese Zelkova | DT | 1.18 | R1 | 4-5 | 6-8 | | 1.13 | 0.72 | 5 |
| <i>Zelkova serrata</i> 'Halka' P.P. 5687 Halka Japanese Zelkova | DT | 1.18 | R1 | 4-5 | 6-8 | | 1.32 | 0.72 | 5 |
| <i>Zelkova serrata</i> 'JFS-KW1' P.P.A.F. City Sprite™ Japanese Zelkova | DT | 1.18 | R1 | 4-5 | 6-8 | | 1.13 | 0.72 | 5 |
| <i>Zelkova serrata</i> 'Musashino' Musashino Japanese Zelkova | DT | 1.09 | R1 | 4-5 | 6-8 | | 1.10 | 0.72 | 5 |
| <i>Zelkova serrata</i> 'Myrimar' See - <i>Zelkova serrata</i> 'ZSFKF' P.P. 17220 | | | | | | | | | |
| <i>Zelkova serrata</i> 'Schmidtlow' Wireless™ Japanese Zelkova | DT | 1.12 | R1 | 4-5 | 6-8 | | 1.16 | 0.94 | 5 |
| <i>Zelkova serrata</i> 'Shidare' See - <i>Zelkova serrata</i> 'Green Veil' | | | | | | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | Insurable HZ | | Field Grown | | Minimum HZ |
|--|-----------|-----------|----|--------------|---------|-------------|-------------------|------------|
| | | Factor | SK | Req | Not Req | Caliper | Factors High/Wide | |
| <i>Zelkova serrata</i> 'Variegata' Variegated Japanese Zelkova | DT | 1.04 | R1 | 4-5 | 6-8 | 1.13 | 0.72 | 5 |
| <i>Zelkova serrata</i> 'Village Green' P.P. 2337 Village Green™ Japanese Zelkova | DT | 1.00 | R1 | 4-5 | 6-8 | 1.14 | 0.69 | 5 |
| <i>Zelkova serrata</i> 'Wireless' See - <i>Zelkova serrata</i> 'Schmidtlow' | | | | | | | | |
| <i>Zelkova serrata</i> 'ZSFKF' P.P. 17220 Myrmar® Japanese Zelkova | DT | 1.15 | R1 | 4-5 | 6-8 | 1.14 | 0.72 | 5 |
| <i>Zelkova sinica</i> Chinese Zelkova | DT | 1.00 | R1 | 4-5 | 6-8 | 1.00 | 1.00 | 5 |
| <i>Zenobia pulverulenta</i> Dusty Zenobia | DS | 1.12 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Zenobia pulverulenta</i> 'Woodlander's Blue' Woodlander's Blue Dusty Zenobia | DS | 1.11 | R1 | 4-5 | 6-8 | | 1.00 | 5 |
| <i>Zephyranthes candida</i> No Common Name Found | HP | 0.77 | R2 | 8 | | | | |
| <i>Zephyranthes citrina</i> Yellow Rain Lily | HP | 0.76 | R2 | 8 | | | | |
| <i>Zephyranthes grandiflora</i> No Common Name Found | HP | 0.73 | R2 | 7-8 | | | | |
| <i>Zephyranthes rosea</i> Rain Lily | HP | 0.70 | R2 | 7-8 | | | | |
| <i>Zephyranthes sulphurea</i> See - <i>Zephyranthes citrina</i> | | | | | | | | |
| <i>Zingiber</i> Ginger | HP | 1.00 | R2 | 8 | | | | |
| <i>Zingiber</i> 'Thai Giant' Thai Giant Ginger | HP | 1.00 | R2 | 8 | | | | |
| <i>Zingiber citriodorum</i> Chiang Mai Princess Ginger | HP | 3.50 | R2 | 8 | | | | |
| <i>Zingiber malaysianum</i> Midnight Ginger | HP | 1.34 | R2 | 8 | | | | |
| <i>Zingiber mioga</i> Japanese Ginger | HP | 1.05 | R2 | 6-8 | | | | |
| <i>Zingiber mioga</i> 'Dancing Crane' Dancing Crane Mioga Ginger | HP | 1.50 | R2 | 6-8 | | | | |
| <i>Zingiber niveum</i> Milky Way Ginger | HP | 1.51 | R2 | 6-8 | | | | |
| <i>Zingiber officinale</i> Common Ginger | HP | 0.89 | R2 | 6-8 | | | | |
| <i>Zingiber spectabile</i> Blushing Ginger | HP | 1.49 | R2 | 6-8 | | | | |
| <i>Zingiber vinosum</i> No Common Name Found | HP | 0.51 | R2 | 6-8 | | | | |
| <i>Zingiber zerumbet</i> Pine Cone Ginger | HP | 1.00 | R2 | 6-8 | | | | |
| <i>Zingiber zerumbet</i> 'Darceyi' Darcey Pine Cone Ginger | HP | 1.11 | R2 | 6-8 | | | | |
| <i>Zingiber zerumbet</i> 'Variegata' Variegated Pine Cone Ginger | HP | 1.26 | R2 | 6-8 | | | | |
| <i>Zinnia angustifolia</i> Narrow-leaf Zinnia | AN | 0.46 | R2 | 6-8 | | | | |
| <i>Zinnia angustifolia</i> 'Crystal Series' Crystal Series Narrow-leaf Zinnia | AN | 0.55 | R2 | 6-8 | | | | |
| <i>Zinnia angustifolia</i> 'Crystal White' Crystal White Narrow-leaf Zinnia | AN | 0.84 | R2 | 6-8 | | | | |
| <i>Zinnia angustifolia</i> 'Profusion Cherry' Profusion Cherry Narrow-leaf Zinnia | AN | 0.91 | R2 | 6-8 | | | | |
| <i>Zinnia angustifolia</i> 'Profusion Orange' Profusion Orange Narrow-leaf Zinnia | AN | 1.26 | R2 | 6-8 | | | | |

2011 and Succeeding Crop Year Eligible Plant List and Plant Price Schedule

| Botanical Name Common name | Crop Type | Container | | | Field Grown | | | Minimum HZ |
|--|--------------|-----------|----|-----------------------------|-------------|----------------------|------|---------------|
| | | Factor | SK | Insurable HZ Req Not Req | Caliper | Factors High/Wide | | |
| <i>Zinnia angustifolia</i> 'Profusion Series' Profusion Series Narrow-leaf Zinnia | AN | 0.90 | R2 | 6-8 | | | | |
| <i>Zinnia angustifolia</i> 'Star Series' Star Series Narrow-leaf Zinnia | AN | 0.55 | R2 | 6-8 | | | | |
| <i>Zinnia elegans</i> Common Zinnia | AN | 0.52 | R2 | 6-8 | | | | |
| <i>Zinnia elegans</i> 'Dreamland Series' Dreamland Series Zinnia | AN | 1.03 | R2 | 6-8 | | | | |
| <i>Zinnia elegans</i> 'Oklahoma Series' Oklahoma Series Zinnia | AN | 0.84 | R2 | 6-8 | | | | |
| <i>Zinnia elegans</i> 'Peter Pan Mix' Peter Pan Mix Zinnia | AN | 0.84 | R2 | 6-8 | | | | |
| <i>Zinnia elegans</i> 'Swizzle Series' Swizzle Series Zinnia | AN | 0.98 | R2 | 6-8 | | | | |
| <i>Zinnia grandiflora</i> No Common Name Found | AN | 1.48 | R2 | 6-8 | | | | |
| <i>Zinnia haageana</i> No Common Name Found | AN | 1.00 | R2 | 6-8 | | | | |
| <i>Zinnia linearis</i> See - <i>Zinnia angustifolia</i> | | | | | | | | |
| <i>Zinnia mexicana</i> See - <i>Zinnia haageana</i> | | | | | | | | |
| <i>Zinnia pauciflora</i> See - <i>Zinnia peruviana</i> | | | | | | | | |
| <i>Zinnia peruviana</i> No Common Name Found | AN | 1.00 | R2 | 6-8 | | | | |
| <i>Zizania latifolia</i> Manchurian Wild Rice | HP | 1.02 | R2 | 8 | | | | |
| <i>Zizia aptera</i> Heart-Leaved Meadow Parsnip | HP | 1.10 | R2 | 3 | 4-8 | | | |
| <i>Zizia aurea</i> Golden Alexander | HP | 1.02 | R2 | 3 | 4-8 | | | |
| <i>Ziziphus jujuba</i> Common Jujube | FN | 0.72 | R2 | 5-7 | 8 | 1.00 | 1.00 | 6 |
| <i>Ziziphus mauritanica</i> Indian Jujube | FN | 0.95 | R2 | 8 | | 1.00 | 1.00 | 10 |
| <i>Zoysia tenuifolia</i> Mascarene Grass | HP | 1.09 | R2 | 6-8 | | | | |

APPENDIX

County Hardiness Zones

| State | County | Zone |
|-------------|-----------------|------|
| Connecticut | Fairfield | 6 |
| | Hartford | 6 |
| | Litchfield | 5 |
| | Middlesex | 6 |
| | New Haven | 6 |
| | New London | 6 |
| | Tolland | 5 |
| | Windham | 5 |
| | Delaware | Kent |
| New Castle | | 7 |
| Sussex | | 7 |
| Maine | Androscoggin | 5 |
| | Aroostook | 3 |
| | Cumberland | 5 |
| | Franklin | 4 |
| | Hancock | 5 |
| | Kennebec | 5 |
| | Knox | 5 |
| | Lincoln | 5 |
| | Oxford | 4 |
| | Penobscot | 5 |
| | Piscataquis | 4 |
| | Sagadahoc | 5 |
| | Somerset | 4 |
| | Waldo | 5 |
| | Washington | 5 |
| | York | 5 |
| Maryland | Allegany | 6 |
| | Anne Arundel | 7 |
| | Baltimore | 6 |
| | Baltimore City | 7 |
| | Calvert | 7 |
| | Caroline | 7 |
| | Carroll | 6 |
| | Cecil | 6 |
| | Charles | 7 |
| | Dorchester | 7 |
| | Frederick | 6 |
| | Garrett | 6 |
| | Harford | 6 |
| | Howard | 6 |
| | Kent | 7 |
| | Montgomery | 6 |
| | Prince George's | 7 |
| | Queen Anne's | 7 |
| | Somerset | 7 |
| | St Mary's | 7 |
| Talbot | 7 | |
| Washington | 6 | |
| Wicomico | 7 | |
| Worcester | 7 | |

County Hardiness Zones

| State | County | Zone |
|---------------|--------------|------|
| Massachusetts | Barnstable | 7 |
| | Berkshire | 5 |
| | Bristol | 6 |
| | Dukes | 7 |
| | Essex | 6 |
| | Franklin | 5 |
| | Hampden | 5 |
| | Hampshire | 5 |
| | Middlesex | 6 |
| | Nantucket | 7 |
| | Norfolk | 6 |
| | Plymouth | 6 |
| | Suffolk | 6 |
| | Worcester | 5 |
| New Hampshire | Belknap | 5 |
| | Carroll | 5 |
| | Cheshire | 5 |
| | Coos | 4 |
| | Grafton | 4 |
| | Hillsborough | 5 |
| | Merrimack | 5 |
| | Rockingham | 5 |
| | Strafford | 5 |
| | Sullivan | 5 |
| New Jersey | Atlantic | 7 |
| | Bergen | 6 |
| | Burlington | 6 |
| | Camden | 6 |
| | Cape May | 7 |
| | Cumberland | 7 |
| | Essex | 6 |
| | Gloucester | 7 |
| | Hudson | 6 |
| | Hunterdon | 6 |
| | Mercer | 6 |
| | Middlesex | 6 |
| | Monmouth | 7 |
| | Morris | 6 |
| | Ocean | 7 |
| | Passaic | 6 |
| | Salem | 7 |
| | Somerset | 6 |
| | Sussex | 6 |
| | Union | 6 |
| Warren | 6 | |
| New York | Albany | 5 |
| | Allegany | 5 |
| | Bronx | 7 |
| | Broome | 5 |
| | Cattaraugus | 5 |
| | Cayuga | 5 |
| | Chautauqua | 5 |

County Hardiness Zones

| State | County | Zone |
|-------------|-------------|------|
| New York | Chemung | 5 |
| | Chenango | 5 |
| | Clinton | 4 |
| | Columbia | 5 |
| | Cortland | 5 |
| | Delaware | 5 |
| | Dutchess | 5 |
| | Erie | 5 |
| | Essex | 4 |
| | Franklin | 4 |
| | Fulton | 5 |
| | Genesee | 6 |
| | Greene | 5 |
| | Hamilton | 4 |
| | Herkimer | 4 |
| | Jefferson | 4 |
| | Kings | 7 |
| | Lewis | 4 |
| | Livingston | 6 |
| | Madison | 5 |
| | Monroe | 6 |
| | Montgomery | 5 |
| | Nassau | 7 |
| | New York | 6 |
| | Niagara | 6 |
| | Oneida | 4 |
| | Onondaga | 5 |
| | Ontario | 6 |
| | Orange | 6 |
| | Orleans | 6 |
| | Oswego | 5 |
| | Otsego | 4 |
| | Putnam | 6 |
| | Queens | 7 |
| | Rensselaer | 5 |
| | Richmond | 6 |
| | Rockland | 6 |
| | Saratoga | 4 |
| | Schenectady | 5 |
| | Schoharie | 5 |
| | Schuyler | 5 |
| | Seneca | 5 |
| | St Lawrence | 4 |
| | Steuben | 5 |
| | Suffolk | 7 |
| | Sullivan | 5 |
| | Tioga | 5 |
| | Tompkins | 5 |
| | Ulster | 5 |
| | Warren | 4 |
| | Washington | 4 |
| | Wayne | 6 |
| Westchester | 6 | |
| Wyoming | 5 | |

County Hardiness Zones

| State | County | Zone |
|----------------|------------|------|
| New York | Yates | 6 |
| North Carolina | Alamance | 7 |
| | Alexander | 7 |
| | Alleghany | 6 |
| | Anson | 7 |
| | Ashe | 6 |
| | Avery | 6 |
| | Beaufort | 8 |
| | Bertie | 7 |
| | Bladen | 7 |
| | Brunswick | 7 |
| | Buncombe | 6 |
| | Burke | 7 |
| | Cabarrus | 7 |
| | Caldwell | 7 |
| | Camden | 8 |
| | Carteret | 8 |
| | Caswell | 7 |
| | Catawba | 7 |
| | Chatham | 7 |
| | Cherokee | 6 |
| | Chowan | 8 |
| | Clay | 6 |
| | Cleveland | 7 |
| | Columbus | 8 |
| | Craven | 8 |
| | Cumberland | 8 |
| | Currituck | 8 |
| | Dare | 8 |
| | Davidson | 7 |
| | Davie | 7 |
| | Duplin | 8 |
| | Durham | 7 |
| | Edgecombe | 7 |
| | Forsyth | 7 |
| | Franklin | 7 |
| | Gaston | 7 |
| Gates | 7 | |
| Graham | 6 | |
| Granville | 7 | |
| Greene | 7 | |
| Guilford | 7 | |
| Halifax | 7 | |
| Harnett | 7 | |
| Haywood | 6 | |
| Henderson | 7 | |
| Hertford | 7 | |
| Hoke | 7 | |
| Hyde | 8 | |
| Iredell | 7 | |
| Jackson | 6 | |
| Johnston | 7 | |
| Jones | 8 | |

County Hardiness Zones

| State | County | Zone |
|----------------|--------------|------|
| North Carolina | Lee | 7 |
| | Lenoir | 8 |
| | Lincoln | 7 |
| | Macon | 6 |
| | Madison | 6 |
| | Martin | 7 |
| | McDowell | 7 |
| | Mecklenburg | 7 |
| | Mitchell | 6 |
| | Montgomery | 7 |
| | Moore | 7 |
| | Nash | 7 |
| | New Hanover | 8 |
| | Northampton | 7 |
| | Onslow | 8 |
| | Orange | 7 |
| | Pamlico | 8 |
| | Pasquotank | 8 |
| | Pender | 8 |
| | Perquimans | 8 |
| | Person | 7 |
| | Pitt | 7 |
| | Polk | 7 |
| | Randolph | 7 |
| | Richmond | 7 |
| | Robeson | 7 |
| | Rockingham | 7 |
| | Rowan | 7 |
| | Rutherford | 7 |
| | Sampson | 8 |
| | Scotland | 7 |
| | Stanly | 7 |
| | Stokes | 7 |
| | Surry | 7 |
| | Swain | 6 |
| | Transylvania | 7 |
| | Tyrrell | 7 |
| | Union | 7 |
| | Vance | 7 |
| | Wake | 7 |
| Warren | 7 | |
| Washington | 7 | |
| Watauga | 6 | |
| Wayne | 8 | |
| Wilkes | 7 | |
| Wilson | 7 | |
| Yadkin | 7 | |
| Yancey | 6 | |
| Pennsylvania | Adams | 6 |
| | Allegheny | 6 |
| | Armstrong | 5 |
| | Beaver | 6 |
| | Bedford | 6 |

County Hardiness Zones

| State | County | Zone |
|--------------|----------------|------|
| Pennsylvania | Berks | 6 |
| | Blair | 6 |
| | Bradford | 5 |
| | Bucks | 6 |
| | Butler | 5 |
| | Cambria | 5 |
| | Cameron | 5 |
| | Carbon | 6 |
| | Centre | 6 |
| | Chester | 6 |
| | Clarion | 5 |
| | Clearfield | 5 |
| | Clinton | 5 |
| | Columbia | 5 |
| | Crawford | 5 |
| | Cumberland | 6 |
| | Dauphin | 6 |
| | Delaware | 6 |
| | Elk | 5 |
| | Erie | 5 |
| | Fayette | 6 |
| | Forest | 5 |
| | Franklin | 6 |
| | Fulton | 6 |
| | Greene | 6 |
| | Huntingdon | 6 |
| | Indiana | 5 |
| | Jefferson | 5 |
| | Juniata | 6 |
| | Lackawanna | 5 |
| | Lancaster | 6 |
| | Lawrence | 5 |
| | Lebanon | 6 |
| | Lehigh | 6 |
| | Luzerne | 5 |
| | Lycoming | 5 |
| | McKean | 5 |
| | Mercer | 5 |
| | Mifflin | 6 |
| | Monroe | 6 |
| | Montgomery | 6 |
| | Montour | 5 |
| | Northampton | 6 |
| | Northumberland | 6 |
| | Perry | 6 |
| | Philadelphia | 6 |
| | Pike | 5 |
| Potter | 5 | |
| Schuylkill | 6 | |
| Snyder | 6 | |
| Somerset | 6 | |
| Sullivan | 5 | |
| Susquehanna | 5 | |
| Tioga | 5 | |

County Hardiness Zones

| State | County | Zone |
|--------------|-----------------|------|
| Pennsylvania | Union | 6 |
| | Venango | 5 |
| | Warren | 5 |
| | Washington | 6 |
| | Wayne | 5 |
| | Westmoreland | 5 |
| | Wyoming | 5 |
| | York | 6 |
| Rhode Island | Bristol | 6 |
| | Kent | 6 |
| | Newport | 6 |
| | Providence | 6 |
| | Washington | 6 |
| Vermont | Addison | 4 |
| | Bennington | 5 |
| | Caledonia | 4 |
| | Chittenden | 4 |
| | Essex | 3 |
| | Franklin | 3 |
| | Grand Isle | 4 |
| | Lamoille | 4 |
| | Orange | 4 |
| | Orleans | 3 |
| | Rutland | 4 |
| | Washington | 4 |
| | Windham | 5 |
| | Windsor | 4 |
| Virginia | Accomack | 7 |
| | Albemarle | 7 |
| | Alleghany | 6 |
| | Amelia | 6 |
| | Amherst | 7 |
| | Appomattox | 7 |
| | Arlington | 7 |
| | Augusta | 6 |
| | Bath | 6 |
| | Bedford | 7 |
| | Bland | 6 |
| | Botetourt | 7 |
| | Brunswick | 7 |
| | Buchanan | 6 |
| | Buckingham | 7 |
| | Campbell | 7 |
| | Caroline | 7 |
| | Carroll | 6 |
| | Charles City | 7 |
| | Charlotte | 7 |
| | Chesapeake City | 8 |
| | Chesterfield | 7 |
| | Clarke | 6 |
| Craig | 6 | |
| Culpeper | 7 | |

County Hardiness Zones

| State | County | Zone |
|----------------|----------------|------|
| Virginia | Cumberland | 7 |
| | Dickenson | 6 |
| | Dinwiddie | 7 |
| | Essex | 7 |
| | Fairfax | 7 |
| | Fauquier | 7 |
| | Floyd | 6 |
| | Fluvanna | 7 |
| | Franklin | 7 |
| | Frederick | 6 |
| | Giles | 6 |
| | Gloucester | 7 |
| | Goochland | 6 |
| | Grayson | 6 |
| | Greene | 7 |
| | Greensville | 7 |
| | Halifax | 7 |
| | Hampton | 7 |
| | Hanover | 7 |
| | Henrico | 7 |
| | Henry | 7 |
| | Highland | 6 |
| | Isle of Wight | 7 |
| | James City | 7 |
| | King George | 7 |
| | King William | 7 |
| | King and Queen | 7 |
| | Lancaster | 7 |
| | Lee | 6 |
| | Loudoun | 6 |
| | Louisa | 7 |
| | Lunenburg | 7 |
| | Madison | 7 |
| | Mathews | 7 |
| | Mecklenburg | 7 |
| | Middlesex | 7 |
| | Montgomery | 6 |
| | Nelson | 7 |
| | New Kent | 7 |
| | Newport News | 7 |
| | Norfolk | 7 |
| | Northampton | 7 |
| Northumberland | 7 | |
| Nottoway | 7 | |
| Orange | 7 | |
| Page | 6 | |
| Patrick | 7 | |
| Pittsylvania | 7 | |
| Portsmouth | 7 | |
| Powhatan | 6 | |
| Prince Edward | 7 | |
| Prince George | 7 | |
| Prince William | 7 | |
| Pulaski | 6 | |

County Hardiness Zones

| State | County | Zone |
|---------------|----------------|------|
| Virginia | Rappahannock | 6 |
| | Richmond | 7 |
| | Roanoke | 7 |
| | Rockbridge | 6 |
| | Rockingham | 6 |
| | Russell | 6 |
| | Scott | 6 |
| | Shenandoah | 6 |
| | Smyth | 6 |
| | Southampton | 7 |
| | Spotsylvania | 7 |
| | Stafford | 7 |
| | Suffolk City | 7 |
| | Surry | 7 |
| | Sussex | 7 |
| | Tazewell | 6 |
| | Virginia Beach | 8 |
| | Warren | 6 |
| | Washington | 6 |
| | Westmoreland | 7 |
| | Wise | 6 |
| Wythe | 6 | |
| York | 7 | |
| West Virginia | Barbour | 6 |
| | Berkeley | 6 |
| | Boone | 6 |
| | Braxton | 6 |
| | Brooke | 6 |
| | Cabell | 6 |
| | Calhoun | 6 |
| | Clay | 6 |
| | Doddridge | 6 |
| | Fayette | 6 |
| | Gilmer | 6 |
| | Grant | 6 |
| | Greenbrier | 6 |
| | Hampshire | 6 |
| | Hancock | 6 |
| | Hardy | 6 |
| | Harrison | 6 |
| | Jackson | 6 |
| | Jefferson | 6 |
| | Kanawha | 6 |
| | Lewis | 5 |
| | Lincoln | 6 |
| | Logan | 6 |
| | Marion | 6 |
| Marshall | 6 | |
| Mason | 6 | |
| McDowell | 6 | |
| Mercer | 6 | |
| Mineral | 6 | |
| Mingo | 6 | |

County Hardiness Zones

| State | County | Zone |
|---------------|------------|------|
| West Virginia | Monongalia | 6 |
| | Monroe | 6 |
| | Morgan | 6 |
| | Nicholas | 6 |
| | Ohio | 6 |
| | Pendleton | 6 |
| | Pleasants | 6 |
| | Pocahontas | 5 |
| | Preston | 5 |
| | Putnam | 6 |
| | Raleigh | 6 |
| | Randolph | 5 |
| | Ritchie | 6 |
| | Roane | 6 |
| | Summers | 6 |
| | Taylor | 6 |
| | Tucker | 5 |
| | Tyler | 5 |
| | Upshur | 5 |
| | Wayne | 6 |
| Webster | 6 | |
| Wetzel | 6 | |
| Wirt | 6 | |
| Wood | 6 | |
| Wyoming | 6 | |

STORAGE KEY G1

Woody plants (plant types): BE, BS, CE, CS, DS, DT, FN, GC, PC, RO, SF
(For reference purposes only. Use of this storage key is not limited to the listed plant types.)

Hardiness Zones 1-6

Storage, such as:

1. Poly covered walk-in Quonset House with functional irrigation and
 - a. Supplemental heat or
 - b. Poly liners or
 - c. Thermo blankets.
2. Storage barns or buildings proven satisfactory in previous seasons.

Hardiness Zones 7-8

Storage, such as:

1. Poly covered walk-in Quonset Houses or
2. Low Hoop Houses or
3. Pit frames covered with poly or
4. Outside beds covered with thermo blankets or poly.

Hardiness Zones 9-10

Storage, such as:

1. Overhead irrigation with sprinklers capable of providing complete coverage of the crop throughout the duration of cold temperatures or
2. Plastic film covered structures without heat or overhead irrigation or
3. Plants covered with thermo blankets or poly during periods of cold temperature. Over-sized containerized plants (plants that are too large) should be laid on their side prior to covering.

NOTE: If wind conditions prevent effective use of overhead irrigation, either strategy #2 or #3 must be followed.

NOTE: The storage temperature must be established to prevent above freezing low temperature damage to the species being produced, including protection from dry, desiccating winds, either by covering the plants, use of overhead irrigation, or wind blocks.

Plants to be stored in a greenhouse or a shadehouse covered with plastic film during the cold season and equipped with irrigation and a heating system, or a below bench and/or aisle irrigation system capable of maintaining the air temperature around the plants above critical minimums for the crops grown (minimum water temperature for heating purposes: 70° F).

Hardiness Zone 11

Storage, such as:

1. Overhead irrigation with sprinklers capable of providing complete coverage of the crop throughout the duration of cold temperatures or
2. Plants covered with thermo blankets or poly during periods of cold temperature. Over-sized containerized plants (plants that are too large) should be laid on their side prior to covering.

STORAGE KEY G2

Woody plants (plant types): BE, BS, CE, CS, DS, DT, FN, GC, PC, RO, SF
(For reference purposes only. Use of this storage key is not limited to the listed plant types.)

NOTE: If other than white or clear poly is used to cover plants for cold protection, it must be removed prior to sun exposure the following day.

Hardiness Zones 1-6

Storage, such as:

1. Poly covered walk-in Quonset Houses or
2. Low Hoop Houses or
3. Pit frames covered with poly or
4. Outside beds covered with thermo blankets or poly.

Hardiness Zones 7-8

Storage, such as:

1. Overhead irrigation with sprinklers capable of providing complete coverage of the crop throughout the duration of cold temperatures or
2. Plastic film covered structures without heat or overhead irrigation or
3. Plants covered with thermo blankets or poly during periods of cold temperature. Over-sized containerized plants (plants that are too large) should be laid on their side prior to covering.

Hardiness Zones 9-10

Storage, such as:

Plants covered with thermo blankets or poly during periods of cold temperature. Over-sized containerized plants (plants that are too large) should be laid on their side prior to covering.

Plants to be stored in a greenhouse or a shadehouse covered with plastic film during the cold season and equipped with irrigation and a heating system, or a below bench and/or aisle irrigation system capable of maintaining the air temperature around the plants above critical minimums for the crops grown (minimum water temperature for heating purposes: 70° F).

Hardiness Zone 11

No cold protection required.

STORAGE KEY G3

Foliage (plant types): FO, PC

(For reference purposes only. Use of this storage key is not limited to the listed plant types.)

Hardiness Zones 1-9A

Plants to be stored in a greenhouse, covered with glass or plastic film, equipped with irrigation and a heating system.

Hardiness Zones 9B-10A

Plants to be stored in a greenhouse or a shadehouse covered with plastic film during the cold season and equipped with irrigation and a heating system, or a below bench and/or aisle irrigation system capable of maintaining the air temperature around the plants above critical minimums for the crops grown (minimum water temperature for heating purposes: 70° F).

Hardiness Zones 10B-11

Plants to be stored in a shadehouse covered with plastic film during the cold season and equipped with irrigation system.

STORAGE KEY G4

Herbaceous (plant types): AN, GC, HP, SF
(For reference purposes only. Use of this storage key is not limited to the listed plant types.)

Hardiness Zones 1-6

Storage, such as:

1. Glass, fiberglass, polycarbonate or poly covered greenhouse with supplemental heat and irrigation or
2. Poly covered structures plus supplemental heat with overhead irrigation from sprinklers or mist or
3. Poly covered structures with irrigation.

Hardiness Zones 7-8

Storage, such as:

1. Poly covered structures plus supplemental heat with overhead irrigation from sprinklers or mist or
2. Poly covered structures with irrigation.

Hardiness Zones 9-10A

Storage, such as:

1. Poly covered structures with supplemental heat and irrigation or
2. Poly covered structures with irrigation or
3. Outside beds covered with thermal blankets during periods of cold weather.

Hardiness Zones 10B-11

Overhead irrigation from sprinklers.

Plants to be stored in a greenhouse or a shadehouse covered with plastic film during the cold season and equipped with irrigation and a heating system, or a below bench and/or aisle irrigation system capable of maintaining the air temperature around the plants above critical minimums for the crops grown (minimum water temperature for heating purposes: 70° F).

STORAGE KEY R1

Hardiness Zones 1-8

Storage, such as:

1. Glass or poly greenhouses with supplemental heat and irrigation or
2. Pot-in-Pot with adequate drainage to prevent water-logging and excess salt accumulation.

STORAGE KEY R2

Hardiness Zones 1-8

Storage structures, such as glass or poly greenhouses with supplemental heat and irrigation.

STORAGE KEY S1

Alaska Hardiness Zones 2-3

Containers standing or laid on their side; containers mulched with 6-10 inches of straw, hay, leaves, evergreen boughs, or wood chips from the top of the container, mulch material covered with netting or floating row cover to hold mulch in place, if necessary, or

Containers/B&B set in trench and backfilled with soil, straw, hay or leaves.

NOTE: Rodent proofing required.

Hardiness Zones 1-6

Mandatory cold protection level 1 (Winter Long Protection)

Storage, such as:

1. Co-poly (white preferred) covered walk-in Quonset House and poly liners or
2. Thermal blankets covered with poly or
3. Supplemental heat.

Hardiness Zones 7-8

Mandatory cold protection level 2 (Winter Long Protection)

Storage, such as:

1. Co-poly (white preferred) covered walk-in Quonset House or
2. Co-poly (white preferred) covered Hoop House or
3. Structureless storage, such as: Outside beds covered with thermal blankets laminated or overlaid with white co-poly (white required).

STORAGE KEY S2

Mandatory cold protection level 1 (Winter Long Protection)

Storage, such as:

1. Co-poly (white preferred) covered walk-in Quonset House and poly liners or
2. Thermal blankets covered with poly or
3. Supplemental heat.

STORAGE KEY S3

Mandatory cold protection level 2 (Winter Long Protection)

Storage, such as:

1. Co-poly (white preferred) covered walk-in Quonset House or
2. Co-poly (white preferred) covered Hoop House or
3. Structureless storage, such as: Outside beds covered with thermal blankets laminated or overlaid with white co-poly (white required).

STORAGE KEY S4

Hardiness Zones 1-6

Mandatory cold protection level 1 (Winter Long Protection)

Storage structures, such as controlled environment greenhouses.

Hardiness Zones 7-8

Mandatory cold protection level 2 (Winter Long Protection)

Storage, such as:

1. Co-poly (white preferred) covered walk-in Quonset House or
2. Co-poly (white preferred) covered Hoop House or
3. Structureless storage, such as: Outside beds covered with thermal blankets laminated or overlaid with white co-poly (white required).

STORAGE KEY S5

Mandatory cold protection level 1 (Winter Long Protection)

Storage structures, such as controlled environment greenhouses.

STORAGE KEY NR

No cold protection required.

STORAGE KEY XX

The “XX” code does not communicate any information regarding storage requirements. Rather, it is used in situations where it is necessary to communicate that field grown material is insurable and container material is not insurable.

INSURANCE PRICE CALCULATION WORKSHEET

SAMPLE FOR REPRODUCTION

Plant Name: _____

Plant Type: _____
(from Eligible Plant List)

Size: _____

Measurement Method: Container/Liner____ Caliper____ High/Wide__

Factor: _____
(from Eligible Plant List)

Base Price: _____
(from Base Price Table for Plant Type)

Calculation of Max. Price:


$$\frac{\text{Base Price}}{\text{Factor}} \times \text{Factor} = \text{Max. Price}$$

Insurance Price: Lesser of Max. Price or Grower Lowest Wholesale Price

_____ _____
Max. Price Grower Lowest Wholesale Price

CONTAINER VOLUME CALCULATION WORKSHEET

Round container volume calculation:



Calculate radius R_1 and R_2 in inches using diameter D_1 and D_2 in inches:

$$R_1 \text{ (inches)} = D_1 \div 2$$


$$R_2 \text{ (inches)} = D_2 \div 2$$

Calculate volume in gallons using R_1 , R_2 and H in inches:

$$\text{Volume (gallons)} = \frac{3.1416 (H \div 3) [(R_1 \times R_1) + (R_1 \times R_2) + (R_2 \times R_2)]}{231}$$

Notes: - Measurements for D_1 , D_2 and H should be taken inside the container.
- **Do not round up** to meet the minimum size requirements.

Square/rectangular container volume calculation:



Calculate top (Y) and bottom (Z) area in square inches using T₁, T₂, B₁, and B₂ in inches:

$$Y \text{ (square inches)} = T_1 \times T_2$$

$$Z \text{ (square inches)} = B_1 \times B_2$$

Calculate volume in gallons using Y and Z in square inches and H in inches:

$$\text{Volume (gallons)} = \frac{(H \div 3) (Y + Z + \sqrt{Y \times Z})}{231}$$

Notes: - Measurements for T₁, T₂, B₁, B₂ and H should be taken inside the container.
- **Do not round up** to meet the minimum size requirements.

FCIC CONTAINER DEFINITIONS

| FCIC SIZE NAME | GALLON MEASUREMENT | | CUBIC INCH EQUIVALENT | | INCLUDES STANDARD ANSI CLASS |
|----------------|--------------------|---------|-----------------------|-----------|------------------------------|
| | MINIMUM | MAXIMUM | MINIMUM | MAXIMUM | |
| POT | 0.08 | 0.19 | 18.48 | 46.19 | SP3 |
| 1 QUART | 0.20 | 0.39 | 46.20 | 92.39 | SP4 |
| 2 QUART | 0.40 | 0.59 | 92.40 | 138.59 | SP5 |
| 1 GALLON | 0.60 | 1.37 | 138.60 | 318.77 | 1 |
| 2 GALLON | 1.38 | 2.49 | 318.78 | 577.49 | 2 |
| 3 GALLON | 2.50 | 3.39 | 577.50 | 785.39 | 3 |
| 5 GALLON | 3.40 | 5.77 | 785.40 | 1,335.17 | 5 |
| 7 GALLON | 5.78 | 8.49 | 1,335.18 | 1,963.49 | 7 |
| 10 GALLON | 8.50 | 11.97 | 1,963.50 | 2,767.37 | 10 |
| 15 GALLON | 11.98 | 17.49 | 2,767.38 | 4,042.49 | 15 |
| 20 GALLON | 17.50 | 22.49 | 4,042.50 | 5,197.49 | 20 |
| 25 GALLON | 22.50 | 29.79 | 5,197.50 | 6,883.79 | 25 |
| 30 GALLON | 29.80 | 32.49 | 6,883.80 | 7,507.49 | N/A |
| 35 GALLON | 32.50 | 37.49 | 7,507.50 | 8,662.49 | N/A |
| 40 GALLON | 37.50 | 42.49 | 8,662.50 | 9,817.49 | N/A |
| 45 GALLON | 42.50 | 47.49 | 9,817.50 | 10,972.49 | 45 |
| 50 GALLON | 47.50 | 52.49 | 10,972.50 | 12,127.49 | N/A |
| 55 GALLON | 52.50 | 57.49 | 12,127.50 | 13,282.49 | N/A |
| 60 GALLON | 57.50 | 62.49 | 13,282.50 | 14,437.49 | N/A |
| 65 GALLON | 62.50 | 67.49 | 14,437.50 | 15,592.49 | 65 |
| 70 GALLON | 67.50 | 72.49 | 15,592.50 | 16,747.49 | N/A |
| 75 GALLON | 72.50 | 77.49 | 16,747.50 | 17,902.49 | N/A |
| 80 GALLON | 77.50 | 82.49 | 17,902.50 | 19,057.49 | N/A |
| 85 GALLON | 82.50 | 87.49 | 19,057.50 | 20,212.49 | N/A |
| 90 GALLON | 87.50 | 92.49 | 20,212.50 | 21,367.49 | N/A |
| 95 GALLON | 92.50 | 97.49 | 21,367.50 | 22,522.49 | 95/100 |
| 100 GALLON | 97.50 | 124.49 | 22,522.50 | 28,759.49 | N/A |
| 150 GALLON | 124.50 | 174.49 | 28,759.50 | 40,309.49 | N/A |
| 200 GALLON | 174.50 | 224.49 | 40,309.50 | 51,859.49 | N/A |
| 250 GALLON | 224.50 | 274.49 | 51,859.50 | 63,409.49 | N/A |
| 300 GALLON | 274.50 | 324.49 | 63,409.50 | 74,958.00 | N/A |

