

PATUZYUW RUEOMFA5980 2491204-UUUU--RUHPCNU.
ZNR UUUUU ZUI RUEOMCH2665 2491204
P 051203Z SEP 12
FM BUMED FALLS CHURCH VA
TO AIG 11250
AIG 7783
INFO RUOIAAA/COMNAVRESFORCOM NORFOLK VA
RUOIAAA/COMUSFLTFORCOM NORFOLK VA
RUOIAAA/COMPACFLT PEARL HARBOR HI
ZEN/CNIC WASHINGTON DC
ZEN/CNO WASHINGTON DC
BT
UNCLAS

SIC N06230
UNCLASSIFIED//
UNCLAS//N06230//
SUBJ/ POLICY FOR THE USE OF THE 2012-2013 SEASONAL INFLUENZA VACCINE//
POC/ LCDR NATALIE WELLS/M3B6/LOC: WASHINGTON DC/TEL: COMM 703-681-9170
TEL DSN 761-9170/E-MAIL: NATALIE.WELLS@MED.NAVY.MIL//

REF/A/DOC/BUMED/14 APR 2011/BUMEDINST 6220.9B//
REF/B/DOC/ASD(HA)/4 APR 2008/ASD(HA) MEMO//
REF/C/MSG/CNO WASHINGTON DC/091243Z AUG 12/ (NAVADMIN 246/12)//
REF/D/DOC/BUMED/ 29 SEP 2006/BUMEDINST 6230.15A//

NARR/REF A IS CURRENT BUMED POLICY ON THE HEALTHCARE ASSOCIATED INFECTION PREVENTION AND CONTROL PROGRAM. REF B IS ASSISTANT SECRETARY OF DEFENSE (HEALTH AFFAIRS) GUIDANCE, HA POLICY 08-005, ON MANDATORY SEASONAL INFLUENZA IMMUNIZATION FOR CIVILIAN HEALTH CARE PERSONNEL WHO PROVIDE DIRECT PATIENT CARE IN DEPARTMENT OF DEFENSE(DOD)MEDICAL TREATMENT FACILITIES (MTF). REF C IS THE CHIEF OF NAVAL OPERATIONS 2012-2013 NAVY INFLUENZA VACCINATION AND REPORTING POLICY. REF D IS CURRENT BUMED POLICY ON IMMUNIZATIONS AND CHEMOPROPHYLAXIS.//

RMKS/1. THIS MESSAGE HAS BEEN COORDINATED WITH HEADQUARTERS MARINE CORPS, HEALTH SERVICES, AND U.S. FLEET FORCES COMMAND, SURGEON'S OFFICE. TRANSMISSION TO MARINE CORPS AND FLEET ACTIVITIES HAS BEEN AUTHORIZED.

2. CHIEF BUMED'S INTENT IS THAT MTF'S IN RECEIPT OF THIS YEAR'S SEASONAL VACCINE SHALL PROVIDE SEASONAL INFLUENZA VACCINE TO ANY TRICARE BENEFICIARY PRESENTING FOR IMMUNIZATION REGARDLESS OF LOCAL ENROLLMENT OR HEALTH-STATUS PRIORITIZATION. ALL RESERVISTS, WHO PRESENT A VALID MILITARY IDENTIFICATION, SHOULD ALSO RECEIVE INFLUENZA VACCINE. MORE THAN ONE MILLION INFLUENZA VACCINE DOSES HAVE BEEN

PROCURED TO PROTECT SERVICE MEMBERS AND OTHER BENEFICIARIES. IN THE EVENT OF UNANTICIPATED VACCINE SHORTAGES, FURTHER DETAILED PRIORITIZATION GUIDELINES WILL BE PUBLISHED. THE GOAL IS TO USE VACCINE IMMEDIATELY THROUGH RAPID ADMINISTRATION AND AGGRESSIVE SHOT EXERCISES, AND TO MINIMIZE QUANTITIES STORED LOCALLY.

3. INFLUENZA VACCINE PRIORITIES. INFLUENZA VACCINATION CAMPAIGNS ARE RUN TO ASSURE MISSION READINESS AND TO PROTECT VULNERABLE POPULATIONS. VACCINE WILL BE ADMINISTERED PER THE FOLLOWING SEQUENTIAL PRIORITY CATEGORIES (A-F):

A. MILITARY AND CIVILIAN PERSONNEL ORDERED TO DEPLOY IN SUPPORT OF AN OPERATIONAL REQUIREMENT OR ASSIGNED TO ANY SHIP.

B. MEDICALLY HIGH RISK PEOPLE, HEALTHCARE WORKERS IN DIRECT PATIENT CARE, AND NAVY CIVILIAN PERSONNEL WHERE INFLUENZA VACCINATION IS WRITTEN IN THEIR POSITION DESCRIPTION AS A CONDITION OF EMPLOYMENT.

(1) PER REF (A), COMMANDS MUST ENSURE THAT ALL PERSONNEL, INCLUDING DIRECT AND INDIRECT CARE PROVIDERS, ADMINISTRATORS, ANCILLARY SERVICES, VOLUNTEERS, STUDENTS, AND OTHERS WHO COME WITHIN THREE FEET OF PATIENTS, RECEIVE AND MAINTAIN APPROPRIATE VACCINATION AGAINST SEASONAL INFLUENZA, UNLESS THERE IS A MEDICAL OR RELIGIOUS REASON NOT TO BE VACCINATED.

(2) IN ACCORDANCE WITH REF (B), DOD MTFs MUST DOCUMENT AND RECORD THE VACCINATION OR EXEMPTION FOR EACH CIVILIAN HEALTHCARE WORKER IN DIRECT PATIENT CARE AND BE PREPARED TO REPORT COMPLIANCE STATUS TO THE BUMED POC, LCDR WELLS, NO LATER THAN 1 APRIL 2013.

C. BASIC AND ADVANCED TRAINEES, OFFICER TRAINEES, MIDSHIPMEN AND THE TRAINING CADRE OF THESE PERSONNEL.

D. ALL OTHER MILITARY PERSONNEL.

E. ALL OTHER CONTINUITY OF OPERATIONS DOD CIVILIAN AND CONTRACT EMPLOYEES.

F. ALL OTHER BENEFICIARIES AND DOD CIVILIANS. UNLESS SIGNIFICANT SHORTAGES EXIST, ELIGIBLE BENEFICIARIES WILL NOT BE DENIED VACCINE UPON REQUEST.

4. GOAL. PER REF (C), NAVY VACCINATION GOAL IS AT LEAST 90 PERCENT OF ALL NAVY ACTIVE COMPONENT AND RESERVE COMPONENT PERSONNEL VACCINATED BY 17 DECEMBER 2012.

5. INFLUENZA VACCINES. INJECTABLE (TRIVALENT INACTIVATED VACCINES, TIV) AND FLUMIST (LIVE ATTENUATED INFLUENZA VACCINE, LAIV) VACCINES COMPRISE THE DOD INFLUENZA VACCINE SUPPLY AND WILL BE ADMINISTERED PER THE FOLLOWING GUIDELINES (A-D):

A. EITHER INJECTABLE VACCINE OR LIVE ATTENUATED VACCINE (FLUMIST) MAY BE USED TO IMMUNIZE HEALTHY NON-PREGNANT PERSONS AGES 2-49.

INJECTABLE VACCINE MUST BE USED FOR PERSONS OVER 6 MONTHS BUT UNDER 2 YEARS OF AGE; FOR PERSONS 50 YEARS OF AGE AND OLDER; FOR PREGNANT WOMEN; AND FOR THOSE PERSONS WITH A MEDICAL CONTRAINDICATION TO USING FLUMIST.

B. COMMANDS SHALL ADMINISTER AND FOLLOW ROUTINE IMMUNIZATION RECOMMENDATIONS FROM THE CENTERS FOR DISEASE CONTROL AND PREVENTION, THE ADVISORY COMMITTEE ON IMMUNIZATION PRACTICES, REF (D), AND THE PRESCRIBING INFORMATION IN THE MANUFACTURERS' PACKAGE INSERTS.

C. FOR SERVICE MEMBERS IN AN ACTIVE FLYING STATUS EXPOSED TO ALTITUDE AS PART OF THEIR CAREER FIELD, INJECTABLE VACCINE IS PREFERRED BECAUSE OF ITS SHORTER POST-ADMINISTRATION GROUNDING PERIOD (12 VERSUS 72 HOURS) AND ITS Milder SIDE EFFECTS PROFILE. AIR TRAFFIC CONTROL AND UNMANNED AERIAL VEHICLE PERSONNEL ON FLIGHT STATUS BUT NOT EXPOSED TO ALTITUDE AS PART OF THEIR JOB MAY RECEIVE FLUMIST OR INJECTABLE WITH NO GROUNDING REQUIREMENTS. PERSONNEL IN AN ACTIVE DUTY FLYING STATUS WITH ROUTINE EXPOSURE TO ALTITUDE WILL OBSERVE THE GROUNDING PERIOD GUIDANCE:

(1) A SELF-CANCELING GROUNDING PERIOD OF 12 HOURS AFTER IMMUNIZATION WITH TIV. A SELF-CANCELING GROUNDING PERIOD OF 72 HOURS AFTER IMMUNIZATION WITH FLUMIST. FLIGHT SURGEONS MAY RECOMMEND RETURN OF AERONAUTICALLY DESIGNATED PERSONNEL TO DUTY INVOLVING FLIGHT OPERATIONS IN LESS THAN 72 HOURS WHEN NECESSARY TO MEET REAL WORLD OPERATIONAL COMMITMENTS AND SAFETY OF FLIGHT IS NOT COMPROMISED. THE PRESENCE AND SEVERITY OF SYMPTOMS MAY REQUIRE THE GROUNDING OF SOME PERSONNEL FOR GREATER THAN 72 HOURS.

(2) TO MINIMIZE OPERATIONAL IMPACT, COMMANDS MAY ELECT TO STAGGER THE ADMINISTRATION OF THE VACCINE TO THEIR PERSONNEL. FOR EXAMPLE, A COMMAND MIGHT ELECT TO VACCINATE 50 PERCENT OF ELIGIBLE PERSONNEL ONE WEEK AND THE REMAINING PERSONNEL THE FOLLOWING WEEK. ANOTHER OPTION WOULD BE TO SCHEDULE IMMUNIZATIONS IMMEDIATELY PRIOR TO A PERIOD WHEN NO FLIGHTS ARE SCHEDULED.

D. SERVICE MEMBERS IN AN ACTIVE DIVING STATUS ARE AUTHORIZED TO RECEIVE FLUMIST, HOWEVER INJECTABLE REMAINS THE PREFERRED VACCINE.

6. RECEIVING AND HANDLING INSTRUCTIONS FOR INJECTABLE AND FLUMIST VACCINES.

A. INJECTABLE VACCINE WILL BE TRANSPORTED AND HANDLED PER STANDARD OPERATING PROCEDURES. IT SHOULD BE IMMEDIATELY PLACED IN A REFRIGERATOR AND MAINTAINED AT 2-8 DEGREES CELSIUS OR 36-48 DEGREES FAHRENHEIT.

B. FLUMIST IS NOW A REFRIGERATED PRODUCT AND MUST NOT BE REFROZEN AFTER DELIVERY. FLUMIST WILL BE SHIPPED ON DRY ICE TO ALLOW GLOBAL DELIVERY. IT SHOULD BE IMMEDIATELY PLACED IN A REFRIGERATOR AND MAINTAINED AT 36-48 DEGREES FAHRENHEIT OR 2-8 DEGREES CELSIUS (DO NOT REFREEZE). FLUMIST HAS AN 18 WEEK (126 DAYS) SHELF-LIFE DATING FROM THE DATE OF THE FILLING OF THE SPRAYER BY THE MANUFACTURER.

C. TEMPTALE 4 MONITORS (TT4) WILL BE IN ALL INFLUENZA VACCINE SHIPMENTS. EACH SHIPMENT WILL CONTAIN A HANDLING SHEET WITH INSTRUCTIONS FOR RETURNING ALARMED AND NO-ALARM TT4 MONITORS. IF THE SHIPMENT IS IN AN ALARMED STATUS, THE VACCINE CANNOT BE USED UNTIL THE TT4 IS RECEIVED. PROMPT RETURN OF TT4 MONITORS IS CRITICAL. DISPOSITION FOR ALARMED MONITORS WILL BE PROVIDED WITHIN 24 HOURS OF RECEIPT OF THE TT4 MONITOR BY DEFENSE LOGISTICS AGENCY TROOP SUPPORT BRANCH (DLA-TSB). WHEN VACCINE HAS BEEN COMPROMISED POST-RECEIPT, E.G., REFRIGERATOR MALFUNCTION), PROVIDE DLA-TSB AND NAVAL MEDICAL LOGISTICS COMMAND (NMLC) WITH AN EXECUTIVE SUMMARY (EXSUM) OUTLINING THE PRODUCT TIME AND TEMPERATURE DETAILS OF THE INCIDENT. RETURN THE VACCINE IMMEDIATELY TO REFRIGERATION AND DLA-TSB WILL PROVIDE DISPOSITION WITHIN 24 HOURS OF RECEIVING THE EXSUM. EMPLOY THE EXSUM

FORMAT FROM THE FOLLOWING WEB LOCATION,
[HTTP://WWW.USAMMA.ARMY.MIL/ASSETS/DOCS/EXSUM%20SOP.PDF](http://www.usamma.army.mil/assets/docs/exsum%20sop.pdf).

D. UNITS ARE ADVISED TO KEEP AN APPROPRIATE QUANTITY OF BOXES AND GEL PACKS ON HAND FOR LOCAL SHIPPING NEEDS THROUGHOUT THE SEASON. ALL PERSONNEL PERFORMING TRANS-SHIPMENT OF VACCINE MUST BE TRAINED IN COLD CHAIN MANAGEMENT PROCEDURES AND MUST CONTACT DLA-TSB PRIOR TO TRANS-SHIPMENT.

E. INFLUENZA VACCINE ORDERS FOR NAVY AND MARINE CORPS RESERVE COMMANDS WILL BE SHIPPED DIRECTLY TO THE RESERVE COMMANDS AND NOT TO THEIR ALIGNED MTF. RESERVE COMMANDS MUST ADHERE TO COLD CHAIN REQUIREMENTS PRIOR TO RECEIVING VACCINE.

7. VACCINE DISTRIBUTION. PER REF (B), THE SINGLE SOURCE OF INFLUENZA VACCINE IS BY THE ESTABLISHED DOD CENTRALIZED DISTRIBUTION SYSTEM, COORDINATED AND CONTROLLED BY NMLC. THE NAVY ON-LINE VACCINE INFORMATION AND LOGISTICS SYSTEM (VIALS) IS THE REQUISITION SYSTEM TOOL FOR SEASONAL AND EMERGING INFLUENZA VACCINES. VIALS SIMPLIFIES VACCINE REQUISITIONS AND ENABLES COMMANDS TO TRACK VACCINE ORDERS ELECTRONICALLY FROM REQUISITION TO RECEIPT. THE CAC-ENABLED VIALS WEB SITE IS LOCATED AT
[HTTPS://GOV_ONLY.NMLC.MED.NAVY.MIL/INT_CODE03/VIALS/](https://gov_only.nmlc.med.navy.mil/int_code03/vials/).

8. ADDITIONAL INFLUENZA VACCINE ORDERS. DEPARTMENT OF NAVY HAS CENTRALLY ORDERED PEDIATRIC AND ADULT INFLUENZA VACCINE VIA VIALS. COORDINATE ORDERS FOR ADDITIONAL FLUMIST OR INJECTABLE VACCINE THROUGH VIALS. THE FOLLOWING PROVIDES INFORMATION ON DOD INFLUENZA VACCINE STOCKS (A-F):

- A. NSN: 6505-01-603-5103 FLUZONE MULTI-DOSE VIAL
UNIT OF ISSUE: VIAL (0.5 ML MULTIDOSE VIAL, 10 DOSES)
AGE: 36 MONTHS OF AGE AND OLDER.
MANUFACTURER: SANOFI PASTEUR
NDC: 49281-0390-15 (FLUZONE) CONTAINS THIMEROSAL/PRESERVATIVE
PRICE: \$68.95 (FY 12) \$68.26 (FY 13)
- B. NSN: 6505-01-604-7721 (THIMEROSOL FREE) FLUZONE PREFILLED SYRINGE
UNIT OF ISSUE: PG (0.5 ML PRE-FILLED SYRINGE, 10 PER PACKAGE)
AGE: 36 MONTHS OF AGE AND OLDER
MANUFACTURER: SANOFI PASTEUR
NDC: 49281-0012-50 (FLUZONE) THIMEROSAL/PRESERVATIVE FREE
PRICE: \$68.95 (FY 12) \$68.26 (FY 13)
- C. NSN: 6505-01-604-6926 (THIMEROSAL FREE) PEDIATRIC FLUZONE SYRINGE
UNIT OF ISSUE: PG (0.25 ML PRE-FILLED SYRINGE, 10 PER PACKAGE)
AGE: 6 MONTHS TO 35 MONTHS OF AGE.
MANUFACTURER: SANOFI PASTEUR
NDC: 49281-0112-25 (FLUZONE) THIMEROSAL/PRESERVATIVE FREE
PRICE: \$134.43 (FY 12) \$132.99 (FY 13)
- D. NSN: 6505-01-604-6080 AFLURIA MULTIDOSE VIAL
UNIT OF ISSUE: VIAL (0.5 ML MULTIDOSE VIAL, 10 DOSES)
AGE: 5 YEARS AND OLDER
MANUFACTURER: MERCK SHARP & DOHME
NDC: 33332-0112-10 (AFLURIA) CONTAINS THIMEROSAL/PRESERVATIVE
PRICE: \$47.61 (FY 12) \$47.15 (FY 13)
- E. NSN: 6505-01-605-7630 (THIMEROSOL FREE) AFLURIA PREFILLED SYRINGE

UNIT OF ISSUE: PG (0.5 ML PRE-FILLED SYRINGE, 10 PER PACKAGE)

AGE: 5 YEARS AND OLDER

MANUFACTURER: MERCK SHARP & DOHME

NDC: 33332-0012-01 (AFLURIA) THIMEROSAL/PRESERVATIVE FREE

PRICE: \$59.95 (FY 12) \$59.35 (FY 13)

F. NSN: 6505-01-603-9018 FLUMIST (THIMEROSAL FREE)

UNIT OF ISSUE: PG (0.2 ML PREFILLED SINGLE USE SPRAYER, 10 PER PACKAGE)

AGE: 2-49 YEARS OF AGE.

MANUFACTURER: MEDIMMUNE LLC

NDC: 66019 0101 10 (FLUMIST) THIMEROSAL/PRESERVATIVE FREE

PRICE: \$156.94 (FY 12) \$155.24 (FY 13)

G. ALL SUBSEQUENT REQUISITIONS SUBMITTED WILL BE REVIEWED BY NMLC AND DLA-TSB AND SUBSTITUTIONS MAY BE MADE TO ENSURE EQUITABLE DISTRIBUTION OF INFLUENZA VACCINE WHEN AND WHERE NEEDED. CLOSE COORDINATION BETWEEN ACTIVITY SUPPLY AND LOGISTIC OFFICERS WITH NMLC AND DLA-TSB IS STRONGLY ENCOURAGED.

9. FLUMIST CONSIDERATIONS. THE FLUMIST REPLACEMENT PROGRAM ALLOWS UNITS TO EXCHANGE EXPIRING FLUMIST VACCINE FOR NEWLY MANUFACTURED VACCINE WITH 2013 EXPIRATION DATES. THE REPLACEMENT PROGRAM IS AVAILABLE FOR ALL FLUMIST VACCINES SHIPPED PRIOR TO 30 SEPTEMBER 2012. CONTACT NMLC FOR ADDITIONAL INFORMATION.

10. IMMUNIZATION DOCUMENTATION.

A. KEEP ACCURATE RECORDS OF VACCINE USAGE. RECORD ALL IMMUNIZATIONS IN THE MEDICAL RECORD AND REPORT AS PER THE REQUIREMENTS IN REF (C) AND (D). USE THE FOLLOWING CODES FOR VACCINE ADMINISTERED (CVX) TO DOCUMENT IMMUNIZATION: CVX 140 (INFLUENZA, SEASONAL INJECTABLE, PRESERVATIVE FREE), CVX 141 (INFLUENZA, SEASONAL, INJECTABLE), AND CVX 111 (INFLUENZA, LIVE, INTRANASAL).

B. SENIOR LEADERSHIP MAINTAINS A HIGH INTEREST IN THE PROGRESS OF THE INFLUENZA VACCINE CAMPAIGN. PER REF (C), MEDICAL READINESS REPORTING SYSTEM (MRRS) WILL BE USED TO ENTER VACCINATION STATUS AND MONITOR COMPLIANCE FOR MILITARY PERSONNEL.

11. ADDITIONAL FOOD AND DRUG ADMINISTRATION (FDA) APPROVED INFLUENZA VACCINES. HIGH DOSE FLUZONE, INTRADERMAL FLUZONE, AND QUADRIVALENT FLUMIST ARE NOT AVAILABLE THROUGH THE DOD CENTRAL PURCHASING CONTRACTS OR PRIME VENDOR PROGRAM. THESE VACCINES MAY BE PURCHASED VIA DIRECT VENDOR BUYS AND COMMANDS ARE RESPONSIBLE FOR ALL COSTS INVOLVED IF THESE VACCINES ARE CHOSEN.

12. TRICARE RETAIL PHARMACY BENEFIT. BENEFICIARIES MAY RECEIVE INFLUENZA VACCINES FOR ZERO COPAYMENT AT PARTICIPATING RETAIL NETWORK PHARMACIES. TO FIND A LIST OF PARTICIPATING RETAIL NETWORK PHARMACIES PLEASE GO TO [HTTP://WWW.TRICARE.MIL/MYBENEFIT/HOME/PRESCRIPTIONS/MEDICATIONS/VACCINES](http://www.tricare.mil/mybenefit/home/prescriptions/medications/vaccines). SERVICE MEMBERS WHO RECEIVE INFLUENZA VACCINATIONS FROM RETAIL NETWORK PHARMACIES SHOULD PROVIDE DOCUMENTATION OF IMMUNIZATION NO LATER THAN THE NEXT DUTY DAY FOLLOWING VACCINATION. DOCUMENTATION SHOULD INCLUDE DATE VACCINE ADMINISTERED, VACCINE NAME OR CODE,

MANUFACTURER, LOT NUMBER, DOSE, VACCINE ADMINISTRATION ROUTE AND ANATOMIC SITE.

13. INFLUENZA VACCINATION CAMPAIGN BEST PRACTICES.

A. COMMANDS, WHO EXECUTED SUCCESSFUL INFLUENZA VACCINATION CAMPAIGNS, ENGAGED LEADERSHIP EARLY AND OFTEN TO SUPPORT THEIR EFFORT, HAD EASILY IDENTIFIED DESIGNATED AREAS OVER EXTENDED PERIODS FOR PROVIDING IMMUNIZATIONS, USED MANY PRINT MEDIA SUCH AS BASE NEWSLETTERS, FREQUENTLY REPORTED BACK TO THEIR LEADERSHIP THE COMPLETION OF INTERMEDIATE GOALS, AND USED BACK TO SCHOOL CAMPAIGNS TO INCREASE CHILDHOOD IMMUNIZATION RATES.

B. SEASONAL INFLUENZA PROVIDED AN EXCELLENT TIME TO EXECUTE LOCAL PANDEMIC INFLUENZA PLANS. COLLABORATION BETWEEN MTFs AND INSTALLATIONS USING POINT OF DISPENSING PLANS RESULTED IN THE RAPID ACCOMPLISHMENT OF VACCINATION GOALS.

C. VACCINE INFORMATION STATEMENT (VIS) FOR EACH VACCINE WERE MADE AVAILABLE FOR RECIPIENTS OF THE VACCINE. A VIS FOR EACH PRODUCT IS AVAILABLE AT [HTTP://WWW.CDC.GOV/FLU/ABOUT/SEASON/UPCOMING.HTM](http://www.cdc.gov/flu/about/season/upcoming.htm).

14. ADDITIONAL INFORMATION RESOURCES:

A. PREVENTIVE MEDICINE OFFICER, HEADQUARTERS, MARINE CORPS, CAPT WILLIAM PADGETT, MC, USN, TEL: COMM 703-614-4477, DSN 224-4477, E-MAIL: WILLIAM.PADGETT@USMC.MIL

B. DENFENSE LOGISTICS AGENCY-TROOP SUPPORT BRANCH/COLD CHAIN/VACCINE PROGRAM MANAGER, MS. DANA DALLAS, TEL: COMM 215-737-5537; DSN 444-5537, E-MAIL: DANA.DALLAS@DLA.MIL

C. NAVAL MEDICAL LOGISTICS COMMAND INVENTORY MANAGEMENT SPECIALIST, MS. LOUISE MCLUCAS, TEL: COMM 301-619-8054, DSN 343-8054; E-MAIL: SARAH.MCLUCAS@MED.NAVY.MIL

D. NAVY MEDICINE EAST PUBLIC HEALTH EMERGENCY OFFICER, CAPT ANDREW JOHNSON, TEL: COMM 757-953-0462, E-MAIL: ANDREW.JOHNSON@MED.NAVY.MIL

E. NAVY MEDICINE NATIONAL CAPITAL AREA PUBLIC HEALTH EMERGENCY OFFICER, DR. MARGAN ZAJDOWICZ, TEL: COMM 301-319-8850, E-MAIL: MARGAN.ZAJDOWICZ@MED.NAVY.MIL

F. NAVY MEDICINE WEST PUBLIC HEALTH EMERGENCY OFFICER, LCDR JENNIFER WILKES, TEL: COMM 619-556-7070, E-MAIL: JENNIFER.WILKES@MED.NAVY.MIL

G. NAVY MARINE CORPS PUBLIC HEALTH CENTER, TEL: COMM 757-953-0700, DSN 377-0700 AFTER HOURS COMM 757-621-1967; WEB SITE: WWW.NMCPHC.MED.NAVY.MIL

H. NAVY ENVIRONMENTAL AND PREVENTIVE MEDICINE UNIT TWO, TEL: COMM 757-953-6600, DSN 377-6600; E-MAIL: NEPMU2NORFOLKTHREATASSESSMENT@MED.NAVY.MIL

I. NAVY ENVIRONMENTAL AND PREVENTIVE MEDICINE UNIT FIVE, TEL: COMM 619-556-7070, DSN 526-7070, WEB SITE WWW.NEPMU5.MED.NAVY.MIL

J. NAVY ENVIRONMENTAL AND PREVENTIVE MEDICINE UNIT SIX, TEL: COMM 808-473-0555, DSN 473-0555; EMAIL: NEPMU6-THREATASSESSMENT@MED.NAVY.MIL

K. CNFRC FORCE MEDICAL, MR. TIMOTHY KELLNER, TEL: COMM 757-322-5644, EMAIL: TIMOTHY.KELLNER@NAVY.MIL

L. MARINE RESERVE FORCES, HMC CRYSTAL BENTON, TEL: COMM 504-697-8731, DSN 697-8731, EMAIL: CRYSTAL.BENTON@USMC.MIL

=====

