ENGINEERING AND DESIGN MANUAL

COAL REFUSE DISPOSAL FACILITIES



Second Edition May 2009

NOTE: Instructions for using this DVD version of the Manual are provided on the next page



Prepared by:

INSTRUCTIONS FOR USAGE OF THIS DVD MANUAL

This DVD requires Adobe Reader 7.0 or later. Other PDF viewing software may limit functionality. Adobe Reader can be downloaded at http://get.adobe.com/reader/

Bookmarks are provided for the Manual chapters, appendices and the reference list and are displayed at the left of the text.

Links in the Manual text in BLUE will transfer you to another location in the Manual such as a section header, figure or table. If you wish to return to the original link location, you can hold down the ALT key and hit the left arrow (\leftarrow) key. On Mac computers hold down the Command key (\divideontimes) and hit the left arrow key. If you move around at the new location in the text, you may have to repeat this action several times to return to your origination point. At the center of the bottom of most pages there is a PREVIOUS VIEW link. Clicking on this link will return you to your previous location in the document $\underline{\text{IF}}$ (and only if) you have not scrolled or otherwise moved away from the original landing location. Hitting the left arrow key without holding down the ALT key will move you back one (1) page only.

The Table of Contents (TOC) listings are linked to the appropriate pages in the Manual text. Clicking on a specific section header in the TOC will land you on the page where the section header is located in the text. It is recommended that whole pages be displayed when clicking on the TOC links because the section header that you are looking for may not be displayed on your monitor if the page is "zoomed up" so that only part of the page is displayed. When you find the section you are looking for, you can zoom to a comfortable reading size.

Links in GREEN will transfer you to technical references. Some of these are large documents and may require a few seconds to load. These documents are in PDF format and are stored on the DVD. You can return to the link in the Manual text by holding down the ALT key and hitting the left arrow (\leftarrow) key. On Mac computers hold down the Command key (\Re) and hit the left arrow key. The more you move around in the reference document, the more times you will have to execute ALT + left arrow or \Re + left arrow. If you use the reference document extensively, you may not be able to link back to the Manual in this manner, and then it will be necessary to close the reference document in Adobe Reader and then go to the File > History list and reopen Manual 2009. This procedure will return you to the Manual title page and not to the page where you linked from previously. Reference documents can be opened in a new window by holding down the CTRL key when clicking on reference links, and we recommend this procedure. On Mac computers hold down the Option key (\sim) when clicking the link.

If you load the Manual PDF to your computer, the references should be loaded to the same folder.

Suggestions for changes, corrections, or updates to the Manual should be directed to:

Mine Safety and Health Administration
Pittsburgh Technical Support Center
Mine Waste and Geotechnical Engineering Division
P.O. Box 18233
Pittsburgh, PA 15236
Attention: Dam Safety Officer

engineering quidance presented in this do

The engineering guidance presented in this document has been compiled or developed by D'Appolonia Engineering under contract with the Mine Safety and Health Administration (MSHA) from referenced sources as well as input from MSHA and the coal industry. However, the guidance, recommendations, and conclusions presented herein may not necessarily represent the official policies of MSHA or the U.S. government.

Preface

This Manual presents guidance on procedures for use in the engineering design, construction monitoring, operation and inspection of coal refuse impoundments and embankments in the United States. It is an update of the original 1975 edition and reflects advances in engineering, construction, and facility monitoring and operations practices. The primary intent of the Manual is to serve as a uniform guide to safe refuse disposal practices for those concerned with coal mining and preparation. The Manual serves this purpose in several ways by: (1) providing experienced embankment dam design engineers with the characteristics of coal refuse and its disposal so that their experience can be appropriately applied; (2) providing specialized technical knowledge concerning embankment design in a form that can be used by engineers who do not specialize in this field; (3) updating geotechnical, structural, hydrologic and hydraulic design criteria for a range of embankment and impoundment conditions, and spillway and drainage structures; (4) providing guidance on disposal requirements and limitations for mine operators to include refuse disposal in the overall coal production operation; and (5) providing guidance on construction, operation, inspection, monitoring and instrumentation, and emergency action planning associated with the implementation of safe and reliable designs.

The 1975 edition of the Manual was prepared following the failure of a coal waste dam at Buffalo Creek, West Virginia, that resulted in 125 fatalities. This Manual update was prompted by the recognition that significant advances have been made in the fields of coal waste disposal and dam safety in the 30-plus years since the original Manual was published. Another impetus was an incident that occurred in Martin County, Kentucky, in 2000 in which over 300 million gallons of water and fine coal refuse from a slurry impoundment broke into an underground mine. Slurry subsequently flowed out of two mine openings and impacted streams in two separate watersheds. This incident prompted the U.S. Congress to provide funding to the National Research Council (NRC) to examine ways to reduce the potential for similar accidents. The NRC's report, "Coal Waste Impoundments: Risks, Responses, and Alternatives," which was released in 2002, included a number of recommendations for MSHA. One recommendation was that MSHA "continue to adopt and promote the best available technology and practices with regard to site evaluation, design, construction, and operation of impoundments." MSHA reported to Congress that one measure to address the NRC recommendations would be this updating of the original Coal Refuse Design Manual.

The guidance presented in this Manual represents information, methods and procedures that are recommended for consideration by designers, coal operators, and regulators. The guidance presented in this Manual is not regulation and cannot be enforced as such. It is not intended to preclude the application of other credible methods and procedures or the use of other and new information that will result in a safe and reliable coal refuse disposal facility. It is the responsibility of the designer to investigate the requirements of the project, recognize the unique and critical aspects of the site conditions, and prepare designs that reflect actual site conditions, features, loadings, and constraints.

MAY 2009 iii

In this update of the Manual, new chapters have been developed on seismic design and on site mining and foundation issues, two topics that can have an impact on the type of disposal facility designed. The long operating life of coal refuse facilities makes monitoring of embankment behavior and facility maintenance particularly important. The sections on operation, monitoring, and instrumentation summarize procedures and devices to aid the designer and operator for defining and implementing an appropriate field observation program. In addition, general guidance is provided for the preparation of emergency action plans. These plans are recommended for certain dams and impoundments, and are required by some state regulatory agencies and encouraged by MSHA as part of addressing hazardous conditions under 30 CFR § 77.216-3.

In addition to concern for safety, the Manual addresses environmental considerations and controls that may influence the design of embankments and impoundments. Executive Order 11514 – Protection and Enhancement of Environmental Quality, dated March 5, 1970, requires all Federal agencies to "Monitor, evaluate and control on a continuing basis their agencies' activities so as to protect and enhance the quality of the environment. Such activities shall include those directed to controlling pollution and enhancing the environment and those designed to accomplish other program objectives which may affect the quality of the environment." The Manual does not present guidance in establishing criteria for environmental controls (e.g., hydraulic conductivity of liner systems), because such guidance is more appropriately left to other references and regulatory agencies.

This Manual is intended to provide the designer with an important source of information. However, the text and accompanying figures, tables and references should not be applied without proper engineering knowledge and judgment. Responsibility for actual design lies with the Professional Engineer in responsible charge of the work. The use or application of the methods and information contained herein is strictly the responsibility of the person utilizing the material. Designs should be based on sound engineering principles and judgment and reflect actual site conditions, and they should not merely be patterned after a successful design used at another location or possibly portrayed in the Manual. The designer should be diligent and recognize that advances in approaches, criteria, and methods will occur that may affect the applicability of portions of any reference or design guide.

This Manual was prepared by engineers and scientists with background and experience in the subject matter, with input from MSHA personnel who review design plans and conduct investigations at disposal sites. Overall direction and technical content were provided by Mr. Robert E. Snow of D'Appolonia Engineering. Manual coordination was performed by Dr. James L. Withiam, D'Appolonia, and final editing of the text was provided by Dr. J. Timothy Onstott. Proper recognition to the entire Project Team and D'Appolonia staff for their devoted efforts is not possible here. The main contributors to and reviewers of technical chapters are noted in Table 1.

Special recognition is also given to Mr. John W. Fredland, Dam Safety Officer for MSHA, as the contracting officer's technical representative, Mr. Harold L. Owens, Mr. George H. Gardner, and to other MSHA personnel who provided many valuable comments in suggesting content and reviewing the text for publication. Finally, grateful appreciation is given to those in industry who provided input and review comments during the process of preparation of this document. This includes input from the National Mining Association and its consultants, as well as federal and state agencies and universities.

This Manual is available in hard copy and DVD. The DVD format includes hyperlinks and search capabilities using Adobe Acrobat Reader software. Hyperlinks allow the display of the highlighted citation of a figure, table, appendix, or selected reference in the text. Selected references (in PDF format) that are available in the public domain are included on the DVD version. For references not in the public domain, reasonable efforts were made to obtain copyright permission. No hyperlink is provided for references of substantial size, lack of availability in the public domain, or where permission for reprint could not be obtained. The complete citation for all references is provided in the References section.

iv MAY 2009

TABLE 1 MAJOR AND EXPERT CONTRIBUTORS AND REVIEWERS

Chapters 1 to 5 Introduction, Background, Planning and Design Components	Mr. Robert E. Snow, D'Appolonia	Mr. Richard G. Almes
Chapter 6 Geotechnical Exploration, Materials Testing, Engineering Analysis and Design	Dr. James L. Withiam, D'Appolonia Mr. William J. Johnson, D'Appolonia Mr. Joseph W. Premozic, D'Appolonia Mr. Christopher J. Lewis, D'Appolonia	Mr. Richard G. Almes Dr. Umesh Dayal
Chapter 7 Seismic Design: Stability and Deformation Analyses	Mr. Michael Paster, GEI Mr. William J. Johnson, D'Appolonia Mr. Christopher J. Lewis, D'Appolonia Mr. Richard F. Tobin, GEI	Dr. Gonzalo Castro, GEI Dr. William F. Marcuson Dr. Peter K. Robertson Mr. Blaise E. Genes, CEC Mr. Richard G. Almes
Chapter 8 Site Mining and Foundation Issues	Dr. James L. Withiam, D'Appolonia Mr. Robert E. Snow, D'Appolonia Mr. Christopher J. Lewis, D'Appolonia	Dr. Vincent A. Scovazzo, J.T. Boyd Mr. Frederick R. Vass, Alliance Dr. Kelvin K. Wu Mr. Richard G. Almes
Chapters 9 and 10 Hydrology and Hydraulics Environmental Considerations	Ms. Colleen M. Campbell, D'Appolonia Mr. Robert E. Snow, D'Appolonia Dr. J. Timothy Onstott, D'Appolonia	Mr. Richard G. Almes
Chapters 11 and 12 Construction and Disposal Operations Monitoring, Inspection and Facility Maintenance	Mr. Robert M. Shusko, D'Appolonia Mr. Robert E. Snow, D'Appolonia	Mr. Frederick R. Vass, Alliance Mr. Richard G. Almes
Chapter 13 Instrumentation	Dr. James L. Withiam, D'Appolonia	Mr. Richard G. Almes
Chapter 14 Emergency Action Planning	Dr. J. Timothy Onstott, D'Appolonia	Mr. Richard G. Almes

Suggestions for changes, corrections, or updates to this Manual should be directed to:

Mine Safety and Health Administration Pittsburgh Technical Support Center Mine Waste and Geotechnical Engineering Division P.O. Box 18233 Pittsburgh, PA 15236 Attention: Dam Safety Officer

For any suggested changes, corrections or updates, commenters should identify specific pages, paragraphs, tables, or figures within the Manual, along with proposed replacement or new material. Sources of proposed material should be completely cited, along with permission for use in a future revised edition of this document.

This document is intended solely for noncommercial and educational purposes. The material presented in this Manual has been prepared in accordance with recognized engineering practices as cited herein. The guidance should not be used without first securing competent advice with respect to its suitability for any application. The publication of the material contained herein is not intended as any representation or warranty, either expressed or implied, on the part of the individuals, firms or agencies involved, or any other person or organization named herein, that this information is suitable for

MAY 2009 v

		_	
ν	rΔi	tа	CO
		ıa	cc

any general or specific use or promises freedom from infringement of any patent or patents. Anyone making use of this information assumes all liability resulting from such use. Reference to commercial products or firms and use of trade names and trademarks in this document is for descriptive purposes only, does not constitute endorsement, and may not be used for advertising or promotion purposes.

vi MAY 2009

Table of Contents

Prefa	ice	iii
List c	of Tables	xxvii
List c	of Figures	xxxiii
Acro	nyms	xli
Chap	oter 1	Introduction
Chap	oter 2	Background and Characterization of Coal Refuse
2.1	GEOLOGICAL NATURE OF COAL REFUSE	2-2
2.1.1	Origin of Coal	2-2
2.1.2		2-3
2.2		EANING)2-4
2.3		MENT2-6
2.3.1		2-6
2.3.2		2-6
2.4		2-7
2.4.1		2-7
2.4.2 2.4.2.1		2-7
2.4.2.1		2-8
2.4.2.2	•	2-0
2.4.2.3		2-9
2.4.2.5		2-9
2.4.2.3		2-10
2.5.1		< Failure2 -10
2.5.2	•	lo Creek Failure2-11

May 2009

Chapter 3

Coal Refuse Disposal Facilities and Other Impounding Structures

3.1	Hazard Potential for Disposal Facilities and Other Impounding Structures	3-1
3.2	Coal Refuse Impoundment Facilities	3-3
3.2.1	Size and Hazard Considerations	3-4
3.2.1.1	Impoundment Definition	3-4
3.2.1.2	Impoundments in Series	3-5
3.2.1.3	Incised Impoundments	3-5
3.2.2	Disposal Facility Configuration	3-6
3.2.3	Hazard Potential Rating	3-9
3.3	COAL REFUSE NON-IMPOUNDING FACILITIES (REFUSE PILES)	3-10
3.3.1	Coarse Refuse Embankments	3-10
3.3.2	Combined Refuse Embankments	3-11
3.3.3	Segregated Refuse Embankments	3-11
3.3.4	Configuration and Development Staging	3-11
3.4	COAL REFUSE SLURRY CELL FACILITIES	3-12
3.4.1	Size and Hazard Classification	3-13
3.4.2	Disposal Facility Configuration and Development	3-16
3.5	UNDERGROUND INJECTION SITES	3-17
3.5.1	Siting	3-17
3.5.2	Injection System Design	3-18
3.5.3	Risk Assessment and Response Plan	3-19
3.5.4	Contingency Plan	3-20
3.5.5	Monitoring Plan	3-20
3.6	RECOVERY (REMINING) OF COAL REFUSE DISPOSAL FACILITIES	3-21
3.7	OTHER IMPOUNDING STRUCTURES	3-22
3.8	SMALL PONDS AND SIMILAR STRUCTURES	3-23
Chap	oter 4	Project Planning
4.1	UNIQUE ASPECTS OF REFUSE DISPOSAL	4-1
4.2	OPERATIONS AND SITE-RELATED FACTORS	4-2
4.3	SUSTAINABLE MINING PRACTICES	4-4
4.4	ECONOMIC CONSIDERATIONS	4-4
4.5	ENVIRONMENTAL AND REGULATORY CONSIDERATIONS	4-6
4.6	PLANNING SEQUENCE	4-7
4.7	DESIGN SEQUENCE	4-7

Chapter 5

Coal Refuse Disposal Facility Design Components

5.1	DISPOSAL CAPACITY REQUIREMENTS AND SCHEDULING	5- I
5.1.1	Refuse Generation Rates and Design Capacity/Life	5-1
5.1.2	Slurry Impoundment Staging and Scheduling	5-2
5.1.3	Slurry Cell Staging	5-3
5.1.4	Non-impounding Refuse Embankment Staging	5-5
5.1.5	Amendments and Co-disposal of Combustion Waste	5-7
5.1.5.1	Amendments for Neutralization and Stabilization of Refuse	5-7
5.1.5.2	Co-disposal of Combustion Waste	5-7
5.2	EROSION AND SEDIMENTATION CONTROL AND DESIGN STORM RUNOFF MANAGEMENT	5-8
5.2.1	Erosion and Sedimentation Control	5-8
5.2.2	Slurry Impoundment Inflow Design Storm	5-9
5.2.3	Slurry Cell Facilities	5-9
5.2.4	Refuse Embankment Design Storm	5-11
5.3	FACILITY CONFIGURATION AND GEOMETRY	5-11
5.3.1	Regulatory Criteria	5-11
5.3.2	Embankment Design Considerations	5-11
5.3.2.1	Stability under Normal Operating Conditions	5-11
5.3.2.2	Stability under Extreme Events	5-12
5.3.2.3	Settlement and Subsidence	5-12
5.3.2.4	Environmental Issues, Impoundment Elimination and Site Reclamation	5-13
5.3.3	Impoundment Design Considerations	5-13
5.3.3.1	Settling and Clarification	5-13
5.3.3.2	Seepage Control and Containment	5-13
5.3.3.3	Spillway and Decant Systems	5-13
5.3.3.4	Subsidence and Breakthrough Potential	5-13
5.4	FOUNDATION AND MINE SUBSIDENCE CONSIDERATIONS	5-13
5.4.1	Foundation Materials	5-13
5.4.2	Abutment and Foundation Geometry	5-14
5.4.3	Mine Subsidence Potential	5-14
5.4.4	Impoundment Breakthrough Potential into Mine Workings	5-15
5.4.5	Mine Entry Barriers and Bulkheads	5-16
5.5	INTERNAL DRAINAGE AND EMBANKMENT SEEPAGE CONTROL	5-16
5.6	DECANT AND EMERGENCY SPILLWAY SYSTEMS	5-17
5.6.1	Decant Performance Considerations	5-17
5.6.2	Open-Channel Spillway Performance Considerations	5-18
5.7	SURFACE DRAINAGE CONTROLS	5-18

Impounding Embankments6-19

Homogeneous Embankments.......6-21

Embankment Construction Staging6-35

Upstream Method6-35

Embankments Supplemented with Borrow Material......6-39

6.3.1 6.3.1.1

6.3.1.2

6.3.1.3 6.3.2

6.3.3 6.3.4

6.3.4.1

6.3.4.2

6.3.4.3

6.3.4.4

6.3.5

6.3.6

6.4	SITE GEOTECHNICAL/GEOLOGICAL EXPLORATION	6-43
6.4.1	Background Data Sources	6-44
6.4.1.1	Topographic Maps	6-44
6.4.1.2	Geologic Maps and Publications	6-46
6.4.1.3	Agricultural Soil Surveys	6-47
6.4.1.4	Satellite Imagery, Aerial Photographs and Other Imagery	6-47
6.4.1.5	Past Investigations and Area Mining Plans	6-48
6.4.1.6	Individual Site Mapping	6-49
6.4.2	Surficial Reconnaissance and Geologic Mapping	6-49
6.4.3	Subsurface Exploration and In-Situ Test Planning	6-50
6.4.3.1	Program Planning	6-52
6.4.3.2	Subsurface Exploration and In-situ Test Methods and Applicability	6-54
6.4.3.3	Test Pits	6-55
6.4.3.4	Boring Methods and the Standard Penetration Test (SPT)	6-57
6.4.3.5	Undisturbed Soil Sampling	6-59
6.4.3.6	Rock Coring	6-59
6.4.3.7	Cone Penetrometer Test (CPT) and Piezocone Penetrometer Test (CPTu or PCPT)	6-61
6.4.3.8	Field Vane Shear Test (FVST)	6-63
6.4.3.9	Directional (Longhole) Drilling	6-66
6.4.3.10	Field Hydraulic Conductivity Tests	6-67
6.4.3.11	Groundwater-Level Measurements	6-68
6.4.3.12	Water Flow and Quality Tests	6-69
6.4.3.13	Backfilling of Boreholes	6-69
6.4.4	Geophysical Methods	6-70
6.4.4.1	Surficial Geophysical Techniques	6-71
6.4.4.1.1	Seismic Refraction	6-71
6.4.4.1.2	Seismic Reflection	6-74
6.4.4.1.3	B Electrical Resistivity	6-76
6.4.4.1.4	Spontaneous Potential (SP)	6-78
6.4.4.1.5	5 Electromagnetics (EM)	6-79
6.4.1.1.6	Ground Penetrating Radar (GPR)	6-80
6.4.4.1.7	7 Gravity	6-82
6.4.4.1.8	3 Magnetics	6-83
6.4.4.2	Borehole Geophysical Techniques	6-83
6.4.4.2.1	Crosshole and Downhole/Uphole Seismic Surveys	6-85
6.4.4.2.2	Video and Laser/Sonar Imaging	6-89
6.5	MATERIAL PROPERTY DETERMINATION THROUGH TESTING	6-90
6.5.1	Selection of Samples for Testing	6-91
6.5.1.1	Bulk and Disturbed Samples	6-91
6.5.1.2	Undisturbed Samples	6-95
6513	Reconstituted Samples	6-96

6.5.2	Classification and Index Property Tests	6-96
6.5.2.1	Moisture Content	6-97
6.5.2.2	Specific Gravity	6-100
6.5.2.3	Atterberg Limits	6-101
6.5.2.4	Particle-size Distribution	6-102
6.5.2.5	Chemical Characterization	6-104
6.5.3	Compaction and Density Tests	6-105
6.5.3.1	Fine-grained Soils and Coal Refuse	6-105
6.5.3.2	Coarse-Grained Soils and Coal Refuse	6-108
6.5.4	Hydraulic Conductivity Tests	6-109
6.5.5	Geosynthetic Materials Tests	6-111
6.5.6	Consolidation Tests	6-112
6.5.7	Shear Strength and Related Tests	6-116
6.5.7.1	Vane-Shear Test	6-120
6.5.7.2	Direct-Shear Test	6-120
6.5.7.3	Unconfined-Compression Test	6-122
6.5.7.4	Triaxial-Compression Test	6-124
6.5.8	Seismic Property Characterization	6-128
6.5.8.1	Cyclic-Triaxial Test	6-128
6.5.8.2	Cyclic Loading Followed by Monotonic Loading	6-128
6.5.8.3	Resonant-Column Test	6-129
6.5.9	Rock Property Tests	6-129
6.5.9.1	Point-Load Index Test	6-129
6.5.9.2	Unconfined Compressive Strength Test	6-132
6.5.9.3	Indirect Tensile Strength Test	6-133
6.5.9.4	Rock Durability	6-133
6.5.10	Structural Material Tests	6-135
6.5.10.1	Concrete	6-135
6.5.10.2	Controlled Low-Strength Materials (CLSM)	6-135
6.5.11	Verification of Test Results	6-137
6.6	GEOTECHNICAL ANALYSES	6-138
6.6.1	Analytical and Numerical Methods in Geotechnical Engineering	6-138
6.6.2	Seepage Analysis	6-139
6.6.2.1	Basic Assumptions, Conditions Requiring Seepage Analysis	6-139
6.6.2.2	Seepage Analysis Methods	6-142
6.6.2.2.1	Graphical (Flow Net) Approach	6-143
6.6.2.2.2	Analytical Solutions	6-144
6.6.2.2.3	Numerical Modeling Approach	6-145
6.6.2.3	Seepage Control Measures	6-146
6.6.2.3.1	Granular Drain and Filter Requirements	6-146
6.6.2.3.2	Geotextile-Wrapped Drains	6-149
6.6.2.3.3	Seepage Control along Conduits	6-156

6.6.2.3.4	Relief Wells	6-160
6.6.2.3.5	Horizontal Drains	6-161
6.6.2.3.6	Impoundment Liners	6-163
6.6.2.3.7	Foundation Seepage Cutoffs	6-164
6.6.2.3.8	Impoundment Water and Slurry Deposition Management	6-164
6.6.2.4	Seepage Measurements	6-164
6.6.3	Settlement Analysis	6-164
6.6.3.1	Conditions Requiring Deformation Analysis	6-164
6.6.3.2	Settlement and Deformation Analysis	6-167
6.6.3.3	Deformation Control Measures	6-170
6.6.3.4	Deformation Measurements	6-170
6.6.4	Slope Stability Analysis	6-171
6.6.4.1	Conditions Requiring Stability Analysis	6-171
6.6.4.2	Methods of Stability Analysis	6-173
6.6.4.2.1	Limit Equilibrium Stability Analysis	6-173
6.6.4.2.2	Stability/Deformation Analysis Using Finite Element Methods	6-181
6.6.4.3	Acceptable Factors of Safety	6-181
6.6.4.4	Stability Control Measures	6-184
6.6.4.5	Stability Measurements	6-185
6.6.5	Rock Excavations	6-185
6.6.5.1	Conditions Requiring Stability Analysis	6-185
6.6.5.1.1	Existing Ground Surface Slope	6-185
6.6.5.1.2	Overburden Soil Thickness, Type and Quality	6-185
6.6.5.1.3	Bedrock Surface Conditions	6-186
6.6.5.1.4	Rock Type, Quality and Configuration	6-187
6.6.5.1.5	Groundwater Conditions	6-189
6.6.5.1.6	Other Factors	6-189
6.6.5.2	Slope Stability Analysis	6-189
6.6.5.3	Stability Control Measures	6-191
6.6.5.4	Stability Measurements	6-193
6.6.6	Conduit Structural Design for Earthen Fill Loads	6-193
6.6.6.1	Conduit Types	6-194
6.6.6.1.1	Concrete	6-194
6.6.6.1.2	Thermoplastic	6-195
6.6.6.1.3	Metal	6-195
6.6.6.2	Soil-Structure Design	6-196
6.6.6.3	Conduit Installation and Design Details	6-201
6.6.6.3.1	Installation	6-201
6.6.6.3.2	Rigid Conduit Support	6-201
6.6.6.3.3	Flexible Conduit Support	
6.6.6.3.4	Watertightness	
6.6.7	Blasting Impacts	

Chapter 7

Seismic Design: Stability and Deformation Analyses

7.1	GENERAL	7-1
7.1.1	Design Approach	7-1
7.1.1.1	Seismic Instability	7-2
7.1.1.2	Excessive Deformations	7-3
7.1.2	Seismic Design Considerations and Flow Chart	7-3
7.1.3	Sand-Like Versus Clay-Like Material	7-9
7.1.4	Susceptibility to Strength Loss	7-11
7.1.5	Simplified Steps for Seismic Stability	7-12
7.1.5.1	Step 1	7-12
7.1.5.2	Step 2	7-12
7.1.5.3	Step 3	7-12
7.1.5.4	Step 4	7-12
7.1.5.5	Step 5	7-13
7.1.5.6	Step 6	7-13
7.2	TERMINOLOGY	7-14
7.3	CHARACTERIZATION OF SUBSURFACE CONDITIONS AND MATERIAL PROPERTIES	7-18
7.4	SEISMIC STABILITY ANALYSES	7-21
7.4.1	General Discussion	7-21
7.4.1.1	Triggering Analyses	7-21
7.4.1.2	Evaluation of Post-Earthquake Strength	7-22
7.4.1.3	Stability Analysis Using Post-Earthquake Strengths	7-23
7.4.2	Triggering Analyses	7-23
7.4.2.1	Pore-Pressure-Based Method for Triggering of Strength Loss in Clay-Like Material	7-23
7.4.2.2	Pore-Pressure-Based Method for Triggering of Strength Loss in Sand-Like Material	7-23
7.4.2.2.	1 Evaluation of Cyclic Stress Ratio (CSR)	7-25
7.4.2.2.	Evaluation of Cyclic Resistance Ratio (CRR)	7-28
7.4.2.2.	Correction Factors for Earthquake Magnitude, High Overburden, Sloping Ground and Age of Deposit	7-31
7.4.2.3	Strain-Based and Stress-Based Methods to Evaluate Triggering of Strength Loss	7-32
7.4.2.3.	1 Clay-Like Material: Strain-Based Method for Triggering	7-32
7.4.2.3.	2 Sand-Like Material: Strain-Based Method for Triggering	7-33
7.4.2.3.	3 Sand-Like Material: Stress-Based Method for Triggering	7-35
7.4.3	Evaluation of Post-Earthquake Strength	7-36
7.4.3.1	Correlations of SPT and CPT with S_{us} of Sand-Like Material	7-36
7.4.3.2	Laboratory Testing for Measuring Post-Earthquake Strength for Clay-Like Material and S _{ss} for Sand-Like Material	7-41
7.4.3.2.		
7.4.3.2.	Laboratory Testing of Soft Clay-like Material to Measure Post-Earthquake Strength	7-41
7.4.3.2.		

7.4.3.3	Field testing to Measure S _{us} of Soft Clay-Like Material	7-51
7.4.4	Analysis Steps	
7.4.4.1	Step 1 - Define Embankment Geometry	7-51
7.4.4.2	Step 2 - Screen for Potential Strength Loss	7-51
7.4.4.2.	1 Sand-Like Material	7-51
7.4.4.2.	2 Clay-Like Material	7-52
7.4.4.2.	3 Screening Results	7-54
7.4.4.3	Step 3 - Define Post-Earthquake Strengths for Limit Equilibrium Stability Analyses	7-54
7.4.4.4	Step 4 - Perform Initial Stability Analysis	7-56
7.4.4.5	Optional Step 5 - Perform More Detailed Evaluation of S_{us} for Sand-Like Material	7-57
7.4.4.6	Optional Step 6 - Perform Triggering Analysis	7-57
7.4.5	Comments on Methods for Evaluating Triggering and Strength	7-58
7.5	SEISMIC DEFORMATION ANALYSES	7-59
7.5.1	General Discussion	7-59
7.5.2	Preliminary Screening	7-61
7.5.3	Pseudo-Static Procedure for Screening	7-61
7.5.4	Newmark-Type Analysis (No Cyclic Mobility)	7-62
7.5.5	Numerical Modeling with No Cyclic Mobility	7-65
7.5.6	Numerical Modeling Considering Cyclic Mobility	7-65
7.5.7	Acceptable Deformations	7-66
7.6	EMBANKMENT MODIFICATIONS FOR IMPROVING STABILITY OR RESISTANCE TO	
	DEFORMATIONS	
7.7	SEISMIC HAZARD ASSESSMENT (SEISMICITY)	
7.7.1	Analytical Procedures	
7.7.1.1	Deterministic Seismic Hazard Analysis (DSHA)	
7.7.1.2	Probabilistic Seismic Hazard Analysis (PSHA)	
7.7.1.3	DSHA versus PSHA	
7.7.2	Seismotectonic Modeling	
7.7.2.1	Regional Tectonic Framework	
7.7.2.2	Historical Seismicity	
7.7.2.3	Selection of Seismic Sources	
7.7.2.4	Maximum Magnitude	
7.7.2.5	Earthquake Recurrence	
7.7.3	Design Ground Motion	
7.7.3.1	Selection of Design Earthquakes	
7.7.3.2	Ground Motion Attenuation	
7.7.3.3	Selection of Peak Ground Motion Parameters	
7.7.3.4	Selection of Acceleration Time Histories	
7.7.3.5	Applicability of Design Ground Motion	
7.7.3.6	Application of Seismic Parameters in Design Process	
7.7.3.7	Simplified Design Ground Motion for Areas of Low Seismic Hazard	
7.8	SFISMIC DESIGN OVERVIEW	7-88

APPENDIX 7A	DERIVATIONS OF BASIC F	DUATIONS FOR STEADY	/-STATE LABORATORY TESTING
		20/11/01/31/01/31/2/10/	

- APPENDIX 7B VOID-RATIO MEASUREMENTS DURING UNDISTRUBED TUBE SAMPLING AND LABORATORY TESTING
- APPENDIX 7C PROCEDURE FOR UNDISTURBED, FIXED-PISTON SAMPLING OF COHESIONLESS SOIL
- APPENDIX 7D COMBINING NEWMARK-TYPE DISPLACEMENTS COMPUTED USING 1D SITE-RESPONSE ANALYSIS

Chapter 8

Site Mining and Foundation Issues

8.1	GENERAL CONSIDERATIONS	8-2
8.2	Available Sources of Site Information	8-3
8.2.1	Mine Maps	8-3
8.2.2	Coal Contour Maps and Outcrops	8-4
8.2.3	Interpretation and Accuracy of Mine Maps	8-5
8.3	ON-SITE RECONNAISSANCE AND EXPLORATION	8-6
8.3.1	Surficial Reconnaissance	8-6
8.3.2	Geophysical Methods	8-7
8.3.3	Long-Hole Directional Drilling	8-7
8.3.4	Conventional Drilling and Sampling	8-7
8.4	EVALUATION OF MINE SUBSIDENCE AND BREAKTHROUGH	8-9
8.4.1	Mine Subsidence Considerations	8-10
8.4.2	Potential Subsidence and Failure Mechanisms	8-14
8.4.2.1	Sinkholes	8-15
8.4.2.2	Pillar Failure	8-18
8.4.2.3	Pillar Punching (Floor Failure)	8-19
8.4.2.4	Outcrop Barrier Failure by Shear or Punching	8-20
8.4.2.5	Internal Erosion	8-20
8.4.2.6	Bulkhead Failure	8-22
8.4.2.7	Trough Subsidence and Subsidence Cracks	8-22
8.4.2.8	Failures Related to Auger and Highwall Mining	8-23
8.4.2.9	Hillside Movement or Disturbance	8-24
8.4.2.10	Mine Blowout	8-24
8.4.2.11	Seismic and Blasting Events	8-24
8.4.3	Mine Subsidence Potential and Analysis	8-25
8.4.3.1	Pillar Evaluation and Analysis	8-25
8.4.3.2	Subsidence Evaluation and Analysis	8-28
8.4.3.3	Subsidence Damage Criteria	8-29
8.4.4	Mine Breakthrough Potential and Analysis	8-30
8.4.4.1	Outcrop Barriers	8-30
8.4.4.2	Overburden Barriers	8-33
8.5	SUBSIDENCE AND BREAKTHROUGH MITIGATION METHODS	8-34
8.5.1	Mine Subsidence and Breakthrough Mitigation	8-35

MAY 2009

8.5.1.1	Use of Safety Zones	8-35
8.5.1.2	Mine Backfilling	8-35
8.5.1.3	Stowing of Mine Openings and Associated Barrier Construction	8-36
8.5.1.4	Bulkhead Construction	8-38
8.5.1.5	Construction of Compacted Earthen Barriers on the Surface	8-39
8.5.1.6	Conversion to Slurry Cells	8-39
8.5.1.7	Sealing Sources of Leakage	8-40
8.5.1.8	Stabilization of Fines	8-40
8.5.1.9	Overexcavation and Induced Subsidence	8-41
8.5.1.10	Monitoring Provisions	8-42
8.5.2	Mine Entry Bulkhead Seal Design	8-42
8.5.2.1	Site Preparation	8-42
8.5.2.2	Bulkhead Types	8-43
8.5.2.3	Design Loads	8-47
8.5.2.4	Design of Solid Concrete Block Bulkheads	8-47
8.5.2.5	Design of Concrete Bulkheads	8-48
8.5.2.5.	1 Design of Reinforced-Concrete Bulkheads for Flexure	8-48
8.5.2.5.	2 Design of Unreinforced-Concrete Plug Bulkheads for Shear	8-49
8.5.2.5.	3 Design of Reinforced-Concrete Bulkheads for Shear	8-50
8.5.2.6	Monitoring of Bulkheads	8-51
8.6	FOUNDATION-RELATED CONSTRUCTION AND OPERATIONS MONITORING	8-52
8.7	MINE BACKFILLING DESIGN	8-53
8.8	SURFACE MINE SPOIL ISSUES	8-55
8.8.1	Surface Mine Spoil Characteristics	8-55
8.8.2	Design and Construction Considerations	8-56
8.9	SURFACE MINE HIGHWALL ISSUES	8-59
Chap	oter 9 Hydrology and	Hydraulics
9.1	GENERAL CONSIDERATIONS	9-2
9.2	HYDROLOGY AND HYDRAULICS PRINCIPLES	9-2
9.2.1	Basic Design Principles	9-5
9.2.2	Definition and Discussion of Key Runoff Elements	9-7
9.2.2.1	Watershed Boundary and Area	9-7
9.2.2.2	Precipitation	9-7
9.2.2.2.	1 Rainfall Curves	9-9
9.2.2.2.	2 Rainfall Intensity	9-9
9.2.2.3	Watershed Characteristics	9-10
9.2.3	Key Storage and Outflow Elements	9-11
9.2.3.1	Impoundment Capacity	9-11
9.2.3.2	Decants, Principal Spillways and Auxiliary Spillways	9-11
9.3	GENERAL CONSIDERATIONS FOR COAL REFUSE DISPOSAL FACILITIES	9-15

9.3.1	Special Characteristics	9-15
9.3.2	Site Conditions	
9.3.2.1	Topography	
9.3.2.1.1	Steep Terrain	
9.3.2.1.2	Gently Sloping Terrain	
9.3.2.1.3	Effects of Slope on Facility Staging	
9.3.2.2	Weather and Climate	
9.3.2.3	Geology	
9.3.3	Construction Materials	
	DESIGN CONSIDERATIONS FOR DISPOSAL FACILITY EMBANKMENT TYPES	
9.4.1	Non-Impounding Embankments	
9.4.1.1	Valley-Fill Embankments	
9.4.1.2	Side-Hill, Ridge and Heaped Embankments	
9.4.2	Slurry Cell Embankments	
9.4.3	Slurry Impoundments	
9.4.3.1	Cross-Valley Impoundment	
9.4.3.2	Diked Impoundment	
9.4.3.3	Incised Impoundment	
9.4.4	Other Impounding Structures	
9.4.4.1	Sedimentation and Treatment Ponds	
9.4.4.2	Fresh Water Impoundments	
9.5	DESIGN STORM CRITERIA	
9.5.1	Design Storms for Impoundments	9-29
9.5.1.1	General Considerations	
9.5.1.2	Recommended Design Storm Criteria	9-32
9.5.1.3	Size and Hazard-Potential Classification	
9.5.1.3.1	Impoundment-Size Classification	9-33
9.5.1.3.2	Hazard-Potential Classification	9-33
9.5.1.4	Determination of Design Storm Precipitation	9-34
9.5.1.4.1	Prediction of the PMP and PMTS	9-34
9.5.1.4.2	Prediction of the 100-year and Lesser Design Storms	9-35
9.5.2	Special Considerations for Short-Term Conditions	
9.5.3	Hydraulic Design Criteria for Drainage Conveyance Installations	9-37
9.6	DETERMINATION OF RUNOFF QUANTITIES	9-38
9.6.1	Basic Hydrology Parameters	9-38
9.6.1.1	Precipitation Intensity-Duration and Distribution	9-38
9.6.1.2	Unit Hydrographs and Time of Concentration	9-40
9.6.1.2.1	Snyder Unit Hydrograph	9-41
9.6.1.2.2	Clark Unit Hydrograph	9-42
9.6.1.2.3	SCS Dimensionless Unit Hydrograph	9-42
9.6.1.3	Precipitation-Runoff Relationship	9-46
9.6.1.3.1	General Rainfall Conditions	9-46

9.6.1.3.2	Thunderstorm Rainfall Conditions	9-49
9.6.1.4	Channel and Impoundment Storage Characteristics	9-52
9.6.2	Runoff Determination: Hydrograph Method	9-54
9.6.3	Peak Runoff Determination – Key Parameters Method	9-55
9.6.4	Runoff Determination – Rational Method	9-58
9.7	DESIGN OF OUTFLOW SYSTEMS	9-60
9.7.1	Basic Considerations	9-61
9.7.2	Hydraulic System Components	9-63
9.7.2.1	Inlets	9-63
9.7.2.2	Transport Sections	9-67
9.7.2.2.1	Open-Channel Flow	9-67
9.7.2.2.2	Pressure Flow	9-72
9.7.2.3	Outlets	9-81
9.7.3	Special Design Considerations	9-83
9.7.3.1	Channel Freeboard	9-83
9.7.3.2	Erosion Protection	9-83
9.7.3.2.1	Grass-Lined Channels	9-86
9.7.3.2.2	Riprap-Lined Channels	9-86
9.7.3.2.3	Grouted-Riprap Channels	9-90
9.7.3.2.4	Concrete-Lined Channels	9-92
9.7.3.2.5	Commercially Available Composite Erosion Control Products	9-93
9.7.3.3	Cavitation	9-93
9.7.3.4	Directional Changes in Open-Channel Flow	9-94
9.7.3.5	Directional Changes in Conduit Flow	9-94
9.7.3.6	Materials Selection	9-95
9.7.3.6.1	Open-Channel Lining Systems	9-95
9.7.3.6.2	Conduit Materials	9-95
9.7.4	Types of Hydraulic Systems	9-95
9.7.4.1	Decant Systems	9-96
9.7.4.1.1	Inlet	9-96
9.7.4.1.2	Transport Section	9-98
9.7.4.2	Overflow Spillway Systems	9-99
9.7.4.3	Diversion and Collection Ditches	9-110
9.7.4.4	Culverts	9-110
9.7.4.5	Natural Streams	9-110
9.8 F	RESERVOIR ROUTING	9-111
9.8.1	Basic Routing Methodology	9-111
9.8.2	Basic Routing Parameters	
9.9 [DAM BREACH ANALYSIS AND INUNDATION MAPPING	9-113
9.9.1	Background	
9.9.2	Failure Scenarios	
9.9.3	Analytical Methods	9-115

9.9.4 Input Data	9-116
9.9.4.1 Breach Parameters	
9.9.4.2 Initial Conditions	9-118
9.9.4.3 Flow Channel Geometry and Roughness	9-118
9.9.5 Results of Analysis/Inundation Mapping	
9.9.6 Sensitivity Analyses	
9.9.7 Hazard Classification	
Chapter 10 Env	ironmental Considerations
10.1 STREAMS AND WETLANDS	10-1
10.2 AIR QUALITY	
10.2.1 Dust Control	
10.2.2 Combustion Control	
10.2.3 Refuse Fire Extinguishment	
10.2.3.1 Excavation and Removal	
10.2.3.2 Surface Treatment	10-8
10.2.3.3 Water and Slurry Injection	
10.3 WATER QUALITY	
10.3.1 Erosion and Sedimentation	10-10
10.3.1.1 Prevention	10-10
10.3.1.2 Control	10-11
10.3.1.2.1 Sedimentation Ponds	10-11
10.3.1.2.2 Sediment Traps and Check Dams	10-12
10.3.1.2.3 Silt Fences	10-12
10.3.1.2.4 Erosion Control Blankets and Reinforcement Mats	10-12
10.3.1.2.5 Vegetation	10-12
10.3.2 Acid Generation and Control	10-12
10.3.2.1 Background	10-13
10.3.2.2 Grading, Compaction and Sealing	10-13
10.3.2.3 Amendments	10-13
10.3.2.4 Reclamation and Vegetative Cover	10-15
10.3.3 Water Quality Control	10-15
10.3.3.1 Diversion of Runoff	10-15
10.3.3.2 Treatment	10-15
10.3.4 Water Quality Impacts on Construction Materials	10-16
10.3.5 Hydrogeology	10-17
10.4 LINER SYSTEMS	10-19
10.4.1 Design Requirements	10-20
10.4.2 Stability	10-23
10.4.3 Performance Considerations	10-24
10.5 RECLAMATION	10-26

10.5.1	Design Considerations	10-26
10.5.2	Grading	
10.5.3	Impoundment Elimination	
10.5.4	Soil and Topsoil Cover	
10.5.5	Vegetation	
10.5.5	vegetation	10 30
Chapt	ter 11 Construction and Dispo	osal Operations
11.1	DPERATIONAL PLANS AND CONSTRUCTION DOCUMENTS	11-1
11.1.1	Design Report	11-3
11.1.2	Construction Drawings	11-4
11.1.2.1	Title Sheet and Existing Conditions Plans	11-4
11.1.2.2	Initial Site Development Plans	11-5
11.1.2.3	Refuse Embankment Construction Plan Views	11-6
11.1.2.4	Cross Sections and Profiles	11-6
11.1.2.5	Detailed Plan Views and Cross Sections	11-8
11.1.2.6	Miscellaneous Details and Information	11-8
11.1.3	Technical Specifications	11-9
11.1.4	Operation and Maintenance Plan	11-11
11.1.5	Calculation Brief	11-13
11.2 F	PLANNING AND SCHEDULING	11-14
11.2.1	Planning of Coal Refuse Disposal Operations	11-14
11.2.1.1	Long-Term Planning	11-15
11.2.1.2	Short-Term Planning	11-16
11.2.2	Scheduling Methods and Application	11-17
11.2.2.1	Scheduling Data	11-17
11.2.2.2	Applicability of Scheduling Techniques	11-18
11.3 F	REFUSE TRANSPORT	11-19
11.3.1	Trucks and Scrapers	11-20
11.3.2	Conveyor Belt Systems	11-20
11.4 H	HANDLING EQUIPMENT	11-21
11.4.1	Loading and Hauling Equipment	11-21
11.4.2	Spreading Equipment	11-22
11.4.3	Compaction Equipment	11-23
11.4.4	Use of Handling Equipment for Related Activities	
11.5	CONSTRUCTION AND PLACEMENT OF EMBANKMENT MATERIALS	
11.5.1	Embankment Fill	
11.5.2	Upstream Construction Implementation Procedure	
11.5.3	Excess Coarse Refuse/Inclement Weather Disposal	
11.5.4	Disposal of Fine Refuse Slurry	
11.5.5	Disposal of Combined Refuse	
11.5.6	Use of Amendments	

11.6 RELATED ACTIVITIES	11-38
11.6.1 Haul and Access Road Construction and Maintenance	11-39
11.6.2 Liner Systems	11-39
11.6.3 Embankment Foundation Preparation	11-40
11.6.3.1 Clearing and Topsoil Stockpiling	11-40
11.6.3.2 Soft Soil Foundations	11-40
11.6.3.3 Competent Soil Foundations	11-40
11.6.3.4 Rock Foundations	11-40
11.6.3.5 Mine Spoil	11-41
11.6.4 Water Control	11-41
11.6.5 General Excavation	11-43
11.6.6 Embankment Fill Constructed from On-Site Borrow Materials	11-43
11.6.6.1 Clayey and Silty Borrow Materials	11-43
11.6.6.2 Rock and Granular Borrow Materials	
11.6.6.3 Use of Mine Spoil	
11.7 FACILITY APPURTENANT STRUCTURES	
11.7.1 Material Requirements	11-46
11.7.2 Filters and Drains	
11.7.2.1 Granular and Geotextile Filters	
11.7.2.2 Granular Underdrains	11-51
11.7.2.3 Drainage Pipe	
11.7.3 Culverts and Decants	
11.7.4 Concrete Structures	
11.7.5 Gates, Valves, Pipelines and Other Metal Work	
11.7.6 Support Structures	
11.7.7 Mine-Opening and Auger-Hole Seals and Drains	
11.8 QUALITY CONTROL AND FIELD TESTING	
11.8.1 Compaction Control	
11.8.2 Material Testing	11-58
Chapter 12 Monitoring, Inspe	ections and
Facility Ma	aintenance
12.1 MONITORING AND INSPECTIONS	12-2
12.1.1 Monitoring and Inspection Objectives	12-3
12.1.2 Visual Observations	12-4
12.1.2.1 Schedule and Checklist for Visual (and Other) Observations	
12.1.2.2 Facility Development	12-8
12.1.2.2.1 Site Preparation	12-8
12.1.2.2.2 Starter Embankment and Internal Drains	12-8
12.1.2.2.3 Decant Pipes	12-12
12.1.2.2.4 Channel Construction	12-12

12.1.2.	2.5	Instrumentation	12-12
12.1.2.	2.6	Reclamation	12-12
12.1.2.	3 Ac	ljoining Area Conditions	12-13
12.1.2.	3.1	Sloughing or Sliding	12-13
12.1.2.	3.2	Signs of Subsidence	12-13
12.1.2.	3.3	Evidence of Erosion	12-13
12.1.2.	3.4	Springs or Seepage Areas	12-13
12.1.2.	3.5	Changes in Vegetation	12-14
12.1.2.	4 Ot	ther Development Work	12-14
12.1.2.	4.1	Upstream Development	12-14
12.1.2.	4.2	Downstream Development	12-14
12.1.2.	4.3	Disposal of Materials Other than Coal Refuse	12-14
12.1.2.	5 Re	efuse Disposal Operations and Maintenance	12-14
12.1.2.	5.1	Refuse Placement and Compaction	12-14
12.1.2.	5.2	Working Surface Maintenance	12-15
12.1.2.	5.3	Embankment Crest Conditions	12-15
12.1.2.	5.4	Embankment Slope Conditions	12-15
12.1.2.	5.5	Liner, Foundation and Abutment Conditions	12-17
12.1.2.	5.6	Internal Drains	12-17
12.1.2.	5.7	Decant Pipe	12-17
12.1.2.	5.8	Channel Conditions	12-18
12.1.2.	5.9	Instrumentation	12-21
12.1.2.	5.10	Reclaimed Slopes	12-21
12.1.3	Qı	uality Control Sampling and Testing	12-21
12.2	MOI	NITORING INSTRUMENTATION	12-22
12.3	FAC	ILITY AND DAM SAFETY INSPECTIONS	12-24
12.3.1	Ro	outine Inspections	12-24
12.3.1.	1	Impoundments and Dams	12-24
12.3.1.	2	Non-Impounding Facilities	12-27
12.3.2	Ev	rent-Related Inspections	12-27
12.3.3	Ar	nnual Dam Safety Inspections	12-27
12.4	CER	TIFICATION AND CONFORMANCE REPORTING	12-28
12.5	MAI	NTENANCE	12-29
12.5.1	Ro	outine Maintenance	12-29
12.5.2	M	aintenance after Unusual Events	12-30
12.5.3	Lo	ng-Term Maintenance	12-30
Cha	oter	13	Instrumentation and
			Performance Monitoring
13.1	INST	FRUMENTATION PROGRAM PLANNING	13-1
13.2		ASUREMENT TECHNIQUES	

13.2.1 Movements and Displacements	13-3
13.2.1.1 General Observations	13-3
13.2.1.2 Movement Measurement Techniques	13-8
13.2.1.2.1 Surveying Methods	13-8
13.2.1.2.2 Surface Extensometers	13-16
13.2.1.2.3 Tiltmeters	13-16
13.2.1.2.4 Probe Extensometers	13-18
13.2.1.2.5 Fixed Embankment Extensometers	13-19
13.2.1.2.6 Fixed Borehole Extensometers	13-20
13.2.1.2.7 Inclinometers	13-21
13.2.2 Piezometric Levels and Pore-Water Pressures	13-23
13.2.2.1 Piezometer Types	13-23
13.2.2.2 Observation Wells	13-24
13.2.2.3 Open-Standpipe Piezometers	13-25
13.2.2.4 Closed-System Piezometers	13-29
13.2.3 Surface Water Flows and Hydrologic Parameters	13-31
13.2.3.1 Measurement of Impoundment Water Level	13-31
13.2.3.2 Measurement of Seepage Flows and Other Surface Water Flows	13-32
13.2.3.2.1 Importance of Seepage Flows	13-32
13.2.3.2.2 Measurement of Seepage Flow Rates	13-34
13.2.3.3 Measurement of Rainfall and Snowfall	13-36
13.2.3.4 Observation of Temperature and General Weather Conditions	13-36
13.2.4 Miscellaneous Instrumentation and Monitoring	13-36
13.2.4.1 Measurement of Soil Pressure	13-36
13.2.4.2 Measurement of Blast Vibrations	13-39
13.2.4.3 Measurement of Temperature	13-41
13.3 INSTRUMENTATION MAINTENANCE	13-41
13.3.1 Importance of Maintenance and Recalibration	13-41
13.3.2 Recalibration and Maintenance during Service Life	13-42
13.4 AUTOMATED DATA ACQUISITION	13-42
13.5 INSTRUMENTATION COSTS	13-42
APPENDIX 13A MEASUREMENTS, TRANDUCERS AND DATA-ACQUISITION SYSTEMS	
Chapter 14 Emergency Action F	Planning
14.1 PURPOSE	1.4-1
14.1 PURPOSE	
14.2.1 Background	
14.2.2 Federal Guidelines for Dam Safety	
14.2.3 Basic Elements of an EAP	
14.2.4 Dam Inspection and Inundation Area Reconnaissance	
·	
14.2.4.1 Dam Inspection	, 14-4

xxiv MAY 2009

Engineering and Design Manual Coal Refuse Disposal Facilities

14.2.4.2	Downstream Channel Reconnaissance	14-5
14.2.4.3	Physical Description	14-5
14.2.5	Inundation Map Preparation	14-5
14.2.5.1	Causes of Dam Failures	14-5
14.2.5.2	Dam Breach Analysis	14-6
14.2.5.3	Inundation Map	14-6
14.2.6	Participant Responsibilities	14-6
14.2.7	Implementation Triggers and Emergency Responses	14-7
14.2.8	Notification Requirements	14-9
14.2.9	EAP Public Copies	
14.2.10	Exercises/Training	14-9
14.2.11	Plan Maintenance	14-10
14.2.12	EAP Appendices	14-11
14.3 I	PREPARATION FOR POTENTIAL EMERGENCY REMEDIAL ACTIONS	14-11
14.3.1	Potential Overtopping During a Storm	
14.3.2	Movement or Sliding of the Embankment	14-12
14.3.3	Internal Erosion or Piping through the Dam, Foundation or Abutments	14-12
14.3.4	Excessive Seepage and a High Level of Saturation in the Embankment	14-13
14.3.5	Spillway Failure or Erosion that Could Cause a Dam Breach	14-13
14.3.6	Excessive Settlement or Subsidence of the Embankment	14-13
14.3.7	Formation of a Sinkhole on the Crest or Face of the Dam	14-14
14.3.8	Earthquake	14-14

Table of Contents		
iable of Contents		

xxvi MAY 2009

List of Tables

TABLE NO.	TITLE	PAGE NO.
2.1	Classification of Coals by Rank	2-3
2.2	Coal Refuse Disposal Facility Failures and Incidents	2-13
3.1	Guidance for Flood Warning Systems at Surface Mine Pits	3-24
4.1	Coal Refuse Disposal Facility Cost Components	4-5
4.2	Planning Steps for Coal Refuse Facility Design	4-8
4.3	Typical Design Sequence	4-9
6.1	Typical Geotechnical Design Procedure for Coal Refuse Disposal Facilities	6-3
6.2	Basic Characteristics of Coal Refuse Disposal and Design Significance	6-5
6.3	Coarse Coal Refuse Characterization Summary of Average/Range of Values	6-9
6.4	Fine Coal Refuse Characterization Summary of Average/Range of Values	6-11
6.5	Combined Coal Refuse Characterization	6-12
6.6	Correlation Between USCS Classification and Properties of Compacted Soils	6-14
6.7	Correlation between USCS Classification and Relative Desirability of Soils as Compacted Fill	6-15
6.8	Approximate Correlation Between Engineering Properties and Soil Classification Groups	6-16
6.9	Class F Fly Ash	6-17
6.10	Class C Fly Ash	6-17
6.11	Fly Ash/Coal Refuse Mixture Properties	6-18
6.12	Advantages and Disadvantages of Internal Drain Types	6-23
6.13	Relative Advantages of Vertical and Sloping Embankment Cores	6-25
6.14	Clay Dispersion Potential	6-28
6.15	Guideline Subsurface Exploration Program for a New Impounding Embankment	6-54
6.16	Guideline Subsurface Exploration Program for a New Embankment without an Impoundment	6-55
6.17	Guideline Subsurface Exploration Program for An Existing Embankment	6-56

MAY 2009 xxvii

TABLE NO.	TITLE	PAGE NO.
6.18	Common Sampling Methods	6-57
6.19	Advantages and Limitations of the Standard Penetration Test	6-59
6.20	Advantages and Limitations of the Cone Penetrometer Test	6-62
6.21	Advantages and Limitations of the Field Vane Shear Test	6-65
6.22	Field Methods for Measurement of Hydraulic Conductivity	6-68
6.23	Advantages and Limitations of Surface Geophysical Testing	6-71
6.24	Surface Geophysical Methods in Relation to Typical Investigation Objectives	6-72
6.25	Physical Properties and Typical Ground Penetrating Radar Velocities for Common Earth Materials	6-82
6.26	Applicability of Common Borehole Geophysical Methods	6-87
6.27	Typical Soil and Rock Laboratory Tests for Coal Refuse Disposal Site Characterization	6-92
6.28	Typical Laboratory Soil Tests for Various Materials	6-94
6.29	Guidelines for Minimum Sample Weights	6-96
6.30	Soil Classification Chart (Laboratory Method)	6-98
6.31	In-Place Unit Weight and Specific Gravity of Coarse Coal Refuse	6-100
6.32	Unit Weight and Specific Gravity for Fine Coal Refuse	6-101
6.33	Statistical Properties for Atterberg Limits and Moisture Contents of Fine Coal Refuse at Northern Appalachian Sites	6-103
6.34	Particle-Size Distribution for Fine Coal Refuse	6-105
6.35	Test Methods for Chemical Characterization of Soil, Rock and Refuse Materials	6-106
6.36	Estimated Horizontal Hydraulic Conductivity of Fine Coal Refuse Based on Piezocone Dissipation Tests	6-111
6.37	Methods for Quality Control Testing of Geotextiles	6-113
6.38	Methods for Quality Control Testing of Geomembranes	6-114
6.39	Methods for Quality Control Testing of Geosynthetic Clay Liners	6-115
6.40	Laboratory Tests for Determining Soil Shear Strength	6-121
6.41	Summary of Fine Coal Refuse Shear Strength Parameters Based on Triaxial Test Results	6-127
6.42	Standards and Procedures for Laboratory Testing of Intact Rock	6-131
6.43	Slake Durability Classification	6-136
6.44	Quality Control Standards for Portland-Cement Concrete	6-136
6.45	Quality Control Standards for CLSM	6-136
6.46	CLSM Mix Design Guide	6-137

xxviii MAY 2009

TABLE NO.	TITLE	PAGE NO.
6.47	Filter Criteria As A Function of Base Soil and Percent Passing No. 200 Sieve	6-148
6.48	Restrictions on Filter Particle Size to Limit Segregation	6-148
6.49	Guidelines for Evaluating Critical Nature of Severity for Drainage Applications	6-153
6.50	Geotextile Strength Property Requirements for Drainage Geotextiles	6-155
6.51	Recommended Minimum Properties for General Geomembrane Installation Survivability	6-163
6.52	Stress-Strain Relationships Used for Finite Element Deformation Analyses of Embankments and Foundations	6-169
6.53	Characteristics of Equilibrium Procedures for Slope Stability Analysis	6-174
6.54	Shear Strengths, Water Pressures, and Unit Weights for Slope-Stability Analyses	6-177
6.55	Guideline Friction Values and Efficiencies for Various Geosynthetic and Soil Combinations	6-178
6.56	Recommended Minimum Factors of Safety for Design of Coal Refuse Embankments	6-183
6.57	Common Residential Velocity Criteria and Effects	6-207
7.1	Comparison of Basic Criteria for Sand-Like, Clay-Like and Borderline Materials	7-14
7.2	References for Correlations of S_{US} with SPT and CPT Data	7-36
7.3	Correlations of S_{us}/σ_v versus SPT and CPT Data Back-Calculated from Case Histories	7-38
7.4	Upper-Bound Values of S_{US} for Corresponding Values of $N_{1,60}$	7-45
7.5	Error in Void Ratio and Corresponding Percent Error in S_{US}	7-49
7.6	MDE and Seismic Hazard Assessment Recommendations	7-72
7.7	Safe Shutdown Earthquake (SSE) Peak Horizontal Ground Accelerations for U.S. Nuclear Power Plants	7-85
8.1	Sources of Information for Evaluation of Breakthrough Potential	8-4
8.2	Sources for Mine Maps	8-5
8.3	Exploration Considerations for Assessing Impoundment Breakthrough Potential To Underground Mines	8-8
8.4	Outcrop Barrier Exploration Considerations	8-9
8.5	Summary of Guidelines for Mining Under Or Near Bodies of Water	8-11
8.6	Guidelines for Cement Grout Programs	8-63
9.1	Hydrologic and Hydraulic Design Procedures for Coal Refuse Disposal Facilities	9-3
9.2	Hydrologic and Hydraulic Design Considerations for Coal Refuse Disposal Facilities	9-6
9.3	Facility Characteristics Influencing Hydraulic System Design	9-15
9.4	Recommended Minimum Design Storm Criteria for Coal Refuse Disposal Impoundments	9-30

MAY 2009 xxix

TABLE NO.	TITLE	PAGE NO.
9.5	NWS Precipitation Frequency Publications	9-37
9.6	Typical Design Criteria for Minor Hydraulic Structures	9-38
9.7	Methods for Determining Runoff Rate and Volume	9-39
9.8	Recommended Correction Factors for T_c for Watersheds West of the 105^{th} Meridian	9-43
9.9	Roughness Coefficients (Manning's n) for Sheet Flow	9-44
9.10	Runoff Curve Numbers for Watershed Complexes and AMC-II	9-50
9.11	Runoff Curve Numbers (CN) for Antecedent Moisture Conditions	9-52
9.12	Runoff Coefficients for Use in the Rational Method	9-60
9.13	Manning's Coefficients of Channel Roughness	9-72
9.14	Head Loss Coefficients for Conduits	9-77
9.15	References for Secondary Hydraulic Design Issues	9-81
9.16	Permissible Velocity and Tractive Force for Channel Linings	9-85
9.17	Vegetal Retardance Classes	9-87
9.18	Riprap Size Designation	9-89
9.19	Recommended Grading of Grouted Rock Riprap Lining	9-91
9.20	Inundation Analysis Software	9-115
9.21	Hazard Potential Classifications	9-119
10.1	Fire Extinguishment Techniques	10-7
10.2	Summary of Suggested Criteria for Interpreting Acid-Base Accounting	10-14
10.3	Chemical Compounds Used in AMD Treatment	10-16
10.4	Design Considerations for AMD Passive Treatment Systems	10-17
10.5	Overview of the Hydrogeologic Process	10-18
10.6	Site Specific Factors to Consider in Liner System Design	10-19
10.7	Available Materials or Procedures for Liner System Components	10-21
10.8	Stability Considerations in Liner Design	10-24
10.9	Liner System Performance Factors and Considerations	10-25
10.10	Potential Final Land Uses	10-26
10.11	Design Considerations for Reclamation Soils	10-27
10.12	Summary of Reclamation Guidelines	10-30
10.13	Characteristics of Common Species Potentially Suitable for Reclamation	10-31
11.1	Refuse Disposal Operations	11-2
11.2	Transport Systems and Associated Handling Equipment at the Point of Disposal	11-22

xxx MAY 2009

TITLE	PAGE NO.
Compaction Capabilities of Transport and Spreading Equipment	11-24
Compaction Guide for Material Types	11-28
Suggested Compaction Equipment and Methods	11-30
Effects of Corrosion and Countermeasures	11-47
Typical Observation and Inspection Checklist	12-9
Field Quality Control Testing Summary	12-25
Instrumentation Planning and Design Steps	13-3
Performance Questions for Slurry Impoundments	13-4
Summary of General Methods for Detecting Embankment Movements and Displacements	13-6
Instrument Categories for Measuring Movements	13-9
Surveying Methods	13-12
Instruments for Measuring Ground-Water Pressure	13-24
Cement-Bentonite Grout Mix	13-26
Guidance for Accurate Weir Flow Measurement	13-39
Historical U.S. Dam Failures	14-2
Guidance for EAP Events and Situations	14-8
	Compaction Capabilities of Transport and Spreading Equipment Compaction Guide for Material Types Suggested Compaction Equipment and Methods Effects of Corrosion and Countermeasures Typical Observation and Inspection Checklist Field Quality Control Testing Summary Instrumentation Planning and Design Steps Performance Questions for Slurry Impoundments Summary of General Methods for Detecting Embankment Movements and Displacements Instrument Categories for Measuring Movements Surveying Methods Instruments for Measuring Ground-Water Pressure Cement-Bentonite Grout Mix Guidance for Accurate Weir Flow Measurement Historical U.S. Dam Failures

MAY 2009 xxxi

List of Tables		
LICT OF LADIDS		

xxxii MAY 2009

List of Figures

FIGURE NO.	TITLE	PAGE NO.
2.1	Coarse Coal Refuse Embankment and Sample Gradation	2-8
2.2	Fine Coal Refuse Slurry Characteristics	2-9
2.3	Combined Coal Refuse Materials	2-10
3.1	Cross-Valley Impounding Embankment	3-5
3.2	Incised Impounding Facility	3-6
3.3	Side-Hill Impounding Embankment	3-7
3.4	Diked-Pond (Impounding) Embankment	3-8
3.5	Upstream Staging Method	3-8
3.6	Downstream Staging Method	3-9
3.7	Centerline Staging Method	3-9
3.8	Valley-Fill, Non-Impounding Embankment	3-12
3.9	Cross-Valley, Non-Impounding Embankment	3-12
3.10	Side-Hill, Non-Impounding Embankment	3-13
3.11	Ridge (Non-Impounding) Embankment	3-14
3.12	Heaped (Non-Impounding) Embankment	3-15
3.13	Slurry Cell in Valley Fill, Non-Impounding Embankment	3-16
3.14	Slurry Cell, Side-Hill, Non-Impounding Embankment	3-17
3.15	Slurry Cells in Cross-Valley Fill, Impounding Embankment	3-19
5.1	Typical Slurry Impoundment Components	5-4
5.2	Typical Slurry Cell Facility (Impounding Embankment)	5-5
5.3	Typical Refuse Embankment Components	5-6
5.4	Illustration of Impoundment Design Storm Control	5-10
5.5	Underground Mining at Slurry Impoundment	5-16
6.1	Drain Configurations for Homogeneous Embankments with Impoundments	6-22

MAY 2009 xxxiii

FIGURE NO.	TITLE	PAGE NO.
6.2	Zoned Embankments with Impoundments	6-24
6.3	Resistance of Core Materials to Piping and Cracking	6-27
6.4	Seepage Cutoffs for Pervious Foundations	6-29
6.5	Impoundment Internal Drain Concept	6-30
6.6	Non-Impounding Embankments	6-32
6.7	Example Spring Collection Zones and Rock Underdrain	6-33
6.8	Upstream Construction Following Initial Development	6-35
6.9	Downstream Embankment Construction Followed by Expansion Using the Downstream and Upstream Methods	6-38
6.10	Internal Drainage Systems for Existing Impounding Embankments	6-42
6.11	Flow Chart for Site Exploration, Material Property Testing, and Facility Design	6-45
6.12	Piezocone Penetrometer	6-62
6.13	Field Vane Shear Test Setup	6-64
6.14	Vane Correction Factor	6-66
6.15	Typical Seismic Refraction Data with Interpretation	6-73
6.16	Correlation of Rippability with P-Wave Velocity for Caterpillar D-9	6-74
6.17	Seismic Reflection Principle and Schematic of Reflection Data Record	6-75
6.18	Seismic Reflection Survey Profile Over Abandoned Coal Mine Workings	6-76
6.19	Commonly Used Electrode Configurations for Ground Electrical Measurements	6-77
6.20	Resistivity Profile Across Fine Coal Refuse Impoundment	6-77
6.21	Electrical Survey of Flooded Mine Workings	6-78
6.22	Illustration of Use of SP Method to Identify Area of Seepage	6-79
6.23	Delineation of Flooded Mine Workings with TDEM Method	6-81
6.24	Resistivity of Coal Refuse from EM-31 Measurements	6-81
6.25	GPR Record of Shallow Coal Mine Workings	6-83
6.26	Theoretical Response of Gravity Geophysical Method Over 20-Foot-Diameter, Air-Filled Tunnel	6-84
6.27	Magnetic Intensity Recorded at Various Heights Above Well Casing	6-86
6.28	Field Setup for Crosshole Seismic Survey	6-88
6.29	Field Setup for Downhole Seismic Survey	6-89
6.30	Image of Mine Entry From Borehole Laser Scanner	6-90
6.31	Laser Image of Mine Workings	6-91
6.32	Plasticity Chart	6-99

xxxiv MAY 2009

IGURE NO.	TITLE	PAGE NO.
6.33	Effect of Carbon Content on Specific Gravity of Coal Refuse Material	6-102
6.34	Particle Size Distribution	6-103
6.35	Typical Moisture-Density Relationships for Dynamic Compaction	6-107
6.36	Particle-Size Distribution of Coarse Coal Refuse After Compaction	6-108
6.37	Results of Consolidation Test on Fine Coal Refuse	6-116
6.38	Effective Stress Mohr's Circle for CU Triaxial Test	6-118
6.39	Effective Stress Paths and Failure Envelope for CU Triaxial Test	6-119
6.40	Direct Shear Testing Arrangement	6-122
6.41	Results of Drained Direct Shear Test on Clay	6-123
6.42	Unconfined Compression Test Results	6-124
6.43	Variation of Strength of Fine Coal Refuse with Fines Content	6-127
6.44	Typical Results for Resonant Column Test on Fine Coal Refuse	6-130
6.45	Point-Load Test Apparatus	6-132
6.46	Rotating Drum Assembly and Setup of Slake Durability Equipment	6-134
6.47	Approximation for Estimated Reduction in Hydraulic Conductivity Under Turbulent Flow	6-142
6.48	Flow Net Analysis	6-144
6.49	Flow Net Analysis for Anisotropic Conditions	6-145
6.50	Filter Diaphragm Design for Conduit	6-158
6.51	Example Design Configuration for Filter Diaphragm and Decant Pipe	6-159
6.52	Typical Relief Well Installation	6-161
6.53	Example Horizontal Drain Installation	6-162
6.54	Cracking Patterns Observed for Dams in Narrow Valleys	6-167
6.55	Histogram of Factor of Safety Distribution	6-180
6.56	Horizontal and Vertical Extent of Cuts for Base Width of 10 Feet	6-186
6.57	Schematic Geological Profile of A Bedrock Slope	6-187
6.58	Unfavorable Orientation of Bedding Planes	6-188
6.59	Favorable Orientation of Bedding Planes	6-190
6.60	Stepped Slope Example for Cuts in Weathered Rock	6-191
6.61	Examples of Rock-Cut Control	6-192
6.62	Deformations Associated With Conduits In Embankments	6-198
6.63	Reinforced Concrete Cylinder Pipe (RCCP) Details	6-204
6.64	Prestressed Concrete Cylinder Pipe (PCCP) Details (Lined Cylinder)	6-205
	NO. 6.33 6.34 6.35 6.36 6.37 6.38 6.39 6.40 6.41 6.42 6.43 6.44 6.45 6.46 6.47 6.48 6.49 6.50 6.51 6.52 6.53 6.54 6.55 6.56 6.57 6.58 6.59 6.60 6.61 6.62 6.63	NO. ITTLE 6.33 Effect of Carbon Content on Specific Gravity of Coal Refuse Material 6.34 Particle Size Distribution 6.35 Typical Moisture-Density Relationships for Dynamic Compaction 6.36 Particle-Size Distribution of Coarse Coal Refuse After Compaction 6.37 Results of Consolidation Test on Fine Coal Refuse 6.38 Effective Stress Mohr's Circle for CU Triaxial Test 6.39 Effective Stress Paths and Failure Envelope for CU Triaxial Test 6.39 Effective Stress Paths and Failure Envelope for CU Triaxial Test 6.40 Direct Shear Testing Arrangement 6.41 Results of Drained Direct Shear Test on Clay 6.42 Unconfined Compression Test Results 6.43 Variation of Strength of Fine Coal Refuse with Fines Content 6.44 Typical Results for Resonant Column Test on Fine Coal Refuse 6.45 Point-Load Test Apparatus 6.46 Rotating Drum Assembly and Setup of Slake Durability Equipment 6.47 Approximation for Estimated Reduction in Hydraulic Conductivity Under Turbulent Flow 6.48 Flow Net Analysis 6.49 Flow Net Analysis for Anisotropic Conditions 6.50 Filter Diaphragm Design for Conduit 6.51 Example Design Configuration for Filter Diaphragm and Decant Pipe 6.52 Typical Relief Well Installation 6.53 Example Horizontal Drain Installation 6.54 Cracking Patterns Observed for Dams in Narrow Valleys 6.55 Histogram of Factor of Safety Distribution 6.56 Horizontal and Vertical Extent of Cuts for Base Width of 10 Feet 6.57 Schematic Geological Profile of A Bedrock Slope 6.58 Unfavorable Orientation of Bedding Planes 6.59 Favorable Orientation of Bedding Planes 6.60 Stepped Slope Example for Cuts in Weathered Rock 6.61 Examples of Rock-Cut Control 6.62 Deformations Associated With Conduits In Embankments 6.63 Reinforced Concrete Cylinder Pipe (RCCP) Details

MAY 2009 xxxv

FIGURE NO.	TITLE	PAGE No.
6.65	Comparison of Predicted and Observed Conduit Settlements	6-206
6.66	Acceptable Limits of Vibration for Houses	6-208
7.1a	Seismic Stability Screening	7-6
7.1b	Triggering and Seismic-Stability Analysis	7-7
7.1c	Deformation Screening and Analysis	7-8
7.2	Typical Undrained Stress-Strain Curve	7-11
7.3	Comparison of Peak Base and Crest Transverse Accelerations Measured at Earth Dams	7-27
7.4	Variation of Maximum Acceleration Ratio with Depth of Sliding Mass	7-28
7.5	SPT Clean-Sand-Based Curve for Magnitude 7.5 Earthquakes with Data from Liquefaction Case Histories	7-30
7.6	Calculation of CRR from CPT Data Along with Empirical Liquefaction Data from Compiled Case Histories	7-31
7.7	S_{us} versus $N_{1,60(CS)}$	7-37
7.8	S_{us} versus $N_{1,60}$	7-38
7.9	S_{us}/σ'_{v} versus q_{t1}	7-39
7.10	Steady-State Line	7-46
7.11	Method for Correcting Laboratory S_{US} to In-Situ S_{US}	7-48
7.12	Interpretation of Laboratory S_{us} Testing	7-49
7.13	Consolidation Curve and Steady-State Line	7-50
7.14	Use of CPT Data to Screen Clay-Like Material	7-53
7.15	Cyclic Stress-Strain Curve Demonstrating Racheting Mechanism	7-59
7.16	Double Integration to Obtain Displacement	7-64
7.17	Location of U.S. Coal Resources	7-67
7.18	Seismic Hazard Map of the U.S. with Overlay of Main Bituminous Coal Fields	7-68
7.19	Illustration of Moderate- to High-Hazard Region	7-69
7.20	Quaternary Faults and Significant Seismic Sources with Overlay of Main Bituminous Coal Fields	7-70
7.21	Return Period for M > 5.5 Event at a Distance Less than 50 km	7-80
7.22	Location of Nuclear Power Plants with Respect to U.S. Coal Fields	7-83
7.23	Seismic Hazard Assessment Flow Diagram	7-87
7.24	Example 1: Time History for Low-Seismic-Hazard Area	7-89
7.25	Example 2: Time History for Low-Seismic-Hazard Area	7-90
7.26	Example 3: Time History for Low-Seismic-Hazard Area	7-91

xxxvi MAY 2009

TITLE	NO.
Strata Disturbance and Subsidence Caused By Mining	8-12
Influence of Extraction Width on Subsidence	8-12
Displacement and Strain for Various Extraction Widths	8-13
Development of Subsidence Through and Strains with Face Advance	8-14
Ground Movements Caused By Subsidence	8-15
Safety Zone Guidelines for Mining in the Vicinity of Dams and Impoundments	8-17
Hillside Disturbance at Coal Outcrop	8-21
Comparison of Pillar Strength Formulas with Respect to Width-to-Height Ratio	8-26
Outcrop Barrier Breakthrough Analysis for Shear Failure	8-32
Illustration of Overburden Barrier	8-34
Stowed Mine Openings and Barrier Construction	8-37
Barrier Against Outcrop with Low-Permeability Fill and Drain	8-38
Basic Bulkhead Design Concepts	8-44
Drift Opening Bulkhead Design Concepts	8-45
Bulkhead Configuration Showing Concrete-Block Retaining Walls and Concrete Center	8-46
Classification and Interpretation of Spoil Durability	8-58
Excavation Slopes for Preparation of Dam Abutments in Rock	8-60
Slope Modification to Reduce Differential Settlement and Potential for Cracking	8-61
Slope Modification and Seam Treatment for Sedimentary Rock Strata	8-62
Runoff and Impoundment Inflow Sources	9-8
Watershed Boundary Delineated on USGS Topographic Map	9-9
Typical Impoundment Inflow and Outflow Hydrographs	9-10
Typical Impoundment Area and Storage Volume Curves	9-12
Typical Decant Systems	9-13
Typical Decant and Spillway Systems	9-14
Channel Construction in Moderately and Steeply Sloping Terrain	9-17
Channel Construction in Gently Sloping Terrain	9-18
Drainage Control for Valley-Fill, Non-Impounding Embankment	9-21
Drainage Control for Side-Hill and Heaped Embankments	9-23
Drainage Control for Slurry-Cell Facility	9-25
Drainage Control for Cross-Valley Impoundment	9-27
Drainage Control for Diked Impoundment	9-28
	Influence of Extraction Width on Subsidence Displacement and Strain for Various Extraction Widths Development of Subsidence Through and Strains with Face Advance Ground Movements Caused By Subsidence Safety Zone Guidelines for Mining in the Vicinity of Dams and Impoundments Hillside Disturbance at Coal Outcrop Comparison of Pillar Strength Formulas with Respect to Width-to-Height Ratio Outcrop Barrier Breakthrough Analysis for Shear Failure Illustration of Overburden Barrier Stowed Mine Openings and Barrier Construction Barrier Against Outcrop with Low-Permeability Fill and Drain Basic Bulkhead Design Concepts Drift Opening Bulkhead Design Concepts Bulkhead Configuration Showing Concrete-Block Retaining Walls and Concrete Center Classification and Interpretation of Spoil Durability Excavation Slopes for Preparation of Dam Abutments in Rock Slope Modification to Reduce Differential Settlement and Potential for Cracking Slope Modification and Seam Treatment for Sedimentary Rock Strata Runoff and Impoundment Inflow Sources Watershed Boundary Delineated on USGS Topographic Map Typical Impoundment Area and Storage Volume Curves Typical Decant Systems Typical Decant and Spillway Systems Channel Construction in Moderately and Steeply Sloping Terrain Channel Construction in Gently Sloping Terrain Drainage Control for Valley-Fill, Non-Impounding Embankment Drainage Control for Slurry-Cell Facility Drainage Control for Cross-Valley Impoundment

MAY 2009 xxxvii

F	IGURE NO.	TITLE	PAGE NO.
	9.14	U.S. Regions Covered by Generalized PMP Studies	9-35
	9.15	Dimensionless Design Storm Distribution	9-40
	9.16	Average Velocities for Estimating Travel Time for Shallow, Concentrated Flow	9-45
	9.17	Direct Runoff for Rainfall Less than or Equal to 8 Inches	9-47
	9.18	Direct Runoff for Rainfall Greater than or Equal to 8 Inches	9-48
	9.19	Estimated Total Runoff Volume for CN = 70	9-56
	9.20	Estimated Total Runoff Volume for CN = 80	9-57
	9.21	Estimated Peak Runoff Rate for 6-Hour Design Storm and CN = 70	9-58
	9.22	Estimated Peak Runoff Rate for 6-Hour Design Storm and CN = 80	9-59
	9.23	Example of Rational Method of Inflow Calculation	9-62
	9.24	Typical Head-Discharge Curves for Hydraulic Systems	9-64
	9.25	Spillway Approach Channels	9-65
	9.26	Drop-Inlet Decant Systems	9-66
	9.27	Open-Channel Cross Sections	9-68
	9.28	Channel Flow Conditions	9-70
	9.29	Critical Depth for Trapezoidal and Circular Sections	9-71
	9.30	Closed-Conduit Hydraulic Systems	9-73
	9.31	Typical Flow Conditions – Culvert Conduits on Mild Slopes	9-74
	9.32	Typical Flow Conditions – Culvert Conduits on Steep Slopes	9-75
	9.33	Culvert Inlet Configurations	9-78
	9.34	Flow and Discharge Characteristics of Decant-Inlet, Closed-Conduit System	9-80
	9.35	Examples of Channel and Conduit Outlets	9-82
	9.36	Manning's n Versus VR for Various Retardance Classes	9-88
	9.37	Grouted Riprap Lining Thickness as a Function of Flow Velocity	9-91
	9.38	Examples of Decants	9-100
	9.39	Example Decant System at Diked Impoundment	9-101
	9.40	Example Decant System at Cross-Valley Impoundment	9-102
	9.41	Example Spillway System – A	9-104
	9.42	Example Spillway System – B	9-105
	9.43	Example Spillway System – C	9-106
	9.44	Spillway Inlet Control	9-107
	9.45	Spillway Outlet Control	9-108

xxxviii MAY 2009

TITLE	PAGE NO.
Sectional View Through Impounding Facility	9-112
Breach Parameters	9-117
Liner Systems Used at Coal Refuse Disposal Facilities	10-23
Compaction by Hauling Units Using Successive Offset Passes	11-25
Procedures for Controlled Placement of Refuse	11-27
Benching of Embankment Fill Into Natural Slope	11-33
Slurry Disposal	11-37
Stockpiling and Handling of Granular Materials	11-52
Failure Modes, Warning Signs and Surveillance Measures	12-5
Example Data Collection Form	12-6
Location of Monuments Using Triangulation	13-14
Example of Benchmark in Rock	13-15
Typical Monument Installations	13-17
Probe Extensometer	13-19
Settlement Platform	13-20
Fixed Borehole Extensometer	13-21
Inclinometer Operation	13-22
Approximate Response Time for Various Types of Piezometers	13-25
Open-Standpipe Piezometer/Observation Well	13-27
Normally-Closed Pneumatic Piezometer	13-30
Vibrating-Wire Piezometer	13-31
Bonded Electrical-Resistance Piezometer	13-33
Measurement of Flow from Pipes	13-37
Typical V-Notch Weir	13-38
Flow Depth-Discharge Relationship for 90-Degree, V-Notch Weir	13-40
Automated Data Acquisition System at Coal Refuse Disposal Facility	13-43
Inundation Map for Coal Refuse Impoundment	14-7
	Sectional View Through Impounding Facility Breach Parameters Liner Systems Used at Coal Refuse Disposal Facilities Compaction by Hauling Units Using Successive Offset Passes Procedures for Controlled Placement of Refuse Benching of Embankment Fill Into Natural Slope Slurry Disposal Stockpiling and Handling of Granular Materials Failure Modes, Warning Signs and Surveillance Measures Example Data Collection Form Location of Monuments Using Triangulation Example of Benchmark in Rock Typical Monument Installations Probe Extensometer Settlement Platform Fixed Borehole Extensometer Inclinometer Operation Approximate Response Time for Various Types of Piezometers Open-Standpipe Piezometer/Observation Well Normally-Closed Pneumatic Piezometer Vibrating-Wire Piezometer Bonded Electrical-Resistance Piezometer Measurement of Flow from Pipes Typical V-Notch Weir Flow Depth-Discharge Relationship for 90-Degree, V-Notch Weir

MAY 2009 xxxix

List of Figures			

xl MAY 2009

Acronyms

ACRONYM REPRESENTS

AASHTO American Association of State Highway and Transportation Officials

ABS Acrylonitrile-Butadiene-Styrene

ACI American Concrete Institute

AC alternating current

ALD anoxic limestone drain

AMC antecedent moisture condition

AMD acid mine drainage

AMRL AASHTO Materials Reference Laboratory

AOS apparent opening size

ArcGIS GIS software developed by Environmental Systems Research Institute (ESRI)

ARMPS Analysis of Retreat Mining Pillar Stability (software)

ARMPS-HWM ARMPS program for highwall mine pillars (software)

ASCE American Society of Civil Engineers

ASTM American Society for Testing and Materials

AWWA American Water Works Association

BOD biochemical oxygen demand

BREACH breach parameter computation software

CADD computer-aided design and drafting

CANDE Culvert Analysis and Design (software)

CD consolidated drained

CGS Canadian Geotechnical Society

CIDC consolidated isotropic drained compression

CISPM Comprehensive and Integrated Subsidence Prediction Model (software)

CIUC consolidated isotropic undrained compression

CLSM controlled low-strength material

CMP corrugated metal pipe

CMRR Coal Mine Roof Rating (software)

MAY 2009 xli

CN curve number

CO carbon monoxide

COSMOS Consortium of Organizations for Strong-Motion Observation Systems

COV coefficient of variability

CPE chlorinated polyethylene

CPM Critical Path Method (software)

CPP corrugated plastic pipe
CPT cone penetrometer test

CPTu piezocone penetrometer test

CRR cyclic resistance ratio

CFR Code of Federal Regulations

CSI Construction Specifications Institute

CSPE chlorosulfonated polyethylene

CSR cyclic stress ratio

CU consolidated undrained

consolidated undrained with pore pressure measurements

CWA Clean Water Act

DAMBRK Dam Break (software)

DC direct current

DCDT direct current differential transformer

DEM digital elevation model

DEP Department of Environmental Protection (state environmental agencies)

DI degradation index

DMLR Virginia Department of Mines, Minerals, and Energy, Division of Mined Land

Reclamation

DOD Department of Defense

DOQ digital orthophoto quadrangle

DOQQ digital orthophoto quarter quadrangle

DRG digital raster grid

DSHA deterministic seismic hazard analysis

DWOPER Dynamic Wave Routing Model (software)

EAP Emergency Action Plan

EDM electronic distance measuring

xlii MAY 2009

EEGS Environmental and Engineering Geophysical Society

EERT Eastern Energy Resources Team

EM electromagnetic method

EMA Emergency Management Agency

EMC Emergency Management Coordinator

EMS Emergency Medical Service

EPA U.S. Environmental Protection Agency

EPRI Electric Power Research Institute

EROS Earth Resources Observation and Science

ESRI Environmental Systems Research Institute

FBC fluidized bed combustion

FE finite element

FEMA Federal Emergency Management Agency
FERC Federal Energy Regulatory Commission

FGD flue gas desulfurization

FHWA Federal Highway Administration

FLAC Fast Lagrangian Analysis of Continua (software)

FLDWAV Flood Wave (software)

FLUSH seismic soil-structure interaction software

FR friction ratio

FS factor of safety

FVST field vane shear test

GAI-LAP Geosynthetic Accreditation Institute - Laboratory Accreditation Program

GCL geosynthetic clay liner

GEI Geotechnical Engineers, Inc.

GIS geographic information system

GPR ground penetrating radar

GPS global positioning system

GRM generalized reciprocal method

HDPE high-density polyethylene

HEC USACE Hydrologic Engineering Center
HEC-1 open channel flow analysis software

HEC-GeoHMS GIS -based version of HEC-HMS software

MAY 2009 xliii

HEC-HMS Hydraulic Engineering Center Hydrologic Modeling System (software)

HEC-RAS Hydraulic Engineering Center River Analysis System (software)

HMR Hydrometeorological Report

HSG hydrologic soil group

ICODS Interagency Committee on Dam Safety

IDF inflow design flood

LAMODEL software for computing stresses and displacements in mines

LI liquidity index

LIDAR light detection and ranging

LL liquid limit

LLNL Lawrence Livermore National Laboratory

LVDT linear variable differential transformer

MAE Mid-America Earthquake

MARV minimum average roll value

MCE maximum credible earthquake

MDE maximum design earthquake

MIBC methylisobutyl carbinol

MMI Modified Mercali Intensity

MPBX multiple-point borehole extensometer

MSF magnitude scaling factor

MSHA Mine Safety and Health Administration

NAS National Academy of Sciences

NASA National Aeronautics and Space Administration

NCB National Coal Board (Britain)

NEH National Engineering Handbook

NEHRP National Earthquake Hazard Reduction Program

NIOSH National Institute for Occupational Safety and Health

NMO normal moveout

NMSZ New Madrid Seismic Zone

NOAA National Oceanic and Atmospheric Administration

NR not reported

NRC National Research Council

NRCS Natural Resources Conservation Service

NSF National Science Foundation

xliv MAY 2009

NSSGA National Stone, Sand and Gravel Association

NWS National Weather Service

OBE operating basis earthquake

OLC open limestone channel

OSHA Occupational Safety and Health Administration

OSM Office of Surface Mining

PCCP prestressed concrete cylinder pipe

PCPT piezocone penetrometer test

PE polyethylene

PERT scheduling software

PGA peak ground acceleration

PI plastic index
PL plastic limit

PMF Probable Maximum Flood

PMP Probable Maximum Precipitation

PMTS Probable Maximum Thunderstorm

POA percent open area

PSHA probabilistic seismic hazard analysis

PV prefabricated vertical

PVC polyvinyl chloride
Q equivalent to UU
QA quality assurance
QC quality control

QUAD4 software for finite element seismic analysis of earth structures

R equivalent to $\overline{\text{CU}}$

RCCP reinforced concrete cylinder pipe

RCP reinforced concrete pipe

RMR rock mass rating

RQD rock quality designation

RVSP reverse vertical seismic profile

S equivalent to CD

SAGEEP Symposium on the Application of Geophysics to Engineering and Environmental

Problems

MAY 2009 xlv

SAPS successive alkalinity producing system
SCPTu seismic piezocone penetrometer test
SCS Soil Conservation Service (now NRCS)

SDI slake durability index

SDPS Surface Deformation Prediction System (software)

SEE safety evaluation earthquake

SF safety factor (for channel linings)

SHAKE software for seismic analysis of subsurface layers

SHANSEP stress history and normalized soil engineering parameters

SL shrinkage limit

SMCRA Surface Mining and Reclamation Act

SMPDBK Simplified Dam Break (software)

SP spontaneous or self potential

SPBX single-point borehole extensometer

SPECTEXT specification software

SPT standard penetration test

SSE safe shutdown earthquake

SSHAC Senior Seismic Hazard Analysis Committee

TDEM time-domain electromagnetic method

TDR time-domain reflectometry

TR technical release

USACE U.S. Army Corps of Engineers

USBM U.S. Bureau of Mines

USBR U.S. Bureau of Reclamation

USCS Unified Soil Classification System

USDA U.S. Department of Agriculture

USDOE U.S. Department of Energy

USEPA U.S. Environmental Protection Agency

USGS U.S. Geological Survey

USNRC U.S. Nuclear Regulatory Commission

UU unconsolidated undrained

VLDPE very low density polyethylene

VLF very low frequency

xlvi MAY 2009

ACRONYM	REPRESENTS
---------	------------

VST vane shear test

VSP vertical seismic profile

WMS Watershed Modeling System (software)

WP wetted perimeter

WVDOT West Virginia Department of Transportation

MAY 2009 xlvii

Λ			
Acronyms			

xlviii MAY 2009