

Table 1. Pediatric Quality Indicator Rates

#	Label	Numerator	Denominator	Rate Per 1,000
1	ACCIDENTAL PUNCTURE AND LACERATION	2,929	3,364,005	0.871
2	DECUBITUS ULCER	1,213	390,910	3.104
3	FOREIGN BODY LEFT IN DURING PROC	113	3,364,108	0.034
4	IATROGENIC PNEUMOTHORAX NEONATE	77	232,182	0.332
5	IATROGENIC PNEUMOTHORAX	647	3,053,432	0.212
6	IN-HOSP MORT PEDIATRIC HEART SURG	1,029	22,118	4.654
7	VOLUME PEDIATRIC HEART SURGERY	25,046		
8	POSTOP HEMORRHAGE OR HEMATOMA	358	166,185	2.155
9	POSTOP RESPIRATORY FAILURE	1,899	142,152	13.360
10	POSTOPERATIVE SEPSIS	2,999	115,446	25.977
11	POSTOPERATIVE WOUND DEHISCENCE	79	105,874	0.742
12	INFECTION DUE TO MEDICAL CARE	6,960	2,599,372	2.677
13	TRANSFUSION REACTION	*	*	0.002

Source: Kids' Inpatient Database, 2003; Rates are per 1,000 except for heart surgery (per 100).

*: indicates that the numerator consists of equal or fewer than 10 cases.

Table 2. Pediatric Quality Indicator Rates - Males

#	Label	Numerator	Denominator	Rate Per 1,000
1	ACCIDENTAL PUNCTURE AND LACERATION	1,718	1,856,290	0.926
2	DECUBITUS ULCER	761	212,252	3.584
3	FOREIGN BODY LEFT IN DURING PROC	61	1,856,336	0.033
4	IATROGENIC PNEUMOTHORAX NEONATE	47	116,850	0.406
5	IATROGENIC PNEUMOTHORAX	331	1,694,228	0.195
6	IN-HOSP MORT PEDIATRIC HEART SURG	583	12,211	4.775
7	VOLUME PEDIATRIC HEART SURGERY	13,745		
8	POSTOP HEMORRHAGE OR HEMATOMA	234	90,349	2.592
9	POSTOP RESPIRATORY FAILURE	1,063	76,336	13.931
10	POSTOPERATIVE SEPSIS	1,675	65,414	25.610
11	POSTOPERATIVE WOUND DEHISCENCE	44	63,563	0.696
12	INFECTION DUE TO MEDICAL CARE	3,802	1,421,832	2.674
13	TRANSFUSION REACTION	*	*	0.002

Source: Kids' Inpatient Database, 2003; Rates are per 1,000 except for heart surgery (per 100).

*: indicates that the numerator consists of equal or fewer than 10 cases.

Table 3. Pediatric Quality Indicator Rates - Females

#	Label	Numerator	Denominator	Rate Per 1,000
1	ACCIDENTAL PUNCTURE AND LACERATION	1,211	1,507,715	0.803
2	DECUBITUS ULCER	453	178,659	2.533
3	FOREIGN BODY LEFT IN DURING PROC	52	1,507,772	0.035
4	IATROGENIC PNEUMOTHORAX NEONATE	30	115,332	0.257
5	IATROGENIC PNEUMOTHORAX	316	1,359,203	0.233
6	IN-HOSP MORT PEDIATRIC HEART SURG	446	9,906	4.505
7	VOLUME PEDIATRIC HEART SURGERY	11,301		
8	POSTOP HEMORRHAGE OR HEMATOMA	124	75,836	1.634
9	POSTOP RESPIRATORY FAILURE	836	65,816	12.697
10	POSTOPERATIVE SEPSIS	1,324	50,032	26.457
11	POSTOPERATIVE WOUND DEHISCENCE	34	42,311	0.810
12	INFECTION DUE TO MEDICAL CARE	3,158	1,177,540	2.682
13	TRANSFUSION REACTION	*	*	0.002

Source: Kids' Inpatient Database, 2003; Rates are per 1,000 except for heart surgery (per 100).

*: indicates that the numerator consists of equal or fewer than 10 cases.

Table 4. Pediatric Quality Indicator Rates – Age Less than One

#	Label	Numerator	Denominator	Rate Per 1,000
1	ACCIDENTAL PUNCTURE AND LACERATION	1,276	1,655,403	0.771
2	DECUBITUS ULCER	62	76,953	0.812
3	FOREIGN BODY LEFT IN DURING PROC	28	1,655,433	0.017
4	IATROGENIC PNEUMOTHORAX NEONATE	77	232,182	0.332
5	IATROGENIC PNEUMOTHORAX	218	1,399,699	0.156
6	IN-HOSP MORT PEDIATRIC HEART SURG	888	12,623	7.033
7	VOLUME PEDIATRIC HEART SURGERY	15,302		
8	POSTOP HEMORRHAGE OR HEMATOMA	140	27,495	5.081
9	POSTOP RESPIRATORY FAILURE	522	20,607	25.316
10	POSTOPERATIVE SEPSIS	1,389	24,538	56.612
11	POSTOPERATIVE WOUND DEHISCENCE	49	31,599	1.546
12	INFECTION DUE TO MEDICAL CARE	3,056	1,394,540	2.191
13	TRANSFUSION REACTION	*	*	0.007

Source: Kids' Inpatient Database, 2003; Rates are per 1,000 except for heart surgery (per 100).

*: indicates that the numerator consists of equal or fewer than 10 cases.

Table 5. Pediatric Quality Indicator Rates – Age 1 to 2

#	Label	Numerator	Denominator	Rate Per 1,000
1	ACCIDENTAL PUNCTURE AND LACERATION	276	424,896	0.648
2	DECUBITUS ULCER	94	49,000	1.925
3	FOREIGN BODY LEFT IN DURING PROC	12	424,906	0.029
4	IATROGENIC PNEUMOTHORAX NEONATE	.	.	
5	IATROGENIC PNEUMOTHORAX	76	414,722	0.184
6	IN-HOSP MORT PEDIATRIC HEART SURG	72	3,429	2.107
7	VOLUME PEDIATRIC HEART SURGERY	3,468		
8	POSTOP HEMORRHAGE OR HEMATOMA	35	23,387	1.495
9	POSTOP RESPIRATORY FAILURE	367	19,192	19.141
10	POSTOPERATIVE SEPSIS	413	13,933	29.651
11	POSTOPERATIVE WOUND DEHISCENCE	*	*	0.674
12	INFECTION DUE TO MEDICAL CARE	985	288,489	3.414
13	TRANSFUSION REACTION	*	*	0.000

Source: Kids' Inpatient Database, 2003; Rates are per 1,000 except for heart surgery (per 100).

*: indicates that the numerator consists of equal or fewer than 10 cases.

Table 6. Pediatric Quality Indicator Rates – Age 3 to 5

#	Label	Numerator	Denominator	Rate Per 1,000
1	ACCIDENTAL PUNCTURE AND LACERATION	241	243,993	0.987
2	DECUBITUS ULCER	60	31,952	1.863
3	FOREIGN BODY LEFT IN DURING PROC	*	*	0.036
4	IATROGENIC PNEUMOTHORAX NEONATE	.	.	
5	IATROGENIC PNEUMOTHORAX	53	236,607	0.222
6	IN-HOSP MORT PEDIATRIC HEART SURG	27	2,176	1.253
7	VOLUME PEDIATRIC HEART SURGERY	2,203		
8	POSTOP HEMORRHAGE OR HEMATOMA	24	18,172	1.345
9	POSTOP RESPIRATORY FAILURE	203	15,048	13.468
10	POSTOPERATIVE SEPSIS	192	10,334	18.538
11	POSTOPERATIVE WOUND DEHISCENCE	*	*	0.224
12	INFECTION DUE TO MEDICAL CARE	580	162,600	3.569
13	TRANSFUSION REACTION	*	*	0.000

Source: Kids' Inpatient Database, 2003; Rates are per 1,000 except for heart surgery (per 100).

*: indicates that the numerator consists of equal or fewer than 10 cases.

Table 7. Pediatric Quality Indicator Rates – Age 6 to 12

#	Label	Numerator	Denominator	Rate Per 1,000
1	ACCIDENTAL PUNCTURE AND LACERATION	550	536,431	1.025
2	DECUBITUS ULCER	366	103,399	3.541
3	FOREIGN BODY LEFT IN DURING PROC	29	536,442	0.054
4	IATROGENIC PNEUMOTHORAX NEONATE	.	.	
5	IATROGENIC PNEUMOTHORAX	102	520,620	0.195
6	IN-HOSP MORT PEDIATRIC HEART SURG	29	2,476	1.158
7	VOLUME PEDIATRIC HEART SURGERY	2,574		
8	POSTOP HEMORRHAGE OR HEMATOMA	77	49,170	1.569
9	POSTOP RESPIRATORY FAILURE	422	44,230	9.543
10	POSTOPERATIVE SEPSIS	448	29,494	15.173
11	POSTOPERATIVE WOUND DEHISCENCE	*	*	0.305
12	INFECTION DUE TO MEDICAL CARE	1,156	380,327	3.040
13	TRANSFUSION REACTION	*	*	0.000

Source: Kids' Inpatient Database, 2003; Rates are per 1,000 except for heart surgery (per 100).

*: indicates that the numerator consists of equal or fewer than 10 cases.

Table 8. Pediatric Quality Indicator Rates – Age 13 to 17

#	Label	Numerator	Denominator	Rate Per 1,000
1	ACCIDENTAL PUNCTURE AND LACERATION	586	503,282	1.165
2	DECUBITUS ULCER	631	129,607	4.868
3	FOREIGN BODY LEFT IN DURING PROC	35	503,321	0.070
4	IATROGENIC PNEUMOTHORAX NEONATE	.	.	
5	IATROGENIC PNEUMOTHORAX	199	481,784	0.413
6	IN-HOSP MORT PEDIATRIC HEART SURG	14	1,414	0.955
7	VOLUME PEDIATRIC HEART SURGERY	1,499		
8	POSTOP HEMORRHAGE OR HEMATOMA	82	47,960	1.706
9	POSTOP RESPIRATORY FAILURE	385	43,075	8.945
10	POSTOPERATIVE SEPSIS	558	37,147	15.009
11	POSTOPERATIVE WOUND DEHISCENCE	12	23,722	0.485
12	INFECTION DUE TO MEDICAL CARE	1,182	373,416	3.166
13	TRANSFUSION REACTION	*	*	0.003

Source: Kids' Inpatient Database, 2003; Rates are per 1,000 except for heart surgery (per 100).

*: indicates that the numerator consists of equal or fewer than 10 cases.

Table 9. Pediatric Quality Indicator Rates – Medicare

#	Label	Numerator	Denominator	Rate Per 1,000
1	ACCIDENTAL PUNCTURE AND LACERATION	13	6,535	2.055
2	DECUBITUS ULCER	*	*	3.702
3	FOREIGN BODY LEFT IN DURING PROC	*	*	0.293
4	IATROGENIC PNEUMOTHORAX NEONATE	*	*	0.000
5	IATROGENIC PNEUMOTHORAX	*	*	0.504
6	IN-HOSP MORT PEDIATRIC HEART SURG	*	*	24.644
7	VOLUME PEDIATRIC HEART SURGERY	13		
8	POSTOP HEMORRHAGE OR HEMATOMA	*	*	0.000
9	POSTOP RESPIRATORY FAILURE	*	*	4.098
10	POSTOPERATIVE SEPSIS	15	592	24.896
11	POSTOPERATIVE WOUND DEHISCENCE	*	*	0.000
12	INFECTION DUE TO MEDICAL CARE	37	5,114	7.262
13	TRANSFUSION REACTION	*	*	0.000

Source: Kids' Inpatient Database, 2003; Rates are per 1,000 except for heart surgery (per 100).

*: indicates that the numerator consists of equal or fewer than 10 cases.

Table 10. Pediatric Quality Indicator Rates – Medicaid

#	Label	Numerator	Denominator	Rate Per 1,000
1	ACCIDENTAL PUNCTURE AND LACERATION	1,091	1,419,067	0.769
2	DECUBITUS ULCER	596	181,670	3.278
3	FOREIGN BODY LEFT IN DURING PROC	40	1,419,088	0.028
4	IATROGENIC PNEUMOTHORAX NEONATE	26	100,749	0.260
5	IATROGENIC PNEUMOTHORAX	236	1,290,055	0.183
6	IN-HOSP MORT PEDIATRIC HEART SURG	491	8,598	5.706
7	VOLUME PEDIATRIC HEART SURGERY	9,841		
8	POSTOP HEMORRHAGE OR HEMATOMA	141	50,746	2.781
9	POSTOP RESPIRATORY FAILURE	795	43,100	18.453
10	POSTOPERATIVE SEPSIS	1,475	41,894	35.214
11	POSTOPERATIVE WOUND DEHISCENCE	36	40,111	0.904
12	INFECTION DUE TO MEDICAL CARE	3,223	1,126,003	2.862
13	TRANSFUSION REACTION	*	*	0.003

Source: Kids' Inpatient Database, 2003; Rates are per 1,000 except for heart surgery (per 100).

*: indicates that the numerator consists of equal or fewer than 10 cases.

Table 11. Pediatric Quality Indicator Rates – Other Payer

#	Label	Numerator	Denominator	Rate Per 1,000
1	ACCIDENTAL PUNCTURE AND LACERATION	1,823	1,938,403	0.940
2	DECUBITUS ULCER	612	207,368	2.951
3	FOREIGN BODY LEFT IN DURING PROC	71	1,938,485	0.037
4	IATROGENIC PNEUMOTHORAX NEONATE	50	131,196	0.381
5	IATROGENIC PNEUMOTHORAX	409	1,757,186	0.233
6	IN-HOSP MORT PEDIATRIC HEART SURG	536	13,506	3.969
7	VOLUME PEDIATRIC HEART SURGERY	15,193		
8	POSTOP HEMORRHAGE OR HEMATOMA	217	114,965	1.888
9	POSTOP RESPIRATORY FAILURE	1,102	98,625	11.174
10	POSTOPERATIVE SEPSIS	1,509	72,960	20.683
11	POSTOPERATIVE WOUND DEHISCENCE	43	65,690	0.655
12	INFECTION DUE TO MEDICAL CARE	3,700	1,468,255	2.520
13	TRANSFUSION REACTION	*	*	0.002

Source: Kids' Inpatient Database, 2003; Rates are per 1,000 except for heart surgery (per 100).

*: indicates that the numerator consists of equal or fewer than 10 cases.