

AHRQ Quality Indicators

AHRQ Quality Indicator: Comparative Data for the PDI based on the 2008 Nationwide Inpatient Sample (NIS)

Department of Health and Human Services
Agency for Healthcare Research and Quality
<http://www.qualityindicators.ahrq.gov>

Version 4.1b (September, 2010)

Table of Contents

PDI- Provider Rates	3
PDI- Provider Rates (Males)	4
PDI- Provider Rates (Females).....	5
PDI- Provider Rates (Age <1).....	6
PDI- Provider Rates (Ages 1 to 2)	7
PDI- Provider Rates (Ages 3 to 5).....	8
PDI- Provider Rates (Ages 6 to 12)	9
PDI- Provider Rates (Ages 13 to 17)	10
PDI- Provider Rates (Payer: Medicare)	11
PDI- Provider Rates (Payer: Medicaid).....	12
PDI- Provider Rates (Payer: Other)	13
PDI- Area Rates	14
PDI- Area Rates (Males)	15
PDI- Area Rates (Females).....	16
PDI- Area Rates (Ages 0 to 4)	17
PDI- Area Rates (Ages 5 to 9)	18
PDI- Area Rates (Ages 10 to 14)	19
PDI- Area Rates (Ages 15 to 17)	20

PDI- Provider Rates

INDICATOR	LABEL	NUMERATOR	DENOMINATOR	RATE (OBSERVED) PER 100 (=Observed rate*100)	RISK ADJUSTED RATE PER 100 =(RiskAdjustedRate*100)
NQ01	IATROGENIC PNEUMOTHORAX NEONATE	12	52,560	0.02	0.03
NQ02	NEONATAL MORTALITY	2,199	869,388	0.25	0.27
NQ03	BLOOD STREAM INFECTION NEONATE	576	16,842	3.42	3.54
PD01	ACCIDENTAL PUNCTURE OR LACERATION	446	646,508	0.07	0.07
PD02	DECUBITUS ULCER	147	65,286	0.23	0.22
PD05	IATROGENIC PNEUMOTHORAX IN NON-NEONATES	109	583,355	0.02	0.02
PD06	PEDIATRIC HEART SURGERY MORTALITY	177	3,599	4.92	4.99
PD08	POSTOPERATIVE HEMORRHAGE OR HEMATOMA	49	24,092	0.20	0.21
PD09	POSTOPERATIVE RESPIRATORY FAILURE	218	20,697	1.05	1.10
PD10	POSTOPERATIVE SEPSIS	381	18,607	2.05	2.00
PD11	POSTOPERATIVE WOUND DEHISCENCE	12	13,952	0.09	0.07
PD12	SELECTED INFECTIONS DUE TO MEDICAL CARE	721	507,243	0.14	0.15
PS17	BIRTH TRAUMA - INJURY TO NEONATE	1,952	852,106	0.23	0.23

PDI- Provider Rates (Males)

INDICATOR	LABEL	NUMERATOR	DENOMINATOR	RATE (OBSERVED) PER 100 (=Observed rate*100)
NQ01	IATROGENIC PNEUMOTHORAX NEONATE	***** ¹	***** ¹	***** ¹
NQ02	NEONATAL MORTALITY	1,260	445,360	0.28
NQ03	BLOOD STREAM INFECTION NEONATE	311	9,413	3.30
PD01	ACCIDENTAL PUNCTURE OR LACERATION	263	352,677	0.07
PD02	DECUBITUS ULCER	82	35,057	0.23
PD05	IATROGENIC PNEUMOTHORAX IN NON-NEONATES	60	319,807	0.02
PD06	PEDIATRIC HEART SURGERY MORTALITY	99	2,026	4.89
PD08	POSTOPERATIVE HEMORRHAGE OR HEMATOMA	27	12,997	0.21
PD09	POSTOPERATIVE RESPIRATORY FAILURE	125	10,997	1.14
PD10	POSTOPERATIVE SEPSIS	224	10,462	2.14
PD11	POSTOPERATIVE WOUND DEHISCENCE	***** ¹	***** ¹	***** ¹
PD12	SELECTED INFECTIONS DUE TO MEDICAL CARE	411	274,789	0.15
PS17	BIRTH TRAUMA - INJURY TO NEONATE	1,078	437,175	0.25

¹ Cell entry fewer than 10, rate is unavailable.

PDI- Provider Rates (Females)

INDICATOR	LABEL	NUMERATOR	DENOMINATOR	RATE (OBSERVED) PER 100 (=Observed rate*100)
NQ01	IATROGENIC PNEUMOTHORAX NEONATE	***** ²	***** ²	***** ²
NQ02	NEONATAL MORTALITY	939	424,028	0.22
NQ03	BLOOD STREAM INFECTION NEONATE	265	7,430	3.57
PD01	ACCIDENTAL PUNCTURE OR LACERATION	184	293,830	0.06
PD02	DECUBITUS ULCER	65	30,229	0.22
PD05	IATROGENIC PNEUMOTHORAX IN NON-NEONATES	49	263,548	0.02
PD06	PEDIATRIC HEART SURGERY MORTALITY	78	1,573	4.96
PD08	POSTOPERATIVE HEMORRHAGE OR HEMATOMA	22	11,095	0.20
PD09	POSTOPERATIVE RESPIRATORY FAILURE	94	9,700	0.97
PD10	POSTOPERATIVE SEPSIS	157	8,145	1.93
PD11	POSTOPERATIVE WOUND DEHISCENCE	***** ²	***** ²	***** ²
PD12	SELECTED INFECTIONS DUE TO MEDICAL CARE	310	232,454	0.13
PS17	BIRTH TRAUMA - INJURY TO NEONATE	874	414,931	0.21

² Cell entry fewer than 10, rate is unavailable.

PDI- Provider Rates (Age <1)

INDICATOR	LABEL	NUMERATOR	DENOMINATOR	RATE (OBSERVED) PER 100 (=Observed rate*100)
NQ01	IATROGENIC PNEUMOTHORAX NEONATE	12	52,560	0.02
NQ02	NEONATAL MORTALITY	2,199	869,388	0.25
NQ03	BLOOD STREAM INFECTION NEONATE	576	16,842	3.42
PD01	ACCIDENTAL PUNCTURE OR LACERATION	209	357,632	0.06
PD02	DECUBITUS ULCER	13	11,201	0.12
PD05	IATROGENIC PNEUMOTHORAX IN NON-NEONATES	36	300,561	0.01
PD06	PEDIATRIC HEART SURGERY MORTALITY	156	2,139	7.29
PD08	POSTOPERATIVE HEMORRHAGE OR HEMATOMA	16	3,790	0.42
PD09	POSTOPERATIVE RESPIRATORY FAILURE	58	2,861	2.03
PD10	POSTOPERATIVE SEPSIS	150	3,743	4.01
PD11	POSTOPERATIVE WOUND DEHISCENCE	**** ³	**** ³	**** ³
PD12	SELECTED INFECTIONS DUE TO MEDICAL CARE	391	302,040	0.13
PS17	BIRTH TRAUMA - INJURY TO NEONATE	1,952	852,106	0.23

³ Cell entry fewer than 10, rate is unavailable.

PDI- Provider Rates (Ages 1 to 2)

INDICATOR	LABEL	NUMERATOR	DENOMINATOR	RATE (OBSERVED) PER 100 (=Observed rate*100)
NQ01	IATROGENIC PNEUMOTHORAX NEONATE			
NQ02	NEONATAL MORTALITY			
NQ03	BLOOD STREAM INFECTION NEONATE			
PD01	ACCIDENTAL PUNCTURE OR LACERATION	40	66,757	0.06
PD02	DECUBITUS ULCER	13	7,457	0.17
PD05	IATROGENIC PNEUMOTHORAX IN NON-NEONATES	**** ⁴	**** ⁴	**** ⁴
PD06	PEDIATRIC HEART SURGERY MORTALITY	**** ⁴	**** ⁴	**** ⁴
PD08	POSTOPERATIVE HEMORRHAGE OR HEMATOMA	**** ⁴	**** ⁴	**** ⁴
PD09	POSTOPERATIVE RESPIRATORY FAILURE	46	2,774	1.66
PD10	POSTOPERATIVE SEPSIS	59	2,189	2.70
PD11	POSTOPERATIVE WOUND DEHISCENCE	**** ⁴	**** ⁴	**** ⁴
PD12	SELECTED INFECTIONS DUE TO MEDICAL CARE	97	45,258	0.21
PS17	BIRTH TRAUMA - INJURY TO NEONATE			

⁴ Cell entry fewer than 10, rate is unavailable.

PDI- Provider Rates (Ages 3 to 5)

INDICATOR	LABEL	NUMERATOR	DENOMINATOR	RATE (OBSERVED) PER 100 (=Observed rate*100)
NQ01	IATROGENIC PNEUMOTHORAX NEONATE			
NQ02	NEONATAL MORTALITY			
NQ03	BLOOD STREAM INFECTION NEONATE			
PD01	ACCIDENTAL PUNCTURE OR LACERATION	34	46,762	0.07
PD02	DECUBITUS ULCER	***** ⁵	***** ⁵	***** ⁵
PD05	IATROGENIC PNEUMOTHORAX IN NON-NEONATES	***** ⁵	***** ⁵	***** ⁵
PD06	PEDIATRIC HEART SURGERY MORTALITY	***** ⁵	***** ⁵	***** ⁵
PD08	POSTOPERATIVE HEMORRHAGE OR HEMATOMA	***** ⁵	***** ⁵	***** ⁵
PD09	POSTOPERATIVE RESPIRATORY FAILURE	27	2,558	1.06
PD10	POSTOPERATIVE SEPSIS	35	1,849	1.89
PD11	POSTOPERATIVE WOUND DEHISCENCE	***** ⁵	***** ⁵	***** ⁵
PD12	SELECTED INFECTIONS DUE TO MEDICAL CARE	59	31,362	0.19
PS17	BIRTH TRAUMA - INJURY TO NEONATE			

⁵ Cell entry fewer than 10, rate is unavailable.

PDI- Provider Rates (Ages 6 to 12)

INDICATOR	LABEL	NUMERATOR	DENOMINATOR	RATE (OBSERVED) PER 100 (=Observed rate*100)
NQ01	IATROGENIC PNEUMOTHORAX NEONATE			
NQ02	NEONATAL MORTALITY			
NQ03	BLOOD STREAM INFECTION NEONATE			
PD01	ACCIDENTAL PUNCTURE OR LACERATION	70	80,423	0.09
PD02	DECUBITUS ULCER	34	15,948	0.21
PD05	IATROGENIC PNEUMOTHORAX IN NON-NEONATES	21	78,998	0.03
PD06	PEDIATRIC HEART SURGERY MORTALITY	**** ⁶	**** ⁶	**** ⁶
PD08	POSTOPERATIVE HEMORRHAGE OR HEMATOMA	**** ⁶	**** ⁶	0.08
PD09	POSTOPERATIVE RESPIRATORY FAILURE	44	5,647	0.78
PD10	POSTOPERATIVE SEPSIS	53	4,174	1.27
PD11	POSTOPERATIVE WOUND DEHISCENCE	**** ⁶	**** ⁶	**** ⁶
PD12	SELECTED INFECTIONS DUE TO MEDICAL CARE	76	57,352	0.13
PS17	BIRTH TRAUMA - INJURY TO NEONATE			

⁶ Cell entry fewer than 10, rate is unavailable.

PDI- Provider Rates (Ages 13 to 17)

INDICATOR	LABEL	NUMERATOR	DENOMINATOR	RATE (OBSERVED) PER 100 (=Observed rate*100)
NQ01	IATROGENIC PNEUMOTHORAX NEONATE			
NQ02	NEONATAL MORTALITY			
NQ03	BLOOD STREAM INFECTION NEONATE			
PD01	ACCIDENTAL PUNCTURE OR LACERATION	94	94,933	0.10
PD02	DECUBITUS ULCER	84	24,698	0.34
PD05	IATROGENIC PNEUMOTHORAX IN NON-NEONATES	34	92,839	0.04
PD06	PEDIATRIC HEART SURGERY MORTALITY	**** ⁷	**** ⁷	**** ⁷
PD08	POSTOPERATIVE HEMORRHAGE OR HEMATOMA	15	7,666	0.20
PD09	POSTOPERATIVE RESPIRATORY FAILURE	44	6,858	0.64
PD10	POSTOPERATIVE SEPSIS	84	6,652	1.26
PD11	POSTOPERATIVE WOUND DEHISCENCE	**** ⁷	**** ⁷	**** ⁷
PD12	SELECTED INFECTIONS DUE TO MEDICAL CARE	98	71,230	0.14
PS17	BIRTH TRAUMA - INJURY TO NEONATE			

⁷ Cell entry fewer than 10, rate is unavailable.

PDI- Provider Rates (Payer: Medicare)

INDICATOR	LABEL	NUMERATOR	DENOMINATOR	RATE (OBSERVED) PER 100 (=Observed rate*100)	RISK ADJUSTED RATE PER 100 (=RiskAdjustedRate*100)
NQ01	IATROGENIC PNEUMOTHORAX NEONATE	***** ⁸	***** ⁸	***** ⁸	***** ⁸
NQ02	NEONATAL MORTALITY	11	1,841	0.60	0.44
NQ03	BLOOD STREAM INFECTION NEONATE	***** ⁸	***** ⁸	***** ⁸	***** ⁸
PD01	ACCIDENTAL PUNCTURE OR LACERATION	***** ⁸	***** ⁸	***** ⁸	***** ⁸
PD02	DECUBITUS ULCER	***** ⁸	***** ⁸	***** ⁸	***** ⁸
PD05	IATROGENIC PNEUMOTHORAX IN NON-NEONATES	***** ⁸	***** ⁸	***** ⁸	***** ⁸
PD06	PEDIATRIC HEART SURGERY MORTALITY	***** ⁸	***** ⁸	***** ⁸	***** ⁸
PD08	POSTOPERATIVE HEMORRHAGE OR HEMATOMA	***** ⁸	***** ⁸	***** ⁸	***** ⁸
PD09	POSTOPERATIVE RESPIRATORY FAILURE	***** ⁸	***** ⁸	***** ⁸	***** ⁸
PD10	POSTOPERATIVE SEPSIS	***** ⁸	***** ⁸	***** ⁸	***** ⁸
PD11	POSTOPERATIVE WOUND DEHISCENCE	***** ⁸	***** ⁸	***** ⁸	***** ⁸
PD12	SELECTED INFECTIONS DUE TO MEDICAL CARE	***** ⁸	***** ⁸	***** ⁸	***** ⁸
PS17	BIRTH TRAUMA - INJURY TO NEONATE	***** ⁸	***** ⁸	***** ⁸	***** ⁸

⁸ Cell entry fewer than 10, rate is unavailable.

PDI- Provider Rates (Payer: Medicaid)

INDICATOR	LABEL	NUMERATOR	DENOMINATOR	RATE (OBSERVED) PER 100 (=Observed rate*100)	RISK ADJUSTED RATE PER 100 (=RiskAdjustedRate*100)
NQ01	IATROGENIC PNEUMOTHORAX NEONATE	***** ⁹	***** ⁹	***** ⁹	***** ⁹
NQ02	NEONATAL MORTALITY	1,059	353,709	0.30	0.26
NQ03	BLOOD STREAM INFECTION NEONATE	336	8,344	4.03	
PD01	ACCIDENTAL PUNCTURE OR LACERATION	200	291,889	0.07	0.07
PD02	DECUBITUS ULCER	79	32,478	0.24	0.24
PD05	IATROGENIC PNEUMOTHORAX IN NON-NEONATES	47	262,454	0.02	0.02
PD06	PEDIATRIC HEART SURGERY MORTALITY	99	1,682	5.89	5.16
PD08	POSTOPERATIVE HEMORRHAGE OR HEMATOMA	16	8,456	0.19	0.19
PD09	POSTOPERATIVE RESPIRATORY FAILURE	90	7,166	1.26	1.23
PD10	POSTOPERATIVE SEPSIS	194	7,781	2.49	2.32
PD11	POSTOPERATIVE WOUND DEHISCENCE	***** ⁹	***** ⁹	***** ⁹	***** ⁹
PD12	SELECTED INFECTIONS DUE TO MEDICAL CARE	412	234,649	0.18	0.19
PS17	BIRTH TRAUMA - INJURY TO NEONATE	790	345,122	0.23	

⁹ Cell entry fewer than 10, rate is unavailable.

PDI- Provider Rates (Payer: Other)

INDICATOR	LABEL	NUMERATOR	DENOMINATOR	RATE (OBSERVED) PER 100 (=Observed rate*100)	RISK ADJUSTED RATE PER 100 (=RiskAdjustedRate*100)
NQ01	IATROGENIC PNEUMOTHORAX NEONATE	***** ¹⁰	***** ¹⁰	***** ¹⁰	***** ¹⁰
NQ02	NEONATAL MORTALITY	1,120	511,992	0.22	0.26
NQ03	BLOOD STREAM INFECTION NEONATE	240	8,432	2.85	
PD01	ACCIDENTAL PUNCTURE OR LACERATION	243	350,131	0.07	0.07
PD02	DECUBITUS ULCER	66	32,130	0.21	0.20
PD05	IATROGENIC PNEUMOTHORAX IN NON-NEONATES	61	316,682	0.02	0.02
PD06	PEDIATRIC HEART SURGERY MORTALITY	78	1,898	4.11	4.80
PD08	POSTOPERATIVE HEMORRHAGE OR HEMATOMA	32	15,177	0.21	0.22
PD09	POSTOPERATIVE RESPIRATORY FAILURE	125	13,110	0.95	1.04
PD10	POSTOPERATIVE SEPSIS	178	10,571	1.68	1.71
PD11	POSTOPERATIVE WOUND DEHISCENCE	***** ¹⁰	***** ¹⁰	***** ¹⁰	***** ¹⁰
PD12	SELECTED INFECTIONS DUE TO MEDICAL CARE	304	269,188	0.11	0.13
PS17	BIRTH TRAUMA - INJURY TO NEONATE	1,155	503,396	0.23	

¹⁰ Cell entry fewer than 10, rate is unavailable.

PDI- Area Rates

INDICATOR	LABEL	NUMERATOR	DENOMINATOR	RATE (OBSERVED) PER 100,000 (=Observed rate*100,000)
PD14	ASTHMA ADMISSION RATE	80,610	65,125,153	123.78
PD15	DIABETES SHORT-TERM COMPLICATION RATE	13,730	48,732,024	28.17
PD16	GASTROENTERITIS ADMISSION RATE	76,150	72,345,143	105.26
PD17	PERFORATED APPENDIX ADMISSION RATE	4,228	14,741	28.68 ¹¹
PD18	URINARY TRACT INFECTION ADMISSION RATE	31,175	72,345,143	43.09
PD90	OVERALL PDI	86,665	48,732,024	177.84
PD91	ACUTE PDI	31,315	48,732,024	64.26
PD92	CHRONIC PDI	55,350	48,732,024	113.58
PQ09	LOW BIRTH WEIGHT	53,013	873,467	6.07 ¹¹

¹¹ This rate is reported per 100 rather than per 100,000 because its denominator is based on the number of discharges, rather than the county population.

PDI- Area Rates (Males)

INDICATOR	LABEL	NUMERATOR	DENOMINATOR	RATE (OBSERVED) PER 100,000 (=Observed rate*100,000)
PD14	ASTHMA ADMISSION RATE	49,790	33,315,682	149.45
PD15	DIABETES SHORT-TERM COMPLICATION RATE	6,320	24,933,236	25.35
PD16	GASTROENTERITIS ADMISSION RATE	40,830	37,008,151	110.33
PD17	PERFORATED APPENDIX ADMISSION RATE	2,549	8,917	28.59 ¹²
PD18	URINARY TRACT INFECTION ADMISSION RATE	5,380	37,008,151	14.54
PD90	OVERALL PDI	41,920	24,933,236	168.13
PD91	ACUTE PDI	10,805	24,933,236	43.34
PD92	CHRONIC PDI	31,115	24,933,236	124.79
PQ09	LOW BIRTH WEIGHT	25,872	447,789	5.78 ¹²

¹² This rate is reported per 100 rather than per 100,000 because its denominator is based on the number of discharges, rather than the county population.

PDI- Area Rates (Females)

INDICATOR	LABEL	NUMERATOR	DENOMINATOR	RATE (OBSERVED) PER 100,000 (=Observed rate*100,000)
PD14	ASTHMA ADMISSION RATE	30,820	31,809,471	96.89
PD15	DIABETES SHORT-TERM COMPLICATION RATE	7,410	23,798,788	31.14
PD16	GASTROENTERITIS ADMISSION RATE	35,320	35,336,992	99.95
PD17	PERFORATED APPENDIX ADMISSION RATE	1,679	5,824	28.83 ¹³
PD18	URINARY TRACT INFECTION ADMISSION RATE	25,795	35,336,992	73.00
PD90	OVERALL PDI	44,745	23,798,788	188.01
PD91	ACUTE PDI	20,510	23,798,788	86.18
PD92	CHRONIC PDI	24,235	23,798,788	101.83
PQ09	LOW BIRTH WEIGHT	27,141	425,678	6.38 ¹³

¹³ This rate is reported per 100 rather than per 100,000 because its denominator is based on the number of discharges, rather than the county population.

PDI- Area Rates (Ages 0 to 4)

INDICATOR	LABEL	NUMERATOR	DENOMINATOR	RATE (OBSERVED) PER 100,000 (=Observed rate*100,000)
PD14	ASTHMA ADMISSION RATE	31,930	12,377,125	257.98
PD15	DIABETES SHORT-TERM COMPLICATION RATE			
PD16	GASTROENTERITIS ADMISSION RATE	54,585	19,597,115	278.54
PD17	PERFORATED APPENDIX ADMISSION RATE	436	677	64.40 ¹⁴
PD18	URINARY TRACT INFECTION ADMISSION RATE	16,730	19,597,115	85.37
PD90	OVERALL PDI			
PD91	ACUTE PDI			
PD92	CHRONIC PDI			
PQ09	LOW BIRTH WEIGHT	53,013	873,467	6.07 ¹⁴

¹⁴ This rate is reported per 100 rather than per 100,000 because its denominator is based on the number of discharges, rather than the county population.

PDI- Area Rates (Ages 5 to 9)

INDICATOR	LABEL	NUMERATOR	DENOMINATOR	RATE (OBSERVED) PER 100,000 (=Observed rate*100,000)
PD14	ASTHMA ADMISSION RATE	28,155	20,080,019	140.21
PQ09	LOW BIRTH WEIGHT	2,110	16,064,015	13.13
PD15	DIABETES SHORT-TERM COMPLICATION RATE	11,430	20,080,019	56.92
PD16	GASTROENTERITIS ADMISSION RATE	1,251	3,598	34.77 ¹⁵
PD17	PERFORATED APPENDIX ADMISSION RATE	5,680	20,080,019	28.29
PD18	URINARY TRACT INFECTION ADMISSION RATE	35,620	16,064,015	221.74
PD90	OVERALL PDI	12,415	16,064,015	77.28
PD91	ACUTE PDI	23,205	16,064,015	144.45
PD92	CHRONIC PDI			
PQ09	LOW BIRTH WEIGHT	28,155	20,080,019	0.140 ¹⁵

¹⁵ This rate is reported per 100 rather than per 100,000 because its denominator is based on the number of discharges, rather than the county population.

PDI- Area Rates (Ages 10 to 14)

INDICATOR	LABEL	NUMERATOR	DENOMINATOR	RATE (OBSERVED) PER 100,000 (=Observed rate*100,000)
PD14	ASTHMA ADMISSION RATE	15,175	19,903,263	76.24
PD15	DIABETES SHORT-TERM COMPLICATION RATE	6,030	19,903,263	30.30
PD16	GASTROENTERITIS ADMISSION RATE	5,970	19,903,263	30.00
PD17	PERFORATED APPENDIX ADMISSION RATE	1,686	6,026	27.98 ¹⁶
PD18	URINARY TRACT INFECTION ADMISSION RATE	3,015	19,903,263	15.15
PD90	OVERALL PDI	30,190	19,903,263	151.68
PD91	ACUTE PDI	8,985	19,903,263	45.14
PD92	CHRONIC PDI	21,205	19,903,263	106.54
PQ09	LOW BIRTH WEIGHT			

¹⁶ This rate is reported per 100 rather than per 100,000 because its denominator is based on the number of discharges, rather than the county population.

PDI- Area Rates (Ages 15 to 17)

INDICATOR	LABEL	NUMERATOR	DENOMINATOR	RATE (OBSERVED) PER 100,000 (=Observed rate*100,000)
PD14	ASTHMA ADMISSION RATE	5,350	12,764,746	41.91
PD15	DIABETES SHORT-TERM COMPLICATION RATE	5,590	12,764,746	43.79
PD16	GASTROENTERITIS ADMISSION RATE	4,165	12,764,746	32.63
PD17	PERFORATED APPENDIX ADMISSION RATE	855	4,440	19.23 ¹⁷
PD18	URINARY TRACT INFECTION ADMISSION RATE	5,750	12,764,746	45.05
PD90	OVERALL PDI	20,855	12,764,746	163.38
PD91	ACUTE PDI	9,915	12,764,746	77.67
PD92	CHRONIC PDI	10,940	12,764,746	85.70
PQ09	LOW BIRTH WEIGHT			

¹⁷ This rate is reported per 100 rather than per 100,000 because its denominator is based on the number of discharges, rather than the county population.