

AHRQ Quality Indicators

**AHRQ Quality Indicator:
Risk Adjustment Coefficients for the PQI**

Department of Health and Human Services
Agency for Healthcare Research and Quality
<http://www.qualityindicators.ahrq.gov>

Version 4.2 (September, 2010)

Table of Contents

Table 1. Risk Adjustment Coefficients for PQI #01— Diabetes Short-term Complications..... 3

Table 2. Risk Adjustment Coefficients for PQI #02— Perforated Appendix Admission Rate 4

Table 3. Risk Adjustment Coefficients for PQI #03— Diabetes Long-term Complications Admission Rate 5

Table 4. Risk Adjustment Coefficients for PQI #05— Chronic Obstructive Pulmonary Disease (COPD) Admission Rate 6

Table 5. Risk Adjustment Coefficients for PQI #07— Hypertension Admission Rate 7

Table 6. Risk Adjustment Coefficients for PQI #08— CHF Admission Rate..... 8

Table 7. Risk Adjustment Coefficients for PQI #10— Dehydration Admission Rate..... 9

Table 8. Risk Adjustment Coefficients for PQI #11— Bacterial Pneumonia Admission Rate 10

Table 9. Risk Adjustment Coefficients for PQI #12— Urinary Tract Infection Admission Rate 11

Table 10. Risk Adjustment Coefficients for PQI #13— Angina without Procedure Admission Rate 12

Table 11. Risk Adjustment Coefficients for PQI #14— Uncontrolled Diabetes Admission Rate 13

Table 1. Risk Adjustment Coefficients for PQI #01— Diabetes Short-term Complications

Parameter	DF	Estimate	Standard Error	Wald Chi-Square	Pr > Chi-Square
Intercept	1	-7.9746	0.0206	149140.786	<.0001
SEX	1	-0.0632	0.029	4.7374	0.0295
AGE1	1	0.6388	0.023	774.7572	<.0001
AGE2	1	0.5542	0.0241	528.7176	<.0001
AGE3	1	0.4708	0.0247	363.7807	<.0001
AGE4	1	0.5329	0.0242	484.2027	<.0001
AGE5	1	0.5818	0.024	589.1271	<.0001
AGE6	1	0.5371	0.024	500.4102	<.0001
AGE7	1	0.3956	0.0248	253.5977	<.0001
AGE8	1	0.1387	0.0266	27.114	<.0001
AGE10	1	-0.1152	0.0328	12.3415	0.0004
AGE11	1	-0.2197	0.0369	35.4115	<.0001
AGE12	1	-0.2932	0.041	51.1244	<.0001
AGE13	1	-0.2629	0.0463	32.167	<.0001
AGE14	1	-0.4741	0.0554	73.3205	<.0001
AGE15	1	0.2335	0.0321	52.7833	<.0001
AGE16	1	-0.0605	0.0343	3.1005	0.0783
AGE17	1	-0.0882	0.0353	6.2576	0.0124
AGE18	1	-0.1642	0.0347	22.3671	<.0001
AGE19	1	-0.2247	0.0345	42.5448	<.0001
AGE20	1	-0.2259	0.0345	42.9449	<.0001
AGE21	1	-0.1137	0.0354	10.3301	0.0013
AGE22	1	0.00699	0.0375	0.0347	0.8523
AGE24	1	-0.028	0.046	0.3701	0.543
AGE25	1	0.0691	0.0504	1.8785	0.1705
AGE26	1	0.1847	0.054	11.6976	0.0006
AGE27	1	0.1617	0.0596	7.3758	0.0066
AGE28	1	0.1355	0.0681	3.952	0.0468
POVCAT1 – POVCAT 10	0	0	.	.	.
c-statistic	not calculated				

Table 2. Risk Adjustment Coefficients for PQI #02— Perforated Appendix Admission Rate

Parameter	DF	Estimate	Standard Error	Wald Chi-Square	Pr > Chi-Square
Intercept	1	-0.1244	0.0286	18.9178	<.0001
SEX	1	-0.1554	0.0408	14.5101	0.0001
AGE1	1	-1.2325	0.0332	1374.3449	<.0001
AGE2	1	-1.2617	0.036	1225.8826	<.0001
AGE3	1	-1.1692	0.0365	1028.5248	<.0001
AGE4	1	-0.992	0.0362	749.8612	<.0001
AGE5	1	-0.7364	0.0361	417.1935	<.0001
AGE6	1	-0.4505	0.0361	155.3262	<.0001
AGE7	1	-0.2889	0.0371	60.6319	<.0001
AGE8	1	-0.0789	0.0384	4.2149	0.0401
AGE10	1	0.1658	0.0435	14.5141	0.0001
AGE11	1	0.2294	0.0472	23.6002	<.0001
AGE12	1	0.2884	0.0515	31.4036	<.0001
AGE13	1	0.294	0.0615	22.856	<.0001
AGE14	1	0.3532	0.074	22.7612	<.0001
AGE15	1	-0.3062	0.0496	38.1779	<.0001
AGE16	1	-0.1815	0.0541	11.2784	0.0008
AGE17	1	-0.1449	0.0546	7.0478	0.0079
AGE18	1	-0.114	0.0536	4.5236	0.0334
AGE19	1	-0.0715	0.0526	1.8426	0.1747
AGE20	1	-0.1135	0.0523	4.7137	0.0299
AGE21	1	-0.0315	0.053	0.3527	0.5526
AGE22	1	-0.0279	0.0546	0.262	0.6088
AGE24	1	-0.0772	0.0621	1.5459	0.2137
AGE25	1	-0.0357	0.0676	0.2797	0.5969
AGE26	1	0.0841	0.0734	1.3131	0.2518
AGE27	1	0.3083	0.0849	13.1958	0.0003
AGE28	1	0.3124	0.0985	10.0536	0.0015
POVCAT1 – POVCAT10	0	0	.	.	.
c-statistic		0.666			

Table 3. Risk Adjustment Coefficients for PQI #03— Diabetes Long-term Complications Admission Rate

Parameter	DF	Estimate	Standard Error	Wald Chi-Square	Pr > Chi-Square
Intercept	1	-6.1629	0.00836	543284.078	<.0001
SEX	1	-0.3109	0.0125	614.9844	<.0001
AGE1	1	-3.4833	0.0329	11234.0595	<.0001
AGE2	1	-2.4015	0.0235	10400.446	<.0001
AGE3	1	-1.8659	0.0195	9184.9373	<.0001
AGE4	1	-1.4426	0.0161	8050.7935	<.0001
AGE5	1	-1.0467	0.0139	5665.4956	<.0001
AGE6	1	-0.706	0.0125	3215.5412	<.0001
AGE7	1	-0.3796	0.0117	1046.5012	<.0001
AGE8	1	-0.2081	0.0116	319.7213	<.0001
AGE10	1	0.213	0.0121	309.3922	<.0001
AGE11	1	0.3424	0.0126	743.7433	<.0001
AGE12	1	0.4815	0.0128	1404.9907	<.0001
AGE13	1	0.572	0.0139	1697.0119	<.0001
AGE14	1	0.4381	0.0156	786.0422	<.0001
AGE15	1	0.7663	0.043	317.4653	<.0001
AGE16	1	0.5695	0.0321	313.9285	<.0001
AGE17	1	0.3732	0.0277	182.0539	<.0001
AGE18	1	0.1974	0.0237	69.6234	<.0001
AGE19	1	0.0534	0.021	6.4919	0.0108
AGE20	1	-0.0697	0.0191	13.3295	0.0003
AGE21	1	-0.085	0.0179	22.4663	<.0001
AGE22	1	-0.0391	0.0176	4.9165	0.0266
AGE24	1	0.014	0.018	0.6081	0.4355
AGE25	1	0.0834	0.0183	20.8065	<.0001
AGE26	1	0.0987	0.0184	28.7289	<.0001
AGE27	1	0.0663	0.0195	11.6022	0.0007
AGE28	1	0.00242	0.0211	0.0132	0.9086
POVCAT1 – POVCAT10	0	0	.	.	.
c-statistic		0.636			

Table 4. Risk Adjustment Coefficients for PQI #05— Chronic Obstructive Pulmonary Disease (COPD) Admission Rate

Parameter	DF	Estimate	Standard Error	Wald Chi-Square	Pr > Chi-Square
Intercept	1	-5.8162	0.00704	683222.968	<.0001
SEX	1	0.1052	0.00951	122.5561	<.0001
AGE1	1	-4.6889	0.0493	9033.7897	<.0001
AGE2	1	-4.8201	0.0624	5963.7696	<.0001
AGE3	1	-4.3895	0.0527	6945.7045	<.0001
AGE4	1	-3.5338	0.0336	11071.8563	<.0001
AGE5	1	-2.5195	0.0207	14768.7913	<.0001
AGE6	1	-1.6934	0.0145	13598.5999	<.0001
AGE7	1	-1.061	0.012	7811.0392	<.0001
AGE8	1	-0.5971	0.0109	3023.0644	<.0001
AGE10	1	0.4904	0.00953	2648.7851	<.0001
AGE11	1	0.767	0.0095	6511.0873	<.0001
AGE12	1	0.9888	0.00951	10820.2292	<.0001
AGE13	1	1.1068	0.01	12135.4129	<.0001
AGE14	1	0.9644	0.0111	7564.5566	<.0001
AGE15	1	-0.2436	0.0734	11.0089	0.0009
AGE16	1	0.0422	0.0861	0.2401	0.6241
AGE17	1	0.2073	0.0697	8.8332	0.003
AGE18	1	0.1183	0.0452	6.8535	0.0088
AGE19	1	0.2175	0.0273	63.5225	<.0001
AGE20	1	0.2046	0.0192	113.8721	<.0001
AGE21	1	0.114	0.0161	50.3823	<.0001
AGE22	1	0.0172	0.0147	1.3744	0.2411
AGE24	1	-0.0971	0.0129	56.3149	<.0001
AGE25	1	-0.125	0.0129	94.5703	<.0001
AGE26	1	-0.2249	0.0128	306.3371	<.0001
AGE27	1	-0.3492	0.0135	666.5092	<.0001
AGE28	1	-0.4442	0.0146	929.1974	<.0001
POVCAT1 – POVCAT10	0	0	.	.	.
c-statistic		0.789			

Table 5. Risk Adjustment Coefficients for PQI #07— Hypertension Admission Rate

Parameter	DF	Estimate	Standard Error	Wald Chi-Square	Pr > Chi-Square
Intercept	1	-7.3936	0.0154	229075.241	<.0001
SEX	1	0.2459	0.0202	147.6593	<.0001
AGE1	1	-3.2202	0.0538	3579.8571	<.0001
AGE2	1	-2.1778	0.0396	3030.8737	<.0001
AGE3	1	-1.3732	0.0297	2130.591	<.0001
AGE4	1	-0.765	0.0238	1033.1925	<.0001
AGE5	1	-0.4361	0.0216	406.3259	<.0001
AGE6	1	-0.2139	0.0204	109.8451	<.0001
AGE7	1	-0.0594	0.0202	8.66	0.0033
AGE8	1	-0.0415	0.0207	4.0209	0.0449
AGE10	1	0.1341	0.0228	34.4984	<.0001
AGE11	1	0.2669	0.0237	126.9472	<.0001
AGE12	1	0.4172	0.0242	298.0052	<.0001
AGE13	1	0.6151	0.0253	591.4717	<.0001
AGE14	1	0.7807	0.0257	922.715	<.0001
AGE15	1	-0.1193	0.0746	2.5596	0.1096
AGE16	1	-0.163	0.0549	8.8134	0.003
AGE17	1	-0.3148	0.042	56.0437	<.0001
AGE18	1	-0.3916	0.0335	136.8165	<.0001
AGE19	1	-0.2765	0.0296	87.4628	<.0001
AGE20	1	-0.2759	0.0277	99.2397	<.0001
AGE21	1	-0.2038	0.0271	56.7247	<.0001
AGE22	1	-0.1813	0.0277	42.8595	<.0001
AGE24	1	0.1173	0.0294	15.9039	<.0001
AGE25	1	0.2716	0.0298	82.9465	<.0001
AGE26	1	0.3712	0.0299	154.3905	<.0001
AGE27	1	0.4234	0.0307	190.7058	<.0001
AGE28	1	0.3514	0.0307	131.1583	<.0001
POV CAT1 – POV CAT10	0	0	.	.	.
c-statistic		0.557			

Table 6. Risk Adjustment Coefficients for PQI #08— CHF Admission Rate

Parameter	DF	Estimate	Standard Error	Wald Chi-Square	Pr > Chi-Square
Intercept	1	-5.3698	0.00564	907031.154	<.0001
SEX	1	-0.3222	0.00848	1444.4029	<.0001
AGE1	1	-4.5581	0.037	15159.4616	<.0001
AGE2	1	-3.5701	0.0271	17291.3417	<.0001
AGE3	1	-2.8756	0.0204	19895.6617	<.0001
AGE4	1	-2.2604	0.015	22700.3773	<.0001
AGE5	1	-1.7147	0.0119	20889.4651	<.0001
AGE6	1	-1.2354	0.00986	15699.5174	<.0001
AGE7	1	-0.7617	0.00876	7556.2371	<.0001
AGE8	1	-0.4499	0.00835	2905.1767	<.0001
AGE10	1	0.4412	0.00772	3262.9827	<.0001
AGE11	1	0.8382	0.00751	12472.9063	<.0001
AGE12	1	1.2356	0.00725	29056.7487	<.0001
AGE13	1	1.6636	0.00716	54018.657	<.0001
AGE14	1	2.0563	0.00696	87247.4955	<.0001
AGE15	1	0.255	0.0542	22.1585	<.0001
AGE16	1	0.0161	0.0422	0.1453	0.7031
AGE17	1	-0.1744	0.0332	27.5455	<.0001
AGE18	1	-0.273	0.0249	120.2449	<.0001
AGE19	1	-0.1506	0.0188	63.9759	<.0001
AGE20	1	-0.1433	0.0155	85.8589	<.0001
AGE21	1	-0.1431	0.0136	110.3428	<.0001
AGE22	1	-0.0512	0.0127	16.1983	<.0001
AGE24	1	0.0167	0.0115	2.094	0.1479
AGE25	1	0.0793	0.011	51.5759	<.0001
AGE26	1	0.1011	0.0106	91.5426	<.0001
AGE27	1	0.0946	0.0103	83.9314	<.0001
AGE28	1	0.1967	0.00987	397.0053	<.0001
POV CAT1 – POV CAT10	0	0	.	.	.
c-statistic		0.854			

Table 7. Risk Adjustment Coefficients for PQI #10— Dehydration Admission Rate

Parameter	DF	Estimate	Standard Error	Wald Chi-Square	Pr > Chi-Square
Intercept	1	-6.984	0.0126	307684.776	<.0001
SEX	1	0.1832	0.0167	120.0838	<.0001
AGE1	1	-2.0311	0.0264	5927.662	<.0001
AGE2	1	-1.9608	0.0295	4432.9774	<.0001
AGE3	1	-1.92	0.03	4096.3016	<.0001
AGE4	1	-1.6498	0.0262	3970.4578	<.0001
AGE5	1	-1.3858	0.0235	3478.981	<.0001
AGE6	1	-1.1012	0.0211	2723.0999	<.0001
AGE7	1	-0.727	0.0194	1405.2416	<.0001
AGE8	1	-0.4196	0.0185	514.4331	<.0001
AGE10	1	0.4237	0.0173	599.6652	<.0001
AGE11	1	0.8448	0.0167	2558.4874	<.0001
AGE12	1	1.2479	0.0161	6014.6355	<.0001
AGE13	1	1.673	0.0159	11122.0869	<.0001
AGE14	1	2.1063	0.0153	18971.5501	<.0001
AGE15	1	0.2216	0.0346	40.9779	<.0001
AGE16	1	0.2701	0.0382	49.9692	<.0001
AGE17	1	0.4502	0.0378	142.1599	<.0001
AGE18	1	0.3689	0.0334	122.1902	<.0001
AGE19	1	0.2853	0.0303	88.6715	<.0001
AGE20	1	0.2181	0.0275	63.1128	<.0001
AGE21	1	0.1473	0.0254	33.5419	<.0001
AGE22	1	0.0542	0.0245	4.8957	0.0269
AGE24	1	-0.0651	0.023	7.9913	0.0047
AGE25	1	-0.0871	0.0221	15.4899	<.0001
AGE26	1	-0.1006	0.0212	22.6012	<.0001
AGE27	1	-0.1229	0.0207	35.278	<.0001
AGE28	1	-0.1233	0.0197	39.1298	<.0001
POVCAT1 – POVCAT10	0	0	.	.	.
c-statistic	0.735				

Table 8. Risk Adjustment Coefficients for PQI #11— Bacterial Pneumonia Admission Rate

Parameter	DF	Estimate	Standard Error	Wald Chi-Square	Pr > Chi-Square
Intercept	1	-5.6105	0.00635	779855.725	<.0001
SEX	1	-0.0062	0.00881	0.4956	0.4814
AGE1	1	-2.4427	0.0157	24270.3897	<.0001
AGE2	1	-2.2185	0.0165	18045.4132	<.0001
AGE3	1	-1.9347	0.0152	16200.3981	<.0001
AGE4	1	-1.6412	0.0131	15586.5628	<.0001
AGE5	1	-1.3262	0.0116	13087.548	<.0001
AGE6	1	-1	0.0103	9421.814	<.0001
AGE7	1	-0.6994	0.0097	5197.7076	<.0001
AGE8	1	-0.4442	0.00939	2236.6669	<.0001
AGE10	1	0.4696	0.00864	2950.1234	<.0001
AGE11	1	0.8986	0.00835	11593.0295	<.0001
AGE12	1	1.3283	0.00802	27428.6013	<.0001
AGE13	1	1.7147	0.00798	46174.6667	<.0001
AGE14	1	2.1252	0.00774	75341.8959	<.0001
AGE15	1	0.016	0.0224	0.5108	0.4748
AGE16	1	0.1142	0.023	24.6847	<.0001
AGE17	1	0.1423	0.021	46.0745	<.0001
AGE18	1	0.1054	0.0182	33.5147	<.0001
AGE19	1	0.1345	0.0159	71.3014	<.0001
AGE20	1	0.1131	0.0142	63.5896	<.0001
AGE21	1	0.0854	0.0134	40.7251	<.0001
AGE22	1	0.0564	0.013	18.8971	<.0001
AGE24	1	-0.0791	0.012	43.2485	<.0001
AGE25	1	-0.1738	0.0116	222.9899	<.0001
AGE26	1	-0.2712	0.0112	590.1582	<.0001
AGE27	1	-0.3115	0.011	803.0515	<.0001
AGE28	1	-0.2928	0.0105	783.2704	<.0001
POVCAT1 – POVCAT10	0	0	.	.	.
c-statistic	0.795				

Table 9. Risk Adjustment Coefficients for PQI #12— Urinary Tract Infection Admission Rate

Parameter	DF	Estimate	Standard Error	Wald Chi-Square	Pr > Chi-Square
Intercept	1	-6.9566	0.0124	313731.569	<.0001
SEX	1	0.5123	0.0155	1097.813	<.0001
AGE1	1	-2.3937	0.0301	6326.6302	<.0001
AGE2	1	-2.0061	0.0296	4594.8171	<.0001
AGE3	1	-1.8412	0.0287	4129.1611	<.0001
AGE4	1	-1.6318	0.0256	4047.5262	<.0001
AGE5	1	-1.3715	0.0231	3537.9217	<.0001
AGE6	1	-1.1104	0.0209	2828.6233	<.0001
AGE7	1	-0.8237	0.0197	1751.2367	<.0001
AGE8	1	-0.4752	0.0185	657.6725	<.0001
AGE10	1	0.5039	0.0168	904.2794	<.0001
AGE11	1	1.0123	0.0159	4043.3326	<.0001
AGE12	1	1.524	0.0151	10163.5182	<.0001
AGE13	1	2.029	0.0148	18883.6706	<.0001
AGE14	1	2.499	0.0143	30593.4937	<.0001
AGE15	1	1.9119	0.0326	3443.8258	<.0001
AGE16	1	1.4004	0.0327	1828.9371	<.0001
AGE17	1	1.1509	0.0322	1278.8044	<.0001
AGE18	1	0.9072	0.0294	950.2675	<.0001
AGE19	1	0.6615	0.0271	597.4054	<.0001
AGE20	1	0.4424	0.025	312.2317	<.0001
AGE21	1	0.2838	0.0239	140.5469	<.0001
AGE22	1	0.1159	0.0229	25.6612	<.0001
AGE24	1	-0.0624	0.0209	8.9153	0.0028
AGE25	1	-0.0693	0.0198	12.3069	0.0005
AGE26	1	-0.082	0.0187	19.2757	<.0001
AGE27	1	-0.0832	0.0181	21.0202	<.0001
AGE28	1	-0.0621	0.0174	12.6957	0.0004
POVCAT1 – POVCAT10	0	0	.	.	.
c-statistic		0.767			

Table 10. Risk Adjustment Coefficients for PQI #13— Angina without Procedure Admission Rate

Parameter	DF	Estimate	Standard Error	Wald Chi-Square	Pr > Chi-Square
Intercept	1	-7.6913	0.0179	184128.221	<.0001
SEX	1	-0.0381	0.025	2.315	0.1281
AGE1	1	-4.5352	0.1169	1506.3327	<.0001
AGE2	1	-3.6774	0.0912	1625.101	<.0001
AGE3	1	-2.4823	0.0544	2081.8247	<.0001
AGE4	1	-1.6999	0.038	1999.7191	<.0001
AGE5	1	-0.8525	0.0281	920.5358	<.0001
AGE6	1	-0.5144	0.0254	410.4042	<.0001
AGE7	1	-0.2691	0.0245	120.5963	<.0001
AGE8	1	-0.1904	0.0249	58.6726	<.0001
AGE10	1	0.109	0.0267	16.6949	<.0001
AGE11	1	0.1867	0.0281	44.0246	<.0001
AGE12	1	0.2589	0.0294	77.3878	<.0001
AGE13	1	0.4284	0.0312	188.9098	<.0001
AGE14	1	0.4268	0.0336	161.2684	<.0001
AGE15	1	-1.1722	0.2482	22.3121	<.0001
AGE16	1	-0.3631	0.1454	6.2391	0.0125
AGE17	1	-0.3504	0.0852	16.8989	<.0001
AGE18	1	-0.1862	0.0563	10.9229	0.0009
AGE19	1	-0.2628	0.0415	40.0623	<.0001
AGE20	1	-0.2007	0.0368	29.7999	<.0001
AGE21	1	-0.0563	0.0346	2.6442	0.1039
AGE22	1	-0.0109	0.0349	0.0974	0.7549
AGE24	1	0.0489	0.0368	1.7651	0.184
AGE25	1	0.1125	0.0381	8.7091	0.0032
AGE26	1	0.1218	0.0393	9.629	0.0019
AGE27	1	0.0874	0.0408	4.5868	0.0322
AGE28	1	0.1968	0.042	21.9849	<.0001
POVCAT1 – POVCAT10	0	0	.	.	.
c-statistic	not calculated				

Table 11. Risk Adjustment Coefficients for PQI #14— Uncontrolled Diabetes Admission Rate

Parameter	DF	Estimate	Standard Error	Wald Chi-Square	Pr > Chi-Square
Intercept	1	-8.314	0.0245	115475.206	<.0001
SEX	1	0.0684	0.0333	4.2101	0.0402
AGE1	1	-1.7592	0.0463	1441.6838	<.0001
AGE2	1	-1.2457	0.0437	812.6897	<.0001
AGE3	1	-0.8676	0.0397	477.2448	<.0001
AGE4	1	-0.5172	0.0352	215.5926	<.0001
AGE5	1	-0.2392	0.0327	53.4152	<.0001
AGE6	1	-0.1196	0.0317	14.2367	0.0002
AGE7	1	0.0135	0.0315	0.1849	0.6672
AGE8	1	-0.0545	0.0329	2.7535	0.097
AGE10	1	0.1117	0.0364	9.4236	0.0021
AGE11	1	0.2454	0.0377	42.2686	<.0001
AGE12	1	0.3027	0.0396	58.3809	<.0001
AGE13	1	0.3927	0.0431	83.2025	<.0001
AGE14	1	0.2414	0.0491	24.1736	<.0001
AGE15	1	0.0353	0.0644	0.3001	0.5838
AGE16	1	-0.1532	0.0626	5.9961	0.0143
AGE17	1	-0.287	0.0578	24.6471	<.0001
AGE18	1	-0.4214	0.0517	66.3378	<.0001
AGE19	1	-0.3957	0.0473	70.0666	<.0001
AGE20	1	-0.2429	0.0446	29.6517	<.0001
AGE21	1	-0.1439	0.0437	10.854	0.001
AGE22	1	-0.0719	0.0453	2.523	0.1122
AGE24	1	-0.0347	0.0495	0.4909	0.4835
AGE25	1	0.0259	0.0505	0.2621	0.6087
AGE26	1	0.0364	0.0522	0.4854	0.486
AGE27	1	-0.0322	0.0559	0.3319	0.5645
AGE28	1	-0.1181	0.0618	3.6485	0.0561
POVCAT1 – POVCAT10	0	0	.	.	.