

Table 1. Patient Safety Indicator Rates

#	Label	Numerator	Denominator	Rate Per 100,000
21	FOREIGN BODY LEFT IN DURING PROC	3,367	220,398,261	1.528
22	IATROGENIC PNEUMOTHORAX	18,411	220,398,261	8.354
23	INFECTION DUE TO MEDICAL CARE	67,961	220,398,261	30.836
24	POSTOPERATIVE WOUND DEHISCENCE	5,989	220,398,261	2.717
25	ACCIDENTAL PUNCTURE/LACERATION	105,517	220,398,261	47.876
26	TRANSFUSION REACTION	143	220,398,261	0.065
27	POSTOP HEMORRHAGE OR HEMATOMA	35,503	220,398,261	16.108

Source: Nationwide Inpatient Sample, 2004; Rates per 100,000.

Table 2. Patient Safety Indicator Rates - Males

#	Label	Numerator	Denominator	Rate Per 100,000
21	FOREIGN BODY LEFT IN DURING PROC	1,314	107,039,603	1.228
22	IATROGENIC PNEUMOTHORAX	7,341	107,039,603	6.858
23	INFECTION DUE TO MEDICAL CARE	30,730	107,039,603	28.709
24	POSTOPERATIVE WOUND DEHISCENCE	3,702	107,039,603	3.458
25	ACCIDENTAL PUNCTURE/LACERATION	39,376	107,039,603	36.786
26	TRANSFUSION REACTION	41	107,039,603	0.038
27	POSTOP HEMORRHAGE OR HEMATOMA	16,969	107,039,603	15.853

Source: Nationwide Inpatient Sample, 2004; Rates per 100,000.

Table 3. Patient Safety Indicator Rates - Females

#	Label	Numerator	Denominator	Rate Per 100,000
21	FOREIGN BODY LEFT IN DURING PROC	2,052	113,358,658	1.810
22	IATROGENIC PNEUMOTHORAX	11,070	113,358,658	9.766
23	INFECTION DUE TO MEDICAL CARE	37,232	113,358,658	32.844
24	POSTOPERATIVE WOUND DEHISCENCE	2,287	113,358,658	2.018
25	ACCIDENTAL PUNCTURE/LACERATION	66,141	113,358,658	58.347
26	TRANSFUSION REACTION	102	113,358,658	0.090
27	POSTOP HEMORRHAGE OR HEMATOMA	18,534	113,358,658	16.350

Source: Nationwide Inpatient Sample, 2004; Rates per 100,000.

Table 4. Patient Safety Indicator Rates – Age 0 to 17

#	Label	Numerator	Denominator	Rate Per 100,000
21	FOREIGN BODY LEFT IN DURING PROC			
22	IATROGENIC PNEUMOTHORAX			
23	INFECTION DUE TO MEDICAL CARE			
24	POSTOPERATIVE WOUND DEHISCENCE			
25	ACCIDENTAL PUNCTURE/LACERATION			
26	TRANSFUSION REACTION			
27	POSTOP HEMORRHAGE OR HEMATOMA			

Source: Nationwide Inpatient Sample, 2004; Rates per 100,000.

Table 5. Patient Safety Indicator Rates – Age 18 to 39

#	Label	Numerator	Denominator	Rate Per 100,000
21	FOREIGN BODY LEFT IN DURING PROC	716	90,317,432	0.793
22	IATROGENIC PNEUMOTHORAX	1,556	90,317,432	1.723
23	INFECTION DUE TO MEDICAL CARE	12,392	90,317,432	13.721
24	POSTOPERATIVE WOUND DEHISCENCE	548	90,317,432	0.607
25	ACCIDENTAL PUNCTURE/LACERATION	13,290	90,317,432	14.714
26	TRANSFUSION REACTION	29	90,317,432	0.032
27	POSTOP HEMORRHAGE OR HEMATOMA	6,274	90,317,432	6.946

Source: Nationwide Inpatient Sample, 2004; Rates per 100,000.

Table 6. Patient Safety Indicator Rates – Age 40 to 64

#	Label	Numerator	Denominator	Rate Per 100,000
21	FOREIGN BODY LEFT IN DURING PROC	1,447	93,747,804	1.544
22	IATROGENIC PNEUMOTHORAX	5,924	93,747,804	6.319
23	INFECTION DUE TO MEDICAL CARE	28,737	93,747,804	30.653
24	POSTOPERATIVE WOUND DEHISCENCE	2,688	93,747,804	2.867
25	ACCIDENTAL PUNCTURE/LACERATION	46,358	93,747,804	49.450
26	TRANSFUSION REACTION	45	93,747,804	0.048
27	POSTOP HEMORRHAGE OR HEMATOMA	14,255	93,747,804	15.205

Source: Nationwide Inpatient Sample, 2004; Rates per 100,000.

Table 7. Patient Safety Indicator Rates – Age 65-74

#	Label	Numerator	Denominator	Rate Per 100,000
21	FOREIGN BODY LEFT IN DURING PROC	569	18,478,254	3.077
22	IATROGENIC PNEUMOTHORAX	3,997	18,478,254	21.631
23	INFECTION DUE TO MEDICAL CARE	12,178	18,478,254	65.907
24	POSTOPERATIVE WOUND DEHISCENCE	1,403	18,478,254	7.593
25	ACCIDENTAL PUNCTURE/LACERATION	21,919	18,478,254	118.623
26	TRANSFUSION REACTION	22	18,478,254	0.121
27	POSTOP HEMORRHAGE OR HEMATOMA	6,702	18,478,254	36.269

Source: Nationwide Inpatient Sample, 2004; Rates per 100,000.

Table 8. Patient Safety Indicator Rates – Age 75+

#	Label	Numerator	Denominator	Rate Per 100,000
21	FOREIGN BODY LEFT IN DURING PROC	635	17,854,771	3.555
22	IATROGENIC PNEUMOTHORAX	6,933	17,854,771	38.832
23	INFECTION DUE TO MEDICAL CARE	14,654	17,854,771	82.074
24	POSTOPERATIVE WOUND DEHISCENCE	1,350	17,854,771	7.559
25	ACCIDENTAL PUNCTURE/LACERATION	23,950	17,854,771	134.137
26	TRANSFUSION REACTION	47	17,854,771	0.262
27	POSTOP HEMORRHAGE OR HEMATOMA	8,272	17,854,771	46.331

Source: Nationwide Inpatient Sample, 2004; Rates per 100,000.