

Selected Astronomical Constants*Units:*

The units meter (m), kilogram (kg), and SI second (s) are the units of length, mass and time in the International System of Units (SI).

The astronomical unit of time is a time interval of one day (D) of 86400 seconds. An interval of 36525 days is one Julian century. The astronomical unit of mass is the mass of the Sun (S). The astronomical unit of length is that length (A) for which the Gaussian gravitational constant (k) takes the value 0.017 202 098 95 when the units of measurement are the astronomical units of length, mass and time. The dimensions of k^2 are those of the constant of gravitation (G), i.e., $A^3 S^{-1} D^{-2}$.

Some constants from the JPL DE405 ephemeris are consistent with TDB seconds (see page L2). For these quantities both TDB and SI compatible values are given, which are indicated in brackets.

	Quantity	Symbol, Value(s), [Uncertainty]	Refs.
Defining constants:			
1	Gaussian gravitational constant	$k = 0.017\ 202\ 098\ 95$	I*
2	Speed of light	$c = 299\ 792\ 458\ \text{m s}^{-1}$	C E J A
3	L_G	$L_G = 6.969\ 290\ 134 \times 10^{-10}$	I E
4	L_B	$L_B = 1.550\ 519\ 767\ 72 \times 10^{-8}$	I ₀₆ E
Other constants and quantities:			
5	L_C	$L_C = 1.480\ 826\ 867\ 41 \times 10^{-8}$ [2×10^{-17}]	I E
6	Light-time for unit distance	$\tau_A = 499.004\ 783\ 806\ 1$ (TDB) = 499.004 786 385 2 (SI) [2×10^{-8}] $1/\tau_A = 173.144\ 632\ 684\ 7$ au/d (TDB)	J E A
7	Unit distance, astronomical unit in metres	$A = c\tau_A$ = 149 597 870 691 m (TDB) = 149 597 871 464 m (SI) [6]	J E
8	Equatorial radius for Earth	$a_e = 6\ 378\ 136.6$ m [0.10]	G E A
9	Flattening factor for Earth	$f = 0.003\ 352\ 8197 = 1/298.256\ 42$ [1/0.00001]	G E A
10	Dynamical form-factor for the Earth	$J_2 = 0.001\ 082\ 635\ 9$ [1×10^{-10}]	G E
11	Nominal mean angular velocity of Earth rotation	$\omega = 7.292\ 115 \times 10^{-5}\ \text{rad s}^{-1}$ [variable]	I E G
12	Potential of the geoid	$W_0 = 6.263\ 685\ 60 \times 10^7\ \text{m}^2\ \text{s}^{-2}$ [0.5]	G E
13	Geocentric gravitational constant	$GE = 3.986\ 004\ 329 \times 10^{14}\ \text{m}^3\ \text{s}^{-2}$ (TDB) = 3.986 004 391 $\times 10^{14}\ \text{m}^3\ \text{s}^{-2}$ (SI) = 3.986 004 418 $\times 10^{14}\ \text{m}^3\ \text{s}^{-2}$ [8×10^5]	J A G E
14	Heliocentric gravitational constant	$GS = A^3 k^2 / D^2$ = 1.327 124 400 179 87 $\times 10^{20}\ \text{m}^3\ \text{s}^{-2}$ (TDB) = 1.327 124 420 76 $\times 10^{20}\ \text{m}^3\ \text{s}^{-2}$ (SI) [5×10^{10}]	J A E
15	Constant of gravitation	$G = 6.674\ 28 \times 10^{-11}\ \text{m}^3\ \text{kg}^{-1}\ \text{s}^{-2}$ = $6.673 \times 10^{-11}\ \text{m}^3\ \text{kg}^{-1}\ \text{s}^{-2}$ [0.067×10^{-13}] and [1.0×10^{-13}], respectively	C E

Selected Astronomical Constants (continued)

	Quantity	Symbol, Value(s), [Uncertainty]	Refs.			
Other constants (continued):						
16	General precession in longitude at J2000-0	$p_A = 5028''796\ 195$ per Julian century $= 5028''796\ 95$ per Julian century	I ₀₆ A P P I E			
17	Mean obliquity of the ecliptic at J2000-0	$\epsilon_0 = 23^\circ\ 26' 21.''406 = 84\ 381.''406$ [0.''0001] $= 23^\circ\ 26' 21.''4059 = 84\ 381.''4059$ $= 23^\circ\ 26' 21.''448 = 84\ 381.''448$	I ₀₆ A E I* I			
18	Ratio: mass of Moon to that of the Earth	$\mu = 1/81\,300\,56 = 0.012\,300\,0383$ [5×10^{-10}]	E J			
19	Ratio: mass of Sun to that of the Earth	$S/E = GS/GE = 332\,946\,050\,895$	J			
20	Ratio: mass of Sun to that of the Earth + Moon	$(S/E)/(1 + \mu)$ = 328 900.561 400	J			
21	Mass of the Sun	$S = (GS)/G = 1.9884 \times 10^{30}$ kg				
22	Constant of nutation	$N = 9.''2052\,331$ at epoch J2000-0	I			
23	Solar parallax	$\pi_\odot = \sin^{-1}(a_e/A) = 8.''794\,143$				
24	Constant of aberration	$\kappa = 20.''495\,51$ at epoch J2000-0				
25	Ratios of mass of Sun to masses of the planets: JPL DE405 Ephemeris (J)					
	Mercury 6 023 600	Jupiter 1 047 3486	Pluto 135 200 000			
	Venus 408 523.71	Saturn 3 497 898				
	Earth + Moon 328 900.561 400	Uranus 22 902.98				
	Mars 3 098 708	Neptune 19 412.24				
26	Minor planet masses: mass in solar mass					
	Hilton (H)	JPL DE405 (J)				
1 Ceres	4.39×10^{-10}	± 0.04	4.7×10^{-10}			
2 Pallas	1.59×10^{-10}	± 0.05	1.0×10^{-10}			
4 Vesta	1.69×10^{-10}	± 0.11	1.3×10^{-10}			
27	Masses of the larger natural satellites: mass satellite/mass of the planet (see pages F3, F5)					
	Jupiter Io 4.70×10^{-5}	Saturn Titan 2.37×10^{-4}				
	Europa 2.53×10^{-5}	Uranus Titania 4.06×10^{-5}				
	Ganymede 7.80×10^{-5}	Oberon 3.47×10^{-5}				
	Callisto 5.67×10^{-5}	Neptune Triton 2.09×10^{-4}				
28	Equatorial radii in km: <i>Cartographic Coordinates</i> (CC) and JPL DE405 Ephemeris (J)					
	CC A JPL	CC A CC A				
Mercury	$2\,439.7 \pm 1.0$	$2\,439.76$	Jupiter	$71\,492 \pm 4$	Pluto	$1\,195 \pm 5$
Venus	$6\,051.8 \pm 1.0$	$6\,052.3$	Saturn	$60\,268 \pm 4$		
Earth	$6\,378.14 \pm 0.01$	$6\,378.137$	Uranus	$25\,559 \pm 4$	Moon (mean)	$1\,737.4 \pm 1$
Mars	$3\,396.19 \pm 0.1$	$3\,397.515$	Neptune	$24\,764 \pm 15$	Sun (I*)	696 000

The list below gives the references (Refs.) which indicate where the constants has been used, quoted or derived from. The full references may be found at the end of Section L *Notes and References*, as well as on AsA-Online.

- | | | | |
|----|-------------------------------------|-----------------|----------------------------|
| A | Constants used in this publication. | | |
| C | CODATA 2006. | I ₀₆ | IAU XXV GA 2006. |
| CC | IAU/IAG WGCRE 2007. | I | IAU XXIV GA 2000. |
| E | IERS Conventions 2003 (IAU 2000). | I* | IAU 1976. |
| G | IAG XXII GA 1999, SC3. | J | JPL DE405/LE405 Ephemeris. |
| H | Hilton, ApJ, 1999. | P | Capitaine, A&A 2003. |