

**Table 5.63A (REVISED) Estimated Numbers (in Thousands) of Persons Who Reported Specific Locations Where They Received Any Illicit Drug Treatment in the Past Year Among Persons Who Received Any Illicit Drug Treatment in the Past Year, by Age Group: 2000 and 2001**

Location of Treatment <sup>1</sup>	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2000	2001	2000	2001	2000	2001	2000	2001
Hospital as an Inpatient	285	416	46	39	45 <sup>b</sup>	92	*	285
Rehabilitation Facility - Inpatient	339	530	62	44	63 <sup>a</sup>	107	*	379
Rehabilitation Facility - Outpatient	474 <sup>a</sup>	705	71	82	94 <sup>a</sup>	143	*	480
Mental Health Center - Outpatient	364	398	48	39	55	73	*	285
Private Doctor's Office	282	207	38	28	41	57	*	*
Self-Help Group	633	880	85	85	125 <sup>b</sup>	206	*	*
Prison/Jail	87	103	16	17	26	52	45	34
Emergency Room	*	192	21	19	28	44	*	*

\*Low precision; no estimate reported.

NOTE: Estimates of past year illicit drug treatment at specific locations reported in previously published versions of this table were under-reported by excluding respondents who reported having received only illicit drug treatment in the past year.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: "Received Any Illicit Drug Treatment" refers to treatment received in order to reduce or stop drug use, or for medical problems associated with drug use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 5.63B (REVISED) Percentages of Persons Who Reported Specific Locations Where They Received Any Illicit Drug Treatment in the Past Year Among Persons Who Received Any Illicit Drug Treatment in the Past Year, by Age Group: 2000 and 2001**

Location of Treatment <sup>1</sup>	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2000	2001	2000	2001	2000	2001	2000	2001
Hospital as an Inpatient	22.5	24.2	18.5	16.3	16.3	24.4	*	25.9
Rehabilitation Facility - Inpatient	26.7	30.9	25.1	18.4	22.9	28.4	*	34.4
Rehabilitation Facility - Outpatient	37.4	41.1	28.7	34.3	34.2	37.9	*	43.7
Mental Health Center - Outpatient	28.7	23.2	19.2	16.5	20.1	19.4	*	25.9
Private Doctor's Office	22.2 <sup>a</sup>	12.1	15.4	11.6	15.1	15.0	*	*
Self-Help Group	50.0	51.3	34.1	35.6	45.6	54.7	*	*
Prison/Jail	6.8	6.0	6.6	7.1	9.4	13.8	6.0	3.1
Emergency Room	*	11.2	8.5	8.0	10.3	11.5	*	*

\*Low precision; no estimate reported.

NOTE: Estimates of past year illicit drug treatment at specific locations reported in previously published versions of this table were under-reported by excluding respondents who reported having received only illicit drug treatment in the past year.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: "Received Any Illicit Drug Treatment" refers to treatment received in order to reduce or stop drug use, or for medical problems associated with drug use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 5.64A (REVISED) Estimated Numbers (in Thousands) of Persons Who Reported Specific Locations Where They Received Alcohol Treatment in the Past Year Among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: 2000 and 2001**

Location of Treatment <sup>1</sup>	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2000	2001	2000	2001	2000	2001	2000	2001
Hospital as an Inpatient	417	533	44	45	53 <sup>a</sup>	91	319	398
Rehabilitation Facility - Inpatient	436	621	37	55	67	86	331	479
Rehabilitation Facility - Outpatient	830	822	64	67	136	142	630	614
Mental Health Center - Outpatient	614	529	46	47	87	96	481	386
Private Doctor's Office	396	322	28	22	45	57	322	243
Self-Help Group	1,258	1,280	87	81	207	218	964	982
Prison/Jail	120	141	16	19	38	51	66	71
Emergency Room	217	250	17	20	35	56	*	174

\*Low precision; no estimate reported.

NOTE: Estimates of past year alcohol treatment at specific locations reported in previously published versions of this table were under-reported by excluding respondents who reported having received only alcohol treatment in the past year.

NOTE: "Received Alcohol Treatment" refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

50601

**Table 5.64B (REVISED) Percentages of Persons Who Reported Specific Locations Where They Received Alcohol Treatment in the Past Year Among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: 2000 and 2001**

Location of Treatment <sup>1</sup>	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2000	2001	2000	2001	2000	2001	2000	2001
Hospital as an Inpatient	19.8	24.2	19.2	22.7	13.2 <sup>a</sup>	20.9	21.7	25.3
Rehabilitation Facility - Inpatient	20.7	28.2	16.1 <sup>a</sup>	27.8	16.6	19.9	22.5	30.6
Rehabilitation Facility - Outpatient	39.4	37.4	27.7	33.7	33.6	32.8	42.8	39.1
Mental Health Center - Outpatient	29.1	24.0	20.0	23.6	21.4	22.3	32.7	24.6
Private Doctor's Office	18.8	14.6	12.2	11.0	11.2	13.2	21.9	15.5
Self-Help Group	59.6	58.2	37.4	40.6	51.1	50.3	65.5	62.6
Prison/Jail	5.7	6.4	6.8	9.4	9.3	11.8	4.5	4.5
Emergency Room	10.3	11.4	7.4	10.2	8.8	13.0	*	11.1

\*Low precision; no estimate reported.

NOTE: Estimates of past year alcohol treatment at specific locations reported in previously published versions of this table were under-reported by excluding respondents who reported having received only alcohol treatment in the past year.

NOTE: "Received Alcohol Treatment" refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 5.65A Estimated Numbers (in Thousands) of Persons Who Reported Specific Locations Where They Received Any Illicit Drug or Alcohol Treatment in the Past Year Among Persons Who Received Any Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: 2000 and 2001**

Location of Treatment <sup>1</sup>	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2000	2001	2000	2001	2000	2001	2000	2001
Hospital as an Inpatient	529	709	74	67	69 <sup>b</sup>	142	386	500
Rehabilitation Facility - Inpatient	573 <sup>a</sup>	869	75	71	106 <sup>a</sup>	157	392	641
Rehabilitation Facility - Outpatient	1,055	1,192	100	116	193	231	762	845
Mental Health Center - Outpatient	779	727	72	70	100	136	607	522
Private Doctor's Office	554	437	52	44	70	98	432	294
Self-Help Group	1,493	1,620	132	126	261	330	1,100	1,164
Prison/Jail	146	176	25	27	49	72	72	77
Emergency Room	288	384	40	45	59	97	189	242

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: "Received Any Illicit Drug or Alcohol Treatment" refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

20701

**Table 5.65B Percentages of Persons Who Reported Specific Locations Where They Received Any Illicit Drug or Alcohol Treatment in the Past Year Among Persons Who Received Any Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: 2000 and 2001**

Location of Treatment <sup>1</sup>	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2000	2001	2000	2001	2000	2001	2000	2001
Hospital as an Inpatient	18.7	22.6	19.9	18.5	12.0 <sup>b</sup>	21.1	20.5	23.9
Rehabilitation Facility - Inpatient	20.3 <sup>a</sup>	27.8	20.2	19.6	18.5	23.4	20.8	30.6
Rehabilitation Facility - Outpatient	37.3	38.1	26.9	32.1	33.7	34.3	40.4	40.3
Mental Health Center - Outpatient	27.5	23.2	19.4	19.4	17.4	20.2	32.2	24.9
Private Doctor's Office	19.6	14.0	14.0	12.3	12.2	14.6	22.9	14.0
Self-Help Group	52.8	51.8	35.4	34.9	45.7	49.0	58.4	55.5
Prison/Jail	5.1	5.6	6.8	7.6	8.5	10.7	3.8	3.7
Emergency Room	10.2	12.3	10.9	12.4	10.2	14.4	10.0	11.6

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: "Received Any Illicit Drug or Alcohol Treatment" refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.