River/ Lock	River	Vessels	Tonnage	Lockages	Dela	cent ayed	Dela	e Delay ¹ ayed	Ave	osures Freq
Chamber	Mile	<u>Total</u>	ktons	Total	Vessels	Tows	Vessels	Tows	<u>Time</u> ¹	<u>Total</u>
Allegheny River										
Lock And Dam 2										
1	7	6,288	1,465	3,806	3%	14%	3.49	.44		1
C.W. Bill Young Lock & Dm										
1	15	3,361	1,460	2,816	4%	12%	2.89	.50		6
Lock And Dam 4										
1	24	3,976	753	2,703	3%	6%	1.54	.28		3
Lock And Dam 5		0.440			00/	.	- 4	10		
1	30	2,448	606	1,941	2%	3%	.74	.18		6
Lock And Dam 6	00	704	47	474	00/	00/	00	00		
1* 	36	764	17	471	0%	0%	.00	.00		
Lock And Dam 7 1 *	46	1 000	10	550	0%	0%	02	.00		2
Lock And Dam 8	40	1,009	13	552	0%	0%	.02	.00		2
1 *	53	948	83	599	0%	0%	.00	.00		12
Lock And Dam 9	55	940	03	299	0 /8	0 /8	.00	.00		12
1 *	62	755	0	379	0%	N/A%	.00	.00		2
			0	010	070	14/7 (70	.00	.00		~
Atlantic Intracoastal	waterw	ау								
Great Bridge Guard Lock	40	0.000	050	4 4 4 4	400/	040/	40.04	07	2.0	20
1	12	8,639	652	4,111	48%	81%	10.81	.07	3.6	32
Alabama-Coosa Rive	rs									
Claiborne Lock And Dam										
1	118	265	117	233	0%	0%	.00	.00		
Aplchcla/Chattaho/Fl	lint Rive	ers								
Jim Woodruff Lock And Dam										
1	106	364		188	0%	0%	.00	.00		
George W Andrews Lock And Dar	m									
1	47	483		215	0%	0%	.00	.00		
Walter F George Lock And Dam										
1	75	632		299	0%	N/A%	1.04	.00		
Atchafalaya River										
Berwick Lock										
1	75	5,232	33	3,881	74%	92%	30.48	.04		
Black Rock Ch/Tona	wanda H	-								
Black Rock Lock										
1 *	75	1,736	101	1,261	46%	62%	2.99	.30		245
			101	1,201	1070	02,0	2.00	.00		210
Blackwarrior/Tombig	nee KIV	ers								
Demopolis Lock And Dam	040	4 0 40	0.050	2.004	000/	240/	22 50	05		
	213	4,049	8,856	3,024	28%	31%	32.52	.85		
William Bacon Oliver Lk And Dm	220	040	2 060	000	150/	150/	402.40	105.02		
1	338	843	3,962	836	15%	15%	493.18	195.93		

* Lock data not available for all months

River/ Lock	River	Vessels	Tonnage	Lockages	Dala	cent ayed	Average Delay	Delay ¹ /ed	Lock C Ave	losures Freq
<u>Chamber</u>	Mile	Total	ktons	Total	Vessels	Tows	Vessels	Tows	Time ¹	Total
Blackwarrior/Tombigbe	e River	s (cont.)								
Holt Lock And Dam	••••••	(""")								
1	347	1,504	5,230	1,243	9%	11%	4.15	.70		
Calcasieu River										
Calcasieu Salt Water Barrier										
1	347	14,122	526	5,189	37%	94%	4.84	.10	5.3	413
Chicago River										
Chicago Lock										
1	347	35,023	79	11,334	0%	63%	.31	.06	0.2	344
Clinch River		,		1					-	-
Melton Hill Lock										
1 *	23	22	0	21	0%	0%	.00	.00	23.2	32
Canaveral Harbor			-		• / •					
Canaveral Lock										
1	3	21,026	124	9,247	30%	65%	19.07	.08	3.2	380
Columbia River	0	21,020	127	0,241	0070	0070	10.07	.00	0.2	000
Bonneville Lock And Dam 2	145	2,463	7,467	2,325	94%	97%	13.05	.13		5
The Dalles Dam	145	2,403	7,407	2,323	34 /0	3170	15.05	.15		5
1	192	1,937	7,195	1,862	97%	98%	72.06	.93	0.2	1,804
John Day Lock And Dam		.,	.,	.,					•	.,
1	217	1,782	6,735	1,726	98%	99%	56.40	.79		3
Mcnary Lock And Dam										
1	292	2,128	6,121	1,800	79%	90%	8.50	.12		
Cumberland River										
Barkley Lock										
1	31	1,564	2,092	1,357	7%	13%	3.82	.63		36
Cheatham Lock										
1	149	1,712	7,855	1,833	17%	22%	20.60	1.92		75
Cordell Hull Lock		100		- 4	0.01			~~		
<u>1*</u>	314	130		71	0%	N/A%	.00	.00		
Old Hickory Lock	216	2,605	4,395	2,923	11%	15%	10.07	.67	4.8	352
		2,000	4,000	2,525	1170	1370	10.07	.07	4.0	002
Dismal Swamp Canal R	oute									
Deep Creek Lock	11	1,848		871	47%	N/A%	10.86	.00		2
South Mills Lock	11	1,040		071	41 /0	IN/A /0	10.00	.00		Z
	33	1,771		827	47%	N/A%	2.37	.00		2
Eroshwator Payou		1,771		521	17.70		2.07			2
Freshwater Bayou										
Freshwater Bayou Lock	33	16,899	2,172	12,583	112%	73%	158.30	.21		1
Croop & Borron Discore	00	10,033	2,172	12,000	112/0	10/0	100.00	ا ∠.		1
Green & Barren Rivers										
Lock And Dam 1	0	2 6 4 0	10 /62	2 150	70/	00/	E 70	40		26
1	9	3,640	10,463	3,459	7%	9%	5.70	.49		36

* Lock data not available for all months

River/ Lock	River	Vessels	Tonnage	Lockages	Pero Dela	cent iyed	Average Delay		Lock Cl Ave	osures Freq
<u>Chamber</u>	Mile	Total	ktons	<u>Total</u>			Vessels	Tows	Time ¹	Total
Green & Barren Rive	ers (con	<i>.</i>)								
Lock And Dam 2										
1	63	1,526	6,681	1,501	5%	6%	1.58	.42		15
Gulf Intracoastal Wa	terway									
Port Allen Lock	con may									
1	63	6,225	16,900	4,772	87%	87%	611.09	3.15	6.1	274
Bayou Sorrel Lock		-,		.,						
1	63	6,033	15,911	7,459	87%	87%	373.85	1.54	7.5	246
Inner Hrbr Navigation Canl Lk				-						
1	63	11,453	14,210	10,237	77%	77%	2,106.59	6.26	1.7	182
Algiers Lock										
1	63	11,251	25,297	9,282	87%	87%	2,269.45	5.68	1.8	23
Harvey Lock										
1	63	7,938	2,360	6,280	79%	79%	265.42	1.03	0.6	65
Bayou Boeuf Lock										
1	63	18,399	25,461	12,304	72%	74%	272.89	.49		9
Calcasieu Lock										
1	63	12,969	33,070	11,555	89%	90%	455.94	.95	1.8	44
Colorado River East Lock		00.000	10.000	0.004	000/	000/	000.04	00		
1 Oslanska DiversiWest Lask	441	28,299	16,032	8,321	30%	82%	302.24	.82	2.2	14
Colorado River West Lock	442	10 100	15 407	7,821	42%	81%	247 47	.79		6
Brazos East Gate	442	18,486	15,497	7,021	42%	0170	247.47	.79		6
	400	13,890	16,285	9,135	66%	88%	123.46	.32	1.4	87
Brazos West Gate	400	13,030	10,200	9,100	0078	0070	123.40	.52	1.4	07
1	401	12,512	16,192	9,065	72%	88%	135.88	.38	1.0	81
Schooner Bayou Control Struct		,0	.0,.02	0,000	/ 0	0070	100100	.00		0.
1	401	1,359	8	1,071	79%	89%	3.14	.14	0.8	360
Catfish Point Control Struct		7		*						
1	401	3,128	274	2,237	71%	91%	4.68	.16		
Leland Bowman Lock		•		-						
1	401	12,440	32,537	10,258	90%	91%	218.45	.47		1
Hudson River										
Troy Lock And Dam										
1 *	401	4,174	1	2,785	53%	75%	126.38	4.77		
Illinois Waterway	-	,		/						
Thomas J. Obrien Lock										
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	327	15,687	4,641	5,898	2%	18%	3.63	.31		367
1	521	15,007	4,041	3,030	∠ /0	1070	5.05	.01		307

* Lock data not available for all months

River/ Lock	River	Vessels	Tonnage	Lockages		cent ayed	Average Delay	Delay ¹ /ed	Lock Cl Ave	osures Freq
<u>Chamber</u>	Mile	Total	ktons	<u>Total</u>	Vessel	s <u>Tows</u>	Vessels		Time ¹	Total
Illinois Waterway (co	ont.)									
Lockport Lock										
1	291	3,391	10,241	3,239	34%	40%	77.33	1.63	0.2	113
Brandon Road Lock And Dam										
1	286	3,543	10,466	3,417	35%	39%	80.84	1.68		152
Dresden Island Lock And Dam										
1	272	3,676	13,163	3,729	31%	40%	64.79	1.51		21
Marseilles Lock And Dam										
1	245	4,086	14,182	3,839	43%	58%	124.05	1.89		100
Starved Rock Lock And Dam	004	4 000	10 1 17	4 4 0 7	000/	4.40/	00.04	4 00		00
1 Peoria Lock And Dam	231	4,632	16,147	4,127	29%	44%	92.31	1.88		39
1	158	3,900	22,513	3,971	16%	16%	57.39	1.07		20
Lagrange Lock And Dam	150	3,900	22,515	3,371	1078	1078	57.55	1.07		20
1	80	2,967	25,100	3,324	16%	16%	50.15	1.39		7
Kanawha River		2,001	20,100	0,021		.070	00110			
Winfield Locks And Dam Main 1 5	31	2,619	15,348	2,419	26%	28%	29.84	1.05	0.4	62
Marmet Locks And Dam Main 1	51	2,019	15,546	2,419	2076	2070	29.04	1.05	0.4	02
5	68	3,189	12,157	2,796	18%	22%	18.04	.77		8
London Locks And Dam Main 1	00	0,100	12,101	2,100	1070	2270	10.01			Ũ
1	83	236	47	253	0%	1%	.02	.02		
London Locks And Dam Main 1										
2	83	1,448	2,593	2,758	6%	6%	2.92	.78		1
Kaskaskia River										
Kaskaskia River Navagation Lk										
1	1	2,441	707	1,315	0%	0%	.00	.00	1.8	6
Mississippi River				*						
Lock And Dam 1										
1 *	848	5,649	690	2,923	1%	3%	.47	.16		4
Lock And Dam 2	0.0	0,010	000	_,0_0	170	0,0				•
1*	815	6,437	7,072	3,382	5%	30%	14.50	.91		3
Lock And Dam 3			·							
1*	797	12,149	7,065	4,761	2%	22%	13.08	.79		3
Lock And Dam 4										
1 *	753	9,498	7,761	4,063	2%	25%	9.39	.71		3
Lock And Dam 5										
1*	738	5,892	8,019	3,285	5%	24%	10.66	.75		4

* Lock data not available for all months

River/ Lock	River	Vessels	Tonnage	Lockages	Perc Dela		Average Delay	Delay ¹ /ed	Lock Clo Ave	osures Freq
<u>Chamber</u>	Mile	Total	ktons	Total	Vessels	Tows	Vessels	Tows	Time ¹	Total
Mississippi Rive	r (cont.)									
Lock And Dam 6	(00111)									
1 *	714	5,422	9,485	3,339	4%	21%	11.23	1.01		5
Lock And Dam 7		·	·	•						
1 *	702	8,394	9,547	4,074	6%	30%	24.19	1.09		5
Lock And Dam 8										
1 *	679	5,506	10,085	2,957	6%	28%	20.84	1.27		6
Lock And Dam 9										
1 *	647	4,955	12,010	3,430	11%	33%	25.16	.96		7
Lock And Dam 10										
1 *	615	5,758	13,801	3,679	7%	27%	28.01	1.30		3
Lock And Dam 11										
1 *	583	7,277	14,226	3,944	12%	40%	41.98	1.03	0.4	32
Lock And Dam 12										
1 *	556	4,194	15,165	3,581	20%	39%	42.83	1.19	0.2	101
Lock And Dam 13										
1 *	523	3,700	15,543	3,521	22%	42%	81.53	1.78		4
Lock And Dam 14										
1 *	493	2,779	17,916	3,657	39%	47%	75.95	1.46		23
Lock And Dam 14										
4 *	493	4,074	5	1,225	0%	0%	.48	.00		
Lock And Dam 15										
1 *	483	2,543	18,179	3,530	36%	39%	82.33	1.64		104
Lock And Dam 15										
4 *	483	3,001	96	1,536	1%	7%	.42	.21		8
Lock And Dam 16										
1 *	457	3,293	19,417	4,087	36%	42%	78.32	1.34	0.6	37
Lock And Dam 17										
1 *	437	2,566	20,520	3,657	44%	50%	84.01	1.65		50
Lock And Dam 18					1001			. ==		
1*	411	3,268	21,813	4,085	40%	52%	95.33	1.73		62
Lock And Dam 19	004	0.740	~~~~~			450/		4.00		
1*	364	2,716	23,060	2,441	39%	45%	58.30	1.20		45
Lock And Dam 20	0.40	0.050	00.044		450/	= 4 0 /		4 70		
1	343	2,858	23,911	4,107	45%	51%	96.88	1.72		65

* Lock data not available for all months

River/ Lock	River	Vessels	Tonnage	Lockages	Perc Dela	cent iyed	Average Delay	Delay ¹ /ed	Lock Cl Ave	osures Freq
Chamber	Mile	Total	ktons	Total	Vessels	s <u>Tows</u>	<u>Vessels</u>	<u>Tows</u>	Time ¹	Total
Mississippi River (co	nt.)									
Lock And Dam 21	,									
1	325	2,922	25,623	4,271	44%	49%	84.72	1.73		35
Lock And Dam 22										
1	301	2,817	26,043	4,198	50%	56%	115.05	1.95		29
Lock And Dam 24										
1	273	2,947	26,683	4,275	46%	54%	182.30	2.86		64
Lock And Dam 25										
1	241	3,475	26,927	4,582	47%	55%	177.75	2.37		107
Mel Price Lock And Dam										
1	201	6,155	55,284	5,669	51%	56%	219.18	1.91		143
Mel Price Lock And Dam										
4 *	201	1,159	1,120	1,012	13%	22%	16.06	1.02		20
Chain Of Rocks Lock And Dam 27										
1	186	6,823	58,799	6,484	51%	54%	170.68	1.13		19
Chain Of Rocks Lock And Dam 27										
4	186	1,851	1,735	1,646	16%	20%	23.48	1.03		10
St Anthony Falls - Upper Lock										
1 *	854	3,560	686	2,403	0%	1%	.14	.08		4
St Anthony Falls - Lower Lock										
1*	853	3,059	696	1,960	1%	4%	.41	.11		4
Lock And Dam 5a										
1 *	729	7,360	7,995	3,782	3%	20%	11.27	.87		5
Mc-Kerr Arkansas Ri	v Nav	Sys								
Norrell Lock And Dam										
1	10	1,331	8,306	1,660	3%	4%	1.58	.44		8
Wilbur D Mills Lock And Dam										
1	13	1,313	8,272	1,719	10%	10%	5.00	.95		2
Joe Hardin Lock And Dam										
1	50	1,332	7,985	1,725	10%	13%	6.60	1.02		1
Emmett Sanders Lock And Dam										
1	66	1,477	8,116	1,824	12%	15%	7.99	1.05		7
Col Charles D Maynard										
1	86	1,433	7,955	1,786	10%	11%	5.38	.95		11
David D Terry Lock And Dam										
1	108	1,785	8,001	1,797	16%	25%	14.67	1.16		8

* Lock data not available for all months

River/ Lock	River	Vessels	Tonnago	Lockage		cent ayed	Average Delay	Delay ¹ /ed	Lock Cl Ave	osures Freq
Chamber	Mile	Total	ktons	Total	3	-	Vessels		Time ¹	Total
Mc-Kerr Arkansas Riv	Nav Svs	(cont.)								
Murray Lock And Dam		(••••••)								
1	125	1,757	6,486	1,702	6%	11%	4.85	.95		
Toad Suck Ferry Lock And Dam										
1	156	1,016	6,544	1,361	8%	9%	3.11	.87		7
Arthur V Ormond L And D										
1	177	1,001	6,530	1,347	6%	6%	2.30	.66		4
Dardanelle Lk And Dam										
1	206	1,277	6,573	1,529	4%	4%	1.33	.43		6
Ozark Lock And Dam										_
1	257	797	4,248	958	3%	4%	.77	.36		4
James W. Trimble Lock And Dam	000		4.404	000	50/	70/	0.50	00		47
1	293	822	4,161	908	5%	7%	2.58	.96		17
W D Mayo Lock And Dam 1	320	940	3,953	1,053	92%	99%	16.71	.50	1.9	20
Rbrt S Kerr Lk And Dam And Res	320	940	3,903	1,055	9270	99%	10.71	.50	1.9	20
1	336	899	3,957	1,046	97%	100%	12.18	.37		10
Webbers Falls Lock And Dam	000	000	0,001	1,040	5170	10070	12.10	.07		10
1	367	1,015	3,679	1,060	89%	100%	10.67	.33		7
Chouteau Lock And Dam		,	- ,	,						
1	401	846	3,109	867	91%	99%	5.88	.19		14
Newt Graham Lock And Dam										
1	422	778	3,149	858	98%	99%	6.46	.20		23
Montgomery Point Lock And Dam										
1	422	2,134	8,494	2,036	0%	0%	.01	.01		
Monongahela River										
Lock And Dam 2										
1	11	2,507	14,673	2,788	26%	28%	32.54	1.17		35
Lock And Dam 2				·						
4	11	1,824	133	1,177	1%	2%	.25	.10		3
Lock And Dam 3										
1	24	4,440	10,841	4,359	35%	35%	46.45	.66		23
Lock And Dam 3										
4	24	1,831	398	1,667	5%	7%	2.48	.25		3
Lock And Dam 4										_
1	42	6,236	10,838	5,865	35%	38%	55.87	.59		5

* Lock data not available for all months

River/ Lock	River	Vessels	Tonnage	Lockages		cent ayed	Average Delay	Delay ¹ /ed	Lock Cle Ave	osures Freq
Chamber	Mile	Total	ktons	Total	Vessel	s Tows	Vessels	Tows	Time ¹	Total
Monongahela River	(cont.)									
Maxwell Lock And Dam										
1	61	2,478	3,980	2,131	5%	6%	1.75	.34	0.4	10
Maxwell Lock And Dam										
2	61	1,818	5,726	1,709	4%	5%	1.35	.36		6
Grays Landing Lock And Dam										
1	82	1,473	3,335	1,265	4%	6%	.91	.33		
Point Marion Lock And Dam										
1	91	1,157	3,040	1,068	4%	5%	1.45	.54		2
Morgantown Lock And Dam										
1	102	932	271	553	1%	2%	.10	.05		
Hildebrand Lock And Dam	100	500	50		00/	0 0/				
1*	108	523	59	241	0%	0%	.00	.00		1
Opekiska Lock And Dam	445	0.44	50	000	00/	00/	00	00		
1*	115	641	59	289	0%	0%	.00	.00		
Ouachita And Black	<i>Rivers</i>									
Jonesville Lock And Dam										
1	25	1,105	1,310	1,081	8%	7%	1.28	.29		
Columbia Lock And Dam										
1	117	654	799	707	22%	25%	2.46	.43		
Felsenthal Lock And Dam										
1	227	842	235	723	86%	98%	.82	.04		
Thatcher Lock And Dam										
1	282	849	235	715	68%	37%	.75	.06		
Old River										
Old River Lock										
1	282	3,511	7,729	3,286	95%	95%	40.99	.29		1
Ohio River										
Emsworth Lock And Dam										
1	6	2,585	14,927	3,025	31%	34%	49.44	1.44	0.3	49
Emsworth Lock And Dam										
4	6	4,058	760	3,256	7%	15%	51.11	.98	1.7	40
Dashields Lock And Dam										
1	13	2,521	15,749	3,020	31%	33%	38.78	1.16	11.7	36
Dashields Lock And Dam										
4	13	2,372	728	2,223	8%	16%	29.93	.70		73
Montgomery Lock And Dam										
1	32	2,647	16,115	3,293	37%	38%	54.65	1.27	0.2	53

* Lock data not available for all months

River/ Lock	River	Vessels	Tonnage	Lockages		cent ayed	Average Delay		Lock Cl Ave	osures Freq
Chamber	Mile	Total	ktons	Total	Vessel	<u>s</u> Tows	Vessels	Tows	Time ¹	<u>Total</u>
Ohio River (cont.)										
Montgomery Lock And Dam										
4	32	1,808	275	1,488	4%	6%	1.00	.27		12
New Cumberland Lock And Dam										
1	54	2,189	22,268	2,162	26%	26%	20.86	.88		18
New Cumberland Lock And Dam										
4	54	1,639	1,307	1,327	5%	6%	1.44	.38		9
Pike Island Lock And Dam										
1	84	2,961	26,000	2,746	26%	29%	28.08	.86		24
Pike Island Lock And Dam										
4 *	84	1,569	1,182	1,237	4%	6%	.89	.26		3
Belleville Locks And Dam										
2	204	3,223	38,707	3,180	42%	43%	79.42	1.33	3.0	54
Belleville Locks And Dam										
4 *	204	1,033	1,228	770	8%	21%	7.09	.49	11.2	7
Racine Locks And Dam										
2	238	3,252	40,180	3,222	41%	42%	74.76	1.32	1.7	39
Racine Locks And Dam										
4	238	901	609	735	4%	6%	.55	.23		17
Greenup Locks And Dam										
2 *	341	4,160	42,708	4,089	53%	54%	129.91	1.34	3.2	211
Greenup Locks And Dam										
4	341	1,495	8,563	1,892	50%	65%	265.25	2.41	5.8	74
Capt Ant Meldahl Locks And Dam	100	4.070	10.001	4 000	470/	400/	400.00	4 0 0		4.0
2	436	4,276	48,884	4,220	47%	48%	106.06	1.26		19
Capt Ant Meldahl Locks And Dam		0.004	040	4.040	00/	70/	07			0
4	436	2,064	618	1,218	2%	7%	.67	.34		8
Robert C. Byrd Locks And Dam	400	2.000	40.040	2.054	400/	400/	70.07	4.40		40
2 Data at 0. Data the And Data	436	3,960	43,613	3,854	42%	43%	76.97	1.12		12
Robert C. Byrd Locks And Dam 4 *	436	333	300	302	4%	5%	.63	.36		
4 Markland Locks And Dam	-100		500	502	4 /0	J /0	.03	.50		
2 *	532	2,795	32,690	2,750	47%	48%	107.06	1.55		82
Z Markland Locks And Dam	552	2,135	52,030	2,750	47 /0	-10 /0	107.00	1.00		02
4	532	2,690	14,633	3,003	43%	81%	498.09	3.66	1.5	87
т	002	2,000	17,000	5,005		0170	400.03	0.00	1.5	07

* Lock data not available for all months

River/ Lock	River	Vessels	Tonnage	Lockages		cent ayed	Average Delay	Delay ¹ /ed	Lock Cl Ave	osures Freq
Chamber	Mile	Total	ktons	Total	Vessel	<u>s Tows</u>	<u>Vessels</u>	Tows	Time ¹	Total
Ohio River (cont.)										
Mcalpine Locks And Dam										
1*	607	2,203	24,248	2,139	28%	29%	36.17	1.02		60
Mcalpine Locks And Dam										
2	607	3,358	31,625	3,282	43%	44%	81.01	1.20		58
Lock And Dam 52										
1	939	8,059	77,166	7,917	13%	14%	483.33	4.94		54
Lock And Dam 52										
5 *	939	819	2,596	782	52%	56%	85.53	3.00	13.5	23
Lock And Dam 53										
1	963	5,979	67,619	5,923	1%	1%	6.60	.18		1
Lock And Dam 53										
3 *	963	34	168	29	3%	5%	.13	.13		
Hannibal Locks And Dam										
1	126	3,096	36,897	3,074	35%	35%	42.69	.93		25
Hannibal Locks And Dam										
4	126	1,275	891	893	3%	5%	.71	.27		7
Willow Island Locks And Dam										
2	162	2,941	36,532	2,913	34%	34%	39.81	.96		9
Willow Island Locks And Dam										
4	162	1,370	660	958	2%	4%	.53	.26		14
Cannelton Lock And Dam										
2	721	4,143	50,240	4,133	56%	56%	143.50	1.36		57
Cannelton Lock And Dam										
4	721	1,348	6,553	1,508	39%	62%	231.88	2.35	3.5	43
Newburgh Lock And Dam										
2	776	5,651	67,319	5,594	57%	58%	143.12	1.06	0.3	159
Newburgh Lock And Dam										
4	776	2,017	970	1,306	2%	5%	.71	.28	0.1	49
John T. Myers Lock & Dam										
2	846	5,318	62,810	5,184	53%	55%	133.43	1.14		134
John T. Myers Lock & Dam										
4 *	846	1,493	471	1,254	2%	5%	.61	.26	0.1	66
Smithland Lock And Dam										
1	919	3,571	27,447	3,244	22%	25%	32.59	.89		274

* Lock data not available for all months

River/ Lock	River	Vessels	Tonnage	Lockages	Perc Dela		Average Delay		Lock C Ave	losures Freq
Chamber	Mile	Total	ktons	Total	Vessels	<u>Tows</u>	Vessels	Tows	Time ¹	<u>Total</u>
Ohio River (cont.)										
Smithland Lock And Dam										
2	919	3,804	40,807	3,559	27%	30%	53.02	1.06		134
Okeechobee Waterw	wav									
St Lucie Lock And Dam										
1	15	4,727	53	3,074	26%	22%	31.67	.40		882
Moore Haven Lock										
1 *	78	3,511	5	2,431	7%	5%	1.28	.02	10.7	266
Ortona Lock And Dam										
1	94	4,539	4	3,079	7%	7%	2.27	.08	2.8	357
W P Frklin Lck And Ctrl Strct										
1	122	6,365	5	3,939	29%	42%	12.04	.09		336
Port Mayaca Lock										
1	39	4,498	17	3,378	72%	23%	8.30	.04		377
Red River										
Lindy Claiborne Boggs Lock										
1	44	1,610	3,139	1,467	7%	6%	578.09	.23		1
John H. Overton										
1	74	1,757	2,969	1,600	12%	6%	11.71	4.89		1
Lock And Dam 3										
1	116	907	857	636	6%	2%	.36	.03		
Russell B. Long		4.055	10.1	4 000						
1	116	1,355	401	1,029	55%	11%	4.10	.14		11
Joe D. Waggonner Jr Lock	116	2,506	269	1,442	39%	17%	4.71	.09		5
	110	2,500	209	1,442	39%	1770	4.71	.09		5
St. Marys River										
Macarthur Lock										
1 *	47	3,791	10,067	3,398	7%	10%	5.79	.32	0.3	2,458
Macarthur Lock	47	000	4 000	050	000/	470/	40.75	45		004
2*	47	263	4,993	258	22%	17%	19.75	.45		221
New Poe Lock 1 *	47	2 595	37 630	2 1 1 1	16%	18%	12.82	FO	07	1 900
Davis Lock	47	2,585	37,639	2,444	10%	10%	12.02	.50	0.7	1,823
1 *	47	1	0	1	0%	0%	.00	.00		11
	47	I	U	I	0 /0	070	.00	.00		
Snake River										
Ice Harbor Lock And Dam	40	4 500	0.000	4.000	000/	000/	7.00	40		
1	10	1,563	2,830	1,368	89%	98%	7.26	.13		1
Lower Monumental Lock And Da		1 05 4	0 500	070	000/	000/	7 70	40		4
1	42	1,054	2,530	978	93%	99%	7.79	.18		4

* Lock data not available for all months

River/ Lock	River	Vessels	Tonnage	Lockages		cent ayed	Average Dela	Delay ¹ yed	Lock Cl Ave	osures Freq
Chamber	Mile	Total	ktons	Total		-	Vessels	•	Time ¹	Total
Snake River (cont.)										
Little Goose Lock And Dam										
1	70	998	2,234	945	95%	98%	7.25	.10		1
Lower Granite Lock And Dam	400		4.040		100/	= 407		4.05		
1	108	814	1,249	677	43%	51%	15.45	1.35		1
Tennessee River										
Kentucky Lock										
1	22	3,336	31,165	5,113	74%	77%	437.98	4.40		46
Pickwick Landing Lock										
1	207	2,374	10,806	2,183	19%	24%	20.27	1.10		161
Pickwick Landing Lock										
5	207	351	17	303	16%	26%	1.40	.43		81
Wilson Lock										
2	259	2,131	6,752	2,075	20%	29%	40.71	2.31	2.8	47
Wilson Lock										
4 *	259	169	374	424	48%	102%	360.69	17.52		29
Gen Jos Wheeler Lock										
1	275	2,443	7,118	2,401	14%	20%	14.59	1.06		37
Gen Jos Wheeler Lock										
5 *	275	13	3	11	0%	0%	.00	.00		0
Guntersville Lock										
1	349	1,876	3,761	1,659	7%	12%	5.86	1.18	4.7	32
Guntersville Lock										
5 *	349	173	6	142	1%	25%	.08	.08		0
Nickajac Lock										
1	425	1,749	1,672	1,348	6%	12%	11.97	5.42	4.3	196
Chickamauga Lock										
1	471	4,846	786	3,508	13%	76%	55.86	2.31	5.7	395
Watts Bar Lock										
1	530	2,144	457	1,719	8%	65%	13.92	2.11	2.7	370
Fort Loudon Lock										
1	602	1,584	326	1,306	7%	49%	9.87	1.94	4.1	357
Tennessee Tombigb	ee Wat	erway								
Howell Heflin Lock And Dam	000	0.400	4.005	4 000	500/	550/	40.00	4.00		
	266	2,182	4,905	1,903	52%	55%	46.63	1.28		4
Tom Bevill Lock And Dam	207	0.000	4 700	0.040	400/	00/	4.40	40		
1	307	2,239	4,783	2,010	10%	8%	4.10	.40		

* Lock data not available for all months

River/					Percent Delayed		Average Delay ¹ Lock Closure Delayed Ave Free			
Lock	River	Vessels		e Lockages		•		,	Ave	Freq
Chamber	Mile	<u>Total</u>	ktons	<u>Total</u>	Vessel	<u>s</u> Tows	Vessels	Tows	Time '	<u>Total</u>
Tennessee Tombigbee	Waterwa	y (cont.)								
John C. Stennis Lock And Dam	-									
1	335	2,655	4,636	2,190	8%	8%	6.96	1.15		
Aberdeen Lock And Dam										
1	358	2,205	4,209	1,872	11%	9%	3.66	.35		
Amory Lock										
1	371	2,092	4,313	1,806	2%	2%	1.07	.18		
Glover Wilkins Lock										
1	376	2,077	4,329	1,798	3%	2%	1.66	.33		1
Fulton Lock										
1	391	2,131	4,321	1,833	5%	4%	2.07	.22		
John Rankin Lock										
1	398	2,103	4,314	1,814	7%	7%	3.55	.51		
G.V. Sonny Montgomery Lock										
1	407	2,042	4,299	1,770	10%	9%	3.83	.45		
Jamie L. Whitten Lock And Dam										
1	412	2,181	4,274	1,842	3%	5%	2.16	.65		
Willamette River										
Willamette Falls Locks 1 - 4										
1*	412	33		33	100%	100%	.04	.01		
Willamette Falls Guard Lock							-	-		
1*	412	28		28	100%	100%	.04	.01		
Lake Washington Ship	Canal	-				-				
Hiram M Chittenden Locks	Vallai									
	412	16,611	992	3,349	22%	61%	52.19	.35	3.1	151
Hiram M Chittenden Locks	412	10,011	332	3,349	22/0	0170	52.19	.50	J. I	101
4	412	28,975	1	10,477	36%	34%	88.18	.18	3.6	97
4	412	20,975	I	10,477	30%	34%	00.18	.10	3.0	97

* Lock data not available for all months