

Table 3.13A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That Marijuana Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Marijuana: 2000 and 2001

(I) Demographic Characteristic	Ease of Obtaining Marijuana ¹		(II) Drug Use	Ease of Obtaining Marijuana ¹			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2000	2001		2000	2001	2000	2001
TOTAL	12,318	12,754	PAST MONTH				
AGE			Any Illicit Drug ²	1,959 ^b	2,200	288	334
12-13	2,059	2,014	Marijuana	1,545 ^b	1,741	129	136
14-15	4,588 ^a	4,860	Any Illicit Drug Other Than Marijuana ²	874	920	187	222
16-17	5,671	5,880	Cigarettes	2,624	2,622	480	409
GENDER			Alcohol	3,199 ^a	3,472	600	576
Male	6,246	6,522	"Binge" Alcohol ³	2,142	2,198	283	283
Female	6,072	6,232	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	3,619 ^b	4,108	706	776
Not Hispanic	10,613	10,987	Marijuana	2,817 ^b	3,256	307	307
White Only	8,228	8,524	Any Illicit Drug Other Than Marijuana ²	2,124	2,253	482	557
Black Only	1,791	1,756	Cigarettes	3,888	3,895	923 ^a	797
American Indian or Alaska Native Only	75	102	Alcohol	6,094 ^a	6,419	1,571	1,516
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	286	333	LIFETIME				
More Than One Race	200	234	Any Illicit Drug ²	5,009 ^b	5,417	1,227	1,222
Hispanic	1,705	1,767	Marijuana	3,808 ^b	4,154	460	462
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	3,242	3,438	942	924
Large Metro	6,108	6,098	Cigarettes	6,195	6,229	1,791 ^a	1,610
Small Metro	3,758	4,001	Alcohol	7,378 ^a	7,790	2,274	2,224
Nonmetro	2,452	2,655	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Respondents with missing data were excluded.² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.13B Percentages of Persons Aged 12 to 17 Reporting (I) That Marijuana Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Marijuana: 2000 and 2001

(I) Demographic Characteristic	Ease of Obtaining Marijuana ¹		(II) Drug Use	Ease of Obtaining Marijuana ¹			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2000	2001		2000	2001	2000	2001
TOTAL	54.1 ^a	55.4	PAST MONTH				
AGE			Any Illicit Drug ²	15.9 ^a	17.2	2.8	3.3
12-13	27.6	27.1	Marijuana	12.5 ^a	13.6	1.2	1.3
14-15	58.4 ^b	61.0	Any Illicit Drug Other Than Marijuana ²	7.1	7.2	1.8	2.2
16-17	76.0	77.3	Cigarettes	21.3	20.6	4.6	4.0
GENDER			Alcohol	26.0	27.2	5.7	5.6
Male	53.5 ^a	55.5	"Binge" Alcohol ³	17.4	17.2	2.7	2.8
Female	54.7	55.4	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	29.4 ^b	32.2	6.8	7.6
Not Hispanic	54.3 ^a	55.9	Marijuana	22.9 ^b	25.5	2.9	3.0
White Only	55.1 ^b	57.0	Any Illicit Drug Other Than Marijuana ²	17.2	17.7	4.6 ^a	5.4
Black Only	55.2	53.4	Cigarettes	31.6	30.5	8.8 ^a	7.8
American Indian or Alaska Native Only	53.4	58.6	Alcohol	49.5	50.3	15.0	14.8
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	35.6	41.0	LIFETIME				
More Than One Race	56.7	61.4	Any Illicit Drug ²	40.7 ^a	42.5	11.7	11.9
Hispanic	52.8	52.9	Marijuana	30.9 ^a	32.6	4.4	4.5
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	26.3	27.0	9.0	9.0
Large Metro	55.1	55.8	Cigarettes	50.3	48.8	17.1 ^a	15.7
Small Metro	53.4 ^a	55.7	Alcohol	59.9	61.1	21.8	21.7
Nonmetro	52.8	54.3	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Respondents with missing data were excluded.² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.14A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That Cocaine Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Cocaine: 2000 and 2001

(I) Demographic Characteristic	Ease of Obtaining Cocaine ¹		(II) Drug Use	Ease of Obtaining Cocaine ¹			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2000	2001		2000	2001	2000	2001
TOTAL	5,649	5,788	PAST MONTH				
AGE			Any Illicit Drug ²	991	1,062	1,226 ^b	1,434
12-13	1,104	1,152	Marijuana	760	812	886 ^a	1,031
14-15	1,949 ^a	2,121	Any Illicit Drug Other Than Marijuana ²	521	536	526	601
16-17	2,596	2,515	Cigarettes	1,214	1,231	1,825	1,740
GENDER			Alcohol	1,442	1,555	2,290	2,430
Male	2,497	2,443	"Binge" Alcohol ³	1,011	1,047	1,382	1,395
Female	3,152	3,345	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	1,663 ^a	1,824	2,571 ^b	2,961
Not Hispanic	4,667	4,805	Marijuana	1,273	1,382	1,779 ^b	2,100
White Only	3,456	3,590	Any Illicit Drug Other Than Marijuana ²	1,106	1,176	1,459 ^a	1,595
Black Only	929	922	Cigarettes	1,749	1,744	2,974	2,863
American Indian or Alaska Native Only	*	37	Alcohol	2,646	2,682	4,873	5,125
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	146	132	LIFETIME				
More Than One Race	99	112	Any Illicit Drug ²	2,289	2,385	3,822 ^b	4,140
Hispanic	982	983	Marijuana	1,697	1,733	2,473 ^b	2,785
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	1,661	1,710	2,457	2,599
Large Metro	2,867	2,812	Cigarettes	2,703	2,673	5,141	5,026
Small Metro	1,690	1,808	Alcohol	3,260	3,280	6,221 ^a	6,557
Nonmetro	1,092	1,168	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Respondents with missing data were excluded.² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.14B Percentages of Persons Aged 12 to 17 Reporting (I) That Cocaine Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Cocaine: 2000 and 2001

(I) Demographic Characteristic	Ease of Obtaining Cocaine ¹		(II) Drug Use	Ease of Obtaining Cocaine ¹			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2000	2001		2000	2001	2000	2001
TOTAL	25.2	25.5	PAST MONTH				
AGE			Any Illicit Drug ²	17.5	18.4	7.3 ^b	8.5
12-13	14.9	15.6	Marijuana	13.5	14.0	5.3 ^a	6.1
14-15	25.2 ^a	27.0	Any Illicit Drug Other Than Marijuana ²	9.2	9.3	3.1	3.6
16-17	35.6 ^a	33.6	Cigarettes	21.5	21.3	10.9	10.3
GENDER			Alcohol	25.5	26.9	13.6	14.4
Male	21.7	21.1	"Binge" Alcohol ³	17.9	18.1	8.2	8.3
Female	28.8	30.1	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	29.4	31.5	15.3 ^b	17.5
Not Hispanic	24.3	24.8	Marijuana	22.5	23.9	10.6 ^b	12.4
White Only	23.5	24.3	Any Illicit Drug Other Than Marijuana ²	19.6	20.3	8.7 ^a	9.4
Black Only	29.0	28.5	Cigarettes	31.0	30.1	17.7	16.9
American Indian or Alaska Native Only	*	21.6	Alcohol	46.8	46.3	29.0 ^a	30.3
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	18.5	16.6	LIFETIME				
More Than One Race	29.0	29.9	Any Illicit Drug ²	40.5	41.2	22.7 ^b	24.5
Hispanic	30.6	29.8	Marijuana	30.0	29.9	14.7 ^b	16.5
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	29.4	29.5	14.6	15.4
Large Metro	26.2	26.1	Cigarettes	47.8	46.2	30.6	29.7
Small Metro	24.3	25.5	Alcohol	57.7	56.7	37.0 ^a	38.8
Nonmetro	23.9	24.2	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Respondents with missing data were excluded.² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.15A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That Crack Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Crack: 2000 and 2001

(I) Demographic Characteristic	Ease of Obtaining Crack ¹		(II) Drug Use	Ease of Obtaining Crack ¹			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2000	2001		2000	2001	2000	2001
TOTAL	6,010	6,139	PAST MONTH				
AGE			Any Illicit Drug ²	895	915	1,317 ^b	1,581
12-13	1,327	1,367	Marijuana	660	674	983 ^b	1,169
14-15	2,178	2,295	Any Illicit Drug Other Than Marijuana ²	468	451	576 ^a	681
16-17	2,505	2,477	Cigarettes	1,096	1,051	1,944	1,919
GENDER			Alcohol	1,367	1,447	2,370	2,543
Male	2,640	2,559	"Binge" Alcohol ³	911	913	1,482	1,532
Female	3,370	3,581	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	1,583	1,682	2,643 ^b	3,107
Not Hispanic	5,082	5,231	Marijuana	1,141	1,219	1,904 ^b	2,264
White Only	3,702	3,892	Any Illicit Drug Other Than Marijuana ²	1,033	1,039	1,527 ^b	1,735
Black Only	1,083	1,033	Cigarettes	1,634	1,559	3,085	3,053
American Indian or Alaska Native Only	23	27	Alcohol	2,635	2,609	4,885 ^a	5,207
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	157	146	LIFETIME				
More Than One Race	105	122	Any Illicit Drug ²	2,216	2,267	3,891 ^b	4,261
Hispanic	928	908	Marijuana	1,547	1,544	2,616 ^b	2,974
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	1,587	1,605	2,530	2,708
Large Metro	3,061	2,952	Cigarettes	2,657	2,594	5,185	5,116
Small Metro	1,756 ^a	1,926	Alcohol	3,279	3,260	6,203 ^a	6,587
Nonmetro	1,193	1,262	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Respondents with missing data were excluded.² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.15B Percentages of Persons Aged 12 to 17 Reporting (I) That Crack Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Crack: 2000 and 2001

(I) Demographic Characteristic	Ease of Obtaining Crack ¹		(II) Drug Use	Ease of Obtaining Crack ¹			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2000	2001		2000	2001	2000	2001
TOTAL	26.8	27.0	PAST MONTH				
AGE			Any Illicit Drug ²	14.9	14.9	8.0 ^b	9.5
12-13	17.9	18.5	Marijuana	11.0	11.0	6.0 ^b	7.1
14-15	28.1	29.2	Any Illicit Drug Other Than Marijuana ²	7.8	7.3	3.5 ^a	4.1
16-17	34.3	33.1	Cigarettes	18.2	17.1	11.8	11.6
GENDER			Alcohol	22.7	23.6	14.4	15.3
Male	22.9	22.0	"Binge" Alcohol ³	15.2	14.9	9.0	9.2
Female	30.8	32.2	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	26.3	27.4	16.1 ^b	18.7
Not Hispanic	26.4	27.0	Marijuana	19.0	19.9	11.6 ^b	13.7
White Only	25.2	26.4	Any Illicit Drug Other Than Marijuana ²	17.2	16.9	9.3 ^b	10.5
Black Only	33.7	31.7	Cigarettes	27.2	25.4	18.8	18.4
American Indian or Alaska Native Only	16.5	15.8	Alcohol	43.8	42.5	29.7 ^a	31.4
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	19.9	18.4	LIFETIME				
More Than One Race	30.6	32.6	Any Illicit Drug ²	36.9	36.9	23.7 ^b	25.7
Hispanic	29.0	27.5	Marijuana	25.7	25.1	15.9 ^b	17.9
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	26.4	26.1	15.4	16.3
Large Metro	28.0	27.3	Cigarettes	44.2	42.2	31.5	30.9
Small Metro	25.3 ^a	27.2	Alcohol	54.6	53.1	37.7 ^b	39.7
Nonmetro	26.1	26.1	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Respondents with missing data were excluded.² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.16A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That Heroin Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Heroin: 2000 and 2001

(I) Demographic Characteristic	Ease of Obtaining Heroin ¹		(II) Drug Use	Ease of Obtaining Heroin ¹			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2000	2001		2000	2001	2000	2001
TOTAL	3,799	3,782	PAST MONTH				
AGE			Any Illicit Drug ²	571	530	1,625 ^b	1,965
12-13	807	815	Marijuana	409	398	1,223 ^b	1,445
14-15	1,393	1,388	Any Illicit Drug Other Than Marijuana ²	298	261	740 ^a	871
16-17	1,599	1,579	Cigarettes	701	659	2,332	2,302
GENDER			Alcohol	863	898	2,862 ^a	3,084
Male	1,702	1,603	"Binge" Alcohol ³	578	582	1,808	1,858
Female	2,097	2,179	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	987	992	3,219 ^b	3,782
Not Hispanic	3,197	3,222	Marijuana	687	727	2,345 ^b	2,747
White Only	2,341	2,327	Any Illicit Drug Other Than Marijuana ²	656	608	1,892 ^b	2,155
Black Only	660	701	Cigarettes	1,033	968	3,678	3,621
American Indian or Alaska Native Only	19	14	Alcohol	1,635	1,574	5,864 ^a	6,220
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	90	90	LIFETIME				
More Than One Race	76	81	Any Illicit Drug ²	1,400	1,366	4,679 ^b	5,146
Hispanic	602	560	Marijuana	954	938	3,188 ^b	3,570
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	1,012	934	3,085 ^b	3,366
Large Metro	1,926	1,860	Cigarettes	1,671	1,568	6,148	6,113
Small Metro	1,141	1,177	Alcohol	2,064	2,007	7,386 ^a	7,814
Nonmetro	732	744	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Respondents with missing data were excluded.² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.16B Percentages of Persons Aged 12 to 17 Reporting (I) That Heroin Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Heroin: 2000 and 2001

(I) Demographic Characteristic	Ease of Obtaining Heroin ¹		(II) Drug Use	Ease of Obtaining Heroin ¹			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2000	2001		2000	2001	2000	2001
TOTAL	17.0	16.7	PAST MONTH				
AGE			Any Illicit Drug ²	15.0	14.0	8.7 ^b	10.4
12-13	10.9	11.1	Marijuana	10.8	10.5	6.6 ^b	7.7
14-15	18.0	17.7	Any Illicit Drug Other Than Marijuana ²	7.9	6.9	4.0 ^a	4.6
16-17	22.0	21.1	Cigarettes	18.4	17.4	12.6	12.2
GENDER			Alcohol	22.7	23.7	15.4	16.3
Male	14.8	13.9	"Binge" Alcohol ³	15.2	15.4	9.7	9.8
Female	19.2	19.7	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	26.0	26.2	17.3 ^b	20.1
Not Hispanic	16.7	16.7	Marijuana	18.1	19.2	12.6 ^b	14.6
White Only	16.0	15.8	Any Illicit Drug Other Than Marijuana ²	17.3	16.1	10.2 ^b	11.4
Black Only	20.6	21.6	Cigarettes	27.2	25.6	19.8	19.2
American Indian or Alaska Native Only	13.8	8.3	Alcohol	43.0	41.6	31.6 ^a	33.0
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	11.5	11.4	LIFETIME				
More Than One Race	22.1	21.5	Any Illicit Drug ²	36.9	36.1	25.2 ^b	27.3
Hispanic	18.9	17.0	Marijuana	25.1	24.8	17.2 ^b	18.9
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	26.6	24.7	16.6 ^a	17.8
Large Metro	17.7	17.3	Cigarettes	44.0	41.5	33.1	32.4
Small Metro	16.5	16.6	Alcohol	54.3	53.1	39.7 ^a	41.4
Nonmetro	16.0	15.5	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Respondents with missing data were excluded.² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.17A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That LSD Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining LSD: 2000 and 2001

(I) Demographic Characteristic	Ease of Obtaining LSD ¹		(II) Drug Use	Ease of Obtaining LSD ¹			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2000	2001		2000	2001	2000	2001
TOTAL	5,114	5,125	PAST MONTH				
AGE			Any Illicit Drug ²	981	1,067	1,240 ^b	1,430
12-13	739	730	Marijuana	763	835	890 ^a	1,013
14-15	1,824	1,876	Any Illicit Drug Other Than Marijuana ²	504	503	547	630
16-17	2,551	2,519	Cigarettes	1,261	1,241	1,790	1,729
GENDER			Alcohol	1,486	1,586	2,253	2,385
Male	2,300	2,271	"Binge" Alcohol ³	1,035	1,063	1,360	1,380
Female	2,814	2,854	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	1,727	1,834	2,513 ^b	2,937
Not Hispanic	4,367	4,412	Marijuana	1,327	1,438	1,738 ^b	2,040
White Only	3,556	3,576	Any Illicit Drug Other Than Marijuana ²	1,131	1,136	1,437 ^a	1,626
Black Only	539	565	Cigarettes	1,785	1,741	2,943	2,851
American Indian or Alaska Native Only	22	30	Alcohol	2,702	2,764	4,810	5,005
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	151	122	LIFETIME				
More Than One Race	89	110	Any Illicit Drug ²	2,319	2,381	3,781 ^b	4,116
Hispanic	747	712	Marijuana	1,781	1,795	2,397 ^b	2,718
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	1,646	1,686	2,458	2,601
Large Metro	2,608	2,485	Cigarettes	2,758	2,650	5,068	5,007
Small Metro	1,596	1,674	Alcohol	3,243	3,260	6,220 ^a	6,528
Nonmetro	909	965	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Respondents with missing data were excluded.² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.17B Percentages of Persons Aged 12 to 17 Reporting (I) That LSD Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining LSD: 2000 and 2001

(I) Demographic Characteristic	Ease of Obtaining LSD ¹		(II) Drug Use	Ease of Obtaining LSD ¹			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2000	2001		2000	2001	2000	2001
TOTAL	23.0	22.8	PAST MONTH				
AGE			Any Illicit Drug ²	19.2	20.8	7.2 ^b	8.2
12-13	10.2	10.1	Marijuana	14.9	16.3	5.2 ^a	5.8
14-15	23.7	24.1	Any Illicit Drug Other Than Marijuana ²	9.8	9.8	3.2	3.6
16-17	34.9	33.8	Cigarettes	24.6	24.2	10.4	10.0
GENDER			Alcohol	29.1	31.0	13.1	13.7
Male	20.1	19.8	"Binge" Alcohol ³	20.2	20.8	7.9	8.0
Female	26.0	26.0	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	33.8	35.8	14.7 ^b	16.9
Not Hispanic	22.9	23.0	Marijuana	25.9	28.1	10.1 ^b	11.8
White Only	24.4	24.5	Any Illicit Drug Other Than Marijuana ²	22.1	22.2	8.4 ^a	9.4
Black Only	17.1	17.6	Cigarettes	34.9	34.0	17.2	16.4
American Indian or Alaska Native Only	15.8	17.3	Alcohol	52.8	53.9	28.0	28.9
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	19.2	15.6	LIFETIME				
More Than One Race	25.9	29.1	Any Illicit Drug ²	45.3	46.5	22.0 ^b	23.7
Hispanic	23.5	21.8	Marijuana	34.8	35.0	14.0 ^b	15.7
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	32.2	32.9	14.3	15.0
Large Metro	24.1	23.2	Cigarettes	53.9	51.7	29.5	28.9
Small Metro	23.1	23.9	Alcohol	63.4	63.6	36.3 ^a	37.6
Nonmetro	20.0	20.3	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.