

**Table 3.32A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Participated in a Problem Solving, Communication Skills, or Self-Esteem Group in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Problem Solving, Communication Skills, or Self-Esteem Group: 2000 and 2001**

(I) Demographic Characteristic	Participated in Problem Solving, Communication, or Self-Esteem Group <sup>1</sup>		(II) Drug Use	Participated in Problem Solving, Communication, or Self-Esteem Group <sup>1</sup>			
	Yes			Yes		No	
	2000	2001		2000	2001	2000	2001
<b>TOTAL</b>	4,379 <sup>b</sup>	5,610	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	353 <sup>b</sup>	489	1,885	2,026
12-13	1,690 <sup>b</sup>	2,087	Marijuana	230 <sup>b</sup>	322	1,438	1,531
14-15	1,456 <sup>b</sup>	1,937	Any Illicit Drug Other Than Marijuana <sup>2</sup>	183 <sup>b</sup>	259	869	878
16-17	1,233 <sup>b</sup>	1,586	Cigarettes	418 <sup>b</sup>	556	2,696 <sup>b</sup>	2,457
<b>GENDER</b>			Alcohol	543 <sup>b</sup>	785	3,257	3,251
Male	1,979 <sup>b</sup>	2,704	"Binge" Alcohol <sup>3</sup>	310 <sup>b</sup>	464	2,117	2,003
Female	2,400 <sup>b</sup>	2,906	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	675 <sup>b</sup>	1,019	3,642	3,837
Not Hispanic	3,759 <sup>b</sup>	4,822	Marijuana	420 <sup>b</sup>	654	2,699	2,878
White Only	2,623 <sup>b</sup>	3,531	Any Illicit Drug Other Than Marijuana <sup>2</sup>	429 <sup>b</sup>	653	2,166	2,141
Black Only	856	943	Cigarettes	692 <sup>b</sup>	931	4,144 <sup>b</sup>	3,741
American Indian or Alaska Native Only	*	30	Alcohol	1,215 <sup>b</sup>	1,629	6,462	6,291
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	174	195	<b>LIFETIME</b>				
More Than One Race	60 <sup>b</sup>	100	Any Illicit Drug <sup>2</sup>	1,034 <sup>b</sup>	1,454	5,204	5,161
Hispanic	620 <sup>b</sup>	788	Marijuana	614 <sup>b</sup>	888	3,648	3,700
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	733 <sup>b</sup>	1,019	3,448	3,325
Large Metro	2,186 <sup>b</sup>	2,676	Cigarettes	1,243 <sup>b</sup>	1,629	6,803 <sup>b</sup>	6,207
Small Metro	1,344 <sup>b</sup>	1,750	Alcohol	1,609 <sup>b</sup>	2,096	8,080	7,907
Nonmetro	849 <sup>b</sup>	1,184	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 3.32B Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in a Problem Solving, Communication Skills, or Self-Esteem Group in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Problem Solving, Communication Skills, or Self-Esteem Group: 2000 and 2001**

(I) Demographic Characteristic	Participated in Problem Solving, Communication, or Self-Esteem Group <sup>1</sup>		(II) Drug Use	Participated in Problem Solving, Communication, or Self-Esteem Group <sup>1</sup>			
	Yes			Yes		No	
	2000	2001		2000	2001	2000	2001
<b>TOTAL</b>	18.9 <sup>b</sup>	24.1	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	8.1	8.7	10.0 <sup>b</sup>	11.5
12-13	22.1 <sup>b</sup>	27.7	Marijuana	5.3	5.7	7.6 <sup>b</sup>	8.7
14-15	18.2 <sup>b</sup>	24.0	Any Illicit Drug Other Than Marijuana <sup>2</sup>	4.2	4.6	4.6	5.0
16-17	16.4 <sup>b</sup>	20.7	Cigarettes	9.5	9.9	14.3	13.9
<b>GENDER</b>			Alcohol	12.4	14.0	17.3 <sup>a</sup>	18.4
Male	16.7 <sup>b</sup>	22.7	"Binge" Alcohol <sup>3</sup>	7.1	8.3	11.3	11.3
Female	21.2 <sup>b</sup>	25.5	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	15.4 <sup>b</sup>	18.2	19.4 <sup>b</sup>	21.7
Not Hispanic	18.9 <sup>b</sup>	24.3	Marijuana	9.6 <sup>b</sup>	11.7	14.3 <sup>b</sup>	16.3
White Only	17.3 <sup>b</sup>	23.3	Any Illicit Drug Other Than Marijuana <sup>2</sup>	9.8 <sup>a</sup>	11.6	11.5	12.1
Black Only	25.8	28.3	Cigarettes	15.8	16.6	22.0	21.2
American Indian or Alaska Native Only	*	17.2	Alcohol	27.7	29.0	34.4 <sup>a</sup>	35.6
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	21.2	24.2	<b>LIFETIME</b>				
More Than One Race	16.7 <sup>a</sup>	25.5	Any Illicit Drug <sup>2</sup>	23.6 <sup>a</sup>	25.9	27.7 <sup>a</sup>	29.2
Hispanic	18.9 <sup>b</sup>	23.3	Marijuana	14.0 <sup>a</sup>	15.8	19.4 <sup>b</sup>	21.0
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	16.7	18.2	18.3	18.8
Large Metro	19.4 <sup>b</sup>	24.1	Cigarettes	28.4	29.0	36.2	35.2
Small Metro	18.8 <sup>b</sup>	24.2	Alcohol	36.7	37.4	43.0 <sup>b</sup>	44.8
Nonmetro	17.8 <sup>b</sup>	24.0	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 3.33A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Participated in a Violence Prevention Program in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Violence Prevention Program: 2000 and 2001**

(I) Demographic Characteristic	Participated in Violence Prevention Program <sup>1</sup>		(II) Drug Use	Participated in Violence Prevention Program <sup>1</sup>			
	Yes			Yes		No	
	2000	2001		2000	2001	2000	2001
<b>TOTAL</b>	3,794 <sup>b</sup>	4,180	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	305 <sup>a</sup>	381	1,938 <sup>a</sup>	2,140
12-13	1,859	1,947	Marijuana	201	239	1,472 <sup>a</sup>	1,619
14-15	1,196 <sup>b</sup>	1,386	Any Illicit Drug Other Than Marijuana <sup>2</sup>	158 <sup>a</sup>	221	898	918
16-17	740 <sup>a</sup>	846	Cigarettes	345 <sup>a</sup>	417	2,770	2,605
<b>GENDER</b>			Alcohol	409	478	3,394	3,565
Male	1,855 <sup>b</sup>	2,114	"Binge" Alcohol <sup>3</sup>	267	291	2,161	2,180
Female	1,940	2,065	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	569 <sup>b</sup>	703	3,760 <sup>b</sup>	4,164
Not Hispanic	3,198 <sup>b</sup>	3,539	Marijuana	355 <sup>a</sup>	441	2,769 <sup>b</sup>	3,098
White Only	2,178 <sup>b</sup>	2,436	Any Illicit Drug Other Than Marijuana <sup>2</sup>	378 <sup>a</sup>	462	2,227	2,340
Black Only	781	829	Cigarettes	559 <sup>b</sup>	673	4,278 <sup>a</sup>	4,011
American Indian or Alaska Native Only	28	21	Alcohol	883 <sup>b</sup>	1,044	6,802	6,904
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	149	156	<b>LIFETIME</b>				
More Than One Race	47 <sup>a</sup>	81	Any Illicit Drug <sup>2</sup>	839 <sup>b</sup>	996	5,417	5,638
Hispanic	597	640	Marijuana	501	574	3,766 <sup>a</sup>	4,024
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	618	705	3,580	3,652
Large Metro	1,877	2,016	Cigarettes	978 <sup>b</sup>	1,168	7,066 <sup>a</sup>	6,692
Small Metro	1,148 <sup>a</sup>	1,318	Alcohol	1,188 <sup>b</sup>	1,367	8,511	8,672
Nonmetro	770	846	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 3.33B Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in a Violence Prevention Program in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Violence Prevention Program: 2000 and 2001**

(I) Demographic Characteristic	Participated in Violence Prevention Program <sup>1</sup>		(II) Drug Use	Participated in Violence Prevention Program <sup>1</sup>			
	Yes			Yes		No	
	2000	2001		2000	2001	2000	2001
<b>TOTAL</b>	16.3 <sup>b</sup>	17.9	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	8.0	9.1	10.0 <sup>b</sup>	11.1
12-13	24.2	25.5	Marijuana	5.3	5.7	7.6 <sup>a</sup>	8.4
14-15	14.9 <sup>b</sup>	17.1	Any Illicit Drug Other Than Marijuana <sup>2</sup>	4.2	5.3	4.6	4.8
16-17	9.8	11.0	Cigarettes	9.1	10.0	14.2	13.5
<b>GENDER</b>			Alcohol	10.8	11.4	17.4 <sup>a</sup>	18.5
Male	15.6 <sup>b</sup>	17.7	"Binge" Alcohol <sup>3</sup>	7.0	7.0	11.1	11.3
Female	17.1	18.0	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	15.0	16.8	19.3 <sup>b</sup>	21.7
Not Hispanic	16.0 <sup>b</sup>	17.7	Marijuana	9.4	10.6	14.2 <sup>b</sup>	16.1
White Only	14.3 <sup>b</sup>	16.0	Any Illicit Drug Other Than Marijuana <sup>2</sup>	10.0	11.1	11.4	12.2
Black Only	23.6	24.9	Cigarettes	14.7	16.1	22.0 <sup>a</sup>	20.9
American Indian or Alaska Native Only	19.4	12.4	Alcohol	23.3	25.0	35.0	35.9
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	18.0	18.7	<b>LIFETIME</b>				
More Than One Race	13.1 <sup>a</sup>	20.5	Any Illicit Drug <sup>2</sup>	22.1	23.8	27.9 <sup>a</sup>	29.3
Hispanic	18.1	18.9	Marijuana	13.2	13.7	19.4 <sup>b</sup>	20.9
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	16.3	16.9	18.4	19.0
Large Metro	16.6 <sup>a</sup>	18.1	Cigarettes	25.8	27.9	36.3 <sup>a</sup>	34.8
Small Metro	16.1 <sup>b</sup>	18.1	Alcohol	31.3	32.7	43.8 <sup>a</sup>	45.1
Nonmetro	16.1	17.0	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.<sup>1</sup> Respondents with missing data were excluded.<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 3.34A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Participated in an Alcohol, Tobacco, or Drug Prevention Program Outside of School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Drug Prevention Program Outside School: 2000 and 2001**

(I) Demographic Characteristic	Participated in Drug Prevention Program Outside School <sup>1</sup>		(II) Drug Use	Participated in Drug Prevention Program Outside School <sup>1</sup>			
	Yes			Yes		No	
	2000	2001		2000	2001	2000	2001
<b>TOTAL</b>	2,751 <sup>b</sup>	3,252	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	299	351	1,949 <sup>b</sup>	2,169
12-13	1,087 <sup>b</sup>	1,306	Marijuana	200	239	1,473 <sup>a</sup>	1,619
14-15	876 <sup>b</sup>	1,104	Any Illicit Drug Other Than Marijuana <sup>2</sup>	164	195	897	942
16-17	788	842	Cigarettes	355	375	2,766	2,646
<b>GENDER</b>			Alcohol	415 <sup>a</sup>	488	3,392	3,559
Male	1,394 <sup>b</sup>	1,633	"Binge" Alcohol <sup>3</sup>	276	311	2,153	2,157
Female	1,357 <sup>b</sup>	1,618	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	526 <sup>b</sup>	645	3,806 <sup>b</sup>	4,223
Not Hispanic	2,327 <sup>b</sup>	2,761	Marijuana	363 <sup>a</sup>	449	2,761 <sup>b</sup>	3,092
White Only	1,604 <sup>b</sup>	1,933	Any Illicit Drug Other Than Marijuana <sup>2</sup>	347	397	2,261	2,407
Black Only	514 <sup>a</sup>	628	Cigarettes	541	611	4,304 <sup>a</sup>	4,068
American Indian or Alaska Native Only	24	28	Alcohol	822 <sup>b</sup>	997	6,870	6,955
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	141	112	<b>LIFETIME</b>				
More Than One Race	32	50	Any Illicit Drug <sup>2</sup>	760 <sup>a</sup>	872	5,500	5,762
Hispanic	425	490	Marijuana	490	566	3,778 <sup>a</sup>	4,033
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	545	614	3,657	3,744
Large Metro	1,336 <sup>a</sup>	1,482	Cigarettes	895	1,000	7,160	6,861
Small Metro	835 <sup>b</sup>	1,036	Alcohol	1,078 <sup>a</sup>	1,231	8,627	8,818
Nonmetro	581 <sup>b</sup>	734	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 3.34B Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in an Alcohol, Tobacco, or Drug Prevention Program Outside of School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Drug Prevention Program Outside School: 2000 and 2001**

(I) Demographic Characteristic	Participated in Drug Prevention Program Outside School <sup>1</sup>		(II) Drug Use	Participated in Drug Prevention Program Outside School <sup>1</sup>			
	Yes			Yes		No	
	2000	2001		2000	2001	2000	2001
<b>TOTAL</b>	11.8 <sup>b</sup>	13.9	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	10.9	10.8	9.5 <sup>b</sup>	10.7
12-13	14.1 <sup>b</sup>	17.1	Marijuana	7.3	7.4	7.2 <sup>a</sup>	8.0
14-15	10.9 <sup>b</sup>	13.6	Any Illicit Drug Other Than Marijuana <sup>2</sup>	6.0	6.0	4.4	4.7
16-17	10.5	11.0	Cigarettes	12.9	11.5	13.5	13.1
<b>GENDER</b>			Alcohol	15.1	15.0	16.5 <sup>a</sup>	17.6
Male	11.7 <sup>b</sup>	13.6	"Binge" Alcohol <sup>3</sup>	10.0	9.6	10.5	10.7
Female	11.9 <sup>b</sup>	14.1	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	19.1	19.8	18.6 <sup>b</sup>	20.9
Not Hispanic	11.7 <sup>b</sup>	13.8	Marijuana	13.2	13.8	13.5 <sup>b</sup>	15.3
White Only	10.5 <sup>b</sup>	12.7	Any Illicit Drug Other Than Marijuana <sup>2</sup>	12.6	12.2	11.0 <sup>a</sup>	11.9
Black Only	15.5 <sup>b</sup>	18.8	Cigarettes	19.7	18.8	21.0	20.2
American Indian or Alaska Native Only	16.7	16.2	Alcohol	29.9	30.7	33.5	34.5
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	17.0	13.5	<b>LIFETIME</b>				
More Than One Race	8.8	12.8	Any Illicit Drug <sup>2</sup>	27.6	26.8	26.8 <sup>b</sup>	28.6
Hispanic	12.9	14.5	Marijuana	17.8	17.4	18.4 <sup>b</sup>	20.0
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	19.8	18.9	17.8	18.6
Large Metro	11.8 <sup>a</sup>	13.3	Cigarettes	32.5	30.7	34.9	34.0
Small Metro	11.7 <sup>b</sup>	14.2	Alcohol	39.2	37.9	42.1 <sup>a</sup>	43.7
Nonmetro	12.1 <sup>b</sup>	14.7	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 3.35A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Participated in a Program in the Past Year for Dealing with Alcohol or Drug Use, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Program for Dealing with Alcohol or Drug Use: 2000 and 2001**

(I) Demographic Characteristic	Participated in Program for Dealing with Alcohol or Drug Use <sup>1</sup>		(II) Drug Use	Participated in Program for Dealing with Alcohol or Drug Use <sup>1</sup>			
	Yes			Yes		No	
	2000	2001		2000	2001	2000	2001
<b>TOTAL</b>	1,023 <sup>b</sup>	1,293	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	180	209	2,071 <sup>b</sup>	2,307
12-13	417 <sup>b</sup>	575	Marijuana	127	156	1,545 <sup>a</sup>	1,702
14-15	316 <sup>a</sup>	401	Any Illicit Drug Other Than Marijuana <sup>2</sup>	100	112	965	1,021
16-17	290	317	Cigarettes	231	232	2,887	2,781
<b>GENDER</b>			Alcohol	228	217	3,575 <sup>a</sup>	3,822
Male	531 <sup>b</sup>	689	"Binge" Alcohol <sup>3</sup>	175	144	2,253	2,317
Female	493 <sup>b</sup>	604	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	294	331	4,042 <sup>b</sup>	4,532
Not Hispanic	863 <sup>b</sup>	1,048	Marijuana	228	229	2,896 <sup>b</sup>	3,309
White Only	617	692	Any Illicit Drug Other Than Marijuana <sup>2</sup>	201	237	2,411	2,563
Black Only	189 <sup>b</sup>	271	Cigarettes	316	331	4,524	4,342
American Indian or Alaska Native Only	13	13	Alcohol	392	409	7,289	7,537
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	32	43	<b>LIFETIME</b>				
More Than One Race	10	22	Any Illicit Drug <sup>2</sup>	378	432	5,880 <sup>a</sup>	6,193
Hispanic	160 <sup>b</sup>	244	Marijuana	297	283	3,968 <sup>b</sup>	4,313
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	287	338	3,916	4,013
Large Metro	485 <sup>b</sup>	605	Cigarettes	437	490	7,609	7,351
Small Metro	315 <sup>b</sup>	407	Alcohol	478	498	9,221	9,539
Nonmetro	223 <sup>a</sup>	281	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 3.35B Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in a Program in the Past Year for Dealing with Alcohol or Drug Use, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Program for Dealing with Alcohol or Drug Use: 2000 and 2001**

(I) Demographic Characteristic	Participated in Program for Dealing with Alcohol or Drug Use <sup>1</sup>		(II) Drug Use	Participated in Program for Dealing with Alcohol or Drug Use <sup>1</sup>			
	Yes			Yes		No	
	2000	2001		2000	2001	2000	2001
<b>TOTAL</b>	4.4 <sup>b</sup>	5.5	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	17.6	16.1	9.3 <sup>b</sup>	10.5
12-13	5.4 <sup>b</sup>	7.6	Marijuana	12.4	12.1	7.0 <sup>a</sup>	7.7
14-15	3.9 <sup>a</sup>	4.9	Any Illicit Drug Other Than Marijuana <sup>2</sup>	9.8	8.7	4.3	4.6
16-17	3.9	4.1	Cigarettes	22.5 <sup>a</sup>	18.0	13.0	12.6
<b>GENDER</b>			Alcohol	22.3 <sup>b</sup>	16.8	16.1 <sup>b</sup>	17.3
Male	4.5 <sup>b</sup>	5.8	"Binge" Alcohol <sup>3</sup>	17.1 <sup>b</sup>	11.1	10.1	10.5
Female	4.3 <sup>b</sup>	5.3	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	28.7	25.6	18.2 <sup>b</sup>	20.5
Not Hispanic	4.3 <sup>b</sup>	5.2	Marijuana	22.3 <sup>a</sup>	17.7	13.0 <sup>b</sup>	15.0
White Only	4.0	4.6	Any Illicit Drug Other Than Marijuana <sup>2</sup>	19.6	18.4	10.9 <sup>a</sup>	11.6
Black Only	5.7 <sup>b</sup>	8.1	Cigarettes	30.8 <sup>a</sup>	25.6	20.4	19.7
American Indian or Alaska Native Only	9.1	7.4	Alcohol	38.3 <sup>b</sup>	31.7	32.8 <sup>a</sup>	34.1
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	4.0	5.3	<b>LIFETIME</b>				
More Than One Race	2.8	5.5	Any Illicit Drug <sup>2</sup>	37.0	33.4	26.5 <sup>b</sup>	28.1
Hispanic	4.9 <sup>b</sup>	7.2	Marijuana	29.0 <sup>b</sup>	21.9	17.9 <sup>b</sup>	19.5
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	28.0	26.1	17.6	18.2
Large Metro	4.3 <sup>b</sup>	5.4	Cigarettes	42.7 <sup>a</sup>	37.9	34.3	33.3
Small Metro	4.4 <sup>b</sup>	5.6	Alcohol	46.7 <sup>b</sup>	38.5	41.5 <sup>b</sup>	43.2
Nonmetro	4.7 <sup>a</sup>	5.7	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.



**Table 3.36A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Participated in a Pregnancy or Sexually Transmitted Disease (STD) Prevention Program in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Pregnancy or Sexually Transmitted Disease Prevention Program: 2000 and 2001**

(I) Demographic Characteristic	Participated in Pregnancy/STD Prevention Program <sup>1</sup>		(II) Drug Use	Participated in Pregnancy/STD Prevention Program <sup>1</sup>			
	Yes			Yes		No	
	2000	2001		2000	2001	2000	2001
<b>TOTAL</b>	2,965 <sup>b</sup>	3,213	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	308	361	1,943 <sup>b</sup>	2,164
12-13	988	1,022	Marijuana	196	246	1,477	1,617
14-15	1,101 <sup>a</sup>	1,239	Any Illicit Drug Other Than Marijuana <sup>2</sup>	170	200	894	940
16-17	876	953	Cigarettes	343	379	2,780	2,642
<b>GENDER</b>			Alcohol	445	502	3,362	3,547
Male	1,530	1,579	"Binge" Alcohol <sup>3</sup>	281	312	2,149	2,158
Female	1,435 <sup>b</sup>	1,634	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	586 <sup>a</sup>	677	3,754 <sup>b</sup>	4,198
Not Hispanic	2,502 <sup>a</sup>	2,689	Marijuana	390 <sup>a</sup>	464	2,739 <sup>b</sup>	3,079
White Only	1,685 <sup>a</sup>	1,846	Any Illicit Drug Other Than Marijuana <sup>2</sup>	376	419	2,239	2,391
Black Only	615	618	Cigarettes	578	637	4,267	4,046
American Indian or Alaska Native Only	13	31	Alcohol	923	1,013	6,769	6,943
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	115	121	<b>LIFETIME</b>				
More Than One Race	65	66	Any Illicit Drug <sup>2</sup>	840 <sup>b</sup>	969	5,428	5,672
Hispanic	464	525	Marijuana	534 <sup>a</sup>	621	3,738 <sup>a</sup>	3,981
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	599	681	3,609	3,684
Large Metro	1,402	1,520	Cigarettes	1,005	1,082	7,051	6,783
Small Metro	901	993	Alcohol	1,210 <sup>a</sup>	1,351	8,500	8,707
Nonmetro	663	700	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.  
-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 3.36B Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in a Pregnancy or Sexually Transmitted Disease (STD) Prevention Program in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Pregnancy or Sexually Transmitted Disease Prevention Program: 2000 and 2001**

(I) Demographic Characteristic	Participated in Pregnancy/STD Prevention Program <sup>1</sup>		(II) Drug Use	Participated in Pregnancy/STD Prevention Program <sup>1</sup>			
	Yes			Yes		No	
	2000	2001		2000	2001	2000	2001
<b>TOTAL</b>	12.7 <sup>a</sup>	13.7	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	10.4	11.2	9.6 <sup>b</sup>	10.7
12-13	12.8	13.4	Marijuana	6.6	7.7	7.3 <sup>a</sup>	8.0
14-15	13.7 <sup>a</sup>	15.2	Any Illicit Drug Other Than Marijuana <sup>2</sup>	5.7	6.2	4.4	4.6
16-17	11.6	12.4	Cigarettes	11.6	11.8	13.7	13.1
<b>GENDER</b>			Alcohol	15.0	15.6	16.6	17.5
Male	12.9	13.2	"Binge" Alcohol <sup>3</sup>	9.5	9.7	10.6	10.7
Female	12.6 <sup>b</sup>	14.3	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	19.7	21.1	18.5 <sup>b</sup>	20.8
Not Hispanic	12.5 <sup>a</sup>	13.4	Marijuana	13.2	14.4	13.5 <sup>b</sup>	15.2
White Only	11.0 <sup>a</sup>	12.1	Any Illicit Drug Other Than Marijuana <sup>2</sup>	12.7	13.0	11.0 <sup>a</sup>	11.8
Black Only	18.5	18.5	Cigarettes	19.5	19.8	21.0	20.0
American Indian or Alaska Native Only	8.8	17.9	Alcohol	31.1	31.5	33.3	34.3
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	14.0	14.6	<b>LIFETIME</b>				
More Than One Race	17.8	16.6	Any Illicit Drug <sup>2</sup>	28.3	30.2	26.7 <sup>a</sup>	28.1
Hispanic	14.1	15.5	Marijuana	18.0	19.3	18.4 <sup>a</sup>	19.7
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	20.2	21.2	17.8	18.2
Large Metro	12.4 <sup>a</sup>	13.6	Cigarettes	33.9	33.7	34.7	33.5
Small Metro	12.6	13.6	Alcohol	40.8	42.0	41.9	43.1
Nonmetro	13.9	14.0	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.  
-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 3.37A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Talked with at Least One of Their Parents in the Past Year About the Dangers of Tobacco, Alcohol, or Drug Use, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Talked with Their Parents About the Dangers of Drug Use: 2000 and 2001**

(I) Demographic Characteristic	Talk with Parent About Dangers of Drug Use <sup>1</sup>		(II) Drug Use	Talk with Parent About Dangers of Drug Use <sup>1</sup>			
	Yes			Yes		No	
	2000	2001		2000	2001	2000	2001
<b>TOTAL</b>	13,320	13,036	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	1,160 <sup>a</sup>	1,316	1,078	1,189
12-13	4,604	4,434	Marijuana	888	985	778	862
14-15	4,530	4,506	Any Illicit Drug Other Than Marijuana <sup>2</sup>	532	577	523	554
16-17	4,186	4,096	Cigarettes	1,679	1,612	1,428	1,397
<b>GENDER</b>			Alcohol	2,052	2,179	1,740	1,850
Male	6,471	6,368	"Binge" Alcohol <sup>3</sup>	1,292	1,319	1,129	1,136
Female	6,850	6,668	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	2,319 <sup>b</sup>	2,563	1,998 <sup>b</sup>	2,282
Not Hispanic	11,452	11,103	Marijuana	1,720 <sup>a</sup>	1,887	1,395 <sup>b</sup>	1,635
White Only	9,035	8,810	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1,392	1,468	1,203	1,325
Black Only	1,670	1,532	Cigarettes	2,655	2,526	2,169	2,140
American Indian or Alaska Native Only	84	*	Alcohol	4,248	4,291	3,423	3,632
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	426	433	<b>LIFETIME</b>				
More Than One Race	201	215	Any Illicit Drug <sup>2</sup>	3,380	3,412	2,855 <sup>b</sup>	3,191
Hispanic	1,868	1,933	Marijuana	2,385	2,406	1,870 <sup>b</sup>	2,171
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	2,232	2,212	1,947 <sup>a</sup>	2,128
Large Metro	6,659	6,348	Cigarettes	4,386	4,145	3,636	3,694
Small Metro	4,042	4,015	Alcohol	5,281	5,297	4,399 <sup>a</sup>	4,715
Nonmetro	2,620	2,673	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 3.37B Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Talked with at Least One of Their Parents in the Past Year About the Dangers of Tobacco, Alcohol, or Drug Use, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Talked with Their Parents About the Dangers of Drug Use: 2000 and 2001**

(I) Demographic Characteristic	Talk with Parent About Dangers of Drug Use <sup>1</sup>		(II) Drug Use	Talk with Parent About Dangers of Drug Use <sup>1</sup>			
	Yes			Yes		No	
	2000	2001		2000	2001	2000	2001
<b>TOTAL</b>	57.6 <sup>b</sup>	55.9	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	8.7 <sup>b</sup>	10.1	11.0	11.5
12-13	60.2	58.5	Marijuana	6.7 <sup>a</sup>	7.6	7.9	8.4
14-15	56.8	55.6	Any Illicit Drug Other Than Marijuana <sup>2</sup>	4.0	4.4	5.3	5.4
16-17	55.8 <sup>a</sup>	53.5	Cigarettes	12.6	12.4	14.5	13.6
<b>GENDER</b>			Alcohol	15.4 <sup>a</sup>	16.7	17.7	18.0
Male	54.7	53.4	"Binge" Alcohol <sup>3</sup>	9.7	10.1	11.5	11.0
Female	60.6 <sup>b</sup>	58.4	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	17.4 <sup>b</sup>	19.7	20.3 <sup>a</sup>	22.2
Not Hispanic	57.7 <sup>b</sup>	55.6	Marijuana	12.9 <sup>b</sup>	14.5	14.2 <sup>b</sup>	15.9
White Only	59.6 <sup>a</sup>	58.0	Any Illicit Drug Other Than Marijuana <sup>2</sup>	10.5	11.3	12.3	12.9
Black Only	50.4 <sup>b</sup>	46.0	Cigarettes	19.9	19.4	22.1	20.8
American Indian or Alaska Native Only	58.4	*	Alcohol	31.9	32.9	34.9	35.3
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	51.9	52.8	<b>LIFETIME</b>				
More Than One Race	56.3	54.8	Any Illicit Drug <sup>2</sup>	25.4	26.2	29.1 <sup>a</sup>	31.0
Hispanic	57.0	57.2	Marijuana	17.9	18.5	19.0 <sup>b</sup>	21.1
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	16.8	17.0	19.8	20.7
Large Metro	59.2 <sup>a</sup>	57.2	Cigarettes	32.9	31.8	37.0	35.9
Small Metro	56.8	55.2	Alcohol	39.6	40.6	44.8	45.8
Nonmetro	55.0	53.9	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 3.38A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Seen or Heard Drug or Alcohol Prevention Messages From Sources Outside School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Saw or Heard Drug Prevention Messages From Sources Outside School: 2000 and 2001**

(I) Demographic Characteristic	Seen or Heard Drug Prevention Messages Outside School <sup>1</sup>		(II) Drug Use	Seen or Heard Drug Prevention Messages Outside School <sup>1</sup>			
	Yes			Yes		No	
	2000	2001		2000	2001	2000	2001
<b>TOTAL</b>	19,036	19,375	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	1,732 <sup>b</sup>	1,992	518	526
12-13	6,224	6,202	Marijuana	1,278 <sup>b</sup>	1,465	393	393
14-15	6,616	6,780	Any Illicit Drug Other Than Marijuana <sup>2</sup>	800	896	265	240
16-17	6,195	6,393	Cigarettes	2,392	2,344	726	676
<b>GENDER</b>			Alcohol	3,056 <sup>a</sup>	3,279	750	766
Male	9,421	9,662	"Binge" Alcohol <sup>3</sup>	1,888	1,939	541	526
Female	9,616	9,713	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	3,437 <sup>b</sup>	3,947	900	917
Not Hispanic	16,460	16,606	Marijuana	2,476 <sup>b</sup>	2,850	650	689
White Only	12,679	12,757	Any Illicit Drug Other Than Marijuana <sup>2</sup>	2,049 <sup>a</sup>	2,253	564	545
Black Only	2,598	2,595	Cigarettes	3,829	3,680	1,012	999
American Indian or Alaska Native Only	103	127	Alcohol	6,339	6,542	1,348	1,400
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	708	747	<b>LIFETIME</b>				
More Than One Race	312	330	Any Illicit Drug <sup>2</sup>	4,991 <sup>a</sup>	5,343	1,272	1,281
Hispanic	2,576	2,768	Marijuana	3,382 <sup>b</sup>	3,675	887	922
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	3,321	3,499	885	850
Large Metro	9,319	9,308	Cigarettes	6,451	6,318	1,598	1,535
Small Metro	5,810	6,084	Alcohol	7,926	8,242	1,777	1,788
Nonmetro	3,907	3,983	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 3.38B Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Seen or Heard Drug or Alcohol Prevention Messages From Sources Outside School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Saw or Heard Drug Prevention Messages From Sources Outside School: 2000 and 2001**

(I) Demographic Characteristic	Seen or Heard Drug Prevention Messages Outside School <sup>1</sup>		(II) Drug Use	Seen or Heard Drug Prevention Messages Outside School <sup>1</sup>			
	Yes			Yes		No	
	2000	2001		2000	2001	2000	2001
<b>TOTAL</b>	81.9 <sup>a</sup>	82.8	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	9.1 <sup>b</sup>	10.3	12.3	13.1
12-13	80.8	81.4	Marijuana	6.7 <sup>a</sup>	7.6	9.4	9.8
14-15	82.7	83.5	Any Illicit Drug Other Than Marijuana <sup>2</sup>	4.2	4.6	6.3	6.0
16-17	82.3	83.4	Cigarettes	12.6	12.1	17.3	16.8
<b>GENDER</b>			Alcohol	16.1	16.9	17.9	19.0
Male	79.2 <sup>a</sup>	80.8	"Binge" Alcohol <sup>3</sup>	9.9	10.0	12.9	13.1
Female	84.7	84.9	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	18.1 <sup>b</sup>	20.4	21.4	22.8
Not Hispanic	82.5	83.0	Marijuana	13.0 <sup>b</sup>	14.7	15.5	17.1
White Only	83.2	83.8	Any Illicit Drug Other Than Marijuana <sup>2</sup>	10.8 <sup>a</sup>	11.6	13.4	13.5
Black Only	78.5	77.7	Cigarettes	20.1 <sup>a</sup>	19.0	24.1	24.8
American Indian or Alaska Native Only	71.8	73.6	Alcohol	33.3	33.8	32.1 <sup>a</sup>	34.8
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	85.5 <sup>a</sup>	90.4	<b>LIFETIME</b>				
More Than One Race	86.3	83.8	Any Illicit Drug <sup>2</sup>	26.2 <sup>a</sup>	27.6	30.3	31.8
Hispanic	78.3 <sup>b</sup>	81.8	Marijuana	17.8 <sup>a</sup>	19.0	21.1	22.9
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	17.4	18.1	21.1	21.1
Large Metro	82.4	83.5	Cigarettes	33.9	32.6	38.1	38.1
Small Metro	81.2 <sup>b</sup>	83.7	Alcohol	41.6	42.5	42.3	44.4
Nonmetro	81.8 <sup>a</sup>	79.9	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.  
-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 3.39A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting (I) That They Had Seen or Heard Drug or Alcohol Prevention Messages at School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Saw or Heard Drug Prevention Messages at School: 2001**

(I) Demographic Characteristic	Seen or Heard Drug Prevention Messages at School <sup>1</sup>	(II) Drug Use	Seen or Heard Drug Prevention Messages at School <sup>1</sup>	
	Yes		Yes	No
<b>TOTAL</b>	16,407	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	1,620	680
12-13	5,469	Marijuana	1,180	534
14-15	5,791	Any Illicit Drug Other Than Marijuana <sup>2</sup>	732	296
16-17	5,147	Cigarettes	1,972	792
<b>GENDER</b>		Alcohol	2,783	960
Male	8,215	"Binge" Alcohol <sup>3</sup>	1,630	640
Female	8,193	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	3,255	1,193
Not Hispanic	14,205	Marijuana	2,346	937
White Only	11,163	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1,888	648
Black Only	2,070	Cigarettes	3,114	1,164
American Indian or Alaska Native Only	*	Alcohol	5,583	1,803
Native Hawaiian or Other Pacific Islander	*	"Binge" Alcohol <sup>3</sup>	--	--
Asian Only	574	<b>LIFETIME</b>		
More Than One Race	265	Any Illicit Drug <sup>2</sup>	4,404	1,638
Hispanic	2,202	Marijuana	3,021	1,234
<b>COUNTY TYPE</b>		Any Illicit Drug Other Than Marijuana <sup>2</sup>	2,910	1,025
Large Metro	7,920	Cigarettes	5,318	1,893
Small Metro	5,063	Alcohol	6,979	2,295
Nonmetro	3,424	"Binge" Alcohol <sup>3</sup>	--	--

\*Low precision; no estimate reported.

-- Not available.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis about participation in school-coordinated drug prevention programs. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school. Due to revisions in the 2001 school enrollment question, the estimates in this table are not comparable with estimates published in prior NHSDA reports.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2001.

**Table 3.39B Percentages of Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting (I) That They Had Seen or Heard Drug or Alcohol Prevention Messages at School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Saw or Heard Drug Prevention Messages at School: 2001**

(I) Demographic Characteristic	Seen or Heard Drug Prevention Messages at School <sup>1</sup>	(II) Drug Use	Seen or Heard Drug Prevention Messages at School <sup>1</sup>	
	Yes		Yes	No
<b>TOTAL</b>	77.6	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	9.9	14.3
12-13	81.7	Marijuana	7.2	11.3
14-15	78.5	Any Illicit Drug Other Than Marijuana <sup>2</sup>	4.5	6.2
16-17	72.7	Cigarettes	12.0	16.7
<b>GENDER</b>		Alcohol	17.0	20.2
Male	75.4	"Binge" Alcohol <sup>3</sup>	9.9	13.5
Female	79.8	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	19.8	25.1
Not Hispanic	77.6	Marijuana	14.3	19.7
White Only	78.4	Any Illicit Drug Other Than Marijuana <sup>2</sup>	11.5	13.6
Black Only	73.5	Cigarettes	19.0	24.5
American Indian or Alaska Native Only	*	Alcohol	34.0	38.0
Native Hawaiian or Other Pacific Islander	*	"Binge" Alcohol <sup>3</sup>	--	--
Asian Only	81.3	<b>LIFETIME</b>		
More Than One Race	72.5	Any Illicit Drug <sup>2</sup>	26.8	34.5
Hispanic	77.4	Marijuana	18.4	26.0
<b>COUNTY TYPE</b>		Any Illicit Drug Other Than Marijuana <sup>2</sup>	17.7	21.6
Large Metro	78.7	Cigarettes	32.4	39.9
Small Metro	76.2	Alcohol	42.5	48.4
Nonmetro	76.9	"Binge" Alcohol <sup>3</sup>	--	--

\*Low precision; no estimate reported.

-- Not available.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis about participation in school-coordinated drug prevention programs. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school. Due to revisions in the 2001 school enrollment question, the estimates in this table are not comparable with estimates published in prior NHSDA reports.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2001.



**Table 3.40A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting (I) Their Participation in One or Fewer Youth Activities in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Youth Activities Participated In: 2001**

(I) Demographic Characteristic	Number of Youth Activities Participated In <sup>1</sup>	(II) Drug Use	Number of Youth Activities Participated In <sup>1</sup>	
	One or Fewer		One or Fewer	Two or More
<b>TOTAL</b>	2,956	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	480	1,827
12-13	732	Marijuana	400	1,315
14-15	1,011	Any Illicit Drug Other Than Marijuana <sup>2</sup>	191	843
16-17	1,212	Cigarettes	654	2,118
<b>GENDER</b>		Alcohol	646	3,099
Male	1,740	"Binge" Alcohol <sup>3</sup>	430	1,842
Female	1,216	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	828	3,636
Not Hispanic	2,309	Marijuana	702	2,588
White Only	1,739	Any Illicit Drug Other Than Marijuana <sup>2</sup>	440	2,107
Black Only	392	Cigarettes	870	3,418
American Indian or Alaska Native Only	*	Alcohol	1,215	6,195
Native Hawaiian or Other Pacific Islander	*	"Binge" Alcohol <sup>3</sup>	--	--
Asian Only	107	<b>LIFETIME</b>		
More Than One Race	42	Any Illicit Drug <sup>2</sup>	1,101	4,961
Hispanic	647	Marijuana	915	3,348
<b>COUNTY TYPE</b>		Any Illicit Drug Other Than Marijuana <sup>2</sup>	677	3,273
Large Metro	1,438	Cigarettes	1,327	5,901
Small Metro	913	Alcohol	1,509	7,793
Nonmetro	605	"Binge" Alcohol <sup>3</sup>	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or did not answer two or more of the four youth activity questions with a "yes" or "no" response were excluded from this analysis about participation in youth activities. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school. Due to revisions in the 2001 school enrollment question and the youth activity questions, the estimates in this table are not comparable with estimates published in prior NHSDA reports.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2001.

**Table 3.40B Percentages of Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting (I) Their Participation in One or Fewer Youth Activities in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Youth Activities Participated In: 2001**

(I) Demographic Characteristic	Number of Youth Activities Participated In <sup>1</sup>	(II) Drug Use	Number of Youth Activities Participated In <sup>1</sup>	
	One or Fewer		One or Fewer	Two or More
<b>TOTAL</b>	13.9	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	16.3	10.0
12-13	10.9	Marijuana	13.5	7.2
14-15	13.7	Any Illicit Drug Other Than Marijuana <sup>2</sup>	6.5	4.6
16-17	17.1	Cigarettes	22.1	11.6
<b>GENDER</b>		Alcohol	21.9	17.0
Male	15.9	"Binge" Alcohol <sup>3</sup>	14.5	10.1
Female	11.8	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	28.0	19.9
Not Hispanic	12.6	Marijuana	23.8	14.2
White Only	12.2	Any Illicit Drug Other Than Marijuana <sup>2</sup>	14.9	11.5
Black Only	13.9	Cigarettes	29.4	18.7
American Indian or Alaska Native Only	*	Alcohol	41.1	33.9
Native Hawaiian or Other Pacific Islander	*	"Binge" Alcohol <sup>3</sup>	--	--
Asian Only	15.0	<b>LIFETIME</b>		
More Than One Race	11.6	Any Illicit Drug <sup>2</sup>	37.3	27.2
Hispanic	22.7	Marijuana	31.0	18.3
<b>COUNTY TYPE</b>		Any Illicit Drug Other Than Marijuana <sup>2</sup>	22.9	17.9
Large Metro	14.3	Cigarettes	44.9	32.3
Small Metro	13.7	Alcohol	51.0	42.7
Nonmetro	13.5	"Binge" Alcohol <sup>3</sup>	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or did not answer two or more of the four youth activity questions with a "yes" or "no" response were excluded from this analysis about participation in youth activities. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school. Due to revisions in the 2001 school enrollment question and the youth activity questions, the estimates in this table are not comparable with estimates published in prior NHSDA reports.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2001.