Table 3.24A Got into a Serious Fight at School or Work One or More Times in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Gotten into Serious Fight at School or Work (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

| (I) Demographic Characteristic | Gotten into Serious Fight at School/Work ¹ | | Gotten into Serious Fight at School/Work ¹ | | |
|--------------------------------|---|-------------------------------|---|----------|--|
| | One or More Times | (II) Drug Use | One or More Times | None | |
| TOTAL | 5,085 | PAST MONTH | | | |
| | | Any Illicit Drug ² | 1,052 | 1,817 | |
| AGE | | Marijuana | 739 | 1,281 | |
| 12-13 | 1,675 | Any Illicit Drug Other | | | |
| 14-15 | 1,851 | Than Marijuana ² | 574 | 841 | |
| 16-17 | 1,560 | Cigarettes | 1,086 | 2,114 | |
| | Í | Alcohol | 1,345 | 3,012 | |
| GENDER | | Binge Alcohol ³ | 918 | 1,720 | |
| Male | 3,135 | l c | | • | |
| Female | 1,951 | PAST YEAR | | | |
| | , - | Any Illicit Drug ² | 1,815 | 3,661 | |
| HISPANIC ORIGIN AND RACE | | Marijuana | 1,293 | 2,603 | |
| Not Hispanic or Latino | 4,174 | Any Illicit Drug Other | , | 9 | |
| White | 2,935 | Than Marijuana ² | 1,226 | 2,099 | |
| Black or African American | 942 | Cigarettes | 1,672 | 3,354 | |
| American Indian or | | Alcohol | 2,344 | 6,199 | |
| Alaska Native | 52 | | , - | ., | |
| Native Hawaiian or Other | | LIFETIME | | | |
| Pacific Islander | * | Any Illicit Drug ² | 2,462 | 5,147 | |
| Asian | 146 | Marijuana | 1,666 | 3,426 | |
| Two or More Races | 83 | Any Illicit Drug Other | , | -, - | |
| Hispanic or Latino | 912 | Than Marijuana ² | 1,825 | 3,433 | |
| - F | | Cigarettes | 2,459 | 5,757 | |
| COUNTY TYPE | | Alcohol | 2,929 | 7,794 | |
| Large Metro | 2,606 | | y | | |
| Small Metro | 1,498 | | | | |
| Nonmetro | 982 | | | | |

^{*}Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.24B Got into a Serious Fight at School or Work One or More Times in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Gotten into Serious Fight at School or Work (II) among Persons Aged 12 to 17: Percentages, 2002

| (I) Demographic Characteristic | Gotten into Serious Fight at School/Work ¹ | | Gotten into Serious Fight at School/Work ¹ | | |
|--------------------------------|---|-------------------------------|---|------|--|
| | One or More Times | (II) Drug Use | One or More Times | None | |
| TOTAL | 20.6 | PAST MONTH | | | |
| | | Any Illicit Drug ² | 20.7 | 9.3 | |
| AGE | | Marijuana | 14.5 | 6.5 | |
| 12-13 | 20.3 | Any Illicit Drug Other | | | |
| 14-15 | 21.9 | Than Marijuana ² | 11.3 | 4.3 | |
| 16-17 | 19.5 | Cigarettes | 21.4 | 10.8 | |
| | | Alcohol | 26.4 | 15.4 | |
| GENDER | | Binge Alcohol ³ | 18.0 | 8.8 | |
| Male | 24.9 | | | | |
| Female | 16.2 | PAST YEAR | | | |
| | | Any Illicit Drug ² | 35.7 | 18.7 | |
| HISPANIC ORIGIN AND RACE | | Marijuana | 25.4 | 13.3 | |
| Not Hispanic or Latino | 20.1 | Any Illicit Drug Other | | | |
| White | 18.9 | Than Marijuana ² | 24.1 | 10.7 | |
| Black or African American | 26.2 | Cigarettes | 32.9 | 17.1 | |
| American Indian or | | Alcohol | 46.1 | 31.6 | |
| Alaska Native | 27.4 | | | | |
| Native Hawaiian or Other | | LIFETIME | | | |
| Pacific Islander | * | Any Illicit Drug ² | 48.4 | 26.3 | |
| Asian | 14.5 | Marijuana | 32.8 | 17.5 | |
| Two or More Races | 21.2 | Any Illicit Drug Other | | | |
| Hispanic or Latino | 23.3 | Than Marijuana ² | 35.9 | 17.5 | |
| • | | Cigarettes | 48.4 | 29.4 | |
| COUNTY TYPE | | Alcohol | 57.6 | 39.8 | |
| Large Metro | 21.0 | | | | |
| Small Metro | 20.4 | | | | |
| Nonmetro | 19.9 | | | | |

^{*}Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.25A Took Part in a Group-Against-Group Fight One or More Times in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Taken Part in a Group-Against-Group Fight (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

| (I) Demographic Characteristic | Taken Part in Group-Against- Group Fight ¹ | | Taken Part in Group-Against-Group Fight ¹ | | |
|--------------------------------|--|-------------------------------|--|-------|--|
| | One or More Times | s (II) Drug Use | One or More Times | None | |
| TOTAL | 3,925 | PAST MONTH | | | |
| | | Any Illicit Drug ² | 953 | 1,911 | |
| AGE | | Marijuana | 681 | 1,334 | |
| 12-13 | 1,285 | Any Illicit Drug Other | | | |
| 14-15 | 1,361 | Than Marijuana ² | 503 | 912 | |
| 16-17 | 1,280 | Cigarettes | 934 | 2,265 | |
| | | Alcohol | 1,170 | 3,182 | |
| GENDER | | Binge Alcohol ³ | 835 | 1,800 | |
| Male | 2,300 | - | | | |
| Female | 1,626 | PAST YEAR | | | |
| | | Any Illicit Drug ² | 1,525 | 3,947 | |
| HISPANIC ORIGIN AND RACE | | Marijuana | 1,086 | 2,805 | |
| Not Hispanic or Latino | 3,217 | Any Illicit Drug Other | | | |
| White | 2,289 | Than Marijuana ² | 1,060 | 2,262 | |
| Black or African American | 709 | Cigarettes | 1,368 | 3,657 | |
| American Indian or | | Alcohol | 1,991 | 6,549 | |
| Alaska Native | 57 | | , | , | |
| Native Hawaiian or Other | | LIFETIME | | | |
| Pacific Islander | * | Any Illicit Drug ² | 2,018 | 5,589 | |
| Asian | 87 | Marijuana | 1,362 | 3,726 | |
| Two or More Races | 62 | Any Illicit Drug Other | | | |
| Hispanic or Latino | 708 | Than Marijuana ² | 1,548 | 3,710 | |
| • | | Cigarettes | 1,975 | 6,241 | |
| COUNTY TYPE | | Alcohol | 2,410 | 8,306 | |
| Large Metro | 1,991 | | , | , | |
| Small Metro | 1,168 | | | | |
| Nonmetro | 767 | | | | |

^{*}Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.25B Took Part in a Group-Against-Group Fight One or More Times in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Taken Part in a Group-Against-Group Fight (II) among Persons Aged 12 to 17: Percentages, 2002

| (I) Demographic Characteristic | Taken Part in Group-Against- Group Fight ¹ | | Taken Part in Group-Against-Group Fight ¹ | |
|--------------------------------|--|-------------------------------|--|------|
| | One or More Times | (II) Drug Use | One or More Times | None |
| TOTAL | 15.9 | PAST MONTH | | |
| | | Any Illicit Drug ² | 24.3 | 9.2 |
| AGE | | Marijuana | 17.4 | 6.4 |
| 12-13 | 15.6 | Any Illicit Drug Other | | |
| 14-15 | 16.1 | Than Marijuana ² | 12.8 | 4.4 |
| 16-17 | 16.0 | Cigarettes | 23.8 | 10.9 |
| | | Alcohol | 29.8 | 15.3 |
| GENDER | | Binge Alcohol ³ | 21.3 | 8.7 |
| Male | 18.2 | | | |
| Female | 13.5 | PAST YEAR | | |
| | | Any Illicit Drug ² | 38.8 | 19.0 |
| HISPANIC ORIGIN AND RACE | | Marijuana | 27.7 | 13.5 |
| Not Hispanic or Latino | 15.5 | Any Illicit Drug Other | _,,, | |
| White | 14.8 | Than Marijuana ² | 27.0 | 10.9 |
| Black or African American | 19.7 | Cigarettes | 34.8 | 17.6 |
| American Indian or | | Alcohol | 50.7 | 31.6 |
| Alaska Native | 30.0 | 111001101 | 00.7 | 51.0 |
| Native Hawaiian or Other | 20.0 | LIFETIME | | |
| Pacific Islander | * | Any Illicit Drug ² | 51.4 | 26.9 |
| Asian | 8.6 | Marijuana | 34.7 | 18.0 |
| Two or More Races | 15.8 | Any Illicit Drug Other | 3, | 10.0 |
| Hispanic or Latino | 18.1 | Than Marijuana ² | 39.4 | 17.9 |
| inspanie of Eatino | 10.1 | Cigarettes | 50.3 | 30.1 |
| COUNTY TYPE | | Alcohol | 61.4 | 40.0 |
| Large Metro | 16.1 | 111001101 | VI. 1 | 10.0 |
| Small Metro | 15.9 | | | |
| Nonmetro | 15.5 | | | |

^{*}Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.26A Carried a Handgun One or More Times in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Carried a Handgun (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

| | Carried a Handgun ¹ | | Carried a Handgun ¹ | |
|--------------------------------|--------------------------------|-------------------------------|--------------------------------|--------|
| (I) Demographic Characteristic | One or More Times | (II) Drug Use | One or More Times | None |
| TOTAL | 816 | PAST MONTH | | |
| | | Any Illicit Drug ² | 283 | 2,578 |
| AGE | | Marijuana | 213 | 1,801 |
| 12-13 | 200 | Any Illicit Drug Other | | |
| 14-15 | 314 | Than Marijuana ² | 145 | 1,267 |
| 16-17 | 302 | Cigarettes | 248 | 2,950 |
| | | Alcohol | 277 | 4,078 |
| GENDER | | Binge Alcohol ³ | 221 | 2,417 |
| Male | 674 | | | • |
| Female | 142 | PAST YEAR | | |
| | | Any Illicit Drug ² | 379 | 5,095 |
| HISPANIC ORIGIN AND RACE | | Marijuana | 287 | 3,608 |
| Not Hispanic or Latino | 657 | Any Illicit Drug Other | | • |
| White | 470 | Than Marijuana ² | 256 | 3,065 |
| Black or African American | 141 | Cigarettes | 319 | 4,707 |
| American Indian or | | Alcohol | 443 | 8,104 |
| Alaska Native | * | | | • |
| Native Hawaiian or Other | | LIFETIME | | |
| Pacific Islander | * | Any Illicit Drug ² | 470 | 7,140 |
| Asian | 8 | Marijuana | 355 | 4,736 |
| Two or More Races | 13 | Any Illicit Drug Other | | , |
| Hispanic or Latino | 159 | Than Marijuana ² | 345 | 4,913 |
| • | | Cigarettes | 459 | 7,760 |
| COUNTY TYPE | | Alcohol | 544 | 10,181 |
| Large Metro | 350 | | | • |
| Small Metro | 261 | | | |
| Nonmetro | 205 | | | |

^{*}Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.26B Carried a Handgun One or More Times in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Carried a Handgun (II) among Persons Aged 12 to 17: Percentages, 2002

| | Carried a Handgun ¹ | | Carried a Handgun ¹ | | |
|--------------------------------|--------------------------------|---------------------------------|--------------------------------|------|--|
| (I) Demographic Characteristic | One or More Times | One or More Times (II) Drug Use | One or More Times | None | |
| TOTAL | 3.3 | PAST MONTH | | | |
| | | Any Illicit Drug ² | 34.6 | 10.8 | |
| AGE | | Marijuana | 26.1 | 7.5 | |
| 12-13 | 2.4 | Any Illicit Drug Other | | | |
| 14-15 | 3.7 | Than Marijuana ² | 17.8 | 5.3 | |
| 16-17 | 3.8 | Cigarettes | 30.4 | 12.4 | |
| | | Alcohol | 34.0 | 17.1 | |
| GENDER | | Binge Alcohol ³ | 27.0 | 10.1 | |
| Male | 5.3 | | | | |
| Female | 1.2 | PAST YEAR | | | |
| | | Any Illicit Drug ² | 46.4 | 21.3 | |
| HISPANIC ORIGIN AND RACE | | Marijuana | 35.1 | 15.1 | |
| Not Hispanic or Latino | 3.2 | Any Illicit Drug Other | | | |
| White | 3.0 | Than Marijuana ² | 31.3 | 12.8 | |
| Black or African American | 3.9 | Cigarettes | 39.1 | 19.7 | |
| American Indian or | | Alcohol | 54.3 | 33.9 | |
| Alaska Native | * | | | | |
| Native Hawaiian or Other | | LIFETIME | | | |
| Pacific Islander | * | Any Illicit Drug ² | 57.6 | 29.9 | |
| Asian | 0.8 | Marijuana | 43.5 | 19.8 | |
| Two or More Races | 3.2 | Any Illicit Drug Other | | | |
| Hispanic or Latino | 4.1 | Than Marijuana ² | 42.3 | 20.6 | |
| | | Cigarettes | 56.3 | 32.5 | |
| COUNTY TYPE | | Alcohol | 66.6 | 42.6 | |
| Large Metro | 2.8 | | | | |
| Small Metro | 3.5 | | | | |
| Nonmetro | 4.1 | | | | |

^{*}Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.27A Sold Illegal Drugs One or More Times in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Sold Illegal Drugs (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

| | Sold Illegal Drugs ¹ | | Sold Illegal Drugs ¹ | |
|--------------------------------|---------------------------------|---------------------------------|---------------------------------|-------|
| (I) Demographic Characteristic | One or More Times | One or More Times (II) Drug Use | One or More Times | None |
| TOTAL | 1,076 | PAST MONTH | | |
| | | Any Illicit Drug ² | 740 | 2,119 |
| AGE | | Marijuana | 654 | 1,355 |
| 12-13 | 78 | Any Illicit Drug Other | | |
| 14-15 | 360 | Than Marijuana ² | 374 | 1,038 |
| 16-17 | 638 | Cigarettes | 612 | 2,587 |
| | | Alcohol | 675 | 3,676 |
| GENDER | | Binge Alcohol ³ | 553 | 2,079 |
| Male | 768 | | | , |
| Female | 308 | PAST YEAR | | |
| | | Any Illicit Drug ² | 937 | 4,532 |
| HISPANIC ORIGIN AND RACE | | Marijuana | 880 | 3,006 |
| Not Hispanic or Latino | 931 | Any Illicit Drug Other | | · |
| White | 752 | Than Marijuana ² | 677 | 2,644 |
| Black or African American | 135 | Cigarettes | 780 | 4,247 |
| American Indian or | | Alcohol | 923 | 7,617 |
| Alaska Native | * | | | , |
| Native Hawaiian or Other | | LIFETIME | | |
| Pacific Islander | * | Any Illicit Drug ² | 994 | 6,612 |
| Asian | 7 | Marijuana | 946 | 4,137 |
| Two or More Races | 15 | Any Illicit Drug Other | | , |
| Hispanic or Latino | 146 | Than Marijuana ² | 801 | 4,455 |
| • | | Cigarettes | 918 | 7,296 |
| COUNTY TYPE | | Alcohol | 987 | 9,733 |
| Large Metro | 518 | | | • |
| Small Metro | 342 | | | |
| Nonmetro | 216 | | | |

^{*}Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.27B Sold Illegal Drugs One or More Times in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Sold Illegal Drugs (II) among Persons Aged 12 to 17: Percentages, 2002

| | Sold Illegal Drugs ¹ | | Sold Illegal Drugs ¹ | | |
|--------------------------------|---------------------------------|-------------------------------|---------------------------------|------|--|
| (I) Demographic Characteristic | One or More Times | | One or More Times | None | |
| TOTAL | 4.4 | PAST MONTH | | | |
| | | Any Illicit Drug ² | 68.8 | 9.0 | |
| AGE | | Marijuana | 60.8 | 5.7 | |
| 12-13 | 0.9 | Any Illicit Drug Other | | | |
| 14-15 | 4.3 | Than Marijuana ² | 34.7 | 4.4 | |
| 16-17 | 8.0 | Cigarettes | 56.9 | 10.9 | |
| | | Alcohol | 62.7 | 15.6 | |
| GENDER | | Binge Alcohol ³ | 51.3 | 8.8 | |
| Male | 6.1 | | | | |
| Female | 2.6 | PAST YEAR | | | |
| | | Any Illicit Drug ² | 87.0 | 19.2 | |
| HISPANIC ORIGIN AND RACE | | Marijuana | 81.7 | 12.7 | |
| Not Hispanic or Latino | 4.5 | Any Illicit Drug Other | | | |
| White | 4.8 | Than Marijuana ² | 62.9 | 11.2 | |
| Black or African American | 3.7 | Cigarettes | 72.4 | 18.0 | |
| American Indian or | | Alcohol | 85.8 | 32.2 | |
| Alaska Native | * | | | | |
| Native Hawaiian or Other | | LIFETIME | | | |
| Pacific Islander | * | Any Illicit Drug ² | 92.3 | 28.0 | |
| Asian | 0.7 | Marijuana | 87.8 | 17.5 | |
| Two or More Races | 3.7 | Any Illicit Drug Other | | | |
| Hispanic or Latino | 3.7 | Than Marijuana ² | 74.4 | 18.9 | |
| | | Cigarettes | 85.3 | 30.9 | |
| COUNTY TYPE | | Alcohol | 91.7 | 41.2 | |
| Large Metro | 4.2 | | | | |
| Small Metro | 4.7 | | | | |
| Nonmetro | 4.4 | | | | |

^{*}Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.28A Stole or Tried to Steal Anything Worth More Than \$50 One or More Times in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Stole or Tried to Steal Anything Worth More Than \$50 (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

| (I) Demographic Characteristic | Stole or Tried to Steal Anything Worth More Than \$50 ¹ | | Stole or Tried to Steal Anything Worth More Than \$5 | | |
|--------------------------------|--|-------------------------------|--|-------|--|
| | One or More Times | (II) Drug Use | One or More Times | None | |
| TOTAL | 1,219 | PAST MONTH | | | |
| | | Any Illicit Drug ² | 534 | 2,326 | |
| AGE | | Marijuana | 410 | 1,601 | |
| 12-13 | 209 | Any Illicit Drug Other | | | |
| 14-15 | 415 | Than Marijuana ² | 302 | 1,111 | |
| 16-17 | 595 | Cigarettes | 487 | 2,712 | |
| | | Alcohol | 564 | 3,786 | |
| GENDER | | Binge Alcohol ³ | 441 | 2,193 | |
| Male | 804 | Ü | | • | |
| Female | 414 | PAST YEAR | | | |
| | | Any Illicit Drug ² | 786 | 4,682 | |
| HISPANIC ORIGIN AND RACE | | Marijuana | 623 | 3,266 | |
| Not Hispanic or Latino | 980 | Any Illicit Drug Other | | • | |
| White | 736 | Than Marijuana ² | 563 | 2,757 | |
| Black or African American | 175 | Cigarettes | 636 | 4,390 | |
| American Indian or | | Alcohol | 841 | 7,699 | |
| Alaska Native | * | | | • | |
| Native Hawaiian or Other | | LIFETIME | | | |
| Pacific Islander | * | Any Illicit Drug ² | 933 | 6,674 | |
| Asian | 20 | Marijuana | 734 | 4,350 | |
| Two or More Races | 20 | Any Illicit Drug Other | | • | |
| Hispanic or Latino | 239 | Than Marijuana ² | 763 | 4,494 | |
| • | | Cigarettes | 846 | 7,369 | |
| COUNTY TYPE | | Alcohol | 964 | 9,757 | |
| Large Metro | 622 | | | • | |
| Small Metro | 393 | | | | |
| Nonmetro | 204 | | | | |

^{*}Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.28B Stole or Tried to Steal Anything Worth More Than \$50 One or More Times in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Stole or Tried to Steal Anything Worth More Than \$50 (II) among Persons Aged 12 to 17: Percentages, 2002

| | Stole or Tried to Steal Anything Worth More Than \$50 ¹ | | Stole or Tried to Steal Anything Worth More Than \$50 | | |
|--------------------------------|--|-------------------------------|---|------|--|
| (I) Demographic Characteristic | One or More Times | (II) Drug Use | One or More Times | None | |
| TOTAL | 4.9 | PAST MONTH | | | |
| | | Any Illicit Drug ² | 43.8 | 9.9 | |
| AGE | | Marijuana | 33.6 | 6.8 | |
| 12-13 | 2.5 | Any Illicit Drug Other | | | |
| 14-15 | 4.9 | Than Marijuana ² | 24.8 | 4.7 | |
| 16-17 | 7.4 | Cigarettes | 39.9 | 11.5 | |
| | | Alcohol | 46.3 | 16.1 | |
| GENDER | | Binge Alcohol ³ | 36.2 | 9.3 | |
| Male | 6.4 | | | | |
| Female | 3.4 | PAST YEAR | | | |
| | | Any Illicit Drug ² | 64.5 | 19.9 | |
| HISPANIC ORIGIN AND RACE | | Marijuana | 51.1 | 13.9 | |
| Not Hispanic or Latino | 4.7 | Any Illicit Drug Other | | | |
| White | 4.7 | Than Marijuana ² | 46.2 | 11.7 | |
| Black or African American | 4.8 | Cigarettes | 52.2 | 18.7 | |
| American Indian or | | Alcohol | 69.0 | 32.8 | |
| Alaska Native | * | | | | |
| Native Hawaiian or Other | | LIFETIME | | | |
| Pacific Islander | * | Any Illicit Drug ² | 76.5 | 28.4 | |
| Asian | 2.0 | Marijuana | 60.2 | 18.5 | |
| Two or More Races | 5.1 | Any Illicit Drug Other | | | |
| Hispanic or Latino | 6.1 | Than Marijuana ² | 62.6 | 19.1 | |
| * | | Cigarettes | 69.4 | 31.4 | |
| COUNTY TYPE | | Alcohol | 79.1 | 41.6 | |
| Large Metro | 5.0 | | | | |
| Small Metro | 5.4 | | | | |
| Nonmetro | 4.1 | | | | |

^{*}Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.29A Attacked Someone with the Intent to Seriously Hurt Them One or More Times in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Attacked Someone with the Intent to Seriously Hurt Them (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

| (I) Demographic Characteristic | Attacked Someone with Intent to Seriously Hurt Them ¹ | | Attacked Someone with Intent to Seriously Hurt The | |
|--------------------------------|---|-------------------------------|--|-------|
| | One or More Times | (II) Drug Use | One or More Times | None |
| TOTAL | 1,933 | PAST MONTH | | |
| | | Any Illicit Drug ² | 567 | 2,297 |
| AGE | | Marijuana | 428 | 1,587 |
| 12-13 | 535 | Any Illicit Drug Other | | |
| 14-15 | 697 | Than Marijuana ² | 305 | 1,110 |
| 16-17 | 702 | Cigarettes | 554 | 2,648 |
| | | Alcohol | 640 | 3,715 |
| GENDER | | Binge Alcohol ³ | 468 | 2,168 |
| Male | 1,227 | | | |
| Female | 707 | PAST YEAR | | |
| | | Any Illicit Drug ² | 922 | 4,557 |
| HISPANIC ORIGIN AND RACE | | Marijuana | 696 | 3,200 |
| Not Hispanic or Latino | 1,643 | Any Illicit Drug Other | | |
| White | 1,048 | Than Marijuana ² | 630 | 2,697 |
| Black or African American | 472 | Cigarettes | 790 | 4,240 |
| American Indian or | | Alcohol | 1,063 | 7,488 |
| Alaska Native | * | | · | • |
| Native Hawaiian or Other | | LIFETIME | | |
| Pacific Islander | * | Any Illicit Drug ² | 1,182 | 6,433 |
| Asian | 46 | Marijuana | 863 | 4,229 |
| Two or More Races | 40 | Any Illicit Drug Other | | |
| Hispanic or Latino | 291 | Than Marijuana ² | 898 | 4,365 |
| - | | Cigarettes | 1,129 | 7,092 |
| COUNTY TYPE | | Alcohol | 1,309 | 9,423 |
| Large Metro | 1,000 | | | |
| Small Metro | 589 | | | |
| Nonmetro | 345 | | | |

^{*}Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Table 3.29B Attacked Someone with the Intent to Seriously Hurt Them One or More Times in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Attacked Someone with the Intent to Seriously Hurt Them (II) among Persons Aged 12 to 17: Percentages, 2002

| (I) Demographic Characteristic | Attacked Someone with Intent to Seriously Hurt Them ¹ | | Attacked Someone with Intent to Seriously Hurt Them | | |
|--------------------------------|---|-------------------------------|---|------|--|
| | One or More Times | (II) Drug Use | One or More Times | None | |
| TOTAL | 7.8 | PAST MONTH | | | |
| | | Any Illicit Drug ² | 29.3 | 10.1 | |
| AGE | | Marijuana | 22.1 | 7.0 | |
| 12-13 | 6.5 | Any Illicit Drug Other | | | |
| 14-15 | 8.2 | Than Marijuana ² | 15.8 | 4.9 | |
| 16-17 | 8.8 | Cigarettes | 28.6 | 11.6 | |
| | | Alcohol | 33.1 | 16.3 | |
| GENDER | | Binge Alcohol ³ | 24.2 | 9.5 | |
| Male | 9.7 | | | | |
| Female | 5.8 | PAST YEAR | | | |
| | | Any Illicit Drug ² | 47.7 | 20.0 | |
| HISPANIC ORIGIN AND RACE | | Marijuana | 36.0 | 14.1 | |
| Not Hispanic or Latino | 7.9 | Any Illicit Drug Other | | | |
| White | 6.8 | Than Marijuana ² | 32.6 | 11.8 | |
| Black or African American | 13.1 | Cigarettes | 40.9 | 18.6 | |
| American Indian or | | Alcohol | 55.0 | 32.9 | |
| Alaska Native | * | | | | |
| Native Hawaiian or Other | | LIFETIME | | | |
| Pacific Islander | * | Any Illicit Drug ² | 61.1 | 28.2 | |
| Asian | 4.5 | Marijuana | 44.6 | 18.6 | |
| Two or More Races | 10.3 | Any Illicit Drug Other | | | |
| Hispanic or Latino | 7.4 | Than Marijuana ² | 46.5 | 19.2 | |
| | | Cigarettes | 58.4 | 31.1 | |
| COUNTY TYPE | | Alcohol | 67.7 | 41.4 | |
| Large Metro | 8.1 | | | | |
| Small Metro | 8.0 | | | | |
| Nonmetro | 7.0 | | | | |

^{*}Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.