

Table 8.35A Estimated Numbers (in Thousands) of Persons Aged 18 or Older Receiving Specific Types of Mental Health Treatment/Counseling in the Past Year, by Demographic Characteristics: 2000 and 2001

Demographic Characteristic	Received Mental Health Treatment/Counseling ¹		TYPE OF MENTAL HEALTH TREATMENT/COUNSELING					
			Inpatient		Outpatient		Prescription Medication	
	2000	2001	2000	2001	2000	2001	2000	2001
TOTAL	19,853 ^b	22,330	1,407	1,548	11,160 ^b	12,688	15,617 ^b	17,516
AGE								
18-25	2,447 ^b	2,839	243	280	1,478 ^b	1,768	1,692 ^b	1,965
26-49	11,134	11,733	655	796	6,829	6,988	8,535	8,964
50 or Older	6,272 ^b	7,758	509	472	2,853 ^b	3,932	5,390 ^a	6,588
GENDER								
Male	6,645 ^b	7,872	555	704	3,748	4,386	4,864 ^b	5,909
Female	13,208 ^a	14,459	852	844	7,412 ^a	8,303	10,753	11,608
HISPANIC ORIGIN AND RACE								
Not Hispanic	18,486 ^b	20,995	1,233	1,335	10,353 ^b	11,928	14,640 ^b	16,507
White Only	16,813 ^a	18,425	943	930	9,368 ^a	10,436	13,444 ^a	14,652
Black Only	1,140 ^b	1,870	223	320	601 ^b	1,054	883 ^b	1,414
American Indian or Alaska Native Only	*	140	*	25	*	110	72	99
Native Hawaiian or Other Pacific Islander	27	*	*	0	5	17	21	10
Asian Only	142	291	25	24	106	165	75	155
More Than One Race	213	250	16	36	169	146	146	176
Hispanic	1,367	1,335	173	213	807	761	977	1,009
ADULT EDUCATION								
<High School	3,017 ^a	3,663	611	538	1,425	1,652	2,453	2,888
High School Graduate	6,354	6,924	501	547	2,936 ^a	3,527	5,408	5,759
Some College	5,105 ^a	5,844	236	308	2,989	3,458	4,164	4,734
College Graduate	5,377	5,899	58	155	3,811	4,052	3,592	4,134
CURRENT EMPLOYMENT²								
Full-Time	9,964	10,774	332	371	6,022	6,208	7,346	8,028
Part-Time	2,715	3,018	184	202	1,688	2,016	2,017	2,248
Unemployed	490 ^a	738	39	76	313	401	351 ^a	580
Other ³	6,683 ^a	7,800	851	899	3,137 ^b	4,064	5,902	6,660

*Low precision; no estimate reported.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Mental health treatment/counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use.

² Estimates for 2000 and 2001 are based on a revised definition of employment and are not comparable with estimates by employment published in prior NHSDA reports.

³ Retired, disabled, homemaker, student, or "other."

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 8.35B Percentages of Persons Aged 18 or Older Receiving Specific Types of Mental Health Treatment/Counseling in the Past Year, by Demographic Characteristics: 2000 and 2001

Demographic Characteristic	Received Mental Health Treatment/Counseling ¹		TYPE OF MENTAL HEALTH TREATMENT/COUNSELING					
	2000	2001	Inpatient		Outpatient		Prescription Medication	
			2000	2001	2000	2001	2000	2001
TOTAL	9.9 ^b	11.1	0.7	0.8	5.6 ^b	6.3	7.8 ^b	8.7
AGE								
18-25	8.4 ^b	9.6	0.8	0.9	5.1 ^b	6.0	5.8 ^b	6.7
26-49	11.5	12.1	0.7	0.8	7.0	7.2	8.8	9.2
50 or Older	8.5 ^b	10.3	0.7	0.6	3.9 ^b	5.2	7.3 ^a	8.7
GENDER								
Male	7.0 ^b	8.2	0.6	0.7	3.9	4.5	5.1 ^b	6.1
Female	12.6 ^a	13.7	0.8	0.8	7.1 ^a	7.9	10.3	11.0
HISPANIC ORIGIN AND RACE								
Not Hispanic	10.3 ^b	11.6	0.7	0.7	5.8 ^b	6.6	8.2 ^b	9.1
White Only	11.4 ^a	12.4	0.6	0.6	6.3 ^a	7.0	9.1 ^a	9.9
Black Only	5.2 ^b	8.4	1.0	1.4	2.7 ^b	4.8	4.0 ^b	6.4
American Indian or Alaska Native Only	*	14.2	*	2.5	*	11.2	7.6	10.1
Native Hawaiian or Other Pacific Islander	5.6	*	*	0.0	1.0	2.8	4.3	1.7
Asian Only	2.1	4.1	0.4	0.3	1.6	2.3	1.1	2.2
More Than One Race	14.2	16.6	1.1	2.4	11.3	9.7	9.8	11.7
Hispanic	6.7	6.3	0.8	1.0	3.9	3.6	4.8	4.7
ADULT EDUCATION								
<High School	8.5 ^b	10.6	1.7	1.6	4.0	4.8	6.9 ^a	8.4
High School Graduate	9.5	10.6	0.7	0.8	4.4 ^a	5.4	8.1	8.8
Some College	10.6	11.6	0.5	0.6	6.2	6.9	8.6	9.4
College Graduate	10.9	11.4	0.1	0.3	7.8	7.8	7.3	8.0
CURRENT EMPLOYMENT²								
Full-Time	8.6 ^a	9.4	0.3	0.3	5.2	5.4	6.3 ^a	7.0
Part-Time	11.5	12.0	0.8	0.8	7.2	8.0	8.6	9.0
Unemployed	12.7	13.8	1.0	1.4	8.1	7.5	9.1	10.8
Other ³	11.8 ^a	13.7	1.5	1.6	5.5 ^b	7.1	10.4	11.7

*Low precision; no estimate reported.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Mental health treatment/counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use.

² Estimates for 2000 and 2001 are based on a revised definition of employment and are not comparable with estimates by employment published in prior NHSDA reports.

³ Retired, disabled, homemaker, student, or "other."

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 8.36A Estimated Numbers (in Thousands) of Persons Aged 18 or Older Receiving Specific Types of Mental Health Treatment/Counseling in the Past Year, by Geographic and Socioeconomic Characteristics: 2000 and 2001

Geographic/Socioeconomic Characteristic	Received Mental Health Treatment/Counseling ¹		TYPE OF MENTAL HEALTH TREATMENT/COUNSELING					
			Inpatient		Outpatient		Prescription Medication	
	2000	2001	2000	2001	2000	2001	2000	2001
TOTAL	19,853 ^b	22,330	1,407	1,548	11,160 ^b	12,688	15,617 ^b	17,516
GEOGRAPHIC DIVISION								
Northeast	4,060	4,333	233	287	2,483	2,773	3,042	3,221
Midwest	4,668 ^a	5,334	327	346	2,854	2,986	3,685 ^a	4,315
South	6,773 ^a	7,725	545	686	3,317 ^a	4,044	5,585	6,273
West	4,352	4,939	302	230	2,506	2,886	3,305	3,708
COUNTY TYPE								
Large Metro	9,707	10,139	751	595	5,700	6,351	7,316	7,517
Small Metro	6,348 ^b	7,485	354 ^a	602	3,463 ^a	4,144	5,213 ^a	6,016
250K - 1 Mil. Pop.	4,819	5,507	272 ^a	463	2,568	2,918	3,969	4,431
<250K Pop.	1,529 ^a	1,978	82	139	895	1,226	1,245	1,585
Nonmetro	3,798 ^b	4,707	301	351	1,997	2,194	3,087 ^b	3,983
Urbanized	1,331	1,350	62	122	719	623	1,066	1,041
Less Urbanized	2,061 ^b	2,842	213	190	1,015 ^a	1,326	1,685 ^b	2,481
Completely Rural	406	514	26	39	264	244	336	462
FAMILY INCOME								
Less Than \$20,000	5,089	5,510	628	742	2,462	2,950	4,226	4,403
\$20,000 - \$49,999	7,368	8,047	577	570	3,929	4,411	5,999	6,497
\$50,000 - \$74,999	3,324	3,879	148	134	2,131	2,147	2,435 ^a	2,961
\$75,000 or More	4,073 ^a	4,895	52	103	2,639 ^a	3,181	2,958 ^a	3,655
GOVERNMENT ASSISTANCE²								
Yes	3,970	4,358	715	697	2,099	2,572	3,382	3,473
No	15,883 ^b	17,972	692	852	9,061 ^a	10,117	12,235 ^b	14,044

*Low precision; no estimate reported.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Mental health treatment/counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use.

² At least one family member received Supplemental Security Income (SSI), cash assistance or non-cash assistance (Temporary Assistance for Needy Families, TANF), or the family received food stamps.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 8.36B Percentages of Persons Aged 18 or Older Receiving Specific Types of Mental Health Treatment/Counseling in the Past Year, by Geographic and Socioeconomic Characteristics: 2000 and 2001

Geographic/Socioeconomic Characteristic	Received Mental Health Treatment/Counseling ¹		TYPE OF MENTAL HEALTH TREATMENT/COUNSELING					
			Inpatient		Outpatient		Prescription Medication	
	2000	2001	2000	2001	2000	2001	2000	2001
TOTAL	9.9 ^b	11.1	0.7	0.8	5.6 ^b	6.3	7.8 ^b	8.7
GEOGRAPHIC DIVISION								
Northeast	10.5	11.2	0.6	0.7	6.4	7.1	7.9	8.3
Midwest	10.1 ^a	11.5	0.7	0.7	6.1	6.4	7.9 ^b	9.3
South	9.5 ^a	10.8	0.8	1.0	4.7 ^a	5.6	7.8	8.8
West	10.0	11.0	0.7	0.5	5.7	6.4	7.6	8.2
COUNTY TYPE								
Large Metro	9.9	10.4	0.8	0.6	5.8	6.5	7.5	7.7
Small Metro	10.3 ^b	11.9	0.6 ^a	1.0	5.6 ^a	6.6	8.5	9.6
250K - 1 Mil. Pop.	10.6	11.8	0.6 ^a	1.0	5.6	6.3	8.7	9.5
<250K Pop.	9.7 ^a	12.2	0.5	0.9	5.7	7.6	7.9	9.8
Nonmetro	9.3 ^b	11.3	0.7	0.8	4.9	5.3	7.6 ^b	9.6
Urbanized	11.1	11.2	0.5	1.0	6.0	5.2	8.9	8.6
Less Urbanized	8.5 ^b	11.2	0.9	0.8	4.2	5.2	7.0 ^b	9.8
Completely Rural	8.7	11.9	0.5	0.9	5.6	5.6	7.2	10.6
FAMILY INCOME								
Less Than \$20,000	12.2	13.9	1.5	1.9	5.9 ^a	7.4	10.2	11.1
\$20,000 - \$49,999	9.2 ^a	10.4	0.7	0.7	4.9 ^a	5.7	7.5 ^a	8.4
\$50,000 - \$74,999	9.1	10.2	0.4	0.4	5.9	5.7	6.7	7.8
\$75,000 or More	9.8	10.4	0.1	0.2	6.4	6.8	7.1	7.8
GOVERNMENT ASSISTANCE²								
Yes	15.9	18.1	2.9	2.9	8.4 ^a	10.7	13.6	14.4
No	9.1 ^b	10.1	0.4	0.5	5.2 ^a	5.7	7.0 ^b	7.9

*Low precision; no estimate reported.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Mental health treatment/counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use.

² At least one family member received Supplemental Security Income (SSI), cash assistance or non-cash assistance (Temporary Assistance for Needy Families, TANF), or the family received food stamps.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 8.37A Estimated Numbers (in Thousands) of Persons Aged 18 or Older Reporting Unmet Need for Mental Health Treatment/Counseling in the Past Year, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: 2000 and 2001

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2000	2001	2000	2001	2000	2001
TOTAL	8,157	8,398	3,904	4,021	4,240	4,376
AGE						
18-25	1,796 ^b	2,031	734	816	1,061 ^a	1,213
26-49	5,019	4,964	2,510	2,347	2,497	2,617
50 or Older	1,342	1,403	660	858	682	545
GENDER						
Male	2,647	2,664	1,188	1,131	1,451	1,532
Female	5,510	5,734	2,716	2,889	2,789	2,843
HISPANIC ORIGIN AND RACE						
Not Hispanic	7,503	7,744	3,601	3,745	3,890	3,998
White	6,505	6,600	3,182	3,216	3,311	3,384
Black	696	749	292	373	404	374
Other or More Than One Race	302	395	*	155	175	239
Hispanic	653	654	303	276	350	378
ADULT EDUCATION						
<High School	1,323	1,383	639	744	672	638
High School Graduate	2,428	2,520	1,173	1,222	1,255	1,298
Some College	2,189	2,585	1,109	1,212	1,080 ^a	1,373
College Graduate	2,217	1,909	983	843	1,234	1,066
CURRENT EMPLOYMENT³						
Full-Time	4,397	4,507	2,017	1,935	2,381	2,571
Part-Time	1,272	1,454	565	625	707	829
Unemployed	234 ^a	393	*	160	90 ^b	234
Other ⁴	2,253	2,043	1,179	1,301	1,061 ^a	742

*Low precision; no estimate reported.

NOTE: Unmet need for mental health treatment/counseling is defined as a perceived need for treatment that was not received.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Estimates in the total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental health treatment/counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use.

³ Estimates for 2000 and 2001 are based on a revised definition of employment and are not comparable with estimates by employment published in prior NHSDA reports.

⁴ Retired, disabled, homemaker, student, or "other."

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 8.37B Percentages of Persons Aged 18 or Older Reporting Unmet Need for Mental Health Treatment/Counseling in the Past Year, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: 2000 and 2001

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2000	2001	2000	2001	2000	2001
TOTAL	4.1	4.2	19.7	18.0	2.4	2.4
AGE						
18-25	6.2 ^a	6.9	30.0	28.7	4.0 ^a	4.6
26-49	5.2	5.1	22.5	20.0	2.9	3.1
50 or Older	1.8	1.9	10.5	11.1	1.0	0.8
GENDER						
Male	2.8	2.8	17.9	14.4	1.6	1.7
Female	5.3	5.4	20.6	20.0	3.1	3.1
HISPANIC ORIGIN AND RACE						
Not Hispanic	4.2	4.3	19.5	17.8	2.4	2.5
White	4.4	4.4	18.9	17.5	2.5	2.6
Black	3.2	3.4	25.6	20.0	1.9	1.9
Other or More Than One Race	3.1	3.9	*	22.2	1.9	2.5
Hispanic	3.2	3.1	22.2	20.7	1.8	1.9
ADULT EDUCATION						
<High School	3.7	4.0	21.2	20.3	2.1	2.1
High School Graduate	3.6	3.8	18.5	17.6	2.1	2.2
Some College	4.5	5.2	21.7	20.7	2.5	3.1
College Graduate	4.5 ^a	3.7	18.3	14.3	2.8	2.3
CURRENT EMPLOYMENT³						
Full-Time	3.8	3.9	20.2	18.0	2.3	2.5
Part-Time	5.4	5.8	20.8	20.7	3.4	3.8
Unemployed	6.1	7.3	*	21.6	2.7 ^a	5.1
Other ⁴	4.0	3.6	17.6	16.7	2.1 ^a	1.5

*Low precision; no estimate reported.

NOTE: Unmet need for mental health treatment/counseling is defined as a perceived need for treatment that was not received.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Estimates in the total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental health treatment/counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use.

³ Estimates for 2000 and 2001 are based on a revised definition of employment and are not comparable with estimates by employment published in prior NHSDA reports.

⁴ Retired, disabled, homemaker, student, or "other."

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 8.38A Estimated Numbers (in Thousands) of Persons Aged 18 or Older Reporting Unmet Need for Mental Health Treatment/Counseling in the Past Year, by Receipt of Past Year Mental Health Treatment/Counseling, Geographic and Socioeconomic Characteristics: 2000 and 2001

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2000	2001	2000	2001	2000	2001
TOTAL	8,157	8,398	3,904	4,021	4,240	4,376
GEOGRAPHIC DIVISION						
Northeast	1,488	1,493	680	753	808	740
Midwest	1,809	1,690	949	808	856	881
South	2,763	3,114	1,167 ^a	1,545	1,588	1,570
West	2,095	2,100	1,108	916	988	1,185
COUNTY TYPE						
Large Metro	4,059	4,019	1,873	1,783	2,182	2,235
Small Metro	2,617	2,856	1,318	1,394	1,299	1,463
Nonmetro	1,480	1,522	713	844	759	678
FAMILY INCOME						
Less Than \$20,000	2,474	2,219	1,278	1,240	1,195	978
\$20,000 - \$49,999	3,140	3,430	1,514	1,623	1,614	1,806
\$50,000 - \$74,999	1,338	1,380	618	637	720	743
\$75,000 or More	1,205	1,368	494	520	711	848
GOVERNMENT ASSISTANCE³						
Yes	1,784	1,595	1,006	976	766	618
No	6,373	6,802	2,898	3,044	3,474	3,758

*Low precision; no estimate reported.

NOTE: Unmet need for mental health treatment/counseling is defined as a perceived need for treatment that was not received.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Estimates in the total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental health treatment/counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use.

³ At least one family member received Supplemental Security Income (SSI), cash assistance or non-cash assistance (Temporary Assistance for Needy Families, TANF), or the family received food stamps.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 8.38B Percentages of Persons Aged 18 or Older Reporting Unmet Need for Mental Health Treatment/Counseling in the Past Year, by Receipt of Past Year Mental Health Treatment/Counseling, Geographic and Socioeconomic Characteristics: 2000 and 2001

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2000	2001	2000	2001	2000	2001
TOTAL	4.1	4.2	19.7	18.0	2.4	2.4
GEOGRAPHIC DIVISION						
Northeast	3.9	3.8	16.7	17.4	2.3	2.2
Midwest	3.9	3.6	20.3 ^a	15.1	2.1	2.1
South	3.9	4.3	17.2	20.0	2.5	2.5
West	4.8	4.7	25.4	18.5	2.5	3.0
COUNTY TYPE						
Large Metro	4.2	4.1	19.3	17.6	2.5	2.6
Small Metro	4.3	4.6	20.8	18.6	2.4	2.7
Nonmetro	3.6	3.7	18.8	17.9	2.1	1.8
FAMILY INCOME						
Less Than \$20,000	5.9	5.6	25.1	22.5	3.3	2.9
\$20,000 - \$49,999	3.9	4.4	20.6	20.2	2.2	2.6
\$50,000 - \$74,999	3.7	3.6	18.6	16.4	2.2	2.2
\$75,000 or More	2.9	2.9	12.1	10.6	1.9	2.0
GOVERNMENT ASSISTANCE³						
Yes	7.2	6.6	25.3	22.4	3.7	3.2
No	3.6	3.8	18.2	16.9	2.2	2.4

*Low precision; no estimate reported.

NOTE: Unmet need for mental health treatment/counseling is defined as a perceived need for treatment that was not received.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Estimates in the total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental health treatment/counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use.

³ At least one family member received Supplemental Security Income (SSI), cash assistance or non-cash assistance (Temporary Assistance for Needy Families, TANF), or the family received food stamps.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 8.39A Estimated Numbers (in Thousands) of Persons Aged 18 or Older Receiving Mental Health Treatment/Counseling in the Past Year, by Past Year Any Illicit Drug Use and Demographic Characteristics: 2000 and 2001

Demographic Characteristic	Total ¹		ANY ILLICIT DRUG USE ²			
			Yes		No	
	2000	2001	2000	2001	2000	2001
TOTAL	19,853 ^b	22,330	3,412 ^b	4,218	16,441 ^b	18,112
AGE						
18-25	2,447 ^b	2,839	950 ^b	1,230	1,498	1,609
26-49	11,134	11,733	2,050 ^a	2,560	9,084	9,174
50 or Older	6,272 ^b	7,758	412	429	5,860 ^b	7,330
GENDER						
Male	6,645 ^b	7,872	1,436	1,717	5,209 ^a	6,154
Female	13,208 ^a	14,459	1,976 ^a	2,501	11,232	11,958
HISPANIC ORIGIN AND RACE						
Not Hispanic	18,486 ^b	20,995	3,236 ^a	3,942	15,250 ^b	17,054
White	16,813 ^a	18,425	2,958 ^a	3,480	13,855	14,945
Black	1,140 ^b	1,870	219	335	921 ^b	1,535
Other or More Than One Race	533	701	59	127	475	574
Hispanic	1,367	1,335	176	277	1,191	1,058
ADULT EDUCATION						
<High School	3,017 ^a	3,663	542 ^a	819	2,476	2,844
High School Graduate	6,354	6,924	975 ^a	1,314	5,378	5,609
Some College	5,105 ^a	5,844	1,007	1,118	4,098	4,726
College Graduate	5,377	5,899	888	967	4,489	4,933
CURRENT EMPLOYMENT³						
Full-Time	9,964	10,774	1,920	2,182	8,044	8,592
Part-Time	2,715	3,018	547	682	2,169	2,336
Unemployed	490 ^a	738	124 ^b	287	366	451
Other ⁴	6,683 ^a	7,800	821	1,067	5,863	6,733

*Low precision; no estimate reported.

NOTE: Mental health treatment/counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Estimates in the total column represent all persons aged 18 or older who received mental health treatment/counseling in the past year.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Estimates for 2000 and 2001 are based on a revised definition of employment and are not comparable with estimates by employment published in prior NHSDA reports.

⁴ Retired, disabled, homemaker, student, or "other."

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 8.39B Percentages of Persons Aged 18 or Older Receiving Mental Health Treatment/Counseling in the Past Year, by Past Year Any Illicit Drug Use and Demographic Characteristics: 2000 and 2001

Demographic Characteristic	Total ¹		ANY ILLICIT DRUG USE ²			
			Yes		No	
	2000	2001	2000	2001	2000	2001
TOTAL	9.9 ^b	11.1	16.9	18.0	9.1 ^b	10.1
AGE						
18-25	8.4 ^b	9.6	11.7	13.1	7.2 ^a	8.0
26-49	11.5	12.1	20.0	20.9	10.5	10.8
50 or Older	8.5 ^b	10.3	22.7	23.6	8.1 ^b	9.9
GENDER						
Male	7.0 ^b	8.2	12.3	12.8	6.2 ^b	7.4
Female	12.6 ^a	13.7	23.2	24.8	11.7	12.5
HISPANIC ORIGIN AND RACE						
Not Hispanic	10.3 ^b	11.6	17.6	18.5	9.5 ^b	10.7
White	11.4 ^a	12.4	19.4	19.6	10.5 ^a	11.4
Black	5.2 ^b	8.4	9.7	13.3	4.7 ^b	7.8
Other or More Than One Race	5.5	6.9	7.0	13.2	5.3	6.2
Hispanic	6.7	6.3	9.7	12.4	6.4	5.6
ADULT EDUCATION						
<High School	8.5 ^b	10.6	14.6	18.9	7.8 ^a	9.4
High School Graduate	9.5	10.6	14.4	17.1	8.9	9.7
Some College	10.6	11.6	18.3	16.3	9.6	10.9
College Graduate	10.9	11.4	21.3	20.9	10.0	10.4
CURRENT EMPLOYMENT³						
Full-Time	8.6 ^a	9.4	15.1	15.2	7.8 ^a	8.6
Part-Time	11.5	12.0	18.2	17.4	10.6	11.1
Unemployed	12.7	13.8	12.7 ^a	21.1	12.7	11.3
Other ⁴	11.8 ^a	13.7	23.8	27.7	11.0 ^a	12.7

*Low precision; no estimate reported.

NOTE: Mental health treatment/counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Estimates in the total column represent all persons aged 18 or older who received mental health treatment/counseling in the past year.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Estimates for 2000 and 2001 are based on a revised definition of employment and are not comparable with estimates by employment published in prior NHSDA reports.

⁴ Retired, disabled, homemaker, student, or "other."

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 8.40A Estimated Numbers (in Thousands) of Persons Aged 18 or Older Receiving Mental Health Treatment/Counseling in the Past Year, by Past Year Any Illicit Drug Use, Geographic and Socioeconomic Characteristics: 2000 and 2001

Geographic/Socioeconomic Characteristic	Total ¹		ANY ILLICIT DRUG USE ²			
			Yes		No	
	2000	2001	2000	2001	2000	2001
TOTAL	19,853 ^b	22,330	3,412 ^b	4,218	16,441 ^b	18,112
GEOGRAPHIC DIVISION						
Northeast	4,060	4,333	696 ^a	921	3,364	3,411
Midwest	4,668 ^a	5,334	762	939	3,906	4,395
South	6,773 ^a	7,725	972 ^a	1,290	5,800	6,434
West	4,352	4,939	982	1,068	3,371	3,871
COUNTY TYPE						
Large Metro	9,707	10,139	1,833	2,088	7,874	8,050
Small Metro	6,348 ^b	7,485	1,099	1,384	5,249 ^a	6,101
Nonmetro	3,798 ^b	4,707	480 ^b	745	3,318 ^a	3,961
FAMILY INCOME						
Less Than \$20,000	5,089	5,510	979	1,225	4,110	4,284
\$20,000 - \$49,999	7,368	8,047	1,297	1,461	6,071	6,586
\$50,000 - \$74,999	3,324	3,879	530	655	2,793	3,224
\$75,000 or More	4,073 ^a	4,895	606 ^a	877	3,467	4,018
GOVERNMENT ASSISTANCE³						
Yes	3,970	4,358	741	882	3,228	3,476
No	15,883 ^b	17,972	2,670 ^b	3,336	13,213 ^a	14,636

*Low precision; no estimate reported.

NOTE: Mental health treatment/counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Estimates in the total column represent all persons aged 18 or older who received mental health treatment/counseling in the past year.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ At least one family member received Supplemental Security Income (SSI), cash assistance or non-cash assistance (Temporary Assistance for Needy Families, TANF), or the family received food stamps.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 8.40B Percentages of Persons Aged 18 or Older Receiving Mental Health Treatment/Counseling in the Past Year, by Past Year Any Illicit Drug Use, Geographic and Socioeconomic Characteristics: 2000 and 2001

Geographic/Socioeconomic Characteristic	Total ¹		ANY ILLICIT DRUG USE ²			
			Yes		No	
	2000	2001	2000	2001	2000	2001
TOTAL	9.9 ^b	11.1	16.9	18.0	9.1 ^b	10.1
GEOGRAPHIC DIVISION						
Northeast	10.5	11.2	16.8	19.5	9.8	10.0
Midwest	10.1 ^a	11.5	17.9	18.4	9.3 ^a	10.6
South	9.5 ^a	10.8	15.2	17.1	9.0	10.0
West	10.0	11.0	18.3	17.4	8.8	9.9
COUNTY TYPE						
Large Metro	9.9	10.4	17.7	17.6	9.0	9.4
Small Metro	10.3 ^b	11.9	16.7	18.3	9.6 ^a	11.1
Nonmetro	9.3 ^b	11.3	14.9	18.4	8.8 ^b	10.5
FAMILY INCOME						
Less Than \$20,000	12.2	13.9	17.7	21.0	11.4	12.7
\$20,000 - \$49,999	9.2 ^a	10.4	16.5	15.8	8.4 ^b	9.7
\$50,000 - \$74,999	9.1	10.2	17.3	17.0	8.4	9.5
\$75,000 or More	9.8	10.4	16.3	19.3	9.2	9.5
GOVERNMENT ASSISTANCE³						
Yes	15.9	18.1	24.8	26.2	14.7	16.8
No	9.1 ^b	10.1	15.5	16.6	8.4 ^b	9.3

*Low precision; no estimate reported.

NOTE: Mental health treatment/counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for alcohol or drug use.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Estimates in the total column represent all persons aged 18 or older who received mental health treatment/counseling in the past year.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ At least one family member received Supplemental Security Income (SSI), cash assistance or non-cash assistance (Temporary Assistance for Needy Families, TANF), or the family received food stamps.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.