

# Injury Experience in Nonmetallic Mineral Mining, 2006

---



U.S. Department of Labor  
Elaine L. Chao, Secretary

Mine Safety and Health Administration  
Richard E. Stickler, Assistant Secretary

IR 1333  
2007



This publication has been reviewed and approved for distribution to the mining public by the Office of the Assistant Secretary for Mine Safety and Health.

CONTENTS

	<u>Page</u>
Abstract-----	1
Introduction-----	1
Scope of statistics-----	2
Definition of terms-----	2
Table reference guide (operator data)-----	8

ILLUSTRATIONS

Figure 1. Scheduled charges in lost workdays for loss or loss of use involving hand or foot-----	10
Figure 2. Quarterly mine employment and coal production report form-----	11
Figure 3. Mine accident, injury, and illness report form---	12

TABLES FOR NONMETALLIC MINERAL OPERATIONS  
IN THE UNITED STATES, 2006  
(OPERATOR DATA)

1. General statistics on injury experience and worktime-	13
2. Injury experience by degree and worktime for work location-----	14
3. Number of injuries, lost workdays and average severity by degree for work location-----	15
4. Injury experience by degree and worktime for work location and employment size group-----	16
5. Number of injuries, lost workdays, and average severity by degree for work location and employment size group-----	19
6. Injury experience by degree and worktime for type of mineral, work location, and State-----	22
7. Number of injuries, lost workdays, and average severity by degree for type of mineral, work location, and State-----	85
8. Number of injuries, incidence rates, and severity measures by degree for work location and part of body injured-----	118
9. Number of injuries, lost workdays, and average severity by degree for work location and part of body injured-----	126
10. Number of injuries, incidence rates, and severity measures by degree for work location and nature of injury-----	134
11. Number of injuries, lost workdays, and average severity by degree for work location and nature of injury-----	138

TABLES FOR NONMETALLIC MINERAL OPERATIONS  
 IN THE UNITED STATES, 2006  
 (OPERATOR DATA) -- Continued

12.	Number of injuries, lost workdays, and average severity by degree for part of body injured and nature of injury-----	142
13.	Number of injuries by accident classification and degree for work location and State-----	148
14.	Number of lost workdays by accident classification and degree for work location and State-----	160
15.	Number of injuries by accident classification and degree for work location and type of mineral-----	164
16.	Number of lost workdays by accident classification and degree of injury for work location and type of mineral-----	174
17.	Number of injuries, lost workdays, and average severity by degree for work location and occupation at time of injury-----	184
18.	Number of injuries, lost workdays, and average severity by degree for work location and accident classification-----	189
19.	Number of injuries, lost workdays, and average severity by degree for accident classification and part of body injured-----	194
20.	Number of injuries, lost workdays, and average severity by degree for accident classification and nature of injury-----	199
21.	Occurrences reported to MSHA as occupational illnesses-----	203
22.	Related noncoal mining summary reference tabulation, number of injuries, incidence rates, average number of employees, and employee-hours, by mineral industry and work location-----	208
23.	Related coal mining summary reference tabulation, number of injuries, incidence rates, average number of employees, employee hours and production by type of coal mined and work location-----	209

TABLES FOR NONMETALLIC MINERAL OPERATIONS IN THE  
UNITED STATES, 2006  
(CONTRACTOR DATA)

Table reference guide (contractor data)-----	212
1. General statistics on injury experience and severity-----	213
3. Number of injuries, lost workdays and average severity by degree for work location-----	214
7. Number of injuries, lost workdays, and average severity by degree for type of mineral, work location, and State-----	215
9. Number of injuries, lost workdays, and average severity by degree for work location and part of body injured-----	226
11. Number of injuries, lost workdays, and average severity by degree for work location and nature of injury-----	230
12. Number of injuries, lost workdays, and average severity by degree for part of body injured and nature of injury-----	232
13. Number of injuries by accident classification and degree for work location and State-----	236
14. Number of lost workdays by accident classification and degree of injury for work location and State-----	242
15. Number of injuries by accident classification and degree for work location and type of mineral-----	246
16. Number of lost workdays by accident classification and degree of injury for work location and type of mineral-----	250
17. Number of injuries, lost workdays, and average severity by degree for work location and occupation at time of injury-----	254
18. Number of injuries, lost workdays, and average severity by degree for work location and accident classification-----	257
19. Number of injuries, lost workdays, and average severity by degree for accident classification and part of body injured-----	259
20. Number of injuries, lost workdays, and average severity by degree for accident classification and nature of injury-----	262
21. Occurrences reported to MSHA as occupational illnesses-----	264

TABLES FOR NONMETALLIC MINERAL OPERATIONS IN THE  
UNITED STATES, 2006  
(CONTRACTOR DATA)-- Continued

22.	Related noncoal mining summary reference tabulation, number of injuries, incidence rates, average number of workers, and employee-hours, by mineral industry and work location-----	265
23.	Related coal mining summary reference tabulation, number of injuries, incidence rates, average number of workers, employee-hours, and production by type of coal mined and work location-----	266

# INJURY EXPERIENCE IN NONMETALLIC MINING, 2006

by

Staff, Information Technology Center  
Directorate of Program Evaluation and Information Resources  
Denver, Colorado

---

## ABSTRACT

This Mine Safety and Health Administration (MSHA) informational report reviews in detail the occupational injury and illness experience of nonmetallic mineral mining in the United States for 2006. Data reported by operators of mining establishments concerning work injuries are summarized by work location, accident classification, part of body injured, nature of injury, and occupation. Related information on employment, worktime, and operating activity also is presented. Data reported by independent contractors performing certain work at mining locations are depicted separately in this report. For ease of comparison with other metal and nonmetallic mineral mining industries and with coal mining, summary reference tabulations are included at the end of both the operator and the contractor sections of this report.

## INTRODUCTION

Data used in compiling this report were reported by operators of sand and gravel mining operations on a mandatory basis as required under the Federal Mine Safety and Health Act of 1977, Public Law 91-173 as amended by Law 95-164. Since January 1, 1978, operators of mines or processing plants or both which are subject to the Act have been required under 30 CFR, Part 50, to submit reports of injuries, occupational illnesses, and related data.

Only data reported by the operators and contractors themselves are utilized in this report. No estimates are made of employment, employee-hours, or injuries for nonrespondent operations except as necessary to meet statistical processing requirements by providing minimum employment data for reported unmatched injury data.

Beginning with calendar year 1978, statistical measures for injury experience in mining were changed from the measures used from 1930 through 1977. The statistical measures for injury experience adopted by MSHA in 1978 compare closely with the measures used in the Office of Occupational Safety and Health Statistics, Bureau of Labor Statistics, U.S. Department of Labor. Therefore, beginning with the 1978 data, the mining industry can be compared on a standard basis with other United States industries reporting under the Occupational Safety and Health Act of 1970.

Occurrences identified as occupational illnesses by mine operators were reported to MSHA and were processed in accordance with 30 CFR PART 50.20-6. The reported illnesses are summarized in seven categories for each work location and State. Incidence rates and severity measures are not computed for occupational illnesses.

Because of the modifications in reporting and processing procedures that became effective January 1, 1978, injury rates as currently computed are not precisely comparable to those of previous years, except for fatality rates in which the "incidence rate" (the term used after 1977) is one-fifth of the "frequency rate" (the term used prior to 1978) for otherwise similar groupings of fatal injuries and worktimes.

## SCOPE OF STATISTICS

The statistical data in this report cover the work experience of all personnel engaged in mine exploration, development, production, maintenance, repair and construction work, including supervisory and technical personnel, working partners, and onsite office workers. The classification of industries is in close general agreement with the Standard Industrial Classification.<sup>1</sup>

MSHA issued guidelines which additionally reduced the reporting requirements of independent contractors. Reporting of employment, hours worked, and injury/illness data by independent contractors is limited to the following types of work performed: mine development, including shaft and slope sinking; construction or reconstruction of mine facilities, including building or rebuilding processing plants and mining equipment, and building additions to existing facilities; demolition of mine facilities; construction of dams; excavation or earthmoving activities involving mobile equipment; equipment installation, such as crushers and mills; equipment service or repair done underground or in the pit for a period exceeding five consecutive days at a particular mine; material handling within mine property, including haulage of coal, ore, refuse, etc., unless for the sole purpose of direct removal from or delivery to mine property; drilling and blasting. Also, data collected for employment and hours worked in those activities reflect the contractor's total metallic/nonmetallic work locations and total coal work locations and not the individual mine sites. For more detailed information concerning these changes, see the guidelines accompanying MSHA Policy Memoranda Nos. 82-6A MM and 81-35A C.

## DEFINITION OF TERMS

Occupational Injury. An occupational injury is an injury to a mine worker which occurs at a mine and for which medical treatment is administered, or which results in death or loss of consciousness, restriction of work or motion, inability to perform all job duties on any day after an injury, lost workdays, temporary assignment to other duties, transfer to another job, or termination. The injury usually results from a recognizable single incident. For example, an explosion of a battery which splattered a worker with sulfuric acid would be a single incident and

---

<sup>1</sup>Executive Office of the President, Office of Management and Budget. Standard Industrial Classification Manual. 1972 Revision.



the worker would be considered to have suffered an injury. Another example would be an injury where a worker was overcome by hydrogen sulfide gas released from an exploding vessel.

Occupational Illness. An occupational illness is an illness or disease of a mine worker which may have resulted from work at a mine or for which an award of compensation is made. To be classified as an occupational illness, the disability must result from repeated exposure to the condition or substance which caused the disability. A classic illness example is a pneumoconiosis disability which may have been induced by repeated exposure to the causative dusty condition. Dermatitis resulting from repeated exposure to lime dust or other material in the work environment also should be reported as an illness. In cases where the time of onset of illness is in doubt, the day of diagnosis of illness will be considered as the first day of illness.

Number of Operations and Associated Work Locations. Number of operations is the number of individual respondents with a unique Federal identification number that have reported worktime data. The count and kind of operation are based on the lowest numbered (primary) subunit on employment report Form 7000-2 (see figure 2, p. 11) that contains worktime data. An associated work location is a subunit reported with a primary subunit, e.g., an "office" is almost always an associated work location. Independent contractors working on mine property performing the types of work described under "Scope of Statistics" are assigned an identification number, report to MSHA, but are not included in the count of operations. Contractor data are depicted separately in this report.

Worktime. Worktime includes the number of workers and the number of employee-hours worked. "Average number of workers" is a summary of the average number of persons working at individual establishments during calendar quarters of active operations. "Employee-hours" is a summary of employee-hours reported.

Employment Size Group. Reporting operations are classified into size groups according to the average number of workers in specified work locations.

Degree of Injury. Degree of injury indicates the seriousness of injuries. FATAL injuries are those occurrences resulting in death, NFDL (NonFatal with Days Lost) injuries are nonfatal occurrences that result in days away from work, statutory days charged, or days of restricted work activity. NDL (No Days Lost) injuries are occurrences having no lost workdays; that is, nonfatal injury occurrences resulting only in temporary loss of consciousness or medical treatment other than first aid.

A permanent total disability is caused by any work injury or illness other than death that permanently and totally incapacitates a worker from following any gainful occupation, or that results in the loss, or the complete loss of use, of both or any combination of: hands, arms, legs, feet, or eyes.

A permanent partial disability is caused by any work injury or illness other than death or permanent total disability that results in the loss, or the complete loss of use, of any member or part of a member of the body, or any permanent impairment of functions of the body or part thereof, regardless of any pre-existing disability of the injured member or impaired body function.

Incidence Rate. Incidence rate is defined as the number of injuries per 200,000 employee-hours, rounded to two decimal places. The highest rate given is 99.99. If an incidence rate is greater than 99.99, then 99.99 is printed. If no data were reported, then a hyphen is printed. If a computation is less than 0.01 after rounding, then an asterisk inside parentheses (\*) is printed. The following is the standard incidence rate formula:

$$\frac{\text{Number of injuries} \times 200,000}{\text{Number of employee-hours}}$$

Lost Workdays (LWD). Lost workdays consist of days away from work (DAW) and days of restricted work activity (DRA), or statutory days charged as prescribed from a table of standard charges (see p. 7), e.g., 6,000 days for a fatality or permanent total disability.

Severity Measure. Severity measure is the number of lost workdays per 200,000 employee-hours, rounded to whole numbers. The highest rate given is 99,999. If the computed rate is greater than 99,999, then 99,999 is printed. If no data were reported, then a hyphen is printed. If the computation results in a zero after rounding, then an asterisk inside parentheses (\*) is printed. The following is the standard severity measure formula:

$$\frac{\text{Number of lost workdays} \times 200,000}{\text{Number of employee hours}}$$

Average Severity. Average severity is the average number of lost workdays per injury and is computed only for injuries classified as FATAL or NFDL. Lost workdays are selected on the same basis as that for computing the severity measure. The following is the standard average severity formula:

$$\frac{\text{Number of lost workdays}}{\text{Number of injuries contributing the lost workdays}}$$

Type of Mineral. The type of mineral is determined from the Standard Industrial Classification (S.I.C.) code assigned to an operation based on information provided by the mine operator. Data for all work locations in the operation are credited to the assigned S.I.C.

Classification of Accident. Accident classification identifies circumstances which contributed most directly to the resulting accident. The 21 classifications in the following list are designed to categorize all accidents, whether injury-producing or not.

Electrical. Accidents in which the electric current is most directly responsible for the resulting accident.

Entrapment. Accidents involving entrapment of persons.

Exploding Vessels Under Pressure. Accidents involved with bursting of air hoses, air tanks, hydraulic lines, hydraulic hoses, stand pipes, etc., due to internal pressure.

Explosives and Breaking Agents. Accidents involving the detonation of manufactured explosives; includes Airdox and Cardox.

Falling, Rolling, or Sliding Rock or Material of Any Kind. Accidents caused directly by falling material other than material from the roof or face. Or, if material was set in motion by machinery, by haulage, by hand tools, or while being handled or disturbed, etc., the force that set the material in motion determines the classification. For example, where a rock was pushed over a highwall by a bulldozer and the rock hit another rock which hit and injured a worker – the accident is classified as machinery. Machinery (a bulldozer) most directly caused the resulting accident.

Fall of Face, Rib, Pillar, Side, or Highwall (from in place). Accidents in this classification include falls of material while barring down or placing props, also pressure bumps and bursts. Not included are accidents in which the motion of machinery or haulage equipment caused the fall either directly or by knocking out support.

Fall of Roof, Back, or Brow (from in place). Underground only – Accidents which include falls while barring down or placing props, also pressure bumps and bursts. Not included are accidents in which the motion of machinery or haulage equipment caused the fall either directly or by knocking out support.

Fire. Accidents related to uncontrolled burning of material or mineral in the mine environment. Not included are fires initiated by electricity or by ignition or explosion of gas or dust.

Handling Material. Accidents related to handling packaged or loose material while lifting, pulling, pushing, or shoveling.

Handtools. Accidents related to nonpowered tools.

Nonpowered Haulage. Accidents related to the motion of nonpowered haulage equipment. Included are accidents involving wheelbarrows, manually pushed mine cars, timber trucks, etc.

Powered Haulage. Accidents related to the motion of powered haulage equipment. Included are accidents involving conveyors, front-end loaders, forklifts, shuttle cars, load-haul-dump units, locomotives, railroad cars, haulage trucks, pickups, automobiles, and personnel carriers.

Hoisting. Accidents involving cages, skips, ore buckets, and elevators. The accident results from the action, motion, or failure of the hoisting equipment or mechanism. Included are equipment such as cranes and derricks only when used in shaft sinking; also suspended work platforms in shafts. Not included is equipment such as chain hoists, come-alongs, and winches.

Ignition or Explosion of Gas or Dust. Accidents resulting as a consequence of the ignition or explosion of gas or dust.

Impoundment. Accidents caused by an unstable condition or failure of an impoundment, refuse pile, or culm bank requiring emergency preventative action or evacuation of an area.

Inundation. Accidents caused by inundation of a surface or underground mine by a liquid (or semi-solid) or a gas.

Machinery. Accidents related to the motion of machinery. Included are all electric and air-powered tools and mining machinery such as drills, tuggers, winches, slushers, draglines, power shovels, loaders, and compressors.

Slip or Fall of Person (from an elevation or on the same level). Accidents include slips or falls while getting on or off machinery and haulage equipment which is not moving, and slips or falls while servicing or repairing equipment or machinery.

Stepping or Kneeling on Object. Accidents are classified in this category only where the object stepped or kneeled on contributed most directly to the accident.

Striking or Bumping. This classification is restricted to those accidents in which an individual, while moving about, strikes or bumps an object but is not handling material, using handtools, or operating equipment.

Other. Accidents not elsewhere classified.

Abbreviations. Space limitations in column headings and stub entries of standard-format tabulations require occasional adaptation of terminology. In this report PLNTS should be interpreted as "plants."

Statutory Days Charged. Some injuries or illnesses are of such a degree of severity that a standard time charge of lost workdays has been adopted by MSHA as follows:

<u>Disability</u>	<u>Lost Workdays Charged</u> <sup>2</sup>
Death.....	6,000
Permanent total disability.....	6,000
Dismemberment or total loss of use	
Arm above elbow.....	4,500
Arm at or below elbow and above wrist.....	3,600
Hand at wrist.....	3,000
Leg above knee.....	4,500
Leg at or below knee and above ankle.....	3,000
Foot at ankle.....	2,400
Loss of sight:	
One eye (whether or not there is a sight in the other eye).....	1,800
Both eyes (in one accident).....	6,000
Complete industrial loss of hearing:	
One ear (whether or not there is hearing in the other ear).....	600
Both ears (in one accident).....	3,000
Unrepaired hernia.....	50

---

<sup>2</sup> Not more than 6,000 lost workdays will be charged in a single accident that results in multiple injuries to a mine worker. (See definition of permanent total disability on page 4).

## TABLE REFERENCE GUIDE (OPERATOR DATA)


The following reference guide facilitates locating particular data elements contained in the annual statistical tables for operators. A comparable guide precedes the contractor section of this report. The number appearing in each cell indicates the table number in which that particular element may be found. All elements listed under the stub headings appear as vertical headings in the tables. Elements listed under column headings appear as horizontal headings. The only exception to this is in table 1, in which the headings have been reversed.

To use this guide, read down or across the elements listed in both the stub and column headings to determine which combinations are of interest. For example, incidence rates by work location appear in seven different tables, numbers 2, 4, 6, 8, 10, 22, and 23. However, only one, table 10, provides a further division by nature of injury as well. The occupation of the injured is found in table 17 and, as seen in the column headings, provides the number of injuries, lost workdays, and average severity.

REFERENCE GUIDE TO NONMETALLIC STATISTICAL TABLES (OPERATOR DATA)

STUB READINGS	COLUMN READINGS	Number of injuries	Incidence rates	Severity measures	Lost workdays	Average severity	Average number of workers	Employee-hours worked	Number of operations	Associated work locations	Average hours per employee per year	Accident classification	Number of occupational illnesses	Coal production (short tons) <sup>1</sup>
Prior year data 1/ with and without office		1	1	1		1	1	1	1	1	1			
Work Location		2	2	2			2	2	2	2				
		3			3	3								
		4	4	4			4	4	4	4				
		5			5	5								
		6	6	6			6	6	6	6				
		7			7	7								
		8	8	8										
		9			9	9								
		10	10	10										
		11			11	11								
		13										13		
					14							14		
		15										15		
					16							16		
		17			17	17								
		18			18	18								
													21	
		22	22					22	22					
	23	23					23	23					23	
Employment size group		4	4	4			4	4	4	4				
		5			5	5								
Kind of mineral		6	6	6			6	6	6	6				
		7			7	7								
		15										15		
				16							16			
												21		
State		6	6	6			6	6	6	6				
		7			7	7								
		13										13		
				14							14			
												21		
Part of body injured		8	8	8										
		9			9	9								
		12			12	12								
	19			19	19									
Nature of injury		10	10	10										
		11			11	11								
		12			12	12								
	20			20	20									
Occupation at time of injury		17			17	17								
Accident Classification		18			18	18								
		19			19	19								
		20			20	20								
Mineral industry		22	22				22	22						
Type of Coal		23	23				23	23					23	

1/ For table 1 only, the headings have been reversed to simplify this guide; that is, the data elements indicated in the column headings for this table actually appear as vertical headings.



**Note:**

Numbers shown on diagrams are statutory charges of lost workdays for loss of all or part of bone. Proportional charges may be computed based on medical determination of percentage loss of use.

**FIGURE 1.** Scheduled charges in lost workdays for loss or loss of use involving hand or foot.



For Quarter Year Mail Before

(1) Operation Sub Unit Code(s) previously reported:	(2) Average number of persons working during quarter	(3) Total employee hours worked during the quarter	(4) Production of clean coal during quarter, (short tons)
<b>Underground Mine</b>			
01 Underground			
02 Surface Shops, Yards, etc.			
<b>Surface Mine</b>			
03 Strip, Open Pit, or Quarry			
04 Auger (Coal Mine Only)			
<b>(including associated shops and yards)</b>			
05 Culm Bank or Refuse Pile (Coal Mine Only)			
06 Dredge			
12 Other Surface Mining (Metal/Nonmetal Only)			
<b>Independent Shops or Yards</b>			
17			
<b>Mill Operations, Preparation Plants, or Breakers (include associated shops and yards)</b>			
30			
<b>Office (professional and clerical employees at the mine or plant working in an office)</b>			
99			

Check here if this report is being submitted by a contractor   
If any information below is incorrect, please enter correct information here:  
County: \_\_\_\_\_  
Operation Name: \_\_\_\_\_  
Operating Company Name and Mailing Address: \_\_\_\_\_  
\_\_\_\_\_

County \_\_\_\_\_  
MSHA ID Number \_\_\_\_\_ Contractor ID \_\_\_\_\_  
Operation Name \_\_\_\_\_  
Operating Company Name and Mailing Address \_\_\_\_\_

**2. Other Reportable Data**

How many MSHA reportable injuries or illnesses did you have this quarter?  
Person to be contacted regarding this report: Name \_\_\_\_\_ Title \_\_\_\_\_  
Tel. No. (area code) \_\_\_\_\_

FIGURE 2. Quarterly mine employment and coal production form

Mine Accident, Injury and Illness Report  
**U.S. Department of Labor**  
 Mine Safety and Health Administration



● **Section A—Identification Data** Approved for Use Through April 30, 2008, OMD Number 1219-0007

MSHA ID Number	Contractor ID	Report Category	<input type="checkbox"/> Check here if report pertains to contractor.
		<input type="checkbox"/> Metal/Nonmetal Mining <span style="margin-left: 100px;"><input type="checkbox"/> Coal Mining</span>	
Mine Name		Company Name	

● **Section B—Complete for Each Reportable Accident Immediately Reported to MSHA**

1. Accident Code (circle applicable code—see instructions)				01 – Death	02 – Serious Injury	03 – Entrapment
04 – Inundation		05 – Gas or Dust Ignition		06 – Mine Fire	07 – Explosives	08 – Roof Fall
09 – Outburst		10 – Impounding Dam		11 – Hoisting	12 – Offsite Injury	
2. Name of Investigator			3. Date Investigation Started		4. Steps Taken to Prevent Recurrence of Accident	
			Month	Day	Year	

● **Section C—Complete for Each Reportable Accident, Injury or Illness**

5. Circle the Codes Which Best Describe Where Accident/Injury/Illness Occurred (see instructions)

(a) Surface Location: 02—Surface at Underground Mine 30—Mill, Preparation Plant, etc. 03—Strip/Open Pit Mine 04—Surface Auger Operation  
 05—Culm Bank/Refuse Pile 06—Dredge Mining 12—Other Surface Mining 17—Independent Shops (with own MSHA ID) 99—Office Facilities

(b) Underground Location: 01—Vertical Shaft 02—Slope/Inclined Shaft 03—Face 04—Intersection 05—Underground Shop/Office 06—Other

(c) Underground Mining Method: 01—Longwall 02—Shortwall 03—Conventional Stopping 05—Continuous Mining 06—Hand 07—Caving 08—Other

6. Date of Accident			7. Time of Accident		8. Time Shift Started		
Month	Day	Year	<input type="checkbox"/> am <input type="checkbox"/> pm		<input type="checkbox"/> am <input type="checkbox"/> pm		7 8

9. Describe Fully the Conditions Contributing to the Accident/Injury/Illness, and Quantify the Damage or Impairment

---



---



---

10. Equipment Involved		Type	Manufacturer	Model Number	10 Man
11. Name of Witness to Accident/Injury/Illness			12. Number of Reportable Injuries or Illnesses Resulting from This Occurrence		
13. Name of Injured/III Employee			14. Sex		15. Date of Birth
			<input type="checkbox"/> Male <input type="checkbox"/> Female		Month Day Year
16. Last Four Digits of Social Security Number		17. Regular Job Title		<input type="checkbox"/> 18. Check if this Injury/Illness resulted in death.	
				<input type="checkbox"/> 19. Check if this Injury/Illness resulted in permanent disability (include amputation, loss of use, & permanent total disability).	
20. What Directly Inflicted Injury or Illness?			21. Nature of Injury or Illness		12 14 16 17 18 19 20 21 22 24
22. Part of Body Injured or Affected		23. Occupational Illness (circle Applicable code—see instructions)			21—Occupational Skin Diseases
		22—Dust Diseases of the Lungs 23—Respiratory Conditions (toxic agents) 24—Poisoning (toxic materials)			22 24
		25—Disorders (physical agents) 26—Disorders (repeated trauma) 29—Other			
24. Employee's Work Activity When Injury or Illness Occurred		Experience		Years	Weeks
		25. Experience in This Job Title			
		26. Experience at This Mine			
		27. Total Mining Experience			

● **Section D—Return to Duty Information**

<input type="checkbox"/> 28. Permanently Transferred or Terminated (if checked, complete items 29, 30, & 31)		29. Date Returned to Regular Job at Full Capacity (or item 28)		<b>Answer 30 &amp; 31 when case is closed</b>	
		Month	Day	Year	30. Number of Days Away from Work (if none, enter 0)
					31. Number of Days Restricted Work Activity (if none, enter 0)
Person Completing Form (name)			Title		
Date This Report Prepared (month, day, year)			Area Code and Phone Number		

**For Official Use Only**

Degree \_\_\_\_\_

Accident Type \_\_\_\_\_

Accident Class \_\_\_\_\_

Scheduled Charge \_\_\_\_\_

Keyword \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

MSHA Form 7000-1, Feb 00 (Revised)

Page 1 MAIL THIS PAGE TO MSHA, Office of Injury and Employment Information, P. O. Box 25367, Denver, Colorado 80225

FIGURE 3. Mine Accident, Injury and Illness Report

TABLE 1. - GENERAL STATISTICS ON INJURY EXPERIENCE AND WORKTIME, AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

	EXCLUDING OFFICeworkERS					INCLUDING OFFICeworkERS				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
<b>NUMBER OF INJURIES:</b>										
FATAL-----	-	2	1	4	-	-	2	1	4	-
NFDL-----	594	506	550	509	417	597	508	554	513	427
TOTAL LWD INJURIES-----	594	508	551	513	417	597	510	555	517	427
NDL-----	281	257	246	221	226	283	261	247	224	231
TOTAL INJURIES-----	875	765	797	734	643	880	771	802	741	658
<b>INCIDENCE RATES:</b>										
FATAL-----	-	.01	(*)	.02	-	-	.01	(*)	.02	-
NFDL-----	2.89	2.49	2.73	2.54	2.08	2.51	2.17	2.36	2.22	1.84
ALL LWD INJURIES-----	2.89	2.50	2.73	2.56	2.08	2.51	2.18	2.37	2.24	1.84
NDL-----	1.37	1.27	1.22	1.10	1.13	1.19	1.11	1.05	.97	.99
ALL INJURIES-----	4.26	3.77	3.95	3.67	3.21	3.70	3.29	3.42	3.21	2.83
<b>SEVERITY MEASURES:</b>										
FATAL-----	-	59	30	120	-	-	51	26	104	-
NFDL-----	133	109	121	122	109	115	95	105	106	98
ALL LWD INJURIES-----	133	168	151	242	109	115	146	131	210	98
<b>AVERAGE SEVERITY:</b>										
PERMANENT PARTIAL-----	498	94	130	118	356	498	94	130	118	356
TEMPORARY NFDL-----	41	43	43	45	47	41	43	43	45	48
ALL LWD INJURIES-----	46	67	55	94	53	46	67	55	94	54
<b>AVERAGE NUMBER OF EMPLOYEES----</b>	19,945	19,407	19,432	19,678	19,614	23,416	22,770	22,844	23,039	23,051
<b>EMPLOYEE-HOURS WORKED-----</b>	41,057,106	40,627,146	40,365,677	40,028,187	40,074,357	47,539,085	46,868,834	46,853,942	46,217,069	46,442,127
<b>AVERAGE HOURS PER EMPLOYEE</b>										
PER YEAR-----	2,059	2,093	2,077	2,034	2,043	2,030	2,058	2,051	2,006	2,015
<b>OPERATIONS REPORTED:</b>										
NUMBER OF OPERATIONS-----	742	718	723	726	720	763	734	741	739	741
ASSOCIATED WORK LOCATIONS-----	192	186	192	185	188	714	695	710	706	694

TABLE 2. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR WORK LOCATION AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE-HOURS	NUMBER OF OPERATIONS	ASSOCIATED WORK LOCATION	
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL					
		TOTAL	PARTIAL	TEMPORARY																
UNDERGROUND MINES:																				
UNDERGROUND-----	-	-	1	72	73	73	25	98	-	3.02	3.02	1.04	4.06	-	170	170	2,374	4,830,187	44	-
SURFACE AT UNDERGROUND-----	-	-	-	25	25	25	9	34	-	6.83	6.83	2.46	9.29	-	242	242	361	732,330	1	34
TOTAL OR AVERAGE-----	-	-	1	97	98	98	34	132	-	3.52	3.52	1.22	4.75	-	179	179	2,735	5,562,517	45	34
SURFACE MINES:																				
OPEN PIT-----	-	-	1	54	55	55	41	96	-	1.16	1.16	.87	2.03	-	45	45	4,880	9,467,508	498	-
DREDGE-----	-	-	-	2	2	2	-	2	-	4.03	4.03	-	4.03	-	119	119	48	99,367	4	-
OTHER SURFACE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	33,410	2	-
TOTAL OR AVERAGE-----	-	-	1	56	57	57	41	98	-	1.19	1.19	.85	2.04	-	46	46	4,941	9,600,285	504	-
TOTAL OR AVERAGE, MINING-----	-	-	2	153	155	155	75	230	-	2.04	2.04	.99	3.03	-	95	95	7,676	15,162,802	549	34
INDEPENDENT SHOPS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PROCESSING PLANTS-----	-	-	6	256	262	262	151	413	-	2.10	2.10	1.21	3.32	-	118	118	11,938	24,911,555	171	154
TOTAL OR AVERAGE, ALL MINES AND PLANTS-----	-	-	8	409	417	417	226	643	-	2.08	2.08	1.13	3.21	-	109	109	19,614	40,074,357	720	188
OFFICE-----	-	-	-	10	10	10	5	15	-	.31	.31	.16	.47	-	31	31	3,437	6,367,770	21	506
GRAND TOTAL OR AVERAGE-----	-	-	8	419	427	427	231	658	-	1.84	1.84	.99	2.83	-	98	98	23,051	46,442,127	741	694

TABLE 3. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMANENT PARTIAL	TEMPORARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPORARY	TOTAL NFDL					PERMANENT		TEMPORARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
<b>UNDERGROUND MINES:</b>																	
UNDERGROUND-----	-	-	1	72	73	73	25	98	-	-	50	4,051	4,101	4,101	50	56	56
SURFACE AT UNDERGROUND-----	-	-	-	25	25	25	9	34	-	-	-	886	886	886	-	35	35
TOTAL OR AVERAGE-----	-	-	1	97	98	98	34	132	-	-	50	4,937	4,987	4,987	50	51	51
<b>SURFACE MINES:</b>																	
OPEN PIT-----	-	-	1	54	55	55	41	96	-	-	120	2,009	2,129	2,129	120	37	39
DREDGE-----	-	-	-	2	2	2	-	2	-	-	-	59	59	59	-	30	30
OTHER SURFACE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	1	56	57	57	41	98	-	-	120	2,068	2,188	2,188	120	37	38
TOTAL OR AVERAGE, MINING-----	-	-	2	153	155	155	75	230	-	-	170	7,005	7,175	7,175	85	46	46
<b>INDEPENDENT SHOPS:</b>																	
TOTAL OR AVERAGE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>PROCESSING PLANTS:</b>																	
TOTAL OR AVERAGE-----	-	-	6	256	262	262	151	413	-	-	2,675	12,043	14,718	14,718	446	47	56
<b>TOTAL OR AVERAGE, ALL MINES AND PLANTS:</b>																	
TOTAL OR AVERAGE-----	-	-	8	409	417	417	226	643	-	-	2,845	19,048	21,893	21,893	356	47	53
<b>OFFICE:</b>																	
TOTAL OR AVERAGE-----	-	-	-	10	10	10	5	15	-	-	-	976	976	976	-	98	98
<b>GRAND TOTAL OR AVERAGE:</b>																	
TOTAL OR AVERAGE-----	-	-	8	419	427	427	231	658	-	-	2,845	20,024	22,869	22,869	356	48	54

TABLE 4. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR WORK LOCATION AND EMPLOYMENT SIZE GROUP AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION AND EMPLOYMENT SIZE GROUP	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE-HOURS	NUMBER OF OPERATIONS	ASSOCIATED WORK LOCATION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJURIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPORARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
<b>UNDERGROUND MINES (INCLUDES SURFACE AT UNDERGROUND):</b>																						
1 - 4-----	-	-	-	-	-	-	1	1	-	-	5.99	5.99	-	-	-	28	33,394	10	3			
5 - 9-----	-	-	4	4	4	-	4	4	-	12.89	12.89	-	12.89	-	480	44	62,075	6	6			
10 - 19-----	-	-	1	1	1	2	3	3	-	1.31	1.31	2.63	3.94	-	5	5	152,318	5	2			
20 - 34-----	-	-	1	1	1	5	6	6	-	.46	.46	2.32	2.79	-	9	186	430,769	7	6			
35 - 49-----	-	-	4	4	4	2	6	6	-	4.82	4.82	2.41	7.23	-	258	258	165,988	2	2			
50 - 99-----	-	-	3	3	3	2	5	5	-	1.96	1.96	1.31	3.27	-	273	273	305,585	2	2			
100 - 149-----	-	-	16	16	16	16	22	22	-	2.04	2.04	.77	2.81	-	81	81	1,568,112	6	6			
150 - 249-----	-	-	1	68	69	16	85	85	-	4.85	4.85	1.13	5.98	-	250	250	2,844,276	7	7			
TOTAL OR AVERAGE-----	-	-	1	97	98	34	132	132	-	3.52	3.52	1.22	4.75	-	179	179	2,735	5,562,517	45	34		
<b>SURFACE MINES:</b>																						
<b>OPEN PITT:</b>																						
1 - 4-----	-	-	4	4	4	-	4	4	-	.89	.89	-	.89	-	6	6	674	898,029	287	-		
5 - 9-----	-	-	5	5	5	4	9	9	-	.73	.73	.58	1.31	-	43	43	763	1,377,262	112	-		
10 - 19-----	-	-	15	15	15	10	25	25	-	1.80	1.80	1.20	3.00	-	65	65	828	1,664,382	63	-		
20 - 34-----	-	-	3	3	3	6	9	9	-	.80	.80	1.60	2.40	-	3	3	348	748,613	13	-		
35 - 49-----	-	-	1	2	3	6	9	9	-	1.35	1.35	2.71	4.06	-	84	84	225	443,089	6	-		
50 - 99-----	-	-	3	3	3	7	10	10	-	.51	.51	1.20	1.71	-	9	9	610	1,170,705	9	-		
100 - 149-----	-	-	11	11	11	2	13	13	-	2.18	2.18	.40	2.57	-	111	111	478	1,010,616	4	-		
150 - 249-----	-	-	3	3	3	3	6	6	-	.41	.41	.41	.82	-	6	6	623	1,465,031	3	-		
250 OR MORE-----	-	-	8	8	8	3	11	11	-	2.32	2.32	.87	3.19	-	116	116	331	689,781	1	-		
TOTAL OR AVERAGE-----	-	-	1	54	55	41	96	96	-	1.16	1.16	.87	2.03	-	45	45	4,880	9,467,508	498	-		
<b>DREDGE:</b>																						
1 - 4-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	168	1	-		
5 - 9-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24	48,179	2	-		
10 - 19-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	51,020	1	-		
20 - 34-----	-	-	2	2	2	-	2	2	-	7.84	7.84	-	7.84	-	231	231	22	99,367	4	-		
TOTAL OR AVERAGE-----	-	-	2	2	2	-	2	2	-	4.03	4.03	-	4.03	-	119	119	48	99,367	4	-		
<b>OTHER SURFACE:</b>																						
1 - 4-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,920	1	-		
5 - 9-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	31,490	1	-		
10 - 19-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	33,410	2	-		
TOTAL OR AVERAGE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	33,410	2	-		
<b>TOTAL OR AVERAGE, SURFACE:</b>																						
1 - 4-----	-	-	4	4	4	-	4	4	-	.89	.89	-	.89	-	6	6	677	900,117	289	-		
5 - 9-----	-	-	5	5	5	4	9	9	-	.73	.73	.58	1.31	-	43	43	763	1,377,262	112	-		
10 - 19-----	-	-	15	15	15	10	25	25	-	1.72	1.72	1.15	2.87	-	62	62	864	1,744,051	66	-		
20 - 34-----	-	-	5	5	5	6	11	11	-	1.25	1.25	1.50	2.75	-	17	17	370	799,633	14	-		
35 - 49-----	-	-	1	2	3	6	9	9	-	1.35	1.35	2.71	4.06	-	84	84	225	443,089	6	-		
50 - 99-----	-	-	3	3	3	7	10	10	-	.51	.51	1.20	1.71	-	9	9	610	1,170,705	9	-		
100 - 149-----	-	-	11	11	11	2	13	13	-	2.18	2.18	.40	2.57	-	111	111	478	1,010,616	4	-		
150 - 249-----	-	-	3	3	3	3	6	6	-	.41	.41	.41	.82	-	6	6	623	1,465,031	3	-		
250 OR MORE-----	-	-	8	8	8	3	11	11	-	2.32	2.32	.87	3.19	-	116	116	331	689,781	1	-		
TOTAL OR AVERAGE-----	-	-	1	56	57	41	98	98	-	1.19	1.19	.85	2.04	-	46	46	4,941	9,600,285	504	-		

TABLE 4. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR WORK LOCATION AND EMPLOYMENT SIZE GROUP AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND EMPLOYMENT SIZE GROUP	NUMBER OF INJURIES								INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE-HOURS	NUMBER OF OPERATIONS	ASSOCIATED WORK LOCATION		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL						
		PERMANENT		TEMPORARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
<b>TOTAL OR AVERAGE, MINING:</b>																						
1 - 4	-	-	-	4	4	4	1	5	-	.86	.86	.21	1.07	-	6	6	705	933,511	299	3		
5 - 9	-	-	-	9	9	9	4	13	-	1.25	1.25	.56	1.81	-	62	62	807	1,439,337	118	6		
10 - 19	-	-	-	16	16	16	12	28	-	1.69	1.69	1.27	2.95	-	58	58	932	1,896,369	71	2		
20 - 34	-	-	-	6	6	6	11	17	-	.98	.98	1.79	2.76	-	14	14	556	1,230,402	21	6		
35 - 49	-	-	1	6	7	7	8	15	-	2.30	2.30	2.63	4.93	-	132	132	312	609,077	8	2		
50 - 99	-	-	-	6	6	6	9	15	-	.81	.81	1.22	2.03	-	64	64	756	1,476,290	11	2		
100 - 149	-	-	-	27	27	27	8	35	-	2.09	2.09	.62	2.71	-	93	93	1,256	2,578,728	10	6		
150 - 249	-	-	1	71	72	72	19	91	-	3.34	3.34	.88	4.22	-	167	167	2,021	4,309,307	10	7		
250 OR MORE	-	-	-	8	8	8	3	11	-	2.32	2.32	.87	3.19	-	116	116	331	689,781	1	-		
<b>TOTAL OR AVERAGE</b>	-	-	2	153	155	155	75	230	-	2.04	2.04	.99	3.03	-	95	95	7,676	15,162,802	549	34		
<b>PROCESSING PLANTS:</b>																						
1 - 4	-	-	-	3	3	3	-	5	-	-	-	-	-	-	-	-	146	230,779	32	25		
5 - 9	-	-	-	3	3	3	2	5	-	1.09	1.09	.73	1.82	-	89	89	303	548,865	23	20		
10 - 19	-	-	1	15	16	16	12	28	-	1.86	1.86	1.39	3.25	-	67	67	804	1,723,937	35	22		
20 - 34	-	-	2	64	66	66	33	99	-	3.32	3.32	1.66	4.98	-	227	227	1,923	3,979,490	28	46		
35 - 49	-	-	-	33	33	33	14	47	-	3.13	3.13	1.33	4.46	-	170	170	971	2,108,191	13	10		
50 - 99	-	-	1	69	70	70	39	109	-	2.31	2.31	1.29	3.59	-	126	126	2,896	6,064,847	26	18		
100 - 149	-	-	1	20	21	21	24	45	-	1.10	1.10	1.25	2.35	-	60	60	1,739	3,831,586	9	5		
150 - 249	-	-	1	45	46	46	19	65	-	2.02	2.02	.83	2.85	-	79	79	2,161	4,558,428	5	6		
250 OR MORE	-	-	-	7	7	7	8	15	-	.75	.75	.86	1.61	-	87	87	995	1,865,432	-	2		
<b>TOTAL OR AVERAGE</b>	-	-	6	256	262	262	151	413	-	2.10	2.10	1.21	3.32	-	118	118	11,938	24,911,555	171	154		
<b>TOTAL OR AVERAGE, ALL MINES AND PLANTS:</b>																						
1 - 4	-	-	-	4	4	4	1	5	-	.69	.69	.17	.86	-	4	4	851	1,164,290	331	28		
5 - 9	-	-	-	12	12	12	6	18	-	1.21	1.21	.60	1.81	-	70	70	1,110	1,988,202	141	26		
10 - 19	-	-	1	31	32	32	24	56	-	1.77	1.77	1.33	3.09	-	62	62	1,736	3,620,306	106	24		
20 - 34	-	-	2	70	72	72	44	116	-	2.76	2.76	1.69	4.45	-	177	177	2,479	5,209,892	49	52		
35 - 49	-	-	1	39	40	40	22	62	-	2.94	2.94	1.62	4.56	-	161	161	1,283	2,717,268	21	12		
50 - 99	-	-	1	75	76	76	48	124	-	2.02	2.02	1.27	3.29	-	114	114	3,652	7,541,137	37	20		
100 - 149	-	-	1	47	48	48	32	80	-	1.50	1.50	1.00	2.50	-	73	73	2,995	6,410,314	19	11		
150 - 249	-	-	2	116	118	118	38	156	-	2.66	2.66	.86	3.52	-	122	122	4,182	8,867,735	15	13		
250 OR MORE	-	-	-	15	15	15	11	26	-	1.17	1.17	.86	2.04	-	94	94	1,326	2,555,213	1	2		
<b>TOTAL OR AVERAGE</b>	-	-	8	409	417	417	226	643	-	2.08	2.08	1.13	3.21	-	109	109	19,614	40,074,357	720	188		
<b>OFFICE:</b>																						
1 - 4	-	-	-	1	1	1	2	3	-	.22	.22	.43	.65	-	1	1	679	926,174	20	353		
5 - 9	-	-	-	1	1	1	-	1	-	.24	.24	-	.24	-	4	4	434	845,210	1	65		
10 - 19	-	-	-	2	2	2	1	3	-	.36	.36	.18	.53	-	21	21	579	1,126,724	-	45		
20 - 34	-	-	-	-	-	-	1	1	-	-	-	.14	.14	-	-	-	705	1,453,013	-	27		
35 - 49	-	-	-	6	6	6	-	6	-	1.85	1.85	-	1.85	-	259	259	327	648,615	-	8		
50 - 99	-	-	-	-	-	-	1	1	-	-	-	.38	.38	-	-	-	243	527,631	-	4		
100 - 149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	470	840,403	-	4		
<b>TOTAL OR AVERAGE</b>	-	-	-	10	10	10	5	15	-	.31	.31	.16	.47	-	31	31	3,437	6,367,770	21	506		

TABLE 4. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR WORK LOCATION AND EMPLOYMENT SIZE GROUP AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND EMPLOYMENT SIZE GROUP	NUMBER OF INJURIES								INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE-HOURS	NUMBER OF OPERATIONS	ASSOCIATED WORK LOCATION
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL				
		PERMANENT		TEMPORARY	TOTAL NFDL															
		TOTAL	PARTIAL																	
GRAND TOTAL OR AVERAGE:	-	-	-	8	419	427	231	658	-	1.84	1.84	.99	2.83	-	98	98	23,051	46,442,127	741	694
1 - 4-----	-	-	-	5	5	5	3	8	-	.48	.48	.29	.77	-	3	3	1,530	2,090,464	351	381
5 - 9-----	-	-	-	13	13	13	6	19	-	.92	.92	.42	1.34	-	50	50	1,544	2,833,412	142	91
10 - 19-----	-	-	1	33	34	34	25	59	-	1.43	1.43	1.05	2.49	-	53	53	2,315	4,747,030	106	69
20 - 34-----	-	-	2	70	72	72	45	117	-	2.16	2.16	1.35	3.51	-	138	138	3,184	6,662,905	49	79
35 - 49-----	-	-	1	45	46	46	22	68	-	2.73	2.73	1.31	4.04	-	180	180	1,610	3,365,883	21	20
50 - 99-----	-	-	1	75	76	76	49	125	-	1.88	1.88	1.21	3.10	-	107	107	3,895	8,068,768	37	24
100 - 149-----	-	-	1	47	48	48	32	80	-	1.32	1.32	.88	2.21	-	65	65	3,465	7,250,717	19	15
150 - 249-----	-	-	2	116	118	118	38	156	-	2.66	2.66	.86	3.52	-	122	122	4,182	8,867,735	15	13
250 OR MORE-----	-	-	-	15	15	15	11	26	-	1.17	1.17	.86	2.04	-	94	94	1,326	2,555,213	1	2



TABLE 5. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND EMPLOYMENT SIZE GROUP AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION AND EMPLOYMENT SIZE GROUP	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY		
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO-RARY					PERMANENT	TEMPO-RARY	TOTAL NFDL				
		TOTAL	PARTIAL												
<b>UNDERGROUND MINES (INCLUDES SURFACE AT UNDERGROUND):</b>															
1 - 4-----	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
5 - 9-----	-	-	4	4	4	-	-	-	149	149	149	-	-	37	37
10 - 19-----	-	-	1	1	1	2	-	-	4	4	4	-	-	4	4
20 - 34-----	-	-	1	1	1	5	-	-	20	20	20	-	-	20	20
35 - 49-----	-	-	4	4	4	2	-	-	214	214	214	-	-	54	54
50 - 99-----	-	-	3	3	3	2	-	-	417	417	417	-	-	139	139
100 - 149-----	-	-	16	16	16	22	-	-	634	634	634	-	-	40	40
150 - 249-----	-	-	68	69	69	16	-	50	3,499	3,549	3,549	50	-	51	51
TOTAL OR AVERAGE-----	-	-	1	97	98	34	-	-	50	4,937	4,987	4,987	50	51	51
<b>SURFACE MINES:</b>															
<b>OPEN PITT:</b>															
1 - 4-----	-	-	-	4	4	4	-	-	-	-	-	-	-	-	-
5 - 9-----	-	-	-	5	5	5	4	-	-	26	26	26	-	6	6
10 - 19-----	-	-	-	15	15	15	10	-	-	298	298	298	-	60	60
20 - 34-----	-	-	-	3	3	3	6	-	-	545	545	545	-	36	36
35 - 49-----	-	-	1	2	3	3	6	-	-	10	10	10	-	3	3
50 - 99-----	-	-	-	2	3	3	7	120	-	67	187	187	120	34	62
100 - 149-----	-	-	-	3	3	3	10	-	-	54	54	54	-	18	18
150 - 249-----	-	-	-	11	11	11	2	-	-	563	563	563	-	51	51
250 OR MORE-----	-	-	-	3	3	3	3	-	-	46	46	46	-	15	15
TOTAL OR AVERAGE-----	-	-	1	54	55	55	41	-	120	2,009	2,129	2,129	120	37	39
<b>DREDGE:</b>															
1 - 4-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 - 19-----	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-
20 - 34-----	-	-	-	2	2	2	-	-	-	59	59	59	-	30	30
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	-	-	59	59	59	-	30	30
<b>OTHER SURFACE:</b>															
1 - 4-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 - 19-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL OR AVERAGE, SURFACE:</b>															
1 - 4-----	-	-	-	4	4	4	-	-	-	26	26	26	-	6	6
5 - 9-----	-	-	-	5	5	5	4	-	-	298	298	298	-	60	60
10 - 19-----	-	-	-	15	15	15	10	-	-	545	545	545	-	36	36
20 - 34-----	-	-	-	5	5	5	6	-	-	69	69	69	-	14	14
35 - 49-----	-	-	1	2	3	3	6	-	-	67	187	187	120	34	62
50 - 99-----	-	-	-	3	3	3	7	120	-	54	54	54	-	18	18
100 - 149-----	-	-	-	11	11	11	2	-	-	563	563	563	-	51	51
150 - 249-----	-	-	-	3	3	3	3	-	-	46	46	46	-	15	15
250 OR MORE-----	-	-	-	8	8	8	3	-	-	400	400	400	-	50	50
TOTAL OR AVERAGE-----	-	-	1	56	57	57	41	-	120	2,068	2,188	2,188	120	37	38

TABLE 5. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND EMPLOYMENT SIZE GROUP AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND EMPLOYMENT SIZE GROUP	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					PERMANENT	TEMPO-RARY	TOTAL NFDL						
		TOTAL	PARTIAL													TOTAL	PARTIAL
<b>TOTAL OR AVERAGE, MINING:</b>	-	-	-	4	4	4	1	5	-	-	-	26	26	26	-	6	6
1 - 4-----	-	-	-	4	4	4	1	5	-	-	-	26	26	26	-	6	6
5 - 9-----	-	-	-	9	9	9	4	13	-	-	-	447	447	447	-	50	50
10 - 19-----	-	-	-	16	16	16	12	28	-	-	-	549	549	549	-	34	34
20 - 34-----	-	-	-	6	6	6	11	17	-	-	-	89	89	89	-	15	15
35 - 49-----	-	-	1	6	7	7	8	15	-	-	120	281	401	401	120	47	57
50 - 99-----	-	-	-	6	6	6	9	15	-	-	-	471	471	471	-	78	78
100 - 149-----	-	-	-	27	27	27	8	35	-	-	-	1,197	1,197	1,197	-	44	44
150 - 249-----	-	-	1	71	72	72	19	91	-	-	50	3,545	3,595	3,595	50	50	50
250 OR MORE-----	-	-	-	8	8	8	3	11	-	-	-	400	400	400	-	50	50
<b>TOTAL OR AVERAGE-----</b>	-	-	2	153	155	155	75	230	-	-	170	7,005	7,175	7,175	85	46	46
<b>PROCESSING PLANTS:</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 - 4-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 - 9-----	-	-	-	3	3	3	2	5	-	-	-	245	245	245	-	82	82
10 - 19-----	-	-	1	15	16	16	12	28	-	-	50	530	580	580	50	35	36
20 - 34-----	-	-	2	64	66	66	33	99	-	-	2,150	2,369	4,519	4,519	1,075	37	68
35 - 49-----	-	-	-	33	33	33	14	47	-	-	-	1,791	1,791	1,791	-	54	54
50 - 99-----	-	-	1	69	70	70	39	109	-	-	100	3,730	3,830	3,830	100	54	55
100 - 149-----	-	-	1	20	21	21	24	45	-	-	-	75	1,077	1,152	75	54	55
150 - 249-----	-	-	1	45	46	46	19	65	-	-	300	1,494	1,794	1,794	300	33	39
250 OR MORE-----	-	-	-	7	7	7	8	15	-	-	-	807	807	807	-	115	115
<b>TOTAL OR AVERAGE-----</b>	-	-	6	256	262	262	151	413	-	-	2,675	12,043	14,718	14,718	446	47	56
<b>TOTAL OR AVERAGE, ALL MINES AND PLANTS:</b>	-	-	-	4	4	4	1	5	-	-	-	26	26	26	-	6	6
1 - 4-----	-	-	-	4	4	4	1	5	-	-	-	26	26	26	-	6	6
5 - 9-----	-	-	-	12	12	12	6	18	-	-	-	692	692	692	-	58	58
10 - 19-----	-	-	1	31	32	32	24	56	-	-	50	1,079	1,129	1,129	50	35	35
20 - 34-----	-	-	2	70	72	72	44	116	-	-	2,150	2,458	4,608	4,608	1,075	35	64
35 - 49-----	-	-	1	39	40	40	22	62	-	-	-	120	2,072	2,192	120	53	55
50 - 99-----	-	-	1	75	76	76	48	124	-	-	100	4,201	4,301	4,301	100	56	57
100 - 149-----	-	-	1	47	48	48	32	80	-	-	75	2,274	2,349	2,349	75	48	49
150 - 249-----	-	-	2	116	118	118	38	156	-	-	350	5,039	5,389	5,389	175	43	46
250 OR MORE-----	-	-	-	15	15	15	11	26	-	-	-	1,207	1,207	1,207	-	80	80
<b>TOTAL OR AVERAGE-----</b>	-	-	8	409	417	417	226	643	-	-	2,845	19,048	21,893	21,893	356	47	53
<b>OFFICE:</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 - 4-----	-	-	-	1	1	1	2	3	-	-	-	3	3	3	-	3	3
5 - 9-----	-	-	-	1	1	1	-	1	-	-	-	16	16	16	-	16	16
10 - 19-----	-	-	-	2	2	2	1	3	-	-	-	118	118	118	-	59	59
20 - 34-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
35 - 49-----	-	-	-	6	6	6	-	6	-	-	-	839	839	839	-	140	140
50 - 99-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
100 - 149-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL OR AVERAGE-----</b>	-	-	-	10	10	10	5	15	-	-	-	976	976	976	-	98	98

TABLE 5. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND EMPLOYMENT SIZE GROUP AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND EMPLOYMENT SIZE GROUP	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					TOTAL PERMANENT	PERMANENT						TEMPO-RARY	TOTAL NFDL
		TOTAL	PARTIAL							TOTAL	PARTIAL						
GRAND TOTAL OR AVERAGE:	-	-	-	5	5	5	3	8	-	-	-	29	29	29	-	6	6
1 - 4-----	-	-	-	5	5	5	3	8	-	-	-	29	29	29	-	6	6
5 - 9-----	-	-	-	13	13	13	6	19	-	-	-	708	708	708	-	54	54
10 - 19-----	-	-	1	33	34	34	25	59	-	-	50	1,197	1,247	1,247	50	36	37
20 - 34-----	-	-	2	70	72	72	45	117	-	-	2,150	2,458	4,608	4,608	1,075	35	64
35 - 49-----	-	-	1	45	46	46	22	68	-	-	120	2,911	3,031	3,031	120	65	66
50 - 99-----	-	-	1	75	76	76	49	125	-	-	100	4,201	4,301	4,301	100	56	57
100 - 149-----	-	-	1	47	48	48	32	80	-	-	75	2,274	2,349	2,349	75	48	49
150 - 249-----	-	-	2	116	118	118	38	156	-	-	350	5,039	5,389	5,389	175	43	46
250 OR MORE-----	-	-	-	15	15	15	11	26	-	-	-	1,207	1,207	1,207	-	80	80
TOTAL OR AVERAGE-----	-	-	8	419	427	427	231	658	-	-	2,845	20,024	22,869	22,869	356	48	54

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
<b>APLITE:</b>																						
<b>SURFACE MINES:</b>																						
<b>OPEN PIT:</b>																						
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8,000	1	-		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	666	1	-		
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	22,535	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18	31,201	3	-		
<b>TOTAL OR AVERAGE, SURFACE:</b>																						
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8,000	1	-		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	666	1	-		
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	22,535	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18	31,201	3	-		
<b>TOTAL OR AVERAGE, MINING:</b>																						
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8,000	1	-		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	666	1	-		
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	22,535	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18	31,201	3	-		
<b>PROCESSING PLANTS:</b>																						
NEW MEXICO-----	-	-	-	-	-	-	1	1	-	-	-	3.84	3.84	-	-	-	2	1,186	-	1		
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	52,020	-	1		
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	3.76	3.76	-	-	-	24	53,206	-	2		
<b>TOTAL OR AVERAGE, ALL MINES AND PLANTS:</b>																						
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8,000	1	-		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1,852	1	1		
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	2.68	2.68	-	-	-	33	74,555	1	1		
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	2.37	2.37	-	-	-	42	84,407	3	2		
<b>OFFICE:</b>																						
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	160	-	1		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	14	-	1		
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	11,258	-	1		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	11,432	-	3		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
<b>APLITE-CONTINUED:</b>																						
<b>GRAND TOTAL OR AVERAGE:</b>																						
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	8,160	1	1		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1,866	1	2		
VIRGINIA-----	-	-	-	-	-	1	1	-	-	-	2.33	2.33	-	-	-	-	39	85,813	1	2		
TOTAL OR AVERAGE----	-	-	-	-	-	1	1	-	-	-	2.09	2.09	-	-	-	-	50	95,839	3	5		
<b>BARITE:</b>																						
<b>SURFACE MINES:</b>																						
<b>OPEN PIT:</b>																						
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,265	1	-		
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	52,258	3	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33	59,523	4	-		
<b>TOTAL OR AVERAGE, SURFACE:</b>																						
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,265	1	-		
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	52,258	3	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33	59,523	4	-		
<b>TOTAL OR AVERAGE, MINING:</b>																						
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,265	1	-		
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	52,258	3	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33	59,523	4	-		
<b>PROCESSING PLANTS:</b>																						
CALIFORNIA-----	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2,446	1	-		
GEORGIA-----	-	-	1	-	2	1	-	1	-	4.35	4.35	-	4.35	-	-	870	22	45,991	-	1		
LOUISIANA-----	-	-	2	-	2	2	-	2	-	1.67	1.67	-	1.67	-	-	29	106	238,909	6	-		
NEVADA-----	-	-	8	-	8	8	2	10	-	6.54	6.54	1.64	8.18	-	-	374	109	244,646	3	3		
TENNESSEE-----	-	-	1	-	1	1	-	1	-	5.71	5.71	-	5.71	-	-	68	15	35,038	1	-		
TEXAS-----	-	-	3	-	3	3	1	4	-	2.38	2.38	.79	3.17	-	-	44	118	252,057	7	-		
TOTAL OR AVERAGE----	-	-	1	14	15	15	3	18	-	3.66	3.66	.73	4.40	-	-	186	371	819,087	18	4		
<b>TOTAL OR AVERAGE, ALL MINES AND PLANTS:</b>																						
CALIFORNIA-----	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2,446	1	-		
GEORGIA-----	-	-	1	-	2	1	-	1	-	3.76	3.76	-	3.76	-	-	751	26	53,256	1	1		
LOUISIANA-----	-	-	2	-	2	2	-	2	-	1.67	1.67	-	1.67	-	-	29	106	238,909	6	-		
NEVADA-----	-	-	8	-	8	8	2	10	-	5.39	5.39	1.35	6.74	-	-	309	138	296,904	6	3		
TENNESSEE-----	-	-	1	-	1	1	-	1	-	5.71	5.71	-	5.71	-	-	68	15	35,038	1	-		
TEXAS-----	-	-	3	-	3	3	1	4	-	2.38	2.38	.79	3.17	-	-	44	118	252,057	7	-		
TOTAL OR AVERAGE----	-	-	1	14	15	15	3	18	-	3.41	3.41	.68	4.10	-	-	173	404	878,610	22	4		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION	
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL	ALL FATAL AND NFDL					
		PERMANENT		TEMPO- RARY																TOTAL NFDL
		TOTAL	PARTIAL																	
BARITE-CONTINUED:																				
OFFICE:																				
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	15,028	-	1
LOUISIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	41,512	-	6
NEVADA-----	-	-	-	-	-	1	1	-	-	4.26	4.26	-	-	-	-	-	24	46,950	-	5
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4,441	-	1
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19	37,740	-	7
TOTAL OR AVERAGE----	-	-	-	-	-	1	1	-	-	-	1.37	1.37	-	-	-	-	73	145,671	-	20
GRAND TOTAL OR AVERAGE:																				
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2,446	1	-
GEORGIA-----	-	-	1	2	1	1	1	-	2.93	2.93	-	2.93	-	586	586	33	68,284	1	2	
LOUISIANA-----	-	-	-	2	2	2	2	-	1.43	1.43	-	1.43	-	25	25	127	280,421	6	6	
NEVADA-----	-	-	-	8	8	8	3	-	4.65	4.65	1.74	6.40	-	266	266	162	343,854	6	8	
TENNESSEE-----	-	-	-	1	1	1	1	-	5.07	5.07	-	5.07	-	61	61	17	39,479	1	1	
TEXAS-----	-	-	-	3	3	3	1	-	2.07	2.07	.69	2.76	-	38	38	137	289,797	7	7	
TOTAL OR AVERAGE----	-	-	1	14	15	15	4	-	2.93	2.93	.78	3.71	-	148	148	477	1,024,281	22	24	
BORON:																				
SURFACE MINES:																				
OPEN PIT:																				
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	227	491,048	2	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	227	491,048	2	-
TOTAL OR AVERAGE, SURFACE:																				
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	227	491,048	2	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	227	491,048	2	-
TOTAL OR AVERAGE, MINING:																				
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	227	491,048	2	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	227	491,048	2	-
PROCESSING PLANTS:																				
CALIFORNIA-----	-	-	-	4	4	4	6	-	.93	.93	1.40	2.33	-	145	145	459	858,314	1	1	
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1,570	1	-	
SOUTH CAROLINA-----	-	-	-	2	2	2	1	-	8.86	8.86	4.43	13.29	-	1,006	1,006	22	45,140	1	-	
TOTAL OR AVERAGE----	-	-	-	6	6	6	7	-	1.33	1.33	1.55	2.87	-	188	188	485	905,024	3	1	

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL	ALL FATAL AND NFDL				
		PERMANENT		TEMPO- RARY	TOTAL NFDL															
		TOTAL	PARTIAL																	
<b>BORON-CONTINUED:</b>																				
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																				
CALIFORNIA-----	-	-	-	4	4	4	6	10	-	.59	.59	.89	1.48	-	92	92	686	1,349,362	3	1
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1,570	1	-
SOUTH CAROLINA-----	-	-	-	2	2	2	1	3	-	8.86	8.86	4.43	13.29	-	1,006	1,006	22	45,140	1	-
TOTAL OR AVERAGE----	-	-	-	6	6	6	7	13	-	.86	.86	1.00	1.86	-	122	122	712	1,396,072	5	1
<b>OFFICE:</b>																				
CALIFORNIA-----	-	-	-	1	1	1	-	1	-	1.00	1.00	-	1.00	-	3	3	125	200,334	-	3
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1,387	-	1
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	10,019	-	1
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	.94	.94	-	.94	-	3	3	132	211,740	-	5
<b>GRAND TOTAL OR AVERAGE:</b>																				
CALIFORNIA-----	-	-	-	5	5	5	6	11	-	.65	.65	.77	1.42	-	81	81	811	1,549,696	3	4
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2,957	1	1
SOUTH CAROLINA-----	-	-	-	2	2	2	1	3	-	7.25	7.25	3.63	10.88	-	823	823	27	55,159	1	1
TOTAL OR AVERAGE----	-	-	-	7	7	7	7	14	-	.87	.87	.87	1.74	-	106	106	844	1,607,812	5	6
<b>BRUCITE:</b>																				
PROCESSING PLANTS:																				
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8,274	1	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8,274	1	-
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																				
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8,274	1	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8,274	1	-
<b>GRAND TOTAL OR AVERAGE:</b>																				
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8,274	1	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8,274	1	-
<b>CLAY:</b>																				
UNDERGROUND MINES:																				
UNDERGROUND:																				
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	12,513	1	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	12,513	1	-





TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
CLAY--CONTINUED:																						
TOTAL OR AVERAGE, SURFACE:																						
ALABAMA-----	-	-	-	1	1	1	-	1	-	3.16	3.16	-	3.16	-	89	89	33	63,272	7	-		
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	33,767	5	-		
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19	38,103	4	-		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	55,047	3	-		
COLORADO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	2,069	4	-		
CONNECTICUT-----	-	-	-	1	1	1	-	1	-	83.23	83.23	-	83.23	-	416	416	3	2,403	1	-		
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	24,543	1	-		
GEORGIA-----	-	-	-	4	4	4	1	5	-	1.80	1.80	.45	2.25	-	32	32	214	443,845	22	-		
ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24	28,616	4	-		
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	16,900	3	-		
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	17,363	2	-		
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	25,629	5	-		
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	37,853	4	-		
LOUISIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	15,121	5	-		
MASSACHUSETTS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3,614	1	-		
MINNESOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3,416	2	-		
MISSISSIPPI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	31,520	7	-		
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24	45,202	5	-		
NEBRASKA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2,103	1	-		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92	124,266	16	-		
NORTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	2,724	1	-		
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	18,939	5	-		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	20,179	3	-		
OREGON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	192	1	-		
PENNSYLVANIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,171	3	-		
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41	45,482	11	-		
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74	120,691	12	-		
TEXAS-----	-	-	-	1	1	1	-	1	-	1.19	1.19	-	1.19	-	62	62	93	168,763	24	-		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	10,449	3	-		
WASHINGTON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2,355	1	-		
WYOMING-----	-	-	-	8	8	8	1	9	-	5.17	5.17	.65	5.82	-	94	94	163	309,431	9	-		
TOTAL OR AVERAGE----	-	-	-	15	15	15	2	17	-	1.75	1.75	.23	1.98	-	35	35	1,019	1,719,028	175	-		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
CLAY--CONTINUED:																						
TOTAL OR AVERAGE, MINING:																						
ALABAMA-----	-	-	-	1	1	1	-	1	-	3.16	3.16	-	3.16	-	89	89	33	63,272	7	-		
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	33,767	5	-		
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19	38,103	4	-		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	55,047	3	-		
COLORADO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	2,069	4	-		
CONNECTICUT-----	-	-	-	1	1	1	-	1	-	83.23	83.23	-	83.23	-	416	416	3	2,403	1	-		
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	24,543	1	-		
GEORGIA-----	-	-	-	4	4	4	1	5	-	1.80	1.80	.45	2.25	-	32	32	214	443,845	22	-		
ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24	28,616	4	-		
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	16,900	3	-		
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	17,363	2	-		
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	25,629	5	-		
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	37,853	4	-		
LOUISIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	15,121	5	-		
MASSACHUSETTS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3,614	1	-		
MINNESOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3,416	2	-		
MISSISSIPPI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	31,520	7	-		
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24	45,202	5	-		
NEBRASKA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2,103	1	-		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92	124,266	16	-		
NORTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	2,724	1	-		
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	18,939	5	-		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	20,179	3	-		
OREGON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	192	1	-		
PENNSYLVANIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,171	3	-		
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41	45,482	11	-		
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74	120,691	12	-		
TEXAS-----	-	-	-	1	1	1	-	1	-	1.19	1.19	-	1.19	-	62	62	93	168,763	24	-		
UTAH-----	-	-	-	2	2	2	-	2	-	13.86	13.86	-	13.86	-	28	28	15	28,850	4	1		
WASHINGTON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2,355	1	-		
WYOMING-----	-	-	-	8	8	8	1	9	-	5.17	5.17	.65	5.82	-	94	94	163	309,431	9	-		
TOTAL OR AVERAGE----	-	-	-	17	17	17	2	19	-	1.96	1.96	.23	2.19	-	35	35	1,028	1,737,429	176	1		



TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
CLAY--CONTINUED:																						
TOTAL OR AVERAGE, ALL MINES AND PLANTS:	-	-	-	7	7	7	1	8	-	2.99	2.99	.43	3.42	-	97	97	215	468,447	9	3		
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	33,767	5	-		
ARIZONA-----	-	-	-	1	1	1	-	1	-	2.28	2.28	-	2.28	-	11	11	43	87,816	4	1		
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	143	243,554	9	1		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	2,069	4	-		
COLORADO-----	-	-	-	1	1	1	-	1	-	83.23	83.23	-	83.23	-	416	416	3	2,403	1	-		
CONNECTICUT-----	-	-	-	1	1	1	1	2	-	.58	.58	.58	1.16	-	5	5	149	345,355	2	1		
FLORIDA-----	-	-	-	1	1	1	1	2	-	.58	.58	.58	1.16	-	5	5	149	345,355	2	1		
GEORGIA-----	-	-	-	23	23	23	16	39	-	.91	.91	.63	1.54	-	42	42	2,363	5,064,299	40	11		
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3,808	1	-		
ILLINOIS-----	-	-	-	4	4	4	-	4	-	6.76	6.76	-	6.76	-	669	669	70	118,391	4	1		
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	16,900	3	-		
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	17,363	2	-		
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37	67,159	5	1		
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	37,853	4	-		
LOUISIANA-----	-	-	-	2	2	2	1	3	-	1.46	1.46	.73	2.19	-	4	4	120	273,962	6	1		
MASSACHUSETTS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3,614	1	-		
MINNESOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3,416	2	-		
MISSISSIPPI-----	-	-	-	2	2	2	1	3	-	1.02	1.02	.51	1.53	-	40	40	197	392,818	9	3		
MISSOURI-----	-	-	-	2	2	2	1	3	-	.85	.85	.43	1.28	-	79	79	216	468,244	6	1		
NEBRASKA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2,103	1	-		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92	124,266	16	-		
NORTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	2,724	1	-		
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	47,891	6	1		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	20,179	3	-		
OREGON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	602	3	-		
PENNSYLVANIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	9,622	4	-		
SOUTH CAROLINA-----	-	-	-	2	2	2	2	4	-	2.59	2.59	2.59	5.17	-	10	10	95	154,711	11	2		
TENNESSEE-----	-	-	-	5	5	5	7	7	-	2.11	2.11	.85	2.96	-	140	140	265	473,081	16	2		
TEXAS-----	-	-	-	3	3	3	1	4	-	.83	.83	.28	1.10	-	92	92	336	725,144	26	7		
UTAH-----	-	-	-	2	2	2	1	3	-	4.96	4.96	2.48	7.44	-	10	10	40	80,649	4	2		
WASHINGTON-----	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	3	2,355	1	-		
WISCONSIN-----	-	-	-	-	-	-	-	-	-	5.82	5.82	-	5.82	-	472	472	14	34,358	1	-		
WYOMING-----	-	-	-	15	15	15	4	19	-	3.77	3.77	1.00	4.77	-	100	100	403	796,603	18	-		
TOTAL OR AVERAGE----	-	-	-	71	71	71	31	102	-	1.40	1.40	.61	2.01	-	62	62	4,952	10,125,526	228	38		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
CLAY--CONTINUED:																						
OFFICE:																						
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	44,731	1	6		
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	7,182	-	5		
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	11,803	1	4		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39	77,305	-	9		
COLORADO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	49	-	3		
CONNECTICUT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	1		
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54	109,252	-	2		
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	649	1,292,553	-	31		
ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	22,102	-	1		
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	12	-	1		
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	105	-	2		
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,062	-	2		
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	440	-	2		
LOUISIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40	64,034	1	6		
MASSACHUSETTS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	1		
MISSISSIPPI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	42,044	2	6		
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	42,038	2	2		
NEBRASKA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	23	-	1		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	2,549	1	14		
NORTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	20	-	1		
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6,108	-	3		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	64	-	2		
OREGON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	555	-	3		
PENNSYLVANIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2,788	-	3		
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24	34,247	-	8		
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51	99,356	-	8		
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	105	171,753	2	22		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	12,785	-	2		
WASHINGTON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	916	2	1		
WEST VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	32	1	-		
WISCONSIN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	8,960	-	1		
WYOMING-----	-	-	-	1	1	1	-	1	-	1.43	1.43	-	1.43	-	23	23	72	139,435	-	11		
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	.09	.09	-	.09	-	1	1	1,201	2,198,311	13	164		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
CLAY--CONTINUED:																						
GRAND TOTAL OR AVERAGE:				72	72	72	31	103		1.17	1.17	.50	1.67		51	51	6,153	12,323,837	241	202		
ALABAMA-----	-	-	-	7	7	7	1	8	-	2.73	2.73	.39	3.12	-	88	88	240	513,178	10	9		
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36	40,949	5	5		
ARKANSAS-----	-	-	-	1	1	1	-	1	-	2.01	2.01	-	2.01	-	10	10	51	99,619	5	5		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	182	320,859	9	10		
COLORADO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	2,118	4	3		
CONNECTICUT-----	-	-	-	1	1	1	-	1	-	83.09	83.09	-	83.09	-	415	415	4	2,407	1	1		
FLORIDA-----	-	-	-	1	1	1	1	2	-	.44	.44	.44	.88	-	4	4	203	454,607	2	3		
GEORGIA-----	-	-	-	23	23	23	16	39	-	.72	.72	.50	1.23	-	33	33	3,012	6,356,852	40	42		
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3,808	1	-		
ILLINOIS-----	-	-	-	4	4	4	-	4	-	5.69	5.69	-	5.69	-	564	564	81	140,493	4	2		
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	16,912	3	1		
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	17,468	2	2		
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40	72,221	5	3		
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	38,293	4	2		
LOUISIANA-----	-	-	-	2	2	2	1	3	-	1.18	1.18	.59	1.78	-	3	3	160	337,996	7	7		
MASSACHUSETTS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3,618	1	1		
MINNESOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3,416	2	-		
MISSISSIPPI-----	-	-	-	2	2	2	1	3	-	.92	.92	.46	1.38	-	36	36	219	434,862	11	9		
MISSOURI-----	-	-	-	2	2	2	1	3	-	.78	.78	.39	1.18	-	73	73	241	510,282	8	3		
NEBRASKA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2,126	1	1		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	113	126,815	17	14		
NORTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	2,744	1	1		
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35	53,999	6	4		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	20,243	3	2		
OREGON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	1,157	3	3		
PENNSYLVANIA-----	-	-	-	2	2	2	2	4	-	2.12	2.12	2.12	4.23	-	8	8	8	12,410	4	3		
SOUTH CAROLINA-----	-	-	-	-	-	-	2	2	-	1.75	1.75	.70	2.45	-	116	116	119	188,958	11	10		
TENNESSEE-----	-	-	-	5	5	5	2	7	-	1.75	1.75	.70	2.45	-	116	116	316	572,437	16	10		
TEXAS-----	-	-	-	3	3	3	1	4	-	.67	.67	.22	.89	-	75	75	441	896,897	28	29		
UTAH-----	-	-	-	2	2	2	1	3	-	4.28	4.28	2.14	6.42	-	9	9	47	93,434	4	4		
WASHINGTON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	3,271	3	1		
WEST VIRGINIA-----	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	1	32	1	-		
WISCONSIN-----	-	-	-	-	-	-	-	-	-	4.62	4.62	-	4.62	-	374	374	20	43,318	1	1		
WYOMING-----	-	-	-	16	16	16	4	20	-	3.42	3.42	.85	4.27	-	88	88	475	936,038	18	11		
TOTAL OR AVERAGE----	-	-	-	72	72	72	31	103	-	1.17	1.17	.50	1.67	-	51	51	6,153	12,323,837	241	202		
FELDSPAR:																						
SURFACE MINES:																						
OPEN PIT:																						
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4,404	2	-		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	60,983	4	-		
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	7,046	3	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36	72,433	9	-		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
FELDSPAR-CONTINUED:																						
TOTAL OR AVERAGE, SURFACE:																						
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4,404	2	-		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	60,983	4	-		
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	7,046	3	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36	72,433	9	-		
TOTAL OR AVERAGE, MINING:																						
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4,404	2	-		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	60,983	4	-		
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	7,046	3	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36	72,433	9	-		
PROCESSING PLANTS:																						
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	27,019	-	1		
NORTH CAROLINA-----	-	-	-	1	1	1	-	1	-	1.22	1.22	-	1.22	-	2	2	70	164,015	1	1		
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6,857	1	-		
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	1.01	1.01	-	1.01	-	2	2	87	197,891	2	2		
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																						
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	31,423	2	1		
NORTH CAROLINA-----	-	-	-	1	1	1	-	1	-	.89	.89	-	.89	-	2	2	99	224,998	5	1		
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	13,903	4	-		
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	.74	.74	-	.74	-	1	1	123	270,324	11	2		
OFFICE:																						
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,180	-	1		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31	67,176	1	2		
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,674	-	1		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33	70,030	1	4		
GRAND TOTAL OR AVERAGE:																						
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	32,603	2	2		
NORTH CAROLINA-----	-	-	-	1	1	1	-	1	-	.68	.68	-	.68	-	1	1	130	292,174	6	3		
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	15,577	4	1		
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	.59	.59	-	.59	-	1	1	156	340,354	12	6		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION	
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL															
		TOTAL	PARTIAL																	
FLUORSPAR: SURFACE MINES: OPEN PIT: UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,816	1	-	
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,816	1	-	
TOTAL OR AVERAGE, SURFACE: UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,816	1	-	
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,816	1	-	
TOTAL OR AVERAGE, MINING: UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,816	1	-	
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,816	1	-	
PROCESSING PLANTS: ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	23,065	1	-	
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	23,065	1	-	
TOTAL OR AVERAGE, ALL MINES AND PLANTS: ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	23,065	1	-	
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,816	1	-	
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	25,881	2	-	
OFFICE: ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,854	-	1	
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,854	-	1	
GRAND TOTAL OR AVERAGE: ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	24,919	1	1	
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,816	1	-	
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	27,735	2	1	



TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
<b>GEMSTONES:</b>																						
<b>UNDERGROUND MINES:</b>																						
<b>UNDERGROUND:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,560	1	-		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5,280	1	-		
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1,126	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	8,966	3	-		
<b>SURFACE AT UNDERGROUND:</b>																						
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	980	-	1		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	980	-	1		
<b>TOTAL OR AVERAGE, UG:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,560	1	-		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5,280	1	-		
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2,106	1	1		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	9,946	3	1		
<b>SURFACE MINES:</b>																						
<b>OPEN PIT:</b>																						
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	4.01	4.01	-	-	-	-	26	49,894	2	-		
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	14,172	16	-		
IDAHO-----	-	-	-	2	2	2	1	3	10.31	10.31	5.15	15.46	-	41	41	20	38,801	1	-			
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2,512	2	-			
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	6,921	2	-			
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,494	1	-			
NORTH CAROLINA-----	-	-	-	-	-	-	2	2	-	-	4.81	4.81	-	-	-	36	83,172	2	-			
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-			
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	480	1	-			
TOTAL OR AVERAGE----	-	-	-	2	2	2	4	6	1.97	1.97	3.93	5.90	-	8	8	126	203,449	28	-			
<b>TOTAL OR AVERAGE, SURFACE:</b>																						
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	4.01	4.01	-	-	-	26	49,894	2	-			
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	14,172	16	-			
IDAHO-----	-	-	-	2	2	2	1	3	10.31	10.31	5.15	15.46	-	41	41	20	38,801	1	-			
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2,512	2	-			
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	6,921	2	-			
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,494	1	-			
NORTH CAROLINA-----	-	-	-	-	-	-	2	2	-	-	4.81	4.81	-	-	-	36	83,172	2	-			
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-			
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	480	1	-			
TOTAL OR AVERAGE----	-	-	-	2	2	2	4	6	1.97	1.97	3.93	5.90	-	8	8	126	203,449	28	-			

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
<b>GEMSTONES-CONTINUED:</b>																						
<b>TOTAL OR AVERAGE, MINING:</b>																						
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	3.81	3.81	-	-	-	28	52,454	3	-		
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	14,172	16	-		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5,280	1	-		
IDAHO-----	-	-	-	2	2	2	1	3	-	10.31	10.31	5.15	15.46	-	41	41	20	38,801	1	-		
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2,512	2	-		
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	6,921	2	-		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,494	1	-		
NORTH CAROLINA-----	-	-	-	-	-	-	2	2	-	-	-	4.81	4.81	-	-	-	36	83,172	2	-		
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	480	1	-		
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2,106	1	1		
TOTAL OR AVERAGE----	-	-	-	2	2	2	4	6	-	1.87	1.87	3.75	5.62	-	7	7	135	213,395	31	1		
<b>PROCESSING PLANTS:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2,066	-	1		
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	44,066	-	1		
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	14,252	-	1		
NORTH CAROLINA-----	-	-	-	1	1	1	1	2	-	1.34	1.34	1.34	2.68	-	4	4	57	149,110	2	-		
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	13,046	1	-		
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	.90	.90	.90	1.80	-	3	3	96	222,540	3	3		
<b>TOTAL OR AVERAGE, ALL MINES AND PLANTS:</b>																						
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	3.81	3.81	-	-	-	28	52,454	3	-		
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	16,238	16	1		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5,280	1	-		
IDAHO-----	-	-	-	2	2	2	1	3	-	4.83	4.83	2.41	7.24	-	19	19	42	82,867	1	1		
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	16,764	2	1		
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	6,921	2	-		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,494	1	-		
NORTH CAROLINA-----	-	-	-	1	1	1	3	4	-	.86	.86	2.58	3.44	-	3	3	93	232,282	4	-		
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	13,046	1	-		
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	480	1	-		
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2,106	1	1		
TOTAL OR AVERAGE----	-	-	-	3	3	3	5	8	-	1.38	1.38	2.29	3.67	-	5	5	231	435,935	34	4		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
GEMSTONES-CONTINUED:																						
OFFICE:																						
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	1,381	1	6		
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,909	-	1		
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,931	-	1		
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41	93,611	-	4		
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,025	-	1		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	80	-	1		
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	142	-	1		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62	114,080	1	16		
GRAND TOTAL OR AVERAGE:																						
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	3.81	3.81	-	-	-	-	28	52,454	3	-		
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35	17,619	17	7		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5,280	1	-		
IDAHO-----	-	-	-	2	2	2	1	3	-	4.51	4.51	2.25	6.76	-	18	18	45	88,776	1	2		
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	22,695	2	2		
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	6,922	2	1		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,494	1	-		
NORTH CAROLINA-----	-	-	-	1	1	1	3	4	-	.61	.61	1.84	2.45	-	2	2	134	325,893	4	4		
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	20,071	1	1		
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	560	1	1		
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2,248	1	2		
TOTAL OR AVERAGE----	-	-	-	3	3	3	5	8	-	1.09	1.09	1.82	2.91	-	4	4	293	550,015	35	20		
GILSONITE:																						
UNDERGROUND MINES:																						
UNDERGROUND:																						
UTAH-----	-	-	-	3	3	3	-	3	-	7.42	7.42	-	7.42	-	396	396	45	80,832	4	-		
TOTAL OR AVERAGE----	-	-	-	3	3	3	-	3	-	7.42	7.42	-	7.42	-	396	396	45	80,832	4	-		
SURFACE AT UNDERGROUND:																						
UTAH-----	-	-	-	2	2	2	-	2	-	14.22	14.22	-	14.22	-	206	206	15	28,138	-	2		
TOTAL OR AVERAGE----	-	-	-	2	2	2	-	2	-	14.22	14.22	-	14.22	-	206	206	15	28,138	-	2		
TOTAL OR AVERAGE, UG:																						
UTAH-----	-	-	-	5	5	5	-	5	-	9.18	9.18	-	9.18	-	347	347	60	108,970	4	2		
TOTAL OR AVERAGE----	-	-	-	5	5	5	-	5	-	9.18	9.18	-	9.18	-	347	347	60	108,970	4	2		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION	
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL	ALL FATAL AND NFDL					
		PERMANENT		TEMPO- RARY	TOTAL NFDL																
		TOTAL	PARTIAL																		
GILSONITE-CONTINUED:																					
TOTAL OR AVERAGE, MINING:																					
UTAH-----	-	-	-	5	5	5	-	5	-	9.18	9.18	-	9.18	-	347	347	60	108,970	4	2	
TOTAL OR AVERAGE----	-	-	-	5	5	5	-	5	-	9.18	9.18	-	9.18	-	347	347	60	108,970	4	2	
PROCESSING PLANTS:																					
UTAH-----	-	-	-	1	1	1	1	2	-	2.45	2.45	2.45	4.91	-	2	2	35	81,526	-	3	
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	2.45	2.45	2.45	4.91	-	2	2	35	81,526	-	3	
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																					
UTAH-----	-	-	-	6	6	6	1	7	-	6.30	6.30	1.05	7.35	-	199	199	95	190,496	4	5	
TOTAL OR AVERAGE----	-	-	-	6	6	6	1	7	-	6.30	6.30	1.05	7.35	-	199	199	95	190,496	4	5	
OFFICE:																					
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	21,152	-	3	
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	21,152	-	3	
GRAND TOTAL OR AVERAGE:																					
UTAH-----	-	-	-	6	6	6	1	7	-	5.67	5.67	.94	6.61	-	180	180	107	211,648	4	8	
TOTAL OR AVERAGE----	-	-	-	6	6	6	1	7	-	5.67	5.67	.94	6.61	-	180	180	107	211,648	4	8	
GYPSUM:																					
UNDERGROUND MINES:																					
UNDERGROUND:																					
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49	118,897	2	-	
IOWA-----	-	-	-	-	-	-	1	1	-	-	-	1.70	1.70	-	-	-	53	117,767	1	-	
KANSAS-----	-	-	-	1	1	1	-	1	-	2.96	2.96	-	2.96	-	59	59	31	67,650	2	-	
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	.66	.66	.66	1.31	-	13	13	133	304,314	5	-	
SURFACE AT UNDERGROUND:																					
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7,663	-	2	
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5,798	-	1	
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4,018	-	1	
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	17,479	-	4	

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
GYPSUM-CONTINUED:																						
TOTAL OR AVERAGE, UG:	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52	126,560	2	2		
INDIANA-----	-	-	-	-	-	-	1	1	-	-	-	1.62	1.62	-	-	-	55	123,565	1	1		
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55	123,565	1	1		
KANSAS-----	-	-	-	1	1	1	-	1	-	2.79	2.79	-	-	-	56	56	33	71,668	2	1		
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	.62	.62	.62	1.24	-	12	12	140	321,793	5	4		
SURFACE MINES:																						
OPEN PIT:																						
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	2.48	2.48	-	-	-	38	80,805	6	-		
ARKANSAS-----	-	-	-	-	-	-	1	1	-	-	-	1.42	1.42	-	-	-	69	140,943	1	-		
CALIFORNIA-----	-	-	-	-	-	-	3	3	-	-	-	5.35	5.35	-	-	-	46	112,164	5	-		
COLORADO-----	-	-	-	-	-	-	1	1	-	-	-	5.15	5.15	-	-	-	15	38,833	1	-		
IOWA-----	-	-	-	-	-	-	1	1	-	-	-	2.00	2.00	-	-	-	51	100,240	3	-		
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39	82,372	3	-		
NEVADA-----	-	-	1	1	2	2	-	2	-	2.50	2.50	-	2.50	-	262	262	76	159,687	4	-		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	9,326	2	-		
OKLAHOMA-----	-	-	-	-	-	-	2	2	-	-	-	1.25	1.25	-	-	-	149	320,146	10	-		
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75	179,709	7	-		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	46,945	4	-		
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	27,855	1	-		
TOTAL OR AVERAGE----	-	-	1	1	2	2	9	11	-	.31	.31	1.39	1.69	-	32	32	602	1,299,025	47	-		
TOTAL OR AVERAGE, SURFACE:																						
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	2.48	2.48	-	-	-	38	80,805	6	-		
ARKANSAS-----	-	-	-	-	-	-	1	1	-	-	-	1.42	1.42	-	-	-	69	140,943	1	-		
CALIFORNIA-----	-	-	-	-	-	-	3	3	-	-	-	5.35	5.35	-	-	-	46	112,164	5	-		
COLORADO-----	-	-	-	-	-	-	1	1	-	-	-	5.15	5.15	-	-	-	15	38,833	1	-		
IOWA-----	-	-	-	-	-	-	1	1	-	-	-	2.00	2.00	-	-	-	51	100,240	3	-		
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39	82,372	3	-		
NEVADA-----	-	-	1	1	2	2	-	2	-	2.50	2.50	-	2.50	-	262	262	76	159,687	4	-		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	9,326	2	-		
OKLAHOMA-----	-	-	-	-	-	-	2	2	-	-	-	1.25	1.25	-	-	-	149	320,146	10	-		
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75	179,709	7	-		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	46,945	4	-		
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	27,855	1	-		
TOTAL OR AVERAGE----	-	-	1	1	2	2	9	11	-	.31	.31	1.39	1.69	-	32	32	602	1,299,025	47	-		



TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
<b>GYPSUM-CONTINUED:</b>																						
<b>TOTAL OR AVERAGE, ALL MINES AND PLANTS:</b>	-	-	-	-	-	-	1	1	-	-	-	2.39	2.39	-	-	-	40	83,680	6	1		
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	1.28	1.28	-	-	-	76	155,798	1	1		
ARKANSAS-----	-	-	-	-	-	-	3	4	-	-	-	3.58	4.78	-	-	-	74	167,445	6	2		
CALIFORNIA-----	-	-	1	1	1	1	1	1	1.19	1.19	-	5.15	5.15	-	-	5	15	38,833	1	-		
COLORADO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	75	200,134	2	4		
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	132	275,344	5	3		
IOWA-----	-	-	-	-	-	-	2	2	-	-	1.45	1.45	-	-	-	-	42	94,265	2	3		
KANSAS-----	-	-	-	1	1	1	-	1	2.12	2.12	-	2.12	-	-	-	42	41	87,059	3	1		
MICHIGAN-----	-	-	-	1	2	2	-	2	2.35	2.35	-	2.35	-	-	-	246	96	169,945	4	1		
NEVADA-----	-	-	1	1	2	2	-	2	-	-	-	-	-	-	-	9	41	9,326	2	-		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	40	73,180	1	-		
NORTH CAROLINA-----	-	-	-	1	1	1	-	1	2.73	2.73	-	2.73	-	-	-	8	157	338,436	10	1		
OKLAHOMA-----	-	-	-	-	-	-	2	2	-	-	1.18	1.18	-	-	-	-	127	283,154	8	3		
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42	85,192	4	3		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	27,855	1	-		
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
<b>TOTAL OR AVERAGE----</b>	-	-	1	4	5	5	10	15	.48	.48	.96	1.44	-	-	23	23	979	2,089,646	56	23		
<b>OFFICE:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	11,672	1	3		
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6,285	-	1		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	18,076	-	6		
COLORADO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4,160	-	1		
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,282	-	2		
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	13,517	-	4		
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6,869	-	2		
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	10,963	-	3		
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8,805	-	3		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	391	-	1		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	35,628	-	1		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	16,374	-	5		
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	13,354	-	7		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	9,853	-	2		
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,700	1	1		
<b>TOTAL OR AVERAGE----</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101	163,929	2	42		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
GYPSUM-CONTINUED:																						
GRAND TOTAL OR AVERAGE:	-	-	-	-	-	-	1	1	-	-	-	2.10	2.10	-	-	-	47	95,352	7	4		
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	1.23	1.23	-	-	-	79	162,083	1	2		
ARKANSAS-----	-	-	-	-	-	-	1	1	-	-	-	3.23	4.31	-	-	-	84	185,521	6	8		
CALIFORNIA-----	-	-	-	1	1	1	3	4	-	1.08	1.08	3.23	4.31	-	4	4	17	42,993	1	1		
COLORADO-----	-	-	-	-	-	-	1	1	-	-	-	4.65	4.65	-	-	-	78	205,416	2	6		
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	145	288,861	5	7		
IOWA-----	-	-	-	-	-	-	2	2	-	-	-	1.38	1.38	-	-	-	48	101,134	2	5		
KANSAS-----	-	-	-	1	1	1	-	1	-	1.98	1.98	-	-	-	40	40	46	98,022	3	4		
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	178,750	4	4		
NEVADA-----	-	-	1	1	2	2	-	2	-	2.24	2.24	-	2.24	-	234	234	56	108,808	1	1		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	167	354,810	10	6		
NORTH CAROLINA-----	-	-	-	1	1	1	-	1	-	1.84	1.84	-	1.84	-	6	6	136	296,508	8	10		
OKLAHOMA-----	-	-	-	-	-	-	2	2	-	-	-	1.13	1.13	-	-	-	51	95,045	4	5		
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	30,555	2	1		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL OR AVERAGE----	-	-	1	4	5	5	10	15	-	.44	.44	.89	1.33	-	21	21	1,080	2,253,575	58	65		
KYANITE:																						
SURFACE MINES:																						
OPEN PIT:																						
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8,532	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8,532	1	-		
DREDGE:																						
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	19,679	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	19,679	1	-		
TOTAL OR AVERAGE, SURFACE:																						
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	28,211	2	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	28,211	2	-		
TOTAL OR AVERAGE, MINING:																						
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	28,211	2	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	28,211	2	-		
PROCESSING PLANTS:																						
VIRGINIA-----	-	-	-	6	6	6	-	6	-	6.70	6.70	-	6.70	-	305	305	91	178,998	-	2		
TOTAL OR AVERAGE----	-	-	-	6	6	6	-	6	-	6.70	6.70	-	6.70	-	305	305	91	178,998	-	2		



TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
KYANITE-CONTINUED: TOTAL OR AVERAGE, ALL MINES AND PLANTS: VIRGINIA-----	-	-	-	6	6	6	-	6	-	5.79	5.79	-	5.79	-	264	264	107	207,209	2	2		
TOTAL OR AVERAGE----	-	-	-	6	6	6	-	6	-	5.79	5.79	-	5.79	-	264	264	107	207,209	2	2		
OFFICE: VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	46,243	-	2		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	46,243	-	2		
GRAND TOTAL OR AVERAGE: VIRGINIA-----	-	-	-	6	6	6	-	6	-	4.73	4.73	-	4.73	-	215	215	132	253,452	2	4		
TOTAL OR AVERAGE----	-	-	-	6	6	6	-	6	-	4.73	4.73	-	4.73	-	215	215	132	253,452	2	4		
LEONARDITE: SURFACE MINES: OPEN PIT: NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	160	1	-		
NORTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1,190	1	-		
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2,114	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3,464	3	-		
TOTAL OR AVERAGE, SURFACE: NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	160	1	-		
NORTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1,190	1	-		
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2,114	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3,464	3	-		
TOTAL OR AVERAGE, MINING: NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	160	1	-		
NORTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1,190	1	-		
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2,114	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3,464	3	-		
PROCESSING PLANTS: NORTH DAKOTA-----	-	-	-	2	2	2	-	2	-	7.45	7.45	-	7.45	-	127	127	28	53,715	1	1		
WYOMING-----	-	-	-	1	1	1	2	3	-	6.28	6.28	12.55	18.83	-	88	88	13	31,872	1	-		
TOTAL OR AVERAGE----	-	-	-	3	3	3	2	5	-	7.01	7.01	4.67	11.68	-	112	112	41	85,587	2	1		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
LEONARDITE-CONTINUED:																						
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																						
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	160	1	-		
NORTH DAKOTA-----	-	-	-	2	2	2	-	2	-	7.29	7.29	-	7.29	-	124	124	30	54,905	2	1		
WYOMING-----	-	-	-	1	1	1	2	3	-	5.88	5.88	11.77	17.65	-	82	82	14	33,986	2	-		
TOTAL OR AVERAGE----	-	-	-	3	3	3	2	5	-	6.74	6.74	4.49	11.23	-	108	108	45	89,051	5	1		
OFFICE:																						
NORTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6,980	-	2		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6,980	-	2		
GRAND TOTAL OR AVERAGE:																						
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	160	1	-		
NORTH DAKOTA-----	-	-	-	2	2	2	-	2	-	6.46	6.46	-	6.46	-	110	110	34	61,885	2	3		
WYOMING-----	-	-	-	1	1	1	2	3	-	5.88	5.88	11.77	17.65	-	82	82	14	33,986	2	-		
TOTAL OR AVERAGE----	-	-	-	3	3	3	2	5	-	6.25	6.25	4.17	10.41	-	100	100	49	96,031	5	3		
MAGNESITE:																						
SURFACE MINES:																						
OPEN PIT:																						
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	17,096	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	17,096	1	-		
TOTAL OR AVERAGE, SURFACE:																						
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	17,096	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	17,096	1	-		
TOTAL OR AVERAGE, MINING:																						
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	17,096	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	17,096	1	-		
PROCESSING PLANTS:																						
NEVADA-----	-	-	-	2	2	2	-	2	-	3.32	3.32	-	3.32	-	352	352	59	120,571	-	1		
PENNSYLVANIA-----	-	-	-	1	1	1	-	1	-	9.85	9.85	-	9.85	-	1,054	1,054	11	20,295	1	-		
TOTAL OR AVERAGE----	-	-	-	3	3	3	-	3	-	4.26	4.26	-	4.26	-	453	453	70	140,866	1	1		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
<b>MAGNESITE--CONTINUED:</b>																						
<b>TOTAL OR AVERAGE, ALL MINES AND PLANTS:</b>																						
NEVADA-----	-	-	-	2	2	2	-	2	-	2.91	2.91	-	2.91	-	308	308	67	137,667	1	1		
PENNSYLVANIA-----	-	-	-	1	1	1	-	1	-	9.85	9.85	-	9.85	-	1,054	1,054	11	20,295	1	-		
TOTAL OR AVERAGE----	-	-	-	3	3	3	-	3	-	3.80	3.80	-	3.80	-	404	404	78	157,962	2	1		
<b>OFFICE:</b>																						
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	16,448	-	1		
PENNSYLVANIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,836	-	1		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	24,284	-	2		
<b>GRAND TOTAL OR AVERAGE:</b>																						
NEVADA-----	-	-	-	2	2	2	-	2	-	2.60	2.60	-	2.60	-	275	275	75	154,115	1	2		
PENNSYLVANIA-----	-	-	-	1	1	1	-	1	-	7.11	7.11	-	7.11	-	761	761	15	28,131	1	1		
TOTAL OR AVERAGE----	-	-	-	3	3	3	-	3	-	3.29	3.29	-	3.29	-	350	350	90	182,246	2	3		
<b>MICA:</b>																						
<b>SURFACE MINES:</b>																						
<b>OPEN PIT:</b>																						
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,808	1	-		
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4,053	1	-		
NEVADA-----	-	-	-	1	1	1	-	1	-	3.54	3.54	-	3.54	-	7	7	25	56,525	1	-		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	23,934	1	-		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	9,672	1	-		
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,899	1	-		
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	150	1	-		
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	24,672	1	-		
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3,995	1	-		
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	1.53	1.53	-	1.53	-	3	3	64	130,708	9	-		
<b>TOTAL OR AVERAGE, SURFACE:</b>																						
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,808	1	-		
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4,053	1	-		
NEVADA-----	-	-	-	1	1	1	-	1	-	3.54	3.54	-	3.54	-	7	7	25	56,525	1	-		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	23,934	1	-		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	9,672	1	-		
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,899	1	-		
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	150	1	-		
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	24,672	1	-		
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3,995	1	-		
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	1.53	1.53	-	1.53	-	3	3	64	130,708	9	-		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION	
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL															
		TOTAL	PARTIAL																	
<b>MICA--CONTINUED:</b>																				
<b>TOTAL OR AVERAGE, MINING:</b>																				
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,808	1	-
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4,053	1	-
NEVADA-----	-	-	-	1	1	1	-	1	3.54	3.54	-	3.54	-	7	7	-	25	56,525	1	-
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	23,934	1	-
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	9,672	1	-
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,899	1	-
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	150	1	-
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	24,672	1	-
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3,995	1	-
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	1.53	1.53	-	1.53	-	3	3	-	64	130,708	9	-
<b>PROCESSING PLANTS:</b>																				
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	900	-	1
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60	120,236	1	1
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	523	-	1
NORTH CAROLINA-----	-	-	-	1	1	1	2	3	1.32	1.32	2.63	3.95	-	29	29	-	67	151,878	4	1
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6,619	-	1
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	29,906	1	-
TOTAL OR AVERAGE----	-	-	-	1	1	1	2	3	.65	.65	1.29	1.94	-	14	14	-	149	310,062	6	5
<b>TOTAL OR AVERAGE, ALL MINES AND PLANTS:</b>																				
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6,708	1	1
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62	124,289	2	1
NEVADA-----	-	-	-	1	1	1	1	1	3.51	3.51	-	3.51	-	7	7	-	26	57,048	1	1
NORTH CAROLINA-----	-	-	-	1	1	1	2	3	1.14	1.14	2.28	3.41	-	25	25	-	78	175,812	5	1
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	9,672	1	-
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8,518	1	1
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	30,056	2	-
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	24,672	1	-
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3,995	1	-
TOTAL OR AVERAGE----	-	-	-	2	2	2	2	4	.91	.91	.91	1.82	-	11	11	-	213	440,770	15	5
<b>OFFICE:</b>																				
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,888	-	1
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4,471	-	2
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,501	-	1
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	21,323	-	3
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3,984	-	1
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5,444	-	2
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,601	-	1
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	733	-	1
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	41,945	-	12

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
MICA--CONTINUED:																						
GRAND TOTAL OR AVERAGE:	-	-	-	2	2	2	2	4	-	.83	.83	.83	1.66	-	10	10	240	482,715	15	17		
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	9,596	1	2		
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66	128,760	2	3		
NEVADA-----	-	-	-	1	1	1	-	1	-	3.42	3.42	-	3.42	-	7	7	27	58,549	1	2		
NORTH CAROLINA-----	-	-	-	1	1	1	2	3	-	1.01	1.01	2.03	3.04	-	22	22	90	197,135	5	4		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	9,672	1	-		
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	12,502	1	2		
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	35,500	2	2		
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	26,273	1	1		
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4,728	1	1		
TOTAL OR AVERAGE----	-	-	-	2	2	2	2	4	-	.83	.83	.83	1.66	-	10	10	240	482,715	15	17		
OIL SAND/SHALE:																						
UNDERGROUND MINES:																						
UNDERGROUND:																						
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,269	1	-		
WYOMING-----	-	-	-	1	1	1	1	2	-	3.07	3.07	3.07	6.14	-	110	110	34	65,187	2	-		
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	2.84	2.84	2.84	5.68	-	102	102	37	70,456	3	-		
SURFACE AT UNDERGROUND:																						
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	8,033	-	1		
WYOMING-----	-	-	-	-	-	-	1	1	-	-	-	7.28	7.28	-	-	-	21	27,469	1	2		
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	5.63	5.63	-	-	-	27	35,502	1	3		
TOTAL OR AVERAGE, UG:																						
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	13,302	1	1		
WYOMING-----	-	-	-	1	1	1	2	3	-	2.16	2.16	4.32	6.48	-	78	78	55	92,656	3	2		
TOTAL OR AVERAGE----	-	-	-	1	1	1	2	3	-	1.89	1.89	3.78	5.66	-	68	68	64	105,958	4	3		
SURFACE MINES:																						
OPEN PIT:																						
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	520	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	520	1	-		
TOTAL OR AVERAGE, SURFACE:																						
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	520	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	520	1	-		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
<b>OIL SAND/SHALE-CONTINUED:</b>																						
<b>TOTAL OR AVERAGE, MINING:</b>																						
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	13,302	1	1		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	520	1	-		
WYOMING-----	-	-	-	1	1	1	2	3	-	2.16	2.16	4.32	6.48	-	78	78	55	92,656	3	2		
TOTAL OR AVERAGE----	-	-	-	1	1	1	2	3	-	1.88	1.88	3.76	5.63	-	68	68	65	106,478	5	3		
<b>TOTAL OR AVERAGE, ALL MINES AND PLANTS:</b>																						
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	13,302	1	1		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	520	1	-		
WYOMING-----	-	-	-	1	1	1	2	3	-	2.16	2.16	4.32	6.48	-	78	78	55	92,656	3	2		
TOTAL OR AVERAGE----	-	-	-	1	1	1	2	3	-	1.88	1.88	3.76	5.63	-	68	68	65	106,478	5	3		
<b>OFFICE:</b>																						
<b>WYOMING-----</b>																						
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	7,234	-	1		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	7,234	-	1		
<b>GRAND TOTAL OR AVERAGE:</b>																						
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	13,302	1	1		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	520	1	-		
WYOMING-----	-	-	-	1	1	1	2	3	-	2.00	2.00	4.00	6.01	-	72	72	60	99,890	3	3		
TOTAL OR AVERAGE----	-	-	-	1	1	1	2	3	-	1.76	1.76	3.52	5.28	-	63	63	70	113,712	5	4		
<b>PERLITE:</b>																						
<b>SURFACE MINES:</b>																						
<b>OPEN PIT:</b>																						
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6,816	1	-		
NEW MEXICO-----	-	-	-	1	1	1	-	1	-	8.34	8.34	-	8.34	-	17	17	14	23,993	3	-		
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	6.49	6.49	-	6.49	-	13	13	18	30,809	4	-		
<b>TOTAL OR AVERAGE, SURFACE:</b>																						
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6,816	1	-		
NEW MEXICO-----	-	-	-	1	1	1	-	1	-	8.34	8.34	-	8.34	-	17	17	14	23,993	3	-		
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	6.49	6.49	-	6.49	-	13	13	18	30,809	4	-		
<b>TOTAL OR AVERAGE, MINING:</b>																						
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6,816	1	-		
NEW MEXICO-----	-	-	-	1	1	1	-	1	-	8.34	8.34	-	8.34	-	17	17	14	23,993	3	-		
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	6.49	6.49	-	6.49	-	13	13	18	30,809	4	-		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
<b>PERLITE-CONTINUED: PROCESSING PLANTS:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	10,401	1	-		
COLORADO-----	-	-	1	-	1	1	2	3	3.61	3.61	7.21	10.82	-	180	180	27	55,466	3	-			
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	848	1	-			
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	10,433	1	-			
NEW MEXICO-----	-	-	-	1	1	1	1	2	2.09	2.09	2.09	4.17	-	79	79	49	95,841	-	2			
OREGON-----	-	-	-	1	1	1	1	2	5.08	5.08	5.08	10.15	-	5	5	20	39,395	1	-			
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	11,845	1	-			
WISCONSIN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1,517	1	-			
TOTAL OR AVERAGE----	-	-	1	2	3	3	4	7	2.66	2.66	3.54	6.20	-	79	79	122	225,746	9	2			
<b>TOTAL OR AVERAGE, ALL MINES AND PLANTS:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	10,401	1	-		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6,816	1	-			
COLORADO-----	-	-	1	-	1	1	2	3	3.61	3.61	7.21	10.82	-	180	180	27	55,466	3	-			
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	848	1	-			
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	10,433	1	-			
NEW MEXICO-----	-	-	-	2	2	2	1	3	3.34	3.34	1.67	5.01	-	67	67	63	119,834	3	2			
OREGON-----	-	-	-	1	1	1	1	2	5.08	5.08	5.08	10.15	-	5	5	20	39,395	1	-			
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	11,845	1	-			
WISCONSIN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1,517	1	-			
TOTAL OR AVERAGE----	-	-	1	3	4	4	4	8	3.12	3.12	3.12	6.24	-	71	71	140	256,555	13	2			
<b>OFFICE:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3,920	-	1		
COLORADO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	12,882	-	3		
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	384	-	1		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	15,984	-	2		
OREGON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,111	-	1		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3,896	-	1		
WISCONSIN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	780	-	1		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24	42,957	-	10		
<b>GRAND TOTAL OR AVERAGE:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	14,321	1	1		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6,816	1	-		
COLORADO-----	-	-	1	-	1	1	2	3	2.93	2.93	5.85	8.78	-	146	146	34	68,348	3	3			
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	848	1	-			
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	10,817	1	1			
NEW MEXICO-----	-	-	-	2	2	2	1	3	2.95	2.95	1.47	4.42	-	59	59	70	135,818	3	4			
OREGON-----	-	-	-	1	1	1	1	2	4.49	4.49	4.49	8.99	-	4	4	23	44,506	1	1			
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	15,741	1	1			
WISCONSIN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2,297	1	1			
TOTAL OR AVERAGE----	-	-	1	3	4	4	4	8	2.67	2.67	2.67	5.34	-	61	61	164	299,512	13	12			

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL	ALL FATAL AND NFDL						
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
PHOSPHATE:																						
SURFACE MINES:																						
OPEN PIT:																						
FLORIDA-----	-	-	-	15	15	15	8	23	-	1.40	1.40	.75	2.15	-	81	81	1,054	2,142,099	12	-		
IDAHO-----	-	-	-	6	6	6	2	8	-	1.78	1.78	.59	2.38	-	37	37	303	672,595	5	-		
NORTH CAROLINA-----	-	-	-	2	2	2	2	4	-	.67	.67	.67	1.34	-	6	6	228	595,541	1	-		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64	126,057	1	-		
TOTAL OR AVERAGE----	-	-	-	23	23	23	12	35	-	1.30	1.30	.68	1.98	-	57	57	1,649	3,536,292	19	-		
DREDGE:																						
FLORIDA-----	-	-	-	2	2	2	-	2	-	7.84	7.84	-	7.84	-	231	231	22	51,020	1	-		
TOTAL OR AVERAGE----	-	-	-	2	2	2	-	2	-	7.84	7.84	-	7.84	-	231	231	22	51,020	1	-		
TOTAL OR AVERAGE, SURFACE:																						
FLORIDA-----	-	-	-	17	17	17	8	25	-	1.55	1.55	.73	2.28	-	85	85	1,076	2,193,119	13	-		
IDAHO-----	-	-	-	6	6	6	2	8	-	1.78	1.78	.59	2.38	-	37	37	303	672,595	5	-		
NORTH CAROLINA-----	-	-	-	2	2	2	2	4	-	.67	.67	.67	1.34	-	6	6	228	595,541	1	-		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64	126,057	1	-		
TOTAL OR AVERAGE----	-	-	-	25	25	25	12	37	-	1.39	1.39	.67	2.06	-	60	60	1,671	3,587,312	20	-		
TOTAL OR AVERAGE, MINING:																						
FLORIDA-----	-	-	-	17	17	17	8	25	-	1.55	1.55	.73	2.28	-	85	85	1,076	2,193,119	13	-		
IDAHO-----	-	-	-	6	6	6	2	8	-	1.78	1.78	.59	2.38	-	37	37	303	672,595	5	-		
NORTH CAROLINA-----	-	-	-	2	2	2	2	4	-	.67	.67	.67	1.34	-	6	6	228	595,541	1	-		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64	126,057	1	-		
TOTAL OR AVERAGE----	-	-	-	25	25	25	12	37	-	1.39	1.39	.67	2.06	-	60	60	1,671	3,587,312	20	-		
PROCESSING PLANTS:																						
FLORIDA-----	-	-	-	10	10	10	6	16	-	1.72	1.72	1.03	2.75	-	81	81	589	1,165,743	2	7		
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33	64,179	-	1		
NORTH CAROLINA-----	-	-	-	3	3	3	2	5	-	1.77	1.77	1.18	2.95	-	15	15	120	338,901	-	1		
UTAH-----	-	-	-	-	-	-	1	1	-	-	-	1.60	1.60	-	-	-	62	125,049	-	1		
TOTAL OR AVERAGE----	-	-	-	13	13	13	9	22	-	1.53	1.53	1.06	2.60	-	59	59	804	1,693,872	2	10		
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																						
FLORIDA-----	-	-	-	27	27	27	14	41	-	1.61	1.61	.83	2.44	-	84	84	1,665	3,358,862	15	7		
IDAHO-----	-	-	-	6	6	6	2	8	-	1.63	1.63	.54	2.17	-	34	34	336	736,774	5	1		
NORTH CAROLINA-----	-	-	-	5	5	5	4	9	-	1.07	1.07	.86	1.93	-	9	9	348	934,442	1	1		
UTAH-----	-	-	-	-	-	-	1	1	-	-	-	.80	.80	-	-	-	126	251,106	1	1		
TOTAL OR AVERAGE----	-	-	-	38	38	38	21	59	-	1.44	1.44	.80	2.23	-	59	59	2,475	5,281,184	22	10		



TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL	ALL FATAL AND NFDL				
		PERMANENT		TEMPO- RARY	TOTAL NFDL															
		TOTAL	PARTIAL																	
PHOSPHATE--CONTINUED:																				
OFFICE:																				
FLORIDA-----	-	-	-	1	1	1	-	1	-	.54	.54	-	.54	-	18	18	183	371,148	-	10
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46	90,273	-	5
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30	61,596	-	1
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	18,387	-	1
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	.37	.37	-	.37	-	12	12	269	541,404	-	17
GRAND TOTAL OR AVERAGE:																				
FLORIDA-----	-	-	-	28	28	28	14	42	-	1.50	1.50	.75	2.25	-	77	77	1,848	3,730,010	15	17
IDAHO-----	-	-	-	6	6	6	2	8	-	1.45	1.45	.48	1.93	-	30	30	382	827,047	5	6
NORTH CAROLINA-----	-	-	-	5	5	5	4	9	-	1.00	1.00	.80	1.81	-	9	9	378	996,038	1	2
UTAH-----	-	-	-	-	-	-	1	1	-	-	-	.74	.74	-	-	-	136	269,493	1	2
TOTAL OR AVERAGE----	-	-	-	39	39	39	21	60	-	1.34	1.34	.72	2.06	-	55	55	2,744	5,822,588	22	27
PIGMENT:																				
SURFACE MINES:																				
OPEN PIT:																				
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	642	1	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	642	1	-
TOTAL OR AVERAGE, SURFACE:																				
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	642	1	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	642	1	-
TOTAL OR AVERAGE, MINING:																				
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	642	1	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	642	1	-
PROCESSING PLANTS:																				
TEXAS-----	-	-	-	4	4	4	1	5	-	17.46	17.46	4.37	21.83	-	214	214	20	45,808	1	-
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	61,152	1	-
TOTAL OR AVERAGE----	-	-	-	4	4	4	1	5	-	7.48	7.48	1.87	9.35	-	92	92	48	106,960	2	-
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																				
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	642	1	-
TEXAS-----	-	-	-	4	4	4	1	5	-	17.46	17.46	4.37	21.83	-	214	214	20	45,808	1	-
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	61,152	1	-
TOTAL OR AVERAGE----	-	-	-	4	4	4	1	5	-	7.43	7.43	1.86	9.29	-	91	91	49	107,602	3	-

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL	ALL FATAL AND NFDL						
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
<b>PIGMENT--CONTINUED:</b>																						
<b>OFFICE:</b>																						
TEXAS-----	-	-	-	1	1	1	-	1	-	6.10	6.10	-	6.10	-	518	518	17	32,813	-	1		
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	26,880	-	1		
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	3.35	3.35	-	3.35	-	285	285	31	59,693	-	2		
<b>GRAND TOTAL OR AVERAGE:</b>																						
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	642	1	-		
TEXAS-----	-	-	-	5	5	5	1	6	-	12.72	12.72	2.54	15.26	-	341	341	37	78,621	1	1		
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42	88,032	1	1		
TOTAL OR AVERAGE----	-	-	-	5	5	5	1	6	-	5.98	5.98	1.20	7.17	-	160	160	80	167,295	3	2		
<b>POTASH:</b>																						
<b>UNDERGROUND MINES:</b>																						
<b>UNDERGROUND:</b>																						
NEW MEXICO-----	-	-	-	17	17	17	4	21	-	3.52	3.52	.83	4.35	-	255	255	474	964,929	3	-		
TOTAL OR AVERAGE----	-	-	-	17	17	17	4	21	-	3.52	3.52	.83	4.35	-	255	255	474	964,929	3	-		
<b>SURFACE AT UNDERGROUND:</b>																						
NEW MEXICO-----	-	-	-	7	7	7	-	7	-	37.11	37.11	-	37.11	-	1,856	1,856	18	37,721	-	3		
TOTAL OR AVERAGE----	-	-	-	7	7	7	-	7	-	37.11	37.11	-	37.11	-	1,856	1,856	18	37,721	-	3		
<b>TOTAL OR AVERAGE, UG:</b>																						
NEW MEXICO-----	-	-	-	24	24	24	4	28	-	4.79	4.79	.80	5.59	-	315	315	492	1,002,650	3	3		
TOTAL OR AVERAGE----	-	-	-	24	24	24	4	28	-	4.79	4.79	.80	5.59	-	315	315	492	1,002,650	3	3		
<b>SURFACE MINES:</b>																						
<b>OPEN PIT:</b>																						
KANSAS-----	-	-	-	1	1	1	-	1	-	58.55	58.55	-	58.55	-	937	937	2	3,416	1	-		
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	58.55	58.55	-	58.55	-	937	937	2	3,416	1	-		
<b>TOTAL OR AVERAGE, SURFACE:</b>																						
KANSAS-----	-	-	-	1	1	1	-	1	-	58.55	58.55	-	58.55	-	937	937	2	3,416	1	-		
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	58.55	58.55	-	58.55	-	937	937	2	3,416	1	-		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL	ALL FATAL AND NFDL						
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
POTASH--CONTINUED:																						
TOTAL OR AVERAGE, MINING:																						
KANSAS-----	-	-	-	1	1	1	-	1	-	58.55	58.55	-	58.55	-	937	937	2	3,416	1	-		
NEW MEXICO-----	-	-	-	24	24	24	4	28	-	4.79	4.79	.80	5.59	-	315	315	492	1,002,650	3	3		
TOTAL OR AVERAGE----	-	-	-	25	25	25	4	29	-	4.97	4.97	.80	5.77	-	317	317	494	1,006,066	4	3		
PROCESSING PLANTS:																						
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4,332	-	1		
NEW MEXICO-----	-	-	-	7	7	7	3	10	-	1.94	1.94	.83	2.77	-	76	76	388	722,293	1	3		
TOTAL OR AVERAGE----	-	-	-	7	7	7	3	10	-	1.93	1.93	.83	2.75	-	76	76	391	726,625	1	4		
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																						
KANSAS-----	-	-	-	1	1	1	-	1	-	25.81	25.81	-	25.81	-	413	413	5	7,748	1	1		
NEW MEXICO-----	-	-	-	31	31	31	7	38	-	3.59	3.59	.81	4.41	-	215	215	880	1,724,943	4	6		
TOTAL OR AVERAGE----	-	-	-	32	32	32	7	39	-	3.69	3.69	.81	4.50	-	216	216	885	1,732,691	5	7		
OFFICE:																						
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,872	-	1		
NEW MEXICO-----	-	-	-	1	1	1	1	2	-	1.18	1.18	1.18	2.35	-	323	323	72	170,119	1	3		
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	1.16	1.16	1.16	2.33	-	320	320	73	171,991	1	4		
GRAND TOTAL OR AVERAGE:																						
KANSAS-----	-	-	-	1	1	1	-	1	-	20.79	20.79	-	20.79	-	333	333	6	9,620	1	2		
NEW MEXICO-----	-	-	-	32	32	32	8	40	-	3.38	3.38	.84	4.22	-	225	225	952	1,895,062	5	9		
TOTAL OR AVERAGE----	-	-	-	33	33	33	8	41	-	3.47	3.47	.84	4.31	-	225	225	958	1,904,682	6	11		
PUMICE:																						
SURFACE MINES:																						
OPEN PIT:																						
ARIZONA-----	-	-	-	1	1	1	1	2	-	1.55	1.55	1.55	3.10	-	2	2	65	129,187	13	-		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55	92,057	9	-		
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	12,040	1	-		
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,053	1	-		
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	32,663	1	-		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	36,414	9	-		
OREGON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	8,429	2	-		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6,208	1	-		
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	.63	.63	.63	1.25	-	1	1	177	319,051	37	-		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
<b>PUMICE--CONTINUED:</b>																						
<b>TOTAL OR AVERAGE, SURFACE:</b>				1	1	1	1	2	-	1.55	1.55	1.55	3.10	-	2	2	65	129,187	13	-		
ARIZONA-----	-	-	-	1	1	1	1	2	-	1.55	1.55	1.55	3.10	-	2	2	55	92,057	9	-		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	12,040	1	-		
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,053	1	-		
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	32,663	1	-		
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	36,414	9	-		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	8,429	2	-		
OREGON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6,208	1	-		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
<b>TOTAL OR AVERAGE----</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>-</b>	<b>.63</b>	<b>.63</b>	<b>.63</b>	<b>1.25</b>	<b>-</b>	<b>1</b>	<b>1</b>	<b>177</b>	<b>319,051</b>	<b>37</b>	<b>-</b>		
<b>TOTAL OR AVERAGE, MINING:</b>				1	1	1	1	2	-	1.55	1.55	1.55	3.10	-	2	2	65	129,187	13	-		
ARIZONA-----	-	-	-	1	1	1	1	2	-	1.55	1.55	1.55	3.10	-	2	2	55	92,057	9	-		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	12,040	1	-		
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,053	1	-		
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	32,663	1	-		
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	36,414	9	-		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	8,429	2	-		
OREGON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6,208	1	-		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
<b>TOTAL OR AVERAGE----</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>-</b>	<b>.63</b>	<b>.63</b>	<b>.63</b>	<b>1.25</b>	<b>-</b>	<b>1</b>	<b>1</b>	<b>177</b>	<b>319,051</b>	<b>37</b>	<b>-</b>		
<b>PROCESSING PLANTS:</b>				1	1	1	-	1	-	5.96	5.96	-	5.96	-	977	977	15	33,571	1	-		
CALIFORNIA-----	-	-	-	6	6	6	1	7	-	5.96	5.96	1.26	5.96	-	977	977	90	158,776	2	-		
IDAHO-----	-	-	-	-	-	-	-	-	-	7.56	7.56	-	8.82	-	37	37	4	5,608	1	1		
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	25,320	3	-		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	22,070	1	-		
OREGON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
<b>TOTAL OR AVERAGE----</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>7</b>	<b>7</b>	<b>7</b>	<b>1</b>	<b>8</b>	<b>-</b>	<b>5.71</b>	<b>5.71</b>	<b>.82</b>	<b>6.52</b>	<b>-</b>	<b>157</b>	<b>157</b>	<b>134</b>	<b>245,345</b>	<b>8</b>	<b>1</b>		
<b>TOTAL OR AVERAGE, ALL MINES AND PLANTS:</b>				1	1	1	1	2	-	1.55	1.55	1.55	3.10	-	2	2	65	129,187	13	-		
ARIZONA-----	-	-	-	1	1	1	1	2	-	1.55	1.55	1.55	3.10	-	2	2	70	125,628	10	-		
CALIFORNIA-----	-	-	-	6	6	6	1	7	-	1.59	1.59	-	1.59	-	261	261	97	170,816	3	-		
IDAHO-----	-	-	-	-	-	-	-	-	-	7.03	7.03	1.17	8.20	-	34	34	6	7,661	2	1		
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	32,663	1	-		
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40	61,734	12	-		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18	30,499	3	-		
OREGON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6,208	1	-		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
<b>TOTAL OR AVERAGE----</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>8</b>	<b>8</b>	<b>8</b>	<b>2</b>	<b>10</b>	<b>-</b>	<b>2.83</b>	<b>2.83</b>	<b>.71</b>	<b>3.54</b>	<b>-</b>	<b>69</b>	<b>69</b>	<b>311</b>	<b>564,396</b>	<b>45</b>	<b>1</b>		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
<b>PUMICE--CONTINUED:</b>																						
<b>OFFICE:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	17,643	-	6		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	22,343	-	6		
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	21,507	-	1		
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,040	-	1		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	5,213	-	4		
OREGON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,561	-	1		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	271	-	1		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52	73,578	-	20		
<b>GRAND TOTAL OR AVERAGE:</b>																						
ARIZONA-----	-	-	-	1	1	1	1	2	-	1.36	1.36	1.36	2.72	-	1	1	77	146,830	13	6		
CALIFORNIA-----	-	-	-	1	1	1	1	1	-	1.35	1.35	-	1.35	-	222	222	82	147,971	10	6		
IDAHO-----	-	-	-	6	6	6	1	7	-	6.24	6.24	1.04	7.28	-	30	30	112	192,323	3	1		
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	8,701	2	2		
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	32,663	1	-		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48	66,947	12	4		
OREGON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	36,060	3	1		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6,479	1	1		
TOTAL OR AVERAGE----	-	-	-	8	8	8	2	10	-	2.51	2.51	.63	3.13	-	61	61	363	637,974	45	21		
<b>SALT:</b>																						
<b>UNDERGROUND MINES:</b>																						
<b>UNDERGROUND:</b>																						
KANSAS-----	-	-	-	-	-	-	6	6	-	-	-	10.81	10.81	-	-	-	55	111,030	3	-		
LOUISIANA-----	-	-	-	4	4	4	2	6	-	1.36	1.36	.68	2.04	-	143	143	287	587,690	3	-		
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19	60,068	1	-		
NEW YORK-----	-	-	-	11	11	11	3	14	-	4.58	4.58	1.25	5.83	-	277	277	255	480,614	2	-		
OHIO-----	-	-	-	4	4	4	1	5	-	1.93	1.93	.48	2.41	-	31	31	199	414,859	2	-		
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31	70,880	2	-		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	17,585	1	-		
TOTAL OR AVERAGE----	-	-	-	19	19	19	12	31	-	2.18	2.18	1.38	3.56	-	132	132	856	1,742,726	14	-		
<b>SURFACE AT UNDERGROUND:</b>																						
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	16,262	-	2		
LOUISIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58	113,444	-	3		
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	43,916	-	1		
NEW YORK-----	-	-	-	3	3	3	1	4	-	2.90	2.90	.97	3.86	-	31	31	95	207,138	-	2		
OHIO-----	-	-	-	1	1	1	1	2	-	1.20	1.20	1.20	2.40	-	5	5	79	166,859	-	2		
TEXAS-----	-	-	-	-	-	-	-	1	-	-	-	16.80	16.80	-	-	-	5	11,907	-	2		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	9,432	-	1		
TOTAL OR AVERAGE----	-	-	-	4	4	4	3	7	-	1.41	1.41	1.05	2.46	-	13	13	267	568,958	-	13		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
<b>SALT-CONTINUED:</b>																						
<b>TOTAL OR AVERAGE, UG:</b>																						
KANSAS-----	-	-	-	-	-	-	6	6	-	-	9.43	9.43	-	-	-	65	127,292	3	2			
LOUISIANA-----	-	-	4	4	4	2	6	-	1.14	1.14	.57	1.71	-	120	120	345	701,134	3	3			
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34	103,984	1	1			
NEW YORK-----	-	-	14	14	14	4	18	-	4.07	4.07	1.16	5.23	-	203	203	350	687,752	2	2			
OHIO-----	-	-	5	5	5	2	7	-	1.72	1.72	.69	2.41	-	24	24	278	581,718	2	2			
TEXAS-----	-	-	-	-	-	1	1	-	-	-	2.42	2.42	-	-	-	36	82,787	2	2			
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	27,017	1	1			
TOTAL OR AVERAGE----	-	-	-	23	23	23	15	38	-	1.99	1.99	1.30	3.29	-	103	103	1,123	2,311,684	14	13		
<b>SURFACE MINES:</b>																						
<b>OTHER SURFACE:</b>																						
<b>NEW MEXICO-----</b>																						
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	33,410	2	-			
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	33,410	2	-			
<b>TOTAL OR AVERAGE, SURFACE:</b>																						
<b>NEW MEXICO-----</b>																						
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	33,410	2	-			
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	33,410	2	-			
<b>TOTAL OR AVERAGE, MINING:</b>																						
KANSAS-----	-	-	-	-	-	6	6	-	-	-	9.43	9.43	-	-	-	65	127,292	3	2			
LOUISIANA-----	-	-	4	4	4	2	6	-	1.14	1.14	.57	1.71	-	120	120	345	701,134	3	3			
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34	103,984	1	1			
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	33,410	2	-			
NEW YORK-----	-	-	14	14	14	4	18	-	4.07	4.07	1.16	5.23	-	203	203	350	687,752	2	2			
OHIO-----	-	-	5	5	5	2	7	-	1.72	1.72	.69	2.41	-	24	24	278	581,718	2	2			
TEXAS-----	-	-	-	-	-	1	1	-	-	-	2.42	2.42	-	-	-	36	82,787	2	2			
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	27,017	1	1			
TOTAL OR AVERAGE----	-	-	-	23	23	23	15	38	-	1.96	1.96	1.28	3.24	-	101	101	1,136	2,345,094	16	13		
<b>PROCESSING PLANTS:</b>																						
KANSAS-----	-	-	1	1	1	1	2	-	1.60	1.60	1.60	3.20	-	3	3	63	125,007	-	3			
LOUISIANA-----	-	2	1	3	3	-	3	-	2.40	2.40	-	2.40	-	1,656	1,656	128	250,467	-	2			
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43	118,128	1	-			
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	14,137	-	1			
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	50,112	-	1			
TEXAS-----	-	-	3	3	3	2	5	-	1.54	1.54	1.03	2.57	-	171	171	177	388,657	-	2			
UTAH-----	-	-	-	-	-	1	1	-	-	-	3.96	3.96	-	-	-	30	50,505	-	1			
TOTAL OR AVERAGE----	-	-	2	5	7	7	4	11	-	1.40	1.40	.80	2.21	-	483	483	476	997,013	1	10		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL	
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL PARTIAL
		TOTAL	PARTIAL																		
<b>SALT-CONTINUED:</b>																					
<b>TOTAL OR AVERAGE, ALL MINES AND PLANTS:</b>																					
KANSAS-----	-	-	-	1	1	1	7	8	-	.79	.79	5.55	6.34	-	2	2	128	252,299	3	5	
LOUISIANA-----	-	-	2	5	7	7	2	9	-	1.47	1.47	.42	1.89	-	524	524	473	951,601	3	5	
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34	103,984	1	1	
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56	151,538	3	-	
NEW YORK-----	-	-	-	14	14	14	4	18	-	3.99	3.99	1.14	5.13	-	199	199	358	701,889	2	3	
OHIO-----	-	-	-	5	5	5	2	7	-	1.58	1.58	.63	2.22	-	22	22	305	631,830	2	3	
TEXAS-----	-	-	-	3	3	3	3	6	-	1.27	1.27	1.27	2.55	-	141	141	213	471,444	2	4	
UTAH-----	-	-	-	-	-	-	1	1	-	-	-	2.58	2.58	-	-	-	45	77,522	1	2	
TOTAL OR AVERAGE----	-	-	2	28	30	30	19	49	-	1.80	1.80	1.14	2.93	-	215	215	1,612	3,342,107	17	23	
<b>OFFICE:</b>																					
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	27,181	-	3	
LOUISIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53	154,098	-	3	
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	22,896	-	1	
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	11,800	-	2	
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55	120,600	-	2	
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24	55,094	-	2	
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	56,499	-	2	
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	21,961	-	1	
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	200	470,129	-	16	
<b>GRAND TOTAL OR AVERAGE:</b>																					
KANSAS-----	-	-	-	1	1	1	7	8	-	.72	.72	5.01	5.72	-	1	1	142	279,480	3	8	
LOUISIANA-----	-	-	2	5	7	7	2	9	-	1.27	1.27	.36	1.63	-	451	451	526	1,105,699	3	8	
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45	126,880	1	2	
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62	163,338	3	2	
NEW YORK-----	-	-	-	14	14	14	4	18	-	3.40	3.40	.97	4.38	-	169	169	413	822,489	2	5	
OHIO-----	-	-	-	5	5	5	2	7	-	1.46	1.46	.58	2.04	-	20	20	329	686,924	2	5	
TEXAS-----	-	-	-	3	3	3	3	6	-	1.14	1.14	1.14	2.27	-	126	126	239	527,943	2	6	
UTAH-----	-	-	-	-	-	-	1	1	-	-	-	2.01	2.01	-	-	-	56	99,483	1	3	
TOTAL OR AVERAGE----	-	-	2	28	30	30	19	49	-	1.57	1.57	1.00	2.57	-	189	189	1,812	3,812,236	17	39	
<b>SHALE:</b>																					
<b>UNDERGROUND MINES:</b>																					
<b>UNDERGROUND:</b>																					
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,200	1	-	
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,200	1	-	
<b>SURFACE AT UNDERGROUND:</b>																					
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,040	-	1	
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,040	-	1	

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
SHALE-CONTINUED:																						
TOTAL OR AVERAGE, UG:																						
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6,240	1	1		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6,240	1	1		
SURFACE MINES:																						
OPEN PITT:																						
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	37,443	4	-		
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3,607	3	-		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,782	1	-		
COLORADO-----	-	-	-	-	-	-	1	1	-	-	2.90	2.90	-	-	-	-	37	69,005	1	-		
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	28,490	3	-		
ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4,090	1	-		
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	18,049	2	-		
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,451	2	-		
MARYLAND-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	152	2	-		
MASSACHUSETTS-----	-	-	2	2	2	-	2	-	10.22	10.22	-	10.22	-	220	220	18	39,140	1	-			
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	12,645	1	-			
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8,413	1	-			
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	73	1	-			
NEW YORK-----	-	-	1	1	1	1	1	2	1.85	1.85	1.85	3.70	-	378	378	57	108,037	8	-			
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	18,681	4	-			
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	31,553	6	-			
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	6,500	2	-			
PENNSYLVANIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	4,330	5	-			
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	30,511	2	-			
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	6,007	2	-			
TEXAS-----	-	-	1	1	1	-	1	-	3.84	3.84	-	3.84	-	161	161	23	52,026	2	-			
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4,883	4	-			
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	14,647	1	-			
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6,913	1	-			
TOTAL OR AVERAGE----	-	-	-	4	4	4	2	6	-	1.54	1.54	.77	2.31	-	111	111	297	520,428	60	-		



TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION	
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL	ALL FATAL AND NFDL					
		PERMANENT		TEMPO- RARY																TOTAL NFDL
		TOTAL	PARTIAL																	
SHALE-CONTINUED:																				
TOTAL OR AVERAGE, SURFACE:																				
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	37,443	4	-	
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3,607	3	-	
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,782	1	-	
COLORADO-----	-	-	-	-	-	1	1	-	-	-	2.90	2.90	-	-	-	37	69,005	1	-	
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	28,490	3	-	
ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4,090	1	-	
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	18,049	2	-	
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,451	2	-	
MARYLAND-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	152	2	-	
MASSACHUSETTS-----	-	-	-	2	2	2	2	-	10.22	10.22	-	10.22	-	220	220	18	39,140	1	-	
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	12,645	1	-	
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8,413	1	-	
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	73	1	-	
NEW YORK-----	-	-	-	1	1	1	1	2	1.85	1.85	1.85	3.70	-	378	378	57	108,037	8	-	
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	18,681	4	-	
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	31,553	6	-	
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	6,500	2	-	
PENNSYLVANIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	4,330	5	-	
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	30,511	2	-	
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	6,007	2	-	
TEXAS-----	-	-	-	1	1	1	1	1	3.84	3.84	-	3.84	-	161	161	23	52,026	2	-	
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4,883	4	-	
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	14,647	1	-	
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6,913	1	-	
TOTAL OR AVERAGE----	-	-	-	4	4	4	2	6	1.54	1.54	.77	2.31	-	111	111	297	520,428	60	-	

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
SHALE-CONTINUED:																						
TOTAL OR AVERAGE, MINING:																						
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	37,443	4	-		
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3,607	3	-		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,782	1	-		
COLORADO-----	-	-	-	-	-	-	1	1	-	-	2.90	2.90	-	-	-	-	37	69,005	1	-		
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	28,490	3	-		
ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4,090	1	-		
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	18,049	2	-		
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,451	2	-		
MARYLAND-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	152	2	-		
MASSACHUSETTS-----	-	-	2	2	2	-	2	-	10.22	10.22	-	10.22	-	220	220	18	39,140	1	-			
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	12,645	1	-		
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8,413	1	-		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	73	1	-		
NEW YORK-----	-	-	1	1	1	1	2	-	1.85	1.85	1.85	3.70	-	378	378	57	108,037	8	-			
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	18,681	4	-		
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	31,553	6	-		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	6,500	2	-		
PENNSYLVANIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	4,330	5	-		
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	30,511	2	-		
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	6,007	2	-		
TEXAS-----	-	-	1	1	1	-	1	-	3.84	3.84	-	3.84	-	161	161	23	52,026	2	-			
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	11,123	5	1		
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	14,647	1	-		
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6,913	1	-		
TOTAL OR AVERAGE----	-	-	-	4	4	4	2	6	-	1.52	1.52	.76	2.28	-	110	110	301	526,668	61	1		
PROCESSING PLANTS:																						
ALABAMA-----	-	-	-	3	3	-	1	-	-	-	-	-	-	-	-	-	9	424	-	1		
GEORGIA-----	-	-	-	3	3	3	4	4	5.88	5.88	1.96	7.85	-	1,336	1,336	44	101,968	-	1			
INDIANA-----	-	-	-	3	3	3	7	7	9.09	9.09	12.12	21.22	-	27	27	27	65,985	-	1			
KENTUCKY-----	-	-	-	1	1	1	1	1	2.78	2.78	-	2.78	-	14	14	32	71,940	1	-			
MISSOURI-----	-	-	-	1	1	1	1	1	4.46	4.46	-	4.46	-	13	13	25	44,844	-	1			
NEW YORK-----	-	-	-	2	2	2	4	4	2.37	2.37	2.37	4.73	-	19	19	74	168,961	-	2			
NORTH CAROLINA-----	-	-	-	6	6	6	3	9	6.06	6.06	3.03	9.09	-	210	210	94	197,919	1	-			
OHIO-----	-	-	-	-	-	-	1	1	-	-	4.66	4.66	-	-	-	19	42,921	1	-			
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	21,441	1	-			
TEXAS-----	-	-	-	2	2	2	2	4	3.36	3.36	3.36	6.73	-	432	432	50	118,891	-	1			
UTAH-----	-	-	-	-	-	-	1	1	-	-	3.58	3.58	-	-	-	30	55,880	-	2			
VIRGINIA-----	-	-	-	2	2	2	-	2	6.13	6.13	-	6.13	-	98	98	28	65,203	-	1			
TOTAL OR AVERAGE----	-	-	-	20	20	20	14	34	-	4.18	4.18	2.93	7.11	-	253	253	443	956,377	4	10		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
SHALE-CONTINUED: TOTAL OR AVERAGE, ALL MINES AND PLANTS:	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	37,867	4	1		
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3,607	3	-		
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,782	1	-		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37	69,005	1	-		
COLORADO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60	130,458	3	1		
GEORGIA-----	-	-	3	3	3	1	1	4.60	4.60	2.90	2.90	-	-	1,044	1,044	2	4,090	1	-			
ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	84,034	2	1		
INDIANA-----	-	-	3	3	3	4	7	7.14	7.14	9.52	16.66	-	-	21	21	35	84,034	2	1			
KENTUCKY-----	-	-	1	1	1	-	1	2.52	2.52	-	2.52	-	-	13	13	36	79,391	3	-			
MARYLAND-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	152	2	-		
MASSACHUSETTS-----	-	-	2	2	2	-	2	10.22	10.22	-	10.22	-	-	220	220	18	39,140	1	-			
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	12,645	1	-		
MISSOURI-----	-	-	1	1	1	-	1	3.76	3.76	-	3.76	-	-	11	11	29	53,257	1	1			
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	73	1	-		
NEW YORK-----	-	-	-	-	-	3	6	2.17	2.17	2.17	4.33	-	-	159	159	131	276,998	8	2			
NORTH CAROLINA-----	-	-	6	6	6	3	9	5.54	5.54	2.77	8.31	-	-	192	192	108	216,600	5	-			
OHIO-----	-	-	-	-	-	1	1	-	-	2.69	2.69	-	-	-	-	41	74,474	7	-			
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	27,941	3	-		
PENNSYLVANIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	4,330	5	-		
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	30,511	2	-		
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	6,007	2	-		
TEXAS-----	-	-	3	3	3	2	5	3.51	3.51	2.34	5.85	-	-	350	350	73	170,917	2	1			
UTAH-----	-	-	-	-	-	1	1	-	-	2.98	2.98	-	-	-	-	40	67,003	5	3			
VIRGINIA-----	-	-	2	2	2	-	2	5.01	5.01	-	5.01	-	-	80	80	35	79,850	1	1			
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6,913	1	-		
TOTAL OR AVERAGE----	-	-	-	24	24	24	16	40	3.24	3.24	2.16	5.39	-	202	202	744	1,483,045	65	11			
OFFICE:	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	3,212	1	4		
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2,050	-	1		
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3,230	-	1		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	20,183	-	1		
COLORADO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	15,012	-	3		
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	126	-	1		
ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,664	-	1		
INDIANA-----	-	-	-	-	-	1	1	-	-	35.31	35.31	-	-	-	-	6	8,424	-	3			
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2,759	-	1		
MASSACHUSETTS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	40	-	1		
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4,160	-	1		
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23	39,183	-	6		
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	5,022	-	4		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	8,531	-	4		
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	120	-	1		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3,591	-	2		
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,611	-	2		
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	19,782	-	2		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4,309	-	1		
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	1.31	1.31	-	-	-	100	153,009	1	40		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
SHALE--CONTINUED:																						
GRAND TOTAL OR AVERAGE:																						
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35	41,079	5	5		
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	5,657	3	1		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	11,012	1	1		
COLORADO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	47	89,188	1	1		
GEORGIA-----	-	-	-	3	3	3	1	4	4.12	4.12	1.37	2.24	2.24	-	-	936	70	145,470	3	4		
ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4,216	1	1		
INDIANA-----	-	-	-	3	3	3	5	8	6.69	6.69	11.15	17.84	17.84	-	-	20	38	89,698	2	2		
KENTUCKY-----	-	-	-	1	1	1	-	1	2.28	2.28	-	2.28	2.28	-	-	11	11	87,815	3	3		
MARYLAND-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	152	2	-		
MASSACHUSETTS-----	-	-	-	2	2	2	-	2	9.55	9.55	-	9.55	9.55	-	-	205	205	41,899	1	1		
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	12,685	1	1		
MISSOURI-----	-	-	-	1	1	1	-	1	3.48	3.48	-	3.48	3.48	-	-	10	31	57,417	1	2		
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	73	1	-		
NEW YORK-----	-	-	-	3	3	3	3	6	1.90	1.90	1.90	3.80	3.80	-	-	139	139	316,181	8	8		
NORTH CAROLINA-----	-	-	-	6	6	6	3	9	5.41	5.41	2.71	8.12	8.12	-	-	188	188	221,622	5	4		
OHIO-----	-	-	-	-	-	-	-	1	-	-	-	2.41	2.41	-	-	-	48	83,005	7	4		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	28,061	3	1		
PENNSYLVANIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	4,330	5	-		
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	34,102	2	2		
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	6,007	2	-		
TEXAS-----	-	-	-	3	3	3	2	5	3.36	3.36	2.24	5.60	5.60	-	-	335	335	178,528	2	3		
UTAH-----	-	-	-	-	-	-	1	1	-	-	2.30	2.30	2.30	-	-	-	52	86,785	5	5		
VIRGINIA-----	-	-	-	2	2	2	-	2	4.75	4.75	-	4.75	4.75	-	-	76	76	84,159	1	2		
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6,913	1	-		
TOTAL OR AVERAGE----	-	-	-	24	24	24	17	41	2.93	2.93	2.08	5.01	5.01	-	-	183	183	844	1,636,054	66	51	
SODIUM COMPOUNDS:																						
UNDERGROUND MINES:																						
UNDERGROUND:																						
WYOMING-----	-	-	1	31	32	32	7	39	4.02	4.02	.88	4.90	4.90	-	-	189	189	787	1,593,173	5	-	
TOTAL OR AVERAGE----	-	-	1	31	32	32	7	39	4.02	4.02	.88	4.90	4.90	-	-	189	189	787	1,593,173	5	-	
SURFACE AT UNDERGROUND:																						
WYOMING-----	-	-	-	9	9	9	5	14	51.76	51.76	28.75	80.51	80.51	-	-	1,892	1,892	18	34,779	-	5	
TOTAL OR AVERAGE----	-	-	-	9	9	9	5	14	51.76	51.76	28.75	80.51	80.51	-	-	1,892	1,892	18	34,779	-	5	
TOTAL OR AVERAGE, UG:																						
WYOMING-----	-	-	1	40	41	41	12	53	5.04	5.04	1.47	6.51	6.51	-	-	225	225	805	1,627,952	5	5	
TOTAL OR AVERAGE----	-	-	1	40	41	41	12	53	5.04	5.04	1.47	6.51	6.51	-	-	225	225	805	1,627,952	5	5	

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION						
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL					
		PERMANENT		TEMPO- RARY	TOTAL NFDL																FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES
		TOTAL	PARTIAL																						
SODIUM COMPOUNDS--CONTINUED:																									
SURFACE MINES:																									
OPEN PIT:																									
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,133	1	-					
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,133	1	-					
TOTAL OR AVERAGE, SURFACE:																									
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,133	1	-					
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,133	1	-					
TOTAL OR AVERAGE, MINING:																									
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,133	1	-					
WYOMING-----	-	-	1	40	41	41	12	53	-	5.04	5.04	1.47	6.51	-	225	225	805	1,627,952	5	5					
TOTAL OR AVERAGE----	-	-	1	40	41	41	12	53	-	5.02	5.02	1.47	6.48	-	224	224	809	1,635,085	6	5					
PROCESSING PLANTS:																									
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1,180	1	-					
WYOMING-----	-	-	1	22	23	23	10	33	-	1.88	1.88	.82	2.69	-	83	83	1,221	2,450,719	1	4					
TOTAL OR AVERAGE----	-	-	1	22	23	23	10	33	-	1.88	1.88	.82	2.69	-	83	83	1,223	2,451,899	2	4					
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																									
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,133	1	-					
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1,180	1	-					
WYOMING-----	-	-	2	62	64	64	22	86	-	3.14	3.14	1.08	4.22	-	140	140	2,026	4,078,671	6	9					
TOTAL OR AVERAGE----	-	-	2	62	64	64	22	86	-	3.13	3.13	1.08	4.21	-	140	140	2,032	4,086,984	8	9					
OFFICE:																									
WYOMING-----	-	-	-	5	5	5	1	6	-	2.19	2.19	.44	2.63	-	247	247	249	456,326	-	6					
TOTAL OR AVERAGE----	-	-	-	5	5	5	1	6	-	2.19	2.19	.44	2.63	-	247	247	249	456,326	-	6					
GRAND TOTAL OR AVERAGE:																									
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,133	1	-					
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1,180	1	-					
WYOMING-----	-	-	2	67	69	69	23	92	-	3.04	3.04	1.01	4.06	-	151	151	2,275	4,534,997	6	15					
TOTAL OR AVERAGE----	-	-	2	67	69	69	23	92	-	3.04	3.04	1.01	4.05	-	151	151	2,281	4,543,310	8	15					

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
TALC-SOAPSTONE:																						
UNDERGROUND MINES:																						
UNDERGROUND:																						
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4,396	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4,396	1	-		
TOTAL OR AVERAGE, UG:																						
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4,396	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4,396	1	-		
SURFACE MINES:																						
OPEN PIT:																						
MONTANA-----	-	-	-	2	2	2	3	5	-	4.30	4.30	6.44	10.74	-	361	361	58	93,097	3	-		
NEW YORK-----	-	-	-	1	1	1	-	1	-	5.19	5.19	-	5.19	-	10	10	22	38,499	2	-		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	20,339	2	-		
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	40,053	3	-		
VERMONT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	16,837	1	-		
TOTAL OR AVERAGE----	-	-	-	3	3	3	3	6	-	2.87	2.87	2.87	5.75	-	163	163	120	208,825	11	-		
TOTAL OR AVERAGE, SURFACE:																						
MONTANA-----	-	-	-	2	2	2	3	5	-	4.30	4.30	6.44	10.74	-	361	361	58	93,097	3	-		
NEW YORK-----	-	-	-	1	1	1	-	1	-	5.19	5.19	-	5.19	-	10	10	22	38,499	2	-		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	20,339	2	-		
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	40,053	3	-		
VERMONT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	16,837	1	-		
TOTAL OR AVERAGE----	-	-	-	3	3	3	3	6	-	2.87	2.87	2.87	5.75	-	163	163	120	208,825	11	-		
TOTAL OR AVERAGE, MINING:																						
MONTANA-----	-	-	-	2	2	2	3	5	-	4.30	4.30	6.44	10.74	-	361	361	58	93,097	3	-		
NEW YORK-----	-	-	-	1	1	1	-	1	-	4.66	4.66	-	4.66	-	9	9	24	42,895	3	-		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	20,339	2	-		
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	40,053	3	-		
VERMONT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	16,837	1	-		
TOTAL OR AVERAGE----	-	-	-	3	3	3	3	6	-	2.81	2.81	2.81	5.63	-	159	159	122	213,221	12	-		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
<b>TALC-SOAPSTONE-CONTINUED:</b>																						
<b>PROCESSING PLANTS:</b>																						
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	22,937	1	-		
MONTANA-----	-	-	-	3	3	3	3	6	2.28	2.28	2.28	4.56	-	428	428	138	263,167	3	-			
NEW YORK-----	-	-	-	3	3	3	3	3	6.32	6.32	-	6.32	-	1,165	1,165	56	94,936	1	1			
NORTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	3.03	3.03	-	-	-	33	65,959	-	2			
TEXAS-----	-	-	-	4	4	4	4	4	5.99	5.99	-	5.99	-	123	123	69	133,451	3	-			
VERMONT-----	-	-	-	-	-	-	1	1	-	-	5.59	5.59	-	-	-	19	35,761	-	1			
WEST VIRGINIA-----	-	-	-	1	1	1	-	1	4.03	4.03	-	4.03	-	85	85	21	49,627	1	-			
TOTAL OR AVERAGE----	-	-	-	11	11	11	5	16	3.30	3.30	1.50	4.81	-	366	366	347	665,838	9	4			
<b>TOTAL OR AVERAGE, ALL MINES AND PLANTS:</b>																						
CALIFORNIA-----	-	-	-	5	5	5	-	5	-	-	-	-	-	-	-	-	11	22,937	1	-		
MONTANA-----	-	-	-	5	5	5	6	11	2.81	2.81	3.37	6.18	-	410	410	196	356,264	6	-			
NEW YORK-----	-	-	-	4	4	4	-	4	5.80	5.80	-	5.80	-	805	805	80	137,831	4	1			
NORTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	2.32	2.32	-	-	-	43	86,298	2	2			
TEXAS-----	-	-	-	4	4	4	4	4	4.61	4.61	-	4.61	-	95	95	91	173,504	6	-			
VERMONT-----	-	-	-	-	-	-	1	1	-	-	3.80	3.80	-	-	-	27	52,598	1	1			
WEST VIRGINIA-----	-	-	-	1	1	1	-	1	4.03	4.03	-	4.03	-	85	85	21	49,627	1	-			
TOTAL OR AVERAGE----	-	-	-	14	14	14	8	22	3.19	3.19	1.82	5.01	-	316	316	469	879,059	21	4			
<b>OFFICE:</b>																						
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6,974	-	1		
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84	133,036	-	6		
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33	61,001	-	4		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	18,193	-	2		
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	40,470	-	5		
VERMONT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	26,067	-	1		
WEST VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	24,391	-	1		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	174	310,132	-	20		
<b>GRAND TOTAL OR AVERAGE:</b>																						
CALIFORNIA-----	-	-	-	5	5	5	-	5	-	-	-	4.50	-	-	-	14	29,911	1	1			
MONTANA-----	-	-	-	5	5	5	6	11	2.04	2.04	2.45	4.50	-	299	299	280	489,300	6	6			
NEW YORK-----	-	-	-	4	4	4	-	4	4.02	4.02	-	4.02	-	558	558	113	198,832	4	5			
NORTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	1.91	1.91	-	-	-	52	104,491	2	4			
TEXAS-----	-	-	-	4	4	4	4	4	3.74	3.74	-	3.74	-	77	77	113	213,974	6	5			
VERMONT-----	-	-	-	-	-	-	1	1	-	-	2.54	2.54	-	-	-	38	78,665	1	2			
WEST VIRGINIA-----	-	-	-	1	1	1	-	1	2.70	2.70	-	2.70	-	57	57	33	74,018	1	1			
TOTAL OR AVERAGE----	-	-	-	14	14	14	8	22	2.35	2.35	1.35	3.70	-	234	234	643	1,189,191	21	24			

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
VERMICULITE:																						
SURFACE MINES:																						
OPEN PIT:																						
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	28,174	1	-		
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	11.44	11.44	-	-	-	8	17,489	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	4.38	4.38	-	-	-	20	45,663	2	-		
TOTAL OR AVERAGE, SURFACE:																						
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	28,174	1	-		
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	11.44	11.44	-	-	-	8	17,489	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	4.38	4.38	-	-	-	20	45,663	2	-		
TOTAL OR AVERAGE, MINING:																						
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	28,174	1	-		
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	11.44	11.44	-	-	-	8	17,489	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	4.38	4.38	-	-	-	20	45,663	2	-		
PROCESSING PLANTS:																						
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41	87,147	1	1		
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	6.28	6.28	-	-	-	13	31,850	-	1		
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	1.68	1.68	-	-	-	54	118,997	1	2		
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																						
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53	115,321	2	1		
VIRGINIA-----	-	-	-	-	-	-	2	2	-	-	-	8.11	8.11	-	-	-	21	49,339	1	1		
TOTAL OR AVERAGE----	-	-	-	-	-	-	2	2	-	-	-	2.43	2.43	-	-	-	74	164,660	3	2		
OFFICE:																						
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	18,444	-	2		
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	10,746	-	1		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	29,190	-	3		
GRAND TOTAL OR AVERAGE:																						
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61	133,765	2	3		
VIRGINIA-----	-	-	-	-	-	-	2	2	-	-	-	6.66	6.66	-	-	-	25	60,085	1	2		
TOTAL OR AVERAGE----	-	-	-	-	-	-	2	2	-	-	-	2.06	2.06	-	-	-	86	193,850	3	5		



TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
WOLLASTONITE-STAUROLITE: UNDERGROUND MINES: UNDERGROUND: CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4,414	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4,414	1	-		
TOTAL OR AVERAGE, UG: CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4,414	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4,414	1	-		
SURFACE MINES: OPEN PIT:																						
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8,612	1	-		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	10,087	5	-		
COLORADO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,640	1	-		
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4,457	2	-		
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	60	1	-		
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	32,338	3	-		
LOUISIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3,040	1	-		
MISSISSIPPI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	26,108	2	-		
MISSOURI-----	-	-	-	-	-	-	1	1	-	-	13.33	13.33	-	-	-	-	13	15,005	3	-		
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	16,395	1	-		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	49	1	-		
OHIO-----	-	-	-	-	-	-	1	1	-	-	2.14	2.14	-	-	-	-	45	93,432	4	-		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	9,915	2	-		
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	13,354	3	-		
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	30,594	3	-		
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	8,427	3	-		
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	8,176	3	-		
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	19,076	2	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	2	2	-	-	1.33	1.33	-	-	-	-	189	301,765	40	-		
DREDGE: FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	28,500	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	28,500	1	-		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
WOLASTNTE-STAUJIT-CONTINUED:																						
TOTAL OR AVERAGE, SURFACE:																						
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8,612	1			
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	10,087	5			
COLORADO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,640	1			
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	28,500	1			
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4,457	2			
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	60	1			
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	32,338	3			
LOUISIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3,040	1			
MISSISSIPPI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	26,108	2			
MISSOURI-----	-	-	-	-	-	-	1	1	-	-	13.33	13.33	-	-	-	-	13	15,005	3			
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	16,395	1			
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	49	1			
OHIO-----	-	-	-	-	-	-	1	1	-	-	2.14	2.14	-	-	-	-	45	93,432	4			
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	9,915	2			
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	13,354	3			
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	30,594	3			
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	8,427	3			
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	8,176	2			
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	19,076	2			
TOTAL OR AVERAGE----	-	-	-	-	-	-	2	2	-	-	-	1.21	1.21	-	-	-	202	330,265	41			
TOTAL OR AVERAGE, MINING:																						
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8,612	1			
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	14,501	6			
COLORADO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,640	1			
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	28,500	1			
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4,457	2			
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	60	1			
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	32,338	3			
LOUISIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3,040	1			
MISSISSIPPI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	26,108	2			
MISSOURI-----	-	-	-	-	-	-	1	1	-	-	13.33	13.33	-	-	-	-	13	15,005	3			
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	16,395	1			
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	49	1			
OHIO-----	-	-	-	-	-	-	1	1	-	-	2.14	2.14	-	-	-	-	45	93,432	4			
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	9,915	2			
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	13,354	3			
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	30,594	3			
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	8,427	3			
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	8,176	2			
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	19,076	2			
TOTAL OR AVERAGE----	-	-	-	-	-	-	2	2	-	-	-	1.20	1.20	-	-	-	205	334,679	42			

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL																				
WOLASTNTE-STAUJIT--CONTINUED:																						
PROCESSING PLANTS:																						
CALIFORNIA-----	-	-	-	1	1	1	1	2	-	3.17	3.17	3.17	6.35	-	758	758	31	63,026	-	2		
FLORIDA-----	-	-	-	3	3	3	2	5	-	8.63	8.63	5.75	14.38	-	331	331	32	69,563	1	1		
GEORGIA-----	-	-	-	8	8	8	4	12	-	1.59	1.59	.80	2.39	-	131	131	438	1,004,851	4	2		
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	33,372	1	1		
MISSISSIPPI-----	-	-	-	-	-	-	2	2	-	-	1.57	1.57	-	-	-	110	254,090	1	1			
MISSOURI-----	-	-	-	4	4	4	-	4	-	9.41	9.41	-	9.41	-	179	179	32	85,032	1	-		
NEVADA-----	-	-	-	1	1	1	1	2	-	3.33	3.33	3.33	6.66	-	3	3	27	60,096	1	1		
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4,309	-	1		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	300	1	1		
SOUTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	2.22	2.22	-	-	-	38	90,184	-	2		
SOUTH DAKOTA-----	-	-	1	-	1	1	-	1	-	1.94	1.94	-	1.94	-	194	194	50	102,937	1	-		
TEXAS-----	-	-	-	3	3	3	4	7	-	1.48	1.48	1.97	3.45	-	-	-	3	5,009	1	-		
VIRGINIA-----	-	-	-	3	3	3	18	31	-	4.23	4.23	5.86	10.08	-	22	22	154	405,905	1	1		
WYOMING-----	-	-	-	13	13	13	-	-	-	-	-	-	-	-	153	153	308	614,836	4	-		
TOTAL OR AVERAGE----	-	-	1	33	34	34	33	67	-	2.43	2.43	2.36	4.80	-	122	122	1,246	2,793,510	17	12		
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																						
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8,612	1	-		
CALIFORNIA-----	-	-	-	1	1	1	1	2	-	2.58	2.58	2.58	5.16	-	617	617	43	77,527	6	2		
COLORADO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,640	1	-		
FLORIDA-----	-	-	-	3	3	3	2	5	-	6.12	6.12	4.08	10.20	-	235	235	45	98,063	2	1		
GEORGIA-----	-	-	-	8	8	8	4	12	-	1.59	1.59	.79	2.38	-	131	131	441	1,009,308	6	2		
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	60	1	-		
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37	65,710	4	1		
LOUISIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3,040	1	-		
MISSISSIPPI-----	-	-	-	-	-	-	2	2	-	-	1.43	1.43	-	-	-	124	280,198	3	1			
MISSOURI-----	-	-	-	4	4	4	1	5	-	8.00	8.00	2.00	10.00	-	152	152	45	100,037	4	4		
NEVADA-----	-	-	-	1	1	1	1	2	-	2.61	2.61	2.61	5.23	-	3	3	34	76,491	2	1		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	49	1	-		
OHIO-----	-	-	-	-	-	-	1	1	-	-	-	2.05	2.05	-	-	-	47	97,741	4	1		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	10,215	3	-		
SOUTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	1.93	1.93	-	-	-	47	103,538	3	2		
SOUTH DAKOTA-----	-	-	1	-	1	1	-	1	-	1.94	1.94	-	1.94	-	194	194	50	102,937	1	-		
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	30,594	3	-		
TEXAS-----	-	-	-	3	3	3	4	7	-	1.45	1.45	1.93	3.38	-	-	-	10	13,436	4	-		
VIRGINIA-----	-	-	-	3	3	3	18	31	-	4.10	4.10	5.68	9.78	-	21	21	164	414,081	3	1		
WYOMING-----	-	-	-	13	13	13	-	-	-	-	-	-	-	-	148	148	319	633,912	6	-		
TOTAL OR AVERAGE----	-	-	1	33	34	34	35	69	-	2.17	2.17	2.24	4.41	-	109	109	1,451	3,128,189	59	12		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
WOLASTNTE-STAUJIT-CONTINUED:																						
OFFICE:																						
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,599	-	1		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	18,287	-	3		
FLORIDA-----	-	-	-	-	-	-	1	1	-	-	8.11	8.11	-	-	-	13	24,660	-	2			
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90	186,547	-	6			
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	8	-	1			
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	61,536	1	4			
LOUISIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	25	-	1			
MISSISSIPPI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18	36,970	-	2			
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	15,448	-	2			
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4,013	-	2			
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4,228	-	1			
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	14	-	2			
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	18,487	-	3			
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,440	-	1			
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3,583	-	2			
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31	58,325	-	3			
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24	43,002	-	5			
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	.41	.41	-	-	-	259	485,172	1	41		
GRAND TOTAL OR AVERAGE:																						
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	11,211	1	1			
CALIFORNIA-----	-	-	-	1	1	1	1	2	-	2.09	2.09	2.09	4.17	-	499	499	54	95,814	6	5		
COLORADO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,640	1	-			
FLORIDA-----	-	-	-	3	3	3	3	6	-	4.89	4.89	4.89	9.78	-	187	187	58	122,723	2	3		
GEORGIA-----	-	-	-	8	8	8	4	12	-	1.34	1.34	.67	2.01	-	110	110	531	1,195,855	6	8		
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	68	1	1			
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69	127,246	5	5			
LOUISIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3,065	1	1			
MISSISSIPPI-----	-	-	-	-	-	-	2	2	-	-	-	1.26	1.26	-	-	142	317,168	3	3			
MISSOURI-----	-	-	-	4	4	4	1	5	-	6.93	6.93	1.73	8.66	-	132	132	55	115,485	4	2		
NEVADA-----	-	-	-	1	1	1	1	2	-	2.48	2.48	2.48	4.97	-	2	38	80,504	2	3			
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	1.96	1.96	-	-	1	49	1	-			
OHIO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	50	101,969	4	2			
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	10,229	3	2			
SOUTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	1.64	1.64	-	-	56	122,025	3	5			
SOUTH DAKOTA-----	-	-	1	-	1	1	1	1	-	1.81	1.81	-	1.81	-	181	181	54	110,377	1	1		
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	30,594	3	-			
TEXAS-----	-	-	-	3	3	3	4	7	-	1.27	1.27	1.69	2.96	-	-	14	17,019	4	2			
VIRGINIA-----	-	-	-	13	13	13	18	31	-	3.84	3.84	5.32	9.16	-	19	19	195	472,406	3	4		
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	139	676,914	6	5			
TOTAL OR AVERAGE----	-	-	1	33	34	34	36	70	-	1.88	1.88	1.99	3.87	-	94	94	1,710	3,613,361	60	53		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
OTHER NONMETAL, NEC:																						
UNDERGROUND MINES:																						
UNDERGROUND:																						
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	668	1	-		
WISCONSIN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	37,600	2	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	38,268	3	-		
SURFACE AT UNDERGROUND:																						
WISCONSIN-----	-	-	-	1	1	1	-	1	-	99.99	99.99	-	99.99	-	14,959	14,959	4	1,845	-	1		
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	99.99	99.99	-	99.99	-	14,959	14,959	4	1,845	-	1		
TOTAL OR AVERAGE, UG:																						
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	668	1	-		
WISCONSIN-----	-	-	-	1	1	1	-	1	-	5.07	5.07	-	5.07	-	700	700	21	39,445	2	1		
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	4.99	4.99	-	4.99	-	688	688	24	40,113	3	1		
SURFACE MINES:																						
OPEN PIT:																						
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1,900	1	-		
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	14,203	3	-		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59	96,533	4	-		
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68	139,281	8	-		
ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	11,607	1	-		
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,246	1	-		
MINNESOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,912	1	-		
NEVADA-----	-	-	-	-	-	-	1	1	-	-	-	4.65	4.65	-	-	-	24	43,009	6	-		
NEW MEXICO-----	-	-	-	1	1	1	-	1	-	11.54	11.54	-	11.54	-	35	35	11	17,332	4	-		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,927	1	-		
OREGON-----	-	-	-	1	1	1	-	1	-	10.93	10.93	-	10.93	-	1,246	1,246	13	18,303	2	-		
SOUTH DAKOTA-----	-	-	-	-	-	-	2	2	-	-	-	10.39	10.39	-	-	-	19	38,507	1	-		
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	19,145	2	-		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,757	1	-		
WASHINGTON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	39,979	2	-		
TOTAL OR AVERAGE----	-	-	-	2	2	2	5	7	-	.88	.88	2.20	3.08	-	51	51	258	454,641	38	-		
DREDGE:																						
MISSISSIPPI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	168	1	-		
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	168	1	-		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
OTHER NONMTLS NEC-CONTINUED:																						
TOTAL OR AVERAGE, SURFACE:																						
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1,900	1	-		
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	14,203	3	-		
CALIFORNIA-----	-	-	-	-	-	-	2	2	-	-	4.14	4.14	-	-	-	-	59	96,533	4	-		
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68	139,281	8	-		
ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	11,607	1	-		
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,246	1	-		
MINNESOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,912	1	-		
MISSISSIPPI-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	168	1	-		
NEVADA-----	-	-	-	-	-	1	1	1	-	4.65	4.65	-	-	-	-	-	24	43,009	6	-		
NEW MEXICO-----	-	-	1	1	1	-	1	-	11.54	11.54	-	11.54	-	-	35	35	11	17,332	4	-		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,927	1	-		
OREGON-----	-	-	1	1	1	-	1	-	10.93	10.93	-	10.93	-	-	1,246	1,246	13	18,303	2	-		
SOUTH DAKOTA-----	-	-	-	-	-	-	2	2	-	-	10.39	10.39	-	-	-	-	19	38,507	1	-		
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	19,145	2	-		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,757	1	-		
WASHINGTON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	39,979	2	-		
TOTAL OR AVERAGE----	-	-	-	2	2	2	5	7	-	.88	.88	2.20	3.08	-	51	51	260	454,809	39	-		
TOTAL OR AVERAGE, MINING:																						
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1,900	1	-		
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	14,203	3	-		
CALIFORNIA-----	-	-	-	-	-	-	2	2	-	-	4.12	4.12	-	-	-	-	62	97,201	5	-		
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68	139,281	8	-		
ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	11,607	1	-		
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,246	1	-		
MINNESOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,912	1	-		
MISSISSIPPI-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	168	1	-		
NEVADA-----	-	-	-	-	-	1	1	1	-	4.65	4.65	-	-	-	-	-	24	43,009	6	-		
NEW MEXICO-----	-	-	1	1	1	-	1	-	11.54	11.54	-	11.54	-	-	35	35	11	17,332	4	-		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,927	1	-		
OREGON-----	-	-	1	1	1	-	1	-	10.93	10.93	-	10.93	-	-	1,246	1,246	13	18,303	2	-		
SOUTH DAKOTA-----	-	-	-	-	-	-	2	2	-	-	10.39	10.39	-	-	-	-	19	38,507	1	-		
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	19,145	2	-		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,757	1	-		
WASHINGTON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	39,979	2	-		
WISCONSIN-----	-	-	-	1	1	1	-	1	-	5.07	5.07	-	5.07	-	-	700	700	21	39,445	2	1	
TOTAL OR AVERAGE----	-	-	-	3	3	3	5	8	-	1.21	1.21	2.02	3.23	-	103	103	284	494,922	42	1		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
OTHER NONMTLS NEC-CONTINUED:																						
PROCESSING PLANTS:																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5,016	-	1		
CALIFORNIA-----	-	-	16	16	16	4	20	5.74	5.74	1.43	7.17	-	-	107	107	265	557,919	1	2			
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	44,732	-	1		
IDAHO-----	-	-	-	-	-	1	1	-	-	6.41	6.41	-	-	-	-	-	16	31,201	2	-		
ILLINOIS-----	-	-	1	1	1	1	2	2.39	2.39	2.39	4.78	-	-	91	91	38	83,735	2	-			
LOUISIANA-----	-	-	3	3	3	-	3	5.37	5.37	-	5.37	-	-	34	34	61	111,811	2	-			
MINNESOTA-----	-	-	2	2	2	1	3	7.39	7.39	3.70	11.09	-	-	492	492	24	54,114	1	-			
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	13,644	1	-			
NEVADA-----	-	-	8	8	8	5	13	3.75	3.75	2.34	6.10	-	-	40	40	201	426,508	2	5			
NEW JERSEY-----	-	-	4	4	4	-	4	9.95	9.95	-	9.95	-	-	482	482	44	80,426	1	-			
NEW MEXICO-----	-	-	2	2	2	1	3	5.68	5.68	2.84	8.53	-	-	37	37	41	70,376	1	3			
NEW YORK-----	-	-	-	-	-	3	3	-	-	5.21	5.21	-	-	-	-	61	115,054	1	-			
NORTH CAROLINA-----	-	-	1	1	1	-	1	3.04	3.04	-	3.04	-	-	15	15	41	65,727	3	-			
OREGON-----	-	-	-	-	-	1	1	-	-	1.56	1.56	-	-	-	-	66	127,828	2	1			
PENNSYLVANIA-----	-	-	2	2	2	1	3	3.95	3.95	1.98	5.93	-	-	81	81	52	101,147	1	-			
WASHINGTON-----	-	-	1	1	1	2	3	1.49	1.49	2.97	4.46	-	-	172	172	65	134,568	2	1			
WISCONSIN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	22,516	-	1			
TOTAL OR AVERAGE----	-	-	40	40	40	20	60	3.91	3.91	1.95	5.86	-	-	92	92	1,024	2,046,322	22	15			
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																						
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1,900	1	-			
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	19,219	3	-			
CALIFORNIA-----	-	-	16	16	16	6	22	4.88	4.88	1.83	6.72	-	-	91	91	327	655,120	6	2			
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94	184,013	8	1			
IDAHO-----	-	-	-	-	-	1	1	-	-	6.41	6.41	-	-	-	-	16	31,201	2	-			
ILLINOIS-----	-	-	1	1	1	1	2	2.10	2.10	2.10	4.20	-	-	80	80	43	95,342	3	-			
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,246	1	-			
LOUISIANA-----	-	-	3	3	3	-	3	5.37	5.37	-	5.37	-	-	34	34	61	111,811	2	-			
MINNESOTA-----	-	-	2	2	2	1	3	7.14	7.14	3.57	10.71	-	-	475	475	25	56,026	2	-			
MISSISSIPPI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	168	1	-			
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	13,644	1	-			
NEVADA-----	-	-	8	8	8	6	14	3.41	3.41	2.56	5.96	-	-	37	37	225	469,517	8	5			
NEW JERSEY-----	-	-	4	4	4	-	4	9.95	9.95	-	9.95	-	-	482	482	44	80,426	1	-			
NEW MEXICO-----	-	-	3	3	3	1	4	6.84	6.84	2.28	9.12	-	-	36	36	52	87,708	5	3			
NEW YORK-----	-	-	-	-	-	3	3	-	-	5.21	5.21	-	-	-	-	61	115,054	1	-			
NORTH CAROLINA-----	-	-	1	1	1	-	1	3.04	3.04	-	3.04	-	-	15	15	41	65,727	3	-			
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,927	1	-			
OREGON-----	-	-	1	1	1	1	2	1.37	1.37	1.37	2.74	-	-	156	156	79	146,131	4	1			
PENNSYLVANIA-----	-	-	2	2	2	1	3	3.95	3.95	1.98	5.93	-	-	81	81	52	101,147	1	-			
SOUTH DAKOTA-----	-	-	-	-	-	2	2	-	-	10.39	10.39	-	-	-	-	19	38,507	1	-			
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	19,145	2	-			
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,757	1	-			
WASHINGTON-----	-	-	1	1	1	2	3	1.15	1.15	2.29	3.44	-	-	133	133	87	174,547	4	1			
WISCONSIN-----	-	-	1	1	1	-	1	3.23	3.23	-	3.23	-	-	445	445	30	61,961	2	2			
TOTAL OR AVERAGE----	-	-	43	43	43	25	68	3.38	3.38	1.97	5.35	-	-	94	94	1,308	2,541,244	64	16			

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION	
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL															
		TOTAL	PARTIAL																	
OTHER NONMTLS NEC-CONTINUED: OFFICE:																				
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	480	-	1
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	6,218	-	3
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	118	190,431	-	4
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	46,978	-	6
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	13,585	-	2
ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19	39,011	-	2
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,943	-	1
LOUISIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	16,255	-	2
MINNESOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8,270	-	2
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,321	-	1
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	36,501	-	5
NEW JERSEY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8,840	-	1
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	15,404	1	3
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	39,424	-	1
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4,231	-	3
OREGON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	20,773	-	4
PENNSYLVANIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4,766	-	1
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4,013	-	1
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	952	-	2
WASHINGTON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	37,443	-	4
WISCONSIN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6,465	-	1
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	298	509,304	1	50



TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
OTHER NONMTLS NEC-CONTINUED: GRAND TOTAL OR AVERAGE:	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2,380	1	1		
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	25,437	3	4		
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	445	845,551	6	6		
CALIFORNIA-----	-	-	16	16	16	6	22	3.78	3.78	1.42	5.20	-	-	70	70	445	230,991	8	7			
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23	44,786	2	2		
IDAHO-----	-	-	1	1	1	1	1	1.49	1.49	1.49	4.47	4.47	-	57	57	62	134,353	3	2			
ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7,189	1	1		
INDIANA-----	-	-	3	3	3	-	3	4.69	4.69	-	4.69	-	-	30	30	70	128,066	2	2			
LOUISIANA-----	-	-	2	2	2	1	3	6.22	6.22	3.11	9.33	-	-	414	414	30	64,296	2	2			
MISSISSIPPI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	168	1	-			
MISSOURI-----	-	-	8	8	8	6	14	3.16	3.16	2.37	5.53	-	-	34	34	14	20,965	1	1			
NEVADA-----	-	-	4	4	4	-	4	8.96	8.96	-	8.96	-	-	435	435	246	506,018	8	10			
NEW JERSEY-----	-	-	3	3	3	1	4	5.82	5.82	1.94	7.76	-	-	31	31	48	89,266	1	1			
NEW MEXICO-----	-	-	-	-	-	3	3	-	-	3.88	3.88	-	-	-	-	62	103,112	6	6			
NEW YORK-----	-	-	1	1	1	-	1	2.86	2.86	-	2.86	-	-	14	14	82	154,478	1	1			
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45	69,958	3	3			
OKLAHOMA-----	-	-	1	1	1	1	2	1.20	1.20	1.20	2.40	-	-	137	137	1	1,927	1	1			
OREGON-----	-	-	2	2	2	1	3	3.78	3.78	1.89	5.67	-	-	77	77	90	166,904	4	5			
PENNSYLVANIA-----	-	-	-	-	-	2	2	-	-	9.41	9.41	-	-	-	-	55	105,913	1	1			
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	42,520	1	1			
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	20,097	2	2			
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5,757	1	-			
WASHINGTON-----	-	-	1	1	1	2	3	.94	.94	1.89	2.83	-	-	109	109	107	211,990	4	5			
WISCONSIN-----	-	-	1	1	1	-	1	2.92	2.92	-	2.92	-	-	403	403	33	68,426	2	3			
TOTAL OR AVERAGE----	-	-	-	43	43	43	25	68	2.82	2.82	1.64	4.46	-	79	79	1,606	3,050,548	65	66			
ALL NONMETALLIC MINERALS: UNDERGROUND MINES: UNDERGROUND:	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,560	1	-		
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	10,362	3	-		
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49	118,897	2	-		
INDIANA-----	-	-	-	-	-	1	1	-	-	-	1.70	1.70	-	-	-	-	53	117,767	1	-		
IOWA-----	-	-	-	-	-	6	7	-	-	-	1.70	7.84	-	-	-	-	86	178,680	5	-		
KANSAS-----	-	-	1	1	1	1	7	1.12	1.12	6.72	7.84	-	-	22	22	287	587,690	3	-			
LOUISIANA-----	-	-	4	4	4	2	6	1.36	1.36	.68	2.04	-	-	143	143	19	60,068	1	-			
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	474	964,929	3	-			
NEW MEXICO-----	-	-	17	17	17	4	21	3.52	3.52	.83	4.35	-	-	255	255	274	485,010	3	-			
NEW YORK-----	-	-	11	11	11	3	14	4.54	4.54	1.24	5.77	-	-	274	274	257	485,010	3	-			
OHIO-----	-	-	4	4	4	1	5	1.93	1.93	.48	2.41	-	-	31	31	199	414,859	2	-			
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34	76,149	3	-			
UTAH-----	-	-	3	3	3	-	3	5.17	5.17	-	5.17	-	-	276	276	64	116,130	7	-			
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1,126	1	-			
WISCONSIN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	37,600	2	-			
WYOMING-----	-	-	1	32	33	8	41	3.98	3.98	.96	4.94	-	-	186	186	821	1,658,360	7	-			
TOTAL OR AVERAGE----	-	-	1	72	73	73	25	98	3.02	3.02	1.04	4.06	-	170	170	2,374	4,830,187	44	-			



TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
ALL NONMETALLIC-CONTINUED: SURFACE MINES: OPEN PITT:	-	-	-	1	1	1	-	1	-	1.71	1.71	-	1.71	-	48	48	64	117,035	14	-		
ALABAMA-----	-	-	-	1	1	1	3	4	-	.65	.65	1.95	2.60	-	1	1	174	307,856	29	-		
ARIZONA-----	-	-	-	1	1	1	1	1	-	-	-	1.02	1.02	-	-	-	119	196,825	24	-		
ARKANSAS-----	-	-	-	-	-	-	5	5	-	-	-	1.14	1.14	-	-	-	435	878,667	31	-		
CALIFORNIA-----	-	-	-	-	-	-	2	2	-	-	-	3.55	3.55	-	-	-	63	112,547	7	-		
COLORADO-----	-	-	-	1	1	1	1	1	-	83.23	83.23	-	83.23	-	416	416	3	2,403	1	-		
CONNECTICUT-----	-	-	-	15	15	15	8	23	-	1.30	1.30	.69	1.99	-	76	76	1,135	2,305,923	21	-		
FLORIDA-----	-	-	-	4	4	4	1	5	-	1.62	1.62	.41	2.03	-	28	28	241	492,514	31	-		
GEORGIA-----	-	-	-	8	8	8	3	11	-	2.21	2.21	.83	3.04	-	37	37	330	723,436	7	-		
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31	44,313	6	-		
ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	40,195	6	-		
INDIANA-----	-	-	-	-	-	-	1	1	-	-	-	1.70	1.70	-	-	-	64	117,663	6	-		
IOWA-----	-	-	-	1	1	1	1	1	-	6.43	6.43	-	6.43	-	103	103	20	31,098	7	-		
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46	77,642	9	-		
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	18,161	6	-		
LOUISIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	152	2	-		
MARYLAND-----	-	-	-	2	2	2	-	2	-	9.36	9.36	-	9.36	-	201	201	20	42,754	2	-		
MASSACHUSETTS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44	95,017	4	-		
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5,328	3	-		
MINNESOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39	57,628	9	-		
MISSISSIPPI-----	-	-	-	-	-	-	1	1	-	-	-	2.61	2.61	-	-	-	46	76,620	10	-		
MISSOURI-----	-	-	-	2	2	2	3	5	-	4.18	4.18	6.28	10.46	-	351	351	62	95,609	5	-		
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2,103	1	-		
NEBRASKA-----	-	-	-	2	3	3	1	4	-	1.56	1.56	.52	2.08	-	110	110	188	384,554	19	-		
NEVADA-----	-	-	1	2	2	2	2	2	-	4.19	4.19	4.19	4.19	-	10	10	67	95,458	22	-		
NEW MEXICO-----	-	-	-	2	2	2	1	3	-	2.73	2.73	1.36	4.09	-	281	281	79	146,536	10	-		
NEW YORK-----	-	-	-	2	2	2	4	6	-	.43	.43	.86	1.29	-	4	4	421	926,965	31	-		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	3,914	2	-		
NORTH DAKOTA-----	-	-	-	-	-	-	1	1	-	-	-	1.39	1.39	-	-	-	82	143,924	15	-		
OHIO-----	-	-	-	-	-	-	2	2	-	-	-	1.09	1.09	-	-	-	177	368,339	19	-		
OKLAHOMA-----	-	-	-	1	1	1	1	1	-	7.43	7.43	-	7.43	-	847	847	23	26,924	5	-		
OREGON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	9,501	8	-		
PENNSYLVANIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77	119,420	18	-		
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	46,345	6	-		
SOUTH DAKOTA-----	-	-	-	-	-	-	2	2	-	-	-	8.63	8.63	-	-	-	107	157,295	18	-		
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	241	492,795	42	-		
TEXAS-----	-	-	-	2	2	2	-	2	-	.81	.81	-	.81	-	38	38	109	204,115	17	-		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	16,837	1	-		
VERMONT-----	-	-	-	-	-	-	-	-	-	-	-	2.65	2.65	-	-	-	44	75,374	7	-		
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	25	42,334	3	-		
WASHINGTON-----	-	-	-	8	8	8	1	9	-	4.38	4.38	.55	4.93	-	80	80	191	365,389	14	-		
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE-----	-	-	1	54	55	55	41	96	-	1.16	1.16	.87	2.03	-	45	45	4,880	9,467,508	498	-		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL	ALL FATAL AND NFDL				
		PERMANENT		TEMPO- RARY	TOTAL NFDL															
		TOTAL	PARTIAL																	
ALL NONMETALLIC-CONTINUED:																				
DREDGE:																				
FLORIDA-----	-	-	-	2	2	2	-	2	-	5.03	5.03	-	5.03	-	148	148	35	79,520	2	-
MISSISSIPPI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	168	1	-
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	19,679	1	-
TOTAL OR AVERAGE----	-	-	-	2	2	2	-	2	-	4.03	4.03	-	4.03	-	119	119	48	99,367	4	-
OTHER SURFACE:																				
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	33,410	2	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	33,410	2	-

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
ALL NONMETALLIC-CONTINUED: TOTAL OR AVERAGE, SURFACE:	-	-	-	1	1	1	-	1	-	1.71	1.71	-	1.71	-	48	48	64	117,035	14	-		
ALABAMA-----	-	-	-	1	1	1	3	4	-	.65	.65	1.95	2.60	-	1	1	174	307,856	29	-		
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	1.02	1.02	-	-	-	119	196,825	24	-		
ARKANSAS-----	-	-	-	-	-	-	5	5	-	-	-	1.14	1.14	-	-	-	435	878,667	31	-		
CALIFORNIA-----	-	-	-	-	-	-	2	2	-	-	3.55	3.55	-	-	-	63	112,547	7	-			
COLORADO-----	-	-	-	1	1	1	1	1	-	83.23	83.23	-	83.23	-	416	416	3	2,403	1	-		
CONNECTICUT-----	-	-	-	17	17	17	8	25	-	1.43	1.43	.67	2.10	-	78	78	1,170	2,385,443	23	-		
FLORIDA-----	-	-	-	4	4	4	1	5	-	1.62	1.62	.41	2.03	-	28	28	241	492,514	31	-		
GEORGIA-----	-	-	-	8	8	8	3	11	-	2.21	2.21	.83	3.04	-	37	37	330	723,436	7	-		
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31	44,313	6	-		
ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	40,195	6	-		
INDIANA-----	-	-	-	-	-	-	1	1	-	-	-	1.70	1.70	-	-	-	64	117,663	6	-		
IOWA-----	-	-	-	1	1	1	-	1	-	6.43	6.43	-	6.43	-	103	103	20	31,098	7	-		
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46	77,642	9	-		
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	18,161	6	-		
LOUISIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	152	2	-		
MARYLAND-----	-	-	-	2	2	2	-	2	-	9.36	9.36	-	9.36	-	201	201	20	42,754	2	-		
MASSACHUSETTS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44	95,017	4	-		
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5,328	3	-		
MINNESOTA-----	-	-	-	-	-	-	1	1	-	-	-	2.61	2.61	-	-	-	41	57,796	10	-		
MISSISSIPPI-----	-	-	-	2	2	2	3	5	-	4.18	4.18	6.28	10.46	-	351	351	46	76,620	10	-		
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62	95,609	5	-		
MONTANA-----	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	3	2,103	1	-		
NEBRASKA-----	-	-	-	2	3	3	1	4	-	1.56	1.56	.52	2.08	-	110	110	188	384,554	19	-		
NEVADA-----	-	-	1	2	2	2	-	2	-	3.10	3.10	-	3.10	-	8	8	80	128,868	24	-		
NEW MEXICO-----	-	-	-	2	2	2	1	3	-	2.73	2.73	1.36	4.09	-	281	281	79	146,536	10	-		
NEW YORK-----	-	-	-	2	2	2	4	6	-	.43	.43	.86	1.29	-	4	4	421	926,965	31	-		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	3,914	2	-		
NORTH DAKOTA-----	-	-	-	-	-	-	1	1	-	-	-	1.39	1.39	-	-	-	82	143,924	15	-		
OHIO-----	-	-	-	-	-	-	2	2	-	-	-	1.09	1.09	-	-	-	177	368,339	19	-		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	7.43	7.43	-	7.43	-	847	847	23	26,924	5	-		
OREGON-----	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	13	9,501	8	-		
PENNSYLVANIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77	119,420	18	-		
SOUTH CAROLINA-----	-	-	-	-	-	-	2	2	-	-	-	8.63	8.63	-	-	-	26	46,345	6	-		
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	107	157,295	18	-		
TENNESSEE-----	-	-	-	2	2	2	-	2	-	.81	.81	-	.81	-	38	38	241	492,795	42	-		
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	109	204,115	17	-		
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	16,837	1	-		
VERMONT-----	-	-	-	-	-	-	-	-	-	-	-	2.10	2.10	-	-	-	55	95,053	8	-		
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	25	42,334	3	-		
WASHINGTON-----	-	-	-	8	8	8	1	9	-	4.38	4.38	.55	4.93	-	80	80	191	365,389	14	-		
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL OR AVERAGE-----	-	-	1	56	57	57	41	98	-	1.19	1.19	.85	2.04	-	46	46	4,941	9,600,285	504	-		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
ALL NONMETALLIC-CONTINUED: TOTAL OR AVERAGE, MINING:	-	-	-	1	1	1	-	1	-	1.71	1.71	-	1.71	-	48	48	64	117,035	14	-		
ALABAMA-----	-	-	-	1	1	1	-	1	-	1.71	1.71	-	1.71	-	48	48	64	117,035	14	-		
ARIZONA-----	-	-	-	1	1	1	3	4	-	.64	.64	1.93	2.58	-	1	1	176	310,416	30	-		
ARKANSAS-----	-	-	-	-	-	-	1	1	-	-	-	1.02	1.02	-	-	-	119	196,825	24	-		
CALIFORNIA-----	-	-	-	-	-	-	5	5	-	-	-	1.12	1.12	-	-	-	445	889,029	34	-		
COLORADO-----	-	-	-	-	-	-	2	2	-	-	3.55	3.55	-	-	-	63	112,547	7	-			
CONNECTICUT-----	-	-	-	1	1	1	-	1	-	83.23	83.23	-	83.23	-	416	416	3	2,403	1	-		
FLORIDA-----	-	-	-	17	17	17	8	25	-	1.43	1.43	.67	2.10	-	78	78	1,170	2,385,443	23	-		
GEORGIA-----	-	-	-	4	4	4	1	5	-	1.62	1.62	.41	2.03	-	28	28	241	492,514	31	-		
IDAHO-----	-	-	-	8	8	8	3	11	-	2.21	2.21	.83	3.04	-	37	37	330	723,436	7	-		
ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31	44,313	6	-		
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73	166,755	8	2		
IOWA-----	-	-	-	-	-	-	2	2	-	-	-	1.66	1.66	-	119	119	241	241,228	7	1		
KANSAS-----	-	-	-	2	2	2	6	8	-	1.74	1.74	5.22	6.95	-	31	31	118	230,058	12	3		
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46	77,642	9	-		
LOUISIANA-----	-	-	-	4	4	4	2	6	-	1.11	1.11	.56	1.67	-	117	117	371	719,295	9	3		
MARYLAND-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	152	2	-		
MASSACHUSETTS-----	-	-	-	2	2	2	-	2	-	9.36	9.36	-	9.36	-	201	201	20	42,754	5	-		
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78	199,001	5	1		
MINNESOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5,328	3	-		
MISSISSIPPI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41	57,796	10	-		
MISSOURI-----	-	-	-	-	-	-	1	1	-	-	-	2.61	2.61	-	-	-	46	76,620	10	-		
MONTANA-----	-	-	-	2	2	2	3	5	-	4.18	4.18	6.28	10.46	-	351	351	62	95,609	5	-		
NEBRASKA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2,103	1	-		
NEVADA-----	-	1	-	2	3	3	1	4	-	1.56	1.56	.52	2.08	-	110	110	188	384,554	19	-		
NEW MEXICO-----	-	-	-	26	26	26	4	30	-	4.60	4.60	.71	5.30	-	280	280	572	1,131,518	27	3		
NEW YORK-----	-	-	-	16	16	16	5	21	-	3.82	3.82	1.19	5.01	-	215	215	431	838,684	13	2		
NORTH CAROLINA-----	-	-	-	2	2	2	4	6	-	.43	.43	.86	1.29	-	4	4	421	926,965	31	-		
NORTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	3,914	2	-		
OHIO-----	-	-	-	5	5	5	3	8	-	1.38	1.38	.83	2.20	-	19	19	360	725,642	17	2		
OKLAHOMA-----	-	-	-	-	-	-	2	2	-	-	-	1.09	1.09	-	-	-	177	368,339	19	-		
OREGON-----	-	-	-	1	1	1	-	1	-	7.43	7.43	-	7.43	-	847	847	23	26,924	5	-		
PENNSYLVANIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	9,501	8	-		
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77	119,420	18	-		
SOUTH DAKOTA-----	-	-	-	-	-	-	2	2	-	-	-	8.63	8.63	-	-	-	26	46,345	6	-		
TENNESSEE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	107	157,295	18	-		
TEXAS-----	-	-	-	2	2	2	1	3	-	.68	.68	.34	1.02	-	32	32	286	588,884	45	3		
UTAH-----	-	-	-	7	7	7	-	7	-	3.84	3.84	-	3.84	-	106	106	197	364,743	24	5		
VERMONT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	16,837	1	-		
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	2.06	2.06	-	-	-	58	97,159	9	1		
WASHINGTON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	42,334	3	-		
WISCONSIN-----	-	-	-	1	1	1	-	1	-	5.07	5.07	-	5.07	-	700	700	21	39,445	2	1		
WYOMING-----	-	-	1	49	50	50	15	65	-	4.79	4.79	1.44	6.23	-	193	193	1,051	2,085,997	22	7		
TOTAL OR AVERAGE-----	-	-	2	153	155	155	75	230	-	2.04	2.04	.99	3.03	-	95	95	7,676	15,162,802	549	34		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
ALL NONMETALLIC-CONTINUED: PROCESSING PLANTS:	-	-	-	6	6	6	1	7	-	2.95	2.95	.49	3.44	-	98	98	192	406,499	2	5		
ALABAMA-----	-	-	-	6	6	6	1	7	-	2.95	2.95	.49	3.44	-	98	98	192	406,499	2	5		
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	18,292	1	2		
ARKANSAS-----	-	-	-	1	1	1	-	1	-	3.00	3.00	-	3.00	-	15	15	32	66,634	-	3		
CALIFORNIA-----	-	-	-	23	23	23	11	34	-	2.58	2.58	1.23	3.82	-	149	149	926	1,782,001	12	8		
COLORADO-----	-	-	-	1	1	1	2	3	-	3.61	3.61	7.21	10.82	-	180	180	27	55,466	3	-		
FLORIDA-----	-	-	1	14	14	14	9	23	-	1.75	1.75	1.12	2.87	-	75	75	783	1,600,850	4	10		
GEORGIA-----	-	-	1	30	31	31	20	51	-	1.05	1.05	.68	1.72	-	85	85	2,726	5,920,519	23	17		
IDAHO-----	-	-	-	6	6	6	2	8	-	3.96	3.96	1.32	5.28	-	19	19	166	302,878	6	2		
ILLINOIS-----	-	-	-	5	5	5	1	6	-	5.09	5.09	1.02	6.10	-	442	442	95	196,575	3	3		
INDIANA-----	-	-	-	3	3	3	4	7	-	4.30	4.30	5.73	10.03	-	13	13	139	559,559	-	1		
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	51,539	1	2		
KANSAS-----	-	-	-	1	1	1	1	2	-	1.00	1.00	1.00	2.01	-	2	2	100	199,074	1	8		
KENTUCKY-----	-	-	-	1	1	1	-	1	-	1.90	1.90	-	1.90	-	9	9	49	105,312	2	1		
LOUISIANA-----	-	-	2	8	10	10	1	11	-	2.33	2.33	.23	2.56	-	496	496	393	860,028	9	3		
MICHIGAN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4,687	-	1		
MINNESOTA-----	-	-	-	2	2	2	1	3	-	7.39	7.39	3.70	11.09	-	492	492	24	54,114	1	-		
MISSISSIPPI-----	-	-	-	2	2	2	3	5	-	.65	.65	.97	1.62	-	25	25	282	615,388	3	4		
MISSOURI-----	-	-	-	7	7	7	1	8	-	2.47	2.47	.35	2.82	-	94	94	259	566,562	3	2		
MONTANA-----	-	-	-	3	3	3	3	6	-	2.16	2.16	2.16	4.33	-	406	406	147	277,419	3	1		
NEVADA-----	-	-	-	19	19	19	8	27	-	4.30	4.30	1.81	6.12	-	171	171	433	882,879	9	12		
NEW JERSEY-----	-	-	-	4	4	4	-	4	-	9.95	9.95	-	9.95	-	482	482	44	80,426	1	-		
NEW MEXICO-----	-	-	-	10	10	10	5	15	-	1.94	1.94	.97	2.90	-	63	63	538	1,033,144	6	9		
NEW YORK-----	-	-	-	5	5	5	5	10	-	2.54	2.54	2.54	5.09	-	290	290	199	393,088	2	4		
NORTH CAROLINA-----	-	-	-	14	14	14	5	23	-	2.32	2.32	1.49	3.81	-	44	44	522	1,206,689	12	5		
NORTH DAKOTA-----	-	-	-	2	2	2	-	2	-	7.45	7.45	-	7.45	-	127	127	28	53,715	1	1		
OHIO-----	-	-	-	-	-	-	1	1	-	-	-	1.44	1.44	-	-	-	69	139,340	3	3		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23	40,031	2	1		
OREGON-----	-	-	-	1	1	1	2	3	-	1.05	1.05	2.11	3.16	-	1	1	99	189,703	6	1		
PENNSYLVANIA-----	-	-	-	3	3	3	1	4	-	4.77	4.77	1.59	6.35	-	235	235	65	125,893	3	-		
SOUTH CAROLINA-----	-	-	-	4	4	4	4	8	-	2.36	2.36	2.36	4.73	-	139	139	159	338,319	2	6		
SOUTH DAKOTA-----	-	-	1	1	1	1	1	1	-	1.43	1.43	-	1.43	-	143	143	70	139,700	3	-		
TENNESSEE-----	-	-	-	6	6	6	2	8	-	3.10	3.10	1.03	4.13	-	177	177	206	387,428	5	2		
TEXAS-----	-	-	-	18	18	18	7	25	-	2.24	2.24	.87	3.12	-	132	132	732	1,603,699	15	13		
UTAH-----	-	-	-	1	1	1	5	6	-	.48	.48	2.40	2.88	-	(*)	(*)	212	416,031	2	11		
VERMONT-----	-	-	-	-	-	-	1	1	-	-	-	5.59	5.59	-	-	-	19	35,761	-	1		
VIRGINIA-----	-	-	-	11	11	11	6	17	-	2.77	2.77	1.51	4.28	-	88	88	336	795,128	2	6		
WASHINGTON-----	-	-	-	1	1	1	2	3	-	1.49	1.49	2.97	4.46	-	172	172	65	134,568	2	1		
WEST VIRGINIA-----	-	-	-	1	1	1	-	1	-	4.03	4.03	-	4.03	-	85	85	21	49,627	1	-		
WISCONSIN-----	-	-	-	1	1	1	-	1	-	3.43	3.43	-	3.43	-	277	277	26	58,391	2	1		
WYOMING-----	-	-	1	43	44	44	33	77	-	2.45	2.45	1.84	4.30	-	98	98	1,782	3,584,599	15	4		
TOTAL OR AVERAGE----	-	-	6	256	262	262	151	413	-	2.10	2.10	1.21	3.32	-	118	118	11,938	24,911,555	171	154		

TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
ALL NONMETALLIC-CONTINUED: TOTAL OR AVERAGE, ALL MINES AND PLANTS:	-	-	-	7	7	7	1	8	-	2.67	2.67	.38	3.06	-	87	87	256	523,534	16	5		
ALABAMA-----	-	-	-	1	1	1	3	4	-	.61	.61	1.83	2.43	-	1	1	187	328,708	31	2		
ARIZONA-----	-	-	-	1	1	1	1	2	-	.76	.76	.76	1.52	-	4	4	151	263,459	24	3		
ARKANSAS-----	-	-	-	23	23	23	16	39	-	1.72	1.72	1.20	2.92	-	100	100	1,371	2,671,030	46	8		
CALIFORNIA-----	-	-	1	-	1	1	4	5	-	1.19	1.19	4.76	5.95	-	60	60	90	168,013	10	-		
COLORADO-----	-	-	-	1	1	1	-	1	-	83.23	83.23	-	83.23	-	416	416	3	2,403	1	-		
CONNECTICUT-----	-	-	-	31	31	31	17	48	-	1.56	1.56	.85	2.41	-	77	77	1,953	3,986,293	27	10		
FLORIDA-----	-	-	-	34	35	35	21	56	-	1.09	1.09	.65	1.75	-	81	81	2,967	6,413,033	54	17		
GEORGIA-----	-	-	1	-	-	-	5	19	-	2.73	2.73	.97	3.70	-	32	32	496	1,026,314	13	2		
IDAHO-----	-	-	-	5	5	5	1	6	-	4.15	4.15	.83	4.98	-	360	360	126	240,888	9	1		
ILLINOIS-----	-	-	-	3	3	3	4	7	-	1.96	1.96	2.61	4.57	-	6	6	123	306,314	8	5		
INDIANA-----	-	-	-	-	-	-	2	2	-	-	-	1.37	1.37	-	-	-	145	292,767	8	3		
IOWA-----	-	-	-	3	3	3	7	10	-	1.40	1.40	3.26	4.66	-	18	18	218	429,132	13	11		
KANSAS-----	-	-	-	1	1	1	-	1	-	1.09	1.09	-	1.09	-	5	5	95	182,954	11	1		
KENTUCKY-----	-	-	2	-	-	-	3	17	-	1.77	1.77	.38	2.15	-	323	323	764	1,579,323	18	6		
LOUISIANA-----	-	-	-	2	2	2	-	2	-	-	-	-	-	-	2	2	2	152	2	-		
MARYLAND-----	-	-	-	2	2	2	-	2	-	9.36	9.36	-	9.36	-	201	201	20	42,754	2	-		
MASSACHUSETTS-----	-	-	-	-	-	-	1	3	-	-	-	-	-	-	80	80	203	688	5	2		
MICHIGAN-----	-	-	-	2	2	2	3	3	-	6.73	6.73	3.36	10.09	-	447	447	28	59,442	4	-		
MINNESOTA-----	-	-	-	2	2	2	3	5	-	.59	.59	.89	1.49	-	23	23	323	673,184	13	4		
MISSISSIPPI-----	-	-	-	7	7	7	2	9	-	2.18	2.18	.62	2.80	-	82	82	305	643,182	13	2		
MISSOURI-----	-	-	-	5	5	5	6	11	-	2.68	2.68	3.22	5.90	-	392	392	209	373,028	8	1		
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2,103	1	-		
NEBRASKA-----	-	-	1	21	22	22	9	31	-	3.47	3.47	1.42	4.89	-	153	153	621	1,267,433	28	12		
NEVADA-----	-	-	-	4	4	4	-	4	-	9.95	9.95	-	9.95	-	482	482	44	80,426	1	-		
NEW JERSEY-----	-	-	-	36	36	36	9	45	-	3.33	3.33	.83	4.16	-	177	177	1,110	2,164,662	33	12		
NEW MEXICO-----	-	-	-	21	21	21	10	31	-	3.41	3.41	1.62	5.03	-	239	239	630	1,231,772	15	6		
NEW YORK-----	-	-	-	16	16	16	13	29	-	1.50	1.50	1.22	2.72	-	27	27	943	2,133,654	43	5		
NORTH CAROLINA-----	-	-	-	2	2	2	-	2	-	6.94	6.94	-	6.94	-	118	118	38	57,629	3	1		
NORTH DAKOTA-----	-	-	-	5	5	5	4	9	-	1.16	1.16	.92	2.08	-	16	16	429	864,982	20	5		
OHIO-----	-	-	-	-	-	-	2	2	-	-	-	.98	.98	-	-	-	200	408,370	21	1		
OKLAHOMA-----	-	-	-	2	2	2	2	4	-	1.85	1.85	1.85	3.69	-	106	106	122	216,627	11	1		
OREGON-----	-	-	-	3	3	3	1	4	-	4.43	4.43	1.48	5.91	-	219	219	78	135,394	11	-		
PENNSYLVANIA-----	-	-	-	4	4	4	4	8	-	1.75	1.75	1.75	3.50	-	103	103	236	457,739	20	6		
SOUTH CAROLINA-----	-	-	1	-	-	-	2	3	-	1.08	1.08	2.15	3.23	-	108	108	96	186,045	9	-		
SOUTH DAKOTA-----	-	-	-	6	6	6	2	8	-	2.20	2.20	.73	2.94	-	126	126	313	544,723	23	2		
TENNESSEE-----	-	-	-	20	20	20	8	28	-	1.82	1.82	.73	2.55	-	105	105	1,018	2,192,583	60	16		
TEXAS-----	-	-	-	8	8	8	5	13	-	2.05	2.05	1.28	3.33	-	50	50	409	780,774	26	16		
UTAH-----	-	-	-	1	1	1	-	1	-	-	-	3.80	3.80	-	-	-	27	52,598	1	1		
VERMONT-----	-	-	-	11	11	11	7	18	-	2.47	2.47	1.57	4.03	-	78	78	394	892,287	11	7		
VIRGINIA-----	-	-	-	1	1	1	2	3	-	1.13	1.13	2.26	3.39	-	131	131	90	176,907	5	1		
WASHINGTON-----	-	-	-	1	1	1	-	1	-	4.03	4.03	-	4.03	-	85	85	21	49,627	1	1		
WEST VIRGINIA-----	-	-	-	2	2	2	-	2	-	4.09	4.09	-	4.09	-	448	448	47	97,836	4	2		
WISCONSIN-----	-	-	2	92	94	94	48	142	-	3.32	3.32	1.69	5.01	-	133	133	2,833	5,670,596	37	11		
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL OR AVERAGE-----	-	-	8	409	417	417	226	643	-	2.08	2.08	1.13	3.21	-	109	109	19,614	40,074,357	720	188		





TABLE 6. - INJURY EXPERIENCE BY DEGREE AND WORKTIME FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			AVERAGE NUMBER OF WORKERS	EMPLOYEE- HOURS	NUMBER OF OPERA- TIONS	ASSO- CIATED WORK LOCA- TION			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJU- RIES	FATAL	NFDL					ALL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY	TOTAL NFDL																TOTAL	PARTIAL
		TOTAL	PARTIAL																			
ALL NONMETALLIC-CONTINUED: GRAND TOTAL OR AVERAGE:	-	-	-	7	7	7	1	8	-	2.42	2.42	.35	2.77	-	79	79	292	577,444	18	18		
ALABAMA-----	-	-	-	1	1	1	3	4	-	.53	.53	1.60	2.13	-	1	1	223	375,343	32	20		
ARIZONA-----	-	-	-	1	1	1	1	2	-	.70	.70	1.70	1.40	-	4	4	171	284,978	26	15		
ARKANSAS-----	-	-	-	24	24	24	16	40	-	1.50	1.50	1.00	2.49	-	83	83	1,691	3,208,010	46	41		
CALIFORNIA-----	-	-	1	1	1	1	4	5	-	.97	.97	3.90	4.87	-	49	49	112	205,287	10	8		
COLORADO-----	-	-	-	1	1	1	-	1	-	83.09	83.09	-	83.09	-	415	415	4	2,407	1	1		
CONNECTICUT-----	-	-	-	32	32	32	18	50	-	1.41	1.41	.79	2.20	-	69	69	2,228	4,538,331	27	30		
FLORIDA-----	-	-	-	34	35	35	21	56	-	.88	.88	.53	1.41	-	66	66	3,728	7,927,824	54	61		
GEORGIA-----	-	-	1	14	14	14	5	19	-	2.42	2.42	.86	3.28	-	28	28	567	1,157,588	13	11		
IDAHO-----	-	-	-	5	5	5	1	6	-	3.29	3.29	.66	3.95	-	286	286	158	303,981	9	6		
ILLINOIS-----	-	-	-	3	3	3	1	4	-	1.88	1.88	3.13	5.01	-	6	6	131	319,215	8	10		
INDIANA-----	-	-	-	2	2	2	2	2	-	-	-	1.31	1.31	-	-	-	161	306,397	8	10		
IOWA-----	-	-	-	3	3	3	7	10	-	1.27	1.27	2.97	4.24	-	16	16	243	471,156	13	20		
KANSAS-----	-	-	-	1	1	1	1	1	-	.79	.79	-	.79	-	4	4	136	253,354	12	10		
KENTUCKY-----	-	-	-	2	12	14	3	17	-	1.51	1.51	.32	1.83	-	275	275	888	1,855,247	19	24		
LOUISIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	152	2	-		
MARYLAND-----	-	-	-	2	2	2	-	2	-	8.79	8.79	-	8.79	-	189	189	22	45,517	2	2		
MASSACHUSETTS-----	-	-	-	2	2	2	1	3	-	-	-	2.95	8.86	-	-	-	97	237,587	5	7		
MICHIGAN-----	-	-	-	2	2	2	3	5	-	5.91	5.91	.80	1.33	-	393	393	33	67,712	4	2		
MINNESOTA-----	-	-	-	2	2	2	3	5	-	.53	.53	.80	1.33	-	21	21	363	752,198	15	12		
MISSISSIPPI-----	-	-	-	7	7	7	6	9	-	1.97	1.97	.56	2.53	-	74	74	347	712,309	15	9		
MISSOURI-----	-	-	-	5	5	5	2	11	-	1.95	1.95	2.34	4.30	-	286	286	296	511,995	8	8		
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2,126	1	1		
NEBRASKA-----	-	-	1	21	22	22	10	32	-	3.18	3.18	1.45	4.63	-	140	140	688	1,383,423	28	32		
NEVADA-----	-	-	-	4	4	4	-	4	-	8.96	8.96	-	8.96	-	435	435	48	89,266	1	1		
NEW JERSEY-----	-	-	-	37	37	37	10	47	-	3.10	3.10	.84	3.94	-	183	183	1,215	2,383,587	35	28		
NEW MEXICO-----	-	-	-	21	21	21	10	31	-	2.82	2.82	1.34	4.16	-	197	197	762	1,491,980	15	19		
NEW YORK-----	-	-	-	16	16	16	13	29	-	1.31	1.31	1.06	2.37	-	23	23	1,113	2,442,983	45	39		
NORTH CAROLINA-----	-	-	-	2	2	2	2	2	-	6.19	6.19	-	6.19	-	105	105	43	64,629	3	4		
NORTH DAKOTA-----	-	-	-	5	5	5	4	9	-	1.06	1.06	.85	1.90	-	15	15	473	945,968	20	16		
OHIO-----	-	-	-	2	2	2	2	2	-	-	-	.94	.94	-	-	-	215	424,942	21	11		
OKLAHOMA-----	-	-	-	2	2	2	2	4	-	1.61	1.61	1.61	3.22	-	93	93	142	248,627	11	10		
OREGON-----	-	-	-	3	3	3	1	4	-	3.98	3.98	1.33	5.31	-	196	196	88	150,784	11	5		
PENNSYLVANIA-----	-	-	-	4	4	4	4	8	-	1.46	1.46	1.46	2.93	-	86	86	286	546,511	20	23		
SOUTH CAROLINA-----	-	-	-	1	1	1	2	3	-	.98	.98	1.95	2.93	-	98	98	108	204,616	9	5		
SOUTH DAKOTA-----	-	-	1	6	6	6	2	8	-	1.85	1.85	.62	2.47	-	106	106	366	648,520	23	11		
TENNESSEE-----	-	-	-	21	21	21	8	29	-	1.64	1.64	.63	2.27	-	97	97	1,227	2,558,959	62	67		
TEXAS-----	-	-	-	8	8	8	5	13	-	1.80	1.80	1.12	2.92	-	44	44	474	888,941	26	30		
UTAH-----	-	-	-	-	-	-	1	1	-	-	-	2.54	2.54	-	-	-	38	78,665	1	2		
VERMONT-----	-	-	-	11	11	11	7	18	-	2.09	2.09	1.33	3.43	-	66	66	478	1,050,923	11	18		
VIRGINIA-----	-	-	-	1	1	1	2	3	-	.93	.93	1.86	2.79	-	108	108	113	215,261	7	6		
WASHINGTON-----	-	-	-	1	1	1	-	1	-	2.70	2.70	-	2.70	-	57	57	34	74,050	2	1		
WEST VIRGINIA-----	-	-	-	2	2	2	-	2	-	3.51	3.51	-	3.51	-	384	384	58	114,041	4	5		
WISCONSIN-----	-	-	-	2	2	2	-	2	-	3.16	3.16	1.55	4.72	-	138	138	3,185	6,319,293	38	35		
WYOMING-----	-	-	2	98	100	100	49	149	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL OR AVERAGE----	-	-	8	419	427	427	231	658	-	1.84	1.84	.99	2.83	-	98	98	23,051	46,442,127	741	694		

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
<b>APLITE:</b>																	
<b>PROCESSING PLANTS:</b>																	
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
<b>TOTAL OR AVERAGE, ALL MINES AND PLANTS:</b>																	
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
<b>GRAND TOTAL OR AVERAGE:</b>																	
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
<b>BARITE:</b>																	
<b>PROCESSING PLANTS:</b>																	
GEORGIA-----	-	-	1	-	1	1	-	1	-	-	200	-	200	200	200	-	200
LOUISIANA-----	-	-	-	2	2	2	-	2	-	-	-	35	35	35	-	18	18
NEVADA-----	-	-	-	8	8	8	2	10	-	-	-	458	458	458	-	57	57
TENNESSEE-----	-	-	-	1	1	1	-	1	-	-	-	12	12	12	-	12	12
TEXAS-----	-	-	-	3	3	3	1	4	-	-	-	55	55	55	-	18	18
TOTAL OR AVERAGE----	-	-	1	14	15	15	3	18	-	-	200	560	760	760	200	40	51
<b>TOTAL OR AVERAGE, ALL MINES AND PLANTS:</b>																	
GEORGIA-----	-	-	1	-	1	1	-	1	-	-	200	-	200	200	200	-	200
LOUISIANA-----	-	-	-	2	2	2	-	2	-	-	-	35	35	35	-	18	18
NEVADA-----	-	-	-	8	8	8	2	10	-	-	-	458	458	458	-	57	57
TENNESSEE-----	-	-	-	1	1	1	-	1	-	-	-	12	12	12	-	12	12
TEXAS-----	-	-	-	3	3	3	1	4	-	-	-	55	55	55	-	18	18
TOTAL OR AVERAGE----	-	-	1	14	15	15	3	18	-	-	200	560	760	760	200	40	51
<b>OFFICE:</b>																	
NEVADA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
<b>BARITE--CONTINUED:</b>																	
<b>GRAND TOTAL OR AVERAGE:</b>																	
GEORGIA-----	-	-	1	-	1	1	-	1	-	-	200	-	200	200	200	-	200
LOUISIANA-----	-	-	-	2	2	2	-	2	-	-	-	35	35	35	-	18	
NEVADA-----	-	-	-	8	8	8	3	11	-	-	458	458	458	-	57		
TENNESSEE-----	-	-	-	1	1	1	-	1	-	-	12	12	12	-	12		
TEXAS-----	-	-	-	3	3	3	1	4	-	-	55	55	55	-	18		
TOTAL OR AVERAGE----	-	-	1	14	15	15	4	19	-	-	200	560	760	760	200	40	
<b>BORON:</b>																	
<b>PROCESSING PLANTS:</b>																	
CALIFORNIA-----	-	-	-	4	4	4	6	10	-	-	-	624	624	624	-	156	
SOUTH CAROLINA-----	-	-	-	2	2	2	1	3	-	-	-	227	227	227	-	114	
TOTAL OR AVERAGE----	-	-	-	6	6	6	7	13	-	-	-	851	851	851	-	142	
<b>TOTAL OR AVERAGE, ALL MINES AND PLANTS:</b>																	
CALIFORNIA-----	-	-	-	4	4	4	6	10	-	-	-	624	624	624	-	156	
SOUTH CAROLINA-----	-	-	-	2	2	2	1	3	-	-	-	227	227	227	-	114	
TOTAL OR AVERAGE----	-	-	-	6	6	6	7	13	-	-	-	851	851	851	-	142	
<b>OFFICE:</b>																	
CALIFORNIA-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	
<b>GRAND TOTAL OR AVERAGE:</b>																	
CALIFORNIA-----	-	-	-	5	5	5	6	11	-	-	-	627	627	627	-	125	
SOUTH CAROLINA-----	-	-	-	2	2	2	1	3	-	-	-	227	227	227	-	114	
TOTAL OR AVERAGE----	-	-	-	7	7	7	7	14	-	-	-	854	854	854	-	122	
<b>CLAY:</b>																	
<b>UNDERGROUND MINES:</b>																	
<b>SURFACE AT UNDERGROUND:</b>																	
UTAH-----	-	-	-	2	2	2	-	2	-	-	-	4	4	4	-	2	
TOTAL OR AVERAGE----	-	-	-	2	2	2	-	2	-	-	-	4	4	4	-	2	
<b>TOTAL OR AVERAGE, UG:</b>																	
UTAH-----	-	-	-	2	2	2	-	2	-	-	-	4	4	4	-	2	
TOTAL OR AVERAGE----	-	-	-	2	2	2	-	2	-	-	-	4	4	4	-	2	

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
CLAY--CONTINUED: SURFACE MINES: OPEN PIT:																	
ALABAMA-----	-	-	-	1	1	1	-	1	-	-	-	28	28	28	-	28	28
CONNECTICUT-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
GEORGIA-----	-	-	-	4	4	4	1	5	-	-	-	70	70	70	-	18	18
TEXAS-----	-	-	-	1	1	1	-	1	-	-	-	52	52	52	-	52	52
WYOMING-----	-	-	-	8	8	8	1	9	-	-	-	146	146	146	-	18	18
TOTAL OR AVERAGE----	-	-	-	15	15	15	2	17	-	-	-	301	301	301	-	20	20
TOTAL OR AVERAGE, SURFACE:																	
ALABAMA-----	-	-	-	1	1	1	-	1	-	-	-	28	28	28	-	28	28
CONNECTICUT-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
GEORGIA-----	-	-	-	4	4	4	1	5	-	-	-	70	70	70	-	18	18
TEXAS-----	-	-	-	1	1	1	-	1	-	-	-	52	52	52	-	52	52
WYOMING-----	-	-	-	8	8	8	1	9	-	-	-	146	146	146	-	18	18
TOTAL OR AVERAGE----	-	-	-	15	15	15	2	17	-	-	-	301	301	301	-	20	20
TOTAL OR AVERAGE, MINING:																	
ALABAMA-----	-	-	-	1	1	1	-	1	-	-	-	28	28	28	-	28	28
CONNECTICUT-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
GEORGIA-----	-	-	-	4	4	4	1	5	-	-	-	70	70	70	-	18	18
TEXAS-----	-	-	-	1	1	1	-	1	-	-	-	52	52	52	-	52	52
UTAH-----	-	-	-	2	2	2	-	2	-	-	-	4	4	4	-	2	2
WYOMING-----	-	-	-	8	8	8	1	9	-	-	-	146	146	146	-	18	18
TOTAL OR AVERAGE----	-	-	-	17	17	17	2	19	-	-	-	305	305	305	-	18	18
PROCESSING PLANTS:																	
ALABAMA-----	-	-	-	6	6	6	1	7	-	-	-	199	199	199	-	33	33
ARKANSAS-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
FLORIDA-----	-	-	-	1	1	1	-	2	-	-	-	9	9	9	-	9	9
GEORGIA-----	-	-	-	19	19	19	15	34	-	-	-	986	986	986	-	52	52
ILLINOIS-----	-	-	-	4	4	4	-	4	-	-	-	396	396	396	-	99	99
LOUISIANA-----	-	-	-	2	2	2	1	3	-	-	-	5	5	5	-	2	2
MISSISSIPPI-----	-	-	-	2	2	2	1	3	-	-	-	78	78	78	-	39	39
MISSOURI-----	-	-	-	2	2	2	1	3	-	-	-	186	186	186	-	93	93
SOUTH CAROLINA-----	-	-	-	2	2	2	2	4	-	-	-	8	8	8	-	4	4
TENNESSEE-----	-	-	-	5	5	5	2	7	-	-	-	331	331	331	-	66	66
TEXAS-----	-	-	-	2	2	2	1	3	-	-	-	283	283	283	-	142	142
UTAH-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
WISCONSIN-----	-	-	-	1	1	1	-	1	-	-	-	81	81	81	-	81	81
WYOMING-----	-	-	-	7	7	7	3	10	-	-	-	252	252	252	-	36	36
TOTAL OR AVERAGE----	-	-	-	54	54	54	29	83	-	-	-	2,819	2,819	2,819	-	52	52

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
CLAY-CONTINUED: TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
ALABAMA-----	-	-	-	7	7	7	1	8	-	-	-	227	227	227	-	32	32
ARKANSAS-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
CONNECTICUT-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
FLORIDA-----	-	-	-	1	1	1	1	2	-	-	-	9	9	9	-	9	9
GEORGIA-----	-	-	-	23	23	23	16	39	-	-	-	1,056	1,056	1,056	-	46	46
ILLINOIS-----	-	-	-	4	4	4	-	4	-	-	-	396	396	396	-	99	99
LOUISIANA-----	-	-	-	2	2	2	1	3	-	-	-	5	5	5	-	2	2
MISSISSIPPI-----	-	-	-	2	2	2	1	3	-	-	-	78	78	78	-	39	39
MISSOURI-----	-	-	-	2	2	2	1	3	-	-	-	186	186	186	-	93	93
SOUTH CAROLINA-----	-	-	-	2	2	2	2	4	-	-	-	8	8	8	-	4	4
TENNESSEE-----	-	-	-	5	5	5	2	7	-	-	-	331	331	331	-	66	66
TEXAS-----	-	-	-	3	3	3	1	4	-	-	-	335	335	335	-	112	112
UTAH-----	-	-	-	2	2	2	1	3	-	-	-	4	4	4	-	2	2
WISCONSIN-----	-	-	-	1	1	1	-	1	-	-	-	81	81	81	-	81	81
WYOMING-----	-	-	-	15	15	15	4	19	-	-	-	398	398	398	-	27	27
TOTAL OR AVERAGE----	-	-	-	71	71	71	31	102	-	-	-	3,124	3,124	3,124	-	44	44
OFFICE: WYOMING-----	-	-	-	1	1	1	-	1	-	-	-	16	16	16	-	16	16
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	16	16	16	-	16	16
GRAND TOTAL OR AVERAGE:																	
ALABAMA-----	-	-	-	7	7	7	1	8	-	-	-	227	227	227	-	32	32
ARKANSAS-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
CONNECTICUT-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
FLORIDA-----	-	-	-	1	1	1	1	2	-	-	-	9	9	9	-	9	9
GEORGIA-----	-	-	-	23	23	23	16	39	-	-	-	1,056	1,056	1,056	-	46	46
ILLINOIS-----	-	-	-	4	4	4	-	4	-	-	-	396	396	396	-	99	99
LOUISIANA-----	-	-	-	2	2	2	1	3	-	-	-	5	5	5	-	2	2
MISSISSIPPI-----	-	-	-	2	2	2	1	3	-	-	-	78	78	78	-	39	39
MISSOURI-----	-	-	-	2	2	2	1	3	-	-	-	186	186	186	-	93	93
SOUTH CAROLINA-----	-	-	-	2	2	2	2	4	-	-	-	8	8	8	-	4	4
TENNESSEE-----	-	-	-	5	5	5	2	7	-	-	-	331	331	331	-	66	66
TEXAS-----	-	-	-	3	3	3	1	4	-	-	-	335	335	335	-	112	112
UTAH-----	-	-	-	2	2	2	1	3	-	-	-	4	4	4	-	2	2
WISCONSIN-----	-	-	-	1	1	1	-	1	-	-	-	81	81	81	-	81	81
WYOMING-----	-	-	-	16	16	16	4	20	-	-	-	414	414	414	-	26	26
TOTAL OR AVERAGE----	-	-	-	72	72	72	31	103	-	-	-	3,140	3,140	3,140	-	44	44
FELDSPAR: PROCESSING PLANTS: NORTH CAROLINA-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
FELDSPAR—CONTINUED:																	
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
NORTH CAROLINA-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
GRAND TOTAL OR AVERAGE:																	
NORTH CAROLINA-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
GEMSTONES:																	
SURFACE MINES:																	
OPEN PIT:																	
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
IDAHO-----	-	-	-	2	2	2	1	3	-	-	-	8	8	8	-	4	4
NORTH CAROLINA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	2	2	2	4	6	-	-	-	8	8	8	-	4	4
TOTAL OR AVERAGE, SURFACE:																	
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
IDAHO-----	-	-	-	2	2	2	1	3	-	-	-	8	8	8	-	4	4
NORTH CAROLINA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	2	2	2	4	6	-	-	-	8	8	8	-	4	4
TOTAL OR AVERAGE, MINING:																	
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
IDAHO-----	-	-	-	2	2	2	1	3	-	-	-	8	8	8	-	4	4
NORTH CAROLINA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	2	2	2	4	6	-	-	-	8	8	8	-	4	4
PROCESSING PLANTS:																	
NORTH CAROLINA-----	-	-	-	1	1	1	1	2	-	-	-	3	3	3	-	3	3
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	-	-	3	3	3	-	3	3
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
IDAHO-----	-	-	-	2	2	2	1	3	-	-	-	8	8	8	-	4	4
NORTH CAROLINA-----	-	-	-	1	1	1	3	4	-	-	-	3	3	3	-	3	3
TOTAL OR AVERAGE----	-	-	-	3	3	3	5	8	-	-	-	11	11	11	-	4	4

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE  
AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
GEMSTONES--CONTINUED: GRAND TOTAL OR AVERAGE:	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
ARIZONA-----	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	4	4
IDAHO-----	-	-	-	2	2	2	1	3	-	-	-	8	8	8	-	3	3
NORTH CAROLINA-----	-	-	-	1	1	1	3	4	-	-	-	3	3	3	-	3	3
TOTAL OR AVERAGE----	-	-	-	3	3	3	5	8	-	-	-	11	11	11	-	4	4
GILSONITE: UNDERGROUND MINES: UNDERGROUND:	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UTAH-----	-	-	-	3	3	3	-	3	-	-	-	160	160	160	-	53	53
TOTAL OR AVERAGE----	-	-	-	3	3	3	-	3	-	-	-	160	160	160	-	53	53
SURFACE AT UNDERGROUND: UTAH-----	-	-	-	2	2	2	-	2	-	-	-	29	29	29	-	14	14
TOTAL OR AVERAGE----	-	-	-	2	2	2	-	2	-	-	-	29	29	29	-	14	14
TOTAL OR AVERAGE, UG: UTAH-----	-	-	-	5	5	5	-	5	-	-	-	189	189	189	-	38	38
TOTAL OR AVERAGE----	-	-	-	5	5	5	-	5	-	-	-	189	189	189	-	38	38
TOTAL OR AVERAGE, MINING: UTAH-----	-	-	-	5	5	5	-	5	-	-	-	189	189	189	-	38	38
TOTAL OR AVERAGE----	-	-	-	5	5	5	-	5	-	-	-	189	189	189	-	38	38
PROCESSING PLANTS: UTAH-----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1
TOTAL OR AVERAGE, ALL MINES AND PLANTS: UTAH-----	-	-	-	6	6	6	1	7	-	-	-	190	190	190	-	32	32
TOTAL OR AVERAGE----	-	-	-	6	6	6	1	7	-	-	-	190	190	190	-	32	32
GRAND TOTAL OR AVERAGE: UTAH-----	-	-	-	6	6	6	1	7	-	-	-	190	190	190	-	32	32
TOTAL OR AVERAGE----	-	-	-	6	6	6	1	7	-	-	-	190	190	190	-	32	32



TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
<b>GYPSUM:</b>																	
<b>UNDERGROUND MINES:</b>																	
<b>UNDERGROUND:</b>																	
IOWA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
KANSAS-----	-	-	-	1	1	1	-	1	-	-	-	20	20	20	-	20	
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	-	-	20	20	20	-	20	
<b>TOTAL OR AVERAGE, UG:</b>																	
IOWA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
KANSAS-----	-	-	-	1	1	1	-	1	-	-	-	20	20	20	-	20	
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	-	-	20	20	20	-	20	
<b>SURFACE MINES:</b>																	
<b>OPEN PIT:</b>																	
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
ARKANSAS-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
CALIFORNIA-----	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	
COLORADO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
IOWA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
NEVADA-----	-	-	1	1	2	2	-	2	-	120	89	209	209	120	89	104	
OKLAHOMA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE----	-	-	1	1	2	2	9	11	-	-	120	89	209	120	89	104	
<b>TOTAL OR AVERAGE, SURFACE:</b>																	
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
ARKANSAS-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
CALIFORNIA-----	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	
COLORADO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
IOWA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
NEVADA-----	-	-	1	1	2	2	-	2	-	120	89	209	209	120	89	104	
OKLAHOMA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE----	-	-	1	1	2	2	9	11	-	-	120	89	209	120	89	104	
<b>TOTAL OR AVERAGE, MINING:</b>																	
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
ARKANSAS-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
CALIFORNIA-----	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	
COLORADO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
IOWA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	
KANSAS-----	-	-	-	1	1	1	-	1	-	-	20	20	20	-	20	20	
NEVADA-----	-	-	1	1	2	2	-	2	-	120	89	209	209	120	89	104	
OKLAHOMA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE----	-	-	1	2	3	3	10	13	-	-	120	109	229	120	54	76	

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY					TOTAL NFDL	PERMANENT						TEMPO- RARY	TOTAL NFDL
		TOTAL	PARTIAL							TOTAL	PARTIAL						
GYPSUM-CONTINUED: PROCESSING PLANTS:																	
CALIFORNIA-----	-	-	-	1	1	1	-	1	-	-	-	4	4	4	-	4	4
NORTH CAROLINA-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
TOTAL OR AVERAGE----	-	-	-	2	2	2	-	2	-	-	-	7	7	7	-	4	4
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
ARKANSAS-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
CALIFORNIA-----	-	-	-	1	1	1	3	4	-	-	-	4	4	4	-	4	4
COLORADO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
IOWA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
KANSAS-----	-	-	-	1	1	1	-	1	-	-	-	20	20	20	-	20	20
NEVADA-----	-	-	1	1	2	2	-	2	-	-	120	89	209	209	120	89	104
NORTH CAROLINA-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
OKLAHOMA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	1	4	5	5	10	15	-	-	120	116	236	236	120	29	47
GRAND TOTAL OR AVERAGE:																	
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
ARKANSAS-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
CALIFORNIA-----	-	-	-	1	1	1	3	4	-	-	-	4	4	4	-	4	4
COLORADO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
IOWA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
KANSAS-----	-	-	-	1	1	1	-	1	-	-	-	20	20	20	-	20	20
NEVADA-----	-	-	1	1	2	2	-	2	-	-	120	89	209	209	120	89	104
NORTH CAROLINA-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
OKLAHOMA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	1	4	5	5	10	15	-	-	120	116	236	236	120	29	47
KYANITE: PROCESSING PLANTS:																	
VIRGINIA-----	-	-	-	6	6	6	-	6	-	-	-	273	273	273	-	46	46
TOTAL OR AVERAGE----	-	-	-	6	6	6	-	6	-	-	-	273	273	273	-	46	46
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
VIRGINIA-----	-	-	-	6	6	6	-	6	-	-	-	273	273	273	-	46	46
TOTAL OR AVERAGE----	-	-	-	6	6	6	-	6	-	-	-	273	273	273	-	46	46

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
KYANITE-CONTINUED:																	
GRAND TOTAL OR AVERAGE:	-	-	-	6	6	6	-	6	-	-	-	273	273	273	-	46	46
VIRGINIA-----	-	-	-	6	6	6	-	6	-	-	-	273	273	273	-	46	46
TOTAL OR AVERAGE----	-	-	-	6	6	6	-	6	-	-	-	273	273	273	-	46	46
LEONARDITE:																	
PROCESSING PLANTS:																	
NORTH DAKOTA-----	-	-	-	2	2	2	-	2	-	-	-	34	34	34	-	17	17
WYOMING-----	-	-	-	1	1	1	2	3	-	-	-	14	14	14	-	14	14
TOTAL OR AVERAGE----	-	-	-	3	3	3	2	5	-	-	-	48	48	48	-	16	16
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
NORTH DAKOTA-----	-	-	-	2	2	2	-	2	-	-	-	34	34	34	-	17	17
WYOMING-----	-	-	-	1	1	1	2	3	-	-	-	14	14	14	-	14	14
TOTAL OR AVERAGE----	-	-	-	3	3	3	2	5	-	-	-	48	48	48	-	16	16
GRAND TOTAL OR AVERAGE:																	
NORTH DAKOTA-----	-	-	-	2	2	2	-	2	-	-	-	34	34	34	-	17	17
WYOMING-----	-	-	-	1	1	1	2	3	-	-	-	14	14	14	-	14	14
TOTAL OR AVERAGE----	-	-	-	3	3	3	2	5	-	-	-	48	48	48	-	16	16
MAGNESITE:																	
PROCESSING PLANTS:																	
NEVADA-----	-	-	-	2	2	2	-	2	-	-	-	212	212	212	-	106	106
PENNSYLVANIA-----	-	-	-	1	1	1	-	1	-	-	-	107	107	107	-	107	107
TOTAL OR AVERAGE----	-	-	-	3	3	3	-	3	-	-	-	319	319	319	-	106	106
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
NEVADA-----	-	-	-	2	2	2	-	2	-	-	-	212	212	212	-	106	106
PENNSYLVANIA-----	-	-	-	1	1	1	-	1	-	-	-	107	107	107	-	107	107
TOTAL OR AVERAGE----	-	-	-	3	3	3	-	3	-	-	-	319	319	319	-	106	106
GRAND TOTAL OR AVERAGE:																	
NEVADA-----	-	-	-	2	2	2	-	2	-	-	-	212	212	212	-	106	106
PENNSYLVANIA-----	-	-	-	1	1	1	-	1	-	-	-	107	107	107	-	107	107
TOTAL OR AVERAGE----	-	-	-	3	3	3	-	3	-	-	-	319	319	319	-	106	106

CG

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
MICA:																	
SURFACE MINES:																	
OPEN PIT:																	
NEVADA-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
TOTAL OR AVERAGE, SURFACE:																	
NEVADA-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
TOTAL OR AVERAGE, MINING:																	
NEVADA-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
PROCESSING PLANTS:																	
NORTH CAROLINA-----	-	-	-	1	1	1	2	3	-	-	-	22	22	22	-	22	22
TOTAL OR AVERAGE----	-	-	-	1	1	1	2	3	-	-	-	22	22	22	-	22	22
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
NEVADA-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
NORTH CAROLINA-----	-	-	-	1	1	1	2	3	-	-	-	22	22	22	-	22	22
TOTAL OR AVERAGE----	-	-	-	2	2	2	2	4	-	-	-	24	24	24	-	12	12
GRAND TOTAL OR AVERAGE:																	
NEVADA-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
NORTH CAROLINA-----	-	-	-	1	1	1	2	3	-	-	-	22	22	22	-	22	22
TOTAL OR AVERAGE----	-	-	-	2	2	2	2	4	-	-	-	24	24	24	-	12	12
OIL SAND/SHALE:																	
UNDERGROUND MINES:																	
UNDERGROUND:																	
WYOMING-----	-	-	-	1	1	1	1	2	-	-	-	36	36	36	-	36	36
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	-	-	36	36	36	-	36	36
SURFACE AT UNDERGROUND:																	
WYOMING-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
OIL SAND/SHALE--CONTINUED:																	
TOTAL OR AVERAGE, UG:																	
WYOMING-----	-	-	-	1	1	1	2	3	-	-	-	36	36	36	-	36	36
TOTAL OR AVERAGE----	-	-	-	1	1	1	2	3	-	-	-	36	36	36	-	36	36
TOTAL OR AVERAGE, MINING:																	
WYOMING-----	-	-	-	1	1	1	2	3	-	-	-	36	36	36	-	36	36
TOTAL OR AVERAGE----	-	-	-	1	1	1	2	3	-	-	-	36	36	36	-	36	36
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
WYOMING-----	-	-	-	1	1	1	2	3	-	-	-	36	36	36	-	36	36
TOTAL OR AVERAGE----	-	-	-	1	1	1	2	3	-	-	-	36	36	36	-	36	36
GRAND TOTAL OR AVERAGE:																	
WYOMING-----	-	-	-	1	1	1	2	3	-	-	-	36	36	36	-	36	36
TOTAL OR AVERAGE----	-	-	-	1	1	1	2	3	-	-	-	36	36	36	-	36	36
PERLITE:																	
SURFACE MINES:																	
OPEN PIT:																	
NEW MEXICO-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
TOTAL OR AVERAGE, SURFACE:																	
NEW MEXICO-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
TOTAL OR AVERAGE, MINING:																	
NEW MEXICO-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
PROCESSING PLANTS:																	
COLORADO-----	-	-	1	-	1	1	2	3	-	-	50	-	50	50	50	-	50
NEW MEXICO-----	-	-	-	1	1	1	1	2	-	-	-	38	38	38	-	38	38
OREGON-----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1
TOTAL OR AVERAGE----	-	-	1	2	3	3	4	7	-	-	50	39	89	89	50	20	30

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
PERLITE--CONTINUED: TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
COLORADO-----	-	-	1	-	1	1	2	3	-	-	50	-	50	50	50	-	50
NEW MEXICO-----	-	-	-	2	2	2	1	3	-	-	-	40	40	40	-	20	20
OREGON-----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1
TOTAL OR AVERAGE----	-	-	1	3	4	4	4	8	-	-	50	41	91	91	50	14	23
GRAND TOTAL OR AVERAGE:																	
COLORADO-----	-	-	1	-	1	1	2	3	-	-	50	-	50	50	50	-	50
NEW MEXICO-----	-	-	-	2	2	2	1	3	-	-	-	40	40	40	-	20	20
OREGON-----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1
TOTAL OR AVERAGE----	-	-	1	3	4	4	4	8	-	-	50	41	91	91	50	14	23
PHOSPHATE: SURFACE MINES: OPEN PIT:																	
FLORIDA-----	-	-	-	15	15	15	8	23	-	-	-	871	871	871	-	58	58
IDAHO-----	-	-	-	6	6	6	2	8	-	-	-	125	125	125	-	21	21
NORTH CAROLINA-----	-	-	-	2	2	2	2	4	-	-	-	18	18	18	-	9	9
TOTAL OR AVERAGE----	-	-	-	23	23	23	12	35	-	-	-	1,014	1,014	1,014	-	44	44
DREDGE: FLORIDA-----	-	-	-	2	2	2	-	2	-	-	-	59	59	59	-	30	30
TOTAL OR AVERAGE----	-	-	-	2	2	2	-	2	-	-	-	59	59	59	-	30	30
TOTAL OR AVERAGE, SURFACE:																	
FLORIDA-----	-	-	-	17	17	17	8	25	-	-	-	930	930	930	-	55	55
IDAHO-----	-	-	-	6	6	6	2	8	-	-	-	125	125	125	-	21	21
NORTH CAROLINA-----	-	-	-	2	2	2	2	4	-	-	-	18	18	18	-	9	9
TOTAL OR AVERAGE----	-	-	-	25	25	25	12	37	-	-	-	1,073	1,073	1,073	-	43	43
TOTAL OR AVERAGE, MINING:																	
FLORIDA-----	-	-	-	17	17	17	8	25	-	-	-	930	930	930	-	55	55
IDAHO-----	-	-	-	6	6	6	2	8	-	-	-	125	125	125	-	21	21
NORTH CAROLINA-----	-	-	-	2	2	2	2	4	-	-	-	18	18	18	-	9	9
TOTAL OR AVERAGE----	-	-	-	25	25	25	12	37	-	-	-	1,073	1,073	1,073	-	43	43

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
PHOSPHATE--CONTINUED: PROCESSING PLANTS:																	
FLORIDA-----	-	-	-	10	10	10	6	16	-	-	-	473	473	473	-	47	47
NORTH CAROLINA-----	-	-	-	3	3	3	2	5	-	-	-	25	25	25	-	8	8
UTAH-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	13	13	13	9	22	-	-	-	498	498	498	-	38	38
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
FLORIDA-----	-	-	-	27	27	27	14	41	-	-	-	1,403	1,403	1,403	-	52	52
IDAHO-----	-	-	-	6	6	6	2	8	-	-	-	125	125	125	-	21	21
NORTH CAROLINA-----	-	-	-	5	5	5	4	9	-	-	-	43	43	43	-	9	9
UTAH-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	38	38	38	21	59	-	-	-	1,571	1,571	1,571	-	41	41
OFFICE:																	
FLORIDA-----	-	-	-	1	1	1	-	1	-	-	-	33	33	33	-	33	33
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	33	33	33	-	33	33
GRAND TOTAL OR AVERAGE:																	
FLORIDA-----	-	-	-	28	28	28	14	42	-	-	-	1,436	1,436	1,436	-	51	51
IDAHO-----	-	-	-	6	6	6	2	8	-	-	-	125	125	125	-	21	21
NORTH CAROLINA-----	-	-	-	5	5	5	4	9	-	-	-	43	43	43	-	9	9
UTAH-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	39	39	39	21	60	-	-	-	1,604	1,604	1,604	-	41	41
PIGMENT:																	
PROCESSING PLANTS:																	
TEXAS-----	-	-	-	4	4	4	1	5	-	-	-	49	49	49	-	12	12
TOTAL OR AVERAGE----	-	-	-	4	4	4	1	5	-	-	-	49	49	49	-	12	12
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
TEXAS-----	-	-	-	4	4	4	1	5	-	-	-	49	49	49	-	12	12
TOTAL OR AVERAGE----	-	-	-	4	4	4	1	5	-	-	-	49	49	49	-	12	12
OFFICE:																	
TEXAS-----	-	-	-	1	1	1	-	1	-	-	-	85	85	85	-	85	85
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	85	85	85	-	85	85

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS						AVERAGE SEVERITY		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
PIGMENT-CONTINUED: GRAND TOTAL OR AVERAGE: TEXAS-----	-	-	-	5	5	5	1	6	-	-	-	134	134	134	-	27	27
TOTAL OR AVERAGE----	-	-	-	5	5	5	1	6	-	-	-	134	134	134	-	27	27
POTASH: UNDERGROUND MINES: UNDERGROUND: NEW MEXICO-----	-	-	-	17	17	17	4	21	-	-	-	1,229	1,229	1,229	-	72	72
TOTAL OR AVERAGE----	-	-	-	17	17	17	4	21	-	-	-	1,229	1,229	1,229	-	72	72
SURFACE AT UNDERGROUND: NEW MEXICO-----	-	-	-	7	7	7	-	7	-	-	-	350	350	350	-	50	50
TOTAL OR AVERAGE----	-	-	-	7	7	7	-	7	-	-	-	350	350	350	-	50	50
TOTAL OR AVERAGE, UG: NEW MEXICO-----	-	-	-	24	24	24	4	28	-	-	-	1,579	1,579	1,579	-	66	66
TOTAL OR AVERAGE----	-	-	-	24	24	24	4	28	-	-	-	1,579	1,579	1,579	-	66	66
SURFACE MINES: OPEN PIT: KANSAS-----	-	-	-	1	1	1	-	1	-	-	-	16	16	16	-	16	16
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	16	16	16	-	16	16
TOTAL OR AVERAGE, SURFACE: KANSAS-----	-	-	-	1	1	1	-	1	-	-	-	16	16	16	-	16	16
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	16	16	16	-	16	16
TOTAL OR AVERAGE, MINING: KANSAS-----	-	-	-	1	1	1	-	1	-	-	-	16	16	16	-	16	16
NEW MEXICO-----	-	-	-	24	24	24	4	28	-	-	-	1,579	1,579	1,579	-	66	66
TOTAL OR AVERAGE----	-	-	-	25	25	25	4	29	-	-	-	1,595	1,595	1,595	-	64	64
PROCESSING PLANTS: NEW MEXICO-----	-	-	-	7	7	7	3	10	-	-	-	276	276	276	-	39	39
TOTAL OR AVERAGE----	-	-	-	7	7	7	3	10	-	-	-	276	276	276	-	39	39



TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE  
AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
POTASH-CONTINUED: TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
KANSAS-----	-	-	-	1	1	1	-	1	-	-	-	16	16	16	-	16	16
NEW MEXICO-----	-	-	-	31	31	31	7	38	-	-	-	1,855	1,855	1,855	-	60	60
TOTAL OR AVERAGE----	-	-	-	32	32	32	7	39	-	-	-	1,871	1,871	1,871	-	58	58
OFFICE:																	
NEW MEXICO-----	-	-	-	1	1	1	1	2	-	-	-	275	275	275	-	275	275
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	-	-	275	275	275	-	275	275
GRAND TOTAL OR AVERAGE:																	
KANSAS-----	-	-	-	1	1	1	-	1	-	-	-	16	16	16	-	16	16
NEW MEXICO-----	-	-	-	32	32	32	8	40	-	-	-	2,130	2,130	2,130	-	67	67
TOTAL OR AVERAGE----	-	-	-	33	33	33	8	41	-	-	-	2,146	2,146	2,146	-	65	65
PUMICE:																	
SURFACE MINES:																	
OPEN PIT:																	
ARIZONA-----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1
TOTAL OR AVERAGE, SURFACE:																	
ARIZONA-----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1
TOTAL OR AVERAGE, MINING:																	
ARIZONA-----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1
PROCESSING PLANTS:																	
CALIFORNIA-----	-	-	-	1	1	1	-	1	-	-	-	164	164	164	-	164	164
IDAHO-----	-	-	-	6	6	6	1	7	-	-	-	29	29	29	-	5	5
TOTAL OR AVERAGE----	-	-	-	7	7	7	1	8	-	-	-	193	193	193	-	28	28

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
PUMICE--CONTINUED: TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
ARIZONA-----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1
CALIFORNIA-----	-	-	-	1	1	1	-	1	-	-	-	164	164	164	-	164	164
IDAHO-----	-	-	-	6	6	6	1	7	-	-	-	29	29	29	-	5	5
TOTAL OR AVERAGE----	-	-	-	8	8	8	2	10	-	-	-	194	194	194	-	24	24
GRAND TOTAL OR AVERAGE:																	
ARIZONA-----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1
CALIFORNIA-----	-	-	-	1	1	1	-	1	-	-	-	164	164	164	-	164	164
IDAHO-----	-	-	-	6	6	6	1	7	-	-	-	29	29	29	-	5	5
TOTAL OR AVERAGE----	-	-	-	8	8	8	2	10	-	-	-	194	194	194	-	24	24
SALT: UNDERGROUND MINES:																	
UNDERGROUND:																	
KANSAS-----	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-
LOUISIANA-----	-	-	-	4	4	4	2	6	-	-	-	420	420	420	-	105	105
NEW YORK-----	-	-	-	11	11	11	3	14	-	-	-	665	665	665	-	60	60
OHIO-----	-	-	-	4	4	4	1	5	-	-	-	65	65	65	-	16	16
TOTAL OR AVERAGE----	-	-	-	19	19	19	12	31	-	-	-	1,150	1,150	1,150	-	61	61
SURFACE AT UNDERGROUND:																	
NEW YORK-----	-	-	-	3	3	3	1	4	-	-	-	32	32	32	-	11	11
OHIO-----	-	-	-	1	1	1	1	2	-	-	-	4	4	4	-	4	4
TEXAS-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	4	4	4	3	7	-	-	-	36	36	36	-	9	9
TOTAL OR AVERAGE, UG:																	
KANSAS-----	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-
LOUISIANA-----	-	-	-	4	4	4	2	6	-	-	-	420	420	420	-	105	105
NEW YORK-----	-	-	-	14	14	14	4	18	-	-	-	697	697	697	-	50	50
OHIO-----	-	-	-	5	5	5	2	7	-	-	-	69	69	69	-	14	14
TEXAS-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	23	23	23	15	38	-	-	-	1,186	1,186	1,186	-	52	52

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
<b>SALT-CONTINUED:</b>																	
<b>TOTAL OR AVERAGE, MINING:</b>																	
KANSAS-----	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	
LOUISIANA-----	-	-	-	4	4	4	2	6	-	-	-	420	420	420	-	105	
NEW YORK-----	-	-	-	14	14	14	4	18	-	-	-	697	697	697	-	50	
OHIO-----	-	-	-	5	5	5	2	7	-	-	-	69	69	69	-	14	
TEXAS-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE----	-	-	-	23	23	23	15	38	-	-	-	1,186	1,186	1,186	-	52	
<b>PROCESSING PLANTS:</b>																	
KANSAS-----	-	-	-	1	1	1	1	2	-	-	-	2	2	2	-	2	
LOUISIANA-----	-	-	2	1	3	3	-	3	-	-	2,025	49	2,074	2,074	1,012	49	
TEXAS-----	-	-	-	3	3	3	2	5	-	-	-	332	332	332	-	111	
UTAH-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE----	-	-	2	5	7	7	4	11	-	-	2,025	383	2,408	2,408	1,012	77	
<b>TOTAL OR AVERAGE, ALL MINES AND PLANTS:</b>																	
KANSAS-----	-	-	-	1	1	1	7	8	-	-	-	2	2	2	-	2	
LOUISIANA-----	-	-	2	5	7	7	2	9	-	-	2,025	469	2,494	2,494	1,012	94	
NEW YORK-----	-	-	-	14	14	14	4	18	-	-	-	697	697	697	-	50	
OHIO-----	-	-	-	5	5	5	2	7	-	-	-	69	69	69	-	14	
TEXAS-----	-	-	-	3	3	3	3	6	-	-	-	332	332	332	-	111	
UTAH-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE----	-	-	2	28	30	30	19	49	-	-	2,025	1,569	3,594	3,594	1,012	56	
<b>GRAND TOTAL OR AVERAGE:</b>																	
KANSAS-----	-	-	-	1	1	1	7	8	-	-	-	2	2	2	-	2	
LOUISIANA-----	-	-	2	5	7	7	2	9	-	-	2,025	469	2,494	2,494	1,012	94	
NEW YORK-----	-	-	-	14	14	14	4	18	-	-	-	697	697	697	-	50	
OHIO-----	-	-	-	5	5	5	2	7	-	-	-	69	69	69	-	14	
TEXAS-----	-	-	-	3	3	3	3	6	-	-	-	332	332	332	-	111	
UTAH-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE----	-	-	2	28	30	30	19	49	-	-	2,025	1,569	3,594	3,594	1,012	56	
<b>SHALE:</b>																	
<b>SURFACE MINES:</b>																	
<b>OPEN PIT:</b>																	
COLORADO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
MASSACHUSETTS-----	-	-	-	2	2	2	-	2	-	-	-	43	43	43	-	22	
NEW YORK-----	-	-	-	1	1	1	1	2	-	-	-	204	204	204	-	204	
TEXAS-----	-	-	-	1	1	1	-	1	-	-	-	42	42	42	-	42	
TOTAL OR AVERAGE----	-	-	-	4	4	4	2	6	-	-	-	289	289	289	-	72	

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY					TOTAL NFDL	PERMANENT						TEMPO- RARY	TOTAL NFDL
		TOTAL	PARTIAL							TOTAL	PARTIAL						
SHALE--CONTINUED:																	
TOTAL OR AVERAGE, SURFACE:																	
COLORADO-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
MASSACHUSETTS-----	-	-	2	2	2	-	2	-	-	-	43	43	43	-	22	22	
NEW YORK-----	-	-	1	1	1	1	1	-	-	-	204	204	204	-	204	204	
TEXAS-----	-	-	1	1	1	-	1	-	-	-	42	42	42	-	42	42	
TOTAL OR AVERAGE----	-	-	4	4	4	2	6	-	-	-	289	289	289	-	72	72	
TOTAL OR AVERAGE, MINING:																	
COLORADO-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
MASSACHUSETTS-----	-	-	2	2	2	-	2	-	-	-	43	43	43	-	22	22	
NEW YORK-----	-	-	1	1	1	1	1	-	-	-	204	204	204	-	204	204	
TEXAS-----	-	-	1	1	1	-	1	-	-	-	42	42	42	-	42	42	
TOTAL OR AVERAGE----	-	-	4	4	4	2	6	-	-	-	289	289	289	-	72	72	
PROCESSING PLANTS:																	
GEORGIA-----	-	-	3	3	3	1	4	-	-	-	681	681	681	-	227	227	
INDIANA-----	-	-	3	3	3	4	7	-	-	-	9	9	9	-	3	3	
KENTUCKY-----	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5	
MISSOURI-----	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3	
NEW YORK-----	-	-	2	2	2	2	4	-	-	-	16	16	16	-	8	8	
NORTH CAROLINA-----	-	-	6	6	6	3	9	-	-	-	208	208	208	-	35	35	
OHIO-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
TEXAS-----	-	-	2	2	2	2	4	-	-	-	257	257	257	-	128	128	
UTAH-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
VIRGINIA-----	-	-	2	2	2	-	2	-	-	-	32	32	32	-	16	16	
TOTAL OR AVERAGE----	-	-	20	20	20	14	34	-	-	-	1,211	1,211	1,211	-	61	61	
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
COLORADO-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
GEORGIA-----	-	-	3	3	3	1	4	-	-	-	681	681	681	-	227	227	
INDIANA-----	-	-	3	3	3	4	7	-	-	-	9	9	9	-	3	3	
KENTUCKY-----	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5	
MASSACHUSETTS-----	-	-	2	2	2	-	2	-	-	-	43	43	43	-	22	22	
MISSOURI-----	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3	
NEW YORK-----	-	-	3	3	3	3	6	-	-	-	220	220	220	-	73	73	
NORTH CAROLINA-----	-	-	6	6	6	3	9	-	-	-	208	208	208	-	35	35	
OHIO-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
TEXAS-----	-	-	3	3	3	2	5	-	-	-	299	299	299	-	100	100	
UTAH-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
VIRGINIA-----	-	-	2	2	2	-	2	-	-	-	32	32	32	-	16	16	
TOTAL OR AVERAGE----	-	-	24	24	24	16	40	-	-	-	1,500	1,500	1,500	-	62	62	

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY					PERMANENT		TEMPO- RARY					TOTAL NFDL	
		TOTAL	PARTIAL						TOTAL	PARTIAL							
SHALE--CONTINUED: OFFICE:																	
INDIANA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
GRAND TOTAL OR AVERAGE:																	
COLORADO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
GEORGIA-----	-	-	-	3	3	3	1	4	-	-	-	681	681	681	-	227	227
INDIANA-----	-	-	-	3	3	3	5	8	-	-	-	9	9	9	-	3	3
KENTUCKY-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
MASSACHUSETTS-----	-	-	-	2	2	2	-	2	-	-	-	43	43	43	-	22	22
MISSOURI-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
NEW YORK-----	-	-	-	3	3	3	3	6	-	-	-	220	220	220	-	73	73
NORTH CAROLINA-----	-	-	-	6	6	6	3	9	-	-	-	208	208	208	-	35	35
OHIO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TEXAS-----	-	-	-	3	3	3	2	5	-	-	-	299	299	299	-	100	100
UTAH-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
VIRGINIA-----	-	-	-	2	2	2	-	2	-	-	-	32	32	32	-	16	16
TOTAL OR AVERAGE----	-	-	-	24	24	24	17	41	-	-	-	1,500	1,500	1,500	-	62	62
SODIUM COMPOUNDS: UNDERGROUND MINES:																	
UNDERGROUND:																	
WYOMING-----	-	-	1	31	32	32	7	39	-	-	50	1,456	1,506	1,506	50	47	47
TOTAL OR AVERAGE----	-	-	1	31	32	32	7	39	-	-	50	1,456	1,506	1,506	50	47	47
SURFACE AT UNDERGROUND:																	
WYOMING-----	-	-	-	9	9	9	5	14	-	-	-	329	329	329	-	37	37
TOTAL OR AVERAGE----	-	-	-	9	9	9	5	14	-	-	-	329	329	329	-	37	37
TOTAL OR AVERAGE, UG:																	
WYOMING-----	-	-	1	40	41	41	12	53	-	-	50	1,785	1,835	1,835	50	45	45
TOTAL OR AVERAGE----	-	-	1	40	41	41	12	53	-	-	50	1,785	1,835	1,835	50	45	45
TOTAL OR AVERAGE, MINING:																	
WYOMING-----	-	-	1	40	41	41	12	53	-	-	50	1,785	1,835	1,835	50	45	45
TOTAL OR AVERAGE----	-	-	1	40	41	41	12	53	-	-	50	1,785	1,835	1,835	50	45	45

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS						AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL					
		TOTAL	PARTIAL							TOTAL	PARTIAL							
SODIUM COMPOUNDS-CONTINUED: PROCESSING PLANTS:																		
WYOMING-----	-	-	1	22	23	23	10	33	-	-	300	722	1,022	1,022	300	33	44	
TOTAL OR AVERAGE----	-	-	1	22	23	23	10	33	-	-	300	722	1,022	1,022	300	33	44	
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																		
WYOMING-----	-	-	2	62	64	64	22	86	-	-	350	2,507	2,857	2,857	175	40	45	
TOTAL OR AVERAGE----	-	-	2	62	64	64	22	86	-	-	350	2,507	2,857	2,857	175	40	45	
OFFICE:																		
WYOMING-----	-	-	-	5	5	5	1	6	-	-	-	564	564	564	-	113	113	
TOTAL OR AVERAGE----	-	-	-	5	5	5	1	6	-	-	-	564	564	564	-	113	113	
GRAND TOTAL OR AVERAGE:																		
WYOMING-----	-	-	2	67	69	69	23	92	-	-	350	3,071	3,421	3,421	175	46	50	
TOTAL OR AVERAGE----	-	-	2	67	69	69	23	92	-	-	350	3,071	3,421	3,421	175	46	50	
TALC-SOAPSTONE: SURFACE MINES:																		
OPEN PIT:																		
MONTANA-----	-	-	-	2	2	2	3	5	-	-	-	168	168	168	-	84	84	
NEW YORK-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2	
TOTAL OR AVERAGE----	-	-	-	3	3	3	3	6	-	-	-	170	170	170	-	57	57	
TOTAL OR AVERAGE, SURFACE:																		
MONTANA-----	-	-	-	2	2	2	3	5	-	-	-	168	168	168	-	84	84	
NEW YORK-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2	
TOTAL OR AVERAGE----	-	-	-	3	3	3	3	6	-	-	-	170	170	170	-	57	57	
TOTAL OR AVERAGE, MINING:																		
MONTANA-----	-	-	-	2	2	2	3	5	-	-	-	168	168	168	-	84	84	
NEW YORK-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2	
TOTAL OR AVERAGE----	-	-	-	3	3	3	3	6	-	-	-	170	170	170	-	57	57	

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
TALC-SOAPSTONE-CONTINUED: PROCESSING PLANTS:																	
MONTANA-----	-	-	-	3	3	3	3	6	-	-	-	563	563	563	-	188	188
NEW YORK-----	-	-	-	3	3	3	-	3	-	-	-	553	553	553	-	184	184
NORTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TEXAS-----	-	-	-	4	4	4	-	4	-	-	-	82	82	82	-	20	20
VERMONT-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
WEST VIRGINIA-----	-	-	-	1	1	1	-	1	-	-	-	21	21	21	-	21	21
TOTAL OR AVERAGE----	-	-	-	11	11	11	5	16	-	-	-	1,219	1,219	1,219	-	111	111
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
MONTANA-----	-	-	-	5	5	5	6	11	-	-	-	731	731	731	-	146	146
NEW YORK-----	-	-	-	4	4	4	-	4	-	-	-	555	555	555	-	139	139
NORTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TEXAS-----	-	-	-	4	4	4	-	4	-	-	-	82	82	82	-	20	20
VERMONT-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
WEST VIRGINIA-----	-	-	-	1	1	1	-	1	-	-	-	21	21	21	-	21	21
TOTAL OR AVERAGE----	-	-	-	14	14	14	8	22	-	-	-	1,389	1,389	1,389	-	99	99
GRAND TOTAL OR AVERAGE:																	
MONTANA-----	-	-	-	5	5	5	6	11	-	-	-	731	731	731	-	146	146
NEW YORK-----	-	-	-	4	4	4	-	4	-	-	-	555	555	555	-	139	139
NORTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TEXAS-----	-	-	-	4	4	4	-	4	-	-	-	82	82	82	-	20	20
VERMONT-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
WEST VIRGINIA-----	-	-	-	1	1	1	-	1	-	-	-	21	21	21	-	21	21
TOTAL OR AVERAGE----	-	-	-	14	14	14	8	22	-	-	-	1,389	1,389	1,389	-	99	99
VERMICULITE: SURFACE MINES: OPEN PIT:																	
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE, SURFACE: VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE, MINING: VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY					TOTAL NFDL	PERMANENT						TEMPO- RARY	TOTAL NFDL
		TOTAL	PARTIAL							TOTAL	PARTIAL						
VERMICULITE-CONTINUED: PROCESSING PLANTS: VIRGINIA-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE, ALL MINES AND PLANTS: VIRGINIA-----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	
GRAND TOTAL OR AVERAGE: VIRGINIA-----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	
WOLLASTONITE-STAUROLITE: SURFACE MINES: OPEN PIT: MISSOURI-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
OHIO-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE, SURFACE: MISSOURI-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
OHIO-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE, MINING: MISSOURI-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
OHIO-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	



TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY					TOTAL NFDL	PERMANENT						TEMPO- RARY	TOTAL NFDL
		TOTAL	PARTIAL							TOTAL	PARTIAL						
WOLASTNTE-STAUJIT-CONTINUED: PROCESSING PLANTS:																	
CALIFORNIA-----	-	-	-	1	1	1	1	2	-	-	-	239	239	239	-	239	239
FLORIDA-----	-	-	-	3	3	3	2	5	-	-	-	115	115	115	-	38	38
GEORGIA-----	-	-	-	8	8	8	4	12	-	-	-	660	660	660	-	82	82
MISSISSIPPI-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
MISSOURI-----	-	-	-	4	4	4	1	5	-	-	-	76	76	76	-	19	19
NEVADA-----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1
SOUTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
SOUTH DAKOTA-----	-	-	1	-	1	1	-	1	-	-	100	-	100	100	100	-	100
VIRGINIA-----	-	-	-	3	3	3	4	7	-	-	-	44	44	44	-	15	15
WYOMING-----	-	-	-	13	13	13	18	31	-	-	-	470	470	470	-	36	36
TOTAL OR AVERAGE----	-	-	1	33	34	34	33	67	-	-	100	1,605	1,705	1,705	100	49	50
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
CALIFORNIA-----	-	-	-	1	1	1	1	2	-	-	-	239	239	239	-	239	239
FLORIDA-----	-	-	-	3	3	3	2	5	-	-	-	115	115	115	-	38	38
GEORGIA-----	-	-	-	8	8	8	4	12	-	-	-	660	660	660	-	82	82
MISSISSIPPI-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
MISSOURI-----	-	-	-	4	4	4	1	5	-	-	-	76	76	76	-	19	19
NEVADA-----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1
OHIO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
SOUTH DAKOTA-----	-	-	1	-	1	1	-	1	-	-	100	-	100	100	100	-	100
VIRGINIA-----	-	-	-	3	3	3	4	7	-	-	-	44	44	44	-	15	15
WYOMING-----	-	-	-	13	13	13	18	31	-	-	-	470	470	470	-	36	36
TOTAL OR AVERAGE----	-	-	1	33	34	34	35	69	-	-	100	1,605	1,705	1,705	100	49	50
OFFICE:																	
FLORIDA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
GRAND TOTAL OR AVERAGE:																	
CALIFORNIA-----	-	-	-	1	1	1	1	2	-	-	-	239	239	239	-	239	239
FLORIDA-----	-	-	-	3	3	3	3	6	-	-	-	115	115	115	-	38	38
GEORGIA-----	-	-	-	8	8	8	4	12	-	-	-	660	660	660	-	82	82
MISSISSIPPI-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
MISSOURI-----	-	-	-	4	4	4	1	5	-	-	-	76	76	76	-	19	19
NEVADA-----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1
OHIO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
SOUTH DAKOTA-----	-	-	1	-	1	1	-	1	-	-	100	-	100	100	100	-	100
VIRGINIA-----	-	-	-	3	3	3	4	7	-	-	-	44	44	44	-	15	15
WYOMING-----	-	-	-	13	13	13	18	31	-	-	-	470	470	470	-	36	36
TOTAL OR AVERAGE----	-	-	1	33	34	34	36	70	-	-	100	1,605	1,705	1,705	100	49	50

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPO- RARY	TOTAL NFDL				PERMANENT		TEMPO- RARY	TOTAL NFDL					
		TOTAL	PARTIAL						TOTAL	PARTIAL							
OTHER NONMETAL, NEC: UNDERGROUND MINES: SURFACE AT UNDERGROUND: WISCONSIN-----	-	-	-	1	1	1	-	1	-	-	-	138	138	138	-	138	138
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	138	138	138	-	138	138
TOTAL OR AVERAGE, UG: WISCONSIN-----	-	-	-	1	1	1	-	1	-	-	-	138	138	138	-	138	138
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	138	138	138	-	138	138
SURFACE MINES: OPEN PIT: CALIFORNIA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
NEVADA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
NEW MEXICO-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
OREGON-----	-	-	-	1	1	1	-	1	-	-	-	114	114	114	-	114	114
SOUTH DAKOTA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	2	2	2	5	7	-	-	-	117	117	117	-	58	58
TOTAL OR AVERAGE, SURFACE: CALIFORNIA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
NEVADA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
NEW MEXICO-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
OREGON-----	-	-	-	1	1	1	-	1	-	-	-	114	114	114	-	114	114
SOUTH DAKOTA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	2	2	2	5	7	-	-	-	117	117	117	-	58	58
TOTAL OR AVERAGE, MINING: CALIFORNIA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
NEVADA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
NEW MEXICO-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
OREGON-----	-	-	-	1	1	1	-	1	-	-	-	114	114	114	-	114	114
SOUTH DAKOTA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
WISCONSIN-----	-	-	-	1	1	1	-	1	-	-	-	138	138	138	-	138	138
TOTAL OR AVERAGE----	-	-	-	3	3	3	5	8	-	-	-	255	255	255	-	85	85

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
OTHER NONMTLS NEC-CONTINUED: PROCESSING PLANTS:																	
CALIFORNIA-----	-	-	-	16	16	16	4	20	-	-	-	298	298	298	-	19	19
IDAHO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
ILLINOIS-----	-	-	-	1	1	1	1	2	-	-	-	38	38	38	-	38	38
LOUISIANA-----	-	-	-	3	3	3	-	3	-	-	-	19	19	19	-	6	6
MINNESOTA-----	-	-	-	2	2	2	1	3	-	-	-	133	133	133	-	66	66
NEVADA-----	-	-	-	8	8	8	5	13	-	-	-	86	86	86	-	11	11
NEW JERSEY-----	-	-	-	4	4	4	-	4	-	-	-	194	194	194	-	48	48
NEW MEXICO-----	-	-	-	2	2	2	1	3	-	-	-	13	13	13	-	6	6
NEW YORK-----	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-
NORTH CAROLINA-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
OREGON-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA-----	-	-	-	2	2	2	1	3	-	-	-	41	41	41	-	20	20
WASHINGTON-----	-	-	-	1	1	1	2	3	-	-	-	116	116	116	-	116	116
TOTAL OR AVERAGE----	-	-	-	40	40	40	20	60	-	-	-	943	943	943	-	24	24
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
CALIFORNIA-----	-	-	-	16	16	16	6	22	-	-	-	298	298	298	-	19	19
IDAHO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
ILLINOIS-----	-	-	-	1	1	1	1	2	-	-	-	38	38	38	-	38	38
LOUISIANA-----	-	-	-	3	3	3	-	3	-	-	-	19	19	19	-	6	6
MINNESOTA-----	-	-	-	2	2	2	1	3	-	-	-	133	133	133	-	66	66
NEVADA-----	-	-	-	8	8	8	6	14	-	-	-	86	86	86	-	11	11
NEW JERSEY-----	-	-	-	4	4	4	-	4	-	-	-	194	194	194	-	48	48
NEW MEXICO-----	-	-	-	3	3	3	1	4	-	-	-	16	16	16	-	5	5
NEW YORK-----	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-
NORTH CAROLINA-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
OREGON-----	-	-	-	1	1	1	1	2	-	-	-	114	114	114	-	114	114
PENNSYLVANIA-----	-	-	-	2	2	2	1	3	-	-	-	41	41	41	-	20	20
SOUTH DAKOTA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
WASHINGTON-----	-	-	-	1	1	1	2	3	-	-	-	116	116	116	-	116	116
WISCONSIN-----	-	-	-	1	1	1	-	1	-	-	-	138	138	138	-	138	138
TOTAL OR AVERAGE----	-	-	-	43	43	43	25	68	-	-	-	1,198	1,198	1,198	-	28	28

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL				NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPO- RARY	TOTAL NFDL				PERMANENT		TEMPO- RARY	TOTAL NFDL					
		TOTAL	PARTIAL						TOTAL	PARTIAL							
OTHER NONMTLS NEC-CONTINUED: GRAND TOTAL OR AVERAGE:	-	-	-	16	16	16	6	22	-	-	-	298	298	298	-	19	19
CALIFORNIA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
IDAHO-----	-	-	-	1	1	1	1	2	-	-	-	38	38	38	-	38	38
ILLINOIS-----	-	-	-	3	3	3	-	3	-	-	-	19	19	19	-	6	6
LOUISIANA-----	-	-	-	2	2	2	1	3	-	-	-	133	133	133	-	66	66
MINNESOTA-----	-	-	-	8	8	8	6	14	-	-	-	86	86	86	-	11	11
NEVADA-----	-	-	-	4	4	4	-	4	-	-	-	194	194	194	-	48	48
NEW JERSEY-----	-	-	-	3	3	3	1	4	-	-	-	16	16	16	-	5	5
NEW MEXICO-----	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-
NEW YORK-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
NORTH CAROLINA-----	-	-	-	1	1	1	1	2	-	-	-	114	114	114	-	114	114
OREGON-----	-	-	-	2	2	2	1	3	-	-	-	41	41	41	-	20	20
PENNSYLVANIA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
SOUTH DAKOTA-----	-	-	-	1	1	1	2	3	-	-	-	116	116	116	-	116	116
WASHINGTON-----	-	-	-	1	1	1	-	1	-	-	-	138	138	138	-	138	138
WISCONSIN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	43	43	43	25	68	-	-	-	1,198	1,198	1,198	-	28	28
ALL NONMETALLIC MINERALS:																	
UNDERGROUND MINES:																	
UNDERGROUND:																	
IOWA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
KANSAS-----	-	-	-	1	1	1	6	7	-	-	-	20	20	20	-	20	20
LOUISIANA-----	-	-	-	4	4	4	2	6	-	-	-	420	420	420	-	105	105
NEW MEXICO-----	-	-	-	17	17	17	4	21	-	-	-	1,229	1,229	1,229	-	72	72
NEW YORK-----	-	-	-	11	11	11	3	14	-	-	-	665	665	665	-	60	60
OHIO-----	-	-	-	4	4	4	1	5	-	-	-	65	65	65	-	16	16
UTAH-----	-	-	-	3	3	3	-	3	-	-	-	160	160	160	-	53	53
WYOMING-----	-	-	1	32	33	33	8	41	-	-	50	1,492	1,542	1,542	50	47	47
TOTAL OR AVERAGE----	-	-	1	72	73	73	25	98	-	-	50	4,051	4,101	4,101	50	56	56
SURFACE AT UNDERGROUND:																	
NEW MEXICO-----	-	-	-	7	7	7	-	7	-	-	-	350	350	350	-	50	50
NEW YORK-----	-	-	-	3	3	3	1	4	-	-	-	32	32	32	-	11	11
OHIO-----	-	-	-	1	1	1	1	2	-	-	-	4	4	4	-	4	4
TEXAS-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
UTAH-----	-	-	-	4	4	4	-	4	-	-	-	33	33	33	-	8	8
WISCONSIN-----	-	-	-	1	1	1	-	1	-	-	-	138	138	138	-	138	138
WYOMING-----	-	-	-	9	9	9	6	15	-	-	-	329	329	329	-	37	37
TOTAL OR AVERAGE----	-	-	-	25	25	25	9	34	-	-	-	886	886	886	-	35	35

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
ALL NONMETALLIC-CONTINUED: TOTAL OR AVERAGE, UG:	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
IOWA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
KANSAS-----	-	-	-	1	1	1	6	7	-	-	-	20	20	20	-	20	20
LOUISIANA-----	-	-	-	4	4	4	2	6	-	-	-	420	420	420	-	105	105
NEW MEXICO-----	-	-	-	24	24	24	4	28	-	-	-	1,579	1,579	1,579	-	66	66
NEW YORK-----	-	-	-	14	14	14	4	18	-	-	-	697	697	697	-	50	50
OHIO-----	-	-	-	5	5	5	2	7	-	-	-	69	69	69	-	14	14
TEXAS-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
UTAH-----	-	-	-	7	7	7	-	7	-	-	-	193	193	193	-	28	28
WISCONSIN-----	-	-	-	1	1	1	-	1	-	-	-	138	138	138	-	138	138
WYOMING-----	-	-	1	41	42	42	14	56	-	-	50	1,821	1,871	1,871	50	44	45
TOTAL OR AVERAGE----	-	-	1	97	98	98	34	132	-	-	50	4,937	4,987	4,987	50	51	51
SURFACE MINES:																	
OPEN PIT:																	
ALABAMA-----	-	-	-	1	1	1	-	1	-	-	-	28	28	28	-	28	28
ARIZONA-----	-	-	-	1	1	1	3	4	-	-	-	1	1	1	-	1	1
ARKANSAS-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
CALIFORNIA-----	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-
COLORADO-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
CONNECTICUT-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
FLORIDA-----	-	-	-	15	15	15	8	23	-	-	-	871	871	871	-	58	58
GEORGIA-----	-	-	-	4	4	4	1	5	-	-	-	70	70	70	-	18	18
IDAHO-----	-	-	-	8	8	8	3	11	-	-	-	133	133	133	-	17	17
IOWA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
KANSAS-----	-	-	-	1	1	1	-	1	-	-	-	16	16	16	-	16	16
MASSACHUSETTS-----	-	-	-	2	2	2	-	2	-	-	-	43	43	43	-	22	22
MISSOURI-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
MONTANA-----	-	-	-	2	2	2	3	5	-	-	-	168	168	168	-	84	84
NEVADA-----	-	-	1	2	3	3	1	4	-	-	120	91	211	211	120	46	70
NEW MEXICO-----	-	-	-	2	2	2	-	2	-	-	-	5	5	5	-	2	2
NEW YORK-----	-	-	-	2	2	2	1	3	-	-	-	206	206	206	-	103	103
NORTH CAROLINA-----	-	-	-	2	2	2	4	6	-	-	-	18	18	18	-	9	9
OHIO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
OKLAHOMA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
OREGON-----	-	-	-	1	1	1	-	1	-	-	-	114	114	114	-	114	114
SOUTH DAKOTA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
TEXAS-----	-	-	-	2	2	2	-	2	-	-	-	94	94	94	-	47	47
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
WYOMING-----	-	-	-	8	8	8	1	9	-	-	-	146	146	146	-	18	18
TOTAL OR AVERAGE----	-	-	1	54	55	55	41	96	-	-	120	2,009	2,129	2,129	120	37	39
DREDGE:																	
FLORIDA-----	-	-	-	2	2	2	-	2	-	-	-	59	59	59	-	30	30
TOTAL OR AVERAGE----	-	-	-	2	2	2	-	2	-	-	-	59	59	59	-	30	30

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE  
AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY					TOTAL NFDL	PERMANENT						TEMPO- RARY	TOTAL NFDL
		TOTAL	PARTIAL							TOTAL	PARTIAL						
ALL NONMETALLIC-CONTINUED: TOTAL OR AVERAGE, SURFACE:	-	-	-	1	1	1	-	1	-	-	28	28	28	-	28	28	
ALABAMA-----	-	-	-	1	1	1	3	4	-	-	1	1	1	-	1	1	
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
ARKANSAS-----	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	
CALIFORNIA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	
COLORADO-----	-	-	-	1	1	1	-	1	-	-	5	5	5	-	5	5	
CONNECTICUT-----	-	-	-	17	17	17	8	25	-	-	930	930	930	-	55	55	
FLORIDA-----	-	-	-	4	4	4	1	5	-	-	70	70	70	-	18	18	
GEORGIA-----	-	-	-	8	8	8	3	11	-	-	133	133	133	-	17	17	
IDAHO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
IOWA-----	-	-	-	1	1	1	-	1	-	-	16	16	16	-	16	16	
KANSAS-----	-	-	-	2	2	2	-	2	-	-	43	43	43	-	22	22	
MASSACHUSETTS-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
MISSOURI-----	-	-	-	2	2	2	3	5	-	-	168	168	168	-	84	84	
MONTANA-----	-	-	1	2	3	3	1	4	-	-	91	211	211	120	46	70	
NEVADA-----	-	-	-	2	2	2	-	2	-	-	5	5	5	-	2	2	
NEW MEXICO-----	-	-	-	2	2	2	1	3	-	-	206	206	206	-	103	103	
NEW YORK-----	-	-	-	2	2	2	4	6	-	-	18	18	18	-	9	9	
NORTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
OHIO-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	
OKLAHOMA-----	-	-	-	1	1	1	-	1	-	-	114	114	114	-	114	114	
OREGON-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	
SOUTH DAKOTA-----	-	-	-	2	2	2	-	2	-	-	94	94	94	-	47	47	
TEXAS-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
VIRGINIA-----	-	-	-	8	8	8	1	9	-	-	146	146	146	-	18	18	
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE-----	-	-	1	56	57	57	41	98	-	-	120	2,068	2,188	120	37	38	

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY					TOTAL NFDL	PERMANENT						TEMPO- RARY	TOTAL NFDL
		TOTAL	PARTIAL							TOTAL	PARTIAL						
ALL NONMETALLIC-CONTINUED: TOTAL OR AVERAGE, MINING:	-	-	-	1	1	1	-	1	-	-	28	28	28	-	28	28	
ALABAMA-----	-	-	-	1	1	1	3	4	-	-	1	1	1	-	1	1	
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
ARKANSAS-----	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	
CALIFORNIA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	
COLORADO-----	-	-	-	1	1	1	-	1	-	-	5	5	5	-	5	5	
CONNECTICUT-----	-	-	-	17	17	17	8	25	-	-	930	930	930	-	55	55	
FLORIDA-----	-	-	-	4	4	4	1	5	-	-	70	70	70	-	18	18	
GEORGIA-----	-	-	-	8	8	8	3	11	-	-	133	133	133	-	17	17	
IDAHO-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	
IOWA-----	-	-	-	2	2	2	6	8	-	-	36	36	36	-	18	18	
KANSAS-----	-	-	-	4	4	4	2	6	-	-	420	420	420	-	105	105	
LOUISIANA-----	-	-	-	2	2	2	-	2	-	-	43	43	43	-	22	22	
MASSACHUSETTS-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
MISSOURI-----	-	-	-	2	2	2	3	5	-	-	168	168	168	-	84	84	
MONTANA-----	-	-	-	2	3	3	1	4	-	-	91	211	211	120	46	70	
NEVADA-----	-	-	1	26	26	26	4	30	-	120	1,584	1,584	1,584	-	61	61	
NEW MEXICO-----	-	-	-	16	16	16	5	21	-	-	903	903	903	-	56	56	
NEW YORK-----	-	-	-	2	2	2	4	6	-	-	18	18	18	-	9	9	
NORTH CAROLINA-----	-	-	-	5	5	5	3	8	-	-	69	69	69	-	14	14	
OHIO-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	
OKLAHOMA-----	-	-	-	1	1	1	-	1	-	-	114	114	114	-	114	114	
OREGON-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	
SOUTH DAKOTA-----	-	-	-	2	2	2	1	3	-	-	94	94	94	-	47	47	
TEXAS-----	-	-	-	7	7	7	-	7	-	-	193	193	193	-	28	28	
UTAH-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
VIRGINIA-----	-	-	-	1	1	1	-	1	-	-	138	138	138	-	138	138	
WISCONSIN-----	-	-	-	1	1	1	15	15	-	-	1,967	2,017	2,017	50	40	40	
WYOMING-----	-	-	1	49	50	50	-	65	-	50	-	-	-	-	-	-	
TOTAL OR AVERAGE-----	-	-	2	153	155	155	75	230	-	-	170	7,005	7,175	85	46	46	

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
ALL NONMETALLIC-CONTINUED: PROCESSING PLANTS:																	
ALABAMA-----	-	-	-	6	6	6	1	7	-	-	-	199	199	199	-	33	33
ARKANSAS-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
CALIFORNIA-----	-	-	-	23	23	23	11	34	-	-	-	1,329	1,329	1,329	-	58	58
COLORADO-----	-	-	1	-	1	1	2	3	-	-	50	-	50	50	50	-	50
FLORIDA-----	-	-	-	14	14	14	9	23	-	-	-	597	597	597	-	43	43
GEORGIA-----	-	-	1	30	31	31	20	51	-	-	200	2,527	2,527	2,527	200	78	82
IDAHO-----	-	-	-	6	6	6	2	8	-	-	-	29	29	29	-	5	5
ILLINOIS-----	-	-	-	5	5	5	1	6	-	-	-	434	434	434	-	87	87
INDIANA-----	-	-	-	3	3	3	4	7	-	-	-	9	9	9	-	3	3
KANSAS-----	-	-	-	1	1	1	1	2	-	-	-	2	2	2	-	2	2
KENTUCKY-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
LOUISIANA-----	-	-	2	8	10	10	1	11	-	-	2,025	108	2,133	2,133	1,012	14	213
MINNESOTA-----	-	-	-	2	2	2	1	3	-	-	-	133	133	133	-	66	66
MISSISSIPPI-----	-	-	-	2	2	2	3	5	-	-	-	78	78	78	-	39	39
MISSOURI-----	-	-	-	7	7	7	1	8	-	-	-	265	265	265	-	38	38
MONTANA-----	-	-	-	3	3	3	3	6	-	-	-	563	563	563	-	188	188
NEVADA-----	-	-	-	19	19	19	8	27	-	-	-	757	757	757	-	40	40
NEW JERSEY-----	-	-	-	4	4	4	-	4	-	-	-	194	194	194	-	48	48
NEW MEXICO-----	-	-	-	10	10	10	5	15	-	-	-	327	327	327	-	33	33
NEW YORK-----	-	-	-	5	5	5	5	10	-	-	-	569	569	569	-	114	114
NORTH CAROLINA-----	-	-	-	14	14	14	9	23	-	-	-	268	268	268	-	19	19
NORTH DAKOTA-----	-	-	-	2	2	2	-	2	-	-	-	34	34	34	-	17	17
OHIO-----	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
OREGON-----	-	-	-	1	1	1	2	3	-	-	-	1	1	1	-	1	1
PENNSYLVANIA-----	-	-	-	3	3	3	1	4	-	-	-	148	148	148	-	49	49
SOUTH CAROLINA-----	-	-	-	4	4	4	4	8	-	-	-	235	235	235	-	59	59
SOUTH DAKOTA-----	-	-	1	-	1	1	-	1	-	-	100	-	100	100	100	-	100
TENNESSEE-----	-	-	-	6	6	6	2	8	-	-	-	343	343	343	-	57	57
TEXAS-----	-	-	-	18	18	18	7	25	-	-	-	1,058	1,058	1,058	-	59	59
UTAH-----	-	-	-	1	1	1	5	6	-	-	-	1	1	1	-	1	1
VERMONT-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
VIRGINIA-----	-	-	-	11	11	11	6	17	-	-	-	349	349	349	-	32	32
WASHINGTON-----	-	-	-	1	1	1	2	3	-	-	-	116	116	116	-	116	116
WEST VIRGINIA-----	-	-	-	1	1	1	-	1	-	-	-	21	21	21	-	21	21
WISCONSIN-----	-	-	-	1	1	1	-	1	-	-	-	81	81	81	-	81	81
WYOMING-----	-	-	1	43	44	44	33	77	-	-	300	1,458	1,758	1,758	300	34	40
TOTAL OR AVERAGE-----	-	-	6	256	262	262	151	413	-	-	2,675	12,043	14,718	14,718	446	47	56



TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
ALL NONMETALLIC--CONTINUED: TOTAL OR AVERAGE, ALL MINES AND PLANTS:	-	-	-	7	7	7	1	8	-	-	227	227	227	-	32	32	
ALABAMA-----	-	-	-	1	1	1	3	4	-	-	1	1	1	-	1	1	
ARIZONA-----	-	-	-	1	1	1	1	2	-	-	5	5	5	-	5	5	
ARKANSAS-----	-	-	-	23	23	23	16	39	-	-	1,329	1,329	1,329	-	58	58	
CALIFORNIA-----	-	-	1	-	1	1	4	5	-	50	-	50	50	50	-	50	
COLORADO-----	-	-	-	1	1	1	1	1	-	-	5	5	5	-	5	5	
CONNECTICUT-----	-	-	-	31	31	31	17	48	-	-	1,527	1,527	1,527	-	49	49	
FLORIDA-----	-	-	-	34	35	35	21	56	-	200	2,397	2,597	2,597	200	70	74	
GEORGIA-----	-	-	1	14	14	14	5	19	-	-	162	162	162	-	12	12	
IDAHO-----	-	-	-	5	5	5	1	6	-	-	434	434	434	-	87	87	
ILLINOIS-----	-	-	-	3	3	3	3	7	-	-	9	9	9	-	3	3	
INDIANA-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	
IOWA-----	-	-	-	3	3	3	7	10	-	-	38	38	38	-	13	13	
KANSAS-----	-	-	-	1	1	1	-	1	-	-	5	5	5	-	5	5	
KENTUCKY-----	-	-	-	12	14	14	3	17	-	2,025	528	2,553	2,553	1,012	44	182	
LOUISIANA-----	-	2	-	2	2	2	-	2	-	-	43	43	43	-	22	22	
MASSACHUSETTS-----	-	-	-	2	2	2	1	3	-	-	133	133	133	-	66	66	
MINNESOTA-----	-	-	-	2	2	2	3	5	-	-	78	78	78	-	39	39	
MISSISSIPPI-----	-	-	-	7	7	7	2	9	-	-	265	265	265	-	38	38	
MISSOURI-----	-	-	-	5	5	5	6	11	-	-	731	731	731	-	146	146	
MONTANA-----	-	-	-	21	22	22	9	31	-	120	848	968	968	120	40	44	
NEVADA-----	-	-	1	4	4	4	4	4	-	-	194	194	194	-	48	48	
NEW JERSEY-----	-	-	-	36	36	36	9	45	-	-	1,911	1,911	1,911	-	53	53	
NEW MEXICO-----	-	-	-	21	21	21	10	31	-	-	1,472	1,472	1,472	-	70	70	
NEW YORK-----	-	-	-	16	16	16	13	29	-	-	286	286	286	-	18	18	
NORTH CAROLINA-----	-	-	-	2	2	2	-	2	-	-	34	34	34	-	17	17	
NORTH DAKOTA-----	-	-	-	5	5	5	4	9	-	-	69	69	69	-	14	14	
OHIO-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	
OKLAHOMA-----	-	-	-	2	2	2	2	4	-	-	115	115	115	-	58	58	
OREGON-----	-	-	-	3	3	3	1	4	-	-	148	148	148	-	49	49	
PENNSYLVANIA-----	-	-	-	4	4	4	4	8	-	-	235	235	235	-	59	59	
SOUTH CAROLINA-----	-	-	-	1	1	1	2	3	-	100	-	100	100	100	-	100	
SOUTH DAKOTA-----	-	-	1	6	6	6	2	8	-	-	343	343	343	-	57	57	
TENNESSEE-----	-	-	-	20	20	20	8	28	-	-	1,152	1,152	1,152	-	58	58	
TEXAS-----	-	-	-	8	8	8	5	13	-	-	194	194	194	-	24	24	
UTAH-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
VERMONT-----	-	-	-	11	11	11	7	18	-	-	349	349	349	-	32	32	
VIRGINIA-----	-	-	-	1	1	1	2	3	-	-	116	116	116	-	116	116	
WASHINGTON-----	-	-	-	1	1	1	-	1	-	-	21	21	21	-	21	21	
WEST VIRGINIA-----	-	-	-	2	2	2	-	2	-	-	219	219	219	-	110	110	
WISCONSIN-----	-	-	-	2	2	2	-	2	-	-	-	-	-	-	-	-	
WYOMING-----	-	-	2	92	94	94	48	142	-	350	3,425	3,775	3,775	175	37	40	
TOTAL OR AVERAGE----	-	-	8	409	417	417	226	643	-	-	2,845	19,048	21,893	356	47	53	

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPO- RARY					PERMANENT		TEMPO- RARY					TOTAL NFDL
		TOTAL	PARTIAL						TOTAL	PARTIAL						
ALL NONMETALLIC-CONTINUED: OFFICE:	-	-	-	1	1	1	-	1	-	-	3	3	3	-	3	3
CALIFORNIA-----	-	-	-	1	1	1	1	2	-	-	33	33	33	-	33	33
FLORIDA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
INDIANA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
NEVADA-----	-	-	-	1	1	1	1	2	-	-	275	275	275	-	275	275
NEW MEXICO-----	-	-	-	1	1	1	-	1	-	-	85	85	85	-	85	85
TEXAS-----	-	-	-	6	6	6	1	7	-	-	580	580	580	-	97	97
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	10	10	10	5	15	-	-	976	976	976	-	98	98

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
ALL NONMETALLIC-CONTINUED: GRAND TOTAL OR AVERAGE:	-	-	-	7	7	7	1	8	-	-	-	227	227	227	-	32	32
ALABAMA-----	-	-	-	1	1	1	3	4	-	-	-	1	1	1	-	1	1
ARIZONA-----	-	-	-	1	1	1	1	2	-	-	-	5	5	5	-	5	5
ARKANSAS-----	-	-	-	24	24	24	16	40	-	-	-	1,332	1,332	1,332	-	56	56
CALIFORNIA-----	-	-	1	-	1	1	4	5	-	50	-	50	50	50	50	-	50
COLORADO-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
CONNECTICUT-----	-	-	-	32	32	32	18	50	-	-	-	1,560	1,560	1,560	-	49	49
FLORIDA-----	-	-	1	34	35	35	21	56	-	200	-	2,597	2,597	2,597	200	70	74
GEORGIA-----	-	-	-	14	14	14	5	19	-	-	-	162	162	162	-	12	12
IDAHO-----	-	-	-	5	5	5	1	6	-	-	-	434	434	434	-	87	87
ILLINOIS-----	-	-	-	3	3	3	5	8	-	-	-	9	9	9	-	3	3
INDIANA-----	-	-	-	2	2	2	-	2	-	-	-	-	-	-	-	-	-
IOWA-----	-	-	-	3	3	3	7	10	-	-	-	38	38	38	-	13	13
KANSAS-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
KENTUCKY-----	-	-	2	12	14	14	3	17	-	-	2,025	528	2,553	2,553	1,012	44	182
LOUISIANA-----	-	-	-	2	2	2	-	2	-	-	-	43	43	43	-	22	22
MASSACHUSETTS-----	-	-	-	2	2	2	1	3	-	-	-	133	133	133	-	66	66
MINNESOTA-----	-	-	-	2	2	2	3	5	-	-	-	78	78	78	-	39	39
MISSISSIPPI-----	-	-	-	7	7	7	2	9	-	-	-	265	265	265	-	38	38
MISSOURI-----	-	-	-	5	5	5	6	11	-	-	-	731	731	731	-	146	146
MONTANA-----	-	-	1	21	22	22	10	32	-	120	-	848	968	968	120	40	44
NEVADA-----	-	-	-	4	4	4	-	4	-	-	-	194	194	194	-	48	48
NEW JERSEY-----	-	-	-	37	37	37	10	47	-	-	-	2,186	2,186	2,186	-	59	59
NEW MEXICO-----	-	-	-	21	21	21	10	31	-	-	-	1,472	1,472	1,472	-	70	70
NEW YORK-----	-	-	-	16	16	16	13	29	-	-	-	286	286	286	-	18	18
NORTH CAROLINA-----	-	-	-	2	2	2	-	2	-	-	-	34	34	34	-	17	17
NORTH DAKOTA-----	-	-	-	5	5	5	4	9	-	-	-	69	69	69	-	14	14
OHIO-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
OKLAHOMA-----	-	-	-	2	2	2	2	4	-	-	-	115	115	115	-	58	58
OREGON-----	-	-	-	3	3	3	1	4	-	-	-	148	148	148	-	49	49
PENNSYLVANIA-----	-	-	-	4	4	4	4	8	-	-	-	235	235	235	-	59	59
SOUTH CAROLINA-----	-	-	-	1	1	1	2	3	-	100	-	100	100	100	100	-	100
SOUTH DAKOTA-----	-	-	1	-	-	-	2	3	-	-	-	-	-	-	-	-	-
TENNESSEE-----	-	-	-	6	6	6	2	8	-	-	-	343	343	343	-	57	57
TEXAS-----	-	-	-	21	21	21	8	29	-	-	-	1,237	1,237	1,237	-	59	59
UTAH-----	-	-	-	8	8	8	5	13	-	-	-	194	194	194	-	24	24
VERMONT-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
VIRGINIA-----	-	-	-	11	11	11	7	18	-	-	-	349	349	349	-	32	32
WASHINGTON-----	-	-	-	1	1	1	2	3	-	-	-	116	116	116	-	116	116
WASHINGTON-----	-	-	-	1	1	1	-	1	-	-	-	21	21	21	-	21	21
WEST VIRGINIA-----	-	-	-	2	2	2	-	2	-	-	-	219	219	219	-	110	110
WISCONSIN-----	-	-	-	98	100	100	49	149	-	-	-	4,005	4,355	4,355	175	41	44
WYOMING-----	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	8	419	427	427	231	658	-	-	2,845	20,024	22,869	22,869	356	48	54

TABLE 8. - NUMBER OF INJURIES, INCIDENCE RATES, AND SEVERITY MEASURES BY DEGREE FOR WORK LOCATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION AND PART OF BODY INJURED	NUMBER OF INJURIES								INCIDENCE RATES					SEVERITY MEASURES		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL
		PERMANENT		TEMPORARY	TOTAL NFDL											
		TOTAL	PARTIAL													
<b>UNDERGROUND MINES:</b>																
<b>UNDERGROUND:</b>																
EAR-----	-	-	-	2	2	2	-	2	-	.08	.08	-	.08	-	15	15
EYE-----	-	-	-	-	-	-	2	2	-	-	-	.08	.08	-	-	-
MOUTH/TEETH/TONGUE-----	-	-	-	-	-	-	1	1	-	-	-	.04	.04	-	-	-
SCALP-----	-	-	-	-	-	-	2	2	-	-	-	.08	.08	-	-	-
FACE, NEC-----	-	-	-	-	-	-	1	1	-	-	-	.04	.04	-	-	-
NECK-----	-	-	-	5	5	5	-	5	-	.21	.21	-	.21	-	18	18
ELBOW-----	-	-	-	1	1	1	3	4	-	.04	.04	.12	.17	-	1	1
FOREARM-----	-	-	-	-	-	-	1	1	-	-	-	.04	.04	-	-	-
WRIST-----	-	-	-	4	4	4	-	4	-	.17	.17	-	.17	-	14	14
HAND-----	-	-	-	6	6	6	4	10	-	.25	.25	.17	.41	-	10	10
FINGER(S)-----	-	-	-	3	3	3	7	10	-	.12	.12	.29	.41	-	2	2
UPPER EXTREMITIES, NEC--	-	-	-	1	1	1	-	1	-	.04	.04	-	.04	-	13	13
BACK-----	-	-	-	13	13	13	1	14	-	.54	.54	.04	.58	-	26	26
CHEST-----	-	-	-	2	2	2	-	2	-	.08	.08	-	.08	-	5	5
PELVIC REGION-----	-	-	1	5	6	6	-	6	-	.25	.25	-	.25	-	10	10
SHOULDER(S)-----	-	-	-	10	10	10	1	11	-	.41	.41	.04	.46	-	17	17
TRUNK, NEC-----	-	-	-	1	1	1	-	1	-	.04	.04	-	.04	-	(*)	(*)
KNEE-----	-	-	-	7	7	7	1	8	-	.29	.29	.04	.33	-	13	13
LOWER LEG-----	-	-	-	2	2	2	1	3	-	.08	.08	.04	.12	-	2	2
ANKLE-----	-	-	-	3	3	3	-	3	-	.12	.12	-	.12	-	9	9
FOOT-----	-	-	-	2	2	2	-	2	-	.08	.08	-	.08	-	3	3
LOWER EXTREMITIES, NEC--	-	-	-	1	1	1	-	1	-	.04	.04	-	.04	-	(*)	(*)
BODY SYSTEMS-----	-	-	-	1	1	1	-	1	-	.04	.04	-	.04	-	(*)	(*)
MULTIPLE PARTS OF BODY--	-	-	-	3	3	3	-	3	-	.12	.12	-	.12	-	12	12
TOTAL OR AVERAGE-----	-	-	1	72	73	73	25	98	-	3.02	3.02	1.04	4.06	-	170	170
<b>SURFACE AT UNDERGROUND:</b>																
EYE-----	-	-	-	-	-	-	2	2	-	-	-	.55	.55	-	-	-
SCALP-----	-	-	-	-	-	-	1	1	-	-	-	.27	.27	-	-	-
FACE, NEC-----	-	-	-	2	2	2	-	2	-	.55	.55	-	.55	-	2	2
HEAD, NEC-----	-	-	-	-	-	-	1	1	-	-	-	.27	.27	-	-	-
WRIST-----	-	-	-	1	1	1	-	1	-	.27	.27	-	.27	-	27	27
FINGER(S)-----	-	-	-	4	4	4	3	7	-	1.09	1.09	.82	1.91	-	13	13
ABDOMEN-----	-	-	-	1	1	1	-	1	-	.27	.27	-	.27	-	3	3
BACK-----	-	-	-	3	3	3	1	4	-	.82	.82	.27	1.09	-	14	14
SHOULDER(S)-----	-	-	-	3	3	3	1	4	-	.82	.82	.27	1.09	-	72	72
KNEE-----	-	-	-	1	1	1	-	1	-	.27	.27	-	.27	-	1	1
LOWER LEG-----	-	-	-	2	2	2	-	2	-	.55	.55	-	.55	-	43	43
ANKLE-----	-	-	-	3	3	3	-	3	-	.82	.82	-	.82	-	6	6
FOOT-----	-	-	-	2	2	2	-	2	-	.55	.55	-	.55	-	8	8
LOWER EXTREMITIES, NEC--	-	-	-	2	2	2	-	2	-	.55	.55	-	.55	-	53	53
MULTIPLE PARTS OF BODY--	-	-	-	1	1	1	-	1	-	.27	.27	-	.27	-	(*)	(*)
TOTAL OR AVERAGE-----	-	-	-	25	25	25	9	34	-	6.83	6.83	2.46	9.29	-	242	242

TABLE 8. - NUMBER OF INJURIES, INCIDENCE RATES, AND SEVERITY MEASURES BY DEGREE FOR WORK LOCATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND PART OF BODY INJURED	NUMBER OF INJURIES								INCIDENCE RATES					SEVERITY MEASURES		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL
		PERMANENT		TEMPO-RARY	TOTAL NFDL											
		TOTAL	PARTIAL													
TOTAL OR AVERAGE, UG:	-	-	1	97	98	98	34	132	-	3.52	3.52	1.22	4.75	-	179	179
EAR-----	-	-	-	2	2	2	-	2	-	.07	.07	-	.14	-	13	13
EYE-----	-	-	-	-	-	-	1	1	-	-	-	.04	.04	-	-	-
MOUTH/TEETH/TONGUE-----	-	-	-	-	-	-	1	1	-	-	-	.11	.11	-	-	-
SCALP-----	-	-	-	-	-	-	3	3	-	-	-	.04	.04	-	-	-
FACE, NEC-----	-	-	-	2	2	2	1	3	-	.07	.07	.04	.11	-	(*)	(*)
HEAD, NEC-----	-	-	-	-	-	-	1	1	-	-	-	.04	.04	-	-	-
NECK-----	-	-	-	5	5	5	-	5	-	.18	.18	-	.18	-	15	15
ELBOW-----	-	-	-	1	1	1	3	4	-	.04	.04	.11	.14	-	1	1
FOREARM-----	-	-	-	-	-	-	1	1	-	-	-	.04	.04	-	-	-
WRIST-----	-	-	-	5	5	5	-	5	-	.18	.18	-	.18	-	16	16
HAND-----	-	-	-	6	6	6	4	10	-	.22	.22	.14	.36	-	9	9
FINGER(S)-----	-	-	-	7	7	7	10	17	-	.25	.25	.36	.61	-	3	3
UPPER EXTREMITIES, NEC-----	-	-	-	1	1	1	-	1	-	.04	.04	-	.04	-	11	11
ABDOMEN-----	-	-	-	1	1	1	-	1	-	.04	.04	-	.04	-	(*)	(*)
BACK-----	-	-	-	16	16	16	2	18	-	.58	.58	.07	.65	-	24	24
CHEST-----	-	-	-	2	2	2	-	2	-	.07	.07	-	.07	-	4	4
PELVIC REGION-----	-	-	1	5	6	6	-	6	-	.22	.22	-	.22	-	9	9
SHOULDER(S)-----	-	-	-	13	13	13	2	15	-	.47	.47	.07	.54	-	24	24
TRUNK, NEC-----	-	-	-	1	1	1	-	1	-	.04	.04	-	.04	-	(*)	(*)
KNEE-----	-	-	-	8	8	8	1	9	-	.29	.29	.04	.32	-	11	11
LOWER LEG-----	-	-	-	4	4	4	1	5	-	.14	.14	.04	.18	-	8	8
ANKLE-----	-	-	-	6	6	6	-	6	-	.22	.22	-	.22	-	9	9
FOOT-----	-	-	-	4	4	4	-	4	-	.14	.14	-	.14	-	4	4
LOWER EXTREMITIES, NEC-----	-	-	-	3	3	3	-	3	-	.11	.11	-	.11	-	7	7
BODY SYSTEMS-----	-	-	-	1	1	1	-	1	-	.04	.04	-	.04	-	(*)	(*)
MULTIPLE PARTS OF BODY-----	-	-	-	4	4	4	-	4	-	.14	.14	-	.14	-	10	10

TABLE 8. - NUMBER OF INJURIES, INCIDENCE RATES, AND SEVERITY MEASURES BY DEGREE FOR WORK LOCATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND PART OF BODY INJURED	NUMBER OF INJURIES								INCIDENCE RATES					SEVERITY MEASURES		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL
		PERMANENT		TEMPORARY	TOTAL NFDL											
		TOTAL	PARTIAL													
<b>SURFACE MINES:</b>																
<b>OPEN PIT:</b>																
EYE-----	-	-	-	2	2	2	8	10	-	.04	.04	.17	.21	-	(*)	(*)
MOUTH/TEETH/TONGUE-----	-	-	-	-	-	-	2	2	-	-	-	.04	.04	-	-	-
SKULL-----	-	-	-	1	1	1	1	1	-	.02	.02	-	.02	-	4	4
FACE, NEC-----	-	-	-	1	1	1	1	2	-	.02	.02	.02	.04	-	(*)	(*)
HEAD, NEC-----	-	-	-	-	-	-	4	4	-	-	-	.08	.08	-	-	-
NECK-----	-	-	-	3	3	3	1	4	-	.06	.06	.02	.08	-	(*)	(*)
UPPER ARM-----	-	-	-	1	1	1	1	2	-	.02	.02	.02	.04	-	(*)	(*)
ELBOW-----	-	-	-	2	2	2	2	4	-	.04	.04	.04	.08	-	6	6
FOREARM-----	-	-	-	-	-	-	2	2	-	-	-	.04	.04	-	-	-
WRIST-----	-	-	-	3	3	3	-	3	-	.06	.06	-	.06	-	4	4
HAND-----	-	-	-	1	1	1	2	3	-	.02	.02	.04	.06	-	(*)	(*)
FINGER(S)-----	-	-	1	5	6	6	10	16	-	.13	.13	.21	.34	-	4	4
UPPER EXTREMITIES, NEC--	-	-	-	4	4	4	-	4	-	.08	.08	-	.08	-	1	1
BACK-----	-	-	-	12	12	12	1	13	-	.25	.25	.02	.27	-	7	7
CHEST-----	-	-	-	1	1	1	-	1	-	.02	.02	-	.02	-	1	1
PELVIC REGION-----	-	-	-	1	1	1	1	2	-	.02	.02	.02	.04	-	(*)	(*)
SHOULDER(S)-----	-	-	-	4	4	4	2	6	-	.08	.08	.04	.13	-	4	4
TRUNK, NEC-----	-	-	-	3	3	3	-	3	-	.06	.06	-	.06	-	2	2
KNEE-----	-	-	-	3	3	3	1	4	-	.06	.06	.02	.08	-	3	3
LOWER LEG-----	-	-	-	-	-	-	1	1	-	-	-	.02	.02	-	-	-
ANKLE-----	-	-	-	1	1	1	1	2	-	.02	.02	.02	.04	-	3	3
LOWER EXTREMITIES, NEC--	-	-	-	2	2	2	-	2	-	.04	.04	-	.04	-	3	3
BODY SYSTEMS-----	-	-	-	1	1	1	1	2	-	.02	.02	.02	.04	-	(*)	(*)
MULTIPLE PARTS OF BODY--	-	-	-	3	3	3	-	3	-	.06	.06	-	.06	-	2	2
TOTAL OR AVERAGE-----	-	-	1	54	55	55	41	96	-	1.16	1.16	.87	2.03	-	45	45
<b>DREDGE:</b>																
LOWER LEG-----	-	-	-	1	1	1	-	1	-	2.01	2.01	-	2.01	-	105	105
BODY SYSTEMS-----	-	-	-	1	1	1	-	1	-	2.01	2.01	-	2.01	-	14	14
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	4.03	4.03	-	4.03	-	119	119

TABLE 8. - NUMBER OF INJURIES, INCIDENCE RATES, AND SEVERITY MEASURES BY DEGREE FOR WORK LOCATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND PART OF BODY INJURED	NUMBER OF INJURIES								INCIDENCE RATES					SEVERITY MEASURES		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL
		PERMANENT		TEMPORARY	TOTAL NFDL											
		TOTAL	PARTIAL													
TOTAL OR AVERAGE, SURFACE:	-	-	1	56	57	57	41	98	-	1.19	1.19	.85	2.04	-	46	46
EYE-----	-	-	-	2	2	2	8	10	-	.04	.04	.17	.21	-	(*)	(*)
MOUTH/TEETH/TONGUE-----	-	-	-	-	-	-	2	2	-	-	-	.04	.04	-	-	-
SKULL-----	-	-	-	1	1	1	1	1	-	.02	.02	-	.02	-	4	4
FACE, NEC-----	-	-	-	1	1	1	1	2	-	.02	.02	-	.04	-	(*)	(*)
HEAD, NEC-----	-	-	-	-	-	-	4	4	-	-	-	.08	.08	-	-	-
NECK-----	-	-	-	3	3	3	1	4	-	.06	.06	.02	.08	-	(*)	(*)
UPPER ARM-----	-	-	-	1	1	1	1	2	-	.02	.02	.02	.04	-	(*)	(*)
ELBOW-----	-	-	-	2	2	2	2	4	-	.04	.04	.04	.08	-	6	6
FOREARM-----	-	-	-	-	-	-	2	2	-	-	-	.04	.04	-	-	-
WRIST-----	-	-	-	3	3	3	-	3	-	.06	.06	-	.06	-	4	4
HAND-----	-	-	-	1	1	1	2	3	-	.02	.02	.04	.06	-	(*)	(*)
FINGER(S)-----	-	-	1	5	6	6	10	16	-	.12	.12	.21	.33	-	4	4
UPPER EXTREMITIES, NEC-----	-	-	-	4	4	4	-	4	-	.08	.08	-	.08	-	1	1
BACK-----	-	-	-	12	12	12	1	13	-	.25	.25	.02	.27	-	7	7
CHEST-----	-	-	-	1	1	1	-	1	-	.02	.02	-	.02	-	1	1
PELVIC REGION-----	-	-	-	1	1	1	1	2	-	.02	.02	.02	.04	-	(*)	(*)
SHOULDER(S)-----	-	-	-	4	4	4	2	6	-	.08	.08	.04	.12	-	4	4
TRUNK, NEC-----	-	-	-	3	3	3	-	3	-	.06	.06	-	.06	-	2	2
KNEE-----	-	-	-	3	3	3	1	4	-	.06	.06	.02	.08	-	3	3
LOWER LEG-----	-	-	-	1	1	1	1	2	-	.02	.02	.02	.04	-	1	1
ANKLE-----	-	-	-	1	1	1	1	2	-	.02	.02	.02	.04	-	3	3
LOWER EXTREMITIES, NEC-----	-	-	-	2	2	2	-	2	-	.04	.04	-	.04	-	3	3
BODY SYSTEMS-----	-	-	-	2	2	2	1	3	-	.04	.04	.02	.06	-	(*)	(*)
MULTIPLE PARTS OF BODY-----	-	-	-	3	3	3	-	3	-	.06	.06	-	.06	-	2	2

TABLE 8. - NUMBER OF INJURIES, INCIDENCE RATES, AND SEVERITY MEASURES BY DEGREE FOR WORK LOCATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND PART OF BODY INJURED	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL
		PERMANENT		TEMPORARY	TOTAL NFDL											
		TOTAL	PARTIAL													
TOTAL OR AVERAGE, MINING:	-	-	2	153	155	75	230	-	2.04	2.04	.99	3.03	-	95	95	
EAR-----	-	-	2	2	2	-	2	-	.03	.03	-	.03	-	5	5	
EYE-----	-	-	2	2	2	12	14	-	.03	.03	.16	.18	-	(*)	(*)	
MOUTH/TEETH/TONGUE-----	-	-	-	-	-	3	3	-	-	-	.04	.04	-	-	-	
SCALP-----	-	-	-	-	-	3	3	-	-	-	.04	.04	-	-	-	
SKULL-----	-	-	1	1	1	2	1	-	.01	.01	-	.01	-	3	3	
FACE, NEC-----	-	-	3	3	3	5	5	-	.04	.04	.03	.07	-	(*)	(*)	
HEAD, NEC-----	-	-	-	-	-	5	5	-	-	-	.07	.07	-	-	-	
NECK-----	-	-	8	8	8	1	9	-	.11	.11	.01	.12	-	6	6	
UPPER ARM-----	-	-	1	1	1	1	2	-	.01	.01	.01	.03	-	(*)	(*)	
ELBOW-----	-	-	3	3	3	5	8	-	.04	.04	.07	.11	-	4	4	
FOREARM-----	-	-	-	-	-	3	3	-	-	-	.04	.04	-	-	-	
WRIST-----	-	-	8	8	8	-	8	-	.11	.11	-	.11	-	8	8	
HAND-----	-	-	7	7	7	6	13	-	.09	.09	.08	.17	-	3	3	
FINGER(S)-----	-	-	1	12	13	20	33	-	.17	.17	.26	.44	-	3	3	
UPPER EXTREMITIES, NEC-----	-	-	-	5	5	-	5	-	.07	.07	-	.07	-	5	5	
ABDOMEN-----	-	-	1	1	1	-	1	-	.01	.01	-	.01	-	(*)	(*)	
BACK-----	-	-	-	28	28	3	31	-	.37	.37	.04	.41	-	14	14	
CHEST-----	-	-	-	3	3	-	3	-	.04	.04	-	.04	-	2	2	
PELVIC REGION-----	-	-	1	6	7	1	8	-	.09	.09	.01	.11	-	3	3	
SHOULDER(S)-----	-	-	-	17	17	4	21	-	.22	.22	.05	.28	-	12	12	
TRUNK, NEC-----	-	-	-	4	4	-	4	-	.05	.05	-	.05	-	1	1	
KNEE-----	-	-	-	11	11	2	13	-	.15	.15	.03	.17	-	6	6	
LOWER LEG-----	-	-	-	5	5	2	7	-	.07	.07	.03	.09	-	3	3	
ANKLE-----	-	-	-	7	7	1	8	-	.09	.09	.01	.11	-	5	5	
FOOT-----	-	-	-	4	4	-	4	-	.05	.05	-	.05	-	1	1	
LOWER EXTREMITIES, NEC-----	-	-	-	5	5	-	5	-	.07	.07	-	.07	-	4	4	
BODY SYSTEMS-----	-	-	-	3	3	1	4	-	.04	.04	.01	.05	-	(*)	(*)	
MULTIPLE PARTS OF BODY-----	-	-	-	7	7	-	7	-	.09	.09	-	.09	-	5	5	



TABLE 8. - NUMBER OF INJURIES, INCIDENCE RATES, AND SEVERITY MEASURES BY DEGREE FOR WORK LOCATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND PART OF BODY INJURED	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL
		PERMANENT		TEMPO-RARY	TOTAL NFDL											
		TOTAL	PARTIAL													
PROCESSING PLANTS:																
EYE-----	-	-	-	10	10	10	18	28	-	.08	.08	.14	.22	-	(*)	(*)
JAW-----	-	-	-	-	-	-	1	1	-	-	-	.01	.01	-	-	-
MOUTH/TEETH/TONGUE-----	-	-	-	1	1	1	7	8	-	.01	.01	.06	.06	-	(*)	(*)
NOSE-----	-	-	-	1	1	1	1	2	-	.01	.01	.01	.02	-	(*)	(*)
SCALP-----	-	-	-	-	-	-	1	1	-	-	-	.01	.01	-	-	-
FACE, NEC-----	-	-	-	1	1	1	1	2	-	.01	.01	.01	.02	-	(*)	(*)
HEAD, NEC-----	-	-	-	6	6	6	14	20	-	.05	.05	.11	.16	-	4	4
NECK-----	-	-	-	1	1	1	1	2	-	.01	.01	.01	.02	-	(*)	(*)
UPPER ARM-----	-	-	-	1	1	1	1	2	-	.01	.01	.01	.02	-	(*)	(*)
ELBOW-----	-	-	-	3	3	3	2	5	-	.02	.02	.02	.04	-	1	1
FOREARM-----	-	-	-	4	4	4	4	8	-	.03	.03	.03	.06	-	5	5
WRIST-----	-	-	-	9	9	9	5	14	-	.07	.07	.04	.11	-	2	2
HAND-----	-	-	-	13	13	13	13	26	-	.10	.10	.10	.21	-	2	2
FINGER(S)-----	-	-	5	29	34	34	51	85	-	.27	.27	.41	.68	-	27	27
UPPER EXTREMITIES, NEC-----	-	-	-	4	4	4	1	5	-	.03	.03	.01	.04	-	1	1
ABDOMEN-----	-	-	-	1	1	1	-	1	-	.01	.01	-	.01	-	(*)	(*)
BACK-----	-	-	-	45	45	45	11	56	-	.36	.36	.09	.45	-	21	21
CHEST-----	-	-	-	6	6	6	-	6	-	.05	.05	-	.05	-	1	1
PELVIC REGION-----	-	-	1	8	9	9	-	9	-	.07	.07	-	.07	-	1	1
SHOULDER(S)-----	-	-	-	27	27	27	5	32	-	.22	.22	.04	.26	-	18	18
TRUNK, NEC-----	-	-	-	2	2	2	-	2	-	.02	.02	-	.02	-	(*)	(*)
THIGH-----	-	-	-	3	3	3	-	3	-	.02	.02	-	.02	-	1	1
KNEE-----	-	-	-	22	22	22	1	23	-	.18	.18	.01	.18	-	6	6
LOWER LEG-----	-	-	-	9	9	9	7	16	-	.07	.07	.06	.13	-	4	4
ANKLE-----	-	-	-	23	23	23	2	25	-	.18	.18	.02	.20	-	12	12
FOOT-----	-	-	-	10	10	10	-	10	-	.08	.08	-	.08	-	2	2
TOE(S)-----	-	-	-	1	1	1	-	1	-	.01	.01	-	.01	-	(*)	(*)
LOWER EXTREMITIES, NEC-----	-	-	-	6	6	6	1	7	-	.05	.05	.01	.06	-	3	3
BODY SYSTEMS-----	-	-	-	1	1	1	1	2	-	.01	.01	.01	.02	-	(*)	(*)
MULTIPLE PARTS OF BODY-----	-	-	-	9	9	9	2	11	-	.07	.07	.02	.09	-	5	5
TOTAL OR AVERAGE-----	-	-	6	256	262	262	151	413	-	2.10	2.10	1.21	3.32	-	118	118

TABLE 8. - NUMBER OF INJURIES, INCIDENCE RATES, AND SEVERITY MEASURES BY DEGREE FOR WORK LOCATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND PART OF BODY INJURED	NUMBER OF INJURIES								INCIDENCE RATES					SEVERITY MEASURES		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL
		PERMANENT		TEMPORARY	TOTAL NFDL											
		TOTAL	PARTIAL													
TOTAL OR AVERAGE, ALL MINES AND PLANTS:	-	-	-	2	2	2	-	2	-	.01	.01	-	.01	-	2	2
EAR-----	-	-	-	2	2	2	-	2	-	.01	.01	-	.01	-	2	2
EYE-----	-	-	-	12	12	12	30	42	-	.06	.06	.15	.21	-	(*)	(*)
JAW-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
MOUTH/TEETH/TONGUE-----	-	-	-	1	1	1	10	11	-	(*)	(*)	.05	.05	-	(*)	(*)
NOSE-----	-	-	-	1	1	1	1	2	-	(*)	(*)	.01	.01	-	(*)	(*)
SCALP-----	-	-	-	-	-	-	4	4	-	-	-	.02	.02	-	-	-
SKULL-----	-	-	-	1	1	1	-	1	-	(*)	(*)	-	-	-	1	1
FACE, NEC-----	-	-	-	4	4	4	3	7	-	.02	.02	.01	.03	-	(*)	(*)
HEAD, NEC-----	-	-	-	6	6	6	19	25	-	.03	.03	.09	.12	-	2	2
NECK-----	-	-	-	9	9	9	2	11	-	.04	.04	.01	.05	-	2	2
UPPER ARM-----	-	-	-	2	2	2	2	4	-	.01	.01	.01	.02	-	(*)	(*)
ELBOW-----	-	-	-	6	6	6	7	13	-	.03	.03	.03	.06	-	2	2
FOREARM-----	-	-	-	4	4	4	7	11	-	.02	.02	.03	.05	-	3	3
WRIST-----	-	-	-	17	17	17	5	22	-	.08	.08	.02	.11	-	4	4
HAND-----	-	-	-	20	20	20	19	39	-	.10	.10	.09	.19	-	3	3
FINGER(S)-----	-	-	6	41	47	47	71	118	-	.23	.23	.35	.59	-	18	18
UPPER EXTREMITIES, NEC-----	-	-	-	9	9	9	1	10	-	.04	.04	(*)	.05	-	2	2
ABDOMEN-----	-	-	-	2	2	2	-	2	-	.01	.01	-	.01	-	(*)	(*)
BACK-----	-	-	-	73	73	73	14	87	-	.36	.36	.07	.43	-	18	18
CHEST-----	-	-	-	9	9	9	-	9	-	.04	.04	-	.04	-	1	1
PELVIC REGION-----	-	-	2	14	16	16	1	17	-	.08	.08	(*)	.08	-	2	2
SHOULDER(S)-----	-	-	-	44	44	44	9	53	-	.22	.22	.04	.26	-	15	15
TRUNK, NEC-----	-	-	-	6	6	6	-	6	-	.03	.03	-	.03	-	1	1
THIGH-----	-	-	-	3	3	3	-	3	-	.01	.01	-	.01	-	1	1
KNEE-----	-	-	-	33	33	33	3	36	-	.16	.16	.01	.18	-	6	6
LOWER LEG-----	-	-	-	14	14	14	9	23	-	.07	.07	.04	.11	-	4	4
ANKLE-----	-	-	-	30	30	30	3	33	-	.15	.15	.01	.16	-	9	9
FOOT-----	-	-	-	14	14	14	-	14	-	.07	.07	-	.07	-	2	2
TOE(S)-----	-	-	-	1	1	1	-	1	-	(*)	(*)	-	(*)	-	(*)	(*)
LOWER EXTREMITIES, NEC-----	-	-	-	11	11	11	1	12	-	.05	.05	(*)	.06	-	4	4
BODY SYSTEMS-----	-	-	-	4	4	4	2	6	-	.02	.02	.01	.03	-	(*)	(*)
MULTIPLE PARTS OF BODY-----	-	-	-	16	16	16	2	18	-	.08	.08	.01	.09	-	5	5
TOTAL OR AVERAGE-----	-	-	8	409	417	417	226	643	-	2.08	2.08	1.13	3.21	-	109	109
OFFICE:	-	-	-	1	1	1	-	1	-	.03	.03	-	.03	-	(*)	(*)
EYE-----	-	-	-	1	1	1	-	1	-	.03	.03	-	.03	-	(*)	(*)
HEAD, NEC-----	-	-	-	-	-	-	1	1	-	-	-	.03	.03	-	-	-
NECK-----	-	-	-	-	-	-	1	1	-	-	-	.03	.03	-	-	-
ELBOW-----	-	-	-	1	1	1	-	1	-	.03	.03	-	.03	-	1	1
FINGER(S)-----	-	-	-	-	-	-	1	1	-	-	-	.03	.03	-	-	-
BACK-----	-	-	-	3	3	3	1	4	-	.09	.09	.03	.13	-	11	11
CHEST-----	-	-	-	-	-	-	1	1	-	-	-	.03	.03	-	-	-
SHOULDER(S)-----	-	-	-	1	1	1	-	1	-	.03	.03	-	.03	-	1	1
KNEE-----	-	-	-	2	2	2	-	2	-	.06	.06	-	.06	-	14	14
MULTIPLE PARTS OF BODY-----	-	-	-	2	2	2	-	2	-	.06	.06	-	.06	-	5	5
TOTAL OR AVERAGE-----	-	-	-	10	10	10	5	15	-	.31	.31	.16	.47	-	31	31

TABLE 8. - NUMBER OF INJURIES, INCIDENCE RATES, AND SEVERITY MEASURES BY DEGREE FOR WORK LOCATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND PART OF BODY INJURED	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	
		PERMANENT		TEMPO- RARY												TOTAL NFDL
		TOTAL	PARTIAL													
GRAND TOTAL OR AVERAGE:	-	-	8	419	427	427	231	658	-	1.84	1.84	.99	2.83	-	98	98
EAR-----	-	-	-	2	2	2	-	2	-	.01	.01	-	.01	-	2	2
EYE-----	-	-	-	13	13	13	30	43	-	.06	.06	.13	.19	-	(*)	(*)
JAW-----	-	-	-	-	-	-	1	1	-	-	-	(*)	(*)	-	-	-
MOUTH/TEETH/TONGUE-----	-	-	-	1	1	1	10	11	-	(*)	(*)	.04	.05	-	(*)	(*)
NOSE-----	-	-	-	1	1	1	1	2	-	(*)	(*)	(*)	.01	-	(*)	(*)
SCALP-----	-	-	-	-	-	-	4	4	-	-	-	.02	.02	-	-	-
SKULL-----	-	-	-	1	1	1	-	1	-	(*)	(*)	-	-	-	1	1
FACE, NEC-----	-	-	-	4	4	4	3	7	-	.02	.02	.01	.03	-	(*)	(*)
HEAD, NEC-----	-	-	-	6	6	6	20	26	-	.03	.03	.09	.11	-	2	2
NECK-----	-	-	-	9	9	9	3	12	-	.04	.04	.01	.05	-	2	2
UPPER ARM-----	-	-	-	2	2	2	2	4	-	.01	.01	.01	.02	-	(*)	(*)
ELBOW-----	-	-	-	7	7	7	7	14	-	.03	.03	.03	.06	-	2	2
FOREARM-----	-	-	-	4	4	4	7	11	-	.02	.02	.03	.05	-	3	3
WRIST-----	-	-	-	17	17	17	5	22	-	.07	.07	.02	.09	-	4	4
HAND-----	-	-	-	20	20	20	19	39	-	.09	.09	.08	.17	-	2	2
FINGER(S)-----	-	-	6	41	47	47	72	119	-	.20	.20	.31	.51	-	15	15
UPPER EXTREMITIES, NEC-----	-	-	-	9	9	9	1	10	-	.04	.04	(*)	.04	-	2	2
ABDOMEN-----	-	-	-	2	2	2	-	2	-	.01	.01	-	.01	-	(*)	(*)
BACK-----	-	-	-	76	76	76	15	91	-	.33	.33	.06	.39	-	17	17
CHEST-----	-	-	-	9	9	9	1	10	-	.04	.04	(*)	.04	-	1	1
PELVIC REGION-----	-	-	2	14	16	16	1	17	-	.07	.07	(*)	.07	-	2	2
SHOULDER(S)-----	-	-	-	45	45	45	9	54	-	.19	.19	.04	.23	-	13	13
TRUNK, NEC-----	-	-	-	6	6	6	-	6	-	.03	.03	-	.03	-	(*)	(*)
THIGH-----	-	-	-	3	3	3	-	3	-	.01	.01	-	.01	-	1	1
KNEE-----	-	-	-	35	35	35	3	38	-	.15	.15	.01	.16	-	7	7
LOWER LEG-----	-	-	-	14	14	14	9	23	-	.06	.06	.04	.10	-	3	3
ANKLE-----	-	-	-	30	30	30	3	33	-	.13	.13	.01	.14	-	8	8
FOOT-----	-	-	-	14	14	14	-	14	-	.06	.06	-	.06	-	2	2
TOE(S)-----	-	-	-	1	1	1	-	1	-	(*)	(*)	-	(*)	-	(*)	(*)
LOWER EXTREMITIES, NEC-----	-	-	-	11	11	11	1	12	-	.05	.05	(*)	.05	-	3	3
BODY SYSTEMS-----	-	-	-	4	4	4	2	6	-	.02	.02	.01	.03	-	(*)	(*)
MULTIPLE PARTS OF BODY-----	-	-	-	18	18	18	2	20	-	.08	.08	.01	.09	-	5	5

TABLE 9. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION AND PART OF BODY INJURED	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					TOTAL PERMANENT AND TEMPO-RARY	PERMANENT						TEMPO-RARY	TOTAL NFDL
		TOTAL	PARTIAL							TOTAL	PARTIAL						
<b>UNDERGROUND MINES:</b>																	
<b>UNDERGROUND:</b>																	
EAR-----	-	-	-	2	2	-	2	-	-	-	355	355	355	-	178	178	
EYE-----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	
MOUTH/TEETH/TONGUE-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
SCALP-----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	
FACE, NEC-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
NECK-----	-	-	-	5	5	-	5	-	-	-	428	428	428	-	86	86	
ELBOW-----	-	-	-	1	1	3	4	-	-	-	20	20	20	-	20	20	
FOREARM-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
WRIST-----	-	-	-	4	4	4	4	-	-	-	344	344	344	-	86	86	
HAND-----	-	-	-	6	6	4	10	-	-	-	247	247	247	-	41	41	
FINGER(S)-----	-	-	-	3	3	7	10	-	-	-	42	42	42	-	14	14	
UPPER EXTREMITIES, NEC-----	-	-	-	1	1	1	1	-	-	-	315	315	315	-	315	315	
BACK-----	-	-	-	13	13	1	14	-	-	-	624	624	624	-	48	48	
CHEST-----	-	-	-	2	2	2	2	-	-	-	124	124	124	-	62	62	
PELVIC REGION-----	-	-	1	5	6	6	6	-	50	-	188	238	238	50	38	40	
SHOULDER(S)-----	-	-	-	10	10	1	11	-	-	-	406	406	406	-	41	41	
TRUNK, NEC-----	-	-	-	1	1	1	1	-	-	-	4	4	4	-	4	4	
KNEE-----	-	-	-	7	7	1	8	-	-	-	310	310	310	-	44	44	
LOWER LEG-----	-	-	-	2	2	1	3	-	-	-	54	54	54	-	27	27	
ANKLE-----	-	-	-	3	3	-	3	-	-	-	224	224	224	-	75	75	
FOOT-----	-	-	-	2	2	-	2	-	-	-	75	75	75	-	38	38	
LOWER EXTREMITIES, NEC-----	-	-	-	1	1	1	1	-	-	-	3	3	3	-	3	3	
BODY SYSTEMS-----	-	-	-	1	1	-	1	-	-	-	3	3	3	-	3	3	
MULTIPLE PARTS OF BODY-----	-	-	-	3	3	-	3	-	-	-	285	285	285	-	95	95	
TOTAL OR AVERAGE-----	-	-	1	72	73	25	98	-	50	4,051	4,101	4,101	50	56	56		
<b>SURFACE AT UNDERGROUND:</b>																	
EYE-----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	
SCALP-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
FACE, NEC-----	-	-	-	2	2	2	2	-	-	-	9	9	9	-	4	4	
HEAD, NEC-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
WRIST-----	-	-	-	1	1	1	1	-	-	-	100	100	100	100	100	100	
FINGER(S)-----	-	-	-	4	4	3	7	-	-	-	46	46	46	-	12	12	
ABDOMEN-----	-	-	-	1	1	1	1	-	-	-	10	10	10	-	10	10	
BACK-----	-	-	-	3	3	1	4	-	-	-	50	50	50	-	17	17	
SHOULDER(S)-----	-	-	-	3	3	1	4	-	-	-	263	263	263	-	88	88	
KNEE-----	-	-	-	1	1	-	1	-	-	-	4	4	4	-	4	4	
LOWER LEG-----	-	-	-	2	2	-	2	-	-	-	158	158	158	-	79	79	
ANKLE-----	-	-	-	3	3	-	3	-	-	-	21	21	21	-	7	7	
FOOT-----	-	-	-	2	2	-	2	-	-	-	29	29	29	-	14	14	
LOWER EXTREMITIES, NEC-----	-	-	-	2	2	-	2	-	-	-	195	195	195	-	98	98	
MULTIPLE PARTS OF BODY-----	-	-	-	1	1	-	1	-	-	-	1	1	1	-	1	1	
TOTAL OR AVERAGE-----	-	-	-	25	25	9	34	-	-	886	886	886	-	35	35		

TABLE 9. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND PART OF BODY INJURED	NUMBER OF INJURIES							LOST WORKDAYS						AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					PERMANENT		TEMPO-RARY					TOTAL NFDL	
		TOTAL	PARTIAL						TOTAL	PARTIAL							
TOTAL OR AVERAGE, UG:-----	-	-	1	97	98	98	34	132	-	-	50	4,937	4,987	4,987	50	51	51
EAR-----	-	-	-	2	2	2	-	2	-	-	-	355	355	355	-	178	178
EYE-----	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-
MOUTH/TEETH/TONGUE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
SCALP-----	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-
FACE, NEC-----	-	-	-	2	2	2	1	3	-	-	-	9	9	9	-	4	4
HEAD, NEC-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
NECK-----	-	-	-	5	5	5	-	5	-	-	-	428	428	428	-	86	86
ELBOW-----	-	-	-	1	1	1	3	4	-	-	-	20	20	20	-	20	20
FOREARM-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
WRIST-----	-	-	-	5	5	5	-	5	-	-	-	444	444	444	-	89	89
HAND-----	-	-	-	6	6	6	4	10	-	-	-	247	247	247	-	41	41
FINGER(S)-----	-	-	-	7	7	7	10	17	-	-	-	88	88	88	-	13	13
UPPER EXTREMITIES, NEC-----	-	-	-	1	1	1	-	1	-	-	-	315	315	315	-	315	315
ABDOMEN-----	-	-	-	1	1	1	-	1	-	-	-	10	10	10	-	10	10
BACK-----	-	-	-	16	16	16	2	18	-	-	-	674	674	674	-	42	42
CHEST-----	-	-	-	2	2	2	-	2	-	-	-	124	124	124	-	62	62
PELVIC REGION-----	-	-	1	5	6	6	-	6	-	50	-	188	238	238	50	38	40
SHOULDER(S)-----	-	-	-	13	13	13	2	15	-	-	-	669	669	669	-	51	51
TRUNK, NEC-----	-	-	-	1	1	1	-	1	-	-	-	4	4	4	-	4	4
KNEE-----	-	-	-	8	8	8	1	9	-	-	-	314	314	314	-	39	39
LOWER LEG-----	-	-	-	4	4	4	1	5	-	-	-	212	212	212	-	53	53
ANKLE-----	-	-	-	6	6	6	-	6	-	-	-	245	245	245	-	41	41
FOOT-----	-	-	-	4	4	4	-	4	-	-	-	104	104	104	-	26	26
LOWER EXTREMITIES, NEC-----	-	-	-	3	3	3	-	3	-	-	-	198	198	198	-	66	66
BODY SYSTEMS-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
MULTIPLE PARTS OF BODY-----	-	-	-	4	4	4	-	4	-	-	-	286	286	286	-	72	72

TABLE 9. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND PART OF BODY INJURED	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPO-RARY					PERMANENT	TEMPO-RARY	TOTAL NFDL					
		TOTAL	PARTIAL													TOTAL
<b>SURFACE MINES:</b>																
OPEN PIT:																
EYE-----	-	-	-	2	2	8	10	-	-	-	3	3	3	-	2	2
MOUTH/TEETH/TONGUE-----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
SKULL-----	-	-	-	1	1	1	1	-	-	-	204	204	204	-	204	204
FACE, NEC-----	-	-	-	1	1	1	1	-	-	-	2	2	2	-	2	2
HEAD, NEC-----	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-
NECK-----	-	-	-	3	3	1	4	-	-	-	16	16	16	-	5	5
UPPER ARM-----	-	-	-	1	1	1	2	-	-	-	6	6	6	-	6	6
ELBOW-----	-	-	-	2	2	2	4	-	-	-	268	268	268	-	134	134
FOREARM-----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
WRIST-----	-	-	-	3	3	2	3	-	-	-	170	170	170	-	57	57
HAND-----	-	-	-	1	1	2	3	-	-	-	2	2	2	-	2	2
FINGER(S)-----	-	-	1	5	6	10	16	-	-	120	54	174	174	120	11	29
UPPER EXTREMITIES, NEC--	-	-	-	4	4	-	4	-	-	-	53	53	53	-	13	13
BACK-----	-	-	-	12	12	1	13	-	-	-	350	350	350	-	29	29
CHEST-----	-	-	-	1	1	1	1	-	-	-	48	48	48	-	48	48
PELVIC REGION-----	-	-	-	1	1	1	2	-	-	-	22	22	22	-	22	22
SHOULDER(S)-----	-	-	-	4	4	2	6	-	-	-	206	206	206	-	52	52
TRUNK, NEC-----	-	-	-	3	3	3	3	-	-	-	103	103	103	-	34	34
KNEE-----	-	-	-	3	3	1	4	-	-	-	128	128	128	-	43	43
LOWER LEG-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
ANKLE-----	-	-	-	1	1	1	2	-	-	-	152	152	152	-	152	152
LOWER EXTREMITIES, NEC--	-	-	-	2	2	-	2	-	-	-	136	136	136	-	68	68
BODY SYSTEMS-----	-	-	-	1	1	1	1	-	-	-	10	10	10	-	10	10
MULTIPLE PARTS OF BODY--	-	-	-	3	3	-	3	-	-	-	76	76	76	-	25	25
TOTAL OR AVERAGE-----	-	-	1	54	55	41	96	-	-	120	2,009	2,129	2,129	120	37	39
<b>DREDGE:</b>																
LOWER LEG-----	-	-	-	1	1	-	1	-	-	-	52	52	52	-	52	52
BODY SYSTEMS-----	-	-	-	1	1	-	1	-	-	-	7	7	7	-	7	7
TOTAL OR AVERAGE-----	-	-	-	2	2	-	2	-	-	-	59	59	59	-	30	30

TABLE 9. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND PART OF BODY INJURED	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					PERMANENT	TEMPO-RARY	TOTAL NFDL						
		TOTAL	PARTIAL													TOTAL	PARTIAL
TOTAL OR AVERAGE, SURFACE:	-	-	1	56	57	57	41	98	-	-	120	2,068	2,188	2,188	120	37	38
EYE-----	-	-	-	2	2	2	8	10	-	-	-	3	3	3	-	2	2
MOUTH/TEETH/TONGUE-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
SKULL-----	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
FACE, NEC-----	-	-	-	1	1	1	1	2	-	-	-	2	2	2	-	2	2
HEAD, NEC-----	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-
NECK-----	-	-	-	3	3	3	1	4	-	-	-	16	16	16	-	5	5
UPPER ARM-----	-	-	-	1	1	1	1	2	-	-	-	6	6	6	-	6	6
ELBOW-----	-	-	-	2	2	2	2	4	-	-	-	268	268	268	-	134	134
FOREARM-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
WRIST-----	-	-	-	3	3	3	-	3	-	-	-	170	170	170	-	57	57
HAND-----	-	-	-	1	1	1	2	3	-	-	-	2	2	2	-	2	2
FINGER(S)-----	-	-	1	5	6	6	10	16	-	-	120	54	174	174	120	11	29
UPPER EXTREMITIES, NEC-----	-	-	-	4	4	4	-	4	-	-	-	53	53	53	-	13	13
BACK-----	-	-	-	12	12	12	1	13	-	-	-	350	350	350	-	29	29
CHEST-----	-	-	-	1	1	1	-	1	-	-	-	48	48	48	-	48	48
PELVIC REGION-----	-	-	-	1	1	1	1	2	-	-	-	22	22	22	-	22	22
SHOULDER(S)-----	-	-	-	4	4	4	2	6	-	-	-	206	206	206	-	52	52
TRUNK, NEC-----	-	-	-	3	3	3	-	3	-	-	-	103	103	103	-	34	34
KNEE-----	-	-	-	3	3	3	1	4	-	-	-	128	128	128	-	43	43
LOWER LEG-----	-	-	-	1	1	1	1	2	-	-	-	52	52	52	-	52	52
ANKLE-----	-	-	-	1	1	1	1	2	-	-	-	152	152	152	-	152	152
LOWER EXTREMITIES, NEC-----	-	-	-	2	2	2	-	2	-	-	-	136	136	136	-	68	68
BODY SYSTEMS-----	-	-	-	2	2	2	1	3	-	-	-	17	17	17	-	8	8
MULTIPLE PARTS OF BODY-----	-	-	-	3	3	3	-	3	-	-	-	76	76	76	-	25	25

TABLE 9. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND PART OF BODY INJURED	NUMBER OF INJURIES							LOST WORKDAYS						AVERAGE SEVERITY		
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPO-RARY					PERMANENT		TEMPO-RARY					TOTAL NFDL
		TOTAL	PARTIAL						TOTAL	PARTIAL						
TOTAL OR AVERAGE, MINING:-----	-	-	2	153	155	75	230	-	-	170	7,005	7,175	7,175	85	46	46
EAR-----	-	-	2	2	2	-	2	-	-	-	355	355	355	-	178	178
EYE-----	-	-	2	2	2	12	14	-	-	-	3	3	3	-	2	2
MOUTH/TEETH/TONGUE-----	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
SCALP-----	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
SKULL-----	-	-	1	1	1	-	1	-	-	-	204	204	204	-	204	204
FACE, NEC-----	-	-	3	3	3	2	5	-	-	-	11	11	11	-	4	4
HEAD, NEC-----	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-
NECK-----	-	-	8	8	8	1	9	-	-	-	444	444	444	-	56	56
UPPER ARM-----	-	-	1	1	1	1	2	-	-	-	6	6	6	-	6	6
ELBOW-----	-	-	3	3	3	5	8	-	-	-	288	288	288	-	96	96
FOREARM-----	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
WRIST-----	-	-	8	8	8	-	8	-	-	-	614	614	614	-	77	77
HAND-----	-	-	7	7	7	6	13	-	-	-	249	249	249	-	36	36
FINGER(S)-----	-	-	1	12	13	20	33	-	120	-	142	262	262	120	12	20
UPPER EXTREMITIES, NEC-----	-	-	5	5	5	-	5	-	-	-	368	368	368	-	74	74
ABDOMEN-----	-	-	1	1	1	-	1	-	-	-	10	10	10	-	10	10
BACK-----	-	-	28	28	28	3	31	-	-	-	1,024	1,024	1,024	-	37	37
CHEST-----	-	-	3	3	3	-	3	-	-	-	172	172	172	-	57	57
PELVIC REGION-----	-	-	1	6	7	-	7	-	50	-	210	260	260	50	35	37
SHOULDER(S)-----	-	-	17	17	17	4	21	-	-	-	875	875	875	-	51	51
TRUNK, NEC-----	-	-	4	4	4	-	4	-	-	-	107	107	107	-	27	27
KNEE-----	-	-	11	11	11	2	13	-	-	-	442	442	442	-	40	40
LOWER LEG-----	-	-	5	5	5	2	7	-	-	-	264	264	264	-	53	53
ANKLE-----	-	-	7	7	7	1	8	-	-	-	397	397	397	-	57	57
FOOT-----	-	-	4	4	4	-	4	-	-	-	104	104	104	-	26	26
LOWER EXTREMITIES, NEC-----	-	-	5	5	5	-	5	-	-	-	334	334	334	-	67	67
BODY SYSTEMS-----	-	-	3	3	3	1	4	-	-	-	20	20	20	-	7	7
MULTIPLE PARTS OF BODY-----	-	-	7	7	7	-	7	-	-	-	362	362	362	-	52	52



TABLE 9. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND PART OF BODY INJURED	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA- PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO- RARY					PERMANENT	TEMPO- RARY	TOTAL NFDL						
		TOTAL	PARTIAL													TOTAL	PARTIAL
PROCESSING PLANTS:																	
EYE-----	-	-	-	10	10	10	18	28	-	-	-	32	32	32	-	3	3
JAW-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
MOUTH/TEETH/TONGUE-----	-	-	-	1	1	1	7	8	-	-	-	8	8	8	-	8	8
NOSE-----	-	-	-	1	1	1	1	2	-	-	-	4	4	4	-	4	4
SCALP-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
FACE, NEC-----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1
HEAD, NEC-----	-	-	-	6	6	6	14	20	-	-	-	481	481	481	-	80	80
NECK-----	-	-	-	1	1	1	1	2	-	-	-	48	48	48	-	48	48
UPPER ARM-----	-	-	-	1	1	1	1	1	-	-	-	56	56	56	-	56	56
ELBOW-----	-	-	-	3	3	3	2	5	-	-	-	173	173	173	-	58	58
FOREARM-----	-	-	-	4	4	4	4	8	-	-	-	633	633	633	-	158	158
WRIST-----	-	-	-	9	9	9	5	14	-	-	-	226	226	226	-	25	25
HAND-----	-	-	-	13	13	13	13	26	-	-	-	267	267	267	-	21	21
FINGER(S)-----	-	-	5	29	34	34	51	85	-	-	2,625	706	3,331	3,331	525	24	98
UPPER EXTREMITIES, NEC-----	-	-	-	4	4	4	1	5	-	-	-	118	118	118	-	30	30
ABDOMEN-----	-	-	-	1	1	1	-	-	-	-	-	42	42	42	-	42	42
BACK-----	-	-	-	45	45	45	11	56	-	-	-	2,565	2,565	2,565	-	57	57
CHEST-----	-	-	-	6	6	6	-	6	-	-	-	113	113	113	-	19	19
PELVIC REGION-----	-	-	1	8	9	9	-	9	-	-	50	107	157	157	50	13	17
SHOULDER(S)-----	-	-	-	27	27	27	5	32	-	-	-	2,213	2,213	2,213	-	82	82
TRUNK, NEC-----	-	-	-	2	2	2	-	-	-	-	-	9	9	9	-	4	4
THIGH-----	-	-	-	3	3	3	-	3	-	-	-	148	148	148	-	49	49
KNEE-----	-	-	-	22	22	22	1	23	-	-	-	755	755	755	-	34	34
LOWER LEG-----	-	-	-	9	9	9	7	16	-	-	-	520	520	520	-	58	58
ANKLE-----	-	-	-	23	23	23	2	25	-	-	-	1,441	1,441	1,441	-	63	63
FOOT-----	-	-	-	10	10	10	-	10	-	-	-	302	302	302	-	30	30
TOE(S)-----	-	-	-	1	1	1	-	1	-	-	-	12	12	12	-	12	12
LOWER EXTREMITIES, NEC-----	-	-	-	6	6	6	1	7	-	-	-	385	385	385	-	64	64
BODY SYSTEMS-----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1
MULTIPLE PARTS OF BODY-----	-	-	-	9	9	9	2	11	-	-	-	677	677	677	-	75	75
TOTAL OR AVERAGE-----	-	-	6	256	262	262	151	413	-	-	2,675	12,043	14,718	14,718	446	47	56

TABLE 9. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND PART OF BODY INJURED	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					PERMANENT	TEMPO-RARY	TOTAL						
		TOTAL	PARTIAL													TOTAL	PARTIAL
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
EAR-----	-	-	-	2	2	2	-	2	-	-	355	355	355	-	178	178	
EYE-----	-	-	-	12	12	12	30	42	-	-	35	35	35	-	3	3	
JAW-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
MOUTH/TEETH/TONGUE-----	-	-	-	1	1	1	10	11	-	-	8	8	8	-	8	8	
NOSE-----	-	-	-	1	1	1	1	2	-	-	4	4	4	-	4	4	
SCALP-----	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	
SKULL-----	-	-	-	1	1	1	-	7	-	-	204	204	204	204	204	204	
FACE, NEC-----	-	-	-	4	4	4	3	7	-	-	12	12	12	-	3	3	
HEAD, NEC-----	-	-	-	6	6	6	19	25	-	-	481	481	481	-	80	80	
NECK-----	-	-	-	9	9	9	2	11	-	-	492	492	492	-	55	55	
UPPER ARM-----	-	-	-	2	2	2	2	4	-	-	62	62	62	-	31	31	
ELBOW-----	-	-	-	6	6	6	7	13	-	-	461	461	461	-	77	77	
FOREARM-----	-	-	-	4	4	4	7	11	-	-	633	633	633	158	158	158	
WRIST-----	-	-	-	17	17	17	5	22	-	-	840	840	840	-	49	49	
HAND-----	-	-	-	20	20	20	19	39	-	-	516	516	516	-	26	26	
FINGER(S)-----	-	-	6	41	47	47	71	118	-	2,745	848	3,593	3,593	458	21	76	
UPPER EXTREMITIES, NEC-----	-	-	-	9	9	9	1	10	-	-	486	486	486	-	54	54	
ABDOMEN-----	-	-	-	2	2	2	2	2	-	-	52	52	52	-	26	26	
BACK-----	-	-	-	73	73	73	14	87	-	-	3,589	3,589	3,589	-	49	49	
CHEST-----	-	-	-	9	9	9	-	9	-	-	285	285	285	-	32	32	
PELVIC REGION-----	-	-	2	14	16	16	1	17	-	100	317	417	417	50	23	26	
SHOULDER(S)-----	-	-	-	44	44	44	9	53	-	-	3,088	3,088	3,088	-	70	70	
TRUNK, NEC-----	-	-	-	6	6	6	-	6	-	-	116	116	116	-	19	19	
THIGH-----	-	-	-	3	3	3	-	3	-	-	148	148	148	-	49	49	
KNEE-----	-	-	-	33	33	33	3	36	-	-	1,197	1,197	1,197	-	36	36	
LOWER LEG-----	-	-	-	14	14	14	9	23	-	-	784	784	784	-	56	56	
ANKLE-----	-	-	-	30	30	30	3	33	-	-	1,838	1,838	1,838	-	61	61	
FOOT-----	-	-	-	14	14	14	-	14	-	-	406	406	406	-	29	29	
TOE(S)-----	-	-	-	1	1	1	-	1	-	-	12	12	12	-	12	12	
LOWER EXTREMITIES, NEC-----	-	-	-	11	11	11	1	12	-	-	719	719	719	-	65	65	
BODY SYSTEMS-----	-	-	-	4	4	4	2	6	-	-	21	21	21	-	5	5	
MULTIPLE PARTS OF BODY-----	-	-	-	16	16	16	2	18	-	-	1,039	1,039	1,039	-	65	65	
TOTAL OR AVERAGE-----	-	-	8	409	417	417	226	643	-	2,845	19,048	21,893	21,893	356	47	53	
OFFICE:																	
EYE-----	-	-	-	1	1	1	-	1	-	-	5	5	5	-	5	5	
HEAD, NEC-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
NECK-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
ELBOW-----	-	-	-	1	1	1	-	1	-	-	16	16	16	-	16	16	
FINGER(S)-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
BACK-----	-	-	-	3	3	3	1	4	-	-	336	336	336	-	112	112	
CHEST-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
SHOULDER(S)-----	-	-	-	1	1	1	-	1	-	-	33	33	33	-	33	33	
KNEE-----	-	-	-	2	2	2	-	2	-	-	432	432	432	-	216	216	
MULTIPLE PARTS OF BODY-----	-	-	-	2	2	2	-	2	-	-	154	154	154	-	77	77	
TOTAL OR AVERAGE-----	-	-	-	10	10	10	5	15	-	-	976	976	976	-	98	98	

TABLE 9. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND PART OF BODY INJURED	NUMBER OF INJURIES							LOST WORKDAYS						AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					PERMANENT		TEMPO-RARY					TOTAL NFDL	
		TOTAL	PARTIAL						TOTAL	PARTIAL							
GRAND TOTAL OR AVERAGE:	-	-	8	419	427	427	231	658	-	-	2,845	20,024	22,869	22,869	356	48	54
EAR-----	-	-	-	2	2	2	-	2	-	-	-	355	355	355	-	178	178
EYE-----	-	-	-	13	13	13	30	43	-	-	-	40	40	40	-	3	3
JAW-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
MOUTH/TEETH/TONGUE-----	-	-	-	1	1	1	10	11	-	-	-	8	8	8	-	8	8
NOSE-----	-	-	-	1	1	1	1	2	-	-	-	4	4	4	-	4	4
SCALP-----	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-
SKULL-----	-	-	-	1	1	1	-	7	-	-	-	204	204	204	-	204	204
FACE, NEC-----	-	-	-	4	4	4	3	7	-	-	-	12	12	12	-	3	3
HEAD, NEC-----	-	-	-	6	6	6	20	26	-	-	-	481	481	481	-	80	80
NECK-----	-	-	-	9	9	9	3	12	-	-	-	492	492	492	-	55	55
UPPER ARM-----	-	-	-	2	2	2	2	4	-	-	-	62	62	62	-	31	31
ELBOW-----	-	-	-	7	7	7	7	14	-	-	-	477	477	477	-	68	68
FOREARM-----	-	-	-	4	4	4	7	11	-	-	-	633	633	633	-	158	158
WRIST-----	-	-	-	17	17	17	5	22	-	-	-	840	840	840	-	49	49
HAND-----	-	-	-	20	20	20	19	39	-	-	-	516	516	516	-	26	26
FINGER(S)-----	-	-	6	41	47	47	72	119	-	2,745	848	3,593	3,593	3,593	458	21	76
UPPER EXTREMITIES, NEC-----	-	-	-	9	9	9	1	10	-	-	-	486	486	486	-	54	54
ABDOMEN-----	-	-	-	2	2	2	-	2	-	-	-	52	52	52	-	26	26
BACK-----	-	-	-	76	76	76	15	91	-	-	-	3,925	3,925	3,925	-	52	52
CHEST-----	-	-	-	9	9	9	1	10	-	-	-	285	285	285	-	32	32
PELVIC REGION-----	-	-	2	14	16	16	1	17	-	100	317	417	417	417	50	23	26
SHOULDER(S)-----	-	-	-	45	45	45	9	54	-	-	3,121	3,121	3,121	3,121	-	69	69
TRUNK, NEC-----	-	-	-	6	6	6	-	6	-	-	-	116	116	116	-	19	19
THIGH-----	-	-	-	3	3	3	-	3	-	-	-	148	148	148	-	49	49
KNEE-----	-	-	-	35	35	35	3	38	-	-	-	1,629	1,629	1,629	-	47	47
LOWER LEG-----	-	-	-	14	14	14	9	23	-	-	-	784	784	784	-	56	56
ANKLE-----	-	-	-	30	30	30	3	33	-	-	-	1,838	1,838	1,838	-	61	61
FOOT-----	-	-	-	14	14	14	-	14	-	-	-	406	406	406	-	29	29
TOE(S)-----	-	-	-	1	1	1	-	1	-	-	-	12	12	12	-	12	12
LOWER EXTREMITIES, NEC-----	-	-	-	11	11	11	1	12	-	-	-	719	719	719	-	65	65
BODY SYSTEMS-----	-	-	-	4	4	4	2	6	-	-	-	21	21	21	-	5	5
MULTIPLE PARTS OF BODY-----	-	-	-	18	18	18	2	20	-	-	-	1,193	1,193	1,193	-	66	66

TABLE 10. - NUMBER OF INJURIES, INCIDENCE RATES, AND SEVERITY MEASURES BY DEGREE FOR WORK LOCATION AND NATURE OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION AND NATURE OF INJURY	NUMBER OF INJURIES								INCIDENCE RATES					SEVERITY MEASURES		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL
		PERMANENT		TEMPORARY	TOTAL NFDL											
		TOTAL	PARTIAL													
<b>UNDERGROUND MINES:</b>																
<b>UNDERGROUND:</b>																
BURN/SCALD (NOT CHEM.)----	-	-	-	1	1	1	-	1	-	.04	.04	-	.04	-	1	1
CONTUSION OR BRUISE-----	-	-	-	3	3	3	1	4	-	.12	.12	.04	.17	-	4	4
CUT OR PUNCTURE-----	-	-	-	6	6	6	16	22	-	.25	.25	.66	.91	-	15	15
DISLOCATION-----	-	-	-	1	1	1	1	2	-	.04	.04	.04	.08	-	1	1
ELECT. BURN (CONTACT)----	-	-	-	1	1	1	-	1	-	.04	.04	-	.04	-	(*)	(*)
FRACTURE-----	-	-	-	10	10	10	4	14	-	.41	.41	.17	.58	-	35	35
HERNIA (NOT DISC)-----	-	-	1	3	4	4	-	4	-	.17	.17	-	.17	-	5	5
POISONING (SYSTEMIC)-----	-	-	-	1	1	1	-	1	-	.04	.04	-	.04	-	(*)	(*)
RADIATION/ULTRA VIOLET----	-	-	-	1	1	1	-	1	-	.04	.04	-	.04	-	(*)	(*)
SCRATCH/ABRASION-----	-	-	-	1	1	1	-	1	-	.04	.04	-	.04	-	3	3
STRAIN/SPRAIN-----	-	-	-	40	40	40	3	43	-	1.66	1.66	.12	1.78	-	97	97
MULTIPLE INJURIES-----	-	-	-	1	1	1	-	1	-	.04	.04	-	.04	-	5	5
OTHER INJURY, NEC-----	-	-	-	1	1	1	-	1	-	.04	.04	-	.04	-	2	2
UNCLASSIFIED (NO DATA)---	-	-	-	2	2	2	-	2	-	.08	.08	-	.08	-	1	1
TOTAL OR AVERAGE-----	-	-	1	72	73	73	25	98	-	3.02	3.02	1.04	4.06	-	170	170
<b>SURFACE AT UNDERGROUND:</b>																
CHEMICAL BURN-----	-	-	-	1	1	1	1	2	-	.27	.27	.27	.55	-	2	2
CONTUSION OR BRUISE-----	-	-	-	2	2	2	-	2	-	.55	.55	-	.55	-	2	2
CUT OR PUNCTURE-----	-	-	-	4	4	4	5	9	-	1.09	1.09	1.37	2.46	-	21	21
FRACTURE-----	-	-	-	2	2	2	1	3	-	.55	.55	.27	.82	-	34	34
RADIATION/ULTRA VIOLET----	-	-	-	1	1	1	-	1	-	.27	.27	-	.27	-	(*)	(*)
STRAIN/SPRAIN-----	-	-	-	13	13	13	2	15	-	3.55	3.55	.55	4.10	-	173	173
OTHER INJURY, NEC-----	-	-	-	1	1	1	-	1	-	.27	.27	-	.27	-	7	7
UNCLASSIFIED (NO DATA)---	-	-	-	1	1	1	-	1	-	.27	.27	-	.27	-	3	3
TOTAL OR AVERAGE-----	-	-	-	25	25	25	9	34	-	6.83	6.83	2.46	9.29	-	242	242
<b>TOTAL OR AVERAGE, UG:</b>																
BURN/SCALD (NOT CHEM.)----	-	-	-	1	1	1	-	1	-	.04	.04	-	.04	-	1	1
CHEMICAL BURN-----	-	-	-	1	1	1	1	2	-	.04	.04	.04	.07	-	(*)	(*)
CONTUSION OR BRUISE-----	-	-	-	5	5	5	1	6	-	.18	.18	.04	.22	-	3	3
CUT OR PUNCTURE-----	-	-	-	10	10	10	21	31	-	.36	.36	.76	1.11	-	16	16
DISLOCATION-----	-	-	-	1	1	1	1	2	-	.04	.04	.04	.07	-	1	1
ELECT. BURN (CONTACT)----	-	-	-	1	1	1	-	1	-	.04	.04	-	.04	-	(*)	(*)
FRACTURE-----	-	-	-	12	12	12	5	17	-	.43	.43	.18	.61	-	35	35
HERNIA (NOT DISC)-----	-	-	1	3	4	4	-	4	-	.14	.14	-	.14	-	5	5
POISONING (SYSTEMIC)-----	-	-	-	1	1	1	-	1	-	.04	.04	-	.04	-	(*)	(*)
RADIATION/ULTRA VIOLET----	-	-	-	2	2	2	-	2	-	.07	.07	-	.07	-	(*)	(*)
SCRATCH/ABRASION-----	-	-	-	1	1	1	-	1	-	.04	.04	-	.04	-	2	2
STRAIN/SPRAIN-----	-	-	-	53	53	53	5	58	-	1.91	1.91	.18	2.09	-	107	107
MULTIPLE INJURIES-----	-	-	-	1	1	1	-	1	-	.04	.04	-	.04	-	4	4
OTHER INJURY, NEC-----	-	-	-	2	2	2	-	2	-	.07	.07	-	.07	-	3	3
UNCLASSIFIED (NO DATA)---	-	-	-	3	3	3	-	3	-	.11	.11	-	.11	-	1	1
TOTAL OR AVERAGE-----	-	-	1	97	98	98	34	132	-	3.52	3.52	1.22	4.75	-	179	179

TABLE 10. - NUMBER OF INJURIES, INCIDENCE RATES, AND SEVERITY MEASURES BY DEGREE FOR WORK LOCATION AND NATURE OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND NATURE OF INJURY	NUMBER OF INJURIES								INCIDENCE RATES					SEVERITY MEASURES		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL											
		TOTAL	PARTIAL													
<b>SURFACE MINES:</b>																
<b>OPEN PIT:</b>																
AMPUTATION/ENUCLEATION----	-	-	1	-	1	1	-	1	-	.02	.02	-	.02	-	3	3
BURN/SCALD (NOT CHEM.)----	-	-	-	1	1	1	1	2	-	.02	.02	.02	.04	-	1	1
CHEMICAL BURN-----	-	-	-	-	-	-	2	2	-	-	-	.04	.04	-	-	-
CONTUSION OR BRUISE-----	-	-	-	10	10	10	4	14	-	.21	.21	.08	.30	-	4	4
CUT OR PUNCTURE-----	-	-	-	5	5	5	20	25	-	.11	.11	.42	.53	-	1	1
FRACTURE-----	-	-	-	8	8	8	2	10	-	.17	.17	.04	.21	-	16	16
POISONING (SYSTEMIC)-----	-	-	-	1	1	1	1	2	-	.02	.02	.02	.04	-	(*)	(*)
SCRATCH/ABRASION-----	-	-	-	1	1	1	4	5	-	.02	.02	.08	.11	-	(*)	(*)
STRAIN/SPRAIN-----	-	-	-	26	26	26	5	31	-	.55	.55	.11	.65	-	20	20
MULTIPLE INJURIES-----	-	-	-	1	1	1	-	1	-	.02	.02	-	.02	-	(*)	(*)
UNCLASSIFIED (NO DATA)----	-	-	-	1	1	1	2	3	-	.02	.02	.04	.06	-	(*)	(*)
TOTAL OR AVERAGE-----	-	-	1	54	55	55	41	96	-	1.16	1.16	.87	2.03	-	45	45
<b>DREDGE:</b>																
CONTUSION OR BRUISE-----	-	-	-	1	1	1	-	1	-	2.01	2.01	-	2.01	-	105	105
POISONING (SYSTEMIC)-----	-	-	-	1	1	1	-	1	-	2.01	2.01	-	2.01	-	14	14
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	4.03	4.03	-	4.03	-	119	119
<b>TOTAL OR AVERAGE, SURFACE:</b>																
AMPUTATION/ENUCLEATION----	-	-	1	-	1	1	-	1	-	.02	.02	-	.02	-	2	2
BURN/SCALD (NOT CHEM.)----	-	-	-	1	1	1	1	2	-	.02	.02	.02	.04	-	1	1
CHEMICAL BURN-----	-	-	-	-	-	-	2	2	-	-	-	.04	.04	-	-	-
CONTUSION OR BRUISE-----	-	-	-	11	11	11	4	15	-	.23	.23	.08	.31	-	5	5
CUT OR PUNCTURE-----	-	-	-	5	5	5	20	25	-	.10	.10	.42	.52	-	1	1
FRACTURE-----	-	-	-	8	8	8	2	10	-	.17	.17	.04	.21	-	16	16
POISONING (SYSTEMIC)-----	-	-	-	2	2	2	1	3	-	.04	.04	.02	.06	-	(*)	(*)
SCRATCH/ABRASION-----	-	-	-	1	1	1	4	5	-	.02	.02	.08	.10	-	(*)	(*)
STRAIN/SPRAIN-----	-	-	-	26	26	26	5	31	-	.54	.54	.10	.65	-	20	20
MULTIPLE INJURIES-----	-	-	-	1	1	1	-	1	-	.02	.02	-	.02	-	(*)	(*)
UNCLASSIFIED (NO DATA)----	-	-	-	1	1	1	2	3	-	.02	.02	.04	.06	-	(*)	(*)
TOTAL OR AVERAGE-----	-	-	1	56	57	57	41	98	-	1.19	1.19	.85	2.04	-	46	46

TABLE 10. - NUMBER OF INJURIES, INCIDENCE RATES, AND SEVERITY MEASURES BY DEGREE FOR WORK LOCATION AND NATURE OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND NATURE OF INJURY	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	
		PERMANENT		TEMPORARY												TOTAL NFDL
		TOTAL	PARTIAL													
<b>TOTAL OR AVERAGE, MINING:</b>																
AMPUTATION/ENUCLEATION-----	-	-	1	-	1	1	-	1	-	.01	.01	-	.01	-	2	2
BURN/SCALD (NOT CHEM.)-----	-	-	2	-	2	2	1	3	-	.03	.03	.01	.04	-	1	1
CHEMICAL BURN-----	-	-	-	1	1	1	3	4	-	.01	.01	.04	.05	-	(*)	(*)
CONTUSION OR BRUISE-----	-	-	-	16	16	16	5	21	-	.21	.21	.07	.28	-	4	4
CUT OR PUNCTURE-----	-	-	-	15	15	15	41	56	-	.20	.20	.54	.74	-	7	7
DISLOCATION-----	-	-	-	1	1	1	1	2	-	.01	.01	.01	.03	-	(*)	(*)
ELECT. BURN (CONTACT)-----	-	-	-	1	1	1	-	1	-	.01	.01	-	.01	-	(*)	(*)
FRACTURE-----	-	-	-	20	20	20	7	27	-	.26	.26	.09	.36	-	23	23
HERNIA (NOT DISC)-----	-	-	1	3	4	4	-	4	-	.05	.05	-	.05	-	2	2
POISONING (SYSTEMIC)-----	-	-	-	3	3	3	1	4	-	.04	.04	.01	.05	-	(*)	(*)
RADIATION/ULTRA VIOLET-----	-	-	-	2	2	2	-	2	-	.03	.03	-	.03	-	(*)	(*)
SCRATCH/ABRASION-----	-	-	-	2	2	2	4	6	-	.03	.03	.05	.08	-	1	1
STRAIN/SPRAIN-----	-	-	-	79	79	79	10	89	-	1.04	1.04	.13	1.17	-	52	52
MULTIPLE INJURIES-----	-	-	-	2	2	2	-	2	-	.03	.03	-	.03	-	2	2
OTHER INJURY, NEC-----	-	-	-	2	2	2	-	2	-	.03	.03	-	.03	-	1	1
UNCLASSIFIED (NO DATA)-----	-	-	-	4	4	4	2	6	-	.05	.05	.03	.08	-	(*)	(*)
<b>TOTAL OR AVERAGE-----</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>153</b>	<b>155</b>	<b>155</b>	<b>75</b>	<b>230</b>	<b>-</b>	<b>2.04</b>	<b>2.04</b>	<b>.99</b>	<b>3.03</b>	<b>-</b>	<b>95</b>	<b>95</b>
<b>PROCESSING PLANTS:</b>																
AMPUTATION/ENUCLEATION-----	-	-	5	-	5	5	-	5	-	.04	.04	-	.04	-	21	21
BURN/SCALD (NOT CHEM.)-----	-	-	-	7	7	7	2	9	-	.06	.06	.02	.07	-	1	1
CHEMICAL BURN-----	-	-	-	4	4	4	2	6	-	.03	.03	.02	.05	-	(*)	(*)
CONCUSSION (CEREBRAL)-----	-	-	-	5	5	5	1	6	-	.04	.04	.01	.05	-	4	4
CONTUSION OR BRUISE-----	-	-	-	31	31	31	9	40	-	.25	.25	.07	.32	-	8	8
CUT OR PUNCTURE-----	-	-	-	38	38	38	77	115	-	.31	.31	.62	.92	-	8	8
DISLOCATION-----	-	-	-	3	3	3	1	4	-	.02	.02	.01	.03	-	1	1
DUST IN EYE-----	-	-	-	1	1	1	7	8	-	.01	.01	.06	.06	-	(*)	(*)
FRACTURE-----	-	-	-	28	28	28	19	47	-	.22	.22	.15	.38	-	17	17
HERNIA (NOT DISC)-----	-	-	1	3	4	4	-	4	-	.03	.03	-	.03	-	1	1
POISONING (SYSTEMIC)-----	-	-	-	1	1	1	1	2	-	.01	.01	.01	.02	-	(*)	(*)
RADIATION/ULTRA VIOLET-----	-	-	-	2	2	2	-	2	-	.02	.02	-	.02	-	1	1
SCRATCH/ABRASION-----	-	-	-	3	3	3	2	5	-	.02	.02	.02	.04	-	(*)	(*)
STRAIN/SPRAIN-----	-	-	-	117	117	117	20	137	-	.94	.94	.16	1.10	-	48	48
MULTIPLE INJURIES-----	-	-	-	4	4	4	4	8	-	.03	.03	.03	.06	-	1	1
OTHER INJURY, NEC-----	-	-	-	2	2	2	-	2	-	.02	.02	-	.02	-	1	1
UNCLASSIFIED (NO DATA)-----	-	-	-	7	7	7	6	13	-	.06	.06	.05	.10	-	7	7
<b>TOTAL OR AVERAGE-----</b>	<b>-</b>	<b>-</b>	<b>6</b>	<b>256</b>	<b>262</b>	<b>262</b>	<b>151</b>	<b>413</b>	<b>-</b>	<b>2.10</b>	<b>2.10</b>	<b>1.21</b>	<b>3.32</b>	<b>-</b>	<b>118</b>	<b>118</b>

TABLE 10. - NUMBER OF INJURIES, INCIDENCE RATES, AND SEVERITY MEASURES BY DEGREE FOR WORK LOCATION AND NATURE OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND NATURE OF INJURY	NUMBER OF INJURIES							INCIDENCE RATES					SEVERITY MEASURES			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL	NDL	ALL INJURIES	FATAL	NFDL	ALL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL											
		TOTAL	PARTIAL													
TOTAL OR AVERAGE, ALL MINES AND PLANTS:	-	-	6	-	6	6	-	6	-	.03	.03	-	.03	-	14	14
AMPUTATION/ENUCLEATION-----	-	-	-	-	6	6	-	6	-	.03	.03	-	.03	-	14	14
BURN/SCALD (NOT CHEM.)-----	-	-	-	9	9	9	3	12	-	.04	.04	.01	.06	-	1	1
CHEMICAL BURN-----	-	-	-	5	5	5	5	10	-	.02	.02	.02	.05	-	(*)	(*)
CONCUSSION (CEREBRAL)-----	-	-	-	5	5	5	1	6	-	.02	.02	(*)	.03	-	2	2
CONTUSION OR BRUISE-----	-	-	-	47	47	47	14	61	-	.23	.23	.07	.30	-	7	7
CUT OR PUNCTURE-----	-	-	-	53	53	53	118	171	-	.26	.26	.59	.85	-	7	7
DISLOCATION-----	-	-	-	4	4	4	2	6	-	.02	.02	.01	.03	-	1	1
DUST IN EYE-----	-	-	-	1	1	1	7	8	-	(*)	(*)	.03	.04	-	(*)	(*)
ELECT. BURN (CONTACT)-----	-	-	-	1	1	1	-	1	-	(*)	(*)	-	(*)	-	(*)	(*)
FRACTURE-----	-	-	-	48	48	48	26	74	-	.24	.24	.13	.37	-	19	19
HERNIA (NOT DISC)-----	-	2	-	6	8	8	-	8	-	.04	.04	-	.04	-	1	1
POISONING (SYSTEMIC)-----	-	-	-	4	4	4	2	6	-	.02	.02	.01	.03	-	(*)	(*)
RADIATION/ULTRA VIOLET-----	-	-	-	4	4	4	-	4	-	.02	.02	-	.02	-	1	1
SCRATCH/ABRASION-----	-	-	-	5	5	5	6	11	-	.02	.02	.03	.05	-	(*)	(*)
STRAIN/SPRAIN-----	-	-	-	196	196	196	30	226	-	.98	.98	.15	1.13	-	49	49
MULTIPLE INJURIES-----	-	-	-	6	6	6	4	10	-	.03	.03	.02	.05	-	1	1
OTHER INJURY, NEC-----	-	-	-	4	4	4	-	4	-	.02	.02	-	.02	-	1	1
UNCLASSIFIED (NO DATA)-----	-	-	-	11	11	11	8	19	-	.05	.05	.04	.09	-	5	5
TOTAL OR AVERAGE-----	-	-	8	409	417	417	226	643	-	2.08	2.08	1.13	3.21	-	109	109
OFFICE:	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHEMICAL BURN-----	-	-	-	1	1	1	-	1	-	.03	.03	-	.03	-	(*)	(*)
CUT OR PUNCTURE-----	-	-	-	-	-	-	2	2	-	-	-	.06	.06	-	-	-
FRACTURE-----	-	-	-	4	4	4	1	5	-	.13	.13	.03	.16	-	27	27
STRAIN/SPRAIN-----	-	-	-	3	3	3	2	5	-	.09	.09	.06	.16	-	2	2
MULTIPLE INJURIES-----	-	-	-	1	1	1	-	1	-	.03	.03	-	.03	-	2	2
UNCLASSIFIED (NO DATA)-----	-	-	-	1	1	1	-	1	-	.03	.03	-	.03	-	(*)	(*)
TOTAL OR AVERAGE-----	-	-	-	10	10	10	5	15	-	.31	.31	.16	.47	-	31	31
GRAND TOTAL OR AVERAGE:	-	-	6	-	6	6	-	6	-	.03	.03	-	.03	-	12	12
AMPUTATION/ENUCLEATION-----	-	-	6	-	6	6	-	6	-	.03	.03	-	.03	-	12	12
BURN/SCALD (NOT CHEM.)-----	-	-	-	9	9	9	3	12	-	.04	.04	.01	.05	-	1	1
CHEMICAL BURN-----	-	-	-	6	6	6	5	11	-	.03	.03	.02	.05	-	(*)	(*)
CONCUSSION (CEREBRAL)-----	-	-	-	5	5	5	1	6	-	.02	.02	(*)	.03	-	2	2
CONTUSION OR BRUISE-----	-	-	-	47	47	47	14	61	-	.20	.20	.06	.26	-	6	6
CUT OR PUNCTURE-----	-	-	-	53	53	53	120	173	-	.23	.23	.52	.75	-	6	6
DISLOCATION-----	-	-	-	4	4	4	2	6	-	.02	.02	.01	.03	-	1	1
DUST IN EYE-----	-	-	-	1	1	1	7	8	-	(*)	(*)	.03	.03	-	(*)	(*)
ELECT. BURN (CONTACT)-----	-	-	-	1	1	1	-	1	-	(*)	(*)	-	(*)	-	(*)	(*)
FRACTURE-----	-	-	-	52	52	52	27	79	-	.22	.22	.12	.34	-	20	20
HERNIA (NOT DISC)-----	-	2	-	6	8	8	-	8	-	.03	.03	-	.03	-	1	1
POISONING (SYSTEMIC)-----	-	-	-	4	4	4	2	6	-	.02	.02	.01	.03	-	(*)	(*)
RADIATION/ULTRA VIOLET-----	-	-	-	4	4	4	-	4	-	.02	.02	-	.02	-	(*)	(*)
SCRATCH/ABRASION-----	-	-	-	5	5	5	6	11	-	.02	.02	.03	.05	-	(*)	(*)
STRAIN/SPRAIN-----	-	-	-	199	199	199	32	231	-	.86	.86	.14	.99	-	43	43
MULTIPLE INJURIES-----	-	-	-	7	7	7	4	11	-	.03	.03	.02	.05	-	1	1
OTHER INJURY, NEC-----	-	-	-	4	4	4	-	4	-	.02	.02	-	.02	-	1	1
UNCLASSIFIED (NO DATA)-----	-	-	-	12	12	12	8	20	-	.05	.05	.03	.09	-	4	4
TOTAL OR AVERAGE-----	-	-	8	419	427	427	231	658	-	1.84	1.84	.99	2.83	-	98	98

TABLE 11. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND NATURE OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION AND NATURE OF INJURY	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPO-RARY					PERMANENT		TEMPO-RARY					TOTAL NFDL
		TOTAL	PARTIAL						TOTAL	PARTIAL						
<b>UNDERGROUND MINES:</b>																
<b>UNDERGROUND:</b>																
BURN/SCALD (NOT CHEM.)----	-	-	-	1	1	1	-	1	-	-	21	21	21	-	21	21
CONTUSION OR BRUISE-----	-	-	-	3	3	3	1	4	-	-	89	89	89	-	30	30
CUT OR PUNCTURE-----	-	-	-	6	6	6	16	22	-	-	374	374	374	-	62	62
DISLOCATION-----	-	-	-	1	1	1	1	2	-	-	36	36	36	-	36	36
ELECT. BURN (CONTACT)----	-	-	-	1	1	1	-	1	-	-	1	1	1	-	1	1
FRACTURE-----	-	-	-	10	10	10	4	14	-	-	836	836	836	-	84	84
HERNIA (NOT DISC)-----	-	-	1	3	4	4	-	4	-	50	82	132	132	50	27	33
POISONING (SYSTEMIC)-----	-	-	-	1	1	1	-	1	-	-	3	3	3	-	3	3
RADIATION/ULTRA VIOLET-----	-	-	-	1	1	1	-	1	-	-	9	9	9	-	9	9
SCRATCH/ABRASION-----	-	-	-	1	1	1	-	1	-	-	66	66	66	-	66	66
STRAIN/SPRAIN-----	-	-	-	40	40	40	3	43	-	-	2,347	2,347	2,347	-	59	59
MULTIPLE INJURIES-----	-	-	-	1	1	1	-	1	-	-	118	118	118	-	118	118
OTHER INJURY, NEC-----	-	-	-	1	1	1	-	1	-	-	50	50	50	-	50	50
UNCLASSIFIED (NO DATA)----	-	-	-	2	2	2	-	2	-	-	19	19	19	-	10	10
TOTAL OR AVERAGE-----	-	-	1	72	73	73	25	98	-	50	4,051	4,101	4,101	50	56	56
<b>SURFACE AT UNDERGROUND:</b>																
CHEMICAL BURN-----	-	-	-	1	1	1	1	2	-	-	6	6	6	-	6	6
CONTUSION OR BRUISE-----	-	-	-	2	2	2	-	2	-	-	7	7	7	-	4	4
CUT OR PUNCTURE-----	-	-	-	4	4	4	5	9	-	-	78	78	78	-	20	20
FRACTURE-----	-	-	-	2	2	2	1	3	-	-	125	125	125	-	62	62
RADIATION/ULTRA VIOLET-----	-	-	-	1	1	1	-	1	-	-	1	1	1	-	1	1
STRAIN/SPRAIN-----	-	-	-	13	13	13	2	15	-	-	632	632	632	-	49	49
OTHER INJURY, NEC-----	-	-	-	1	1	1	-	1	-	-	27	27	27	-	27	27
UNCLASSIFIED (NO DATA)----	-	-	-	1	1	1	-	1	-	-	10	10	10	-	10	10
TOTAL OR AVERAGE-----	-	-	-	25	25	25	9	34	-	-	886	886	886	-	35	35
<b>TOTAL OR AVERAGE, UG:</b>																
BURN/SCALD (NOT CHEM.)----	-	-	-	1	1	1	-	1	-	-	21	21	21	-	21	21
CHEMICAL BURN-----	-	-	-	1	1	1	1	2	-	-	6	6	6	-	6	6
CONTUSION OR BRUISE-----	-	-	-	5	5	5	1	6	-	-	96	96	96	-	19	19
CUT OR PUNCTURE-----	-	-	-	10	10	10	21	31	-	-	452	452	452	-	45	45
DISLOCATION-----	-	-	-	1	1	1	1	2	-	-	36	36	36	-	36	36
ELECT. BURN (CONTACT)----	-	-	-	1	1	1	-	1	-	-	1	1	1	-	1	1
FRACTURE-----	-	-	-	12	12	12	5	17	-	-	961	961	961	-	80	80
HERNIA (NOT DISC)-----	-	-	1	3	4	4	-	4	-	50	82	132	132	50	27	33
POISONING (SYSTEMIC)-----	-	-	-	1	1	1	-	1	-	-	3	3	3	-	3	3
RADIATION/ULTRA VIOLET-----	-	-	-	2	2	2	-	2	-	-	10	10	10	-	5	5
SCRATCH/ABRASION-----	-	-	-	1	1	1	-	1	-	-	66	66	66	-	66	66
STRAIN/SPRAIN-----	-	-	-	53	53	53	5	58	-	-	2,979	2,979	2,979	-	56	56
MULTIPLE INJURIES-----	-	-	-	1	1	1	-	1	-	-	118	118	118	-	118	118
OTHER INJURY, NEC-----	-	-	-	2	2	2	-	2	-	-	77	77	77	-	38	38
UNCLASSIFIED (NO DATA)----	-	-	-	3	3	3	-	3	-	-	29	29	29	-	10	10
TOTAL OR AVERAGE-----	-	-	1	97	98	98	34	132	-	50	4,937	4,987	4,987	50	51	51



TABLE 11. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND NATURE OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND NATURE OF INJURY	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPO-RARY	TOTAL NFDL					PERMANENT		TEMPO-RARY					TOTAL NFDL
		TOTAL	PARTIAL							TOTAL	PARTIAL						
<b>SURFACE MINES:</b>																	
<b>OPEN PIT:</b>																	
AMPUTATION/ENUCLEATION----	-	-	1	-	1	1	-	1	-	-	120	-	120	120	120	-	120
BURN/SCALD (NOT CHEM.)----	-	-	1	-	1	1	-	2	-	-	62	-	62	62	-	62	62
CHEMICAL BURN-----	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
CONTUSION OR BRUISE----	-	-	-	10	10	10	4	14	-	-	181	-	181	181	-	18	18
CUT OR PUNCTURE-----	-	-	-	5	5	5	20	25	-	-	51	-	51	51	-	10	10
FRACTURE-----	-	-	-	8	8	8	2	10	-	-	747	-	747	747	-	93	93
POISONING (SYSTEMIC)----	-	-	-	1	1	1	1	1	-	-	10	-	10	10	-	10	10
SCRATCH/ABRASION-----	-	-	-	1	1	1	4	5	-	-	5	-	5	5	-	5	5
STRAIN/SPRAIN-----	-	-	-	26	26	26	5	31	-	-	938	-	938	938	-	36	36
MULTIPLE INJURIES-----	-	-	-	1	1	1	-	1	-	-	10	-	10	10	-	10	10
UNCLASSIFIED (NO DATA)---	-	-	-	1	1	1	2	3	-	-	5	-	5	5	-	5	5
TOTAL OR AVERAGE-----	-	-	1	54	55	55	41	96	-	-	120	2,009	2,129	2,129	120	37	39
<b>DREDGE:</b>																	
CONTUSION OR BRUISE----	-	-	-	1	1	1	-	1	-	-	-	52	52	52	-	52	52
POISONING (SYSTEMIC)----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	-	-	59	59	59	-	30	30
<b>TOTAL OR AVERAGE, SURFACE:</b>																	
AMPUTATION/ENUCLEATION----	-	-	1	-	1	1	-	1	-	-	120	-	120	120	120	-	120
BURN/SCALD (NOT CHEM.)----	-	-	-	1	1	1	-	2	-	-	62	-	62	62	-	62	62
CHEMICAL BURN-----	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
CONTUSION OR BRUISE----	-	-	-	11	11	11	4	15	-	-	233	-	233	233	-	21	21
CUT OR PUNCTURE-----	-	-	-	5	5	5	20	25	-	-	51	-	51	51	-	10	10
FRACTURE-----	-	-	-	8	8	8	2	10	-	-	747	-	747	747	-	93	93
POISONING (SYSTEMIC)----	-	-	-	2	2	2	1	3	-	-	17	-	17	17	-	8	8
SCRATCH/ABRASION-----	-	-	-	1	1	1	4	5	-	-	5	-	5	5	-	5	5
STRAIN/SPRAIN-----	-	-	-	26	26	26	5	31	-	-	938	-	938	938	-	36	36
MULTIPLE INJURIES-----	-	-	-	1	1	1	-	1	-	-	10	-	10	10	-	10	10
UNCLASSIFIED (NO DATA)---	-	-	-	1	1	1	2	3	-	-	5	-	5	5	-	5	5
TOTAL OR AVERAGE-----	-	-	1	56	57	57	41	98	-	-	120	2,068	2,188	2,188	120	37	38

TABLE 11. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND NATURE OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND NATURE OF INJURY	NUMBER OF INJURIES								LOST WORKDAYS						AVERAGE SEVERITY		
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					PERMANENT		TEMPO-RARY					TOTAL NFDL	
		TOTAL	PARTIAL						TOTAL	PARTIAL							
TOTAL OR AVERAGE, MINING:	-	-	1	-	1	1	-	1	-	-	120	-	120	120	120	-	120
AMPUTATION/ENUCLEATION----	-	-	2	-	2	2	-	2	-	-	83	-	83	83	-	42	42
BURN/SCALD (NOT CHEM.)----	-	-	1	-	1	1	-	1	-	-	6	-	6	6	-	6	6
CHEMICAL BURN-----	-	-	16	-	16	16	-	16	-	-	329	-	329	329	-	21	21
CONCUSSION OR BRUISE----	-	-	15	-	15	15	-	15	-	-	503	-	503	503	-	34	34
CUT OR PUNCTURE-----	-	-	1	-	1	1	-	1	-	-	36	-	36	36	-	36	36
DISLOCATION-----	-	-	1	-	1	1	-	1	-	-	1	-	1	1	-	1	1
ELECT. BURN (CONTACT)----	-	-	20	-	20	20	-	20	-	-	1,708	-	1,708	1,708	-	85	85
FRACTURE-----	-	-	3	-	3	3	-	3	-	50	82	-	132	132	50	27	33
HERNIA (NOT DISC)-----	-	-	3	-	3	3	-	3	-	-	20	-	20	20	-	7	7
POISONING (SYSTEMIC)----	-	-	2	-	2	2	-	2	-	-	10	-	10	10	-	5	5
RADIATION/ULTRA VIOLET----	-	-	2	-	2	2	-	2	-	-	71	-	71	71	-	36	36
SCRATCH/ABRASION-----	-	-	79	-	79	79	-	79	-	-	3,917	-	3,917	3,917	-	50	50
STRAIN/SPRAIN-----	-	-	2	-	2	2	-	2	-	-	128	-	128	128	-	64	64
MULTIPLE INJURIES-----	-	-	2	-	2	2	-	2	-	-	77	-	77	77	-	38	38
OTHER INJURY, NEC-----	-	-	4	-	4	4	-	4	-	-	34	-	34	34	-	8	8
UNCLASSIFIED (NO DATA)----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	2	153	155	155	75	230	-	-	170	7,005	7,175	7,175	85	46	46
PROCESSING PLANTS:	-	-	-	-	5	5	-	5	-	-	2,625	-	2,625	2,625	525	-	525
AMPUTATION/ENUCLEATION----	-	-	7	-	7	7	-	7	-	-	73	-	73	73	-	10	10
BURN/SCALD (NOT CHEM.)----	-	-	4	-	4	4	-	4	-	-	11	-	11	11	-	3	3
CHEMICAL BURN-----	-	-	5	-	5	5	-	5	-	-	456	-	456	456	-	91	91
CONCUSSION (CEREBRAL)----	-	-	31	-	31	31	-	31	-	-	989	-	989	989	-	32	32
CONCUSSION OR BRUISE----	-	-	38	-	38	38	-	38	-	-	959	-	959	959	-	25	25
CUT OR PUNCTURE-----	-	-	3	-	3	3	-	3	-	-	98	-	98	98	-	33	33
DISLOCATION-----	-	-	1	-	1	1	-	1	-	-	4	-	4	4	-	4	4
DUST IN EYE-----	-	-	28	-	28	28	-	28	-	-	2,178	-	2,178	2,178	-	78	78
FRACTURE-----	-	-	3	-	3	3	-	3	-	50	77	-	127	127	50	26	32
HERNIA (NOT DISC)-----	-	-	1	-	1	1	-	1	-	-	1	-	1	1	-	1	1
POISONING (SYSTEMIC)----	-	-	2	-	2	2	-	2	-	-	99	-	99	99	-	50	50
RADIATION/ULTRA VIOLET----	-	-	3	-	3	3	-	3	-	-	17	-	17	17	-	6	6
SCRATCH/ABRASION-----	-	-	117	-	117	117	-	117	-	-	5,948	-	5,948	5,948	-	51	51
STRAIN/SPRAIN-----	-	-	4	-	4	4	-	4	-	-	114	-	114	114	-	28	28
MULTIPLE INJURIES-----	-	-	2	-	2	2	-	2	-	-	90	-	90	90	-	45	45
OTHER INJURY, NEC-----	-	-	7	-	7	7	-	7	-	-	929	-	929	929	-	133	133
UNCLASSIFIED (NO DATA)----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	6	256	262	262	151	413	-	-	2,675	12,043	14,718	14,718	446	47	56

TABLE 11. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND NATURE OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND NATURE OF INJURY	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA- PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPO- RARY					PERMANENT	TEMPO- RARY	TOTAL NFDL					
		TOTAL	PARTIAL													TOTAL
TOTAL OR AVERAGE, ALL MINES AND PLANTS:	-	-	6	409	417	226	643	-	-	2,845	19,048	21,893	21,893	356	47	53
AMPUTATION/ENUCLEATION-----	-	-	6	-	6	-	6	-	-	2,745	-	2,745	2,745	458	-	458
BURN/SCALD (NOT CHEM.)-----	-	-	9	-	9	3	12	-	-	156	156	156	156	-	17	17
CHEMICAL BURN-----	-	-	5	-	5	5	10	-	-	17	17	17	17	-	3	3
CONCUSSION (CEREBRAL)-----	-	-	5	-	5	1	6	-	-	456	456	456	456	-	91	91
CONUSION OR BRUISE-----	-	-	47	-	47	14	61	-	-	1,318	1,318	1,318	1,318	-	28	28
CUT OR PUNCTURE-----	-	-	53	-	53	118	171	-	-	1,462	1,462	1,462	1,462	-	28	28
DISLOCATION-----	-	-	4	-	4	2	6	-	-	134	134	134	134	-	34	34
DUST IN EYE-----	-	-	1	-	1	7	8	-	-	4	4	4	4	-	4	4
ELECT. BURN (CONTACT)-----	-	-	1	-	1	-	1	-	-	1	1	1	1	-	1	1
FRACTURE-----	-	-	48	-	48	26	74	-	-	3,886	3,886	3,886	3,886	-	81	81
HERNIA (NOT DISC)-----	-	-	2	-	2	-	2	-	-	159	159	159	159	50	26	32
POISONING (SYSTEMIC)-----	-	-	4	-	4	2	6	-	-	21	21	21	21	-	5	5
RADIATION/ULTRA VIOLET-----	-	-	4	-	4	-	4	-	-	109	109	109	109	-	27	27
SCRATCH/ABRASION-----	-	-	5	-	5	6	11	-	-	88	88	88	88	-	18	18
STRAIN/SPRAIN-----	-	-	196	-	196	30	226	-	-	9,865	9,865	9,865	9,865	-	50	50
MULTIPLE INJURIES-----	-	-	6	-	6	4	10	-	-	242	242	242	242	-	40	40
OTHER INJURY, NEC-----	-	-	4	-	4	-	4	-	-	167	167	167	167	-	42	42
UNCLASSIFIED (NO DATA)-----	-	-	11	-	11	8	19	-	-	963	963	963	963	-	88	88
TOTAL OR AVERAGE-----	-	-	8	409	417	226	643	-	-	2,845	19,048	21,893	21,893	356	47	53
OFFICE:	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHEMICAL BURN-----	-	-	-	1	1	-	1	-	-	5	5	5	5	-	5	5
CUT OR PUNCTURE-----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
FRACTURE-----	-	-	-	4	4	1	5	-	-	849	849	849	849	-	212	212
STRAIN/SPRAIN-----	-	-	-	3	3	2	5	-	-	50	50	50	50	-	17	17
MULTIPLE INJURIES-----	-	-	-	1	1	-	1	-	-	69	69	69	69	-	69	69
UNCLASSIFIED (NO DATA)-----	-	-	-	1	1	-	1	-	-	3	3	3	3	-	3	3
TOTAL OR AVERAGE-----	-	-	-	10	10	5	15	-	-	976	976	976	976	-	98	98
GRAND TOTAL OR AVERAGE:	-	-	6	419	427	231	658	-	-	2,845	20,024	22,869	22,869	356	48	54
AMPUTATION/ENUCLEATION-----	-	-	6	-	6	-	6	-	-	2,745	-	2,745	2,745	458	-	458
BURN/SCALD (NOT CHEM.)-----	-	-	9	-	9	3	12	-	-	156	156	156	156	-	17	17
CHEMICAL BURN-----	-	-	5	-	5	5	11	-	-	22	22	22	22	-	4	4
CONCUSSION (CEREBRAL)-----	-	-	5	-	5	1	6	-	-	456	456	456	456	-	91	91
CONUSION OR BRUISE-----	-	-	47	-	47	14	61	-	-	1,318	1,318	1,318	1,318	-	28	28
CUT OR PUNCTURE-----	-	-	53	-	53	120	173	-	-	1,462	1,462	1,462	1,462	-	28	28
DISLOCATION-----	-	-	4	-	4	2	6	-	-	134	134	134	134	-	34	34
DUST IN EYE-----	-	-	1	-	1	7	8	-	-	4	4	4	4	-	4	4
ELECT. BURN (CONTACT)-----	-	-	1	-	1	-	1	-	-	1	1	1	1	-	1	1
FRACTURE-----	-	-	52	-	52	27	79	-	-	4,735	4,735	4,735	4,735	-	91	91
HERNIA (NOT DISC)-----	-	-	2	-	2	-	2	-	-	159	159	159	159	50	26	32
POISONING (SYSTEMIC)-----	-	-	4	-	4	2	6	-	-	21	21	21	21	-	5	5
RADIATION/ULTRA VIOLET-----	-	-	4	-	4	-	4	-	-	109	109	109	109	-	27	27
SCRATCH/ABRASION-----	-	-	5	-	5	6	11	-	-	88	88	88	88	-	18	18
STRAIN/SPRAIN-----	-	-	199	-	199	32	231	-	-	9,915	9,915	9,915	9,915	-	50	50
MULTIPLE INJURIES-----	-	-	7	-	7	4	11	-	-	311	311	311	311	-	44	44
OTHER INJURY, NEC-----	-	-	4	-	4	-	4	-	-	167	167	167	167	-	42	42
UNCLASSIFIED (NO DATA)-----	-	-	12	-	12	8	20	-	-	966	966	966	966	-	80	80
TOTAL OR AVERAGE-----	-	-	8	419	427	231	658	-	-	2,845	20,024	22,869	22,869	356	48	54

TABLE 12. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR PART OF BODY INJURED AND NATURE OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

PART OF BODY INJURED AND NATURE OF INJURY	NUMBER OF INJURIES								LOST WORKDAYS						AVERAGE SEVERITY		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
EAR:																	
CUT OR PUNCTURE-----	-	-	-	2	2	2	-	2	-	-	-	355	355	355	-	178	178
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	-	-	355	355	355	-	178	178
EYE:																	
BURN/SCALD (NOT CHEM.)----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
CHEMICAL BURN-----	-	-	-	4	4	4	4	8	-	-	-	15	15	15	-	4	4
CUT OR PUNCTURE-----	-	-	-	6	6	6	11	17	-	-	-	19	19	19	-	3	3
DUST IN EYE-----	-	-	-	1	1	1	7	8	-	-	-	4	4	4	-	4	4
SCRATCH/ABRASION-----	-	-	-	2	2	2	5	7	-	-	-	2	2	2	-	1	1
UNCLASSIFIED (NO DATA)----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	-	13	13	13	30	43	-	-	-	40	40	40	-	3	3
JAW:																	
CUT OR PUNCTURE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
MOUTH/TEETH/TONGUE:																	
CUT OR PUNCTURE-----	-	-	-	1	1	1	7	8	-	-	-	8	8	8	-	8	8
FRACTURE-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
MULTIPLE INJURIES-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	-	1	1	1	10	11	-	-	-	8	8	8	-	8	8
NOSE:																	
FRACTURE-----	-	-	-	1	1	1	1	2	-	-	-	4	4	4	-	4	4
TOTAL OR AVERAGE-----	-	-	-	1	1	1	1	2	-	-	-	4	4	4	-	4	4
SCALP:																	
CUT OR PUNCTURE-----	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-
SKULL:																	
FRACTURE-----	-	-	-	1	1	1	-	1	-	-	-	204	204	204	-	204	204
TOTAL OR AVERAGE-----	-	-	-	1	1	1	-	1	-	-	-	204	204	204	-	204	204
FACE, NEC:																	
CHEMICAL BURN-----	-	-	-	1	1	1	-	1	-	-	-	6	6	6	-	6	6
CONTUSION OR BRUISE-----	-	-	-	3	3	3	-	3	-	-	-	6	6	6	-	2	2
CUT OR PUNCTURE-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
FRACTURE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	-	4	4	4	3	7	-	-	-	12	12	12	-	3	3

TABLE 12. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR PART OF BODY INJURED AND NATURE OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

PART OF BODY INJURED AND NATURE OF INJURY	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPO-RARY					PERMANENT		TEMPO-RARY					TOTAL NFDL
		TOTAL	PARTIAL						TOTAL	PARTIAL						
HEAD, NEC:																
CHEMICAL BURN-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
CONCUSSION (CEREBRAL)-----	-	-	-	5	5	1	6	-	-	-	456	456	456	-	91	91
CONTUSION OR BRUISE-----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
CUT OR PUNCTURE-----	-	-	-	1	1	16	17	-	-	-	25	25	25	-	25	25
TOTAL OR AVERAGE-----	-	-	-	6	6	20	26	-	-	-	481	481	481	-	80	80
NECK:																
STRAIN/SPRAIN-----	-	-	-	9	9	3	12	-	-	-	492	492	492	-	55	55
TOTAL OR AVERAGE-----	-	-	-	9	9	3	12	-	-	-	492	492	492	-	55	55
UPPER ARM:																
FRACTURE-----	-	-	-	1	1	-	1	-	-	-	56	56	56	-	56	56
SCRATCH/ABRASION-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
STRAIN/SPRAIN-----	-	-	-	1	1	1	2	-	-	-	6	6	6	-	6	6
TOTAL OR AVERAGE-----	-	-	-	2	2	2	4	-	-	-	62	62	62	-	31	31
ELBOW:																
CONTUSION OR BRUISE-----	-	-	-	1	1	2	3	-	-	-	49	49	49	-	49	49
CUT OR PUNCTURE-----	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-
FRACTURE-----	-	-	-	1	1	1	1	-	-	-	219	219	219	-	219	219
STRAIN/SPRAIN-----	-	-	-	4	4	1	5	-	-	-	60	60	60	-	15	15
UNCLASSIFIED (NO DATA)-----	-	-	-	1	1	1	2	-	-	-	149	149	149	-	149	149
TOTAL OR AVERAGE-----	-	-	-	7	7	7	14	-	-	-	477	477	477	-	68	68
FOREARM:																
BURN/SCALD (NOT CHEM.)-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
CONTUSION OR BRUISE-----	-	-	-	1	1	1	1	-	-	-	361	361	361	-	361	361
CUT OR PUNCTURE-----	-	-	-	2	2	6	8	-	-	-	262	262	262	-	131	131
STRAIN/SPRAIN-----	-	-	-	1	1	1	1	-	-	-	10	10	10	-	10	10
TOTAL OR AVERAGE-----	-	-	-	4	4	7	11	-	-	-	633	633	633	-	158	158
WRIST:																
CONTUSION OR BRUISE-----	-	-	-	1	1	-	1	-	-	-	3	3	3	-	3	3
CUT OR PUNCTURE-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
FRACTURE-----	-	-	-	7	7	1	8	-	-	-	500	500	500	-	71	71
STRAIN/SPRAIN-----	-	-	-	9	9	1	10	-	-	-	337	337	337	-	37	37
UNCLASSIFIED (NO DATA)-----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	-	17	17	5	22	-	-	-	840	840	840	-	49	49

TABLE 12. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR PART OF BODY INJURED AND NATURE OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

PART OF BODY INJURED AND NATURE OF INJURY	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMANENT PARTIAL	TEMPORARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPORARY					PERMANENT		TEMPORARY					TOTAL NFDL	
		TOTAL	PARTIAL						TOTAL	PARTIAL							
<b>HAND:</b>																	
CHEMICAL BURN-----	-	-	-	1	1	1	-	1	-	-	-	1	1	1	-	1	1
CONTUSION OR BRUISE-----	-	-	-	3	3	3	2	5	-	-	-	60	60	60	-	20	20
CUT OR PUNCTURE-----	-	-	-	8	8	8	16	24	-	-	-	127	127	127	-	16	16
ELECT. BURN (CONTACT)-----	-	-	-	1	1	1	-	1	-	-	-	1	1	1	-	1	1
FRACTURE-----	-	-	-	3	3	3	-	3	-	-	-	147	147	147	-	49	49
RADIATION/ULTRA VIOLET-----	-	-	-	2	2	2	-	2	-	-	-	12	12	12	-	6	6
STRAIN/SPRAIN-----	-	-	-	1	1	1	-	1	-	-	-	156	156	156	-	156	156
MULTIPLE INJURIES-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
UNCLASSIFIED (NO DATA)-----	-	-	-	1	1	1	-	1	-	-	-	12	12	12	-	12	12
TOTAL OR AVERAGE-----	-	-	-	20	20	20	19	39	-	-	-	516	516	516	-	26	26
<b>FINGER(S):</b>																	
AMPUTATION/ENUCLEATION-----	-	-	6	-	6	6	-	6	-	-	2,745	-	2,745	2,745	458	-	458
CONTUSION OR BRUISE-----	-	-	-	6	6	6	6	12	-	-	-	47	47	47	-	8	8
CUT OR PUNCTURE-----	-	-	-	23	23	23	43	66	-	-	-	463	463	463	-	20	20
DISLOCATION-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
FRACTURE-----	-	-	-	10	10	10	20	30	-	-	-	200	200	200	-	20	20
MULTIPLE INJURIES-----	-	-	-	1	1	1	2	3	-	-	-	74	74	74	-	74	74
OTHER INJURY, NEC-----	-	-	-	1	1	1	-	1	-	-	-	64	64	64	-	64	64
TOTAL OR AVERAGE-----	-	-	6	41	47	47	72	119	-	-	2,745	848	3,593	3,593	458	21	76
<b>UPPER EXTREMITIES, NEC:</b>																	
BURN/SCALD (NOT CHEM.)-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
CONTUSION OR BRUISE-----	-	-	-	2	2	2	-	2	-	-	-	36	36	36	-	18	18
CUT OR PUNCTURE-----	-	-	-	1	1	1	1	2	-	-	-	5	5	5	-	5	5
FRACTURE-----	-	-	-	1	1	1	-	1	-	-	-	315	315	315	-	315	315
RADIATION/ULTRA VIOLET-----	-	-	-	1	1	1	-	1	-	-	-	96	96	96	-	96	96
SCRATCH/ABRASION-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
STRAIN/SPRAIN-----	-	-	-	1	1	1	-	1	-	-	-	12	12	12	-	12	12
MULTIPLE INJURIES-----	-	-	-	1	1	1	-	1	-	-	-	12	12	12	-	12	12
TOTAL OR AVERAGE-----	-	-	-	9	9	9	1	10	-	-	-	486	486	486	-	54	54
<b>ABDOMEN:</b>																	
STRAIN/SPRAIN-----	-	-	-	2	2	2	-	2	-	-	-	52	52	52	-	26	26
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	-	-	52	52	52	-	26	26
<b>BACK:</b>																	
CONTUSION OR BRUISE-----	-	-	-	2	2	2	-	2	-	-	-	40	40	40	-	20	20
CUT OR PUNCTURE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
FRACTURE-----	-	-	-	1	1	1	14	80	-	-	-	332	332	332	-	332	332
STRAIN/SPRAIN-----	-	-	-	66	66	66	-	66	-	-	-	3,245	3,245	3,245	-	49	49
MULTIPLE INJURIES-----	-	-	-	1	1	1	-	1	-	-	-	17	17	17	-	17	17
UNCLASSIFIED (NO DATA)-----	-	-	-	6	6	6	-	6	-	-	-	291	291	291	-	48	48
TOTAL OR AVERAGE-----	-	-	-	76	76	76	15	91	-	-	-	3,925	3,925	3,925	-	52	52

TABLE 12. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR PART OF BODY INJURED AND NATURE OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

PART OF BODY INJURED AND NATURE OF INJURY	NUMBER OF INJURIES								LOST WORKDAYS						AVERAGE SEVERITY		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO-RARY	TOTAL NFDL					PERMANENT		TEMPO-RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
<b>CHEST:</b>																	
CONTUSION OR BRUISE-----	-	-	-	5	5	5	-	5	-	-	-	130	130	130	-	26	26
FRACTURE-----	-	-	-	3	3	3	1	4	-	-	-	123	123	123	-	41	41
STRAIN/SPRAIN-----	-	-	-	1	1	1	-	1	-	-	-	32	32	32	-	32	32
TOTAL OR AVERAGE-----	-	-	-	9	9	9	1	10	-	-	-	285	285	285	-	32	32
<b>PELVIC REGION:</b>																	
CONTUSION OR BRUISE-----	-	-	-	3	3	3	-	3	-	-	-	28	28	28	-	9	9
DISLOCATION-----	-	-	-	1	1	1	-	1	-	-	-	36	36	36	-	36	36
HERNIA (NOT DISC)-----	-	-	2	6	8	8	-	8	-	-	100	159	259	259	50	26	32
STRAIN/SPRAIN-----	-	-	-	4	4	4	1	5	-	-	-	94	94	94	-	24	24
TOTAL OR AVERAGE-----	-	-	2	14	16	16	1	17	-	-	100	317	417	417	50	23	26
<b>SHOULDER(S):</b>																	
CONTUSION OR BRUISE-----	-	-	-	4	4	4	-	4	-	-	-	309	309	309	-	77	77
CUT OR PUNCTURE-----	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-
DISLOCATION-----	-	-	-	1	1	1	4	4	-	-	-	29	29	29	-	29	29
STRAIN/SPRAIN-----	-	-	-	38	38	38	1	42	-	-	-	2,490	2,490	2,490	-	66	66
UNCLASSIFIED (NO DATA)-----	-	-	-	2	2	2	3	5	-	-	-	293	293	293	-	146	146
TOTAL OR AVERAGE-----	-	-	-	45	45	45	9	54	-	-	-	3,121	3,121	3,121	-	69	69
<b>TRUNK, NEC:</b>																	
CONTUSION OR BRUISE-----	-	-	-	3	3	3	-	3	-	-	-	12	12	12	-	4	4
CUT OR PUNCTURE-----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
FRACTURE-----	-	-	-	1	1	1	-	1	-	-	-	45	45	45	-	45	45
STRAIN/SPRAIN-----	-	-	-	1	1	1	-	1	-	-	-	52	52	52	-	52	52
TOTAL OR AVERAGE-----	-	-	-	6	6	6	-	6	-	-	-	116	116	116	-	19	19
<b>THIGH:</b>																	
CONTUSION OR BRUISE-----	-	-	-	1	1	1	-	1	-	-	-	1	1	1	-	1	1
FRACTURE-----	-	-	-	1	1	1	-	1	-	-	-	116	116	116	-	116	116
STRAIN/SPRAIN-----	-	-	-	1	1	1	-	1	-	-	-	31	31	31	-	31	31
TOTAL OR AVERAGE-----	-	-	-	3	3	3	-	3	-	-	-	148	148	148	-	49	49
<b>KNEE:</b>																	
CONTUSION OR BRUISE-----	-	-	-	5	5	5	1	6	-	-	-	67	67	67	-	13	13
CUT OR PUNCTURE-----	-	-	-	1	1	1	-	1	-	-	-	95	95	95	-	95	95
DISLOCATION-----	-	-	-	2	2	2	-	2	-	-	-	69	69	69	-	34	34
FRACTURE-----	-	-	-	2	2	2	-	2	-	-	-	432	432	432	-	216	216
SCRATCH/ABRASION-----	-	-	-	1	1	1	-	1	-	-	-	66	66	66	-	66	66
STRAIN/SPRAIN-----	-	-	-	23	23	23	2	25	-	-	-	895	895	895	-	39	39
UNCLASSIFIED (NO DATA)-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
TOTAL OR AVERAGE-----	-	-	-	35	35	35	3	38	-	-	-	1,629	1,629	1,629	-	47	47

TABLE 12. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR PART OF BODY INJURED AND NATURE OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

PART OF BODY INJURED AND NATURE OF INJURY	NUMBER OF INJURIES								LOST WORKDAYS						AVERAGE SEVERITY		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO-RARY	TOTAL NFDL					PERMANENT		TEMPO-RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
LOWER LEG:																	
CONTUSION OR BRUISE-----	-	-	-	3	3	3	1	4	-	-	-	133	133	133	-	44	44
CUT OR PUNCTURE-----	-	-	-	2	2	2	6	8	-	-	-	20	20	20	-	10	10
FRACTURE-----	-	-	-	3	3	3	1	4	-	-	-	384	384	384	-	128	128
STRAIN/SPRAIN-----	-	-	-	4	4	4	-	4	-	-	-	171	171	171	-	43	43
OTHER INJURY, NEC-----	-	-	-	2	2	2	-	2	-	-	-	76	76	76	-	38	38
UNCLASSIFIED (NO DATA)----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	-	14	14	14	9	23	-	-	-	784	784	784	-	56	56
ANKLE:																	
FRACTURE-----	-	-	-	7	7	7	-	7	-	-	-	798	798	798	-	114	114
STRAIN/SPRAIN-----	-	-	-	23	23	23	3	26	-	-	-	1,040	1,040	1,040	-	45	45
TOTAL OR AVERAGE-----	-	-	-	30	30	30	3	33	-	-	-	1,838	1,838	1,838	-	61	61
FOOT:																	
BURN/SCALD (NOT CHEM.)----	-	-	-	5	5	5	-	5	-	-	-	82	82	82	-	16	16
CONTUSION OR BRUISE-----	-	-	-	2	2	2	-	2	-	-	-	5	5	5	-	2	2
CUT OR PUNCTURE-----	-	-	-	2	2	2	-	4	-	-	-	4	4	4	-	2	2
FRACTURE-----	-	-	-	3	3	3	-	3	-	-	-	286	286	286	-	95	95
STRAIN/SPRAIN-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
OTHER INJURY, NEC-----	-	-	-	1	1	1	-	1	-	-	-	27	27	27	-	27	27
TOTAL OR AVERAGE-----	-	-	-	14	14	14	-	14	-	-	-	406	406	406	-	29	29
TOE(S):																	
FRACTURE-----	-	-	-	1	1	1	-	1	-	-	-	12	12	12	-	12	12
TOTAL OR AVERAGE-----	-	-	-	1	1	1	-	1	-	-	-	12	12	12	-	12	12
LOWER EXTREMITIES, NEC:																	
BURN/SCALD (NOT CHEM.)----	-	-	-	1	1	1	-	1	-	-	-	4	4	4	-	4	4
CONTUSION OR BRUISE-----	-	-	-	1	1	1	-	1	-	-	-	13	13	13	-	13	13
CUT OR PUNCTURE-----	-	-	-	3	3	3	1	4	-	-	-	72	72	72	-	24	24
FRACTURE-----	-	-	-	2	2	2	-	2	-	-	-	319	319	319	-	160	160
SCRATCH/ABRASION-----	-	-	-	1	1	1	-	1	-	-	-	15	15	15	-	15	15
STRAIN/SPRAIN-----	-	-	-	3	3	3	-	3	-	-	-	296	296	296	-	99	99
TOTAL OR AVERAGE-----	-	-	-	11	11	11	1	12	-	-	-	719	719	719	-	65	65
BODY SYSTEMS:																	
POISONING (SYSTEMIC)-----	-	-	-	4	4	4	2	6	-	-	-	21	21	21	-	5	5
TOTAL OR AVERAGE-----	-	-	-	4	4	4	2	6	-	-	-	21	21	21	-	5	5



TABLE 12. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR PART OF BODY INJURED AND NATURE OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

PART OF BODY INJURED AND NATURE OF INJURY	NUMBER OF INJURIES							LOST WORKDAYS						AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					PERMANENT		TEMPO-RARY					TOTAL NFDL	
		TOTAL	PARTIAL						TOTAL	PARTIAL							
MULTIPLE PARTS OF BODY:	-	-	-	2	2	2	-	2	-	-	-	65	65	65	-	32	32
BURN/SCALD (NOT CHEM.)----	-	-	-	1	1	1	-	1	-	-	-	18	18	18	-	18	18
CONTUSION OR BRUISE----	-	-	-	3	3	3	-	3	-	-	-	243	243	243	-	81	81
FRACTURE-----	-	-	-	1	1	1	-	1	-	-	-	1	1	1	-	1	1
RADIATION/ULTRA VIOLET----	-	-	-	6	6	6	2	8	-	-	-	442	442	442	-	74	74
STRAIN/SPRAIN-----	-	-	-	4	4	4	-	4	-	-	-	208	208	208	-	52	52
MULTIPLE INJURIES-----	-	-	-	1	1	1	-	1	-	-	-	216	216	216	-	216	216
UNCLASSIFIED (NO DATA)----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	-	18	18	18	2	20	-	-	-	1,193	1,193	1,193	-	66	66
TOTAL OR AVERAGE:	-	-	6	-	6	6	-	6	-	-	2,745	-	2,745	2,745	458	-	458
AMPUTATION/ENUCLEATION----	-	-	-	9	9	9	3	12	-	-	-	156	156	156	-	17	17
BURN/SCALD (NOT CHEM.)----	-	-	-	6	6	6	5	11	-	-	-	22	22	22	-	4	4
CHEMICAL BURN-----	-	-	-	5	5	5	1	6	-	-	-	456	456	456	-	91	91
CONCUSSION (CEREBRAL)-----	-	-	-	47	47	47	14	61	-	-	-	1,318	1,318	1,318	-	28	28
CONTUSION OR BRUISE-----	-	-	-	53	53	53	120	173	-	-	-	1,462	1,462	1,462	-	28	28
CUT OR PUNCTURE-----	-	-	-	4	4	4	2	6	-	-	-	134	134	134	-	34	34
DISLOCATION-----	-	-	-	1	1	1	7	8	-	-	-	4	4	4	-	4	4
DUST IN EYE-----	-	-	-	1	1	1	-	1	-	-	-	1	1	1	-	1	1
ELECT. BURN (CONTACT)-----	-	-	-	52	52	52	27	79	-	-	-	4,735	4,735	4,735	-	91	91
FRACTURE-----	-	-	2	6	8	8	-	8	-	-	100	159	259	259	50	26	32
HERNIA (NOT DISC)-----	-	-	-	4	4	4	2	6	-	-	-	21	21	21	-	5	5
POISONING (SYSTEMIC)-----	-	-	-	4	4	4	-	4	-	-	-	109	109	109	-	27	27
RADIATION/ULTRA VIOLET----	-	-	-	5	5	5	6	11	-	-	-	88	88	88	-	18	18
SCRATCH/ABRASION-----	-	-	-	199	199	199	32	231	-	-	-	9,915	9,915	9,915	-	50	50
STRAIN/SPRAIN-----	-	-	-	7	7	7	4	11	-	-	-	311	311	311	-	44	44
MULTIPLE INJURIES-----	-	-	-	4	4	4	-	4	-	-	-	167	167	167	-	42	42
OTHER INJURY, NEC-----	-	-	-	12	12	12	8	20	-	-	-	966	966	966	-	80	80
UNCLASSIFIED (NO DATA)----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	8	419	427	427	231	658	-	-	2,845	20,024	22,869	22,869	356	48	54



TABLE 13. - NUMBER OF INJURIES BY ACCIDENT CLASSIFICATION AND DEGREE FOR WORK LOCATION AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND STATE	POWERED HAULAGE			HOISTING			IGNITION OR EXPLOSION OF GAS OR DUST			IMPOUNDMENT			INUNDATION			MACHINERY			SLIP OR FALL OF PERSON			STEPPING OR KNEELING ON OBJECT			STRIKING OR BUMPING			OTHER			TOTAL				
	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL		
<b>UNDERGROUND MINES:</b>																																			
<b>UNDERGROUND:</b>																																			
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
NEW MEXICO-----	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	17	
NEW YORK-----	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	11	
OHIO-----	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
WYOMING-----	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	6	1	-	1	-	-	1	1	-	-	-	-	-	-	-	33	
TOTAL-----	-	9	2	-	-	-	-	-	-	-	-	-	-	-	-	3	4	-	14	1	-	2	1	-	1	1	-	-	-	-	-	-	-	73	
<b>SURFACE AT UG:</b>																																			
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	7
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	
WISCONSIN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
WYOMING-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	9	
TOTAL-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	25
<b>TOTAL UNDERGROUND:</b>																																			
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
LOUISIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
NEW MEXICO-----	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	1	1	-	-	-	-	-	-	-	-	-	-	24	
NEW YORK-----	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	
OHIO-----	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	
WISCONSIN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
WYOMING-----	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	9	1	-	1	-	-	1	1	-	-	-	-	-	-	1	42	
TOTAL-----	-	10	2	-	-	-	-	-	-	-	-	-	-	-	-	5	5	-	23	1	-	2	1	-	1	1	-	-	-	-	-	-	-	98	

TABLE 13. - NUMBER OF INJURIES BY ACCIDENT CLASSIFICATION AND DEGREE FOR WORK LOCATION AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND STATE	ELECTRICAL			ENTRAPMENT			EXPLODING VESSEL UNDER PRESSURE			EXPLOSIVE AND BREAKING AGENT			FALLING, ROLLING OR SLIDING MATERIAL			FALL OF FACE RIB, SIDE OR HIGHWALL			FALL OF ROOF (UNDERGROUND MINES ONLY)			FIRE			HANDLING MATERIAL			HANDTOOL			NONPOWERED HAULAGE					
	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL			
SURFACE MINES:																																				
OPEN PIT:																																				
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COLORADO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4	1	-	-	-	1	3	1	-	-	-
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
OREGON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	16	-	4	12	-	-	-	-	-	-	-
DREDGE:																																				
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-













TABLE 13. - NUMBER OF INJURIES BY ACCIDENT CLASSIFICATION AND DEGREE FOR WORK LOCATION AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND STATE	ELECTRICAL			ENTRAPMENT			EXPLODING VESSEL UNDER PRESSURE			EXPLOSIVE AND BREAKING AGENT			FALLING, ROLLING OR SLIDING MATERIAL			FALL OF FACE RIB, SIDE OR HIGHWALL			FALL OF ROOF (UNDERGROUND MINES ONLY)			FIRE			HANDLING MATERIAL			HANDTOOL			NONPOWERED HAULAGE				
	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL		
TOTAL MINES AND PLANTS:																																			
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	5	-	1	3	-	-	-	-	-	-	-	
COLORADO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	
CONNECTICUT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FLORIDA-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	7	-	2	6	-	-	-	-	-	-	-	
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	14	11	-	1	7	-	-	-	-	-	-	-	
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	3	-	1	-	-	-	-	-	-	-	-	
ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
LOUISIANA-----	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	4	-	-	1	3	-	-	-	-	-	-	-	
MASSACHUSETTS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
MINNESOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
MISSISSIPPI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-	
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	4	-	1	3	-	-	-	-	-	-	-	
NEW JERSEY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	
NEW MEXICO-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	4	-	5	1	-	-	-	-	-	-	-	
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	6	-	3	2	-	-	-	-	-	-	-	
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	-	2	5	-	-	-	-	-	-	-	
NORTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	2	-	-	-	-	-	-	-	
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
OREGON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
PENNSYLVANIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TENNESSEE-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-	-	-	-	-	-	-	
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	2	-	1	1	-	-	-	-	-	-	-	
UTAH-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	1	-	-	-	-	-	-	-	-	
VERMONT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	1	3	-	-	-	-	-	-	-	
WASHINGTON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
WEST VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
WISCONSIN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WYOMING-----	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	3	1	-	-	11	-	-	-	-	-	-	-	
TOTAL-----	-	5	-	-	-	-	-	-	1	-	2	-	3	-	-	-	-	4	2	-	-	-	163	88	-	36	58	-	-	-	-	-	-	-	
OFFICE:																																			
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	



TABLE 13. - NUMBER OF INJURIES BY ACCIDENT CLASSIFICATION AND DEGREE FOR WORK LOCATION AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND STATE	ELECTRICAL			ENTRAPMENT			EXPLODING VESSEL UNDER PRESSURE			EXPLOSIVE AND BREAKING AGENT			FALLING, ROLLING OR SLIDING MATERIAL			FALL OF FACE RIB, SIDE OR HIGHWALL			FALL OF ROOF (UNDERGROUND MINES ONLY)			FIRE			HANDLING MATERIAL			HANDTOOL			NONPOWERED HAULAGE									
	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL							
GRAND TOTAL:																																								
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	1	1	-	-	-	-	-	-						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	5	-	1	3	-	-	-	-	-	-	-					
COLORADO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-					
CONNECTICUT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
FLORIDA-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	7	-	2	6	-	-	-	-	-	-	-					
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	14	11	-	1	7	-	-	-	-	-	-	-					
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	3	-	1	-	-	-	-	-	-	-	-					
ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-				
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-				
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-			
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
LOUISIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	4	-	-	1	3	-	-	-	-	-	-	-	-	-			
MASSACHUSETTS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
MINNESOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
MISSISSIPPI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-			
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-			
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-			
NEVADA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	4	-	1	3	-	-	-	-	-	-	-	-	-	-		
NEW JERSEY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
NEW MEXICO-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	5	-	5	1	-	-	-	-	-	-	-	-	-	-		
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	6	-	3	2	-	-	-	-	-	-	-	-	-	-		
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	-	2	5	-	-	-	-	-	-	-	-	-	-		
NORTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
OHIO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	2	-	-	-	-	-	-	-	-	-	-		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
OREGON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
PENNSYLVANIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SOUTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TENNESSEE-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	
TEXAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
UTAH-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
VERMONT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING-----	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	5	-	-	-	-	-	-	1	-	2	-	-	3	-	-	-	-	4	2	-	-	-	164	90	-	37	58	-	-	-	-	-	-	-	-	-	-	-	

TABLE 13. - NUMBER OF INJURIES BY ACCIDENT CLASSIFICATION AND DEGREE FOR WORK LOCATION AND STATE AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND STATE	POWERED HAULAGE			HOISTING			IGNITION OR EXPLOSION OF GAS OR DUST			IMPOUNDMENT			INUNDATION			MACHINERY			SLIP OR FALL OF PERSON			STEPPING OR KNEELING ON OBJECT			STRIKING OR BUMPING			OTHER			TOTAL					
	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL			
GRAND TOTAL:																																				
ALABAMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	7	1	3		
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1		
ARKANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	
CALIFORNIA-----	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	-	2	-	-	-	-	-	-	-	-	-	-	24	5	16	4		
COLORADO-----	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	
CONNECTICUT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FLORIDA-----	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	-	9	-	1	-	-	-	-	-	-	-	-	32	2	18	5	1	
GEORGIA-----	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	8	2	-	6	-	-	-	-	-	-	-	-	-	35	2	21	5	1		
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	-	1	-	-	-	-	-	-	-	-	-	14	5	5	1	5		
ILLINOIS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	5	3	1	5	2		
INDIANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	3	1	5	2	7		
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
KANSAS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	1	-	3	1	7	-	
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
LOUISIANA-----	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	14	1	3	-	-	
MASSACHUSETTS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
MINNESOTA-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
MISSISSIPPI-----	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	2	-	3	-	-	
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	7	-	2	-	-		
MONTANA-----	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	5	-	6	-	-		
NEVADA-----	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	1	-	-	-	-	-	-	-	22	-	10	-	-		
NEW JERSEY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	
NEW MEXICO-----	-	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-	1	-	1	-	-	-	-	-	-	37	-	10	-	-		
NEW YORK-----	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	5	-	1	-	-	-	-	-	-	-	21	-	10	-	-		
NORTH CAROLINA-----	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	5	-	-	-	-	-	-	-	-	-	16	-	13	-	-		
NORTH DAKOTA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
OHIO-----	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	5	-	4	-	-		
OKLAHOMA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
OREGON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	
PENNSYLVANIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	4	-	4	-	-	-	
SOUTH DAKOTA-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4	-	4	-	-	-	
TENNESSEE-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	2	-	-	-	
TEXAS-----	-	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	4	-	2	-	1	-	-	-	-	-	21	-	8	-	-	-	
UTAH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-	8	-	5	-	-	-	
VERMONT-----	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIRGINIA-----	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	3	-	1	-	-	-	-	-	-	-	11	-	7	-	-	-	
WASHINGTON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	
WEST VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
WISCONSIN-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
WYOMING-----	-	13	5	-	-	-	-	-	-	-	-	-	-	-	-	-	7	4	-	23	-	5	-	4	-	2	1	-	2	2	100	-	49	-	-	
TOTAL-----	-	42	19	-	1	-	-	-	-	-	-	-	-	-	-	-	45	32	-	101	16	-	9	1	-	4	2	-	10	10	-	427	231	-	-	

TABLE 14. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION AND STATE	ELECTRICAL		ENTRAPMENT		EXPLODING VESSEL UNDER PRESSURE		EXPLOSIVE AND BREAKING AGENT		FALLING, ROLLING OR SLIDING MATERIAL		FALL OF FACE RIB, SIDE OR HIGHWALL		FALL OF ROOF (UNDERGROUND MINES ONLY)		FIRE		HANDLING MATERIAL		HANDTOOL		NONPOWERED HAULAGE	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
<b>UNDERGROUND MINES:</b>																						
<b>UNDERGROUND:</b>																						
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190	-	-	-	-
<b>TOTAL UNDERGROUND:</b>																						
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190	-	-	-	-
<b>SURFACE MINES:</b>																						
<b>OPEN PIT:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	119	-	-	-	-
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265	-	-	-	-
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	-	-	-	-
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	-	-	-	-
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	444	-	-	-	-
<b>TOTAL SURFACE:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	119	-	-	-	-
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265	-	-	-	-
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	-	-	-	-
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	-	-	-	-
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	444	-	-	-	-
<b>TOTAL MINING:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	119	-	-	-	-
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265	-	-	-	-
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	-	-	-	-
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	-	-	-	-
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	634	-	-	-	-

TABLE 14. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND STATE	POWERED HAULAGE		HOISTING		IGNITION OR EXPLOSION OF GAS OR DUST		IMPOUNDMENT		INUNDATION		MACHINERY		SLIP OR FALL OF PERSON		STEPPING OR KNEELING ON OBJECT		STRIKING OR BUMPING		OTHER		TOTAL	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
<b>UNDERGROUND MINES:</b>																						
<b>UNDERGROUND:</b>																						
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	193
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	193
<b>TOTAL UNDERGROUND:</b>																						
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	193
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	193
<b>SURFACE MINES:</b>																						
<b>OPEN PIT:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	8
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	202	-	-	-	-	-	-	-	202
FLORIDA-----	-	1	-	-	-	-	-	-	-	-	6,000	-	-	40	-	-	-	-	-	-	-	6,000
GEORGIA-----	-	24	-	-	-	-	-	-	-	-	-	-	-	257	-	-	-	-	-	-	-	284
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	7
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	118	-	5	-	-	-	-	-	-	-	123
WYOMING-----	-	218	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	218
TOTAL-----	-	243	-	-	-	-	-	-	-	-	6,000	118	-	509	-	7	-	-	-	-	6,000	1,324
<b>TOTAL SURFACE:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	8
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	202	-	-	-	-	-	-	-	202
FLORIDA-----	-	1	-	-	-	-	-	-	-	-	6,000	-	-	40	-	-	-	-	-	-	-	6,000
GEORGIA-----	-	24	-	-	-	-	-	-	-	-	-	-	-	257	-	-	-	-	-	-	-	284
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	7
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	118	-	5	-	-	-	-	-	-	-	123
WYOMING-----	-	218	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	218
TOTAL-----	-	243	-	-	-	-	-	-	-	-	6,000	118	-	509	-	7	-	-	-	-	6,000	1,324
<b>TOTAL MINING:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	8
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	202	-	-	-	-	-	-	-	202
FLORIDA-----	-	1	-	-	-	-	-	-	-	-	6,000	-	-	40	-	-	-	-	-	-	-	6,000
GEORGIA-----	-	24	-	-	-	-	-	-	-	-	-	-	-	257	-	-	-	-	-	-	-	284
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	7
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	118	-	5	-	-	-	-	-	-	-	123
WYOMING-----	-	218	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	411
TOTAL-----	-	243	-	-	-	-	-	-	-	-	6,000	121	-	509	-	7	-	-	-	-	6,000	1,517

TABLE 14. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND STATE	ELECTRICAL		ENTRAPMENT		EXPLODING VESSEL UNDER PRESSURE		EXPLOSIVE AND BREAKING AGENT		FALLING, ROLLING OR SLIDING MATERIAL		FALL OF FACE RIB, SIDE OR HIGHWALL		FALL OF ROOF (UNDERGROUND MINES ONLY)		FIRE		HANDLING MATERIAL		HANDTOOL		NONPOWERED HAULAGE	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
PROCESSING PLANTS:																						
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60	-	-	-	-
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	111	-	-	-	-
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	164	-	60	-	-
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	413	-	71	-	-
TOTAL MINES AND PLNTS:																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60	-	-	-	-
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	230	-	-	-	-
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	164	-	60	-	-
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265	-	-	-	-
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	-	-	-	-
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	-	-	-	-
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	266	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1,047	-	71	-	-	-
GRAND TOTAL:																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60	-	-	-	-
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	230	-	-	-	-
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	164	-	60	-	-
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265	-	-	-	-
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	-	-	-	-
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	-	-	-	-
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	266	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1,047	-	71	-	-	-



TABLE 14. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND STATE	POWERED HAULAGE		HOISTING		IGNITION OR EXPLOSION OF GAS OR DUST		IMPOUNDMENT		INUNDATION		MACHINERY		SLIP OR FALL OF PERSON		STEPPING OR KNEELING ON OBJECT		STRIKING OR BUMPING		OTHER		TOTAL	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
<b>PROCESSING PLANTS:</b>																						
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	111
GEORGIA-----	-	362	-	-	-	-	-	-	-	-	21	-	95	-	-	-	-	-	-	-	-	702
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
NORTH CAROLINA-----	-	236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	236
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
WYOMING-----	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
TOTAL-----	-	606	-	-	-	-	-	-	-	-	21	-	95	-	-	-	-	-	-	-	-	1,206
<b>TOTAL MINES AND PLNTS:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	8
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	202	-	-	-	-	-	-	-	262
FLORIDA-----	-	1	-	-	-	-	-	-	-	6,000	-	40	-	-	-	-	-	-	-	-	6,000	271
GEORGIA-----	-	386	-	-	-	-	-	-	-	-	21	-	352	-	-	-	-	-	-	-	-	986
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	7
NORTH CAROLINA-----	-	236	-	-	-	-	-	-	-	-	118	-	5	-	-	-	-	-	-	-	-	359
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
WYOMING-----	-	226	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	495
TOTAL-----	-	849	-	-	-	-	-	-	-	6,000	142	-	604	-	7	-	-	-	-	-	6,000	2,723
<b>GRAND TOTAL:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	8
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	202	-	-	-	-	-	-	-	262
FLORIDA-----	-	1	-	-	-	-	-	-	-	6,000	-	40	-	-	-	-	-	-	-	-	6,000	271
GEORGIA-----	-	386	-	-	-	-	-	-	-	-	21	-	352	-	-	-	-	-	-	-	-	986
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	7
NORTH CAROLINA-----	-	236	-	-	-	-	-	-	-	-	118	-	5	-	-	-	-	-	-	-	-	359
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
WYOMING-----	-	226	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	495
TOTAL-----	-	849	-	-	-	-	-	-	-	6,000	142	-	604	-	7	-	-	-	-	-	6,000	2,723







TABLE 15. - NUMBER OF INJURIES BY ACCIDENT CLASSIFICATION AND DEGREE FOR WORK LOCATION AND TYPE OF MINERAL AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND TYPE OF MINERAL	POWERED HAULAGE			HOISTING			IGNITION OR EXPLOSION OF GAS OR DUST			IMPOUNDMENT			INUNDATION			MACHINERY			SLIP OR FALL OF PERSON			STEPPING OR KNEELING ON OBJECT			STRIKING OR BUMPING			OTHER			TOTAL		
	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL			
DREDGE:																																	
PHOSPHATE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
TOTAL SURFACE:																																	
CLAY-----	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	-	-	1	-	-	-	-	-	-	1	-	-	15	2	
GEMSTONES-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	9	
MICA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	
PERLITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
PHOSPHATE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	6	-	-	1	-	-	-	-	-	-	1	-	-	25	12	
POTASH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
PUMICE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
SHALE-----	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	
TALC-SOAPSTONE-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	2	-	-	3	3		
VERMICULITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	
WOLASTNITE-STAU-LIT--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5
OTHER NONMETAL NEC--	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	2	5	
TOTAL-----	-	6	2	-	-	-	-	-	-	-	-	-	-	-	12	5	16	3	-	2	-	-	-	-	-	-	3	3	-	57	41		
TOTAL MINING:																																	
CLAY-----	-	4	1	-	-	-	-	-	-	-	-	-	-	-	2	-	6	-	-	1	-	-	-	-	-	-	1	-	-	17	2		
GEMSTONES-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	
GILSONITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	10	
MICA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
OIL SAND/SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	
PERLITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
PHOSPHATE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	6	-	-	1	-	-	-	-	-	-	1	-	-	25	12	
POTASH-----	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	1	-	1	-	-	-	-	1	-	-	25	4		
PUMICE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
SALT-----	-	2	1	-	-	-	-	-	-	-	-	-	-	-	2	3	5	-	-	-	-	-	-	-	-	-	-	-	-	23	15		
SHALE-----	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2		
SODIUM COMPOUNDS-----	-	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	9	1	-	1	-	-	1	1	-	-	1	1	-	41	12		
TALC-SOAPSTONE-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	2	-	-	-	3	3		
VERMICULITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2
WOLASTNITE-STAU-LIT--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5
OTHER NONMETAL NEC--	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3	5	
TOTAL-----	-	16	4	-	-	-	-	-	-	-	-	-	-	-	17	10	39	4	-	4	1	-	1	1	-	4	4	-	155	75			











TABLE 15. - NUMBER OF INJURIES BY ACCIDENT CLASSIFICATION AND DEGREE FOR WORK LOCATION AND TYPE OF MINERAL AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND TYPE OF MINERAL	ELECTRICAL			ENTRAPMENT			EXPLODING VESSEL UNDER PRESSURE			EXPLOSIVE AND BREAKING AGENT			FALLING, ROLLING OR SLIDING MATERIAL			FALL OF FACE RIB, SIDE OR HIGHWALL			FALL OF ROOF (UNDERGROUND MINES ONLY)			FIRE			HANDLING MATERIAL			HANDTOOL			NONPOWERED HAULAGE		
	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL
GRAND TOTAL:	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
APLITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BARITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BORON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAY-----	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FELDSPAR-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GEMSTONES-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GILSONITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KYANITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEONARDITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MAGNESITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MICA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OIL SAND/SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PERLITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PHOSPHATE-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PIGMENT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POTASH-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PUMICE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SODIUM COMPOUNDS-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TALC-SOAPSTONE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMICULITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WOLASTNITE-STAU-LIT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER NONMETAL NEC-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	5	-	-	-	-	-	-	1	-	2	-	-	3	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 15. - NUMBER OF INJURIES BY ACCIDENT CLASSIFICATION AND DEGREE FOR WORK LOCATION AND TYPE OF MINERAL AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND TYPE OF MINERAL	POWERED HAULAGE			HOISTING			IGNITION OR EXPLOSION OF GAS OR DUST			IMPOUNDMENT			INUNDATION			MACHINERY			SLIP OR FALL OF PERSON			STEPPING OR KNEELING ON OBJECT			STRIKING OR BUMPING			OTHER			TOTAL				
	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL		
GRAND TOTAL:	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
APLITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
BARITE-----	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	
BORON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	
CLAY-----	-	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72	
FELDSPAR-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
GEMSTONES-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
GILSONITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	
KYANITE-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
LEONARDITE-----	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
MAGNESITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
MICA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
OIL SAND/SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	
PERLITE-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
PHOSPHATE-----	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39	
PIGMENT-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	
POTASH-----	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33	
PUMICE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	
SALT-----	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30	
SHALE-----	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24	
SODIUM COMPOUNDS-----	-	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69	
TALC-SOAPSTONE-----	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	
VERMICULITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
WOLASTNITE-STAUROLITE-----	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34	
OTHER NONMETAL NEC-----	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43	
TOTAL-----	-	42	19	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	427	
																																		231	

TABLE 16. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND TYPE OF MINERAL AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION AND TYPE OF MINERAL	ELECTRICAL		ENTRAPMENT		EXPLODING VESSEL UNDER PRESSURE		EXPLOSIVE AND BREAKING AGENT		FALLING, ROLLING OR SLIDING MATERIAL		FALL OF FACE RIB, SIDE OR HIGHWALL		FALL OF ROOF (UNDERGROUND MINES ONLY)		FIRE		HANDLING MATERIAL		HANDTOOL		NONPOWERED HAULAGE	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
<b>UNDERGROUND MINES:</b>																						
<b>UNDERGROUND:</b>																						
GILSONITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	20	-	-	-	-	-	-	-	-
OIL SAND/SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	36	-	-	-	-	-	-	-	-	-
POTASH-----	-	9	-	-	-	-	-	-	-	-	-	-	315	-	-	-	-	-	-	156	-	-
SALT-----	-	-	-	-	-	-	-	355	-	-	-	-	-	-	-	-	-	-	-	51	-	-
SODIUM COMPOUNDS--	-	1	-	-	-	-	-	-	-	-	-	-	83	-	-	-	-	-	-	76	-	-
TOTAL-----	-	10	-	-	-	-	-	355	-	-	-	-	434	-	-	-	1,486	-	283	-	-	-
<b>SURFACE AT UG:</b>																						
CLAY-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
GILSONITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	-	-
OIL SAND/SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POTASH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53	-	-	-	-
SALT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19	-	9	-	-
SODIUM COMPOUNDS--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	246	-	12	-	-
OTHER NONMETAL NEC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	321	-	46	-	-
<b>TOTAL UNDERGROUND:</b>																						
CLAY-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
GILSONITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	-	-
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	20	-	-	-	-	-	-	-	-
OIL SAND/SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	36	-	-	-	-	-	-	-	-	-
POTASH-----	-	9	-	-	-	-	-	-	-	-	-	-	315	-	-	-	-	-	-	156	-	-
SALT-----	-	-	-	-	-	-	-	355	-	-	-	-	-	-	-	-	-	-	-	60	-	-
SODIUM COMPOUNDS--	-	1	-	-	-	-	-	-	-	-	-	-	83	-	-	-	-	-	-	88	-	-
OTHER NONMETAL NEC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	11	-	-	-	-	-	355	-	-	-	-	434	-	-	-	1,807	-	329	-	-	-
<b>SURFACE MINES:</b>																						
<b>OPEN PIT:</b>																						
CLAY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	-	-	-	-
GEMSTONES-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	-	-
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MICA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PERLITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
PHOSPHATE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	322	-	33	-	-
POTASH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PUMICE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85	-	-	-	-
TALC-SOAPSTONE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMICULITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WOLASTNITE-STAUROLITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER NONMETAL NEC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	437	-	41	-	-

TABLE 16. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND TYPE OF MINERAL AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND TYPE OF MINERAL	POWERED HAULAGE		HOISTING		IGNITION OR EXPLOSION OF GAS OR DUST		IMPOUNDMENT		INUNDATION		MACHINERY		SLIP OR FALL OF PERSON		STEPPING OR KNEELING ON OBJECT		STRIKING OR BUMPING		OTHER		TOTAL	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
UNDERGROUND MINES:																						
UNDERGROUND:																						
GILSONITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	160	-	-	-	-	-	-	-	160
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
OIL SAND/SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
POTASH-----	-	104	-	-	-	-	-	-	-	-	-	-	-	3	-	25	-	-	-	-	-	1,229
SALT-----	-	395	-	-	-	-	-	-	-	-	-	-	139	41	-	-	-	-	-	-	-	1,150
SODIUM COMPOUNDS--	-	127	-	-	-	-	-	-	-	-	-	-	14	512	-	10	-	3	-	-	-	1,506
TOTAL-----	-	626	-	-	-	-	-	-	-	-	-	153	-	716	-	35	-	3	-	-	-	4,101
SURFACE AT UG:																						
CLAY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
GILSONITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	29
OIL SAND/SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POTASH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	165	-	-	-	-	-	132	-	350
SALT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	36
SODIUM COMPOUNDS--	-	27	-	-	-	-	-	-	-	-	-	-	6	38	-	-	-	-	-	-	-	329
OTHER NONMETAL NEC	-	-	-	-	-	-	-	-	-	-	-	-	138	-	-	-	-	-	-	-	-	138
TOTAL-----	-	27	-	-	-	-	-	-	-	-	-	144	-	215	-	-	-	-	-	132	-	886
TOTAL UNDERGROUND:																						
CLAY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
GILSONITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	164	-	-	-	-	-	-	-	189
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
OIL SAND/SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
POTASH-----	-	104	-	-	-	-	-	-	-	-	-	-	-	168	-	25	-	-	-	132	-	1,579
SALT-----	-	395	-	-	-	-	-	-	-	-	-	-	139	49	-	-	-	-	-	-	-	1,186
SODIUM COMPOUNDS--	-	154	-	-	-	-	-	-	-	-	-	-	20	550	-	10	-	3	-	-	-	1,835
OTHER NONMETAL NEC	-	-	-	-	-	-	-	-	-	-	-	-	138	-	-	-	-	-	-	-	-	138
TOTAL-----	-	653	-	-	-	-	-	-	-	-	-	297	-	931	-	35	-	3	-	132	-	4,987
SURFACE MINES:																						
OPEN PIT:																						
CLAY-----	-	27	-	-	-	-	-	-	-	-	-	64	-	145	-	27	-	-	-	10	-	301
GEMSTONES-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	209	-	-	-	-	-	-	-	-	-	209
MICA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2
PERLITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
PHOSPHATE-----	-	-	-	-	-	-	-	-	-	-	-	82	-	425	-	152	-	-	-	-	-	1,014
POTASH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	16	-	-	-	-	-	-	-	16
PUMICE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
TALC-SOAPSTONE-----	-	45	-	-	-	-	-	-	-	-	-	204	-	125	-	-	-	-	-	-	-	289
VERMICULITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	170
WOLASTNITE-STAUROLITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER NONMETAL NEC	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	117
TOTAL-----	-	75	-	-	-	-	-	-	-	-	-	560	-	825	-	179	-	-	-	12	-	2,129

TABLE 16. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND TYPE OF MINERAL AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND TYPE OF MINERAL	ELECTRICAL		ENTRAPMENT		EXPLODING VESSEL UNDER PRESSURE		EXPLOSIVE AND BREAKING AGENT		FALLING, ROLLING OR SLIDING MATERIAL		FALL OF FACE RIB, SIDE OR HIGHWALL		FALL OF ROOF (UNDERGROUND MINES ONLY)		FIRE		HANDLING MATERIAL		HANDTOOL		NONPOWERED HAULAGE	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
DREDGE:																						
PHOSPHATE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL SURFACE:																						
CLAY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	-	-	-	-	-
GEMSTONES-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	6	-	-
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MICA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PERLITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
PHOSPHATE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	322	-	-	33	-	-
POTASH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PUMICE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85	-	-	-	-	-
TALC-SOAPSTONE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMICULITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WOLASTNITE-STAU-LIT--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER NONMETAL NEC--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	437	-	-	41	-	-
TOTAL MINING:																						
CLAY-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31	-	-	-	-	-
GEMSTONES-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	6	-	-
GILSONITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	-	-
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	-	-	-	-	-
MICA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OIL SAND/SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	36	-	-	-	-	-	-	-	-	-
PERLITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
PHOSPHATE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	322	-	-	33	-	-
POTASH-----	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	670	-	-	156	-	-
PUMICE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALT-----	-	-	-	-	-	-	-	355	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	188	-	-	60	-	-
SODIUM COMPOUNDS-----	-	1	-	-	-	-	-	-	-	-	-	-	83	-	-	-	85	-	-	88	-	-
TALC-SOAPSTONE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	926	-	-	-	-	-
VERMICULITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WOLASTNITE-STAU-LIT--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER NONMETAL NEC--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	11	-	-	-	-	-	355	-	-	-	-	434	-	-	-	2,244	-	-	370	-	-

TABLE 16. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND TYPE OF MINERAL AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND TYPE OF MINERAL	POWERED HAULAGE		HOISTING		IGNITION OR EXPLOSION OF GAS OR DUST		IMPOUNDMENT		INUNDATION		MACHINERY		SLIP OR FALL OF PERSON		STEPPING OR KNEELING ON OBJECT		STRIKING OR BUMPING		OTHER		TOTAL	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
DREDGE:																						
PHOSPHATE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	52	-	-	-	-	-	7	-	59
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	52	-	-	-	-	-	7	-	59
TOTAL SURFACE:																						
CLAY-----	-	27	-	-	-	-	-	-	-	-	-	64	-	145	-	27	-	-	-	10	-	301
GEMSTONES-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	209	-	-	-	-	-	-	-	-	-	209
MICA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2
PERLITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
PHOSPHATE-----	-	-	-	-	-	-	-	-	-	-	-	82	-	477	-	152	-	-	-	7	-	1,073
POTASH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	16	-	-	-	-	-	-	-	16
PUMICE-----	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	204	-	-	-	-	-	-	-	-	-	289
TALC-SOAPSTONE-----	-	45	-	-	-	-	-	-	-	-	-	-	-	125	-	-	-	-	-	-	-	170
VERMICULITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WOLASTNITE-STAU-LIT--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER NONMETAL NEC--	-	3	-	-	-	-	-	-	-	-	-	-	-	114	-	-	-	-	-	-	-	117
TOTAL-----	-	75	-	-	-	-	-	-	-	-	-	560	-	877	-	179	-	-	-	19	-	2,188
TOTAL MINING:																						
CLAY-----	-	27	-	-	-	-	-	-	-	-	-	64	-	145	-	27	-	-	-	10	-	305
GEMSTONES-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
GILSONITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	164	-	-	-	-	-	-	-	189
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	209	-	-	-	-	-	-	-	-	-	229
MICA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2
OIL SAND/SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
PERLITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
PHOSPHATE-----	-	-	-	-	-	-	-	-	-	-	-	82	-	477	-	152	-	-	-	7	-	1,073
POTASH-----	-	104	-	-	-	-	-	-	-	-	-	-	-	184	-	25	-	-	-	132	-	1,595
PUMICE-----	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
SALT-----	-	395	-	-	-	-	-	-	-	-	-	139	-	49	-	-	-	-	-	-	-	1,186
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	204	-	-	-	-	-	-	-	-	-	289
SODIUM COMPOUNDS-----	-	154	-	-	-	-	-	-	-	-	-	20	-	550	-	10	-	3	-	-	-	1,835
TALC-SOAPSTONE-----	-	45	-	-	-	-	-	-	-	-	-	-	-	125	-	-	-	-	-	-	-	170
VERMICULITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WOLASTNITE-STAU-LIT--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER NONMETAL NEC--	-	3	-	-	-	-	-	-	-	-	-	138	-	114	-	-	-	-	-	-	-	255
TOTAL-----	-	728	-	-	-	-	-	-	-	-	-	857	-	1,808	-	214	-	3	-	151	-	7,175

TABLE 16. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND TYPE OF MINERAL AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND TYPE OF MINERAL	ELECTRICAL		ENTRAPMENT		EXPLODING VESSEL UNDER PRESSURE		EXPLOSIVE AND BREAKING AGENT		FALLING, ROLLING OR SLIDING MATERIAL		FALL OF FACE RIB, SIDE OR HIGHWALL		FALL OF ROOF (UNDERGROUND MINES ONLY)		FIRE		HANDLING MATERIAL		HANDTOOL		NONPOWERED HAULAGE	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
PROCESSING PLANTS:																						
APLITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BARITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BORON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAY-----	-	96	-	-	-	-	-	-	-	10	-	-	-	-	-	-	-	-	-	444	-	-
FELDSPAR-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GEMSTONES-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GILSONITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KYANITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEONARDITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MAGNESITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MICA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PERLITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PHOSPHATE-----	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PIGMENT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POTASH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PUMICE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHALE-----	-	-	-	-	-	-	-	-	-	314	-	-	-	-	-	-	-	-	-	-	-	-
SODIUM COMPOUNDS-----	-	-	-	-	-	-	-	-	-	62	-	-	-	-	-	-	-	-	-	-	-	-
TALC-SOAPSTONE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMICULITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WOLASTNITE-STAUHLIT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER NONMETAL NEC-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	99	-	-	-	-	-	-	-	386	-	-	-	-	-	-	-	6,358	-	1,210	-	-



TABLE 16. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND TYPE OF MINERAL AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND TYPE OF MINERAL	POWERED HAULAGE		HOISTING		IGNITION OR EXPLOSION OF GAS OR DUST		IMPOUNDMENT		INUNDATION		MACHINERY		SLIP OR FALL OF PERSON		STEPPING OR KNEELING ON OBJECT		STRIKING OR BUMPING		OTHER		TOTAL	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
PROCESSING PLANTS:																						
APLITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BARITE-----	-	248	-	-	-	-	-	-	-	-	-	-	-	54	-	-	-	-	-	-	-	-
BORON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	572	-	-	-	-	-	-	-	-
CLAY-----	-	171	-	-	-	-	-	-	-	-	-	256	-	1,038	-	5	-	7	-	110	-	-
FELDSPAR-----	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
GEMSTONES-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
GILSONITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	7
KYANITE-----	-	188	-	-	-	-	-	-	-	-	-	29	-	4	-	-	-	-	-	-	-	273
LEONARDITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	34	-	-	-	-	-	-	-	48
MAGNESITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	80	-	-	-	-	-	-	-	319
MICA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	22	-	-	-	-	-	-	-	22
PERLITE-----	-	38	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	89
PHOSPHATE-----	-	19	-	-	-	-	-	-	-	-	-	88	-	159	-	-	-	-	-	-	-	498
PIGMENT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24	-	-	-	-	-	49
POTASH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	41	-	-	-	-	-	-	-	276
PUMICE-----	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	193
SALT-----	-	311	-	16	-	-	-	-	-	-	-	75	-	-	-	2	-	-	-	-	-	2,408
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	6	-	382	-	-	-	7	-	3	-	1,211
SODIUM COMPOUNDS-----	-	13	-	-	-	-	-	-	-	-	-	44	-	196	-	48	-	44	-	-	-	1,022
TALC-SOAPSTONE-----	-	2	-	-	-	-	-	-	-	-	-	-	-	559	-	-	-	-	-	253	-	1,219
VERMICULITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WOLASTNITE-STAUPLIT-----	-	106	-	-	-	-	-	-	-	-	-	510	-	421	-	-	-	-	-	-	-	1,705
OTHER NONMETAL NEC-----	-	137	-	-	-	-	-	-	-	-	-	21	-	287	-	-	-	-	-	-	-	943
TOTAL-----	-	1,235	-	16	-	-	-	-	-	-	-	1,036	-	3,849	-	79	-	58	-	392	-	14,718

TABLE 16. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND TYPE OF MINERAL AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND TYPE OF MINERAL	ELECTRICAL		ENTRAPMENT		EXPLODING VESSEL UNDER PRESSURE		EXPLOSIVE AND BREAKING AGENT		FALLING, ROLLING OR SLIDING MATERIAL		FALL OF FACE RIB, SIDE OR HIGHWALL		FALL OF ROOF (UNDERGROUND MINES ONLY)		FIRE		HANDLING MATERIAL		HANDTOOL		NONPOWERED HAULAGE	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
TOTAL, MINES AND PLNTS:																						
APLITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BARITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	458	-	-	-	-
BORON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	279	-	-	-	-
CLAY-----	-	97	-	-	-	-	-	-	-	10	-	-	-	-	-	-	-	713	-	444	-	-
FELDSPAR-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GEMSTONES-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	6	-
GILSONITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	25	-
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23	-	-	-	-
KYANITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52	-	-	-	-
LEONARDITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	-	-	-	-
MAGNESITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	239	-	-	-	-
MICA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OIL SAND/SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	36	-	-	-	-	-	-	-	-	-
PERLITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50	-	-	2	-
PHOSPHATE-----	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	551	-	33	-	-
PIGMENT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	-	-	-	-
POTASH-----	-	9	-	-	-	-	-	-	-	-	-	-	-	315	-	-	-	726	-	335	-	-
PUMICE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	191	-	-	-	-
SALT-----	-	-	-	-	-	-	355	-	-	-	-	-	-	-	-	-	-	2,192	-	60	-	-
SHALE-----	-	-	-	-	-	-	-	-	314	-	-	-	-	-	-	-	-	532	-	52	-	-
SODIUM COMPOUNDS-----	-	1	-	-	-	-	-	-	62	-	-	-	83	-	-	-	-	1,066	-	563	-	-
TALC-SOAPSTONE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	405	-	-	-	-
VERMICULITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WOLASTNITE-STAUPLIT--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	622	-	20	-	-
OTHER NONMETAL NEC--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	458	-	40	-	-
TOTAL-----	-	110	-	-	-	-	355	-	386	-	-	-	434	-	-	-	8,602	-	1,580	-	-	-
OFFICE:																						
BARITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BORON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	-	-	-	-
PHOSPHATE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PIGMENT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POTASH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SODIUM COMPOUNDS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-
WOLASTNITE-STAUPLIT--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	-	5	-	-

TABLE 16. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND TYPE OF MINERAL AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND TYPE OF MINERAL	POWERED HAULAGE		HOISTING		IGNITION OR EXPLOSION OF GAS OR DUST		IMPOUNDMENT		INUNDATION		MACHINERY		SLIP OR FALL OF PERSON		STEPPING OR KNEELING ON OBJECT		STRIKING OR BUMPING		OTHER		TOTAL	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
TOTAL, MINES AND PLNTS:																						
APLITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BARITE-----	-	248	-	-	-	-	-	-	-	-	-	-	-	54	-	-	-	-	-	-	-	760
BORON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	572	-	-	-	-	-	-	-	851
CLAY-----	-	198	-	-	-	-	-	-	-	-	-	-	-	1,183	-	32	-	-	-	-	-	3,124
FELDSPAR-----	-	2	-	-	-	-	-	-	-	-	-	320	-	-	-	-	-	-	-	-	-	2
GEMSTONES-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
GILSONITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	213	-	-	-	-	-	-	-	-	-	236
KYANITE-----	-	188	-	-	-	-	-	-	-	-	-	29	-	-	-	-	-	-	-	-	-	273
LEONARDITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
MAGNESITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	319
MICA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	24
OIL SAND/SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
PERLITE-----	-	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
PHOSPHATE-----	-	19	-	-	-	-	-	-	-	-	-	170	-	-	-	152	-	-	-	7	-	1,571
PIGMENT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24	-	-	-	-	-	-	49
POTASH-----	-	104	-	-	-	-	-	-	-	-	-	-	-	-	25	-	-	-	-	-	-	1,871
PUMICE-----	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	194
SALT-----	-	706	-	16	-	-	-	-	-	-	-	214	-	-	-	2	-	-	-	-	-	3,594
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	210	-	-	-	-	-	-	-	-	-	1,500
SODIUM COMPOUNDS-----	-	167	-	-	-	-	-	-	-	-	-	64	-	-	-	58	-	47	-	-	-	2,857
TALC-SOAPSTONE-----	-	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,389
VERMICULITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	253	-	-
WOLASTNITE-STAUPLIT--	-	106	-	-	-	-	-	-	-	-	-	510	-	-	-	-	-	-	-	-	26	1,705
OTHER NONMETAL NEC--	-	140	-	-	-	-	-	-	-	-	-	159	-	-	-	-	-	-	-	-	-	1,198
TOTAL-----	-	1,963	-	16	-	-	-	-	-	-	-	1,893	-	5,657	-	293	-	61	-	543	-	21,893
OFFICE:																						
BARITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BORON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	3
CLAY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
PHOSPHATE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33	-	-	-	-	-	-	33
PIGMENT-----	-	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
POTASH-----	-	275	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	275
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SODIUM COMPOUNDS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	558	-	-	-	-	-	1	564
WOLASTNITE-STAUPLIT--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	360	-	-	-	-	-	-	-	-	-	-	-	594	-	-	-	-	-	1	-	976

TABLE 16. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND TYPE OF MINERAL AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND TYPE OF MINERAL	ELECTRICAL		ENTRAPMENT		EXPLODING VESSEL UNDER PRESSURE		EXPLOSIVE AND BREAKING AGENT		FALLING, ROLLING OR SLIDING MATERIAL		FALL OF FACE RIB, SIDE OR HIGHWALL		FALL OF ROOF (UNDERGROUND MINES ONLY)		FIRE		HANDLING MATERIAL		HANDTOOL		NONPOWERED HAULAGE	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
GRAND TOTAL:																						
APLITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BARITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BORON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAY-----	-	97	-	-	-	-	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-
FELDSPAR-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GEMSTONES-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GILSONITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GYP-SUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KYANITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEONARDITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MAGNESITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MICA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OIL SAND/SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	36	-	-	-	-	-	-	-	-	-
PERLITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PHOSPHATE-----	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PIGMENT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POTASH-----	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PUMICE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALT-----	-	-	-	-	-	-	-	355	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHALE-----	-	-	-	-	-	-	-	-	-	314	-	-	-	-	-	-	-	-	-	-	-	-
SODIUM COMPOUNDS-----	-	1	-	-	-	-	-	-	-	62	-	-	-	-	-	-	-	-	-	-	-	-
TALC-SOAPSTONE-----	-	-	-	-	-	-	-	-	-	-	-	-	83	-	-	-	-	-	-	-	-	-
VERMICULITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WOLASTNITE-STAU-LIT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER NONMETAL NEC-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	110	-	-	-	-	-	355	-	386	-	-	434	-	-	-	8,618	-	1,585	-	-	-

TABLE 16. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND TYPE OF MINERAL AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND TYPE OF MINERAL	POWERED HAULAGE		HOISTING		IGNITION OR EXPLOSION OF GAS OR DUST		IMPOUNDMENT		INUNDATION		MACHINERY		SLIP OR FALL OF PERSON		STEPPING OR KNEELING ON OBJECT		STRIKING OR BUMPING		OTHER		TOTAL		
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	
GRAND TOTAL:																							
APLITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BARITE-----	-	248	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	760
BORON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	854
CLAY-----	-	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,140
FELDSPAR-----	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
GEMSTONES-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
GILSONITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	236
KYANITE-----	-	188	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	273
LEONARDITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
MAGNESITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	319
MICA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
OIL SAND/SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
PERLITE-----	-	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
PHOSPHATE-----	-	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,604
PIGMENT-----	-	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	134
POTASH-----	-	379	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,146
PUMICE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	194
SALT-----	-	706	-	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,594
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,500
SODIUM COMPOUNDS-----	-	167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,421
TALC-SOAPSTONE-----	-	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,389
VERMICULITE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WOLASTNITE-STAUPLIT-----	-	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,705
OTHER NONMETAL NEC--	-	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,198
TOTAL-----	-	2,323	-	16	-	-	-	-	-	-	-	1,893	-	6,251	-	293	-	61	-	544	-	-	22,869

TABLE 17. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND OCCUPATION AT TIME OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION AND OCCUPATION AT TIME OF INJURY	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPO-RARY					PERMANENT	TEMPO-RARY	TOTAL NFDL					
		TOTAL	PARTIAL													TOTAL
<b>UNDERGROUND MINES:</b>																
<b>UNDERGROUND:</b>																
BELTMAN/BOOM OPR.-----	-	-	-	1	1	1	-	1	-	-	54	54	54	-	54	54
BULLDOZER/MOBILE EQUIP.-	-	-	-	4	4	4	-	4	-	-	231	231	231	-	58	58
ELECTRICIAN-----	-	-	-	4	4	4	-	4	-	-	128	128	128	-	32	32
HAUL, DUMP-----	-	-	-	4	4	4	1	5	-	-	458	458	458	-	114	114
LABORER-----	-	-	-	8	8	8	5	13	-	-	234	234	234	-	29	29
MECHANIC/MAINTENANCE----	-	-	-	18	18	18	8	26	-	-	633	633	633	-	35	35
MINER-----	-	-	-	15	15	15	4	19	-	-	1,018	1,018	1,018	-	68	68
MINING MACH. OPR.-----	-	-	-	7	7	7	1	8	-	-	339	339	339	-	48	48
POWDERMAN/BLASTER-----	-	-	-	3	3	3	1	4	-	-	358	358	358	-	119	119
ROCK/ROOF BOLTER-----	-	-	1	5	6	6	1	7	50	-	324	374	374	50	65	62
SUPERVISOR/FOREMAN-----	-	-	-	2	2	2	4	6	-	-	253	253	253	-	126	126
WELDER/MACHINIST-----	-	-	-	1	1	1	-	1	-	-	21	21	21	-	21	21
<b>TOTAL OR AVERAGE-----</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>72</b>	<b>73</b>	<b>73</b>	<b>25</b>	<b>98</b>	<b>-</b>	<b>50</b>	<b>4,051</b>	<b>4,101</b>	<b>4,101</b>	<b>50</b>	<b>56</b>	<b>56</b>
<b>SURFACE AT UNDERGROUND:</b>																
BULLDOZER/MOBILE EQUIP.-	-	-	-	3	3	3	-	3	-	-	71	71	71	-	24	24
DRILL OPERATOR-----	-	-	-	2	2	2	-	2	-	-	141	141	141	-	70	70
ELECTRICIAN-----	-	-	-	2	2	2	1	3	-	-	-	-	-	-	-	-
LABORER-----	-	-	-	3	3	3	3	11	-	-	189	189	189	-	63	63
MECHANIC/MAINTENANCE----	-	-	-	8	8	8	3	11	-	-	193	193	193	-	24	24
MINER-----	-	-	-	5	5	5	2	7	-	-	232	232	232	-	46	46
PREP. PLANT OPR.-----	-	-	-	1	1	1	2	3	-	-	4	4	4	-	4	4
RAIL TRANSP. AND HAUL.---	-	-	-	1	1	1	-	1	-	-	5	5	5	-	5	5
TECH./PROF./CLERICAL-----	-	-	-	2	2	2	-	2	-	-	51	51	51	-	26	26
N.E.C. OR UNKNOWN-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
<b>TOTAL OR AVERAGE-----</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>9</b>	<b>34</b>	<b>-</b>	<b>-</b>	<b>886</b>	<b>886</b>	<b>886</b>	<b>-</b>	<b>35</b>	<b>35</b>
<b>TOTAL OR AVERAGE, UG:</b>																
BELTMAN/BOOM OPR.-----	-	-	-	1	1	1	-	1	-	-	54	54	54	-	54	54
BULLDOZER/MOBILE EQUIP.-	-	-	-	7	7	7	-	7	-	-	302	302	302	-	43	43
DRILL OPERATOR-----	-	-	-	2	2	2	-	2	-	-	141	141	141	-	70	70
ELECTRICIAN-----	-	-	-	4	4	4	1	5	-	-	128	128	128	-	32	32
HAUL, DUMP-----	-	-	-	4	4	4	1	5	-	-	458	458	458	-	114	114
LABORER-----	-	-	-	11	11	11	5	16	-	-	423	423	423	-	38	38
MECHANIC/MAINTENANCE----	-	-	-	26	26	26	11	37	-	-	826	826	826	-	32	32
MINER-----	-	-	-	20	20	20	6	26	-	-	1,250	1,250	1,250	-	62	62
MINING MACH. OPR.-----	-	-	-	7	7	7	1	8	-	-	339	339	339	-	48	48
POWDERMAN/BLASTER-----	-	-	-	3	3	3	1	4	-	-	358	358	358	-	119	119
PREP. PLANT OPR.-----	-	-	-	1	1	1	2	3	-	-	4	4	4	-	4	4
RAIL TRANSP. AND HAUL.---	-	-	-	1	1	1	-	1	-	-	5	5	5	-	5	5
ROCK/ROOF BOLTER-----	-	-	1	5	6	6	1	7	50	-	324	374	374	50	65	62
SUPERVISOR/FOREMAN-----	-	-	-	2	2	2	4	6	-	-	253	253	253	-	126	126
TECH./PROF./CLERICAL-----	-	-	-	2	2	2	-	2	-	-	51	51	51	-	26	26
WELDER/MACHINIST-----	-	-	-	1	1	1	-	1	-	-	21	21	21	-	21	21
N.E.C. OR UNKNOWN-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
<b>TOTAL OR AVERAGE-----</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>97</b>	<b>98</b>	<b>98</b>	<b>34</b>	<b>132</b>	<b>-</b>	<b>50</b>	<b>4,937</b>	<b>4,987</b>	<b>4,987</b>	<b>50</b>	<b>51</b>	<b>51</b>

TABLE 17. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND OCCUPATION AT TIME OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND OCCUPATION AT TIME OF INJURY	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					PERMANENT	TEMPO-RARY	TOTAL NFDL						
		TOTAL	PARTIAL													TOTAL	PARTIAL
<b>SURFACE MINES:</b>																	
<b>OPEN PIT:</b>																	
BULLDOZER/MOBILE EQUIP.----	-	-	-	8	8	8	4	12	-	-	-	292	292	292	-	36	36
DRAG/CRANE/SHOVEL OPR.----	-	-	-	2	2	2	3	5	-	-	-	137	137	137	-	68	68
DRILL OPERATOR-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
ELECTRICIAN-----	-	-	-	2	2	2	-	2	-	-	-	97	97	97	-	48	48
FRONT END LOADER-----	-	-	-	3	3	3	1	4	-	-	-	23	23	23	-	8	8
LABORER-----	-	-	-	5	5	5	3	8	-	-	-	315	315	315	-	63	63
MECHANIC/MAINTENANCE----	-	-	-	16	16	16	16	32	-	-	-	658	658	658	-	41	41
MINER-----	-	-	-	2	2	2	1	3	-	-	-	87	87	87	-	44	44
PREP. PLANT OPR.-----	-	-	1	7	8	8	4	12	-	-	-	243	363	363	120	35	45
SUPERVISOR/FOREMAN-----	-	-	-	3	3	3	5	8	-	120	-	120	120	120	-	40	40
TECH./PROF./CLERICAL----	-	-	-	1	1	1	2	3	-	-	-	7	7	7	-	7	7
TRUCK DRIVER-----	-	-	-	4	4	4	-	4	-	-	-	18	18	18	-	4	4
WELDER/MACHINIST-----	-	-	-	1	1	1	1	2	-	-	-	12	12	12	-	12	12
TOTAL OR AVERAGE-----	-	-	1	54	55	55	41	96	-	-	120	2,009	2,129	2,129	120	37	39
<b>DREDGE:</b>																	
DREDGE/BARGE/BOAT-----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
MECHANIC/MAINTENANCE----	-	-	-	1	1	1	-	1	-	-	-	52	52	52	-	52	52
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	-	-	59	59	59	-	30	30
<b>TOTAL OR AVERAGE, SURFACE:</b>																	
BULLDOZER/MOBILE EQUIP.----	-	-	-	8	8	8	4	12	-	-	-	292	292	292	-	36	36
DRAG/CRANE/SHOVEL OPR.----	-	-	-	2	2	2	3	5	-	-	-	137	137	137	-	68	68
DREDGE/BARGE/BOAT-----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
DRILL OPERATOR-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
ELECTRICIAN-----	-	-	-	2	2	2	-	2	-	-	-	97	97	97	-	48	48
FRONT END LOADER-----	-	-	-	3	3	3	1	4	-	-	-	23	23	23	-	8	8
LABORER-----	-	-	-	5	5	5	3	8	-	-	-	315	315	315	-	63	63
MECHANIC/MAINTENANCE----	-	-	-	17	17	17	16	33	-	-	-	710	710	710	-	42	42
MINER-----	-	-	-	2	2	2	1	3	-	-	-	87	87	87	-	44	44
PREP. PLANT OPR.-----	-	-	1	7	8	8	4	12	-	-	-	243	363	363	120	35	45
SUPERVISOR/FOREMAN-----	-	-	-	3	3	3	5	8	-	120	-	120	120	120	-	40	40
TECH./PROF./CLERICAL----	-	-	-	1	1	1	2	3	-	-	-	7	7	7	-	7	7
TRUCK DRIVER-----	-	-	-	4	4	4	-	4	-	-	-	18	18	18	-	4	4
WELDER/MACHINIST-----	-	-	-	1	1	1	1	2	-	-	-	12	12	12	-	12	12
TOTAL OR AVERAGE-----	-	-	1	56	57	57	41	98	-	-	120	2,068	2,188	2,188	120	37	38

TABLE 17. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND OCCUPATION AT TIME OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND OCCUPATION AT TIME OF INJURY	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPO-RARY					PERMANENT	TEMPO-RARY	TOTAL NFDL					
		TOTAL	PARTIAL													TOTAL
<b>TOTAL OR AVERAGE, MINING:</b>	-	-	-	153	155	75	230	-	-	170	7,005	7,175	7,175	85	46	46
BELTMAN/BOOM OPR.-----	-	-	-	1	1	-	1	-	-	-	54	54	54	-	54	54
BULLDOZER/MOBILE EQUIP.----	-	-	-	15	15	4	19	-	-	-	594	594	594	-	40	40
DRAG/CRANE/SHOVEL OPR.----	-	-	-	2	2	3	5	-	-	-	137	137	137	-	68	68
DREDGE/BARGE/BOAT-----	-	-	-	1	1	-	1	-	-	-	7	7	7	-	7	7
DRILL OPERATOR-----	-	-	-	2	2	1	3	-	-	-	141	141	141	-	70	70
ELECTRICIAN-----	-	-	-	6	6	1	7	-	-	-	225	225	225	-	38	38
FRONT END LOADER-----	-	-	-	3	3	1	4	-	-	-	23	23	23	-	8	8
HAUL, DUMP-----	-	-	-	4	4	1	5	-	-	-	458	458	458	-	114	114
LABORER-----	-	-	-	16	16	8	24	-	-	-	738	738	738	-	46	46
MECHANIC/MAINTENANCE-----	-	-	-	43	43	27	70	-	-	-	1,536	1,536	1,536	-	36	36
MINER-----	-	-	-	22	22	7	29	-	-	-	1,337	1,337	1,337	-	61	61
MINING MACH. OPR.-----	-	-	-	7	7	1	8	-	-	-	339	339	339	-	48	48
POWDERMAN/BLASTER-----	-	-	-	3	3	1	4	-	-	-	358	358	358	-	119	119
PREP. PLANT OPR.-----	-	-	1	8	9	6	15	-	-	120	247	367	367	120	31	41
RAIL TRANSP. AND HAUL.----	-	-	-	1	1	-	1	-	-	-	5	5	5	-	5	5
ROCK/ROOF BOLTER-----	-	-	1	5	6	1	7	-	-	50	324	374	374	50	65	62
SUPERVISOR/FOREMAN-----	-	-	-	5	5	9	14	-	-	-	373	373	373	-	75	75
TECH./PROF./CLERICAL-----	-	-	-	3	3	2	5	-	-	-	58	58	58	-	19	19
TRUCK DRIVER-----	-	-	-	4	4	-	4	-	-	-	18	18	18	-	4	4
WELDER/MACHINIST-----	-	-	-	2	2	1	3	-	-	-	33	33	33	-	16	16
N.E.C. OR UNKNOWN-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
<b>TOTAL OR AVERAGE-----</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>153</b>	<b>155</b>	<b>75</b>	<b>230</b>	<b>-</b>	<b>-</b>	<b>170</b>	<b>7,005</b>	<b>7,175</b>	<b>7,175</b>	<b>85</b>	<b>46</b>	<b>46</b>
<b>PROCESSING PLANTS:</b>																
BULLDOZER/MOBILE EQUIP.----	-	-	-	3	3	3	6	-	-	-	69	69	69	-	23	23
DRAG/CRANE/SHOVEL OPR.----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
DREDGE/BARGE/BOAT-----	-	-	-	2	2	1	3	-	-	-	133	133	133	-	66	66
ELECTRICIAN-----	-	-	-	6	6	4	10	-	-	-	172	172	172	-	29	29
FRONT END LOADER-----	-	-	-	8	8	2	10	-	-	-	387	387	387	-	48	48
LABORER-----	-	-	-	25	25	15	40	-	-	-	651	651	651	-	26	26
MECHANIC/MAINTENANCE-----	-	-	-	68	68	59	127	-	-	-	3,671	3,671	3,671	-	54	54
MINER-----	-	-	-	4	4	1	5	-	-	-	346	346	346	-	86	86
PREP. PLANT OPR.-----	-	-	6	119	125	50	175	-	-	2,675	5,047	7,722	7,722	446	42	62
RAIL TRANSP. AND HAUL.----	-	-	-	2	2	1	3	-	-	-	30	30	30	-	15	15
SUPERVISOR/FOREMAN-----	-	-	-	8	8	7	15	-	-	-	409	409	409	-	51	51
TECH./PROF./CLERICAL-----	-	-	-	2	2	3	5	-	-	-	247	247	247	-	124	124
TRUCK DRIVER-----	-	-	-	3	3	1	4	-	-	-	796	796	796	-	265	265
WELDER/MACHINIST-----	-	-	-	5	5	3	8	-	-	-	50	50	50	-	10	10
N.E.C. OR UNKNOWN-----	-	-	-	1	1	1	1	-	-	-	35	35	35	-	35	35
<b>TOTAL OR AVERAGE-----</b>	<b>-</b>	<b>-</b>	<b>6</b>	<b>256</b>	<b>262</b>	<b>151</b>	<b>413</b>	<b>-</b>	<b>-</b>	<b>2,675</b>	<b>12,043</b>	<b>14,718</b>	<b>14,718</b>	<b>446</b>	<b>47</b>	<b>56</b>



TABLE 17. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND OCCUPATION AT TIME OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND OCCUPATION AT TIME OF INJURY	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMANENT PARTIAL	TEMPORARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPORARY					PERMANENT	TEMPORARY	TOTAL NFDL						
		TOTAL	PARTIAL													TOTAL	PARTIAL
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
BELTMAN/BOOM OPR.-----	-	-	-	1	1	1	-	1	-	-	-	54	54	54	-	54	54
BULLDOZER/MOBILE EQUIP.---	-	-	-	18	18	18	7	25	-	-	-	663	663	663	-	37	37
DRAG/CRANE/SHOVEL OPR.---	-	-	-	2	2	2	4	6	-	-	-	137	137	137	-	68	68
DREDGE/BARGE/BOAT-----	-	-	-	3	3	3	1	4	-	-	-	140	140	140	-	47	47
DRILL OPERATOR-----	-	-	-	2	2	2	1	3	-	-	-	141	141	141	-	70	70
ELECTRICIAN-----	-	-	-	12	12	12	5	17	-	-	-	397	397	397	-	33	33
FRONT END LOADER-----	-	-	-	11	11	11	3	14	-	-	-	410	410	410	-	37	37
HAUL, DUMP-----	-	-	-	4	4	4	1	5	-	-	-	458	458	458	-	114	114
LABORER-----	-	-	-	41	41	41	23	64	-	-	-	1,389	1,389	1,389	-	34	34
MECHANIC/MAINTENANCE---	-	-	-	111	111	111	86	197	-	-	-	5,207	5,207	5,207	-	47	47
MINER-----	-	-	-	26	26	26	8	34	-	-	-	1,683	1,683	1,683	-	65	65
MINING MACH. OPR.-----	-	-	-	7	7	7	1	8	-	-	-	339	339	339	-	48	48
POWDERMAN/BLASTER-----	-	-	-	3	3	3	1	4	-	-	-	358	358	358	-	119	119
PREP. PLANT OPR.-----	-	-	7	127	134	134	56	190	-	-	2,795	5,294	8,089	8,089	399	42	60
RAIL TRANSP. AND HAUL.---	-	-	-	3	3	3	1	4	-	-	-	35	35	35	-	12	12
ROCK/ROOF BOLTER-----	-	-	1	5	6	6	1	7	-	-	50	324	374	374	50	65	62
SUPERVISOR/FOREMAN-----	-	-	-	13	13	13	16	29	-	-	-	782	782	782	-	60	60
TECH./PROF./CLERICAL---	-	-	-	5	5	5	5	10	-	-	-	305	305	305	-	61	61
TRUCK DRIVER-----	-	-	-	7	7	7	1	8	-	-	-	814	814	814	-	116	116
WELDER/MACHINIST-----	-	-	-	7	7	7	4	11	-	-	-	83	83	83	-	12	12
N.E.C. OR UNKNOWN-----	-	-	-	1	1	1	1	2	-	-	-	35	35	35	-	35	35
TOTAL OR AVERAGE-----	-	-	8	409	417	417	226	643	-	-	2,845	19,048	21,893	21,893	356	47	53
OFFICE:																	
MINER-----	-	-	-	1	1	1	1	2	-	-	-	275	275	275	-	275	275
PREP. PLANT OPR.-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
TECH./PROF./CLERICAL---	-	-	-	7	7	7	3	10	-	-	-	693	693	693	-	99	99
TRUCK DRIVER-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
N.E.C. OR UNKNOWN-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
TOTAL OR AVERAGE-----	-	-	-	10	10	10	5	15	-	-	-	976	976	976	-	98	98

TABLE 17. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND OCCUPATION AT TIME OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND OCCUPATION AT TIME OF INJURY	NUMBER OF INJURIES							LOST WORKDAYS						AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					PERMANENT		TEMPO-RARY					TOTAL NFDL	
		TOTAL	PARTIAL						TOTAL	PARTIAL							
GRAND TOTAL OR AVERAGE:	-	-	-	1	1	1	-	1	-	-	-	54	54	54	-	54	54
BELTMAN/BOOM OPR.-----	-	-	-	18	18	18	7	25	-	-	-	663	663	663	-	37	37
BULLDOZER/MOBILE EQUIP.---	-	-	-	2	2	2	4	6	-	-	-	137	137	137	-	68	68
DRAG/CRANE/SHOVEL OPR.---	-	-	-	3	3	3	1	4	-	-	-	140	140	140	-	47	47
DREDGE/BARGE/BOAT-----	-	-	-	2	2	2	1	3	-	-	-	141	141	141	-	70	70
DRILL OPERATOR-----	-	-	-	12	12	12	5	17	-	-	-	397	397	397	-	33	33
ELECTRICIAN-----	-	-	-	11	11	11	3	14	-	-	-	410	410	410	-	37	37
FRONT END LOADER-----	-	-	-	4	4	4	1	5	-	-	-	458	458	458	-	114	114
HAUL, DUMP-----	-	-	-	41	41	41	23	64	-	-	-	1,389	1,389	1,389	-	34	34
LABORER-----	-	-	-	111	111	111	86	197	-	-	-	5,207	5,207	5,207	-	47	47
MECHANIC/MAINTENANCE-----	-	-	-	27	27	27	9	36	-	-	-	1,958	1,958	1,958	-	73	73
MINER-----	-	-	-	7	7	7	1	8	-	-	-	339	339	339	-	48	48
MINING MACH. OPR.-----	-	-	-	3	3	3	1	4	-	-	-	358	358	358	-	119	119
POWDERMAN/BLASTER-----	-	-	-	7	7	7	1	8	-	-	-	339	339	339	-	48	48
PREP. PLANT OPR.-----	-	-	-	3	3	3	1	4	-	-	-	358	358	358	-	119	119
RAIL TRANSP. AND HAUL.---	-	-	-	7	128	135	56	191	-	-	2,795	5,299	8,094	8,094	399	41	60
ROCK/ROOF BOLTER-----	-	-	-	3	3	3	1	4	-	-	-	35	35	35	-	12	12
SUPERVISOR/FOREMAN-----	-	-	-	1	5	6	1	7	-	-	50	324	374	374	50	65	62
TECH./PROF./CLERICAL-----	-	-	-	13	13	13	16	29	-	-	-	782	782	782	-	60	60
TRUCK DRIVER-----	-	-	-	12	12	12	8	20	-	-	-	998	998	998	-	83	83
WELDER/MACHINIST-----	-	-	-	7	7	7	2	9	-	-	-	814	814	814	-	116	116
N.E.C. OR UNKNOWN-----	-	-	-	7	7	7	4	11	-	-	-	83	83	83	-	12	12
	-	-	-	2	2	2	1	3	-	-	-	38	38	38	-	19	19
TOTAL OR AVERAGE-----	-	-	8	419	427	427	231	658	-	-	2,845	20,024	22,869	22,869	356	48	54

TABLE 18. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND ACCIDENT CLASSIFICATION AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION AND ACCIDENT CLASSIFICATION	NUMBER OF INJURIES								LOST WORKDAYS						AVERAGE SEVERITY		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
<b>UNDERGROUND MINES:</b>																	
<b>UNDERGROUND:</b>																	
ELECTRICAL-----	-	-	-	2	2	2	-	2	-	-	-	10	10	10	-	5	5
EXPLOSIVE AND BREAKING AGENT-----	-	-	-	2	2	2	-	2	-	-	-	355	355	355	-	178	178
FALL OF ROOF (UNDER- GROUND MINES ONLY)-----	-	-	-	4	4	4	2	6	-	-	-	434	434	434	-	108	108
HANDLING MATERIAL-----	-	-	1	30	31	31	8	39	-	-	50	1,436	1,486	1,486	50	48	48
HAND TOOL-----	-	-	-	5	5	5	6	11	-	-	-	283	283	283	-	57	57
POWERED HAULAGE-----	-	-	-	9	9	9	2	11	-	-	-	626	626	626	-	70	70
MACHINERY-----	-	-	-	3	3	3	4	7	-	-	-	153	153	153	-	51	51
SLIP OR FALL OF PERSON-----	-	-	-	14	14	14	1	15	-	-	-	716	716	716	-	51	51
STEPPING OR KNEELING ON OBJECT-----	-	-	-	2	2	2	1	3	-	-	-	35	35	35	-	18	18
STRIKING OR BUMPING-----	-	-	-	1	1	1	1	2	-	-	-	3	3	3	-	3	3
<b>TOTAL OR AVERAGE-----</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>72</b>	<b>73</b>	<b>73</b>	<b>25</b>	<b>98</b>	<b>-</b>	<b>-</b>	<b>50</b>	<b>4,051</b>	<b>4,101</b>	<b>4,101</b>	<b>50</b>	<b>56</b>	<b>56</b>
<b>SURFACE AT UNDERGROUND:</b>																	
ELECTRICAL-----	-	-	-	1	1	1	-	1	-	-	-	1	1	1	-	1	1
HANDLING MATERIAL-----	-	-	-	7	7	7	6	13	-	-	-	321	321	321	-	46	46
HAND TOOL-----	-	-	-	4	4	4	1	5	-	-	-	46	46	46	-	12	12
POWERED HAULAGE-----	-	-	-	1	1	1	1	1	-	-	-	27	27	27	-	27	27
MACHINERY-----	-	-	-	2	2	2	1	3	-	-	-	144	144	144	-	72	72
SLIP OR FALL OF PERSON-----	-	-	-	9	9	9	-	9	-	-	-	215	215	215	-	24	24
OTHER INJURIES-----	-	-	-	1	1	1	1	2	-	-	-	132	132	132	-	132	132
<b>TOTAL OR AVERAGE-----</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>9</b>	<b>34</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>886</b>	<b>886</b>	<b>886</b>	<b>-</b>	<b>35</b>	<b>35</b>
<b>TOTAL OR AVERAGE, UG:</b>																	
ELECTRICAL-----	-	-	-	3	3	3	-	3	-	-	-	11	11	11	-	4	4
EXPLOSIVE AND BREAKING AGENT-----	-	-	-	2	2	2	-	2	-	-	-	355	355	355	-	178	178
FALL OF ROOF (UNDER- GROUND MINES ONLY)-----	-	-	-	4	4	4	2	6	-	-	-	434	434	434	-	108	108
HANDLING MATERIAL-----	-	-	1	37	38	38	14	52	-	-	50	1,757	1,807	1,807	50	47	48
HAND TOOL-----	-	-	-	9	9	9	7	16	-	-	-	329	329	329	-	37	37
POWERED HAULAGE-----	-	-	-	10	10	10	2	12	-	-	-	653	653	653	-	65	65
MACHINERY-----	-	-	-	5	5	5	5	10	-	-	-	297	297	297	-	59	59
SLIP OR FALL OF PERSON-----	-	-	-	23	23	23	1	24	-	-	-	931	931	931	-	40	40
STEPPING OR KNEELING ON OBJECT-----	-	-	-	2	2	2	1	3	-	-	-	35	35	35	-	18	18
STRIKING OR BUMPING-----	-	-	-	1	1	1	1	2	-	-	-	3	3	3	-	3	3
OTHER INJURIES-----	-	-	-	1	1	1	1	2	-	-	-	132	132	132	-	132	132
<b>TOTAL OR AVERAGE-----</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>97</b>	<b>98</b>	<b>98</b>	<b>34</b>	<b>132</b>	<b>-</b>	<b>-</b>	<b>50</b>	<b>4,937</b>	<b>4,987</b>	<b>4,987</b>	<b>50</b>	<b>51</b>	<b>51</b>

TABLE 18. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND ACCIDENT CLASSIFICATION AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND ACCIDENT CLASSIFICATION	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPO-RARY	TOTAL NFDL					PERMANENT		TEMPO-RARY					TOTAL NFDL
		TOTAL	PARTIAL							TOTAL	PARTIAL						
<b>SURFACE MINES:</b>																	
<b>OPEN PIT:</b>																	
HANDLING MATERIAL-----	-	-	-	14	14	14	16	30	-	-	-	437	437	437	-	31	31
HAND TOOL-----	-	-	-	4	4	4	12	16	-	-	-	41	41	41	-	10	10
POWERED HAULAGE-----	-	-	-	6	6	6	2	8	-	-	-	75	75	75	-	12	12
MACHINERY-----	-	-	1	11	12	12	5	17	-	-	120	440	560	560	120	40	47
SLIP OR FALL OF PERSON-----	-	-	-	15	15	15	3	18	-	-	-	825	825	825	-	55	55
STEPPING OR KNEELING ON OBJECT-----	-	-	-	2	2	2	-	2	-	-	-	179	179	179	-	90	90
OTHER INJURIES-----	-	-	-	2	2	2	3	5	-	-	-	12	12	12	-	6	6
TOTAL OR AVERAGE-----	-	-	1	54	55	55	41	96	-	-	120	2,009	2,129	2,129	120	37	39
<b>DREDGE:</b>																	
SLIP OR FALL OF PERSON-----	-	-	-	1	1	1	-	1	-	-	-	52	52	52	-	52	52
OTHER INJURIES-----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	-	-	59	59	59	-	30	30
<b>TOTAL OR AVERAGE, SURFACE:</b>																	
HANDLING MATERIAL-----	-	-	-	14	14	14	16	30	-	-	-	437	437	437	-	31	31
HAND TOOL-----	-	-	-	4	4	4	12	16	-	-	-	41	41	41	-	10	10
POWERED HAULAGE-----	-	-	-	6	6	6	2	8	-	-	-	75	75	75	-	12	12
MACHINERY-----	-	-	1	11	12	12	5	17	-	-	120	440	560	560	120	40	47
SLIP OR FALL OF PERSON-----	-	-	-	16	16	16	3	19	-	-	-	877	877	877	-	55	55
STEPPING OR KNEELING ON OBJECT-----	-	-	-	2	2	2	-	2	-	-	-	179	179	179	-	90	90
OTHER INJURIES-----	-	-	-	3	3	3	3	6	-	-	-	19	19	19	-	6	6
TOTAL OR AVERAGE-----	-	-	1	56	57	57	41	98	-	-	120	2,068	2,188	2,188	120	37	38
<b>TOTAL OR AVERAGE, MINING:</b>																	
ELECTRICAL EXPLOSIVE AND BREAKING AGENT-----	-	-	-	3	3	3	-	3	-	-	-	11	11	11	-	4	4
FALL OF ROOF (UNDERGROUND MINES ONLY)-----	-	-	-	2	2	2	-	2	-	-	-	355	355	355	-	178	178
HANDLING MATERIAL-----	-	-	-	4	4	4	2	6	-	-	-	434	434	434	-	108	108
HAND TOOL-----	-	-	1	51	52	52	30	82	-	-	50	2,194	2,244	2,244	50	43	43
POWERED HAULAGE-----	-	-	-	13	13	13	19	32	-	-	-	370	370	370	-	28	28
MACHINERY-----	-	-	1	16	16	16	4	20	-	-	-	728	728	728	-	46	46
SLIP OR FALL OF PERSON-----	-	-	-	16	17	17	10	27	-	-	120	737	857	857	120	46	50
STEPPING OR KNEELING ON OBJECT-----	-	-	-	39	39	39	4	43	-	-	-	1,808	1,808	1,808	-	46	46
STRIKING OR BUMPING-----	-	-	-	4	4	4	1	5	-	-	-	214	214	214	-	54	54
OTHER INJURIES-----	-	-	-	1	1	1	1	2	-	-	-	3	3	3	-	3	3
TOTAL OR AVERAGE-----	-	-	2	153	155	155	75	230	-	-	170	7,005	7,175	7,175	85	46	46

TABLE 18. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND ACCIDENT CLASSIFICATION AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND ACCIDENT CLASSIFICATION	NUMBER OF INJURIES								LOST WORKDAYS						AVERAGE SEVERITY		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPO-RARY	TOTAL NFDL					PERMANENT		TEMPO-RARY					TOTAL NFDL
		TOTAL	PARTIAL							TOTAL	PARTIAL						
PROCESSING PLANTS:	-	-	-	2	2	2	-	2	-	-	-	99	99	99	-	50	50
ELECTRICAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXPLODING VESSEL UNDER PRESSURE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
FALLING, ROLLING, OR SLIDING MATERIAL-----	-	-	-	3	3	3	-	3	-	-	-	386	386	386	-	129	129
HANDLING MATERIAL-----	-	-	2	109	111	111	58	169	-	-	2,000	4,358	6,358	1,000	40	57	
HAND TOOL-----	-	-	1	22	23	23	39	62	-	-	300	910	1,210	300	41	53	
POWERED HAULAGE-----	-	-	2	22	24	24	15	39	-	-	300	935	1,235	150	42	51	
HOISTING-----	-	-	-	1	1	1	-	1	-	-	-	16	16	-	-	16	16
MACHINERY-----	-	-	1	27	28	28	22	50	-	-	75	961	1,036	75	36	37	
SLIP OR FALL OF PERSON-----	-	-	-	57	57	57	10	67	-	-	-	3,849	3,849	3,849	-	68	68
STEPPING OR KNEELING ON OBJECT-----	-	-	-	5	5	5	-	5	-	-	-	79	79	79	-	16	16
STRIKING OR BUMPING-----	-	-	-	3	3	3	1	4	-	-	-	58	58	58	-	19	19
OTHER INJURIES-----	-	-	-	5	5	5	5	10	-	-	-	392	392	392	-	78	78
TOTAL OR AVERAGE-----	-	-	6	256	262	262	151	413	-	-	2,675	12,043	14,718	446	47	56	

TABLE 18. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND ACCIDENT CLASSIFICATION AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND ACCIDENT CLASSIFICATION	NUMBER OF INJURIES							LOST WORKDAYS						AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					PERMANENT	TEMPO-RARY	TOTAL NFDL						
		TOTAL	PARTIAL													TOTAL	PARTIAL
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
ELECTRICAL-----	-	-	-	5	5	5	-	5	-	-	-	110	110	110	-	22	22
EXPLODING VESSEL UNDER PRESSURE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
EXPLOSIVE AND BREAKING AGENT-----	-	-	-	2	2	2	-	2	-	-	-	355	355	355	-	178	178
FALLING, ROLLING, OR SLIDING MATERIAL-----	-	-	-	3	3	3	-	3	-	-	-	386	386	386	-	129	129
FALL OF ROOF (UNDERGROUND MINES ONLY)-----	-	-	-	4	4	4	2	6	-	-	-	434	434	434	-	108	108
HANDLING MATERIAL-----	-	-	3	160	163	163	88	251	-	-	2,050	6,552	8,602	8,602	683	41	53
HAND TOOL-----	-	-	1	35	36	36	58	94	-	-	300	1,280	1,580	1,580	300	37	44
POWERED HAULAGE-----	-	-	2	38	40	40	19	59	-	-	300	1,663	1,963	1,963	150	44	49
HOISTING-----	-	-	1	1	1	1	-	1	-	-	-	16	16	16	-	16	16
MACHINERY-----	-	-	2	43	45	45	32	77	-	-	195	1,698	1,893	1,893	98	39	42
SLIP OR FALL OF PERSON-----	-	-	-	96	96	96	14	110	-	-	-	5,657	5,657	5,657	-	59	59
STEPPING OR KNEELING ON OBJECT-----	-	-	-	9	9	9	1	10	-	-	-	293	293	293	-	33	33
STRIKING OR BUMPING-----	-	-	-	4	4	4	2	6	-	-	-	61	61	61	-	15	15
OTHER INJURIES-----	-	-	-	9	9	9	9	18	-	-	-	543	543	543	-	60	60
TOTAL OR AVERAGE-----	-	-	8	409	417	417	226	643	-	-	2,845	19,048	21,893	21,893	356	47	53
OFFICE:																	
HANDLING MATERIAL-----	-	-	-	1	1	1	2	3	-	-	-	16	16	16	-	16	16
HAND TOOL-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
POWERED HAULAGE-----	-	-	-	2	2	2	-	2	-	-	-	360	360	360	-	180	180
SLIP OR FALL OF PERSON-----	-	-	-	5	5	5	2	7	-	-	-	594	594	594	-	119	119
OTHER INJURIES-----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1
TOTAL OR AVERAGE-----	-	-	-	10	10	10	5	15	-	-	-	976	976	976	-	98	98

TABLE 18. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND ACCIDENT CLASSIFICATION AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND ACCIDENT CLASSIFICATION	NUMBER OF INJURIES								LOST WORKDAYS						AVERAGE SEVERITY		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO-RARY	TOTAL NFDL					PERMANENT		TEMPO-RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
GRAND TOTAL OR AVERAGE:-----	-	-	-	5	5	5	-	5	-	-	-	110	110	110	-	22	22
ELECTRICAL-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
EXPLODING VESSEL UNDER PRESSURE-----	-	-	-	2	2	2	-	2	-	-	-	355	355	355	-	178	178
EXPLOSIVE AND BREAKING AGENT-----	-	-	-	3	3	3	-	3	-	-	-	386	386	386	-	129	129
FALLING, ROLLING, OR SLIDING MATERIAL-----	-	-	-	4	4	4	2	6	-	-	-	434	434	434	-	108	108
FALL OF ROOF (UNDERGROUND MINES ONLY)-----	-	-	-	3	161	164	90	254	-	-	2,050	6,568	8,618	8,618	683	41	53
HANDLING MATERIAL-----	-	-	1	36	37	37	58	95	-	-	-	300	1,285	1,585	300	36	43
HAND TOOL-----	-	-	2	40	42	42	19	61	-	-	-	300	2,023	2,323	150	51	55
POWERED HAULAGE-----	-	-	-	1	1	1	-	1	-	-	-	-	16	16	-	16	16
HOISTING-----	-	-	2	43	45	45	32	77	-	-	195	1,698	1,893	1,893	98	39	42
MACHINERY-----	-	-	-	101	101	101	16	117	-	-	-	6,251	6,251	6,251	-	62	62
SLIP OR FALL OF PERSON-----	-	-	-	9	9	9	1	10	-	-	-	293	293	293	-	33	33
STEPPING OR KNEELING ON OBJECT-----	-	-	-	4	4	4	2	6	-	-	-	61	61	61	-	15	15
STRIKING OR BUMPING-----	-	-	-	10	10	10	10	20	-	-	-	544	544	544	-	54	54
OTHER INJURIES-----	-	-	8	419	427	427	231	658	-	-	2,845	20,024	22,869	22,869	356	48	54
TOTAL OR AVERAGE-----	-	-	8	419	427	427	231	658	-	-	2,845	20,024	22,869	22,869	356	48	54

TABLE 19. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR ACCIDENT CLASSIFICATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

ACCIDENT CLASSIFICATION AND PART OF BODY INJURED	NUMBER OF INJURIES							LOST WORKDAYS						AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					TOTAL PERMANENT	PERMANENT						TEMPO-RARY	TOTAL NFDL
		TOTAL	PARTIAL							TOTAL	PARTIAL						
<b>ELECTRICAL:</b>																	
HAND-----	-	-	-	3	3	3	-	3	-	-	-	13	13	13	-	4	4
UPPER EXTREMITIES, NEC-----	-	-	-	1	1	1	-	1	-	-	-	96	96	96	-	96	96
MULTIPLE PARTS OF BODY-----	-	-	-	1	1	1	-	1	-	-	-	1	1	1	-	1	1
TOTAL OR AVERAGE-----	-	-	-	5	5	5	-	5	-	-	-	110	110	110	-	22	22
<b>EXPLODING VESSEL UNDER PRESSURE:</b>																	
EYE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
<b>EXPLOSIVE AND BREAKING AGENT:</b>																	
EAR-----	-	-	-	2	2	2	-	2	-	-	-	355	355	355	-	178	178
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	-	-	355	355	355	-	178	178
<b>FALLING, ROLLING, OR SLIDING MATERIAL:</b>																	
BACK-----	-	-	-	1	1	1	-	1	-	-	-	314	314	314	-	314	314
SHOULDER(S)-----	-	-	-	2	2	2	-	2	-	-	-	72	72	72	-	36	36
TOTAL OR AVERAGE-----	-	-	-	3	3	3	-	3	-	-	-	386	386	386	-	129	129
<b>FALL OF ROOF (UNDER-GROUND MINES ONLY):</b>																	
FACE, NEC-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
ELBOW-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
FINGER(S)-----	-	-	-	1	1	1	-	1	-	-	-	17	17	17	-	17	17
UPPER EXTREMITIES, NEC-----	-	-	-	1	1	1	-	1	-	-	-	315	315	315	-	315	315
PELVIC REGION-----	-	-	-	1	1	1	-	1	-	-	-	36	36	36	-	36	36
KNEE-----	-	-	-	1	1	1	-	1	-	-	-	66	66	66	-	66	66
TOTAL OR AVERAGE-----	-	-	-	4	4	4	2	6	-	-	-	434	434	434	-	108	108



TABLE 19. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR ACCIDENT CLASSIFICATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

ACCIDENT CLASSIFICATION AND PART OF BODY INJURED	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					PERMANENT	TEMPO-RARY	TOTAL NFDL						
		TOTAL	PARTIAL													TOTAL	PARTIAL
<b>HANDLING MATERIAL:</b>																	
EYE-----	-	-	-	5	5	5	7	12	-	-	-	11	11	11	-	2	2
MOUTH/TEETH/TONGUE-----	-	-	-	1	1	1	3	4	-	-	-	8	8	8	-	8	8
SCALP-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
FACE, NEC-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
HEAD, NEC-----	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-
NECK-----	-	-	-	2	2	2	1	3	-	-	-	12	12	12	-	6	6
UPPER ARM-----	-	-	-	1	1	1	2	4	-	-	-	6	6	6	-	6	6
ELBOW-----	-	-	-	3	3	3	2	7	-	-	-	47	47	47	-	16	16
FOREARM-----	-	-	-	2	2	2	4	9	-	-	-	371	371	371	-	186	186
WRIST-----	-	-	-	7	7	7	2	9	-	-	-	318	318	318	-	45	45
HAND-----	-	-	-	8	8	8	7	15	-	-	-	141	141	141	-	18	18
FINGER(S)-----	-	-	1	17	18	18	40	58	-	-	1,950	365	2,315	2,315	1,950	21	129
UPPER EXTREMITIES, NEC-----	-	-	-	5	5	5	-	5	-	-	-	65	65	65	-	13	13
ABDOMEN-----	-	-	-	2	2	2	-	2	-	-	-	52	52	52	-	26	26
BACK-----	-	-	-	39	39	39	8	47	-	-	-	2,004	2,004	2,004	-	51	51
PELVIC REGION-----	-	-	2	10	12	12	-	12	-	-	100	253	353	353	50	25	29
SHOULDER(S)-----	-	-	-	27	27	27	4	31	-	-	-	1,898	1,898	1,898	-	70	70
THIGH-----	-	-	-	1	1	1	-	1	-	-	-	31	31	31	-	31	31
KNEE-----	-	-	-	11	11	11	1	12	-	-	-	258	258	258	-	23	23
LOWER LEG-----	-	-	-	5	5	5	-	5	-	-	-	162	162	162	-	32	32
ANKLE-----	-	-	-	2	2	2	-	2	-	-	-	30	30	30	-	15	15
FOOT-----	-	-	-	3	3	3	-	3	-	-	-	32	32	32	-	11	11
LOWER EXTREMITIES, NEC-----	-	-	-	4	4	4	-	4	-	-	-	177	177	177	-	44	44
BODY SYSTEMS-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
MULTIPLE PARTS OF BODY-----	-	-	-	4	4	4	1	5	-	-	-	321	321	321	-	80	80
TOTAL OR AVERAGE-----	-	-	3	161	164	164	90	254	-	-	2,050	6,568	8,618	8,618	683	41	53
<b>HAND TOOL:</b>																	
EYE-----	-	-	-	1	1	1	5	6	-	-	-	5	5	5	-	5	5
JAW-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
MOUTH/TEETH/TONGUE-----	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-
NOSE-----	-	-	-	1	1	1	1	2	-	-	-	4	4	4	-	4	4
FACE, NEC-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEAD, NEC-----	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-
NECK-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
ELBOW-----	-	-	-	2	2	2	1	3	-	-	-	162	162	162	-	81	81
FOREARM-----	-	-	-	1	1	1	4	5	-	-	-	8	8	8	-	8	8
WRIST-----	-	-	-	2	2	2	1	3	-	-	-	70	70	70	-	35	35
HAND-----	-	-	-	4	4	4	6	10	-	-	-	198	198	198	-	50	50
FINGER(S)-----	-	-	1	9	10	10	18	28	-	-	300	79	379	379	300	9	38
UPPER EXTREMITIES, NEC-----	-	-	-	1	1	1	1	2	-	-	-	5	5	5	-	5	5
BACK-----	-	-	-	5	5	5	3	8	-	-	-	75	75	75	-	15	15
CHEST-----	-	-	-	1	1	1	-	1	-	-	-	32	32	32	-	32	32
SHOULDER(S)-----	-	-	-	5	5	5	-	5	-	-	-	613	613	613	-	123	123
KNEE-----	-	-	-	1	1	1	-	1	-	-	-	1	1	1	-	1	1
LOWER LEG-----	-	-	-	2	2	2	3	5	-	-	-	30	30	30	-	15	15
MULTIPLE PARTS OF BODY-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
TOTAL OR AVERAGE-----	-	-	1	36	37	37	58	95	-	-	300	1,285	1,585	1,585	300	36	43

TABLE 19. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR ACCIDENT CLASSIFICATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

ACCIDENT CLASSIFICATION AND PART OF BODY INJURED	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					TOTAL	PERMANENT						TEMPO-RARY	TOTAL
		TOTAL	PARTIAL							TOTAL	PARTIAL						
<b>POWERED HAULAGE:</b>																	
EYE-----	-	-	-	1	1	1	3	4	-	-	-	1	1	1	-	1	1
SCALP-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
HEAD, NEC-----	-	-	-	3	3	3	3	6	-	-	-	130	130	130	-	43	43
NECK-----	-	-	-	2	2	2	-	2	-	-	-	399	399	399	-	200	200
WRIST-----	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
HAND-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
FINGER(S)-----	-	-	2	4	6	6	4	10	-	-	300	72	372	372	150	18	62
BACK-----	-	-	-	9	9	9	-	9	-	-	-	364	364	364	-	40	40
CHEST-----	-	-	-	3	3	3	-	3	-	-	-	126	126	126	-	42	42
PELVIC REGION-----	-	-	-	1	1	1	-	1	-	-	-	4	4	4	-	4	4
SHOULDER(S)-----	-	-	-	2	2	2	1	3	-	-	-	27	27	27	-	14	14
TRUNK, NEC-----	-	-	-	2	2	2	-	2	-	-	-	47	47	47	-	24	24
THIGH-----	-	-	-	1	1	1	-	1	-	-	-	1	1	1	-	1	1
KNEE-----	-	-	-	1	1	1	1	2	-	-	-	275	275	275	-	275	275
LOWER LEG-----	-	-	-	1	1	1	3	4	-	-	-	169	169	169	-	169	169
FOOT-----	-	-	-	5	5	5	-	5	-	-	-	274	274	274	-	55	55
TOE(S)-----	-	-	-	1	1	1	-	1	-	-	-	12	12	12	-	12	12
MULTIPLE PARTS OF BODY-----	-	-	-	4	4	4	-	4	-	-	-	122	122	122	-	30	30
TOTAL OR AVERAGE-----	-	-	2	40	42	42	19	61	-	-	300	2,023	2,323	2,323	150	51	55
<b>HOISTING:</b>																	
LOWER LEG-----	-	-	-	1	1	1	-	1	-	-	-	16	16	16	-	16	16
TOTAL OR AVERAGE-----	-	-	-	1	1	1	-	1	-	-	-	16	16	16	-	16	16
<b>MACHINERY:</b>																	
EYE-----	-	-	-	5	5	5	10	15	-	-	-	20	20	20	-	4	4
MOUTH/TEETH/TONGUE-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
SKULL-----	-	-	-	1	1	1	-	1	-	-	-	204	204	204	-	204	204
FACE, NEC-----	-	-	-	2	2	2	1	3	-	-	-	8	8	8	-	4	4
HEAD, NEC-----	-	-	-	1	1	1	1	2	-	-	-	140	140	140	-	140	140
NECK-----	-	-	-	3	3	3	-	3	-	-	-	60	60	60	-	20	20
FOREARM-----	-	-	-	1	1	1	1	2	-	-	-	254	254	254	-	254	254
WRIST-----	-	-	-	4	4	4	-	4	-	-	-	162	162	162	-	40	40
HAND-----	-	-	-	3	3	3	3	6	-	-	-	65	65	65	-	22	22
FINGER(S)-----	-	-	2	9	11	11	9	20	-	-	195	288	483	483	98	32	44
BACK-----	-	-	-	3	3	3	1	4	-	-	-	50	50	50	-	17	17
PELVIC REGION-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHOULDER(S)-----	-	-	-	2	2	2	1	3	-	-	-	49	49	49	-	24	24
TRUNK, NEC-----	-	-	-	2	2	2	-	2	-	-	-	13	13	13	-	6	6
KNEE-----	-	-	-	1	1	1	-	1	-	-	-	16	16	16	-	16	16
FOOT-----	-	-	-	3	3	3	-	3	-	-	-	51	51	51	-	17	17
LOWER EXTREMITIES, NEC-----	-	-	-	1	1	1	1	2	-	-	-	138	138	138	-	138	138
MULTIPLE PARTS OF BODY-----	-	-	-	2	2	2	1	3	-	-	-	180	180	180	-	90	90
TOTAL OR AVERAGE-----	-	-	2	43	45	45	32	77	-	-	195	1,698	1,893	1,893	98	39	42

TABLE 19. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR ACCIDENT CLASSIFICATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

ACCIDENT CLASSIFICATION AND PART OF BODY INJURED	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					TOTAL	PERMANENT						TEMPO-RARY	TOTAL
		TOTAL	PARTIAL							TOTAL	PARTIAL						
SLIP OR FALL OF PERSON:																	
SCALP-----	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
FACE, NEC-----	-	-	-	1	1	1	1	-	-	-	1	-	-	-	1	1	
HEAD, NEC-----	-	-	-	1	1	1	3	-	-	-	204	-	-	-	204	204	
NECK-----	-	-	-	1	1	1	1	-	-	-	18	-	-	-	18	18	
UPPER ARM-----	-	-	-	1	1	1	1	-	-	-	56	-	-	-	56	56	
ELBOW-----	-	-	-	2	2	2	2	-	-	-	268	-	-	-	134	134	
WRIST-----	-	-	-	4	4	4	1	-	-	-	290	-	-	-	72	72	
HAND-----	-	-	-	1	1	1	1	-	-	-	97	-	-	-	97	97	
FINGER(S)-----	-	-	-	1	1	1	1	-	-	-	27	-	-	-	27	27	
UPPER EXTREMITIES, NEC-----	-	-	-	1	1	1	1	-	-	-	5	-	-	-	5	5	
BACK-----	-	-	-	16	16	16	1	-	-	-	982	-	-	-	61	61	
CHEST-----	-	-	-	5	5	5	1	-	-	-	127	-	-	-	25	25	
PELVIC REGION-----	-	-	-	2	2	2	2	-	-	-	24	-	-	-	12	12	
SHOULDER(S)-----	-	-	-	7	7	7	2	-	-	-	462	-	-	-	66	66	
TRUNK, NEC-----	-	-	-	2	2	2	2	-	-	-	56	-	-	-	28	28	
THIGH-----	-	-	-	1	1	1	1	-	-	-	116	-	-	-	116	116	
KNEE-----	-	-	-	14	14	14	3	-	-	-	897	-	-	-	64	64	
LOWER LEG-----	-	-	-	4	4	4	3	-	-	-	275	-	-	-	69	69	
ANKLE-----	-	-	-	25	25	25	2	-	-	-	1,627	-	-	-	65	65	
FOOT-----	-	-	-	1	1	1	1	-	-	-	2	-	-	-	2	2	
LOWER EXTREMITIES, NEC-----	-	-	-	6	6	6	-	-	-	-	404	-	-	-	67	67	
MULTIPLE PARTS OF BODY-----	-	-	-	5	5	5	-	-	-	-	313	-	-	-	63	63	
TOTAL OR AVERAGE-----	-	-	-	101	101	101	16	117	-	-	6,251	6,251	6,251	-	62	62	
STEPPING OR KNEELING ON OBJECT:																	
KNEE-----	-	-	-	5	5	5	1	6	-	-	109	109	109	-	22	22	
ANKLE-----	-	-	-	3	3	3	-	3	-	-	181	181	181	-	60	60	
FOOT-----	-	-	-	1	1	1	-	1	-	-	3	3	3	-	3	3	
TOTAL OR AVERAGE-----	-	-	-	9	9	9	1	10	-	-	293	293	293	-	33	33	
STRIKING OR BUMPING:																	
HEAD, NEC-----	-	-	-	1	1	1	-	1	-	-	7	7	7	-	7	7	
NECK-----	-	-	-	1	1	1	-	1	-	-	3	3	3	-	3	3	
HAND-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
BACK-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
KNEE-----	-	-	-	1	1	1	-	1	-	-	7	7	7	-	7	7	
FOOT-----	-	-	-	1	1	1	-	1	-	-	44	44	44	-	44	44	
TOTAL OR AVERAGE-----	-	-	-	4	4	4	2	6	-	-	61	61	61	-	15	15	

TABLE 19. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR ACCIDENT CLASSIFICATION AND PART OF BODY INJURED AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

ACCIDENT CLASSIFICATION AND PART OF BODY INJURED	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					PERMANENT	TEMPO-RARY	TOTAL NFDL						
		TOTAL	PARTIAL													TOTAL	PARTIAL
<b>OTHER INJURIES:</b>																	
EYE-----	-	-	-	1	1	1	4	5	-	-	-	3	3	3	-	3	3
HAND-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
BACK-----	-	-	-	3	3	3	2	5	-	-	-	136	136	136	-	45	45
SHOULDER(S)-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
LOWER LEG-----	-	-	-	1	1	1	-	1	-	-	-	132	132	132	-	132	132
ANKLE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
BODY SYSTEMS-----	-	-	-	3	3	3	2	5	-	-	-	18	18	18	-	6	6
MULTIPLE PARTS OF BODY-----	-	-	-	1	1	1	-	1	-	-	-	253	253	253	-	253	253
TOTAL OR AVERAGE-----	-	-	-	10	10	10	10	20	-	-	-	544	544	544	-	54	54
<b>TOTAL OR AVERAGE:</b>																	
EAR-----	-	-	-	2	2	2	-	2	-	-	-	355	355	355	-	178	178
EYE-----	-	-	-	13	13	13	30	43	-	-	-	40	40	40	-	3	3
JAW-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
MOUTH/TEETH/TONGUE-----	-	-	-	1	1	1	10	11	-	-	-	8	8	8	-	8	8
NOSE-----	-	-	-	1	1	1	1	2	-	-	-	4	4	4	-	4	4
SCALP-----	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-
SKULL-----	-	-	-	1	1	1	-	1	-	-	-	204	204	204	-	204	204
FACE, NEC-----	-	-	-	4	4	4	3	7	-	-	-	12	12	12	-	3	3
HEAD, NEC-----	-	-	-	6	6	6	20	26	-	-	-	481	481	481	-	80	80
NECK-----	-	-	-	9	9	9	3	12	-	-	-	492	492	492	-	55	55
UPPER ARM-----	-	-	-	2	2	2	2	4	-	-	-	62	62	62	-	31	31
ELBOW-----	-	-	-	7	7	7	7	14	-	-	-	477	477	477	-	68	68
FOREARM-----	-	-	-	4	4	4	5	11	-	-	-	633	633	633	-	158	158
WRIST-----	-	-	-	17	17	17	5	22	-	-	-	840	840	840	-	49	49
HAND-----	-	-	-	20	20	20	19	39	-	-	-	516	516	516	-	26	26
FINGER(S)-----	-	-	6	41	47	47	72	119	-	-	2,745	848	3,593	3,593	458	21	76
UPPER EXTREMITIES, NEC-----	-	-	-	9	9	9	1	10	-	-	-	486	486	486	-	54	54
ABDOMEN-----	-	-	-	2	2	2	-	2	-	-	-	52	52	52	-	26	26
BACK-----	-	-	-	76	76	76	15	91	-	-	-	3,925	3,925	3,925	-	52	52
CHEST-----	-	-	-	9	9	9	1	10	-	-	-	285	285	285	-	32	32
PELVIC REGION-----	-	-	2	14	16	16	1	17	-	-	-	317	417	417	50	23	26
SHOULDER(S)-----	-	-	-	45	45	45	9	54	-	100	-	3,121	3,121	3,121	-	69	69
TRUNK, NEC-----	-	-	-	6	6	6	-	6	-	-	-	116	116	116	-	19	19
THIGH-----	-	-	-	3	3	3	-	3	-	-	-	148	148	148	-	49	49
KNEE-----	-	-	-	35	35	35	3	38	-	-	-	1,629	1,629	1,629	-	47	47
LOWER LEG-----	-	-	-	14	14	14	9	23	-	-	-	784	784	784	-	56	56
ANKLE-----	-	-	-	30	30	30	3	33	-	-	-	1,838	1,838	1,838	-	61	61
FOOT-----	-	-	-	14	14	14	-	14	-	-	-	406	406	406	-	29	29
TOE(S)-----	-	-	-	1	1	1	-	1	-	-	-	12	12	12	-	12	12
LOWER EXTREMITIES, NEC-----	-	-	-	11	11	11	1	12	-	-	-	719	719	719	-	65	65
BODY SYSTEMS-----	-	-	-	4	4	4	2	6	-	-	-	21	21	21	-	5	5
MULTIPLE PARTS OF BODY-----	-	-	-	18	18	18	2	20	-	-	-	1,193	1,193	1,193	-	66	66
TOTAL OR AVERAGE-----	-	-	8	419	427	427	231	658	-	-	2,845	20,024	22,869	22,869	356	48	54

TABLE 20. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR ACCIDENT CLASSIFICATION AND NATURE OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

ACCIDENT CLASSIFICATION AND NATURE OF INJURY	NUMBER OF INJURIES							LOST WORKDAYS						AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMANENT PARTIAL	TEMPORARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPORARY					PERMANENT		TEMPORARY					TOTAL NFDL	
		TOTAL	PARTIAL						TOTAL	PARTIAL							
ELECTRICAL:																	
ELECT. BURN (CONTACT)-----	-	-	-	1	1	1	-	1	-	-	-	1	1	1	-	1	1
RADIATION/ULTRA VIOLET-----	-	-	-	4	4	4	-	4	-	-	-	109	109	109	-	27	27
TOTAL OR AVERAGE-----	-	-	-	5	5	5	-	5	-	-	-	110	110	110	-	22	22
EXPLODING VESSEL UNDER PRESSURE:																	
CHEMICAL BURN-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
EXPLOSIVE AND BREAKING AGENT:																	
CUT OR PUNCTURE-----	-	-	-	2	2	2	-	2	-	-	-	355	355	355	-	178	178
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	-	-	355	355	355	-	178	178
FALLING, ROLLING, OR SLIDING MATERIAL:																	
CONTUSION OR BRUISE-----	-	-	-	2	2	2	-	2	-	-	-	72	72	72	-	36	36
STRAIN/SPRAIN-----	-	-	-	1	1	1	-	1	-	-	-	314	314	314	-	314	314
TOTAL OR AVERAGE-----	-	-	-	3	3	3	-	3	-	-	-	386	386	386	-	129	129
FALL OF ROOF (UNDER-GROUND MINES ONLY):																	
CUT OR PUNCTURE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
DISLOCATION-----	-	-	-	1	1	1	-	1	-	-	-	36	36	36	-	36	36
FRACTURE-----	-	-	-	2	2	2	1	3	-	-	-	332	332	332	-	166	166
SCRATCH/ABRASION-----	-	-	-	1	1	1	-	1	-	-	-	66	66	66	-	66	66
TOTAL OR AVERAGE-----	-	-	-	4	4	4	2	6	-	-	-	434	434	434	-	108	108

TABLE 20. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR ACCIDENT CLASSIFICATION AND NATURE OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

ACCIDENT CLASSIFICATION AND NATURE OF INJURY	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					PERMANENT	TEMPO-RARY	TOTAL NFDL						
		TOTAL	PARTIAL													TOTAL	PARTIAL
<b>HANDLING MATERIAL:</b>																	
AMPUTATION/ENUCLEATION----	-	-	1	-	1	1	-	1	-	-	1,950	-	1,950	1,950	1,950	-	1,950
BURN/SCALD (NOT CHEM.)----	-	-	-	5	5	5	-	5	-	-	41	-	41	41	-	8	8
CHEMICAL BURN-----	-	-	-	3	3	3	2	5	-	-	3	-	3	3	-	1	1
CONUSION OR BRUISE----	-	-	-	11	11	11	7	18	-	-	753	-	753	753	-	68	68
CUT OR PUNCTURE-----	-	-	-	17	17	17	44	61	-	-	212	-	212	212	-	12	12
DISLOCATION-----	-	-	-	1	1	1	2	3	-	-	42	-	42	42	-	42	42
DUST IN EYE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FRACTURE-----	-	-	-	7	7	7	10	17	-	-	288	-	288	288	-	41	41
HERNIA (NOT DISC)-----	-	-	2	6	8	8	-	8	-	-	100	-	159	259	50	26	32
POISONING (SYSTEMIC)-----	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
SCRATCH/ABRASION-----	-	-	-	2	2	2	3	5	-	-	16	-	3	3	-	3	3
STRAIN/SPRAIN-----	-	-	-	100	100	100	16	116	-	-	4,399	-	4,399	4,399	-	44	44
MULTIPLE INJURIES-----	-	-	-	1	1	1	1	2	-	-	12	-	12	12	-	12	12
OTHER INJURY, NEC-----	-	-	-	2	2	2	-	2	-	-	114	-	114	114	-	57	57
UNCLASSIFIED (NO DATA)-----	-	-	-	5	5	5	4	9	-	-	526	-	526	526	-	105	105
<b>TOTAL OR AVERAGE-----</b>	<b>-</b>	<b>-</b>	<b>3</b>	<b>161</b>	<b>164</b>	<b>164</b>	<b>90</b>	<b>254</b>	<b>-</b>	<b>-</b>	<b>2,050</b>	<b>6,568</b>	<b>8,618</b>	<b>8,618</b>	<b>683</b>	<b>41</b>	<b>53</b>
<b>HAND TOOL:</b>																	
AMPUTATION/ENUCLEATION----	-	-	1	-	1	1	-	1	-	-	300	-	300	300	300	-	300
BURN/SCALD (NOT CHEM.)----	-	-	-	1	1	1	-	1	-	-	3	-	3	3	-	3	3
CHEMICAL BURN-----	-	-	-	1	1	1	-	1	-	-	5	-	5	5	-	5	5
CONUSION OR BRUISE----	-	-	-	3	3	3	3	6	-	-	43	-	43	43	-	14	14
CUT OR PUNCTURE-----	-	-	-	9	9	9	37	46	-	-	63	-	63	63	-	7	7
DUST IN EYE-----	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-
FRACTURE-----	-	-	-	5	5	5	7	12	-	-	87	-	87	87	-	17	17
SCRATCH/ABRASION-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
STRAIN/SPRAIN-----	-	-	-	15	15	15	4	19	-	-	909	-	909	909	-	61	61
MULTIPLE INJURIES-----	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-
OTHER INJURY, NEC-----	-	-	-	1	1	1	-	1	-	-	26	-	26	26	-	26	26
UNCLASSIFIED (NO DATA)-----	-	-	-	1	1	1	-	1	-	-	149	-	149	149	-	149	149
<b>TOTAL OR AVERAGE-----</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>36</b>	<b>37</b>	<b>37</b>	<b>58</b>	<b>95</b>	<b>-</b>	<b>-</b>	<b>300</b>	<b>1,285</b>	<b>1,585</b>	<b>1,585</b>	<b>300</b>	<b>36</b>	<b>43</b>
<b>POWERED HAULAGE:</b>																	
AMPUTATION/ENUCLEATION----	-	-	2	-	2	2	-	2	-	-	300	-	300	300	150	-	150
CONCUSSION (CEREBRAL)-----	-	-	-	2	2	2	1	3	-	-	105	-	105	105	-	52	52
CONUSION OR BRUISE----	-	-	-	8	8	8	4	12	-	-	99	-	99	99	-	12	12
CUT OR PUNCTURE-----	-	-	-	3	3	3	6	9	-	-	56	-	56	56	-	19	19
DUST IN EYE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
FRACTURE-----	-	-	-	11	11	11	4	15	-	-	935	-	935	935	-	85	85
SCRATCH/ABRASION-----	-	-	-	1	1	1	2	3	-	-	1	-	1	1	-	1	1
STRAIN/SPRAIN-----	-	-	-	12	12	12	1	13	-	-	785	-	785	785	-	65	65
MULTIPLE INJURIES-----	-	-	-	1	1	1	-	1	-	-	10	-	10	10	-	10	10
OTHER INJURY, NEC-----	-	-	-	1	1	1	-	1	-	-	27	-	27	27	-	27	27
UNCLASSIFIED (NO DATA)-----	-	-	-	1	1	1	-	1	-	-	5	-	5	5	-	5	5
<b>TOTAL OR AVERAGE-----</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>40</b>	<b>42</b>	<b>42</b>	<b>19</b>	<b>61</b>	<b>-</b>	<b>-</b>	<b>300</b>	<b>2,023</b>	<b>2,323</b>	<b>2,323</b>	<b>150</b>	<b>51</b>	<b>55</b>

TABLE 20. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR ACCIDENT CLASSIFICATION AND NATURE OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

ACCIDENT CLASSIFICATION AND NATURE OF INJURY	NUMBER OF INJURIES								LOST WORKDAYS						AVERAGE SEVERITY		
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					PERMANENT		TEMPO-RARY					TOTAL NFDL	
		TOTAL	PARTIAL						TOTAL	PARTIAL							
HOISTING: CUT OR PUNCTURE-----	-	-	-	1	1	1	-	1	-	-	-	16	16	16	-	16	16
TOTAL OR AVERAGE-----	-	-	-	1	1	1	-	1	-	-	-	16	16	16	-	16	16
MACHINERY: AMPUTATION/ENUCLEATION----	-	-	2	-	2	2	-	2	-	-	195	-	195	195	98	-	98
BURN/SCALD (NOT CHEM.)----	-	-	-	3	3	3	3	6	-	-	-	112	112	112	-	37	37
CHEMICAL BURN-----	-	-	-	2	2	2	-	2	-	-	-	14	14	14	-	7	7
CONCUSSION (CEREBRAL)-----	-	-	-	1	1	1	-	1	-	-	-	140	140	140	-	140	140
CONTUSION OR BRUISE-----	-	-	-	5	5	5	-	5	-	-	-	38	38	38	-	8	8
CUT OR PUNCTURE-----	-	-	-	14	14	14	22	36	-	-	-	490	490	490	-	35	35
DUST IN EYE-----	-	-	-	1	1	1	-	1	-	-	-	4	4	4	-	4	4
FRACTURE-----	-	-	-	4	4	4	4	8	-	-	-	336	336	336	-	84	84
STRAIN/SPRAIN-----	-	-	-	11	11	11	3	14	-	-	-	372	372	372	-	34	34
MULTIPLE INJURIES-----	-	-	-	2	2	2	-	2	-	-	-	192	192	192	-	96	96
TOTAL OR AVERAGE-----	-	-	2	43	45	45	32	77	-	-	195	1,698	1,893	1,893	98	39	42
SLIP OR FALL OF PERSON: CONCUSSION (CEREBRAL)-----	-	-	-	1	1	1	-	1	-	-	-	204	204	204	-	204	204
CONTUSION OR BRUISE-----	-	-	-	16	16	16	-	16	-	-	-	304	304	304	-	19	19
CUT OR PUNCTURE-----	-	-	-	5	5	5	8	13	-	-	-	264	264	264	-	53	53
DISLOCATION-----	-	-	-	2	2	2	-	2	-	-	-	56	56	56	-	28	28
FRACTURE-----	-	-	-	22	22	22	1	23	-	-	-	2,713	2,713	2,713	-	123	123
SCRATCH/ABRASION-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
STRAIN/SPRAIN-----	-	-	-	46	46	46	4	50	-	-	-	2,322	2,322	2,322	-	50	50
MULTIPLE INJURIES-----	-	-	-	3	3	3	-	3	-	-	-	97	97	97	-	32	32
UNCLASSIFIED (NO DATA)----	-	-	-	5	5	5	3	8	-	-	-	286	286	286	-	57	57
TOTAL OR AVERAGE-----	-	-	-	101	101	101	16	117	-	-	-	6,251	6,251	6,251	-	62	62
STEPPING OR KNEELING ON OBJECT: CUT OR PUNCTURE-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
STRAIN/SPRAIN-----	-	-	-	8	8	8	1	9	-	-	-	290	290	290	-	36	36
TOTAL OR AVERAGE-----	-	-	-	9	9	9	1	10	-	-	-	293	293	293	-	33	33
STRIKING OR BUMPING: CONCUSSION (CEREBRAL)-----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
CONTUSION OR BRUISE-----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
CUT OR PUNCTURE-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
FRACTURE-----	-	-	-	1	1	1	-	1	-	-	-	44	44	44	-	44	44
STRAIN/SPRAIN-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
TOTAL OR AVERAGE-----	-	-	-	4	4	4	2	6	-	-	-	61	61	61	-	15	15

TABLE 20. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR ACCIDENT CLASSIFICATION AND NATURE OF INJURY AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

ACCIDENT CLASSIFICATION AND NATURE OF INJURY	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPO-RARY					PERMANENT		TEMPO-RARY					TOTAL NFDL
		TOTAL	PARTIAL						TOTAL	PARTIAL						
OTHER INJURIES:																
CHEMICAL BURN-----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
CONTUSION OR BRUISE-----	-	-	-	1	1	1	1	-	-	-	2	2	2	-	2	2
CUT OR PUNCTURE-----	-	-	-	1	1	1	1	-	-	-	3	3	3	-	3	3
DUST IN EYE-----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
POISONING (SYSTEMIC)-----	-	-	-	3	3	3	5	-	-	-	18	18	18	-	6	6
STRAIN/SPRAIN-----	-	-	-	5	5	5	3	-	-	-	521	521	521	-	104	104
UNCLASSIFIED (NO DATA)-----	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	-	10	10	10	10	-	-	-	544	544	544	-	54	54
TOTAL OR AVERAGE:																
AMPUTATION/ENUCLEATION-----	-	-	6	-	6	6	-	-	-	2,745	-	2,745	2,745	458	-	458
BURN/SCALD (NOT CHEM.)-----	-	-	-	9	9	9	3	-	-	-	156	156	156	-	17	17
CHEMICAL BURN-----	-	-	-	6	6	6	5	-	-	-	22	22	22	-	4	4
CONCUSSION (CEREBRAL)-----	-	-	-	5	5	5	1	-	-	-	456	456	456	-	91	91
CONTUSION OR BRUISE-----	-	-	-	47	47	47	14	-	-	-	1,318	1,318	1,318	-	28	28
CUT OR PUNCTURE-----	-	-	-	53	53	53	120	-	-	-	1,462	1,462	1,462	-	28	28
DISLOCATION-----	-	-	-	4	4	4	2	-	-	-	134	134	134	-	34	34
DUST IN EYE-----	-	-	-	1	1	1	7	-	-	-	4	4	4	-	4	4
ELECT. BURN (CONTACT)-----	-	-	-	1	1	1	-	-	-	-	1	1	1	-	1	1
FRACTURE-----	-	-	-	52	52	52	27	-	-	-	4,735	4,735	4,735	-	91	91
HERNIA (NOT DISC)-----	-	-	2	6	8	8	-	-	-	100	159	259	259	50	26	32
POISONING (SYSTEMIC)-----	-	-	-	4	4	4	2	-	-	-	21	21	21	-	5	5
RADIATION/ULTRA VIOLET-----	-	-	-	4	4	4	-	-	-	-	109	109	109	-	27	27
SCRATCH/ABRASION-----	-	-	-	5	5	5	6	-	-	-	88	88	88	-	18	18
STRAIN/SPRAIN-----	-	-	-	199	199	199	32	-	-	-	9,915	9,915	9,915	-	50	50
MULTIPLE INJURIES-----	-	-	-	7	7	7	4	-	-	-	311	311	311	-	44	44
OTHER INJURY, NEC-----	-	-	-	4	4	4	-	-	-	-	167	167	167	-	42	42
UNCLASSIFIED (NO DATA)-----	-	-	-	12	12	12	8	-	-	-	966	966	966	-	80	80
TOTAL OR AVERAGE-----	-	-	8	419	427	427	231	-	-	2,845	20,024	22,869	22,869	356	48	54



TABLE 21. - OCCURRENCES REPORTED TO MSHA AS OCCUPATIONAL ILLNESSES AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION, TYPE OF MINERAL AND STATE	SKIN DISEASES OR DISORDERS	DUST DISEASES OF THE LUNGS	RESPIRATORY CONDITIONS DUE TO TOXIC AGENTS	POISONING-SYSTEMIC EFFECTS OF TOXIC MATERIALS	DISORDERS DUE TO PHYSICAL AGENTS (NONTOXIC)	DISORDERS ASSOCIATED WITH REPEATED TRAUMA	ALL OTHER OCCUPATIONAL ILLNESSES	TOTAL OCCUPATIONAL ILLNESSES
<b>UNDERGROUND MINES:</b>								
<b>UNDERGROUND:</b>								
<b>GYPSUM:</b>								
IOWA-----	1	-	-	-	-	-	-	1
TOTAL-----	1	-	-	-	-	-	-	1
<b>SURFACE AT UG:</b>								
<b>SODIUM COMPOUNDS:</b>								
WYOMING-----	-	-	-	-	-	2	-	2
TOTAL-----	-	-	-	-	-	2	-	2
<b>TOTAL UNDERGROUND:</b>								
<b>GYPSUM:</b>								
IOWA-----	1	-	-	-	-	-	-	1
TOTAL-----	1	-	-	-	-	-	-	1
<b>SODIUM COMPOUNDS:</b>								
WYOMING-----	-	-	-	-	-	2	-	2
TOTAL-----	-	-	-	-	-	2	-	2
<b>SURFACE MINES:</b>								
<b>STRIP:</b>								
<b>CLAY:</b>								
GEORGIA-----	2	-	-	-	-	-	-	2
TENNESSEE-----	-	-	-	-	-	1	-	1
TOTAL-----	2	-	-	-	-	1	-	3
<b>PHOSPHATE:</b>								
IDAHO-----	-	-	-	-	-	1	-	1
TOTAL-----	-	-	-	-	-	1	-	1
<b>SHALE:</b>								
MASSACHUSETTS-----	-	1	-	-	-	-	-	1
TOTAL-----	-	1	-	-	-	-	-	1
<b>TALC-SOAPSTONE:</b>								
MONTANA-----	-	-	-	-	-	1	-	1
TOTAL-----	-	-	-	-	-	1	-	1

TABLE 21. - OCCURRENCES REPORTED TO MSHA AS OCCUPATIONAL ILLNESSES AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION, TYPE OF MINERAL AND STATE	SKIN DISEASES OR DISORDERS	DUST DISEASES OF THE LUNGS	RESPIRATORY CONDITIONS DUE TO TOXIC AGENTS	POISONING-SYSTEMIC EFFECTS OF TOXIC MATERIALS	DISORDERS DUE TO PHYSICAL AGENTS (NONTOXIC)	DISORDERS ASSOCIATED WITH REPEATED TRAUMA	ALL OTHER OCCUPATIONAL ILLNESSES	TOTAL OCCUPATIONAL ILLNESSES
<b>TOTAL SURFACE:</b>								
CLAY:								
GEORGIA-----	2	-	-	-	-	-	-	2
TENNESSEE-----	-	-	-	-	-	1	-	1
TOTAL-----	2	-	-	-	-	1	-	3
PHOSPHATE:								
IDAHO-----	-	-	-	-	-	1	-	1
TOTAL-----	-	-	-	-	-	1	-	1
SHALE:								
MASSACHUSETTS-----	-	1	-	-	-	-	-	1
TOTAL-----	-	1	-	-	-	-	-	1
TALC-SOAPSTONE:								
MONTANA-----	-	-	-	-	-	1	-	1
TOTAL-----	-	-	-	-	-	1	-	1
<b>TOTAL MINING:</b>								
CLAY:								
GEORGIA-----	2	-	-	-	-	-	-	2
TENNESSEE-----	-	-	-	-	-	1	-	1
TOTAL-----	2	-	-	-	-	1	-	3
GYPSUM:								
IOWA-----	1	-	-	-	-	-	-	1
TOTAL-----	1	-	-	-	-	-	-	1
PHOSPHATE:								
IDAHO-----	-	-	-	-	-	1	-	1
TOTAL-----	-	-	-	-	-	1	-	1
SHALE:								
MASSACHUSETTS-----	-	1	-	-	-	-	-	1
TOTAL-----	-	1	-	-	-	-	-	1
SODIUM COMPOUNDS:								
WYOMING-----	-	-	-	-	-	2	-	2
TOTAL-----	-	-	-	-	-	2	-	2

TABLE 21. - OCCURRENCES REPORTED TO MSHA AS OCCUPATIONAL ILLNESSES AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION, TYPE OF MINERAL AND STATE	SKIN DISEASES OR DISORDERS	DUST DISEASES OF THE LUNGS	RESPIRATORY CONDITIONS DUE TO TOXIC AGENTS	POISONING-SYSTEMIC EFFECTS OF TOXIC MATERIALS	DISORDERS DUE TO PHYSICAL AGENTS (NONTOXIC)	DISORDERS ASSOCIATED WITH REPEATED TRAUMA	ALL OTHER OCCUPATIONAL ILLNESSES	TOTAL OCCUPATIONAL ILLNESSES
<b>TOTAL MINING-CONT:</b>								
<b>TALC-SOAPSTONE:</b>								
MONTANA-----	-	-	-	-	-	1	-	1
<b>TOTAL-----</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>-</b>	<b>1</b>
<b>PROCESSING PLANTS:</b>								
<b>CLAY:</b>								
GEORGIA-----	-	-	-	-	-	3	-	3
TENNESSEE-----	-	-	-	-	-	1	-	1
<b>TOTAL-----</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>4</b>	<b>-</b>	<b>4</b>
<b>PHOSPHATE:</b>								
FLORIDA-----	-	-	-	-	-	1	-	1
<b>TOTAL-----</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>-</b>	<b>1</b>
<b>SODIUM COMPOUNDS:</b>								
WYOMING-----	-	-	-	-	-	2	-	2
<b>TOTAL-----</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>-</b>	<b>2</b>
<b>TALC-SOAPSTONE:</b>								
NEW YORK-----	-	1	-	-	-	2	-	3
<b>TOTAL-----</b>	<b>-</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>-</b>	<b>3</b>
<b>VERMICULITE:</b>								
SOUTH CAROLINA-----	-	1	-	-	-	-	-	1
<b>TOTAL-----</b>	<b>-</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>
<b>WOLLASTONITE-STAUROLITE:</b>								
GEORGIA-----	1	-	-	-	-	-	-	1
<b>TOTAL-----</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>
<b>OTHER NONMETAL, NEC:</b>								
CALIFORNIA-----	-	-	-	-	-	1	-	1
MINNESOTA-----	-	-	-	-	-	1	-	1
NEW YORK-----	-	-	-	-	-	-	1	1
<b>TOTAL-----</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>1</b>	<b>3</b>
<b>TOTAL, MINES AND PLANTS:</b>								
<b>CLAY:</b>								
GEORGIA-----	2	-	-	-	-	3	-	5
TENNESSEE-----	-	-	-	-	-	2	-	2
<b>TOTAL-----</b>	<b>2</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>5</b>	<b>-</b>	<b>7</b>

TABLE 21. - OCCURRENCES REPORTED TO MSHA AS OCCUPATIONAL ILLNESSES AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION, TYPE OF MINERAL AND STATE	SKIN DISEASES OR DISORDERS	DUST DISEASES OF THE LUNGS	RESPIRATORY CONDITIONS DUE TO TOXIC AGENTS	POISONING-SYSTEMIC EFFECTS OF TOXIC MATERIALS	DISORDERS DUE TO PHYSICAL AGENTS (NONTOXIC)	DISORDERS ASSOCIATED WITH REPEATED TRAUMA	ALL OTHER OCCUPATIONAL ILLNESSES	TOTAL OCCUPATIONAL ILLNESSES
<b>TOTAL, MINES AND PLANTS--CONT:</b>								
<b>GYPSUM:</b>								
IOWA-----	1	-	-	-	-	-	-	1
<b>TOTAL-----</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>
<b>PHOSPHATE:</b>								
FLORIDA-----	-	-	-	-	-	1	-	1
IDAHO-----	-	-	-	-	-	1	-	1
<b>TOTAL-----</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>-</b>	<b>2</b>
<b>SHALE:</b>								
MASSACHUSETTS-----	-	1	-	-	-	-	-	1
<b>TOTAL-----</b>	<b>-</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>
<b>SODIUM COMPOUNDS:</b>								
WYOMING-----	-	-	-	-	-	4	-	4
<b>TOTAL-----</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>4</b>	<b>-</b>	<b>4</b>
<b>TALC-SOAPSTONE:</b>								
MONTANA-----	-	-	-	-	-	1	-	1
NEW YORK-----	-	1	-	-	-	2	-	3
<b>TOTAL-----</b>	<b>-</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>3</b>	<b>-</b>	<b>4</b>
<b>VERMICULITE:</b>								
SOUTH CAROLINA-----	-	1	-	-	-	-	-	1
<b>TOTAL-----</b>	<b>-</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>
<b>WOLLASTONITE-STAUROLITE:</b>								
GEORGIA-----	1	-	-	-	-	-	-	1
<b>TOTAL-----</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>
<b>OTHER NONMETAL, NEC:</b>								
CALIFORNIA-----	-	-	-	-	-	1	-	1
MINNESOTA-----	-	-	-	-	-	1	-	1
NEW YORK-----	-	-	-	-	-	-	1	1
<b>TOTAL-----</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>1</b>	<b>3</b>
<b>GRAND TOTAL:</b>								
<b>CLAY:</b>								
GEORGIA-----	2	-	-	-	-	3	-	5
TENNESSEE-----	-	-	-	-	-	2	-	2
<b>TOTAL-----</b>	<b>2</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>5</b>	<b>-</b>	<b>7</b>

TABLE 21. - OCCURRENCES REPORTED TO MSHA AS OCCUPATIONAL ILLNESSES AT NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION, TYPE OF MINERAL AND STATE	SKIN DISEASES OR DISORDERS	DUST DISEASES OF THE LUNGS	RESPIRATORY CONDITIONS DUE TO TOXIC AGENTS	POISONING-SYSTEMIC EFFECTS OF TOXIC MATERIALS	DISORDERS DUE TO PHYSICAL AGENTS (NONTOXIC)	DISORDERS ASSOCIATED WITH REPEATED TRAUMA	ALL OTHER OCCUPATIONAL ILLNESSES	TOTAL OCCUPATIONAL ILLNESSES
<b>GRAND TOTAL-CONT:</b>								
<b>GYPSUM:</b>								
IOWA-----	1	-	-	-	-	-	-	1
TOTAL-----	1	-	-	-	-	-	-	1
<b>PHOSPHATE:</b>								
FLORIDA-----	-	-	-	-	-	1	-	1
IDAHO-----	-	-	-	-	-	1	-	1
TOTAL-----	-	-	-	-	-	2	-	2
<b>SHALE:</b>								
MASSACHUSETTS-----	-	1	-	-	-	-	-	1
TOTAL-----	-	1	-	-	-	-	-	1
<b>SODIUM COMPOUNDS:</b>								
WYOMING-----	-	-	-	-	-	4	-	4
TOTAL-----	-	-	-	-	-	4	-	4
<b>TALC-SOAPSTONE:</b>								
MONTANA-----	-	-	-	-	-	1	-	1
NEW YORK-----	-	1	-	-	-	2	-	3
TOTAL-----	-	1	-	-	-	3	-	4
<b>VERMICULITE:</b>								
SOUTH CAROLINA-----	-	1	-	-	-	-	-	1
TOTAL-----	-	1	-	-	-	-	-	1
<b>WOLLASTONITE-STAUROLITE:</b>								
GEORGIA-----	1	-	-	-	-	-	-	1
TOTAL-----	1	-	-	-	-	-	-	1
<b>OTHER NONMETAL, NEC:</b>								
CALIFORNIA-----	-	-	-	-	-	1	-	1
MINNESOTA-----	-	-	-	-	-	1	-	1
NEW YORK-----	-	-	-	-	-	-	1	1
TOTAL-----	-	-	-	-	-	2	1	3
<b>TOTAL OR AVERAGE-----</b>	<b>4</b>	<b>3</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>16</b>	<b>1</b>	<b>24</b>

TABLE 22 - RELATED NONCOAL MINING SUMMARY REFERENCE TABULATION, NUMBER OF INJURIES, INCIDENCE RATES, AVERAGE NUMBER OF WORKERS, AND EMPLOYEE-HOURS BY MINERAL INDUSTRY AND WORK LOCATION, 2006 (OPERATOR DATA)

TYPE OF COAL AND WORK LOCATION	FATAL	FATAL INCIDENCE RATE	NFDL	NFDL INCIDENCE RATE	NDL	NDL INCIDENCE RATE	ALL OCCURRENCES	ALL INCIDENCE RATE	AVERAGE NUMBER OF EMPLOYEES	EMPLOYEE HOURS REPORTED
<b>UNDERGROUND MINES:</b>										
METAL-----	-	-	165	3.02	96	1.76	261	4.77	5,442	10,938,077
NONMETAL-----	-	-	98	3.52	34	1.22	132	4.75	2,735	5,562,517
STONE-----	1	.04	71	2.70	44	1.67	116	4.41	2,301	5,256,370
TOTAL, UNDERGROUND MINES--	1	.01	334	3.07	174	1.60	509	4.68	10,478	21,756,964
<b>SURFACE MINES:</b>										
METAL-----	1	.01	261	2.15	127	1.04	389	3.20	11,546	24,326,537
NONMETAL-----	-	-	57	1.19	41	.85	98	2.04	4,941	9,600,285
STONE-----	4	.01	907	2.55	431	1.21	1,342	3.77	35,488	71,217,995
SUBTOTAL, SURFACE MINES--	5	.01	1,225	2.33	599	1.14	1,829	3.48	51,975	105,144,817
SAND AND GRAVEL-----	6	.02	795	2.28	373	1.07	1,174	3.37	38,450	69,699,443
TOTAL, SURFACE MINES-----	11	.01	2,020	2.31	972	1.11	3,003	3.44	90,425	174,844,260
TOTAL, MINES-----	12	.01	2,354	2.39	1,146	1.17	3,512	3.57	100,903	196,601,224
<b>MILLS:</b>										
METAL-----	2	.02	235	1.97	150	1.25	387	3.24	11,444	23,910,753
NONMETAL-----	-	-	262	2.10	151	1.21	413	3.32	11,938	24,911,555
STONE-----	4	.01	1,095	3.04	600	1.67	1,699	4.71	33,090	72,070,847
TOTAL, MILLS-----	6	.01	1,592	2.63	901	1.49	2,499	4.13	56,472	120,893,155
<b>INDEPENDENT SHOPS AND YARDS:</b>										
METAL-----	-	-	4	1.95	7	3.41	11	5.36	201	410,803
NONMETAL-----	-	-	-	-	-	-	-	-	-	-
STONE-----	-	-	8	2.87	8	2.87	16	5.73	274	558,100
TOTAL, SHOPS AND YARDS---	-	-	12	2.48	15	3.10	27	5.57	475	968,903
<b>ALL MINES, MILLS AND SHOPS:</b>										
METAL-----	3	.01	665	2.23	380	1.28	1,048	3.52	28,633	59,586,170
NONMETAL-----	-	-	417	2.08	226	1.13	643	3.21	19,614	40,074,357
STONE-----	9	.01	2,081	2.79	1,083	1.45	3,173	4.26	71,153	149,103,312
SUBTOTAL-----	12	.01	3,163	2.54	1,689	1.36	4,864	3.91	119,400	248,763,839
SAND AND GRAVEL-----	6	.02	795	2.28	373	1.07	1,174	3.37	38,450	69,699,443
TOTAL, MINES/MILLS/SHOPS--	18	.01	3,958	2.49	2,062	1.29	6,038	3.79	157,850	318,463,282
<b>OFFICEWORKERS:</b>										
METAL-----	-	-	5	.12	2	.05	7	.17	4,241	8,358,091
NONMETAL-----	-	-	10	.31	5	.16	15	.47	3,437	6,367,770
STONE-----	-	-	12	.11	6	.06	18	.17	11,430	21,700,178
SAND AND GRAVEL-----	-	-	4	.08	1	.02	5	.10	7,619	9,892,418
TOTAL, OFFICEWORKERS-----	-	-	31	.13	14	.06	45	.19	26,727	46,318,457
<b>SUMMARY TOTAL (INCLUDES OFFICEWORKERS):</b>										
METAL-----	3	.01	670	1.97	382	1.12	1,055	3.11	32,874	67,944,261
NONMETAL-----	-	-	427	1.84	231	.99	658	2.83	23,051	46,442,127
STONE-----	9	.01	2,093	2.45	1,089	1.28	3,191	3.74	82,583	170,803,490
SUBTOTAL-----	12	.01	3,190	2.24	1,702	1.19	4,904	3.44	138,508	285,189,878
SAND AND GRAVEL-----	6	.02	799	2.01	374	.94	1,179	2.96	46,069	79,591,861
GRAND TOTAL-----	18	.01	3,989	2.19	2,076	1.14	6,083	3.34	184,577	364,781,739

TABLE 23 - RELATED COAL MINING SUMMARY REFERENCE TABULATION, NUMBER OF INJURIES, INCIDENCE RATES, AVERAGE NUMBER OF WORKERS, EMPLOYEE-HOURS AND PRODUCTION BY TYPE COAL MINED AND WORK LOCATION, 2006 (OPERATOR DATA)

TYPE OF COAL AND WORK LOCATION	FATAL	FATAL INCIDENCE RATE	NFDL	NFDL INCIDENCE RATE	NDL	NDL INCIDENCE RATE	ALL OCCURRENCES	ALL INCIDENCE RATE	AVERAGE NUMBER OF EMPLOYEES	EMPLOYEE HOURS REPORTED	PRODUCTION REPORTED (SHORT TONS)
<b>BITUMINOUS COAL:</b>											
<b>UNDERGROUND MINES:</b>											
UNDERGROUND-----	35	.08	2,216	5.21	933	2.19	3,184	7.49	38,162	85,051,701	358,719,681
SURFACE-----	-	-	99	3.36	64	2.17	163	5.53	2,844	5,891,315	-
TOTAL, UNDERGROUND MINES--	35	.08	2,315	5.09	997	2.19	3,347	7.36	41,006	90,943,016	358,719,681
<b>SURFACE MINES:</b>											
STRIP MINES-----	6	.02	460	1.37	263	.78	729	2.17	30,118	67,290,949	792,094,561
AUGER MINES-----	-	-	19	2.82	8	1.19	27	4.01	801	1,348,089	9,659,920
OTHER SURFACE MINES-----	-	-	3	1.06	1	.35	4	1.42	306	563,562	755,907
TOTAL, SURFACE MINES-----	6	.02	482	1.39	272	.79	760	2.20	31,225	69,202,600	802,510,388
TOTAL, PRODUCTION MINING--	41	.05	2,797	3.49	1,269	1.58	4,107	5.13	72,231	160,145,616	1,161,230,069
PREPARATION PLANTS-----	-	-	179	1.89	98	1.03	277	2.92	8,341	18,953,581	-
INDEPENDENT SHOPS/YARDS-----	-	-	9	1.84	10	2.04	19	3.88	418	978,262	-
TOTAL, OTHER OPERATIONS----	-	-	188	1.89	108	1.08	296	2.97	8,759	19,931,843	-
TOTAL, BITUMINOUS MINING--	41	.05	2,985	3.32	1,377	1.53	4,403	4.89	80,990	180,077,459	1,161,230,069
<b>PENNSYLVANIA ANTHRACITE COAL:</b>											
<b>UNDERGROUND MINES:</b>											
UNDERGROUND-----	1	1.39	2	2.79	-	-	3	4.18	91	143,605	265,733
SURFACE-----	-	-	1	3.25	-	-	1	3.25	39	61,564	-
TOTAL, UNDERGROUND MINES--	1	.97	3	2.92	-	-	4	3.90	130	205,169	265,733
<b>SURFACE MINES:</b>											
STRIP MINES-----	-	-	18	5.54	4	1.23	22	6.77	377	649,810	1,236,190
CULM BANK-----	-	-	1	.68	1	.68	2	1.35	156	295,779	9,182
DREDGE-----	-	-	-	-	-	-	-	-	-	-	-
TOTAL, SURFACE MINES-----	-	-	19	4.02	5	1.06	24	5.08	533	945,589	1,245,372
TOTAL, PRODUCTION MINING--	1	.17	22	3.82	5	.87	28	4.87	663	1,150,758	1,511,105
PREPARATION PLANTS-----	-	-	14	4.13	6	1.77	20	5.90	332	677,986	-
INDEPENDENT SHOPS/YARDS-----	-	-	-	-	-	-	-	-	-	-	-
TOTAL, OTHER OPERATIONS----	-	-	14	4.13	6	1.77	20	5.90	332	677,986	-
TOTAL, ANTHRACITE MINING--	1	.11	36	3.94	11	1.20	48	5.25	995	1,828,744	1,511,105
<b>ALL COAL:</b>											
<b>UNDERGROUND MINES:</b>											
UNDERGROUND-----	36	.08	2,218	5.21	933	2.19	3,187	7.48	38,253	85,195,306	358,985,414
SURFACE-----	-	-	100	3.36	64	2.15	164	5.51	2,883	5,952,879	-
TOTAL, UNDERGROUND MINES--	36	.08	2,318	5.09	997	2.19	3,351	7.35	41,136	91,148,185	358,985,414
<b>SURFACE MINES:</b>											
STRIP MINES-----	6	.02	478	1.41	267	.79	751	2.21	30,495	67,940,759	793,330,751
AUGER MINES-----	-	-	19	2.82	8	1.19	27	4.01	801	1,348,089	9,659,920
CULM BANK-----	-	-	4	1.02	2	.51	6	1.53	427	784,541	385,171
DREDGE-----	-	-	-	-	-	-	-	-	35	74,800	379,918
TOTAL, SURFACE MINES-----	6	.02	501	1.43	277	.79	784	2.24	31,758	70,148,189	803,755,760
TOTAL, PRODUCTION MINING--	42	.05	2,819	3.50	1,274	1.58	4,135	5.13	72,894	161,296,374	1,162,741,174
PREPARATION PLANTS-----	-	-	193	1.97	104	1.06	297	3.03	8,673	19,631,567	-
INDEPENDENT SHOPS/YARDS-----	-	-	9	1.84	10	2.04	19	3.88	418	978,262	-
TOTAL, OTHER OPERATIONS----	-	-	202	1.96	114	1.11	316	3.07	9,091	20,609,829	-
TOTAL, ALL COAL-----	42	.05	3,021	3.32	1,388	1.53	4,451	4.89	81,985	181,906,203	1,162,741,174
<b>OFFICeworkERS:</b>											
BITUMINOUS-----	-	-	3	.09	3	.09	6	.17	3,595	6,905,109	-
ANTHRACITE-----	-	-	-	-	-	-	-	-	113	178,870	-
TOTAL, OFFICeworkERS-----	-	-	3	.08	3	.08	6	.17	3,708	7,083,979	-
<b>GRAND TOTAL-----</b>	<b>42</b>	<b>.04</b>	<b>3,024</b>	<b>3.20</b>	<b>1,391</b>	<b>1.47</b>	<b>4,457</b>	<b>4.72</b>	<b>85,693</b>	<b>188,990,182</b>	<b>1,162,741,174</b>

**CONTRACTOR DATA**



## **TABLE REFERENCE GUIDE (CONTRACTOR DATA)**

The following reference guide facilitates locating particular data elements contained in the annual statistical tables for contractors. The number appearing in each cell indicates the table number in which that particular element may be found. All elements listed under the stub headings appear as vertical headings in the tables. Elements listed under column headings appear as horizontal headings. The only exception to this is table 1, in which the headings have been reversed.

To use this guide, read down or across the elements listed in both the stub and column headings to determine which combinations are of interest. For example, lost workdays by work location appear in eight different tables, numbers 3, 7, 9, 11, 14, 16, 17, and 18. However, only one of these, table 11, provides a further division by nature of injury as well. The occupation of the injured is found in table 17 and, as seen in the column headings, provides the number of injuries, lost workdays, and average severity.

Although injuries and illnesses occurring to contractor employees are identifiable as to State in which they occurred or commodity mined, matching exposure hours are not available. Incidence rates for such employees are possible only at the national level for the various subunits and only for the coal industry as a whole and the noncoal industry as a whole. Consequently, certain tables have been entirely eliminated from the contractor portion of this report. The remaining tables are numbered to correspond with the comparable table in the operator portion of this report.

REFERENCE GUIDE TO NONMETALLIC STATISTICAL TABLES (CONTRACTOR DATA)

STUB READINGS	COLUMN READINGS	Number of injuries	Incidence rates *	Lost workdays	Average severity	Average number of workers *	Employee-hours worked *	Accident classification	Number of occupational injuries	Coal production (short tons)
Prior year data with and without office <sup>1/</sup>		1			1					
Work Location		3		3	3					
		7		7	7					
		9		9	9					
		11		11	11					
		13						13		
				14				14		
		15						15		
				16				16		
		17		17	17					
		18		18	18					
Type of Mineral									21	
		22	22			22	22			
		23	23			23	23			23
		7		7	7					
State		15						15		
				16				16		
									21	
Part of body injured		7		7	7					
		13						13		
Nature of injury				14				14		
									21	
		9		9	9					
Occupation at time of injury		12		12	12					
		19		19	19					
		11		11	11					
Accident Classification		12		12	12					
		20		20	20					
		17		17	17					
Mineral-industry		18		18	18					
		19		19	19					
		20		20	20					
Type of Coal	22	22			22	22				
	23	23			23	23			23	

<sup>1/</sup> For table 1 only, the headings have been reversed to simplify this guide; that is, the data elements indicated in the column headings for this table actually appear as vertical headings.

\* Contractor data appearing in table 22 for the column headings denoted with an asterisk (\*) in this guide are obtainable only for the noncoal industry as a whole and do not represent a particular mineral industry.

TABLE 1. - GENERAL STATISTICS ON INJURY EXPERIENCE AND WORKTIME, AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

	EXCLUDING OFFICEWORKERS					INCLUDING OFFICEWORKERS				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
<b>NUMBER OF INJURIES:</b>										
FATAL-----	2	1	-	-	1	2	1	-	-	1
NFDL-----	62	23	41	52	43	63	23	41	53	43
TOTAL LWD INJURIES-----	64	24	41	52	44	65	24	41	53	44
NDL-----	15	25	26	30	23	15	26	26	30	23
TOTAL INJURIES-----	79	49	67	82	67	80	50	67	83	67
<b>AVERAGE SEVERITY:</b>										
PERMANENT PARTIAL-----	80	-	-	-	68	80	-	-	-	68
TEMPORARY NFDL-----	40	66	53	68	63	39	66	53	67	63
ALL LWD INJURIES-----	227	313	53	68	198	224	313	53	67	198

TABLE 3. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION	NUMBER OF INJURIES								LOST WORKDAYS						AVERAGE SEVERITY		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO-RARY	TOTAL NFDL					PERMANENT		TEMPO-RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
UNDERGROUND MINES:																	
UNDERGROUND-----	-	-	-	2	2	2	-	2	-	-	-	193	193	193	-	96	96
SURFACE AT UNDERGROUND-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	-	-	193	193	193	-	96	96
SURFACE MINES:																	
OPEN PIT-----	1	-	-	23	23	24	12	36	6,000	-	-	1,324	1,324	7,324	-	58	305
DREDGE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER SURFACE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	1	-	-	23	23	24	12	36	6,000	-	-	1,324	1,324	7,324	-	58	305
TOTAL OR AVERAGE, MINING-----	1	-	-	25	25	26	12	38	6,000	-	-	1,517	1,517	7,517	-	61	289
INDEPENDENT SHOPS:																	
TOTAL OR AVERAGE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PROCESSING PLANTS:																	
TOTAL OR AVERAGE-----	-	-	2	16	18	18	11	29	-	-	135	1,071	1,206	1,206	68	67	67
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
TOTAL OR AVERAGE-----	1	-	2	41	43	44	23	67	6,000	-	135	2,588	2,723	8,723	68	63	198
OFFICE:																	
TOTAL OR AVERAGE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRAND TOTAL OR AVERAGE:																	
TOTAL OR AVERAGE-----	1	-	2	41	43	44	23	67	6,000	-	135	2,588	2,723	8,723	68	63	198

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
<b>BORON:</b>																	
<b>PROCESSING PLANTS:</b>																	
CALIFORNIA-----	-	-	1	-	1	1	-	1	-	-	60	-	60	60	60	-	60
SOUTH CAROLINA-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
TOTAL OR AVERAGE----	-	-	1	1	2	2	-	2	-	-	60	2	62	62	60	2	31
<b>TOTAL OR AVERAGE, ALL MINES AND PLANTS:</b>																	
CALIFORNIA-----	-	-	1	-	1	1	-	1	-	-	60	-	60	60	60	-	60
SOUTH CAROLINA-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
TOTAL OR AVERAGE----	-	-	1	1	2	2	-	2	-	-	60	2	62	62	60	2	31
<b>GRAND TOTAL OR AVERAGE:</b>																	
CALIFORNIA-----	-	-	1	-	1	1	-	1	-	-	60	-	60	60	60	-	60
SOUTH CAROLINA-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
TOTAL OR AVERAGE----	-	-	1	1	2	2	-	2	-	-	60	2	62	62	60	2	31
<b>CLAY:</b>																	
<b>SURFACE MINES:</b>																	
<b>OPEN PIT:</b>																	
ARIZONA-----	-	-	-	2	2	2	1	3	-	-	-	8	8	8	-	4	4
GEORGIA-----	-	-	-	4	4	4	3	7	-	-	-	79	79	79	-	20	20
MISSISSIPPI-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
MISSOURI-----	-	-	-	1	1	1	-	1	-	-	-	25	25	25	-	25	25
WYOMING-----	-	-	-	1	1	1	-	1	-	-	-	218	218	218	-	218	218
TOTAL OR AVERAGE----	-	-	-	8	8	8	5	13	-	-	-	330	330	330	-	41	41
<b>TOTAL OR AVERAGE, SURFACE:</b>																	
ARIZONA-----	-	-	-	2	2	2	1	3	-	-	-	8	8	8	-	4	4
GEORGIA-----	-	-	-	4	4	4	3	7	-	-	-	79	79	79	-	20	20
MISSISSIPPI-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
MISSOURI-----	-	-	-	1	1	1	-	1	-	-	-	25	25	25	-	25	25
WYOMING-----	-	-	-	1	1	1	-	1	-	-	-	218	218	218	-	218	218
TOTAL OR AVERAGE----	-	-	-	8	8	8	5	13	-	-	-	330	330	330	-	41	41
<b>TOTAL OR AVERAGE, MINING:</b>																	
ARIZONA-----	-	-	-	2	2	2	1	3	-	-	-	8	8	8	-	4	4
GEORGIA-----	-	-	-	4	4	4	3	7	-	-	-	79	79	79	-	20	20
MISSISSIPPI-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
MISSOURI-----	-	-	-	1	1	1	-	1	-	-	-	25	25	25	-	25	25
WYOMING-----	-	-	-	1	1	1	-	1	-	-	-	218	218	218	-	218	218
TOTAL OR AVERAGE----	-	-	-	8	8	8	5	13	-	-	-	330	330	330	-	41	41

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPO- RARY	TOTAL NFDL				PERMANENT		TEMPO- RARY	TOTAL NFDL					
		TOTAL	PARTIAL						TOTAL	PARTIAL							
CLAY--CONTINUED:																	
PROCESSING PLANTS:																	
FLORIDA-----	-	-	-	1	1	1	-	1	-	-	-	111	111	111	-	111	111
GEORGIA-----	-	-	-	8	8	8	4	12	-	-	-	613	613	613	-	77	77
TOTAL OR AVERAGE----	-	-	-	9	9	9	4	13	-	-	-	724	724	724	-	80	80
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
ARIZONA-----	-	-	-	2	2	2	1	3	-	-	-	8	8	8	-	4	4
FLORIDA-----	-	-	-	1	1	1	-	1	-	-	-	111	111	111	-	111	111
GEORGIA-----	-	-	-	12	12	12	7	19	-	-	-	692	692	692	-	58	58
MISSISSIPPI-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
MISSOURI-----	-	-	-	1	1	1	-	1	-	-	-	25	25	25	-	25	25
WYOMING-----	-	-	-	1	1	1	-	1	-	-	-	218	218	218	-	218	218
TOTAL OR AVERAGE----	-	-	-	17	17	17	9	26	-	-	-	1,054	1,054	1,054	-	62	62
GRAND TOTAL OR AVERAGE:																	
ARIZONA-----	-	-	-	2	2	2	1	3	-	-	-	8	8	8	-	4	4
FLORIDA-----	-	-	-	1	1	1	-	1	-	-	-	111	111	111	-	111	111
GEORGIA-----	-	-	-	12	12	12	7	19	-	-	-	692	692	692	-	58	58
MISSISSIPPI-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
MISSOURI-----	-	-	-	1	1	1	-	1	-	-	-	25	25	25	-	25	25
WYOMING-----	-	-	-	1	1	1	-	1	-	-	-	218	218	218	-	218	218
TOTAL OR AVERAGE----	-	-	-	17	17	17	9	26	-	-	-	1,054	1,054	1,054	-	62	62
FELDSPAR:																	
SURFACE MINES:																	
OPEN PIT:																	
NORTH CAROLINA-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
TOTAL OR AVERAGE, SURFACE:																	
NORTH CAROLINA-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
TOTAL OR AVERAGE, MINING:																	
NORTH CAROLINA-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPO- RARY	TOTAL NFDL				PERMANENT		TEMPO- RARY	TOTAL NFDL					
		TOTAL	PARTIAL						TOTAL	PARTIAL							
FELDSPAR-CONTINUED: TOTAL OR AVERAGE, ALL MINES AND PLANTS: NORTH CAROLINA-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
GRAND TOTAL OR AVERAGE: NORTH CAROLINA-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
GYPSUM: SURFACE MINES: OPEN PIT: ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
IOWA-----	-	-	-	1	1	1	-	1	-	-	-	32	32	32	-	32	32
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	-	-	32	32	32	-	32	32
TOTAL OR AVERAGE, SURFACE: ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
IOWA-----	-	-	-	1	1	1	-	1	-	-	-	32	32	32	-	32	32
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	-	-	32	32	32	-	32	32
TOTAL OR AVERAGE, MINING: ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
IOWA-----	-	-	-	1	1	1	-	1	-	-	-	32	32	32	-	32	32
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	-	-	32	32	32	-	32	32
PROCESSING PLANTS: NORTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE, ALL MINES AND PLANTS: ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
IOWA-----	-	-	-	1	1	1	-	1	-	-	-	32	32	32	-	32	32
NORTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	1	1	1	2	3	-	-	-	32	32	32	-	32	32

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
GYPSUM-CONTINUED:																	
GRAND TOTAL OR AVERAGE:																	
ARIZONA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
IOWA-----	-	-	-	1	1	1	-	1	-	-	-	32	32	32	-	32	32
NORTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	1	1	1	2	3	-	-	-	32	32	32	-	32	32
PHOSPHATE:																	
SURFACE MINES:																	
OPEN PIT:																	
FLORIDA-----	1	-	-	7	7	8	1	9	6,000	-	-	160	160	6,160	-	23	770
IDAHO-----	-	-	-	1	1	1	1	2	-	-	-	265	265	265	-	265	265
NORTH CAROLINA-----	-	-	-	1	1	1	1	2	-	-	-	118	118	118	-	118	118
TOTAL OR AVERAGE----	1	-	-	9	9	10	3	13	6,000	-	-	543	543	6,543	-	60	654
TOTAL OR AVERAGE, SURFACE:																	
FLORIDA-----	1	-	-	7	7	8	1	9	6,000	-	-	160	160	6,160	-	23	770
IDAHO-----	-	-	-	1	1	1	1	2	-	-	-	265	265	265	-	265	265
NORTH CAROLINA-----	-	-	-	1	1	1	1	2	-	-	-	118	118	118	-	118	118
TOTAL OR AVERAGE----	1	-	-	9	9	10	3	13	6,000	-	-	543	543	6,543	-	60	654
TOTAL OR AVERAGE, MINING:																	
FLORIDA-----	1	-	-	7	7	8	1	9	6,000	-	-	160	160	6,160	-	23	770
IDAHO-----	-	-	-	1	1	1	1	2	-	-	-	265	265	265	-	265	265
NORTH CAROLINA-----	-	-	-	1	1	1	1	2	-	-	-	118	118	118	-	118	118
TOTAL OR AVERAGE----	1	-	-	9	9	10	3	13	6,000	-	-	543	543	6,543	-	60	654
PROCESSING PLANTS:																	
FLORIDA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
FLORIDA-----	1	-	-	7	7	8	2	10	6,000	-	-	160	160	6,160	-	23	770
IDAHO-----	-	-	-	1	1	1	1	2	-	-	-	265	265	265	-	265	265
NORTH CAROLINA-----	-	-	-	1	1	1	1	2	-	-	-	118	118	118	-	118	118
TOTAL OR AVERAGE----	1	-	-	9	9	10	4	14	6,000	-	-	543	543	6,543	-	60	654



TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
PHOSPHATE--CONTINUED:																	
GRAND TOTAL OR AVERAGE:																	
FLORIDA-----	1	-	-	7	7	8	2	10	6,000	-	-	160	160	6,160	-	23	770
IDAHO-----	-	-	-	1	1	1	1	2	-	-	-	265	265	265	-	265	265
NORTH CAROLINA-----	-	-	-	1	1	1	1	2	-	-	-	118	118	118	-	118	118
TOTAL OR AVERAGE----	1	-	-	9	9	10	4	14	6,000	-	-	543	543	6,543	-	60	654
POTASH:																	
PROCESSING PLANTS:																	
NEW MEXICO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE, ALL MINES AND PLANTS: NEW MEXICO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
GRAND TOTAL OR AVERAGE: NEW MEXICO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
SHALE:																	
SURFACE MINES:																	
OPEN PIT:																	
NEW YORK-----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
SOUTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	1	1	1	2	3	-	-	-	7	7	7	-	7	7
TOTAL OR AVERAGE, SURFACE:																	
NEW YORK-----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
SOUTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	1	1	1	2	3	-	-	-	7	7	7	-	7	7
TOTAL OR AVERAGE, MINING:																	
NEW YORK-----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
SOUTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	1	1	1	2	3	-	-	-	7	7	7	-	7	7

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
SHALE--CONTINUED:																	
PROCESSING PLANTS:																	
NORTH CAROLINA-----	-	-	-	1	1	1	-	1	-	-	-	236	236	236	-	236	236
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	236	236	236	-	236	236
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
NEW YORK-----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
NORTH CAROLINA-----	-	-	-	1	1	1	-	1	-	-	-	236	236	236	-	236	236
SOUTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	2	2	2	2	4	-	-	-	243	243	243	-	122	122
GRAND TOTAL OR AVERAGE:																	
NEW YORK-----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
NORTH CAROLINA-----	-	-	-	1	1	1	-	1	-	-	-	236	236	236	-	236	236
SOUTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	2	2	2	2	4	-	-	-	243	243	243	-	122	122
SODIUM COMPOUNDS:																	
UNDERGROUND MINES:																	
UNDERGROUND:																	
WYOMING-----	-	-	-	2	2	2	-	2	-	-	-	193	193	193	-	96	96
TOTAL OR AVERAGE----	-	-	-	2	2	2	-	2	-	-	-	193	193	193	-	96	96
TOTAL OR AVERAGE, UG:																	
WYOMING-----	-	-	-	2	2	2	-	2	-	-	-	193	193	193	-	96	96
TOTAL OR AVERAGE----	-	-	-	2	2	2	-	2	-	-	-	193	193	193	-	96	96
TOTAL OR AVERAGE, MINING:																	
WYOMING-----	-	-	-	2	2	2	-	2	-	-	-	193	193	193	-	96	96
TOTAL OR AVERAGE----	-	-	-	2	2	2	-	2	-	-	-	193	193	193	-	96	96
PROCESSING PLANTS:																	
WYOMING-----	-	-	1	3	4	4	3	7	-	-	75	9	84	84	75	3	21
TOTAL OR AVERAGE----	-	-	1	3	4	4	3	7	-	-	75	9	84	84	75	3	21

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
SODIUM COMPOUNDS--CONTINUED: TOTAL OR AVERAGE, ALL MINES AND PLANTS: WYOMING-----	-	-	1	5	6	6	3	9	-	-	75	202	277	277	75	40	46
TOTAL OR AVERAGE----	-	-	1	5	6	6	3	9	-	-	75	202	277	277	75	40	46
GRAND TOTAL OR AVERAGE: WYOMING-----	-	-	1	5	6	6	3	9	-	-	75	202	277	277	75	40	46
TOTAL OR AVERAGE----	-	-	1	5	6	6	3	9	-	-	75	202	277	277	75	40	46
TALC--SOAPSTONE: PROCESSING PLANTS: MONTANA-----	-	-	-	1	1	1	1	2	-	-	-	11	11	11	-	11	11
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	-	-	11	11	11	-	11	11
TOTAL OR AVERAGE, ALL MINES AND PLANTS: MONTANA-----	-	-	-	1	1	1	1	2	-	-	-	11	11	11	-	11	11
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	-	-	11	11	11	-	11	11
GRAND TOTAL OR AVERAGE: MONTANA-----	-	-	-	1	1	1	1	2	-	-	-	11	11	11	-	11	11
TOTAL OR AVERAGE----	-	-	-	1	1	1	1	2	-	-	-	11	11	11	-	11	11
WOLLASTONITE--STAUROLITE: SURFACE MINES: OPEN PIT: CALIFORNIA-----	-	-	-	1	1	1	-	1	-	-	-	202	202	202	-	202	202
GEORGIA-----	-	-	-	2	2	2	-	2	-	-	-	205	205	205	-	102	102
KENTUCKY-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	3	3	3	1	4	-	-	-	407	407	407	-	136	136
TOTAL OR AVERAGE, SURFACE: CALIFORNIA-----	-	-	-	1	1	1	-	1	-	-	-	202	202	202	-	202	202
GEORGIA-----	-	-	-	2	2	2	-	2	-	-	-	205	205	205	-	102	102
KENTUCKY-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	3	3	3	1	4	-	-	-	407	407	407	-	136	136

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							LOST WORKDAYS						AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
WOLASTNTE-STAUHLIT-CONTINUED:																	
TOTAL OR AVERAGE, MINING:																	
CALIFORNIA-----	-	-	-	1	1	1	-	1	-	-	-	202	202	202	-	202	202
GEORGIA-----	-	-	-	2	2	2	-	2	-	-	-	205	205	205	-	102	102
KENTUCKY-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	3	3	3	1	4	-	-	-	407	407	407	-	136	136
PROCESSING PLANTS:																	
GEORGIA-----	-	-	-	1	1	1	-	1	-	-	-	89	89	89	-	89	89
TOTAL OR AVERAGE----	-	-	-	1	1	1	-	1	-	-	-	89	89	89	-	89	89
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
CALIFORNIA-----	-	-	-	1	1	1	-	1	-	-	-	202	202	202	-	202	202
GEORGIA-----	-	-	-	3	3	3	-	3	-	-	-	294	294	294	-	98	98
KENTUCKY-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	4	4	4	1	5	-	-	-	496	496	496	-	124	124
GRAND TOTAL OR AVERAGE:																	
CALIFORNIA-----	-	-	-	1	1	1	-	1	-	-	-	202	202	202	-	202	202
GEORGIA-----	-	-	-	3	3	3	-	3	-	-	-	294	294	294	-	98	98
KENTUCKY-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	-	-	-	4	4	4	1	5	-	-	-	496	496	496	-	124	124
ALL NONMETALLIC MINERALS:																	
UNDERGROUND MINES:																	
UNDERGROUND:																	
WYOMING-----	-	-	-	2	2	2	-	2	-	-	-	193	193	193	-	96	96
TOTAL OR AVERAGE----	-	-	-	2	2	2	-	2	-	-	-	193	193	193	-	96	96
TOTAL OR AVERAGE, UG:																	
WYOMING-----	-	-	-	2	2	2	-	2	-	-	-	193	193	193	-	96	96
TOTAL OR AVERAGE----	-	-	-	2	2	2	-	2	-	-	-	193	193	193	-	96	96

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
ALL NONMETALLIC--CONTINUED: SURFACE MINES: OPEN PIT:																	
ARIZONA-----	-	-	-	2	2	2	2	4	-	-	-	8	8	8	-	4	4
CALIFORNIA-----	-	-	-	1	1	1	-	1	-	-	-	202	202	202	-	202	202
FLORIDA-----	1	-	-	7	7	8	1	9	6,000	-	-	160	160	6,160	-	23	770
GEORGIA-----	-	-	-	6	6	6	3	9	-	-	-	284	284	284	-	47	47
IDAHO-----	-	-	-	1	1	1	1	2	-	-	-	265	265	265	-	265	265
IOWA-----	-	-	-	1	1	1	-	1	-	-	-	32	32	32	-	32	32
KENTUCKY-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
MISSOURI-----	-	-	-	1	1	1	-	1	-	-	-	25	25	25	-	25	25
NEW YORK-----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
NORTH CAROLINA-----	-	-	-	2	2	2	1	3	-	-	-	123	123	123	-	62	62
SOUTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
WYOMING-----	-	-	-	1	1	1	-	1	-	-	-	218	218	218	-	218	218
TOTAL OR AVERAGE----	1	-	-	23	23	24	12	36	6,000	-	-	1,324	1,324	7,324	-	58	305
TOTAL OR AVERAGE, SURFACE:																	
ARIZONA-----	-	-	-	2	2	2	2	4	-	-	-	8	8	8	-	4	4
CALIFORNIA-----	-	-	-	1	1	1	-	1	-	-	-	202	202	202	-	202	202
FLORIDA-----	1	-	-	7	7	8	1	9	6,000	-	-	160	160	6,160	-	23	770
GEORGIA-----	-	-	-	6	6	6	3	9	-	-	-	284	284	284	-	47	47
IDAHO-----	-	-	-	1	1	1	1	2	-	-	-	265	265	265	-	265	265
IOWA-----	-	-	-	1	1	1	-	1	-	-	-	32	32	32	-	32	32
KENTUCKY-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
MISSOURI-----	-	-	-	1	1	1	-	1	-	-	-	25	25	25	-	25	25
NEW YORK-----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
NORTH CAROLINA-----	-	-	-	2	2	2	1	3	-	-	-	123	123	123	-	62	62
SOUTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
WYOMING-----	-	-	-	1	1	1	-	1	-	-	-	218	218	218	-	218	218
TOTAL OR AVERAGE----	1	-	-	23	23	24	12	36	6,000	-	-	1,324	1,324	7,324	-	58	305

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPO- RARY	TOTAL NFDL					PERMANENT		TEMPO- RARY					TOTAL NFDL
		TOTAL	PARTIAL							TOTAL	PARTIAL						
ALL NONMETALLIC-CONTINUED:																	
TOTAL OR AVERAGE, MINING:																	
ARIZONA-----	-	-	-	2	2	2	2	4	-	-	-	8	8	8	-	4	4
CALIFORNIA-----	-	-	-	1	1	1	-	1	-	-	-	202	202	202	-	202	202
FLORIDA-----	1	-	-	7	7	8	1	9	6,000	-	-	160	160	6,160	-	23	770
GEORGIA-----	-	-	-	6	6	6	3	9	-	-	-	284	284	284	-	47	47
IDAHO-----	-	-	-	1	1	1	1	2	-	-	-	265	265	265	-	265	265
IOWA-----	-	-	-	1	1	1	-	1	-	-	-	32	32	32	-	32	32
KENTUCKY-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
MISSOURI-----	-	-	-	1	1	1	-	1	-	-	25	25	25	-	25	25	
NEW YORK-----	-	-	-	1	1	1	-	1	-	-	7	7	7	-	7	7	
NORTH CAROLINA-----	-	-	-	2	2	2	1	3	-	-	123	123	123	-	62	62	
SOUTH CAROLINA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
WYOMING-----	-	-	-	3	3	3	-	3	-	-	411	411	411	-	137	137	
TOTAL OR AVERAGE----	1	-	-	25	25	26	12	38	6,000	-	-	1,517	1,517	7,517	-	61	289
PROCESSING PLANTS:																	
CALIFORNIA-----	-	-	1	-	1	1	-	1	-	-	60	-	60	60	60	-	60
FLORIDA-----	-	-	-	1	1	1	1	2	-	-	111	-	111	111	-	111	111
GEORGIA-----	-	-	-	9	9	9	4	13	-	-	702	-	702	702	-	78	78
MONTANA-----	-	-	-	1	1	1	1	2	-	-	11	-	11	11	-	11	11
NEW MEXICO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
NORTH CAROLINA-----	-	-	-	1	1	1	1	2	-	-	236	-	236	236	-	236	236
SOUTH CAROLINA-----	-	-	-	1	1	1	-	1	-	-	2	-	2	2	-	2	2
WYOMING-----	-	-	1	3	4	4	3	7	-	-	75	-	84	84	75	3	21
TOTAL OR AVERAGE----	-	-	2	16	18	18	11	29	-	-	135	1,071	1,206	1,206	68	67	67
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
ARIZONA-----	-	-	-	2	2	2	2	4	-	-	-	8	8	8	-	4	4
CALIFORNIA-----	-	-	1	-	1	1	-	1	-	-	60	202	262	262	60	202	131
FLORIDA-----	1	-	-	8	8	9	2	11	6,000	-	-	271	271	6,271	-	34	697
GEORGIA-----	-	-	-	15	15	15	7	22	-	-	-	986	986	986	-	66	66
IDAHO-----	-	-	-	1	1	1	1	2	-	-	-	265	265	265	-	265	265
IOWA-----	-	-	-	1	1	1	-	1	-	-	-	32	32	32	-	32	32
KENTUCKY-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
MISSOURI-----	-	-	-	1	1	1	-	1	-	-	25	25	25	-	25	25	
MONTANA-----	-	-	-	1	1	1	1	2	-	-	11	-	11	11	-	11	11
NEW MEXICO-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
NEW YORK-----	-	-	-	1	1	1	-	1	-	-	7	-	7	7	-	7	7
NORTH CAROLINA-----	-	-	-	3	3	3	2	5	-	-	359	-	359	359	-	120	120
SOUTH CAROLINA-----	-	-	-	1	1	1	1	2	-	-	2	-	2	2	-	2	2
VIRGINIA-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
WYOMING-----	-	-	1	6	7	7	3	10	-	-	75	420	495	495	75	70	71
TOTAL OR AVERAGE----	1	-	2	41	43	44	23	67	6,000	-	135	2,588	2,723	8,723	68	63	198

TABLE 7. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR TYPE OF MINERAL, WORK LOCATION, AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

TYPE OF MINERAL, WORK LOCATION AND STATE	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY		
	FATAL	NFDL				NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA- NENT PARTIAL	TEMPO- RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO- RARY	TOTAL NFDL				PERMANENT		TEMPO- RARY	TOTAL NFDL				
		TOTAL	PARTIAL						TOTAL	PARTIAL						
ALL NONMETALLIC--CONTINUED: GRAND TOTAL OR AVERAGE:-----	-	-	-	2	2	2	4	-	-	-	8	8	8	-	4	4
ARIZONA-----	-	-	1	1	2	2	2	-	-	60	202	262	262	60	202	131
CALIFORNIA-----	1	-	-	8	8	9	11	6,000	-	-	271	271	6,271	-	34	697
FLORIDA-----	-	-	-	15	15	15	22	-	-	-	986	986	986	-	66	66
GEORGIA-----	-	-	-	1	1	1	2	-	-	-	265	265	265	-	265	265
IDAHO-----	-	-	-	1	1	1	1	-	-	-	32	32	32	-	32	32
IOWA-----	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
KENTUCKY-----	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI-----	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-
MISSOURI-----	-	-	-	1	1	1	1	-	-	-	25	25	25	-	25	25
MONTANA-----	-	-	-	1	1	1	2	-	-	-	11	11	11	-	11	11
NEW MEXICO-----	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
NEW YORK-----	-	-	-	1	1	1	1	-	-	-	7	7	7	-	7	7
NORTH CAROLINA-----	-	-	-	3	3	3	5	-	-	-	359	359	359	-	120	120
SOUTH CAROLINA-----	-	-	-	1	1	1	2	-	-	-	2	2	2	-	2	2
VIRGINIA-----	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
WYOMING-----	-	-	1	6	7	7	10	-	-	75	420	495	495	75	70	71
TOTAL OR AVERAGE-----	1	-	2	41	43	44	67	6,000	-	135	2,588	2,723	8,723	68	63	198

TABLE 9. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND PART OF BODY INJURED AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION AND PART OF BODY INJURED	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					PERMANENT	TEMPO-RARY	TOTAL NFDL						
		TOTAL	PARTIAL													TOTAL	PARTIAL
<b>UNDERGROUND MINES:</b>																	
<b>UNDERGROUND:</b>																	
MOUTH/TEETH/TONGUE-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
FOREARM-----	-	-	-	1	1	1	-	1	-	-	-	190	190	190	-	190	190
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	-	-	193	193	193	-	96	96
<b>TOTAL OR AVERAGE, UG:</b>																	
MOUTH/TEETH/TONGUE-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
FOREARM-----	-	-	-	1	1	1	-	1	-	-	-	190	190	190	-	190	190
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	-	-	193	193	193	-	96	96
<b>SURFACE MINES:</b>																	
<b>OPEN PIT:</b>																	
EAR-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
EYE-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
HEAD, NEC-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
NECK-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
ELBOW-----	-	-	-	1	1	1	-	1	-	-	-	118	118	118	-	118	118
FOREARM-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
WRIST-----	-	-	-	2	2	2	-	2	-	-	-	57	57	57	-	28	28
HAND-----	-	-	-	1	1	1	-	1	-	-	-	1	1	1	-	1	1
FINGER(S)-----	-	-	-	2	2	2	-	2	-	-	-	118	118	118	-	59	59
UPPER EXTREMITIES, NEC-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
ABDOMEN-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
BACK-----	-	-	-	4	4	4	-	4	-	-	-	90	90	90	-	22	22
PELVIC REGION-----	-	-	-	2	2	2	-	2	-	-	-	-	-	-	-	-	-
SHOULDER(S)-----	-	-	-	2	2	2	-	2	-	-	-	223	223	223	-	112	112
TRUNK, NEC-----	-	-	-	1	1	1	-	1	-	-	-	188	188	188	-	188	188
KNEE-----	-	-	-	3	3	3	1	4	-	-	-	274	274	274	-	91	91
LOWER LEG-----	-	-	-	1	1	1	-	1	-	-	-	202	202	202	-	202	202
ANKLE-----	-	-	-	2	2	2	-	2	-	-	-	38	38	38	-	19	19
FOOT-----	-	-	-	2	2	2	-	2	-	-	-	10	10	10	-	5	5
LOWER EXTREMITIES, NEC-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
BODY SYSTEMS-----	1	-	-	-	-	1	-	1	6,000	-	-	-	-	6,000	-	-	6,000
MULTIPLE PARTS OF BODY-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
TOTAL OR AVERAGE-----	1	-	-	23	23	24	12	36	6,000	-	-	1,324	1,324	7,324	-	58	305



TABLE 9. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND PART OF BODY INJURED AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND PART OF BODY INJURED	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMANENT PARTIAL	TEMPORARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPORARY					PERMANENT	TEMPORARY	TOTAL NFDL						
		TOTAL	PARTIAL													TOTAL	PARTIAL
<b>TOTAL OR AVERAGE, SURFACE:</b>																	
EAR-----	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
EYE-----	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
HEAD, NEC-----	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
NECK-----	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
ELBOW-----	-	-	1	1	1	-	-	-	-	118	118	118	-	118	118	-	
FOREARM-----	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
WRIST-----	-	-	2	2	2	-	-	-	-	57	57	57	-	28	28	-	
HAND-----	-	-	1	1	1	-	-	-	-	1	1	1	-	1	1	-	
FINGER(S)-----	-	-	2	2	2	-	-	-	-	118	118	118	-	59	59	-	
UPPER EXTREMITIES, NEC-----	-	-	1	1	1	-	-	-	-	2	2	2	-	2	2	-	
ABDOMEN-----	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
BACK-----	-	-	4	4	4	1	-	-	-	90	90	90	-	22	22	-	
PELVIC REGION-----	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
SHOULDER(S)-----	-	-	2	2	2	-	-	-	-	223	223	223	-	112	112	-	
TRUNK, NEC-----	-	-	1	1	1	-	-	-	-	188	188	188	-	188	188	-	
KNEE-----	-	-	3	3	3	1	-	-	-	274	274	274	-	91	91	-	
LOWER LEG-----	-	-	1	1	1	-	-	-	-	202	202	202	-	202	202	-	
ANKLE-----	-	-	2	2	2	-	-	-	-	38	38	38	-	19	19	-	
FOOT-----	-	-	2	2	2	-	-	-	-	10	10	10	-	5	5	-	
LOWER EXTREMITIES, NEC-----	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
BODY SYSTEMS-----	1	-	-	-	1	-	-	6,000	-	-	-	6,000	-	-	-	6,000	
MULTIPLE PARTS OF BODY-----	-	-	1	1	1	-	-	-	-	3	3	3	-	3	3	-	
<b>TOTAL OR AVERAGE-----</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>23</b>	<b>23</b>	<b>24</b>	<b>12</b>	<b>36</b>	<b>6,000</b>	<b>-</b>	<b>-</b>	<b>1,324</b>	<b>1,324</b>	<b>7,324</b>	<b>-</b>	<b>58</b>	<b>305</b>
<b>TOTAL OR AVERAGE, MINING:</b>																	
EAR-----	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
EYE-----	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
MOUTH/TEETH/TONGUE-----	-	-	1	1	1	-	-	-	-	3	3	3	-	3	3	-	
HEAD, NEC-----	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
NECK-----	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
ELBOW-----	-	-	1	1	1	-	-	-	-	118	118	118	-	118	118	-	
FOREARM-----	-	-	1	1	1	1	-	-	-	190	190	190	-	190	190	-	
WRIST-----	-	-	2	2	2	-	-	-	-	57	57	57	-	28	28	-	
HAND-----	-	-	1	1	1	-	-	-	-	1	1	1	-	1	1	-	
FINGER(S)-----	-	-	2	2	2	-	-	-	-	118	118	118	-	59	59	-	
UPPER EXTREMITIES, NEC-----	-	-	1	1	1	-	-	-	-	2	2	2	-	2	2	-	
ABDOMEN-----	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
BACK-----	-	-	4	4	4	1	-	-	-	90	90	90	-	22	22	-	
PELVIC REGION-----	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
SHOULDER(S)-----	-	-	2	2	2	-	-	-	-	223	223	223	-	112	112	-	
TRUNK, NEC-----	-	-	1	1	1	-	-	-	-	188	188	188	-	188	188	-	
KNEE-----	-	-	3	3	3	1	-	-	-	274	274	274	-	91	91	-	
LOWER LEG-----	-	-	1	1	1	-	-	-	-	202	202	202	-	202	202	-	
ANKLE-----	-	-	2	2	2	-	-	-	-	38	38	38	-	19	19	-	
FOOT-----	-	-	2	2	2	-	-	-	-	10	10	10	-	5	5	-	
LOWER EXTREMITIES, NEC-----	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
BODY SYSTEMS-----	1	-	-	-	1	-	-	6,000	-	-	-	6,000	-	-	-	6,000	
MULTIPLE PARTS OF BODY-----	-	-	1	1	1	-	-	-	-	3	3	3	-	3	3	-	
<b>TOTAL OR AVERAGE-----</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>25</b>	<b>25</b>	<b>26</b>	<b>12</b>	<b>38</b>	<b>6,000</b>	<b>-</b>	<b>-</b>	<b>1,517</b>	<b>1,517</b>	<b>7,517</b>	<b>-</b>	<b>61</b>	<b>289</b>

TABLE 9. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND PART OF BODY INJURED AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND PART OF BODY INJURED	NUMBER OF INJURIES								LOST WORKDAYS						AVERAGE SEVERITY		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO-RARY	TOTAL NFDL					PERMANENT		TEMPO-RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
PROCESSING PLANTS:																	
HEAD, NEC-----	-	-	-	1	1	1	1	2	-	-	-	2	2	2	-	2	2
NECK-----	-	-	-	1	1	1	-	1	-	-	-	1	1	1	-	1	1
ELBOW-----	-	-	-	1	1	1	-	1	-	-	-	4	4	4	-	4	4
FOREARM-----	-	-	-	1	1	1	-	1	-	-	-	11	11	11	-	11	11
HAND-----	-	-	-	1	1	1	-	1	-	-	-	13	13	13	-	13	13
FINGER(S)-----	-	-	2	1	3	3	4	7	-	-	135	71	206	206	68	71	69
UPPER EXTREMITIES, NEC----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
ABDOMEN-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
BACK-----	-	-	-	4	4	4	1	5	-	-	-	482	482	482	-	120	120
SHOULDER(S)-----	-	-	-	1	1	1	-	1	-	-	-	88	88	88	-	88	88
KNEE-----	-	-	-	3	3	3	-	3	-	-	-	74	74	74	-	25	25
LOWER LEG-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
LOWER EXTREMITIES, NEC----	-	-	-	1	1	1	1	2	-	-	-	236	236	236	-	236	236
MULTIPLE PARTS OF BODY----	-	-	-	1	1	1	1	2	-	-	-	89	89	89	-	89	89
TOTAL OR AVERAGE-----	-	-	2	16	18	18	11	29	-	-	135	1,071	1,206	1,206	68	67	67

TABLE 9. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND PART OF BODY INJURED AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND PART OF BODY INJURED	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMANENT PARTIAL	TEMPORARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPORARY					PERMANENT	TEMPORARY	TOTAL NFDL					
		TOTAL	PARTIAL													TOTAL
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																
EAR-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
EYE-----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
MOUTH/TEETH/TONGUE-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
HEAD, NEC-----	-	-	-	-	-	3	4	-	-	-	-	-	-	-	-	-
NECK-----	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
ELBOW-----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
FOREARM-----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
WRIST-----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
HAND-----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
FINGER(S)-----	-	-	2	-	5	4	9	-	-	-	-	-	-	-	-	-
UPPER EXTREMITIES, NEC-----	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
ABDOMEN-----	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
BACK-----	-	-	-	-	8	8	2	-	-	-	-	-	-	-	-	-
PELVIC REGION-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
SHOULDER(S)-----	-	-	-	-	3	3	3	-	-	-	-	-	-	-	-	-
TRUNK, NEC-----	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
KNEE-----	-	-	-	-	6	6	7	-	-	-	-	-	-	-	-	-
LOWER LEG-----	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
ANKLE-----	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-
FOOT-----	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-
LOWER EXTREMITIES, NEC-----	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
BODY SYSTEMS-----	1	-	-	-	-	1	3	6,000	-	-	-	-	-	-	-	6,000
MULTIPLE PARTS OF BODY-----	-	-	-	-	2	2	3	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	1	-	2	41	43	44	23	6,000	-	135	2,588	2,723	8,723	68	63	198
GRAND TOTAL OR AVERAGE:																
EAR-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
EYE-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
MOUTH/TEETH/TONGUE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
HEAD, NEC-----	-	-	-	-	-	-	3	4	-	-	-	-	-	-	-	-
NECK-----	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
ELBOW-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
FOREARM-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
WRIST-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
HAND-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
FINGER(S)-----	-	-	2	-	5	5	4	9	-	-	-	-	-	-	-	-
UPPER EXTREMITIES, NEC-----	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-
ABDOMEN-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
BACK-----	-	-	-	-	8	8	2	10	-	-	-	-	-	-	-	-
PELVIC REGION-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
SHOULDER(S)-----	-	-	-	-	3	3	3	3	-	-	-	-	-	-	-	-
TRUNK, NEC-----	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
KNEE-----	-	-	-	-	6	6	7	7	-	-	-	-	-	-	-	-
LOWER LEG-----	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-
ANKLE-----	-	-	-	-	2	2	2	2	-	-	-	-	-	-	-	-
FOOT-----	-	-	-	-	2	2	2	2	-	-	-	-	-	-	-	-
LOWER EXTREMITIES, NEC-----	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-
BODY SYSTEMS-----	1	-	-	-	-	-	1	3	6,000	-	-	-	6,000	-	-	6,000
MULTIPLE PARTS OF BODY-----	-	-	-	-	2	2	3	3	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	1	-	2	41	43	44	23	6,000	-	135	2,588	2,723	8,723	68	63	198

TABLE 11. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND NATURE OF INJURY AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION AND NATURE OF INJURY	NUMBER OF INJURIES							LOST WORKDAYS						AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					PERMANENT		TEMPO-RARY					TOTAL NFDL	
		TOTAL	PARTIAL						TOTAL	PARTIAL							
<b>UNDERGROUND MINES:</b>																	
<b>UNDERGROUND:</b>																	
CONTUSION OR BRUISE-----	-	-	-	1	1	1	-	1	-	-	-	190	190	190	-	190	190
CUT OR PUNCTURE-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	-	-	193	193	193	-	96	96
<b>TOTAL OR AVERAGE, UG:</b>																	
CONTUSION OR BRUISE-----	-	-	-	1	1	1	-	1	-	-	-	190	190	190	-	190	190
CUT OR PUNCTURE-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	-	-	193	193	193	-	96	96
<b>SURFACE MINES:</b>																	
<b>OPEN PIT:</b>																	
ASPHYXIATION/DROWNING---	1	-	-	-	-	1	-	1	6,000	-	-	-	-	6,000	-	-	6,000
BURN/SCALD (NOT CHEM.)---	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
CHEMICAL BURN-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
CONCUSSION (CEREBRAL)---	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
CONTUSION OR BRUISE-----	-	-	-	4	4	4	1	5	-	-	-	197	197	197	-	49	49
CUT OR PUNCTURE-----	-	-	-	1	1	1	5	6	-	-	-	1	1	1	-	1	1
FRACTURE-----	-	-	-	5	5	5	-	5	-	-	-	403	403	403	-	81	81
STRAIN/SPRAIN-----	-	-	-	10	10	10	2	12	-	-	-	497	497	497	-	50	50
UNCLASSIFIED (NO DATA)---	-	-	-	2	2	2	1	3	-	-	-	223	223	223	-	112	112
TOTAL OR AVERAGE-----	1	-	-	23	23	24	12	36	6,000	-	-	1,324	1,324	7,324	-	58	305
<b>TOTAL OR AVERAGE, SURFACE:</b>																	
ASPHYXIATION/DROWNING---	1	-	-	-	-	1	-	1	6,000	-	-	-	-	6,000	-	-	6,000
BURN/SCALD (NOT CHEM.)---	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
CHEMICAL BURN-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
CONCUSSION (CEREBRAL)---	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
CONTUSION OR BRUISE-----	-	-	-	4	4	4	1	5	-	-	-	197	197	197	-	49	49
CUT OR PUNCTURE-----	-	-	-	1	1	1	5	6	-	-	-	1	1	1	-	1	1
FRACTURE-----	-	-	-	5	5	5	-	5	-	-	-	403	403	403	-	81	81
STRAIN/SPRAIN-----	-	-	-	10	10	10	2	12	-	-	-	497	497	497	-	50	50
UNCLASSIFIED (NO DATA)---	-	-	-	2	2	2	1	3	-	-	-	223	223	223	-	112	112
TOTAL OR AVERAGE-----	1	-	-	23	23	24	12	36	6,000	-	-	1,324	1,324	7,324	-	58	305
<b>TOTAL OR AVERAGE, MINING:</b>																	
ASPHYXIATION/DROWNING---	1	-	-	-	-	1	-	1	6,000	-	-	-	-	6,000	-	-	6,000
BURN/SCALD (NOT CHEM.)---	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
CHEMICAL BURN-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
CONCUSSION (CEREBRAL)---	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
CONTUSION OR BRUISE-----	-	-	-	5	5	5	1	6	-	-	-	387	387	387	-	77	77
CUT OR PUNCTURE-----	-	-	-	2	2	2	5	7	-	-	-	4	4	4	-	2	2
FRACTURE-----	-	-	-	5	5	5	-	5	-	-	-	403	403	403	-	81	81
STRAIN/SPRAIN-----	-	-	-	10	10	10	2	12	-	-	-	497	497	497	-	50	50
UNCLASSIFIED (NO DATA)---	-	-	-	2	2	2	1	3	-	-	-	223	223	223	-	112	112
TOTAL OR AVERAGE-----	1	-	-	25	25	26	12	38	6,000	-	-	1,517	1,517	7,517	-	61	289

TABLE 11. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND NATURE OF INJURY AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND NATURE OF INJURY	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					PERMANENT		TEMPO-RARY					TOTAL NFDL	
		TOTAL	PARTIAL						TOTAL	PARTIAL							
PROCESSING PLANTS:																	
AMPUTATION/ENUCLEATION----	-	-	2	-	2	2	-	2	-	-	135	-	135	135	68	-	68
BURN/SCALD (NOT CHEM.)----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
CONTUSION OR BRUISE----	-	-	-	2	2	2	3	5	-	-	93	93	93	-	46	46	
CUT OR PUNCTURE----	-	-	-	3	3	3	3	6	-	-	32	32	32	-	11	11	
FRACTURE----	-	-	-	2	2	2	3	5	-	-	307	307	307	-	154	154	
STRAIN/SPRAIN----	-	-	-	8	8	8	1	9	-	-	637	637	637	-	80	80	
MULTIPLE INJURIES----	-	-	-	1	1	1	-	1	-	-	2	2	2	-	2	2	
TOTAL OR AVERAGE-----	-	-	2	16	18	18	11	29	-	-	135	1,071	1,206	1,206	68	67	67
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
AMPUTATION/ENUCLEATION----	-	-	2	-	2	2	-	2	-	-	135	-	135	135	68	-	68
ASPHYXIATION/DROWNING----	1	-	-	-	1	1	-	1	6,000	-	-	-	6,000	-	-	6,000	
BURN/SCALD (NOT CHEM.)----	-	-	-	1	1	1	1	2	-	-	-	3	3	3	-	3	3
CHEMICAL BURN----	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
CONCUSSION (CEREBRAL)----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
CONTUSION OR BRUISE----	-	-	-	7	7	7	4	11	-	-	480	480	480	-	69	69	
CUT OR PUNCTURE----	-	-	-	5	5	5	8	13	-	-	36	36	36	-	7	7	
FRACTURE----	-	-	-	7	7	7	3	10	-	-	710	710	710	-	101	101	
STRAIN/SPRAIN----	-	-	-	18	18	18	3	21	-	-	1,134	1,134	1,134	-	63	63	
MULTIPLE INJURIES----	-	-	-	1	1	1	-	1	-	-	2	2	2	-	2	2	
UNCLASSIFIED (NO DATA)----	-	-	-	2	2	2	1	3	-	-	223	223	223	-	112	112	
TOTAL OR AVERAGE-----	1	-	2	41	43	44	23	67	6,000	-	135	2,588	2,723	8,723	68	63	198
GRAND TOTAL OR AVERAGE:																	
AMPUTATION/ENUCLEATION----	-	-	2	-	2	2	-	2	-	-	135	-	135	135	68	-	68
ASPHYXIATION/DROWNING----	1	-	-	-	1	1	-	1	6,000	-	-	-	6,000	-	-	6,000	
BURN/SCALD (NOT CHEM.)----	-	-	-	1	1	1	1	2	-	-	-	3	3	3	-	3	3
CHEMICAL BURN----	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
CONCUSSION (CEREBRAL)----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
CONTUSION OR BRUISE----	-	-	-	7	7	7	4	11	-	-	480	480	480	-	69	69	
CUT OR PUNCTURE----	-	-	-	5	5	5	8	13	-	-	36	36	36	-	7	7	
FRACTURE----	-	-	-	7	7	7	3	10	-	-	710	710	710	-	101	101	
STRAIN/SPRAIN----	-	-	-	18	18	18	3	21	-	-	1,134	1,134	1,134	-	63	63	
MULTIPLE INJURIES----	-	-	-	1	1	1	-	1	-	-	2	2	2	-	2	2	
UNCLASSIFIED (NO DATA)----	-	-	-	2	2	2	1	3	-	-	223	223	223	-	112	112	
TOTAL OR AVERAGE-----	1	-	2	41	43	44	23	67	6,000	-	135	2,588	2,723	8,723	68	63	198

TABLE 12. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR PART OF BODY INJURED AND NATURE OF INJURY AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

PART OF BODY INJURED AND NATURE OF INJURY	NUMBER OF INJURIES							LOST WORKDAYS						AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					PERMANENT	TEMPO-RARY	TOTAL NFDL						
		TOTAL	PARTIAL													TOTAL	PARTIAL
EAR:																	
CUT OR PUNCTURE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
EYE:																	
CHEMICAL BURN-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
CUT OR PUNCTURE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	
MOUTH/TEETH/TONGUE:																	
CUT OR PUNCTURE-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
TOTAL OR AVERAGE-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
HEAD, NEC:																	
CONCUSSION (CEREBRAL)-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
FRACTURE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
MULTIPLE INJURIES-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
UNCLASSIFIED (NO DATA)-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE-----	-	-	-	1	1	1	3	4	-	-	-	2	2	2	-	2	2
NECK:																	
CONTUSION OR BRUISE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
STRAIN/SPRAIN-----	-	-	-	1	1	1	-	1	-	-	-	1	1	1	-	1	1
TOTAL OR AVERAGE-----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1
ELBOW:																	
CONTUSION OR BRUISE-----	-	-	-	1	1	1	-	1	-	-	-	4	4	4	-	4	4
STRAIN/SPRAIN-----	-	-	-	1	1	1	-	1	-	-	-	118	118	118	-	118	118
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	-	-	122	122	122	-	61	61
FOREARM:																	
CONTUSION OR BRUISE-----	-	-	-	1	1	1	-	1	-	-	-	190	190	190	-	190	190
CUT OR PUNCTURE-----	-	-	-	1	1	1	1	2	-	-	-	11	11	11	-	11	11
TOTAL OR AVERAGE-----	-	-	-	2	2	2	1	3	-	-	-	201	201	201	-	100	100
WRIST:																	
FRACTURE-----	-	-	-	2	2	2	-	2	-	-	-	57	57	57	-	28	28
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	-	-	57	57	57	-	28	28

TABLE 12. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR PART OF BODY INJURED AND NATURE OF INJURY AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

PART OF BODY INJURED AND NATURE OF INJURY	NUMBER OF INJURIES								LOST WORKDAYS						AVERAGE SEVERITY		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO-RARY	TOTAL NFDL					PERMANENT		TEMPO-RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
HAND: CUT OR PUNCTURE-----	-	-	-	2	2	2	-	2	-	-	-	14	14	14	-	7	7
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	-	-	14	14	14	-	7	7
FINGER(S): AMPUTATION/ENUCLEATION----	-	-	2	-	2	2	-	2	-	-	135	-	135	135	68	-	68
CONTUSION OR BRUISE-----	-	-	-	1	1	1	1	2	-	-	-	2	2	2	-	2	2
CUT OR PUNCTURE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
FRACTURE-----	-	-	-	2	2	2	2	4	-	-	-	187	187	187	-	94	94
TOTAL OR AVERAGE-----	-	-	2	3	5	5	4	9	-	-	135	189	324	324	68	63	65
UPPER EXTREMITIES, NEC: BURN/SCALD (NOT CHEM.)----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
CONTUSION OR BRUISE-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
TOTAL OR AVERAGE-----	-	-	-	1	1	1	1	2	-	-	-	2	2	2	-	2	2
ABDOMEN: CUT OR PUNCTURE-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
BACK: STRAIN/SPRAIN-----	-	-	-	8	8	8	2	10	-	-	-	572	572	572	-	72	72
TOTAL OR AVERAGE-----	-	-	-	8	8	8	2	10	-	-	-	572	572	572	-	72	72
PELVIC REGION: STRAIN/SPRAIN-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
SHOULDER(S): STRAIN/SPRAIN-----	-	-	-	2	2	2	-	2	-	-	-	93	93	93	-	46	46
UNCLASSIFIED (NO DATA)----	-	-	-	1	1	1	-	1	-	-	-	218	218	218	-	218	218
TOTAL OR AVERAGE-----	-	-	-	3	3	3	-	3	-	-	-	311	311	311	-	104	104
TRUNK, NEC: CONTUSION OR BRUISE-----	-	-	-	1	1	1	-	1	-	-	-	188	188	188	-	188	188
TOTAL OR AVERAGE-----	-	-	-	1	1	1	-	1	-	-	-	188	188	188	-	188	188

TABLE 12. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR PART OF BODY INJURED AND NATURE OF INJURY AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

PART OF BODY INJURED AND NATURE OF INJURY	NUMBER OF INJURIES							LOST WORKDAYS						AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					PERMANENT		TEMPO-RARY					TOTAL NFDL	
		TOTAL	PARTIAL						TOTAL	PARTIAL							
KNEE:																	
CUT OR PUNCTURE-----	-	-	-	1	1	1	1	2	-	-	-	8	8	8	-	8	8
STRAIN/SPRAIN-----	-	-	-	5	5	5	-	5	-	-	-	340	340	340	-	68	68
TOTAL OR AVERAGE-----	-	-	-	6	6	6	1	7	-	-	-	348	348	348	-	58	58
LOWER LEG:																	
CUT OR PUNCTURE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
FRACTURE-----	-	-	-	1	1	1	-	1	-	-	-	202	202	202	-	202	202
TOTAL OR AVERAGE-----	-	-	-	1	1	1	1	2	-	-	-	202	202	202	-	202	202
ANKLE:																	
FRACTURE-----	-	-	-	1	1	1	-	1	-	-	-	28	28	28	-	28	28
STRAIN/SPRAIN-----	-	-	-	1	1	1	-	1	-	-	-	10	10	10	-	10	10
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	-	-	38	38	38	-	19	19
FOOT:																	
CONTUSION OR BRUISE-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
UNCLASSIFIED (NO DATA)-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	-	-	10	10	10	-	5	5
LOWER EXTREMITIES, NEC:																	
CHEMICAL BURN-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
CONTUSION OR BRUISE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
FRACTURE-----	-	-	-	1	1	1	-	1	-	-	-	236	236	236	-	236	236
TOTAL OR AVERAGE-----	-	-	-	1	1	1	2	3	-	-	-	236	236	236	-	236	236
BODY SYSTEMS:																	
ASPHYXIATION/DROWNING-----	1	-	-	-	-	1	-	1	6,000	-	-	-	-	6,000	-	-	6,000
TOTAL OR AVERAGE-----	1	-	-	-	-	1	-	1	6,000	-	-	-	-	6,000	-	-	6,000
MULTIPLE PARTS OF BODY:																	
BURN/SCALD (NOT CHEM.)-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
CONTUSION OR BRUISE-----	-	-	-	1	1	1	1	2	-	-	-	89	89	89	-	89	89
TOTAL OR AVERAGE-----	-	-	-	2	2	2	1	3	-	-	-	92	92	92	-	46	46



TABLE 12. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR PART OF BODY INJURED AND NATURE OF INJURY AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

PART OF BODY INJURED AND NATURE OF INJURY	NUMBER OF INJURIES								LOST WORKDAYS					AVERAGE SEVERITY			
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPO-RARY	TOTAL NFDL					PERMANENT		TEMPO-RARY					TOTAL NFDL
		TOTAL	PARTIAL							TOTAL	PARTIAL						
TOTAL OR AVERAGE:	-	-	2	-	2	2	-	2	-	-	135	-	135	135	68	-	68
AMPUTATION/ENUCLEATION----	1	-	-	-	1	1	-	1	6,000	-	-	-	-	6,000	-	-	6,000
ASPHYXIATION/DROWNING----	-	-	-	1	1	1	1	2	-	-	-	3	3	3	-	3	3
BURN/SCALD (NOT CHEM.)----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
CHEMICAL BURN-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
CONCUSSION (CEREBRAL)----	-	-	-	7	7	7	4	11	-	-	-	480	480	480	-	69	69
CONTUSION OR BRUISE-----	-	-	-	5	5	5	8	13	-	-	-	36	36	36	-	7	7
CUT OR PUNCTURE-----	-	-	-	7	7	7	3	10	-	-	-	710	710	710	-	101	101
FRACTURE-----	-	-	-	18	18	18	3	21	-	-	-	1,134	1,134	1,134	-	63	63
STRAIN/SPRAIN-----	-	-	-	1	1	1	1	1	-	-	-	2	2	2	-	2	2
MULTIPLE INJURIES-----	-	-	-	2	2	2	1	3	-	-	-	223	223	223	-	112	112
UNCLASSIFIED (NO DATA)----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	1	-	2	41	43	44	23	67	6,000	-	135	2,588	2,723	8,723	68	63	198









TABLE 13. - NUMBER OF INJURIES BY ACCIDENT CLASSIFICATION AND DEGREE FOR WORK LOCATION AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND STATE	ELECTRICAL			ENTRAPMENT			EXPLODING VESSEL UNDER PRESSURE			EXPLOSIVE AND BREAKING AGENT			FALLING, ROLLING OR SLIDING MATERIAL			FALL OF FACE RIB, SIDE OR HIGHWALL			FALL OF ROOF (UNDERGROUND MINES ONLY)			FIRE			HANDLING MATERIAL			HANDTOOL			NONPOWERED HAULAGE			
	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	
GRAND TOTAL:																																		
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	1	1	-	-	-	-	-	
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
MISSISSIPPI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	16	7	-	2	6	-	-	-

TABLE 13. - NUMBER OF INJURIES BY ACCIDENT CLASSIFICATION AND DEGREE FOR WORK LOCATION AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND STATE	POWERED HAULAGE			HOISTING			IGNITION OR EXPLOSION OF GAS OR DUST			IMPOUNDMENT			INUNDATION			MACHINERY			SLIP OR FALL OF PERSON			STEPPING OR KNEELING ON OBJECT			STRIKING OR BUMPING			OTHER			TOTAL					
	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL	FTL	NFDL	NDL						
GRAND TOTAL:																																				
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	2	2			
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	2	2			
FLORIDA-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	1	8	7			
GEORGIA-----	-	4	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	4	1	-	-	-	-	-	-	-	-	-	-	15	7	1			
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1			
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1		
KENTUCKY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	
MISSISSIPPI-----	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	
NEW MEXICO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	
NORTH CAROLINA-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2		
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	
VIRGINIA-----	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
WYOMING-----	-	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	7	3	3	
TOTAL-----	-	9	4	-	-	-	-	-	-	-	-	-	-	-	1	4	2	-	10	3	-	1	-	-	-	-	-	-	-	-	1	43	23			

TABLE 14. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION AND STATE	ELECTRICAL		ENTRAPMENT		EXPLODING VESSEL UNDER PRESSURE		EXPLOSIVE AND BREAKING AGENT		FALLING, ROLLING OR SLIDING MATERIAL		FALL OF FACE RIB, SIDE OR HIGHWALL		FALL OF ROOF (UNDERGROUND MINES ONLY)		FIRE		HANDLING MATERIAL		HANDTOOL		NONPOWERED HAULAGE	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
<b>UNDERGROUND MINES:</b>																						
<b>UNDERGROUND:</b>																						
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190	-	-	-	-
<b>TOTAL UNDERGROUND:</b>																						
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190	-	-	-	-
<b>SURFACE MINES:</b>																						
<b>OPEN PIT:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	119	-	-	-	-
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265	-	-	-	-
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	-	-	-	-
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	-	-	-	-
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	444	-	-	-	-
<b>TOTAL SURFACE:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	119	-	-	-	-
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265	-	-	-	-
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	-	-	-	-
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	-	-	-	-
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	444	-	-	-	-
<b>TOTAL MINING:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	119	-	-	-	-
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265	-	-	-	-
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	-	-	-	-
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	-	-	-	-
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	634	-	-	-	-



TABLE 14. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND STATE	POWERED HAULAGE		HOISTING		IGNITION OR EXPLOSION OF GAS OR DUST		IMPOUNDMENT		INUNDATION		MACHINERY		SLIP OR FALL OF PERSON		STEPPING OR KNEELING ON OBJECT		STRIKING OR BUMPING		OTHER		TOTAL	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
<b>UNDERGROUND MINES:</b>																						
<b>UNDERGROUND:</b>																						
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	193
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	193
<b>TOTAL UNDERGROUND:</b>																						
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	193
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	193
<b>SURFACE MINES:</b>																						
<b>OPEN PIT:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	8
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	202	-	-	-	-	-	-	-	202
FLORIDA-----	-	1	-	-	-	-	-	-	-	-	6,000	-	-	40	-	-	-	-	-	-	-	6,000
GEORGIA-----	-	24	-	-	-	-	-	-	-	-	-	-	-	257	-	-	-	-	-	-	-	284
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	7
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	118	-	5	-	-	-	-	-	-	-	123
WYOMING-----	-	218	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	218
TOTAL-----	-	243	-	-	-	-	-	-	-	-	6,000	118	-	509	-	7	-	-	-	-	6,000	1,324
<b>TOTAL SURFACE:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	8
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	202	-	-	-	-	-	-	-	202
FLORIDA-----	-	1	-	-	-	-	-	-	-	-	6,000	-	-	40	-	-	-	-	-	-	-	6,000
GEORGIA-----	-	24	-	-	-	-	-	-	-	-	-	-	-	257	-	-	-	-	-	-	-	284
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	7
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	118	-	5	-	-	-	-	-	-	-	123
WYOMING-----	-	218	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	218
TOTAL-----	-	243	-	-	-	-	-	-	-	-	6,000	118	-	509	-	7	-	-	-	-	6,000	1,324
<b>TOTAL MINING:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	8
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	202	-	-	-	-	-	-	-	202
FLORIDA-----	-	1	-	-	-	-	-	-	-	-	6,000	-	-	40	-	-	-	-	-	-	-	6,000
GEORGIA-----	-	24	-	-	-	-	-	-	-	-	-	-	-	257	-	-	-	-	-	-	-	284
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	7
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	118	-	5	-	-	-	-	-	-	-	123
WYOMING-----	-	218	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	411
TOTAL-----	-	243	-	-	-	-	-	-	-	-	6,000	121	-	509	-	7	-	-	-	-	6,000	1,517

TABLE 14. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND STATE	ELECTRICAL		ENTRAPMENT		EXPLODING VESSEL UNDER PRESSURE		EXPLOSIVE AND BREAKING AGENT		FALLING, ROLLING OR SLIDING MATERIAL		FALL OF FACE RIB, SIDE OR HIGHWALL		FALL OF ROOF (UNDERGROUND MINES ONLY)		FIRE		HANDLING MATERIAL		HANDTOOL		NONPOWERED HAULAGE	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
<b>PROCESSING PLANTS:</b>																						
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60	-	-	-	-
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	111	-	-	-	-
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	164	-	60	-	-
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	413	-	71	-	-
<b>TOTAL MINES AND PLNTS:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60	-	-	-	-
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	230	-	-	-	-
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	164	-	60	-	-
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265	-	-	-	-
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	-	-	-	-
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	-	-	-	-
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	266	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1,047	-	71	-	-	-
<b>GRAND TOTAL:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60	-	-	-	-
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	230	-	-	-	-
GEORGIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	164	-	60	-	-
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265	-	-	-	-
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	-	-	-	-
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	-	-	-	-
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
WYOMING-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	266	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1,047	-	71	-	-	-

TABLE 14. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND STATE AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND STATE	POWERED HAULAGE		HOISTING		IGNITION OR EXPLOSION OF GAS OR DUST		IMPOUNDMENT		INUNDATION		MACHINERY		SLIP OR FALL OF PERSON		STEPPING OR KNEELING ON OBJECT		STRIKING OR BUMPING		OTHER		TOTAL	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
<b>PROCESSING PLANTS:</b>																						
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
FLORIDA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	111
GEORGIA-----	-	362	-	-	-	-	-	-	-	-	21	-	95	-	-	-	-	-	-	-	-	702
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
NORTH CAROLINA-----	-	236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	236
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
WYOMING-----	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
TOTAL-----	-	606	-	-	-	-	-	-	-	-	21	-	95	-	-	-	-	-	-	-	-	1,206
<b>TOTAL MINES AND PLNTS:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	8
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	202	-	-	-	-	-	-	-	262
FLORIDA-----	-	1	-	-	-	-	-	-	-	6,000	-	-	40	-	-	-	-	-	-	-	6,000	271
GEORGIA-----	-	386	-	-	-	-	-	-	-	-	21	-	352	-	-	-	-	-	-	-	-	986
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	7
NORTH CAROLINA-----	-	236	-	-	-	-	-	-	-	-	118	-	5	-	-	-	-	-	-	-	-	359
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
WYOMING-----	-	226	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	495
TOTAL-----	-	849	-	-	-	-	-	-	-	6,000	142	-	604	-	7	-	-	-	-	-	6,000	2,723
<b>GRAND TOTAL:</b>																						
ARIZONA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	8
CALIFORNIA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	202	-	-	-	-	-	-	-	262
FLORIDA-----	-	1	-	-	-	-	-	-	-	6,000	-	-	40	-	-	-	-	-	-	-	6,000	271
GEORGIA-----	-	386	-	-	-	-	-	-	-	-	21	-	352	-	-	-	-	-	-	-	-	986
IDAHO-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265
IOWA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
MISSOURI-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
MONTANA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
NEW YORK-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	7
NORTH CAROLINA-----	-	236	-	-	-	-	-	-	-	-	118	-	5	-	-	-	-	-	-	-	-	359
SOUTH CAROLINA-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
WYOMING-----	-	226	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	495
TOTAL-----	-	849	-	-	-	-	-	-	-	6,000	142	-	604	-	7	-	-	-	-	-	6,000	2,723









TABLE 16. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND TYPE OF MINERAL AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION AND TYPE OF MINERAL	ELECTRICAL		ENTRAPMENT		EXPLODING VESSEL UNDER PRESSURE		EXPLOSIVE AND BREAKING AGENT		FALLING, ROLLING OR SLIDING MATERIAL		FALL OF FACE RIB, SIDE OR HIGHWALL		FALL OF ROOF (UNDERGROUND MINES ONLY)		FIRE		HANDLING MATERIAL		HANDTOOL		NONPOWERED HAULAGE	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
UNDERGROUND MINES:																						
UNDERGROUND: SODIUM COMPOUNDS--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190	-	-	-	-
TOTAL UNDERGROUND: SODIUM COMPOUNDS----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190	-	-	-	-
SURFACE MINES:																						
OPEN PIT:																						
CLAY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	28	-	-	-	-
FELDSPAR-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PHOSPHATE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WOLASTNITE-STAUJIT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	444	-	-	-	-
TOTAL SURFACE:																						
CLAY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	28	-	-	-	-
FELDSPAR-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PHOSPHATE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WOLASTNITE-STAUJIT--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	444	-	-	-	-
TOTAL MINING:																						
CLAY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	28	-	-	-	-
FELDSPAR-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PHOSPHATE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SODIUM COMPOUNDS----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WOLASTNITE-STAUJIT--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	634	-	-	-	-



TABLE 16. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND TYPE OF MINERAL AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND TYPE OF MINERAL	POWERED HAULAGE		HOISTING		IGNITION OR EXPLOSION OF GAS OR DUST		IMPOUNDMENT		INUNDATION		MACHINERY		SLIP OR FALL OF PERSON		STEPPING OR KNEELING ON OBJECT		STRIKING OR BUMPING		OTHER		TOTAL	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
UNDERGROUND MINES:																						
UNDERGROUND:																						
SODIUM COMPOUNDS--	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	193
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	193
TOTAL UNDERGROUND:																						
SODIUM COMPOUNDS----	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	193
TOTAL-----	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	193
SURFACE MINES:																						
OPEN PIT:																						
CLAY-----	-	225	-	-	-	-	-	-	-	-	-	-	-	74	-	-	-	-	-	-	-	330
FELDSPAR-----	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	5
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
PHOSPHATE-----	-	1	-	-	-	-	-	-	-	-	6,000	118	-	40	-	-	-	-	-	-	6,000	543
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	7
WOLASTNITE-STAUJIT	-	17	-	-	-	-	-	-	-	-	-	-	-	390	-	-	-	-	-	-	-	407
TOTAL-----	-	243	-	-	-	-	-	-	-	-	6,000	118	-	509	-	7	-	-	-	-	6,000	1,324
TOTAL SURFACE:																						
CLAY-----	-	225	-	-	-	-	-	-	-	-	-	-	-	74	-	-	-	-	-	-	-	330
FELDSPAR-----	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	5
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
PHOSPHATE-----	-	1	-	-	-	-	-	-	-	-	6,000	118	-	40	-	-	-	-	-	-	6,000	543
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	7
WOLASTNITE-STAUJIT--	-	17	-	-	-	-	-	-	-	-	-	-	-	390	-	-	-	-	-	-	-	407
TOTAL-----	-	243	-	-	-	-	-	-	-	-	6,000	118	-	509	-	7	-	-	-	-	6,000	1,324
TOTAL MINING:																						
CLAY-----	-	225	-	-	-	-	-	-	-	-	-	-	-	74	-	-	-	-	-	-	-	330
FELDSPAR-----	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	5
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
PHOSPHATE-----	-	1	-	-	-	-	-	-	-	-	6,000	118	-	40	-	-	-	-	-	-	6,000	543
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	7
SODIUM COMPOUNDS----	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	193
WOLASTNITE-STAUJIT--	-	17	-	-	-	-	-	-	-	-	-	-	-	390	-	-	-	-	-	-	-	407
TOTAL-----	-	243	-	-	-	-	-	-	-	-	6,000	121	-	509	-	7	-	-	-	-	6,000	1,517

TABLE 16. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND TYPE OF MINERAL AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND TYPE OF MINERAL	ELECTRICAL		ENTRAPMENT		EXPLODING VESSEL UNDER PRESSURE		EXPLOSIVE AND BREAKING AGENT		FALLING, ROLLING OR SLIDING MATERIAL		FALL OF FACE RIB, SIDE OR HIGHWALL		FALL OF ROOF (UNDERGROUND MINES ONLY)		FIRE		HANDLING MATERIAL		HANDTOOL		NONPOWERED HAULAGE	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
<b>PROCESSING PLANTS:</b>																						
BORON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62	-	-	-	-
CLAY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	275	-	60	-	-
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PHOSPHATE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POTASH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SODIUM COMPOUNDS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76	-	-	-	-
TALC-SOAPSTONE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-
WOLASTNITE-STAUPLIT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL-----</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	413	-	71	-	-
<b>TOTAL, MINES AND PLNTS:</b>																						
BORON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62	-	-	-	-
CLAY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	303	-	60	-	-
FELDSPAR-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	-	-	-	-
PHOSPHATE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	384	-	-	-	-
POTASH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SODIUM COMPOUNDS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	266	-	-	-	-
TALC-SOAPSTONE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-
WOLASTNITE-STAUPLIT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL-----</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1,047	-	71	-	-	-
<b>GRAND TOTAL:</b>																						
BORON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62	-	-	-	-
CLAY-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	303	-	60	-	-
FELDSPAR-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	-	-	-	-
PHOSPHATE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	384	-	-	-	-
POTASH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHALE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SODIUM COMPOUNDS-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	266	-	-	-	-
TALC-SOAPSTONE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-
WOLASTNITE-STAUPLIT-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL-----</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1,047	-	71	-	-	-

TABLE 16. - NUMBER OF LOST WORKDAYS BY ACCIDENT CLASSIFICATION AND DEGREE OF INJURY FOR WORK LOCATION AND TYPE OF MINERAL AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND TYPE OF MINERAL	POWERED HAULAGE		HOISTING		IGNITION OR EXPLOSION OF GAS OR DUST		IMPOUNDMENT		INUNDATION		MACHINERY		SLIP OR FALL OF PERSON		STEPPING OR KNEELING ON OBJECT		STRIKING OR BUMPING		OTHER		TOTAL	
	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL	FTL	NFDL
<b>PROCESSING PLANTS:</b>																						
BORON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
CLAY-----	-	362	-	-	-	-	-	-	-	-	-	21	-	6	-	-	-	-	-	-	-	724
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PHOSPHATE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POTASH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHALE-----	-	236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	236
SODIUM COMPOUNDS-----	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
TALC-SOAPSTONE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
WOLASTNITE-STAUFLIT--	-	-	-	-	-	-	-	-	-	-	-	-	-	89	-	-	-	-	-	-	-	89
<b>TOTAL-----</b>	<b>-</b>	<b>606</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>21</b>	<b>-</b>	<b>95</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1,206</b>
<b>TOTAL, MINES AND PLNTS:</b>																						
BORON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
CLAY-----	-	587	-	-	-	-	-	-	-	-	-	21	-	80	-	-	-	-	-	-	-	1,054
FELDSPAR-----	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	5
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
PHOSPHATE-----	-	1	-	-	-	-	-	-	-	-	6,000	118	-	40	-	-	-	-	-	-	6,000	543
POTASH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHALE-----	-	236	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	243
SODIUM COMPOUNDS-----	-	8	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	277
TALC-SOAPSTONE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
WOLASTNITE-STAUFLIT--	-	17	-	-	-	-	-	-	-	-	-	-	-	479	-	-	-	-	-	-	-	496
<b>TOTAL-----</b>	<b>-</b>	<b>849</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>6,000</b>	<b>142</b>	<b>-</b>	<b>604</b>	<b>-</b>	<b>7</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>6,000</b>	<b>2,723</b>
<b>GRAND TOTAL:</b>																						
BORON-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
CLAY-----	-	587	-	-	-	-	-	-	-	-	-	21	-	80	-	-	-	-	-	-	-	1,054
FELDSPAR-----	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	5
GYPSUM-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
PHOSPHATE-----	-	1	-	-	-	-	-	-	-	-	6,000	118	-	40	-	-	-	-	-	-	6,000	543
POTASH-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHALE-----	-	236	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	243
SODIUM COMPOUNDS-----	-	8	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	277
TALC-SOAPSTONE-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
WOLASTNITE-STAUFLIT--	-	17	-	-	-	-	-	-	-	-	-	-	-	479	-	-	-	-	-	-	-	496
<b>TOTAL-----</b>	<b>-</b>	<b>849</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>6,000</b>	<b>142</b>	<b>-</b>	<b>604</b>	<b>-</b>	<b>7</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>6,000</b>	<b>2,723</b>

TABLE 17. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND OCCUPATION AT TIME OF INJURY AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION AND OCCUPATION AT TIME OF INJURY	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					PERMANENT		TEMPO-RARY					TOTAL NFDL	
		TOTAL	PARTIAL						TOTAL	PARTIAL							
<b>UNDERGROUND MINES:</b>																	
<b>UNDERGROUND:</b>																	
LABORER-----	-	-	-	1	1	1	-	1	-	-	-	190	190	190	-	190	190
MINER-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
TOTAL OR AVERAGE----	-	-	-	2	2	2	-	2	-	-	-	193	193	193	-	96	96
<b>TOTAL OR AVERAGE, UG:</b>																	
LABORER-----	-	-	-	1	1	1	-	1	-	-	-	190	190	190	-	190	190
MINER-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
TOTAL OR AVERAGE----	-	-	-	2	2	2	-	2	-	-	-	193	193	193	-	96	96
<b>SURFACE MINES:</b>																	
<b>OPEN PIT:</b>																	
BULLDOZER/MOBILE EQUIP.-	1	-	-	1	1	2	-	2	6,000	-	-	188	188	6,188	-	188	3,094
DRAG/CRANE/SHOVEL OPR.--	-	-	-	1	1	1	1	2	-	-	-	2	2	2	-	2	2
ELECTRICIAN-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
FRONT END LOADER-----	-	-	-	1	1	1	-	1	-	-	-	1	1	1	-	1	1
LABORER-----	-	-	-	5	5	5	2	7	-	-	-	45	45	45	-	9	9
MECHANIC/MAINTENANCE----	-	-	-	2	2	2	4	6	-	-	-	34	34	34	-	17	17
MINER-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
SUPERVISOR/FOREMAN-----	-	-	-	1	1	1	1	2	-	-	-	116	116	116	-	116	116
TECH./PROF./CLERICAL----	-	-	-	1	1	1	-	1	-	-	-	265	265	265	-	265	265
TRUCK DRIVER-----	-	-	-	9	9	9	2	11	-	-	-	550	550	550	-	61	61
WELDER/MACHINIST-----	-	-	-	1	1	1	-	1	-	-	-	118	118	118	-	118	118
N.E.C. OR UNKNOWN-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	1	-	-	23	23	24	12	36	6,000	-	-	1,324	1,324	7,324	-	58	305
<b>TOTAL OR AVERAGE, SURFACE:</b>																	
BULLDOZER/MOBILE EQUIP.-	1	-	-	1	1	2	-	2	6,000	-	-	188	188	6,188	-	188	3,094
DRAG/CRANE/SHOVEL OPR.--	-	-	-	1	1	1	1	2	-	-	-	2	2	2	-	2	2
ELECTRICIAN-----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
FRONT END LOADER-----	-	-	-	1	1	1	-	1	-	-	-	1	1	1	-	1	1
LABORER-----	-	-	-	5	5	5	2	7	-	-	-	45	45	45	-	9	9
MECHANIC/MAINTENANCE----	-	-	-	2	2	2	4	6	-	-	-	34	34	34	-	17	17
MINER-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
SUPERVISOR/FOREMAN-----	-	-	-	1	1	1	1	2	-	-	-	116	116	116	-	116	116
TECH./PROF./CLERICAL----	-	-	-	1	1	1	-	1	-	-	-	265	265	265	-	265	265
TRUCK DRIVER-----	-	-	-	9	9	9	2	11	-	-	-	550	550	550	-	61	61
WELDER/MACHINIST-----	-	-	-	1	1	1	-	1	-	-	-	118	118	118	-	118	118
N.E.C. OR UNKNOWN-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE----	1	-	-	23	23	24	12	36	6,000	-	-	1,324	1,324	7,324	-	58	305

TABLE 17. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND OCCUPATION AT TIME OF INJURY AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND OCCUPATION AT TIME OF INJURY	NUMBER OF INJURIES								LOST WORKDAYS						AVERAGE SEVERITY		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO-RARY	TOTAL NFDL					PERMANENT		TEMPO-RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
TOTAL OR AVERAGE, MINING:	1	-	-	1	1	2	-	2	6,000	-	-	188	188	6,188	-	188	3,094
BULLDOZER/MOBILE EQUIP.----	-	-	-	1	1	1	1	2	-	-	2	2	2	-	2	2	
DRAG/CRANE/SHOVEL OPR.----	-	-	-	1	1	1	-	1	-	-	5	5	5	-	5	5	
ELECTRICIAN-----	-	-	-	1	1	1	-	1	-	-	1	1	1	-	1	1	
FRONT END LOADER-----	-	-	-	1	1	1	-	1	-	-	1	1	1	-	1	1	
LABORER-----	-	-	-	6	6	6	2	8	-	-	235	235	235	-	39	39	
MECHANIC/MAINTENANCE-----	-	-	-	2	2	2	4	6	-	-	34	34	34	-	17	17	
MINER-----	-	-	-	1	1	1	1	2	-	-	3	3	3	-	3	3	
SUPERVISOR/FOREMAN-----	-	-	-	1	1	1	1	2	-	-	116	116	116	-	116	116	
TECH./PROF./CLERICAL-----	-	-	-	1	1	1	-	1	-	-	265	265	265	-	265	265	
TRUCK DRIVER-----	-	-	-	9	9	9	2	11	-	-	550	550	550	-	61	61	
WELDER/MACHINIST-----	-	-	-	1	1	1	-	1	-	-	118	118	118	-	118	118	
N.E.C. OR UNKNOWN-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE-----	1	-	-	25	25	26	12	38	6,000	-	-	1,517	1,517	7,517	-	61	289
PROCESSING PLANTS:	-	-	-	1	1	1	-	1	-	-	1	1	1	-	1	1	
BULLDOZER/MOBILE EQUIP.----	-	-	-	1	1	1	1	7	-	-	810	870	870	60	162	145	
LABORER-----	-	-	1	5	6	6	2	8	-	60	146	221	221	75	29	37	
MECHANIC/MAINTENANCE-----	-	-	1	5	6	6	2	7	-	75	114	114	114	-	23	23	
PREP. PLANT OPR.-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SUPERVISOR/FOREMAN-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
TRUCK DRIVER-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
WELDER/MACHINIST-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	
N.E.C. OR UNKNOWN-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE-----	-	-	2	16	18	18	11	29	-	-	135	1,071	1,206	1,206	68	67	67

TABLE 17. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND OCCUPATION AT TIME OF INJURY AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND OCCUPATION AT TIME OF INJURY	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					TOTAL PERMANENT	PERMANENT						TEMPO-RARY	TOTAL NFDL
		TOTAL	PARTIAL							TOTAL	PARTIAL						
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
BULLDOZER/MOBILE EQUIP.----	1	-	-	2	2	3	-	3	6,000	-	-	189	189	6,189	-	94	2,063
DRAG/CRANE/SHOVEL OPR.----	-	-	-	1	1	1	1	2	-	-	2	2	2	-	2	2	
ELECTRICIAN-----	-	-	-	1	1	1	-	1	-	-	5	5	5	-	5	5	
FRONT END LOADER-----	-	-	-	1	1	1	-	1	-	-	1	1	1	-	1	1	
LABORER-----	-	1	-	11	12	12	3	15	-	60	1,045	1,105	1,105	60	95	92	
MECHANIC/MAINTENANCE-----	-	1	-	7	8	8	6	14	-	75	180	255	255	75	26	32	
MINER-----	-	-	-	1	1	1	1	2	-	-	3	3	3	-	3	3	
PREP. PLANT OPR.-----	-	-	-	5	5	5	-	2	-	-	114	114	114	-	23	23	
SUPERVISOR/FOREMAN-----	-	-	-	1	1	1	2	3	-	-	116	116	116	-	116	116	
TECH./PROF./CLERICAL-----	-	-	-	1	1	1	-	1	-	-	265	265	265	-	265	265	
TRUCK DRIVER-----	-	-	-	9	9	9	3	12	-	-	550	550	550	-	61	61	
WELDER/MACHINIST-----	-	-	-	1	1	1	2	3	-	-	118	118	118	-	118	118	
N.E.C. OR UNKNOWN-----	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE-----	1	-	2	41	43	44	23	67	6,000	-	135	2,588	2,723	8,723	68	63	198
GRAND TOTAL OR AVERAGE:																	
BULLDOZER/MOBILE EQUIP.----	1	-	-	2	2	3	-	3	6,000	-	-	189	189	6,189	-	94	2,063
DRAG/CRANE/SHOVEL OPR.----	-	-	-	1	1	1	1	2	-	-	2	2	2	-	2	2	
ELECTRICIAN-----	-	-	-	1	1	1	-	1	-	-	5	5	5	-	5	5	
FRONT END LOADER-----	-	-	-	1	1	1	-	1	-	-	1	1	1	-	1	1	
LABORER-----	-	1	-	11	12	12	3	15	-	60	1,045	1,105	1,105	60	95	92	
MECHANIC/MAINTENANCE-----	-	1	-	7	8	8	6	14	-	75	180	255	255	75	26	32	
MINER-----	-	-	-	1	1	1	1	2	-	-	3	3	3	-	3	3	
PREP. PLANT OPR.-----	-	-	-	5	5	5	-	2	-	-	114	114	114	-	23	23	
SUPERVISOR/FOREMAN-----	-	-	-	1	1	1	2	3	-	-	116	116	116	-	116	116	
TECH./PROF./CLERICAL-----	-	-	-	1	1	1	-	1	-	-	265	265	265	-	265	265	
TRUCK DRIVER-----	-	-	-	9	9	9	3	12	-	-	550	550	550	-	61	61	
WELDER/MACHINIST-----	-	-	-	1	1	1	2	3	-	-	118	118	118	-	118	118	
N.E.C. OR UNKNOWN-----	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE-----	1	-	2	41	43	44	23	67	6,000	-	135	2,588	2,723	8,723	68	63	198

TABLE 18. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND ACCIDENT CLASSIFICATION AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION AND ACCIDENT CLASSIFICATION	NUMBER OF INJURIES							LOST WORKDAYS						AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMANENT PARTIAL	TEMPORARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPORARY					PERMANENT	TEMPORARY	TOTAL NFDL						
		TOTAL	PARTIAL													TOTAL	PARTIAL
<b>UNDERGROUND MINES:</b>																	
<b>UNDERGROUND:</b>																	
HANDLING MATERIAL-----	-	-	-	1	1	1	-	1	-	-	-	190	190	190	-	190	190
MACHINERY-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	-	-	193	193	193	-	96	96
<b>TOTAL OR AVERAGE, UG:</b>																	
HANDLING MATERIAL-----	-	-	-	1	1	1	-	1	-	-	-	190	190	190	-	190	190
MACHINERY-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
TOTAL OR AVERAGE-----	-	-	-	2	2	2	-	2	-	-	-	193	193	193	-	96	96
<b>SURFACE MINES:</b>																	
<b>OPEN PIT:</b>																	
FIRE-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
HANDLING MATERIAL-----	-	-	-	7	7	7	3	10	-	-	-	444	444	444	-	63	63
HAND TOOL-----	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-
POWERED HAULAGE-----	-	-	-	5	5	5	3	8	-	-	-	243	243	243	-	49	49
MACHINERY-----	1	-	-	1	1	2	-	2	6,000	-	-	118	118	6,118	-	118	3,059
SLIP OR FALL OF PERSON-----	-	-	-	8	8	8	3	11	-	-	-	509	509	509	-	64	64
STEPPING OR KNEELING ON OBJECT-----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
TOTAL OR AVERAGE-----	1	-	-	23	23	24	12	36	6,000	-	-	1,324	1,324	7,324	-	58	305
<b>TOTAL OR AVERAGE, SURFACE:</b>																	
FIRE-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
HANDLING MATERIAL-----	-	-	-	7	7	7	3	10	-	-	-	444	444	444	-	63	63
HAND TOOL-----	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-
POWERED HAULAGE-----	-	-	-	5	5	5	3	8	-	-	-	243	243	243	-	49	49
MACHINERY-----	1	-	-	1	1	2	-	2	6,000	-	-	118	118	6,118	-	118	3,059
SLIP OR FALL OF PERSON-----	-	-	-	8	8	8	3	11	-	-	-	509	509	509	-	64	64
STEPPING OR KNEELING ON OBJECT-----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
TOTAL OR AVERAGE-----	1	-	-	23	23	24	12	36	6,000	-	-	1,324	1,324	7,324	-	58	305
<b>TOTAL OR AVERAGE, MINING:</b>																	
FIRE-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
HANDLING MATERIAL-----	-	-	-	8	8	8	3	11	-	-	-	634	634	634	-	79	79
HAND TOOL-----	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-
POWERED HAULAGE-----	-	-	-	5	5	5	3	8	-	-	-	243	243	243	-	49	49
MACHINERY-----	1	-	-	2	2	3	-	3	6,000	-	-	121	121	6,121	-	60	2,040
SLIP OR FALL OF PERSON-----	-	-	-	8	8	8	3	11	-	-	-	509	509	509	-	64	64
STEPPING OR KNEELING ON OBJECT-----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
TOTAL OR AVERAGE-----	1	-	-	25	25	26	12	38	6,000	-	-	1,517	1,517	7,517	-	61	289

TABLE 18. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR WORK LOCATION AND ACCIDENT CLASSIFICATION AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

WORK LOCATION AND ACCIDENT CLASSIFICATION	NUMBER OF INJURIES								LOST WORKDAYS						AVERAGE SEVERITY		
	FATAL	NFDL				TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL				TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL
		PERMANENT		TEMPO-RARY	TOTAL NFDL					PERMANENT		TEMPO-RARY	TOTAL NFDL				
		TOTAL	PARTIAL							TOTAL	PARTIAL						
PROCESSING PLANTS:																	
FALLING, ROLLING, OR SLIDING MATERIAL-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
HANDLING MATERIAL-----	-	-	2	6	8	8	4	12	-	-	135	278	413	413	68	46	52
HAND TOOL-----	-	-	-	2	2	2	3	5	-	-	-	71	71	71	-	36	36
POWERED HAULAGE-----	-	-	-	4	4	4	1	5	-	-	-	606	606	606	-	152	152
MACHINERY-----	-	-	-	2	2	2	2	4	-	-	-	21	21	21	-	10	10
SLIP OR FALL OF PERSON-----	-	-	-	2	2	2	-	2	-	-	-	95	95	95	-	48	48
TOTAL OR AVERAGE-----	-	-	2	16	18	18	11	29	-	-	135	1,071	1,206	1,206	68	67	67
TOTAL OR AVERAGE, ALL MINES AND PLANTS:																	
FALLING, ROLLING, OR SLIDING MATERIAL-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
FIRE-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
HANDLING MATERIAL-----	-	-	2	14	16	16	7	23	-	-	135	912	1,047	1,047	68	65	65
HAND TOOL-----	-	-	-	2	2	2	6	8	-	-	-	71	71	71	-	36	36
POWERED HAULAGE-----	-	-	-	9	9	9	4	13	-	-	-	849	849	849	-	94	94
MACHINERY-----	1	-	-	4	4	5	2	7	6,000	-	-	142	142	6,142	-	36	1,228
SLIP OR FALL OF PERSON-----	-	-	-	10	10	10	3	13	-	-	-	604	604	604	-	60	60
STEPPING OR KNEELING ON OBJECT-----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
TOTAL OR AVERAGE-----	1	-	2	41	43	44	23	67	6,000	-	135	2,588	2,723	8,723	68	63	198
GRAND TOTAL OR AVERAGE:																	
FALLING, ROLLING, OR SLIDING MATERIAL-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
FIRE-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
HANDLING MATERIAL-----	-	-	2	14	16	16	7	23	-	-	135	912	1,047	1,047	68	65	65
HAND TOOL-----	-	-	-	2	2	2	6	8	-	-	-	71	71	71	-	36	36
POWERED HAULAGE-----	-	-	-	9	9	9	4	13	-	-	-	849	849	849	-	94	94
MACHINERY-----	1	-	-	4	4	5	2	7	6,000	-	-	142	142	6,142	-	36	1,228
SLIP OR FALL OF PERSON-----	-	-	-	10	10	10	3	13	-	-	-	604	604	604	-	60	60
STEPPING OR KNEELING ON OBJECT-----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
TOTAL OR AVERAGE-----	1	-	2	41	43	44	23	67	6,000	-	135	2,588	2,723	8,723	68	63	198



TABLE 19. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR ACCIDENT CLASSIFICATION AND PART OF BODY INJURED AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

ACCIDENT CLASSIFICATION AND PART OF BODY INJURED	NUMBER OF INJURIES							LOST WORKDAYS						AVERAGE SEVERITY		
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL	
		PERMANENT		TEMPO-RARY					PERMANENT		TEMPO-RARY					TOTAL NFDL
		TOTAL	PARTIAL						TOTAL	PARTIAL						
FALLING, ROLLING, OR SLIDING MATERIAL: FINGER(S)-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
FIRE: MULTIPLE PARTS OF BODY----	-	-	-	1	1	1	-	1	-	-	3	3	3	-	3	3
TOTAL OR AVERAGE-----	-	-	-	1	1	1	-	1	-	-	3	3	3	-	3	3
HANDLING MATERIAL: HEAD, NEC-----	-	-	-	1	1	1	-	1	-	-	2	2	2	-	2	2
NECK-----	-	-	-	1	1	1	-	1	-	-	1	1	1	-	1	1
FOREARM-----	-	-	-	1	1	1	-	1	-	-	190	190	190	-	190	190
WRIST-----	-	-	-	2	2	2	-	2	-	-	57	57	57	-	28	28
HAND-----	-	-	-	1	1	1	-	1	-	-	1	1	1	-	1	1
FINGER(S)-----	-	-	2	3	5	5	1	6	-	135	189	324	324	68	63	65
BACK-----	-	-	-	3	3	3	2	5	-	-	119	119	119	-	40	40
SHOULDER(S)-----	-	-	-	1	1	1	-	1	-	-	88	88	88	-	88	88
KNEE-----	-	-	-	1	1	1	1	2	-	-	265	265	265	-	265	265
LOWER LEG-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
LOWER EXTREMITIES, NEC----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	2	14	16	16	7	23	-	135	912	1,047	1,047	68	65	65
HAND TOOL: EYE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
HEAD, NEC-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
FOREARM-----	-	-	-	1	1	1	1	2	-	-	11	11	11	-	11	11
FINGER(S)-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
ABDOMEN-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
KNEE-----	-	-	-	1	1	1	-	1	-	-	60	60	60	-	60	60
TOTAL OR AVERAGE-----	-	-	-	2	2	2	6	8	-	-	71	71	71	-	36	36
POWERED HAULAGE: EYE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
HEAD, NEC-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
ELBOW-----	-	-	-	1	1	1	-	1	-	-	4	4	4	-	4	4
UPPER EXTREMITIES, NEC----	-	-	-	1	1	1	-	1	-	-	2	2	2	-	2	2
BACK-----	-	-	-	4	4	4	-	4	-	-	384	384	384	-	96	96
SHOULDER(S)-----	-	-	-	1	1	1	-	1	-	-	218	218	218	-	218	218
FOOT-----	-	-	-	1	1	1	-	1	-	-	5	5	5	-	5	5
LOWER EXTREMITIES, NEC----	-	-	-	1	1	1	-	1	-	-	236	236	236	-	236	236
MULTIPLE PARTS OF BODY----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
TOTAL OR AVERAGE-----	-	-	-	9	9	9	4	13	-	-	849	849	849	-	94	94

TABLE 19. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR ACCIDENT CLASSIFICATION AND PART OF BODY INJURED AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

ACCIDENT CLASSIFICATION AND PART OF BODY INJURED	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					TOTAL PERMANENT	PERMANENT						TEMPO-RARY	TOTAL NFDL
		TOTAL	PARTIAL							TOTAL	PARTIAL						
<b>MACHINERY:</b>																	
MOUTH/TEETH/TONGUE-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
ELBOW-----	-	-	-	1	1	1	-	1	-	-	-	118	118	118	-	118	118
HAND-----	-	-	-	1	1	1	-	1	-	-	-	13	13	13	-	13	13
FINGER(S)-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
UPPER EXTREMITIES, NEC----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
KNEE-----	-	-	-	1	1	1	-	1	-	-	-	8	8	8	-	8	8
BODY SYSTEMS-----	1	-	-	-	-	1	-	1	6,000	-	-	-	-	6,000	-	-	6,000
TOTAL OR AVERAGE-----	1	-	-	4	4	5	2	7	6,000	-	-	142	142	6,142	-	36	1,228
<b>SLIP OR FALL OF PERSON:</b>																	
EAR-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
NECK-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
BACK-----	-	-	-	1	1	1	-	1	-	-	69	69	69	-	69	69	69
PELVIC REGION-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
SHOULDER(S)-----	-	-	-	1	1	1	-	1	-	-	5	5	5	-	5	5	5
TRUNK, NEC-----	-	-	-	1	1	1	-	1	-	-	188	188	188	-	188	188	188
KNEE-----	-	-	-	2	2	2	-	2	-	-	8	8	8	-	8	8	8
LOWER LEG-----	-	-	-	1	1	1	-	1	-	-	202	202	202	-	202	202	202
ANKLE-----	-	-	-	2	2	2	-	2	-	-	38	38	38	-	38	38	38
FOOT-----	-	-	-	1	1	1	-	1	-	-	5	5	5	-	5	5	5
MULTIPLE PARTS OF BODY----	-	-	-	1	1	1	-	1	-	-	89	89	89	-	89	89	89
TOTAL OR AVERAGE-----	-	-	-	10	10	10	3	13	-	-	604	604	604	-	60	60	60
<b>STEPPING OR KNEELING ON OBJECT:</b>																	
KNEE-----	-	-	-	1	1	1	-	1	-	-	7	7	7	-	7	7	7
TOTAL OR AVERAGE-----	-	-	-	1	1	1	-	1	-	-	7	7	7	-	7	7	7

TABLE 19. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR ACCIDENT CLASSIFICATION AND PART OF BODY INJURED AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

ACCIDENT CLASSIFICATION AND PART OF BODY INJURED	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY					
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL			
		PERMANENT		TEMPO-RARY					TOTAL PERMANENT	TOTAL NFDL	PERMANENT					TEMPO-RARY	TOTAL NFDL	
		TOTAL	PARTIAL								TOTAL							PARTIAL
TOTAL OR AVERAGE:	1	-	2	41	43	44	23	67	6,000	-	135	2,588	2,723	8,723	68	63	198	
EAR-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
EYE-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	
MOUTH/TEETH/TONGUE-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3	
HEAD, NEC-----	-	-	-	1	1	1	3	4	-	-	-	2	2	2	-	2	2	
NECK-----	-	-	-	1	1	1	1	2	-	-	-	1	1	1	-	1	1	
ELBOW-----	-	-	-	2	2	2	-	2	-	-	-	122	122	122	-	61	61	
FOREARM-----	-	-	-	2	2	2	1	3	-	-	-	201	201	201	-	100	100	
WRIST-----	-	-	-	2	2	2	-	2	-	-	-	57	57	57	-	28	28	
HAND-----	-	-	-	2	2	2	-	2	-	-	-	14	14	14	-	7	7	
FINGER(S)-----	-	-	2	3	5	5	4	9	-	-	135	189	324	324	68	63	65	
UPPER EXTREMITIES, NEC-----	-	-	-	1	1	1	1	2	-	-	-	2	2	2	-	2	2	
ABDOMEN-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	
BACK-----	-	-	-	8	8	8	2	10	-	-	-	572	572	572	-	72	72	
PELVIC REGION-----	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	
SHOULDER(S)-----	-	-	-	3	3	3	-	3	-	-	-	311	311	311	-	104	104	
TRUNK, NEC-----	-	-	-	1	1	1	-	1	-	-	-	188	188	188	-	188	188	
KNEE-----	-	-	-	6	6	6	1	7	-	-	-	348	348	348	-	58	58	
LOWER LEG-----	-	-	-	1	1	1	1	2	-	-	-	202	202	202	-	202	202	
ANKLE-----	-	-	-	2	2	2	-	2	-	-	-	38	38	38	-	19	19	
FOOT-----	-	-	-	2	2	2	-	2	-	-	-	10	10	10	-	5	5	
LOWER EXTREMITIES, NEC-----	-	-	-	1	1	1	2	3	-	-	-	236	236	236	-	236	236	
BODY SYSTEMS-----	1	-	-	-	-	-	1	1	6,000	-	-	-	-	6,000	-	-	6,000	
MULTIPLE PARTS OF BODY-----	-	-	-	2	2	2	1	3	-	-	-	92	92	92	-	46	46	

TABLE 20. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR ACCIDENT CLASSIFICATION AND NATURE OF INJURY AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

ACCIDENT CLASSIFICATION AND NATURE OF INJURY	NUMBER OF INJURIES							LOST WORKDAYS						AVERAGE SEVERITY			
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMANENT PARTIAL	TEMPORARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPORARY					TOTAL PERMANENT AND TEMPORARY	PERMANENT						TEMPORARY	TOTAL NFDL
		TOTAL	PARTIAL							TOTAL	PARTIAL						
FALLING, ROLLING, OR SLIDING MATERIAL: CUT OR PUNCTURE-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
TOTAL OR AVERAGE-----	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
FIRE:																	
BURN/SCALD (NOT CHEM.)----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
TOTAL OR AVERAGE-----	-	-	-	1	1	1	-	1	-	-	-	3	3	3	-	3	3
HANDLING MATERIAL:																	
AMPUTATION/ENUCLEATION----	-	-	2	-	2	2	-	2	-	-	135	-	135	135	68	-	68
CHEMICAL BURN-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
CONTUSION OR BRUISE-----	-	-	-	2	2	2	-	2	-	-	-	192	192	192	-	96	96
CUT OR PUNCTURE-----	-	-	-	1	1	1	1	2	3	-	-	1	1	1	-	1	1
FRACTURE-----	-	-	-	4	4	4	1	5	-	-	-	244	244	244	-	61	61
STRAIN/SPRAIN-----	-	-	-	6	6	6	2	8	-	-	-	473	473	473	-	79	79
MULTIPLE INJURIES-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
TOTAL OR AVERAGE-----	-	-	2	14	16	16	7	23	-	-	135	912	1,047	1,047	68	65	65
HAND TOOL:																	
CUT OR PUNCTURE-----	-	-	-	1	1	1	4	5	-	-	-	11	11	11	-	11	11
FRACTURE-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
STRAIN/SPRAIN-----	-	-	-	1	1	1	-	1	-	-	-	60	60	60	-	60	60
TOTAL OR AVERAGE-----	-	-	-	2	2	2	6	8	-	-	-	71	71	71	-	36	36
POWERED HAULAGE:																	
CHEMICAL BURN-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
CONCUSSION (CEREBRAL)-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
CONTUSION OR BRUISE-----	-	-	-	3	3	3	1	4	-	-	-	11	11	11	-	4	4
FRACTURE-----	-	-	-	1	1	1	-	1	-	-	-	236	236	236	-	236	236
STRAIN/SPRAIN-----	-	-	-	4	4	4	1	4	-	-	-	384	384	384	-	96	96
UNCLASSIFIED (NO DATA)----	-	-	-	1	1	1	1	2	-	-	-	218	218	218	-	218	218
TOTAL OR AVERAGE-----	-	-	-	9	9	9	4	13	-	-	-	849	849	849	-	94	94
MACHINERY:																	
ASPHYXIATION/DROWNING-----	1	-	-	-	-	1	-	1	6,000	-	-	-	-	6,000	-	-	6,000
BURN/SCALD (NOT CHEM.)----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
CONTUSION OR BRUISE-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
CUT OR PUNCTURE-----	-	-	-	3	3	3	-	3	-	-	-	24	24	24	-	8	8
STRAIN/SPRAIN-----	-	-	-	1	1	1	-	1	-	-	-	118	118	118	-	118	118
TOTAL OR AVERAGE-----	1	-	-	4	4	5	2	7	6,000	-	-	142	142	6,142	-	36	1,228

TABLE 20. - NUMBER OF INJURIES, LOST WORKDAYS, AND AVERAGE SEVERITY BY DEGREE FOR ACCIDENT CLASSIFICATION AND NATURE OF INJURY AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006 (CONTINUED)

ACCIDENT CLASSIFICATION AND NATURE OF INJURY	NUMBER OF INJURIES							LOST WORKDAYS					AVERAGE SEVERITY				
	FATAL	NFDL			TOTAL FATAL AND NFDL	NDL	TOTAL INJURIES	FATAL	NFDL			TOTAL FATAL AND NFDL	PERMA-NENT PARTIAL	TEMPO-RARY	TOTAL FATAL AND NFDL		
		PERMANENT		TEMPO-RARY					TOTAL PERMANENT	PERMANENT						TEMPO-RARY	TOTAL NFDL
		TOTAL	PARTIAL							TOTAL	PARTIAL						
SLIP OR FALL OF PERSON:																	
CONUSION OR BRUISE-----	-	-	-	2	2	2	1	3	-	-	-	277	277	277	-	138	138
CUT OR PUNCTURE-----	-	-	-	2	2	2	1	2	-	-	-	-	-	-	-	-	-
FRACTURE-----	-	-	-	2	2	2	-	2	-	-	-	230	230	230	-	115	115
STRAIN/SPRAIN-----	-	-	-	5	5	5	1	6	-	-	-	92	92	92	-	18	18
UNCLASSIFIED (NO DATA)----	-	-	-	1	1	1	-	1	-	-	-	5	5	5	-	5	5
TOTAL OR AVERAGE-----	-	-	-	10	10	10	3	13	-	-	-	604	604	604	-	60	60
STEPPING OR KNEELING ON OBJECT:																	
STRAIN/SPRAIN-----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
TOTAL OR AVERAGE-----	-	-	-	1	1	1	-	1	-	-	-	7	7	7	-	7	7
TOTAL OR AVERAGE:																	
AMPUTATION/ENUCLEATION----	-	-	2	-	2	2	-	2	-	-	135	-	135	135	68	-	68
ASPHYXIATION/DROWNING----	1	-	-	-	1	1	-	1	6,000	-	-	-	-	6,000	-	-	6,000
BURN/SCALD (NOT CHEM.)----	-	-	-	1	1	1	1	2	-	-	-	3	3	3	-	3	3
CHEMICAL BURN-----	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
CONCUSSION (CEREBRAL)-----	-	-	-	7	7	7	1	1	-	-	-	-	-	-	-	-	-
CONUSION OR BRUISE-----	-	-	-	7	7	7	4	11	-	-	-	480	480	480	-	69	69
CUT OR PUNCTURE-----	-	-	-	5	5	5	8	13	-	-	-	36	36	36	-	7	7
FRACTURE-----	-	-	-	7	7	7	3	10	-	-	-	710	710	710	-	101	101
STRAIN/SPRAIN-----	-	-	-	18	18	18	3	21	-	-	-	1,134	1,134	1,134	-	63	63
MULTIPLE INJURIES-----	-	-	-	1	1	1	-	1	-	-	-	2	2	2	-	2	2
UNCLASSIFIED (NO DATA)----	-	-	-	2	2	2	1	3	-	-	-	223	223	223	-	112	112
TOTAL OR AVERAGE-----	1	-	2	41	43	44	23	67	6,000	-	135	2,588	2,723	8,723	68	63	198

TABLE 21. - OCCURRENCES REPORTED TO MSHA AS OCCUPATIONAL ILLNESSES AT CONTRACTOR NONMETALLIC MINERAL OPERATIONS IN THE UNITED STATES, 2006

WORK LOCATION, TYPE OF MINERAL AND STATE	SKIN DISEASES OR DISORDERS	DUST DISEASES OF THE LUNGS	RESPIRATORY CONDITIONS DUE TO TOXIC AGENTS	POISONING-SYSTEMIC EFFECTS OF TOXIC MATERIALS	DISORDERS DUE TO PHYSICAL AGENTS (NONTOXIC)	DISORDERS ASSOCIATED WITH REPEATED TRAUMA	ALL OTHER OCCUPATIONAL ILLNESSES	TOTAL OCCUPATIONAL ILLNESSES
		NO **	OCCUPATIONAL *****	ILLNESSES *****	REPORTED *****	FOR ***	2006 ****	

TABLE 22 - RELATED NONCOAL MINING SUMMARY REFERENCE TABULATION, NUMBER OF INJURIES, INCIDENCE RATES, AVERAGE NUMBER OF WORKERS, AND EMPLOYEE-HOURS BY MINERAL INDUSTRY AND WORK LOCATION, 2006 (CONTRACTOR DATA)

TYPE OF COAL AND WORK LOCATION	FATAL	FATAL INCIDENCE RATE	NFDL	NFDL INCIDENCE RATE	NDL	NDL INCIDENCE RATE	ALL OCCURRENCES	ALL INCIDENCE RATE	AVERAGE NUMBER OF EMPLOYEES	EMPLOYEE HOURS REPORTED
<b>UNDERGROUND MINES:</b>										
METAL-----	-		58		41		99			
NONMETAL-----	-		2		-		2			
STONE-----	-		2		2		4			
TOTAL, UNDERGROUND MINES--	-		62	2.64	43	1.83	105	4.47	4,236	4,693,397
<b>SURFACE MINES:</b>										
METAL-----	-		91		65		156			
NONMETAL-----	1		23		12		36			
STONE-----	1		91		35		127			
SUBTOTAL, SURFACE MINES--	2		205		112		319			
SAND AND GRAVEL-----	3		24		14		41			
TOTAL, SURFACE MINES-----	5	.03	229	1.25	126	.69	360	1.96	34,198	36,663,514
TOTAL, MINES-----	5	.02	291	1.41	169	.82	465	2.25	38,434	41,356,911
<b>MILLS:</b>										
METAL-----	-		40		30		70			
NONMETAL-----	-		18		11		29			
STONE-----	2		103		43		148			
TOTAL, MILLS-----	2	.02	161	1.79	84	.94	247	2.75	14,982	17,948,779
<b>INDEPENDENT SHOPS AND YARDS:</b>										
METAL-----	-		-		-		-			
NONMETAL-----	-		-		-		-			
STONE-----	-		-		-		-			
TOTAL, SHOPS AND YARDS---	-		-		-		-		66	25,169
<b>ALL MINES, MILLS AND SHOPS:</b>										
METAL-----	-		189		136		325			
NONMETAL-----	1		43		23		67			
STONE-----	3		196		80		279			
SUBTOTAL-----	4		428		239		671			
SAND AND GRAVEL-----	3		24		14		41			
TOTAL, MINES/MILLS/SHOPS-	7	.02	452	1.52	253	.85	712	2.40	53,482	59,330,859
<b>OFFICEWORKERS:</b>										
METAL-----	-		6		3		9			
NONMETAL-----	-		-		-		-			
STONE-----	-		3		-		3			
SAND AND GRAVEL-----	-		-		-		-			
TOTAL, OFFICEWORKERS-----	-		9	.55	3	.18	12	.74	2,463	3,257,209
<b>SUMMARY TOTAL (INCLUDES OFFICEWORKERS):</b>										
METAL-----	-		195		139		334			
NONMETAL-----	1		43		23		67			
STONE-----	3		199		80		282			
SUBTOTAL-----	4		437		242		683			
SAND AND GRAVEL-----	3		24		14		41			
GRAND TOTAL-----	7	.02	461	1.47	256	.82	724	2.31	55,945	62,588,068

TABLE 23 - RELATED COAL MINING SUMMARY REFERENCE TABULATION, NUMBER OF INJURIES, INCIDENCE RATES, AVERAGE NUMBER OF WORKERS, EMPLOYEE-HOURS AND PRODUCTION BY TYPE COAL MINED AND WORK LOCATION, 2006 (CONTRACTOR DATA)

TYPE OF COAL AND WORK LOCATION	FATAL	FATAL INCIDENCE RATE	NFDL	NFDL INCIDENCE RATE	NDL	NDL INCIDENCE RATE	ALL OCCURRENCES	ALL INCIDENCE RATE	AVERAGE NUMBER OF EMPLOYEES	EMPLOYEE HOURS REPORTED	PRODUCTION REPORTED (SHORT TONS)
<b>BITUMINOUS COAL:</b>											
<b>UNDERGROUND MINES:</b>											
UNDERGROUND-----	1		215		40		256				
SURFACE-----	2		56		28		86				
TOTAL, UNDERGROUND MINES--	3		271		68		342				
<b>SURFACE MINES:</b>											
STRIP MINES-----	-		185		102		287				
AUGER MINES-----	-		-		-		-				
OTHER SURFACE MINES-----	-		1		-		1				
TOTAL, SURFACE MINES-----	-		186		102		288				
TOTAL, PRODUCTION MINING--	3		457		170		630				
PREPARATION PLANTS-----	2		94		53		149				
INDEPENDENT SHOPS/YARDS-----	-		4		-		4				
TOTAL, OTHER OPERATIONS---	2		98		53		153				
TOTAL, BITUMINOUS MINING--	5		555		223		783				
<b>PENNSYLVANIA ANTHRACITE COAL:</b>											
<b>UNDERGROUND MINES:</b>											
UNDERGROUND-----	-		-		-		-				
SURFACE-----	-		-		-		-				
TOTAL, UNDERGROUND MINES--	-		-		-		-				
<b>SURFACE MINES:</b>											
STRIP MINES-----	-		2		1		3				
CULM BANK-----	-		-		1		1				
DREDGE-----	-		-		-		-				
TOTAL, SURFACE MINES-----	-		2		2		4				
TOTAL, PRODUCTION MINING--	-		2		2		4				
PREPARATION PLANTS-----	-		-		-		-				
INDEPENDENT SHOPS/YARDS-----	-		-		-		-				
TOTAL, OTHER OPERATIONS---	-		-		-		-				
TOTAL, ANTHRACITE MINING--	-		2		2		4				
<b>ALL COAL:</b>											
<b>UNDERGROUND MINES:</b>											
UNDERGROUND-----	1	.03	215	7.41	40	1.38	256	8.82	4,762	5,805,623	359,248
SURFACE-----	2	.06	56	1.68	28	.84	86	2.58	6,299	6,656,386	-
TOTAL, UNDERGROUND MINES--	3	.05	271	4.35	68	1.09	342	5.49	11,061	12,462,009	359,248
<b>SURFACE MINES:</b>											
STRIP MINES-----	-		187	1.91	103	1.05	290	2.96	15,088	19,610,502	1,475,701
AUGER MINES-----	-		-		-		-		192	124,034	-
CULM BANK-----	-		1	.54	1	.54	2	1.08	509	371,329	-
DREDGE-----	-		-		-		-		77	23,484	-
TOTAL, SURFACE MINES-----	-		188	1.87	104	1.03	292	2.90	15,866	20,129,349	1,475,701
TOTAL, PRODUCTION MINING--	3	.02	459	2.82	172	1.06	634	3.89	26,927	32,591,358	1,834,949
PREPARATION PLANTS-----	2	.04	94	1.74	53	.98	149	2.75	7,911	10,821,447	-
INDEPENDENT SHOPS/YARDS-----	-		4	1.23	-		4	1.23	627	648,691	-
TOTAL, OTHER OPERATIONS---	2	.03	98	1.71	53	.92	153	2.67	8,538	11,470,138	-
TOTAL, ALL COAL-----	5	.02	557	2.53	225	1.02	787	3.57	35,465	44,061,496	1,834,949
<b>OFFICeworkERS:</b>											
BITUMINOUS-----	-		2		2		4				
ANTHRACITE-----	-		1		-		1				
TOTAL, OFFICeworkERS-----	-		3	.29	2	.19	5	.48	1,817	2,094,396	-
<b>GRAND TOTAL-----</b>	<b>5</b>	<b>.02</b>	<b>560</b>	<b>2.43</b>	<b>227</b>	<b>.98</b>	<b>792</b>	<b>3.43</b>	<b>37,282</b>	<b>46,155,892</b>	<b>1,834,949</b>