

***Postal Service Mail.XML 10.0C***  
***Technical Specification***  
***for***  
***Postage Payment and Reporting (eDoc)***

**Release 8 January 2012**  
**Release 9 April 2012**  
**Release 10 June 2012**

**Version 1.3.2**

# Table of Contents

<b>DOCUMENT CHANGE HISTORY</b> .....	<b>12</b>
<b>1. POSTALONE! – EDOC MAIL.XML MESSAGES</b> .....	<b>25</b>
1.1 OVERVIEW.....	25
1.2 MESSAGE RESPONSE RETRIEVAL REQUEST PROCESSING.....	25
1.2.1 <i>Fault and Fault Recovery Messages</i> .....	25
1.3 ADDITIONAL RULES/CONSTRAINTS.....	25
1.3.1 <i>Container Status Messages</i> .....	25
1.3.1 <i>ContainerStatusQueryResponse Error Codes / Return Values</i> .....	26
1.4 ERROR CODES/RETURN VALUES.....	26
1.5 ADDITIONAL CONSTRAINTS.....	89
1.6 <i>POSTALONE!</i> WSDL INFORMATION.....	89
1.7 PERMIT INFORMATION.....	90
<b>2. POSTAL SERVICE MAIL.XML TECHNICAL SPECIFICATION</b> .....	<b>96</b>
2.1 PROGRAM OVERVIEW.....	96
2.1.1 <i>Mail.XML 10.0C Electronic Documentation (eDoc)</i> .....	99
2.1.1 <i>Mail.XML 9.0C Change History</i> .....	99
2.1.1 <i>Mail.XML 9.0B Change History</i> .....	100
2.2 ABOUT SCHEMA MODULARIZATION.....	100
2.3 WHAT SCHEMAS COVER ELECTRONIC DOCUMENTATION (EDOC) FUNCTIONALITY? .....	101
2.4 USPS LIMITATION RULE ON TRANSACTION REQUESTS.....	101
2.5 RECOMMENDED FILE SIZES FOR OPTIMUM MAIL.XML PERFORMANCE .....	102
2.6 ROADMAP OF MAIL.XML.....	102
2.7 PURPOSE.....	102
2.8 INTENDED AUDIENCE.....	103
2.9 ABOUT THIS DOCUMENT.....	103
2.10 HOW TO READ DATA STRUCTURE.....	103
2.11 ISSUE RESOLUTION.....	104
2.12 MAIL.XML MESSAGE HIERARCHY.....	104
1.1.1 FULL-SERVICE & MIXED SERVICE MAILINGS.....	104
1.1.2 FULL-SERVICE & MIXED SERVICE MAILINGS.....	108
2.13 WORKFLOWS.....	111
2.13.1 <i>Non-Periodicals without Full-Service</i> .....	111
2.13.1 <i>Periodicals without Full-Service</i> .....	111
2.13.1 <i>Non-Periodicals with Full-Service</i> .....	111
2.13.1 <i>Periodicals with Full-Service</i> .....	112
2.13.1 <i>Combined/ Commingled Mailing - non-Periodicals</i> .....	112
2.13.1 <i>Combined/ Commingled Mailing - Periodicals</i> .....	113
2.13.1 <i>Copalletized Mailing for Trays on Pallets non-Periodicals</i> .....	113
2.13.1 <i>Copalletized Mailing for Bundles on Pallets - Standard Mail</i> .....	113
2.13.1 <i>Copalletized Mailing for Bundles on Pallets - Periodicals Mail</i> .....	114
2.14 EXCEPTIONS.....	114
<b>3. MAIL.XML 10.0C EDOC AND MISCELLANEOUS MESSAGES</b> .....	<b>116</b>
3.1 BEGINCOMBINEDMAILINGREQUEST.....	118
3.2 BEGINCOMBINEDMAILINGRESPONSE.....	119

3.3	BUNDLEDETAILCANCELREQUEST .....	121
3.4	BUNDLEDETAILCANCELRESPONSE .....	123
3.5	BUNDLEDETAILCREATEREQUEST .....	124
3.6	BUNDLEDETAILCREATERESPONSE .....	125
3.7	CLOSEMAILINGGROUPREQUEST .....	127
3.8	CLOSEMAILINGGROUPRESPONSE .....	128
3.9	CONSOLIDATEDPERIODICALSTATEMENTCREATEREQUEST .....	129
3.10	CONSOLIDATEDPERIODICALSTATEMENTCREATERESPONSE .....	134
3.11	CONTAINERBUNDLEREPORTCANCELREQUEST.....	135
3.12	CONTAINERBUNDLEREPORTCANCELRESPONSE.....	136
3.13	CONTAINERBUNDLEREPORTCREATEREQUEST.....	138
3.14	CONTAINERBUNDLEREPORTCREATERESPONSE.....	140
3.15	CONTAINERBUNDLEREPORTQUERYREQUEST.....	142
3.16	CONTAINERBUNDLEREPORTQUERYRESPONSE.....	143
3.17	CONTAINERMANIFESTCREATEREQUEST.....	146
3.18	CONTAINERMANIFESTCREATERESPONSE.....	147
3.19	CONTAINERUPDATEREQUEST.....	148
3.20	CONTAINERUPDATERESPONSE.....	150
3.21	CUSTOMERMAILREPORTCREATEREQUEST.....	152
3.22	CUSTOMERMAILREPORTCREATERESPONSE.....	154
3.23	ENDCOMBINEDMAILINGREQUEST .....	155
3.24	ENDCOMBINEDMAILINGRESPONSE .....	156
3.25	MAILINGGROUPQUERYREQUEST .....	158
3.26	MAILINGGROUPQUERYRESPONSE .....	159
3.27	MAILPIECECANCELREQUEST.....	160
3.28	MAILPIECECANCELRESPONSE.....	164
3.29	MAILPIECECREATEREQUEST.....	166
3.30	MAILPIECECREATERESPONSE.....	180
3.31	MAILPIECEUPDATEREQUEST.....	181
3.32	MAILPIECEUPDATERESPONSE.....	185
3.33	OPENMAILINGGROUPREQUEST .....	187
3.34	OPENMAILINGGROUPRESPONSE .....	188
3.35	PERIODICALSTATEMENTCREATEREQUEST.....	189
3.36	PERIODICALSTATEMENTCREATERESPONSE.....	192
3.37	PERIODICALSTATEMENTQUERYREQUEST .....	195
3.38	PERIODICALSTATEMENTQUERYRESPONSE .....	195
3.39	POSTAGESTATEMENTCANCELREQUEST .....	197
3.40	POSTAGESTATEMENTCANCELRESPONSE .....	198
3.41	POSTAGESTATEMENTCREATEREQUEST .....	200
3.42	POSTAGESTATEMENTCREATERESPONSE .....	203
3.43	POSTAGESTATEMENTSTATUSQUERYREQUEST .....	205
3.44	POSTAGESTATEMENTQUERYRESPONSE.....	206
3.45	POSTAGESTATEMENTSTATUSQUERYREQUEST .....	207
3.46	POSTAGESTATEMENTSTATUSQUERYRESPONSE .....	208
3.47	QUALIFICATIONREPORTCREATEREQUEST .....	210
3.48	QUALIFICATIONREPORTCREATERESPONSE .....	210
3.49	QUALIFICATIONREPORTQUERYREQUEST .....	210
3.50	QUALIFICATIONREPORTQUERYRESPONSE.....	212
3.51	QUALIFICATIONREPORTSUMMARYCREATEREQUEST.....	213
3.52	QUALIFICATIONREPORTSUMMARYCREATERESPONSE.....	214
3.53	QUALIFICATIONREPORTDETAILCREATEREQUEST .....	216
3.54	QUALIFICATIONREPORTDETAILCREATERESPONSE .....	217
3.55	SUMMARYZIPDESTINATIONREPORTCREATEREQUEST.....	219
3.56	SUMMARYZIPDESTINATIONREPORTCREATERESPONSE.....	221

3.57	RECONCILIATIONREPORTQUERYREQUEST.....	222
3.58	RECONCILIATIONREPORTQUERYRESPONSE.....	223
<b>4.</b>	<b>APPENDIX A – MAIL.XML 10.0C EDOC COMPLEX AND ATTRIBUTE TYPES DATA</b>	
	<b>STRUCTURE.....</b>	<b>226</b>
4.1	COMPLEXTYPE: BASICRETURNINFOTYPE .....	226
4.2	COMPLEXTYPE: BUNDLEDETAILTYPE .....	226
4.3	COMPLEXTYPE: BUNDLEVERSIONRECORDTYPE.....	230
4.4	COMPLEXTYPE: BUNDLERECORDTYPE.....	231
4.5	COMPLEXTYPE: CERTIFICATIONDATATYPE.....	232
4.6	COMPLEXTYPE: CONTAINERCOUNTTYPE .....	233
4.7	COMPLEXTYPE: CONTAINERERRORWARNINGBLOCKTYPE .....	234
4.8	COMPLEXTYPE: CONTAINERINFODATA .....	234
4.9	COMPLEXTYPE: CONTAINERMANIFESTHEADERINFO.....	242
4.10	COMPLEXTYPE: CONTAINERPOSTAGETYPE.....	243
4.11	COMPLEXTYPE: CONTENTUSPSSUMMARYTYPE .....	244
4.12	COMPLEXTYPE: CONTAINERDETAILDATA .....	245
4.13	COMPLEXTYPE: COMPONENTPERIODICALADPERCENTTYPE .....	248
4.14	COMPLEXTYPE: COMPONENTWEIGHTUPDATETYPE .....	248
4.15	COMPLEXTYPE: CREATEPERIODICALSTATEMENTTYPE .....	249
4.16	COMPLEXTYPE: CREATEPOSTAGESTATEMENTTYPE .....	251
4.17	COMPLEXTYPE: DATARECIPIENT .....	259
4.18	COMPLEXTYPE: DOCUMENTVERSIONDATA.....	259
4.19	COMPLEXTYPE: DOCUMENTVERSIONDATAWITHPERMIT .....	260
4.20	COMPLEXTYPE: EXTRASERVICEDATA.....	262
4.21	COMPLEXTYPE: EXTRASERVICESUMMARYDATA .....	262
4.22	COMPLEXTYPE: FULLCONTAINERIDTYPE .....	264
4.23	COMPLEXTYPE: FULLCOMPONENTTYPE.....	264
4.24	COMPLEXTYPE: INTELLIGENTMAILBARCODETYPE .....	265
4.25	COMPLEXTYPE: INTELLIGENTMAILPACKAGEBARCODETYPE .....	266
4.26	COMPLEXTYPE: LARGE TRANSACTION DIVIDER GROUP OPTIONAL TYPE .....	267
4.27	COMPLEXTYPE: LARGEQUALREPORTTRANS DIVIDER TYPE .....	267
4.28	COMPLEXTYPE: LINEITEMSUMMARYDATA .....	268
4.29	COMPLEXTYPE: MAILOWNERBLOCKTYPE .....	273
4.30	COMPLEXTYPE: MAILPIECEBLOCKGROUP TYPE .....	274
4.31	COMPLEXTYPE: MAILPIECEBLOCKTYPE.....	275
4.32	COMPLEXTYPE: MAILERDATATYPE.....	278
4.33	COMPLEXTYPE: MAILERDATAREQUESTTYPE.....	279
4.34	COMPLEXTYPE: MAILERSERIALNUMBERBLOCKTYPE .....	280
4.35	COMPLEXTYPE: MAILINGGROUPDATATYPE.....	281
4.36	COMPLEXTYPE: MAILINGGROUPSUMMARY.....	281
4.37	COMPLEXTYPE: MIDTYPE .....	282
4.38	ATTRIBUTE GROUP: MAILXML OPEN MAIL GROUP REQUEST HEADER INFO .....	282
4.39	ATTRIBUTE GROUP: MAILXML MAIL OPEN GROUP RESPONSE ACCEPT HEADER INFO .....	282
4.40	ATTRIBUTE GROUP: MAILXML MAIL OPEN GROUP RESPONSE REJECT HEADER INFO.....	283
4.41	ATTRIBUTE GROUP: MAILXML DASHBOARD HEADER INFO .....	283
4.42	ATTRIBUTE GROUP: MAILXML MAIL GROUP REQUEST HEADER INFO .....	283
4.43	ATTRIBUTE GROUP: MAILXML MAIL GROUP RESPONSE HEADER INFO .....	283
4.44	ATTRIBUTE GROUP: MAILXML HEADER INFO .....	284
4.45	ATTRIBUTE GROUP: MAILXML MSG RESPONSE HEADER INFO .....	284
4.46	COMPLEXTYPE: MAILXMLPIECERANGEBLOCKTYPE .....	284
4.47	ATTRIBUTE GROUP: MAILXML POSTAGE STATEMENT RESPONSE HEADER INFO .....	290
4.48	ATTRIBUTE GROUP: MAILXML POSTAGE STATEMENT REQUEST HEADER INFO .....	290
4.49	ATTRIBUTE GROUP: MAILXML QUAL REPORT REQUEST HEADER INFO .....	291

4.50	ATTRIBUTEGROUP: MAILXMLQUALREPORTRESPONSEHEADERINFO .....	293
4.51	COMPLEXTYPE: PALLETCONTAINERVERSIONRECORDTYPE .....	294
4.52	COMPLEXTYPE: PALLETCONTAINERRECORDTYPE .....	294
4.53	COMPLEXTYPE: PIECEBARCODERECORDBLOCKTYPE .....	295
4.54	COMPLEXTYPE: PIECEBARCODERECORDBLOCKFORMAILXMLTYPE .....	296
4.55	COMPLEXTYPE: PERIODICALLINEITEMDATA .....	297
4.56	COMPLEXTYPE: PERIODICALSTATEMENTDATATYPE .....	299
4.57	COMPLEXTYPE: PARTICIPANTIDTYPE/ SUBMITTINGPARTY .....	304
4.58	COMPLEXTYPE: PERMITPUBLICATIONDATATYPE .....	305
4.59	ATTRIBUTEGROUP: POSTAGEMESSAGEHEADERINFO .....	306
4.60	COMPLEXTYPE: POSTAGESTATEMENTSUMMARYTYPE .....	306
4.61	COMPLEXTYPE: POSTAGESTATEMENTDATATYPE .....	306
4.62	COMPLEXTYPE: POSTAGESTATEMENTLINEITEMDATA .....	317
4.63	COMPLEXTYPE: QUALIFICATIONREPORT .....	324
4.64	COMPLEXTYPE: QUALIFICATIONSUMMARYREPORT .....	326
4.65	COMPLEXTYPE: QUALIFICATIONREPORTDATATYPE .....	327
4.66	COMPLEXTYPE: QUALIFICATIONREPORTDETAILDATATYPE .....	328
4.67	COMPLEXTYPE: QUALIFICATIONREPORTSUMMARYDATATYPE .....	329
4.68	COMPLEXTYPE: QUALIFICATIONPREPARERDATATYPE .....	330
4.69	COMPLEXTYPE: QUALIFICATIONREPORTPREPARERDATATYPE .....	332
4.70	COMPLEXTYPE: RETURNINFOTYPE .....	333
4.71	COMPLEXTYPE: SACKTRAYCONTAINERVERSIONRECORDTYPE .....	334
4.72	COMPLEXTYPE: SACKTRAYCONTAINERRECORDTYPE .....	335
4.73	COMPLEXTYPE: SUBMITTINGSOFTWARETYPE .....	336
4.74	COMPLEXTYPE: SUMMARYRECORDUPDATATYPE .....	336
4.75	COMPLEXTYPE: STCFORCONTAINERORTRAYTYPE .....	346
4.76	COMPLEXTYPE: USPSSUMMARYTYPE .....	347
<b>5.</b>	<b>APPENDIX B – MAIL.XML 10.0C EDOC SIMPLE TYPES DATA STRUCTURE .....</b>	<b>350</b>
5.1	SIMPLETYPE: ACTIONCODETYPE .....	350
5.2	SIMPLETYPE: ADDRESSCORRECTIONMOVETYPE .....	350
5.3	SIMPLETYPE: ADDITIONALINHOMERANGETYPE .....	350
5.4	SIMPLETYPE: ADJUSTMENTSTATUSTYPE .....	350
5.5	SIMPLETYPE: ADJUSTMENTTYPE .....	351
5.6	SIMPLETYPE: AGENCYCOSTCODETYPE .....	351
5.7	SIMPLETYPE: APPTMETHODTYPE .....	351
5.8	SIMPLETYPE: APPTSTATETYPE .....	351
5.9	SIMPLETYPE: APPTSTATUSTYPE .....	351
5.10	SIMPLETYPE: APPTTYPETYPE .....	352
5.11	SIMPLETYPE: BARCODERATETYPE .....	352
5.12	SIMPLETYPE: BILLREASONCODETYPE .....	352
5.13	SIMPLETYPE: BUNDLEDETAILLEVELTYPE .....	352
5.14	SIMPLETYPE: BUNDLELEVELTYPE .....	353
5.15	SIMPLETYPE: BUNDLERECORDSTATUSTYPE .....	353
5.16	SIMPLETYPE: BUNDLESTATUSTYPE .....	353
5.17	SIMPLETYPE: CANADAADMALONLYTYPE .....	353
5.18	SIMPLETYPE: CHARGEABLEBUNDLELEVELTYPE .....	353
5.19	SIMPLETYPE: CHARGEABLECONTAINERTYPE .....	353
5.20	SIMPLETYPE: CHARGEABLECONTAINERLEVELTYPE .....	354
5.21	SIMPLETYPE: CHARGEABLEENTRYLEVELTYPE .....	354
5.22	SIMPLETYPE: CLASSNOTIFICATIONTYPE .....	354
5.23	SIMPLETYPE: CLOSEOUTIRREGULARITIESTYPE .....	354
5.24	SIMPLETYPE: CLOSEOUTRESOLUTIONTYPE .....	355
5.25	SIMPLETYPE: COMMUNICATIONROLETYPE .....	355

5.26	SIMPLETYPE: COMPONENTIDTYPE .....	355
5.27	SIMPLETYPE: COMPONENTWEIGHTTYPE .....	355
5.28	SIMPLETYPE: COMPONENTWEIGHTSOURCE TYPE .....	356
5.29	SIMPLETYPE: COMPONENTWEIGHTSTATUS TYPE .....	356
5.30	SIMPLETYPE: CONSIGNEECONTENTIDTYPE .....	356
5.31	SIMPLETYPE: CONTAINERBUNDLESTATUS TYPE .....	356
5.32	SIMPLETYPE: CONTAINER24CHARACTERBARCODE TYPE .....	356
5.33	SIMPLETYPE: CONTAINERACCEPTANCEDATE TYPE .....	356
5.34	SIMPLETYPE: CCCLEVELTYPE .....	356
5.35	SIMPLETYPE: CONTAINERGROUPINGDESCRIPTION TYPE .....	357
5.36	SIMPLETYPE: CONTAINERGROSSWEIGHT TYPE .....	357
5.37	SIMPLETYPE: CONTAINERHEIGHT TYPE .....	357
5.38	SIMPLETYPE: CONTAINERLEVELTYPE .....	357
5.39	SIMPLETYPE: CONTAINERPICKUPDATE TYPE .....	359
5.40	SIMPLETYPE: CONTAINERPICKUPTIME TYPE .....	359
5.41	SIMPLETYPE: CONTAINERSHIPDATE TYPE .....	359
5.42	SIMPLETYPE: CONTAINERSHIPTIME TYPE .....	359
5.43	SIMPLETYPE: CONTACTTYPE .....	359
5.44	SIMPLETYPE: CONTAINERTYPE .....	360
5.45	SIMPLETYPE: CONTAINERSTATUS TYPE .....	360
5.46	SIMPLETYPE: CONTAINERHEIGHTSOURCE TYPE .....	360
5.47	SIMPLETYPE: CPTPERIODICALADPERCENTAGE TYPE .....	360
5.48	SIMPLETYPE: CPTPERIODICALADPERCENTAGEBASIS TYPE .....	360
5.49	SIMPLETYPE: CPTPERIODICALADPERCENTAGESTATUS TYPE .....	361
5.50	SIMPLETYPE: CQTDATABASEIDTYPE .....	361
5.51	SIMPLETYPE: CREDITDEBITINDICATOR .....	361
5.52	SIMPLETYPE: CRIDTYPE .....	361
5.53	SIMPLETYPE: CRIDSTATUS TYPE .....	361
5.54	SIMPLETYPE: CSATEMPLATE TYPE .....	361
5.55	SIMPLETYPE: CSASTATUS TYPE .....	362
5.56	SIMPLETYPE: DATABASECONTAINERIDTYPE .....	362
5.57	SIMPLETYPE: DAYFREQUENCYTYPE .....	362
5.58	SIMPLETYPE: DAYSOFWEEK TYPE .....	362
5.59	SIMPLETYPE: DAYSTYPE .....	362
5.60	SIMPLETYPE: DIRECTORMIXEDCATEGORYTYPE .....	363
5.61	SIMPLETYPE: DEC03-2.....	363
5.62	SIMPLETYPE: DEC04-3.....	363
5.63	SIMPLETYPE: DEC18-6.....	363
5.64	SIMPLETYPE: DEC10-4.....	363
5.65	SIMPLETYPE: DEC18-8.....	363
5.66	SIMPLETYPE: DELIVERABILITYCODE TYPE .....	363
5.67	SIMPLETYPE: ELECTRONICFILETYPE.....	364
5.68	SIMPLETYPE: EMAILTYPE .....	364
5.69	SIMPLETYPE: EMD8125ASNBARCODETYPE .....	364
5.70	SIMPLETYPE: ENCLOSEDBYTYPE .....	364
5.71	SIMPLETYPE: ENTRYDISCOUNTTYPE .....	364
5.72	SIMPLETYPE: ENTRYFACILITYTYPE.....	364
5.73	SIMPLETYPE: ENTRYPOINTEDPOSTALCODETYPE.....	365
5.74	SIMPLETYPE: ENTRYPOINTEDFACILITYTYPE TYPE .....	365
5.75	SIMPLETYPE: ENTRYPOINTADLOCALEKEYTYPE .....	365
5.76	SIMPLETYPE: ENTRYPOINTADPOSTALCODETYPE.....	365
5.77	SIMPLETYPE: ES2.....	365
5.78	SIMPLETYPE: ES3.....	365
5.79	SIMPLETYPE: ES4.....	365

5.80	SIMPLETYPE: ES5	365
5.81	SIMPLETYPE: ES31	366
5.82	SIMPLETYPE: EXEMPTIONCODETYPE	366
5.83	SIMPLETYPE: FASTCONTENTIDTYPE	366
5.84	SIMPLETYPE: FASTSCHEDULERIDTYPE	366
5.85	SIMPLETYPE: FEENOTIFICATIONTYPE	366
5.86	SIMPLETYPE: FLATRATEINDICATORTYPE	366
5.87	SIMPLETYPE: FORMTYPE	367
5.88	SIMPLETYPE: FULLSERVICECOMPLIANCEINDICATORTYPE	367
5.89	SIMPLETYPE: FSPI TYPE	367
5.90	SIMPLETYPE: GPSSYSTEMTYPE	367
5.91	SIMPLETYPE: IDTYPE	367
5.92	SIMPLETYPE: IMBTYPE	367
5.93	SIMPLETYPE: IMCBTYPE	368
5.94	SIMPLETYPE: IMPBTYPE	368
5.95	SIMPLETYPE: IMBARCODEIDTYPE	368
5.96	SIMPLETYPE: IMBSERIALNUMBER6TYPE	368
5.97	SIMPLETYPE: IMBSERIALNUMBER9TYPE	368
5.98	SIMPLETYPE: IMBUPPERSERIALIZATIONTYPE	368
5.99	SIMPLETYPE: IMBLOWERSERIALIZATIONTYPE	368
5.100	SIMPLETYPE: IMTBTYPE	368
5.101	SIMPLETYPE: INCENTIVETYPETYPE	368
5.102	SIMPLETYPE: INCLUDEDINOTHERDOCTYPE	369
5.103	SIMPLETYPE: INTERNALDATETYPE	369
5.104	SIMPLETYPE: INTERNATIONALPSPARTTYPE	369
5.105	SIMPLETYPE: INTERNATIONALZONETYPE	369
5.106	SIMPLETYPE: INTERNATIONALPSPARTSECTIONTYPE	369
5.107	SIMPLETYPE: INTERNATIONALPRICEGRUPTYPE	371
5.108	SIMPLETYPE: INOUTCOUNTYINDICATORTYPE	371
5.109	SIMPLETYPE: INCOUNTYOUTCOUNTYINDICATORTYPE	371
5.110	SIMPLETYPE: INT04	371
5.111	SIMPLETYPE: JOBIDTYPE	372
5.112	SIMPLETYPE: LOCALEKEYTYPE	372
5.113	SIMPLETYPE: INDUCTIONSTATUSTYPE	372
5.114	SIMPLETYPE: LOGICALPHYSICALBUNDLEINDICATORTYPE	372
5.115	SIMPLETYPE: LOGICALPHYSICALCONTAINERINDICATORTYPE	372
5.116	SIMPLETYPE: MAILAGREEMENTTYPE	372
5.117	SIMPLETYPE: MAILCLASSTYPE	372
5.118	SIMPLETYPE: MAILDATCONTAINERSTATUSTYPE	373
5.119	SIMPLETYPE: MAILDATRECORDSTATUS	373
5.120	SIMPLETYPE: MAILERID6TYPE	373
5.121	SIMPLETYPE: MAILERID9TYPE	373
5.122	SIMPLETYPE: MAILISSUETYPE	373
5.123	SIMPLETYPE: MAILXMLCONTAINERTYPE	373
5.124	SIMPLETYPE: MAILXMLPRESENTATIONCATEGORYTYPE	374
5.125	SIMPLETYPE: MANIFESTTYPE	374
5.126	SIMPLETYPE: MANIFESTMAILCLASSTYPE	375
5.127	SIMPLETYPE: MANIFESTRATELEVELTYPE	375
5.128	SIMPLETYPE: MANIFESTEXTRASERVICECODE	377
5.129	SIMPLETYPE: MAILXMLSTATUSTYPE	377
5.130	SIMPLETYPE: MIDSTATUSTYPE	378
5.131	SIMPLETYPE: METEREDAFFIXEDMETHODTYPE	378
5.132	SIMPLETYPE: MONTHTYPE	378
5.133	SIMPLETYPE: MOVEUPDATEMETHODTYPE	378

5.134	SIMPLETYPE: MOVEUPDATETYPE .....	378
5.135	SIMPLETYPE: MPUIDTYPE .....	378
5.136	SIMPLETYPE: NS02 .....	379
5.137	SIMPLETYPE: NS03 .....	379
5.138	SIMPLETYPE: NS04 .....	379
5.139	SIMPLETYPE: NS05 .....	379
5.140	SIMPLETYPE: NS06 .....	379
5.141	SIMPLETYPE: NS08 .....	379
5.142	SIMPLETYPE: NS09 .....	379
5.143	SIMPLETYPE: NS10 .....	379
5.144	SIMPLETYPE: NS11 .....	379
5.145	SIMPLETYPE: NS13 .....	380
5.146	SIMPLETYPE: NS22 .....	380
5.147	SIMPLETYPE: N01 .....	380
5.148	SIMPLETYPE: N02 .....	380
5.149	SIMPLETYPE: N03 .....	380
5.150	SIMPLETYPE: N04 .....	380
5.151	SIMPLETYPE: N05 .....	380
5.152	SIMPLETYPE: N06 .....	380
5.153	SIMPLETYPE: NEWADDRESSTYPE .....	380
5.154	SIMPLETYPE: ADDRESSTYPE .....	381
5.155	SIMPLETYPE: OPERATINGMODETYPE .....	381
5.156	SIMPLETYPE: ONEPASSPLANNEDORACTUALFLAGTYPE .....	381
5.157	SIMPLETYPE: PACKAGEIDTYPE .....	381
5.158	SIMPLETYPE: PACKAGESERVICESTYPE .....	381
5.159	SIMPLETYPE: PACKAGECOUNTRANGETYPE .....	381
5.160	SIMPLETYPE: PACKAGINGMETHODTYPE .....	382
5.161	SIMPLETYPE: PALLETHANDLINGUNITTYPE .....	382
5.162	SIMPLETYPE: PALLETTYPE .....	382
5.163	SIMPLETYPE: PARENTCONTAINERREFIDTYPE .....	382
5.164	SIMPLETYPE: PERCENTAGETYPE .....	382
5.165	SIMPLETYPE: PERIODICALPRICETYPE .....	382
5.166	SIMPLETYPE: PERIODICALSTATEMENTTYPE .....	383
5.167	SIMPLETYPE: PERMITTYPETYPE .....	383
5.168	SIMPLETYPE: PHONENUMBERTYPE .....	383
5.169	SIMPLETYPE: PICKUPORDELIVERYTYPE .....	383
5.170	SIMPLETYPE: PLANETCODETYPE .....	383
5.171	SIMPLETYPE: POSTAGEGROUPINGIDTYPE .....	384
5.172	SIMPLETYPE: POSTAGEPAYMENTMETHODTYPE .....	384
5.173	SIMPLETYPE: POSTAGESTATEMENTLINENUMBER1TYPE .....	384
5.174	SIMPLETYPE: POSTAGESTATEMENTLINENUMBER2TYPE .....	384
5.175	SIMPLETYPE: POSTAGESTATEMENTLINENUMBER3TYPE .....	385
5.176	SIMPLETYPE: POSTAGESTATEMENTSTATETYPE .....	385
5.177	SIMPLETYPE: POSTAGESTATEMENTSTATUSTYPE .....	385
5.178	SIMPLETYPE: PRICETYPE .....	386
5.179	SIMPLETYPE: PRIMARYSECONDARYINDICATORTYPE .....	386
5.180	SIMPLETYPE: PROCESSINGCATEGORYTYPE .....	386
5.181	SIMPLETYPE: PROCESSINGCODETYPE .....	387
5.182	SIMPLETYPE: PVDSCONTAINERTYPE .....	387
5.183	SIMPLETYPE: PVDSCONTAINERSUBTYPE .....	387
5.184	SIMPLETYPE: QUALIFICATIONREPORTCLASSTYPE .....	387
5.185	SIMPLETYPE: RATECATEGORYTYPE .....	387
5.186	SIMPLETYPE: RATELEVELTYPE .....	395
5.187	SIMPLETYPE: RATELEVELINDICATORTYPE .....	396



5.188	SIMPLETYPE: RATE TYPE .....	396
5.189	SIMPLETYPE: REASON CODE TYPE .....	397
5.190	SIMPLETYPE: RECIPIENT TYPE .....	397
5.191	SIMPLETYPE: RECURRING STATUS TYPE .....	397
5.192	SIMPLETYPE: RESERVATION NUMBER TYPE .....	398
5.193	SIMPLETYPE: ROLE TYPE .....	398
5.194	SIMPLETYPE: RESPONSIBLE TRANSPORTATION PARTY TYPE .....	399
5.195	SIMPLETYPE: ROUTING ZIP CODE TYPE .....	399
5.196	SIMPLETYPE: S01.....	399
5.197	SIMPLETYPE: S02.....	399
5.198	SIMPLETYPE: S03.....	399
5.199	SIMPLETYPE: S04.....	399
5.200	SIMPLETYPE: S05.....	399
5.201	SIMPLETYPE: S06.....	400
5.202	SIMPLETYPE: S07.....	400
5.203	SIMPLETYPE: S08.....	400
5.204	SIMPLETYPE: S09.....	400
5.205	SIMPLETYPE: S10.....	400
5.206	SIMPLETYPE: S11.....	400
5.207	SIMPLETYPE: S12.....	400
5.208	SIMPLETYPE: S15.....	401
5.209	SIMPLETYPE: S16.....	401
5.210	SIMPLETYPE: S18.....	401
5.211	SIMPLETYPE: S20.....	401
5.212	SIMPLETYPE: S22.....	401
5.213	SIMPLETYPE: S25.....	401
5.214	SIMPLETYPE: S28.....	402
5.215	SIMPLETYPE: S30.....	402
5.216	SIMPLETYPE: S31.....	402
5.217	SIMPLETYPE: S40.....	402
5.218	SIMPLETYPE: S45.....	402
5.219	SIMPLETYPE: S50.....	402
5.220	SIMPLETYPE: S60.....	403
5.221	SIMPLETYPE: S64.....	403
5.222	SIMPLETYPE: S66.....	403
5.223	SIMPLETYPE: S72.....	403
5.224	SIMPLETYPE: S80.....	403
5.225	SIMPLETYPE: S255.....	403
5.226	SIMPLETYPE: S256.....	404
5.227	SIMPLETYPE: S260.....	404
5.228	SIMPLETYPE: SACKING BASIS TYPE .....	404
5.229	SIMPLETYPE: SCHEDULED INDUCTION DATE TYPE .....	404
5.230	SIMPLETYPE: SCHEDULED INDUCTION TIME TYPE .....	404
5.231	SIMPLETYPE: SCHEDULED IN HOME DATE TYPE .....	404
5.232	SIMPLETYPE: SERIAL NUMBER SEVEN OR ELEVEN .....	404
5.233	SIMPLETYPE: SERIAL NUMBER TEN OR FOURTEEN .....	404
5.234	SIMPLETYPE: SEGMENT ID TYPE .....	405
5.235	SIMPLETYPE: SERVICE LEVEL INDICATOR TYPE .....	405
5.236	SIMPLETYPE: SERVICE CODE TYPE .....	405
5.237	SIMPLETYPE: SERVICE TYPE CODE TYPE .....	405
5.238	SIMPLETYPE: SORTATION LEVEL TYPE .....	405
5.239	SIMPLETYPE: SERVICE SUB CODE TYPE .....	406
5.240	SIMPLETYPE: STANDARD FLAT TYPE TYPE .....	406
5.241	SIMPLETYPE: STATE CODE .....	406

5.242	SIMPLETYPE: STATUSTYPE .....	408
5.243	SIMPLETYPE: STOPDESIGNATORTYPE .....	408
5.244	SIMPLETYPE: SURCHARGETYPE .....	408
5.245	SIMPLETYPE: TOTALWEIGHTTYPE .....	409
5.246	SIMPLETYPE: TRAILERLENGTHTYPE .....	409
5.247	SIMPLETYPE: TRANSPORTATIONMETHODTYPE .....	409
5.248	SIMPLETYPE: TRANSPORTATIONMODETYPE .....	409
5.249	SIMPLETYPE: TRANSSHIPBOLNUMBERTYPE .....	409
5.250	SIMPLETYPE: TRAYTYPE .....	409
5.251	SIMPLETYPE: TRAYTYPEINDICATORTYPE .....	409
5.252	SIMPLETYPE: TRUCKDISPATCHNUMBERTYPE .....	410
5.253	SIMPLETYPE: UNITLOADTYPE .....	410
5.254	SIMPLETYPE: UNLOADSTATETYPE .....	410
5.255	SIMPLETYPE: UOMTYPE .....	410
5.256	SIMPLETYPE: UNIQUECONTAINERIDTYPE .....	412
5.257	SIMPLETYPE: USERINFORMATIONLINE1TYPE .....	412
5.258	SIMPLETYPE: USERINFORMATIONLINE2TYPE .....	412
5.259	SIMPLETYPE: USERLICENSECODETYPE .....	412
5.260	SIMPLETYPE: USPSPICKUPTYPE .....	412
5.261	SIMPLETYPE: VERIFICATIONLOCATIONTYPE .....	413
5.262	SIMPLETYPE: VERIFICATIONREPORTTYPE .....	413
5.263	SIMPLETYPE: WASTEDPIECEINDICATORTYPE .....	413
5.264	SIMPLETYPE: WEEKFREQUENCYTYPE .....	413
5.265	SIMPLETYPE: WEIGHTBREAKTYPE .....	414
5.266	SIMPLETYPE: YESNO .....	414
5.267	SIMPLETYPE: ZIPCODETHREEORFIVEDIGIT .....	414
5.268	SIMPLETYPE: ZONEICTYPE .....	414
5.269	SIMPLETYPE: ONEPASSORTWOPASSTYPE .....	415
5.270	SIMPLETYPE: USPSPACKAGEUNIQUECHARACTERISTICTYPE .....	415
5.271	SIMPLETYPE: STANDARDFLATTYPETYPE .....	415
5.272	SIMPLETYPE: MARKETINGORFULFILLMENTTYPE .....	415
5.273	SIMPLETYPE: MLOCRRATETYPE .....	415
5.274	SIMPLETYPE: USPSPRICEINCENTIVETYPE .....	415
<b>6.</b>	<b>APPENDIX C - EDOCUMENTATION FORM VALUES .....</b>	<b>416</b>
	eDOC FORM VALUES .....	416
6.1	CONTAINER STATUS TYPE .....	416
6.2	ENTRY FACILITY TYPE VALUES .....	416
6.3	ENTRY FACILITY TYPE .....	416
6.4	FORM TYPE .....	416
6.5	FULL-SERVICE INDICATOR .....	416
6.6	POSTAGE STATEMENT STATUS DEFINITIONS .....	417
6.7	RATE CATEGORY .....	418
6.8	FIRST CLASS MAIL – RATE CATEGORY AND CORRESPONDING RATE LEVEL .....	419
6.9	PERIODICALS IN-COUNTY – RATE CATEGORY AND CORRESPONDING RATE LEVEL .....	419
6.10	PERIODICALS OUTSIDE-COUNTY – RATE CATEGORY AND CORRESPONDING RATE LEVEL .....	421
6.11	STANDARD MAIL – RATE CATEGORY AND CORRESPONDING RATE LEVEL .....	422
6.12	ADD PRICING FOR OUTSIDE COUNTY PERIODICALS PREPARED AS FSS .....	424
6.13	ADD FSS PREPARATION .....	425
6.14	FAULT CODES .....	426
<b>7.</b>	<b>APPENDIX D – POSTAGE STATEMENT MAPPINGS .....</b>	<b>428</b>
7.1	MAILING INFORMATION – NON PERIODICALS .....	428
<b>8.</b>	<b>APPENDIX E - WSDLs AND XSDs .....</b>	<b>438</b>



## Document Change History

These are the changes from Version 1.3.1 to Version 1.3.2

Date	Section #	Title	Description
01/20/2012	All		Updated document version in the footer and front page
01/20/2012	All		Removed the watermark from the document
01/20/2012	All		Removed "DRAFT" from the document title
01/30/2012	3.41	PostageStatementCreateRequest	<p>Added the following business rule: Beginning in Release 29.0.0, the Mail.XML PostageStatementCreateRequest will allow for mailers to provide the Payment Account Number in "PermitPublicationData" block. This field will be used for Mail Anywhere product.</p> <p>The PostageStatementCreateRequest will not require Inbound DVD's, up to 1 ounce, to pay the nonmachinable surcharge.</p> <p>The PostageStatementCreateRequest will allow that inbound DVD's over one ounce, may or may not be required to pay the nonmachinable surcharge</p>
01/30/2012	5.185	rateCategoryType	<p>Added the following business rule: The following values shall no longer supported by rateCategory Type</p> <ul style="list-style-type: none"> <li>• NG = 5-Digit</li> <li>• NK = SCF</li> <li>• N5 = NDC</li> <li>• N6 = Mixed NDC</li> </ul>

These are the changes from Version 1.3.0 to Version 1.3.1

Date	Section #	Title	Description
01/19/2012	All		Updated references to Appendix A & B

These are the changes from Version 1.2.0 to Version 1.3.0

Date	Section #	Title	Description
01/18/2012	All		Updated header and footer.
01/18/2012	2.1	Program Overview	Added Table 1 - Mail.XML Versions Supported for eDoc.  Added Table 2 – eDoc Pricing or Incentive Supported by Mail.XML Versions  Removed references to support of older versions of Mail.XML that no longer support eDoc
01/18/2012	Table of Contents	Table of Contents	Updated font/formatting
01/18/2012	1.1	Overview	Added ® after PostalOne! and Mail.dat  Updated text from 'ids' to 'IDs'
01/18/2012	1.2	Message Response Retrieval Request Processing	Updated grammar throughout section
01/18/2012	1.4	Error Codes/Return Values	Removed unnecessary '<' in text  Removed the following Error Codes from the Error Code Table that are no longer valid: 8425, 8739, 8740
01/18/2012	1.6	PostalOne! WSDL Information	Updated text 'WSDLS' to 'WSDLs'  Removed section describing String-Type WSDLs because they are no longer supported in Mail.XML 10.0C
01/18/2012	1.7	Permit Information	Updated grammar
01/18/2012	2.1	Program Overview	Updated paragraph and versions listed to current versions supported – 10C and 11D  Specified that this document focuses solely on the eDoc message functionalities in Mail.XML version 10.0C.  Updated sentence to say “based on subject matter and Mail.XML version” and updated the list of documents to reflect the current Mail.XML specifications available: <i>Postal Service Mail.XML Technical Specification for Postage Payment and Reporting (eDoc)</i>

Date	Section #	Title	Description
			<i>Postal Service Mail.XML Technical Specification for Appointment Scheduling (FAST)</i> <i>Postal Service Mail.XML Technical Specification for Profiles and Full-Service Feedback (Data Distribution)</i> <i>Postal Service Mail.XML Technical Specification for Mailer IDs and Customer Registration IDs (MID and CRID)</i>
01/18/2012	2.2	About Schema Modularization	Deleted "From Mail.XML 9.0B publication" from first sentence
01/18/2012	2.6	Roadmap of Mail.XML	Last column heading updated to 'Release 29.0.0' (not Release 28.0.0)  Updated table description to include sentence: 'Release dates may be different for each functionality and are subject to change as necessary.'
1/18/2012	2.7	Purpose	Change reference of Section 1.6 to 2.6.

These are the changes from Version 1.1.1 to Version 1.2.0

Date	Section #	Title	Description
01/09/2012	All		Edited document front page to include Release 8
01/09/2012	All		Updated document version and date in the footer

These are the changes from Version 1.1.0 to Version 1.1.1

Date	Section #	Title	Description
1/05/2012	1.0	eDoc Mail.XML Messages	Updated Overview typos

These are the changes from RIBBS Version 1.0.0 (Sept 30, 2011) to Version 1.1.0

Date	Section #	Title	Description
12/22/2011	1.0	eDoc Mail.XML Messages	Updated Overview, Message Response Retrieval Request Processing, Additional Rules and Constraints, and Error Codes/Return

Date	Section #	Title	Description
			Values
12/15/2011		Header & Footer	Updated Header & Footer
11/16/2011	6.236	serviceCodeType	Updated SimpleType: serviceCodeType by added two new codes SCE = Signature confirmation Electronic DCE = Delivery Confirmation Electronic
10/27/2011	2.4	Error Codes/Return Values	Deleted Error code 8425When the FullServiceParticipationIndicator in  MailPieceCreateRequest message must be accepted before submitting the PostageStatementCreateRequest message.
10/27/2011	2.4	Error Codes/Return Values	Updated Error code 8419 to: 8419For all Full-Service MailXMLPieceRangeBloc
10/27/2011	2.4	Error Codes/Return Values	Added Error Codes: 9020The combination of BarcodeID, ServiceType
10/27/2011	2.4	Error Codes/Return Values	9021The MailerID and SerialNumber in the Piece
10/27/2011	2.4	Error Codes/Return Values	Updated Error Code 9038 9038The ContainerBarcode in the ContainerInfoD

These are the changes from RIBBS Version 9.8.4 (Aug 9, 2011)

These changes are being implemented to contribute to the goal of breaking down and editing the Postal Service Mail.XML technical specifications by Mail.XML supported versions to facilitate editing and enhance readability and navigation throughout the document.

In addition, to easier navigation, some sections such as the appendixes have been reorganized.

Previously the technical specifications were just divided by function (eDoc, Data Distribution, FAST). In that scheme, all supported Mail.XML for each release were all combined in one technical specification per function release. i.e. For Release 28 (November 2011) the Mail.XML eDoc technical specification included the supported Mail.XML versions 9.0B, 9.0C and 10.0C, as while the FAST technical specification containing Mail.XML 8.0B and 10.0 versions.

This approach resulted sometimes in bulky document that became difficult to edit, manage or read as with documents mounting up to sometimes 1000 pages.

With the new editing process, the technical guides are edited focusing on the Mail.XML supported version per function.

For instance, the FAST guide supporting Mail.XML 8.0B and 10.0 versions will have two different sub-Technical specifications for Release 29 (January 2012).

Each technical specification will also group all Mail.XML version and their respective supported errata versions.

For instance, 9.0B and 9.0C supported in eDoc technical specification for Release 28 are combined in one document since they are errata for Mail.XML 9.0. However if Mail.XML 8.0B and 8.1 were supported, they would have been in two different documents since they are not of the same Mail.XML version.

By convention, Mail.XML version name containing a letter, such as 7.0C, 9.0B, 10.0A are considered errata. In contrast, Mail.XML 8.0 and 8.1 are considered two different versions.

Date	Section #	Title	Description
10/20/20122	1.4	Error Codes/Return Values	Removed error code 8394  <del>8394—ScheduledInductionDateTime is required when the CSAID in the ContainerInfoData block is populated and the ———USPSPickup field in the ContainerInfoData block is populated with N and FullServiceParticipationIndicator in the ———MailingGroupData block is F or M.</del>
10/20/20122	1.4	Error Codes/Return Values	Added error codes 9020 and 9021 9020 The combination of BarcodeID, ServiceTypeCode, MailerID and SerialNumber, DeliveryPointZIP in the IMB block must be unique below the configurable threshold (0%) when the mailing is Full or Mixed Service. (MailerID: %%2; SerialNumbers: %%3).  9021 The MailerID and SerialNumber in the PieceRangeBlock must be unique within a mailing group below the configurable threshold (0%) when the mailing is Full-Service or Mixed Service. (PieceRange ID: #####)
10/20/20122	1.4	Error Codes/Return Values	Updated error codes 8419 and 9038 by replacing 20% with 2%.
9/29/2011	1.1	Program Overview Mail.XML 10.0C Electronic Documentation (eDoc)	Replace “Please note that Mail.XML version 10.0C will not be supported until November 2011.” by “Please note that Mail.XML version 10.0C will be supported until January 2012.”
9/29/2011	1.13	Workflows  Combined/ Commingled Mailing - non- Periodicals	Replaced 11.Send each PeriodicalStatementCreateRequest By 11.Send each ConsolidatedPeriodicalStatementCreateRequest
9/29/2011	All		Replaced reference to QualificationReportCreateRequest by QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest throughout the document.



Date	Section #	Title	Description
9/22/2011	2.4	Error Codes/Return Values	<p>Added Error Codes: 8428, 8516, 8605, 8621, 9023, 9236, 9251, 9252, 9254, 9255, 9256, 9257, 8004</p> <p>Updated Error Codes:</p> <p>Error Code 8055 Previous Error Text: PermitZIP4 field within PermitPublicationData block in the DocumentVersionDataWithPermit block in the QualificationReport block is required when the FormType is: FC, SM, BP, ML, PM, or PP.</p> <p>Updated Error Text: PermitZIP4 field within PermitPublicationData block in the DocumentVersionDataWithPermit block in the QualificationReport block is required when the FormType is: PM, FC, SM, BP, PP, or ML.</p> <p>Error Code 8161 Previous Error Text: PermitType field in the PermitPublicationData block in the PermitHolderData block must be populated with PI or OI.</p> <p>Updated Error Text: PermitType field in the PermitPublicationData block in the PermitHolderForAPData block must be populated with PI or OI.</p> <p>Error Code 8382 Previous Error Text; FormType in the QualificationReport block must be populated with F or MC, SM, BP, or PE when the FullServiceParticipationIndicator in the MailingGroupData block of the OpenMailingGroupRequest message is populated with F or M.</p> <p>Updated Error Text: FormType in the QualificationReport block must be populated with FC, SM, BP, or PE when the FullServiceParticipationIndicator in the MailingGroupData block of the OpenMailingGroupRequest message is populated with F or M.</p> <p>Error Code 8588 Previous Error Text:</p>

Date	Section #	Title	Description
			<p>RateType must be E or T when FormType is PM and ProcessingCategory is FL.</p> <p>Updated Error Text: RateType must be C, E, L, or T when FormType is PM and ProcessingCategory is FL.</p> <p>Error Code 8589 Previous Error Text: RateCategory must be S or PR when FormType is PM and ProcessingCategory is FL.</p> <p>Updated Error Text: RateCategory must be S, PR, P10, P11, P12, P13, P14, P15, or P16 when FormType is PM and ProcessingCategory is FL.</p> <p>Error Code 8590 Previous Error Text: RateType must be T when FormType is PM and ProcessingCategory is LT.</p> <p>Updated Error Text: RateType must be C or T when FormType is PM and ProcessingCategory is LT.</p> <p>Error Code 8592 Previous Error Text: RateType must be E, G, J, K, 'O', X, or T when FormType is PM and ProcessingCategory is PF.</p> <p>Updated Error Text: RateType must be E, G, J, K, L, X, or T when FormType is PM and ProcessingCategory is PF. Error Code 8593 Previous Error Text: RateCategory must be S when FormType is PM and ProcessingCategory is PF.</p> <p>Updated Error Text: RateCategory must be S, P10, P11, P12, P13, P14, P15, or P16 when FormType is PM and ProcessingCategory is PF.</p> <p>Error Code 8595 Previous Error Text: RateCategory must be populated with S or PR when FormType is PM.</p> <p>Updated Error Text: RateCategory must be populated with S, PR, P10, P11, P12, P13, P14, P15, or P16 when</p>

Date	Section #	Title	Description
			<p>FormType is PM.</p> <p>Error Code 8598: Previous Error Text: FlatRateIndicator must be populated with B, E, L, M, or S when FormType is PM.</p> <p>Updated Error Text: FlatRateIndicator must be populated with B, C, E, F, L, M, O, P, or S when FormType is PM.</p> <p>Error Code 8602 Previous Error Text: RateType must be populated with R, T, E, G, J, K, 'O', X or S when FormType is PM.</p> <p>Updated Error Text: RateType must be populated with C, L, T, E, G, J, K, or X when FormType is PM.</p> <p>Error Code 8611 Previous Error Text: ProcessingCategory must be populated with MP or IR when FormType is PP and RateType is P.</p> <p>Updated Error Text: ProcessingCategory must be populated with MP, NP or IR when FormType is PP and RateType is P.</p> <p>Error Code 8613 Previous Error Text: RateCategory must be populated with S, Z1, or Z2 when FormType is PP and RateType is P.</p> <p>Updated Error Text: RateCategory must be populated with S when FormType is PP and RateType is P.</p> <p>Error Code 8616 Previous Error Text: SurchargeType must be populated with 2 or N when FormType is PP.</p> <p>Updated Error Text: SurchargeType must be populated with 2, N, or P when FormType is PP.</p> <p>Error Code 8618 Previous Error Text: BarcodeRate must be populated with Y or N when FormType is PP.</p>

Date	Section #	Title	Description
			<p>Updated Error Text: BarcodeRate must be populated with N when FormType is PP and RateType is P.</p> <p>Error Code 8620 Previous Error Text: PostagePaymentMethod must be populated with S, M, or P when FormType is PP.</p> <p>Updated Error Text: PostagePaymentMethod must be populated with M or P when FormType is PP.</p> <p>Error Code 8698 Previous Error Text: VersionID in the ContainerDetailData must be populated and referenced with a VersionID in the DocumentVersionDataWithPermit block. (Container ID: %%1)</p> <p>Updated Error Text: VersionID in the ContainerDetailData must be populated and referenced with a VersionID in at least one DocumentVersionDataWithPermit block associated to a Qualification Report. (Container ID: %%1)</p> <p>Error Code 8737 Previous Error Text: A ContainerDetailID field submitted in the PeriodicalStatementCreateRequest message must match a ContainerDetailID field submitted in the associated QualificationReportCreateRequestMessage. (ContainerDetailID %%1 missing for ContainerID %%2)</p> <p>Updated Error Text: A ContainerDetailID field submitted in the Periodical- or ConsolidatedPeriodicalStatementCreateRequest must match a ContainerDetailID field submitted in the associated QualificationReportCreateRequest. (ContainerDetailID %%1 missing for ContainerID %%2)</p> <p>Error Code 8885 Previous Error Text: When populated, the FullServiceLevelIndicator field must be set to F.</p>

Date	Section #	Title	Description
			<p>Updated Error Text: When populated, the FullServiceParticipationIndicator field must be set to F.</p> <p>Error Code 9019 Previous Error Text: The FormType field must be set to First Class or Standard Mail for a co-palletized mailing with Container Type field set to F, O, or T.</p> <p>Updated Error Text: The FormType field must be set to First-Class Mail or Standard Mail for a co-palletized mailing with the Container Type field set to F, O or T.</p> <p>Error Code 9023 Previous Error Text: The PermitType in the PermitHolderData block must be populated with PI or OI for First-Class Commercial Plus Parcels.</p> <p>Updated Error Text: PermitType field in the PermitPublicationData block in the PermitHolderForAPData block must be populated with PI or OI.</p> <p>Error Code 9158 Previous Error Text: AgencyCostCode field in MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match AgencyCostCode field in MailXMLPostageStatementRequestHeaderInfo block of EndCombinedMailingRequest message.</p> <p>Updated Error Text: AgencyCostCode field in MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match AgencyCostCode field in MailXMLPostageStatementRequestHeaderInfo block of EndCombinedMailingRequest message.</p> <p>Error Code 9180 Previous Error Text: For elnduction processing, the EntryLocaleKey field in the ContainerInfoData block must be</p>

Date	Section #	Title	Description
			<p>populated when the corresponding ContainerType in the ContainerInfoData block is P, H, A, G, D, R, C, Z, M, T, O, E, F, S, 1, 2, 3, or L and the container is not a sibling.</p> <p>Updated Error Text: For eInduction processing, the EntryLocaleKey field in the ContainerInfoData block must be populated when the corresponding ContainerType is P, H, A, G, D, R, C, Z, M, T, O, E, F, S, 1, 2, 3, or L and the container is not a sibling.</p> <p>Error Code 9183 Previous Error Text: For eInduction processing, the ContainerBarcode field in the ContainerInfoData block must be unique within the mailing group and amongst all containers associated to the SubmittingParty CRID that were finalized within the last 45 days.</p> <p>Updated Error Text: For eInduction processing, the ContainerBarcode field in the ContainerInfoData block for IMcb(s)/pallets must be unique within the mailing group and amongst all containers associated to the SubmittingParty CRID that were finalized within the last 45 days.</p> <p>Error Code 9184 Previous Error Text: For eInduction processing, the ContainerBarcode field in the ContainerInfoData block must be unique within the mailing group and amongst all containers finalized within the last 45 days.</p> <p>Updated Error Text: For eInduction processing, the ContainerBarcode field in the ContainerInfoData block for IMcb(s)/pallets must be unique within the mailing group and amongst all containers finalized within the last 45 days.</p> <p>Error Code 9242 Previous Error Text: The fields within the DocumentVersionDataWithPermit block for each unique VersionID must match for all QualificationReportDetailCreateRequest</p>

Date	Section #	Title	Description
			<p>messages associated to the same Qualification Report.</p> <p>Updated Error Text: The fields within the DocumentVersionDataWithPermit block for each unique VersionID must match for all QualificationReportDetailCreateRequest messages associated to the same Qualification Report. VersionID (%%1)</p> <p>Error Code 9243 Previous Error Text: The QualificationReportCreateRequest messenger is not supported in Mail.XML 10.0C.</p> <p>Updated Error Text: The QualificationReportCreateRequest message is not supported in Mail.XML 10.0C.</p> <p>Error Code 9245 Previous Error Text: The maximum weight for a Priority Mail Regional Rate Box A mail piece is 20 lbs.</p> <p>Updated Error Text: The maximum weight for a Priority Mail Regional Rate Box B mail piece is 20 lbs.</p> <p>Removed Error Codes: 8695, 8975, 8976, 8977, 8978, 8979, 8980, 8981, 8982, 8983, 9104, 9178, 9189, 9190, 9207, 9212, 9240</p>

Date	Section #	Title	Description
8/31/2011		Appendix, A,B,C,D,E	Reorganized the appendixes order
8/30/2011	All	Header	Updated header to by adding 10.0C in the title Mail.XML Postal Service Mail.XML 10.0C Technical Specification for Postage Payment and Reporting (eDoc) January 2012 Release
8/24/2011		Footer	Updated the footer to: USPS® – Postal Service Mail.XML 10.0C Technical Specification Version 1.0 - 09/08/2011 – Page 23 Copyright © 2011 USPS®. All Rights Reserved.

Date	Section #	Title	Description
8/24/2011		Change History	Added the note: "These changes are being implemented to contribute to the goal of editing of the Postal Service Mail.XML technical specification by function (eDoc, Data Distribution, FAST), which are themselves further divided by Mail.XML versions i.e. 9.0C, 10.0, 11.0 supported in a release."
		Road Map of Mail.XML	Updated the road map to include Mail.XML versions supported in Winter 2012



# 1. *PostalOne!* – eDoc Mail.XML Messages

## 1.1 Overview

This section provides the technical information related to the *PostalOne!*® - Mail.XML™ Web Services messages which support all electronic documentation (eDoc) and miscellaneous functionality related to mailer interaction with the *PostalOne!* system in managing, updating and querying mail contents. Web Services messages also supplement the Mail.dat® functionality, such as payment message queries and container status checking for eDropShip.

eDoc messages use the same technology concept of Web Services near real time messaging architecture. Customers are required to have Web Services capable software that can manage the data itself and be able to send and receive the Web Services Mail.XML based transactions from the USPS. Customers and vendors who have developed the WWS (Wizard Web Services) software are required to modify both their software to work with Mail.XML XSD and enhance WWS message names and implementation. The near real time architecture will allow sending final documentation transactions to the USPS and getting response in near real time in most cases. For large transactions, the asynchronous web services architecture provided through tracking IDs in Mail.XML is available, which allows the customer's software to query the USPS *PostalOne!* system again to find out if the piece data or qualification reports were processed with either accepted or rejected response.

## 1.2 Message Response Retrieval Request Processing

### 1.2.1 Fault and Fault Recovery Messages

This series of messages is primarily used to support asynchronous communication; when the response from the USPS is not within a seven second period, the USPS sends a Tracking ID to the customer. The customer then uses the Tracking ID to get his message response back using the Message Response Retrieval Request/Response message. Please note all response messages now have a Tracking ID, though all messages are not specifically outlined in the Mail.XML 10.0C section.

- Message Response Retrieval Request
- Message Response Retrieval Response

Customers have the ability to provide Tracking ID in the MessageResponseRetrievalRequest message to retrieve data for the entire Response message.

## 1.3 Additional Rules/Constraints

### 1.3.1 Container Status Messages

The *PostalOne!* system will support status checking through Container Status Query Request and Response messages by the originator of the data and by the entity identified as the Scheduler or Carrier in the eDocumentation. Status checking allows mailers to view the status of any given container(s) and ensure that the container is validated during the pre-induction and post-induction process

- The *PostalOne!* system upon receiving the container status message shall go to the container management system of eInduction to find out all validation status of the requested container(s) and respond to the customer with the status information.
- If there are any issues or validation errors for one or more containers, then the *PostalOne!* system shall respond back to the customer with validation failures for one or more container(s).

### 1.3.1 ContainerStatusQueryResponse Error Codes / Return Values

Error Code	Error Message
4050	Unauthorized Access Error
4051	Invalid Barcode
4052	Duplicate Barcode
4053	Scheduling Error
4054	Entry Point Discount Error
4055	No records were found for the given search criteria
4056	Payment is not finalized for pallet containers. No induction validation information is available
4057	Payment is not finalized for tray containers. No induction validation information is available

### 1.4 Error Codes/Return Values

Faults, such as a message timeout or invalid XML are to be communicated using the fault element and returned within the detail section of the SOAP fault. The fault consists of a tracking ID and one or more fault codes and optional fault descriptions.

Below is the list of the error codes that will be used by USPS when deploying the eDocumentation Messages.

Error Code	Error Message	Messages
8000	CustomerGroupID in the HeaderInfo block must be the same for all messages in a mailing group.	Multiple
8002	CRID field within the SubmittingParty block must be the same for all request messages in a mailing group.	Multiple
8003	All fields within the DocumentVersionData block must match the corresponding fields in DocumentVersionData blocks and DocumentVersionDataWithPermit blocks with the same VersionID, except Periodicals with Non-Incidental Enclosures.	Multiple
8006	MailingGroupData block must be populated with a combination of values that exist in the <i>PostalOne!</i> Mail.dat database within the OpenMailingGroupRequest message.	OpenMailingGroupResponse
8007	PermitNumber field within the PermitPublicationData block must map to the SubmitterCRID within the MailingGroupData block for preparing electronic documentation.	OpenMailingGroupResponse
8008	PermitNumber field within the PermitPublicationData block must map to the SubmitterCRID within the MailingGroupData block must be unique when combined with the PermitType and PostOfficeOfMailingZip fields of the OpenMailingGroupRequest message.	OpenMailingGroupResponse
8009	The first 5 characters of the PermitZIP4 field within the PermitPublicationData block must match the PostOfficeOfMailingZip field within the MailingGroupData block.	OpenMailingGroupResponse
8010	MailingFacility field within the MailingGroupData block must be populated with a value that is the same as the CRID of the SubmittingParty block.	OpenMailingGroupResponse

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8011	OnePassIndicator field must be populated if the MailXMLPresentationCategory field in the MailingGroupData block is populated with M.	OpenMailingGroupResponse
8012	OpenMailingGroupRequest message must be accepted before submitting the CloseMailingGroupRequest message for the specified MailingGroupID.	OpenMailingGroupResponse, CloseMailingGroupResponse
8013	The fields within the SubmittingParty block in the CloseMailingGroupRequest message must be populated with the same values as the fields within the SubmittingParty block of an open mailing group.	CloseMailingGroupResponse
8014	CustomerGroupID field in the CloseMailingGroupRequest must be populated with the same value as the CustomerGroupID in the OpenMailingGroupRequest.	CloseMailingGroupResponse
8015	MailingGroupID field in the CloseMailingGroupRequest must be populated with the same value as the MailingGroupID in the OpenMailingGroupResponse.	CloseMailingGroupResponse
8016	MailingGroupID and CustomerGroupID in the CloseMailingGroupRequest must be populated with the same value as the MailingGroupID and CustomerGroupID of an accepted OpenMailingGroupRequest.	CloseMailingGroupResponse
8017	OpenMailingGroupRequest message must be accepted before submitting the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message for the specified MailingGroupID and CustomerGroupID.	QualificationReportCreateResponse
8018	ContainerInfoData block(s) is required for each container/handling unit for a qualification report.	QualificationReportCreateResponse
8020	Each ContainerInfoData block needs the ContainerDetailData block populated except when it is a Parent Container or it is a Sibling Container.(Container ID: %%1).	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8022	ActualContainerShipDate is required when USPSPickup field in the ContainerInfoData block in the QualificationReport block is Y. (Container ID: %%1)	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8023	ContainerBarcode field in the ContainerInfoData block in the QualificationReport block cannot be populated when the ContainerType field value is L, M, or V. (Container ID: %%1)	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8026	ParentContainerID field in the ContainerInfoData block in the QualificationReport block cannot be populated if the SiblingContainerID field is populated. (Container ID: %%1)	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8027	ParentContainerID in the ContainerInfoData block in the QualificationReport block must point to another existing ParentContainerID within the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message. (Container ID: %%1)	QualificationReportCreateResponse
8028	SiblingContainerID field in the ContainerInfoData block in the QualificationReport block must point to a different container also in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message. (Container ID: %%1)	QualificationReportCreateResponse
8030	EntryLocaleKey must contain 6 characters. (Container ID: %%1)	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8032	AdditionalTrayPostageAmount must contain less than or equal to 4 decimal characters. (Container ID: %%1)	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8033	PermitNumber within the PermitPublicationData block in the MailingGroupData block must be populated with a value combined with the PostOfficeOfMailingZIP in the MailingGroupData block that maps to a single active Finance Number.	OpenMailingGroupResponse
8035	InOutCountyIndicator field in the ContainerDetailData block in the ContainerInfoData block in the QualificationReport block is required when FormType is PE. (Container ID: %%1)	QualificationReportCreateResponse
8037	Only one ContainerID field in the MailXMLPieceRange block can be populated.	MailPieceCreateResponse
8039	BundleDetailCreateRequest message must be accepted before submitting the MailPieceCreateRequest message when BundleID in the MailPieceBlockGroup is populated for the specified MailingGroupID and CustomerGroupID.. (BundleID: %%1, ContainerID: %%2)	MailPieceCreateResponse
8040	PublicationNumber field in the QualificationReportPreparer block in the QualificationReport block cannot be populated when the FormType is not populated with PE for Periodicals.	QualificationReportCreateResponse, QualificationReportSummaryCreateResponse (10.0)
8041	PermitNumber field in the QualificationReportPreparer block in the QualificationReport block is required when the FormType is not PE for Periodicals or Pending Periodicals.	QualificationReportCreateResponse, QualificationReportSummaryCreateResponse (10.0)
8042	PermitType field within the QualificationReportPreparer in the QualificationReport block is required when the FormType is not PE for Periodicals or Pending Periodicals.	QualificationReportCreateResponse, QualificationReportSummaryCreateResponse (10.0)

Error Code	Error Message	Messages
8043	PermitZIP4 field within the QualificationReportPreparer block in the QualificationReport block is required when the FormType is not PE for Periodicals or Pending Periodicals.	QualificationReportCreateResponse, QualificationReportSummaryCreateResponse (10.0)
8045	VersionID field value within the DocumentVersionDataWithPermit block in the QualificationReport block must be referenced in at least one VersionID in the ContainerDetailData block. (Version ID: %%1)	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8046	PieceWeight field within the DocumentVersionDataWithPermit block in the QualificationReport block must contain less than or equal to 4 decimal characters. (Version ID: %%1)	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8047	AdPercent field value within the DocumentVersionDataWithPermit block in the QualificationReport block cannot be more than 4 decimals. (Version ID: %%1)	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8048	AdPercent field value within the DocumentVersionDataWithPermit block in the QualificationReport block cannot be more than 100.00. (Version ID: %%1)	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8049	RateAffixed field within the DocumentVersionDataWithPermit block in the QualificationReport block cannot be more than 3 decimal characters. (Version ID: %%1)	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8050	RateAffixed field within the DocumentVersionDataWithPermit block in the QualificationReport block is required when the PermitType field is set to MT, PC, or OM. (Version ID: %%1)	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8051	PermitNumber field in the DocumentVersionDataWithPermit block in the QualificationReport block is required when the FormType is FC, SM, BP, ML, PM, or PP. The PermitNumber field cannot be populated when FormType is PE for Periodicals. Form type is: %%2	QualificationReportCreateResponse
8053	PermitType field within PermitPublicationData block in the DocumentVersionDataWithPermit block in the QualificationReport block cannot be populated when the PublicaitonNumber is populated. (Version ID: %%1)	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8055	PermitZIP4 field within PermitPublicationData block in the DocumentVersionDataWithPermit block in the QualificationReport block is required when the FormType is: PM, FC, SM, BP, PP, or ML.	QualificationReportCreateResponse

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8058	PublicationNumber field in the PermitPublicationData block in the DocumentVersionDataWithPermit block in the QualificationReport data block should not be populated when the FormType is not populated with PE for Periodicals or Pending Periodicals.	QualificationReportCreateResponse
8061	QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest message must be accepted before submitting the BundleDetailCreateRequest message for the specified CustomerGroupID and MailingGroupID.	BundleDetailCreateResponse
8062	CustomerBundleID is a required field.	BundleDetailCreateResponse
8063	BundleZIP must be populated with either 3 or 5 characters.	BundleDetailCreateResponse
8064	BundleCarrierRoute is required when the SortationLevel in the BundleDetail block of the BundleDetailCreateRequest message is populated with A, B, C, D, or U.	BundleDetailCreateResponse
8065	MailingGroupID and Customer GroupID in the BundleCreateRequestHeaderInfo block must be populated with the same values as the MailingGroupID and CustomerGroupID of an accepted OpenMailingGroupRequest message.	BundleDetailCreateResponse
8066	ContainerID must be populated with the same value as the ContainerID in the ContainerInfoData block of the QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest message for the specified MailingGroupID and CustomerGroupID. Found Missing ContainerID: %%1	BundleDetailCreateResponse
8067	VersionID must be populated with the same value as the VersionID in the ContainerDetailData block of the QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest message for the specified MailingGroupID and CustomerGroupID. Found Missing VersionID: %%1	BundleDetailCreateResponse
8068	BundleDetailCreateRequest message with the updated number of pieces for the specified combination of MailingGroupID, CustomerGroupID, and BundleID must be accepted before submitting the BundleDetailCancelRequest message. (BundleID '%%1')	BundleDetailCreateResponse, BundleDetailCancelRequest
8069	MailPieceCancelRequest message with the updated number of cancelled pieces for the specified combination of MailingGroupID, CustomerGroupID, and BundleID must be accepted before submitting the BundleDetailCancelRequest message.	BundleDetailCancelRequest
8070	BundleDetailCreateRequest message must be accepted before submitting the BundleDetailCancelRequest message.	BundleDetailCancelRequest
8071	BundleID is a required field.	BundleDetailCancelRequest
8073	ContainerID must match the ContainerID in the BundleDetail block of the BundleDetailCreateRequest message for the specified MailingGroupID and CustomerGroupID. ContainerID %%1 was not found.	BundleDetailCancelRequest
8074	BundleID must match the BundleID in the BundleDetail block of the BundleDetailCreateRequest message for the specified MailingGroupID and CustomerGroupID.	BundleDetailCancelRequest

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8075	OriginalContainer block must contain fields that are populated with the values that exist for the specified CRID.	SiblingContainerC reateResponse
8076	NewSiblingContainer block must be populated with values that tie to the values populated in the OriginalContainer block.	SiblingContainerC reateResponse
8077	CRID in the SubmittingParty block must be populated with the same value as the Mailing Facility ID in the .seg file for the specified information in the OriginalContainer block.	SiblingContainerC reateResponse
8078	UserLicenseCode field in the OriginalContainer block must be populated with the same value as the value populated in the User License Code field from the .hdr file of the existing container.	SiblingContainerC reateResponse
8079	MaildatJobID field in the OriginalContainer block must be populated with the same value as the value populated in the Job ID field from the .csm file of the existing container.	SiblingContainerC reateResponse
8080	ContainerID field in the OriginalContainer block must be populated with the same value as the value populated in the Container ID field in the .csm file of the existing container.	SiblingContainerC reateResponse
8081	UniqueContainerBarcode field in the OriginalContainer block, if populated, is populated with the same value as the Label: IM Container or IM Tray Barcode field in the .csm file of the existing container.(UniqueContainerBarcode %%1)	SiblingContainerC reateResponse
8082	UserLicenseCode field in the NewSiblingContainer block must be populated with the same value as the value populated in the UserLicenseCode field in the OriginalContainer block.	SiblingContainerC reateResponse
8083	MaildatJobID field in the NewSiblingContainer block must be populated with the same value as the value populated in the MaildatJobID field in the OriginalContainer block.	SiblingContainerC reateResponse
8084	MaildatJobID field in the NewSiblingContainer block must be populated with the same value as the value populated in the MaildatJobID field in the OriginalContainer block.	SiblingContainerC reateResponse
8087	ContainerID in the NewSiblingContainer block must be unique within the MaildatJobID. (ContainerID: %%1)	SiblingContainerC reateResponse
8088	The SiblingContainerCreateRequest message for this combination of CRID, MaildatJobID, ContainerId and SiblingContainerID does not exist.(Original ContainerID: %%1, Sibling ContainerID: %%2, CRID: %%3)	SiblingContainerC ancelResponse
8089	SiblingToDelete block must be tied to an existing sibling container in the <i>PostalOne!</i> Mail.dat database for the specified CRID. (Sibling ContainerID: %%1)	SiblingContainerC ancelReseponse
8090	UserLicenseCode field in the OriginalContainer block must be populated with the same value as the value populated in the UserLicenseCode field in the OriginalContainer block of the SiblingContainerCreateRequest message.	SiblingContainerC reateResponse
8091	MaildatJobID field in the OriginalContainer block must be populated with the same value as the value populated in the MaildatJobID field in the OriginalContainer block of the SiblingContainerCreateRequest message.	SiblingContainerC ancelReseponse
8092	ContainerID field in the OriginalContainer block must be populated with the same value as the value populated in the ContainerID field in the OriginalContainer block of the SiblingContainerCreateRequest message.	SiblingContainerC ancelReseponse

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8093	UniqueContainerBarcode field in the OriginalContainer block, if populated, is populated with the same value as the value populated in the UniqueContainerBarcode field in the OriginalContainer block of the SiblingContainerCreateRequest message.	SiblingContainerCancelResponse
8094	UserLicenseCode field in the SiblingToDelete block must be populated with the same value as the value populated in the UserLicenseCode field in the NewSiblingContainer block of the SiblingContainerCreateRequest message for the specified CRID.	SiblingContainerCancelResponse
8095	MaildatJobID field in the SiblingToDelete block must be populated with the same value as the value populated in the MaildatJobID field in the NewSiblingContainer block of the SiblingContainerCreateRequest message for the specified CRID.	SiblingContainerCancelResponse
8096	ContainerID field in the SiblingToDelete block must be populated with the same value as the value populated in the ContainerID field in the NewSiblingContainer block of the SiblingContainerCreateRequest message for the specified CRID.	SiblingContainerCancelResponse
8097	UniqueContainerBarcode field in the SiblingToDelete block must be populated with the same value as the value populated in the UniqueContainerBarcode field in the NewSiblingContainer block of the SiblingContainerCreateRequest message for a specified CRID.	SiblingContainerCancelResponse
8098	The ContainerID field in the SiblingToDelete block cannot have ContainerType set to L, V, or M. (Sibling ContainerID: %%1)	SiblingContainerCancelRequest
8100	OpenMailingGroupRequest message must be accepted before submitting the PostageStatementCreateRequest message for the specified CustomerGroupID and MailingGroupID.	Postage Statement Messages
8101	BeginCombinedMailingRequest message must be accepted before submitting the PostageStatementCreateRequest message for the specified CustomerGroupID and MailingGroupID for a combined mailing.	Postage Statement Messages
8102	LineItemSummaryData block is required when the ExtendedForm in the CreatePostageStatement block is populated with False.	Postage Statement Messages
8103	PostageStatementLineItemData is required when the ExtendedForm in the CreatePostageStatement block is populated with True.	Postage Statement Messages
8104	PermitHolderForAPData is required when the PostagePaymentMethod in the CreatePostageStatement block is populated with M or S.	Postage Statement Messages
8105	MailingGroupID and Customer GroupID in the MailXMLPostageStatementRequestHeaderInfo block must be populated with the same values as the MailingGroupID and CustomerGroupID of an accepted OpenMailingGroupRequest message.	Multiple
8106	AgencyCostCode in the CreatePostageStatement block must contain less than or equal to 5 characters.	Postage Statement Messages
8107	AgencyCostCode in the CreatePostageStatement block is required when the PermitType in the PermitPublicationData block in the MailingGroupData block is populated with OI or OM.	Postage Statement Messages



<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8113	CarrierRouteSequencingDate is required when the RateCategory in the PostageStatementLineItemData block is populated with A, B, D, O, A1, B1, or D1.	Postage Statement Messages
8114	PiecePostage in the LineItemSummaryData block must contain less than or equal to 4 decimal characters.	Postage Statement Messages
8115	PieceRate in the LineItemSummaryData block must contain less than or equal to 3 decimal characters.	Postage Statement Messages
8116	PostageAmount in the LineItemSummaryData block must contain less than or equal to 4 decimal characters.	Postage Statement Messages
8117	PoundPostage in the LineItemSummaryData block must contain less than or equal to 4 decimal characters.	Postage Statement Messages
8118	PoundRate in the LineItemSummaryData block must contain less than or equal to 3 decimal characters.	Postage Statement Messages
8119	PreparedAsSM must be populated with Yes when the FormType in the CreatePostageStatement block is populated with SM.	Postage Statement Messages
8121	TotalWeight in the LineItemSummaryData block must contain less than or equal to 4 decimal characters.	Postage Statement Messages
8123	ContainerDisplayName is required when the RegisterOfMailing in the CreatePostageStatement block is populated with True.	Postage Statement Messages
8124	ContainerID is required when the RegisterOfMailing in the CreatePostageStatement block is populated with True.	Postage Statement Messages
8125	EntryFacilityType is required when the RegisterOfMailing in the CreatePostageStatement block is populated with True.	Postage Statement Messages
8126	EntryZIP is required when the RegisterOfMailing in the CreatePostageStatement block is populated with True.	Postage Statement Messages
8128	PieceRate in the PostageStatementLineItemData block must contain less than or equal to 3 decimal characters.	Postage Statement Messages
8129	PostageAmount in the PostageStatementLineItemData block must contain less than or equal to 4 decimal characters.	Postage Statement Messages
8130	PoundRate in the PostageStatementLineItemData block must contain less than or equal to 3 decimal characters.	Postage Statement Messages
8131	When PreparedAsSM is True and Form Type is FC, then ProcessingCategory must be FL, LT, or PF, and RateCategory must be S.	Postage Statement Messages
8133	SinglePieceWeight in the PostageStatementLineItemData block must contain less than or equal to 4 decimal characters.	Postage Statement Messages

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8134	TotalWeight in the PostageStatementLineItemData block must contain less than or equal to 4 decimals characters.	Postage Statement Messages
8135	Zone can only be populated with N, 1, 3, 4, 5, 6, 7, 8, DDU, or SCF in the PostageStatementCreateRequest message.	Postage Statement Messages
8136	VersionID is required when the PostageAffixedAmount in the CreatePostageStatement block is not provided.	Postage Statement Messages
8137	ContainerType is required when the RegisterOfMailing in the CreatePostageStatement block is populated with True.	Postage Statement Messages
8138	SinglePieceDimensionalWeight in the PostageStatementLineItemData block must contain less than or equal to 4 decimal characters.	Postage Statement Messages
8139	SinglePieceDimensionalWeight in the PostageStatementLineItemData block must be populated with a value greater than zero when the SurchargeType in the *PostageStatementLineItemData* block is populated with D.	Postage Statement Messages
8140	PostageAffixedAmount is required when the PostagePaymentMethod in the CreatePostageStatement block is populated with M or S.	Postage Statement Messages
8141	When SinglePieceWeight in the CreatePostageStatement block is provided, it must match all SinglePieceWeight fields in the PostageStatementLineItemData block.	Postage Statement Messages
8142	ServiceRate in the ExtraServiceData block must contain less than or equal to 3 decimal characters.	Postage Statement Messages
8143	ServiceValue in the ExtraServiceData block must contain less than or equal to 4 decimal characters.	Postage Statement Messages
8144	TotalAmount in the ExtraServiceData block must contain less than or equal to 4 decimal characters.	Postage Statement Messages
8145	TotalAmount in the ExtraServiceSummaryData block must contain less than or equal to 4 decimal characters.	Postage Statement Messages
8146	PieceWeight in the DocumentVersionData block must contain less than or equal to 4 decimal characters.	Postage Statement Messages
8147	RateAffixed is required when the PostagePaymentMethod in the CreatePostageStatement block is populated with M or S.	Postage Statement Messages
8148	RateAffixed in the DocumentVersionData block must contain less than or equal to 3 decimal characters.	Postage Statement Messages
8149	SinglePieceDimensionalWeight CreatePostageStatement must contain less than or equal to 4 decimal characters.	Postage Statement Messages
8153	MoveUpdateMethod is required when the FormType in the CreatePostageStatement block is populated with SM.	Postage Statement Messages

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8155	The PermitNumber and PermitZIP4 or PublicationNumber in the PermitHolderData or PublisherData blocks and the MailingAgentData block must map to the same Finance Number and must be active.	Postage Statement Messages
8156	PermitType must be populated with MT or OM when the MeteredAffixedMethod in the CreatePostageStatement block is populated with M.	Postage Statement Messages
8157	PermitType must be populated with PC when the PostagePaymentMethod in the CreatePostageStatement block is populated with S.	Postage Statement Messages
8158	PublicationNumber cannot be populated in the PermitPublicationData block in the PermitHolderData block of the PostageStatementCreateRequest.	Postage Statement Messages
8159	PublicationNumber cannot be populated in the PermitPublicationData block in the MailingOwnerData block of the PostageStatementCreateRequest.	Postage Statement Messages
8160	PublicationNumber cannot be populated in the PermitPublicationData block in the MailingAgentData block of the PostageStatementCreateRequest.	Postage Statement Messages
8161	PermitType field in the PermitPublicationData block in the PermitHolderForAPData block must be populated with PI or OI.	Postage Statement Messages
8162	PublicationNumber cannot be populated in the PermitPublicationData block in the PermitHolderForAPData block of the PostageStatementCreateRequest.	Postage Statement Messages
8163	PostageStatementMailingDate in the CreatePostageStatement block must match the PostageStatementMailingDate in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message when it is populated for the same ContainerID for the specified MailingGroupID and CustomerGroupID.	Postage Statement Messages
8164	CombinedMailingID in the CreatePostageStatement block must match the CombinedMailingID in the BeginCombinedMailingAccept block of the BeginCombinedMailingResponse message for the specified MailingGroupID and CustomerGroupID.	Postage Statement Messages
8165	ServiceSubCode must be populated with N when ServiceCode in the ExtraServiceData block is populated with CM. Extra Service Data block number %%1 contains an invalid Sub Service Code %%2 for Service Code %%3.	Postage Statement Messages
8166	ServiceSubCode must be populated with N or R when ServiceCode in the ExtraServiceData block is populated with COD. Extra Service Data block number %%1 contains an invalid Sub Service Code %%2 for Service Code %%3.	Postage Statement Messages
8167	ServiceSubCode must be populated with N when ServiceCode in the ExtraServiceData block is populated with COM. Extra Service Data block number %%1 contains an invalid Sub Service Code %%2 for Service Code %%3.	Postage Statement Messages
8168	ServiceSubCode must be populated with E or R when ServiceCode in the ExtraServiceData block is populated with DC. Extra Service Data block number %%1 contains an invalid Sub Service Code %%2 for Service Code %%3.	Postage Statement Messages

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8169	ServiceSubCode must be populated with N when ServiceCode in the ExtraServiceData block is populated with IM. Extra Service Data block number %%1 contains an invalid Sub Service Code %%2 for Service Code %%3.	Postage Statement Messages
8170	ServiceSubCode must be populated with N when ServiceCode in the ExtraServiceData block is populated with PAL. Extra Service Data block number %%1 contains an invalid Sub Service Code %%2 for Service Code %%3.	Postage Statement Messages
8171	ServiceSubCode must be populated with N when ServiceCode in the ExtraServiceData block is populated with RD. Extra Service Data block number %%1 contains an invalid Sub Service Code %%2 for Service Code %%3.	Postage Statement Messages
8172	ServiceSubCode must be populated with N when ServiceCode in the ExtraServiceData block is populated with RM. Extra Service Data block number %%1 contains an invalid Sub Service Code %%2 for Service Code %%3.	Postage Statement Messages
8173	ServiceSubCode must be populated with T when ServiceCode in the ExtraServiceData block is populated with RR. Extra Service Data block number %%1 contains an invalid Sub Service Code %%2 for Service Code %%3.	Postage Statement Messages
8174	ServiceSubCode must be populated with E when ServiceCode in the ExtraServiceData block is populated with RRE. Extra Service Data block number %%1 contains an invalid Sub Service Code %%2 for Service Code %%3.	Postage Statement Messages
8175	ServiceSubCode must be populated with N when ServiceCode in the ExtraServiceData block is populated with RRM. Extra Service Data block number %%1 contains an invalid Sub Service Code %%2 for Service Code %%3.	Postage Statement Messages
8176	ServiceSubCode must be populated with E or R when ServiceCode in the ExtraServiceData block is populated with SC. Extra Service Data block number %%1 contains an invalid Sub Service Code %%2 for Service Code %%3.	Postage Statement Messages
8177	ServiceSubCode must be populated with N when ServiceCode in the ExtraServiceData block is populated with SH. Extra Service Data block number %%1 contains an invalid Sub Service Code %%2 for Service Code %%3.	Postage Statement Messages
8178	SinglePieceWeight in the CreatePostageStatement block must be populated with the same value as the SinglePieceWeight in the PostageStatementLineItemData block for the specified MailingGroupID and CustomerGroupID.	Postage Statement Messages
8179	SinglePieceWeight in the CreatePostageStatement block must be populated with the same value as the PieceWeight in the DocumentVersionData block of the CreatePostageStatement block when the DocumentVersionData block is populated.	Postage Statement Messages
8181	DalPieces must be populated with a value that is equal to the total number of pieces with ProcessingCategory FL, MP, IR, or NP and RateCategory A, B, D, or O for the specified MailingGroupID and CustomerGroupID when provided.	Postage Statement Messages
8182	Pieces greater than 3.3 ounces and less than 16 ounces and pieces less than or equal to 3.3 ounces cannot be submitted together within a mailing when DalPieces is populated.	Postage Statement Messages

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8184	StatementID in the PostageStatementQueryRequest message must exist for the specified MailingGroupID and CustomerGroupID.	Postage Statement Messages
8185	PeriodicalStatementID can only be submitted in the PeriodicalStatementQueryRequest.	Postage Statement Messages
8186	PostageStatementCreateRequest message or PeriodicalStatementCreateRequest message must be accepted before submitting the PostageStatementStatusQueryRequest message for the specified MailingGroupID, CustomerGroupID and StatementID.	Postage Statement Messages
8191	StatementID in the PostageStatementCancelRequest message must exist for the specified MailingGroupID and CustomerGroupID.	Postage Statement Messages
8193	OpenMailingGroupRequest message must be accepted before submitting the BeginCombinedMailingRequest for the specified MailingGroupID and CustomerGroupID.	BeginCombinedMailingResponse
8194	MailingGroupID and CustomerGroupID of the BeginCombinedMailingRequest must be populated with the same values as the value populated in MailingGroupID and CustomerGroupID for an accepted OpenMailingGroupRequest message.	BeginCombinedMailingResponse
8195	All PostageStatementCreateRequest messages must be submitted for the specified MailingGroupID, CustomerGroupID, and CombinedMailingID before submitting the EndCombinedMailingRequest message.	EndCombinedMailingResponse
8196	BeginCombinedMailingRequest message must be accepted for the specified MailingGroupID, CustomerGroupID, and CombinedMailingID before submitting the EndCombinedMailingRequest message.	EndCombinedMailingResponse
8197	MailingGroupID and CustomerGroupID in the of the EndCombinedMailingRequest must be populated with the same values as the value populated in MailingGroupID and CustomerGroupID for an accepted OpenMailingGroupRequest message.	EndCombinedMailingResponse
8198	OpenMailingGroupRequest message must be accepted before submitting the PeriodicalStatementCreateRequest message for the specified CustomerGroupID and MailingGroupID. (User Postage Statement ID: %%1).	Postage Statement Messages
8199	DocumentVersionData block in the CreatePeriodicalStatementData block is required. (User Postage Statement ID: %%1).	Postage Statement Messages
8200	AdvertisingPercentage in the CreatePeriodicalStatementData block must contain less than or equal to 2 decimal characters. (User Postage Statement ID: %%1).	Postage Statement Messages
8204	CopyWeight in the CreatePeriodicalStatementData block must contain less than or equal to 4 decimal characters. (User Postage Statement ID: %%1).	Postage Statement Messages
8205	DiscountQty in the PeriodicalLineItemData block is required when the PeriodicalPrice in the PeriodicalLineItemData block is populated with 1. (User Postage Statement ID: %%1).	Postage Statement Messages

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8206	DiscountQty in the PeriodicalLineItemData block cannot contain decimal characters. (User Postage Statement ID: %%1).	Postage Statement Messages
8207	PeriodicalPrice in the PeriodicalLineItemData block can only be populated with Blank, 1, 5, 9, C, D, E, R, or Z. (User Postage Statement ID: %%1).	Postage Statement Messages
8210	Pieces in the PeriodicalLineItemData block is required when RateCategory in the PeriodicalLineItemData block is populated. (User Postage Statement ID: %%1).	Postage Statement Messages
8213	RateCategory in the PeriodicalLineItemData block can only be populated with A, B, D, O, FB, E, G, H, K, L1, L2, L3, L4, L5, L6, L, N in the PeriodicalLineItemData block. (User Postage Statement ID: %%1).	Postage Statement Messages
8214	At least one of the SubReqCopies or the NonCopies field is required and must be populated with a non-zero integer when both bundles and containers are not populated (User Postage Statement ID: %%1).	Postage Statement Messages
8217	ChargeableContainerLevel is required when InOutCountyIndicator is populated with N and ChargeableEntryLevel and ChargeableContainerType and Containers in the PeriodicalLineItemData block are populated. (User Postage Statement ID: %%1).	Postage Statement Messages
8218	ChargeableBundleLevel in the PeriodicalLineItemData block is required when InOutCountyIndicator is populated with N and ChargeableContainerLevel and Bundles in the PeriodicalLineItemData block are populated. (User Postage Statement ID: %%1).	Postage Statement Messages
8219	Bundles in the PeriodicalLineItemData block must contain less than or equal to 4 decimal characters. (User Postage Statement ID: %%1).	Postage Statement Messages
8220	Bundles in the PeriodicalLineItemData block is required when InOutCountyIndicator is populated with N and ChargeableContainerLevel and ChargeableBundleLevel in the PeriodicalLineItemData block are populated. (User Postage Statement ID: %%1).	Postage Statement Messages
8221	ChargeableEntryLevel is required when InOutCountyIndicator is populated with N and ChargeableContainerLevel and ChargeableContainerType and Containers in the PeriodicalLineItemData block are populated. (User Postage Statement ID: %%1).	Postage Statement Messages
8222	Containers in the PeriodicalLineItemData block must contain less than or equal to 4 decimal characters. (User Postage Statement ID: %%1).	Postage Statement Messages
8223	Containers in the PeriodicalLineItemData block is required when is populated with N and ChargeableContainerLevel, ChargeableEntryLevel and ChargeableContainerType in the PeriodicalLineItemData block are populated. (User Postage Statement ID: %%1).	Postage Statement Messages
8224	MachinableFlag in the PeriodicalLineItemData block is required when the RateCategory in the PeriodicalLineItemData block is populated and the processing category is flats. (User Postage Statement ID: %%1).	Postage Statement Messages

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8225	PostagePaymentMethod in the CreatePeriodicalStatementData block can only be populated with P. (User Postage Statement ID: %%1).	Postage Statement Messages
8226	ProcessingCategory in the CreatePeriodicalStatementData block can only be populated with LT, FL, IR, MP, or NP. (User Postage Statement ID: %%1).	Postage Statement Messages
8227	RateType in the CreatePeriodicalStatementData block can only be populated with R, N, S, C, W, or Y. (User Postage Statement ID: %%1).	Postage Statement Messages
8228	SingleRideAlongWeight is required when the PeriodicalPrice in the PeriodicalLineItemData block is populated with 9. (User Postage Statement ID: %%1).	Postage Statement Messages
8229	SingleRideAlongWeight must contain less than or equal to 4 decimal characters. (User Postage Statement ID: %%1).	Postage Statement Messages
8234	CombinedMailingID in the CreatePeriodicalStatementData block must be populated with the same value as the CombinedMailingID of the BeginCombinedMailingRequest message for a specified MailingGroupID and CustomerGroupID. (User Postage Statement ID: %%1).	Postage Statement Messages
8235	AdPercent in the DocumentVersionData block must contain less than or equal to 2 decimal characters. (User Postage Statement ID: %%1).	Postage Statement Messages
8236	AdPercent in the DocumentVersionData block must be populated with the same value as the AdvertisingPercentage in the CreatePeriodicalStatementData block. (User Postage Statement ID: %%1).	Postage Statement Messages
8237	RateAffixed in the DocumentVersionData block must contain less than or equal to 3 decimal characters. (User Postage Statement ID: %%1).	Postage Statement Messages
8238	RateAffixed in the DocumentVersionData block is not required when the PermitType in the PermitPublicationData block within the CreatePeriodicalStatementData block is populated with PI. (User Postage Statement ID: %%1).	Postage Statement Messages
8239	PermitType in the PermitPublicationData block in the PublisherData block in the CreatePeriodicalStatementData block must be populated with PP. (User Postage Statement ID: %%1).	Postage Statement Messages
8240	PendingPostageAmount in the CreatePeriodicalStatementData block is required when the PermitType in the PermitPublicationData block within the CreatePeriodicalStatementData block is populated with PP. (User Postage Statement ID: %%1).	Postage Statement Messages
8241	PendingPostageAmount in the CreatePeriodicalStatementData block must contain exactly 2 decimal characters. (User Postage Statement ID: %%1).	Postage Statement Messages
8242	MailingGroupID and CustomerGroupID in the PeriodicalStatementCreateRequest message must be the same values as the MailingGroupID and CustomerGroupID of an accepted OpenMailingGroupRequest message. (User Postage Statement ID: %%1).	Postage Statement Messages

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8243	RateCategory in the PeriodicalLineItemData block and ChargeableContainerLevel in the PeriodicalLineItemData block cannot be populated in the same line. (User Postage Statement ID: %%1).	Postage Statement Messages
8244	RateCategory in the PeriodicalLineItemData block and Zone in the PeriodicalLineItemData block cannot be populated in the same line. (User Postage Statement ID: %%1).	Postage Statement Messages
8245	Containers in the PeriodicalLineItemData block and Bundles in the PeriodicalLineItemData block cannot be populated in the same line. (User Postage Statement ID: %%1).	Postage Statement Messages
8246	RateCategory in the PeriodicalLineItemData block and PeriodicalPrice in the PeriodicalLineItemData block cannot be populated in the same line. (User Postage Statement ID: %%1).	Postage Statement Messages
8247	ChargeableContainerLevel in the PeriodicalLineItemData block and PeriodicalPrice in the PeriodicalLineItemData block cannot be populated in the same line. (User Postage Statement ID: %%1).	Postage Statement Messages
8248	The Pending Periodical PermitZIP+4 or Periodical Publication number must map to the same finance number as the OpenMailingGroupRequest for a specified MailingGroupID and CustomerGroupID and must be active. (User Postage Statement ID: %%1).	Postage Statement Messages
8250	PeriodicalStatementCreateRequest must be accepted prior to submitting the PeriodicalStatementQueryRequest message for the specified MailingGroupID, CustomerGroupID, and StatementID.	Postage Statement Messages
8252	Postage StatementID in the PeriodicalStatementQueryRequest message must match the StatementID provided in the PeriodicalStatementCreateResponse message for the specified MailingGroupID and CustomerGroupID.	Postage Statement Messages
8255	AdvertisingPercentage in the PeriodicalStatement block must contain less than or equal to 2 decimal characters. (User Postage Statement ID: %%1).	Postage Statement Messages
8258	CarrierRouteAddressMatchingDate in the PeriodicalStatement block is required when the RateCategory in the LineItemSummaryData block is populated with A, B, or D. (User Postage Statement ID: %%1).	Postage Statement Messages
8259	CarrierRouteAddressMatchingDate in the PeriodicalStatement block is required when the RateCategory in the PeriodicalLineItemData block is populated with A, B, or D. (User Postage Statement ID: %%1).	Postage Statement Messages
8260	CarrierRouteSequencingDate in the PeriodicalStatement block is required when the RateCategory in the LineItemSummaryData block is populated with A, AF, B, BF, D, or DF. (User Postage Statement ID: %%1).	Postage Statement Messages
8261	CarrierRouteSequencingDate in the PeriodicalStatement block is required when the RateCategory in the PeriodicalLineItemData block is populated with A, B, or D. (User Postage Statement ID: %%1).	Postage Statement Messages
8262	CopyWeight in the PeriodicalStatement block must contain less than or equal to 4 decimal characters. (User Postage Statement ID: %%1).	Postage Statement Messages



<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8263	FormType in the PeriodicalStatement block must be populated with PE. (User Postage Statement ID: %%1).	Postage Statement Messages
8264	PostagePaymentMethod in the PeriodicalStatement block must be populated with P. (User Postage Statement ID: %%1).	Postage Statement Messages
8265	ProcessingCategory in the PeriodicalStatement block must be populated with LT, FL, IR, MP, or NP. (User Postage Statement ID: %%1).	Postage Statement Messages
8267	SingleRideAlongWeight in the PeriodicalStatement block is required when the PeriodicalPrice in the PeriodicalLineItemData block is populated with 9. (User Postage Statement ID: %%1).	Postage Statement Messages
8268	SingleRideAlongWeight in the PeriodicalStatement block must contain less than or equal to 4 decimal characters. (User Postage Statement ID: %%1).	Postage Statement Messages
8272	AgencyCostCode in the PeriodicalStatement block must contain 6 characters when mapped to USPS. (User Postage Statement ID: %%1).	Postage Statement Messages
8273	AdPercent in the DocumentVersionData block must be populated with the same value as the AdvertisingPercentage in the PeriodicalStatement block. (User Postage Statement ID: %%1).	Postage Statement Messages
8274	RateAffixed in the DocumentVersionData block is not required when the PermitType in the PermitPublicationData block within the PeriodicalStatement block is populated with PI. (User Postage Statement ID: %%1).	Postage Statement Messages
8275	PermitType in the PermitPublicationData block within the ConsolidatedPeriodicalStatementCreateRequest message must be populated with PP.	Postage Statement Messages
8276	PendingPostageAmount in the PeriodicalStatement block is required when the PermitType in the PermitPublicationData block within the PeriodicalStatement block is populated with PP. (User Postage Statement ID: %%1).	Postage Statement Messages
8277	PendingPostageAmount in the PeriodicalStatement block must contain exactly 2 decimal characters. (User Postage Statement ID: %%1).	Postage Statement Messages
8279	Bundles in the PeriodicalLineItemData block of the CreateConsolidatedPeriodicalStatementData block must contain less than or equal to 4 decimal characters. (User Postage Statement ID: %%1).	Postage Statement Messages
8281	MailingGroupID and CustomerGroupID in the ConsolidatedPeriodicalStatementCreateRequest message must be the same values as the MailingGroupID and CustomerGroupID of an accepted OpenMailingGroupRequest message. (User Postage Statement ID: %%1).	Postage Statement Messages
8282	QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest message must be accepted before submitting the ContainerBundleReportCreateRequest message for the specified MailingGroupID and CustomerGroupID.	ContainerBundleQueryResponse

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8283	Either the SackTrayContainerVersionRecord block, the PalletContainerVersionRecord block, or the BundleVersionRecord block is required when the ContainerBundleVersionRecords block is sent.	ContainerBundleQueryResponse
8286	Either the SackTrayContainerRecord block, the PalletContainerRecord block, or the BundleRecord block is required when the ContainerBundleSummaryRecords block is sent.	ContainerBundleQueryResponse
8288	ContainerBundleReportCreateRequest message can only be provided when the FormType in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message is PE.	ContainerBundleQueryResponse
8289	Containers field in the SackTrayContainerVersionRecord block in the ContainerBundleVersionRecords block must contain less than or equal to 4 decimal characters.	ContainerBundleQueryResponse
8290	Containers field in the PalletContainerVersionRecord block in the ContainerBundleVersionRecords block must contain less than or equal to 4 decimal characters.	ContainerBundleQueryResponse
8291	Bundles field in the BundleVersionRecord block in the ContainerBundleVersionRecords block must contain less than or equal to 4 decimal characters.	ContainerBundleQueryResponse
8292	Containers field in the SackTrayContainerRecord block in the ContainerBundleSummaryRecords block must contain less than or equal to 4 decimal characters.	ContainerBundleQueryResponse
8293	Containers field in the PalletContainerRecord block in the ContainerBundleSummaryRecords block must contain less than or equal to 4 decimal characters.	ContainerBundleQueryResponse
8294	Bundles field in the BundleRecord block in the ContainerBundleSummaryRecords block must contain less than or equal to 4 decimal characters.	ContainerBundleQueryResponse
8295	The specified combination of MailingGroupID and CustomerGroupID in the ContainerBundleReportHeaderInfo block must match the values as that of the open mailing group.	ContainerBundleQueryResponse
8296	ContainerBundleReportCreateRequest message must be accepted before submitting the ContainerBundleReportQueryRequest message for the specified MailingGroupID and CustomerGroupID.	ContainerBundleReportQueryResponse
8297	CustomerGroupID and MailingGroupID must exist for an accepted ContainerBundleReportCreateRequest message.	ContainerBundleReportQueryResponse
8298	ContainerBundleReportCreateRequest message must be accepted before submitting the ContainerBundleCancelRequest message for the specified MailingGroupID and CustomerGroupID.	ContainerBundleReportCancelResponse
8299	The specified combination of CustomerGroupID and MailingGroupID must be populated with the same combination of CustomerGroupID and MailingGroupID as an accepted ContainerBundleReportCreateRequest message.	ContainerBundleReportCancelResponse
8300	QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message must be accepted before submitting the MailPieceCreateRequest message to create a mail piece for the specified MailingGroupID and CustomerGroupID. (PieceID not found: %%%1)	MailPieceCreateResponse

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8301	QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest message must be accepted before submitting the MailPieceCreateRequest message to create a piece range for the specified MailingGroupID and CustomerGroupID. (PieceRangeID not found: %%1)	MailPieceCreateResponse
8302	LOTSequenceDirectionCode in the MailPieceBlock must be populated when combined with the LOTSequenceNumber is populated and when Carrier Route LOT is used. (Piece ID: %%1).	Multiple
8304	LOTSequenceNumber in the MailPieceBlock must be populated when the LOTSequenceDirection is populated.	Multiple
8306	WalkSequenceNumber in the MailPieceBlock must be populated when Carrier Route LOT is used and the LOTSequenceDirection is not populated.	Multiple
8307	DeliveryPointZIP in the MailPieceBlock block must contain 0, 5, 9, or 11 characters.	MailPieceCreateResponse
8309	DeliveryPointZIP in the MailPieceBlock block must be populated when the IMB block is not used and combined with the PlanetCode field. (Piece ID: %%1)	MailPieceCreateResponse
8310	MailerID6 in the IMbarcodeUpperSerialization block in the MailXMLPieceRangeBlock must match the MailerID6 in the IMbarcodeLowerSerialization block in the MailXMLPieceRangeBlock.(Piece Range ID is %%1)	Multiple
8311	MailerID9 in the IMbarcodeUpperSerialization block in the MailXMLPieceRangeBlock must match the MailerID9 in the IMbarcodeLowerSerialization block in the MailXMLPieceRangeBlock.(Piece Range ID is %%1)	Multiple
8312	SerialNumber6 in the IMbarcodeUpperSerialization block must be populated with a value greater than or equal to the SerialNumber6 in the IMbarcodeLowerSerialization block. (Piece Range ID is %%1)	Multiple
8313	SerialNumber9 in the IMbarcodeUpperSerialization block must be populated with a value greater than or equal to the SerialNumber9 in the IMbarcodeLowerSerialization block. (Piece Range ID is %%1)	Multiple
8314	MailerID6 fields must be blank when the ServiceLevelIndicator is populated with P. (piece_range_id: %%1)	MailPieceCreateResponse
8315	MailerID9 must be blank when the ServiceLevelIndicator is populated with P. (Found: %%1)	MailPieceCreateResponse
8316	SerialNumber6 must be blank when the ServiceLevelIndicator is populated with P. (Found: %%1)	MailPieceCreateResponse
8317	SerialNumber9 must be blank when the ServiceLevelIndicator is populated with P. (Found: %%1)	MailPieceCreateResponse
8318	The specified combination of MailingGroupID and CustomerGroupID in the MailPieceCreateRequest message must match the values of the accepted OpenMailingGroupRequest message.	MailPieceCreateResponse
8319	MailPieceCreateRequest must be accepted to create a mail piece before submitting a MailPieceUpdateRequest message for the specified MailingGroupID and CustomerGroupID.	MailPieceUpdateResponse
8320	MailPieceCreateRequest must be accepted to create a piece range before submitting a MailPieceUpdateRequest message for the specified MailingGroupID and CustomerGroupID.	MailPieceUpdateResponse

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8325	MailPieceCreateRequest must be accepted to create a mail piece before submitting a MailPieceCancelRequest message for the specified MailingGroupID and CustomerGroupID.	MailPieceCancelResponse
8326	MailPieceCreateRequest must be accepted to create a piece range before submitting a MailPieceCancelRequest message for the specified MailingGroupID and CustomerGroupID.	MailPieceCancelResponse
8329	MailPieceBlock in the MailPieceCancelRequest message must be populated with the same values as the fields within the MailPieceBlock of the MailPieceCreateRequest message for the specified combination of MailingGroupID and CustomerGroupID.	MailPieceCancelResponse
8330	MailXMLPieceRangeBlock in the MailPieceCancelRequest message must be populated with the same values as the fields within the MailXMLPieceRangeBlock of the MailPieceCreateRequest message for the specified combination of MailingGroupID and CustomerGroupID.	MailPieceCancelResponse
8332	PostageStatementCreateRequest or PeriodicalStatementCreateRequest message must be accepted before submitting the PostageAdjustmentCreateRequest for the specified MailingGroupID and CustomerGroupID.	Postage Statement Messages
8333	StatementID in the PostageAdjustment block must be populated with the same value as the StatementID in the PostageStatementCreateResponse or PeriodicalStatementCreateResponse for a specified MailingGroupID and CustomerGroupID. (Statement ID: %%1)	Postage Statement Messages
8334	AdjustmentAmount in the PostageAdjustment block must contain less than or equal to 2 decimal characters. (Statement ID: %%1)	Postage Statement Messages
8335	AdjustmentAmount field in the PostageAdjustment block must be less than the PostageAmount field in the PostageStatementCreateRequest message or PeriodicalStatementCreateRequest message. (Statement ID: %%1)	Postage Statement Messages
8336	TotalPiecesAffected field within the PostageAdjustment block must be less than the TotalPieces field in the PostageStatementCreateRequest message or PeriodicalStatementCreateRequest message. (Statement ID: %%1)	Postage Statement Messages
8337	UserPostageStatementID in the PostageAdjustment block must be populated with the same value as the UserPostageStatementID in the PostageStatementCreateResponse message or the PeriodicalStatementCreateResponse message. (Statement ID: %%1)	Postage Statement Messages
8338	AdjustmentDate in the PostageAdjustment block must be populated with a date later than the latest mailing date for the specified StatementID, MailingGroupID and CustomerGroupID. (Statement ID: %%1)	Postage Statement Messages
8339	PostageAdjustment block AdjustmentAmount must be less than the TotalPostage generated by the system on the PostageStatementCreateRequest or PeriodicalStatementCreateRequest for a specified MailingGroupID and CustomerGroupID. (Statement ID: %%1)	Postage Statement Messages
8342	Mail.dat Job ID: %%1 and User License Code: %%2 not found. Values must be populated with the same value in the .hdr file from the original Mail.dat submission.	ContainerUpdateResponse

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8343	ContainerID %%1 must be populated with the same value as the Container ID in the .csm file from the original Mail.dat job submission for the specified CRID.	ContainerUpdateResponse
8344	UniqueContainerBarcode %%1 must be populated with same value as the Label: IM Container Or IM Tray Barcode field in the .csm file from the original Mail.dat job submission for the specified CRID.	ContainerUpdateResponse
8345	EntryPointEDPostalCode must contain exactly 5 characters (Container ID: %%1).	ContainerUpdateResponse
8346	EntryPointEDPostalCode is required when the EntryPointEDFacilityType is populated. (Container ID: %%1)	ContainerUpdateResponse
8347	EntryPointEDFacilityType is required when the EntryPointEDPostalCode is populated. (Container ID: %%1)	ContainerUpdateResponse
8348	EntryPointADLocaleKey must contain exactly 6 characters. (Container ID: %%1)	ContainerUpdateResponse
8349	EntryPointADLocaleKey is required when the EntryPointADPostalCode is populated. (Container ID: %%1)	ContainerUpdateResponse
8350	EntryPointADPostalCode is required when the EntryPointADLocaleKey is populated. (Container ID: %%1)	ContainerUpdateResponse
8351	ParentContainerReferenceID is required when a Parent Container exists. (Container ID: %%1)	ContainerUpdateResponse
8352	ContainerStatus previously populated with C can only be updated to R or D for the specified CRID. (Container ID: %%1)	ContainerUpdateResponse
8353	ContainerStatus previously populated with D cannot be updated for the specified CRID. (Container ID: %%1)	ContainerUpdateResponse
8354	ContainerStatus previously populated with R can only be updated to D, X, T, or C for the specified CRID. (Container ID: %%1)	ContainerUpdateResponse
8355	ContainerStatus previously populated with T can only be updated to D, X, or C for the specified CRID. (Container ID: %%1)	ContainerUpdateResponse
8356	ContainerStatus previously populated with X can only be updated to T for the specified CRID. (Container ID: %%1)	ContainerUpdateResponse
8358	IMBarcode field must be populated with either 21 or 24 characters. (Container ID: %%1)	ContainerUpdateResponse
8360	ContainerStatus cannot be updated to R when the Container Status of the original Mail.dat submission is populated with R. (Container ID: %%1)	ContainerUpdateResponse
8361	StopDesignator field cannot be updated when updating an original Mail.XML job. (Container ID: %%1)	ContainerUpdateResponse
8362	The StopDesignator field can only be updated when the ContainerStatus in the SummaryRecordUpdate block of the ContainerUpdateRequest message is populated with T. (Container ID: %%1, ContainerStatus: %%2)	ContainerUpdateResponse
8363	The TruckDispatchNumber field can only be updated when the ContainerStatus in the SummaryRecordUpdate block of the ContainerUpdateRequest message is populated with T. (Container ID: %%1, ContainerStatus: %%2)	ContainerUpdateResponse
8378	ServiceLevelIndicator in at least one ContainerDetailData block must be populated with F when the FullServiceParticipationIndicator in the MailingGroupData block of the OpenMailingGroupRequest message is populated with M.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)

Error Code	Error Message	Messages
8379	ServiceLevelIndicator in the ContainerDetailData block must be populated with F when the FullServiceParticipationIndicator in the MailingGroupData block of the OpenMailingGroupRequest message is populated with F.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8380	At least one QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest ContainerInfoData block must have a ContainerType of L or M if the LogicalPhysicalIndicator in the OpenMailingGroupRequest is L, MailXMLPresentationCategory is P, FullServiceParticipationIndicator is F or M.	QualificationReportCreateResponse
8381	ContainerType must be populated with S, 1, 2, 3, 4, 5, E, F, O, T, B, U, Z, P, H, A, G, D, R, or C if the LogicalPhysicalContainerIndicator in the OpenMailingGroupRequest message is populated with P and FullServiceParticipationIndicator is F or M.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8382	FormType in the QualificationReport block must be populated with FC, SM, BP, or PE when the FullServiceParticipationIndicator in the MailingGroupData block of the OpenMailingGroupRequest message is populated with F or M.	QualificationReportCreateResponse, QualificationReportSummaryCreateResponse (10.0)
8383	ContainerInfoData block ProcessingCategory must be LT, FL, or CD when the QualificationReport block FormType is FC and FullServiceParticipationIndicator in the MailingGroupData block is F or M for the specified MailingGroupID and CustomerGroupID.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8384	ContainerInfoData block ProcessingCategory must be populated with LT or FL when the QualificationReport block FormType is SM and FullServiceParticipationIndicator in the MailingGroupData block is F or M for a specified MailingGroupID and CustomerGroupID.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8385	ContainerInfoData block ProcessingCategory must be populated with LT or FL when the QualificationReport block FormType is PE and FullServiceParticipationIndicator in the MailingGroupData block is F or M for a specified MailingGroupID and CustomerGroupID.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8386	ContainerInfoData block ProcessingCategory must be populated with FL when the QualificationReport block FormType is BP and FullServiceParticipationIndicator in the MailingGroupData block is F or M for the specified MailingGroupID and CustomerGroupID.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8387	CSAID is required when mail is DMU verified, mail is origin-entered, and FullServiceParticipationIndicator in the MailingGroupData block is F or M.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8388	CSAID is required when the mailer is a large volume mailer, mail is entered at a BMEU at an agreed upon time prior to CET, and FullServiceParticipationIndicator in the MailingGroupData block is F or M. (Container ID %%1)	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8390	CSAID is required when the EntryPointFacilityType in the ContainerInfoData block is populated with O and the ConsigneeApptID in the ContainerInfoData block is populated and FullServiceParticipationIndicator in the MailingGroupData block is F or M.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8392	ScheduledInductionDateTime is required when the ConsigneeApptID in the ContainerInfoData block is populated and FullServiceParticipationIndicator in the MailingGroupData block is F or M. (Container ID: %%1).	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8396	ScheduledShipDateTime is required when the EntryPointFacilityType is O, USPSPickup is populated with Y, and FullServiceParticipationIndicator in the MailingGroupData block is F or M.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8399	ContainerDetailData block TotalPieces must be 0 when the ContainerDetailData block is provided, ContainerInfoData block SiblingContainerID is populated, and MailingGroupData block FullServiceParticipationIndicator is F or M. (Container ID: %%1)	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8400	ContainerBarcode must be populated with 21 characters when the ContainerType in the ContainerInfoData block is populated with B, U, P, H, A, G, D, R, or C and FullServiceParticipationIndicator in the MailingGroupData block is F or M.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8401	ContainerBarcode must be populated with 24 characters when the ContainerType in the ContainerInfoData block is populated with S, 1, 2, 3, 4, 5, E, F, O, or T and FullServiceParticipationIndicator in the MailingGroupData block is F or M.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8402	UniqueContainerBarcode is required when the SiblingContainerCreateRequest ContainerType is B, U, P, H, A, G, D, R, C, S, 1, 2, 3, 4, 5, E, F, O, or T and the Full-Service Participation Indicator in the .seg file is F or M. (ContainerID: %%1)	SiblingContainerCreateResponse
8405	BarcodeID in the IMB block is required when the MailPieceBlock is provided.	MailPieceCreateResponse
8406	ServiceTypeCode field is required when the MailPieceBlock is provided and the MailClass in the IMB block is not populated.	MailPieceCreateResponse
8407	MailClass field is required when the MailPieceBlock is provided and the ServiceTypeCode in the IMB block is not populated.	MailPieceCreateResponse
8412	DeliveryPointZIP in the IMB block is required when the IMB block is provided. (Piece_id: %%1)	MailPieceCreateResponse
8413	At least one of CRID, MailerID6, MailerID9, PermitNumber or PublicationNumber in the QualificationReportPreparer block must be populated when the FullServiceParticipationIndicator in the OpenMailingCreateRequest is F or M	QualificationReportCreateResponse, QualificationReportSummaryCreateResponse (10.0)
8414	At least one of CRID, MailOwnerMID6, MailOwnerMID9, PermitNumber, or PublicationNumber in the MailOwner block of the MailPieceCreateRequest message must be populated when the MailPieceBlock is populated and the MailPieceBlock ServiceLevelIndicator is F.	MailPieceCreateResponse

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8416	At least one of CRID, MailerID6, or MailerID9 in the MailOwner block of the MailPieceCreateRequest message must be populated when the MailXMLRangeBlock is populated	MailPieceCreateResponse
8417	MailerID9 must be populated with the same value as the MailerID9 in the IMbarcodeLowerSerialization block when submitted instead of the MailerID6. (ContainerID: %%1)	MailPieceCreateResponse
8418	MailerID6 must be populated with the same value as the MailerID6 in the IMbarcodeLowerSerialization block when submitted instead of the MailerID9. (ContainerID: %%1)	MailPieceCreateResponse
8419	For all Full-Service MailXMLPieceRangeBlocks, the sum of the IMbarcodeUpperSerialization minus the IMbarcodeLowerSerialization plus one must be between the smaller of the sum of Pieces or Copies and 2% more than the larger of the sum of Pieces or Copies.	MailPieceCreateResponse
8420	IMbarcodeUpperSerialization subtracted by the IMbarcodeLowerSerialization must equal the piece count and copy count when the PieceRange block is provided.	MailPieceUpdateResponse
8421	The number of MailPieceBlocks associated to a ContainerID must equal the sum or between TotalPieces and TotalCopies in the ContainerDetailData block in the Qual Report for the ContainerID, MailingGroupID, and CustomerGroupID. (Container ID: %%1)	MailPiececreateResponse
8422	The number of pieces in PieceRangeBlocks associated to a ContainerID cannot exceed the value in the ContainerDetailData block TotalPieces when the PieceRange Block is populated for a specified MailingGroupID and CustomerGroupID. (Container ID: %%1)	MailPieceCreateResponse
8423	PostageStatementLineItemData block is required when the FullServiceParticipationIndicator in the MailingGroupData block is populated with F or M.	Postage Statement Messages
8427	The pieces associated to a ContainerID in the Postage-, Periodical-, or ConsolidatedPeriodicalStatementCreateRequest message cannot exceed the sum of TotalPieces for that ContainerID in the Qualification Report (ContainerID %%1).	Postage Statement Messages
8428	MailXMLPieceBlock ServiceLevelIndicator must be F when the ContainerDetailData block ServiceLevelIndicator fields are all populated with F for the specified ContainerID within a specified MailingGroupID and CustomerGroupID. (ContainerID: %%1)	Multiple Messages
8429	MailXMLPieceRangeBlock ServiceLevelIndicator must be F when the ContainerDetailData block ServiceLevelIndicator fields are all populated with F for the specified ContainerID within a specified MailingGroupID and CustomerGroupID. (ContainerID: %%1)	MailPieceCreateResponse
8432	QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message must be accepted before submitting the PostageStatementCreateRequest message as for the specified MailingGroupID and CustomerGroupID when the FullServiceParticipationIndicator is F.	Postage Statement Messages
8434	ServiceLevelIndicator in the PieceRangeBlock must be populated with F, B, P, or O when the FullServiceParticipationIndicator field within the MailingGroupData block is M.	MailPieceCreateResponse



<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8435	At least one PieceRangeBlock must have the ServiceLevelIndicator field populated with F when the FullServiceParticipationIndicator field within the MailingGroupData block is populated with M.	MailPieceCreateResponse
8436	ServiceLevelIndicator in the ContainerDetailData block must be populated with F, B, P, or O when the FullServiceParticipationIndicator field within the MailingGroupData block is M.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8438	ContainerType must be populated with L when the PresentationCategory is populated with M and LogicalPhysicalContainerIndicator is populated with L in the MailingGroupData block.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8439	ContainerType must be populated with E, F, O, M, P, T, H, A, G, D, R or C in the ContainerInfoData block when another ContainerType field in the ContainerInfoData block is populated with L for the specified MailingGroupID and CustomerGroupID.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8440	At least one ContainerDetailData block must exist for each ContainerInfoData block in the Qual Report when the ContainerType is L and the OpenMailingGroupRequest MailXMLPresentationCategory is M for the specified MailingGroupID and CustomerGroupID.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8441	CustomerQualificationReportID field in the QualificationReport block is required when the MailXMLPresentationCategory field within the MailingGroupData block of the OpenMailingGroupRequest message is M.	QualificationReportCreateResponse
8443	CustomerQualificationReportID field in the QualificationReport block is required for a MLOCR One-Pass mailing.	QualificationReportCreateResponse
8444	The OnePassPlannedOrActualFlag in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message is required when the OnePassIndicator field in the OpenMailingGroupRequest message is Yes for the specified MailingGroupID and CustomerGroupID.	QualificationReportCreateResponse
8445	PostageStatementLineItemData Containers for an MLOCR mailing must be in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message when the OnePassPlannedOrActualFlag is A for the specified MailingGroupID and CustomerGroupID. (ContainerID %%1 was not found)	Postage Statement Messages
8446	Mailing must be a One Pass MLOCR when OnePassPlannedOrActualFlag in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message is populated with A in the second submission for the specified MailingGroupID and CustomerGroupID.	QualificationReportCreateResponse
8449	FormType in the QualificationReport block must be FC for First-Class or SM for Standard Mail.	QualificationReportCreateResponse

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8451	No more than one LineltemSummaryData block in the CreatePostageStatement block can have the RateCategory populated with S for the specified MailingGroupID and CustomerGroupID.	Postage Statement Messages
8452	PostageAdjustmentCreateRequest message cannot be submitted for MLOCR mailings.	Postage Statement Messages
8453	ProcessingCategory must be LT, FL, or CD when the FormType in the QualificationReport block is FC and MailXMLPresentationCategory in the MailingGroupData block is M for the specified MailingGroupID and CustomerGroupID.	QualificationReportCreateResponse
8454	DocumentVersionData or -DataWithPermit PieceWeight cannot exceed 13oz when the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest FormType is FC and the ProcessingCategory is FL.	QualificationReportCreateResponse
8456	PostagePaymentMethod in the PostageStatementCreateRequest must be P or M when the FormType is FC and ProcessingCategory is FL for the specified MailingGroupID and CustomerGroupID.	Postage Statement Messages
8460	ProcessingCategory in the ContainerInfoData block must be populated with LT when the FormType QualificationReport block is populated with SM for an MLOCR mailing.	QualificationReportCreateResponse
8461	PieceWeight in the DocumentVersionData block or the DocumentVersionDataWithPermit block must be less than or equal to 3.3 ounces when the ProcessingCategory is LT and FormType is SM in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message.	QualificationReportCreateResponse
8467	PostageAffixedAmount must be populated with a value greater than 0 when the PostagePaymentMethod in the CreatePostageStatement block is populated with M or S.	Postage Statement Messages
8469	MeteredAffixedMethod is required when the PostagePaymentMethod in the CreatePostageStatement block is populated with M.	Postage Statement Messages
8470	PermitHolderData block in the CreatePostageStatement block is required when the PostagePaymentMethod in the CreatePostageStatement block is populated with M or S.	Postage Statement Messages
8475	StatementID in the PostageAdjustment block must be populated with a value that references a postage statement where the Stage is not populated with FIN. (Statment ID: %%1)	Postage Statement Messages
8480	StatementID in the PostageAdjustment block must be populated with a value that references a postage statement that has not already been adjusted. (Statment ID: %%1)	Postage Statement Messages
8481	A PeriodicalStatementCreateRequest must be accepted before submitting a PostageStatementCreateRequest message with the EnclosedBy field set to PE for the same MailingGroupID and CustomerGroupID.	Postage Statement Messages
8482	OpenMailingGroupRequest message must be accepted before submitting the PeriodicalStatementCreateRequest for the specified MailingGroupID and CustomerGroupID.	Periodical Postage Statement Messages
8485	ProcessingCategory must be populated with FL, NP, MP, or IR when the FormType is BP.	Multiple

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8486	Zone must be populated with N, 1, 3, 4, 5, 6, 7, 8, DDU or SCF when FormType is BP and Processing Category is FL, MP, IR, or NP.	Multiple
8490	EntryDiscount must be populated with N, B, S or D when FormType is BP.	Multiple
8491	RateCategory must be populated with D, N, or S when the FormType is BP.	Postage Statement Messages
8492	SurchargeType must be populated with N when the FormType is BP.	Postage Statement Messages
8493	WeightBreakType must be populated with N when the FormType is BP.	Postage Statement Messages
8494	BarcodeRate must be populated with Y or N when the FormType is BP.	Postage Statement Messages
8497	PostagePaymentMethod must be populated with P when the FormType is BP.	Postage Statement Messages
8498	RateType must be populated with B when FormType is BP.	Postage Statement Messages
8500	SinglePieceWeight must be populated with a value less than or equal to 15 pounds when the FormType is BP.	Postage Statement Messages
8501	TotalPieces and TotalCopies must be populated with the same values when FormType is BP.	Multiple
8502	ServiceCode must be populated with COD, COM, DC, IM, PAL, RD, RR, RRE, RRM, SC, or SH when FormType is BP.	Postage Statement Messages
8503	ProcessingCategory must be populated with LT, FL, CD, or PF when FormType is FC.	Multiple
8504	Zone must be populated with N when FormType is FC and ProcessingCategory is LT, FL, CD, or PF.	Multiple
8505	RateType must be populated with R or M when FormType is FC and ProcessingCategory is LT.	Postage Statement Messages
8506	RateCategory must be populated with E, H, L1, L2, N, PR, or S when FormType is FC and ProcessingCategory is LT.	Postage Statement Messages
8507	RateType must be populated with R or M when FormType is FC and ProcessingCategory is FL.	Postage Statement Messages
8508	RateCategory must be populated with E, H, L3, L4, N, PR, or S when FormType is FC and ProcessingCategory is FL.	Postage Statement Messages
8509	RateType must be populated with R or M when FormType is FC and ProcessingCategory is CD.	Postage Statement Messages

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8510	RateCategory must be populated with E, H, L1, L2, N, or S when FormType is FC and ProcessingCategory is CD.	Postage Statement Messages
8511	RateType must be populated with R when FormType is FC and ProcessingCategory is PF.	Postage Statement Messages
8512	RateCategory must be populated with E, G, H, K, L3, L4, L5, L6, S, or N when FormType is FC and ProcessingCategory is PF.	Postage Statement Messages
8513	EntryDiscount must be populated with N when FormType is FC.	Postage Statement Messages
8515	SurchargeType must be populated with A, E, N, R or L when FormType is FC.	Postage Statement Messages
8516	WeightBreakType must be populated with A, B, or N when provided and when the FormType is FC.	Postage Statement Messages
8517	SinglePieceWeight must be populated with a value greater than 0.0625 pounds when FormType is FC and SurchargeType is E and WeightBreakType is A.	Postage Statement Messages
8518	SinglePieceWeight must be populated with a value less than or equal to 0.0625 pounds when FormType is FC and SurchargeType is E and WeightBreakType is B.	Postage Statement Messages
8519	BarcodeRate must be populated with N or O when FormType is FC.	Postage Statement Messages
8520	EntryFacilityType must be populated with O, B, S, or D when FormType is FC.	Postage Statement Messages
8521	PackagingMethod must be populated with 0, 1, or Blank when FormType is FC.	Postage Statement Messages
8522	PostagePaymentMethod must be populated with S, M, or P when FormType is FC.	Postage Statement Messages
8524	MoveUpdateMethod must be populated with ASE, ACS, ALT, FAST, MULT, or NCOA when FormType is SM.	Postage Statement Messages
8525	EnclosedBy must be populated with SM, BP, PE, or ML when FormType is FC.	Postage Statement Messages
8526	ServiceCode must be populated with SH, COM, COD, RR, RM, SC, DC, RRE, CM, IM, or RD when FormType is FC.	Postage Statement Messages
8527	ProcessingCategory must be populated with PF when FormType is FC and ServiceCode is SC.	Postage Statement Messages
8528	ProcessingCategory must be populated with FL, MP, NP, or IR when FormType is ML.	Multiple
8529	Zone must be populated with N when FormType is ML and ProcessingCategory is MP or IR.	Multiple

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8530	ProcessingCategory must be populated with FL, MP, or IR when FormType is ML and RateType is F.	Postage Statement Messages
8531	Zone must be populated with N when FormType is ML and RateType is F.	Postage Statement Messages
8533	ProcessingCategory must be populated with FL, MP, or IR when FormType is ML and RateType is L.	Postage Statement Messages
8536	EntryDiscount must be populated with N when FormType is ML.	Multiple
8537	RateCategory must be populated with G, N, S, or E when FormType is ML.	Postage Statement Messages
8538	SurchargeType must be populated with N when FormType is ML.	Postage Statement Messages
8539	WeightBreakType must be populated with N when FormType is ML.	Postage Statement Messages
8540	BarcodeRate must be populated with Y or N when FormType is ML.	Postage Statement Messages
8541	EntryFacilityType must be populated with A, O, B, S, or D when FormType is ML.	Postage Statement Messages
8542	PackagingMethod must be populated with 0, 1, 2, or Blank when FormType is ML.	Postage Statement Messages
8543	PostagePaymentMethod must be populated with M or P when FormType is ML.	Postage Statement Messages
8544	RateType must be populated with L or F when FormType is ML.	Postage Statement Messages
8545	SackingBasis must be populated with 0 or 1 when FormType is ML.	Postage Statement Messages
8546	SinglePieceWeight must be less than or equal to 35 pounds when FormType is ML and BarcodeRate is Yes.	Postage Statement Messages
8547	SinglePieceWeight must be less than or equal to 70 pounds when FormType is ML and BarcodeRate is No.	Postage Statement Messages
8548	TotalPieces and TotalCopies must be populated with the same values when the FormType is ML.	Multiple
8549	ServiceCode must be populated with COD, COM, DC, IM, PAL, RD, RR, RRE, RRM, SC, or SH when FormType is ML.	Postage Statement Messages
8550	ProcessingCategory must be populated with LT, FL, MP, IR, or NP when FormType is PE.	QualificationReportCreateResponse
8551	Zone must be populated with N, 1, 3, 4, 5, 6, 7, 8, ICD, ADC, DDU, or SCF when FormType is PE and Zone is provided.	Multiple

Error Code	Error Message	Messages
8554	EntryFacilityType must be populated with O, B, D, A, or S when FormType is PE. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages
8557	LimitedCirculationDiscountClaimed must be populated with Yes when the FormType is PE and RateType is W or Y. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages
8558	ContainerChargeContainerLevel must be populated with 3, 5, A, or M when FormType is PE.	QualificationReportCreateResponse
8559	InOutCountyIndicator must be populated with N or I when FormType is PE.	Multiple
8560	AdPercent is required when FormType is PE. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages
8562	EntryFacilityType must be populated with O, B, S, D, or A when FormType is PE or Pending Periodicals. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages
8563	RateCategory must be populated with A, B, D, E, G, H, K, L, L1, L2, L3, L4, L5, L6, L7, L8, FB, N, or O when mailing is identified as Periodicals. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages
8564	When populated, Zone must be populated with DDU, 1, 3, 4, 5, 6, 7, 8, SCF, ADC, or N when FormType is PE and InOutCountyIndicator is I. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages
8567	ProcessingCategory can only be populated with FL, MP, or LT when FormType is PE and InOutCountyIndicator is I and RateCategory is L, H, or E. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages
8571	RateCategory must be populated with A, B, D, FB, E, G, H, K, L3, L4, L5, or L6 when FormType is PE, and InOutCountyIndicator is N, and MachinableFlag is N, and ProcessingCategory is FL. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages
8572	RateCategory must be populated with A, B, D, FB, E, G, H, K, L3, L4, L5, or L6 when FormType is PE and InOutCountyIndicator is N and MachinableFlag is Blank and ProcessingCategory is IR, MP, or NP. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages
8573	RateCategory must be populated with A, B, D, FB, E, G, H, K, L1, L2, L3, L4, L5, or L6 when FormType is PE and InOutCountyIndicator is N and MachinableFlag is Blank and ProcessingCategory is LT. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages
8574	ChargeableContainerLevel must be populated with M when FormType is PE and InOutCountyIndicator is N and ChargeableBundleLevel is M. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages
8575	ChargeableContainerLevel must be populated with M or A when FormType is PE and InOutCountyIndicator is N and ChargeableBundleLevel is A. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages
8576	ChargeableContainerLevel must be populated with M, A, or 3 when FormType is PE and InOutCountyIndicator is N and ChargeableBundleLevel is 3. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages
8577	ChargeableContainerLevel must be populated with M, A, 3, or 5 when FormType is PE and InOutCountyIndicator is N and ChargeableBundleLevel is 5. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages
8578	ContainerType must be populated with Pallets-Sacks-Trays when FormType is PE and Containers is populated. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8579	ChargeableEntryLevel must be populated with C, J, or O when FormType is PE and ChargeableContainerLevel is M. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages
8581	ChargeableEntryLevel must be populated with B, C, J, K, O, or R when FormType is PE and ChargeableContainerLevel is A. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages
8583	ChargeableEntryLevel must be populated with B, C, J, K, O, R, or S when FormType is PE and ChargeableContainerLevel is 3. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages
8585	ChargeableEntryLevel must be populated with B, C, D, J, K, O, R, or S when FormType is PE and ChargeableContainerLevel is 5. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages
8586	ProcessingCategory must be populated with LT, FL or PF when FormType is PM.	Postage Statement Messages
8587	Zone must be populated with N, 1, 3, 4, 5, 6, 7, or 8 when FormType is PM and ProcessingCategory is LT, FL, or PF.	Postage Statement Messages
8588	RateType must be C, E, L, or T when FormType is PM and ProcessingCategory is FL	Postage Statement Messages
8589	RateCategory must be S, PR, P10, P11, P12, P13, P14, P15, or P16 when FormType is PM and ProcessingCategory is FL..	Postage Statement Messages
8590	RateType must be C or T when FormType is PM and ProcessingCategory is LT	Postage Statement Messages
8591	RateCategory must be S when FormType is PM and ProcessingCategory is LT.	Postage Statement Messages
8592	RateType must be E, G, J, K, L, X, or T when FormType is PM and ProcessingCategory is PF.	Postage Statement Messages
8593	RateCategory must be S, P10, P11, P12, P13, P14, P15, or P16 when FormType is PM and ProcessingCategory is PF.	Postage Statement Messages
8594	EntryDiscount must be populated with N when FormType is PM.	Postage Statement Messages
8595	RateCategory must be populated with S, PR, P10, P11, P12, P13, P14, P15, or P16 when FormType is PM.	Postage Statement Messages
8596	SurchargeType must be populated with D, E, N, or P when FormType is PM.	Postage Statement Messages
8597	WeightBreakType must be populated with N when FormType is PM.	Postage Statement Messages
8598	FlatRateIndicator must be populated with B, C, E, F, L, M, O, P, or S when FormType is PM.	Postage Statement Messages

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8599	BarcodeRate must be populated with N or O when FormType is PM.	Postage Statement Messages
8600	EntryFacilityType must be populated with O, B, S, or D when FormType is PM.	Postage Statement Messages
8601	PostagePaymentMethod must be populated with P when FormType is PM.	Postage Statement Messages
8602	RateType must be populated with C, L, T, E, G, J, K, or X when FormType is PM.	Postage Statement Messages
8603	PriceType must be populated with Commercial, Commercial Plus, or Retail when FormType is PM.	Postage Statement Messages
8605	ServiceCode must be populated with AS, RAS, CM, COD, COM, DC, IM, RD, RM, RR, RRE, RRM, SC, or SH when FormType is PM.	Postage Statement Messages
8606	ProcessingCategory must be populated with MP, IR, or NP when FormType is PP.	Postage Statement Messages
8607	Zone must be populated with N, 1, 3, 4, 5, 6, 7, 8, DDU or SCF when FormType is PP.	Postage Statement Messages
8611	ProcessingCategory must be populated with MP, NP or IR when FormType is PP and RateType is P.	Postage Statement Messages
8612	Zone must be populated with 1, 3, 4, 5, 6, 7, or 8 when FormType is PP and RateType is P.	Postage Statement Messages
8613	RateCategory must be populated with S when FormType is PP and RateType is P.	Postage Statement Messages
8616	SurchargeType must be populated with 2 or N when FormType is PP.	Postage Statement Messages
8617	WeightBreakType must be populated with N when FormType is PP.	Postage Statement Messages
8618	BarcodeRate must be populated with N when FormType is PP and RateType is P.	Postage Statement Messages
8620	PostagePaymentMethod must be populated with M or P when FormType is PP.	Postage Statement Messages
8621	RateType must be populated with P when FormType is PP.	Postage Statement Messages
8626	SinglePieceWeight must be populated with a value less than or equal to 70 pounds when FormType is PP, RateType is P, SurchargeType is N, RateCategory is S, and BarcodeRate is Y.	Postage Statement Messages



<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8627	SinglePieceWeight must be populated with a value less than or equal to 70 pounds when FormType is PP, RateType is P, SurchargeType is N, RateCategory is S, and BarcodeRate is N.	Postage Statement Messages
8628	SinglePieceWeight must be populated with a value less than or equal to 70 pounds when FormType is PP, RateType is P, SurchargeType is P, and RateCategory is S.	Postage Statement Messages
8629	SinglePieceWeight must be populated with a value less than or equal to 70 pounds when FormType is PP RateType is P, SurchargeType is 2, and RateCategory is S.	Postage Statement Messages
8630	SinglePieceWeight must be populated with a value less than or equal to 70 pounds when FormType is PP, RateType is P, SurchargeType is N or 2, and RateCategory is Z1 or Z2.	Postage Statement Messages
8631	SinglePieceWeight must be populated with a value less than or equal to 70 pounds when FormType is PP and RateType is P and SurchargeType is P or 2 and RateCategory is Z1 or Z2.	Postage Statement Messages
8632	TotalPieces and TotalCopies must be populated with the same values when FormType is PP.	Multiple
8633	If populated, ServiceCode must be populated with COD, COM, DC, IM, PAL, RD, RR, RRE, RRM, SC, or SH when FormType is PP.	Postage Statement Messages
8634	ProcessingCategory must be populated with LT, FL, MP, IR, NP, CM, NA, or NB when FormType is SM. (User Postage Statement ID: %%1).	Multiple
8635	Zone must be populated with N when FormType is SM and ProcessingCategory is LT, FL, MP, IR, or CM. (User Postage Statement ID: %%1).	Multiple
8637	RateCategory must be populated with N when FormType is SM and ProcessingCategory is CM. (User Postage Statement ID: %%1).	Postage Statement Messages
8638	EntryDiscount must be populated with N when FormType is SM and ProcessingCategory is CM. (User Postage Statement ID: %%1).	Postage Statement Messages
8640	RateCategory must be populated with A, B, D, O, E, G, H, K, L3, L4, L5, or L6 when FormType is SM and ProcessingCategory is FL. (User Postage Statement ID: %%1).	Postage Statement Messages
8642	RateCategory must be populated with A, B, D, O, P5, P6, P7, P8, PG, PI, PK, or PM when FormType is SM and ProcessingCategory is IR. (User Postage Statement ID: %%1).	Postage Statement Messages
8644	RateCategory must be populated with A, A1, B, B1, D, D1, O, E, G, H, K, L1, L2, L5, L6, L7, L8, NG, NK, N5, or N6 when FormType is SM and ProcessingCategory is LT. (User Postage Statement ID: %%1).	Postage Statement Messages
8646	RateCategory must be populated with A, B, D, PE, PQ, or PR when FormType is SM and ProcessingCategory is MP. (User Postage Statement ID: %%1).	Postage Statement Messages
8648	RateCategory must be populated with N5, N6, NG, or NK when FormType is SM and ProcessingCategory is NA or NB. (User Postage Statement ID: %%1).	Postage Statement Messages
8649	EntryDiscount must be populated with N, B, S, or D when FormType is SM. (User Postage Statement ID: %%1).	QualificationReportCreateResponse

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8650	RateCategory must be populated with A, B, D, O, E, G, H, K, N, L1, L2, L3, L4, L5, L6, L7, L8, PE, PG, PI, PK, PM, PQ, PR, P5, P6, P7, or P8 when FormType is SM. (User Postage Statement ID: %%1).	Postage Statement Messages
8651	SurchargeType must be populated with L or N when FormType is SM. (User Postage Statement ID: %%1).	Postage Statement Messages
8652	WeightBreakType must be populated with A, B, or H when FormType is SM. (User Postage Statement ID: %%1).	Postage Statement Messages
8653	PieceWeight must be populated with a value greater than 0.2063 pounds when FormType is SM and WeightBreakType is A. (User Postage Statement ID: %%1).	Postage Statement Messages
8654	PieceWeight must be populated with a value less than or equal to 0.2063 pounds when FormType is SM and WeightBreakType is B. (User Postage Statement ID: %%1).	Postage Statement Messages
8655	PieceWeight must be populated with a value greater than 0.2063 pounds when FormType is SM and WeightBreakType is H and ProcessingCategory is LT. (User Postage Statement ID: %%1).	Postage Statement Messages
8656	BarcodeRate must be populated with Y, N, or O when FormType is SM. (User Postage Statement ID: %%1).	Postage Statement Messages
8657	EntryFacilityType must be populated with O, B, S, or D when FormType is SM. (User Postage Statement ID: %%1).	Postage Statement Messages
8658	PackagingMethod must be populated with 0, 1, 2, or Blank when FormType is SM. (User Postage Statement ID: %%1).	Postage Statement Messages
8659	PostagePaymentMethod must be populated with S, M, or P when FormType is SM. (User Postage Statement ID: %%1).	Postage Statement Messages
8660	RateType must be populated with R or N when FormType is SM. (User Postage Statement ID: %%1).	Postage Statement Messages
8661	SackingBasis must be populated with 0, 1, 2, 3, 4, or Blank when FormType is SM. (User Postage Statement ID: %%1).	Postage Statement Messages
8662	EnclosedBy must be populated with SM, BP, PE, PP, or ML when FormType is SM. (User Postage Statement ID: %%1).	Postage Statement Messages
8663	ServiceCode must be populated with DC, IM, RRM, or RD when FormType is SM. (User Postage Statement ID: %%1).	Postage Statement Messages
8665	The MailingGroupID in the OriginalContainerLinkageCancelRequest must be populated with the Consolidator MailingGroupID.	OriginalContainerLinkageCancelResponse
8666	OpenMailingGroupRequest message must be accepted before submitting the OriginalContainerLinkageCreateRequest message for the specified CRID when a Mail.dat container is being linked.	OriginalContainerLinkageCreateResponse

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8667	QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest must be accepted before submitting the OriginalContainerLinkageCreateRequest for the specified CRID when a Mail.XML container is being linked. (Linked Mailing Group: %%1, Linked Container ID: %%2).	OriginalContainerLinkageCreateResponse
8668	Values populated in the MailDatContainer block must exist when the original container was submitted through Mail.dat. (Original Mail.dat Job ID: %%1, Original Mail.dat Container ID: %%2).	OriginalContainerLinkageCreateResponse
8669	Values populated in the MailXMLContainer block must exist when the original container was submitted through Mail.XML. (Original Mailing Group: %%1, Original Container ID: %%2).	OriginalContainerLinkageCreateResponse
8670	Either the MailDatContainer block or the MailXMLContainer block of the OriginalContainer block is required.	OriginalContainerLinkageCreateResponse
8672	Populated fields in the MailXMLContainer block in the LinkedContainer block must link to fields in a MailXMLContainer block in the OriginalContainer block. (Linked Mailing Group: %%1, Linked Container ID: %%2).	OriginalContainerLinkageCreateResponse
8673	CustomerGroupID in the OriginalContainerLinkageCreateHeaderInfo block is required.	OriginalContainerLinkageCreateResponse
8674	MailingGroupID in the OriginalContainerLinkageCreateHeaderInfo block is required.	OriginalContainerLinkageCreateResponse
8675	OriginalContainerLinkageCreateRequest message must be accepted before the OriginalContainerLinkageCancelRequest message for the specified CRID when the linked container is created through Mail.XML. (Reason: %%1)	OriginalContainerLinkageCancelResponse
8676	OpenMailingGroupRequest message must be accepted before submitting the OriginalContainerCancelLinkageRequest message for the specified CRID when the linked container is created through Mail.dat.	OriginalContainerLinkageCancelResponse
8677	OpenMailingGroupRequest message must be accepted before submitting the OriginalContainerCreateLinkageRequest message for the specified CRID when the linked container is created through Mail.dat.	OriginalContainerLinkageCreateResponse
8678	PublicationNumber within the PermitPublicationData block in the MailingGroupData block must be populated with a value combined with the PostOfficeOfMailingZIP in the MailingGroupData block that maps to a single active Finance Number.	OpenMailingGroupResponse
8679	PermitNumber field within the PermitPublicationData block in the DocumentVersionDataWithPermit block must exist and map back to a Finance Number. (Version ID: %%1)	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8680	MailPieceBlock or MailXMLPieceRangeBlock is required when the FullServiceParticipationIndicator is populated with M.	MailPieceCreateResponse
8689	BundleID must be a unique value within a ContainerID in the BundleDetail block across the mailing group. (ContainerID: %%1, BundleID: %%2).	BundleDetailCreateResponse

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8692	OriginalContainer block must contain fields that are populated with the values that exist in the <i>PostalOne!</i> Mail.dat database for the specified CRID.	SiblingContainerCancelResponse
8693	ContainerID value that has been deleted within the SiblingContainerCancelRequest message cannot be reused within a mailing group. (Sibling Container ID: %%1 was previously cancelled.)	SiblingContainerCreateResponse
8694	UserPostageStatementID must be unique within the MailingGroupID. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages
8695	ServiceCode must be populated with CM, COD, DC, IM, RD, RM, RR, RRE, RRM, SC, or SH when FormType is PM.	Postage Statement Messages
8696	CustomerQualificationReportID in the QualificationReport must be a unique value within the MailingGroupID.	QualificationReportCreateResponse
8697	ContainerID in the QualificationReport must be a unique value within the MailingGroupID. (Container ID: %%1)	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8698	VersionID in the ContainerDetailData must be populated and referenced with a VersionID in at least one DocumentVersionDataWithPermit block associated to a Qualification Report. (Container ID: %%1)	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8702	ContainerPostage is required when the FullServiceParticipationIndicator is F or M except when the ContainerID is populated for all PeriodicalStatementLineItemData blocks for the specified StatementSequenceNumber. (User Postage Statement ID: %%1).	Periodical Postage Statement Messages
8715	SiblingContainerCancelRequest message cannot be submitted when the original container and sibling container have the ContainerStatus of Ready to Pay. (Orig ContainerID: %%1, Sibling ContainerID: %%2)	SiblingContainerCancelResponse
8717	When the USPSPriceIncentiveType in the DocumentVersionData, LineItemSummaryData, or PostageStatementLineItemData block is provided, it must be set to Saturation-HDSCF, Saturation-HDTotal, PostageAffixedReplyRidesFree, MobileBarcode, or SummerSale.	Postage Statement Messages
8718	The maximum weight for First-Class Mail Automation Letters and Cards is 3.5 ounces.	Postage Statement Messages
8719	The maximum weight for First-Class Mail Non-Automation Letters is 13 ounces.	Postage Statement Messages
8720	The maximum weight for First-Class Mail Automation Flats is 13 ounces.	Postage Statement Messages
8721	The maximum weight for First-Class Mail Non-Automation Flats is 13 ounces.	Postage Statement Messages

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8724	The StandardFlatType field in the LineltemSummary or PostageStatementLineltemData blocks must be populated when FormType is SM and ProcessingCategory is FL.	Postage Statement Messages
8725	The StandardFlatType field in the DocumentVersionDataWithPermit block must be populated when FormType is SM and ProcessingCategory is FL.	QualificationReportCreateResponse
8726	The RateCategory must be E, H, L3, L4, A, B, D, or O for Standard Mail Flat Catalogs.	Postage Statement Messages
8728	The Maximum weight for Standard Mail Letters is 16 ounces.	Postage Statement Messages
8729	The Maximum weight for Standard Mail Flats is 16 ounces.	Postage Statement Messages
8731	The maximum weight for Package Services Bound Printed Matter is 20 ounces.	Postage Statement Messages
8732	The version weight for Periodical and Pending Periodical Letters cannot be greater than 16 ounces (Postg Stmt. %%1).	Postage Statement Messages
8733	The version weight for Periodical and Pending Periodical machinable Flats cannot be greater than 22 ounces (Postg Stmt. %%1).	Postage Statement Messages
8734	Rate Categories AF, BF, DF, GF, and KF are not supported for First-Class Mail, Standard Mail, or Periodicals.	Multiple
8735	A ContainerDetailID field submitted in the MailPieceCreateRequest message must match a ContainerDetailID field submitted in the associated QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest Message. (ContainerDetailID %%1 missing for ContainerID %%2)	MailPieceCreateResponse
8736	A ContainerDetailID field submitted in the PostageStatementCreateRequest message must match a ContainerDetailID field submitted in the associated QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest Message. (ContainerDetailID %%1 missing for ContainerID %%2)	Postage Statement Messages
8737	A ContainerDetailID field submitted in the Periodical- or ConsolidatedPeriodicalStatementCreateRequest must match a ContainerDetailID field submitted in the associated QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest . (ContainerDetailID %%1 missing for ContainerID %%2)QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest	Postage Statement Messages
8738	The number of pieces for a ContainerDetailID submitted in the MailPieceCreateRequest cannot exceed the number of pieces associated to that ContainerDetailID field in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest . (ContainerDetailID %%1 within ContainerID %%2)	MailPieceCreateResponse

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8765	ParentContainerID field in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message is required when the IncludedinOtherDoc field is L and the SiblingContainerID is null. (ContainerDetailID %%1 missing for ContainerID %%2)	QualificationReportCreateResponse
8767	SiblingContainerID is an optional field and cannot be populated if the ParentContainerID field is populated. When populated its length should be between 1 and 6 characters. (Found SiblingContainerID %% for ContainerID %%2)	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8768	The system only supports Transportation Update with Container Status T in the ContainerUpdateRequest message.	ContainerUpdateResponse
8769	The system supports Transportation Update with Container Status T and Submission Date is within 30 days of the Postage Statement Mailing Date.	ContainerUpdateResponse
8809	A postage statement line did not map to a valid rate.	Postage Statement Messages
8810	The Permit Number, Type and Zip4 Option of the Permit Holder block must be populated in a PostageStatementCreateRequest message.	Postage Statement Messages
8811	Verify that at least one Permit block was submitted.	Postage Statement Messages
8812	FullServiceParticipationIndicator in the MailingGroupData block of the OpenMailingGroupRequest message must be populated with F or M for mail piece or piece range creation.	MailPieceCreateResponse
8813	OriginalContainerCancelRequest message cannot cancel linked containers when the PostageStatementStatus in the PostageStatementSummary block is UPD and the ContainerType is V. (Linked Mailing Group: %%1, Linked Container ID: %%2).	OriginalContainerLinkageCancelResponse
8814	OriginalContainerCancelRequest message cannot cancel linked containers when the ContainerType of the original and linked container is O, T, E, or L. (Linked Mailing Group: %%1, Linked Container ID: %%2).	OriginalContainerLinkageCancelResponse
8815	At least one Extra Service Summary Data Block does not match the expected Rates.	Postage Statement Messages
8817	EnclosedBy in the CreatePostageStatement block must be populated with PE for Enclosures.	Postage Statement Messages
8818	EnclosingIssueDate is required when EnclosedBy in CreatePostageStatement block is populated with PE for Enclosures.	Postage Statement Messages
8819	FormType in the CreatePostageStatement block must be populated with FC or SM when EnclosedBy in CreatePostageStatement block is populated with PE.	Postage Statement Messages
8820	EntryLocaleKey field in the ContainerInfoData block must be populated for drop shipped mail. (Container ID: %%1)	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8821	PostageStatementLineData does not match the Extended form setting in the header.	Postage Statement Messages
8822	More than %%1 failures for error code: %%2	All Request Messages
8823	Version ID must be unique within the submitted message. (Version ID: %%1).	Multiple
8824	An error occurred when parsing the message.	Multiple
8826	SiblingContainerCreateRequest message must be sent before the original container has ContainerStatus populated with R.	ContainerUpdateResponse
8827	The MaildatJobID and UserLicenseCode provided did not map to a valid job.	ContainerUpdateResponse
8828	The new linked ctr id is already assigned to a different original ctr. (Linked ctr: %%1)	OriginalContainerLinkageCreateResponse
8831	When provided, RateCategory must be A, B, D, E, H, O, L1, L2, L3, or L4 when the FormType is PE, the InOutCountyIndicator is I, and the ServiceLevelIndicator for the associated ContainerID is F.	Postage Statement Messages
8832	When provided, RateCategory must be A, B, D, E, H, O, L1, L2, L3, L4, or FB when the FormType is PE, the InOutCountyIndicator is N, and the ServiceLevelIndicator for the associated ContainerID is F.	Postage Statement Messages
8833	RateCategory can only be E, H, L1, or L2 when FormType is FC, ProcessingCategory is CD, and the ServiceLevelIndicator for the associated ContainerID is F.	Postage Statement Messages
8834	RateCategory can only be E, H, L1, or L2 when FormType is FC, ProcessingCategory is LT, and the ServiceLevelIndicator for the associated ContainerID is F.	Postage Statement Messages
8835	RateCategory can only be E, H, L3, or L4 when FormType is FC, ProcessingCategory is FL, and the ServiceLevelIndicator for the associated ContainerID is F.	Postage Statement Messages
8836	RateCategory can only be A, B, D, O, E, H, L1 or L2 when FormType is SM, ProcessingCategory is LT, and the ServiceLevelIndicator for the associated ContainerID is F.	Postage Statement Messages
8837	The RateCategory field can only be populated with A,B, D, O, E, H, L3 or L4 when the FormType is SM, ProcessingCategory is FL, and the ServiceLevelIndicator for the associated ContainerID is F.	Postage Statement Messages
8838	RateCategory can only be A, B, D, O, E, H, L3 or L4 when FormType is BP, ProcessingCategory is FL, and the ServiceLevelIndicator for the associated ContainerID is F.	Postage Statement Messages
8839	A Header record for Periodical Statement %%1 failed to generate.	Postage Statement Messages
8840	Only one Pieces field in the MailXMLPieceRange block can be populated.	MailPieceCreateResponse
8841	Only one Copies field in the MailXMLPieceRange block can be populated.	MailPieceCreateResponse
8842	The Origin Container Barcode specified in the Original Container Linkage message does not match the submitted Origin Container Barcode: %%1	OriginalContainerLinkageCreateResponse

Error Code	Error Message	Messages
8843	The Linked Container Barcode specified in the Original Container Linkage message does not match the submitted Linked Container Barcode: %%1	OriginalContainerLinkageCreateResponse
8844	The ProcessingCategory of child containers must match the ProcessingCategory of their respective parent container.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8845	The CinCode field in in the ContainerInfoData can only contain numeric characters.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8846	The FormType must be PE for a Periodical Statement.	Postage Statement Messages
8847	The mail class must be the same across a co-palletized mailing.	OriginalContainerLinkageCreateResponse
8849	The Permit with Number %%1, and Type %%2 does not map to the same Finance Number as the permit for the Mailing Group.	QualificationReportCreateResponse
8850	An OriginalContainerID and OriginalMailingGroup or a OriginalJobID in the OriginalContainerLinkageCreateRequest can not have been previously linked to a consolidator MailingGroup. Container Id %%1	OriginalContainerLinkageCreateResponse
8851	The ContainerID field in the OriginalContainer block does not have a finalized postage statement associated to it, which is needed for Tray-Based Co-Palletization. Container Id: %%1	OriginalContainerLinkageCreateResponse
8856	The Total Postage for line block %%1 must be between the Postage calculated at the minimum and maximum rates for Section %%2, Line Number %%3	Postage Statement Messages
8857	The number of pieces in the InCountyAddressedSupplementPieces field cannot exceed the sum of all pieces in PeriodicalLineItemData blocks where InOutCountyIndicator is set to I. (User Postage Statement ID: %%1)	Postage Statement Messages
8858	The service level of the Linked Container may not be higher than that of the Original Container. Original Container Service Level: %%1, Linked Container Service Level: %%2	OriginalContainerLinkageCreateResponse
8859	When populated, the ContainerType field in SiblingContainerCreateRequest message must be populated with 1, 2, 3, 4, 5, E, F, O, P, S, T, B, U, Z, H, A, G, D, R, or C.	SiblingContainerCreateResponse
8860	The number of pieces in the OutsideCountyAddressedSupplementPieces field cannot exceed the sum of all pieces in PeriodicalLineItemData blocks where InOutCountyIndicator is set to N. (User Postage Statement ID: %%1)	Postage Statement Messages
8861	For Copalletization, the linked container must have an Included In Other Documentation value of L. Container ID: %%1	OriginalContainerLinkageCreateResponse



<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8862	For Copalletization, the original container must have an Included In Other Documentation value of O. Container ID: %%1	OriginalContainerLinkageCreateResponse
8864	Each Periodical Statement submitted in a PeriodicalStatementCreateRequest or a ConsolidatedStatementCreateRequest must contain at least one PeriodicalLineItemData block.	Postage Statement Messages
8865	Each Postage Statement submitted in a PostageStatementCreateRequest must contain at least one PostageStatementLineItemData block or one LineItemSummaryData block.	Postage Statement Messages
8866	Invalid permit information was entered to claim the Science and Agriculture rate.	Postage Statement Messages
8867	Invalid permit information was entered to claim the Non-Profit rate.	QualificationReportCreateResponse
8868	Invalid permit information was entered to claim the Classroom rate.	QualificationReportCreateResponse
8869	An Internal Error occurred during the %%1 step while processing your message.	Postage Statement Messages
8870	A QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest with the OnePassPlannedOrActualFlag with A must be preceded by a QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest with the OnePassPlannedOrActualFlag set to P .	QualificationReportCreateResponse
8871	All Postage Statements in a Combined Mailing must have the same Form Type. The Form Type for this Combined Mailing is %%1.	Postage Statement Messages
8873	Invalid permit information was entered to claim the Science of Agriculture Limited Circulation rate.	QualificationReportCreateResponse
8874	Invalid permit information was entered to claim the Regular Limited Circulation rate.	QualificationReportCreateResponse
8875	All Periodical Statements in a ConsolidatedPeriodicalStatementCreateRequest must have the same Combined Mailing ID.	Multiple
8876	The QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest message cannot have the records with the IncludedInOtherDoc field values set to O and L.	QualificationReportCreateResponse
8877	The LineItemSummaryData block must have the PiecePostage field populated when the single piece weight is not provided.	Postage Statement Messages
8878	The PostageAmount in the LineItemSummaryData block must equal the PiecePostage plus the PoundPostage when the single piece weight is not provided.	Postage Statement Messages
8879	The PostageAmount in the LineItemSummaryData block cannot be greater than the PiecePostage amount when the single piece weight is not provided.	Postage Statement Messages

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8880	The Piece Postage for line block %%1 must be between the Postage calculated at the minimum and maximum rates for Section %%2, Line Number %%3	Postage Statement Messages
8881	The Pound Postage for line block %%1 must be between the Postage calculated at the minimum and maximum rates for Section %%2, Line Number %%3	Postage Statement Messages
8882	Tray based copal container linkages cannot be cancelled. (ContainerID: %%1)	OriginalContainerLinkageCancelResponse
8883	Bundle based copal container linkages cannot be cancelled after the associated postage statements have been finalized. (ContainerID: %%1)	OriginalContainerLinkageCancelResponse
8884	The Original Container and Linked Container must have the same Container Barcodes required for Fullservice and Mixed Service containers. %%1	OriginalContainerLinkageCreateResponse
8885	When populated, the FullServiceParticipationIndicator field must be set to F.	Postage Statement Messages
8886	The Permit Holder Permit Type cannot equal PE or PP in a PostageStatementCreateRequest message.	Postage Statement Messages
8887	The finance number %%1 associated with .mpa permit number %%2 and permit type %%3 does not have a non-profit status.	Postage Statement Messages
8888	Container updates to origin containers in a co-pal tray job are not allowed after the consolidator job has been submitted. (Container ID: %%1)	ContainerUpdateResponse
8889	The number of pieces must equal the number of copies when the mailing does not include Firm Bundles or Addressed Supplements and InOutCountyIndicator is N.	Postage Statement Messages
8890	The number of pieces must be less than or equal to the number of copies when the mailing includes Firm Bundles but does not have any Addressed Supplements and InOutCountyIndicator is N.	Postage Statement Messages
8891	The number of pieces must be greater than or equal to the number of copies when the mailing includes Addressed Supplements but does not have Firm Bundles and InOutCountyIndicator is N.	Postage Statement Messages
8900	The CRID in the SubmittingParty block of the SiblingContainerCreateRequest message must match the CRID of the mailer that created the MailingGroup. (CRID: %%1)	SiblingContainerCreateResponse
8901	The CustomerGroupID field within the OriginalContainer block of the SiblingContainerCreateRequest message must be a string between 1 and 25 characters and match the CustomerGroupID of the existing container. (Container GroupID: %%1)	SiblingContainerCreateResponse
8902	The MailingGroupID field within the OriginalContainer block of the SiblingContainerCreateRequest message must be a non-negative integer and match the MailingGroupID of the existing container. (Mailing Group ID: %%1)	SiblingContainerCreateResponse

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8903	The ContainerID fields in the OriginalContainer block of the SiblingContainerCreateRequest message must match the ContainerID fields in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message for the existing container. (Container ID: %%1)	SiblingContainerCreateResponse
8906	The ProcessingCategory field in the SummaryZipDestinationReport block of the SummaryZipDestinationReportCreateRequest message must be populated with LT, FL, CD, MP, IR, PF, CM, NP, NA, or NB.	SummaryZipDestinationReportCreateResponse
8907	The PostagePaymentMethod field in the SummaryZipDestinationReport block of the SummaryZipDestinationReportCreateRequest message must be populated with S, M or P.	SummaryZipDestinationReportCreateResponse
8908	The combination of MailingGroupID and CustomerGroupID in the SummaryZipDestinationReportCreateRequest message must be populated with the same values as that of the open mailing group.	SummaryZipDestinationReportCreateResponse
8909	The QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message must be accepted before submitting the SummaryZipDestinationReportCreateRequest message for that specified MailingGroupID.	SummaryZipDestinationReportCreateResponse
8910	The PostageStatementCreateRequest message must be accepted before submitting the SummaryZipDestinationReportCreateRequest message for that specified MailingGroupID.	SummaryZipDestinationReportCreateResponse
8911	The CustomerGroupID field within the NewSiblingContainer block of the SiblingContainerCreateRequest message is the same value as the CustomerGroupID in the OriginalContainer block. (Container ID: %%1 , Customer Group ID: %%2)	SiblingContainerCreateResponse, SiblingContainerCancelResponse
8912	The MailingGroupID field within the NewSiblingContainer block of the SiblingContainerCreateRequest message is the same value as the MailingGroupID in the OriginalContainer block. (Container ID: %%1 , Mailing Group ID: %%2)	SiblingContainerCreateResponse
8915	The UniqueContainerBarcode field in the NewSiblingContainer block of the SiblingContainerCreateRequest message is a required field when the FullServiceParticipationIndicator in the OpenMailingGroupRequest message was F. (Container ID: %%1)	SiblingContainerCreateResponse
8916	The UniqueContainerBarcode field in the NewSiblingContainer block of the SiblingContainerCreateRequest message is a required field when the FullServiceParticipationIndicator in the OpenMailingGroupRequest message was M. (Container ID: %%1)	SiblingContainerCreateResponse
8930	The combination of MailingGroupID and CustomerGroupID in the CustomerMailReportCreateRequest message must be populated with the same values as that of the OpenMailing Group.	CustomerMailReportCreateResponse
8931	The QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message must be accepted before submitting the CustomerMailReportCreateRequest message for that specified MailingGroupID.	CustomerMailReportCreateResponse

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8932	The PostageStatementCreateRequest message must be accepted before submitting the CustomerMailReportCreateRequest message for that specified MailingGroupID.	CustomerMailReportCreateResponse
8935	The PermitType field in the PermitInfo block in the CustomerMailReportInfo block of the CustomerMailReportCreateRequest message must be PI, MT, PC, BR, GH, OI or OM when the PermitNumber field is populated.	CustomerMailReportCreateResponse
8936	The PermitType field in the AdditionalPermitInfo block in the CustomerMailReportInfo block of the CustomerMailReportCreateRequest message must be PI, MT, PC, BR, GH, OI or OM when the PermitNumber field is populated.	CustomerMailReportCreateResponse
8937	The SiblingContainerCreateRequest message cannot be processed after the PostageStatementCreateRequest has been submitted for this Mailing Group. (Orig Container ID: %%1)	SiblingContainerCreateResponse
8938	The CRID in the SubmittingParty block of the SiblingContainerCancelRequest message must match the CRID of the mailer that created the MailingGroup. (CRID: %%1)	SiblingContainerCancelResponse
8939	The CustomerGroupID field within the OriginalContainer block of the SiblingContainerCancelRequest message is a string between 1 and 25 characters and must match the CustomerGroupID of the existing container. (Container GroupID: %%1)	SiblingContainerCancelResponse
8940	The MailingGroupID field within the OriginalContainer block of the SiblingContainerCancelRequest message is a non-negative integer and must match the MailingGroupID of the existing container. (Mailing Group ID: %%1)	SiblingContainerCancelResponse
8941	The ContainerID fields in the OriginalContainer block of the SiblingContainerCancelRequest message must match the ContainerID fields in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message for the existing container. (Container ID: %%1)	SiblingContainerCancelResponse
8942	The CustomerGroupID field within the SiblingToDelete block of the SiblingContainerCancelRequest message must match the CustomerGroupID in the OriginalContainer block. (Container ID: %%1 , Customer Group ID: %%2)	SiblingContainerCancelResponse
8943	The MailingGroupID field within the SiblingToDelete block of the SiblingContainerCancelRequest message must be populated with the same value as the MailingGroupID in the OriginalContainer block. (Container ID: %%1 , Mailing Group ID: %%2)	SiblingContainerCancelResponse
8944	The SiblingContainerCancel message must be submitted and processed before finalization of the postage statement associated to the oldest sibling for Full-Service and Mixed mailings. (Orig Container ID: %%1)	SiblingContainerCancelRequest
8945	The CustomerGroupID in the FullContainerID Block of the ContainerUpdateRequest message must match the CustomerGroupID of the existing container. (Container ID: %%1 , Customer Group ID: %%2)	ContainerUpdateResponse
8946	The MailingGroupID in the FullContainerID Block of the ContainerUpdateRequest message must match the MailingGroupID of the existing container. (MailingGroup ID: %%1)	ContainerUpdateResponse

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8947	The ContainerID in the FullContainerID Block of the ContainerUpdateRequest message must match the ContainerID in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest Message for the specified MailingGroupID. (Container ID: %%1)	ContainerUpdateResponse
8948	The UniqueContainerBarcode in the ContainerUpdateRequest FullContainerID block must match the existing container in the Qual Report message for the MailingGroupID and ContainerID. (Container ID: %%1, UniqueContainerBarcode: %%2)	ContainerUpdateResponse
8949	The Reservaton field can only be updated when the ContainerStatus in the SummaryRecordUpdate block of the ContainerUpdateRequest message is populated with T. (Container ID: %%1)	ContainerUpdateResponse
8950	The IMBarcode field can only be updated when the ContainerStatus in the SummaryRecordUpdate block of the ContainerUpdateRequest message is populated with T. (Container ID: %%1)	ContainerUpdateResponse
8951	The ScheduledInductionDateTIme field can only be updated when the ContainerStatus in the SummaryRecordUpdate block of the ContainerUpdateRequest message is populated with T. (Container ID: %%1)	ContainerUpdateResponse
8952	The CSATripID field can only be updated when the ContainerStatus in the SummaryRecordUpdate block of the ContainerUpdateRequest message is populated with T. (Container ID: %%1)	ContainerUpdateResponse
8953	The USPSPickUp field can only be updated when the ContainerStatus in the SummaryRecordUpdate block of the ContainerUpdateRequest message is populated with T. (Container ID: %%1)	ContainerUpdateResponse
8954	The ConsigneeContentID field can only be updated when the ContainerStatus in the SummaryRecordUpdate block of the ContainerUpdateRequest message is populated with T. (Container ID: %%1)	ContainerUpdateResponse
8955	The EntryPointADLocaleKey field can only be updated when the ContainerStatus in the SummaryRecordUpdate block of the ContainerUpdateRequest message is populated with T. (Container ID: %%1)	ContainerUpdateResponse
8956	The EntryPointADPostalCode field can only be updated when the ContainerStatus in the SummaryRecordUpdate block of the ContainerUpdateRequest message is populated with T. (Container ID: %%1)	ContainerUpdateResponse
8957	The ScheduledShipDateTIme field can only be updated when the ContainerStatus in the SummaryRecordUpdate block of the ContainerUpdateRequest message is populated with T. (Container ID: %%1)	ContainerUpdateResponse
8958	The ContainerStatus field in the SummaryRecordUpdate block of the ContainerUpdateRequest message must be populated with T when updating a Mail.XML job. (Container ID: %%1, ContainerStatus: %%2)	ContainerUpdateResponse

Error Code	Error Message	Messages
8959	The PostageStatementMailingDate in the ContainerInfoData block cannot be more than %%1 days in the future of the submission date and cannot be backdated prior to %%2.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8960	The ScheduledInductionDateTime field in the ContainerInfoData block must be within 30 days of the past or present of the PostageStatementMailingDate.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8961	The ScheduledShipDateTime field in the ContainerInfoData block must be within 30 days of the past or present of the PostageStatementMailingDate.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8962	The EntryLocaleKey field in the ContainerInfoData block is required unless the EntryFacilityType field in the ContainerInfoData block is populated with O and no appointment is provided.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8963	The ScheduledInductionDate field in the SummaryRecordUpdate block of the ContainerUpdateRequest message must be within 30 days of PostageStatementMailingDate field in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message for a Full-Service mailing.	ContainerUpdateResponse
8964	The ScheduledShipDate field in the SummaryRecordUpdate block of the ContainerUpdateRequest message must be within 30 days of the PostageStatementMailingDate field in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message for a Full-Service mailing.	ContainerUpdateResponse
8965	The PublicationNumber in the PermitInfo block or the AdditionalPermitInfo block in the CustomerMailReportInfo block of the CustomerMailReportCreateRequest message cannot be populated.	CustomerMailReportCreateResponse
8967	The ContainerID field of the NewSiblingContainer must be unique within the mailing group. (Container ID: %%1).	SiblingContainerCreateResponse
8968	The ContainerID field in the PostageStatementLineItemData block in the PostageStatementCreateRequest message referenced as a sibling container with a ContainerType of M must be linked to an existing physical container. (Container ID: %%1).	PostageStatementCreateResponse
8969	The ContainerID field in the PostageStatementLineItemData block in the PostageStatementCreateRequest message referenced as a sibling container with a ContainerType of L must be linked to an existing physical handling unit. (Container ID: %%1).	PostageStatementMessages
8970	The MailXMLPresentationCategory in the OpenMailingGroupRequest must be populated with M for the SummaryZIPDestinationReportCreateRequest message to be processed.	SummaryZipDestinationReportCreateResponse

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
8971	The MailXMLPresentationCategory in the OpenMailingGroupRequest must be populated with M for the CustomerMailReportCreateRequest message to be processed.	CustomerMailReportCreateResponse
8972	If the OriginalContainer block UniqueContainerBarcode field is populated in the SiblingContainerCreateRequest or - CancelRequest, it must match the Qual Report ContainerBarcode field. (Container ID: %%1, UniqueContainerBarcode: %%2).	SiblingContainerCreateResponse, SiblingContainerCancelRequest
8973	Transportation updates cannot be performed on linked containers created at the Consolidator level for all Mail.XML Tray-Based Co-Palletized Full or Mixed-Service mailings. (Container ID: %%1).	OriginalContainerLinkageCreateResponse
8974	A linked container cannot be updated after the associated Postage Statement has been finalized for all Mail. XML Bundle-Based Co-Palletized Full or Mixed-Service mailings. (Container ID: %%1).	OriginalContainerLinkageCreateResponse
8975	Each container in the PostageStatementCreateRequest message must have been submitted in a QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest message.	Postage Statement Messages
8984	Average piece range count error	MailPieceCreateResponse
8985	Duplicate Tray barcode error	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
8986	The PermitHolderData block PermitType in the PostageStatementCreateRequest message must be PI, PC, or MT when the PostageStatementCreateRequest RateCategory is S and the OpenMailingGroupRequest MailXMLPresentationCategory is M.	Postage Statement Messages
8987	The SortationLevel must be AJ when the RateLevel is SP in the QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest message and FormType is FC in the QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest message and the MailXMLPresentationCategory is M in the OpenMailingGroupRequest.	QualificationReportCreateResponse
8988	At least one SortationLevel in the QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest message must be set to AJ when the RateCategory is S and the FormType is FC in the PostageStatementCreateRequest and the PresentationCategory is M in the OpenMailingGroupRequest.	Postage Statement Messages
8989	The BarcodeID, ServiceTypeCode, MailerID6 or -9, and SerialNumber9 or -6 fields in the MailPieceCreateRequest IMB block must be populated when the OpenMailingGroupRequest MailXMLPresentationCategory is M and FullServiceParticipationIndicator is F or M.	MailPieceCreateResponse

Error Code	Error Message	Messages
8990	The MailPieceCreateRequest message IMbarcodeLowerSerialization and IMbarcodeUpperSerialization block fields must be populated when the OpenMailingGroupRequest message MailXMLPresentationCategory is M and the FullServiceParticipationIndicator is F or M.	MailPieceCreateResponse
8991	The AutomationAddressMatchDate cannot be more than 90 calendar days before the PostageStatementMailingDate when RateCategory is A, B, D, or O for carrier route mail.	Postage Statement Messages
8992	The AutomationAddressMatchDate cannot be more than 180 calendar days before the PostageStatementMailingDate when RateCategory is E, H, L, L1, L2, L3, or L4 for non-carrier route automation mail.	Postage Statement Messages
8993	When the PeriodicalPrice field within the PeriodicalLineItemData block is set to 1, the sum of DiscountQty must be greater than 0 and less than or equal to the sum of Pieces for In-County Piece Prices.	Postage Statement Messages
8994	The InOutCountyIndicator field must be set to I when the PeriodicalPrice field is set to 1 within the PeriodicalLineItemData block of the PeriodicalStatementCreateRequest message.	Postage Statement Messages
8995	The Zone field must be set to DDU when the PeriodicalPrice field is set to 1 within the PeriodicalLineItemData block of the PeriodicalStatementCreateRequest message.	Postage Statement Messages
8996	The InOutCountyIndicator field must be set to I when the PeriodicalPrice field is set to 1 within the PeriodicalLineItemData block within the PeriodicalStatement block of the ConsolidatedPeriodicalStatementCreateRequest message.	Postage Statement Messages
8997	The Zone field must be set to DDU when the PeriodicalPrice field is set to 1 within the PeriodicalLineItemData block within the PeriodicalStatement block of the ConsolidatedPeriodicalStatementCreateRequest message.	Postage Statement Messages
8998	When the PeriodicalPrice field is set to 1 and the mailing does not contain In-County Addressed Supplements, the sum of DiscountQty must be greater than 0 and less than or equal to the number of Copies for In-County Pound Prices.	Postage Statement Messages
8999	The postage statement with statement ID: %%1, has been frozen and cannot be cancelled.	Postage Statement Messages
9000	PendingPostageAmount cannot be provided when the PublicationNumber is provided in the PermitPublicationData block within the CreatePeriodicalStatementData block of the PeriodicalStatementCreateRequest message. (User Postage Statement ID: %%1)	Postage Statement Messages
9001	PendingPostageAmount cannot be provided when the PublicationNumber is provided in the PermitPublicationData block within the PeriodicalStatement block of the ConsolidatedPeriodicalStatementCreateRequest message. (User Postage Statement ID: %%1)	Postage Statement Messages



<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
9002	There can be no more than 999 unique CustomerReferenceIDs submitted in the PostageStatementCreateRequest, PeriodicalStatementCreateRequest, or ConsolidatedPeriodicalStatementCreateRequest messages submitted to a single Mail.XML MailingGroupID.	Postage Statement Messages
9003	The PostageStatementMailingDate field in the ContainerInfoData block in the QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest message cannot span the price change date; within a job these dates must either be all before or all after %%1.	QualificationReportCreateResponse
9004	The PostageStatementMailingDate field cannot be more than %%1 days in the future of the submission date and cannot be backdated prior to %%2.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
9005	The PostageStatementMailingDate fields within a Mailing Group cannot span a price change date; they must be populated with all dates either before or after %%1.	Multiple
9006	The Zone field in the ContainerDetailData block must be populated when the FormType is PE for Periodicals.	QualificationReportCreateResponse
9008	A Transportaion Update when ContainerStatus is T cannot be submitted more than 30 calendar days after the PostageStatementMailingDate.	ContainerUpdateResponse
9012	StandardFlatType must be the same for all DocumentVersionData, PostageStatementLineltemData, and LineltemSummaryData blocks within a PostageStatementCreateRequest message.	Postage Statement Messages
9013	The ContainerType field in the ContainerInfoData block contains an invalid value; ContainerType AB is not supported.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
9014	The maximum weight for Standard Mail Automation Carrier Route Letters is 3.5 ounces.	Postage Statement Messages
9015	The ProcessingCategory in the PeriodicalStatement or CreatePeriodicalStatement blocks must be set to FL when the SortationLevel in the QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest or BundleDetailCreateRequest is set to E or F.	Postage Statement Messages
9016	The ProcessingCategory in the PeriodicalStatement or CreatePeriodicalStatement blocks must be set to FL when the BundleLevel in the BundleDetail block in the BundleDetailCreateRequest is set to X.	Postage Statement Messages
9017	The BundleLevel in the BundleDetailCreateRequest must be set to X when the associated SortationLevel in the QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest or BundleDetailCreateRequest is set to E or F for Periodicals.	BundleDetailCreateResponse

Error Code	Error Message	Messages
9018	The ContainerType in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest must be set to P, Z, H, A, G, D, R, or C when the associated SortationLevel in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest is set to E or F for Periodicals.	QualificationReportCreateResponse
9019	The FormType field must be set to First-Class Mail or Standard Mail for a co-palletized mailing with the Container Type field set to F, O or T	QualificationReportCreateResponse
9020	The combination of BarcodeID, ServiceTypeCode, MailerID and SerialNumber, DeliveryPointZIP in the IMB block must be unique below the configurable threshold (0%) when the mailing is Full or Mixed Service. (MailerID: %%2; SerialNumbers: %%3).	MailPieceCreateRequest
9021	The MailerID and SerialNumber in the PieceRangeBlock must be unique within a mailing group below the configurable threshold (0%) when the mailing is Full-Service or Mixed Service. (PieceRange ID: #####)	MailPieceCreateRequest
9023	The EntryPointFacilityType in the ContainerInfoData block cannot be populated with N when the FullServiceParticipationIndicator in the OpenMailingGroupRequest message is F or M.	QualificationReportCreateResponse
9024	The CSAID in the ContainerInfoData block must be populated with a 10 digit numeric between 1000000000 and 9999999999 when the FullServiceParticipationIndicator in the OpenMailingGroupRequest message is F or M.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
9026	When the mailing is Full-Service or Mixed Service, the ConsigneeApptID in the ContainerInfoData block must be populated with one of the formats specified in the Mail.XML Tech Spec.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
9027	The EntryPointADLocaleKey in the SummaryRecordUpdate block must be populated with 6 alphanumeric characters and cannot be populated with ORIGIN when the EntryPointFacilityType is O, the ContainerStatus is T and the mailing is Mixed or Full -Service.	ContainerUpdateResponse
9029	When the mailing is Full-Service or Mixed Service and the ContainerStatus in the SummaryRecordUpdate block is T, the ReservationNumber in the SummaryRecordUpdate block must be populated with one of the formats specified in the Mail.XML Tech Spec.	ContainerUpdateResponse
9031	The piece weight for First-Class Commercial Plus Parcels must be greater than or equal to 3.5oz and less than 16oz.	Postage Statement Messages
9032	The SurchargeType in the PostageStatementLineItemData or LineItemSummaryData block must be populated with N for First-Class Commercial Plus Parcels.	Postage Statement Messages
9033	PermitType field in the PermitPublicationData block in the PermitHolderForAPData block must be populated with PI or OI.	Postage Statement Messages
9034	The maximum weight for Package Services Bound Printed Matter non-barcoded Flats is 15 pounds.	Postage Statement Messages

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
9035	The maximum weight for Package Services Media/ Library Mail non-barcoded Flats is 70 pounds.	Postage Statement Messages
9036	The version weight for Periodical and Pending Periodical non-machinable Flats cannot be greater than 4.4 pounds (Postg Stmt. %%1).	Postage Statement Messages
9037	When submitting multiple MailPieceCreateRequest messages, the messages may only contain MailPieceBlockGroups or MailXMLPieceRangeBlockGroups, but not both within the same Mailing Group.	MailPieceCreateResponse
9038	The ContainerBarcode in the ContainerInfoData block must be unique below the configurable threshold (0%) when the mailing is Full-Service or Mixed Service. (Container Barcode: %%2).	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
9040	The FormType field contains an invalid value; it must contain FC or SM when the USPSPriceIncentiveType field is populated with MobileBarcode.	Multiple
9041	The PermitType field contains an invalid value; it must contain PI when the USPSPriceIncentiveType field is populated with MobileBarcode.	Multiple
9042	The ProcessingCategory field contains an invalid value; it must contain FL,LT, or CD when the USPSPriceIncentiveType field is populated with MobileBarcode.	Multiple
9043	The PostageStatementMailingDateTime field must be populated with a date between %%1 and %%2.	Multiple
9045	The PostageStatementMailingDateTime field must be populated with a date between %%1 and %%2 for an update submission when the USPSPriceIncentiveType field is populated with MobileBarcode.	ContainerUpdateResponse
9046	The PostageStatementMailingDateTime field must be populated between %%1 and %%2 for an update submission when the .cpt Postal Price Incentive Type of the Mail.dat original submission is populated with MB.	ContainerUpdateResponse
9061	ScheduledInductionDateTime field in the ContainerInfoData block is required when USPSPickUp field in the ContainerInfoData block is No and the FullServiceParticipationIndicator in the OpenMailingGroupRequest message is F or M.	QualificationReportCreateResponse (9.0)
9061	ScheduledInductionDateTime field in the ContainerInfoData block is required when USPSPickUp field in the ContainerInfoData block is No and the FullServiceParticipationIndicator field in the OpenMailingGroupRequest message is F or M.	QualificationReportDetailCreateResponse (10.0)
9062	The EntryPointFacilityType field in the ContainerInfoData block cannot be populated with B, D, or S when the FormType field in the QualificationReport block of the QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest message is populated with FC.	OpenMailingGroupRequest, QualificationReportCreateResponse

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
9063	The EntryPointFacilityType field in the ContainerInfoData block cannot be populated with B, D, or S when the FormType field in the QualificationReport block of the QualificationReportSummaryCreateRequest message is populated with FC.	QualificationReportDetailCreateResponse (10.0)
9064	The CSAID field in the ContainerInfoData block is required when the FormType field in the QualificationReport block is FC and the SortationLevel in the ContainerInfoData block is AK, AL, AM, AN, AO, AP, or AQ.	QualificationReportDetailCreateResponse (9.0C)
9065	The CSAID field in the ContainerInfoData block is required when the FormType in the QualificationReport block of the QualificationReportSummaryCreateRequest message is FC and SortationLevel in the ContainerInfoData block is AK, AL, AM, AN, AO, AP or AQ.	QualificationReportDetailCreateResponse (10.0)
9067	OpenMailingGroupRequest message must be accepted before submitting the QualificationReportSummaryCreateRequest message for the specified MailingGroupID and CustomerGroupID.	QualificationReportDetailCreateResponse (10.0)
9068	The CustomerQualificationReportID field in the QualificationReportSummary block of the QualificationReportSummaryCreateRequest message must be populated with a unique value within a MailingGroupID.	QualificationReportSummaryCreateResponse (10.0)
9070	The FormType field in the QualificationReportSummary block contains an invalid value; it must contain FC, PE, PP, SM, BP, ML, or PM.	QualificationReportSummaryCreateResponse (10.0)
9072	OpenMailingGroupRequest message must be accepted before submitting the QualificationReportDetailCreateRequest message for the specified MailingGroupID and CustomerGroupID.	QualificationReportDetailCreateResponse (10.0)
9073	The CustomerQualificationReportID field in the QualificationReportDetailCreateRequest message must match an existing CustomerQualificationReportID from an accepted QualificationReportSummaryCreateRequest message within a MailingGroupID.	QualificationReportDetailCreateResponse (10.0)
9074	InOutCountyIndicator field in the ContainerDetailData block in the ContainerInfoData block in the QualificationReport block is required when FormType in the QualificationReportSummaryRequest message is PE. (Container ID: %%1)	QualificationReportDetailCreateResponse (10.0)
9075	PermitNumber field in the DocumentVersionDataWithPermit block in the QualificationReport block is required when the FormType in the QualificationReportSummaryCreateRequest message is PM, FC, SM, BP, PP, or ML. Form type is: %%2	QualificationReportDetailCreateResponse (10.0)
9076	PermitZIP4 field within PermitPublicationData block in the DocumentVersionDataWithPermit block in the QualificationReport block is required when the FormType in the QualificationReportSummaryCreateRequest message is PM, FC, SM, BP, PP, or ML.	QualificationReportDetailCreateResponse (10.0)
9077	PublicationNumber field in the PermitPublicationData block in the DocumentVersionDataWithPermit block should not be populated when the FormType in the QualificationReportSummaryRequest message is not populated with PE for Periodicals or Pending Periodicals.	QualificationReportDetailCreateResponse (10.0)

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
9078	All QualificationReportDetailCreateRequest messages must be accepted before submitting the associated BundleDetailCreateRequest message for the specified MailingGroupID and CustomerGroupID.	BundleDetailCreateResponse
9079	All QualificationReportDetailCreateRequest messages must be accepted before submitting the associated ContainerBundleReportCreateRequest message for the specified MailingGroupID and CustomerGroupID.	ContainerBundleReportCreateResponse
9080	ContainerBundleReportCreateRequest message can only be provided when the FormType in the QualificationReportSummaryCreateRequest message is PE.	ContainerBundleReportCreateResponse
9081	All QualificationReportDetailCreateRequest messages must be accepted before submitting the associated MailPieceCreateRequest message to create a piece range for the specified MailingGroupID and CustomerGroupID.	MailPieceCreateResponse
9082	All QualificationReportDetailCreateRequest messages must be accepted before submitting the associated MailPieceCreateRequest message to create a mail piece for the specified MailingGroupID and CustomerGroupID.	MailPieceCreateResponse
9083	At least one QualificationReportDetailCreateRequest ContainerInfoData block must have a ContainerType of L or M if the LogicalPhysicalIndicator in the OpenMailingGroupRequest is L, MailXMLPresentationCategory is P, FullServiceParticipationIndicator is F or M.	QualificationReportDetailCreateRequest (10.0)
9084	All QualificationReportDetailCreateRequest messages must be accepted before submitting the associated PostageStatementCreateRequest message for the specified MailingGroupID and CustomerGroupID.	Postage Statement Messages
9085	PieceWeight field in the DocumentVersionDataWithPermit block must be less than or equal to 13 oz when the ProcessingCategory field is populated with FL and the FormType field in the QualificationReportSummaryCreateRequest message is populated with FC.	QualificationReportDetailCreateRequest (10.0)
9088	ProcessingCategory field in the ContainerInfoData block must be populated with LT when the FormType field in the QualificationReportSummaryCreateRequest message is populated with 'SM' for MLOCR mailings.	QualificationReportDetailCreateRequest (10.0)
9089	PieceWeight field in the DocumentVersionDataWithPermit block cannot exceed 3.3 ounces when the ProcessingCategory field in the ContainerInfoData block is LT and the FormType field in the QualificationReportSummaryCreateRequest message is SM.	QualificationReportDetailCreateRequest (10.0)
9090	All QualificationReportDetailCreateRequest messages must be accepted before submitting the associated OriginalContainerLinkageCreateRequest message for the specified MailingGroupID and CustomerGroupID.	OriginalContainerLinkageCreateResponse
9091	A ContainerDetailID field submitted in the MailPieceCreateRequest message must match a ContainerDetailID field submitted in the associated QualificationReportDetailCreateRequest message. (ContainerDetailID %%1 missing for ContainerID %%2)	MailPieceCreateResponse

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
9092	A ContainerDetailID field submitted in the PostageStatementCreateRequest message must match a ContainerDetailID field submitted in the associated QualificationReportDetailCreateRequest message. (ContainerDetailID %%1 missing for ContainerID %%2)	Postage Statement Messages
9093	A ContainerDetailID field submitted in the PeriodicalStatementCreateRequest message must match a ContainerDetailID field submitted in the associated QualificationReportDetailCreateRequest message. (ContainerDetailID %%1 missing for ContainerID %%2)	Postage Statement Messages
9094	A ContainerDetailID field submitted in the ConsolidatedPeriodicalStatementCreateRequest message must match a ContainerDetailID field in the associated QualificationReportDetailCreateRequest message. (ContainerDetailID %%1 missing for ContainerID %%2)	Postage Statement Messages
9095	The number of pieces for a ContainerDetailID submitted in the MailPieceCreateRequest cannot exceed number of pieces associated to that ContainerDetailID field in the QualificationReportDetailCreateRequest. (ContainerDetailID %%1 within ContainerID %%2)	MailPieceCreateResponse
9096	ParentContainerID field in the QualificationReportDetailCreateRequest message is required when the IncludedInOtherDoc field is L and the SiblingContainerID is null. (ContainerDetailID %%1 missing for ContainerID %%2)	QualificationReportDetailCreateResponse (10.0)
9098	The ContainerID fields in the OriginalContainer block of the SiblingContainerCreateRequest message must match the ContainerID fields in the QualificationReportDetailCreateRequest message for the existing container. (Container ID: %%1)	SiblingContainerCreateResponse
9099	All QualificationReportDetailCreateRequest messages must be accepted before submitting the associated SummaryZipDestinationReportCreateRequest message for the specified MailingGroupID and CustomerGroupID.	SummaryZipDestinationReportCreateResponse
9100	All QualificationReportDetailCreateRequest messages must be accepted before submitting the associated CustomerMailReportCreateRequest message for the specified MailingGroupID and CustomerGroupID.	CustomerMailReportCreateResponse
9101	The ContainerID fields in the FullContainer block of the ContainerUpdateRequest message must match the ContainerID fields in the Qualification Report for the existing container. (Container ID: %%1)	ContainerUpdateResponse
9102	The ScheduledInductionDate field in the SummaryRecordUpdate block of the ContainerUpdateRequest message must be within 30 days of PostageStatementMailingDate field in the QualificationReportDetailCreateRequest message for a Full-Service mailing.	ContainerUpdateResponse
9103	The ScheduledShipDate field in the SummaryRecordUpdate block of the ContainerUpdateRequest message must be within 30 days of PostageStatementMailingDate field in the QualificationReportDetailCreateRequest message for a Full-Service mailing.	ContainerUpdateResponse

Error Code	Error Message	Messages
9105	The SortationLevel must be AJ when the RateLevel is SP in the QualificationReportDetailCreateRequest message and FormType is FC in the QualificationReportSummaryCreateRequest message and the MailXMLPresentationCategory is M in the OpenMailingGroupRequest.	QualificationReportDetailCreateResponse (10.0)
9106	At least one SortationLevel in the Qualification Report message must be AJ when the RateCategory is S and the FormType is FC in the PostageStatementCreateRequest and the MailXMLPresentationCategory is M in the OpenMailingGroupRequest.	QualificationReportDetailCreateResponse (10.0)
9107	The ProcessingCategory in the PeriodicalStatement or CreatePeriodicalStatement blocks must be set to FL when the SortationLevel in the Qualification Report or BundleDetailCreateRequest is set to E or F.	Postage Statement Messages
9109	The ContainerType in the QualificationReportDetailCreateRequest must be set to P, Z, H, A, G, D, R, or C when the associated SortationLevel in the QualificationReportDetailCreateRequest is set to E or F for Periodicals.	QualificationReportDetailCreateResponse (10.0)
9111	PostageStatementMailingDate in the CreatePostageStatement block must match the PostageStatementMailingDate in QualificationReportDetailCreateRequest message when it's populated for the same ContainerID for the specified MailingGroupID and CustomerGroupID.	Postage Statement Messages
9112	The ContainerID fields in the OriginalContainer block of the SiblingContainerCancelRequest message must match the ContainerID fields in the QualificationReportDetailCreateRequest message for the existing container. (Container ID: %%1)	SiblingContainerCancelResponse
9113	ContainerID must be populated with the same value as the ContainerID in the ContainerInfoData block of the QualificationReportDetailCreateRequest message for the specified MailingGroupID and CustomerGroupID. Found Missing ContainerID: %%1	BundleDetailCreateResponse
9114	VersionID must be populated with the same value as the VersionID in the ContainerDetailData block of the QualificationReportDetailCreateRequest message for the specified MailingGroupID and CustomerGroupID. Found Missing VersionID: %%1	BundleDetailCreateResponse
9115	The count of the Copies field in the PeriodicalLineItemData block must be equal to the sum of NonCopies and SubreqCopies in the PeriodicalStatementCreateRequest message.	Postage Statement Messages
9116	The count of the Copies field in the PeriodicalLineItemData block must be equal to the sum of NonCopies and SubreqCopies in the ConsolidatedPeriodicalStatementCreateRequest message.	Postage Statement Messages
9130	The FormType field in the CreatePostageStatement block must be populated with PM when the ContainerType field in the PostageStatementLineItemData block is 6, 7, 8, 9, 10, or 11.	Postage Statement Messages
9132	The FormType field in the QualificationReport block of the QualificationReportSummaryCreateRequest message must be populated with PM when the ContainerType field in the ContainerInfoData block is 6, 7, 8, 9, 10, or 11.	Postage Statement Messages

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
9133	The FormType field in the CreatePostageStatement block must be populated with PM when the RateCategory field in the associated postage statement is P10, P11, P12, P13, P14, P15, or P16.	Postage Statement Messages
9136	The maximum weight for a Priority Mail cubic mail piece is 20lbs.	Postage Statement Messages
9137	The CRID field within the QualificationReportPreparer block in the QualificationReport block is required.	QualificationReportSummaryCreateResponse (10.0)
9138	The FormType in the qualification report must be set to FC when the SortationLevel in the is set to AK, AL, AM, AN, AO, AP, or AQ.	QualificationReportCreateResponse, QualificationReportDetailCreateResponse (10.0)
9139	The PMODIndicator field in the DocumentVersionData block must be populated with Yes when the ContainerType is populated with 6, 7, 8, 9, 10, or 11.	Postage Statement Messages
9140	The PMODIndicator field in the DocumentVersionData block must be populated with Yes when the RateCategory is populated with P12, P13, P14, P15, or P16.	Postage Statement Messages
9141	The FormType field in the CreatePostageStatement block must be populated with PM when the FlatRateIndicator is populated with O, C, P, or F.	Postage Statement Messages
9142	The IssueDate field in the MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match IssueDate field in the MailXMLPostageStatementRequestHeaderInfo block of BeginCombinedMailingRequest message.	Postage Statement Messages
9143	IssueNumber field in the MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match IssueNumber field in the MailXMLPostageStatementRequestHeaderInfo block of BeginCombinedMailingRequest message.	Postage Statement Messages
9144	VolumeNumber field in MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match VolumeNumber field in the MailXMLPostageStatementRequestHeaderInfo block of BeginCombinedMailingRequest message.	Postage Statement Messages
9145	CustomerReferenceID field in MailXMLPostageStatementRequestHeaderInfo block of ConsolidatedPeriodicalStatementCreateRequest message must match CustomerReferenceID in MailXMLPostageStatementRequestHeaderInfo block of BeginCombinedMailingRequest message.	Postage Statement Messages



<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
9146	AgencyCostCode field in MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match AgencyCostCode field in MailXMLPostageStatementRequestHeaderInfo block of BeginCombinedMailingRequest message.	Postage Statement Messages
9147	PermitNumber field in MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match PermitNumber field in MailXMLPostageStatementRequestHeaderInfo block of BeginCombinedMailingRequest message.	Postage Statement Messages
9148	PermitType field in the MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match PermitType field in the MailXMLPostageStatementRequestHeaderInfo block of BeginCombinedMailingRequest message.	Postage Statement Messages
9149	PermitZip4 field in MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match PermitZip4 field in MailXMLPostageStatementRequestHeaderInfo block of BeginCombinedMailingRequest message.	Postage Statement Messages
9150	PublicationNumber field in MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match PublicationNumber in MailXMLPostageStatementRequestHeaderInfo block of BeginCombinedMailingRequest message.	Postage Statement Messages
9151	PostageStatementMethod in MailXMLPostageStatementRequestHeaderInfo block of ConsolidatedPeriodicalStatementCreateRequest message must match PostageStatementMethod in MailXMLPostageStatementRequestHeaderInfo block of BeginCombinedMailingRequest message.	Postage Statement Messages
9152	RateType field in the MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match RateType field in the MailXMLPostageStatementRequestHeaderInfo block of BeginCombinedMailingRequest message.	Postage Statement Messages
9153	ProcessingCategory field in MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match ProcessingCategory MailXMLPostageStatementRequestHeaderInfo block of BeginCombinedMailingRequest message.	Postage Statement Messages

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
9154	IssueDate field in the MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match IssueDate field in the MailXMLPostageStatementRequestHeaderInfo block of EndCombinedMailingRequest message.	Postage Statement Messages
9155	IssueNumber field in the MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match IssueNumber field in the MailXMLPostageStatementRequestHeaderInfo block of EndCombinedMailingRequest message.	Postage Statement Messages
9156	VolumeNumber field in MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match VolumeNumber field in the MailXMLPostageStatementRequestHeaderInfo block of EndCombinedMailingRequest message.	Postage Statement Messages
9157	CustomerReferenceID field in MailXMLPostageStatementRequestHeaderInfo block of ConsolidatedPeriodicalStatementCreateRequest message must match CustomerReferenceID in MailXMLPostageStatementRequestHeaderInfo block of EndCombinedMailingRequest message.	Postage Statement Messages
9158	AgencyCostCode field in MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match AgencyCostCode field in MailXMLPostageStatementRequestHeaderInfo block of EndCombinedMailingRequest message	Postage Statement Messages
9159	PermitNumber field in MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match PermitNumber field in MailXMLPostageStatementRequestHeaderInfo block of EndCombinedMailingRequest message.	Postage Statement Messages
9160	PermitType field in the MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match PermitType field in the MailXMLPostageStatementRequestHeaderInfo block of EndCombinedMailingRequest message.	Postage Statement Messages
9161	The PermitZip4field in MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match PermitZip4field in MailXMLPostageStatementRequestHeaderInfo block of EndCombinedMailingRequest message.	Postage Statement Messages

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
9162	PublicationNumber field in MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match PublicationNumber in MailXMLPostageStatementRequestHeaderInfo block of EndCombinedMailingRequest message.	Postage Statement Messages
9163	PostageStatementMethod in MailXMLPostageStatementRequestHeaderInfo block of ConsolidatedPeriodicalStatementCreateRequest message must match PostageStatementMethod in MailXMLPostageStatementRequestHeaderInfo block of EndCombinedMailingRequest message.	Postage Statement Messages
9164	RateType field in the MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match RateType field in the MailXMLPostageStatementRequestHeaderInfo block of EndCombinedMailingRequest message.	Postage Statement Messages
9165	ProcessingCategory field in MailXMLPostageStatementRequestHeaderInfo block of the ConsolidatedPeriodicalStatementCreateRequest message must match ProcessingCategory in MailXMLPostageStatementRequestHeaderInfo block of EndCombinedMailingRequest message.	Postage Statement Messages
9167	The FormType field in the QualificationReportSummaryCreateRequest message must be populated with FC when the ContentOfMail field in the DocumentVersionWithPermit block is populated with F.	QualificationReportSummaryCreateResponse (10.0)
9168	The FormType field in the CreatePostageStatement block must be populated with FC when the ContentOfMailType field in the DocumentVersionData block is populated with F.	Postage Statement Messages
9170	The ProcessingCategory field in the ContainerInfoData block must be populated with LT or FL when the ContentOfMail field in the DocumentVersionDataWithPermit block is populated with F.	QualificationReportDetailCreateResponse (10.0)
9171	The ProcessingCategory field must be populated with LT or FL when the ContentOfMailType field in the DocumentVersionData block is populated with F.	QualificationReportDetailCreateResponse (10.0)
9173	When ContentOfMail in the DocumentVersionDataWithPermit block or ContentOfMailType in the DocumentVersionData block is set to F, then all instances of those fields in the Mailing Group must also be set to F.	QualificationReportDetailCreateResponse (10.0)
9175	A postage statement may not be resubmitted with the EstimateIndicator field in the CreatePostageStatement block populated with Yes after the postage statement was previously submitted with an EstimateIndicator value of No.	Postage Statement Messages
9179	For eInduction processing, the ContainerBarcode field in the ContainerInfoData block must be populated when the corresponding ContainerType in the ContainerInfoData block is P, H, A, G, D, R, C, or Z.	QualificationReportCreateResponse (9.0C) QualificationReportDetailCreateResponse (10.0C)

Error Code	Error Message	Messages
9180	<p>For eInduction processing, the EntryLocaleKey field in the ContainerInfoData block must be populated when the corresponding ContainerType is P, H, A, G, D, R, C, Z, M, T, O, E, F, S, 1, 2, 3, or L and the container is not a sibling.</p> <p>Note: This validation will be configurable in that it can be turned on or off as necessary.</p>	<p>QualificationReportCreateResponse (9.0C) QualificationReportDetailCreateResponse (10.0C)</p>
9181	<p>For eInduction processing, the ContainerBarcode field in the ContainerInfoData block must contain exactly 21 characters when the corresponding ContainerType in the ContainerInfoData block is P, H, A, G, D, R, C, or Z.</p>	<p>QualificationReportCreateResponse (9.0C) QualificationReportDetailCreateResponse (10.0C)</p>
9182	<p>For eInduction processing, the ContainerBarcode field in the ContainerInfoData block must begin with '99M' when the corresponding ContainerType in the ContainerInfoData block is P, H, A, G, D, R, C, or Z.</p>	<p>QualificationReportCreateResponse (9.0C) QualificationReportDetailCreateResponse (10.0C)</p>
9183	<p>For eInduction processing, the ContainerBarcode field in the ContainerInfoData block for IMcb(s)/pallets must be unique within the mailing group and amongst all containers associated to the SubmittingParty CRID that were finalized within the last 45 days.</p>	<p>QualificationReportCreateResponse (9.0C) QualificationReportDetailCreateResponse (10.0C)</p>
9184	<p>For eInduction processing, the ContainerBarcode field in the ContainerInfoData block for IMcb(s)/pallets must be unique within the mailing group and amongst all containers finalized within the last 45 days.</p> <p>Note: This validation will be a warning. In addition, this validation will be configurable in that it can be turned on or off as necessary.</p>	<p>QualificationReportCreateResponse (9.0C) QualificationReportDetailCreateResponse (10.0C)</p>
9185	<p>The CustomerReferenceID field in the PeriodicalStatement block must contain one value in the ConsolidatedPeriodicalStatementCreateRequest message.</p>	<p>Postage Statement Messages</p>
9188	<p>The MixedMailFlag field in the MailXMLQualReportRequestHeaderInfo block of the QualificationReportDetailCreateRequest must match the MixedMailFlag field in MailXMLQualReportRequestHeaderInfo block of QualificationReportSummaryCreateRequest message.</p>	<p>QualificationReportCreateResponse (9.0C) QualificationReportDetailCreateResponse (10.0C)</p>
9191	<p>The MailerID6 field in the SubmittingParty block of the QualificationReportDetailCreateRequest message must match the MailerID6 field in the SubmittingParty block of the QualificationReportSummaryCreateRequest message.</p>	<p>QualificationReportDetailCreateResponse (10.0C)</p>
9192	<p>The MailerID9 field in the SubmittingParty block of the QualificationReportDetailCreateRequest message must match the MailerID9 field in the SubmittingParty block of the QualificationReportSummaryCreateRequest message.</p>	<p>QualificationReportDetailCreateResponse (10.0C)</p>

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
9194	The ShippingAgent field in the SubmittingParty block of the QualificationReportDetailCreateRequest message must match the ShippingAgent field in the SubmittingParty block of the QualificationReportSummaryCreateRequest message.	QualificationReportDetailCreateResponse (10.0C)
9195	The ReceivingAgent field in the SubmittingParty block of the QualificationReportDetailCreateRequest message must match the ReceivingAgent field in the SubmittingParty block of the QualificationReportSummaryCreateRequest message.	QualificationReportDetailCreateResponse (10.0C)
9196	The SoftwareName field in the SubmittingSoftware block of the QualificationReportDetailCreateRequest message must match the SoftwareName field in the SubmittingSoftware block of the QualificationReportSummaryCreateRequest message.	QualificationReportDetailCreateResponse (10.0C)
9197	The Vendor field in the SubmittingSoftware block of the QualificationReportDetailCreateRequest message must match the Vendor field in the SubmittingSoftware block of the QualificationReportSummaryCreateRequest message.	QualificationReportDetailCreateResponse (10.0C)
9198	The Version field in the SubmittingSoftware block of the QualificationReportDetailCreateRequest message must match the Version field in the SubmittingSoftware block of the QualificationReportSummaryCreateRequest message.	QualificationReportDetailCreateResponse (10.0C)
9199	The ApprovalDate field in the SubmittingSoftware block of the QualificationReportDetailCreateRequest message must match the ApprovalDate field in the SubmittingSoftware block of the QualificationReportSummaryCreateRequest message.	QualificationReportDetailCreateResponse (10.0C)
9200	The ApprovalKey field in the SubmittingSoftware block of the QualificationReportDetailCreateRequest message must match the ApprovalKey field in the SubmittingSoftware block of the QualificationReportSummaryCreateRequest message.	QualificationReportDetailCreateResponse (10.0C)
9204	A PMOD package cannot be placed inside a PMOD container for Priority Mail.	Postage Statement Messages
9205	ParentContainerID in the ContainerInfoData block in the QualificationReport block must point to another existing ParentContainerID within the Qualification Report. (Container ID: %%1)	QualificationReportDetailCreateResponse (10.0)
9206	SiblingContainerID field in the ContainerInfoData block in the QualificationReport block must point to a different container within the Qualification Report. (Container ID: %%1)	QualificationReportDetailCreateResponse (10.0)
9208	The PMODIndicator must be populated with the same value for all postage statements in a mailing group.	Postage Statement Messages
9209	The submitted StatementID does not exist.	ContainerManifestCreateResponse (10.0)
9210	At least one ContainerID submitted in the ContainerManifestCreateRequest must be associated to an IM Container Barcode provided in the IMcb field.	ContainerManifestCreateResponse (10.0)
9211	The combination of ContainerID and StatementID must be unique within the submitted ContainerManifestCreateRequest message.	ContainerManifestCreateResponse (10.0)

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
9213	The TotalDocVersionWithPermitBlocksCount must match number of DocumentVersionDataWithPermit blocks submitted in the QualificationReportDetailCreateRequest message.	QualificationReportDetailCreateResponse (10.0)
9215	ProcessingCategory must be populated with FL, NP, MP, or IR when the FormType in the QualificationReportSummaryCreateRequest message is BP.	QualificationReportDetailCreateResponse (10.0)
9216	Zone must be populated with N, 1, 3, 4, 5, 6, 7, 8, DDU or SCF when FormType field in the QualificationReportSummaryCreateRequest message is BP and Processing Category is FL, MP, IR, or NP.	QualificationReportDetailCreateResponse (10.0)
9217	EntryDiscount must be populated with N, B, S or D when FormType field in the QualificationReportSummaryCreateRequest message is BP.	QualificationReportDetailCreateResponse (10.0)
9218	TotalPieces and TotalCopies must be populated with the same values when FormType field in the QualificationReportSummaryCreateRequest message is BP.	QualificationReportDetailCreateResponse (10.0)
9219	ProcessingCategory must be populated with LT, FL, CD, or PF when FormType field in the QualificationReportSummaryCreateRequest message is FC.	QualificationReportDetailCreateResponse (10.0)
9220	Zone must be populated with N when FormType field in the QualificationReportSummaryCreateRequest message is FC and ProcessingCategory is LT, FL, CD, or PF.	QualificationReportDetailCreateResponse (10.0)
9221	EntryDiscount must be populated with N when FormType field in the QualificationReportSummaryCreateRequest message is FC.	QualificationReportDetailCreateResponse (10.0)
9222	ProcessingCategory must be populated with FL, MP, NP, or IR when FormType field in the QualificationReportSummaryCreateRequest message is ML.	QualificationReportDetailCreateResponse (10.0)
9223	Zone must be populated with N when FormType field in the QualificationReportSummaryCreateRequest message is ML and ProcessingCategory is MP or IR.	QualificationReportDetailCreateResponse (10.0)
9224	EntryDiscount must be populated with N when FormType field in the QualificationReportSummaryCreateRequest message is ML.	QualificationReportDetailCreateResponse (10.0)
9225	TotalPieces and TotalCopies must be populated with the same values when the FormType field in the QualificationReportSummaryCreateRequest message is ML.	QualificationReportDetailCreateResponse (10.0)
9226	ProcessingCategory must be populated with LT, FL, MP, IR, or NP when FormType field in the QualificationReportSummaryCreateRequest message is PE.	QualificationReportDetailCreateResponse (10.0)
9227	Zone must be populated with N, 1, 3, 4, 5, 6, 7, 8, ICD, ADC, DDU, or SCF when FormType field in the QualificationReportSummaryCreateRequest message is PE and Zone is provided.	QualificationReportDetailCreateResponse (10.0)

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
9228	ContainerChargeContainerLevel must be populated with 3, 5, A, or M when FormType field in the QualificationReportSummaryCreateRequest message is PE.	QualificationReportDetailCreateResponse (10.0)
9229	InOutCountyIndicator must be populated with N or I when FormType field in the QualificationReportSummaryCreateRequest message is PE.	QualificationReportDetailCreateResponse (10.0)
9230	ProcessingCategory must be populated with LT, FL, MP, IR, NP, CM, NA, or NB when FormType field in the QualificationReportSummaryCreateRequest message is SM. (User Postage Statement ID: %%1).	QualificationReportDetailCreateResponse (10.0)
9231	Zone must be populated with N when FormType FormType field in the QualificationReportSummaryCreateRequest message is SM and ProcessingCategory is LT, FL, MP, IR, or CM. (User Postage Statement ID: %%1).	QualificationReportDetailCreateResponse (10.0)
9232	EntryDiscount must be populated with N, B, S, or D when FormType FormType field in the QualificationReportSummaryCreateRequest message is SM. (User Postage Statement ID: %%1).	QualificationReportDetailCreateResponse (10.0)
9233	The Zone field in the ContainerDetailData block must be populated when the FormType field in the QualificationReportSummaryCreateRequest message is PE for Periodicals.	QualificationReportDetailCreateResponse (10.0)
9235	The StandardFlatType field in the DocumentVersionDataWithPermit block must be populated when FormType field in the QualificationReportSummaryCreateRequest message is SM and ProcessingCategory is FL.	QualificationReportDetailCreateResponse (10.0)
9236	A Qualification Report cannot have records with the IncludedInOtherDoc field values set to both O and L.	QualificationReportDetailCreateResponse
9237	QualificationReportDetailCreateRequest for a co-palletized mailing with the ContainerType set to F, O, or T can only be submitted when the FormType in the associated QualificationReportSummaryCreateRequest is FC or SM.	QualificationReportDetailCreateResponse (10.0)
9238	PostageStatementMailingDate in the CreatePeriodicalStatement block must match the PostageStatementMailingDate in QualificationReportDetailCreateRequest message when it's populated for the same ContainerID for the specified MailingGroupID and CustomerGroupID.	Postage Statement Messages
9239	PostageStatementMailingDate in the PeriodicalStatement block must match the PostageStatementMailingDate in QualificationReportDetailCreateRequest message when it's populated for the same ContainerID for the specified MailingGroupID and CustomerGroupID.	Postage Statement Messages
9241	ProcessingCategory field in the ContainerInfoData block must be LT, FL, or CD when the FormType field in the QualificationReportSummaryCreateRequest message is FC and the MailXMLPresentationCategory field in the OpenMailingGroupRequest message is 'M'.	QualificationReportDetailCreateResponse (10.0)

<b>Error Code</b>	<b>Error Message</b>	<b>Messages</b>
9242	The fields within the DocumentVersionDataWithPermit block for each unique VersionID must match for all QualificationReportDetailCreateRequest messages associated to the same Qualification Report. VersionID (%%1)	QualificationReportDetailCreateResponse (10.0)
9243	The QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message is not supported in Mail.XML 10.0C.QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest	QualificationReportCreateResponse
9244	The maximum weight for a Priority Mail Regional Rate Box A mail piece is 15 lbs.	Postage Statement Messages
9245	The maximum weight for a Priority Mail Regional Rate Box B mail piece is 20 lbs.	Postage Statement Messages
9246	The PostageStatementMailingDate field in the ContainerInfoData block in the QualificationReportDetailCreateRequest message cannot span the price change date; within a job these dates must either be all before or all after %%1.	QualificationReportDetailCreateResponse (10.0)
9247	The pieces associated to a ContainerDetailID in the Postage-, Periodical-, or ConsolidatedPeriodicalStatementCreateRequest cannot exceed the sum of TotalPieces for that ContainerDetailID in the Qualification Report (ContainerID %%1 ContainerDetailID %%2).	Postage Statement Messages
9248	A ContainerID in the MailPieceCreateRequest must exist in an accepted Qualification Report (Container ID %%1).	MailPieceCreateResponse
9249	A ContainerID in the Postage-, Periodical-, or ConsolidatedPeriodicalStatementCreateRequest must exist in an accepted Qualification Report (Container ID %%1).	Postage Statement Messages
9250	FormType field in the QualificationReportSummaryCreateRequest message must be FC or SM when the MailXMLPresentationCategory field in the OpenMailingGroupRequest message is populated with M.	QualificationReportSummaryCreateResponse (10.0)
9251	The number of QualificationReportDetailCreateRequest messages associated to a QualificationReportSummaryCreateRequest message cannot exceed the value populated in the TotalMessageCount field in the QualificationReportSummaryCreateRequest.	QualificationReportDetailCreateResponse
9252	The PostageStatementMailingDate cannot be set to a date on or after the upcoming price change date - %%1	Postage Statement Messages
9254	When PreparedAsSM is True and FormType is PM, then ProcessingCategory must be FL, LT, or PF, and RateCategory must be S.	Postage Statement Messages
9255	For MLOCR mailings, the rate category must be one of E, H, L3, L4, N, or S for Flats or one of E, H, L1, L2, L3, L4, N, or S for Letters.	Postage Statement Messages
9256	The container status cannot be updated to C or D when the container is paid for on a Finalized Postage Statement (CTR ID %%1).	ContainerUpdateCreateResponse
9257	The IMB block must be populated in the MailPieceBlock of the MailPieceCreateRequest message.	MailPieceCreateResponse



Error Code	Error Message	Messages
9308	The OpenMailingGroupCreateRequest message is no longer accepted for Mail.XML version 7.0C or 8.0B after %SubmitDateCutoff%.	OpenMailingGroupResponse
8004	More than %%1 failures for Warning code: %%2	Multiple Messages

Code	Warning Message	Messages
8357	When ContainerStatus is T, the ContainerUpdate message can only update the the Transportation Update fields listed in the Mail.XML Technical Specification. (Container ID: %%1)	ContainerUpdateResponse
8359	Postage cancellation will occur when the ContainerStatus is C or D and the Container Status from the original Mail.dat job is R and the postage statement status from the original Mail.dat job is UPD. (Container ID: %%1)	ContainerUpdateResponse
8852	The number of In County Copies does not match between the Piece and Pound charge lines for User Postage Stmt %%1. Piece: %%2, Pound: %%3.	Postage Statement Messages
8853	The number of Out County Copies does not match between the Piece and Pound charge lines for User Postage Stmt %%1. Piece: %%2, Pound: %%3	Postage Statement Messages
8872	The PDRMailPieceBlock block and the PDRRangePieceBlock block are not supported.	Multiple
9022	The EntryPointLocaleKey in the ContainerInfoData block must be populated with alphanumeric characters and cannot be populated with ORIGIN when the EntryPointFacilityType in the ContainerInfoData block is O and the mailing is Full-Service or Mixed Service.	QualificationReportCreateResponse
9049	The AdPercent field in the DocumentVersionData block does not match the previously stored advertising percentage for VersionID (%%1)	Postage Statement Messages
9057	The PieceWeight field in the DocumentVersionData block does not match the previously stored edition weight for VersionID (%%1)	Postage Statement Messages

## 1.5 Additional Constraints

N/A

## 1.6 PostalOne! WSDL Information

All web services transactions that are made with the USPS should comply with the WSDL specification that are posted on RIBBS® and can be downloaded from the following location:

[http://ribbs.usps.gov/intelligentmail\\_guides/documents/tech\\_guides/xmlspec/wsdl/wsdl.htm](http://ribbs.usps.gov/intelligentmail_guides/documents/tech_guides/xmlspec/wsdl/wsdl.htm)

A web services request must include a valid and active USPS User ID and Password as defined in the UserAuthenticationInfo.xsd file that is provided as part of the WSDL downloadable files. A typical web service message construct defined is as follows:

```
<wsdl:message name="DeliveryApptContentUpdateRequest">
  <wsdl:part name="authInfo" element="auth:AuthenticationInfo"/>
</wsdl:message>
```

```
<wsdl:part name="apptContentUpdate" element="tns:apptContentUpdate"/>
</wsdl:message>
```

With the following

String-typed WSDL:

```
<wsdl:message name="StartTheClockQueryRequest">
  <wsdl:part element="auth:AuthenticationInfo" name="authInfo"/>
  <wsdl:part element="tns:startTheClockQuery" name="startTheClockQuery"/>
</wsdl:message>
```

XSD-typed WSDL:

```
<wsdl:message name="FullServiceStartTheClockQueryRequest">
  <wsdl:part element="uspsmxl:FullServiceStartTheClockQueryRequest"
    name="FullServiceStartTheClockQueryRequest"/>
</wsdl:message>
```

USPS will validate and authenticate the user information before processing the request. An error message will be returned in response to the web service request for invalid user information.

## Types of WSDLs

- **Consuming Message-Type WSDLs:**

The message-type eliminates the need to manually registering each service and message type. With this method, a customer can use an automated tool that can setup their environment without the manually registering each service. However, this approach requires updates to WSDLs every time a new Mail.XML version is released. In other words, it is tightly coupled with the Mail.XML Specification Version. The USPS is transitioning to this type of Message WSDLs to remove manual editing and registering of messages. As of the Mail.XML 9.0 release, USPS no longer supports String-Type WSDLs.

The Mail.XML 10.0 customer must use message-type to consume the services. The URLs to download all WSDLs are provided in Appendix E.

## 1.7 Permit Information

Permit Holder – This is the permit charged for the postage statement. The *Posta/One!* system uses the PermitHolderData block to reference the PermitNumber or PublicationNumber for a Periodicals postage statement. The 'PermitType' and 'PermitZip4' fields are also available in the PermitHolderData block and is associated to the 'Permit Number'. This information is displayed in the 'Permit Holder' section of a postage statement.

PermitHolderData

- MID – Optional block
- CRID – Optional field
- ContactName – Required field
- PermitPublicationData
  - PermitNumber – Required field
  - PermitType – Required field
  - PermitZip4 – Required field

- PublicationNumber – Required for Periodicals

Mailing Agent - This identifies the organization that prepared the mailing and/or delivered it to the postal service for mailing. This information is linked to the user's login account. The *PostalOne!* system looks up the Company Name, Address Line 1, Address Line2, City, State, Zip Code, Zip Code4, Contact Phone, and Contact Email using the PermitNumber and PermitZip4 fields within th MailingAgentData block. This information is displayed in the Mailing Agent section of a postage statement.

MailingAgentData

- MID – Optional block
- CRID – Optional field
- ContactName – Required field
- PermitPublicationData
  - PermitNumber – Required field
  - PermitType – Required field
  - PermitZip4 – Required field
  - PublicaitonNumber – Required for Periodicals

Mail Owner - This identifies the organization who owns the mail being sent. The *PostalOne!* system looks up the Company\_Name, Address\_Line1, Address\_Line2, City, State, Zip\_Code, Zip\_Code4, Contact\_Phone, and Contact\_Email in the P\_Finance, P\_Permit, and P\_Company tables using the PermitNumber and PermitZip4 fields within the PermitPublicationData block within the MailingOwnerData block within the CreatePostageStatement block in the PostageStatementCreateRequest message. The State is determined from the Zip\_Code. The *PostalOne!* system will populate the Mail Owner (Organization for Mailing is Prepared is Prepared) information with Permit Holder information. This information is displayed in the Org. For Mailing is Prepared section of a postage statement.

MailingOwnerData

- MID – Optional block
- CRID – Optional field
- ContactName – Required field
- PermitPublicationData
  - PermitNumber – Required field
  - PermitType – Required field
  - PermitZip4 – Required field
  - PublicationNumber – Required for Periodicals

Publisher Data - The *PostalOne!* system looks up the Company\_Name, Address\_Line1, Address\_Line2, City, State, Zip\_Code, Zip\_Code4, Contact\_Phone, and Contact\_Email in the P\_Finance, P\_Permit, and P\_Company tables using the PublicationNumber or PermitNumber field within the PermitPublicationData block within PublisherData block within the CreatePeriodicalStatement block. This information is displayed in the Publication Title and Owner or News Agent's Name section of a Periodicals postage statement.

PublisherData

- MID – Optional block
- CRID – Optional field
- ContactName – Required field
- PermitPublicationData
  - PermitNumber – Required for Pending Periodicals
  - PermitType – Required for Pending Periodicals
  - PermitZip4 – Required for Pending Periodicals
  - PublicationNumber – Required for Periodicals

SubmittingParty Block (All Messages):

- MailerID6 – Optional field
- MailerID9 – Optional field
- CRID – Optional field
- SchedulerID – field is ignored
- MaildatUserLicenseCode – field is ignored

The information in the SubmittingParty block is not displayed on postage statements or reports on the *PostalOne!* Dashboard.

SubmittingSoftware Block (All Messages):

- SoftwareName – Required field
- Vendor – Required field
- Version – Required field
- ApprovalDate – Optional field
- ApprovalKey – Optional field

The information in the SubmittingSoftware block is not displayed on postage statements or reports on the *PostalOne!* Dashboard.

### **OpenMailingGroupRequest**

PermitPublicationData – fields should be populated with Mailing Agent permit information:

- PermitNumber – Required field
- PermitType – Required field
- PermitZip4 – Required field
- PublicationNumber – Required for Periodicals

### **QualificationReportCreateRequest**

MailOwner Block – fields should be populated with Mail Owner permit information:

- PermitNumber – Required field
- PermitType – Required field
- PermitZip4 – Required field
- PublicationNumber – Required for Periodicals

QualificationReportPreparer Block – fields should be populated with Mailing Agent permit information:

- PermitNumber – Required field
- PermitType – Required field
- PermitZip4 – Required field
- PublicationNumber – Required for Periodicals
- MailerID6 – Optional field
- MailerID9 – Optional field
- CRID – Optional field

PermitPublicationData Block – fields should be populated with Permit Holder permit information:

- PermitNumber – Required field
- PermitType – Required field
- PermitZip4 – Required field
- PublicationNumber – Required for Periodicals

### **QualificationReportSummaryCreateRequest**

QualificationReportPreparer Block – fields should be populated with Mailing Agent permit information:

- PermitNumber – Required field
- PermitType – Required field
- PermitZip4 – Required field
- PublicationNumber – Required for Periodicals
- MailerID6 – Optional field
- MailerID9 – Optional field
- CRID – Optional field

#### **QualificationReportDetailCreateRequest**

MailOwner Block – fields should be populated with Mail Owner permit information:

- PermitNumber – Required field
- PermitType – Required field
- PermitZip4 – Required field
- PublicationNumber – Required for Periodicals

PermitPublicationData Block – fields should be populated with Permit Holder permit information:

- PermitNumber – Required field
- PermitType – Required field
- PermitZip4 – Required field
- PublicationNumber – Required for Periodicals

#### **PostageStatementCreateRequest**

PermitHolderData Block – fields should be populated with Permit Holder permit information:

- MID – Optional block
- CRID – Optional field
- ContactName – Required field
- PermitPublicationData
  - PermitNumber – Required field
  - PermitType – Required field
  - PermitZip4 – Required field
  - PublicationNumber – Required for Periodicals

MailingOwnerData Block – fields should be populated Mail Owner permit information:

- MID – Optional block
- CRID – Optional field
- ContactName – Required field
- PermitPublicationData
  - PermitNumber – Required field
  - PermitType – Required field
  - PermitZip4 – Required field
  - PublicationNumber – Required for Periodicals

MailingAgentData block – fields should be populated with Mailing Agent permit information:

- MID – Optional block
- CRID – Optional field
- ContactName – Required field
- PermitPublicationData
  - PermitNumber – Required field
  - PermitType – Required field

- PermitZip4 – Required field
- PublicationNumber – Required for Periodicals

PermitHolderForAPData block – fields should be populated with Permit Holder permit information:

- MID – Optional block
- CRID – Optional field
- ContactName – Required field
- PermitPublicationData
  - PermitNumber – Required field
  - PermitType – Required field
  - PermitZip4 – Required field
  - PublicationNumber – Required for Periodicals

### **PeriodicalStatementCreateRequest**

MailingAgentData block – fields should be populated with Mailing Agent permit information:

- MID – Optional block
- CRID – Optional field
- ContactName – Required field
- PermitPublicationData
  - PermitNumber – Required field
  - PermitType – Required field
  - PermitZip4 – Required field
  - PublicationNumber – Required for Periodicals

PublisherData block – fields should be populated with Permit Holder permit information:

- MID – Optional block
- CRID – Optional field
- ContactName – Required field
- PermitPublicationData
  - PermitNumber – Required for Pending Periodicals
  - PermitType – Required for Pending Periodicals
  - PermitZip4 – Required for Pending Periodicals
  - PublicationNumber – Required for Periodicals

### **ConsolidatedPeriodicalStatementCreateRequest**

MailingAgentData block – fields should be populated with Mailing Agent permit information:

- MID – Optional block
- CRID – Optional field
- ContactName – Required field
- PermitPublicationData
  - PermitNumber – Required field
  - PermitType – Required field
  - PermitZip4 – Required field
  - PublicationNumber – Required for Periodicals

PublisherData block – fields should be populated with Permit Holder permit information:

- MID – Optional block
- CRID – Optional field
- ContactName – Required field
- PermitPublicationData
  - PermitNumber – Required for Pending Periodicals
  - PermitType – Required for Pending Periodicals
  - PermitZip4 – Required for Pending Periodicals
  - PublicationNumber – Required for Periodicals

## 2. Postal Service Mail.XML Technical Specification

### 2.1 Program Overview

The *PostalOne!*® system is an electronic suite of services being developed for business mailers by the United States Postal Service® to improve the mailing process. The system takes advantage of the advances in technology and leverages them to significantly improve and simplify the mailing experience.

Customers can electronically send detailed information to the *PostalOne!* system using the mailing industry's standardized Mail.XML™ format. Mail.XML is an XML-based IDEAlliance® specification for web services. Web services uses simple HTTP(s) protocol to communicate data over the Internet, bypassing technology-specific restrictions and avoiding network-related security rules. See the IDEAlliance Mail.XML specifications at <http://www.idealliance.org>

The *PostalOne!* system allows customers to submit electronic documentation through the use of Mail.XML messages. Many of these messages are used to interact with the mailing supply chain via web services for a number of important functions including FAST, Full Service™ data distribution, and electronic documentation. This document is dedicated to describing the use of Mail.XML for electronic documentation of qualification reports, piece detail and piece range data, container and bundle reports, and postage statements.

The *PostalOne!* system supports two Mail.XML eDoc versions after January 22, 2012: Mail.XML 10.C and 11.0D.

Mail.XML eDoc						
Scenarios			Mail.XML Version			
Postage Statement Submit Date	Mailer's Mailing Date (Postage Statement Date)	Postage Statement Version	9.0B	9.0C	10.0C	11.0D
Jan 8 - Jan 21, 2012	Up to and including Jan 21, 2012	CURRENT, Pre Jan 22, 2012 Pricing Version	Full Support for Current, Pre Jan 22 Prices	Full Support for Current, Pre Jan 22 Prices	Full Support for Current, Pre Jan 22 Prices	Not Supported
Jan 8 - Jan 21, 2012	Jan 22, 2012 and onwards	NEW – Jan 22, 2012 Pricing Version	Not Supported	Not Supported	Supported (with limited support for new prices)	Full Support for New, Jan 22 Prices
Jan 22, 2012 - onwards	Up to and including Jan 21, 2012	CURRENT, Pre Jan 22, 2012 Pricing Version	Only Updates to Postage Statements Supported	Only Updates to Postage Statements Supported	Full Support for Current, Pre Jan 22 Prices	Not Supported
Jan 22, 2012 - onwards	Jan 22, 2012 and onwards	NEW – Jan 22, 2012 New Pricing Version	Not Supported	Not Supported	Supported (with limited support for new prices)	Full Support for New, Jan 22 Prices

Table 1 - Mail.XML Versions Supported for eDoc



Pricing or Incentive Supported	Mail.XML	Mail.dat	Comments
ALL - Reject Extra Service blocks that include both ExtraServiceSummaryData and ExtraServiceData blocks	10.0C, 11.0D	NA	
PM - Container Types of Surface Pallets, Full/Half Pallet Box, and the new Rate Type of Regional Rate Box C	11.0D	NA	
PKG - BPM - Postage Statement Line updates	10.0C, 11.0D	11-2, 12-1	
PKG - Library Mail and Media Mail - Postage StatementLine updates	10.0C, 11.0D	11-2, 12-1	
STD - Part I Nonprofit Standard Mail-Machinable Parcels	10.0C, 11.0D	11-2, 12-1	
STD - Part J Nonprofit Standard Mail - Irregular Parcels	10.0C, 11.0D	11-2, 12-1	
FCM - Mapping Changes for Commercial Plus Commercial Base (3600 FCM)	10.0C, 11.0D	11-2, 12-1	
PM, FCM, SM, BP, PP, ML - Picture Permit Indicia	11.0D	12-1	
ALL - Mobile Interactive Technology - Content	11.0D	11-2, 12-1	
PM - PACT Act	NA	NA	Removed from implementation
Electronic Signature Confirmation and Electronic Delivery Confirmation	NA	NA	
FCM - Election Mail	11.0D	12-1	
All Classes - New Characteristic Incentives, Fees	11.0D	12-1	
All Classes - Postal Price Incentives	10.0C	11-2	Limited incentive support in older version
All Classes - Characteristic Content Representation	11.0D	12-1	ContentofMail field vs. the Characteristic field
All Classes - Content of Mail	10.0C	11-2	
FCM - Second ounce Free	10.0C, 11.0D	11-2, 12-1	
FCM - -Piece/Does not meet content standards	11.0D	12-1	
STD - Standard Mail Marketing	10.0C, 11.0D	11-2, 12-1	
STD - Removal of NFM	10.0C, 11.0D	11-2, 12-1	
STD - Simplified Address Indicator	11.0D	11-2, 12-1	
STD/BPM - Detached Address Labels	10.0C, 11.0D	11-2, 12-1	
STD/BPM - Detached Marketing Labels	11.0D	12-1	
PER - Mixed ADC Sack/Tray entry at Origin NDC	10.0C, 11.0D	11-2, 12-1	
PER - Mixed ADC Pallet entry at Origin NDC	10.0C, 11.0D	11-2, 12-1	
Support for MADC Sack at ONDC and MADC Pallet at origin Container levels	10.0C, 11.0D	11-2, 12-1	
All Classes - Removal of type NSA (now validated by Core)	10.0C, 11.0D	11-2, 12-1	

Table 2 – eDoc Pricing or Incentive Supported by Mail.XML Versions

Mail.XML is an extremely fast and efficient way to present documentation. In many mailing scenarios – for example, “just in time” mail production of mailings of all sizes – there is no need to present an original file followed by a series of updates. In addition, the ability to query the *PostalOne!* system for status information about containers, handling units and postage statements allows mailers to automate processes and add considerable value to their postage reporting and documentation processes.

With Mail.XML, mailers can also update certain information about their mailings more quickly and more efficiently than Mail.dat, though there are certain rules and restrictions that will be discussed later in this document.

Mail.XML supports Full-Service, Mixed Service and Co-Palletized mailings. For Full and Mixed Service mailings, mailers will be required to submit qualification reports, piece information and postage statements for periodicals and non-periodicals mailings. Mailers will be required to submit qualification reports, piece information, postage statements and linkage information for Co-Palletized mailings.

All business functions supported by the USPS as part of the Mail.XML implementation are based upon SOA (Services Oriented Architecture). With this architecture, mailers' software manages the data transactions for query, create, update, and cancel business functions as well as subscription models. Additionally, mailers' software is able to receive synchronous and asynchronous transactions through Web Services protocol from the USPS in support of the just-in-time communication architecture.

The Postal Service implementation of Mail.XML is a complement to Mail.dat. Mailers using Mail.dat can continue to use it as a database, but can use Mail.XML for communication and automation of business to business processing. Mail.XML allows business function-specific communication and faster change management processes with little to no impact to other service providers. For example, you can add optional fields or new messages without requiring software in the mailing supply chain to change. This is a core improvement area for the Mail.dat® specification.

Mail.XML supports electronic documentation and end-to-end mailing supply chain, business process management for a multitude of business processes. Mail.XML includes qualification reports, container and bundle reports, spoilage, eDropShip, containerization nesting, postage statements, postage adjustments, postage status query information, piece detail, piece ranging, and many other business process related communications. Mail.XML also provides the ability to electronically access USPS full-service data and to perform business functions related to full-service. Mail.XML allows create, update, and cancel transactions for the Cast of Characters (brokering of information) messages. Mail.XML supports copalletization, mixed mailing, manifest mailing, and business processes specific to MLOCR and continuous mailing environments.

One fundamental difference in the Mail.dat file and in Mail.XML messages is information content. For example, for qualification reports and postage statements, Mail.dat calculates from the raw data in several Mail.dat files the copies and pieces at each price level in the qualification report and the postage statements. This sometimes leads to round-off differences compared to qualification reports and postage statements calculated by the mailer using the same Mail.dat file. In Mail.XML, the mailer provides the numbers of copies and pieces for each price level directly and there is less round-off error.

There are two main types of Mail.XML messages that are used to share data between the mailer and the *PostalOne!* system. They are request messages and response messages.

### **Request Messages**

Mail.XML request messages are used to submit mailing information to the *PostalOne!* system. Mailers submit request messages to send container information, mailpiece and piece range information, and postage information.

### **Response Messages**

Mailers will receive a response message from the *PostalOne!* system after they submit a request message. The response message is used to notify the customer of the status of their message.

- Accept Messages - Mailers will receive an Accept response if the request message that was submitted validated and uploaded successfully. After an Accept response is received, the mailer may continue submitting the remaining messages within that mailing group.
- Reject Messages - Mailers will receive a Reject response if the request message that was submitted did not validate and upload successfully. A ReturnCode and corresponding ReturnDescription, which describes the errors in the data, are provided in the response. The mailer must then update the data based on the error messages that were provided and resubmit.

The [Postal Service Mail.XML](#) is separated based on subject matter into the following volumes:

*Postal Service Mail.XML Technical Specification for Postage Payment and Reporting (eDoc)*

*Postal Service Mail.XML Technical Specification for Appointment Scheduling (FAST)*

*Postal Service Mail.XML Technical Specification for Profiles and Full-Service Feedback (Data Distribution)*

*Postal Service Mail.XML Technical Specification for Mailer IDs and Customer Registration IDs (MID and CRID)*

This document focuses solely on the eDoc message functionalities covering Mail.XML version 10.0C.

### **2.1.1 Mail.XML 10.0C Electronic Documentation (eDoc)**

New features were added in Mail.XML 10.0C. This document lists all of the changes included in Mail.XML 10.0C. The Mail.XML 10.0C version will continue to maintain all of the messages that are currently supported, except the QualificationReportCreateRequest, which is replaced with two new Qualification Report messages. The only enhancements are that Mail.XML 10.0C adds new elements, business rules, technical error fixes, and modularized XSDs.

### **2.1.1 Mail.XML 9.0C Change History**

This major release corrects technical errors and introduces the schema modularization in an effort to streamline and modernize the USPS automation for 2011 as previously done in Mail.XML 9.0B.

The eDoc functionality of Mail.XML 9.0C discontinues support in November 2011 for the previous structure where the XSDs and messages are tightly coupled to one main XSD and one base XSD as in the two prior versions, Mail.XML 7.0C and Mail.XML 8.0B previously supported this prior to November 2011. The main XSD covers all of the message sets of the eDoc, FAST, and Data Distribution specifications, which forces the XSD users to validate the complete XSD. With the introduction of stand-alone modularization in the Mail.XML 9.0A version, customers can develop and validate one or more message sets without the hassle of addressing the entire Mail.XML specification.

The Mail.XML 9.0C version will continue to maintain all of the messages that are currently supported. New enhancements addressing new elements, business rules, technical error fixes, and modularized XSDs are added in Mail.XML 9.0C.

Some of the new feature enhancements implemented in Mail.XML 9.0C are:

- New container levels (Origin SCF, Origin Mixed ADC Surface, Mixed ADC Air).
- The support for accept misshipped containers to allow the mailers to notify USPS to accept and charge for misshipped container. (This field is added for future business requirement where misshipped when containers will be processed for postage)
- An optional element, eInductionIndicator, serving as a flag for whether an e8125/e8017 needs to be generated for induction.

- A new USPS Price Incentive type called MobileBarcode has been added, allowing mailers to select this incentive as necessary. This incentive will only be available for mailings done in July and August 2011.
- New rate categories for Standard Mail Letter (Non Automation Carrier Route-Barcode and Non Automation Carrier Route, Carrier Route-Barcode) are being added.

Updates and changes in the Mail.XML 9.0C specification are **not backward compatible** with previous versions of Mail.XML for eDoc.

### 2.1.1 Mail.XML 9.0B Change History

This major release corrects technical errors and introduces the schema modularization in an effort to streamline and modernize the USPS automation for 2011.

The eDoc functionality of Mail.XML will continue to support the previous two versions (i.e. Mail.XML 7.0C and Mail.XML 8.0B) where the XSDs and messages are tightly coupled to one main XSD and one base XSD. The main XSD covers all of the message sets of the eDoc, FAST, and Data Distribution specifications, which forces the XSD users to validate the complete XSD. With the introduction of stand-alone modularization in Mail.XML 9.0A version customers can develop and validate one or more message sets without the hassle of addressing the entire Mail.XML specification.

Mail.XML 9.0B specification is not **backward compatible** with previous versions of Mail.XML for eDoc.

See below for high-level change history of each of the prior version of Mail.XML:

## 2.2 About Schema Modularization

Mail.XML messages are now grouped into 6 sets:

- Transportation Messages
- Mailing Messages
- Data Distribution Messages
- Identification Messages
- Supply Chain Messages
- System Messages

The underlying schemas have been modularized to reflect these distinct message sets. Additionally, three “shared” or “common” schemas have been developed and they are:

1. One stores simple Mail.XML Mailing Message Specification type definitions that can be shared across message sets.
2. A second common module is made up of common elements and complex types that are shared across two or more message sets.
3. The final common module is made up of system messages and the attributes, elements and complex types that are *unique* to these messages.

Mail.XML schema modules are designed to stand alone, separated by business functions, enabling those interested in one or more message sets to develop and validate just those message sets without the requirement to address the entire Mail.XML specification. Each module will validate by itself or in combination with all other message sets when the entire Mail.XML Specification is considered. In addition each module will be versioned separately.

Version numbers are contained within the namespace designation. Modules will be documented individually as well.

The following Mail.XML XSD modules/namespaces have been developed:

- **mailxml\_tm.xsd**: This module contains all the transportation (or FAST) messages with their attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml\_tm**
- **mailxml\_mm.xsd**: This module contains all the mailing messages (eDoc) with their attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml\_mm**
- **mailxml\_dd.xsd**: This module contains all the data distribution messages with their attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml\_dd**
- **mailxml\_id.xsd**: This module contains all the identification messages (CRID, MID etc) with their attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml\_id**
- **mailxml\_sc.xsd**: This module contains all the supply chain messages (Cross functional container based and other Mail.dat/mail.XML update functions) with their attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml\_sc**
- **mailxml.xsd**: This module contains all the system messages with their attributes, elements and complex types that are *unique* to these messages. Note that in order for the MessageResponseRetrievalResponse to work, all the other message modules are included by the system.xsd. **Namespace=mailxml**
- **mailxml\_defs.xsd**: This module contains all the common definitions of attributes, elements and complex types that are used across one or more message types. **Namespace=mailxml\_defs**
- **mailxml\_base.xsd**: This module contains all the simple types that are used everywhere in the mailxml. These simple types are associated with every element of each message. **Namespace=mailxml\_base**

## 2.3 What Schemas Cover Electronic Documentation (eDoc) Functionality?

With the breakdown of the XSD into multiple schemas – eDoc functionality will be covered by 2 separate modules. These modules are mailxml\_mm.xsd and mailxml\_sc.xsd.

In addition to the above modules, mailxml\_base.xsd and mailxml\_defs are common/shared XSD that will be referred by each of these individual eDoc-specific modules.

The mailxml.xsd module will be the source XSD that connects all messages to their system-level attributes. For example – MessageResponseRetrievalResponse is a shared attribute/complex type associated to almost every single Mail.XML message, regardless of whether it is Data Distribution, FAST or eDoc functionality. Other examples of shared attributes/types are: DeliveryResponse, NotificationResponse, Fault, etc.

## 2.4 USPS Limitation Rule on Transaction Requests

USPS has recently encountered unusual high volume with specific Mail.XML transactions by FAST and Full Service Data Distribution users, resulting in serious performance impact on several USPS servers that deal with authorization of all Mail.XML transactions.

The Postal Service is requiring that USPS Mail.XML customers update their Mail.XML software to query the USPS *PostalOne!*/FAST systems no more than seven times per hour. Similarly, USPS customers are encouraged to avoid setting up their web services pull software to query the *PostalOne!* servers no more than 200 times in a given 24 hour period for their eDoc, FAST, or Full Service data queries. This is a required change for all customers, and will greatly assist in avoiding performance issues that can hinder quality of service; users still have many opportunities to query necessary data within these limitations. Likewise, to improve overall experience for all customers it is absolutely necessary that customers program their software to query the USPS systems for different transactions at different times; in other words, configure some queries to occur at odd times, such as FAST queries, and configure other queries, such as eDoc and Data distribution, to occur at even times.

## 2.5 Recommended File Sizes for Optimum Mail.XML Performance

USPS® recommends following eDoc file sizes for the optimum performance

eDoc Message	File Size	Job Characteristics
QualificationReportCreateRequest	25 MB	Roughly 18,000 Containers (ContainerInfoData blocks)
MailPieceCreateRequest – MailPieceBlock	25 MB	Roughly 40,000 – 45,000 Mail Pieces (MailPieceBlocks)
MailPieceXeareRequest – MailPieceRangeBlock	25 MB	Roughly 25,000 – 30,000 piece ranges (MailPieceRangeBlock)
PostageStatementCreateRequest	25 MB	Roughly 35,000 Postage Statement Lines (PostageStatementLineItemData blocks)

## 2.6 Roadmap of Mail.XML

The table below shows the roadmap of the Mail.XML versions, starting from currently supported versions to versions that will be supported in future.

January 2011 Release 26.0.0	Fall 2011 Release 28.0.0	Winter 2012 Release 29.0.0
Mail.XML 7.0C * Mail.XML 8.0B Mail.XML 9.0B **	Mail.XML 9.0B * Mail.XML 9.0C Mail.XML 10.0C **	Mail.XML 10.0C Mail.XML 11.0X

***The version(s) flagged with single asterisk (\*) are planned for de-commissioning within 120 days of the release date.***

***The version(s) flagged with double asterisk (\*\*) are new versions planned for implementation with the release date. Release dates may be different for each functionality and are subject to change as necessary.***

## 2.7 Purpose

The purpose of this Technical Specification is to supplement the IDEAlliance Mail.XML and to provide Mail.XML users with specific information regarding the USPS implementation. USPS will support Mail.XML versions for electronic documentation as outlined in the Section 2.6 above. The content in this document is subject to change as IDEAlliance updates Mail.XML Specification. This technical specification includes the return codes, error codes and their descriptions, as well the WSDLs links for all the supported version of Mail.XML.

The USPS supports a test and production environment.

- **TEM (Testing Environment for Mailers):** This environment is used for software approval processes for all mailers prior to moving into the production environment. Mailers must work with the *PostalOne!* Help Desk to start the approval process for their software, and must be approved in the TEM environment, prior to sending data transactions in the Production environment. For more information regarding TEM, see the *Test Environment for Mailers: Checklist and Troubleshooting Guide*
- **Production Environment:** This environment will be used by all customers that have been approved in the TEM environment by the USPS to start sending the transaction/messages.

## 2.8 Intended Audience

The intended audience for this specification is technical programmers and technical managers. Prior knowledge of XML language and Mail.dat functionalities will greatly improve the understanding of this document.

## 2.9 About This Document

The data structure tables for all the eDoc messages in Section 3.0 reference complex types. The details of these complex types are included in appendix A. The USPS recommends that customers study the complex types provided in appendix A to fully understand the structure of the eDoc messages.

In the data structure tables for all eDoc messages in Section 4.0, under the acceptable values column, actual simple type names are used for some of the elements. Review all simple types listed in Appendix B to fully understand the acceptable values that are validated by *PostalOne!* system. Also, You will notice that in the Appendix B, simple type uses codes have now been updated with Mail.dat descriptions for your convenience. The USPS® recommends that you also read the [Postal Service Mail.dat Technical Specification](#).

Also, in the data structure tables, some field names may contain spaces for readability purposes (because the names of those fields are lengthy). In Mail.XML, spaces are not allowed in the element names. For example: “SubmittingParty” is the element name but in the data table it may have been written as Submitting Party.

If you are using this document to code your software then use the latest version of Mail.XML XSD located on [RIBBS®](#) to fully understand the name of the element, structure of every block and message and to minimize the impact of incorrect coding.

## 2.10 How to Read Data Structure

There are three possibilities for every element listed in the data structure table of each message. These possibilities are REQUIRED, OPTIONAL, and CONDITIONALLY REQUIRED. The Required option means that mailer/preparer or sender of the message must provide data for the element. The Optional option means the sender of the message has a choice to include the data or omit it from submission. The third option of Conditionally Required means that if certain condition is met then the sender of the message must provide data for that particular element; for example - EntryPointEDPostalCode is conditionally required if EntryPointEDFacilityType is populated in the ContainerUpdateRequest message.

In addition to the above options, there are instances where the main block is marked as REQUIRED, but the elements within the block are OPTIONAL or vice versa. This means that sender of the message must include the block when sending the message, but can omit all elements within the block. A good example is the ‘SubmittingParty’ block, which is a REQUIRED block, but all elements within this block are OPTIONAL.

## 2.11 Issue Resolution

All issues where the USPS software may not comply with the business rules, the work-arounds for such issues are listed in the critical issues list on the RIBBS Intelligent Mail site under Latest News. For example – In some cases the work around for Full-Service ACS data is to receive the data through OneCode ACS method instead of Full-Service methods. Additionally, for postage statements too large, the work around is to divide the statements in multiple statements. The current *PostalOne!* Critical Issues list is found at Intelligent Mail on the Latest News tab at:

[http://ribbs.usps.gov/intelligentmail\\_latestnews/documents/tech\\_guides/PostalOneCriticalIssueExtCustomers.pdf](http://ribbs.usps.gov/intelligentmail_latestnews/documents/tech_guides/PostalOneCriticalIssueExtCustomers.pdf)

## 2.12 Mail.XML Message Hierarchy

The sections below provide list of required vs. optional messages based on different scenarios. Also, the sections provide the list of prerequisite message that must be sent prior to sending the actual required message.

It is strongly recommended that customer wait to receive the response acknowledgement from USPS before sending the next message to avoid network clogging. It may impact the response time from USPS if multiple requests arrive at USPS servers in a non-sequential order.

### 1.1.1 Full-Service & Mixed Service Mailings

For full-service and mixed service mailings, the following messages are required for First-Class Mail, Standard Mail, and Package Services mailings: OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest, MailPieceCreateRequest, and PostageStatementCreateRequest. The messages that need to be submitted prior to each required message for full-service and mixed service mailings are listed below:

#### Required Full-Service/Mixed Service Messages for First-Class Mail, Standard Mail, or Package Services

Message	Required Prerequisite Messages
OpenMailingGroupRequest	None
QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest	OpenMailingGroupRequest
**MailPieceCreateRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
PostageStatementCreateRequest	OpenMailingGroupRequest,

\*\*As of Release 28, the MailPieceCreateRequest message can be submitted before and after a postage statement is submitted, prior to finalization.

All other messages are optional for full-service and mixed service mailings. The messages that need to be submitted prior to each optional message are listed below:

#### Optional Full-Service/Mixed Service Messages for First-Class Mail, Standard Mail, or Package Services



<b>Message</b>	<b>Required Prerequisite Messages</b>
BundleDetailCreateRequest	OpenMailingGroupRequest
BeginCombinedMailingRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
EndCombinedMailingRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , BeginCombinedMailingRequest, PostageStatementCreateRequest
PostageAdjustmentCreateRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequestPostageStatementCreat eRequest
OriginalContainerLinkageCreate	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
CloseMailingGroupRequest	OpenMailingGroupRequest
SiblingContainerCreateRequest	None
ContainerUpdateRequest	None
MailingGroupQueryRequest	OpenMailingGroupRequest
PostageStatementQueryRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest, PostageStatementCreateRequest
PostageStatementStatusQueryRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , PostageStatementCreateRequest
ReconciliationReportQueryRequest	
BundleDetailCancelRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , BundleDetailCreateRequest
MailPieceCancelRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , MailPieceCreateRequest
PostageStatementCancelRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , PostageStatementCreateRequest
OriginalContainerLinkageCancelReque st	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , OriginalContainerLinkageCreate
SiblingContainerCancelRequest	SiblingContainerCreateRequest
CustomerMailReportCreateRequest	OpenMailingGroupRequest QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest PostageStatementCreateRequest
SummaryZipDestinationReportCreateR	OpenMailingGroupRequest

equest	QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest PostageStatementCreateRequest
--------	---

\*\*As of Release 28, the MailPieceCreateRequest message can be submitted before and after a postage statement is submitted, prior to finalization.

For full-service and mixed service mailings, the following messages are required for Periodicals mailings: OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/  
QualificationReportDetailCreateRequest , ContainerBundleReportCreateRequest , MailPieceCreateRequest, and PostageStatementCreateRequest. The messages that need to be submitted prior to each required message for full-service and mixed service mailings are listed below:

#### Required Full-Service/Mixed Service Messages for Periodicals

Message	Required Prerequisite Messages
OpenMailingGroupRequest	None
QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest	OpenMailingGroupRequest
ContainerBundleReportCreateRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
MailPieceCreateRequest**	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , ContainerBundleReportCreateRequest
PeriodicalStatementCreateRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , ContainerBundleReportCreateRequest ,

All other messages are optional for full-service and mixed service mailings. The messages that need to be submitted prior to each optional message are listed below:

#### Optional Full-Service/Mixed Service Messages for Periodicals

Message	Required Prerequisite Messages
BundleDetailCreateRequest	OpenMailingGroupRequest
BeginCombinedMailingRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/

	QualificationReportDetailCreateRequest ,
EndCombinedMailingRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , BeginCombinedMailingRequest, PeriodicalStatementCreateRequest
PostageAdjustmentCreateRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , PeriodicalStatementCreateRequest
OriginalContainerLinkageCreate	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
CloseMailingGroupRequest	OpenMailingGroupRequest
SiblingContainerCreateRequest	None
ContainerUpdateRequest	None
MailingGroupQueryRequest	OpenMailingGroupRequest
ContainerBundleReportQueryRequest	OpenMailingGroupRequest
PeriodicalStatementQueryRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , ContainerBundleReportCreateRequest, PeriodicalStatementCreateRequest
PostageStatementStatusQueryRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , ContainerBundleReportCreateRequest, PeriodicalStatementCreateRequest
ReconciliationReportQueryRequest	
ContainerBundleReportCancelRequest	OpenMailingGroupRequest
BundleDetailCancelRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , BundleDetailCreateRequest
MailPieceCancelRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest ,
PostageStatementCancelRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , ContainerBundleReportCreateRequest, PeriodicalStatementCreateRequest
OriginalContainerLinkageCancelRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , OriginalContainerLinkageCreate
SiblingContainerCancelRequest	SiblingContainerCreateRequest

\*\*As of Release 28, the MailPieceCreateRequest message can be submitted before and after a postage statement is submitted, prior to finalization.

## 1.1.2 Full-Service & Mixed Service Mailings

For eDoc mailings, the following messages are required for First-Class Mail, Standard Mail, and Package Services mailings: OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest , and PostageStatementCreateRequest except when the mailing is less than 10,000 pieces. The messages that need to be submitted prior to each required message for eDoc mailings are listed below.

The following are the rules that determine Required versus Optional eDoc Messages:

1. When a mailing is less than 10,000 pieces and mailing is not a Full-Service then set of eDoc messages marked as required below are not applicable.
2. When a mailing is above 10,000 pieces then set of eDoc messages below are required as outlined.
3. When a mailing is Full-Service then set of eDoc messages below are required. The Full-Service mailing over-writes the 10,000 pieces threshold.

### Required eDoc Messages for First-Class Mail, Standard Mail, or Package Services

Message	Required Prerequisite Messages
OpenMailingGroupRequest	None
QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest	OpenMailingGroupRequest
PostageStatementCreateRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest

All other messages are optional for eDoc mailings. The messages that need to be submitted prior to each optional message are listed below:

### Optional eDoc Messages for First-Class Mail, Standard Mail, or Package Services

Message	Required Prerequisite Messages
BundleDetailCreateRequest	OpenMailingGroupRequest
**MailPieceCreateRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
BeginCombinedMailingRequest  * This is a required message for combined or commingled mailings	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
EndCombinedMailingRequest  * This is required message for combined or commingled mailings.	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , BeginCombinedMailingRequest, PostageStatementCreateRequest
PostageAdjustmentCreateRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , PostageStatementCreateRequest
OriginalContainerLinkageCreate*	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/

* USPS strongly recommends sending this message when Copalletizing the mail, even when the mailing is a Non Full-service mailing.	QualificationReportDetailCreateRequest
CloseMailingGroupRequest	OpenMailingGroupRequest
SiblingContainerCreateRequest	None
ContainerUpdateRequest	None
MailingGroupQueryRequest	OpenMailingGroupRequest
PostageStatementQueryRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , PostageStatementCreateRequest
PostageStatementStatusQueryRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , PostageStatementCreateRequest
ReconciliationReportQueryRequest	
BundleDetailCancelRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , BundleDetailCreateRequest
MailPieceCancelRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
PostageStatementCancelRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , PostageStatementCreateRequest
OriginalContainerLinkageCancelRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , OriginalContainerLinkageCreate
SiblingContainerCancelRequest	SiblingContainerCreateRequest
CustomerMailReportCreateRequest	OpenMailingGroupRequest QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest PostageStatementCreateRequest
SummaryZipDestinationReportCreateRequest	OpenMailingGroupRequest QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest PostageStatementCreateRequest

For eDoc mailings, the following messages are required for Periodicals mailings:  
OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/  
QualificationReportDetailCreateRequest , and PostageStatementCreateRequest. The messages that need to be submitted prior to each required message for eDoc mailings are listed below:

#### Required eDoc Messages for Periodicals

Message	Required Prerequisite Messages
OpenMailingGroupRequest	None

QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest	OpenMailingGroupRequest
ContainerBundleReportCreateRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
PeriodicalStatementCreateRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest

All other messages are optional for full-service and mixed service mailings. The messages that need to be submitted prior to each optional message are listed below:

#### Optional eDoc Messages for Periodicals

Message	Required Prerequisite Messages
BundleDetailCreateRequest	OpenMailingGroupRequest
**MailPieceCreateRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
BeginCombinedMailingRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
EndCombinedMailingRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , BeginCombinedMailingRequest, PeriodicalStatementCreateRequest
PostageAdjustmentCreateRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , PeriodicalStatementCreateRequest
OriginalContainerLinkageCreate*  * USPS strongly recommends sending this message when Copalletizing the mail, even when the mailing is a Non Full-service mailing.	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
CloseMailingGroupRequest	OpenMailingGroupRequest
SiblingContainerCreateRequest	None
ContainerUpdateRequest	None
MailingGroupQueryRequest	OpenMailingGroupRequest
ContainerBundleReportQueryRequest	OpenMailingGroupRequest
PeriodicalStatementQueryRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , PeriodicalStatementCreateRequest
PostageStatementStatusQueryRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , PeriodicalStatementCreateRequest

ReconciliationReportQueryRequest	
ContainerBundleReportCancelRequest	OpenMailingGroupRequest
BundleDetailCancelRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , BundleDetailCreateRequest
MailPieceCancelRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , MailPieceCreateRequest
PostageStatementCancelRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , PeriodicalStatementCreateRequest
OriginalContainerLinkageCancelRequest	OpenMailingGroupRequest, QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest , OriginalContainerLinkageCreate
SiblingContainerCancelRequest	SiblingContainerCreateRequest

\*\*As of Release 28, the MailPieceCreateRequest message can be submitted before and after a postage statement is submitted, prior to finalization.

## 2.13 Workflows

### 2.13.1 Non-Periodicals without Full-Service

1. Send OpenMailingGroupRequest
2. Receive accepted OpenMailingGroupResponse with assigned MailingGroupID.
3. Use CustomerGroupID and MailingGroup in Attributes for additional messages.
4. Send QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
5. Receive accepted QualificationReportCreateResponse
6. Send PostageStatementCreateRequest
7. Receive accepted PostageStatementCreateResponse

### 2.13.1 Periodicals without Full-Service

1. Send OpenMailingGroupRequest
2. Receive accepted OpenMailingGroupResponse with assigned MailingGroupID.
3. Use CustomerGroupID and MailingGroup in Attributes for additional messages.
4. Send QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
5. Receive accepted QualificationReportCreateResponse
6. Send ContainerBundleReportCreateRequest
7. Receive accepted ContainerBundleReportCreateResponse
8. Send PeriodicalStatementCreateRequest
9. Receive accepted PeriodicalStatementCreateResponse

### 2.13.1 Non-Periodicals with Full-Service

1. Send OpenMailingGroupRequest
2. Receive accepted OpenMailingGroupResponse with assigned MailingGroupID.
3. Use CustomerGroupID and MailingGroup in Attributes for additional messages.
4. Send QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
5. Receive accepted QualificationReportCreateResponse

6. Send MailPieceCreateRequest
7. Receive accepted MailPieceCreateResponse.
8. Send PostageStatementCreateRequest
9. Receive accepted PostageStatementCreateResponse

As of Release 28 the following will also be accepted:

1. Send OpenMailingGroupRequest
2. Receive accepted OpenMailingGroupResponse with assigned MailingGroupID.
3. Use CustomerGroupID and in Attributes for additional messages.
4. Send QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
5. Receive accepted QualificationReportCreateResponse
6. Send PostageStatementCreateRequest
7. Receive accepted PostageStatementCreateResponse
8. Send MailPieceCreateRequest (prior to finalization)
9. Receive accepted MailPieceCreateResponse.

### **2.13.1 Periodicals with Full-Service**

1. Send OpenMailingGroupRequest
2. Receive accepted OpenMailingGroupResponse with assigned MailingGroupID.
3. Use CustomerGroupID and MailingGroup in Attributes for additional messages.
4. Send QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
5. Receive accepted QualificationReportCreateResponse
6. Send ContainerBundleReportCreateRequest
7. Receive accepted ContainerBundleReportCreateResponse
8. Send MailPieceCreateRequest
9. Receive accepted MailPieceCreateResponse.
10. Send PeriodicalStatementCreateRequest
11. Receive accepted PeriodicalStatementCreateResponse

As of Release 28 the following will also be accepted:

1. Send OpenMailingGroupRequest
2. Receive accepted OpenMailingGroupResponse with assigned MailingGroupID.
3. Use CustomerGroupID and MailingGroup in Attributes for additional messages.
4. Send QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
5. Receive accepted QualificationReportCreateResponse
6. Send ContainerBundleReportCreateRequest
7. Receive accepted ContainerBundleReportCreateResponse
8. Send PeriodicalStatementCreateRequest
9. Receive accepted PeriodicalStatementCreateResponse
10. Send MailPieceCreateRequest (prior to finalization)
11. Receive accepted MailPieceCreateResponse.

For full-service in remaining scenarios insert send MailPieceCreateRequest and receive accepted MailPieceCreateResponse after receive accepted QualificationReportCreateResponse and either before or after the Postage/Periodical Statement Request and Response.

### **2.13.1 Combined/ Commingled Mailing - non-Periodicals**

1. Send OpenMailingGroupRequest



2. Receive accepted OpenMailingGroupResponse with assigned MailingGroupID.
3. Use CustomerGroupID and MailingGroup in Attributes for additional messages.
4. Send QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
5. Receive accepted QualificationReportCreateResponse
6. Send BeginCombinedMailingRequest
7. Receive accepted BeginCombinedMailingResponse
8. Use the CombinedMailingID in all the postage statements.
9. Send each PostageStatementCreateRequest
10. Receive each PostageStatementCreateResponse
11. After last PostageStatementCreateResponse, send EndCombinedMailingRequest
12. Receive EndCombinedMailingResponse.

The only noted difference between Commingled and Combined mailings is that for a Commingled Mailing, the USPS requires a minimum of 150 pieces per Zip Code to achieve five-digit postal rates, whereas a Combined Mailing has no such requirement.

### **2.13.1 Combined/ Commingled Mailing - Periodicals**

1. Send OpenMailingGroupRequest
2. Receive accepted OpenMailingGroupResponse with assigned MailingGroupID.
3. Use CustomerGroupID and MailingGroup in Attributes for additional messages.
4. Send QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
5. Receive accepted QualificationReportCreateResponse
6. Send ContainerBundleReportCreateRequest
7. Receive accepted ContainerBundleReportCreateResponse
8. Send BeginCombinedMailingRequest
9. Receive accepted BeginCombinedMailingResponse
10. Use the CombinedMailingID in all the postage statements.
11. Send each ConsolidatedPeriodicalStatementCreateRequest
12. Receive each PeriodicalStatementCreateResponse
13. After last PeriodicalStatementCreateResponse, send EndCombinedMailingRequest
14. Receive EndCombinedMailingResponse.

The only noted difference between Commingled and Combined mailings is that for a Commingled Mailing, the USPS requires a minimum of 150 pieces per Zip Code to achieve five-digit postal rates, whereas a Combined Mailing has no such requirement.

### **2.13.1 Copalletized Mailing for Trays on Pallets non-Periodicals**

At consolidator (original site sending regular mailing via Mail.XML or Mail.dat)

1. Send OpenMailingGroupRequest
2. Receive accepted OpenMailingGroupResponse with assigned MailingGroupID.
3. Use CustomerGroupID and MailingGroup in Attributes for additional messages.
4. Send QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
5. Receive accepted QualificationReportCreateResponse
6. Send OriginalContainerLinkageCreateRequest. (Required when mail contains Full-Service pieces and strongly recommended by the USPS when non Full-service mail is copalletized)
7. Receive accepted OriginalContainerLinkageCreateResponse

### **2.13.1 Copalletized Mailing for Bundles on Pallets - Standard Mail**

At consolidator (original site sending regular mailing via Mail.XML or Mail.dat)

1. Send OpenMailingGroupRequest

2. Receive accepted OpenMailingGroupResponse with assigned MailingGroupID.
3. Use CustomerGroupID and MailingGroup in Attributes for additional messages.
4. Send QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
5. Receive accepted QualificationReportCreateResponse
6. Send OriginalContainerLinkageCreateRequest. (Required when mail contains Full-Service pieces and strongly recommended by the USPS when non Full-service mail is copalletized)
7. Receive accepted OriginalContainerLinkageCreateResponse
8. Send BeginCombinedMailingRequest
9. Receive accepted BeginCombinedMailingResponse
10. Use the CombinedMailingID in all the postage statements.
11. Send each PostageStatementCreateRequest
12. Receive each PostageStatementCreateResponse
13. After last PostageStatementCreateResponse, send EndCombinedMailingRequest
14. Receive EndCombinedMailingResponse.

### 2.13.1 Copalletized Mailing for Bundles on Pallets - Periodicals Mail

At consolidator (original site sends regular mailing via Mail.XML or Mail.dat)

15. Send OpenMailingGroupRequest
16. Receive accepted OpenMailingGroupResponse with assigned MailingGroupID.
17. Use CustomerGroupID and MailingGroup in Attributes for additional messages.
18. Send QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
19. Receive accepted QualificationReportCreateResponse
20. Send ContainerBundleReportCreateRequest
21. Receive accepted ContainerBundleReportCreateResponse
22. Send OriginalContainerLinkageCreateRequest. (Required when mail contains Full-Service pieces and strongly recommended by the USPS when non Full-service mail is copalletized)
23. Receive accepted OriginalContainerLinkageCreateResponse
24. Send BeginCombinedMailingRequest
25. Receive accepted BeginCombinedMailingResponse
26. Use the CombinedMailingID in all the postage statements.
27. Send each PeriodicalStatementCreateRequest
28. Receive each PeriodicalStatementCreateResponse
29. After last PostageStatementCreateResponse, send EndCombinedMailingRequest
30. Receive EndCombinedMailingResponse.

## 2.14 Exceptions

The following cases are not supported in the Mail.XML:

- Full-service logical mailers who do not have the physical tray information for a specific logical tray. Job ID, Container ID, and Sibling Container ID would be populated as normal. Container Type would be T and IM Container or Tray Barcode would be filled with 24 digits of digit '9'. Beginning in Release 24, the number of duplicate Tray Barcodes cannot exceed 1% for any Full-Service or Mixed Service mailing. This duplication will cause validation failures for Qualification Report.
- Mailings with multiple mail classes such as Periodicals and Standard mixed together. This includes the experiment for copalletization of Periodicals and Standard Mail is not supported.
- For Original Container Linkage – mother containers are not supported
- International mail is not supported.
- Periodicals Exception to Sacking (DMM section 707.23.4.2). Sacking is not required for bundles prepared for and entered at a DDU when the mailer unloads bundles under (DMM section)

707.28.4.6. Mail presented under this exception is not subject to the container charge (but is still subject to the bundle charges).

- Periodicals parcels that are not bundled. If Periodicals parcels are not bundled, even irregular parcels, validation rejects the Qualification report. To submit Periodicals parcels that are not bundled per DMM section 707.23.4, submit the mailing with the alternative standardized documentation and postage statements.
- For MLOCR mailings, postage statements cannot claim the “Single Piece” rate category until a later release.
- Non-incidentals enclosures are eligible for the full-service discount when enclosed in host mail pieces that receive full-service discount and are letters or machinable flats. For Postage Statements submitted via Mail.XML, the full-service discount on the non-incidentals enclosure when applicable is not supported at this time. Mailer must request a refund of the amount of this postage by the usual manual refund process.

### 3. Mail.XML 10.0C eDoc and Miscellaneous Messages

The Mail.XML 10.0C version will continue to support all of the messages that are currently supported in previous versions except for QualificationReportCreateRequest/Response.

QualificationReportSummaryCreateRequest, QualificationReportSummaryCreateResponse, QualificationReportDetailCreateRequest, and QualificationReportDetailCreateResponse are being added as qualification report messages in Mail.XML 10.0C in November 2011. The existing QualificationReportCreateRequest/Response will continue to be supported in Mail.XML 9.0B and Mail.XML 9.0C.

International Postage Statement messages (InternationalPostageStatementCreateRequest, InternationalPostageStatementCreateResponse, InternationalPostageStatementQueryRequest, InternationalPostageStatementQueryResponse) have been removed from given that they are not supported in Mail.XML 10.0C eDoc specification.

The other enhancements are that Mail.XML 10.0C adds new elements, business rules, technical error fixes, and modularized XSDs. All of the eDoc messages are part of the mailxml\_mm.XSD (Mail Messaging) and mailxml\_sc.XSD (Supply Chain) modules. These modules are tied together by a master XSD called "mailxml\_[version\_number].XSD" and all of the associated simple types and complex types are included in to their separate modules. These modules are "mailxml\_base.XSD" and "mailxml\_defs.XSD"

In the table below all messages implemented in Mail.XML 10.0C

Message
BeginCombinedMailingRequest
BeginCombinedMailingResponse
BundleDetailCancelRequest
BundleDetailCancelResponse
BundleDetailCreateRequest
BundleDetailCreateResponse
CloseMailingGroupRequest
CloseMailingGroupResponse
ConsolidatedPeriodicalStatementCreateRequest
ConsolidatedPeriodicalStatementCreateResponse
ContainerBundleReportCancelRequest
ContainerBundleReportCancelResponse
ContainerBundleReportCreateRequest
ContainerBundleReportCreateResponse
ContainerBundleReportQueryRequest
ContainerBundleReportQueryResponse
ContainerManifestCreateRequest

<b>Message</b>
ContainerManifestCreateResponse
ContainerUpdateRequest
ContainerUpdateResponse
CustomerMailReportCreateRequest
CustomerMailReportCreateResponse
EndCombinedMailingRequest
EndCombinedMailingResponse
MailingGroupQueryRequest
MailingGroupQueryResponse
MailPieceCancelRequest
MailPieceCancelResponse
MailPieceCreateRequest
MailPieceCreateResponse
MailPieceUpdateRequest
MailPieceUpdateResponse
OpenMailingGroupRequest
OpenMailingGroupResponse
PeriodicalStatementCreateRequest
PeriodicalStatementCreateResponse
PeriodicalStatementQueryRequest
PeriodicalStatementQueryResponse
PostageStatementCancelRequest
PostageStatementCancelResponse
PostageStatementCreateRequest
PostageStatementCreateResponse
PostageStatementQueryRequest
PostageStatementQueryResponse
PostageStatementStatusQueryRequest
PostageStatementStatusQueryResponse
QualificationReportCreateRequest
QualificationReportCreateResponse
QualificationReportQueryRequest
QualificationReportQueryResponse

Message
QualificationReportSummaryCreateRequest
QualificationReportSummaryCreateResponse
QualificationReportDetailCreateRequest
QualificationReportDetailCreateResponse
SummaryZipDestinationReportCreateRequest
SummaryZipDestinationReportCreateResponse
ReconciliationReportQueryRequest
ReconciliationReportQueryResponse

### 3.1 BeginCombinedMailingRequest

#### Purpose

The beginCombinedMailing method sends the combined mailing ID information and starts a combined mailing.

#### Business Rules

- Will accept if a combined mailing is NOT already open for a mailing group
- Will reject if a combined mailing is already open for a mailing group
- This message is used to combine statements from the PostageStatementCreateRequest.
- This message is used to combine statements from the PeriodicalStatementCreateRequest and/or the ConsolidatedPeriodicalStatementCreateRequest
- All postage statement in a combined mailing must be the same form type

#### Note - Important information on combined and consolidated postage statements:

Part A – Currently, the Mail.XML specs allows the user to provide different data for the fields listed in Part C below for each postage statement request. During a Combined Mailing Request or during a Consolidated Periodical Postage Statement Request, the values of these fields (listed in Part C) have to be same from a business and processing stand-point. The current implementation of Mail.XML does not provide a feature where the user could supply this data for all of the postage statements that are consolidated or combined. A future release of Mail.XML and *PostalOne!* will cater to this requirement where the user will be required to provide with only one set of data (listed in Part C) for the whole message set of combined or consolidated postage statements. However, in the current implementation, USPS recommends all users to follow the set of instructions provided in section.

Part B – For the following set of postage statement message requests, follow the instructions documented in Part C below.

- BeginCombinedMailingRequest
- EndCombinedMailingRequest
- ConsolidatedPeriodicalStatementCreateRequest
- PeriodicalStatementCreateRequest
- PostageStatementCreateRequest

Part C – For all of the postage statement create requests (items 3, 4, and 5 from above), during a Combined Mailing request (meaning postage statements enclosed in between items 1 and 2 from above) and for

ConsolidatedPeriodicalStatementCreateRequest user must provide the same values inside all of the postage statements for the following fields.

- IssueDate
- IssueNumber
- VolumeNumber
- CustomerReferenceID
- AgencyCostCode
- PermitPublicationData (*block of PermitHolderData block*)
- PostagePaymentMethod
- RateType
- ProcessingCategory

**Field Description**

<b>Mail.XML 10.0C - BeginCombinedMailingRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
MailXMLPostageStatementRequestHeaderInfo block	MailXMLPostageStatementRequestHeaderInfo attribute block		Attributes block	Refer this complex attribute in Appendix D
SubmittingParty Block	participantIDType		Required block; Identifies the customer submitting the message	Refer to this complex type in Appendix A
SubmittingSoftware Block	participantIDType		Required block; Identifies the software submitting the message	Refer to this complex type in Appendix A

**3.2 BeginCombinedMailingResponse**

**Purpose**

The BeginCombinedMailingResponse will be used by USPS to notify the customer if their request to create a combined mailing has been accepted or rejected.

**Error/Return Codes**

Refer Section 2.6 to refer shared error/return codes and also a list of error/return codes tied this message.

**Business Rules**

- Will accept if a combined mailing is NOT already open for a mailing group
- Will reject if a combined mailing is already open for a mailing group
- This message is used to combine statements from the PostageStatementCreateRequest.
- This message is used to combine statements from the PeriodicalStatementCreateRequest and/or the ConsolidatedPeriodicalStatementCreateRequest

- The ReturnInfo block will have a description for rejection
- Beginning in Release 26.1, First-Class Commercial Plus Parcels will be accepted after the April 2011 price change date when the following conditions are met:
  - FormType in the CreatePostageStatement block is FC (First-Class)
  - PresentationCategory in the CreatePostageStatement block is PF (Parcel, First-Class)
  - PriceType in the CreatePostageStatement block is commercialplus

### Field Description

<b>Mail.XML 10.0C - BeginCombinedMailingResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
TrackingID	String 12	-	Optional	Provide the tracking ID for the user to query when an error occurs during the transmission.
<b>Choice Block BEGINS</b>			Required.  Either Accept or Reject block is returned.	
<b>BeginCombinedMailingAccept Block Begins</b>			Block received upon accepting request	
MailXMLMsgResponseHeaderInfo Block Begins	MailXMLMsgResponseHeaderInfo attribute block		Attributes block	Refer to this attribute in Appendix D
CombinedMailingID	Non-negative Integer		Optional	
ReturnInfo Block	basicReturnInfo complex type		Optional Provides reason for return Not required Multiple pairings of ReturnCode and ReturnDescription can be provided in the block	Refer to this complex type in Appendix A
<b>BeginCombinedMailingAccept</b>				



Mail.XML 10.0C - BeginCombinedMailingResponse				
Field	Format	Acceptable Values	Business Rules	Comments
cept Block Ends				
BeginCombinedMailingReject Block Begins			Block received upon rejecting request	
MailXMLMsgResponseHeaderInfo Block	MailXMLMsgHeaderInfo attribute block		Attributes block	Refer this attribute block in Appendix D
ReturnInfo Block	basicReturnInfo complex type		Required Provides reason for return Required Multiple pairings of ReturnCode and ReturnDescription can be provided in the block	Refer to this complex type in Appendix A
BeginCombinedMailingReject Block Ends				

### 3.3 BundleDetailCancelRequest

#### Purpose

Message cancels the bundle detail data submitted related to a qualification report

#### Business Rules

- Message cannot be sent until the BundleDetailCreateRequest message has been filed in the *PostalOne!* system and accepted through the BundleDetailCreateResponse message
- Updated number of pieces must be received for the specified MailingGroupID, CustomerGroupID, and BundleID
- A MailPieceCancelRequest message must be accepted with the updated number of cancelled pieces in the specified bundle
- BundleID can be reused after it has been cancelled

#### Field Description

Mail.XML 10.0C - BundleDetailCancelRequest				
Field	Format	Acceptable Values	Business Rules	Comments
MailXMLHeaderInfo block	MailXMLHeaderInfo attribute block		Required	Refer this attribute in Appendix D
SubmittingParty	ParticipantIDType		Required block; Identifies the	Refer to this complex type in

<b>Mail.XML 10.0C - BundleDetailCancelRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			customer submitting the message	Appendix A
SubmittingSoftware	SubmittingSoftwareType		Required block; Identifies the software submitting the message	Refer to this complex type in Appendix A
<b>Choice Block BEGINS</b>			Either UserLicenseCode/MaildatJobID or CustomerGroupID/MailingGroupID are required	
UserLicenseCode	userLicenseCode Type simple type		Required	Refer to this simple type in Appendix B
MaildatJobID	jobIDType simple type		Required	Refer to this simple type in Appendix B
CustomerGroupID	String, 25 characters		Required	
MailingGroupID	Non-Negative Integer		Required	-
<b>Choice Block ENDS</b>				
Sequence Block BEGIN			Required 1 to many allowed	Placed ContainerID and BundleID in a sequence block to create a link to establish relationship between BundleIDs and ContainerIDs
ContainerID	String, 6 characters		Required	
BundleID	String, 6 characters		XSD Stand-point: Optional 0 to many allowed	-

Mail.XML 10.0C - BundleDetailCancelRequest				
Field	Format	Acceptable Values	Business Rules	Comments
			Implementation Stand-point: REQUIRED field	
Sequence Block END				

#### 2.4.01 - BundleDetailCancelRequest

### 3.4 BundleDetailCancelResponse

#### Purpose

Accept or reject a request to cancel bundle detail data

#### Error/Return Codes

Refer Section 2.6 to view shared error/return codes and also a list of error/return codes tied this message.

#### Business Rules

- Will accept if the bundle detail data exists in the *PostalOne!* system
- Will reject if the bundle detail data does not exist in the *PostalOne!* system
- Will reject if any pieces in the BundleDetail block have finalized postage

#### Field Description

Mail.XML 10.0C - BundleDetailCancelResponse				
Field	Format	Acceptable Values	Business Rules	Comments
TrackingID	String 12	-	Optional	Allow users to re-query the message without actual sending the message.
<b>Choice Block BEGINS</b>			Required.  Either Accept or Reject block is required	
<b>BundleDetailCancelAccept block BEGINS</b>			Response from USPS indicating that the BundleDetailCancelRequest message was accepted	
MailXMLMsgResponseHeaderInfo	MailXMLMsgResponseHeaderInfo			Refer this attribute in

Mail.XML 10.0C - BundleDetailCancelResponse				
Field	Format	Acceptable Values	Business Rules	Comments
	attribute block			Appendix D
ReturnInfo	basicReturnInfo complex type		Optional	Refer this attribute in Appendix D
<b>BundleDetailCancelAccept block ends</b>				
<b>BundleDetailCancelReject block BEGINS</b>				
			Response from USPS indicating that the BundleDetailCancelRequest message was rejected	
MailXMLMsgResponseHeaderInfo	MailXMLMsgResponseHeaderInfo attribute block			Refer this attribute in Appendix D
ReturnInfo	basicReturnInfo complex type			Refer this attribute in Appendix D
<b>BundleDetailCancelReject block ends</b>				
<b>Choice Block ENDS</b>				

### 3.5 BundleDetailCreateRequest

#### Purpose

Message sends bundle detail information associated to a qualification report to the *PostalOne!* system

#### Business Rules

- Message cannot be sent until a QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest messages have been accepted and the customer receives an acceptance message through the QualificationReportCreateResponse
- Bundle detail data from this message must be tied to that of the QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest message (ContainerID)
- MailingGroupID and CustomerGroupID must exist for an open mailing
- VersionID must be the same for the BundleDetail and ContainerDetailData blocks
- BundleID in the BundleDetail block must be unique within each container

#### Field Description

Mail.XML 10.0C - BundleDetailCreateRequest				
Field	Format	Acceptable Values	Business Rules	Comments

Mail.XML 10.0C - BundleDetailCreateRequest				
Field	Format	Acceptable Values	Business Rules	Comments
<b>BundleDetailCreate Request</b> <b>Message BEGINS</b>				
MailXMLHeaderInfo	MailXMLHeaderInfo attribute	-	Required	Refer this attribute in Appendix B
SubmittingParty Block	ParticipantIDType		Required block; Identifies the customer submitting the message	Refer 'ParticipantIDType' complex type in Appendix D.
SubmittingSoftware Block	SubmittingSoftwareType		Required block; Identifies the software submitting the message	Refer 'SubmittingSoftware' complex type in Appendix D.
BundleDetail	BundleDetailType complex type		Required block; 1 to many pairings (Required block for any mailing that includes bundled mail)	Refer to this complex type in Appendix A
<b>BundleDetailCreate Request</b> <b>Message ENDS</b>				

### 3.6 BundleDetailCreateResponse

#### Purpose

Accept or reject a request to create bundle detail data

#### Error/Return Codes

Refer Section 2.6 to view shared error/return codes and also a list of error/return codes tied this message.

#### Business Rules

- Will accept if all required fields are populated and values are valid
- Will reject if all required fields are not populated
- Will reject if invalid values are provided

#### Field Description

<b>Mail.XML 10.0C - BundleDetailCreateResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
TrackingID	String 12	-	Optional	Allow mailers to re-query using this ID in MRRR message rather than resending the request message again.
<b>Choice Block BEGINS</b>			Required  Either Accept or Reject block is returned.	
<b>BundleDetailCreateAccept block BEGINS</b>			Response from USPS indicating that the BundleDetailCreateRequest message was accepted if the bundle detail matches the existing data in the <i>PostalOne!</i> system	
MailXMLHeaderInfo	MailXMLHeaderInfo attribute block		Required	Refer this attribute block in Appendix D
Sequence Block BEGINS			Required  1 to many allowed	
ReturnInfo	basicReturnInfo		Optional block; 0 to many pairings of ReturnCode and ReturnDescription	Refer Appendix D for Details
Sequence Block ENDS				
<b>BundleDetailCreateAccept block ends</b>				
<b>BundleDetailCreateReject block BEGINS</b>			Response from USPS indicating that	

Mail.XML 10.0C - BundleDetailCreateResponse				
Field	Format	Acceptable Values	Business Rules	Comments
			the BundleDetailCreateRequest message was rejected since the bundle detail does not match the existing data in the <i>PostalOne!</i> system	
MailXMLHeaderInfo	MailXMLHeaderInfo attribute block		Required	Refer this attribute block in Appendix D
ReturnInfo	basicReturnInfo complex type		Required	Refer to this complex type in Appendix A

#### 2.4.02 - BundleDetailCreateResponse

### 3.7 CloseMailingGroupRequest

#### Purpose

If a mailing group was opened in error, the group can be closed through the CloseMailingGroupRequest by passing in the USPS mailing group ID. This prevents additional mailing documents from being added to the mailing group and mailing documents attached to the group from being processed further. This message can also be used if a Qualification Report message is submitted in error or needs to be updated, since there is currently no ability to update the Qualification Report in Mail.XML. After the CloseMailingGroupRequest is submitted, the job is no longer displayed on the *PostalOne!* dashboard.

#### Business Rules

- Request to close a mailing group must occur before any eDoc finalization within the mailing group
- Request to close a mailing group must be submitted against a currently open mailing group
- CustomerGroupID, MailingGroupID and SubmittingParty information must exactly match an existing mailing group
- MailingGroupIDs will not be reassigned and data from the closed mailing will be stored

#### Field Description

Mail.XML 10.0C - CloseMailingGroupRequest				
Field	Format	Acceptable Values	Business Rules	Comments
MailXMLMailGroupRequestHeaderInfo	MailXMLMailGroupRequestHeaderInfo attribute block		Required	Refer this attribute in Appendix D
SubmittingParty Block	ParticipantIDTyp		Required block;	Refer to this

Mail.XML 10.0C - CloseMailingGroupRequest				
Field	Format	Acceptable Values	Business Rules	Comments
	e		Identifies the customer submitting the message	complex type in Appendix A
SubmittingSoftware Block	SubmittingSoftwareType		Required block; Identifies the software submitting the message	Refer this complex type in Appendix D

### 3.8 CloseMailingGroupResponse

#### Purpose

The CloseMailingGroupResponse will be used by USPS to notify the customer if their request to close a mailing group has been accepted or rejected.

#### Error/Return Codes

Refer Section 2.6 to view shared error/return codes and also a list of error/return codes tied this message.

#### Business Rules

- Will accept if the CustomerGroupID, MailingGroupID and SubmittingParty information matches an existing mailing group
- Will reject if the CustomerGroupID, MailingGroupID and SubmittingParty information does NOT match an existing mailing group
- Will reject if invalid values are provided in the request
- Will reject if PostageStatementStatus is FPP or FIM
- Will reject if PostageStatementStatus is UPD while mailing is undergoing finalization
- Will reject if mail is being inducted
- All postage statements must have PostageStatementStatus of REV
- The ReturnInfo block will have a description for rejection

#### Field Description

Mail.XML 10.0C - CloseMailingGroupResponse				
Field	Format	Acceptable Values	Business Rules	Comments
TrackingID	String 12	-	Optional	Allow mailers to re-query the message using this tracking ID in MRRR message.
<b>Choice Block BEGINS</b>			Required. Either Accept or Reject block is returned	



<b>Mail.XML 10.0C - CloseMailingGroupResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>CloseMailingGroupAccept Block BEGINS</b>			Block received upon accepting request	
MailXMLMailGroupResponseHeaderInfo	MailXMLMailGroupResponseHeaderInfo attribute block		Required	Refer this attribute in Appendix D
ReturnInfo	basicReturnInfo complex type		Optional	Refer to this complex type in Appendix A
<b>CloseMailingGroupAccept Block ENDS</b>				
<b>CloseMailingGroupReject Block BEGINS</b>			Block received upon rejecting request	
MailXMLMailGroupResponseHeaderInfo	MailXMLMailGroupResponseHeaderInfo attribute block		Required	Refer this attribute in Appendix D
ReturnInfo	basicReturnInfo complex type		Required	Refer to this complex type in Appendix A
<b>CloseMailingGroupReject Block ENDS</b>				
<b>Choice Block ENDS</b>				

### 3.9 ConsolidatedPeriodicalStatementCreateRequest

#### Purpose

Allows the USPS customer to create a consolidated statement by combining previously submitted Periodicals statements

#### Business Rules

- Must send a successful OpenMailingGroupRequest message before sending the ConsolidatedPeriodicalStatementCreateRequest message
- Must send a successful QualificationReportCreateRequest message before sending the ConsolidatedPeriodicalStatementCreateRequest message
- Must send a successful ContainerBundleReportCreateRequest message before sending the ConsolidatedPeriodicalStatementCreateRequest message
- Must send a successful PeriodicalStatementCreateRequest message before sending the ConsolidatedPeriodicalStatementCreateRequest message
- Consolidated Statement must consolidate all child statements with Statement Sequence Numbers between FirstStatementSequenceNumber and LastStatementSequenceNumber are required.

- For full-service or mixed service mailings, there are two options for how to populate the required container information:
  - PeriodicalLineItemData block
    - Include one PeriodicalLineItemData block for each container represented on each line of the postage statement. The container IDs must match an ID of a container from a previously submitted qualification report.
    - Do not include ContainerPostage block. If provided, it will be ignored.
  - ContainerPostage block
    - All containers are represented in the ContainerPostage blocks with the number of pieces and copies for each container. The container IDs must match an ID of a container from a previously submitted qualification report.
    - Do not provide Container IDs in the LineItemData blocks. Lines could potentially then be collapsed together as they would not need to be broken out by container. (If any Container ID is provided, the Container Postage block will be disregarded).
  - Notes:
    - Parent and sibling containers do not need to be represented in either option.
    - Any full-service or mixed service container that is not represented via one of the two above methods will not be sent to SASP and will not receive full-service feedback.
- For full-service and mixed service mailings, each container ID in the postage statement message (either in the PeriodicalLineItemData block or in the ContainerPostage block) must exist in a previously submitted QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest messages.
- For full-service and mixed service mailings, each container ID in the postage statement message (either in the PeriodicalLineItemData block or in the ContainerPostage block) must exist in a previously submitted MailPieceCreateRequest message.
  - For full-service and mixed service mailings, the total number of pieces per container ID in the postage statement message must not exceed the total number of pieces per container ID in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest messages.
- For full-service and mixed service mailings, the total number of pieces in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message exactly match the total number of pieces in the MailPieceCreateRequest message for each container ID included in the postage statement message.
- Beginning in Release 25.0.0, the system will support government Inside-County Consolidated Periodical and Consolidated Pending Periodical mailings.
- Beginning in Release 26.0.0, Rate Categories AF, BF, DF, GF, and KF are not supported for First-Class Mail, Standard Mail, or Periodicals submitted after the January 2, 2011 price change date.
- Beginning in Release 26.0.0, the number of pieces must equal the number of copies when the mailing does not include Firm Bundles or Addressed Supplements and InOutCountyIndicator is N when the Postage Statement Mailing date is after the January 2, 2011 price change date.
- Beginning in Release 26.0.0, the number of pieces must be less than or equal to the number of copies when the mailing includes Firm Bundles but does not have any Addressed Supplements and InOutCountyIndicator is N when the Postage Statement Mailing date is after the January 2, 2011 price change date.
- Beginning in Release 26.0.0, the number of pieces must be greater than or equal to the number of copies when the mailing includes Addressed Supplements but does not have Firm Bundles and InOutCountyIndicator is N when the Postage Statement Mailing date is after the January 2, 2011 price change date.

**Note - Important information on combined and consolidated postage statements:**

Part A – Currently, the Mail.XML specs allows the user to provide different data for the fields listed in Part C below for each postage statement request. During a Combined Mailing Request or during a Consolidated Periodical Postage Statement Request, the values of these fields (listed in Part C) have to be same from a business and processing stand-point. The current implementation of Mail.XML does not provide a feature where the user could supply this data for all of the postage statements that are consolidated or combined. A future release of Mail.XML and *Posta/One!* will cater to this requirement where the user will be required to provide with only one set of data (listed in Part C) for the whole message set of combined or consolidated postage statements. However, in the current implementation, USPS recommends all users to follow the set of instructions provided in section.

Part B – For the following set of postage statement message requests, follow the instructions documented in Part C below.

- BeginCombinedMailingRequest
- EndCombinedMailingRequest
- ConsolidatedPeriodicalStatementCreateRequest
- PeriodicalStatementCreateRequest
- PostageStatementCreateRequest

Part C – For all of the postage statement create requests (items 3, 4, and 5 from above), during a Combined Mailing request (meaning postage statements enclosed in between items 1 and 2 from above) and for ConsolidatedPeriodicalStatementCreateRequest user must provide the same values inside all of the postage statements for the following fields.

- IssueDate
- IssueNumber
- VolumeNumber
- CustomerReferenceID
- AgencyCostCode
- PermitPublicationData (*block of PermitHolderData block*)
- PostagePaymentMethod
- RateType
- ProcessingCategory

**Field Description**

<b>Mail.XML 10.0C - ConsolidatedPeriodicalStatementCreateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>ConsolidatedPeriodicalStatementCreateRequest</b>  <b>Message BEGINS</b>				
MailXMLPostageStatementRequestHeaderInfo block	MailXMLPostageStatementRequestHeaderInfo		Attributes block	See Appendix D for Details
SubmittingParty Block	ParticipantIDType		Required block; Identifies the	See Appendix D

<b>Mail.XML 10.0C - ConsolidatedPeriodicalStatementCreateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			customer submitting the message	for Details
SubmittingSoftware Block	SubmittingSoftwareType		Required block; Identifies the software submitting the message	See Appendix D for Details
<b>CreateConsolidatedPeriodicalStatementData block BEGINS</b>			Required block; contains data for consolidated periodical statements	
PeriodicalStatement	createPeriodicalStatementType	Required block; contains data critical to postage statement calculation (one to many pairings can be submitted within the CreateConsolidatedPeriodicalStatementData block)	One too many child Periodicals postage statements for a consolidated periodicals postage statement. Child statements must be at the entry level and version level to produce a Periodicals postage statement register. For a single consolidated statement, the publisher data and the mailing agent data must be the same for all of the child statements.	Refer to this complex type in Appendix A
FirstStatementSequenceNumber	String, 30 characters		Required field	
LastStatementSequenceNumber	String, 30 characters		Required field	
LimitedCirculationDiscountClaimed	yesNo	Yes No	Required field	
PublisherData	mailerDataRequestType complex type		Required field, there must be only one publication number for a	Refer to this complex type in Appendix A

<b>Mail.XML 10.0C - ConsolidatedPeriodicalStatementCreateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			Periodical or permit number with type PP for a pending Periodical in a consolidated statement.	
MailingAgentData	mailerDataRequestType complex type		Optional field, there must be only one mailing agent in a consolidated statement.	Refer to this complex type in Appendix A
ContainerCount	ContainerCountType complex type		Required block; at least one of the fields in this block must be populated with a nonzero value	Refer to this complex type in Appendix A
PeriodicalLineItemData	PeriodicalLineItemData ELEMENT		Optional block;  0 to many allowed  Data used to generate container and bundle charges at the parent statement level for a consolidated periodicals statement. (one to many pairings) Alternatively, there may be no container and bundle charges or container and bundle charges may be provided at the child statement level.	Refer the definition of this element in Appendix D
<b>CreateConsolidatedPeriodicalStatementData block ends</b>				
<b>ConsolidatedPeriodicalStatementCreateRequest</b>				
<b>Message ENDS</b>				

### 3.10 ConsolidatedPeriodicalStatementCreateResponse

#### Purpose

Response on whether the consolidated periodical postage statement was accepted or rejected

#### Error/Return Codes

Refer Section 2.6 to view shared error/return codes and also a list of error/return codes tied this message.

#### Business Rules

- Will reject the request if the mailing group does not exist
- Will reject the request if there are no child statements to consolidate
- Will reject the request if one of the child statements with StatementSequenceNumber in between the First and Last Statement Sequence Number has For Consolidated field set to False
- Will accept the request if the TotalPostage field is populated with the same value as the sum of all values in the TotalPostage field for all child statements

#### Field Description

Mail.XML 10.0C - ConsolidatedPeriodicalStatementCreateResponse				
Field	Format	Acceptable Values	Business Rules	Comments
TrackingID	String 12	-	Optional	Allow mailers to re-query the message using this ID in MRRR message.
<b>Choice Block BEGINS</b>			Required.  Wither Accept or Reject block is returned.	
<b>ConsolidatedPeriodicalStatementCreateAccept block BEGINS</b>			Required block if the ConsolidatedPeriodicalStatementRequest has valid fields and the mailing group exists	
MailXMLPostageStatementResponseHeaderInfo block BEGINS	MailXMLPostageStatementResponseHeaderInfo attribute block		Attributes block	See Appendix D or Details
StatementID	Non-negative integer		Required field; paired with TotalPostage and ReturnInfo block	
TotalPostage	Double		Required field; paired with StatementID and	

<b>Mail.XML 10.0C - ConsolidatedPeriodicalStatementCreateResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			ReturnInfo block, two decimal places.	
PostageStatementStatus	postageStatementStatusType simple type		Optional	Refer to this simple type in Appendix B
ReturnInfo block	basicReturnInfo complex type		Optional block; paired with StatementID and TotalPostage	Refer to this complex type in Appendix A
<b>ConsolidatedPeriodicalStatementCreateAccept block ENDS</b>				
<b>ConsolidatedPeriodicalStatementCreateReject block BEGINS</b>			Required block if the fields in the request message are not valid or if the mailing group does not exist	
MailXMLPostageStatementResponseHeaderInfo block	MailXMLPostageStatementResponseHeaderInfo attribute		Attributes block	Refer this attribute in Appendix D
ReturnInfo block	basicReturnInfo complex type		Required block; zero to many pairings can be submitted between ReturnCode and ReturnDescription	Refer to this complex type in Appendix A
<b>ConsolidatedPeriodicalStatementCreateReject block ends</b>				
<b>Choice Block ENDS</b>				

#### 2.5.14 - ConsolidatedPeriodicalStatementCreateResponse

### 3.11 ContainerBundleReportCancelRequest

#### Purpose

Request to cancel the container and bundle report information within a mailing group

#### Business Rules

- ContainerBundleReportCreateRequest message must be submitted successfully by the customer
- MailingGroupID and CustomerGroupID must exist for an open mailing group
- ContainerBundleReportCreateRequest must be accepted before submitting the ContainerBundleCancelRequest message for the specified MailingGroupID and CustomerGroupID

- The specified ContainerBundleReportID will cancel all Container Bundle Reports for the specific MailingGroupID and CustomerGroupID when the ContainerBundleReportCancelRequest message has been accepted

#### Field Description

Mail.XML 10.0C - ContainerBundleReportCancelRequest				
Field	Format	Acceptable Values	Business Rules	Comments
MailXMLHeaderInfo	MailXMLHeaderInfo attribute	-	Attributes block	Refer this attribute block in Appendix D
SubmittingParty Block	ParticipantIDType		Required block; Identifies the customer submitting the message	Refer to this complex type in Appendix A
SubmittingSoftware Block	SubmittingSoftwareType		Required block; Identifies the software submitting the message	Refer to this complex type in Appendix A

### 3.12 ContainerBundleReportCancelResponse

#### Purpose

Response message to inform the customer of whether the container bundle report information has been cancelled or the reason why it was not

#### Error/Return Codes

Refer Section 2.6 to view shared error/return codes and also list a of error/return codes tied this message.

#### Business Rules

- Will accept if the container bundle report information exists within the mailing group
- Will reject if the container bundle report information does not exist within the mailing group
- Postage statement associated with the Container Bundle Report must have PostageStatementStatus populated with UPD for USPS Processing Due and not undergoing finalization within the specified MailingGroupID

#### Field Description

Mail.XML 10.0C ContainerBundleReportCancelResponse				
Field	Format	Acceptable Values	Business Rules	Comments
TrackingID	String 12	-	Optional	Allow mailers to re-query the message using this ID in MRRR message.



<b>Mail.XML 10.0C ContainerBundleReportCancelResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>Choice Block BEGINS</b>			Required.  Either Accept or Reject block is returned.	
<b>ContainerBundleReportCancelAccept block BEGINS</b>			Required block if the container bundle report data exists in the mailing group	
MailXMLHeaderInfo	MailXMLHeaderInfo attribute	-	Attributes block	Refer this attribute block in Appendix D
ContainerBundleReportID	String, 12 characters		Required field; must be populated with the same value as the CustomerBundleReportID field of the ContainerBundleReportCreateResponse message – a one to many ratio  1 to many allowed.	
ReturnInfo	basicReturnInfo complex type	-	Optional	Refer to this complex type in Appendix A
<b>ContainerBundleReportCancelAccept block ends</b>				
<b>ContainerBundleReportCancelReject block BEGINS</b>			Required block if the container bundle report data does not exist in the mailing group	
MailXMLHeaderInfo	MailXMLHeaderInfo attribute	-	Attributes block	Refer this attribute block in Appendix D
ReturnInfo Block	basicReturnInfo complex type	-	Required	Refer to this complex type

Mail.XML 10.0C ContainerBundleReportCancelResponse				
Field	Format	Acceptable Values	Business Rules	Comments
				in Appendix A
<b>ContainerBundleReportCancelReject block ENDS</b>				
<b>Choice Block ENDS</b>				

### 3.13 ContainerBundleReportCreateRequest

#### Purpose

Message is used to deliver the Container and Bundle Report information to the *PostalOne!* system

#### Business Rules

- ContainerBundleReportCreateRequest message can only be provided when the FormType in at least one QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest message is populated with PE for the specified MailingGroupID and CustomerGroupID.
- MailingGroupID and CustomerGroupID must exist for an open mailing group
- Multiple ContainerBundleReportCreateRequest messages can be submitted within the same MailingGroupID
- A ContainerBundleSummary can be submitted for all chargeable containers and bundles or a ContainerBundleVersionReport for the chargeable containers and bundles apportioned to each Version

#### Field Description

Mail.XML 10.0C - ContainerBundleReportCreateRequest				
Field	Format	Acceptable Values	Business Rules	Comments
MailXMLHeaderInfo	MailXMLHeaderInfo attribute	-	Attributes block	Refer this attribute block in Appendix D
SubmittingParty	ParticipantIDType complex type		Required block; Identifies the customer submitting the message	Refer to this complex type in Appendix A
SubmittingSoftware	SubmittingSoftwareType complex type		Required block; Identifies the software submitting the message	Refer to this complex type in Appendix A
<b>Choice Block BEGINS</b>			Required.  Either VersionBlock or Summary Block must be included in the message	
<b>ContainerBundleVersion Records block BEGINS</b>				

<b>Mail.XML 10.0C - ContainerBundleReportCreateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>Sequence Block BEGINS</b>				
SackTrayContainerRecord	SackTrayContainerVersionRecordType complex type	-	Optional block; 0 to many pairings can be submitted depending upon the number of SackTrayContainerMPURecords (used for Sack or Tray charges)	Refer to this complex type in Appendix A
PalletContainerRecord	PalletContainerVersionRecordType complex type	-	Optional block; 0 to many pairings can be submitted depending upon the number of PalletMPURecords (used for Pallet charges)	Refer to this complex type in Appendix A
BundleRecord	bundleVersionRecordType complex type	-	Optional block; 0 to many pairings can be submitted depending upon the number of BundleMPURecords (used for Bundle charges)	Refer to this complex type in Appendix A
<b>Sequence Block ENDS</b>				
<b>ContainerBundleVersion Records block ENDS</b>				
<b>ContainerBundleSummaryRecords block BEGINS</b>			Required block for each ContainerBundleMPURecord block	
<b>Sequence Block BEGINS</b>				
SackTrayContainerRecord	SackTrayContainerRecordType complex type	-	Optional block; 0 to many pairings can be submitted depending upon the number of SackTrayContainerMPURecords (used for Sack or Tray charges)	Refer to this complex type in Appendix A
PalletContainerRecord	PalletContainerRecordType complex type	-	Optional block; 0 to many pairings can be submitted	Refer to this complex type in Appendix

Mail.XML 10.0C - ContainerBundleReportCreateRequest				
Field	Format	Acceptable Values	Business Rules	Comments
			depending upon the number of PalletMPURecords (used for Pallet charges)	A
BundleRecord	bundleRecordType complex type	-	Optional block; 0 to many pairings can be submitted depending upon the number of BundleMPURecords (used for Bundle charges)	Refer to this complex type in Appendix A
<b>Sequence Block ENDS</b>				
<b>ContainerBundleSummaryRecords block ends</b>				
<b>Choice Block ENDS</b>				

### 3.14 ContainerBundleReportCreateResponse

#### Purpose

Response message to inform the customer whether the ContainerBundleReportCreateRequest was accepted or rejected

#### Error/Return Codes

Refer Section 2.6 to view shared error/return codes and also a list of error/return codes tied this message.

#### Business Rules

- QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest message must be accepted before submitting the ContainerBundleReportCreateRequest message for the specified MailingGroupID and CustomerGroupID

#### Field Description

Mail.XML 10.0C - ContainerBundleReportCreateResponse				
Field	Format	Acceptable Values	Business Rules	Comments
<b>ContainerBundleReportCreateResponse message BEGINS</b>				
TrackingID	String 12	-	Optional	Allow mailers to re-query the message using this ID in MRRR message.

<b>Mail.XML 10.0C - ContainerBundleReportCreateResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>ContainerBundleReportCreateResponse message BEGINS</b>				
<b>Choice Block BEGINS</b>			Required block.  Either Accept or Reject block is returned.	
<b>ContainerBundleReportCreateAccept block BEGINS</b>			Required block if the ContainerBundleReportCreateRequest message has an existing MailingGroupID and the fields are valid	
MailXMLHeaderInfo	MailXMLHeaderInfo Attribute	-	Required	Refer this attribute in Appendix D
<b>Sequence Block BEGINS</b>			Required.	
<b>Choice Block BEGINS</b>				
<b>Sequence Block BEGINS</b>				
ContainerBundleReportID	String, 12 characters		Required field; Respond with either the ContainerBundleReportID and ContainerBundleStatus or just the Tracking ID	
ContainerBundleStatus	containerBundleStatusType	Refer 'containerBundleStatusType' simple type	Required field; Respond with either the ContainerBundleReportID and ContainerBundleStatus or just the Tracking ID	Refer this simple type Appendix B
<b>Sequence Block ENDS</b>				
<b>Choice Block ENDS</b>				
ReturnInfo Block	basicReturnInfo complex type	=	Optional	Refer to this complex type in Appendix A

Mail.XML 10.0C - ContainerBundleReportCreateResponse				
Field	Format	Acceptable Values	Business Rules	Comments
ContainerBundleReportCreateResponse message BEGINS				
ContainerBundleReportCreateAccept block ends				
ContainerBundleReportCreateReject block BEGINS			Required block if the ContainerBundleReportCreateRequest message does not have an existing MailingGroupID or the fields are not valid	
MailXMLHeaderInfo	MailXMLHeaderInfo Attribute	-	Required	Refer this attribute in Appendix D
ReturnInfo Block	basicReturnInfo complex type		Required	Refer to this complex type in Appendix A
ContainerBundleReportCreateReject block ENDS				
Choice Block ENDS				
ContainerBundleReportCreateResponse message ENDS				

### 3.15 ContainerBundleReportQueryRequest

#### Purpose

Request to retrieve all the Container and Bundle information for a Periodicals Outside County Container or Bundle report

#### Business Rules

- Submitted after a successful ContainerBundleReportCreateResponse message is returned to the customer
- MailingGroupID and CustomerGroupID must exist for an open mailing group
- QueryRequest message can only query the database for electronic documentation submitted through Mail.XML

#### Field Description

Mail.XML 10.0C - ContainerBundleReportQueryRequest				
Field	Format	Acceptable Values	Business Rules	Comments

<b>Mail.XML 10.0C - ContainerBundleReportQueryRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
MailXMLHeaderInfo	MailXMLHeaderInfo Attribute	-	Required	Refer this attribute in Appendix D
SubmittingParty	ParticipantIDType complex type		Required block; Identifies the customer submitting the message	Refer to this complex type in Appendix A
SubmittingSoftware	SubmittingSoftwareType complex type		Required block; Identifies the software submitting the message	Refer to this complex type in Appendix A

### 3.16 ContainerBundleReportQueryResponse

#### Purpose

Response to the customer displaying the container and bundle data query results or the reason why there was a query error

#### Error/Return Codes

Refer Section 2.6 to view shared error/return codes and also a list of error/return codes tied this message.

#### Business Rules

- Submitted after a successful ContainerBundleReportCreateResponse message is returned to the customer
- ContainerBundleReportCreateRequest must be accepted before submitting the ContainerBundleQueryRequest message for the specified MailingGroupID and CustomerGroupID
- Optional blocks and fields will only be generated in the QueryResults block when the value has been populated in the database
- Required blocks and fields will always be generated in the QueryResults block
- Data will be generated post-processing with converted values in the QueryResults block
- QueryResults block will generate one to many ContainerBundleReportIDs in the QueryResults block of the ContainerBundleReportQueryResponse message

#### Field Description

<b>Mail.XML 10.0C - ContainerBundleReportQueryResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
MailXMLHeaderInfo	MailXMLHeaderInfo Attribute	-	Required	Refer this attribute in Appendix D
TrackingID	String 12	-	Optional	Allow mailers to re-query the message using this ID

<b>Mail.XML 10.0C - ContainerBundleReportQueryResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
				in MRRR message
<b>Choice Block BEGINS</b>			Required.  Either QueryResult or QueryError is returned.	
<b>QueryResults block BEGINS</b>			Required block; either the QueryResults or QueryError block must be populated in the response	
<b>ContainerBundleReports block BEGINS</b>				
ContainerBundleReportID	String, 12 characters		Optional field	
<b>Choice Block BEGINS</b>			Required.  Either ContainerBundleVersionRecord or ContainerBundleSummary block is returned.	
<b>ContainerBundleVersion Records block BEGINS</b>				
SackTrayContainerVersionRecords	SackTrayContainerVersionRecordType complex type		Optional block; 0 to many pairings can be submitted depending upon the number of SackTrayContainerMPURecords (used for Sack or Tray charges)	Refer to this complex type in Appendix A
PalletContainerVersionRecords	PalletContainerVersionRecordType complex type		Optional block; 0 to many pairings can be submitted depending upon the number of PalletMPURecords (used for Pallet charges)	Refer to this complex type in Appendix A
BundleVersionRecord	BundleVersionRe		Optional block; 0 to	Refer to this



<b>Mail.XML 10.0C - ContainerBundleReportQueryResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
	cordType complex type		many pairings can be submitted depending upon the number of BundleMPURecords (used for Bundle charges)	complex type in Appendix A
<b>ContainerBundleVersion Records block ends</b>				
<b>ContainerBundleSummaryRecords block BEGINS</b>			Required block for each ContainerBundleMPURecord block	
SackTrayContainerRecord	SackTrayContainerRecordType complex type		Optional block; 0 to many pairings can be submitted depending upon the number of SackTrayContainerMPURecords (used for Sack or Tray charges)	Refer to this complex type in Appendix A
PalletContainerRecord	PalletContainerRecordType complex type		Optional block; 0 to many pairings can be submitted depending upon the number of PalletMPURecords (used for Pallet charges)	Refer to this complex type in Appendix A
BundleRecord	BundleRecordType complex type		Optional block; 0 to many pairings can be submitted depending upon the number of BundleMPURecords (used for Bundle charges)	Refer to this complex type in Appendix A
<b>ContainerBundleSummaryRecords block ends</b>				
<b>Choice Block ENDS</b>				
ReturnInfo Block	basicReturnInfo complex type		Optional.	Refer to this complex type in Appendix A
<b>ContainerBundleReports block ENDS</b>				
<b>QueryResults block</b>				

Mail.XML 10.0C - ContainerBundleReportQueryResponse				
Field	Format	Acceptable Values	Business Rules	Comments
<b>ENDS</b>				
<b>QueryError block BEGINS</b>			Required when the query data cannot be provided; provides a reason for the error	
ReturnInfo Block	basicReturnInfoType complex type		Required	Refer to this complex type in Appendix A
<b>QueryError block ENDS</b>				
<b>Choice Block ENDS</b>				

### 3.17 ContainerManifestCreateRequest

#### Purpose

The purpose of this message is to allow small mailers to receive SPM data on eDropship mails. This message allows mailer to associate containers to postage statements so that they can get Start-The-Clock data later.

#### Business Rules

- The system shall validate the data in the container manifest message and shall generate a Container manifest report with Container grouping ID, Appointment ID (optional for pre induction, required for post induction), Entry Facility Name, facility Type, Locale key (shall send to all Locale keys valid for the logical Entry point, if physical Locale key is not provided). The StatementID in the message represents the Statement ID of the Postage Statement.
- The system shall get the Entry Point Zip code from the postage statement if not available in the Container Manifest Create request, and show pre induction (status), Induction (status), container count, tray count, extra container count, type (container), estimated Arrival date, Scheduled Arrival Date/time, Closeout Date/time, StartTheClock date, and Postage paid (postage statement link).
- The system shall validate entry point discount, postage finalized, barcode valid and missing validations, barcode on a single appointment before releasing the containers to SV for induction.

#### Field Description

Mail.XML 10.0C - ContainerManifestCreateRequest				
Field	Format	Acceptable Values	Business Rules	Comments
ContainerManifestHeaderInfo	ContainerManifestHeaderInfo Attribute	-	Required	Refer this attribute in Appendix D
SubmittingParty	ParticipantIDType complex type		Required block; Identifies the customer submitting the message	Refer to this complex type in Appendix A
SubmittingSoftware	SubmittingSoftware		Required block;	Refer to this

Mail.XML 10.0C - ContainerManifestCreateRequest				
Field	Format	Acceptable Values	Business Rules	Comments
	reType complex type		Identifies the software submitting the message	complex type in Appendix A
<b>Sequence Block BEGINS</b>			Required  1 to many allowed	
containerType	mailxml_mm:containerType			
<b>Sequence Block ENDS</b>				

### 3.18 ContainerManifestCreateResponse

#### Purpose

This is the response message to ContainerManifestCreateRequest.

#### Business Rules

- ContainerManifestCreateAccept block is returned when the ContainerManifestCreateRequest message is accepted
- ContainerManifestCreateReject block is returned when ContainerManifestCreateRequest message is rejected.

#### Field Description

Mail.XML 10.0C - ContainerManifestCreateResponse				
Field	Format	Acceptable Values	Business Rules	Comments
TrackingID	String 12	-	Optional	Allow mailers to re-query message using this ID in MRRR message.
<b>Choice Block BEGINS</b>			Required.  Either Accept or Reject block is returned	
<b>ContainerManifestCreate Accept Block BEGINS</b>				
ContainerManifestHeaderInfo	ContainerManifestHeaderInfo attribute	-	Required	Refer this attribute in Appendix D
ReturnInfo	basicReturnInfo complex type	-	Optional	Refer this attribute in Appendix D

Mail.XML 10.0C - ContainerManifestCreateResponse				
Field	Format	Acceptable Values	Business Rules	Comments
<b>ContainerManifestCreate Accept Block ENDS</b>				
<b>ContainerManifestCreate Reject Block BEGINS</b>				
ContainerManifestHeaderInfo	ContainerManifestHeaderInfo attribute	-	Required	Refer this attribute in Appendix D
ReturnInfo	basicReturnInfo complex type	-	Required	Refer this attribute in Appendix D
<b>ContainerManifestCreate Reject Block BEGINS</b>				
<b>Choice Block ENDS</b>				

### 3.19 ContainerUpdateRequest

#### Purpose

Allows USPS customers to update a container originally submitted through Mail.dat or Mail.XML.

#### Business Rules

Mail.dat Business Rules:

- Must be submitted after a Mail.dat file submission has occurred
- The container must already exist in the *PostalOne!* system
- The container must not have any finalized postage
- All additional business rules that apply to Mail.dat file based container updates apply to the Mail.XML container update message set
  - All fields for Full and Mixed Service processing must be provided prior to submission
  - A matching ID in the ContainerID field in the FullContainerID block must exist.
- The CRID must match the Mailing Facility ID in the .seg file
- The following elements can be submitted in the ContainerUpdateRequest to update the value originally submitted in the .csm file (indicated in parenthesis):
  - ReservationNumber (Reservation Number)
  - IMBarcode (Label: IM™ Container Or IM™ Tray Barcode)
  - ScheduledInductionDate (Scheduled Induction Date)
  - ScheduledInductionTime (Scheduled Induction Time)
  - CSATripID (CSA Trip ID)
  - USPSPickUp (USPS Pick UP)
  - ConsigneeContentID (FAST Content ID)
  - FASTSchedulerID (FAST Scheduler ID)
  - EntryPointADLocaleKey (Entry Point - Actual / Delivery - Locale Key)
  - EntryPointADPostalCode (Entry Point - Actual / Delivery - Postal Code)
  - ScheduledShipDate (Scheduled Ship Date)
  - ScheduledShipTime (Scheduled Ship Time)
  - TruckDispatchNumber (Truck or Dispatch Number)
  - StopDesignator (Stop Designator)

- Beginning in Release 26.0.0, a Transportation Update will not be accepted when a container is identified as having a parent container through the Parent Container Reference ID originally submitted in the in the .csm file.
- Beginning in Release 26.0.0, a Transportation Update will not be accepted when a container is identified as having a sibling logical container through the Sibling Container Reference ID and Sibling Container Indicator originally submitted in the .csm file.

#### Mail.XML Business Rules:

- Must be submitted after the QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest messages have been accepted
- The container must already exist in the *PostalOne!*
- All of the data element within the SummaryRecordUpdate block should be treated as Optional except for the ContainerStatus element.
- The system shall track every container data updated through Mail.XML by user/company that has sent the update. It will also flag the transaction that are being updated with Mail.XML instead of Mail.dat
- The following elements can be submitted in the ContainerUpdateRequest to update the value originally submitted in the QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest (indicated in parenthesis):
  - IMBarcode (ContainerBarcode)
  - EntryPointADLocaleKey (EntryLocaleKey)
  - EntryPointADPostalCode (PhysicalPostalCodeEntryPoint)
  - ScheduledInductionDate (ScheduleInductionDateTime)
  - ScheduledInductionTime (ScheduleInductionDateTime)
  - CSADispatchNumber (CSADispatchNumber)
  - USPSPickUp (USPSPickUp)
  - ConsigneeContentID (ConsigneeContentID)
  - ScheduledShipDate (ScheduledShipDateTime)
  - ScheduledShipTime (ScheduledShipDateTime)
  - TruckDispatchNumber (TruckAndDispatchNumber)
- Beginning in Release 25.0.0, for Transportation Updates, all fields provided in the ContainerUpdateRequest message will be validated, but only the valid Transportation Update fields will be updated in the database. Any additional fields provided will be ignored.
- Beginning in Release 26.0.0, a Transportation Update when ContainerStatus is T cannot be submitted more than 30 calendar days after the PostageStatementMailingDate.
- Beginning in Release 26.0.0, the PostalOne! system will only support Transportation Updates submitted within 30 days of the Postage Statement Mailing Date. If the Submission Date for the Mail.dat file or Mail.XML ContainerUpdateRequest message is more than 30 days after the Postage Statement Mailing Date, the file and/or message will be rejected.
- Beginning in Release 26.0.0, a Transportation Update will not be accepted when a container is identified as having a parent container through the ParentContainerRefID originally submitted in the original QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest
- Beginning in Release 26.0.0, a Transportation Update will not be accepted when a container is identified as having a sibling container through the SiblingContainerID submitted in the original QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest .

#### Field Description

#### Mail.XML 10.0C - ContainerUpdateRequest

Field	Format	Acceptable Values	Business Rules	Comments
<b>ContainerUpdateRequest BEGINS</b>				
SubmittingParty Block	ParticipantIDType		Required block; Identifies the customer submitting the message	Refer to this complex type in Appendix A
SubmittingSoftware Block	SubmittingSoftwareType		Required block; Identifies the software submitting the message	Refer to this complex type in Appendix A
SummaryRecordUpdate	summaryRecordUpdateType complex type	-	Required  1 to many allowed.  Containers all information to be updated.	Refer to this complex type in Appendix A
<b>ContainerUpdateRequest ENDS</b>				

### 2.5.23 - ContainerUpdateRequest

## 3.20 ContainerUpdateResponse

### Purpose

The MailDatContainerUpdateResponse will be used by USPS to notify the customer if their request to update a container originally submitted via Mail.dat has been accepted or rejected.

### Error/Return Codes

Refer Section 2.6 to view shared error/return codes and also a list of error/return codes tied this message.

### Business Rules

Mail.dat Business Rules:

- Will accept if original container exists and valid values are passed in updated fields
- Will reject if original container does not exist or invalid values are passed in updated fields
- If accepted, container information returned will reflect updated values in *PostalOne!*
- If rejected, container information returned will reflect attempted updated values from the request
- Will reject if attempting to update the logical facility after payment has been received on a container
- Will only allow T status after an R or X
- Will reject if deleted containers are attempted to be re-used
- The ReturnInfo block will have a description for rejection
- Postage statement will be cancelled if ContainerStatus is updated to C or D and PostageStatementStatus is UPD and ContainerStatus is R

- EntryPointEDPostalCode and EntryPointEDFacility fields cannot be updated when the original container has a ContainerStatus of R
- Only the Full Container Block will be returned to a mailer to confirm requested updates if the message is accepted
- Postage statement will be cancelled and the associated Reconciliation Report will be updated for the specified CRID if PosatageStatementStatus is UPD and all SummaryRecordUpdate block are updated to D
- The ContainerStatus field in the SummaryRecordUpdate block can only be populated with R if it is updating a container that has the ContainerStatus populated with C for Cancel in the prior update
- Transportation update information is not sent to the Full-Service system for Full-Service appointment or CSA compliance checking

**Field Description**

<b>Mail.XML 10.0C - ContainerUpdateResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>ContainerUpdateResponse BEGINS</b>				
TrackingID	String 12	-	Optional	Allow mailers to re-query the message using this ID in MRRR message.
<b>Choice Block BEGINS</b>			Required.  1 to many allowed.  Either ContainerUpdateAccept or ContainerUpdateReject is returned.	
<b>ContainerUpdateAccept Block BEGINS</b>			Block received upon accepting request	
FullContainerID	fullContainerIDType complex type		Required	Refer to this complex type in Appendix A
ReturnInfo	basicReturnInfo complex type		Optional	Refer to this complex type in Appendix A
<b>ContainerUpdateAccept block ends</b>				

Mail.XML 10.0C - ContainerUpdateResponse				
Field	Format	Acceptable Values	Business Rules	Comments
<b>ContainerUpdateReject block BEGINS</b>				
FullContainerID	fullContainerIDType complex type		Required	Refer to this complex type in Appendix A
ReturnInfo	basicReturnInfo complex type		Required	Refer to this complex type in Appendix A
<b>ContainerUpdateReject block ENDS</b>				
<b>Choice Block ENDS</b>				
<b>ContainerUpdateResponse ENDS</b>				

### 3.21 CustomerMailReportCreateRequest

#### Purpose

This report is used mainly for Permit/Customer Identification. This report allows the specific customer identification and permit identification who may need to be charged for paying the shortage of postage.

#### Business Rules

- This report is required for MLOCR mailing
- Message cannot be sent until a QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest message has been accepted and the customer receives an acceptance message through the QualificationReport CreateResponse message
- Message cannot be sent until a PostageStatementCreateRequest message has been accepted and the customer receives an acceptance message through the PostageStatementCreate Response message
- Will accept if the CustomerGroupID, MailingGroupID, and SubmittingParty information matches an existing mailing group.
- Will validate that the OnePassPlannedOrActual element within the CustomerMailReportCreateRequest matches the OnePassPlannedOrActualFlag element within the QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest message
- Will reject if invalid values are provided

#### Field Description

Mail.XML 10.0C - CustomerMailReportCreateRequest				
Field	Format	Acceptable Values	Business Rules	Comments
<b>CustomerMailReportCreateRequest BEGINS</b>				



<b>Mail.XML 10.0C - CustomerMailReportCreateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
SubmittingParty	participantIDType complex type		Required Block but all attributes within this block are optional	Refer to this complex type in Appendix A
SubmittingSoftware	submittingSoftwareType complex type		Required	Refer to this complex type in Appendix A
CustomerGroupID	String 25		Required	
MailingGroupID	nonnegative Integer		Required	
OnePassPlannedOrActual	yesNo simple type	Yes/No	Optional	Refer to this simple type in Appendix B
OnePassOrTwoPass	onePassOrTwoPassType simple type		Optional	Refer to this simple type in Appendix B
<b>CustomerMailReportInfo Block BEGIN</b>			Required  1 to many allowed	
CustomerName	String 50		Optional	
PermitInfo	permitPublicationDataType complex Type		Optional	Refer to this complex type in Appendix A
Weight	Double		Optional  The value of Weight must be in Pounds.	
RateAffixed	Double		Optional	
AdditionalPermitInfo	permitPublicationDataType complex Type		Optional	Refer to this complex type in Appendix A
NumberOfPieces	nonnegative Integer		Optional	
PostageAffixed	Double		Optional	
TotalPostage	Double		Optional	
RunningTotalNumberOfPieces	nonnegative Integer		Optional	
<b>CustomerMailReportInfo Block END</b>				
<b>CustomerMailReportCreat</b>				

Mail.XML 10.0C - CustomerMailReportCreateRequest				
Field	Format	Acceptable Values	Business Rules	Comments
eRequest ENDS				

### 3.22 CustomerMailReportCreateResponse

#### Purpose

This is a response message to CustomerMailReportCreateRequest

#### Business Rules

- This report is required for MLOCR mailing

#### Field Description

Mail.XML 10.0C - CustomerMailReportCreateResponse				
Field	Format	Acceptable Values	Business Rules	Comments
<b>CustomerMailReportCreateResponse BEGINS</b>				
TrackingID	String 12	-	Optional	Allow mailers to re-query the message using this ID in MRRR Message
<b>Choice Block BEGINS</b>			Required.  Accept or Reject block is returned	
<b>CustomerMailReportCreateAccept Block BEGINS</b>			Either Accept or Reject Block is returned	
ReturnInfo	basicReturnInfo complex type		Optional	Refer to this complex type in Appendix A
<b>CustomerMailReportCreateAccept Block END</b>				
<b>CustomerMailReportCreateReject Block BEGINS</b>				
ReturnInfo	basicReturnInfo complex type		Optional	Refer to this complex type in Appendix A
<b>CustomerMailReportCreateReject Block END</b>				
<b>Choice Block ENDS</b>				

Mail.XML 10.0C - CustomerMailReportCreateResponse				
Field	Format	Acceptable Values	Business Rules	Comments
CustomerMailReportCreateResponse ENDS				

### 3.23 EndCombinedMailingRequest

#### Purpose

The endCombinedMailing method is used to mark when postage statements for a combined mailing have all been submitted.

#### Business Rules

- BeginCombinedMailingRequest must be accepted before submitting the EndCombinedMailingRequest message for the specified MailingGroupID and CustomerGroupID
- All postage statements to be combined must be submitted before sending the end request
- This message is used to combine statements from the PostageStatementCreateRequest.
- This message is used to combine statements from the PeriodicalStatementCreateRequest and/or the ConsolidatedPeriodicalStatementCreateRequest
- All postage statements within the combined mailing must have the same FormType
- All periodical statements within a Combined Periodical mailing must have the same CombinedMailingID
- All postage statements within the combined mailing must be accepted before the submission of the EndCombinedMailingRequest message. The postage statement will not be included in the combined mailing if it is submitted after the EndCombinedMailingRequest message is submitted or if it was rejected
- Beginning in Release 26.1, First-Class Commercial Plus Parcels will be accepted after the April 2011 price change date when the following conditions are met:
  - FormType in the CreatePostageStatement block is FC (First-Class)
  - PresentationCategory in the CreatePostageStatement block is PF (Parcel, First-Class)
  - PriceType in the CreatePostageStatement block is commercialplus

#### Note - Important information on combined and consolidated postage statements:

Part A – Currently, the Mail.XML specs allows the user to provide different data for the fields listed in Part C below for each postage statement request. During a Combined Mailing Request or during a Consolidated Periodical Postage Statement Request, the values of these fields (listed in Part C) have to be same from a business and processing stand-point. The current implementation of Mail.XML does not provide a feature where the user could supply this data for all of the postage statements that are consolidated or combined. A future release of Mail.XML and *PostalOne!* will cater to this requirement where the user will be required to provide with only one set of data (listed in Part C) for the whole message set of combined or consolidated postage statements. However, in the current implementation, USPS recommends all users to follow the set of instructions provided in section.

Part B – For the following set of postage statement message requests, follow the instructions documented in Part C below.

- BeginCombinedMailingRequest
- EndCombinedMailingRequest
- ConsolidatedPeriodicalStatementCreateRequest

- PeriodicalStatementCreateRequest
- PostageStatementCreateRequest

**Part C** – For all of the postage statement create requests (items 3, 4, and 5 from above), during a Combined Mailing request (meaning postage statements enclosed in between items 1 and 2 from above) and for ConsolidatedPeriodicalStatementCreateRequest user must provide the same values inside all of the postage statements for the following fields.

- IssueDate
- IssueNumber
- VolumeNumber
- CustomerReferenceID
- AgencyCostCode
- PermitPublicationData (*block of PermitHolderData block*)
- PostagePaymentMethod
- RateType
- ProcessingCategory

### Field Description

Mail.XML 10.0C - EndCombinedMailingRequest				
Field	Format	Acceptable Values	Business Rules	Comments
<b>EndCombinedMailingRequest BEGINS</b>				
MailXMLPostageStatementRequestHeaderInfo	MailXMLPostageStatementRequestHeaderInfo attribute		Required	Refer this attribute in Appendix D
SubmittingParty Block	ParticipantIDType complex type		Required block; Identifies the customer submitting the message	Refer to this complex type in Appendix A
SubmittingSoftware Block	SubmittingSoftwareType complex type		Required block; Identifies the software submitting the message	Refer to this complex type in Appendix A
CombinedMailingID	Non-negative Integer		Required	
<b>EndCombinedMailingRequest ENDS</b>				

### 2.5.27 - EndCombinedMailingRequest

## 3.24 EndCombinedMailingResponse

### Purpose

The EndCombinedMailingResponse will be used by USPS to notify the customer if their request to end a combined mailing has been accepted or rejected.

### Error/Return Codes

Refer Section 2.6 to learn shared error/return codes and also list of error/return codes tied this message.

## Business Rules

- Will accept if a combined mailing is open for the mailing group and more than one postage statement has been submitted
- Will reject if a combined mailing is NOT already open for the mailing group
- Will reject if a more than one postage statement has NOT been submitted for the mailing group
- Upon accepting, the *PostalOne!* system will be able to display the combined postage statements
- The ReturnInfo block will have a description for rejection
- This message is used to combine statements from the PostageStatementCreateRequest.
- This message is used to combine statements from the PeriodicalStatementCreateRequest and/or the ConsolidatedPeriodicalStatementCreateRequest
- Beginning in Release 25.0.0, the Periodical Verification statement will be generated immediately after receiving an EndCombinedMailingResponse accept message.

## Field Description

Mail.XML 10.0C - EndCombinedMailingResponse				
Field	Format	Acceptable Values	Business Rules	Comments
<b>EndCombinedMailingResponse BEGINS</b>				
TrackingID	String 12	-	Optional	Allow mailers to re-query the message using this ID in MRRR message
<b>Choice Block BEGINS</b>			Required  Accept or reject block is returned.	
<b>EndCombinedMailingAccept Block BEGINS</b>			Block received upon accepting request	
MailXMLMsgResponseHeaderInfo	MailXMLMsgResponseHeaderInfo attribute		Required	Refer this attribute in Appendix D
<b>Sequence block BEGINS</b>				
CombinedMailingID	Non-negative integer		Required	
ReturnInfo	basicReturnInfo complex type		Optional Provides reason for return Required Multiple pairings of ReturnCode and ReturnDescription can be provided in the block	Refer to this complex type in Appendix A
<b>Sequence block ENDS</b>				
<b>EndCombinedMailingAccept</b>				

Mail.XML 10.0C - EndCombinedMailingResponse				
Field	Format	Acceptable Values	Business Rules	Comments
Block ends				
<b>EndCombinedMailingReject Block BEGINS</b>			Block received upon accepting request	
MailXMLMsgResponseHeaderInfo	MailXMLMsgResponseHeaderInfo attribute		Required	Refer this attribute in Appendix D
ReturnInfo	basicReturnInfo complex type		Required Provides reason for return Required Multiple pairings of ReturnCode and ReturnDescription can be provided in the block	Refer to this complex type in Appendix A
<b>EndCombinedMailingReject Block ENDS</b>				
<b>Choice Block ENDS</b>				
<b>EndCombinedMailingResponse ENDS</b>				

### 2.5.28 - EndCombinedMailingResponse

## 3.25 MailingGroupQueryRequest

The MailingGroupQueryRequest message will allow the customer to provide a Customer Group ID (Customer Job ID) to request the information on a mailing group in the *PostalOne!* system.

### Field Description

Mail.XML 10.0C - MailingGroupQueryRequest				
Field	Format	Acceptable Values	Business Rules	Comments
SubmittingParty	ParticipantIDType complex type		Identifies the customer submitting the message	Refer to this complex type in Appendix A
SubmittingSoftware	SubmittingSoftwareType complex type		Identifies the software submitting the message	Refer to this complex type in Appendix A
MailXMLMailGroupRequestHeaderInfo	MailXMLMailGroupRequestHeaderInfo attribute	-	Required	Refer this attribute block in Appendix D

### 2.4.33 - MailingGroupQueryRequest

### 3.26 MailingGroupQueryResponse

The MailingGroupQueryResponse message will allow the USPS *PostalOne!* system to send back basic information about the mailer, including Permit or Publication Number information, mailing acceptance office ZIP Code, and the type of presort used in the mailing while assigning a MailingGroupID.

For more details on required vs. optional fields and blocks as well as the data types, please review the *Mail.XML Transaction Message Protocol Messaging Specification*.

#### Field Description

Mail.XML 10.0C - MailingGroupQueryResponse				
Field	Format	Acceptable Values	Business Rules	Comments
MailXMLMailGroupResponseHeaderInfo	MailXMLMailGroupResponseHeaderInfo attribute	-	Required	Refer this attribute in Appendix D
TrackingID	String 12	-	Optional	Allow mailers to re-query the message using this ID in MRRR Message
<b>Choice Block BEGINS</b>			Required.  QueryResult or QueryError is returned.	
<b>QueryResults Block BEGINS</b>				
MailingGroup	mailingGroupData type complex type	-	Required	Refer to this complex type in Appendix A
ReturnInfo	basicReturnInfo complex type		Optional	Refer to this complex type in Appendix A
<b>QueryResults Block ENDS</b>				
<b>QueryError Block BEGINS</b>				
ReturnInfo	basicReturnInfo complex type		Required	Refer to this complex type in Appendix A

Mail.XML 10.0C - MailingGroupQueryResponse				
Field	Format	Acceptable Values	Business Rules	Comments
QueryError Block ENDS				
Choice Block ENDS				

#### 2.4.34 - MailingGroupQueryResponse

### 3.27 MailPieceCancelRequest

#### Purpose

Used to cancel a previously created mailpiece or piece range

#### Business Rules

- Must be submitted to a currently existing mailpiece or piece range
- MailingGroupID and CustomerGroupID must exist for an open mailing
- Cannot cancel a mailpiece if the 'W' or 'S' indicators for WastedPieceIndicator have resulted in adjusting an already finalized postage statement
- Cannot cancel a mailpiece or piece range if postage has been finalized on its corresponding container

#### Field Description

Mail.XML 10.0C - MailPieceCancelRequest				
Field	Format	Acceptable Values	Business Rules	Comments
<b>MailPieceCancelRequest Message BEGINS</b>				
CustomerGroupID	String 25		Optional attribute	
MailingGroupID	nonNegative Integer		Optional attribute	
MaildatJobID	jobIDType simple type		Optional attribute	Refer to this simple type in Appendix B
UserLicenseCode	userLicenseCode Type simple type		Optional attribute	Refer to this simple type in Appendix B
SubmittingParty Block	ParticipantIDType		Required block; Identifies the customer submitting the message	Refer to this complex type in Appendix A
SubmittingSoftware Block	SubmittingSoftwareType		Required block; Identifies the software submitting the message	Refer to this complex type in Appendix A
<b>Choice Block BEGINS</b>			Either Maildat or Mailxml blocks should be used.	



<b>Mail.XML 10.0C - MailPieceCancelRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>Sequence Block 1 BEGINS (Maildat submission)</b>				
UserLicenseCode	userLicenseCodeType simple type		Field not being supported	Refer to this simple type in Appendix B
MaildatJobID	jobIDType simple type		Field not being supported	Refer to this simple type in Appendix B
TransmittedCount	161onnegative Integer		Optional	
<b>Choice Block BEGINS</b>			Either PDRMailPiece or PDRRangePiece or MailPieceID block or PieceRangeID	
<b>PDRMailPieceBlock BEGINS</b>			Block not being supported	
PackagelD	packagelDType simple type	-	Required	Refer to this simple type in Appendix B
CQTDatabaselD	CQTDatabaselD Type simple type	-	Required	Refer to this simple type in Appendix B
MailPieceBlock	mailPieceBlockType complex type		Required	Refer to this complex type in Appendix A
<b>PDRMailPieceBlock ENDS</b>				
<b>PDRRangePieceBlock block BEGINS</b>			Block not being supported	
DatabaseContainerID	databaseContainerIDType simple type	-	Required	Refer to this simple type in Appendix B
<b>PieceRangeBlock block BEGINS</b>			Required	
PieceRangeID	String 22	-	Required	-
<b>IMbarcodeLowerSerialization block BEGINS</b>				
MailerID6	mailerID6Type		Required	Refer to this simple type in Appendix B

<b>Mail.XML 10.0C - MailPieceCancelRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
SerialNumber9	iMBSerialNumber9Type		Required	Refer to this simple type in Appendix B
OR				
MailerID9	mailerID9Type		Required	Refer to this simple type in Appendix B
SerialNumber6	iMBSerialNumber6Type		Required	Refer to this simple type in Appendix B
<b>IMbarcodeLowerSerialization block ENDS</b>				
<b>IMBarcodeUpperSerialization block BEGINS</b>				
MailderID6	mailerID6Type		Required	Refer to this simple type in Appendix B
SerialNumber9	iMBSerialNumber9Type		Required	Refer to this simple type in Appendix B
OR				
MailerID9	mailerID9Type		Required	Refer to this simple type in Appendix B
SerialNumber6	iMBSerialNumber6Type		Required	Refer to this simple type in Appendix B
<b>IMBarcodeUpperSerialization block ends</b>				
MailPreparer	ParticipantIDType			See Appendix D for Details
MailOwner	ParticipantIDType			See Appendix D for Details
<b>Choice Block BEGINS</b>			Required.  ServiceCode or MailClass	
ServiceTypeCode	ServiceTypeCodeType simple type		Required	Refer to this simple type in Appendix B
MailClass	mailClassType simple type		Required	Refer to this simple type in Appendix B
<b>Choice Block ENDS</b>				

<b>Mail.XML 10.0C - MailPieceCancelRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
ServiceLevelIndicator	ServiceLevelIndicatorType simple type		Required	Refer to this simple type in Appendix B
Pieces	nonNegative Integer		Required 1 to many allowed	
Copies	nonNegative Integer		Required 1 to many allowed	
<b>PieceRangeBlockType ENDS</b>				
<b>PDRRangePieceBlock ENDS</b>				
<b>MailPieceID Block BEGINS</b>			Required. 1 to many allowed	
IMB block begins	IntelligentMailBar codeType			See Appendix E for Details
PlanetCode	planetCodeType simple type		Optional	Refer to this simple type in Appendix B
DeliveryPointZip	RoutingZipCodeType	Refer 'RoutingZipCode Type' simple type	Conditionally required for Full-Service / Mixed Service mailings.	Refer to this simple type in Appendix B
DeliveryContainerID	Ns22		Required	
DeliveryPointZip	RoutingZipCodeType		Conditionally required for Full-Service / Mixed Service mailings.	Refer to this simple type in Appendix B
<b>MailPieceID Block ENDS</b>				
PieceRangeID	String 22		Required 1 to many allowed	
<b>Choice Block END</b>				
<b>Sequence Block 1 ENDS (Maildat Submission)</b>				
<b>Sequence Block 2 BEGINS (MailXML Submission)</b>				
CustomerGroupID	String, 25 characters		Required field; must be populated with the same value as the CustomerGroupID in the MailPieceCreateResponse message	

<b>Mail.XML 10.0C - MailPieceCancelRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
MailingGroupID	Non-negative Integer		Required field; must be populated with the same value as the MailingGroupID in the MailPieceCreateResponse message	
TransmittedCount	Non-negative Integer		Not required Count of records transmitted in message	
<b>Choice Block BEGINS</b>				
MailPieceBlockGroup	MailPieceBlockGroupType complex type		1 to many can be submitted Either MailPieceBlock or MailXMLPieceRangeBlock submitted	Refer to this complex type in Appendix A
MailXMLPieceRangeBlock	MailXMLPieceRangeBlockType complex type	-	Required 1 to many allowed	Refer to this complex type in Appendix A
<b>Choice Block ENDS</b>				
<b>Sequence Block 2 ENDS (MailXML Submission)</b>				
<b>MailPieceCancelRequest Message ENDS</b>				

#### 2.4.35 - MailPieceCancelRequest

### 3.28 MailPieceCancelResponse

#### Purpose

Accept or reject a request to cancel a mailpiece or piece range

#### Error/Return Codes

Refer Section 2.4 to view shared error/return codes and also a list of error/return codes tied this message.

#### Business Rules

- Will accept if the mailpiece or piece range exists
- Will accept if Postage StatementStatus is UPD for USPS Processing Due
- Will reject if the mailpiece or piece range does not exist
- Will reject if a mailpiece 'W' or 'S' indicators for WastedPieceIndicator have resulted in adjusting an already finalized postage statement
- Will reject if Postage StatementStatus is FIN for finalized or FPP for finalized pending payment

- For mail piece and piece range cancellation QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest and BundleDetailCreateRequest messages have not been accepted
- The MailPieceBlock for the MailPieceCancelRequest and MailPieceCreateRequest must be the same for the specified MailingGroupID and CustomerGroupID
- The MailXMLPieceRangeBlock for the MailPieceCancelRequest and MailPieceCreateRequest must be the same for the specified MailingGroupID and CustomerGroupID
- The ReturnInfo block will have a description for rejection

#### Field Description

<b>Mail.XML 10.0C - MailPieceCancelResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>MailPieceCancelResponse BEGINS</b>				
TrackingID	String 12	-	Optional	-
<b>Choice Block BEGINS</b>				
<b>MailPieceCreateAccept Block BEGINS</b>			Block received upon accepting request 1 to many can be submitted	
MailXMLHeaderInfo	MailXMLHeaderInfo attribute	-	Required	Refer this attribute block in Appendix D
ReturnInfo	basicReturnInfo complex type		Optional 1 to many allowed	Refer to this complex type in Appendix A
<b>MailPieceCreateAccept Block ENDS</b>				
<b>MailPieceCreateReject Block BEGINS</b>			Block received upon rejecting request	
MailXMLHeaderInfo	MailXMLHeaderInfo attribute	-	Required	Refer this attribute block in Appendix D
ReturnInfo	basicReturnInfo complex type		Required	Refer to this complex type in Appendix A
<b>MailPieceCreateReject Block ENDS</b>				
<b>Choice Block ENDS</b>				
<b>MailPieceCancelResponse ENDS</b>				

## 2.4.36 - MailPieceCancelResponse

### 3.29 MailPieceCreateRequest

#### Purpose

Used to create mailpieces or piece ranges for a mailing group. Piece Range records should represent the maximum number of pieces for a handling unit/container for a particular service level. To ensure efficient Full-Service processing, single pieces should be represented by Mail Pieces instead of the same Upper and Lower Piece Ranges.

#### Business Rules

- The MailPieceCreateRequest message can only be submitted when the FullServiceParticipationIndicator in the OpenMailingGroupRequest message is set to F (Full-Service) or M (Mixed Service).
- Must be submitted after all QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest messages have been accepted
- MailingGroupID and CustomerGroupID must exist for an open mailing
- In November – for the WastedPieceIndicator field; only 'X' and 'T' are recommended at this time. If 'W' or 'S' is provided then system will ignore those values and those will be treated as blank by the system.
- The system will support shortage and spoilage that do not trigger postage adjustment with WastedPieceIndicator field set to X and T. The system will validate that the number of MailPieceBlock blocks without WastedPieceIndicator set to X and T equals the sum of the TotalPieces fields, the TotalCopies fields, or a value in between the sum of these fields in the ContainerDetailData blocks in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message.
- For full-service and mixed service mailings, each container ID in the MailPieceCreateRequest message must exist in a previously submitted QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message.
- For full-service and mixed service mailings, the total number of pieces per container ID in the MailPieceCreateRequest message cannot exceed the total number of pieces per container in the previously submitted QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message (for mail piece or piece range).
- For Full-Service and Mixed Service mailings, at least one of CRID, MailOwnerMID6, MailOwnerMID9, PermitNumber, or PublicationNumber must be provided,
- For MLOCR mailings, either the BarcodeID, ServiceTypeCode, MailerID6, and SerialNumber9 fields or the BarcodeID, ServiceTypeCode, MailerID9, and SerialNumber6 fields must be populated.
- For MLOCR mailings, the IMBUpperSerialization block and IMBLowerSerialization block must be populated.
- Beginning in Release 26.0.0, the MailPieceCreateRequest messages will be rejected when the sum of the MailXMLPieceRangeBlock IMbarcodeUpperSerialization minus the MailXMLPieceRangeBlocks IMbarcodeLowerSerialization plus 1 (one) for all Full-Service blocks within the mailing group is either:
  - 20% or more greater than the larger of either (1) the sum of the Pieces field for all full-service PieceRangeBlocks or (2) the sum of Copies field for all full-service PieceRangeBlocks, or
  - Less than the smaller of either (1) the sum of the Pieces field for all full-service PieceRangeBlocks or (2) the sum of Copies field for all full-service PieceRangeBlocks.
- For full-service and mixed service mailings, the total number of pieces per container ID in the postage statement message must not exceed the total number of pieces per container ID in the

QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest messages.

- For full-service and mixed service mailings, the total number of pieces in the QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest messages exactly match the total number of pieces in the MailPieceCreateRequest message for each container ID included in the postage statement message.
  - PublicationNumber cannot be populated in a PostageStatementCreateRequest message
  - For MLOCR First-Class mailings claiming Single Piece prices, the PermitType in the PermitHolderData block in the PostageStatementCreateRequest message must be set to Permit Imprint (PI), Metered (MT), or PC (Precanceled Stamps). At least one SortationLevel in QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest message must be set to "AN."
- NOTE: Wherever SortationLevel is used, it is defined as Type=ContainerLevelType.
- Beginning in Release 28.0.0, MailPieceCreateRequest messages can be submitted before or after the Postage/Periodical/Consolidated Statements. If they are submitted after, it must be before finalization. Full-service or mixed service mailings cannot be finalized until all pieces are submitted via the MailPieceCreateRequest messages. All piece counts must match between the MailPieceCreateRequest, Postage/Periodical/Consolidated Statements and QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest messages.
  - Beginning in Release 28.0.0, the mailing data will not be sent to the SASP system when a postage statement is submitted as without piece data.
  - Beginning in Release 28.0.0, the ContainerDetailID field in the MailXMLPieceRange block will not be accepted.
  - Beginning in Release 28.0.0, the new HoldForPickUp field in the MailPiece block will be ignored.

### Field Description

Mail.XML 10.0C - MailPieceCreateRequest				
Field	Format	Acceptable Values	Business Rules	Comments
MailPieceCreateRequest Message BEGINS				
SubmittingParty Block	ParticipantIDType		Required block; Identifies the customer submitting the message	Refer 'ParticipantID Type' complex type in Appendix C.
SubmittingSoftware Block	SubmittingSoftwareType		Required block; Identifies the software submitting the message	Refer 'SubmittingSoftware' complex type in Appendix C.
UserLicenseCode	Mailxml_base:userLicenseCodeType		Field not being supported	Refer Appendix B
MaildatJobID	Mailxml_base:job		Field not being	Refer

<b>Mail.XML 10.0C - MailPieceCreateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
	IDType		supported	Appendix B
TransmittedCount	nonNegative Integer		Optional	
Choice Block BEGINS			Either PDRMailPieceBlock or PDRRangePieceBlock	Currently this block is not supported.
PDRMailPieceBlock			Block not being supported	
PDRRangePieceBlock			Block not being supported	
Choice Block ENDS				
CustomerGroupID	String, 25 characters		Required field; must be populated with the same value as the CustomerGroupID in the QualificationReport CreateResponse message	
MailingGroupID	Non-negative Integer		Required field; must be populated with the same value as the MailingGroupID in the QualificationReport CreateResponse message	
TransmittedCount	Non-negative Integer		Optional Count of records transmitted in message	
Choice Block BEGINS			Either MailPieceBlockGroup or MailXMLPieceRangeBlock	
MailPieceBlockGroup block BEGINS				
ContainerID	String 6		Required	



<b>Mail.XML 10.0C - MailPieceCreateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
ContainerDetailID	String 9		Optional. Links QQual, Postage, and Mailpiece data	-
BundleID	String 12		Optional	
MailPieceBlock Block BEGINS			1 to many can be submitted Either MailPieceBlock or MailXMLPieceRangeBlock submitted	
ServiceLevelIndicator	mailxml_base:serviceLevelIndicatorType	Refer 'serviceLevelIndicatorType' simple type	Required  For Full-Service / Mixed Service mailings, the ServiceLevelIndicator or field must be populated with 'F' when its associated ContainerID has the ServiceLevelIndicator or field in the QualificationReport CreateRequest message populated with 'F'.	Refer Appendix B
Choice Block BEGINS			OPTIONAL.  If provided then either LOTSequenceData or WalkSequence data should be provided.	-
Sequence Block BEGINS				
LOTSequenceDirectionCode	String, 1 character		Either WalkSequenceNumber or combination of LOTSequenceDirectionCode and LOTSequenceNumber should be provided.	

<b>Mail.XML 10.0C - MailPieceCreateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
LOTSequenceNumber	Number, 4 characters		Either WalkSequenceNumber or combination of LOTSequenceDirectionCode and LOTSequenceNumber should be provided	
Sequence Block ENDS				
WalkSequenceNumber	Number, 5 characters		Either WalkSequenceNumber or combination of LOTSequenceDirectionCode and LOTSequenceNumber	
Choice Block ENDS				
Choice Block BEGINS			Optional  Either IMB or PlantCode with DeliveryPointZip OR DeliveryContainerID with DeliveryPointZip is required, if this choice block is used.	
IMB Block	IntelligentMailBarcodeType	This is a complex type	Required Block.  Only one occurrence is allowed	See Appendix C for Details
Sequence Block BEGINS				
PlanetCode	mailxml_base:planetCodeType	Refer 'planetCodeType' simple type	Not required	Refer appendix B
DeliveryPointZIP	Mailxml_base:routingZipCodeType	Refer 'routingZipCodeT	Conditionally required if	See Appendix B

<b>Mail.XML 10.0C - MailPieceCreateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
		ype' simple type	PlanetCode is submitted	
Sequence Block ENDS				
Sequence Block BEGINS				
DeliveryContainerID	Numeric string, 22 characters		Field not being supported	
DeliveryPointZIP	Mailxml_base:routingZipCodeType	Refer 'routingZipCodeType' simple type	Field not being supported in conjunction with DeliveryContainerID	See Appendix B
Sequence Block ENDS				
Choice Block ENDS				
PieceID	String, 22 characters		Required	
WastedPieceIndicator	mailxml_base:wastedPieceIndicatorType	Refer 'wastedPieceIndicatorType' simple type	Not required	Refer Appendix B
MLOCRrateANDpostageMarking	String, 7 characters	Letters/Flats P1/F1 = Barcoded 1-ounce Permit Imprint P2/F2 = Barcoded 2-ounce Permit Imprint P3/F3 = Barcoded 3-ounce Permit Imprint P4/F4 = Barcoded 4-ounce Permit Imprint /F5 = Barcoded 5-ounce Permit Imprint /F6 = Barcoded 6-ounce Permit Imprint /F7 = Barcoded 7-ounce Permit Imprint /F8 = Barcoded 8-ounce Permit	Not required	

Mail.XML 10.0C - MailPieceCreateRequest				
Field	Format	Acceptable Values	Business Rules	Comments
		Imprint /F9 = Barcoded 9-ounce Permit Imprint /F0 = Barcoded 10-ounce Permit Imprint /FA = Barcoded 11-ounce Permit Imprint /FB = Barcoded 12-ounce Permit Imprint /FC = Barcoded 13-ounce Permit Imprint 51/MF = Barcoded 5-Digit Meter Postage Affixed – 1 ounce 52/ = Barcoded 5-Digit Meter Postage Affixed – 2 ounces 53/ = Barcoded 5-Digit Meter Postage Affixed – 3 ounces 54/ = Barcoded 5-Digit Meter Postage Affixed – 4 ounces 31/MT = Barcoded 3-Digit Meter Postage Affixed – 1 ounce 32/ = Barcoded 3-Digit Meter Postage Affixed – 2 ounces 33/ = Barcoded 3-Digit Meter Postage Affixed – 3 ounces 34/ = Barcoded 3-Digit Meter Postage Affixed – 4 ounces A1/MD =		

**Mail.XML 10.0C - MailPieceCreateRequest**

Field	Format	Acceptable Values	Business Rules	Comments
		Barcoded AADC Meter Postage Affixed – 1 ounce A2/ = Barcoded AADC Meter Postage Affixed – 2 ounces A3/ = Barcoded AADC Meter Postage Affixed – 3 ounces A4/ = Barcoded AADC Meter Postage Affixed – 4 ounces M1/MX = Barcoded Mixed AADC Meter Postage Affixed – 1 ounce M2/ = Barcoded Mixed AADC Meter Postage Affixed – 2 ounces M3/ = Barcoded Mixed AADC Meter Postage Affixed – 3 ounces M4/ = Barcoded Mixed AADC Meter Postage Affixed – 4 ounces 11/ = Presorted Meter Postage Affixed – 1 ounce 12/ = Presorted Meter Postage Affixed – 2 ounces 13/ = Presorted Meter Postage Affixed – 3 ounces 14/ = Presorted Meter Postage Affixed – 4		

<b>Mail.XML 10.0C - MailPieceCreateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
		ounces S1/ = Precanceled \$0.15 Stamp Affixed (card) S2/ = S2 Precanceled \$0.25 Stamp Affixed		
MoveComplianceUpdateMethod	mailxml_base:moveUpdateMethodType	Refer 'moveUpdateMethodType' simple type	Not required	Refer Appendix B
MailOwner Block	mailOwnerBlockType	Refer complex type in Appendix C	Optional Block	See Appendix C for Details
BarCodeApplicator Block	ParticipantIDType			See Appendix C for Details
MachineID	String, 4 characters		Optional	
ACSKeyline	String, 16 characters		Optional	
MailPieceBlock Block ends				
MailPieceBlockGroup block ends				
MailXMLPieceRangeBlock Block BEGINS			1 to many can be submitted Either MailPieceBlock or MailXMLPieceRangeBlock submitted	
ContainerID	Char 24		Required  1 to many allowed	
ContainerDetailID	String 9	-	Optional 0 to many allowed	
PieceRangeBlock Block BEGINS			Required 1 to many can be submitted	
PieceRangeID	String 22		Required	

<b>Mail.XML 10.0C - MailPieceCreateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
IMBarcodeLowerSerializati on Block BEGINS			Required Only one can be submitted	
Choice Block BEGINS				
Sequence Block # 1 BEGINS				
MailerID6	mailerID6Type		Required Only one pairing of MailerID and SerialNumber is required  If provided, MailerID6 fields must be the same in the IMbarcodeUpperSe rialization and IMbarcodeLowerSe rialization blocks	Refer Appendix B
SerialNumber9	iMBSerialNumber 9Type		Required Only one pairing of MailerID and SerialNumber is required	Refer Appendix B
Sequence Block # 1 ENDS				
Sequence Block # 2 BEGINS				
MailerID9	mailerID9Type		Required Only one pairing of MailerID and SerialNumber is required  If provided, MailerID9 fields must be the same in the IMbarcodeUpperSe rialization and IMbarcodeLowerSe rialization blocks	Refer Appendix B
SerialNumber6	iMBSerialNumber 6Type		Required Only one pairing of MailerID and SerialNumber is required	Refer Appendix B

<b>Mail.XML 10.0C - MailPieceCreateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
Sequence Block # 2 ENDS				
Choice Block ENDS				
IMBarcodeLowerSerializati on Block ends				
IMBarcodeUpperSerializati on Block BEGINS			Required Only one can be submitted	
Choice Block BEGINS				
Sequence Block BEGINS				
MailerID6	mailerID6Type		Required Only one pairing of MailerID and SerialNumber is required  If provided, MailerID6 fields must be the same in the IMbarcodeUpperSe rialization and IMbarcodeLowerSe rialization blocks	Refer Appendix B
SerialNumber9	iMBSerialNumber 9Type		Required Only one pairing of MailerID and SerialNumber is required	
Sequence Block ENDS				
Sequence Block BEGINS				
MailerID9	mailerID9Type		Required Only one pairing of MailerID and SerialNumber is required  If provided, MailerID9 fields must be the same in the IMbarcodeUpperSe rialization and IMbarcodeLowerSe rialization blocks	Refer Appendix B
SerialNumber6	iMBSerialNumber 6Type		Required Only one pairing of	



<b>Mail.XML 10.0C - MailPieceCreateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			MailerID and SerialNumber is required	
Sequence Block ENDS				
Choice Block ENDS				
IMBarcodeUpperSerializati on Block ends				
MailPreparer Block	ParticipantIDType		Conditionally required for Full-Service mailings. If not provided then user will get Full-Service compliance error and no Full-Service data feedback will be available to the mailer.	See Appendix C for Details
MailOwner Block	ParticipantIDType		Conditionally required for Full-Service mailings. If not provided then user will get Full-Service compliance error and no Full-Service data feedback will be available to the mailer.	See Appendix C for Details
Choice Block BEGINS			Required  ServiceCode or MailClass	
ServiceTypeCode	serviceTypeCode Type		Conditionally required for Full-Service / Mixed Service mailings if Mail Class is not provided.	Refer Appendix B
MailClass	mailClassType		Conditionally required for Full-Service / Mixed Service mailings if	Refer Appendix B

Mail.XML 10.0C - MailPieceCreateRequest				
Field	Format	Acceptable Values	Business Rules	Comments
			Service Type Code is not provided.	
Choice Block ENDS				
ServiceLevelIndicator	mailxml_base:serviceLevelIndicatorType	Refer 'serviceLevelIndicatorType' simple type	Required  For Full-Service / Mixed Service mailings, the ServiceLevelIndicator or field must be populated with 'F' when its associated ContainerID has the ServiceLevelIndicator or field in the QualificationReport CreateRequest message populated with 'F'.	Refer Appendix B
Pieces	Non-Negative Integer		Required 1 to many allowed  If the FullServiceParticipationIndicator field is populated with a 'F', then the IMbarcodeUpperSerialization block minus the IMbarcodeLowerSerialization block is equal to the piece count and the copy count.	
Copies	Non-Negative Integer		Required 1 to many allowed  If the FullServiceParticipationIndicator field is populated with a 'F', then the IMbarcodeUpperSe	

<b>Mail.XML 10.0C - MailPieceCreateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			rialization block minus the IMbarcodeLowerSe rialization block is equal to the piece count and the copy count.	
PieceRangeBlock Block ends				
MailXMLPieceRangeBlock Block ends				
MailXMLLargeTransactionD iverGroupOptionalType block BEGINS			Not currently supported	
MessageGroupID	String 20		Not currently supported	
TotalMessageCount	Positive Integer		Not currently supported	
MessageSerialNumber	Positive Integer		Not currently supported	
TransmittedRecordCount	Positive Integer		Not currently supported	
TotalRecordsAcrossMessa ges	Positive Integer		Not currently supported	
LastMessage	Yes/No	Yes No	Not currently supported	
MailXMLLargeTransactionD iverGroupOptionalType block ends			Not currently supported	
MailXMLHeaderInfo block BEGINS				
CustomerGroupID	String 25		Optional	
MailingGroupID	nonNegativeInteg er		Optional	
MaildatJobID			Optional	
UserLicenceCode			Optional	
MailXMLHeaderInfo block ENDS				
MailPieceCreateRequest Message ENDS				

### 3.30 MailPieceCreateResponse

#### Purpose

Accept or reject a request to create a mailpiece or piece range

#### Error/Return Codes

Refer Section 2.6 to view shared error/return codes and also a list of error/return codes tied this message.

#### Business Rules

- Will accept if all required fields are populated and values are valid
- Will reject if all required fields are not populated
- Will reject if invalid values are provided
- Will reject if FullServiceParticipationIndicator is NOT F for Full-Service or M for Mixed Service
- Mail Pieces and piece ranges for a specified MailingGroupID and CustomerGroupID must have an accepted QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest and BundleDetailCreatRequest
- The ReturnInfo block will have a description for rejection

#### Field Description

Mail.XML 10.0C - MailPieceCreateResponse				
Field	Format	Acceptable Values	Business Rules	Comments
<b>MailPieceCreateResponse BEGINS</b>				
TrackingID	String 12	-	Optional	Allow mailers to re-query the message using this ID in MRRR message.
<b>Choice Block BEGINS</b>			Required Either accept or reject block is returned.	
<b>MailPieceCreateAccept Block BEGINS</b>			Block received upon accepting request	
MailXMLHeaderInfo	MailXMLHeaderInfo attribute	-	Required	Refer this attribute in Appendix D
ReturnInfo	basicReturnInfo complex type		Optional  1 to many allowed	Refer to this complex type in Appendix A
<b>MailPieceCreateAccept Block ENDS</b>				
<b>MailPieceCreateReject</b>			Block received	

<b>Mail.XML 10.0C - MailPieceCreateResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>Block BEGINS</b>			upon rejecting request Only one can be submitted	
MailXMLHeaderInfo	MailXMLHeaderInfo attribute	-	Required	Refer this attribute in Appendix D
ReturnInfo	basicReturnInfo complex type		Required	Refer to this complex type in Appendix A
<b>MailPieceCreateReject Block ends</b>				
<b>Choice Block ENDS</b>				
<b>MailPieceCreateResponse ENDS</b>				

### 2.5.38 - MailPieceCreateResponse

### 3.31 MailPieceUpdateRequest

#### Purpose

Used to update a previously created mailpiece or piece range

#### Business Rules

- Must be submitted to a currently existing mailpiece or piece range
- MailingGroupID and CustomerGroupID must exist for an open mailing
- The MailPieceBlock for the MailPieceUpdateRequest and MailPieceCreateRequest must be the same for the specified MailingGroupID and CustomerGroupID
- The MailXMLPieceRangeBlock for the MailPieceUpdateRequest and MailPieceCreateRequest must be the same for the specified MailingGroupID and CustomerGroupID
- Cannot update a mailpiece if the 'W' or 'S' indicators for WastedPieceIndicator have resulted in adjusting an already finalized postage statement
- Cannot update a mailpiece or piece range if postage has been finalized on its corresponding container
- Beginning in Release 26.0.0, the MailPieceUpdateRequest messages will be rejected where the sum of the MailXMLPieceRangeBlock IMbarcodeUpperSerialization minus the MailXMLPieceRangeBlocks IMbarcodeLowerSerialization plus 1 (one) for all Full-Service blocks within the mailing group is either:
  - 20% or more greater than the larger of either (1) the sum of the Pieces field for all full-service PieceRangeBlocks or (2) the sum of Copies field for all full-service PieceRangeBlocks, or
  - Less than the smaller of either (1) the sum of the Pieces field for all full-service PieceRangeBlocks or (2) the sum of Copies field for all full-service PieceRangeBlocks.

### Mail.XML 10.0C - MailPieceUpdateRequest

Field	Format	Acceptable Values	Business Rules	Comments
<b>MailPieceUpdateRequest Message BEGINS</b>				
MailXMLHeaderInfo	MailXMLHeaderInfo attribute	-	Required	Refer this attribute in Appendix D
SubmittingParty	ParticipantIDType		Required block; Identifies the customer submitting the message	Refer to this complex type in Appendix A
SubmittingSoftware	SubmittingSoftwareType		Required block; Identifies the software submitting the message	Refer to this complex type in Appendix A
<b>Choice Block BEGINS</b>			Either Maildat or Mailxml blocks should be used.	
<b>Sequence Block 1 BEGINS (Maildat submission)</b>				
UserLicenseCode	userLicenseCodeType simple type		Field not being supported	Refer to this simple type in Appendix B
MaildatJobID	jobIDType simple type		Field not being supported	Refer to this simple type in Appendix B
TransmittedCount	182onnegative Integer		Optional	
<b>Choice Block BEGINS</b>			Either PDRMailPiece or PDRRangePiece or MailPieceID block or PieceRangeID	
<b>PDRMailPieceBlock BEGINS</b>			Block not being supported  1 to many allowed.	
PackageID	packageIDType simple type	-	Required	Refer to this simple type in Appendix B
CQTDatabaseID	CQTDatabaseID Type simple type	-	Required	Refer to this simple type in Appendix B
MailPieceBlock	mailPieceBlockType complex type		Required	Refer to this complex type in Appendix

Mail.XML 10.0C - MailPieceUpdateRequest				
Field	Format	Acceptable Values	Business Rules	Comments
				A
<b>PDRMailPieceBlock ENDS</b>				
<b>PDRRangePieceBlock block BEGINS</b>			Block not being supported	
DatabaseContainerID	databaseContainerIDType simple type	-	Required	Refer to this simple type in Appendix B
<b>PieceRangeBlock BEGINS</b>			Required	
PieceRangeID	String 22	-	Required	-
<b>IMbarcodeLowerSerialization block BEGINS</b>				
MailerID6	mailerID6Type		Required	Refer to this simple type in Appendix B
SerialNumber9	iMBSerialNumber9Type		Required	Refer to this simple type in Appendix B
OR				
MailerID9	mailerID9Type		Required	Refer to this simple type in Appendix B
SerialNumber6	iMBSerialNumber6Type		Required	Refer to this simple type in Appendix B
<b>IMbarcodeLowerSerialization block ends</b>				
<b>IMBarcodeUpperSerialization block BEGINS</b>				
MailderID6	mailerID6Type		Required	Refer to this simple type in Appendix B
SerialNumber9	iMBSerialNumber9Type		Required	Refer to this simple type in Appendix B
OR				
MailerID9	mailerID9Type		Required	Refer to this simple type in Appendix B
SerialNumber6	iMBSerialNumber6Type		Required	Refer to this simple type in Appendix B

<b>Mail.XML 10.0C - MailPieceUpdateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>IMBarcodeUpperSerialization block ends</b>				
MailPreparer	ParticipantIDType			See Appendix D for Details
MailOwner	ParticipantIDType			See Appendix D for Details
<b>Choice Block BEGINS</b>			Required.  ServiceCode or MailClass	
ServiceTypeCode	ServiceTypeCodeType simple type		Required	Refer to this simple type in Appendix B
MailClass	mailClassType simple type		Required	Refer to this simple type in Appendix B
<b>Choice Block ENDS</b>				
ServiceLevelIndicator	ServiceLevelIndicatorType simple type		Required	Refer to this simple type in Appendix B
Pieces	nonNegative Integer		Required 1 to many allowed	
Copies	nonNegative Integer		Required 1 to many allowed	
<b>PieceRangeBlockType ENDS</b>				
<b>PDRRangePieceBlock ENDS</b>				
PieceBarcodeRecordBlock	PieceBarcodeRecordBlockType complex type	-	Required 1 to many allowed	Refer to this complex type in Appendix A
<b>Choice Block END</b>				
<b>Sequence Block 1 ENDS (Maildat Submission)</b>				
<b>Sequence Block 2 BEGINS (MailXML Submission)</b>				
CustomerGroupID	String, 25 characters		Required field; must be populated with the same value as the CustomerGroupID	



<b>Mail.XML 10.0C - MailPieceUpdateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			in the MailPieceCreateResponse message	
MailingGroupID	Non-negative Integer		Required field; must be populated with the same value as the MailingGroupID in the MailPieceCreateResponse message	
TransmittedCount	Non-negative Integer		Not required Count of records transmitted in message	
<b>Choice Block BEGINS</b>				
MailPieceBlockGroup	MailPieceBlockGroupType complex type		1 to many can be submitted Either MailPieceBlock or MailXMLPieceRangeBlock submitted	Refer to this complex type in Appendix A
MailXMLPieceRangeBlock	MailXMLPieceRangeBlockType complex type	-	Required 1 to many allowed	Refer to this complex type in Appendix A
MailXMLPieceBarcodeRecord	PieceBarcodeRecordBlockForMailXMLType complex type	-	Required. 1 to many allowed	Refer to this complex type in Appendix A
<b>Choice Block ENDS</b>				
<b>Sequence Block 2 ENDS (MailXML Submission)</b>				
<b>MailPieceCancelRequest Message ENDS</b>				

### 3.32 MailPieceUpdateResponse

#### Purpose

Accept or reject a request to update a mailpiece or piece range

#### Error/Return Codes

Refer Section 2.6 to view shared error/return codes and also a list of error/return codes tied this message.

#### Business Rules

- Will accept if the mailpiece or piece range exists
- Will accept if postage statement is USPS Processing Due

- Will reject if the mailpiece or piece range does not exist
- Will reject if a mailpiece 'W' or 'S' indicators for WastedPieceIndicator have resulted in adjusting an already finalized postage statement
- Will reject if postage statement is finalized or finalized pending payment on the mailpiece or piece range's corresponding container
- The ReturnInfo block will have a description for rejection

### Field Description

<b>Mail.XML 10.0C - MailPieceUpdateResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>MailPieceUpdateResponse BEGINS</b>				
TrackingID	String 12	-	Optional	Allow mailers to re-query the message using this ID in MRRR Message.
<b>Choice Block BEGINS</b>			Required. Either Accept or Reject block is returned.	
<b>MailPieceUpdateAccept Block BEGINS</b>			Block received upon accepting request	
MailXMLHeaderInfo	MailXMLHeaderInfo attribute	-	Required	Refer this attribute in Appendix D
ReturnInfo	basicReturnInfo complex type		Optional	Refer to this complex type in Appendix A
<b>MailPieceUpdateAccept Block ENDS</b>				
<b>MailPieceUpdateReject Block BEGINS</b>			Block received upon rejecting request	
MailXMLHeaderInfo	MailXMLHeaderInfo attribute	-	Required	Refer this attribute in Appendix D
ReturnInfo	basicReturnInfo complex type		Required	Refer to this complex type in Appendix A

Mail.XML 10.0C - MailPieceUpdateResponse				
Field	Format	Acceptable Values	Business Rules	Comments
MailPieceUpdateReject Block ENDS				

## 2.5.40 - MailPieceUpdateResponse

### 3.33 OpenMailingGroupRequest

#### Purpose

Allows USPS customers to create mailing groups to submit qualification report, mailpiece, and postage statement information.

#### Business Rules

- Must be submitted before all other messages for eDoc with the exception of SiblingContainerCreate or ContainerUpdate message
- Multiple mailing groups can be opened for a distinct SubmitterCRID, Permit Number or Publication Number, PostOfficeOfMailingZip, MailingFacility, and MailXMLPresentationCategory
- The dashboard will not display empty mailing groups
- Letters and Flats can both be part of the same mailing group but both require separate postage statements by shape.

#### Field Description

Mail.XML 10.0C - OpenMailingGroupRequest				
Field	Format	Acceptable Values	Business Rules	Comments
OpenMailingGroupRequest BEGINS				
MailXMLOpenMailGroupRequestHeaderInfo	MailXMLOpenMailGroupRequestHeaderInfo attribute		Required	Refer this attribute in Appendix D
SubmittingParty	ParticipantIDType complex type		Required block; Identifies the customer submitting the message	Refer to this complex type in Appendix A
SubmittingSoftware	SubmittingSoftwareType complex type		Required block; Identifies the software submitting the message	Refer to this complex type in Appendix A
MailingGroupData	MailingGroupData complex type		Provides the basic information for the mailing group Only one must be submitted with OpenMailingGroup	Refer to this complex type in Appendix A

Mail.XML 10.0C - OpenMailingGroupRequest				
Field	Format	Acceptable Values	Business Rules	Comments
			Request message	
<b>OpenMailingGroupRequest ENDS</b>				

### 2.5.41 - OpenMailingGroupRequest

### 3.34 OpenMailingGroupResponse

#### Purpose

The OpenMailingGroupResponse will be used by USPS to notify the customer if their request to open a mailing group has been accepted or rejected.

#### Error/Return Codes

Refer Section 2.6 to view shared error/return codes, Cross message validations, and a list of error/return codes tied this message.

#### Business Rules

- Will reject if invalid values are provided in the request
- Will reject if MailingGroupData required data does not exist in database
- The ReturnInfo block will have a description for rejection

#### Field Description

Mail.XML 10.0C - OpenMailingGroupResponse				
Field	Format	Acceptable Values	Business Rules	Comments
<b>OpenMailingGroupResponse BEGINS</b>				
TrackingID	String 12	-	Optional	Allow mailers to re-query the message using this ID in MRRR message.
<b>Choice Block BEGINS</b>			Required Either Accept or Reject block is returned.	
<b>OpenMailingGroupAccept Block BEGINS</b>			Block received upon accepting request	

<b>Mail.XML 10.0C - OpenMailingGroupResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
MailXMLOpenMailGroupResponseAcceptHeaderInfo	MailXMLOpenMailGroupResponseAcceptHeaderInfo attribute		Required	Refer this attribute in Appendix D
ReturnInfo	basicReturnInfo complex type	-	Optional	Refer to this complex type in Appendix A
<b>OpenMailingGroupAccept Block ENDS</b>				
<b>OpenMailingGroupReject Block BEGINS</b>			Block received upon rejecting request	
MailXMLOpenMailGroupResponseRejectHeaderInfo	MailXMLOpenMailGroupResponseRejectHeaderInfo attribute	-	Required	Refer this attribute in Appendix D
Sequence Block BEGINS				
PostOfficeOfMailingZip	Exact String 5	-	Required	-
ReturnInfo				
Sequence Block ENDS				
<b>OpenMailingGroupReject block ENDS</b>				
<b>Choice Block ENDS</b>				
<b>OpenMailingGroupResponse ENDS</b>				

### 3.35 PeriodicalStatementCreateRequest

#### Purpose

Allows the USPS customer to submit a Periodicals postage statement to a mailing group

#### Business Rules

- Mail owner or preparer must send the OpenMailingGroupRequest message and open a mailing group successfully (receive a MailingGroupID) in an acceptance message before sending this message

- Mail owner or preparer must send the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message and receive an accepted response that the mailing is qualified before sending this message
- Mail owner or preparer must send the ContainerBundleReportCreateRequest message and receive an accept response before sending this message
- Mail owner or preparer must send this message before sending the ConsolidatedPeriodicalStatementRequest message
- For full-service or mixed service mailings, there are two options for how to populate the required container information:
  - PeriodicalLineItemData block
    - Include one PeriodicalLineItemData block for each container represented on each line of the postage statement. The container IDs must match an ID of a container from a previously submitted qualification report.
    - Do not include ContainerPostage block. If provided, it will be ignored.
  - ContainerPostage block
    - All containers are represented in the ContainerPostage blocks with the number of pieces and copies for each container. The container IDs must match an ID of a container from a previously submitted qualification report.
    - Do not provide Container IDs in the PeriodicalLineItemData blocks. Lines could potentially then be collapsed together as they would not need to be broken out by container. (If any Container ID is provided, the Container Postage block will be disregarded).
  - Notes:
    - Parent and sibling containers do not need to be represented in either option.
    - Any full-service or mixed service container that is not represented via one of the two above methods will not be sent to SASP and will not receive full-service feedback.
- For full-service and mixed service mailings, each container ID in the postage statement message (either in the PeriodicalLineItemData block or in the ContainerPostage block) must exist in a previously submitted QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message.
- For full-service and mixed service mailings, each container ID in the postage statement message (either in the PeriodicalLineItemData block or in the ContainerPostage block) must exist in a previously submitted MailPieceCreateRequest message.
- For full-service and mixed service mailings, the total number of pieces per container ID in the postage statement message must not exceed the total number of pieces per container ID in the QualificationReportCreateRequest messages.
- For full-service and mixed service mailings, the total number of pieces in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message exactly match the total number of pieces in the MailPieceCreateRequest message for each container ID included in the postage statement message.
- Firm Bundles and Addressed Supplements;
  - For a mailing that includes neither Addressed Supplements nor Firm Bundles, the number of copies must equal the number of pieces
  - For a mailing including Firm Bundles and no Addressed Supplements, the number of pieces cannot exceed the number of copies
  - For a mailing including Addressed Supplements and no Firm Bundles, the number of copies cannot exceed the number of pieces
  - The number of In-County Copies and Outside-County Copies must match between Piece and Pound postage lines.

- The sum of InCountyAddressedSupplementPieces, OutsideCountyAddressedSupplementPieces, and PiecesExcludingAddressedSupplementPieces must equal the total pieces submitted
- The number of InCountyAddressedSupplementPieces and OutsideCountyAddressedSupplementPieces cannot exceed the number of In-County and Outside-County pieces, respectively
- Beginning in Release 25.0.0, the system will support government Inside-County Periodical and Pending Periodical mailings.
- Beginning in Release 26.0.0, Rate Categories AF, BF, DF, GF, and KF are not supported for First-Class Mail, Standard Mail, or Periodicals submitted after the January 2, 2011 price change date.
- Beginning in Release 26.0.0, the number of pieces must equal the number of copies when the mailing does not include Firm Bundles or Addressed Supplements and InOutCountyIndicator is N when the Postage Statement Mailing date is after the January 2, 2011 price change date
- Beginning in Release 26.0.0, the number of pieces must be less than or equal to the number of copies when the mailing includes Firm Bundles but does not have any Addressed Supplements and InOutCountyIndicator is N.
- Beginning in Release 26.0.0, the number of pieces must be greater than or equal to the number of copies when the mailing includes Addressed Supplements but does not have Firm Bundles and InOutCountyIndicator is N.

**Note - Important information on combined and consolidated postage statements:**

Part A – Currently, the Mail.XML specs allows the user to provide different data for the fields listed in Part C below for each postage statement request. During a Combined Mailing Request or during a Consolidated Periodical Postage Statement Request, the values of these fields (listed in Part C) have to be same from a business and processing stand-point. The current implementation of Mail.XML does not provide a feature where the user could supply this data for all of the postage statements that are consolidated or combined. A future release of Mail.XML and *Posta/One!* will cater to this requirement where the user will be required to provide with only one set of data (listed in Part C) for the whole message set of combined or consolidated postage statements. However, in the current implementation, USPS recommends all users to follow the set of instructions provided in section.

Part B – For the following set of postage statement message requests, follow the instructions documented in Part C below.

- BeginCombinedMailingRequest
- EndCombinedMailingRequest
- ConsolidatedPeriodicalStatementCreateRequest
- PeriodicalStatementCreateRequest
- PostageStatementCreateRequest

Part C – For all of the postage statement create requests (items 3, 4, and 5 from above), during a Combined Mailing request (meaning postage statements enclosed in between items 1 and 2 from above) and for ConsolidatedPeriodicalStatementCreateRequest user must provide the same values inside all of the postage statements for the following fields.

- IssueDate
- IssueNumber
- VolumeNumber
- CustomerReferenceID
- AgencyCostCode
- PermitPublicationData (*block of PermitHolderData block*)
- PostagePaymentMethod

- RateType
- ProcessingCategory

### Field Description

Mail.XML 10.0C - PeriodicalStatementCreateRequest				
Field	Format	Acceptable Values	Business Rules	Comments
<b>PeriodicalStatementCreateRequest</b> <b>Message BEGINS</b>				
MailXMLPostageStatementRequestHeaderInfo	MailXMLPostageStatementRequestHeaderInfo attribute	-	Required	Refer this attribute in Appendix D
SubmittingParty	ParticipantIDType complex type		Required block; Identifies the customer submitting the message	Refer to this complex type in Appendix A
SubmittingSoftware	SubmittingSoftwareType complex type		Required block; Identifies the software submitting the message	Refer to this complex type in Appendix A
CreatePeriodicalStatement	createPeriodicalStatementType complex type	-	Required block; contains data critical to postage statement calculation	Refer to this complex type in Appendix A
<b>PeriodicalStatementCreateRequest</b> <b>Message ENDS</b>				

### 2.5.45 – PeriodicalStatementCreateRequest

### 3.36 PeriodicalStatementCreateResponse

#### Purpose

Response to the customer's request to create a Periodical Postage Statement

#### Error/Return Codes

Refer Section 2.6 to view shared error/return codes and also a list of error/return codes tied this message.

#### Business Rules

- Message will be sent in response to and must follow the PeriodicalStatementCreateRequest

### Field Description



<b>Mail.XML 10.0C - PeriodicalStatementCreateResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>PeriodicalStatementCreateResponse BEGINS</b>				
TrackingID	String 12	-	Optional	Allow mailers to retrieve the data without actually resending the message by using this ID in MRRR message.
<b>Choice Block BEGINS</b>			Required Either Accept or Reject block is returned.	
<b>PeriodicalStatementCreateAccept block BEGINS</b>			Response from USPS indicating that the PeriodicalStatementCreateRequest message was accepted and a Periodical Postage Statement was created (choice between StatementID, UserPostageStatementID, TotalPostage, TotalPostageDue, and ReturnInfo block or TrackingID and ReturnInfo block)	
MailXMLPostageStatementResponseHeaderInfo	MailXMLPostageStatementResponseHeaderInfo attribute		Required	Refer this attribute in Appendix D
StatementID	Non-negative integer		Required field	
UserPostageStatementID	String, 10 characters		Optional field	
TotalPostage	Double		Required field, two decimal points provided. If not generated for	

<b>Mail.XML 10.0C - PeriodicalStatementCreateResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			Statement ID there will be a reject block.	
TotalPostageDue	Double		Required field, may be zero, two decimal points provided. If not generated for Statement ID there will be a reject block.	
VolumeNumber	String 5	-	Optional	-
IssueNumber	String 6	-	Optional	-
ReturnInfo	basicReturnInfo complex type		Optional block; paired with StatementID, UserPostageStatementID, TotalPostage, and TotalPostageDue	Refer to this complex type in Appendix A
<b>PeriodicalStatementCreateAccept block ends</b>				
<b>PeriodicalStatementCreateReject block BEGINS</b>			Response from USPS indicating that the PeriodicalStatementCreateRequest message was rejected and a Periodical Postage Statement was not created and the reason why	
MailXMLPostageStatementResponseHeaderInfo	MailXMLPostageStatementResponseHeaderInfo attribute block	-	Required	Refer this attribute in Appendix D
ReturnInfo	basicReturnInfo complex type	-	Required block	Refer to this complex type in Appendix A
<b>PeriodicalStatementCreateReject block ends</b>				
<b>Choice Block ENDS</b>				
<b>PeriodicalStatementCreateResponse ENDS</b>				

#### 2.5.46 - PeriodicalStatementCreateResponse

### 3.37 PeriodicalStatementQueryRequest

**Purpose**

Allows the USPS customer to retrieve a Periodicals postage statement

**Business Rules**

- Must be submitted after a periodical postage statement has been created (after the PeriodicalStatementCreateRequest message has been accepted)

**Field Description**

Mail.XML 10.0C - PeriodicalStatementQueryRequest				
Field	Format	Acceptable Values	Business Rules	Comments
<b>PeriodicalStatementQueryRequest BEGINS</b>				
MailXMLPostageStatementRequestHeaderInfo	MailXMLPostageStatementRequestHeaderInfo attribute	-	Required	Refer this attribute in Appendix D
SubmittingParty	ParticipantIDType complex type		Required block; Identifies the customer submitting the message	Refer to this complex type in Appendix A
SubmittingSoftware	SubmittingSoftwareType complex type		Required block; Identifies the software submitting the message	Refer to this complex type in Appendix A
<b>Choice Block BEGINS</b>			Either Statement ID or IncludedChildStatement is required	
StatementID	Non-negative integer		Required field	
IncludeChildStatement	yesNo	Yes/No	Required field, if No only the requested Statement ID is returned. If Yes, the statement ID requested and its child statements are returned.	
<b>Choice Block ENDS</b>				
<b>PeriodicalStatementQueryRequest ENDS</b>				

#### 2.5.47 - PeriodicalStatementQueryRequest

### 3.38 PeriodicalStatementQueryResponse

**Purpose**

Return either the postage statement query results data or the reason why there was a query error

### Error/Return Codes

Refer Section 2.6 to view shared error/return codes and also a list of error/return codes tied this message.

### Business Rules

- Will accept if StatementID or TrackingID exists
- Will reject if StatementID or TrackingID does not exist
- The ReturnInfo block will have a description for a QueryError

### Field Description

<b>Mail.XML 10.0C - PeriodicalStatementQueryResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>PeriodicalStatementQueryResponse BEGINS</b>				
MailXMLPostageStatementResponseHeaderInfo	MailXMLPostageStatementResponseHeaderInfo attribute		Required	Refer this attribute in Appendix D
Sequence Block BEGINS				
TrackingID	String, 12	-	Optional.  Provides the tracking ID when message fails to get delivered	Allow mailers to retrieve the data without re-query the message by using this ID in MRRR Message.
<b>Choice Block BEGINS</b>			Required Either QueryResult or QueryError is returned.	
<b>QueryResults block BEGINS</b>			Required block; accepting the query request message and returning the query for a successful PeriodicalStatementQueryRequest message	
PeriodicalStatementData	PeriodicalStatementDataType complex type	-	Required	Refer to this complex type in Appendix A
ReturnInfo	basicReturnInfoType complex type		Optional block	Refer to this complex type

<b>Mail.XML 10.0C - PeriodicalStatementQueryResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
				in Appendix A
<b>QueryResults block ENDS</b>				
<b>QueryError block BEGINS</b>			Required block if there are any failed validations in the PeriodicalStatementQueryRequest message or when the query data cannot be provided	
ReturnInfo	basicReturnInfoType		Required block	Refer to this complex type in Appendix A
<b>QueryError block ENDS</b>				
<b>Choice Block ENDS</b>				
<b>PeriodicalStatementQueryResponse ENDS</b>				

### 2.5.48 – PeriodicalStatementQueryResponse

### 3.39 PostageStatementCancelRequest

#### Purpose

Allows the USPS customer to cancel a submitted postage statement (including a Periodicals statement) that has not already been reversed or finalized

#### Business Rules

- Must be submitted after a postage statement has been created (PeriodicalStatementCreateResponse or PostageStatementCreateResponse indicates accepted)
- Will not be accepted after a postage statement has been finalized (PostageStatementStatus is FIN or FPP.)
- All postage statements in a mailing group is cancelled if a StatementID is not submitted
- Beginning in Release 26.1, First-Class Commercial Plus Parcels will be accepted after the April 2011 price change date when the following conditions are met:
  - FormType in the CreatePostageStatement block is FC (First-Class)
  - PresentationCategory in the CreatePostageStatement block is PF (Parcel, First-Class)
  - PriceType in the CreatePostageStatement block is commercialplus

#### Field Description

#### Mail.XML 10.0C - PostageStatementCancelRequest

Field	Format	Acceptable Values	Business Rules	Comments
<b>PostageStatementCancel Request BEGINS</b>				
MailXMLPostageStatementRequestHeaderInfo	MailXMLPostageStatementRequestHeaderInfo attribute	-	Required	Refer this attribute in Appendix D
SubmittingParty	ParticipantIDType complex type		Required block; Identifies the customer submitting the message	Refer to this complex type in Appendix A
SubmittingSoftware	SubmittingSoftwareType complex type		Required block; Identifies the software submitting the message	Refer to this complex type in Appendix A
StatementID	Non-negative Integer		<i>Optional.</i>  <i>PostalOne!</i> assigned postage statement ID <i>Optional</i>	
<b>PostageStatementCancel Request ENDS</b>				

#### 2.5.49 - PostageStatementCancelRequest

### 3.40 PostageStatementCancelResponse

#### Purpose

Accept or reject a request to cancel postage statement (including a periodical statement)

#### Error/Return Codes

Refer Section 2.6 to view shared error/return codes and also a list of error/return codes tied this message.

#### Business Rules

- Will accept if postage statements exist in the mailing group and postage is not finalized
- Will reject if postage statements do not exist in the mailing group or the StatementID requested does not exist.
- Will reject if postage is finalized (PostageStatementStatus is FIN or FPP.)
- The ReturnInfo block will have a description for rejection

#### Field Description

Mail.XML 10.0C - PostageStatementCancelResponse				
Field	Format	Acceptable Values	Business Rules	Comments
<b>PostageStatementCancel Response BEGINS</b>				
TrackingID	String 12	-	Optional	Allow mailers to retrieve the

Mail.XML 10.0C - PostageStatementCancelResponse				
Field	Format	Acceptable Values	Business Rules	Comments
				data without re-query the message by using this ID in MRRR Message.
<b>Choice Block BEGINS</b>			Required Either Accept or Reject block is returned.	
<b>PostageStatementCancel Accept Block BEGINS</b>			Block received upon accepting request	
MailXMLMsgResponseHeaderInfo	MailXMLMsgResponseHeaderInfo attribute		Required	Refer this attribute in Appendix D
UserPostageStatementID	String, 10 characters		Optional.  User created postage statement ID	
StatementID	Non-negative Integer		<i>Required.</i>  <i>PostalOne!</i> assigned postage statement ID	
<b>PostageStatementCancel Accept Block ENDS</b>				
<b>PostageStatementCancel Reject Block BEGINS</b>				
MailXMLMsgResponseHeaderInfo	MailXMLMsgResponseHeaderInfo attribute	-	Required	Refer this attribute in Appendix D
ReturnInfo	basicReturnInfoType complex type	-	Required.  Provides reason for return Required Multiple pairings of ReturnCode and ReturnDescription can be provided in the block	Refer to this complex type in Appendix A

<b>Mail.XML 10.0C - PostageStatementCancelResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>PostageStatementCancel Reject Block ends</b>				
<b>Choice Block ENDS</b>				
<b>PostageStatementCancel Response ENDS</b>				

### 2.5.50 - PostageStatementCancelResponse

## 3.41 PostageStatementCreateRequest

### Purpose

Allows the USPS customer to submit a 3600-series postage statement to a mailing group. This message allows the customer to submit either the basic-form or extended-form of the 3600-series postage statement, in order to accommodate either singular or multiple entries for each line item, which allows the customer to submit non-identical piece weight mailings.

### Business Rules

- Beginning in Release 26.0.0, Standard Mail Parcels are not supported for 7.0 and 8.0 version files that are submitted after the January 2, 2011 price change date.
- Beginning in Release 26.0.0, Rate Categories AF, BF, DF, GF, and KF are not supported for First-Class Mail, Standard Mail, or Periodicals submitted after the January 2, 2011 price change date.
- Beginning in Release 26.0.0, the ProcessingCategory field cannot be populated with IR for Bound Printed Matter Package Service mailings submitted after the January 2, 2011 price change date.
- Beginning in Release 26.1, First-Class Commercial Plus Parcels will be accepted after the April 2011 price change date when the following conditions are met:
  - FormType in the CreatePostageStatement block is FC (First-Class)
  - PresentationCategory in the CreatePostageStatement block is PF (Parcel, First-Class)
  - PriceType in the CreatePostageStatement block is commercialplus
- Beginning in Release 26.1, the following ServiceCode values will be supported for First-Class Commercial Plus Parcels:
  - CM – Certified Mail
  - COD – Collect on Delivery
  - COM – Certificate of Mailing
  - DC – Delivery Confirmation
  - IM – Insured Mail
  - RD – Restricted Delivery
  - RR – Return Receipt
  - RRE – Return Receipt Electronic
  - SC – Signature Confirmation
  - SH – Special Handling
- Beginning in Release 28.0.0, the new NumberOfPiecesSimplifiedAddress field in the CreatePostageStatement block will be ignored.



- Beginning in Release 28.0.0, new HoldForPickUp field in the PostageStatementLineItem data block will be ignored.
- Beginning in Release 28.0.0, Priority Mail postage statements will be supported
  - Parts A, B, C, and S of the Priority Mail postage statement will be supported
  - Mailers will be allowed to submit Priority Mail postage statements as a part of a combined mailing request
  - PMOD containers for a Priority Mailing will be supported
    - A separate postage statement will be accepted for PMOD containers
    - A separate postage statement will be accepted for handling units inside a PMOD container
    - Priority Mail data will not be sent to the SASP system
    - A separate Qualification Report will be accepted for PMOD containers
- Beginning in Release 28.0.0, Parcel Post postage statements will be supported
  - RateCategory value 'Z1' and 'Z2' will be accepted for Parcel Post mailings
- Beginning in Release 28.0.0, ContentOfMailType 'F' (RoundTripOnly: DVD/CD or other disk) will be supported
- Beginning in Release 28.0.0, mailers will be allowed to submit preliminary postage statements for MLOCR mailings.
  - A preliminary postage statement will be generated when the EstimateIndicator field in the CreatePostageStatement block is populated with 'Yes'
  - A non-preliminary postage statement will be generated when the EstimateIndicator field in the CreatePostageStatement block is populated with 'No'.
- The EstimateIndicator field in the CreatePostageStatement block will be ignored for Presort mailings
- Beginning in Release 29.0.0, the Mail.XML PostageStatementCreateRequest will allow for mailers to provide the Payment Account Number in "PermitPublicationData" block. This field will be used for Mail Anywhere product.
- The PostageStatementCreateRequest will not require Inbound DVD's, up to 1 ounce, to pay the nonmachinable surcharge.
- The PostageStatementCreateRequest will allow that inbound DVD's over one ounce, may or may not be required to pay the nonmachinable surcharge.

**Note - Important information on combined and consolidated postage statements:**

Part A – Currently, the Mail.XML specs allows the user to provide different data for the fields listed in Part C below for each postage statement request. During a Combined Mailing Request or during a Consolidated Periodical Postage Statement Request, the values of these fields (listed in Part C) have to be same from a business and processing stand-point. The current implementation of Mail.XML does not provide a feature where the user could supply this data for all of the postage statements that are consolidated or combined. A future release of Mail.XML and *PostalOne!* will cater to this requirement where the user will be required to provide with only one set of data (listed in Part C) for the whole message set of combined or consolidated postage statements. However, in the current implementation, USPS recommends all users to follow the set of instructions provided in section.

Part B – For the following set of postage statement message requests, follow the instructions documented in Part C below.

- BeginCombinedMailingRequest
- EndCombinedMailingRequest
- ConsolidatedPeriodicalStatementCreateRequest

- PeriodicalStatementCreateRequest
- PostageStatementCreateRequest

**Part C** – For all of the postage statement create requests (items 3, 4, and 5 from above), during a Combined Mailing request (meaning postage statements enclosed in between items 1 and 2 from above) and for ConsolidatedPeriodicalStatementCreateRequest user must provide the same values inside all of the postage statements for the following fields.

- IssueDate
- IssueNumber
- VolumeNumber
- CustomerReferenceID
- AgencyCostCode
- PermitPublicationData (*block of PermitHolderData block*)
- PostagePaymentMethod
- RateType
- ProcessingCategory

**Field Description**

<b>Mail.XML 10.0C - PostageStatementCreateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>PostageStatementCreate Request BEGINS</b>				
MailXMLPostageStatementRequestHeaderInfo	MailXMLPostageStatementRequestHeaderInfo attribute	-	Required	Refer this attribute in Appendix D
SubmittingParty	ParticipantIDType complex type	-	Required block; Identifies the customer submitting the message	Refer to this complex type in Appendix A
SubmittingSoftware	SubmittingSoftwareType complex type		Required block; Identifies the software submitting the message	Refer to this complex type in Appendix A
CreatePostageStatement	CreatePostageStatementType complex type		Required Only one can be submitted	Refer to this complex type in Appendix A
<b>PostageStatementCreate Request ENDS</b>				

**2.4.51 – PostageStatementCreateRequest**

### 3.42 PostageStatementCreateResponse

#### Purpose

The PostageStatementCreateResponse will be used by USPS to notify the customer if their request to submit a 3600-series postage statement to a mailing group has been accepted or rejected.

#### Error/Return Codes

Refer Section 2.4 to view shared error/return codes and also a list of error/return codes tied this message.

#### Business Rules

- Will accept if all required fields are provided and values are valid
- Will reject if a required field is not provided
- Will reject if a value provided is invalid
- Will reject if not all pieces are accounted for from submitted mailpieces or piece ranges
- Will reject if FormType is 'PE' for Periodicals
- Will reject if PostagePaymentMethod is 'S' or 'M' and PermitHolderForAPData Block is not provided
- The ReturnInfo block will have a description for rejection

#### Field Description

Mail.XML 10.0C - PostageStatementCreateResponse				
Field	Format	Acceptable Values	Business Rules	Comments
<b>PostageStatementCreate Response BEGINS</b>				
TrackingID	String 12	-	Optional	Allow mailers to retrieve data without re-query the message by using this ID in MRRR message.
<b>Choice Block BEGINS</b>			Required. Either accept or Reject block is returned.	
<b>PostageStatementCreate Accept Block BEGINS</b>			Either StatementID, UserPostageStatementID, TotalPostage, TotalPostageDue and ReturnInfo Block group or TrackingID and ReturnInfo Block group is submitted in the PostageStatementCreateAccept Block	

<b>Mail.XML 10.0C - PostageStatementCreateResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
MailXMLPostageStatementResponseHeaderInfo	MailXMLPostageStatementResponseHeaderInfo attribute		Required	Refer this attribute in Appendix D
StatementID	Non-negative Integer		Required field; paired with UserPostageStatementID, TotalPostage, TotalPostageDue, and ReturnInfo block	
UserPostageStatementID	String, 10 characters		Optional field; paired with StatementID, TotalPostage, TotalPostageDue, and ReturnInfo block	
TotalPostage	Double		Two decimals Required field; paired with StatementID, UserPostageStatementID, TotalPostageDue, and ReturnInfo block	
TotalPostageDue	Double		Required field; paired with StatementID, UserPostageStatementID, TotalPostage and ReturnInfo block	
ReturnInfo	basicReturnInfoType		Optional block; paired with StatementID, UserPostageStatementID, TotalPostage, and TotalPostageDue	Refer to this complex type in Appendix A
<b>PostageStatementCreate Accept Block ENDS</b>				
<b>PostageStatementCreate Reject Block BEGINS</b>			Response from USPS indicating that the PostageStatementCreateRequest	

Mail.XML 10.0C - PostageStatementCreateResponse				
Field	Format	Acceptable Values	Business Rules	Comments
			message was rejected and a Postage Statement was not created and the reason why	
MailXMLPostageStatementResponseHeaderInfo	MailXMLPostageStatementResponseHeaderInfo attribute	-	Required	Refer this attribute in Appendix D
ReturnInfo	basicReturnInfoType complex type	-	Required.  Provides reason for return Required Multiple pairings of ReturnCode and ReturnDescription can be provided in the block	Refer to this complex type in Appendix A
<b>PostageStatementCreate Reject Block ENDS</b>				
<b>Choice Block ENDS</b>				
<b>PostageStatementCreate Response ENDS</b>				

#### 2.4.52 - PostageStatementCreateResponse

### 3.43 PostageStatementStatusQueryRequest

#### Purpose

Used to query the status of a postage statement

#### Business Rules

- Must be submitted after a postage statement has been created
- Beginning in Release 26.1, First-Class Commercial Plus Parcels will be accepted when the following conditions are met:
  - FormType in the CreatePostageStatement block is FC (First-Class)
  - PresentationCategory in the CreatePostageStatement block is PF (Parcel, First-Class)
  - PriceType in the CreatePostageStatement block is commercial plus

#### Field Description

Mail.XML 10.0C - PostageStatementStatusQueryRequest				
Field	Format	Acceptable Values	Business Rules	Comments
<b>PostageStatementQueryRequest BEGINS</b>				
MailXMLPostageStatement	MailXMLPostage		Required	Refer this

<b>Mail.XML 10.0C - PostageStatementStatusQueryRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
RequestHeaderInfo	StatementRequestHeaderInfo attribute			attribute in Appendix D
SubmittingParty	participantIDType complex type		Required block; Identifies the customer submitting the message	Refer to this complex type in Appendix A
SubmittingSoftware	submittingSoftwareType complex type		Required block; Identifies the software submitting the message	Refer to this complex type in Appendix A
StatementID	Non-negative Integer		Required if the TrackingID is not provided	
<b>PostageStatementQueryRequest ENDS</b>				

#### 2.4.53 - PostageStatementStatusQueryRequest

### 3.44 PostageStatementQueryResponse

#### Purpose

Accept or reject a request to create a combined mailing

#### Error/Return Codes

Refer Section 2.4 to view shared error/return codes and also a list of error/return codes tied this message.

#### Business Rules

- Will accept if PostageStatementID or TrackingID exists
- Will reject if PostageStatementID or TrackingID does not exist
- The ReturnInfo block will have a description for a Query Error

#### Field Description

<b>Mail.XML 10.0C - PostageStatementStatusQueryResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>PostageStateQueryResponse BEGINS</b>				
MailXMLPostageStatementResponseHeaderInfo	MailXMLPostageStatementResponseHeaderInfo attribute		Required	Refer this attribute in Appendix D
Sequence Block BEGINS				
TrackingID	String,12	-	Optional.	Allow mailers to retrieve the

<b>Mail.XML 10.0C - PostageStatementStatusQueryResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
				data without re-query the message by using this ID in MRRR Message
<b>Choice Block BEGINS</b>			Required Either QueryResult or QueryError is returned.	
<b>QueryResults Block BEGIN</b>				
PostageStatementData	PostageStatementDataType complex type		Required. Only 1 occurrence	Refer to this complex type in Appendix A
ReturnInfo	basicReturnInfoType complex type		Optional	Refer to this complex type in Appendix A
<b>QueryResults Block ENDS</b>				
<b>QueryError Block BEGINS</b>				
ReturnInfo Block	basicReturnInfoType		Required.  Provides reason for return Required Multiple pairings of ReturnCode and ReturnDescription can be provided in the block	Refer to this complex type in Appendix A
<b>QueryError Block ENDS</b>				
<b>Choice Block ENDS</b>				
Sequence Block ENDS				
<b>PostageStatementQueryResponse ENDS</b>				

### 3.45 PostageStatementStatusQueryRequest

#### Purpose

Used to query the status of a postage statement

**Business Rules**

- Must be submitted after a postage statement has been created
- Beginning in Release 26.1, First-Class Commercial Plus Parcels will be accepted when the following conditions are met:
  - FormType in the CreatePostageStatement block is FC (First-Class)
  - PresentationCategory in the CreatePostageStatement block is PF (Parcel, First-Class)
  - PriceType in the CreatePostageStatement block is commercialplus

**Field Description**

<b>Mail.XML 10.0C - PostageStatementStatusQueryRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>PostageStatementStatusQueryRequest BEGINS</b>				
MailXMLDashboardHeaderInfo	MailXMLDashboardHeaderInfo attribute	-	Required	Refer this attribute in Appendix D
SubmittingParty	participantIDType complex type		Required block; Identifies the customer submitting the message	Refer to this complex type in Appendix A
SubmittingSoftware	submittingSoftwareType complex type		Required block; Identifies the software submitting the message	Refer to this complex type in Appendix A
StatementID	Non-negative Integer		Required if the TrackingID is not provided	
IncludeChildStatement	yesNo	Yes, No	Optional, only used for Periodicals Consolidated postage statements. If yes, the child statements will be returned in the response, else child statements will not be returned.	
<b>PostageStatementStatusQueryRequest BEGINS</b>				

**2.4.55 - PostageStatementStatusQueryRequest**

**3.46 PostageStatementStatusQueryResponse**

**Purpose**

Accept or reject a query for postage statement status



### Error/Return Codes

Refer Section 2.4 to view shared error/return codes and also a list of error/return codes tied this message.

### Business Rules

- Will accept if postage statement exists in the mailing group
- Will reject if postage statement does not exist in the mailing group
- The ReturnInfo block will have a description for a QueryError

### Field Description

<b>Mail.XML 10.0C - PostageStatementStatusQueryResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>PostageStatementStatusQueryResponse BEGINS</b>				
MailXMLDashboardHeaderInfo	MailXMLDashboardHeaderInfo attribute		Required	Refer this attribute in Appendix D
TrackingID	String 12	-	Optional	Allow mailers to retrieve the data without re-query the message by using this ID in MRRR Message.
<b>Choice Block BEGINS</b>			Required. Either QueryResults or QueryError block is returned.	
<b>QueryResults Block BEGINS</b>			1 to many allowed.	
PostageStatementSummary	PostageStatementSummaryType complex type		Required 1 to many can be submitted	Refer to this complex type in Appendix A
ReturnInfo	basicReturnInfoType complex type		Provides reason for return Optional Multiple pairings of ReturnCode and ReturnDescription can be provided in the block	Refer to this complex type in Appendix A
<b>QueryResults Block ENDS</b>				
<b>QueryError Block BEGINS</b>				
ReturnInfo	basicReturnInfo		Provides reason for	Refer to this

Mail.XML 10.0C - PostageStatementStatusQueryResponse				
Field	Format	Acceptable Values	Business Rules	Comments
	complex type		return Required Multiple pairings of ReturnCode and ReturnDescription can be provided in the block	complex type in Appendix A
<b>QueryError Block ENDS</b>				
<b>Choice Block ENDS</b>				
<b>PostageStatementStatus QueryResponse ENDS</b>				

#### 2.4.56 - PostageStatementStatusQueryResponse

### 3.47 QualificationReportCreateRequest

**NOTE:** QualificationReportSummaryCreateRequest, QualificationReportSummaryCreateResponse, QualificationReportDetailCreateRequest, and QualificationReportDetailCreateResponse are being added as qualification report messages in Mail.XML 10.0C in November 2011. The existing qualification report messages QualificationReportCreateRequest/Response will no longer be supported in Mail.XML 10.0C starting in November 2011.

The existing QualificationReportCreateRequest/Response will continue to be supported in Mail.XML 9.0B and Mail.XML 9.0C.

### 3.48 QualificationReportCreateResponse

**NOTE:** QualificationReportSummaryCreateRequest, QualificationReportSummaryCreateResponse, QualificationReportDetailCreateRequest, and QualificationReportDetailCreateResponse are being added as qualification report messages in Mail.XML 10.0C in November 2011. The existing qualification report messages QualificationReportCreateRequest/Response will no longer be supported in Mail.XML 10.0C starting in November 2011.

The existing QualificationReportCreateRequest/Response will continue to be supported in Mail.XML 9.0B and Mail.XML 9.0C.

### 3.49 QualificationReportQueryRequest

#### Purpose

This message should be sent when customer would like to request the qualification Report.

#### Business Rules

- Cannot be sent until the QualificationReportDetailCreateRequest and QualificationReportDetailCreateRequest have been successful.

#### Field Description

#### Mail.XML 10.0C - QualificationReportCreateRequest

Field	Format	Acceptable Values	Business Rules	Comments
<b>QualificationReportQueryRequest BEGINS</b>				
MailXMLMessageHeaderInfo	MailXMLMessageHeaderInfo attribute	-	Required	Refer this attribute in Appendix D
<b>Sequence Block BEGINS</b>				
SubmittingParty	participantIDType complex type	-	Required	Refer to this complex type in Appendix A
SubmittingSoftware	submittingSoftwareType complex type	-	Required	Refer to this complex type in Appendix A
MailingFacility	CRIDType simple type		Required	Refer to this simple type in Appendix B
PostageStatementStatus	postageStatementStatusType simple type		Optional	Refer to this simple type in Appendix B
QualificationReportClass	qualificationReportClassType simple type		Optional	Refer to this simple type in Appendix B
CustomerQualificationReportID	String, 66	-	Optional	
BeginDate	Date/Time	-	Optional	-
EndDate	Date/Time	-	Optional	-
Preparer	permitPublicationDataType complex type		Optional	Refer to this complex type in Appendix A
PermitHolder	permitPublicationDataType complex type		Optional	Refer to this complex type in Appendix A
IssueBeginDate	Date/Time	-	Optional	-
IssueEndDate	Date/Time	-	Optional	-
IssueNumber	String, 6	-	Optional	-
VolumeNumber	String, 5	-	Optional	-
DestinationFacilityZip	String, 9	Up to nine digit zip code of the destination facility	Required	
<b>Sequence Block ENDS</b>				

Mail.XML 10.0C - QualificationReportCreateRequest				
Field	Format	Acceptable Values	Business Rules	Comments
QualificationReportQueryRequest ENDS				

#### 2.4.59 – QualificationReportQueryRequest

### 3.50 QualificationReportQueryResponse

#### Purpose

This is a response message returned from USPS to the requester who sends the QualificationReportQueryRequest message.

#### Business Rules

- Cannot be sent until QualificationReportQueryRequest message is received
- USPS collects the data based on the QueryRequest and return all data in this message.

#### Field Description

Mail.XML 10.0C - QualificationReportCreateResponse				
Field	Format	Acceptable Values	Business Rules	Comments
QualificationReportQueryResponse BEGINS				
MailXMLMessageHeaderInfo	MailXMLMessageHeaderInfo attribute	-	Required	Refer this attribute in Appendix D
Sequence Block BEGINS				
TrackingID	String, 12	-	Optional.  Returns the tracking ID when an error is occurred or when message is too large and request cannot be completed	
Choice Block BEGINS				
QueryResult Block BEGINS	-	-	Required Block	
Sequence Block BEGINS				
QualificationReport block	qualificationReportDataType complex type	Complex Type	Required block; contains the values necessary to populate a Qualification Report	Refer to this complex type in Appendix A

<b>Mail.XML 10.0C - QualificationReportCreateResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
ReturnInfo	basicReturnInfo Type	-	Optional Block  Allow 0 to many occurrence	Refer to this complex type in Appendix A
Sequence Block ENDS				
<b>QueryResults block ENDS</b>				
<b>QueryError Block BEGINS</b>			Required Block	
ReturnInfo	basicReturnInfo Type		Required block when error occurs	Refer to this complex type in Appendix A
<b>QueryError Block ENDS</b>				
<b>Choice Block ENDS</b>				
<b>Sequence Block ENDS</b>				
<b>QualificationReportQueryResponse ENDS</b>				

#### 2.4.60 – QualificationReportQueryResponse

### 3.51 QualificationReportSummaryCreateRequest

#### Purpose

The purpose of this message is to allow users to create summary of Qualification Report. This message will be followed by QualificationReportDetailCreateRequest message. The two messages will be associated using the CustomerQualificationReportID, which is conditionally required in both messages. The concept behind breaking the summary and detail is to divide the amount of data that is sent as part of one single QualificationReportCreateRequest. *Postalone!* will require breakup of qualification reports into summary and detail messages to allow breakup of large qualification report data.

<b>Mail.XML 10.0C - QualificationReportSummaryCreateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>QualificationReportSummaryCreateRequest BEGINS</b>				
MailXMLQualReportRequestHeaderInfo	MailXMLQualReportRequestHeaderInfo attribute	-	Required	Refer this attribute block in Appendix D
SubmittingParty	participantIDType complex type	-	Required	Refer to this complex type

<b>Mail.XML 10.0C - QualificationReportSummaryCreateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
				in Appendix A
SubmittingSoftware	submittingSoftwareType complex type	-	Required	Refer to this complex type in Appendix A
OnePassPlannedOrActualFlag	onePassPlannedOrActualFlagType simple type	-	Optional	Refer to this simple type in Appendix B
QualificationReportSummary	qualificationReportSummaryDataType complex type	-	Required	Refer to this complex type in Appendix A
<b>QualificationReportSummaryCreateRequest ENDS</b>				

#### 2.4.61 – QualificationReportSummaryCreateRequest

### 3.52 QualificationReportSummaryCreateResponse

#### Purpose

This is a response message for QualificationReportSummaryCreateRequest message. It results in acceptance or rejection of the request and details are provided in the response.

<b>Mail.XML 10.0C - QualificationReportSummaryCreateResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>QualificationReportSummaryCreateResponse BEGINS</b>				
TrackingID	String 12	-	Optional.	Allow users to retrieve the previously submitted request message data without resending the actual request message by using this ID in MRRR

<b>Mail.XML 10.0C - QualificationReportSummaryCreateResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
				Message
<b>Choice Block BEGINS</b>	-	-	Either Accept or Reject block is returned	-
<b>QualificationReportSummaryCreateAccept Block BEGINS</b>				
MailXMLQualReportResponseHeaderInfo	MailXMLQualReportResponseHeaderInfo attribute	-	Required	Refer this attribute block in Appendix D
CustomerQualificationReportID	String 66	-	Optional	-
ReturnInfo	basicReturnInfo complex type	-	Optional	Refer to this complex type in Appendix A
<b>QualificationReportSummaryCreateAccept Block ENDS</b>				
<b>QualificationReportSummaryCreateReject Block BEGINS</b>				
MailXMLQualReportResponseHeaderInfo	MailXMLQualReportResponseHeaderInfo attribute block	-	Required	Refer this attribute block in Appendix D
ReturnInfo	basicReturnInfo complex type	-	Required	Refer to this complex type in Appendix A
<b>QualificationReportSummaryCreateReject Block ENDS</b>				
<b>Choice Block ENDS</b>				
<b>QualificationReportSummaryCreateResponse ENDS</b>				

#### 2.4.62 – QualificationReportSummaryCreateResponse

### 3.53 QualificationReportDetailCreateRequest

#### Purpose

The purpose of this message is to allow users to create details of Qualification Report. The concept behind breaking the summary and detail is to divide the amount of data that is sent as part of one single QualificationReportCreateRequest. *PostalOne!* will require breakup of qualification reports into summary and detail messages to allow breakup of large qualification report data.

#### Business Rules

- Beginning in Release 28.0.0, the QualificationReportSummaryCreateRequest message must be submitted and accepted prior to the submission of the QualificationReportDetailCreateRequest message
- Beginning in Release 28.0.0, the *PostalOne!* system will not generate data for a partial Qualification Report on the dashboard until all QualificationReportDetailCreateRequest messages are submitted successfully.
- Beginning in Release 28.0.0, the *PostalOne!* system will not store the Qualification Report values in the database if the number that is populated in the TotalMessageCount field of the QualificationReportSummaryCreateRequest does not match the number of QualificationReportDetailCreateRequest messages submitted associated to that QualificationReportSummaryCreateRequest.
- Beginning in Release 28.0.0, the *PostalOne!* system will store an update made to the AdPercent field that was submitted in the DocumentVersionDataWithPermit block in the QualificationReport block of the QualificationReportDetailCreateRequest message submitted after the first QualificationReportDetailCreateRequest message has been submitted to a mailing group for each unique version in that mailing group.
- Beginning in Release 28.0.0, the *PostalOne!* system will ignore the QualificationReportDetailCreateRequest message if it is submitted after the PeriodicalStatementCreateRequest or ConsolidatedPeriodicalStatementCreateRequest and the AdPercent field in the DocumentVersionDataWithPermit block does not match the AdPercent of the previously submitted PeriodicalStatementCreateRequest or ConsolidatedPeriodicalStatementCreateRequest.
- Beginning in Release 28.0.0, the *PostalOne!* system will store an update made to the PieceWeight field that was submitted in the DocumentVersionDataWithPermit block in the QualificationReport block of the QualificationReportDetailCreateRequest message submitted after the first QualificationReportDetailCreateRequest message has been submitted to a mailing group for each unique version in that mailing group.
- Beginning in Release 28.0.0, the *PostalOne!* system will ignore the QualificationReportDetailCreateRequest message if it is submitted after the PeriodicalStatementCreateRequest or ConsolidatedPeriodicalStatementCreateRequest and the PieceWeight field in the DocumentVersionDataWithPermit block does not match the PieceWeight of the previously submitted PeriodicalStatementCreateRequest or ConsolidatedPeriodicalStatementCreateRequest.
- Beginning in Release 28.0.0, the CSADispatchNumber field in the ContainerInfoData block will be ignored.

Mail.XML 10.0C - QualificationReportDetailCreateRequest				
Field	Format	Acceptable Values	Business Rules	Comments
<b>QualificationReportDetailCreateRequest BEGINS</b>				
MailXMLQualReportRequestHeaderInfo	MailXMLQualReportRequestHeader	-	Required	Refer this attribute



<b>Mail.XML 10.0C - QualificationReportDetailCreateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
	rInfo attribute			block in Appendix D
SubmittingParty	participantIDType complex type	-	Required	Refer to this complex type in Appendix A
SubmittingSoftware	submittingSoftwareType complex type	-	Required	Refer to this complex type in Appendix A
OnePassPlannedOrActualFlag	onePassPlannedOrActualFlagType simple type	-	Optional	Refer to this simple type in Appendix B
QualificationReport	qualificationReportDetailDataType complex type	-	Required	Refer to this complex type in Appendix A
<b>QualificationReportDetail CreateRequest ENDS</b>				

#### 2.4.63 – QualificationReportDetailCreateRequest

### 3.54 QualificationReportDetailCreateResponse

#### Purpose

This is a response message for QualificationReportDetailCreateRequest message. It results in acceptance or rejection of the request and details are provided in the response.

<b>Mail.XML 10.0C - QualificationReportDetailCreateResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>QualificationReportDetail CreateResponse BEGINS</b>				
TrackingID	String 12	-	Optional.	Allow users to retrieve the previously submitted request message data without resending the actual

<b>Mail.XML 10.0C - QualificationReportDetailCreateResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
				request message by using this ID in MRRR Message
<b>Choice Block BEGINS</b>	-	-	Either Accept or Reject block is returned	-
<b>QualificationReportDetail CreateAccept Block BEGINS</b>				
MailXMLQualReportResponseHeaderInfo	MailXMLQualReportResponseHeaderInfo attribute	-	Required	Refer this attribute block in Appendix D
CustomerQualificationReportID	String 66	-	Optional	-
ReturnInfo	basicReturnInfo complex type	-	Optional	Refer to this complex type in Appendix A
<b>QualificationReportDetail CreateAccept Block ENDS</b>				
<b>QualificationReportDetail CreateReject Block BEGINS</b>				
MailXMLQualReportResponseHeaderInfo	MailXMLQualReportResponseHeaderInfo attribute block	-	Required	Refer this attribute block in Appendix D
ReturnInfo	basicReturnInfo complex type	-	Required	Refer to this complex type in Appendix A
<b>QualificationReportDetail CreateReject Block ENDS</b>				
<b>Choice Block ENDS</b>				
<b>QualificationReportDetail CreateResponse ENDS</b>				

#### 2.4.64 – QualificationReportDetailCreateResponse

### 3.55 SummaryZipDestinationReportCreateRequest

#### Purpose

This report is used by the USPS to identify all pieces of the postage statements are correctly calculated and can be verified through this report against all postage statements.

#### Business Rules

- This report is required for MLOCR mailing
- A QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest and PostageStatementCreateRequest message must be submitted prior to submitting the SummaryZipDestinationReportCreateRequest
- The *PostalOne!* System will validate the fields in the SummaryZipDestinationReportCreateRequest message
- The *PostalOne!* System will generate the SummaryZipDestinationReportCreateAccept block in the SummaryZipDestinationCreateResponse message if the SummaryZipDestinationReportCreateRequest message is accepted
- The *PostalOne!* System will generate the SummaryZipDestinationReportCreateReject block in the SummaryZipDestinationCreateResponse message if the SummaryZipDestinationReportCreateRequest message is rejected
- Beginning in Release 26.0.0, the *PostalOne!* will continue to support NFM Processing Category (i.e. NA or NB)

#### Field Description

Mail.XML 10.0C - SummaryZipDestinationReportCreateRequest				
Field	Format	Acceptable Values	Business Rules	Comments
<b>SummaryZipDestinationReportCreateRequest BEGINS</b>				
SubmittingParty	participantIDType complex type		Required Block but all attributes within this block are optional	Refer to this complex type in Appendix A
SubmittingSoftware	submittingSoftwareType complex type		Required	Refer to this complex type in Appendix A
CustomerGroupID	String 25		Required	
MailingGroupID	nonnegative Integer		Required	
OnePassPlannedOrActual	yesNo simple type	Yes/No	Optional	
OnePassOrTwoPass	onePassOrTwoPassType simple type		Optional	Refer to this simple type in Appendix B
<b>Sequence Block BEGIN</b>			1 to many allowed	

<b>Mail.XML 10.0C - SummaryZipDestinationReportCreateRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
EntryPointZip	zipCodeThreeOrFiveDigit simple type		Required	Refer to this simple type in Appendix B
EntryFacilityType	EntryFacilityType simple type		Optional	Refer to this simple type in Appendix B
<b>SummaryZipDestinationReport Block BEGIN</b>			Required  1 to many allowed	
DestinationZip	zipCodeThreeOrFiveDigit simple type		Required	Refer to this simple type in Appendix B
ProcessingCategory	processingCategoryType simple type		Optional	Refer to this simple type in Appendix B
PostagePaymentMethod	postagePaymentMethodType simple type		Required	Refer to this simple type in Appendix B
MLOCRRateType	mlocrRateType simple type		Optional	Refer to this simple type in Appendix B
Weight	Double		Optional  The value of Weight must be in Pounds.	
RateAffixed	Double		Optional	
NumberOfPieces	nonnegative Integer		Optional	
NumberOfPiecesDifference	nonnegative Integer		Optional	
PostageAffixed	Double		Optional	
CumulativePostageAffixed	Double		Optional	
TotalPostage	Double		Optional	
NetPostageDue	Double		Optional	
CumulativePostageDue	Double		Optional	
RunningTotalPieces	nonnegative Integer		Optional	
SortationLevel	ContainerLevelType simple type		Required	Refer to this simple type in Appendix B
<b>SummaryZipDestinationReport Block END</b>				
<b>Sequence Block END</b>				
<b>SummaryZipDestinationR</b>				

Mail.XML 10.0C - SummaryZipDestinationReportCreateRequest				
Field	Format	Acceptable Values	Business Rules	Comments
ReportCreateRequest ENDS				

### 3.56 SummaryZipDestinationReportCreateResponse

#### Purpose

This is the response message to SummaryZipDestinationReportCreateRequest message

#### Business Rules

- This message is required for MLOCR mailing.
- The *PostalOne!* System will generate the SummaryZipDestinationReportCreateAccept block in the SummaryZipDestinationCreateResponse message if the SummaryZipDestinationReportCreateRequest message is accepted
- The *PostalOne!* System will generate the SummaryZipDestinationReportCreateReject block in the SummaryZipDestinationCreateResponse message if the SummaryZipDestinationReportCreateRequest message is rejected
- 

#### Field Description

Mail.XML 10.0C - SummaryZipDestinationReportCreateResponse				
Field	Format	Acceptable Values	Business Rules	Comments
SummaryZipDestinationReportCreateResponse BEGINS				
TrackingID	String 12	-	Optional	Allow mailers to retrieve the data without re-query the message by using this ID in MRRR Message.
Choice Block BEGINS			Required Either Accept or Reject block is required.	
SummaryZipDestinationReportCreateAccept Block BEGIN			Either Accept or Reject Block is returned	
ReturnInfo	basicReturnInfo complex type		Optional	Refer to this complex type in Appendix A
SummaryZipDestinationR				

Mail.XML 10.0C - SummaryZipDestinationReportCreateResponse				
Field	Format	Acceptable Values	Business Rules	Comments
ReportCreateAccept Block END				
SummaryZipDestinationReportCreateReject Block BEGIN			Either Accept or Reject Block is returned	
ReturnInfo	basicReturnInfo complex type		Required	Refer to this complex type in Appendix A
SummaryZipDestinationReportCreateReject Block END				
SummaryZipDestinationReportCreateResponse ENDS				

#### 2.4.66 – SummaryZipDestinationReportCreateResponse

### 3.57 ReconciliationReportQueryRequest

The customer cannot update the Qualification report once filed. After the customer goes through the process of printing and delivering the mail to the USPS, the Reconciliation report is created that shows how much mail was planned and how much was mailed. In the ReconciliationReportQueryRequest, the customer is required to provide the mailing group ID and Customer group ID besides the mandatory elements of Submitting party and Submitting software.

#### Field Description

Mail.XML 10.0C - ReconciliationReportQueryRequest				
Field	Format	Acceptable Values	Business Rules	Comments
ReconciliationReportQueryRequest BEGINS				
MailXMLDashboardtHeaderInfo	MailXMLDashboardtHeaderInfo attribute block	-	Required	Refer this attribute in Appendix D
SubmittingParty	ParticipantIDType complex type		Required.  Identifies the customer submitting the message	Refer to this complex type in Appendix A.
SubmittingSoftware	SubmittingSoftwareType complex type		Required.  Identifies the software submitting the message	Refer to this complex type in Appendix A.

<b>Mail.XML 10.0C - ReconciliationReportQueryRequest</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
QualificationReportClass	qualificationReportClassType simple type		Optional	Refer to this simple type in Appendix B
BeginDate	DateTime	YYYY-MM-DDTHH:MM:SS	Optional	
EndDate	DateTime	YYYY-MM-DDTHH:MM:SS	Optional	
Preparer	permitPublicationDataType complex type	-	Optional	Refer to this complex type in Appendix A
PermitHolder	permitPublicationDataType complex type	-	Optional	Refer to this complex type in Appendix A
IssueBeginDate	DateTime	YYYY-MM-DDTHH:MM:SS	Optional	
IssueEndDate	DateTime	YYYY-MM-DDTHH:MM:SS	Optional	
IssueNumber	String, 6		Optional	
VolumeNumber	String, 5		Optional	
<b>ReconciliationReportQueryRequest ENDS</b>				

#### 2.4.67 - ReconciliationReportQueryRequest

### 3.58 ReconciliationReportQueryResponse

In the ReconciliationReportQueryResponse message the *PostalOne!* system responds back with a reconciliation report for every qualification report within the Job/ mailing group. The USPS responds back with one Mailing Group Summary and one or more Reconciliation Summary reports. The message also includes an optional Return Code and description. If there are issues, the USPS responds back with the Query Error block and provides one or more Return codes and descriptions to explain the errors.

#### Field Description

<b>Mail.XML 10.0C - ReconciliationReportQueryResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>ReconciliationReportQueryResponse BEGINS</b>				
MailXMLDashboardtHeaderInfo	MailXMLDashboardtHeaderInfo attribute	-	Required	Refer this attribute in Appendix D

<b>Mail.XML 10.0C - ReconciliationReportQueryResponse</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
TrackingID	String 12	-	Optional	Allow mailers to retrieve the date without re-query the message by using this ID in MRRR message.
<b>Choice Block BEGINS</b>			Required.  Either QueryResult or QueryError block is returned.	
<b>QueryResults Block BEGINS</b>			0 to many allowed.	
MailingGroupSummary	MailingGroupSummary complex	-	Required	Refer to this complex type in Appendix A
QualificationSummaryReport	QualificationSummaryReport complex type	-	Optional  0 to many allowed	Refer to this complex type in Appendix A
ReconciliationReport	QualificationReport complex type	-	Optional.  0 to many allowed	Refer to this complex type in Appendix A
ReturnInfo	basicReturnInfo complex type		Optional	Refer to this complex type in Appendix A
<b>QueryResults Block ENDS</b>				
<b>QueryError Block BEGINS</b>				
ReturnInfo	basicReturnInfo complex type		Required	Refer to this complex type in Appendix A
<b>QueryError Block ENDS</b>				
<b>Choice Block ENDS</b>				
<b>ReconciliationReportQuery Response ENDS</b>				

#### 2.4.68 - ReconciliationReportQueryResponse





## 4. Appendix A – Mail.XML 10.0C eDoc Complex and Attribute Types Data Structure

\*\*\*\* NOTE: Appendix A only lists the complex types where the structure is changed from the previous version of Mail.XML specifications or more details have been added to the element \*\*\*\*\*

### 4.1 complexType: basicReturnInfoType

Mail.XML 10.0C - complexType: basicReturnInfoType				
Field	Format	Acceptable Values	Business Rules	Comments
basicReturnInfo				
Block BEGINS				
Sequence Block BEGINS			Optional 0 to many allowed	
ReturnCode	Numeric String – Length 4	-	Optional	
ReturnDescription	String, Length 260	-	Required	
ContainerErrorWarningBlock	containerErrorWarningBlockType complex type	-	Optional	Refer to this complex type in Appendix A
Sequence Block ENDS				
basicReturnInfo				
Block ENDS				

### 4.2 complexType: bundleDetailType

**Blocks Included:**  
BundleDetail

Mail.XML 10.0C - complexType: bundleDetailType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>BundleDetailType</b>				
<b>Block BEGINS</b>				
ContainerID	String, 6 characters		Required	
BundleID	String, 6 characters		Required	

<b>Mail.XML 10.0C - complexType: bundleDetailType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
TotalPieces	Non-Negative Integer		Required	
TotalCopies	Non-Negative Integer		Required	
BundleZIP	zipCodeThreeOrFiveDigit		Required	Refer to this simple type in Appendix B
BundleCarrierRoute	Exact String, 4 characters	A = Saturation-ECR B = High Density-ECR D = Carrier Route O = Carrier Route Barcode	Optional field; Required field if the SortationLevel is Carrier Route	
DestinationEntry	entryDiscountType		Optional field Determines the Entry Discount If FormType is BP this field must be N, B, S, or D. If FormType is FC this field must be N. If FormType is ML this field must be N. If FormType is PE this field must be A. If FormType is PM this field must be N. If Form Type is PP this field must be B, S, D, P, Q or A. If FormType is SM this field must be N, B, S or D.	Refer to this simple type in Appendix B
Zone	zoneICType		Optional field  If FormType is BP, this field must be N, 1,	Refer to this simple type in Appendix B

<b>Mail.XML 10.0C - complexType: bundleDetailType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			3, 4, 5, 6, 7, or 8 If FormType is FC, this field must be N If FormType is ML, this field must be N If FormType is PE, this field must be N, 1, 3, 4, 5, 6, 7, or 8 If FormType is PM, this field must be N, 1, 3, 4, 5, 6, 7, or 8 If FormType is SM, this field must be N	
DestinationZIP	zipCodeThreeOrFiveDigit		Optional field	Refer to this simple type in Appendix B
OutsideCountyBundleIndicator	inCountyOutCountyIndicatorType		Optional field Required for Periodicals If FormType is PE this field must be I or N.	Refer to this simple type in Appendix B
ChargeableBundleIndicator	yesNo	Yes or No	Optional	Refer to this simple type in Appendix B
SortationLevel	ContainerLevelType simple type		Required field	Refer to this simple type in Appendix B
BundleLevel	bundleDetailLevelType simple type		Required field	Refer to this simple type in Appendix B
ParentBundleID	String, 6 characters		Required	
BundleBarcode	String, 20 characters		Optional field	

<b>Mail.XML 10.0C - complexType: bundleDetailType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
BundleStatus	bundleStatusType simple type		Optional field; Not supporting <BLANK> as a value	Refer to this simple type in Appendix B
BundleRecordStatus	bundleRecordStatusType simple type		Optional field	Refer to this simple type in Appendix B
USPSPriceIncentiveType	USPSPriceIncentiveType simple type		Optional field.  The <i>PostalOne!</i> system does not perform any validation on PermitNumber when this field data is provided.  The Mailer can use “PostageAffixedReplyRidesFree” only for First Class Mail Letters and must be Full-Service IMb mail pieces weighing between 1 to 1.2 oz but will be processed at 2Oz price rate.	Refer ‘USPSPriceIncentiveType’ simple type in Appendix B
USPSPriceIncentiveID	USPSPriceIncentiveIDType simple type		Optional field  This field is ignored.	Refer ‘USPSPriceIncentiveIDType’ simple type in Appendix B
USPSPackageUniqueCharacteristic	uspsPackageUniqueCharacteristicType simple type		Optional	Refer to this simple type in Appendix B
<b>BundleVersion block</b>			Optional block;	

Mail.XML 10.0C - complexType: bundleDetailType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>BEGINS</b>			displayed on Qualification Report Bundle Detail	
VersionID	String, 10 characters		Required field; displayed on Qualification Report Bundle Detail	
VersionName	String, 12 characters		Required field; displayed on Qualification Report Bundle Detail	
<b>BundleVersion block ends</b>				
<b>BundleDetailType Block ENDS</b>				

#### 4.3 complexType: bundleVersionRecordType

Mail.XML 10.0C - complexType: bundleVersionRecordType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>BundleVersionRecord block BEGINS</b>			Optional block; 0 to many pairings can be submitted depending upon the number of BundleMPURerecords (used for Bundle charges)	
DocumentVersionData	DocumentVersionData complex type		Required	Refer to this complex type in Appendix A
PublicationInfo	permitPublicationDataType complex type	-	Required	Refer to this complex type in Appendix A
PublicationTitle	String, 60 characters		Required	

<b>Mail.XML 10.0C - complexType: bundleVersionRecordType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
PostageStatementLineNumber	postageStatementLineNumber3Type		Optional field; uses the Container Level and Entry level to find the lines	Refer to this simple type in Appendix B
ChargeableContainerLevel	chargeableContainerLevelType		Required field; <BLANK> = NULL is not supported	Refer to this simple type in Appendix B
ChargeableBundleLevel	chargeableBundleLevelType		Required field; <BLANK> = NULL is not supported	Refer to this simple type in Appendix B
Bundles	Double		Required	
IssueDate	Date	YYYY-MM-DD	Required	
IssueNumber	String, 6 characters		Optional	
VolumeNumber	String, 5 characters		Optional	
<b>BundleVersionRecord block ends</b>				

#### 4.4 complexType: bundleRecordType

<b>Mail.XML 10.0C - complexType: bundleRecordType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>BundleRecord block BEGINS</b>			Optional block; 0 to many pairings can be submitted depending upon the number of BundleMPURerecords (used for Bundle charges)	
PublicationInfo	permitPublicationDataType complex type	-	Required	Refer to this complex type in Appendix A
PublicationTitle	String, 60 characters		Required	
PostageStatementLineNumber	postageStatementLineNumber3Type		Optional field; uses the Container Level	Refer to this simple type in Appendix B

Mail.XML 10.0C - complexType: bundleRecordType				
Field	Format	Acceptable Values	Business Rules	Comments
			and Entry level to find the lines	
ChargeableContainerLevel	chargeableContainerLevelType		Required field; <BLANK> = NULL is not supported	Refer to this simple type in Appendix B
ChargeableBundleLevel	chargeableBundleLevelType		Required field; <BLANK> = NULL is not supported	Refer to this simple type in Appendix B
Bundles	Double		Required	
IssueDate	Date	YYYY-MM-DD	Required	
IssueNumber	String, 6 characters		Optional	
VolumeNumber	String, 5 characters		Optional	
<b>BundleRecord block ends</b>				

#### 4.5 complexType: CertificationDataType

**Blocks Included:**

CertificationData

Mail.XML 10.0C - complexType: CertificationDataType				
Field	Format	Acceptable Values	Business Rules	Comments
CertificationDataType Block BEGINS				
ContactName	String, 40 characters		Required;	
PhoneAreaCode	Exact string, 3 characters	Numbers	Required field; must be exactly 3 characters	
PhoneLast4	Exact String, 4 characters	Numbers	Required field; must be exactly 4 characters	
PhonePrefix	Exact string, 3 characters		Required field; must be exactly 3 characters	
CertificationDataType Block ENDS				



## 4.6 complexType: ContainerCountType

### Blocks Included:

ContainerCount

Note: Required at least one of the fields in this block must be populated with a non-zero value

Mail.XML 10.0C - complexType: ContainerCountType				
Field	Format	Acceptable Values	Business Rules	Comments
ContainerCountType Block BEGINS			Required block; at least one of the fields in this block must be populated with a nonzero value	
OtherType	Non-Negative Integer		Conditionally required if no other fields are populated with a nonzero value	
Pallets	Non-Negative Integer		Conditionally required if no other fields are populated with a nonzero value	
Sacks	Non-Negative Integer		Conditionally required if no other fields are populated with a nonzero value	
Trays1mm	Non-Negative Integer		Conditionally required if no other fields are populated with a nonzero value	
Trays2emm	Non-Negative Integer		Conditionally required if no other fields are populated with a nonzero value	
Trays2mm	Non-Negative Integer		Conditionally required if no other fields are populated with a nonzero value	
TraysFlat	Non-Negative Integer		Conditionally required if no other fields are populated with a nonzero value	
ContainerCountType				

Mail.XML 10.0C - complexType: ContainerCountType				
Field	Format	Acceptable Values	Business Rules	Comments
Block ENDS				

#### 4.7 complexType: ContainerErrorWarningBlockType

**Blocks Included:**

ReturnInfoType and basicReturnInfoType

Mail.XML 10.0C - complexType: ContainerErrorWarningBlockType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>ContainerErrorWarningBlockType BEGINS</b>				
ConsigneeContainerGroupingID	String 16	-	-	-
ConsigneeContentID	String 12	-	-	-
ShipperContainerGroupingID	String 16	-	-	-
IMcb	IMcbType	-	-	Refer to this simple type in Appendix B
IMtb	IMtbType	-	-	Refer to this simple type in Appendix B
IMpb	IMpbType	-	-	Refer to this simple type in Appendix B
MailContentName	String 30	-	-	-
SchedulerContentID	String 12	-	-	-
<b>ContainerErrorWarningBlockType ENDS</b>				

#### 4.8 complexType: ContainerInfoData

**Blocks Included:**

ContainerInfoData

Mail.XML 10.0C - complexType: ContainerInfoData				
Field	Format	Acceptable Values	Business Rules	Comments
<b>ContainerInfoData BEGINS</b>				
PhysicalPostalCodeEntryPoint	String, 6 characters		Required field; 5-digit zip code (6 digits for international zip codes)	
ActualContainerShipDateTi	dateTime	YYYY-MM-	Optional field.	

<b>Mail.XML 10.0C - complexType: ContainerInfoData</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
me		DDTHH:MM:SS	Required when USPSPickup is Y.	
CSADispatchNumber	String, 10 characters		Optional field.  Conditionally required for Full-Service / Mixed Service mailings if the USPSPickup is 'Y' (Yes).	
CSAID	String, 10 characters		Optional field.  Conditionally required for Full-Service / Mixed Service mailings if the USPSPickup is 'Y' (Yes), or the EntryPointFacilityType is 'O' (Origin).	
CSADispatchTime	Time	HH:MM:SS	Optional field; required only if DMU verified and USPS transported origin	
CarrierRouteNumber	Exact String, 4 characters		Optional field; required for Carrier Route rate pieces	
CinCode	String, 3 characters		Optional field	
ContainerBarcode	IMCBType simple type		Optional field.  Conditionally required to be populated with a 21-character IMcb for Full-Service / Mixed Service mailings when the container type is one of the following: B = Bedload U = Unit Load Device P = Pallet	Refer to this simple type in Appendix B

Mail.XML 10.0C - complexType: ContainerInfoData				
Field	Format	Acceptable Values	Business Rules	Comments
			<p>H = EIRS 61 – Hamper, Large Canvas  A = EIRS 61P – Hamper, Large Plastic  G = EIRS 66 – General Purpose Mail Container w/Gate  D = EIRS 68 – Eastern Region Mail Container w/Web Door  R = EIRS 84 – Wire Container Rigid  C = EIRS 84C – Collapsible Wire Container.</p> <p>Conditionally required to be populated with a 24-character IMtb for Full-Service / Mixed Service mailings when the container type is one of the following:  S = Sack (general)  1 = #1 Sack  2 = #2 Sack  3 = #3 Sack  4 = 01V Sack  5 = 03V Sack  E = EMM Tray  F = Flat Tub  O = 1' Tray  T = 2' Tray</p>	
ContainerDetailData	ContainerDetailData complex		Optional block. Required for all ContainerInfoData blocks except for Parent or Sibling containers.	Refer to this complex type in Appendix A
ContainerDisplayName	String, 50 characters		Optional in XSD but REQUIRED by	

Mail.XML 10.0C - complexType: ContainerInfoData				
Field	Format	Acceptable Values	Business Rules	Comments
			<i>PostalOne!</i> to generate qualification report	
ContainerType	mailXMLContainerType simple type		Required field; displayed on Qualification Report. At least one ContainerType must be 'L' (Logical Tray) when the LogicalPhysicalContainerIndicator field within OpenMailingGroup Request message is 'L' (Logical).	Refer to this simple type in Appendix B
IMpb	IMpbType simple type	-	Optional	Refer to this simple type in Appendix B
IncludedInOtherDoc	includedInOtherDocType simple type		Optional field. Must be O if the container will be co-palletized.	Refer to this simple type in Appendix B
ContainerID	String, 6 characters		Required field; displayed on Qualification Report	
ParentContainerID	String, 6 characters		Optional field. Cannot be populated if SiblingContainerID is populated. Required when IncludedInOtherDoc field is L and SiblingContainerID is not populated.	
DestinationZip	zipCodeThreeOrFiveDigit	3 or 5 digits	Required field; displayed on Qualification Report	Refer to this simple type in Appendix B
EntryPointFacilityType	entryFacilityType'		Required field; displayed on Qualification Report	Refer to this simple type in Appendix B

<b>Mail.XML 10.0C - complexType: ContainerInfoData</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
EntryPointZip	zipCodeThreeOrFiveDigit	3 or 5 digits	Required field; displayed on Qualification Report	Refer to this simple type in Appendix B
EntryLocaleKey	localeKeyType		Optional field. Required when EntryFacilityType is O and no appointment is provided. Must be populated with the actual Locale key from the USPS Drop Shipment Product. However, when the Facility Type is 'O' or 'H', the EntryLocaleKey field must be filed with either actual Locale Key or the word 'ORIGIN'. For Full-Service or Mixed-Service mailings, it is recommended that the Locale Key be provided whenever possible	Refer to this simple type in Appendix B
SiblingContainerID	String, 6 characters		Conditionally required if a sibling container exists to accept the overflow of piece-weight or to allow Logical Trays/Container with Physical Trays/Containers for Full-Service / Mixed Service mailings. Cannot be populated if ParentContainerID is populated.	
ProcessingCategory	processingCategoryType		Required field; displayed on	Refer to this simple type in

Mail.XML 10.0C - complexType: ContainerInfoData				
Field	Format	Acceptable Values	Business Rules	Comments
			<p>Qualification Report</p> <p>If FormType = BP, then the following values are valid: FL, NP, MP, IR</p> <p>If FormType = FC, then the following values are valid: LT, FL, CD, PF</p> <p>If FormType = ML, then the following values are valid: FL, NP, MP, IR</p> <p>If FormType = PM, then the following values are valid: LT, FL, PF</p> <p>If FormType = PE, then the following values are valid: LT, FL, MP, IR, NP</p> <p>If FormType = PP, then the following values are valid: MP, IR, NP</p> <p>If FormType = SM, then the following values are valid: LT, FL, MP, IR, NP, CM, NA, NB</p> <p>For Full-Service / Mixed Service mailings, if FormType = BP, then the following values are valid: FL</p> <p>If FormType = FC, then the following values are valid: LT, FL, CD</p> <p>If FormType = PE, then the following values are valid: LT, FL</p> <p>If FormType = SM, then the following values are valid:</p>	Appendix B

Mail.XML 10.0C - complexType: ContainerInfoData				
Field	Format	Acceptable Values	Business Rules	Comments
			LT, FL	
SortationLevel	ContainerLevelType simple type		Required field; displayed on Qualification Report.  For MLOCR First-Class mailings, the SortationLevel must be "AN" when the RateLevel is Single-Piece ("SP").	Refer to this simple type in Appendix B
OverflowIndicator	yesNo simple type	Yes No	Optional field; displayed on Qualification Report if Yes	Refer to this simple type in Appendix B
ScheduledInductionDateTime	dateTime	YYYY-MM-DDTHH:MM:SS	Optional field. Must be within 30 days, past or future, of the PostageStatement MailingDate.  Conditionally required for Full-Service / Mixed Service mailings when the ConsigneeApptID is populated, or the CSAID is populated and the USPSPickup is 'N' (No). Must be within 30 days, past or future, of the PostageStatement MailingDate.	
ScheduledShipDateTime	dateTime	YYYY-MM-DDTHH:MM:SS	Optional  Conditionally required for Full-Service / Mixed Service mailings	



<b>Mail.XML 10.0C - complexType: ContainerInfoData</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			when the EntryPointFacilityType is 'O' (Origin) and USPSPickup is 'Y' (Yes).	
USPSPickup	yesNo simple type	Yes No	Required field	Refer to this simple type in Appendix B
MailOwnerCRID	CRIDType simple type		Optional field	Refer to this simple type in Appendix B
ConsigneeContentID	String, 9 characters		Optional field	
ConsigneeApptID	String, 10 characters		Optional field	
PostageStatementMailingDate	Date	YYYY-MM-DD	Optional field  It may be up to one year in future or back dated to most recent price change	
ContainerAcceptanceDate	Date	YYYY-MM-DD	Optional field	
ContainerAcceptanceTime	Time	HH:MM:SS	Optional field	
CarrierID	String, 15 characters		Optional field	
TruckAndDispatchNumber	String, 10 characters		Optional field	
TotalWeightOfContainer	Double		Optional field  The value of TotalWeightOfContainer must be in Pounds.	
AdditionalTrayPostageAmount	Double		Optional field. Accepts up to 4 decimals.	
eInductionIndicator	yesNo simple type	-	Optional	Refer to this simple type in Appendix B
USPSPriceIncentiveType	USPSPriceIncentiveType		Optional field.	Refer to this simple type in

Mail.XML 10.0C - complexType: ContainerInfoData				
Field	Format	Acceptable Values	Business Rules	Comments
			<p>The <i>PostalOne!</i> system does not perform any validation on PermitNumber when this field data is provided.</p> <p>The Mailer can use "PostageAffixedReplyRidesFree" only for First Class Mail Letters and must be Full-Service IMb mail pieces weighing between 1 to 1.2 oz but will be processed at 2Oz price rate.</p>	Appendix B
USPSPriceIncentiveID	USPSPriceIncentiveIDType simple type		<p>Optional field</p> <p>This field is ignored.</p>	Refer to this simple type in Appendix B
ReadyForSASP	yesNo simple type	-	Optional	Refer to this simple type in Appendix B
<b>ContainerInfoData ENDS</b>				

#### 4.9 complexType: ContainerManifestHeaderInfo

Mail.XML 10.0C - complexType: ContainerManifestHeaderInfo				
Field	Format	Acceptable Values	Business Rules	Comments
<b>ContainerManifestHeaderInfo BEGINS</b>				
CustomerGroupID	String 25	-	Optional	-
MailingGroupID	nonNegativeInteger	-	Optional	-
ContainerManifestGroupID	nonNegativeInteger	-	Optional	-
MaildatJobID	jobIDType simple type	-	Optional	Refer to this simple type in Appendix B
UserLicenseCode	userLicenseCodeType	-	Optional	Refer to this

Mail.XML 10.0C - complexType: ContainerManifestHeaderInfo				
Field	Format	Acceptable Values	Business Rules	Comments
	simple type			simple type in Appendix B
ConsigneeContentID	String 12	-	Optional	-
ConsigneeApptID	String 12	-	Optional	-
SchedulerDateTime	Date	-	Optional	-
<b>ContainerManifestHeaderInfo ENDS</b>				

#### 4.10 complexType: ContainerPostageType

Mail.XML 10.0C - complexType: ContainerPostageType				
Field	Format	Acceptable Values	Business Rules	Comments
ContainerPostageType Block BEGINS			Optional in XSD but required by <i>PostalOne!</i> during implementation	
ContainerID	String 6	-	Required	
Pieces	Non Negative Integer	-	Required	
ContainerDetailID	String, 9	-	Optional	-
Copies	Non Negative Integer	-	Required	
<b>Choice Block BEGINS</b>			Optional 0 to many allowed  When provided one of following must be included: 1. IMcb 2. IMtb 3. IMpb	
IMtb	IMtbType simple type	-	Required	Refer to this simple type in Appendix B
IMcb	IMcbType simple type	-	Required	Refer to this simple type in Appendix B
IMpb	IMpbType simple type	-	Required	Refer to this simple type in Appendix B

Mail.XML 10.0C - complexType: ContainerPostageType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>Choice Block ENDS</b>				
ContainerPostageType Block ENDS				

#### 4.11 complexType: contentUspsSummaryType

**Blocks Included:**

contentUspsSummaryType

Mail.XML 10.0C - complexType: contentUspsSummaryType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>contentUspsSummaryType BEGINS</b>				
DestinationDiscountIndicator	mailxml_base:yesNo	Yes No	Optional	
ZoneSkippingIndicator	mailxml_base:yesNo	Yes No	Optional	
FullServiceIndicator	mailxml_base:yesNo	Yes No	Optional	
Pallets	mailxml_tm:palletUnitType		Optional	
Bedload	mailxml_tm:bedloadUnitType		Optional	
Perishable	mailxml_base:yesNo	Yes No	Optional	
MailClass	mailxml_base:mailClassType		Optional	
RateType	mailxml_base:rateType		Optional	
InHomeStart	dateTime		Optional	
InHomeEnd	dateTime		Optional	
processingCategory	mailxml_base:processingCategoryType		Optional	
PriorityMailIndicator	mailxml_base:yesNo	Yes No	Optional	
VerificationLocation	mailxml_base:verificationLocationType		Optional	
NewsIndicator	mailxml_base:yesNo	Yes No	Optional	
EvsIndicator	mailxml_base:yes	Yes	Optional	

<b>Mail.XML 10.0C - complexType: contentUspsSummaryType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
	sNo	No		
MailContentName	mailxml_base:s30		Optional	
MailPreparerID	mailxml_base:s12		Optional	
MailPreparerCRID	mailxml_base:CRIDType		Optional	
AdvanceMailingID	mailxml_base:s09		Optional	
EFileNumber	mailxml_base:s12		Optional	
ContainsAutoMail	mailxml_base:yesNo	Yes No	Optional	
SchedulerContentID	mailxml_base:s12		Optional	
ConsigneeContentID	mailxml_base:s12		Optional	
<b>contentUspsSummaryType ENDS</b>				

#### 4.12 complexType: ContainerDetailData

**Blocks Included:**

ContainerDetailData

<b>Mail.XML 10.0C - complexType: ContainerDetailData</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>ContainerDetailData BEGINS</b>			Optional block. Required for all ContainerInfoData blocks except for Parent or Sibling containers.  Allow 0 to many occurrence	
MailOwner block	permitPublicationDataType complex type	Complex Type	Optional	Refer to this complex type in Appendix A
ContainerDetailID	String, 9	ContainerID	Optional This field allow linkage between postage statement and qualification	

<b>Mail.XML 10.0C - complexType: ContainerDetailData</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			report	
CarrierRouteNumber	String exactly 4		Optional	
CumulativePostage	Double		Optional	
EntryDiscountType	entryDiscountType simple type		Required	Refer to this simple type in Appendix B
MailEndSeqNo	String 50		Optional	
MailStartSeqNo	String 50		Optional	
Postage	Double		Required	
RateLevel	rateLevelType simple type		Required	Refer to this simple type in Appendix B
TotalCopies	nonNegative Integer		Required	
TotalPieces	nonNegative Integer		Required  Must be '0' when the SiblingContainerID is populated.	
Zone	zoneICType simple type		Optional	Refer to this simple type in Appendix B
VersionID	String 10		Optional	
ZipThreeFive	zipCodeThreeOrFiveDigit	3 or 5 digit zipcode	Optional field. Required if different from DestinationZip	Refer to this simple type in Appendix B
InOutCountyIndicator	InOutCountyIndicatorType simple type		Optional field. Required when FormType is PE.	Refer to this simple type in Appendix B
RateLevelIndicator	rateLevelIndicatorType simple type		Optional	Refer to this simple type in Appendix B
ContainerChargeContainerLevel	cccLevelType simple type		Optional	Refer to this simple type in Appendix B
ActualPieces	nonNegative		Optional	

Mail.XML 10.0C - complexType: ContainerDetailData				
Field	Format	Acceptable Values	Business Rules	Comments
	Integer			
ServiceLevelIndicator	serviceLevelIndicatorType simple type		<p>Required.</p> <p>Conditionally required for Full-Service/Mixed Service mailings. Validated against the FullServiceParticipationIndicator field within the OpenMailingGroup Request message:</p> <p>(1) When the FullServiceParticipationIndicator is F – all ServiceLevelIndicators must be F, and</p> <p>(2) When the FullServiceParticipationIndicator is M – at least one ServiceLevelIndicators must be F</p>	Refer to this simple type in Appendix B
USPSPriceIncentiveType	USPSPriceIncentiveType simple type		<p>Optional field.</p> <p>The <i>PostalOne!</i> system does not perform any validation on PermitNumber when this field data is provided.</p> <p>The Mailer can use “PostageAffixedReplyRidesFree” only for First Class Mail Letters and must be Full-Service IMb mail pieces weighing between 1 to 1.2 oz but will be processed at 2Oz price rate.</p>	Refer to this simple type in Appendix B

Mail.XML 10.0C - complexType: ContainerDetailData				
Field	Format	Acceptable Values	Business Rules	Comments
USPSPriceIncentiveID	USPSPriceIncentiveIDType simple type		Optional field  This field is ignored.	Refer to this simple type in Appendix B
<b>ContainerDetailData ENDS</b>				

#### 4.13 complexType: ComponentPeriodicalAdPercentType

Mail.XML 10.0C - complexType: ComponentPeriodicalAdPercentType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>ComponentPeriodicalAdPercentType BEGINS</b>				
Component	FullComponentType complex type	-	Required	Refer to this simple type in Appendix B
ComponentPeriodicalAdPercent	Double	-	Required	-
ComponentPeriodicalAdPercentStatus	componentPeriodicalAdPercentStatusType simple type	-	Required	Refer to this simple type in Appendix B
ComponentPeriodicalAdPercentBasis	Double	-	Required	-

#### 4.14 complexType: ComponentWeightUpdateType

Mail.XML 10.0C - complexType: ComponentWeightUpdateType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>ComponentWeightUpdateType BEGINS</b>				
Component	FullComponentType complex type	-	Required	Refer to this simple type in Appendix B
ComponentWeight	Double	-	Required	-
ComponentWeightSource	componentWeightSourceType simple type	-	Required	Refer to this simple type in Appendix B
ComponentWeightStatus	componentWeight	-	Required	Refer to this



Mail.XML 10.0C - complexType: ComponentWeightUpdateType				
Field	Format	Acceptable Values	Business Rules	Comments
	tStatusType simple type			simple type in Appendix B

#### 4.15 complexType: CreatePeriodicalStatementType

Mail.XML 10.0C - complexType: CreatePeriodicalStatementType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>createPeriodicalStatementType BEGINS</b>				
AdvertisingPercentage	percentageType simple type	-	Required	Refer to this simple type in Appendix B
DeliveryStatisticsFileDate	Date	-	Optional	-
AutomationAddressMatchDate	Date	-	Optional	-
CustomerReferenceID	String 40	-	Optional	-
UserPostageStatementID	String 10	-	Optional	-
CarrierRouteAddressMatchDate	Date	-	Optional	-
CarrierRouteSequencingDate	Date	-	Optional	-
CertificationData	certificationDataType complex type	-	Required	Refer to this complex type in Appendix A
ContainerCount	containerCountType complex type	-	Required	Refer to this complex type in Appendix A
CopyWeight	Double	-	Required	-
EditionCode	String 20	-	Optional	-
FirstIssueDate	Date	-	Optional	-
FormType	formType simple type	-	Required	Refer to this simple type in Appendix B
IssueDate	Date	-	Required	-
IssueFrequency	String 20	-	Optional	-
LastIssueDate	Date	-	Optional	-
PostageStatementMailingDate	Date	-	Required	-
Over10	yesNo	Yes or No	Required	-

<b>Mail.XML 10.0C - complexType: CreatePeriodicalStatementType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
LimitedCirculationDiscount Claimed	yesNo	Yes or No	Required	-
PeriodicalLineItemData	PeriodicalLineItemData ELEMENT	-	Optional 0 to many allowed	Refer the definition of this element in Appendix D
PostagePaymentMethod	postagePaymentMethodType simple type	-	Required	Refer to this simple type in Appendix B
ProcessingCategory	processingCategoryType simple type	-	Required	Refer to this simple type in Appendix B
PublicationTitle	String 60	-	Optional	-
CombinedMailingID	nonNegativeInteger	-	Optional	-
RateType	RateType simple type	-	Required	Refer to this simple type in Appendix B
SingleRideAlongWeight	Double	-	Optional	-
StatementSequenceNumber	String 20	-	Optional	-
EntryFacilityType	entryFacilityType simple type	-	Optional	Refer to this simple type in Appendix B
EntryZip	Exact String 5	-	Optional	-
AgencyCostCode	agencyCostCodeType simple type	-	Optional	Refer to this simple type in Appendix B
RepositionableNotesIndicator	yesNo	Yes or No	Required	-
DocumentVersionData	DocumentVersionData block	-	Optional	Refer this block in Appendix D
MoveUpdateMethod	moveUpdateMethodType simple type	-	Optional	Refer to this simple type in Appendix B
VolumeNumber	String 5	-	Optional	-
IssueNumber	String 6	-	Optional	-
InCountyAddressedSupplementPieces	nonNegativeInteger	-	Optional	-
OutsideCountyAddressedSupplementPieces	nonNegativeInteger	-	Optional	-
PiecesExcludingAddressedSupplementPieces	nonNegativeInteger	-	Required	-

<b>Mail.XML 10.0C - complexType: CreatePeriodicalStatementType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
ContainerPostage	containerPostageType complex type	-	Optional 0 to many allowed	-
MailingAgentData	mailerDataRequestType complex type	-	Optional	Refer to this complex type in Appendix A
PublisherData	mailerDataRequestType complex type	-	Optional	Refer to this complex type in Appendix A
PendingPostageAmount	Double	-	Optional	-

#### 4.16 complexType: CreatePostageStatementType

##### Blocks Included:

CreatePostageStatement

<b>Mail.XML 10.0C - complexType: CreatePostageStatementType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>CreatePostageStatement Type BEGINS</b>			Required Only one can be submitted	
AgencyCostCode	agencyCostCodeType		Optional field  Required when Permit Type is OI or OM.	Refer 'agencyCostCode' simple type in Appendix B
DeliveryStatisticsFileDate	Date	-	Optional.  It allows USPS to validate that correct file is used when the pieces contains simplified addresses.	
AutomationAddressMatchDate	Date	YYYY-MM-DD	Conditionally required for Automation rate pieces.  The system will validate that this field cannot be more than 90 calendar days	

<b>Mail.XML 10.0C - complexType: CreatePostageStatementType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			before the PostageStatement MailingDate for Carrier Route mail (RateCategory A, B, D, AF, BF, or DF). The field cannot be more than 180 calendar days before the PostageStatement MailingDate for non-Carrier Route Mail (RateCategory is E, H, L, L1, L2, L3, or L4).  The mailer must specify the date when the address list was generated.	
CustomerReferenceID	String, 40 characters		Optional field.  Mailers may submit up to 999 unique CustomerReferenceIDs.	CustomerReferenceID represents CAPS Account Number
CustomerCommitmentAgreementNumber	String 40	-	Optional	-
UserPostageStatementID	String, 10 characters		Optional field	
CarrierRouteAddressMatchDate	Date	YYYY-MM-DD	Conditionally required for Carrier Route rate pieces	
CarrierRouteSequencingDate	Date	YYYY-MM-DD	Conditionally required for Carrier Route rate pieces when Rate Category is A, AF, B, BF, D, or DF.	
CertificationData	certificationDataType		Required	See Appendix D for Details
ContainerCount	containerCountType		Required block; at	Refer

<b>Mail.XML 10.0C - complexType: CreatePostageStatementType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
	pe		least one of the fields in this block must be populated with a nonzero value	“containerCountType” in Appendix D
EnclosedBy	Mailxml_base:enclosedByType	Refer ‘enclosedByType’ simple type	Optional field, Required for enclosure, must be set to PE	Refer Appendix B
DalPieces	Non-negative Integer		Optional field, required for Detached Addressed Labels. Must equal the number of pieces on Part I and J of the postage statement.	
EstimateIndicator	Mailxml_base:yesNo		Required.  When yes, the system will create preliminary postage statements for MLOCR jobs.  This field is ignored for presort jobs.	-
ExtendedForm	Mailxml_base:yesNo	True requires PostageStatementLineItemData; False requires LineItemSummaryData	Required field.  A single postage statement may contain either PostageStatementLineItemData or LineItemSummaryData	
FormType	Mailxml_base:formType	Refer ‘formType’ simple type	Required  Must be SM or FC when EnclosedBy is populated.	Refer Appendix B
LineItemSummaryData	LineItemSummaryData complex		Optional field 0 to many can be	Refer “LineItemSu

<b>Mail.XML 10.0C - complexType: CreatePostageStatementType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
	type		submitted when ExtendedForm is False	PrimaryData” complex in Appendix D
PostageStatementLineItemData	PostageStatementLineItemData complex type		Optional field must submit one to many if ExtendedForm is True else it is optional field.	Refer “PostageStatementLineItemData” complex in Appendix D below.
PostageStatementMailingDate	Date	YYYY-MM-DD	Required. Must equal the date specified in the Qualification Report.  It may be up to one year in future or back dated to most recent price change	
PackagingMethod	Mailxml_base:packagingMethodType	Refer ‘packagingMethodType’ simple type	Optional field If FormType is BP this field must be 0, 1 or 2. If FormType is FC this field must be 0 or 1. If FormType is ML this field must be 0, 1 or 2. If FormType is SM this field must be 0, 1 or 2.	Refer Appendix B
PostageAffixedAmount	Double		Optional (Conditionally required if the Postage Payment Method is 'M' or 'S') up to three decimal places	
PostagePaymentMethod	Mailxml_base:postagePaymentMethodType		Required If FormType is BP this field must be S, M or P.	Refer Appendix B

Mail.XML 10.0C - complexType: CreatePostageStatementType				
Field	Format	Acceptable Values	Business Rules	Comments
			<p>If FormType is FC this field must be S, M or P.</p> <p>If FormType is ML this field must be M or P.</p> <p>If FormType is PM this field must be P.</p> <p>If FormType is PP this field must be S, M or P.</p> <p>If FormType is SM this field must be S, M or P.</p>	
ProcessingCategory	Mailxml_base:processingCategory Type	Refer 'processingCategoryType' simple type	<p>Required field</p> <p>If FormType = BP, then the following values are valid: FL, NP, MP, IR</p> <p>If FormType = FC, then the following values are valid: LT, FL, CD, PF</p> <p>If FormType = ML, then the following values are valid: FL, NP, MP, IR</p> <p>If FormType = PM, then the following values are valid: LT, FL, PF</p> <p>If FormType = PP, then the following values are valid: MP, IR, NP</p> <p>If FormType = SM, then the following values are valid: LT, FL, MP, IR, NP, CM, NA, NB</p>	Refer Appendix B
RateType	Mailxml_base:RateType		Required field	Refer Appendix B
RegisterOfMailing	Mailxml_base:yesNo	Yes or No	Required, Causes <i>PostalOne!</i> to generate a register. If true, must	

Mail.XML 10.0C - complexType: CreatePostageStatementType				
Field	Format	Acceptable Values	Business Rules	Comments
			provide container ID, container display name, container type, entry facility type, and entry ZIP (at the line item level)	
SackingBasis	Mailxml_base:sackingBasisType	Refer 'sackingBasisType' simple type	Optional field Required for CR, 3/5 or basic sacking. If FormType is SM this field must be 0, 2, 3, or 4 If FormType is PP this field must be either 0, 1 or 4.	Refer Appendix B
SinglePieceWeight	Double		Optional up to four decimal places  The value of SinglePieceWeight must be in Pounds.	
ExtraServiceData	ExtraServicesData complex type	-	Optional field 0 to many can be submitted. For postage statements claiming extra services Use either the ExtraServiceData block or the ExtraServiceSummary block.	Refer to this complex type in Appendix A
ExtraServiceSummaryData	ExtraServiceSummaryData complex type		Optional field 0 to many can be submitted For postage statements claiming extra services Use either the ExtraServiceData block or the	Refer to this complex type in Appendix A



<b>Mail.XML 10.0C - complexType: CreatePostageStatementType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			ExtraServiceSummary block.	
StatementSequenceNumber	String, 20 characters		Optional field	
RepositionableNotesIndicator	Mailxml_base:yesNo	True if there are repositionable notes, else False.	Required	
DocumentVersionData	DocumentVersionData complex type	-	Optional field 0 to many can be submitted	Refer to this complex type in Appendix A
MeteredAffixedMethod	Mailxml_base:meteredAffixedMethodType	-Refer 'meteredAffixedMethodType' simple type	Optional field Required for metered postage affixed	Refer Appendix B
CombinedMailingID	Non-negative Integer		Optional field; Required for Combined Mailings	
SinglePieceDimensionalWeight	Double		Optional, up to four decimals. Required for balloon or oversize prices up to four decimals.  The value of SinglePieceDimensionalWeight must be in Pounds.	
EnclosingVolumeNo	String, 5 characters		Optional field, used for Periodicals enclosures otherwise ignored	
EnclosingIssueNo	String, 6 characters		Optional field, used for Periodicals enclosures otherwise ignored	
EnclosingIssueDate	Date	YYYY-MM-DD	Optional field, used for Periodicals enclosures otherwise ignored. Required when EnclosedBy is	

<b>Mail.XML 10.0C - complexType: CreatePostageStatementType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			populated.	
PriceType	priceType simple type	commercial, commercialplus	Optional field.  Required when the mail is First Class.  Should always assume it is commercial unless otherwise identified.	Refer to this simple type in Appendix B
MoveUpdateMethod	Mailxml_base:moveUpdateMethod Type		Optional field. Required when FormType is SM.	Refer to this simple type in Appendix B
PaymentDateandTime	dateTime	-	Optional	-
MailArrivalDateandTime	dateTime	-	Optional	-
ContainerPostage	containerPostage Type complex type	-	Optional.  0 to many allowed.	Refer to this complex type in Appendix A
PermitHolderData	mailerDataRequestType complex type		Required. Note the Contact Name inside this block is ignored by <i>PostalOne!</i>	Refer to this complex type in Appendix A
MailingOwnerData	mailerDataRequestType complex type		Optional	Refer to this complex type in Appendix A
MailingAgentData	mailerDataRequestType complex type		Optional	Refer to this complex type in Appendix A
PermitHolderForAPData	mailerDataRequestType complex type		Conditionally required for Postage Payment Method of 'S' or 'M'. Note the Contact Name inside this block is ignored by <i>PostalOne!</i>	Refer to this complex type in Appendix A
<b>CreatePostageStatement Type ENDS</b>				

#### 4.17 complexType: DataRecipient

Mail.XML 10.0C - complexType: DataRecipient				
Field	Format	Acceptable Values	Business Rules	Comments
<b>DataRecipient BEGINS</b>				
CRID	CRIDType simple type	-	Required;	Refer to this simple type in Appendix B
Role	roleType simple type	-	Required	Refer to this simple type in Appendix B
<b>DataRecipient ENDS</b>				

#### 4.18 complexType: DocumentVersionData

Mail.XML 10.0C - complexType: DocumentVersionData				
Field	Format	Acceptable Values	Business Rules	Comments
<b>DocumentVersionData block BEGINS</b>				
VersionID	String, 10 characters		Required;	
VersionName	String, 12 characters		Required;	
VersionDescription	String, 30 characters		Optional	
PieceWeight	Double		Required  The value of PieceWeight must be in Pounds.	
AdPercent	percentageType simple type		Optional; Percentage - max value 100.00.	Refer to this simple type in Appendix B
RateAffixed	Double		Optional;	
ContentOfMailType	ContentofMailType simple type	-	Optional	Refer to this simple type in Appendix B
StandardFlatType	standardFlatType simple type	-	Optional	Refer to this simple type in Appendix B
USPSPriceIncentiveType	USPSPriceIncentiveType simple	-	Optional	Refer to this simple type in

Mail.XML 10.0C - complexType: DocumentVersionData				
Field	Format	Acceptable Values	Business Rules	Comments
	type		<p>The <i>PostalOne!</i> system does not perform any validation on PermitNumber when this field data is provided.</p> <p>The Mailer can use "PostageAffixedReplyRidesFree" only for First Class Mail Letters and must be Full-Service IMb mail pieces weighing between 1 to 1.2 oz but will be processed at 2Oz price rate.</p>	Appendix B
USPSPriceIncentiveID	USPSPriceIncentiveIDType simple type	-	Optional This field is ignored.	Refer to this simple type in Appendix B
PMODIndicator	YesNo	Yes or No	Optional	-
<b>DocumentVersionData Block ENDS</b>				

#### 4.19 complexType: DocumentVersionDataWithPermit

##### Blocks Included:

DocumentVersionDataWithPermit

Mail.XML 10.0C - complexType: DocumentVersionDataWithPermit				
Field	Format	Acceptable Values	Business Rules	Comments
<b>DocumentVersionData BEGINS</b>			Required block; contains Version Summary Report information (1 to many pairings)	
VersionID	String, 10 characters		Required;	
VersionName	String, 12 characters		Required;	
VersionDescription	String, 30		Optional	

Mail.XML 10.0C - complexType: DocumentVersionDataWithPermit				
Field	Format	Acceptable Values	Business Rules	Comments
	characters			
PieceWeight	Double		Optional  The value of PieceWeight must be in Pounds.	
AdPercent	PercentageType simple type		Optional; Percentage - max value 100.00.	Refer to this simple type in Appendix B
ContentOfMail	ContentofMailType simple type		Optional	Refer to this simple type in Appendix B
StandardFlatType	standardFlatType Type		Optional	Refer to this simple type in Appendix B
RateAffixed	Double		Optional;	
PermitPublicationData	permitPublicationDataType complex type		Optional;	Refer to this complex type in Appendix A
TotalCopies	Non-negative numeric		Required;	
TotalPieces	Non-negative numeric		Required;	
USPSPriceIncentiveType	USPSPriceIncentiveType	Simple type	Optional field.  The <i>PostalOne!</i> system does not perform any validation on PermitNumber when this field data is provided.  The Mailer can use "PostageAffixedReplyRidesFree" only for First Class Mail Letters and must be Full-Service IMb mail pieces weighing between 1 to 1.2 oz but will be processed at 2Oz price rate.	Refer to this simple type in Appendix B

Mail.XML 10.0C - complexType: DocumentVersionDataWithPermit				
Field	Format	Acceptable Values	Business Rules	Comments
USPSPriceIncentiveID	USPSPriceIncentiveIDType		Optional field This field is ignored.	Refer to this simple type in Appendix B
<b>DocumentVersionData</b>				
<b>Block ENDS</b>				

#### 4.20 complexType: ExtraServiceData

Mail.XML 10.0C - complexType: ExtraServiceData				
Field	Format	Acceptable Values	Business Rules	Comments
<b>extraServiceData BEGINS</b>				
ServiceCode	serviceCodeType simple type	-	Required	Refer to this simple type in Appendix B
ServiceRate	Double		Optional field up to four decimals	
ServiceSubCode	serviceSubCodeType simple type	-	Required	Refer to this simple type in Appendix B
ServiceValue	Double		Required, up to two decimals	
TotalAmount	Double		Optional field, up to four decimals	
TotalPieces	Non-negative Integer		Required	
<b>extraServiceData ENDS</b>				

#### 4.21 complexType: ExtraServiceSummaryData

Mail.XML 10.0C - complexType: ExtraServiceSummaryData				
Field	Format	Acceptable Values	Business Rules	Comments
<b>extraServiceSummaryData BEGINS</b>				
LineLabel	String, 80 characters		Optional field	
LineNumber	String, 3		Optional field	

Mail.XML 10.0C - complexType: ExtraServiceSummaryData				
Field	Format	Acceptable Values	Business Rules	Comments
	characters		This field will be ignored if populated; LineNumber will only be taken into account for Full-Service discount lines	
Section	String, 1 character		Optional field	
ServiceCode	serviceCodeType simple type	-	Required	Refer to this simple type in Appendix B
TotalAmount	Decimal		Required, up to three decimals	
TotalPieces	Non-negative Integer		Required	
USPSPackageUniqueCharacteristic	uspsPackageUniqueCharacteristicType simple type	-	Optional	Refer to this simple type in Appendix B
USPSPriceIncentiveType	USPSPriceIncentiveType simple type	-	Optional  The <i>PostalOne!</i> system does not perform any validation on PermitNumber when this field data is provided.  The Mailer can use "PostageAffixedReplyRidesFree" only for First Class Mail Letters and must be Full-Service IMb mail pieces weighing between 1 to 1.2 oz but will be processed at 2Oz price rate.	Refer to this simple type in Appendix B
USPSPriceIncentiveID	USPSPriceIncentiveIDType simple	-	Optional	Refer to this simple type in

Mail.XML 10.0C - complexType: ExtraServiceSummaryData				
Field	Format	Acceptable Values	Business Rules	Comments
	type		This field is ignored.	Appendix B
extraServiceSummaryData ENDS				

#### 4.22 complexType: FullContainerIDType

Mail.XML 10.0C - complexType: FullContainerIDType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>FullContainerIDType Block BEGINS</b>				
<b>Choice Block BEGINS</b>			Required	
			Either ULC/MaildatJobID OR CustomerGroupID/MailingGroupID is required	
UserLicenseCode	userLicenseCodeType simple type	-	Required; references existing Mail.dat container	Refer to this simple type in Appendix B
MaildatJobID	jobIDType simple type		Required for Mail.dat submitted containers; references existing Mail.dat container	Refer to this simple type in Appendix B
ContainerGroupID	String 25		Required;	
MailingGroupID	Non Negative Integer		Required for Mail.XML submitted containers.	
<b>Choice Block ENDS</b>				
ContainerID	String 6		Required.  Cannot use existing ContainerID to identify a new container.  1 to many allowed.	
UniqueContainerBarcode	IMcbType simple type		Optional field; references existing Mail.dat container	Refer to this simple type in Appendix B
<b>FullContainerIDType Block ends</b>			End of block	

#### 4.23 complexType: FullComponentType



<b>Mail.XML 10.0C - complexType: FullComponentType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>FullComponentType BEGINS</b>				
UserLicenseCode	userLicenseCode Type simple type	-	Required	Refer to this simple type in Appendix B
MaildatJobID	jobIDType simple type	-	Required	Refer to this simple type in Appendix B
ComponentID	String 8	-	Required	-
<b>FullComponentType ENDS</b>				

#### 4.24 complexType: IntelligentMailBarcodeType

<b>Mail.XML 10.0C - complexType: IntelligentMailBarcodeType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
IntelligentMailBarcodeType Block BEGINS			Required Only one block submitted	
BarcodeID	Number, 2 characters		Optional	
Choice Block BEGINS		-	Optional  ServiceCode or MailClass	-
ServiceTypeCode	Mailxml_base:serviceType CodeType		Conditionally required if Mail Class is not provided	Refer Appendix B
MailClass	Mailxml_base:mailClassType		Conditionally required if Service Type Code is not provided	Refer Appendix B
Choice Block ENDS				
Choice Block BEGINS			Required	
Sequence Block BEGINS				
MailerID6	Mailxml_base:mailerID6Type		Required Only one pairing of MailerID and SerialNumber is required	Refer Appendix B
SerialNumber9	iMBSerialNUmber9Type		Required	Refer

Mail.XML 10.0C - complexType: IntelligentMailBarcodeType				
Field	Format	Acceptable Values	Business Rules	Comments
			Only one pairing of MailerID and SerialNumber is required	Appendix B
Sequence Block ENDS				
Sequence Block BEGINS				
MailerID9	mailerID9Type		Required Only one pairing of MailerID and SerialNumber is required	Refer Appendix B
SerialNumber6	iMBSerialNumber6Type		Required Only one pairing of MailerID and SerialNumber is required	Refer Appendix B
Sequence Block END				
Choice Block ENDS				
DeliveryPointZIP	RoutingZipCodeType		Not required	Refer Appendix B
IntelligentMailBarcodeType Block ends				

#### 4.25 complexType: IntelligentMailPackageBarcodeType

Mail.XML 10.0C - complexType: IntelligentMailPackageBarcodeType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>IntelligentMailPackageBarcodeType Block BEGINS</b>				
PostalRoutingCodeAppID	String 3	-	Required	-
DestinationZipCode	zipCodeFiveOrNineDigit Simple type	-	Required	Refer to this simple type in Appendix B
ChannelApplicationIdentifier	String 2	-	Required	-
ServiceTypeCode	serviceTypeCodeType simple type	-	Required	Refer to this simple type in Appendix B
<b>Choice Block BEGINS</b>			Required Either Sequence Block 1 or 2 is required	

<b>Mail.XML 10.0C - complexType: IntelligentMailPackageBarcodeType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>Sequence Block 1 BEGINS</b>				
MailerID6	Mailer6Type simple type		Required	Refer to this simple type in Appendix B
SerialNumber10or14	serialNumberTenOrFourteen simple type			Refer to this simple type in Appendix B
<b>Sequence Block 1 ENDS</b>				
<b>Sequence Block 1 BEGINS</b>				
MailerID9	Mailer9Type simple type			Refer to this simple type in Appendix B
SerialNumber7or11	serialNumberSevenOrEleven simple type			Refer to this simple type in Appendix B
<b>Sequence Block 1 ENDS</b>				
Mod10CheckDigit	String 1	-	Required	-
<b>IntelligentMailPackageBarcodeType Block ENDS</b>				

#### 4.26 complexType: LargeTransactionDividerGroupOptionalType

<b>Mail.XML 10.0C - complexType: LargeTransactionDividerGroupOptionalType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
MessageGroupID	String 20	-	Optional	-
TotalMessageCount	Positive Integer	-	Optional	-
MessageSerialNumber	Positive Integer	-	Optional	-
TransmittedRecordCount	Positive Integer	-	Optional	-
TotalRecordsAcrossMessage	Positive Integer	-	Optional	-
LastMessage	yesNo simple type	Yes or No	Optional	-

#### 4.27 complexType: LargeQualReportTransDividerType

<b>Mail.XML 10.0C - complexType: LargeQualReportTransDividerType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>LargeQualReportTransDividerType BEGINS</b>				
CustomerQualificationReportID	String 66	-	Required	-
MessageGroupID	String 20	-	Required	-
MessageSequenceNumber	String 20	-	Required	-
TotalContainerInfoBlocksCount	Positive Integer	-	Required	-
TotalDocVersionWithPermitBlocksCount	positiveInteger	-	Required	-

<b>Mail.XML 10.0C - complexType: LargeQualReportTransDividerType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
TransmittedContainerInfoCount	positiveInteger	-	Required	-
TransmittedDocVersionCount	positiveInteger	-	Required	-
TotalMessages	positiveInteger	-	Required	-
LastMessage	yesNo simple type	-	Optional	Refer to this simple type in Appendix B
<b>LargeQualReportTransDividerType ENDS</b>	-	-	-	

#### 4.28 complexType: LineItemSummaryData

**Blocks Included:**  
LineItemSummaryData

<b>Mail.XML 10.0C - complexType: LineItemSummaryData</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>LineItemSummaryData BEGINS</b>			Optional field 0 to many can be submitted when ExtendedForm is False	
ProcessingCategory	Mailxml_base:processingCategory Type	Refer 'processingCategoryType' simple type	Optional, required for more than one processing category in a postage statement. Required field  If FormType = BP, then the following values are valid: FL, NP, MP, IR If FormType = FC, then the following values are valid: LT, FL, CD, PF If FormType = ML, then the following values are valid: FL, NP, MP, IR If FormType = PM, then the following values are valid: LT, FL, PF	Refer Appendix B

Mail.XML 10.0C - complexType: LineItemSummaryData				
Field	Format	Acceptable Values	Business Rules	Comments
			<p>If FormType = PP, then the following values are valid: MP, IR, NP</p> <p>If FormType = SM, then the following values are valid: LT, FL, MP, IR, NP, CM, NA, NB</p> <p>*if there are multiple weights and Letters and Post Cards as the processing categories then you must provide separate lineitems for cards and letters in this block.</p>	
BarcodeRate	Mailxml_base:barcodeRateType		Required	Refer Appendix B
EntryDiscount	Mailxml_base:entryDiscountType		<p>Required field</p> <p>If FormType = BP, then this field must be N, B, S, or D</p> <p>If FormType = FC, then this field must be N</p> <p>If FormType = ML, then this field must be N</p> <p>If FormType = PM, then this field must be N</p> <p>If FormType = PP, then this field must be B, S, D, or N</p> <p>If FormType = SM, then this field must be N, B, S, or D</p>	Refer Appendix B
LineLabel	String, 80 characters		Optional field	
LineNumber	String, 3 characters		<p>Optional field</p> <p>This field will be ignored if</p>	

<b>Mail.XML 10.0C - complexType: LineItemSummaryData</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			populated; LineNumber will only be taken into account for Full-Service discount lines	
PiecePostage	Double		Optional field up to four decimal places	
PieceRate	Double		Optional field up to three decimal places	
MarketingOrFulfillmentType	Mailxml_base:marketingOrFulfillmentType		Optional	Refer Appendix B
ContentOfMail	Mailxml_base:contentOfMailType		Optional	Refer Appendix B
StandardFlatType	standardFlatType Type simple type	-	Optional	Refer to this simple type in Appendix B
PostageAmount	Double		Required field up to four decimal places	
PoundPostage	Double		Optional field up to four decimal places	
PoundRate	Double		Optional field up to three decimal places	
PreparedAsSM	Mailxml_base:yesNo	Yes or No	Required  The "True" indicates that mail is actually prepared as Standard when the RateCategory=S  The "False" indicates that mail is actually prepared as First Class when the RateCategory=S	

<b>Mail.XML 10.0C - complexType: LineItemSummaryData</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
RateCategory	Mailxml_base:rateCategoryType		<p>Required field</p> <p>If FormType = BP, then this field must be D, N, or S</p> <p>If FormType = FC, then this field must be E, H, L1, L2, L3, L4, N, or S</p> <p>If FormType = ML, then this field must be G, N, S</p> <p>If FormType = PM, then this field must be S</p> <p>If FormType = PP, then this field must be G, K, S, Z1, or Z2</p> <p>If FormType = SM, then this field must be A, B, E, H, N, AF, BF, DF, L1, L2, L5, L6, L7, L8, NG, NK, N5, N6, PI, PM, P7, P8, PE, PQ, PR, PG, PK, P5, or P6</p>	Refer Appendix B
Section	String, 1 character		Optional field	
SurchargeType	Mailxml_base:surchargeType		<p>Required</p> <p>If FormType = BP, this field must be N</p> <p>If FormType = FC, this field must be A, E, N, or R</p> <p>If FormType = ML, this field must be N</p> <p>If FormType = PM, this field must be D, E, N, or P</p> <p>If FormType = PP, this field must be 2 or N</p> <p>If FormType = SM, this field must be L</p>	Refer Appendix B

<b>Mail.XML 10.0C - complexType: LineItemSummaryData</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			or N	
TotalPieces	Non-negative Integer		Required	
TotalWeight	Double		Optional field, up to four decimal places.  The value of TotalWeight must be in Pounds.	
WeightBreakType	Mailxml_base:weightBreakType		Optional field. Required when piece weights are non-identical.  If FormType is BP this field must be N. If FormType is FC this field must be A, B or N. If FormType is ML this field must be N. If FormType is PM this field must be N. If FormType is PP this field must be N. If FormType is SM this field must be A, B or H.	Refer Appendix B
Zone	Mailxml_base:zoneIType		Optional field  If FormType is BP, this field must be N, 1, 3, 4, 5, 6, 7, or 8, DDU, SCF If FormType is FC, this field must be N If FormType is ML, this field must be N  If FormType is PM, this field must be N, 1, 3, 4, 5, 6, 7, or 8 If FormType is SM, this field must be N	Refer Appendix B



<b>Mail.XML 10.0C - complexType: LineItemSummaryData</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
FlatRateIndicator	mailxml_base:flatRateIndicatorType		Optional field If Form Type is PM this field must be B, E, L or M or S.	Refer Appendix B
USPSPackageUniqueCharacteristic	Mailxml_base:uspsPackageUniqueCharacteristicType		Optional	Refer Appendix B
USPSPriceIncentiveType	Mailxml_base:USPSPriceIncentiveType		Optional  The <i>PostalOne!</i> system does not perform any validation on PermitNumber when this field data is provided.  The Mailer can use "PostageAffixedReplyRidesFree" only for First Class Mail Letters and must be Full-Service IMb mail pieces weighing between 1 to 1.2 oz but will be processed at 2Oz price rate.	Refer Appendix B
USPSPriceIncentiveID	Mailxml_base:USPSPriceIncentiveIDType		Optional  This field is ignored.	Refer Appendix B
<b>LineItemSummaryData Block END</b>				

#### 4.29 complexType: MailOwnerBlockType

**Blocks Included:**  
MailOwner

<b>Mail.XML 10.0C - complexType: MailOwnerBlockType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>

<b>Mail.XML 10.0C - complexType: MailOwnerBlockType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
MailOwnerBlockType BEGINS			Optional Block	
CRID	Mailxml_base:CRIDType	Refer simple type definition	Optional	Refer Appendix B
SchedulerID	String 12	-	Optional	-
MaildatUserLicense	Mailxml_base:userLicenseCodeType	Refer simple type definition	Optional	Refer Appendix B
PermitPublicationData Block	permitPublicationData Type	Refer complex type definition in Appendix D	Optional	Refer Appendix D
Choice Block BEGINS			Optional	
MailOwnerMID6	Numeric String 6	-	Either MailOwnerMID6 or MailOwnerMID9 is required when this choice block is used.	-
MailOwnerMID9	Numeric String 9	-	Either MailOwnerMID6 or MailOwnerMID9 is required when this choice block is used.	
Choice Block ENDS				
MailOwnerBlockType ENDS				

#### 4.30 complexType: MailPieceBlockGroupType

<b>Mail.XML 10.0C - complexType: MailPieceBlockGroupType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>MailPieceBlockGroupType BEGINS</b>				
ContainerID	String 6		Required	
ContainerDetailID	String 9		Optional. Links Qual, Postage, and Mailpiece data	-

Mail.XML 10.0C - complexType: MailPieceBlockGroupType				
Field	Format	Acceptable Values	Business Rules	Comments
BundleID	String 12		Optional	
MailPieceBlock	mailPieceBlockType complex type		Required  1 to many can be submitted	Refer to this complex type in Appendix A
<b>MailPieceBlockGroupType ENDS</b>				

#### 4.31 complexType: MailPieceBlockType

Mail.XML 10.0C - complexType: MailPieceBlockType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>MailPieceBlockType BEGINS</b>				
ServiceLevelIndicator	serviceLevelIndicatorType		Required  For Full-Service / Mixed Service mailings, the ServiceLevelIndicator field must be populated with 'F' when its associated ContainerID has the ServiceLevelIndicator field in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message populated with 'F'.	Refer to this simple type in Appendix B
Choice Block BEGINS			OPTIONAL.  If provided then either LOTSequence Data or	-

<b>Mail.XML 10.0C - complexType: MailPieceBlockType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			WalkSequence data should be provided.	
Sequence Block BEGINS				
LOTSequenceDirectionCode	String, 1 character		Either WalkSequenceNumber or combination of LOTSequenceDirectionCode and LOTSequenceNumber should be provided.	
LOTSequenceNumber	Number, 4 characters		Either WalkSequenceNumber or combination of LOTSequenceDirectionCode and LOTSequenceNumber should be provided	
Sequence Block ENDS				
WalkSequenceNumber	Number, 5 characters		Either WalkSequenceNumber or combination of LOTSequenceDirectionCode and LOTSequenceNumber	
Choice Block ENDS				
Choice Block BEGINS			Optional  Either IMB or PlantCode with DeliveryPointZip OR DeliveryContainerID with DeliveryPointZip is required, if this choice block is used.	

<b>Mail.XML 10.0C - complexType: MailPieceBlockType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
IMB Block	IntelligentMailBarcodeType		Required Block.  Only one occurrence is allowed	Refer to this complex type in Appendix A
Sequence Block BEGINS				
PlanetCode	planetCodeType simple type		Not required	Refer to this simple type in Appendix B
DeliveryPointZIP	:routingZipCodeType		Conditionally required if PlanetCode is submitted	Refer to this simple type in Appendix B
Sequence Block ENDS				
Sequence Block BEGINS				
DeliveryContainerID	Numeric string, 22 characters		Field not being supported	
DeliveryPointZIP	routingZipCodeType	Refer 'routingZipCodeType' simple type	Field not being supported in conjunction with DeliveryContainerID	Refer to this simple type in Appendix B
Sequence Block ENDS				
Choice Block ENDS				
PieceID	String, 22 characters		Required	
WastedPieceIndicator	wastedPieceIndicatorType		Not required	Refer to this simple type in Appendix B
MLOCRrateANDpostageMarking	String, 7 characters		Not required	Refer DMM section 705.5.3.2 identified as "Price and Postage Marking" to understand how this field should be populated.
MoveComplianceUpdateMethod	moveUpdateMethodType		Not required	Refer to this simple type in Appendix B

<b>Mail.XML 10.0C - complexType: MailPieceBlockType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
MailOwner	mailOwnerBlockType complex type		Optional Block	See this complex type in Appendix D
BarCodeApplicator Block	ParticipantIDType complex type	-	Optional	See this complex type in Appendix D
MachineID	String, 4 characters		Optional	
ACSKeyline	String, 16 characters		Optional	
HoldForPickup	yesNo simple type	-	Optional	Refer to this simple type in Appendix B
NumberOfPiecesToHold	positiveInteger	-	Optional	-
<b>MailPieceBlockType ENDS</b>				

### 4.32 complexType: MailerDataType

**Blocks Included:**

PermitHolderData  
MailingOwnerData  
MailingAgentData  
PermitHolderForAPData  
PublisherData

<b>Mail.XML 10.0C - complexType: MailerDataType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
MailerDataType Block BEGINS				
Address1	String 64		(1-1) Required	
Address2	String 64		(0-1) Optional	
City	String 45		(0-1) Optional	
Country	String 45		(0-1) Optional	
DunsNumber	String 20		(0-1) Optional	
Email	Email		(0-1) Optional	
MID Block	Complex			See MIDType in Appendix D for Details
CRID	CRIDType		Optional	Refer to this simple type in Appendix B
ContactName	String, 60 characters		Required	USPS ignores this contact

<b>Mail.XML 10.0C - complexType: MailerDataType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
				name and picks up the contact info tied to the permit in the permit system.
PermitPublicationData Block	Complex		Optional	See PermitPublicationDataType in Appendix D for Details
PhoneAreaCode	String Exactly 3		Required	
PhoneExtension	String 5		Optional	
PhoneLast4	String Exactly 4		Required	
PhonePrefix	String Exactly 3		Required	
State	Mailxml_base:StateCode	Refer Appendix B for this simple type definition	Optional	Refer Appendix B
ZipCode	Numeric String, 9		Required	
ZipCode4	String Exactly 4		Optional	
MailerDataType Block ends				

#### 4.33 complexType: MailerDataRequestType

<b>Mail.XML 10.0C - complexType: MailerDataRequestType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
MailerDataRequestType Block BEGINS				
MID	MIDType complex type		Optional Block	Refer to this complex type in Appendix A
CRID	CRIDType simple type	-	Optional	Refer to this simple type in Appendix B
ContactName	String, 60 characters		Required	
PermitPublicationData	permitPublicationDataType		Required	Refer to this complex type

Mail.XML 10.0C - complexType: MailerDataRequestType				
Field	Format	Acceptable Values	Business Rules	Comments
	complex type			in Appendix A
MailerDataRequestType Block ENDS				

#### 4.34 complexType: MailerSerialNumberBlockType

Mail.XML 10.0C - complexType: MailerSerialNumberBlockType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>MailerSerialNumberBlockType BEGINS</b>				
<b>Choice Block BEGINS</b>			Required Either MailerID6/SerialNumber9 OR MailerID9/SerialNumber6 is allowed	
MailerID6	MailerID6Type simple type	-	Required	Refer to this simple type in Appendix B
SerialNumber9	iMBSerialNumber9Type simple type	-	Required	Refer to this simple type in Appendix B
MailerID9	MailerID9Type simple type	-	Required	Refer to this simple type in Appendix B
SerialNumber6	iMBSerialNumber6Type simple type	-	Required	Refer to this simple type in Appendix B
<b>Choice Block ENDS</b>				
DeliveryPointZip	RoutingZipCodeType simple type	-	Optional	Refer this simple type Appendix B
<b>MailerSerialNumberBlockType ENDS</b>				



#### 4.35 complexType: MailingGroupDataType

Mail.XML 10.0C - complexType: MailingGroupDataType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>MailingGroupDataType BEGINS</b>				
CustomerDescription	String 50	-	Optional	-
SubmitterCRID	CRIDType simple type	-	Required	Refer to this simple type in Appendix B
PermitPublicationData	permitPublicationData type complex type	-	Required	Refer to this complex type in Appendix A
PostOfficeOfMailingZip	Exact String 5	-	Required	-
MailingFacility	CRIDType simple type	-	Optional	Refer to this simple type in Appendix B
MailXMLPresentationCategory	mailXMLPresentationCategoryType simple type	-	Required	Refer to this simple type in Appendix B
MailerID	String	-	Optional	-
FullServiceParticipationIndicator	fspiType simple type	-	Optional	Refer to this simple type in Appendix B
MailAgreementType	mailAgreementTypeType simple type	-	Optional	Refer to this simple type in Appendix B
ContractNumber	String 20	-	Optional	-
OnePassIndicator	yesNo simple type	-	Optional	Refer to this simple type in Appendix B
LogicalPhysicalContainerIndicator	LogicalPhysicalContainerIndicatorType simple type	-	Optional	Refer to this simple type in Appendix B
<b>MailingGroupDataType ENDS</b>				

#### 4.36 complexType: MailingGroupSummary

Mail.XML 10.0C - complexType: MailingGroupSummary				
Field	Format	Acceptable Values	Business Rules	Comments

<b>Mail.XML 10.0C - complexType: MailingGroupSummary</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>MailingGroupSummary BEGINS</b>				
MailerJOBID	String	-	Required	-
BeginDate	DateTime	-	Required	
EndDate	DateTime	-	Required	-
OpenDate	DateTime	-	Required	-
CloseDate	DateTime	-	Required	-
PreparerName	String	-	Required	-
PreparerCRID	CRIDType simple type	-	Required	Refer to this simple type in Appendix B
Origin	String	-	Required	-
Description	String	-	Required	-
<b>MailingGroupSummary ENDS</b>				

#### 4.37 complexType: MIDType

**Blocks Included:**  
MID

<b>Mail.XML 10.0C - complexType: MIDType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
MIDType Block BEGINS			Contains six or nine digit MIDs	
MID6	String, 6 characters		Conditionally required if MID9 is not submitted	
MID9	String, 9 characters		Conditionally required if MID6 is not submitted	
MIDType Block ENDS				

#### 4.38 attributeGroup: MailXMLOpenMailGroupRequestHeaderInfo

<b>Mail.XML 10.0C - attributeGroup: MailXMLOpenMailGroupRequestHeaderInfo</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
CustomerGroupID	String 25		Required	-

#### 4.39 attributeGroup: MailXMLMailOpenGroupResponseAcceptHeaderInfo

<b>Mail.XML 10.0C - attributeGroup: MailXMLMailOpenGroupResponseAcceptHeaderInfo</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>

<b>Mail.XML 10.0C - attributeGroup: MailXMLMailOpenGroupResponseAcceptHeaderInfo</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
CustomerGroupID	String 25		Required	-
MailingGroupID	nonNegativeInteger	-	Required	-
Status	statusType simple type	-	Optional	Refer to this simple type in Appendix B

#### **4.40 attributeGroup: MailXMLMailOpenGroupResponseRejectHeaderInfo**

<b>Mail.XML 10.0C - attributeGroup: MailXMLMailOpenGroupResponseRejectHeaderInfo</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
CustomerGroupID	String 25		Required	-
MailingGroupID	nonNegativeInteger	-	Required	-
Status	statusType simple type	-	Optional	Refer to this simple type in Appendix B

#### **4.41 attributeGroup: MailXMLDashboardHeaderInfo**

<b>Mail.XML 10.0C - attributeGroup: MailXMLDashboardHeaderInfo</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
CustomerGroupID	String 25		Required	-
MailingGroupID	nonNegativeInteger	-	Required	-

#### **4.42 attributeGroup: MailXMLMailGroupRequestHeaderInfo**

<b>Mail.XML 10.0C - attributeGroup: MailXMLMailGroupRequestHeaderInfo</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
CustomerGroupID	String 25		Required	-
MailingGroupID	nonNegativeInteger	-	Required	-

#### **4.43 attributeGroup: MailXMLMailGroupResponseHeaderInfo**

<b>Mail.XML 10.0C - attributeGroup: MailXMLMailGroupResponseHeaderInfo</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>

<b>Mail.XML 10.0C - attributeGroup: MailXMLMailGroupResponseHeaderInfo</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
CustomerGroupID	String 25		Required	-
MailingGroupID	nonNegativeInteger	-	Required	-
Status	statusType simple type	-	Optional	Refer to this simple type in Appendix B

#### 4.44 attributeGroup: MailXMLHeaderInfo

<b>Mail.XML 10.0C - attributeGroup: MailXMLHeaderInfo</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
User License Code	UserLicenseCode simple type		Optional	Refer to this simple type in Appendix B
Maildat Job ID	jobIDType simple type	-	Optional	Refer to this simple type in Appendix B
Customer Group ID	String, 25 character	-	Optional	-
Mailing Group ID	Non Negative Integer	-	Optional	-

#### 4.45 attributeGroup: MailXMLMsgResponseHeaderInfo

<b>Mail.XML 10.0C - attributeGroup: MailXMLMsgResponseHeaderInfo</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
MailXMLMsgResponseHeaderInfo Block BEGINS			Attributes block	
CustomerGroupID	String, 25 characters		Required (attribute)	
MailingGroupID	Non-negative Integer		Required (attribute)	
Status	StatusType simple type	-	Optional	Refer to this simple type in Appendix B
MailXMLMsgResponseHeaderInfo Block ENDS				

#### 4.46 complexType: MailXMLPieceRangeBlockType

<b>Mail.XML 10.0C - complexType: MailXMLPieceRangeBlockType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>MailXMLPieceRangeBlock</b>				

<b>Mail.XML 10.0C - complexType: MailXMLPieceRangeBlockType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>kType BEGINS</b>				
ContainerID	String 6		Required  1 to many allowed	
<b>PieceRangeBlock Block BEGINS</b>				
PieceRangeID	String 22		Required	
IMBarcodeLowerSerialization Block BEGINS			Required Only one can be submitted	
<b>Choice Block BEGINS</b>				
<b>Sequence Block # 1 BEGINS</b>				
MailerID6	mailerID6Type		Required Only one pairing of MailerID and SerialNumber is required  If provided, MailerID6 fields must be the same in the IMbarcodeUpperSerialization and IMbarcodeLowerSerialization blocks	Refer Appendix B
SerialNumber9	iMBSerialNumber9 Type		Required Only one pairing of MailerID and SerialNumber is required	Refer Appendix B
<b>Sequence Block # 1 ENDS</b>				
<b>Sequence Block # 2 BEGINS</b>				
MailerID9	mailerID9Type		Required Only one pairing of MailerID and	Refer Appendix B

<b>Mail.XML 10.0C - complexType: MailXMLPieceRangeBlockType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			SerialNumber is required  If provided, MailerID9 fields must be the same in the IMbarcodeUpperSerialization and IMbarcodeLowerSerialization blocks	
SerialNumber6	iMBSerialNumber6 Type		Required Only one pairing of MailerID and SerialNumber is required	Refer Appendix B
Sequence Block # 2 ENDS				
Choice Block ENDS				
IMBarcodeLowerSerialization Block ends				
IMBarcodeUpperSerialization Block BEGINS			Required Only one can be submitted	
Choice Block BEGINS				
Sequence Block BEGINS				
MailerID6	mailerID6Type		Required Only one pairing of MailerID and SerialNumber is required  If provided, MailerID6 fields must be the same in the IMbarcodeUpperSerialization and IMbarcodeLowerSerialization blocks	Refer Appendix B
SerialNumber9	iMBSerialNumber9 Type		Required Only one	

<b>Mail.XML 10.0C - complexType: MailXMLPieceRangeBlockType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			pairing of MailerID and SerialNumber is required	
Sequence Block ENDS				
Sequence Block BEGINS				
MailerID9	mailerID9Type		Required Only one pairing of MailerID and SerialNumber is required  If provided, MailerID9 fields must be the same in the IMbarcodeUpperSerialization and IMbarcodeLowerSerialization blocks	Refer Appendix B
SerialNumber6	iMBSerialNumber6 Type		Required Only one pairing of MailerID and SerialNumber is required	
Sequence Block ENDS				
Choice Block ENDS				
IMBarcodeUpperSerialization Block ends				
MailPreparer Block	ParticipantIDType		Conditionally required for Full-Service mailings. If not provided then user will get Full-Service compliance error and no Full-Service data feedback will be available to the mailer.	See Appendix D for Details

<b>Mail.XML 10.0C - complexType: MailXMLPieceRangeBlockType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
MailOwner Block	ParticipantIDType		Conditionally required for Full-Service mailings. If not provided then user will get Full-Service compliance error and no Full-Service data feedback will be available to the mailer.	See Appendix D for Details
Choice Block BEGINS			Required  ServiceCode or MailClass	
ServiceTypeCode	serviceTypeCodeType		Conditionally required for Full-Service / Mixed Service mailings if Mail Class is not provided.	Refer Appendix B
MailClass	mailClassType		Conditionally required for Full-Service / Mixed Service mailings if Service Type Code is not provided.	Refer Appendix B
Choice Block ENDS				
ServiceLevelIndicator	serviceLevelIndicatorType		Required  For Full-Service / Mixed Service mailings, the ServiceLevelIndicator field must be populated with 'F' when its associated	Refer Appendix B



Mail.XML 10.0C - complexType: MailXMLPieceRangeBlockType				
Field	Format	Acceptable Values	Business Rules	Comments
			ContainerID has the ServiceLevelIndicator field in the QualificationReportSummaryCreateRequest/QualificationReportDetailCreateRequest message populated with 'F'.	
Pieces	Non-Negative Integer		Required 1 to many allowed  If the FullServiceParticipationIndicator field is populated with a 'F', then the IMbarcodeUpperSerialization block minus the IMbarcodeLowerSerialization block is equal to the piece count and the copy count.	
Copies	Non-Negative Integer		Required 1 to many allowed  If the FullServiceParticipationIndicator field is populated with a 'F', then the IMbarcodeUpperSerialization block minus the IMbarcodeLower	

Mail.XML 10.0C - complexType: MailXMLPieceRangeBlockType				
Field	Format	Acceptable Values	Business Rules	Comments
			erSerialization block is equal to the piece count and the copy count.	
<b>PieceRangeBlock Block ENDS</b>				
<b>MailXMLPieceRangeBlockType ENDS</b>				

#### 4.47 attributeGroup: MailXMLPostageStatementResponseHeaderInfo

Mail.XML 10.0C - attributeGroup: MailXMLPostageStatementResponseHeaderInfo				
Field	Format	Acceptable Values	Business Rules	Comments
MailXMLPostageStatementResponseHeaderInfo			Attributes block; Required	
Block BEGINS				
CustomerGroupID	String, 25 characters		Required (attribute)	
MailingGroupID	Non-negative Integer		Required (attribute)	
Status	Mailxml_base:statusType	Refer simple type definition in Appendix B	Optional	Refer Appendix B
MailXMLPostageStatementResponseHeaderInfo				
Block ENDS				

#### 4.48 attributeGroup: MailXMLPostageStatementRequestHeaderInfo

Mail.XML 10.0C - attributeGroup: MailXMLPostageStatementRequestHeaderInfo				
Field	Format	Acceptable Values	Business Rules	Comments
MailXMLPostageStatementRequestHeaderInfo			Attributes block; Required	
Block BEGINS				
CustomerGroupID	String, 25 characters		Required (attribute)	
MailingGroupID	Non-negative Integer		Required (attribute)	

<b>Mail.XML 10.0C - attributeGroup: MailXMLPostageStatementRequestHeaderInfo</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
IssueDate	Date	-	Optional	-
IssueNumber	String 6	-	Optional	-
VolumeNumber	String 5	-	Optional	-
CustomerReferenceID	String 40	-	Optional	CustomerReferenceID represents CAPS Account Number
AgencyCostCode	agencyCostCodeType simple type	-	Optional	Refer this simple type Appendix B
PermitNumber	String 8	-	Optional	-
PermitType	permitTypeType simple type	-	Optional	Refer to this simple type in Appendix B
PermitZip4	Numeric String 9	-	Optional	-
PublicationNumber	String 8	-	Optional	
PostageStatementMethod	postagePaymentMethodType simple type	-	Optional	Refer to this simple type in Appendix B
RateType	RateType simple type	-	Optional	Refer to this simple type in Appendix B
ProcessingCategory	processingCategoryType simple type	-	Optional	Refer to this simple type in Appendix B
<b>MailXMLPostageStatementRequestHeaderInfo</b>				
<b>Block ENDS</b>				

#### 4.49 attributeGroup: MailXMLQualReportRequestHeaderInfo

<b>Mail.XML 10.0C - attributeGroup: MailXMLQualReportRequestHeaderInfo</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>MailXMLQualReportRequestHeaderInfo block BEGINS</b>				
CustomerGroupID	String, 25 characters		Required field; must be populated with the same value as the	

Mail.XML 10.0C - attributeGroup: MailXMLQualReportRequestHeaderInfo				
Field	Format	Acceptable Values	Business Rules	Comments
			CustomerGroupID in the OpenMailingGroupRequest message	
MailingGroupID	Non-Negative Integer		Required field; must be populated with the same value as the MailingGroupID in the OpenMailingGroupRequest message	
Replace	yesNo	Yes No	Optional field	
MixedMailFlag	yesNo	Yes or No	Required. To identify the mixed mailing.	-
TotalMessageCount	positiveInteger	-	Required. Must be same as the total number of Qualification Report Detail Create messages.	-
TotalDocVersionsWithPermitBlocksCount	nonNegativeInteger	-	Required. When used in the Qualification Report Summary Create Request it must be the total number of Doc Versions submitted as part of the whole transmission. When used in the Qualification Report Detail Create Request it must be the total number of Doc Versions	

Mail.XML 10.0C - attributeGroup: MailXMLQualReportRequestHeaderInfo				
Field	Format	Acceptable Values	Business Rules	Comments
			that are inside that given Qualification Report Detail Create Request.	
LastMessage	yesNo	Yes No	Optional. This field is ignored in PostalOne! It is for a future release.	
<b>MailXMLQualReportRequestHeaderInfo ENDS</b>				

#### 4.50 attributeGroup: MailXMLQualReportResponseHeaderInfo

Mail.XML 10.0C - attributeGroup: MailXMLQualReportResponseHeaderInfo				
Field	Format	Acceptable Values	Business Rules	Comments
<b>MailXMLQualReportResponseHeaderInfo block BEGINS</b>				
CustomerGroupID	String, 25 characters		Required field; must be populated with the same value as the CustomerGroupID in the OpenMailingGroupRequest message	
MailingGroupID	Non-Negative Integer		Required field; must be populated with the same value as the MailingGroupID in the OpenMailingGroupRequest message	
MessageSequenceNumber	String 20	-	Optional field	
<b>MailXMLQualReportResponseHeaderInfo ENDS</b>				

#### 4.51 complexType: palletContainerVersionRecordType

Mail.XML 10.0C - complexType: palletContainerVersionRecordType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>PalletContainerVersionRecords block BEGINS</b>			Optional block; 0 to many pairings can be submitted depending upon the number of PalletMPURecords (used for Pallet charges)	
DocumentVersionData	DocumentVersionData complex type		Required	Refer to this complex type in Appendix A
PublicationInfo	permitPublicationDataType complex type		Required	Refer to this complex type in Appendix A
PublicationTitle	String, 60 characters		Required	
PostageStatementLineNumber	postageStatementLineNumber1Type		Optional field; uses the Container Level and Entry level to find the lines	Refer to this simple type in Appendix B
ChargeableContainerLevel	chargeableContainerLevelType		Required field; <BLANK> = NULL is not supported	Refer to this simple type in Appendix B
ChargeableEntryLevel	chargeableEntryLevelType		Required field; <BLANK> = NULL is not supported	Refer to this simple type in Appendix B
Containers	Double		Required	
IssueDate	Date	YYYY-MM-DD	Required	
IssueNumber	String, 6 characters		Optional	
VolumeNumber	String, 5 characters		Optional	
<b>PalletContainerVersionRecords block ends</b>				

#### 4.52 complexType: palletContainerRecordType

Mail.XML 10.0C - complexType: palletContainerRecordType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>PalletContainerRecords block BEGINS</b>			Optional block; 0 to many pairings can	

<b>Mail.XML 10.0C - complexType: palletContainerRecordType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			be submitted depending upon the number of PalletMPURecords (used for Pallet charges)	
PublicationInfo	permitPublicationDataType complex type		Required	Refer to this complex type in Appendix A
PublicationTitle	String, 60 characters		Required	
PostageStatementLineNumber	postageStatementLineNumber1Type		Optional field; uses the Container Level and Entry level to find the lines	Refer to this simple type in Appendix B
ChargeableContainerLevel	chargeableContainerLevelType		Required field; <BLANK> = NULL is not supported	Refer to this simple type in Appendix B
ChargeableEntryLevel	chargeableEntryLevelType		Required field; <BLANK> = NULL is not supported	Refer to this simple type in Appendix B
Containers	Double		Required	
IssueDate	Date	YYYY-MM-DD	Required	
IssueNumber	String, 6 characters		Optional	
VolumeNumber	String, 5 characters		Optional	
<b>PalletContainerRecords block ends</b>				

#### 4.53 complexType: PieceBarcodeRecordBlockType

<b>Mail.XML 10.0C - complexType: PieceBarcodeRecordBlockType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>PieceBarcodeRecordBlockType BEGINS</b>				
PieceBarcodeRecordUniqueID	Integer	-	Required	-
ContainerID	String 6	-	Required	-
ContainerDetailID	String 9	-	Required	-
BundleID	String 6	-	Optional	-
MailerSerialNumberBlock	mailerSerialNumberBlockType	-	Required	Refer to this complex type

<b>Mail.XML 10.0C - complexType: PieceBarcodeRecordBlockType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
	complex type			in Appendix A
WastedPieceIndicator	WastedPieceIndicatorType simple type	-	Optional	Refer to this simple type in Appendix B
PackagesID	packagesIDType simple type	-	Required	Refer this simple type in Appendix D
CQTDatabasesID	CQTDatabasesID Type simple type	-	Required	Refer this simple type in Appendix D
<b>Choice Block BEGINS</b>			Required Either IMB or IMPackageBarcode	
IMB	intelligentMailBarcodeType complex type	-	Required	Refer to this complex type in Appendix A
IMPackageBarcode	intelligentMailPackageBarcodeType complex type	-	Required	Refer to this complex type in Appendix A
<b>Choice Block ENDS</b>				
<b>PieceBarcodeRecordBlockType ENDS</b>				

#### 4.54 complexType: PieceBarcodeRecordBlockForMailXMLType

<b>Mail.XML 10.0C - complexType: PieceBarcodeRecordBlockForMailXMLType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>PieceBarcodeRecordBlockForMailXMLType BEGINS</b>				
PieceBarcodeRecordUniqueID	Integer	-	Required	-
ContainerID	String 6	-	Required	-
ContainerDetailID	String 9	-	Required	-
BundleID	String 6	-	Optional	-
MailerSerialNumberBlock	mailerSerialNumberBlockType complex type	-	Required	Refer to this complex type in Appendix



Mail.XML 10.0C - complexType: PieceBarcodeRecordBlockForMailXMLType				
Field	Format	Acceptable Values	Business Rules	Comments
				A
WastedPieceIndicator	WastedPieceIndicatorType simple type	-	Optional	Refer to this simple type in Appendix B
<b>Choice Block BEGINS</b>			Required Either IMB or IMPackageBarcode	
IMB	intelligentMailBarcodeType complex type	-	Required	Refer to this complex type in Appendix A
IMPackageBarcode	intelligentMailPackageBarcodeType complex type	-	Required	Refer to this complex type in Appendix A
<b>Choice Block ENDS</b>				
<b>PieceBarcodeRecordBlockForMailXMLType ENDS</b>				

#### 4.55 complexType: PeriodicalLineItemData

Mail.XML 10.0C - complexType: PeriodicalLineItemData				
Field	Format	Acceptable Values	Business Rules	Comments
<b>PeriodicalLineItemData BEGINS</b>				
Copies	nonNegativeInteger	-	Optional	-
ContainerDetailID	String 9	-	Optional	-
DiscountQty	Double	-	Optional	-
PeriodicalPrice	periodicalPriceType simple type	-	Optional	Refer to this simple type in Appendix B
InOutCountyIndicator	inCountyOutCountyIndicatorType	-	Required	-
LineLabel	String 80	-	Optional	-

LineNumber	String 3	-	Optional This field will be ignored if populated; LineNumber will only be taken into account for Full-Service discount lines	-
NonCopies	nonNegativeInteger	-	Optional	-
PieceRate	Double	-	Optional	-
Pieces	nonNegativeInteger	-	Optional	-
PostageAmount	Double	-	Optional	-
PoundRate	Double	-	Optional	-
RateCategory	rateCategoryType simple type	-	Optional	Refer to this simple type in Appendix B
Section	String 1	-	Optional	-
SubreqCopies	nonNegativeInteger	-	Optional	-
Zone	zoneICType simple type	-	Optional	Refer to this simple type in Appendix B
ChargeableContainerType	chargeableContainerType simple type	-	Optional	Refer to this simple type in Appendix B
ChargeableContainerLevel	chargeableContainerLevelType simple type	-	Optional	Refer to this simple type in Appendix B
ContainerID	String 6	-	Optional	-
ChargeableBundleLevel	chargeableBundleLevelType simple type	-	Optional	Refer to this simple type in Appendix B
Bundles	Double	-	Optional	-
ChargeableEntryLevel	chargeableEntryLevelType simple type	-	Optional	Refer to this simple type in Appendix B
Containers	Double	-	Optional	-
MachinableFlag	yesNo	Yes or No	Optional	-
FullServiceParticipationIndicator	fspiType simple type	-	Optional	Refer to this simple type in Appendix B
USPSPackageUniqueCharacteristic	uspsPackageCharacteristicType simple type	-	Optional	Refer to this simple type in Appendix B
USPSPriceIncentiveType	USPSPriceIncent	-	Optional	Refer to this

	iveType simple type			simple type in Appendix B
USPSPriceIncentiveID	USPSPriceIncentiveIDType simple type	-	Optional This field is ignored.	Refer to this simple type in Appendix B
HoldForPickup	yesNo	Yes or No	Optional	-
NumberOfPiecesToHold	positiveInteger	-	Optional	-

#### 4.56 complexType: PeriodicalStatementDataType

Mail.XML 10.0C - complexType: PeriodicalStatementDataType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>PeriodicalStatementDataType</b> <b>Block BEGINS</b>				
AdvertisingPercentage	PercentageType simple type		Required field; 5 total digits with a max value of 100.00	<i>Refer to this simple type in Appendix B</i>
DeliveryStatisticsFileDate	Date	-	Optional.  Allows USPS to validate the correct file date for simplified addresses.	-
AutomationAddressMatchDate	Date	YYYY-MM-DD	Optional field; Required for Automation mailings  The system will validate that this field cannot be more than 90 calendar days before the PostageStatement MailingDate for Carrier Route mail (RateCategory A, B, D, AF, BF, or DF). The field cannot be more than 180 calendar	

Mail.XML 10.0C - complexType: PeriodicalStatementDataType				
Field	Format	Acceptable Values	Business Rules	Comments
			days before the PostageStatement MailingDate for non-Carrier Route Mail (RateCategory is E, H, L, L1, L2, L3, or L4).  The mailer must specify the date when the address list was generated.	
CustomerReferenceID	String, 40 characters		Optional field; Used to populate Customer Reference ID	CustomerReferenceID represents CAPS Account Number
UserPostageStatementID	String, 10 characters		Optional field; Used to populate User Postage Statement ID to uniquely identify postage statement	
CarrierRouteAddressMatchDate	Date	YYYY-MM-DD	Optional field; Required for Carrier Route Automation pieces	
CarrierRouteSequencingDate	Date	YYYY-MM-DD	Optional field; Required for Carrier Route Sequencing pieces	
CertificationData	CertificationDataType		Required block; data used in the certification section of the postage statement	See Appendix D for Details
ContainerCount	ContainerCountType		Required block; at least one of the fields in this block must be populated with a nonzero value	See Appendix D for Details
CopyWeight	Double		Required field; used for <i>PostalOne!</i> postage	

Mail.XML 10.0C - complexType: PeriodicalStatementDataType				
Field	Format	Acceptable Values	Business Rules	Comments
			calculation, <i>PostalOne!</i> accepts up to four decimals.  The value of CopyWeight must be in Pounds.	
EditionCode	String, 20 characters		Optional field; printed on postage statement if provided	
FirstIssueDate	Date	YYYY-MM-DD	Optional field; not used by <i>PostalOne!</i>	
FormType	Mailxml_base:formType	Refer 'formType' simple type	Required field	Refer Appendix B
IssueDate	Date	YYYY-MM-DD	Required field	
IssueFrequency	String, 20 characters		Optional field; populated with the frequency the postage statement comes from Publication data	
LastIssueDate	Date	YYYY-MM-DD	Optional field; not used by <i>PostalOne!</i>	
PostageStatementMailingDate	Date	YYYY-MM-DD	Required field; Used to determine prices and display on postage statement  It may be up to one year in future or back dated to most recent price change	
Over10	Mailxml_base:yesNo	Yes = Subscribers or Requesters over the 10% rule  No = No subscribers or requesters over the 10% rule	Required field	
LimitedCirculationDiscount Claimed	Mailxml_base:yesNo	Yes No	Required field	
PeriodicalLineItemData	PeriodicalLineItemData ELEMENT		Required block; data used to generate specific	Refer this in Appendix D

Mail.XML 10.0C - complexType: PeriodicalStatementDataType				
Field	Format	Acceptable Values	Business Rules	Comments
			line items of postage statement (one to many pairings)  One to many allowed	
PostagePaymentMethod	postagePaymentMethodType simple type		Required field	Refer to this simple type in Appendix B
ProcessingCategory	processingCategoryType simple type		Required field	Refer to this simple type in Appendix B
PublicationTitle	String, 60 characters		Optional field, <i>PostalOne!</i> uses this to get the Title	
CombinedMailingID	Non-negative Integer		Optional field, required if a combined mailing	
RateType	rateType		Required field	Refer to this simple type in Appendix B
SingleRideAlongWeight	double		Optional  The value of SingleRideAlongWeight must be in Pounds.	
StatementSequenceNumber	String, 20 characters		Optional field; displayed on postage statement if provided	
EntryFacilityType	entryFacilityType		Optional field; Required for discounts on dropping to entry facility type	Refer to this simple type in Appendix B
EntryZip	Numeric, exactly 5 characters		Optional field; displayed on the postage statement register info if provided	
AgencyCostCode	agencyCostCodeType simple type		Optional field; Required if a government publication (can	Refer to this simple type in Appendix B

<b>Mail.XML 10.0C - complexType: PeriodicalStatementDataType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			start with leading zeros)	
RepositionableNotesIndicator	Mailxml_base:yes No	NO = no repositionable notes  Yes = repositionable notes	Required field	
DocumentVersionData	DocumentVersionData Type		Optional block; Required for Version Summary Report	Refer to this complex type in Appendix A
MoveUpdateMethod	moveUpdateMethodType simple type		Optional field; does not apply for Periodicals	Refer to this simple type in Appendix B
VolumeNumber	String, 5	-	Optional	-
IssueNumber	String, 6	-	Optional	-
InCountyAddressedSupplementPieces	Non-negative Integer		Optional	
OutsideCountyAddressedSupplementPieces	Non-negative Integer		Optional	
PiecesExcludingAddressedSupplementPieces	Non-negative Integer		Required	
ContainerPostage	containerPostageType complex type	-	Optional. Allow 0 to many	Refer to this complex type in Appendix A
StatementID	Non-negative integer		Optional field	
MailClass	mailClassType simple type		Optional field	Refer to this simple type in Appendix B
Origin	String, 6 characters		Optional field	
PostageStatementStatus	postageStatementStatusType simple type		Optional field	Refer to this simple type in Appendix B
TotalCopies	Non-negative Integer		Required field	
TotalPieces	Non-negative Integer		Required field	
TotalPostageAmount	Double		Required field, two decimal places	
TotalWeight	Double		Required field, no	

Mail.XML 10.0C - complexType: PeriodicalStatementDataType				
Field	Format	Acceptable Values	Business Rules	Comments
			decimal places.  The value of TotalWeight must be in Pounds.	
MailingAgentData	mailerDataType complex type		Optional field; Required if there is a mailing agent for the mail owner	Refer to this complex type in Appendix A
PublisherData	mailerDataType complex type		Required block; <i>PostalOne!</i> uses this data to bill the postage statement	Refer to this complex type in Appendix A
PendingPostageAmount	Double	-	Optional, required for pending Periodicals, two decimal places provided.	
MailArrivalDateandTime	dateTime	-	Optional	-
PaymentDateandTime	dateTime	-	Optional	-
StartTheClockDate	Date	-	Optional	-
<b>PeriodicalStatementData block ENDS</b>				

#### 4.57 complexType: ParticipantIDType/ SubmittingParty

**Blocks Included:**  
SubmittingParty

Mail.XML 10.0C - complexType: ParticipantIDType/ SubmittingParty				
Field	Format	Acceptable Values	Business Rules	Comments
MailerID6	mailerID6Type simple type		Optional.  Either MailerID6 or MailerID9 can be provided.	Refer to this simple type in Appendix B
MailerID9	mailerID9Type simple type		Optional.  Either MailerID6 or MailerID9 can be provided.	Refer to this simple type in Appendix B
CRID	CRIDType simple type		Optional.  Either CRID or MailerID can be	Refer to this simple type in Appendix B



<b>Mail.XML 10.0C - complexType: ParticipantIDType/ SubmittingParty</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			provided	
SchedulerID	String, 12 characters		Optional	
MaildatUserLicense	userLicenseCodeType simple type		Optional	Refer to this simple type in Appendix B
ShippingAgentID	String 12	-	Optional	-
ReceivingAgentID	String 12	-	Optional	-

#### 4.58 complexType: PermitPublicationDataType

**Blocks Included:**

PermitPublicationData

PublicationInfo

<b>Mail.XML 10.0C - complexType: PermitPublicationDataType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>PermitPublicationDataType BEGINS</b>				
<b>Choice Block BEGINS</b>				
Sequence Block BEGINS				
PermitNumber	Numeric String – Length 8		Required  When PublicationNumber is not provided	
PermitType	permitTypeType simple type		Required  When PublicationNumber is not provided.	Refer to this simple type in Appendix B
PermitZip4	Numeric String 9		Required When PublicationNumber is not provided.	
Sequence Block ENDS				
PublicationNumber	String, 8		Required when PermitNumber, PermitType, and PermitZip4 are not provided.	

Mail.XML 10.0C - complexType: PermitPublicationDataType				
Field	Format	Acceptable Values	Business Rules	Comments
Choice Block ENDS				
PermitPublicationDataType ENDS				

#### 4.59 attributeGroup: PostageMessageHeaderInfo

Mail.XML 10.0C - complexType: PostageMessageHeaderInfo				
Field	Format	Acceptable Values	Business Rules	Comments
CustomerGroupID	String 25		Required	-
MailingGroupID	nonNegativeInteger	-	Required	-

#### 4.60 complexType: PostageStatementSummaryType

Mail.XML 10.0C - complexType: PostageStatementSummaryType				
Field	Format	Acceptable Values	Business Rules	Comments
PostageStatementSummary BEGINS				
StatementID	Non-negative Integer		Optional	
UserPostageStatementID	String, 10 characters		Optional	
UserPostageStatementSequenceID	Numeric String 10		Optional	
USPSPostageStatementSequenceID	Numeric String, 10 characters		Optional	
PostageStatementStatus	postageStatementStatusType simple type		Required	Refer this simple type in Appendix D
PostageStatementSummary ENDS				

#### 4.61 complexType: PostageStatementDataType

##### Blocks Included:

PostageStatementData

Mail.XML 10.0C - complexType: PostageStatementDataType				
Field	Format	Acceptable Values	Business Rules	Comments
PostageStatementDataType Block BEGINS			Required Only one can be submitted	

<b>Mail.XML 10.0C - complexType: PostageStatementDataType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
AgencyCostCode	Mailxml_base:agencyCostCodeType		Optional field  Required when Permit Type is OI or OM.	Refer 'agencyCost Code' simple type in Appendix B
DeliveryStatisticsFileDate	Date	-	Optional.  It allows USPS to validate that correct file is used when the pieces contains simplified addresses.	
AutomationAddressMatchDate	Date	YYYY-MM-DD	Conditionally required for Automation rate pieces.  The system will validate that this field cannot be more than 90 calendar days before the PostageStatement MailingDate for Carrier Route mail (RateCategory A, B, D, AF, BF, or DF). The field cannot be more than 180 calendar days before the PostageStatement MailingDate for non-Carrier Route Mail (RateCategory is E, H, L, L1, L2, L3, or L4).  The mailer must specify the date when the address list was generated.	
CustomerReferenceID	String, 40		Optional field.	CustomerRe

<b>Mail.XML 10.0C - complexType: PostageStatementDataType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
	characters		Mailers may submit up to 999 unique CustomerReferenceIDs.	referenceID represents CAPS Account Number
UserPostageStatementID	String, 10 characters		Optional field	
CarrierRouteAddressMatchDate	Date	YYYY-MM-DD	Conditionally required for Carrier Route rate pieces	
CarrierRouteSequencingDate	Date	YYYY-MM-DD	Conditionally required for Carrier Route rate pieces when Rate Category is A, AF, B, BF, D, or DF.	
CertificationData Block	certificationDataType		Required	See Appendix D for Details
ContainerCount Block	containerCountType		Required block; at least one of the fields in this block must be populated with a nonzero value	Refer "containerCountType" in Appendix D
EnclosedBy	Mailxml_base:enclosedByType	Refer 'enclosedByType' simple type	Optional field, Required for enclosure, must be set to PE	Refer Appendix B
DalPieces	Non-negative Integer		Optional field, required for Detached Addressed Labels. Must equal the number of pieces on Part I and J of the postage statement.	
EstimateIndicator	Mailxml_base:yesNo		Required.  When yes, the system will create	-

<b>Mail.XML 10.0C - complexType: PostageStatementDataType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			preliminary postage statements for MLOCR jobs.  This field is ignored for presort jobs.	
ExtendedForm	Mailxml_base:yesNo	True requires PostageStatementLinItemData; False requires LinItemSummaryData	Required field.  A single postage statement may contain either PostageStatementLinItemData or LinItemSummaryData	
FormType	Mailxml_base:formType	Refer 'formType' simple type	Required  Must be SM or FC when EnclosedBy is populated.	Refer Appendix B
LinItemSummaryData Block	LinItemSummaryData complex		Optional field 0 to many can be submitted when ExtendedForm is False	Refer "LinItemSummaryData" complex in Appendix D below.
PostageStatementLinItemData Block			Optional field must submit one to many if ExtendedForm is True.	Refer "PostageStatementLinItemData" complex in Appendix D below.
PostageStatementMailingDate	Date	YYYY-MM-DD	Required. Must equal the date specified in the Qualification Report.  It may be up to one year in future or back dated to most recent price change	
PackagingMethod	Mailxml_base:pa	Refer	Optional field	Refer

<b>Mail.XML 10.0C - complexType: PostageStatementDataType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
	packagingMethodType	'packagingMethodType' simple type	If FormType is BP this field must be 0, 1 or 2. If FormType is FC this field must be 0 or 1. If FormType is ML this field must be 0, 1 or 2. If FormType is SM this field must be 0, 1 or 2.	Appendix B
PostageAffixedAmount	Double		Optional (Conditionally required if the Postage Payment Method is 'M' or 'S') up to three decimal places	
PostagePaymentMethod	Mailxml_base:postagePaymentMethodType	Refer 'postagePaymentMethodType' simple type	Required If FormType is BP this field must be S, M or P. If FormType is FC this field must be S, M or P. If FormType is ML this field must be M or P. If FormType is PM this field must be P. If FormType is PP this field must be S, M or P. If FormType is SM this field must be S, M or P.	Refer Appendix B
ProcessingCategory	Mailxml_base:processingCategoryType	Refer 'processingCategoryType' simple type	Required field If FormType = BP, then the following values are valid: FL, NP, MP, IR If FormType = FC, then the following values are valid:	Refer Appendix B

Mail.XML 10.0C - complexType: PostageStatementDataType				
Field	Format	Acceptable Values	Business Rules	Comments
			LT, FL, CD, PF If FormType = ML, then the following values are valid: FL, NP, MP, IR If FormType = PM, then the following values are valid: LT, FL, PF If FormType = PP, then the following values are valid: MP, IR, NP If FormType = SM, then the following values are valid: LT, FL, MP, IR, NP, CM, NA, NB	
RateType	Mailxml_base:rateType	Refer 'rateType' simple type	Required field	Refer Appendix B
RegisterOfMailing	Mailxml_base:yesNo	Yes or No	Required, Causes <i>PostalOne!</i> to generate a register. If true, must provide container ID, container display name, container type, entry facility type, and entry ZIP (at the line item level)	
SackingBasis	Mailxml_base:sackingBasisType	Refer 'sackingBasisType' simple type	Optional field Required for CR, 3/5 or basic sacking. If FormType is SM this field must be 0, 2, 3, or 4 If FormType is PP this field must be either 0, 1 or 4.	Refer Appendix B
SinglePieceWeight	Double		Optional up to four decimal places  The value of	

<b>Mail.XML 10.0C - complexType: PostageStatementDataType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			SinglePieceWeight must be in Pounds.	
ExtraServiceData Block BEGINS			Optional field 0 to many can be submitted. For postage statements claiming extra services Use either the ExtraServiceData block or the ExtraServiceSummary block.	
ServiceCode	Mailxml_base:serviceCodeType	Refer 'serviceCodeType' simple type	Required	Refer Appendix B
ServiceRate	Double		Optional field up to four decimals	
ServiceSubCode	Mailxml_base:serviceSubCodeType	Refer 'serviceSubCodeType' simple type	Required	Refer Appendix B
ServiceValue	Double		Required, up to two decimals	
TotalAmount	Double		Optional field, up to four decimals	
TotalPieces	Non-negative Integer		Required	
ExtraServiceData Block ENDS				
ExtraServiceSummaryData Block BEGINS			Optional field 0 to many can be submitted For postage statements claiming extra services Use either the ExtraServiceData block or the ExtraServiceSummary block.	



<b>Mail.XML 10.0C - complexType: PostageStatementDataType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
LineLabel	String, 80 characters		Optional field	
LineNumber	String, 3 characters		Optional field  This field will be ignored if populated; LineNumber will only be taken into account for Full-Service discount lines	
Section	String, 1 character		Optional field	
ServiceCode	Mailxml_base:serviceCodeType	Refer 'serviceCodeType' simple type	Required	Refer Appendix B
TotalAmount	Decimal		Required, up to three decimals	
TotalPieces	Non-negative Integer		Required	
USPSPackageUniqueCharacteristic	Mailxml_base:uspsPackageUniqueCharacteristicType	Simple type	Optional	Refer Appendix B
USPSPriceIncentiveType	Mailxml_base:USPSPriceIncentiveType	Simple Type	Optional  The <i>PostalOne!</i> system does not perform any validation on PermitNumber when this field data is provided.  The Mailer can use "PostageAffixedReplyRidesFree" only for First Class Mail Letters and must be Full-Service IMb mail pieces weighing between 1 to 1.2 oz but will be processed at 2Oz price rate.	Refer Appendix B
USPSPriceIncentiveID	Mailxml_base:US	Simple Type	Optional	Refer

<b>Mail.XML 10.0C - complexType: PostageStatementDataType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
	PSPriceIncentiveIDType		This field is ignored.	Appendix B
ExtraServiceSummaryData Block ENDS				
StatementSequenceNumber	String, 20 characters		Optional field	
RepositionableNotesIndicator	Mailxml_base:yesNo	True if there are repositionable notes, else False.	Required	
DocumentVersionData Block BEGINS	Complex		Optional field 0 to many can be submitted	
VersionID	String, 10 characters		Required;	
VersionName	String, 12 characters		Required;	
VersionDescription	String, 30 characters		Optional	
PieceWeight	Decimal		Required field upto four decimals.  The value of PieceWeight must be in Pounds.	
AdPercent	Mailxml_base:percentageType		Optional	Refer 'percentageType' simple type in Appendix B
RateAffixed	Decimal	-	Optional field, up to three decimals. Required when Postage Payment Method is S or M.	-
ContentOfMail	Mailxml_base:contentofMail	Refer Simple type definitions	Optional	Refer Appendix B
StandardFlatType	Mailxml_base:standardFitTypeType	Refer simple type definitions	Optional	Refer Appendix B
USPSPriceIncentiveType	Mailxml_base:US	Simple Type	Optional	Refer

Mail.XML 10.0C - complexType: PostageStatementDataType				
Field	Format	Acceptable Values	Business Rules	Comments
	PSPriceIncentive Type		<p>The <i>PostalOne!</i> system does not perform any validation on PermitNumber when this field data is provided.</p> <p>The Mailer can use "PostageAffixedReplyRidesFree" only for First Class Mail Letters and must be Full-Service IMb mail pieces weighing between 1 to 1.2 oz but will be processed at 2Oz price rate.</p>	Appendix B
USPSPriceIncentiveID	Mailxml_base:USPSPriceIncentiveIDType	Simple Type	<p>Optional</p> <p>This field is ignored.</p>	Refer Appendix B
DocumentVersionData Block END				
MeteredAffixedMethod	Mailxml_base:meteredAffixedMethodType	-Refer 'meteredAffixedMethodType' simple type	Optional field Required for metered postage affixed	Refer Appendix B
CombinedMailingID	Non-negative Integer		Optional field; Required for Combined Mailings	
SinglePieceDimensionalWeight	Double		<p>Optional, up to four decimals. Required for balloon or oversize prices up to four decimals.</p> <p>The value of SinglePieceDimensionalWeight must be in Pounds.</p>	

<b>Mail.XML 10.0C - complexType: PostageStatementDataType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
EnclosingVolumeNo	String, 5 characters		Optional field, used for Periodicals enclosures otherwise ignored	
EnclosingIssueNo	String, 6 characters		Optional field, used for Periodicals enclosures otherwise ignored	
EnclosingIssueDate	Date	YYYY-MM-DD	Optional field, used for Periodicals enclosures otherwise ignored. Required when EnclosedBy is populated.	
PriceType	priceType	commercial, commercialplus	Optional field.  Required when the mail is First Class.  Should always assume it is commercial unless otherwise identified.	
MoveUpdateMethod	Mailxml_base:moveUpdateMethodType	Refer 'moveUpdateMethodType' simple type	Optional field. Required when FormType is SM.	Refer Appendix B
StatementID	NonNegative integer	-	Optional	-
ConfirmationNumber	NonNegative integer	-	Required	-
MailClass	Mailxml_base:mailClassType	Refer simple type definition	Optional	Refer to this simple type in Appendix B
ContentOfMailType	Mailxml_base:contentOfMailType	Refer simple type definition	Optional	Refer to this simple type in Appendix B
Origin	String	-	Optional	-
SpecialFeesAmount	Decimal	-	Optional	-

<b>Mail.XML 10.0C - complexType: PostageStatementDataType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
PostageStatementStatus	Mailxml_base:postageStatementStatusType	Refer simple type definition	Optional	Refer to this simple type in Appendix B
Total Pieces	NonNegative Integer	-	Required	-
TotalPostageAmount	Decimal	-	Required	-
TotalPostageAmountDue	Decimal	-	Required	-
TotalWeight	Decimal	-	Required	-
PermitHolderData Block	mailerDataType		Optional	See Appendix D for Details
MailingOwnerData Block	mailerDataType		Optional	See Appendix D for Details
MailingAgentData Block	mailerDataType		Optional	See Appendix D for Details
PermitHolderForAPData Block	mailerDataType		Conditionally required for Postage Payment Method of 'S' or 'M'	See Appendix D for Details
STCInfo	STCForContainerOrTrayType complex type	-	Optional  0 to many allowed	Refer to this complex type in Appendix A
PostageStatementDataType Block ENDS				

#### 4.62 complexType: PostageStatementLineItemData

##### Blocks Included:

PostageStatementLineItemData

<b>Mail.XML 10.0C - complexType: PostageStatementLineItemData</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>PostageStatementLineItemData Block BEGINS</b>			Optional field must submit one to many if ExtendedForm is True.	For full-service or mixed service mailings, all containers must be

Mail.XML 10.0C - complexType: PostageStatementLineItemData				
Field	Format	Acceptable Values	Business Rules	Comments
				included in either the PostageStatementLineItemData Block or the ContainerPostage Block
ProcessingCategory	Mailxml_base:processingCategory Type		Optional field  If FormType = BP, then the following values are valid: FL, NP, MP, IR If FormType = FC, then the following values are valid: LT, FL, CD, PF If FormType = ML, then the following values are valid: FL, NP, MP, IR If FormType = PM, then the following values are valid: LT, FL, PF If FormType = PP, then the following values are valid: MP, IR, NP If FormType = SM, then the following values are valid: LT, FL, MP, IR, NP, CM, NA, NB	Refer Appendix B
StandardFlatType	Mailxml_base:standardFlatType Type		Optional	Refer Appendix B
ContainerDetailID	String, 9		Optional	
BarcodeRate	Mailxml_base:barcodeRate Type		Required  If FormType = BP, this field must be Y or N If FormType = FC, this field must be N or O	Refer Appendix B

Mail.XML 10.0C - complexType: PostageStatementLineItemData				
Field	Format	Acceptable Values	Business Rules	Comments
			<p>If FormType = ML, this field must be Y or N</p> <p>If FormType = PM, this field must be N or O</p> <p>If FormType = PP, this field must be Y or N</p> <p>If FormType = SM, this field must be Y, N, or O</p>	
ContainerDisplayName	String, 50 characters		Optional field. Required when RegisterOfMailing is True.	
ContainerID	String, 6 characters		<p>Optional field. Required when RegisterOfMailing is True.</p> <p>If reference a logical sibling container, must be associated to an existing physical container.</p>	
EntryDiscount	Mailxml_base:entryDiscountType		<p>Required field</p> <p>If FormType = BP, then this field must be N, B, S, or D</p> <p>If FormType = FC, then this field must be N</p> <p>If FormType = ML, then this field must be N</p> <p>If FormType = PM, then this field must be N</p> <p>If FormType = PP, then this field must be B, S, D, or N</p> <p>If FormType = SM,</p>	Refer Appendix B

<b>Mail.XML 10.0C - complexType: PostageStatementLineItemData</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			then this field must be N, B, S, or D	
EntryFacilityType	Mailxml_base:entryFacilityType		Optional field. Required when RegisterOfMailing is True.	Refer Appendix B
EntryZip	Mailxml_base:zipCodeThreeOrFiveDigit		Optional field. Required when RegisterOfMailing is True.	Refer Appendix B
Heavy Letter	Mailxml_base:yesNo	Yes or not	Required	
ContentOfMail	Mailxml_base:ContentOfMailType		Optional	Refer Appendix B
MarketingOrFulfillmentType	Mailxml_base:marketingOrFulfillmentType		Optional	Refer Appendix B
LineLabel	String, 80 characters		Optional field	
LineNumber	String, 3 characters		Optional field  This field will be ignored if populated; LineNumber will only be taken into account for Full-Service discount lines	
PieceRate	Double		Optional field, up to three decimals	
PostageAmount	Double		Optional field, up to four decimals	
PoundRate	Double		Optional field, up to three decimals	
PreparedAsSM	Mailxml_base:yesNo	Yes or No	Required  The "True" indicates that mail is actually prepared as Standard when the RateCategory=S	



Mail.XML 10.0C - complexType: PostageStatementLineItemData				
Field	Format	Acceptable Values	Business Rules	Comments
			The "False" indicates that mail is actually prepared as First Class when the RateCategory=S	
RateCategory	Mailxml_base:rateCategoryType		Optional Field  If FormType = BP, then this field must be D, N, or S If FormType = FC, then this field must be E, H, L1, L2, L3, L4, N, or S If FormType = ML, then this field must be G, N, S If FormType = PM, then this field must be S If FormType = PP, then this field must be G, K, S, Z1, or Z2 If FormType = SM, then this field must be A, B, E, H, N, AF, BF, DF, L1, L2, L5, L6, L7, L8, NG, NK, N5, N6, PI, PM, P7, P8, PE, PQ, PR, PG, PK, P5, or P6	Refer Appendix B
Section	String, 1 character		Optional field	
SinglePieceWeight	Double		Optional, up to four decimal places  The value of SinglePieceWeight must be in Pounds.	
SurchargeType	Mailxml_base:surchargeType		Required	Refer Appendix B

Mail.XML 10.0C - complexType: PostageStatementLineItemData				
Field	Format	Acceptable Values	Business Rules	Comments
			If FormType = BP, this field must be N If FormType = FC, this field must be A, E, N, or R If FormType = ML, this field must be N If FormType = PM, this field must be D, E, N, or P If FormType = PP, this field must be 2 or N If FormType = SM, this field must be L or N	
TotalPieces	Non-negative Integer		Required	
TotalWeight	Double		Optional field  The value of TotalWeight must be in Pounds.	
Zone	Mailxml_base:zoneIType		Optional field If FormType is BP, this field must be N, 1, 3, 4, 5, 6, 7, or 8, DDU, SCF If FormType is FC, this field must be N If FormType is ML, this field must be N  If FormType is PM, this field must be N, 1, 3, 4, 5, 6, 7, or 8 If FormType is SM, this field must be N	Refer Appendix B
VersionID	String, 10 characters		Optional field. Required when PostageAffixedAmount is not provided.	
ContainerType	Mailxml_base:mailXMLContainerType		Optional field. Required when RegisterOfMailing is True.	Refer Appendix B
FlatRateIndicator	Mailxml_base:flat		Optional field	Refer

Mail.XML 10.0C - complexType: PostageStatementLineItemData				
Field	Format	Acceptable Values	Business Rules	Comments
	RateIndicatorType			Appendix B
FullServiceParticipationIndicator	Mailxml_base:fspiType		Optional field, for mixed Full-Service and not Full-Service each postage statement line must be expressed as either Full-Service or not Full-Service (omit the FullServiceParticipationIndicator). The same line number may be expressed twice.	Refer Appendix B
SinglePieceDimensionalWeight	Double		Optional, required for balloon or oversize prices up to four decimals.  The value of SinglePieceDimensionalWeight must be in Pounds.	
SinglePieceDimensionPrice	Double	-	Optional	-
SinglePieceSimensionalBalloonPrice	Double	-	Optional	-
USPSPackageUniqueCharacteristic	Mailxml_base:uspsPackageUniqueCharacteristicType		Optional	Refer Appendix B
USPSPriceIncentiveType	Mailxml_base:USPSPriceIncentiveType		Optional  The <i>PostalOne!</i> system does not perform any validation on PermitNumber when this field data is provided.  The Mailer can use "PostageAffixedReplyRidesFree" only for First Class Mail Letters and must	Refer Appendix B

Mail.XML 10.0C - complexType: PostageStatementLineItemData				
Field	Format	Acceptable Values	Business Rules	Comments
			be Full-Service IMb mail pieces weighing between 1 to 1.2 oz but will be processed at 2Oz price rate.	
USPSPriceIncentiveID	Mailxml_base:USPSPriceIncentiveIDType		Optional  This field is ignored.	Refer Appendix B
HoldForPickup	yesNo	Yes or No	Optional	-
NumberOfPiecesToHold	positiveInteger	-	Optional	-
<b>PostageStatementLineItemData</b>  <b>Block ENDS</b>				

#### 4.63 complexType: QualificationReport

Mail.XML 10.0C - complexType: QualificationReport				
Field	Format	Acceptable Values	Business Rules	Comments
<b>QualificationReports BEGINS</b>				
OriginalPieces	Non Negative Integer		Required	
ActualPieces	Non Negative Integer		Required	
Postage	Double		Required	
<b>ClosedContainer block BEGINS</b>				
OriginalPieces	Non Negative Integer		Required	
ActualPieces	Non Negative Integer		Required	
Postage	Double		Required	
<b>ClosedContainer block ENDS</b>				
<b>PostageStatementCancelled block BEGINS</b>				
OriginalPieces	Non Negative Integer		Required	
ActualPieces	Non Negative		Required	

Mail.XML 10.0C - complexType: QualificationReport				
Field	Format	Acceptable Values	Business Rules	Comments
	Integer			
Postage	Double		Required	
<b>PostageStatementCancelled ENDS</b>				
<b>PostageStatementUSPSProcessingDue block BEGINS</b>				
OriginalPieces	Non Negative Integer		Required	
ActualPieces	Non Negative Integer		Required	
Postage	Double		Required	
<b>PostageStatementUSPSProcessingDue block ENDS</b>				
<b>PostageStatementReworked block BEGINS</b>				
OriginalPieces	Non Negative Integer		Required	
ActualPieces	Non Negative Integer		Required	
Postage	Double		Required	
<b>PostageStatementReworked block ENDS</b>				
<b>PostageStatementFinalized block BEGINS</b>				
OriginalPieces	Non Negative Integer		Required	
ActualPieces	Non Negative Integer		Required	
Postage	Double		Required	
<b>PostageStatementFinalized block ENDS</b>				
<b>PostageStatementReversed block BEGINS</b>				
OriginalPieces	Non Negative Integer		Required	
ActualPieces	Non Negative Integer		Required	
Postage	Double		Required	
<b>PostageStatementReversed block ENDS</b>				
<b>PostageStatementNotAvailable block BEGINS</b>				
OriginalPieces	Non Negative Integer		Required	

<b>Mail.XML 10.0C - complexType: QualificationReport</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
ActualPieces	Non Negative Integer		Required	
Postage	Double		Required	
<b>PostageStatementNotAvailable block ENDS</b>				
TotalPieces	Non Negative Integer		Required	
TotalActualPieces	Non Negative Integer		Required	
TotalPostage	Double		Required	
<b>ReconciliationReport block ENDS</b>				

#### 4.64 complexType: QualificationSummaryReport

<b>Mail.XML 10.0C - complexType: QualificationSummaryReport</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>QualificationSummaryReport BEGINS</b>				
RateCategory	rateCategoryType simple type		Required	Refer to this simple type in Appendix B
Pieces	Non Negative Integer		Required	
ClosedPieces	Non Negative Integer		Required	
FormType	formType simple type		Required	Refer to this simple type in Appendix B
TotalPieces	Non Negative Integer		Required	-
TotalClosedPieces	Non Negative Integer		Required	
<b>PostageStatements block BEGINS</b>				
<b>Sequence Block BEGINS</b>				
Line	String, 2 characters		Required	
<b>USPSProcessingDue block BEGINS</b>				
Pieces	Non Negative Integer		Required	
Postage	Double		Required	
TotalPieces	Non Negative Integer		Required	

Mail.XML 10.0C - complexType: QualificationSummaryReport				
Field	Format	Acceptable Values	Business Rules	Comments
TotalPostage	Double		Required	
<b>USPSProcessingDue block ENDS</b>				
<b>Finalize block BEGINS</b>				
Pieces	Non Negative Integer		Required	
Postage	Double		Required	
TotalPieces	Non Negative Integer		Required	
TotalPostage	Double		Required	
<b>Finalize block ENDS</b>				
<b>Sequence Block ENDS</b>				
<b>PostageStatements block ENDS</b>				
<b>QualificationSummaryReport block ENDS</b>				

#### 4.65 complexType: QualificationReportDataType

**Blocks Included:**  
QualificationReport

Mail.XML 10.0C - complexType: QualificationReportDataType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>qualificationReportDataType BEGINS</b>				
DMMSection	String, 12 characters		Optional field	-
BatchManifestIndicator	yesNo		Required field	Refer Appendix B
ContainerInfoData	ContainerInfo Data complex type	-	0 to many allowed.  Optional block; must provide one for each container (may have multiple ContainerDetailData blocks within ContainerInfoData block)	Refer to this complex type in Appendix A
CustomerQualificationReportID	String, 66 characters		Optional field	
CustomerCommitmentAgreementNumber	String 40	-	Optional	-
FormType	formType		Required field.	Refer

<b>Mail.XML 10.0C - complexType: QualificationReportDataType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			For Full-Service / Mixed Service mailings, the FormType can only be 'FC', 'SM', 'PE', and 'BP'.	Appendix B
PreparedDate	Date/Time	YYYY-MM-DDTHH:MM:SS	Required field	
QualificationReportPreparer	qualificationPreparerDataType complex type		Required block; contains permit information of the mail preparer	Refer to this complex type in Appendix A
PresortSWCompany	String, 50 characters		Optional field, displayed in Qualification Report	
PresortSWProduct	String, 50 characters		Optional field, displayed in Qualification Report	
PresortSWVersion	String, 20 characters		Optional field, displayed in Qualification Report	
LogicalPhysicalBundleIndicator	logicalPhysicalBundleIndicatorType simple type		Optional	Refer Appendix B
SoftwareVendorZAPOption	String 1		Optional	
ZoneMatrixDate	Date	YYYY-MM-DD	Optional	
<b>qualificationReportDataType ENDS</b>				

#### 4.66 complexType: QualificationReportDetailDataType

<b>Mail.XML 10.0C - complexType: QualificationReportDetailDataType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>qualificationReportDetailDataType BEGINS</b>				
CustomerQualificationReportID	String 66	-	Optional field 0 to many allowed	-
ContainerInfoData	ContainerInfoDat	-	Optional	-



<b>Mail.XML 10.0C - complexType: QualificationReportDetailDataType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
	a complex		0 to many allowed	
DocumentVersionDataWithPermit	DocumentVersionDataWithPermit complex type	-	Required 1 to many allowed	-

#### 4.67 complexType: QualificationReportSummaryDataType

<b>Mail.XML 10.0C - complexType: QualificationReportSummaryDataType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>qualificationReportSummaryDataType BEGINS</b>				
DMMSection	String, 12 characters		Optional field	-
BatchManifestIndicator	yesNo		Required field	Refer Appendix B
CustomerQualificationReportID	String, 66 characters		Optional field	
FormType	formType simple type		Required field. For Full-Service / Mixed Service mailings, the FormType can only be 'FC', 'SM', 'PE', and 'BP'.	Refer Appendix B
PreparedDate	Date/Time	YYYY-MM-DDTHH:MM:SS	Required field	
QualificationReportPreparer	qualificationPreparerDataType complex type		Required block; contains permit information of the mail preparer	Refer to this complex type in Appendix A
PresortSWCompany	String, 50 characters		Optional field, displayed in Qualification Report	
PresortSWProduct	String, 50 characters		Optional field, displayed in Qualification Report	
PresortSWVersion	String, 20 characters		Optional field, displayed in Qualification Report	
LogicalPhysicalBundleIndic	logicalPhysicalBu		Optional	Refer

<b>Mail.XML 10.0C - complexType: QualificationReportSummaryDataType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
ator	ndleIndicatrType simple type			Appendix B
SoftwareVendorZAPOption	String 1		Optional	
ZoneMatrixDate	Date	YYYY-MM-DD	Optional	
<b>qualificationReportSummaryDataType ENDS</b>				

#### 4.68 complexType: QualificationPreparerDataType

**Blocks Included:**

QualificationReportPreparer

<b>Mail.XML 10.0C - complexType: QualificationPreparerDataType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
<b>qualificationPreparerDataType BEGINS</b>			Required block; contains permit information of the mail preparer	
<b>Choice Block BEGINS</b>			Either publicationNumber or PermitNumber, PermitType, and PermitZip4 is required.	
Sequence BEGINS				
PermitNumber	String, 8 characters		Required field when PermitType and PermitZIP4 are populated	
PermitType	permitTypeType simple type		Required field when PermitNumber and PermitZIP4 are populated	Refer Appendix B
PermitZip4	Numeric String, 9 characters		Required field when PermitNumber and PermitType are populated	
Sequence ENDS				

<b>Mail.XML 10.0C - complexType: QualificationPreparerDataType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
PublicationNumber	String, 9 characters		Required field when PermitNumber, PermitType, PermitZIP4 are not populated	
<b>Choice Block ENDS</b>				
<b>Choice Block BEGINS</b>				
MailerID6	MailerID6 type simple type		Optional  Conditionally required for Full-Service / Mixed Service mailings that at least one field is populated between the CRID, MailerID6, and MailerID9 fields	Refer to this simple type in Appendix B
MailerID9	MailerID9 type simple type		Optional  Conditionally required for Full-Service / Mixed Service mailings that at least one field is populated between the CRID, MailerID6, and MailerID9 fields	Refer to this simple type in Appendix B
<b>Choice Block ENDS</b>				
CRID	CRID type		Optional  Conditionally required for Full-Service / Mixed Service mailings that at least one field is populated between the CRID, MailerID6, and MailerID9 fields	Refer to this simple type in Appendix B
<b>qualificationReportPreparerDataType ENDS</b>				

## 4.69 complexType: QualificationReportPreparerDataType

### Blocks Included:

QualificationReportPreparer

Mail.XML 10.0C - complexType: QualificationReportPreparerDataType				
Field	Format	Acceptable Values	Business Rules	Comments
qualificationReportPreparerDataType Block BEGINS			Required block; contains permit information of the mail preparer	
Choice Block BEGINS				
Sequence BEGINS				
PermitNumber	String, 8 characters		Required field when PermitType and PermitZIP4 are populated	
PermitType	mailxml_base:permitTypeType	Refer 'permitTypeType' simple type	Required field when PermitNumber and PermitZIP4 are populated	Refer Appendix B
PermitZip4	Numeric String, 9 characters		Required field when PermitNumber and PermitType are populated	
Sequence ENDS				
PublicationNumber	String, 9 characters		Required field when PermitNumber, PermitType, PermitZIP4 are not populated	
Choice Block ENDS				
Choice Block BEGINS				
MailerID6	Mailxml_base:MailerID6 type		Optional  Conditionally required for Full-Service / Mixed Service mailings that at least one field is populated between the CRID, MailerID6, and	Refer "mailerID6type" simple type in Appendix B

Mail.XML 10.0C - complexType: QualificationReportPreparerDataType				
Field	Format	Acceptable Values	Business Rules	Comments
			MailerID9 fields	
MailerID9	Mailxml_base:MailerID9 type		Optional  Conditionally required for Full-Service / Mixed Service mailings that at least one field is populated between the CRID, MailerID6, and MailerID9 fields	Refer "mailerID9type" simple type in Appendix B
Choice Block ENDS				
CRID	Mailxml_base:CRID type		Optional  Conditionally required for Full-Service / Mixed Service mailings that at least one field is populated between the CRID, MailerID6, and MailerID9 fields	Refer "CRIDType" simple type in Appendix B
qualificationReportPreparerDataType  Block ENDS				

#### 4.70 complexType: ReturnInfoType

##### Blocks Included:

ReturnInfo

Mail.XML 10.0C - complexType: ReturnInfoType				
Field	Format	Acceptable Values	Business Rules	Comments
ReturnInfo				
Block BEGINS				
Sequence Block BEGINS				
ConsigneeFacility	consigneeFacility Type complex type	-	Optional  0 to many allowed	Refer to this complex type in Appendix A
<b>Sequence Block BEGINS</b>			Optional Block	
ReturnCode	Numeric String –	-	Optional	

Mail.XML 10.0C - complexType: ReturnInfoType				
Field	Format	Acceptable Values	Business Rules	Comments
	Length 4			
ReturnDescription	String, Length 260	-	Required	
ContainerErrorWarningBlock	containerErrorWarningBlockType complex type	-	Optional	Refer to this complex type in Appendix A
<b>Sequence Block ENDS</b>				
Sequence Block ENDS				
ReturnInfo Block ENDS				

#### 4.71 complexType: SackTrayContainerVersionRecordType

Mail.XML 10.0C - complexType: SackTrayContainerVersionRecordType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>SackTrayContainerVersionRecords block BEGINS</b>				
			Optional block; 0 to many pairings can be submitted depending upon the number of SackTrayContainerMPURecords (used for Sack or Tray charges)	
DocumentVersionData	DocumentVersionData complex type		Required	Refer to this complex type in Appendix A
PublicationInfo	permitPublicationDataType complex type	-	Required	Refer to this complex type in Appendix A
PublicationTitle	String, 60 characters		Required	
PostageStatementLineNumber	postageStatementLineNumber2Type		Optional field; uses the Container Level and Entry level to find the lines	Refer to this simple type in Appendix B
ChargeableContainerLevel	chargeableContainerLevelType		Required field; <BLANK> = NULL is not supported	Refer to this simple type in Appendix B

Mail.XML 10.0C - complexType: SackTrayContainerVersionRecordType				
Field	Format	Acceptable Values	Business Rules	Comments
ChargeableEntryLevel	chargeableEntryLevelType		Required field; <BLANK> = NULL is not supported	Refer to this simple type in Appendix B
Containers	Double		Required	
IssueDate	Date	YYYY-MM-DD	Required	
IssueNumber	String, 6 characters		Optional	
VolumeNumber	String, 5 characters		Optional	
<b>SackTrayContainerVersionRecords block ends</b>				

#### 4.72 complexType: SackTrayContainerRecordType

Mail.XML 10.0C - complexType: SackTrayContainerRecordType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>SackTrayContainerRecords block BEGINS</b>				
PublicationInfo	permitPublicationDataType complex type	-	Required	Refer to this complex type in Appendix A
PublicationTitle	String, 60 characters		Required	
PostageStatementLineNumber	postageStatementLineNumber2Type		Optional field; uses the Container Level and Entry level to find the lines	Refer to this simple type in Appendix B
ChargeableContainerLevel	chargeableContainerLevelType		Required field; <BLANK> = NULL is not supported	Refer to this simple type in Appendix B
ChargeableEntryLevel	chargeableEntryLevelType		Required field; <BLANK> = NULL is not supported	Refer to this simple type in Appendix B

Mail.XML 10.0C - complexType: SackTrayContainerRecordType				
Field	Format	Acceptable Values	Business Rules	Comments
Containers	Double		Required	
IssueDate	Date	YYYY-MM-DD	Required	
IssueNumber	String, 6 characters		Optional	
VolumeNumber	String, 5 characters		Optional	
<b>SackTrayContainerRecords block ends</b>				

#### 4.73 complexType: SubmittingSoftwareType

**Blocks Included:**  
SubmittingSoftware

Mail.XML 10.0C - c omplexType: SubmittingSoftwareType				
Field	Format	Acceptable Values	Business Rules	Comments
SoftwareName	String		Required Customer must provide the name of their software	
Vendor	String		Required This is vendor name	
Version	String		Required This is version number of the software	
ApprovalDate	Date	YYYY-MM-DD	Optional This is the date when USPS approved the vendor's software	
ApprovalKey	String		Optional This is the approval key provided by USPS to the vendor upon approval of their software	

#### 4.74 complexType: SummaryRecordUpdateType

**Mail.XML 10.0C - complexType: SummaryRecordUpdateType**



Field	Format	Acceptable Values	Business Rules	Comments
<b>SummaryRecordUpdateType BEGINS</b>				
FullContainerID	fullContainerIDType complex type	-	Required	Refer to this complex type in Appendix A
<b>Choice Block BEGIN</b>			Optional Block  0 to 2 allowed.  Either provide EntryPointEDPostalCode and EntryPointEDFacilityType OR EntryPointADLocaleKey and EntryPointADPostalCode	
EntryPointEDPostalCode	entryPointEDPostalCodeType simple type		Conditionally required if EntryPointEDFacilityType is populated  Ignored for Mail.XML transportation updates	Refer to this simple type in Appendix B
EntryPointEDFacilityType	entryPointEDFacilityTypeType		Conditionally required if EntryPointEDPostalCode is populated  Ignored for Mail.XML transportation updates	Refer to this simple type in Appendix B
EntryPointADLocaleKey	entryPointADLocaleKeyType		Conditionally required if EntryPointADPostalCode is populated  Original data will be updated for Mail.XML transportation updates (this updates the PhysicalPostalCod	Refer to this simple type in Appendix B

<b>Mail.XML 10.0C - complexType: SummaryRecordUpdateType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			eEntryPoint from the Qualification Report message)	
EntryPointADPostalCode	entryPointADPostalCodeType simple type		Conditionally required if EntryPointADLocal eKey is populated  Original data will be updated for Mail.XML transportation updates	Refer to this simple type in Appendix B
<b>Choice Block END</b>				
ContainerGroupingDescription	String, 9 characters		Not required  Ignored for Mail.XML transportation updates	
ParentContainerRefID	parentContainerRefIDType simple type		Not required  Ignored for Mail.XML transportation updates	Refer to this simple type in Appendix B
TruckDispatchNumber	truckDispatchNumberType simple type		Not required  Ignored for Mail.XML transportation updates	Refer to this simple type in Appendix B
StopDesignator	stopDesignatorType simple type	-	Not required Ignored for Mail.XML transportation updates	Refer to this simple type in Appendix B
ReservationNumber	ReservationNumberType simple type		Not required  Original data will be updated for Mail.XML transportation updates	Refer to this simple type in Appendix B
Sequence Block # 1 BEGINS			Optional	
ContainerShipDate	Date	YYYY-MM-DD	Conditionally required if ContainerShipTime	

<b>Mail.XML 10.0C - complexType: SummaryRecordUpdateType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			is populated  Ignored for Mail.XML transportation updates	
ContainerShipTime	Time	HH:MM:SS	Conditionally required if ContainerShipDate is populated  Ignored for Mail.XML transportation updates	
Sequence Block # 1 END				
Sequence Block # 2			Optional	
ScheduledShipDate	Date	YYYY-MM-DD	Conditionally required if ScheduledShipTime is populated  Original data will be updated for Mail.XML transportation updates	
ScheduledShipTime	Time	HH:MM:SS	Conditionally required if ScheduledShipDate is populated  Original data will be updated for Mail.XML transportation updates	
Sequence Block # 2 END				
Sequence Block # 3 BEGINS			Optional	
ActualContainerShipDate	Date	YYYY-MM-DD	Conditionally required if ActualContainerShipTime is populated  Ignored for Mail.XML transportation	

<b>Mail.XML 10.0C - complexType: SummaryRecordUpdateType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			updates	
ActualContainerShipTime	Time	HH:MM:SS	Conditionally required if ActualContainerShipDate is populated  Ignored for Mail.XML transportation updates	
Sequence Block # 4 ENDS				
Sequence Block # 5 BEGINS			Optional	
ScheduledContainerPickupDate	Date	YYYY-MM-DD	Conditionally required if ScheduledContainerPickupTime is populated  Ignored for Mail.XML transportation updates	
ScheduledContainerPickupTime	Time	HH:MM:SS	Conditionally required if ScheduledContainerPickupDate is populated  Ignored for Mail.XML transportation updates	
Sequence Block # 5 END				
Sequence Block # 6 BEGINS			Optional	
ActualContainerPickupDate	Date	YYYY-MM-DD	Conditionally required if ActualContainerPickupTime is populated  Ignored for Mail.XML transportation updates	
ActualContainerPickupTime	Time	HH:MM:SS	Conditionally required if	

<b>Mail.XML 10.0C - complexType: SummaryRecordUpdateType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			ActualContainerPic kupDate is populated  Ignored for Mail.XML transportation updates	
Sequence Block # 6 ENDS				
ContainerAcceptanceDate	Date	YYYY-MM-DD	Not required  Ignored for Mail.XML transportation updates	
ScheduledInHomeDate	Date	YYYY-MM-DD	Not required  Ignored for Mail.XML transportation updates	
AdditionalInHomeRange	additionalInHomeRangeType simple type		Not required  Ignored for Mail.XML transportation updates	Refer to this simple type in Appendix B
Sequence Block # 7 BEGINS			Optional	
ScheduledInductionDate	Date	YYYY-MM-DD	Conditionally required if ScheduledInductionTime is populated  Original data will be updated for Mail.XML transportation updates	
ScheduledInductionTime	Time	HH:MM:SS	Conditionally required if ScheduledInductionDate is populated  Original data will be updated for Mail.XML transportation updates	

<b>Mail.XML 10.0C - complexType: SummaryRecordUpdateType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
Sequence Block # 7 ENDS				
Sequence Block # 8 BEGINS			Optional	
ActualInductionDate	Date	YYYY-MM-DD	Conditionally required if ActualInductionTime is populated  Ignored for Mail.XML transportation updates	
ActualInuctionTime	Time	HH:MM:SS	Conditionally required if ActualInductionDate is populated  Ignored for Mail.XML transportation updates	
Sequence Block # 8 END				
Sequence Block # 9 BEGINS			Optional	
PostageStatementMailingDate	Date	YYYY-MM-DD	Conditionally required if PostageStatementMailingTime is populated  Ignored for Mail.XML transportation updates	
PostageStatementMailingTime	Time	HH:MM:SS	Conditionally required if PostageStatementMailingDate is populated  Ignored for Mail.XML transportation updates	
Sequence Block # 9 ENDS				
ContainerReadyToPayTransactionID	Number, 6 characters		Not required Ignored for Mail.XML	

<b>Mail.XML 10.0C - complexType: SummaryRecordUpdateType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			transportation updates	
TransportationCarrierID	String, 15 characters		Not required  Ignored for Mail.XML transportation updates	
CSATripID	String, 10 characters		Not required  Original data will be updated for Mail.XML transportation updates	
InternalDate	Date	YYYY-MM-DD	Not required  Ignored for Mail.XML transportation updates	
TotalWeight	totalWeightType simple type		Not required  Ignored for Mail.XML transportation updates.  The value of TotalWeight must be in Pounds.	Refer to this simple type in Appendix B
UniqueContainerID	uniqueContainerIDType simple type		Not required	Refer to this simple type in Appendix B
ContainerStatus	maildatContainerStatusType	Refer 'maildatContainerStatusType' simple type	Required  Must be 'T' for Mail.XML updates	Refer to this simple type in Appendix B
TransShipBoLNumber	transShipBoLNumberType simple type		Not required  Ignored for Mail.XML transportation updates	Refer to this simple type in Appendix B
PostageGroupingID	postageGroupingIDType simple type		Not required  Ignored for Mail.XML transportation	Refer to this simple type in Appendix B

<b>Mail.XML 10.0C - complexType: SummaryRecordUpdateType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
			updates	
ContainerGrossWeight	containerGrossWeightType simple type		Not required  Ignored for Mail.XML transportation updates.  The value of ContainerGrossWeight must be in Pounds.	Refer to this simple type in Appendix B
ContainerHeight	containerHeightType simple type		Not required  Ignored for Mail.XML transportation updates	Refer to this simple type in Appendix B
ContainerHeightSource	containerHeightSourceType	Refer 'containerHeightSourceType' simple type	Not required  Ignored for Mail.XML transportation updates	Refer to this simple type in Appendix B
TransportDUNSNumber	String, 15 characters		Not required  Ignored for Mail.XML transportation updates	
IMBarcode	IMcbType simple type		Not required  Original data will be updated for Mail.XML transportation updates	Refer to this simple type in Appendix B
UserInformationLine1	UserInformationLine1Type simple type		Not required  Ignored for Mail.XML transportation updates	Refer to this simple type in Appendix B
UserInformationLine2	UserInformationLine2Type simple type		Not required Ignored for Mail.XML transportation updates	Refer to this simple type in Appendix B



<b>Mail.XML 10.0C - complexType: SummaryRecordUpdateType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
ConsigneeContentID	ConsigneeContentIDType simple type		Not required  Original data will be updated for Mail.XML transportation updates	Refer to this simple type in Appendix B
FASTSchedulerID	FastSchedulerIDType simple type		Not required  Original data will be updated for Mail.XML transportation updates.	Refer to this simple type in Appendix B
USPSPickUp	uspsPickupType simple type		Not required  Original data will be updated for Mail.XML transportation updates	Refer to this simple type in Appendix B
CarrierRouteNumber	String exactly 4		Optional  Ignored for Mail.XML transportation updates	
CinCode	String 3		Optional  Ignored for Mail.XML transportation updates	
ContainerDisplayName	String 50		Optional  Ignored for Mail.XML transportation updates	
ContainerType	mailXMLContainerType simple type		Optional  Ignored for Mail.XML transportation updates	Refer to this simple type in Appendix B
IncludedInOtherDoc	includedInOtherDocType simple type		Optional  Ignored for Mail.XML	Refer to this simple type in Appendix B

Mail.XML 10.0C - complexType: SummaryRecordUpdateType				
Field	Format	Acceptable Values	Business Rules	Comments
			transportation updates	
SiblingContainerID	String 6		Optional  Ignored for Mail.XML transportation updates	
SortationLevel	containerLevelType simple type		Optional  Ignored for Mail.XML transportation updates	Refer to this simple type in Appendix B
OverflowIndicator	yesNo simple type	Yes No	Optional  Ignored for Mail.XML transportation updates	Refer to this simple type in Appendix B
<b>SummaryRecordUpdateType ENDS</b>				

#### 4.75 complexType: STCForContainerOrTrayType

Mail.XML 10.0C - complexType: STCForContainerOrTrayType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>STCForContainerOrTrayType BEGINS</b>				
StartTheClockDate	Date	-	Required	-
Choice Block BEGINS				
IMtb	IMtbType simple type	-	Optional	Refer to this simple type in Appendix B
IMcb	IMcbType simple type	-	Optional	Refer to this simple type in Appendix B
IMpb	IMpbType simple type	-	Optional	Refer to this simple type in Appendix B
Choice Block ENDS				

Mail.XML 10.0C - complexType: STCForContainerOrTrayType				
Field	Format	Acceptable Values	Business Rules	Comments
STCForContainerOrTrayType ENDS				

#### 4.76 complexType: UspsSummaryType

**Blocks Included:**

UspsSummaryType

Mail.XML 10.0C - complexType: UspsSummaryType				
Field	Format	Acceptable Values	Business Rules	Comments
<b>UspsSummaryType BEGINS</b>				
DestinationDiscountIndicator	mailxml_base:yesNo	Yes No	Optional	
ZoneSkippingIndicator	mailxml_base:yesNo	Yes No	Optional	
FullServiceIndicator	mailxml_base:yesNo	Yes No	Optional	
Pallets	mailxml_tm:palletUnitType		Optional	
Bedload	mailxml_tm:bedloadUnitType		Optional	
Perishable	mailxml_base:yesNo	Yes No	Optional	
MailClass	mailxml_base:mailClassType		Optional	
RateType	mailxml_base:rateType		Optional	
InHomeStart	dateTime		Optional	
InHomeEnd	dateTime		Optional	
processingCategory	mailxml_base:processingCategoryType		Optional	
PriorityMailIndicator	mailxml_base:yesNo	Yes No	Optional	
VerificationLocation	mailxml_base:verificationLocationType		Optional	
NewsIndicator	mailxml_base:yesNo	Yes No	Optional	
EvsIndicator	mailxml_base:yesNo	Yes No	Optional	
MailContentName	mailxml_base:s3		Optional	

<b>Mail.XML 10.0C - complexType: UspsSummaryType</b>				
<b>Field</b>	<b>Format</b>	<b>Acceptable Values</b>	<b>Business Rules</b>	<b>Comments</b>
	0			
MailPreparerID	mailxml_base:s12		Optional	
MailPreparerCRID	mailxml_base:CRIDType		Optional	
AdvanceMailingID	mailxml_base:s09		Optional	
EFileNumber	mailxml_base:s12		Optional	
ContainsAutoMail	mailxml_base:yesNo	Yes No	Optional	
SchedulerContentID	mailxml_base:s12		Optional	
ConsigneeContentID	mailxml_base:s12		Optional	
<b>UspsSummaryType ENDS</b>				



## 5. Appendix B – Mail.XML 10.0C eDoc Simple Types Data Structure

The simple types below list variation of validation in Mail.XML for each version of the Mail.XML (i.e. 10.0C and 11.0). A column highlighted in YELLOW indicates that there is at least one change made from previous version. For example – if Mail.XML 11.0column is highlighted in YELLOW, it means that at least one change is made in v11.0 from v10.0C. Another variation in the table below is when both v10.0C and v11.0 columns are highlighted in YELLOW. It means that there is at least one change made in v11.0from v10.0C and then there was another change made in v11.0 from v10.0C

**NOTE#1: Mail.XML 9.0B and 9.0C versions will no longer be supported from January2012 thus all of the references of 9.0B and 9.0C have been removed or limited to the minimum possible from this guide including the simple types definitions.**

**NOTE#2 The table of MailXML 11.0 is still in review phase**

### 5.1 simpleType: actionCodeType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	F = Forwarded
enumeration	W = Wasted
enumeration	R = Returned
enumeration	U = Unable to determine action

### 5.2 simpleType: addressCorrectionMoveType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	F = Family Move
enumeration	I = Individual Move
enumeration	B = Business Move

### 5.3 simpleType: additionalInHomeRangeType

Tag	Mail.XML 10.0C
Base	mailxml_base:n01

### 5.4 simpleType: adjustmentStatusType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	R = Ready to Pay
enumeration	X = Paid
enumeration	C = Cancel
enumeration	P = Preliminary Postage Statement

enumeration	T = Transportation
-------------	--------------------

### 5.5 simpleType: adjustmentType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	1 = Re-order in excess of tolerance
enumeration	2 = "Average Remail" Add-on
enumeration	3 = Spoilage
enumeration	4 = Shortage

### 5.6 simpleType: agencyCostCodeType

Tag	Mail.XML 10.0C
Base	xs:string
pattern	[0-9]{5}[[0-9]{6}

### 5.7 simpleType: apptMethodType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Online
enumeration	Phone
enumeration	Webservices - Detail
enumeration	Webservices - No Detail

### 5.8 simpleType: apptStateType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Scheduled
enumeration	Arrived
enumeration	ApptValidated
enumeration	WaitingToBeUnloaded
enumeration	Unloading
enumeration	FinishedUnloading
enumeration	ResolvingProblems
enumeration	Rejected
enumeration	Closed

### 5.9 simpleType: apptStatusType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Open
enumeration	Closed
enumeration	No Show
enumeration	Unscheduled
enumeration	Rejected

### 5.10 simpleType: apptTypeType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Pallet
enumeration	DropAndPick
enumeration	Speedline
enumeration	Bedload

### 5.11 simpleType: barcodeRateType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Y = Yes
enumeration	N = No
enumeration	O = Other

### 5.12 simpleType: billReasonCodeType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	E
enumeration	F
enumeration	M
enumeration	N

### 5.13 simpleType: bundleDetailLevelType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	A = Firm
enumeration	B = Carrier Route
enumeration	C = 5-Digit
enumeration	D = Unique 3-Digit
enumeration	E = (Reserve for future)
enumeration	F = 3-Digit
enumeration	G = (Reserve for future)
enumeration	H = ADC
enumeration	I = AADC
enumeration	J = (Reserve for future)
enumeration	K = Origin MxADC
enumeration	L = MxADC
enumeration	M = MxAADC
enumeration	N = (Reserve for future)
enumeration	O = Working
enumeration	P = (Reserve for future)
enumeration	Q = (Reserve for future)
enumeration	R = Parcel
enumeration	S = Multi-Piece Parcel
enumeration	T = 3D Scheme
enumeration	U = 5D Scheme + L007
enumeration	V = NDC (previously as BMC)



enumeration	W = 5-Digit Super Scheme
enumeration	

#### 5.14 simpleType: bundleLevelType

Tag	Mail.XML 10.0C
Base	Removed
enumeration	
enumeration	

#### 5.15 simpleType: bundleRecordStatusType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	O = Original
enumeration	D = Delete
enumeration	I = Insert
enumeration	U = Update

#### 5.16 simpleType: bundleStatusType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Blank
enumeration	C = Cancel

#### 5.17 simpleType: canadaAdMailOnlyType

Tag	Mail.XML 10.0C
Base	Does not exists
enumeration	
enumeration	

#### 5.18 simpleType: chargeableBundleLevelType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	3 = 3-Digit/SCF
enumeration	5 = 5-Digit/Carrier Route
enumeration	A = ADC/AADC
enumeration	C = Carrier Route
enumeration	F = Firm
enumeration	M = Mixed ADC and Mixed AADC

#### 5.19 simpleType: chargeableContainerType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Sacks-Trays
enumeration	Pallets

## 5.20 simpleType: chargeableContainerLevelType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	3 = 3-Digit/SCF
enumeration	5 = 5-Digit/Carrier Route
enumeration	A = ADC/AADC
enumeration	M = Mixed ADC & Mixed AADC

## 5.21 simpleType: chargeableEntryLevelType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	B = Destination NDC (Previously BMC)
enumeration	C = Origin SCF
enumeration	D = DDU
enumeration	J = Origin ADC
enumeration	K = Origin NDC (previously BMC)
enumeration	O = Origin Post Office/ DMU
enumeration	R = Destination ADC
enumeration	S = Destination SCF

## 5.22 simpleType: classNotificationType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	A = (Reserved for future use)
enumeration	B = First-Class Mail
enumeration	C = Periodicals, Initial Notification
enumeration	D = Standard Mail
enumeration	E = Package Services
enumeration	F = Periodicals, Follow-up Notifications

## 5.23 simpleType: closeoutIrregularitiesType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	B = Broken Pallet
enumeration	C = Count don't Match 8125
enumeration	D = Damaged Mail
enumeration	DR = Driver Refused to Assist
enumeration	G = Good
enumeration	IA = Improper Appointment Type
enumeration	IM = Improper Mail Class
enumeration	I = Improper Mail Makeup
enumeration	IF = Incorrect Mail Facility
enumeration	L = Load Unsafe
enumeration	M = Mailing not separated by 8125
enumeration	MI = Miscellaneous
enumeration	NP = No Paperwork (Missing Paperwork)
enumeration	O = Others

enumeration	OW = Overweight Pallets
enumeration	NM = Package on NDC non-machinable
enumeration	P = Pallet Too Tall
enumeration	VS = Vehicle Size
enumeration	CP = Courtesy Pallets
enumeration	CM = Container do not match 8017
enumeration	SM = Separation do not match 8107
enumeration	
enumeration	
enumeration	
enumeration	
enumeration	
enumeration	
enumeration	
enumeration	
enumeration	
enumeration	

#### 5.24 simpleType: closeoutResolutionType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	DCD = Driver Contracted Dispatch Office
enumeration	DCO = Destination Contacted Origin
enumeration	DRL = Driver Reconciled Load
enumeration	INR = Irregularities Count Not be Resolved on Dock

#### 5.25 simpleType: communicationRoleType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	From
enumeration	To
enumeration	CC

#### 5.26 simpleType: componentIDType

Tag	Mail.XML 10.0C
Base	Removed
maxLength	
minLength	
whiteSpace	

#### 5.27 simpleType: componentWeightType

Tag	Mail.XML 10.0C
Base	Removed
maxLength	
minLength	
whiteSpace	

### 5.28 simpleType: componentWeightSourceType

Tag	Mail.XML 10.0C
Base	Removed
enumeration	
enumeration	
enumeration	
enumeration	

### 5.29 simpleType: componentWeightStatusType

Tag	Mail.XML 10.0C
Base	Removed
enumeration	
enumeration	
enumeration	
enumeration	

### 5.30 simpleType: consigneeContentIDType

Tag	Mail.XML 10.0C
Base	mailxml_base:s09

### 5.31 simpleType: containerBundleStatusType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	-1
enumeration	0
enumeration	1

### 5.32 simpleType: container24CharacterBarcodeType

Tag	Mail.XML 10.0C
Base	Removed
maxLength	
minLength	
whiteSpace	

### 5.33 simpleType: containerAcceptanceDateType

Tag	Mail.XML 10.0C
Base	xs:date

### 5.34 simpleType: cccLevelType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	3 = 3-Digit/SCF
enumeration	5 = 5-Digit/Carrier Route
enumeration	A = ADC/AADC

enumeration	M = Mixed ADC & Mixed AADC
-------------	----------------------------

### 5.35 simpleType: containerGroupingDescriptionType

Tag	Mail.XML 10.0C
Base	Removed

### 5.36 simpleType: containerGrossWeightType

Tag	Mail.XML 10.0C
Base	mailxml_base:s05

### 5.37 simpleType: containerHeightType

Tag	Mail.XML 10.0C
Base	mailxml_base:n03

### 5.38 simpleType: containerLevelType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	A = CR-Direct Eligibility Type = S, T, P
enumeration	B = Mixed CR in 5 Digit Eligibility Type = S, T, P
enumeration	C = Mixed CR in 3 Digit Eligibility Type = S, T
enumeration	D = CR – 5D Scheme Eligibility Type = S, T, P
enumeration	E = FSS Scheme
enumeration	F = FSS Facility
enumeration	G = 5 Digit (Auto/Presort) Eligibility Type = S, T, P
enumeration	H = 5 Digit (Merged) Eligibility Type = S, T, P
enumeration	I = 5 Digit (Presort Only) Eligibility Type = S, T, P
enumeration	J = 5 Digit (Barcode Only) Eligibility Type = S, T, P
enumeration	K = Metro Scheme Eligibility Type = P
enumeration	M = 5D Scheme (Presort) Eligibility Type = S, T, P
enumeration	N = 5D Scheme (Auto/Presort) Eligibility Type = S, T, P
enumeration	P = 5D Scheme (Barcode) Eligibility Type = S, T, P
enumeration	Q = 5D Scheme (Merged) Eligibility Type = S, T, P
enumeration	R = 3 Digit (Auto, Presort)

	Eligibility Type = S, T
enumeration	S = 3 Digit (Barcode) Eligibility Type = S, T
enumeration	T = 3 Digit (Presort) Eligibility Type = S, T
enumeration	U = 3 Digit (CR, Auto, Presort) Eligibility Type = S, T, P
enumeration	V = 3 Digit Scheme Eligibility Type = T
enumeration	W
enumeration	X = SCF Eligibility Type = S, P
enumeration	Y = Protected SCF Eligibility Type = P
enumeration	Z = ADC Eligibility Type = S, T, P
enumeration	AA = AADC Eligibility Type = T
enumeration	AB = Mixed ADC Eligibility Type = S, T, P
enumeration	AC = Mixed AADC Eligibility Type = T
enumeration	AD = ASF Eligibility Type = S, P
enumeration	AE = NDC (previously known as BMC) Eligibility Type = S, P
enumeration	AF = Protected NDC Eligibility Type = P
enumeration	AG = Mixed NDC Eligibility Type = S, P
enumeration	AH = Origin MxADC
enumeration	AI = Protected ADC
enumeration	AJ = Single Piece Container Eligibility Type = S, T
enumeration	AK = MXDS – Mixed Surface Eligibility Type = P
enumeration	AL = MXDA – Mixed Air CSA FCM Only
enumeration	AM = Working Eligibility Type = P
enumeration	AN = Single Piece – First Class Eligibility Type = P
enumeration	AO = Surface Eligibility Type = P
enumeration	AP = Air Eligibility Type = P
enumeration	AQ = Local Eligibility Type = P
enumeration	AR = Origin SCF
enumeration	AS = Origin Mixed ADC Surface

enumeration	AT = Mixed ADC Air
enumeration	BA = Urban Direct Eligibility Type = S, T
enumeration	BB = Rural Direct Eligibility Type = S, T
enumeration	BC = Station Eligibility Type = S, T, P
enumeration	BD = City Eligibility Type = S, T, P
enumeration	BE = FSA Eligibility Type = P
enumeration	BF = DCF Eligibility Type = S, T, P
enumeration	BG = FCP Eligibility Type = S, T, P
enumeration	BH = Province Eligibility Type = P
enumeration	BI = Residual Eligibility Type = S, T, P
enumeration	BJ = Foreign Eligibility Type = S, T, P
enumeration	BK = Country Eligibility Type = S, T, P
enumeration	BL = Mixed Country Eligibility Type = S, T, P
enumeration	BM = M Bags Eligibility Type = S

### 5.39 simpleType: containerPickupDateType

Tag	Mail.XML 10.0C
Base	xs:date

### 5.40 simpleType: containerPickupTimeType

Tag	Mail.XML 10.0C
Base	xs:time

### 5.41 simpleType: containerShipDateType

Tag	Mail.XML 10.0C
Base	xs:date

### 5.42 simpleType: containerShipTimeType

Tag	Mail.XML 10.0C
Base	xs:time

### 5.43 simpleType: contactType

Tag	Mail.XML 10.0C
Base	xs:string

enumeration	AccountManager
enumeration	Carrier
enumeration	CrossDock
enumeration	CustomerService
enumeration	HelpDesk
enumeration	DropShipCoordinator
enumeration	ApptCoordinator
enumeration	Plant
enumeration	InboundFreightCoordinator
enumeration	SalesOffice
enumeration	TruckDriver
enumeration	Warehouse
enumeration	Other

#### 5.44 simpleType: containerType

Tag	Mail.XML 10.0C
Base	Removed
enumeration	
enumeration	
enumeration	
enumeration	

#### 5.45 simpleType: containerStatusType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Accepted
enumeration	OnHold
enumeration	Rejected

#### 5.46 simpleType: containerHeightSourceType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	A = Actual
enumeration	E = Estimated

#### 5.47 simpleType: cptPeriodicalAdPercentageType

Tag	Mail.XML 10.0C
Base	Removed
maxLength	
minLength	
whiteSpace	

#### 5.48 simpleType: cptPeriodicalAdPercentageBasisType

Tag	Mail.XML 10.0C
Base	Removed
totalDigits	



#### 5.49 simpleType: cptPeriodicalAdPercentageStatusType

Tag	Mail.XML 10.0C
Base	Removed
maxLength	
minLength	
whiteSpace	

#### 5.50 simpleType: CQTdatabaseIDType

Tag	Mail.XML 10.0C
Base	xs:nonNegativeInteger
totalDigits	8
whiteSpace	collapse

#### 5.51 simpleType: creditDebitIndicator

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	C = Credit
enumeration	D = Debit

#### 5.52 simpleType: CRIDType

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	15
minLength	1
pattern	([0-9])*

#### 5.53 simpleType: cRIDStatusType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	New
enumeration	Existing

#### 5.54 simpleType: csaTemplateType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	PVDS-PER
enumeration	DMU-C
enumeration	DMU-P
enumeration	BMEU
enumeration	UPVDS-PER
enumeration	UDMU-C
enumeration	UDMU-P
enumeration	UBMEU
enumeration	U

### 5.55 simpleType: csaStatusType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	ACT
enumeration	PEN
enumeration	INACT
enumeration	INCOMP
enumeration	PREAPP

### 5.56 simpleType: databaseContainerIDType

Tag	Mail.XML 10.0C
Base	xs:nonNegativeInteger
totalDigits	6

### 5.57 simpleType: dayFrequencyType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Daily
enumeration	Monday
enumeration	Tuesday
enumeration	Wednesday
enumeration	Thursday
enumeration	Friday
enumeration	Saturday
enumeration	Sunday

### 5.58 simpleType: daysOfWeekType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	MON
enumeration	TUE
enumeration	WED
enumeration	THU
enumeration	FRI
enumeration	SAT
enumeration	SUN
enumeration	MF
enumeration	MS
enumeration	ALL
enumeration	H

### 5.59 simpleType: daysType

Tag	Mail.XML 10.0C
Base	Removed
maxInclusive	
minInclusive	

### 5.60 simpleType: DirectOrMixedCategoryType

Tag	Mail.XML 10.0C
Base	Does not exists
enumeration	
enumeration	

### 5.61 simpleType: dec03-2

Tag	Mail.XML 10.0C
Base	Removed
totalDigits	
fractionDigits	

### 5.62 simpleType: dec04-3

Tag	Mail.XML 10.0C
Base	Removed
totalDigits	
fractionDigits	

### 5.63 simpleType: dec18-6

Tag	Mail.XML 10.0C
Base	Removed
totalDigits	
fractionDigits	

### 5.64 simpleType: dec10-4

Tag	Mail.XML 10.0C
Base	Removed
totalDigits	
fractionDigits	

### 5.65 simpleType: dec18-8

Tag	Mail.XML 10.0C
Base	xs:decimal
totalDigits	18
fractionDigits	8

### 5.66 simpleType: deliverabilityCodeType

Tag	Mail.XML 10.0C
Base	xs:string

enumeration	K = COA Match, No Forwarding Address
enumeration	G = COA Match, PO Box Closed, No Forwarding Address
enumeration	W = COA Match with a temporary COA

### 5.67 simpleType: electronicFileType

Tag	Mail.XML 10.0C
Base	String 1
enumeration	1=Postage & Tracking File
enumeration	2=Tracking File
enumeration	3=Return Service
enumeration	4=Corrections
enumeration	5=Electronic Verification
enumeration	C=Parcel Return Service

### 5.68 simpleType: emailType

Tag	Mail.XML 10.0C
Base	xs:string

### 5.69 simpleType: eMD8125ASNBarcodeType

Tag	Mail.XML 10.0C
Base	Removed

### 5.70 simpleType: enclosedByType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	SM = Standard Mail
enumeration	BP = Bound Printed Matter
enumeration	PE = Periodicals
enumeration	PP = Parcel Post
enumeration	ML = Media/Library Mail

### 5.71 simpleType: entryDiscountType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	N = None
enumeration	B = DNDC (previous DBMC)
enumeration	S = DSCF
enumeration	D = DDU
enumeration	A = DADC
enumeration	C = Origin SCF
enumeration	K = Origin NDC

### 5.72 simpleType: entryFacilityType

Tag	Mail.XML 10.0C
-----	----------------

Base	xs:string
enumeration	O = Origin
enumeration	B = NDC (Previous BMC)
enumeration	S = SCF
enumeration	D = DDU
enumeration	A = ADC

### 5.73 simpleType: entryPointEDPostalCodeType

Tag	Mail.XML 10.0C
Base	mailxml_base:s06

### 5.74 simpleType: entryPointEDFacilityTypeType

Tag	Mail.XML 10.0C
Base	mailxml_base:s01

### 5.75 simpleType: entryPointADLocaleKeyType

Tag	Mail.XML 10.0C
Base	mailxml_base:s09

### 5.76 simpleType: entryPointADPostalCodeType

Tag	Mail.XML 10.0C
Base	mailxml_base:s09

### 5.77 simpleType: es2

Tag	Mail.XML 10.0C
Base	Removed
maxLength	
minLength	
whiteSpace	

### 5.78 simpleType: es3

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	3
minLength	3
whiteSpace	preserve

### 5.79 simpleType: es4

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	4
minLength	4
whiteSpace	preserve

### 5.80 simpleType: es5

Tag	Mail.XML 10.0C
-----	----------------

Base	xs:string
maxLength	5
minLength	5
whiteSpace	preserve

### 5.81 simpleType: es31

Tag	Mail.XML 10.0C
Base	Removed
maxLength	
minLength	
whiteSpace	

### 5.82 simpleType: exemptionCodeType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	APO
enumeration	APS
enumeration	CAPC
enumeration	DUE
enumeration	HC

### 5.83 simpleType: fASTContentIDType

Tag	Mail.XML 10.0C
Base	Removed

### 5.84 simpleType: fASTSchedulerIDType

Tag	Mail.XML 10.0C
Base	mailxml_base:s12

### 5.85 simpleType: feeNotificationType

Tag	Mail.XML 10.0C
Base	String
enumeration	E = Electronic Fee Charged
enumeration	1 = Automated Fee 1 <sup>st</sup> Notice
enumeration	2 = Automated Fee 2 <sup>nd</sup> Notice
enumeration	3 = Automated Fee Charged for 3 or more notices

### 5.86 simpleType: flatRateIndicatorType

Tag	Mail.XML 11.0
Base	xs:string
enumeration	B = Box – Priority Mail Flat Rate Only
enumeration	C = Priority Mail Critical Mail – Letter
enumeration	E = Envelope – Priority Mail Flat Rate Only
enumeration	F = Priority Mail Critical Mail – Flat
enumeration	L = Box – Large Priority Mail Flat Rate Only

enumeration	M = Box – Large Military Destination Priority Mail Flat Rate Only
enumeration	-
enumeration	P = Priority Mail Legal Flat Rate Envelope
enumeration	S = Small – Priority Mail Flat Rate Only

### 5.87 simpleType: formType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	PM = Priority Mail
enumeration	FC = First-Class
enumeration	SM = Standard Mail
enumeration	BP = Bound Printed Matters
enumeration	PE = Periodicals
enumeration	PP = Parcel Post
enumeration	ML = Media/Library Mail
enumeration	-

### 5.88 simpleType: fullServiceComplianceIndicatorType

Tag	Mail.XML 10.0C
Base	mailxml_base:yesNo
enumeration	
enumeration	

### 5.89 simpleType: fspiType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	M = Mixed
enumeration	F = Full-Service

### 5.90 simpleType: gPSSystemType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	ECEF
enumeration	HAE
enumeration	MSL

### 5.91 simpleType: IDType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	DriversLicense
enumeration	EmployeeID

### 5.92 simpleType: iMBType

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	34

minLength	20
pattern	([0-9])+

### 5.93 simpleType: IMcbType

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	24
minLength	21

### 5.94 simpleType: IMpbType

Tag	Mail.XML 11.0
Base	String
maxLength	34
minLength	34

### 5.95 simpleType: iMBarcodeIDType

Tag	Mail.XML 10.0C
Base	mailxml_base:ns02

### 5.96 simpleType: iMBSerialNumber6Type

Tag	Mail.XML 10.0C
Base	mailxml_base:ns06

### 5.97 simpleType: iMBSerialNumber9Type

Tag	Mail.XML 10.0C
Base	mailxml_base:ns09

### 5.98 simpleType: iMBUpperSerializationType

Tag	Mail.XML 10.0C
Base	mailxml_base:s18

### 5.99 simpleType: iMBLowerSerializationType

Tag	Mail.XML 10.0C
Base	mailxml_base:s18

### 5.100 simpleType: IMtbType

Tag	Mail.XML 10.0C
Base	String
maxLength	24
minLength	24

### 5.101 simpleType: incentiveTypeType



Tag	Mail.XML 10.0C
Base	Removed
enumeration	
enumeration	
enumeration	
enumeration	

### 5.102 simpleType: includedInOtherDocType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	L = Linked
enumeration	O = Original

### 5.103 simpleType: internalDateType

Tag	Mail.XML 10.0C
Base	xs:date

### 5.104 simpleType: internationalPSPartType

Tag	Mail.XML 11.0
Base	String
enumeration	A = First Class ail International Permit Imprint
enumeration	B = International Surface Airlift – ISAL
enumeration	C = International Priority Airmail – IPA
enumeration	D = Priority Mail International Permit Imprint
enumeration	E = Global Shipping Software (GSS) Permit Imprint – Priority Mail International
enumeration	F = Global Shipping Software Permit Imprint – Express Mail International
enumeration	G = Global Shipping Software Permit Imprint – Global Express Guaranteed
enumeration	H = Global Bulk Economy Mail Permit Imprint
enumeration	I = Global Direct Canada Admail Permit Imprint
enumeration	J = Global Direct Canada Publication Mail – Permit Imprint
enumeration	K = Global Direct Canada Letter Mail – Permit Imprint
enumeration	Q = Global Direct Permit Imprint
enumeration	R = Reserved
enumeration	S = Extra Services

### 5.105 simpleType: internationalZoneType

Tag	Mail.XML 10.0C
Base	String
enumeration	1 through 15

### 5.106 simpleType: internationalPSPartSectionType

Tag	Mail.XML 10.0C
-----	----------------

enumeration	<p>ICLM = Canada Incentive Letter Mail Standard (S/L) – Machinable</p> <p>ICLO = Canada Letter Mail Other (Non-Standard and Oversize)</p> <p>ICLP = Canada Incentive Letter Mail Standard (S/L) – Presort</p> <p>ICLPL = Canada Incentive Letter Mail Standard (S/L) – Presort Local</p> <p>ICLS = Canada Letter Mail Standard (S/L)</p> <p>ICOM = Canada Incentive Letter Mail Oversize (O/S) – Machinable</p> <p>ICOP = Canada Incentive Letter Mail Oversize (O/S) – Presort</p> <p>IEM = Express Mail International</p> <p>IEMF = Express Mail International Flat Rate Envelop</p> <p>IFCP = LCP Residual/Forward Consolidation Point (FCP)</p> <p>IFE = Flat Rate Envelop (Individual Weight Limit: 4 lbs)</p> <p>IFLB = Large Flat Rate Box (Individual Weight Limit: 20 lbs)</p> <p>IFMB = Medium Flat Rate Box (Individual Weight Limit: 20 lbs)</p> <p>IFSB = Small Flat Rate Box (Individual Weight Limit: 4 lbs)</p> <p>IGBB = Global Bulk Economy Mail-Base Price-New Jersey Entry</p> <p>IGBM = Global Bulk Economy Mail M-Bag New Jersey Entry</p> <p>IGD = Global Direct</p> <p>IGXG = Global Express Guaranteed (GXG)</p> <p>ILDC = LCP Distribution Center Facility</p> <p>ILDD = LCP Delivery Mode Direct</p>
-------------	---

	ILDF = LCP Delivery Facility
	IMBG = M-Bag Airmail Sacks
	INDG = NDG Presort
	IPM = Priority Mail International
	IPMI = International Priority Mail IPA
	IPMM = International Priority Mail M-Bag IPA
	IRV = Reserved
	ISAL = International Surface Airlift – ISAL
	ISAM = International Surface Airlift M-Bag – ISAL

### 5.107 simpleType: internationalPriceGroupType

Tag	Mail.XML 10.0C
Base	String
enumeration	1 = Canada
enumeration	2 = Mexico
enumeration	3 through 5 = China, Eastern Europe, Hong Kong, Japan, South Korea, Turkey, Western Europe
enumeration	6 through 9 = Africa, Asia (exception include price group 3 through 5), central America, Middle East, South America
enumeration	10 through 15 = Unknown – for future use

### 5.108 simpleType: inOutCountyIndicatorType

Tag	Mail.XML 10.0C
Base	Removed
enumeration	
enumeration	
enumeration	
enumeration	

### 5.109 simpleType: inCountyOutCountyIndicatorType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	I
enumeration	N
enumeration	

### 5.110 simpleType: int04

Tag	Mail.XML 10.0C
-----	----------------

Base	Removed
TotalDigits	

### 5.111 simpleType: jobIDType

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	8
minLength	1
whiteSpace	preserve

### 5.112 simpleType: localeKeyType

Tag	Mail.XML 10.0C
Base	mailxml_base:s09

### 5.113 simpleType: inductionStatusType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	A = Accepted
enumeration	N = Rejected

### 5.114 simpleType: logicalPhysicalBundleIndicatorType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	P = Physical
enumeration	L = Logical

### 5.115 simpleType: logicalPhysicalContainerIndicatorType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	P = Physical
enumeration	L = Logical

### 5.116 simpleType: mailAgreementTypeType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	A = Alternate Mailing System
enumeration	B = Optional Procedure
enumeration	C = Manifest Mailing
enumeration	D = Value Added
enumeration	E = Combined Mail
enumeration	F = Combined and Value Added

### 5.117 simpleType: mailClassType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	1 = First-Class Mail

enumeration	2 = Periodicals
enumeration	3 = Standard Mail
enumeration	4 = Package Services
enumeration	6 = (Future Placeholder)

### 5.118 simpleType: maildatContainerStatusType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	R = Ready to Pay
enumeration	X = Paid
enumeration	C = Cancel
enumeration	D = Delete
enumeration	P = Preliminary Postage Statement
enumeration	T = Transportation Information Update

### 5.119 simpleType: maildatRecordStatus

Tag	Mail.XML 10.0C
Base	Removed
enumeration	

### 5.120 simpleType: mailerID6Type

Tag	Mail.XML 10.0C
Base	mailxml_base:ns06

### 5.121 simpleType: mailerID9Type

Tag	Mail.XML 10.0C
Base	mailxml_base:ns09

### 5.122 simpleType: mailIssueType

Tag	Mail.XML 10.0C
Base	Removed
maxLength	
minLength	
whiteSpace	

### 5.123 simpleType: mailXMLContainerType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	1 = #1 Sack
enumeration	2 = #2 Sack
enumeration	3 = #3 Sack
enumeration	4 = 01V Sack
enumeration	5 = 03V Sack
enumeration	6 = OD Sack
enumeration	7 = OD Parcel

enumeration	8 = OD Full Tray Box
enumeration	9 = OD Half Tray Box
enumeration	10 = Flat Trays
enumeration	11 = FRE/FRB
enumeration	E = EMM Tray
enumeration	F = Flat Tub
enumeration	L = Logical Tray
enumeration	O = 1' Tray
enumeration	P = Pallet
enumeration	S = Sack (General)
enumeration	T = 2' Tray
enumeration	V = Sack (Virtual)
enumeration	B = Bedload
enumeration	U – Unit Load Device
enumeration	Z = User Pallet
enumeration	X = (Future Placeholder)
enumeration	H = EIRS 61 – Hamper, Large Canvas
enumeration	A = EIRS 61P – Hamper, Large Plastic
enumeration	G = EIRS 66 – General Purpose Mail Container w/Gate
enumeration	D = EIRS 68 – Eastern Region Mail Container w/Web Door
enumeration	R = EIRS 84 – Wire Container Rigid
enumeration	C = EIRS 84C – Collapsible Wire Container
enumeration	M = Logical Pallet (MLOCR)
enumeration	AB = Air Box <i>Note: For Mail.XML 11.0 when this value is provided – the PostalOne! system will reject the message with appropriate message.</i>
enumeration	Y = PMOD Sack

### 5.124 simpleType: mailXMLPresentationCategoryType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	M = MLOCR
enumeration	P = Conventional Presort
enumeration	I = Manifest Individual
enumeration	N = Single Piece
enumeration	S = Manifest Summary

### 5.125 simpleType: manifestType

Tag	Mail.XML 10.0C
enumeration	DM = Domestic Mail
enumeration	IM = International Mail

### 5.126 simpleType: manifestMailClassType

Tag	Mail.XML 10.0C
enumeration	BB = BoundPrinted Material
enumeration	BL = Library Rate
enumeration	BP = Parcel Post
enumeration	BS = Media Mail
enumeration	CP = Priority Mail International Parcels
enumeration	DM = Domestic Matter for the Blind
enumeration	EX = Express Mail®
enumeration	FC = First Class Mail®
enumeration	IE = Express Mail International
enumeration	IL = Priority Mail International Letters
enumeration	LC = First Class Mail International
enumeration	PG = Global Express Guaranteed
enumeration	PM = Priority Mail
enumeration	S2 = Standard Mail Non-Profit
enumeration	S3 = Standard Mail Enhanced Carrier Route
enumeration	S4 = Standard Mail Nonprofit Enhance Carrier Route
enumeration	SA = Standard Mail

### 5.127 simpleType: manifestRateLevelType

Tag	Mail.XML 10.0C
enumeration	AD = "ADC Rate" BA = "Basic Rate" BM = "Balloon Rate" BP = "Basic Bound Printed Matter Pre-bar coded"  BS = "NDC Special Standard" B3 = "3-Digit Balloon Rate" CB = "Carrier Route Basic Rate" CD = "Express Mail Custom Design" CH = "Carrier Route High Density Rate" CR = "Carrier Route Rate" CS = "Carrier Route Saturation Rate" C1 = "Cubic Pricing Tier 1" C2 = "Cubic Pricing Tier 2" C3 = "Cubic Pricing Tier 3" C4 = "Cubic Pricing Tier 4" C5 = "Cubic Pricing Tier 5" DN = "Dimensional"

<p>Nonrectangular Rate"</p> <p>DR = "Dimensional Rectangular Rate"</p> <p>E1 = "Express Mail Same Day Airport Flat Rate"</p> <p>E3 = "Express Mail Flat Rate Hold For Pickup"</p> <p>E4 = "Express Mail Flat Rate Post Office To Addressee"</p> <p>FB = "Priority Mail Medium Flat Rate Box"</p> <p>FE = "Flat Rate Envelope"</p> <p>IG = "P/PS&lt;15Lbs, combined length/girth &gt;84" &amp; &lt;= 108" subject to balloon rate"</p> <p>IM = "P/ PS between 108" and 130" subject to oversize rate"</p> <p>MA = "Mixed ADC Rate"</p> <p>MB = "Mixed NDC Rate"</p> <p>NP = "Non-presorted Rate"</p> <p>OS = "Oversize"</p> <p>PG = "PM&lt;15lbs combined length/girth &gt;84" &amp; &lt;=108" subject to balloon rate"</p> <p>PL = "Priority Mail Large Flat Rate Box"</p> <p>PM = "Priority Mail Large Flat Rate Box APO/FPO"</p> <p>PP = "Express Mail Hold For Pickup"</p> <p>PR = "Presorted Rate"</p> <p>RB = "Bulk Basic"</p> <p>SB = "Media Mail NDC"</p> <p>SP = "Single Piece Rate"</p> <p>S1 = "Single Piece – Flat"</p> <p>S2 = "Single Piece – Parcel"</p> <p>S5 = "Media Mail 5 Digit"</p>
---



	1A = "Intra-NDC Single Piece Rate"
	1E = "Inter-NDC Single Piece Rate"
	2A = "Intra-NDC Balloon Rate"
	2E = "Inter-NDC Balloon Rate"
	3A = "Intra-NDC Oversized Rate"
	3D = "3-Digit Rate"
	3E = "Inter-NDC Oversized Rate"
	5D = "5 Digit Rate"
	5S = "5 Digit Special Standard"

### 5.128 simpleType: manifestExtraServiceCode

Tag	Mail.XML 10.0C
enumeration	420 = Parcel Return Service
enumeration	430 = Open & Distribute
enumeration	440 – Re Shipment
enumeration	910 = Certified Mail
enumeration	915 = COD
enumeration	920 – Delivery Confirmation
enumeration	921 = Signature Confirmation
enumeration	925 = Express Mail Merchandise Insurance
enumeration	930 = Insurance <=\$200
enumeration	931 = Insurance >\$200
enumeration	935 = Parcel Airlift (PAL)
enumeration	940 = Registered Mail
enumeration	950 = Restricted Delivery
enumeration	955 = Return Receipt
enumeration	957 = Return Receipt Electronic
enumeration	960 = Return Receipt for Merchandise
enumeration	970 = Special Handling
enumeration	980 = Merchandise Return Service (MRS)
enumeration	985 = Hold for Pickup

### 5.129 simpleType: mailXMLStatusType

Tag	Mail.XML 10.0C
-----	----------------

Base	Removed
enumeration	

### 5.130 simpleType: mIDStatusType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	New
enumeration	Existing

### 5.131 simpleType: meteredAffixedMethodType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	C = Metered - Correct
enumeration	L = Metered – Lowest
enumeration	M = Metered - Neither

### 5.132 simpleType: monthType

Tag	Mail.XML 10.0C
Base	xs:nonNegativeInteger
maxInclusive	12
minInclusive	1

### 5.133 simpleType: moveUpdateMethodType

Tag	Mail.XML 10.0C
Base	xs:integer
enumeration	0 = None
enumeration	1 = ACS
enumeration	2 = NCOA
enumeration	3 = FAST Forward
enumeration	4 = Mailer Move Update Process
enumeration	5 = Ancillary Service Endorsement
enumeration	6 = Multiple
enumeration	7 = N/A
enumeration	8 = OneCode ACS

### 5.134 simpleType: moveUpdateType

Tag	Mail.XML 10.0C
Base	Removed
enumeration	
enumeration	

### 5.135 simpleType: MPUIDType

Tag	Mail.XML 10.0C
Base	xs:nonNegativeInteger
totalDigits	5

### 5.136 simpleType: ns02

Tag	Mail.XML 10.0C
Base	xs:string
pattern	[0-9]{2}

### 5.137 simpleType: ns03

Tag	Mail.XML 10.0C
Base	xs:string
pattern	[0-9]{3}

### 5.138 simpleType: ns04

Tag	Mail.XML 10.0C
Base	xs:string
pattern	[0-9]{4}

### 5.139 simpleType: ns05

Tag	Mail.XML 10.0C
Base	xs:string
pattern	[0-9]{5}

### 5.140 simpleType: ns06

Tag	Mail.XML 10.0C
Base	xs:string
pattern	[0-9]{6}

### 5.141 simpleType: ns08

Tag	Mail.XML 10.0C
Base	Removed
pattern	

### 5.142 simpleType: ns09

Tag	Mail.XML 10.0C
Base	xs:string
pattern	[0-9]{9}

### 5.143 simpleType: ns10

Tag	Mail.XML 10.0C
Base	xs:string
pattern	[0-9]{10}

### 5.144 simpleType: ns11

Tag	Mail.XML 10.0C
Base	xs:string
pattern	[0-9]{11}

### 5.145 simpleType: ns13

Tag	Mail.XML 10.0C
Base	Removed
pattern	

### 5.146 simpleType: ns22

Tag	Mail.XML 10.0C
Base	xs:string
pattern	[0-9]{22}

### 5.147 simpleType: n01

Tag	Mail.XML 10.0C
Base	xs:positiveInteger
totalDigits	1

### 5.148 simpleType: n02

Tag	Mail.XML 10.0C
Base	xs:positiveInteger
totalDigits	2

### 5.149 simpleType: n03

Tag	Mail.XML 10.0C
Base	xs:nonNegativeInteger
totalDigits	3

### 5.150 simpleType: n04

Tag	Mail.XML 10.0C
Base	Removed
totalDigits	

### 5.151 simpleType: n05

Tag	Mail.XML 10.0C
Base	xs:nonNegativeInteger
totalDigits	5

### 5.152 simpleType: n06

Tag	Mail.XML 10.0C
Base	xs:nonNegativeInteger
totalDigits	6

### 5.153 simpleType: newAddressType

Tag	Mail.XML 10.0C
Base	Removed
enumeration	
enumeration	

### 5.154 simpleType: addressType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	F = Foreign
enumeration	G = General Delivery
enumeration	H = Highway Route Contract
enumeration	P = Post Office Box
enumeration	R = Rural Route
enumeration	S = Street Address
enumeration	U = Urbanization Name
enumeration	V = Highway Contract Route with box number
enumeration	X = Rural Route with box number

### 5.155 simpleType: operatingModeType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	N = Normal
enumeration	B = ByPass

### 5.156 simpleType: onePassPlannedOrActualFlagType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	A
enumeration	P

### 5.157 simpleType: packageIDType

Tag	Mail.XML 10.0C
Base	mailxml_base:s06

### 5.158 simpleType: PackageServicesType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	PS
enumeration	BPM
enumeration	LIB
enumeration	MEDIA
enumeration	PP

### 5.159 simpleType: packageCountRangeType

Tag	Mail.XML 10.0C
Base	xs:Integer
Pattern	[1-9][1-9][0]

### 5.160 simpleType: packagingMethodType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	0 = Piece Count
enumeration	1 = Weight
enumeration	2 = Both

### 5.161 simpleType: palletHandlingUnitType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Sacks
enumeration	Bundles
enumeration	MixedLengthTrays
enumeration	1ft Tray
enumeration	2ft Tray
enumeration	EMM Tray
enumeration	Flat Tub
enumeration	Parcels

### 5.162 simpleType: palletType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Pallet
enumeration	EIRS 61 - Hamper, Large Canvas
enumeration	EIRS 61P - Hamper, Large Plastic
enumeration	EIRS 66 - General Purpose Mail Container w/Gate
enumeration	EIRS 68 - Eastern Region Mail Container w/Web Door
enumeration	EIRS 84 - Wire Container Rigid
enumeration	EIRS 84C - Collapsible Wire Container

### 5.163 simpleType: parentContainerRefIDType

Tag	Mail.XML 10.0C
Base	mailxml_base:s06

### 5.164 simpleType: percentageType

Tag	Mail.XML 10.0C
Base	xs:decimal
totalDigits	5
fractionDigits	2
minInclusive	0.00
maxInclusive	100.00

### 5.165 simpleType: periodicalPriceType

Tag	Mail.XML 10.0C
-----	----------------

Base	xs:string
enumeration	D = Non-Advertising Pound Rate – DSCF (B13)
enumeration	C = Non-advertising Pound Rate – DDU (B12)
enumeration	E = Non-Advertising Pound Rate – DADC (B14)
enumeration	R = Repositionable notes (surcharge) (A21, F2)
enumeration	Z = Non-Advertising Pound Rate – All Others (B15)
enumeration	5 = Non-Advertising Piece Rate (C30)
enumeration	9 = Ride-along Surcharge (A20, F1)
enumeration	1 = DDU (A17)

### 5.166 simpleType: periodicalStatementType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	N

### 5.167 simpleType: permitTypeType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	PI = Permit Imprint
enumeration	MT = Metered Tape
enumeration	PC = Pre-cancelled Stamps
enumeration	BR = Business Reply
enumeration	PE = Periodicals
enumeration	GH = Ghost
enumeration	OI = Official Imprint
enumeration	OM = Official Imprint
enumeration	PP = Pending Periodicals
enumeration	PA = Partial Permit Imprint

### 5.168 simpleType: phoneNumberType

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	25
minLength	1
whiteSpace	preserve

### 5.169 simpleType: pickupOrDeliveryType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Pickup
enumeration	Delivery

### 5.170 simpleType: planetCodeType

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	13
minLength	11

pattern	[0-9]{2}
---------	----------

### 5.171 simpleType: postageGroupingIDType

Tag	Mail.XML 10.0C
Base	mailxml_base:s08

### 5.172 simpleType: postagePaymentMethodType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	S
enumeration	M
enumeration	P

### 5.173 simpleType: postageStatementLineNumber1Type

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	E26
enumeration	E27
enumeration	E28
enumeration	E29
enumeration	E30
enumeration	E31
enumeration	E32
enumeration	E33
enumeration	E34
enumeration	E35
enumeration	E36
enumeration	E37
enumeration	E38
enumeration	E39
enumeration	E40
enumeration	E41
enumeration	E42
enumeration	E43
enumeration	E44
enumeration	E45
enumeration	E46

### 5.174 simpleType: postageStatementLineNumber2Type

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	E1
enumeration	E2
enumeration	E3
enumeration	E4
enumeration	E5
enumeration	E6
enumeration	E7



enumeration	E8
enumeration	E9
enumeration	E10
enumeration	E11
enumeration	E12
enumeration	E13
enumeration	E14
enumeration	E15
enumeration	E16
enumeration	E17
enumeration	E18
enumeration	E19
enumeration	E20
enumeration	E21
enumeration	E22
enumeration	E23
enumeration	E24

### 5.175 simpleType: postageStatementLineNumber3Type

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	D1
enumeration	D2
enumeration	D3
enumeration	D4
enumeration	D5
enumeration	D6
enumeration	D7
enumeration	D8
enumeration	D9
enumeration	D10
enumeration	D11
enumeration	D12
enumeration	D13
enumeration	D14
enumeration	D15
enumeration	D16
enumeration	D17

### 5.176 simpleType: postageStatementStateType

Tag	Mail.XML 10.0C
Base	Removed

### 5.177 simpleType: postageStatementStatusType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	UPD = Updated
enumeration	FIN = Finalized
enumeration	REW = Rework

enumeration	REV = Reversed
enumeration	CAN = Cancelled
enumeration	FAI = Failed Verification
enumeration	PEN = Pending
enumeration	PAS = Passed
enumeration	INC = Incomplete
enumeration	NAP = Not Available for Processing
enumeration	EST = Estimate Postage
enumeration	CON = Consolidated Postage Statement
enumeration	ERR = Error
enumeration	COM = Complete
enumeration	AVW = Address Verification Warning
enumeration	PAV = Pending Address Verification
enumeration	FPP = Finalized Pending Payment

### 5.178 simpleType: priceType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	commercial
enumeration	commercialplus
enumeration	retail
enumeration	NSA

### 5.179 simpleType: primarySecondaryIndicatorType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	P = Primary
enumeration	S = Secondary

### 5.180 simpleType: processingCategoryType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	LT = Letter
enumeration	FL = Flat
enumeration	CD = Card
enumeration	OS = Outside Parcel
enumeration	MP = Machinable Parcel
enumeration	IR = Irregular Parcel
enumeration	PF = Parcel, First Class
enumeration	CM = Custom Mail
enumeration	NP = Non-Machinable Parcel
enumeration	NA = Non-Flat Machinable Piece < 6oz
enumeration	NB = Non-Flat Machinable Piece > 6oz
enumeration	SP = Small Packets
enumeration	MB = M-Bags

### 5.181 simpleType: processingCodeType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	S = Surface
enumeration	MXDS = Mixed Surface
enumeration	L = Locale
enumeration	WKG = Working Mail
enumeration	A = Air Separation
enumeration	MXDA = Mixed Air
enumeration	SP = Single Piece

### 5.182 simpleType: pvdsContainerType

Tag	Mail.XML 10.0C
Base	Removed
enumeration	

### 5.183 simpleType: pvdsContainerSubType

Tag	Mail.XML 10.0C
Base	Removed
enumeration	
enumeration	

### 5.184 simpleType: qualificationReportClassType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	FC = First Class
enumeration	S = Standard
enumeration	P = Periodicals
enumeration	PM = Priority Mail
enumeration	PP = Parcel Post
enumeration	A = Air Mail

### 5.185 simpleType: rateCategoryType

The following values shall no longer supported by rateCategory Type

- NG = 5-Digit
- NK = SCF
- N5 = NDC
- N6 = Mixed NDC

enumeration	BF = High Density SCR Letter	BF = High Density SCR Letter
enumeration	D = Carrier Route	D = Carrier Route
enumeration	D1 = Non Automation Carrier Route	D1 = Non Automation Carrier Route
enumeration	DF = Carrier Letter	DF = Carrier Letter

enumeration	E = 5 Digit Barcode	E = 5 Digit Barcode
enumeration	FB = Firm Bundle (Not In-County)	FB = Firm Bundle (Not In-County)
enumeration	G = 5D Non-Barcode	G = 5D Non-Barcode
enumeration	GF = 5D Letter	GF = 5D Letter
enumeration	H = 3 Digit Barcode	H = 3 Digit Barcode
enumeration	K = 3D Non-Barcode	K = 3D Non-Barcode
enumeration	KF = 3D Letter	KF = 3D Letter
enumeration	L = Basic Barcode	L = Basic Barcode
enumeration	L1 = AADC Barcode	L1 = AADC Barcode
enumeration	L2 = Mixed AADC Barcode	L2 = Mixed AADC Barcode
enumeration	L3 = ADC Barcode	L3 = ADC Barcode
enumeration	L4 = Mixed ADC Barcode	L4 = Mixed ADC Barcode
enumeration	L5 = ADC Non-Barcode	L5 = ADC Non-Barcode
enumeration	L6 = Mixed ADC Non-Barcode	L6 = Mixed ADC Non-Barcode
enumeration	L7 = AADC Non-Barcode	L7 = AADC Non-Barcode
enumeration	L8 = Mixed AADC Non-Barcode	L8 = Mixed AADC Non-Barcode
enumeration	<del>TE= 1 Light Weight-5 Digit (Removed)</del>	Doesn't exist
enumeration	<del>TK= Parcel Select Light Weight-SCF (Removed)</del>	Doesn't exist
enumeration	<del>TQ= Parcel Select Light Weight-NDC (Removed)</del>	Doesn't exist
enumeration	<del>TR= Parcel Select Light Weight-Mixed NDC (Removed)</del>	Doesn't exist
enumeration	N = Basic Non-Automation (Basic Presorted)	N = Basic Non-Automation (Basic Presorted)
enumeration	O = Carrier Route – Barcode	O = Carrier Route – Barcode
enumeration	O1 = Non Automation Carrier Route – Barcode * CURRENTLY NOT ALLOWED TO BE USED.	O1 = Non Automation Carrier Route – Barcode * CURRENTLY NOT ALLOWED TO BE USED.
enumeration	Removed	NG = 5 Digit Non Flat Machinable
enumeration	Removed	NK = 3 Digit Non Flat Machinable
enumeration	Removed	N5 = NDC Non Flat Machinable

enumeration	Removed	N6 = Mixed NDC Non Flat Machinable
enumeration	PI = 5 Digit Parcel 0.2063 Pounds or less	PI = 5 Digit Parcel 0.2063 Pounds or less
enumeration	PM = 3 Digit Parcel 0.2063 Pounds or less	PM = 3 Digit Parcel 0.2063 Pounds or less
enumeration	P7 = NDC Parcel 0.2063 pounds or less	P7 = NDC Parcel 0.2063 pounds or less
enumeration	P8 = Mixed NDC Parcel 0.2063 Pounds or less	P8 = Mixed NDC Parcel 0.2063 Pounds or less
enumeration	PE = 5 Digit Machinable Parcel over 0.2063 Pounds	PE = 5 Digit Machinable Parcel over 0.2063 Pounds
enumeration	PQ = NDC Machinable Parcel over 0.2063 Pounds	PQ = NDC Machinable Parcel over 0.2063 Pounds
enumeration	PR = Mixed NDC Machinable Parcel over 0.2063 Pounds	PR = Mixed NDC Machinable Parcel over 0.2063 Pounds
enumeration	PG = 5 Digit Irregular Parcel over 0.2063 Pounds	PG = 5 Digit Irregular Parcel over 0.2063 Pounds
enumeration	PK = 3 Digit Irregular Parcel over 0.2063 Pounds	PK = 3 Digit Irregular Parcel over 0.2063 Pounds
enumeration	P5 = NDC Irregular Parcel over 0.2063 Pounds	P5 = NDC Irregular Parcel over 0.2063 Pounds
enumeration	P6 = Mixed NDC Irregular Parcel over 0.2063 Pounds	P6 = Mixed NDC Irregular Parcel over 0.2063 Pounds
enumeration	S = Single Piece	S = Single Piece
enumeration	Z1 = Parcel Post (NDC Sort)	Z1 = Parcel Post (NDC Sort)
enumeration	Z2 = Parcel Post (ONDC Sort)	Z2 = Parcel Post (ONDC Sort)
enumeration	P10 = Priority Mail Regional Rate Box A (max weight 15 lbs)	P10 = Priority Mail Regional Rate Box A (max weight 15 lbs)

enumeration	P11 = Priority Mail Regional Rate Box B (max weight 20 lbs)	P11 = Priority Mail Regional Rate Box B (max weight 20 lbs)
enumeration	P12 = Priority Mail – Cubic Tier 1 (up to .10 lbs)	P12 = Priority Mail – Cubic Tier 1 (up to .10 lbs)
enumeration	P13 = Priority Mail – Cubic Tier 2 (up to .20 lbs)	P13 = Priority Mail – Cubic Tier 2 (up to .20 lbs)
enumeration	P14 = Priority Mail – Cubic Tier 3 (up to .30 lbs)	P14 = Priority Mail – Cubic Tier 3 (up to .30 lbs)
enumeration	P15 = Priority Mail – Cubic Tier 4 (up to .40 lbs)	P15 = Priority Mail – Cubic Tier 4 (up to .40 lbs)
enumeration	P16 = Priority Mail – Cubic Tier 5 (up to .50 lbs)	P16 = Priority Mail – Cubic Tier 5 (up to .50 lbs)
enumeration	IA10 = International Postcards	IA10 = International Postcards
enumeration	IA11 = Letters (up to 3.5 ounces), Flats and Packages/Small Packets (up to 4 pounds)	IA11 = Letters (up to 3.5 ounces), Flats and Packages/Small Packets (up to 4 pounds)
enumeration	IA12 = Nonmachinable Surcharge (letters only, up to 3.5 ounces)	IA12 = Nonmachinable Surcharge (letters only, up to 3.5 ounces)
enumeration	IA13 = M-Bag Airmail	IA13 = M-Bag Airmail
enumeration	IB14 = Worldwide Nonpresort	IB14 = Worldwide Nonpresort
enumeration	IB15 = International Surface Air Lift-M-Bag-ISAL	IB15 = International Surface Air Lift-M-Bag-ISAL
enumeration	IC15 = International Priority Mail-IPA	IC15 = International Priority Mail-IPA
enumeration	IC17 = Worldwide Nonpresort	IC17 = Worldwide Nonpresort
enumeration	IC18 = International Priority Mail-M-Bag-IPA	IC18 = International Priority Mail-M-Bag-IPA
enumeration	ID19 = Priority Mail International	ID19 = Priority Mail International

enumeration	ID20 = Flat Rate Envelopes (Individual Weight Limit: 4 lbs.) (15" x 9 1/2" or Smaller)	ID20 = Flat Rate Envelopes (Individual Weight Limit: 4 lbs.) (15" x 9 1/2" or Smaller)
enumeration	ID21 = Padded Flat Rate Envelope (Individual Weight Limit: 4 lbs.)	ID21 = Padded Flat Rate Envelope (Individual Weight Limit: 4 lbs.)
enumeration	ID22 = Small Flat Rate Boxes (Individual Weight Limit: 4 lbs.) (Including items O-Small FRBX, ODVDS, and O-1096-L)	ID22 = Small Flat Rate Boxes (Individual Weight Limit: 4 lbs.) (Including items O-Small FRBX, ODVDS, and O-1096-L)
enumeration	ID23 = Medium Flat Rate Boxes (Individual Weight Limit: 20 lbs.)	ID23 = Medium Flat Rate Boxes (Individual Weight Limit: 20 lbs.)
enumeration	ID24 = Large Flat Rate Box (Individual Weight Limit: 20 lbs.)	ID24 = Large Flat Rate Box (Individual Weight Limit: 20 lbs.)
enumeration	IE25 = Flat Rate Envelopes (Individual Weight Limit: 4 lbs.) (15" x 9 1/2" or Smaller)	IE25 = Flat Rate Envelopes (Individual Weight Limit: 4 lbs.) (15" x 9 1/2" or Smaller)
enumeration	IE26 = Padded Flat Rate Envelope (Individual Weight Limit 4 lbs.)	IE26 = Padded Flat Rate Envelope (Individual Weight Limit 4 lbs.)
enumeration	IE27 = Small Flat Rate Boxes (Individual Weight Limit: 4 lbs.) (Including items O-Small FRBX, ODVDS, and O-1096-L)	IE27 = Small Flat Rate Boxes (Individual Weight Limit: 4 lbs.) (Including items O-Small FRBX, ODVDS, and O-1096-L)
enumeration	IE28 = Medium Flat Rate Boxes (Individual Weight Limit: 20 lbs.)	IE28 = Medium Flat Rate Boxes (Individual Weight Limit: 20 lbs.)
enumeration	IE29 = Large Flat Rate Box (Individual Weight Limit: 20 lbs.)	IE29 = Large Flat Rate Box (Individual Weight Limit: 20 lbs.)
enumeration	IF30 = Express Mail International	IF30 = Express

		Mail International
enumeration	IF31 = Express Mail International Flat Rate Envelopes (15" x 9 1/2" or Smaller)	IF31 = Express Mail International Flat Rate Envelopes (15" x 9 1/2" or Smaller)
enumeration	IG32 = Global Express Guaranteed (GXG)	IG32 = Global Express Guaranteed (GXG)
enumeration	IH33 = Global Bulk Economy Mail-Base Prices-New Jersey Entry	IH33 = Global Bulk Economy Mail-Base Prices-New Jersey Entry
enumeration	IH34 = Global Bulk Economy Mail-M-Bag - New Jersey Entry	IH34 = Global Bulk Economy Mail-M-Bag - New Jersey Entry
enumeration	II35 = NDG Presort	II35 = NDG Presort
enumeration	II36 = LCP Delivery Mode Direct	II36 = LCP Delivery Mode Direct
enumeration	II37 = LCP Delivery Facility	II37 = LCP Delivery Facility
enumeration	II38 = LCP Distribution Center Facility (DCF)	II38 = LCP Distribution Center Facility (DCF)
enumeration	II39 = LCP Forward Consolidation Point (FCP)	II39 = LCP Forward Consolidation Point (FCP)
enumeration	II40 = LCP Residual	II40 = LCP Residual
enumeration	II41 = Excess Weight Postage-if applicable (for items over 0.1100 lbs. up to 1.100 lbs. [over 1.76 oz. up to 17.6 oz.])	II41 = Excess Weight Postage-if applicable (for items over 0.1100 lbs. up to 1.100 lbs. [over 1.76 oz. up to 17.6 oz.])
enumeration	IJ42 = NDG Presort	IJ42 = NDG Presort
enumeration	IJ43 = LCP Delivery Mode Direct	IJ43 = LCP Delivery Mode Direct
enumeration	IJ44 = LCP Delivery Facility	IJ44 = LCP Delivery Facility
enumeration	IJ45 = LCP Distribution Center Facility (DCF)	IJ45 = LCP Distribution Center Facility (DCF)
enumeration	IJ46 = LCP Forward Consolidation Point (FCP)	IJ46 = LCP



		Forward Consolidation Point (FCP)
enumeration	IJ47 = LCP Residual	IJ47 = LCP Residual
enumeration	IK48 = Canada Lettermail - Standard (S/L) - up to 1.0576 oz.	IK48 = Canada Lettermail - Standard (S/L) - up to 1.0576 oz.
enumeration	IK49 = Canada Lettermail - Standard (S/L) -over 1.0576 oz. and up to 1.7632 oz.	IK49 = Canada Lettermail - Standard (S/L) - over 1.0576 oz. and up to 1.7632 oz.
enumeration	IK50 = Canada Lettermail - Other Lettermail (Non-standard and Oversize) - up to 3.5264 oz.	IK50 = Canada Lettermail - Other Lettermail (Non-standard and Oversize) - up to 3.5264 oz.
enumeration	IK51 = Canada Lettermail - Other Lettermail (Non-standard and Oversize) - over 3.5264 oz. and up to 7.0544 oz.	IK51 = Canada Lettermail - Other Lettermail (Non-standard and Oversize) - over 3.5264 oz. and up to 7.0544 oz.
enumeration	IK52 = Canada Lettermail - Other Lettermail (Non-standard and Oversize) - over 7.0544 oz. and up to 10.5808 oz.	IK52 = Canada Lettermail - Other Lettermail (Non-standard and Oversize) - over 7.0544 oz. and up to 10.5808 oz.
enumeration	IK53 = Canada Lettermail - Other Lettermail (Non-standard and Oversize) - over 10.5808 oz. and up to 14.1088 oz.	IK53 = Canada Lettermail - Other Lettermail (Non-standard and Oversize) - over 10.5808 oz. and up to 14.1088 oz.
enumeration	IK54 = Canada Lettermail - Other Lettermail (Non-standard and Oversize) - over 14.1088 oz. and up to 17.6368 oz.	IK54 = Canada Lettermail - Other Lettermail (Non-standard and Oversize) - over 14.1088 oz. and up to 17.6368 oz.
enumeration	IK55 = Canada Incentive Lettermail - Standard (S/L) Machineable - up to 1.0576 oz.	IK55 = Canada Incentive Lettermail - Standard (S/L)

		Machineable - up to 1.0576 oz.
enumeration	IK56 = Canada Incentive Lettermail - Standard (S/L) Machineable - over 1.0576 oz. and up to 1.7632 oz.	IK56 = Canada Incentive Lettermail - Standard (S/L) Machineable - over 1.0576 oz. and up to 1.7632 oz.
enumeration	IK57 = Canada Incentive Lettermail - Standard (S/L) Machineable - over 1.7632 oz. and up to 3.5264 oz.	IK57 = Canada Incentive Lettermail - Standard (S/L) Machineable - over 1.7632 oz. and up to 3.5264 oz.
enumeration	IK58 = Canada Incentive Lettermail - Standard (S/L) - Presort - up to 1.0576 oz.	IK58 = Canada Incentive Lettermail - Standard (S/L) - Presort - up to 1.0576 oz.
enumeration	IK59 = Canada Incentive Lettermail - Standard (S/L) - Presort - over 1.0576 oz. and up to 1.7632 oz.	IK59 = Canada Incentive Lettermail - Standard (S/L) - Presort - over 1.0576 oz. and up to 1.7632 oz.
enumeration	IK60 = Canada Incentive Lettermail - Standard (S/L) - Presort - over 1.7632 oz. and up to 3.5264 oz.	IK60 = Canada Incentive Lettermail - Standard (S/L) - Presort - over 1.7632 oz. and up to 3.5264 oz.
enumeration	IK61 = Canada Incentive Lettermail - Standard (S/L) - Presort Local - up to 1.0576 oz.	IK61 = Canada Incentive Lettermail - Standard (S/L) - Presort Local - up to 1.0576 oz.
enumeration	IK62 = Canada Incentive Lettermail - Standard (S/L) - Presort Local - over 1.0576 oz. and up to 1.7632 oz.	IK62 = Canada Incentive Lettermail - Standard (S/L) - Presort Local - over 1.0576 oz. and up to 1.7632 oz.
enumeration	IK63 = Canada Incentive Lettermail - Standard (S/L)	IK63 = Canada

	- Presort Local - over 1.7632 oz. and up to 3.5264 oz.	Incentive Lettermail - Standard (S/L) - Presort Local - over 1.7632 oz. and up to 3.5264 oz.
enumeration	IK64 = Canada Incentive Lettermail - Oversize (O/S) - Machineable - up to 3.5264 oz.	IK64 = Canada Incentive Lettermail - Oversize (O/S) - Machineable - up to 3.5264 oz.
enumeration	IK65 = Canada Incentive Lettermail - Oversize (O/S) - Machineable - over 3.5264 oz. and up to 17.6368 oz.	IK65 = Canada Incentive Lettermail - Oversize (O/S) - Machineable - over 3.5264 oz. and up to 17.6368 oz.
enumeration	IK66 = Canada Incentive Lettermail - Oversize (O/S) - Presort - up to 3.5264 oz.	IK66 = Canada Incentive Lettermail - Oversize (O/S) - Presort - up to 3.5264 oz.
enumeration	IK67 = Canada Incentive Lettermail - Oversize (O/S) - Presort - over 3.5264 oz. and up to 17.6368 oz.	IK67 = Canada Incentive Lettermail - Oversize (O/S) - Presort - over 3.5264 oz. and up to 17.6368 oz.
enumeration	IQ68 = Global Direct	IQ68 = Global Direct
enumeration	IR69 = Reserved	IR69 = Reserved
enumeration	PS1	PS1
enumeration	PS2	PS2
enumeration	PS3	PS3
enumeration	PS4	PS4
enumeration	PS5	PS5
enumeration	PS6	PS6
enumeration	PS7	PS7
enumeration	PS8	PS8
enumeration	PS9	PS9
enumeration	PS10	PS10
enumeration	PS11	PS11

### 5.186 simpleType: rateLevelType

<b>Tag</b>	<b>Mail.XML 10.0C</b>
<b>Base</b>	xs:string

enumeration	SP = Single Piece
enumeration	5B = Auto 5 Digit
enumeration	3B = Auto 3 Digit
enumeration	AB = Auto ADC/AADC
enumeration	PSRT = Presort
enumeration	5D = Presort 5 Digit
enumeration	3D = Presort 3 Digit
enumeration	NDC = NDC Presort
enumeration	ONDC = ONDC Presort
enumeration	BP = Standard Mail NDC
enumeration	MP = Mixed NDC Standard
enumeration	AD = ADC Presort
enumeration	MD = Mixed ADC Presort
enumeration	WS = Carrier Route Saturation
enumeration	HD = Carrier Route High Density
enumeration	CR = Carrier Route Basic
enumeration	MB = Auto Mixed ADC/AADC
enumeration	FB = Firm Bundle
enumeration	BB = Barcode Basic
enumeration	SCF

### 5.187 simpleType: rateLevelIndicatorType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	A = Auto (use with Rate Level 5B, 3B, AB, MB)
enumeration	B = Non-Auto (use with Rate Level 5D, 3D, AD, MD)
enumeration	C = ECR (use with Rate Level WS, HD, CR)
enumeration	M = Machinable (use with Rate Level AB, MB)
enumeration	N = Non-Machinable (use with Rate Level 5D, 3D, AD, MD)

### 5.188 simpleType: rateType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	R = Regular
enumeration	L = Library Mail
enumeration	B = Bound Printed Matter
enumeration	C = Classroom
enumeration	S = Science of Agriculture
enumeration	F = Media Mail
enumeration	A = Alt Delivery
enumeration	N = Non-Profit
enumeration	P = Parcel Post

enumeration	T = Priority Mail
enumeration	X = Other
enumeration	H = (Placeholders)
enumeration	M = (Placeholders)
enumeration	Z = (Placeholders)
enumeration	E = Priority Mail Flat Fixed (Rate Envelope)
enumeration	G = Priority Mail Flat Fixed (rate Box)
enumeration	1 = UA (International)
enumeration	2 = UL (International)
enumeration	3 = UM (International)
enumeration	4 = UR (International)
enumeration	J = Priority Mail Flat – Large Box
enumeration	K = Priority Mail Flat – Large Box APO/FPO
enumeration	W = Science and Agriculture Limited
enumeration	Y = Regular Limited Circulation

### 5.189 simpleType: reasonCodeType

Tag	Mail.XML 11.0
Base	xs:string
enumeration	A = Attempted – Not Known
enumeration	B = Returned for Better Address
enumeration	D = Outside Delivery Limits
enumeration	E = In Dispute
enumeration	I = Insufficient Address
enumeration	L = Illegible
enumeration	M = No Mail Receptacle
enumeration	N = No such number
enumeration	P = Deceased
enumeration	Q = Not Deliverable as Addressed/ Unable to Forward
enumeration	R = Refused
enumeration	S = No Such Street
enumeration	U = Unclaimed
enumeration	V = Vacant
enumeration	X = No Such Office

### 5.190 simpleType: recipientType

Tag	Mail.XML 10.0C
Base	Removed
enumeration	

### 5.191 simpleType: recurringStatusType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Active
enumeration	Pending
enumeration	All

### 5.192 simpleType: reservationNumberType

Tag	Mail.XML 10.0C
Base	mailxml_base:s15

### 5.193 simpleType: roleType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Data Update Agent
enumeration	Owner
enumeration	Confirm Subscriber
enumeration	Confirm Data Receiver
enumeration	ACS Data Receiver
enumeration	ACS Subscriber
enumeration	List Owner
enumeration	Mail Creator
enumeration	Addressor
enumeration	Comail
enumeration	CoMingler
enumeration	MLOCR
enumeration	Mail Owner
enumeration	Mail Agent
enumeration	Entry Point Planner
enumeration	Shipment Planner
enumeration	Consolidator
enumeration	Secondary Consolidator
enumeration	Appointment Management Receiver
enumeration	Consignee/Product Receiver
enumeration	Dispatcher
enumeration	Tracker CONFIRM-scan
enumeration	Tracker CONFIRM-payer
enumeration	Tracker Seed Source
enumeration	Tracker Piece-level-scan
enumeration	Tracker ASN-scan
enumeration	Tracker Induction-scan
enumeration	Tracker Planet-code
enumeration	ACS receiver
enumeration	ACS payer
enumeration	Seamless Acceptance
enumeration	Seamless Verification
enumeration	Security
enumeration	Logistics Provider
enumeration	Carrier
enumeration	Data Brokering Agent
enumeration	Nixie
enumeration	StartTheClock
enumeration	ContainerVisibility
enumeration	DeliveryPointValidation

### 5.194 simpleType: responsibleTransportationPartyType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Shipper
enumeration	Consignee

### 5.195 simpleType: RoutingZipCodeType

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	11
minLength	0

### 5.196 simpleType: s01

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	1
minLength	1
whiteSpace	preserve

### 5.197 simpleType: s02

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	2
minLength	1
whiteSpace	preserve

### 5.198 simpleType: s03

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	3
minLength	1
whiteSpace	preserve

### 5.199 simpleType: s04

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	4
minLength	1
whiteSpace	preserve

### 5.200 simpleType: s05

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	5
minLength	1
whiteSpace	preserve

### 5.201 simpleType: s06

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	6
minLength	1
whiteSpace	preserve

### 5.202 simpleType: s07

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	7
minLength	1
whiteSpace	preserve

### 5.203 simpleType: s08

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	8
minLength	1
whiteSpace	preserve

### 5.204 simpleType: s09

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	9
minLength	1
whiteSpace	preserve

### 5.205 simpleType: s10

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	10
minLength	1
whiteSpace	preserve

### 5.206 simpleType: s11

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	11
minLength	1
whiteSpace	preserve

### 5.207 simpleType: s12

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	12



minLength	1
whiteSpace	preserve

### 5.208 simpleType: s15

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	15
minLength	1
whiteSpace	preserve

### 5.209 simpleType: s16

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	16
minLength	1
whiteSpace	preserve

### 5.210 simpleType: s18

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	18
minLength	1
whiteSpace	preserve

### 5.211 simpleType: s20

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	20
minLength	1
whiteSpace	preserve

### 5.212 simpleType: s22

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	22
minLength	1
whiteSpace	preserve

### 5.213 simpleType: s25

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	25
minLength	1
whiteSpace	preserve

### 5.214 simpleType: s28

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	28
minLength	1
whiteSpace	preserve

### 5.215 simpleType: s30

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	30
minLength	1
whiteSpace	preserve

### 5.216 simpleType: s31

Tag	Mail.XML 10.0C
Base	Removed
maxLength	
minLength	
whiteSpace	

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	37
minLength	1
whiteSpace	preserve

### 5.217 simpleType: s40

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	40
minLength	1
whiteSpace	preserve

### 5.218 simpleType: s45

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	45
minLength	1
whiteSpace	preserve

### 5.219 simpleType: s50

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	50

minLength	1
whiteSpace	preserve

### 5.220 simpleType: s60

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	60
minLength	1
whiteSpace	preserve

### 5.221 simpleType: s64

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	64
minLength	1
whiteSpace	preserve

### 5.222 simpleType: s66

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	66
minLength	1
whiteSpace	preserve

### 5.223 simpleType: s72

Tag	Mail.XML 10.0C
Base	Removed
maxLength	
minLength	
whiteSpace	

### 5.224 simpleType: s80

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	80
minLength	1
whiteSpace	preserve

### 5.225 simpleType: s255

Tag	Mail.XML 10.0C
Base	Removed
maxLength	
minLength	
whiteSpace	

### 5.226 simpleType: s256

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	256
minLength	1
whiteSpace	preserve

### 5.227 simpleType: s260

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	260
minLength	1
whiteSpace	preserve

### 5.228 simpleType: sackingBasisType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	0 = Piece Count
enumeration	1 = 20 lbs.
enumeration	2 = 125 Pieces
enumeration	3 = 15 lbs.
enumeration	4 = Both

### 5.229 simpleType: scheduledInductionDateType

Tag	Mail.XML 10.0C
Base	xs:date

### 5.230 simpleType: scheduledInductionTimeType

Tag	Mail.XML 10.0C
Base	xs:time

### 5.231 simpleType: scheduledInHomeDateType

Tag	Mail.XML 10.0C
Base	xs:date

### 5.232 simpleType: serialNumberSevenOrEleven

Tag	Mail.XML 10.0C
Base	String
Pattern	"[0-9]{7}[0-9]{11}"

### 5.233 simpleType: serialNumberTenOrFourteen

Tag	Mail.XML 10.0C
Base	String
Pattern	"[0-9]{10}[0-9]{14}"

### 5.234 simpleType: segmentIDType

Tag	Mail.XML 10.0C
Base	Removed
maxLength	
minLength	
whiteSpace	

### 5.235 simpleType: serviceLevelIndicatorType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	F = Full-Service
enumeration	B = Basic
enumeration	P = POSTNET
enumeration	O = Other

### 5.236 simpleType: serviceCodeType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	CM = Certified Mail
enumeration	COD = Collect on Delivery
enumeration	COM = Certificate of Mailing
enumeration	DC = Delivery Confirmation
enumeration	DCE = Delivery Confirmation Electronic
enumeration	IM = Insured Mail
enumeration	PAL = Parcel Airlift
enumeration	RD = Restricted Delivery
enumeration	RM = Registered Mail
enumeration	RR = Return Receipt
enumeration	RRE = Return Receipt Electronic
enumeration	RRM = Return Receipt for Merchandise
enumeration	SC = Signature Confirmation
enumeration	SCE = Signature confirmation Electronic
enumeration	SH = Special Handling
enumeration	AS = Adult Signature
enumeration	RAS = Restricted Adult Signature

### 5.237 simpleType: ServiceTypeCodeType

Tag	Mail.XML 10.0C
Base	mailxml_base:ns03

### 5.238 simpleType: sortationLevelType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	CRD

enumeration	5DG
enumeration	CR5
enumeration	5DGS
enumeration	CR5S
enumeration	M5D
enumeration	M5DS
enumeration	MET
enumeration	3DG
enumeration	CR3
enumeration	3DGS
enumeration	ADC
enumeration	AADC
enumeration	MADC
enumeration	MAAD
enumeration	SCF
enumeration	PSCF
enumeration	NDC
enumeration	PNDC
enumeration	MNDC
enumeration	ASF
enumeration	OMX
enumeration	PADC
enumeration	MRDC
enumeration	SP
enumeration	MXDS
enumeration	MXDA
enumeration	WORKING
enumeration	SINGLEPIECE
enumeration	SURFACE
enumeration	AIR
enumeration	LOCAL

### 5.239 simpleType: serviceSubCodeType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	N
enumeration	E
enumeration	R
enumeration	T
enumeration	B

### 5.240 simpleType: standardFlatTypeType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Catalog
enumeration	NotCatalog

### 5.241 simpleType: stateCode

Tag	Mail.XML 10.0C
-----	----------------

Base	xs:string
enumeration	AA
enumeration	AE
enumeration	AP
enumeration	AL
enumeration	AK
enumeration	AS
enumeration	AZ
enumeration	AR
enumeration	CA
enumeration	CO
enumeration	CT
enumeration	DE
enumeration	DC
enumeration	FM
enumeration	FL
enumeration	GA
enumeration	GU
enumeration	HI
enumeration	IL
enumeration	IN
enumeration	IA
enumeration	ID
enumeration	KS
enumeration	KY
enumeration	LA
enumeration	MH
enumeration	MD
enumeration	MA
enumeration	MO
enumeration	MI
enumeration	MN
enumeration	MS
enumeration	MT
enumeration	NE
enumeration	NH
enumeration	NV
enumeration	NJ
enumeration	NM
enumeration	NY
enumeration	NC
enumeration	ND
enumeration	MP
enumeration	OH
enumeration	OR
enumeration	OK
enumeration	PW
enumeration	PA
enumeration	PR
enumeration	RI
enumeration	SC

enumeration	SD
enumeration	TN
enumeration	TX
enumeration	UT
enumeration	VT
enumeration	VI
enumeration	VA
enumeration	WA
enumeration	WV
enumeration	WI
enumeration	WY

### 5.242 simpleType: statusType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Accepted
enumeration	Amended
enumeration	Cancelled
enumeration	Counterproposal
enumeration	New
enumeration	NoAction
enumeration	Original
enumeration	PartiallyAccepted
enumeration	Pending
enumeration	Rejected
enumeration	Replaced

### 5.243 simpleType: stopDesignatorType

Tag	Mail.XML 10.0C
Base	mailxml_base:s02

### 5.244 simpleType: surchargeType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	2 = Oversized Surcharge
enumeration	A = First-Class Mail Parcel Surcharge
enumeration	D = Dimensional Rate
enumeration	N = Not Oversized
enumeration	P = Balloon Surcharge
enumeration	E = Permit Reply Mail
enumeration	R = First-Class Mail Non-machinable Letters (0.0625 lbs or less)
enumeration	L = Detached Address Labels Used



### 5.245 simpleType: totalWeightType

Tag	Mail.XML 10.0C
Base	mailxml_base:s05

### 5.246 simpleType: trailerLengthType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	20ft
enumeration	40ft
enumeration	45ft
enumeration	48ft
enumeration	53ft

### 5.247 simpleType: transportationMethodType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	USPS
enumeration	Mailer

### 5.248 simpleType: transportationModeType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	0 = Reject Due to Error
enumeration	1 = Local and Working
enumeration	2 = Bypassed or Unassigned Surface or Air Mail
enumeration	3 = Assigned Surface (S-AMS Surface)
enumeration	4 = Assigned Air
enumeration	9 = Reject Due to Purge

### 5.249 simpleType: transShipBoLNumberType

Tag	Mail.XML 10.0C
Base	mailxml_base:s05

### 5.250 simpleType: trayType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	MixedLengthTrays
enumeration	1ft Tray
enumeration	2ft Tray
enumeration	EMM Tray
enumeration	Flat Tub

### 5.251 simpleType: trayTypeIndicatorType

Tag	Mail.XML 10.0C
-----	----------------

Base	xs:string
enumeration	T = 2 Foot Tray
enumeration	M = MLOCR
enumeration	N = MM Tray
enumeration	E = EMM Tray
enumeration	O = 1 Foot Tray
enumeration	U = Unit Load Device
Refer to Mail.dat guide MD_11_2_FS_v11 2 0 41 page 53 for a complet list of container types from the Container summary Record – .csm	

### 5.252 simpleType: truckDispatchNumberType

Tag	Mail.XML 10.0C
Base	mailxml_base:s10

### 5.253 simpleType: unitLoadType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	CrossDockPallets
enumeration	WorkingPallets
enumeration	Trailers

### 5.254 simpleType: unloadStateType

Tag	Mail.XML 10.0C
Base	Removed
enumeration	
enumeration	
enumeration	

### 5.255 simpleType: uOMType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	AirDryMetricTonne
enumeration	AirDryPercent
enumeration	AirDryShortTon
enumeration	Bale
enumeration	BoardFoot
enumeration	BookUnit
enumeration	Box
enumeration	Bundle
enumeration	C-Size
enumeration	Centimeter
enumeration	Cord
enumeration	CubicFoot
enumeration	CubicMeter
enumeration	Cubit
enumeration	Day
enumeration	DotsPerInch

enumeration	Foot
enumeration	Gallon
enumeration	Gram
enumeration	GramsPerSquareMeter
enumeration	Hour
enumeration	HundredBoardFeet
enumeration	HundredLinealFeet
enumeration	HundredPound
enumeration	HundredSquareFeet
enumeration	Inch
enumeration	Kilogram
enumeration	KilogramsPerDay
enumeration	KilogramsPerWeek
enumeration	KnownBreaks
enumeration	Layer
enumeration	Leaves
enumeration	LinearFoot
enumeration	LinesPerInch
enumeration	Load
enumeration	MagazineUnit
enumeration	Megabyte
enumeration	Meter
enumeration	MetricTon
enumeration	MetricTonsPerDay
enumeration	MetricTonsPerWeek
enumeration	Micron
enumeration	Millimeter
enumeration	Minute
enumeration	Month
enumeration	None
enumeration	Package
enumeration	Page
enumeration	PagesPerInch
enumeration	PalletUnit
enumeration	Percentage
enumeration	PerThousand
enumeration	Picas
enumeration	Piece
enumeration	PixelsPerInch
enumeration	Pound
enumeration	PoundsPerDay
enumeration	PoundsPerHour
enumeration	PoundsPerWeek
enumeration	PulpUnit
enumeration	Ream
enumeration	Reel
enumeration	Set
enumeration	Sheet
enumeration	ShortTon
enumeration	ShortTonsPerDay
enumeration	ShortTonsPerHour

enumeration	ShortTonsPerWeek
enumeration	Signature
enumeration	Skid
enumeration	SquareInch
enumeration	SquareFeet
enumeration	SquareMeter
enumeration	ThousandBoardFeet
enumeration	ThousandLinealFeet
enumeration	ThousandPieces
enumeration	ThousandSquareCentimeters
enumeration	ThousandSquareFeet
enumeration	ThousandSquareInch
enumeration	Ton
enumeration	TonsPerHour
enumeration	Unit
enumeration	UnknownBreaks
enumeration	Week
enumeration	Yard

### 5.256 simpleType: uniqueContainerIDType

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	12
minLength	1
whiteSpace	preserve

### 5.257 simpleType: userInformationLine1Type

Tag	Mail.XML 10.0C
Base	mailxml_base:s40

### 5.258 simpleType: userInformationLine2Type

Tag	Mail.XML 10.0C
Base	mailxml_base:s40

### 5.259 simpleType: userLicenseCodeType

Tag	Mail.XML 10.0C
Base	xs:string
maxLength	4
minLength	1
whiteSpace	preserve

### 5.260 simpleType: uspsPickupType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Y
enumeration	N

### 5.261 simpleType: verificationLocationType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	BMEU
enumeration	DMU

### 5.262 simpleType: verificationReportType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	CSAVerification
enumeration	ContainerBarcodeVerification
enumeration	HandlingUnitBarcodeVerification
enumeration	PieceBarcodeVerification
enumeration	ByForConflictVerification
enumeration	ServiceTypeVerification
enumeration	AppointmentVerification
enumeration	MailerIDVerification
Enumeration	ServicePerformanceVerification
enumeration	DeliveryPointVerification
enumeration	EntryFacilityVerification
enumeration	DefaultTrayBarcodeVerification
enumeration	IMDVerification
enumeration	All
enumeration	NoErrors

### 5.263 simpleType: wastedPieceIndicatorType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	W = Wasted
enumeration	S = Shortage
enumeration	X = Wasted piece and postage adjustment should NOT be triggered
enumeration	T = Shortage pieces not produced and postage adjustment should NOT be triggered

### 5.264 simpleType: weekFrequencyType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Weekly
enumeration	Bi-Weekly
enumeration	First
enumeration	Second
enumeration	Third
enumeration	Fourth
enumeration	Fifth
enumeration	Sixth

### 5.265 simpleType: weightBreakType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	A = For standard Mail Non-Letters, Piece Weight is over 0.2063 lbs. For First-Class Mail Permit Reply, piece weight is over 0.0625 lbs.
enumeration	B = For standard mail, piece weight is 0.2063 lbs or less For First-Class Mail Permit Reply, piece weight is 0.0625 lbs or less.
enumeration	H = For standard Mail Letters, piece weight is over 0.2063 lbs
enumeration	N = None

### 5.266 simpleType: yesNo

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Yes
enumeration	No

### 5.267 simpleType: zipCodeThreeOrFiveDigit

Tag	Mail.XML 10.0C
Base	xs:string
pattern	"[0-9]{3}  [0-9]{5}" - Space removed

### 5.268 simpleType: zoneICType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	N = None
enumeration	M = [Future Placeholder]
enumeration	LC = Local
enumeration	1 = Zone 1 & 2
enumeration	3 = Zone 3
enumeration	4 = Zone 4
enumeration	5 = Zone 5
enumeration	6 = Zone 6
enumeration	7 = Zone 7
enumeration	8 = Zone 8
enumeration	ICD
enumeration	IC
enumeration	DDU
enumeration	SCF
enumeration	ADC
enumeration	

### 5.269 simpleType: onePassOrTwoPassType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	One
enumeration	Two

### 5.270 simpleType: uspsPackageUniqueCharacteristicType

Tag	Mail.XML 10.0C
Base	Doesn't exist

### 5.271 simpleType: StandardFlatTypeType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Catalog
enumeration	NotCatalog

### 5.272 simpleType: MarketingOrFulfillmentType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	Marketing
enumeration	Fulfillment

### 5.273 simpleType: MLOCRRateType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	R
enumeration	N

### 5.274 simpleType: USPSPriceIncentiveType

Tag	Mail.XML 10.0C
Base	xs:string
enumeration	PostageAffixedReplyRidesFree
enumeration	Saturation-HDTotal
enumeration	Saturation-HDSCF
enumeration	SummerSale

## 6. Appendix C - eDocumentation Form Values

The appendix lists the values associated with the following Mail.XML messages: MailingGroupQueryRequest, MailingGroupQueryResponse, ReconciliationReportQueryRequest, ReconciliationReportQueryResponse, ContainerStatusQueryRequest, and ContainerStatusQueryResponse.

### eDoc Form Values

#### 6.1 Container Status Type

Value	Description
Accepted	Accepted for Induction, passed validation
OnHold	Waiting for Induction validation to complete
Rejected	Didn't satisfy the induction validation rules

#### 6.2 Entry Facility Type Values

Value	Description
Accepted	Accepted for Induction, passed validation
OnHold	Waiting for Induction validation to complete
Rejected	Didn't satisfy the induction validation rules

#### 6.3 Entry Facility Type

Value	Description
O	Origin
B	BMC
S	SCF
D	DDU

#### 6.4 Form Type

Value	Description	Postage Statement
PM	Priority Mail	3600
FC	First-Class Mail	3600
SM	Standard Mail	3602
BP	Bound Printed Matter	3605
PP	Parcel Post	3605
PE	Periodicals	3541
ML	Media/Library Mail	3605

#### 6.5 Full-Service Indicator

Value	Description
Blank/Null/Nil	Null



Value	Description
F	Full-Service
B	Basic
P	PostNet
O	Other

## 6.6 Postage Statement Status Definitions

Status	Definition
AVW	Address verification resulted in warnings.
CAN	A mailer canceled the postage statement.
COM	Awaiting completion of combined mailing.
CON	This statement is part of a consolidated postage statement and cannot be individually updated.
ERR	A USPS clerk was unable to finalize a statement due to a system error.
EST	The postage is an estimate based on preliminary postage data, not an actual postage statement. Prior to Release 28 this was only available for postage statements submitted by mailers using Mail.dat files. Beginning in Release 28, an EST statement will be generated when mailers submit a Mail.XML 10.0C postage statement with the new EstimateIndicator populated with 'Yes' for an MLOCR mailing. The EstimateIndicator is ignored and EST postage statements will not be support for Mail.XML Presort mailings.
FAI	The postage statement failed verification.
FIN	The postage statement has been finalized.
FPP	Finalized pending payment – only Centralized Postage Payment for Periodicals
INC	Postage statement entry is incomplete - initial entry was interrupted.
NAP	The statement is not available for processing by the system. This usually indicates a type of postage statement not currently supported.
PAS	The postage statement passed MERLIN verification, but was not finalized at the machine.
PAV	The postage statement is pending address verification.
PEN	The postage statement is pending finalization.
QMR	A postal employee has performed a <i>Quality Mail Review</i> . The QMR stage only appears on a verification receipts entered by postal employees and does not affect postage statements submitted electronically.
REV	A postal employee has reversed the postage statement transaction.
REW	A verification issue has been identified and the mailing has been returned to the mailer for correction or rework.
UPD	A file has been received and a postage statement is available for processing (USPS Processing is Due).

**6.7 Rate Category**

<b>Value</b>	<b>Description</b>
Blank/Null/Nil	Null
A	Saturation ECR
AF	Standard Mail Saturation ECR Letter Paid As Flat
B	High Density ECR
BF	Standard Mail High Density ECR Letter Paid As Flat
D	Basic ECR (Carrier Route)
DF	Standard Mail Basic ECR Letter Paid As Flat
E	5-Digit Automation (5-Digit Barcode)
FB	Firm Bundle Outside County
G	5-Digit Non Barcode(Auto)
GF	5-Digit Non Barcode (Auto) Letter Paid As Flat
H	3-Digit Automation (3-Digit Barcode)
K	3-Digit Non Barcode(Auto)
KF	3-Digit Non Barcode (Auto) Letter Paid As Flat
L	Basic Automation (Basic Barcode)
L1	AADC Barcode
L2	Mixed AADC Barcode
L3	ADC Barcode
L4	Mixed ADC Barcode
L5	ADC Non-Barcode
L6	Mixed ADC Non-Barcode
L7	AADC Non-Barcode
L8	Mixed AADC Non-Barcode
N	Basic Nonautomation (Basic Presorted)
NG	5-Digit Not Flat Machinable
NK	3-Digit Not Flat Machinable
N5	ADC/BMC Not Flat Machinable
N6	Mixed ADC/BMC Not Flat Machinable
O	CR – Barcode
P10	Regional Rate Box A (max weight 15 lbs)
P11	Regional Rate Box B (max weight 20 lbs)
P12	Tier 1 (up to .10 cubic feet)
P13	Tier 2 (up to .20 cubic feet)
P14	Tier 3 (up to .30 cubic feet)
P15	Tier 4 (up to .40 cubic feet)
P16	Tier 5 (up to .50 cubic feet)
PI	5-Digit Parcel 0.2063 pounds or less
PM	3-Digit Parcel 0.2063 pounds or less
P7	ADC Parcel 0.2063 pounds or less

Value	Description
P8	Mixed ADC Parcel 0.2063 pounds or less
PE	5-Digit Machinable Parcel over 0.2063 pounds
PQ	BMC Machinable Parcel over 0.2063 pounds
PR	Mixed BMC Machinable Parcel over 0.2063 pounds
PG	5-Digit Irregular Parcel over 0.2063 pounds
PK	3-Digit Irregular Parcel over 0.2063 pounds
P5	ADC Irregular Parcel over 0.2063 pounds
P6	Mixed ADC Irregular Parcel over 0.2063 pounds
S	Single Piece
Z1	BMC Presort
Z2	OBMC Presort

### 6.8 First Class Mail – Rate Category and Corresponding Rate Level

Rate Category	Rate Category Description	Processing Category	Rate Level	Rate Level Description
E	5-Digit Barcode	FL	5B	Auto 5-Digit
H	3-Digit Barcode	FL	3B	Auto 3-Digit
L3	ADC Barcode	FL	AB	Auto ADC/AADC
L4	Mixed ADC Barcode	FL	MB	Auto Mixed ADC/AADC
N	Basic (1C/4C Presort)	FL	PSRT	Presorted
S	Single Piece	FL	SP	Single-Piece
E	5-Digit Barcode	LT	5B	Auto 5-Digit
H	3-Digit Barcode	LT	3B	Auto 3-Digit
L1	AADC Barcode	LT	AB	Auto ADC/AADC
L2	Mixed AADC Barcode	LT	MB	Auto Mixed ADC/AADC
N	Basic (1C/4C Presort)	LT	PSRT	Presorted
S	Single Piece	LT	SP	Single-Piece
G	5-Digit Barcode	PF	5D	Presort 5-Digit
K	3-Digit Non-Barcode	PF	3D	Presort 3-Digit
S	Single Piece	PF	SP	Single-Piece
L5	ADC	PF	AD	ADC Presort

### 6.9 Periodicals In-County – Rate Category and Corresponding Rate Level

For Periodicals Mail, the RateLevel in the ContainerDetailData in the ContainerInfo in the QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest must correspond to the RateCategory for the piece postage lines in the PeriodicalStatementCreateRequest. The following tables for Periodicals In-County – Rate Category

and Corresponding Rate Level and Periodicals Outside-County – Rate Category and Corresponding Rate Level show the correspondence for each processing category FL = Flats, IR = Parcels and LT = Letters.

Rate Category	Rate Category Description	Processing Category	Rate Level	Rate Level Description
A	Saturation ECR	FL	WS	Carrier Route Saturation
B	High Density ECR	FL	HD	Carrier Route High Density
D	Carrier Route	FL	CR	Carrier Route Basic
E	5-Digit Barcode	FL	5B	Auto 5-Digit
H	3-Digit Barcode	FL	3B	Auto 3-Digit
L	Basic Barcode	FL	BB	Barcode Basic
G	5-Digit Non-Barcode	FL	5D	Presort 5-Digit
K	3-Digit Non-Barcode	FL	3D	Presort 3-Digit
N	Basic Nonautomation	FL	PSRT	Presorted
A	Saturation ECR	IR	WS	Carrier Route Saturation
B	High Density ECR	IR	HD	Carrier Route High Density
D	Carrier Route	IR	CR	Carrier Route Basic
E	5-Digit Barcode	IR	5B	Auto 5-Digit
H	3-Digit Barcode	IR	3B	Auto 3-Digit
L	Basic Automation	IR	BB	Barcode Basic
G	5-Digit Non-Barcode	IR	5D	Presort 5-Digit
K	3-Digit Non-Barcode	IR	3D	Presort 3-Digit
N	Basic Nonautomation	IR	PSRT	Presorted
A	Saturation ECR	LT	WS	Carrier Route Saturation
AF	Saturation Letter - ECR (Pd Flt)	LT	WS	Carrier Route Saturation
B	High Density ECR	LT	HD	Carrier Route High Density
BF	High Density Letter - ECR (Pd Flt)	LT	HD	Carrier Route High Density
D	Carrier Route	LT	CR	Carrier Route Basic
DF	Carrier Route Letter (Pd Flt)	LT	CR	Carrier Route Basic
E	5-Digit Barcode	LT	5B	Auto 5-Digit
H	3-Digit Barcode	LT	3B	Auto 3-Digit
L	Basic Automation	LT	BB	Barcode Basic
G	5-Digit Non-Barcode	LT	5D	Presort 5-Digit
GF	5-Digit Letter (Pd Flt)	LT	5D	Presort 5-Digit
K	3-Digit Non-Barcode	LT	3D	Presort 3-Digit
KF	3-Digit Letter (Pd Flt)	LT	3D	Presort 3-Digit
N	Basic Nonautomation	LT	PSRT	Presorted
NF	Basic Letter (Pd Flt)	LT	PSRT	Presorted

### 6.10 Periodicals Outside-County – Rate Category and Corresponding Rate Level

Rate Category	Rate Category Description	Processing Category	Rate Level	Rate Level Description
A	Saturation ECR	FL	WS	Carrier Route Saturation
B	High Density ECR	FL	HD	Carrier Route High Density
D	Carrier Route	FL	CR	Carrier Route Basic
E	5-Digit Barcode	FL	5B	Auto 5-Digit
H	3-Digit Barcode	FL	3B	Auto 3-Digit
L3	ADC Barcode	FL	AB	Auto ADC/AADC
L4	Mixed ADC Barcode	FL	MB	Auto Mixed ADC/AADC
G	5-Digit Non-Barcode	FL	5D	Presort 5-Digit
K	3-Digit Non-Barcode	FL	3D	Presort 3-Digit
L5	ADC Non-Barcode	FL	AD	ADC Presort
L6	Mixed ADC Non-Barcode	FL	MD	Mixed ADC Presort
FB	Outside County Firm Bundle	FL	FB	Firm Bundle
A	Saturation ECR	IR	WS	Carrier Route Saturation
B	High Density ECR	IR	HD	Carrier Route High Density
D	Carrier Route	IR	CR	Carrier Route Basic
E	5-Digit Barcode	IR	5B	Auto 5-Digit
H	3-Digit Barcode	IR	3B	Auto 3-Digit
L3	ADC Barcode	IR	AB	Auto ADC/AADC
L4	Mixed ADC Barcode	IR	MB	Auto Mixed ADC/AADC
G	5-Digit Non-Barcode	IR	5D	Presort 5-Digit
K	3-Digit Non-Barcode	IR	3D	Presort 3-Digit
L5	ADC Non-Barcode	IR	AD	ADC Presort
L6	Mixed ADC Non-Barcode	IR	MD	Mixed ADC Presort
FB	Outside County Firm Bundle	IR	FB	Firm Bundle
A	Saturation ECR	LT	WS	Carrier Route Saturation
AF	Saturation Letter - ECR (Pd Flt)	LT	WS	Carrier Route Saturation
B	High Density ECR	LT	HD	Carrier Route High Density
BF	High Density Letter - ECR (Pd Flt)	LT	HD	Carrier Route High Density
D	Carrier Route	LT	CR	Carrier Route Basic
DF	Carrier Route Letter (Pd Flt)	LT	CR	Carrier Route Basic

Rate Category	Rate Category Description	Processing Category	Rate Level	Rate Level Description
E	5-Digit Barcode	LT	5B	Auto 5-Digit
H	3-Digit Barcode	LT	3B	Auto 3-Digit
L1	AADC Barcode	LT	AB	Auto ADC/AADC
L2	Mixed AADC Barcode	LT	MB	Auto Mixed ADC/AADC
G	5-Digit Non-Barcode	LT	5D	Presort 5-Digit
GF	5-Digit Letter (Pd Flt)	LT	5D	Presort 5-Digit
K	3-Digit Non-Barcode	LT	3D	Presort 3-Digit
KF	3-Digit Letter (Pd Flt)	LT	3D	Presort 3-Digit
L7	AADC Non-Barcode	LT	AD	ADC Presort
L8	Mixed AADC Non-Barcode	LT	MD	Mixed ADC Presort
NF	Basic Letter (Pd Flt)	LT	PSRT	Presorted
FB	Outside County Firm Bundle	LT	FB	Firm Bundle

### 6.11 Standard Mail – Rate Category and Corresponding Rate Level

For Standard Mail, the RateLevel in the ContainerDetailData in the ContainerInfo in the QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest must correspond to the RateCategory for the piece postage lines in the PostageStatementCreateRequest. The following table for Standard Mail – Rate Category and Corresponding Rate Level show the correspondence for each processing category FL = Flats, IR = Parcels, LT = Letters, MP = Machinable Parcel, NF = Not Flat Machinable.

Rate Category	Rate Category Description	Processing Category	Rate Level	Rate Level Description
N	Basic (1C/4C Presort)	CM	PSRT	Presorted
A	Saturation ECR	FL	WS	Carrier Route Saturation
B	High Density ECR	FL	HD	Carrier Route High Density
D	Carrier Route	FL	CR	Carrier Route Basic
E	5-Digit Barcode	FL	5B	Auto 5-Digit
H	3-Digit Barcode	FL	3B	Auto 3-Digit
L3	ADC Barcode	FL	AB	Auto ADC/AADC
L4	Mixed ADC Barcode	FL	MB	Auto Mixed ADC/AADC
G	5-Digit Non-Barcode	FL	5D	Presort 5-Digit
K	3-Digit Non-Barcode	FL	3D	Presort 3-Digit
L5	ADC Non-Barcode	FL	AD	ADC Presort
L6	Mixed ADC Non-Barcode	FL	MD	Mixed ADC Presort
PG	5-Digit Non-Machinable	IR	5D	Presort 5-Digit
PI	5-Digit (Std Prcl Piece Rate)	IR	5D	Presort 5-Digit

Rate Category	Rate Category Description	Processing Category	Rate Level	Rate Level Description
PK	3-Digit Non-Machinable	IR	3D	Presort 3-Digit
PM	3-Digit	IR	3D	Presort 3-Digit
P5	ADC Non-Machinable	IR	AD	ADC Presort
P6	Mixed ADC Non-Machinable	IR	MD	Mixed ADC Presort
P7	ADC	IR	AD	ADC Presort
P8	Mixed ADC	IR	MD	Mixed ADC Presort
A	Saturation ECR	LT	WS	Carrier Route Saturation
B	High Density ECR	LT	HD	Carrier Route High Density
D	Carrier Route	LT	CR	Carrier Route Basic
AF	Saturation Letter - ECR (Pd Flt)	LT	WS	Carrier Route Saturation
BF	High Density Letter - ECR (Pd Flt)	LT	HD	Carrier Route High Density
DF	Carrier Route Letter (Pd Flt)	LT	CR	Carrier Route Basic
E	5-Digit Barcode	LT	5B	Auto 5-Digit
H	3-Digit Barcode	LT	3B	Auto 3-Digit
L1	AADC Barcode	LT	AB	Auto ADC/AADC
L2	Mixed AADC Barcode	LT	MB	Auto Mixed ADC/AADC
L7	AADC Non-Barcode	LT	AD	ADC Presort
L8	Mixed AADC Non-Barcode	LT	MD	Mixed ADC Presort
N5	BMC	LT	BP	Standard Mail BMC
N6	Mixed BMC	LT	MP	Mixed BMC Standard
G	5-Digit Non-Barcode	LT	5D	Presort 5-Digit
K	3-Digit Non-Barcode	LT	3D	Presort 3-Digit
L5	ADC Non-Barcode	LT	AD	ADC Presort
L6	Mixed ADC Non-Barcode	LT	MD	Mixed ADC Presort
GF	5-Digit Letter (Pd Flt)	LT	5D	Presort 5-Digit
KF	3-Digit Letter (Pd Flt)	LT	3D	Presort 3-Digit
N	Basic (1C/4C Presort)	LT	PSRT	Presorted
NF	Basic Letter (Pd Flt)	LT	PSRT	Presorted
PE	5-Digit Machinable	MP	5D	Presort 5-Digit
PQ	BMC Machinable	MP	BP	Standard Mail BMC
PR	Mixed BMC Machinable	MP	MP	Mixed BMC Standard
NG	5-Digit	NF	5D	Presort 5-Digit
NK	3-Digit	NF	3D	Presort 3-Digit
N5	ADC	NF	AD	ADC Presort

Rate Category	Rate Category Description	Processing Category	Rate Level	Rate Level Description
N6	Mixed ADC	NF	MD	Mixed ADC Presort

## 6.12 Add pricing for Outside County Periodicals prepared as FSS

The *PostalOne!* system shall support bundle and container prices for Outside County Periodicals flats (MailClass = 2, ProcessingCategory = FL, and formType = PM) prepared as FSS and mapped to Periodical Statement lines as follows for all applicable sack, tray and pallet types per the current mapping:

Table 1 Added Pricing for Outside-County FSS Bundles and Containers

PeriodicalLineItemData >> Section	PeriodicalLineItemData >> InOutCountyIndicator	PostageStatementLineNumber (2)	EntryDiscount (3)	Sortation Level (ContainerLevelType)	BundleLevel (BundleDetailLevelType)
D (Part D - Outside County Bundle Prices)	N = Outside-County	D15 (for 5-digit, 5-digit container)	N (None)	E-FSS Scheme	X = FSS or B = Carrier Route or C = 5 Digit
D (Part D - Outside County Bundle Prices)	N = Outside-County	D12 (for 5-digit, SCF container)	N (None)	F – FSS Facility	X = FSS or B = Carrier Route or C = 5 Digit
E (Part E - Outside County Container Prices)	N = Outside-County	E15 (for SCF DADC)	A (DADC) (1)	F – FSS Facility	X = FSS or B = Carrier Route or C = 5 Digit
E (Part E - Outside County Container Prices)	N = Outside-County	E16 (for SCF DSCF)	S (DSCF)	F – FSS Facility	X = FSS or B = Carrier Route or C = 5 Digit
E (Part E - Outside County Container Prices)	N = Outside-County	E22 (for 5-digit DADC)	A (DADC) (1)	E-FSS Scheme	X = FSS or B = Carrier Route or C = 5 Digit
E (Part E - Outside County Container Prices)	N = Outside-County	E23 (for 5-digit SCF)	S (DSCF)	E-FSS Scheme	E = FSS or B = Carrier Route or C = 5 Digit

The meaning of A is Destination ADC (DADC) and it is defined as DADC in the IDEAlliance Mail.XML specification.



The PostageStatementLineNumber could be a value in one of the following blocks:

- a. ContainerBundleReportCreateRequest >> ContainerBundleVersionRecord >> SackTrayContainerVersionRecord >> PostageStatementLineNumber
- b. ContainerBundleReportCreateRequest >> ContainerBundleVersionRecord >> BundleVersionRecord >> PostageStatementLineNumber
- c. ContainerBundleReportCreateRequest >> ContainerBundleSummaryRecord >> BundleRecord >> PostageStatementLineNumber
- d. ContainerBundleReportCreateRequest >> ContainerBundleSummaryRecord >> SackTrayContainerRecord >> PostageStatementLineNumber

The EntryDiscount field could be a value in one of the following blocks:

- e. QualificationReportSummaryCreateRequest/ QualificationReportDetailCreateRequest >> ContainerInfoData >> ContainerDetailData >> EntryDiscountType
- f. PostageStatementCreateRequest >> LineItemSummaryData >> EntryDiscount
- g. PostageStatementCreateRequest >> PostageStatementLineItemData >> EntryDiscount
- h. BundleDetailCreateRequest >> BundleDetailType >> DestinationEntry

### 6.13 Add FSS Preparation

The following values are valid in FSS Preparation. Note that the ContainerLevelType (a.k.a. SortationLevel) values F – FSS Facility, and E – FSS Scheme and the ContainerLevel Package Level X – FSS are only available in the Mail.dat version 11-1 file.

Table 2 **containerLevelType** valid for FSS

Value	Definition	FSS Level
A	CR-Direct Eligibility Type = S, T, P	FSS Scheme
B	Mixed CR in 5 Digit Eligibility Type = S, T, P	FSS Scheme
C	Mixed CR in 3 Digit Eligibility Type = S, T	FSS Scheme
E	FSS Scheme	FSS Scheme
J	5 Digit (Barcode Only) Eligibility Type = S, T, P	FSS Scheme
P	5D Scheme (Barcode) Eligibility Type = S, T, P	FSS Scheme
F	FSS Facility	FSS Facility
X	SCF Eligibility Type = S, P	FSS Facility
Y	Protected SCF Eligibility Type = P	FSS Facility

Table 3 **BundleDetailLevelType** Valid for FSS

Value	Definition	FSS Level
B	Carrier Route	FSS Scheme
C	5 Digit	FSS Scheme
X	FSS Scheme	FSS Scheme

B Mixed D CR in 5 Digit or CR - 5D Scheme or J CR - 5D Scheme or P 5D Scheme (Barcode) For the FS

*NOTE: Periodical postage statement sections not included do not have changes to the postage statement generation logic and are therefore not included.*

### Flats Sequencing System (FSS) Preparation

The *PostalOne!* system shall support FSS preparation for Mail.XML requests for all classes of mail with .seg Principal Processing Category value FL = Flats, .csm Container Type value equivalent to pallet, .pqt Package Level value X – FSS and .csm Container Levels values E – FSS Sort Plan and F – FSS Facility. For non Periodicals mail classes, .csm Entry Point for Entry Discount - Facility Type must be value S – DSCF. For Periodicals mail class, .csm Entry Point for Entry Discount - Facility Type must be value S – DSCF or R – ADC. [SRS 431: REQ 24 and REQ 27]

The *PostalOne!* system shall support FSS preparation for Mail.XML requests for bundle and container prices for Outside County Periodicals flats (MailClass = 2, ProcessingCategory = FL, and formType = PM) prepared as FSS and mapped to Periodical Statement lines as follows for all applicable sack, tray and pallet types per the current mapping

### 6.14 Fault Codes

Faults, such as a message timeout or invalid XML are to be communicated using the <fault element and returned within the detail section of the SOAP fault. The fault is made up of a tracking ID and one or more fault codes and optional fault descriptions.

Below is the list of fault codes that are applicable to all Mail.XML messages, they are sent whenever a fault occurs in the transmission of the message.

Code	Description	Messages
402	Not Well Formed XML	Fault (All Mail.XML Messages)
403	Validation Failure – {specific error message thrown by parser}	Fault (All Mail.XML Messages)
412	Unauthorized – Required SubmittingParty	Fault (All Mail.XML Messages)
412	Unauthorized – User does not have access to specified SubmittingParty	Fault (All Mail.XML Messages)
412	Unauthorized – User does not have access to “Manage Mailing Activity” service	Fault (All Mail.XML Messages)
412	Unauthorized - Invalid user ID	Fault (All Mail.XML Messages)
412	Unauthorized - Invalid user password	Fault (All Mail.XML Messages)
412	Unauthorized - Account disabled	Fault (All Mail.XML Messages)
412	Unauthorized - Maximum password retries reached	Fault (All Mail.XML Messages)
412	Unauthorized - Profile not found	Fault (All Mail.XML Messages)
440	Sorry - Mail.XML version is not supported	Fault (All Mail.XML Messages)
500	Generic Internal Responder Error	Fault (All Mail.XML Messages)

500	Your request has been accepted for processing by USPS. Use the attached Tracking ID with a MessageResponseRetrievalRequest message to get the status of your request.	Fault (All Mail.XML Messages)
500	Generic Internal Responder Error (Authentication Service Failed)	Fault (All Mail.XML Messages)
503	Not Implemented - Mail.XML message received is not supported (MessageName)	Fault (All Mail.XML Messages)

## 7. Appendix D – Postage Statement Mappings

### 7.1 Mailing Information – Non Periodicals

#### Mailing Group Summary Information

The *PostalOne!* system will populate the Mailing Group Summary Information section of the Postage Statement based on the information that is provided in the Mail.XML messages.

The fields listed in the table below will determine the values that will be populated in the Mailing Group Summary Information section.

Mailing Group Summary Information Fields	Message/Field	Notes
Mailing Group ID	MailingGroupID	Mailing Group Unique Sequence Number
Preparer	PostageStatementCreateRequest	Looks up the Permit_No and Permit_Type in the P_Finance, P_Company, and P_Permit using the PermitNumber and PermitZip4 fields within the PermitPublicationData block within the MailingAgentData block within the CreatePostageStatement block and the CustomerReferenceID field within the CreatePostageStatement block.  If the MailingAgentData block is not provided, the <i>PostalOne!</i> system looks up the Permit_No and Permit_Type in the P_Sec_User, P_Sec_User_Corp_Loc_Link, P_Company, and P_Permit tables using the PermitNumber field within the PermitPublicationData block within the MailingGroupData block within the OpenMailingGroupRequest message, the CustomerReferenceID field within the CreatePostageStatement block in the PostageStatementCreateRequest message, and the determined Finance Number.
Description	OpenMailingGroupRequest - CustomerDescription	
Mailer's Job #	OpenMailingGroupRequest - CustomerGroupID	
Finance No:	OpenMailingGroupRequest	The <i>PostalOne!</i> system looks up the Finance_No in the P_Finance table using two fields in the OpenMailingGroupRequest message: the PermitNumber field within the PermitPublicationData block within the MailingGroupData block and the PostOfficeOfMailingZip field within the

Mailing Group Summary Information Fields	Message/Field	Notes
		MailingGroupData block.
Open Date	N/A	Date the mailing group was opened
Close Date	N/A	Date the PS was Finalized

**Mailer Information**

The *PostalOne!* system will populate the Mailer Information section of the Postage Statement based on information that is provided in the Mail.XML messages.

The fields listed in the table below will determine the values that will be populated in the Mailer Information section.

Mailer Information Fields	Field	Notes
Permit Holder		The <i>PostalOne!</i> system looks up the Company_Name, Address_Line1, Address_Line2, City, State, Zip_Code, Zip_Code4, Contact_Phone, and Contact_Email in the P_Finance, P_Permit, and P_Company table using the PermitNumber and PermitZip4 fields within the PermitPublicationData block within the PermitHolderData block within the CreatePostageStatement block in the PostageStatementCreateRequest message. The State is determined from the Zip_Code.
Mailing Agent		The <i>PostalOne!</i> system looks up the Company_Name, Address_Line1, Address_Line2, City, State, Zip_Code, Zip_Code4, Contact_Phone, and Contact_Email in the P_Finance, P_Permit, and P_Company tables using the PermitNumber and PermitZip4 fields within the MailingAgentData within the CreatePostageStatement block in the PostageStatementCreateRequest message. The State is determined from the Zip_Code. -or- If the MailingAgentData block is not provided, the <i>PostalOne!</i> system looks up the Company_Name, Address_Line1, Address_Line2, City, State, Zip_Code, Zip_Code4, Contact_Phone, and Contact_Email in the P_Sec_User, P_Sec_User_Corp_Loc_Link, P_Company, and P_Permit tables using the PermitNumber

Mailer Information Fields	Field	Notes
		field within the PermitPublicationData block within the MailingGroupData block within the OpenMailingGroupRequest message, the CustomerReferenceID field within the CreatePostageStatement block in the PostageStatementCreateRequest message, and the determined Finance Number. The State is determined from the Zip_Code.
Org. For Mailing is Prepared	PostageStatementCreateRequest	The <i>PostalOne!</i> system looks up the Company_Name, Address_Line1, Address_Line2, City, State, Zip_Code, Zip_Code4, Contact_Phone, and Contact_Email in the P_Finance, P_Permit, and P_Company tables using the PermitNumber and PermitZip4 fields within the PermitPublicationData block within the MailingOwnerData block within the CreatePostageStatement block in the PostageStatementCreateRequest message. The State is determined from the Zip_Code. -or- If the MailingOwnerData block is not provided, the <i>PostalOne!</i> system populates the Organization for Mailing is Prepared information with Permit Holder information.
Permit Holder's Permit	PostageStatementCreateRequest - PermitNumber	
Mailing Agent's Permit	PostageStatementCreateRequest - PermitType, PermitNumber	If the PermitType field is not provided within PermitPublicationData block within the MailingAgent block, the <i>PostalOne!</i> system looks up the Permit_Type in the P_Permit table using the PermitNumber field within the PermitPublicationData block within the MailingAgentData block within the CreatePostageStatement block. -or- If the MailingAgentData block is not provided, the <i>PostalOne!</i> system looks up the Permit_No and Permit_Type in the P_Sec_User, P_Sec_User_Corp_Loc_Link, P_Company, and P_Permit tables using the PermitNumber field within the PermitPublicationData block within the MailingGroupData block within the OpenMailingGroupRequest message, the CustomerReferenceID field within the CreatePostageStatement block in the PostageStatementCreateRequest message, and the determined Finance Number.

Mailer Information Fields	Field	Notes

**Postage Summary Information**

The *PostalOne!* system will populate that Postage Summary information section of the Postage Statement based on the information that is provided in the Mail.XML messages.

The fields listed in the table below will determine that values that will be populated in the Postage Summary section.

Postage Summary Information Fields	Message/Field	Notes
Post Office of Mailing	OpenMailingGroupRequest	The <i>PostalOne!</i> system looks up the City, State, and Zip_Code in the P_Company table using the PostOfficeOfMailingZip field within the MailingGroupData block in the OpenMailingGroupRequest message. The State is determined from the Zip_Code.
Processing Category	PostageStatementCreateRequest – ProcessingCategory	
Mailer's Mailing Date	PostageStatementCreateRequest – PostageStatementMailingDate	
Federal Agency Cost Code	PostageStatementCreateRequest – AgencyCostCode	
Statement Seq. No	N/A	System generated sequence number
No. & type of Containers	PostageStatementCreateRequest – ContainerCount	Sum of containers grouped by Container Type
Type of Postage	PostageStatementCreateRequest – PostagePaymentMethod	
Weight of a Single Piece	PostageStatementCreateRequest – SinglePieceWeight or SinglePieceDimensionalWeight	
Hold For Pickup	PostageStatementCreateRequest - HoldForPickUp	First-Class Mail, Priority Mail, and Package Services only
Combined Mailing	PostageStatementCreateRequest – PermitNumber	Combined Mailing checkbox will be checked when a Mail.dat job is submitted with multiple values populated in the Permit Holder field.
Total Pieces	PostageStatementCreate	First-Class Mail, Standard Mail, and Package

<b>Postage Summary Information Fields</b>	<b>Message/Field</b>	<b>Notes</b>
	Request - TotalPieces	Services only
Of Total Pieces, # With Simplified Addresses	PostageStatementCreate Request - NumberOfPiecesSimplifiedAddress	Standard Mail Only
Total Weight	PostageStatementCreate Request - TotalWeight	
For Mail Enclose Within Another Class	PostageStatementCreate Request - FormType	First-Class Mail, Priority Mail, and Standard Mail only
If Sacked, Based On	PostageStatementCreate Request - SackingBasis	Standard Mail and Priority Mail only
Packaging Based on	PostageStatementCreate Request - PackagingMethod	Package Services only
For Automation Price Pieces, Enter Date of Address Matching and Coding	PostageStatementCreate Request - AutomationAddressMatch Date	
For Carrier Route Price Piece, Enter Date for Address Matching and Coding	PostageStatementCreate Request - CarrierRouteAddressMatchDate	Standard Mail only
For Carrier Route Price Pieces, Enter Date of Carrier Route Sequencing	PostageStatementCreate Request - CarrierRouteSequencing Date	Standard Mail only
For pieces bearing a simplified address enter data of delivery statistics file or alternative method	PostageStatementCreate Request - DeliveryStatisticsFileDate	Standard Mail only
For Barcoded Pieces, Enter Date of Address Matching and Coding	PostageStatementCreate Request - AutomationAddressMatch Date	Priority Mail only
Move Update Method	PostageStatementCreate Request - MoveUpdateMethod	First-Class Mail and Standard Mail only
Priority Mail Open and Distribute (PMOD)	PostageStatementCreate Request - PMODIndicator	Priority Mail only
Total Postage	N/A	Sum of all parts of a postage statement
Address Matching Date – Automation	PostageStatementCreate Request – AutomationAddressMatch	



Postage Summary Information Fields	Message/Field	Notes
	Date	
Address Matching Date – Carrier Route	PostageStatementCreateRequest - CarrierRouteAddressMatchDate	
Customer Reference ID	PostageStatementCreateRequest - CustomerReferenceID	
Incentive Claimed	PostageStatementCreateRequest - USPSPriceIncentiveType	

## Mailing Information – Periodicals

### Mailing Group Summary Information

The *PostalOne!* system will populate the Mailing Group Summary Information section of the Periodicals Postage Statement based on the information that is provided in the Mail.XML messages.

The fields listed in the table below will determine the values that will be populated in the Mailing Group Summary Information section.

Mailing Group Summary Information Fields	Message/Field	Notes
Mailing Group ID	MailingGroupID	Mailing Group Unique Sequence Number
Preparer	PeriodicalStatementCreateRequest	Looks up the Permit_No and Permit_Type in the P_Finance, P_Company, and P_Permit using the PermitNumber and PermitZip4 fields within the PermitPublicationData block within the MailingAgentData block within the CreatePostageStatement block and the CustomerReferenceID field within the CreatePostageStatement block.  If the MailingAgentData block is not provided, the <i>PostalOne!</i> system looks up the Permit_No and Permit_Type in the P_Sec_User, P_Sec_User_Corp_Loc_Link, P_Company, and P_Permit tables using the PermitNumber field within the PermitPublicationData block within the MailingGroupData block within the OpenMailingGroupRequest message, the CustomerReferenceID field within the CreatePostageStatement block in the PostageStatementCreateRequest message,

Mailing Group Summary Information Fields	Message/Field	Notes
		and the determined Finance Number.
Description	OpenMailingGroupRequest - CustomerDescription	
Mailer's Job #	OpenMailingGroupRequest - CustomerGroupID	
Finance No:	OpenMailingGroupRequest	The <i>PostalOne!</i> system looks up the Finance_No in the P_Finance table using two fields in the OpenMailingGroupRequest message: the PermitNumber field within the PermitPublicationData block within the MailingGroupData block and the PostOfficeOfMailingZip field within the MailingGroupData block.
Open Date	N/A	Date the mailing group was opened
Close Date	N/A	Date the PS was Finalized

**Mailer Information**

The *PostalOne!* system will populate the Mailer Information section of the Periodicals Postage Statement based on the information that is provided in the Mail.XML messages.

The fields listed in the table below will determine the values that will be populated in the Mailer Information section.

Mailer Information Fields	Message/Field	Notes
Publication Title and Owner or News Agent's Name	PeriodicalStatementCreateRequest	The <i>PostalOne!</i> system looks up the Company_Name, Address_Line1, Address_Line2, City, State, Zip_Code, Zip_Code4, Contact_Phone, and Contact_Email in the P_Finance, P_Permit, and P_Company tables using the PublicationNumber or PermitNumber field within the PermitPublicationData block within the PublisherData block within the CreatePeriodicalStatement block.
Mailer's Name, Address, Telephone Number, and Email	PeriodicalStatementCreateRequest	The <i>PostalOne!</i> system looks up Company_Name, Address_Line1, Address_Line2, City, State, Zip_Code, Zip_Code4, Contact_Phone, and Contact_Email in the P_Finance, P_Permit, and P_Company tables using the PermitNumber or PublicationNumber field within the PermitPublicationData block within the MailingAgentData block within the

Mailer Information Fields	Message/Field	Notes
		CreatePeriodicalStatement block in the PeriodicalStatementCreateRequest message, the CustomerReferenceID field within the CreatePeriodicalStatement block in the PeriodicalStatementCreateRequest message, and the determined Finance Number.-or-If the MailingAgentData block is not provided, the <i>PostalOne!</i> system looks up Company_Name, Address_Line1, Address_Line2, City, State, Zip_Code, Zip_Code4, Contact_Phone, and Contact_Email in the P_Sec_User, P_Sec_User_Corp_Loc_Link, P_Company, and P_Permit tables using the PermitNumber or PublicationNumber field within the PermitPublicationData block within the MailingGroupData block within the OpenMailingGroupRequest message, the CustomerReferenceID field within the CreatePostageStatement block in the PeriodicalStatementCreateRequest message, and the determined Finance Number.
Entry Post Office Name, State, and ZIP+4	OpenMailingGroupRequest	The <i>PostalOne!</i> system looks up the City, State, Zip_Code, and Zip_Code4 in the P_Company table using the PostOfficeOfMailingZip field within the MailingGroupData block. The State is determined from the Zip_Code.

### Mailing Information

The *PostalOne!* system will populate the Mailing Information section of the Periodicals Postage Statement based on the information that is provided in the Mail.XML messages.

The fields listed in the table below will determine the values that will be populated in the Mailing Information section.

Mailing Information Fields	Message/Field	Notes
Applicable Part Completed	N/A	Sections of the postage statement that were completed
Statement for bundles/containers only	N/A	
Price Category	PeriodicalStatementCreateRequest - RateType	
Combined Mailing	PeriodicalStatementCreateRequest – PublicationNumber	Combined Mailing checkbox will be checked when a Mail.XML mailings is submitted with multiple values populated in the Permit Holder

Mailing Information Fields	Message/Field	Notes
		field.
Consolidated Postage Statement	ConsolidatedPeriodicalStatementCreateRequest	Consolidated Mailing checkbox will be checked when a ConsolidatedPeriodicalStatementCreateRequest message is submitted
Publication No.	PeriodicalStatementCreateRequest - PublicationNumber	
Edition/Code	PeriodicalStatementCreateRequest - EditionCode	
Mailer's Mailing Date:	PeriodicalStatementCreateRequest - PostageStatementMailingDate	
Processing Category	PeriodicalStatementCreateRequest - ProcessingCategory	
No. of Addressed Pieces Excluding Address Supplements	N/A	Sum of the number of pieces for each line item for each completed part of the postage statement (excluding Addressed Supplements)
In-County Addressed Supplements	PeriodicalStatementCreateRequest - InCountryAddressedSupplementPieces	Sum of the number of In-County Addressed Supplements
Out-County Addressed Supplements	PeriodicalStatementCreateRequest - OutCountyAddressedSupplementPieces	Sum of the number of Out-County Addressed Supplements
Issue Date	PeriodicalStatementCreateRequest - IssueDate	
Volume Number	PeriodicalStatementCreateRequest - VolumeNumber	
Issue Number	PeriodicalStatementCreateRequest - IssueNumber	
Issue Frequency	PeriodicalStatementCreateRequest - IssueFrequency	
Statement Sequence No.	N/A	System generated sequence number
Weight of Single Ride-Along Piece	PeriodicalStatementCreateRequest - SingleRideAloneWeight	Calculated when Rate Type 'H' (Ride Along Weight)
Weight per Copy for Issue	PeriodicalStatementCreateRequest - CopyWeight	
Advertising	PeriodicalStatementCreateRequest	

Mailing Information Fields	Message/Field	Notes
Percentage in This Issue	eRequest – AdvertisingPercentage	
Number and Type of Containers	PeriodicalStatementCreateRequest - ContainerCount	Sum of containers grouped by Container Type
Total Postage	N/A	Calculated by summing the total postage for all parts of the postage statement
For Automation Price Pieces, Enter Date for Address Matching and Coding	PeriodicalStatementCreateRequest - AutomationAddressMatchDate	
For Carrier Route Price Piece, Enter Date for Address Matching and Coding	PeriodicalStatementCreateRequest - CarrierRouteAddressMatchDate	
For Carrier Route Price Pieces, Enter Date of Carrier Route Sequencing	PeriodicalStatementCreateRequest - CarrierRouteSequencingDate	
For pieces bearing a simplified address enter data of delivery statistics file or alternative method	PeriodicalStatementCreateRequest - DeliveryStatisticsFileDate	

## 8. Appendix E - WSDLs and XSDs

The WSDL specification are posted on RIBBS® and can be downloaded from the following location:  
[http://ribbs.usps.gov/intelligentmail\\_guides/documents/tech\\_guides/xmlspec/wsdls/wsdls.htm](http://ribbs.usps.gov/intelligentmail_guides/documents/tech_guides/xmlspec/wsdls/wsdls.htm)

The above RIBBS® URL provides WSDLs for both TEM and production environments. User should always use this link to access the correct and updated version of WSDLs in future.

### **PULL WSDL LINKS FOR TEM ENVIRONMENT**

To consume the WSDL services, the customer must use one of the following URLs in the TEM environments:

#### **STRING-TYPE WSDL URL Link(s)**

<https://mailxmltem.uspspostalone.com/MLXMLServicesWeb/services/POAppointmentServices/wsd/POAppointmentServices-MailXML60.wsd>

The USPS is no longer supporting the string type as of the Mail.XML 9.0X implementation. Currently, the USPS only accepts Message-Types WSDLs.

#### **MESSAGE-TYPE WSDL URL Link(s)**

*The following link supports Mail.XML 8.1 version:*

<https://mailxmltem.uspspostalone.com/MailXML81ALLMsgType/WebServices/wsd/USPSMailXML81ALLMsgType.wsd>

*The following link supports Mail.XML Modular Specification (9.x and above):*

*On the Modular XSD, we support following WSDL points based on the Messages Group (Mailing, Supply Chain, Transportation, Data Distribution, and Identification). The WSDL endpoint for the message group will not change, will support multiple versions of Modular spec. In Release 25 – only Mailing, Supply Chain and Transportation (limited messages) will be supported.*

#### **Mailing:**

<https://mailxmltem.uspspostalone.com/Mailing/WebServices/wsd/Mailing.wsd>

#### **Supply Chain:**

<https://mailxmltem.uspspostalone.com/SupplyChain/WebServices/wsd/SupplyChain.wsd>

#### **Transportation:**

<https://mailxmltem.uspspostalone.com/Transportation/WebServices/wsd/Transportation.wsd>

#### **Data Distribution:**

<https://mailxmltem.uspspostalone.com/DataDistribution/WebServices/wsd/DataDistribution.wsd>

#### **Identification:**

<https://mailxmltem.uspspostalone.com/Identification/WebServices/wsd/Identification.wsd>

### **PULL WSDL LINKS FOR PRODUCTION ENVIRONMENT**

To consume the WSDL services, the customer must use one of the following URLs in the Production environments:

**STRING-TYPE WSDL URL Link(s)**

<https://fast.uspspostalone.com/MLXMLServicesWeb/services/POAppointmentServices/wsd/POAppointmentServices-MailXML60.wsd/>

**MESSAGE-TYPE WSDL URL Link(s)**

The following link supports Mail.XML 8.1 version:

<https://p1webservice.uspspostalone.com/MailXML81ALLMsgType/WebServices/wsd/USPSMailXML81ALLMsgType.wsd/>

The following link supports Mail.XML Modular Specification (9.x and above):

On the Modular XSD, we support following WSDL points based on the Messages Group (Mailing, Supply Chain, Transportation, Data Distribution, and Identification). The WSDL endpoint for the message group will not change, will support multiple versions of Modular spec. In Release 25 – only Mailing, Supply Chain and Transportation (limited messages) will be supported.

**Mailing:**

<https://p1webservice.uspspostalone.com/Mailing/WebServices/wsd/Mailing.wsd/>

**Supply Chain:**

<https://p1webservice.uspspostalone.com/SupplyChain/WebServices/wsd/SupplyChain.wsd/>

**Transportation:**

<https://p1webservice.uspspostalone.com/Transportation/WebServices/wsd/Transportation.wsd/>

**Data Distribution:**

<https://p1webservice.uspspostalone.com/DataDistribution/WebServices/wsd/DataDistribution.wsd/>

**Identification:**

<https://p1webservice.uspspostalone.com/Identification/WebServices/wsd/Identification.wsd/>

**PUSH WSDLs INFORMATION**

Customers interested in using the Push Subscription model to receive the data feedback automatically at a specified time to their servers must understand the following WSDL name change information for both string-type and message-type WSDLs:

**STRING-TYPE PUSH WSDL**

The customer need to provide URL for their Web Server and uses the following WSDL for all Mail.XML versions i.e. 8.1. The String-type Push WSDL will retire after Mail.XML 9.0X release. USPS encourages users to move to message-type WSDL as soon as possible.

WSDL NAME: POCustomerMailXMLServices.wsd

### **MESSAGE-TYPE PUSH WSDL**

The customer need to provide URL for their Web Server and uses the following WSDL that only supports Mail.XML version 8.1. The Message-type WSDL will be strictly implemented post Mail.XML 9.0X version

For Mail.XML 8.1 – following WSDL name shall be used:

WSDL NAME: UserMailXML81PushMsgType.wsdl

For Mail.XML 10.A & 11.0 and future versions – following WSDL name shall be used:

WSDL NAME for Data Distribution: DataDistributionPush.wsdl

WSDL NAME for Transportation: TransportationPush.wsdl.

### **PUSH MESSAGES XSD NAME CHANGES INFORMATION**

The USPS is implementing a new XSD name to support Mail.XML 8.1, and Mail.XML 9.0B Push subscription messages.



## INDEX

### A

ACS, 109, 396, 416, 417  
asynchronous, 25, 102

### B

BeginCombinedMailingRequest, 110, 112, 113, 114, 115, 118, 119, 120  
BeginCombinedMailingResponse, 118, 119, 120, 124  
bundle reports, 103  
BundleBarcode, 239  
BundleCarrierRoute, 237  
BundleDetail, 128, 130  
BundleDetailCancelRequest, 110, 112, 114, 116, 126, 128, 129  
BundleDetailCancelResponse, 128  
BundleDetailCreateRequest, 110, 112, 113, 114, 115, 116, 126, 130, 131, 132, 172  
BundleDetailCreateResponse, 126, 131, 133  
BundleID, 127, 128, 130, 176, 237, 287  
BundleLevel, 239  
bundles, 120, 144  
BundleStatus, 239  
BundleZIP, 237

### C

cancelled, 127, 142, 157, 206, 401  
Cast of Characters, 103  
CloseMailingGroupRequest, 110, 112, 114, 116, 133  
CloseMailingGroupResponse, 133  
combined mailing, 123  
CombinedMailingID, 118, 119, 120, 125, 163, 164, 269, 316, 330  
ConsolidatedPeriodicalStatementCreateRequest, 123, 125, 135, 162, 163  
ConsolidatedPeriodicalStatementCreateResponse, 139, 141  
container, 25, 26, 103, 120, 130, 135, 136, 139, 141, 142, 143, 149, 154, 155, 157, 167, 173, 174, 189, 194, 198, 199, 246, 249, 267, 276, 277, 326, 343  
ContainerBundleReportCancelRequest, 112, 116, 141, 142  
ContainerBundleReportCancelResponse, 142  
ContainerBundleReportCreateRequest, 111, 112, 117, 118, 119, 135, 141, 144, 146, 147, 148, 149, 198  
ContainerBundleReportCreateResponse, 117, 118, 120, 143, 146, 149  
ContainerBundleReportQueryRequest, 112, 116, 148, 152, 153

ContainerID, 127, 128, 130, 154, 176, 182, 185, 236, 248, 254, 276, 287, 288, 298, 301, 334  
ContainerPostage, 135, 136, 198, 199, 332  
ContainerStatusQueryRequest, 435  
ContainerStatusQueryResponse, 435  
ContainerUpdateRequest, 110, 112, 114, 116, 154, 156  
copalletization, 103, 120  
Copalletized, 119  
Customer Group ID, 297  
CustomerGroupID, 116, 117, 118, 119, 127, 130, 133, 134, 141, 142, 144, 146, 149, 159, 167, 170, 172, 173, 175, 187, 188, 189, 193, 229, 297, 303, 304, 305, 306  
customers, 25, 95, 102, 108, 154, 195

### D

DestinationEntry, 237  
DestinationZIP, 238  
DMM, 120  
duplicate, 120

### E

eDoc, 1, 25, 103, 108, 113, 115, 121, 133, 195, 236, 366, 435  
eDropShip, 25, 26, 103  
EndCombinedMailingRequest, 110, 112, 114, 115, 118, 119, 120, 161, 163

### F

flats, 120  
Full-Service, 25, 107, 109, 110, 111, 112, 113, 114, 115, 116, 117, 119, 120, 157, 170, 173, 176, 184, 185, 188, 245, 246, 248, 249, 251, 258, 288, 300, 301, 338, 343, 345, 346, 347, 348, 349, 384, 423, 436  
Full-Service mailing, 113

### I

IDEAlliance, 102, 107  
irregular, 120

### M

machinable, 120, 371, 427  
Mail.dat, 25, 102, 103, 108, 119, 154, 155, 157, 276, 277, 436  
Mail.XML, 1, 25, 95, 96, 102, 103, 104, 107, 108, 109, 119, 120, 121, 133, 149, 154, 155, 165, 236, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 366, 367, 368, 369,

370, 371, 372, 373, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 388, 389, 390, 391, 392, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 431, 432, 433, 434, 435, 446, 457, 458, 459  
 Maildat Job ID, 297  
 MaildatJobID, 127, 167, 175, 187, 190, 276  
 mailing, 102, 103, 107, 113, 114, 115, 119, 120, 123, 124, 125, 130, 133, 134, 138, 140, 141, 142, 143, 144, 149, 159, 160, 161, 163, 165, 167, 173, 189, 195, 196, 198, 206, 207, 209, 212, 215, 218, 229, 231, 232, 233, 316, 318, 337, 436  
 Mailing Group ID, 297  
 MailingGroupID, 116, 117, 118, 119, 127, 130, 133, 134, 141, 142, 144, 146, 147, 148, 149, 159, 165, 167, 171, 172, 173, 175, 187, 188, 189, 193, 198, 229, 276, 297, 303, 304, 305, 306  
 MailingGroupQueryRequest, 110, 112, 114, 116, 165, 435  
 MailingGroupQueryResponse, 165, 435  
 mailpiece, 167, 171, 187, 189, 194, 195  
 MailPieceCancelRequest, 110, 112, 114, 116, 167, 171, 172  
 MailPieceCreateRequest, 109, 110, 111, 112, 113, 115, 116, 117, 118, 136, 172, 173, 174, 189, 199  
 MailXMLMailGroupRequestHeaderInfo Block Opens, 165  
 manifest, 103  
 mixed service, 109, 111, 112, 115, 135, 136, 173, 174, 198, 199, 332  
 Mixed Service, 109, 110, 111, 112, 120, 154, 170, 176, 185, 188, 245, 246, 249, 251, 258, 288, 301, 343, 345, 346, 347, 348, 349  
 MLOCR, 103, 120, 159, 160, 229, 231, 391, 392, 416  
 MLOCRrateANDpostageMarking, 178, 290  
 mother containers, 120

**O**

OpenMailingGroupRequest, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 135, 195, 196, 198, 247, 258, 305, 306  
 OriginalContainerLinkageCancelRequest, 110, 113, 114, 116  
 OriginalContainerLinkageCreate, 110, 112, 113, 114, 115, 116

**P**

Package Services, 109, 110, 113, 370, 390  
 Pallets, 119, 243, 370, 371  
 parcels, 120  
 ParentBundleID, 239  
 Periodicals, 16, 111, 112, 115, 116, 117, 118, 119, 120, 135, 138, 148, 198, 203, 206, 212, 217, 238, 269, 317, 318, 330, 331, 370, 381, 384, 390, 401, 405, 435, 436, 439, 440

PeriodicalStatementCreateRequest, 111, 112, 115, 116, 117, 118, 119, 120, 123, 125, 135, 161, 163, 198, 201, 202, 203, 439  
 PeriodicalStatementQueryRequest, 112, 116, 203, 204, 205, 206  
 piece detail, 103  
 piece ranging, 103  
 PieceID, 178, 290  
 pieces, 103, 113, 114, 115, 119, 120, 127, 128, 135, 136, 173, 174, 198, 199, 212, 228, 246, 263, 264, 314, 321, 322, 432  
 PlanetCode, 170, 178, 289  
 postage, 103, 109, 118, 119, 120, 123, 128, 134, 135, 136, 138, 139, 154, 159, 161, 163, 167, 171, 174, 189, 194, 195, 198, 199, 201, 203, 204, 206, 207, 208, 209, 212, 214, 217, 218, 228, 265, 268, 280, 314, 315, 316, 317, 318, 323, 326, 327, 330, 338, 432, 436, 437, 439, 441  
 Postage, 1, 120, 135, 142, 157, 171, 172, 178, 198, 201, 202, 203, 214, 257, 266, 270, 314, 324, 332, 340, 341, 342, 367, 390, 403, 435, 436  
 postage adjustments, 103  
 postage statements, 103, 109, 118, 119, 120, 134, 138, 161, 163, 195, 206, 207, 217, 228, 268, 326, 327, 436  
 Postage Statements, 120  
 postage status, 103  
 PostageAdjustmentCreateRequest, 110, 112, 114, 115  
 PostageStatementCancelRequest, 110, 112, 114, 116, 206, 207  
 PostageStatementCreateRequest, 109, 110, 111, 113, 114, 115, 117, 118, 119, 123, 125, 161, 163, 214, 441  
 PostageStatementQueryRequest, 110, 114  
 PostageStatementStatusQueryRequest, 110, 112, 114, 116, 214, 215, 217, 218  
*PostalOne!*, 25, 26, 95, 102, 107, 108, 109, 126, 128, 130, 131, 132, 133, 144, 154, 155, 157, 163, 165, 207, 208, 229, 231, 233, 254, 267, 315, 316, 318, 326  
 protocol, 102

**Q**

qualification, 25, 103, 126, 130, 135, 195, 198, 233, 247  
 Qualification, 120, 133, 222, 232, 240, 247, 248, 249, 250, 251, 343, 344, 345, 353  
 qualification reports, 25, 103  
 QualificationReportCreateRequest, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 130, 135, 136, 144, 146, 155, 159, 172, 173, 174, 176, 185, 188, 198, 199, 288, 301, 439, 441

**R**

ReconciliationReportQueryRequest, 110, 112, 114, 116, 232, 233, 435  
 ReturnInfo, 125, 126, 129, 132, 134, 135, 140, 141, 143, 144, 148, 152, 157, 158, 161, 163, 164, 166, 172, 188,

189, 194, 195, 196, 197, 202, 203, 205, 206, 207, 208,  
212, 213, 214, 215, 216, 218, 219, 231, 232, 234, 236,  
349

## S

SASP, 136, 198  
Services Oriented Architecture. *See* SOA  
Sibling Container ID, 120  
SiblingContainerCancelRequest, 110, 113, 114, 116  
SiblingContainerCreateRequest, 110, 112, 113, 114, 116  
SOA, 102  
SOAP, 26, 445  
SortationLevel, 230, 238, 250, 362  
spoilage, 103  
Standard Mail, 109, 110, 113, 119, 120, 370, 381, 384, 390,  
414, 435, 437, 441, 442, 443  
SubmittingParty, 108, 124, 127, 130, 133, 134, 137, 142,  
144, 149, 153, 156, 159, 163, 165, 167, 174, 190, 196,  
200, 204, 207, 211, 215, 217, 229, 232, 318, 446  
SubmittingSoftware, 124, 127, 130, 133, 137, 142, 144, 149,  
153, 156, 159, 163, 165, 167, 175, 190, 196, 200, 204,  
207, 211, 215, 217, 229, 233  
supplement, 25, 107  
supply chain, 103  
synchronous, 102

## T

technology, 25, 102  
*Test Environment for Mailers*  
*Checklist and Troubleshooting Guide*, 108  
threshold, 113  
TotalCopies, 237, 257, 273, 318

TotalPieces, 237, 257, 273, 274, 275, 284, 318, 327, 328,  
337, 341, 342  
Tracking ID, 25, 147, 446  
Tray Barcodes, 120  
Trays, 119, 249, 370

## U

United States Postal Service, 102  
UPD, 134, 142, 157, 171, 403, 437  
User License Code, 297  
UserLicenseCode, 127, 167, 175, 190, 276  
USPS, 25, 26, 95, 96, 102, 103, 107, 108, 109, 114, 115, 119,  
120, 124, 129, 131, 132, 133, 135, 142, 154, 157, 163,  
165, 171, 194, 195, 196, 198, 202, 203, 206, 209, 212,  
214, 228, 232, 233, 246, 248, 291, 428, 436, 437, 446,  
459

## V

VersionID, 130, 240, 257, 271, 272, 329, 338  
VersionName, 240, 271, 272, 329  
volumes, 103

## W

web services, 25, 95, 102  
Web services. *See* web services  
Wizard Web Services. *See* WWS  
WSDL, 95, 457, 458, 459  
WWS, 25

## Z

Zone, 238, 257, 285, 337, 433