PEAK FLOW FORECASTS

FLOW EXTREMES, NOT SUPPLY

Peak flow forecasts are fundamentally different than water supply volume forecasts. Although the watershed snowpack is a principal component in both analyses, peak flows are not a supply question at all. Rather, peak flows characterize runoff extremes by predicting maximum mean daily flow at a single point during the spring snowmelt season. This extreme is related to the water supply volume, but the relationship is not direct or constant from year to year. As such, peak flow forecasts contain much more uncertainty than water supply volume forecasts.

REGULATED VS. NATURAL FLOWS

An even more fundamental limitation is that peak forecasts describe regulated (actual or observed) in-stream flow well into the future, something difficult to do considering the quantity and changing nature of diversions in the Colorado River and Great Basin watersheds. (Note: supply forecasts deal with hypothetical "natural" flow - that which would have resulted in the absence of regulation). The Colorado Basin River Forecast Center routinely forecasts regulated streamflow, but only for several days into the future. Further into the future the ability to forecast reservoir regulation becomes more limited.

DIFFERENT USES AND USERS

Peak flow forecasts are used for different purposes than water supply volume forecasts. Users of these forecasts would include river recreationists, flood control agencies, emergency service directors, wildlife managers and anyone interested in the combined effect of watershed yield and human regulation on the actual (observed) in-stream maximum mean daily flows at a site.

FLOOD FLOWS

The National Weather Service defines flood flow as the flow at which damage to structures begins to occur. Over-bank flow may occur but still be below the defined flood flow. Flood flows contained in this document change from year to year due to such channel processes as deposition and scouring. Therefore, the flood flows that follow should only be applied to the current runoff season. It should also be noted that they are instantaneous flows and not maximum mean daily flows. Forecast mean daily flows above the instantaneous flood flow will be highlighted in red.

IMPORTANT NOTE:

Please note that the following peak flow forecasts will be updated during the first week in April and again the first week in May. The updated forecasts can be accessed through the CBRFC homepage (http://www.cbrfc.gov) or by calling the appropriate Service Hydrologist (see page 16 and 17).

INTERPRETIVE NOTES

PEAK FLOW DEFINED

The peak flow forecast represents the maximum mean daily flow (the highest average flow for an entire day during the runoff season) at a point during the April through July period, unless otherwise noted. It does not represent the instantaneous peak (the maximum flow at a single moment). In the case of smooth snowmelt regimes (hydrographs), it may be acceptable to approximate one with the other. In Arizona, the normal snowmelt period is from February to May. Occasionally, heavy rainfall events can produce higher peak flows than the snowmelt peak flows. For verification and calibration purposes, the maximum mean daily flow during the February through May period was used regardless of the runoff source. The Average Peak and Normal Time of Peak (defined as the average date of peak plus/minus one standard deviation which should include approximately 70% of the peaks) for a given gage are all derived from 1971 through 2000 data whereas the Historic Peak is derived from the period of record, including the most recent years, after reservoir regulation began.

FORECAST PROBABILITIES

Peak flow forecasts are presented in terms of probabilities or, more specifically, exceedance probabilities. The forecast labeled "most probable" is actually the 50% exceedance level meaning there are equal chances of being below the value or above the value (i.e., 50 chances out of 100 of being exceeded). The other exceedance probabilities associate the likelihood of exceeding other levels. In general, a close bunching of the exceedance forecasts indicates low variability and that the user can have a high degree of confidence in the forecast information. Conversely, a large spread in the exceedance forecasts indicates high variability.

MODELLING TECHNIQUES

The peak flow forecasts that follow have been derived using a combination of (1) physically-based conceptual models and (2) statistical regression models. The conceptual model is the National Weather Service River Forecasting System in the Ensemble Streamflow Prediction (ESP) mode. Since the conceptual model requires reservoir operation plans for up to five months into the future, ESP application is limited to basins where regulation is minimal (mostly in the headwater areas).

The farther downstream a forecast point is, the more likely it is that a statistical regression was used between natural snowmelt runoff volume and the observed maximum mean daily flow to generate the forecast. Such an approach performs better when the correlation between regulated and unregulated flow is strong and is constant from year to year.

UPPER COLORADO PEAK FLOW FORECASTS

Mean daily flows in cubic feet per second (cfs)

STATION NAME		Historic	_		2004	2004				xceedanc		~	Normal time
] [Peak	Peak	Flow	Peak	Date		90%	75%	50%	25%	10%	of peak
COLORADO - KREMMLING, NR		12,700	3,900	10,100	905	7/18		N/A	N/A	N/A	N/A	N/A	5/15 - 6/27
EAGLE - GYPSUM, BLO		6,580	3,600	6,650	1,960	6/08		2,000	2,500	3,000	3,700	4,500	6/1 - 6/21
ROARING FORK - GLENWOOD SPRINGS		11,200	6,150	14,000	3,550	6/08		4,000	5,000	6,000	7,500	8,500	6/3 - 6/18
COLORADO - CAMEO, NR		38,000	17,500	23,700	7,010	6/09		8,000	11,000	14,500	17,500	21,000	5/29 - 6/18
PLATEAU CK - CAMEO, NR		4,100	1,460	5,550	455	5/11		1,000	1,800	2,500	3,200	4,000	5/9 - 6/11
EAST - ALMONT, NR		5,000	2,080	2,900	1,180	5/21		1,600	1,900	2,200	2,600	3,000	5/28 - 6/17
NF GUNNISON - SOMERSET, NR		7,080	3,310	14,000	1,700	5/20		3,700	4,400	5,000	5,800	6,400	5/11 - 6/2
SURFACE CK - CEDAREDGE		640	210	1,400	95	5/05		200	280	375	440	500	5/3 - 6/8
UNCOMPAHGRE - COLONA, NR		1,900	1,390	3,000	720	6/08		N/A	N/A	N/A	N/A	N/A	5/20 - 6/27
COLORADO - CO-UT STATELINE, NR		68,300	26,150	47,700	9,230	5/12		12,000	19,000	26,000	31,000	38,000	5/22 - 6/16
DOLORES - DOLORES		6,950	2,980	8,500	2,430	5/10		2,300	2,800	3,400	4,000	4,500	5/9 - 6/4
SAN MIGUEL - PLACERVILLE, NR		2,740	1,310	2,700	870	6/08		850	1,100	1,400	1,700	2,000	5/26 - 6/23
DOLORES - CISCO, NR (see note1 below)		12,900	6,050	N/A	1,340	3/26		N/A	N/A	N/A	N/A	N/A	4/26 - 6/5
COLORADO - CISCO, NR		69,500	28,800	61,200	10,400	5/12		13,000	20,500	28,500	34,000	41,000	5/20 - 6/15
GREEN - DANIEL, NR, WARREN BRIDGE, AT		5,620	2,975	N/A	2,100	6/11		1,600	1,900	2,300	2,700	3,100	5/30 - 6/30
NEW FORK - BIG PINEY, NR		9,110	5,285	N/A	3,870	7/01		2,700	3,300	4,000	4,400	4,800	5/31 - 6/24
GREEN - LABARGE, NR		18,800	9,270	11,400	5,540	6/12		N/A	N/A	N/A	N/A	N/A	5/30 - 6/24
BIG SANDY - FARSON, NR		1,690	820	1,300	500	6/10		N/A	N/A	N/A	N/A	N/A	5/28 - 6/23
GREEN - GREEN RVR WY, NR		15,400	7,110	15,500	3,220	7/05		N/A	N/A	N/A	N/A	N/A	5/23 - 7/11
HAMS FORK - FRONTIER, NR, POLE CK, BLO		2,000	825	1,600	240	6/10		300	500	700	900	1,100	5/10 - 6/9
BLACKS FORK - LITTLE AMERICA, NR		6,970	2,440	5,500	200	7/02		800	1,300	1,900	2,700	3,500	5/2 - 6/27

N/A-NOTAVAILABLE (NOTAFLOODFORECASTPOINTORNOFORECASTPROCEDURE EXISTS)

note1 - for releases below McPhee Reservoir call 970-565-7562

^{*} Flood flow is for current year only and is an instantaneous valu

UPPER COLORADO PEAK FLOW FORECASTS (continued)

Mean daily flows in cubic feet per second (cfs)

STATION NAME	Historic	Average	Flood*	2004	2004	2005 Forecast Exceedance Probability			,	Normal time	
	Peak	Peak	Flow	Peak	Date	90	759	50%	25%	10%	of peak
					1	,					
YAMPA - STEAMBOAT SPRINGS	5,870	3,240	4,490	1,730	5/10	1,6	300 1,90	2,300	2,800	3,300	5/19 - 6/12
YAMPA - MAYBELL, NR	24,400	10,475	26,600	5,950	5/09	5,0	000 6,30	7,500	9,000	11,000	5/13 - 6/10
LITTLE SNAKE - LILY, NR	13,400	4,745	32,000	1,320	5/13	1,9	900 2,60	3,500	4,400	5,500	5/5 - 6/12
YAMPA - DEERLODGE PARK	32,300	13,955	17,000	6,980	5/09	6,0	000 7,50	9,000	11,700	14,000	5/11 - 6/6
GREEN - JENSEN, NR (see note1 below)	38,500	17,600	23,600	11,400	5/13	10,	500 12,0	00 13,500	15,200	18,500	5/14 - 6/11
ROCK CK - UPR STILLWATER RES	2,080	1,350	N/A	625	5/10	1,2	200 1,50	1,800	2,000	2,300	5/25 - 6/20
DUCHESNE - TABIONA, NR	2,320	765	4,100	220	6/06	8	00 1,00	0 1,200	1,500	1,800	5/15 - 6/15
DUCHESNE - RANDLETT, NR	11,500	2,755	7,400	185	6/30	3,5	500 5,50	7,000	8,500	10,000	4/27 - 7/5
WHITE - MEEKER, NR	6,320	3,200	5,500	1,690	5/11	1,2	200 1,60	2,000	2,600	3,500	5/21 - 6/14
GREEN - GREEN RIVER, UT (see note1 below)	47,200	22,560	47,000	11,100	5/15	13,	000 18,0	00 23,000	28,000	33,000	5/18 - 6/16
SAN RAFAEL - GREEN RIVER, NR	3,600	910	N/A	70	6/06	1	50 270	450	770	1,200	5/17 - 7/16
MUDDY CK - EMERY, NR	515	205	N/A	130	6/10	9	0 120	180	220	300	5/19 - 6/18
DIRTY DEVIL - HANKSVILLE, NR, POISON SPGS **	1,310	445	N/A	N/A	N/A	N.	/A N/	N/A	N/A	N/A	3/12 - 5/31
ESCALANTE - ESCALANTE, NR **	227	72	N/A	N/A	N/A	1	00 130	170	220	250	3/24 - 6/2
CATARACT CANYON (estimated)	116,700	51,350	N/A	19,860	5/14	26,	000 38,0	00 51,000	62,000	74,000	5/20 - 6/16
SAN JUAN - PAGOSA SPRINGS	4,640	2,485	11,800	1,860	5/11	2,9	000 3,15	0 3,550	4,100	4,700	5/15 - 6/12
ANIMAS - DURANGO	10,700	4,675	9,600	3,590	6/08	5,6	6,40	7,450	8,650	9,900	5/28 - 6/14
SAN JUAN - BLUFF, NR (see note2 below)	15,600	7,340	40,700	4,420	4/06	11,	200 12,1	00 16,200	18,600	25,000	5/21 - 7/4

N/A - NOT AVAILABLE (NOT A FLOOD FORECAST POINT OR NO FORECAST PROCEDURE EXISTS)

NOTE1 - Peak flow forecasts on the Green River below Flaming Gorge Reservoir are based on USBR planned regulation.

NOTE2 - Peak flow forecasts on the San Juan below Navajo Reservoir are based on USBR planned regulation.

 $[*]Flood {\it flow} is {\it for current year only and is an instantaneous value}$

^{**} Runoff period March - June

LOWER COLORADO PEAK FLOW FORECASTS

Mean daily flows in cubic feet per second (cfs)

STATION NAME	Historic	Average	Flood*	2004	2004	2005 Fc	recast E	xceedan	ce Proba	bility	Normal time
	Peak	Peak	Flow	Peak	Date	90%	75%	50 %	25%	10%	of peak
VIRGIN - LITTLEFIELD, NR	17,000	1,915	20,855	385	2/27	1,500	2,400	4,000	6,500	10,100	3/15 - 5/6
VIRGIN - HURRICANE, NR	9,620	1,520	5,295	330	4/03	440	1,600	2,900	4,200	5,400	3/14 - 5/9
SANTA CLARA - PINE VALLEY, NR	212	65	N/A	31	5/05	130	165	200	235	265	4/25 - 5/25
STATION NAME	Historic	Average	Flood*	2004	2004	2005 Fc	orecast E	xceedan	ce Proba	bility	Normal time
	Peak	Peak	Flow	Peak	Date	90%	75%	50%	25%	10%	of peak
SALT - ROOSEVELT, NR	77,200	9,610	120,885	2,330	3/15	5,000	6,800	9,700	13,800	19,000	3/6 - 4/9
TONTO CK - ROOSEVELT, NR, GUN CK, ABV	32,200	4,090	53,100	115	3/13	510	1,000	2,150	4,500	9,000	3/3 - 4/4
OAK CREEK - SEDONA, NR	8,600	1,550	13,850	620	3/09	415	700	1,200	2,100	3,500	3/6 - 4/9
VERDE - HORSESHOE DAM, ABV, TANGLE CK	65,100	8,530	128,515	1,320	3/11	2,700	4,700	8,700	16,000	28,000	3/6 - 4/9
AGUA FRIA - ROCK SPRINGS, NR	23,600	2,565	10,640	58	3/05	150	335	845	2,130	4,900	2/28 - 4/3

N/A - NOT AVAILABLE (NOT A FLOOD FORECAST POINT OR NO FORECAST PROCEDURE EXISTS)

^{*}Flood flow is for current year only and is an instantaneous value


GREAT BASIN PEAK FLOW FORECASTS

Mean daily flows in cubic feet per second (cfs)

STATION NAME	Historic	Average	Flood*	2004	2004	2005 F	orecast E	xceedan	ce Proba	bility	Normal time
	Peak	Peak	Flow	Peak	Date	90%	75%	50 %	25%	10%	of peak
BEAR - UTAH-WYOMING STATELINE, NR	2,680	1,610	4,400	680	5/09	900	1,300	1,650	2,000	2,500	5/22 - 6/14
LOGAN - LOGAN, NR, STATE DAM, ABV	1,870	985	1,400	530	5/29	500	700	900	1,200	1,400	5/18 - 6/10
BLACKSMITH FORK - HYRUM, NR, UP&L DAM	1,530	490	800	140	4/8	100	300	400	500	700	4/24 - 5/20
WEBER - OAKLEY, NR	4,170	1,625	3,100	695	5/10	1,000	1,400	1,700	2,000	2,400	5/24 - 6/16
CHALK CK - COALVILLE	1,420	600	1,900	150	5/06	300	550	650	800	1,200	5/5 - 5/31
PROVO - WOODLAND, NR	2,530	1,685	3,600	1,160	5/10	700	1,200	1,700	2,200	2,600	5/11 - 6/6
LITTLE COTTONWOOD CK - SALT LAKE CITY, NR	762	470	700	300	6/07	400	500	600	700	800	5/23 - 6/20
BIG COTTONWOOD CK - SALT LAKE CITY, NR	980	430	700	180	5/06	300	450	550	650	800	5/18 - 6/9
MILL CK - SALT LAKE CITY, NR	153	65	180	20	5/11	30	50	65	90	120	5/18 - 6/10
PARLEYS CK - SALT LAKE CITY, NR	605	180	350	70	5/06	40	100	150	200	280	4/23 - 5/22
EMIGRATION CK - SALT LAKE CITY, NR	164	55	135	25	3/28	20	30	45	65	90	4/11 - 5/19
CITY CK - SALT LAKE CITY, NR	322	90	135	40	5/08	50	75	90	110	140	5/12 - 6/1
SEVIER - HATCH	1,430	495	1,200	315	5/09	900	1,200	1,400	1,600	2,100	5/6 - 6/2


N/A - NOT AVAILABLE (NOT A FLOOD FORECAST POINT OR NO FORECAST PROCEDURE EXISTS)

^{*}Flood flow is for current year only and is an instantaneous value



RECREATIONAL INFORMATION

REGREATIONAL RIVER REACHES



HIGHLIGHTED RIVER RECREATIONAL SITES

HISTORICAL PERSPECTIVE...

River recreationists often ask questions such as - "What were the big years at this river site and how big were they?...or conversely, what were the low years?". Ranked for each highlighted river site below are the five highest and lowest annual peak mean daily flows and the years in which they occurred for the April - July flow period window. Since reservoir regulation plays a major role in determining observed peak flows, the highest flows have been analyzed over two different historical periods: the post regulation period alone (after upstream regulatory reservoirs were in-place) and the entire period of record (including both pre- and post-regulatory data). As would be expected, higher (but more short-lived) peaks were generally observed in the pre-regulatory era.


A PEAK AMONG PEAKS...

Streamflow varies dramatically over the course of the snowmelt season. To characterize the magnitude of a year with a single seasonal peak sometimes can be an oversimplification. Illustrating that point are the hydrographs (or graphs of mean daily flow versus time) for several years shown below. Included are plots for a sample low year (1977), sample high year (1983), and last year (2004).


RIVER VELOCITIES...

To help river runners approximate their travel times, information on average river velocities at various flow levels is presented for the highlighted river sites. When utilized with the river reach (distance) information displayed earlier, recreationists can make a ballpark calculation (time = distance/velocity). River velocity actually varies with depth and proximity to the channel boundary, but if considered collectively at all points in a cross-section, it can be expressed as an average. These data, as much of the information in this report, were obtained from the U. S. Geological Survey.

Colorado near Cisco, UT




MEAN DAILY FLOW APRIL-JULY



In general, the higher the flow, the higher the velocity. The velocity reaches a maximum, for the most extreme events, between 5 and 7 mph.

1977

2004




Velocity vs Flow

Highest 5 Peak Flows 1896-1899 and 1905-2004 cfs date 68100 6/27/17 64100 6/16/21 63000 5/29/1897 62200 6/13/09 54600 6/12/12 Highest 5 Peak Flows Post Regulation 1961-2004 cfs date 47200 5/20/84 6/27/83 44200 35400 6/8/86 31900 6/9/97 30300 5/24/73 Lowest 5 Peak Flows 1896-1899 and 1905-2004 cfs date 7570 5/26/02 7600 6/10/77 7840 5/16/89 5/15/63 9370 10700 5/14/92


Green near Green River, UT

MEAN DAILY FLOW APRIL-JULY



Velocity vs Flow


In general, the higher the flow, the higher the velocity. The velocity reaches a maximum, for the most extreme events, between 5 and 7 mph.



San Juan near Bluff, UT


MEAN DAILY FLOW APRIL-JULY

5 Highest Flov	ws						
1915-1917 and 1927-2004							
	date						
52000	6/30/27						
33800							
25400	6/20/49						
18700	6/17/17						
18500	6/17/35						
E Highoot Flor	NO.						
5 Highest Flov							
Post Regulation in cfs	date						
III CIS	uale						
15200	5/29/79						
12200	4/30/85						
11700	5/22/73						
11600	6/19/95						
11300							
5 Lowest Flow	ıs						
1915-1917 an							
in cfs	date						
847	5/24/02						
2570	5/19/74						
2660	5/10/63						
2750	6/23/71 7/29/89						
2820	7/29/89						




In general, the higher the flow, the higher the velocity. The velocity reaches a maximum, for the most extreme events, between 5 and 7 mph.

VELOCITY (mph)



Cataract Canyon


MEAN DAILY FLOW APRIL-JULY



The data above for Cataract Canyon have been synthesized from the Green River near Green River, Utah and the Colorado River near Cisco, Utah gages. The flows from these observed upstream points were routed (lagged in time) to Cataract Canyon and added. Information on the distances between river points and assumed average velocities used to make such calculations are shown earlier in this report.

PHONE NUMBERS OF INTEREST

FOR WEATHER INFOR	RMATION:	FOR RIVER RUNNING CONDITIONS, PERMITS, ETC.								
		River	Reach	Organization	Number					
NEW MEXICO	505-243-0702	COLORADO	Above Westwater Canyon	BLM Grnd Jnctn	970-244-3000					
ARIZONA	602-275-0073		Westwater Canyon	BLM Moab	435-259-6111					
NORTHERN ARIZONA	928-774-3301		Cisco thru Cataract Canyon	Canyonlands NP	435-259-7164					
UTAH	801-524-5133		Grand Canyon	Grand Canyon NP	928-638-7888					
WYOMING	307-635-9901	DIRTY DEVIL		BLM Hanksville	435-542-3461					
SOUTHWESTERN WYOMING	307-857-3898	ESCALANTE		BLM Escalante	435-826-5499					
WESTERN COLORADO	970-243-0914	GREEN	Ladam ta HO40	Discount NIM	070 074 0400					
SOUTHERN NEVADA	702-736-3854	GREEN	Ledore to US40	Dinosaur NM	970-374-2468					
SOUTHEASTERN IDAHO	208-233-0137	MUDDY ODEEK	Desolation Cyn to Green Rvr	BLM Price	435-636-3622					
		MUDDY CREEK		BLM Price	435-636-3622					
		SAN JUAN	Below Bluff	BLM Monticello	435-587-2141					
		VIRGIN	Zion NP	Zion NP	435-772-3256					
			St. George to Littlefield	BLM Arizona Strip	435-688-3200					
		YAMPA	Deerlodge to confluence	Dinosaur NM	970-374-2468					



FLOOD POTENTIAL INFORMATION

SERVICE HYDROLOGISTS

The graphic on the following page depicts the areas of responsibility of the various Service Hydrologists or Hydro Focal Points. The following list links these individuals and their corresponding areas of responsibility. A Service Hydrologist/Hydro Focal Point is the National Weather Service hydrologic coordinator and spokesperson for a given hydrologic service area and is the person to contact for current <u>flood potential</u>, <u>streamflows</u>, <u>snowpack information</u> and <u>updates to peak flow forecasts</u>. Following their phone number is a URL to their homepage.

1) Albuquerque, NM	Ed Polasko	505-244-9147x228	http://www.srh.noaa.gov/abq/					
2) Cheyenne, WY	Ray Gomez	307-772-2468x493	http://www.crh.noaa.gov/cys/					
3) Boulder, CO	Treste Huse	303-494-3210x493	http://www.crh.noaa.gov/den/					
4) El Paso, TX	Tim Brice	505-589-4088x308	http://www.srh.noaa.gov/elp/					
5) Flagstaff, AZ	Tom Clemmons	928-556-9161x249	http://www.wrh.noaa.gov/fgz/					
6) Grand Junction, CO Brian Avery 970-243-7007x493 http://www.crh.noaa.gov/gjt/								
7) Las Vegas, NV	Barry Pierce	702-263-9750	http://www.wrh.noaa.gov/vef/					
8) Phoenix, AZ	Tom Zickus	602-275-8881x228	http://www.wrh.noaa.gov/psr/					
9) Pocatello, ID	Sherrie Hebert	208-233-0834	http://www.wrh.noaa.gov/pih/					
10) Pueblo, CO	Larry Walrod	719-948-3838	http://www.crh.noaa.gov/pub/					
11) Riverton, WY	Jim Fahey	307-857-3898x493	http://www.crh.noaa.gov/riw					
12) Salt Lake City, UT Brian	McInerney 801-	524-5142x228 http://	www.wrh.noaa.gov/slc/					

NATIONAL WEATHER SERVICE HYDROLOGIC SERVICE AREAS

IN THE CBRFC AREA OF RESPONSIBILITY

