

Plant Fact Sheet

CLASPING CONEFLOWER

Dracopsis amplexicaulis (Vahl) Cass.

Plant Symbol = DRAM

Contributed by: USDA NRCS Jamie L. Whitten Plant Materials Center



Thomas G. Barnes @ PLANTS

Uses

This plant is used mainly for landscape beautification. It has potential for use in cultivated, garden situations, in naturalized prairie or meadow plantings, and along roadsides.

Status

Please consult the PLANTS Web site and your State Department of Natural Resources for this plant's current status (e.g. threatened or endangered species, state noxious status, and wetland indicator values).

Description

Clasping coneflower is an annual herb with elongated, bluish, waxy leaves that generally clasp around the stem at the base. The flower heads are similar to those of black-eyed susans, but they are smaller (mostly 1 to 2 inches in diameter). The yellow outer "petals" droop as the flowers mature, and the cylindrical black center (receptacle) is elongated up to 2 inches in length.

Adaptation

It is adapted to many soil types, but clasping coneflower generally prefers a moist site. Natural stands are usually found on bottomland areas with a fairly rich soil and ample moisture. It prefers full sun and will not persist in a shaded location.

Clasping coneflower is distributed throughout the South. For a current distribution map, please consult the Plant Profile page for this species on the PLANTS Website.

Establishment

A firm seedbed is required. Clasping coneflower germinates best on a clean tilled site that has been firmed with a roller or finishing harrow before planting. Seed can also be planted into a closely mowed, chemically-killed, or burned sod area with a light disking or harrowing that scratches the soil surface. A layer of plant residue on the soil will interfere with seed germination. Broadcast or shallowly drill 2 to 3 grams per 100 square feet (2 to 3 lb/acre) broadcast or shallowly drilled. Seed should be placed close to the soil surface. Cultipacking after planting will ensure good seed to soil contact. Seed will germinate soon after planting and remain as a small, nondescript plant over the winter months.

Management

Plant growth and seed production are greatly improved by fertilization. Fertilizer should be applied in the spring prior to flowering. Apply according to soil test recommendations. If test results are not available, a rate of 3.5 to 5.5 oz per 100 square feet (100 to 150 lb/acre) of 13-13-13 is adequate for most plantings. For seed production, increase the fertilizer rate to 9 oz per 100 square feet (250 lb/acre). Stands will reseed prolifically for several years, but will gradually decline without soil disturbance. Every two to three years, the site should be disked to control perennial weeds and promote clasping coneflower germination. If necessary, plants can be moved in the spring before stem elongation begins. Stands that are not disked should be mowed in late summer, and a late fall mowing in is also recommended.

Prepared By & Species Coordinator:

USDA, Natural Resources Conservation Service
Jamie L. Whitten Plant Materials Center, Coffeeville,
MS

Plant Materials http://plant-materials.nrcs.usda.gov/ Plant Fact Sheet/Guide Coordination Page http://plant-materials.nrcs.usda.gov/intranet/pfs.html National Plant Data Center http://npdc.usda.gov

Edited: 01Feb2002 JLK; 05jun06 jsp

For more information about this and other plants, please contact your local NRCS field office or Conservation District, and visit the PLANTS Web sitehttp://plants.usda.gov or the Plant Materials Program Web site http://plant-Materials.nrcs.usda.gov

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice or TDD). USDA is an equal opportunity provider and employer.

Read about <u>Civil Rights at the Natural Resources Convervation</u> <u>Service.</u>