

NOAA Technical Memorandum NWS NHC 2

Property of
NOAA Coral Gables Library
Gables One Tower
1320 South Dixie Highway, Room 520
Coral Gables, Florida 33145

ANNUAL DATA AND VERIFICATION TABULATION
ATLANTIC TROPICAL CYCLONES 1975

Paul J. Hebert and Staff, NHC

National Hurricane Center
Miami, Florida
January 1977

UNITED STATES
DEPARTMENT OF COMMERCE
Juanita M. Kreps, Secretary

NATIONAL OCEANIC AND
ATMOSPHERIC ADMINISTRATION
Robert M. White, Administrator

National Weather
Service
George P. Cressman, Director



INTRODUCTION

This is the second report of an annual series prepared by the National Hurricane Center (NHC) to provide a source of summarized data on Atlantic tropical cyclones. It will not duplicate the narrative overview of the hurricane season and the description of individual storms, which will continue to be published in the Monthly Weather Review.

In addition to data supplied by the National Weather Service, materials have been furnished by the NOAA National Environmental Satellite Service (NESS) Miami office, the Naval Air Station at Bermuda, and the CARCAH (Chief Aerial Reconnaissance Coordination, all Hurricanes).

OBJECTIVE FORECAST TECHNIQUES

The following tropical cyclone prediction models were used at the National Hurricane Center for forecasting motion on an operational basis:

1. NHC-67 (Miller, Hill, Chase, 1968). A stepwise screening regression model using predictors derived from the current and 24-hour old 1000, and 500 mb data, and includes persistence during the early forecast periods.
2. SANBAR (Sanders and Burpee, 1968). A filtered barotropic model using input data derived from the 1000 to 100 mb pressure weighted winds. The model requires the use of "bogus" data in data-void areas. The system was modified by Pike (1972) so that the initial wind field near the storm would conform to the current storm motion.
3. HURRAN (Hope and Neumann, 1970). An analog system using as a data base the tracks of all Atlantic tropical storms and hurricanes dating back to 1886.
4. CLIPER (Neumann, 1972). Stepwise multiple screening regression using the predictors derived from climatology and persistence.

5. NHC-72 (Neumann, Hope, Miller, 1972). A modified stepwise multiple screening regression system which combines the NHC-67 concept and the CLIPER system into a single model.
6. NHC-73 (Neumann and Lawrence, 1973). Similar in concept to the NHC-72 except it also uses the "perfect prog" and MOS (model output statistics) methods to introduce NMC (National Meteorological Center) numerical prognostic data into the prediction equations.
7. NMC MFM MODEL (Hovemale, 1975). A ten-level baroclinic model which uses a moving fine mesh (MFM) grid nested within the coarser NMC fixed grid primitive equation (PE) model. It is capable of predicting both track and intensity changes

The National Hurricane Center uses the above models as guidance in the formulation of its forecasts. The hurricane forecaster also makes extensive use of analyses and prognoses produced by NMC and RCTM (Regional Center for Tropical Meteorology) in Miami

VERIFICATION

Verification statistics for the 1975 season are shown in Table 1 (Pelissier, 1975). The initial position error in Table 1 is the difference between the operational initial position and that determined during post analysis (best track position). The forecast displacement error is the vector difference between the forecast displacement and the actual displacement computed from best-track positions. The landfall prediction error for the official forecasts is given in Table 2. It is defined as the distance from the predicted landfall point, made 24 hours prior to actual landfall, to the actual landfall point. In cases where a storm either crossed an island or made landfall when predicted to remain offshore the error was designated as the distance from the landfall point to the nearest point on the forecast track

A summary of 1975 North Atlantic tropical cyclone statistics is given in Table 3. Tracks of 1975 named storms are shown in Figure 1.

The best track, initial, and forecast positions for 1975 named storms are in Table 4, along with initial position and forecast errors.

Table 5 lists all center fix positions and intensity evaluations used operationally at the National Hurricane Center during 1975. Fixes are in chronological order, and include those obtained by aerial reconnaissance penetrations and radar, satellite (Miami SFSS), and land-based radar

Table 6 is an aerial reconnaissance summary for the 1975 season.

A number of vortex profiles constructed from data obtained by aerial reconnaissance are shown in Figure 2. These profiles show winds, temperatures, dew points, D-values, and weather in the four quadrants of the storms at specified distances from the center out to 80 n.mi. They are produced operationally on the NHC Varian computer. The plotting model along with a diagram of the paths flown in obtaining the vortex profiles is given in Figure 3.

Graphs of the lowest central pressure vs. time for 1975 tropical cyclones are in Figure 4.

Daily SMS-1 satellite photographs of 1975 named tropical cyclones are in Figure 5.

Selected radar photographs of Caroline, Eloise, and Faye are in Figure 6.

ACKNOWLEDGEMENTS

Main contributors were: Ms. Dorothy Mixon and Ms. Wanda Lund, who listed the center fixes in chronological order; Ms. Mary Watson, who did the pressure-time graphs; Ms. Lilius Wilson, who typed the tables and manuscript; Dr. Joseph Pelissier, who computed the verification statistics; the NHC Data Automation Section, which furnished the vortex profiles; and James Eskdale, who composited the satellite and radar photographs.

REFERENCES

- Hope, J. R. and C. J. Neumann, 1970: "An Operational Technique for Relating the Movement of Existing Tropical Cyclones to Past Tracks," Monthly Weather Review, Vol. 98, No. 23, pp. 925-933
- Hovermale, J.B. 1975: First season storm movement characteristics of the NMC objective hurricane forecast model. Minutes of the NOAA Hurricane Warning Conference, National Hurricane Center, Coral Gables, Florida.
- Miller, B.I., E. C. Hill and P. P. Chase, 1968: "Revised Technique for Forecasting Hurricane Motion by Statistical Methods, "Monthly Weather Review, Vol. 96, No. 8, pp. 540-548.
- Neumann, C. J., 1972: "An Alternate to the HURRAN Tropical Cyclone Forecast System", NOAA Technical Memorandum NWS SR-62, 24 pp.
- J. R. Hope and B. I. Miller, 1972: "A Statistical Method of Combining Synoptic and Empirical Tropical Cyclone Prediction Systems", NOAA Technical Memorandum NWS SR-63, 32 pp.
- and M. B. Lawrence, 1973: "Statistical-Dynamical Prediction of Tropical Cyclone Motion (NHC-73)", NOAA Technical Memorandum NWS SR-69, 34 pp.
- Pike, A. C., 1972: "Improved Barotropic Hurricane Track Prediction by Adjustment of the Initial Wind Field", NOAA Technical Memorandum NWS SR-66, 16 pp.
- Sanders, F., and R. W. Burpee, 1968: "Experiments in Barotropic Hurricane Track Forecasting", Journal of Applied Meteorology, Vol. 7, No. 3 pp, 313-323.
- Pelissier, J. M., 1975: Minutes of the NOAA Hurricane Warning Conference, National Hurricane Center, Coral Gables, Florida.

LIST OF FIGURES AND TABLES

- Figure 1.** Tracks of 1975 tropical cyclones.
- Figure 2.** Vortex profiles, 1975 tropical cyclones.
- Figure 3.** Data plotting model and flight pattern flown in obtaining vortex profiles.
- Figure 4.** Lowest pressure vs. time, 1975 tropical cyclones.
- Figure 5.** Daily satellite photographs of 1975 tropical storms and hurricanes.
- Figure 6.** Selected radar photographs of Caroline, Eloise, and Faye


- Table 1.** Verification of 1975 tropical storm and hurricane forecasts. Figures in parenthesis are the number of cases.
- Table 2.** Landfall errors of 1975 tropical storms and hurricanes.
- Table 3.** Summary of 1975 tropical cyclone statistics.
- Table 4.** Best track, initial, and forecast positions, initial position error and forecast errors for 1975 tropical cyclones.
- Table 5.** Center fix positions and intensity evaluations for 1975 tropical cyclones.
- Table 6.** Reconnaissance summary for 1975 hurricane season.

U.S. DEPARTMENT OF COMMERCE
NATIONAL WEATHER SERVICE
ATLANTIC HURRICANE TRACKING CHART

ATLANTIC TROPICAL CYCLONES OCcurring IN THE YEAR 1974			
NO.	TYPE	NAME	DATES
1	T	AMY	JUNE 26-JULY 4
2	H	BLANCHE	JULY 23-28
3	H	CAROLINE	AUG 24-SEPT 1
4	H	DORIS	AUG 28-SEPT 4
5	H	ELOISE	SEPT 13-24
6	H	FAYE	SEPT 18-29
7	H	GLADYS	SEPT 22-OCT 3
8	T	HALLIE	OCT 24-27

NOTE: PRESSURE VALUES IN PARENTHESES ARE ESTIMATED SOLELY FROM SATELLITE CLASSIFICATIONS

- T TROPICAL STORM (Winds 39 mph to 73 mph)
H HURRICANE (Winds 74 mph or higher)
- Tropical Depression (Development stage)
 - - - Tropical Storm stage
 - Hurricane stage
 - **** Extratropical stage
 - ***** Tropical Depression (Dispersing stage)
 - AAAA Subtropical Depression (Winds less than 39 mph)
 - AAAAA Subtropical Storm (Winds 39 mph or higher)
 - Position at 700 mb EST (2000 GMT)
 - Position at 700 mb EST (1000 GMT)









Figure 2. Vertex profiles, 1975 tropical cyclones.





MISSION: AIR FORCE GULL 06 Rwy 19
JUL 02, 1975 0028Z




MISSION: AIR FORCE GULL 07 Rwy 20
JUL 02, 1975 0031Z

Figure 2. (continued)




MISSION: AIR FORCE GULL 01 ELOISE 2 COR 03
SEP 16, 1975 1540Z

Figure 2. (continued)




MISSION: AIR FORCE GULL 09 ELOISE 23
SEP 20, 1975 1910Z




MISSION: AIR FORCE GULL 12 ELOISE 17
SEP 22, 1975 0710Z

Figure 2. (continued)




MISSION: AIR FORCE GULL 14 ELOISE 16
SEP 23, 1975 0642Z




MISSION: AIR FORCE GULL 03 FIVE 14
SEP 25, 1975 1659Z SLP APPROXIMATE FOR PRACTICE

Figure 2. (continued)




MISSION: AIR FORCE GULL 05 FIVE 16
SEP 26, 1975 1013Z




MISSION: AIR FORCE GULL 06 FIVE 22
SEP 26, 1975 1207Z

Figure 2. (continued)




MISSION: AIR FORCE GULL 08 FAYE 18
SEP 27, 1975 0201Z




MISSION: AIR FORCE GULL 12 FAYE 18
SEP 28, 1975 1030Z

Figure 2. (continued)



MISSION: AIR FORCE GULL 01 GLADYS 16


SEP 27, 1975 2332Z




MISSION: AIR FORCE GULL 02 GLADYS 11

SEP 28, 1975 1606Z

Figure 2. (continued)




MISSION: AIR FORCE GULL 03 GLADYS 9
SEP 29, 1975 0503Z




MISSION: AIR FORCE GULL 05 GLADYS P1
SEP 29, 1975 0203Z

Figure 2. (continued)




MISSION: AIR FORCE GULL 06 GLADYS 14
SEP 30, 1975 1040Z



MISSION: AIR FORCE GULL 06 GLADYS 15
OCT 01, 1975 1015Z


Figure 2. (continued)



MISSION: AIR FORCE GULL 09 GLADYS 14

DCT 01.1975 2213Z

Figure 2. (concluded)



FLIGHT ALTITUDES	
A B C D	-- 10,000 FEET
D E F A	-- 1,500 FEET

ff
dd
TT ZZZ
W O
T_d T_d

ZZZ "D" VALUE (TENS OF FEET)
 TT TEMPERATURE
 T_d DEW POINT
 W PRESENT WEATHER
 dd WIND DIRECTION
 ff WIND SPEED

Figure 3. Data plotting model (bottom) and flight pattern flown (top) in obtaining vortex profiles.





Figure 4. Lowest pressure vs. time, 1975 tropical cyclones.





Figure 4. (continued)





Figure 4. (continued)





Figure 4. (continued)



ANT



BLANCHE




Figure 5. Daily satellite photographs of 1975 tropical storms and hurricanes.





Figure (continued)






Figure 5. (continued)




Figure 5. (continued)




Figure 5. (continued)


HALLIE




1601 GMT 10/26/75 1004 MB

1531 GMT 10/27/75 1005 MB


Figure 5. (continued)




1830 GMT 9/26/75
BERMUDA RADAR
200 RANGE



2030 GMT 9/26/75
BERMUDA RADAR
200 RANGE



2233 GMT 9/26/75
RADAR
RANGE



0030 GMT 9/27/75
BERMUDA RADAR

Table 1. Verification of 1975 tropical storm and hurricane forecasts.

Figures in parenthesis are number of cases.

METHOD	INITIAL POSITION ERROR (N.MI.)	FORECAST DISPLACEMENT ERRORS (N.MI.)			
		12 HR	24 HR	48 HR	72 HR
OFFICIAL	16 (141)	56 (141)	114 (122)	256 (92)	402 (68)
NHC-67	15 (122)	58 (122)	132 (106)	342 (78)	498 (61)
NHC-72	16 (143)	58 (143)	123 (125)	296 (93)	410 (72)
NHC-73	15 (61)	51 (61)	116 (53)	277 (39)	467 (31)
HURRAN	17 (91)	59 (91)	132 (83)	254 (63)	348 (50)
CLIPER	16 (146)	57 (146)	124 (128)	250 (96)	336 (74)
SANBAR	15 (71)	62 (71)	119 (62)	256 (46)	383 (35)

Table 2. Landfall errors of named tropical storms and hurricanes.

<u>STORM NAME</u>	<u>LANDFALL DAY</u>		<u>FORECAST ERROR</u> (N.MI.)	<u>LOCATION AND REMARKS</u>
Amy				No landfall.
Blanche	July	28	165	Cape Sable, Nova Scotia
Caroline	August	31	36	30 mi. north of Soto la Marina, Mexico
Doris				No landfall.
Eloise	September 23		75	Destin, Florida
Faye				No landfall.
Gladys				No landfall.
Hallie				No landfall.
Average landfall forecast error.			95	

Table 3. Summary of North Atlantic tropical cyclone statistics, 1975.

No.	Name	Class	Dates	Maximum sustained winds (kt)	Lowest pressure (mb)	U.S. damage (\$ millions)	Deaths
1.	Amy	T	26 June-04 July	60	981		
2.	Blanche	H	23-28 July	75	980		
3.	Caroline	H	24 Aug.-01 Sept.	100	963		
4.	Doris	H	28 Aug.-04 Sept.	95	965		
5.	Eloise	H	13-24 Sept.	110	955	550 ¹	U.S. 21 Puerto Rico 34 Hispaniola 25
6.	Faye	H	18-29 Sept.	90	977		
7.	Gladys	H	22 Sept.-3 Oct.	120	939		
8.	Hallie	T	24-28 Oct.	45	1002		

¹ Includes \$60 million in Puerto Rico.

Table 4. Best track, initial, and forecast positions, initial position error and forecast errors for 1975 tropical cyclones.

TROPICAL STORM ANITA 26 JUNE - 4 JULY 1975

DATE/TIME (ZT)	OPERATIONAL POSITION				POSITION ERROR (N.MI.)	12 HOUR FORECAST			24 HOUR FORECAST			48 HOUR FORECAST			72 HOUR FORECAST		
	BEST TRACK LAT.	BEST TRACK LONG.	INITIAL LAT.	INITIAL LONG.		LAT.	LONG. (N.MI.)	LAT.	LAT.	LONG. (N.MI.)	LONG.	LAT.	LONG. (N.MI.)	LAT.	LONG. (N.MI.)	LAT.	LONG. (N.MI.)
2918	33.8	73.8	33.8	73.0	10	33.7	70.2	121	33.8	68.8	166	34.5	65.0	176	36.0	60.0	221
3000	34.3	71.6	34.2	71.7	8	35.5	69.5	57	37.0	67.0	150	38.5	64.0	151	40.0	61.0	169
3006	35.6	70.8	35.5	70.9	8	36.3	70.3	12	37.0	70.0	59	39.0	69.0	178	41.0	68.0	355
3012	35.9	70.5	36.0	70.5	6	36.6	70.7	44	36.7	70.4	104	38.0	69.0	189	39.0	65.0	232
3018	36.2	70.2	36.2	70.3	5	37.0	69.8	50	37.8	69.3	116	39.0	67.0	167	40.0	63.0	226
0100	36.2	69.8	36.0	70.0	15	36.0	69.5	49	36.0	69.5	145	37.5	67.5	214	39.0	65.0	496
0105	36.2	69.4	36.1	69.5	8	36.2	68.2	50	36.5	67.0	66	38.0	63.0	81	40.0	58.0	385
0112	36.2	68.3	36.3	68.2	8	36.5	65.7	74	37.5	62.5	119	41.0	56.0	187	46.0	51.0	
0118	36.7	67.2	36.7	67.3	5	37.5	64.8	58	38.5	62.0	127	42.0	54.0	206			
0200	37.4	66.7	37.4	66.6	5	39.0	64.5	105	40.5	62.5	168	43.0	58.0	148			
0206	37.3	65.9	37.5	66.0	13	37.6	64.0	11	38.0	62.0	41	40.0	56.0	340			
0212	37.3	65.1	37.5	65.5	23	37.6	63.9	38	38.0	61.0	101	41.0	54.0				
0218	37.3	64.1	37.3	64.3	10	38.0	61.0	22	40.0	58.0	31						
0300	37.7	62.8	37.7	62.7	5	39.0	59.5	18									
0306	38.2	61.2	38.0	61.5	19	38.5	59.0	113									
0312	39.3	59.6	39.5	59.5	13	42.5	56.0	59	46.0	52.0							
0318	40.5	58.0	40.5	58.0	0	44.5	53.5	81	49.0	50.0							
0400	42.5	54.8	42.5	54.8		47.0	49.0		52.0	44.0							
0406	44.5	51.6	44.5	51.6		48.0	45.0		51.0	40.0							

HURRICANE BLANCHE 23 - 28 JULY 1975

DATE/TIME (ZT)	OPERATIONAL POSITION				POSITION ERROR (N.MI.)	12 HOUR FORECAST			24 HOUR FORECAST			48 HOUR FORECAST			72 HOUR FORECAST		
	DIST TRACK LAT.	DIST TRACK LONG.	INITIAL LAT.	INITIAL LONG.		LAT.	LONG. (N.MI.)	LAT.	LAT.	LONG. (N.MI.)	LONG.	LAT.	LONG. (N.MI.)	LAT.	LONG. (N.MI.)	LAT.	LONG. (N.MI.)
2506	32.2	74.6	32.0	74.6	12				35.5	72.0	98	36.0	69.0	324			
2612	33.4	73.5	33.5	73.5	6	35.7	71.0	36	37.0	69.0	0	39.0	65.0		41.0	60.0	
2618	34.2	72.2	34.2	72.1	5	35.5	69.5	31	36.5	67.0	94	38.0	64.0		40.0	60.0	
2700	35.0	71.0	34.9	70.8	12	36.3	67.5	70	37.4	65.0	143	39.3	62.5		42.0	59.0	
2706	35.9	70.0	35.3	69.7	39	36.5	67.0	59	38.5	65.0	136	45.0	60.0		52.0	54.0	
2712	36.9	69.0	36.5	68.5	34	38.0	66.0	63	40.0	64.0		47.0	58.0				
2718	37.9	68.0	37.6	68.2	20	40.0	66.5	54	44.0	64.0		51.0	57.0				
2800	39.3	67.2	39.1	67.3		43.0	64.7		46.5	62.0							
2806	41.2	66.4	41.0	66.4		47.0	64.0										

Table 4. (continued)

HURRICANE CAROLINE 24 AUGUST - 1 SEPTEMBER 1975

DATE/TIME (GTM)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	12 HOUR FORECAST			24 HOUR FORECAST			48 HOUR FORECAST			72 HOUR FORECAST		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG. (N.MI.)	LAT.	LAT.	LONG. (N.MI.)	LAT.	LAT.	LONG. (N.MI.)	LAT.	LONG. (N.MI.)	LAT.	LONG. (N.MI.)
2906	23.1	92.6	23.2	92.6	6	24.0	94.5	65	25.0	96.0	103	27.0	98.0	170	29.0	99.0	
2912	23.2	93.2	23.2	93.2	0	23.8	94.8	65	24.5	96.0	53	26.0	97.0	111	28.0	98.0	
2918	23.2	93.6	23.2	94.1	28	23.5	94.1	72	23.5	94.1	150	24.5	95.5	165	26.0	97.0	
3000	23.3	94.2	23.3	94.0	11	23.5	94.1	73	23.5	94.1	151	24.5	95.5		26.0	97.0	
3006	23.5	94.9	23.6	94.8	8	23.8	95.5	39	24.2	96.0	78	25.0	97.0		25.0	98.0	
3012	23.7	95.6	23.7	95.8	11	23.7	96.8	28	23.7	98.0	36	23.5	99.5				
3018	23.8	96.3	23.8	96.5	11	23.9	98.0	20	23.5	98.5	80						
3100	24.0	97.0	24.1	97.0	6	24.0	98.2	33	23.5	99.0							
3106	24.1	97.5	24.1	97.5	0	24.4	98.8	50									
3112	24.3	97.8	24.3	97.9		24.3	98.8										
3118	24.8	98.0	24.6	98.1		25.0	99.2										

HURRICANE DORIS 28 AUGUST - 4 SEPTEMBER 1975

DATE/TIME (GTM)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	12 HOUR FORECAST			24 HOUR FORECAST			48 HOUR FORECAST			72 HOUR FORECAST		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG. (N.MI.)	LAT.	LAT.	LONG. (N.MI.)	LAT.	LAT.	LONG. (N.MI.)	LAT.	LONG. (N.MI.)	LAT.	LONG. (N.MI.)
3000	35.3	48.9															
3006	35.3	48.5															
3012	35.3	48.0															
3018	35.0	47.1															
3100	34.9	46.3	35.0	45.9	21	35.0	44.5	19	35.0	43.0	64	36.0	40.0	194	37.0	37.0	317
3106	34.8	45.7	35.0	46.0	19	35.0	45.0	16	35.0	44.0	27	35.0	42.0	167	36.0	40.0	298
3112	34.7	45.2	34.6	45.0	12	34.5	44.0	21	34.2	42.8	61	34.0	41.0	231	34.5	38.0	451
3118	34.6	44.9	34.7	44.9	6	34.7	44.0	10	35.0	42.5	79	38.0	41.0	152	41.0	40.0	130
0100	34.5	44.6	34.3	44.5	13	34.5	43.5	23	35.5	42.0	112	37.0	41.0	167	38.5	40.0	261
0106	34.6	44.2	34.5	44.2	6	34.5	44.0	48	34.5	44.0	111	34.5	42.0	315	34.0	40.0	
0112	34.9	44.0	34.8	44.0	6	34.8	44.0	57	35.0	44.0	115	36.0	43.0	300	37.0	42.0	
0118	35.4	44.0	35.6	44.0	12	36.5	44.0	25	37.5	43.5	41	39.0	43.0	193	41.0	41.0	
0200	35.4	44.4	35.8	44.1	15	36.5	44.5	34	37.5	44.0	59	39.0	43.5	242	41.0	43.0	
0206	36.4	44.5	36.5	44.4	8	37.5	44.7	34	39.0	45.0	85	42.0	44.0		45.0	40.0	
0212	37.0	44.3	37.0	44.3	0	38.3	44.3	24	40.0	44.0	80	42.0	43.0		45.0	40.0	
0218	37.7	44.2	37.6	44.3	8	39.0	44.1	41	40.5	43.5	93	44.0	41.0		47.0	37.0	
0300	38.4	43.8	38.5	43.8	6	40.6	43.5	43	43.0	42.0	6	47.0	37.0		49.0	29.0	
0306	39.7	43.6	39.6	43.7	8	41.5	43.0	30	43.5	41.5		47.5	35.0		49.0	28.0	
0312	41.1	43.0	40.5	43.2	37	42.5	42.0	20	44.5	40.0		46.0	37.0		47.0	33.0	
0318	42.0	42.5	42.0	42.5		44.0	40.0		46.0	36.5		46.5	30.0				
0400	42.0	42.0	42.8	42.0		43.8	41.4		45.0	41.0							

Table 4. (continued)

HURRICANE ELOISE 13 - 24 SEPTEMBER 1975

DATE/TIME (GHT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	12 HOUR FORECAST			24 HOUR FORECAST			48 HOUR FORECAST			72 HOUR FORECAST		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	(N.MI.)									
1600	19.0	65.6				19.4	67.5	31	20.0	69.0	47	21.5	73.0	109	24.0	76.0	283
1606	19.2	66.7	19.3	66.3	23	19.6	68.9	23	20.0	70.0	77	22.0	73.5	185	25.0	76.0	380
1612	19.4	67.5	19.3	67.6	8	19.8	70.0	8	20.2	71.2	56	22.5	74.0	221	26.0	77.0	430
1618	19.5	68.4	19.5	68.3	6	20.0	70.5	29	20.0	72.0	57	22.0	75.0	202	24.0	77.0	371
1700	19.6	69.2	19.6	68.9	17	19.8	71.3	34	20.5	73.0	77	22.0	76.0	201	24.0	78.0	380
1706	19.7	70.2	19.7	69.9	17	19.8	72.2	34	20.2	73.5	98	22.0	76.5	201	24.5	78.5	416
1712	19.7	71.2	19.7	70.7	28	20.3	74.2	25	20.9	75.6	92	22.7	78.3	226	25.0	80.5	404
1718	19.8	72.2	19.9	72.2	6	20.6	75.0	45	21.3	76.8	98	24.0	79.5	280	26.5	81.5	451
1800	19.9	73.3	20.1	73.2	13	21.1	76.8	42	22.5	78.5	135	25.5	80.5	354	28.0	82.0	491
1806	19.9	74.5	20.3	74.4	25	20.0	78.2	33	21.0	79.5	58	24.0	82.0	278	28.0	84.0	437
1812	19.9	75.7	20.3	76.1	33	20.0	79.0	29	20.6	80.3	82	23.0	83.0	248	26.0	85.0	309
1818	20.0	77.0	19.8	77.3	21	20.2	80.6	53	21.0	83.0	98	23.0	85.0	204	26.0	86.0	230
1900	20.0	78.2	19.7	78.3	19	20.6	82.0	36	21.5	84.5	77	24.0	86.5	166	27.0	87.0	179
1906	19.9	79.1	20.5	79.5	43	20.8	82.8	68	22.0	85.5	136	24.5	87.0	201	28.0	87.0	204
1912	19.9	79.8	19.8	80.1	18	20.8	82.8	68	22.0	85.5	108	24.5	87.0	141	28.0	87.0	150
1918	19.8	81.0	20.0	81.0	12	21.5	85.0	54	23.0	87.5	134	25.0	89.0	43	28.0	88.0	42
2000	19.8	82.2	20.5	82.5	45	21.2	86.5	62	22.0	89.0	107	24.0	91.0	117	27.0	90.0	183
2106	19.8	83.4	20.4	83.5	36	20.7	86.6	18	21.0	88.5	75	25.0	91.0	121	28.0	89.0	223
2112	19.9	84.6	20.5	84.5	36	20.0	87.5	61	20.0	89.5	162	20.5	93.0	416	21.0	97.0	941
2118	20.0	85.5	20.2	85.7	17	20.5	88.2	74	20.5	90.0	211	21.0	94.0	496	22.0	96.0	
2124	20.2	86.4	20.5	86.5	19	21.2	88.0	84	21.0	89.5	214	21.5	93.0	526	22.0	97.0	
2130	20.8	87.1	20.5	86.5	38	21.2	88.8	144	21.5	90.5	266	21.5	93.0	641	21.5	95.0	
2136	21.4	87.8	21.4	87.6	11	23.6	89.2	79	25.0	89.5	96	27.5	89.0	377	30.0	88.0	
2142	22.4	88.5	22.5	88.5	6	26.5	89.3	51	28.0	88.9	51	31.0	86.0		33.0	82.0	
2200	23.6	88.9	23.5	89.0	8	27.5	89.5	54	30.0	87.5	90	34.0	84.0		38.0	81.0	
2206	24.8	89.4	24.9	85.9	8	28.5	89.2	76	30.5	87.5	63	35.0	83.0		39.0	81.0	
2212	25.8	89.5	25.9	89.5	6	29.0	89.0	92	31.0	87.0	135	36.0	82.5		40.0	81.0	
2218	26.5	89.4	26.5	89.5	5	32.0	85.0	75	35.5	82.0		42.0	78.0		41.0	80.0	
2300	27.3	88.5	27.4	88.7	12	34.0	85.0		36.0								
2306	28.4	87.3	28.5	87.3	6												
2312	30.2	86.3	30.3	86.4													
2318	33.0	85.7															

Table 4. (continued)

HURRICANE FAYE 18 - 29 SEPTEMBER 1975

Table 4. (continued)

HURRICANE GLADYS 22 SEPTEMBER - 3 OCTOBER 1975

DATE/TIME (G.M.T.)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	12 HOUR FORECAST			24 HOUR FORECAST			48 HOUR FORECAST			72 HOUR FORECAST		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	(N.MI.)									
2418	13.5	40.4	13.2	40.6	22	14.0	41.8	38	15.0	43.0	76	17.0	47.0	147	18.5	51.0	245
2500	14.2	41.0	14.2	41.0	0	14.7	42.0	72	15.5	43.5	96	16.5	47.5	201	19.0	52.0	251
2506	14.8	42.0	15.8	42.2	61	15.4	43.3	99	16.3	44.6	118	18.5	48.5	222	20.0	52.5	269
2512	15.4	43.0	15.3	43.1	8	16.0	45.0	8	16.5	47.0	46	18.0	51.0	160	19.0	54.0	247
2518	15.8	44.0	16.1	45.5	34	16.5	47.0	26	17.0	49.0	46	18.0	52.0	215	19.0	55.0	263
2600	16.2	45.0	16.3	45.0	6	16.6	47.5	13	17.0	49.5	70	18.0	52.5	239	19.0	55.5	304
2606	16.4	46.1	16.3	46.2	8	16.7	48.4	58	16.9	50.3	120	17.5	54.0	233	18.0	58.0	310
2612	16.6	47.7	16.6	47.6	6	17.0	50.2	24	17.2	53.0	69	18.0	57.5	113	19.0	62.0	242
2618	16.8	49.3	16.9	49.5	13	17.3	52.0	33	17.8	55.0	68	19.0	60.0	89	20.0	64.0	222
2700	17.1	50.7	17.2	50.7	6	17.8	53.5	32	18.0	56.0	93	19.0	60.5	139	20.0	64.5	255
2706	17.6	52.2	17.3	53.0	49	17.6	54.2	111	18.2	56.7	109	19.2	61.0	170	20.5	65.5	249
2712	18.2	53.7	17.8	53.7	24	18.2	56.0	53	18.5	58.5	57	19.5	62.5	186	20.5	66.0	273
2718	18.8	55.1	18.8	55.2	6	19.5	58.5	57	20.0	61.0	92	20.3	64.5	183	21.0	68.0	287
2810	19.4	56.4	19.6	56.3	13	21.0	59.0	79	22.0	61.0	57	23.0	65.0	78	23.5	69.0	187
2816	19.6	57.4	19.7	57.6	13	21.0	60.5	67	21.5	62.5	65	22.5	66.0	138	23.5	69.5	242
2822	19.8	58.2	19.7	58.3	8	20.5	60.5	36	21.0	62.5	115	21.5	66.0	237	22.5	69.0	370
2828	20.3	59.3	20.2	59.2	8	20.5	61.3	90	21.0	63.5	151	21.5	66.5	282	22.0	69.5	475
2900	21.2	60.3	21.0	60.5	16	21.5	62.5	80	22.0	65.0	116	22.5	69.0	227	23.0	73.0	468
2906	22.1	61.4	21.8	61.5	19	22.5	63.5	55	23.0	65.5	99	24.0	69.5	195	25.0	73.5	461
2912	23.0	62.6	23.0	62.6	0	23.8	65.4	21	24.5	67.5	42	25.5	70.5	176	26.5	73.5	561
2918	23.6	63.9	23.5	64.1	13	24.2	66.7	18	25.0	69.0	41	26.0	73.0	198	27.0	76.0	781
3000	24.1	65.2	24.1	65.1	6	25.0	68.0	12	25.5	70.0	45	27.0	74.0	247	28.0	77.0	1048
3006	24.6	65.5	24.6	65.6	49	25.8	69.0	35	26.5	70.5	24	28.0	73.5	317	30.0	76.0	1254
3012	25.1	67.9	25.2	67.9	6	26.0	70.0	35	27.0	72.0	64	28.5	74.5	478	30.5	76.5	1543
3018	25.6	69.3	25.5	69.4	8	26.5	72.0	16	27.5	74.5	131	30.0	76.0	640	32.0	77.0	
0100	26.1	70.6	25.8	70.4	21	26.2	73.0	94	27.0	75.0	250	30.0	78.0	988	34.0	75.0	
0106	26.8	71.7	26.7	71.8	8	29.5	73.5	24	32.0	73.5	82	35.0	70.0	789	37.0	63.0	
0112	27.9	72.4	28.0	72.2	12	30.0	73.5	75	33.0	74.0	262	36.0	69.5	1069	37.5	62.0	
0118	29.4	73.0	29.5	73.0	6	33.0	74.0	98	36.5	74.0	345	41.0	66.0		44.0	55.0	
0200	31.0	73.0	30.9	72.9	8	36.0	73.0	168	39.0	71.0	404	42.5	61.5		45.0	51.0	
0206	32.9	72.1	32.8	72.3	12	37.0	69.5	118	40.0	65.0	410	45.0	50.0		50.0	35.0	
0212	35.3	69.8	35.0	70.0	21	41.0	65.0	106	45.0	55.0	193	53.0	35.0				
0218	37.8	67.0	37.8	67.3	14	43.0	59.0	85	48.0	49.0							
0300	40.8	62.6	40.3	62.7	30	45.5	54.0	143	50.0	45.0							
0306	43.7	57.0	43.5	58.0		50.0	45.0		55.0	30.0							
0312	46.6	50.6	47.0	46.0		50.0	37.0										

Table 4. (continued)

TROPICAL STORM HALLIE 24 - 27 OCTOBER 1975

DATE/TIME (CFT)	OPERATIONAL POSITION				POSITION ERROR (N.MI.)	12 HOUR FORECAST			24 HOUR FORECAST			48 HOUR FORECAST			72 HOUR FORECAST		
	BEST TRACK LAT.	BEST TRACK LONG.	OPERATIONAL LAT.	OPERATIONAL LONG.		LAT.	LONG. (N.MI.)	LAT.	LAT.	LONG. (N.MI.)	LAT.	LAT.	LONG. (N.MI.)	LAT.	LONG. (N.MI.)	LAT.	LONG. (N.MI.)
2618	32.5	78.7	32.5	78.8	5	34.0	76.0	36	35.0	73.0	85	36.0	67.0	36.0	60.0		
2700	33.5	77.5	33.7	77.0	28	35.5	74.5	63	37.0	71.0		38.0	65.0	39.0	59.0		
2700	34.5	75.5	34.5	75.2	15	36.5	68.0	201	37.0	61.0		37.0	46.0				
2712	35.7	73.8	35.6	72.5		36.0	70.5		36.6	66.0							
2718	34.6	72.6	36.3	72.7		35.7	69.0		38.0	64.0							

BLANCHE CONTINUED

Table 5. (continued)

CENTER FIXES

FIX NO.	DATE	TIME G.M.T.	POSITION		UNIT	CHARACTER	MAX WIND(KT)			ACFT. ALT.	MIN. (MB)	MIN. HT(M)	TEMP(°C)		EYE			REMARKS
			LAT. °N	LON. °W			FLT. LVL.	SFC.					IN.	GUT.	C-CIR. D=ELIB	DIA. N.MI.		
37	27	1229	36.5	68.5	AF	5/1	78	50	700MB	986	2938	12		C	40		EYE WALL NE-SE	
38	27	1330	36.8	68.4	SMS1	3,VSBL 2												
39	27	1410	36.8	68.7	AF	5/3	78	65	700MB		2929	11	8	C	30		OPEN NW - ENE	
40	27	1530	37.4	68.2	SMS1	3,VSBL 2												
41	27	1630	37.6	68.2	AF	5/5			65	700MB		2932	12	8	C	45		CLOSED WALL
42	27	1700	37.8	68.0	SMS1	3,VSBL 4												
43	27	1730	37.5	68.2	AF	5/1	65	35	700MB	981	2914	12	8	C	80		CLOSED WALL	
44	27	1830	38.0	68.0	SMS1	1,3,VSBL 2			70									
45	27	2210	38.5	67.5	AF	2/5	70	75	700MB	982	2926	13	8	C	35		CLOSED WALL SW-W	
46	27	2330	39.1	67.1	SMS1	3,VSBL 2												
47	27	2330	39.1	67.5	AF	5/5	58	65	700MB		2908	13	12	C	35		CLOSED WALL	
48	28	0030	39.2	67.1	SMS1	1,3, IR 8			70									
49	28	0530	40.9	66.5	SMS1	3, IR 8												
50	28	0541	40.8	66.7	AF	5/5	55		700MB	981	2880	12	8	C	20		OPEN SW	
51	28	0630	41.2	66.5	SMS1	1,3, IR 8		70										
52	28	0709	41.5	66.4	AF	5/5	70		700MB		2896	7	8	C	20		OPEN SW	
53	28	0859	42.3	65.9	AF	5/5	70		700MB	983	2877	11	8	C	20		OPEN SW	
54	28	1015	42.9	65.9	AF	5/5			700MB		2896	10		C				OPEN SW
55	28	1130	43.6	65.0	SMS1	2,5,VSBL 2												
56	28	1229	44.0	65.5	AF			55										CENTER OVER LAND

Table 5. (continued)

HURRICANE CAROLINE
24 AUGUST - 1 SEPTEMBER 1977
CENTER FIXES

PFX NO.	DATE	TIME GMT	POSITION		UNIT	CHARACTER.	MAX WIND(KT)			ACFT. ALT.	MIN. (MB)	MIN. HT.(M)	TEMP(°C)	EYE		REMARKS
			LAT. °N	LON. °W			FLT. LVL.	SFC.						C=CIR. DIA. E=ELIP. N.MI.		
1	21	1330	22.0	55.3	SMS1	1,6,VSLB 2		25								
2	21	1900	23.3	56.2	SMS1	1,6,VSLB 2		25								
3	22	0030	22.5	57.5	SMS1	2,6, IR 8		25								
4	22	1330	24.2	58.8	SMS1	2,5,VSLB 2		25								
5	22	1800	24.5	59.5	SMS1	1,5,VSLB 4		25								
6	23	0030	24.5	61.8	SMS1	2,6, IR 8		25								
7	23	1400	23.8	65.5	SMS1	1,5,VSLB 4		25								
8	23	1830	23.6	66.4	SMS1	1,3,VSLB 4		25								
9	24	0030	23.2	67.1	SMS1	1,5, IR 8		25								
10	24	0630	22.9	68.2	SMS1	2,5, IR 8										
11	24	1130	21.9	69.8	SMS1	2,5,VSLB 2		25								
12	24	1330	22.4	70.1	SMS1	5,VSLB 1										
13	24	1530	22.4	70.6	SMS1	3,VSLB 1										
14	24	1700	22.4	70.7	SMS1	5,VSLB 1										
15	24	1830	22.3	71.0	SMS1	2,5,VSLB 2		25								
16	25	0001	22.0	72.6	SMS1	5, IR 8										
17	25	0030	22.0	72.6	SMS1	1,5, IR 8		25								
18	25	0600	21.2	73.9	SMS1	5, IR 4										
19	25	0630	21.2	73.9	SMS1	1,5, IR 8		25								
20	25	1115	21.2	75.0	SMS1	5,VSLB 2										
21	25	1330	21.0	75.4	SMS1	1,5,VSLB 1		25								
22	25	1600	21.5	76.5	SMS1	5,VSLB 1										
23	26	1321	20.0	81.4	AF	5/10		15	1014		22	24	°C	40	Poorly defined	
24	27	0030	21.3	82.5	SMS1	1,6, IR 8		25								
25	27	0700	21.4	84.1	SMS1	2,5, IR 8		25								
26	27	1330	21.2	85.3	SMS1	1,5,VSLB 2		25								
27	27	1830	21.5	86.0	SMS1	1,5,VSLB 2		25								
28	28	0030	22.0	87.5	SMS1	2,6, IR 8		25								
29	28	0630	22.4	88.8	SMS1	2,5, IR 8		25								
30	28	1330	23.0	90.3	SMS1	1,5,VSLB 2		25								
31	28	1800	23.0	91.2	SMS1	2,5,VSLB 2		25								
32	28	2238	23.0	91.5	AF	5/5	35	35	347M	1005	24	24			NEG. EYEWALL	
33	29	0030	23.2	91.9	AF	5/5	25	18	381M	1004	24	24			NEG. EYEWALL	
34	29	0030	22.8	91.7	SMS1	1,3, IR 8		25								
35	29	0337	22.8	92.1	AF	5/5	40		1005		24	25			EYEWALL FORMING ON RADAR N-E-SE	
36	29	0600	23.2	92.6	SMS1	3, IR 8										
37	29	0630	22.8	92.7	SMS1	1,5, IR 8		40								
38	29	1130	23.2	93.8	SMS1	2,3, IR 8		35								
39	29	1229	23.2	93.2	AF	5/2	65	65	995		28	23			Poorly defined. Eye open	

Table 5. (continued)

CAROLINE CONTINUED

CENTER FIXES

"CAROLINE CONTINUED

Table 5. (continued)

CENTER FIXES

FIX NO.	DATE	TIME GMT	POSITION		UNIT	CHARACTER.	MAX WIND(kt)			ACFT. ALT. (MB)	MIN. 700MB HT.(M)	MIN. IN.	TEMP(°C)	EYE		REMARKS	
			LAT. °N	LONG. °W			FLT. LVL.	SFC.						C=CIR. DIA. E=ELIP. N.MI.			
87	31	0210	24.1	97.1	BRO. RADAR											GOOD	
88	31	0230	24.1	97.1	BRO. RADAR											GOOD	
89	31	0305	24.0	97.3	AF		5/5	89		700MB	969	2816	17	14	C	20	WELL DEFINED ON RADAR
90	31	0330	24.0	97.2	BRO. RADAR											GOOD	
91	31	0410	24.0	97.3	BRO. RADAR											GOOD	
92	31	0422	24.1	97.4	AF		5/5	69		700MB			18	12	C	16	EYE WELL DEFINED
93	31	0430	24.1	97.3	BRO. RADAR											GOOD	
94	31	0530	24.1	97.4	BRO. RADAR											GOOD	
95	31	0600	24.2	97.6	SMS1		1,	IR 8								GOOD	
96	31	0610	24.2	98.5	BRO. RADAR											GOOD	
97	31	0611	24.1	97.5	AF		5/2	33		700MB	963	2768	16	11	C	12	CLOSED WALL - WELL DEFINED
98	31	0630	24.3	97.7	SMS1		1,1,	IR 8	90							14	
99	31	0630	24.2	98.5	BRO. RADAR											GOOD	
100	31	0710	24.2	98.6	BRO. RADAR											13	
101	31	0730	24.2	97.6	BRO. RADAR											GOOD	
102	31	0810	24.3	97.7	BRO. RADAR											GOOD	
103	31	0820	24.2	97.6	AF		2/2	75		700MB		2774	18	10	C	8	CLOSED WALL. WELL DEFINED
104	31	0830	24.2	97.7	BRO. RADAR											GOOD	
105	31	0910	24.3	97.7	BRO. RADAR											GOOD	
106	31	0930	24.3	97.8	BRO. RADAR											GOOD	
107	31	1007	24.3	97.8	AF			70		700MB		2755			E27/15/10		FORWARD EDGE OF EYE ON COAST
108	31	1010	24.3	97.8	BRO. RADAR											9	
109	31	1030	24.3	97.8	BRO. RADAR											GOOD	
110	31	1110	24.3	97.8	BRO. RADAR											9	
111	31	1130	24.3	97.9	BRO. RADAR											GOOD	
112	31	1130	24.4	97.7	SMS1		1,1,	IR 8	90							11	
113	31	1153	24.3	97.9	AF			75		700MB		2774					GOOD
114	31	1210	24.3	97.9	BRO. RADAR											700MB HT. OVER LAND	
115	31	1230	24.3	97.9	BRO. RADAR											GOOD	
116	31	1310	24.3	97.9	BRO. RADAR											GOOD	
117	31	1330	24.3	97.9	BRO. RADAR											GOOD	
118	31	1410	24.6	97.9	BRO. RADAR											GOOD	
119	31	1415	24.4	97.9	AF			70		700MB		2841			E/XX/10/15		GOOD
120	31	1430	24.4	97.9	BRO. RADAR											WELL DEFINED	
121	31	1510	24.5	97.9	BRO. RADAR											12	
122	31	1610	24.6	98.0	BRO. RADAR											GOOD	
123	31	1632	24.6	98.0	BRO. RADAR											11	
124	31	1710	24.6	98.0	BRO. RADAR											GOOD	
125	31	1730	24.6	98.1	BRO. RADAR											FAIR. EYE FILLING RAPIDLY	
126	31	1800	24.7	98.1	BRO. RADAR											FAIR	
127	31	1830	24.7	98.1	BRO. RADAR											POOR	
128	31	1910	24.8	98.3	BRO. RADAR											POOR	
129	31	1930	24.8	98.1	BRO. RADAR											POOR. 15° OVERLAY	
130	31	2011	25.0	98.2	BRO. RADAR											POOR. 15° OVERLAY	
131	31	2030	25.0	98.3	BRO. RADAR											POOR. 15° OVERLAY	

Table 5. (continued)

CAROLINE CONTINUED

CENTER FIXES

FIX NO.	DATE	TIME GMT	POSITION		UNIT	MAX WIND(KT)			MIN. FLT. LVL.	ACFT. SFC.	PRESS. ALT. (MB)	MIN. 700MB HT(M)	TEMP(°C)	EYE C=CIR. DIA. E=ELIP. N.MI.	REMARKS
			°N	°W		CHARACTER.	FLT. LVL.	MIN. 700MB HT(M)							
133	31	2130	25.1	98.2	BRO. RADAR										POOR
134	31	2210	25.1	98.4	BRO. RADAR										POOR
135	31	2230	25.2	98.3	BRO. RADAR										POOR
136	31	2256	25.2	98.4	BRO. RADAR										POOR
137	31	2310	25.3	98.5	BRO. RADAR										POOR. VERY DISORGANIZED
138	01	0001	25.3	98.9	SMS1	3, IR 8									
139	01	0600	24.9	98.8	SMS1	3, IR 8									
140	01	1330	25.3	99.0	SMS1	3, VSBL 4									

Table 5. (continued)

HURRICANE DORIS

28 AUGUST - 4 SEPTEMBER 1975

CENTER FIXES

67

FIX NO.	DATE	TIME GMT	POSITION		UNIT	MAX WIND(KT)		ACFT. LVL.	MIN. ALT. (MB)	MIN. HT(M)	TEMP(°C)	EYE
			LAT. °N	LON. °W		FLT. SFC.	700MB					
1	28	1100	33.2	46.0	SMS1	2,3,VSBL 4			35			
2	28	1600	33.4	47.3	SMS1	5,VSBL 4						
3	28	1830	33.7	47.7	SMS1	2,3,VSBL 4			40			
4	29	0030	34.6	48.2	SMS1	2,3, IR 8			40			
5	29	0600	34.5	48.3	SMS1	3, IR 8						
6	29	0630	34.5	48.4	SMS1	2,4, IR 8			40			
7	29	1130	34.8	48.7	SMS1	1,3,VSBL 4			40			
8	29	1800	35.4	49.0	SMS1	3,VSBL 4						
9	29	1830	35.2	49.1	SMS1	1,3,VSBL 4			50			
10	30	0000	35.0	48.9	SMS1	4, IR 8						
11	30	0030	35.3	48.7	SMS1	2,2, IR 8			55			
12	30	0600	35.3	48.7	SMS1	2, IR 8						
13	30	0630	35.2	48.6	SMS1	1,3, IR 8			55			
14	30	1130	35.3	48.1	SMS1	1,1,VSBL 4			55			
15	30	1800	35.0	47.1	SMS1	1,1,VSBL 4			55			
16	31	0000	35.0	45.9	SMS1	1, IR 8						
17	31	0030	34.9	46.1	SMS1	2,2, IR 8			65			
18	31	0600	34.9	45.9	SMS1	1, IR 8						
19	31	0630	34.9	45.8	SMS1	2,1, IR 8			65			
20	31	1130	34.7	45.2	SMS1	1,1,VSBL 4			65			
21	31	1800	34.7	44.9	SMS1	1,VSBL 4						
22	31	1830	34.7	44.9	SMS1	1,1,VSBL 4			65			
23	01	0001	34.3	44.5	SMS1	1, IR 8						
24	01	0030	34.4	44.5	SMS1	1,1, IR 8			77			
25	01	0600	34.6	44.2	SMS1		IR 8					
26	01	0630	34.7	44.2	SMS1	2,1, IR 8			77			
27	01	1130	34.8	44.0	SMS1	1,1,VSBL 4			77			
28	01	1800	35.6	44.0	SMS1	1, IR 8						
29	01	1830	35.6	44.0	SMS1	1,1,VSBL 2			77			
30	02	0000	35.8	44.1	SMS1	1, IR 8						
31	02	0030	35.9	44.4	SMS1	1,2, IR 8			90			
32	02	0600	36.5	44.4	SMS1	1, IR 8						
33	02	0630	36.5	44.5	SMS1	2,1, IR 8			95			
34	02	1130	37.0	44.3	SMS1	1,1, IR 8			95			
35	02	1800	37.6	44.3	SMS1	1,VSBL 4						
36	02	1830	37.7	44.2	SMS1	1,1,VSBL 4			95			
37	03	0000	38.5	43.8	SMS1	2, IR 8						
38	03	0030	38.6	43.8	SMS1	2,2, IR 8			95			
39	03	0530	39.6	43.7	SMS1	2, IR 8						
40	03	0630	39.9	43.6	SMS1	2,2, IR 8			95			
41	03	1030	40.3	42.9	SMS1	2,2,VSBL 4						
42	03	1800	41.7	43.0	SMS1	5,VSBL 4						
43	03	1830	42.2	42.4	SMS1	2,5,VSBL 4			90			
44	03	2330	42.8	42.0	SMS1	2, IR 8						
45	04	0030	42.8	41.1	SMS1	2,6, IR 8			75			
46	04	0600	42.9	41.1	SMS1	6, IR 8						
47	04	0630	42.4	41.6	SMS1	7, 8, 7, 4			75			

Table 5. (continued)

HURRICANE ELOISE

13 - 24 SEPTEMBER 1975

CENTER FIXES

FIX NO.	DATE	TIME G.M.T.	POSITION		UNIT	CHARACTER.	MAX WIND(kt)		MIN. ACFT. LVL.	MIN. PRESS. (mb)	TEMP(°C)	EYE		REMARKS
			LAT. °N	LON. °W			FLT. SFC.	ALT. HT.(m)				C=CIR. E-ELIP. N.MI.		
1	13	1900	17.7	55.4	AF				15	15	1009			
2	14	0000	17.5	57.0	SMS1	6, IR 8								
3	14	1412	18.1	59.8	AF	5/15			20	15	1013			
4	15	0001	18.0	61.0	SMS1	2.5, IR 8				25				
5	15	0630	18.6	62.2	SMS1	2.5, IR 8				25				
6	15	1051	18.5	63.8	AF	3/20			24	20	378M 1007			
7	15	1130	17.7	65.1	SMS1	2.5, VSBL 2				25				
8	15	1344	19.0	64.3	AF	5/10			35	30	354M 1007			
9	15	1830	19.1	65.1	SMS1	1,3, VSBL 4				25				
10	15	2145	19.4	65.1	AF	5/10			40	35	247M 1007			
11	16	0030	19.1	65.6	SMS1	1.5, IR 8				30				
12	16	0630	19.2	66.2	SMS1	2.5, IR 8				35				
13	16	0935	19.3	67.3	AF	5/15			62	400M	1002			
14	16	1119	19.3	67.5	AF	5/10			36	410M	1003			POOR RADAR PRESENTATION OPEN W AND NW
15	16	1130	19.2	66.7	SMS1	1,5, VSBL 4				35				
16	16	1740	19.5	68.5	NOAA	2/5			70	75	440M 1003			POORLY DEFINED
17	16	1800	19.5	68.6	SMS1	5, VSBL 4								
18	16	1830	19.6	68.8	SMS1	2.5, VSBL 4				35				
19	16	1937	19.6	68.7	NOAA	2/2			70	70	997			POORLY DEFINED
20	16	2140	19.6	68.8	NOAA	2/2			75	75				POORLY DEFINED
21	16	2330	19.8	69.5	SMS1	6, IR 8								
22	16	2340	19.6	68.9	AF	5/5			55	45	439M 1001			OPEN NW
23	17	0030	19.8	69.6	SMS1	2.6, IR 8				45				
24	17	0055	19.6	69.2	AF	3/15			78	70	411M			BY CIRCUMNAVIGATION
25	17	0600	19.8	69.7	SMS1	6, IR 8								
26	17	0630	19.8	69.7	SMS1	2.5, IR 8				45				
27	17	1800	19.9	72.1	SMS1	5, VSBL 4								
28	17	1849	19.9	72.7	NOAA					55	400M			BY CIRCUMNAVIGATION
29	17	2330	20.0	73.4	SMS1	5, IR 8								
30	18	0027	20.0	73.1	GUANTANAMO RADAR								15	EYE POORLY DEFINED - OPEN W CLOSED E
31	18	0030	20.1	73.5	SMS1	2.5, IR 8				45				
32	18	0139	20.2	73.5	GUANTANAMO RADAR								C 13	
33	18	0630	20.0	74.7	SMS1	2.5, IR 8				45				
34	18	1200	19.5	75.7	SMS1	2.5, VSBL 4				45				
35	18	1435	19.9	77.3	AF									BY CIRCUMNAVIGATION

ELOISE CONTINUEE

Table 5. (continued)

CENTER FIXES

ELOISE CONTINUED

Table 5. (continued)

CENTER FIXES

ELOISE CONTINUED

Table 5. (continued)

CENTER FIXES

FIX NO.	TIME DATE	LAT. °N	LON. °W	POSITION UNIT	CHARACTER.	MAX WIND(KT)		ACFT. FLT. LVL.	MIN. PRESS. SFC.	MIN. 700MB HT(M)	TEMP(°C)	EYE C=CIR. DIA. E-ELIP N.MI.	LE	KS	
						102	102					C	15		
129	23	0606	28.6	87.3	AF	5/5	120		700MB	961	2755	16	12		
130	23	0608	28.2	87.3	SIL RADAR										WALL
131	23	0630	28.3	87.2	SMS1	1,2, IR 8									
132	23	0631	28.4	87.3	SIL RADAR										FAIR
133	23	0633	28.4	87.3	NPA RADAR										FAIR. EYE CLOSED
134	23	0635	28.5	87.3	AQQ RADAR										FAIR
135	23	0655	28.6	87.3	AF	5/5	65		700MB	958	2724	18	13	C	10
136	23	0706	28.6	87.2	NPA RADAR										CLOSED WALL
137	23	0710	28.6	87.1	AQQ RADAR										FAIR. CLOSED EYE
138	23	0711	28.7	87.3	SIL RADAR										FAIR
139	23	0731	28.6	87.2	SIL RADAR										FAIR
140	23	0735	28.8	87.1	NPA RADAR										FAIR. EYE CLOSED
141	23	0755	28.8	87.1	AQQ RADAR										10° SPRL OVERLAY EYE
142	23	0801	28.9	87.0	NPA RADAR										FAIR. EYE CLOSED
143	23	0809	28.8	87.0	SIL RADAR										FAIR
144	23	0821	29.3	86.9	AF	10/5	112		700MB	957	2737	18	10	C	10
145	23	0832	28.9	86.9	SIL RADAR										CLOSED WALL
146	23	0838	29.1	86.9	NPA RADAR										FAIR
147	23	0845	29.1	86.8	AQQ RADAR										FAIR. EYE CLOSED
148	23	0900	29.2	86.8	NPA RADAR										GOOD
149	23	0904	29.2	86.8	SIL RADAR										FAIR. EYE CLOSED
150	23	0904	29.3	86.8	AF	10/5	95		700MB	957	2743	19	12	C	10
151	23	0910	29.3	86.8	AQQ RADAR										CLOSED WALL
152	23	0929	29.2	86.8	SIL RADAR										GOOD. EYE CLOSED
153	23	0931	29.3	86.8	NPA RADAR										FAIR
154	23	0933	29.5	86.7	AQQ RADAR										GOOD. OPEN SW
155	23	0939	29.6	86.8	AF	20/5			700MB	959	2728	17		C	10
156	23	1004	29.5	86.6	NPA RADAR										CLOSED WALL
157	23	1009	29.6	86.6	SIL RADAR										FAIR
158	23	1009	29.6	86.6	AQQ RADAR										GOOD. OPEN S
159	23	1019	29.9	86.8	AF	5/5	108		700MB		2731	19	13	C	10
160	23	1029	29.7	86.5	SIL RADAR										CLOSED WALL
161	23	1032	29.8	86.5	AQQ RADAR										GOOD
162	23	1033	29.7	86.5	NPA RADAR										OPEN S
163	23	1058	29.9	86.4	NPA RADAR										C 20
164	23	1104	30.1	86.6	AF	1/1	115	110	700MB	961	2749	21	11	E27/25/20	FAIR
165	23	1105	29.9	86.4	SIL RADAR										CLOSED WALL
166	23	1109	30.0	86.6	AQQ RADAR										GOOD
167	23	1130	30.2	86.3	SIL RADAR										GOOD. OPEN SE
168	23	1132	30.1	86.4	AQQ RADAR										FAIR
169	23	1134	30.1	86.3	NPA RADAR										GOOD. OPEN SE
170	23	1134	30.2	86.5	AF				700MB		2746			C 20	GOOD
171	23	1201	30.3	86.2	NPA RADAR										LANDFALL. FAIR. EYE FILLING S
172	23	1202	30.3	86.5	AF	1/1		60	700MB			20		E27/20/13	CLOSED WALL
173	23	1210	30.3	86.3	AQQ RADAR										GOOD. OPEN SE
174	23	1230	30.3	86.0	SMS1	1,1,VSB 4		102							

ELOISE CONTINUED

Table 5. (continued)

CENTER FIXES

Table 5. (continued)

HURRICANE FAYE

18 - 29 SEPTEMBER 1975

CENTER FIXES

FIX NO.	DATE	TIME GMT	POSITION		UNIT	CHARACTER.	MAX WIND(KT)		ACFT. SFC.	MIN. ALT. (MB)	MIN. HT.(M)	TEMP(°C)	EYE		REMARKS
			LAT. °N	LONG. °W			FLT. LVL.	SFC.					C=CIR. DIA. E=ELIP. N.MI.		
1	18	0600	17.5	33.5	SMS1	2,5, IR 8		25							
2	18	1200	17.3	34.4	SMS1	1,5, VSBL 4		25							
3	18	1730	18.3	35.0	SMS1	5, VSBL 4									
4	18	1830	17.9	35.8	SMS1	2,5, VSBL 4		25							
5	19	0000	18.6	36.7	SMS1	2,5, IR 8		25							
6	19	0600	19.2	38.0	SMS1	2,5, IR 8		35							
7	19	1200	20.1	39.2	SMS1	3, VSBL 4									
8	19	1800	19.0	41.8	SMS1	3, VSBL 4									
9	19	1830	19.1	41.8	SMS1	2,3, VSBL 2		40							
10	20	0000	20.0	41.5	SMS1	2,5, IR 8		40							
11	20	0600	20.4	42.8	SMS1	2,5, IR 8		40							
12	20	1230	20.0	44.4	SMS1	1,3, VSBL 2		40							
13	20	1800	20.3	45.2	SMS1	VSBL 2									
14	20	1830	20.2	45.5	SMS1	1,3, VSBL 2		40							
15	21	0000	20.3	46.0	SMS1	2,5, IR 8		40							
16	21	0600	20.7	47.0	SMS1	2,5, IR 8		40							
17	21	1230	20.3	48.0	SMS1	2,3, VSBL 4		40							
18	21	1800	20.4	48.7	SMS1	3, VSBL 4									
19	21	1830	20.6	48.8	SMS1	1,3, VSBL 4		35							
20	22	0030	20.8	48.9	SMS1	1,3, IR 8		35							
21	22	0600	20.8	50.0	SMS1	5, IR 8									
22	22	0630	20.8	50.0	SMS1	1,5, IR 8		35							
23	22	1230	20.6	50.7	SMS1	2,3, VSBL 4		35							
24	22	1800	20.5	51.5	SMS1	3, VSBL 4									
25	22	1830	20.5	51.6	SMS1	1,3, VSBL 4		35							
26	23	0001	20.0	52.0	SMS1	3, IR 8									
27	23	0030	20.0	52.1	SMS1	1,3, IR 8		35							
28	23	0600	20.3	53.5	SMS1	5, IR 8									
29	23	0630	20.3	53.5	SMS1	1,5, IR 8		35							
30	23	1130	21.0	54.5	SMS1	5, VSBL 4									
31	23	1200	20.5	54.5	SMS1	1,5, VSBL 4		30							
32	23	1800	20.5	56.0	SMS1	3, VSBL 4									
33	23	1830	20.8	55.8	SMS1	1,3, VSBL 4		30							
34	24	0030	20.8	56.5	SMS1	1,5, IR 8		30							
35	24	0630	21.0	57.0	SMS1	1,5, IR 8		25							
35	24	1130	22.0	57.5	SMS1	5, VSBL 4		25							

FAYE CONTINUED

Table 5. (continued)

CENTER FIXES

FIX NO.	DATE	TIME GCT	POSITION		UNIT	CHARACTER.	MAX WIND(KT)		ACFT. FLT. LVL.	MIN. SFC. ALT.	MIN. 700MB HT(M)	TEMP(°C)	EYE C=CIR. DIA. E=ELIP. N.MI.	REMARKS	
			LAT. °N	LONG. °W			FLT. LVL.	SFC.							
37	24	1830	23.0	57.0	SMS1	5,VSBL 4									
38	24	1830	22.4	57.0	SMS1	2,5,VSBL 4			30						
39	24	2015	23.3	56.8	AF	25/5		23	20	326M	1005		24	23	C 15
40	25	0001	23.4	56.9	SMS1	3, IR 8									
41	25	0030	23.5	56.8	SMS1	1,3, IR 8			30						
42	25	0600	24.8	58.3	SMS1	3, IR 8									
43	25	0630	24.8	58.3	SMS1	1,3, IR 8			30						
44	25	1130	25.2	59.0	SMS1	5,VSBL 4									
45	25	1130	25.0	58.8	SMS1	1,3,VSBL 4			35						
46	25	1215	24.9	59.0	AF	5/5		35	45	351M	999		23		NEGATIVE EYE
47	25	1430	25.2	59.2	AF					323M	997				
48	25	1715	25.3	59.5	AF	1/5		40	50	158M	993		23	21	C 30
49	25	1730	25.4	59.8	SMS1	5,VSBL 4									OPEN S
50	25	1830	25.6	59.8	SMS1	2,3,VSBL 4			45						
51	26	0001	26.8	60.3	SMS1	3, IR 8									
52	26	0030	26.8	60.3	SMS1	1,3, IR 8			55						
53	26	0120	26.9	60.2	AF	10/3		40		700MB	990	2996	13	10	
54	26	0435	27.5	60.7	AF					341M	991				
55	26	0600	27.4	60.8	SMS1	5, IR 8									
56	26	0601	27.8	60.9	AF	3/5		60		518M	988		25	22	E 01/15/5
57	26	0630	27.6	60.8	SMS1	1,5, IR 8			55						CLOSED WALL
58	26	0730	28.2	61.1	AF					700MB		2984			
59	26	0829	28.4	61.4	AF	3/5		60		700MB		2972	10	7	E 03/15/10
60	26	1116	29.4	62.2	AF	7/10		65	80	700MB		2969	15	14	C 30
61	26	1130	29.5	61.7	SMS1	5,VSBL 4									WALL CLOUD INTENSIFYING
62	26	1200	29.5	61.7	SMS1	2,5,VSBL 4			55						
63	26	1245	29.6	62.2	AF			65			988	2975			
64	26	1419	30.0	62.6	AF	5/5		72	90		985	2957	14	14	20
65	26	1530	30.3	62.8	AF						985	2941			WALL CLOUD FRMG EYE BECOMING TIGHTER
66	26	1730	31.1	63.1	SMS1	3,VSBL 4									
67	26	1830	31.2	63.1	SMS1	2,3,VSBL 4			65						
68	26	1845	30.8	63.8	BERMUDA RADAR										APPARENT EYE
69	26	1945	31.4	63.6	BERMUDA RADAR										APPARENT EYE
70	26	2015	31.6	63.7	BERMUDA RADAR										APPARENT EYE
71	26	2045	31.7	63.9	BERMUDA RADAR										APPARENT EYE
72	26	2145	31.9	64.1	BERMUDA RADAR										APPARENT EYE
73	26	2215	31.9	64.2	BERMUDA RADAR										APPARENT EYE
74	26	2245	32.2	64.2	BERMUDA RADAR										APPARENT EYE
75	26	2309	32.4	64.0	AF			65		700MB		2914			
76	26	2315	32.5	63.9	BERMUDA RADAR										APPARENT EYE
77	26	2345	32.6	64.1	BERMUDA RADAR										APPARENT EYE
78	27	0001	32.9	64.2	SMS1	3, IR 8									
79	27	0020	32.7	64.3	AF	1/5		90		700MB	981		14	12	C 25
80	27	0030	32.8	64.0	SMS1	1,3, IR 8									WALL CLO N-E
81	27	0045	32.6	64.3											APPARENT EYE
82	27	0050	32.9	64.4	AF					700MB					
83	27	0115	32.5	64.6	BERMUDA RADAR										APPARENT EYE
84	27	0317	33.5	65.0	AF	5/5					986		13	10	
85	27	0453	34.1	65.3	AF										
86	27	0605	34.5	65.3		10/5					984		14	12	

FAYE CONTINUED

Table 5. (continued)

CENTER FIXES

FIX NO.	DATE	TIME GMT	POSITION		UNIT	CHARACTER.	MAX WIND(KT)		ACFT. SFC.	MIN. ALT. (MB)	MIN. HT.(M)	TEMP(°C)	EYE		REMARKS	
			LAT. °N	LONG. °W			FLT. LVL.	SFC.					C=CIR. DIA. E=ELIP. N.MI.			
87	27	0700	35.1	65.1	SMS1	2,3, IR 8		77		700MB	979	2911	15	14	C 40	
88	27	0835	35.1	65.4	AF	2/1										
88	27	0835	35.1	65.4	AF	2/2	50	40	700MB	982	2923	14	13	C 40	NEGATIVE EYE	
89	27	1100	35.7	65.7	AF	2,5,VSBL 4		65								
90	27	1130	35.9	65.6	SMS1	3,VSBL 4										
91	27	1600	37.0	65.4	SMS1	2,3,VSBL 2		65								
92	27	1830	37.4	65.0	SMS1	5/5	50	40	700MB	985	2955	12	8		NO VISUAL EYE	
93	27	1830	37.7	65.0	AF	5/5	50	55	700MB	983	2941	13	9		POORLY DEFINED	
94	27	2010	37.8	64.6	AF	3, IR 8										
95	28	0001	38.6	63.5	SMS1	2,3, IR 8		77								
96	28	0030	38.7	63.4	SMS1	3, IR 8										
97	28	0600	39.4	60.5	SMS1	2,3, IR 8		70								
98	28	0630	39.9	60.2	SMS1	1,1,VSBL 4		70								
99	28	1130	40.8	56.6	SMS1	5/5	80	75	700MB	979	2880	16	14		NO EYE WALL	
100	28	1223	41.2	57.0	AF	10/5	66	50	700MB	977	2813	17	12		NO EYE WALL	
101	28	1420	41.2	55.8	AF	5,VSBL 4										
102	28	1800	42.3	51.5	SMS1	2,5,VSBL 4		65								
103	28	1830	42.5	51.4	SMS1	5, IR 8										
104	29	0001	42.9	45.5	SMS1	2,5, IR 8		70								
105	29	0030	42.7	45.1	SMS1	5, IR 8										
106	29	0600	42.5	41.5	SMS1	5, IR 8										
107	29	0630	43.0	40.8	SMS1	5, IR 8										

Table 5. (continued)

HURRICANE GLADYS
22 SEPTEMBER - 3 OCTOBER 1975
CENTER FIXES

FIX NO.	DATE	TIME GMT	POSITION		UNIT	CHARACTER.	MAX WIND(KT)			MIN. ACFT. PRESS. 700MB	TEMP(°C)	EYE		REMARKS	
			LAT. N	LONG. W			FLT. LVL.	SFC.	ALT.			IN.	OUT.	C=CIR. DIA. E=ELIP. N.MI.	
1	22	1730	10.4	34.8	SMS1	1,5,VSBL 4			25						
2	23	0030	10.3	36.0	SMS1	1,5, IR 8			25						
3	23	0630	10.8	37.0	SMS1	2,5, IR 8			25						
4	23	1130	11.7	37.3	SMS1	3,VSBL 4									
5	23	1200	11.5	37.4	SMS1	2,3,VSBL 4			25						
6	23	1800	12.4	38.2	SMS1	1,3,VSBL 4			35						
7	24	0030	12.0	39.0	SMS1	1,5, IR 8			35						
8	24	0630	12.5	39.7	SMS1	1,3, IR 8			35						
9	24	1130	12.6	39.8	SMS1	2,5,VSBL 4			35						
10	24	1800	13.4	40.4	SMS1	2,5,VSBL 4			45						
11	25	0030	14.2	41.0	SMS1	1,3, IR 8			55						
12	25	0630	15.3	42.0	SMS1	1,3, IR 8			55						
13	25	1130	15.3	43.1	SMS1	1,1,VSBL 4			60						
14	25	1730	16.1	44.5	SMS1	1,VSBL 4									
15	25	1800	16.1	44.7	SMS1	2,1,VSBL 4			70						
16	26	0030	16.3	45.0	SMS1	2,3, IR 8			70						
17	26	0600	16.2	46.2	SMS1	5, IR 8									
18	26	0630	16.3	46.3	SMS1	2,5, IR 8			70						
19	26	1130	16.6	47.5	SMS1	3,VSBL 4									
20	26	1200	16.8	47.8	SMS1	2,3,VSBL 4			65						
21	26	1800	17.0	49.6	SMS1	1,5,VSBL 4			65						
22	27	0030	17.2	50.7	SMS1	2,5, IR 8			65						
23	27	0700	17.5	52.8	SMS1	1,5, IR 8			55						
24	27	1130	18.2	53.6	SMS1	1,5,VSBL 2			55						
25	27	1600	18.3	54.3	SMS1	3,VSBL 4									
26	27	1750	19.0	55.2	AF		60	100	546M	989					RADAR PRESENT. EXCELLENT
27	27	1800	18.4	54.7	SMS1	1,3,VSBL 2		65							
28	27	1816	19.4	55.3	AF	15/3	60	105	700MB	989	3011	15	12	C	S
29	27	1934	19.5	55.6	AF				700MB	994	3039				CLOSED WALL
30	27	2205	19.9	55.7	AF	10/10	50	65	700MB	996	3060	17	10	C	10
31	27	2316	20.0	55.9	AF				700MB	992	3021				CLOSED WALL
32	28	0030	19.5	56.4	SMS1	2,5, IR 8		65							
33	28	0600	19.3	57.6	SMS1	5, IR 8									
34	28	0630	19.6	58.0	SMS1	2,5, IR 8		65							
35	28	1130	19.8	58.7	SMS1	1,3,VSBL 4		55							
36	28	1205	19.7	58.2	AF	5/5	35	40	700MB	1001	3100	10			APRNT WALL CLD W-N
37	28	1418	19.8	58.3	AF			30	700MB	1000	3091				
38	28	1705	20.2	59.2	AF	5/5	55	80	700MB	998	3088	13	10	C	20
39	28	1830	20.4	59.5	SMS1	1,5,VSBL 4		65							CLOSED WALL

GLADYS CONTINUED

Table 5. (continued)

CENTER FIXES

Table 5. (continued)

TROPICAL STORM HALLIE

24 - 28 OCTOBER 1975

CENTER FIXES

FIX NO.	DATE	TIME GMT	POSITION		UNIT	CHARACTER.	MAX WIND(KT)			MIN. PRESS. (MB)	MIN. HT.(M)	TEMP(°C)		EYE	C=CIR. DIA. E=ELIP. N.MI.	REMARKS	
			LAT. °N	LONG. °W			FLT. LVL.	SFC.	ACFT. ALT.			IN.	OUT.				
1	24	1400	29.0	78.7	SMS1	2,3,VSBL 2			25-30								
2	24	1530	29.2	78.9	SMS1	3,VSBL 2											
3	24	1630	29.2	79.1	SMS1	3,VSBL 2											
4	24	1830	29.0	79.3	SMS1	2,3,VSBL 4											
5	24	1930	28.9	79.4	SMS1	3,VSBL 2			25-30								
6	24	2141	28.8	79.1	AF	4/8		30		351M	1006		24	24			
7	24	2349	28.6	79.2	AF	4/10		38	22	354M	1008		24	24			
8	25	0000	28.8	79.0	SMS1	3, IR 8									NO EYE		
9	25	0030	28.8	78.9	SMS1	2,3, IR 8			25-30						NO EYE		
10	25	0630	29.5	79.4	SMS1	2,3, IR 8			25-30								
11	25	1315	30.1	79.6	AF	5/M		40	35	232M	1006		23	21			
12	25	1330	29.9	79.7	SMS1	2,3,VSBL 2			25-30								
13	25	1600	30.4	79.7	SMS1	3,VSBL 2											
14	25	1701	30.3	79.8	AF	1/3		35	30	314M	1005		23	22			
15	25	1830	30.5	80.0	SMS1	2,3,VSBL 2			30								
16	25	1930	30.4	79.9	SMS1	3,VSBL 2											
17	25	2333	30.4	79.9	AF	8/10		30		338M							
18	26	0000	30.4	80.0	SMS1	3, IR 8							23	23			
19	26	0030	30.4	79.9	SMS1	2,3, IR 8			25-30								
20	26	0512	30.9	80.2	AF			40		302M			24	23			
21	26	0630	30.9	80.2	SMS1	2,3, IR 8			25-30								
22	26	0635	31.2	80.1	CHS RADAR												
23	26	0735	31.3	80.2	CHS RADAR										POSSIBLE CENTER		
24	26	0835	31.2	80.0	CHS RADAR										POSSIBLE CENTER		
25	26	0838	31.5	80.0	AF		5/8		32		338M	1006		24	23		
26	26	0935	31.3	80.0	CHS RADAR												
27	26	1035	31.2	80.0	CHS RADAR												
28	26	1121	31.8	79.8	AF										POSSIBLE CENTER		
29	26	1135	31.6	79.6	CHS RADAR		5/5		32		360M	1006					
30	26	1330	31.8	79.1	SMS1	1,3,VSBL 2											
31	26	1401	32.0	79.4	AF				35								
32	26	1800	32.4	78.8	SMS1	5/5		32	30	210M	1007		24	24	C	35	
33	26	1830	32.4	78.8	SMS1	3,VSBL 4											
34	26	1912	32.7	78.6	AF	1,3,VSBL 2			35								
35	26	2050	32.9	78.2	AF	2/5		41	35	329M	1003		24	23			
36	26	2230	33.3	78.0	CHS RADAR	5/5		54	40	415M	1005		23	22			
37	26	2301	33.7	77.3	SMS1	5, IR 8									NO EYE		
38	26	2308	33.2	77.6	AF										NO VISIBLE EYE		
39	27	0001	33.9	77.1	SMS1										POSSIBLE CENTER		
40	27	0030	33.5	77.1	IIM RADAR	4, IR 8									RADAR EYE		

15° OVERLAY. FAIR

HALLIE CONTINUED

Table 5. (continued)

CENTER FIXES

FIX NO.	DATE	TIME GMT	POSITION		UNIT	CHARACTER.	MAX WIND (KT)			MIN. PRESS. (MB)	MIN. HT.(M)	TEMP (°C)	EYE	C=CIR. E=ELIP. N=M.	REMARKS
			LAT. °N	LOL. °W			FLT. LVL.	ACFT. SFC.	ALT.						
41	27	0031	34.1	77.2	SMS1	2,4, IR 8			45						
42	27	0055	33.5	76.9	ILM RADAR										POOR
43	27	0130	33.8	76.9	ILM RADAR										POOR
44	27	0205	33.8	76.7	ILM RADAR										POOR
45	27	0235	33.9	76.5	ILM RADAR										
46	27	0310	33.9	76.5	ILM RADAR										FAIR
47	27	0310	33.9	76.9	AF										RADAR EYE. WELL DEFINED
48	27	0335	33.9	76.4	ILM RADAR										FAIR
49	27	0405	34.0	76.3	ILM RADAR										FAIR
50	27	0432	34.1	76.1	ILM RADAR										FAIR
51	27	0507	34.4	76.1	AF										RADAR EYE. WELL D
52	27	0510	34.5	76.0	ILM RADAR										
53	27	0535	34.6	75.8	ILM RADAR										FAIR
54	27	0555	34.5	75.2	HATTERAS RADAR										POOR
55	27	0600	34.6	76.0	SMS1	5, IR 8									
56	27	0625	34.7	74.9	HATTERAS RADAR										POOR
57	27	0630	34.7	75.0	SMS1	2,3, IR 8			45						
58	27	0730	35.1	74.5	HATTERAS RADAR										POOR
59	27	1100	35.7	73.7	SMS1	5, IR 8									
60	27	1232	35.9	72.6	HATTERAS RADAR										POSSIBLE CENTER
61	27	1330	35.6	73.8	SMS1	3,VSBL 2									
62	27	1630	36.2	73.3	AF	4/2		30	30	393M	1005		23	21	
63	27	1800	36.3	72.8	AF	4/2		35	30	351M	1006		23	21	
64	27	1801	36.2	72.4	SMS1	3,VSBL 2									
65	27	1830	36.4	72.3	SMS1	3,VSBL 2									
66	27	2130	36.9	71.6	AF	5/10		20	35	219M	1008		24	22	

TABLE 6.

AERIAL WEATHER RECONNAISSANCE SUMMARY FOR THE
1975 HURRICANE SEASON

	AIR FORCE	AIR FORCE RESERVES	NOAA/RFC	TOTALS
FIXES	PENETRATIONS 200 RADAR 4	PENETRATIONS 0 RADAR 0	PENETRATIONS 15 RADAR 0	PENETRATIONS 215 RADAR 4
OBSERVATIONS	2306	0	132	2438
DROPSONDIES	97	0	0	97
MISSIONS	131	0	12	143
FLYING TIME	STORM: 663.8 INVEST: 503.4 TOTAL: 1167.2	STORM: 0 INVEST: 0 TOTAL: 0	STORM: 56.5 INVEST: 0 TOTAL: 56.5	STORM: 720.3 INVEST: 503.4 TOTAL: 1223.7