Ms. Barbara Romanowsky, Administrator Office of Environmental Assessment Department of Environmental Quality 602 N. 5<sup>th</sup>, P.O. Box 4313 Baton Rouge, LA 70821-4313

Dear Ms. Romanowsky:

We have reviewed the proposed regulation amendments to the Louisiana Administrative Code, Title 33, Part XV, *Radiation Protection*, RP035, received by our office on July 1, 2004. Our review and comments are in response to the State's request for Nuclear Regulatory Commission (NRC) evaluation of the changes to Louisiana Administrative Code that incorporated the amendment identified on the States Regulation Status Data Sheet (SRS). These regulations were reviewed by comparison to the equivalent NRC rules in 10 CFR Parts 20, 30, 31, 32 and 36 and the requirements of the four amendments identified in the enclosed SRS. We discussed our review of the regulations with Sharon Parker on June 26, 2004.

As a result of our review, we have one comment and one editorial suggestion. In addition, we reviewed corrections to the Louisiana Administrative Code, Title 33, Part XV, *Radiation Protection*, RP032, resulting from the seven comments in NRC letter dated July 31, 2003. As a result of that review, we have no comments on the corrections made, but we note that four of the seven comments were not addressed. We have included these four comments in a separate chart for you. We understand that these comments will be addressed in a later rule package proposed for this fall.

Under our current procedure, a finding that a State regulation meets the compatibility and health and safety categories of the equivalent NRC regulation may only be made based on a review of the final State regulation. Please provide a final amended version of your rules, showing the location of any changes made, in response to our comments. If there are any comments which the State believes are in error, the State should identify the section of their regulations that meet the designated compatibility category. Please note that we have limited our review to regulations required for compatibility and/or health and safety, but have determined that if these regulations are adopted, incorporating our comments and without significant change, they would meet the compatibility and health and safety categories established in the Office of State and Tribal Programs (STP) Procedure SA-200.

The SRS Data Sheet summarizes our knowledge of the status of other Louisiana regulations, as indicated. Please let us know if you note any inaccuracies, or have any comments on the information contained in the SRS Data Sheet. This letter, including the SRS Data Sheet, is posted on the STP website: <a href="http://www.hrsd.ornl.gov/nrc/rulemaking.htm">http://www.hrsd.ornl.gov/nrc/rulemaking.htm</a>.

In addition, if you have any questions regarding the comments, the compatibility and health and safety categories, or any of the NRC regulations used in the review, please contact me, or Linda McLean at (817) 860-8116 or MLM1@NRC.GOV.

Sincerely,

\RA By K.P. Hsueh For/

Josephine M. Piccone, Deputy Director Office of State and Tribal Programs

Enclosures: As stated

In addition, if you have any questions regarding the comments, the compatibility and health and safety categories, or any of the NRC regulations used in the review, please contact me, or Linda McLean at (817) 860-8116 or MLM1@NRC.GOV.

Sincerely,

\RA By K.P. Hsueh For/

Josephine M. Piccone, Deputy Director Office of State and Tribal Programs

Enclosures: As stated

Distribution:

 DIR RF [4-165]
 DCD (SP08)
 PDR (YES\_✓)

**BUsilton** 

Louisiana File Response to Incoming Document: ML041880305

DOCUMENT NAME:C:\NRC\Regs\4-165.wpd

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

| OFFICE | RIV       |  | STP       |   | OGC       |  | STP       |     |
|--------|-----------|--|-----------|---|-----------|--|-----------|-----|
| NAME   | LMcClean  |  | JZabko    |   | STreby    |  | JMPiccone |     |
| DATE   | 08/18/04* |  | 08/19/04* | • | 08/25/04* |  | 08/26/0   | )4* |

ML042390322

**OFFICIAL RECORD COPY** 

## COMMENTS ON PROPOSED LOUISIANA REGULATIONS AGAINST COMPATIBILITY AND HEALTH AND SAFETY CATEGORIES

| ST | ATE SECTION             | NRC RATS CATEGORY SUBJECT and COMMENTS Section ID |            | SUBJECT and COMMENTS |                                                                                                                                                                                                                                                                                  |
|----|-------------------------|---------------------------------------------------|------------|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1  | 322.D.3.J.ii.(f)<br>iii | 31.5(c)<br>(13)(iv)                               | 2001-<br>1 | В                    | GENERALLY LICENSED INDUSTRIAL DEVICES                                                                                                                                                                                                                                            |
|    |                         |                                                   |            |                      | This section defines the use of general licensed devices under reciprocity. The State authorizes persons generally licensed by an agreement state to use the device for 180 days without requesting registration information.                                                    |
|    |                         |                                                   |            |                      | The State needs to clarify that if the device is generally licensed by other agreement states or the NRC that the licensee is not subject to registration requirements if the devices are used in the State's jurisdiction for a period less that 180 days in any calendar year. |

## COMMENTS ON PROPOSED LOUISIANA REGULATIONS AGAINST COMPATIBILITY AND HEALTH AND SAFETY CATEGORIES THAT REMAIN FROM NRC LETTER DATED JULY 31, 2003

| ST | ATE SECTION          | NRC<br>Section | RATS<br>ID | CATEGORY | SUBJECT and COMMENTS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|----|----------------------|----------------|------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1  | 2004 and<br>2051.D   | 39.15          | 2000-1     | С        | AGREEMENT WITH WELL OWNER OR OPERATOR  This section defines the minimum written requirements with the well owner or operator prior to performing well logging. The State has placed the notification aspects of these requirements in 2051.D, but did not revise 2004, to reflect the changes needed. The reference in 2004 is incorrect and the information in 2051.D is incomplete.  The State needs to include all of the requirements of 39.15 and correct the cross reference to meet compatibility. |
| 2  | 2017.A and<br>2017.E | 39.41          | 2000-1     | В        | DESIGN AND PERFORMANCE CRITERIA FOR SOURCES  This section defines minimum design and performance criteria for sources. The State has added 2017.E to include the new requirements and retained the existing language in 2017.A. The regulation is confusing and duplicative with the different dates and different requirements.  The State needs to revise 2017.A and 2017.E to ensure that all of the requirements of 39.41 are met in order to achieve compatibility.                                  |

| ST | ATE SECTION | NRC<br>Section | RATS<br>ID | CATEGORY | SUBJECT and COMMENTS                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----|-------------|----------------|------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3  | 2017.F.2    | 39.53(b)       | 2000-1     | C        | ENERGY COMPENSATION SOURCE  This section lists the sections that apply to ECS applications without a surface casing for fresh water aquifers. The State reference to the equivalent to 39.15 is missing and the State makes reference to the equivalent of 39.41(Subsection E to 2017) which should not be referenced.  The State needs to include the equivalent reference to 39.15 and remove the equivalent State reference to 39.41 listed in 39.53(b) to achieve compatibility. |
| 4  | 2017.E.3    | 39.41(f)       | 2000-1     | В        | DESIGN AND PERFORMANCE CRITERIA FOR SOURCES  The State regulations require that Energy Compensation Sources (ECS) must be registered with the State and do not allow ECS to be registered with NRC or other Agreement States.  The State needs to require registration of ECS with NRC or other Agreement States to meet the requirements for compatibility in 39.41 (f)                                                                                                             |

## **EDITORIAL SUGGESTION OF PROPOSED LOUISIANA REGULATIONS**

In paragraph 328.D.1.a., and b, the State used the term "byproduct" material, instead of "radioactive" material.

1.

## **STATE REGULATION STATUS**

State: Louisiana

[Four amendments reviewed are identified by a ★ at the beginning of each equivalent NRC regulation.]

Tracking Ticket Number: 4-165

Date: August 26, 2004

|                                                                                                                                | dioni i vi to rogala                                                                                                     | 1       |                                                          | Date: Magast 20                                                | <u>'</u>                                             |
|--------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|---------|----------------------------------------------------------|----------------------------------------------------------------|------------------------------------------------------|
| NRC Chronology<br>Identification                                                                                               | FR Notice<br>(State Due<br>Date)                                                                                         | RATS ID | Proposed (P) /<br>Final (F)¹ Rule /<br>ML # <sup>5</sup> | NRC Review /<br>Y, N <sup>2</sup> / Date<br>/ML # <sup>5</sup> | Final State Regulation <sup>1</sup> (Effective Date) |
| Safety Requirements for<br>Radiographic Equipment-<br>Part 34                                                                  | 55 FR 843;<br>(1/10/94)                                                                                                  | 1991-1  |                                                          |                                                                | 6/94                                                 |
| ASNT Certification of Radiographers-Part 34                                                                                    | 56 FR 11504;<br>(none)                                                                                                   | 1991-2  |                                                          |                                                                | Not required <sup>3</sup>                            |
| Standards for Protection<br>Against Radiation-Part 20                                                                          | 56 FR 23360;<br>56 FR 61352;<br>57 FR 38588;<br>57 FR 57877;<br>58 FR 67657;<br>59 FR 41641;<br>60 FR 20183;<br>(1/1/94) | 1991-3  | Р                                                        | N 10/15/98                                                     | 6/94                                                 |
| Notification of Incidents-Parts 20, 30, 31, 34, 39, 40, 70                                                                     | 56 FR 64980;<br>(10/15/94)                                                                                               | 1991-4  |                                                          |                                                                | 6/94                                                 |
| Quality Management Program and Misadministrations-Part 35                                                                      | 56 FR 34104;<br>(½7/95)                                                                                                  | 1992-1  |                                                          |                                                                | 11/98                                                |
| Eliminating the Recordkeeping<br>Requirements for Departures<br>from Manufacturer's<br>Instructions-Parts 30,35                | 57 FR 45566;<br>(none)                                                                                                   | 1992-2  |                                                          |                                                                | Not required <sup>3</sup>                            |
| Decommissioning Recordkeeping and License Termination: Documentation Additions [Restricted areas and spill sites]-Parts 30, 40 | 58 FR 39628;<br>(10/25/96)                                                                                               | 1993-1  | Р                                                        | N 4/4/97                                                       |                                                      |
| Licensing and Radiation Safety<br>Requirements for Irradiators-<br>Part 36                                                     | 58 FR 7715;<br>(7/1/96)                                                                                                  | 1993-2  |                                                          |                                                                | Not applicable SECY-95-<br>112 <sup>4</sup>          |
| Definition of Land Disposal<br>and Waste Site QA Program-<br>Part 61                                                           | 58 FR 33886;<br>(7/22/96)                                                                                                | 1993-3  | Р                                                        | N 4/4/97                                                       | Not applicable<br>SECY-95-112 <sup>4</sup>           |
| Self-Guarantee as an<br>Additional Financial<br>Mechanism-Parts 30, 40, 70                                                     | 58 FR 68726;<br>59 FR 1618;<br>(none)                                                                                    | 1994-1  | F                                                        | N 1/6/99                                                       | Not required <sup>3</sup><br>11/98                   |
| Uranium Mill Tailings<br>Regulations: Conforming NRC<br>Requirements to EPA<br>Standards-Part 40                               | 59 FR 28220;<br>(7/1/97)                                                                                                 | 1994-2  |                                                          |                                                                | Not applicable SECY-95-<br>112 <sup>4</sup>          |
| Timeliness in<br>Decommissioning Material<br>Facilities-Parts 30, 40, 70                                                       | 59 FR 36026;<br>(8/15/97)                                                                                                | 1994-3  | F                                                        | N 1/6/99                                                       | 11/98                                                |
| Preparation, Transfer for<br>Commercial Distribution, and<br>Use of Byproduct Material for<br>Medical Use-Parts 30, 32, 35     | 59 FR 61767;<br>59 FR 65243;<br>60 FR 322;<br>(1/1/98)                                                                   | 1995-1  | F                                                        | N 1/6/99                                                       | 11/98                                                |

| NRC Chronology<br>Identification                                                                                                                 | FR Notice<br>(State Due<br>Date)         | RATS ID | Proposed (P) /<br>Final (F)¹ Rule /<br>ML #⁵ | NRC Review /<br>Y, N² / Date<br>/ML # <sup>5</sup> | Final State Regulation <sup>1</sup> (Effective Date) |
|--------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|---------|----------------------------------------------|----------------------------------------------------|------------------------------------------------------|
| Frequency of Medical<br>Examinations for Use of<br>Respiratory Protection<br>Equipment-Part 20                                                   | 60 FR 7900;<br>(3/13/98)                 | 1995-2  | F                                            | N 1/6/99                                           | 10/96                                                |
| Low-Level Waste Shipment<br>Manifest Information and<br>Reporting-Parts 20, 61                                                                   | 60 FR 15649;<br>60 FR 25983;<br>(3/1/98) | 1995-3  | F                                            | N 1/6/99                                           | 11/98                                                |
| Performance Requirements for Radiography Equipment-Part 34                                                                                       | 60 FR 28323;<br>(6/30/98)                | 1995-4  | F                                            | N 1/6/99                                           | 9/97                                                 |
| Radiation Protection<br>Requirements: Amended<br>Definitions and Criteria-Parts<br>19, 20                                                        | 60 FR 36038;<br>(8/14/98)                | 1995-5  | F                                            | N 1/6/99                                           | 11/98                                                |
| Clarification of<br>Decommissioning Funding<br>Requirements-Parts 30, 40, 70                                                                     | 60 FR 38235;<br>(11/24/98)               | 1995-6  | F                                            | N 1/6/99                                           | 11/98                                                |
| Medical Administration of<br>Radiation and Radioactive<br>Materials-Parts 20, 35                                                                 | 60 FR 48623;<br>(10/20/98)               | 1995-7  | F                                            | N 1/6/99                                           | 11/98                                                |
| 10 CFR Part 71: Compatibility with the International Atomic Energy Agency-Part 71                                                                | 60 FR 50248;<br>61 FR 28724;<br>(4/1/99) | 1996-1  | F<br>ML020280299                             | N 2/15/02<br>ML020460125                           | 5/20/00                                              |
| One Time Extension of Certain<br>Byproduct, Source and Special<br>Nuclear Materials Licenses-<br>Parts 30, 40, 70                                | 61 FR 1109;<br>(none)                    | 1996-2  |                                              |                                                    | Not required <sup>3</sup>                            |
| Termination or Transfer of Licensed Activities:<br>Recordkeeping Requirements-Parts 20, 30, 40, 61, 70                                           | 61 FR 24669;<br>(6/17/99)                | 1996-3  | Р                                            | N 6/29/00                                          | 5/20/00                                              |
| Resolution of Dual Regulation of Airborne Effluents of Radioactive Materials; Clean Air Act-Part 20                                              | 61 FR 65120;<br>(1/9/00)                 | 1997-1  | F<br>ML011510385                             | N 11/15/01<br>ML013100191                          |                                                      |
| Recognition of Agreement<br>State Licenses in Areas Under<br>Exclusive Federal Jurisdiction<br>Within an Agreement State-<br>Part 150            | 62 FR 1662;<br>(2/27/00)                 | 1997-2  | F<br>ML011510385                             | N 11/15/01<br>ML013100191                          |                                                      |
| Criteria for the Release of<br>Individuals Administered<br>Radioactive Material-<br>Parts 20, 35                                                 | 62 FR 4120;<br>(5/29/00)                 | 1997-3  | F                                            | N 1/6/99                                           | 11/98                                                |
| Fissile Material Shipments and Exemptions-Part 71                                                                                                | 62 FR 5907;<br>(none)                    | 1997-4  |                                              |                                                    | Not required <sup>3</sup>                            |
| Licenses for Industrial<br>Radiography and Radiation<br>Safety Requirements for<br>Industrial Radiography<br>Operations-Parts 30, 34, 71,<br>150 | 62 FR 28947;<br>(6/27/00)                | 1997-5  | F<br>ML020280299                             | Y 2/15/02<br>ML020460125                           | 8/20/01                                              |

| NRC Chronology<br>Identification                                                                                                                 | FR Notice<br>(State Due<br>Date)           | RATS ID | Proposed (P) /<br>Final (F)¹ Rule /<br>ML #⁵ | NRC Review /<br>Y, N² / Date<br>/ML # <sup>5</sup> | Final State Regulation <sup>1</sup> (Effective Date) |
|--------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|---------|----------------------------------------------|----------------------------------------------------|------------------------------------------------------|
| Radiological Criteria for<br>License Termination-Parts 20,<br>30, 40, 70                                                                         | 62 FR 39057;<br>(8/20/00)                  | 1997-6  | F<br>ML011510385                             | N 11/15/01<br>ML013100191                          | 12/20/00                                             |
| Exempt Distribution of a<br>Radioactive Drug Containing<br>One Microcurie of Carbon-14<br>Urea-Part 30                                           | 62 FR 63634;<br>(1/02/01)                  | 1997-7  | F                                            | N 1/6/99                                           | 11/98                                                |
| Deliberate Misconduct by<br>Unlicensed Persons-Parts 30,<br>40, 61, 70, 71, 150                                                                  | 63 FR 1890;<br>63 FR 13773;<br>(2/12/01)   | 1998-1  | F<br>ML011510385                             | N 11/15/01<br>ML013100191                          | 12/20/00                                             |
| Self-Guarantee of<br>Decommissioning Funding by<br>Nonprofit and Non-Bond-<br>Issuing Licensees- Parts 30,<br>40, 70                             | 63 FR 29535;<br>(none)                     | 1998-2  |                                              |                                                    | Not required <sup>3</sup>                            |
| License Term for Medical Use<br>Licenses-Part 35                                                                                                 | 63 FR 31604;<br>(none)                     | 1998-3  |                                              |                                                    | Not required <sup>3</sup>                            |
| Licenses for Industrial<br>Radiography and Radiation<br>Safety Requirements for<br>Industrial Radiographic<br>Operations-Part 34                 | 63 FR 37059;<br>(7/9/01)                   | 1998-4  | P<br>ML010460171                             | Y 4/13/01<br>ML011060084                           |                                                      |
| Minor Corrections, Clarifying<br>Changes, and a Minor Policy<br>Change-Parts 20                                                                  | 63 FR 39477;<br>63 FR 45393;<br>(10/26/01) | 1998-5  | F<br>ML011510385                             | Y 11/15/01<br>ML013100191                          | 12/20/00                                             |
| Transfer for Disposal and<br>Manifests: Minor Technical<br>Conforming Amendment-Part<br>20                                                       | 63 FR 50127;<br>(11/20/01)                 | 1998-6  |                                              |                                                    |                                                      |
| Radiological Criteria for<br>License Termination of<br>Uranium Recovery Facilities-<br>Part 40                                                   | 64 FR 17506;<br>(6/11/02)                  | 1999-1  |                                              |                                                    |                                                      |
| Requirements for Those Who<br>Possess Certain Industrial<br>Devices Containing Byproduct<br>Material to Provide Requested<br>Information-Part 31 | 64 FR 42269;<br>(none)                     | 1999-2  |                                              |                                                    | Not required <sup>3</sup>                            |
| ★Respiratory Protection and Controls to Restrict Internal Exposure-Part 20                                                                       | 64 FR 54543;<br>64 FR 55524;<br>(2/2/03)   | 1999-3  | F<br>ML041880305                             | N 8/26/04<br>ML042390322                           |                                                      |
| ★ Energy Compensation<br>Sources for Well Logging and<br>Other Regulatory<br>Clarifications-Part 39                                              | 65 FR 20337;<br>(5/17/03)                  | 2000-1  | P<br>ML041880305                             | Y 8/26/04<br>ML042390322                           |                                                      |
| ★ New Dosimetry Technology-<br>Parts 34, 36, 39                                                                                                  | 65 FR 63750;<br>(1/8/04)                   | 2000-2  | F<br>ML041880305                             | N 8/26/04<br>ML042390322                           |                                                      |
| ★ Requirements for Certain<br>Generally Licensed Industrial<br>Devices Containing Byproduct<br>Material - Parts 30, 31, 32                       | 65 FR 79162;<br>(2/16/04)                  | 2001-1  | P<br>ML041880305                             | Y 8/26/04<br>ML042390322                           |                                                      |

| NRC Chronology<br>Identification                          | FR Notice<br>(State Due<br>Date) | RATS ID | Proposed (P) /<br>Final (F)¹ Rule /<br>ML # <sup>5</sup> | NRC Review /<br>Y, N² / Date<br>/ML # <sup>5</sup> | Final State Regulation <sup>1</sup> (Effective Date) |
|-----------------------------------------------------------|----------------------------------|---------|----------------------------------------------------------|----------------------------------------------------|------------------------------------------------------|
| Revision of the Skin Dose<br>Limit-Part 20                | 67 FR 16298;<br>4/5/05           | 2002-1  |                                                          |                                                    |                                                      |
| Medical Use of Byproduct<br>Material-Parts 20, 32, and 35 | 67 FR 20249;<br>4/24/05          | 2002-2  |                                                          |                                                    |                                                      |

- 1. Or other generic Legally Binding Requirements.
- 2. (Y/N) Y means "Yes," there are comments in the review letter that the State needs to address. N means "No," there are no comments in the review letter.
- 3. Not required means these regulations are not required for purposes of compatibility.
- 4. A State need not adopt a specific regulation if the State has no licensees that would be subject to that regulation. See: "Final Policy Statement on Adequacy and Compatibility of Agreement State Programs," III.1. Time Frame for Adoption of Compatible State Regulations, p. 6, SECY-95-112, May 3, 1995.
- 5. ADAMS ML Number