Mr. Robert Walker, Radiation Control Director Department of Public Health Center for Environmental Health Radiation Control Program Schrafft Center, Suite 1M2A 529 Main Street, Charlestown, MA 02129

Dear Mr. Walker:

We have reviewed the final revision to the Massachusetts regulations, "Massachusetts Regulation for the Control of Radiation", received by our office on October 24, 2006. These regulations were reviewed by comparison to the equivalent Nuclear Regulatory Commission (NRC) rules in 10 CFR Parts 19, 20, 30, 31, 32, 34, 35, 36, 39, 40, 61,70, and 150 and the requirements of the 18 amendments identified in the enclosed State Regulation Status (SRS) Data Sheet. We discussed our review of the regulations with Mr. Salifu Dakubu on November 29, 2006.

As a result of our review, we have two comments that have been identified in the enclosure. Both comments, were previously identified in the letter dated January 21, 2005. Please note that we have limited our review to regulations required for compatibility and/or health and safety. We have determined that if these regulations are revised, incorporating our comments and without other significant change, they would meet the compatibility and health and safety categories established in the Office of State and Tribal Programs (STP) Procedure SA-200.

We request that when you revise your regulations to address our comments, a copy of the "as published" regulations be provided to us for review. As requested in STP Procedure SA-201, "Review of State Regulatory Requirements," please highlight the location of any changes made by Massachusetts, in response to our comments and provide a copy to Division of Materials Safety and State Agreements, Office of Federal and State Materials and Environmental Management Programs (FSME) (see letter FSME 06-094 dated October 6, 2006 for further information).

The SRS Data Sheet summarizes our knowledge of the status of other Massachusetts regulations, as indicated. Please let us know if you note any inaccuracies, or have any comments on the information contained in the SRS Data Sheet. This letter, including the SRS Data Sheet, is posted on the FSME website: http://www.hsrd.ornl.gov/nrc/rulemaking.htm.

If you have any questions regarding the comments, the compatibility and health and safety categories, or any of the NRC regulations used in the review, please contact Kathleen Schneider, State Regulation Review Coordinator at 301-415-2320 (e-mail: kxs@nrc.gov), or Andrea Jones at 301-415-2309 (e-mail: arj@nrc.gov).

Sincerely,

VRA BY SWMoore

Scott W. Moore, Deputy Director Division of Materials Safety and State Agreements Office of Federal and State Materials and Environmental Management Programs

Enclosures: As stated If you have any questions regarding the comments, the compatibility and health and safety categories, or any of the NRC regulations used in the review, please contact Kathleen Schneider, State Regulation Review Coordinator at 301-415-2320 (e-mail: kxs@nrc.gov), or Andrea Jones at 301-415-2309 (e-mail: arj@nrc.gov).

Sincerely,

VRA BY SWMoore\

Scott W. Moore, Deputy Director Division of Materials Safety and State Agreements Office of Federal and State Materials and Environmental Management Programs

Enclosures: As stated

Distribution:

DIR RF (6-277) SUNSI Review Complete

DCD (SP08)

☐ Publicly Available ☐ Non-Publicly Available

DWhite, RSAO

✓ Non-Sensitive

☐ Sensitive

AJones, ASPO [MA] File

DOCUMENT NAME: D:\NRC\Regs\Mass regs 6-277.wpd ML of Incoming Document:ML062910213

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with

attachment/enclosure "N" = No copy

| OFFICE | FSME\DILR | FSME\SAIS | OGC | FSME\MSSA:DD | |
|--------|-----------|------------|-----------|--------------|--|
| NAME | AJones | KSchneider | FCameron | SMoore | |
| DATE | 11/15/06* | 11/16/06* | 11/28/06* | 11/30/06* | |

ML063380019 OFFICIAL RECORD COPY

MLPkg.ML063380030

COMPATIBILITY COMMENTS ON MASSACHUSETTS FINAL REGULATIONS

| STA | TE SECTION | NRC SECTION | RATS ID | CATEGORY | SUBJECT and COMMENTS |
|-----|------------|-------------|---------|----------|--|
| 1 | 120.282 | §20.2202 | 1998-5 | С | Notification of incidents In 120.282 (A)(1)(b), 'eye' should be replaced with 'lens' The State needs to replace 'eye' with 'lens' to meet the essential objectives for compatibility Category C. COMMENT STANDS FROM LETTER DATED 01/21/05 |
| 2 | 120.587 | §35.690 | 2002-2 | В | Training for Use of Remote Afterloader Units, Teletherapy Units, and Gamma Stereotactic Radiosurgery Units Massachusetts has omitted the requirements in §35.690(b)(1)(ii) (E) and (F). Massachusetts needs to adopt the requirements of §35.690(b)(1)(ii) (E) and (F) to meet the essential objectives for compatibility Category B. COMMENT STANDS FROM LETTER DATED 01/21/05 |

STATE REGULATION STATUS

State: Massachusetts

[18 amendments reviewed identified by a ★ Tracking Ticket Number: 6-277, 6-278, 6-279 at the beginning of the equivalent NRC requirement.] Date: November 30, 2006

| | arvaient itiko regi | | | 111501 00, 2000 | |
|--|--|---------|--|---|--|
| NRC Chronology Identification | FR Notice (Date Due For State Implementation) | RATS ID | Proposed (P) / Final (F) ² Rule / License Condition (LC) ML # ⁵ | NRC Review / Y, N ² / Date / ML # ⁵ | Final State Regulation ¹ (Effective Date) ⁶ |
| Safety Requirements for Radiographic Equipment- Part 34 | 55 FR 843; (1/10/94) | 1991-1 | F | N 3/3/97 | 3/21/97 |
| ASNT Certification of Radiographers-Part 34 | 56 FR 11504; (none) | 1991-2 | | | Not Required ² |
| Standards for Protection Against Radiation-Part 20 | 56 FR 23360; 56 FR 61352; 57 FR 38588; 57 FR 57877; 58 FR 67657; 59 FR 41641; 60 FR 20183; (1/1/94) | 1991-3 | F | N 3/3/97 | 3/21/97 |
| Notification of Incidents- Parts 20, 30, 31, 34, 39, 40, 70 | 56 FR 64980; (10/15/94) | 1991-4 | F | N 3/3/97 | 3/21/97 |
| Quality Management Program and Misadministrations-Part 35 | 56 FR 34104; (1/27/95) | 1992-1 | F | N 3/3/97 | 3/21/97 |
| Eliminating the Recordkeeping Requirements for Departures from Manufacturer's Instructions- Parts 30,35 | 57 FR 45566; (none) | 1992-2 | | | Not Required ² |
| Decommissioning Recordkeeping and License Termination: Documentation Additions [Restricted areas and spill sites]-Parts 30, 40 | 58 FR 39628; (10/25/96) | 1993-1 | F | N 3/3/97 | 3/21/97 |
| Licensing and Radiation Safety Requirements for Irradiators-Part 36 | 58 FR 7715; (7/1/96) | 1993-2 | F | N 3/3/97 | 3/21/97 |
| Definition of Land Disposal and Waste Site QA Program-Part 61 | 58 FR 33886; (7/22/96) | 1993-3 | F | N 3/3/97 | 3/21/97 |
| Self-Guarantee as an Additional Financial Mechanism-Parts 30, 40, 70 | 58 FR 68726; 59 FR 1618; (none) | 1994-1 | F | N 3/3/97 | 3/21/97 |
| Uranium Mill Tailings Regulations: Conforming NRC Requirements to EPA Standards-Part 40 | 59 FR 28220; (7/1/97) | 1994-2 | | | Not Required ² |
| ★Timeliness in Decommissioning Material Facilities-Parts 30, 40, 70 | 59 FR 36026; (8/15/97) | 1994-3 | F ML062980638 | N 11/30/06 ML063380019 | |

| NRC Chronology Identification | FR Notice (Date Due For State Implementation) | RATS ID | Proposed (P) / Final (F) ² Rule / License Condition (LC) ML # ⁵ | NRC Review / Y, N ² / Date / ML # ⁵ | Final State Regulation ¹ (Effective Date) ⁶ |
|---|--|---------|--|---|---|
| Preparation, Transfer for Commercial Distribution, and Use of Byproduct Material for Medical Use- Parts 30, 32, 35 | 59 FR 61767; 59 FR 65243; 60 FR 322; (1/1/98) | 1995-1 | F | N 9/21/99 | 7/9/99 |
| ★Frequency of Medical Examinations for Use of Respiratory Protection Equipment-Part 20 | 60 FR 7900; (3/13/98) | 1995-2 | F ML062980638 | N 11/30/06 ML063380019 | Not Required ² |
| ★Low-Level Waste Shipment Manifest Information and Reporting- Parts 20, 61 | 60 FR 15649; 60 FR 25983; (3/1/98) | 1995-3 | F ML062980638 | N 11/30/06 ML063380019 | |
| Performance Requirements for Radiography Equipment-Part 34 | 60 FR 28323; (6/30/98) | 1995-4 | | | Superceded by 1997-5 |
| ★Radiation Protection Requirements: Amended Definitions and Criteria-Parts 19, 20 | 60 FR 36038; (8/14/98) | 1995-5 | F ML062980638 | N 11/30/06 ML063380019 | |
| ★Clarification of Decommissioning Funding Requirements-Parts 30, 40, 70 | 60 FR 38235; (11/24/98) | 1995-6 | F ML062980638 | N 11/30/06 ML063380019 | |
| Medical Administration of Radiation and Radioactive Materials-Parts 20, 35 | 60 FR 48623; (10/20/98) | 1995-7 | F | N 9/21/99 | 7/9/99 |
| 10 CFR Part 71: Compatibility with the International Atomic Energy Agency-Part 71 | 60 FR 50248; 61 FR 28724; (4/1/99) | 1996-1 | F | N 9/21/99 | 7/9/99 |
| One Time Extension of Certain Byproduct, Source and Special Nuclear Materials Licenses-Parts 30, 40, 70 | 61 FR 1109; (none) | 1996-2 | | | Not Required ² |
| Termination or Transfer of Licensed Activities: Recordkeeping Requirements-Parts 20, 30, 40, 61, 70 | 61 FR 24669; (6/17/99) | 1996-3 | F | N 9/21/99 | 7/9/99 |
| Resolution of Dual Regulation of Airborne Effluents of Radioactive Materials; Clean Air Act- Part 20 | 61 FR 65120; (1/9/00) | 1997-1 | F | N 9/21/99 | 7/9/99 |
| ★Recognition of Agreement State Licenses in Areas Under Exclusive Federal Jurisdiction Within an Agreement State-Part 150 | 62 FR 1662; (2/27/00) | 1997-2 | F ML062980638 | N 11/30/06 ML063380019 | |

| NRC Chronology Identification | FR Notice (Date Due For State Implementation) | RATS ID | Proposed (P) / Final (F) ² Rule / License Condition (LC) ML # ⁵ | NRC Review / Y, N ² / Date / ML # ⁵ | Final State Regulation ¹ (Effective Date) ⁶ |
|--|--|---------|--|---|---|
| ★Criteria for the Release of Individuals Administered Radioactive Material-Parts 20, 35 | 62 FR 4120; (5/29/00) | 1997-3 | F ML062980638 | N 11/30/06 ML063380019 | 7/9/99 |
| Fissile Material Shipments and Exemptions-Part 71 | 62 FR 5907; (none) | 1997-4 | | | Not Required ² |
| Licenses for Industrial Radiography and Radiation Safety Requirements for Industrial Radiography Operations-Parts 30, 34, 71, 150 | 62 FR 28947; (6/27/00) | 1997-5 | F | N 9/21/99 | 7/9/99 |
| ★Radiological Criteria for License Termination-Parts 20, 30, 40, 70 | 62 FR 39057; (8/20/00) | 1997-6 | F ML062980638 | N 11/30/06 ML063380019 | |
| Exempt Distribution of a Radioactive Drug Containing One Microcurie of Carbon- 14 Urea-Part 30 | 62 FR 63634; (1/02/01) | 1997-7 | F | N 9/21/99 | 7/9/99 |
| ★Deliberate Misconduct by Unlicensed Persons-Parts 30, 40, 61, 70, 71, 150 | 63 FR 1890; 63 FR 13773; (2/12/01) | 1998-1 | F ML062980638 | N 11/30/06 ML063380019 | |
| Self-Guarantee of Decommissioning Funding by Nonprofit and Non-Bond- Issuing Licensees- Parts 30, 40, 70 | 63 FR 29535; (none) | 1998-2 | | | Not Required ² |
| License Term for Medical Use Licenses-Part 35 | 63 FR 31604; (none) | 1998-3 | | | Not Required ² |
| ★Licenses for Industrial Radiography and Radiation Safety Requirements for Industrial Radiographic Operations-Part 34 | 63 FR 37059; (7/9/01) | 1998-4 | F ML062980638 | N 11/30/06 ML063380019 | |
| ★Minor Corrections, Clarifying Changes, and a Minor Policy Change-Parts 20, 35, 36 | 63 FR 39477; 63 FR 45393; (10/26/01) | 1998-5 | F ML062980638 | Y 11/30/06 ML063380019 | |
| ★Transfer for Disposal and Manifests: Minor Technical Conforming Amendment- Part 20 | 63 FR 50127; (11/20/01) | 1998-6 | F ML062980638 | N 11/30/06 ML063380019 | |
| Radiological Criteria for License Termination of Uranium Recovery Facilities- Part 40 | 64 FR 17506; (6/11/02) | 1999-1 | | | Not Required ² |

| NRC Chronology Identification | FR Notice (Date Due For State Implementation) | RATS ID | Proposed (P) / Final (F) ² Rule / License Condition (LC) ML # ⁵ | NRC Review / Y, N ² / Date / ML # ⁵ | Final State Regulation ¹ (Effective Date) ⁶ |
|--|--|---------|--|---|---|
| Requirements for Those Who Possess Certain Industrial Devices Containing Byproduct Material to Provide Requested Information-Part 31 | 64 FR 42269; (none) | 1999-2 | | | Not Required ² |
| ★Respiratory Protection and Controls to Restrict Internal Exposure-Part 20 | 64 FR 54543; 64 FR 55524; (2/2/03) | 1999-3 | F ML062980638 | N 11/30/06 ML063380019 | |
| ★ Energy Compensation Sources for Well Logging and Other Regulatory Clarifications-Part 39 | 65 FR 20337; (5/17/03) | 2000-1 | F ML062980638 | N 11/30/06 ML063380019 | |
| ★New Dosimetry Technology-Parts 34, 36, 39 | 65 FR 63750; (1/8/04) | 2000-2 | F ML062980638 | N 11/30/06 ML063380019 | |
| ★Requirements for Certain Generally Licensed Industrial Devices Containing Byproduct Material-Parts 30, 31, 32 | 65 FR 79162; (2/16/04) | 2001-1 | F ML062980638 | N 11/30/06 ML063380019 | |
| ★ Revision of the Skin Dose Limit-Part 20 | 67 FR 16298; (4/5/05) | 2002-1 | F ML062980638 | N 11/30/06 ML063380019 050250339 | |
| ★Medical Use of Byproduct Material-Parts 20, 32, and 35 | 67 FR 20249; (4/24/05) | 2002-2 | F ML062980638 | Y 11/30/06 ML063380019 | |
| Financial Assurance for Materials Licensees – Parts 30, 40, 70 | 68 FR 57327 12/3/06 | 2003-1 | | | |
| Compatibility With IAEA Transportation Safety Standards and Other Transportation Safety Amendments – Part 71. | 69 FR 3697; (10/01/07) | 2004-1 | | | |
| Security Requirements for Portable Gauges Containing Byproduct Material - Part 30 | 70 FR 2001; (7/11/08) | 2005-1 | | | |
| Medical Use of Byproduct Material - Recognition of Speciality Boards - Part 35 | 70 FR 16336; 71 FR 1926 (4/29/08) | 2005-2 | | | |
| Increased Controls for Risk- Significant Radioactive Sources (NRC Order EA-05-090) ⁶ | 70 FR 72128; (12/1/05) | 2005-3 | LC ML052780024 | N 10/4/05 ML052780024 | |

| NRC Chronology Identification | FR Notice (Date Due For State Implementation) | RATS ID | Proposed (P) / Final (F) ² Rule / License Condition (LC) ML # ⁵ | NRC Review / Y, N ² / Date / ML # ⁵ | Final State Regulation ¹ (Effective Date) ⁶ |
|---|--|---------|--|---|---|
| Minor Amendments - Parts 20, 30, 32, 35, 40, and 70 | 71 FR 15005 (3/27/09) | 2006-1 | | | |

- 1. Or other generic Legally Binding Requirements.
- 2. (Y/N) Y means "Yes," there are comments in the review letter that the State needs to address. N means "No," there are no comments in the review letter.
- 3. Not Required means these regulations are not required for purposes of compatibility.
- 4. A State need not adopt a specific regulation if the State has no licensees that would be subject to that regulation. See "Final Policy Statement on Adequacy and Compatibility of Agreement State Programs." III.1. Time Frame for Adoption of Compatible State Regulations, p.6, SECY-95-112, May3, 1995.
- 5. ADAMS ML Number#.
- 6. By letter dated September 2, 2005, from Paul H. Lohaus, Director, Office of State and Tribal Programs, Agreement States were given 90 days to issue legally binding requirements satisfying the requirements of NRC Order EA-05-090.
- 7. A re-review was completed on this item due to the change in compatibility category of 31.5 and 31.6. More information can be found in the All Agreement States letter STP 05-072.