

October 31, 2003

Mr. Mike Broderick
Environmental Program Administrator
Radiation Management Section
Oklahoma Department of Environmental Quality
P. O. Box 1677
Oklahoma City, OK 73101-1677

Dear Mr. Broderick:

We have reviewed the proposed changes to the Oklahoma regulations, Title 252, Chapter 252 "*Radiation Management*", received by our office on September 9, 2003. Our review and comments are in response to the State's request for Nuclear Regulatory Commission (NRC) evaluation of the changes to the Oklahoma Radiation Control Rules. These regulations were reviewed by comparison to the equivalent NRC rules in 10 CFR Parts 20 and 33 and 36. The changes did not correlate to any specific requirements of any amendments identified in the enclosed States Regulation Status data sheet (SRS). We discussed our review of the regulations with Mike Broderick on October 31, 2003.

As a result of our review, we have one general comment.

1. During our phone conversation in October, it was stated that your intention was not to submit any rule changes that pertained to compatibility areas and the changes were to be nomenclature and editorial only. During the review however, we found some changes in areas of compatibility. The changes to section 252:410-15-8 are an example of an alteration to a rule section with NRC compatibility requirements. We found no compatibility problems with any of the changed text. However, we would like to make it clear that if it was the intention of the State to submit rule text to meet the requirements of a specific amendment listed on the attached SRS, this rule submission is not complete. In addition, for this submission, in the areas that were identified to be of a compatibility nature, the review only consisted of verifying that the changed text met compatibility and not that the entire section that encompassed the text change, met the compatibility requirement of the equivalent CFR section. As an example for clarification, the submitted underlined changes to section 252:410-15-8, meet the compatibility requirements of the equivalent text in 34.47, but the State did not submit all of the required compatibility text of this section, i.e. 34.47(g) (1-4). So this compatibility finding does not imply that the State's section on radiographic personal dosimetry is compatible. Additionally, if the State submitted these changes to establish that their entire radiography section is compatible, we can not make this determination with the rule text submitted.

Please provide a final amended version of your rules showing the location of any changes made in response to our comments. If there are any comments which the State believes are in error, the State should identify the section of their regulations that meet the designated compatibility category. Please note that we have limited our review to regulations required for compatibility and/or health and safety, but have determined that if these regulations are adopted, incorporating our comments and without significant change, they would meet the compatibility and health and safety categories established in the Office of State and Tribal Programs (STP) Procedure [SA-200](#).

The SRS Data Sheet summarizes our knowledge of the status of other Oklahoma regulations. Please let us know if you note any inaccuracies, or have any comments on the information contained in the SRS Data Sheet. This letter including the SRS Data Sheet is posted on the STP Web Site: <http://www.hsrcd.ornl.gov/nrc/rulemaking.htm>.

If you have any questions regarding the comments, the compatibility and health categories, or any of the NRC regulations used in the review, please contact me or John Zabko of my staff at (301) 415-2308 or JGZ@NRC.GOV.

Sincerely,

IRA By KX Schneider for

Josephine M. Piccone, Deputy Director
Office of State and Tribal Programs

Enclosures:
As stated

Please provide a final amended version of your rules showing the location of any changes made in response to our comments. If there are any comments which the State believes are in error, the State should identify the section of their regulations that meet the designated compatibility category. Please note that we have limited our review to regulations required for compatibility and/or health and safety, but have determined that if these regulations are adopted, incorporating our comments and without significant change, they would meet the compatibility and health and safety categories established in the Office of State and Tribal Programs (STP) Procedure SA-200.

The SRS Data Sheet summarizes our knowledge of the status of other Oklahoma regulations. Please let us know if you note any inaccuracies, or have any comments on the information contained in the SRS Data Sheet. This letter including the SRS Data Sheet is posted on the STP Web Site: <http://www.hsrdrn.gov/nrc/rulemaking.htm>.

If you have any questions regarding the comments, the compatibility and health categories, or any of the NRC regulations used in the review, please contact me or John Zabko of my staff at (301) 415-2308 or JGZ@NRC.GOV.

Sincerely,

IRA By KX Schneider for

Josephine M. Piccone, Deputy Director
Office of State and Tribal Programs

Enclosure: As stated

Distribution:

DIR RF (3-220)
R. Blanton ASPO
BUsilton

DCD (SP08) PDR (YES_✓)
L. McLean

Oklahoma File Response to Incoming Document: **ML032530304**

DOCUMENT NAME: C:\NRC\Regs\Oklahoma(3-220).wpd

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	STP	OGC	STP:DD
NAME	JZabko*	STreby*	KSchneider for JPiccone*
DATE	10/20/02*	10/30/03*	10/31/03*

ML033040428

OFFICIAL RECORD COPY

STATE REGULATION STATUS

State: Oklahoma
(No amendments reviewed)

Tracking Ticket Number: 3-220
Date: October 31, 2003

NRC Chronology Identification	FR Notice (Date Due for State Implementation)	RATS ID	Proposed (P) / Final (F)¹ Rule / ML #⁵	NRC Review / Y, N² / Date / ML #⁵	Final State Regulation¹ (Effective Date)
Safety Requirements for Radiographic Equipment-Part 34	55 FR 843; (1/10/94)	1991-1		9/16/99	9/29/00
ASNT Certification of Radiographers-Part 34	56 FR 11504; (none)	1991-2			Not required ³
Standards for Protection Against Radiation-Part 20	56 FR 23360; 56 FR 61352; 57 FR 38588; 57 FR 57877; 58 FR 67657; 59 FR 41641; 60 FR 20183; (1/1/94)	1991-3		5/20/97	9/29/00
Notification of Incidents-Parts 20, 30, 31, 34, 39, 40, 70	56 FR 64980; (10/15/94)	1991-4		9/16/99	9/29/00
Quality Management Program and Misadministrations-Part 35	56 FR 34104; (1/27/95)	1992-1		9/16/99	9/29/00
Eliminating the Recordkeeping Requirements for Departures from Manufacturer's Instructions-Parts 30,35	57 FR 45566; (none)	1992-2			Not required ³
Decommissioning Recordkeeping and License Termination: Documentation Additions [Restricted areas and spill sites]-Parts 30, 40	58 FR 39628; (10/25/96)	1993-1		9/16/99	9/29/00
Licensing and Radiation Safety Requirements for Irradiators-Part 36	58 FR 7715; (7/1/96)	1993-2			Not applicable SECY-95-112 ⁴
Definition of Land Disposal and Waste Site QA Program-Part 61	58 FR 33886; (7/22/96)	1993-3			Not applicable SECY-95-112 ⁴
Self-Guarantee as an Additional Financial Mechanism-Parts 30, 40, 70	58 FR 68726; 59 FR 1618 (none)	1994-1			Not required ³
Uranium Mill Tailings Regulations: Conforming NRC Requirements to EPA Standards-Part 40	59 FR 28220; (7/1/97)	1994-2			Not applicable to OK
Timeliness in Decommissioning Material Facilities-Parts 30, 40, 70	59 FR 36026; (8/15/97)	1994-3		9/16/99	9/29/00
Preparation, Transfer for Commercial Distribution, and Use of Byproduct Material for Medical Use-Parts 30, 32, 35	59 FR 61767; 59 FR 65243 60 FR 322; (1/1/98)	1995-1		9/16/99	9/29/00

NRC Chronology Identification	FR Notice (Date Due for State Implementation)	RATS ID	Proposed (P) / Final (F)¹ Rule / ML #⁵	NRC Review / Y, N² / Date / ML #⁵	Final State Regulation¹ (Effective Date)
Frequency of Medical Examinations for Use of Respiratory Protection Equipment- Part 20	60 FR 7900; (3/13/98)	1995-2		5/20/97	9/29/00
Low-Level Waste Shipment Manifest Information and Reporting-Parts 20, 61	60 FR 15649; 60 FR 25983 (3/1/98)	1995-3		9/16/99	9/29/00
Performance Requirements for Radiography Equipment-Part 34	60 FR 28323; (6/30/98)	1995-4		9/16/99	9/29/00
Radiation Protection Requirements: Amended Definitions and Criteria-Parts 19, 20	60 FR 36038; (8/14/98)	1995-5		9/16/99	9/29/00
Clarification of Decommissioning Funding Requirements-Parts 30, 40, 70	60 FR 38235; (11/24/98)	1995-6		9/16/99	9/29/00
Medical Administration of Radiation and Radioactive Materials-Parts 20, 35	60 FR 48624; (10/20/98)	1995-7		9/16/99	9/29/00
10 CFR Part 71: Compatibility with the International Atomic Energy Agency-Part 71	60 FR 50247; 62 FR 28724 (4/1/99)	1996-1		9/16/99	9/29/00
One Time Extension of Certain Byproduct, Source and Special Nuclear Materials Licenses-Parts 30, 40, 70	61 FR 1109; (none)	1996-2			Not required ³
Termination or Transfer of Licensed Activities: Recordkeeping Requirements-Parts 20, 30, 40, 61, 70	61 FR 24669; (6/17/99)	1996-3		9/16/99	9/29/00
Resolution of Dual Regulation of Airborne Effluents of Radioactive Materials; Clean Air Act-Part 20	61 FR 65120; (1/9/00)	1997-1		5/20/97	9/29/00
Recognition of Agreement State Licenses in Areas Under Exclusive Federal Jurisdiction Within an Agreement State-Part 150	62 FR 1662; (2/27/00)	1997-2		9/16/99	9/29/00
Criteria for the Release of Individuals Administered Radioactive Material-Parts 20, 35	62 FR 4120; (5/29/00)	1997-3		9/16/99	9/29/00
Fissile Material Shipments and Exemptions-Part 71	62 FR 5907; (none)	1997-4			Not required ³

NRC Chronology Identification	FR Notice (Date Due for State Implementation)	RATS ID	Proposed (P) / Final (F) ¹ Rule / ML # ⁵	NRC Review / Y, N ² / Date / ML # ⁵	Final State Regulation ¹ (Effective Date)
Licenses for Industrial Radiography and Radiation Safety Requirements for Industrial Radiography Operations-Parts 30, 34, 71, 150	62 FR 28947; (6/27/00)	1997-5		9/16/99	9/29/00
Radiological Criteria for License Termination-Parts 20, 30, 40, 70	62 FR 39057; (8/20/00)	1997-6		9/16/99	9/29/00
Exempt Distribution of a Radioactive Drug Containing One Microcurie of Carbon-14 Urea-Part 30	62 FR 63634; (1/02/01)	1997-7			
Deliberate Misconduct by Unlicensed Persons-Parts 30, 40, 61, 70, 71, 150	63 FR 1890; 63 FR 13773 (2/12/01)	1998-1			
Self-Guarantee of Decommissioning Funding by Nonprofit and Non-Bond-Issuing Licensees- Parts 30, 40, 70	63 FR 29535; (none)	1998-2			Not required ³
License Term for Medical Use Licenses-Part 35	63 FR 31604; (none)	1998-3			Not required ³
Licenses for Industrial Radiography and Radiation Safety Requirements for Industrial Radiographic Operations-Part 34	63 FR 37059; (7/9/01)	1998-4			
Minor Corrections, Clarifying Changes, and a Minor Policy Change-Parts 20, 35, 36	63 FR 39477; 63 FR 45393 (10/26/01)	1998-5			
Transfer for Disposal and Manifests: Minor Technical Conforming Amendment-Part 20	63 FR 50127; (11/20/01)	1998-6			
Radiological Criteria for License Termination of Uranium Recovery Facilities-Part 40	64 FR 17506; (6/11/02)	1999-1			
Requirements for Those Who Possess Certain Industrial Devices Containing Byproduct Material to Provide Requested Information-Part 31	64 FR 42269; (none)	1999-2			Not required ³
Respiratory Protection and Controls to Restrict Internal Exposure-Part 20	64 FR 54543; 64 FR 55524 (2/2/03)	1999-3	P ML020390195	N 3/12/02 ML020720540	
Energy Compensation Sources for Well Logging and Other Regulatory Clarifications-Part 39	65 FR 20337; (5/17/03)	2000-1	P ML020390195	N 3/12/02 ML020720540	

NRC Chronology Identification	FR Notice (Date Due for State Implementation)	RATS ID	Proposed (P) / Final (F) ¹ Rule / ML # ⁵	NRC Review / Y, N ² / Date / ML # ⁵	Final State Regulation ¹ (Effective Date)
New Dosimetry Technology- Parts 34, 36, 39	65 FR 63750; (1/8/04)	2000-2	P ML020390195	N 3/12/02 ML020720540	
Requirements for Certain Generally Licensed Industrial Devices Containing Byproduct Material - Parts 30, 31, 32	65 FR 79162; (2/16/04)	2001-1			
Revision of the Skin Dose Limit-Part 20	67 FR 16298; (4/5/05)	2002-1			
Medical Use of Byproduct Material-Parts 20, 32, and 35	67 FR 20249; (4/24/05)	2002-2			

1. Or other generic Legally Binding Requirements.
2. (Y/N) Y means "Yes," there are comments in the review letter that the State needs to address. N means "No," there are no comments in the review letter.
3. Not required means these regulations are not required for purposes of compatibility.
4. A State need not adopt a specific regulation if the State has no licensees that would be subject to that regulation. See: "Final Policy Statement on Adequacy and Compatibility of Agreement State Programs," III.1. Time Frame for Adoption of Compatible State Regulations, p. 6, SECY-95-112, May 3, 1995.
5. ADAMS ML Number