

February 12, 2008

David J. Allard, CHP, Director
Bureau of Radiation Protection
Department of Environmental Protection
Rachel Carson State Office Bldg.
P.O. Box 8469
Harrisburg, PA 17105-8469

Dear Mr. Allard:

We have reviewed the Pennsylvania license condition that was submitted to address 10 CFR 71 received by our office on January 22, 2008. This license condition was reviewed by comparison to the equivalent NRC rules in 10 CFR 71. We discussed our review of the license condition with Ben Seiber on February 11, 2008.

As a result of our review, we have no comments. We have determined that the Pennsylvania license condition meets the compatibility and health and safety categories established in the Office of Federal and State Materials and Environmental Management Programs (FSME) Procedure [SA-200](#). This letter is posted on the FSME website: <http://www.hsr.d.ornl.gov/nrc/rulemaking.htm>.

If you have any questions regarding the review results, the compatibility and health and safety categories, or any of the NRC regulations used in the review, please contact Kathleen Schneider, State Regulation Review Coordinator at (301) 415-2320 (email: kxs@nrc.gov) or Monica Orendi at (301) 415-3938 (email: mlo1@nrc.gov).

Sincerely,

RA By ADWhite For

Robert J. Lewis, Deputy Director
Division of Materials Safety and State Agreements
Office of Federal and State Materials and
Environmental Management Programs

Enclosures:
As stated

February 12, 2008

David J. Allard, CHP, Director
Bureau of Radiation Protection
Department of Environmental Protection
Rachel Carson State Office Bldg.
P.O. Box 8469
Harrisburg, PA 17105-8469

Dear Mr. Allard:

We have reviewed the Pennsylvania license condition that was submitted to address 10 CFR 71 received by our office on January 22, 2008. This license condition was reviewed by comparison to the equivalent NRC rules in 10 CFR 71. We discussed our review of the license condition with Ben Seiber on February 11, 2008.

As a result of our review, we have no comments. We have determined that the Pennsylvania license condition meets the compatibility and health and safety categories established in the Office of Federal and State Materials and Environmental Management Programs (FSME) Procedure SA-200. This letter is posted on the FSME website:
<http://www.hsr.doe.gov/nrc/rulemaking.htm>.

If you have any questions regarding the review results, the compatibility and health and safety categories, or any of the NRC regulations used in the review, please contact Kathleen Schneider, State Regulation Review Coordinator at (301) 415-2320 (email: kxs@nrc.gov) or Monica Orendi at (301) 415-3938 (email: mlo1@nrc.gov).

Sincerely,

IRA By ADWhite For

Robert J. Lewis, Deputy Director
Division of Materials Safety and State Agreements
Office of Federal and State Materials and
Environmental Management Programs

Enclosures: As stated

Distribution:

DIR RF (8-8)

DCD (SP05)

DJanda, RSAO

MOrendi

SUNSI Review Complete

Publicly Available Non-Publicly Available

Non-Sensitive Sensitive

[PA] File

DOCUMENT NAME: G:\DMSSA\SAISB\REGULATION TOOLBOX\States\Pennsylvania\8-8\8-8.doc

ML of Incoming Document: ML080230311

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	SAISB	SAISB	OGC	SAIS:BC	MSSA:DD
NAME	MOrendi	DWhite for KSchneider	BJones	DWhite	RLewis
DATE	01/30/08*	01/30/08*	02/11/08*	02/12/08*	02/12/08*

ML080430325

OFFICIAL RECORD COPY