

# Index

---

Note: \* indicates the term also appears in the Glossary (Appendix I). Page numbers in bold indicate page spans for entire chapters. Page numbers in italics denote tables, figures and boxed material.

A regional database, which lists all references and can be searched by region and by topic, is on the CD-ROM included in this volume.

## A

**Abatement**, 757-758

**Abrupt climate change**, 35, 374, 375, 377-378, 596

**Access to technology/resources**, 441, 791, 813, 816, 826-827

**Acclimation/ Acclimatisation\***, 246-248, 557

**Acidification**. *See* Ocean acidification

**Active layer\***, 88, 663

**Adaptability**. *See* Adaptive capacity

**Adaptation\***, 65-76, 81-82, 117, **717-743**, 748, 781

Adaptation Policy Framework (APF), 732-733

anticipatory, 723, 798

autonomous (*See* Autonomous adaptation)

barriers to, 69, 525-526, 638, 719, 733-737, 798, 815

context, 378

costs and benefits (*See* Adaptation costs and benefits)

deficit, 835

definition, 27, 750

differences from mitigation, 750

enhancement, opportunities and constraints, 731-737

examples of, 65, 722

factors in, 378, 383-384, 719, 720

implementation, 53, 65, 766-770, 815-816

indigenous knowledge in, 456-457, 832, 833

inter-relationship with mitigation (*See* Adaptation and mitigation inter-relationships)

international and national actions, 53, 416-417, 731-733

introduction, 719-720, 748-750

key issues, 383-384

limits to, 69, 199, 417, 492, 719, 733-737

mainstreaming, 55, 65, 471, 513, 637-638, 639, 732, 749, 768, 818, 832-836

mitigation and (*See* Adaptation and mitigation inter-relationships)

multiple stresses and, 719, 729, 816-819

National Adaptation Programmes (Plans) of Action (NAPAs), 69, 719, 731-732

opportunities, co-benefits and challenges for, 832-836

opposing views on, 786

planned (*See* Planned adaptation)

policy window hypothesis, 733

portfolio, 71-72, 76, 747, 749, 760-763, 813, 827

potential, 69, 782, 786, 798, 804

practices/examples, 65, 117, 719, 720-727, 821

process/processes, 513, 720-721

reactive vs. proactive, 452, 719, 721

regional, 111-112, 722, 757-760

resilience and, 721

response capacity, 763-766, 767

response strategies, 69, 70, 781-782, 797-804

scales of, 747, 749, 753-754, 767-769

scenarios, 156-158, 719, 724

substitutability for mitigation, 749, 753-754, 766-767

sustainable development and, 813, 814-816

synergies, 72, 747, 754-756, 762-763, 813, 835

technology and, 727-728, 734

thresholds, 733-734

wealth, resources and development and, 43, 69, 276, 279, 620, 719, 755, 764-766, 767, 791, 814

*See also* Adaptation assessment; Adaptive capacity; *specific systems and regions*

**Adaptation and mitigation inter-relationships**, 70-73, **745-777**, 827-832

climate policy and institutions, 766-769

complementarity, 749, 750

cost-benefit analyses, 747, 754, 756, 757, 800

cost-effectiveness analyses, 755, 800

decision processes, stakeholder objectives and scale, 72, 747, 752-754

definitions, 749

differences, similarities and complementarities, 750

implementation, 766-770

inter-relationships and damages avoided, 747, 754-760, 783

inter-relationships, types of, 747, 750, 761, 762

introduction, 748-750

mainstreaming, 749, 768

overview, 748, 761

portfolio, 71-72, 76, 747, 749, 760-763, 813, 827

- regions and sectors, 757-760  
 response capacity and development pathways, 747, 763-766, 767, 771  
 scales, 747, 749, 753-754, 767-769  
 substitutability, 749, 753-754, 766-767  
 summary of knowledge from TAR, 751-752  
 sustainable development and, 747, 751, 765-766  
 synergies, 72, 76, 747, 749, 754-756, 762, 813, 827-832, 837  
 Tolerable Windows Approach (TWA), 754-755, 802  
 trade-offs, 72, 747, 749, 751, 754-756, 762  
 uncertainties, unknowns and priorities for research, 770-771
- Adaptation assessment\***, 137-138, **717-743**  
 assessment of adaptive capacity, 727-731  
 as bottom-up approach, 136, 749  
 characteristics summarised, 137  
 concepts and methods, 719-720  
 costs and benefits, 719, 724-727, 734, 800  
 current adaptation practices, 720-727  
 enhancing adaptation, 731-737  
 introduction, 719-720  
 See also CCAV assessment
- Adaptation costs and benefits\***, 65, 719, 724-727, 734-735, 756-757, 781-782, 798, 836  
 in Africa, 435, 452, 453-454, 453  
 in coastal systems, 40-41, 317, 336-339, 342, 343, 725  
 comprehensive estimates, lack of, 69  
 cost-benefit analyses, 747, 754, 756, 757, 800  
 cost-effectiveness analyses, 755, 800  
 damages avoided, 77-78, 295, 754-760, 798-803  
 weighing, 72, 782  
 See also Trade-offs
- Adaptive capacity\***, 69, 72-73, 382-383, 727-731, 786  
 in Africa, 48-49, 64, 69, 435, 454, 459  
 in Asia, 492  
 assessment of, 727-731  
 in Australia/New Zealand region, 50  
 changes over time, 729-731  
 in coastal systems, 317, 318-322, 324-336, 344, 786  
 determinants of, 791, 814  
 development and, 69, 317, 336, 364, 755  
 differences across human societies, 383  
 differential, 719, 728-729, 730  
 elements of, 727-728  
 in Europe, 547  
 exceedence of, 781  
 in food, fibre and forest products, 275, 279-280  
 in human health, 43, 393, 406  
 in India, 71  
 in Latin America, 584, 605  
 mitigation and, 750, 827-832  
 in mountain ecosystems, 52  
 multiple stresses and, 719, 729  
 perceptions of, 735  
 in polar regions, 658-660, 661  
 of poor communities, 359, 492, 720  
 in small islands, 706-709  
 of social systems, 782, 791, 798  
 sustainable development, linkages with, 76, 817-819, 837  
 in water sector, 199  
 See also Capacity building; Coping ranges; Response capacity; *specific systems and regions*
- Advances in knowledge**, 76-78
- Aedes aegypti* (now *Stegomyia aegypti*)**, 403-404, 524
- Aeroallergens**, 402-403
- Aerosols\***  
 from biomass burning, 53, 583, 590  
 direct and indirect effects, 84  
 human health and, 402, 590
- Afforestation\***, 599, 750, 758, 759, 761
- Africa**, 48-49, 59, **433-467**  
 access to resources/technology, 441  
 adaptation, 416, 452-454, 459, 722, 726, 767-769  
 adaptation limits, 734  
 adaptive capacity, 48-49, 64, 435, 454, 459  
 agriculture, 48, 297, 435, 439, 441, 442, 445, 447-448, 451, 452, 459  
 assumptions about future trends, 443-444  
 biodiversity, 48, 223, 242, 435, 439, 449, 449  
 case studies, 454-457  
 climate and weather, 436-437, 458  
 climate variability, 435, 436-437, 439, 448, 454  
 coastal zones, 40, 439-440, 448, 449, 450, 451  
 current sensitivity/vulnerability, 435, 436-443, 451  
 disasters and conflicts, 442-443, 447, 451, 459  
 droughts, 237, 278, 287, 437, 734  
 economies, 440-441, 454  
 ecosystems, 48, 213-214, 243-244, 435, 439, 442, 449, 451, 459  
 energy, 442, 446, 459, 767-769  
 extreme weather events, 377, 437, 444  
 fires, 435, 442  
 fisheries, 281, 435, 448, 449  
 floods, 377, 398, 414, 435, 437, 447  
 food security/insecurity, 38, 48, 275, 280, 297, 300, 399, 435, 440, 454-456, 719  
 forests, 299, 435, 439, 442  
 future impacts and vulnerabilities, 38, 48-49, 59, 280, 444-450, 451, 788, 791, 825, 829  
 globalisation, trade and market reforms, 440-441  
 governance and institutions, 441  
 HIV/AIDS in, 69, 399, 406, 440, 441, 442, 448  
 hotspots/risk areas, 438  
 human health, 48, 108-109, 399-400, 416, 435, 436, 437-439, 441, 442, 446-447, 459  
 human population, 441  
 human settlements, industry and infrastructure, 439-440, 450  
 hydropower generation, 768-769  
 indigenous knowledge systems, 456-457  
 infrastructure, 439-440, 441, 450, 453  
 introduction, 435-436  
 Kilimanjaro, Mt., 48, 439, 440, 449  
 livestock, 278, 287, 447, 448  
 malaria, 48, 108-109, 400, 404, 406, 408, 409, 437-439,

- 446  
 market impacts, 791  
 migration, 437, 441, 452  
 multiple stresses, 48, 69, 435, 436, 440, 442, 454, 457  
 New Partnership for Africa's Development (NEPAD), 767  
 observed changes, 30, 91, 108-109, 115-116  
 pastoralist coping strategies, 293, 457  
 population and environment interactions, 441  
 precipitation, 151, 436  
 resilience in, 48-49, 452, 453  
 rivers/river basins, 445, 446, 767-769  
 Sahel region, 216, 224, 237, 436, 437, 444  
 savannas, 225, 226  
 sea-level rise, 346, 435, 447, 450  
 smallholder farmers, 731  
 socio-economic scenarios, 297, 444  
 sustainable development, 457  
 temperature, 150, 436  
 tourism, 435, 439, 449, 450, 459  
 uncertainties and research priorities, 457-460  
 ungulates, 226  
 urban indicators, 363  
 vegetation cover, 436-437  
 vulnerability/risk, 40, 48-49, 64, 444-450, 451, 459, 788, 791  
 water resources, 48, 91, 284, 370, 377, 435, 437, 441-442, 444-446, 451, 458-459  
 water stress, 48, 435, 437, 444, 445, 451  
 West African Monetary Union (WAMU), 767
- African horse sickness (AHS)**, 555  
**African Succulent Karoo**, 223, 243, 449, 792  
**Aggregate impacts\***, 64-65, 75, 784, 787, 790, 796-797, 813, 821-825  
 estimates of, history and present state of, 64-65, 813, 821-824  
 larger-scale aggregation, 82, 112-116  
 limitations of, 43, 65, 813  
 spatially-explicit methods, 824-825, 836
- Agriculture**  
 adaptation, 38-39, 117, 294-296, 300, 721, 725-726, 760  
 adaptation costs, 725-726, 734  
 adaptation options, 70  
 in Africa, 48, 297, 435, 439, 441, 442, 445, 447-448, 451, 452, 459  
 in Asia, 49, 471, 472, 475, 479-483  
 in Australia/New Zealand region, 50, 509, 516, 518-520, 525, 528, 529  
 biotechnology and, 296, 452, 555-556  
 in coastal systems, 333  
 costs, 296-297  
 El Niño Southern Oscillation (ENSO) effects on, 277  
 in Europe, 52, 543, 545-546, 548-549, 554-556, 558, 560-561, 565  
 extreme events and, 277, 277, 278  
 global area in cropland, 816  
 global production, temperature increase and, 790  
 growing season (*See* Growing season)  
 importance of, 276  
 in Latin America, 54, 281, 584, 586, 591, 592, 597, 598, 601-602  
 multiple stresses, 279  
 in North America, 620, 623-624, 627, 631, 636  
 observed changes, 81-82, 104-106  
 phenology, 31, 81, 105  
 in polar regions, 668  
 projected changes, 38  
 in small islands, 58, 689, 698-700  
 soil erosion and, 190  
 subsistence and smallholder, 39, 275, 279, 281-282, 293-294, 413, 435, 490, 731  
 supply and demand in, 280-281  
 trade and, 275, 276, 284, 297, 300  
 vulnerability/risk, 31, 82, 787, 790, 791, 802  
 wastewater irrigation of crops, 189  
 water balance and, 280  
*See also* Crop yields; Crops; Food, fibre and forest products; Livestock; Soil; *specific crops*
- AIR-CLIM Project**, 139  
**Air pollution**, 84  
 direct and indirect effects, 84  
 effects on plants, 276, 278  
 in Europe, 557-558  
 from forest fires, 402  
 human health and, 401-402, 408-412  
 in North America, 632  
**Air quality**, 84, 372, 394  
 in Asia, 487  
 disease and, 401-402, 408-412, 413  
**Albedo\***, 84, 231  
 global effect of regional changes in, 661  
 increase due to planned adaptation, 381  
 in polar regions, 655, 656, 661  
**Algal blooms\***, 97, 188, 277, 449, 487, 551  
 algal community changes, 98  
 dissolved inorganic carbon and, 329-330  
 harmful (HAB), 96, 234, 328, 400, 551, 556  
 red tides, 485  
*See also* Phytoplankton; Zooplankton
- Alien species.** *See* Invasive species and invasive alien species (IAS)  
**Allergens**, 31, 82, 109, 393, 402-403, 558  
**Alpine\* ecosystems**, 50, 52, 99, 232-233  
 adaptation limits/limitations, 52, 543, 559  
*See also* Mountain regions  
**Alps.** *See* Europe, European Alps  
**Amazon region**  
 drought in, 400  
 fire in, 588  
 forest replacement by savanna, 54, 583  
 forests, 54, 218, 241, 243, 281, 594-595, 596  
 Large Scale Biosphere-Atmosphere Experiment, 604  
**AMICA project**, 769  
**Amphibians**  
 in Europe, 52, 543, 554, 565  
 extinctions of, 103, 230, 233, 586, 590  
 in Latin America, 586, 590

- in North America, 622, 630  
phenology, 100
- Analogues**, 32, 145, 146, 382
- Andes region**, 28, 184, 187, 585
- Annular modes**, 794
- Anopheles*, 416
- Anopheles arabiensis*, 108, 439
- Anopheles gambiae*, 439
- Antarctic Oscillation (AAO)**, 794
- Antarctic region**. *See* Polar regions. *See also* Small islands
- Anthropogenic\* climate change**, 26, 28, 81, 781  
larger-scale attribution studies, 112-116  
linking climate-change causes with observed effects, 29  
*See also* Climate change; Dangerous anthropogenic interference; Detection and attribution; Vulnerability assessment
- AOGCM**. *See* Climate models
- Aquaculture\***, 276-277, 281, 291-292  
in Asia, 49, 281, 482  
in Europe, 555-556, 561  
in Latin America, 593
- Aquatic ecosystems**. *See* Freshwater resources and management; Marine ecosystems
- Aquifers\***  
coastal, 331  
in North America, 629  
observed changes, 90  
salinisation of, 179, 186
- Aragonite\***, 38, 94, 213, 234, 235, 236
- Arboviruses\***, 555
- Arctic Ocean**, 656, 662, 692  
*See also* Polar regions
- Arctic Oscillation (AO)**, 95, 794
- Arctic region**. *See* Polar regions
- Arid regions\***  
afforestation in, 758  
in Africa, 435, 439, 442  
in Asia, 478  
freshwater resources in, 36, 175, 176, 193-194, 331  
vulnerability/risk in, 788  
*See also* Desertification; Deserts
- Arsenic in groundwater**, 179, 587
- Artificial experiments**, 144-146
- Asia**, 49-50, 59-60, **469-506**  
adaptation, 471, 490-493, 722  
adaptive strategies, 472, 490  
agriculture, 49, 471, 472, 475, 479-483  
aquaculture, 49, 281, 482  
assumptions about future trends, 478-479  
biodiversity, 49, 471, 478, 485-487, 491  
case studies, 493-494  
climate, 471, 472-473, 475, 478-479, 480  
climate variability, 471, 472-478, 475, 479  
coastal areas, 49, 92, 472, 477, 479, 484, 491  
coral reefs, 471, 472, 477, 485, 486  
crop yields, 49, 106, 297, 471, 479-481  
current sensitivity/vulnerability, 472-478  
cyclones/typhoons, 473, 476, 479, 489  
deltas/megadeltas, 279, 327, 471, 481, 484-485, 493, 496  
dengue fever, 478, 487  
development, 471, 472, 488-489, 494-495  
droughts, 49, 473, 476  
ecosystems, natural, 49, 471, 477, 485-487, 491  
El Niño/ENSO in, 473, 475, 477  
energy, 111, 488-489  
extreme weather events, 473, 476, 479, 488, 489  
financial aspects/insurance, 489  
fires, 471, 472, 477-478, 486  
fisheries, 49, 279, 281, 471, 482, 489  
floods, 49, 398, 414, 471, 472, 476, 489  
food security, 297, 399, 471, 479-481, 482-483  
forests/forestry, 471, 472, 477-478, 481, 485-486, 488  
future impacts and vulnerabilities, 49-50, 59-60, 479-489, 788, 791, 825, 829  
glaciers, 49, 471, 472, 477, 481, 483-484, 487, 493, 494  
grasslands, rangelands and endangered species, 483, 486  
heatwaves, 396-397, 476, 478, 492, 733  
hotspots, 481  
human dimensions, 487-489, 491-492  
human health, 50, 395, 408, 472, 478, 481, 487, 491, 791  
human population, 49, 477, 479, 484, 488, 491  
human settlements/megacities, 472, 485, 491, 493  
hydrology, 471-472, 477, 483-484, 490-491  
industry, 488-489  
infrastructure, 471, 488-489, 492  
introduction, 471-472  
livestock, 287, 482, 483  
malaria, 408, 478, 487  
migration, 488, 491-492  
multiple stresses, 50, 471, 492  
natural resources, 474  
observed changes, 30, 49, 92, 106, 115-116, 471, 472-478, 475-477, 479  
permafrost, 49, 472, 477, 486-487  
poverty and illiteracy, 489, 492, 494  
precipitation, 151, 472, 476, 478-479, 480, 481  
regional characteristics, 472  
regions/countries included, 472, 473, 474  
sea-level rise, 49, 346, 471, 472, 479, 481, 484-485, 492  
socio-economics, 474, 479, 487-489  
sustainable development, 488, 494-495  
temperature, 150, 478, 479, 480, 481  
tourism, 489, 492  
uncertainties and research priorities, 495-497  
urban indicators, 363  
urbanisation, 488-489, 491, 494-495  
vulnerability/risk, 64, 479-489, 788, 791  
water resources, 49, 471, 471-472, 477, 481, 483-484, 490-491, 791  
water stress, 471, 472, 484  
*See also specific countries*
- Assessment**  
of adaptation (*See* Adaptation assessment)  
of observed changes and responses (*See* Observed changes and responses)  
participatory processes in, 813, 834

- of response strategies, 797-804  
of vulnerabilities (*See* Vulnerability assessment)  
*See also* CCAIV assessment; Impact assessment;  
Integrated assessment
- Assessment methods**, 29, 31-35, **133-171**  
approaches, 136-141  
conclusions and future directions, 161-162  
coping ranges, 142-143  
data needs for, 144  
developments in, 141-144  
downscaling, 135  
future characterisations, 32-35, 135, 144-161  
risk management, 135  
stakeholder involvement, 31-32, 135, 141-142  
thresholds and risk criteria, 141  
top-down vs. bottom-up approaches, 136, 748-749  
*See also* Adaptation assessment; CCAIV assessment
- Asthma**, 523, 632, 689, 701
- Atlantic cod**, 670
- Atmosphere\***  
carbon content, 214  
composition, future scenarios, 152-153  
projected changes, 662  
*See also specific gases and components*
- Atolls.** *See* Coral atolls
- Attribution.** *See* Detection and attribution
- Australia/New Zealand region**, 50-51, 60, **507-540**  
adaptation, 50, 509, 513-514, 524-526, 528, 530-531  
adaptive capacity, 50  
agriculture, 50, 509, 516, 518-520, 525, 528, 529  
assumptions about future trends, 514-516  
Bay of Plenty, North Island, New Zealand, 509, 528, 530  
beef industry, 283  
biodiversity, 50, 242-245, 509, 517-518, 518, 528  
case studies, 526-528  
climate scenarios, 50, 514-516  
coasts, 50, 509, 520-521, 525, 525, 528, 529  
costs of extreme weather events, 50, 511, 513  
current sensitivity/vulnerability, 510-514  
droughts, 50, 509, 510-511, 511, 515, 519  
El Niño Southern Oscillation (ENSO), 510, 521  
energy, 511, 516, 523-524, 529  
extreme weather events, 50, 509, 511, 513  
fires, 50, 509, 511, 517, 792  
fisheries, 512, 521  
flood and waste water management, 517  
food security, 528-529, 529  
forestry, 50, 509, 520, 525, 529  
freshwater resources, 516-517  
future impacts and vulnerabilities, 50-51, 60, 242-245,  
516-524, 528, 529, 829  
Great Barrier Reef, 50, 320, 509, 512, 518, 527  
heatwaves, 50, 411, 509, 511, 524  
horticulture, 519  
hotspots, 50, 51, 509, 529, 530  
human health, 395, 408, 409, 524, 525, 529  
human population, 509, 510, 516, 522  
human systems, 50, 509, 511  
immigration/migration, 522, 531  
indigenous people, 50, 522-523, 524  
infrastructure, 50, 509, 525, 529  
introduction, 510  
invasive/alien species, 512, 518, 520  
land degradation, 518-519, 520  
land management, 751-752  
migration corridors, 525  
natural systems/ecosystems, 50, 509, 511, 512, 517-518,  
525, 528, 529, 530  
observed changes, 30, 50, 115-116, 509, 510-512, 512  
pastoral/rangeland farming, 513, 519-520  
phenology, 100  
precipitation, 50, 151, 515  
saltwater intrusion, 512, 517  
savannas, 225, 226  
sea-level rise, 50, 346, 509, 510, 512, 515-516, 520-521  
settlements, industry and societies, 521-522  
Sunshine Coast, 528  
sustainable development, 528-529, 529  
temperature, 50, 150, 509, 510-511, 514-515  
tick infestation, 520  
tourism and recreation, 523, 527, 529  
uncertainties and research priorities, 529-531  
vulnerability/risk, 50-51, 242-245, 509, 513, 516-524, 525,  
529, 531, 829  
water quality, 517  
water resources, 50, 143, 199, 511-512, 514, 526, 528  
water security, 50, 509, 516-517, 519, 525, 529  
Wide Bay-Burnett, Queensland, Australia, 528
- Autonomous adaptation**  
in Australia/New Zealand region, 513  
damage avoidance, 295, 754-760  
definition, 294  
in food, fibre and forest products, 294-295  
in Latin America, 593  
in North America, 637-638  
in small islands, 706  
*See also* Adaptation; Adaptive capacity
- B**
- Bangladesh**  
adaptation, 719, 722, 724, 732, 832  
deaths associated with cyclones, 338  
floods, 36, 187, 399, 414, 484-485  
groundwater salinisation, 483  
human health, 399  
human population, 488  
migration, human, 365, 488  
National Water Management Plan, 719, 724  
water resources, 477  
*See also* Asia
- Bartonella bacilliformis**, 587
- Baseline/reference climate\***, 35, 143, 147, 158, 782, 783
- Basins\***. *See* River basins
- Batrachochytrium fungus**, 233, 586
- Bats**, 216, 405
- Beaches**, 324-326

- in Australia/New Zealand region, 511, 520, 522, 528  
 closure for bacterial counts, 625  
 erosion, 92, 318, 511, 520, 522, 696, 698  
 in North America, 625  
 recreational value, 523  
 in small islands, 696, 698  
*See also* Coastal systems and low-lying areas
- Benthic communities\***, 38, 97, 213, 234, 236, 239
- Biodiversity\***, 37, 38, 213, 215, 241-242, 247-248  
 adaptation option limitations, 52, 543, 559, 786  
 in Africa, 48, 242, 435, 439, 449, 449  
 in Asia, 49, 471, 478, 485-487, 491  
 in Australia/New Zealand region, 50, 509, 517-518, 518, 528  
 captive breeding and translocation, 247  
 in coastal systems, 335  
 conservation strategies, 560  
 Convention on Biological Diversity (CBD), 246, 247-248, 495, 769  
 in deserts, 223-224  
 endemic species, 38, 54, 213, 216, 230, 241, 583, 786  
 in Europe, 52, 54, 543, 553-554, 558, 560, 565  
 in forests, 230  
 in grasslands/savannas, 226  
 in Latin America, 583, 586, 590, 592, 596, 603, 791  
 management, 769  
 in mountain ecosystems, 233  
 in North America, 630  
 in oceans, 95, 236, 665  
 in polar regions, 665  
 projected impacts, 37, 38, 242-245  
 in saltmarshes, 630  
 in small islands, 58, 689, 700  
 vulnerability/risk, 38, 74, 781, 788, 792, 795-796  
*See also* Ecosystems; Extinction; Range shifts;  
 Vulnerability hotspots
- Biofuels\***, 288, 299, 555, 602, 758
- Biogeochemical cycles**, 219-222, 234, 789, 792-793
- Biological corridors**. *See* Ecological corridors
- Biological systems**, 26, 28-31, 83  
 adaptive capacity, 782, 798  
 key vulnerabilities, 74, 788-789, 792, 798  
 linking climate-change causes with observed effects, 29  
 locations of significant changes in, 30  
*See also* Ecosystems
- Biomass\***, 56, 98, 214, 220  
 carbon dioxide and, 220, 486  
 forest, 52  
 modelling, 240  
 phytoplankton, 56, 96
- Biomass burning**, 53, 402, 583, 588, 590
- Biomes\***, 38, 214-215  
 biome changes, 38  
 biome shifts, 222, 237, 596 (*See also* Range shifts)  
 cross-biome impacts, 237-239  
*See also* Ecosystems; Sea-ice biome
- Biosphere\***, 38, 215-216, 604
- Biota\***, 178, 213, 219-222, 249
- Biotechnology**, 296, 452, 555-556
- Biotic feedback**, 219-222
- Birds**  
 in Africa, 449  
 in Australia/New Zealand region, 512, 518, 521  
 avian malaria, 700  
 breeding/breeding areas, 100, 103, 193, 518, 622  
 desert species, 223-224  
 extinction risks, 103, 230  
 habitat losses, 554  
 migration, 100, 223-224, 230, 239, 449, 625, 666, 696  
 migration, infectious diseases and, 403  
 in North America, 622, 625  
 observed changes, 95-96, 100, 101  
 in polar regions, 666  
 seabirds, 95-96, 521, 527, 696  
 West Nile virus and, 625
- Bluetongue (BT)**, 555
- Bogs\***, 230, 231, 233
- Boreal Asia**. *See* Asia
- Boreal forests\***, 217, 228, 276, 485-486
- Bottom-up assessment approaches**, 136, 749
- Bottom-up risk reduction approach**, 820
- Brazil**  
 freshwater resources, 175, 179, 185  
 natural ecosystems, 592  
 runoff into coastal waters, 324  
 sedimentation in reservoirs, 179  
*See also* Latin America
- Breakwater\***, 343
- Bruntland Commission**, 814, 819
- Buildings**. *See* Construction
- Butterflies**  
 in Australia/New Zealand region, 512  
 extinction of, 103  
 in North America, 622  
 observed changes, 103, 104  
 reproduction/diversity of, 103, 104
- C**
- C<sub>3</sub> plants\***, 224, 225, 483, 520  
 carbon dioxide effects on, 40, 282
- C<sub>4</sub> plants\***, 224, 225, 483, 518, 520  
 carbon dioxide effects on, 40, 282  
 switchgrass (*Panicum virgatum* L.), 288
- Calcareous organisms\***, 38, 222, 234, 235  
*See also* Aragonite; Ocean acidification
- Calcite\***, 222
- Campylobacter**, 400
- Canada**  
 adaptation, 722  
 agriculture, 623-624, 631  
 cities, climate change impacts in, 633  
 coast erosion, 92  
 Confederation Bridge, 65, 719, 724  
 energy use/demand, 626, 634-635  
 forest-dependent communities, 736-737  
 forest fires, 107, 217, 621, 623, 631

- forestry, 218, 624, 630, 631  
 freshwater resources, 627-629  
 Hudson Bay, 92, 669  
 human health, 395, 410, 415, 416  
 indigenous peoples, 415, 416, 728, 730-731  
 infrastructure, 726  
 Okanagan, costs of climate change in, 195  
 phenology, 283, 621, 622  
 precipitation, 621, 622  
 temperature, 620, 621  
 tourism and recreation, 626, 634  
 transportation, 366, 726  
 wildlife, 622  
*See also* North America
- Capacity building\***, 69, 72, 797  
 in Australia/New Zealand region, 514  
 food, fibre and forest products, 296  
 in small islands, 708-709, 710
- Carbon**  
 carbon-climate interactions, 792-793, 795  
 dissolved organic (DOC), 234, 239, 665  
 pools, 283  
 social cost of, 65, 756, 771, 813, 821-824  
 storage (*See* Carbon sequestration\*; Carbon sinks)  
 World Bank funds for, 753
- Carbon cycle\***, 220-222, 792-793, 795  
 large-scale studies, 604  
 net carbon exchange in terrestrial ecosystems, 38, 213, 222  
 projections/vulnerability, 38, 792-793
- Carbon dioxide (CO<sub>2</sub>)\***  
 draw-down by oceans, 658, 662  
 effects on plant growth, 40, 54, 220, 225, 240, 276, 282-283, 285-287, 290, 300, 824  
 effects on soil water balance, 225  
 free-air CO<sub>2</sub> enrichment (FACE) experiments, 40, 276, 282, 300  
 freshwater resources and, 184-185, 187  
 pollen production and, 632  
 projected global-scale impacts, 824, 825  
 projected levels in 2050, 825  
 projected levels in 2100, 213  
 scenarios, 34-35, 152-153, 158-160, 323, 799-802  
 stabilisation, crop production and, 284  
 stabilisation, global temperature response and, 158-159  
 stabilisation scenarios, 35, 77, 799-802  
 stabilisation targets, 799-802  
*See also* Carbon dioxide fertilisation; Greenhouse gases (GHGs)
- Carbon dioxide fertilisation\***, 214, 220-221, 223, 228, 241  
 effects on food production, 54, 479-480
- Carbon flux**, 38, 213, 222, 552, 792, 795  
 in Arctic terrestrial ecosystems, 662, 665, 667-668  
 in Southern Ocean, 662
- Carbon sequestration\***, 213, 219-222, 241  
 adaptation and mitigation decisions, 752, 758  
 by forests, 106, 214, 227-228, 552  
 by oceans, 234  
 tipping points for, 241
- See also* Carbon sinks
- Carbon sinks**, 220, 237, 792-793, 795  
 in the Arctic, 662, 665, 667  
 global carbon stores, 214  
 potential reversal of, 38, 213, 222, 792  
 vulnerability of, 283
- Carbon stocks**, 213, 214, 220-221, 227-228, 552, 792-793
- Carbonate ion**, 234
- Cardio-respiratory diseases**, 43, 418
- Cardiovascular diseases**, 394, 402, 487
- Caribbean region**  
 adaptation, 728, 732  
 climate, 691-692  
 coral reefs, 94, 235, 242, 321, 330  
 dengue fever, 701  
 hurricanes, 54, 692, 701  
 Organisation of Eastern Caribbean States (OECS), 690, 703  
 respiratory disease, 109  
 sea-level rise, 692  
 tourism, 336  
 urban indicators, 363  
*See also* Small islands
- Caribou**, 666, 668
- Carrion's disease (*Bartonella bacilliformis*)**, 587
- Catchments\***, 89, 90, 177, 184, 188  
 in Asia, 483  
 in Australia/New Zealand region, 516, 517, 524, 525, 528  
 in Europe, 550, 553  
 in Latin America, 593  
 modelling, 90, 181, 182, 201-202  
 in polar regions, 663  
 in small islands, 697, 708  
*See also* River basins
- Cattle**. *See* Livestock
- Cattle tick (*Boophilus microplus*)**, 283, 520
- CCIAV (Climate change impact, adaptation and vulnerability) assessment**, 31-35, 133-171  
 approaches, 135-141  
 conclusions and future directions, 161-162  
 coping ranges, 142-143  
 data needs for, 144  
 frameworks for, 136  
 future characterisations, 32-35, 135, 144-161  
 impact assessment, 136-137  
 integrated assessment, 136, 137, 139  
 methods, 31-35, 133-171  
 non-climate factors, 135  
 policy-based approach, 136  
 risk management, 135, 139-141  
 stakeholder involvement, 31-32, 135, 141-142  
 top-down vs. bottom-up approaches, 136  
 uncertainty management, 141  
 uncertainty/risk communication, 143-144  
 vulnerability assessment, 136, 137, 138-139  
*See also* Adaptation assessment; *specific approaches*
- CDM**. *See* Clean Development Mechanism\*
- Central America**. *See* Latin America

- Cereal grains.** *See* Grain crops
- Cerebral infarction/ischemia,** 487
- Chacaltaya glacier, Bolivia,** 87
- Chagas' disease\*,** 601
- Child mortality,** 394, 401
- China**
- crop yields, projected, 297
  - deltas and coastal ecosystems, 64, 484-485, 493, 496
  - floods, 398, 484-485
  - groundwater salinisation, 483
  - heat watch and warning systems, 491
  - Huanghe River, 179, 319, 326, 485
  - human health, 398, 405, 414, 487
  - migration, human, 488
  - Qinghai-Tibet Railway, 724
  - schistosomiasis in, 405
  - water demand, 284
  - water level in deltas, 484
  - See also* Asia
- Cholera\*,** 398, 401, 439, 478, 599, 701
- in Asia, 50, 471, 478, 481, 487, 791
- Ciguatera fish poisoning,** 400, 449, 701
- Cities.** *See* Urban settlements
- Clean Development Mechanism (CDM)\*,** 248, 752, 753
- Climate\***
- direct and indirect effects of, 362-363, 374
  - linkages with sustainable development, 818
  - See also* Baseline/reference climate; Climate change;
  - Climate variability; Detection and attribution
- Climate change\***
- definition, 27
  - direct and indirect drivers of, 816, 817
  - direct and indirect effects of, 359, 364, 374
  - as driver of ecosystem changes, 817
  - global cost estimates, 727
  - impacts (*See* Impacts. *See also* CCIAV assessment)
  - multiple cause and stress context, 43, 75, 359
  - observed changes, **79-131** (*See also specific systems and regions*)
  - perspectives on, 75-76, **811-841**
  - positive and negative impacts of, 782
  - 'reasons for concern,' 73-76, 781, 795-797, 800
  - regional (*See* Regional climate change)
  - research needs, 77-78
  - reversible vs. irreversible, 785
  - summary of main findings, 25
  - sustainability and, 75-76, **811-841**
  - vulnerabilities and risk from, **779-810**
  - See also* Anthropogenic climate change; Baseline/reference climate; Detection and attribution; Global warming;
  - specific regions and ecosystems*
- Climate change commitment\*,** 748, 827
- Climate change impact, adaptation and vulnerability assessment.** *See* CCIAV assessment
- Climate change scenarios.** *See* Scenarios; SRES scenarios
- Climate envelope modelling,** 239-240, 241
- Climate extremes.** *See* Extreme weather events; *specific climate conditions*
- Climate forecasting,** 53, 416, 721, 727-728
- Climate impacts.** *See* Impacts, of climate change
- Climate impact assessment.** *See* Impact assessment
- Climate models\*,** 29, 32-33, 139, 148
- AOGCMs, 32-33, *149-151*
  - climate envelope modelling, 239-240, 241
  - Computable general equilibrium (CGE) model, 337
  - Earth System Models of Intermediate Complexity, 139
  - ensemble models, 77, 800
  - perturbed parameter ensemble, 800
  - See also* Future characterisations
- Climate policy,** 31, 766-769
- adaptation/mitigation inter-relationships in, 747, 760-763
  - implementation, 747, 766-769
  - introduction, 748-750
  - mainstreaming, 31, 768, 818
  - methods in vulnerability assessment, 800
  - national, sub-national and local scales, 769
  - portfolio, 71-72, 76, 747, 749, 760-763, 813, 827
  - regional scale, 767-769
  - sustainable development and, 747, 751, 765-766
  - See also* Adaptation; Adaptation and mitigation inter-relationships; Mitigation
- Climate prediction\***
- ENSO-based, 591
  - indigenous knowledge in weather forecasting, 456-457
  - in Latin America, 53, 591-592, 604
  - limits on usefulness, 604
  - seasonal climate forecasting, 416, 721, 727-728
- Climate projection\*,** 31-35, **133-171**
- See also* Scenarios; SRES scenarios
- Climate scenarios\*,** 148-152, *155*
- See also* Scenarios; SRES scenarios
- Climate sensitivity\*,** 161, 758, 800-801
- uncertainties in, 799
  - See also* Sensitivity; *specific regions*
- Climate system\***
- dangerous anthropogenic interference with, 781, 782, 784, 798, 799, 801-802, 804
  - global, impacts of changes in polar regions, 655, 660, 661-662, 667-668
- Climate thresholds\*,** 37, 76, 781, 784-785, 802-803
- systemic thresholds, 784, 802
  - See also* Thresholds
- Climate variability\*,** 38, 84, 86, 107
- adaptation to, 111
  - in Africa, 435, 436-437, 439, 448, 454
  - in Asia, 471, 472-478, 475, 479
  - in Australia/New Zealand region, 510-512
  - biodiversity and, 103
  - in coastal systems, 92, 93
  - in Europe, 547, 550, 555
  - impacts on disturbance regimes, 38
  - in Latin America, 54, 583, 586, 591
  - modes of, 84, 794-795
  - in North America, 55, 626
  - in polar regions, 660, 671
  - projections of, *152*



- in small islands, 693, 708, 710  
sustainable development and, 384  
*See also* El Niño Southern Oscillation (ENSO); Extreme weather events; Indian Ocean Dipole (IOD); Interdecadal Pacific Oscillation (IPO); Modes of climate variability; North Atlantic Oscillation (NAO); Northern Annular Mode; Pacific Decadal Oscillation (PDO); Southern Annular Mode
- Cloud forests**, 48, 230, 244, 439, 596, 700
- CO<sub>2</sub> fertilisation**. *See* Carbon dioxide fertilisation
- Coastal squeeze\***, 623, 630
- Coastal systems and low-lying areas**, 40-41, 45-46, **315-356**  
adaptation, 40-41, 317, 339-345, 491, 559, 719, 795  
adaptive capacity, 317, 318-322, 324-336, 344, 786  
agriculture, forestry and fisheries, 333  
assumptions about future trends, 322-324  
beaches, rocky shorelines and cliffed coasts, 324-326  
biodiversity, 335  
climate and sea-level scenarios, 322-324  
climate change factors, 318  
climate drivers, 323  
coastal processes and zones, 92-94  
coral reefs, 317, 320, 321-322, 330  
costs and socio-economic aspects, 40, 317, 336-339  
current sensitivity/vulnerability, 318-322  
deltas, 40, 41, 317, 326-328, 327, 332, 484  
El Niño Southern Oscillation (ENSO) and, 319, 623  
erosion, 81, 92, 93, 317, 320, 324-326, 328, 338, 477, 484, 558, 630  
estuaries and lagoons, 328  
exposure, 362, 372  
external terrestrial and marine influences, 319-320  
extreme events, lessons from, 340  
extreme water level simulations, 325  
freshwater resources, 179, 317, 331  
future impacts and vulnerabilities, 40-41, 45-46, 324-336, 374, 795, 813, 828  
geomorphology, 92  
as high-risk areas, 359, 364  
human health and, 43, 334-335, 407, 414, 471  
human impacts of climate change, 330-336  
human population in, 40, 317, 318, 319, 323, 327, 346, 364, 372, 399, 414, 630  
human settlements, infrastructure and migration, 81, 331, 333-334, 359, 791  
human utilisation/development of, 40, 317, 319, 326  
infrastructure, 372, 619, 690  
Integrated Coastal Zone Management (ICZM), 340-341, 491  
interaction of natural and human sub-systems, 318  
introduction, 318  
inundation, 40, 64, 317, 320, 325, 333, 484, 813  
mangroves, saltmarshes and sea grasses, 92, 328-330  
multiple stresses, 40, 317, 336  
natural systems, 318-319, 324-330  
observed changes, 28, 40, 92-94, 115, 320  
recreation and tourism, 320, 335-336  
regional differences, 331, 336  
sea-level rise and, 35, 40, 41, 81, 92, 317, 322-324, 325, 326, 336, 339, 346, 372, 414, 520, 630  
socio-economic aspects, 317, 322, 323, 330-339, 331  
sustainable development, 345  
thermal stratification, 235  
thresholds, 320, 321-322  
uncertainties and research priorities, 345-347  
vulnerabilities, risks and hotspots, 40-41, 317, 318-322, 336, 337, 399, 796  
water management, 759  
wetlands, 40, 92, 93, 317, 328-330  
*See also specific regions and countries*
- Coccolithophores\***, 222, 658
- Coconuts**, 333, 450
- Cod**, 669, 670
- Coffee growing/production**, 597, 731
- Cold-related mortality**, 51, 108, 393, 407, 408, 411, 418, 557
- Cold-waves**, 375, 397-398
- Colorado River basin**, 193-194, 197, 627, 634
- Columbia River basin**, 627, 628, 633, 818-819
- Commitment to warming**, 827
- Committed to extinction\***, 241, 242-245, 553, 630, 792  
*See also* Ecosystems; Extinction; Extirpation
- Communicable diseases\***. *See* Infectious diseases
- Communication of uncertainty/risk**, 143-144, 380, 735
- Confederation Bridge, Canada**, 65, 719, 724
- Confidence\***, 27, 141, 786  
*See also* Uncertainty; *specific topics and executive summaries*
- Conflicts and war**, 442-443, 447, 451, 459
- Conservation**, 38  
in Asia, 495  
of coral reefs, 485  
in Europe, 52, 544, 559, 560  
in Latin America, 592, 602  
of mangrove forests, 492
- Construction**, 367, 379, 635  
*See also* Infrastructure
- Context**, 359, 635  
human systems, 361, 366, 374  
multi-stress/multi-cause, 43, 75
- Control run\***, 187
- Convention on Biological Diversity (CBD)**, 246, 247-248, 495, 769
- Convention on International Trade of Endangered Fauna and Flora (CITES)**, 495
- Convention to Combat Desertification (CCD)**, 495
- Copepods**, 96
- Coping ranges**, 142-143  
*See also* Adaptation; Vulnerability
- Coral atolls**, 40, 697-698, 705, 707  
*See also* Small islands
- Coral bleaching\***, 216, 235, 317, 321-322, 330, 512, 518, 527  
El Niño Southern Oscillation (ENSO) and, 319, 321, 330, 439  
observed changes, 94, 235, 439, 477  
projected changes, 40, 57-58, 800  
recovery time from, 527

- sea surface temperature and, 94, 235, 321-322  
 thresholds, 485
- Coral reefs\***, 235, 320, 321-322, 330, 512  
 adaptation potential, 235  
 in Asia, 49, 471, 472, 477, 485, 486  
 'crown-of-thorns' starfish, 439  
 ecosystems, 94, 214, 234, 235, 292, 477-478  
 endangerment status, 235  
 Great Barrier Reef, 242, 320, 509, 512, 518, 527  
 habitat and processes, 235  
 in Latin America, 590  
 non-climate-change threats, 699  
 observed changes, 28, 94, 235, 439, 477, 512, 816  
 ocean acidification and, 38, 94, 235, 793  
 pathogens, 590  
 projected changes, 40, 57-58, 471, 485, 518, 792  
 vulnerability/risk, 40, 216, 235, 240, 518, 730  
 white band disease (WBD), 590  
*See also* Coral bleaching
- Corals\***, 213, 214, 235  
 calcification of, 235  
 cold-water, 213, 234, 236, 658, 793  
 ocean acidification and, 213, 234, 658  
 vulnerability/risk, 235, 240  
*See also* Coral bleaching; Coral reefs
- Cost-benefit analyses (CBAs)**, 800, 802-803  
 in adaptation and mitigation, 747, 754, 756, 757
- Cost-effectiveness analyses (CBEs)**, 755, 800, 803
- COST725 project**, 112, 113
- Costs**, 64-65, 78  
 adaptation (*See* Adaptation costs and benefits)  
 aggregate, global, 64-65  
 of climate change, 65, 756, 771, 813, 821-824, 822  
 coastal systems, adaptation, 40, 317, 336-339, 345  
 computable general equilibrium (CGE) model, 337  
 cost estimates, 337, 359  
 ecosystem goods and services, 245-246  
 extreme weather events, Asia, 489  
 extreme weather events, Australia/New Zealand region, 50, 511, 513  
 extreme weather events, Europe, 362  
 extreme weather events, North America, 55, 332, 338, 369, 619, 621, 626  
 food, fibre and forest products, 296-297, 301  
 freshwater resources/management, 190-196  
 human health, 415  
 human vs. monetary, 365  
 industry, settlement and society, 362, 365, 376-379  
 methods and tools for characterising, 337  
 mitigation costs and benefits, 749, 756-757, 802  
 post-event impacts, 338  
 schematic overview of inter-relationships, 748  
 social cost of carbon, 65, 756, 771, 813, 821-824  
 tourism losses, 626
- Crab**, 669
- Crop diversification**, 624
- Crop yields**, 38, 282-285, 300, 413, 791  
 in Africa, 48, 297, 435, 448  
 in Asia, 49, 106, 297, 471, 479-481  
 in Australia/New Zealand region, 518, 519  
 carbon dioxide effects on, 38, 40, 54, 276, 282-283, 284, 300, 824  
 climate extremes and, 284  
 damage avoidance, 295  
 in Europe, 548-549, 554-555  
 in Latin America, 597  
 in North America, 624, 631  
 ozone effects, 278  
 temperature and, 49, 275, 282-283, 284-285, 286, 295, 300, 301  
*See also* Agriculture; Crops
- Crops**, 275, 276, 283-285  
 adaptation strategies, 70, 294-295, 452, 721, 725-726  
 in Australia/New Zealand region, 518-519  
 bioenergy/biofuels, 288, 544, 555, 635, 758  
 biotechnology and, 296  
 El Niño Southern Oscillation (ENSO) effects, 277  
 in Europe, 52, 554-555  
 extreme events and, 277, 277, 278  
 genetic modification, 296  
 globalisation and, 730, 731  
 industrial, 288  
 mid- to high-latitude, 275, 276, 286, 296, 297, 300  
 in North America, 624, 635, 636  
 observed changes, 104-106  
 pests (*See* Insect pests)  
 rain-red, 48, 50, 280, 448, 480  
 in small islands, 700  
 threshold responses, 277  
 varieties and planting times, 295, 452, 721, 725  
*See also* Agriculture; Crop yields; Grain crops; *specific crops*
- 'Crown-of-thorns' starfish**, 439
- Crustacea**, 291
- Cryosphere\***  
 future impacts, 184, 551, 558, 565  
 global impacts of changes in, 56-57, 655, 660, 661-662, 667-668  
 observed changes, 28, 81, 85-90, 115  
 observed trends, 177, 543, 546  
*See also* Polar regions; *specific components of cryosphere*
- Cryptogams\***, 230
- Cryptosporidium**, 189, 398, 487, 671, 701
- Culex mosquito**, 625
- Culicoides imicola**, 555
- Cutaneous leishmaniasis**, 403, 587, 599
- Cyclones**. *See* Extra-tropical cyclones; Tropical cyclones
- D**
- Damages avoided**, 77-78, 295, 754-760, 798-803
- Dams**, 181, 493, 768-769  
 impact on river sediments, 317, 319, 493
- Dangerous anthropogenic interference**, 781, 782, 784, 798, 799, 804  
 temperature threshold for, 801-802  
*See also* Vulnerability assessment

- Deaths.** *See* Mortality
- Decision analysis,** 31, 752-753
- Decision-making,** 735-736, 750, 752-754  
 in adaptation and mitigation, 72, 747, 750, 752-760, 832-836  
 nature of decision problem, 752-753  
 participatory processes, 813, 832-834  
 support mechanisms, 813, 836
- Deer Island sewage facility, U.S.,** 724
- Deforestation\*,** 216, 229-230, 281, 299, 757  
 in Africa, 442  
 in Latin America, 53, 583, 590, 594-595, 604, 606
- Deltas,** 40, 41, 317, 326-328, 327, 332, 484  
*See also* Ganges-Brahmaputra delta; Megadeltas
- Dengue fever\*,** 393, 403-404, 408, 410  
 in Asia, 478, 487  
 in Australia/New Zealand region, 408, 410, 524  
 climate-related factors and, 478  
 in Latin America, 404, 586, 591, 593, 599  
 in small islands, 689, 701
- Dermatosis,** 487
- Desalination,** 181, 525, 559, 689, 697, 759
- Desertification\*,** 767  
 in Africa, 439, 442  
 in Asia, 472, 486
- Deserts\*,** 222-224, 472  
 amelioration of, 223, 237, 238  
 carbon stocks, 214
- Detection and attribution\*,** 28, 29, 79-131, 781  
 confidence, 85  
 definitions/terminology, 83  
 joint attribution, 83, 112-116  
 larger-scale aggregation and attribution, 82, 112-116  
 linking climate-change causes with observed effects, 29  
 methods, 83-85  
 regions and systems, observed changes in, 85-116  
 research needs, 78, 117  
 summary, 81-82  
 synthesis of studies, 114-116  
*See also* Climate change; Joint attribution; Observed changes and responses
- Developed countries**  
 adaptation deficits/challenges, 43, 55, 69, 397  
 energy use, 827  
 sea-level rise, costs of, 339, 339  
 vulnerabilities, 781, 792  
 water quality problems, 179  
*See also specific countries*
- Developing countries**  
 adaptive capacity, 40  
 aggregate impacts, equity issues and, 821  
 agricultural adaptation, 726  
 agriculture, 279, 281-282  
 coastal area impacts/costs, 40, 317, 331, 336, 339  
 energy use, 827  
 human health impacts, 43  
 impacts/vulnerabilities in, 781, 784, 796  
 natural disaster-related deaths in, 373  
 per capita CO<sub>2</sub> emissions in, 826  
 sea-level rise, costs of, 339, 339  
 water quality problems, 179, 189  
*See also specific countries*
- Development,** 75-76  
 adaptive capacity and, 276, 279, 620, 719, 755, 767  
 CDM (Clean Development Mechanism), 248, 752, 753  
 climate-related vulnerabilities and, 813  
 as driver of water use, 182  
 environmental quality and, 76, 819-820, 835  
 equity issues, 494-495, 813, 826-827  
 linkages with adaptive capacity, 817-819  
 mainstreaming adaptation and, 832, 832-836  
 participatory processes, 813, 832-834  
 paths, 75, 494-495, 764-766, 771, 817-818  
 sustainable (*See* Sustainable development)  
 syndromes/categories, 819  
*See also* Sustainable development; *specific regions*
- DGVMs.** *See* Dynamic Global Vegetation Models
- Diadromous\* fish species,** 39, 275, 291, 300
- Dialogue on Water and Climate (DWC),** 197, 197
- Diarrhoeal diseases,** 43, 189, 393, 401, 410  
 in Africa, 437, 441  
 in Asia, 50, 471, 478, 481, 487  
 in Australia/New Zealand region, 524  
 flood-related, 399  
 morbidity/mortality from, 50, 471, 478, 481  
 projections, 407, 418  
 in small islands, 689, 701  
 water quality and, 335
- Dimethyl sulphide (DMS),** 222
- Disasters,** 109-111, 393  
 in Africa, 442-443, 447, 451, 459  
 costs in Australia/New Zealand region, 511  
 costs in North America, 626  
 disaster risk management/reduction, 813, 820-821  
 gender and, 398  
 mental disorders and, 399  
 observed changes, 109-111  
 preparedness programs, 492  
*See also* Extreme weather events; *specific disasters*
- Discount rate\*,** 65, 813, 822
- Diseases,** 43, 393-394, 403-405, 418  
 air quality and, 401-402  
 cold-related, 671  
 monitoring of, 43, 491  
 mosquito-borne, 400, 524, 625 (*See also* Malaria)  
 non-communicable, 394  
 observed changes, 82, 107-109  
 rodent-borne, 404  
 tick-borne (*See* Tick-borne diseases)  
 vector-borne (*See* Vector-borne diseases)  
 water and, 400-401  
 water-borne (*See* Water-borne diseases)  
 zoonotic, 625, 671  
*See also* Human health; Infectious diseases; *specific diseases*
- Disturbance regimes\*,** 37, 213, 214-215, 216

- in Africa, 439
- climate variability and, 38
- in North America, 56, 619, 620, 623, 631
- projected changed, 38, 792
- See also* Fires; Insects
- Downscaling\***, 135, 148, 250-251, 594
- Drosophila melanogaster***, 104, 512
- Droughts\***, 175, 186-187
  - adaptation, 70, 722
  - in Africa, 237, 278, 287, 437, 734
  - in Asia, 473, 476
  - in Australia/New Zealand region, 50, 509, 510-511, 511, 515, 519
  - current sensitivity/vulnerability, 177-178
  - extreme events, 187, 188, 789
  - human health impacts, 399-400
  - in Latin America, 400, 586
  - in North America, 619, 622, 623, 624, 625, 626
  - observed changes, 89, 90, 177
  - projected impacts and interactions, 42, 51, 375, 789
  - in small islands, 698
  - types of, 186-187
  - vulnerability/risk, 35, 74, 789
  - See also* Extreme weather events
- Dust-related diseases/health effects**, 108, 109, 400, 402, 439
- Dykes\***, 457, 548, 559, 640
- Dynamic Global Vegetation Models (DGVMs)\***, 219, 220, 222, 240, 241
- E**
- Early warning systems**, 53, 417, 491, 544, 563, 591, 604
  - See also* Extreme weather events; Heatwaves
- Earth System Models of Intermediate Complexity**, 139
- East Timor (Timor Lest)**, 706
- Ecological communities\***, 103, 104, 214
  - See also* Ecosystems
- Ecological corridors\***, 54, 525, 560, 583, 592, 769
- Ecological surprises**, 38, 242
- Economies**
  - in Africa, 440-441, 454
  - in Europe, 52-53, 543-544, 545
  - in Latin America, 595-596
  - in North America, 627
  - in polar regions, 56, 655, 661, 665-666, 668, 676
  - of resource-dependent communities, 625
  - in small islands, 57, 695, 698, 701-702
  - See also* Market impacts; Socio-economic impacts; *specific regions*
- Ecophysiological process\***, 240
- Ecosystem approach\***, 246-248
- Ecosystem services\***, 213, 215, 245-246
- Ecosystems\***, 37-38, 44-45, 211-272
  - adaption and acclimation, 38, 213, 246-248
  - adaptive capacity, 52, 658-660
  - areal extent, 214
  - assumptions about future trends, 218-219
  - costs/valuation of goods and services, 245-246
  - cross-biome impacts, 237-239
  - current sensitivities, 213, 215-218
  - drivers of change, 213, 215-218, 219, 817
  - future impacts and vulnerabilities, 37-38, 213-214, 219-245, 792, 795-796
  - goods and services, 213, 215, 245-246
  - impacts, global synthesis of, 213-214, 239-245
  - introduction, 214-215
  - key issues, 215
  - management, 246-248
  - modelling, 218-219, 239-240, 250-251
  - multiple stresses, 213, 215, 241, 246-247
  - projected impacts, 37-38, 44-45, 213, 238, 240, 242-245, 828
  - resilience, exceedence projections, 37
  - scales and time lags, 214, 215, 547
  - sustainable development, 248-249
  - thresholds, 37, 215, 785, 802
  - uncertainties and research priorities, 249-250
  - vulnerability/risk, 37-38, 240, 788-789, 792, 795-796
  - See also* Biodiversity; Extinction; Extirpation; *specific ecosystems and regions*
- Ecotone\***, 216, 228, 233, 237
- Egypt**, 339, 445, 448, 452, 485
- El Niño Southern Oscillation (ENSO)\***
  - agriculture effects, 277
  - in Asia, 473, 475, 477
  - in Australia/New Zealand region, 510, 521
  - coral bleaching and, 319, 321, 330
  - definition, 292
  - fisheries and, 292
  - forecasting and responses to, 591, 721
  - in Latin America, 585, 586, 591
  - malaria and, 404
  - marine ecosystems and, 95, 101
  - in North America, 623, 627, 630
  - projected changes and impacts, 794
  - in small islands, 689, 690, 691, 692
  - See also* Modes of climate variability
- Elderly population**
  - disproportionate impacts of climate/weather events, 363, 399, 730
  - mortality from extreme weather events, 362, 563
  - vulnerability of, 43, 64, 393, 399, 557, 791
- Emigration.** *See* Migration
- Emissions scenarios\***, 155, 529, 758
- Encephalitis**, 625
- Endemic\* species**, 213, 216, 230, 241, 583
  - vulnerability/risk, 38, 54, 786
  - See also* Biodiversity
- Energy**
  - adaptation, 379
  - adaptation costs and benefits, 725, 726
  - in adaptation/mitigation decisions, 759, 760, 767-768
  - clean development, 248, 418-419, 752, 753, 835
  - future impacts and vulnerabilities, 36, 366-367, 371, 790
  - global cost estimates, 727
  - production, 193, 363, 367
  - vulnerability/risk, 790

- See also* Biofuels; Energy use/demand; Hydropower generation; Wind
- Energy use/demand**  
 in Africa, 442, 446, 459, 767-769  
 in Asia, 111, 488-489  
 in Australia/New Zealand region, 511, 516, 523-524  
 in Europe, 52-53, 543, 545, 548, 556, 561, 565  
 in North America, 367, 626, 633, 634-635  
 observed changes, 111  
 in small islands, 702
- Ensemble\* models**, 77, 800
- ENSO.** *See* El Niño Southern Oscillation (ENSO)
- Environmental Impact Assessment (EIA)**, 724
- Environmental quality**, 76, 361-362, 365, 819-820, 835
- Epidemics\***, 399-400, 404-405, 415-416  
 in Africa, 406, 438, 446, 447  
 in Latin America, 586
- Equity issues**, 76, 494-495, 784, 786, 813, 826-827, 835
- Erosion\***  
 in Australia/New Zealand region, 511, 520-521, 522  
 of beaches, 92, 318, 511, 520, 522  
 in coastal systems, 92, 93, 317, 320, 324-326, 328, 338, 623, 630  
 in North America, 623, 630  
 soil, 179, 189-190, 558
- Estuaries**, 328  
 in Africa, 450  
 in Asia, 485  
 in Australia/New Zealand region, 517  
 salinisation of, 175, 179, 189
- Europe**, 51-53, 60-61, **541-580**  
 adaptation and adaptive capacity, 52, 53, 117, 543, 544, 547, 559-562, 722, 724  
 agriculture and fisheries, 52, 543, 545-546, 548-549, 554-556, 558, 560-561, 565  
 assumptions about future trends, 547-549  
 biodiversity, 52, 543, 553-554, 558, 560, 565  
 biofuel use in, 299  
 case studies, 562-563  
 climate, 544, 545  
 climate projections, 51-52, 547-548  
 coastal and marine systems, 51, 543, 550-551, 558, 559, 565  
 COST725 project, 112, 113  
 cryosphere, 546  
 current sensitivity/vulnerability, 544, 545-547  
 economy/economic impacts, 52-53, 543-544, 545  
 ecosystem impacts, 243-244, 543, 546, 553-554  
 energy and transport, 52-53, 543, 545, 548, 556, 561, 565  
 European Alps, 28, 53, 102, 216, 546, 548, 551-552, 557  
 European Biomass Action Plan, 299  
 extreme events, 544, 548  
 fires, 51, 543, 552, 558  
 flood and drought risk, 51, 187, 188, 543, 550, 558  
 flood defenses, 333, 417, 559, 562  
 food and fibre products, 545  
 forests, shrublands and grasslands, 52, 106-107, 543, 545, 549, 552-553, 559-560, 565  
 future impacts and vulnerabilities, 51-53, 60-61, 549-558, 565, 825, 829  
 glaciers, 28, 52, 543, 549-550, 551, 558  
 greenhouse gas emissions, 545, 769-770  
 growing season, 99  
 heatwave of Summer 2003, 51, 217, 362, 397, 562-563  
 heatwaves, 544, 557, 733  
 human health, 51, 395, 403, 409, 543, 546, 557-558, 562, 565  
 human population, 545, 548  
 insurance/property insurance, 557, 561-562, 565, 723  
 introduction, 544  
 land use, 548-549  
 mitigation policy, 767, 769-770  
 mountains and sub-Arctic regions, 543, 551-552, 559, 565  
 natural resources, 51-52  
 observed changes, 30, 51, 92, 99-100, 115-116, 543, 546  
 phenology, 51-52, 99-100, 101, 113, 546, 551, 552, 553, 558  
 precipitation, 151, 545, 547  
 sea-level rise, 51, 52, 346, 543, 551, 554  
 socio-economic development, 548  
 sustainable development, 546-547, 563-564  
 temperature, 150, 545, 547  
 thermohaline circulation and, 563  
 tourism and recreation, 53, 336, 556-557, 561, 565  
 uncertainties and research priorities, 564, 566  
 urban indicators, 363  
 urbanisation in, 549, 550  
 water resources, 52, 543, 545, 549-550, 557, 558, 559, 560, 565  
 water stress, 52, 543, 550, 552, 559  
 wetlands and aquatic ecosystems, 92, 543, 551, 553, 560, 565  
 windstorms/wind speed, 489, 547-548, 557
- Eustatic sea-level rise.** *See* Sea-level rise  
*See also specific countries*
- Eutrophication\***  
 in Asia, 485  
 in Australia/New Zealand region, 517  
 in Europe, 551, 553, 558, 565
- Evaporation\***, 55, 84, 89, 91, 300
- Evapotranspiration\***, 64, 84, 91, 177, 184-186, 232  
 carbon dioxide enrichment and, 184-185  
 in mountain regions, 232-233  
 in North America, 621  
 observed trends, 177
- Evolutionary processes**, 104, 403
- Exotic species.** *See* Invasive species and invasive alien species (IAS)
- Exposure**, 43, 791, 814, 821
- Exposure unit**, 141
- Externalities\***, 69, 382, 719, 771
- Extinction\***, 38, 213, 215, 241-242  
 in Africa, 48  
 of amphibians, 103, 230, 233, 586, 590  
 in Asia, 49, 471, 485-486  
 in Australia/New Zealand region, 517, 528

- ‘committed to extinction,’ 241, 242-245, 553, 630, 792  
 in Europe, 553  
 of fish, 39-40, 275, 291, 300  
 in freshwater ecosystems, 192, 193  
 irreversible impacts of, 213  
 in Latin America, 54, 586, 590, 596  
 in North America, 55, 630, 631  
 observed changes, 103  
 projected changes, 38, 213  
*See also* Butterflies; Extirpation
- Extirpation\***, 226, 228, 247, 485  
*See also* Extinction
- Extra-tropical cyclones**, 109-110, 317, 324, 623, 627, 692
- Extreme weather events\***, 41, 64, 68, 73-75  
 adaptation, 721, 723, 798  
 in Africa, 377, 437, 444  
 agriculture/livestock impacts, 275, 277, 277, 278  
 analogues, 146  
 in Asia, 473, 476, 479, 488, 489  
 in Australia/New Zealand region, 50, 509, 511  
 coastal systems, lessons from, 340  
 costs of, 55, 332, 338, 362, 489, 511, 513, 619, 621, 626, 630  
 in Europe, 362  
 food, fibre and forest products and, 275, 283, 284, 298, 299  
 gender-related differences in impacts, 398, 730  
 human health and, 338, 393, 418, 635  
 increase in frequency/intensity, 38, 109-111, 283, 359, 372, 473, 781, 796  
 industry, settlement and society and, 41, 359, 362, 369, 372, 377  
 infrastructure and, 625-626  
 in Latin America, 53, 583, 585, 594  
 megadeltas, vulnerabilities to, 377  
 mortality from, 393, 394  
 in North America, 332, 338, 619, 621, 625-626, 632-633  
 projected impacts and interactions, 38, 68, 375, 413  
 scenarios, 148-152  
 in small islands, 695  
 vulnerability/risk, 41, 64, 73-75, 781, 789, 795, 796  
*See also* Climate variability; Droughts; Extra-tropical cyclones; Fires; Floods; Heatwaves; Hurricanes
- F**
- FACE experiments**, 40, 276, 282, 300
- Fagus sylvatica*, 107, 232
- Farming.** *See* Agriculture; Crops; Crop yields; Grain crops; Livestock
- Feedbacks\***  
 biotic, 219-222  
 carbon cycle, 792-793  
 cascading, in freshwater systems, 655, 660  
 from changes in polar regions, 56-57, 655, 660, 661-662, 667-668
- Fiji**, 695, 705
- Filariasis**, 689, 701
- Financial sector**, 721, 723
- See also* Insurance
- Fires**, 229, 275, 290, 299, 300  
 in Africa, 435, 442  
 in Asia, 471, 472, 477-478, 486  
 in Australia/New Zealand region, 50, 509, 511, 517  
 carbon emission from, 107  
 controlled/prescribed burning, 247, 560  
 ecosystem effects, 217-218  
 in Europe, 51, 552, 558  
 fire-dependent biomes, 215  
 fire suppression, 218  
 in Latin America, 53, 596, 600  
 modelling, 290  
 in North America, 56, 619, 620, 621, 623, 631, 636  
 observed changes, 107  
 in peatlands, 477-478  
 projected changes, 38, 789, 792, 795  
 vulnerability/risk, 789, 792, 795  
*See also* Disturbance regimes
- Fish**, 236  
 biogeography, 95  
 distribution of species, 28, 233-234, 659  
 extinction, risk of, 631  
 extinctions at edges of ranges, 39-40, 275, 291, 300  
 growth, effect of temperature on, 291  
 migration, 98, 333  
 North America, 624, 629, 631-632  
 observed changes, 81, 95, 97  
 parasites, 292  
 in polar regions, 665, 669  
 projected changes, 49  
 salmon, 192-193, 275, 291, 624, 629  
 sea ice reduction and, 236  
 sturgeon, 275, 291  
 trout, 291, 665  
 tuna, 292, 482, 700  
*See also* Fisheries
- Fisheries**, 39-40, 275, 276-277, 291-292, 302  
 adaptation, 300  
 in Africa, 281, 435, 448, 449, 450  
 in Asia, 49, 279, 281, 471, 482, 489  
 Atlantic cod, 670  
 in Australia/New Zealand region, 512, 521  
 in coastal areas, 333  
 decadal variability and extremes, 292  
 economic impacts, 292, 790  
 in Europe, 52, 543, 545-546, 555-556, 561, 565  
 fin-fish, 669  
 globalisation and, 719, 730  
 importance of, 276  
 in Latin America, 281, 584, 587, 590, 593, 603  
 meridional overturning circulation and, 275, 292  
 multiple stresses, 279  
 in North America, 620, 624, 629, 631-632  
 observed changes, 81, 97, 816  
 pathogens/parasites, 292  
 in polar regions, 49, 291, 655, 659, 665, 669, 676  
 production, global, 291

- projected changes, 39-40  
 in small islands, 57-58, 689, 700  
 supply and demand, 281  
 sustainability, 276  
 wild-capture, 281, 291-292  
*See also* Fish
- Floods**, 175, 186-187, 414  
 adaptation/defences, 70, 381, 517, 722, 724, 725  
 in Africa, 377, 398, 414, 435, 437, 447  
 in Asia, 398, 414, 471, 472, 476, 489  
 in Australia/New Zealand region, 517  
 coastal settlement and, 40, 64, 317, 331, 333-334, 484, 813  
 costs, 338  
 current sensitivity/vulnerability, 178  
 in Europe, 51, 187, 188, 550  
 extreme events, 109, 511, 789  
 flash floods, 51, 187, 789  
 future frequency of "100-year" floods, 372, 550, 633, 636  
 human health impacts, 398-399  
 Hurricane Katrina flood depths, 360, 414  
 insurance, 369, 377  
 in Latin America, 398, 586, 588  
 in North America, 55, 620, 626, 630, 633  
 observed changes, 89, 90, 177  
 projected impacts and interactions, 35, 196, 375, 789  
 river floods, 109  
 types of, 186  
 vulnerability/risk, 35, 789, 824  
*See also* Extreme weather events
- Fluoride in groundwater**, 179
- Food-borne illnesses**, 108, 109, 625, 701  
*See also* Diseases; Human health
- Food chain\***, 81, 279, 291-292, 793
- Food, fibre and forest products**, 38-40, 45, 273-313  
 adaptation, 38-39, 275, 294-296, 300  
 adaptive capacity, 275, 279-280  
 air pollutants and UV-B radiation, 278  
 aquaculture, 276-277  
 assumptions about future trends, 280-282  
 biotechnology, 296  
 capacity building, 296  
 carbon dioxide effects on, 276, 282-284, 285-287, 290, 300  
 carbon pools, 283  
 climate and, 280  
 conclusions/summary, 275-276, 299-303  
 costs and socio-economic aspects, 296-299, 301  
 current sensitivity/vulnerability, 277-280  
 extreme events, 38, 275, 283, 284, 298, 299  
 fisheries, 39-40, 275, 276-277, 291-292  
 food-crop farming, 276, 283-285  
 food security (*See* Food security)  
 forestry, 39, 275, 276, 283-285, 288-291, 301  
 future impacts and vulnerabilities, 38-40, 45, 275, 282-294, 828  
 importance of, 276  
 industrial crops and biofuels, 288  
 introduction, 276-277  
 methods, 277  
 multiple stresses, 277-278, 279, 290  
 pastures and livestock production, 285-288, 301  
 subsistence and smallholder agriculture, 275, 279, 281-282, 293-294  
 supply and demand balance, 280-282  
 sustainable development, 276, 299  
 temperature and, 282-283, 284-285, 286, 287-288, 301  
 threshold responses, 277  
 trade and, 40, 275, 276, 284, 297, 300  
 uncertainties and research priorities, 276, 285, 290, 299-303  
 weeds, insect pests and animal health, 283  
*See also* Agriculture; Crops; Fisheries; Food security; Forestry
- Food poisoning**, 400, 410, 701  
 ciguatera fish poisoning, 400, 449, 701
- Food safety**, 400
- Food security\***, 297-298, 299, 300, 394, 399  
 in Africa, 48, 275, 280, 297, 300, 399, 435, 440, 454-456, 719  
 in Asia, 297, 399, 471, 479-481, 482-483  
 in Australia/New Zealand region, 528-529, 529  
 gender-related vulnerability, 719, 729, 730  
 human health and, 394, 399, 413-414  
 in Latin America, 602  
 major components of, 455  
 projected changed, 40, 48  
 in small islands, 689, 698-700  
*See also* Food supply; Hunger
- Food-sharing**, 728
- Food supply**, 482-483, 816  
 adaptation, 797  
 vulnerability/risk, 74, 781, 787, 802  
*See also* Agriculture; Food security
- Food utilisation**, 298
- Food web\***, 97, 216, 236  
 marine, 234, 236, 239, 793
- Forecast.** *See* Climate prediction; Climate projection
- Forest fires**, 229, 290, 299, 300  
 in Africa, 442  
 air pollutants from, 402  
 in Asia, 471, 486  
 attribution for increases in, 114  
 in North America, 31, 107, 620, 621, 623, 631  
 observed changes, 107, 114  
*See also* Fires
- Forest products.** *See* Food, fibre and forest products; Forestry
- Forestry**, 38, 39, 276, 283-285, 288-291  
 adaptation and mitigation decisions, 758, 759  
 adaptation strategies, 295-296, 300  
 in Australia/New Zealand region, 50, 509, 520, 525, 529  
 costs of climate change, 297  
 El Niño Southern Oscillation (ENSO) effects, 277  
 FACE experiments, 40, 276, 300  
 future impacts, 39, 40, 288-291, 297, 790  
 importance of, 276  
 insect damage control, 295

- International Tropical Timber Organization (ITTO), 495  
 modelling, 290  
 in North America, 620, 622, 624, 630, 636  
 observed changes, 81-82, 106-107  
 projected changes, 39, 40  
 socio-economic impacts, 291, 297  
 summary of impacts, 301, 302  
 supply and demand in, 281  
 timber productivity, 275, 289, 290, 300  
 trade and, 40, 275, 289, 297, 300  
 vulnerability/risk, 31, 82  
*See also* Food, fibre and forest products
- Forests**, 227-230, 238  
 in Africa, 299, 435, 439, 442  
 in Amazonia, 54, 218, 241, 243, 281, 594-595, 596  
 in Asia, 471, 472, 477-478, 481, 485-486, 488  
 biodiversity, 230  
 boreal, 217, 228, 276, 289, 485-486  
 bushfire threat to, 442  
 carbon dioxide effects on growth, 40, 220-221, 228, 282-283  
 carbon stocks, 106, 214, 227-228, 231-232, 792-793  
 cloud, 48, 230, 244, 439, 596, 700  
 coastal areas, 317, 329, 333  
 deforestation (*See* Deforestation)  
 dependent communities, 736-737  
 drought effects, 228  
 ecosystems, 213, 227-230, 238  
 in Europe, 52, 106, 543, 545, 552, 559-560, 565  
 growing season, 81  
 hurricane-induced mortality, 700  
 insect infestations/damage, 218, 228, 619, 623, 624, 631  
 land-use change and, 229-230  
 in Latin America, 106, 584, 592, 594-595, 602  
 mangrove (*See* Mangrove forests)  
 in North America, 106, 620, 622, 624, 630, 735-736  
 phenology, 31 (*See also* Phenology)  
 productivity, 39, 52, 81-82, 106, 228, 297  
 rainforest, Australia/New Zealand region, 516, 516, 518  
 range/biome shifts, 229, 237, 241  
 replacement by savannas, 583, 596  
 in small islands, 689, 700  
 tropical (*See* Tropical forests)  
*See also* Deforestation; Forest fires; Forestry;  
 Reforestation
- Fossil fuels**, 672-673, 826
- Free-air CO<sub>2</sub> enrichment (FACE) experiments**, 40, 276, 282, 300
- Freshwater lens\***, 36, 186, 689, 697
- Freshwater resources and management**, 35-37, 44, 90-92, 173-210  
 adaptation and risk management, 36, 175, 196-200  
 adaptation limits, 199  
 assumptions about future trends, 180-182  
 climatic drivers, 180-181  
 costs and socio-economic aspects, 190-196  
 current sensitivity/vulnerability, 176-180  
 decision-making under uncertainty, 199-200
- Dialogue on Water and Climate (DWC), 197  
 ecosystems, 28-31, 97-98, 213, 214, 233-234, 239, 789  
 erosion and sediment transport, 179, 189-190  
 feedbacks, 660  
 floods and droughts, 177, 178, 186-187, 188, 196  
 future impacts and vulnerabilities, 35-37, 44, 182-190, 233-234, 789  
 groundwater, 90, 177, 179, 185-186  
 impact of human activities, 175-176  
 infrastructure, 36, 175, 191  
 Integrated Water Resources Management (IWRM), 196-197, 200  
 introduction, 175-176  
 management policies, 175, 724  
 net negative impact of climate change, 175, 191  
 nonclimatic drivers, 181-182, 194  
 observed changes, 90, 97-98, 115-116, 177  
 runoff, 36, 175, 177, 182-184  
 sea-level rise and, 35  
 surface waters, 90, 177, 177, 182-185  
 sustainable development, 200-201  
 uncertainties and research priorities, 175, 200, 201-202  
 vulnerability/risk, 182-190, 233-234, 789  
 water chemistry, 89, 91  
 water demand/availability, 175, 191-194, 196-200, 197  
 water quality, 178-179, 188-189  
 water stress, 179, 193-194  
 water temperature/structure, 31, 36, 81, 91, 175, 176  
*See also* Water resources; *specific regions*
- Frogs**. *See* Amphibians
- Frozen ground**, 88, 115, 486  
*See also* Permafrost
- Fruit bats (*Pteropus spp.*)**, 216
- Functional extinction\***. *See* Committed to extinction
- Fur seals (*Arctocephalus gazella*)**, 660, 669
- Fusarium***, 586, 597
- Future characterisations**, 32-35, 77-78, 135, 144-161  
 analogues, 32, 145, 146  
 artificial experiments, 144-146, 145  
 climate model data, 32  
 comprehensiveness, 145  
 definitions, 145  
 large-scale singularities, 35, 135, 160  
 non-climate scenarios, 34-35  
 plausibility, 145  
 probabilistic futures, 35, 135, 145, 160-161  
 projections, 145  
 scenarios, 76, 77, 145, 146-160  
 sensitivity analysis, 32, 145, 146  
 storylines, 32, 145, 146, 147  
*See also* CCIAM assessment; Scenarios
- G**
- Ganges-Brahmaputra delta**, 64, 327, 485, 496  
*See also* Megadeltas
- Gastrointestinal disease**, 487
- Gender**  
 differential risk perception, 737



- differential vulnerability and adaptive capacity, 719, 729, 730  
 natural disasters and, 398
- General Circulation Model (GCM).** *See* Climate models
- Generalists\***, 229, 241
- Geo-engineering**, 797
- Geographically-distributed impact models**, 824-825, 836
- Geophysical systems**, 74, 782, 789, 792-795
- Giardia* spp.**, 487, 671
- Glacial lake outburst floods (GLOFs)**, 86-88, 395, 414, 477
- Glacial lakes**, 69, 86, 88, 719, 721, 723
- Glaciers\***, 83, 86-88  
 adaptation to glacial retreat/melt, 719, 721, 722, 723, 781  
 in Africa, 439, 440  
 in Arctic, 656, 661-662  
 in Asia, 49, 471, 472, 477, 481, 483-484, 487, 493, 494  
 attribution for glacial retreat, 114  
 Chacaltaya glacier, Bolivia, 87  
 in Europe, 28, 52, 543, 549-550, 551, 565  
 Himalayan glaciers, 49, 481, 483, 487, 493, 494  
 in Latin America, 87, 584, 589, 598  
 observed changes, 28, 83, 86-88, 114, 177, 589, 661-662  
 in polar regions, 656, 657, 661, 663, 674  
 runoff from, 28, 89, 184  
 sea-level rise and, 663  
 vulnerability/risk, 781, 788  
 water supply from, 184, 187, 483  
*See also* Ice sheets
- Global mean annual temperature (GMAT)**  
 carbon dioxide stabilisation and, 158-159  
 modelling/scenarios, 34  
 projections, 783, 804 (*See also* Temperature projections)
- Global mean temperature (GMT)**  
 aggregate impacts of increases in, 73, 781, 796-797, 803-804, 821-825  
 key vulnerabilities/risks from increases in, 73-76, 781, 787-789, 803-804  
 thresholds, 803  
*See also* Scenarios; Temperature; Temperature impacts; Temperature projections
- Global warming**  
 commitment to, 827  
 global impacts of cryosphere changes, 655, 660, 661-662, 667-668  
 impacts of additional degrees of warming (*See* Temperature impacts)  
 impacts of delay in addressing, 782, 802, 804  
 probability of exceeding 2°C above pre-industrial level, 801  
 risk-management timeline, 140  
 summary of future impacts, 44-47, 59-63, 66-68  
 summary of observed impacts, 26-31  
*See also* Climate change; Scenarios; Temperature; Temperature impacts; Temperature projections
- Globalisation\***, 719, 730  
 adaptation and, 278, 729, 730, 797  
 in Africa, 440-441  
 food supply and, 482  
 in India, 719, 729, 730  
 in small islands, 693, 707  
 sustainable development and, 819
- Governance/government**  
 interactions with social/cultural systems, 375  
 local, climate change adaptation and, 382  
 new global governance structures, 383  
 participatory, 834  
 scenarios, 364
- Grain crops**  
 in Africa, 448  
 in Asia, 475, 479-481, 481  
 in Australia/New Zealand region, 518  
 cereal grains, 38, 275, 285, 286, 297-298, 302  
 El Niño Southern Oscillation (ENSO) effects, 277  
 in Europe, 545  
 in Latin America, 597  
 in North America, 624  
 projected changes, 38  
 sensitivity to climate change, 39  
 temperature and, 285, 286, 297  
*See also* Agriculture; Crop yields; Food, fibre and forest products; *specific crops*
- Grasslands**, 224-226, 285-288  
 in Africa, 435, 439, 449  
 in Asia, 483, 486  
 carbon dioxide effects on, 220, 225  
 carbon stocks, 214  
 in Europe, 549, 553, 560, 565  
 temperature impacts, 288  
 wildlife, 226  
*See also* Rangelands; Savannas
- Great Barrier Reef**, 50, 242, 320, 509, 512, 518, 527  
*See also* Coral bleaching; Coral reefs; Corals
- Great Lakes, North America**, 56, 619, 627-629, 628, 634
- Greenhouse effect\***, 526, 605
- Greenhouse gases (GHGs)\***  
 in Asia, 479, 489, 495  
 in Australia/New Zealand region, 510  
 climate change commitment from, 748  
 comparison between, 823  
 costs and damages avoided, 756-757  
 emissions goals, 748, 753  
 emissions in developing countries, 826  
 in Europe, 545, 769-770  
 mitigation scenarios, 35, 76, 139-141, 158-160, 755-757, 799-802  
 in North America, 620  
 overshoot scenarios, 801-802, 804  
 in polar regions, 655, 662, 667, 672  
 potential release from permafrost, 88, 213, 231, 661, 662  
 risks of delay in mitigation, 782, 802  
 social cost of, 813, 821-824  
 stabilisation scenarios, 35, 71, 529, 758, 765, 799-802  
 stabilisation targets, 799-802  
 uncertainties in future emissions/scenarios, 800  
*See also* Carbon dioxide; Methane
- Greenland ice sheet**, 74, 655, 656, 657, 661-662

- deglaciation impacts, 64, 74  
deglaciation parameters, 41, 73, 74, 781, 789, 793-794  
*See also* Ice sheets
- Grenada**, 693, 701, 702
- Gross Domestic Product (GDP)\***  
extreme weather event impacts as percent of, 359, 376  
global agriculture impacts as percent of, 296-297  
global damage estimates with increases in temperature, 65, 822  
impacts computed as a percent of, 821  
sea-level rise protection costs as percent of, 725
- Gross national product (GNP)\***, 245, 547, 592
- Gross primary production\***. *See* Primary production
- Gross world product**, 790
- Groundwater**, 185-186  
arsenic/fluoride in, 179, 587  
in Asia, 483  
in Latin America, 587, 599, 602  
in North America, 629  
observed changes, 90, 177, 177  
salinisation, 35, 175, 179, 189, 483, 693  
in small islands, 186, 189, 693  
*See also* Freshwater management
- Groundwater recharge\***, 36, 175, 185-186, 549
- Growing season**, 31, 81, 99, 666  
in Africa, 435, 447-448  
in Asia, 475, 483  
*See also* Phenology
- Groyne\***, 343
- Guardrail analysis**, 800, 802
- H**
- Habitat\***, 817  
fragmentation, 37, 213, 554, 666, 783  
loss, 52, 583, 592  
sea-level rise and, 554  
*See also* Ecosystems; *specific habitats*
- Hantavirus\***, 404, 586-587, 625
- Haplosporidium nelsoni**, 292
- Harmful algal blooms (HABs)**, 96, 234, 328, 400, 551, 556
- Hawaii**. *See* Small islands
- Health**. *See* Human health
- Heat islands\***, 55, 372-373, 381, 489, 587, 633  
adaptation for, 492
- Heat-related deaths**, 43, 108, 393, 396-398, 408, 411, 733  
in Asia, 478  
in Australia/New Zealand region, 519, 524, 525  
in Europe, 397, 411, 548, 557  
in Latin America, 587, 600  
in North America, 55, 411, 619, 625  
*See also* Heatwaves; Human health
- Heat stress**, 38, 49, 487, 492, 599, 689  
effect on livestock, 287, 447, 586  
vulnerability/risk, 789  
*See also* Extreme weather events
- Heatwaves**, 51, 396-397  
adaptation, 43, 70, 719, 721, 722  
in Asia, 396-397, 476, 478, 492, 733  
in Australia/New Zealand region, 50, 509, 511  
early warning systems, 53, 417, 491, 544, 563  
ecological impacts of, 217  
energy use and, 111  
in Europe, 51, 217, 362, 544, 548, 557, 563  
human health and, 396-397, 413, 632  
impacts of, 42, 217, 375, 396-397, 632, 733  
mortality from, 394  
in North America, 619, 620, 632  
vulnerability/risk, 781  
*See also* Extreme weather events; Heat-related deaths;  
Human health
- Hepatitis**, 587-588
- Herbaceous\* growth**, 225-226, 552
- Herring (*Clupea harengus*)**, 669
- High-altitude regions**. *See* Mountain regions
- High-latitude ecosystems**, 38, 230-232
- High-latitude islands**, 58  
biodiversity, 689, 700  
sea-level trends, 692  
temperature and precipitation, 694
- Himalayan glaciers**, 49, 473, 481, 487, 493, 494
- Hindu Kush-Himalaya region, freshwater runoff**, 49, 184, 187, 483
- HIV/AIDS**, 399, 406  
in Africa, 69, 440, 441, 442, 448  
in Latin America, 587  
malaria and, 404
- Hotspots**. *See* Vulnerability hotspots
- Huanghe River**  
damming of, 326  
sediment load, 319, 326, 485  
water supply and, 179
- Human capital**, 816  
*See also* Social capital
- Human health**, 43, 47, 391-431  
adaptation, 43, 415-418, 491, 727-728  
adaptive capacity, 43, 64, 393, 406  
in Africa, 108-109, 399-400, 416, 435, 436, 437-439, 441, 446-447, 459  
air quality and, 401-402, 408-412, 418-419  
in Asia, 50, 395, 408, 472, 478, 481, 487, 488, 491  
assumptions about future trends, 405-406  
in Australia/New Zealand region, 524, 525, 529  
in coastal areas, 43, 334-335, 338, 393, 414  
costs, 415  
current sensitivity/vulnerability, 396-405  
disasters and, 338, 393, 635  
drought, nutrition and food security, 399-400, 407, 413-414  
in Europe, 51, 546, 557-558  
food safety, 400  
future impacts and vulnerabilities, 43, 47, 372, 393, 406, 407-415, 787, 828  
heat and cold health effects, 31, 393, 396-397, 396-398, 407, 411, 632  
heatwaves and, 396-397, 413, 632  
impact assessments, regional, 394, 395, 409-412

impacts, direction and magnitude of, 418  
 introduction, 393-395  
 in Latin America, 395, 403, 405, 408, 583, 584, 586-588, 599-601, 603-604  
 methods and gaps in knowledge, 394-395  
 modelling/projections, 405-415, 413  
 monitoring of diseases, 43, 491  
 national and international programmes, 43  
 in North America, 55, 619, 620, 625, 632, 635  
 observed changes, 31, 82, 107-109  
 occupational health, 405  
 pathways of climate change effects, 396  
 in polar regions, 657, 671-672  
 public health administration, 415-417  
 in small islands, 58, 689-690, 701  
 sustainable development, 418-419  
 ultraviolet radiation and, 405  
 uncertainties and research priorities, 419  
 vector-borne, rodent-borne and other infectious diseases, 403-405, 409-410  
 vulnerability/risk, 407-415, 787  
 vulnerable populations and regions, 412-415  
 water and, 400-401, 413  
 wind, storms and floods, 393, 398-399  
*See also* Diseases; *specific diseases*

**Human migration.** *See* Migration, human

### Human population

in Africa, 441  
 in Asia, 477, 479, 484, 488, 491  
 in Australia/New Zealand region, 509, 510, 516, 522  
 in coastal areas, 40, 317, 318, 319, 323, 327, 346  
 as driver of water use, 182  
 global, 406, 816  
 as key future condition, 363-364  
 in Latin America, 587, 595  
 population-environment interactions, 441  
 urban population, by size-class of urban centre, 363

### Human settlements

adaptation, 381-382  
 in Africa, 439-440, 450  
 in Asia, 472, 485, 491, 493  
 in Australia/New Zealand region, 521-522  
 in coastal areas, 81, 317-318, 331, 333-334, 359, 791  
 future impacts and vulnerabilities, 41-43, 46-47, 371-373  
 inertia in, 317-318  
 informal settlements, 372, 373-374  
 in North America, 620, 625-626, 632-633, 633  
 in polar regions, 56, 376, 656, 657, 661  
 rural settlements, 282, 383, 413, 491-492, 625  
 in small islands, 689, 690, 693, 695, 700-701  
 urban settlements, 361, 363, 371, 372  
*See also* Construction; Industry, settlement and society;  
 Urban settlements

### Human systems\*, 790-791

adaptive capacity, 798  
 changes in, 83  
 context for, 361, 366, 374  
 responses to climate change, 81-82, 366

scale and factors in, 366

*See also* Adaptation; Industry, settlement and society

### Hunger, risk of, 275, 298, 299, 300, 482-483

global-scale projections, 38, 813, 824, 825

*See also* Food security; Food supply

### Hurricanes

costs of, 369, 376, 377, 489, 626, 798  
 human health impacts, 399  
 Hurricane Andrew, 369  
 Hurricane Catarina, 585  
 Hurricane Georges, 362  
 Hurricane Gudrun, 290  
 Hurricane Ivan, 693, 701, 702  
 Hurricane Katrina, 332, 333, 369, 377, 399, 625, 635, 815  
 Hurricane Katrina, flood depths, 360, 414  
 Hurricane Mitch, 376, 376, 730  
 Hurricane Rita, 92, 399  
 impacts, 399, 625-626 (*See also specific hurricanes*)  
 mortality of wild organisms, 216  
 in North America, 621, 625-626, 627 (*See also specific hurricanes*)  
 projected changes, 54  
 storm surge and, 92  
 tourism impacts, 336  
*See also* Extreme weather events; Tropical cyclones

### Hydrographic events\*, 236

### Hydrological systems\*, 81, 90-92

adaptation and mitigation in, 759-760  
 in Africa, 446  
 in Asia, 471-472, 477, 483-484, 490-491  
 observed changes, 28  
 in polar regions, 56, 655, 662, 664-665  
 rain-to-snow ratio, 662  
*See also* Water resources

**Hydrology.** *See* Freshwater resources and management; Hydrological systems; Water resources

### Hydropower generation, 193, 367, 760

in Africa, 768-769  
 in Asia, 483  
 climate-related impacts on, 626  
 development decisions and, 818-819  
 in Europe, 52, 543, 556  
 in Latin America, 586, 589, 591, 597-598  
 in North America, 619, 626, 628, 634, 818-819  
 projected changes, 36

### Hypolimnetic\* oxygen concentration, 233

### Hypoxic events\*, 235

*See also* Eutrophication

## I

**Ice caps\*, 28, 48, 86-88, 449**

**Ice cover, 86-88**

**Ice jams, 89, 484**

**Ice, sea.** *See* Sea ice

**Ice sheets\*, 64, 86-88, 661-662**

Antarctic, 64, 73, 655, 656, 663, 781, 789, 793-794, 800

deglaciation, impacts of, 41, 64

deglaciation, thresholds for, 41, 73, 781, 793, 797, 800

- Greenland, 64, 73, 74, 655, 656, 657, 661-662, 781, 789, 793-794, 800
- observed changed, 28, 793
- projected scenarios, 793-794
- sea-level rise and, 41, 317, 346, 793
- vulnerability/risk, 64, 74, 781, 789, 793-794
- Ice shelves\***, 28, 86, 674-675
- Immigration/migration**
- in Australia/New Zealand region, 522, 531
- in coastal areas, 320, 323, 331, 333-334
- in North America, 627, 632
- See also* Migration, human
- Impact assessment\***, 136-137
- characteristics summarised, 137
- distribution and aggregation of impacts, 784, 825
- global warming timeline and, 140
- methods, 136-137
- as top-down approach, 136, 748-749
- uncertainties and, 141
- See also* CCIAV assessment; Vulnerability assessment
- Impacts\*, of climate change**, 26-31
- aggregate, 64, 75, 784, 787, 790, 796-797, 821-825
- assessment of (*See* Impact assessment; Vulnerability assessment)
- costing, 64-65
- cumulative vs. systematic, 365
- current knowledge about future impacts, 35-65
- definition, 781, 782
- direct and indirect, 362-363, 364, 821
- disproportionate, 55, 363, 625
- distribution of, 64, 65, 75, 781, 784, 786, 790-791, 796
- ecosystems, global synthesis, 239-245
- gender aspects, 729, 730
- global, 821-825
- global, associated with temperature increases, 64, 66, 828-829
- global, of polar region/cryosphere changes, 56-57, 655, 660, 661-662, 667-668
- global-scale, by 2080, 824
- key impacts/vulnerabilities, 73-75, 781, 783-797
- multiple stresses and, 813, 816-819
- non-climate factors and, 135
- regional, associated with temperature increases, 829
- spatially-explicit methods, 824-825, 836
- summarised, 44-47, 59-63, 66-68
- unavoidability of, 65-69, 782, 813, 827 (*See also* Mitigation)
- See also specific systems and regions; Vulnerability assessment*
- Inca civilization**, 605
- Income gap**, 364
- India**
- adaptive capacity to multiple stresses, 71
- agriculture, 719, 729, 730
- aquaculture, 281
- disaster preparedness, 378
- globalisation/trade, 719, 729, 730
- heatwaves, 396, 478
- human health, 395, 399, 409, 413, 487
- human population, 488
- malaria, 395, 409, 413
- megadeltas, 496
- projected crop yields, 297
- water resources, 477, 481, 483, 484
- wetlands, 234
- See also* Asia
- Indian Ocean**
- climate regimes, 691
- relative sea-level rise, 692
- tropical storms, 692
- Indian Ocean Dipole (IOD)**, 319
- See also* Modes of climate variability
- Indigenous peoples\***, 31, 74, 81
- adaptation, 82, 416, 673-674, 719, 728, 729-730
- adaptive capacity, 509, 522, 661, 728, 729-730
- in Africa, 456-457
- in Australia/New Zealand region, 509, 522-523, 524
- changes in livelihood strategies, 82, 673, 719
- economies of, 82, 103, 373, 625
- human health, adaptation measures, 416
- knowledge systems of, 456-457, 523, 666, 673-674, 832, 833
- in Latin America (pre-Colombian), 605
- in North America, 55, 619, 625, 639, 719, 730-731
- in polar regions, 31, 56, 82, 657, 659, 661, 673-675, 730-731
- resilience of, 56, 655, 673, 674
- vulnerability/risk, 74, 788, 791, 796
- Industrial Revolution\*, pre-industrial temperatures**, 783
- Industry, settlement and society**, 41-43, 46-47, 357-390
- adaptation, 359, 379-384
- adaptation, key issues, 383-384
- adaptation, local government and, 382
- assumptions about future trends, 363-364
- costs and socio-economic issues, 362, 365, 376-379
- current sensitivity/vulnerability, 361-363
- direct and indirect climate change impacts, 367
- environmental migration, 365
- extreme weather events and, 41, 359, 362, 369, 372, 377
- future impacts and vulnerabilities, 41-43, 46-47, 361, 364-376
- human settlement, 371-373
- human systems in context, 361, 366, 374
- industry, 366-367, 378-379
- insurance, 369-370
- introduction, 359-361
- linkages, 43, 359, 362, 365, 366, 374, 382
- multiple stresses, 361, 372, 373, 374-376, 377
- retail and commercial services, 368
- sanitation and urban drainage, 371
- scale, 360, 366
- services, 367, 379-381
- social issues, 373-374, 382-383
- social systems, 362
- sustainable development, 384
- thresholds, 359, 361, 365

- tourism, 363, 368-369  
 trade, 367-368  
 transportation, power and communication infrastructures, 371  
 uncertainties and research priorities, 378, 385  
 utilities/infrastructure, 359, 362, 365, 370, 374, 381  
 vulnerability/risk, 31, 43  
 water supplies, 370-371  
*See also* Construction; Human settlements; Urban settlements
- Infectious diseases\***, 393, 403-405, 407, 418  
 in Australia/New Zealand region, 524  
 bird migration and, 403  
 climate-related factors and, 478  
 current sensitivity/vulnerability, 403-405  
 drought and, 399-400, 478  
 in North America, 625  
 phytoplankton blooms and, 487  
 projections, 43  
*See also* Diseases; Human health; Vector-borne diseases; Water-borne diseases; *specific diseases*
- Infrastructure\***, 359, 365, 367  
 adaptation, 381  
 adaptation costs and benefits, 725  
 in Africa, 439-440, 441, 450, 453  
 in Asia, 471, 488-489, 492  
 in Australia/New Zealand region, 50, 509, 525, 529  
 in coastal systems, 331, 333-334  
 deterioration/damage of, 88, 362, 661, 675  
 extreme events and, 625-626  
 freshwater resources/management, 36, 175, 191  
 future impacts and vulnerabilities, 359, 370, 374, 787  
 lifetimes, 638  
 linkage systems, 362  
 in North America, 55, 619, 625-626, 632, 633, 635, 636, 638  
 in polar regions, 376, 655, 661, 675  
 in small islands, 57, 689, 690, 702-703  
 sustainable development and, 639  
 transport, power and communications, 371, 556  
 vulnerability/risk, 787  
 water-supply, 36, 365, 371  
*See also* Human settlements; Transportation; *specific regions*
- Insect pests**, 38, 107, 400, 483  
 damage control, 295  
 distribution, transmission and seasonality of, 393, 404, 435, 437-439, 446, 487  
 forest infestations in North America, 56, 218, 619, 623, 624, 631  
 impacts on coffee growing, 597  
 impacts on food, fibre and forest products, 217, 218, 283, 290  
 pine and spruce beetles, 107, 228, 283, 623, 624, 631, 667  
 spread of, 792  
 spruce budworm, 218, 623  
*See also* Disturbance regimes; Insects
- Insects**
- climate change impacts on, 512  
 evolutionary processes, 104  
 impacts on food, fibre and forest products, 217, 218, 283, 299  
 impacts on forests, 228, 623, 624  
 impacts on livestock, 555  
 morphology and reproduction, 103  
*See also* Disturbance regimes; Insect pests; *specific insects*
- Insurance**, 489, 735  
 adaptation, 380-381, 723  
 catastrophe models, 337  
 disaster losses, 110, 377  
 future impacts and vulnerabilities, 369-370, 790  
 Hurricane Katrina claims, 377  
 non-availability/withdrawal of, 380-381  
 property insurance in Europe, 557, 561-562, 565  
 reinsurance, 110, 369, 370, 376  
 in small islands, 707
- Integrated assessment\***, 136, 139, 337, 822  
 adaptation and mitigation inter-relationships, 754-760  
 characteristics summarised, 137  
 global warming timeline, 140  
*See also* Integrated Assessment Models (IAMs)
- Integrated Assessment Models (IAMs)**, 155-156, 749, 754-756, 757, 770-771
- Integrated Coastal Zone Management (ICZM)**, 340-341, 491
- Integrated Water Resources Management (IWRM)\***, 196-197, 200, 370-371
- Inter-relationships.** *See* Adaptation and mitigation inter-relationships
- Inter-tropical Convergence Zone (ITCZ)**, 584
- Interdecadal Pacific Oscillation (IPO)**, 691  
*See also* Modes of climate variability
- Intergenerational ethics**, 835
- International agreements**, 72, 495, 748
- International Convention for the Prevention of Pollution from Ships**, 495
- International Federation of Red Cross and Red Crescent Societies (IFRCRCS)**, 442, 732
- International Tropical Timber Organization (ITTO)**, 495
- Inuit people**, 719, 729-730
- Invasive species and invasive alien species (IAS)\***, 103, 216, 218, 232, 247  
 in Australia/New Zealand region, 512, 517, 518, 520  
 direct and indirect effects of, 84  
 in Europe, 551, 554  
 in North America, 619, 635, 640  
 observed changes, 95  
 in small islands, 58
- Irrigation**  
 wastewater re-use for, 418  
 water demand for, 36, 481, 482  
 water use for, 179, 182, 192, 284, 550, 559
- Irrigation water-use efficiency\***, 284
- Islands.** *See* Small islands
- Isohyet\***, 224
- Ixodes scapularis**, 625, 632

**J****Japan**

coastal flooding, 324  
 construction, 379  
 cyclones/typhoons, 473, 489  
 floods, 484-485  
 growing season, 99  
 heat islands, 489  
 human health, 395, 487  
 phenology, 100, 478  
 precipitation, 481  
 rice yields, 480  
 sea-level rise, 484-485  
 ski industry, 489  
 temperature, 479, 481  
*See also* Asia

**Joint attribution\***, 83, 112-116

*See also* Detection and attribution

**K****Kala-azar**, 403**Kelp**, 94, 95**Keystone species\***, 230, 241, 658**Kilimanjaro, Mt.**, 48, 439, 440, 449**Kiribati**, 689, 697, 698, 706, 708, 792**Krill**, 56, 88, 95, 236, 521, 655, 660, 669**Kyoto Protocol\***, 495, 748, 752, 754, 766**L****La Niña**. *See* El Niño Southern Oscillation (ENSO)**Lakes**, 233-234, 664

chemistry, 91  
 epishelf, 90  
 eutrophication, 551, 553  
 future impacts, 184  
 lake ice, 83, 88-89, 664  
 observed changes, 28, 81, 90, 91, 97, 98, 177  
 phenology, 97, 98  
 thermal structure, 91  
*See also* Freshwater resources and management; Glacial lakes; Thermal expansion; Thermal stratification

**Land cover change**, 49, 84, 816

carbon balance and, 793  
 direct and indirect effects, 84  
 in Latin America, 53, 590  
 projections, 157

**Land degradation**, 229, 518-519, 520

*See also* Erosion

**Land-use change**, 49, 84

direct and indirect effects, 84  
 effects on ecosystems, 213, 216-217, 237-239, 241  
 effects on forests, 229-230  
 future scenarios, 155-156, 157  
 in Latin America, 53, 583, 590, 594-595, 606

**Landslides\***

in Asia, 472, 473, 477  
 in Australia/New Zealand region, 50

in Latin America, 599

**Large-scale singularities\***, 35, 64, 75, 135, 160, 797, 802, 828

*See also* Abrupt climate change

**Last glacial maximum\***, 214, 220**Latin America**, 53-55, 61, **581-615**

adaptation, 55, 583, 591-593, 600-604, 605, 722  
 adaptive capacity, 584, 605  
 agriculture, 54, 281, 584, 586, 591, 592, 597, 598, 601-602  
 Amazon forest, 218, 241, 243, 281, 594-595, 596  
 aquaculture, 593  
 assumptions about future trends, 593-596  
 biodiversity, 583, 586, 590, 592, 596, 603, 791  
 case studies, 604-605  
 Chacaltaya glacier, Bolivia, 87  
 climate, 53, 583, 585-587, 588-589, 593-594  
 climate, possibility of rapid changes, 596  
 climate variability, 54, 583, 586, 591  
 coasts, 54, 584, 586, 593, 599, 600, 602-603  
 current sensitivity/vulnerability, 584-593  
 deforestation, 53, 583, 590, 594-595, 604, 606  
 dengue fever, 404, 586, 591, 593, 599  
 development, 595-596  
 distinctions of, 584-585  
 droughts, 400, 586  
 ecosystems, natural, 583, 584, 586, 592, 596, 601  
 El Niño/ENSO in, 585, 586, 591  
 extreme weather events, 53, 583, 585, 594  
 fires, 53, 596, 600  
 fisheries, 281, 584, 587, 590, 603  
 floods, 398, 586, 588  
 food security, 602  
 forests/forestry, 106, 584, 592, 594-595, 602  
 future impacts and vulnerabilities, 53-55, 61, 242-244, 596-600, 788, 791, 825, 829  
 glaciers, 87, 584, 589, 598  
 HIV/AIDS in, 587  
 hotspots, 604, 606  
 human health, 395, 403, 405, 408, 583, 584, 586-588, 599-601, 603-604  
 human population, 587, 595  
 hydropower generation, 586, 589, 591, 597-598  
 introduction, 583-584  
 land-use changes, 53, 583, 590, 594-595, 606  
 livestock, 54, 583, 586, 602  
 malaria, 408, 584, 586, 591, 593, 599  
 migration, 587, 595  
 non-climatic stresses, 587-588  
 observed changes, 30, 87, 106, 115-116, 588-591  
 past and current trends, 588-591  
 pollution, 587-588  
 pre-Columbian communities, adaptation practices, 605  
 precipitation, 53, 151, 583, 588, 589, 593-594  
 schistosomiasis in, 405  
 sea-level rise, 54, 346, 584, 586, 589, 791  
 socio-economic factors, 590-591  
 summary of knowledge in TAR, 584  
 sustainable development, 55, 299, 584, 606-607

- temperature, 53-54, 150, 583, 589, 593-594, 606  
tourism, 587, 599  
uncertainties and research priorities, 607  
urban indicators, 363  
urbanisation, 587, 590  
vulnerability/risk, 53-54, 596-600, 788, 791  
water resources, 586, 592-593, 597-599, 602, 605  
water stress, 54, 583, 597-598  
weather and climate forecasting, 591-592, 604  
weather and climate stresses, 585-587  
*See also specific countries*
- Leaching\***, 52, 228, 294, 542, 543, 545  
**Leaf area index (LAI)\***, 220, 227, 240  
**Lebanon, water resources**, 483  
**Legumes\***, 54, 106, 287, 583, 590, 607  
**Leishmaniasis**, 403, 557, 587, 593, 599  
**Lemmings**, 658, 666  
**Lentic (still-water) systems**, 664  
**Leptospirosis**, 404, 587, 588, 701  
**Lianas**, 104  
**Likelihood\***, 27, 786, 799  
*See also Confidence; Uncertainty*
- Linkages/linkage systems**, 43, 359, 362, 365, 366, 374, 382  
**Littoral zone\***, 599  
**Livestock**  
adaptation, 295, 721  
in Africa, 278, 287, 447, 448  
in Asia, 287, 482, 483  
in Australia/New Zealand region, 283, 520  
diseases, 447, 555  
drought mortality, 278  
in Europe, 555, 565  
forage production for, 277, 277, 480, 486, 555  
heat stress mortality, 555, 586  
insect pests and, 283, 520  
in Latin America, 54, 583, 586, 602  
observed changes, 105, 106  
production, 285-288  
projected changes, 38  
summary of impacts, 301, 302  
vulnerability/risk, 790
- Low-lying areas.** *See* Coastal systems and low-lying areas  
**Lyme disease**, 108, 410, 557, 619, 625, 632
- M**
- Madden-Julian Oscillation (MJO)**, 691  
**Mainstreaming**, 471, 513, 637-638, 639, 732, 768  
adaptation into planning/development decisions, 55, 65, 818, 832-836  
barriers to, 835-836  
definition, 749
- Maize**, 106, 297, 448, 452, 480, 597  
projected crop yields, 54  
sensitivity to climate change, 39  
temperature and, 286
- Malaria\***, 394, 400, 404, 557, 689, 701  
adaptation/mitigation decisions and, 755  
in Africa, 48, 108-109, 400, 404, 406, 408, 409, 437-439, 446  
in Asia, 408, 478, 487  
avian, 700  
climate change impacts on, 408, 409-410, 418  
climate-related factors and, 48, 478  
distribution, transmission and seasonality of, 393, 404, 435, 437-439, 446, 487  
epidemic areas in Africa, 438, 446  
future risks, 406, 407-408  
geographic range of, 393, 400, 403, 404, 437-439  
in Latin America, 408, 584, 586, 591, 593, 599  
observed changes, 108-109  
*See also Diseases; Human health*
- Maldives**, 694, 703-705, 708  
**Malnutrition**, 393, 394, 399-400, 407  
projections, 48, 298, 299, 418  
in small islands, 701
- Mammals**  
in Africa, 435, 449  
in Australia/New Zealand region, 512  
marine, 56, 236, 565, 668-669, 696  
migration corridors, 525  
observed changes, 100, 103  
in polar regions, 660, 666  
*See also specific mammals*
- Management.** *See* Governance/government; Technology  
**Managed systems**, 31, 51, 71  
definition, 82  
observed changes in, 79-131  
*See also Agriculture; Observed changes and responses*
- Manatees**, 449  
**Mangrove forests**, 92, 317, 329, 696  
in Africa, 449  
in Asia, 49, 471, 472, 477, 481, 485, 492  
conservation of, 492, 495  
in Latin America, 586, 590  
observed changes, 816
- Marine ecosystems**, 213-214, 234-236  
adaptation, 295, 719  
globalisation and, 719, 730  
observed changes, 28, 81, 94-96, 115-116  
in polar regions, 655, 658-660, 668-671  
projected changes, 38, 49  
resilience of, 719  
vulnerability/risk, 74, 788  
*See also Coastal systems; Fisheries; Oceans*
- Marine fisheries.** *See* Fisheries  
**Marine mammals**, 56, 236, 565, 668-669, 696  
*See also specific mammals*
- Market impacts\***, 74, 75, 137, 781, 782, 787, 790-791, 796, 798
- Mediterranean islands**, 691, 696  
*See also Small islands*
- Mediterranean region.** *See* Europe  
**Mediterranean-type ecosystems (MTEs)**, 214, 226-227  
**Megadeltas**, 40, 41  
in Asia, 40, 64, 279, 327, 484-485, 493, 496  
in polar regions (Arctic), 674

- sea-level rise impacts, 484-485  
vulnerabilities, 41, 64, 377  
*See also* Ganges-Brahmaputra delta
- Mekong River/delta**, 279, 327, 483, 485, 489, 496  
*See also* Deltas; Megadeltas
- Meloidogyne incognita**, 597
- Meningitis\***, 399-400, 438, 439
- Mental disorders, as impact of disasters**, 399
- Meridional overturning circulation (MOC)**. *See*  
Thermohaline circulation (THC)
- Meta-analysis**, 112-116
- Methane**  
release from methane hydrates, 662, 793  
release from permafrost, 38, 88, 213, 231, 662, 667, 793  
social cost of, 822  
warming influence of, vs. carbon dioxide, 655, 662  
*See also* Greenhouse gases (GHGs)
- Methane hydrates**, 662, 793
- Methods**. *See* Assessment methods
- Mexico**  
adaptation, 722, 734  
agriculture, 586, 592  
*See also* Latin America
- Microclimate\***, 84, 101, 102, 439
- Mid-latitude islands**, 689, 695  
*See also* Small islands
- Migration**, 237  
of African ungulates, 226  
of birds, 100, 223-224, 230, 239, 403, 449, 625, 666, 696  
climate change impacts on, 237, 239, 509  
drought and, 399  
environmental, 365, 368  
of fish, 98, 333  
habitat fragmentation and, 783  
impacts of polar region changes on, 662, 666  
of wetland species, 234  
*See also* Migration, human
- Migration corridors**. *See* Ecological corridors
- Migration, human**, 365, 728, 736  
as adaptation strategy, 452, 492, 728, 736  
in Africa, 452  
in Asia, 488, 491-492  
in Latin America, 587, 595  
rural-to-urban, 488, 492  
from small islands, 697, 708, 736  
vulnerability/risk, 787
- Millennium Development Goals (MDGs)\***, 75-76, 813, 819,  
826-827, 834-835  
targets, likelihood of meeting, 75-76, 813, 826-827  
in coastal systems, 345  
food security, 456  
impacts of climate change on, 458  
indicators used in, 834-835  
list of, 826  
water sector contribution to, 175, 200  
*See also* Development; Sustainable development
- Millennium Ecosystem Assessment (MA)**, 139, 147, 816  
alternate development pathways, 818  
nitrogen fertiliser use, 182  
water use, 182  
*See also* Biodiversity; Ecosystems
- Millet**, 49, 452, 482, 726
- Mining industry**, 522
- Mires\***. *See* Bogs
- Mississippi River/delta**, 326, 332, 333, 377  
*See also* Deltas; Megadeltas
- Mitigation\***, 70-73, 76, 798-803  
adaptive capacity and, 827-832  
capacity, 763  
costs and benefits, 749, 756-757, 802  
crop production and, 284  
damages avoided, 756-757  
definitions, 749, 750, 763  
differences, similarities and complementarities, 750  
global vulnerability projections with and without  
mitigation, 830-831  
implementation, 747, 766-770  
indigenous knowledge and, 456-457, 832, 833  
inter-relationships with adaptation (*See* Adaptation and  
mitigation inter-relationships)  
introduction, 748-750  
methods in mitigation assessment, 798-803  
regions and sectors, 757-760  
response capacity and development pathways, 747,  
763-766, 767  
risk management assessment and, 139-141  
risk reduction by, 782  
risks of delay in, 782, 802, 804  
scales, 747, 749, 753-754, 767-769  
scenarios, 35, 139-141, 158-160, 799-803, 813, 830-831  
substitutability for adaptation, 749, 753-754, 766-767  
synergies, 72, 747, 754-756, 762-763, 813, 827-832  
trade-offs, 747, 754-756, 762  
*See also* Adaptation; Adaptation and mitigation inter-  
relationships; Carbon dioxide; Greenhouse gases  
(GHGs); Overshoot scenarios
- Mixed layer\***, 91
- MOC (meridional overturning circulation)**. *See*  
Thermohaline circulation (THC)
- Models**. *See* Climate models
- Modes of climate variability**, 794-795  
*See also* Climate variability; El Niño Southern Oscillation  
(ENSO); Indian Ocean Dipole (IOD); Interdecadal  
Pacific Oscillation (IPO); North Atlantic Oscillation  
(NAO); Northern Annular Mode; Pacific Decadal  
Oscillation (PDO); Southern Annular Mode
- Molluscs**, 236, 243, 291, 292  
*See also* Pteropods
- Mongolia**, 486, 487  
*See also* Asia
- Monsoons\***  
in Asia, 472, 484  
in Latin America, 585  
projected changes, 795
- Montane\* ecosystems/species**, 227, 230, 232, 243, 244
- Montreal Protocol**, 495



**Morbidity\***

diarrhoeal diseases, 50, 471, 478, 481  
 extreme events and, 701  
 temperature extremes and, 625

**Morphology\***, 103**Mortality\***, 43, 393

child mortality, 394, 401  
 cold-related, 51, 108, 393, 407, 408, 411, 418, 557  
 diarrhoeal diseases, 50, 471, 478, 481  
 extreme weather events and, 620, 626, 701  
 global climate-related, 43, 791  
 global climate-related, costs of, 415  
 heat-related, 108, 396-398, 487, 519, 524, 525, 557, 625, 733  
 risk areas in Africa, 438  
*See also* Diseases; Heat stress; Heatwaves; Human health

**Mosquito-borne diseases**, 400, 524, 625

*See also* Dengue fever; Malaria

**Mosquitoes**, 403, 487

*Anopheles* spp., 108, 416, 439  
*Culex*, 625  
 pitcher plant, 104  
*Stegomyia aegypti* (formerly *Aedes aegypti*), 403-404, 524  
*Wyeomyia smithii*, 403

**Mountain regions**, 228, 232-233

adaptation, 52, 559  
 adaptation option limits/limitations, 52, 543, 559  
 adaptive capacity, 52  
 in Africa, 48, 439, 440, 449  
 biodiversity, 48, 52  
 in Europe, 52, 543, 551-552, 559, 565  
 human health, 414  
 observed changes, 102-103  
 vulnerability/risk, 52, 788

**Mountain Wheatear**, 224**Mouse (*Mus musculus*)**, 103**Multilateral Environmental Agreements**, 72, 495**Multinucleated sphere X (MSX) disease**, 292**Multiple stresses**, 78, 361, 372, 373, 813, 816-819

adaptation, 359, 384, 816-819  
 adaptive capacity and, 719, 729  
 in Africa, 48, 69, 435, 436, 440, 442, 454, 457  
 in Asia, 50, 471, 492  
 catalogue of, 816  
 in coastal systems, 40, 317, 336  
 in ecosystems, 37, 213, 215, 241, 246-247  
 in food, fibre and forest products, 277-278, 279, 290  
 in India, 71  
 in industry, settlement and society, 359, 361, 372, 373, 374-376, 377  
 in North America, 623, 624  
 uncertainties caused by, 783  
 vulnerability and, 75

**Musk oxen**, 666, 667**N****Narwhal (*Monodon monoceros*)**, 236, 669**Nasca civilization**, 605**National Adaptation Programmes (Plans) of Action (NAPAs)**, 69, 719, 731-732**Natural systems**

interaction of with human sub-systems, 318  
 observed changes in, 79-131  
*See also* Observed changes and responses; *specific systems and regions*

**Navigation**

International Convention for the Prevention of Pollution from Ships, 495  
 in North America, 56, 619, 628, 635  
 in polar regions, 88, 676

**NDVI**. *See* Normalised Difference Vegetation Index**Nepal**

Tsho Rolpa project, 719, 721, 723  
 water resources, 477  
*See also* Asia

**Net biome production (NBP)\***, 221**Net ecosystem production (NEP)\***, 228**Net primary production (NPP)\***

in Asia, 481  
 estimated changes (1982-1999), 106  
 in Europe, 552  
 global, 213, 220, 234  
 in lakes and rivers, 234  
 in North America, 621, 622, 629-630  
 observed changes, 106

**The Netherlands**

adaptation, 547, 719, 722, 724  
 cost of nature conservation, 247  
 human health, 395, 414  
*See also* Europe

**New Zealand**. *See* Australia/New Zealand region**Nile River/delta**, 143, 339, 445, 485

*See also* Deltas; Megadeltas

**Nipah virus**, 404**Nitrogen**, 153, 221, 816

leaching, 52, 294, 542, 543, 545

**Nitrogen fertiliser use**, 182**Nitrogen oxides (NO<sub>x</sub>)\***, 278**No regrets policy\***, 246, 472, 633**Non-climate drivers of change**, 26-28, 84-85, 135**Non-linearity\***, 141, 148, 215, 216, 219**Non-market impacts\***, 790-791**Normalised Difference Vegetation Index (NDVI)\***, 657**North America**, 55-56, 61-62, **617-652**

adaptation, 619, 620, 623, 633, 635-638, 722  
 agriculture, 620, 623-624, 627, 631, 636  
 assumptions about future trends, 626-627  
 case studies, 623, 628, 633, 639  
 cities, integration of impacts, 633  
 climate trends, 626-627  
 coastal regions, 55, 619, 621, 622-623, 626, 630  
 construction, 379, 635  
 costs of extreme weather events, 332, 338, 619, 621, 626, 630  
 current sensitivity/vulnerability, 620-626  
 droughts, 619, 622, 623, 624, 625, 626

- ecosystems, 619, 620, 621, 622, 629-630, 635  
 El Niño Southern Oscillation (ENSO), 623, 627, 630  
 energy, industry and transportation, 626, 630, 633, 634-635, 636  
 extreme weather events, 55, 619, 621, 625-626, 632-633  
 fires, 31, 56, 619, 620, 621, 623, 631, 636  
 fisheries, 620, 624, 631-632  
 floods, 55, 620, 626, 630, 633  
 forestry, 218, 620, 622, 624, 630, 636  
 freshwater resources, 619, 621-622, 627-629, 628  
 future impacts and vulnerabilities, 55-56, 61-62, 242-245, 619, 627-635, 825, 829  
 Great Lakes, 56, 619, 627-629, 628, 634  
 heatwaves, 619, 620, 632, 733  
 human health, 55, 619, 620, 625, 632, 635  
 human settlement, 620, 625-626, 632-633, 633  
 hurricanes, 92, 369, 399, 621, 625-626, 627 (*See also specific hurricanes*)  
 indigenous peoples, 55, 619, 625, 639, 730-731  
 infrastructure, 55, 619, 625-626, 632, 633, 635, 636, 638  
 interacting impacts, 635  
 introduction, 619-620  
 multiple stresses, 623, 624  
 observed changes, 30, 115-116  
 phenology, 99-100, 621, 622, 631  
 precipitation, 151, 621-622, 621, 627  
 resources, 620  
 sea-level rise, 346, 619, 620, 621, 623, 630  
 social, economic and institutional context, 627  
 soil erosion, 190  
 sustainable development, 639  
 temperature, 55, 150, 619, 620, 621, 626-627  
 tourism and recreation, 626, 627, 634  
 uncertainties and research priorities, 639-640  
 urban indicators, 363  
 vulnerabilities, 619, 620-626, 627-635  
 water resources, 55-56, 629, 633  
 wetlands, 620, 630  
 wildlife, 622  
*See also* Canada; United States
- North American Free Trade Agreement**, 731  
**North Atlantic Oscillation (NAO)\***, 292, 319, 550, 551  
 marine ecosystems and, 96, 101  
 projected changes, 794  
*See also* Modes of climate variability
- North Atlantic Sub-tropical High (NAH)**, 691  
**Northern Annular Mode**, 794  
*See also* Modes of climate variability
- Northern Hemisphere temperature (NHT)**, 96  
**Nutrition**, 399-400  
*See also* Malnutrition; Undernutrition
- O**
- Observed changes and responses**, 26-31, 79-131, 781  
 adaptation, regional, 111-112  
 agriculture and forestry, 81-82, 104-107  
 attribution to temperature, 81, 112-116  
 biological systems, 83, 94-107, 115-116  
 climate and non-climate drivers, 83-85  
 coastal processes and zones, 81, 92-94, 115  
 confidence, 85  
 cryosphere, 81, 85-90, 115  
 disasters and hazards, 109-111  
 geographic locations and associated temperatures, 115-116  
 geographical balance in data, lack of/need for, 82, 117  
 human health, 82, 107-109  
 hydrology and water resources, 81, 90-92  
 introduction, 82-83  
 larger-scale aggregation and joint attribution, 82, 83, 112-116  
 learning from, 117  
 linking climate-change causes with, 29  
 locations of significant changes in, 30  
 marine and freshwater biological systems, 81, 94-98, 115-116  
 meta-analysis studies, 112-116  
 methods of detection and attribution, 83-85  
 no change, evidence of, 85  
 physical systems, 83, 85-92, 115-116  
 socio-economic indicators, 82, 111-112  
 terrestrial biological systems, 81, 98-104, 115-116  
 vulnerability, adaptation and research needs, 117  
*See also specific systems and regions*
- Occupational health**, 405  
**Ocean acidification\***, 28-31, 38, 81, 234, 236, 320, 793  
 in Australia/New Zealand region, 517, 527  
 coral bleaching and, 330  
 coral calcification and, 38, 94, 235  
 in polar regions, 655, 658  
 projections, 37, 45, 235
- Oceans**, 213, 234-237  
 carbon buffering, 38  
 carbon stocks, 38, 213, 214  
 circulation, 662 (*See also* Thermohaline circulation)  
 food webs, 658, 669-670  
 freshening of, 88, 662  
 mixed layer, 91  
 observed changes, 81, 88  
 primary production decline, 94  
 projected changes, 662  
 warming, 656  
 water chemistry, 658  
*See also* Marine ecosystems; Ocean acidification; Southern Ocean
- OECD**. *See* Organisation for Economic Co-operation and Development
- Okanagan, Canada**, 195  
**Ombrotrophic bog\***, 230  
**Oncomelania**, 487  
**Opportunity costs\***, 763, 826  
**Optimality**, 749  
**Organisation for Economic Co-operation and Development (OECD)**, 755, 768  
**Overshoot scenarios**, 801-802, 804  
*See also* Mitigation
- Oxygen deficiency**

- in fish-spawning habitats, 665  
in oceans and coastal areas, 235
- Oysters**, 292, 400
- Ozone\***, 401-402, 413  
effects on crop yields, 276, 278  
future scenarios, 153, 372  
ground-level, health impacts of, 393, 401-402, 408-411, 412, 588, 619, 632  
interaction in carbon dioxide effects, 40, 276, 278  
stratospheric, impacts of loss of, 600-601  
tropospheric, warming associated with, 480
- P**
- Pacific Decadal Oscillation (PDO)**, 95, 101, 292, 319  
*See also* Modes of climate variability
- PAGE2002 model**, 821-823  
*See also* Integrated assessment models (IAMs)
- Pakistan**  
human population, 488  
migration, human, 488  
water resources, 477  
*See also* Asia
- Palm products industry**, 333, 450
- Paludification\***, 229, 231
- Participatory processes**, 813, 832-834
- Particulates\***, 394, 402, 588
- Pastoralists**, 39, 279, 281-282, 657  
coping/adaptation strategies, 293, 457
- Patagonian toothfish (*Dissostichus eleginoides*)**, 669, 676
- Peat/peatlands\***, 234, 239, 477-478, 543, 558, 792, 795
- Pelagic communities\***, 94, 95, 234, 236  
in polar regions, 658, 659  
range shifts in, 659  
*See also* Fish; Fisheries; Pelagic fisheries
- Pelagic fisheries**  
in Australia/New Zealand region, 521  
observed changes, 97  
*See also* Fish; Fisheries; Pelagic communities
- Penguins**, 660
- Perkinsus marinus***, 292
- Permafrost\***, 49, 214, 221, 486-487, 655, 660-661, 663  
adaptation to melting of, 719, 722  
in Asia, 49, 472, 477, 486-487  
carbon stocks, 214, 221, 231  
in Europe, 51, 52, 543, 551, 558, 559, 565  
infrastructure and, 632, 635, 661, 675  
interactions/feedbacks, 249, 661  
lake formation and drainage, 90, 91  
methane release from, 38, 88, 213, 231, 662, 793  
in North Americas, 632, 635  
observed changes, 28, 81, 83, 88, 177, 655  
projected changes, 40, 49, 486-487, 663  
temperatures, 477  
thawing, 221, 237, 551, 558, 655, 656, 663, 675  
vulnerability, 660-661  
*See also* Polar regions
- Pesticides**, 175, 182, 188
- pH, oceanic projected**, 37, 45, 235  
*See also* Ocean acidification
- Phenology\***, 31, 97, 99-100, 101  
agricultural impacts, 31, 81, 105  
in Asia, 100, 478  
in Australia/New Zealand region, 100  
COST725 project, 112, 113  
in Europe, 51-52, 99-100, 101, 113, 546, 551, 552, 553, 558  
insect pest activity and, 283  
in North America, 99-100, 283, 621, 622, 631  
observed changes, 28, 81, 83, 96, 98, 99-101, 113-114  
pelagic communities, 95, 97  
*See also* Growing season
- Phosphorus**, 816
- Photochemical smog\***, 487, 557-558
- Photosynthesis\***, 104, 329  
*See also* Growing season
- Physical systems**, 26, 28  
linking climate-change with observed effects, 29  
locations of significant changes in, 30  
*See also* Detection and attribution; Joint attribution; Observed changes and responses
- Phytoplankton\***, 56, 234, 236, 414, 793  
observed changes, 91, 96  
in polar regions, 56, 659  
productivity in lakes, 91  
sea surface temperature and, 487  
*See also* Algal blooms; Zooplankton
- Pied flycatchers (*Ficedula hypoleuca*)**, 101, 103, 696
- Pika (*Ochotona princeps*)**, 103
- Pine and spruce beetles**, 107, 228, 283, 623, 624, 631, 667  
*See also* Disturbance regimes; Insect pests; Insects
- Pinnipeds**, 236
- Pitcher plant mosquito**, 104
- Plankton\***, 213, 234, 295, 517  
communities, 234, 236  
ocean acidification and, 38  
poleward shift of, 28  
*See also* Algal blooms; Phytoplankton; Zooplankton
- Planned adaptation**, 65, 719, 731-733, 781  
in Australia/New Zealand region, 509, 513, 524-525  
barriers to, 525-526, 732-733  
definition, 294  
ecosystem management, 246-248  
in Europe, 547  
evaluation of, 815-816  
food, fibre and forest products, 295-296  
human health, 43  
international and national actions, 43, 416-417, 731-733  
in Latin America, 591-593  
in small islands, 706
- Plant functional type (PFT)\***, 219, 226, 240
- Plasmodium falciparum***, 400, 406, 407, 408
- Plasmodium vivax***, 408, 413
- Polar bears (*Ursus maritimus*)**, 88, 231, 236, 237, 668-669, 734, 792  
endangerment status, 231  
habitat reduction, 213

- reproductive success, 103  
vulnerability/risk, 230, 231, 240, 668-669
- Polar regions (Arctic and Antarctic), 56, 62-63, 653-685**  
acidification of oceans/seas, 655, 658  
adaptation, 82, 655, 660, 672-673  
adaptive capacity, 658-660, 661  
albedo, 655, 656, 661  
Antarctic Peninsula case study, 674-675  
aquatic productivity and biodiversity, 665  
assumptions about future trends, 661-663  
biodiversity, 667, 792  
carbon storage/flux, 662, 665, 667-668  
case studies, 673-675  
climate, environment and socio-economic state, 655, 656-658  
climate projections, 150, 151, 656-657  
coastal zone and small islands, 92, 320, 672  
current sensitivity/vulnerability, 656-661  
economies/socio-economic systems, 56, 655, 657, 661, 665-666, 668, 676  
ecosystems, 56, 665-671 (*See also* Sea-ice biome)  
feedbacks to global climate systems, 655, 660, 661-662, 667-668  
fish/fisheries, 49, 291, 655, 665, 669, 676  
freshwater systems, 655, 660, 663-666  
future impacts and vulnerabilities, 56, 62-63, 663-672, 788, 791, 792, 829  
glaciers, 656, 657, 661, 674  
“greening of,” 88, 655  
human health, 414-415, 657, 671-672  
human population, 657, 661  
human settlement, 56, 376, 656, 657, 661, 791  
hydrology, 655, 662, 664-665  
ice habitats, 96  
ice sheets, 64, 73, 655, 656, 661-662, 663, 781, 789, 793-794, 800  
ice shelves, 86, 674-675  
indigenous peoples, 31, 56, 82, 657, 659, 661, 673-675, 730-731  
infrastructure, 376, 655, 661, 675  
introduction, 655-656  
marine ecosystems and services, 56, 655, 658-660, 668-671  
Marion Island, 230  
megadeltas, 674  
observed changes, 30, 56, 96, 115-116  
permafrost, 655, 656, 657, 660-661, 662, 663, 675  
precipitation, 151, 657, 662  
projected changes, 62-63, 150, 151, 656-657, 662-663  
sea ice, 56, 655-656, 657, 658, 659, 662, 668-669, 792  
sustainable development, 675-676  
temperature, 150, 230, 656, 656-658, 662, 674  
terrestrial ecosystems and services, 655, 656, 658-660, 666-668  
tourism, 673, 676  
traditional ecological knowledge (TEK), 666, 673-674  
traditional economies/livelihoods, 655, 661, 665-666, 668  
transportation/navigation, 88, 676  
uncertainties and research priorities, 676-677  
vegetation, 231, 657, 658-660, 666-668  
vulnerability/risk, 64, 230, 658-661, 663-672, 788, 791, 792  
wetlands, 88, 655, 665  
*See also* Permafrost; Tundra
- Policy-base adaptation.** *See* Planned adaptation  
**Policy-based assessment,** 136  
**Policy, climate.** *See* Climate policy  
**Pollen,** 31, 103, 108, 109, 393, 558, 619, 632  
ragweed (*Ambrosia artemisiifolia*), 402-403  
*See also* Human health; Phenology  
**Pollock (*Theragra chalcogramma*),** 669  
**Pollution**  
direct and indirect effects of, 84  
in Latin America, 587-588  
*See also* Air pollution; Water pollution  
**Polynyas\*,** 669  
**Population.** *See* Human population  
**Population systems\*,** 242-245  
**Portfolio,** 749  
**Post-traumatic stress disorder,** 399  
**Potential production\*,** 297  
**Poverty,** 364, 494  
adaptation measures for, 275, 299  
adaptive capacity and, 492, 720  
in Africa, 48-49  
in Asia, 489, 492, 494  
disproportionate impacts associated with, 55, 359, 362, 363, 373-374, 399, 625, 720  
extreme event impacts, 585, 625-626  
human health and, 43, 393, 406, 478  
informal settlements, 373-374  
sustainable development and, 494  
vulnerability and, 74, 399, 489  
**Prairies.** *See* Grasslands  
**Pre-industrial temperatures,** 783  
probability of exceeding 2°C above, 801  
**Precipitation**  
extremes, 187, 547  
observed trends, 177  
projected impacts and interactions, 42, 375, 795  
projections, regional worldwide, 33, 149, 151  
*See also* Droughts; Floods; *specific regions and countries*  
**Primary production\*,** 288, 291-292  
carbon dioxide effects on, 282, 284-285  
in lakes, 97  
in oceans, 94, 234  
*See also* Net primary production (NPP)  
**Probabilistic analyses,** 141, 799, 800-801, 803  
**Probabilistic futures,** 35, 135, 145, 160-161  
**Projections\***  
climate projection, 31-35, 133-171  
climate variability and extremes, 152  
definition, 145  
temperature and precipitation, regionally, 149-150  
**Property rights,** 816  
**Protozoan parasites,** 292, 487

**Psychological research**, 735-736

**Pteropods\***, 213, 234, 658

**Pure rate of time preference\***, 822, 823

## Q

**Qinghai-Tibet Railway**, 724

## R

**Rabies**, 671

**Radiation**. *See* Ultraviolet (UV)-B radiation

**Radiative forcing\***

methane emissions and, 662, 667

scenario analysis and stabilisation targets, 799-802

**Ragweed (*Ambrosia artemisiifolia*)**, 402-403

**Rainfall**. *See* Precipitation

**Range shifts of vegetation and wildlife**, 28, 213, 216, 217, 229, 232, 237, 546, 553, 622

in Africa, 449

in Asia, 471, 478

observed changes, 56, 81, 83, 102

in pelagic communities, 659

in polar regions, 56, 667

*See also* Extinction; Vulnerability hotspots

**Rangelands\***, 285-288

in Asia, 486

in Australia/New Zealand region, 513, 519-520

*See also* Grasslands; Savannas; Tundra

**'Reasons for concern'**. *See* Climate change

**Recalcitrant\* carbon stocks**, 221

**Recreation**

in Australia/New Zealand region, 523

in Europe, 336, 556-557, 561

fisheries, 624

in North America, 626, 634

*See also* Tourism

**Red tides**, 485

**Reference scenario**. *See* Baseline/reference climate

**Reforestation\***, 491, 758, 759, 769

**Regional climate change**

distribution of impacts, 796

key vulnerabilities, 788, 791-792

observed changes related to, 85-116

projected impacts, 48-63, 824, 825, 829

synthesis of changes and temperatures, 114-116

temperature and precipitation, 33, 783

*See also specific regions*

**Reid's paradox\***, 229

**Reindeer**, 666, 667, 668

**Reinsurance\***, 110, 369, 370, 376

**Relative sea level**. *See* Sea-level rise

**Reproduction, terrestrial organisms**, 103

**Reptiles**, 52, 224, 243, 543, 554, 565

**Research priorities/needs**,

adaptation practices, options, constraints and capacity, 737

Africa, 458

Asia, 497

Australia/New Zealand, 529-531

CCIAV assessment, 161

climate change and sustainability, 836

coastal systems and low-lying areas, 345-346

ecosystems, their properties, goods and services, 249

Europe, 564-565

food, fibre and forest products, 301-302

freshwater resources and their management, 201

human health, 419

industry, settlement and society, 385

inter-relationships between adaptation and mitigation, 770

key vulnerabilities and the risk from climate change, 804

Latin America, 607

North America, 639

observed changes and responses, 117

Polar regions, 676

Small islands, 711

**Reservoirs\***

of carbon, 220, 234

of disease, 401, 403, 404, 405, 413

microbial load in, 401

sedimentation of, 179

water storage, 90, 176, 179, 180, 326, 401

**Resilience\***, 76, 673, 674

adaptation and, 721, 733-734

in Africa, 48-49, 452, 453

of Arctic indigenous peoples, 655, 673, 674

of ecosystems, exceedence projections, 37

seasonal forecasts and, 416

in small islands, 698

of subsistence/smallholder livelihood systems, 281-282

thresholds, 733-734

**Resource-dependent communities**, 625

**Respiration\***, 220, 221, 225, 226

**Respiratory disorders**, 372, 393, 400, 402, 523

in Asia, 487

in Latin America, 588, 600

in North America, 55, 619, 620, 632

in polar regions, 671

in small islands, 689, 701

*See also* Air pollution; Pollen

**Response capacity**, 747, 763-766, 767

**Response strategies**, 69, 70, 781-782, 797-804

**Retail and commercial services**, 368

**Rhine River**, 184, 193, 198-199

**Rice**

observed crop yields, 106, 475

projected crop yields, 54, 297, 480, 481, 583

temperature and, 286

**Rift Valley Fever**, 447

**Riparian\* systems**, 56, 178, 234, 491

**Risk**, 753, 781

adaptation and, 781

assessment (*See* Risk assessment)

climate change, compendium of projected risks, 37, 240

communication, 143-144, 380, 735

criteria, 141, 785-786

definition, 753, 782, 786

high-risk regions, vulnerability of, 781

high-risk settlements, 359, 364

- perceptions of, 735-736, 737  
 risk-sharing, 707, 813  
 temperature and, 787-789  
 timing and, 345, 785, 801-802  
 uncertainty and, 781  
*See also* Insurance; Vulnerabilities
- Risk assessment**, 771, **779-810**  
 health and disease, 407-412  
 tools, 723  
 use of vulnerability assessment framework, 782  
*See also* Vulnerability assessment
- Risk management**, 31, 53, 135, 139-141, 361, 724  
 disaster risk management/reduction, 820-821  
 global warming approaches, synthesis, 140  
 sustainable development and, 384, 819-820  
 Tsho Rolpa project, Nepal, 719, 721, 723  
 for water sector, 36
- River basins**  
 in Africa, 48  
 in Asia, 471, 483, 493  
 human population in, 35  
 in Latin America, 586, 592-593  
 in North America, 193-194, 197, 627, 628, 633, 634, 818-819  
 trans-boundary, 767-769  
 water stress, 36, 179, 193-194
- River discharge\***, 28, 182-184, 183-184  
*See also* Runoff
- Rivers**, 233-234  
 acidification, 189  
 Arctic, 663-665  
 dams on (*See* Dams)  
 extreme floods, 109  
 observed changes, 28, 81, 91  
 river ice, 83, 88-89, 664  
 trans-basin diversions, 193-194, 197, 602  
*See also* Freshwater resources and management; Runoff;  
*specific rivers*
- Runoff\***, 175, 177, 182-184  
 in Africa, 446  
 in Asia, 49, 472, 483  
 in Europe, 52, 549-550, 554  
 in Latin America, 596, 598-599  
 observed changes, 81, 83, 89, 90  
 in polar regions, 655, 663-665  
 projected changes, 36, 280, 792  
 relation to temperature rise, 90
- Rural settlements**  
 adaptive capacity, 383  
 agriculture, 282  
 development, 492  
 human health, 413  
 in North America, 625  
 rural-urban migration, 491-492
- Russia–East of the Urals**  
 glacial melt impacts, 484  
 Lena delta, 496  
 permafrost degradation, 487
- See also* Asia
- S**
- Salinisation\***, 35, 186, 189  
 in coastal regions, 35, 179, 599  
 of groundwater, 35, 175, 179, 189, 483, 693  
 of inland waters, 553, 558  
 secondary, 189
- Salmon**, 192-193, 275, 291, 624
- Salmonella**, 487  
*See also* Food poisoning
- Salmonellosis**, 108, 400, 557, 701
- Salps**, 56, 88, 660, 675
- Saltmarshes**, 317, 329  
 biodiversity in, 630  
 in United States, 619, 623, 630
- Saltwater intrusion/encroachment\***, 35, 175, 179, 186, 189  
 adaptation, 722  
 in Asia, 49, 471, 477, 483  
 in Australia/New Zealand region, 512, 517  
 projected impacts and interactions, 375  
*See also* Freshwater resources and management;  
 Groundwater
- Sanitation and urban drainage**, 371  
*See also* Wastewater
- Savannas\***, 214, 224-226  
 in Africa, 451  
 forest replacement by, 583, 596  
 in Latin America, 596  
*See also* Grasslands; Rangelands
- Scale**, 359, 360, 366  
 of adaptation and mitigation, 749  
 ecosystem responses, 214, 215, 547  
 human health, adaptation approaches, 416-417  
 Large Scale Biosphere-Atmosphere Experiment, 604  
 in mitigation, 747, 749, 753-754, 767-769
- Scenarios\***, 31, 76, 77, 146-160  
 adaptation, 156-158, 719, 724  
 analysis, 799-802  
 atmospheric composition, 152-153  
 baseline, 782  
 carbon dioxide concentration, 34-35  
 climate, 32-33, 148-152, 149-151, 155  
 climate change, global-scale impacts, 821-825  
 climate scenarios assumed in this report, 149-151  
 definition, 145  
 emissions, 155, 529, 758  
 extreme weather events, 148-152  
 geographical resolution, 135  
 global and aggregate impacts, 821-825  
 Global Scenarios Group set of, 364  
 governance, 364  
 integration, 160  
 land use, 155-156  
 mitigation, 35, 139-141, 158-160, 799-803, 813, 830-831  
 non-climate, 34-35  
 overshoot, 801-802, 804  
 sea-level, 153-154

- socio-economic, 154, 155  
 stabilisation, 35, 71, 529, 758, 765, 799-802, 828  
 statistical downscaling, 148  
 "Techno Garden," 818  
 technology, 156, 364  
*See also* SRES scenarios
- Schistosomiasis**, 405, 487, 689, 701
- Sea grasses**, 328-330
- Sea ice**, 56, 655, 668-669, 734  
 Antarctic, 658  
 Arctic, 56, 655, 658, 659, 668  
 ecosystem impacts of decrease in, 88, 213, 231, 236, 668-669  
 observed changes, 28, 81, 83, 88, 657, 658, 659  
 projected changes, 40, 236, 656, 659, 662, 792
- Sea-ice biome\***, 56, 81, 231, 236, 655, 668-669, 792
- Sea-level rise\***, 40, 41, 49  
 adaptation, 798  
 adaptation costs and benefits, 345, 435, 724-725  
 adaptation examples, 722  
 adaptation limits, 734  
 coastal area impacts, 40, 41, 49, 317, 322-324, 325, 326, 336, 339  
 costs for developing vs. developed countries, 339, 339  
 extreme water levels and, 93, 325  
 geographic variability in, 484  
 glacial melt and, 663  
 ice sheet deglaciation and, 64, 75, 317, 346, 793, 793-794  
 inertia of, 41, 317, 346  
 long-term impacts (beyond 2100), 346  
 observed changes, 92, 479 (*See also specific regions and countries*)  
 projected changes, 40, 41 (*See also specific regions and countries*)  
 projected impacts, 42, 51, 54, 346, 375, 484-485, 793, 828  
 rapid, 734  
 regional scenarios, 154, 346  
 salt water intrusion and, 175, 186, 189  
 scenarios, 35, 153-154, 154, 322-324, 346, 696  
 storm surge scenarios/interactions, 154, 725  
 timing and risk, 345, 798  
 unavailability of, 41, 317  
*See also specific regions and countries*
- Sea surface temperature (SST)**  
 in Australia/New Zealand region, 510, 512, 522, 527  
 coral bleaching and, 320, 321-322  
 cyclones and, 479, 795  
 marine ecosystems and, 236  
 phytoplankton blooms and, 487
- Sea turtles**, 236, 449, 696
- Sea urchins**, 730
- Sea wall\***, 343
- Seabirds**, 95-96, 521, 527, 696
- Seals**, 96, 236, 660, 668, 669, 671
- Seasonal climate forecasting**, 416, 721, 727-728
- Seasons**. *See* Phenology
- Sediment transport**, 179, 189-190, 320, 485  
 dams and, 319, 326  
 deltas and, 493
- Semi-arid regions\***  
 afforestation in, 758  
 in Africa, 435, 439  
 freshwater resources and management, 36, 175, 176, 193-194, 331  
 replacement with arid vegetation, 54, 583
- Sensitivity\***  
 in Africa, 435, 436-443, 451  
 in Asia, 472-478  
 in Australia/New Zealand region, 510-514, 525  
 coastal systems, 318-322  
 ecosystems, 215-218  
 energy production systems, 362  
 in Europe, 544, 545-547  
 food, fibre and forest products, 277-280  
 freshwater resources, 176-180  
 human health, 396-405  
 industry, settlement and society, 361-363, 375  
 in Latin America, 584-593  
 in North America, 620-626, 627  
 in polar regions, 656-661  
 in small islands, 690-694  
*See also* Climate sensitivity
- Sensitivity analysis**, 32, 145, 146
- Sequestration**. *See* Carbon sequestration
- Services**  
 adaptation, 379-381  
 ecosystem goods and services, 213, 215, 245-246  
 future impacts and vulnerabilities, 367
- Settlement**. *See* Human settlements  
*See also* Industry, settlement and society; Urban settlements
- Shellfish poisoning**, 400  
*See also* Food poisoning
- Shrimp**, 669
- Shrublands**, 238, 552-553, 565
- Silviculture\***. *See* Forestry
- Sinks\***. *See* Carbon sinks
- Ski industry**, 28, 557, 558, 561, 634, 636, 734, 790  
 adaptation, 492, 721  
 in Asia, 489  
 effects of decreased snow, 86  
 snow-making, 557, 719, 721, 734  
*See also* Europe, European Alps
- Skin cancer**, 601
- Small islands**, 57-58, 63, 687-716  
 adaptation, 694, 703-709, 728  
 adaptive capacity, 706-709  
 agriculture, fisheries and food security, 57-58, 689, 698-700  
 assumptions about future trends, 694-695  
 atolls, 40, 697-698, 705, 707  
 biodiversity, 58, 689, 700  
 capacity building, 708-709, 710  
 characteristics of, 57, 690-691  
 climate and weather, 691-692, 694  
 coastal systems and resources, 690, 693, 697-698

- coral reefs, 57-58, 330, 699  
current sensitivity/vulnerability, 690-694  
drivers of change, 704  
economic, financial and socio-cultural impacts, 57, 695, 698, 701-702  
ecosystems, 693, 696, 706  
El Niño Southern Oscillation (ENSO), 689, 690, 691, 692  
emigration and resettlement, 697, 708  
energy, 702  
extreme events, 695  
future impacts and vulnerabilities, 57-58, 63, 689, 695-703, 696, 704, 788, 791-792, 829  
globalisation, 693, 707  
human health, 58, 689-690, 701  
human settlement, 689, 690, 693, 695, 700-701  
infrastructure and transportation, 57, 689, 690, 702-703  
interactions of human and physical stresses, 693  
introduction, 690  
market impacts, 791  
migration, 697, 708, 736  
non-climate-change threats, 699  
observed changes, 92, 93, 689, 691-692  
precipitation, 151, 691-692, 694, 695-697  
resilience in, 698  
risk-sharing and insurance, 690, 707  
salinisation of groundwater, 186, 189  
sea level/sea-level rise, 57, 317, 689, 692, 694, 696, 705-706  
socio-economic stresses, 692-693  
sub-Antarctic islands, 672  
sustainable development, 709-711, 791-792  
temperature, 150, 691, 694  
tourism, 58, 689, 690, 698, 701-702  
traditional knowledge and culture, 690, 695, 728  
tropical and extra-tropical cyclones, 689, 691-692, 695, 700  
uncertainties and research priorities, 711-712  
vulnerability/risk, 40, 57, 58, 74, 695-703, 788, 791-792  
water resources, 57, 689, 693, 695-697, 703-705  
*See also* Caribbean region; Fiji; Mediterranean islands
- Snow cover**, 28  
albedo and, 231  
in Asia, 484  
in Europe, 544, 551, 558, 565  
on Mt. Kilimanjaro, 48, 440  
observed changes, 28, 83, 86, 88, 115, 177  
projected changes, 662-663  
*See also* Snowpack
- Snow water equivalent\***, 621
- Snowmelt**, 83, 187, 193-194, 627
- Snowpack\***, 39, 55, 99  
in Europe, 551  
in North America, 55, 619, 623, 624, 627, 628  
*See also* Snow cover
- Social capital**, 453, 492, 816
- Social cost of carbon (SCC)\***, 65, 756, 771, 813, 821-824
- Social cost of methane**, 822
- Social issues**  
adaptation, 382-383, 729, 736-737  
future impacts and vulnerabilities, 373-374
- Social systems**  
adaptive capacity, 782, 798, 804  
key vulnerabilities, 74, 787, 790-791
- Socio-economic factors**, 26-28, 84-85  
in Asia, 474  
in North America, 627
- Socio-economic impacts**, 41-43, 46-47  
in Africa, 48-49, 297, 444  
in Asia, 50, 479, 487-489  
in Australia/New Zealand region, 521-522  
coastal systems, 317, 322, 323, 330-339, 331  
in Europe, 52-53, 543-544, 545, 548  
food, fibre and forest products, 291, 296-299  
forestry, 291, 297  
freshwater resources/management, 190-196  
human health and, 394  
industry, settlement and society, 362, 373-374, 376-379  
in Latin America, 590-591  
methods and tools for characterising, 337  
net negative impact of climate change, 338-339  
in North America, 55, 632-635  
observed changes, 82, 84-85, 111-112  
in polar regions, 56, 655, 657, 661, 665-666, 668, 676  
in small islands, 57, 58, 695, 698, 701-702  
*See also specific systems and regions*
- Socio-economic scenarios\***, 154, 155
- Soil**  
carbon stocks, 221  
erosion, 179, 189-190, 558  
nitrogen, 221  
water balance/moisture, 50, 225
- Solar resources**, 634
- Sorghum**, 49, 288, 295, 452, 482, 555
- South America**. *See* Latin America
- South Atlantic Convergence Zone (SACZ)**, 584
- South-east Asia**. *See* Asia
- South Pacific Convergence Zone (SPCZ)**, 691
- Southern Annular Mode**, 675, 794  
*See also* Modes of climate variability
- Southern Ocean**  
carbon flux, 662  
ecosystems, 244, 669-671  
projected circulation changes, 521  
vulnerabilities, 234  
warming, observed, 95-96  
*See also* Polar regions
- Southern Oscillation**. *See* El Niño Southern Oscillation
- Soybeans**, 54, 106, 583, 590, 607
- Spatial analysis**, 29
- Spatially-explicit methods**, 824-825, 836
- Sphagnum moss**, 660
- Springtails (Collembola spp.)**, 103
- Spruce budworm**, 218, 623
- SRES scenarios\***, 32, 147, 147  
carbon dioxide stabilisation, 159  
climate scenarios assumed in this report, 149-151



- climate variability/extremes, 152  
downscaling methods, 135  
food demand and supply, 38, 284  
global economic growth projections, 364  
global storylines and scenarios, 147  
land-use and land-cover, 157  
nutrition/hunger, 275, 298, 299, 300  
sea-level, 153, 694, 696  
socio-economic characterisations, 155  
terrestrial ecosystem changes by 2100, 213, 238  
tourism, 369  
water stress, 36  
*See also* Scenarios
- Stabilisation scenarios**, 35, 71, 529, 758, 765, 799-802, 828
- Stakeholders\***, 31, 747, 753-754, 770  
assessment inputs, 31-32, 135, 141-142  
participation ladder, 142  
vulnerability assessment and, 782
- Stegomyia aegypti* (formerly *Aedes aegypti*)**, 403-404, 524
- Stochastic modelling**, 337
- Stock**. *See* Carbon stocks
- Storm surges**, 317, 319-320, 334, 398  
adaptation, 722, 724  
in Europe, 550-551  
in Latin America, 586  
in North America, 55, 630  
observed changes, 92-93  
projected impacts and interactions, 375, 725, 795  
scenarios, 154  
in small islands, 57, 695  
*See also* Extra-tropical cyclones; Hurricanes; Tropical cyclones; Waves
- Storylines**, 32, 145, 146, 147
- Stratosphere\***, 600-601
- Streamflow\***, 175, 176, 179, 189  
in Africa, 446  
in North America, 621-622  
observed changes, 89, 114, 177  
projections, 36, 185, 193-194
- Sturgeon**, 275, 291
- Sub-alpine\* regions**  
forests, 232, 620, 624  
lakes, 91  
vegetation and mammals, 512
- Sub-Antarctic islands**, 50, 672  
*See also* Small islands
- Sub-arctic regions**  
in Europe, 543, 551-552, 559, 565  
productivity, 659
- Sub-tropical regions**  
ecosystems, 213-214, 229, 236  
human health, 689, 701  
*See also* Tropical regions
- Subsistence livelihoods**, 43, 49, 248-249, 275, 279, 281-282, 293-294, 657
- Succulents\***, 223, 243, 449, 792
- Sulfur dioxide**, 153
- Surface air temperature**  
in Asian regions, 480  
in polar regions, 230, 656-657  
in small islands, 694
- Surface runoff\***, 90  
*See also* Runoff
- Surprises, ecological**, 38, 242
- Sustainable development\***, 55, 75-76, 384, 811-841  
adaptation and development communities, bringing together, 76, 834-836  
adaptation and mitigation links, 747, 751, 765-766, 827-832  
adaptive capacity and, 76, 817-819  
in Africa, 457  
in Asia, 494-495  
in Australia/New Zealand region, 528-529  
barriers to, 299  
coastal systems, 345  
definition, 494, 814  
ecosystems, 248-249  
environmental quality, 819-820, 835  
equity issues, 813, 826-827, 835  
in Europe, 546-547, 563-564  
food, fibre, forestry and fisheries, 276, 299  
freshwater resources, 36, 200-201  
global and aggregate impacts, 821-825  
indigenous knowledge and, 832, 833  
industry, settlement and society, 380, 384  
introduction, 814  
in Latin America, 55, 299, 584, 606-607  
linkages with climate change/adaptation, 817-819  
multiple stresses and, 359, 384, 813, 816-819  
in North America, 639  
opportunities, co-benefits and challenges for adaptation, 832-836  
overview schematic, 815  
participatory processes, 813, 832-834  
pillars of, 814, 815  
in polar regions, 675-676  
regional, sub-regional, local and sectoral development, 826-832  
risk, hazard and disaster management and, 820-821  
in small islands, 709-711, 791-792  
supporting factors, 813, 816-817, 836  
synergies in, 813, 827-832, 835, 836, 837  
synthesis of new knowledge, 814-816  
‘three pillars’ of, 766  
thresholds, 361  
uncertainties, unknowns and priorities for research, 78, 836-837  
*See also* Development; Millennium Development Goals
- Switchgrass (*Panicum virgatum L.*)**, 288
- Synergies**, 72, 747, 754-756, 762-763, 813, 835  
definition, 749  
geographic distribution of, 827, 830-831  
of mitigation and enhanced adaptive capacity, 72, 827-832, 837

**T****Taiga\***, 229, 230, 485**Tajikistan, hydropower generation**, 483**Technology**

access to, 441, 791, 813, 816, 826-827  
 adaptation and, 554-555, 727-728, 734  
 biotechnology, 296, 452, 555-556  
 limits, 734  
 scenarios, 156, 364

**Temperature**

adaptation examples, 721, 722  
 agricultural impacts, 275, 282-283, 284-285, 286, 287-288, 300, 301  
 alert plans/early warning systems, 53, 417, 491, 544, 563, 721  
 attribution of observed changes to, 81, 112-116  
 in Australia/New Zealand region, 509, 510-511  
 extreme events, 789, 795 (*See also* Heatwaves)  
 fisheries and, 291  
 impacts (*See* Temperature impacts)  
 observed changes correlated with, 85-112, 114-116 (*See also* Observed changes and responses)  
 observed changes in, 81, 115-116 (*See also specific regions and countries*)  
 projected impacts (*See* Temperature impacts)  
 reference for temperature levels, 783  
 regional changes in, attribution for, 112-113  
 relationship with vulnerability/risk, 787-789  
 sea surface (SST) (*See* Sea surface temperature)  
 surface air (*See* Surface air temperature)  
 thresholds, 802, 803  
*See also* Heatwaves; Temperature impacts; Temperature projections; *specific regions and countries*

**Temperature impacts**, 31, 37, 42, 73

compendium of risks for additional degrees of warming, 37  
 damage estimates for additional degrees of warming, 822  
 global/aggregate impacts, 64, 66, 73, 821-825, 827, 828-829  
 key vulnerabilities exacerbated by, 73, 781, 786-797, 803-804  
 linking of observed effects with temperature, 29  
 potential vulnerabilities with additional degrees or warming, 787-789, 792, 804  
 projected global impacts with additional degrees of warming, 828-829  
 projected impacts of 2-3°C rise, 38, 65, 781, 792  
 projected impacts of 4°C rise, 65, 781, 822  
 regional impacts, 33, 67, 827, 829  
*See also* Extreme weather events; Temperature

**Temperature projections**

carbon dioxide stabilisation and, 158-159  
 global, by 2080, 824  
 global damage estimates, 822  
 global, mean change above 1990-2000 levels, 781, 783, 792, 804  
 impacts of delay in addressing, 782, 802, 804  
 overshoot scenarios, 801-802, 804  
 probability of exceeding 2°C above pre-industrial level, 801  
 regional, summarised, 33, 149-150

**Terrestrial ecosystems**, 38

adaptive capacity, 658-660  
 carbon exchange, 38, 222, 792  
 as carbon source in future, 38, 213, 222, 792  
 climate-linked extinctions and invasions, 103  
 in coastal areas, 319-320  
 morphology/reproduction changes, 103  
 observed changes, 28-31, 81, 98-104, 115-116  
 phenology, 28, 99-101  
 in polar regions, 655, 656, 658-660, 666-668  
 projected changes, 38, 213, 238, 792  
 species community changes, 103-104  
 species distribution/abundance, 101-103  
 species evolutionary processes, 104  
 vulnerability/risk, 74, 788

**Thailand, flooding in**, 484**Thermal expansion\***, 41, 318, 324, 346, 484*See also* Lakes**Thermal stratification**, 81, 91, 234, 235*See also* Lakes**Thermal stress.** *See* Heat stress**Thermocline\***, 91, 553*See also* Thermal stratification**Thermohaline circulation (THC; also called Meridional Overturning Circulation)\***, 275, 292, 563, 655, 664

impacts of potential changes in, 64, 563, 794, 802-803  
 observed condition of, 88  
 vulnerability/risk, 74, 789, 794, 802

**Thermokarst\***, 88, 89, 231, 486**Thresholds\***, 78, 141, 359, 361, 365

adaptation limits, 733-734  
 climate, 781, 784-785, 802-803  
 coastal systems, 320, 321-322  
 coral bleaching, 321-322  
 crop responses, 277  
 dangerous anthropogenic interference (DAI), 801-802  
 ecosystems, 215  
 ice sheet deglaciation, 73, 793, 797, 800  
 temperature, 802

**Tibetan Plateau**, 106, 472, 724

glaciers, 477, 481, 487, 493, 494  
 vegetation changes, 486

*See also* Asia**Tick-borne diseases**, 108, 403, 557, 619, 620, 671

Lyme disease, 557, 619, 625, 632  
 tick-borne encephalitis (TBE), 108, 403, 410, 487, 671

**Ticks**

in Australia/New Zealand region, 283, 520  
 cattle tick (*Boophilus microplus*), 283, 520  
 in Europe, 403, 410, 557  
*Ixodes scapularis*, 625, 632  
 in North America, 620, 632

**Timber industry.** *See* Forestry**Timor Lest (East Timor)**, 706**Tolerable Windows Approach (TWA)**, 754-755, 802**Top-down assessment approaches**, 136, 748-749**Top-down risk reduction approach**, 820**Tourism**

- adaptation, 380  
 in Africa, 435, 439, 449, 450, 459  
 in Asia, 489, 492  
 in Australia/New Zealand region, 523, 527, 529  
 coastal area impacts, 320, 335-336  
 direct and indirect effects, 368-369  
 in Europe, 53, 336, 543-544, 556-557, 561, 565  
 future impacts and vulnerabilities, 362, 368-369, 790  
 infrastructures to protect tourists, 492  
 in Latin America, 587, 599  
 in North America, 626, 634  
 observed changes, 111  
 in polar regions, 673, 676  
 sensitivity to climate effects, 363  
 in small islands, 58, 689, 690, 698, 701-702  
 vulnerability/risk, 362, 368-369, 790  
*See also* Recreation
- Toxic algal blooms.** *See* Harmful algal blooms (HABs)
- Trade**  
 adaptation, 379, 730  
 agreements, 731  
 food, fibre and forest products, 40, 276, 284, 297, 300  
 future impacts and vulnerabilities, 367-368  
 international, climate change effects on, 368  
*See also* Globalisation
- Trade-offs**, 72, 747, 749, 751, 754-756, 762, 771  
 in coastal systems, 342-344, 795
- Traditional ecological knowledge**, 456-457, 523, 605, 666, 673-674, 833
- Transpiration\***, 220  
*See also* Evapotranspiration
- Transportation**  
 adaptation costs and benefits, 725, 726  
 in Europe, 556, 561, 565  
 extreme weather events and, 362, 366  
 future impacts and vulnerabilities, 368  
 linkage systems, 362  
 in North America, 627, 628, 630, 635, 636  
 in polar regions, 88, 676  
 in small islands, 689, 702-703  
*See also* Infrastructure
- Tree line\***, 229, 232, 233, 546, 551, 565  
 polar and altitudinal changes, 666  
 in polar regions, 655, 666
- Trophic level\***, 96-97
- Trophic relationships\***, 56, 667
- Tropical cyclones**, 317, 338  
 in Africa, 444  
 in Asia, 473, 476, 479, 489  
 in Australia/New Zealand region, 511  
 cost of damage, Asia, 489  
 deaths, worldwide, 40, 338  
 observed changes, 110  
 projected impacts/vulnerabilities, 42, 74, 317, 375, 781, 789, 795  
 range of impacts, 338  
 in small islands, 689, 691-692, 695, 700  
 wind speed projections, 695  
*See also* Extra-tropical cyclones; Hurricanes
- Tropical forests**, 54, 106, 220-221, 584, 596  
 deforestation, 53, 583, 594-595  
 replacement by savanna, 583, 596
- Tropical regions**  
 fires in, 218  
 forest replacement by savanna, 583, 596  
*See also specific regions and countries*
- Troposphere\*, ozone in**, 153, 480
- Trout**, 291, 665  
*See also* Fisheries
- Trypanosomiasis**, 447
- Tsetse fly**, 447
- Tsho Rolpa project, Nepal**, 719, 721, 723  
*See also* Adaptation
- Tsunamis\***, 319-320
- Tularemia**, 671
- Tuna**, 292, 482, 700
- Tundra\***, 38, 214, 230-232, 485, 666-668  
 adaptation limits/limitations, 52, 543  
 “greening” trend, 88  
 projected changes, 52, 792  
*See also* Permafrost; Polar regions
- Typhoid**, 398, 701
- U**
- Ultraviolet (UV)-B radiation**, 234, 278, 405, 558, 600-601
- Uncertainty\***, 27, 143-144, 799  
 adaptation procedures planned for, 201-202  
 in future projections, 378  
 managing, 141  
 multiple stresses/factors and, 783  
*See also* Risk; *specific systems and regions*
- Undernutrition\***, 38, 394, 399-400, 438  
*See also* Hunger; Malnutrition
- Ungulates\***, 226
- Unique and threatened systems**, 73, 795-796
- United Kingdom (UK)**  
 adaptation, 381, 722, 724, 820  
 adaptation/mitigation inter-relationships, 769-770  
 Climate Change Programme, 769-770  
 coastal retreat, 92  
 energy use/demand, 111  
 fires, 107  
 flood defences, 65, 381, 722  
 forage quality, 287  
 human health, 395, 409-412  
 marine ecosystems, 94  
 opportunities from climate change, 381  
 participatory processes, 834  
 phenology, 100  
 water supply/management, 199-200, 371  
*See also* Europe
- United Nations Development Programme (UNDP)**, 732-733
- United Nations Framework Convention on Climate Change (UNFCCC)\***, 383, 731, 748, 753, 766-767  
 Article 2, 73, 766, 781, 782, 783, 784  
 compliance with/governance of, 495

- Global Environmental Facility (GEF), 836  
policy focus on adaptation, 817-818
- United States**  
adaptation, 633, 722, 815, 820  
agriculture, 623-624, 631  
cities, climate change impacts in, 633  
coastal areas, 92, 622-623, 719  
Colorado River basin, 193-194, 197, 627, 634  
Columbia River basin, 627, 628, 633, 818-819  
costs of weather-related disasters, 332, 338, 369, 377, 621, 626  
Deer Island sewage facility, 724  
ecosystem impacts, 242-245  
energy, 626, 634-2527, 760  
fisheries, 281  
forestry, 624, 630  
freshwater resources, 621-622, 627-629  
heatwaves, 111, 411  
human health, 372, 625  
hurricanes, 92, 369, 399, 621, 625-626, 627 (*See also* Hurricanes, Hurricane Katrina)  
Mississippi River/delta, 326, 332, 333, 377  
net primary production (NPP), 622  
phenology, 100, 283, 622  
precipitation, 621-622  
protectorates (*See* Small islands)  
storm surges, 92-93  
temperature, 620, 621  
tourism and recreation, 336, 626, 634  
transportation, 366  
*See also* North America
- Upwelling region\***, 91, 96, 235
- Urban heat islands.** *See* Heat islands
- Urban planning**, 761
- Urban settlements**  
future impacts, 372  
high-risk areas, 361  
sanitation and drainage, 371  
summary of indicators, 363  
*See also* Construction; Human settlements; Industry, settlement and society; Infrastructure
- Urbanisation\***, 359  
in Asia, 488-489, 491, 494-495  
in Europe, 549, 550  
human health and, 412-413  
in Latin America, 587, 590
- Utilities**, 370, 381
- V**
- Vagile\* animals**, 237
- Valley Fever**, 625
- Vascular plants\***, 667  
*See also* Vegetation
- Vector(s)\***, 82, 108, 393, 400, 403, 418, 435, 599  
changes in transmission seasons/areal range, 31, 43, 50, 403-405, 471, 487  
possible pesticide resistance, 487
- Vector-borne diseases\***, 372, 394, 403-405, 418, 555  
in Asia, 50, 471, 472, 487  
in Europe, 51, 543, 557  
in North America, 619, 620, 625, 632  
observed changes, 108, 403-405  
*See also* Diseases; *specific diseases*
- Vegetation**  
Arctic region, current and projected, 57  
carbon dioxide effects on, 220, 276, 282-283, 285-287, 290, 300  
Dynamic Global Vegetation Models (DGVMs), 219, 220, 222  
herbaceous vs. woody growth, 225-226, 552  
poleward/altitudinal shift in ranges of, 57, 83, 102-103, 659  
*See also* Ecosystems; *specific systems and regions*
- Vernalisation\***. *See* Phenology
- Vibrio cholerae**, 401
- Vibrio parahaemolyticus**, 400
- Vibrio vulnificus**, 400
- Vietnam**, 473, 484  
*See also* Mekong River/delta
- Visceral leishmaniasis**, 403, 557, 587
- Vulnerabilities\***, 73-75, 117, 138-139  
in Africa, 40, 48, 48-49, 64, 280, 435, 436-443, 444-450, 451, 788, 791  
in Asia, 64, 472-478, 479-489  
assessment of (*See* Vulnerability assessment)  
in Australia/New Zealand region, 50-51, 242-245, 509, 510-514, 516-524, 525, 528, 529, 530  
coastal systems, 40-41, 317, 318-322, 324-336  
context/scale and, 43, 138-139, 359, 360, 366  
definition, 27, 138, 781, 782  
distribution, variations in, 781, 784, 796  
ecosystems, 213-214, 219-245  
in Europe, 545-547, 549-558, 565-566  
food, fibre and forest products, 74, 277-280, 282-294, 297-299  
freshwater resources, 176-180, 182-190, 193-194, 233-234  
global distribution in 2050, 77, 830  
global distribution in 2100, 831  
globalisation and, 731  
hotspots (*See* Vulnerability hotspots)  
human health, 396-405, 406-415  
industry, settlement and society, 41, 359, 361-363, 364-376  
'key' vulnerabilities, 73-75, 781, 783-797 (*See also* Vulnerability assessment)  
in Latin America, 53-54, 584-593, 596-600  
multiple stresses and, 75, 813  
national vulnerability index, 827, 830-831  
in North America, 242-245, 619, 620-626, 627-635  
perceptions of, 735-736  
in polar regions, 64, 230, 658-661, 663-672  
in small islands, 57, 58, 64, 74, 689, 690-694, 695-703, 696  
of special populations, 43, 64, 78, 393, 399, 557, 791, 796  
*See also* Coping ranges; Risk; *specific systems and countries*
- Vulnerability assessment**, 64, 73-75, 138-139, **779-810**  
as bottom-up approach, 136

characteristics summarised, 137  
 critical levels and thresholds, 784-785  
 dangerous anthropogenic interference (DAI), 73, 781, 782, 784, 798, 799, 801-802, 804  
 distribution and aggregation of impacts, 75, 781, 784, 786, 796-797  
 equity issues, 784, 786  
 extreme events, 64, 68, 73-74, 781, 789, 795, 796  
 geophysical systems, 74, 782, 789, 792-795  
 global biological systems, 74, 782, 788-789, 792  
 global social systems, 74, 782, 787, 790-791  
 introduction, 782-785  
 key vulnerabilities, 73-75, 783-784, 786-797  
 key vulnerability criteria, 73, 781, 785-787  
 methods, 798-804  
 mitigation strategies, 798-803  
 'reasons for concern' update, 73-76, 781, 795-797, 800  
 regional systems, 74, 788, 791-792  
 research needs, 804  
 response strategies, 781-782, 797-804  
 scenario analysis, 799-802  
 scientific assessment and value judgments, 784, 786, 799  
 stabilisation targets, 799-802  
 synthesis, 803-804  
 uncertainties in, 782, 799  
 UNFCCC Article 2, 781, 783, 784  
*See also* CCIAV assessment

### **Vulnerability hotspots**

in Africa, 438  
 Amazonia, 604  
 in Asia, 481  
 in Australia/New Zealand region, 51, 509, 529, 530  
 in coastal systems, 40, 41, 317, 327, 336, 337  
 in Latin America, 604, 606  
 megadeltas, 41, 64, 377

## **W**

**Walrus (*Odobenus rosmarus*)**, 669, 792

**Warming.** *See* Global warming

### **Wastewater**

management, Australia/New Zealand region, 517  
 re-use for irrigation, 418, 491  
 sanitation and urban drainage, 371  
 use, 181-182, 189, 490-491

### **Water**

chemistry, 89, 91, 658  
 groundwater (*See* Groundwater)  
 water-climate interface, 201-202  
*See also* Freshwater resources and management;  
 Hydrological systems

**Water-borne diseases**, 178-179, 189, 400-401

in Asia, 50, 471, 487  
 in Australia/New Zealand region, 524  
 in Latin America, 599  
 in North America, 625  
 observed changes, 108, 109  
 in small islands, 701

**Water consumption\***, 179, 191, 200, 370

**Water demand/use**, 36, 175, 191-194, 196-200, 197, 816  
 in Asia, 284, 481, 482, 483-484  
 in Australia/New Zealand region, 511-512, 528  
 in Europe, 550

**Water pollution**, 36, 175, 182, 188-189

**Water productivity\***, 192, 194

**Water quality**, 178-179, 188-189, 791

in Africa, 441-442  
 in Asia, 483, 487  
 in Australia/New Zealand region, 517, 525  
 in Europe, 545, 549-550, 557  
 human health and, 400-401, 413, 487  
 in lakes, 233  
 in North America, 629  
 in small islands, 693, 703-705

### **Water resources**

adaptation and mitigation decisions, 758-759  
 adaptation costs and benefits, 300, 725, 726, 727  
 in Africa, 48, 284, 370, 377, 435, 437, 441-442, 444-446, 451, 458-459  
 in Asia, 49, 471, 471-472, 477, 481, 483-484, 490-491  
 in Australia/New Zealand region, 50, 511-512, 514, 526, 528  
 in Europe, 52, 545, 549-550  
 infrastructure, 36, 175, 189, 191  
 in Latin America, 586, 592-593, 597-599, 602, 605  
 in North America, 55-56, 627-629, 633  
 observed changes, 90-92  
 projected changes, 35-37, 828  
 in small islands, 57, 689, 693, 695-697, 703-705  
 vulnerability/risk, 787, 791, 824  
*See also* Freshwater resources and management;  
 Groundwater; Runoff

**Water stress\***, 36, 179, 193-194, 284, 365, 791

in Africa, 48, 435, 437, 444, 445, 451  
 in Asia, 471, 472, 484  
 in Europe, 52, 543, 550, 552, 559, 565  
 in Latin America, 54, 583, 597-598, 791  
 projections, 795, 813, 825  
 in small islands, 689, 697

### **Water supply**

future impacts and vulnerabilities, 370-371, 726  
 human health and, 401  
 infrastructure, 36, 175, 189, 191  
 regional planning, 382

**Water use efficiency\***, 283, 284, 331, 490-491

**Waves**, 93, 110, 317, 319

*See also* Storm surges

**Weeds**, 103, 283, 483, 520

**Welfare\***, 814, 821

coast impacts and, 40

**West Nile virus**, 619, 625

**Wetlands\***, 40, 233-234

in Africa, 449  
 Arctic, 88, 655, 665  
 in Asia, 471, 478, 485  
 in Australia/New Zealand region, 509, 517, 530  
 biodiversity, 234

- coastal, 40, 92, 93, 317, 328-330
  - in Europe, 551, 553, 560, 565
  - methane emissions from, 793
  - in North America, 620, 630
  - observed changes, 92
  - tundra, 230-231
  - wastewater re-use and, 491
  - Whales**, 236, 669, 671
  - Wheat**, 277, 452, 480
    - Fusarium* in, 586, 590
    - observed changes, 106
    - projected crop yields, 54, 297, 586
    - sensitivity to climate change, 39
    - temperature and, 39, 286
  - Wildfires**. *See* Fires
  - Wildlife ranges**, 83, 230-231, 622
    - See also* Range shifts of vegetation and wildlife
  - Wind**
    - adaptation options, 70
    - flooding and, 398 (*See also* Storm surge)
    - resources, 634
    - speed, in tropical cyclones, 695
    - windstorms in Europe, 489, 547-548, 557
    - See also* Extra-tropical cyclones; Hurricanes; Tropical cyclones
  - Wine production**, 104, 105, 624, 631, 731
  - Women**. *See* Gender
  - Woodlands**. *See* Forests
  - World Bank, carbon offset funds**, 753
  - World Trade Organization (WTO)**, 767
  - Wyeomyia smithii*, 403
- Y**
- Yedoma\***, 213, 214, 221, 231
  - Yields**. *See* Crop yields
- Z**
- Zoonoses (zoonotic diseases)\***, 625, 671
  - Zooplankton\***, 28, 56, 88, 94-96, 97, 556
    - See also* Algal blooms; Phytoplankton